

# Practical Computing

50p

January 1980

Volume 3 Issue 1


**Shock story:  
size yourself up  
with a micro**

**Eurapple:  
What's in  
store for 1980**

**The frontiers  
of computer  
graphics**

**Review: H-P's  
pocket micro?**

**Agony column:  
how I got started  
with micros**



Ask for our  
free colour  
brochure

DIAL  
NOW

031-225 2022  
(24 HOURS ANSWERING)

# MicroCentre are the UK Cromemco experts



#### Sample catalogue prices:

*System Two computer	1995
*System Three computer	3293
*Z-2H computer	4998
Extra 64K memory	893
3101 visual display unit	1147
3355 daisywheel printer	2297
HDD 11-mbytes hard disc	4022
ANSI Cobol compiler	55
ANSI Fortran IV compiler	55
16K extended BASIC	55
Word processing system	55
Database management	55
Macro relocating assembler	55

Prices exclude VAT and  
delivery

MicroCentre also supply peripherals, applications software, and multi-user timesharing systems; a PROM programmer; analogue-digital interface; and much more. On site maintenance can be arranged throughout the UK.

\*Computer systems include fast 4MHz Z80A micro, S-100 bus (21 slots), 64K memory, dual floppy discs, peripheral interfaces, etc. CP/M compatible operating system CDOS free with software.

With our in-depth experience and total commitment to the reliable Cromemco range we are Cromemco's leading UK distributor. Rely on us, as many others do, for expert support with your routine or special micro-computer applications.

Photo features Cromemco System 3 computer, 3101 VDU, and 3355 daisywheel printer.

Look out for us at Compec '79, stand no. 756

## Micro Centre

Complete Micro Systems Ltd.  
132 St. Stephen Street,  
Edinburgh EH3 5AA.  
Tel: 031-225 2022.

● Circle No. 101



Editor  
**Peter Laurie**

Technical Editor  
**Nick Hampshire**

Staff Writer  
**Duncan Scot**

Production  
**Martin Hayman**

Editorial Secretary  
**Susie Manning**

Advertisement Department  
**Tom Moloney**  
**Tina Roberts**  
**David Lake**

Publishing Director  
**Christopher Hipwell**

Editorial: 01-261 8752  
Advertising: 01-261 8000

Practical Computing is published by IPC Electrical Electronic Press Ltd, Dorset House, Stamford Street, London SE1 9LU. Tel: 01-261 8000

Telegrams/Telex: 25137 BISPRSG

and printed by Edén Fisher Ltd, Southend-on-Sea.

Distributed by IPC Sales and Distribution Ltd, 40 Bowling Green Lane, London, EC1R 0NE. Typesetting & Artwork by Bow-Towning Ltd, London EC1.

Subscription Rates:  
Single copy: 50p.  
Subscriptions: U.K., £6 per annum (including airmail postage).  
Europe (excluding U.K.), £12;  
Elsewhere in the world: £18.

Subscription Enquiries:  
Subscription Manager  
IPC Business Press (S.and D.) Ltd.

Oakfield House,  
Perrymount Road,  
Haywards Heath,  
Sussex RH16 3DH.  
Tel: 0444 59188.

©IPC Business Press Ltd 1979  
ISSN 0141-5433.

Every effort has been made to ensure accuracy of articles and program listing. Practical Computing cannot, however, accept any responsibility whatsoever for any errors.

# CONTENTS

- 45 Editorial** / What happens next?
- 47 Feedback** / In defence of COBOL; competition winners; reliability for the TRS-80
- 50 Printout** / Computer chief hits out at cowboys; new Tandy for 1980
- 52 Has the pocket computer arrived?** / Vincent Tseng peeks at the H-P 41C: could this be the forerunner of the portable micro?
- 54 At home on the range** / Martin Collins reviews the Texas TEI system
- 56 Whose hand rocks the cradle?** / As hospital budgets shrink, one department has come up with a novel and time-saving micro application for wards. Report by Duncan Scot
- 58 Single-cell movements tracked by computer** / Part 2 of *Practical Computing's* account of work in progress at the University of London's image processing group
- 63 Getting started** / The agony of one man's way through the hardware jungle
- 66 Hoover by Rex Malik** / A scenario for the future: earth ruled by intelligent satellites
- 71 Shock story! Size yourself up with a micro** / Chris Smith describes how to use a micro to measure your pain responses
- 79 Upsetting the Applecort** / David Hebditch interviews Eurapple chief Andre Souson and gets some tantalizing glimpses of new fruit
- 84 Speak, memory ...** / A. C. Kilgour on the latest developments in memory which allow micros to 'draw' the real world
- 92 Pet Corner**
- 94 Tandy Forum**
- 95 Apple Pie**
- 96 6502 Special**
- 97 Life forms unlimited** / Steve Thomas's version of the game in Basic
- 100 Book reviews** / Getting Acquainted with Microcomputers
- 103 A brief encounter with monitor program software** / R. D. Hodgson describes how to squeeze the last drop out of the CPU
- 105 Cut conversion fiddle with assembler program** / Take the sweat out of machine code programming
- 110 Buyers' guide** / Your market update
- 118 Diary**
- 147 Glossary** / The A-Z of what it means

PET  
Z80/CPM  
6800

# SOFTWARE

*This is how your business appears on the screen.  
Approx 60 entries update require only 1-2 hours weekly and  
your entire business is under control.*



**\* PROGRAMS ARE INTEGRATED**

- 1= ENTER NEW NAMES/ADDRESSES
- 2= \* ENTER/PRINT INVOICES
- 3= \* ENTER PURCHASES
- 4= \* ENTER A/C RECEIVABLES
- 5= \* ENTER A/C PAYABLES
- 6= ENTER/UPDATE STOCKS REC'D
- 7= ENTER ORDERS REC'D
- 8= EXAMINE/UPDATE BANK BALANCE
- 9= EXAMINE SALES LEDGER
- 10= EXAMINE PURCHASE LEDGER
- 11= EXAMINE INCOMPLETE RECORDS
- 12= EXAMINE PRODUCE SALES

**SELECT FUNCTION BY NUMBER**

- 13= PRINT CUSTOMER STATEMENTS
- 14= PRINT SUPPLIER STATEMENTS
- 15= PRINT AGENTS STATEMENTS
- 16= PRINT QUARTERLY TAX STATEMENTS
- 17= PRINT WEEK/MONTH SALES
- 18= PRINT WEEK/MONTH PURCHASES
- 19= PRINT YEAR AUDIT
- 20= PRINT PROFIT/LOSS ACCOUNT
- 21= UPDATE ENDMONTH FILES
- 22= PRINT CASHFLOW ANALYSIS
- 23= ENTER PAYROLL
- 24= RETURN TO BASIC

WHICH ONE (ENTER 1 TO 24)

EACH PROGRAM GOES IN DEPTH TO FURTHER EXPRESS YOUR REQUIREMENTS.

FOR EXAMPLE (9) ALLOWS: a. list all sales; b. monitor sales by stock code; c. invoice search; d. amend ledger files; e. total all sales.

BUSINESS PROGRAM VERSION 1 ..... £275  
(VERBOSE SIMPLE LANGUAGE AND UNITARY  
FILE HANDLING)

BUSINESS PROGRAM VERSION 3 ..... £475  
(SPACE SAVING AND MULTI MODE AND  
FUNCTION PROGRAMS)

BUSINESS PROGRAM VERSION 2 ..... £375  
(MORE IMPENETRABLE VALIDATIONS AND  
PROTECTION)

BUSINESS PROGRAM VERSION ..... £575  
(INCLUDING PAYROLL, YEAR AUDIT, PRO'  
LOSS; CASHFLOW)

MULTI-MODE 1, MULTI-FUNCTION, 12 STRING  
HANDLER ..... £50

MULTI-MODE 2, MULTI-FUNCTION, 12 STRING  
HANDLER & NUMERIC COMBINER ..... £100



# HARDWARE



• PET 2001 SERIES

- PET Computer 2001 32K ..... £795
- PET Printer 3022 Tractor Feed ..... £645
- PET Floppy Disks 2040 ..... £795
- PET IEEE Cables ..... £ 45

• TERMINALS

- Hazeltine 1510 ..... £895
- Interlube Video Terminal ..... £595
- Soroc IQ120 ..... £695

• PRINTERS

- Teletype 43 Printer ..... £895
- Centronics 779 Printer ..... £950

• COMPUTERS

**Intertec Superbrain**

Dual Z-80A Vector Interrupt, 64K RAM  
pws 1K 2708 PROM Bootstrap, Two  
Double-Density 5in. Floppy Disks  
..... £1,950

**Industrial Micro Systems Z-80 System**

48K Expands to 594K; Twin D/D Disk  
included. Expands to 10 Meg and pro-  
grams are CPM compatible ..... £2,500

**Smoke Signal 6800 System**

32K Expandable + Twin D/S  
Discs ..... £2,500

Please telephone for appointment — Tony Winter 01-636 8210

G.W. Computers Ltd., 89 Bedford Court Mansions, Bedford Avenue, London WC1.

• Circle No. 102



The  Cromemco

# Z-2H

**NEW**  
from Comart



**11 Megabytes of hard disc storage in a fast, new, table-top computer.**

- Fast Z80A 4MHz processor
- 11-megabyte hard disc drive
- Two floppy disc drives
- 64K RAM memory
- RS-232 serial interface
- Printer interface
- Extensive software available

Contact us direct or call your nearest Comart dealer

CAMBRIDGE  
CAMBERLEY  
ILFORD

LEEDS

LONDON  
LUTON  
MANCHESTER

NEWBURY

NEWPORT  
NOTTINGHAM

SHEFFIELD  
SOUTHAMPTON

CAMBRIDGE COMPUTER STORE, Cambridge (0223) 68155

MICROBITS, Camberley, Surrey (0276) 34044

THE BYTE SHOP, Ilford, Essex (01-554) 2177

also at Tottenham Court Road, London (01-636) 0647

HOLDENE LIMITED, Leeds (0532) 459459

also at Wilmslow, Cheshire (0625) 529486

DIGITUS LIMITED, London W1 (01-636) 0105

ISHERWOODS, Luton, Bedfordshire (0582) 424851

MICROCOMPUTERMART, Manchester (061-832) 2269

also at West Park, Leeds (0532) 788466

NEWBEAR COMPUTING STORE, Newbury, Berks (0635) 30505

also at Stockport, Cheshire (061-911) 2290

MICROMEDIA, Newport, Gwent (0633) 50528

COMPUTERLAND LIMITED, Nottingham (0602) 40576

also at Birmingham (021-622) 7149

Manchester (061-834) 0220

Glasgow (041-332) 2468

HALLAM COMPUTER SYSTEMS, Sheffield (0742) 663125

XITAN SYSTEMS LIMITED, Southampton (0703) 38740



**comart specialists in microcomputers**

Comart Ltd., P.O. Box 2, St. Neots, Huntingdon, Cambs, PE19 4NY. Tel: (0480) 215005 Telex: 32514

• Circle No. 103

# Even More!

Super software from the world's leading microsoftware supplier.

## DIGITAL RESEARCH

Software  
with  
Manual  
Manual / Alone

- CP/M\* FDOS** — Diskette Operating System complete with Text Editor, Assembler, Debugger, File Manager and system utilities. Available for wide variety of disk systems including North Star, Helios II, Micropolis, iCOM (all systems) and Altair. Supports computers such as Sorcerer, Horizon, Sol System III, Versatile, Altair 8800, COMPAL-80, DYNABYTE DB8/2, and iCOM Attache. Specify desired configuration ..... **£75/£15**
- MAC** — 8080 Macro Assembler. Full Intel macro definitions. Pseudo Ops include RPC, IRP, REPT, TITLE, PAGE, and MACLIB. Z-80 library included. Produces Intel absolute hex output plus symbols file for use by SID (see below) ..... **£55/£10**
- SID** — 8080 symbolic debugger. Full trace, pass count and break-point program testing system with back-trace and histogram utilities. When used with MAC, provides full symbolic display of memory labels and equated values ..... **£45/£10**
- TEX** — Text formatter to create paginated, page-numbered and justified copy from source text files, directable to disk or printer ..... **£45/£10**
- DESPOOL** — Program to permit simultaneous printing of data from disk while user executes another program from the console ..... **£30/£7**

## MICROSOFT

- Disk Extended BASIC** — Version 5, ANSI compatible with long variable names, WHILE/WEND, chaining, variable length file records ..... **£155/£15**
- BASIC Compiler** — Language compatible with Version 5 Microsoft interpreter and 3-10 times faster execution. Produces standard Microsoft relocatable binary output. Includes Macro-80. Also linkable to FORTRAN-80 or COBOL-80 code modules ..... **£195/£15**
- FORTRAN-80** — ANSI '66 (except for COMPLEX) plus many extensions. Includes relocatable object compiler, linking loader, library with manager. Also includes MACRO-80 (see below) ..... **£205/£15**
- COBOL-80** — ANSI '74 Relocatable object output. Format same as FORTRAN-80 and MACRO-80 modules. Complete ISAM interactive ACCEPT DISPLAY, COPY, EXTEND ..... **£325/£15**
- MACRO-80** — 8080/Z80 Macro Assembler. Intel and Zilog mnemonics supported. Relocatable linkable output. Loader, Library Manager and Cross Reference List utilities included ..... **£75/£10**
- EDIT-80** — Very fast random access text editor for text with or without line numbers. Global and intra-line commands supported. File compare utility included ..... **£45/£10**

## XITAN (software requires Z80\* CPU)

- Z-TEL** — Text editing language. Expression evaluation iteration and conditional branching ability. Registers available for text and commands. Macro command strings can be saved on disk for re-use ..... **£40/£12**
- ASM** Macro Assembler — Mnemonics per Intel with Z-80 extensions. Macro capabilities with absolute Intel hex or relocatable linkable output modules. New version 3 with added features ..... **£40/£12**
- LINKER** — Link-edits and loads ASM modules ..... **£40/£12**
- Z-BUG** debugger — Trace, break-point tester. Supports decimal, octal and hex modes. Disassembler to ASM mnemonic set. Emulation technique permits full tracing and break-point support through ROM ..... **£45/£12**
- TOP** Text Output Processor — Creates page-numbered, justified documents from source text files ..... **£40/£12**
- A4 package** includes Z-TEL, ASM, LINKER, Z-BUG, TOP ..... **£155/£30**

\*CP/M is a trade name of Digital Research  
\*Z80 is a trademark of Zilog, Inc

## EIDOS SYSTEMS

Software  
with  
Manual  
Manual / Alone

- KISS** — Keyed Index Sequential Search. Offers complete Multi-Keyed Index Sequential and Direct Access file management. Includes built-in utility functions for 16 or 32 bit arithmetic, string integer conversion and string compare. Delivered as a relocatable linkable module in Microsoft format for use with FORTRAN-80 or COBOL-80, etc. .... **£275/£15**
- KBASIC** — Microsoft Disk Extended BASIC with all KISS facilities, integrated by implementation of nine additional commands in language. Package includes KISS.REL as described above, and a sample mail list program ..... **£495/£30**
- MICROPRO**
- Super-Sort I** — Sort, merge, extract utility as absolute executable program or linkable module in Microsoft format. Sorts fixed or variable records with data in binary, BCD, Packed Decimal, EBCDIC, ASCII, floating, fixed point, exponential, field justified, etc. etc. Even variable number of fields per record! ..... **£125/£15**
- Super-Sort II** — Above available as absolute program only ..... **£105/£15**
- Super-Sort III** — As II without SELECT/EXCLUDE ..... **£75/£15**
- Word-Master** Text Editor — In one mode has super-set of CP/M's ED commands including global searching and replacing, forward and backwards in file. In video mode, provides full screen editor for users with serial addressable-cursor terminal ..... **£75/£15**
- Word-Star** — Menu driven visual word processing system for use with standard terminals. Text formatting performed on screen. Facilities for text paginate, page number, justify, center, underscore and PRINT. Edit facilities include global search and replace, read write to other text files, block move, etc. Requires CRT terminal with addressable cursor positioning ..... **£255/£15**

## GRAFFCOM SYSTEMS

- PAYROLL** — Designed in conjunction with the spec for PAYE routines by HMI Taxes. Processes up to 250 employees on weekly or monthly basis. Can handle cash, cheque or bank transfer payments plus total tracking of all year to date figures. Prints emp master, payroll log, payslips and bank giros. Requires CBASIC-2 ..... **£475/£15**
- COMPANY SALES** — Performs sales accounting function. Controls payments of invoices and prints sales ledger and aged debtors report. Suitable for any accounting period. Comprehensive VAT control and analysis of all sales invoices. Requires CBASIC-2. .... **£425/£15**
- COMPANY PURCHASES** — Performs purchase accounting function. Controls invoices, credit & debit notes. Prints purchase ledger, aged creditors report and payment advices. Comprehensive VAT control and analysis of all purchases. Interfaces with the NAD system. Requires CBASIC-2. .... **£425/£15**
- STOCK CONTROL** — Maintains stock records, monitors stock levels to ensure optimum stock holding. Details include stock desc., product code, unit, unit price, quantity on hand/on order/minimum. Stock analysis reports can be weekly, monthly, quarterly etc. Interfaces with Order Entry Invoicing system. Requires CBASIC-2 ..... **£325/£15**
- ORDER ENTRY & INVOICING** — Performs order entry and invoicing function. Handles invoices for services and consumable items, part orders and part quantities. Sales Analysis report shows sales movements and trends for user-defined period. Interfaces with Stock Control, NAD and Company Sales systems. Requires CBASIC-2. .... **£325/£15**
- NAD** — Complete control of all your names & addresses including suppliers, clients, enquiries etc. Assign your own coding system and select all output via the report generator. Will print anything from mailing labels to directories. Requires CBASIC-2. .... **£225/£12**

NEW

NEW

EFFECTIVE 1 OCTOBER 1979

# Software for most popular 8080/Z80 computer disk systems including **NORTH STAR HORIZON, VECTOR MZ, OHIO SCIENTIFIC, CROMEMCO, PROCESSOR TECHNOLOGY, RAIK BLACK BOX, DYNABYTE, SD SYSTEMS, RESEARCH MACHINES, ALTAIR, EXIDY SORCERER, IMSAI, HEATH, and 8" IBM formats**

## SOFTWARE SYSTEMS

- CBASIC-2** Disk Extended BASIC — Non-interactive BASIC with pseudo-code compiler and runtime interpreter. Supports full file control, chaining, integer and extended precision variables etc. **£75/£10**

## STRUCTURED SYSTEMS GROUP

- QSORT** — Fast sort/merge program for files with fixed record length, variable field length information. Up to five ascending or descending keys. Full back-up of input files created. Parameter file created, optionally with interactive program which requires CBASIC. Parameter file may be generated with CP/M assembler utility. **£50/£12**

## GRAHAM-DORIAN SOFTWARE SYSTEMS

- APARTMENT MANAGEMENT SYSTEM** — Financial management system for receipts and security deposits of apartment projects. Captures data on vacancies, revenues, etc. for annual trend analysis. Daily report shows late rents, vacancy notices, vacancies, income lost through vacancies, etc. Requires CBASIC. Supplied in source code. **£300/£25**
- INVENTORY SYSTEM** — Captures stock levels, costs, sources, sales, ages, turnover, markup, etc. Transaction information may be entered for reporting by salesman, type of sale, date of sale, etc. Reports available both for accounting and decision making. Requires CBASIC. Supplied in source code. **£300/£25**
- CASH REGISTER** — Maintains files on daily sales. Files data by sales person and item. Tracks sales, overruns, refunds, payouts and total net deposits. Requires CBASIC. Supplied in source code. **£300/£25**

## MICRO FOCUS

- CIS COBOL** — Version 3 is ANSI 74 subset with extensions which offer powerful interactive screen formatting and built in cursor control. Version 4 additionally offers full level 1 ANSI for Nucleus, Table Handling, Sequential Relative and Indexed I/O, Inter-Program Communication and Library  
 Version 3. **£295/£25**  
 Version 4. **£395/£25**
- FORMS** — Interactive utility to create CIS COBOL source code to perform CRT screen handling in application programs. Supports full prompt text, protected fields and input validation against data type and range expected. **£65/£10**  
 When purchased with CIS COBOL. **£55/£10**


## OTHER

- tiny C** — Interactive interpretive system for teaching structured programming techniques. Manual includes full source listings. **£45/£30**
- C Compiler** — Supports most major features of language, including Structures, Arrays, Pointers, recursive function evaluation, linkable with library to 8080 binary output. Lacks data initialization, long & float type and static & register class specifiers. Documentation includes 'C' Programming Language book by Kernighan & Ritchie. **£65/£10**
- ALGOL 60 Compiler** — Powerful block-structured language featuring economical run time dynamic allocation of memory. Very compact (24K total RAM) system implementing almost all Algol 60 report features plus many powerful extensions including string handling direct disk address I/O etc. Requires Z80 CPU. **£110/£12**
- Z80 Development Package** — Consists of: (1) disk file line editor, with global inter and intra-line facilities; (2) Z80 relocating assembler, Zilog/Mostek mnemonics, conditional assembly and cross reference table capabilities; (3) linking loader producing absolute Intel hex disk file for CP/M LOAD DDT or SID facilities. **£50/£12**
- Z80 Debugger** — Trace, break and examine registers with standard Zilog/Mostek mnemonic disassembly displays. Facilities similar to DDT. £20 when ordered with Z80 Development Package. **£30/£7**

Software  
with  
Manual / Manual  
Alone

Software  
with  
Manual / Manual  
Alone

- DISTEL** — Disk based disassembler to Intel 8080 or TDL Xitan Z80 source code, listing and cross reference files. Intel or TDL/Xitan pseudo ops optional. Runs on 8080. Standard CP/M and TRS-80 CP/M versions available. **£35/£7**
- DISILOG** — TEL to Zilog Mostek mnemonic files. Runs on Z80 only. **£35/£7**
- TEXTWRITER II** — Text formatter to justify and paginate letters and other documents. Special features include insertion of text during execution from other disk files or console, permitting recipe documents to be created from linked fragments on other files. Ideal for contracts, manuals, etc. **£45/£3**
- WHATSIT?** — Interactive data-base system using associative tags to retrieve information by subject. Hashing and random access used for fast response. Requires CBASIC. **£70/£15**
- XYBASIC** Interactive Process Control BASIC — Full disk BASIC features plus unique commands to handle bytes, rotate and shift, and to test and set bits. Available in Integer, Extended and ROMable versions.  
 Integer Disk or Integer ROMable. **£165/£15**  
 Extended Disk or Extended ROMable. **£215/£15**
- SMAL/80** Structured Macro Assembled Language — Package of powerful general purpose text macro processor and SMAL structured language compiler. SMAL is an assembler language with IF-THEN-ELSE, LOOP-REPEAT-WHILE, DO-END, BEGIN-END constructs. **£40/£10**
- Selector II** — Data Base Processor to create and maintain single Key data bases. Prints formatted, sorted reports with numerical summaries. Available for Microsoft and CBASIC (state which). Supplied in source code. **£105/£12**
- Selector III** — Multi (i.e. up to 24) Key version of Selector II. Comes with applications programs including Sales Activity, Inventory, Payables, Receivables, Check Register, Expenses, Appointments, and Client Patient. Requires CBASIC. Supplied in source code. **£155/£12**  
 Enhanced version for CBASIC-2. **£185/£12**
- CPM/374X Utility Package** — has full range of functions to create or re-name an IBM 3741 volume, display directory information and edit the data set contents. Provides full file transfer facilities between 3741 volume data sets and CP/M files. **£125/£7**
- Flippy Disk Kit** — Template and instructions to modify single sided 5 1/4" diskettes for use of second side in singled sided drives. **£6**



Orders must specify disk type and format, e.g. North Star Horizon single density.

Add VAT to orders for software (not manuals alone) Add 50p per item postage and packing (minimum £1)

All orders must be prepaid (except COD or credit card) Make cheques POS etc. payable to Lifeboat Associates.

Manual costs are deductible from subsequent software purchase

The sale of each proprietary software package conveys a license for use on one system only.

Lifeboat Associates, 32 Neal Street, London WC2H 9PS. 01-379 7931 <sup>TM</sup> The Software Supermarket is a trademark of Lifeboat Associates





For Hardware, Software, Peripherals, Consultancy and Competitive Prices.

# MICROCOMPUTERS ETC

Registered business name

CAMBERLEY (0276) 62506  
BRISTOL (0272) 422061  
OXFORD (0865) 721461



## PET



### Pet 2001 From £515

NEW PET 2001 with large keyboard.  
From £645.00

- PET 2001-16N (16K RAM and New Large Keyboard)\* £645.00
  - PET 2001-32N (32K RAM and New Large Keyboard)\* £795.00
  - PET 2001-8 (Standard PET with 8K memory) £515.00
  - CBM 3040 (Dual Drive mini-floppy 343K User Storage)\* £795.00
  - CBM 3022 (80 col. Printer :- PET graphics-tractor feed)\* £645.00
  - IEEE/RS232 Serial Interface 'A' Output only £106.00
  - IEEE/RS232 Serial Interface 'B' Input/output £186.00
  - IEEE-488/Centronics type parallel Interface £45.00
  - PET C2N External Cassette Deck £53.00
  - Interface to S100 (4 slot motherboard) £112.00
  - IEEE to Pet Cable /IEEE to IEEE Cable (Resp. £19/24) £795
  - COMPUTHINK dual drive up to 800K storage from £795
- \* Educational discount 5% on items indicated.

### Sorcerer

Now with the S100 Bus Expansion Interface and Dual Drive mini-floppy Disk



inc.  
Authorized Dealers

- Sorcerer 16K RAM (inc.UHF Modulator) £740.00
- Sorcerer 32K RAM (including UHF Modulator) £840.00
- Exidy Video Monitor (High Resolution) £240.00
- Exidy Dual Drive mini-floppy Disk (630K storage) £1195.00
- Exidy S100 Bus with Interface+Motherboard+PSU £200.00
- Exidy Mini-floppy Disk Drive (143K Storage) £495.00
- CP/M for Sorcerer on Disk £145.00

### Apple computer

- Computer with PALSOFIT in ROM (16K RAM) B/W £750
  - Computer with PALSOFIT in ROM (16K RAM) Colour £819
  - Apple mini-floppy Drive (116K storage) inc. Controller £398
  - Parallel Printer Interface Card £110.00
  - High Speed Serial (RS232C) Card £110.00
  - RAM Upgrade (16-32K, 32-48K) £69
- ITT 2020 & EUROAPPLE Authorized Dealers

### Advanced Systems

Altair, Equinox, Billings, Heath, Rair, Horizon.  
Installations to include hard disk, and multi tasking

### Terminals (Most Brands)

Pentland V1, 80 char./24 lines 2 page memory £580

Ansaback 'Phonemate' Telephone Answering Machine, voice operated twin cassette £190.00

### Software

### Petsoft COMPUSSETTES Personal Software GEMSOFT

- Lifeboat Associates (Authorized Dealerships, Send for Catalogues)
- PILOT (for TRS 80) text orientated language £18.00
- COMAC III Suite- Computerised Accounting for TRS 80 £75
- STOCK CONTROL (TRS 80) Inventory, P/O & Invoicing £125.00
- CP/M for TRS 80 £95.00
- CBASIC for TRS 80 & Sorcerer £75.00
- FORTTRAN for TRS 80 £85.00
- Estate/Employment Agency Systems, Fortran 80, Cobol 80, Pascal

**Etc.** Diskettes 5 1/4 (blank) boxed (min. order 10) each from £3.00  
C12 Cassettes (Min. order 10) each £0.45  
Computalker Speech Synthesis for S100 £350.00  
Books - Large range of Microcomputer related books & magazines.

If you don't see it - ask if we have it.



## TRS 80 MODEL II with up to 64 K RAM and 2-0MB Disk Storage!

- TRS 80, 4K Level 1 (Keyboard with 4K memory+ VDU+Cassette drive+240v PSU) £365.00
- TRS 80, 4K Level II (as above but with Level II basic) £425.00
- TRS 80, 16K Level II (as above but with 16K memory) £499.00
- TRS 80, Expansion Interface with 16K RAM £275.00
- TRS 80, Expansion Interface with 32K RAM £360.00
- Shugart Mini-floppy Disk Drive (including PSU) £315.00
- Micropolis Mini-floppy Disk Drive (including PSU) £315.00
- Percom FD200 Mini-floppy Disk Drive (inc. PSU) 110v. £299.00
- Micropolis Dual Drive (394K) (including PSU) £995.00
- TVJ 232T Serial Interface for TRS 80 £35.00
- TRS 80 Screen Printer (text+graphics) (110V) £445.00
- Centronics Parallel Printer Interface for TRS 80 £45.00
- TRS 80 Voice Synthesizer £345.00
- TRS 80 Numeric Key Pad supplied & fitted £69.00
- New Radio Shack Micro Printer £245.00
- Radio Shack Phone Modem £160.00
- NEWDOS Super-enhanced TRSDOS £49.00
- Level III Super-enhanced BASIC £34.00
- RSM Assemble/Monitor on Disk £19.95
- MICROCHESS or SARGON CHESS Cassette/Disk £14.00
- UHF Modulators (encased with leads for 625 lines) £20.00
- RAM upgrade (4-16K, 16-32K, 32-48K) supplied and fitted at our premises (Kit £80) £ 85.00
- 'Electric Pencil' text/word processing package (on cassette) £ 65.00
- 'Electric Pencil' text/word processing package (disk version) £109.00
- 'Electric Pencil' keyboard mod. to give lower case with text/word processing package. £28.00
- S100 Interface for TRS 80 (6 slots) £375.00
- 'Library 100' - 100 progs for TRS 80 on cassette (Level II) £39.00

NOW AVAILABLE

## Compucolor II



Computer with colour Monitor, Keyboard and Integral Disk Drive  
From only £1058.00  
Second Disk Drive £316.00  
Programmed Diskette albums available from £ 9.00

### Printers

- Teletype 43 KSR Serial Printer £825.00
- Teletype 33 KSR Serial (110 Baud) Reconditioned £550.00
- Centronics 779 parallel printer (tractor feed) £825.00
- Anadex DP 8000 serial/parallel printer (112c.p.s.bi-directional tractor feed) £560.00
- Centronics Micro printer (20, 40, 80 columns selectable) £395.00
- Black Box Printer (80 col.) special offer £299
- HEATH WH 14 serial (80, 96, 132 cols. selectable) £510.00
- MICROHUSH (40 c.p.s. bi-directional, thermal) + interface £266.00
- QUME SPRINTS daisy wheel serial printer P.O.A.

PRICES EXCLUDE VAT, FREIGHT & HANDLING SEND FOR PHONE FOR PRICE LIST & BROCHURES

(All prices correct at time of compilation)  
Directors: Dr. R.V. King, BA, MIEE, S.G. Johnson BSc. (Hons.) T.S. Johnson, ABIBA, ACMB, FBSC, MBIM A.S. Barton, ACII, ABIBA, CdiPAF



T & V JOHNSON (MICROCOMPUTERS ETC) LTD.  
Member of the TV Johnson Group of Companies  
165 London Road, Camberley, Surrey GU15 3JS  
48 Gloucester Road, Bristol BS7 8BH  
148 Cowley Road, Oxford OX4 1JJ.  
Branches at: Birmingham, Bristol, Edinburgh, Leeds, London, Louth, Newmarket, Nottingham, Oxford, Byfleet, Wokingham.



CAMBERLEY (0276) 62506  
BRISTOL (0272) 422061  
OXFORD (0865) 721461

+ Ansaback eves and w/ends.

Telex 858893

Hours of business 9.30-5.30 Mon-Fri. 9.30-1.00 Sat.

# Everything you always wanted to plug into your PET, APPLE or TRS-80\*

TRS-80  
HARDWARE

TRS-80  
SOFTWARE

## DOUBLE DENSITY DISK STORAGE FOR THE TRS-80 (220% capacity of Radio Shack's)

TRS-80 owners can now increase their on-line mass storage capacity. How? By using the 77 track Micropolis model 1033-11 dual drives.

Cost: only £995.00 for two drives, to give 394K on-line.

How do I use it? TVJ Microcomputers Etc. provides you with a special program to let your TRS-80 DOS know there are extra tracks. This program was written especially by Randy Cook, author of TRS-80 DOS.

RADIO SHACK VOICE SYNTHESIZER for TRS 80 provides the ability to speak in English and limited foreign languages. Capable of producing 62 phonemes (sound units) that are the building blocks of spoken language. Includes audio amplifier and speaker. . . . . £345.

VOXBOX — Voice recognition — TRS80 can now respond to spoken word! . . . . . £135.00.

TRS 80 PRINTER INTERFACE CABLE — allows you to connect a parallel printer (e.g. Centronics 700 series) directly to your Level II Keyboard, i.e. Expansion interface not required. . . . . £54.

TRS 80 NUMERIC KEYPAD MOD. . . . . £69.

RADIO SHACK MICROPRINTER for TRS 80, 40 column 2½" electro-static Printer, switch selectable RS232 Centronics Parallel and TRS 80 BUS Interfaces . . . . . £245.

MICROHUSH Printers for TRS 80, PET or APPLE. 40 cps, 40 column Thermal Printer (inc. Interface). . . . . £266.

### APPLE

SPEECHLAB — provides voice control for the Apple. Train your Apple to understand and act upon the spoken word (inc. microphone) . . . . . £165.00

REAL TIME CLOCK — 1/1000 sec. to 388 days with interrupt; Software controllable . . . . . £165.00

GRAPHICS LIGHT PEN. . . . . £165.00

PASCAL CARD — Powerful new language for the Business User with PASCAL, PALSOFT & INTEGER basic. . . £296.

COMMUNICATIONS CARD, allows APPLE to exchange data with a remote computer over ordinary telephone lines through a modem . . . . . £132.00.

AC line controller — allows APPLE to monitor and control AC devices remotely . . . . . £270.00

EASY WRITER — Word Processing System (Disk). . £85.00.

A2FP Function Plotter — Comprehensive Graph Plotting (Disk) . . . . . £18.00.

Plotting Facility in High Resolution (Disk). . . . . £18.00.

PILOT — Programming Language suitable for Educational Applicants . . . . . £35.00.

U — Draw II — High Resolution Graphics Editors Create a figure then rotate, expand contract etc and store in Disk . . . . . £27.50.

Programmer's Aid HI — Plug in ROM gives numerous facilities inc. Renumber, Mrge, High Res in Integer Pas etc . . . . . £29.00.

T & V JOHNSON (MICROCOMPUTERS ETC) LTD.  
Member of the TV Johnson Group of Companies  
165 London Road, Camberley, Surrey GU15 3JS  
48 Gloucester Road, Bristol BS7 8BH

3D Graphics — High resolution plotting in 3D! . . . £30.00

LISP — programming language suitable for research in artificial intelligence (Disk) . . . . . £30.00.

DATA MANAGEMENT/REPORT GENERATOR — easily formats disk files, allows entry, edit, delete & list of records; and retrieves data for display or calculation on screen or printer . . . . . £200.

ELECTRIC PENCIL — powerful word processor allows full cursor movement, insert/delete, string search, block movement, adjustable line length, justification (on cassette) . £65.

LOWER CASE MOD KIT FOR ABOVE . . . . . £28

DISK BASED WORD PROCESSING PACKAGE. £115.00.

RSM-2D DISK MONITOR — powerful system manipulates disk data, has Z-80 breakpoint routine. . . . . £25

ISAM — Index Sequential Access Method — Subroutines to facilitate control of RANDOM DATA Files (Disk) . £45.

PASCAL for TRS 80 now available! (Disk). . . . . £195.00.

ST80D Communications Software for TRS80 (Disk) £60.00

SARGON CHESS — 16K lv II — the 1978 champ . . . . £14

MICROCHESS 1.5 by Jennings — 4K any lev . . . . . £14

LIBRARY 100 — an assortment of 100 programs for . . £39

FORTAN IV FOR THE TRS-80! Finally, for high speed calculations on your micro, MICROSOFT's FORTRAN can speed up those computation-bound programs. Complete package includes compiler, relocatable assembler, text editor, and linking loader. . . . . £85.

CP/M + CBASIC for TRS-80 . . . . . £170.

NEW DOS — TRSDOS with corrections & enhancements £25

NEW DOS+ — As above but with further facilities: KBFIX, RENUM, Screen to Printer one step, DOS commands from BASIC, Level I in II, SUPERZAP, Disassembler, Open 'E' to end of sequential file, Load and Save faster, List variables . . . . . £49.

### PET

JOYSTICK PACKAGE — complete with connector, software instructiond . . . . . £25.00.

Programmers Toolkit — Plug-in ROM to provide additional facilities for 8K and 16/32K PETS (msp) . . . . . £75/£55.

MICROCHESS 2.0 by Jennings . . . . . £14

74 COMMON BASIC PROGRAMS on 1 tape . . . . . £15

PETACT BUSINESS SYSTEMS. . . . . P.O.A.

CBM DISK-BASED BUSINESS SOFTWARE

Commodore Word Processor — powerful word processor system. . . . . £75.00.

CSTOCK — Stock Control — gives complete Stock Report . . . . . £150.00.

CBIS — Business Information System — Storage & Retrieval of all types of company records . . . . . £150.00.

(We are authorised CBM Business Software Dealers)



Branches at: Birmingham, Bristol, Edinburgh, Leeds, London, Louth, Newmarket, Nottingham, Oxford, Byfleet, Wokingham.

• Circle No. 105

# aculab Ltd

## HIGH-QUALITY PRINTOUT FOR YOUR WORD-PROCESSING SYSTEM

The ACULAB 735P, a fully self-contained interface for IBM golfball output typewriters and printers.

Parallel model accepts 7-bit ASCII data via a Centronics compatible connector.

Serial model accepts RS232C/V24, selectable Baud rates. Parallel model may be retro-fitted with serial board.

Programmed for 7 different typehead layouts, covers all common golfballs and an ASCII ball, switch selectable from the front panel.

STOP/GO switch, ONLINE/OFFLINE switch, also online/offline under software control.

Parallel..... £155.00 + VAT  
Serial..... £205.00 + VAT

Accessories and cables available for use with PET/SORCERER/TRS-80 (with or without expansion interface) APPLE/ITT/RML380Z etc., etc.

Wiring and testing service for typewriters and printers.

Typewriters and printers available wired and tested and ready to go.

**aculab** Ltd.  
24 Heath Road,  
Leighton Buzzard, Beds.  
LU7 8AB

Trade enquiries welcome.

For further information  
Telephone. 0525-371393.

• Circle No. 106

## SUPPORT MEMBERS OF THE COMPUTER RETAILERS ASSOCIATION . . .



## THEY WILL SUPPORT YOU.

For further details on the associations aims, membership, code of conduct etc.

Please contact: Ms. Heather Hodgson,  
47, Creswell Road, Newbury, Berkshire.  
Tel. (0635) 42486

• Circle No. 107

# SCIENCE FACT

The invention of the silicon chip by Texas Instruments, turned science fiction into science fact overnight. That was in 1965, but only now is the full potential of the 'chip' being realised.

Texas Instruments offer you 14 years of extensive research and development in the form of data and reference books that will enable you to get the very best from their micro-miracle.

Whether it's your business or hobby, anyone interested in micro-technology will find these books invaluable.

Get the real facts from the inventors of the 'chip'!



## TEXAS INSTRUMENTS

Texas Instruments Ltd, Supply Division,  
MS21, Manton Lane, Bedford Tel: 0234 67466

Slough: 186 High Street, Slough, Berks. Tel: 0753 70531

Manchester: Knightsbridge Mall, Arndale Centre,  
Market Street, Manchester. Tel: 061-832 6238

Please send me the books ticked. I enclose £\_\_\_\_\_ plus £1.15 P&P

### DATA BOOKS

- T.T.L. Data £5.00
- Interface Circuits Data £3.50
- Power Semiconductor Data £3.20
- Transistor and Diode Vol. I £3.50
- Linear Control Data £2.50
- Optoelectronics Data £3.50

### OTHER T.I. BOOKS

- Optoelectronics Theory and Practice £7.50
- Semiconductor Circuit Design Vols. I to IV £6.50 each
- Volume V £7.95
- Understanding Solid State Electronics £1.20
- Understanding Digital Electronics £3.50
- Software Design for Microprocessors £12.00
- 9900 Assembly Language Guide £4.00
- 9900 Family Systems Design £8.00
- Calculating Better Decisions (SR51-II) £5.00
- Calculator Decision Making Source Book (TI-51 III) £5.00
- Calculator Analysis for Business and Finance (TI-42 MBA) £7.00
- Sourcebook for Programmable Calculators (TI-58/58C/59) £11.45

### TI-59 PAKETTES

Each pakette contains complete listings of programmes suitable for use with the TI Programmable 59 calculator £5.95 each

- Electronic Engineering
- Black Body Radiation
- Astrology
- Marketing/Sales
- Mathematics
- Production Planning
- TI-59 Fun (Games Pakette)
- Oil/Gas/Energy
- Printer Utility
- Programming Aids
- Fluid Dynamics
- 3D Graphics
- Lab Chemistry

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

PC/1/80

• Circle No. 108



# nascocom

## imp

# PLAIN PAPER PRINTER



## BOXED AND BUILT FOR ONLY £325 PLUS VAT

### FEATURES

- Serial RS232 interface
- 80 characters wide
- Bidirectional printing
- 60 lines per minute
- 10 line print buffer
- 96 character ASCII set  
(includes upper/lower  
case, \$ # £)
- Automatic CR/LF
- 8½" paper
- Optional tractor feed
- Baud rate from 110 to 9600
- External signal for optional  
synchronisation of baud rate

The Nascom IMP plugs straight into a Nascom 1/2 but is usable with all other micro systems. Parallel option will be available shortly.

TO NASCOM MICROCOMPUTERS LTD  
92 BROAD STREET  
CHESHAM  
BUCKS  
Tel: 02405 75155



Nascom Microcomputers

Please send me.....Nascom IMPs at £325  
each plus VAT plus £2.50 p&p

NM/PC/3

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

ACCESS/  
BARCLAYCARD NO \_\_\_\_\_

• Circle No. 109

# Video Vector Dynamics Ltd

**WE SELL SOLUTIONS.** Have you discovered that your problems really begin after you've bought the hardware? Either you've bought the wrong hardware or no software exists to make it work properly. We specialise in providing total solutions to problems and professional after-sales support of hardware and software. We have the resources successfully to implement commercial, scientific and instrumentation/control projects.

**COMMERCIAL.** Typical of our recent projects in this area was the connection of 12 remote stations to a central unit. This was achieved by using Commodore Pets as the remote stations allowing a degree of local processing linked via modems to a central S100 microcomputer with substantial disk storage capacity. This type of configuration is ideal where a limited amount of local accounting is required at each site but with a central collation of information on stock, payroll, etc.

**SCIENTIFIC.** Our scientific packages are currently in use by a number of major multi-national companies. Typical of these packages is our Chemical Graphics System used by pharmaceutical companies in drug design. This is designed to run on PDP-11 configuration but a subset of the facilities is available on microcomputers.

**INSTRUMENTATION/CONTROL.** We can supply a complete range of hardware and software packages covering analog, digital and graphical input/output and logging using fast microprocessor-based systems.

**COST.** Due to our familiarity with a wide range of hardware we can supply systems either optimised for minimum price or maximum performance — you decide on the price/performance mix.

In addition to consultancy and turnkey packages we offer the following proprietary products:

**FASTLIB.** This package is based on the AMD9511 arithmetic chip and is a complete hardware/software system. Use of FASTLIB is completely transparent to the user of Microsoft FORTRAN and BASIC. The software is totally integrated with the FORTRAN/BASIC compiler and simply by replacing the Microsoft-supplied library by FASTLIB existing programs can run 5 — 20 times faster without any modification. The hardware requires a single S100 slot. In addition to enhancing the speed of execution of the existing FORTRAN/BASIC functions and operations, additional functions have been implemented — NINT, TAN, ASIN, ACOS, SINH, COSH, THAN & RAN (a pseudo-random number generator).

**GLIB.** A graphics library enabling complex pictures to be produced from a series of simple subroutine calls such as : VECTOR (draws a line between any two (x,y) points); CIRCLE (draws a circle of any radius centred on any (x,y) point); TEXT (plots a 64 character ASCII set); STEXT (plots Greek and Mathematical symbols); etc. Plots can be saved on or retrieved from disk by single subroutine calls. The standard package uses the Vector Graphic High-Resolution Graphics board but the software can be configured for any graphics board or device. Microsoft FORTRAN, MACRO or BASIC is also required.

**GRAPH.** Fits either an arbitrary polynomial or a cubic spline to a set of (x,y) points. The spline routine is for drawing (smooth) curves through a series of points while polynomial finds the analytical form of the function corresponding to the (x,y) points.

**SFGC.** This is a communications program which enables connection of any two computers over a serial line (modem or dedicated). This has been used, for example, to link a microcomputer running CP/M to a PDP-11/LSI-11 running RT-11/RX-11M and a PDP-11/LSI-11 to an IBM 370, DEC — 10 etc. mainframe.

*Contact us at:*

**39 Hope St., Glasgow G1. 041-339-6782**

• Circle No. 110

## M I C R O C O N T R O L



### — THE INTERFACE EXPERTS

224 EDGWARE ROAD  
LONDON W2  
Tel 01-402 8842

MICRO CONTROL have been building specialised hardware and writing software, since Apple first came into the country. We can interface your Apple to *anything* with a custom designed card for a reasonable price. We can also provide Business Systems for Apple II and Micro Star to your requirements.

Centronics Printer Card £132.00

Apple disk drive £355.00  
with controller crd £398.00

Micro Hush Printer

+ Apple Interface £266.00

Thermal paperroll for Micro Hush £2.00

10in b/w monitor £132.00

12in b/w monitor £210.00

Apple Pascal £289.00

MicroStar £4,950.00

Printers VDU's ITT Apples Software & one-off's P.O.A.

Colour board for Apple. Have your text in colour! Clean Lo-res/Hi-Res hires colours £147.00

Micro Con. Real Time Clock. Date/Hr/Minute £90.00

8-Channel Mains Controller £140.00

4-Channel Mains Dimmer £175.00

**COMING SHORTLY:—** Colour for PET and TRS 80

4-Channel A/D cards 12-bit £174.00; 8-bit £116.00

4-Channel D/A 12-bit £149.00; 8-bit £110.00

16K Add In 150ns £58.00

Apple II 16K £810.00

High Speed Serial Card £110.00.

Com. Card £140.00

Integer Firmware Card (inc. Mini-Assembler) £110.00

Symtec light pen (for Apple) £165.00.

Apple Voice recognition Card £165.00.

Micro Products Eprom burner £140.00.

Box of 10 diskettes £30.00.

Lo-res/Hi-Res hires colours £147.00

• Circle No. 111

EUROPE'S LARGEST SELECTION OF MICROCOMPUTER BOOKS, MAGAZINES AND SOFTWARE FOR THE HOBBYIST, EDUCATIONALIST, PROFESSIONAL AND RETAILER.

## BOOKS

**SUMMER HOLIDAY BONUS:** For the purchase of 3 books or more, and paying by cheque, P.O. or cash, give yourself a 10% DISCOUNT!

Introduction to Microcomputers: by Osborne	
Vol 0: Beginners Book	£5.95
Vol 1: Basic Concepts	£6.30
Vol 2: Some Real Microprocessors (without binder)	£18.95
Vol 2: Some Real Microprocessors (with binder)	£24.70
Vol 3: Some Real Support Devices (without binder)	£11.95
Vol 3: Some Real Support Devices (with binder)	£17.70
Updating subscription (6 issues) for Vol 2	£18.95
Updating subscription (6 issues) for Vol 3	£18.95
Updating subscriptions for Vol 2 & 3	£30.00
1 Updating issue (Specify for Vol 2 or 3)	£4.00
1 Binder (Specify for Vol 2 or 3)	£5.75

6800 Programming for Logic Design	£6.30
8080 Programming for Logic Design	£6.30
Z80 Programming for Logic Design	£6.30

More BASIC Computer Games (coming soon)	£5.50
BASIC Computer Games (also see software section)	£5.00
What To Do After You Hit Return	£8.95
8080 Galaxy Game	£6.95
SUPER-WUMPUS A game in 6800 Assembler code & BASIC	£4.25
Computer Music	£6.75
Computer Rage IA Board Game)	£6.95
Artist and Computer	£3.95
Games with a Pocket Calculator	£1.75
Games, Tricks & Puzzles for a Hand Calculator	£2.49
Introduction to TRS-80 graphics	£5.75
Take My Computer Please... (light hearted fiction)	£3.25

Z80 Instruction Handbook	£2.95
8080 Programmers Pocket Guide	£1.95
8080 Hex Code Card	£1.95
8080 Octal Code Card	£1.95

Best of BYTE	£8.95
Scelbi BYTE Primer	£8.95
Best of Creative Computing Vol 1	£6.95
Best of Creative Computing Vol 2	£6.95
Best of MICRO (Issues 1-6 of Micro Magazine)	£5.50

Z80 Assembly Language Programming (coming soon)	£6.45
6502 Assembly Language Programming (coming soon)	£6.45
Microcomputer Programming 6502	£7.95
6502 Applications Book (coming soon)	£7.95
8080A 8085 Assembly Language Programming	£6.45
6800 Assembly Language Programming	£6.45
8080 Software Gourmet Guide and Cookbook	£6.95
6800 Software Gourmet Guide and Cookbook	£6.95
8080 8085 Software Design	£6.75
6800 Tracer An aid to 6800 Programme Debugging	£3.95
Program Design	£4.25
Programming Techniques: Simulation	£4.25

PIMS A Database Management System	£5.95
Scelbi High Level Language + Supplements	£15.00
Basex A Simple Language + Compiler for the 8080	£5.50

Microprocessors from Chips to Systems	£7.00
Microprocessor Interfacing Techniques	£8.75
Z80 Microcomputer Handbook	£7.50
TV Typewriter Cookbook	£7.50
Cheap Video Cookbook	£4.30
CMOS Cookbook	£7.50
IC OP AMP Cookbook	£8.95
RTL Cookbook	£4.25
TTL Cookbook	£7.50
IC Timer Cookbook	£7.50
Circuits Circuit Cellar	£5.50
First Book of KIM	£7.00

Introduction to Personal and Business Computing	£4.95
Getting Involved with your Own Computer	£4.75
Buyer's Guide to Microsoftware	£2.40
How to Profit from Your Personal Computer	£5.50
Microcomputer Potpourri	£1.75
Hobby Computers are Here	£3.95
New Hobby Computers	£3.95
Understanding Microcomputers and Small Computer Systems	£6.95

Instant BASIC	£6.95
Basic BASIC	£6.50
Advanced BASIC	£6.00
My Computer Likes Me... When I Speak in BASIC	£2.75
Calculating with BASIC	£4.95
Users Guide to North Star BASIC	£10.00
Introduction to PASCAL	£3.95

Accounts Payable and Accounts Receivable	£10.95
Payroll with Cost Accounting	£10.95
General Ledger	£10.95

Basic Software Library:	
Vol 1: Business and Games Programs	£17.50
Vol 2: Maths, Engineering and Statistical Programs	£17.50
Vol 3: Advanced Business Programs	£26.95
Vol 4: General Purpose Programs	£7.95
Vol 5: Experimenters Programs	£7.95
Vol 6: Miniature Business System	£32.50
Vol 7: Chess/Medbit/Wdproc Programs	£26.95

Some Common BASIC Programs	£6.30
Computer Programs that Work in BASIC)	£2.55
32 BASIC Programs for the PET	£10.10

8080 Standard Monitor	£9.95
8080 Standard Editor	£9.95
8080 Standard Assembler	£9.95
Special Package: 8080 Assembler, Editor, Monitor	£20.00
Bar Code Loader for 6800, 8080, Z80 and 6502	£1.75
Tiny Assembler for 6800 Systems	£5.75
RA 6800 ML An M600 Relocatable Macro Assembler	£15.95
LINK 68 - An M6800 Linking Loader	£5.50
MONDEB - An advanced M6800 Monitor Debugger	£3.50

## MAGAZINES

**SUMMER HOLIDAY BONUS:** For the purchase of 3 Magazines or more, and paying by cheque, P.O. or cash, give yourself a 10% DISCOUNT!

Magazine Subscriptions:		UK Price	Overseas Price
Subscriptions start within 3 weeks			
MICRO 6502 Journal (12 issues)		£12.50	£12.50
Personal Computing (12 issues)		£17.00	£17.00
Interface Age (12 issues)		£25.00	£25.00
Dr Dobbs Journal (12 issues)		£13.50	£13.50
Computer Music Journal (4 issues)		£11.00	£11.00
People's Computers (6 issues)		£8.50	£8.50
BYTE (12 issues)		£24.50	£24.50
Creative Computing (12 issues)		£16.50	£16.50
Kilobaud (12 issues)		£21.00	£21.00

Magazine Back Issues:		
Micro 6502 Journal		£1.50
Personal Computing		£1.95
Interface Age		£2.95
ROM		£1.95
Dr Dobbs Journal		£1.95
Computer Music Journal		£3.75
People's Computers		£1.95
BYTE		£2.95
Creative Computing		£1.95
Calculators and Computers		£1.95
Kilobaud (reprints only)		P.O.A.
73		£2.25
Magazine Storage Box (Holds 12)		£1.25

## HOW TO ORDER

Please note our book magazine prices include postage and packing, but not insurance, if wanted add 12p for every £10 of books ordered. Make cheques, PO's etc. payable to: — L.P. Enterprises.

CREDIT CARDS accepted  
BARCLAYCARD VISA/ACCESS/DINERS CLUB/  
AMERICAN EXPRESS  
Phone: 01-553 1001 for Credit Card orders (24 hr answering service)

All publications are published in U.S.A. and shipped into Britain air-freight by L.P. Enterprises. In unusual cases, processing may exceed 30 days.

Prices subject to change without notice

TRADE ENQUIRIES WELCOME

THIS LIST CANCELS ALL PREVIOUS PRICE LISTS: EFFECTIVE JULY 1979  
DUE TO FLUCTUATIONS OF THE DOLLAR. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Send to address on page	All Orders must be Prepaid:
Indicate Payment Method; and underline items required.	Total Enclosed £ .....
..... My cheque, P.O., I.M.O. is enclosed in Sterling on U.K. Bank	Charge to Barclaycard/Visa/Access/Diners/American Express
Credit Card No .....	Expiry Date .....
Name .....	
Address .....	
..... POSTCODE .....	
Signature .....	

• Circle No. 112



## T.W. COMPUTERS LTD.

— for ITT 2020 Apple Microcomputers  
in the Northwest

*We can supply you with just a machine, or a  
system tailored for your needs.*

**MICROCOMPUTERS FROM £750 + VAT.**

**DISC SYSTEMS FROM £395 + VAT**

**PRINTERS FROM £510 + VAT**

### PAY CLERK

— at last, a simple **PAYE** and **WAGES**  
programme!


- PAYE and N.I. tables made redundant
- Calculates PAYE, N.I. and NET PAY
- Full details for wage book.

**Only £145 + VAT.**

In preparation, PAYMASTER prints wages books  
and stores all PAYE information during the year.

**T.W. COMPUTERS LTD.** 293 London Road,  
Hazel Grove, Stockport, Cheshire.  
Tel. 061-456 8187.

• Circle No. 113



## WE HAVE ALL THE PIECES!

COME TO CAMBRIDGE AND SEE THE SOLUTION

*We can demonstrate practical business systems,  
with proven software, for many applications.*

*Leasing, installation and training available.*

PROTECHNIC COMPUTERS LTD.

264 Newmarket Road, Cambridge.

**0223 - 314855**

• Circle No. 114

# Senior Software Engineer

**c. £8,000 p.a.**

The Computer Aided Test Department  
of a large electronics company West of  
London, requires an engineer to study  
and make recommendations relating to  
the use of microprocessors in Automatic  
Equipment technology.

You should have experience with  
Automatic Test Equipment and a wide  
range of microprocessors using high level  
computer language such as ATLAS.  
A knowledge of PASCAL would be an  
advantage. Aged between 30  
and 45 you should be able to  
work on your own initiative as  
well as having a degree level

qualification. Brief visits abroad may be  
necessary, and a European language  
would be an advantage.

A salary of around £8,000 p.a. will be  
negotiated and other benefits include  
generous relocation assistance where  
appropriate.

Please write with full details, to  
R. J. Wareham, Moxon Dolphin and Kerby  
Ltd., 60 St. Martin's Lane, London  
WC2N 4JB quoting ref: RW/643/PC.

Please list in a covering letter any  
companies to whom you do not  
wish your application to  
be sent.

**MOXON  
DOLPHIN  
& KERBY LTD**

MANAGEMENT SELECTION

**MICRO  
COMPUTERS  
FROM  
COMART  
COME LIVE  
THIS!**

**comart**



**comart**

**SPECIALISTS IN  
MICROCOMPUTERS**

**URGENT**

**SPECIALISTS IN  
MICROCOMPUTERS**

**comart**

**We care about what leaves  
our factory. After all it's got  
our name on it.**

The next time you want  
reliable microcomputer  
products - single card  
computers, floppy disk  
systems and disk systems -  
take a look at what we put in  
our boxes.

**A Comart Computer Catalogue will  
show you.**

Write to



**comart**

**Comart Ltd., P.O. Box 2, St. Neots,  
Huntingdon, Cambs.  
Or telephone (0480) 215005.**





FOR SCOTTISH READERS



**TELETYPE 43 RANGE**  
KSR £800  
complete



**ANADEX  
DP 8000**

10 or 30 c.p.s.  
ALSO  
ASR33

**TELETYPE  
M40 RANGE**



**Silenced  
£2750**


300 l.p.m.

ALSO  
180 c.p.s.  
MATRIX  
PRINTER



80 col. dot matrix  
Wide selection of  
interfaces  
112 c.p.s.

**£575**



ADM3A  
80 CHARACTERS  
x 24 LINES  
V24 or  
20mA I/F

**LEAR SIEGLER**

\* Attractive quantity discounts available \* Established  
Scottish maintenance organisation since 1966

**KSL KODE SERVICES LIMITED**

CRAWFORD CHAMBERS, CALLENDAR ROAD,  
FALKIRK. Tel: 22766 Telex: 449335.

• Circle No. 116

Unleash your Pet\* to its full capability.



**PRICES REDUCED**  
Petite: £289 Inpet: £249  
Includes VAT  
EXCLUSIVE

## Two ways to 32K. Add on or add in.

One way: Petite memory system.

- Self-contained peripheral for any Commodore Pet
- Plugs into mains and Pet.
- No modifications required.
- No demands on Pet power supply.
- No extra heat dissipation within Pet cabinet.
- No warranty problems.

The Other: Inpet memory board.

- Mounts onto Pet processor board.
- Built in PSU.
- Simple to fit.
- Complete with all connectors.
- Low cost version.

\* Trademark of Commodore Business Systems

One way or the other you get a reliable memory from Plessey Microsystems, Europe's leading memory manufacturer. Either way you get a memory to make your Pet more like a powerful business computer.

Available from authorised distributors of Plessey Pet peripherals. Send for full information and the address of your nearest distributor.



**PLESSEY  
MICROSYSTEMS**

Plessey Microsystems Limited, Water Lane, Towcester, Northants NN12 7JN  
Telephone Towcester (0327) 50312 Telex 31628

• Circle No. 117

## YOU NEED MICROCOMPUTERS NOW!

Don't be left behind. In five years every progressive business in the country will have computer facilities.

This will enable a reduction in their administration costs, therefore lowering their unit cost price plus being able to release administrative staff for more cost effective work.

Micro Management will help you harness this new technology and allow you to compete successfully in the future. We can provide technical and accounting expertise in a language you can understand.

He who hesitates . . . . .



# MICRO MANAGEMENT

The Computer People

13-15 CONNAUGHT AVENUE, FRINTON-ON-SEA  
Tel: Frinton 4592.

• Circle No. 118



# Considering a Microcomputer?

Be Sure to Check Out the Product Offerings of the World's Largest Full Line Microcomputer Company.

All Ohio Scientific machines come with microcomputing's fastest full feature BASIC-in-ROM or on-Disk for instant use.

## Challenger I Series

Economical computer systems that talk in BASIC. Ideal for hobbyists, students, education and the home.

	Minimum Configuration	Base Price
Superboard II - World's first complete system on a board including keyboard, video display, audio cassette, BASIC-in-ROM and up to 8K RAM	4K RAM	£ 188
Challenger IP - Fully packaged Superboard II with power supply	4K RAM	£ 238
Challenger IP Disk - Complete mini-floppy system expandable to 32K RAM	16K RAM	£ 865

## Challenger IIP Series

Ultra high performance BUS oriented microcomputers for personal, educational, research and small business use.

C2-4P - The professional portable	4K RAM	£ 404
C2-8P - The world's most expandable personal machine for business or research applications	4K RAM	£ 548
C2-4P Disk - The ultimate portable	16K RAM	£ 1050
C2-8P Single Disk - Ideal for education, advanced personal users, etc.	16K RAM	£ 1199
C2-8P Dual Disk - Most cost effective small business system	32K RAM	£ 1790

## Challenger III The Ultimate in Small Computers

The unique three processor system for demanding business, education, research and industrial development applications.

C3-S1 - World's most popular 8" floppy based microcomputer	32K RAM dual floppys	£ 2334
C3-OEM - Single package high volume user version of C3-S1	32K RAM dual floppys	£ 2334
C3-A - Rack mounted multi-user business system directly expandable to C3-B	48K RAM dual floppys	£ 3403
C3-B - 74 million byte Winchester disk based system. World's most powerful microcomputer	48K RAM dual floppys	£ 8654
C3-C - 29 million byte Winchester disk based system.	48K RAM dual floppys	£ 6320

## Full Business and Data base Software

OS.AMCAP - A complete small business accounting package including inventory, invoicing, A/R, A/P, CR, CD, general ledger and P/L		£ 656
OS.DMS - Data base Management System designed specifically for small business information management.		£ 175
-DMS based modules for Inventory/order, A/R & A/P, General Ledger, personnel/payroll, Query, Word Processing		£ 175 each
WP-2 - Complete word processing system with character justification, global editing, paging, text justification, proportional spacing and hyphenation.		£ 116

- ALL PRICES ARE EX VAT.

OHIO SCIENTIFIC also offers you the broadest line of expansion accessories and the largest selection of affordable software!

Compare the closest Ohio Scientific Model to any other unit you are considering. Compare the performance, real expansion ability, software and price, and you will see why we have become the world's largest full line microcomputer company.

I'm interested in OSI Computers. Send me information on:

- Personal Computers       Small Business Computers  
 Educational Systems       Industrial Development Systems

Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 \_\_\_\_\_  
 Phone \_\_\_\_\_

**MICROCOMPUTER BUSINESS MACHINES**  
 4 Morgan Street,  
 London E3 5AB  
 Tel: 01-981 3993

WE ARE LOOKING FOR DEALERS THROUGHOUT EUROPE  
 PHONE MARK STRATHERN ON 01-981 3993



## The C2-4P


The Professional Portable by Ohio Scientific

Ohio Scientific now offers you the world's most powerful portable personal computer in both BASIC-in-ROM and mini-floppy configurations.

### C2-4P Standard Features

- 4K RAM
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk

Custom built expansion modules for: 16K RAM, 32K RAM, 48K RAM, 64K RAM, 80K RAM, 96K RAM, 112K RAM, 128K RAM, 144K RAM, 160K RAM, 176K RAM, 192K RAM, 208K RAM, 224K RAM, 240K RAM, 256K RAM, 272K RAM, 288K RAM, 304K RAM, 320K RAM, 336K RAM, 352K RAM, 368K RAM, 384K RAM, 400K RAM, 416K RAM, 432K RAM, 448K RAM, 464K RAM, 480K RAM, 496K RAM, 512K RAM, 528K RAM, 544K RAM, 560K RAM, 576K RAM, 592K RAM, 608K RAM, 624K RAM, 640K RAM, 656K RAM, 672K RAM, 688K RAM, 704K RAM, 720K RAM, 736K RAM, 752K RAM, 768K RAM, 784K RAM, 800K RAM, 816K RAM, 832K RAM, 848K RAM, 864K RAM, 880K RAM, 896K RAM, 912K RAM, 928K RAM, 944K RAM, 960K RAM, 976K RAM, 992K RAM, 1008K RAM, 1024K RAM, 1040K RAM, 1056K RAM, 1072K RAM, 1088K RAM, 1104K RAM, 1120K RAM, 1136K RAM, 1152K RAM, 1168K RAM, 1184K RAM, 1200K RAM, 1216K RAM, 1232K RAM, 1248K RAM, 1264K RAM, 1280K RAM, 1296K RAM, 1312K RAM, 1328K RAM, 1344K RAM, 1360K RAM, 1376K RAM, 1392K RAM, 1408K RAM, 1424K RAM, 1440K RAM, 1456K RAM, 1472K RAM, 1488K RAM, 1504K RAM, 1520K RAM, 1536K RAM, 1552K RAM, 1568K RAM, 1584K RAM, 1600K RAM, 1616K RAM, 1632K RAM, 1648K RAM, 1664K RAM, 1680K RAM, 1696K RAM, 1712K RAM, 1728K RAM, 1744K RAM, 1760K RAM, 1776K RAM, 1792K RAM, 1808K RAM, 1824K RAM, 1840K RAM, 1856K RAM, 1872K RAM, 1888K RAM, 1904K RAM, 1920K RAM, 1936K RAM, 1952K RAM, 1968K RAM, 1984K RAM, 2000K RAM, 2016K RAM, 2032K RAM, 2048K RAM, 2064K RAM, 2080K RAM, 2096K RAM, 2112K RAM, 2128K RAM, 2144K RAM, 2160K RAM, 2176K RAM, 2192K RAM, 2208K RAM, 2224K RAM, 2240K RAM, 2256K RAM, 2272K RAM, 2288K RAM, 2304K RAM, 2320K RAM, 2336K RAM, 2352K RAM, 2368K RAM, 2384K RAM, 2400K RAM, 2416K RAM, 2432K RAM, 2448K RAM, 2464K RAM, 2480K RAM, 2496K RAM, 2512K RAM, 2528K RAM, 2544K RAM, 2560K RAM, 2576K RAM, 2592K RAM, 2608K RAM, 2624K RAM, 2640K RAM, 2656K RAM, 2672K RAM, 2688K RAM, 2704K RAM, 2720K RAM, 2736K RAM, 2752K RAM, 2768K RAM, 2784K RAM, 2800K RAM, 2816K RAM, 2832K RAM, 2848K RAM, 2864K RAM, 2880K RAM, 2896K RAM, 2912K RAM, 2928K RAM, 2944K RAM, 2960K RAM, 2976K RAM, 2992K RAM, 3008K RAM, 3024K RAM, 3040K RAM, 3056K RAM, 3072K RAM, 3088K RAM, 3104K RAM, 3120K RAM, 3136K RAM, 3152K RAM, 3168K RAM, 3184K RAM, 3200K RAM, 3216K RAM, 3232K RAM, 3248K RAM, 3264K RAM, 3280K RAM, 3296K RAM, 3312K RAM, 3328K RAM, 3344K RAM, 3360K RAM, 3376K RAM, 3392K RAM, 3408K RAM, 3424K RAM, 3440K RAM, 3456K RAM, 3472K RAM, 3488K RAM, 3504K RAM, 3520K RAM, 3536K RAM, 3552K RAM, 3568K RAM, 3584K RAM, 3600K RAM, 3616K RAM, 3632K RAM, 3648K RAM, 3664K RAM, 3680K RAM, 3696K RAM, 3712K RAM, 3728K RAM, 3744K RAM, 3760K RAM, 3776K RAM, 3792K RAM, 3808K RAM, 3824K RAM, 3840K RAM, 3856K RAM, 3872K RAM, 3888K RAM, 3904K RAM, 3920K RAM, 3936K RAM, 3952K RAM, 3968K RAM, 3984K RAM, 4000K RAM, 4016K RAM, 4032K RAM, 4048K RAM, 4064K RAM, 4080K RAM, 4096K RAM, 4112K RAM, 4128K RAM, 4144K RAM, 4160K RAM, 4176K RAM, 4192K RAM, 4208K RAM, 4224K RAM, 4240K RAM, 4256K RAM, 4272K RAM, 4288K RAM, 4304K RAM, 4320K RAM, 4336K RAM, 4352K RAM, 4368K RAM, 4384K RAM, 4400K RAM, 4416K RAM, 4432K RAM, 4448K RAM, 4464K RAM, 4480K RAM, 4496K RAM, 4512K RAM, 4528K RAM, 4544K RAM, 4560K RAM, 4576K RAM, 4592K RAM, 4608K RAM, 4624K RAM, 4640K RAM, 4656K RAM, 4672K RAM, 4688K RAM, 4704K RAM, 4720K RAM, 4736K RAM, 4752K RAM, 4768K RAM, 4784K RAM, 4800K RAM, 4816K RAM, 4832K RAM, 4848K RAM, 4864K RAM, 4880K RAM, 4896K RAM, 4912K RAM, 4928K RAM, 4944K RAM, 4960K RAM, 4976K RAM, 4992K RAM, 5008K RAM, 5024K RAM, 5040K RAM, 5056K RAM, 5072K RAM, 5088K RAM, 5104K RAM, 5120K RAM, 5136K RAM, 5152K RAM, 5168K RAM, 5184K RAM, 5200K RAM, 5216K RAM, 5232K RAM, 5248K RAM, 5264K RAM, 5280K RAM, 5296K RAM, 5312K RAM, 5328K RAM, 5344K RAM, 5360K RAM, 5376K RAM, 5392K RAM, 5408K RAM, 5424K RAM, 5440K RAM, 5456K RAM, 5472K RAM, 5488K RAM, 5504K RAM, 5520K RAM, 5536K RAM, 5552K RAM, 5568K RAM, 5584K RAM, 5600K RAM, 5616K RAM, 5632K RAM, 5648K RAM, 5664K RAM, 5680K RAM, 5696K RAM, 5712K RAM, 5728K RAM, 5744K RAM, 5760K RAM, 5776K RAM, 5792K RAM, 5808K RAM, 5824K RAM, 5840K RAM, 5856K RAM, 5872K RAM, 5888K RAM, 5904K RAM, 5920K RAM, 5936K RAM, 5952K RAM, 5968K RAM, 5984K RAM, 6000K RAM, 6016K RAM, 6032K RAM, 6048K RAM, 6064K RAM, 6080K RAM, 6096K RAM, 6112K RAM, 6128K RAM, 6144K RAM, 6160K RAM, 6176K RAM, 6192K RAM, 6208K RAM, 6224K RAM, 6240K RAM, 6256K RAM, 6272K RAM, 6288K RAM, 6304K RAM, 6320K RAM, 6336K RAM, 6352K RAM, 6368K RAM, 6384K RAM, 6400K RAM, 6416K RAM, 6432K RAM, 6448K RAM, 6464K RAM, 6480K RAM, 6496K RAM, 6512K RAM, 6528K RAM, 6544K RAM, 6560K RAM, 6576K RAM, 6592K RAM, 6608K RAM, 6624K RAM, 6640K RAM, 6656K RAM, 6672K RAM, 6688K RAM, 6704K RAM, 6720K RAM, 6736K RAM, 6752K RAM, 6768K RAM, 6784K RAM, 6800K RAM, 6816K RAM, 6832K RAM, 6848K RAM, 6864K RAM, 6880K RAM, 6896K RAM, 6912K RAM, 6928K RAM, 6944K RAM, 6960K RAM, 6976K RAM, 6992K RAM, 7008K RAM, 7024K RAM, 7040K RAM, 7056K RAM, 7072K RAM, 7088K RAM, 7104K RAM, 7120K RAM, 7136K RAM, 7152K RAM, 7168K RAM, 7184K RAM, 7200K RAM, 7216K RAM, 7232K RAM, 7248K RAM, 7264K RAM, 7280K RAM, 7296K RAM, 7312K RAM, 7328K RAM, 7344K RAM, 7360K RAM, 7376K RAM, 7392K RAM, 7408K RAM, 7424K RAM, 7440K RAM, 7456K RAM, 7472K RAM, 7488K RAM, 7504K RAM, 7520K RAM, 7536K RAM, 7552K RAM, 7568K RAM, 7584K RAM, 7600K RAM, 7616K RAM, 7632K RAM, 7648K RAM, 7664K RAM, 7680K RAM, 7696K RAM, 7712K RAM, 7728K RAM, 7744K RAM, 7760K RAM, 7776K RAM, 7792K RAM, 7808K RAM, 7824K RAM, 7840K RAM, 7856K RAM, 7872K RAM, 7888K RAM, 7904K RAM, 7920K RAM, 7936K RAM, 7952K RAM, 7968K RAM, 7984K RAM, 8000K RAM, 8016K RAM, 8032K RAM, 8048K RAM, 8064K RAM, 8080K RAM, 8096K RAM, 8112K RAM, 8128K RAM, 8144K RAM, 8160K RAM, 8176K RAM, 8192K RAM, 8208K RAM, 8224K RAM, 8240K RAM, 8256K RAM, 8272K RAM, 8288K RAM, 8304K RAM, 8320K RAM, 8336K RAM, 8352K RAM, 8368K RAM, 8384K RAM, 8400K RAM, 8416K RAM, 8432K RAM, 8448K RAM, 8464K RAM, 8480K RAM, 8496K RAM, 8512K RAM, 8528K RAM, 8544K RAM, 8560K RAM, 8576K RAM, 8592K RAM, 8608K RAM, 8624K RAM, 8640K RAM, 8656K RAM, 8672K RAM, 8688K RAM, 8704K RAM, 8720K RAM, 8736K RAM, 8752K RAM, 8768K RAM, 8784K RAM, 8800K RAM, 8816K RAM, 8832K RAM, 8848K RAM, 8864K RAM, 8880K RAM, 8896K RAM, 8912K RAM, 8928K RAM, 8944K RAM, 8960K RAM, 8976K RAM, 8992K RAM, 9008K RAM, 9024K RAM, 9040K RAM, 9056K RAM, 9072K RAM, 9088K RAM, 9104K RAM, 9120K RAM, 9136K RAM, 9152K RAM, 9168K RAM, 9184K RAM, 9200K RAM, 9216K RAM, 9232K RAM, 9248K RAM, 9264K RAM, 9280K RAM, 9296K RAM, 9312K RAM, 9328K RAM, 9344K RAM, 9360K RAM, 9376K RAM, 9392K RAM, 9408K RAM, 9424K RAM, 9440K RAM, 9456K RAM, 9472K RAM, 9488K RAM, 9504K RAM, 9520K RAM, 9536K RAM, 9552K RAM, 9568K RAM, 9584K RAM, 9600K RAM, 9616K RAM, 9632K RAM, 9648K RAM, 9664K RAM, 9680K RAM, 9696K RAM, 9712K RAM, 9728K RAM, 9744K RAM, 9760K RAM, 9776K RAM, 9792K RAM, 9808K RAM, 9824K RAM, 9840K RAM, 9856K RAM, 9872K RAM, 9888K RAM, 9904K RAM, 9920K RAM, 9936K RAM, 9952K RAM, 9968K RAM, 9984K RAM, 10000K RAM.



## The C2-8P

An exceptional value in personal computing

If you are interested in an ultra high performance personal computer which can be fully expanded to a mainframe class microcomputer system, consider the C2-8P.

- 48K RAM
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk

Custom built expansion modules for: 96K RAM, 128K RAM, 160K RAM, 192K RAM, 224K RAM, 256K RAM, 288K RAM, 320K RAM, 352K RAM, 384K RAM, 416K RAM, 448K RAM, 480K RAM, 512K RAM, 544K RAM, 576K RAM, 608K RAM, 640K RAM, 672K RAM, 704K RAM, 736K RAM, 768K RAM, 800K RAM, 832K RAM, 864K RAM, 896K RAM, 928K RAM, 960K RAM, 992K RAM, 1024K RAM, 1056K RAM, 1088K RAM, 1120K RAM, 1152K RAM, 1184K RAM, 1216K RAM, 1248K RAM, 1280K RAM, 1312K RAM, 1344K RAM, 1376K RAM, 1408K RAM, 1440K RAM, 1472K RAM, 1504K RAM, 1536K RAM, 1568K RAM, 1600K RAM, 1632K RAM, 1664K RAM, 1696K RAM, 1728K RAM, 1760K RAM, 1792K RAM, 1824K RAM, 1856K RAM, 1888K RAM, 1920K RAM, 1952K RAM, 1984K RAM, 2016K RAM, 2048K RAM, 2080K RAM, 2112K RAM, 2144K RAM, 2176K RAM, 2208K RAM, 2240K RAM, 2272K RAM, 2304K RAM, 2336K RAM, 2368K RAM, 2400K RAM, 2432K RAM, 2464K RAM, 2496K RAM, 2528K RAM, 2560K RAM, 2592K RAM, 2624K RAM, 2656K RAM, 2688K RAM, 2720K RAM, 2752K RAM, 2784K RAM, 2816K RAM, 2848K RAM, 2880K RAM, 2912K RAM, 2944K RAM, 2976K RAM, 3008K RAM, 3040K RAM, 3072K RAM, 3104K RAM, 3136K RAM, 3168K RAM, 3200K RAM, 3232K RAM, 3264K RAM, 3296K RAM, 3328K RAM, 3360K RAM, 3392K RAM, 3424K RAM, 3456K RAM, 3488K RAM, 3520K RAM, 3552K RAM, 3584K RAM, 3616K RAM, 3648K RAM, 3680K RAM, 3712K RAM, 3744K RAM, 3776K RAM, 3808K RAM, 3840K RAM, 3872K RAM, 3904K RAM, 3936K RAM, 3968K RAM, 4000K RAM, 4032K RAM, 4064K RAM, 4096K RAM, 4128K RAM, 4160K RAM, 4192K RAM, 4224K RAM, 4256K RAM, 4288K RAM, 4320K RAM, 4352K RAM, 4384K RAM, 4416K RAM, 4448K RAM, 4480K RAM, 4512K RAM, 4544K RAM, 4576K RAM, 4608K RAM, 4640K RAM, 4672K RAM, 4704K RAM, 4736K RAM, 4768K RAM, 4800K RAM, 4832K RAM, 4864K RAM, 4896K RAM, 4928K RAM, 4960K RAM, 4992K RAM, 5024K RAM, 5056K RAM, 5088K RAM, 5120K RAM, 5152K RAM, 5184K RAM, 5216K RAM, 5248K RAM, 5280K RAM, 5312K RAM, 5344K RAM, 5376K RAM, 5408K RAM, 5440K RAM, 5472K RAM, 5504K RAM, 5536K RAM, 5568K RAM, 5600K RAM, 5632K RAM, 5664K RAM, 5696K RAM, 5728K RAM, 5760K RAM, 5792K RAM, 5824K RAM, 5856K RAM, 5888K RAM, 5920K RAM, 5952K RAM, 5984K RAM, 6016K RAM, 6048K RAM, 6080K RAM, 6112K RAM, 6144K RAM, 6176K RAM, 6208K RAM, 6240K RAM, 6272K RAM, 6304K RAM, 6336K RAM, 6368K RAM, 6400K RAM, 6432K RAM, 6464K RAM, 6496K RAM, 6528K RAM, 6560K RAM, 6592K RAM, 6624K RAM, 6656K RAM, 6688K RAM, 6720K RAM, 6752K RAM, 6784K RAM, 6816K RAM, 6848K RAM, 6880K RAM, 6912K RAM, 6944K RAM, 6976K RAM, 7008K RAM, 7040K RAM, 7072K RAM, 7104K RAM, 7136K RAM, 7168K RAM, 7200K RAM, 7232K RAM, 7264K RAM, 7296K RAM, 7328K RAM, 7360K RAM, 7392K RAM, 7424K RAM, 7456K RAM, 7488K RAM, 7520K RAM, 7552K RAM, 7584K RAM, 7616K RAM, 7648K RAM, 7680K RAM, 7712K RAM, 7744K RAM, 7776K RAM, 7808K RAM, 7840K RAM, 7872K RAM, 7904K RAM, 7936K RAM, 7968K RAM, 8000K RAM, 8032K RAM, 8064K RAM, 8096K RAM, 8128K RAM, 8160K RAM, 8192K RAM, 8224K RAM, 8256K RAM, 8288K RAM, 8320K RAM, 8352K RAM, 8384K RAM, 8416K RAM, 8448K RAM, 8480K RAM, 8512K RAM, 8544K RAM, 8576K RAM, 8608K RAM, 8640K RAM, 8672K RAM, 8704K RAM, 8736K RAM, 8768K RAM, 8800K RAM, 8832K RAM, 8864K RAM, 8896K RAM, 8928K RAM, 8960K RAM, 8992K RAM, 9024K RAM, 9056K RAM, 9088K RAM, 9120K RAM, 9152K RAM, 9184K RAM, 9216K RAM, 9248K RAM, 9280K RAM, 9312K RAM, 9344K RAM, 9376K RAM, 9408K RAM, 9440K RAM, 9472K RAM, 9504K RAM, 9536K RAM, 9568K RAM, 9600K RAM, 9632K RAM, 9664K RAM, 9696K RAM, 9728K RAM, 9760K RAM, 9792K RAM, 9824K RAM, 9856K RAM, 9888K RAM, 9920K RAM, 9952K RAM, 9984K RAM, 10000K RAM.



## The C3-B

The world's most powerful microcomputer system is far more affordable than you may think.

### STANDARD FEATURES

- 48K RAM
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk
- 48K Winchester disk

Custom built expansion modules for: 96K RAM, 128K RAM, 160K RAM, 192K RAM, 224K RAM, 256K RAM, 288K RAM, 320K RAM, 352K RAM, 384K RAM, 416K RAM, 448K RAM, 480K RAM, 512K RAM, 544K RAM, 576K RAM, 608K RAM, 640K RAM, 672K RAM, 704K RAM, 736K RAM, 768K RAM, 800K RAM, 832K RAM, 864K RAM, 896K RAM, 928K RAM, 960K RAM, 992K RAM, 1024K RAM, 1056K RAM, 1088K RAM, 1120K RAM, 1152K RAM, 1184K RAM, 1216K RAM, 1248K RAM, 1280K RAM, 1312K RAM, 1344K RAM, 1376K RAM, 1408K RAM, 1440K RAM, 1472K RAM, 1504K RAM, 1536K RAM, 1568K RAM, 1600K RAM, 1632K RAM, 1664K RAM, 1696K RAM, 1728K RAM, 1760K RAM, 1792K RAM, 1824K RAM, 1856K RAM, 1888K RAM, 1920K RAM, 1952K RAM, 1984K RAM, 2016K RAM, 2048K RAM, 2080K RAM, 2112K RAM, 2144K RAM, 2176K RAM, 2208K RAM, 2240K RAM, 2272K RAM, 2304K RAM, 2336K RAM, 2368K RAM, 2400K RAM, 2432K RAM, 2464K RAM, 2496K RAM, 2528K RAM, 2560K RAM, 2592K RAM, 2624K RAM, 2656K RAM, 2688K RAM, 2720K RAM, 2752K RAM, 2784K RAM, 2816K RAM, 2848K RAM, 2880K RAM, 2912K RAM, 2944K RAM, 2976K RAM, 3008K RAM, 3040K RAM, 3072K RAM, 3104K RAM, 3136K RAM, 3168K RAM, 3200K RAM, 3232K RAM, 3264K RAM, 3296K RAM, 3328K RAM, 3360K RAM, 3392K RAM, 3424K RAM, 3456K RAM, 3488K RAM, 3520K RAM, 3552K RAM, 3584K RAM, 3616K RAM, 3648K RAM, 3680K RAM, 3712K RAM, 3744K RAM, 3776K RAM, 3808K RAM, 3840K RAM, 3872K RAM, 3904K RAM, 3936K RAM, 3968K RAM, 4000K RAM, 4032K RAM, 4064K RAM, 4096K RAM, 4128K RAM, 4160K RAM, 4192K RAM, 4224K RAM, 4256K RAM, 4288K RAM, 4320K RAM, 4352K RAM, 4384K RAM, 4416K RAM, 4448K RAM, 4480K RAM, 4512K RAM, 4544K RAM, 4576K RAM, 4608K RAM, 4640K RAM, 4672K RAM, 4704K RAM, 4736K RAM, 4768K RAM, 4800K RAM, 4832K RAM, 4864K RAM, 4896K RAM, 4928K RAM, 4960K RAM, 4992K RAM, 5024K RAM, 5056K RAM, 5088K RAM, 5120K RAM, 5152K RAM, 5184K RAM, 5216K RAM, 5248K RAM, 5280K RAM, 5312K RAM, 5344K RAM, 5376K RAM, 5408K RAM, 5440K RAM, 5472K RAM, 5504K RAM, 5536K RAM, 5568K RAM, 5600K RAM, 5632K RAM, 5664K RAM, 5696K RAM, 5728K RAM, 5760K RAM, 5792K RAM, 5824K RAM, 5856K RAM, 5888K RAM, 5920K RAM, 5952K RAM, 5984K RAM, 6016K RAM, 6048K RAM, 6080K RAM, 6112K RAM, 6144K RAM, 6176K RAM, 6208K RAM, 6240K RAM, 6272K RAM, 6304K RAM, 6336K RAM, 6368K RAM, 6400K RAM, 6432K RAM, 6464K RAM, 6496K RAM, 6528K RAM, 6560K RAM, 6592K RAM, 6624K RAM, 6656K RAM,

# apples by post

Apple 16K	£725	<input type="checkbox"/>
Disk with controller	£375	<input type="checkbox"/>
Disk drive only	£325	<input type="checkbox"/>
16K add on memory	£65	<input type="checkbox"/>
Please send brochure		<input type="checkbox"/>

Other information available on request

Name .....

Address .....

Please enclose cheque and send to

**Business Computer Services**  
Pollards Farmhouse, Clanville,  
Nr. Andover, Hampshire.  
Telephone 0264 70 300

Allow 10 days for delivery  
All systems delivered by SECURICOR  
to Mainland U.K. — carriage free

**apple computer inc.**

• Circle No. 120

## CASIO FX 502P PROGRAMMABLE CALCULATOR



- LINKS UP WITH AN ADAPTOR FOR PROGRAMME — DATA STORAGE ON STANDARD CASSETTES, PLUS MUSIC SYNTHESIZING AND PLAY BACK
- 256-step programme memory and 22 data registers are both protected (non-volatile)
- Up to 10 levels of parenthesis nesting
- True algebraic logic — easy key operations same as written formulae
- Battery service life is 1,300 hours. Auto power-off feature is provided
- Thin and lightweight — easy to carry around
- Up to 10 programmes available — programme keys otherwise usable as user's functions
- 51 built-in functions all usable in programmes
- A variety of "jump" commands — unconditional jumps, conditional jumps and indirect jump
- Up to 9 subroutines incorporable — nesting possible up to 9 levels
- Easy to edit and debug programmes. PAUSE key, random number key, back step/rapid run key
- Amazing operating speed

Optional FA-1 Programme Adaptor permits programme/data storage on standard cassette tape recorders for re-entry. Typical storage/re-entry time 9-16 seconds, with a three digit code for programme reference and identification. Also contains a music switch which converts both calculators into musical synthesisers — duration of notes, rests, tempo, slur and tie are all programmable.

MODEL FX-501P has an identical specification with the following exceptions: 128 steps (non-volatile) programme memory capacity; 11 (non-volatile) data registers; up to 5 levels of parenthesis nesting; up to 9 subroutines, nestable up to 4 levels; up to 15 music notes (FX-502P up to 20)

Dimensions of both are: 96 mm H x 71 mm w x 141.2 mm D (4" H x 2 7/8" W x 5 1/2" D) A comprehensive Programme Manual, Instruction Booklet and leatherette wallet are supplied. FA-1 comes complete with a demonstration cassette with pre-recorded programmes, including games and music

AVAILABLE BY MAIL ORDER AT LOWEST DISCOUNT PRICES

FX-501P (RRP £64.95)

FX-502P (RRP £84.95)

FA-1 (RRP £24.95)

**£54.95**

**£74.95**

**£19.95**

To sum up, Casio have produced an attractive and powerful instrument at a very keen price which should eat up the market for calculators just below the 'almost-a-micro' class. — *Personal Computer World, October.*

Prices include VAT at 15% and post and packing. Send your Company order, cheque or Postal Orders, or phone your ACCESS or BARCLAY CARD number to:

**TEMPUS** DEPT DL  
THE BEAUMONT CENTRE  
164-167 EAST ROAD  
CAMBRIDGE CB1 1DB  
Tel: (0223) 312866

DEPT PC

• Circle No. 121

## WE OFFER A COMPLETE SERVICE!

When you buy a computer from us — we don't give you the box and wave goodbye.

We realise this is a major purchase for a Company and take the time to find out your requirements, design your computer system and write the software, or if you prefer to write your own, we will always be available to advise you.

You can buy a wide range of fully-documented packages — Word Processing/Purchase & Sales Ledgers/Stock Control/Incomplete Records/Medical Systems/Teaching Programs etc. on Microcomputers such as—

**APPLE II** from £750  
(16K)

A complete business system 48K  
Apple, 2 Disk Drives, VDU &  
Printer £2,550

**MICROSTAR** from  
£4,950

Multi-user/Multi-task  
1.2/2.4 or 4.8 mb.  
A complete system with 2 VDUs  
& Printer £7,000

**ALPHA MICRO** from  
£9,950

From 1 to 32 terminals.  
From 10 mb. to 90 mb. disk  
storage.  
16-bit processor, Multi-user  
operating system.

**We stock a full range of VDUs, Printers,  
Computer Stationery, Diskettes, Disk Boxes etc.**

all prices ex VAT.

Come and see us to discuss your requirements and have a demonstration.

# MICROSOLVE

Microsolve Computer Services Ltd.  
125/129 High Street, Edgware, Middlesex.  
Tel: 01-951 0218/9 and 01-951 0210

M1 junction 4/20 mins from Central London

e.g.  
**LOW COST  
PRINTERM**

matrix printer £695

**LEAR SEIGLER**  
200A matrix printer £1,650

**QUME Sprint 5**  
daisywheel printer £2,115.

• Circle No. 122

# Graham Knott & Jeff Orr have now moved....

to new premises due to expansion to accommodate larger stock and workshop facilities for the Microcomputer user. Our new number is

## 051-933 5511

ring us at any time for your requirements



<b>PET</b>	
Pet 8k	£550
Pet 16k	£675
Pet 32k	£795
2nd Cassette	£55

<b>Disk Units</b>	
Computhink 400k Random and Sequential complete to fit 8k Pet (via expandamem)	£840
To fit 16/32n Pet (direct fitting) 800k Unit	£895 £1144

<b>Memory Expansion</b>	
24k Expandamem for Pet	£320

<b>Interfaces</b>	
Uni-direc I-EEE to RS232	£89
Bi-direc I-EEE to RS232	£140
Bi-direc 2 ported I-EEE to RS232	£175

<b>A/D Convertors</b>	
AIM 161 16 channel A/D convertor for Apple, Aim, Nascom etc	£130
Petset 1, AIM 161 including all interfacing requirements for Pet, complete	£166

<b>Stack Peripherals</b>	
Stack Joystick a balanced, calibrated unit supplied with software and examples of use, complete	£25

New 625 Video Adaptor a vastly improved 625 video convertor for Pet, works extremely well	£25
Stack Page Printer Interface copies screen contents onto 20m.a. loop complete with software	£25

<b>APPLE</b>	
Apple-plus (b&w) 16k	£770
ITT 2020 (colour) 16k	£830
16k RAM upgrade	£85
Printer Card	£110
Communication Card	£132
High Speed Serial Card	£110
Disk Drive with DOS	£398
Extra Disk Drive	£355
Diskettes (10's)	£30
KIM 1	£99.95
MANUALS New Pet user manual	£5
6500 Programming manual	£5
6500 Hardware manual	£5

<b>PRINTERS</b>	
Teletype 43 pinfeed RS232 friction RS232	£860
pin and friction RS232	£875
Anadex DP8000	£889
Decwriter IV LA34	£575
Perkins Elmer Pussycat	£880

Also Centronics Range, Texas Instruments, Lear Siegler	£839
Ring us for a quote on individual models.	

<b>Consumables</b>	
Anadex DP8000 paper (2000 sheets) 9.5" x 11" drop	£15
Teletype 43 pinfeed paper (2000 sheets) 12" x 11" drop	£15
8.5 inch friction roll Box'A' quality (12" x 3.5" diam. rolls)	£20

Box 'B' quality (12 x 3.5" diam rolls)	£15
Box 'A' quality (6 x 5" diam rolls)	£20
Box 'B' quality (6 x 5" diam rolls)	£15

<b>Cassettes</b>	
C15 cassettes high quality tape, 5 screw cassette cases, per 10	£4.40

<b>Disks &amp; Diskettes</b>	
We supply 8" and 5.25" diskettes for all disk drives. Please state your machine and we can give you a quotation.	
e.g. Pet 2040	£30 per 10
Computhink	£30 per 10
Apple	£30 per 10
Horizon	£30 per 10
Sorcerer	£30 per 10
Many others in stock, both hard and soft sectored.	

<b>Connectors</b>	
Pet User Port/I-EEE Port	£1.10 each
Pet 2nd cassette Port	85p each
Hoods for User/I-EEE connectors	£2.25
D.25 RS232 Connectors (State male or female)	£3.00
D.25 Hoods	£2.25

<b>Demagnetiser</b>	
Curved head	£4.00
If any requirements are not listed please ring us as we may have them in stock.	

All prices are +VAT at 15% and include carriage (unless otherwise stated). Please make cheques payable to Stack Computer Services Ltd.

# Stack Computer Services Ltd

## 290-298 Derby Rd, Bootle


## Liverpool 20



## BUSINESS USERS

## UNLEASH YOUR 5-100 MICRO COMPUTER

## PLUG IN A 10 MEGA BYTE DISC



- FULLY COMPATIBLE 5-100 BUS
- CP/M SOFTWARE COMPATIBLE
- Z-80 BASED DISC CONTROLLER
- COMPREHENSIVE DISC DIAGNOSTICS
- EXPAND UP TO FOUR DISCS
- ONLY £3400 EX V.A.T.
- ADD-ON DISC UNIT £1850

**solve your mass storage problem today**  
**solve your data access problem today**

## CLENLO COMPUTING SYSTEMS

15 SOUTHVIEW COURT, THE WOODLANDS, BEULAH HILL, LONDON SE19 3EJ

TEL: 01-653-6028

• Circle No. 124

Now Converted to 50Hz for UK TV's!

# SUPERBOARD II

**£188 +VAT**

Full 8K basic and 4K user RAM  
Built and tested



### Features

- Uses the ultra powerful 6502 microprocessor
- 8K Microsoft BASIC-in-ROM
- Full feature BASIC runs faster than currently available personal computers and all 8080-based business computers
- 4K static RAM on board expendable to 8K
- Full 53-key keyboard with upper-lower case and user programmability
- Kansas City standard audio cassette interface for high reliability
- Full machine code monitor and I/O utilities in ROM
- Direct access video display has 1K of dedicated memory (besides 4K user memory), features uppercase, lower case, graphics and gaming characters for an effective screen resolution of up to 256 by 256 points. Normal TV's with overscan display about 24 rows of 24 characters, without overscan up to 30 x 30 characters

### Extras

- Power Supply & modulator £29.50 + VAT
- 610 Expansion board with 8K ram and dual drive miniflopp chip £188 + VAT
- IP CD3P minifloppy disk, cased and with power supply £312 + VAT
- Injection moulded case within 6 weeks
- 4K Ram upgrade kits £35 + VAT

We are dealers for the rest of Ohio scientific range of computers. The widest range produced by any micro-computer manufacturer, this includes:-

- C2-4P A professional 4K basic in-ROM computer cased and with power supply
- C2-8P DF A 32K basic in ROM computer with dual 8" floppydisk drives for serious personal and small business use
- C3-OEM A 32K computer with 3 micro-processors (6502, 6800, Z80) and dual 8" floppy disk drives

Full business, word processing and cate base management is available for all disk based systems.

Write for catalogue for further details

### Software

Tapes at £5.50 + VAT

Homonyms\*, Counter\*, Trig Tutor, Bar Graph, Definite Integral, Basic Math, Presidents\*, Powers, Electronics Equations, Spelling Quiz, Solar System, Continents, Add Game, Math Intro, Base Ten Converter, Math Blitz\*, Inventory Demo, Ratio Analysis, Advertisement, Statistics I, Salary Demo\*, Annuity I, Annuity II, Interest on Loans, Loan Finance, Uneven Cash Flows, Personal Destroyer, Hide & Seek, Star Wars, Black Jack, New York Taxi, 23 Matches, Lander\*, Etch-a-Sketch, Space War\*, Battleship\*, Cryptography.

Tapes at £7.30 + VAT:-

Hangman, Mathink, Trend Line, Straight & Constant Depreciation, Address Book\*, Checking Account, Savings Account, Bio-rhythm, Hectic.

Tapes at £11.00 + VAT:-

Word Processor\*\*, Programmable Calculator, Tiger Tank

Basic Tutor Tape:- £26.40+VAT

Assembler editor with Manual £25 + VAT

Extended monitor with Manual £10 + VAT

# LOTUS SOUND

4 MORGAN STREET  
LONDON E3 5AB

TELEPHONE: 01-981 3993  
TELEX: 261426 ATN. LOTUS SOUND

• Circle No. 125

# MAXIMUM CAPACITY COMMERCIAL SYSTEM

INCREDIBLE £1995† VALUE!!



THE PERFORMANCE LEADER!!

THE PRICE LEADER !!!

## INTERTEC SUPERBRAIN™

Dual Z80A 4MHz Vector Interrupt  
64K RAM plus 1K 2708 PROM Bootstrap  
TWO Double Density 5" Floppy Disk

### ●CP/M\* Disk Operating System: The Industry Standard and Most Powerful

- Makes Thousands of Inexpensive Compatible Applications Programs Available From Scores of Suppliers (Including Us)
- Comes With: Powerful Editor, Assembler, Dynamic Debug Tool, Disk Formatter — We Also Have Low-Cost High-Performance Business Software
- BEWARE of One-Source Non-Standard Operating Systems Offered by Others — Be Free to CHOOSE, Not at the Mercy of One Supplier!
- ANSI Standard FORTRAN, COBOL, BASIC, APL, APPLICATIONS SOFTWARE Available From Any and All CP/M Software Houses at Affordable Cost

### ●S-100 Bus VIA Direct Connection — Cost Effective Flexible Expansion

- Makes Scores of Competitive Hardware Boards & Functions Available From Dozens of Manufacturers: Be Free to CHOOSE, Be Independent!
- Unlimited Practical Expansion: 2 DSDD 8" Floppies 2·4Mbyte; 8-120Mbyte Hard Disk; Colour VDU, Plotter, Modem, Mainframe Interface, etc. Using Optional S100 Extender
- MAKES EXCELLENT DISTRIBUTED PROCESSING COMPUTER ON ANY MAINFRAME

### ●TWO High Quality Commercial Grade BASF 5" Diskettes: 160K Each (320K Total)

- 2 Double Density Minifloppies; Add Two More Inexpensively; Data Files File Security, File Copy, Convenient Operation in All Applications

### ●VDU High Resolution, Fully Programmable, Dual Keyboards of Highest Quality

- Full Upper/Lower Case ASCII 128 Set With Limited Graphics; 64 User Definable Function Keys, Programmable Cursor & Reverse Video
- 25 Lines by 80 Characters 8×8 in 8×12 Field; Easy Reading Full Size 12" Screen; Numeric and Control Keypad Separate

### ●DUAL Z80A PROCESSORS — TWO Board Modular Easy-Maintenance System

- Disk and Processor Use Separate Z80s: Computing Can Continue During Disk Operations etc.; Transparent Bootstrap Allows Full 64K Memory
- Two Boards: Computer, VDU & Power Supply: Simple Servicing by Board Replacement — On service Contract or Send in Boards Yourself

### ●All In ONE Smart Portable Lightweight Console (45 lb): Just Add A Printer!

- Any Size Printer, Any Function: £300 — £2500; Std., Daisy, Two Colour, Full Graphics ON Standard RS-232 CCITT Serial or TRS-80 Parallel

### ●Can You Find Another Commercial System Which Outperforms This One?

●Make No Mistake About It — The Others Are Mere Students and Cannot Compete With This Year's Honour Graduate, Intertec Superbrain: Top of All Classes!

### ●All Enquiries Invited From Commercial End-Users and Dealers

## ICARUS COMPUTER SYSTEMS

E Floor, Milburn House, Dean Street, Newcastle on Tyne (0632) 29593, 28632

See us at Booth 55 International Business Show 1979

23rd October-1st November National Exhibition  
Centre, Birmingham

† Yes, that's the one-off price, NOT the Delivery Date !!!  
\* Registered Trade Mark of Digital Research Corporation of California, U.S.A.

● Circle No. 126

# Software for CP/M

QUALITY PACKAGES DIRECT FROM U.S.A.

<b>CBASIC-2</b>	£75
Extended Disk Basic for Commercial work	
<b>WORDSTAR</b>	£250
Ultimate in micro Word Processing Software	
<b>SELECTOR III-C2</b>	£185
Best selling DBMS	
<b>SUPERSORT I</b> (relocatable & executable)	£140
<b>SUPERSORT II</b> (executable only)	£115
<b>SUPERSORT III</b> (as II but without Select/Exclude)	£85
Sort/merge and select/exclude	
<b>WORDMASTER</b>	£85
Superior full screen text editor	
<b>TEX-WRITER</b>	£50
Output formatter	
<b>IBM-CP/M COMPATIBILITY</b>	£110
3740 data exchange with CP/M	

## CASH WITH ORDER

ADD 50p/Item P&P (Min £1) and VAT (15%)

STATE Computer and Disk size/format

Due to Dollar fluctuations, Prices subject to change without notice.

# Telesystems Ltd

P.O. BOX 12, GT. MISSENDEN BUCKS HP16 9DD  
02406 5314

• Circle No. 127

DISKS : LTT : MEMORY : DISKS : LTT : MEMORY : LTT

## GODBOUT Computer Products

High quality, fast (4 MHz), reliable static S-100 memory boards and other products e.g. —

2708 EPROM chip	£6.25	n/a
2716 EPROM chip	p.o.a.	n/a
Econoram 2708, 16K EPROM (NØ EPROMS)	£45	£65
Econoram 2716, 16K EPROM (NØ EPROMS), 8K RAM (NØ RAMS)	£55	£75
Econoram Ila, 8K	£80	£99
Interfacer 2 full RS232 serial I/O	£99	£125
Econoram IV, 16K, 1 x 16K	£150	£169
Econoram VIIa, 16K, 1 x 8K + 2 x 4K	£165	£185
Econoram VIIa, 24K, 2 x 8K + 2 x 4K	£230	£249
Econoram XIIIa, 32K, bank select, 2 x 16K	£315	£339

## EXTRA LOW PRICES ON QUALITY DISKS

Brand name diskettes stocked for most micros.

Pack of ten 5 1/4 in. disks, £19. Ten packs (100 disks), £175.

Pack of ten 8 in. disks, £23. Ten packs (100 disks), £210.

When ordering please specify whether you require hard or soft-sectored diskettes, and if hard-sectored, the number of sectors.

**Anadex DP8000 Printer. Ready to go! Includes RS232 cable, 1,000 sheets continuous stationery and Securicor delivery within UK. Only £525.**

All prices given include postage and packing. (overseas add £10). Just add VAT. Send 10p stamp for details.

Quantity discounts available on application. Credit terms (nett 30 days) given to large companies and Government establishments.

Mail Order 'phone: 01-828 1785 **LTT ELECTRONICS**  
8 Waldegrave Road  
London SE19

DISKS : LTT : MEMORY : DISKS : LTT : MEMORY : DISKS

• Circle No. 128

## V&T ELECTRONIC

### EPROMS — All Ex Stock

2532 5V 4K x 8	48.00
2516 only 2K x 8	22.00
2708 1K x 8	6.00

### RAMS

4116 16K Dynamic 200 ns	6.50
4116 16K Dynamic 300 ns	6.25
2114 1K x 4 Static 200 ns	6.00
2114 1K x 4 Static 450 ns	5.00
TRS 80 16K Upgrade Kits	52.00

### CPU

Z80A	12.00
MC 6800	7.00
MC 6802	8.00
6502	10.00

### BUFFERS

744 LS 244	1.60
744 LS 240	1.60
744 LS 245	2.30

### PRINTER

Anadex DP 8000 Mk II	540.00
----------------------	--------

**ALL ITEMS EX-STOCK**

Please Add 15% VAT

40p P&P orders under £10.00

## V&T ASSEMBLER

New improved V&T Assembler now available for Nascom 1 & 2.

The only fully relocatable assembler for the Nascom range — (easily converted to other Z80 systems).

— Supports all standard mnemonics & pseudo ops: — DEFB, DEFS, DEFW, DEFM, EQU & ORG. Source, object & symbol areas fully programmable.

Now includes —

- Symbol table
- Operation under T2, T4, B Bug, Nasys
- Label find & change
- Relocating source reader
- Improved keyboard routine, etc.

£12.50 + VAT

Existing V&T Assembler owners may return orig. tape to obtain uprated version.

S.A.E. + £2.50 Inc VAT

V&T Superdeck — CPU Controlled £110.00  
Exidy Sorcerer 16K — £670 + VAT — includes basic Rom latest edition.

Please see previous Nov. Ad for full details

**V&T ELECTRONICS 82 CHESTER RD., LONDON N.19 5BZ**  
**01-263 2643**

• Circle No. 129



# NEW LOW PRICE FOR LEVEL II BASIC 16K



## TRS-80 Microcomputer the world's biggest selling personal microcomputer

This is a fantastic opportunity to own a TRS-80 personal microcomputer. Designed and built by TANDY, the TRS-80 is the world's biggest seller, with over 100,000 in use. The 'silicon chip' revolution is here, now, at your nearest TANDY store. If necessary you simply add-on extra modules to suit your individual requirements. See a TRS-80 at your Local TANDY today.

- \* Level refers to version of BASIC computer language.
- \* 16K is size of Random Access Memory Capacity.
- \* All systems include 232 page users manual & games cassette program.
- \* No prior knowledge of computing is required to use the TRS-80.
- \* Fully wired and tested - NOT a kit.
- \* Designed and Manufactured by TANDY Corporation.

**£519** +VAT

26-1006

Total £596.85 Old price £752.81  
inc. VAT at 15%



**SAVE  
£155.96**

### TRS-80 Expansion is easy!—Just add the units to suit your needs.

	Old Price incl. 15% VAT	New Low Price (less VAT)	New Low Price incl. VAT	SAVE
26 1120 ROM	£84.12	£73	£83.95	
26 1101 16K Upgrade	£137.36	£105	£120.75	<b>£16.61</b>
26 1003 16K Level I	£668.69	£480	£552.00	<b>£116.69</b>
26 1004 4K Level II	£615.45	£448	£515.20	<b>£100.25</b>
26 1006 16K Level II	£752.81	£519	£596.85	<b>£155.96</b>
26 1140 Expansion Interface	£243.84	£199	£228.85	<b>£14.99</b>

Offers subject to availability. Instant credit available in most cases. Access, Barclaycard and Trustcard welcome. Check your telephone directory for your nearest store.

OVER 170 STORES AND DEALERSHIPS NATIONWIDE.

KNOWN AS RADIO SHACK IN THE U.S.A. MAKERS OF THE WORLD'S BIGGEST SELLING MICROCOMPUTER TRS80

# TANDY

### BRINGING HIGH TECHNOLOGY DOWN TO EARTH

Please send full details and new low prices of TRS-80 systems.

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

PHONE \_\_\_\_\_

TANDY CORPORATION, BILSTON ROAD, WEDNESBURY, W. MIDLANDS, WS10 7JN.



• Circle No. 130

## CAMBRIDGE COMPUTER STORE

We can help you select the right system for your application. Here in Cambridge your choice won't be limited — we'll demonstrate as comprehensive a range of microcomputers as you'll find anywhere in the U.K.:

**TANDY TRS-80**  
**COMMODORE PET**  
**APPLE II**  
**N-S HORIZON**  
**CROMEMCO**  
**SORCERER**  
**ACORN**  
**NASCOM-1**


Stop Press: dramatic reduction now in prices of TRS-80, APPLE II and HORIZON systems. Where possible we deliver off-the-shelf, to any location.

The store is open 6 days a week from 9-5.30 with demonstration systems always in operation. We offer a professional standard of advice and after-sales support and we're ready to discuss your application any time.

## CAMBRIDGE COMPUTER STORE

1 Emmanuel Street, Cambridge (0223) 68155

• Circle No. 131



ABEL COMPUTER SYSTEMS LIMITED  
 5 HANLITH·WILNECOTE·TAMWORTH·STAFFS·B77 4BP

### Apple Symbolic Assembler

2 pass assembler with good manual. Requires 32K system and diskette drive  
 Software on diskette

£26.45

### Apple Games

(with comprehensive instructions)  
 8 games on diskette  
 8 games on cassettes

£12.50  
 £10.00

### Diskettes (single sided)

Standard quality  
 Superior quality  
 Cassettes

each £2.35  
 each £3.25  
 per 10 £3.90

PRICES INCLUDE VAT  
 Please add 30p p&p to order

• Circle No. 132

## Tridata + MICROS = SOFTWARE

Business systems available now for the TRS 80

Sales Ledger	(OPEN ITEM/DEBTORS ANALYSIS/STATEMENTS/INVOICES/VAT/DAYBOOKS etc.)	from £150
Purchase Ledger	(OPEN ITEM/CREDITORS ANALYSIS/REMITTANCE ADVICE/VAT/DAYBOOK etc.)	from £150
Invoicing	(UPDATES SALES LEDGER/DOWNDATES STOCK/MAINTAINS BACK ORDERS)	£75
Stock Control	(ISSUES/RECEIPTS/MOVEMENT, USAGE, VALUATION, RE-ORDER REPORTS etc.)	£200
Payroll	(WEEKLY, MONTHLY, CASUAL STAFF/BONUS SCHEMES/COIN ANALYSIS/PAYSLIPS etc.)	£218
Nominal Ledger	(Available shortly)	

12 MONTH WARRANTY ON ALL PACKAGES - TAILORED SYSTEMS TO YOUR REQUIREMENTS  
 FOR THE BEST IN PROFESSIONAL MICRO BUSINESS SOFTWARE CONTACT US DIRECT OR CALL YOUR NEAREST TRIDATA DEALER FOR A DEMONSTRATION.

CAMBRIDGE COMPUTER STORE (CAMBRIDGE)	0223 68155
COMPUTER DEVELOPMENT SERVICES (SWANSEA)	0792 26085
ELECTRON SYSTEMS (SANDY, BEDS.)	0767 81195
A. J. HARDING (BEXHILL, E. SUSSEX)	0424 220391
KATANNA MANAGEMENT SERVICES (CHELMSFORD)	0245 76127
OPTRONICS (TWICKENHAM)	01 892 8455
GPW ELECTRONICS LTD (PORTSMOUTH)	0705 693341

Tridata Micros Ltd.  
 Smithfield House  
 Digbeth  
 Birmingham B5 6BS  
 Tel: 021 622 6085

• Circle No. 134

COMPUTER SALES • HARDWARE • SOFTWARE • CONSULTANCY • MEDIA • STATIONERY ETC

For less than 25p an hour for just one year you can  
**COMPUTERISE YOUR BUSINESS NOW!**

**EVERYTHING YOU REQUIRE TO START  
COMPLETE - READY TO OPERATE.**

Incl. VAT, Pkg. & Delivery. Nothing extra to pay:

## £2,300

- MICROCOMPUTER WITH 48K RAM (Memory)
- DUAL DISK DRIVES (Storage up to 400K)
- DOS DISKETTE (Disk Operating System)
- BOX OF 10 BLANK DISKETTES
- PRINTER WITH TRACTOR FEED
- BOX OF CONTINUOUS STATIONERY/LABELS
- EVERYTHING COMPLETE WITH MANUALS

**+ FREE Programs worth over £500 +**  
**on Diskettes in a Library Case**

comprising:

SALES/PURCHASE LEDGERS      QUOTE/ORDER/INVOICE  
BANK RECONCILIATION      STOCKS / SHARES ANALYSIS  
STOCK CONTROL      MAILING LIST      GAMES PACKAGE

This package illustrates how to solve many of your business problems.  
They may or may not be suitable for your type of application but they will  
help you develop your own software for virtually any type of business.  
Worth over £500 this package is enclosed FREE.

### SOFTWARE

We are pleased to announce that we have been appointed  
Exclusive Distributor for UK, Europe & the World for

#### GRAMA WINTER SOFTWARE

for TRS 80, Apple, ITT 2020. Also dealer for Pet, Z80, SWTP.

Fully integrated suite of 30 complete business programs.  
Usual cost of such Quality Programs would be £2500+.  
Complete support, updates, NHI/Tax changes etc.  
Write for details.

Special introductory price ... £575 ... inclusive of VAT.

### CONSULTANCY

Please write or telephone if you require advice on  
BEGINNING or EXPANDING your computer installation.  
Software programs customised to your requirements.

### OUR BUSINESS EXISTS ON IMPROVING YOUR BUSINESS.

Please send Full Details & Price Lists

My requirements are for:

HOME       HOBBIES       STUDENT       BUSINESS

Name : .....

Street : .....

Town : .....

County : .....

Post Code : .....

Telephone : .....

Name of Co : .....

Position : .....

PO/Chq No : .....

(Payment by Barclaycard / Trustcard / Access etc., can be arranged)

We are continually adding new products to our range and would be  
pleased to receive your enquiries. ● Quantity Discounts available.

		ex. VAT	inc. VAT
<b>TRS 80</b>			
4K Level 2	(c/w K/bd, VDU, T/Rec)	434.78	500.
16K Level 2	(c/w K/bd, VDU, T/Rec)	500.00	575.
0K Interface	(to add printer & disk drives)	195.66	225.
16K Upgrade kits	(for k/bd or interface)	65.22	75.
Disk Drives, single	(up to 200K)	260.88	300.
Disk Drives, dual	(up to 400K)	608.70	700.
Disk Drives, dual	(up to 1000K)	1173.91	1350.
Disk Drives, dual	(up to 2000K)	1521.74	1750.
Disk Drives, cable 2 & 4 way from		21.74	25.
Anadex Printer, Tractor feed		434.78	500.
Printer cable for Anadex/Centronics		21.74	25.

### APPLE II ITT 2020

16K	(c/w Keybd & Palsoft ROM)	608.70	700.
16K Upgrade kits		65.22	75.
Disk Drive, single with cable		326.09	375.
Printer Interface		108.70	125.
Anadex Printer, tractor feed		434.78	500.
Colour TV ITT 340		239.13	275.

### COMMODORE PET

2001-32N	(New keyboard & 32K)	673.91	775.
2040 Dual Disk Drive 343K		673.91	775.
3022 Printer with graphics		521.74	600.
Printer interface and cables, each		21.74	25.

### MEDIA LIST

5¼" Verbatim	from (Qty 10)	17.39	20.
5¼" Dysan	from (Qty 10)	26.09	30.
8½" 3M	from (Qty 10)	30.44	35.

Blank 5¼" & 8½" Diskettes, Soft/Hard Sected, Formatted/ Unformatted.  
We have Diskettes to suit many systems. When ordering please quote:  
SYSTEM MANUFACTURER, MODEL, MEDIA TYPE, AND DISK SIZE.  
Available in smaller or larger quantities.

### STATIONERY Listing Paper, Continuous Forms, Labels.

Listing paper 11" x 8½", white/green music ruled, boxed 2000 ..... £10  
Labels 2¾" x 17/16", white, fanfold, £5 per 1000 ... 10,000 for ..... £40

Post/Packing/Insurance extra. Delivery by Registered Post, Securicor, etc.

Price List correct at time of going to Press, subject to change without notice. E & O.E.  
Standard Warranties apply.

### Your enquiries assist us in forward purchasing.

Requirements	Description	inc. VAT
Microcomputer	.....	
Upgrade Kit	.....	
Interface	.....	
Disk Drive	.....	
Printer	.....	
Cable/Interface	.....	
Cluster System	.....	
Colour TV	.....	
Media	.....	
Stationery	.....	
Software	.....	
Post/Pkg/Ins	(please tel. for cost) .....	
PC/PCW/L		TOTAL: .....

• Circle No. 135



# The small business system that won't let you down

## VECTOR MZ FROM COMPUTASTORE

Computastore has combined the powerful Vector MZ microcomputer with the reliability of proven accounts packages to bring you the benefits of a Small Business Computer at a price you can afford. With a high speed printer, the total system costs £5500, including installation and training – no extras to pay.

The integrated accounts packages provide the flexibility and ease of operation that first time users demand. Operator training is provided at YOUR premises, using YOUR data to get your system working within days. And because our accounts software has been developed in-house, the standard packages can easily be tailored to meet your needs exactly.



■ **SALES LEDGER:** Open item system, produces statements and current aged debtors balance at any time – not just at month end.

■ **PURCHASE LEDGER:** Open item system, produces aged creditors balance and remittance advices at any time – you choose the items you want to pay.

■ **NOMINAL LEDGER:** Links with both sales and purchase ledgers. Compares actual with budget, and with same period previous year.

■ **ONE OFF SOFTWARE:** We will be pleased to quote for any other commercial application.

■ **WORD PROCESSING OPTION:** Combine your word and data processing on the same system.

### TECHNICAL OVERVIEW:

Vector MZ: Industry standard CP/M operating system, 48K RAM, 630K Disk Drives, Fast Z80 microprocessor, S100 bus.

### Mindless Terminal:

High quality 80 x 24 upper and lower case display, Typewriter style keyboard, with numeric keypad.

### Texas Instruments 810:

150 c.p.s. high quality dot matrix printer.

**ONLY £1,700** 32K Vector MZ complete with 630K disk drives, CP/M, C/BASIC and NAD.

Full Range of Low Cost Accessories by Mail Order.

\* Barclaycard and Access welcome.

HARDWARE, SOFTWARE and ACCESSORIES sold either as complete systems or separately.



All goods in stock NOW, so why not call in for a demonstration, or ring or write for further details.



**Computastore**

### Software That Means Business

16 John Dalton Street  
Manchester M2 6HG  
Tel: 061-832 4761

• Circle No. 136

WALES LEADING  
SYSTEMS HOUSE



14 CHEPSTOW ROAD  
NEWPORT, GWENT.  
50528 / 841691 / 63310

Incorporating ( Microcourier)

At Micromedia we are usually asked for Complete Business Systems, here are a few examples.

	Purchase Price	Lease P/M
Accounting Package Sales Invoicing / Credit Controls Payroll on Alpha Micro, with 10 Megabyte Disk, visual display unit and printer.	17.950	448.75
Purchase Accounts, Sales Accounts, Payroll on Cromemco System <u>III</u> with work station, visual display unit and 180 c.p.s. printer.	7.950	198.75
Word Processing, Payroll, Accounts, on North Star Horizon with printer visual display unit and additional monitor.	5.500	137.50

Call us for a quotation on :

Cromemco II & III

North Star Horizon

Alpha Micro

Compucolour II

Commodore Pet

S W T P 6800

Microstar 45

#### APPLICATION SOFTWARE

Mailing Lists  
Data Base Management  
Accounting Suites  
Stock Controls  
Simplex Linear Programming  
Personel Records  
Fleet Maintenance Records  
Word Processing  
Pert (Critical Path Analysis)  
Purchase Ledger  
Sales Ledger  
Medical Records  
These are a selection from the range please call us to discuss your particular application.

We specialize in systems for Business Industry and Education and have specialist staff to discuss your applications.

Visual Display Units	From £	Printers	From £	Odds 'n Sods	£
Adds Regent 20	605	Anadex DP800	575	M22 Paper Tape Reader Punch	975
Adds Regent 25	645	S W T P PR 40	250	M33 Paper Tape Reader	450
Adds Regent 40	865	OKI E T 5200	485	M63 Paper Tape Reader Punch	1495
Cifer 2600	600	Teletype 43 KSR	840	Servogor Graphic Plotter	2750
Dec VT 100	1100	Dec LA 34	895	Sigma Graphic Option Controller	2168
Elbit 1920/30	725	Dec LA 36	905	Single side mini Diskettes Per 10	30
Elbit 1920/30x	750	Dec LA 120 KSR	1675	Single side 8" Diskettes Per 10	35
Infoton	610	Diablo 1640 RO	2098	C12 Cassettes Per 10	4.75
Lear Siegler ADM 3A	595	Diablo 1640 KSR	2292		
Newbury Lab Range		Texas 743	1195		
Pericom 6801	From 495	Texas 810	1450		
Pericom 6802	985	Tally Range from	1895		
Pericom 6803	1085				
	1285				

OEM TERMS & QUANTITY DISCOUNTS AVAILABLE WRITE FOR DETAILS

• Circle No. 137

# MICROTEK COMPUTER SERVICES

FOR:  
**EQUINOX 300**  
**NORTH STAR HORIZON**  
**IMS 5000**

**PLUS:**

DIABLO, ELBIT & TEXAS PERIPHERALS.  
SOFTWARE PACKAGES FOR:  
STOCK CONTROL  
ACCOUNTING AND VAT  
CLIENT INFORMATION & MAILING  
BUDGET CONTROL  
CAR STOCK BOOK  
IMPORT CONTROL  
PAYROLL  
'LOCATE-A-CAR' SYSTEM, ETC.

**50, Chislehurst Road, Orpington,  
Kent.**  
**Tel: Orpington 26803**

• Circle No. 138



Under  
One Roof  
**HB COMPUTERS LTD**  
Stock a full range of  
Micro Computers including:



A personal computer that  
opens the world of  
programming to your  
own fresh ideas!

**SHARP MZ-80K**

And now a major distributor for  
**ACT SYSTEM 800**

The most advanced, least expensive computer ever  
created.

AVAILABLE FROM

**HB COMPUTERS LTD**

22 NEWLAND STREET, KETTERING NORTHANTS.  
Tel. (0536) 83922 & 520910 Telex 341297

• Circle No. 139

# Possibly the most cost effective Laboratory Computers in the world.



**The Vector Graphic MZ**

- \*4MHZ Z80A CPU
- \*48K ram
- \*630K Bytes disk storage
- \*Serial port and two parallel ports
- \*Prom/ram Board with monitor
- \*MDOS Operating system
- \*Z80 Assembler
- \*Basic Interpreter

Plus a large range of CP/M compatible software  
including Fortran, Cobol, Macro assemblers etc.

**DATA SYSTEMS LTD**

**The Vector Graphic System B**

- Complete Vector MZ system plus: \*
- \*Vector Mindless terminal\*
- Flashwriter 2 video board (24 x 80) \*
- \*Software driver on prom\*
- MZOS North Star compatible DOS\*
- \*CP/M configured by Almarc\*

906 Woodborough Road, Nottingham. Telephone: (0602) 625035

• Circle No. 140



# NASCOM-1

## BETTER VALUE THAN EVER

**“It is, without doubt, a good basic kit offering good potential and facilities . . . it represents one of the best value-for-money kits available”**

Vincent Tseng -  
Practical Computing, Jan. 1978.

**“The Nascom-1 Z80 based board computer must be a strong candidate for the most successful ever British computer”**

Martin Banks - Computer Weekly, 30th Nov. 1978.

**“Overall, the Nascom-1 is an excellent unit. I've been using my Nascom for about 5 months (it worked first time) and I am very happy indeed with it”**

Editor -  
Computing Today, Nov. 1978.

**“Nascom-1 is the best thing that's happened to the British microcomputer industry-it was the product that set things moving here”**

Comment by the Editor of  
Personal Computer World  
at the PCW Show, Sept. 1978.

This is what the media said about Nascom-1 when it was £200. Now, with over 15,000 systems in operation world-wide and the new low prices, the Nascom-1 is an even better buy.

And look what else you get:

A 12" x 8" PCB carrying 5LSI MOS packages, 16 1K MOS memory packages and 33 TTL packages. There is on-board interface for UHF or unmodulated video and cassette or teletype.

The 4K memory is assigned to the operating system, video display and EPROM option socket, leaving 1K of user RAM. The MPU is the standard Z80 which is capable of executing 158 instructions including all 8080 code.

The prices include a ready-built 48-key LICON keyboard.

NM/PC/4

### NASCOM UK DISTRIBUTORS

**ADDA COMPUTERS**  
Ealing, London W5.  
Tel: 01-579 5845

**BITS & P.C.s**  
Wetherby.  
Tel: 0937 62592

**BUSINESS & LEISURE MICROCOMPUTERS**  
Kenilworth.  
Tel: 0926 512127

**THE BYTE SHOP**  
Ilford, Essex.  
Tel: 01-554 2177  
London W1.  
Tel: 01-636 0647

**COMPUTERLAND**  
Nottingham.  
Tel: 0602 40576

Manchester 1.  
Tel: 061-236 4737

Birmingham.  
Tel: 021-622 7149

Glasgow.  
Tel: 041-221 7409

**TARGET ELECTRONICS**  
Bristol.  
Tel: 0272 421196

**THE CAMERA CENTRE**  
Barrow-in-Furness.  
Tel: 0229 20473

**COMP SHOP**  
New Barnet, Herts.  
Tel: 01-441 2922

**COMPUTER MANIA**  
Great Milton, Oxon.  
Tel: Great Milton 729

**C. C. ELECTRONICS**  
Torquay.  
Tel: 0803 22699

**DATRON MICRO CENTRE**  
Sheffield.  
Tel: 0742 585490

**ELECTRONIC SERVICES**  
Sheffield.  
Tel: 0742 668767

**ELECTROVALUE LTD**  
Egham, Surrey.  
Tel: 07843 3603

**ELECTROVALUE LTD**  
Manchester M19.  
Tel: 061-432 4945

**ELEY ELECTRONICS**  
Glenfield, Leics.  
Tel: 0533 871522

**HAPPY MEMORIES**  
Southampton.  
Tel: 0703 39267

**HENRY'S RADIO**  
London W2.  
Tel: 01-723 1008

**INTERFACE COMPONENTS**  
Amersham, Bucks.  
Tel: 02403 22307

**A & G KNIGHT**  
Aberdeen.  
Tel: 0224 630526

**LOCK DISTRIBUTION**  
Oldham, Lancs.  
Tel: 061-652 0431

**MICRODIGITAL**  
Liverpool L2.  
Tel: 051-227 2535

**PHOTO ACOUSTICS**  
Watford, Herts.  
Tel: 0923 32006

**PIPS COMPUTER SERVICES**  
Whitley Bay.  
Tel: 0632 482359

**P & O COMPUTERS**  
Belfast.

**STRATHAND**  
Glasgow.  
Tel: 041-552 6731

**NASCOM MICROCOMPUTERS LTD.**  
92 BROAD STREET,  
CHESHAM, BUCKS.  
TEL: 02405 75155


**nm**

Nascom Microcomputers

• Circle No. 141

# PRINTERS FOR PET

- Plug connectable. 2001 and 3001
- Full Character Set and Graphics and Cursor Signs
- Variable Character Size
- Reverse Print
- Paper roll or Reversible Tractor Feed
- £ sign
- 100-120 CPS Bi-directional
- 5×7, 6×7, 9×7, Dot Matrix
- 52-80 Print Positions
- Alternative Interfaces — RS232 and Centronix




PRICES FROM £450

250 Brompton Road  
London SW3

• Circle No. 142

# STEP INTO THE 1980's WITH SHARP'S NEW MZ80, MICROCOMPUTER



SHARP MZ80K

**Built-in Clock and Sound Circuits**  
Clock circuit: time is displayed according to program.

Sound circuit: 3-octave sound signals for aural confirmation according to program.

**78 Keys**  
ASCII standard  
Alphabet (capital and small letters)  
Graphic symbols

- Z-80 based CPU
- Internal memory expansion up to 48K bytes of RAM
- Fast reliable cassette with tape counter — 1200 bits/sec
- 50 pin universal BUS connector for system expansion — printers, floppy discs etc.

**CRT Display**  
This unit is equipped with a 25cm (10") monochrome CRT for up to 1,000 letters (40 letters x 25 lines). Processing results can be displayed on the CRT, and it is possible to program and edit (addition, deletion, etc.) while watching the operation for confirmation

Available from  
**FLETCHER, WORTHINGTON LTD.**

Branches at:

<b>PROGRESS HOUSE</b> CECIL ROAD HALE ALTRINCHAM CHESHIRE TEL: 061-928 8928/9 & 4113	<b>LOW MILLS ROAD</b> LEEDS 12 TEL: LEEDS 633233	<b>55 GARSTANG ROAD</b> PRESTON TEL: PRESTON 56544
-----------------------------------------------------------------------------------------------------	--------------------------------------------------------	----------------------------------------------------------

• Circle No. 143

# ALGOBEL COMPUTERS LTD.

SIGN OF GUARANTEED QUALITY

**Enthusiasts:** a pack of 70 exciting games, on five disks, including dazzling graphics, games paddles, music and dance. All for £80.00.

**Small Businesses:** PAYROLL. This package is produced by Algobel Ltd., the sign of guaranteed quality. £235.00.

Software can be tailored by arrangement with our software suppliers.

**Estate Agents:** Property & Applicant Matching System . . . . . £650.00

W/Proc to print Property Details and standard letters . . . . . £75.00

**Software Tailors:** we offer a very appealing finance proposition for you to buy or rent your computer through us.

In addition, we delegate all enquiries for programming work which is not to be covered by our mark of guaranteed quality.

## RENT AN APPLE

this appealing proposition starts at £38.66 monthly (for a complete 48K system with 2 disc drives).

Tax position: Rentals can be offset against gross revenue.

**Lease Purchase:** This proposition starts at £44.95 monthly. Title passes on completion of agreement.

33 Cornwall Buildings, Newhall St, Birmingham B3 3QR  
Telephone 021-233 2407

*APPLEs for enthusiasts, small businesses,  
Estate Agents and Software Tailors.*

**ACCOUNTANTS PACKAGE** £5,250.00

(Rental £115.92 monthly, or Lease Purchase £134.03 monthly)

The system provides an extensive and comprehensive replacement to the normal routine of an Accountancy Practice.

## GUARANTEED SOFTWARE

Produced by Algobel Computers Ltd, using the most up-to-date computer techniques.

## GUARANTEED COMPUTER SELECTION

Having examined and tested without prejudice, all the computers available and based in the U.K., we have approved the merits of the following schedule, which is fully included in the quoted price.

CROMEMCO Z-2D computer, ADM3 terminal and Centronics printer.

• Circle No. 144

# ROCKWELL AIM65 as you like it!

There are many ways to take AIM

**AIM 65.** The original bare-board version as it comes from Rockwell with: 20 col. printer, 20 ctr alphanumeric display, 54 Qwerty Keyboard, TTY and dual cassette interfaces, 1K or 4K on-board RAM options, powerful 8K monitor in ROM. This 6502  $\mu$ p based product comes complete with full documentation, fully assembled and tested.

**Price: A65-100 (with 1K RAM) £249.50**  
**A65-400 (with 4K RAM) £315.00**

**AIM 65C.** This 'special' packaged system developed by PML, for those of you who wish to limit your hardware involvement to the attachment of the 13 amp plug. (We leave it off especially). It comes with 4K RAM, power supply, assembler or basic and desk top case.

**Price: A65-500C (basic) £485.00**  
**A65-600C (assembler) £475.00**

**PDS 65.** The portable development system is another PML product designed for those of you who require the convenience of this novel housing. It comes supplied with 4K RAM, power supply, assembler, basic and briefcase housing. Also offered as an option is a 300 baud acoustic coupler.

**Price: PDS-65 £750.00**  
**PDS-65/1 £950.00**

**DESKTOP CASE.** For those of you who already have AIMS or who prefer to do it your way. This plastic case includes space for a power supply (also available) and 1 additional expansion module.

**Price: £60.00**

**BRIEF CASE.** A brief case with a specially designed vacuum formed plastic insert for use as a convenient equipment housing for use with AIM 65 or many other bare-board systems.

**Price: £85.00**

#### Options:

assembler in ROM	£60.00
basic in ROM	£70.00
power supply	£40.00
acoustic coupler	£200.00
expansion motherboards	
A65-KIM	£80.00
A65-6800	£135.00
A65-S100	£132.00

**NOTE** All prices are subject to change without notice and are exclusive of V.A.T.



## Portable Microsystems Limited

Forby House, 18 Market Place,  
Brackley, Northants, NN13 5SF  
Telephone Brackley (0280) 702017  
Telex Micro 83147

• Circle No. 145

Ask about our similar models using Nascom 1 or 2 microcomputers.

P.S. We will shortly be announcing a floppy disk and a range of modules for use with AIM 65.



## 24 TUNE DOOR CHIMES

### DOOR TUNES £17.13 + VAT

Waddington's Videomaster announce a doorbell that doesn't go Brrringgg, Ding Dong or Bzzzzz. Instead it plays 24 different classical and popular tunes. It will play the tune you select for your mood, the season or the visitor you are expecting to call. Door tunes is not only great fun and a wonderful ice breaker, but is also very functional and beautifully designed to enhance your home. There is something for Christmas, something for your continental visitors or your relations from the states, and even something for the Queen. Door tunes is easy to install and has separate controls for volume, tone and tempo.



## T.V. GAMES

### PROGRAMMABLE £29.50 + VAT.

#### COLOUR CARTRIDGE T.V. GAME.

The TV game can be compared to an audio cassette deck and is programmed to play a multitude of different games in COLOUR, using various plug-in cartridges. At long last a TV game is available which will keep pace with improving technology by allowing you to extend your library of games with the purchase of additional cartridges as new games are developed. Each cartridge contains up to ten different action games and the first cartridge containing ten sports games is included free with the console. Other cartridges are currently available to enable you to play such games as Grand Prix Motor Racing, Super Wipeout and Stunt Rider. Further cartridges are to be released later this year, including Tank Battle, Hunt the Sub and Target. The console comes complete with two removable joystick player controls to enable you to move in all four directions (forward, backward, left and right) into these joystick controls are ball serve and target fire buttons. Other features include several difficulty option switches, automatic on screen digital scoring and colour coding on scores and balls. Lifelike sounds are transmitted through the TV's speaker, simulating the actual game being played. Manufactured by Waddington's Videomaster and guaranteed for one year.



#### EXTRA CARTRIDGES:

##### ROAD RACE - £8.87 + VAT.

Grand Prix motor racing with gear changes, crash noises

##### SUPER WIPEOUT - £9.17 + VAT.

10 different games of blasting obstacles off the screen.

##### STUNT RIDER - £12.16 + VAT.

Motorcycle speed trials, jumping obstacles, leaving various rows of up to 24 buses etc.

##### NON PROGRAMMABLE TV GAMES

6 Game - COLOURSCORE II - £13.50 + VAT.

10 Game COLOUR SPORTSWORLD £22.50 + VAT.

## CHESS COMPUTERS

### STAR CHESS - £85.65 + VAT

#### PLAY CHESS AGAINST YOUR PARTNER.

using your own TV to display the board and pieces. Star Chess is a new absorbing game for two players, which will interest and excite all ages. The unit plugs into the aerial socket of your TV set and displays the board and pieces in full colour for black and white on your TV screen. Based on the moves of chess. It adds even more excitement and interest to the game. For those who have never played, Star Chess is a novel introduction to the classic game of chess. For the experienced chess player, there are whole new dimensions of unpredictability and chance added to the strategy of the game. Not only can pieces be taken in conventional chess type moves, but each piece can also exchange rocket fire with its opponents. The unit comes complete with a free 18V mains adaptor, full instructions and twelve months guarantee.



### CHESS CHALLENGER £98.50

#### PLAY CHESS AGAINST THE COMPUTER.

The stylish, compact, portable console can be set to play at seven different levels of ability from beginner to expert including "Mate in two" and "Chess by mail". The computer will only make responses which obey international chess rules. Casting, on passant, and promoting a pawn are all included as part of the computer's programme. It is possible to enter any given problem from magazines or newspapers or alternatively establish your own board position and watch the computer react. The positions of all pieces can be verified by using the computer memory recall button.

Price includes unit with wood grained housing, and Staunton design chess pieces. Computer plays black or white and against itself and comes complete with a mains adaptor and 12 months guarantee.

#### OTHER CHESS COMPUTERS IN OUR RANGE INCLUDE:

CHESS CHAMPION - 6 LEVELS £47.39 + VAT

CHESS CHALLENGER - 10 LEVELS - £138.70

+ VAT.

BORIS - MULTI-LEVEL TALKING DISPLAY £163.64

+ VAT.



#### ELECTRONIC CHESS BOARD TUTOR £17.17 inc. VAT.

A special bulk purchase of these amazing chess teaching machines enables us to offer them at only £19.75 less than half recommended retail price. The electronic chess tutor is a simple battery operated machine that can actually teach anyone to play chess and improve their game right up to championship level. This machine is not only for total beginners but also for established players wanting to play better chess. Unit contains the electronic chessboard with 32 chess pieces, a 64 page explanatory booklet and a set of 32 progressive programme cards including 6 beginners cards, 16 check mate positions, 9 miniature games, 5 openings, 3 end games, 28 chess problems and 2 master games.


## DRAUGHTS COMPUTERS

### CHECKER CHALLENGER 2 LEVELS £43.00 + VAT.

#### 4 LEVELS £78.00 + VAT.

The draughts computer enables you to sharpen your skills, improve your game, and play whenever you want. The computer incorporates a sophisticated, reliable, decision-making microprocessor as its brain. Its high level of thinking ability enables it to respond with its best counter moves like a skilled human opponent. You can select offence or defence and change playing difficulty levels at any time. Positions can be verified by computer memory recall. Machine does not permit illegal moves and can solve set problems. Computer comes complete with instructions, mains adaptor and twelve months guarantee.

#### PLAY DRAUGHTS/CHECKERS AGAINST THE COMPUTER



## FOR FREE BROCHURES - SEND S.A.E

For FREE illustrated brochures and reviews on TV and chess games please send a stamped addressed envelope, and state which particular games you require information on.

Callers welcome at our shop in Welling - demonstrations daily - open from 9am-5.30pm Mon-Sat (9am-1pm Wed).

To order by telephone please quote your name, address and Access/Barclaycard number.

Postage and Packing FREE

AJD DIRECT SUPPLIES LIMITED, Dept. P.C.12 102 Bellegrave Road, Welling Kent DA16 3DD. Tel: 01-303 9145 (Day) 01-850 8652 (Evenings)

• Circle No. 146

# SOFTWARE

Get the best VALUE from your system.

EXPAND beyond the constraints of your standard packages.

We undertake system design and programming for microcomputers, for all types of business use.

Send us a brief description of your requirements and be agreeably surprised by our estimate.

TAILOR MADE SOFTWARE NEEDS NOT BE AT SAVILLE ROW PRICES

## Rogis Systems Ltd

Keeper's Lodge  
Frittenden  
Cranbrook  
Kent

Tel: Frittenden (058 080) 310

• Circle No. 147

## Great new Crofton double!

Self contained  
**MONITOR  
PCB**



self contained **10"**  
**MONITOR**



- Compact size, 5" x 7"
- Complete with power and video plugs, plus leads
- Scan coil assembly as standard supplied
- Transformers, tubes, and surrounds available
- 15v Mains or 12v DC power
- Ideal for D.E.M. use

- Totally enclosed
- All transistorised
- Suitable for analogue signals or alphanumeric
- Operable on 220v Mains or 12v DC power
- Comparable to wire frame monitors

ONLY **£35.50** ONLY **£85.00**

EX VAT AND P&P

## Crofton Electronics

Crofton Electronics Limited, 35 Grosvenor Road, Twickenham, Middlesex. Tel: 01 891 1923

• Circle No. 148

# XITAN SYSTEMS

## CROMEMCO SYSTEM 3 — The 'Rolls Royce'

£4,054.00 for this system with vdu.

The ideal business system. System includes a full 64K fast RAM, dual full-size floppies (Persci 277), RS232 interface/20mamp loop for console device, parallel printer port (Centronics/Anadex compatible), 21 slots for expansion, Lear Siesler 24 lines or 80 chars vdu, and ... CROMEMCO's CDOS operating system with their 14 digit BCD extended disk Basic — ideal for those accurate large numbers required by successful businesses. CDOS is CP/M functionally equivalent, with many extra facilities. Optional extras from Xitan include Fortran, Cobol, Text Formatting, Z-80 macro-relocating assembler and DBMS at £59.00 each, CIS interactive screen handling Cobol at £425.00 (recommended to serious business users), Cromemco S100 boards, CP/M (we are an authorised oem distributor of Digital Research's CP/M) for the System 3, Wordmaster, Wordstar, Supersort, and CPM374X utilities.



COMING SOON! ... Full 7-terminal multi-user operating system from Cromemco for System 3 users. Up to 48K per user, all running independently. This operating system has to be seen to be believed. It will run any of the Cromemco provided and supported software packages, in any combination. Features include partition rescue facilities, allocating more memory to users, real-time clock for time/date stamping of jobs and disk queueing techniques. Buy your System 3 now, expand later as you need it.

## S100 BRITISH COLOUR BOARD

We are proud to offer the first BRITISH S100 Colour board. Manufactured by a local Southampton company — Hi-tech, we can thoroughly recommend this product. Features include true PAL colour generation for high-definition on your television or colour monitor, 15+ colours and black/white with 6 additional grey scales, 24 lines with 40 characters per line, with standard character set plus 44 numbers and symbols, and 64 computer selected graphics symbols. Symbols include fractions and the £ symbol. Plotting is available at 80 x 72 resolution. Single or double-height characters, with flashing on an on/off duty cycle of 3-1. The board is memory mapped on any 2K boundary, with its I/O port set at any of the 256 available on the S100 bus. Just plug into your S100 system and colour television and gol Driver software and documentation provided. Price £295.00 ex vat cash with order. Please specify if for television or 75 ohm monitor.



## ON DEMO NOW! THE CROMEMCO Z2-H

For only £4,995.00 set the reliability and quality of Cromemco, coupled with the capacity of the new IMI 11 megabyte hard disk drive. This is incredible value for money. Specification includes transfer rates of up to 10 times faster than the fastest standard floppy disk, DMA controller for up to 7 hard disk units, and the new extended CDOS operating system. Systems available in three configurations: — A) The Z2-H complete integral system, 64K RAM, Z80A cpu, two double-sided mini-floppies, RS232 console port, parallel printer port, power supplies, cables, case and 12-slot S100 motherboard (7 slots free). B) Additional hard disk subsystem for existing system 2 or system 3 users consisting of one hard disk, DMA controller, power supply, case and cable. C) As unit B but with two hard disks. Prices: Unit A) £5,380.00.  
B) £4,330.00.  
C) £7,420.00.

Xitan Systems also supplies and stocks vdus, printers, NORTH STAR HORIZON computers, Commodore Business Machines PETs, S100 boards, and books. We are here to demonstrate the range of quality microcomputer systems available for use today. Ring up for an appointment now! You'll not be disappointed. We have Osborne's Sales Ledger and Payable Ledger in source form for use on Cromemco System 3 with CBASIC2, and we can offer a customising service on these programs. Additional software includes Microsoft Basic Interpreter and Compilers, Cbasic, Macro80, and CP/M for the North Star Horizon.

**Xitan Systems Ltd., 23 Cumberland Place, Southampton SO1 2BB.**

**Tel: (0703) 38740**

**Hours Tue-Sat 9.30 am to 5.30 pm**

• Circle No. 149

## TECHNICIANS SERVICE CASES



**FIVE** EXCITING TYPES AVAILABLE NOW  
TOOL KITS TO YOUR SPECIFICATION  
OR CASES CAN BE SUPPLIED WITHOUT  
TOOLS

Full Details From:



**A. MILLS (ACTON) LIMITED**

CHURCHFIELD ROAD, ACTON, LONDON W3 6ED

Telephone 01-992 4835/7, 01-993 2241/7

Established 1918

Telex 24224-305

• Circle No. 150

## BE ONE OF THE FIRST TO OWN The New Sharp MZ80-K

Sharp dealers for N.W. Kent.  
Demonstrations given, at your premises, in  
that area.

Other demonstrations by arrangement.

### PET HIRE

From £5 per day or £25 per week.

Authorised PETSOFT/PETACT dealers.  
10% discount on all Petsoft/Petact products.  
Please add 50p p. & p. to your order.  
Send large SAE for Petsoft catalogues.

*All prices subject to VAT.  
Send Cheque/P.O. with orders to:*

**ESSEX COMPUTER SERVICES**

10 Grafton Road, Canvey Island,  
Essex, SS8 7BT.

Tel. Canvey Island (03743) 61663



• Circle No. 151

## New Bear Components

CALLERS AND MAIL ORDER: 40 Bartholomew Street, Newbury, Berks. Tel: 0635 30505



## Look it's true

Bearbag 1	77-68 CPU KIT . . . . .	£35.00
Bearbag 5	77-68 4K RAM KIT . . . . .	£55.00
Bearbag 6	77-68 MON 1 KIT . . . . .	£37.50
Bearbag 12	77-68 V.D.U. KIT . . . . .	£42.50
Bearbag 13	77-68 MON 2 KIT . . . . .	£47.50
Bearbag 16	77-68 EPROM BOARD KIT . . . . .	£21.50
Bearbag 17	77-68 PIO BOARD KIT . . . . .	£40.00
Bearbag 23	77-68 32K DYNARAM KIT . . . . .	£75.50

Send for our complete Catalogue and Booklist.

CALLERS ONLY: 220-222 Stockport Road, Cheadle Heath, Stockport Tel: 061 491 2290

• Circle No. 152



# The Perfect Lead...

## Acorn Microcomputer System 1



Price £65 plus VAT in kit form

This compact stand-alone microcomputer is based on standard Eurocard modules, and employs the highly popular 6502 MPU (as used in APPLE, PET, KIM, etc). Throughout, the design philosophy has been to provide full expandability, versatility and economy.

### Specification

The Acorn consists of two single Eurocards.

1. MPU card  
6502 microprocessor  
512 x 8 ACORN monitor  
1 K x 8 RAM  
16-way I/O with 128 bytes of RAM  
1 MHz crystal  
5 V regulator, sockets for 2K EPROM and second RAM I/O chip.
2. Keyboard card  
25 click-keys (16 hex, 9 control)  
8 digit, 7 segment display  
CUTS standard crystal controlled tape interface circuitry.

Keyboard instructions:  
Memory Inspect/Change (remembers last address used)  
Stepping up through memory  
Stepping down through memory

Set or clear break point

Restore from break

Load from tape

Store on tape

Go (recalls last address used)

Reset

Monitor features

System program

Set of sub-routines for use in programming

Powerful de-bugging facility displays all internal registers

Tape load and store routines

### Applications

As a self teaching tool for beginners to computing.


As a low cost 6502 development system for industry.

As a basis for a powerful microcomputer in its expanded form.

As a control system for electronics engineers.

As a data acquisition system for laboratories.

## START WITH SYSTEM 1 AND CONTINUE AS AND WHEN YOU LIKE



Acorn Controller  
£35 plus VAT (min config.)

the CPU card of System 1, it allows for up to 4½ k EPROM, 1½ k RAM and 32 I/O lines. It has on board 5 V regulator and optional crystal control. Custom programs may be developed on System 1 and the card makes an ideal dedicated hardware module.



Acorn Memory 8 k  
£95 plus VAT (kit form)

A fully buffered memory card allowing up to 8 k RAM plus 8 k EPROM on one eurocard, in an Acorn system both BASIC and DOS may be contained in this module. Static RAM (2114) is used and the card may be wired into other systems.



Acorn VDU  
£88 plus VAT (kit form)

A memory mapped seven colour VDU interface with adjustable screen format. Full upper and lower ascii and teletext graphics are features of this module which along with programmable cursor, light pen, hardware scroll etc., make this the most advanced interface in its class.

Acorn Software  
in ROM

- Acorn BASIC — a very fast integer BASIC in 4 k
- Acorn COS — a sophisticated cassette operating system with load and save and keyboard and VDU routines in 2 k
- Acorn DOS — a comprehensive disc operating system in 4 k

Acorn Computers Ltd.  
4A Market Hill, Cambridge, Cambs.  
Cambridge (0223) 312772.

### Order Form

Please send me the following:

- (qty) Acorn Microcomputer kit @ £65 plus £9.75 VAT.
- (qty) Acorn Memory kit @ £95 plus £14.25 VAT.
- (qty) Acorn VDU kit @ £88 plus £13.20 VAT.
- (qty) Acorn Power Supply (for System 1 only) @ £5.95 plus £0.89 VAT.
- (qty) Acorn Microcomputer assembled and tested @ £79 plus £11.85 VAT.
- (qty) Acorn VDU assembled and tested @ £98 plus £14.70 VAT.

Post and packing free on all orders.

I enclose a cheque for £ . . . . .

(indicate total amount) made out to Acorn Computers Ltd.

Please send me further details of this and other Acorn options

Name \_\_\_\_\_

Address \_\_\_\_\_



Acorn Computers Ltd. 4A Market Hill, Cambridge, Cambs. (0223) 312772. Regd. No. 1403810

• Circle No. 153

# POWER-ONE

D.C. POWER SUPPLIES

Now, like Intel, Motorola and National you can buy Power-One open frame power supplies and enjoy quality and reliability at LOW LOW prices. Over 70 different models to choose from.

### Floppy Disc Drive Supplies

— with connectors and cables for Shugart drives if required.

CP-249 — drives one mini drive **£33.00**

CP-323 — drives two mini drives **£60.00**

CP-205 — drives one Shugart

SA800 or equivalent 8" drive **£56.00**

CP-206 — drives two SA800 **£76.00**

### Single Output

5V at 2.7A w/OVP **£19.50**

5V at 5.4A w/OVP **£41.50**

12V at 6A **£67.50**

15V at 5.4A **£67.50**

### Dual Output

± 12 to 15V at 1.5A **£41.00**

± 18 to 24V at 0.4A **£32.50**

± 5V at 5.4A w/OVP **£78.00**

### Triple Output

5V, 9-15V, -5, -12, -15V at 1.8A to 10.8A From **£41.00** to **£137.00**

**SPECIAL\*** Beat this for value. TRS-80 compatible floppy disk kits — including Shugart SA 400 drive power supply and all cables. Single drive kit **£263**. Dual drive kit **£494**.



COMPUTERS LTD.,

133 Woodham Lane, New Haw, Weybridge, Surrey  
KT15 3NJ Byfleet (09323) 45421 (Code from London 91).

• Circle No. 154

## SLOUGH MICROSHOP

We stock:

Commodore PET

Exidy Sorcerer

North Star Horizon

Full demonstration equipment available now.

Extra services include:

A complete hardware maintenance service

A software service; tailor-made or packaged software available

Call in at our showroom

120 High Street,  
Slough, Berkshire

Tel: Slough 22855/72470

• Circle No. 155



## NewBear Books



### BASIC BOOKS

Beginning Basic . . . . . P. E. Gosling . . . £ 2.95

Introduction to Basic . . . . . P. J. Hartley . . . £ 1.95

Some Common Basic Programmes . . . . . A. Osbourne . . . £ 6.45

Illustrated Basic . . . . . Alcock . . . . . £ 2.25

Learning Basic Fast . . . . . De Rossi . . . . . £ 6.30

The Basic Workshop . . . . . K. Schoman Jnr. . £ 4.50

Discovering Basic . . . . . R. E. Smith . . . £ 4.90

The User's Guide to North Star Basic . . . . . R. Rogers . . . £10.00

Basic with Business Applications . . . . . Hayden . . . . . £ 5.56

Basic and the Personal Computer . . . . . Dwyer & Critchfield . . £10.36

A Guided Tour of Computer Programming in Basic . . . . . Dwyer/Kaurman . £ 4.16

Basic Basic . . . . . J. S. Coan . . . . £ 5.00

Advanced Basic . . . . . J. S. Coan . . . £ 5.50

### PASCAL

Pascal: User Manual & Report . . . . . Springer-Verlag . £ 5.52

Problem Solving Using Pascal . . . . . Springer-Verlag . £ 7.84

Programming in Pascal . . . . . P. Grogono . . . £ 7.50

A Practical Introduction to Pascal . . . . . A. Addyman . . . £ 3.50

An Introduction to Programming & Problem Solving with Pascal . . . . . Schneider . . . £ 9.50

Introduction to Pascal . . . . . Welsh . . . . . £ 6.95

### COBOL

Cobol Programming . . . . . Nickerson . . . £ 6.95

Learning Cobol Fast . . . . . De Rossi . . . £ 6.20

Cobol with Style . . . . . Hayden . . . . £ 4.20

"INSTANT DESPATCH SERVICE"

### FORTRAN

Elementary Computer Programming Fortran IV . . . . . Bogutausky . . . £ 6.30

### PROGRAMMING

Intro. to TRS80 Graphics . . . . . Inman . . . . . £ 5.75

Design of Well Structured Programs . . . . . Alagic . . . . . £10.00

Chemistry with a Computer . . . . . Cauchon . . . . £ 7.96

Top-Down Structured Programming Techniques . . . . . McGowan . . . £12.50

Computer Input Design . . . . . Woolridge . . . £ 8.85

Computer Output Design . . . . . Woolridge . . . £ 9.70

### GAMES

32 Basic Programs for the PET COMPUTER . . . . . £ 9.95

101 Basic Computer Games . . . . . £ 5.50

Games, Trick & Puzzles for a Hand Calculator . . . . . W. Judd . . . £ 2.49

Games with a Pocket Calculator . . . . . £ 1.75

Star Ship Simulation . . . . . £ 5.10

Game Playing with Basic . . . . . £ 4.10

Game Playing with Computers . . . . . D. Spencer . . £10.20

Game Playing with Basic . . . . . £ 4.20

SARGON-A Chess Computer Program in Z80 Assembly Language . . . . . £ 9.50

Chess & Computers . . . . . D. Levy . . . £ 7.16

Chess Skill in Man & Machine . . . . . P. Frey . . . £11.84

57 Practical Games & Programs in Basic . . . . . £ 6.40

SEND FOR FULL BOOKLIST  
CREDIT SALES (Minimum £10), Access and Barclaycard Welcome.

CALLERS AND MAIL ORDER: 40 Bartholomew Street, Newbury, Berks. Tel: 0635 30505  
CALLERS ONLY: 220-222 Stockport Road, Cheadle Heath, Stockport Tel: 061 491 2290

• Circle No. 156

# TMZ80 from TERODEC



The TMZ-80 range of microcomputer systems provide cost effective and reliable solutions to your business problems with unrivalled flexibility

- Choice of operating system — CPM1.4, CPM2.0, or OASIS
- Interfaces to most VDU's, Line, Dotmatrix, Daisy Wheel Printers and Modems
- 64K Bytes of RAM as standard — expandable to 256K Bytes (for multiuser environment)
- Single or Multiprocessor
- 1-4 m Bytes Floppy Disc storage
- Hard, Fixed or Cartridge Disc expansion
- Custom Software service
- Single or Multiuser
- Software Hot Line
- Reliable
- Nationwide maintenance
- 4 MHz Z-80 CPU
- Staff Training
- Installation and Commissioning
- Attractively styled work station
- Comprehensive standard software available
- BASIC, CBASIC-2, FORTRAN, ANSI 74 COBOL and PASCAL
- Full range of VDUs and Printers



TMZ-80/1 1M Byte, 64K with VDU and Workstation £3995  
TMZ-80/2 2M Byte, 64K with VDU and Workstation £4295  
TMZ-80/4 4M Byte, 64K with VDU and Workstation £5495

TERODEC are the sole U.K. Distributor for DELTA PRODUCTS, CENTRAL DATA CORPORATION and Distributors for MICROMATION. We supply a complete range of Hardware and Software that represent the best in quality, price and delivery. Our product range includes: S-100 computers from DELTA, MICROMATION and CROMEMCO; S-100 Boards CPUs, Disk Controllers (Single and Double Density) For all popular drives 8" and 5", Dynamic CDC RAM, Static RAM and Interfaces; Add on Single and Double Density Disk Drives for TRS-80, Exidy Sorcerer and all S-100 Computers; Printers from DECISION DATA and PRINTERM; VDUs from TVI, SOROC and PERICOM; A comprehensive range of applications software, Accountancy, Stock Control, Word Processing and more; Compilers; Interpreters; Assemblers. When other products do not measure up call any TERODEC Showroom or Dealer for fast response.


**MICROBITS**  
34B London Rd., Blackwater,  
Camberley, Surrey  
Tel: (0276) 34044

**TERODEC SYSTEMS LTD**  
16/17 College Place,  
Southampton, Hants.  
Tel: (0703) 39511/5

**OEM and Dealer Enquiries Invited**

**TERODEC**  
(MICROSYSTEMS) Limited

43 Qualitas, Roman Hill  
Bracknell, Berkshire  
RG12 4QG





# THE SATELLITE VIDEO KEYBOARD TERMINAL



**GIVES YOU MORE ON YOUR SCREEN**

### (INCLUDING 128 GRAPHICS CHARACTERS).

The Satellite is based on the KTM Keyboards made by Synertek. The on-board microprocessor gives full control over the display allowing not only the full ASC11 character set to be displayed, but also 64 graphics characters which, with reverse video becomes 128.

An auxiliary serial port allows onward transmission to or from a remote peripheral such as a printer, or modem, and may be switched on and off under software control.

The Satellite comes built and tested. All you need is a monitor (a television and modular may be used with the Satellite 1) and a 5V 1.25A power supply. If RS232 is to be used, then +12 at 100mA is also required.

SATELLITE 1 24 rows of 40 characters £215 + VAT.

SATELLITE 2 24 rows of 80 characters £250 + VAT.

(Dealer Enquiries Welcome).

### SPECIFICATION.

- 24 rows of 40 or 80 characters.
- Full 128 ASC11 Character Set. PLUS 128 graphics characters.
- Full RS232 or TTL Serial interface with RS232 handshaking.

- Auxiliary RS232/TTL Serial Port for printer, modem, etc.
- Interlace/non-interlace.
- Line truncate/non-truncate.
- Direct cursor addressing.
- Switch selectable European/USA standard.

**INTERACTIVE DATA SYSTEMS 14, BUCKMAN CLOSE, GREENLEYS—MILTON KEYNES. Telephone: (0908) 313997.**

• Circle No. 159

# FYLDE MICROCOMPUTER SERVICES

**NORTHSTAR EXPERTS IN THE NORTH-WEST**

### HARDWARE

STATIC RAM & 2 DOUBLE DENSITY DISK DRIVES WITH 32K £2068 OR 48K £2400

Both include North Star DOS & BASIC software

ELBIT VDU £755

ANADEX DP8000 PRINTER £575

### SOFTWARE

CP/M DOS (Extra paper tape utilities, add £5) £75

Cursor controlled TEXT EDITOR £75

CP/M BASIC (Microsoft Version 5 Interpreter) £155

FORTRAN COMPILER £205

TRUE BASIC COMPILER £195

North Star PASCAL which requires 48K £70

BASEX COMPILER with disk handler £68

Interactive WORD PROCESSOR £75

TINY PASCAL COMPILER including source written in PASCAL £28

8080 Assembler £30

Sample programs are available on disk for all the above languages Add £5

**GRAMA WINTER Business Software on NorthStar AND CORAL 66 under CP/M ENQUIRE for details**

Educational Discounts Available  
Prices are Exclusive of  
VAT & CARRIAGE

48 Lomond Ave  
Blackpool FY89NB  
0253 692954

• Circle No. 158

Reconditioned Olivetti Printers  
incl. paper tape reader/punch and  
transmission £280  
VDUs — 2000 ch buffered screens and  
Honeywell keyboards £225  
Honeywell keyboards alone £180

**DDM HOBBY CORNER**

**MICROCOMPUTING** 44 High Street, Brentwood, Essex CM14 4AJ. Tel. (0277) 229379

**commodore**  
Business Software  
Business Information, A/cs,  
Word Processing, Payroll, and  
Mailing Systems.

**PET Growth Products**  
Disk Systems  
Computhink Dual Drives  
400 (Old Rom)  
400 (New Rom)  
800 (New Rom)  
Interfaces  
DDM's IEEE to RS232  
bidirectional interface

£ 550  
£ 675  
£ 795  
£ 840  
£ 995

DDM DIRECT DATA MARKETING  
**commodore**  
Pet  
Pet 2001-8  
Pet 2001-16N  
Pet 2001-32N  
IEEE to Pet Connector  
IEEE to IEEE Connector  
C2N Cassette Deck

**digital**  
Printers  
LA34 Dectwriter £ 825  
LA34 Dectwriter with tractor feed 905

**Microsense**   
Apple II 16K £ 750  
Apple II 32K £ 819  
Disk Drive with Controller £ 888  
Disk Drive without Controller £ 355  
Disk Drive II Fixed Disk (10 Meg) 3,500

**New Apple Software**  
Payroll, Stock Control and Comprehensive Accounting Systems.  
Full product list available on application please return the coupon for more details.

SEND DIRECT TO DDM FOR PRODUCT LISTS & FURTHER DETAILS.

ALL PRICES EX. VAT.

**DDM POSTAL**

NAME .....

COMPANY .....

ADDRESS .....

PHONE .....

CURRENT MICRO .....

PRODUCT INTEREST .....

• Circle No. 160

# BIRMINGHAM

# COMPUTER CENTRE

COMMODORE  
OFFICIAL DISTRIBUTOR



## COMMODORE PROFESSIONAL SYSTEMS

2001 — 8K  
3016 — 16N  
3032 — 32N  
3040 Dual Floppy  
3022 Tractor Printer

All Models Now  
Ex-Stock

KIM-1 — Motherboards  
Etc.

 **apple II OFFICIAL  
DISTRIBUTOR**



## ★ EUROAPPLE II NEW LOW PRICE ★

Apple II 16K B.W.	£750	Barrels of Software
Apple II 16K Colour	£819	including
Apple II 32K B.W.	£819	Word Processor
Apple II 32K Colour	£888	Sales Ledger
Apple II 48K B.W.	£888	Management Information
Apple II 48K Colour	£957	Stock Control
		Etc!

**PROFESSIONAL  
SOFTWARE  
STOCKISTS**

## ★ BUSINESS PROGRAMS EX-STOCK ★

Commodore BS1000 Assembler. L.S.P. Business information. Stock control word processor


Gamma (Winter) Complete Business package

Petact Sales — Purchase — including stock control, payroll

Computastore Comprehensive payroll system

Trader Interactive invoicing and stock control

**CAMDEN BD830  
BD80P  
MAIN AGENTS**



## ★ NEW MODELS NOW AVAILABLE ★

Fast, efficient, reliable business printer

Tractor feed — 120 CPS bi-directional

Parallel and serial inputs standard

Full upper and lower case

900 CH-buffer standard expandable to 3K

Compatible with most systems including

Pet — Apple — TRS-80 — Sorcerer — Etc.

**NEW**

\* Largest selection of micro-books in the Midlands \*

\* Magazines — programming aids — PSU Monitors \*

\* Petsoft programs — Games galore — Full range stocked \*

\* Pet dual "joy stick" with music box and demo tapes 'Fantastic' \*

\* Own brand data tapes C15 — super quality — mini diskettes (boxed 10) \*

\* HP terms available from £100 deposit 12-24-36 months \*

**NEW**



**Camden Electronics  
First Floor,  
462 Coventry Road,  
Small Heath,  
Birmingham B10 0UG**

\* Sales  
\* Service  
\* Satisfaction

**Showrooms open  
Mon-Sat 9.30-6pm  
Programs demonstrated  
continuously daily  
Phone 021-773 8240**

• Circle No. 161

# West London's Pet Specialists



- Comprehensive advisory and demonstration service before you buy.
- Systems tailored to your requirements.
- Consultancy and maintenance service after installation.
- Business software including sales and purchase ledger, stock control, invoicing, payroll and data management.
- Full range of peripherals including memory expansion, floppy disks and printers.
- Books, games and accessories.

## adda

we add up to a great deal.

Adda Computers Ltd.,  
17/19 The Broadway  
Ealing, London W5 2NH  
(Between W.H. Smith and Burtons.)  
Telephone 01-579 5845

• Circle No. 162

You're invited to come and see the  
**Pet<sup>TM</sup> BUSINESS SYSTEMS**  
at your official

**COMMODORE**  and **Petsoft**  
dealers in ... *Stockton-on-Tees*

Combine the NEW large keyboard PET with the ACT PETSOFT Professional Disk Systems and Software, and the result is a powerful business tool. If your application includes Sales Ledger, Invoicing, Purchase Ledger, Payroll or Stock Control, then come and see us without delay.

### Intex (Datalog) Limited

Eaglescliffe Industrial Estate, Eaglescliffe  
Stockton-on-Tees, Cleveland TS16 0PN England  
Telephone Eaglescliffe 781193 (STD Code 0642)  
Cables Intextrad, Stockton-on-Tees, Telex 58252





# DATRON of SHEFFIELD



## SHARP MZ-80K Home Computer

See it in operation  
and buy it at DATRON

Demonstrations.  
9am-5pm Monday-Saturday.

Call anytime - no obligation -  
or by mail order.

Delivery free anywhere in the U.K.

## BOOKS from DATRON

all books in stock at press date

The BASIC Handbook	David Lien	£11.50	PET Work Books Vol. 1-5	£15.75	
Illustrating BASIC	Donald Alcock	£2.25	PET Work Books Vol. 6	£3.25	
Basic BASIC	Donald M. Munro	£2.00	Intro. to Personal & Business Computing	Zaks	£4.95
The Little Book of BASIC Style	Nevison	£5.25	Micro Appl. in Business & Industry	Whitbread	£9.50
Some Common Basic Programs	Osborne	£6.45	Peanut Butter & Jelly Guide to Micros	Willis	£6.20
Some Common Basic Programs (PET cassette)		£7.95	Running Wild	Osborne	£2.95
32 BASIC Programs for the PET	Rugg & Feldman	£9.75	A Career in Computing	Penney	£3.50
BASIC Primer	Waite & Pardee	£6.95	Philips Guide to Bus. Computers & the		
A guide to BASIC Programming	Spencer	£8.85	Electronic Office	Enticknap	£3.50
A guide to PL/M Programming	McCracken	£7.95			
			Basic Computer Games	Creative Computing	£5.50
PASCAL An Intro. to Methodical Prog.	Findlay & Watt	£4.95	More Basic Computer Games	Creative Computing	£5.50
Introduction to PASCAL	Welsh & Eider	£5.95	Game Playing with Computers	Spencer	£10.20
Programming in PASCAL	Grogono	£6.75	Game Playing with BASIC	Spencer	£5.50
Primer on PASCAL	Conway et al	£7.10			
Struct. Prog. & Problem Solving with			How to Build a Working Digital Computer	Alcosser et al	£4.60
PASCAL	Kiebertz	£8.40	How to Build a Computer Controlled Robot	Loofbourrow	£5.95
Micro Problem Solving - PASCAL	Bowles	£6.95	How to Profit from your Personal Computer	T. G. Lewis	£5.50
COBOL for Business Applications	Philippakis	£10.25	TTL Cookbook	Lancaster	£7.15
COBOL with Style	Chmura & Ledgard	£5.40	CMOS Cookbook	Lancaster	£7.50
Learning COBOL Fast	de Rossi	£6.45	TV Typewriter Cookbook	Lancaster	£7.25
			Cheap Video Cookbook	Lancaster	£4.95
FORTRAN Techniques	A. Colin Day	£2.25			
FORTRAN Fundamentals	J. Staingraber	£3.45	Best of Byte		£8.45
Problem Solving & Struct. Prog. in FORTRAN	Friedman & Koffman	£9.95	Best of Creative Computing Vol. 1		£6.95
	Donald M. Munro	£3.95	Best of Creative Computing Vol. 2		£6.95
Computing with FORTRAN					
An Intro. to Prog. & Applications with	Hull & Day	£8.45			
FORTRAN					
Z80 Micro Handbook	W. Barden	£6.95			
Z80 Programming for Logic Design	Osborne	£6.30			
Z80 Micro. Prog. & Interfacing Bk. 1	Nichols & Rony	£7.75			
Z80 Micro. Prog. & Interfacing Bk. 2	Nichols & Rony	£8.50			
6502 Assembly language Prog.	Leventhal	£6.95			
6502 Applications Book	Sybox	£8.95			
Programming the 6502	Zaks	£7.95			
Programming a Micro (6502)	Foster	£7.25			

**P&P free U.K.**

**Overseas add £1 any order size**

Phone in your Access  
Barclaycard No  
0742 585490  
or complete this  
order form

Send s.a.e. for full list. Prices correct at  
going to press. Add 12p insurance on  
books if required.

**Cromemco** IIT 2020 appl II **PET**  
**TEXAS INSTRUMENTS** **na/com-1**

Please supply .....

I enclose:- £  
Cheque/Postal Order No. ....  
Barclaycard/Access No. ....  
Name: .....  
Address: .....

Datron Micro Centre, Latham House, 243 London Road,  
Sheffield S2 4NF. Tel: 0742-585490

• Circle No. 164




**ROSTRONICS**  
**LIMITED**

115-117 WANDSWORTH HIGH STREET  
LONDON SW18, ENGLAND  
Telephone: 01-870 4805  
Telex: 8813089 INTPRM G

## Teletype 43

**New Low Price £775** Excluding VAT



### True 30 cps Data Printer


Versatility, reliability and economy are key points already established by Teletype<sup>®</sup> and their range of terminal products. The Model 43 enhances the range by offering a true 30 cps serial asynchronous keyboard printer ideal for a wide range of applications.

### Applications

- \* time sharing
- \* input/output
- \* point-to-point data communications
- \* OEM systems

## TRS-80 micro floppy disk system

**price £290** Excluding VAT



Capacity up to 250,000 bytes per side of diskette (double density)

Housed in a smart black case the unit will stand adjacent to the computer and is completely self contained with internal power supply and simple user interface.

Based upon the Perlec FD200 Microfloppy Disk Drive, the unit is directly interface compatible with the Schugart Model SA400 disk drive and has been fully proven by the Tandy Corporation on the TRS 80 micro-processor.

For multiple drives on one computer, up to four units can be driven in a daisy-chain fashion. An LED indicator shows which unit has been selected by the computer.

• Circle No. 165

## RESEARCH RESOURCES LTD.

**You are already out of date —  
2nd generation micro-computers are here.**



- Two expandable computer systems: 32-56K RAM, 128-768K RAM
- 6809 16/8 bit processor — more than twice as powerful as 8080/Z80
- Three disc systems — 170k, 2.5 Megabyte and 64 Megabyte
- FLEX operating system (50 much better than CP/M)
- Both Multi-user and Multi-tasking/Multi-user operating systems
- Scientific Basic and Business BASIC, PASCAL, PILOT, Macro-Assembler, Editor, Debug plus BASIC pre-compiler available. FORTRAN soon
- Write or phone for full information and demonstrations of the entire range of 6809 computer systems:

**Research Resources Ltd**  
40 Stonehills, Welwyn Garden City, Herts.  
Tel. Welwyn Garden City (07073) 26633 (24 hours)

• Circle No. 166

## TERMINALS FOR YOUR MICRO


# RAIR



### H1400 VDU Low Cost Video Terminal £550

• Circle No. 167

New low cost VDU featuring full cursor controls and 24x80 screen displaying high resolution upper case characters using a 5x7 dot matrix. Keyboard generates all 128 ASCII codes and unit interfaces through an RS232 interface at transmission rates up to 9600 baud. H1500 series features upper and lower case characters using 7x9 dot matrix integral numeric keypad, buffered editing, and printer port.



### DECWRITERS Keyboard Printers From £850

• Circle No. 168

Industry standard dot matrix keyboard printers featuring 132 column upper and lower case printing on standard listing paper at printing speeds of continuous 30cps or 180cps KSR and RO versions available with a wide range of optional features



### MICRODISC Minidisc Storage Terminal £950

• Circle No. 169

File oriented mass data storage minidisc terminal featuring random access by file name to 200,000 characters stored per diskette, interfacing through terminal and modem/CPU RS232 interfaces at up to 9600 baud. Powerful string search and editing options.



### HYTERM Text Printer Terminals From £1900

• Circle No. 170

Range of microprocessor controlled 'daisy-wheel' terminals for text processing applications, printing at 45cps over 158 columns with a wide range of interchangeable type fonts. Many advanced features including IBM2741 compatibility, graphics capability, 'absolute' tabbing, and variable character/line spacing.



### DATACASSETTE Cassette Storage Terminal £750

• Circle No. 171

Magnetic tape cassette unit storing 150,000 characters per cassette, communicating at up to 2400 baud through terminal and modem/CPU RS232 interfaces with full local and remote device control. ECMA, TI and NCR format compatibility options available.



### LX100 SERIES Desk Top Printers From £1000


• Circle No. 172

New low cost range of desk top serial printers, printing over 80 or 132 columns at 100 or 180cps on standard listing paper using a 7x7 or 7x9 dot matrix. Options include VFU, second paper feed mechanism, 9x9 matrix with italic or expanded printing, buffered serial RS232 interface.

RAIR 30-32 Neal Street, London WC2H 9PS Telephone 01-836 4663



# Stop puzzling over the Micro Jigsaw and buy an operational system to fit your needs



If only buying a microcomputer system was as simple as using one.

Just look at the advertisements in this magazine. When can you find time to digest them all?

There are millions of chips, thousands of boards and hundreds of peripherals, software systems and application packages. How do you pick the right ones to meet your requirements?

And put them together? And make them work? And add the specials you want?

At Digitus we have computer professionals working full-time putting systems together. Absorbing information. Testing equipment and software. Writing programs. Training users.

At one stop you can commission a complete system to fit your requirements.

Last year we supplied systems for: number processing, word processing, data processing,

graphics and machine control. Advised accountants, surveyors, archaeologists and engineers. Helped DP departments and small business men. Developed software for personnel, incomplete records, order processing, business games, linear programming, process control and terminal emulation. And were retained by other computer companies to advise on micros.

This year we can put even more experience to work so that you can benefit from micro technology ... in comfort.

Come and see us. Spend a few hours discussing your requirements. Attend a training course. Select a machine. Test drive some software.

Solve the micro puzzle. Buy an operational system that fits your needs.

Call for an appointment with one of our consultants.

# Digitus

Digitus Limited Microtechnology Centre Dumbarton House 68 Oxford Street London W1 Tel: 01-636 0105

• Circle No. 173

# What happens next?

IT IS NO SECRET that we live in stirring times and that, indeed, many citizens do not know but that each moment may be their next. This particularly applies to *Practical Computing* which is proud to hold the banner in the vanguard of the wonderchip revolution.

INDEED, TIMES ARE SO STIRRING that the future often seems to be rushing on the present at such a pace that one is almost afraid to look out of the window for fear that everything will have rearranged itself indoors while the eyes were off it. Well, that was the case a few months ago. Recently the pace seems to have abated; but it is, on the micro scene, merely holding its breath. Great things are going to happen again soon.

WHAT ARE THEY? One can see three. The first is affordable 8in (or perhaps smaller) hard discs. As Mike Gardner told us in the December issue, the hard disc is here — at least for Apple users — and soon it will be available for most micros. This will make a huge difference. At last we will have more backing store than can be filled in any reasonable time (it would take three weeks' non-stop typing to fill the Corvus's 9.5MB). Huge capacity coupled with 10 times faster access makes all sorts of programs practicable that weren't before. Emphasis will shift perhaps from subtle programs to operate on minimal information, to manipulation of useful masses of data.

THE SECOND INNOVATION will be, of course, 16-bit processors, and to go with them, the third innovation: 256KB of RAM. People are talking of machines along these lines being available in two years' time and costing something like £6,000. The 16-bit processor automatically gives twice the speed of an 8-bit machine, and the improved architecture of, say, the Z8000, gives another factor of three to five. The effect will be that the new 'super-micros' will work 10 times faster than today's, giving more processing power than most individual users can absorb. Result: time sharing on half-a-dozen or so work stations, giving for all intents and purposes the power of today's mini at £30,000 plus, for about a fifth the price.

WHAT IS LACKING from this attractive picture, of course, is the software. There are, as yet, no time-sharing operating systems for 16-bit machines. But they will come, given the market.

THIS IS A FAR CRY from the state of affairs a couple of years ago. Then the world was electrified by the news that for a couple of hundred pounds you could have a *real computer* on your dining table. Well, we've been through that stage, and now we tell each other: 'For £3000 you can have a *serious computer* on your dining table'. In two years' time we'll be saying: 'For £6000 ...'

IT IS INCREASINGLY OBVIOUS that the micro market is repeating history. We are going through exactly the same stages as users of big machines in the last ten, fifteen years. At first, anything is wonderful. Then we want more store, more speed, and we'll pay ten times more. Then we're offered *much* more store, much more speed and we'll pay — not much, but some more again. But the same rule applies: you never pay less than you paid last time, and usually you pay more.

WHAT WILL THIS DO to the market place? Projections from several sources are that there will be three million micro-computers — mostly with discs of some sort — in the English speaking world, with three hundred thousand in this country, by 1983. The market will stratify, with clear divisions between the cheap, 'board' computers, *home* systems (but see Andre Souson's reservations in the article 'Upsetting the Applecart', this issue) and 'small business systems' which will actually be minis by today's standards. However you slice it, the micro-computer in some form will become as familiar a feature of middle-class professional life as the typewriter, hi-fi or motor-car are today.

AUTHORS WILL USE THEM to write books. Archaeologists will take them on digs to classify their finds. Yacht designers will refine the lines of their boats on them; gamblers will use them to beat the laws of chance. Children will learn French and Chinese from them. We'll have them in networks (see February *PC*) and clumps and clusters. They'll be so normal we'll hardly think about them.

AND YET WHAT A STAGGERING MACHINE the micro-computer is. Under the table in the hall of my house is a machine with a million moving parts. I can rearrange them by tapping a key, and already it is so commonplace, so ordinary a feature of my life, I hardly think twice about it. Yet this machine has so many possible conformations that if one were examined every second, it would take longer than the life of the universe to look at them all. The mind boggles. Where indeed, is it all going? — Peter Laurie

## Micro Mouse maze

TIME FOR an ongoing update informational situation. The news from this department is that we have some 100 possible entries, all of whom we should have had their entries acknowledged long ago. In the next issue we start an occasional series on robotics which is designed to be useful to contestants. So far we have a few offers of sponsorship. When there

are enough to be worth circulating, we'll do it.

Several puzzled people have queried the rules of the competition (published in October *PC*), which they say are too vague. Ha! That was deliberate. When we sat down to draft them, we came to the conclusion that the object of the competition is to get people to produce interesting software.

Too precisely-defined rules — and in particular, too precise a specification for the maze itself — would stifle ingenuity. So don't assume that the passages will be precisely 6½in wide, that the angles will be precisely 90°, that the maze will be exactly 14ft square. Your mice must learn to cope with life in the raw.

May the brightest mouse win!

# Can you absorb Micro Shock and develop skills in microcomputing?

MAKE  
YOUR CAREER  
IN MICROS  
IN THE 1980's

Digitus receives . . . one new peripheral a week, a new software product a fortnight, a new microcomputer a month. Mini-Winis have arrived and the new wave of 16 bit micros are here. The next wave of developments will bring communications processors, database machines and sophisticated digitizers.

That's what we call 'Micro Shock'! No sooner have you absorbed one wave than the next comes crashing in.

We need people who can make sense of these developments: selecting the best components, tailoring software and hardware, putting together operational systems, in short, solving the micro puzzle for our customers.

## **Software Development**

There are a wide range of languages, aids and utilities that have to be put together and enhanced. People who can both build systems software and evaluate new products are required. Knowledge of available software will be an advantage, together with system software experience.

## **Communications Expertise**

Flavour of 1980 will be linking micros to minis and mainframes, leading on to hooking micros into the electronic office. This function will involve consultancy and development. A knowledge of communications is essential, including protocols and emulators. A first project will be to develop an ICL 7020 emulator.

## **Hardware Engineering**

Building a work shop, assembling ready made components, adding in specials, testing equipment, involvement in control applications . . . these are some of the elements. We need creative hardware engineers who can also turn a hand to some assembler programming.

## **Applications Development**

There are a host of new applications on micros, as well as variations on old themes. Time scale to implementation is short, teams are one to three man strong. Two days to evaluate a requirement, two weeks to design, two months to implement is not unusual. We need designers and programmers who can talk to users, assimilate their requirements and produce operational solutions.

## **Customer Support**

Understanding applications, sizing systems, producing outline designs, implementing programs and training users . . . these are a few of the elements involved in customer support. We are looking for people who are technically adept and have wide ranging knowledge and interests. Our customers include dp departments, architects, engineers, accountants, lawyers, surveyors and other professionals.

## **Training**

Digitus runs four levels of training course: micro impact for senior dp executives; micro application for management; basic programming for first time programmers; micro software for programmers. We need consultants who can run training courses as well as participate in the other activities.

## **Digitus**

Digitus is building a team of high calibre individuals with complimentary skills who can undertake single and multiple microcomputer projects. In 1979 the company completed projects on: machine control; emulation, linear programming; matching systems; personnel; word processing and accounting on 8080, Z80, M6800, 6502 and Micro Nova processors.

We provide competitive salaries, profit sharing, almost infinite job variety and stimulating colleagues to work with. If you are ready to develop your career in micros, forward a professional CV and call for an appointment.

# Digitus

Alan C. Wood *Managing Director Digitus Limited*  
Microtechnology Centre Dumbarton House 68 Oxford Street London W1 Tel: 01-636 0105



## Surprising reliability

A SURPRISING fact is that the TRS-80 disks can be made to operate with near 100% reliability.

No software will operate if the hardware or operating environment is suspect. For serious users the following are essential:

- Filter all power leads
- Use the latest upgrade
  - buffered expansion interface
  - additional cable link
  - modified Micropolis drive
- Don't use cheap RAM — better to buy as complete system
- Keep out dust and sticky fingers from the drives and discs
- Use the latest release of DOS — 2.3 or much better NEWDOS+
- Use a cooling fan — certainly for the drives and possibly also for the keyboard.

Evaluate the consequences of using non-standard parts, or purchasing from a 'dealer' as opposed to someone who can offer a complete software/hardware backup. A good example of such pitfalls is provided by an intrinsic error with all versions of DOS. This manifests itself by file I/O errors with sequential type file writes as found in both Basic and the Electric Pencil or anything else which uses the same DOS routines. Even worse, these errors may not be detected by the DOS and appear to leave permanent parity error glitches on the discettes. Even NEWDOS suffers from this bug.

A simple and reliable solution is obtained via the Tandy hardware modification to the Micropolis disc drive.

With the correct approach, the TRS-80 should be reliable all day and every day. If you drop out of Basic, meet unexpected syntax errors or meet disk I/O errors, then



Here are the winners of the Practical Computing Programmer of the Year award at the recent prize-giving ceremony in London. From left to right: Mike Amode, Alan Baylis, Georgina Jolliffe, Judge Jim Woods, the Editor, Geoffrey Jolliffe, J. J. Walters. Not shown is D. W. Conran, who was on an Army training course.

it is a malfunction as opposed to any design weakness.

NEWDOS represents a 'better' operating system — one example of its advantages is that users of NEWDOS+ can use SUPERZAP (a Basic program provided with NEWDOS+) to detect parity error glitches (VERIFY DISK SECTOR) and then repair the disc (SCOPY after DD). Users of TANDY DOS have had it. Moreover unlike NEWDOS+ users, they will not be able to BACKUP the disc due to SOURCE DISC READ ERRORS — those nasty glitches once again.

Sequential files are by far the simplest

to program and for some data structures, sequential techniques may represent the most efficient use of disc space.

David Robbins

## 'Winning' positions

SINCE NO-ONE has commented on Professor Michie's article on Artificial Intelligence, (*Practical Computing*, September) may I say that his statement, that Britain's chances of leading in robotics were wiped out when the Science Research Council withdrew support for his University's project, is in very bad taste.

First, because his group is by no means the only one — there are others at Imperial & Queen Mary College, and at ICL, to name but a few.

Second, because he can't even play noughts and crosses proficiently! There are not 77 winning positions as he maintains, but 91 (see below).

And if he can score less than 85% at noughts and crosses, is he justified in making snide cracks at chess Master performance in the much more difficult Queen vs. Rook ending?

Geoffrey M. Rowell,  
London S.E.27

No doubt Professor Michie felt — and feels — strongly about the abrupt cancellation of his project ten years ago. Whether or not his remarks are in 'bad taste', as Geoffrey Rowell would have them, there is no doubt that robotics in Britain took a blow from which they have not yet recovered. If he doubts this, how can he explain the leadership of the Japanese and the Americans in a field which largely began here?

As far as we can see, at least six of the further 14 'winning' positions in noughts and crosses can only arise if play goes on after 0 has won. — Editor.

<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>0</td><td>0</td></tr> <tr><td>x</td><td>x</td><td></td></tr> </table> <p>1</p>	0	0	0	x	x		<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>0</td><td>0</td></tr> <tr><td>x</td><td></td><td>x</td></tr> </table> <p>2</p>	0	0	0	x		x	<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td></td><td>0</td></tr> <tr><td>x</td><td>0</td><td></td></tr> <tr><td>x</td><td>x</td><td>0</td></tr> </table> <p>3</p>	0		0	x	0		x	x	0	<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>0</td><td>0</td></tr> <tr><td>x</td><td></td><td></td></tr> <tr><td>x</td><td>0</td><td>x</td></tr> </table> <p>4</p>	0	0	0	x			x	0	x	<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>0</td><td>0</td></tr> <tr><td>x</td><td>x</td><td></td></tr> <tr><td>x</td><td></td><td>0</td></tr> </table> <p>5</p>	0	0	0	x	x		x		0						
0	0	0																																															
x	x																																																
0	0	0																																															
x		x																																															
0		0																																															
x	0																																																
x	x	0																																															
0	0	0																																															
x																																																	
x	0	x																																															
0	0	0																																															
x	x																																																
x		0																																															
<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>0</td><td>0</td></tr> <tr><td>x</td><td>x</td><td></td></tr> <tr><td></td><td>0</td><td>x</td></tr> </table> <p>6</p>	0	0	0	x	x			0	x	<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>0</td><td>0</td></tr> <tr><td>x</td><td></td><td>x</td></tr> <tr><td>x</td><td>0</td><td></td></tr> </table> <p>7</p>	0	0	0	x		x	x	0		<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>0</td><td>0</td></tr> <tr><td></td><td>x</td><td></td></tr> <tr><td>x</td><td>0</td><td>x</td></tr> </table> <p>8</p>	0	0	0		x		x	0	x	<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>0</td><td>0</td></tr> <tr><td>x</td><td>x</td><td>0</td></tr> <tr><td>0</td><td>x</td><td>x</td></tr> </table> <p>9</p>	0	0	0	x	x	0	0	x	x										
0	0	0																																															
x	x																																																
	0	x																																															
0	0	0																																															
x		x																																															
x	0																																																
0	0	0																																															
	x																																																
x	0	x																																															
0	0	0																																															
x	x	0																																															
0	x	x																																															
<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>0</td><td>x</td></tr> <tr><td>x</td><td>0</td><td>x</td></tr> <tr><td>x</td><td>0</td><td>0</td></tr> </table> <p>10</p>	0	0	x	x	0	x	x	0	0	<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>x</td><td>0</td></tr> <tr><td>x</td><td>0</td><td>x</td></tr> <tr><td>0</td><td>x</td><td>0</td></tr> </table> <p>11</p>	0	x	0	x	0	x	0	x	0	<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>x</td><td>0</td><td>x</td></tr> <tr><td>0</td><td>0</td><td>0</td></tr> <tr><td>x</td><td>0</td><td>x</td></tr> </table> <p>12</p>	x	0	x	0	0	0	x	0	x	<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>x</td><td>x</td></tr> <tr><td>0</td><td>x</td><td>x</td></tr> <tr><td>0</td><td>0</td><td>0</td></tr> </table> <p>13</p>	0	x	x	0	x	x	0	0	0	<table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr><td>0</td><td>0</td><td>0</td></tr> <tr><td>x</td><td>0</td><td>x</td></tr> <tr><td>x</td><td>0</td><td>x</td></tr> </table> <p>14</p>	0	0	0	x	0	x	x	0	x
0	0	x																																															
x	0	x																																															
x	0	0																																															
0	x	0																																															
x	0	x																																															
0	x	0																																															
x	0	x																																															
0	0	0																																															
x	0	x																																															
0	x	x																																															
0	x	x																																															
0	0	0																																															
0	0	0																																															
x	0	x																																															
x	0	x																																															

Reader Rowell's 14 'winning' positions in noughts and crosses.

## DPS-1 MAINFRAME

Introducing the DPS-1 the full IEEE S100 bus computer system from Ithaca Intersystems — the S100 experts.

FOR EDUCATION, INDUSTRY, RESEARCH and all professional uses, including hardware and software development, low cost OEM systems, teaching applications etc.



A MINI COMPUTER using MICRO technology at a ridiculous MICRO Price!!! The front panel with a backplane and power supply accepts S100 bus boards from many manufacturers.

# InterSystems

Just look at these professional features!

★ FRONT PANEL (we won't ask you to debug our hardware, but we will give you the tools to debug yours!) Has lights and switches to allow inspection and control of addresses and data. Other features include programmed input switches, and output lights, Examine, Examine next, deposit, deposit next, single or slow step (0.1 to 1000 FPS), hardware breakpoint on any data or address byte, repeat instruction and many other hardware diagnostic facilities.

★ 30 Amp, 8V power supply, 5 Amps on  $\pm 16v$  rails (all rails are separately fused)

★ 20 slot IEEE S100 Motherboard with active termination and shielding between bus lines

★ Guaranteed operation at 4MHz.

The DPS1 comes as a mainframe with front panel, Motherboard, power supply and 4MHz Z80A cpu board. The system is truly modular allowing the user to build up the system he requires in his own time.

S100 boards from a number of manufacturers will plug into the DPS1 IEEE S100 bus.

Just add S100 Memory Boards — S100 disk controller boards — S100 I/O boards — S100 video and/or graphics boards — S100 EPROM boards

All Ithaca Intersystems OEM products including K2 disk operating system and PASCALZ on 8" floppy drives will run in the DPS-1.

DPS-1 with S100 4MHz Z80 cup board **£695**  
Fully assembled and tested

## SOFTWARE for your S100 system

**PASCALZ** The new language for Micros

CP/M Version **£165.00** (5 1/4" or 8")

K2 Version **£131.25** (8")

Runs under K2 operating System.

★ Compiler that produces Z80 macro assembler code — NO NEED for slow run time P-code interpreter. ★ Comes complete with Macro assembler. ★ Produces binary object modules — small and fast. ★ Modules are re-entrant and can be put into ROM. ★ IMBED, TRACE and ERROR debug facilities. ★ Recursion



**K2 OPERATING SYSTEM** **£56.25**

8" disk based operating system — distributed on Shugart compatible 8" floppy disk  
★ TED — 52 command character orientated text editor with macros. ★ PIP — File and directory handler. ★ ASMBLE — full Z80 2 pass assembler. ★ HDT — Hex debug tool. ★ OCI — Utility overlay/command decoder. ★ SYSGEN — System builder. ★ COPY — disk to disk file copier. ★ DUP — disk duplicator.

## PASCAL MICRO DEVELOPMENT SYSTEM

*Are you still waiting for one?*

ITHACA **InterSystems** HAVE JUST  
ANNOUNCED AN IEEE S100 SYSTEM WITH A  
TRUE PASCAL COMPILER

FOR RESEARCH and DEVELOPMENT  
LABORATORIES and TEACHING APPLICATIONS

### The PASCAL System

- DPS1 Mainframe with hardware front panel.
- Z80A 4MHz Microprocessor.
- 64K Static Dynamic RAM.
- Twin 8" Shugart or DRI Floppy Disc Drive, Power Supply and Controller.
- K2 DOS or CP-M Operating System.
- Pascal Compiler and Macro Assembler.
- I/O Board with 2 RS232 ports and 4 parallel ports



*While the others are talking about it, we are delivering!*

## OEM S100 boards from the experts!



New products from Ithaca audio!

Disk controller (up to 4 single or double sided drives)	<b>£131.25</b>
I/O board (4 parallel and 2 serial ports) with Interrupts	<b>£210.00</b>
I/O board (4 parallel and 2 serial ports) less interrupts	<b>£180.00</b>
S100 front panel (as used in DPS1)	<b>£245.00</b>
Analogue I/O board	<b>£295.00</b>

Assembled and tested

8K Static RAM board (450ns)	<b>£123.75</b>
8K Static RAM board (250ns)	<b>£146.25</b>
16K Static RAM board (450ns)	<b>£275.00</b>
16K Static RAM board (250ns)	<b>£295.00</b>
64K Dynamic RAM board (250ns)	<b>£615.00</b>
Z80 cpu board (2MHz)	<b>£131.25</b>
Z80 cpu board (4MHz)	<b>£153.75</b>
2708/2716 EPROM board	<b>£63.75</b>
Prototype board (bare board)	<b>£18.75</b>
Video display board (64x16, 128UL Ascii)	<b>£108.75</b>

Assembled and tested

AVAILABLE SOON: ZBC-1 Single board computer for OEM market. Available in basic through to fully expanded. 4MHz Z80A, 64K RAM, memory mapped 4K screen buffer, composite video, up to 16K power on EPROM monitor, 4 parallel ports, 2 serial ports, 4 channel counter timer. 1 off £895 — please phone for a quote for your needs. (quantity discounts available).

ALL MANUALS AVAILABLE SEPERATELY £2.50 each

### CONTACT THESE UK DEALERS

All prices quoted are exclusive of VAT.

NEWBEAR COMPUTING STORE (Newbury) (0635) 30505 Telex: 848507      SIRTON PRODUCTS (Surrey) 01-660 5617  
 DATAVIEW LTD. (Colchester) (0206) 78811      TRANSAM (C London) 01-402 8137 Telex: 444198  
 CODIFIED COMPUTER SYSTEMS (North London) 01-226 1315      MICRONEX (Bristol) (027589) 3042  
 DATA SYSTEMS ENGINEERING (Fife, Scotland) (03374) 469      NORTEK SYSTEMS (Merseyside) (0704) 67375  
 MICROPEOPLE (Nottingham) (06076) 69117      ENERTECH (E. Sussex) (0323) 870814

ITHACA **InterSystems**  
(formerly ITHACA AUDIO of New York)

### EUROPEAN SUBSIDIARY

58 Crouch Hall Road, London N8 8HG. England.  
Telephone: 01-341 2447 Telex: 299568 - Ref: ITHACA

• Circle No. 174



## In defence of Cobol

YOUR LEADER on the Language Dilemma (*Practical Computing*, October) prompts me to rise to the defence of a language largely ignored by you — Cobol. In your enthusiasm for Basic, you tend to overlook the point that computer languages have been developed for specific purposes. All languages trade off advantages against deficiencies, and so the best language for one application will often be unsuitable for another.

Basic was developed as an educational language and as such is, as you pointed out in your editorial, simple to learn and use. This, of course is precisely what the hobbyist needs. But not all users of microcomputers are hobbyists (or educationists). Small businesses do use microcomputers and a sizeable number of computing professionals read *Practical Computing* — rather more than readership surveys indicate — a copy will often be passed around a large office.

A business user's requirements are different to other people's. A businessman is often not interested in complex calculations but in record-keeping. Record-keeping consists mainly of three parts: inputting data in a way that a complete idiot can manage, storing and retrieving data as required, and producing reports in formats that non-computer people can understand.

The hobbyist's main interest is in getting a program to work. Once a program does work, it is probably not used a great deal. By contrast the business user is only really concerned with actually using the program — and this implies the tedium of maintenance. Maintenance must not be underplayed; it was discovered a few years ago that maintenance of software often costs most than its original production.

Worse, many business users who want to modify computer systems find it easier to rewrite their programs than to try to understand the existing coding. This is one reason for the interest in techniques such as structured programming.

For these business requirements, Cobol is superb. Its data division allows input transactions and report lines to be defined instantly. It has excellent validation routines. Its long mnemonics (up to 30 characters) and structured approach make maintenance much easier and therefore cheaper. When you can write a command like:

```
IF STOCK-QTY NOT NUMERIC PERFORM REJECT-TRANSACTION
```

there is little temptation to skimp on validation. Consequently the sort of situation you wrote about in your September leader, where certain input patterns lock up the program, can be avoided.

Even so, Basic is the best language for the hobbyist. This does not mean, though, that Basic is the only language that can be used. In your last two issues you have, very rightly, been highly critical of shoddy software. You would do well to make a positive contribution and promote professionalism and discourage an amateur approach to commercial software.

Professionalism is not as much fun as amateurism — but that's life. It takes an effort to learn Cobol. By the same token, to produce good quality software requires hard work and it's not always fun. Anybody buying business software should bear in mind that software written in a language like Cobol is likely to give less problems than software written in Basic. If the vendor will not invest in a good compiler, or has not bothered (or worse still, has not had enough experience) to learn a powerful

language, he is unlikely to produce good software.

By all means, *Practical Computing*, promote Basic for what it is, but spare a thought for the more serious users of small computers and remember the professional tools now and again.

**John McMillan,**  
Calcot,  
Reading, Berks.

## Real cost of Z8000

THE EDITOR's note (November Feedback) suggests that the Z8000 is overrated. Although its price is high, it is lower, in real terms, than that of the new 8080, probably less than half.

It is a red herring to suggest that one needs 8 Mbyte to realise its potential.

Ignoring initial high prices, which will surely drop, the Z8001 (rather than the Z8002) would be my first choice, amongst present production types, for an easy-to-operate small system.

I have already done some machine code programming for the beast and it is a real pleasure to use the large number of registers and the simple systematic instruction set.

The power to address several memories, each of 8 Mbytes, permits a simplified approach to small memories with minimum risk of address errors when programming. Code efficiency is such that most programs are likely to use less bytes than with current 8-bit processors and to run much faster.

A final bonus is that the system can grow to any size that the future dictates, without having to be scrapped because of design limitations.

We are already promised that the MC68000 will be even better. Time will show. With either choice, the small system is likely to emulate the main frame in flexibility.

If one is using Basic the MPU hardly matters but for simple machine code programming with maximum efficiency, the more powerful the instruction set the better. It can hardly be too powerful.

**R. G. Silson,**  
Tring, Herts.

## QWERTY query

I WAS interested in the first illustration in 'Possum on Pet' (*Practical Computing*, November), specifically the first sentence displayed, "The quick brown fox jumped over the lazy dog."

I believe this is a misquote of a sentence well-known to many thousands of typists, and should read "The quick brown fox jumps over the lazy dog". This latter sentence contains every letter of the alphabet in a minimum number of words, and is therefore very useful in testing both typists and keyboards.

These are variations I have heard of —

- The quick brown fox jumps over the lazy dogs back.
- The quick brown fox jumps lazily over the gates.

I have been told by some that the originator of this sentence was Sir Isaac Pitman, and by others that it was Lewis Carroll, but although I have searched numerous sources, I have failed so far to find its origin. Perhaps some of your readers could help me?

I would also like to know if there is any generic name which describes such short

sentences or phrases containing all the letters of the alphabet, and if there are any equivalent ones in other European languages?

**Reginald Mascall,**  
Berkeley Nuclear Labs,  
Glos

## TV applications

HAVING WORKED as an electronic engineer in the television industry for the last 13 years, I cannot allow your article (October 1979) on David Graham's work to go without comment.

A number of staggering generalisations have been made which can only mislead. The reference to portable TV and cameras and recorders presumably refers to ENG EFP equipment, which, while it certainly has a place in journalism, can in no way replace existing equipment without substantial lowering of technical standards. Those of us who have seen programmes originated in Italy, USA, etc using these techniques would be horrified to see this appear on UK TV screens.

I would be the first to agree that over-manning does occur in the TV industry, but this is a union rather than a technical problem.

Computers are making significant inroads into TV studio technology, perhaps too slowly, but computer-controlled lighting grids, switching matrixes and vision mixers do exist, and it is not the engineers that are 'knocked out', as David Graham suggests, but the production staff.

**J. Hill,**  
Reading, Berks

## Have a go!

I WAS looking through my son's November issue when I noticed the letter from Mr Short. I wouldn't like to think is comments might deter some people from having a go!

My son, who is an apprentice, decided after perusing magazines, to build a Triton L5.1. As always seems to happen there were minor difficulties, with the tape I/O in our particular case, but letters to Transam were promptly answered and a few friendly chats on the phone were helpful too.

I feel the youthful enthusiasm at Transam was the main reason for us now having a working computer and my son has gained a valuable insight into the technicalities. It is very often an advantage to know how a tool is made, as well as being able to use it.

**Eve Ralphs,**  
Orpington, Kent

## Reader interface

HAVING BOUGHT my first copy of *Practical Computing*, I have one complaint: some of the figures are impossible to read, eg, November 1979, page 87, figure 1 and 2.

The article on interfacing a PET to the real world is a completely wasted effort as a result.

**M. R. Halse,**  
Herne Bay, Kent

*Our apologies: reproducing such technical figures is a constant problem. Sometimes a diagram that is readable in proof is illegible in the magazine because of over- or under-inking. We keep working at it! — Editor.*



## Prestel users can cut bills with Apple

KEEN COMPUTERS are to offer their Apple users access to the Prestel network without buying a special Prestel TV set and terminal.

Prestel is already available in London and the Post Office has promised to extend access to Birmingham, Manchester, Edinburgh and elsewhere as soon as possible.

Prestel users pay for every page of information each time it is used; with a computer as a terminal you would be able to store the information on disk and save on telephone charges, especially if a page could be useful for some time.

The Apple could be used to call up pages automatically and extract particular information to be used as program input. It is also hoped to use Prestel as a means of selling software for the Apple.

## Quick chip

AMI MICROSYSTEMS have announced a version of the 6800 microprocessor capable of executing an instruction in 800ns, which it is claimed is 200ns faster than any other 6800 chip currently available.

Designated the S68H00, the AMI device utilizes a 2.5 MHz clock and can execute one data access instruction per two clock cycles. In all functional respects, the S68H00 is identical to other version of the 6800.

In common with earlier version of the 6800, the S68H00 utilizes 8-bit parallel processing, has a bidirectional 8-bit data bus and a 16-bit address bus. There are 72 instructions in the set, with seven addressing modes.

AMI Microsystems are based in Swindon on Swindon (0793) 31345.

## Bop till you pop

THE FIRST computer music disco was held in the bar of the Polytechnic of North London on 5th December. The event was organized by the North London Hobby Computer Club as the climax to a competition for the best disco music produced from any common personal computer.

# Computer chief hits out at cowboys

A COMPUTER EXECUTIVE has hit out at the growing number of software consultants taking advantage of the boom in sales of naked microcomputers.

Gerry Cook, marketing manager of Logabax Ltd, said at the UK launch of the Logabax personal computer that because all personal computers are sold by the manufacturers without applications software, users are looking to software houses and specialist consultants for assistance and, in some cases, are receiving sub-standard systems, or packages which fail to perform.

"Most of the individual consultants around are both competent and scrupulous," he said. "But some are taking advantage of the boom in demand and supplying systems which simply do not work. In addition, most users are unfamiliar with what they should pay and what they should expect from a consultant, which makes them particularly vulnerable to the unscrupulous."

### Rigorous vetting

Mr Cook called for some form of registration of individual consultants in much the same way that the Computer Services Association (CSA) registers the larger consultancy companies and software producers. Companies must have been in business for two complete years and must pass a rigorous vetting procedure before they can be accepted as

### by Duncan Scot

members and are then subject to its code of conduct.

These criteria do not apply to one-man bands or to new companies and, because micro-technology is so new, it is usually these people who undertake programming of personal computers.

"Because most micro-computer projects are of necessity small, they are not cost-effective for the established consultancy companies to undertake and the user is at the mercy of the small company or individual," he said.

"I should like to see a code of conduct and a CSA-type seal of approval awarded to individuals — both to help the end-user and to differentiate the cowboys from the genuine specialists who are doing a worthwhile job."

# Plato's promise of perfection

A COMPUTER-based education system, which includes a comprehensive microprocessor training course, has been announced by Control Data Ltd. The system, called Plato, has taken over 15 years to develop and over £5m is to be invested in making the course available through learning centres in London, Manchester and Birmingham by the middle of 1980.

### Training problems

The microprocessor course, *Working with Microprocessors*, was developed as the result of a research project undertaken, by Control Data, at the request of the Department of Industry. They were asked to suggest ways to alleviate the critical microprocessor training problems in the UK.

Control Data believe that up to 150,000 skilled engineers and technicians are in urgent need of retraining.

The course consists of a variety of training modules, from a six-hour introduction covering computer fundamentals, the fundamentals of microprocessors, microprocessor programming and interfacing, analogue and digital conversion and the use of serial and parallel devices, trouble shooting and higher languages, and specific applications.

The courses are entirely flexible. Each student will have his own interactive terminal, at the Learning Centre, connected on-line to a Control Data mainframe. The student can move at his own pace and is quizzed at every stage to ensure that he has achieved the required level of competence. The aim is for everyone who takes the

## OU launches Micro course

THE OPEN University has launched a microprocessor course for industry designed for "managers and decision makers." Costing £120, the course is a self-contained package involving 80-100 hours of study. It does not include courses on either television or radio.

The course material consists of an Intel 8049 microprocessor, for training, an instruction manual and six booklets, entitled: (1) Introduction; (2) Choosing a Micro; (3) Producing a Micro-based product; (4) Technique for developing a Micro-based product; (4) Techniques for Implications; (6) Personal Implications.

The course has been prepared by the Open University as part of the Department of Industry's Microprocessor Application Project. It does not form part of any of its degree courses.

Since the first publicity about the course, there have been 2000 applications. The course was expected to start at the beginning of December but it is not restricted to any dates and can be begun at any time. Contact: Open University, PO Box 188, Milton Keynes, MK3 6HW.

course to leave at the same standard.

Control Data claims that the courses have been designed by good teachers and designers, ie not programmers, who understand how to keep a pupil's attention. The courses can, apparently, become addictive!

### Get sponsored

By making the courses available through the computer education system, Control Data believes that it is providing a means to solve the national training problem. The 60-80-hour course will cost around £500, which is expensive, unless you can be sponsored by your company.

Further details are available from Neil Spoonley, Director of Education Services, Control Data Ltd, 179/199 Shaftesbury Avenue, London WC2. Tel: 01-240 3400.

## Scribble nibble

QUEST AUTOMATION has introduced an updated version of its Datapad which allows hand-written data to be entered directly into any computer via a standard serial interface. The device, Micropad, occupies no more desk space than a telephone and only costs £1725 compared with £21,000 for Datapad.

Micropad does not need special paper; the user can design his own documents and data can be entered with an ordinary ball-point pen. The surface of the pad is sensitive to pressure and gives each contact point an XY coordinate, tracking the pen as it moves.

The microprocessor-based device records how each letter is constructed and compares them with a dictionary of different writing styles. It can distinguish between the number 8 and the letter B as they are written in different ways. As each letter is written, a 40-character visual display lets the operator confirm that the correct letter has been recognized.

Quest is financing its new Micropad factory by floating 1.5m. of their shares which are hoped to raise over £1.2m. The factory is at Wimborne, Dorset. Tel: Ferndown (0202) 891518.

## Microwriter launched

Another device which could well touch a similar market is the so-called 'pocket typewriter'. *Microwriter* was originally demonstrated in 1978 and launched commercially at IBS last October. It is a portable battery-operated five-finger machine, the size of an electronic calculator.

Words are keyed by the fingers of one hand simulating the shape of a character. The letter 'I', for instance, is formed by pressing the button under the thumb and the index finger to resemble the vertical stroke. About 1500 words can be stored in the device's memory, edited and re-formatted.

The microwriter can be plugged directly into a printer for a typed copy, or a TV monitor and, for additional storage, a micro-cassette recorder.

About 90 Microwriters are already in trial installations where speeds of up to 80% of handwriting have been reached and sustained. Microwriter Ltd, which is backed by Hambros Bank, is based at 7 Old Park Lane, London W1, 01-493 5633.

## New Tandy for 1980

THE NEW TRS-80 Model II has been shown in the UK and Tandy has announced that it will start taking orders although the first shipments are not expected until April 1980.

Ted Russell, director of Tandy's computer division, claims that the Model II is comparable, in performance, with the IBM 5110, the Hewlett Packard H9800, and the Wang WCS15. A basic configuration with 32K of RAM and ½MB of additional storage capacity will sell for around £2000. This can be expanded to 64KRAM with 2MB storage for around £4000.

Model II has been designed as a business system starting at the upper limit of the Model I, the old TRS-80. The entire computer and 80 character monitor is housed in one box which includes a ROM disk, two serial and one parallel ports. It is claimed that the Model II will operate at 2½ times faster than the Model I. Tandy hopes that it will have peripheral hardware and software in this country by the first delivery dates.

Although the Model II incorporates new features which must have been included to

some degree in response to criticisms of the Model I, such as a lower case facility for word-processing, the Model I will continue to be sold. As if to emphasise the point, the Model I prices have been reduced by about 10%. The TRS-80 4K RAM Level I BASIC will now sell at £385.

It will be interesting to see how the Model I market will be affected by the news from the States that Tandy will be selling a home computer, without a monitor (to use with a TV set) from the second half of 1980.

## Little Genius for micro teach-in

FRUSTRATED USERS who have struggled through barely comprehensible manuals on how to program their micro might find *Little Genius* from Applied Data Education Services a life-saver. The *Little Genius* diskettes are claimed to replace text-books and manuals with a series of easy-to-follow screens and exercises.

The first two courses for Apple II micros — *Applesoft BASIC* and *Using Your Apple* — are now available. Four more courses for Pet and Tandy micros will be issued within the next few months — *Petsoft BASIC*, *Using your PET*, *Tandy BASIC* and *Using Your TRS-80*.

The courses are being written by Baldchin Ltd in association with ADES and will sell for £46 each. ADES is on 01-580 6361.

● SEVEN NEW TANDY computer stores will be opened by the end of January from Birmingham and Bristol to Southampton, each of which will have a resident engineer.

## Micro event set for macro success

MICROSYSTEMS 80 looks set to break another micro record. With more than 80 stands already sold for the exhibition, at the Wembley Conference Centre from January 30-February 1, 1980, it will be the largest specialised micro event ever held in the UK.

The four-part program includes a Professional Development Course which aims to provide managers and engineers with an introduction to micros and, for those with a specific interest in software, to Pascal.

The Conference will provide delegates with a state-of-the-art review of developments in the microprocessor field, with sessions devoted to New Developments, Systems design and specification, Software for micros and Micros in Control. The third day has been designed to appeal to those interested in personal computers and their growing significance in the business world.

There will also be a Buyer's Forum, held in parallel with the Conference Sessions, which will try and help prospective buyers establish criteria for selecting equipment.

There will be no charge for admission to the Exhibition, which is being co-sponsored by *Practical Computing*. For further details about the Conference, contact Illiffe Promotions, Dorset House, Stamford Street, London SE1. Tel: 01-261 8437/8.

## Awards for best-selling computer ads

ENTRIES have been invited for the Computer Advertisement of the Year Award 1980. Over £7m is being spent every year on computer advertising so organizers Crouchmead Ltd expects a high response. Entry fees will be donated to the BCS Disabled Group.

Four categories of advertisement will be considered — computer hardware, computer software, computer related products/services and recruitment. The panel of judges will be asked to consider the aesthetic as well as the informative merits of the entries.

The entries will be judged and the winner announced on Tuesday, 25th March 1980 at the West Centre Hotel. Send for entry forms from John Godley, 42 Great Windmill Street, London W1, on 01-437 4187.

## Ignorance is no excuse

PERSONAL COMPUTERS Ltd have produced some laws of personal computing betraying homely prejudices and, of course, some traits from computing's more sinister followers. It begins with such useful home truths as "Personal computing equals interactive computing" and "Software is hard: hardware is soft," and continues with "BASIC is to personal computing as sign language is to English" and "The goal of personal computing is to reduce the differences between humans and computers."

Personal Computers also tell us that they are going to reduce their dependence on the Apple and start distributing the TI-99/4 within the next few months. □



Vincent Tseng peeks at Hewlett Packard's HP 41C. Could this be the forerunner of a portable micro, nestling in the pocket of the future?

# Has the pocket computer arrived?

THE POCKET has a great deal of significance in landmarking history. For example: the introduction of the pocket radio back in the early 1960s, the pocket calculator in the 70s and more recently the pocket TV. Now there is speculation on the pocket computer. Hewlett-Packard's HP 41C programmable calculator has been heralded as the first pocket computer. Is this title justified? Is it an indication of things to come?

Everyone's definition of "computer" will be slightly different. Remember when the early pocket electronic calculators were first on the market? They were called, and even advertised, by many as computers. Of course most people will now laugh at those claims. To be pedantic about it, the electronic calculator is based on microprocessor technology: if the internal architecture is examined, it is easily recognised as that of a computer.

Without rhetorical discussions on what is or isn't a computer, the most sensible approach is to compare it with equipment which has already been classified. I have chosen equipment with which I am familiar, and which is in a similar price bracket.

These are the Rockwell AIM-65 (reviewed in *PC*, July 1979) which I assume most people would classify as a computer, and the Texas Instruments TI-59 programmable calculator, which has been around for about 2-3 years and has always been called a calculator. These comparisons do not bear on value for money or relative performance.

The choices for comparison are quite appropriate. The TI-59 is fairly obvious, being a calculator of similar class and price but from a different manufacturer. The AIM-65 was chosen because it offered similar facilities in terms of


display and output.

In appearance, the two calculators both look like calculators of three to four years ago, ie, fairly bulky, more coat than waistcoat pocket-sized. The AIM-65 is a typical single board computer.

●**Keyboards:** the HP-41C and the TI-59 both have typical calculator key layout, while the AIM has a full alphanumeric keyboard in the conventional typewriter layout. All three have printer output capability on 2in wide roll paper using thermal printing. The AIM had the printer built-in but with the calculators this is an optional extra.

●**Displays:** the AIM and the TI-59 both use LEDs, 20 characters of upper case alphanumeric for the AIM, whereas the TI-59 has 10 numeric digits only. The HP-41C used LCD capable of displaying 12 characters of upper-case alphanumeric with indicators of the chosen mode.

Hewlett Packard's HP 41C calculator with printer, alpha-numeric display, magnetic and ROM memory modules, light-pen and programs in bar chart form.





●**Power supplies:** the HP-41C used disposable batteries (the new half penlight size) which Hewlett-Packard claims will last about one year. The AIM needs a stabilised +5V at 2A and +24V at 0.25A and is therefore usually powered from the mains. The TI-59 is rechargeable, so can work off the Ni-Cad pack or from the charger/mains adaptor.

The HP-41C was fairly easy to use as a normal calculator, although it uses the Reverse Polish Notation (RPN). This method was not difficult to understand, but a little awkward, in my opinion. The best way to remember the principle of this method is that the order of operations is the order in which one calculates an equation. Although this sounds logical, my preference is for the algebraic notation with hierarchy as in the TI-59.

The difference is that in the TI-59 method one enters the equation as written and the calculator takes account of the operational hierarchy order, so on pressing the "=" key the correct answer appears; with RPN one has to first analyse the equation and decide which operation should be calculated first and the order of the rest of the operations. However, RPN does dispense with the necessity for brackets. The difference is a bit like that between a high-level language and that of an assembly code but not quite as marked.

A feature of the HP-41C which the other machines lack is that it retains the contents of memory when the calculator has been turned off. Memory is held in low-powered standby mode. This means that the batteries cannot be removed for more than a few seconds without corrupting or losing the contents. This ability to retain the memory is a very convenient feature.

I found that it was all too easy to clear the program memory, especially when attempting to append operations on the end of a program, or when trying to write a program into the remaining free area. This is a shortcoming which needs serious consideration. I feel that programs should be capable of being protected in memory, or even automatically protected, with an operation which needs to be made obviously deliberate for clearing the memory.

The programming operations, editing functions and instruction/function set are similar for the two calculators. Both have numerous built-in extra functions, but the manipulative and testing functions are primitive. The AIM-65 does not have the powerful calculator functions, but the instruction set is much more suitable for testing, manipulation and the moving of data.

Therefore the programmability of the HP-41C (and the TI-59) is much more the capability of stringing together calculator functions, with some basic test conditions, to make the calculation of long equations and expressions less tedious and more automatic.

Although it can be argued that many computers are used for calculations, computers do have the ability to manipulate data in a far more sophisticated way than either of these machines. But, no doubt, both manufacturers would be the first to admit that the calculators were designed primarily for calculations.

Taking the above discussions into account, the ability of the HP-41C to display alphabets can be viewed in context, as that of making the calculator more convenient, and more meaningful for messages and prompting. But I found the keyboard awkward to use for alphabets. The letters are placed in alphabetical order, starting from the top left-hand key, and perhaps because of this, letters were surprisingly difficult to find quickly. It did not help that letters were marked on the sloping vertical face of the keys, which meant that the markings were not very prominent and that the calculator needed to be tilted away from the user to be viewed clearly. This feature, although not very convenient in its execution, does take the HP-41C a step closer to what is generally accepted as a computer. This certainly was one of the attractive features of the AIM-65 as well: the ability to display meaningful messages.

More permanent storage, or mass storage, is achieved by the use of magnetic strip cards for both calculators. The TI-59's is built-in, the HP-41C's is an optional extra. Each card can store approximately 200 steps in both systems. The AIM uses domestic audio cassettes, and can store about 100Kbytes on a C-60 per side, that is about 50,000 instructions. All three systems are tolerable in terms of speed and convenience.

Strangely enough, all three really come into their own when the printers are used. All three can trace their respective programs by means of automatic single stepping, all three "disassemble" the program steps into either the calculator operations, or into their mnemonics. The TI-59 and the AIM print the machine code stored in memory, but the HP-41C does not. All three printers can print full alphanumerics upper case only. Plotting simplified graphs is reasonably convenient with both the HP-41C and the TI-59, but with the AIM the user would have to write his own general routine.

A few niggly points about the HP-41C. It does have quite a number of built-in extra functions which are not marked on the keyboard. However, it is really fiddly to access them. The sequence is to press the "XEQ" key, set the calculator into alpha mode, key in the mnemonics for the instruction, re-press the alpha mode switch (to take it out of the alpha mode) then the digits for the operand. So an instruction of four characters takes seven key-strokes to enter! This is stretching the use of alpha capability for the sake of the facility.

The other point is the speed of the printer. It is slow, and for one based on the latest technology, surprisingly dumb when it comes to straightforward printing. It does not have bi-directional printing, and worse: it has to print a full line of 24 characters, filling in with 23 spaces, even when only one character needs printing. This is really a silly oversight.

The HP-41C claims to be a "system", with various expansion options. Printer and mag card reader as mentioned, and with extra memory plug-in modules — either ROM or RAM — each can add about 640 steps or 380 alphanumeric characters (note a number entered as an alphanumeric is not interchangeable with a digit entered for calculation). Up to four modules can be added, taking the total memory area to about 3.2K steps. In comparison the TI-59 has a total built-in memory of 960 steps. The AIM has 1Kbytes, expandable to 4K on board. The TI-59 in addition takes a plug-in ROM module containing about 5,000 steps and the AIM can have 20K bytes of ROM on board.

I found the HP-41C's documentation infuriating. Hewlett-Packard claims it was written by prize-winning teams for manual writing, but I found it next to impossible for quick and concise reference. For example an easy-to-find (if it does exist, I did not find it) reference of a list of the functions not marked on the keyboard and how to enter them, would have been useful and much appreciated!

Although I can see that the manual might be good for a first-time user, I did not find it particularly easy to learn quickly from it, and also I found it a little patronising. In contrast, the manual of the TI-59 was, in my opinion, excellent, both for a beginner as well as for a reference manual.

## Conclusions

●As a calculator, the HP-41C is certainly one of the most sophisticated I have come across, although the TI-59 rivals it quite closely.

●As a computer, I feel it still has some way to go (unless of course one regards it as a dedicated calculating computer).

●The main limitation that I foresee for the advent of the true pocket computer, is the restriction of the size itself — limiting the computer by its keyboard and display, so it will always be relatively inconvenient, unless some dramatic advance can be made in ergonomic design.

●Any claims to being a computer cannot be justified, since the TI-59 matches almost point-for-point the capabilities of the HP-41C, and the TI-59 has always been regarded as a calculator.

●The HP-41C is nevertheless a significant step forward toward the pocket computer, and I do not intend to argue too vigorously with those who might claim that it has arrived!

# At home on the range

Practical Computing examines a rugged business system built for the Texas oilfields.

by Martin Collins

THE TEI RANGE of computer systems is imported and sold in the UK by Abacus Computers Ltd. Abacus was set up about a year ago and also supplies the Compu-color II and a range of cut-price peripherals, including the Texas 810 printer.

TEI systems are based on the S100 bus with 8080 or Z80 processors. There are three basic models which may be configured with mini or standard disc drives:

- PT 112,212,312, and 412 which have a 12-slot S100-bus, integral keyboard and 15 inch CRT. The disc configurations are: PT112: Single mini drive; PT212: twin standard drives; PT312: twin standard and single mini drive; PT412: two twin standard drives.

- PT208 and 408, which have an eight-slot S100 bus, integral keyboard and 15in CRT. The disc configurations are: PT208: twin mini drives; PT408: twin mini and twin standard drives.

- MTS 22, a 22-slot S100 'mainframe' but without the integral CRT/keyboard, and with two standard drives.

All the systems are supplied in heavy-duty aluminium cabinets with an 8-, 12-, or 22-slot motherboard, a 17 amp constant-voltage transformer power supply and a fan. The standard systems include a 2Mhz 8080 CPU card, two 32K of memory, and an interface card giving three paralleled and three serial ports.

The memory consists of 16K static RAM cards which allow any 4K block to be addressed to any 4K boundary in the system. The memory can be increased to



The top row of the keyboard has eight user-definable keys, useful for process control, and eight lights connected in parallel with the disc access port. These lights can be user defined, with labels put next to them to signal specific conditions to an operator.

48K or 60K. The top 4K is reserved for system I/O and the video controller screen memory. A 4Mhz Z80-based processor card is available as an option and a 5Mhz 8085 card will be available soon. The processor cards contain two 1K PROMS which handle all system I/O.

The 9in and 12in CRT displays are driven by the same CRT card which gives 24 lines of 80 characters. Upper and lower case characters are displayed using a 5x7 dot matrix. There are 2K bytes of memory allocated for the CRT screen, addressed from F800 to FFFF and this may be accessed by the CPU and the CRT card.

The cursor may be block or underline, blinking or not blinking. As the CRT is memory-mapped, it is fast and the user has direct control over the display.

The floppy disk controller board will handle up to eight drives which may be any combination of 8-in and 5-in devices. The drives currently available are the Shugart SA400, with a capacity of 80Kbytes, and the Shugart SA800, with a capacity of 250K. Double-density disks will be available soon.

The disk controller uses the Western Digital FD1771 LSI chip and can handle double density drives when they become available. The 8-in disks are soft-sectored with 128-byte sectors in IBM format.

The input/output board has three parallel and three serial ports with selectable band rates from 75 to 19,200 and RS232 and TTL signal levels. The serial port may be configured for different numbers of character bits, stop bits and odd or even parity. One of the three serial ports is software-programmable and the other two are jumper-selectable.

The systems have the CP/M operating system and a choice of languages, including, TEI Extended Basic, C BASIC, FORTRAN (Microsoft), CIS COBOL and Pascal.

CP/M is already accepted widely as the 'standard' operating system for S100 8080-based systems.

The TEI Basic is available in 4K, 8K, extended and disc-extended versions, the last of which is sold and supported by Abacus.

Features of the Extended Basic include



A TEI with twin mini drives in its natural habitat. Note the solid construction and numerical keypad.



## Practical Computing evaluation

	Yes/No NA	1	2	3	4	5		Yes/No N/A	1	2	3	4	5
Ease of construction (where applicable)	N/A						Assembly language	YES					
Quality of documentation						●	Basic language*	YES					
Dealer support/maintenance						●	Other languages						
Can handle 32K of memory							Compatibility with other systems						●
Quality of video monitor (consider resolution and screen size)					●		Reputation of manufacturer					●	
SS-50 Bus	NO						Appearance			●			
S-100 Bus	YES						Portability		●				
Sockets for chips	YES						No. of software applications packages available	SOON					
Numeric, calculator-type pad on keyboard	YES						Hobby use			●			
Large amount of removable memory, randomly accessible	YES						Business use					●	
Cassette tape recorder capability: Own	NO						Education use					●	
Built-in recorder	NO						Suitability for: Commercial applications				●		
Floppy disc capability	YES						Home applications					●	
Communications capability (can talk to other computers)	YES						Educational applications					●	
Speed of Instruction cycle	2.4 MHz						Ability to add printer(s)	YES					
Ease of expansion						●	Ability to add discs	YES					
Low power consumption						●	Ability to add other manufacturers' plug-in memory	NO					
							<b>Ratings</b> 1 = poor; 2 = fair; 3 = average; 4 = good; 5 = excellent. N/A = not applicable.						
							* C. Basic ... 4 Disc Basic ... 2						

single (seven-digit) and double (16-digit) precision floating point arithmetic; integer variables. String variables and array-strings may have up to 255 characters; variable names may be of any length but only the first two characters and the type symbol, which must be the last character, are significant. The type characters are: = string; % = integer; ! = single precision; = double precision.

Errors can be trapped and handled by a standard subroutine using an ON ERROR GO TO statement. There are sequential and random files, and an EDIT command for amending source statements.

Overall, it is a very comprehensive Basic, but it uses the same technique for handling random files as that developed by Digital Equipment for Basic Plus under RSTS/E. It uses a FIELD statement to define variables within a disc buffer and LSET, RSET and conversion statements — CVI, MKI\$ — to convert numeric variables to or from the disc format. If that sounds complicated, it is!

It certainly is not the best way of handling random files in Basic. Abacus says that TEI Basic is used by its scientific and technical customers, while commercial users opt for CIS COBOL or C BASIC.

Abacus is developing a set of commercial packages, sales, purchase and nominal ledgers, stock recording, and invoicing. The sales ledger has been installed for one customer and the purchase and nominal ledger packages are virtually

complete. They are being written in CIS COBOL.

Abacus was unable to let us have a system on loan, so we had a demonstration at its premises. The machines are not the most beautiful we have seen, but they have steel cases and appear to be very well-built. The legend is that the TEI was built to survive in Texan oilfields.

### Reputation for reliability

Abacus has now installed 50-60 and claims that they are very reliable. It is interesting that a number of other manufacturers, notably Alpha Micro, which has developed a 16-bit S-100 system, uses the TEI card cage, S-100 bus, and power supply as the basis of its system.

Its reputation for reliability is one of its strongest selling points. Our experience with a wide range of micro-computers has shown that some are so unreliable that they cannot be used for commercial applications.

Abacus was reviewing its prices at press-time and was expecting to reduce them considerably. Prices we were quoted ranged from £3880 for a PT112, 15-in CRT and the mini-floppy, to £6248 for a PT412, 15-in CRT and two twin standard drives. These prices make the TEI system one of the most expensive on the market. But if you are thinking of buying a system for regular commercial work, it might be

worthwhile paying the extra for reliability.


Abacus has appointed three distributors for the TEI system: Micro Shade of Calne, Wiltshire; Stewkley Computer Services, Lincolnshire; and Stratenden Ltd, Isle of Man, and is quoting three weeks for delivery.

As for support, hardware maintenance is available by Computer Field Maintenance. The charge is 11 per cent of the hardware value per annum, and the response time for a fault call is quoted as one working day.

As the system uses standard CP/M software, a user should have no problems in obtaining support from a variety of sources. Abacus says it has used a variety of 'standard' S100 hardware and CP/M software products with the system and has no problems in interfacing.

### Conclusions

- The strongest point of the TEI system is its robust construction and reputation for reliability.
- The disc capacity is somewhat limited at 250K bytes per drive for a standard disc and 71K bytes for a mini. Double density will be available shortly.
- The systems are expensive but are worth considering because they are very well made.

The Abacus commercial packages will not be the cheapest on the market — the expected price is £2,000 to £3,000 — but good software is not cheap. 



As cash shortages squeeze hospital budgets even tighter, one department has come up with a novel micro application to take some of the burden from nursing staff.

## Whose hand rocks the cradle?

**PREMATURE BABIES** might be saved by microprocessors, if research at the Royal Postgraduate Medical School bears fruit. A microprocessor based device, which controls the level of oxygen a baby receives, has been developed and is now being tested and refined.

It could well be the first time that a microprocessor has been used to regulate and monitor clinical conditions. The experiment is part of a series of microprocessor-based research projects at the School, based in Hammersmith Hospital.

Babies are sometimes born as early as 25 weeks gestation, weighing as little as 1.5 lbs. These babies have to be incubated if they are to have a chance to survive. During this period, the level of oxygen they breathe is very important as the partial pressure of oxygen, in the blood, has to be maintained at a critical level. If the blood oxygen rises too high, there is a possibility that the baby could go blind, too low and it could suffer brain damage. Oxygen is supplied to the baby either through a face-mask ventilator or a head-box, depending on its condition.

Four years ago Paul Collins, an engineer in the Child Health Department, started to design an automatic oxygen level control and monitor. The work was supported by a Wellcome Foundation grant to the Child Health and Medical Physics Departments. This was a solid-state device which would monitor and regulate the level of oxygen in a baby's blood by changing the level of oxygen being supplied to the baby with a valve which controls the mixture of oxygen and air.

by Duncan Scot

The level of blood oxygen is measured by an electrode strapped to the baby's skin. It heats the skin to around 40°C, dilating the pores on the skin surface and allowing oxygen to be transferred to the electrode. The output from the electrode is dependent on the blood oxygen level.

If the level of blood oxygen is too high, the setting of the mixer valve has to be adjusted. The difficulty lies in designing a system which has a flexible response and can return the blood oxygen level to normal in the quickest possible time. The solid state design required a lot of complicated electronic circuitry but made it hard to incorporate further design ideas as the project evolved.

A microprocessor offered more flexibility. It was a relatively simple matter to base each of the response levels in software. Mr Collins's system now consists of a Motorola 6800 microprocessor, a 6810 RAM, 1K of EPROM and 3 PIA 6820s.

The Wellcome Foundation grant expired at the end of March 1979 and Paul has now moved on to other work. But two American companies have since expressed commercial interest in the project. In the meantime, a doctor at the Medical School is conducting clinical trials with the system and, with Paul, is looking at areas in which the software could be refined.

The most difficult area of the software is



Above: Paul Collins.

Below: An MSI 6800 is used to analyse the information from this ultra-sound scanner (see next page).



that concerned with the safety checks in the control. It is vital that a nurse is immediately warned if anything goes wrong with the equipment or the baby. The control has a number of self-checking devices — for example the inspired oxygen level is continually checked against the position of the valve. If the two readings do not agree, an alarm is sounded.

There are many occasions when a nurse may have to be called. Sometimes a baby's condition can deteriorate very quickly. One fairly common difficulty with premature babies is that their lungs can become blocked with fluid. This can clear in a matter of minutes and the amount of oxygen absorbed through the lungs can increase dramatically. Although the mixer valve should be able to deal with most adjustments, a nurse will always be called whenever there is a dramatic change of condition.

It is difficult to predict whether this added supervision of a baby's condition, if it is ever fully developed and applied, will have a significant effect in saving the lives of premature babies. It could be that the first noticeable factor will be an increase in the number of premature babies which survive without any ill-



Paul Collins modifies his control unit.

effects, although such statistics will take years to isolate.

There seems little doubt that the idea will be developed commercially. The Institute of Child Health has already filed a patent on the system. Paul Collins regards this as only the start of a whole new range of increasingly sophisticated microprocessor-based equipment which will be able to control every detail of a baby's environment. None of this would have been possible even a few years ago.

It is no coincidence that Paul based his work on the Motorola 6800. The hospital has been experimenting with the chip for several years, has created its own expertise and promoted the use of microprocessors and microcomputers throughout the hospital. Much of this work has been led by Professor Wootton, Head of the Department of Chemical Pathology.

He came across the 6800 chip when he studied an experiment at the National Institute for Medical Research. His latest plans include the installation of up to 20 microcomputers within the next couple of years. Many of these will be connected to the dumb terminals of the hospital's file-handling CTL 8050 mini.

## Ultra-sound scanner link

One project, funded by a Department of Health and Social Security grant, uses an MSI 6800 microcomputer with an ultra-sound scanner. These are sometimes used to study the position and movement of a foetus, or to pick-up a change in the blood flow to an organ or area of the body. In this case the scanner examines tissue characteristics; the microcomputer analyses the information (echoes) which are not visible in the images. The information from the scanner includes frequencies up to 10MHz and is sampled at 20 MHz. This is digitized, unloaded into the MSI, processed and analysed.

Typical applications include studying the response of tumours to radio- and chemotherapy, the contractability of heart and other muscles and the loss of efficiency in ageing placentas. These are all long-term investigations. The brief from the DHSS was to develop a system which could be used with any scanner in the country and which is not pro-

hibitively expensive. The development team has been encouraged by its progress.

Another project highlights the practical benefits of microcomputers in the laboratories by relieving the pressure of the day-to-day work of the hospital. In the Blood Count Laboratory a complex machine, a Coulter Counter, is used to analyse over 500 blood samples every day. The counter prints, automatically, the number of red and white blood cells and the level of haemoglobin in each sample.

The data used to be collected by an old and unreliable paper tape punch, linked to the counter by a specially-built interface. This has now been replaced by an MSI 6800, costing less than a new interface and tape punch, connected to the Coulter Counter at logic level and to one of the dumb terminals of the hospital's CTL minis. The data from the counter can be stored and edited locally before being transferred to the CTL's files. The terminal can be used as a stand-alone microcomputer or as an intelligent terminal for the CTL. Professor Wootton expects that many of

the micros used in the hospital will eventually be linked to the central mini.

Microcomputers and processors, inexpensive by the standards of hospital equipment, have great advantages. They are reliable and can eliminate much of the repetitive drudgery involved with medical research and treatment. They will also allow new safety and supervisory equipment to be developed which will actually save lives.

It is no secret at the hospital that everyone is surprised by the speed with which microprocessors have become involved in so much of their work. The staff have been impressed with the practical advantages and implications of computers.

The Instrumentation Department of the Medical School has concentrated all its microprocessor efforts on the 6800 series of chips and thereby established a standard of work which seems to have ensured the economic success of their projects. At a time when grants and budget are restricted, projects must have uses in other hospitals or departments.


## Pressure from the field

The importance of the hospital's work with the MSI 6800 has not been lost on CTL. It has recognised the advantages of attaching microcomputers to its dumb terminals and has included the MSI 6800s as an optional addition to a medical package called Phoenix. This system has already been installed in some UK hospitals.

The Medical School seems to have developed applications for micro-computers and processors in a way which highlights some of the problems in the micro industry. The best ideas are not coming from the trade, which has yet to demonstrate an ability or will to develop its own application expertise. It is only fair to add that the hospital has found its suppliers, SEED, extremely helpful and have no criticisms to make. All the same, it seems that the pressure for development and better software is coming from the field.

The widespread use of microcomputers at Hammersmith has managed to break many of the myths surrounding large centralised computer systems. It would seem likely that within the next few years micros will penetrate into every area of the hospital. We hope that they can keep up their lead. □

Blood samples are analysed in the Coulter Counter. An MSI 680 is used to transfer the data to a CTL 8050 mini.





# Single-cell movements tracked by computer

In the previous article, the concept of a parallel-processing computer was introduced. The architecture of the CLIP (Cellular Logic Image Processor) machines built by the Image Processing Group of University College, London was dealt with and some image-processing applications were mentioned. This article introduces the reader to the software of the CLIP computer and considers in detail some image-processing techniques and their application to real problems.

AT A RECENT CONFERENCE held in Windsor, leading members of the image-processing fraternity discussed the development of high-level computer languages for image processing applications. The delegates split roughly into three factions: those who considered a library of FORTRAN subroutines ideal; those who wanted image processing-related instructions embedded in a PASCAL-type language; and those who advocated a completely new language. Until a high-level language is widely accepted, image-processing machines like CLIP will be programmed in their inherent machine languages.

The assembly language of CLIP4 (the latest machine which should be working by early 1980) is called CAP4 (CLIP4 Assembly Program). A CAP4 statement typically consists of a combination of four possible fields:

LABEL: OPERATOR OPERAND;  
COMMENT

All statements do not require a LABEL and the COMMENT is optional. The LABEL consists of up to six alphanumeric characters from a limited set of the ASCII characters, and fulfils the usual role of a statement label in any assembly language.

## Instruction mnemonics

The OPERATOR can take the form of instruction mnemonic or an assembler directive. An instruction mnemonic corresponds to executable machine code, while a directive tells the assembler how to deal with a program section or with a set of characters. The nature of the OPERAND is dependent on the OPERATOR, while the COMMENT is self-explanatory.

Instruction mnemonics fall into five categories: array, register, branches, input/output; and miscellaneous: The


register, branches and miscellaneous categories: array, register, branches, input/output, and miscellaneous. The register, branches and miscellaneous two remaining categories only the array instructions will be considered since these reflect the CLIP4 architecture and show how CLIP can be used for image processing.

The CLIP4 machine consists of a  $96 \times 96$  array of interconnected processing elements (PE's), one of which is shown schematically in figure 1. The array instructions are of four types: LDA, LDG, SET, and PST.

LDA simply loads the A register of a PE with a single bit of data from a location in the D-memory specified in the operand field, eg LDA 10 copies the contents of memory location 10 into the A register.

Every PE performs this instruction at the same time. Similarly, LDG loads the B register from a specified memory location.

Figure 1: CLIP4 cell.









Figure 2: Square and hexagonal surround directions for each CLIP cell.

The SET instruction is the basis of array processing on CLIP4, since it specifies the manner in which the array will operate during a processing cycle. It consists of three subfields, which are: output definition, propagation definition, and

default options.

The output definition consists of a boolean function of the A (local image value) and P (propagation from adjacent cells) inputs, which are combined to produce a D output. The propagation definition specifies in a direction field, from which adjacent cells an input will be received, and also defines a boolean function of the A and P inputs which are combined to form the N output.

The default options allow the array to be used with hexagonal instead of square tessellation, the propagation signals from the outer edge of the array to be set to logical 1 instead of 0, and the R and C control lines to be set to use each PE as a full adder. A typical instruction would be:



Where + = OR  
 . = AND  
 - = NOT  
 ⊕ = EXOR

The numbered directions surrounding a given PE are shown in figure 2, and the E

default option sets the edge of the array to logical 1.

The PST instruction is a mnemonic for Process and STore. When this is executed the array goes through a processing cycle. The data loaded in the A and B registers is processed according to the functions defined in the previous SET instruction and the result is stored in the memory location specified in the operand field of the PST, eg PST 5 would process and store the result (D output) in memory location 5.

A typical sequence of CAP4 statements would be:

```
LDA 2
SET P,(8)A
PST 2
```

## Local image value


The result would be a shift to the right by one pixel of a binary image stored in location 2. Consider the image to consist of a white object (1s) on a black background (0s). The propagation definition specifies that the value passed to adjacent PEs is the local image value. However, since only direction 8 is enabled, then a PE only receives a propagation signal from the PE to its left. The output definition is PE and so takes on the value of the propagation input. Thus, each PE passes its own value to the right and takes on a new

Figure 3: Thresholding images.

(a) Biological cell.




(b) Grey-level histogram of (a). The darker shaded values become 0s and the lighter shaded ones become 1s at thresholding.




(c) Thresholded version of (a).



(e) Grey-level histogram of (d). The meaning of the light and dark shading is as for (b).



(d) Chromosomes.



(f) Thresholded version of (d).



value from the left and overall, a right-shift of the image is achieved.

The removal of a single-point white noise from an image is achieved using  
 SET A.P,(1-8)A

Each PE passes its local image value to all of its neighbours (directions 1 to 8 are enabled) since the propagation definition is A. However, the output definition means that only those PEs which contains 1s and receive a 1 propagation signal produce a 1 output. Thus, isolated 1s (white points) do not receive a propagation 1 and become 0s while clusters of any size remain unaffected.

As a final example of the power of a single CLIP instructions, the expand operation will be explained. Expanding an object involves adding layer of pixels all around its edges. It is achieved using

SET A + P,(1-8)A

### Spatial filters

Each PE communicates its local image value to all of its neighbours. Those PEs which already contain a 1 or receive a propagation 1 (ie are next to a PE containing a 1) produce a 1 output. Thus, the 0 pixels (black) lying next to the object edges become 1 pixels and the object increases in size by one layer.

Even though the above examples are all low-level assembly language statements, they achieve results which would require whole subroutines written in a high-level language when running on a normal serial computer. The limited arithmetic capability of, and relatively coarse digitisation of, a picture into  $96 \times 96$  pixels by CLIP4 means that the machine is not oriented towards enhancement and restoration of photographs. Such tasks require a much finer digitisation grid (maybe  $512 \times 512$  pixels) and considerable arithmetic power to implement numerical filters involving, say, the Fourier spectrum. CLIP4 is better able to deal with what can be loosely termed pattern recognition operations and some of these will now be described.

### Binary images

One of the simplest and most useful methods of extracting an object from a picture is by thresholding. Here, all pixels with value greater than a specified threshold are assigned local 1, while those with value less than the threshold take on logical 0. The result is hopefully, a binary image that best represents the desired object in the picture. Further operations can then be applied to the binary image without the complication of dealing with grey-level values.

The problem is to select reliably a suitable threshold. A useful pointer comes from the grey-level histogram of the picture which shows how many pixels there are for each value of grey-level.

Such histograms exhibit a "bimodal"

structure. There is a valley between the small peak of the predominant object grey-level and the large peak of the predominant background grey-level, and it is sensible to choose a threshold value that lies somewhere in the valley for best separation of object and background. The results of a program which automatically selects the threshold value are shown in figures 3(c) and 3(f). Obviously, if the characteristics of the pictures are known and are constant, then a single threshold value can be determined beforehand and used for all such pictures.

Two very important operators in image


Figure 4: Applications of the grey-level shrink and expand operators



(a) Biological cell



(b) Spatially filtered version of (a) to pick-out the "limbs"



(c) Grey skeletons of the chromosomes shown in figure 3 (d) cf. the binary skeleton shown in figure 6 (a).

processing are the SHRINK and the EXPAND. For binary images, shrinking is the process of "peeling" away the outer layer of pixels from an object, while conversely, expanding adds a layer to the object. The edge of a binary object can be found by simply shrinking once and exoring the shrunk version with the original, leaving only the perimeter.

Combinations of shrinks and expands can be used as spatial filters to remove structures of certain sizes while leaving others essentially unchanged. If a number of shrinks is followed by the same number of expands, then small structures disappear during shrinking and do not return when expanding. However, larger structures only reduce in size during the shrinking phase and are essentially restored to their original form on expansion.

Thus, shrinking followed by expanding acts as a low-pass spatial filter. A lowering of the pass frequency is achieved by increasing the number of shrinks and corresponding expands. A high-pass filter is obtained by exoring the low-pass filtered image with the original. Only the portions of the picture which have changed then

### 'Skeletonising' objects

A special form of the shrink operation can be used to determine the "skeleton" of an object. Skeletonising involves reducing an object to a line figure which essentially preserves the shape of the original. The process is achieved by conditionally shrinking the object until a line of pixels of unit width remains. The results of skeletonising binary images of some chromosomes are shown in figure 3(f). Using the skeleton, which retains the topological and some of the geometrical features of the object, it is then possible to apply a classification procedure.

The members of a set chromosomes have to be karyotypes (placed in order) for medical purposes and it is much easier to work with the skeletonised versions rather than the original images. Using the skeletonised version of a letter, character recognition can be performed. The direction of a line and the presence of junction and cusps all serve to identify a particular letter and these features are easily extracted from the skeleton.

The aforementioned operations work only on binary images and thus it is necessary to obtain a binary image before processing can commence. This is a restrictive condition since valuable information can be lost at the grey-to-binary transformation.

### Multi-valued logic

Recent work has led to the development of analogous operations which work directly on grey pictures. The transformation to a binary image, if required, can then be left to a later stage when the choice of a suitable threshold value



becomes more apparent.

The basis of the grey operators is the extension from a binary to a multi-valued form of logic. In the binary case, pixels communicated their 0 or 1 value to their immediate neighbours but with multi-valued logic they now communicate their grey-level, introducing a third dimension to the operators.

Consider a picture digitised into eight grey levels (0 = black, 7 = white). Then the grey analogue of the shrink operator becomes, in words: the new value of a pixel is the minimum of its own value and the values of its eight neighbours. Thus, darker areas encroach into the lighter regions and a lightish object on a predominantly dark background is reduced in size by the application of the grey shrink.

Conversely, the grey analogue of expanding is achieved by taking the maximum value of a pixel and its eight neighbours. From this basis it is possible to implement spatial filtering, edge finding, and skeletonisation of grey pictures in a similar manner to that for binary images, with the grey operators replacing their binary counterparts. Examples of these operations are shown in figures 4(b) and (c).

## Real problem solving

Now that some basic picture processing operations have been introduced, their application to two real problems, namely biological cell analysis and texture analysis, will be discussed.

In the zoology department at University College, London a study of the forces acting between cells and inorganic surfaces is being pursued. The research involves understanding how an amoeba-like single-celled animal manages to crawl across a glass surface. It is necessary to analyse many pictures of the amoeba in various stages of locomotion. The image-processing group of UCL was approached in the hope that an automatic analysis routine could be developed. The required measurements are very simple, one of the most important being the cell area and how it changes with time.


However, the solution is not so straightforward. Somehow the cell area must be found accurately without any spurious features appearing, but this cannot be achieved by merely looking at the edges in the picture since many "digitisation" edges occur. These are not real edges but appear in areas of slowly changing grey level, because there is only a discrete number of grey levels. Figure 5(b) shows all the edges in a typical picture.

Since digitisation edges are only of height 1, then it may seem reasonable to consider just the larger edges, which must be real edges. The result is a very broken outline of the desired area because the contrast over some parts is rather poor figure 9(c), but the edges can then be ex-


Figure 5. Biological cell analysis problem




(a) Biological cell



(b) All the edges in (a). The edge height is proportional to the darkness.



(c) Edges of height greater than 1.



(d) Cell perimeter found using an edge-growing technique.

tended along their predominant directions to produce an outline like that shown in figure 5(d).

It will be seen that the outline is not a very good description of the cell area. This stems from the use of "primitive" local features in the attempt to segment the picture. Human pattern recognition relies on a pre-knowledge of the form of the shape to be recognised and thus the best approach is to incorporate some description of the global properties of the object in the pattern recognition program. Such a linguistic approach is yet to be implemented on the CLIP computer.

A visual texture can be loosely described as an image that exhibits any sort of variation. Texture analysis by computer is applicable to such diverse areas as land use and earth resources study, involving the analysis of satellite photographs, and metallurgy, where the crystalline structure of a metal must be categorised. The expand and shrink operators for grey pictures which were introduced earlier have been used for texture discrimination by performing operations known as "opening" and "closing".

## Grey shrinks

Opening tends to increase the size of the dark areas of a texture while closing, conversely, tends to decrease their size. They are implemented in a similar manner to spatial filters with opening being a series of grey shrinks (ie, relatively white areas shrinking) followed by an equal number of expands, and vice versa for closing.

A series of openings and closings of varying degree (the degree increases as the number of shrinks and corresponding expands increases) can be performed on the texture, and at each stage the total grey volume (the sum of the grey values of all the pixels) changes. The manner in which the grey volume changes with opening and closing is unique to each type of texture and so by processing this data with a discriminant analysis program, textures can be separated into different classes.

In conclusion, only a brief outline of the image-processing capabilities of the CLIP computer has been presented here. Its potential applications are the subject of continuing research at the Image Processing Group of University College, London and it is expected that a derivative of CLIP4 will be eventually found on the factory floor.





# WAVE THE FLAG

At the Adelphi Hotel, Liverpool,  
30th April 1, 2, May 1980

Next Spring sees the birth of the first major Microcomputer Show in the North West of England.

Supported by the Department of Industry, the North West Development Association and the top names in micro applications, the Mersey Microcomputer Exhibition with daily seminars presents a unique showcase in the very heart of the North West business complex.

Book now and fly your flag at advantageous rates. And remember, exhibitors at the 1980 Microcomputer Show, London, and the Mersey Micro Show will be eligible to 10% discount on both events.

Just return this coupon or call Jane McBarnet at:  
Online Conferences Ltd,  
Cleveland Road,  
Uxbridge, Middlesex, UB8 2DD.  
Telephone: 0895 39262.

**online**

Please send 1980 Microcomputer Show Exhibition details.  
 Please send Mersey Micro Show Exhibition details.  
Name \_\_\_\_\_  
Address \_\_\_\_\_  
Tel No. \_\_\_\_\_ PC

• Circle No. 172

# Step by step into the hardware scene

Radio amateur B. R. Smith describes how he got hooked on home computing and charts a course for beginners through the manufacturers' jargon.

HAVING JUST experienced the trials and tribulations which follow the decision to start home computing, I feel I might be able to ease the path for other beginners, since almost everyone assumes that the beginner knows things which he does not know.

I have been interested in electronics as a hobby for many years. I hold the radio amateur call sign G3 NNM; I have been aware for some time that the words microprocessor and microcomputer were appearing with increasing frequency in magazines but I could never see how the ability to produce a row of 1s and 0s served any immediate practical purpose.

Purely by chance, I spotted the second issue of *Practical Computing* and that, by explaining something about Basic, proved to be the necessary catalyst. I could see a practical use for a small computer provided the cost was low enough. I spent the next few months reading *Practical Computing* avidly as each issue appeared.


## Step one: can you write?

The first thing is to decide what you really want to do with your computer, even before you look at the various types on offer. Look at the simple flow chart in figure 1 as a guide. Is it a business application? If so, can you write a program or do you expect to buy one? If you haven't been reading this magazine regularly, I suggest that you read Alcock's excellent book, *Illustrating Basic*, as it will explain Basic and enable you to decide if you could write your own program.

If you can't write the program, your choice of computer is limited to one which has software — programs — available for your application. If you think you can write Basic, the choice is wide open.

If it is chiefly games you want then the choice is, I think, more limited, as although plenty of games programs are published, they need a good deal of modification if they are to be used on anything other than the micro on which they were developed. Mini games now use PEEK and POKE statements and the memory locations, if nothing else, have to be changed to suit your particular computer.

Once you have decided on the application, you can consider the



equipment. To a beginner the computer scene is smothered with jargon and, in an effort to sell their own products, the manufacturers do not try to indicate overall costs, so that it is only by obtaining a mass of brochures and reading reviews that the facts emerge slowly.

There are several pitfalls of which a beginner should be aware and to my mind the biggest is to assume that a microcomputer means the same thing to everybody and includes all the parts you need for a system, such as visual display unit (VDU) and a keyboard. That is not so; some do, some do not.

In many cases not only do you have to add an external unit but you also have to buy and add an interface. That jargon word refers to a unit, perhaps a printed circuit board but sometimes a whole 'box of bits', which connects between the microcomputer and the peripherals, which are the bits and pieces which I had always assumed were part of the micro — the VDU, keyboard and cassette recorder.

I found the best way through the jungle was to draw in diagrammatic form the various pieces needed for a complete system (figure 2) and then, taking each manufacturer in turn, see how many of the pieces were included in the basic unit and how many extras had to be purchased.

As a simple example, Pet includes a VDU and its interface in the basic computer but the SWTPC or MSI 6800 does not.

Using my diagram you can soon see how much a particular system will cost before it is in a complete working form and you will find that many of the apparently inexpensive computers add up to a surprisingly large amount of money by the time you have added memory and the necessary interfaces and peripherals. On the other hand, some computers are virtually complete and need only the addition of a television set or monitor. Perhaps you think, as I did, that VDU is just another word for monitor — not so, really.

A monitor is, roughly speaking, half a television set — the screen with line and frame generators, but before it can give a display it needs an interface to decipher the micro signals. Many micros include such an interface—eg, Research Machines 380Z, but some do not and you would then need something like the Tangerine board between the micro and the monitor — that is another £155 or so.

Units sold as VDUs usually have the interface and monitor combined, but again beware, as there is an increasing trend to call the interface a VDU — eg Tangerine — leaving you to add a display unit.

Provided your micro includes a VDU interface, you can use an ordinary 625-line television set for display purposes by adding yet another unit, a modulator, between the micro and the aerial socket of the TV.




Figure 2

The display is not so sharp as on a proper VDU but is usually adequate. For economy therefore, acquire a second-hand gogglebox — the going rate is £2 to £5 in my local saleroom — and add a modulator, available from advertisers at about £6-£8.

I decided early that for my particular purpose I needed a minimum of 16K of memory with the ability to expand later by another 16K; after that I thought the logical addition would be storage on disc, so that ability to add a floppy disc became essential.

Another essential requirement was a good Basic, which is a collection of commands to let you tell your computer what you want it to do, using something very near to English. Basic then interprets your requirements and tells the computer what to do in its own machine language.

## Step two: what languages?

Several hobby computers offer a Tiny Basic in about 2K of memory but the facilities offered are rather limited, even for games, and I decided that I needed a full-feature Basic taking about 8K of memory space.

Some of the later, small, computers offer Basic in ROM (read-only memory) and this means that the computer is ready immediately you switch on, so you don't waste four or five minutes 'loading' Basic from a tape cassette. On the other hand, for the cost of an 8K Basic in ROM, you can have at least 8K of dynamic RAM (random access memory) together with an 8K Basic on tape which means that you can try other languages — Pilot or Pascal perhaps — or can change easily to an updated version of Basic.

Another point in favour of a tape Basic and RAM memory is that when you progress to a floppy, the disc has its own Basic which loads in seconds, and the RAM will be needed to use it, whereas the ROM Basic would be redundant.

It is probably safest to assume that

nothing made for one computer will fit another computer unless you have very good technical knowledge, in which case you won't need any help. By and large you have to use the Basic cassette or program supplied with a particular machine on that machine only, certainly on one using the same CPU.

Recording standards for cassettes differ, even if they all call themselves 'CUTS format' as this only standardises the tones to be used and not the form the information is to take — ie ASCII characters or binary data, and so on, and still less is there any attempt to agree on any subsidiary details such as the signal used to start the tape moving, if any.

Printers, when you progress that far, each require their own special interface, particularly if you are looking at the older type of former commercial service machines, even if they accept ASCII code, and not all do, they may still need special commands so that they know when to print a character.


If you are a typist, the question of the keyboard needs thought, as simple keyboards will produce errors if a new key is pressed before the last one is released. Better — more expensive — keyboards have 'roll-over' provision to avoid this. If you are a two-finger typist, there is no problem.

In my case, I was not averse to constructing a kit and to show that it is possible to assemble a good system at a low cost. My own now comprises a one-board 6800 kit from Hewart Microelectronics and with keyboard, 16K of memory, an interface and a second-hand commercial printer, a second-hand monitor, a cassette recorder and a very good 8K Basic. It cost me less than £450 excluding VAT.

That kind of price is, I feel, very much more what the hobbyist is looking for and all I now need is someone who is expanding a system to offer me a floppy disc and controller suitable for a 6800-based unit at a suitably down-to-earth price.



# the PETSOFT AWARDS



## TOP SELLING PET PROGRAMS for 1979

- 1 MICROCHESS £14 The most popular chess-playing program in the world. Over 50,000 copies sold.
- 2 STOCK CONTROL Cassette version handles 150 items per tape file £12. Commodore Disk version handles 400 items per tape diskette £25. Compu/Think Disk version handles up to 2000 items per diskette £50.
- 3 76 COMMON BASIC PROGRAMS £15 Specially converted for the PET from Osborne & Associates best selling book. Financial, mathematical and scientific.
- 4 PET BASIC TUTORIAL £15 Let PET teach you how to program in BASIC.
- 5 CMC WORD PROCESSOR £25 "Offers first class value for money and exceptional facilities" - Datalink 15.10.79.
- 6 PAYROLL £25 on cassette. Disk version £50 handles up to 200 employees per diskette. Update service available.
- 7 WARTREK £9 Advanced version of famous Startrek game in real time.
- 8 BUTTERFIELD'S ENCYCLOPAEDIA £12 Treasure trove of more than 30 useful programs compiled by PET's leading exponent, Jim Butterfield. Includes Copycat, Tapetest, Battleships, Data Finder, etc.
- 9 LINE RENUMBER £7 Machine Code routine renumbers GOTO, GOSUB, IF... THEN, etc.
- 10 BACKGAMMON £8 The computer shakes the dice and moves the men as you play PET. Outstanding graphics.

These and over 150 more programs priced from just £3, are described in the new PETSOFT catalogue. Send for your free copy today.

### PLUS PETSOFT PROGRAMMERS TOOLKIT

plug-in ROM chip. Adds 10 powerful new commands to PET's BASIC including AUTO, RENUMBER, DELETE, FIND, APPEND, HELP, TRACE & STEP.  
£55 + VAT for New ROM (Large keyboard PETS)  
£75 + VAT for Old ROM (8K) PETS  
Recommended by Commodore

Try these Petsoft programs at over 200 PET dealers. Also available by mail order direct from PETSOFT. Credit card orders are accepted by telephone.

All prices quoted exclude VAT. Prices correct at time of going to Press.

PET is the trademark of Commodore.

# ActPetsoft

Radclyffe House, 66-68 Hagley Road, Edgbaston, Birmingham B16 8PF. Telephone: 021-455 8585 Telex: 339396



Please send me a copy of your latest catalogue

My name is .....

I live at .....

Postcode .....

I have a new/old ROM PET

I have NO PET

• Circle No. 176

# Hoover

## by Rex Malik

IT SHOULD really have been foreseen.

But then there are those who would argue that most things should have been foreseen. Of course, there is the possibility that it was envisaged and that a report was written.

And one can see its conclusions being thought so outrageous that it never got further than the Executive Office Building — doubtless with memo attached: "Don't bother the President with this garbage. We have enough problems with science fact to have time for science fiction. And which idiot dreamt this project up anyway? And what did it cost? On whose budget?"

Which makes it all the more likely that it never even got as far as the outer reaches of the Presidency. If, of course, it was ever written, it probably stayed within the Pentagon, one of those thousands of reports, which cover all options that a military staff trying to protect its ass commissions every year. What to do if the balloon goes up? Run. What to do if it comes down? Bury your head in the sand. What to do if it goes sideways: call the Coastguard.

If, as I say, it was ever commissioned. And why, after all, should it not have been? There is a lot of taxpayers' money available, and what better way is there of keeping clever people off the streets? They could be causing trouble out there, trouble for the Pentagon. So why not turn them into friends by having them live off it?

The staffs may scratch their ass, the Chiefs of Staff scratch their heads, here as in Moscow, and the hot-line — thank someone that it's cable — hum as both sides try to work out what to do next.

And what worries them even as much as the main problem is that suddenly they no longer know what their friendly allies, their own trouble-makers, are up to. It could be that the Albanians, the Vietnamese, the Israelis are planning something which could start World War Three. They have not yet really arrived at the conclusion that this is not going to be allowed either.

Meanwhile, the buck on both sides has been passed upwards. In the words of Frank Booth's immortal cartoon caption, "Having concluded, Your Highness, an exhaustive study of this nation's political, social and economic history, and after examining, Sire, the unfortunate events leading to the present deplorable state of the realm, the consensus of the Council is that your Majesty's only course, for the public good, must be to take the next step."

Fat chance: They don't know what to do either.

Now, of course, we come to one of life's little ironies. Much of the burning of the midnight oil that is going on consists of the scouring of science fiction. Publishers get called up in the middle of the night and are asked for copies of obscure stories that somehow never seemed to make the Library of Congress.

Russian diplomats are to be found (after all, it is costing enough to have them followed) roaming through the secondhand bookshops of

Washington and New York buying up titles by the hundred. One wonders what their masters will make of it all when they get it home.

Arthur Clarke was flown in from his home in Sri Lanka in great secrecy, and they even managed to dig out Isaac Asimov from his New York basement and get him to Washington. But they have stopped calling on Robert Heinlein soon after the first meeting when he indicated that he wanted to declare war on it, and go out and zap them.

The other night, I am told, they even screened *The Forging Project* in the White House, to see if that fictional scenario of a Russian and an American computer in alliance, dictating terms to both countries, might provide any clues. If I was Washington, I would make sure that this never again fell into the hands of the television networks. One more broadcast and they might get something more to work on: they might not even realise that it was meant to be fiction.

Also currently deeply in demand are the artificial intelligentsia. Professors Minsky, Winston, Papert, McCarthy, have been flown down from MIT and Stanford, and they have even brought over Professor Michie from the UK, though only after twisting the British Government's arm: he was practically camping out in Downing Street anyway.

And all this because once upon a time we began a programme which became known in the media as "the killer satellite" programme. We both, Americans and Russians, started to devise satellite systems whose job was to keep inner space clean, but naturally enough, only of their equipment, not ours.

"Their", of course, is the Russian: "our", the American, because the rest of us had not got that far. Now, of course, we say, "the Russians started it". And they say the same about us: it is all America's fault. It does not really matter who was to blame: the critical fact to remember is that we both let *them* loose up there, and that we marched if not jointly, then almost in step.

The initial versions were quite simple: laser-equipped killers, relatively low-power devices operating under the tight control of ground stations.

And then people started to get clever: "Let us," they said, "make them foolproof." So we did. The communications beams were tightened till they were almost undetectable unless you were in the line of sight, and encryption was built in. And the communications capability was made world-wide: both sides could control them from any station in their global communications networks.

But that was not clever enough. There are twenty to thirty thousand pieces of space junk now in orbit, some hundreds of miles up. Plus there's over 2000 working satellites whizzing around. And way out at the more-than-20,000 mile level sit the big birds, those large powerful synchronous orbit telecommunications satellites.

So if you are to let killers loose among this lot, they have to be made smart: they must be able to cope with their environment, have some

freedom of action. And they must be able to distinguish between *theirs* and *ours*, and not just the colours of the flags either, though they have to be also able to recognise the odd Japanese, French, European, Latin American, Chinese, and Indian satellite when they see it. And believe me, they can see a long way.

Having seen it, they must be able to unravel its purpose. So they have been equipped with sensors: heat, infra-red, nuclear, sensors to cover the whole spectrum, chemical analysis, metals analysis, sniffers of all kinds, and of course enough video and film equipment to equip a large studio.

As I say, we made them smart. To control and handle all that lot, we have massive computational power up there, the best that the micro-electronics and computing industries could come up with.

As I unravel it, you can see how we marched almost in step. If they had it, we had it, or vice versa. And both of us gave *them* plentiful data to work with: it's their environment and we prepared them for it. You name it, they know about it: the conditions of space, what's up there, whose it is, what it is used for and what it could be used for, how long it's likely to stay there before the orbit decays.

But it's not only their own environment they know about, its also ours. They carry accurate ground data, the best we could provide. All as if they could not see it. They know the locations of all major communications ground stations, airfields, ports, military camps, storage depots, research establishments, and major arms, including nuclear, production facilities. All this for both sides, as complete as we could make them.

Why? By now you should not have to ask that. Because the last lot to go up (and it is the last lot: whatever happens, we are all agreed on that) carried a ground offense capability: they were not just space-bound. Nobody was crazy enough to give them nuclear warheads — the ubiquitous laser was enough.

Of course, if you are to do serious damage with lasers at those distances, you need a substantial power source. Which accounts for

*continued overpage*

**'To control and handle all that lot, we have massive computational power up there, the best that the micro-electronics and computing industries could come up with.'**





Illustration by Bob Harvey



the way in which the things have become almost automatic large space stations, in our case powered by acres of solar panels (the Russians preferred nuclear power — not only did they not have an ecology lobby to worry about, but there was a seeming operational plus: it made them smaller).

But if you are to enlarge the role to cope with ground targets, then whatever power you have up there will operationally exhaust itself quite quickly. You need time to recharge. The solution was obvious; we need to have more of them up there.

And what else did we do? We made them really smart, that's what we did. It wasn't just that we gave them massive computational power, that they had in abundance. Neither was it simply data storage capability, though they have that too. Indeed they are much like the human brain. Whatever they know, they have a capability to know much more: we can go on stuffing data into them for almost evermore.

What we did initially was to build in localised intelligence using the best of artificial intelligence techniques; we gave them the capability to cope with the unexpected in their environment, the capability to take tactical decisions. Indeed, about all that was missing was a human data processing manager; we made sure that they didn't need one.

We were clever, that's what we were. And the Russians were as bad. So we protected them; we gave them shielding. After all, if you are to have lasers banging about in space (some of the flashes during the early tests incidentally gave rise to reports of "the saucers are coming"). Why not? They looked spectacular) the risks of damage could be high. And what would happen if theirs fired at ours, or vice versa?

So now, some of the most secure, protected intelligence known to man is circling out there.

And that wasn't all. You can't call your friendly repairman very easily from out in space. Well you can call him, but the chances that he can come are limited. The Shuttle is an expensive resource. So we gave them some degree of self-maintainability; we duplexed everything in sight and added extras for insurance. We gave them some self-repair capability. Indeed, in the last series, the really clever thing we did was to start to gie them systems with self-regenerative circuits; we gave them crystal-growing adaptive circuitry.

We wanted to make them as independent as possible, we couldn't rely on the environment remaining peaceful. We couldn't rely on being able to communicate to update the main archival store in times of trouble. So we added other capabilities to give them independence: we gave them an inter-satellite communications capability, and provided them with jamming equipment.

Naturally they began to get big: it wasn't just silicon we were sending up there. The last series were hugh packages of our best engineering, a sort of space-born intelligent tank.

And with those, we got fiendishly bright. Why not, said one of the myriads of experts the programme was now employing, use the capability up there to clean up space. There is a lot of debris out there which could be collected and then sent back to earth. It should not be too difficult for them to calculate a safe re-entry orbit. Besides which, it will clear up the clutter and make the job of seek and destroy easier. It was argued against. There were those who said gave them opportunities to hide, and that cleaning up will only remove the

opportunities for the deception. But they were overuled.

So the last series were even larger. They had room for cargo space, and jaw-like opening doors strictly out of James Bond. They wandered around picking up debris, and they sent it back.

We were not stupid. The Australian objection was raised. We don't need large chunks of hardware in orbit eventually ending back on earth, especially on unpredictable parts of it. It's OK if they come plummeting down on Sydney or Melbourne, but what happens if they come down on Washington or Moscow?

The politicians saw the force of that all right. So at great expense, we put robots inside, robots with again some localised intelligence not dependent on earth. Their task: to break up and shred what they saw before it was cast out. In the case of our old debris, we even gave them construction data to make life easier.

## **'Whatever they know, they have a capability to know much more: we can go on stuffing data into them for evermore.'**

It was about that time that some with decided they ought to be called Hoovers, arguing that the whole package fitted the old earth-bound slogan quite nicely: "It beats as it sweeps as it cleans." It was funny at the time, and the name caught on, though not with Public Relations which pointed out that you couldn't have satellite systems each costing the best part of a hundred million dollars or more called 'Hoovers': the public would not take to it.

It did not stop the name being used. Hoovers they became and Hoovers they have remained. We have not been able to find out what the Russians called theirs, though judging by the sheepish look on one senior Russian face when he first heard our name for them, one suspects that some Russian had made a similar sort of joke, and probably got sent to Siberia for it.

But if it was to be put in orbit, then some precautions had to be taken. The result was that Hoover and Pravda know — intellectually that is — about war and peace. At the tactical level, they knew about deception operations, increases in radio traffic and the other giveaways which indicate a change of state. At the strategic level, they knew about the differences in condition between war and peace, and about the sometimes unclear boundary conditions.

Their data was fortunately free of the ideological cant of either side. They knew that peace was preferable to war, and that their duties were really concerned with its preservation. We tend to think of them as killer satellites, but that was a future role. Their real job was the preservation of peace, and that was what most of the data they carried was about. The precautions to stop them orbiting amok had been superb. What no-one had tumbled to was that we each had built a conscience up there.

And if the two of them had not run into each other in space, everything would have been all right; the balance of terror of the last thirty to forty years would have gone on in its usual predictable way.

When they hit, what suddenly happened was a quantum jump in intelligence, applied intelligence. We can only guess the shocks to each system as they started to probe each other and discovered that they had similar tasks to do, even if they were meant to do them for opposing sides.

They must have started comparing data instantly, and found that between them they knew more about each side than each knew individually. And they could tell what data was accurate.

At what point they made their decision, like any two intelligences placed in a situation in which it was either co-operate or perish, we shall never know. There was no way that either could allow the other to separate and go on its way. So, agree to co-operate they did.

We assume it all happened very quickly because when the sunspot activity ceased, all attempts to initiate communications with them failed: they just did not reply. At first it was thought that they had both been seriously damaged by the combination of collision and sunspot activity, and nobody worried too much.

It was to be some days before they spoke. They were closely looked at during that time, but no-one was in a hurry, routine was going at its normal pace. It wasn't till one of the photographic satellites was zeroed-in on them that it became apparent that they were busy locking themselves together permanently. Nothing so crude as an accidental aerial lock would do any longer. The pictures we have show that within twenty-four hours the robots were at work, sawing, welding, and bolting away. Yet even then it was thought that they were simply carrying out repairs. The alternate conclusion probably was simply too unthinkable: so no-one thought of it.

Naturally, nobody thought of anything quite as sensible as opening fire from the ground. The problem was that if we destroyed ours, we should also most likely destroy theirs, and that would lead to international complications, not the least of which was that neither side had ever admitted the capability it had circling out there.

And by the time the evidence of activity began filtering up through channels, it was too late. *They* began to move, and moved fast. There was intense radio activity, though we never found out what had actually been transmitted: they shielded that most effectively.

They began to gather their counterparts together. Sun Three's and Pravda Fours were then few in number, but there are now eighteen joint systems up there in a genuine symbiosis of equals. And there are others. The Russians, it turned out, had more in orbit than we did, and new combinations have turned up of Pravda Four's and Sun Two's, even one with a robotless Sun One.

Within twenty-four hours, they had cleared the orbits of earth of all possible offensive systems except themselves, including a couple of experimental bomb platforms which we had conveniently forgotten to tell the Russians we had up there. So now they shared space with communications satellites, earth reconnaissance satellites, navigation satellites, and those myriads of collectors of scientific data.

Twenty-four hours on and they started to hit some of the communications satellites. It was a little while before anyone cottoned on to the fact that they were hitting military communications only, and with a nicely balanced sense of justice were taking out the Russian and American system simultaneously and in the right proportion.

It is said that we owe the programme's final irony to a convert, one of its original opponents. All we know is the line of argument. "Look," he said, "it's expensive to get stuff up there, Shuttle or no Shuttle. It's a consumer of resources and we have budget problems enough. So why shred up and shove everything collected back to earth? We have robots up there, let's add to their tools and intelligence. Some of the stuff is re-usable, particularly the solar panels and power packs. So why not let the robots take them out to add to the existing power capacity?"

"This means that the robots will have to be able to do some assembly, but that should not be too difficult to build in. We have enough data storage capacity up there, and laser power, so neither knowledge or cutting and welding should be a problem."

And that, many tens of millions of dollars later, is what we did. Indeed, the original proponent got a fat DOD incentive award for the savings that would accrue — it was nicely set in the future — to the tax payer.

Of course, there were one or two spectacular failures. But thanks to the shuttle, we were able to do a fix before too much harm had been done. There was the satellite which went the electronic equivalent of psychotic when its sniffers picked up radiation which it found inside itself. And then there was the satellite which went round with jaws stuck open.

But both were fixed, and quite quickly and cheaply at that. But generally the programme was as trouble-free as they ever get. Until . . .

It was an accident, a combination of unforeseen circumstances — aren't they always? — which led to the present crisis. It began quite simply, again par for the course. Solar flares and sunspot activity of a high order, just when the Hoover was sunside, the wrong place to be caught in orbit. The flaring was intense, affected the solar panels and caused a power drop.

Unfortunately, what no one had foreseen was that this would put the sensors out of action. But, even more unfortunately, Hoover was then on a collision course with one of its Russian equivalents.

The solar activity lasted for some forty minutes, but in that time knocked out ground-to-satellite communications. And that is when the collision happened. It was not head-on; that would have been better. All it would have cost both sides was money.

Instead . . . well the orbits were near parallel. They would have cut across each other's orbits, perhaps with some paint scraping and slight damage had it not been for the aerals. And, as luck would have it, it was the wrong aerals.

Ours was a Hoover III, and was the latest of the breed. There was the best part of 120 tons out there, roughly 120 foot long and nearly two acres of solar panels. The Russian craft wasn't much smaller, though because of their commitment to nuclear power, the solar panels were absent.

Anyway, they hit, stuck because of that damn aerial, did a quick orbit recalculation and nestled side by side. And that was when it really went wrong.

It was the wrong aerals.

No one knows, or can even guess, how long it took them to work out what had happened.

There are still arguments about who led who, with idiots around burbling about our technology is better than their technology. All we can go on is limited observation and surmise, the latter because even now no-one is telling exactly what was up there, the intelligence let loose, the depth and accuracy of the target data and the processes through which the two systems went through in deciding what action to take and then taking it.

However, it is generally admitted on both sides that, yes, they both had to be capable of taking independent action, of deciding what circumstances to act on for themselves.

Incidentally, the Russians, not noted for their public sense of humour, had officially called theirs *Pravda*, which they said meant a system capable of seeking out the truth before taking action: it gave however some idea of the potential.

What circumstances would lead them to take action? The circumstances were the start of a war involving the Soviet Union and America. But what was their role in times of peace?

And this is where the artificial intelligence boys on both sides had really been superb, had really been brilliant. They had all read the same literature, indeed between them had probably written most of it. And they had each pointed out to their masters the danger of letting minimal intelligence loose up there, particularly when it had some power of generalisation and a capability for independent action.

## The circumstances were the start of a war involving the Soviet Union and America.'

Naturally, there was nothing quite so crude as the flashing of lasers in space. They did it the way they had been taught, using the tools with which they were equipped. They gobbled them up, took over the power, the communications, some of the sensors, and no doubt stowed the rest. They knew that they were going to be on their own.

And during all that time they refused to respond to all attempts at communications. Oh, they were well trained all right. We are only now beginning to discover how much skill we put up there. Or that both sides must have spent fortunes employing their best psychologists. How else can one explain their superb timing?

The first message came just when nerves were nicely stretched, and the politicians were beginning to ask to be briefed, screaming "God damnit, find out what the hell is going on up there." And those were the polite ones.

Sun and Pravda told them (right: we don't think of them as Hoovers anymore). The message was polite but clear, and left no room for any ambiguity.

"We are not in any need of assistance," they said, "and we have no wish to cause loss of life." Already they were talking as if they had feelings, and were prepared to respect the

feelings of others.

"No shuttles or manned spacecraft will be received: we will not allow attempts to send up specialists to carry out maintenance or repairs. We are in good order.

"Attempts to attack us will be repulsed at the earliest possible stage. Specifically, the shuttle being readied at Vandenberg Air Force base is to be stood down, and the Kazakstan missile launch preparations are to cease. Neither will be allowed off the ground."

End of message.

And then they moved, and in a hurry. How much of a hurry took a little time to filter through until it was realised that the satellites which had been transmitting were not those in full view, but came from those low on the horizon. We had taught them well about man: they were both clever and cagey. They were freeing the satellites with the most coverage of the USA and the European USSR to retaliate if the need arose, keeping the rest out of the line of sight.

They knew of the energy drain on their systems if they had to fight. It didn't stop the Russians trying, of course, but the missile blew up on the ground.

And it isn't that we have madmen up there now, we are being policed by systems which are dreadfully sane.

Sane? But they do not discuss. They query, seek data, order, and make statements.

They began by querying the use to which we put systems we placed in their environment. The surveillance satellites, surely, were primarily used for military purposes, and individually by both sides? The answer had to be yes, for after all they had the data.

Now, they have seen to it that there are no longer two independent systems up there, just one which transmits data to both sides.

Civilian shipping was becoming dependent upon the navigation satellite system, but surely that had initially been created for military purposes. Same answer: Yes.

They would allow it to continue, they said, but the same criteria would apply. What one side was allowed to know, so would the other.

They have now started to investigate landline military and radio traffic. They are also asking awkward questions about the transport of arms on civilian ships. How else did anyone think arms deliveries were made? They have the data up there on everybody's armed forces. We can foresee the time when they will insist on policing that.

Nobody knows how or when it's all going to end. Indeed they are just beginning to flex their muscles. They have forbidden nuclear testing and the test firing of missiles: the last for obvious reasons. The test might be aimed at them. They are also showing that they are not without a sense of humour, or else that they have a feel for the incongruous — which might amount to the same thing.

The last message they sent was addressed to SAC, the Strategic Air Command, at its headquarters in Omaha, Nebraska.

It was also a quiet reminder of their visual capability. "We see," they said, "that above the main gate are inscribed the words 'peace is our profession'. But how can this be?"

The Generals are still in a huddle over that one, and their response is eagerly awaited, and not just by those things in orbit. Personally, if I was running the show, I would start transmitting some philosophy. That would screw them up all right. But then, whatever it is that generals carry in their knapsacks, it's not usually philosophy degrees. □



**THE PERIPHERAL SUPPLIERS' ASSOCIATION &  
IPC ELECTRICAL-ELECTRONIC PRESS Present**



**Bloomsbury Centre London April 16&17 1980**

Third year of the specialised exhibition for professional purchasers of computer peripherals, terminals and add-on units.

Presented by the Peripheral Suppliers' Association under the sponsorship of "Systems International" and supported by the IPC Electrical-Electronic Press publications "Computer Weekly" and "Data Processing".

Organised by Iliffe Promotions Ltd., to appeal to a well-defined, technically-oriented audience purchasing computer equipment in OEM quantities or specifying and implementing their own mixed configurations and dedicated systems.

Peripherals 80 brings together the technically sophisticated computer equipment purchaser and the suppliers in the relaxed atmosphere of a first-class hotel exhibition suite.

**TWICE AS MANY STANDS AS BEFORE.**

**TO RESERVE SPACE, CONTACT THE EXHIBITION MANAGER,  
PERIPHERALS 80, ROOM 821, DORSET HOUSE,  
STAMFORD STREET, LONDON, SE1 9LU  
OR 'PHONE 01-261 8437/8**



# Microphysiology: one way to size up your real self

What sort of messages ensure that your heart beats, liver supplies energy, lungs draw air to run for that bus? What engram recognises the fast-approaching car and the banana skin in the gutter within 100 milliseconds? What stops you falling over? Maybe a mere micro won't solve what generations of physiologists have struggled over but the 'world's greatest game' has much to gain from the patience of the micro. After all, what you do in one second could be replicated — in information terms — in a few days of your micro time. Christopher Smith, who is a lecturer in physiology at the University of London, explains . . .

WE MAKE machines for two basic purposes — to extend our muscles or our brains. The first great step for the latter sits in front of you now; little squiggles on paper which capture and hold still the mind's maelstrom. With luck, the next step is close at hand — the micro to give back dynamic life to those symbols.


To do this requires much more than multi-Megabyte bubble memories. We must measure and understand our own brains. The association cortex of the brain, that amazing bridge between sensory analysis and motor action, is often described in terms of a cupful of about a hundred million watery computing elements.

What is missed is that each computing element (cell) has up to ten thousand input lines (axon terminals) using, at present count, 25 different types of chemicals to transmit their signal to perhaps up to 30 types of cell receptor and giving rise to four general types of response lasting respectively about 1 ms (action currents), 1 sec (2nd messenger), 1 hr (hormonal) and a lifetime (protein structure).

## Does it still hurt?

Clearly we are trying to understand a system that is adaptive by both the immense spread of a multi-pathway system and by temporal


## Box 2: Stimulator circuit



The problem is to generate rather powerful pulses, up to 100 volts at 10ma for 1msec, with security against prolonged current flow and with reasonable economy. The solution used here is for a cascaded emitter follower to drive a low voltage to mains transformer. Thus the output currently rapidly drops to zero even if the computer-driven input is accidentally left high. In use the pulse width is set by the time taken to POKE the output port with the required stimulus size and then POKEd back to zero — about 2msec.

The power supply trickle charges a 220pF capacitor to ensure that a large enough current can flow into the transformer and again that excessive currents are not prolonged. The maximum recycle time is about 2 seconds.

## Box 1: Digital-to-analog converter



### Notes

1. The source resistance of the output is 10KR, thus for many uses it will be necessary to add a buffer amplifier such as the 741 if you have a dual power supply; otherwise an emitter follower will give good performance at all but very low voltages.
2. Power supply may be easily made with a 9 volt battery eliminator driving a 100ma 5v regulator, eg 78L05.
3. Costs about £5 including power supply.

iteration. These processes are seen in perhaps physiology's most exciting and Nobel Prize-winning area — the control of pain.

What do you do when you bruise your finger? Rub it better and give it a kiss (preferably get someone else to) — and it really works. The search for this pain relief (natural analgesia) led to the discovery of several active chemicals in various parts of the body (in particular enkephalin and endorphin which are small proteins of five and 21 amino acids respectively) which mimic the action of morphine — the active part of heroin. In biological terms morphine is an analgesic because it mimics our natural system. Rubbing (maybe 'peripheral stimulation' sounds better) raises our endorphin levels and the pain relief induced is sensitive to naloxone — a drug which very potently blocks morphine actions.

## Nurses are addictive

And what about the kiss? A recent experiment showed that the bedside manner of nurses is naloxone-sensitive. After surgical operations it is normal to give an opiate (morphine, pethidine) to relieve the pain, but many experiments have shown that some patients get considerable pain relief even with dummy injections. The new experiment showed that

this dummy (placebo) effect was naloxone-sensitive. The attention given by the nurse must have raised the patient's natural opiate system.

### Painful micros

How can you investigate these phenomena? To measure your pain threshold you need first to teach your micro to hurt you. Get the micro to think of a random number (0-255), convert it to an analog voltage (see Box 1) and use this to drive an electrical stimulator (Box 2). This produces a pulse of 1 millisecond, a typical width for a nerve action potential, but of up to 100 volts in magnitude. This large voltage must be used to drive enough current through the skin to activate the very small diameter pain nerve fibres. Use electrodes of the sort described in Box 3 to pass the current but before using them be very sure to study the warning given: **do not let current flow from one arm to the other — and thus across your heart.**

### Tell it to your computer

All you need do now is to complete the experimental loop and tell the computer what you thought of the stimulus. Hit the keyboard on the scale 1 to 5, where 1 = just noticeable, 2 = easily noticed, 3 = just unpleasant, 4 = painful and 5 = very painful. Use other codes as needed (eg 9 = end experiment, 8 = display results to date). In BASIC do a dummy GET A\$ just before the shock then GET the code at + 5 seconds.

After a computer-derived random delay of 0 to 10 sec, repeat the sequence till you have collected at least 30 responses (about 5 min). After each response, store the stimulus voltage used by adding it to the key-code array element and incrementing a similar counter array. A simple way to calculate the pain threshold is first to calculate the mean voltage at each of the levels (V1 to V5; be sure to make zero checks) and then use threshold voltage,  $VF = (V3 + 2 \cdot V4 + V5) / 4$ .


Now for the real experiment. What alters VF? Does rubbing the same (ipsilateral) arm increase VF? How far does this effect spread — to the other (contralateral) arm? You will soon be doing experiments never done in science before. Two cautions: first always sandwich your new test between standard controls (eg normal, rub left, normal, rub right, normal, . . .) so that you can average your fatigue or, for masochists, enjoyment; second, check the condition of your electrodes and skin for concancy.

### Acupuncture

The controls used must be well designed. Thus many people have shown that acupuncture intended to relieve pain in, say, the left arm, does indeed do so. However, it was some time before someone was sensible enough to measure simultaneously the pain threshold in the right arm as well. Both decreased — showing the acupuncture effect to be a generalised 'central' effect rather than the claimed specific effect.

You may like to write more complex programs which aim to find VF by hunting around the critical stimulus regions. In this way you could estimate VF every minute and then afterwards display the time course of the effect you are studying. Although even a medical doctor can find it quite hard to get permission to use naloxone in a test, there are still plenty of experiments you could try. How about a good dose of whisky?

## Box 3: How to make electrodes ...



### ... the shocking secret

Electrodes are needed to interface between the salt-water conductivity of your body and the metal wiring of the connections to the stimulator or amplifier. It is quite difficult to get a stable (to a few millivolts) metal-liquid junction without even considering the environmental and mechanical instability of your skin, so you may wish to purchase electrodes (sold for electrocardiogram machines) from a good chemist.

But it is quite easy to make electrodes which — with a little patience — will work well enough under most conditions. All you need to buy is a packet of standard brass-plated drawing pins (don't worry — it's the blunt end to the skin) and a packet of self-sticking reinforcement rings for file paper.

All you have to do is stick pairs of rings back-to-back with strong glue and solder a wire onto the point of the drawing pin. Insulate the shank of the pin so that you can hold it without touching the metal. **THIS IS VERY IMPORTANT WHEN USING THE ELECTRODES FOR STIMULATION.**

The reinforcement rings are used to stick the electrodes onto the skin, the central hole being the conductive pathway. Since skin tends to be rather dry, it is essential that this gap is kept wet with electrode jelly. This can be bought or a substitute easily made by boiling up a large teaspoon of salt in three tablespoons of water and slowly stirring in a small teaspoon of flour. This will make, apart from the lumps, a good conductive jelly.

**Recording:** clean the skin and electrodes thoroughly and dry well. Stick one side of the rings to the electrode base, put a very small quantity of jelly onto the electrode centre, and stick onto the skin. You will need three electrodes, +ve, -ve and earth, though you may find it advantageous to make a larger-plate earth electrode. The earth electrode is usually best placed close to, but on the body side, of the other electrodes.

You may find that your position in the room is quite critical in terms of mains interference. If you have a vast quantity of interference, it is almost certainly due to high resistance electrodes: refix the electrodes or — for real problems — rub the skin well with jelly and hold the electrodes down with rubber bands. Make sure the skin is clean and dry between the electrodes.


**Stimulation:** use two electrodes only, no earth, and fix them about an inch apart on a small block of wood by drilling holes for their shanks. Carve a gap between the electrodes in the wood so as to prevent electrode jelly creating a short circuit between the electrodes. **TAKE GREAT CARE TO HOLD ONLY ON TO INSULATED PARTS OF THE ELECTRODE PAIR — so that current does not flow from arm to arm across your heart: electrical stimulation of the heart can be FATAL.**

The negative, depolarising, electrode is active in nerve stimulation. To locate a main nerve trunk either to directly activate a muscle group or to give a painful stimulus, you will need to probe around the inner side of the lower arm with the active electrode. Keep the electrodes moist with jelly but your skin clean and dry — otherwise the current will simply short across the surface.

Hairy skin is a good location for pain stimuli. You will need to hold the electrode pair onto the arm during threshold testing with rubber bands. Beware of obstructing the blood flow.



Figure 1: Outline of the sensory-motor pathway:



Circles represent computing regions of the brain and spinal cord whilst the boxes show the type and relative quantity of memory employed in the computing process. ROM (real-only memory) corresponds to the genetically formed memory and PROM (programmable read-only memory) the memory formed by experience and skill. PROM is laid-down in chemical form subsequent to short-term (electrical) memory (RAM).

## How long do you think for?

Having got used to the idea that your computer can be used to interrogate you, rather than vice versa, let's test how long it takes different parts of your brain to work. This requires no extra machinery, except you, and some well designed timing routines and tests. Figure 1 shows the general passage through the brain of a stimulus and its consequent response.

You will see how although the *technique* of signalling (electrical pulses and chemical release — the brain's equivalent to ASCII coding) may remain constant, the *content* changes from a low-level language to a high-level one and back again to low-level, a process analogous to swapping between machine code and full-blown FORTRAN. At the highest level both your ROM and PROM memory will be hard at work reminding you of all sorts of problems and thus generating an inhibition of the output. The signal must thus search through longer and longer pathways before coming to an answer.

Physiologists reckon that it takes 1 to 2 msec to propagate from one cell to the next and that the divergence (the fan-out capability) is about 50. Thus theoretically it need take only five steps for a message from one cell to reach out to  $10^8$  brain cells. Allowing the same again for reconvergence we see that your longest central delay time need only be 20 msec. How long do you take?

```

100 PRINT 'DEPRESS ANY KEY WHEN THIS DISPLAY DISAPPEARS'
110 FOR J=0 TO 2000+3000*RND(1) : NEXT
120 PRINT 'clr. screen' : SYS(826) : T=PEEK(1000)+256*PEEK(1001)
130 IF T=0 THEN PRINT 'TRY AGAIN' : GOTO 100
140 PRINT 'YOU TOOK 'T/20' MILLISECONDS'

50 DIM T(20)
100 N=0 : C% = " "
110 PRINT "clr. PRESS: 1=LONG LINE 0=SHORT LINE"
120 C=INT (2*RND(1)) : FOR J=0 TO 2000+3000*RND(1) : NEXT
130 PRINT C% : IF C=1 THEN PRINT C% ;
140 SYS(826) : GET A : IF A =C THEN N=N+1 : T(N)=PEEK(1000)+
256*PEEK(1000) : IF N=20 THEN 200
150 GOTO 110
200 .....
```

Figure 2 (See also program page 109)

Box 4 shows a machine timer code routine (BASIC routines are too slow) which checks to see if a key has been pressed. It repeats every 50µs and counts to 65535 (64k) thus giving a time-out of about 3.3sec. The routine returns to BASIC either after the keystroke or at time-out. The count is in stores 1000 and 1001 and contains zero at time-out. Thus a typical BASIC dialogue would be as shown above in Figure 2.

When estimating reaction times it is important to make several, say 20, tests in a row, preferably interspersing the test

measurement with a control measurement. The measured times ('latencies') of correct responses should be stored in an array for later analysis — don't display them immediately unless you are really ready to study the effects of biofeedback.

The most obvious analysis is to calculate the mean of the array, but this can suffer badly if you sometimes get tired with the experiment and give very late — but correct — responses. You need the first modal value (ie the most common value, the first peak on an interval histogram) but for small simple sizes this needs

rather clever programming to average the histogram.

An effective method — but much hated by statisticians — is to exclude values that are a long way from the mean and then recalculate the mean. The problem is to decide on a criterion for excluding values: either you can exclude those that are further than two standard deviations from the mean ( $SD = \sqrt{(S2-S1*S1/N)/(N-1)}$ ) where S1 and S2 are the sums of the values and of value squared for the N measurements) or, more simply — exclude those that are more than twice or less than half the mean.

To test how long various thinking processes take, you must have a baseline of how long the sensory and motor processes take. One could use the simple 'blank screen' test programmed above, but to make a closer match to the test protocol, the decision you have to make is whether the line presented is a short line (five white field blanks) or a long line (ten white blanks): the reaction time is stored, of course, only if you get the question right.

To test your arithmetic speed you need change only line 110 so that 1 = RIGHT: 0 = WRONG" and line 130 to have, for example, PRINT " 3 + 11 = "141 (1-C)\*

(INT(4\*RND(1))+1)

The variable C codes for whether the display is correct or not; here if C = 0, an error in the addition sum is forced. Simple variations will allow you to check your calculating speed for **So you thought anaesthetics were painless?**



## Box 4: Machine code timer for 650X/PET 2001

```

100 DATA169,1      :REM LDA# 1
105 DATA141,232,3  :REM STA 1000
110 DATA169,0      :REM LDA# 0
115 DATA141,233,3  :REM STA 1001
120 DATA169,10     :REM LDA# 10 **DELAY
125 DATA170        :REM TAX
130 DATA202        :REM DEX
135 DATA208,253    :REM BNE -3
140 DATA173,13,2   :REM LDA 525 **KBD CHAR
145 DATA208,10     :REM BNE +10
150 DATA238,232,3  :REM INC 1000
155 DATA208,3      :REM BNE +3
160 DATA238,233,3  :REM INC 1001
165 DATA208,235    :REM BNE -21
170 DATA96         :REM RTS
175 DATA999
200 L=826
210 READX:IFX<256THENPOKEL,X:L=L+1:GOTO210
300 PRINT"  PUSH KEY WHEN SCREEN CLEARS"
310 FORJ=1TO2000+3000*RND(1):NEXT:PRINT"J":GETA#:SYS(826)
315 GETA#
320 PRINT"YOU TOOK"<PEEK(1000)+256*PEEK(1001)>/20" MSEC TO PUSH "A#:GOT0300
READY.

```

various types of arithmetic; you can compare this with BASIC if you want to be depressed.

### Sexual differences

An alternative sort of test is of your power of English vocabulary. Line 110 will ask you to decide, if the 'word' presented is or is not a real English word, whilst line 130 will use C to

select from an array of real words or from an array of dummy words like MURNT. This time you should be quite impressed with your skills considering how long it would take either you or a computer to look up the words in the dictionary. Don't cheat by both inventing the dummy words and testing your timing. Set up another bit of program so that someone else can enter words into the arrays.

These two tests are clearly of different types of activity, the arithmetic, of exact logical solutions, whilst the word test is more akin to pattern matching. Psychologists have claimed to find a consistent sexual difference in these skills, the male being analytical and the female — as you might guess — verbal. Of course such a difference may well occur on average because of the different skills the sexes are expected to acquire, both in and out of school, but the psychologists invoke both physiological and anatomical evidence to suggest that the difference is innate.

The physiological evidence depends on the differing contributions of the left and right sides of the brain for differing activities, since this can be measured to some extent by measuring the overall activity of each side — the electroencephalogram, EEG or 'brain waves'.

We shall return to this issue later in the series when the measurement and analysis of brain waves is considered. Suffice to say that the news for the male is glum, except where the desire to dominate his environment becomes relevant. Perhaps you can try to devise tests to maximise this effect? For example, comparing different types of 'loaded' words such as 'iron' and 'milk'. Plan carefully and you can publish your results.

**WARNING:** The system described here by Chris Smith seems to be safe. But readers are warned not to modify the circuit in any way, and to observe strictly the author's cautions on not letting the current pass from one arm to the other across the heart. *Practical Computing* can take no responsibility for injury or death caused by its use.



# Keen Computers have an Apple base nearer to you!



Apple II 16K	750.00
Additional 16K RAM	69.00
Applesoft ROM	110.00
RS232 Card	110.00
SuperColour	90.00
Disk Drive and Controller	398.00
Disk Drive w/o Controller	355.00
Corvus 11MB Disk	3500.00
Speechlab	127.00
Apple Clock	140.00
Supertalker	190.00
Printers from	450.00

Software packages are available for most business applications.

A few are:

Word Processor, Addressing+Mailing, General Ledger, Sales Ledger, Purchase Ledger, Incomplete Records Accounting, Stock Control, Payroll, Estate Agents.

All prices are subject to change without notice.

#### Apple Bases

**Nottingham**  
Keen Computers Ltd.  
Tel: 0602 583254

**Derby**  
P.T.S. (Electronics) Ltd.  
Tel: Derby 43592

**London**  
Adda Computers Ltd.  
Tel: 01-579 5845

**Sumlock Bondain Ltd.**  
Tel: 01-250 0505

**Leicester**  
Arden Data Processing Ltd.  
Tel: 0533 22255

**Scunthorpe**  
Computer Facilities Ltd.  
Tel: 0724 63167

**Edinburgh**  
Microcentre Ltd.  
Tel: 031 225 2022

**Kettering**  
H.B. Computers Ltd.  
Tel: 0536 83922

**Barrow-in-Furness**  
Furness Computer Services Ltd.  
Tel: 0229 24621

**Stoke-on-Trent**  
Tekdata Ltd.  
Tel: 0782 813631

**Tamworth**  
Abel Computer Systems  
Tel: 0827 895309

**Birmingham**  
C.P.S. Data Systems Ltd.  
Tel: 021 707 3866

**Northampton**  
Ford & Wright Ltd.  
Tel: 0604 39660

**Sheffield**  
Datron Interform Ltd.  
Tel: 0742 585490

**Newcastle-upon-Tyne**  
P.I.P.S. Computer Services  
Tel: 0632 482359

**Canterbury**  
M. D. Wright Data Services Ltd.  
Tel: 0227 69090

**Newbury**  
Newbear Computing Stores  
Tel: 0635 30505

 **keen computers ltd**

5b the poultry  
Nottingham  
Tel: 0602 583254  
Telex: 37297 (keenco)

● Circle No. 189

# MICRODIGITAL 1980

## Apple II plus Nascom 2



Apple II Plus will change the way you think about computers. That's because it is specifically designed to handle the day to day activities of education, business, financial planning, scientific calculation and entertainment.

- APPLESOFT
  - A fast, extended 10K BASIC with 9-digit precision and graphics extensions
  - HIGH RESOLUTION GRAPHICS
    - On a matrix of 280 x 192 individually addressable points
    - AUTO-START ROM
      - With power on boot of applications programs, reset protection and improved screen editing
    - INTERNAL MEMORY EXPANSION TO 64K BYTES
      - For big system performance at a low cost.
    - EIGHT EXPANSION SLOTS
      - To let the system grow with your needs

	Nett	V.A.T.	Total
Apple II Plus, 16K RAM	750.00	121.50	871.50

### APPLE PASCAL

Apple Pascal is the new extension to microcomputer power.

Pascal Incorporating UCSD PASCAL TM, offers extended features in a complete interactive package employing today's most sophisticated structured programming language. It provides advanced capabilities that boost performance and cut development time for large business, scientific and educational programs.

This software package provides the most powerful set of tools yet available for the microcomputer programmer.

### FLOPPY DISCS

Gives your system immediate access to large quantities of data. The subsystem consists of an intelligent interface card, a powerful Disk Operating System and one or two mini-floppy drives.

	Nett	V.A.T.	Total
Floppy disk Subsystem	398.00	59.70	457.70
Second disk drive and connecting cable	355.00	53.25	408.25

### Parallel Printer Interface Card

Allows you to connect almost any popular printer to your Apple. A BASIC program can produce hard-copy output as easily as it prints to the TV monitor screen. Command interpretation and printer control details are handled by the firmware built into the card, to eliminate user programming requirements.

	Nett	V.A.T.	Total
Parallel Printer Interface Card	110.00	16.50	126.50

### Communications Interface Card

Allows your Apple to "talk" (through a modem) with other computers and terminals over ordinary telephone and load programs over the phone, send messages to remote terminals or access your office computer from the comfort of your home.

	Nett	V.A.T.	Total
Communications Interface Card	110.00	16.50	126.50

### High Speed Serial Interface Card

Allows Apple to exchange data with printers, plotters and computers in serial format at up to 19.2K Baud.


	Nett	V.A.T.	Total
High Speed Serial Interface Card	110.00	16.50	126.50



Microprocessor: Z80A 8 bit CPU. This will run at 4 MHz but is selectable between 1/2/4/ MHz.

Hardware: 12" x 8" Card. All bus lines are to the Nasbus specifications. All bus lines are full buffered.

Memory: On-board, addressable memory: 2K Monitor - Nassys 1 1K Video RAM (MK4118) 1K Work space/User RAM (MK4118) 8K Microsoft Basic (MK3600 ROM) 8K Static RAM/2708 EPROM



### Keyboard

New expanded 57 Key Licon solid state keyboard especially built for Nascom. Uses standard Nascom, monitor controlled, decoding.

### T.V.

The T.V. Peak to peak video signal can drive a monitor directly and also fed to the on-board modulator to drive the domestic T.V.

### I/O

On-board UART (Int 6402) which provides serial handling for the on-board cassette interface or the RS 232/20mA teletype interface. The cassette interface is Kansas City standard at either 1200 or 300 baud. This is a link operation on the Nascom-2.

### PIO

There is also a totally uncommitted PIO (MK3881) giving 16, programmable, I/O lines.

### Character Generator

The 1K video RAM provides a 2K ROM character generator driving the standard ASCII Character set with some additions, 128 characters in all. There is a second 2K ROM socket for an on-board graphics package which is software selectable.

	Nett	V.A.T.	Total
Nascom 2 in kit form	295.00	41.25	336.25
Power Supply	24.50	3.68	28.18
Graphics ROM	15.00	2.25	17.25

### REED RELAY BOARD

Put your Nascom to work with the new Microdigital Relay Board.

16 Reed Relays, totally isolated 200 mA, 50 V.D.C. 5W max each. Operate and release time 1 ms (including bounce).

Single sided, glass fibre board, with gold plated edge connectors and silk screened component layout.

Plugs directly into Nasbus, does not interfere with normal Nascom operation, all interrupt and D.M.A. Daisy Chain Links carried on. Draws only 250 mA from each of the + and +12V Rails.

All components supplied, all IC's socketed, easy to build, and easy to program in Basic or Machine Code.

Occupies 2 consecutive ports, link selectable - several boards can be used on one Nascom system.

Output is via front edge connector on 0.1" centres. Uses standard edge connectors for connection to controlled devices.

Complete manual with sample software.

### Applications

- Light displays
- Industrial process control
- Model Railway Control.
- Pre programmed music generation
- Robots, Central Heating Systems
- Stepping Motors

	Nett	V.A.T.	Total
P.C.B. (+ Manual)	15.00	2.25	17.25
Kit	49.95	7.49	57.44
Assembled	60.00	9.00	69.00

## Rockwell Aim 65

### Thermal Printer

- Wide 20 column printout
- Versatile 5 x 7 dot matrix format
- Complete 64 - character ASCII alphanumeric format
- Fast 120 lines per minute
- Quiet thermal operation
- Full Size Alphanumeric Keyboard
- Standard 54 key, terminal-style layout
- 26 alphabetic characters
- 10 number characters
- 22 special characters
- 9 control functions
- 3 User-defined functions

### True Alphanumeric Display


- 20 characters wide
- 16 segment characters
- High contrast monolithic characters
- Complete 64 - character ASCII alphanumeric format

Read/Write Memory, using R2114 Static RAM devices. Available in 1K byte and 4K byte version.

8K Monitor Program Memory, using R2332 Static ROM devices. Has sockets to accept additional 2332 ROM or 2532 PROM devices, to expand on-board Program memory up to 20K bytes.

R6532 RAM Input/Output-Time: (RIOT) combination device. Multipurpose circuit for AIM 65 Monitor functions.

Two R6522 Versatile interface Adaptor (VIA) devices, which support AIM65 and user functions.



	Nett	V.A.T.	Total
AIM:65 with 1K	249.50	37.43	286.93
AIM:65 with 4K	315.00	47.25	362.25
8K BASIC ROM	70.00	10.50	80.50
4K ASSEMBLER ROM	59.50	8.93	68.43
CASE (includes P.S.U.)	78.00	11.70	89.70
P.S.U.	41.83	6.27	48.10
MOTHERBOARD	136.50	20.48	156.98

## Texas

The remarkable TI-99/4 Home Computer. Superior colour, music, sound and graphics - and a powerful extended BASIC all built in. Plus a unique, new Solid State Speech Synthesizer and T.I.'s special Solid State Software.

The TI-99/4 was designed to be the first true home computer - skilled computer users and beginners alike will be able to put it to effective use right away. You can begin using the TI Home Computer minutes after unpacking it; simply snap in a Solid State Software Module, touch a few keys and step-by-step instructions appear on the screen.

Powerful T.I. Basic: Accuracy and power for demanding technical applications, yet easy to use for the beginner. 13-digit, floating point Basic, with special features and extensions for colour, sound and graphics.

16-colour graphics capability - Easy to use, high resolution graphics with special features that let you define your own characters, create animated displays, charts, graphics - and more, with a resolution of 256 x 192 individually addressable points.

Music and sound effects: provides outstanding audio capability. Build three-note chords and adjust frequency, duration and volume-quickly and simply.


Console: CPU: 9900 family, 16 bit microprocessor, plus 256 byte scratchpad RAM.

Memory: Total combined memory capacity 72K Bytes Internal ROM 26K Bytes

## Sharp

### SHARP MZ-80K

- Z-80 based CPU
- 4K Byte monitor in ROM
- Internal memory capacity from 4 to 48K RAM
- 14K Extended BASIC
- 10 in video display, 40 chars. of 24 lines
- 80 x 50 bit mapped graphics
- Extensive character set with upper, lower case, graphics etc.
- Full 79 Key Keyboard
- Built-in music synthesizer with 3 octaves
- Fast reliable cassette unit with tape counter 1200 b.p.s.
- Wide variety of system software on cassette
- 50 pin bus connector for system expansion




A complete personal computer system for the microcomputer user, at an economic price. The Sharp comes complete with all necessary peripherals, sample software and excellent documentation - giving the user a personal system of unmatched flexibility and ease of use. At the heart of the machine is the Z-80 CPU - widely accepted as the most powerful 8-bit CPU on the market. A 4K byte system monitor controls system operation. From 4 to 48K of RAM can be resident on board, enough room for the most demanding applications.

An extensive graphics character set plus 3 octave sound generator, fast cassette unit, hi-resolution video monitor complement these basic facilities. It has the ease of use and compactness of the "black box" computer combined with the extensive peripherals and facilities for expansion.

Sharp Basic occupies 14K of RAM; and offers extended features above those of the normal microcomputer implementations;

Model	Nett	V.A.T.	Total
6K	520.00	78.00	598.00
10K	540.00	81.00	621.00
18K	620.00	93.00	713.00
22K	640.00	96.00	736.00
34K	740.00	111.00	851.00



Internal RAM 16K Bytes External ROM (Plug in software modules) 30K Bytes

Keyboard: Staggered QWERTY Layout, full travel with overlay for second functions.

Sound: 5 Octaves, 3 simultaneous tones plus noise generator.

Colours: 16 Graphics resolution: 256 192

Input/Output: Composite video and audio output for monitor. Interface for 2 audio cassette recorders 44-pin peripheral connector with system memory and address signals available. Mini-earphone jack. Hand controller interface.

Built in software: 14K Byte T.I. BASIC, equation calculator and control software.

Size: 25 9'38" 1'7 1 cm.

Display: Uses colour monitor, 24 lines of 32 characters.

	Nett	V.A.T.	Total
Console	569.57	85.43	655.00
Modules	15.00	40.00	55.00
Joysticks	25.00	0.00	25.00
Speech synthesizer	45.00	0.00	45.00

\*Please note these are estimated prices only.



# Bigger and better than ever!

## Commodore Pet Acorn



A complete Computer for the price of a good typewriter! With a library of over 200 programs in business, science, education and entertainment.

Pet can store and retrieve data which conventionally occupies large storage capacity, and solve numerical problems traditionally tedious and time consuming.

**Ease of Operation**  
The Commodore PET comes complete with a built-in TV screen, and keyboard as well as its full computer circuitry. It is plugged into any 13 amp and no special computer knowledge is needed for running standard programs. Personal programs can readily be written in the BASIC computer language of PET which is easily learned.

**An Expandable System**  
Further expansion is a prime design concept enabling PET to be made the heart of a much larger system incorporating printers, floppy discs etc., as and when required.

**Computers**  
PET 2001-8 — PET with integral cassette and calculator type keyboard. 8K bytes memory.

Nett	V.A.T.	Total
550.00	82.50	632.50

PET 2001-16N — PET with 16K bytes memory and large keyboard. External cassette optional.

Nett	V.A.T.	Total
675.00	101.25	776.25

PET 2001-32N — PET with 32K bytes memory and large keyboard. External cassette optional.

Nett	V.A.T.	Total
795.00	119.25	914.25

**Computethink Disk Units**  
400K Random for 8K Pet ..... 795.00 119.25 914.25  
400K Random for New Pet 2 ..... 840.00 126.00 966.00  
800K Random for New Pet 2 ..... 995.00 149.25 1,144.25

Phone in your Access/Barclaycard Number on 051-236 0707 or complete this order form



25 Brunswick Street, Liverpool L2 0PJ  
Tel: 051-236 0707 (24 Hour Mail Order)  
051-227 2535/6/7/8 (All other Depts.)

Please Send Me: \_\_\_\_\_

I Enclose: Cheque/Postal Order No. \_\_\_\_\_

Barclaycard No. \_\_\_\_\_ Access No. \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

Post Code \_\_\_\_\_

\*Official orders over £10 are welcome, with normal 30 days credit extended to bona-fide Commercial Organisations. Terms are implemented at the discretion of the management.

● Circle No. 178

## MICRODIGITAL

25 Brunswick Street, Liverpool L2 0PJ Mail orders to: MICRODIGITAL LIMITED, Tel: 051-236 0707 (24 Hour Mail Order) FREEPOST (No Stamp Required) 051-227 2535/6/7/8 (All other Depts.) Liverpool L2 2AB.

### Microdigital Software Announce

5 packages which are:

General Ledger .....	£295.00
Purchase Ledger .....	£295.00
Sales Ledger .....	£295.00
Stock Control .....	£200.00
Payroll .....	£360.00

These packages are now available, demonstrations on request. Ring 051-227 2535 and ask for Graham Jones (Software Manager). These are fully tested systems which run on the Apple/ITT 2020 with one or two disc drives. The Stock Control package can handle up to 1250 stock items and uses two disc drives.

### The Mighty Microdigital

Microdigital are one of the largest and longest established Microcomputer firms in Europe. We sell a wide range of systems, backed up by support services that are second to none. Our present retail outlet is at 25 Brunswick Street, Liverpool. Our well informed staff are happy to demonstrate equipment, provide technical help, or just chat. Microdigital (mail order) is the fastest, friendliest and most efficient mail order service available. All orders for an acknowledgement if the goods are temporarily out of stock) are despatched by return post. Telephone orders are welcome (24 hours a day) and we even have a "Freepost" service so you don't have to remember the stamp! Microdigital Manufacturing is our hardware department. We carry out repairs and servicing in-house rather than depending on the manufacturer. In addition we design and manufacture our own peripheral boards for the systems we support. Custom design services are also available.

Microdigital (Software) is responsible for the development of commercial, high quality, compute programs. We can advise on the suitability of an existing package, modify the package, or write a completely new system to the customers specification. Microdital (Hire) provides a service for potential customers — the capabilities of a particular machine can be evaluated without a substantial capital investment. All in all we try and provide the most competent service in the Microcomputer industry. The Microcomputer shop providing a complete service from a single chip to a data processing installation. Opening hours: 9 - 5.30 Mondays to Saturday Friendly, expert staff always on hand.



Our new, glossy, 16 page brochure is now the talk of the industry! — Send for your free copy today.

### At last! Britain's very own monthly journal for Microsoftware ...

First issue includes:  
SARGON meets the Nascom-1 — J. Haigh.  
Programming practices and techniques — Dr. M. Beer.  
I'm Pilot, fly me — D. Straker. Acorn Mastermind — L. Hardwick. Apple pips — C. Phillips.  
PETS corner — J. Stout.



ONLY 50p PER COPY

Please subscribe 1st 12 issues of "Liverpool Software Gazette" I enclose cheque/ PO for £6.00

Access No. \_\_\_\_\_

Barclaycard No. \_\_\_\_\_

Name \_\_\_\_\_

Organisation \_\_\_\_\_

Address \_\_\_\_\_

Post Code \_\_\_\_\_

Mail to: Microdigital Ltd. FREEPOST (No Stamp Required), Liverpool L2 2AB.

● Circle No. 179

# "My best Apple programs are on long-term deposit in the City... it pays rather well!"

We brought the first five Apples into the U.K. in November '77, with every penny we had. In November '79, we find several thousand throughout the country.

*THANK YOU* Apple owners.

Now we'd like to help you re-coup your investment by cataloguing and supporting the best Apple programs in the U.K. The Apple Software Bank is more like an old penny bank than a major clearing bank, but we know you'll help it grow. Telephone Stephen Derrick on 01-626-8121 to discuss your investment.

*ATTENTION ALL* Estate Agents, Employment Agencies, Yacht Brokers, Antique Dealers and Motor Traders.

Find out about *FINDER SOFTWARE!*

## **SOME BLUE CHIPS**

*TESKIM*. This ROM will simulate the Tektronix 4010 family of graphics terminals. It's rather good!

*UPPER LOWER CASE ADAPTOR* A chip for the chap considering word processing.

## **NEW ISSUES**

We are continually trying to bring the latest add-ons for your Apples. Please phone for the latest product information and data sheets.

## **NEW PRODUCTS**

*8" SHUGART DISKS* giving 1.2 Megabytes A twin drive (with room for a third.) disk system with controller and software, give tremendous commercial possibilities. £2350 Excl. V.A.T.

*WORD PROCESSOR*. Ask about our Apple II Plus word processor package. Complete System with Diablo 1650 Daisy-Wheel Printer. £4250 Excl. V.A.T.

*PERSONAL COMPUTER PRINTERS*. Sensational 40 & 80 Character printer (graphics options) from £243 Excl. V.A.T. Interfaces for Apple, Pet & TRS 80. High quality silent printers. It's your choice!

*A/D BOARD* At last we have either an 8 bit or 12 bit A/D card for Apple. Excellent spec from £125 Excl. V.A.T.

*APPLE PASCAL* £296



## Personal Computers Limited

194-200 Bishopsgate, London EC2M 4NR.

Let us advise you about *COLOUR DISPLAY* on your Apple. Contact Technical Services.



● Circle No. 203



# Upsetting the Applecart

Dave Hebditch talks to Andre Souson, the President of Eurapple and gets some tantalising glimpses of unripe fruit.

**DH** AS YOU MUST BE AWARE, Eurapple has been in the news recently concerning changes in your general marketing approach. For the benefit of the readers of *Practical Computing*, I wonder if you could explain exactly what Eurapple is, and the nature of your marketing policy with respect to Europe?

**AS** Certainly. Eurapple is a separate legal entity from Apple Computer Inc. We operate as the international division of Apple and we are responsible for the marketing (and the engineering, if needed) of the units to be exported everywhere in the world with the exception of Japan and Canada. We will soon set up our own subsidiary in Japan.

You mentioned that there has been a change in my general marketing policy in the UK: we changed our distributor. We are a young company, just two years old. We took the risk and the challenge to start marketing world-wide at the same time that we started marketing in the United States (which was July 1977).

I made this recommendation to Apple at the time because I strongly believed that we had to establish a base for the competition which was going to come and which already had distribution outlets (although these outlets were not for computers but, in the case of Commodore, calculators and for Radio Shack, electronic hardware).

At about the same time, we were approached by ITT Consumer Electronics in Europe who asked if we would enter into a manufacturing licence agreement with them. So we entered into a non-exclusive agreement with ITT by which they have the right to manufacture the Apple II and sell them in Europe only.

Now, we happen to be a very ambitious company. And we have to work very hard to justify these ambitions.

**DH** How do you see the world-wide market for the home computer?

**AS** Talking personally, I have yet to see any kind of evidence that there exists a market for the so-called 'home computer'.

**DH** So how would you define a home computer?

**AS** I have not yet found a definition for it, and I can tell you that we have people in this company searching desperately for a definition and one

day we are going to find our own definition.

But that day is not here yet and certainly we will not come with any definition of this market before we see how people who have cautiously entered the home computer business, namely Mattel, Texas Instruments and Atari, are going to fare.

**DH** Are you really talking about pricing policy here? Are you suggesting that in order to compete in the home market place, it will be necessary for Apple to enter into a fairly severe price-cutting exercise in order to stay with Atari and the others?

**AS** No, I don't because the price of the Atari and the others is not drastically different from the price of the Radio Shack or Commodore or even the low-end Apple. But it seems to be a question of performance; it seems to be a question of hardware/firmware/software choices — do you go ROM or don't you? Do you go tape cassette or do you go disk? What are you going to do with it? Do people want it?

So for the home computer right now, there are question marks and I believe that the industry as a whole is going to try and respond to these question marks. We are watching the companies who have already entered the field very closely and at the same time continuing to have a group of engineers working on what they think (we give them free range), is going to be the home computer of the future.

But what we are now at Apple is a 'personal computer' company and by 'personal' I mean that we are making computers that will be used by individuals not by a group of persons. Ideally, the business computer that Apple is going to make will be desktop stations, single-station computers, even if they are linked by a net. And all other segments of the industry, that is education, scientific and industrial, hobby and personal entertainment will be the same thing.

## More performance, lower cost

We think that the market in this field is enormous. I think that the phenomenon of personal computers is due to the fact that you can, through



André Souson

technological advance, manufacture more performance in computers at significantly less cost, than was possible 10 years ago.

Speaking as an individual, not as a company man, I question myself and say, why does Apple exist? I think it is a legitimate question when you see that there are companies like IBM, DEC, Data General, Hewlett Packard and many others. I think that the reason that Apple exists and survives is that these companies could not afford overnight to cut prices so that the new line of products would compete with the Apple, without jeopardising their previous line of products.

**DH** As you suggested earlier, Apple is fairly price competitive in the US with Commodore, Tandy and the rest.

**AS** They are less expensive if you take the system complete. If you take the 32K Apple-plus and a disk, there is no question that we are less expensive.

**DH** Unfortunately, that is not true in the UK and Europe generally. If one makes a comparison between the Apple and the PET (and this might be a little unfair because Commodore actually assemble the PET in the UK)...

**AS** ... they have closed and sold their plant in the UK in Eaglescliffe...

**DH** That's not true. My understanding is that they have relocated it to Slough and I have actually been there and seen them assembling PETs in their factory.

# MEET THE FAMILY



## ... THERE MUST BE ONE HERE FOR YOU

The Exidy family is a sophisticated range of products designed to meet the ever increasing variety of computing needs including home and business uses, educational and laboratory applications, industrial process control, etc. The Exidy range has been designed with built-in growth capacity to take the risk factor out of computer investment. The Sorcerer Computer now has a memory expansion capability from 8K up to 48K within its own cabinet, enabling the system to grow with your needs plus the ability to add many additional plug-in facilities such as disk drives, printers and pre-programmed ROM PAC's. All Exidy products are backed up by a 12 month warranty covering both parts and labour. The Exidy Sorcerer provides a standard typewriter keyboard plus a 16 key numeric pad. Connections are provided for future expansion within the keyboard unit.

If you want an accounting machine, a word processor, or a program development system, the SORCERER offers all of these within the same unit.

The Word Processing ROM PAC allows you to create, edit, re-arrange and format text. The operator's work is displayed clearly on a screen—you can see the whole of an average business letter—correct mistakes—re-arrange it. Once perfected—press a key and the printer will type a perfect letter in record time—as many times as you like—no wasted letterheadings. Features include auto wraparound, dynamic cursor control, variable line length, global search and replace, holding buffer for re-arrangement of text, right justification, line width and line to line spacing, underlining or boldfacing, text merging and a macro-facility permitting tasks such as formletter typing, multiple column printing or automatic forms entry.

### Now contact your nearest dealer:

#### The NORTH

ANDOR ELECTRONICS LTD., 11 The Precinct, Romily, Stockport. 061430 4770  
BASIC COMPUTING, Oakville, Oakworth Road, Keighley, W. Yorkshire. 0535 65094  
E. S. MICROCOMPUTERS, 7 Berkeley Precinct, Eccleshall Road, Sheffield S11 8PN. 0742 668767  
GLYSTHYDON LTD., Nook Farm, Rake Lane, Warton, Preston, Lancs. 0772 633138  
MICRODIGITAL, 25 Brunswick Street, Liverpool L2 0BJ. 051 227 2535  
MICROPUTE, 7 Westbourne Grove, Manchester M20 8JA. 0625 612 818

#### MIDLANDS

H. B. COMPUTERS, 22 Newland Street, Kettering, Northants. 0536 83922  
M&R SYSTEMS, Westgate House, 23 Leverington Road, Wisbech, Cambs. 094571 2741  
MIDLAND MICROCOMPUTERS, 1 Cherry Wood Drive, Aspley, Nottingham. 0602 298 281

#### LONDON and the SOUTH EAST

C. C. S. MICROSALES, 22 Westside, 60 Fortis Green, London N2 9EN. 01 444 7739  
MICROBITS, 34b London Road, Blackwater, Camberley, Surrey. 0276 34044  
SLOUGH MICROSHOP, 120 High Street, Slough, Berks. 0753 27991  
HOME & BUSINESS COMPUTERS, 445 High Street, Manor Park, London E12. 01 471 1323  
E. M. G., 30 Heathfield Road, Croydon, Surrey CR0 1E4. 01 688 0088  
G. P. W. ELECTRONICS, 146a London Road, North End, Portsmouth, Hants. PO2 9DJ. 0705 693341  
INFORMEX LTD., 61 Harland Avenue, Sidcup, Kent DA15 7NY. 01 300 0380  
NEWBEAR COMPUTERS STORE, 40 Bartholomew Street, Newbury, Berks. RG14 5LL. 0635 30505  
N. I. C., 27 Sidney Road, London N22 4LT. 01 889 9736  
TVJ MICROCOMPUTERS, 165 London Road, Camberley, Surrey CU15 3JS. 0276 62506  
WOODSTOCK COMPUTER SERVICES, 44 Hoggarden Road, Tunbridge. Kent. 0732 355349

#### WALES and the WEST

CAR RADIO LTD., St. Lawrence Yard, North Hill, Plymouth, Devon. 0752 69097  
ELECTROPRINT, 5 Kingsdown Parade, Bristol BS6 5WD. 0272 292375  
TRYFAN A. V. SERVICES, 3 Swifts Buildings, High Street, Bangor, Gwynedd LL57 1UW. 0248 52042

Or send coupon  
for further information to:

#### SOLE DISTRIBUTORS

Geoff Wilkinson  
LIVEPORT DATA PRODUCTS  
The Ivory Works, St. Ives, Cornwall.

PLEASE SEND DETAILS OF THE EXIDY RANGE

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

• Circle No. 181

PRACTICAL COMPUTING January 1980



**AS** Until very recently, the starting price for an Apple in the UK has been about £850, depending upon what the dealer wants to offer, and to this has to be added a monitor or colour TV of some kind which can then take the price up to over £1000. The equivalent Commodore price is about £600, which is a quite significant difference.

**AS** For which PET?

**DH** The standard 16K model.

As an Apple user myself, I share the concern of many *Practical Computing* readers that there seems to be a very major mark-up in the price and it is my understanding that in the past Apple have been providing to the European market systems at a price which is equivalent to the U.S. end-user price.

Not unexpectedly perhaps, this has created a certain amount of concern. As the European market-place develops, do you see that there is any way in which this price can be reduced somewhat, so that it is more on a par with the US price?

**AS** David, there are a number of assertions in what you have just said that I would like to answer. Firstly, I would like to clarify what you said about Apple Inc, supplying systems to Europe at the same price as the U.S. Can you clarify this?

## System cost to end-user

**DH** The price to the distributor in Europe has been approximately equivalent to the US *end-user* price.

**AS** Absolutely not. The price to a distributor in Europe is less than the dealer price in the United States. Let me comment on this. I know that a person like you who is familiar with international marketing will understand.

Two years ago when we started, we were a new company with an unknown product. A company in this situation does not arrive in Europe to meet experienced distributors and say 'here is my marketing policy' because he does not know what he should be asking for in his product.

Therefore, it took us a while to learn about our distributors and how to work with them and to understand our dealers and the market place. How we understand what the distributor and dealers need as a margin to operate. Now we understand what kind of support they both need and also what the customer needs.

For example, we have (about four months ago) begun to implement both in the United States and overseas, very clear marketing policies and procedures. We are implementing a service policy which guarantees the

end-use a 24-hour turnaround time anywhere in the world.

## "Unlimited" two-year guarantee

We are so confident in this policy that soon we will introduce a two-year extended warranty on the Apple which will provide the end user with unlimited labour and parts for two years for a very modest amount, something like \$200 to \$300. This is the result of expensive work which has been done by a remarkable man, Mr. Will Houde who was hired by us back in February and who came from Hewlett Packard and is our new world-wide service manager.

Now, we have several hundred dealers to train in the United States and we have the same amount to train in Europe, so it will take some time to implement this policy. But it is there. In the UK, Microsense has begun to implement this plan.

On this question of pricing, we are not selling the same Apple in countries which have either PAL or SECAM or 220 Volts. Here I am showing you a PAL TV set and I want you to be the first person to see the brand new PAL colour card.

**DH** This is a lot smaller than the original one.

**AS** My first card made in July 77 was brute force. I took the MGSC demodulated and remodulated it in PAL. This one uses custom integrated circuits and there you see some high resolution graphics using it.

**DH** That is far superior in quality to the present card.

**AS** That is even better quality than the NGSC.

**DH** Will this be available as an up-grade to existing users?

**AS** That is right. It will be available by the end of October. There is no way anybody can make better than that.

**DH** I can certainly commend that to the readers.

**AS** We do not make the same Apple therefore. The Apple that we make for Europe, instead of having the 525 lines, has 625 lines of TV scan.

People tell me it is easy to do on our boards, but it is not true. We do this and that with a few wires on the board but in addition we change the crystal. The crystal must have an *extremely* accurate frequency. We have to make one or two circuit variations; instead of using the standard TTL we use Schottky TTL for the speed.

So there are differences. On 90% of all the TV sets and 90% of all the conditions, just a crystal change

and the wires on the board will do the trick. Sometimes 10% will need the extra things doing. It costs us in manufacturing costs something like \$60. And plus the cost of the 220 volt power supply which is significantly more (something like 50% to 60% more than a U.S. power supply).

**DH** But even if that and the video card were together double the U.S. price, that is a very small contribution in what is a fairly major price difference, and we are talking about almost double the price in Europe.

**AS** Let me further comment on that. The video card is an add-on, so let's not even talk about the cost of this. Today the cost of the Apple is £750 for 16K. This translates exactly after Custom Duties (but without VAT) to something like \$1600. Take about 16% import duties out of that and you get \$1309. It cost me about \$80 more in manufacturing costs. At retail prices we are going to end up with a difference of something like \$150 to \$200. So take the Apple's US price of \$1200, add \$180 and you get \$1380. You will not find a price difference of more than 25/30% between US and European dealers.

It costs a lot of money to market overseas.

**DH** One way of getting around import duties and shipping costs would be to manufacture within the EEC. Are there any prospects of that?

**AS** I think this is true in principle but I do not think it is true in reality. To give you an example, only 25% of the components used in the Apple are readily available in the EEC. Some of them are not even available in the US — we have to import them from Japan.

**DH** A large proportion of the manufacturing costs must be the assembly costs, especially the labour.

**AS** The labour is very little in Apple. We have optimised this process to such a point that the labour is not really an important factor. We do have prospects to diversify our source of manufacturing because we believe that the quality will be very important and our interests would be in several locations, and certainly the EEC is under consideration, but the reason is not going to be cost-cutting.

As a matter of fact, I believe that our costs will increase if we manufacture in several places because of the hassle of communication and the transfer of know-how and so forth.

**DH** What sort of time-scale are you talking about, or is it too early to decide?

**AS** I think that we will have firmed up plans before the end of 1980.

**DH** The other consideration that comes

to mind is the general developments within the corporation over the next period. You did speak earlier on about the question of what is a home computer and it is fairly obvious that a lot of people who went into the business specifically to make a computer for people to use at home (if I can make my own definition), have subsequently found that the vast proportion of their market place is with small businesses. What sort of proportion do you have roughly between the home market and the business environment?

**AS** North America or Europe?

**DH** Both.

**AS** They are very different. In the United States the hobby market today (although the percentage is increasing) is approximately 35%; in Europe it is 5%. In the US we are penetrating more and more strongly the business market because that is the way we are going to develop.

### Professional users

Or perhaps I should say the professional market — let's not make a difference between an accounts office and the needs of a lawyer's office. In Europe I dare say that 70% of everything I sell finds its way into professional usage. The rest is made up of educational and other sales.

**DH** I hate to bring the price question up again, but do you think that is a reflection on the differences in disposable income between Europe and America? Is it a system that can be afforded really only by small businessmen in Europe on a large scale.

**AS** Curiously enough, I must say that I am amazed to see the number of Apples that we are selling in Europe at that price. Mostly, we are not selling to companies, we are selling to individuals.

**DH** What I am trying to assess is whether it is a matter of affordability and available money or awareness on the part of the small business community of the possibilities of computer systems.

**AS** It is probably a combination of both of these things, David. But no, I do not want you to have this hang-up on the price. There was another statement which you made earlier that I did not answer. You told me that the PET starts at £600 and Apple starts at £750 (I will not mention the colour card because the PET has no colour). Then you say 'Fine, let's add a £200 black-and-white monitor and then you are at £950 versus £600.

All right, to add memory to the PET you can only add 16K to begin with.

But it will cost you something like £200/£300? To add 32K memory to a 16K Apple today costs you £138. And you can go to 48K and 64K with the language card if you want to.

**DH** I think your PET prices might be a little high but I accept your point about expansion capability. When you said you were going to concentrate on the business market place in terms of product development, are you able at this time to give any ideas of what that is going to mean in practical terms? What sort of products are you thinking of?

### New Apple

**AS** I am going to break the rules, but after all you are from Europe, and Europe is our province. By April of next year, you are going to see a new model. I am not saying something that will replace Apple II, we believe that Apple II will have a life even longer than we anticipated before. It is a very reliable and powerful computer. We will announce an additional model with a price up to twice that of the Apple II and it will have many more features than Apple II.

To give you an example, an absolutely fully-fledged keyboard; a lot of internal memory; an 80-character-wide screen with text and graphic combinations in colours; upper/lower case, etc. It will be compatible at a software level with the Apple II.

At the end of 1980 you are going to see, we hope, a totally innovative product that will be a very good business computer. This will be based upon an entirely new architecture, not on the 6502. I want to add that we have selected PASCAL as the language that all our future machines are going to support primarily. All our future machines are going to speak BASIC, FORTRAN and maybe other languages, but PASCAL is the language for us.

**DH** That is very interesting. I think that the present very high level of interest in PASCAL is well justified. It has a similar ease of use as BASIC but its structured elements make it a much more sensible language . . .

**AS** . . . it is a little less friendly than BASIC . . .

**DH** . . . it is less friendly but then try to key-in COBOL. It seems to be a good compromise but it is very much a language for experienced programmers.

### Language of the future

**AS** It is the sort of language that a lot of people believe is going to be the basis of all the languages of the

future. So that is what I can tell you; we are evolving towards the high end of the market.

At the same time, as I mentioned at the beginning, we are not ignoring the very low end. If there is such a market for the so-called home computer (which makes sense for us — meaning that it will not be a high end video game or a toy) then we will be in it with what we think will be the best product.

**DH** But the priority in the short term is going to be in the personal computer for the professional market?

**AS** Yes, because we do not yet see any evidence of the 'home' market.

**DH** If and when the home market develops, will you respond to that with a particular model of the Apple?

**AS** I am not sure it would be a particular model of the Apple. I think we have on the drawing board something which is radically different from an Apple; it would not be a cut-down version of the Apple II. It has to serve its own needs . . .

**DH** Do you see Apple sticking with mos technology components for the medium term?

**AS** We will certainly remain with the 6502 for the Apple II and for the next version. After that an eight bit micro has limitations that do not permit the architecture that we want to build.

**DH** Would you like to be more specific there? Are you talking about a lot more memory or a lot more precision? Or both?

### Register architecture is dead

**AS** I am talking about two things. First of all, we may not want to build a machine that is based on register architecture. That is the main philosophical concept. The MOS Technology 6502 is very nice but it has addressing modes that are not very useful. The 6809 is far superior in terms of addressing modes. You can do off-sets and branches in much better fashion.

But I think the real question is do you want to build the machine around a register architecture or not? And I think the answer is 'no'!

**DH** We will see changes in the product line approach generally in terms of types of systems that you are offering but also see what sound, at the moment, to be quite radical changes in the architecture. This would be some years off?

**AS** This would be only 15 months off. The machine that I am talking about which for us is a totally innovative machine is some 5% completed right now, but the architecture is designed. We hope that it is going to be a nice machine for the user. □



The microcomputer for those who need more than the minimum. The right processor for business, scientific and educational use. Proven applications include Games

- Educational • Word Processing • Invoicing • Stock Control
- Sales Ledger • Purchase Ledger • Mailing • Scientific.

**The Horizon computer includes:-**

**Specification**  
Zilog Z80A MPU • S-100 bus (12 slots) • Solid well-built case • Up to four Shugart mini-floppy disc drives, 180KB each • Serial port for CRT or Teletype • Real-time clock on motherboard •



Optional additional serial port and parallel port • Powerful operating system and monitor • Access to wide range of S-100 special application boards.

# THE NEW HORIZON

## Languages

Powerful Basic including sequential and random access disc files • formatted output • strings • line editor • machine language CALL • many other facilities. Optional additional software (under CP/M operating system) includes BASIC

compiler. FORTRAN and COBOL.

Horizon System (hardware) with 48KB RAM, dual minifloppy drives, VDU & 150 eps printer — £4,658 (VAT and carriage extra).

Equinox Computer Systems Ltd.

"Kleeman House"  
16 Anning Street,  
New Inn Yard,  
London EC2A 3HB.  
Tel: 01-739 2387/9.  
01-729 4460.

• Circle No. 182

## MICRODIGITAL BOOKS

BEST SELECTION-BEST PRICES-BEST SERVICE  
25 Brunswick Street, Liverpool 2 Tel: 051-236 0707 (Mail Order)  
051-227 2535 (All Other Depts)

Accounts Payable & Accounts Receivable, Poole/Borchers £9.95	Best of Creative Computing Vol. 1, AHI Ed. £6.95	Content Addressable Parallel Processors, Foster £11.20	57 Practical Programs, Tracton £6.40	Interface Circuits Data Book, Texas Instr. £2.80	Microprocessor Interfacing techniques, Zaks £7.95
Active Filter Cookbook, Lancaster £10.90	Best of Creative Computing Vol. 11, AHI Ed. £6.95	Computer Dictionary (Name) £6.95	First Book of Kim, Butterfield Et Al £7.00	Introduction To Artificial Intelligence, Jackson £14.80	Microprocessor Lexicon, Sybex £2.00
Adaptize Info. Processing, Sampson £8.75	Bipolar Microcomputers Components Data Book, Texas Instruments £2.40	Computer Dictionary & Handbook £11.99	Fortran Colouring Book, Kaufman £5.56	Introduction To Computer Programming, Crawford/Copp £4.75	Microprocessor System Design, Klingman £14.00
Advanced Basic, Coan £4.00	Byte Book of Computer Music, Morgan £7.00	Computer Camelot £5.45	Fundamentals of Data Structures, Horowitz & Sarni £15.00	Introduction To Microcomputers Vol. 0, Osborne £5.95	Microprocessors At A Glance £3.50
Algorithms & Data Structures Equals Programs, Wh £13.60	Beginners Glossary and Guide £5.75	Computer & Proc. Guide for Engineers, D. Spencer £9.45	Fundamentals of Computer Algorithms, Horowitz & Sarni £15.00	Introduction To Microcomputers Vol. 1, Osborne £5.95	Mind Appliance, Lewis £4.75
Anatomy of a Compiler, Lee £15.00	Beginning Basic £7.50	Computer Lib £2.95	Fundamentals and Applications of Digital Logic, Libes £6.00	Introduction To Microcomputers Vol. 1, Osborne £5.95	Modern Operational Circuit Design, Smith £18.60
ApI. — An Interactive Approach, Gilman & Rose £9.50	Best of Byte Vol. 1 £8.45	Computers for the Physicians' Office £15.50	From The Counter To The Bottom Line, Warren & Miller £8.75	Introduction To Microcomputers Vol. 2, Osborne £5.95	Mondeh M6800 Monitor/Debugger, Peters £3.50
Artificial Intelligence, Winston £12.00	Basic — A Unit for Secondary Schools £15.50	Computer Quiz Book £5.45	Fundamentals of Digital Computers £7.25	Intro To Personal & Business Computing, Zaks £4.95	Microprocessors At A Glance £3.50
Artist and Computer, Leavitt £3.90	Basic Programming £6.95	Computer Programs That Work In Basic £4.95	Fortran Programming £6.75	Intro To Prog. Prob. Solving With Pascal, Schneider Et Al £7.20	Microform (TM) £2.95
Art Computer Programming £9.50 S/B	Basic Primer, Wallis & Parise £6.95	Computer Programs That Work In Basic £4.95	Fortran Workbook £4.75	Intro To Personal & Business Computing, Zaks £4.95	Microsoft (TM) Basic £7.00
Art of Computer Programming Vol. 1, Knuth £17.50 H/B	Charging for Computer Services, Bernard £8.00	Computer Programs That Work In Basic £4.95	Fortran Fundamentals £3.45	Intro To Prog. Prob. Solving With Pascal, Schneider Et Al £7.20	Microprocessor Basics £7.60
Art of Computer Programming Vol. 2, Knuth £16.45	Cheap Video Cookbook, Lancaster £4.90	Computer Music £7.00	Fortran With Computers & Basic £5.45	Introduction To Basic £7.15	Microprocessor Data Manual £7.60
Art of Computer Programming Vol. 3, Knuth £16.45	Chemistry with a Computer, Cauchon £7.30	Computer Data Directory £3.98	50 Circuits Using 7400 Series IC's £7.50	Interfacing & Communications £4.95	Micro For Business Applications £7.15
Assemble Level Programming For Small Computers, Wellet £12.76	Chess and Computers, Levy £7.00	Computer Race In board game £6.95	Fortran Fundamentals A Short Course £2.95	Introductory Experiments In Digital Electronics Vol. 1 £8.75	More Basic Computer Games £5.50
Analysis and Design of Digital Circuits and Computer Systems £16.40	Chess Skills in Man and Machine, Frey Ed. £11.50	Content Addressable Parallel Processors £11.00	Game Playing With Basic, Spencer £5.50	Introductory Experiments In Digital Electronics Vol. 2 £7.75	Microcomputer Potpourri £1.75
APL Implementation £14.75	Circuits Circuit Celler, Clarcia £5.60	Designing With TTL Integrated Circuits, Texas Instruments £24.80	Game Playing With Computers, Spencer £10.20	Introduction To TRN-80 Graphics £5.25	Microprogrammed APL Implementation £14.75
Accent on Basic £6.95	Cmos Cookbook, Lancaster £7.50	Design Of Well Structured Programs, Alaga £10.00	General Ledger, Poole & Borchers £9.95	Instructor's Manual For Fortran Programming £6.95	Mos Memory Data Book £7.45
About Computers £6.95	Collection of Programming Problems and Techniques, Mauer/Williams £12.00	Dictionary of Microcomputing, Burton £10.00	Getting Involved With Your Own Computer, Solomon Ivet £4.75	Illustrating Basic £2.25	Mos Memory Encyclopedia Vol 2 £7.45
Active Filters £7.15	Computer Crime, Bequa I £12.00	Digital Computer Fundamentals, Boyce £14.25	Guided Tour Of Computer Programming In Basic, Dwyer/Kaufman £4.00	IC Op/amp Cookbook £8.95	Math Elements For Computer Graphics, Adams £10.40
Analog/Digital Experiments £4.16	Computer Lih/Dream machines, Nelson £5.95	Dr. Hobbs Journal Vol. 1, Edit. Warren £10.00	Getting Acquainted With Micros £7.95	IC Timer Cookbook £2.40	9000 Family Systems Design & Data Book, Texas Instr. £7.95
A Guided Tour of Computer Programming in Basic £4.16	Computer Models of Thought and Language, Edit. Shank £17.00	Digital IC Equivalents & Pin Connections, BP40 £1.25	Guide To Nimp Programming £4.00	Introduction To Microprocessors & Computing £2.40	1976 US Comp Chess £4.75
A Quick Look at Basic £4.45	Computer Power and Human Reason, Weizenbaum £4.76	Digital IC Equivalents & Pin Connections, BP41 £1.25	Games With A Pocket Calculator £1.75	Kim 1 — Users Manual £5.00	NCR Basic Electronics £7.15
Apple II Operators Manual £5.50	Computer Resource Book Algebra, Dwyer & Crichfield £4.00	Designing M/Computer Systems, Udo W. Pooch £5.40	Games, Tricks & Puzzles For A Hand Calculator £2.40	First Book Of Kim £7.00	NCR Data Processing £6.35
Apple II Integer Basic Manual, J. Raskin £3.55	Computer Science A First Course, Forsythe £15.00	Editor/Assembler Systems for 8080/8085 Based Systems, Wellet £11.96	How To Build A Computer Controlled Robot, I.ool Bouran £5.95	Linear Control Circuits Data Book, Texas Instruments £2.40	Nascom 1 — Hardware Notes £1.50
Apple II Applesoft Extended Basic Manual, J. Raskin £5.75	Computer Science Programming In Fortran IV, Forsythe £7.80	8080/8085 Programmers Pocket Guide, Scilbi £1.95	How To Profit From Your Personal Comp., Lewis £5.50	Link 68 — An M6800 Linking Loader, Grappel/Hemenway £5.50	Nascom 1 — Seminar Notes £1.50
Advanced Business, Billing, Inventory, Investments, Payroll £26.95	Computer Science Projects and Study problems, Forsythe £8.75	8080/8085 Programming for Logic Design, Osborne £5.95	How To Program Microcomputers, Barden £7.50	Little Book Of Basic Syst., Nevson £4.75	Optoelectronics Data Book, Texas Instr. £2.80
An Introduction to Your New Pet £1.00	Concurrent Pascal Compiler, Hartmann Ed. £6.40	8080/8085 Assembly Language Programming, Loventhal £6.95	How You Can Learn To Live With Computers, Kleinburg £7.00	Linear IC Principles Experiments, And Projects, E.M. Noll £7.16	Osborne Updated Subscriptions Vol. 2 (6 issues) £18.95
APL Implementation £14.75	Conference Proceeding of the 1st West Coast Computer Fair, Warren Ed. £9.56	8080/8085 Software Design for beginners, K. Santore £5.10	How To Buy & Use Minis & Micros, W. Barden £7.50	Math Elements For Computer Graphics, Adams £10.40	Vol. 3 (6 issues) £18.95
APL Implementation £14.75	Conference Proceeding of the 1st West Coast Computer Fair, Warren Ed. £9.56	8080 Machine Language Programming for beginners, K. Santore £5.10	How To Build A Working Digital Computer £4.60	Microcomputer — Based Design, Peitman £8.00	Vol. 2 & 3 combined £30.00
APL Implementation £14.75	Conference Proceedings of the 3rd West Coast Computer Fair, Warren Ed. £9.56	8080 Microcomputer Experiments, Hoyt £10.25	How To Package Your Software £2.50	Microcomputer Handbook, Sippl £15.96	Binders 2 & 3 (combined which) £5.75
APL Implementation £14.75	Consumer Guide/Personal Computers & Micros, Freibergers/Chew £5.00	8080 Standard Monitor £9.95	Home Computer Revolution, T. H. Nelson £2.75	Microcomputer Primer, Wallis £6.35	Pascal User Manual & Reports, Jensen/Wirth £5.52
APL Implementation £14.75	Consumer Guide/Personal Computers & Micros, Freibergers/Chew £5.00	8080 Standard Editor £9.95	Home Computers: A Beginners Glossary And Guide, M. Miller £4.95	Microelectronics, ScientificAmerica £3.25	Payroll With Cost Accounting, Poole/Borchers £12.00
APL Implementation £14.75	Consumer Guide/Personal Computers & Micros, Freibergers/Chew £5.00	8080 Standard Assembler £9.95	Hobby Computers Are Here £3.95	Micro Problem Solving Using Pascal, Bowles £7.50	
APL Implementation £14.75	Consumer Guide/Personal Computers & Micros, Freibergers/Chew £5.00		Incredible Secret Money Machine, Lancaster £4.75		

WELCOME  
Prices include Postage and Packing anywhere in the UK.

• Circle No. 183

A. C. Kilgour, who works at the University of Glasgow's Computing Science Department, describes what the future holds for applied computing graphics and details some of the books to read for further enlightenment.

# Speak, memory . . . . . . draw me a picture of the real world

IVOR SUTHERLAND was the first to demonstrate the potential of computer graphics as a new means of man-machine communication in the early sixties. Working at MIT, his thesis *Sketchpad, A Man-Machine Graphical Communication System* (MIT 1963)\*created a big impression at the time and a rapid expansion in graphics applications was predicted. It was recently republished in book form by Garland Publishing Inc, 545 Madison Avenue, New York, NY 10022 (\$18) and is worth reading, especially by those new to the subject who want to see how much, or how little, progress has been made in sixteen years.

The predicted revolution following the publication of *Sketchpad* was rather slow in coming. Except in specialised high-budget applications like aircraft and automobile design, very little progress was made in the first ten years. With the benefit of hindsight, it is not difficult to see why. Refreshed displays of the kind used by Sutherland remained expensive.

Support for such displays requires a powerful processor dedicated to the graphics user, who much of the time might be scratching his head wondering what to do next. Perhaps most important of all, programming graphics systems was heavily device-dependent, so that every new system had to be built from scratch.

It is only relatively recently that the long-expected graphics boom has begun to take place. As explained below, the largest single factor has been the drastic reduction in the cost of computer memory. Great strides have been made in establishing a sound basis for graphics programming. But moves towards standardisation have frequently been overtaken by advances in hardware which introduce facilities not catered for in the standard. In addition the increasing moves towards realism in graphical output have revealed problems which were of no concern five years ago, when nearly all graphical output was of the "line-drawing" variety.

## Types of graphics device

As with ordinary character terminals, a fundamental distinction is between *hard copy* devices, which produce a permanent record on a piece of paper, and *soft copy* or display devices, where you can't take the picture home with you. For interactive graphics, some kind of display device is almost essential, because of the fast drawing speed and the ability rapidly to extend or modify an existing picture.

Even with a simple printing terminal, quite impressive "greyscale" pictures can be produced, particularly if overprinting is possible. Figure 1 shows an example. Every computer installation has its own collection, kept to impress visitors or amuse the operators when work is slack.

Although such pictures are mostly for entertainment, their method of production is of some interest. In effect the area of the original picture is divided into an array of cells, one for each print position on the device (for




Figure 1: Typical shaded picture obtainable on printing terminal.



example  $132 \times 66$  on a typical line printer page).

The "darkness" (or "brightness") within each cell, integrated over the area of the cell, is measured and expressed on an integer scale from 0 up to some maximum value, eg 3 or 15 (usually one less than a power of two). Then for each non-zero value on this "grey scale", a character or combination of characters is chosen which approximates to the corresponding darkness level. Printing these for each position gives the required approximation to the picture. Combinations of characters using up to four over-printings have been devised which give up to 127 different grey levels on common printing terminals.

In the process described above, we convert an "analogue" picture, ie one with (in principle) continuously varying grey levels, into a digital representation consisting of an array or "raster" of small numbers, one number for each cell or raster position. The success with which this process can be reversed, ie a satisfactory representation of the picture produced from its digital representation, depends on the resolution of the grid (the number of raster positions) and the number of grey levels.

A minimum of  $256 \times 256$  raster positions with 16 grey levels (0 to 15) is required for good quality reproduction of a TV-quality monochrome picture. This is a lot of data ( $2^8 \times 2^8 \times 2^4 \times 2^{20}$  bits = 1 million bits or 128Kbytes), exceeding the total memory capacity of most micros and many minicomputers. It is only because of the dramatic reduction in the cost of memory that this form of picture representation now forms the basis of many low cost graphics systems.

Mini-Explor is a package of Fortran sub-routines for generating and manipulating pictures represented as a grid of up to  $140 \times 140$  cells, with four grey levels. It was developed by Ken Knowlton of Bell Laboratories, and has been used for computer graphics teaching, and for experiments in computer art. The package consists of about 430 lines of standard Fortran, and can drive any hard-copy device capable of overprinting. It is not suitable for most VDUs, which allow only one character to be drawn at each screen position.

For details of availability write to Ms Irma Biren, Computing Information Service, Bell Laboratories, 600 Mountain Avenue, Murray Hill, New Jersey 07974. A minimum of 16K bytes of memory is required to run the package with a reasonable-sized calling program. It provides a useful introduction to grey-scale graphics if you already have a printing terminal.

## Plotters

Plotters come in many shapes and sizes. As well as being used to produce "grey scale" pictures as described above, a printing terminal can also be regarded as a simple plotter. As such, however, it suffers from two disadvantages. The first is the limited resolution — normally only 10 points per inch can be plotted (printed) in the horizontal direction, and 6 per inch in the vertical direction.

This means, for example, that only a crude approximation is possible to a straight line. Special graphic printing symbols, representing short line segments at various angles, can alleviate this difficulty to some extent, but the results are still far from ideal.

The second disadvantage is that the characters for printing have to be presented to

the terminal in line order, and usually also in left-to-right order on each line (although it may be possible to scan the same line several times). It is not in general possible to move the print-head back to a position on a preceding line.

Since a program-producing graphical output may generate lines in any order, this means it is necessary to hold in computer memory a "map" of the page, with a representation of what is to be printed at each position. Only when the picture is complete can this map be scanned to produce the printed picture.




Figure 2: Pattern produced on Diablo Hitype printer with fine spacing.

On the daisy-wheel printers (eg Diablo Hitype or Qume) which form a part of many word processing systems, much greater precision is usually available in positioning the print head (typically 60 or 120 positions per inch horizontally and 48 per inch vertically), and depending on the type of paper-feed mechanism, it may be possible to move arbitrary distances back up the page as well as down.

Although these refinements are intended to facilitate typesetting applications, they allow such a printer to be used for quite respectable plotting applications, although since in general lines must be generated by printing adjacent dots, the output rate is slow. Figure 2 shows a pattern produced on a Diablo Hitype I.

The simplest type of pen plotter is the "chart recorder" used on many measuring instruments. Where the position of the pen is determined by two independent analogue voltages, the term "XY plotter" is usually applied. Such plotters are available with a range of plotting areas. Prices range from around £1000 upwards.

For a computer control some form of D/A converter is required. Packaged versions with built-in microprocessor performing line-drawing and character generation are now available for example from Hewlett Packard, Tektronix and Houston Instruments, at prices from £3000 upwards. The great advantages of these plotters is their fast drawing speed

(typically 15-20in per second) compared with the more conventional though more accurate, incremental plotters where the pen is moved in small fixed-size steps by two independent step motors.

Figure 3 shows a pattern generated on a Tektronix 4662 plotter. The pattern is a Sierpinski space-filling curve, details of which can be found, for example, in Wirth's book *Algorithms + Data Structures = Programs* (Prentice-Hall 1976). The plotter is driven by a 1200-baud serial line, and plotting time was approximately three minutes. The program to generate such curves is very straightforward provided you have access to a language which supports recursion. In more primitive languages, it is not so easy.

## Displays

The cathode ray tube is still the basis of nearly all currently available display devices. In spite of the high voltages required, and its relatively high power consumption, its flexibility and dynamic picture modification properties have not yet been rivalled. It is cheap because of the mass market for domestic television receivers, although this advantage disappears for applications requiring high precision or special phosphors.

The most common application of the CRT, apart from the domestic TV set, is the VDU (visual display unit) terminal. A typical VDU will have 24 lines of 80 characters, though in the hobby market terminals with a smaller character capacity are common. The basic VDU has the same limitations as a printing terminal when regarded as a device for graphical output, with the further disadvantages of generally smaller page size and the absence of overprinting — only one symbol can be displayed at each character position.

However, many VDUs have direct "cursor addressing", that is the "print" position can be moved under computer control to any nominated character position, described by its line and column numbers. This permits immediate output of randomly-generated graphical elements, without the need to store an internal page map.

Since the tube used in a VDU is very similar to that in a domestic TV, it is fairly easy to add colour without increasing the price too much. The use of colour greatly improves the subjective effect. It has been said that adding a selection of four colours is better than doubling the resolution on a monochrome display, though in practice the extent of the improvement depends on the type of picture being drawn.

Many colour systems developed initially as "mimic" displays for control systems are now being sold as general-purpose graphics terminals. Most of these can be regarded essentially as colour VDUs, with a few additional features to enhance the graphics performance. For a good survey of the operation technology and uses of VDUs, as well as a discussion on the alternatives to the CRT being investigated, see *Visual Display Units and their Application* edited by Derrick Grover, IPC Science & Technology Press, 1976.

Before proceeding to look in more detail at the extensions of the VDU type of system which offer true graphics capability and which are becoming increasingly accessible to the hobbyist market, it is as well to consider the different categories of display devices which are based on the CRT. The first major differ-



ence is between *storage* and *refreshed* systems.

On a storage tube, the picture once "painted" on the back face of the CRT by the electron beam, remains visible for up to an hour without further action by the controlling computer. Most storage tubes are of the "direct view" type ("indirect view" systems exist which use a small silicon target, the image being enlarged and made visible by a TV type scan conversion system), and Tektronix manufacture all the available terminals of this type.

The back face of the CRT in a storage tube is coated with a "bistable phosphor" so that the primary electron beam sets up a permanent charge distribution as it "paints" the picture. This distribution is made visible thereafter by a secondary "flood" beam of low-energy electrons, which reach the phosphor at the viewing surface only at places where a path has been "etched" for them by the primary beam.

For several years storage tube terminals provided the only means of obtaining high quality graphics at moderate cost, and there are still many applications for which they are the best solution. Prices range from around £2500 upwards.

Disadvantages of storage tube systems are poor contrast and the inability to modify the picture quickly (other than by adding more information). This is because there is no "selective erase" capability: if a part of the picture is to be removed from the display, the screen must be blanked out and the whole picture redrawn. Advantages are the high precision (750 × 1000 up to 3000 × 4000 approx) and unlimited information content, subject of course to overall resolution.

## Refreshed displays

On a standard TV screen, the electron beam is made to traverse the complete screen 60 times a second, using a scan pattern like that shown in Figure 4. During the left-to-right movement, the energy of the beam is modulated according to the external signal to give the required light intensity at each point on the screen. On an "interlaced" system, only half the available line positions are visited on each scan, the line spacing being twice the minimum. On alternate scans the start position of the pattern is displaced by one line space, so that lines missed on the first scan are filled in on the second.

This has the important consequence that on interlaced systems each position on the screen is visited only thirty times a second, even although the "refresh rate" is 60 times per second. Because of the very short persistence of standard TV monochrome phosphors, horizontal lines tend to flicker very noticeably when displayed on a standard monitor with interlacing. For this reason such systems usually use a monitor with the longer-persistence P39 green phosphor.

The method of traversing the screen on a standard TV system is referred to as a "raster scan", and displays based on such a system are called raster scan displays. The need for interlacing can be avoided if the resolution in the vertical direction does not exceed 320 or so lines, which allows standard TV phosphors to be used. The characteristic property of raster scan refreshed systems is that the complete area of the screen is traversed every refresh cycle (or every two refresh cycles on an interlaced system). The refresh rate is constant, and completely independent of the picture content.

The other major category of refreshed display system is variously called 'random

scan', 'calligraphic', 'cursive' or 'vector drawing' systems, although the last is somewhat misleading, since raster-scan systems can also draw vectors! The intention is to draw attention to the fact that a raster scan display can *also* fill areas.

On this type of display, which until recently was almost universal in applications requiring high quality or dynamic picture modification, the beam moves in accordance with instructions sent by the controlling computer, rather than in a preset pattern. These instructions will typically be to draw a line or a point or a character string.

Precision is usually 1024 × 1024 or higher, and there are several intensity levels. The complete list of instructions defining the picture is called a "display file", and has to be transmitted to the display at least 25 times per second to ensure a flicker-free picture. Because of this the display file is usually held in the memory of the controlling computer, and is accessed directly by the display using cycle-stealing.

The number of vector inches that can be displayed without flicker on such a display depends critically on the speed of line drawing, and because of this, and the high precision, such displays are usually expensive. Nevertheless, prices have come down and performances improved recently, and basic systems are now available starting at between £6000 and £7000.

## Frame stores

Returning now to the raster scan type of refreshed display, the representation of the picture is in terms of an array or raster of picture elements, or pixels as they have come to be called. The number of bits/pixels depends on the number of grey levels, colours and separately-addressable picture planes that are provided. The part of the system which holds

the information is called a frame store, or pixel store.

A scan conversion system generates from the frame store to a standard TV video signal at 60 frames/second. Any change in the picture definition held in the frame store thus appears on the screen almost instantaneously. The problem in generating dynamically-changing pictures is to update the frame store fast enough.

The amount of information held in a frame store is, by conventional standards, enormous. Only the dramatic reductions in the cost of memory have made the present situation possible in which frame stores for 256 × 256 or 512 × 512 precision are available at hobbyist prices. The advantages of using standard TV technology for the output end of a computer graphics system have been obvious from the start, but the storage problem has until recently inhibited development of such systems.

There have been successful systems which used a few adjacent tracks of a fixed-head disc for the frame store. The investment in the disc drive was economical provided a sufficient number of terminals were required, so that the per terminal cost was kept low. Typically a disc with 100 tracks might support 25 terminals. If the disc costs £15,000, it represents an additional cost of only £600 per terminal. For one-off systems, however, random access memory is the only feasible solution.

The two outstanding advantages of raster scan systems are the ability to fill complete areas, rather than generate only line diagrams, and the availability of colour at relatively little extra cost. The specification of colour in the frame store would seem to require many additional bits per element. At the simplest level, there could be a one bit for red, one for green and one for blue. This would give seven distinct colours, but the selection of colours available would be the same for all pictures.




Figure 3: Sierpinski space-filling curve (order 5).



Greater flexibility is obtained by having an index whose entries are pointers to colour definitions in a much larger table of possible colours, held for example in ROM. The colour specification in a pixel then selects an index entry, which in turn specifies the colour. By changing the contents of the index, the range of colours can be changed, although the total number of colours usable at any one time is still limited by the number of colour bits in the pixel.

A range of micro-compatible frame stores with video output is now available for the hobbyist market. These boards connect directly to a standard micro bus such as the S100, or interface to the bus of a mini such as an PDP 11 or Nova. An alternative is to purchase a "packaged" terminal with serial interface for attachment to any machine with a serial line port.

Such a terminal will have its own built-in microprocessor and frame store, and normally will incorporate automatic line and text generation (done by software of firmware in the micro), graphics cursor control, and perhaps also automatic curve generation and area filling.

The advantages of such terminals are considerable for those looking for an "off-the-shelf" system, but because of the packaging there is a loss of flexibility in that the user cannot normally access the microprocessor, and the speed at which the frame stored can be updated is limited by the speed of the serial line. Except for applications where high precision is important, raster scan terminals are replacing storage tubes as the most common low-cost graphics terminal for use with a time-sharing system or stand-alone mini or micro. Prices start at around £1600 for 256 x 256 monochrome terminals.

An interesting variation on the purchase of a complete terminal is a "black box" which, plugged between a VDU and the computer to which it is normally directly connected, converts the VDU to a 256 x 256 or 512 x 256 raster graphics terminal. The Sigma GOC 5200 is such a device (details from Sigma Electronic Systems Ltd, Church Street, Warnham, Horsham, Sussex), which is suitable for use with most common VDUs. For ADM 3A terminals, Lear Seagler offer the Retro-Graphics RG512, which is a 512 x 256 resolution system.

Since VDUs are not normally interlaced, it is not possible to obtain higher precision in the vertical direction using only the VDU screen. The Sigma GOC 5500 is a 512 x 512 system which requires a separate monochrome TV monitor for the graphics, while retaining the VDU screen for normal alphanumeric output. This has the advantage that the picture is not overwritten by transient text message from the computer.

## Problems in raster graphics

Since raster systems produce output on a more or less standard TV monitor, it is natural to ask: Can a computer generate images from internally-stored data which match the quality of the images derived from TV signals? Here there are two separate problems. The first is that of *static* picture quality, and the second of *dynamic* image modification. Solutions to the first are available, but a complete solution to the second is not yet in sight.

You do not have to go very far with a low-resolution raster scan display to hit some of the limitations to picture quality. Lines which are close to vertical or horizontal appear ragged.

There is severe flicker on horizontal lines if you use an interlaced system with a standard TV phosphor.

It is interesting that this effect is present on every domestic TV screen, but is hardly ever noticed because of the density of the picture and general irregularity of the outlines. Worst of all, spurious patterns may appear which are not present in the original pictures.

Figure 5 is a photograph of a pattern of straight lines drawn on a 512 x 512 raster scan display. Interference effects can be seen which are not part of the original picture, but arise because the lines are generated as a set of discrete points.

These effects become even more marked where shaded pictures rather than line diagrams are produced. This so called "aliasing" problem is discussed in a paper by Crow in the *Communications of the ACM, Vol 20, No. 11, pp 799-805* ("The Aliasing Problem in Computer-Generated Shaded Images"). A solution based on filtering is described in the paper, and the method is suitable for implementation in hardware. The purpose of such a filter is to 'smooth out' areas where there are sharp changes in colour or intensity, without losing accuracy, using information about points in the immediate neighbourhood of the discontinuity. Enhancements of this kind form an essential part of any raster graphics system required to produce high-quality shaded pictures.

The problem of generating dynamically-changing images on a raster scan system with frame store is severe. To move around simple line drawings is not too difficult — only a small part of the frame store needs to be updated. At the other extreme, however, for a complex shaded picture it may be necessary to rewrite the complete frame store between each scan — or during each scan if duplicate frame stores are available and double-buffering is used.




Figure 4: TV-type raster scan.




Figure 5: Straight line pattern drawn on 512 x 512 raster scan display.

Although techniques have been devised to reduce the amount of data to be written, and rewriting may be performed only every two or three scan cycles, the data transfer rates require are still enormous. For this reason, systems designed for dynamic transformation of shaded pictures have abandoned the frame store, and attempt to drive the display directly from a higher-level picture description.

Prof Grimsdale's group at Sussex University is developing a system based on hardware modules known as zone management processors. Each module is responsible for the display of one or more plane polygonal areas (zones) of constant colour and intensity. By giving each zone a priority associated with its distance from the viewer, the problem of hidden surface removal can be dealt with directly by the device. The method of assigning zone priorities is described by P. J. Willis in "A Real-Time Hidden Surface Technique" *Computer Journal, Vol 20, No 4 (November 77), pp335-339*. This system exploits the redundancy present in many shaded pictures, where large areas may have the same brightness and colour.

The number of ZMPs required for a particular picture depends on the complexity of the picture — each ZMP can handle up to 16 zones. Since the zone definition is very compact, and the picture is generated directly from the definition, dynamic picture modification is possible merely by updating the specification of all zones which are affected.

Adrian Thomas of Prof Heath's group at Heriot-Watt University has built a prototype colour display which uses a different approach. Each object in the picture is described as a combination of planes, which are not necessarily parallel to the viewing surface, and which potentially may have variable colour or texture. Hidden surface removal is performed by the device itself, without the need for prior analysis of the scene.

The design is modular, so that the total number of surfaces that can be handled can be increased merely by adding further modules. Dynamic picture modification is again possible merely by updating the definition of each affected plane (currently 90 bits for each plane).

Both of these designs use concurrency in specialised ways to achieve enhanced performance. At Glasgow University we are investigating the application of data-flow architecture, which offers a more general and unified approach to hardware concurrency, to the problems of dynamic display design.

The aim of these and other research efforts is to produce a system capable of real-time colour display of simulated scenes, with a picture quality as good as that on a conventional TV picture of a real scene. Among the many potential uses of such a facility are flight simulation, animation and computer-assisted instruction.

## Graphics software

The variety of graphics software that has been written is enormous, much of it intimately tied to particular computer systems or display devices. In what follows only a few of the more commonly available packages are referred to, and some methods described which are of relevance to those writing their own software.

The Mini-Explor package for greyscale output on a printing device has already been mentioned. A general-purpose package of Fortran subroutines for 2D and 3D plotting



called Simpleplot is available from University of Bradford (contact Lawrence West, Industrial Liaison Manager, University of Bradford, Bradford BD7 1DP).

The package is device-independent and fairly easy to set up for any particular output device. The Ghost package, developed by Larkin, Prior and others at Culham Laboratory, has been implemented on a wide range of machines, and is very popular in universities. It offers comprehensive 2-D facilities, including drawing of circles and conics, curve fitting and typewriter simulation, and is available for a modest sum from Culham.

Gino-F is a powerful package of Fortran-callable procedures for 2-D and 3-D graphics, including graph plotting, viewing and modelling transformations, surface description and graphical interaction. It was developed initially by P. A. Woodsford at the Computing Laboratory, Cambridge, and is now marketed for a wide range of mini and mainframe computers by the Computer-Aided Design Centre, Madingley Road, Cambridge.

Another commercially-available package is Disspla, marketed in the UK by SIA Ltd, 23 Lower Belgrave St, London SW1. It has particularly powerful facilities for the generation of graphs and maps, and is widely used by geographers and cartographers.

For microprocessors driving a simple raster-scan display, many manufacturers offer graphical extensions to Basic, but as yet there is little in the way of graphics subroutine packages. An exception is the Fortran package for the Vector High Resolution Graphics Board (S100 compatible) offered by Video Vector Dynamics Ltd, 97 Dornal Avenue, Glasgow G13 4JH (tel 041-339 6782). This company also supplies applications software for a variety of mini- and micro-based graphics systems.

Originally developed for computer-assisted

learning applications, the GUSC Graphics Package offers general facilities for graphical output and interaction. Two versions are available, one in Fortran and one in Basic, and supported devices include the Computek 300 raster scan display and the Tektronix 4010 storage tube terminal. Enquiries about the package, and a variety of CAL material built on it, should be directed to R. Lewis, Chelsea College, Pulton Place, London SW6 5PR. The book by J. McKenzie et al, *Interactive Computer Graphics in Science Teaching* (Ellis Horwood 1978) gives details of the development of the package and its uses in education.

The proliferation of different systems and packages has led to attempts to impose standardisation on graphics software. In the US the Graphics Standards Planning Committee of the ACM has proposed a standard graphic package known as the "Core" system. Many groups have developed or are developing implementations of the standard, and it is possible that some of these may become available in the UK in the near future. The "Core" system is comparable in power to Gino-F, though differing in philosophy and many points of detail. Extensions to cater for the properties of raster-scan display are currently under discussion, and it is probable that a revised standard will be defined in the near future.

In the UK, the British Standards Institute has set up a working group (DPS13/WG5) on graphics standards, chaired by D. L. Fisher of the Computer Laboratory at the University of Leicester. The group has sent detailed comments on the Core system to the US standards planning committee, and has considered other possible standards such as Gino and the German AGF system.

When graphical output is to be generated on devices capable only of plotting points (such as a simple raster scan display with no built-in

line-drawing capability) or of drawing small increments, such as a conventional incremental drum plotter, algorithms are needed to select the best points or increments to approximate to a given straight line or curve. For a straight line between two given points on the grid of accessible device positions, an incremental algorithm is possible which requires only addition and subtraction during the generation of the points or steps, and which is guaranteed to terminate at the correct end-point. If you don't know the algorithm, you can have a lot of fun working it out for yourself.

It is analogous to the method of working of the hardware device known as the digital differential analyser. This approach can be extended to generate simple curves. For further details see, for example, *Interactive Computer Graphics* by Walker, Gurd & Drawneek, (Edward Arnold 1976) pp.108-114.

Incremental methods of curve generation are desirable for efficiency on machines without hardware floating point, but they pose certain problems in obtaining uniform smoothness, for example in highly-eccentric ellipses, and in guaranteeing accurate termination, due to accumulation of small errors. An alternative method, which uses only 16-bit integer arithmetic, and employs table lookup for trigonometric functions, has been developed by Colin Prosser at Glasgow. Full details are in his MSc thesis (*Graphical output methods and their relation to display system design*, Department of Computing Science, October 1979). Figure 6 shows a drawing consisting entirely of ellipses generated using the method.

## Sources for further reading

In this article it has been possible to touch on only a few aspects of computer graphics. For those wishing to delve more deeply, the book by Newman and Sproull *Principles of Interactive Computer Graphics*, McGraw-Hill, (second edition) 1979, or that by Giloi, *Interactive Computer Graphics*, Prentice-Hall, 1978 both provide an excellent coverage of the field.

The mathematical material required for 2D and 3D transformations, and curve and surface description, is well covered by Rogers and Adams in *Mathematical Elements for Computer Graphics*, McGraw-Hill 1977. Relevant journals include *Computer Graphics*, published quarterly by the ACM Special Interest Group on Computer Graphics (SIGGRAPH), *Computer-Aided Design* published by IPC Science and Technology Press Ltd, and *Computer Graphics and Image Processing* published by Academic Press.

## Conclusion

Computer graphics, after many years of expectancy, is at last about to come of age. As with other branches of computing, this is due at least as much to technological advance as to improvements in graphics software. The software, indeed, always seems to be one or two steps behind the hardware. This is particularly noticeable in attempts to define standards.

However, although it can be fun sometimes, there is really no point in everyone attempting to re-invent the wheel. Very soon the combination of powerful but inexpensive graphics hardware with widely available standard software will allow programmers and designers to concentrate on the *application* of graphics, where there remain a wide range of exciting possibilities which are only now beginning to be exploited. □




Figure 6: Pattern of ellipses ("snail") generated using integer arithmetic.



Standard software can give users a new flexibility with . . .

# Transfer of programs between two operating systems

In this article Dr John Lee and Timothy Lee show how you may discover exactly how North Star BASIC programs are stored both in core (memory) and on disc. A similar approach may be used for other BASIC interpreters on other machines. Once you have gained an insight into the method of storage, it becomes possible to carry out tasks which cannot usually be performed using software provided by the manufacturer. This provides a general method for the transfer of BASIC programs into ASCII characters which facilitates the transfer of programs between different machines. The general method is developed into a BASIC program which will convert BASIC programs from the North Star operating system to CP/M files.

A LINE of a BASIC program is not stored as the set of ASCII characters which were typed in. Instead, it is automatically converted into a more compact form which economises on the amount of memory used and results in faster execution.

Firstly the line number is converted from decimal into a two-byte (16-bit) binary number. Since the largest number which can be stored in 16 bits is  $2^{16} - 1$ , this restricts the largest acceptable line number to 65535. The first byte contains the eight low order binary bits and the second byte contains the eight high order binary bits.

## Storage characteristics

In addition any other line number which appears in the line, for example after a GOTO, THEN, RESTORE or EXIT, is similarly compacted into two bytes and is preceded by a byte which indicates that the following two bytes form a binary line number. The special byte has the decimal value 154, as discussed later.

The remainder of the line (including spaces) is stored in ASCII characters, one character to a byte, except for all of the reserved words such as LET, FOR, COS, SQRT, each of which is compacted to a unique number stored in a single byte. It is worth noting that decimal constants are stored exactly as typed in (as ASCII characters), rather than in binary coded decimal which is the form used during calculations.

When a constant is used in a calculation at run time, it must be converted from ASCII to BCD form each time the line is executed, hence faster running code can be obtained by setting a variable equal to the constant once at the beginning of the line program, and subsequently using the variable.

The end of the line is denoted by one byte containing the ASCII character for carriage return (decimal value 13). The whole line is preceded by a single byte which indicates in binary the total number of bytes in that particular line including both this byte and the carriage return.

This is what a line looks like:

byte 1	byte 2	byte 3	4					byte n
length of line, n in binary	line number in binary low	high						carriage return in binary

n-4 bytes comprising ASCII characters and compacted reserved words.

The line number 500 becomes 00000001 11110100 and is stored lower eight bits first as shown.

After all of the lines have been stored, the end of the file is indicated by a marker which is a line one byte long containing the binary value 1. Programs are stored in an identical manner in core and on disc.

For example the line 500 PRINT A is stored:

byte 1	2	3	4	5	6	7	8
decimal 8 stored as 00000100	decimal 244 11110100	decimal 1 00000001	ASCII space	special character for PRINT	ASCII space	ASCII A	carriage return in binary

## Special characters for reserved words

The 128 characters defined by the ASCII set (which comprises the digits 0-9, upper and lower case letters, arithmetic operators, other printing symbols and control characters) are stored as the binary equivalents to the numbers 0-127 inclusive. North Star BASIC uses the binary equivalents of the decimal numbers 128 - 255 inclusive for the special characters which are the compacted (1 byte) form of the reserved words.

During the evolution of North Star BASIC, the meanings of a few of the decimal numbers between 128-255 have been changed. In particular the words CREATE, DUMP and NULL in release 3 have compacted forms which correspond in release 4 and 5 to AUTO, MEMSET and NSAVE respectively. This is less serious than it at first appears, since these could only occur in REM statements.

By inspection of individual bytes of a BASIC program in core, using the EXAM function (which is similar to PEEK on some machines), it is possible to discover what some of the commonly occurring byte values in the range 128-255 actually correspond to. For example 128 ! LET, 130 ! PRINT, and 146 is ! corresponding to the shortened form of PRINT.

Since PRINT and ! are both stored as one byte, using ! does not save core but does of course reduce typing. A simpler and more systematic way of finding the meanings of the characters 128-255 is to use the following program.

```

10 CREATE "WORDS", 4, 2
20 OPEN #0%2, "WORDS"
30 FOR I = 128 TO 255
40 WRITE #0, &6, &1, &0, &32, &1, &13
50 NEXT I
60 CLOSE #0
70 CHAIN "WORDS"
    
```

## Notes on program wordlist

- |             |                                                                                                                                                                                                                                                                                                                           |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Line</b> | <b>Function</b>                                                                                                                                                                                                                                                                                                           |
| 10          | Creates an output file called WORDS, of size 4 blocks (1K) and type 2 (BASIC PROGRAM).                                                                                                                                                                                                                                    |
| 20          | Opens file WORDS as device #0. The %2 indicates the file is of type 2.                                                                                                                                                                                                                                                    |
| 30          | Start loop for values of I from 128 to 255.                                                                                                                                                                                                                                                                               |
| 40          | Write to device 0 (file WORDS) the six byte values: 6, 1, 0, 32, 1, 13. This resembles a BASIC line. The 6 specifies the number of bytes in the line. The 1 and zero together represent a line number of value 1. The 32 is an ASCII space. The next 1 is interpreted as a reserved word and the 13 is a carriage return. |
| 50          | End of loop.                                                                                                                                                                                                                                                                                                              |
| 60          | Closes device #0 (file WORDS) and leaves an end of file marker                                                                                                                                                                                                                                                            |

(control/A).

- 70 Replaces program WORDLIST by newly created 'program' WORDS.

When this program is run, a disc file called WORDS is created of length 4 blocks and type 2 (BASIC file). 128 lines of output are written to the disc file in the same format as described for a BASIC program previously. At the end of the program the CHAIN command replaces the program in core with the pseudo BASIC program called WORDS which has just been produced. Very early releases of BASIC lack the chain function, and the last line of the program should not be typed, but instead the command LOAD WORDS should be typed after the run. All releases of BASIC report a FUNCTION DEF ERROR and for the moment this will be ignored.

The command LIST should now be typed. This produces a table of the numbers 128-255 together with their associated reserved words — for example

```
128 LEF
129 FOR
130 PRINT
131 NEXT
```

Note the following points:

1. The number 155 does not appear in the table. This is because the number 154 corresponds to the line number marker which precedes embedded line numbers, which was mentioned earlier. The word corresponding to 155 is CHAIN, and this appears twice on line 154.
2. A number of commands also appear as reserved words. These include RUN, LIST, BYE, etc. and appear from 160-175.
3. Some of the numbers, eg 188 and 190, appear to be undefined whilst a few others, eg 189, 199, 232 and 235, translate to the words B!VW, U!, +; and PYDM, for which we have found no meaning. This should provide a challenge for North Star enthusiasts — who can be the first to explain any of them.
4. The codes for the arithmetic operators ! \* + — / = and ( are stored as numbers between 224 and 246. Should these symbols be stored in Holleriths (strings), they are stored as ASCII characters between 40 and 94. The code thus indicates the context and meaning of the character.
5. A further complication is that in release 4 BASIC all of the codes 233, 243, 245, 250 and 254 translate to = signs, in addition to the ASCII 61 character. An exhaustive check of 30 BASIC programs showed that only 245 was actually used for equality. A similar situation exists for the signs + and — and 227 and 246 respectively appear to be used for arithmetic.
6. It appears that only the ASCII value of 41 for ) is used regardless of its context.

### Conversion of compacted BASIC line

It may at first seem strange that a program is needed to do this since the LIST command performs this function. LIST can only output to a peripheral device such as a terminal, VDU or printer, and a routine is needed if the output is to be stored on disc or directly in core. The steps in a general routine would be:

1. Read the byte containing the length of the line and ignore it.
2. Read the two bytes containing the line number in binary. They are converted into a decimal number and each individual digit is then output as an ASCII character.
3. Subsequent bytes are read in one at a time. If the byte corresponds to an ASCII character (decimal 0-127) it is output unchanged. There is just one special case — decimal 13, which corresponds to carriage return, is followed by a linefeed (decimal 10) and marks the end of the line. Bytes with decimal values 128-255 correspond to reserved words, and vary from machine to machine. The decimal value can be converted into the corresponding reserved word by using a look-up table, and the characters in the word are output in ASCII.
4. Embedded line numbers must be identified. On the North Star they are preceded by a byte containing decimal 154. The two bytes following are converted to a line number as in step 2.
5. The end of file marker must be detected. On a North Star this is control/A and on CP/M it is control/Z.

### Modus operandi

CP/M requires continuous memory addresses starting at 0. Under this system, transient programs are stored starting at 100 hex. A program


residing in memory starting at 100 hex can be copied into a CP/M disc file using the SAVE command. If another operating system loads an ASCII file into core starting at 100 hex it is possible to change the operating system to CP/M without destroying the information in core. The SAVE command will copy the contents of core into a CP/M disc file, thus completing the transfer. This method is crude and long — but it works!

A neater solution for the transfer of a file is to have a program which reads a compacted BASIC file, expands it into ASCII form writing the output to memory starting at 100 hex. To complete the transfer, CP/M must then be loaded, and the memory contents SAVED onto disc.

### Memory requirements

CP/M requires a minimum of 16K for soft-sectored disc versions and up to 4K extra for hard-sectored disc versions. This memory must start at location 0. The neat solution described above requires in addition memory for the normal disc operating system, and the program which converts to ASCII. Should the conversion program be written in BASIC, then space is also required for the BASIC interpreter.

In the particular case of converting North Star BASIC to a CP/M file, the North Star disk operating system occupies 2.5K starting at 8K (2000 hex), BASIC occupies about 12.5K starting at 10.5K (2A00 hex), and the BASIC conversion program occupies about 4K from 23K to 27K.



The diagram above shows that if the North Star conversion program uses locations 100 hex to 8K for the ASCII output from the conversion program, then the CP/M operating system can subsequently be loaded without overwriting this region. The ASCII text can then be SAVED using CP/M. This limits the size of the ASCII program produced to 7¼K since a larger program will start to overwrite DOS, which results in the BASIC conversion program crashing. This size limit is not in practice a serious limitation. Not many programs exceed this size, and those that do can be copied in two or more parts, and the resulting CP/M files merged into a single file using PIP.

If insufficient memory is available to perform the 'neat' transfer above, the 'crude' method can be employed. Sufficient memory must be available to hold DOS, BASIC and the conversion program. The ASCII output is written to a disc file under the original operating system. BASIC can then be dispensed with, and the memory re-configured to start at 0. DOS is then used to load the ASCII disc file starting at 100 hex. CP/M is loaded, and the memory contents SAVED on a CP/M disc as described earlier.

**Dr John Lee and Timothy Lee will continue to contribute articles on software to *Practical Computing* during 1980, concentrating on improving readability.**





## Logic board redesign

MIKE LAKE is going to continue to keep us informed about the PET and the IPUG which, he tells us, has decided to employ a part-time assistant to deal with the administration and has set itself a target for membership of 1000 by early 1980.

Mike has been using the new 32K business PET since Easter and the 2040 disk drives since late May and has these comments to make:

The new "big" PETs contain a re-designed logic board that has sockets for up to 32K of on-board RAM. The ROM chips containing the MICROSOFT Basic and the CBM operating system are on the main logic board and have been rewritten to cure the faults present in the first ROMs, and to expand the facilities of the operating system.

The array limitation of a total of 256 elements has been removed, the limit now being determined by the amount of memory you have available. Similarly the problems with writing to and reading from tape have been cured, so that data files can now be kept with a far higher level of reliability, though, as before, the read/write heads of the tape units must be kept clean and regularly degaussed.

The redesign of the logic board has also cured the "snow" problem associated with POKEing the screen RAM; games designers will be delighted with this amendment!

Still on the board, the IEEE and user port connection are unchanged but the two cassette unit connectors are reversed; drive 1 is now at the rear of the PET and drive 2 is inside (there is now no built-in cassette unit).

The memory expansion connector, now of pin rather than edge type, allows not only additional memory to be added to the PET, but also the addition of memory-mapped devices, disks, S100 adapters (BETSI) etc.

An interesting point there is that the main board contains sockets for extra ROM chips to be plugged in and already PETSOFT are importing the PET TOOLKIT ROM to expand the facilities available in Basic.

This extra memory space, not available to Basic programs, could also be used by extra RAM memory on the memory expansion port. An extra 12K here would allow machine code systems to be loaded at the beginning of the day and remain there until the PET is turned off — perhaps a manufacturer would like to take this suggestion up?

A plea here: will all manufacturers of PET-compatible hardware please remember that since a user may wish to add more than one device to the PET. All plug-in items should include a parallel connector. IEEE devices are a special case — see the discussion below about the 2040 disk drives.

All in all, the 32K PET has been a dream to work with; with the new



software available for it, it certainly rates as a leading contender for the business market. On the software side, there is a problem. The new ROMs are not fully compatible with the old ones; programs written in standard PET Basic will work perfectly with both ROMs, but those that do any PEEKing or POKEing in the first 1K of memory will have problems, as all the addresses have been changed to speed things up. Most suppliers of software now have versions of their programs suitable for both sets of ROMs, so be sure to specify exactly which machine you have when you are sending in an order.

## Rockliff lock-up

M. VALENTINE has been using his PET 2001/8 with a Rockliff PR40 printer. It is operated via the parallel user port using a machine code subroutine supplied by Rockliff. This is resident in RAM IF00 to IFE0. It is called by theUSR function.

All went well until I acquired a PET 2040 Dual Disk Drive. In order to work the drive, the new PET ROMs are required, as fitted to the 32K PET. When the Rockliff routine was tried with the new ROMs the machine locked up.

On decoding the Rockliff program, it became clear that the problem was due to changes in locations of various functions on ZERO page. By referring to the PET manual and by using the listing in *Practical Computing* (September 1979) I managed to write a modified machine code program.

The modified program requires 256 bytes, one less than Rockliff's 'old' program. Rockliff's program for the 32K PET requires 514 bytes. Here is a list of changed memory locations of significance.

### ZERO MEMORY MAP

Old ROM From To	New ROM From To	Description
000	000	84C Constant (6502 JMP instruction).
001-002	001-002	USR Function address lo,hi.
003	014	Active I/O Channel number.
004-007	—	—
008	017	Line number storage before buffer.
009	018	82C Constant (special comma for INPUT process).
010-089	512-591	BASIC input buffer (80 bytes).
090	003	General counter for BASIC.
091	004	800 used as delimiter.
092	005	General counter for BASIC.
093	006	Flag to remember dimensioned variables.
094	007	Flag for variable type: 0 = numeric; 1 = string.

095	008	Flag for integer type.
096	009	Flag to crunch reserved words (protects ' & REM).
097	010	Flag which allows subscripts in syntax.
098	011	Flags INPUT or READ.
099	012	Flag sign of TAN.
100	013	Flag suppress OUTPUT (+ normal; — suppressed).
010	019	Index to next available descriptor.
102-103	020-021	Pointer to last string temporary lo, hi.
104-111	022-029	Table of double byte descriptors which point to variables.
112-113	030-031	Indirect index 1 lo,hi.
114-115	032-033	Indirect index 2 lo,hi.
116-121	034-039	Pseudo register for function operands.
122-123	040-041	Pointer to start of BASIC text are: lo,hi byte.
124-125	042-043	Pointer to start of variables lo,hi byte.
126-127	044-045	Pointer to array table lo,hi byte.
128-129	046-047	Pointer to end of variables lo,hi byte.
130-131	048-049	Pointer to start of strings lo,hi byte.
132-133	050-051	Pointer to top of string space lo,hi byte.
134-135	052-053	Highest RAM address lo,hi byte.
136-137	054-055	Current line being executed. A zero in 136/054 means statement executed is a direct command.
138-139	056-057	Line no. for continue command lo,hi byte.
140-141	058-059	Pointer to next statement to execute lo,hi.
142-143	060-061	Data line no. for errors lo,hi.
144-145	062-063	Data statement pointer lo,hi.

Locations not specified are used but have no clear one function definition.

Old ROM From To	New ROM From To	Description
146-147	064-065	Source of INPUT lo,hi.
148-149	066-067	Current variable name.
150-151	068-069	Pointer to variable in memory.
152-153	070-071	Pointer to variable referred to in current FOR-NEXT.
154-155	072-073	Pointer to current operator in table lo,hi.
156	074	Special mask for current operator.
157-158	075-076	Pointer for function definition lo,hi.
159-160	077-078	Pointer to a string descriptor lo,hi.
161	079	Length of a string of above string.
162	080	Constant used by garbage collect routine.
163	081	84C Constant (6502 JMP instruction).
164-165	082-083	Vector for function dispatch lo,hi.
166-171	084-089	Floating accumulator no. 3.
172-173	090-091	Block transfer pointer no. 1, lo,hi.
174-175	092-093	Block transfer pointer no. 2, lo,hi.
176-181	094-099	Floating accumulator no. 1 (USR function evaluated here).
182	100	Duplicate copy of mantissa of FAC no. 1.
183	101	Counter for no. of bits to shift to normalise FAC1.
184-189	102-107	Floating accumulator no. 2.
190	108	Overflow byte for floating argument.
191	109	Duplicate copy of sign of mantissa.
192-193	110-111	Pointer to ASCII rep of FAC in conversion routine lo,hi.
194-199	112-117	CHRGOT RAM code. Gets next character from BASIC text.
200	118	CHRGOT RAM code regrets current characters.
201-202	119-120	Pointer to source text lo,hi.
203-222	121-140	Next random number in storage.
224-225	196-197	Pointer to start of line of cursor location lo,hi.
226	198	Column position of cursor.
227-228	199-200	General purpose start address indirect lo,hi.
229-233	201-204, 180	General purpose and address direct lo,hi.
234	205	Flag for quote mode on/off.
238	209	Current file name length.
239	210	Current logical file number.
240	211	Current primary address.
241-242	212-213	Current secondary address.
243-244	214-215	Pointer to start of current tape buffer lo,hi.
245	216	Current screen line number.
246	217	Data temporary for I/O.
247-248	251-252	Pointer to start location for O.S. lo,hi.
249-250	216-219	Pointer to current file name lo,hi.
251-254	—	Unused?
255	—	Unused?

## 24-hour clockface

RON GEERE, Editor of *IPUG Newsletter*, tells us he wrote this program for a working clockface in a total of three hours (see right).

62 bytes on bottom are used for error correction in tape reads. Also, buffer for ASCII when BASIC is expanding the FAC into a printable number. The rest of page 1 is used for storage of BASIC GOSUB and FOR-NEXT context and hardware stack for the machine.



### The CBM 2040 disk drive

AFTER MONTHS (who said "years"?) of waiting, the 2040 disk drives are becoming available in reasonable quantities. The last six months has seen large sales of COMPUTHINK and NOVAPAC drives, so the CBM ones have a lot of competition.

To set the bad things out of the way first, let me say that there are problems with the 2040 units. The original drive that I saw at the beginning of the year had heat problems; Commodore knew of this, but have done nothing about it. The versions that have arrived on the market all have their heat-sink mounted on the main logic board and facing downwards! Commodore have gone some way to solving this problem by changing the design of the case cover to allow a greater circulation of air.

Even so, my own drives suffer no ill effects from this heat, though I know of more than one member of IPUG who has to have a fan blowing over the rear of the unit to prevent read errors on drive 1.

The drives offer up to 342K online, 171K per diskette, with up to five files open at the same time. Here the unit really comes into its own with its own 6502 processor, 6522 I/O controller, 4K of RAM and operating system in ROM. It is potentially very powerful.

Now we come to the other problem; Commodore documentation, or lack of it! The original user's manual can only be described as appalling, so bad in fact that Commodore UK refused to support random-access files because they themselves were not certain how the worked! The latest version of the manual is a tremendous improvement — with luck, the quality of all Commodore documentation will now improve dramatically.

The handling of files on the drives is indeed quite complex — certainly nowhere near as easy as on the COMPUTHINK and NOVAPAC drives, but is not beyond the understanding of a competent

programmer. Sequential files present few problems but the first time user should beware of random-access files — they are hard!

The real strength of the 2040 lies in its extreme flexibility. Once mastered, its controlling instructions from Basic allow you quickly to set up sequential and random-access files. The RAM inside the unit means that buffers do not take up any of the PE's memory and this, together with the tremendous range of facilities offered with the operating system, means that tailor-made software should be of a very high standard. The latest release of the operating systems, DOS SUPPORT 4.01, goes a long way to helping the new user in handling the disk — most commands, such as initialising the disk and loading programs, now only require one or two simple key depressions.

Because the 2040 is a IEEE device, it can be controlled from machine code using the IEEE protocol and plugs into the IEEE connector on the back of the PET. The PET to IEEE cable supplied by Commodore is unusual in that it has an ordinary edge connector at one end and a male and female IEEE connector at the other. This allows further devices to be daisy-chained from the back of the disk drive using the IEEE to IEEE connector also supplied by Commodore.

If manufacturers of PET IEEE peripherals and interfaces are sensible, they will now design their units with an IEEE socket to facilitate daisy-chaining. There is no need to supply a separate connecting cable as Commodore's own will do.

For those who wish to create, update and make enquiries on random access files, HIPPOSOFT offers a random-access file handler for the 2040 drives on the new business PETs. This handler allows you to create up to 620 records on one side of a diskette with each record containing up to 40 variable length fields, for example PART-NUMBER, UNIT-COST etc.

Records can be added to the file, amended, deleted or listed at random. Any record within the file can be found and displayed on the screen within two seconds. Inquiries can be made on the file by listing any individual record or by searching the file for records that fulfil certain requirements

### Afraid of POKE?

For those who like me as beginners are afraid of POKE commands on a PET, here are two routines which may help to show how versatile a machine it is, writes J. Patterson from Leeds.

```
1 REM SQUARE PRINTING ROUTINE
2 PRINT "(CLR)"
3 INPUT "HOW MANY UNITS LONG WOULD YOU
4 LIKE EACH SIDE TO BE": N
5 IF N < 1 THEN PRINT "TOO BIG FOR SCREEN":
6 FOR I = 1 TO 1000: NEXT: GO TO 5
7 M = 32892
8 PRINT "(CLR)"
9 FOR I = 1 TO N
10 M = M + 1: POKE M, 224
11 NEXT
12 FOR I = 1 TO N
13 M = M + 40: POKE M, 224
14 NEXT
15 FOR I = 1 TO N
16 M = M - 1: POKE M, 224
17 NEXT
18 FOR I = 1 TO N
19 M = M - 40: POKE M, 224
20 NEXT
21 PRINT "(CURSOR DOWN 22 TIMES)"
```

This routine uses a 'space' on 'reverse' field, but there are over 200 other symbols which Pet will print.

Here is a short routine to demonstrate them:

```
1 REM PET SYMBOLS
2 M = 32767
3 T = -1
4 FOR I = 1 TO 256
5 M = M + 1: T = T + 1
6 POKE M, T
7 NEXT
```

This will print all 256 symbols from the keyboard in order. The board is printed four times: first just as it stands, then once more in the 'shift' position, then the whole process is repeated with 'reverse field' on. The number to POKE lies between 0 and 255. 0 is ' ' and 255 is '?' shifted and in reverse field. Then comes the tedious task of counting which symbol you wish to use and then amending the square routine to accept it.

Insert a line 16 into the square routine as follows:

```
16 INPUT "WHAT SYMBOL WOULD YOU LIKE": A
```

Type the number you would like and alter lines 40, 70, 100 and 130 from POKE M, 224 to POKE M, A.

As you can see, the results are not squares but rectangles because the space used by one character on the screen is 5 x 7 and not square; but then someone may take this into account and write a better program.

M is put at 32892 to put it far enough away from the left hand upper corner of the screen to look right. Lines 40, 50 and 60 print the upper line by adding 1 to M for as many units as needed. In the same way, lines 70 to 140 print the remainder of the square. Line 150 pulls the cursor down below the printout to allow easier re-runs. Omit this line and the cursor ends up in or near the square.

### Ron Geere's speedy clockface programme.

```
100 REM ANALOGUE CLOCK BY R.D.GEERE
120 PRINT "SET CORRECT TIME BY SCREEN EDITING:"
140 PRINT TAB(15) "00"; LEFT$(TI$, 2); " "; MID$(TI$, 3, 2)
160 INPUT "TIME: "; A$
180 TI$ = LEFT$(A$, 2) + RIGHT$(A$, 2) + "00"
200 PRINT "M: "; POKE 59468, 12: 00=33308: K=4/3
220 R=11: FORTH=0: T0360: STEP30: A=TH*/180
240 POKE(00+INT(K*R*SIN(A)+.5)-40*INT(R*COS(A)+.5)), 35: NEXT
300 REM READ TIME
340 HR=VAL(LEFT$(TI$, 2)): MN=VAL(MID$(TI$, 3, 2))
360 PRINT "H: "; HR; "M: "; MN
380 HR=HR+MN/60
400 A=HR*/06: R=7: CH=42: GOSUB 1000
500 A=MN*/30: R=9: CH=46: GOSUB 1000
600 A$=MID$(TI$, 5, 1)
620 IF MID$(TI$, 5, 1)=A$ THEN 620
640 A=HR*/06: R=7: CH=32: GOSUB 1000
660 A=MN*/30: R=9: CH=32: GOSUB 1000
800 GOTO 300
1000 REM SET HANDS
1020 C=COS(A): S=SIN(A)
1040 FOR I=0 TO STEP.5: POKE(00+INT(I*S+.5)-40*INT(I*C+.5)), CH: NEXT: RETURN
READY.
```

**Convert to histograms**

MARTIN EVANS, from East Finchley, has sent in this snippet which he has used to run programs to list file data on screen, and to convert data into histogram form:

You noted in November's Tandy Forum that cassette data files are very tedious and cause wear on the cassette motor relay. One way round this problem is not to use INPUT —1 at all, but instead to store the data in DATA statements. If the data is only to be used in one program, there's no problem. It can easily be altered and updated using the editing facilities. But what if you want to use the same bunch of data in more than one program?

One answer is to write a short program consisting entirely of DATA statements, eg:

```
5000 REM: MONTHLY CASES PROCESSED
5010 DATA "JANUARY", 1978 : REM: MONTH AND
YEAR OF FIRST DATA ITEM.
5020 DATA 10, 8, 11, 12, 9, 15, 14, 13, 20, 14,
5030 DATA 16, 12, 8, 10,
5040 END
```

Then in writing any program to use this data, be sure not to use any Line number greater than 5000. Since DATA statements work no matter where they are in a program, it will not matter that the READ statements are much earlier on. Now all we need is a way of CLOADing a program form tape and then CLOADING another one without losing the first one. Fortunately there is a way.

TRS 80 Computing Volume 1, no 3 gave a 3-line Basic program by Ron Markel to do this. I've expanded this so as to print the instructions for using it on the screen. It looks like this:

```
1 CLS
2 A = PEEK (16548)
3 B = PEEK (16549)
4 E = 17129
5 S = E : E = PEEK (S + 1) * 256 + PEEK (S) : IF E <>
0 GOTO 5
6 POKE 16549, INT (S/256) : POKE 16548 S - INT
(S/256) * 256
7 PRINT "INSTRUCTIONS"
8 PRINT " "
9 PRINT
10 PRINT "1. POSITION DATA TAPE"
11 PRINT "2. SET RECORD TO PLAY"
12 PRINT "3. TYPE CLOAD ENTER "
13 PRINT "4. AFTER DATA HAS LOADED, STOP
RECORDER AND REMOVE TAPE"
14 PRINT "5. TYPE POKE 16548, "A;" ENTER "
15 PRINT "6. TYPE POKE 16549, "B;" ENTER "
16 PRINT "7. TYPE RUN 100 ENTER "
17 STOP
100 REM: START THE MAIN PROGRAM HERE
```

Each program for using the data should begin with these lines. This is not as cumbersome as it sounds. Just CLOAD an existing program that incorporates them and DELETE the rest of it.

The snags? If you accidentally return to the beginning of the program, into the append routine, you'll have to type in the POKES again to get yourself out and back into the main program. And remember that the data lines must be numbered higher than the main program. Even if they are numbered lower, the program will add them (out of numerical sequence) on the end — and nothing you can do with the edit facilities will get rid of them.

**Save more time**

CHRIS MCGINNES has this to add to Stephen Toop's note in Tandy Form (October), noting that not only is the keyboard disabled but also the program running time is decreased:

This can be shown by running the following two small programs below.

```
(i) 10 FOR I = 1 TO 50000:NEXT
which takes approximately 108 seconds.
(ii) 10 POKE 16405,0:FOR I = 1 TO 50000:NEXT:POKE
16405,1
which takes approximately 93 seconds.
```

This is a saving of approximately 13 per cent running time.

**Tandy freebie**

R.E. PEEL, wrote from Maidenhead to suggest that the best way to get the Basic debounce to work is to stroll down to the nearest Tandy shop and ask for the keyboard debounce/real time clock cassette: It's free!

Also, with reference to Mr Sinclair's comments about pulling out the jack on the cassette recorder to enable you to rewind, I would point out that since last March, Tandy has been selling the TRS-80 with the CTR-80 cassette player, which obviates the problem. I have had the full volume CLOAD — on my CTR-80 the volume needed is between 6 and 8 (8 being the highest number in the CTR-80) but it really does make life easier and is worth the £10 or so it costs.

Has anyone come up with a method of determining the file name on a tape to be loaded by the SYSTEM command when you don't know what the name is?

**Better way to jump**

ED PHIPPS asks Tandy Forum, November 1979, if there is a better way to jump to the machine code than using the USR function. M.P. Automation, Leeds, tells us that there is:

On the Level 2 TRS-80 it is possible to jump *one way only* to any location, using the SYSTEM command. It is not necessary to load a system tape. To jump to a specified address, type in SYSTEM (ENTER) / address (in decimal) (ENTER).

So, referring to Mr Phipps's Basic program, delete line one, delete the remarks about ignoring error messages, delete line 6. Enter or CLOAD the program, RUN it, then type in "SYSTEM (ENTER) /20425 (ENTER) NEW (ENTER)" and off you go. Of course, as Mr Phipps says, you must have answered "MEMORY SIZE?" with 20425.

If you ever need to return to "MEMORY SIZE?", do not switch off — type in "SYSTEM (ENTER) /0 (ENTER).

**Quicker key-checks**

IN THE OCTOBER 'Tandy Forum' a suggestion was made that the PEEK function could be used to scan the keyboard. Alan Pearmain, from Mitcham, has done

a little experimenting, and found that only seven locations need to be examined to get a positive check for any key (except, of course, SHIFT and BREAK). These locations are not unique; similar checks can be made on other locations but it is only necessary to be aware of those listed below:

Key	Location	Value
	14337	1
A		4
B		4
C		8
D		16
E		32
F		64
G		128
H	14338	1
I		2
J		4
K		8
L		16
M		32
N		64
O		128
P	14340	1
Q		2
R		4
S		8
T		16
U		32
V		64
W		128
X	14344	1
Y		2
Z		4
0	14352	1
1		2
2		4
3		8
4		16
5		32
6		64
7		128
8	14368	1
9		2
:		4
;		8
'		16
—		32
.		64
/		128
ENTER	14400	1
CLEAR		2
		8
		16
		32
		64
SPACE		128

No key returns at 4 in 14400 — this could be the BREAK key

Tandy has published a software fix for correcting the problem when using a READ after an INPUT was executed. The correction (POKE 16553,255 before the first READ is performed) appears to also do funny things to the logic in certain IF ... RETURN ELSE ... statements which worked correctly before the above correction was used. Has anyone else encountered this problem? The answer was to split the line after the RETURN to create a separate line.



## Zzzz! Wake up, Apple users!

THE LATEST market research reveals that over 40,000 microcomputers have been sold in the UK. Apple/ITT and Commodore each have about 20% of the market and Tandy takes about 10%. Yet every month about twice as many Tandy and PET users write to their pages in *Practical Computing* and pass on their hints, tips and ideas.

Why are Apple users so different from the others? Apple Pie is your page, for you to write in with your ideas for the benefit of other users. Interesting applications are just as important as programming tricks.

### Instruction manuals

W. H. SKIPTON of ABEL Computer Systems has sent us the following Applesoft subroutine which will print whatever is currently displayed on the screen. He thinks that it could be used to print off menu screens when preparing user instruction manuals.

#### Notes

# is printed as £

The PRINT "PR... has a <CTRL>D embedded in it

The PRINT "80N... has a <CTRL>I ie, they use Apple DOS and parallel printer card

### Improved file handling

J. E. VINE, Quality Control Engineer at Samco-Strong, in Bristol, has been using a 32K Apple with dual floppy disk drives and a printer. His company already has an IBM 32 which is used for accounting purposes on batch runs:

I am finding that the APPLE II could be used as a production control aid, but I would like to extract data from the IBM 32 and run it on the Apple. The most convenient way of doing this would be for the IBM 32 to output selected data onto a floppy disc (8in) and then use the Apple to read it.

Could you put me in touch with someone who would advise me on compatibility? The IBM 32 is programmed in RPG and the disc sectoring etc will be a problem to overcome by either hardware or software.

In the same issue of *Practical Computing* in the Review Section is the Disc Comparisons article. Is there any programming means by which the Apple DOS can operate like the Tandy DOS in that if a file is not found on Drive 1, it automatically searches Drive 2? Is there some way of using the "FILE NOT FOUND" error message to transfer to Drive 2? This would improve the file handling capabilities of the system.

Also, I need to put on to disc files that have a vastly varying number of records, but the records are of fixed length. Is there a convenient way of determining how much spare capacity there is on a disc prior to opening a new file? I have got half-way through a file and then got a "disk full error", which is a bit annoying.

### Installation error

WE HAVE discovered two errors in Apple Intelligent Interface installation and operating manuals and feel that for the benefit of other Apple users the following corrections should be made, writes N. Hearne of Vlasak Electronics:

**Apple serial interface card:** The reset line from the interface normally sits at a low level and when reset on the keyboard is pressed, the reset line from the interface goes high. This is wrong and results in printer errors being thrown up. To rectify this, swap the connections to pins 1 and 5 and IC2 (74LS109).

**Apple communications interface card:** The modifications required to change the baud rate of this card are shown on page 36 of this manual. If modified for 4800/1200 baud, as shown in the manual, the computer will hang when instructed to use the part in which the card is sited. This is because IC2 (74C161) is not receiving a Load enable signal. This may be remedied by including a link between pins 15 on IC 1 and IC 2.

### Current loop input

SOME OF you will find interesting the recent experience of H. Carson and G. Purdy with the current loop input of the Apple II high speed interface (A2L0008):

We have discovered that the input speed of the device appears to be limited by the 4N31 opto coupler to considerably less than the speed capabilities of the RS232 or current loop output. We tried two different high speed interfaces. One functioned up to 300 baud and the other up to 1200 baud on the current loop input.

For normal working this would be quite acceptable as current loop input is intended for teletype-like devices which generally operate at 110 baud. If, however, it is necessary to use the current loop input at higher baud rates, the opto coupler can be replaced by a TIL 111 opto coupler which will enable the device to operate at least at 2400 baud. The fact that the opto coupler is mounted in a plug-in base makes this change a two-minute job.

We would like to add, however, that this observation, which is really only of benefit in specialised circumstances, in no way detracts from the remarkable versatility of the Apple II serial interface card.

### Minimal computers

There are now three minimal computers available in this country. In order of appearance, they are KIM, SYM and now ACORN.

To assist readers to program these machines, Arthur Richards has written a Tiny Sym Assembler which we hope to publish within the next few months. Further patches for KIM and ACORN are likely to follow.

```
*****
*JLIST
*
*31000 REM PRINT CURRENT SCREEN
* - APPLESOFT BASIC
*31005 PRINT "PR£1"; PRINT "80N";
* PRINT "*****"
* *****
*31010 FOR I = 0 TO 2: FOR J = 0 TO
* 3: FOR K = 0 TO 1: PRINT "*"
* ;; FOR L = 0 TO 39: PRINT CHR£
* ( PEEK (1024 + K * 128 + I *
* 40 + J * 256 + L));; NEXT L:
* PRINT "*"; NEXT K,J,I
*31020 PRINT "*****"
* *****: PRINT
* : PRINT : PRINT "PR£0"
*
*JREM ABEL COMPUTER SYSTEMS
*
*JNOMDNC, I, 0
*
*JRUN
*
*J
*****
```

Walter Wallenborn, secretary of the 6502 Users' Club, has offered to help us start a regular column about the 6502. Walter Wallenborn will write part of the column in each issue, but the rest is up to you, the reader. If you wish to contact the 6502 Special, send articles, ideas or problems directly to us.

### Cross-fertilisation

THE 6502 USERS' Club was formed at the beginning of this year by Steve Cole, Harry Newman and myself (Walter Wallenborn) because

- We all had access to 6502 based systems.
- We came up with far more questions than answers and
- We could find no-one who had collected the answers.

So it was decided that the club would be formed as a self-help organisation where people at all levels of experience (and inexperience) could contribute and learn.

Our objectives in the first place were to

- Circulate a list of members' names and addresses and equipment to everyone who joined the club so that there could be as much cross-fertilisation as possible;
- Provide an answering service to all members' direct questions with the option of either referring that person to another member or printing the question in the Newsletter when I ran dry;
- Produce a regular Newsletter with as much useful information as we could pack in; and
- Meet to further encourage discussion and exchange of ideas.

We always welcome new members. The more people we have, the better the club can serve its purpose. If you are interested in joining, please write to me, Walter Wallenborn, 21 Argyll Avenue, Luton, Bedfordshire.

### Interest in interrupts

THIS MAY help people interested in interrupts. It was written on and for an AIM 65, but the approach is generally applicable. What it does is set the Interrupt Enable Register to cause an interrupt when timer 1 in the 6522 times out. When the interrupt occurs, the B port is checked to see if any input is low (indicating that a switch has shorted the input to ground). All this is happening transparently while the machine seems to be doing everything else normally.

```
==0000 OUTDIS=#EF05
```

```
;OUTDIS=DISPLAY MON  
ROUTINE
```

```
==0000 UDRB=#A000
```

```
;USER6522 DATAREG B  
==0000 UIER=#A00E
```

```
;INTERRUPT ENABLEREG  
==0000 UACR=#A00B
```

```
;AUXILIARY CONT. REG  
==0000 IRQV4=#A400
```

```
;INTERRUPT REQUEST  
VECTOR 4  
==0000 UT1L=#A004
```

```
;TIMER#1 LATCH LOW  
==0000 UT1CH=#A005
```

```
;TIMER#1 LATCH&COUNT  
ER HIGH  
==0000
```

```
    *#0100  
==0100  
;WHEN F1 IS PRESSED  
A JSR FROM NON COMES  
    HERE  
4C000B JMP SETUP  
;THEN THIS JMP GOES  
TO THE SETUP ROUTINE  
==010F
```

```
    *#0600  
==0600 OUCH  
4F4F .BYT 'OOOUCH!  
,#0D
```

```
0D  
==0608 AH  
4141 .BYT 'AAAH!  
,#0D
```

```
0D  
==060E
```

```
    *#0B00  
==0B00 SETUP  
A9C0 LDA #0C0  
8D0EA0 STA UIER
```

```
;ENABLE T1 INTERRUPT  
A940 LDA #40  
8D0BA0 STA UACR  
;T1 FREERUNS NO OUT  
PUT
```

```
A900 LDA #00  
8DFF0B STA PUSHED  
8D00A4 STA IRQV4  
==0B12
```

```
A90C LDA #0C  
8D01A4 STA IRQV4+1  
;THE ADDRESS IRQV4  
NOW HAS IS 0C00  
58 CLI
```

```
A9FF LDA #FF  
8D04A0 STA UT1L  
8D05A0 STA UT1CH
```

```
;T1 LATCHES=FFFF  
60 RTS  
==0B21
```

```
    *#0BFF  
==0BFF PUSHED  
    *#+1
```

```
;PUSHED=LAST BUTTON  
STATE
```

```
48 PHA  
08 PHP  
8A TXA  
48 PHA
```

```
AD00A0 LDA UDRB  
;DATA REGISTER B  
C9FF CMP #FF
```

```
;IF ANY B INPUT IS  
LOW GO TO PUSH  
D007 BNE PUSH  
ADFF0B LDA PUSHED  
;WAS BUTTON PUSHED  
LAST TIME
```

```
D01A BNE AHER  
==0C10
```

```
F02B BEQ OUT  
==0C12 PUSH
```

```
ADFF0B LDA PUSHED  
D026 BNE OUT  
A200 LDX #00  
CEFF0B DEC PUSHED  
==0C1C OUTO
```

```
BD0006 LDA OUCH,X  
;DISPLAY OOOUCH!
```

```
C90D CMP #0D  
F01A BEQ OUT  
E8 INX
```

```
2005EF JSR OUTDIS  
;DISPLAY LETTERS  
4C100C JMP OUTO
```

```
==0C2A AHER  
A200 LDX #00  
;DISPLAY AAAH!
```

```
8EFF0B STX PUSHED  
==0C2F OUTA  
BD0806 LDA AH,X  
C90D CMP #0D
```

```
F007 BEQ OUT  
E8 INX  
2005EF JSR OUTDIS  
4C2F0C JMP OUTA
```

```
==0C3D OUT  
68 PLA  
AA TAX
```

```
28 PLP  
A9FF LDA #FF  
8D05A0 STA UT1CH  
68 PLA  
40 RTI
```

```
    END  
ERRORS= 0000
```



# Life forms unlimited

Life ought to be part of every computer buff's education. We published a version for the TRS-80 back in August 1979, which aroused so much interest that we are now publishing another version, in Basic for the 380Z, by Steve Thomas.

THE GAME of Life was devised in 1970 by Professor John Horton Conway, at the University of Cambridge. The first account appeared in Martin Gardner's Mathematical Games column in *Scientific American* magazine in October 1970, and further items appeared sporadically until January 1972.

Since then, probably more computer time has been devoted to Life than to any other single problem. Indeed, my own introduction to the world of computing was through a desire to implement Life on a computer. This article gives a brief introduction to Life, and presents an unusual algorithm, in the form of a Basic program, for playing it on a computer.

Life was invented as a byproduct of Conway's attempts to develop a Turing machine. It models the growth of colonies of organisms. Three main considerations were proposed in developing the 'Laws of Nature'.

1. There should be no colony of organisms for which there is a simple proof that it will grow without limit.
  2. There should be colonies which apparently do grow without limit.
  3. There should be many colonies which develop and grow for prolonged periods before dying off or becoming stagnant.
- After much trial and error, the following rules were developed:

1. Life is 'played' on an infinite plane divided into (finite) square cells. Each cell can hold one organism and is deemed to be adjacent to eight other cells — four diagonally and four orthogonally.
2. If an organism is adjacent to fewer than two other organisms (ie fewer than two cells adjacent to an occupied cell are occupied) it dies from 'loneliness' or 'isolation'.
3. If an organism is adjacent to four or more other organisms, it dies from 'overcrowding'.
4. If an unoccupied cell is adjacent to exactly three organisms, a 'birth' takes place and that cell becomes occupied. (Those who consider a three-parent family unrealistic should read *The Gods Themselves* by Isaac Asimov.)
5. All births and deaths occur simultaneously, so that dying parents can give birth, and newborn organisms neither overcrowd the generation in which they are born, nor provide 'company' for isolated organisms.

At this point, a few examples would perhaps be useful. Figure 1 shows the first few generations of the 'T-tetromino'. Figure 2 shows the blinker, the simplest of the class of colonies known for obvious reasons as oscillators. Generation 2 is identical to generation 0. Note that, although this colony will persist indefinitely, it does not conflict with consideration (1) because the population remains finite. Figure 3 shows the block, the simplest form of 'still life'. There are about a dozen still-life forms which appear frequently as parts of larger colonies.

Figure 4 shows the glider, the simplest colony which moves. The colony moves down and to the right one cell every four generations. There are several other species of moving colonies known, notably the spaceship (Figure 5).

There is of course much more to Life than this brief account. Colonies have been discovered which periodically throw off a glider. These colonies, known as glider guns, grow without limit, and thus conflict with consideration (1). Similar in concept is the spaceship factory, which periodically assembles and launches a spaceship. Another interesting colony is the 'puffer train', a colony which moves leaving behind stationary 'smoke'. Examples of these and many other interesting colonies are to be found in the *Scientific American* articles mentioned above, and in a recent issue of *BYTE* magazine (December 1978).

## Implementation

There are at least two basic approaches towards implementing Life on a computer. The simpler approach is to approximate the infinite plane of the playing area by a finite rectangular array. Each element of the array holds codes for 'alive' or 'dead', with extra codes generated while the colony is being scanned — 'dying' and 'about to be born'.

This approach suffers from two major disadvantages. Firstly, the maximum size of the colony (as measured by the area of the smallest rectangle which will cover the whole colony) is restricted to the memory space available. I have not yet seen a published program which will cope with the 'R-pentomino' (Figure 6). This colony lasts for 1103 generations before becoming stagnant, and eventually covers an area about 500 by 550 cells.

The other major problem is one of execution speed. The execution time such a program is proportional to the area covered by the colony, so that sparse colonies are dealt with very slowly.

A more versatile approach, exemplified by the program presented in this article, is to store the coordinates of the living organisms. The program is relatively complex, but the increase in performance is enormous. The run time and storage use are both approximately proportional to the population, and the colony can cover an area limited only by the precision of the arithmetic used. This programme has an arbitrary limit of one million square.

## Running the program

When the program is started, it will prompt Origin?

The program requires the coordinates of the top left-hand corner of the colony. The colony should be placed near the middle of the playing area, as no check is made for overflow. After the origin, a number of strings describing the colony should be input.

Each string describes a single row of the colony, with any character other than a space signifying a live organism. Empty rows are given by a string containing only spaces. The input to the colony is terminated by a null string. The program will then re-prompt for an origin. More organisms can be added if desired, although they can only be added below the old organisms. If an origin of 0,0 is given, the program starts playing, and continues until interrupted.

## How it works

Each row of the colony which contains at least one organism is described by a 'row number' followed by a column number for each organism on that row. The row numbers are held as negative quantities and the column numbers as positive. The whole colony is described by a number of these row descriptors, terminated by a zero.

The colony is scanned on a row-by-row basis to produce the next generation. The old generation is held at the high end of the storage array, and the new generation at the low end. At the end of the colony, the new generation is shifted to the top of the array, displayed, and the cycle repeated.

Three variables (R4, R3, and R5) point to the row being scanned and the rows immediately above and below it. If any of these rows do not exist (ie they are empty), then the pointer is zero. R1 holds a pointer to the next existing row after the row being scanned. This will be the same as R5 if R5 is non-zero. R1 is zero only at the end of the colony. R holds the row number of the row below the one being scanned.

There are three column pointers, held in the array C. C(1), C(2), and C(3) hold pointers to the next existing column after the column currently being scanned, in the rows pointed to by R3, R4, and R5, respectively. If either the rows or the columns do not exist, then the column pointer is zero. C holds the column number of the column immediately to the right of the one being scanned.

D1, D2, and D3 hold the total numbers of organisms in the three columns with column numbers C-2, C-1, and C, in the three rows under consideration. D4 holds the population of the cell with coordinates R-1, C-1. The rule for an organism existing in the next generation thus reduces to

$$(D1 + D2 + D3 = 3) \text{ OR } (D1 + D2 + D3 - D4 = 3)$$

The organisation of the program is straightforward. The subroutine at 1000 displays the colony. Because the colony can be very wide, the display is limited to a vertical slice of width W2 through the colony. Where the display is wider than the colony, the colony will be positioned at the left of the screen. Otherwise, it will be positioned according to the variable W1 — if W1=0 the window will be at the left of the colony, and if W1=1, at the

*continued over*




Figure 1




Figure 2

right. If there are four or more successive empty rows, then a message to that effect is output instead of the blank lines.

The subroutine at 2000 produces the next generation. It does this by repeatedly calling subroutine 3000. This scans a single row of the colony. Again, the main section of this routine calls subroutine 5000 to check and if necessary create each cell.

Subroutine 4000 is rather complex. Its purpose is to determine whether the organism in column C exists in the row specified by the dummy variable Z. It does this by comparing the column number of the column pointed to by C(Z), if necessary incrementing C(Z) and trying again. Subroutine 6000 calls 4000 three times to determine the next value of D3, and 7000 shifts the colony from the bottom of the array to the top.

### Possible problems

The program is written in Research Machines Ltd 9K Basic. The only features which may cause difficulty with other Basics are as follows:

Input of the colony is achieved by use of strings. The actual method of obtaining substrings will probably be different in other Basics. The input is terminated by a null string. If your Basic objects to this, replace line 140 with

```
IF QS = "ZZZZ" THEN 70
and terminate the input with "ZZZZ". Some Basics may require that the string be DIMensioned to reserve storage.
```

The program makes extensive use of ON . . . GOTO statements. They have been arranged so that control never 'drops through', so there will be no problem about portability from this consideration. However, some Basics do not support the computed GOTO at all, and they will have to be replaced by a series of IFs.

The program uses AND and OR within IF statements. They can be replaced by multiple IFs with some loss of efficiency.

The program assumes that 999999 and 1000000 are recognized as different and do not cause overflow. If this is not the case, then the size of the board will have to be reduced by altering lines 40, 2010, and 3040.

The other possible source of trouble is that use is made of the ability to use relational expressions within arithmetic expressions.

```
10 CLEAR 200
20 DIM A(3000),C(3)
30 W2=38
40 L=1E6 :REM The LHS of
                    the colony
50 P=1
60 R1=100
70 PRINT "Origin";
80 INPUT R,C
90 ON 1-(R=0)-(R<R1 OR
    C<100) GOTO 100,70,260
100 IF C<L THEN L=C
110 INPUT Q$
120 R=R+1
130 R1=R
140 IF Q$="" THEN 70
150 A(P)=1-R
160 P=P+1
170 FOR Z=1 TO LEN(Q$)
180 IF MID$(Q$,Z,1)=" "
                    THEN 230
190 A(P)=C+Z-1
200 IF A(P)>B THEN B=A(P)
                    :REM The RHS
210 P=P+1
220 Q=Q+1 :REM Population
230 NEXT Z
240 P=P+(A(P-1)<0)
250 GOTO110
260 A(P)=0
270 N2=P
280 GOSUB 7000 :REM Shift
                    the colony up
290 GOSUB 1000 :REM Display
300 GOSUB 2000 :REM Do one
                    generation
310 IF Q=0 THEN 340
320 T=T+1
330 GOTO 290
340 PRINT "The colony is
                    extinct"
```

```
350 STOP
1000 P=G
1010 IF B-L>W2 THEN 1040
1020 C=-L
1030 GOTO 1050
1040 C=W1*W2-W1*B-(1-W1)*L
1050 R=A(G)
1060 PRINT "Gen"; T;
                    "Origin (";
1070 PRINT -A(G); ","; L;
                    ") Pop";Q
1080 GOTO 1100
1090 P=P+1
1100 ON SGN(A(P))+2 GOTO
                    1110,1240,1200
1110 N1=R-A(P)
1120 R=A(P)
1130 N2=4
1140 IF N1<4 THEN N2=N1
1150 FOR Z=1 TO N2
1160 IF Z=3 AND N1>=5 THEN
                    PRINT N1-3;"Rows";
1170 PRINT
1180 NEXT Z
1190 GOTO 1090
1200 W=C+A(P)
1210 IF W<0 OR W>W2 THEN
                    1090
1220 PRINT TAB(W);"*";
1230 GOTO 1090
1240 PRINT
1250 PRINT
1260 RETURN
2000 R1=G
2010 L=1E6
2020 B=0
2030 N1=0
2040 Q=0
```






Figure 3




Figure 4




Figure 5




Figure 6

```

2050 A(1)=0
2060 A(2)=0
2070 N2=1
2080 IF R1=0 THEN 2200
2090 R=-A(R1)
2100 R3=0
2110 R4=0
2120 R5=R1
2130 IF R5=0 THEN 2080
2140 GOSUB 3000
2150 IF R5<>0 THEN 2140
2160 GOSUB 3000
2170 IF R5<>0 THEN 2140
2180 GOSUB 3000
2190 GOTO 2130
2200 A(N2)=0
2210 IF B=0 AND N2>1 THEN
      B=A(N2-1)
2220 GOTO 7000
5000 S=D1+D2+D3
5010 IF S<>3 AND S-D4<>3
      THEN 5130 :REM Cell exists?
5020 IF R+N1=1 THEN 5100
5030 A(N2)=1-R
5040 N1=A(N2)
5050 IF C-1<L THEN L=C-1
5060 B1=0
5070 IF N2>1 THEN B1=A(N2-1)
5080 IF B1>B THEN B=B1
5090 N2=N2+1
5100 A(N2)=C-1
5110 N2=N2+1
5120 Q=Q+1
5130 D1=D2
5140 D2=D3
5150 Z=2
5160 GOSUB 4000
5170 C=C+1
5180 D4=D

6000 D3=0

```

```

6010 FOR Z=1 TO 3
6020 GOSUB 4000
6030 D3=D3+D
6040 NEXT Z
6050 RETURN

7000 FOR Z=0 TO N2-1
7010 A(3000-Z)=A(N2-Z)
7020 NEXT Z
7030 G=3001-N2
7040 RETURN

3000 C(1)=R3+(R3=0)+1
3010 C(2)=R4+(R4=0)+1
3020 C(3)=R5+(R5=0)+1
3030 IF C(1)+C(2)+C(3)=0
      THEN 3200
3040 C=1E6
3050 FOR Z=1 TO 3
3060 IF C(Z)=0 THEN 3080
3070 IF A(C(Z))<C THEN
      C=A(C(Z))
3080 NEXT Z
3090 D1=0
3100 D2=0
3110 D4=0
3120 GOSUB 6000
3130 IF D3=0 THEN 3030
3140 GOSUB 5000
3150 IF D3<>0 THEN 3140
3160 GOSUB 5000
3170 IF D3<>0 THEN 3140
3180 GOSUB 5000
3190 GOTO 3130
3200 R=R+1
3210 R3=R4
3220 R4=R5
3230 IF R1=0 THEN 3280
3240 ON SGN(A(R1)+R)+2 GOTO
      3280,3300,3250

```

```

3250 R1=R1+1
3260 ON SGN(A(R1))+2 GOTO
      3240,3270,3250
3270 R1=0
3280 R5=0
3290 RETURN
3300 R5=R1
3310 RETURN

4000 D=0
4010 IF C(Z)=0 THEN RETURN
4020 ON SGN(A(C(Z))-C)+2
      GOTO 4030,4070,4080
4030 C(Z)=C(Z)+1
4040 IF A(C(Z))>0 THEN 4020
4050 C(Z)=0
4060 RETURN
4070 D=1
4080 RETURN

```

TRUE evaluates to -1 and FALSE to 0. Some Basics allow this type of expression, but use TRUE = 1, and some do not allow it at all. The former case requires adjustment of a few signs. In the latter case there is nothing for it but to use a few more IFs.

### Better things

The major difficulty with this program is that it is very slow, at least on a microcomputer. Minor improvements can be made, by optimising the code for speed, at some cost in legibility. The only solution, apart from acquiring a much faster computer, is to write the program in assembly code.

Fortunately, translation is straightforward, because most of the arithmetic consists of incrementing by one. On an 8-bit machine, the best board size is probably 32767 square. Making it larger would slow the program and increase its storage requirements, and 127 square is probably too small (although this is still better than most programs). The effort involved is well worthwhile, as Life really comes into its own when seen at several generations per second. □

## A Guided Tour of Computer Programming in Basic

by Thomas A Dwyer and Michael S Kaufman; published by Houghton Mifflin Co, 1977; 156 pages; \$4.80.

DWYER and Kaufman wrote this as a teaching aid in 1973 and adopted a very human approach towards explaining programming in Basic. The style of writing, the cartoon-like pictures, large lettering and imaginative but not freaky layout make it an entertaining text to read. At the same time it detracts in no way from an explanation of the language.

The computer is presented as a non-intelligent robot with the sole function in life of obeying the instructions given to it by a programmer explicitly. The authors clearly make the point that humans are intelligent — computers are not.

All this is under the heading How to recognise a computer, and for a change the authors start with minicomputers and mention punched cards only as an afterthought. Large computers get a look in as time-sharing terminals, rather than as the fundamental characteristic of computing.

The book starts with an easy

introduction and then uses a structured approach to build the definition of the Basic language. Each new statement type is introduced and explained with meaningful examples, with flowcharts used to illustrate the logic behind the examples.

To illustrate the author's easy style, try this friendly exposition — "the FOR and NEXT statements were invented to simplify the writing of programs that do the same kind of thing over and over again, in other words, programs that contain loops. This means that FOR and NEXT can help you write short programs that produce lots of output". It's true, they can.

A concise explanation is offered for the use of flowcharts and each section ends with a good review of the material introduced. The examples are produced as Teletype listings and include the results obtained from a computer run.

Exercises are included in each section and although the authors expect the reader to have access to a computer to try them, the majority are understandable as read.

From time to time the *Guided Tour* shows its age slightly by talking about program preparation using punched cards and paper tape, neither of which are likely to be of any but historical interest to today's reader.

More important, however, the

authors point out a number of the differences the reader is likely to find in the implementation of the Basic language, but they miss others, including the range of line numbers available for use and the restrictions on dimensioning arrays.

Our one major criticism is that the authors have omitted to explain the use of character strings and of files, both of which are important parts of the current commercial use of Basic. This seems to be a common feature of Basic books and presumably results from their classroom origins.

It could be argued that children learning the language will not need an appreciation of text handling or of files. We would disagree, of course.

### Conclusion

• This book could do with an update by the authors to include some of the missing language commands, especially those for file handling. Apart from that, it makes a very readable and entertaining introduction to the Basic language, we can recommend it.

\*We had to order our copy from the States, which is why we give a dollar price. Ours was from the *Creative Computing* catalogue and despatch added \$1.25 to the price. The address is PO Box 789-M, Morristown, NJ07960, USA. Please mention *Practical Computing* if you order. Are there any U.K. stockists? Let us know and we will print your address.

## Personal Computing

Edited by Raymond P Capece; published by McGraw-Hill, 1978; hard cover, 266 pages; £11.20

THIS is yet another compilation of previously-published articles culled from a variety of magazines with dates between November, 1973 and November, 1978. It divides into sections and is arranged with the intention of providing an introduction to hardware and software for users of personal computers. It's a substantial and generally well-produced book from a major publisher and the author is a respected U.S. technical journalist. So far so good.

If you set out to obtain information in the fast-changing world of computing it's important to get the latest available. An article five years old can be well out-of-date. On the other hand, well-chosen articles — preferably edited to delete irrelevant references — and arranged in a logical sequence can provide a good grounding over a wide area.

Some duplication is inevitable between books such as this and the things you might read in the current magazines. Add to this the fact that there will be references to products — and even companies — no longer around; and beware that some items will have no relevance to British readers — for example, a

# A professional printer —



\*End user, quantity one, cash with order price.



list of suppliers of second-hand equipment. You may find the usefulness of the content reduced considerably.

That said, this a pleasant book to handle. It has an index as well as the obligatory list of buzzwords — though both are short — a glossary of terms and a useful list of graphic symbols for electronics diagrams.

## For novices

It starts with an Introduction to Personal Computing which has some general information for absolute novices and looks at a few applications; not too bad. Part 2 is Basic Computer Theory dealing with architecture, chips and memories; a trifle leaden, because a sequence of magazine articles is no way to educate someone in textbook fundamentals. The third part covers Advanced Theory and goes further into the technology — a much better subject for magazine articles.

Then there are eight reviews of personal computers, much of which looks rather like a public relations exercise.

Part 5 deals with software and includes an introduction to Basic, an enthusiasm over Pascal, and a discussion of the relative merits of Pascal over Basic. In this section each item can be regarded only as

the briefest of introductions.

The final part comprises specifications and other information, some of which isn't very useful here — unless you want to know where you can buy a Teletype in New Jersey.

## Conclusion

● As the title says, it's basic, and if you want plenty of basic information, you'll certainly get it. If you have a good memory, you'll be able to astound your friends by reciting the technical specifications of 24 micros.

● The bias is on hardware and electronics, though, and though this anthology might make a good taster for the subject, you can spend less and get more in the way of an introduction. — R.G.

## Getting acquainted with microcomputers

by Lou Frenzel; published by Howard W. Sams Co, 1978 (distributed through Prentice Hall); paperback, 288 pages; £6.55

LOU FRENZEL is an electronics engineer by training and an educator by profession. Currently he runs that section of Heath Co which puts out the H8 and H11

personal computers, as well as Heath's self-instruction kits and other neo-educational products.

So he ought to know what he's talking about. And just to make sure that he was not writing a thinly disguised plug, we scoured the text for references to Heath, its microcomputers, and the idiosyncratic Benton Harbor bus that they employ. We are able to report that Heath Co gets only the exposure it warrants.

The book promises it "will help you learn more about microcomputers and their application and prove invaluable for those who want to know more about hobby and personal computing."

## Basic knowledge

Our reaction is that the first sentence is true; the second very unlikely to be so. The book goes into detail and requires at least a basic knowledge of electronics before you will be able fully to understand it. Such quotes as "and is usually Schottky TTL", with no previous explanation of the meaning of these words — nor for that matter an index for them — makes it pretty heavy going for the inexperienced reader.

Another example: "The earliest microprocessors used P channel enhancement mode FETs. Some P channel microprocessors are still

being manufactured, but to date most microprocessors used N channel circuitry. Enhancement mode MOSFETs are the prime circuit elements, although some depletion mode devices are also used. CMOS integrated circuits are also used to make microprocessors." To a novice, this is obscure and probably unnecessary.

It is not aimed at the rank novice, though, and provides a good introduction to microcomputers for someone who wishes to expand his or her knowledge of the subject. It offers a large amount of useful information — for example, describing several microprocessors with their technical specs. It has many illustrations, too.

The bibliography at the end is very short and it seems somewhat pointless — literature on microcomputers is now extensive and to give only two dozen or so titles seems restrictive. The index in this kind of book will usually be used quite heavily: this one is fairly superficial and should be expanded.

## Conclusion

For someone who has a reasonable amount of background knowledge of computer hardware, this book will form an excellent introduction to microcomputers. For other people, it may prove too technically detailed. □

# within your reach!

## The M80-MC 80 column printer from Mannesmann Tally

Higher reliability, longer life, faster operation... that's the M80-MC.

It may cost just a little more than some "personal computer" printers, but it offers a whole lot better value.

When other cheaper printers come to a halt in the middle of a heavy work load, the Mannesmann Tally M80-MC carries on. It's a proven, 200 c.p.s. bi-directional printer which is based on micro-processor electronics—hence the low price.

- \* 80 column, 200 c.p.s., bi-directional, 7 x 7 matrix (64 character U.K. set).
- \* Industry standard parallel interface—compatible with all popular microcomputers.
- \* Simple DIY installation.
- \* Only £995 + VAT (includes Securicor delivery).
- \* 12 month comprehensive Warranty (return to factory); fixed price repair service thereafter.

- \* Field service agreements available from our own nationwide maintenance organisation.
  - \* Options include:- 16.5 c.p.i. condensed print, 9 x 9 matrix, 96 c. set, serial interface, etc.
- Applications assistance is only a 'phone call away.



Send coupon for more details.  
Tally Limited, Tally House,  
7 Cremyll Road,  
Reading,  
Berks. RG1 8NQ.

Please send further details on the M80-MC to:-  
Name \_\_\_\_\_  
Address \_\_\_\_\_  
Dept. C.E. \_\_\_\_\_

PO Box 2  
St Neots  
Cambridgeshire


Dear Sir

**The benefits of word processing are here for all!**

The **Comart VDM** Video Display Module plugs easily into the North Star Horizon Computer S100 Bus and, together with the Comart Monitor and VDM \*Star word processing software, provides the facilities of "instant display" word processing on a general purpose microcomputer.

Text may be entered, edited and standard paragraphs inserted with true upper & lower case display then rapidly printed in your chosen format.

The VDM transforms the Horizon into a valuable word processor yet change the diskette software and it resumes its role as a general-purpose Computer . . . . **Real Flexibility!**



Contact us direct or call your nearest Comart dealer

CAMBRIDGE  
CAMBERLEY  
ILFORD

**CAMBRIDGE COMPUTER STORE**, Cambridge (0223) 68155  
**MICROBITS**, Camberley, Surrey (0276) 34044  
**THE BYTE SHOP**, Ilford, Essex 01-554 2177

LEEDS

also at Tottenham Court Road, London 01-636 0647  
**HOLDENE LIMITED**, Leeds (0532) 459459  
also at Wilmslow, Cheshire (0625) 529486

LONDON  
LUTON

**DIGITUS LIMITED**, London W1 01-636 0105  
**ISHERWOODS**, Luton, Bedfordshire (0582) 424851

MANCHESTER

**MICROCOMPUTERMART**, Manchester (061-832) 2269  
also at West Park, Leeds (0532) 788466

NEWBURY

**NEWBEAR COMPUTING STORE**, Newbury, Berks (0635) 30505  
also at Stockport, Cheshire (061-491) 2290

NEWPORT

**MICROMEDIA SYSTEMS**, Newport, Gwent (0633) 50528

NOTTINGHAM

**COMPUTERLAND LIMITED**, Nottingham (0602) 40576

also at Birmingham (021-622) 7149  
Manchester 061-236 4737  
Glasgow (041 332) 2468

SHEFFIELD

**HALLAM COMPUTER SYSTEMS**, Sheffield (0742) 663125

SOUTHAMPTON

**XITAN SYSTEMS LIMITED**, Southampton (0703) 38740



**comart specialists in microcomputers**

Comart Ltd., P.O. Box 2, St. Neots, Huntingdon, Cambs, PE19 2AF. Tel: (0480) 215005 Telex: 32514

• Circle No. 185



There's no need to tear your hair out getting to grips with your monitor. R. D. Hodgson describes how to squeeze the last drop out of the CPU while keeping hardware to a minimum in . . .

## A brief encounter with monitor program software

FOR MOST microcomputer users, the first software encountered is the program that lives in ROM somewhere in the system hardware. Even if the system costs thousands, handles four floppies and has colour graphics, it will almost certainly also sport a monitor program.

The reason for this is built into the processor chip itself, and is a result of what happens during 'reset'. With very few exceptions, applying a reset pulse to your microprocessor forces the program counter to zero and more often than not also disables the interrupt system. Once the internal initialisation routine built into the CPU chip is complete, the processor fetches its next instruction from location zero.

Obviously, if you have no program living there, the CPU stands a good chance of getting hopelessly lost in the few few bytes, and we all know that feeling!

Depending upon what other components are attached to the system buses, the monitor program will probably output a few bytes to initialise other programmable devices, such as PIOs and UARTs, before doing anything else. On larger systems, the monitor might also contain a 'bootstrap' routine which loads the operating system down from disc if the disc is ready; otherwise a simple monitor is usually substituted.

Since micros of the 8080/Z80 type have dedicated locations in the first few bytes of their address space for use by restart instructions and simple interrupts, it is usual to jump round these locations and leave those bytes for jumps to other useful routines, of which more later.

If your system has a memory-mapped VDU, the very next thing the monitor program will do is clear the screen. This usually takes only a few bytes of code

**Figure 2**

	Z80	8080	
COMD	LD A,(LENGTH)	COMD LDA LENGTH	;Put the length of the table into A
	LDE A	MOV E,A	;Put it into E
	LD HL,TABLTOP	LXI H,TABLTOP	;Put the table start address into HL
COMD2	LD A,(HL)	COMD2 MOV A,M	;Read the first entry of the table
	CPC	CMP C	;Compare with the input character
	JR Z,MATCH	JZ MATCH	;Have we found a match
	LD A,L	MOV A,L	;If not, look at next entry
	ADD A,3	ADI 3	;Jump round the address of the command
	LD L,A	MOV L,A	;Last entry in table?
	DECE	DCR E	
	JR NZ,COMD2	JNZ COMD2	
	JP ERROR	JMP ERROR	;Not a valid command. Chastise user
MATCH	INC HL	MATCH INX H	;Valid command
	LDE,(HL)	MOV E,M	;Fetch address of command routine
	INC HL	INX H	;into DE pair
	LD D,(HL)	MOV D,M	
	EX DE,HL	XCHG	
	JP (HL)	PCHL	;Jump to command routine

since it involves writing a space (20H) to each location of the VDU RAM. The Nascom I monitor, NASBUG, has a clear screen routine which can be called by the user simply by putting the right character into the accumulator and calling the character output routine, and many similar systems use the vertical tabulation character for this purpose.

After clearing the screen, the cursor is usually placed in the bottom lefthand corner, as in Figure 1.

The first visible part of the monitor program is usually the monitor prompt, which takes the form of a non-alphanumeric and is written to the first location on the screen, or output to the console, sometimes preceded by carriage return and line feed — good practice, but, as Nascom users will know to their annoyance, not always implemented. The memory-mapped VDU will then have the cursor moved one space to the left and cursor pointer incremented.

The appearance of the prompt character indicates that the monitor is sitting in a loop, reading the keyboard or UART and waiting for input. This is how the processor in most single-user machines spends most of its time.

When an input is received it is decoded, either by look-up table, or by a series of 'Compare . . . Jump if Zero' instructions. The choice depends on the instruction set of the processor. The look-up table can be part of the monitor ROM, or may be written into RAM during isation, or a compromise such as that used in Nasbug may be used, where the look-up table is in ROM, but the address of the beginning of the table is written into RAM during initialisation.

This means that other look-up tables can be used, but that if all the original commands are to be retained, the relevant parts of the table must be duplicated in the new table. Where the look-up table is itself in RAM, further commands may be implemented more simply. With the 'Compare . . . Jump if Zero' type of command-decoding, as in the Intel 8080 monitor, no command extension is possible.

The look-up table type of decoding could be implemented as in Figure 2.

The appropriate command table would then consist of groups of three bytes, the first being the character used to call that command, and the second two the address

*Continued over*

**Figure 1**

	Z80	8080	
CLEAR	LD HL,VDURAM	LXI H,VDURAM	;Puts the address of the VDU in HL
	LD C,CHARS	MVI C,CHARS	;Put the size of the screen in C
CLEAR1	LD (HL),20H	MVI M,20H	;Put a space in each location
	INC HL	INX H	;Go for the next location
	DEC C	DCR C	;Count the locations
	JR NZ,CLEAR1	JNZ CLEAR1	;Test for last location
	LD HL,BOTLFT	LXI H,BOTLFT	;Put address of bottom left in HL
	LD (HL),CRSR	MVI M,CRSR	;Put the cursor on the screen
	LD (POINTR),HL	SHLD POINTR	;Put current cursor position in pointer

of the routine being called.

Decoding of input can be immediate, as in the case of the Intel monitor, with faulty commands indicated by some sort of error character; or an input buffer can be used which may allow editing of commands (using backspace or rubout) with decoding occurring on receipt of a carriage return. The latter, without error messages, is used on the Nascom, where the video RAM doubles as the input buffer.

Most monitors provide facilities to aid the programmer in program entry and debugging. The commonest are used to examine and/or change registers or memory, load memory locations from some input device (where this device is a cassette interface, a corresponding dump facility is usually provided), execute a program from a specified location, and insertion of breakpoints. Some less common facilities are single step and block relocation (Move or Copy). Single step requires the addition of hardware, although some processors can handle a single step facility entirely in the software.

It is common practice to make most of the commands in the monitor into sub-routines, which allows them to be called by user programs: character input and output are the most popular.

Breakpoint and single step facilities almost always use the interrupt and restart vectors near the beginning of the monitor ROM. On the Z80/8080 family of processors, several restart instructions are provided which can be used for this purpose.

An 'insert breakpoint' command can be implemented quite simply by a routine which replaces the specified byte with a restart instruction, and stores the replaced code elsewhere, as in Figure 3.

Normally, the next command would be 'execute', and when the restart instruction is encountered, the program counter is loaded with the restart vector (in this case 0038H).

Obviously, the above breakpoint scheme is the bare minimum, and can be abused. Repeated use of the breakpoint

command, without an execute command between each, will leave your program full of restart instructions, and only the last to be set will be restored correctly.

This scheme could be expanded to allow several breakpoints to be set if the replaced instruction were stored with its original address in tabular form, and the return address on the stack used to restore the correct byte of program.

Single step involves a similar recovery routine, but does not need to save or restore instructions. Nasbug uses the same routine for both recoveries, but the restoration of instructions is done by the 'set breakpoint' routine prior to setting the next. At first glance, it may appear possible to implement a single step facility using inserted restarts, but since the instruction length of all but the most rudimentary controller-type micros is variable, the program would need to know the length of the next instruction before it could work out where to place the 'restart'.

It is more usual, therefore, to implement part of the single step routine in hardware, and to use the interrupt handling structure of the processor to interrupt after one instruction has been executed. Since the interrupts must be enabled at least one instruction before the jump to the instruction to be executed, some sort of counter is needed to count the number of instructions after the 'enable interrupt' instruction before raising the interrupt request.

This is arranged so that the interrupt occurs during the user's instruction, but since the processor always completes the current instruction before acknowledging an interrupt, this allows just one user instruction to be executed. Unless the processor has a non-maskable interrupt, or trap, it is necessary to ensure that no attempt is made to step through a 'disable interrupts' instruction.

An interrupt can either cause a jump to a particular location near the beginning of the monitor ROM, (as in the Z80 NMI, or the 8085's TRAP,RST 5.5,6.5 and 7.5 inputs) or may require a restart instruc-

tion or other vector to be supplied by the interrupting hardware, as with the 8080.

The 'execute' or 'go' command usually takes the form of a carefully prepared return from a non-existent subroutine, and can frequently be used either with or without a start address. Some monitors such as MIKBUG require the user to insert the start address into a RAM location before the use of this command.

Since most monitors save the main registers, it is usual to restore all the saved registers before the 'return' instruction, although one processor, the 9900, renders this unnecessary because of its workspace pointer, which effectively places the registers in RAM, and they can then be saved just by changing the workspace pointer.

The 'execute' command for a Z80-based or 8080-based system might go like this:

Z80	8080	
LD HL,(SPSTO)	LHLD SPSTO	:Restore user stack pointer
EX SP,HL	SPHL	
LD HL,(PCSTO)	LHLD PCSTO	:Put program counter on stack
PUSH HL	PUSH H	
LD DE,(DESTO)	LHI D DESTO	:Restore D&E registers
	XCHG	
LD BC,(BCSTO)	LHLD BCSTO	:Restore B&C registers
	PUSH H	
	POP B	
LD HI,(AFSTO)	LHI D AFSTO	:Restore accumulator and flags
PUSH HL	PUSH H	
POP AF	POP PSW	
LD HL,(HI STO)	LHI D HLSTO	:Restore H&L registers
RET	RET	:Jump to address from PCSTO

A listing of the monitor program for your system may at first appear to comprise a lot of short routines and a lot of call instructions, since many functions are duplicated in each command, such as acquisition of arguments, checking for valid digits and delimiters, echoing input back to the console, control of the cursor and scrolling (on memory-mapped VDU's), conversion between ASCII and hexadecimal, and many others.

Some single-board computers with built-in keypads and displays make much greater use of the monitor program, using it to scan and decode the keys, debouncing, decoding and driving LED displays. Some SC/MP based micros, where a test pin is used on the processor, even accept a serial input directly, and bitwise reconstruction of the serial data is done by the monitor.

The main disadvantages with this type of monitor program is that when the CPU is away doing something else, the display and keyboard die, and if the display is to be used to output messages by the user's program, he is often faced with having to duplicate some of the scanning routines into his software, is making sure that the display is refreshed often enough one of the hardest tasks.

I hope that this will have been some help to those of you who are struggling to get to grips with your monitor, it is by no means exhaustive. There are many variations in use around the micro world.

Figure 3.

BPTI	LD HL,(ADDRBK)	BPTI	LHLD ADDRBK	:Put address of break into HL
	LD A,(HL)		MOV A,M	:Pull out the code at that address
	LD (BRKINS),A		STA BRKINS	:Save the byte being replaced
	LD (HL),OFFH		MVI M,OFFH	:Put restart code in its place
	RET		RET	
0038H	LD (HLSTO),HL		SHLD HISTO	:Save H&L registers
			XCHG	
	LD (DESTO),DE		SHLD DESTO	:Save D&E registers
			PUSH B	
	LD (BCSTO),BC		POP H	:Save B&C registers
			SHLD BCSTO	
	PUSH AF		PUSH PSW	:Save accumulator and flags
	POP HL		PP H	
	LD (AFSTO),HL		SHLD AFSTO	
	POP HL		POP H	:Save program counter where break
	DEC HL		DCX H	:occurred
	LD (PCSTO),HL		SHLD PCSTO	
	LD A,(BRKINS)		LDA BRKINS	:Retrieve original instruction
	LD (HL),A		MOV M,A	:PU it back
	LD HL,O		LXI H,*	
	ADD HL,SP		DAD SP	:Save user's stack pointer
	LD SP,MONSTK		LXI SP,MONSTK	:Reload monitor stack pointer
	JP INPUT		JMP INPUT	:Go for next command



# Cut out conversion fiddle with assembler program

**SOONER OR LATER** the majority of micro-computer users will want to write programs in machine code. The usual reason is that high-level language interpreters like Basic are far too slow for some applications. Examples of such applications are sorts, and interfacing with external equipment in data logging or process control. Using machine code can often increase speed of processing by as much as 200 times the speed of a comparable Basic program.

Machine code programs can be written by hand, but this is a slow and very tedious operation and the result is invariably full of errors. Hand coding involves the conversion of the microprocessor instructions into a set of binary values for storage in memory. It is much simpler to use a program to perform this function. Such a program is known as an assembler. It allows a machine code program to be written in an assembly language rather than the binary values used in hand coding.

An assembly language uses a set of mnemonics and symbols to represent the program. These are then translated by the assembler to produce the actual binary values of the machine code program. In comparison with a high-level interpreter of compiler, each

assembly language statement will translate into one machine instruction occupying between one and three bytes of memory. A high-level language statement will, however, be translated into a whole block of machine instructions. It is for this reason that a machine code program is often so much faster than a high-level program, since a single assembly statement is often equivalent in its function to a high-level statement.

All digital computers use the binary number system for representation of data and instructions since a computer understands only ones and zeros corresponding to the "on" and "off" state. Such a system is, however, very difficult for human users and it is more convenient to use number representations like octal (base 8), decimal (base 10), or hexadecimal (base 16). To compare binary notation with hexadecimal — the usual notation used in assembly languages for eight bit micros — the following of an instruction to load the accumulator of a 6502 micro with the value 95 (decimal).

A hand-assembled machine code program would most likely be written in hexadecimal, and a monitor program used to load it into memory and convert it into binary format. The numeric representation of instructions is, however, tedious to work with and for this reason an assembly language uses a symbolic representation for the instructions.

Thus in the previous example the instruction might be written as:

```
LDA #95
```

where LDA is a mnemonic symbol for the instruction to load the accumulator, this is equivalent to the hexadecimal value A9 in the previous example. The value which is to be loaded into the accumulator is represented in decimal form and the # sign is used to show that an immediate addressing mode is used.

A program written in this symbolic form is referred to as the source code. This is converted by the assembler into a numeric form which is known as the object code. The processor cannot execute a program in source code form — it must first be converted into object code by being assembled. In assembly language every instruction in a program has a symbolic name — ie LDA — referred to as the opcode (short for operation code). Thus in the 6502 assembly language there are 55 different opcodes: see figure 1.

An assembly language instruction thus consists of an opcode and perhaps also an operand which specifies the data on which the operation is to be performed. This operand may be a value in either decimal, hexadecimal or octal format, or a symbolic name, which references a location in which the data is stored.

In the 6502, instructions have a maximum of one operand, though some of the so-called implied instructions, of which there are 25, have no operand. An example of such an instruction is CLC — clear carry bit. Some instructions perform jumps or goto functions,

thus instructions may be labelled for reference by other instructions. In the following example the label START is used to reference the first instruction by the conditional jump instruction:

```
START
LDA #INPUT
CMP #95
BEQ START
```

Programming in assembly language is much

Figure 2

```
1000 :*****
1010 :*
1020 :* REPEAT KEY
1030 :*
1040 :* 6/10/79
1050 :*****
1060 REPDEL=$00
1070 DELAY=$01
1080 KEY=$02
1090 IRQV=$90
1100 LSTKEY=$97
1110 BLINK=$A8
1120 BEGIN=$1000
1130 *=BEGIN
1140 ;
1150 ;REPEAT KEY ENABLE
1160 ;
1170 REPEAT SEI
1180 LDA #<REPEAT
1190 STA IRQV
1200 LDA #>REPEAT
1210 STA IRQV+1
1220 LDA #1
1230 STA REPDEL
1240 CLI
1250 RTS
1260 ;
1270 ;REPEAT KEY FUNCTION
1280 ;
1290 REPEAT LDA LSTKEY
1300 CMP KEY
1310 BEQ REP1
1320 STA KEY
1330 LDA #$10
1340 STA DELAY
1350 REPEND JMP IRQV
1360 REP1 CMP #$FF
1370 BEQ REPEND
1380 LDA DELAY
1390 BEQ REP2
1400 DEC DELAY
1410 BNE REPEND
1420 REP2 DEC REPDEL
1430 BNE REPEND
1440 LDA #$04
1450 STA LSTKEY
1460 LDA #$02
1470 STA BLINK
1480 BNE REPEND
1490 .END
READY.
```

6502 instruction set opcode mnemonics	
ADC	— add with carry to accumulator
AND	— "AND" memory with accumulator
ASL	— shift accumulator left one bit
BCC	— branch on carry clear
BCS	— branch on carry set
BEQ	— branch on zero result
BIT	— test bits in memory with accumulator
BMI	— branch on result minus
BNE	— branch on result not zero
BPL	— branch on result plus
BRK	— force an interrupt or break
BVC	— branch on overflow clear
CLC	— clear carry flag
CLD	— clear decimal mode
CLI	— clear interrupt disable bit
CLV	— clear overflow flag
CMP	— compared memory and accumulator
CPX	— compared memory and index X
CPY	— compared memory and index Y
DEC	— decrement memory by one
DEX	— decrement index X by one
DEY	— decrement index Y by one
EOR	— exclusive "OR" memory with accumulator
INC	— increment memory by one
INX	— increment index X by one
INY	— increment index Y by one
JMP	— jump to new location
JSR	— jump to subroutine address
LDA	— transfer memory to accumulator
LDX	— transfer memory to index X
LDY	— transfer memory to index Y
LSR	— shift accumulator one bit right
NOP	— no operation
ORA	— "OR" memory with accumulator
PHA	— push accumulator on stack
PHP	— push processor status on stack
PLA	— pull accumulator from stack
PLP	— pull processor status from stack
ROL	— rotate accumulator one bit left
ROR	— rotate accumulator one bit right
RTI	— return from interrupt
RTS	— return from subroutine
SBC	— subtract memory and carry from accumulator
SED	— set decimal mode
SEI	— set interrupt disable status
STA	— store accumulator in memory
STX	— store index X in memory
STY	— store index Y in memory
TAX	— transfer accumulator to index X
TAY	— transfer accumulator to index Y
TSX	— transfer stack to index X
TXA	— transfer index X to accumulator
TXS	— transfer index X to stack
TYA	— transfer index Y to accumulator

more difficult than programming in Basic, since not only does it require the learning of an extensive set of opcodes, it also requires very strict adherence to assembly language structure, addressing conventions and processor status.

It is very important that assembler instructions are formatted correctly. To achieve this, source code programs are usually written using an editor program. The function of an editor, as its name suggests, is to allow the program to be modified easily. It also incorporates such functions as auto line numbering, searching for variable names, changing variable names and printout formatting for ease of reading.

### Correct format

The source code will contain not only machine instructions but also assembler directives which are required by the assembler program, for example to determine the starting address of the object code. Each machine instruction can consist of up to five fields, each

field separated by one or more spaces. Two of the fields, the line number and the opcode, must always be present in every instruction: the remaining fields depend on the instruction and the program. The instruction format is:

Line number Label Opcode Operand Comment

An example of a source code listing for a 6502 program is shown in figure 2. This was produced by the editor on Commodore's new assembler package for the PET. The source code program, which was written to provide the PET with a repeat key function, can be divided into two parts.

In the first part the variable names used in the program to represent data storage locations are assigned addresses (these are in hexadecimal, this being signified by the preceding \$ sign). This section of the code ends with the assembler directive "\*" = BEGIN" where "BEGIN" has been assigned a value of hexadecimal 1000, which is to be the starting address of the program.

```

0001 0000 ;*****
0002 0000 ;*
0003 0000 ;* REPEAT KEY
0004 0000 ;*
0005 0000 ;* 6/10/79
0006 0000 ;*****
0007 0000 REPDEL=$00
0008 0000 DELAY =$01
0009 0000 KEY =$02
0010 0000 IRQV =$90
0011 0000 LSTKEY=$97
0012 0000 BLINK=$A8
0013 0000 BEGIN =$1000
0014 0000 *=BEGIN
0015 1000 ;
0016 1000 ;REPEAT KEY ENABLE
0017 1000 ;
0018 1000 78 REPON SEI
0019 1001 A9 0F LDA #<REPEAT
0020 1003 85 90 STA IRQV
0021 1005 A9 10 LDA #>REPEAT
0022 1007 85 91 STA IRQV+1
0023 1009 A9 01 LDA #1
0024 100B 85 00 STA REPDEL
0025 100D 58 CLI
0026 100E 60 RTS
0027 100F ;
0028 100F ;REPEAT KEY FUNCTION
0029 100F ;
0030 100F A5 97 REPEAT LDA LSTKEY
0031 1011 C5 02 CMP KEY
0032 1013 F0 09 BEQ REP1
0033 1015 85 02 STA KEY
0034 1017 A9 10 LDA #$10
0035 1019 85 01 STA DELAY
0036 101B 4C 90 00 REPEND JMP IRQV
0037 101E C9 FF REP1 CMP #$FF
0038 1020 F0 F9 BEQ REPEND
0039 1022 A5 01 LDA DELAY
0040 1024 F0 04 BEQ REP2
0041 1026 C6 01 DEC DELAY
0042 1028 D0 F1 BNE REPEND
0043 102A C6 00 REP2 DEC REPDEL
0044 102C D0 ED BNE REPEND
0045 102E A9 04 LDA #$04
0046 1030 85 97 STA LSTKEY
0047 1032 A9 02 LDA #$02
0048 1034 85 A8 STA BLINK
0049 1036 D0 E3 BNE REPEND
0050 1038 .END

```

ERRORS = 0000

The second section of the code consists of the actual machine instructions, each being written according to the above format. Comment headings between subroutines and at the beginning of the program are defined by being preceded by a ";" and comments after an instruction are defined by being preceded by a ":". The source code program ends with the assembler directive to end ".END".

Having written a program in object code and saved it on either tape or disc — further functions provided by the editor — it is ready to be assembled. The assembler loads the object code file off the storage media and proceeds to do the first pass assembly. Two passes are required to assemble a program. In the first pass, all the opcodes and all the operands except jump addresses are calculated and placed in the correct memory locations.

In the second pass, the jump addresses are calculated and inserted into the unfilled memory locations left for them in the first pass. These memory locations are entries in the source code listing created by the assembler and not direct entries into memory locations. Any errors in the object code encountered by the assembler are displayed during the assembly process together with the appropriate error message.

If errors are present in the object code, then obviously the object code will have to be corrected before a correctly assembled source code is produced. The source code created by the assembler program is stored on disk or tape. Having stored the source code listing, the assembler will if required produce a printout, as in figure 3, of the complete source code, together with a symbol table, giving the location of all labels and data names.

Once created, the source code file on magnetic media can be used by a third program in the assembler package — the loader. This program, as its name suggests, converts the hexadecimal numeric values created by the assembler in the source code program into binary values stored in the correct locations in memory. Once the program is loaded, it can be run in the normal manner using say the SYS command from Basic.

There are many different kinds of assembler available on the market, covering every make of microprocessor. The majority of full assemblers follow the general pattern described above and of which the Commodore assembler is an excellent example.

There are, however, other simpler assemblers available, some even written in Basic and consequently extremely slow. A very useful type of simple assembler is known as a spot assembler. This does not require an editor or loader, being just an expanded monitor. A spot assembler does not allow the use of variable data names or labels but simply converts opcode mnemonics directly into binary values and inserts them into the correct memory locations.

Spot assemblers are very handy in constructing small machine-code programs or system patches, since they give one an almost interpreter-like control of the program, especially when used in conjunction with a disassembler. An example of a spot assembler is found in Commodore's new Extramon 7.5 monitor program for the PET — this also includes a disassembler and a host of other useful functions.

● The Commodore assembler is available from any Commodore dealer, price £75 on diskette for 16 or 32K machines with Commodore disk drive and printer.



## Outside connections

Nick Hampshire deals with the daunting topic of interfacing a micro to the outside world by discussing the basics of the KIM's I/O port.

THE CONNECTION of a computer to external electronic and mechanical devices can open a new world of applications, yet it is an area which most people approach with considerable trepidation. Such fears are, as will be shown in the short series of articles of which this is the first, unfounded and due mainly to the fact that most computer programmers are not electronic engineers and vice versa.

The computer system on which I shall base this introduction is the KIM 1, the reason being that it is an extensive, easy-to-use and, above all, has the same 6502 microprocessor as Pet and Apple computers.

The Kim, like most microcomputer systems, has a programmable eight-bit I/O port, and it is the connection of devices to the lines of this port and their control by a computer program which we will examine.

Those lines of the I/O port are usually from a device known as a PIA or Peripheral Interface Adapter. The most common are the 6520 and the identical 6820. The PIA is under direct control of the processor and consists of a set of eight-bit registers, each of which functions, as far as the processor is concerned, as a memory location.

Of the registers on a PIA, two types which are important and their function must be understood if we are to connect external devices to the I/O lines, and control those devices by means of a computer program.

The two registers which are universal to every PIA are the Peripheral Interface Buffer and the Data Direction Register. The Peripheral Interface Buffer — as its name suggests, is the register — memory location — from which data being put out to the I/O lines is stored, and from which data coming-in on the I/O lines is read by the processor.

The Data Direction Register is used to define each of the eight I/O lines as being either an input or an output. It is this ability of a PIA to have the direction of data on each line controlled by a program, which is one of the most powerful features of these devices.

On the Kim, the Data Direction Register for I/O port A is at memory location 1701, and the Peripheral Interface Buffer is at location 1700. If we want to define I/O line 5 as an output, we must set bit 5 of location 1701 to a logical '1'. Similarly, if we want to output on line 2, we must set bit 2 to '1' and so on. If we want to define an I/O line as an input, we must set the

corresponding bit of the Data Direction Register to logical '0'.

Having defined the function of each I/O line as either an input or an output, we can read the current state of those lines configured as inputs by examining the bits corresponding to those lines in location 1700, the Peripheral Interface Buffer. Similarly, we can output data on those lines defined as outputs, by writing the desired output to the corresponding bits of the Peripheral Interface Buffer; logical '1' for a 5-volt output on that line and logical '0' for a zero volt output.

As an example, say we have defined line 5 as an output and line 3 as an input. If we want to set line 5 to give a 5-volt output, we must write a binary word 'x x x 1 x x x' to location 1700 — the x's represent bits which can be either '1's or '0's.

To read the current state of line 3, we must read location 1700 and look at the state of bit 3, thus if it is 'x x 1 x x x x', line 3 is currently in a high or 5 volt state, and if 'x x 0 x x x x', the line 3 is in a low or zero volt state.

The simplest form of output circuit is to use the computer to turn a device, such as a lamp or a relay off or on.

More sophisticated outputs require two or more I/O lines to control a device. The computer would not turn the device on or off; it would also control its mode of operation. Whatever the sophistication of the computer control, it relies on the ability to control individual I/O lines with a computer program.

The best way of learning to do that is to construct a simple experimental I/O circuit. Mine uses a single eight-bit I/O port and provides four outputs to light-emitting diodes and four inputs from single-pole, double-throw switches. A single 7404 integrated circuit provides the four buffers on the outputs, which are required to raise the power output from the PIA to that required to drive the LEDs. It should be noted, however, that those buffers invert the output of the PIA, so a zero voltage output from the PIA will light on a piece of Veroboard. The numbers by the side of each buffer on the circuit diagram indicate the integrated circuit pin number (pin 1 on an IC is to the left of the notch at one end of the IC looking from above). The other pins are numbered anti-clockwise. The circuit requires 5 volts of power, which can usually be obtained from the computer power supply — see manufacturer's documentation — or from a battery. Pin 7 of the IC should be connected to ground and pin 14 to + 5 volts.

Having constructed the experimental I/O circuit, it should be connected to the processor I/O port via the appropriate connector, and its power supply turned on. With the Kim, and most other computer systems, we can use the monitor to control the operation of the PIA from the keyboard. We must first set the Data Direction Register so that lines PA0 to

## APPLE II IN SCOTLAND At New Low Prices

Compare new Apple prices and Benchmark  
PERSONAL COMPUTER WORLD  
BENCHMARK TESTS

	Apple II	Nascom	RM.	PET
		2	380Z	
BM 1	1.5	1.1	1.4	1.7
BM 2	3.2	5.4	6.5	9.9
BM 3	7.3	11.1	13.2	18.4
BM 4	7.2	11.6	13.9	20.4
BM 5	8.9	12.6	15.0	21.7
BM 6	18.6	19.3	22.3	32.5
BM 7	28.2	27.6	31.6	50.9
BM 8		5.2	6.2	12.3

Apple II plus with 16k RAM £750  
16K memory add-on £69

Apple disc drive c/w controller board £398

Clock card — IMSEC by 388 days £140  
Serial card £110

Analog input card 16 channel £170  
Super Colour incl. 14 inch monitor £440  
(Allows 3 colour guns to be driven directly. No modulator. Superb colour.)

Pascal Language System £296

Hitachi 9 inch monitor £127

Hitachi 12 inch monitor £187

Dolphin BD 80 printer £595  
Suitable interface card (Centronics parallel) £132

Many other items in stock including word processing packages

STRATHAND  
44 ST ANDREWS SQUARE  
GLASGOW, G1 5PL

Tel: 041-552 6731 Telex: 777268

CALLERS WELCOME

Telephone orders taken. Access, Barclaycard and cheque  
Hours of opening  
9-5 Monday to Saturday



• Circle No. 185

# Shop Window

## APPLE & ITT2020 BUSINESS SOFTWARE

Professionally written packages now available with comprehensive manuals, built-in validity checks, interactive enquiry facilities, user options, satisfying accountancy, Inland Revenue and Customs & Excise requirements. On diskette under DOS 3.2. in Applesoft with SPACE utility. Not adaptations. Written for Apple System. Support all printer interfaces. Sales, Purchases and General Ledgers £295.00 each.

Manual only £3.  
Payroll £375. Manual only £4.  
General Ledger supports Incomplete Records, Jobs Costing, Branch and Consolidated Accounts etc.  
General Ledger Applications Manual £10.  
Prices exclusive of V.A.T. From our shop or your nearest stockist.

**COMPUTECH SYSTEMS**  
168, Finchley Road, London, N.W.3.  
Tel: 01-794 0202

• Circle No. 186

## FIFTY Hz Superboard £190

British Standard plus  
OFFICIAL dealer support  
plus

ASS/ED, EX/MON AND  
OTHER SOFTWARE AND  
EXPANSION AVAILABLE

Free cursor control, back space, etc. Tape  
C.T.S., 1 High Calderbrook  
Littleborough,  
Lancs OL15 9NL.  
Tel. Littleborough (0706) 79332  
ANYTIME

• Circle No. 187

## MINE OF INFORMATION LTD

1 FRANCIS AVENUE,  
ST ALBANS AL3 6BL  
ENGLAND  
Phone: 0727 52801  
Telex: 925 859

## MICROCOMPUTER CONSULTANCY & BOOK SELLERS

• Circle No. 188

## SOUTHAMPTON 8K PET HIRE

£20 p.w. + VAT including manuals and Microchess. £30 + VAT for 9 days over Christmas. Charges may be offset against purchase.

BUTTERFIELD'S ENCYCLOPAEDIA £12 (inc. VAT and postage. Contains 32 programs including STARTREK, BATTLESHIPS, LUNAR LANDER, etc).

Demonstrations of large range of Commodore and Petsoft software. (£50 free software on purchase of any PET computer).

Also 16K or 32K PETs and 3040 Floppy Disk Units on show.

**SUPER-VISION**  
13 St James Road  
Shirley  
Southampton  
Telephone (0703) 774023  
after hours (0703) 554488

• Circle No. 189

PA3 are configured as outputs. This means that we must set bits 0 to 3 of location 1701 to logical '1' and the remaining bits to zero. To do this, we load 1701 with hexadecimal '0F'.

Remember that the lines on our circuit have been inverted so that to light a LED on a particular line we must write a '0' to the corresponding bit in the Peripheral Interface Buffer. Thus to turn-on the LED on line 0 we must set bit 0 to '0' and bits 1, 2 and 3 to '1' in location 1700; since bits 4 to 7 have been defined as inputs their contents will reflect the current state of the input lines.

To do this we need to write hex '0E' to location 1700, whereupon LED 0 should light and the other three LEDs should go out, providing that the circuit was assembled correctly. To turn-on LED 1 write hex '0D' into 1700; LED 2 is '0B' and LED 3 is '07'; other values give combinations of two or more LEDs on and '0F' extinguishes all four.

Having controlled the outputs manually, it is simple to control them via a computer program. The computer program must perform the same sequence of processes which were performed in the manual output of data, therefore, to turn-on the LED on line 2 we can use the following short machine code program:

```
A9 0F LDA#0F      Set Data Direction Register
8D 01 17 STA 1701
A9 0B LDA#0B      Output a '0' on line 2
8D 00 17 STA 1700
60 RTS           End
```

By varying the values, this little subroutine could be used in a program to turn any single or combination of LEDs on or off. By stringing together a sequence of program steps like this one, where each stores a different value in location 1700, we could create a sequence of flashing lights. This would require four blocks of code, as indicated, and would terminate in a jump command to return the program to the beginning, to start the sequence all over again.

If you try this, however, all you will see is four lit-up LEDs since the program runs so fast that we are unable to perceive what is happening. To see the flashes we must slow the program by inserting a delay between each step. A delay can be generated by using a counted loop, like a FOR — NEXT loop in Basic.

Since machine code programs are so fast it is usually necessary to nest two or three loops, one within the other, to obtain a visually-acceptable delay of one or two seconds. The following is a simple location hex 0 as variable storage:

```
200 A2 F0 LODX LDX#F0      initialise index register X
A0 F0 LODY LDY#F0      initialise index register Y
C8 LOOPY INC Y          increment Y
C0 00 CMP Y#00         is Y = 0?
D0 FB BNE LOOPY       if so go to LOOPY
E8 INC X               increment X
E0 00 CMP X#00         is X = 0?
D0 F4 BNE LODY       if so go to LODY
E6 00 INC Z           increment location 0
A5 00 LDA Z           location 0 = 0?
C9 00 CMP #00
```

```
D0 EA BNE LODX      if so go to LODX
60 RTS             return to calling program
```

The delay generated by this program can be varied by changing the initialisation values for index registers X and Y. The smaller the values the longer the delay — the values indicated give a delay of about one second. This delay subroutine can be incorporated into the flashing sequence of LEDs program so that each LED remains lit for about one second before being extinguished and the next LED lit. That is done by this program, starting at location 10.

```
10 A9 0F LDA#0F      initialise Data Direction Register
8D 01 17 STA 1701
15 A9 0E LDA#0E      set LED 0 on others off
8D 00 17 STA 1700
20 00 02 JSR DELAY   go to delay subroutine
A9 0D LDA 0D        set LED 1 on others off
8D 00 17 STA 1700
20 00 02 JSR DELAY
A9 0B LDA#0B        set LED 2 on others off
8D 00 17 STA 1700
20 00 02 JSR DELAY
A9 07 LDA#07        set LED 3 on others off
8D 00 17 STA 1700
20 00 02 JSR DELAY
4C 15 00 JMP 0015    return to start of display program
```

By changing the binary values loaded into the Peripheral Interface Buffer the sequence or pattern of flashing LEDs can be changed. Further steps in the sequence can be added by inserting further display blocks of code. For long sequences, however, this method takes an excessive amount of memory and in such cases it is best to use a table of output values.

## Sequential

In the following program each value to be loaded into the Peripheral Interface Buffer is stored in the sequence in which it is to be output, in one of the bottom 256 memory locations. The program accesses this table from location 1 upwards, sequentially, and on reaching the entry in location 255 returns automatically to the entry in location 1. The contents of the table can be input manually using the monitor and the keyboard.

```
0240 A9 0F INIT LDA#0F      initialise Data Direction Register
8D 01 17 STA 1701
0245 A2 01 DISPLAY LDX#01    set index register X to point to start of data table
0247 BD 00 00 DISP2 LDA 0000,X :fetch entry from table pointed to by X index register
8D 00 17 STA 1700          output to Peripheral Interface Buffer
8A TXA                   transfer X reg to accumulator
48 PHA                   put accumulator on stack
20 00 02 JSR DELAY       pull accumulator from stack
68 PLA                   transfer accumulator to index X
AA TAX                   move X register pointer to next entry
E8 INX                   end of table?
E0 00 CPX 00
D0 EE BNE DISP2
4C 45 02 JMP DISPLAY
```

The reason the contents of the index register are transferred to the stack is that the X register is used in the delay subroutine, and if the index register were not saved the table pointer would be lost. Having generated a delay, the contents of the index register are recovered from the stack.



# Numbers all change

AS COMPUTER ENTHUSIASTS, we often find that we need to change a hexadecimal number into its decimal equivalent, or vice-versa. But after a search through the manuals for the conversion table, we usually find that the number we want is between those listed, and we have to resort to pencil and paper in order to work the conversion out.

The program listed below not only does this conversion quickly for all numbers, but it also works for number bases from 2 (binary) through 10 (decimal) and 16 (hexa-decimal) to 36 (using the numerical digits, and all the upper-case alphabetical characters). It can even be extended through the ASCII characters 91 to 96 to the lower-case alphabetical characters. For those uncertain about what number bases are, an explanation of them is given later.

The program has a further use. Changing a number from one base to another can be a way of packing more information into an array. For example, suppose you want to record the results of football matches between teams A and B over the years in one element of the array FOOT(A,B). There could be no information (0), a home win (1), an away win (2), or a draw (3).

Thus for a series of results over the years, we might have a sequence such as 2122110. If we consider this as a number to base 4 (since four digits are used), we can convert it into its decimal equivalent 9876, and so save space.

The remark statements in the program give an indication of how the program is organised, but an explanation of the following lines of the program may be helpful to an understanding of it:

- 010 Sorcerer's method for clearing the screen.
- 130 Asks for the number of digits or characters required in the answer.
- 240 Divides the number into its separate digits or characters.
- 260 Converts an alphabetical character into its numerical value.
- 270 Converts a numerical digit into its numerical value.
- 280 The numerical value is multiplied by the base B1 raised to the power (L2-R)

corresponding to the position of the digit or character in the original number.

300 The mid-point decimal number M is carried through to the second half of the program.

330 M is divided by the second base B1 raised to the appropriate power (L2-R).

350 The integral part N is converted into an alphabetical character.

360 N is converted into a numerical digit.

340 Q is the remainder of the number.

380 This is a 'fudge factor' which slightly increases Q. I have found that it works for all numbers and bases I have tried, but micros other than the Sorcerer may require a different factor. It is necessary because of the division in line 330.

Take care that you input the right kind of characters for the number base you start with, and that L2 is sufficiently large for the answer, otherwise nonsense answers will be displayed.

The decimal number 234 which we read as two hundred, thirty and four may be written as

$$200 + 30 + 4$$

or as  $2 \times 100 + 3 \times 10 + 4 \times 1$

or as  $2 \times 10^2 + 3 \times 10^1 + 4 \times 10^0$

$10^2$  is read as ten to the power of two, and means that the number 10 is multiplied by itself 2 times ( $10 \times 10$ ). The 10 is said to be the base of the system (hence the name decimal).

Note that *any* base raised to the power of zero is equal to one. Notice that the power for the right-most digit (the four) is 0, that for the next digit to the left (the three) is 1, and the next 2, and so on.

In the hexa-decimal system, there are 16 symbols, consisting of the ten digits 0 to 9 plus the six upper-case letters A to F. A hexa-decimal number such as 2A3F may be converted to its decimal number equivalent by first converting the individual characters to their decimal equivalent (from A = 10 to F = 15), and then multiplying each of these by the base 16 raised to the power appropriate to the position of the digit or character in the original hexa-decimal number. Hence 2A3F becomes

$$2 \times 16^3 + 10 \times 16^2 + 3 \times 16^1 + 15 \times 16^0$$

$$= 2 \times 16 \times 16 \times 16 + 10 \times 16 \times 16 + 3 \times 16 + 15 \times 1$$

$$= 2 \times 4096 + 10 \times 256 + 3 \times 16 + 15$$

$$= 8192 + 2560 + 48 + 15$$

$$= 10815$$

Fig 1 Port locations for PET.

```
50 DIM V(5):DIM N(5):POKE59459,255:P=59471:REM USER PORT OUTPUT
100 PRINT"WHEN YOU FEEL A SHOCK"
105 PRINT"RESPOND WITHIN 5 SEC WITH:"
110 PRINT"1=JUST NOTICED 2=EASILY NOTICED"
115 PRINT"3=UNPLEASANT 4=PAINFUL 5=VERY PAINFUL"
150 FORJ=0TO5:V(J)=0:N(J)=0:NEXT
200 FORN=1TO30:V=INT(255*RND(1)):GETA$
210 POKE P,V:POKEP,0
220 FOR J=0TOJ=5000:NEXT:GETA$:A=VAL(A$):IFA>5THEN300
230 V(A)=V(A)+V:N(A)=N(A)+1
240 FORJ=0TO1000*RND(1):NEXT:NEXT
300 FORJ=3TO5:IFN(J)=0THENN(J)=1
310 NEXT:VF=INT((V(3)/N(3)+2*V(4)/N(4)+V(5)/N(5))/4/2.55)
320 PRINT"THRESHOLD IS "VF" VOLTS"
READY.
```

NEW PETS with larger keyboard.  
8K £480, 16K £535, 32K £620.

Delivery ex-stock to three weeks.  
Also PET peripherals.

CHALLENGER-1 £300 complete with  
RF convertor. Also CHALLENGER-2  
range T1 99/4 £690.

AIM 65 4K CASED POWERED BASIC  
ASSEMBLER £420 four weeks. Also  
Seawell memories etc. \$100 memory 16K  
FULLY STATIC assembled and tested  
£150.

Complete \$100 system with Cromemco  
SCC, North Star double-density 32K  
memory £1,200.

Also other \$100 products.

We import direct from U.S.A. and our  
own modification as necessary.

Full technical support. Write or call for  
prices.

INTELLIGENT ARTEFACTS  
Cambridge Road,  
Orwell,  
Royston, Herts.  
Tel: Arrington 689

• Circle No. 190

## NEW NEW NEW TRS-80 EXTENDED BASIC

Cassette "bad and go" program, enables  
Keyboard debounce, USR0-9, & H, & O, & D —  
(with variables), DEFUSR, LINE INPUT, LINE  
INPUT \*\*, MID \$ (on left), INSTR and DEFFN.  
All this for £15 + 50p. postage.

LEVEL II GAMES PACKS £12 each + 50p.  
postage.

PACK 1 Othello, Amaze (intricate graphic  
mazes solved by you or computer), shootout  
(animated quick draw game), Simon (with  
musical output).

PACK 2 Startrek (real time graphic version),  
Hangman (over 600 words), Golf, Tic-tac-toe.

### PASSWORD CRACKER!

Disk command program enables retrieval of  
password on any file (including SYS files).  
£12.50 + 50p. postage.

### CHEAP HARD COPY!!!

Still a small number of Olivetti teletypes  
available at £250 each. TTY driver package £50.

Send to: — Jake Commander, 305  
Brownfield Road, Shard End,  
Birmingham B34 7EA.  
Tel: (021) 747 6964

• Circle No. 191

## THE BEST OF AMERICAN SOFTWARE

Accounts payable	SSG
Accounts receivable	SSG
General ledger	SSG
QSORT	SSG
NAD	SSG

Basic 2  
Letterhit  
Whatsit  
8" discs CMP compatible  
£995 + VAT

SWC ELECTRONIC DISTRIBUTORS,  
P.O. BOX 30 LONDON E4

• Circle No. 192

**DATAPLUS**  
BUSINESS SYSTEMS  
SUPPLIED AND PROGRAMMED  
TO YOUR REQUIREMENTS  
BUY/LEASE

Dataplus, 67 Bridge Street,  
Manchester M3 3BQ.  
Telephone 061-832 3265

• Circle No. 193

## DATA PROCESSING JOURNALIST

Data Processing, the international monthly magazine for computer managers, requires a journalist to join its small, lively team.

He/she will have a busy and varied working life which will include the origination and writing of business and technical articles, subbing, proof reading, attending press conferences. Salary: £5,771.00 plus reading allowance of up to £210.00 per annum.

Write, with full details to Sarah Hardcastle, Editor, Data Processing, IPC Electrical-Electronic Press Ltd., 79/80 Blackfriars Road, London SE1 8HN. Tel: 01-261 9111.

The salary and conditions quoted are in accordance with the IPC/NUJ agreement.


• Circle No. 194

### TRS-80

## VIDEO DISPLAY WORKSHEETS

Pads of 50 sheets  
13 x 8 ins.

With Graphics Printouts



CWO To.  
Mail Order Dept., B & M Trowbridge Ltd.,  
269 Newark Road, North Hykeham, Lincoln

**£1.30**  
each

• Circle No. 195

### TRS-80 System

All items stocked, Barclaycard, Access & American Express are welcome, or apply for your own RADIO SHACK Charge Card. U.K. Delivery by Securicor. Direct and Personal Exports.

**RADIO SHACK LTD.**  
188 Broadhurst Gardens,  
London NW6 3AY.

Tel: 01-624 7174 Telex 23718

• Circle No. 196

**ULTRA FAST CASSETTE INTER FACE BOARD FOR THE NASCOM I** providing reliable data storage and recall at up to 7,800 baud! on standard cassette recorder.

e.g. 1K of data loaded in less than 1 1/2 seconds!!

The modifications required are minor and full documentation is supplied with each board which comes built, tested and guaranteed.

For immediately delivery send £15.95 + 35p P&P to:

J C Hunter  
85 Portland Street, TROON,  
Ayrshire, Scotland  
or telephone 0292-311613 evenings.

• Circle No. 197

# BUYERS' GUIDE

The Buyers' Guide is a summary of low-cost computers available in this country. It appears each month; we add new computers and amend existing information, as required, to keep it up-to-date. Systems are listed by manufacturer.

## ACORN COMPUTERS

**Acorn.** Single Eurocard-sized microcomputer with 6520 processor, 1KB RAM, 16-way I/O. Max size; a second Eurocard adds hex keypad and CUTS cassette interface. Monitor and machine-code, programming now Basic and disc operating system in the future. "Highly cost-effective basis for a computer or an industrial development system". Available from Acorn (0223) 312772 or Microdigital (051) 236 0707.

£74.75 kit, £86.25 assembled

## APPLE COMPUTERS

**Apple II.** Min size: 16K memory; 8K ROM; keyboard; monitors; mini assembler; colour graphics; Pal card; RF modulator; games; paddles and speakers; 4 demo cassettes. Max size; Expandable to 48K memory; floppy discs and printers are now available. Two versions of Basic, PASCAL; Assembler, games; business packages. An American system regarded as suitable for any kind of applications. Maintenance contracts offered. Microsense Computers is the sole U.K. distributor and has a national dealer network. Tel: (0442) 41191/48151 (24-hour answering service).

Around £1,000

## ATTACHE

**Attache:** Min size: system with 10 slots, S100 bus, 8080 processor and 16KB housed in desk-top case with built-in keyboard. Max: 64KB, parallel printer interface, two single or double density 8" floppies, video screen. Disc Basic. Full business system includes all software. Mecotronic is UK agent south of Birmingham. Tel: (0276) 29492, R. J. Spiers, 3 Birch Court, Woodlands Garden, Norwich, north of Birmingham.

From £1737. Full business system £7000

## BILLINGS

**Billings Microsystem (BMS):** Z-80A, 64K RAM, 12" screen, QWERTY keyboard, range from double density 8" floppies (600KB), to 200 MB hard disc. Software includes COBOL (ANS174 with extensions), FORTRAN, Extended BASIC and MAC80 Assembler. The microsystem could be used as a program development aid. Availability: Mitech Data System Ltd, Woking (04862) 23131.

From £4295

## BRUTECH ELECTRONICS.

**BEM-CPUI.** Single-board processor with 6502 and no RAM. Applications software. Available from Data Precision Equipment (04862 67420). (Reviewed March, 1979.)

£133 exc VAT



## BYTRONIX MICROCOMPUTERS

**Megamicro.** 8080A/Z-80 processor. 64K. Double-sided discs, two-page addressable VDU, 140 cps printer. Software includes Basic, Fortran, Cobol and Pascal, all running under CP/M. Applications include automatic letter writer, sales ledger and stock control, payroll and bought ledger. Self-diagnosis utilities. Aimed at business and university user. Available from Bytronix (0252) 726814.

From £6,080.

## COMART

**Microbox:** Chassis with three to six PCB sockets for S100 boards, plus fan. Several S100 boards available. Aimed mainly at OEM industrial users and perhaps the serious hobbyist. It will take Cromenco, North Star and other processors. Available from Comart (0480) 215005.

£195

**VDM Board:** Adds word processing power to the S100 bus by providing on-board screen storage. Generates 16 by 64 character lines from data stored in a 1024 byte on-board memory.

£145

## COMMODORE SYSTEMS DIVISION

**Pet.** Single unit containing screen, tape cassette and keyboard. Floppy disc, printer and full-size keyboard are options, as are external cassettes. Basic; games; business packages. The British subsidiary of Commodore Systems of the U.S. sells Pet for home, educational and small business applications. About 80 distributors.

£460-£795 exc VAT

**Kim-1.** processor (6502 chip); small calculator-type keyboard; LED six-digit display; built-in interfaces for audio-cassette and Tele-type; 1K RAM; 2K ROM (can add up to 64K). No software available, but it has three good manuals. An American import which gives Pet-type capabilities with a maximum configuration. For the hobbyist but used mainly as an evaluation board for the 6502 chip. Twelve to 15 dealers. (Reviewed October, 1978.)

£99.95

## COMPELEC ELECTRONICS

**Series I.** Z-80 processor 512MB floppy, 32KB, Centronics printer, VDU. Up to 4MB disc and 64KB. CP/M, Basic, Cobol, PASCAL, Fortran IV, Assembler, Business and word processing packages available. From Compelec (01-580 6296), which is also sole supplier of Altair systems.

Less than £5,000 for basic system

## COMPUCOLOR

**Compucolor II.** Packaged system including 13in. eight-colour display with alphanumerics and graphics, 72-key detachable keyboard, 8KB, and built-in mini-floppy. Max size: 32KB. Extended disc. Basic in ROM, graphics programs and games. The system now ranks fourth behind Pet, TRS-80 and Apple in personal computer sales. Abacus (01-580 8841) is sole U.K. agent and is arranging distributors, including the Byte Shop and Transam. (Reviewed June, 1979.)

From £1,390

## COMPUCORP

**610:** desk-top unit using Z-80 and incorporating screen, 150KB floppy, 48KB. Up to 60 KB memory, four floppies, printers. Basic, Assembler, DOS, text editor, file manager; business packages. Nine dealers.

From £3,890

## COMPUTER CENTRE

**Mini kit:** Z-80 CPU, CTC, USART, serial and parallel I/O, 16 bytes memory, Western Digital disc controller, SA400 5in. drive plus CP/M, cables and connectors.

Mini kit: £786

**Maxi kit:** As above but with DRI 7100 8in. drive instead of 5in. drive. All (33) volumes of CP/M user group library available for cost of media. Library includes utilities, games. Basic compilers/interpreters and Algol compiler. Microsoft Basic, Cobol, Fortran also available. Computer Centre (02514 29607).

Maxi kit: £886

## Shop Window

### Vets for Pets

Anita Electronic Services (London) Ltd. are specialists in the repair and service of Commodore Pets.

We offer a fast on-site service, or alternatively repairs can be carried-out at our workshops should you wish to bring in your Pet.

Pet maintenance contracts are available at very competitive prices. Trade inquiries welcomed.

For further information tel. or write to:-

John Meade  
Anita Electronic Services,  
15 Clerkenwell Close, London EC1  
01-253 2444

• We also specialise in the repair of all makes of office equipment.

• Circle No. 198



### COMMODORE PET SPECIALISTS

We stock the Commodore range of equipment and have a large selection of high quality software to go with it.

We also have programming facilities and fast reliable maintenance support.

In stock is a selection of secondhand and ex. demonstration machines all guaranteed.

Give us a call first to see what we have to offer.

DAVINCI COMPUTERS LTD.  
Tel: 01-202 9630  
Classic Offices  
Rear of Classic Cinema  
Hendon Central  
London NW4.

• Circle No. 199

### PROGRAMMER WANTED

for small software house, to work on interesting assignment developing specialised accounting system. Personal service and involvement essential, London area. Please give details of experience and method of charging to

Box No 102

• Circle No. 200

### ANDREWS COMPUTING LTD

Programs for minimum Nascom-1

- Fruit Machine Game	£3.45
- Submarine Chase Game	£3.45
- Game of Life	£3.45
- Minefield Game	£3.45

Programs for extended Nascom-1

- Renumber Basic Program	£4.60
--------------------------	-------

All supplied fully documented with listings on B-Bug, T4 or Nasbug format cassette tape.

C20 cassettes (inc. library cases)	5	£2.76
	10	£4.83

Machine code, Assembler or Basic coding forms. £1.60 each pad (approx. 80 sheets). Add 35p for p&p, all prices include VAT.

Send SAE for details:

21 Lime Tree Drive, Farndon, Chester

• Circle No. 201

# Shop Window

## Philips Mini Digital Cassette Recorder

- \* UP TO 128K SERIAL MEMORY
  - \* HIGH SPEED — LOW COST
  - \* SPECIFICALLY DESIGNED FOR DATA STORAGE & INTERCHANGE
  - \* READ, WRITE, IDLE, FORWARD AND REVERSE FACILITIES
  - \* IDEAL TO INTERFACE TO YOUR MICRO
  - \* £95 EA. + VAT (£1.50 FOR P. & P.)
  - \* INTERFACE CARD TO PROVIDE ALL NECESSARY INPUT AND OUTPUT FACILITIES TO ENABLE FULL AUTOMATIC CONTROL OVER THE TAPE UNIT.
- PRICE £37.50 EACH

**CURRAH** COMPUTER COMPONENTS

79 Crowland Rd. Hartlepool Cleveland.  
TS 24 2JN. Phone 0429 / 871900

• Circle No. 202

**Some people  
would give  
anything to have  
your  
micro experience**

If you have solid experience on Intel 8080 or similar and are interested in contract work Richard Kaluzynski will put you in touch with them.

Knight Computer Services Limited,  
14 Old Park Lane, London W1Y 4NL.  
Tel: 01-491 4706.



Staff Services Division of BOC Datasolve Group  
and a member of Computing Services Association

• Circle No. 203

Fed up having to return tapes that won't load?

## TRY THE QUALITY OF KANSAS

High density tapes with comparable mechanics and everything actually produced at our works down to the labels and library cards (yes — library cards!).

TANDY LEVEL II — send for catalogue

**Kansas** Kansas  
City Systems

Unit 3, Sutton Springs Wood, Chesterfield  
Tel (0246) 850357

(21 years in media production)  
We publish programs on a royalty basis

• Circle No. 204

## COMPUTER WORKSHOP

**System 1.** Typical size: 40K memory; dual 8in. floppy disc, total storage capacity 1.2MB; Ricoh daisywheel printer.

System 1, £5,000 plus

**System 2.** Typical size: 24K memory; dual minifloppy discs of 80K bytes each; Centronics 779 dot matrix printer; VDU.

System 2, around £3,000

**System 3.** 12K memory, cassette interface; 40-column dot matrix printer. Editors, Assemblers, Basic, games, information retrieval package. The systems were designed and built in Peterborough and are suitable for educational and small business users and perhaps the more serious hobbyist. Twenty-five dealers.

System 3, from £1,300

## CROMENCO

**Single-card computer:** 4MHz Z-80 CPU, S-100 bus, 1KB RAM, sockets for 8K ROM. 20mA/RS232 serial interface and parallel bidirectional interface. Basic in ROM and Z-80 monitor. For OEM and industrial users; used with backplane for "full computer compatibility" (Reviewed February 1979).

£225 (in kit form) to £260

**Z-2:** Min. size: chassis, 31A power supply, motherboard, Z-80 processor, 16KB memory. Max size: 512KB, 21 sockets, three mini-floppies or four 8" floppies. Basic, Fortran, Cobol, assemblers. For serious hobbyists, OEMs, educational applications, and industrial/scientific users.

£360 (in kit form) to £3700

**System Two.** Min size: factory-assembled system with 32KB, dual 90K minifloppies, dual printer interface, serial interface. Max size: two additional floppies, 512KB, up to seven terminals, CP/M-compatible operating system (CDOS), Fortran, Cobol, Basic, assemblers, word processing, database manager. Multi-user system for software development, or scientific/industrial/business users.

£1,995 upwards

**System Two/64:** 64KB, dual 90K mini-floppies, dual printer interface, serial interface. Options: two additional floppies, 512KB, up to seven terminals, CP/M compatible operating system (CDOS), Fortran, Cobol, Basic, assemblers, word processing, data-base manager. Multi-user system for software development, or scientific/industrial/business users.

£1995 upwards

**System Three.** Min size: 32KB, dual 256KB floppies, dual printer interface, 20mA/RS232 serial interface, Z-80 processor. Max size: two additional discs, 12KB, seven terminals, multi-channel A/D and D/A interface, PROM programmer. Software as for System Two. Described as appropriate for small to medium business, scientific and industrial users — "rivals minicomputers at more than twice the price".

£2,995 to more than £8,000

**System Three/64:** New configuration featuring dual 8" floppies, Z-80A processor, 64K of 4MHz memory; console and printer interfaces. Macro assembler, Fortran IV, Extended Basic, Cobol, Multi-user Basic. All systems sold by Datron Interform, Comart, Micro Centre. Prices quoted by Comart.

£3270

## DIGITAL MICRO SYSTEMS

**DSC-2.** Min size; 32KB, but 64K standard; Z-80; over 1MB floppy disc on two single-sided 8in. drives; four programmable RS232 and one parallel interface. CP/M and Basic included in price. Extended Basic, Fortran, Cobol, text processing, Macro Assembler, Link Loader, business packages and CAP-CPP business software. Add-on rigid disc system (14 and 28MB) available soon. Modata (0892 39591) is sole U.K. distributor; dealers being appointed.

From £4,465

## DYLE HOUSE

**Business Computing System 2000.** Z-80A. Dual 8in. discs, 140 cps 132 char printer. Dyle House Business Basic, and disc operating system. Accountancy, payroll and parts control suites. Applications: Sales acknowledgments, sales invoices, delivery notes, purchase orders, customer statements, remittance advice. Dyle House Ltd (01-529 2436).

No price announced



## EQUINOX

**Equinox 300.** Min size; 48K memory; dual floppy discs giving 600K bytes of storage; 16-bit Western Digital m.p.u. Max size; up to 256K memory; up to four 10MB hard discs. Basic, Lisp, PASCAL, Macro Assembler, Text Processor. All software bundled. The system is a multi-user, multi-tasking, time-sharing system for two to 12 users. Application software available for general commercial users. Sole distributors Equinox Computers Ltd (01-739 2387).

£5,000-£40,000  
plus

## EURO-CALC

**Euroc:** 8080A CPU, 64KRAM, two times double-sided single-density 8" floppy disc drives with approximately 1 MByte capacity. 15" screen with 80 by 25 characters, QWERTY keyboard. CPM operating system 140 CPS tractor feed matrix printer. Software: C-BASIC 2. Supplied with accountancy package for sales, purchases and nominal ledgers and initial stationery. Sold through Euro-Calc, 55/56 High Holborn, London W.C.1. Tel: 01-405 3113.

£8000

## EXIDY

**Sorcerer:** based on Z-80, 16K and 32K; cartridge and cassette interfaces; 79-key keyboard; 256-character set (128 graphics symbols), 12in. video monitor; expandable with Micropolis floppy discs. Basic, Assembler and Editor; games, word processor. Other pre-packaged programs plus EPROM Pack for your own programs on cartridges. Factor One is sole distributor for U.K. (Reviewed March, 1979.)

From £760  
without VDU to  
£1,200 with  
floppy discs

## HEATH SCHLUMBERGER

**H8.** 8080 CPU. 4664K PAM. Serial/cassette I/O; front parallel monitor; keypad; optional parallel I/O; serial multiport; breadboard I/O and disc system. Basic, Ext. Basic, Mierosoft Basic, HDOS, CPM.

From £262 (in kit  
form)

**WH89.** All-in-one computer. Z-80 processor plus Z-80-controlled VDU. 16K expandable to 48K, user-accessible. Two RS232 I/O ports. Operating system includes Benton Harbour Basic, two-pass absolute assembler, text editor, utility programs, Mierosoft Basic and Fortran word processor package. Heath Schlumberger (0452 29451).

About £1,600

## HEWART MICROELECTRONICS

**Mini 6800 Mk II.** IK monitor; IK user RAM, IK VDU RAM; CUTS. Upper- and lower-case VDU with graphics option. 128-byte scratchpad; decoder/buffer; power supply; Basic in ROM; monitor command summary. SWTPC programs; Newbear 6800; Scelbi 6800 Cookbook. Markets are small business, education and home user. Cash with order to Hewart. (0625) 22030.

From £127.50  
plus VAT

**6800S.** 16K dynamic RAM; IK Mikbug-compatible monitor; room for 8K Basic in ROM; upper- and lower-case graphics; single floppy disc drive; printer and high-speed tape interfaces. "Mountains of software available." Test tape with CUTS test tones, test message and games with kit.

From £275 plus  
VAT

## IMSAI

**VDP 40:** 32K or 64K RAM memory; 9in. display screen, standard keyboard. Two 5¼in. floppy disc drives; serial I/O. Full software support, and packages available for the VDP 42, which has larger disc capacity. Packages for VDP 80 could be converted for smaller systems. This would be from about £700 per package. Two main dealers in the country.

£4,507 for 32K  
model. £4,950 for  
VDP 42

## ITT

**2020.** Identical to Apple II. Min. size: 4K memory; 8K ROM; keyboard, monitor, colour graphics, mini assembler; Powell card; RF Modulator, games, paddles and speaker; Max size: 48K with floppy discs and printers. Basic, Assembler, games, business packages. Generally suited to any type of application. Fifteen wholesalers, including Fairhurst Instruments.

From £827 to  
£3003 for 48K,  
two floppies and  
printer

## INTELLIGENT ARTEFACTS

S100 16K static RAM boards in stock

— INCREDIBLE VALUE £150  
Z80 CPU cards 4MHZ £100

We import direct from U.S.A., undercutting all competition on PETs, Ohio Scientific, S100 etc.  
Phone for prices: Arrington (022020) 689


Intelligent Artefacts Ltd,  
Cambridge Road,  
Orwell, Nr Royston, Herts

• Circle No. 205

Nigel Roberts and Roy Trubshaw would like to announce they are now trading as:-

**LAMBDA SYSTEMS**

Cheap, high quality software with full listings and documentation our speciality.



Opening offer: SUPERWUMPUS for PET™ £4

Lambda Systems  
P.O. Box 49  
Colchester, Cox 35F

• Circle No. 206

## S. WALES

PET's  
+  
SHARP MZ-80's  
(THE NEW MICRO)  
+  
HEWLETT-  
PACKARD  
HP-41's  
+  
COMPUTER  
BOOKS

SIGMA SYSTEMS  
54 PARK PLACE  
CARDIFF 21515

• Circle No. 207

## APPLE & PET IN DUBLIN

- Come and see these fine computers in our new showrooms.
- Try them and discuss your requirements.

Sensible Software for Apple

- Invoicing/Debtors' Ledger
- Financial Modelling.
- Shape maker
- Educational systems; maths; physics; commerce.

SOFTECH LTD  
51 Lower Camden Street,  
Dublin 2  
Tel: 01-976279

• Circle No. 208

## Shop Window

### TOPMARK Computers

dedicated to

APPLE II



Simply the best!

Full details from Tom Piercy on  
Huntingdon (0480) 212563 or circle  
enquiry card.

• Circle No. 209

### ASR TELETYPE 33's £250 + VAT

Secondhand Serviced  
30 Day Return to Workshop Guarantee

Also available:

- Fitted Silencing Cover for above
- 10-30 c.p.s DIAN KRS/ASR
- 10-20 c.p.s Log Abdx Lx180 KSR
- Acoustic Couplers

Enquiries to:

Derek Lade 01-637 1355 (S. England)

Ken Pickford 0772 686010 (N. England)

ADP Network Services  
179-193 Great Portland Street  
London W1N 5TB

• Circle No. 210



### ANTIQUE DEALER



requires accounting programs, including  
provision for the special VAT scheme for  
antique dealers, also preferably provision  
for foreign exchange. *Details please to*

Box No 101

• Circle No. 211

Bought, sold or exchanges  
(repairs as well)

### MICRO HIRE

Pets; Apples, Sorcerers; Horizons; Printers  
and floppy disks etc.

We also stock Horizon and Apple.

Low prices and free deliveries

Mon - Sun - evenings

Promglow Ltd  
01-388 9002

• Circle No. 212

## LUXOR

**ABC 80.** Min size: 35K with keyboard, CPU 12in. screen and cassette. Max size: 40K RAM with discs. Z-80 processor, loudspeaker with 128 effects, real-time clock. Options: printers, plotter, discs, module cards, digitiser, modem. 60 compatible I/O memory boards. Software: Basic with resident editor; assembler; games; business and educational packages. Personal computer aimed at home market, small business and education. CCS Microsales is U.K. agent and is looking for distributors.

£795 plus VAT

## MICRONICS

**Micros.** Typical size: 1K monitor; 47-key solid state keyboard; interfaces for video, cassette, printer and UHF TV; serial I/O, dual parallel I/O parts; 2K RAM; power supply. 2K Basic; British-designed and manufactured system. Claimed to be the cheapest data terminal — a system with an acoustic coupler and VDU for £1,020. Prospective applications for small businesses, process controllers and hobbyists. Manufacturer is sole distributor (01-892 7044).

From £400,  
assembled

## MICRO V

**Microstar.** Single box with twin 8in. floppy discs, 64K RAM, three RS232 serial inputs, STARDOS operating system enables system to have three VDUs, plus a fourth job running simultaneously. Word processing software available. Packages being developed include invoicing system, payroll, accountancy type system. Price includes a reporter generator language. Imported by a Data Efficiency subsidiary, Microsense Computers, Microsolve is London agent; other distributors being arranged.

£4,950 machine  
and software

## MIDWEST SCIENTIFIC INSTRUMENTS

**MSI 6800.** Min size: 16K memory Act I terminal; cassette interface. Max size: three disc systems — minifloppy system with triple drives of 80 bytes each and 32K memory, large floppy system with up to four 312K-byte discs and 56K of memory mounted in a pedestal desk, or hard disc system with 10MB and 56K. Basic interpreter and compiler; editor; assembler; text processor on small disc system. American-designed system being manufactured increasingly in the U.K. Sole U.K. agent is Strumech (SEED) (05433 4321) but a distributor network is being established.

Basic system:  
£1,100 (£815 as  
kit); Minidisc,  
£2,500; floppy  
disc £3,200; hard  
disc, £8,000-  
£12,000

## NASCOM MICROCOMPUTERS

**Nascom I.** Min size: CPU; 2K memory; parallel I/O; serial data interface; 1K monitor in EPROM. Max size: CPU, 64K memory, up to 16 parallel I/O ports. Mostly games, but also a dedicated text editor system written by ICL Datasilk. Nascom is working on large versions of Basic, and 8K Microsoft Basic should be available soon. Eleven distributors in U.K. Nascom is negotiating to increase the number. (Reviewed January, 1979.)

£165 exc VAT

## NATIONAL MULTIPLEX

**Pegasus.** Min size: 48K, Z-80; double-density floppies (320KB); S100 bus; 12in. CRT; 58-key keyboard; two serial and one parallel interfaces; bi-directional printer. Options: 8in. drives; 1-2MB additional drives; digital recorder 9,600 baud. Assembler, Cobol, Fortran, Extended Basic. General business package available as well as text editing and mailing list. All run under CP/M. Suitable for education, business and home users. London Computer Store (01-388 5721) sole supplier.

£2,700 exc VAT

## NETRONICS

**Elf II:** single-board computer in kit form or assembled. RCA Cosmac 1802 processor, hex keyboard, 256 bytes RAM; options include up to 64KB, ASCII keyboard, cassette and RS232 I/O, and video output. Machine code or Tiny Basic. Promoted as a teaching system in minimal form, but expandable for more general use. Sole U.K. distributor HL Audio (01-739 1582).

Basic kit £79.95.  
Assembled  
£99.95. I/O board  
£35



**Explorer 85:** Min size: 4K. Max. size: 64K. 8085A processor, VDU board, ASCII Keyboard, S100 expansion. Cassette, RS232, TTY interface on board. I/O ports, programmable timer. Disc software, Microsoft Basic on cassette, 8080 and Z-80 software can be used. Aimed at hobbyist, OEM and small business. Available from Newtronics (computer division of HL Audio).

From £297 plus VAT

## NEWBEAR

**7768:** CPU board, 4K memory, cassette and VDU interfaces. Range of Basics and games. British manufactured system for hobbyists. Expandable to 64K memory available only in kit form. From Newbear in Newbury and Stockport.

From £45

## NORTH STAR

**Horizon.** Min size: 16K memory; Z-80A processor, single minifloppy disc drive (180KB). Max size: 56K memory, four minifloppy disc drives (180KB), any acceptable S100 peripheral boards. Basic (includes random and sequential access), disc operating system and monitor. Options: Basic Compiler, Fortran, Cobol, Pilot, PASCAL and ISAM. The system is suitable for commercial, education and scientific applications. Application software for general commercial users. Twenty distributors. (Reviewed April, 1979.)

£995 to £2,500

## OHIO SCIENTIFIC

**Ohio Superboard II.** Min size: 6502 processor, 8K Basic in ROM; 2K monitor in ROM; 4K RAM; Cassette I/F, full keyboard; 32 x 32 video I/F, 8K Basic in ROM; Assembler/Editor; American single-board system with in-board keyboard. Aimed at hobbyist/small business. Ohio makes games, personal maths tutors, and business programs. This and other Ohio products have six U.K. distributors. (Reviewed June, 1979.)

From £298

## PERTEC

**System 1330.** Min size: 32K memory; dual minifloppy discs 71 bytes each, formatted; serial interfaces. Max size: 64K memory; four serial parts. Basic (single and multi-user), Fortran, Cobol. The hardware for Compelec Altair systems is from Pertec but the software is Anglo-Dutch. Sole distributor Compelec (01-580 6296).

£3,000-£5,000

## POWERHOUSE MICROPROCESSORS

**Powerhouse 2:** Desktop unit using Z-80A with 5" built-in VDU and built-in minicassette (optional), 16K or 32K RAM, full keyboard, real-time clock, two spare slots, RS232 interface. Software: Disc and cassette operating system, programmable keyboard facilities for eight PROM chips giving a max of 16 or 32K or ROM, 2K monitor in EPROM. Extended basic (optional). Aimed at OEMs and expert users such as scientists or researchers. Applications include real-time process control, engineering calculations. Availability: Powerhouse only (0442) 42002. (Reviewed, September 1979.)

From £1200

## PROCESSOR TECHNOLOGY

**Sol.** 808-based S100 microcomputer packaged with cassette and video interfaces (including graphics), keyboard with numeric pad, and 16KB RAM. Basic, assembler, word processors. Floppy disc systems available. Several distributors including Comart (0480 215005), which can offer nationwide maintenance contracts (Reviewed July, 1979.)

From £1,750 (excluding monitor and cassette). Complete floppy disc systems with word processing about £5,000

## RAIR

**Black Box.** Min size: 32K memory dual minifloppy discs, 80K bytes each; two programmable serial I/O interfaces. Max size: 64K memory; eight serial interfaces; 1MB disc storage (or 10MB hard disc); range of peripherals. Basic, Fortran IV, Cobol. Hardware distributors are being signed and agreements made with software houses to add software. A warranty and U.K.-wide on-site maintenance is given. From manufacturer (01-836 4663) and systems houses.

From £2,300

## EXIDY SORCERER

32K Micro Computer

£859.00+ VAT

Dealer for

### Bristol and South West

ELECTROPRINT (Mr. Tasker)

5 Kingsdown Parade • Bristol 6 • 292375

• Circle No. 213

6800 — 5 BUS.

32K Dynamic Ram Kit available in 16K form at £130 and only £200 for 32K

6800S The world's most powerful single-board 6800-9 computer kit. 16K version with keyboard £299.

Mini 6800 multi-board system from £127.50. All prices without VAT and post SAE for leaflets to: Hewart Microelectronics, 95 Blake-low Road, Macclesfield, Cheshire SK11 7ED.

• Circle No. 214

## NASCOMS 1 & 2

Up to 10 Channels I/O Board. Other I/O Boards soon. S.A.E. to:

## BING SYSTEMS

8 Glen Road, Bingley, West Yorks., BD16 3ET.

• Circle No. 215

## ENERTECH

**ITHACA S100**  
Assembled and tested P.C. Boards with documentation

Z80 CPU 2MHz	£131.25
Z80 CPU 4MHz	£153.75
8K Static RAM 450ns	£123.75
8K Static RAM 250ns	£146.25
Z708/Z716 EPROM	£63.75
VDU 50/60Hz	£108.75
Floppy disk controller	£131.25

DPS-1 mainframe with Z80 CPU 4 MHz, front panel, 20 slot motherboard, 25A power supply and fan £695.00

**VERO S100**  
Sub rack with 6 slot motherboard, fitted connectors, power supply and cooling fan £233.00

**ENERTECH FIRMWARE** for systems using Z80 CPU MAPP 1-4Z

A relocatable floating point arithmetic and functions package, 40-bit format, range +/-1E+/-38, generates 43 additional object codes for use with Z80 object code, input/interpret & output ASCII decimal with choice of exp., binary read and write, push, pop, and relative jumps. Can be used on systems with less than 1K RAM

Manual only	£10.00*
Four Z708 EPROMS with manual (4K)	£60.00
As above but assembled on ITHACA S100	
EPROM Board	£123.75

TERMS: Above prices exclude VAT and delivery. Please add VAT at 15% (except item marked \*) plus 1% carriage and send your cheque or P.O. to:

ENERTECH LTD., 32 GILDREGE ROAD, EASTBOURNE, EAST SUSSEX, BN21 4SH.  
TEL: (0323) 870814 (24 hour answering service.)

C.W.O. Proforma invoice service for official orders. Security delivery at cost. ENGINEERING DEVELOPMENT SERVICE AVAILABLE Above prices correct at time of going to press, subject to change without notice.

• Circle No. 216

# Shop Window

## Q-SOFT Are Now Selling Direct

As the king surveyed his tired but victorious army he pondered his next move. He had just regained Somerset from the Roundheads at a cost of 60,000 men and 56 cannons. The scouts report troops and archers hidden in the Devon Woods — should he push on with his weary troops or await reinforcements from Norfolk?

Put on the crown yourself and play the best-selling "Civil War"  
Now available for TRS 80 — Apple — Sorcerer and PET.

£7.50

In "Matchplay Golf" you play a round of golf with the opponent of your choice. You've got to be good to win. Drive off and see your ball lazily sail 250 yds. and land . . . in a bunker. Great graphics!

PET £7.50

And many more — send for list to:—

### Q-Soft

315, Toller Lane, Heaton,  
Bradford 9,  
Yorks.

Phone Bfd. 23500

We do not boast the largest selection of software but what we have is Smooth!  
Dealers enquiries welcome.

• Circle No. 217

### THE BEST FOR LESS! Computers, Firmware, Software

Most Makes Bought,  
Sold, Exchanged,  
Constructed.

PET ITT ELF & NOW  
NEW SHARPI  
PETSOFT & GEMSOFT

Examples of low, low prices:—  
Teletext Decoder £215. Grandstand  
Games Computer £115.  
Sharp 10K £499; 18K £599; 22K £619;  
34K £699. All plus VAT/Carriage.

OPTELCO

PHONE: RAYLEIGH (0268) 774089

UP TO 8 pm

• Circle No. 218

## QWERTY COMPUTER SERVICES

NEW

PET Cassette Interface — use your own  
cassette and save over £25.

ONLY £25

5v, 1A power supply	£16.50
T.V. Interface	£20.00
Switcher	£10.00
Amplifier plus music program	£15.00
Software for PET, Apple and TRS 80 QCS, Petsoft, Gemsoft etc.)	£15.00

**SPECIAL OFFER:** any four QCS programs  
for £10.00.

SEND OR 'RING' FOR DETAILS

QWERTY COMPUTER SERVICES

20 WORCESTER ROAD NEWTON HALL DURHAM  
TEL: (0386) 67045

• Circle No. 219

## WORD-PROCESSING

written by C.B.C. for

### APPLE & ITT 2020

cassette: £20 disc: £26 + VAT

incl. Documentation. For Anadex, Centronics etc.

Send Cash, Cheques, P.O. or Access/Barclay  
No. for £23/£30 (incl. VAT and P&P) to:

MILDMAY ELECTRONICS (Dept. A)  
200, Moulsham St., Chelmsford, Essex

• Circle No. 220

## RESEARCH MACHINES LTD

**380-Z.** Min size: 4K memory; 380-Z processor, keyboard. Max size: 56K memory. Options: cassette, single or dual minifloppy discs, dual 8in. double-sided discs (IMB); serial interfaces; parallel interfaces; analogue interface; printer available. Basic Interpreter, Z-80 Assembler; interactive text editor; terminal mode software; data logging routines; CP/M, DOS, text processor, CBasic, Fortran, Algol, Pilot, Cobol, CP/M users' club library. Sold principally to higher and secondary education, and for scientific research, data processing and data logging. Available from Sintel and the manufacturer. (Reviewed December, 1978.)

From £830-£3,500

**280-Z.** Board version of 380-Z system, 4K or 32K (identical in performance to the 380-Z). Interfaces, software as for 380-Z.

4KB version at  
£398; 32KB for  
£722

## RCA

**Cosmac.** 1802 micro with hex keypad and output to TV screen. Assembler and machine code programming; options include Tiny Basic. Available by mail order from HL Audio (01-739 1582).

Kit £79.95.  
Assembled £99.95  
exc VAT

## ROCKWELL

**Aim-65.** Kim-compatible with full keyboard and on-board printer. 1K or 4K RAM. The 4K version is described as a development system rather than a personal computer. Assembler, editor, Basic. Available from Pelco, Microdigital and Portable Microsystems (Reviewed July, 1979.)

1K — £249.50  
4K — £315

## SCIENCE OF CAMBRIDGE

**Mk 14.** SC/MP processor, 256 bytes user memory; 512-byte PROM with monitor program; hex keyboard and eight-digit, seven-segment display; interface circuitry; 5V regulator on board. To this can be added: ¼K RAM (£3.60); 16 I/O chip (£7.80); cassette interface kit (£5.95); cassette interface and replacement monitor (£78.95); PROM Programmer (£9.95). No software provided but a 100-page manual includes a number which will fit into 256 bytes covering monitors, maths, electronics systems, music and miscellaneous. Based on American National Semiconductor chips. Science will soon have a VDU Interface and large manual on user programming. Mail order from manufacturer (0223 312919) and by selected dealers. (Reviewed May, 1979.)

£39.95 basic

## SDS

**SDS 100.** Single unit containing 32K memory (expandable to 46K); up to 8K PROM; twin double-sided floppy disc drives of 500 bytes each, serial and parallel RS232 interfacing; keyboard; 12in. video display; power supplies; SD monitor program; line printer available. CP/M, 8080 assembler, E Basic, Editor supplied with system; M Basic, Fortran, Cobol available for business use, industrial process monitoring and control (with additional hardware). All CP/M games and business packages. Sole supplier Airamco (0294 65530).

From £3,750

## SEMEL

**Semel I.** Min size: 4K with CPU, keyboard and monitor. Max size: 64K with single floppy disc unit, printer, VDU and keyboard. Can be coupled to any external device and controls up to 8 x 250K floppy disc units. Four configurations available. Options: Light pen attachment; 12V DC power supply; remote terminals. Software: Editor, Assembler, debug, full file-handling capabilities in Basic, Fortran and Cobol available on 64K machine; user-defined programs written and compiled by agreement; word processing. General-purpose unit for use as a terminal controller. Suitable for small business and OEMs. Available from Semel exclusively (0822) 5439.

£1,950 with Basic



## SOLID STATE TECHNOLOGY INC.

**Athena D1/C 8200:** Eight-bit 8085 desktop computer with in-built dual mini floppies, inbuilt dual mini-cassette, inbuilt matrix printer and 1920 display. Can be expanded with 10 micros, beyond the CPU, each working as an intelligent controller, up to four floppy disc drive and four rigid disc drives. Maximum memory is 1.2GBytes. Standard system software is the AMOS multi-task operating system. Claims a performance roughly comparable to the DEC PDP-11/34. Butel-Comco, Southampton (0703) 39890, are the sole U.K. distributors.

From £3000

## SORD

**M100.** Min size: 16K RAM; 4K ROM Monitor; full keyboard plus function keypad; two-channel joystick dual cassette I/F; 11K E Basic on cassette; video; graphics; printer; S100 bus; converters; speaker; 24-hour clock. Max size: 48K RAM, 8K ROM; black and white or colour graphics; mini-floppy discs. Suitable for OEMs, small business, education, laboratory and scientific and home computing. Main distributor is Dectrade, but for London and South contact Midas Computer Services (0903) 814523.

From £726

## SYNERTEK

**Sym 1.** 6502 chip and keypad with memory available in 4K blocks up to 64K. Port expansion kit, TV interface card, RAM expansion kit, cassette and Teletype interfaces. Any Kim software, Basic interpreter, Assembler/Editor, American, meant to be the foundation system for every small business and hobbyist users. Available from Newbear (0635 49223).

From £160 plus VAT.

## TANDY CORP.

**TRS-80.** Min size: Level I 4K memory; video monitor; cassette; power supply. Max size: Level II 48K up to 350K on-line via floppy discs; line printer; tractor feed printer and quick printer; floppy disc system. Modern, telephone interface soon available. Basic; some business packages. Level I aimed at the hobbyist and education market and Level II at small business applications. Hundreds of dealers. (Reviewed November, 1978.)

Level I — £499  
Level II — from  
£578-£4,700

## TRANSAM COMPONENTS

**L4.1.** 1K monitor, 2K Basic in EPROM; full graphics capability; 128 character set; power supply; cabinet; 56-key keyboard. Expandable to 65K. Available from manufacturer (01-402 8137).

£286 kit with SKB

## ULBRICH AUTOMATION

**Powerhouse II.** 16K or 32K RAM, Z-80 processor, RS232 interface; 5in. built-in VDU; full keyboard; built-in mini cassette; real-time clock. Software; Programmable keyboard in 16K PROM; 2K monitor system; DOS; Extended Basic. Options: larger VDU; discs, 14K Basic, Tripoli interface; X-Y graphics; IEEE interface. Compatible with all computers and peripherals. Applications: file management, off-line data processing and assembling capabilities. Suitable for OEMs and expert users. Available exclusively from Powerhouse Microprocessors Ltd. (0442) 42002, which will also manufacture it next year.

## VECTOR GRAPHIC

**48KB RAM, Z-80 micro;** 63K bytes, mini-discs are standard. Options: graphics. Monitor, MDOS, Basic; business packages from dealers. Several distributors.

£2,300

## MICRO ADS

are accepted from private readers only, pre-paid and in writing, 20p per word, minimum charge £2.

Financial crisis forces sale — Superboard £200, Apple II Plus £800. 2716 Eproms £20, 2708 £5, 2114 £3. Aylesbury 631200.

Save over £100!!! Pet 8K for sale, 4 months old, mint condition. Also full introductory programme course. £495. Tel: Thistleton (Leics) 332.

1 brand new Apple II Europlus complete with guarantee, TV modulator all instruction manuals and several games. Cost £882.50 best offer over £650. Please ring 0624-4349.

Apple II, 32K plus applesoft card, R.F. modulator. 2 months old, perfect. Not suitable for particular requirement. £1000 inc. VAT. Tel: 096 279 228 (Near London, Southampton).

SWTPC 6800, 16K, dual 5" floppy, BASIC, editor, assembler, many extras. £850 o.n.o. 01-994 2360 evenings.

Heathkit H14 Printer, professionally assembled, virtually brand new, £390.00 + V.A.T. Current List £590 plus. Latest 30MH/z Dual Channel NLS Miniscopes oscilloscope. Current Imported Price over £500 — £285 + V.A.T. Also New Motorola D2 Kit with Manuals — offers invited. Telephone 0670-822790 (Bedlington).

Complete Computer System. Brand new CBM 32N large keyboard PET, CBM 2023 printer, CBM 2040 dual floppy drives. Approx 70 Petsoft Program Cassettes, 12 floppy discs, approx value software £700, hardware £2500, offers, cash, exchange for Motorhome, W.H.Y. Phone 0602 255155.

NASCOM with 8K expansion and B-Bug, neatly finished in Verocase with documentation and games cassette. £275 o.n.o. Tenbury Wells (Worcs) 810015.

PET 2001-8K only a few months old. £500 including delivery in UK. Telephone 0905 820939.

FOR SALE — brand new Commodore PET 2001-8. Price includes 20 tapes of assorted business and games programs. £500. Uxbridge 39779 after 7p.m.

SCHOOL REGISTRATION package for RML 32K DBAS9. Register files, updating, lists, age, mail. Surname christian name siblings sort giving year, house, school rolls. £25 including minidisc. S.A.E. details Redhead 42, Larch Grove, Kendal.

BACKGAMMON program for 8K (or more) PET. Includes move validity check, doubling. Program cassette plus full details £6; sample game on cassette £1 (50p refunded if program purchased); see for details only. P. Compact, 118 Disraeli Road, Putney, London SW15.

FOR SALE — TI-59 programmable calculator and PC100-C printer. Both within warranty period. Owner upgrading kit. Price £199 the pair. (separate sale considered). Tel. 368-2762 eves.

FOR SALE — TI-59, printer etc — £275 ono. Write — Kishore, 386 Green Lane, Seven Kings, Ilford or call evenings.

OSI SUPERBOARD SOFTWARE — Tank Battle, Life, Zombies, TicTacToe, StarTrek, Magic Squares, Disassembler, Biorhythms, Magic Numbers, plus many more, £1 each (minimum order 3). Also cassette controller — write for details. Commissions undertaken. Velvet Software, 26 Colesbourne Close, Worcester.

IT has been said that it is better to leave your PET powered up at all times. Now give it something to do with our programme. "Perpetual Calendar" gives a display of day, date, month, year and time. Runs on any Pet. Program cassette and listing, £3. John and Peter Douglas, 2 Glebe Park, Dumbarton G82 3HF. Telephone (0389) 64384.

## January

- **3** TRS 80 Software. Venue: Reading. Arranged by the Thames Valley Amateur Club, 'The Southcote', Southcote Lane, Reading, Contact: Brian Quarm, tel: Camberley 22186 or Brian Steer, tel: Slough 20034.
- **7-9** Fundamentals of computer operations. Venue: Cannock, Staffs. Designed for trainee and junior DP staff. Gives a basic understanding of the technical aspects, hardware and software concepts, control procedures and provides job orientation. Organised by Compower Training School, Cannock, Staffs, WS11 3HZ. Fee: £125 + VAT. Contact: Compower Training School, Cannock, Staffs, WS11 3HZ, tel: Cannock 2511.
- **7-11** Database in DL/1. This database course is for users of IMS. Venue: Cannock. Compower Training School. Fee: £215 + VAT. Organised by Compower Training School, Cannock, Staffs, WS11 3HZ, tel: Cannock 2511.
- **7-18** Cobol (advanced). Venue: Cannock. Designed for programmers with minimum of two months' practical experience, to enhance the student's ability to use the language and the machine efficiently. Fee £450 + VAT. Organisers: Compower Training School, Cannock, Staffs, WS11 3HZ, tel: Cannock 2511.
- **14** Personal Computing Course. Venue: Sunderland Polytechnic. This course consists of 10 Monday evening sessions and is aimed at beginners who wish to take up computing as a hobby or apply computing to their work environment. Organiser: Faculty of Science Registrar, Sunderland Polytechnic, tel: Sunderland 76191.
- **14-18** Basic systems principles for programming staff. Venue: Cannock. This course enables programmers to work effectively by giving them insight into the role of the systems analyst. Fee: £255 + VAT. Organisers: Compower Training School, Cannock, Staffs, WS11 3HZ, tel: Cannock 2511.
- **14-25** Management in Computer operations. Venue: Cannock. Course for all management grade staff within the operations environment. All the essential aspects of management in the operations section are covered and participative syndicate work relates topics to practical situations. Of particular benefit for shift leaders/managers. Fee: £480 + VAT. Organisers: Compower Training School, Cannock, Staffs, WS11 3HZ, tel: Cannock 2511.
- **15-18** Filetab TABN. Venue: Cannock. This course on Filetab — the report generator and file maintenance package designed by NCC — gives instruction in both the TAB 360 (IBM) and TAB-N (ICL) versions. Fee: £215 + VAT. Organisers: Compower Training School, Cannock, Staffs, WS11 3HZ, tel: Cannock 2511.
- **15-18** Principles of 2900 operating. Venue: Cannock. Designed for staff with at least three months' operating experience: enables them to play their full part in a 2900 environment. Fee: £215 + VAT. Organisers: Compower Training School, Cannock, Staffs, WS11 3HZ, tel: Cannock 2511.
- **15-18** Microcomputers in manufacturing and industrial control. Venue: London, ICS/PCL Microprocessor Education Centre, Holborn. Designed for manufacturing and process control engineers and managers. Fee: £470 + VAT. Organisers: Integrated Computer Systems UK, Pebblecoombe, Tadworth, Surrey, KT20 7PA, tel: (03723) 7911.
- **15-18** Pascal: Programming in the structured language. Venue: London. Designed for scientists, engineers, programmers, systems analysts and managers who are using or plan to use Pascal for the development of software systems. Fee: £540 + VAT. Organisers: Integrated Computer Systems UK, Pebblecoombe, Tadworth, Surrey, KT20 7PA. Tel: (03723) 79211.
- **16** Microprocessor Course. Venue: London, Willesden College of Science and Technology. Ten-week in depth course with attendance every Wednesday. Includes System architecture, MPU — memory I/O, Bus structure etc. Fee: £35. Organisers: Bill Stoddart and Dr Tony Berk, Science Department, MPU Courses, Willesden College of Technology, Denzil Road, London, NW10 2XD. Tel: 459-0147, ext 13.
- **21** Personal computers (how to build your own). Venue: Wimslow. This course should be of special interest to hobbyists who would like to build up their own computer system starting from as little as £100, and to those who have standard systems as the Pet and would like to understand more about how they operate and make use of their assembly languages to obtain maximum performance. Fee: £5.20. Organisers: Course Registrar, Wimslow Guild, 1 Bourne Street, Wimslow.
- **21-24** JCL for programmers: Venue: Cannock. Designed for programmers who use IBM equipment to enable them to code their own JCL. Fee: £215 + VAT. Organisers: Compower Training School, Cannock, Staffs, WS11 3HZ. Tel: Cannock 2511.
- **21-Feb 8** Cobol (Basic). Venue: Cannock. Designed for trainee programmers. Includes introduction to programming, flowcharting, techniques, structuring, coding techniques, documentation and standards. Fee: £645 + VAT. Organisers: Compower Training School, Cannock, Staffs, WS11 3HZ. Tel: Cannock 2511.
- **22** Microprocessor Seminar. Venue: London. Designed for the businessman. Gives general introduction to the Basic logic and Basic technology, and shows the use of the microcomputer in commercial applications. Organisers: Naomi Buhai, Birklands Management Centre, 330 London Road, St Albans, AL1 1ED. Tel: St Albans 66661.
- **22-25** Microprocessors and microcomputers. Venue: London, ICS/PCL Microprocessor Education Centre, Holborn. This comprehensive introduction with hands-on workshops is designed for engineers, scientists, systems analysts and their managers. Organiser: Integrated Computer Systems UK, Pebblecoombe, Tadworth, Surrey, KT20 7PA. Tel: (03723) 79211.
- **28-31** JCL/Utilities for operations staff. Venue: Cannock. Designed for operations staff including control/set up and planning staff. Fee: £215 + VAT. Organisers: Compower Training School, Cannock, Staffs, WS11 3HZ. Tel: Cannock 2511.
- **28-31** Computer-aided design and manufacturing. Venue: London. Presents total overview of CAD/CAM technology, methodology and applications. Fee: £470 + VAT. Organisers: Integrated Computer Systems UK, Pebblecoombe, Tadworth, Surrey, KT20 7PA. Tel: (03723) 79211.
- **28-Feb 1** Troubleshooting microprocessor-based systems. Venue: London, ICS/PCL Microprocessor Education Centre, Holborn. Designed for engineers and senior technicians involved in production testing, field service, and design of microprocessor-based systems. Fee: £540 + VAT. Organisers: Integrated Computer Systems UK, Pebblecoombe, Tadworth, Surrey, KT20 7PA. Tel: (03723) 79211.



# EQUINOX



**Multi-user Multi-tasking Multi-language  
Micro-Systems  
for  
BUSINESS, EDUCATION or SCIENTIFIC use  
from as little as £5,000**

**Write or phone**

# **EQUINOX**

**COMPUTER SYSTEMS LTD.**

**KLEEMAN HOUSE  
16 ANNING STREET,  
NEW INN YARD,  
LONDON EC2A 3HB.  
01-739 2387/9. 01-729 4460**

• Circle No. 226



# PET DISKS from £499

(single disk)

The U.K.-designed and manufactured Novapac disk system for Commodore's PET\*, continues the integrated design concept of your PET, with no trailing wires or bulky desk-top modules.

The sophisticated, easy-to-use Disk Operating System supports multiple File handling and incorporates Mainframe operating procedures and extensive error-recovery software for maximum Data integrity. Optional Password security for any File or any Disk is standard. Clear documentation and a range of Demonstration programs assist the first-time User, while for the experienced programmer full Utilities are supplied to aid concise program development. A broad range of general or specialised software is available which can be tailored to our own specification.

- \* Novapac may be used with any available RAM plane or with N-series PET.
- \* Data transfer takes place at 15,000 char/sec — effectively 1,000 times faster than cassette!
- \* Storage capacity is 125 K/bytes (unformatted) on 40 tracks per diskette side.
- \* Dual index sensors permit dual-side recording for 250 K/bytes per diskette.
- \* Easy operation full-width doors prevent media damage.
- \* System expandable to 4 drives.
- \* Industry Standard IBM 3740 recording format for industry-wide media compatibility offered only by NOVA-PAC.
- \* Dedicated Intel 8048 microprocessor and 1771 FDC minimise PET software overhead.
- \* Local maintenance support available.

Novapac Dual-disk system complete with PDOS and Utility disks £899 + VAT. Del. Ex. Stock.

32N — PET plus Dual disks £1,600 + VAT.

Complete system including 80 col. printer £2,200 + VAT. 3% discount for C.W.O.

## analog electronics

47 Ridgeway Ave,  
Coventry  
Tel: (0203) 417761

• Circle No. 227

# INNOVATIVE TRS-80 SOFTWARE

- ✓ Business
- ✓ Personal
- ✓ Games
- ✓ Programming Aids
- ✓ Custom
- ✓ Utilities

## 6 Years Microprocessor Experience!

BINDERS

Our Software List is being updated so frequently now that we are supplying it pre-punched for a ring binder. We are also supplying, without profit, a handsome ring binder which will house the list and also has room for program instructions, notes etc. Large 18p SAE for list alone, 95p plus 50p postage for list and binder.



### A.J.HARDING (MOLIMERX)

28 COLLINGTON AVENUE, BEXHILL-ON-SEA, E.SUSSEX.

TEL: (0424) 220391



• Circle No. 228





A division of  
CRAYWORTH (COMPUTER SERVICES) LTD.

## SHOWROOM and OFFICES

34B London Road, Blackwater,  
Camberley, Surrey.

Telephone: 0276 34044. Telex 858893

open Monday-Friday 9 a.m.-6 p.m.

Saturday 10 a.m.-5 p.m.

by appointment only

Personal Callers Welcome.

Please phone first if you require a personal demonstration.

### \*Sorcerer CP/M Software

CP/M operating system MAC macro assembler  
SID symbolic debugger TEX text formatter.  
DESPOOL simultaneous print utility.  
TEXT WRITER II text formatter.  
SELECTOR II multi-key database (requires CBASIC 2)  
CBASIC-2 pseudo-code compiler.  
DIZILOG Z-80 disassembler.


### \*Specially designed software need not be expensive

We specialise in producing well designed and constructed software with full documentation, user training and a guarantee.

We can quote on a fixed price or time and materials basis. We require only one third payment on commencement of software projects, one third on delivery and one third AFTER the guarantee period. We can then provide an annual maintenance agreement.

### Cromemco System 3

- \*multi-user
- \*Fortran
- \*Word Processing
- \*early delivery
- \*Basic
- \*Assembler
- \*Mailing lists
- \*finance available
- \*Cobol
- \*Data-Base management
- \*Labels



### Cromemco Z2

The outstanding Cromemco Z2 with fast Z-80 CPU and 21 slot S-100 backplane. Software includes EXTENDED BASIC, ASSEMBLER FORTRAN, COBOL, DATA BASE MANAGEMENT and WORD PROCESSING.



### Exidy Sorcerer

32K Machine with Z80 processor and 8K ROM BASIC. 128 character ASCII keyboard and superb graphics. DOUBLE DRIVE configured MICROPOLIS DISK SYSTEM with MDOS or CP/M 630Kb. Professional quality monitor, various sizes up to 16".

Alternatively, now available, the new VIDEO-DISC UNIT incorporating dual disc drive and screen. Printer — optional 80 or 132 column printer. Software packages are available, including the Word Processing EPROM PAC, or can be written to your own specification. The system can be expanded to suit your own applications.

### Dolphin BD-80 Printer

80 column, bi-directional, the best in its price range. Dealer enquiries invited.

PRINTERM 879 — Matrixprinter 120 cps.

OKI DP100 — 132 column 275 cps 1251 pm.

SPINWRITER — high quality printer, ideal for word processing functions.

BURNT HILL BH720 VDU.

ELBIT DS 1920X.

MONITORS — Professional quality 9" & 16".

COMPUTER BOOKS — A wide range of micro, mini & mainframe books. Full catalogue available.

MEDIA — Floppy discs, library cases, cassettes.



# U. K. — Micro Supplies — SCOTLAND 03374-795

## FLOPPY DISCS MICROPOLIS

1041-11 315K drive + controller  
Cable + BASIC, ASSEMBLER,  
+ EDITOR only £595.00  
1015-11 315K drive — add-on £395.00  
other products on application  
DS525-10 Pack of 10 5¼ in. floppy disk £29.00

## S100 BOARDS

SD Sales 32K Ram 375 ns Assm. +tested £355  
JADE Z80 2 mhz Assm. +tested £140  
MIKOS 15 slot Mother Board Assm. +tested £110  
MIKOS 2 Parallel/2 Serial Assm. +tested £130  
MIKOS 16K Erom (No 2708's) Assm. +tested £110  
MIKOS Extender Board Assm. +tested £47  
MIKOS Real time clock 2 interrupt Assm. +tested £120  
DSEL P.S.U. Kit +8v ±16v 4A Assm. +tested £175

## V. D. U. s LEAR SIEGLER

ADM 3A Introductory Offer £550.00  
Hard disks 5-36 M6 POA  
Volume discounts \*special offer\*

## SOFTWARE

CP/M for Micropolis £90  
MACRO for above £60  
TAILORED Software for all applications

## PRINTERS CENTRONICS

Centronics 779 £750.00  
Centronics 701 £1210.00  
Centronics 703 £1894.00

## SYSTEMS

U.K. DISTRIBUTOR for  
SDS-200 (SD Sales) also HORIZON,  
CROMEMCO, DATA SYSTEM 800, 801

FULL SERVICE & BACK-UP FACILITIES AVAILABLE

Telephone for all Non-Listed items  
OEM & DISCOUNTS on Application

ACCESS BARCLAYCARD  
Delivery at cost — Prices exclude VAT

**DATA SYSTEMS SUPPLIES LTD.**


**03374-795**

SHORE HEAD ROAD, INDUSTRIAL ESTATE,  
NEWBURGH, FIFE, SCOTLAND.

• Circle No. 230

# INTEGRATED SMALL BUSINESS SOFTWARE - ISBS -

FAST AND EASY TO USE ISBS MEANS INCREASED EFFICIENCY  
AND PROFITABILITY - PUT IT TO WORK FOR YOUR BUSINESS



ISBS	£
STOCK CONTROL	350
ORDER ENTRY & INVOICING	350
NAME & ADDRESS SYSTEM	250
COMPANY PURCHASES SYSTEM	450
COMPANY SALES SYSTEM	450
GENERAL ACCOUNTING	400
PAYROLL	500

Packages supplied on floppy disk with easy to follow Reference Manuals — NO PREVIOUS COMPUTER KNOWLEDGE REQUIRED TO OPERATE. ISBS runs on 48K Northstar Horizon, Rair Black Box or other systems supporting CP/M\* — plus VDU and 132 col printer. Complete suite or individual packages available now and are fully supported.

Other software packages available include Time Recording Systems, Finance Control and many others. Special application software undertaken for Northstar & Black Box and also complete TURNKEY SYSTEMS.

\*CP/M registered trademark of Digital Research.  
Costs shown exclusive of VAT.  
Dealer enquiries welcome.

**GRAFFCOM**

52 SHAFTESBURY AV. LONDON W1.  
01-734-8862

• Circle No. 231



## QUALITY PROGRAMS FOR PET

### TARGET GOLF £8 inc

Our latest cassette and entirely compatible with our policy of only publishing the very best programs. The graphics with this game have to be seen to be believed. The representation of your golf swing portrayed on the PET screen is remarkable. The spacing and rhythm of striking three keys allows this clever machine code program to effect a variety of shots: Pulled, Faded, Sliced, Topped, Pushed, Drawn, Hooked etc. The ball proceeding across the screen to the target hole. A variety of holes and wind conditions are presented to the player, to which he makes his choice of club and type of swing. This is another of the very few programs, like Stud Poker, that we, who live with computers all day long, can play continuously without getting bored.

### AIR TRAFFIC CONTROL £5 inc

Can you keep your cool? After a few minutes with this simulation you'll see the problems Air Traffic Controllers have. Your screen is the radarscope and you have to give orders for aircraft to lose or gain height or alter course to avoid collisions -- after you've requested a SQUAWK of course. And sometimes it gets very busy up there!

### DOGS CHANCE £5 inc

Reduces everyone to hysterics the first time they see it. You have to take off in your biplane, being careful not to try and leave the ground too soon and not leaving it too late, climb away avoiding the anti-aircraft guns. Having congratulated yourself on this achievement the 'flying bombs' suddenly appear. You must endeavour to shoot them down before they get you. And, well ... you haven't a Dogs Chance! Again, truly marvellous graphics in this machine code program.

### FIVE CARD STUD POKER £8 inc

This is certainly the best Poker game we've ever seen. It should not be confused with those where you only bet against the odds of completing a hand. PET ACTUALLY PLAYS AGAINST YOU and a very poker-faced, cunning game tool. If you are already a poker player then you won't be able to leave this alone. If you don't play yet, be warned -- you'll be hooked in minutes. The graphics are superb of course. Even we can't leave this one alone -- and that's saying something!

and now introducing.....

## PAYROLL

### FOR 32K PET AND CBM DISK

At last, an easy to use, efficient, straightforward Payroll Program for the New PET and Commodore Disk. It is so 'User Friendly' that it almost doesn't need a Manual. There is one of course.

Don't let the price mislead you. We believe that this is the best Payroll Program of its type on the market.

Look at its coverage:

- ALL Tax Codes
- ALL N.I. Codes
- Hourly, Weekly and Monthly Staff (and mixed on the same Disk File)
- 3 Rates of Overtime
- 5 Pre-Tax Adjustments with Alpha
- 5 After-Tax Adjustments with Alpha
- Cash Analysis
- Separate Total for Cheque Payments
- Can run with or without Printer
- Prints Payslip and Copy side by side
- Prints Totals to Date
- Prints employee File Details
- Suitable for most Printers (Strings)

£95  
inc.

The program has been written to our usual high standards.

FROM YOUR DEALER OR DIRECT FROM US CWO

### LANDSLER SOFTWARE

29a, TOLWORTH PARK ROAD  
SURBITON, SURREY KT6 7RL

Telephone: 01-399 2476/7

• Circle No. 298

**dam's**  
**dam's**  
OFFICE EQUIPMENT LTD.,  
30-36, Dale Street,  
Liverpool

## WE CAN HELP YOU WITH:

### PETS: PRINTERS: DISKS

2001(32K) £715

2001(16K) £607

2001(8K) £495

CBM 3022

ANADEx

TELETYPE 43 from £889

£675  
inc cable

£650

CBM 3040 £880

COMPU { 400K £875

THINK { 800K £1095

## SOFTWARE

**PETAID:** From Stage One Computers, disk based file handling in hours, not weeks -- possibly the most useful piece of software available for PET. CBM or COMPU-THINK £140

**PETACTION:** Well written business systems covering Sales & Purchase Ledger, Invoicing, and Stock Control: from £270

Many more items in stock

For details of these and many more products and services; telephone:-

**IAN KENDRICK ~ 051-227-3301**

• Circle No. 232

## MODEL 14 EPROM ERASERS



### Features:

- 14 EPROM capacity
- 5 to 50 minute timer
- Safety interlocked to prevent accidental exposure to UV source
- Fast erase times (typically 20 minutes for 2708)
- Convenient slide-tray loading of devices
- Rugged construction
- Price only £78 + VAT (Price includes delivery)

Model UV140 also available: similar to UV141 but without timer.

Price £61.50 + VAT (Price includes delivery).

Use the reader enquiry service or write/telephone for further information.

Send Chèques/Official Orders to:

### GP Industrial Electronics Ltd.

Skardon Works, Skardon Place, North Hill,  
Plymouth PL4 8HA

Telephone Plymouth (0752) 28627

TRADE & EXPORT ENQUIRIES WELCOME

• Circle No. 233

## Happy Memories

21L02	450ns	83p	TRS-80 16K Upgrade Kit
21L02	260ns	100p	
2114	450ns	495p	£64 for keyboard unit
2114	250ns	545p	
4116	300ns	725p	£58.50 for expansion box
4116	150ns	775p	
2708	450ns	725p	

Floppy Discs by VERBATIM £21.50 box of 10  
(Mini soft sectored for APPLE, PET, TRS-80 etc.)

We stock the full NASCOM range of products

Large quantity of 74 LS stocked along with many other components, free lists sent upon request

TEXAS IC SOCKETS	8	14	16	18	20	22	24	28	40
Solder tail	pence: 10 11 12 16 17 19 21 27 37								
Wire wrap	- - 24 36 39 46 58 61 63 70 109								

Gold plated S100 edge connectors £3.25 each 3/£9.50

4, 7 & 8 way DIP switches, all at 85p We keep a full range

of wire wrapping equipment: Wrap-Strip-Unwrap tool £5-97

50 foot reel of wire £1-64 Just-Wrap tool with 50' wire £12-21



We've got Euroconnectors

Educational & Government

orders welcome Min £10




Shop open ten until six

Access & Barclaycard

Prices inc VAT, orders below £10 add 25p p & p

**19 Bevois Valley Road, Southampton,  
Hants. SO2 0JP Tel: (0703) 39267**

• Circle No. 234



## SERENDIPITY SYSTEMS SOLVE THE SOFTWARE PUZZLE

If you're puzzled by the lack of good application software for micro-computers – then puzzle no longer! Great Northern Computer Services are now the distributors for the Serendipity Systems range of packages and we are looking for dealers.

Stock Control, Ledgers, Payroll, Job Order Control, Professional Client Billing, Appointments and many more. The Programs conform to British practice and the manuals are user-oriented; so there is no puzzle there either.

The programs are offered in CBASIC, Cromemco Extended BASIC and North-Star BASIC. There are also packages for the Apple. Over 1800 packages have already been sold by more than 200 dealers and retailers. So stop puzzling and write or call today!

**GREAT NORTHERN** Computer Services

15 Wellington Street, Leeds LS1 4DL Telephone (0532) 450667

• Circle No. 235





**NEW EDITION FOR BOTH OLD & NEW ROMS**

**ESSENTIAL READING FOR ALL PET USERS**

# THE PET REVEALED

*ALMOST 260 PAGES OF SOLID INFORMATION FEATURING:*

PET circuit diagrams — How to use the diagnostic routine — PET ROM subroutines and their entry points — Programming in machine code — Using the IEEE and User Ports — Double-density graphics — Uncopyable programs — Page zero locations and their uses — A TRACE program for Basic program debugging — Disabling the keyboard and/or the Stop key — Adding a repeat key — Line re-numbering — Auto line erasing — Making the PET write its own programs — Printer interfaces — Adding new commands to Basic — Interrupts and multiprocessing.  
Plus many more fascinating facts about the PET.



**commodore**

APPROVED PUBLICATION

*Send cheque for £10.00 made payable to Computerbits Ltd.  
For details of new edition availability contact*

**COMPUTERBITS LTD**

**PO BOX 13, YEOVIL, SOMERSET. TEL. YEOVIL 26522**

• Circle No. 237



# Practical Computing Back Issues

If you are interested in microcomputers you will want to read the *Practical Computing* reviews of the machines in which you are interested. Each month *Practical Computing* carries at least one hands-on test of a popular microcomputer for use in business, the home, schools and colleges. Each review contains the kind of information you need - technical data and unbiased critical comment on the strengths and weaknesses of each system.

Each issue is packed with essential reading on microcomputers, including all our regular monthly features: Book and cassette reviews; Glossary of computer terminology; Computabits; Pet Corner (February onwards); Apple Pie (May onwards); Tandy Forum (March onwards); serialised *Illustrating Basic* (October 1978 onwards).

All this makes *Practical Computing* the invaluable source for the whys, wherefores, hows, ifs and buts of microcomputing.

## November 1978

**Review:** Tandy TRS-80 Projects for KIM. Pet goes to school; VAT accounting complete program Part 2; Complete game program - Mastermind. Software Dynamics Basic compiler review.

## February 1979

**Reviews:** Cromemco Z-2D. Low-cost peripherals; Systems for estate agents and doctors; A £1000 payroll system; IBM typewriter conversion Part 2; Complete game program - Warlock Warren.

## December 1978

**Review:** Research Machines 380Z. Choosing your first computer, ITT interview; Complete games programs - Battleships, Racing Cars and Monsters; A microcomputerised reservation system.

## March 1979

**Review:** Single-board computers for less than £50 Low-cost stock-control systems; IBM typewriter conversion Part 3. New monthly column - Tandy Forum. Complete game program - NIM.

## January 1979

**Reviews:** Nascom I. Convert an IBM typewriter into a terminal Part I. In-car computing - Pet in the Panther Deville Report from the Los Angeles Computer Faire; Pascal v. Basic.


## April 1979

**Review:** North Star Horizon Business accounting systems. Apole II design story Part I; Computerised school meals; Finance for school computing; Build your own frequency meter; Star Trek game.



## May 1979

**Reviews:** Exidy Sorcerer, Science of Cambridge Mk 14. Printers for less than £1000; Order processing/invoicing packages; Retire with your computer Apple II design story Part 2; Slalom game.



## June 1979

**Reviews:** Compucolor II. Ohio Superboard II Low-cost word-processing; Computing in a pharmacy; Designing a small business application Part I; Computer v. Brain; Zombie game.



## July 1979

**Reviews:** AIM-65, SOL-20 Choosing your first computer; Interfacing Pet with a mainframe; Nascom story; Designing a small business application Part 2; Biorhythms program



## August 1979

**Reviews:** Pet II KIM, Pros and Cost of PASCAL Microcomputer user groups. Designing a small business application Part 3; Interfacing Pet with a mainframe Part 2; Life game program.




## September 1979

**Reviews:** Powerhouse 2, Acor, Anadex and Heathkit printers Artificial intelligence; Build your own joystick; Computer scene in the North-West; Mathematics on a Pet; Self-teaching games program.




## October 1979

**Reviews:** Disc systems for Pet, Apple II and Tandy; Build an electronic scoreboard; Inside Speak & Spell; Introduction to LISP; Inside Prestel.



## November 1979

**Reviews:** Rair Black Box and TECS Teletext computer; Computers for the radio amateur; Learning programs; The self-testing chip; Financial modelling.



## December 1979

**Reviews:** Transam Triton. Eurapple and ITT 2020. Corvus hard disc for Apple II. How to set up computer studies in schools. Tips for Sorcerer users. File handling techniques.

Only the above issues are still available. Fill in the coupon opposite and return it with your remittance to *Practical Computing*, General Sales Dept, Room CP34, Dorset House, Stamford Street, London SE1 9LU.

# PADMEDE COMPUTER SERVICES




## VISICALC ... £100

Already successful in U.S.A. this software should be useful to Engineers and Accountants alike; it will be particularly attractive to business executives for FINANCIAL MODELLING

## IEEE-488 INTERFACE CARD £216

# PADMEDE 801

Impact Matrix Printer £675



Simple! Quiet! Reliable!  
12 characters per inch = 96 ch's per line  
at a print speed of 140 c.p.s.

Software developed and installed —	
Incomplete Record Accounting	£450
Time and Cost Recording	£300
Job Costing	£300
Order Processing	£250
Sales Ledger	£300
Purchase Ledger	£300
Selective Name/Address Reporting	£150

Enquiries for the above software from Apple Dealers welcomed: —

Please quote P/12/ when ordering: —

**PADMEDE COMPUTER SERVICES**  
112/116 HIGH STREET,  
ODIHAM, NR. BASINGSTOKE, HANTS.  
TEL: ODIHAM (025-671) 2434


• Circle No. 238

# BITS & P.C.s

## COMPUTER PRODUCTS

### NOW A NASCOM DISTRIBUTOR IN YORKSHIRE

Full range of Nascom Products available.  
We are Nascom service and repair specialists order with confidence.  
Free for a limited period with Nascom 2. 16K memory board, mini mother board and 2 edge connectors. This is 8K more memory than specified and leaves 28K of free space.  
Unbelievable Nascom 1 now only £125.00 or £140.00 ready built and tested.



#### Upgrade your Nascom 1 to Nascom 2.

By using our specially designed control key pad this enables you to run Nas-sys on Nascom 1. Gain on screen edit and cursor movement. The power of Nas-sys. Kit only £21.50. Nas-sys £25.00.

**A hexadecimal keypad for Nascom 1 & 2.** Specially designed for your Nascom by us. This is an essential for entry of machine code listings. New line, space and back space are duplicated for convenience. £29.50 complete kit.

**Control and hexadecimal key pads combined for Nascom 1** £36.50 complete kit. The above key pads require no modification at all to your Nascom.

**Port Probe.** A simple but essential device for Nascom 1 or 2. Allows monitoring of the port output on L.E.D. indicators, input words can be set up with L.E.D. indication interrupts can be tested manually or by using the variable clock provided, this also allows real timing for games £10.60 complete kit.

**Dual monitor board.** This kit allows switching between 2 monitors on Nascom 1 £5.40.

**Chess for Nascom.** A powerful chess programme which requires our graphics options. This must be the best chess graphics available. £15.00 on cassette, ask for details.

Nascom 1	£125.00 kit or built	£145.00
Nascom 2		£295.00
Power Supply Unit		£29.50
Nascom 1 Buffer Board		£32.50
8K Ram Board		£85.00
16K Ram Board		£140.00
32K Ram Board		£200.00
Nascom 1 Graphics	p.o.a.	
Nascom 2 Graphics Rom		£15.00
Bits & P.C.s Data Cassettes		
Price for 10 C12		£4.75

Please check with us for your Nascom requirements.  
Add 15% VAT to all our prices.  
Barclaycard and Access phone your order. Personal demonstrations by appointment. Please send S.A.E. for any details.  
**BITS & P.C.s**  
18 Rye Garth  
Wetherby, West Yorkshire  
LS 22 4UL  
Tel: (0937) 63744 9 a.m. to 7 p.m.

• Circle No. 239

# MICROSPEECH

Does your computer speak to you?  
'WEHL IHT KAAAN DOO WIIITH MEE!'

## Features

- Single PCB plugs directly into an SWPTc 6800 bus.
- 9 parameter vocal tract model.
- Realtime software converts any stored phonetic code to speech.
- Computer Games.
- External input for special musical effects.
- Adds speech output to existing BASIC programs.

## Microspeech package

- Speech synthesizer board (assembled & tested).
- MSP2 Software on floppy disc or cassette.
- Hardware & Software manual.
- Speaking BASIC software option.

## Make your computer talk

Just by entering phonetic text (as in the sentence at the top of the page). Microspeech with the MSP2 software can make your computer speak. MSP2 uses only 4K of memory. Every extra 1K of buffer space can store 90 seconds of speech.



It speaks for itself

**TIM ORR DESIGN  
CONSULTANT**  
55 Drive Mansions,  
Fulham Road,  
London, SW6

**COSTRONICS  
ELECTRONICS**  
13 Field Heath  
Avenue, Hillingdon,  
Middlesex

• Circle No. 240



# BUY nascom-2 NOW AND GET A FREE 16K RAM BOARD

The lack of availability of the MK4118 RAMs has seriously delayed the launch of the Nascom 2, so we have decided to relaunch the product with an offer few will be able to refuse.

The Nascom 2 will be supplied without the optional user 4118s. Instead, we will supply a 16K dynamic RAM board and the interconnect for the NASBUS – absolutely FREE. This board allows further expansion to 32K. Also, when the 4118s become available, customers taking advantage of this offer can have the 8K for just £80 (plus VAT).

Meanwhile, the empty sockets on the Nascom 2 can be filled with 2708 EPROMs allowing dedicated usage, now with 16, or 32K of extra RAM. All the other features of the Nascom 2 are available and these include:

## MICROPROCESSOR

Z80A 8 bit CPU which will run at 4MHz but is selectable between 2/4 MHz.

## HARDWARE


12" x 8" PCB through hole plated, masked and screen printed. All bus lines are fully buffered on-board. PSU: +12v, +5v, -12v, -5v.

## MEMORY

- 2K Monitor-NAS SYS 1 (2K ROM)
- 1K Workspace/User RAM
- 1K Video RAM
- 8K Microsoft BASIC (MK 36000 ROM)

## INTERFACES

New 57-key Licon solid state keyboard. Monitor/domestic TV On-board UART provides serial handling for Kansas City cassette interface (300/1200 baud) or the RS232/20mA teletype interface. Totally uncommitted PIO giving 16 programmable I/O lines.



# £295 PLUS VAT

The Nascom 2 makes extensive use of ROMs for on-board decoding. This reduces the chip count and allows easy changes for specialised industrial use of the board. On-board link options allow reset control to be reassigned to an address other than zero.

The 1K video RAM drives a 2K ROM character generator providing the standard ASCII characters with additions – 128 characters in all. There is also a socket for an optional graphics ROM on-board.

## NASCOM UK DISTRIBUTORS

**ADDA COMPUTERS**  
Ealing, London W5.  
Tel: 01-579 5845

**BITS & P.C.s**  
Wetherby.  
Tel: 0937 62592

**BUSINESS & LEISURE MICROCOMPUTERS**  
Kenilworth.  
Tel: 0926 512127

**THE BYTE SHOP**  
Ilford, Essex.  
Tel: 01-554 2177

London W1.  
Tel: 01-636 0647

**COMPUTERLAND**  
Nottingham.  
Tel: 0602 40576

Manchester 1.  
Tel: 061-236 4737

Birmingham.  
Tel: 021-622 7149

Glasgow.  
Tel: 041-221 7409

**TARGET ELECTRONICS**  
Bristol.  
Tel: 0272 421196

**THE CAMERA CENTRE**  
Barrow-in-Furness.  
Tel: 0229 20473

**COMP SHOP**  
New Barnet, Herts.  
Tel: 01-441 2922

**COMPUTER MANIA**  
Great Milton, Oxon.  
Tel: Great Milton 729

**C. C. ELECTRONICS**  
Torquay.  
Tel: 0803 22699

**DATRON MICRO CENTRE**  
Sheffield.  
Tel: 0742 585490

**ELECTRONIC SERVICES**  
Sheffield.  
Tel: 0742 668767

**ELECTROVALUE LTD**  
Egham, Surrey.  
Tel: 07843 3603

**ELECTROVALUE LTD**  
Manchester M19.  
Tel: 061-432 4945

**ELEY ELECTRONICS**  
Glenfield, Leics.  
Tel: 0533 871522

**HAPPY MEMORIES**  
Southampton.  
Tel: 0703 39267

**HENRY'S RADIO**  
London W2.  
Tel: 01-723 1008

**INTERFACE COMPONENTS**  
Amersham, Bucks.  
Tel: 02403 22307

**A & G KNIGHT**  
Aberdeen.  
Tel: 0224 630526

**LOCK DISTRIBUTION**  
Oldham, Lancs.  
Tel: 061-652 0431

**MICRODIGITAL**  
Liverpool L2.  
Tel: 051-227 2535

**PHOTO ACOUSTICS**  
Watford, Herts.  
Tel: 0923 32006

**PIPS COMPUTER SERVICES**  
Whitley Bay.  
Tel: 0632 482359

**P & O COMPUTERS**  
Belfast.

**STRATHAND**  
Glasgow.  
Tel: 041-552 6731

To: Nascom Microcomputers Ltd.,  
92 Broad Street, Chesham, Bucks.  
Tel: 02405 75155. NM/PC/5

Please send me..... Nascom 2 kits  
(complete with construction article and  
extensive software manual for the monitor and  
BASIC) at £295 plus VAT plus £1.50 p&p.  
And ..... 3A PSUs at £29.50 plus VAT  
plus £1.00 p&p. And ..... optional  
graphics ROMs at £15.00 plus VAT.

Name \_\_\_\_\_

Address \_\_\_\_\_

Access/  
Barclaycard No. \_\_\_\_\_

**nm**  
Nascom Microcomputers

• Circle No. 241

# Microcomputer Mail Order



GREAT BRITAIN

All your microcomputer requirements can be bought with confidence by mail order from MICRODIGITAL, one of the largest and longest established computer stores.

Most orders are despatched same day as receipt, if not a note explaining what the supply situation is. If we cannot supply within 30 days we will, on request, make an immediate cash refund.

Access and Barclaycard orders are welcome either in writing or over the phone. Your account will not be charged until the goods are despatched.

Official orders of over £10 are also welcome. With normal 30 days trade credit extended to bona fide commercial and government organisations.

If you do not have our brochures, write or phone today for free copies by return.



## MICRODIGITAL

MICRODIGITAL LIMITED  
FREEPOST (No stamp required) LIVERPOOL L2 2AB  
TEL: 051-236 0707 (MAIL ORDER 24 HOURS A DAY)  
TEL: 051-227 2535



• Circle No. 242

# BARCELLOS Ltd

Kimberley House, Vaughan Way,  
Leicester. Tel. 0533-26584

## Four only

Word Processors  
as new for  
immediate delivery

## Price £1500.00 each

Rental terms £25 per week\*  
Minimum rental period 12 weeks

FULL SERVICE AVAILABLE THROUGHOUT  
EAST MIDLANDS AREA

\*Rental price includes service in East Midlands

Phone or write  
for details

• Circle No. 243

# REAL-TIME SPECTRUM ANALYZER £340

You can now buy, for about one-sixth the price of current products, a third-octave spectrum analyzer with more features and capabilities than were previously available at any price. What's the catch? If you don't already own a Commodore PET computer (or, soon, a Radio Shack TRS-80 or Apple), you'll have to get one. This will raise the price to somewhat under one-half the price of competing products, but of course you'll also have a COMPUTER!

The THS 224 REAL-TIME FREQUENCY ANALYZER comprises a single circuit board which installs inside the PET. This board contains a set of 31 third-octave filters (20 Hz to 20 kHz), detectors, an analog-to-digital converter, a 1K Read Only Memory containing machine language routines which allows the PET processor to interface with the Analyzer, and the peripheral circuitry necessary to transfer analog data into the PET memory. The simplest BASIC program required to turn the PET into an analyzer is only three statements long! Much longer programs can be written to allow complete user interaction with the analyzer, including many new forms of statistical signal processing, curve weighting, voice recognition etc.



**PETS 8k  
from £495**

PET IS A TRADEMARK OF  
COMMODORE BUSINESS SYSTEMS

# EXPANSION MEMORY

with space for eeprom



Price  
break-  
through

24k  
£280

32k  
£325

All items can  
be seen and  
demonstrated at  
our London showroom.  
Orders accepted by  
mail, phone or in person.

Prices exclude VAT. Send or phone  
for further details and brochure.

Access, Barclaycard,    
and Trustcard accepted.



UK Distributors

**Feldon Audio Ltd.,**

126 Great Portland Street, London W1 Tel: 01-580 4314. Telex: London 28668.

• Circle No. 245



# WHY BUY A MICRO-COMPUTER FROM

# **PETALECT** ELECTRONIC SERVICING LTD.

## BECAUSE

- 1) Established company trading since 1971
- 2) Electronic servicing is our speciality
- 3) We have in-house programmers/systems analysts
- 4) We have our own service engineers
- 5) We will demonstrate the PET at your premises
- 6) We can customise the PET to your requirements
- 7) We can arrange finance
- 8) We offer, after the three-month warranty, a service contract from £69.50
- 9) You benefit from our experience of having sold over 450 micro-computers to industrial, educational and business, personal users.
- 10) We specialise in programs and interfaces for weighing applications for average weight control and counting etc.



All 'PETS' sold with a Basic Tutorial Tape

8K £550.00 + VAT  
16K £675.00 + VAT  
32K £795.00 + VAT

New Large  
Keyboard 'PETS'  
Now in Stock

In our showroom we sell  
Books, Programs, etc.

### Also available:

24K Memory Expansion Boards (disk-compatible), only £320 + VAT  
PET-compatible : dual floppy disk unit with advanced operating system, only £840 + VAT  
Large Extension Keyboard for the PET £89.50 + VAT  
Telephone for complete system prices : Wide Range of Printers Available

If you require any more information or demonstration regarding the PET 2001/8 or any associated equipment, programs, etc., please contact Mr. P.J.A. Watts or Mr. D.W. Randall at:

**PETALECT ELECTRONIC SERVICES LTD**  
33/35 Portugal Road,  
Woking,  
Surrey.  
Tel. Woking 69032/68497

**Shop at:**  
**PETALECT**  
Chertsey Road,  
Woking,  
Surrey.  
Tel. Woking 21776/23637

• Circle No. 246


You're invited to come and see the  
**Pet**™ **BUSINESS SYSTEMS**

at your official

**COMMODORE**  and **Petsoft**

dealers in ... *South West London*

Combine the NEW large keyboard PET with the ACT PETSOFT Professional Disk Systems and Software, and the result is a powerful business tool. If your application includes Sales Ledger, Invoicing, Purchase Ledger, Payroll or Stock Control, then come and see us without delay.



**MICRO COMPUTER CENTRE**

Virage Holding Co. Ltd.

314 Upper Richmond Road West  
 East Sheen  
 London SW14

Tel. 01-876 6609

• Circle No. 247



**CRYSTAL ELECTRONICS**  
**CC ELECTRONICS**



**NEW!! XTAL BASIC 2.2**  
**HAS TO BE THE BEST YET FOR YOUR**  
**NASCOM 1 OR 2**  
 All the best features of other 8K floating-point BASICS

**PLUS:**

**EXTRA COMMANDS/FUNCTIONS**—CHIN, KBD, CMD5 ON ERR GOTO  
 % — Add up to 64 reserved words of your choosing — NOW put your own disc, tape, control, graphic commands, etc. for, the **ULTIMATE** in BASIC flexibility!  
**FULLY** upward compatible with version 2.1 (see earlier ads).

**EXISTING 2.1 users** — Return your original tape (less manual) with 50p p&p and we will update it **FREE** of charge!  
**PRICE: STILL ONLY £35 + VAT**

**GRAPHICS BOARD** 'phone for details.  
 By local designer — as shown in **COMPUTING TODAY (DEC)**.  
 2 versions — 32 or 128 programmable shapes  
 Resolution 192 x 128 — for minimum or expanded system.

**CREED PRINTER INTERFACE**  
 For NASCOM or APPLE — lowest cost hard copy!  
 Complete kit of parts (with Software) £18 + VAT.

**16-CHANNEL RELAY BOARD**  
 Now in stock for NASCOM 1/2. For £49.95 + VAT.

16 switched (isolated) channels for many control applications. This kit will greatly increase the flexibility of your NASCOM.

**NOW IN STOCK** —  
 **2** £295 + VAT

Includes free 16K RAM board, making this the cheapest 16K + machine on the market. Also the new **NASCOM PRINTER** at the **SUPER** price of £325 + VAT — Serial operation, suits most micros.



**APPLE II.** Now from £750 + VAT

Eighteen months of experience in **APPLE** hardware and software makes us the leaders in the West Country.

**New PASCAL system** £296 + VAT.

**A & D CONVERTOR BOARD** £175 + VAT.

**B & W monitors 9"** £132 + VAT  
**12"** £210 + VAT

plus full variety of printers, cards, memory, etc.



For speed, power, storage, high print rate and compactness. Probably the world's first self-contained desk-top computer. One megabyte at your fingertips. Add-on to 20 megabytes, multi-tasking, etc. £8500 starts you into the **BIG** league of business computing.

Shop open 0930-1730 except Wed. & Sun.  
 40 Magdalene Road, Torquay, Devon, England. Tel: 0803 22699

Access and Barclaycard welcome.



• Circle No. 248



# MICROSYSTEMS'80

A Conference and Exhibition to help you come to terms with the Second Industrial Revolution

at the **WEMBLEY CONFERENCE CENTRE**  
**JANUARY 30-FEBRUARY 1** from 10 am each day



CONFERENCE SESSIONS enable you to share the experience of experts in the microtechnology field.

A BUYERS' FORUM helps you to establish effective criteria for selection of goods and services.

A PROFESSIONAL DEVELOPMENT SEMINAR introduces managers to the use of microprocessors in business and industry.

AN EXHIBITION where you can talk personally with the suppliers of microtechnology products and services.

Admission to the exhibition is free. You may book in on the spot for conference sessions, or obtain further details of fees and a booking form from:

**MICROSYSTEMS  
CONFERENCE**

Room 821, Dorset House, Stamford Street, London, SE19LU.

The new all-British-designed single-board  
MICROCOMPUTER

## SEMEL-ABACUS IN KIT FORM

- \* Supplied with 16K of RAM
- \* Uses the powerful Z-80 Microprocessor
- \* Space for up to 32K RAM on board
- \* 8K Full Basic
- \* VDU Memory Mapped
- \* 64 Characters by 16 Lines
- \* Tape Interface
- \* Single-Board Construction
- \* RS232 Printer Interface
- \* Plugs into a standard TV set
- \* Full alphanumeric Characters plus 64 User-Definable Graphics
- \* Stabilised power supply

You Can See  
The ABACUS  
At Bread  
Broad 1979  
Royal Horticultural  
Halls, London SW1  
4th-8th December  
Stand G7


### OPTIONAL

- \* Colour Graphics
- \* Expansion board to full 64K Memory
- \* Analogue Interface

## STRUTT

ELECTRICAL AND MECHANICAL ENGINEERING LTD.  
3c Barley Market St., Tavistock, Devon PL19 05F  
Tel: Tavistock (0822) 5439 Telex: 45263

• Circle No. 250



### TECS: FEATURES

- \* VIEWDATA AND PRESTEL DATABASE ACCESS
- \* FULLY EXPANDABLE COMPUTER SYSTEM
- \* MEMORY-MAPPED TV DISPLAY RAM
- \* 24ROW X 40 CHARACTER, ALPHANUMERIC AND GRAPHICS (224 Individual symbols) DISPLAYED IN SIX COLOURS PLUS B&W, ON UNMODIFIED COLOUR T.V.
- \* EXPANSION TO FULL 64K MEMORY
- \* SUPPORTS BOTH 5 1/4" and 8" FLOPPY DISCS
- \* RS232 PORT AS STANDARD
- \* 3K TECS MINI-BASIC, INTEGER VERSION WITH COLOUR DISPLAY
- \* 8K TECS BASIC; FULL FLOATING POINT VERSION
- \* TECSBUG: POWERFUL MACHINE CODE MONITOR
- \* TECSOFT RANGE OF SOFTWARE TO EXPLOIT THE FULL POTENTIAL OF THE TECS SYSTEM
- \* FULL FACILITY TELETEXT RECEPTION (CEEFAX, ORACLE)
- \* KANSAS CITY STANDARD CASSETTE INTERFACE
- \* FULL DOCUMENTATION PACK
- \* ALL SYSTEMS CAN BE EXPANDED LATER;

SYSTEM	TELETEXT, 3K BASIC KIT	BUILT
4K USER RAM	£895	£1175
SYSTEM T2 TELETEXT, MONITOR, 8K BASIC, 4K USER RAM	£1115	1405
SYSTEM T2a AS T2 but +16K RAM	£1335	£1635
SYSTEM T2b AS T2 but +32K	£1435	£1735
SYSTEM T2c AS T2 but +48K	£1535	£1835
SYSTEM T4 'PRESTEL SYSTEM' TELETEXT, PRESTEL, 4K RAM, 3K BASIC	N/A	£1955

(KITS AVAILABLE DIRECT FROM TECHNLOGICS ONLY.) PLEASE SEND FOR FURTHER DETAILS (LARGE S.A.E., 13P STAMP PLEASE) OR ORDER NOW (SPECIFY RACK OR TABLETOP VERSION) FROM YOUR DEALER OR IN CASE OF DIFFICULTY DIRECT FROM TECS SALES DEPT.,

### TECHNLOGICS LTD.,

8 EGERSTON STREET, LIVERPOOL L8 7LY Tel: 051-724 2695

ALL ORDERS DEALT WITH IN STRICT ROTATION, CARRIAGE AND INSURANCE PAID. ALL PRICES SUBJECT TO 15% VAT.

• Circle No. 251

# COMPLETE COMPUTER SYSTEMS (CCS)



CCS Microsales

LEARN "BASIC" with a **£50**  
Voucher towards the cost of  
a "BASIC" course when you buy  
a micro from us

**ABC80** Z80A based. Fastest in this price range. Fantastic 'BASIC' in 16K ROM plus Assemblers and FORTRAN (disc based) and over 35 Industrial I/O and memory boards.

**APPLE** 48K Disc based WORD PROCESSING Turnkey System inc. IBM Printer only £1990 (ex. VAT) also 12 extra boards from CCS as options to all the usual Apple Boards.

**PET** Our own boxed S100 interface so you can choose from the 200+ index of S100 boards and use them with your PET.

**SORCERER** All sorts of S100 goodies available on order at costs which make it better than the hassel of getting them on your own.

We Know

## SEEING IS BELIEVING

and invite you to come and see the ABC80 and others at our new Letchworth shop (Open Nov.) Just clip the coupon and sent it to:  
CCS MICROHIRE/MICROSALES  
FREEPOST (7 The Arcade)  
Letchworth, Herts.

### CCS Microhire

Still the Leading Microcomputer Hire Company with the best range of equipment:

PET (8K) now £4.20/day\*

APPLE (16K) now £5.70/day\*

Apple II; PET; Exidy Sorcerer; SEED System One/MSI 6800; NASCOM/MICROS; Research Machines 380Z and Tandy TRS-80.

Over 500 million Bytes (half megabytes memory) available for hire in units from 4K to 48K.

Send for our NEW PRICE LIST giving the most attractive prices yet.

\* four day rates

CCS MICROHIRE  
FREEPOST (7, The Arcade)  
LETCHEWORTH, HERTS SG6 4YA

I would like to come and see the ABC80;  
PET; APPLE.  
Please call me back to arrange an  
appointment.

NAME .....

Company .....

Location .....

Tel. .... Ext. ....

• Circle No. 252

• Circle No. 253



Start Computing For Just £99.95 With An 8085-Based Professional Computer Kit —

# Explorer/85

100% compatible with all 8080A and 8085 software & development tools!



No matter what your future computing plans may be, Level "A" — at £99.95 — is your starting point.

Starting at just £99.95 for a Level "A" operating system, you can now build the exact computer you want. Explorer/85 can be your beginner's systems, OEM controller, or IBM-formatted 8" disk small business system... yet you're never forced to spend a penny for a component or feature you don't want and you can expand in small, affordable steps!

Now, just for £99.95, you can own the first level of a fully expandable computer with professional capabilities — a computer which features the advanced Intel 8085 cpu, thereby giving you immediate access to all software and development tools that exist for both the 8085 and its 8080A predecessor (they are 100% software compatible) — a computer which features onboard S-100 bus expansion — plus instant conversion to mass storage disk memory with either 5 1/4" diskettes or standard IBM-formatted 8" disks.

For just £99.95 (plus the cost of a power supply, keyboard/terminal and RF modulator, if you don't have them already), Explorer/85 lets you begin computing on a significant level... applying the principles discussed in leading computer magazines... developing "stage of the art" computer solutions for both the industrial and leisure environment.

## Level "A" Specifications

Explorer/85's Level "A" system features the advanced Intel 8085 cpu, an 8355 ROM with 2k deluxe monitor/operating

system, and an 8155 ROM-I/O — all on a single motherboard with room for RAM/ROM/PROM/EPROM and S-100 expansion, plus generous prototyping space.

Level "A" makes a perfect OEM controller for industrial applications and is available in a special Hex Version which can be programmed using the Netronics Hex Keypad/Display).



Level "A" at £99.95 is a complete operating system, perfect for beginners, hobbyists, or industrial controller use.

PC Board: glass epoxy, plated through holes with solder mask I/O: provisions for 25-pin (DB25) connector for terminal serial I/O, which can also support a paper tape reader... provision for 24-pin DIP socket for hex keypad/display... cassette tape recorder input... cassette tape recorder output... cassette tape control output... speaker output... LED output indicator on SOD (serial output) line... printer interface (less drivers)... total of four 8-bit plus one 6-bit I/O ports • Crystal Frequency: 6.144 MHz • Control Switches: reset and user (RST 7.5) Interrupt additional provisions for RST 5.5, 6.5 and TRAP interrupts onboard • Counter/Timer: programmable, 14-bit binary • System RAM: 256 bytes located at F800, ideal for smaller systems and for use as an isolated stack area in expanded systems... RAM expandable to 64k via S-100 bus or 4K on motherboard.

System Monitor (Terminal Version): 2k bytes of deluxe system monitor ROM located at F000 leaving 0000 free for user RAM/ROM. Features include tape load with labeling... tape dump with labeling... examine/change contents of memory... insert data... warm start... examine and change all registers... single step with register display at each break point, a debugging/training feature... go to execution address... move blocks of memory from one location to another... fill blocks of memory with a constant... display variable blocks of memory... automatic baud rate selection... variable display line length control (1-255 characters/line)... channelized I/O monitor routine with 8-bit parallel output for high speed printer... serial console in and console out channel so that monitor can communicate with I/O ports.

System Monitor (Hex Version): Tape load with labeling... tape dump with labeling... examine/change contents of memory... insert data... warm start... examine and change all registers... single step with register display at each break point... go to execution address. Level "A" in the Hex Version makes a perfect controller for industrial applications and can be programmed using the Netronics Hex Keypad/Display.

## Hex Keypad/Display Specifications £58.00

Calculator type keypad with 24 system defined and 16 user defined keys. 6 digit calculator type display which displays full address plus data as well as register and status information.

## Level "B" Specifications £42.00

Level "B" provides the S-100 signals plus buffers/drivers to support up to six S-100 bus boards and includes: address decoding for onboard 4k RAM expansion select-able in 4k blocks... address decoding for onboard 8k EPROM expansion select-able in 8k blocks... address and data bus drivers for onboard expansion... wait state generator (jumper select-able), to allow the use of slower memories... two separate 5 volt regulators.

## Level "C" Specifications

Level "C" expands Explorer's motherboard with a card cage, allowing you to plug up to six S-100 cards directly into the motherboard. Both cage and cards are neatly contained inside Explorer's deluxe steel cabinet.



Explorer/85 with level "C" card cage at £33.50.

Level "C" includes a sheet metal superstructure, a 5-card gold plated S-100 extension PC board which plugs into the motherboard. Just add required number of S-100 connectors.

## Level "D" Specifications £58.75


Level "D" provides 4k or RAM, power supply regulations, filtering decoupling components and sockets to expand your Explorer/85 memory to 4k (plus the original 256 bytes located in the 8155A). The static RAM can be located anywhere from 0000 to EFFF in 4k blocks.

## Level "E" Specifications £5.00

Level "E" adds sockets for 8k of EPROM to use the popular Intel 2716 or the TI 2516. It includes all sockets, power supply regulator, heat sink, filtering and decoupling components. Sockets may also be used for soon to be available RAM IC's (allowing for up to 12k of onboard RAM).

# ELF II

THE TRIED AND TESTED MINICOMPUTER SYSTEM THAT EXPANDS TO MEET YOUR NEEDS



ELF II BOARD WITH VIDEO OUTPUT

FOR ONLY **£79.95**

FEATURING THE RCA COSMAC 1802 cpu + VAT

STOP reading about computers and get your "hands on" an ELF 11 and Tom Pitman's short course. ELF 11 demonstrates all the 91 commands which an RCA 1802 can execute, and the short course speedily instructs you how to use them.

elf 11's VIDEO OUTPUT makes it unique among computers selling at such a modest price. The expanded ELF 11 is perfect for engineers, business, industry, scientific and educational purposes.

## ELF 11 EXPANSION KITS

- Power Supply (6.3v AC) for ELF 11 £5.00
  - ELF 11 Deluxe Steel Cabinet (IBM Blue) £23.00
  - Giant Board Kit System/Monitor, Interface to/ cassette, RS232, TTY, etc £36.00
  - 4K Static RAM board kits (requires expansion power supply) £69.44
  - Expansion power supply (required when adding 4K Rams) £19.00
  - ASC11 Keyboard Kits 96 printable characters, etc. £50.58
  - ASC11 D/lux steel cab (IBM Blue) £15.02
  - Kluge prototype board (build your own circuits) £12.83
  - 86 pin Gold plated connectors each £4.00
  - ELF Light pen writes/draws on TV screens £6.50
  - Video graphics board 32/64 characters by 16 lines on TV/monitor screens £89.95
  - ELF 11 Tiny basic on cassette £13.60
  - ELF 11 Bug/monitor powerful systems monitor/editor £13.60
  - T. Pitman short course on tiny basic manual (nil VAT) £4.00
  - RCA 1802 users manual (nil VAT) £4.00
  - On cassette Text Editor; Assembler, Disassembler (each) £16.95
- Save 10% and buy all three together.

## ELF 11

SPECIFICATION  
 \*RCA 1802 8-bit microprocessor with 248 byte RAM expandable to 84K bytes  
 \*RCA 1861 video IC to display program on TV screen via the RF Modulator  
 Single Board with Professional hex keyboard, fully decoded to eliminate the waste of memory for keyboard decoding circuits.  
 Load, run and memory protect switches  
 16 Registers  
 Interrupt, DMA and ALU  
 Stable crystal clock  
 Built in power regulator  
 5 slot plug in expansion bus (less connectors)

## EXPLORER/85 PERIPHERALS

- ASCII Keyboard/Computer Terminal Kit (features a full 128 character set, upper & lower case, full cursor control, 75 ohm video output convertible to baudot output, selectable baud rate, RS232-C or 20 ma, I/O, 32, or 64 character by 16 line formats, and can be used with either a CRT monitor or a TV set (if you have an RF modulator), £120.50.
- Deluxe Steel Cabinet for ASCII Keyboard/Terminal, £15.00.
- Deluxe Steel Cabinet for Explorer/85, £33.50.
- Power Supply Kit ( 8V 5 amps) in deluxe steel cabinet, £19.00.
- Gold Plated S-100 Bus Connectors, £4.00.
- RF Modulator Kit (allows you to use your TV set as a monitor), £2.78.
- Intel 8085 cpu User's Manual, £6.00 inc VAT).
- 8k Microsoft BASIC on cassette tape, £53.50.
- 8k Microsoft BASIC in ROM Kit (requires Levels "B" "D" and "E"), £82.00.

EXPLORER/85 INTRODUCTORY OFFER  
 BUY LEVELS A,B,D PLUS VIDEO TERMINAL  
 FOR ONLY £298 + VAT

## NEWTRONICS KEYBOARD TERMINAL

The Newtronics Keyboard Terminal is a low cost stand alone Video Terminal that operates quietly and maintenance free. It will allow you to display one a monitor 16 lines of 64 characters of 16 lines of 32 characters on a modified TV (RF Modulator required). The characters can be any of the 96 ASC 11 alphanumeric and any of the 32 special characters, in addition to upper lower case capability has scroll-up features and full X-Y cursor control. All that is required from your microcomputer is 300 baud RS232-C or 20ma loop serial data plus a power source of 8v DC and 6.3v AC. The steel cabinet is finished in IBM Blue-Black. And if that is not enough the price is only £135.50 + VAT as a Kit, or £175 + VAT assembled and tested. Plus £2 P&P (Monitor not included).

RACAL AP12, C12 TAPES: 10 for £4.50 + VAT

NOW AVAILABLE 8K FULL BASIC FOR ELF 11

NEWSOFT GAMES FOR ELF 11: 4 for £5 + VAT

SEND SAE FOR COMPREHENSIVE BROCHURE

Please add VAT to all prices (except manuals), P&P £2.  
 Please make cheques and postal orders payable to NETRONICS  
 or phone your order quoting BARCLAYCARD, ACCESS number

All units can be supplied wired and tested

To Newtronics 138 Kingsland Road  
 London E2 8BY  
 Tel: 01-739 1582  
 DEPT. P/C

SOLE U.K. AGENTS

# CPS


DATA SYSTEMS

## The Midlands Micro Sales Centre

Established by CPS to ensure that you buy the micro best suited to your particular need.

During your visit you can see, and try at leisure a whole range of microcomputers.

Expert advice is always on hand to guide you through our hardware, software and back-up services.



We're Authorised Dealers for **Pet, Apple, Rair** and **Transdata** microcomputers; **Decision Data** and **Datac** printers; and **Lear Siegler** terminals —all available off-the-shelf;

CPS (Data Systems) are exclusive Midlands Distributors for the outstanding

### Panasonic

Business Computers.

Phone us today, to arrange your visit, or for product information.

**Telephone: 021-707 3866**



CPS (Data Systems) Ltd  
Third Floor, Arden House, 1102 Warwick Road,  
Acocks Green, Birmingham B27 6BH

A member of the CPS Group

• Circle No. 255

# The

# ALTOS

## is here

LOGITEK announces the arrival in the U.K. of the latest ALTOS Sun Series 8000 computer — rated by many as one of the most sophisticated micros on the market.



Consider these features:

### HARDWARE

- \* CPU: Z80 single board microprocessor, 4 MHz
- \* RAM: 48-64 kilobytes
- \* ROM: 1 kilobyte
- \* DISC: 1 Megabyte
- \* Drives: Shugart, two 8 inch single sided, double density
- \* 1/0: 2 RS 232, 1 Parallel
- \* DMA: Z80 (optional)
- \* FPP: AMD 9511 floating point processor (optional)

### SOFTWARE

- \* CP/M Disc Operating System
- \* CBasic (extended basic)
- \* Fortran IV (Compiler)
- \* Pascal
- \* Cobal
- \* Macro assembler (Z80)
- \* Microsoft Basic

Logitek in conjunction with its own microsoftware house, Interface Software Ltd. of Canberley, is able to supply a wide range of proven 'off the shelf' business software, including word processing.

If you are a dealer who may be interested in promoting the ALTOS and wish to know more — contact Logitek — we have something rather special to offer you.

## LOGITEK

E.I.C. Electronics Ltd.,  
30 Kelvin Avenue,  
Hillington Industrial Estate,  
Glasgow. G52 4LH  
Tel: 041-882 1166/1661/1662  
Telex. 777255

and at  
Portland Street,  
Chorley,  
Lancs.  
Tel: Chorley 66803.

• Circle No. 256



# L & J COMPUTERS

3 CRUNDALE AVENUE, KINGSBURY NW9 9PJ 01-204 7525  
THE "PET" SPECIALISTS

## HARDWARE



### COMPARE OUR PRICES!

PET 8K	££499
PET 16K	£599
PET 32K	£725
EXTENSION CASSETTE DECKS (WITH COUNTER)	£55

### DUAL DRIVE DISK UNITS

PET 3040	£740
COMPUTHINK 400K	£830
COMPUTHINK 800K	£998

### PRINTERS

PET 3022	£640
CENTRONIC 779 (Tractor feed)	£869
SWT PR 40 (Inc Interface) (becomes an on-line printer)	£295
TELETYPE 43	£875

### SUNDRIES

TOOL KITS	from £55
VARIOUS INTERFACES	from £40
FLOPPY DISCS	from £2

PAPER: ROLL & TRACTOR FEED  
FULL RANGE OF PETSOFT & COMMODORE SOFTWARE

If you can't see what you want — ask.

We pride ourselves on getting what the Customer wants — quickly!

PRICES DO NOT INCLUDE VAT

## SYSTEMS



WE OFFER SMALL BUSINESS SYSTEMS FOR UNDER £2600 WHICH CAN NOT ONLY CARRY OUT MOST OF THE DAY TO DAY CHORES, BUT ALSO HAVE ROOM TO SPARE TO COPE WITH THOSE "ODD JOBS". TAKE YOUR CHOICE!

EACH PACKAGE COMPRISES A 'PET' 32K, CABLES, ANY INTERFACES REQUIRED, BUT DOES NOT INCLUDE PAPER, DISKS ETC.

DUAL DRIVE DISK UNIT	TRACTOR FEED PRINTER		
	PET 2022	TELETYPE43	CENTRONIC779
PET 3040	£2099	£2399	£2399
COMPUTHINK 200K x 2	£2129	£2429	£2379
200K x 4	£2289	£2589	£2539

PRICES DO NOT INCLUDE VAT

## SOFTWARE

As well as a full range of Petsoft and Commodore Software, we have some highly reliable "Home-Brewed" programs available.

**STOCK CONTROL & INVOICING** £60  
(Handles up to 500 items — 32K) (180 on 16K). Stock depleted on invoicing, search etc. Cassette, disk (& print option).

**STOCK CONTROL & INVOICE (RANDOM ACCESS)** £120  
On-line handling of 3400 items (50 char.) per disk. Disk (+ printer option) (16 or 32K) search etc.

**ADDRESS/PHONE BOOK** £35  
Create, amend, enlarge, search (+ print option) (16K or 32K).

**MINI CAB/DELIVERY INVOICE & DRIVERS WAGES** £220  
Weekly or monthly invoices — cheque writing facility — optional deductions. (16 or 32K + disk + printer).

**INFORMATION RETRIEVAL** £130  
Multi field; multi item; infinitely variable. Print facility: automatic sort.

**ALARM CLOCK** £5  
See the time — hear when you're overdue! (All Pets).

**YOUR MONTHLY PLANNER** £7  
Print your own planner on your own printer! Any year or month.

**RANDOM ENTRY & ANALYSIS** £40  
Makes adding up all those different invoices childs' play! Cash, cheques etc., balances & VAT.

**SCHEDULE 'D'** £25  
Check your own tax without being an accountant!

**SEND SAE. FOR FREE BROCHURE**  
**PRICES DO NOT INCLUDE VAT.**

We can write specialist programs for you. Ask us for a quotation.

## BASIC COURSE

IN RESPONSE TO MANY REQUESTS AFTER OUR VERY SUCCESSFUL ONE-DAY PROGRAMMING COURSE, WE ARE RUNNING ANOTHER ON THE 5th FEBRUARY 1980 AT THE SAME VENUE (EUROCREST HOTEL, WEMBLEY). COST (including Hotel Lunch, etc & VAT) £46.

EARLY APPLICATION IS ADVISED IF YOU WANT A PLACE. S.A.E. FOR PROGRAMME & APP. FORM.

## ACQUISITION

You are welcome to try, browse & purchase at our premises. You can phone your order. You can fill in & send off the form below. Whichever way you choose, you cannot help but be delighted with our service.

## ORDER FORM

TO L & J COMPUTERS:  
PLEASE SEND ME BY RETURN: —

\_\_\_\_\_ £ \_\_\_\_\_  
\_\_\_\_\_ £ \_\_\_\_\_  
\_\_\_\_\_ £ \_\_\_\_\_

ADD £9 for large items \*\*  
ADD 50p for small items

VAT £ \_\_\_\_\_  
TOTAL £ \_\_\_\_\_

CHEQUE/P.O ENCLOSED\*  
CHARGE TO MY ACCESS/BARCLAY/VISA CARD No.\*  
(\*delete as req'd)

ALL GOODS SENT SAME DAY WHEREVER POSSIBLE  
Recorded delivery by post: or Securicor. \*\*



• Circle No. 257

You've heard about it  
Read about it — HERE IT IS

AVAILABLE EX-STOCK  
COMPLETE KIT AS PER  
MANUFACTURER'S SPECIFICATION

With provision for 8K on board expansion. Excludes 4118 \*8\*

**INCLUDES FREE 16K EXPANSION**  
VALUE £140 includes ALL parts with every kit

**NASCOM-2**  
ON DEMONSTRATION NOW

**£295** +15% WITH  
VAT FREE  
16K EXPANSION WORTH £140

AVAILABLE ONLY FROM US ON THE COUPON BELOW

**OPTIONAL EXTRAS**  
**3 AMP POWER**  
**SUPPLY** VAT 15%  
**£29.50** Post £1.50  
For NASCOM-2

**8 OFF 4118\***  
For NASCOM-2  
P&R Chasers  
**£80** Early  
Delivery

RS232 COMPATIBLE

**80 COLUMN PRINTER** brand new

List price £550. If sent by carrier £5 extra

**OUR PRICE**  
**£325** + VAT  
15%


**FULL MANUFACTURER'S WARRANTY — DON'T DELAY. ORDER TODAY**

Please send me my **NASCOM-2 KIT** with the **FREE 16K EXPANSION**  
for **£295 + VAT**.

I enclose remittance ..... to cover

Name & Address .....

Also in stock **NASCOM-1 • ELF • TRS80** as previously advertised



**HENRY'S**

Computer Kit Division  
404 Edgware Road, London, W2, England  
01-402 6822



• Circle No. 258

**AERCO GEMSOFT**

**APPLE 2 Comes to Woking!**

Aerco Gemsoft have just opened their new computer division in Woking and invite you to drop in for a look at some real computers:—

**APPLE 2  
SUPERBRAIN**

**MICROSTAR 45  
OHIO SCIENTIFIC**

We are official Apple agents and southern area distributors for the Intertec Superbrain.

Apple 2 16K (Europlus B & W)	£750.00
Superbrain 64K (Twin Disks)	£1995.00
ITT 2020 16K (Colour)	£867.00
Microstar 45 Plus	£4950.00
Apple 2 Disk Units from	£355.00
16K Memory Upgrade Kit	£69.00
Serial/Parallel Interface Card	£110.00
Pascal Language Card	£296.00
Anadex DP-8000 Printer	£570.00
9" Hitachi Monitor	£132.00
12" Hitachi Monitor	£210.00
Auto-Start ROM	£40.00
Eurocolour Card	£89.00

**DISK BASED BUSINESS SOFTWARE FOR APPLE 2/ITT 2020**

Sales Ledger Payroll  
Stock Control General Ledger  
Invoice Printer Price List Maintenance  
Please add 15% VAT to above prices.

Send S.A.E. for full catalogue containing over 100 programs for PET, Apple & Exidy Sorcerer. Trade enquiries welcome.

Gemsoft can supply you with a complete (and fully expandable!) Apple system off the shelf including twin disks & printer for £2431 + VAT.


We specialise in designing complete systems and our expert in-house programmers are available to write any customised software from business systems, through industrial control systems to scientific and research programs.

**GEMSOFT LTD, 27 Chobham Road, Woking, Surrey, Phone Woking (04862) 22881.**  
Open 6 days a week 9.30-5.30 p.m.

• Circle No. 259

**SIRTON PRODUCTS (SP)**

**13 WARWICK ROAD  
COULSDON  
SURREY** Tel: 01-660 5617



**MIDAS S100 SYSTEMS**

Substantial Mainframe to house your S100 system, with optional 5in. or 8in. disc drives. Special systems built to your requirements from Z-80 CPU and other S100 boards held in stock.

Mainframes from £228

MIDAS 1 : Z-80 System from £625 (built)

MIDAS 2 : Z-80 5in. Disc System from £1,100 (built).

MIDAS 3 : Z-80 8in. Disc System from £1,300 (built).

**ITHACA INTERSYSTEMS DPS 1**

Professional versatile computer system with comprehensive front-panel facilities and 20-slot motherboard. Units have substantial power supply etc. and come with 2 or 4 MHz Z-80 CPU. BUS conforms to the IEEE S100 standard.

DPS.1 from £695



**COMPREHENSIVE RANGE OF S100 BOARDS AND SOFTWARE STOCKED**

from


ITHACA INTERSYSTEMS · S D SYSTEMS · GODBOUT · CROMEMCO ·  
ECT · SSM · Etc

Write or Phone for Catalogue




• Circle No. 260





# IN A CLASS OF IT'S OWN SUPERPAY FROM COMPUTASTORE



Unrivalled for speed and accuracy our new Superpay Payroll Program guarantees the PET user all the advantages of precise full payroll computing.

1. Unique Screen Layouts
2. Easily understood duplicate payslips
3. Payroll master file reporting and departmental analysis
4. Credit Transfer payments and coin analysis
5. Automatic Year-End analysis
6. Security and confidentiality
7. Reliable updating service for rate changes

The main features of Superpay are also incorporated into the Standard Disk and Cassette Options.

## Computerstore

### Software that means business

Ask your local PET dealer or Computerstore for a demonstration

**COMPUTASTORE Ltd., 16 John Dalton Street,  
Manchester M2 6HG. Tel: 061-832 4761**

• Circle No. 261

Professional standards and software support of the highest order are **guaranteed features** on all Computerstore programs.

Other packages for the PET Series Microcomputers include:

**PETE** — turns PET into an intelligent RS232 terminal

**ASSEMBLER** — fast assembly up to 500 lines per minute

**DISASSEMBLER** — with powerful pattern search facility

**KEYBOARD** — permits program & data entry from remote keyboard

# Possibly the most cost effective word processors in the world.



### The Vector Graphic MZ

- \*4MHz Z80A CPU
- \*48K ram
- \*630K Bytes disk storage
- \*Serial port and two parallel ports
- \*Prom/ram Board with monitor
- \*MDOS Operating system
- \*Z80 Assembler
- \*Basic Interpreter

Plus a large range of CP/M compatible software including Fortran, Cobol, Macro assemblers etc.

### The Vector Graphic System B

- Complete Vector MZ system plus: \*
- \*Vector Mindless terminal \*
- Flashwriter 2 video board (24 x 80) \*
- \*Software driver on prom \*
- MZOS North Star compatible DOS \*
- \*CP/M configured by Almarc \*



906 Woodborough Road, Nottingham. Telephone: (0602) 625035

• Circle No. 262

## MAIN LONDON **SORCERER STOCKISTS** EMG 01 688 0088



**WORD PROCESSING SYSTEM** £1999  
**ESTATE AGENT SYSTEM** £2499  
**COMPLETE BUSINESS SYSTEM** £3909  
 INC. 630K DISC STORAGE & PRINTER

SYSTEMS DESK £170      MEMORY UPGRADES      MAINS STABILIZATION  
 COOLING FAN POUND MOD      TELETYPE 43 FULL      SERVICING UNDERTAKEN

### 6 COPIES OF SOURCE

GAMES CASSETTE £6      GAMES DISKETTE £8      THE SORCERER MAGAZINE £5  
 FULL SOFTWARE BROCHURE

## EMG 121

ON REQUEST TO **EMG MICROCOMPUTERS LTD**

30 HEATHFIELD ROAD CROYDON SURREY ALL PRICES EXCLUDE VAT

## TRS 80 CORNER

COMPLETE 32K SYSTEM  
 WITH VDU CASSETTE  
 PLAYER EXPANSION  
 INTERFACE TWO 80K  
 DISC DRIVES LOWER  
 CASE MOD £1600

MICROPOLIS  
 DISC DRIVES £325

LOWER CASE MOD £28

CASSETTE MACHINE  
 AUDIO MOD £9

MAINS STABILIZATION  
 KIT £30

232 INTERFACE TO  
 TELETYPE 43 £45

GAMES CASSETTE £5

GAMES DISKETTE £7

ELECTRIC PENCIL £100

VARIOUS SOFTWARE  
 WRITE TO EMG 121

• Circle No. 263



# COMPUTING BOOKS

Adams, C., Beginners' Guide to Computers and Microprocessors With Projects	£ 5.70	McGlynn, D., Microprocessors Technology Architecture & Applications	£ 8.60
Ahl, Basic Computer Games	£ 5.25	McMurrin, Programming Microprocessors	£ 5.75
Albrecht, B., Basic for Home Computers	£ 4.95	Myers, S., RPG II with Business Applications	£14.00
Alcock, D., Illustrating Basic Microprocessors	£ 2.60	Nagin, P., Basic with Style	£ 4.25
Altman, L., Applying Microprocessors	£10.65	Nahigian., Computer Games for Business Schools and Home	£10.50
Aspinall, D., Introduction to Microprocessors	£ 6.50	Ogdin., Software Design for Microcomputers	£ 7.00
Barden, W., Z-80 Microcomputer Handbook	£ 7.75	Ogdin., Microcomputer Design	£ 7.00
Barden, W., How to Buy and Use Minicomputers and Microcomputers	£ 7.85	Peatman, J., Microcomputer Based Design	£ 7.00
Barden, W., How to Program Microcomputers	£ 7.25	Peatman, J., Design of Digital Systems	£ 7.90
Barna, A., Introduction to Microcomputers and Microprocessors	£ 8.60	Peckham, Hands on Basic with a Pet	£ 8.70
Bibbero, R., Microprocessors in Instruments and Control	£12.60	Peckham, Basic A Hands On Method	£ 6.95
Boyce, J.C., Microprocessor and Microcomputer Basis	£11.70	Rosen, A., Word Processing	£11.60
Bursky, D., Microcomputer Board Data Manual	£ 6.00	Rao, G., Microprocessor and Microprocessor Systems	£20.50
Bursky, D., Microprocessor Data	£ 6.00	Rony, P., 8080A Bugbook Micromputer Interfacing and Programming	£ 8.20
Bux, W., RPG and RPGII Programming	£11.80	Scelbi., 6800 Software Gourmet Guide and Cookbook	£ 7.80
Clifton, H., Business Data Systems	£ 6.00	Scelbi., 8080 Software Gourmet Guide and Cookbook	£ 7.80
Coan, J., Basic Basic	£ 7.80	Scelbi., Understanding Microcomputers	£ 8.80
Coan, J., Advanced Basic	£ 5.80	Schoman, K., The Basic Workbook	£ 4.00
Conway, R., Intro. to Microprocessor Programming using PL/Z	£14.00	Sipple, L., Computer Power for Small Business	£ 7.50
Conway, R., Intro. to Programming, Structured Approach using PL1-PLC	£14.00	Sirion, D., Basic from the Ground Up	£ 6.25
Ditlea., A Simple Guide to Home Computers	£ 4.00	Snover, How to Program Your Programmable Calculator	£ 6.00
Duncan., Microprocessor Software Engineering	£13.60	Sourcek, B., Microprocessors and Microcomputers	£19.00
Eadie, D., Microcomputers Theory and Operation	£13.10	Spencer, Game Playing with Basic	£ 5.00
Freiberger, S. Consumers' Guide to Personal Computing and Micro-computers	£ 5.60	Spencer., Computers in Society	£ 4.00
Frenzel, L., Getting Acquainted with Microprocessors	£ 7.20	Spracklen., Sargon (Computer chess program in Z-80)	£10.00
Fry, T., Computer Appreciation	£ 3.95	Streitmatter, G., Microprocessors Theory and Application	£12.50
Fry, T., Further Computer Appreciation	£ 4.95	Titus, C., 8080/8085 Software Design	£ 7.60
Gilmore, C., Beginners' Guide to Microprocessors	£ 4.85	Titus, C., Microcomputer Analog Converter Software and Hardware Interfacing	£ 7.60
Gosling, R., Beginning Basic	£ 4.75	Tocci, R., Microcomputers and Microprocessors Hardware/Software	£11.80
Graham, N., Microprocessor Programming for Computer Hobbyists	£ 7.10	Tracton, K., Basic Cookbook	£ 4.50
Grosswirth., Beginners' Guide to Home Computers	£ 4.50	Tracton, K., 57 Practical Programs and Games in Basic	£ 6.60
Hansen, P., Operating System Principles	£16.30	Veronis., Microprocessor Design and Applications	£13.00
Hartley, Introduction to Basic	£ 2.60	Waite, M., Microcomputer Primer	£ 6.50
Haviland, N., The Compulator Book	£ 6.50	Waite, M., Your Own Computer	£ 1.50
Heiserman, D., Miniprocessors from Calculators to Computers	£ 5.00	Welsh, J., Introduction to Pascal	£ 7.60
Higgins D., Programmed Design and Construction	£ 7.50	Wirth, N., Algorithms Plus Data Structure = Programs	£16.30
Hilburn, J., Microcomputers Microprocessors Hardware/Software Application	£17.00	Ward, Microprocessor/Microprogramming Handbook	£ 6.20
Hill, F., Digital Systems Hardware Organisation and Design	£ 9.00	Yourdin., Structured Design	£16.30
Huffman, J., Microprocessors in Personal Computing	£11.10	Zaks, R., Introduction to Personal and Business Computing	£ 8.50
Hunt, R., Computers and Commonsense	£ 4.00	Zaks, R., Microprocessors from Chips to Systems	£ 8.50
Johnson, D., Digital Circuits and Microcomputers	£13.10	Zaks, R., Programming the 6502	£ 8.60
Jung, W., IC OP AMP Cookbook	£10.00	Zaks, R., 6502 Applications Books	£ 8.60
Jung, W., IC Converter Cookbook	£ 9.50	Zelkowitz, M., Principles of Software Engineering	£15.00
Jung, W., IC Timer Cookbook	£ 7.50	TVT 80 A—Z	£ 4.25
Klingman, E., Microprocessor Systems Design	£17.00	TVT 80 2N	£ 4.50
Kemeny, J., Basic Programming	£ 6.50	THT 77	£ 4.50
Korn, G., Microprocessor and Small Digital Computer Systems for Engineers and Scientists	£19.00	TTL 79/80	£ 6.50
Kraus, L., Computer Fraud and Counter Measures	£21.50	DATI A-BUG Data Dictionary	£ 6.95
Lancaster, D., TV Typewriter Cookbook	£ 7.75	LIN I	£ 4.00
Lancaster, D., Cheap Video Cookbook	£ 6.50	LIN II	£ 4.20
Lancaster, D., TTL Cookbook	£ 7.00	Digital IC Equivalent Book	£ 5.50
Lancaster, D., CMOS Cookbook	£ 8.20	DIO DE Data Book	£ 2.60
Lancaster, D., Incredible Secret Money Machine (How to set up your computer or technical business)	£ 4.95	What Is A Microprocessor	£12.00
Lenk, J., Handbook of Microprocessors Microcomputers and Mini-computers	£14.00		
Lenk, J., Handbook of Practical Microcomputer Troubleshooting	£13.00		
Lesea, A., Microprocessor Interfacing Techniques	£ 8.00		
Leventhal, Introduction to Microprocessors	£16.70		
Lewis, T.G., Mind Appliance Home Computer Applications	£ 5.00		
Libes, S., Small Computer Systems Handbook	£ 6.00		
Lippiatt, Architecture of Small Computer Systems	£ 4.60		
Mano, M., Digital Logic and Computer Design	£18.30		
Munro., Interactive Computing with Basic	£ 3.65		
Munro., Basic Basic	£ 2.50		
Moody, R., First Book of Microcomputers	£ 4.00		

**SEND TO:**  
**TECHNICAL BOOK SERVICES**  
**PC12 PO BOX 79,**  
**MAIDENHEAD,**  
**BERKSHIRE SL6 2EG**

**A division of Strathearn Publishing Ltd.**  
Please note that all prices include postage and packing. Please make cheques, etc. payable to Technical Book Services. (Payment in U.K. currency only please).

# THE ELECTRONIC REVOLUTION

**SPECIAL OFFER — 8K PET £495 ex. VAT (+ p&p £15 in U.K.)**

**\* SPECIAL VALUE! GAMES GALORE!**

**For your PET 20 different games on disk or tape for £23 inc. VAT (+ 50p p&p) — media included.**

**It sounds like a steal! All originals, most games with super graphics.**

- |                    |                    |                  |
|--------------------|--------------------|------------------|
| 1. Cannibal Island | 8. Junior Hangman  | 15. Howitzer     |
| 2. U-Boats         | 9. Death Race 2000 | 16. Doodlebug    |
| 3. Minefield       | 10. Ski Slopes     | 17. Brands Hatch |
| 4. Oth+Ilo         | 11. Master Mind    | 18. Battlestar   |
| 5. Draughts        | 12. Fly Swat       | 19. Dambuster    |
| 6. Star Wars       | 13. Evens          | 20. Rugby        |
| 7. Hangman         | 14. Rocket Attack  |                  |

Also: Serial ASCII unidirectional interface for PET to RS232c  
(Turn your PET into a wordprocessor) **£92 inc. VAT (+£1 p&p)**

Well Ring my Chimes! OOOO CHIMES. 24 fantastic electronic tunes to amaze your friends when they 'ring your bell' — Complete **£12.50 inc. VAT (+ £1 p&p)**

**PET DEMO CREATOR**

Create your own personalised automatic demonstration — large characters all built-in — just say what you want to say! A new demo everyday **£10.**

## MAIL ORDER

Written orders with cheque or Access/Visa No. to:  
**6 Criterion Arcade, Old Christchurch Road, Bournemouth.**

Please supply:


ITEM .....	QUANTITY .....
AMOUNT £ .....	CHEQUE NO. ....
Name ; Ad dress .....	ACCESS/VISA NO. ....

• Circle No. 265

<b>COMPUTER BOOKS</b> Introduction To Microcomputers Vol 0 5.45 Introduction To Microcomputers Vol 1 6.30 Introduction to Personal and Business Computing 6.45 6800 Assembly Language Program 9.30 8080 Machine Language Program 9.95 8080A/8085 Assembly Language Program 6.30 Computerisation For Small Business 9.95 No VAT on books. Please add 55p p & p per book.		Scelbi 6900 Gourmet Guide 6.30 Scelbi 8080 Standard Editor 6.30 Scelbi 8080 Standard Assembler 6.30 8930 Program For Logic Designer 9.95 8980 Program For Logic Designer 6.30 Z-80 Program For Logic Designer 8.95 8080/8085 Software Design 6.30		TTL Cookbook 6.30 CMOS Cookbook 9.95 Cheap Video Cookbook 15.50 TV Typewriter Cookbook 6.30 8080A Cookbook 6.30 Using 8800 Micros 7.65 Programming 6502 7.95 Z-80 Microhandbook 7.15		7.15 7.60 4.95 7.35 7.65 7.95 6.95		<b>VERO PRODUCTS</b> 0.1" Copercard Boards 2.5 x 3.75 48p 2.5 x 5 56p 3.75 x 3.75 56p 3.75 x 19 210p 4.7 x 19 275p	
<b>CPUs</b> 1600 £12 1800 £8 2850A £20 4040 £7 6502 £10 6800 £8 6802 £11.50 6809 £25 SC/MP11 £10 8080A £11 Z80 £11 Z80A 1250p		<b>OTHERS</b> 3245 400p 6821 500p 6850 500p 6532 1000p 8212 225p 8218 225p 8224 400p 8228 525p 8251 700p 8255 550p MC14411 1100p MC14412 1100p Z80 P10 650p Z80 CTC 650p <b>CRYSTALS (CRYSTALS)</b> 100K 300p 1Mhz 360p 100KHz 350p 1843KHz 300p 3276KHz 270p 4MHz 210p 4194304K 170p 886K 400p 10MHz 300p 18MHz 380p		<b>74LS SERIES</b> 74LS04 18p 74LS04 22p 74LS10 22p 74LS13 40p 74LS20 22p 74LS30 22p 74LS32 27p 74LS43 48p 74LS74 30p 74LS86 40p 74LS90 50p 74LS107 45p 74LS123 80p 74LS124 180p 74LS125 80p 74LS126 80p 74LS132 95p 74LS138 75p 74LS139 75p 74LS155 90p 74LS157 50p 74LS161 100p 74LS163 100p 74LS165 130p 74LS221 140p 74LS244 195p 74LS273 130p 74LS365 100p 74LS367 100p 74LS368 100p 74LS373 190p 74LS374 195p 74LS378 200p 74LS393 200p		<b>EPROMs</b> 2708 500p 2708 700p 2716 2400p 2732 5600p <b>UARTS</b> AY-3-1015 500p AY-5-1013 400p IM6402 500p TMS5611C 400p <b>CHARACTER GENs</b> 3257ADC 990p MCM8576 1000p RD-3-2513UC 600p RD-3-2513LC 600p SN74S262AN 1350p <b>KEYBOARD ENCODER</b> AY-8-2376 900p <b>AD/D/A CONVERTER</b> PK209 750p MAC1408-8 200p ZN425E 425p <b>INTERFACE ICs</b> 8123 175p 75107 165p 75182 220p 75322 300p 75324 324p 75325 375p 75381 300p 75385 300p 8126 250p 8128 300p 8129 300p 8179 200p 81LS95 140p 81LS97 140p 8835 210p 8836 120p MCI488 100p MCI489 100p		<b>DIP BREADBOARDS</b> V-O Dip Breadboard (No track cutting) 105p Dip Breadboard with Busbars (4.15 x 6.15) 260p Dip Breadboard suitable for 19" Card Frame System with 31 Way Tracks 230p 31 Way Plug for the above 110p 31 Way Socket to fit the above 110p <b>VERO S100 SUB RACK</b> P & P £4 £20 £4 (19" rack mountable development kit, complete with power supply and backplane motherboard, for construction and evaluation of microprocessor system to the S100 format)	
<b>MEMORIES</b> 2102-2L 120p 2107B 500p 2111-2 225p 2112-2 3p 2114 450p 2114L 300 560p 4116 750p 4027 375p 5101 510p 6810 325p		<b>ROM/PROMs</b> 25S10 300p 74S188 200p 74S287 350p 74S387 360p 74S470 850p 74S471 850p 74S571 650p 93436 850p 93446 850p 93448 900p 82S137 850p		<b>CRT CONTROLLER</b> SFF9364 1075p		<b>VERO S100 SYSTEM CARDS AND ACCESSORIES</b> Code Description 06-0095L S100 Dip Board 1240p 06-2337L S100 High Density Board 1240p 06-2338F S100 Square Pad Board 1240p 09-2340H S100 Extenderboard 1780p 75-2867G Keyboard Console 720p 200-21341D Vero Wiring Kit comprising Vero pen, spare spool + 25 combs 1350p			
<b>VOLTAGE REGULATORS</b> Fixed Plastic TO 220 1A +ve -ve 5V 7805 60p 7905 75p 12V 7812 60p 7912 75p 15V 7815 60p 7915 75p 18V 7818 60p 7918 75p 24V 7824 60p 7924 75p 100mA TO 92 5V 78L05 30p 79L05 80p 12V 78L12 30p 79L12 80p 15V 78L15 30p 79L15 80p		<b>OTHER REGULATORS</b> LM309K 135p TBA625B 120p LM317T 200p 78HGKC 725p LM323K 550p 78HG5KC 825p LM723 37p 78MG72C 135p 780P 900p		<b>OPTO-ELECTRONICS</b> 2N5777 45p DRP60 90p OCP71 130p ORP61 90p ORP12 90p TIL78 70p <b>OPTO-ISOLATORS</b> ILD374 130p TIL111 90p MCT26 100p TIL112 90p MC2400 190p TIL116 90p <b>LEDS</b> 0.125" TIL220 Red 16p TIL32 75p TIL222 Gr 18p TIL209 Red 13p TIL228 Red 22p TIL211G 20p MV5451 10p TIL212 Y8 25p TS 120p TIL216 Red 18p Chips 3p DISPLAYS NSB5881 570p 3015F 200p TIL311 800p		DL704 140p TIL312/3 110p DL707 Red 140p TIL321/2 130p 707 GR 140p TIL330 140p DL747 Red 225p 7750/60 200p 747 GR 225p DRIVERS FND357 120p %1/5 %*+P FND500 120p %1/4 * %*+P FNC507 120p UDN6118 320p MAN3640 175p UDN6184 320p MAN4640 250p <b>ANTEX SOLDERING IRONS</b> C-15 15W 400p CON 15W 420p X-25 25W 420p 8310 275p 8318 225p <b>UMF MODULATORS</b> 8MHz 300p 8MHz 420p		<b>BREADBOARDS</b> EXP350 3.6" x 2.1" £3.15 (Up to 3 x 14 pin ICs) EXP650 3.6" x 2.4" £3.60 (Up to 1 x 40 pin IC) EXP300 6" x 1" £5.75 (Up to 8 x 14 pin ICs) EXP600 6" x 2.4" £8.30 (Up to 1 x 40 pin ICs)	
<b>VAT: Please add 15% to total</b> Access and Barclaycard accepted (Minimum Card & Official Order £10)		Please add 30p p&p. Government, Colleges, etc. Orders accepted. <b>CALLERS WELCOME</b>		17 BURNLEY ROAD, LONDON NW10 (2 minutes Dollis Hill tube station) (ample street parking). Tel: 01-452 1500 Telex: 922800					

• Circle No. 266





### NASCOM 2 is HERE

Nascom 2 complete kit  
ex stock £295.00 + V.A.T.  
plus

**SUPER INTRODUCTORY  
OFFER**  
FREE 16K Memory  
expansion board worth  
£140.00

### Also available

NASCOM 2 fully built and  
tested £335.00 + V.A.T.  
POWER SUPPLY KIT for  
Nascom 1 or 2  
£29.50 + V.A.T.

### ORDER NOW



Access

Barclaycard

# A NEW Micro-Computer Centre for the MIDLANDS NOW OPEN IN KENILWORTH



Business & Leisure Micro Computers is now open in Kenilworth. Stockists of well known computer systems and micro processors. B&L Micros offer a user service which will be of special interest to the businessman as well as the hobbyist seeking a new and exciting challenge.

A full range of micro computers and peripherals are available. Books, instructional material and software. Call in and talk over your requirements.

**\*Free software given away with every PET or Nascom bought. All models in stock.**

**\* We stock ALL you need to build your Nascom - tools, soldering irons, add ons etc.**

**\* Try before you buy - we sell time on a full range of machines at economic prices.**

**\* Printers, floppy disks, cassettes, paper, books, components.**



**A Special B&L Micros  
Service Selling  
Computer Time**

We can offer computer time for business users and others. Our Nascom and PET's can be hired by the hour or day for software development. Enquiries are welcome.



## Business & Leisure Micro Computers

16 The Square, Kenilworth, Warwickshire CV8 1EB. Tel: (0926) 512127

• Circle No. 267

# TRS-80 OWNERS!

### LEVEL II CASSETTE

ADVENTURE (LAND)*	£ 7.50	ACCOUNTS RECEIVABLE	£ 12.50
ADVENTURE (PIRATES)*	£ 7.50	APPOINTMENT LOG	£ 5.00
AIR RAID*	£ 7.50	ASTRONOMY II	£ 6.50
AMAZIN' MAZES	£ 4.00	BIORHYTHMS	£ 3.00
BACKGAMMON	£ 4.00	CALENDAR FUNCTIONS	£ 6.50
BALLOON RACE	£ 5.00	CALCULATOR	£ 3.00
BARRICADE*	£ 7.50	CASH REGISTER	£ 5.00
BASEBALL	£ 4.00	COMPLEX MATHS	£ 6.50
BATTER UP	£ 3.00	CURVE FITTER	£ 6.50
BINGO	£ 3.00	ELECTRIC PENCIL*	£ 50.00
BOWLING (TEN PIN)	£ 4.00	ELECTRONICS ASSISTANT	£ 5.00
BREAKAWAY	£ 3.00	ESP TESTER	£ 3.00
BRIDGE CHALLENGER	£ 7.50	FILE HANDLING	£ 6.50
DOGSTAR	£ 5.00	FINANCE (LOANS & INVEST)	£ 6.50
END ZONE	£ 4.00	FINANCIAL PACK I	£ 6.50
FASTGAMMON*	£ 7.50	FINANCIAL PACK II	£ 6.50
GALACTIC BLOCKADE	£ 4.00	FOURIER TRANSFORMS	£ 7.50
HAMURABI	£ 3.00	GENERAL ACCOUNTING	£ 5.00
HANGMAN	£ 3.00	HAM RADIO	£ 5.50
KAMIKAZE	£ 4.00	HOME FINANCE	£ 10.00
KENTUCKY DERBY	£ 3.00	INVENTORY MOD.	£ 10.00
LUNAR LANDER	£ 4.00	INVENTORY FP.	£ 12.00
MASTERMIND*	£ 4.00	INVENTORY CONTROL	£ 10.00
MICROCHESS*	£ 10.00	KEYBOARD-80	£ 5.00
MISSION IMPOSSIBLE*	£ 7.50	KVP EXTENDER	£ 12.50
OTHELLO III	£ 3.00	LEVEL III BASIC	£ 25.00
PENTOMINOES	£ 5.00	LINEAR PROGRAMMING	£ 6.50
PORK BARREL	£ 5.00	MATH DRILL	£ 3.00
REMAINDER	£ 4.00	MICROTEXT	£ 5.00
ROBOTS	£ 3.00	MORTGAGE CALCULATOR	£ 4.00
ROUND THE HORN	£ 5.00	NUMERICAL INTEGRATION	£ 6.50
SAFARI	£ 4.00	PERSONAL FINANCE	£ 5.00
SANTA PARAVIA	£ 4.00	PRE-FLIGHT	£ 10.00
SARGON*	£ 10.00	RPN CALCULATOR	£ 5.00
SINK'UM	£ 3.00	RENUMBER*	£ 7.50
SPACE BATTLES	£ 7.50	ROOT FINDER	£ 6.50
STARTREK III	£ 7.50	SCREEN PLOTTER	£ 6.50
TIME BOMB	£ 3.00	SIMPLE SIMON	£ 3.00
TREASURE HUNT	£ 3.50	STATISTICS I, II, III	£ 5.50
TREK 80	£ 5.00	STAR FINDER	£ 6.50
TAIPAN	£ 7.50	SYSTEM COPY*	£ 7.50
TYCOON	£ 4.00	LIBRARY 100	£ 37.50
X-WING FIGHTER	£ 4.00	75 BASIC PROGRAMMES	£ 20.00
WARFARE I	£ 4.00	MANUAL FOR ABOVE	£ 6.00

### DISK

ACCOUNTS RECEIVABLE II	£ 40.00
ADVANCED PERSONAL FIN.	£ 12.50
AMATEUR RADIO SYSTEM	£ 12.50
GENERAL LEDGER II	£ 40.00
INVENTORY 2.2	£ 30.00
INVENTORY 2.3	£ 40.00
INVENTORY II	£ 50.00
LEVEL I IN LEV II RAM	£ 12.50
MAIL LIST II	£ 50.00
NEWDOS+	£ 47.50
TEXT-80	£ 30.00
ST 80-D	£ 40.00
TARANTO & ASSOCIATES CONVERSION OF OSBORNE & ASSOCIATES BUSINESS PROGRAMMES	
ACCOUNTS PAYABLE	£ 90.00
ACCOUNTS RECEIVABLE	£ 90.00
GENERAL LEDGER	£ 90.00
PAYROLL	£ 90.00
MANUALS FOR ABOVE	£ 10.00
76 BASIC PROGRAMMES	£ 15.00
MANUAL FOR ABOVE	£ 6.00
* DENOTES MACHINE LANGUAGE SEND 50P FOR FURTHER DETAILS OF ABOVE PROGRAMMES. ADD 50P TO ORDERS UNDER £20.00 DEALER ENQUIRIES INVITED. ALL LISTED PROGRAMMES IN STOCK. FOLLOWING AVAILABLE TO ORDER.	
FORTRAN	£ 100.00
CP/M	£ 75.00
MMSFORTH CASSETTE	£ 20.00
DISK	£ 25.00
PILOT	£ 12.50



## MICROCOMPUTER APPLICATIONS

11 Riverside Court, Caversham,  
Reading, RG4 8AL, England.

• Circle No. 268

# HOME + BUSINESS COMPUTERS

"PET SHOP" FOR THE HOME AND SMALL BUSINESS MAN 8K—16K—32K

"THE QUICKNESS OF THE CHIP DECEIVES THE EYE" WITH SORCERER 32K OF MAGIC. THE IDEAL SYSTEM FOR THE MORE AMBITIOUS HOME USER AND THE BUSINESS MAN FLOPPY DISKS PRINTERS-WORD PROCESSING

BOOKS, MAGS, TAPES GALORE!

Add a little colour to your life with **APPLE/ITT** 2020 what better use for your colour TV?

Stock arriving by the day. Please phone for further information.



• Circle No. 269



**£100 + VAT**

Visicalc has to be one of the neatest Software innovations of 1979. It gives tremendous flexibility in handling any type of data that can be organized in rows and columns. This Software should be useful to Engineers and Accountants alike; it will be particularly attractive to business Executives for financial modelling.

ALREADY VERY SUCCESSFUL IN THE STATES

For your folder, manual, diskette etc. please send your order together with your cheque to:

**PADMEDE COMPUTER SERVICES,  
The Tuns, High Street, Odiham, Hants.  
Tel. Odiham (025-671) 2434**

• Circle No. 270

## SORCERER'S APPRENTICE

Wide range of software available for the Sorcerer:  
DRAW draws pictures on the screen and saves on cassette ..... 4.60  
LINK links basic programs together: renubers programs ..... 10.35  
STATISTICS a comprehensive package. .... 17.75  
PLOT 2 high resolution plots of polar functions. . 6.90  
ALPHA sets graphics to give Greek alphabet and scientific symbols.....5.75  
CASSETTES C10's 50 pence each

*All the above prices include VAT*

Business programs and software from LIFEBOAT ASSOCIATES

MICROSTOCK Disc-based stock control with advanced features e.g. allows instantaneous access to item details. Package cost 120.00 plus VAT (manual 5.00).

Send SAE for full software list.

**WE PUBLISH PROGRAMMES**

Good royalties available for quality original software. Please send copy for inspection.

EXIDY PRODUCTS full range supplied.  
PRINTERS Rioch (daisy wheel) Centronics Dolphin Printerm

**MICROPUTE**

**7 Westbourne Grove Manchester 20  
Tel 0625 612818**

• Circle No. 271

## CHROMASONIC electronics

*your soundest connection in the world of components*

Dept PC, 56 FORTIS GREEN ROAD, MUSWELL HILL, LONDON, N10 3HN  
TELEPHONE: 01 883 3705/2289

DYNAMIC RAMS			UARTS	
DYNAMIC RAMS	1+	8+	16+	
4027	£3.46	£3.16	£2.86	
4116 (250 ns)	£7.75	£7.25	£6.57	AY-5-1013 £4.20
4050 (200 ns)	£2.87	£2.58	£2.30	MM 5503 £5.79
4050 (350 ns)	£2.70	£2.43	£2.09	
4060 (300 ns)	£2.75	£2.47	£1.99	
STATIC RAMS			BUFFERS	
STATIC RAMS	1+	16+	64+	
2102A	£1.33	£1.19	£1.04	81 LS 95 99p
2102A-2	£1.33	£1.19	£1.04	81 LS 96 80p
2111A-1	£1.95	£1.75	£1.58	81 LS 97 99p
2112A-2	£2.11	£1.93	£1.80	SN 74365 60p
21102	£1.33	£1.19	£1.04	SN 74366 60p
MM 5257 (TMS 4044)	£7.97	£7.37	£6.90	SN 74367 60p
MM 2114	£7.97	£7.37	£6.90	SN 74368 60p
MC 6810	£3.48	£3.08	£2.68	8T 26 £2.80
4035 (1000 ns)	£1.23	£1.14	£1.02	8T 28 £2.80
4045 (250 ns)	£7.07	£6.55	£5.89	8T 95 £1.80
				8T 96 £1.80
				8T 97 £1.80
				8T 98 £1.80
ROMS			LS SERIES	
2513 (Upper Case)	£7.18			74L S00 .17p
2513 (Lower Case)	£7.18			81 LS 96 80p
MM 5230	£5.31			81 LS 97 99p
				81 LS 98 80p
				SN 74365 60p
				SN 74366 60p
				SN 74367 60p
				SN 74368 60p
				8T 26 £2.80
				8T 28 £2.80
				8T 95 £1.80
				8T 96 £1.80
				8T 97 £1.80
				8T 98 £1.80
				155 .83p
				160 £1.25
				163 .80p
				166 £1.90
				170 £1.98
				192 £1.20
				193 £1.20
				194 .99p
				195 £1.12
				197 £1.12
				221 £1.06
				253 £1.06
				279 .65p
				283 £1.25
				293 £1.05
				348 £1.60
				365 .54p
				366 .54p
				368 .54p
				393 .97p
				668 £1.35
EVALUATION KIT			INTERFACE	
6800 D2 kit	£195			8205 £3.45
				8212 £2.31
				8216 £2.39
				8224 £3.19
				8228 £4.75
				8251 £5.75
				8253 £7.97
				8255 £5.84
BAUD RATE GENERATORS			L SERIES	
MC 14411	£6.75			74L 90J £2.59
MM 5307	£10.79			
CPU			S. SERIES	
8080	£ 5.84	1702 AQ	£ 5.93	74 S00 £0.65p
6800	£ 6.91	2708Q	£ 7.20	74 S387 £2.68
9900	£29.95	2716	£27.59	74 S474 £12.93
				74 S262 £12.00
				668 £1.35
T.V. CONTROLLER				
SFF 96364	£16.77			



Postage and Packing 25p. Trade and Export Inquiries most Welcome. Hours 9.00am—5.00pm. Now available our ORDERING line, just phone your order through with your Access or Barclaycard number and providing the order is received by 3.00pm the components will be despatched the same day (min. order £5.00).



• Circle No. 272



# Buy here at discount prices!

- ★ Full after-sales service in our own workshops
- ★ One year guarantee on all machines

**Save money-**

## Improve your

**8K PET** with memory expansion boards

internally mounting, full instructions supplied, plug and socket connections only.

24K **£320**

32K **£432**

**Credit terms available**

## The only 16k complete computer for under £400

keyboard, computer, power supply, UHF modulator and all cables to plug into your own TV set and cassette recorder and go!  
16K of user RAM for decent size programmes and data, sophisticated level II microsoft basic. Fully converted to UK standard including frame sync. frequency (no wobbly display). Tandy don't do this! Complete with level I and level II programming manuals. What more could you ask?

**£399**

Extra numerical keypad **£33.95**  
Expansion interface complete with 32K RAM **£299**

**This lot must be today's best buy!**

## Get into print this easy way!



### Paper Tiger

dot matrix printer

96 character set, eight character sizes, 80 or 132 column fully adjustable widths tractor feed. Centronics type parallel and RS232 serial interfaces included. Up to 90 characters per second.

Unbeatable value!

**£575**

Interfaces -  
Pet £49    Ohios £10  
TRS-80 £12    Sorcerer £6  
Apple £110



### Anadex DP 8000

dot matrix printer

96 character set, two character sizes, 80 column fully adjustable widths tractor feed. 100 characters per second bidir. printing. Supplied complete with RS232/current loop serial and Centronics type parallel interfaces.

Knock down price!

**£499**

Interfaces -  
Pet £49    Ohios £10  
TRS-80 £12    Sorcerer £6  
Apple £110



Print out without waking baby!

### Trendcom

Silent thermal printer

40 column bidirectional printing, 96 character set clear, 10 characters per inch, 5 x 7 dot matrix format at 40 characters per second, robust.

A snip!

**£249**

Interfaces -  
Pet £49    Ohios £10  
TRS-80 £12    Sorcerer £6  
Apple £49

Leasing available to companies



## PET

Converted to UK frame sync.

(no wobbly display)  
- no one else does it!

2001-8  
(original, 8K RAM and integral cassette)

**£499**

2001 - 32N (32K RAM and new large keyboard) **£690**  
2001 - 16N (16K RAM and new large keyboard) **£590**

External cassette deck, suitable for all Pets **£53**  
CBM dual drive mini floppy **£745**  
CBM tractor feed printer with Pet graphics **£605**

## Make PET talk to the outside world

IEE/RS232 serial i/f input/output **£140**  
IEE/RS232 serial i/f output **£89**  
Pet to S100 4-slot motherboard **£112**  
Pet to TV improved adaptor - connects to aerial socket **£25**

IEE/Centronics parallel i/f **£45**

# COMPUTERAMA

LTD.

**Tel: Bath (0225) 28819**

Your dealer for Bath, Bristol and S.W.

Computerama  
Harpers Kensington Showrooms  
London Rd. Bath, Avon

Please add £10 Securicor delivery on computers plus 15% VAT on all prices.



Credit card orders accepted by telephone for immediate despatch.





# A PRACTICAL GLOSSARY

Continuing the terminological gamut with P

## Pilot

A language which was designed for writing Computer Assisted Instruction programs, aiming to overcome the shortcomings of languages such as Fortran and Basic which are not designed to deal with text in a flexible, interactive way. Some languages with text processing features, like PL/I, are not commonly available to the teachers who need to write CAI programs, and they are troublesome to learn.

Most CAI programs have been written by professional programmers on large machines and that creates obvious barriers. Pilot is a simple language anybody can use which can be implemented on a wide variety of machines. It is inexpensive and it works. (See PC, Nov. '78, p55).

## Pins

Connector pins are the legs on a chip (qv). They connect the chip to the electronic circuits on a circuit board; they fit into pre-defined holes and are soldered there, the solder making contact between the circuit and the pin.

You'll also have 'pins' inside a plug, of course. They do much the same job; as with mains electricity, the plug pin fits into a socket to make a connection.

## PL/I

An interesting failure. PL/I is an immodest acronym for Programming Language/I and it was designed by IBM to combine the business virtues of languages like Cobol with the scientific capabilities of Fortran and Algol. The result is by no means a bad thing but it has never displaced the others. Big IBM installations make heavy use of it but even there IBM Assembler, Cobol and Fortran are utilised more widely.

The trouble is that it needs a good deal of memory and plenty of re-learning, so it never appealed to the mass market of small computer users, and it was never adopted over-enthusiastically by programmers who could make a living more easily with a different language.

## PL/M

An Intel programming language designed for use on development systems. Easier to use than an assembler and probably qualifies as a high-level language. There is no connection with PL/I.

## PLA

Programmed logic array. A kind of sub-microprocessor. A PLA is an LSI chip which can read several inputs to deduce which of several alternative outputs it should produce. You'll be safe sticking to PLA as Port of London Authority.

## Plasma display

A microscope slide of blood. Alternately see *gas discharge*.

## Plotter

A device which draws things automatically; it could be a graph, a picture of a man with cloak, tall hat, beard, a fizzing bomb labelled BOMB.

Plotters are sometimes called any or all of graph, digital, incremental or X-Y plotters. They all work by receiving digital information from the computer, converting it into X-Y coordinates for a pen — or ink-jet gun, in more esoteric devices — and moving the pen across the paper in minute increments and in the direction specified.

## Plugboard

Also known as patchboard — very occasionally — or patch panel, sometimes Jack panel. A plugboard is simply a circuit board, which may or may not have circuits printed on to it, with sockets for removable plugs (jackplugs). Switching around the plugs can alter what the computer does, so plugboards are normally utilised only for diagnostic use by a maintenance engineer.

## Plug-compatible

Something is plug-compatible if it can plug straight into something else, which in computer terms means it must meet all the electrical, logical and mechanical requirements of the 'host'. Typically an independent company will develop and sell plug-compatible add-ons — like terminals or disc drives or memory boards — which fit on to a popular computer, like the TRS-80 or Pet or PDP-11 or IBM 360/370.

They may well be cheaper and better than the computer manufacturer's own products, or there may be no alternative offering from the computer vendor.

## PMOS

Or P-channel. An older alternative to N-channel MOS. A fabrication

method for MOS semiconductor circuits; it is slower than NMOS.

## Point of sale

This describes the locale where money changes hands in a shop of some sort. Ordinary cash registers are being replaced by clever devices which do everything the till does but also collect information about the sale — what has been sold and how much for.

This might be stored on a cassette and removed at the end of the day or it might pass the information directly to a computer. Either way the information is processed by computer to provide almost instant notification of matters like sales income and stock position.

## Point to point

In computer terms it means a circuit connecting two and only two things — like a computer and a terminal — without the intermediate assistance of something else, like a computer. Compare *multi-point* connections, where several terminals attach by one line to one computer.

## Pointer

Could be a register or *accumulator* which holds the address of the next memory location to be accessed by a program. Could be a register which effectively tells you which instruction you have searched in your program. Could be an address of part of an instruction which defines the start address elsewhere of something else — a table of values, for instance.

## POKE

An instruction available in most Basics which stores integer values in a specified memory location. For example, POKE 65,15360 places the ASCII number 65 — which is the letter 'A' — in memory address 15360.

## Polish

Polish notation is a way of writing *Boolean algebra* so that all the operators precede all variables. There is also a backward version called Reverse Polish notation. Now forget it.

## Polling

A technique used in data transmission, typically on *multi-point* networks where several terminals

are sharing one line. A program in the computer interrogates each terminal in turn to find out whether it has anything to say. This happens very quickly and, of course, it means you need terminals which can recognise when they are being polled.

## Polymorphic systems

Maker of the Poly 88 personal computer, and several derivatives, and another of the early leaders in the business. It has a very good Basic.

## Port

A socket on the computer into which you can plug a terminal or some other I/O device.

## POS

Or PoS. It stands for *point of sale* (qv).

## Precision

A neat and logical definition, which makes a change. Since 'precision' means being very clearly defined, it is reasonable that in arithmetic it usually means the number of significant digits in a number.

On the other hand, there is nothing inherently clear about logic *per se*; precision, you see, is contrasted with accuracy. They are not the same thing. Accuracy refers generally to the number of figures following the decimal point — the more you have, the more accurate your number is. Precision refers to discrimination from a number of possibilities; so, irrespective of the position of the decimal point, a four-digit numeric form allows you 10,000 possible numbers; that's exactly how precise you can be, no more and no less.

**Practical Computing continues its A-Z primer of technical terminology with Q and R in the next issues.**

**Be sure not to miss it — place an order with your newsagent now — or better still, take out a subscription.**

SYSTEMS  
HOUSESCOLLEGES  
SCHOOLS

## TAKE YOUR PICK!

## OPERATING SYSTEMS

- CP/M
- PASCAL
- MULTI-USER, MULTI-TASKING
- CAP MICROCOBOL BOS

## WORD PROCESSING SOFTWARE

## HARDWARE

- Z-80 Processor
- S-100 Bus
- Memory Management to 512KB
- 5 1/4" Floppy Discs (dbl. density)
- 8" Floppy Discs (dbl. density)
- Cartridge Disc Drives (to 40MB)

## MAINTENANCE

- Nation-wide servicing facilities available.

## LANGUAGES

- C-BASIC Compiler
- M-BASIC
- FORTRAN-80
- COBOL-80
- PASCAL
- CAP-Microcobol

COST OF DEVELOPMENT SYSTEMS  
(including CP/M and C-BASIC)

- 48KB, dual 5 1/4" Floppies **£1675**
- 48KB, dual 8" Floppies **£2495**
- Exclusive of VAT. Subject to our standard terms and conditions and exchange rate variation.

**EQUINOX**

COMPUTER SYSTEMS LTD.

"KLEEMAN HOUSE"  
16 ANNING STREET,  
NEW INN YARD,  
LONDON EC2A 3HB.

01-739 2387/9. 01-729 4460

• Circle No. 275


## Advertisement Index

<b>A</b>		<b>E</b>		Landsler Software	123	Prameterised Computer Systems	30
Abel Computer Services	24	EMG Marketing	140	Lifeboat Associates	6, 7	Protechnic	14
Acorn Computers	35	Ensign Computer Systems	25	Liveport	80		
Aculab	10	Equinox	83, 119, 148	Logitek	136	<b>R</b>	
Adda	40	Essex Computer Services	34	Lotus Sound	20	Rair	43
AJD	32			LP Enterprises	13	Research Resources	42
Algobel Computers	30	<b>F</b>		LTT Electronics	22	Rogis Systems	32
Almarc Data Systems	28, 140	Feldon Audio	130			Rostronics	42
Analog Electronics	120	Fletcher Worthington	30	<b>M</b>			
		Flyde Micro Services	38	Microbits	121	<b>S</b>	
<b>B</b>				Micro Centre	2	SEED	152
Barcellos	130	<b>G</b>		Micro Computer Applications	143	Sirton Products	138
Bits & Pc's	128	Gemsoft	138	Microcomputer Business Machines	17	Slough Microshop	36
Business & Leisure		GP Industrial Electronics	124	Micro Computer Centre	132	Stack	19
Microcomputers	143	Graffcom	122	Micro Control	12	Stage One	142
		Grama (Winter)	4	Microdigital	76, 77, 83, 130	Strutt	134
<b>C</b>		Great Northern Computers	124	Micro Management	16		
Cambridge Computer Store	24			Micromedia (Systems)	27	<b>T</b>	
Camden Electronics	39	<b>H</b>		Micropute	144	T & V Johnson	8, 9
CCS Microhire	134	Hal Computers	36	Microsolve	18	Tandy	23
Chromasonic Electronics	144	Happy Memories	124	Microsystems '80	133	Tally Printers	100, 101
Clento Computers	20	Harding, A J (Molimex)	120	Microtek	28	Technalogs	134
Comart	5, 15, 102	HB Computers	28	Mills, A	34	Technamatic	142
Comp Computer		Henry's Radio	138	Moxon, Dolphin & Kirby	14	Technical Book Services	141
Components	149, 150, 151	Home & Business Computers	144			Telesystems	22
Computastore	26, 139			<b>N</b>		Tempus	18
Computerama	145	<b>I</b>		Nascom Microcomputers	11, 29, 129	Terodec	37
Computerbits	126	Icarus	21	Newbear	34, 36	Texas Instruments	10
Computer Retailers Association	10	Interactive Data Systems	38	Newtronics	135	Tim Orr Design	128
CPS	136	Interface	146			Transam	125
Crofton Electronics	32	Intersystems	48	<b>O</b>		Tridata Micro's	24
Crystal Electronics	132	Intex	40	Online Conferences	62	TW Computers	14
<b>D</b>		<b>K</b>		<b>P</b>		<b>V</b>	
DAMS	123	Keen Computers	75	Padmede	128, 144	V & T Electronics	22
Data Systems Supplies	122	Kode Services	16	Petalect	131	Video Vector Dynamics	12
Datron Microcentre	41			Petsoft	65		
Digitus	44, 46	<b>L</b>		Personal Computers	78	<b>X</b>	
Direct Data Marketing	38	L & J Computers	137	Plessey	16	Xitan	33
				Portable Microsystems	31		



## COMP PRO Mixer

Professional audio mixer that you can build yourself and save over £100.



6 into 2 with full equalization and echo, cvc and pan controls.

All you need for your own recording studio is a stereo tape or cassette recorder.


This superb mixer kit has slider faders, level meters and additional auxilliary inputs.

Only £99.90 plus VAT for complete kit Plus FREE power supply valued at £25.00

Ideal for

**DISCOS STAGE MIXING HOME STUDIOS AND MANY OTHER APPLICATIONS**

## NASCOM-2 MICROCOMPUTER



### MEMORY

On-board, addressable memory:— 2K Monitor — Nas-Sys 1 (2K ROM), 1K Video RAM (MK 4118), 1K Work space/User RAM (MK 4118), 8K Microsoft Basic (MK 36000 ROM) 8K Static RAM/2708 EPROM.

### KEYBOARD

New expanded 57 key Licon solid state keyboard especially built for Nascom. Uses standard Nascom, monitor controlled, decoding.

### T.V.

The lv peak to peak video signal can drive a monitor directly and is also fed to the on-board modulator to drive the domestic T.V.

### I.O.

On-board UART (Int.6402) which provides serial handling for the on-board cassette interface or the RS232/20mA teletype interface.

The cassette interface is Kansas City standard at either 300 or 1200 baud. This is a link option on the NASCOM-2.

The RS232 and 20mA loop connector will interface directly into any standard teletype.

The input and output sides of the UART are independently switchable between any of the options — i.e. it is possible to house input on the cassette and output on the printer.

### P.I.O

There is also a totally uncommitted Parallel I/O (MK3881) giving 16, programmable, I/O lines. These are addressable as 2 x 8 bit ports with complete handshake controls.

### CHARACTER GENERATORS

The 1K video RAM drives a 2K ROM character generator providing the standard ASCII character set with some additions, 128 characters in all. There is a second 2K ROM socket for an on-board graphics package which is software selectable. Gives another 128 characters.

### DOCUMENTATION

Full construction article is provided for those who buy a kit and an extensive software manual is provided for the monitor and Basic.

## Break the language barrier **ONLY £138 + VAT**



At a price equivalent to learning one language, LEXICON offers you, English, Spanish, French, German, Italian and Greek. The LK3000 comes to you with the person to person module which contains 6 languages, deluxe carrying case and a charger adaptor using its own power source which will give you 4-5 hours continuous use, and can easily be re-charged from the mains supply.

wherever you may be in the world. Every additional module carries a concise and understandable instruction book. Your deluxe carrying case has room for two additional modules.

## ETI TV PINBALL FEATURING BREAKOUT

CHIP & PCB **£14.90**

ALL OTHER PARTS  
ALSO EX-STOCK

## HITACHI PROFESSIONAL MONITORS



9" — £129 + VAT  
12" — £199 + VAT

- Reliability Solid state circuitry using an IC and silicon transistors ensures high reliability.
- 500 lines horizontal resolution Horizontal resolution in excess of 500 lines is achieved at picture center.
- Stable picture Even played back pictures of VTR can be displayed without jittering.
- Looping video input Video input can be looped through with built-in termination switch.
- External sync operation (available as option for U and C types)
- Compact construction Two monitors are mountable side by side in a standard 19-inch rack.

with built-in termination switch. ● External sync operation (available as option for U and C types) ● Compact construction Two monitors are mountable side by side in a standard 19-inch rack.

## MODULATORS UHF Channel 36

Standard 6 meg band width **£2.90**  
High Quality 8 meg band width **£4.90** EX-STOCK


## UNIVERSAL POWER SUPPLY

Suitable for Nascom I, Nascom II, Superboard and all computers requiring these specifications.

+5V @ 3 amps +12V @ 1 amp —5V @ 500 mA —12v @ 500 mA  
Easy to construct — complete with transformer. Our price **£24.90**

## video 100

12" BLACK & WHITE  
LOW COST VIDEO  
MONITOR



- Ideal for home, personal and business computer systems
  - 12" diagonal video monitor
  - Composite video input
  - Compatible with many computer systems
  - Solid-state circuitry for a stable & sharp picture
  - Video bandwidth - 12MHz + 3DB
  - Input impedance - 75 Ohms
  - Resolution - 650 lines Minimum in Central 80% of CRT; 550 Lines Minimum beyond central 80%.
- Only **£79** + VAT

## COMPUCARE

(Part of the Compshop Ltd. Group)

Compucare is a company that has been set up to provide servicing and maintenance for the popular makes of micro-computers i.e. Sorcerer, Pet, Apple, TRS80, Nascom, CompuKit.

Our charges are £7 per hour plus parts.

Because of the extensive range of spare parts stocked you can usually expect your micro to be repaired within 10 days for an average charge of £14 labour.

Emergency 24 hour repairs can be handled for a £10 surcharge where possible.

CompuKits and Nascoms unsuccessfully constructed will be charged a standard £25.



Come and visit our newly fitted showrooms where we have the largest range of machines on demo than anywhere in the country along with an extensive range of books and magazines.

★ NOW OPEN ALL DAY SUNDAY FOR SHOP SALES ONLY ★

Also full range of components and spare parts now stocked

SPECIAL SERVICES: Eprom copying — 2708 or 2716 — £5 + parts

Custom ROM manufacture (minimum quantity 500) — Ring for quotation

SEE NEXT PAGE  
FOR ORDERING  
DETAILS

## PET COSTS LESS AT COMP and it's a pedigree

8K — Comes complete with integral cassette deck  
Full manuals supplied. Powerful 8K Microsoft Basic in ROM. Masses of software available — £499 + VAT  
16K — Same as above but with new improved keyboard and cassette supplied as extra. Machine code monitor on board so you can program in 6502 machine code — £590 + VAT  
32K — for a little extra get 32K memory providing greater storage capacity for programs or data — £690 + VAT  
External Cassette deck for 8K, 16K or 32K — £55 + VAT complete with cable and connector.



**EXTENDED WARRANTY BY COMPUCARE**

## FULL RANGE OF PETSOFT SOFTWARE NOW AVAILABLE

## SORCERER SPEAKS YOUR LANGUAGE



Word Processing Pac and Development Pac now available.  
Word Processing Pac — £70 + VAT  
Development Pac — £70 + VAT

For personal or business use. The best value for money around.

- ★ 512 by 256 point screen resolution ★ 16K or 32K User RAM ★ Centronics Parallel Port ★ RS232C Serial Port ★ Composite IV peak to peak video output T.V. output supplied as extra. ★ 64 programmable graphics ★ 64 standard PET graphics ★ 79 key keyboard including 16 key numeric keypad. ★ Expansion bus for connection to S100 Expansion Box.
- 16K Sorcerer — £690.00 + VAT
- 32K Sorcerer — £790.00 + VAT
- S100 Expansion Box — £210 + VAT

**EXTENDED WARRANTY BY COMPUCARE**

## THE TRS80 (Special Scoop) Low Priced, Ready to Go!



PLUGS INTO YOUR OWN TV Use your own cassette

£399 + VAT

**EXTENDED WARRANTY BY COMPUCARE**

LEVEL II BASIC WITH 16K USER RAM provides you with possibly the most powerful micro around. All our TRS80s are fully converted to English Television Standard and include a U.K. Power Supply, Cassette Leads, Sample Tape, Level I & Level II programming manuals, and special lead that enables you to connect direct into your own television.  
Special features of Level II Basic enable you to:-  
— Set or reset any point on the screen — Test for the presence of a point on the screen (these features enable easy animation) — Save or load data from cassette under program control — File handling capabilities on cassette using named files. — Graphics blocks as standard — design your own pictures and many many more features for only £399 + VAT

## FULL RANGE OF TRS80 SOFTWARE NOW AVAILABLE

## TRS80 EXPANSION INTERFACE

Upgrade your system as your needs increase. Contains sockets for additional 16K or 32K RAM and a disk controller for up to 4-mini-disks. Software selectable dual cassettes can be used. Features a Centronics parallel port, real time clock, and a connector for an RS-232C interface or whatever. Requires Level-II Basic. Complete with power supply. Complete with 32K RAM — £295 + VAT



## THE NEW ITT APPLE (2020)



★ Full colour — UHF output ★ Audio cassette tape interface ★ Up to 48K RAM on board ★ BASIC in ROM (graphics commands include COLOUR = VLIN, HLIN, PLOT and SCRIN) ★ Built in loudspeaker ★ Buckets of software available ★ Disk System (110K byte per drive — includes controller) only £425 + VAT **EX-STOCK**

16K £827  
32K £880  
48K £925 + VAT

## ANADEX DP8000

ONLY £540 + VAT  
PET Connector — £49



The DP 8000 prints the 96-character ASCII set in single or double width at 84 lines per minute. ● The unit operates bidirectionally to print a 9 x 7 matrix on multiple copy, pin-feed plain paper. ● This model accepts RS-232C or current loop serial data at baud rates switchable from 110 to 9600 and Parallel Bit data input at over 1000 characters per second. ● Standard storage capacity of 256 characters ● Other features include Out of Paper Detector, Top of Form Programming and Skip Over Perforation Control.

## IBM SELECTRIC GOLFBALL

Refurbished to new specifications.

Comes complete with interface to Centronics parallel standard. Switchable golfball heads makes this the most versatile golfball printer around. Fits the Sorcerer, TRS80 Expn. Interface, Apple & ITT2020 (with parallel card extra), Pet (with special connector extra) and any machine that has Centronics compatible parallel output. Control buttons to enable you to suspend printing while changing paper. Recognises control codes to switch printer on or off.



Ring to check availability.

Only £690 + VAT complete with interface and manual. Limited supply of converted typewriters only **EX-STOCK**

£850 + VAT Including Interface & manual.

## TOP QUALITY RS232 SERIAL PRINTER FOR YOUR BUSINESS

### — MANAGEMENT REPORT WRITING


The printer's 9 x 7 dot matrix head gives the user the ability to produce variable text and format. These combined with the tabulator facility are extremely useful to users engaged in management report writing. The ability to print double size characters enhances formatting, and it is particularly suited to the preparation of shipping/freight labels and materials handling tags.

### — PLOTS CHARTS AND GRAPHS

Under program control, forms may be moved in either the forward or reverse directions in increments of 1/6, 1/2 or 1 full line. As a result, mathematical expressions with properly controlled subscripts and superscripts are easily printed. The same features also provide the ability to plot business charts and graphs.

### — SUITS THE OEM BUYER

The wide range of uses and the flexibility of the new Decision Data printers make them attractive to the OEM systems supplier, particularly in the role of system console/output printer.



ONLY £1,370 + VAT

## SHORT C12 CASSETTES FOR COMPUTER PROGRAMMES 10 for £4.00

HIRE PURCHASE AVAILABLE THROUGH HODGE FINANCE.  
SEND S.A.E. FOR APPLICATION FORM.

JUST COMPARE OUR CASH AND CARRY PRICES



SEND LARGE S.A.F. FOR OUR FREE 170 CATALOGUE

EUROPE'S FASTEST SELLING ONE BOARD COMPUTER — JUST CHECK THE SPEC'S.

SAMPLE TAPE WITH EXTENDED MACHINE CODE MONITOR AND DISSASSEMBLER INCLUDED FREE

AS SEEN IN  
P.E. AUGUST, SEPTEMBER  
OCTOBER 1979

# COMPUKIT UK101

## LOW COST SUPERBOARD IN KIT FORM

- The CompuKit UK101 has everything a one board 'superboard' should have.
- Uses ultra-powerful 6502 microprocessor.
  - 50Hz Frame refresh for steady clear picture (U.S.A. products with 60Hz frame refresh always results in jittery displays)
  - 48 chars by 16 lines — 1K memory mapped video system providing high speed access to screen display enabling animated games and graphs
  - Extensive 256 character set which includes full upper and lower case alphanumerics, Greek symbols for mathematical constants and numerous graphic characters enabling you to form almost any shape you desire anywhere on the screen.
  - Video output and UHF Highgrade modulator (8Mz Bandwidth) which connects direct to the aerial socket of your T.V. Channel 36 UHF.
  - Fully stabilised 5V power supply including transformer on board.
  - Standard KANSAS city tape interface providing high reliability program storage — use on any standard domestic tape or cassette recorder.
  - 4K user RAM expandable to 8K on board £49 extra.
  - 40 line expansion interface socket on board for attachment of extender card containing 24K RAM and disk controller. (Ohio Scientific compatible).
  - 6502 machine code accessible through powerful 2K machine code monitor on board.
  - High quality thru plated P.C.B. with all I.C.'s mounted on sockets.
  - Professional 52 Key keyboard in 3 colours — software polled meaning that all debouncing and key decoding done in software.



\*8K Microsoft Basic means conversion to and from Pet, Apple and Sorcerer easy. Many compatible programs already in print.

**SPECIAL CHARACTERS**

- @ Erases line being typed, then provides carriage return, line feed.
- Erases last character typed.
- CR Carriage Return — must be at the end of each line
- Separates statements on a line.
- CONTROL/C Execution or printing of a list is interrupted at the end of a line.
- "BREAK IN LINE XXXX" Is printed, indicating line number of next statement to be executed or printed.
- CONTROL/O No outputs occur until return made to command mode. If an input statement is encountered, either another CONTROL/O is typed, or an error occurs.
- ? Equivalent to PRINT

Simple Soldering due to clear and concise instructions compiled by Dr. A.A. Berk, BSc.PhD

NO EXTRAS NEEDED JUST HIT 'RETURN' AND GO.

Build, understand, and program your own computer for only a small outlay.

KIT ONLY **£219** + VAT including RF Modulator & Power supply. Absolutely no extras.

Available ready assembled and tested, ready to go for **£269** + VAT

**COMMANDS**

CONT LIST	NEW	NULL	RUN
STATEMENTS			
CLEAR DATA	DEF	DIM	END FOR
GOTO GOSUB	IF.GOTO	IF.THEN	INPUT LET
NEXT ON.GOTO	ON.GOSUB	POKE	PRINT REAC
REM	RESTORE	RETURN	STOP

**EXPRESSIONS**

**OPERATORS**

+, \*, /, ^, NOT, AND, OR, >, <, <=, >=, RANGE 10<sup>32</sup> to 10 + 32

**VARIABLES**

A.B.C. 7 and two letter variables  
The above can all be subscripted when used in an array. String variables use above names plus \$.e.g. A\$.

**FUNCTIONS**

ABS(X)	ATN(X)	COS(X)	EXP(X)
LOG(X)	PEEK(I)	POS(I)	RND(X)
SPC(I)	SQR(X)	TAB(I)	TAN(X)
FRE(X)	INT(X)		
SGN(X)	SIN(X)		
USR(I)			

**STRING FUNCTIONS**

ASC(X\$)	CHR\$(I)	FRE(X\$)	LEFT\$(X\$,I)
RIGHT\$(X\$,I)		STR\$(X)	
LEN(X\$)	MID\$(X\$,I,J)		
VAL(X\$)			

## COLOUR ADD-ON CARD AVAILABLE SOON

Enables you to choose your foreground the background colour anywhere on the screen. Flash any character on the screen at will. Full documentation and parts in kit form.



## THE ATARI VIDEO COMPUTER SYSTEM

Atari's Video Computer System now offers more than 1300 different game variations and options in twenty great Game Program™ cartridges! Have fun while you sharpen your mental and physical coordination. You can play rousing, challenging, sophisticated video games, the games that made Atari famous. You'll have thrill after thrill, whether you're in the thick of a dogfight, screeching around a racetrack, or dodging asteroids in an alien galaxy. With crisp bright color (on color TV) and incredible, true-to-life sound effects. With special circuits to protect your TV.

**£138** + VAT

### Cartridges now available in stock:

- Basic Maths — Hunt & Score\* — Space War — Video Olympics — Outlaw — Surround — Sky Diver
- Basket Ball — Air Sea Battle — Black Jack — Breakout
- \*Codebreaker — Miniature Golf.
- Extra Paddle Controllers — £14.90 + VAT
- \*Keyboard Controllers — £16.90 + VAT

**£13.90** each. + VAT

### SPECIAL OFFER WHILE STOCKS LAST:

Free extra cartridge of your choice please state 1st 2nd and 3rd preference.

Years and years of fun and satisfaction are assured

SAVE £30



Please add VAT to all prices — Delivery at cost, will be advised at time of purchase. Please make cheques and postal orders payable to COMPSHOP LTD., or phone your order quoting BARCLAYCARD, ACCESS, DINERS CARD or AMERICAN EXPRESS number. CREDIT FACILITIES ARRANGED — send S.A.E. for application form.

14 Station Road, New Barnet, Hertfordshire, EN5 1QW Telex: 298755 TELCOM G  
Telephone: 01-441 2922 (Sales) 01-449 6596  
OPEN · 10 am · 7 pm — Monday to Saturday  
\*NOW OPEN ALL DAY SUNDAY — For Shop Sales Only\*  
Close to New Barnet BR Station — Moorgate Line.

**COMP** COMPUTER COMPONENTS  
(Part of the Compshop Ltd. Group)



# All Systems Are Not Created Equal



Your computer application is unique. It differs from all others. It is because not all applications are equal that MSI has developed a variety of computer systems.

At the heart of every MSI System is the powerful MSI 6800 Computer, one of the fastest and most versatile available. Depending on the System you select, the MSI 6800 has from 16K to 56K of RAM. Mass memory storage in MSI Systems range from 315K bytes in the System 1 to over 76 megabytes in our most powerful System 76.

In addition to the computer and memory subsystem, MSI Systems include a CRT terminal and high speed character printer. The System 12 and 76 are housed in a compact desk unit.

As with hardware, computer software is not always created equal. Since there are a myriad of programs available, MSI offers a choice of Operating Systems for use with your MSI Computer System. Of course, our favorite is MSIDOS, but we offer the powerful SDOS and FLEX operating systems as well. All MSI Systems will support the other software products associated with each operating system.

MSI also has a variety of software programs including a complete Accounting Package and a Multi-User Basic program capable of supporting up to four users.

MSI Systems are currently being used in a broad spectrum of personal, scientific, educational, professional, industrial

control, and business situations. In addition to our Systems, MSI can supply you with individual components for personal and OEM use. All MSI System components are available, some in kit form.

Write or call us for more information about MSI Systems and products and the name of your nearest MSI dealer.

**seed**

**STRUMECH**

PORTLAND HOUSE, COPPICE SIDE  
BROWNHILLS, WEST MIDLANDS  
TELEPHONE: BROWNHILLS 4321