

SENCORE

Original Replacement Leads
Price List

ORIGINAL REPLACEMENT LEADS

| UNIT | DESCRIPTION | PART # | PRICE | UNIT | DESCRIPTION | PART # | PRICE |
|-------|-------------------------------|---------------|------------|-------------|-----------------------------------|----------|-----------|
| TF46 | black cable w/E-Z clips | 39G99 | 25.00 | SG80 | BNC to F | 39B368:B | 35.00 |
| VA48 | matching transformer | 39G72 | 10.00 | | BNC to E-Z hook | 39G221 | 26.00 |
| | (300 ohm) | | | | FM detector | 39G222 | 50.00 |
| | audio lead ass'y. (grey cable | 39G106 | 12.00 | | BNC to BNC Ch A | 39G223 | 20.00 |
| | w/banana plug) | | | | BNC to BNC Ch B | 39G224 | 20.00 |
| | fused test lead (yellow) | 39G107Y | 8.00 | | AM test lead | 39G226 | 40.00 |
| | RF cable (BNC to F) | 39G117 | 15.00 | | antenna to BNC | 39G227 | 20.00 |
| | IF input adapter | 39G118 | 10.00 | | 300 ohm balun | 39G72 | 10.00 |
| | 1 red, 1 blue | 39G120 | 5.00 ea. | PA81 | ground lead | 39G211 | 9.00 |
| | (specify color needed) | | | | right dummy load lead | 39G212 | 11.00 |
| | 1 black | 39G267 | 5.00 ea. | | left dummy load lead | 39G213 | 11.00 |
| DVM56 | 1 probe lead | 39G147-R | 12.00 | | right test lead | 39G214 | 26.00 |
| | 10 KV probe | TP222 | 40.00 | | left test lead | 39G215 | 26.00 |
| | 1 red, 1 black | 39G108 | 8.00 ea. | | RCA phono/RCA phono - paired | 39G216 | 16.25 |
| PR57 | 1 probe lead | 39G148 | 25.00 | | BNC to BNC cable | 39G232 | 15.00 |
| SC61 | probe (specify blue or black) | 39G183 | 125.00 ea. | PM82 | banana to banana (2) | 39B233-1 | 30.00 ea. |
| | probe tip | 68B42 | 6.00 | VG91 | test lead BNC to F | 39B368:B | 35.00 |
| | voltage probe | 39G157 | 20.00 | | test lead, 4 pin mini din | 39B270:B | 30.00 |
| | DBL gripper lead | 68G76 | 12.00 | | test lead, phono to phono, yellow | 39B296:A | 19.00 |
| | 12" ground lead | 39B268:A | 3.50 | | test lead, phono to phono | 39B241:B | 15.00 |
| | 4" ground lead | 39B269:B | 3.00 | | test lead, balun | 39A328 | 35.00 |
| | 1" ground lead | 126G43 | 3.00 | | cable female phono to female | 39A161:B | 8.00 |
| | needlepoint tip | 131A16 | 9.95 | | cable male phono to female | 39A162:B | 8.00 |
| VA62A | 300 ohm balun | 39G72 | 10.00 | TVA92 | test lead red | 39G174-R | 6.50 |
| | video cable (2) | 39G106 | 12.00 ea. | | test lead black (2) | 39G174-B | 6.50 ea. |
| | 75 ohm/BNC RF-IF cable | 39G159 | 20.00 | | lead, mini grip - banana | 39G234 | 25.00 |
| | 75 ohm/RCA cable | 39B241:B | 15.00 | | test lead RCA to micro grabber | 39G305 | 25.00 |
| | adapter "F"/phono female | 39A161:B | 8.00 | | lead, red test probe | 39G175-R | 12.00 |
| | adapter "F"/phono male | 39A162:B | 8.00 | | test lead, ringing load | 39G298 | 50.00 |
| | test lead specify color | | | | test lead, horizontal output | 39G299 | 50.00 |
| | red (3) | 39G174R | 6.50 ea. | VC93 | servo troubleshooting lead (1) | 39G236 | 45.00 |
| | black (3) | 39G174B | 6.50 ea. | | chroma lock test lead (1) | 39G237 | 34.00 |
| | lead | 39G175R | 12.00 | | head substitution lead (1) | 39G253 | 48.00 |
| VC63 | output cable | 39G253 | 48.00 | | bias supply/DVM lead (2) | 39G234 | 25.00 ea. |
| CR70 | socket 1 and 2 | 39G165 | 45.00 | | direct test lead (1) | 39G265 | 35.00 |
| | socket 3 and 4 | 39G166 | 45.00 | | servo performance test lead (1) | 39G235 | 35.00 |
| | socket 5 and 6 | 39G167 | 45.00 | CVA94 | phono to BNC cable ass'y (2) | 39G348 | 34.00 ea. |
| | socket 7 | 39A168 | 45.00 | | test lead, BNC to BNC | 39G232 | 15.00 |
| | socket 9 and 10 | 39A169 | 45.00 | | test lead, 4 pin mini DIN | 39B270:B | 30.00 |
| | socket 13 | 39G225 | 45.00 | LC101/LC102 | test lead assembly | 39G219 | 35.00 |
| | grey cable | 126G127 | 45.00 | LC53/CA55 | test lead adapter | 39G144 | 15.00 |
| | universal adapter | 39A170 | 45.00 | LC75/76/77 | button hold accessory | 39G201 | 6.00 |
| FC71 | RF pickup loop | 39G138 | 15.00 | CM125 | line cord | 27G30 | 12.00 |
| | Input Probe | 39G152 | 30.00 | SG165 | matching pad | 39G43 | 25.00 |
| | dummy probe load | 39G178 | 20.00 | | grey cable w/alligator clips | 39G106 | 12.00 |
| | 4' Cable BNC to BNC | 39G137 | 15.00 | | detector probe | 39G45 | 24.95 |
| | barrel connector | 26G248 | 6.00 | | auto radio adapter | 39G53 | 10.00 |
| | power adapter | PA235/60A10:E | 30.00 | | RF cable | 39G117 | 15.00 |
| | 12V input lead | 39G176:A | 12.00 | SCR250 | test lead | 39G196 | 35.00 |
| FS73 | 75 ohm RF input cable | 39G189 | 20.00 | PR570 | lead, red test probe | 39V1 | 12.00 |
| | tap adapter | 39G190 | 7.00 | | lead, banana/alligator | 39V2 | 8.00 |
| | matching transformer | 39G188 | 7.00 | SL750A&M | RF input ass'y | 39G188 | 7.00 |
| | DC power leads | 39G187 | 7.00 | | RF input cable ass'y | 39G189 | 20.00 |
| FS74A | 75 ohm RF input cable | 39G189 | 20.00 | | tap adapter | 39G190 | 7.00 |
| | tap adapter | 39G190 | 7.00 | | DC volts lead ass'y | 39G186 | 20.00 |
| | matching transformer | 39G188 | 7.00 | | 12 V auto lighter adapter | 39G355 | 10.00 |
| | DC power leads | 39G187 | 7.00 | | | | |
| | DVM leads | 39G186 | 20.00 | | | | |

| UNIT | DESCRIPTION | PART # | PRICE | |
|---------------------------|----------------------------------|-------------------|------------|---------|
| SL750A&M <continued> | F connector | 26G322 | 2.00 | |
| | power adapter | PA272 | 68.00 | |
| | battery pack | 17B15:B | 145.00 | |
| SL750I | 12V auto lighter adapter | 39G355 | 10.00 | |
| | power adapter | PA273/60B24 | 48.00 | |
| | RF input cable ass'y | 39G189 | 20.00 | |
| | F connector | 26G322 | 2.00 | |
| | battery pack | 17B27:B | 45.00 | |
| SL753/ SL754/ SL755 | power adapter | PA273/60B24 | 48.00 | |
| | battery pack | 17B32:A | 64.50 | |
| | 12V auto lighter adapter | 39G355 | 10.00 | |
| | RF input cable ass'y | 39G189 | 20.00 | |
| | F connector | 26G322 | 2.00 | |
| CA780 | power adapter | PA273/60B24 | 48.00 | |
| | 12V auto lighter adapter | 39G355 | 10.00 | |
| | cable, 4' | 39G137 | 15.00 | |
| | BNC female to 20 AWG leads ass'y | 39G359 | 35.00 | |
| | barrel, BNC | 26G248 | 6.00 | |
| | adapter, BNC male to "F" female | 26G647 | 6.50 | |
| | adapter, BNC male to "N" female | 26G649 | 16.00 | |
| | battery pack | 17B21:A | 93.00 | |
| | VIG791 | F connector (2) | 26G322 | 2.00ea. |
| | | BNC connector (2) | 26G749 | 5.50ea. |
| power adapter | | PA273/60B24 | 48.00 | |
| synchronous router cable | | 39G388 | 99.95 | |
| carrying case | | 10C642:B | 115.00 | |
| VSA794 | phono to BNG cable ass'y | 39G348 | 34.00 | |
| | test lead 4 pin mini DIN | 39B270:B | 30.00 | |
| | test lead BNC to BNC | 39G232 | 15.00 | |
| | termination BNC | 26B741 | 49.00 | |
| | sun shroud | 64B197:B | 37.00 | |
| | test lead BNC to F | 39B368:B | 35.00 | |
| VR940 | fluorescent bulb | 20G51 | 23.99 | |
| | color bar chart | 163G45:A | 70.00 | |
| | red chart | 163G49:A | 55.00 | |
| | neutral density filter | 163G51 | 55.00 | |
| | temp conversion chart | 163G52 | 65.00 | |
| | blooming test chart | 163G259 | 50.00 | |
| | focus chart | 163G5199 | 70.00 | |
| | registration/resp chart | 163G5200 | 70.00 | |
| | video S/N chart | 163G5202 | 80.00 | |
| | grey scale chart | 163G5905 | 80.00 | |
| | QAM960 | linecord | 27G39 | 7.00 |
| RF input cable | | 39G189 | 20.00 | |
| 12V auto lighter adapter | | 39G375 | 10.00 | |
| "F" connector (2) | | 36G322 | 2.00 | |
| holster | | 10G689 | 69.95 | |
| power adapter | | 60B38 | 60.00 | |
| CM2000/ CM2125 | direct test lead | 39G221 | 26.00 | |
| | DVM test lead | 39G186 | 20.00 | |
| CM2220 | linecord | 27G37 | 12.95 | |
| | adapter cable | 39B440 | 99.95 | |
| SC3080 | probe (2) | 39G294 | 125.00 ea. | |
| | 48" black test lead | 39G267 | 5.00 | |
| | direct probe | 39G157 | 20.00 | |
| | 12" ground lead | 39G321 | 3.50 | |
| | 5" ground lead | 39G320 | 3.00 | |
| | probe tip | 68G80 | 10.00 | |
| | needle point tip | 139A310 | 12.95 | |

| UNIT | DESCRIPTION | PART # | PRICE |
|------------------|------------------------------|---------------|------------|
| SC3100 | probe ass'y, 100 MHz X10 (2) | 39G292 | 125.00 ea. |
| | ohms current probe ass'y | 39G295 | 20.00 |
| | needle point tip | 139A310 | 12.95 |
| | 12" ground lead | 39G321 | 3.50 |
| | 5" ground lead | 39G320 | 3.00 |
| | probe tip | 68G80 | 10.00 |
| | 3.25 DCV Lead | 39G323 | 11.00 |
| | direct probe | 39G157 | 20.00 |
| | red mini grabber | 39G312 | 15.00 |
| | CR7000 | sockets 1 & 2 | 39G454 |
| sockets 3 & 4 | | 39G455 | 45.00 |
| sockets 5 & 6 | | 39G456 | 45.00 |
| socket 7 | | 39G457 | 45.00 |
| socket 8 | | 39G458 | 45.00 |
| universal socket | | 39G459 | 45.00 |
| pigtail adapter | | 39G506 | 24.95 |

CRT TESTER REPLACEMENT SOCKETS for models CR31, CR31A, CR168, and CR161

All **except** those marked with an * may be used with the CR143 and CR13 if the unit is modified as outlined in the 1993 Setup Book. Determine the need for new sockets by looking up particular CRTs in the setup section. The following list gives examples of tubes tested with the latest adapters.

| | | | |
|------------|----------|-------------|----------|
| Socket 1 | -\$30.00 | Socket 15 | -\$30.00 |
| Socket 2 | -\$30.00 | Socket 16 | -\$30.00 |
| Socket 3 | -\$30.00 | Socket 17* | -\$30.00 |
| Socket 4 | -\$30.00 | Socket 18 | -\$30.00 |
| Socket 5 | -\$30.00 | Socket 19 | -\$30.00 |
| Socket 6 | -\$30.00 | Socket 20* | -\$30.00 |
| Socket 7* | -\$30.00 | Socket 21* | -\$30.00 |
| Socket 8 | -\$30.00 | Socket 22* | -\$30.00 |
| Socket 9 | -\$30.00 | Socket 23* | -\$35.00 |
| Socket 10 | -\$30.00 | "x" sockets | -\$35.00 |
| Socket 11 | -\$30.00 | | |
| Socket 12 | -\$30.00 | | |
| Socket 13* | -\$30.00 | | |
| Socket 14* | -\$30.00 | | |

* Do not use with CR143 and CR13

Fuses

| | |
|-------|--------------------------------------|
| 44G4 | 1 Amp, 3AG Fast Blow |
| 44G6 | .6 Amp, 3AG 250V Fast Blow |
| 44G10 | 1.5 Amp, 3AG Fast Blow |
| 44G12 | 2 Amp, 3AG 250 V Fast Blow |
| 44G13 | 1/16 Amp, 3AG 250 V Fast Blow |
| 44G18 | .5 Amp, 3AG Fast Blow |
| 44G20 | 1 Amp, 3AG Slow Blow |
| 44G21 | 1/8 Amp, Micro - \$6.00 |
| 44G22 | 2 Amp, 1000 V Fast Blow - \$8.00 ea. |
| 44G23 | 4 Amp, 250 V Slow Blow |
| 44G19 | 3AG, 3A, 250 V Fast Blow |
| 44G28 | 600 V, 3A |
| 44G32 | 3AG, 1/8 A, 250V Fast Blow |

All fuses 6 for \$5.00 unless otherwise marked.

**Any questions? Ready to order?
Call Toll Free 1-800-SENCORE (736-2673)
Ask for Parts Dept.
FAX 605-339-0432**

Manuals available

| | | | | | | | |
|---------|-------|----------|-------|---------------|-------|-------------|-------|
| MXII | N/C | TF54 | 10.00 | SS117 | 10.00 | PM157 | 10.00 |
| CG10/12 | 10.00 | CA55 | 12.00 | PS120 | 10.00 | SM158 | 10.00 |
| CR13 | 10.00 | DVM56 | 12.00 | CA122 | 10.00 | CG159 | 10.00 |
| FE14/16 | 10.00 | PR57 | 10.00 | BE124 | N/C | FE160 | 10.00 |
| TR15 | 10.00 | SC60/60A | 15.00 | CM125 | 20.00 | CR161 | 10.00 |
| TF17 | 10.00 | SC61 | 15.00 | CG126 | 10.00 | TC162 | 10.00 |
| CG18 | 10.00 | VA62A | 20.00 | PS127 | 10.00 | PS163 Inst. | 12.00 |
| CG19 | 10.00 | VC63 | 10.00 | CR128 | 10.00 | PS163 Svc. | 10.00 |
| FE20 | 10.00 | NT64 | 10.00 | MX129 | 10.00 | UPS164 | 10.00 |
| FE21 | 10.00 | ST65 | 12.00 | TC130 | 10.00 | SG165 | 12.00 |
| CG22 | 10.00 | ST66 | 12.00 | TC131 | 10.00 | TF166 | 10.00 |
| FE23 | 10.00 | RG67 | 10.00 | CR133 | 10.00 | RC167 | 10.00 |
| RC24 | N/C | SR68 | 10.00 | FS134 | 10.00 | CR168 | 10.00 |
| CG25 | 10.00 | CR70 | 10.00 | CG135 | 10.00 | CG169 | 10.00 |
| TF26 | 10.00 | FC71 | 10.00 | TC136 | 10.00 | SCR250 | 10.00 |
| FE27 | 10.00 | IB72 | 10.00 | SS137 | 10.00 | PR570 | 10.00 |
| TC28 | 10.00 | FS73 | 20.00 | CG138 | 10.00 | SL750A/M | 15.00 |
| PS29 | 10.00 | FS74A | 20.00 | TR139 | 10.00 | SL750I | 15.00 |
| TF30 | 10.00 | LC75 | 15.00 | MU140 | 10.00 | SL753 | 15.00 |
| CR31A | 10.00 | LC76 | 15.00 | CG141 | 10.00 | SL754 | 15.00 |
| DVM32 | 10.00 | LC77 | 20.00 | TC142 | 10.00 | SL755 | 15.00 |
| YF33 | 10.00 | IB78 | 15.00 | CR143 | 10.00 | CA780 | 20.00 |
| DVM35 | 10.00 | SG80 | 20.00 | RC144/145/146 | N/C | VIG791 | 20.00 |
| DVM36 | 10.00 | PA81 | 20.00 | FC147 | N/C | VSA794 | 20.00 |
| DVM37 | 10.00 | PM82 | 20.00 | PS148A | 10.00 | VR940 | 10.00 |
| DVM38 | 10.00 | VG91 | 20.00 | FE149 | 10.00 | QAM960 | 20.00 |
| TF40 | 10.00 | TVA92 | 18.00 | MU150 | 10.00 | CM2000 | 20.00 |
| CB41 | 10.00 | VC93 | 20.00 | TF151:A | 10.00 | CM2125 | 20.00 |
| CB42 | 12.00 | CVA94 | 20.00 | SM152 | 10.00 | CM2220 | 30.00 |
| CB44 | N/C | LC101 | 15.00 | CG153 | 10.00 | SC3080 | 20.00 |
| FC45 | 10.00 | LC102 | 20.00 | TC154 | 10.00 | SC3100 | 20.00 |
| TF46 | 10.00 | TC109 | 10.00 | FT155 | 10.00 | CR7000 | 15.00 |
| PR47 | N/C | TR110 | 10.00 | BE156 | N/C | | |
| VA48 | 12.00 | SM112B | 10.00 | | | | |
| CB49 | 12.00 | BE113 | N/C | | | | |
| PR50 | N/C | TC114 | 10.00 | | | | |
| FC51 | 10.00 | TR115 | N/C | | | | |
| WBA52 | N/C | TM116 | N/C | | | | |
| LC53 | 12.00 | | | | | | |

If the original manual is no longer available from stock, a xerox copy will be substituted.

Prices subject to change - Minimum parts order is \$10.00

Setup Books

For TC162, 28
Form 1765 - \$8.00
For MU140/150
Form 1814 - \$10.00
For CR70 CRT Tester
Form 6558 - \$32.95
For all other CRT Testers
Form 5244 - \$20.00
CR7000 Set-Up Book
Form 6410 - \$29.95

1-800-SENCORE Today!
(736-2673)

SENCORE
3200 Sencore Drive
Sioux Falls, SD 57107