ISSUED MONTHLY BY BUREAU OF NAVIGATION, DEPARTMENT OF COMMERCE

Washington, January 2, 1923-No. 69

CONTENTS:

Abbreviations	age.	Misrellaneous-Continued.	pė
New stations.	. 2	Admiralty notice to mariners.	-
Alterations and corrections	- 5	How and where to send for Coast Guard cut-	
Miscellaneous:		ters in case of vessels in distress	- 1
Ocean letters on Shipping Board vessels	7	Stations violating regulation 14 of the act of	
General call for L. W. T. Co. ships	8	August 13, 1912.	11
Broadcasting stations violating section 2 of the		References to current radio periodical litera-	
act of August 13, 1912	8	ture	11
Ship stations not properly licensed		Radio inspector examination	14
Information from the Hydrographic Office	8	Great Lakes naval stations closed	14
Information from the Berne bureau	9	4	
Weather reports transmitted by Walfisch			
Bay station and press by Cape Town sta-	_		
tlon	9		

ABBREVIATIONS.

The necessary corrections to the List of Radio Stations of the United States and to the International List of Radiotelegraph Stations, appearing in this Bulletin under the heading "Alterations and corrections," are published after the stations affected in the following order:

```
Name
            —Name of station.
            =Geographical location: O=west longitude, N=north latitude, S=south
Loc.
Call
            —Call letters assigned.
            =Radio system used and sparks per second.
System.
            — Normal range in nautical miles.
Range
W. I.
            -Wave lengths assigned: Normal wave lengths in italica.
Service
            —Nature of service maintained:
                  PG=General public.
                  PR=Limited public.
                  RC=Radio compass station.
                    P=Private.
                    O=Government business exclusively.
            = Hours of operation:
Hours
                   N=Continuous service.
                   X=No regular hours.
                   m=a. m. (12 m=midday).
                    s=p. m. (12 s=midnight).
Rates
            —Ship or coast charges in cents: c, =cents. (The rates in the international
                list are given in francs and centimes.)

    W. T. Co. =Independent Wireless Telegraph Co.

R. C. A.
           —Radio Corporation of America.

    O. R. S. =Ship Owners' Radio Service.

            -Continuous wave.
C. w.

    Interrupted continuous wave.

I. c. w.
V_{-} t.
            =Vacuum tube.
FX
            =Fixed station.
```

1 of 16 8/25/2012 11:24 PM

 $266902^{\circ} - 23$

CERTIFICATE: By direction of the Secretary of Commerce this publication is issued as an administrative report and is required for the proper transmission of the public business.

RADIO SERVICE BULLETIN.

NEW STATIONS.

Commercial land stations, alphabetically by names of stations.

[Additions to the List of Radio Stations of the United States; edition of June 30, 1922, and to the Inter-national List of Radiotelegraph Stations published by the Berne bureau.]

				-	
Station.	Call signal.	Wave lengths.	Service.	Hours.	Station controlled by-
Arroyo Park Camp, Calif. ¹	KEY	1,650	P	x	Southern California Edison Co.
Chicago, Ill Laguna Bell Camp, Calif.	WCT KYG	1,650	PG P	x	R. C. A. Southern California Edison Co.
San Gabriel Camp,	KQT	1,650	P	х	Do
Springfield, Mass	WBZ	500	P	х	Westinghouse Electric & Manu- facturing Co.

Commercial ship stations, alphabetically by names of ressels.

[Additions to the List of Radio Stations of the United States, edition of June 30, 1922, and to the International List of Radiotelegraph Stations published by the Berne bureau.]

Name of vessel.	Call signal.	Rates.	Service.	Hours.	Owner of vessel.	Station con- trolled by-
Dix Fisher Goliah ¹ Good Will Habakala	KFEM KFCX KFD1 KFGI KFEU	8 8	PG PG PG	X X N	Portland Trawling Co. U. S. S. B. Keith Spaking Inter Jaland Steam	R. C. A.
Logan North King Petrel Sea Guil Wheaton 2	KFEG		PG PG PG PG PG PG	N X X X X	Navigation Co. San Pedro Lamach & Towboat Co. E. W. Winston Frank M. Warren Portland Trawling Co. do. U. S. S. B.	

Range, 300; system, Navy, 1,000; w. L., 300, 450, 600; station operated and controlled by Communications and Radio Service, C. S. S. B., 10 Grosvenor Gardens, London, England, S. W. 1.
 Range, 300; system, Navy-R. C. A., 1,000; w. I., 300, 450, 600.

Commercial aeroplane stations, alphabetically by names of stations.

[Additions to the List of Radio Stations of the United States, edition of June 30, 1922, and to the International List of Radiotelegraph Stations published by the Berne bureau.]

Station.	Call signal.	Wave lengths.	Service.	Hours.	Station controlled by-
Buckeye 1	KFBY	525	P	x	Acromarine Airways (Inc.), 1800 Times Building, New York, N. Y.

i Range, 100; system, composite, v. t. telephone and telegraph.

Commercial land and ship stations, alphabetically by call signals.

[b=ship station; e=land station.]

Call signal.	Name.	Call signal.	. Name.
KEY KFCW KFCX KFDE KFDG	Arroyo Park Camp, Calif	KQT KYG	North King b J. A. Taibot b Good Will b San Gabriel Camp, Calif c Laguna Bell Camp, Calif c Springfield, Mass c

Loc. 0.118° 10′ 42″, N. 34° 13′ 48″; range, 50; system, Westinghouse v. t. telephone and telegraph.
 Loc. 0.118° 05′ 00″, N. 33° 38′ 10″; range, 50; system, Westinghouse v. t. telephone and telegraph.
 Loc. 0.118° 05′ 05″, N. 34° 05′ 30″; range, 50; system, Westinghouse v. t. telephone and telegraph.
 Loc. 0.72° 33′ 06″, N. 42° 08′ 30″; range, 290; system, Westinghouse v. t. telephone and telegraph.

3

Broadcasting stations, alphabetically by names of cities.

[Additions to the List of Radio Stations of the United States, edition of June 30, 1922.]

City,	Call signal.	City.	Call signal,
Agricultural College, N. Dak Amarillo, Tex Amsterdam, N. Y Beloit, Kans Birmingham, Ala Corvallis, Oreg Donver, Colo Do Do Do Do Do Do Do Lora El Paso, Tex Evansville, Ind Frostburg, Md Hastings, Nebr Laurium, Mich Mattoou, Ill Middletown, Conn Moorhead, Minn	WPAR WOAY KFDI KFDL	New Haven, Conn. Philadelphia. Pa. Plaiaview, Tex. Reedley, Calif. Richmond, Calif. Santa Barbara, Calif. Springfield, Mo. Springfield, Vt. Thomasville, Ga. Trenton, N. J. Tarson, Aris. Waterlon, Iowa. Waupaca, Wis. Wilmington, Del	WPAJ WWAD WSAT KFAZ KFOM WPAB WPAX WOAX KFOII WRAN WPAH WOAT WPAP

Stations broadcasting market or weather reports (485 meters) and music concerts, lectures, etc. (360 and 300 meters), alphabetically by call letters.

[Additions to the List of Radio Stations of the United States, edition of June 30, 1922.]

Call signal.	Station operated and controlled by—	Location of station,	Wave lengths.
KFAZ	C. H. Westherill	Reedley, Calif., 1348 Z Street	360
KFCM	Richmond Radio Shop	Kichmond, Calif	9,600
KFDH KFDI	I THEORY OF SHIP A THEORY	Tricson, Aria	0.00
KFDL	C SAPPRICADE ASSETTS CONTRACT CONTRACTOR	Correllia Dese	60.000
KEEE	1 PS T1192 DEGG 29 PS SS PS P	L CARRIES OF L COMO	E
KFHJ	Radio Equipment Co		360
WOAS	Fallon Co	Santa Barbara, Calif	360
WOAT	Butley's Radio Shop Boyd M. Hump.	L STUDDIERDWIN, CLORID	350
WOAU	Sowder Belling Piano Co.	Wilmington, Del., 215 Market Street	350
WOAX	I. F. DERBETMIN J. M. O. H. J. M. Compression of Decision and Chem. N. J.	Evansville, Ind.	\$80
WOAY	John M. Wilder	Trenton, N. J. Birmingham, Ala., 2017 First Avenue	360
		South.	380
WPAH	Wisconsin Department of Markets	Wattpacu, Wis	
WPAJ	Decittle Radio Cara	New Haven, Conn.	485
WPAK	North Dakota Agricultural Cattern		360 360, 485
WPAP	i Thigadore D. Prilling i	Withelieston K.v.	644
WPAQ	General Sales & Engineering Co.	Frostburg, Mri	360
WPAR WPAR	I B. A. Ward	Beiott, Kans	360
WPAT	J. & M. Electric Co	Amsterdam, N. Y	360
WPAU i	I Poli Productive Control Production I Police	KI PASS TYT	360
WPAV	Concordia College	MODERNOOD MICH	360, 485
WPAW	Paul Tinetti & Sons	Laterian Mich	380
WPAX	Radio Installation Co. S-W Radio Co. (J. R. Shumate, jr.)	WILDIAMSTON INC.	360
WOAR	Southwest Missouri State Teachers College.	TROTISSUINE, Cla	360
WOAC	E. B. Otto	Springered, Mo	360
WOAE	Moore Radio News Station (Edmund B.	Amarillo, Tex.	360
-	Moore).	Springfield, Vt	300
WQAK	Appel-Higley Electric Co.	Dubnque, Iowa	Ame
WQAL	SUBJECT LEGISTRES TO THE PROPERTY OF A SECTION AND A SECTION ASSECTATION ASSECTA	Mat foon, III	380
WGAY	1988 CD Music & Marnitors Co.	maximus. Nehe I	360 360
WHAN	District Hawk Edgetrical Co.	Waterion, Lores I	360 360
WSAT	Plainview Electric Co	Plainview. Tex	900 966

RADIO SERVICE BULLETIN.

Government land stations, alphabetically by names of stations.

[Additions to the List of Radio Stations of the United States, edition of Tune 30, 1922, and to the International List of Radiotelegraph Stations published by the Berne bureau.]

Station.	Coll signal	Wave lengths.	Service.	'Hours.	Station controlled by-
Afognak, Alaska Davenport, Iowa 1		780	0	x x	Bureau of Fisheries, Department of Commerce. Palmer School of Chiropractic.

¹ Loc. 0.90° 38′ 69′′, N. 41° 30′ 50′′; range, 150; system, composite, v. t. telegraph; station is operated in connection with the U. S. Signal Corps.

Government land and ship stations, alphabetically by call signals.

[b-ship station; c-land station.] . .

Call signal,	Name of station.	Call signal.	Name of station.
woc	Davenport, Iowae	wwr	Afognak, Aleskac

Special land stations, alphabetically by names of stations.

[Additions to the List of Radio Stations of the United States, edition of June 30, 1922.]

Station.	Call signal.	Wave lengths.	Station controlled by—
Albuquerque, N. Mex. Atlanta, Ga. Bozeman, Mont. Collego Park, Ga. Cleveland, Ohio. Detroit, Mich. Fort Worth, Tex. Houston, Tex. Kansas City, Mo. Keyport, N. J. Marietta, Ohio. New York, N. Y. Piedmont, Calif. Rochester, N. Y. Seattle, Wash. St. Petersburg, Fla. Takoma Park, Md. Waco, Tex. Webster, N. Y. Yonkers, N. Y.	4YD 7ZL 4XO 8XO 8YW 5YV 5XAN 9XV 2XAS 8ZO 2XV 6XAO 8XAO 7XT 4ZH 3XAJ 5XAK 8XAN	900, 250, 375. 900, 375. 900, 375. 900, 375. 900, 375. 200, 375. 200, 240, 360, 375. Variable. 525. 200, 375. Variable. 520, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375. 200, 375.	H. Everett Cutting, 420 West Koch Street. Atlants & West Point R. R. Co. Westinghouse Electric & Manufacturing Co. Detroit Junior College (Board of Education). Knishis of Cohumbus School. QRV Radio Co. Samuel E. Adair, Sweeney Building. Acromatine Airways (Inc.), 1800 Times Building, New York, N. Y. George M. Withington, 316 Fifth Street. Russel S. Ohl, 2120 Harrison Avenue. G. M. Best, 109 Greenbank Avenue. Victor G. Martin (Eastman School of Music). Western Radio (Inc.), 1121 Pine Street. R. Richard Hall, 2001 Central Avenue. Bliss Electrical School. Jackson's Radio Engineering Laboratories. Charles F. Nichols, Elm Street.

Special land stations, grouped by districts.

Cail signal.	District and station.	Cull signal.	District and station.	
2XAS 2XV 2ZS 3XAJ 4XO 4VD 4ZH 5XAK 5XAM	Second district: Keypart, N. J. New Yark, N. Y. Yonkers, N. Y. Third district: Takoma Park, Md. Fourth district: College Fark, Ga. Atlania, Ga. St. Petersburg, Fla. Fifth district: Waco, Tex. Albaquerque, N. Mex. Houston, Tex.	6XAO 7XT 7ZL 8XAN 8XAO 8XO 8YW 8ZO 9XV	Sixth district: Piedmont, Calif. Seventh district: Seattle, Wash. Bozeman, Mont. Eighth district: Webster, N. Y. Rochester, N. Y. Cleveland, Ohio. Detroit, Mich. Marietta, Ohio. Ninth district: Kansas City, Mo.	•

ALTERATIONS AND CORRECTIONS.

COMMERCIAL LAND STATIONS.

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1922, and to the International List of Radiotolograph Stations, published by the Berne bureau.]

Bolinas, Camp. (KET).-W. I., 13,310 (typographical error in annual list of sta-

Cascada, Calif.—Range, 200; w. l., 527 only. East Pittsburgh, Pa.—W. L., 500, 1875.

Minneapolis, Minn.—W. 1., 525,

Strike out all particulars of the following-named stations: Everett, Wash. (KJB); Jualin, Alaska; Scattle, Wash. (KFL); and Washington Bay, Alaska (KQS).

COMMERCIAL SHIP STATIONS, ALPHABETICALLY BY NAMES OF VESSELS.

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1922, and to the International List of Radiotelegraph Stations, published by the Berne buregu.]

Norg.—(U.S. L.) after operating company denotes that the change applies to the List of Radio Stations of the United States only: does not apply to the Berne list. Hereafter where the rate is given without the service specifically stated—that is, North and South American and transoceanic services—it should be understood that the rate is for both classes of service. When the rate is for one class of service only, the class of service will be stated. class of service will be stated.

Albert Jeffress.—Garland S. S. Corp. owner of vessel.

ALLAGUASH.—Station operated and controlled by I. W. T. Co.

APEX.—Range, 200.

AVALON—(WFH).—Rates, between East San Pedro, Calif. and Avalon, Calif. (ferry service), 1 c. per word.

CALDAS.—Name changed to Corinto: range, 200; system, Kilbourne & Clark, 1000; Pacific Mail S. S. Co. owner of yessel.

CAPE MAY.—Station operated and controlled by I. W. T. Co. (U. S. L.).

CITY OF MIAMI.—Miami-Havana Navigation Corp.

CITY OF SPOKANE.—Station operated and controlled by I. W. T. Co.

Commercial Scout.—Commercial Scout S. S. Co. owner of vessel.

COUTOLENE.—Anthony O'Boyle owner of vessel.

COVEDALE.—Station operated and controlled by R. C. A. effective February 1, 1923. Domino.—System, Navy-Lowenstein, 1000; w. l., 300, 450, 600; rates, 8 c. per word. EASTERN BREEZE.—System, Navy-Kilbourne & Clark, 1000; w. l., 300, 450, 600. EASTERN TRADER.—Name changed to Horace Luckenbach; Luckenbach S. S. Co.

owner of vessel.

Edris. —System, Standard Radio Co., 1000. El. Dra. —W. 1., 300, 600.

El Siglo -- Range, 150; system, R. C. A., 1000; hours, X. General W. C. Gorgas.-Rateb, 8 c. per word.

Hambeo .- Name changed to Mojave; General Petroleum Corp. owner of vessel.

Hames.—Name changed to Lebec

HATTERAS.—System, Kilbourne & Clark, 1000; station operated and controlled by

Hilton.—Range, 200; system, I. W. T. Co., 1009.

Hoboken,-Commercial Spirit S. S. Co. owner of vessel,

HOLLYWOOD.—System, Navy. R. C. A., 1000; hours, X.
HOMICK HALL.—Range, 300; system, R. C. A., 1000; w. 1., 300, 450, 600.
IMLAY.—Station operated and controlled by I. W. T. Co. (U. S. L.).
James MacNaughton.—Range, 150; system, R. C. A., 1000; w. 1., 300, 600; rates, Great Lakes service 2 c. per word.

LABREA.—System, Federal arc, 500 with chopper.

LAKE GAMEN.—Philadelphia & Norfolk S. S. Co. owner of vessel.

Lakeshore -- System, Navy-Kilbourne & Clark, 1000. Los Angeles.—System, Federal arc, 500 with chopper.

MAHEKONA.—Station operated and controlled by R. C. A. (U. S. L.).

MERIDEN.--Meriden S. S. Co. owner of vessel

Monticello.—American Ship & Commerce Navigation Corp. owner of vessel. Ohio.—Range, 150; system, R. C. A., 1000; w. l., 300, 450, 600.

Paul Luckenbach.—Range, 200; system, Telefunken, 1000; hours, X.

PAWLET.—Station operated and controlled by R. C. A.

5

RADIO SERVICE BULLETIN.

 PRESIDENT HARDING.—Station operated and controlled by R. C. A. PRESIDENT TAFT.—Systems Federal arc and Navy-Simon, 1000.
PUGET SOUND.—Station operated and controlled by I. W. T. Co. RED HOOK.—Name changed to Commercial Traveler; Commercial Traveler S. S. Co. owner of vessel. RODMAN SWIFT.—System, Western Electric, 1000; service, P. SAGADAHOC.—Sagadahoc S. S. Corp. owner of vessel. Santa Clara.—System, Marconi, 1000; w. 1., 300, 450, 600. SANTA MALTA.--W. 1., 300, 450, 600. Santa Rosa. -System, R. C. A., 1000; w. 1., 300, 450, 600. SANTA VERONICA,-W. 1., 300, 450, 600. Sucarreco. -- Rates, 8 c. per word. Susquenanna (WEM).—Austin G. Jones owner of vessel; station operated and controlled by I. W. T. Co. WAWALONA .- Station operated and controlled by R. C. A. West Cahokia.—Station operated and controlled by R. C. A. Westerner. -- Station operated and controlled by R. C. A. Western Scout.--Correct call signal WXEA. West Helix.—Station operated and controlled by I. W. T. Co. West Jester.—Station operated and controlled by I. W. T. Co. (U. S. L.). West Maximus.—System, Navy-Lowenstein, 1000; w. l., 300, 450, 600. West Secovia.—Range, 200; system, Navy-Kilbourne & Clark, 1900; w. l., 300, Westwego - Range, 300. WILLIAM CAMPION.—Range, 200. Willsolo.—System, Navy-Wireless Specialty Apparatus Co., 1000; Williams S. S. Co. owner of vessel. WM. F. HERRIN.—System, Federal arc, 500 with chopper. W. W. Mills.—Pure Oil S. S. Co. owner of vessel. Strike out all particulars of the following-named vessels: Buccaneer, Crudoil, Funloit, George E. Weed, Hattie Luckenbach, Lake Fisher, Martha Washington, Mexoil,

Panoil, Patricia, and Tormenter.

COMMERCIAL LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS.

KDDA, read Commercial Traveler; KDSH, read Mojave; KDTN, read Lebec; KOQV. read Corinto; KULK, read Horace Luckenbach; strike out all particulars following the call signals, KDIM, KDTX, KFL, KFN, KFO, KJA, KJB, KODD, KQS, KUQB, KUQC, KUQD, KUQF, WNF, WQIA.

BROADCASTING STATIONS, BY CALL SIGNALS.

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1922.]

KFC (Seattle, Wash.).—W. I., add 485.

KGW (Portland, Oreg.).-W. 1., 400; station operated and controlled by Portland Morning Oregonian.

KNT (Aberdeen, Wash.).—Station operated and controlled by Grays Harbor Radio Co. (Walter Hemrich). WAAP (Wichita, Kans.).—W. l., add 485.

WCAE (Pittsburgh, Pa.).—W. I., 400.
WCAW (Quincy, Ill.).—W. I., add 485.
WCAZ (Quincy, Ill.).—Changed to Carthage, Ill.; station operated and controlled by Robert E. Compton and Carthage College.

WEAN (Providence, R. I.).—W. I., add 485.
WFAZ (Charleston, S. C.).—W. I., add 485.
WHAH (Joplin, Mo.).—Station operated and controlled by Hafer Supply Co.
WHAP (Decatur, Ill.).—Station operated and controlled by Otta & Kuhns, 160 South Water Street.

WIAR (Paducah, Ky.).—Station operated and controlled by Paducah Evening Sun.

WJAX (Cleveland, Ohio).—W. l., add 485.

WKY (Oklahoma City, Okla.).—Station operated and controlled by WKY Radio Shop.

WLAG (Minneapolis, Minn.).--W. 1., 400, 485.

RADIO SERVICE BULLETIN.

WMAT (Duluth, Minn.):-W. l., add 485.

WMAT (Duluin, Minn.):—W. I., add 485.
Strike out all particulars of the following-named stations: KDYR, Pasadena, Calif.; KFBA, Lewiston, Idaho; KFBJ, Boise, Idaho; KGF, Pomona, Calif.; KYF, San Diego, Calif.; WAAG, Shreveport, La.; WAAO, Charlestown, W. Va.; WAAR, Huntington, W. Va.; WAAV, Athens, Ohio; WCJ, New Haven, Conn.; WDAN, Shreveport, La.; WFAR, Sauford, Me.; WFO, Dayton, Ohio; WIAA, Waupaca, Wia.; WJAH, Rockford, Ill.; WKAM, Hastings, Nebr.; WLAD, Hastings, Nebr.; WMAS, Richmond, Va.; WMC, Youngstown, Ohio; and WPAN, Houston, Tex.

GOVERNMENT SHIP STATIONS, ALPHABETICALLY BY NAMES OF VESSELS.

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1922, and to the International List of Radiotelegraph Stations, published by the Berne bureau.]

General Robert W. Swartout.—Correct orthography, General Robert W. Swart-

GOVERNMENT LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS.

WYU, read General Robert W. Swartwout.

SPECTAL LAND STATIONS, BY NAMES OF STATIONS.

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1922.]

BIRMINGHAM, ALA., (5ZI).—Address, 2017 First Avenue. BOZEMAN, MONT., (7XB).—W. L. 200, 375, only. BYRON, ILL. (9ZG).—Changed to Elgin, Ill.

CINCINNATI, OHIO (SYAD).—Station operated and controlled by East High School (C. M. Howe).

Columbus, Omo (8ZAF).—Address, 1188 Willard Avenue.

Denver, Colo. (9XAG).—Address, 713 Lincoln Street.

Dublique, Iowa (9ZA).—Address, 295 Villa Street.

Neenah, Wis. (9ZL).—Station operated and controlled by Fox River Radio Supply Co. (Cornelius & William Quinn).

New Orleans, La. (5XM).—W. I., 200, 250, 375.

NORMAN, OKLA. (5XM).—W. I., 200, 375, variable.

ORANGE, TEX. (5XAD).—W. I., 200, 240, 375, variable.

Orono, Me. (1XAH).—W. l., 230, 500.
Ossining, N. Y. (2XX).—Station operated and controlled by Robert F. Gowen.

PHILADELPHIA, PA. (3XK).-W, 1., 275, 1300.

Portland, Oreg. (7XF).—W. 1., 200-550.
Princeton, N. J. (3XU).—W. 1., 275, variable; address, Palmer Physical Laboratory.
Reading, Pa. (3XAH).—W. 1., 200, 375.

SAN FRANCISCO, CALIF. (6XB).—Station operated and controlled by Mercantile Trust

SAN FERNANDO, CAME. (6ZN).-Address, 452 Chatsworth Drive.

SEATTLE, WASH. (7XK) .-- W. 1., 200, 375, variable.

STAUNTON, VA. (3YE) .- W. 1., 200, 375.

Strike out all particulars of the following-named stations: Belleville, Ill. (9XX); Birmingham, Ala. (5XAG); Buffalo, N. Y. (8ZM); Columbus, Ohio (8YO); East St. Louis, Ill. (9ZAG); Houston, Tex. (5XS); Houston, Tex. (5ZAA); Iowa City, Iowa (9YA); Los Altos, Calif. (6XAC); Philadelphia, Pa. (3XAG); Portland, Oreg. (7YH); Portland, Oreg. (7ZI); Seattle, Wash. (7YE); South San Antonia, Tex. (5XI); Syracuse, N. Y. (8XI).

MISCELLANEOUS.

OCEAN LETTERS ON SHIPPING BOARD VESSELS.

This service, as the term is usually understood, is a deferred service whereby messages from a ship bound in one direction are transmitted to a ship bound in the opposite direction to be mailed upon the arrival of the receiving ship. The rate for such service is \$1.20 for 20 words (includes registration and mailing), with 4 cents for each additional word and it is usual to limit these messages to a maximum of 100 words, cable count. These messages are prefixed "OL," and this prefix is neither counted or charged for. The tolls are divided evenly between the sending and receiving ships, the registration and mailing fee (12 cents) accruing to the receiving ship. Example: Sending ship 54 cents are contained by the receiving ship.

RADIO SERVICE BULLETIN.

GENERAL CALL FOR I. W. T. CO. SHIPS.

The general call signal KFZZ has been assigned for all vessels the radio stations of which are operated and controlled by the I. W. T. Co. This general call will be used by I. W. T. Co. ship or coast stations desiring to ascertain whether there is an I. W. T. Co. vessel within range, and any I. W. T. Co. vessel hearing another ship or coast station calling KFZZ should answer. This call signal also will be used in broadcasting general instructions to I. W. T. Co. ships.

BROADCASTING STATIONS VIOLATING SECTION 2 OF THE ACT OF AUGUST 13, 1912.

Operators of broadcasting stations are cautioned not to communicate with other stations. The transmission of acknowledgments to individuals relating to the receipt of letters, telegrams, and telephone calls is direct communication and not authorized in the licenses of broadcasting stations. Section 2 of the act of August 13, 1912, states that the license of a station "shall state the purpose of the station," and as broadcasting stations are licensed for the specific service of broadcasting, any operator using a broadcasting station for point-to-point communication may have his license suspended or revoked in the discretion of the Secretary of Commerce. Owners of broadcasting stations should see that the above-cited act is not violated, as the use of their stations for purposes other than specified in the station license is sufficient cause for the suspension or revocation of their station license.

SHIP STATIONS NOT PROPERLY LICENSED.

Owners of vessels equipped with wireless apparatus, companies operating and controlling the apparatus, and radio inspectors are advised to see that all ship stations are properly licensed as required by section 2 of the act of August 13, 1912, in that the correct ownership of the vessel and the ownership of the station are shown in the license. When a yessel changes ownership the old ship station license should be surrendered, notwithstanding the fact that the period for which the station was licensed may not have expired, and a new license procured showing the new owner-ship and any other changes in the data required in the license. It has been reported to the bureau that a number of vessels, especially vessels sold by the U. S. Shipping Board to private owners, are violating the law in this respect.

INFORMATION FROM THE HYDROGRAPHIC OFFICE.

Broadcasting of notices to mariners by Merican stations.—The Mexican Government inaugurated on November I last a new service of picking up and broadcasting notices to mariners emanating from foreign radio stations, American and Cuban. The notices will be broadcast for three consecutive days at 12 o'clock (local time) as follows:

The radio station of Tampico will pick up for broadcasting notices emanating from stations situated on the coast between Florida and Rio Bravo and also from Cabo San Antonio radio station of Cuba.

The Merida and Payo Obispo stations will broadcast notices emanating from the Cuban stations and also those of the coast up to Colon, Panama.

The station of Salina Cruz will broadcast notices emanating from stations situated on the ceast between Balboa, Panama and Rio Suchiate.

The stations of Hermosillo and Mexicali will broadcast notices emanating from sta-

tions situated between the Mexican boundary and San Francisco. Each of the above stations will also pick up and broadcast in the same manner . notices emanating from vessels navigating within the zone assigned to that station.

A copy of all the notices received and broadcasted will be sent to the captain of the

respective port with a view to their being made public.

Storm warnings by radio, Queensland.—The following arrangements have been made for issuing warnings of cyclonic disturbances off the coast of Queensland from December to April. By arrangement with the Commonwealth Meteorological Bureau, warning of a cyclonic disturbance is dispatched by urgent telegram (Sundays included) to the radio stations and post offices of the ports in the area likely to be affected. Radio stations will broadcast such warnings to all vessels, and in special cases the meteorologist will indicate when his next report will issue.

At 4.30 p. m. (local time) daily, except Sundays, radio stations will broadcast an "Ocean Forecast Message," giving the state of the weather, direction and force of the wind, and state of the sea at 3 p. m. along the Queensland coast, followed by a forecast

RADIO SERVICE BULLETIN.

INFORMATION FROM THE BERNE BURHAU.

West French Africa.—The station at Kotonou is now open. Particulars are as follows: Location, Dahomey, 2° 28′ 48″ E. Greenwich; 6° 20′ 46″ N.; call signal FKO; range, 300 miles; system, S. F. R. spark; w. i., 600 meters; service, PG; hours, 8-11 and 14-17 GMT; rates, 45 centimes per word; accounts are settled by the Administration of Posts of Senegal at Dakar.

Cape Verde Islands.—The station at Prais is now open. Particulars are as follows: Location, 0.23° 30′ 00″ N., 14° 55′ 00″; call signal CRK; range, 400 miles; system, Marconi; w. 1., 600, 800, 1,000, 1,530; service, PG; hours, 10–22 GMT; rates, 45 centimes per word; minimum 4 francs 50 centimes; land line, 40 centimes per word.

Greece.-The name of the station Vari is changed to Athens Radio. The land line rates for Greece are 15 centimes per word, minimum, 1 franc 50 centimes; for urgent messages 45 centimes per word; for the island of Crete, Lemnos, Tenedos, Chies, Mytilene, Sames, Imvres, and Icarie the rate is 25 centimes per word, urgent messages 75 centimes per word.

New Zealand .- The meteorological information is transmitted daily (except Sunday) by the coast station Apia at 8.30 GMT on 600 meters and 23.30 GMT on 2,000

Portugal.—The coast stations S. Maria, Funchal, and S. Miguel are reopened.

WEATHER REPORTS TRANSMITTED BY WALFISCH BAY STATION AND PRESS BY CAPE TOWN STATION.

Radio Operator Genter, of the Shipping Board vessel Eastern Gien, reports that the station at Waltisch Bay, call signal WNV, sends weather at 11.00 GMT. This report consists of clouds, winds, their direction and force, rains, local thunder showers, and semetimes heat of wind. Also sends condition of sea. This is a coast forecast. Repeats weather at 13.00 GMT. Wave length, 600 moters.

VNC (Cape Town) sends press at 01.15 GMT; press given out by Reuter's Service and lasts from 10 to 30 minutes. Sends each word twice on a wave of 600 meters,

ADMIRALTY NOTICE TO MARENERS.

South Africa.—Cape of Good Hope

Cape Town.—Amended time of W/T time signals.

Position.—Lat. 34° 68′ 45″ S., long. 18° 19′ 17″ E.

Detoils.—Cape Town W/T station now broadcasts time signals daily in accordance

with the undermentioned procedure:

The signals, which are controlled from the Cape Observatory, are preceded by the usual warning signal and comprise a series of 12 dashes (each of about three-quarters of a second's duration) extending over half a minute, divided up into five groups, a dash commencing at each of the following times:

	GMT	•	1 635	T		
(nst	rener	nical).	(astrone			
h-	m.	5.	h. m.	3-		
20	59	301	20 59	48)	_	
00	00	32 Group I.	00 00		Group	IV.
00	00	34	20 59		_	
20	60.00	ans	00 00	5.6		
00	00	38Group II.	00 00		Group	v.
20	59	44 Group III.	21 00	0.0		

Each signal may be used as indicating the exact GMT recorded above; the beginning of the last dash of the series corresponding exactly with 21th 00m 00 GMT, corresponding to 23° 00° 00° standard time. - From Notice No. 1813 of 1922, Admiralty, London, November 2, 1922.

HOW AND WHERE TO SEND FOR COAST GUARD CUTTERS IN CASE OF VESSELS IN DISTRESS.

The Coast Guard Service is always ready to render any assistance to vessels in distress or to remove obstructions, and desires close cooperation between the vessels at sea, shipowners, and their agents. Hereunder are instructions for communicating with the Coast Guard offices and vessels:

Eastern division.—Information for the commander, eastern division, Boston, Mass., or for the cutters Ossines, Towney or Appellant attached at the division, Boston, Mass.,

RADIO SERVICE BULLETIN.

be sent by one of the following methods: (a) Office commander, eastern division, fourteenth floor, Customhouse, Boston, Mass., telephone, Main 281; telegraph, Coast Guard division, Boston; radio, Navy radio, Boston, Mass. call NAD. (b) Ossipee, stationed at Portland, Me., by one of the methods under (a); radio, Otter Cliffs, Me., NBD; also Ossipee direct, NRJ. (c) Tampa, stationed at Boston, Mass., by one of the methods under (a); telephone, Charlestown 1400, ask for communication; radio, Navy radio, Boston, Mass., NAD; also Tampa direct XITC. (d) Acushnet, stationed at Woods Hole, Mass., by one of the methods under (a); telephone, Falmouth 664; radio, Nowport, R. J., NAF, also Acushnet direct NRU.

New York division.—The offices of the division commander are located in room 724 Customhouse, New York City, also the U. S. Barge Office, New York City. The division embraces that part of the Atlantic coast between the Thames River, Conn., and Delaware Breakwater. The outer limit of offshore cruising is about 350 miles from

New York.

Arrangements have been made with the communication service of the third naval district and the superintendents of the fourth and fifth Coast Guard districts for the prompt transmission of information to the division commander about wrecks and vessels in need of assistance at sea or along the coast. Messages may be given to any wireless station for transmission to New York by radio; to any Coast Guard station on the coasts of New York or New Jersey to be forwarded by telephone; to the Western Union and Postal Telegraph systems, using address "Coast Guard, New York"; also by local telephone, Broad 1455, and through the Customhouse, Broad 1642.

The vessels attached to the New York division are the Senera, a cruising cutter

located at New York, and the Kickapoo, a seagoing tug stationed at Cape May, N. J. The Gresham, now undergoing repairs, is expected to be ready for service in January, 1923. The radio call letters of the Seneca are NRE, Kickapoo NITX, and Gresham NRG, which may be used for direct communication with those vessels. The Kickapoo when in port has direct telephone connection through Coast Guard Station No. 136.

Cape May, N. J.

The office in the Barge Office is open from 7 a. m. to 9 p. m. daily for the reception of messages. The telephone call of the superintendent fourth district is Bay Shore. 743, and of the superintendent fifth district is Asbury Park 690 W. The home telephone

call of the division commander is Bergen 6622.

Sixth district.—Vessels in distress within the scope of operations of the sixth district may notify by wireless either of the three radio compass stations in this district: Cape Henlopen, Del., Bethany Beach. Del., and Hog Island, Va., which are in direct telephone communication with all stations of the Coast Guard from 139 to 157, inclusive, at all times and with the office of the superintendent from 9 s. m. to 4.30 p. m. by Coast Guard telephone. At night call Bell phone No. 70 for superintendent. Superintendent's office and stations of the sixth district are also in direct telephone communication by Coast Guard telephone with Cape May (N. J.) regular station and the compass station.

For communication by public telephone for superintendent's office call Bell phone: Lewes 70; for stations 139 to 146 call Bell phone Lewes 122; for stations Nos. 146 to 151 cail Chesapeake & Potomac Ocean City, Md., 59; for stations Nos. 151 to 157 Chesapeake & Potomac call 65 Chincoteague, Va., or 1 Magotha, Va. Norfolk division.—The office of the Norfolk division is located in the Withers Build-

ing, Norfolk, Va., phone 21167 (night and holidays 36289). Radio messages or telegrams are delivered day and night. Vessels requiring assistance, passing derelicts, or other obstructions between latitude 38–30 N. and 27–00 N, the northern and southern limits of the Norfolk division, are requested to notify the commander, Norfolk division, by radio via Norfolk naval radio (NAM) or the nearest radio, stating date and time. latitude and longitude of the position of the vessels or obstructions, including full information. Cutters are stationed at Norfolk, Va., Wilmington, N. C., and Savannah, Ga., ready to proceed at once. These vessels are provided with radio compass, and a continual radio watch is kept day and night in port and at sea. The position of the cutters is always known to the Norfolk division office and the commandant of the naval district.

In order to avoid delay, a vessel sending from a position between Cape Hatterss, N. C., and Cape Romain, S. C., may communicate direct with the cutter at Wilmington, N. C., via Morehead City, N. C., naval radio station (NAN), and a vessel whose position is between Cape Hatterss, N. C., and Jupiter Inlet, Fla., may send direct to the cutter at Savannah, Ga., via St. Augustine, Fla., or Jupiter Inlet, Fla., or Charleston, S. C., naval radio stations. Arrangements have been made with radio and telegraph stations to deliver and forward promptly such messages. Note on such message

and any vessel stranding or observed to be in distress by station crews is reported at once to this office. The Coast Guard stations may be communicated with by the International Code Signals or Morse Blinkers.

Gulf division.—The Gulf division, with headquarters at Key West, Fla., extends

from Cape Canaveral to the Ric Grande. The Florida waters to the northward of the cape are also covered by the cutter at Key West in case of necessity should the cutter Yamacraw, stationed at Savannah and attached to the Norfolk division, for any reason be unable to proceed. The Yamacraw cruises as far south as Jupiter. This division has three cruising cutters: Saukee, at Key West; Tallapoosa, at Mobile; and Comanche, at Galveston. Of these the Comanche is the least able. In addition, there are several small patrol and harbor vessels, viz: Vidette, at Miami; Cossack, at Key West; Arrow, at Tampa (now undergoing repairs at Mobile); Penrose, at Pensacola; Messenger, at Mobile; and Davey, at New Orleans. Although they frequently render minor assistance, the three large cutters only can be depended upon to render aid to vessels in distress at sea. They cruise anywhere in the gulf or in foreign waters near by should their presence be needed, provided the particular cutter at the time is available.

The Gulf division also has supervision of all Government telephone lines from the North Carolina-South Carolina border to the Rio Grande. This territory is divided into sections, with headquarters at Beaufort, S. C., Jacksonville, Fla., Pascagoula, Miss., and Galveston, Tex. These lines connect up the various lighthouses and Coast Guard stations with the private telephone exchanges, and while they are too numerous to describe in detail it should be mentioned that all Coast Guard stations and all lighthouses on the Florida cast coast from St. Augustine, Fla., to Sand Key, inclusive, connect with the telephone exchange at Key West, Fla., and the office of the division commander. The only lighthouses that can not communicate are Rebecca Shouls and Dry Tortugas.

Vessels in the waters of the Gulf division desiring assistance should call up the nearest radio station; on the east coast either of the Government stations at St. Augustine, Jupiter, or Key West; in the northern gulf they should endeavor to reach the Tallapoosa or Comanche direct or by one of the radio stations. All persons other than masters of distressed vessels having knowledge of disaster should immediately communicate the same to this office direct by land wire or through one of the Coast Guard or light stations. This applies particularly to the east coast. In vicinity of Mobile or Galveston messages should be sent to the Tallapoosa and Comanche, respectively. If unable to reach them, wire division commander at Key West, as he keeps informed of the daily position of the cruising vessels under his command.

Northern division.—Vessels in distress in this district should communicate with the

Northern division.—Vessels in distress in this district should communicate with the following-named office and vessels: Division commander, northern division, 408 Pioneer Building, phone Main 4464. If the office of the division commander can not be reached at night, Sundays, or holidays, it is requested that all information be communicated to the division commander's residence, phone Capitol 4731. Commanding officer, Haida, stationed at Port Townsend, Wash.; Snohomish, stationed at Port Angeles, Wash.; Algonquin, stationed at Astoria, Oreg.; Unalga, stationed at Juneau, Alaska.

Should a master who has requested assistance find that his vessel is able to proceed with safety and does not require assistance, a message to that effect should be promptly sent, in order that the cutter may return to her station or be dispatched on some other mission. Call letters for all of the stations mentioned above are not given, as it is assumed that all vessels have on board a list of Commercial and Government Radio Stations of the United States.

STATIONS VIOLATING REGULATION 14 OF THE ACT OF AUGUST 13, 1912.

It has been reported to the bureau that certain stations are violating the abovenamed regulation which requires: "In all circumstances, except in case of signals or radiograms relating to vessels in distress, all stations shall use the minimum amount of energy necessary to carry out any communication desired."

REFERENCES TO CURRENT RADIO PERIODICAL LITERATURE.

The following list of references is prepared by the radio laboratory of the Bureau of Standards and is intended to cover the more important papers of interest to the professional radio engineer which have recently appeared in technical periodicals. Abstracts and articles which are essentially of amateur or novice interest are not listed. For about two years there lists were prepared in missecrephed form, and

11

RADIO SERVICE BULLETIN.

publication of these references will be continued if the readers of the Radio Service Bulletin find them useful. The Bureau of Navigation will be pleased to receive suggestions from readers as to the desirability of continuing their publication. A complete file of the lists in mimeographed form previous to August 1, 1922, can be consulted at the Bureau of Standards in Washington. Files of carlier lists can also be consulted at the Library of Congress in Washington, the Engineering Societies Library in New York, and the John Crerar Library in Chicago. These references are classified according to a decimal system outlined in a report prepared at the radio laboratory of the Bureau of Standards, "An extension of the Dewey decimal classifi-cation applied to radio." It is expected that this classification will be published later.

In this list the subjects corresponding to the 10 principal classes of the radio classification are given, and preceding each reference is given a number which corresponds to the classification of the reference. The subjects corresponding to the various decimal divisions of the 10 principal classes are not given in these lists, but can be found in the classification. In case a reference could properly be assigned to two or more of the numbers of the classification, it appears only once in this list, with the number corresponding to the subject in connection with which the reference is of greatest importance. In this list, under the first eight principal classes, the number assigned to the references are preceded by the letter "R," which is an abbreviation for the number 621.384, which is assigned to radio communication in the regular Dewey decimal classification. Under the class "R800—Nonradio subjects," the numbers shown in this list are not preceded by an "R," but are the numbers assigned to the subject of the reference in the regular complete Dewey classification.

The Bureau of Standards can not furnish copies of the various periodicals or other publications to which references are given. Copies of these publications may be secured from newsdealers or from publishers, or may be consulted at libraries. Most United States Government publications to which references are given can be purchased at the prices stated from the Superintendent of Documents, Government Printing Office, Washington, D. C. Copies of United States patents can be secured

for 10 cents each from the Commissioner of Patents, Washington, D. C.

R000.-Radio communication.

- R007.1
- R007.6
- R007.8
- Radio communication, From Annual Report of the Commissioner of Navigation for fiscal year ended June 30, 1922, pp. 17-26.
 de Vaibreuze, M. R., La radiotéléphonie: Conference faite au Congrés de la Télégraphie sans fil de Marseille, Radioflectricité, 3, pp. 353-459, November, 1922.
 La radiotelefonié en la Argentina y Uruguay: Necesidad de una legislación, Revista Telegrafien, 11, p. 193, October, 1922.
 Taussig, C. W., The book of radio. Published by D. Appleton & Co., New York, 1922. Price, 53,50. R020\$3.50.
- Mills, J., Radio communication (book), price \$2. Noted in Radio Digest, Hlustrated, B, p. 6, R020December 16, 1922.

R100-Radio principles.

- Solt, I. H., An experimental investigation of the dispersion of a limited wave train, Physical Review, 29, pp. 513-525, December, 1922.
 Howe, G. W. C., Notes on wireless matters (Fleming's theory); Electrician, 89, p. 532, November 1, 1920. RIII
- R!!!
- R112:1
- Lee, A. G., The measurement of radiation (signal), Jnl. Post Office Electrical Engineers (London), 15, pp. 254-252, October, 1922.
 Espenschied, Lloyd, Application to radio of wire transmission engineering, Boll System Technical Journal, 1, pp. 117-141, November, 1922.
 Lodge, O., What bends radio waves (ground conduction), Popular Radio, 2, pp. 3-9, January, 1923. R113
- R113
- R113
- Mesny, R., Variation en direction et an intensité du champ électromagnétique d'une émission, L'Onde Electrique, 1, pp. 577-587, October, 1922. Thomson, Elihu, Is the "Heaviside theory" valid? Popular Radio, 2, pp. 231-285, December, R113.4
- RH3.5
- R114
- 1922. Reichelderfer, F. W., Forecasting thunderstorms by means of static electricity, Monthly Weather Review, 49, p. 152, March, 1921.
 Lacoste, M. J., Nouvelles observations radiogonio-metriques de parasites atmosphériques, Comptes Rendus, 175, pp. 707-708, October 23, 1922.
 Comptes Rendus, 175, pp. 707-708, October 23, 1922.
 Austin, L. W., Receiving measurements and altmospheric disturbances at the naval radio research laboratory, Bureau of Standards, Washington, July and August, 1922, Proceedings Institute Radio Engineers, 10, pp. 421-425, December, 1922.
 Smith-Rese, R. L., Coll reception in radiotelegraphy, Electrician, 89, p. 533, November 10, 1922. R114
- R124
- The effect of underground metalwork on radio direction finders (discussion on Rose-Smith paper), Wireless World and Radio Review, 11, pp. 202-203, November 11, and pp. 309, December 2, 1922.

 Parking the direction finder 11, R. Rotter No. 142501, insural November 2, 1926. R125.1
- Robinson, J., Radio direction finder, U. S. Patent No. 1435941, issued November 21, 1922. Directive radio transmission on a wave length of 10 meters, Telephony, 83, p. 34, November 18, R125.1R125.6
- Conners, W. W., Method and apparatus for indicating the geographical location or movement of bodies, U. S. Patent No. 1477400, issued December 5, 1922. R125.6

12 of 16 8/25/2012 11:24 PM

R344 R344 R844.3

December, 1922.

RADIO SERVICE BULLETIN.

13 Lay, D., The best antenna for transmitting (eage type), Popular Radio, 2, pp. 272-274, December, R120 Chaffee, L., Garillographic study of electron-tube characteristics, Proceedings Institute Radio R131 Chaffee, L., Oscillographic study of electron-tube characteristics, Proceedings Institute Radio Engineers, 19, pp. 449–450, December, 1922.
Blake, G. G., A mechanical model illustrating the action of the three-electrode valve, Wiroless World and Radio Review, 11, pp. 311–314, December 2, 1922.
Puget, J. E. L., Relay for telephono circuits, U. S. Patent No. 1437579, issued December 5, 1922.
Meeny, R., Génération par tubes electroniques d'oscillations polyphasées de haute fréquence, Comptes Randus, 175, pp. 691–698, October 23, 1922.
Velander, E., Triode os. illator theory, Teknisk Tidskrift, July 8 and Sept. 9, 1922, Electrical World, 80, p. 1284, December 2, 1922.
The quantitative analysis of the thermionic tube carillation generator, Electrician, 89, pp. 537–538, November 10, 1922.
Signal predification: A consideration of the methods of detection (three-electrode valve). Wireless R131 R132 R133 R133 \mathbb{R}_{133} Si7-538, November 10, 1922.

Signal rectification: A consideration of the methods of detretion (three-electrode valve), Wireless World and Radio Review, 11, pp. 227-228, November 18, 1922.

Langmuir, I., Wireless signaling system, U. S. Patent No. 15495, reissued November 21, 1922.

Eltz, G. J., The Armstrong superregenerative circuit (book), Noted in Radio Digest, libustrated, 3, p. 6, December 16, 1922. Price, \$1.

Hanson, E. C., and Carlson, W. L., Appearatus for detecting minute values of energy, U. 8.

Patent No. 1437249, issued November 28, 1922.

A practical superheterodyne receiver, Wireless Age, 10, p. 75, Docember, 1922.

Heising, R. A., System for producing modulated waves, U. S. Patent No. 1436262, issued November 21, 1922.

Mueller, E. L., Electron tube, U. S. Patent No. 1437507, issued December 5, 2922. \mathbb{R}^{134} R134.4 R134.45 R134.7 R134.75 R135 Mueller, E. L., Electron tube, U. S. Patent No. 1437507, issued December 5, 1922.
 Case, T. W., The effect of a photo-electric material on the thermoelectric current to high vacuum andion bulbs, Jul. Optical Soc. America and Rev. Sci. Insts., 6, pp. 639-629, November, 1922.
 Schelleng, J. C., Electron discharge device circuits, U. S. Patent No. 1437201, issued November 28, 1922. R138R138 R13828, 1922.
McCullough, F. S., Thermipnic tubes (electron emission), Proceedings Institute Radio Engineers, 10, pp. 468-485, December, 1822.
Hahnemann, W., Technisché Anwendungen von Schwingungsvergängen (Schwingungstechnik), Zeitschrift für technische Physik, J., pp. 281-284, September, 1922.
Brombacher, W. G., Detecting efficiency of the resistance-capacity-coupled amplifier, Physical Review, 20, pp. 432-190, November, 1922.
Houck, H. W., Method and apparatus for selectively transferring electrical oscillatory energy, U. S. Patent No. 1438328, issued December 12, 1922.
Inductance tables. Radio and Model Engineering, 2, pp. 153-158, November, 1922. R138R142 R142 R145 U. S. Patent No. 1438328, issued December 12, 1922.

Inductance tables, Radio and Model Engineering, 2, pp. 153-153, November, 1922.

Korshonewsky, N., Uber Resonanzschaltung zweier wenig gegeneinander verstimmter nicht gekoppelter Schwingungskreise, Jahrbuch der drahtbesen Telegraphie, 20, pp. 164-172, September, 1922.

Marsten, J., Inductance design. Radio (San Francisco), 4, pp. 25-26, December, 1922.

Greaves, V. F., Simplified theory of the Federal are transmitter, Radio (San Francisco), 4, pp. 17-18, December, 1922.

Nowlan, J. B., Radio apparatus (tube apparatus), U. S. Patent No. 1437772, issued December 5, 1922. 30.145.3R145.3R145.3 R153 $\mathbb{R}162$ R200.—Radio measurements and standardization. Carman, A. P., and Lorance, G. T., A second undamped wave method of determining dielectric constants. Physical Review, 26, pp. 715-718, December, 1922.
 Hoch, E. T., Power loss in insulating materials, Bell System Technical Jul., 1, pp. 116-116, R223R240Toepler, M., Antangsspannungen zwischen Kugeln in Zylinderkäfigen, Zeitschrift für technische Physik, 8, pp. 327-332, October, 1922.
Blenio, G., Proofed fabric and process of making same, U. S. Patent No. 1430231, issued November 21, 1922. R252R281R300. Radio apparatus and equipment. Day, T. H., Radio signaling apparatus (underwriters' requirements), National Fire Protective Association Quarterly, October, 1922. R300.5Hirsch, R., Die Konstruktion von gross sintions Antennen, Telefunken Zeitung, 5, pp. 10-16, July, 1922.
Bouwier, P., Antennes à prises de terre multiples, Radioélectricité, 3, pp. 459-486, November, R320R328Kesler, C. H., Famous radio patents, Radio Broadenet, 2, pp. 207-211, January, 1923.

Donle, H. P., Electric current controlling device (three-electrode electron tube with external plate), U. S. Patent No. 1435456, issued November 14, 1922.

De Forest, Lee, Oscillion (application filed June 16, 1916), U. S. Patent No. 1437408, issued R330.6R333 PA33 December 5, 1922.

Marx, H. J., Reinartz radio frequency amplifier: How to make panel for Plewelling set, Radio Digest Illustrated, 3, p. 13, December 16, 1922.

Sargent, E. M., A new radio frequency amplifier, Radio (San Francisco), 4, pp. 19-21, December, 1922.

Alternative A. L. A radio frequency and Radio News of Canada, 1, p. 12, December, 1922. R342 R342.6 ber, 1922.

Ainsworth, A. L., A radio frequency sot, Radio News of Canada, 1, p. 12, December, 1922.

Cound, F., Radio receiving equipment (dusign of apparatus), Proceedings Institute Radio Engineers, 10, pp. 435-439, December, 1922.

Cockaday, L. M., How to build a real "DX" regenerative receiver, Popular Radio, 3, pp. 35-45, January, 1923.

Coursey, P. R., A separate oscillator for the trans-Atlantic tests (wave length range, 170-446 meters), Wireless World and Radio Review, 11, pp. 221-235, November 18, 1922.

Experimental tube using 170-volt alternating current on filament and plate, Wireless Age, 16, pp. 65-66, December, 1822. R342.7 R343 R343.4 R343.5 R343.7 Experimental tube using 110-volt alternating current on mament and paste, Wireless Age, 10, pp. 65-66, December, 1922.

Ringel, A., Alternating current for filaments and plates of receiving tubes, Wireless Age, 10, pp. 72-73, December, 1922.

Effectiveness of a transmitting station, Electrician, 89, pp. 532-533, November 10, 1922.

Eschardt, E. A., Karcher, J. C., and Keiser, M., An electron-tube tuning fork drive, Jul. Optical Soc. America and Rev. Scientific Instruments, 6, pp. 949-937, November, 1922.

Miller, S. C. An ideal amateur, 5-watt radiophone transmitter, Wireless Age, 10, pp. 60-62, December, 1922. R363.7

13 of 16 8/25/2012 11:24 PM

14		RADIO SERVICE BULLETIN.
R36 R36		Bowen, R., Radio circuit (radiotelephone set), U. S. Patent No. 1422599, issued October 31, 1922. Schaffer, W., Radio Telephonic vermittelst Röhrensender, Telefunken Zeitung, 5, pp. 44-50,
R34	ıs	July, 1922. Rose, A. F., Battery supply circuits for repeaters, U. S. Patent No. 1430683, issued November 28,
. R30	ya ey	Die Eröffnung der Transradio-Betriebszeutrale in Berlin, Telefunken Zeitung, 5, pp. 33-34,
Ra	34	Holm, R., Über Kontaktwiderstände besonders bei Kohlekontakten, Zuitschrift für technische
R9 Ra	55.3 16.3 16.3	Physik, 3, pp. 290-294, September, and pp. 320-327, October, 1922. Dreber, C., A 160-mile crystal receiver, Wireless Age, 10, pp. 75-78, December, 1922. De Rois, J. L., De electrolytische gelijkrichter, Radio Nieuws, 5, pp. 573-377, December, 1922. Fitch, C., Loud speaker direuits and devices, Wireless Age, 10, pp. 68-69, December, 1922. Crowder, S. G., The Johnsen-Rabbek loud-speaking amplifier, Wireless World and Radio Review, 11, pp. 292-293, Docember 2, 1922. Remote control by radio possible (paper by F. W. Dunnacre), Electrical World, 80, pp. 1222-1223,
Ra		December 2, 1922. Eppen, F., Über Gleichrichter,für funktelegraphischen Schnellempfang, Jahrb. der drahtlesen
R3 R3		Telegraphic, 29, pp. 173–180, September, 1932. Adam, M., L'Inscription des messages radioélectriques, Radioélectricité, 8, pp. 473–479, Novem-
Ra		ber, 1922. Brady, J. B., From keyboard to tape through space (relay recorder), Radio Broadcast, 2, pp.
R3		219-221, January, 1923. Winkler, W., A syphon recorder of simple type, Wireless World and Radio Review, 11, pp.
Ra		201-302, December 2, 1922. Seutter, B. G., The dictaphone high-speed recorder, Radio Broadcast, 2, pp. 162-163, December,
Ra		1922. When tried recording and reproduction of sound, Wireless Age, 19, p. 67, December, 1922.
R3	82	Ostman, F. B., Widening the range of variameter receivers, whiches Age, 10, p. 19, December,
R8		Van Dyrk, A. F., Helpful hints on toning, Wirckess Age, 10, pp. 63-64, December, 1922. Morecroft, J. H., How to select the best call for your set, Popular Radio, 2, pp. 266-267, December, 1922.
\mathbb{R}^3	82	Inductance colls for short wave lengths: Considerations for good design, Wireless World and Radio Review, 11, pp. 299-300, December 2, 1922.
	84.1	Aiston, B. E., Conversion of the Townsend wavenmeter extension of tange to stort wave
R3		Campbell, G. A., Physical theory of the electric wave filter, Bell System Technical Journal, 1, pp. 1-32, November, 1922.
R		Fig. 1752, Avecander, Sewaye filters. Physical Review, 20, pp. 528-551, December, 1922. Johnson, J. B., A low voltage cathode-ray oscillograph, Bell System Technical Journal, 1, pp. 142-151, November, 1922.
		R400.—Radio communication systems.
Ri Ri		King, R. W., Broadcasting by remote control, Radio Broadcast, 2, pp. 187-193, January, 1923. Quack, E., Das Herz der telegraphiertechnischen Einrichtungen von Transradio, Telefunken Zeitung, 5, pp. 16-32, July, 1922.
		R500.—A pplications of radio.
$rac{ ext{R5}}{ ext{R5}}$		Lee, S., A new kind of radio lighthouse, Popular Radio, 3, pp. 47-48, January, 1923. Whittemore, L. E., Locating illegal radio stations, Radio Broadcast, 2, pp. 145-147, December,
R5	14	1922. Bull, A., Fog signaling by polarized sound, Scientific American, 127, pp. 406-497, December,
Rt5	20	1922.
\mathbf{R}_{0}	30	phonic on avion, Radioclectricité, 3, p. 467, November, 1922. Radio Corporation of America starts legal fight for control (corporation in court action against Grebe Co. and Bunnell Co.), Radio Digest Illustrated, 8, pp. 1-2, December 24, 1922.
R5		Louis, H., Ore finding by electrical methods, Electrical, 87, pp. 498-408, Sevender 82, 1982, Sevender 82, 1
Ra	50	Broadessing from films (pallophotophone has many amperant approaches), wareness Age,
	51	Thern, H., Der funktelegraphische Zeitzeichendienst (continued from August, 1922, issue), Jahrb. der drahtlosen Telegraphise, 20, pp. 213-235, September, 1922. Telh, A., Tuning amateur transmitters with official calibration wave, Radio Section New York
	35	Globe, p. 4, November 25, 1922. Petersen, M. H., System for wireless transmission of writing pictures and the like, U. S. Patent
	82	No. 148676, issued November 28, 1922. Monteilhet, A., Method of and apparatus for facsimile telegraphy, U. S. Patent No. 1434064,
	83	issued October 31, 1922. Langer, N., The development in the problem of television, Wireless World and Radio Review,
	82	4 F vin 107 001 More 11 1020
	984 984	Clarke, A., The electric arc in chemical manufacture, Beama, 11, pp. 669-516, September, 1922. Scarle, A. B., Refractory materials for electric furnaces, Beama, 11, pp. 664-670, October, 1922.
R	991 394	The march of radio: When winter comes, Radio Broadcast, 2, pp. 173-130, January, 1831. Hallen, R., Reichweiten in theorie und praxis, Jahrb. der drahtlosen Telegraphie, 20, pp. 235-
	790	239, September, 1922. Modern radio la ancient Syria (station equipped for duplex operation), Wireless Age, 10, pp.
R	100	57-58, December, 1922. Control hinders development of radio in Czechoslovakia, Electrical World, 80, pp. 1185-1187, November 25, 1922.
		R700.—Radio manufacturing.
E2	7000	E. E. Bucher puts radio business at fifty to sixty millions a year, Electrical World, 80, p. 1803,
-		December 9, 1922.

14 of 16 8/25/2012 11:24 PM

15

R800.—Nonradio subjects.

347.7 Of interest to inventors—"Licences of right" patents, Wireless World and Radio Review, 11, pp. 269-270, November 25, 1922.
347.7 Patent laws of the world, Midas' Trade Mark and Patent Bul. No. 106, Electrical World, 86, p. 1284, December 9, 1922.
534 Foley, A. L., A photographic study of sound pulses between curved walls and sound amplification by horns, Physical Review, 20, pp. 505-512, December, 1922.
534.53 Hartmann, J., On a new method for the generation of sound waves, Physical Review, 20, pp. 719-727, December, 1922.
537.65 Valasek, J., Properties of rochelle salt related to the piezo-electric effect, Physical Review, 20, pp. 639-684, December, 1922.
537.65 Sulter, A. F., and Dowey, H. G., X-ray dental film package, U. S. Patent No. 1437827, issued December 5, 1922.

NADIO INSPECTOR EXAMINATION, NO. 54 (ASSEMBLED) MARCH 7, 1929.

The United States Civil Service Commission announces an open competitive examination for radio inspector on the above date at any of the places listed hereon at which examination is requested in applications received in time to mail examination papers. Vacancies in the positions of radio inspector and assistant radio inspector in the Bureau of Navigation, Department of Commerce, at \$1,800 to \$2,200 a year (plus "bonus," see below), and in positions requiring similar qualifications at these or higher or lower salaries, will be filled from this examination, unless it is found in the interest of the service to fill any vacancy by reinstatement, transfer, or promotion.

Range in salary.—The entrance salary within the range stated will depend upon the qualifications of the appointee as shown in the examination and the duty to which assigned.

Bonus.—Appointees whose services are satisfactory may be allowed the increase

granted by Congress of \$20 a month.

Citizenship and sex.—All citizens of the United States who meet the requirements, both men and women, may enter this examination: appointing officers, however, have the legal right to specify the sex desired in requesting certification of eligibles. For these positions in the Bureau of Navigation men are desired.

Duties.—The duties of radio inspectors will be primarily to inspect the radio apparatus on steamships, to insure its compliance with the law, and to inspect shore stations. The inspectors may be also called upon to examine radio operators. The duties of radio inspectors require some office experience, therefore competitors should outline

fully in their applications any office experience thay may have had.

The duties of assistant radio inspectors will be primarily the assisting of radio inspectors in the enforcement of the wireless communication laws. Assistant radio inspectors will be required to inspect the radio equipment on board vessels and in land stations, which involves the carrying of 30 or 40 pounds of testing and measuring instruments. The inspection work requires a knowledge of the installation and operation of the several types of radio installations, including the adjustment and tuning of transmitters and receivers.

Subjects and weights.—Competitors will be examined in the following subjects, which will have the relative weights indicated.

	veg:	ILEG-
1.	. Theoretical and practical questions in the construction, use, and adjustment of radio apparatus and	50
2.	auxiliaries (eligible rating required). Education and experience in the line of the required duties.	50 03
	Total	_

Applicants must attain an eligible rating in the first subject.

Education and experience.—Applicants must have received a bachelor of science degree from a school of recognized standing, such educational training to have included a special course in radio or kindred sciences, or show that they are senior students in such institutions; or have had the equivalent of a high-school education and at least two years' experience in special radio work, such as the manufacture, installation, or adjustment of commercial or governmental wireless apparatus. It is essential that applicants be wireless telegraph operators.

Statements as to education and experience are accepted, subject to verification.

Age.—Applicants must have reached their twenty-first but not their fiftieth birthday on the date of examination. These age limits do not apply to persons entitled to preference because of military or naval service, but such applicants must not have reached the retirement age.

Retirement —Classified employees who have reached the retirement age and have served 15 years are entitled to retirement with an annuity. The retirement age for railway mail clerks is 62 years, for mechanics and post office clerks and carriers 65

RADIO SERVICE BULLETIN.

salary to provide for this annuity, which will be returned to persons leaving the service before retirement with 4 per cent interest compounded assually.

Photographs.—Applicants must submit to the examiner on the day of the examination their photographs, taken within two years, securely pasted in the space provided on the admission cards sent them after their applications are filed. Proofs or group photographs will not be accepted. Photographs will not be returned to applicants.

Residence and domicile.—Applicants may be examined at any place at which this examination is held, regardless of their place of residence: but only those who have been actually domiciled in the State or Territory in which they reside for at least one year previous to the examination, and who have the county officer's certificate in the application form executed, may become eligible for permanent appointment to the apportioned service in Washington, D. C.

Oral examination.—Applicants may be required to report either in Washington, D. C., or elsewhere, for oral examination to determine their personal characteristics and address, tact, judgment, adaptability, and general fitness for the performance of the duties of the position. An applicant who fails to pass the oral examination will not be eligible for appointment. Applicants will be notified of the date and place of the oral examination.

Applications.—Applicants should at once apply for Form 1312, stating the title of the examination desired, to the Civil Service Commission, Washington, D. C., or to the Secretary of the United States Civil Service Board at any place listed hereon. Applications should be properly executed, excluding both vouchers and the medical certificate, and filed with the commission at Washington in time to arrange for the examination at the place selected by the applicant.

The exact title of the examination, as given at the head of this announcement, should be

stated in the application form.

Preference.—Applicants entitled to preference should attach to their applications their original discharge, or a photostat or certified copy thereof, or their official record of service, which will be returned.

GREAT LAKES NAVAL STATIONS CLOSED.

The following-named naval radio stations on the Great Lakes have been closed; Alpena, Mich., Buffalo, N. Y., Detroit, Mich., Duluth, Minn., Eagle Harbor, Mich., Mackinac Island, Mich., Milwaukee, Wis., Whitefish Point, Mich., Detour Point, Mich., and Grand Marias, Mich. It is not known definitely at this time whether these stations will be reopened. When such information is available notice will be published in this Bulletin.

At the present time the only naval stations open on the Great Lakes are Chicago, Ill., Manistique, Mich., and Cleveland, Ohio. The two named first are accepting

commercial traffic. Cleveland only handles air mail service traffic.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM THE SUPERINTENDENT OF DOCUMENTS GOVERNMENT PRINTING OFFICE WASHINGTON, D. C.

SCENTS PER COPY SUBSCRIPTION PRICE, 25 CENTS PER YEAR

 ∇

Return to Radio Service Bulletins Index

16 of 16 8/25/2012 11:24 PM