# DEPARTMENT OF COMMERCE

ISSUED MONTHLY BY BURRAU OF NAVIGATION

Washington, February 28, 1927—No. 119

#### CONTENTS

Abbreviations. New stations Alterations and corrections Miscellaneous: Vessels equipped with a radiocompose Call signals of Thatcher Islandard Fourth CER (Mass.) radiocompost stations changed. Dismond Shoal Lightship radiobescen to be changed.	7	Miscellaneous—Continued. I Weather reports to be breadeast daily by lightships Information regarding foreign stations. International fee patrol service. New radio broadcasting law in the Philippine Islands Standard frequency stations. Constant frequency stations. References to current radio literature.	7 8 9 10
---	---	---	-------------------

#### ABBREVIATIONS

The necessary corrections to the List of Radio Stations of the United States and to the International List of Radiotelegraph Stations, appearing in this bulletin under the heading "Alterations and corrections," are published after the stations affected in the following order:

- Name of station. Name

=Geographical location. O=west longitude. N=north latitude. Loc.

S=south Intitude.

= Call letters assigned. Call

= Radio system used and sparks per second. System.

Range

Normal range in nautical miles.
Wave lengths assigned: Normal wave lengths in italics.
Nature of service maintained. W. J.

Service

FX = Point-to-point (fixed service).

PG=General public. PR=Limited public.

RC = Radiocompass station.

AB=Aviation beacon.

B=Beacon.

P == Private.

O=Government business exclusively.

= Hours of operation: Hours

N = Continuous service.

X = No regular hours.

F. T. Co. = Federal Telegraph Co.
I. R. T. Co. = Intercity Radio Telegraph Co.
I. W. T. C. = Independent Wireless Telegraph Co.

К. & С. R. C. A. Kilbourne & Clark Manufacturing Co.

= Radio Corporation of America.

T. R. T. Co. = Tropical Radio Telegraph Co. U. R. Corp. = Universal Radio Corp. W. S. A. Co. = Wireless Specialty Apparatus Co.

 $C_{i}$   $w_{i}$ = Continuous wave.

= Interrupted continuous wave. I. e. w.

= Kilocycles. Ke. Fy. = Frequency.

Alternating current.
Vacuum tube. A. c.

Novice.—Copies of the new radio law of 1927 (Public No. 632) are available at the office of the Superintendent of Documents, Government Printing Office,  $^{2}$ 

#### RADIO SERVICE BULLETIN

#### MEW STATIONS

Commercial land stations, alphabetically by names of stations

[Additions to the List of Radio Stations of the United States, edition of June 39, 1926, and to the Interpational List of Radiotelegraph Stations published by the Berne bureau]

Station	Cali signal	Wave lengths	Service	Hours	Station controlled by—
Fresno, Calif. McCamey, Tex.	KGT Kaz	45.05 48.05	FX	X.	Pacific Air Transport. Texas Pipe Ling Co.

Los. (approximately) O 119° 50′ 00″, N 36° 42′ 00″; system, composite v. t. telegraph.
 Loc. O 102° 14′ 12″, N 31° 08′ 32″; system, composite v. t. telegraph.

Commercial ship stations, alphabetically by names of ressels

[Additions to the List of Radio Stations of the United States, edition of June 30, 1923, and to the International List of Endiotelegraph Stations published by the Berne busines]

Name of vessel	Call signal	Rates	Sprvice	Hours	Owner of vessel	Station con- trolled by—
Arterole Cabrille Covens Derden Dartford Gulf Pride (RC) Lake Ellithorpe Lake Ellithorpe Malolo (RC) Malolo Lifeboat Mololo Lifeboat Morioli Sabani	KUPK KDAV KGEJ KOFM KOBT KIIA KIIA KIIB	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	PG PG PG PG PG PG PG PG	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	U. S. Shipping Board	1. W. T. Co. H. C. A. Do. Do. Do. Do. Do.

# Commercial land and ship stations, alphabetically by sall signals [b, Ship station; c, tand station]

Call signal	Name of station	Call signal	Name of station •
KDAV KEMP KENS KGEJ KGT KH KHA KHA	Dertford b Covepa. b Cabrille b Guif Pride b Fresno, Calif c Maloin lieboat b Misloin lifeboat b	KOBT KOFM KBZ KUPK WNBB WQS WZUA	Lake Inglegook

# Broadcasting stations, alphabetically by names of States and cities [Additions to the List of Rudio Stations of the United States, edition of June 20, 1996]

State and city	Call signal	State and city	Call algoral
Onlifornia: . Purbook	KELW	New York: Endicott	WNBF
Los Angeles. Do. Yuba City	KKLO	Le Ray Rochester North Dakota: Anda	KOFL WNBQ KOFN WMBW
Colorado: Durango	KOLO KOFL	Ohio: Youngstewn Gregon: Pertland	WMBW
Hinois: Bloomington	WMRY	Pennsylvania:	KWB
Forest Park	WNBA	Bethayres (portable)	A.D.BO
Inwa: Sinux City Kentucky: Hopkinsville Manachmenta: Boston	WFIW -	Tennessee: Knoxyllie	
Minnesota: Hallock	KGFK	Texas: Fort Stockton.	KGFI

# Broadcasting stations, alphabetically by call signals

[The power and wave lengths given in this table were compiled from applications for licenses furnished the department by the owners of the stations. Since the department does not make assignments in either respect, this list is not necessarily in conformity with wave lengths or power actually used. All of the stations named hereunder were becaused prior to the approval of the radio act of 1927]

	117.4		-		The second second
Call signal	Location of station (address)	Owner of station	Power (Watts)	Wave length	Fre- quency (kilo- cycles)
KELW	Burbank, Calif., 3702 Magnella Avenue.			535	500, 4
KGA	Spokane, Wash., 325 Rowan	Northwest Radio Service Co	20,000	340.7	880
KGEO	Grand Island, Nehr., 116 North Locust Street.	(Central Power Co., Indepen- dent Publishing Co., Universal Pictures Corporation, and Venezy Hotel Co.)	50	271	1,106
KOFI	Fort Stockton, Tex. Los Angeler, Calif., 2133 West Twenty-first Street.	M. L. Enves Ben S. McGlashan	100 100	220. 4 218	1,860 1,873
KGFK	Bollock, Minn	Kittson County Enterprise (C. W. Houvette).	100	225	1,333
KGFL	Trinidad, Colo., 219 West Main Street.	Trinidad Broadcasting Co	50	222	1,351
KGFM	Vallet City Calif. 256 Blancon	George W. Johnson	15	450	668, 3
KOFN KGFP	Street. Anete, N. Dak. Mitchell, S. Dak., 113 West. Fourth Avenue	Hamldson & Thingstad Mitchell Brondenst Co	15 15	222. 1 263	1, 350 1, 140
KLIT	Portland, Oreg., 475 Twenty-first	Lewis 1. Thompson	10	380	:789
KOLO KRLO	Durango, Cole., P. O. Bez 786 Los Angeles, Calif., 218 North Larchmont Boulevard.	Gerald K. Hunter. Freeman Lang and A. B. Scott	230 230	335, 1 440	844.3 681.4
KSCJ KWBS	Sioux City, Iowa Portland, Oreg., 226 East Forty- fird Street.	Slour City Journal Schoeffer Manufacturing Co	19 10	144 200	625.3 1, 699
WALK WCOC	Rothayres, Pa. (portable) Columbus, Mizs	Crystal Oil Co. (H. B. Holmes,	50 100	285 265, 3	1, 052 1, 130
WFIW	Hopkinsville, Ky Boston, Mass., 353 Washington Street.	jr.). Aeme Mills (Inc.) Browning Drake Corporation	1,000 50	356. 9 480	840 624. 6
WMBW	Youngstown, Ohio, 647 Market	Youngstown Broadcasting Co	30	270	1,075
WMBY	Blocklington, Ill., 105 East Front	Robert A. Isuaes	15	291. 1	1,030
WNBA	Forest Park, III., 810 Despisines	M. T. Raiferty	500	238	1, 200
WNBF	Englicott, N. Y., 117 West Main	Howitt-Wood Radio Co. (Lyle E. Howitt and H. L. Wood).	50	205, 4	1,460
WNBI WNBI WNBK WNBL	Peru, III., 621 East Seventh Street. Knoxville, Tenn. Le Roy, N. Y., 18 Myrtle Street. Bloomington, III., 167 East Front	TITLE TO THE STATE OF THE STATE	10 15 250 15	357 335 334 495	839, 8 895 847 605, 7
WNBO	Street. Washington, Pa., 319 East Benz	John B. Spriggs	16	215	1, 295
WNBQ	Street. Rochester, N. Y., 192 South Good	Gordon P. Brown	15	407.6	735.6
WNBR	man Street. Memphis, Tenn., 883 Poplar Avenue.	Popular Radio Shop (John Ulrich).	25	316	948.8

# Government ship stations, alphabetically by names of stations

[Additions to the List of Radio Stations of the United States, edition of June 30, 1926, and to the International List of Radiotelegraph Stations published by the Berne bureau]

Station	Call signal	Wave length	Service	Ношт	Station controlled by—
Omera	wvav	מחל	_	v	T3 C 1

rin 3

# Government land and ship stations, alphabetically by call signals

(b, ship station; o, land station)

Coll signal	Name of station
wycv	db

#### ALTERATIONS AND CORRECTIONS

#### COMMERCIAL LAND STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 50, 1925, and to the International List of Radiotelegraph Stations, published by the Berne bureau]

Belfast, Mr.—Strike out all particulars. Ensenada, P. R.-Rates, ship service 10 cents per word. Point Barrow, Alaska (KFZG) .- Loc. (approximately) O 156° 27′ 00″, N. 71° 23' 00"; system composite v. t. telegraph; w. l., 45.32, 69.25.

Point Barrow, Alaska (KFZH, portable).—Change to Fairbanks, Alaska; loc. (approximately) O 147° 30' 00", N. 55° 00' 00"; system, composite v. t. telegraph; w. L., 44.71, 68.32.

#### COMMUNICIAL SHIP STATIONS, ALPHABETICALLY, BY NAMES OF VESSELS

San Francisco, Caliv. (KFS).—See Palo Alto, Calif. (near) for particulars.

[Attentions and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 112], and to the International List of Radiotelegraph Stations, published by the Berne Lucesu)

AGWIBAY.—Name changed to Axtell J. Byles; owner of vessel, Tide Water Associated Transport Corporation. AGWISMITH.—Name changed to Helen Vinmont. Anniston City.—Station controlled by R. C. A. Atlanta City.—Station controlled by R. C. A.

Baldhill. -- Station controlled by R. C. A.

BAYONNE .- Station controlled by owner of vessel, BERKSHIRE.—Owner of vessel, Berkshire S. S. Co.

CAPE Con.-Name changed to Emma H. Coppage.

Carolinas.—Owner of vessel, Multran S. S. Co. Causeo.—Station controlled by I. W. T. Co.

CHARLES L. O'CONNER.—Station controlled by I. W. T. Co.
CITIES SERVICE FUEL.—Owner of vessel, Cities Service Transportation Co.
CITY OF LORDSBURG.—Name changed to James Griffiths.

Commencial Pilot.—Station controlled by I. W. T. Co.

Dannepatre.—Owner of vessel, Dannedaike S. S. Corporation; station controlled by R. C. A. (U. S. L.).

Druel.—Name changed to Capac.

East Indian.—Station controlled by R. C. A.

Entry — Station controlled by R. C. A.

EDITH.—Station controlled by R. C. A.

EDWIN CHRISTENSON.—Owner of vessel, Christenson S. S. Co. ELEANOR CHRISTENSON.—Owner of vessel, Christenson S. S. Co.

FAITH.--Station controlled by R. C. A.

Governor John Line.—Station controlled by R. C. A.

Inspector.—Station controlled by R. C. A.

Jane Christensen.—Correct orthography Jane Christenson; owner of vessel, Christenson S. S. Co.

JETEBEL.—Station controlled by R. C. A.

KERUKU.—Name changed to Childre; station controlled by R. C. A. KEROSKEE.—Station controlled by R. C. A. MAURICE TRACY.—Station controlled by I. W. T. Co. MICHAEL TRACY.—Station controlled by I. W. T. Co.

MUNPLACE.—Owner of vessel, Munson S. S. Line. MUNDELTA.—Owner of vessel, Munson S. S. Line. Myeric.—Owner of vessel, Mystic S. S. Corporation, Nonzurny Liquit.—Station controlled by R. C. A.

Panama.—Owner of vessel, Alaska S. S. Co.
Pansa.—Name changed to Mary D.; owner of vessel, Pacific American Fisheries;
station controlled by R. C. A.
Perry L. Smithers.—Station controlled by R. C. A.
Paterilla.—Name changed to Edward L. Shea; owner of vessel, Tide Water

Associated Transport Corporation.

RAJAH.—Owner of vessel, Cowley Gulf Line.

Relief.—Station controlled by R. C. A. Romulus.—Station controlled by R. C. A.

ROTARIAN.—Name changed to Condor.
Steel Voyager.—Station controlled by R. C. A.

Sunoit.—Name changed to Atlas; owner of vessel, Standard Transportation Co. Vaba.—Owner of vessel, steamer Vaba Corporation.

West Cobalt.—Station controlled by R. C. A. West Cohas.—Station controlled by R. C. A. Willeno.—Station controlled by R. C. A.

Strike out all particulars of the following-named vessels: Benj. F. Packard, Chicago, James MacNaughton, Romagne, William C. Atwater.

#### COMMERCIAL AIRPLANE STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1926, and to the International List of Radiotelegraph Stations, published by the Berne bureau]

Detroiter.—Read Alaskan; w. l., 44.42, 60.81.

COMMERCIAL LAND AND SHIP STATIONS, ALPHABETICALLY, BY CALL SIGNALS

KDA, read Alaskan (airplane); KDCF, read Condor; KDJH, read Jane Christenson; KDRC, read Helen Vinmont; KDSR, read Axtell J. Byles; KFSE, read Edward L. Shea; KFZH, read Fairbanks, Alaska; KOMD, read Capac; KUJZ, read Emma H. Coppage; KUPV, read Chilore; KUTK, read James Griffiths; KUZN, read Mary D.; KWP, read Atlas; strike out all particulars following the call signals, KDJX, KFCN, WAC, WCE, WLA, WPB.

#### BROADCASTING STATIONS, BY CALL SIGNALS

[Alterations and corrections to be made to the List of Hadio Stations of the Upited States, edition of Juna 30, 1926, and list in Radio Service Bullotin No. 117, Dec. 21, 1926. The changes given berequider were complied from applications for licenses furnished the department by the owners of the stations prior to the approval of the radio act of 1927. Since the department does not make assignments in either respect, this list is not necessarily in conformity with wave lengths or power actually used]

KDYL (Salt Lake City, Utah).—Power, 250; w. l., 246.8, fy. kc., 1,215.

KFAD (Phoenix, Ariz.).—Power, 500. KFLU (San Benito, Tex.).—Power, 15.

KFON (Long Beach, Callf.).-Power, 750.

KFPY (Spokane, Wash.).-Power, 500.

KFWB (Hollywood, Calif.).—Power, 750.

KFWV (Portland, Oreg.).—Power, 50.

KFXB (Big Bear Lake, Calif.).—Change to Los Angeles, Calif., Commercial Exchange Building; power, 4,000; w.1., 352.7, fy. kc., 850.

KFXY (Flagstaff, Ariz.).—Power, 10.

KFYR (Bismarck, N. Dak.).—Power, 250.

KGBX (St. Joseph, Mo.).—Power, 100.

KGBY (Shelby, Nebr.).—Owner of station, Dunning and Taddiken.

KGDM (Steekton, Calif.)—Owner of station, Victor C. Koning.

KGDM (Stockton, Calif.).—Owner of station, Victor G. Koping and E. F. Peffer, 42.South California St.

KGEX (Muscatine, Iowa).—Call signal changed to KPNP.
KGFA (Seattle, Wash.).—Call signal changed to KTCL; owner of station, American Radio Telephone Co., 614 Terminal Sales Building.

KMO (Tacoma, Wash.).—Address, Hotel Winthrop.

KMTR (Los Angeles, Calif.).—Owner of station KMTR Radio Corporation. KOCW (Chickasha, Okla.).—W. l., 270.1, fy. kc., 1,110.

KSOO (Sioux Falls, S. Dak.).—Power, 250.

KUT (Austin, Tex.).—W. 1., 272.6, fy. kc., 1,100.

KWWG (Brownsville, Tex.).—Owner of station, Chamber of Commerce (City of Brownsville); power, 750.

KYW (Chicago, Ill.).—Power, 5,000; address, 508 South Michigan Ave.

```
ô
                                                                           RADIO SERVICE BULLETIN
WBBP (Petoskey, Mich.).—Power, 160.
WBET (Boston, Mars.).—Power, 500.
WBNY (New York, N. Y.).—Address, 400 East One hundred and thirty-
       ninth St.
 WCAC (Manefield, Conn.).—Read Storra, Conn. WCAO (Baltimore, Md.).—Power, 500.
WCAO (Baltimore, Md.).—Power, 500.

WCFL (Chicago, Ill.).—Power, 1,500.

WCRW (Chicago, Ill.).—Power, 1,000; w. 1., 410.7., fy. kc., 730.

WCWK (Fort Wayne, Ind.).—Power, 500.

WCWS (United States, portable.).—Owner of station, Bridgeport Broadcasting Station (Harold D. Feuer and Charles W. Selen).

WDAD (Nasbyille, Tean.).—Power, 5,000.

WDAH (El paso, Tex.).—Power, 100.

WDBJ (Roanoke, Va.).—Power, 100.

WEBJ (New York, N. Y.).—Power, 1,000.

WEPS (Gloucester, Mass.).—Owner of station, Matheson Radio Co., 200 Main St.
        Main St.
WGBC (Memphis, Tenn.).—Power, 15.
WGBS (New York, N. Y.).—Changed to Astoria, N. Y.
WGBU (Fulford-by-the-Sea, Fla.).—W. 1., 384.4, fy. kc., 780.
WGM (Jeanette, Pa.).—Power, 50.
WHAM (Rochester, N. Y.).—Owner of station, Stromberg-Carlson Telephone
         Manufacturing Co.
WHBL (Chicago, Ill., portable).—Power, 100.
WHBM (Chicago, Ill., portable).—Power, 100.
WHBQ (Memphis, Tenn.).—Owner of station, broadcasting station WHBQ (Inc.), Dermon Building.
WHEC (Rochester, N. Y.).—Power, 500.
WHT (Deerfield, Ill.).—W. 1., 390.8, fy. kc., 750.
WIBI (Flushing, N. Y.).—Owner of station, Frederick B. Zittel, jr. (George Palmer), 369 Amity St.
         Palmer), 369 Amity St.
 WIBJ (Chicago, Ill., portable).—Power, 100.
WJAM (Cedar Rapids, Iowa).—Power, 500.
WJAS (Pittsburgh, Pa.).—Address, Tenth and Peansylvania Ave.
WJBT (Chicago, Ill.).—Address, 1654 Howard St., power, 10.
WJBY (Gadsdeu, Ala.).—Power, 100; w. 1., 270.1, fy. kc., 1,110.
WKBF (Indianapolis, Ind.).—Power, 500; w. 1., 243.8, fy. kc., 1,230.
WKBO (Jersey City, N. J.).—Power, 1,000; w. 1., 472.7, fy. kc., 685; address,
         2866 Boulevard.
 WKBY (Danville, Pa., portable).—Power, 100.
WKRC (Cincinnati, Ohio).—Power, 2,060.
WLAC (Nashville, Tenn.).—Power, 5,000.
WLAP (Louisville, Ky.).—Power, 30.
WLBN (Chicago, Ill., portable).—Power, 50.
WNAX (Yankton, S. Dak.).—Owner of station, Dakota Radio Apparatus Cg.
WNAX (Yankton, S. Dak.).—Owner of station, Dakota Radio Apparatus and Gurney Seed and Nursery Co.
WNRC (Greensboro, N. C.).—Power, 500.
WOI (Ames, Iowa).—Power, 5;000.
WOKO (Peekskill, N. Y.).—Power, 500.
WOWO (Fort Wayne, Ind.).—Power, 10,000
WQAM (Mismi, Fia.).—Power, 1,000.
WRCO (Raleigh, N. C.).—Power, 250.
WRNY (Coteysville, N. Y.).—Address, Hotel Roosevelt, New York, N. Y.
WRST (Bay Shore, N. Y.).—Power, 150.
WSBC (Chicago, Ill.).—Power, 1,500.
Strike out all particulars of the following-named stations: KFOO (Salt 1)
  Strike out all particulars of the following-named stations: KFOO (Salt Lake City, Utah), KFYO (Texarkana, Tex.), KGDI (Seattle, Wash.), KXRO (Seattle, Wash.), WGBR (Marshfield, Wis.), WLBU (Canastota, N. Y.), and WWPR (Detroit, Mich.).
              GOVERNMENT LAND STATIONS, ALPHABETICALLY BY NAMES OF STATIONS
 [Alterations and corrections to be made to the List of Radio Starions of the United States, edition of June 39, 1926, and to the International List of Hadiotelegraph Stations, published by the Herne Bureau]
   CAPE LOOKOUT, N. C.—Call signal changed to NAN; on page 116, list of
```

6 of 17 8/26/2012 12:05 AM

Commercial and Government Radio Stations of the United States, under Atlantic Coast, add Cape Lookout, N. C.—NAN—latitude 34-56-12 N., iongi-

FOURTH CLIFF, MASS.—Call signal changed to NBF.
JUNEAU, ALASKA.—W. 1., 600, 800, 2,250; service, PG; hours, 8 a. m. to 12
midnight; rates, ship service 12 cents per word; station controlled by U. S. Army, Signal Corps.

Ketchikan, Alaska.—W. l., 600, 800, 1,874, 4,543; service, PG; hours, N; rates, ship service 12 cents per word; station controlled by U. S. Army, Signal

THATCHER ISLAND, MASS.—Call signal changed to NBE.

GOVERNMENT SHIP STATIONS, APHABETICALLY BY NAMES OF STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1926, and to the International List of Radiotelegraph Stations, published by the Berne Burcau)

Edgemoor.—Strike out all particulars.

#### GOVERNMENT AIRPLANE STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1926, and to the International List of Radiotelegraph Stations, published by the Herne Bureau]

PN 10 No. 1.—Strike out all particulars. PN 10 No. 2.—Strike out all particulars.

GOVERNMENT LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS

NAN, read Cape Lookout, N. C.; NBE read Thatcher Island, Mass.; NBF, read Fourth Cliff, Mass.; strike out all particulars following the call signals, NIRB (airplane), NIRC (airplane), WXC.

SPECIAL LAND STATIONS, BY NAMES OF STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of Jone 30, 1925]

RICHMOND HILL, N. Y. (2XE) .- Owner of station, Atlantic Broadcasting Corporation.

#### MISCELLANEOUS

#### VESSELS EQUIPPED WITH A RADIOCOMPASS

The following-named vessels have been equipped with a radiocompass: Acme, Argon, George W. Barnes, Mary D., Paul H. Harwood, and W. L. Steed.

CALL SIGNALS OF THATCHER ISLAND AND FOURTH CLIFF (MASS.) RADIOCOMPASS STATIONS CHANGED

The call signals of Thatcher Island and Fourth Cliff (Mass.) compass stations have been changed to NBE and NBF, respectively. These stations now have separate transmitters in the same geographical location as their receiving loops. The operation of the group in which they are located has not been changed in any manner; the Deer Island station controls as heretofore. (See pp. 112 to 116, list of Commercial and Government Radio Stations of the United States, edition June 30, 1926.)

### DIAMOND SHOAL LIGHTSHIP RADIOBEACON TO BE CHANGED

The radiobeacon signal of this lightship will be changed about April 20, this year, to groups of two dashes and a dot repeated for 60 seconds and silent for 120 seconds, thus:

> Silent. \_\_ . etc. 120 seconds. 60 seconds.

WEATHER REPORTS TO BE BROADCAST DAILY BY LIGHTSHIPS

Beginning March 1, 1927, San Francisco Lightship, Blunts Reef Lightship, Columbia River Lightship, and Swiftsure Bank Lightship will broadcast weather

7 of 17

# . 8

#### RADIO SERVICE BULLETIN

its local weather report twice, requiring about 2 minutes, and the reports will follow from the different ships in the order named, totaling about 10 minutes. No requests for repeats (CQ) can be complied with, and Umatilla Reef Lightship will remain silent during these 10-minute periods. Special weather reports will be given by the regular stations and by Umatilla Reef Lightship when practicable on requests outside the regular broadcast periods. Shore stations and other chips are requested to remain silent during these periods.

#### INFORMATION REGARDING FOREIGN STATIONS

Canada.—A new commercial radio station has been established in Vancouver, British Columbia (long. 123° 06′ 56″, lat. 49° 17′ 10″); call signal, VAB; wave lengths, 600, 2,235, 3,100 meters (i. c. w. and c. w.), 198.6 and 600 meters (phone); range, 250 miles; hours, continuous. The call signal of this station is that formerly used by Point Grey; the latter now uses call signal VAI.

Holland.—Navigational warnings after transmission on 2,930 meters are repeated twice immediately on 600 meters by the Scheveningen coast station. The Maassluis compass station now charges 6 francs for each bearing. The call signal of the Ymuiden compass station is now PCYM. Change name of station

PCWO to Willemsoord.

Norway.—A radiocompass station has been established on Lille Færder Lighthouse in 59° 01′ 36″ N., 10° 31′ 54″ E.; call signal LGH. The station operates on a 600-meter wave, but as it is not equipped with a sending apparatus requests for bearings should be made to Tjöme radio station, call signal LET. For the present no charge is made bearings. A vessel requiring a bearing calls Tjöme radio (LET) in the usual manner, and when answered sends QTE LGH (what

is my true bearing from Færder radiocompass station?).

After receiving "K" the vessel proceeds to transmit her own call signal and the letter "V," alternately, for one minute. The signals should be made slowly

with the dashes prolonged.

Tjöme radio station then replies: "QTE" (the true bearing of your ship from Færder radiocompass station is —— degrees) followed by a three-figure group (000°=north; 270°=west) giving the true bearing off the vessel from the radiocompass station.

If the observation does not give a sharp result, owing to an indefinite mini-

mum, the bearing will be indicated as "approximate."

For the present bearings within the sector from 85° to 115° will be designated

as unreliable. No bearings will be given in the sector from 310° to 30°.

Masters of vessels, when certain of their positions, are invited to forward requests for bearings in order that both the station and vessels may obtain the best possible information as to the reliability of the bearings supplied; also, when convenient, forward a report on the results obtained to the director of telegraphs, radio division, Oslo, Norway.

Caution.—The authorities accept no responsibility for the accuracy or Inaccuracy of bearings furnished by the radiocompass station.

The radio fog signal at Lille Færder light station was discontinued when the

above-mentioned radiocompass station commenced to function.

Röst radiocompass station, in (approximately) 67° 30′ 30′′ N., 12° 04′ 30′′ E., is no longer experimental in view of which a charge of 4.50 france is made for each bearing. Vessels should therefore no longer request bearings for the purpose of testing their reliability although the radio division of the Norwegian Telegraph Administration at Oslo would still appreciate a report on bearings.

New Zealand.—The radio fog signal recently established on the islet off Cape Maria Van Diemee, in latitude 34° 29′ S., longitude 172° 39′ E. (approximately), transmits on 1,000 meters (spark), rango 50 miles. The fog signal will operate on all occasions when weather of low visibility exists off the Cape and in the vicinity of Three Kings Islands.

The characteristic of the signal consists of a series of the Morse letter J, transmitted automatically, at a speed of 15 words per minute, every five minutes,

Should the mechanism fail to operate, the following signal will be transmitted by hand (speed: 10 words per minute): VLU SK.

Vessels decising the signal to operate on special operators other than during

(here state time in New Zealand standard time)."

On receipt of the message the radio station will immediately instruct Cape Maria Van Diemen. The signal will be transmitted automatically for a period of 30 minutes from the time indicated. A charge of 2 shillings will be debited to the vessel making the request, by the New Zealand Post and Telegraph Depart-

The fog signal station does not exchange wireless messages with ships. Masters of vessels intercepting this fog signal are requested to forward reports as to the effectiveness of the signals, and particularly as to details concerning bearings and distances at which observations were made, to the Secretary, Marine Department, Wellington, New Zealand.

Note.—The above data was compiled from various foreign publications.

#### INTERNATIONAL ICE PATROL SERVICE

For the purpose of carrying on the International Ice Observations and Ice Patrol Service provided for by the International Convention for the Safety of Life at Sea, London, 1913-14, the United States Coast Guard cutters Tampa and Modoc have been detailed for this service.

The object of the Ice Patrol Service is to locate icebergs and field ice nearest to the North Atlantic lane routes. It will be the duty of the patrol vessels to determine the southerly, easterly, and westerly limits of the ice and to keep in touch with these fields as they move to the southward, in order that radio messages may be sent out daily, giving the whereabouts of the ice, particularly the ice that may be in the immediate vicinity of the regular North Atlantic lane

During the months of March, April, May, and June, and as much longer as

necessary, these two vessels will alternate on patrol.

Having located the ice, the patrol vessel will send daily radiograms and broadcasts, as stated below, each broadcast being repeated twice, with an interval of 2 minutes between each repeat. Each broadcast will be preceded by the general call "QST" on 600 meters (500 kilocycles) wave length, immediately followed by the ice broadcast on the wave length specified, as follows:

Ti	me		
G. C. T. Seventy- fith meridian		Wave length (meters)	(in kilo- eyeles)
1166 1200 2000	7.08 p. m. 4.00 n. m. 7.00 s. m. 6.00 p. m.	1,719 705 1,713 705	175 425 175 425

Note.—Attention is invited to the change to 1,713 meters (175 kilocycles) from 1,621 meters (185 kilocycles), which was used during the season of 1925. At 0030 (G. C. T.), 7.30 p. m., seventy-fifth meridian time, a radiogram will be sent to the Hydrographic Office, Washington, D. C., through land radio stations, defining the ice danger zone, its southern limits, or other definite ice news, while other messages will be sent during the night if any later information is obtained by the patrol vessel. The telegraphic address of the Hydrographic Office is "Hydrographic, Washington, D. C."

Ice information will be given by radio at any time to any ship with which that

Ice information will be given by radio at any time to any ship with which the patrol vessel can communicate. Such information will be furnished as regular

radio traffic (without charge) on commercial traffic frequencies (wave lengths).

fee information brondcasts will be given in as plain, concise English as practicable and will state in the following order: (a) position of patrol vessel, (b) location and description of ice, (c) other data.

The ice patrol vessels' general radio call letters are NIDK. This is a special eall for the vessel actually on patrol and should not be confused with the regular

Ω

# 10

#### RADIO \*SERVICE BULLETIN

The radio messages from the patrol vessel and from other sources will be given publicity by the Hydrographic Office, as follows:

(a) By radio broadcast from-

Station	G. C. T.	Seventy- jifth meridian standard time	Wave length (meters)
Arlington	{ 1530 0300 2200 { 1600 2200 { 1500 220 { 200 { 200 { 200 { 200	5.00 p. m.	17, 130, C. W. 2,930, T. D. tube. 2,776, T. D. tube. 3,553 tube.

(b) All reports of ice are published in the Daily Memorandum and the weekly

Hydrographic Bulletin.

The work of the United States Coast Guard cutters engaged on this ice patrol duty will be greatly facilitated if the principal trans-Atlantic steamships report the following data by radio to the patrol vessels:

(a) Icebergs or obstructions sighted, giving date, time (G. C. T.), latitude, longitude, set, and drift; and in case it is an iceberg, the temperature of the water at the time should be included.

(b) Surface temperature of the sea water every four hours when between latitude 39° N. and 48° N., and between longitudes 43° W. and 58° W., when bound either east or west, giving time of observation (G. C. T.), the latitude, longitude, course, and speed.

These data will facilitate the drawing of a temperature curve which will be

useful in locating the branches of the Labrador Current.

It is requested that radio operators desist, as far as practicable, from operating at the above times in order to lessen radio interference.—From Hydrographic Bulletin No. 1955, February 23, 1927.

#### NEW RADIO BROADCASTING LAW IN THE PHILIPPINE ISLANDS

The legislature of the Philippine Islands has passed legislation providing a tax of \$5 on each radio receiving set in use in the Territory. This act, which originated in the house of representatives, was finally passed by that body on November 4, 1926, and by the senate on November 3, 1926. It has been approved by the Governor General and now becomes law. Following is the law:

AN ACT Imposing an annual registration for on radio receivers, creating a radio broadcasting fund therefrom, providing for the disposition and application of said fund, and for other purposes.

Be it enacted by the Senate and House of Representatives of the Philippines in Legislature assembled and by authority of the same:

Section 1. Words and phrases defined.—The following phrases shall be used

and taken in the sense given below in interpreting this act.

Radio receiving set means any device, apparatus, contrivance, or combination of parts used, designed to be used, or capable when properly adjusted or repaired of being used for the reception of radiotelegraphic or radiotelephonic signals, sounds, or impulses.

Radio broadcasting station means any radio transmitter specially adapted to or operated for the transmission of signals, messages, entertainment, or other communications for their reception by any or all radio receiving sets within

Person means a natural person, a corporation, or any other entity, except as the

context may clearly require otherwise.

Sec. 2. Annual registration.—Every person having in his possession or control a radio receiving set shall register same annually with the collector of internal revenue or his deputies. Initial registration shall be effected within sixty days after the taking effect of this act, and thereafter registration shall be effected within thirty days after coming into possession or control of a radio receiving set subject to registration as aforesaid. Registration shall run for one year, where-

Registration shall be effected by stating the name of the owner and his address in such form and with such other details as the collector of internal revenue may prescribe and by paying the registration fee hereinafter prescribed: Provided, That the collection of the registration fees provided for in this set shall not commence until after the radio broadcasting committee hereby created has certified that a radio broadcasting station of sufficient power to serve all points of the archipelago has been established.

Sec. 3. Out of service.—Any owner of a radio receiving set which is in storage undergoing repairs, or out of service for any other reason, may also be exempted from payment of the registration fee for the period during which the said radio receiving set is out of service, but no refund or reimbursement of registration for or part thereof shall be made to any owner on account of a radio receiving set which is taken out of service subsequently to the payment of said fee. The owner desiring exemption under this section shall make affidavit covering the state of his radio receiving set and the time that it has been out of service in such form as

may be acceptable to the collector of internal revenue.

Sec. 4. Change in ownership.—Whenever any radio receiving set is sold, or any change in the ownership or control thereof takes place, it is hereby made the duty of the former owner thereof to notify the nearest internal revenue office within seven days from the date of the change of ownership, in writing, of such change, giving the name and address of the new owner and the details of former registration of the set. This notice shall be accompanied by a fee of twenty centavos.

Sec. 5. The radio industry.--Persons engaged in the manufacture or assembly of or dealers in radio apparatus may be exempted from payment of the registration fee hereinafter required in respect to radio receiving sets kept for sale, upon registering themselves as such with the collector of internal revenue and making such periodic reports of stocks and sales as he may require.

SEC. 6. Registration fee .-- There shall be paid and collected in respect to every radio receiving set in the Philippine Islands an annual registration fee in accordance with the following scale: Two pesos for crystal receivers and ten pesos for sets using a vacuum tube or tubes, whether for amplification or for detection. This registration fee shall be payable quarterly in advance, during the first twenty days of each quarter, and any such fee which is not paid within said twenty days shall be increased by a surcharge of twenty per centum, such surcharge to be part of the fee. The registration fees provided for in this act shall (not) cease to be collected whenever the radio broadcasting committee created by this act shall certify to the Secretary of Finance that there is a person or persons or entities that have established radio broadcarting stations of sufficient power to render effective service at all points of the archipelago and have given the necessary guaranties to fulfill gratuitously and permanently the requirements of subsection (b) of section twelve of this act.

Sec. 7. Exemption of sets for official use.—Radio receiving sets installed and operated for official use by the insular government, or any political subdivision thereof, or by the Army and Navy of the United States, shall be exempt from the

registration fees imposed by section six of this act.

Sec. 8. Application of internal resenue lows .- All special or general administrative provisions of law relative to assessment, remission, collection, and reimbursement of internal revenue taxes and consistent with the provisions of this act are made extensive and applicable to the fees herein imposed.

Sec. 9. Radio broadcasting fund.—All the collections made under this set shall be deposited in the insular treasury, twenty per cent thereof shall accrus to the general fund, and the remaining eighty per cent shall be set aside and shall constitute a special fund to be known as the "radio broadcasting fund," which

shall be used as hereinafter provided for.

Sec. 10. Application of fund.—The radio broadcasting fund shall be expended and disbursed by the radio broadcasting committee hereinafter provided for, under the supervision and with the approval of the Secretary of Commerce and Communications, who shall, during the first twenty days of each regular session of the legislature, submit to the latter a detailed report of all the expenses and disbursements made from this fund.

Sec. 11. Radio broadcasting committee.—There is hereby created a radio broadcasting committee to consist of the president of the University of the Philippines, the director of the bureau of posts, the collector of internal revenue, the chief of the executive bureau, two citizens of the Philippine Islands or the United States

11

# 12

# RADIO SERVICE BULLETIN

eral, with the advice and consent of the Philippine Senate. The members of the radio broadcasting committee shall receive a per diem of five pesos for each meeting attended, not to exceed two meetings in any one month.

Sec. 12. Purposes for which fund may be expended.—The radio broadcasting

fund shall be expended exclusively for the following purposes:

(a) Giving financial assistance to the municipalities and selected government

institutions for the acquisition of radio receiving sets.

(b) Payment to the owners of any duly authorized radio broadcasting stations possessing satisfactory facilities and apparatus for service within the Philippine Islands, for the radio broadcasting of a minimum of two hours daily of governmental news, information, education, and entertainment, to be allocated among the several activities, functions, and departments of the government by the radio broadcasting committee: Provided, That the sum authorized for any station shall not exceed the actual value of the services rendered in accordance with this subsection.

(c) The employment of personnel, the payment of per diems, and the payment of the expenses necessary to the carrying out of the foregoing purposes: Provided, That in the event government employees are called upon to perform work under this act payment to them of such salaries, wages, per diems, etc., as may be authorized, may be made as herein provided for, the provisions of existing law to the contrary notwithstanding: Provided further, That the expenses authorized for

these purposes shall not exceed five per centum of said fund.

(d) Any unexpended balance of the radio broadcasting fund after payment of all expenses authorized in accordance with subsection (a), (b), and (c) of this section shall be paid into a permanent fund which shall accumulate from year to year, to be used exclusively for the promotion and development of radio broadcasting in the Philippine Islands in the following manner: When, in the opinion of the radio broadcasting committee, this permanent fund has reached a sufficient figure for the establishment of broadcasting stations or any other installations in aid of radio broadcasting said committee shall recommend to the legislature the stations or installations to be established in Manila or in the Provinces, at the expense of said permanent fund.

SEC. 13. Any person falling to declare a radio receiving set in accordance with the provisions of this act shall pay a fine of not to exceed twenty-five peace.

SEC. 14. This act shall take effect on its approval.

# STANDARD PREQUENCY STATIONS

As a result of measurements by the Bureau of Standards upon the transmitted waves of a limited number of radio transmitting stations, data are given in each month's Radio Service Bulletin on such of these stations as have been found to maintain a sufficiently constant frequency to be useful as standards.

As shown by the list of "constant frequency stations," there may be many other stations not measured in the bureau's laboratory which maintain their frequencies just as constant as the stations listed below. There is, of course, no actual guaranty that these stations will maintain the constancy shown, but the data indicate the high degree of confidence that can be placed in them. The transmitted frequencies from the standard frequency stations can be utilized for calibrating frequency meters and other apparatus by the procedure given in Bureau of Standards Letter Circular No. 171, which may be obtained by a person having actual use for it upon application to the Bureau of Standards,

12 of 17

handland or .		RADIO SERVICE	nulle:	HH			18
Station	Owner	Location	Fre-	Period covered	Num- ber of	quenc	ions from ned fre- es noted afrements
			doscot	by mean- urements	tinsee. meas- ured	Aver- nge	Grent- est sinos Jan. 25, 1927
N83 WCI	United States Navy Radio Corporation of Actorica.	Annapolis, Md Tuckerton, N. J	Kilo- eyeles 17.50 17.98	Moniks 9 24	45 105	Fer cent 0,1	Per cent 0.8
WRS WGG	Do	Rocky Paint, N. Y Turkerton (No. 1), N. J.	JR. 60 JR. 86	5 42	15 290	· i	:1
WII WVA NAA WEAP	Do. United States Army. United States Navy. National Brondcast- ing Co.	New Bruhswick, N. J. Annapolis, Md Atlington, Va New York, N. Y	100	72 23 16 26	128 176 79 154	.22	.0
WRC WJZ WGY WBZ	Radio Corporation of America. Do. General Electric Co. Westinghouse Elec- teic & Manufactur-	Weshington, D. C Bound Brook, N. J Schencetady, N. Y Springfield, Mass	690 770 900	- 38 - 0 44 32	154 37 194 90	.1	.3 .9 .2
KDKA KDKA :	ing Co.	East Pittsburgh, Pa	970 4, 711	9	42 26	:1	.1

t High-frequency felephone transmitting station.

# CONSTANT PREQUENCY STATIONS

The list of "constant frequency stations" given below supplements the list of "standard frequency stations." The transmitted waves from the stations in either list should be of value to the public as frequency standards because of their constancy and close adherence to the licensed values. The Bureau of Standards makes regular measurements of the transmitted frequencies of the standard frequency stations only. The constant frequency stations in the following supplementary list do not earry the same assurance of reliability as if the transmitted waves were regularly measured by the Bureau of Standards, but it is probable that if measurement data were available many of them would show the same constancy as the standard frequency stations.

The fundamental requirement of a broadcasting station for inclusion in the following list is the completeness of a provide daylor for controlling or checking

The fundamental requirement of a broadcasting station for inclusion in the following list is the employment of a special device for controlling or checking the frequency, the calibration of such a device being in agreement with the bureau's frequency standards. The special device may be automatic piezocontrol, a plezococillator, piezoresonator, or frequency indicator. Stations not included in this list nor in the list of standard frequency stations, which use one of the special devices for frequency regulation, are invited to communicate with the Bureau of Standards requesting a copy of Letter Circular 214, Requirements of Constant Execuency Stations.

Frequency Stations.

Station	Owner	Location	Fre- quency	Wave length	Apparatus for fre- quency regulation
wno	Bankers Life Co.	Des Moines, Iowa	Kilocycles 570	Helers 100	Discountiel
KFRU	Stephens College	Columbia, Mo	600	199.7	Piesoscolistor. Frequency indicator
WOC	Palmer School of Chiro- practic.		. 620	483.6	and plesocscillator. Pierooscillator.
WTIC WMAQ	Traveler's Instruce Co. Chicago Daily News.	Hartford, Conn	650	475.9	Do.
	Criming Daily Trends.	Casengo, In.,	670	447.5	Trequency indicator, type B and plene-
KLDS	Reorganized Church of Jessin Christ of Latter	Independence, Mo	690	4àn. 9	Frequency indicator.
KPO	Day Saints.	San Erenelson Calls	700	ene n	•

13 of 17 8/26/2012 12:05 AM

# 14

#### RADIO SERVICE BULLETIN

Station	Owner	Location	Fre- quency	Wavo length	Apparatus for fre- quency regulation
wlw	Crosley Radio Corpo-	Herrison, Ohio	Kilocycles 710	Meters 472.3	Proquency indicator
WCC0	ration. Washburn-Crosby Co	St. Paul-Minnespolis, Minn.	720	616.4	and percescillater. Piercescillater.
WEAR	Willard Storage Bat-	Cleveland, Ohio	770	399. 4	Do.
KTHS	New Arlington Hotel	Hot Springs, Ark	500	374. 6	Frequency indicator, type B.
KGO	Loyal Order of Moose General Electric Co	Mooscheart, III Oakland, Calif	510 830	370. 2 361. 2	Plezoscillator. Plezoscillator. Plezoscontrol and plezo- oscillator.
MIVD	Frank P. Jackson	Wace, Tex	850	352.7	Frequency indicator, type, B.
wwj	Detroit News Sears, Roebuck & Co	Detroit, Mich	850	352.7	Do.
WLS WKAQ	Sears, Roebuck & Co Radio Corporation of Porto Rico.	San Jeun, P. R	870 880	344. 6 340. 7	Piczesscillator. Frequency indicator, type B.
KOA WEAO	General Electric Co Ohio State University	Denver, Colo Columbus, Ohio	930 1,020	322.4 203.9	Pleroscillator. Frequency indicator, type, B.
WMBI	Moody Bible Institute	Chicago, 111	1,040	288.3	Piezootcillator.
WFBQ KFKA	of Chicago. William F. Gable Co Colorado State Teach- era' College.	Altonna, Ps	- 1,080 1,100	277. 6 272. 6	Frequency indicator. Piezooccillator.
WRAA WOI	Purdue University Iowa State College	West Lafsyette, Ind Ames, lown	1, 100 3, 110	272, 6 270, 1	Do. Automatic piero con- trol (checked with type B frequency indicator).
KFH	Hotel Lassen	Wiehltn, Kans	1, 120	267. 7	Frequency indicator, type B.
WENR	All American Radio	Chiengo, Ill	1, 130	263.3	Piezonstillator.
WCAD WAAM WOWO WBBM WEBQ KFVS WPDQ	Corporation. St. Lawrence University I. H. Nelson Main Auto Supply Co., Atlass Investment Co., Tate Radio Co., Hirsch Battery & Radio Co., Hirsm L. Turper.	Newark, N. J. Fort Wayne, Ind	1, 320 1, 330 1, 330 1, 340	203 227. 1 225. 4	Frequency indicator. Pieroscillator. Do. Do. Pieroscillator, type N. Frequency indicator, type B. Do.

#### REFERENCES TO CURRENT RADIO LITERATURE

This is a monthly list of references prepared by the radio laboratory of the Bureau of Standards and is intended to cover the more important papers of interest to professional radio engineers which have recently appeared in periodicals, books, etc. The number at the left of each reference classifies the reference by subject, in accordance with the scheme presented A Decimal Classification of Radio Subjects—An Extension of the Dewey System, Bureau of Standards Circular No. 138, a copy of which may be obtained for 10 cents from the Super-intendent of Documents, Government Printing Office, Washington, D. C. The various articles listed below are not obtainable from the Bureau of Standards. The various periodicals can be consulted at large public libraries.

#### R000.— Radio communication

Hector, L. G. Principles of modern radio receiving (book). Burton Publishing Co., Buffalo, N. Y., 1927. Price, 85. Rozo

#### R100.—Radio principles

- $_{\mathrm{RHI}}$
- **I**1113
- RIII
- Carson, J. R. Electromagnetic theory and the foundations of electric circuit theory. Bell System Technical Journal, 6, pp. 1-17, January, 1927.

  Espenschied, L. Radio broadcast coverage of city areas. Bell System Technical Journal, 6, pp. 117-141, January, 1927.

  Esan, A. Cher die Bestimmung des Neigungswinkels elektrischer Wellen und die Ausschaltung geneigt einfallender Wellen am Empfinger. Jahrbuch der drabtlesen Telegraphie, 19, pp. 4-10, January, 1927.

  The problem of blind spots. Modern Wireless (London), 7, pp. 172, 174, 176, Feb., 1927.

  Chros, C. Wireless communication and terrestrial magnetism (letter to editor). Nature (London), 119, pp. 82-83, January 15, 1927.

  Fickard, G. W. The correlation of radio reception with solar activity and terrestrial magnetism. R118.5 R113.5

15

- R113,7
- B113.7
- B113.7
- B113.7
- BHS.5
- R125.1
- Quack, E. Neuer über die Ausbreitung von kursen Wellen (mit kurzwellen rund um die Erde). Inhrbuch der drahtlosen Telegraphie, 28, pp. 177-178, December, 1928.

  Pracetti, M. L. Terta of redio propagation on abort wave lengths (RCA tests). General Eleptric Review, 59, pp. 113-116, February, 1922.

  van der Pol, B., jr. über Redarationenhwingungen (propagation). Jahrbuch der drahtlosen Telegraphie, 78, pp. 178-184, December, 1926.

  von Koreinnewsky, N. Eine Ursache der Anderung der Polarimitionsanztandes Kurzen Wellen. Jahrbuch der drahtlosen Telegraphie, 28, pp. 184-185. December, 1926.

  Einfluss der Sonnenfinsternis vom 14 Januar 1926 auf die Fortpflanzung der drahtlosen Wellen. Jahrbuch der drahtlosen Telegraphie, 28, pp. 193-199, December, 1926.

  Dunmors, F. W. A gingle-control superheterodyne for 3,300 to 30 meters (bow it finds use in a pertable radio direction finder). Radio Nows, 3, pp. 1923-08, March, 1927.

  Osbourne, 14, S. Hadio direction finding system. United States Patent No. 1616913, issued February 1, 1927. R125.1
- February 1, 1937.

  Adams, W. J. Electric current transmission. United States Patent No. 1616162, issued February 1, 1927.

  \*\*Transmission.\*\* United States Patent No. 1616162, issued February 1, 1927.

  \*\*Transmission.\*\* United States Patent No. 1616162, issued February 1, 1927. R125.6
- Fessenden, R. A. Method for wireless directive signaling. United States Patent No. 1617240, issued Vebruary S, 1527.

  Fessenden, R. A. Wireless transmission and reception. United States Patent No. 1617242, issued February S, 1927. R125.6
- R125.6
- Dinadale, A. First link in English radio beam system. Radio News, 9, pp. 1050-21, March, R125.6 1927.
- Chaffee, E. L., and Browning, G. H. A theoretical and experimental investigation of detection for small signals. Proc. Inst. of Radio Engrs., 15, pp. 113-153, February, 1927.
   Bost, G. M. The 1927 model of Best superheterodyne. Radio (San Francisco), 9, pp. 25-27, R134
- Bost, G. M. The 1927 model of Best superheterodyne. Radio (San Francisco), 9, pp. 25-27,
   February, 1927.
   Hall, E. L. Chart for radio circuit calculations. Radio (San Francisco), 9, pp. 25, February R134.75
- R140
- Mullett, E., Simple resonance curves and their medification by valve circuits; Experimental Wireless (London), 4, pp. 93-103, February, 1927.
   Marriott, R. H. A new radio circuit (Lottin and White circuit). QST, 11, pp. 36-38, February, R141.2
- R142
- 1927.

  Risby, C. R. Scranton fights "big noise" (war against man-made interference, instruments used, etc.). Radio Digest filustrated, 20, p. 5, February, 1927. 2171

#### H200. - Radio measurements and standardization

- Binneweg, A. Wave-meter calibration from broadcast harmonics. Radio News, 9, p. 1125, March, 1927. R210
- MacDonald, W. A. Importance of laboratory measurements in the design of radio receivers, Proc. Inst. of Radjo Engrs., 15, pp. 99-111, February, 1927.

  Meissner, A. Über pleso-elektrische Kristalle bei Hochfrequenz, Jahrbuch der drabtiesen Telegraphie, 28, pp. 20-24, January, 1927.

  Farr, W. H. Measuring especity with a weltmeter. Q5T, 11, p. 40, February, 1927. R210
- R214
- R#20

#### It300.—Radio apparatus and equipment

- Vilamentics valves for A. C. supply. Wireless World and Radio Review, 20, pp. 115-110, R330
- January 25, 1927.
  Domisthorpe, H. doA. A 4-electrode tube and circuit. Radio (San Francisco), 0, pp. 23-24, R334
- Tenan.
- R342.15 R342.15
- Lamer, F. K. The performance of amplifiers. Experimental Wireless (London), 4, pp. 77-80, Pebruary, 1927.
   Shackelton, W. J. Transformer. United States Patent No. 1816200, issued February 1, 1927.
   Marco, F. J. Radio-frequency transformer design in voltage stabilized systems. QST, 11, pp. 16-29, February, 1927.
   Eargent, E. M. Iniradyning radio-frequency receivers. Design 19. Sargent, E. M. Iniradyning radio-frequency receivers. Radio (San Francisco), 2, pp. 20-22, February, 1927.
   Grimes, D. Davelopments in tuned inverse dupler. QST, 11, pp. 6-13, January; pp. 21-27, February, 1927.
   Smith-Rose B. L. and Thomas D. and Thomas D. L. and Thomas D. and Thomas D R342.6
- R342.6
- Smith-Rose, R. L., and Thomas, H. A. Mensurements on radio-frequency amplifiers. Wireless World and Radio Review, 26, pp. 131-35, February 2; pp. 171-177, February 2; pp. 179-202, R342.6February 10, 1927.
- R242.6
- Millen, J. Constructing an amplifier power supply device (3-stage resistance-coupled amplifier operated from alternating current). Radio Broadcast, 10, pp. 439-72, March, 1927.

  Felix, E. H. What you should know about B power supply devices. Radio Broadcast, 10, pp. 447-79, March, 1927.

  Kirke, H. L. The design of a heterodyne type low-frequency generator. Experimental Wireless (London), 4, pp. 67-76, February, 1927.

  Herton, J. W. Oscillation generator with automatic frequency control. United States Potent No. 1616022, insued February 8, 1927.

  Frees. R. S. How our tube circuits work (the Cololitis circuit). OST, 11, pp. 9-15. February 8, 25 and 25 an R043.7
- E344
- E344.
- Kruze, R. S. How our tube circuits work (the Colpitts circuit). QST, 11, pp. 6-15, February, 1927. R344.3
- R348
- Vroom, E. System for energizing and testing repeaters. United states Patent and Toolerstein, issued February 1, 1927.

  Mittelmann, E. Untersuchungen über die Schwingsschaltung von Nilmans-Roosenstein, Jahrbuch der Grahtiesen Telegraphic, 28, pp. 183-189, December, 1926. R351

#### R400.—Radio communication systems

- Mesny, R. Les Oudes electriques courtes (book). Les presses Universitaires de France, Paris, R402 1527.
- Ranger, R. H. Interference reducing means for radio receiving apparatus. United States Patient No. 1616023, issued February 8, 1927.

  Frankland Reducing Translation of Parameters and States Patent No. 1516022. T2430 77 4 444

# RADIO SERVICE BULLETIN RECO.—Applications of radio Reco.—Applications of

#### AUDITIONAL COPIES

OF THE PUBLICATION MAY HE PROCURED FROM THE SUPERINTENDENT OF DUCUMENTS GOVERNMENT PRINTING OFFICE WASHINGTON, D. C.

5 CENTS PER COPY SUBSCRIPTION PARCE, 25 CENTS PER YEAR

16 of 17 8/26/2012 12:05 AM

Return to Radio Service Bulletins Index

17 of 17 8/26/2012 12:05 AM