

BER Radio

July 1999
An INTERTEC/PRIMEDIA Publication
www.beradio.com



PRODUCT SOURCE



Get The Scoop Anywhere, Anytime

Field reporting the way it's supposed to work. Introducing the all new Scoop Reporter II portable CODEC from AETA Audio. This rugged unit combines POTS and ISDN facilities with an integrated three-channel mixer and internal battery supply. Featuring 99 user programmable presets, the Scoop Reporter II will handle two microphones and one line level input. A balanced XLR output can be used for studio producer IFB and Mix-Minus feeds from studio, or to feed the local PA. The Scoop Reporter II will operate on voltages from 85 to 240 volts at 47 to 440Hz. When AC is not available or fails, the unit will run on standard "D" cell alkaline batteries. The intuitive interface is so easy to use, your talent will be able to run a remote broadcast with no technical assistance. And with our 24-hour technical support, you'll never miss another field report. The Scoop Reporter is the all-in-one box that will get the scoop anywhere, anytime.

**ISDN
&
POTS**

**D-CELL
BACKUP**

**3
CHANNEL
MIXER**

- All-in-one-box with "D" cell backup
- Supports G.711, G.722, ISO/MPEG Layer II, ADPCM and J.52
- ISDN or POTS
- Three-channel mixer
- PC programmable
- Send and receive 20kHz audio at 128kbs with ISDN
- Send and receive 7.5kHz audio with POTS

Available through most broadcast
equipment suppliers



AETA
AUDIO

Linking Innovation With Clarity

AETA AUDIO CORPORATION

75 Fleetwood Dr. Suite 200 · Rockaway, New Jersey 07866
Phone: (973) 659-0555 · Fax: (973) 659-9555

www.aetausa.com

Circle (101) on Free Info Card

ENCO + Orban + Harris = DAD_{PRO32} **The Only Complete Digital Audio Delivery Solution**



ENCO and Orban have combined the best features and technology of their digital audio products, and Harris now exclusively represents the new and improved DAD_{PRO32} Digital Audio Delivery System.

DAD_{PRO32} offers all of the features and functionality demanded by today's progressive broadcast facilities. Utilizing standard off the shelf non-proprietary hardware, network architecture, and operating systems, DAD is the logical choice for both Automated and Live Assist On-Air operations, Production, News, and Inventory Management. DAD supports Orban Sound Cube Technology, transparent links to the Orban Audicy Multitrack Editing System, sharing of data with other software applications for Wire Capture & Editing, Scheduling & Billing, and the Internet, as well as interface to other professional broadcast control and switching equipment. And DAD comes with free software upgrades for the first year, permitting immediate access to all of the latest features supported by rapidly emerging technology and evolving broadcast industry requirements.

Integrated LAN and WAN capabilities make DAD_{PRO32} the logical choice for groupwide, nationwide, or worldwide sharing of Audio, remote VoiceTracking, News, Schedules, and other data.

Call Harris today to discuss how the DAD_{PRO32} Digital Audio Delivery System will permit you to realize the operational efficiencies and cost savings available with the latest technology.

next level solutions

WIRELESS

BROADCAST

COMMUNICATIONS
PRODUCTS

1-800-622-0022 ■ www.harris.com/communications

HARRIS
Communications

Welcome to the fourth annual *BE Radio Product Source*, the issue dedicated exclusively to covering the products that apply to the radio industry.

As you can image, the spectrum of product offerings is expansive. This issue will serve as a broad outline of what's on the market. This particular edition should prove an invaluable guide in your equipment selection process as your station moves into the next century: Use it as a reference tool when you need to buy a mic or equip an entire facility.

Many of the products listed were unveiled at NAB99, including the *BE Radio* Pick Hit winners; some are even more recent entrants to the market.

So take a look at the following pages for the latest releases and market trends. Whatever your station's size and budget, you're sure to find something you've been looking for.

Let us know what you think of the issue. Send your comments to us at *BE Radio*, 9800 Metcalf Ave., Overland Park, KS 66212-2216 or e-mail us at beradio@intertec.com.

Dana Martin

Dana Martin, associate editor

EDITORIAL

Chriss Scherer, CSRE, *Editor*
Skip Pizzi, *Executive Editor*
John H. Battison, P.E., *Technical Editor, RF*
Dana Martin, *Associate Editor*

ART

Michael J. Knust, *Art Director*

BUSINESS

Dennis Triola, *Group Publisher*
Kathy Lewis, *Advertising Coordinator*
Mary Mitchell, *Classified Advertising Coordinator*
Barbara Kummer, *Circulation Director*
Leann Sandifar, *Circulation Manager*
Customer Service: 913-967-1711 or 800-441-0294

TECHNICAL CONSULTANTS

Harry C. Martin, *Legal*
Kevin McNamara, CNE, *Computer Technology*
Russ Berger, *Broadcast Acoustics*
Donald L. Markley, P.E., *Transmission Facilities*
Jerry Whitaker, CPBE, *Contributing Editor*
Yasmin Hashmi, *International Correspondent*
Stella Plumbridge, *European Correspondent*

PRIMEDIA Inc.

William F. Reilly, *Chairman and CEO*
Charles McCurdy, *President*
Beverly C. Chell, *Vice Chairman*

MEMBER ORGANIZATIONS

Sustaining Members of the following:

- Acoustical Society of America
- ARMA
- Audio Engineering Society
- Society of Broadcast Engineers Member, American Business Press Member, BPA International



Intertec Publishing Corporation

Raymond E. Maloney, *Chairman*
Cameron Bishop, *President & CEO*
Ron Wall, *Chief Operating Officer*
John Torrey, *Vice President, Entertainment Division*
Tom Cook, *Director of Editorial Development*
Stephanie Hanaway, *Div. Dir. of Marketing*
Doug Coonrod, *Corporate Creative Director*

PRIMEDIA Information Group

Curtis Thompson, *President/CEO*

BE RADIO (ISSN 1081-3357) is published monthly (except bimonthly in May/June and November/December) and mailed free to qualified recipients by INTERTEC, 9800 Metcalf, Overland Park, KS 66212-2215. Non-qualified persons may subscribe at the following rates: USA and Canada, one year, \$30.00; all other countries, one year, \$35.00 (surface mail), \$70.00 (air mail). Single copy price, \$10.00. Periodicals postage paid at Shawnee Mission, KS, and additional mailing offices. Canada Post International Publications Mail (Canadian Distribution) Sales Agreement No. 0956244. POSTMASTER: Send address changes to *BE Radio*, P.O. Box 12937, Overland Park, KS 66282-2937.

BE Radio is edited for corporate management, technical management/engineering and operations and station management at radio stations and recording studios. Qualified persons also include consultants, contract engineers and dealer/distributors of radio broadcast equipment.

PHOTOCOPY RIGHTS

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by INTERTEC provided that the base fee of U.S. \$2.25 per copy, plus U.S. \$0.00 per page is paid to Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. The fee code for users of the Transactional Reporting Service is ISSN 1081-3357/1999\$2.25+00.00.

For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. Prior to photocopying items for educational classroom use, contact CCC at 978-750-8400.

Organizations or individuals with large quantity photocopy or reprint requirements should contact Jenny Eisele, 913-967-1966. Microfilm copies of *BE Radio* are available by calling/writing Bell & Howell Info & Learning, 300 N. Zeeb Rd., P.O. Box 1346, Ann Arbor, MI 48106-1346. Phone: 313-761-4700 or 800-521-0600.

CORRESPONDENCE

Editorial and Advertising: 9800 Metcalf, Overland Park, KS 66212-2215. Phone: 913-341-1300; Edit. Fax: 913-967-1905. Advt. Fax: 913-967-1904.

© 1999 by INTERTEC. All rights reserved.

BE Radio

**Orban
Audicy
Pg. 28**

**Propagation
Systems Inc.
FM Broadcast
Antennas
Pg. 10**

**CartWorks
Audio Formats
Pg. 18**

**Neutrik USA
Minirator
MRI
Pg. 18**

**EVI Audio
R200
Pg. 52**

**Tannoy
Reveal Active
Pg. 12**

**360 Systems
TCR8
Pg. 48**

PRODUCT SOURCE

NATIONAL & INTERNATIONAL

Steven Bell
9800 Metcalf Avenue
Overland Park, KS 66212-2215
Telephone: (913) 967-1848
Fax: (913) 967-1900
E-mail: steven_bell@intertec.com

CLASSIFIED ADVERTISING

Brian Huber
Telephone: (800) 896-9939
(913) 967-1732
Fax: (913) 967-1735
E-mail: brian_huber@intertec.com

WESTERN U.S.


Sue Horwitz
809 South Orange Drive
Los Angeles, CA 90036
Telephone: (323) 933-9485
Fax: (323) 965-1059
E-mail: audient@mediaone.net

LIST RENTAL SERVICES

Lori Christie
Telephone: (913) 967-1875
Fax: (913) 967-1897

Jenny Eisele (Editorial Reprints)
Telephone: (913) 967-1966
Fax: (913) 967-1898
E-mail: jenny_eisele@intertec.com

Meet the "Morning Show Team"



Instant music, instant sound effects, instant fun.

- Holds up to 1,000 "carts" of any length, from milliseconds to hours.
- 10 banks of 50 programmable Hot Keys. It's like having 50 cart machines pre-loaded and ready to fire.
- Up to 24 hours of total on-line audio storage.
- "Find" button locates any cut instantly.

There is nothing faster, easier, or cooler! You can finally let go of your analog cart machines and associated maintenance headaches. Or, if you're running automation, now you have the perfect compliment for those times when you need to play something, and you need it now.

Instant Replay[®] 2.0

HARD DISK DIGITAL AUDIO

Fast and easy editing for news and listener call-ins.

The New Short/cut '99 has arrived!

Short/cut '99 delivers these exciting new features:

- Variable length cross-fades
- Programmable Fade In and Fade Out
- Gain adjustment of selected audio with ramping
- .WAV, .BWF and .AIFF file import and export
- External sample rate synchronization
- D-NET[™] Echo

Get superior audio quality, true cut-and-paste waveform editing, massive hard disk storage and support for external removable media drives,* all in one compact, easy-to-use package.



Short/cut '99
BROADCAST AUDIO EDITOR[™]



Attention call letter stations.** You're only a phone call away from a free 10-day Test Drive. So try it out. We'll understand if you don't give it back.

(818) 991-0360

360 Systems[®]

PROFESSIONAL DIGITAL AUDIO

For more information call (818) 991-0360 / Fax (818) 991-1360 / e-mail: info@360systems.com / Website: www.360systems.com

*Optional Zip[™] drives available from 360 Systems.


**Offer good in U.S. and Canada only.

© 1999-360 Systems

Circle (117) on Free Info Card


See us at NAB Radio Show Booth #1351

Radio Systems: StudioHub



and peripheral amps to harness all studio gear together. Each system component quick connects with RJ-45 jacks, and all peripheral products are phantom powered with the built-in DC-link system.


(609) 467-8000; fax (609) 467-3044
sales@radiosystems.com; www.radiosystems.com
 Circle (201) on Free Info Card



StudioHub has plug-and-play cable harnesses, patch panels, integrated balancing amps and accessories. The first rewired cabling system for digital-ready operation. CAT-5 shielded twisted-pair cables efficiently route analog and digital signals throughout a facility. Features pre-made source cables for all types of studio gear and quick-connect blocks

The first rewired cabling system for digital-ready operation. CAT-5 shielded twisted-pair cables efficiently route analog and digital signals throughout a facility. Features pre-made source cables for all types of studio gear and quick-connect blocks

Sierra Automated Systems (SAS): 32000



all input amplifiers, crosspoint cards, output amplifiers and power supplies as required for a complete system. Available controllers range from a single control panel per output to powerful menu-driven terminals of total system access.

(818) 840-6749; fax (818) 840-6751
sales@sasaudio.com; www.sasaudio.com
 Circle (202) on Free Info Card

The SAS 32000 audio routing switcher microprocessor-based audio switching and summing system is configurable and modular. A 32 stereo input/16 stereo output switching subsystem housed in a 3RU frame is the heart of the system. Each frame houses

Logitek: Vmix software



The Logitek Audio Engine has been expanded with the introduction of the Vmix Virtual Mixer Software for the PC. The software allows a computer to control the Digital Audio Engine without using any other control surface or to duplicate another control surface while occupying little space. For the user, the computer becomes the console, providing a space-efficient means of adding another console control point in a studio or controlling a console from remote locations. The software emulates a ROC-10, ROC-5 or Numix console control surface, depending on how the Audio Engine has been programmed.

(800) 231-5870; (713) 782-7597
info@logitekaudio.com
www.logitekaudio.com
 Circle (205) on Free Info Card

Digigram: NCX200


Connected to a server via Ethernet (10/100BT), the NCX200 decodes and plays a stereo audio stream. A bidirectional serial connection permits source selection, status and other communication with the server. This terminal is designed for a variety of networked audio applications, including audio-on-demand, permanent playback and public address in places. Programmed using the Digigram SDK, the NCX200 is the first in a new range of Digigram audio appliances.

(703) 875-9100; fax (703) 875-9161
glassman@digigram.com
www.digigram.com
 Circle (209) on Free Info Card

Custom Business Systems Inc. (CBSI): NetCapture

The NetCapture facility permits flexible recording of incoming satellite programming, and live audio routing allows such feeds to be played directly to air in real time. With access from any Digital Universe workstation, these new functions vastly increase the broadcaster's ability to route audio material intelligently through a facility. The NetCapture capability allows Digital Universe users to set up a schedule for prerecording of satellite inputs. Schedules can be entered by exact time or by other parameters: for instance, to begin recording upon receipt of a specific tone. As many as eight different sources can be recorded simultaneously from a single machine.

(800) 547-3930; fax (541) 271-5721; info@cbsi.org; www.cbsi.org
 Circle (203) on Free Info Card



MediaTouch: Card Independence

The new Card Independence technology allows broadcasters to play and record CD-quality MPEG Layer II audio on any standard Windows sound card. Rather than relying on microprocessors embedded on the card to encode and decode MPEG audio, Card Independence contains the processing in a software codec. Card Independence is the core technology in the new CD Ripper utility that, in less than real time, converts music CDs to MPEG Layer II audio files without dubbing.

(888) 665-0501; fax (352) 629-7000
omt@omt.net; www.omt.net
 Circle (204) on Free Info Card

Inovonics: Model 520

The Model 520 includes a built-in, tunable preselector for off-air operation with a companion antenna. The unit also accepts a direct RF input sample from the transmitter. Features preset and adjustable peak flashers as well as loss-of-carrier and loss-of-audio alarms.

(800) 733-0552
fax (831) 458-0554
www.inovon.com

Circle (206) on Free Info Card

JK Audio: Innkeeper 1

The Innkeeper 1 is designed to get audio in and out of analog telephone lines without the transmit/receive crosstalk common to analog hybrids. A built-in wired remote control that includes a DTMF keypad is featured. Other features include real screw terminals for remote connections, a front-panel headphone jack and volume control, and switchable automatic answer.

(815) 786-2929; fax (815) 786-8502; info@jkaudio.com; www.jkaudio.com
 Circle (207) on Free Info Card



KD Kanopy: KD Majestic



(800) 432-4435; fax (303) 650-5093
askme@kdkanopy.com; www.kdkanopy.com

Circle (208) on Free Info Card

The 10'x10' KD Majestic weighs only 48 pounds and is constructed from an aluminum frame with fiber-reinforced DYNIDIOM fittings. Call letters and logos can be printed oversized on the canopy's side panel, top and rail curtains. The canopy's polyester tops are fire-retardant, water-resistant and come in an array of colors. All units come with a free carry bag and stakes.

Sonifex: Courier software

Version 1.5 software for the Courier adds cut-and-paste editing capability and additional Mac support. The software adds support for AIFF recordings and extends the editing capability with multiple-cut, multiple-mark cut-and-paste editing. Modem support is included to transfer audio over a telephone line. Frequently called numbers can be stored in memory.

+44 1933 650700; fax +44 1933 650726
sales@sonifex.co.uk; www.sonifex.co.uk

Circle (210) on Free Info Card

Gorman-Redlich: EAS1

This feature-rich encoder/decoder offers a 25-pin printer port allowing an external printer to keep the EAS log, an auxiliary output through a coaxial BNC fitting to go directly into the FM exciter and a four-line, 40-character backlit LCD display for rapid interpretation of alert messages. Alert messages can be scrolled on a remote sign board, a computer screen or with a character generator on a video monitor. Other features include a 20-key keypad to construct alert messages header code, set modulation levels, or set input levels. The complete required weekly test, the end of the message code, sending a stored alert or sending a composed header can be done from the keypad on the unit or with a remote pushbutton in the on-air control room.

(740) 593-3150; fax (740) 592-3898
www.gorman-redlich.com

Circle (211) on Free Info Card

Tame Your Remote Demons

...with a Vector.

Remotes are a necessary evil, but the Vector makes them more civilized by delivering **15 kHz two-way audio on a single dial-up phone line**. No bulky RPU antennas to rig and no costly digital phone lines to install. And the Vector is so easy to use that even your non-technical staff can operate it.

Call us today so we can talk about the demons that may be plaguing your remote broadcasts!

Comrex Corporation, 65 Nonset Path, Acton, MA 01720
Tel: (800) 237-1776 Fax: (978) 635-0401 Fax-on-demand: (978) 264-9973
Email: info@comrex.com www.comrex.com

Circle (116) on Reader Service Card

COMREX



NAGRA: ARES-C

The ARES-C solid-state recorder/editor provides shock-resistant, continuous digital recording on PCMCIA cards, random access, nondestructive location editing and onboard ISDN transmission. No moving part tape transports, disk drives or other electromagnetic components. Features silent operation and low power consumption. Withstands humidity and temperature extremes (between -20°C and 60°C).

+41 21 732 01 01; fax +41 21 732 01 00; mail@nagra.com; www.nagra.com

Circle (212) on Free Info Card



Pacific Research & Engineering: Airwave Digital



The Airwave Digital console, the digital complement to the AirWave, is available in two mainframe sizes of 12 or 20 input modules and is fully configurable. Automatic sample-rate conversion is standard on all digital inputs.

Inputs can be reconfigured from analog to digital (and back) by changing one SIMS-mounted card per module. Three stereo program buses are standard, each with a digital and an analog output. Also standard are two automatic telephone mix-minus (clean-feed) buses and logic control with a built-in machine interface. The console combines studio and control room monitoring with integrated talkback, and its five-mic pre-amp module delivers high performance using transformerless, balanced I/O pre-amps.

(760) 438-3911; fax (760) 438-9277; info@pre.com; www.pre.com

Circle (214) on Free Info Card

Satellite Export & Engineering: Patriot solid commercial antenna


The 4.5 meter solid commercial antenna is a C/Ku high-efficiency antenna ideal for digital compression. Features an all-aluminum reflector, 125 mph wind loading (survival), 16 draw die-formed petals to achieve .020" surface accuracy, a king post pedestal mount for superior steering and stability. Its petalized design provides high accuracy with low transportation costs.

(517) 629-5990; fax (517) 629-6690

sepatriot@voyager.net; www.sepatriot.com

Circle (213) on Free Info Card

Xytech: Xytech FMS 2.2



Xytech FMS 2.2 is a fully integrated application for scheduling and management of facility resources. Runs on multiple databases and is Y2K compliant. Features click-and-drag scheduling and self-learning programmability. The reporting tool allows users to track usage and income of clients and resources as well as supplying tools such as project and client schedule reports. Interfaces with existing systems within organizations and can be exported to third-party accounting systems.

(818) 767-7400; fax (818) 768-7430

www.xytechsystems.com

Circle (215) on Free Info Card

Ward-Beck Systems Ltd: R2K



The R2K features easy installation via the use of Phoenix pluggable connectors. Features a unique dual-redundancy power-supply package based on the 8200 series rackmount frame, which includes provisions for using Ward-Beck D/A converters, A/D converters and distribution amplifiers in only 2RU of space.

(800) 771-2556; fax (416) 335-5202; wbsltd@istar.ca; www.wbsltd.com

Circle (216) on Free Info Card

Comrex: Nexus



The Nexus stores up to 10 locations, including SPIDs, switch type and LDNs; all can be stored in nonvolatile memory. Two audio inputs are provided: mic/line on a three-pin XLR and a separate mini-jack tape input. There is a choice of audio outputs: 1/4-inch phone jack and line-level on XLR. The output is an externally controllable mix of local program audio and studio return. An internal peak limiter keeps the audio from clipping in case of a sudden increase in level.

(800) 237-1776; fax (978) 635-0401; info@comrex.com; www.comrex.com

Circle (217) on Free Info Card

Swager Communications: Tower structures

The company uses state-of-the-art equipment and technology to manufacture and erect thousands of towers around the world. Working closely with major telecommunications companies, government agencies, the military, the broadcast industry, and large and small businesses, the company has manufactured and installed towers of every type, including an entire range of AM/FM, TV/CATV, radar, microwave, cellular, personal communication systems (PCS) and other applications.

(800) 968-5601; fax (800) 882-3414

sales@swager.com; www.swager.com

Circle (218) on Free Info Card

Belar: CSA-1

The CSA-1 features a VGA output to drive an external CRT monitor, an RS-232 port for connection to a PC, and analog composite 150kHz inputs. Also featured are analog, 24kHz left and right inputs and an AES/EBU input with a rate converter that accepts any sample rate from 24kHz to 56kHz. Other features include a 120dB dynamic range (adjustable), amplitude resolution to 0.1dB, and linear (percent) and decibel scales. Frequency can be displayed up to 150kHz on the composite input.

(610) 687-5550; fax (610) 687-2686

sales@belar.com; www.belar.com

Circle (342) on Free Info Card


IFR Americas: 2398

The 2398 has a frequency range of 9kHz to 2.7GHz. A split-screen mode allows simultaneous viewing of two display functions. Full marker capabilities simplify signal troubleshooting. The standard RS-232 and optional GPIB allow remote control of the instrument, and the parallel printer port supports many popular printers.


(316) 522-4981; fax (316) 522-2328

info@ifrinternational.com; www.ifrinternational.com

Circle (219) on Free Info Card



V-Soft: FMCONT



FMCONT is a new all-Windows channel-search program that combines LPFM and commercial spacings studies with contour-to-contour studies. Hot-spot screens allow parameter changes with a click of the mouse. Create instant allocation maps with another click of the mouse. Find new low-power FM drop-ins. This program is a complete FM frequency search package.

(800) 743-DOUG; fax (319) 266-9212

dvernier@v-soft.com

www.v-soft.com

Circle (221) on Free Info Card

Switchcraft: Q-G Twist

The Q-G Twist audio connector is an XLR connector with only two pieces that require user assembly. The front shell has a preloaded insert, and the back handle has a preloaded strain relief. The user needs to complete only three steps: sliding the cable through the handle/strain relief; soldering the terminals/solder cups; and twisting the handle on.

(773) 792-2700; fax (773) 792-2129

sales@switchcraft.com

www.switchcraft.com

Circle (222) on Free Info Card

RCS Sound Software: SelectorNET

SelectorNET displays on your station's website the song title and artist now playing. Works with most of the popular digital automation systems and allows stations to continuously post title, artist and the last 50 songs played. Easy to set up and maintain. SelectorNET also rotates graphic images such as station promos and advertising materials. Allows stations to control the look and feel of these images.

(914) 428-4600; fax (914) 428-6922

info@rcsworks.com; www.rcsworks.com

Circle (220) on Free Info Card

SelectorNET displays on your station's website the song title and artist now playing. Works with most of the popular digital automation systems and allows stations to continuously post title, artist and the last 50 songs played. Easy to set up and maintain. SelectorNET also rotates graphic images such as station promos and advertising materials. Allows stations to control the look and feel of these images.

Logitek's Numix Console Control Surface Is New & Improved for '99

A new and updated Numix modular console control surface was introduced at NAB99. This updated Numix has been redesigned for greater space efficiency and expanded functionality when used with hard disk audio storage systems.

The modular design of the Numix had been modified for greater flexibility and space efficiency. The functions of the Meter Wedge have been moved to the Selector Wedge so that now there are only two type of wedges. The Fader Wedge has been updated to include six faders instead of four allowing larger fader counts without increasing required space. Motorized faders are an option which allows software to physically change mix levels.

The alphanumeric display on the Fader Wedge has also been changed to a 200 x 640 LCD panel which is half of a VGA size screen. This will allow greater integration with hard disk audio storage systems which can make use of the larger display area. Even with the expanded display, the Numix retains its low



profile which contributes to open studio design.

The ergonomic shape and unmatched flexibility of design and configuration make the improved Numix a top choice for today's most demanding broadcast studios.

For more information on the Numix control surface, contact Paul Anderson at 800-231-5870 or visit Logitek on the Internet at www.logitekaudio.com.

Circle 182 on Free Info Card



Vmix Virtual Mixer Software New for '99

The usefulness of the Logitek Audio Engine has been expanded with the introduction of Vmix Virtual Mixer Software for the PC. The Vmix software allows a computer to control the Logitek Digital Audio Engine without using any other control surface or to duplicate another control surface while occupying very little space. To the user, the computer becomes the console.

Making a video display become the "console" provides a very space efficient means of adding another console control point in a studio, replacing a full console in a studio or controlling a console from remote locations. Vmix software emulates either a ROC-10, ROC-5 or Numix console control surface depending on how the Audio Engine has been programmed.

Vmix provides all of the features of a hardware control surface. With a click of a mouse or the touch of a finger, the operator can turn channels on and off, change fader levels or change input routing, as well as controlling the EQ, pan and monitor systems.

Vmix operates on a Windows 9x or NT computer using either a CRT or flat panel XGA display. Vmix, used on a computer with a modem, can connect to a remote location and have full control of the Audio Engine. Vmix allows many new operating alternatives for the Logitek Audio Engine.

For more information on Vmix software, contact Paul Anderson at 800-231-5870 or visit Logitek on the Internet at www.logitekaudio.com.

Circle 183 on Free Info Card

Affordable Digital Consoles

Logitek digital with a better difference!

3320 Bering Drive, Houston, TX, 77057 e-mail info@logitekaudio.com
 Voice: North America 800.231.5870 Fax: 713.782.7597 Others 713.782.4592

Visit our home page at www.logitekaudio.com for more information

Circle 184 on Free Info Card

Neumann: True Systems Precision 8

The True Systems Precision 8 provides eight channels of transformerless mic pre-amps, two of which can be used as direct instrument inputs. Each channel also offers five-segment level indicators with a selectable peak-hold feature. A button on channels one and two allows them to be used as an MS pair for added flexibility. Designed for use with today's modular digital multitrack units and hard-disk recording systems, the system can be connected to Tascam or Mackie digital products via a DB 25 multipin connector.



(860) 434-5220; fax (860) 434-3148

kwinkler@neumannusa.com; www.neumannusa.com

Circle (223) on Free Info Card

Henry Engineering: DigiStor-CD

DigiStor-CD is a solid-state digital audio recorder/player for utility use. Stores up to 8min of monoaural audio with CD-quality audio reproduction. Up to eight different tracks can be stored with random-access playback. Tracks can play once-only, continuously or in rotation and can be selectively erased and rerecorded. A built-in phone coupler allows the unit to automatically answer a phone line and play a message to the caller. Extended play mode doubles recording time, with 7.5kHz bandwidth. Audio I/O is balanced, line level. Shipping this summer.



(626) 355-3656; fax (626) 355-0077; www.henryeng.com

Circle (225) on Free Info Card

TC Electronic: DBMAX Mark II Version 2.02

The DBMAX Mark II Version 2.02 features 24-bit A/D and D/A converters among a comprehensive set of new hardware and software enhancements. The upgrade includes a dynamic stereo enhancer insert, the ability to handle analog I/O levels




up to +26dBu (requires field-hardware modification), new presets and level setups—the presets have the ability to call level setups if desired. A 24-bit bypass mode and selectable high-cut and low-cut 20th-order filters on the inputs are also added. Two units can now work in redundancy and in bilingual configuration.

(805) 373-1828; fax (805) 379-2648

tcus@tcelectronic.com; www.tcelectronic.com

Circle (226) on Free Info Card

Avcom of Virginia: 1999 product catalog



The 1999 product catalog includes the company's spectrum analyzers, network analyzers, sweep generators, satellite receivers and microwave components.

(804) 794-2500; fax (804) 794-8284

www.avcomofva.com

Circle (230) on Free Info Card

SWR: FMU

An excellent choice for most Class-C stations, the FMU provides superior performance due to its wide VSWR bandwidth. Its durable, corrosion-resistant construction is fabricated from heavy-wall copper and naval brass. All joints are TIG welded. The entire antenna system is pressurized to the feed point of each bay, and each bay is DC grounded, thus eliminating the need for a shorting stub. Custom vertical patterns are available with center-fed arrays that have an even number of bays. Electrical deicers are also available. SWR offers the original purchaser a two-year limited warranty on defects in material and workmanship.

(814) 472-5436; fax (814) 472-5552

homepage.third-wave.com/swrweb

Circle (229) on Free Info Card

Davicom Technologies: FMPM-01



The FMPM-01 monitors the RF power level at the transmitter output and includes a demodulator to provide a sample of the audio signal.

(800) 465-4343

fax (819) 370-4353

infodavicom@davicom.com

www.davicom.com

Circle (231) on Free Info Card

Microsoft: MSAudio codec




Windows Media Technologies 4.0 provides developers with cutting-edge tools for creating and publishing live and on-demand streaming media content. Provides built-in support for the key new features in the Windows Media Technologies platform. Of greatest significance for radio is support for the new Microsoft audio codec, MSAudio, which is optimized for both voice and music and provides high-quality sound at every data rate. The files download in half the time of MP3 files and can be stored in half the space. Results in FM-stereo quality over 28.8 modems.

(800) 227-4679; fax (425) 936-0251

saram@wagged.com; www.microsoft.com/windows/windowsmedia

Circle (224) on Free Info Card

MusicamUSA: EditPro



The EditPro works directly on compressed MPEG Layer II and MPEG Layer III files, allowing users to edit compressed a file without uncompressing it prior to editing and recompressing it after editing. Eliminates the degradation created each time an audio file is recompressed. Operates by creating pointers to the original compressed file when each edit decision is made. When editing is completed, the original file is reconstructed with no cascading effects. Also supports BWF and raw MPEG formats.

(732) 739-5600; fax (732) 739-1818

www.musicamusa.com

Circle (227) on Free Info Card

Propagation Systems Inc: FM broadcast antennas



This new line of FM broadcast antennas, called the "rototiller" because of its shape, is available in high-power and medium-power versions and configurations, and half and full wave spacing. The arrays are usually configured to 12 bays, with inputs of either 1 5/8 inches or 3 1/8 inches. The design comprises two series-fed bent dipole elements that form a space-phased circularly polarized antenna. Because of the series feed, the antenna is fed internally and may be fully pressurized, thus minimizing weather-related VSWR problems. The elements and associated feeds are made of heavy-duty marine brass.

(814) 472-5540

fax (814) 472-5676

angelfire.com/biz/psinc

Circle (228) on Free Info Card

Broadcast Tools: MC-16 Mega-Coupler

The MC-16 Mega-Coupler offers a DTMF tone sequence decoder, DTMF to RS-232 serial converter and telephone audio hybrid. Equipped with 14 spst and two 2 pdt relays, which may be programmed to respond from one to six DTMF tone sequences. The same DTMF tone decoding may be used to trigger serial strings to RS-232 devices. The unit also provides nonvolatile storage of up to 32-ASCII strings in 16 locations.

(360) 428-6099; fax (360) 428-6719

www.broadcasttools.com


bti@broadcasttools.com

Circle (232) on Free Info Card


SAS64000 AUDIO ROUTING SYSTEM

Elegant
Analog

Instant
Digital



256 X 256 LARGE • MONO/STEREO • WIDE VARIETY OF CONTROL PANELS • 118dB ANALOG DYNAMIC RANGE • DISTRIBUTED MULTI-PROCESSOR ARCHITECTURE



If the migration to digital is in your future, then this is the route to take. Introducing the large size, big performance analog router that also speaks fluent digital. A true hybrid that allows you to scale the number of analog and digital ports as needed, now and in the future. And even better, the SAS64000 creates a forward path to AES/EBU digital audio without creating analog obsolescence.

This means you can mix your analog and digital I/O in the same router frame. Go direct analog to analog, or digital to digital. Or mix it up with 24 bit conversion analog to digital and vice versa. Either way, this unique architecture sports flawless signal integrity and non-blocking flexibility.

And it's wonderfully simple, just plug in our new digital port expander and that's it. Welcome to digital! -co-existing richly with analog in the same framework.

There's lots more to tell. Call us: 818 840 6749. Fax us: 818 840 6751. E-mail us: sales@sasaudio.com Check the Web site: sasaudio.com And of course, snail mail: 2112 North Glenoaks Blvd. Burbank, California 91504 USA



SIERRA AUTOMATED SYSTEMS
BROADCAST & COMMUNICATIONS
Circle (129) on Free Info Card

• Solid Electronic Labs: Model DCP-1A



The Model DCP-1A dynamic composite processor performs the functions of instantaneous and composite low-pass filtering in a single structure, thereby permitting maximum

loudness, filter overshoot control and dynamic range. The design employs an active linear amplifier as the limiting device; its filter structure is configured in two separate sections, each with its own overshoot compensation circuit. Front-panel LED indicators allow direct indication of clipping level, input level and overshoot compensator threshold levels.

(610) 353-9449; fax (610) 356-8449

Circle (233) on Free Info Card

• AETA Audio: Scoop Reporter II



Scoop Reporter II is a portable audio codec that is compatible with POTS and ISDN lines and supports G.711, G.722, ISO/MPEG Layer II and J.52. Includes internal battery backup and multiple AC voltages. Combines POTS and ISDN facilities with an integrated three-channel mixer. Sends and receives 20kHz audio at 128kb/s in ISDN mode and 7.5kHz audio in POTS mode. Features 99 user-programmable presets and handles two mics and one line-level input. A balanced XLR output can be used

for studio producer IFB and mix-minus feeds from the studio or to feed a local PA.

(973) 659-0555

(973) 659-9555

www.aetausa.com

Circle (234) on Free Info Card

• Tannoy: Reveal Active



Reveal Active is a distinctive playback monitor that provides sonic excellence. A 1-inch soft-dome tweeter is matched with a 6½-inch long-throw bass unit, two 50W amplifiers and electronic crossover. Designed for budget conscious project studios and as a playback monitor for larger rooms.

(519) 745-1158

fax (519) 745-2364

mbertrand@tgin.com

www.tannoy.com

Circle (235) on Free Info Card

If time is money, what could you get for an extra radio commercial every ten minutes?

If you're in the radio business to make money (and who isn't) you need

"Cash"™

Through an exclusive time-shifting process, Cash creates additional broadcast time to sell. It does it in real time, right on the air. It does it without reducing program content. It does it without affecting pitch or creating a "chipmunk effect." It does it in stereo or mono. It does it in variable amounts, adding from zero to five minutes, within two minutes to two hours.

Cash, from Prime Image - you don't need one unless you want to make some.



Prime Image

The Digital Video People

662 Giguere Court #C, San Jose, CA 95133 • Tel (408)867-6519 Fax (408) 926-7294 Service (403)926-5177
Primeimagein@earthlink.net • www.primeimageinc.com

Circle (181) on Free Info Card

Visit the online source for radio's leading technical magazine.

• Studio Spotlight

• Online Survey

• Tech Notes

• Article Archives

www.beradio.com



COMPARE

When you compare the all-digital Omnia.fm from Cutting Edge to other audio processors, is it apples to apples? Not quite. Unlike other audio processors, the Omnia is designed for today—and easily upgradable so you're always on top of the technology you'll need tomorrow.

Only the Omnia offers:

- A 48kHz sampling rate. The outdated 32kHz digital processors have a Nyquist rate that's too low for clean dynamics processing, resulting in aliasing distortion. But the Omnia solves this problem by combining 48kHz operation with 192kHz virtual-upsampling and an anti-aliasing final limiter.
- A digital stereo generator with a built-in composite clipper and low-pass filter for subcarrier protection and added loudness. Plus, the Omnia interfaces with D/CET™,

the world's first digital composite interface, for even more loudness and transparency.



- Programs and presets stored on a PC Card for convenient storage, sharing and future upgrades.

Put it all together and there's just no comparison. Only the Omnia delivers crisp, clean highs. Tight, thundering bass that really rocks. Digital precision that's as smooth and fluid as analog. Awesome loudness, with **rock-solid peak control and positively no grunge.**

Then compare the Omnia's 60-day, risk-free, money-back guarantee* and a price that's below the other processors. So is it apples to apples? No way.

Omnia. The promise of digital...*delivered!*



CUTTINGEDGE

2101 SUPERIOR AVENUE CLEVELAND, OH 44114 TEL: +1 (216) 241-3343 FAX: +1 (216) 241-4103 E-MAIL: INFO@NOGRUNGE.COM WWW.NOGRUNGE.COM

- Audio Broadcast Group 3685 Roger B. Chaffee Blvd. Grand Rapids, MI 49548 Tel: +1 (800) 999-9281 Fax: +1 (616) 452-1652 e-mail: support@abg.com
- Bradley Broadcast Sales 7313G Grove Road Frederick, MD 21704 Tel: +1 (800) 732-7665 Fax: +1 (301) 682-8377 e-mail: info@bradleybroadcast.com
- Broadcast Supply Worldwide 7012 27th Street West Tacoma, WA 98466 Tel: +1 (800) 426-8434 Fax: +1 (800) 231-7055 e-mail: info@bswusa.com
- Crouse-Kimzey Company P.O. Box 155999 Fort Worth, TX 76155 Tel: +1 (800) 433-2105 Fax: +1 (972) 623-2800 e-mail: sales@proaudio.com
- Radio Communications Unlimited 5509 Barrington Ooltewah, TN 37363 Tel/Fax: +1 (423) 396-3743
- Caveco 1121 Bellamy Road, North Unit #10 Scarborough, ONT M1H 3B9 Tel: +1 (416) 438-6230 Fax: +1 (416) 438-1065 e-mail: bob@caveco.com
- Marketing Marc Vallée 1067 Chemin St. Lambert St. Sauveur de Monts, QE JOR 1R1 Tel: +1 (514) 227-1828 Fax: +1 (514) 227-8394 e-mail: marc@vallee.com
- All Electric 487 Caribou Crescent Coquitlam, BC V3C 4X7 Tel: +1 (604) 945-5651 Fax: +1 (604) 945-5652 e-mail: allelec@dowco.com

*Contact your dealer for details on this demo program. Demo requests must be accompanied by a purchase order so our dealers know you're really serious about some serious sound.

Circle (140) on Free Info Card

Forecast Consoles: Visual Radio series

The Visual Radio series is geared toward the next generation of radio environments. Choose from a completely custom design or use of pre-engineered modular components. The modular components are modified and customized around your equipment and space and to your specific finish requirements.



(800) 735-2070; fax (516) 253-0277

www.forecast-consoles.com

Circle (236) on Free Info Card

Maycom: Easyorder

The Easyorder is a second-generation, portable solid-state recorder with onboard graphic editing using both internal memory and removable PC cards. The unit is standard equipped with an internal memory facility that enables direct usability of the recorder. The battery pack lasts more than six hours in operating mode. The machine also operates using standard alkaline C batteries. Time-shift recording, which enables the machine to start recording before the record



button is actually pressed, is available. Also available is communication software that enables the user to transfer audio files back to the studio using standard ISDN lines.

+31 481 377740

fax +31 481 3777380

miranda@maycom.nl

www.maycom.nl

Circle (237) on Free Info Card

Confiability with Life Time Warranty

EDUCATIONAL CIRCULAR SERIES

Model	Bays	Power	Gain	Price
MP-1	1	600W	-3.3	\$250
MP-2	2	800W	0	\$680
MP-3	3	800W	1.4	\$980
MP-4	4	800W	3.3	\$1,280
MP-2-4	4	2,000W	3.3	\$1,820
MP-3-5	5	3,000W	4.1	\$2,270
MP-3-6	6	3,000W	5.2	\$2,740

LOW POWER CIRCULAR SERIES

Model	Bays	Power	Gain	Price
GP-1	1	2,000W	-3.1	\$350
GP-2	2	4,000W	0	\$1,350
GP-3	3	6,000W	1.5	\$1,900
GP-4	4	6,000W	3.4	\$2,600
GP-5	5	6,000W	4.3	\$3,150
GP-6	6	6,000W	5.5	\$3,700

MEDIUM POWER CIRCULAR SERIES

Model	Bays	Power	Gain	Price
SGP-1	1	4,000W	-3.3	\$690
SGP-2	2	8,000W	0	\$2,690
SGP-3	3	10,000W	1.4	\$3,595
SGP-4	4	10,000W	3.3	\$4,500
SGP-5	5	10,000W	4.1	\$5,300
SGP-6	6	10,000W	5.2	\$6,100

The antenna gain may vary with the frequency. For powers up to 20 kW please, make the request to provide the specific configuration.

OMB also Manufactures:

FM transmitters

TV transmitters

FM and TV Links

TV antennas

Medium power FM antennas

Connectors



OMB America
3100 NW 72 Ave #112
Miami, Florida 33122
Phone: 305-477 0974
Fax: 305-4770611
Toll free: 888-OMB4USA

AKG Acoustics: C 4000B



The C 4000B microphone's capsule has been carefully tuned to preserve the integrity of the source while offering mild complements in the high frequencies. The optimized transformerless output stage ensures the accuracy of low frequency and a nearly non-existent self-noise. The large-diaphragm transducer provides excellent response, and the microphone features selectable polar patterns. A wide dynamic range accommodates every recording situation.

(615) 360-0499

(615) 360-0275

akgusa@harman.com

www.akg-acoustics.com

Circle (238) on Free Info Card

INNOVATIONS.



*It's not just in
our name—
it's what we
are about.*

Prophet Systems Innovations
Together, let's make great radio!



NexGen Digital features:

- Compressed or non-compressed audio
- Real-time status of up to 128 local network workstations
- A single PC running a station
- Redundancy using multiple file servers
- Individual user preference records
- Customized default configuration
- High speed digital audio extraction
- Timesaving drag and drop capabilities
- Pot status window
- Voice-track recording concurrent with programming
- Instant and seamless mode and shift changes



We started this company with a single goal—to be the best! My staff likes to joke about my "speech". I stress that we can be the system of choice if we SIMPLY provide the best software, the best hardware, the best support, the best sales service, the best training, the best

installation, etc. Simple strategy? But, my message gets through loud and clear—I don't settle for average!


From this mandate and the already powerful AudioWizard software comes NexGen Digital™. More than an upgrade, NexGen takes a decade of experience in digital automation and offers you the virtual radio system to take you into the next century.

-Kevin Lockhart, PSI President



Sales: (800) 658-4403
Support: (800) 658-4396
E-Mail: sales@prophetsys.com
Web: www.prophetsys.com

Circle (142) on Free Info Card



Harris: DASW 2x1 AES3

The DASW 2x1 AES3, housed in a 1RU assembly, serves several functions in an AES digital audio path. The DASW selects one of two compatible AES3 input signals. The unit's design allows it to handle balanced



AES3 or unbalanced AES3-ID input and output signals. Possible applications include feeding two exciters simultaneously with the same digital signal or acting as a source selector for up to four digital devices, such as R-DAT or CD recorders.

(800) 622-0022; (513) 459-3890
 broadcast@harris.com; www.harris.com/communications
 Circle (239) on Free Info Card

3dB: DELTA range

The DELTA range of products includes the DELTA420, a unique product that features a four-input, 20-output distribution amplifier with the outputs grouped in banks of five outputs. The addition of a switching matrix offers the user the chance to route inputs to either or all of the outputs, thus enabling them to derive mono and stereo feeds of the same stereo in the one unit. The DELTA44 and DELTA4 are, respectively, dual and single stereo unbalanced to balanced converters. The DELTA55 is a bidirectional stereo balancing unit for domestic or semipro equipment that requires a record feed. All of the units in the range have outputs with adjustable gain over a range of 30dB, and both inputs and outputs can be either



balanced or unbalanced. All come in three standard sizes. Mounting plates are available.

01797 225400
 fax 01797 225353
 3db@broadcast.net
 Circle (240) on Free Info Card

EasyCorder

PATENT PENDING
 PORTABLE DIGITAL RECORDER

- 2ND GENERATION
- NO MOVING PARTS
- INTERNAL SOLID STATE STORAGE
- PC-CARD INTERFACE
- BWF FILE-FORMAT
- GRAPHICAL NON-DESTRUCTIVE EDITING
- TRANSMISSION
- OVER 6 HOURS NON-STOP OPERATING
- OVER 15 HOURS STANDBY



2385,- euro



EASYCORDER · INCLUDING 40 MB SOLID STATE INTERNAL STORAGE (UPGRADABLE)

MAYCOM

THE ALLROUND SOLUTION PROVIDER

EasyCorder · COSTAR · ISYS Pro+

ALL PRODUCTS FROM THE SAME MANUFACTURER:
NO COMPATIBILITY PROBLEMS



MAYCOM
 AUTOMATION SYSTEMS BV

Maycom A.S. bv
 Dorpsstraat 29
 6661 EG Eist
 The Netherlands
 Tel. +31 (0) 481 - 37 77 40
 Fax +31 (0) 481 - 37 73 80
 E-mail: sales@maycom.nl
 Internet: www.maycom.nl

PATENT PENDING
ISYS Pro+
 PC BASED AUDIO CODEC

- PC BASED AUDIO CODEC
- HIGH QUALITY AUDIO VIA ISDN
- AFFORDABLE
- USER FRIENDLY
- SMALL DELAY
- HIGHEST LEVELS OF COMPATIBILITY
- G.711/G.722 / MPEG LAYER II
- DIRECT RECORDING TO HARD DISK

Audio Library · Recorder/Editor · Multitrack Editor · Playlist Editor · Text Player · Jingle Player
 CART PLAYER · AUTOMATIC PLAYER · USER-FRIENDLY · MULTI-USER · NEWSCOLLECTOR · CD ARCHIVE
 INTERFACING TO OTHER SYSTEMS · MULTIPLE DATABASES · MIRRORRED SERVERS · MULTI LINGUAL

COSTAR
 COMPLETE SOLUTION TO AUTOMATED RADIO

Itelco: DAB 1kW L-Band transmitter



The new DAB 1kW L-Band transmitter packs 1kW of power and will broadcast radio and data signals in the L-band at 1.5GHz. The transmitter is configured as a 2 + 1 system, with two operating transmitters and one in reserve that automatically switches on if the others fail. Each transmitter is capable of broadcasting up to five program channels in addition to data services as an added program feature.

(303) 464-8000
 fax (303) 464-8770
 itelco.sales@krenet.it
 www.itelco-usa.com
 Circle (241) on Free Info Card

Dalet: Dalet 5

The Dalet 5 addresses the complete range of tasks performed in radio: live or automated broadcasting, program scheduling, production, news and traffic management. Dalet's new Inter-Web for group connectivity, TeamNews for all newsroom requirements, and TeamRadio for group-wide traffic management will be showcased.

(212) 825-3322
 fax (212) 825-0182
 sales@dalet.com
 www.dalet.com

Circle (242) on Free Info Card

Circle (143) on Free Info Card

NEW VLZ PRO™. THE FIRST COMPACT MIXERS WITH ESOTERIC MIC PREAMP SPECS AND SOUND QUALITY.



You won't find any other mixer manufacturer admitting this dirty little truth: For years, expensive outboard mic preamplifiers have yielded better sound than the preamps in any size mixing console including "status mega-consoles." In fact, if you happen to have numerous extra thousands in cash lying around, we urge you buy an esoteric mic preamp or two or three right now. ■ But if your equipment budget is slightly more down-to-earth, we'd like you to enjoy the benefits of the

most extensive analog engineering project in Mackie's history: The new XDR™ Extended Dynamic Range mic preamplifier.

■ Now for the first time, you can realize the full potential of the world's finest condenser microphones with an affordable compact mixer: Room ambiance so detailed you can practically hear the carpet pattern...high frequency resolution that defines cymbals, triangles and bells down to the molecular level... midrange that's as gentle and fluid as a warm bath...and tight, authoritative bass with intoxicatingly rich harmonic texture. In short, you can now achieve an aural panorama that's breathtakingly realistic, excitingly vivid and truly 3-dimensional.

■ You probably think we're laying it on a little thick—until you hear the XDR™ mic preamplifier in person. It really does have...

- The **lowest harmonic distortion** of any compact mixer mic preamp in existence (for example, ten times less THD than our previous VLZ™ series).
- **Lower Equivalent Input Noise** in the critical +20-+30dB operating range than most \$2000 preamps.
- **Over 130dB of dynamic range** to handle hot 24-bit/196kHz outputs from digital audio workstations.
- **Astonishing bandwidth** without RFI side effects. Not only are XDR™ mic

preamps flat within 1/10th of a dB across the bandwidth of any known microphone but they're only 3dB down at 1Hz and 192kHz!



Warm, natural sound
0.0007% THD
130dB dynamic range to handle 24-bit/196k digital input sources
Lowest E.I.N. at real world gain settings
Impedance independent
Near DC-to-light bandwidth

The best RFI rejection of any compact mixers in the world

• **Controlled Impedance Interface.** Use the XDR™ mic preamp with mic/cable impedance combinations anywhere from 50 to 600 ohms and get the same ruler-flat frequency response.

■ There are also XDR™ benefits you won't hear:
 • **The best RFI** (radio frequency interference) **rejection** of any compact mixer... without attenuating high frequency response.

• **Comprehensive protection** against "hot patching" and short circuit damage — a

critical feature even some high-end mic preamps lack.

■ The mixers are pretty cool, too. XDR™ mic preamps are the latest major enhancement to our industry-standard CR1604, MS1402 and MS1202. For more information, call toll-free, log onto our web site or visit your nearest Mackie Dealer and hear the new VLZ™ PRO Series. Think of them as \$2000 mic preamps with superb mixers attached.



MS1402-VLZ™ PRO

6 XDR™ mic preamps
 14x2 • 4 stereo line inputs • 6 mono mic/line inputs • extra ALT 3-4 stereo bus



CR1604-VLZ™ PRO

16 XDR™ mic preamps
 16x4x2 • 16 mono mic line inputs • 4 sub groups • rotatable I/O pod



MS1202-VLZ™ PRO

4 XDR™ mic preamps
 12x2 • 4 stereo line inputs • 4 mono mic/line inputs • extra ALT 3-4 stereo bus



CYNIC'S CORNER. Did we just slap a new buzzword on our "old" VLZ mixers? **Emphatically NO!** We spent **two years** and a quarter of a million dollars to produce the first no-compromise mixer microphone preamplifier design. XDR™ is a quantum leap ahead of anything but the most expensive outboard mic preamps. Plug a high-quality condenser mic into a VLZ Pro compact mixer and you'll hear the difference. Run a side-by-side comparison with a \$1000-per-channel esoteric mic preamp and you'll be blown away.

©1999 Mackie Designs. All rights reserved. "Mackie" and the "Running Man" figure are registered trademarks of Mackie Designs Inc. "VLZ" and "XDR" are trademarks of Mackie Designs Inc.



www.mackie.com

800/265-2940

MADE IN WOODINVILLE WASHINGTON, USA BY GENUINE MACKOIDS



Geode Electronics: RBDS



The capabilities of RBDS have been available for several years, but Geode has introduced a way to make better use of the technology. Many stations already have RBDS encoders, and their automation or music scheduling software can provide current programming information. Putting these elements together is part of what Geode is doing. Besides the basic RBDS format, Geode is working with Auto PC manufacturers to provide enhanced display features to the RBDS datastream. Different fonts and color can be used instead of basic scrolling text. The company's system is fully compatible with the existing RBDS standard. Also under development are portable radios with flip-up displays to add the Color Radio technology to receivers.

(973) 691-7420; fax (973) 691-7427
Circle (243) on Free Info Card


TerraSonde: Audio Toolbox



The Audio Toolbox provides a comprehensive set of tools in one package. Includes a sound-pressure level computer, a reverb decay time computer, an energy time graph, a polarity tester and a real-time analyzer. Test functions include a signal generator, a stereo level meter/frequency counter, computation of S/N, a 1/3- and 1/12-octave frequency-response sweep to measure equipment response, and a sample scope. Includes a monitor amp for monitor and guitar modes; a cable tester for XLR, 1/4-inch, and RCA cables; a phantom power checker; a battery checker; and the game Ping.

(303) 545-5848; fax (303) 545-6066
sales@terra-sonde.com; www.terra-sonde.com
Circle (244) on Free Info Card

When your work relies on play... rely on Antex.



Introducing the Broadcaster™ series from Antex.

With up to 4 inputs and 8 outputs all playing on top of each other, you have near-unlimited options for broadcast creativity. Record, edit, produce spots, take calls, do program feeds—all while playing back as many as six stereo programs on the air. All with one PCI card. For the highest quality, purest 20-bit sound ever to come out of an Intel or Alpha based PC.

Best of all, you have the confidence of choosing an ISO-9001 rated industry leader that's been defining the standard for PC digital audio for over a dozen years. When you're choosing Antex, you're choosing the best.

Find out how Antex is setting new standards for broadcasters. Visit us at www.antex.com or call us toll-free at 1.800.338.4231.

Model LX-24M

- 20 bit A/D and D/A converters
- MPEG layer I/II, 8 or 16 bit PCM
- PCI bus, WIN 98/NT
- 96dB dynamic range, 0.003% THD+N
- 2 inputs/4 outputs/balanced
- 3 virtual stereo devices

Model BX-44

- 20 bit A/D and D/A converters
- MPEG layer I/II, 8 or 16 bit PCM
- PCI bus, WIN 98/NT
- 96dB dynamic range, 0.003% THD+N
- 4 inputs/4 outputs/balanced
- 3 virtual stereo devices
- AES/EBU/SPDIF digital I/O
- MIDI interface
- Video sync/time code

Model BX-12

- 20 bit A/D and D/A converters
- MPEG layer I/II, 8 or 16 bit PCM
- PCI bus, WIN 98/NT
- 94dB dynamic range, 0.003% THD+N
- 4 inputs/8 outputs/balanced
- 6 virtual stereo devices
- AES/EBU/SPDIF digital I/O
- Independent sample clocks
- Convertible from analog to full digital I/O
- Optional, opto-isolated digital I/O

Circle (151) on Free Info Card

Neutrik USA: Minirator MR1

The Minirator MR1 provides a comprehensive set of audio test signals as required in broadcast audio environments. The instrument provides sinusoidal signals over the entire audio band, from 20Hz to 20kHz at levels as low as -76dBu up to +6dBu, including sweep capabilities at various speeds. Alternative level units are dBV and volts. A dedicated polarity test signal enables the user to unveil devices with inverse polarity. The white and pink noise signals with low crest factors and high-repetition rates act as an ideal source for room acoustic measurements, frequency response equalizations and signal evaluation.

(732) 901-9488; fax (732) 901-9608
neutrikusa@aol.com; www.neutrikusa.com
Circle (245) on Free Info Card



CartWorks: Audio formats



The new CartWorks WAV/MPEG line supports the industry-standard Microsoft WAVE format so audio files from home computers can be used without the need for conversion. MPEG Layer II and Layer III digital audio compression have been added. Features include an in-context voice tracker, multiple audio editor support, an easy audition tool, RAID hard-drive mirroring and touchscreen operation.

(800) 795-7234
fax (601) 853-9976
bes@ucmail.com; www.cartworks.com
Circle (246) on Free Info Card

Denon: DCM-5000

The DCM-5000 can be used as a stand-alone unit or as the master controller for a CD changing system of up to 600 total discs when a maximum of five DCM-5001 slave units are daisy-chained to it. The unit is equipped with two CD drives for greater operating flexibility. While a CD is being played in one drive, another CD can be loaded in the other drive and held in standby mode. This permits a seamless transition from one musical selection to the next (in Single-Zone mode). Simultaneous playback from both drives is also possible (in Multi-Zone mode), since the unit is equipped with two sets of RCA analog audio outputs. Two coaxial digital outputs are also offered for maximum compatibility with a wide range of equipment.

(973) 396-0810; fax (973) 396-7459; www.del.denon.com

Circle (247) on Free Info Card



ONE LOVES TO TRAVEL, THE OTHER PREFERS TO STAY HOME



ZEPHYR IS EVERYWHERE.

The irreplaceable Telos Zephyr has earned a hard and fast place in the hearts of broadcasters, engineers, and recording professionals around the world. Why? With its integrated ISDN terminal adapter, MPEG Layer 3 and Layer 2 compression technology, optional AES/EBU digital I/O, and an intuitive user interface, the Zephyr was designed by Telos specifically for broadcast audio applications over ISDN. It's the ideal solution for remote mixing and broadcasts, ad hoc networks, recording sessions, voiceovers, distribution of commercials, backup to satellite and microwave links, and nearly any other application you can imagine. How could anyone function in today's world without one?



ZEPHYREXPRESS IS EVERYWHERE ELSE.



With its ground-breaking design and capabilities, the amazing new ZephyrExpress takes Zephyr's industry-leading operation wherever you need to go, and combines a full-featured ISDN codec and three digitally-controlled stereo mixers in a single, road-worthy chassis. With an unprecedented, easy-to-use interface and specs that blow away most studio codecs, the ZephyrExpress is like nothing you've ever experienced. Now you can hit the road without having to leave your Zephyr behind.



The Best Way to Hear from There™



Available through:
BROADCASTERS GENERAL STORE
tel: (352) 622-7700
web: www.bgsfl.com

Telos Systems, the Telos logo, Zephyr, and The Best Way To Hear From There are trademarks of TIS Corp.
Other trademarks are the property of their respective holders.

Circle (152) on Free Info Card

HHB: Genex GX8500



The Genex GX8500 is equipped to record in linear and nonlinear modes and is designed for multichannel recording and mastering applications in which the best possible sound quality is required. Records in AES/EBU, SPDIF, SDIF 2 and DSD (Direct Stream Digital) formats, making it compatible with the new Super Audio CD standard. Options include internal A/D, D/A converters that enable recording up to 24 bit/96kHz.

+44 181-962-5000; fax +44 181-962-5050
sales@hnb.co.uk; www.hnb.co.uk

Circle (248) on Free Info Card

Advanced Furniture Systems: AFS series



The AFS series of modular studio furniture ranges from small workstations to full-blown studios. If you plan to remodel your studio in the future, the AFS series offers the option of adding or subtracting cabinets as new situations arise. The AFS series incorporates equipment racks and access doors as standard features. Access doors fit into and cover the equipment rack and can be used as a filler panel where the equipment does not completely fill the rack. Other standard features

include a clean design with no visible screws or bolts, a single-level work surface, standard 31-inch deep by 42-inch wide console table, wood trim to protect all outside edges and finished cabinet interiors.

(970) 663-4123
fax (970) 663-6338
afs@mail.omn.com

www.omn.com/afs

Circle (249) on Free Info Card



We've got you covered

Crown Broadcast transmitters are designed and carefully engineered to the same reliable high performance standards known worldwide as the hallmarks of Crown products.

Enjoy on-air confidence with compact stand-alone transmitter designs that integrate audio processing, stereo generation and RF amplification. Or choose from custom configurations for versatile solutions to meet your unique broadcast needs. And be confident in your choice, with a three-year warranty backed with service from some of the finest talent in the industry. *Ask us, we can help!*

Call us, visit our web site, or send us e-mail for more information about the versatile transmitters from Crown Broadcast. Crown International, 1718 W. Mishawaka Road, PO Box 1000, Elkhart, Indiana, U.S.A. 46515-1C00 Phone: 800-294-8050 or 219-294-8050; Fax: 219-294-8222 Email: broadcast@crowntintl.com

www.crownbroadcast.com

**Crown Broadcast...
 making a world of difference**

Circle (153) on Free Info Card

Belden Wire & Cable Company: Brilliance



Brilliance audio snake cables feature enhanced NEC ratings features the 1408R Series CMR-rated audio snakes (UL 1666). For installations that require penetrating multiple floors, this riser-rated cable is economical, eliminating the need for metal raceways, fireproof shafts and firestops.

(765) 983-5200; fax (765) 983-5294
www.belden.com

Circle (250) on Free Info Card

Prophet Systems: NexGen Digital

NexGen Digital is based on the features of the Audio Wizard and uses the multitasking capabilities of Windows for seamless sharing of audio and data between stations and features drag-and-drop capabilities as well as automatic copying of programming materials. Features real-time status of up to 128 local network workstations and redundancy using multiple file servers. A single PC runs a station, and the system runs uncompressed linear audio or MPEG compressed audio.

(800) 658-4403
(308) 284-4181

sales@prophetsystems.com

Circle (251) on Free Info Card

FCC APPROVES SRPT-40E/SR-10E

MARTI is proud to announce FCC approval for the Frequency Agile VHF RPU Transmitter, the SRPT-40E and its companion receiver, the SR-10E. This combination adds another tool for making sure that remotes get through in today's crowded spectrum. This dynamic duo was introduced to the export market last year and produces more power with less weight than our non frequency agile models. Frequency Selection is at the push of a button.



SRPT-40E

FEATURES:

- Frequency agile over specified band in 12.5 kHz steps
- Front panel selection of channels
- Sixteen factory programmed channels

- LCD display indicates channel selection
- Remote channel selection
- Built-in monitor speaker with front panel head-phone jack and level control
- Subaudible tone/encoder/decoder
- Double-balanced mixers
- All controls on the front panel
- Available in 140-200, 200-300, and 300-400 MHz bands.
- 110 or 220 VAC Switchable.



SR-10E

Circle 185 on Free Info Card



STL-MAX

MARTI has done it again. Here is the new Export STL with 30 Watts of continuous duty power. We call it "THE MAX". When teamed up with the R-10 receiver, this system meets worldwide needs for higher transmission distances. The MAX is available in frequency bands from 140 MHz to 500.

STL-MAX Applications

- Intercity relay for linking two or more broadcast facilities.
- Multi-relay systems for radio network distribution
- Communications link between satellite earth station and broadcast facilities.
- STL for FM stereo broadcast (dual system)
- STL for AM stereo broadcast (dual system)
- STL for FM mono or AM broadcast

Circle 186 on Free Info Card



The GX-500

MARTI has updated the GX-440 Remote Mixer and will be shipping the GX-500 later this year. We have added an analog cellphone adapter and power cord that will enable the GX-500 to utilize popular models of analog *cellphones for remote broadcasts.

*Contact Factory for Supported phones.

GX-500 features:

- 4 Mic Channels and 2 aux. Inputs
- 4 headphone jacks
- Peak limiter
- Squelch/Mute Switch
- Tone/pulse dialing and electronic ringer
- Rechargeable batteries for up to 10 hours of use
- Second phone line capability
- Aux. Output - line or mic level
- External AC supply
- Plastic carrying case included

Circle 187 on Free Info Card

SEND & RECEIVE

With **MARTI**,
it's that simple.



SMARTI[®]
SMARTI[®] POTS Codec
1 and 4 audio channel
models available



SRPT-40
Frequency agile
remote transmitter
VHF and UHF frequency
agile models available



Cellcast
RBS-400 Cellular remote
broadcast studio



GX-500
Remote mixer
Available in August

With Fall remote season around the corner, it's time to prepare your game plan to increase income. Don't rely on worn out gear that could leave you speechless on the sidelines. **MARTI**[®] has

a remote package for every station's needs - RPU, Cellular, POTS, VHF/UHF Frequency Agile, and more. And **MARTI** tackles the competition when it comes to reliability, high performance and value.

Contact **MARTI** or your favorite **MARTI** distributor today and get in on the savings in time for Fall sports remotes. Check out our web site at www.marti.bdcast.com for a complete listing of products and **MARTI** distributors, or call **MARTI** at 817-645-9163.



MARTI
ELECTRONICS
Performance Value Leader
A BROADCAST ELECTRONICS COMPANY



421 Marti Drive, Cleburne, TX 76031 • Phone: (817) 645-9163 • Fax: (817) 641-3869 • email address: marti@flash.net • web address: www.marti.bdcast.com
BER799 ©1999 Marti Electronics

Circle 157 on Free Info Card

For Details, Contact:
Jim Godfrey, President
jimgodf@flash.net

Prime Image: Cash

Cash allows stations to create an additional 60sec for every 10min of programming. The system does so undetectably, without altering pitch or creating digital artifacts. It works live, in real time, on the air. The amount of time Cash creates varies from 0min to 4min and can be added to any period




of time within the range of 2min and 2 hours. The station can select and change the amount and the rate at any time.

(408) 867-6519
fax (408) 926-7294
primimageinc
@earthlink.net
www.primimageinc.com
 Circle (252) on Free Info Card

Euphonix: AD-26+2

The AD-26+2 features 26 balanced analog inputs on XLR connectors (channels 1 to 24, A1, A2), four analog input-level trims (1 to 8, 9 to 16, 17 to 24, A1, A2) for 0dBFS from +27dBu to +6dBu in 3dB steps, stereo AES/EBU input on the XLR connector with parallel S/PDIF input on the RCA jack (channels D1, D2), 24 channels EAS/EBU out on 12 XLR and 3 DB-25 connectors (Yamaha 02R, Sony PCM-800 pinout), two channels AES/EBU out on XLR with parallel S/PDIF out on the RCA jack (channels D1, D2), two balanced analog outputs on XLR connectors (channels A1, A2), analog output level trim (A1, A2) for 0dBFS from +27dBu to +6dBu in 3dB steps.



(818) 766-1666; fax (818) 766-3401
blaze@euphonix.com; www.euphonix.com

Circle (253) on Free Info Card



NewsReady32
 The LAN/WAN/WEB Newsroom System
 Now Connecting Jacor Coast to Coast

WR **800-833-4459**
www.WireReady.com

WireReady

Circle (134) on Free Info Card

Listen.

\$595

Listen to what happens when Digital Audio Labs' engineering experience and discipline is applied to the latest 24 bit, 96 kHz technology.

Listen to the striking difference in clarity and imaging between a computer "sound card" and a truly professional, ultra precise audio instrument.

Listen to the next generation, all new standard for audio fidelity on the PC.*

Listen to CardDeluxe, from Digital Audio Labs.

Digital AUDIO LABS
 www.digitalaudio.com 612-559-9098

CardDeluxe™


Features include:

- Analog two channel in/out via 1/4" TRS connectors
- S/PDIF digital in/out v. RCA connectors
- 22 to 96 kHz sampling rate
- +4/-10 balanced/unbalanced operation
- PCI Interface
- 8 to 24 bit resolution
- 4 channel operation using both analog and digital
- Slaving of multiple CardDeluxes to single sample clock
- Windows 95, 98, and NT drivers*

*Macintosh compatibility - Q2 '99

Circle (162) on Free Info Card

Computer Concepts Corp.: Maestro 2.5



Maestro 2.5, the latest version of the Windows NT-based digital audio hard-disk storage system, provides multiple record/play audio channels, an easy-to-read display with on-screen countdown, and full integration of all digital and audio operations. Enhanced graphics and user-friendly options are features in this version.

(800) 255-6350
fax (913) 541-0169
info@ccc-dcs.com; www.ccc-dcs.com
 Circle (254) on Free Info Card

MAGER SYSTEMS
 The Best in Sound Furniture

For over 20 years Broadcasters nationwide have come to Mager Systems for our exquisitely designed studio furniture. Our unique construction, along with solid wood and quality materials, means your furniture is built to last. In fact, we've made the design and construction of studio furniture as much an art form as it is a business. Every installation is backed by a 10 year warranty. Our quality is affordable and can accommodate every budget from economy to showplace. Call today and discover why Mager Systems is the best in Sound Furniture.

We're proud to say we've won the Radio World "Cool Stuff" Award at NAB '99.

AWARD WINNING FURNITURE

WHUR - Washington, D.C.

WILSONART INTERNATIONAL


Mager Systems is proud to offer Wilsonart Gibraltar solid surface. Gibraltar is a non porous, stone-like, solid surface material. This premium material has beauty, strength and durability that is easy to care for. Gibraltar is available in 32 rich colors, plus, it is backed by a full 10 year installed, limited warranty.

Designed, Fabricated, Delivered and Installed

21602 N. Central Ave., Suite 1
Phoenix, Arizona 85024
TEL: 602-780-0045
FAX: 602-780-9860

Circle (163) on Free Info Card

MediaFORM: CD-3704



The CD-3704 is a four-drive, stand-alone system that delivers one-button operation and unattended duplication of up to 100 CD-Rs. Features include separate accept and reject bins; prescan, which scans the master for errors prior to burning; and a Smart Controller, which automatically identifies complex formats like ISO, Hybrid, Mix Mode, HFS and Red Book CD-Audio.

(610) 458-9200; fax (610) 458-9554
info@mediiform.com
www.mediiform.com
 Circle (255) on Free Info Card

What they hear will determine your destiny

Made the old fashioned way,

Master craftsmen and tech-

the AKG legendary sound

your success, it's an invest-

SOLIDTUBE. Made with

detail that has earned

one-at-a-time in Austria.

nicians who understand

is not just assurance for

ment in your future. The

the same commitment to

us our legendary status.




SOLIDTUBE

a hand-crafted masterpiece




What they hear will be a fine fine melody

Full service solutions at pit stop speed.



1-800-622-0022 • www.harris.com/communications



Lead, follow, or get out of the way is not only the motto in racing, but is quickly becoming the norm in radio broadcast. If you're not, the pace car, you're somewhere in the pack.

Harris is in this race to provide you with the tools that it takes to cross the finish line first. The Broadcast Systems Division has the highest point standing in the industry when it comes to providing customers with complete systems at the velocity they need.

Whether you just need some lug nuts, more fuel to keep going, or a complete tire change for your

operation, Harris has the most experienced pit crew in broadcast.

Keep on track and win the ratings championship with an operation that runs without caution flags, start your engine with Harris equipment. We're here to make sure you get the checkered flag.

So, put on your driver suit and helmet, drive fast and turn left to your phone to make sure Harris is on your speed dial list for the times you need a next level radio solution.

next level solutions

WIRELESS

BROADCAST

COMMUNICATIONS

PRODUCTS

HARRIS
Communications

Circle (171) on Free Info Card



Sennheiser: SK3063

The SK3063 is a miniature, tunable body-pack transmitter that provides 50mW of output power. Sixteen selectable frequencies in a 24MHz micro range operate within the UHF macro range of 450MHz to 960MHz. The micro range can be retuned within the bounds of the macro range to ensure continuous operation regardless of DTV frequency allocations.

(860) 434-9190; fax (860) 434-1759; www.sennheiserusa.com

Circle (256) on Free Info Card

Telos: Series 2101



The Series 2101 is the first large-scale multiline talk-show system that interfaces directly with digital phone lines. Its open architecture allows broadcasters to reassign numbers to different studios, thus maximizing the unit's flexibility, with multiple lines feeding multiple studios. The basic system

handles up to 24 lines and can be expanded to accommodate up to 96 lines. The system connects to the phone company's network entirely in the digital domain. This allows faster call setup, better call supervision and extremely high-quality audio.

(216) 241-7225; fax (216) 241-4103

info@telos-systems.com; www.telos-systems.com

Circle (257) on Free Info Card

DIGITAL RECORDER, EDITOR & CODEC for the price of a CODEC, alone!

For what you might expect to pay for a Broadcast quality CODEC, you could be working with the added features of the C-PP, studio model of

The C-series from NAGRA

For gathering news reports, live remotes or voice overs, the C-PP makes transmission of broadcast quality audio in MPEG II digital format via ISDN lines simple and affordable. Combine this with the ability to record to indestructible Flash Ram and configure these recordings with an EDL style virtual editor to create a complete package for Broadcast. Dual PCMCIA cards allow continuous recording time. A directory is kept on each card with the details of every "take" for ease of identification. Built in mic preamps with ALC, dual AUX inputs and DSP mixing capability permit live feeds to be mixed with recorded material for remote broadcasts. The Auto Answer feature allows the C-PP to send or receive automatically when called, for gathering of news reports. All this flexibility is centered around an easy to use menu of selectable functions. Check out our website at www.nagra.com for all the details on the C-series.



NAGRA

NAGRA USA Inc.
240 Great Circle Rd.
Nashville, TN 37228
(615) 729-5191
mail@nagra.com

Circle (173) on Free Info Card

Aircorp: Model 500 Pro Announcer

This microphone processor was designed for application in the studio or on remote. Its input levels can be remotely controlled to correct levels between announcers. Once levels are correct, the equalization can easily be established with no further adjustment required. The unique compressor/expander combination reduces room and equipment noise while providing level control and increased loudness for the announcer. Other features include front panel selection of input level in four ranges, +4dB to -50dB, three section variable boosts and out equalization designed for easy setup with without increasing room rumble and system hiss, and symmetry correction providing more talk power with less compression.

(972) 304-0455

fax (972) 304-0550

Circle (258) on Free Info Card

Orban: Audicy



The Audicy digital audio workstation has a dedicated analog-feel hardware controller, and the visual interface tells you all you need to know at a glance. Fully loaded with OPTIMOD compression, Lexicon reverb and Time-Fit time compression. A networking option lets you link multiple units to each other, to central servers or to on-air systems. The SMPTE time-code option integrates Audicy VX into video post studios. Supports TCP/IP and Novell networking.

(510) 351-3500; fax (510) 351-0500

custserv@orban.com

www.orban.com

Circle (259) on Free Info Card

Leitch: Integrator



The Integrator integrates all digital and analog signal formats and allows flexible, soft-matrix partitioning of hardware matrices. This allows the user to integrate the router into present matrices. The unit is easily reconfigurable for later matrices. Multiple signal formats can be integrated into the same frame with deterministic, field-accurate switching.

(800) 231-9673; fax (757) 548-4088

www.leitch.com

Circle (260) on Free Info Card

MediaFORM

Solutions in CD Duplication

Now Available!
On demand publishing
for unique CD's



3706 Autoloader & Printer In One

The MediaFORM 3706 is the most impressive MediaFORM unit ever. This 6 drive autoloader accommodates up to 200 CD's for unattended cd duplication which features an integrated Rimage thermal printer.



5900 8 Drive Duplicator

The MediaFORM 5900 is the industry leader. This 8 drive system boasts of easy one-touch operation and options for DAT import.



3704 4 Drive Autoloader

This 4 drive autoloader accommodates up to 150 CD's for unattended cd duplication.



3702 Autoloading CD-R Duplicator

The 3702 delivers simple operation and unattended duplication of up to 100 CD-R's.

8x speed now available!



5400 4 Drive Duplicator

The new MediaFORM 5400 is capable of producing 4 CD's simultaneously without the need of a PC.



AP1000 Automated Printer

MediaFORM's new AP-1000 allows for unattended printing of up to 140 CD's at a time.

CD-R media at discount prices!

As Low As
99¢



MEDIASTORE

The Authority on CD Duplication

Or visit us on the Web @ <http://www.mediastore.com>

Call the World's Largest Distributor of MediaFORM CD Duplication Equipment at: **800.555.5551**

Circle (172) on Free Info Card

Comrex Covers the World

With products
in use on
every continent,
Comrex is the
name broadcasters
trust to deliver great
sounding remotes.

We deliver high quality audio over
telephone lines. Whether on standard
dial lines or on digital circuits, Comrex has
a solution. No matter what your remote broadcast
need, let Comrex help you cover it.

ABG is the dealer you can trust to deliver your Comrex products.

COMREX



ABG

Audio Broadcast Group Inc.

www.abg.com

Circle (174) on Free Info Card

Main/Midwest Office
3685 Roger B. Chaffee Blvd.
Grand Rapids, MI 49548
Voice: **800-999-9281**
Fax: 616-452-1652
E-mail: support@abg.com

Central U.S. Office
3283 Strand Road
Duluth, MN 55803
Voice: **800-788-8759**
Fax: 218-525-0455
E-mail: cgrace@abg.com

Southeast Offices
P.O. Box 1779
Mountain Home, NC 28758
Voice: **800-369-7623**
Fax: 828-697-2691
E-mail: cindy_edwards@abg.com

Southeast Offices
P.O. Box 84024
Lexington, SC 29073
Voice: **800-951-7443**
Fax: 803-951-3123
E-mail: jgeorge@abg.com


Southwest Office
P.O. Box 1638
Palmdale, CA 93550
Voice: **800-858-9008**
Fax: 805-273-3321
E-mail: tmezey@abg.com

SMARTS Bro

Innovative Digital



Smartcaster Digital Audio with Touch Screen



The Smart Dubber Automatic Music dubbing from CD to hard drive




Smarts - The Second Generation Traffic System



Digital Program Director Music Scheduling



Windows - Based Record Screen



The Spider Internet Distribution System

Tel: (800) 498-0487

**International:
+1 712 852-4047**

Fax:(800) 398-8149

E-mail: info@smartsbroadcast.com

adcast Systems

Systems for Radio

When it comes to digital audio, digital automation, computerized logging and billing, computerized traffic, computerized music scheduling and much more, look to SMARTS for all the answers. We have innovative software that doesn't just skim the surface, but gets deep into the operational aspects of all radio stations. At WOR in New York, Smartcasters not only automate the local New York City signal, but automate the WOR network as well. In Glasgow, KY the Spider system effortlessly moves production audio and logging information across the internet, with no human intervention needed.

SMARTS has developed a unique system that allows live operators to use Windows 95/98/NT screens. Announcers enjoy the ease of Windows operation and excellent graphic interfaces without the reliability problems usually found in Windows systems. Our passive backplane rack mounted systems are built by SMARTS to rigid, industrial specifications. The result is reliable equipment that stands up to the rigors of broadcast use.

Now SMARTS has added the new Smarts Dub, an auto dubbing system that automatically extracts audio from CDs and records it on the hard drive. This saves hours of recording time for your staff.

We have answers for you. Call, fax or e-mail today to find out more.



SMARTS
Broadcast Systems

Audio Technologies Inc: AES3 DAs



Several models of AES3 distribution amps are available in single and dual input configurations. The units detect sample rates from 27kHz to 96kHz, display standard rates, and generate low jitter outputs to drive up to 12 XLR or 24 BNC lines. They also feature adjustable input cable equalization with status and error readouts.

(215) 443-0330
 fax (215) 443-0394
 les@atiguys.com
 www.atiguys.com

Circle (261) on Free Info Card

Discmatic: MDX7000 and MDX3000



The MDX7000 and MDX3000 tower module multidrive duplicators, featuring seven and three CD-R drives respectively, can produce up to 21 full CDs per hour. For quicker duplication, the newly designed SCSI bus allows a faster data transfer rate and copying of up to seven discs simultaneously.

Both units can copy directly from CD to CD rather than working through the hard drive. They can also save the information to the hard drive during copying, combining two steps into one. The core logic for both units is stored on an advanced flash ROM, and the internal firmware can be upgraded via a firmware CD or by downloading the firmware file from the company's website.

(800) 422-6707; fax (516) 894-9700; info@discmatic.com; www.discmatic.com

Circle (262) on Free Info Card

NewsReady32
 The LAN/WAN/WEB Newsroom System
 Now Connecting Jacor Coast to Coast

WR 800-833-4459
 www.WireReady.com
WireReady

Circle (134) on Free Info Card

WARD-BECK PROFESSIONAL BROADCAST EQUIPMENT

STANDS ALONE

Legendary design
 Legendary quality
 Legendary construction

AFFORDABLE BY COMMITMENT
R2K is here!

... offering a complete line of broadcast solutions.

WBS WARD-BECK SYSTEMS LTD.
 1-800-771-2556 www.wbsltd.com

Circle (176) on Free Info Card

Renaissance In Broadcast

The Age of Enlightenment



Ultra Tracker II

- High Gain Version of Ultra Tracker Single-Lobe Antenna System.
- Power Ratings From 3 to 60 kw With Inputs From 1-5/8" To 6-1/8" EIA Flange.



Double Dipole

- High Gain Linear Polarization.
- Broadband with Single Input.
- Custom Directional Patterns Available To Meet The Most Demanding Protection Requirements.



Ultra Tracker

- Single-Lobe Elevation Means Audibly Less Multipath.
- Dramatically Reduces Downward Radiation.
- Fiberglass "Clamshell" Design Radomes Available.



ANTENNA CONCEPTS INC.

6601C Merchandise Way • Diamond Springs, CA 95619
 (530) 621-2015 • Fax: (530) 622-3274
 e-mail: sales@antennaconcepts.com • www.antennaconcepts.com

Circle (177) on Free Info Card

Mackie Designs: CFX12

The CFX12 is a low-noise, high-headroom mic/line mixer that features 32-bit digital effects and EMAC effects. Every channel has four-band active EQ, two aux sends with a pre/post switch, internal and external effects-level sends, constant loudness pan control, bus assign switches and a PFL Solo switch. Also included are a nine-band stereo program equalizer, separate tape inputs and outputs and Mackie's discrete mic pre-amps.

(425) 487-4333; (425) 487-4337
 Mackoids@aol.com
 www.mackie.com

Circle (263) on Free Info Card

Broadcast Electronics: FM-10S 10kW transmitter



The FM-10S 10kW transmitter features an extensive redundancy and protection system that will keep the signal on the air even in the most extreme conditions. An available standby exciter, IPA and power supply can give you full power standby capability without the cost of an additional standby transmitter. Large, removable front and rear panels provide access to every major assembly for fast and easy repair.

(217) 224-9600
 fax (217) 224-9625
 kwinking@bdcast.com
 www.bdcast.com

Circle (264) on Free Info Card



Neumann/USA to Distribute True Systems Precision 8 Microphone Preamplifier

Old Lyme, Connecticut – Neumann/USA has announced that it will begin U.S. distribution of the True Systems Precision 8 Microphone preamplifier.

"This product is a perfect compliment with the Neumann line," explains Karl Winkler, Neumann product manager. "It boasts rock-solid construction, a very transparent sound quality and extremely low noise. It also features an excellent transient response and a wide dynamic range. In short, it is of the quality of Neumann products, making it an ideal fit with our line."

The True Systems Precision 8 provides eight channels of transformerless mic pre-amps, two of which can be used as direct instrument inputs. In addition, each channel offers 5-segment level indicators with a selectable peak-hold feature. A button on channels one and two allows them to be used as an MS pair for added flexibility. Designed for use with today's modular digital multitrack units and hard disk recording systems, the Precision 8 can easily be connected to TASCAM or Mackie digital products via a DB 25 multi-pin connector.

The Precision 8 designed and built by Sunrise Engineering, a design and build manufacturer located in Tucson, Arizona. Although Sunrise has designed several high-end professional products for other manufacturers, this is the first product that they have debuted under their own name. "We're looking forward to the opportunity to work with Neumann in our marketing, distribution and product development," says Sunrise owner Tim Spencer. "We're proud to be associated with Neumann and couldn't have asked for a better partner."

The True Systems Precision 8 microphone preamplifier is available through authorized Neumann dealers at a suggested retail price of \$2,695.

Circle 194 on Free Info Card.

National Academy of Recording Arts and Sciences Honors Neumann GmbH with the 1999 Technical Grammy® Award

Berlin, Germany – The prestigious National Academy of Recording Arts and Sciences has awarded Georg Neumann GmbH the 1999 Technical Grammy® Award for innovation and advancement in the recording industry.

The Technical Grammy Award recognizes individuals or organizations that have made a significant and lasting contribution in the areas of science and technology. The honor was presented at the NARAS Nominee Reception ceremony of Tuesday, February 23, 1999, at the California Science Center.

"For engineers and artists alike, Neumann has long stood for the world's highest quality studio recording microphones," Professor Sennheiser said. "We are honored and gratified that the National Academy of Recording Arts and Sciences has recognized the company's 70 years of innovative technology and contribution in establishing a true benchmark of quality in the recording industry."

Neumann joins an elite roster of Technical Grammy recipients including Dr. Thomas G. Stockham, Jr., Raymond Dolby, Rupert Neve, George Massenburg and Sony/Phillips. The Technical Grammy was first awarded in 1994.

The award winning line of microphones from Neumann has been the standard of the industry since 1928. Since that time, the company has been driven by a commitment to provide innovative, technically refined products and engineering solutions in proven Neumann quality.

Circle 195 on Free Info Card

Neumann Unveils New Tube Microphone at AES'98

San Francisco, California – When it comes to new microphone design, Neumann has proven again that pushing the limits is what they do best. The new M 147 Tube is the latest model to join Neumann's award winning condenser studio microphone line. The M 147 Tube offers Neumann's proven high quality at a reasonable price.

At the heart of the M 147 Tube is the K47 capsule, made famous in the legendary U 47 and U 47 FET microphones. It exhibits an acoustically well-balanced frequency response (20Hz - 20kHz) and features a supercardioid polar pattern with very even attenuation of signals from the rear of the microphone. In addition, the M 147 Tube demonstrates extremely low self noise for a tube microphone (13 dB-A) and has the ability to handle acoustic signals up to 130 dB SPL without distortion.

Exceeding traditional designs, Neumann has selected a modern tube complemented by a transformerless output circuit. The result is a more controlled, uncolored audio signal from capsule to output. Bass response extends quite low while avoiding phase problems or low level signal losses typical of transformers.

Similar to all the microphones in the Neumann line, the response characteristics are achieved acoustically. By employing the K 47 capsule, this ensures the same warmth and clarity produced by the U 47 and U 47 FET microphones. The M 147 Tube also maintains excellent impulse response and faithfully reproduces transient signals found in music and speech.

"The M 147 Tube pays homage to Neumann's rich 70-year history in innovative microphone design," says Karl Winkler, product manager for Neumann/USA. "It meets the requirements of project, home and professional studio markets for a world-class microphone at a reasonable price. The M 149 Tube was instantly accepted as a new benchmark in high-end tube microphones after its introduction in the Fall of 1995. We expect similar results from the M 147 Tube in a single polar pattern tube mic."

Available in December 1998, the M 147 Tube will ship in a robust aluminum carrying case with a standard mount, power supply, and cable. Retail price will be \$1,995.

Circle 193 on Free Info Card



Voice Over America

With today's ISDN linkups, you can easily produce voice-overs from anywhere in the world – even from the comfort of your own home studio. Think about it...the spot you cut this afternoon could be uplinked by satellite this evening for global broadcast. Now that you know who's listening, shouldn't you insist on a microphone that will let you sound as good as you are?

The Neumann TLM 103. The new world standard vocal mic, at a price within any budget.



Neumann|USA

The Choice of Those Who Can Hear The Difference

Tel: 860.434.5220 • FAX: 860.434.3148 • World Wide Web: <http://www.neumannusa.com>

Circle 196 on Free Info Card

Bradley Broadcast and Pro Audio: Catalog

The company is a full-line dealer of audio support products. Bradley has more than 250 manufacturers from which to select products for solutions to your audio needs, including a full array of supporting products for digital processing. For the best customer service, every Bradley salesperson has an area of specialty. Request a free copy of the company's catalog at their website.

(800) 732-7665
fax (301) 682-8377
bradcast@aol.com
www.bradleybroadcast.com
 Circle (265) on Free Info Card



Cutting Edge Technologies: Omnia ToolVox



The Omnia ToolVox is an all-digital mic processor specifically designed so it won't fight the on-air processor through the use of specialized AGC and compressor sections designed with ratios and time-constants that complement the on-air processor. The de-esser is built around advanced FFT



analysis techniques to prevent the on-air processor from creating harsh sibilance. Incorporates phase rotators and TrueVerb from Waves. Includes a reference-quality mic pre-amp with high-end features, such as 24-bit A/D converters and phantom power. Stereo analog and AES/EBU outputs are provided.

(216) 241-3343; fax (216) 241-4103
info@nogrunge.com; www.nogrunge.com
 Circle (266) on Free Info Card

GFRC: Transportable shelters

These transportable, low-maintenance concrete structures are available with electrical systems, air conditioning, cable trays, vents and other feature to meet your specifications. The shelters are built at the company's plant to your specifications and are delivered to your site.

(800) 543-7205; fax (318) 425-2258
www.gfrc.com
 Circle (267) on Free Info Card

Klotz Digital Audio: Spherion

The Spherion is founded on Klotz's 3d: router technology, which allows multiple control rooms to share sources, logic, control and DSP functions.

Available in two sizes: a 12-fader version with a minimum of 24 input sources and a 20-fader console with a minimum of 40 input sources and DSP production features. Sources include microphone, stereo analog line and various formats of digital line inputs.

+49 89 462 3380; fax +49 89 462 3818

sales@klotz-digital.de
www.klotzdigital.com
 Circle (268) on Free Info Card



Arrakis: Arrakis DL4

Several versions of Arrakis DL4 software are available. The systems run on a Windows 95 PC computer to control the DL4 workstation. The digital audio engine features Triple Play with simultaneous record (expandable up to 96/32 play/record events) and separate outputs for each playback with console start/stop, cart-like control logic.

(970) 224-2248; fax (970) 493-1076
sales@arrakis-systems.com
www.arrakis-systems.com
 Circle (269) on Free Info Card



LOSE EVERYTHING..

LOSE NOTHING



Worried about losing Audio Quality?

Why compromise?

APT codecs provide proven audio quality without delay and lose nothing through multiple coding.

Over both permanent and dial-up digital circuits, the BCF256 and NLX384 represent the broadcaster's choice for Backhaul, STL, studio networking and Outside Broadcast applications. Talk to us about the benefits of utilising apt-X as your next audio communications solution.

Believe your own ears!

Don't delay! Contact APT at:

HEADQUARTERS: TEL +44 (0) 1232 371110
 N. AMERICA: TEL +1 323 463 2963
 JAPAN: TEL +81 3 3520 1020

APT
 AUDIO PROCESSING
 TECHNOLOGY
<http://www.aptx.com>

Circle (180) on Free Info Card

CartWorks Digital Audio Systems

The Choice is Easy!



Line	Cart	Time	Artist	Length	Initial	End	Type
163343	DALIVE	02:22		03:00			COM
163348	2007	London Sets		00:11			WIN
163350	M12	Armaggeddon II	Dan Lippard	04:54	22	F	MUS
163353	V101	Voice Track 1		00:05			VTE
163355	M17	Patsy Lynn	Glenn Fry	02:08	06	C	MUS
163356	1201	London's Great Music		00:00			WIN
163358	M18	Listen To Help!	Tom Petty	02:48	11	C	MUS
163362	DALIVE	IBM/Fairfax		03:00			COM
163367	2005	IBM/Fairfax		00:00			WIN
163368	M24	Dance The Night	Van Halen	02:47	13	F	MUS
163370	V105	Voice Track 5		00:05			VTE

Live Assist/Cart Replacement

The first truly user friendly digital audio system. A perfect replacement for those aging cart machines. Operate manually like a six deck cart machine or use Script Automation for advanced live assist features. You won't need a staff of computer wizards to operate it either. Because CartWorks is designed to look and operate like traditional broadcast equipment, it's easy to learn and use.

Satellite Automation

All the features of our Live Assist workstations plus advanced Satellite Automation. Includes 8X2 stereo audio switcher and everything you need for live, local sounding satellite automation. CartWorks' powerful Script Automation provides more than just the standard features. Extended control capabilities tackle even the most demanding applications. And there's no macro language to learn. It's all controlled from a simple Windows' point and click interface.

Music-On-Hard-Drive

Designed after the original CartWorks friendly user interface, here's a professional Music-On-Hard-Drive system that's simple to operate yet powerful. Sound live 24-hours a day with pre-recorded, In-context voice tracks that match what's actually on the air.

To keep things simple, Spot sets are played from a familiar cart deck. Music log events are played from a music log. CartWorks MHD accepts logs from most any of your favorite music schedulers. Or use our included Quick Scheduler. Switching between automated and live assist modes is as simple as pressing a single button. And options are available to easily add Satellite Automation. CartWorks MHD won't drain your budget or your brain.

Like all CartWorks products, it's backed by 24-hour technical support.

Prices start at \$4,995 Complete!

For information call: 1-800-795-7234 Or visit us on the web: www.cartworks.com

Circle (179) on Free Info Card

Pacific Research & Engineering. The Consolidation Company.

Since 1969, Pacific Research & Engineering has partnered with the radio broadcasting community as a supplier of custom studio solutions. We are the nation's most respected manufacturer of high-reliability audio consoles for on-air and production applications.

But frankly, our reputation as a great console maker has caused us a tiny problem.

Every year at NAB, people come to our booth to see the latest console offerings. They look at the beautiful furniture our consoles are displayed in. Then they ask us, "Who builds your cabinets?"

The answer is: *we do.*

In fact, we build entire radio studios. Not just the consoles, but the studio furniture, wiring and interconnections, systems integration, installation, testing & training, ongoing support... Pacific Research & Engineering isn't just a console company. PR&E is **The Consolidation Company.**

Allow us to acquaint you with the full range of services PR&E can provide to help your next studio project deploy smoothly, on time and within budget:

- **Broadcast Consoles.** PR&E's complete line of audio consoles includes mixers for radio and television on-air and production, and special applications as well. Our first console was a custom, one-of-a-kind board manufactured for KFI, Los Angeles in 1975. Today, with the recent introduction of our second digital console, **AirWave Digital**, we have shipped over 3,000 consoles to broadcasters worldwide! PR&E consoles demonstrate time-proven reliability, with many still in service after two decades of more of daily operation.

- **Studio Furniture.** PR&E's furniture design team has been producing award-winning custom designs since the early 1970's. From free-form cabinets with flowing curves and expansive work surfaces to visually stunning eye-catchers made of non-traditional materials, PR&E custom studio furniture is strikingly attractive and amazingly durable. We also offer semi-custom and economical, fully modular furniture lines to suit every need and budget.

- **Systems Integration.** PR&E audio consoles are carefully designed to bring together over 10,000 components into a single, flawlessly functioning whole. We apply the same diligence and care in assembling and wiring the hundreds of separate products that become a radio studio. In fact, we've built more than 2,000 great studios worldwide! PR&E Systems Engineers can design and facilitate almost any project, at any level of involvement. Whether a full turnkey studio installation or just a part thereof, Pacific Research & Engineering is more than equal to the task. Here are some of the services PR&E Systems Engineering encompasses:

- **Wiring and Interconnection.** PR&E technicians are experts in this vital area. We take the time to design, build and document wiring and interconnections which are easy to manage and maintain, and which will last the lifetime of your installation. Our experience includes custom design and fabrication of audio and logic cabling, computer and telephone room networks and terminal rooms. We wire through all types of wire management specifications: trenches, conduit, raised floor, overhead trays — you name it, we do it.

- **Pre-Installation Testing.** All of our studio design and integration projects are subject to a stringent quality control process, and are completely assembled, tested and documented prior to leaving our headquarters to ensure your satisfaction upon delivery.

- **On-Site Installation.** If you choose, expert PR&E Installation Teams will work with your personnel during final on-site assembly of your studios, including thorough studio checkout and systems verification. Training can also be provided.

- **Ongoing Support.** Not just one, but two independent research firms have ranked PR&E "number one" in customer satisfaction. We're completely focused on helping you find just the right

studio solution for your operational needs. And, we're committed to long-term parts and service support; our Technical Support specialists are on-call when you need them.

And now PR&E has introduced a new way to make building "turnkey" radio studios easier and more cost-efficient than ever: **StudioAdvantage Total Studio Solutions.**

StudioAdvantage studios are self-contained, acoustically isolated "modules", which can be moved and adapted to new locations. Move your stations across the hall, across town or across the state — and

take your studios with you, without having to rebuild from scratch. Once installed, however, these well-appointed modular studios are visually indistinguishable from traditional built-in rooms, and can be configured to fit almost any space imaginable.

"When we refer to StudioAdvantage as a Total Studio Solution, we mean that literally everything in the studio comes together in one package," says Pacific CEO Jack Williams. "Audio source and control components, studio furniture, sound and vibration isolation, HVAC, cabling and wiring — everything."

"Using a StudioAdvantage solution can help shave precious days or even weeks from your installation schedule. Anyone who has ever built a radio studio from scratch will instantly appreciate its benefits. Instead of having to painstakingly oversee planners, architects and

contractors who are likely unfamiliar with the skills needed to build a truly 'quiet' room, managers who choose StudioAdvantage can rest easy knowing that their new studios will be completed on time and on budget, and will be acoustically superior."

StudioAdvantage Total Studio Solutions give managers the added benefit of knowing exactly how much their studios will cost before they are built — and knowing with pinpoint accuracy when they will be delivered and installed, virtually eliminating budget overruns, emergency lease extensions and costly after-the-fact modifications to the studio design.

Call us at 760-438-3911 to find out more about the broad range of services and products that PR&E can provide.

PR&E. We're not just a console company... We're The Consolidation Company.



A digital PR&E console starting at just \$11,010.*

(So advanced, even the price is digital.)

Airwave[®] Digital. Three program busses. Two mix-minuses. One remarkable board. \$11,010. Now there's a string of binary code anyone can understand. So if you're budgeting to go digital—and running tight on budget—take a close look at a 12 or 20 input Airwave Digital on-air console. Its familiar layout flattens the digital learning curve. And with 3 program busses, talent can be playing Madonna, time shifting a Dr. Laura feed, and laying down voice tracks—all at the same time. So you can squeeze more production out of your payroll.

Airwave's flexible, too. One or two telco modules and B-side logic are among a host of available options. And unlike some digital consoles, you can reconfigure input modules from analog to digital—or vice versa—at your studio, just by changing a card.

Best of all, Airwave Digital comes with that "no-need-to-rationalize-to-anyone" PR&E quality. Want to know more? Call 760-438-3911, visit www.pre.com or email sales@pre.com.




PACIFIC RESEARCH & ENGINEERING

*12 input mainframe, standard clock/timer, monitor and output modules, standard 5-mic preamp module, 3 analog inputs, 4 digital inputs and one telephone input/output module.

Circle 165 on Free Info Card

Syntrillium: Cool Edit Pro Version 1.2



version from the company's website.


(602) 941-4327; fax (602) 941-8170
sales@syntrillium.com; www.syntrillium.com
 Circle (270) on Free Info Card

Cool Edit Pro Version 1.2 includes full reverb, hard limiter and pitch bender effects; Real-Media G2 support; real-time preview and enhanced quality for almost all effects; and automatic silence detection and deletion. Includes video tutorials that demonstrate how to navigate in Cool Edit Pro and use its main features. The upgrade is available free of charge to licensed users of Version 1.0 and 1.1. Users can download a fully functional demonstration

Nautel: XL12

The XL12 is wideband, solid-state AM transmitter capable of 145-percent positive peak output at 12kW. The modular design has eight power modules capable of 1.6kW each. Each power module has two RF power amplifiers inside. Modulation is done with interphase pulse duration modulation. The overall system efficiency is 84 percent. Modules connect with D connectors and can be removed and inserted while the transmitter is in operation. A complete standby exciter with automatic change-over keeps the transmitter on the air in the event of a failure.

(207) 947-8200
fax (207) 947-369
info@nautel.com www.nautel.com
 Circle (271) on Free Info Card



They said, "Show me."

So, We did.

They liked what they saw in our fine furniture:

Bumpers to keep chair legs from gouging...wood trim to keep edges from delaminating...sloped racks to keep equipment safe. Round corners to give their rooms today's custom look.

They paid for quality, and they got it.

How do you make certain you get everything you pay for in your rooms? Opt for the sure thing in studio furniture design—specify Murphy Studio Furniture.

MURPHY ▲ 4153 N. BONITA STREET ▲ SPRING VALLEY, CA 91977 ▲ TEL (619) 698-4658 ▲ FAX (619) 698-1268 ▲
 ▼ (800) 307-1060 ▼ Email: dennis@murphystudiofurniture.com ▼ Web: murphystudiofurniture.com ▼
STUDIO FURNITURE *Our service goes beyond design and fabrication, to total management of your concept's execution.*
 Wood Trim Corners • Passive Ventilation • Built-In Wireways • Multiple Access Panels • Ease of Installation

Circle (166) on Free Info Card

Roland: V-Mixing system



The V-Mixing system features a separate console/processor design and up to 94 channels of digital mixing with 16 channels of stereo effects. The system allows you to connect the motorized-fader console up to 200 meters from the rackmount processor/audio I/O box using two standard AES/EBU cables, eliminating the need for expensive, cumbersome audio snakes between the stage and mixing console or the studio and control room. Up to 40 XLR inputs, 48 channels of ADAT/Tascam communication, 5.1 surround mixing, full automation and COSM Speaker Modeling capabilities.


(323) 685-5141; fax (323) 722-9233
www.rolandus.com
 Circle (272) on Free Info Card



- Pre-built Transmitter Sites
- Solid-State Transmitters
- Single-Tube Transmitters
- Low Power Transmitters
- RF Amplifiers
- FM Exciters
- Digital T1 STL Systems
- Digital Spread Spectrum
- Digital Stereo Generators
- Modulation Monitors



Modulation Monitors



Digital STL / TSL Systems




Low Power Transmitters

Meeting The Broadcaster's Present And Future Needs



Transportable Pre-Built Transmitter Sites



Solid-State and Single Tube High Power Transmitters

QEI Corporation
 One Airport Drive, P.O. Box 805
 Williamstown, NJ 08094
 e-mail: qeisaless@qei-broadcast.com

Toll-free Sales (800) 334-9154
 Fax (609) 629-1751
 Emergency Service (609) 728-2020
 Web Site: http://www.qei-broadcast.com

For More Information Call Us Toll-Free At (800) 334-9154

Circle (167) on Free Info Card

TECHNOLOGY AT WORK

From Computer Concepts

VISUAL TRAFFIC

With Visual Traffic there are no limits. As the complete, management-oriented traffic system, it's designed to keep pace with the competitive world of radio. Working in Windows, V.T.'s visual and innovative approach provides easy operation in every aspect from order entry through invoicing.




No matter what the situation, V.T. is flexible enough to perform in virtually any type of operation. Its multiple station capabilities make V.T. ideal for combos, trombos, and superduopolies. With the addition of the Corporate Module, V.T. truly manages corporate advertising, orders and reporting for multi-site WAN operations. The managerial reporting functions, from creating logs to controlling accounts receivable and billing, are extremely easy to perform. After all, V.T. knows no limits.

Circle (189) on Free Info Card

MAESTRO

Do you find yourself losing control of your digital radio stations because of the equipment?



With Maestro, it's you in charge, not the equipment. The most flexible and reliable audio system on the market, Maestro offers direct interface with any music and traffic scheduling systems, news operations, copy management,

production workstations, and more! Plus, you can configure all of your Maestro workstations from a single computer. This gives you the control and keeps you competitive.

Circle (190) on Free Info Card


NEWSROOM

Whether you have a single station or a full-service news operation, NewsRoom is the solution for news departments everywhere. Flexible wire handling capability and audio production/editing provide the tools to produce a completely integrated newscast. Just line-up your stories and go. It's that simple!

Circle (191) on Free Info Card

VOICETRACKER

Automation can play an integral role in any radio operation. With VoiceTracker, talent can prerecord voice cuts for an automated shift. Overlaps, cross-fades and audio levels can be previewed and adjusted for live sounding automation in a fraction of the time. Best of all, no one can tell the difference ... is it live radio, or a prerecording?



Circle (192) on Free Info Card

All Digital. All Radio. All Here.

- Voice Tracking
- Copy Management
- Digital Audio
- Live Assist
- WAN Support
- Automation
- News Room Integration
- Digital Switching
- Multi-Track Editing
- Satellite

Computer Concepts Corporation

Toll Free 1-800-255-6350
www.ComputerConceptsCorp.com

Maestro • NewsRoom • ReLogger • LogMerge • VoiceTracker

Circle (168) on Free Info Card



Tripp Lite: Super 10



The Super 10 features 10 outlets with built-in safety covers. Two of the 10 outlets are designed to remain on even when the master power switch is off. All Super 10 models include a 10-foot cord to reach distant outlets and a space-saving right-angle plug. Colored cord stickers identify each connected device's cord.

A unique design allows transformers to be plugged in without covering adjacent outlets.


The deluxe model includes a fourth LED to alert users to dangerous low-voltage conditions that could damage connected equipment and corrupt data.

(773) 869-1111; fax (773) 869-1FAX
info@tripplite.com; www.tripplite.com

Circle (273) on Free Info Card

TFT: 999

The 999 is designed to fit applications for stations with a fully digital signal chain, the unit allows a digital or analog signal to be inserted into a



station's EAS/EBU signal path. Intended to serve as the digital version of TFT's Model 940A program/transmit interrupt unit. Features include a digital interrupt for transparent AES/EBU operation; support for all current AES/EBU formats (including 32kHz, 44.1kHz, 44.056kHz and 48kHz); signal detect for automatic switching, control and backup; seamless interruption.

(800) 347-3383; fax (408) 727-5942
info@tftinc.com; www.tftinc.com

Circle (274) on Free Info Card

Digital Audio Research Ltd (DAR): OMR8

audio production/post-production editing. A high level of audio networking is integral to DARs design approach, with the inherent flexibility of the OMR8 based on DARs Genesis software platform. Addressing the fundamental issues of file format and data handling, Genesis has adopted Microsoft .wav files as its native format, enabling easy compatibility with other products.

+44 1372 742848; fax +44 1372 743532; www.dar.uk.com; mail@dar.uk.com

Circle (275) on Free Info Card

DARs OMR8 lineup includes the high-resolution music recording and mastering OMR-8MR and the OMR8-P for

Scott Studios Corporation: Scott Linux System



The Scott Linux System plays commercials, songs and other recordings digitally in air studios. Linux is a stable UNIX-based multitasking operating system that is free off the Internet. Scott Studios supports the system 24 hours a day.

(972) 620-2211

fax (972) 620-8811

sales@scottstudios.com

www.scottstudios.com

Circle (276) on Free Info Card

ALTRONIC RESEARCH INC.
Performance By Design

MANUFACTURER OF RF COAXIAL LOAD RESISTORS.

DUMMY LOADS FROM 1 KW TO 1500KW, AVAILABLE IN AIR, WATER OR SELF CONTAINED HEAT EXCHANGERS.

HIGH POWER NON-REACTIVE CERMET RESISTORS FROM 1 OHM TO 20 MEGOHMS.

ALTRONIC RESEARCH INC.

P.O. Box 249 • Yellville, Arkansas 72687 870-449-4093 • Fax: 870-449-6000
E-mail: altronic@mtnhome.com Web Site: http://www.altronc.com

Circle (169) on Free Info Card

One Dealer, One Focus, One Call

Trust ABG

Call us, and put our people to work for you.



MAIN/MIDWEST OFFICE

Grand Rapids, Michigan
Voice: 800-999-9281
Fax: 616-452-1652
E-mail: support@abg.com

NORTH CENTRAL OFFICE

Duluth, Minnesota
Voice: 800-788-8759
Fax: 218-525-0455
E-mail: cgrace@abg.com

SOUTHEAST OFFICES

Mountain Home, North Carolina
Voice: 800-369-7623
Fax: 828-697-2691
E-mail: cindy_edwards@abg.com

Lexington, South Carolina
Voice: 800-951-7443
Fax: 803-951-3123
E-mail: jgeorge@abg.com

SOUTHWEST OFFICE

Palmdale, California
Voice: 800-858-9008
Fax: 805-273-3321
E-mail: tmezey@abg.com

www.abg.com

Circle (170) on Free Info Card

Sonic Foundry: Sound Forge XP



Version 4.5 of the Sound Forge XP, the mass-market version of the Sound Forge digital audio production system, allows professional Internet audio production with a PC and a soundcard. The upgrade includes a suite of new loop editing tools.

(608) 256-3133; fax (608) 256-7300


www.sonicfoundry.com

Circle (277) on Free Info Card

AudioVAULT

THE RADIO SOLUTIONS TOOL BOX THAT'S GOT IT ALL.


Run your show here.




Manage copy here.

For sheer jazz energy and excitement, there's nothing that can match the power and pizzazz of a big band. Saturday and Sunday, September 18th and 17th, feel the energy and excitement... as two nights of big band music come to the Skyline Stage at Navy Pier. With Dr. John and the Afterglow Big Band. The GRP All-Star Big Band featuring Tom Scott, Neilson Rangel, Eric Marienthal, and more. And the Chicago Jazz Ensemble conducted by William Russo. Columbia College Chicago in association with Brio Productions presents big band music.

Prep jock notes here.



Route audio here.



Record a show bit here.



Read music notes here.

For sheer jazz energy and excitement, there's nothing that can match the power and pizzazz of a big band. Saturday and Sunday, September 18th and 17th, feel the energy and excitement... as two nights of big band music come to the Skyline Stage at Navy Pier. With Dr. John and the Afterglow Big Band. The GRP All-Star Big Band featuring Tom Scott, Neilson Rangel, Eric Marienthal, and more. And the Chicago Jazz Ensemble conducted by William Russo. Columbia College Chicago in association with Brio Productions presents big band music.

Read the news live from here.

Last year was the safest year in history. Only twenty people died in farm accidents last year, according to the university's farm safety and health program. That's down from 38 deaths in 1996 and 126 deaths thirty years ago. recorded in Minnesota.

Produce a commercial here.



Check daily logs here.




Send a message here.



Read live copy here.




Vocetrack a daypart here.



Share audio via WAN here.



Webcast from here.



AudioVAULT® is the only system that offers all the tools for today's radio. From single station operation to WANs and webcasting, AudioVAULT has a complete solution for every radio challenge and every functional need.

Call for a free demo kit and information, or visit our website.



Need Solutions?
www.bdcast.com
or (888) 232-3268



Solutions for Tomorrow's Radio
Circle (154) on Free Info Card

Azden: 411DRH



anced 1/4-inch output connector, the 12V DC power connector and a newly added Squelch adjustment.

(516) 328-7500; fax (516) 328-7506
 azdenus@aol.com; www.azden.com
 Circle (278) on Free Info Card

The 411DRH UHF receiver is manufactured in a metal half-rack case and is designed to stand alone or mount, with optional rack adapters, in a standard full 19 1/2-inch rack. Features include a front panel on/off switch, volume adjust and RF and audio level display. Also on the front panel are the group and channel adjustment switches for choosing one of the 63 user-selectable UHF channels. The rear panel features twin removable antennas, both a balanced XLR and an unbalanced 1/4-inch output connector, the 12V DC power connector and a newly added Squelch adjustment.

Intraplex: IntraLink



The IntraLink eliminates the need to use codecs in pairs by providing full compatibility with MPEG Layer II, Layer III or G.722 ISDN compliant codecs. Facilitates the management of remote broadcasts, conserves studio rack space and allows broadcasters to redeploy existing codecs to the field. The 6500 supports up to six BRI ISDN connections simultaneously in a 3RU space. Also delivers LAN data at rates of up to 128kb/s in one ISDN line. The 6100 supports up to three ISDN connections simultaneously in a 1RU space.

(217) 221-7577; fax (978) 486-0660
 sales@harris.com; www.intraplex.com
 Circle (279) on Free Info Card




Remote Monitoring and Control for Any Size Site

Davicom systems provide all the automated monitoring, reporting and control functions you need to keep your site(s) operational and legal!

- System sizes for small, medium and large applications
- Multi-site capability
- Works with almost all sensing devices
- Prices include relays, voice operation and PC software for Windows 95/98 and DOS


davicom
 technologies
 Toll-free: 1-877-327-4832
 fax: 609-653-1075

Circle (155) on Free Info Card



ENCO America: DAD PRO 32



DADPRO32 system can now be configured using Linux as the network operating system. DAD provides powerful live-assist and automated on-air features and functionality, production recording and editing, and inventory management. Uses commonly available nonproprietary computer hardware and network architecture. Can be configured as a stand-alone workstation or as any number of stations, each optimized for its specific task (and all sharing data via a local or global WAN).

(800) 362-6797; fax (248) 476-5712
 sales@enco.com; www.enco.com

Circle (280) on Free Info Card

Call the Pioneers!



Courtesy, Colorado Historical Society

Back in 1988 when NSN introduced VSAT satellite technology to the broadcast industry, there were fewer than 1,500 VSAT terminals in the USA. Today there are over 150,000!

Over the years, we've installed more than 150 uplinks and over 2,800 remote sites worldwide. And we've blazed a few trails including the first ComStream ISO/MPEG VSAT digital audio and data networks in the USA, Venezuela, and the Bahamas; the first "store & forward" localized satellite audio networks in the USA; and the first VSAT SCPC paging data distribution network in Hong Kong.

NSN's unmatched integration experience has made us the nation's preferred choice for VSAT networks. We are the largest authorized distributor of ComStream digital audio equipment. The recent addition of Wegener's digital audio product line provides us with an extensive array of the finest satellite equipment and broadcast communications products to meet your needs. NSN offers complete, turnkey networks with spacetime for coast-to-coast stereo audio starting at just \$1,595 per month! Look to us for:

- ☑ Satellite Data Networks
- ☑ Satellite Internet Connectivity
- ☑ Network Design & Licensing
- ☑ Domestic & International Spacetime
- ☑ 24-Hour Technical Support
- ☑ Installation & Training
- ☑ Lease Financing



NSN NETWORK SERVICES

970-949-7774

800-345-VSAT
 8 7 2 8

Fax 970-949-9620
 E-mail: kelly@nsn.net

Circle (156) on Free Info Card

Coaxial Dynamics: 81100-A-81600-A



The 81100-A-81600-A series of high-power directional RF wattmeters is designed to measure RF power in 50Ω coaxial transmission lines. To use, connect the wattmeter between the power source and an antenna or dummy load, plug in the appropriate measuring element(s) and read the RF power directly on the 4 1/2-inch three-scale meter. A rugged, shockproof housing protects the meter. Several models are available.

(216) 267-2233; fax (216) 267-3142
 coaxial@apk.net; www.coaxial.com

Circle (281) on Free Info Card

NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW

PACEMAKER

by **AUTOGRAM**



TWO CABINET SIZES

Model PM218
Up to 18 Modules

Model PM228
Up to 28 Modules

SHOWCASING THE FOLLOWING

- New Modern Styling and Color with Wood End Bells
- **EXCLUSIVE BI-MODULAR CONCEPT**
- All DC control – easy replacement of front panel modules with no clicks or pops
- Same **AUTOGRAM** dependable screw-type plug-in connectors
- Easy installation with convenient changes post-installation
- **INCREDIBLE NUMBER OF INPUTS !!!**
 PM228 – up to 56 stereo inputs, PM 218 up to 40 stereo inputs
- Start with as few modules as needed – expand later!
- Uses similar switches and the same Penny & Giles pots as original Pacemaker
- No incandescent lamps on switches – **ALL LED ILLUMINATION!**
- New State Of The Art external power supply!
- Self-resetting “Poly-Fuses” protect individual circuit boards
- **AUTOGRAM** Autoclock standard in all units!
- Lighted meters !! 6 on PM228, 4 on PM218!
- Built-in Cue Speaker

BUILT WITHIN THE AUTOGRAM TRADITION OF VALUE & QUALITY

972-424-8585
FAX 972-423-6334
800-327-6901

AUTOGRAM CORPORATION

1500 Capital Ave.
Plano, Texas
75074

email: info@autogramcorp.com • www.autogramcorp.com

Mager Systems: Studio furniture



(602) 780-0045; fax (602) 780-9860
Circle (282) on Free Info Card

The company has constructed award-winning furniture for more than 20 years, specializing in the use of curves, rounded corners and unusual designs. Solid-surface materials and unique construction techniques are employed. Complete design, fabrication and installation are offered, and all products are backed by a 10-year installed warranty. The company specialized in custom designs, from one-of-a-kind pieces to standard studio furniture.


Gentner: Venture line



The Venture line of assisted listening system products is now available for shipment. The series comprises transmitters and receivers that use a wide area FM signal to provide maximum voice intelligibility in virtually any environment. Operates in the 216MHz frequency range and has recently been approved by the FCC for use in hearing-assistance applications that are not specifically designed for the hearing impaired. The transmitters have 19 available channels, enabling multiple transmitters to be used in one location. The receivers use a digital tuning processor to ensure that they stay locked-on to a particular frequency, despite rough handling or changes in humidity and temperature. The Venture-1 receiver can be preset to receive any of the transmitter's 19 channels; the Venture-6 enables the user to switch between up to six preset channels.

(800) 945-7730; fax (801) 977-0087
fflood@gentner.com
www.gentner.com
Circle (283) on Free Info Card

Cabling Solutions from Gepco



Gepco supplies audio cable, video cable, cable assemblies, breakout boxes and more.

Gepco distributes ADC, Kings, Neutrik, Switchcraft, EDAC and more.

Innovative, Quality Audio and Video Cable Products

1-800-966-0069

Chicago • Los Angeles



www.gepco.com

Circle (158) on Free Info Card

You Handle the Caller, We'll Handle the Audio!



INLINE PATCH Telephone Audio Interface

Simply connect Inline Patch between your telephone and the wall jack. This new power tool will give you separate control over your voice and the caller's voice. Not just another hybrid, Inline Patch works with (or without) your telephone for simple desktop reporting.

List Price \$270.00



JK Audio Remote Broadcast Gear

800-JK Audio (815) 786-2929 www.jkaudio.com
800-552-8346 Fax: (815) 786-8502

Circle (159) on Free Info Card

PMI Audio Group: C2

The C2 is a 1RU stereo compressor. The unit offers a range of compression effects based on a new design that makes the compression ratio vary with the input control. Incorporates the newly developed Joemeek Sum and Difference compression system, thus improving the unit's stereo image stability and the accuracy of the left and right gains. Features auto-variable slope optical compression/limiting.

(310) 373-9129; fax (310) 373-4714
sales@joemeek.com
www.joemeek.com
Circle (284) on Free Info Card

EMTEC Pro Media: BASF ADAT Master




The BASF ADAT Master for 20-bit recorders eliminates the need for real-time formatting of ADAT masters before recording, allowing artists and engineers to go immediately to tape. With more than 110,000 ADAT systems in use worldwide, EMTEC estimates that 1 million hours of studio time can be saved by using formatted masters. Eliminating the drum-on hours of real-time formatting will also significantly extend the life of ADAT recorder heads.

(805) 295-5551; fax (805) 295-5554
www.emtec-usa.com
Circle (285) on Free Info Card

Superior Broadcast Products

Quality Products at Reasonable Prices

FM Transmitters



High Performance Solid State Exciter
Solid State IPA Amplifier
One Year Limited Warranty
Factory Service
On site check out by factory personal available

1,000 watt	\$5,990.00
2,500 watt	\$11,990.00
5,000 watt	\$18,990.00
10,000 watt	\$24,990.00
15,000 watt	\$34,990.00
20,000 watt	\$37,990.00

20 Watt Solid State Exciter - \$995.00

Solid State FM Transmitters with Digital Exciter


120 watt	\$2,800.00	2,000 watt	\$12,900.00
300 watt	\$3,500.00	3,000 watt	\$19,990.00
1,000 watt	\$7,990.00	5,000 watt	\$29,990.00

FM AMPLIFIERS	
100 watt	\$995.00
300 watt	\$1,790.00
500 watt	\$2,990.00

FM STL	
Both Transmitter and Receiver	
\$3,500.00	

FM Antennas

All Power Levels 500 watts to 20,000 watts per bay
As low as.....\$395.00 per bay



* RF Coaxial Patch Panels
*FM Combiners

FREQUENCY AGILE
FM TRANSLATOR
\$2,500.00

Contact Jimmie Joynt 17194 Preston Road, Suite 123-297 • Dallas, Texas 75248
Ph: 972/473-2577 • 800/279-3326 • Fax 972/473-2578 • 800/644-5958

Circle (160) on Free Info Card

PRODUCT SOURCE

BE Radio

MediaTouch Introduces QuicPix Audio Studio

All-in-one production and playback package rips CD's, plays and records MPEG-2 on any Windows sound card; priced under \$700

WINNIPEG, MB (May 18, 1999) — MediaTouch, a division of OMT Technologies, Inc., announced its new QuicPix Audio Studio software package with pricing starting at \$699.

"We received such a tremendous positive response to both our QuicPix instant-start cartwall and MediaDisk-32 production software at NAB '99," explains MediaTouch president Ron Paley, "that we decided to take the best of both products and offer it as one value-priced package."

The QuicPix Audio Studio runs on the Windows 95/98 platform and uses MediaTouch's Card Independence technology to play and record broadcast quality MPEG layer 2 audio.

In the playlist mode, users can load anything from the audio library into a seven event virtual cart player, or switch to a library view to "hot start" any of 40 items on the screen. Two items may overlap each other on a single audio card.

The QuicPix Audio Studio is packed with production power. CD's can be "ripped" — digitally converted to an audio file in less than real time without dubbing, or sources can be recorded through the sound card using the traditional tape deck-like control buttons. A professional version of the program, priced at \$995, adds cut and paste waveform editing and effects such as audio flip and pitch change.


The software will be available in the US through Broadcaster's General Store in Ocala, FL (800-636-0123) and in Canada through Oakwood Broadcast (800-665-0501).

Since 1984, MediaTouch has been designing and developing innovative audio solutions for the broadcasting industry. MediaTouch is the audio and Internet software development division of OMT Technologies Inc., a privately held company founded in 1968 and based in Winnipeg, Canada. For more information about MediaTouch, access the company's World Wide Web site at www.omt.net.

Circle 188 on Free Info Card



MediaDisk-32



QuicPix Audio Studio

Trust MediaTouch For Digital Audio Solutions

The Quality And Support You Want

Since 1984, MediaTouch has provided radio broadcasters with innovations that make radio work better. With MediaTouch by OMT Technologies, your station always has crisp, clean digital sound, without the muddiness or other problems of audiotape. Your station works together as a team, because MediaTouch connects the different departments together and allows them to easily share information. And when you have a question, our staff of radio professionals is on call toll-free, 24 hours a day, 7 days a week. MediaTouch is peace of mind.

Custom Tailored To Fit Your Needs

At MediaTouch, we realize that one size does not fit all. That's why MediaTouch is a system: you pick and choose the features you need. Want to time shift programming? We have tools for that. Take lots of news feeds? We can record and "splice" them digitally and automatically. Want to do walkaway automation? Our voicetracking is easy. Want to do your shows live? Our system is the only one that's as easy to use live in the studio as it is fully automated.

Cart Replacement Software Starting At \$995

For One Station or Many Stations

Our first "Super-Duopoly" was in 1991, and our experience leaves nothing to chance. Wide Area Audio Networking (W.A.A.N.TM) software lets you effortlessly communicate and share files with stations near and far. Monitor transmitter sites and stations from far away with a web browser and an internet or intranet connection. Our systems are built solidly, so they keep running day after day. That's why MediaTouch/OMT is the software behind virtually every cable/satellite direct music service in North America, as well as over 500 stations around the world.

What's Your Dream?

Call us toll-free at (888) 665-0501, and tell us what you want your MediaTouch system to do. We'll work with you and find ways for your stations to sound better and save more money.



Mediatouch on-air at 92-Q Baltimore



MediaTouch
A DIVISION OF OMT TECHNOLOGIES INC.



2480 S.E. 52nd Street
Ocala, Florida 34480-7500
Tel: 1-352-622-7700
Fax: 1-352-629-7000

Circle 144 on Free Info Card

MGE UPS Systems: Pulsar EX


The rackmount versions of the Pulsar EX units, the EX 1000 VA and 1500 VA are 2U high; the 2000 VA and 3000 VA models are 3U high. The units offer optional long-duration batteries and full-time seamless voltage regulation for a variety of systems. Other features include online double conversion technology with 100-percent rated electronics, input power factor correction and an expansion slot for optional SNMP or status card. Each model is shipped with the company's exclusive Solution-Pac power management software.

(714) 557-1636; fax (714) 557-9788
info@mgeups.com; www.mgeups.com

Circle (286) on Free Info Card



Continental Electronics Corp: 50kW AM transmitter




The 50kW AM transmitter accepts and generates digital broadcasts. Building on the AES3 digital audio path, the transmitter gives customers more control over their stations' sound. The all-digital path reduces noise and prevents signal degradations.

(214) 381-7161
fax (214) 381-3520

dburkey@contelec.com; www.contelec.com

Circle (287) on Free Info Card

Gefen Systems: ex-extend-it PC/Mac2000



The ex-extend-it PC/Mac2000 allows for switching between any combination of up to six PCs and/or Macintosh computers using only one monitor, keyboard and mouse. The PC/Mac2000 replaces the PC/Mac241.

(818) 884-6294; fax (818) 884-3108

gsinfo@gefen.com
www.gefen.com

Circle (288) on Free Info Card

DPA Microphones On Line!

Log on for the latest details on Micing Techniques and Comprehensive Educational Forums

DPA 4000 Series Microphones

DPA Compact Microphones

DPA Miniature Microphones

Check out the new DPA 3541 Vocalist & Instrumental Microphone Kit!



DPA Microphones / TGI North America Inc.
300 Gage Ave., Suite #1
Kitchener, ON Canada N2M 2C8
Tel: (519) 745-1158
Fax: (519) 745-2364
Toll Free Dealer Fax Order Line:
(800)525-7081

Circle (145) on Free Info Card

www.dpamicrophones.com

PATRIOT COMMERCIAL ANTENNA SYSTEMS

By: Satellite Export & Engineering

Complete Prime Focus and Offset Antenna Systems for C- and Ku-Band Digital Reception.

Receivers, controllers, feeds, LNBS, and LNBFs. Volume discounts on all satellite components. All antennas can be outfitted with a variety of mounts for fixed or motorized applications.

- Ideal for Digital Compression
- High Production to Support Large Volume Orders
- 5 Year Limited Warranty
- Easy 2 Person Assembly
- Quality Controlled Manufacturing

- 4.5 Meter
- 3.8 Meter
- 3.1 Meter
- 2.8 Meter
- 2.4 Meter
- 2.0 Meter
- 1.8 Meter
- 1.2 Meter
- 1.0 Meter
- .76 Meter
- .60 Meter

Broadcast & Cable Equipment

- Dual & Single Axis Controllers
- Broadcast Receivers
- Multi-beam Feed Systems
- Commercial Feeds
- Commercial LNBS
- PC-controlled Downlink Software

CALL FOR PRICING
800-470-3510

Antenna Features

- 125 mph Wind Loading Survival
- 2" Spacing Certified
- Mounting Options: Az-El Fixed, Polar, Kingpost, and



MADE IN THE U.S.A.

Satellite Export & Engineering

1007 Industrial Ave.
Albion, MI 49224 USA
Ph: (517)629-5990
Fax: (517)629-6690
sepatriot@voyager.net

Circle (146) on Free Info Card

Coaxial Dynamics'

NEW Line of Liquid/Air Terminations are quickly becoming the choice of "Chief Engineers" for testing, adjusting and alignment of R.F. Transmitters.

The NEW design of the Coaxial Liquid/Air Cooled Loads gives you the capability to handle requirements from 1 Kw to 10 KW.



COAXIAL DYNAMICS

SPECIALISTS IN RF TEST EQUIPMENT & COMPONENTS

15210 Industrial Parkway, Cleveland, OH 44135
216-267-2233 800-COAXIAL FAX: 216-267-3142
E-Mail: coaxial@apk.net
Web Site: http://www.coaxial.com



Circle (147) on Free Info Card

WhisperRoom: SE series




The SE Series of portable isolation enclosures offers a unique modular design with manageable component weights. Easily assembles and disassembles. Walls are 3 inches thick, and floor and ceiling panels are 1 inch thick. Provides access for communications (e.g., microphone, headphones, speakers). Features acoustically engineered, detachable ventilation systems. A door window is standard, and a wall window is optional.

(423) 585-5827
fax (423) 585-5831

whisper@ks.net
www.whisperroom.com

Circle (289) on Free Info Card

NAUTEL XL60 Solid State AM Transmitter



The NAUTEL XL60 solid state 60kW AM broadcast transmitter has reserve power for the most aggressive AM signal processing and up to 155% positive peak program modulation at 50kW. Capable of up to 66kW, the transmitter is eminently suitable for simultaneous In-Band-On-Channel (IBOC) digital audio broadcasting while maintaining full power AM service. NAUTEL's Interphase Pulse Duration Modulation System provides wide band frequency response, linear phase response and fully satisfies all designated IBOC performance criteria.

The XL60 establishes a new standard for transmitter serviceability and reliability. Ten front access Power Modules are hot-pluggable and safely on-air serviceable. Full 50kW transmission is possible even with a Power Module removed for service.

Duplication of critical low level circuits is unique to NAUTEL AM transmitters. Should problems develop in the RF Drive Circuits or the Modulation Encoding or Drive Circuits, automatic changeover to the standby system will continue normal transmission without operator intervention. Overall efficiency of 84% results in low power consumption and cool reliable operation.

The NAUTEL XL series transmitters are available in 12, 30 and 60kW models. All are available with built-in AM stereo or Direct Digital Synthesizer options.

Circle 198 on Free Info Card

NAUTEL XL12 Solid State AM Transmitter

NAUTEL's XL12 100% solid state AM transmitter, approved by the FCC for 10kW operation, is an excellent choice for Expanded Band operation. It provides 20% reserve power, allowing full 10kW operation even if one power module is out for repair or maintenance.

An optional AM stereo generator is available built-in. Top operating capacity of the XL12 is 13.2kW, so at 10kW operation the transmitter runs smoothly and reliably. A power module can be removed and replaced while the transmitter is still on-the-air. This on-air serviceability advantage is unique to Nautel.

The Nautel interphase PDM design meets all USA Digital Radio IBOC DAB

compatibility criteria, including wideband frequency response and linear phase response.

For the highest operating efficiency in a 10kW AM transmitter, the XL12 delivers with an 84% overall efficiency rating. This substantial savings in power makes the XL12 a great investment and continues Nautel's 30 year tradition of solid state leadership.

Circle 199 on Free Info Card

NAUTEL FM10 Transmitter and Digital FM Exciter

The NAUTEL FM10 is a solid state modular 10kW transmitter incorporating a 50 watt exciter which employs Direct Digital Synthesis (DDS) technology to create the FM signal.

The exciter with direct digital interface accepts AES/EBU formatted input, making possible an all digital path from studio to FM modulator. Modulation created in the digital domain results in a perfectly linear system. The exciter is also available with an alternative analog interface for use with standard composite input. This may later be field upgraded to direct digital input.

Overall efficiency of the transmitter is typically 65% resulting in low power consumption and cool, reliable operation. Thirty-six RF amplifiers mounted in six Power Modules are combined using a single stage combiner to achieve 11,000 watt capability. NAUTEL's patented 60° combiner provides failure isolation without use of imbalance loads and their associated heat dissipation.

This prevents thermal stress even when operating with some amplifiers removed for service. Power amplifier repairs can be made by direct replacement of the MOSFET's without interruption in transmission.

Separate Switching Regulator Modules provide redundancy of DC supplies to each Power Module and IPA. The FM10 power supply system meets stringent international standards for low line current distortion and has a near unity power factor. Current ratings of the service entrance and standby generator may thus be kept at a minimum.

NAUTEL's design is optimized to achieve maximum operating efficiency at the customer's operating frequency. A range of 20 kW transmitter configurations are also available including switching or switchless combined systems with automatically controlled main/alternate exciters.

Circle 197 on Free Info Card



Knowledge



is power.

You know the best is elegantly simple.
You know the best is efficient and reliable.
You know the best is digital-ready.

The Nautel XL series of AM transmitters are built to provide the reliability you've always wanted, and the capabilities you'll need in years to come. Every XL model is 20% more powerful than competing transmitters. That's enough reserve power to accommodate simultaneous IBOC digital transmission while maintaining full AM performance.

With this reserve power, an XL transmitter virtually has a spare module built in. They're hot-pluggable, which means you

benefit from unsurpassed system reliability and can maintain full operation even in the unlikely event that a power module requires service. Full duplication of critical low-level circuits further contributes to system reliability.

The XL series is available in power outputs from 12-60 kW. If you're considering a new transmitter, take a close look at Nautel. You'll find elegant design, rugged engineering, digital capability and, literally, power to spare.

For more information about our full line of AM and FM transmitters, visit us on the Web at www.nautel.com.



Hackett's Cove, RR #1, Tantallon, Nova Scotia, Canada BOJ 3J0
Phone: (902) 823-2233 Fax: (902) 823-3183
Nautel Maine Inc., 201 Target Industrial Circle, Bangor, Maine
USA 04401 Phone: (207) 947 8200 Fax: (207) 947-3693

Circle 200 on Free Info Card

Email: info@nautel.com

Radio Soft: ComStudy

ComStudy radio mapping software sets a new standard for accurate and efficient mapping of all radio signals. Offers fully integrated transmitter databases, automatic interference calculations, area reliability studies, fast and accurate calculations, and real-time 3D displays. All FCC, TIA and ITU procedures are included. APCO coordination is standard. Accepted by the FCC.

(888) RADIO95; fax (904) 423-0821; www.radiosoft.com

Circle (290) on Free Info Card



Antex Electronics: LX-44

The PCI-based LX-44 builds on the existing SX series from Antex. This DSP-based, half-sized card uses 20-bit A/D converters to achieve a dynamic range of up to 96dB. Features include four analog inputs, four output channels and the ability to simultaneously mix (under Windows 98/NT) four virtual devices to any output.

(310) 532-3092

fax (310) 532-8509; sales@antex.com; www.antex.com

Circle (291) on Free Info Card



WireReady: Digital wire service

WireReady provides a digital system for capturing the wire copy sent by your wire service and satellite service(s). WireReady stores the wire feeds in your computer and automatically purges out the oldest items. It's a low-cost service with 24-hour 800 number. More than a thousand radio stations throughout North America currently use WireReady. All of the WireReady products are sold: Pay once and you own the system.

(508) 393-0200; fax (508) 393-0255


sales@wireready.com

www.wireready.com

Circle (292) on Free Info Card

SMARTS: Smart-Dub

The Smart-Dub makes it easy to transfer CD audio to your Smartcaster Music-On-Hard-Drive-System automatically and with limited user intervention. Place a CD in the unit's CD-ROM and type in the details of the cuts you want to dub. Smart-Dub uses special software to automatically place end-of-message tones on the music being dubbed so as to facilitate great sounding overlap. Smart-Dub is an add-on product to the SMARTS Remote Record Digital Editing System.



(800) 747-6278; info@smartsbroadcast.com; www.smartsbroadcast.com

Circle (293) on Free Info Card

Murphy Studio Furniture: Elite series


The Elite series, the company's top-of-the-line furniture system, features modular flexibility with the essence of a custom fit. Engineered into the design are numerous access panels, a curved bumper base for durability, a passive ventilation system, a wire management system, single level construction and total modularity. Components include console supports and wire troughs, a corner tower rack, a tower storage base, a sloped rack return, and a single turntable return.

(619) 698-4658; fax (619) 698-1268

www.murphystudiofurniture.com

Circle (294) on Free Info Card

Sine Systems: Intelligent Rack Adapter



The Intelligent Rack Adapter is an upgrade for the Remote Facilities Controller model RFC-1/B. The accessory package provides data communications and printing capabilities, a battery-backed power supply, telephone-line surge suppression and new front-panel indicators in a sleek new rackmounted aluminum chassis. Available as an upgrade for existing RFC-1/B installations.

(615) 228-3500; fax (615) 227-2367; www.sinesystems.com

Circle (295) on Free Info Card

The Intelligent Rack Adapter is an upgrade for the Remote Facilities Controller model RFC-1/B. The accessory package provides data communications and printing capabilities, a battery-backed power supply, telephone-line surge suppression and new front-panel indicators in a sleek new rackmounted aluminum chassis. Available as an upgrade for existing RFC-1/B installations.

The Intelligent Rack Adapter is an upgrade for the Remote Facilities Controller model RFC-1/B. The accessory package provides data communications and printing capabilities, a battery-backed power supply, telephone-line surge suppression and new front-panel indicators in a sleek new rackmounted aluminum chassis. Available as an upgrade for existing RFC-1/B installations.

360 Systems: TCR8

The TCR8 is an eight-track hard-disk recorder that features 24-bit audio quality, high-density removable disks, massive internal hard-disk storage, complete timecode implementation and VTR emulation.


(818) 991-0360; fax (818) 991-1360 info@360systems.com

www.360systems.com

Circle (296) on Free Info Card



Gepco: 552608GCF



The 552608GCF — a flexible, thin-profile, eight-pair digital cable — is designed for cable assemblies with multi-pin connectors, studio and rack interconnect, or medium-length permanent installation runs. Well-suited for terminating to the high-density multi-pin connectors found on many of the latest digital audio consoles, multi-track recorders and routers. The color-coded pair jackets follow the base-10 resistor color code. The master jacket is UL-listed, NEC-type CM. The 100V cable features two 26-gauge tinned copper conductors, a foam PE dielectric and a foil shield with 26-gauge TC drain wire.


(312) 733-9555; fax (312) 733-6416; gepco@gepco.com; www.gepco.com

Circle (297) on Free Info Card

Affordable Digital Automation

24 HOUR
FREE
TECH SUPPORT

NEW



Our new WaveStation 3.0 has all the features of the \$50,000 automation systems, but is priced reasonably like software, not gold-plated broadcast hardware. We often hear, "It can't be true!" More than 1000 satisfied users worldwide prove the contrary. WaveStation includes a powerful digital audio editor and uses standard or compressed audio files, including MP3. On-screen Voice-Track editing, time-shift recording, serial port control. WebCast ready. Full automation, satellite, voice track and live assist. No recurring fees, Free upgrades. Microsoft Windows 95, 98 or NT.

888-BSIUSA1

Only

\$999


Try Before You Buy
Download the Actual Software!

www.bsiusa.com



Circle (149) on Free Info Card

Transoft Networks: FibreNet DS



FibreNet DS provides networked storage access without the restrictions caused by traditional network speed, bottlenecks or storage limitations. FibreNet DS presents the concept of shared data and allows heterogeneous or homogeneous hosts to concurrently access file systems. Individuals sharing data can now easily optimize their cross-platform

environments. The data-sharing features of FibreNet DS deliver unprecedented performance for distributed file systems, allowing a group of heterogeneous nodes to read and write to the same file system and even the same file using byte range locking. FibreNet DS provides a solution for high-speed digital data transfer where Mac, UNIX and NT systems access shared data in audio, video, animation, imaging, data warehousing and other storage-intensive production environments.

(805) 884-9114; fax (805) 897-3355; enarmore@transoft.net

www.transoftnetworks.com

Circle (298) on Free Info Card

Tektronix: TSD3000



The TSD3000 family of digital phosphor oscilloscopes (DPO) provides up to 500MHz bandwidth, four-channel operation and a 5GS/s sample rate. The DPOs display, store and analyze in real time using three dimensions of signal information: amplitude, time and the distribution of amplitude over time. This information provides the intensity-graded display and responsiveness of an analog oscilloscope combined with the storage and


measurement capabilities of a digital storage oscilloscope.

(800) 426-2200; fax (503) 627-5593

www.tek.com

Circle (299) on Free Info Card

Lightning Eliminators & Consultants: Sandwich Block



The Sandwich Block has been designed to withstand up to 1,280,000 amps per phase without destruction or potentially compromising the protected system. Meets UL 1449 Second Edition standards on its own. Its redundant safety mechanism ensures total protection from surges and overvoltages, and it has energy-handling capabilities of up to 50k Joules.

(800) 521-6101

fax (303) 447-8122

www.lightningeliminators.com

Circle (301) on Free Info Card

Audio Broadcast Group: broadcast product distributor

Since 1960, ABG has served the broadcast industry with products from the best in the business. ABG provides the tools you need to communicate with the world, including studio furniture systems, digital and analog studio products, codecs and transmitters.

(616) 452-1596; fax (616) 452-1652

www.abg.com

Circle (300) on Free Info Card

StarGuide Digital Networks: StarGuide module

The StarGuide module is the latest option for use with the StarGuide II receiver. The unit is a high-performance, computer-on-a-chip board that provides local storage from 30min to 144min of 128Kb/s stereo audio spots. The module features state-of-the-art audio insertion technology, including external playback control, cross-fading and spot localization. Fully compatible with industry-standard audio automation systems and digital audio-receiver products, including equipment manufactured by ComStream, Wegener and IDC.

(619) 452-4920


fax (619) 452-3095

sales@starguide.com

www.starguidedigital.com

Circle (302) on Free Info Card

Golterman & Sabo Inc: Acousti-Tack



Acousti-Tack wall panels are designed for economical sound absorption. The 6 pcf fiberglass core is fully tackable and dense enough to allow application with adhesive, magnetic tape or Velcro. Can be formed into custom shapes and sizes, and edges can be radiused, beveled or chemically hardened. Standard coverings are Acousti-Fabric (a 66" wide, 100-percent polyester fabric) and Acousti-Vinyl (a 54" wide, perforated vinyl). All standard finishes are Class "A" fire rated.

(314) 781-1422; fax (314) 781-3836

Circle (303) on Free Info Card

The FM Series

SWR's FM antennas, ranging from educational series to multi-station antenna arrays, are highly customized to meet broadcasters' needs.

Options


- Circular, horizontal, or vertical polarization
- Beam tilt
- Null fill
- Customized directional patterns



Our Priority is Your Satisfaction

Antennas and Transmission Line Systems

Systems With Reliability, Inc.
P.O. Box 856, Ebensburg, PA 15931
1-814-472-5436 FAX 1-814-472-5552
E-mail swr@third-wave.com
www.swr-rf.com



The FM10 Series

Circle (130) on Free Info Card

The Audio Toolbox™

"The Audio Toolbox is a DSP-powered, *wunderbox* packing dozens of functions... At \$899, every audio pro needs one."

- George Petersen, Mix Magazine

- Inputs:
- Built-in microphone
 - Stereo balanced XLR
 - Stereo 1/4" TRS
 - Stereo RCA phono
 - MIDI

- Plus:
- Graphical backlit LCD display
 - Battery or AC power

all for
\$899.00
(MSRP)



Makers of The Audio Toolbox™



- Outputs:
- Built-in speaker
 - Balanced XLR
 - 1/4" TRS
 - RCA phono
 - 1/4" stereo headphone jack
 - MIDI

Acoustic Analysis Tools: Real Time Analyzer, SPL, ETC, RT60, Speaker & Mic Polarity
Session Helpers: Tuner, Tempo Computer, MIDI Data Monitor, MIDI Transmit, SMPTE Read/gen/re-gen, Hum Cancellation
Test Functions: Signal Generator, dB/Frequency Meter, S/N, Phase Meter, Frequency Response, Sample Scope
Utilities: Headphone Amp w/guitar fx, Cable Tester, Phantom Power Checker, and more...

1751 Redwood Ave, Boulder, CO 80304 USA

For a dealer near you call:

303 545 5848 or 888 433 2821 (U.S. toll free)

see us at www.terrasonde.com

Circle (131) on Free Info Card

Jensen: GPS-III Plus

GPS-III Plus improves on the detailed basemap of the GPS-III with an enhanced, highly detailed map and fast 12-parallel channel receiver. More than 100,000 additional towns, airport locations and secondary roads within metro areas have been added. A database of exit information for interstate highways has also been added. Food, lodging and service-station information is easily viewed on the moving map screen or through user hookups. Features 24-hour battery life, a resettable trip odometer and 500-user waypoints with graphic icons.



(800) 426-1194; fax (800) 366-9662; www.jensentools.com

Circle (304) on Free Info Card

ESE: ES-101

The ES-101 is an accurate GPS master clock/time code generator. Receives time and date information from Global Positioning System satellites and supplies this data to the user in the form of three different types of time code — ASCII (RS-232C), ESE-TC89 and ESE-TC90. Two one-pulse-per-second outputs and a GPS Lock output are standard. An eight-channel receiver is employed; it is capable of tracking up to eight satellites simultaneously, although reception of only one is required for time data to be output. Options include SMPTE, EBU, IRIG-B or IRIG-E time-code outputs.



(310) 322-2136; fax (310) 322-8127; ese@ese-web.com

Circle (305) on Free Info Card

BROADCAST TECHNOLOGY COMPANY



The UM-2000 is a self contained split band stereo FM processor, with AGC and an **-ultra transparent-** digital stereo generator. Designed to give you concert quality, at a price you will like. Contact us for details and dealer information.

Just \$1,895.00

affordable
audio
processing

BROADCAST TECHNOLOGY COMPANY

P.O. Box 751 • Lamar, CO 81052
(719) 336-3902

<http://www.broadcasttech.com>

Circle (133) on Free Info Card

Altronic Research Inc: Coaxial load resistors



Altronic Research Inc. is a leader and pioneer in the design and development of coaxial load resistors. The company was the first to design and produce water-cooled coaxial load resistors, and its air-cooled coaxial loads deliver unmatched performance. Its sister company, Power Film Systems Inc., manufactures Altronic's resistors and enhances the company's ability to provide quality products. The company strives to listen to its customers and undertake specialized and custom designs to meet changing requirements.

(870) 449-4093
fax (870) 449-6000
sales@altronic.com
www.altronic.com

Circle (306) on Free Info Card

Electronics Research Inc: Engineering team




ERI provides a single-source solution for projects requiring structural analysis, structural reinforcing, antenna and filter design, fabrication, and installation. The company has an independent engineering team to meet the demand for streamlined tower analysis and reinforcing. The team of structural, civil and electrical engineers can diagnose, plan and implement fast-track antenna and tower solutions.

(812) 925-6000
fax (812) 925-4030
www.eriinc.com

Circle (307) on Free Info Card

Telephone Line "Eliminator"



7 DIAL-UP DEVICES CAN SHARE ONE CENTRAL-OFFICE LINE

Inovonics' PBX is a cost-saving alternative to the multiple telephone lines otherwise needed for modems, alarms and other dial-up apparatus installed at remote equipment sites. The PBX allows as many as seven devices to share a single central-office line, for outgoing calls and with selective incoming access as well.

The PBX finds immediate application with the expanding use of unattended remote equipment:

- Broadcast Transmitters/Translators
- Cellular/2-Way Radio Facilities
- Microwave Relays
- Geophysical Monitors
- Pumping Stations
- Security Systems

PBX
\$420

Inovonics, Inc.

1305 Fair Ave., Santa Cruz, CA 95060 USA
TEL: (408) 458-0552 • FAX: (408) 458-0554

www.inovon.com



Circle (132) on Free Info Card

Applied Research and Technology: Tube Channel



The Tube Channel features a tube mic pre-amp, an optical compressor and a four-channel, tube-based parametric EQ. Inputs and outputs are XLR and 1/4-inch. Loops are provided between each section for routing flexibility, direct inputs and outputs, and inserting other processor gear. The compressor and EQ sections are bypassable and feature detented pots. Metering includes pre-amp drive and gain reduction LED arrays and a backlit output level VU meter.

(716) 436-2720
fax (716) 436-3942
www.artroch.com
artoch@aol.com

Circle (308) on Free Info Card


NewsReady32

The LAN/WAN/WEB Newsroom System
Now Connecting Jacor Coast to Coast

WR 800-833-4459
www.WireReady.com
WireReady

Circle (134) on Free Info Card

TC Works: Spark!



Spark!, designed for MacOS, features a unique browsing window that integrates WAVE editing, project file management and playlist all at once. The Browser View is used to edit a file or build a playlist. The Master View gives Master Faders with highly accurate PPM level meters, a phase correlation meter and built-in dithering and a real-time

FXmachine with extensive routing capabilities. Up to four stereo streams with five plug-ins each can be routed and processed simultaneously. Also includes TC Native CL, a VST-compatible single-band compressor and limiter plug-in, optimized for demanding mastering tasks. A histogram display visualizes the level distribution in recordings, for valuable feedback about the signal processing being applied, thus simplifying finding the right settings.

(800) 738-4546; fax (805) 379-2648; www.tcelectronic.com

Circle (309) on Free Info Card

Avocet Instruments: AV-2000 Delay Canceller

The new version of the AV-2000 Delay Canceller uses DSP processing to remove delayed audio feedback from live, on-air broadcasts or on satellite and ISDN communications.



(503) 671-9424; fax (503) 671-9626
erid@avocetinst.com; www.avocetinst.com
 Circle (310) on Free Info Card

Transcom: Transmitters

The company provides high-quality used AM and FM transmitters and is a manufacturer representative for new antenna, cable, STL equipment and audio equipment.

(800) 441-8454; fax (215) 938-7361; www.trcorp.com

Circle (311) on Free Info Card

Wheatstone Corp: D-600

The D-600 digital on-air/production console is available in mainframe sizes up to 40 positions. Inputs feature four-band EQ, dynamics processing, ducking and eight-character source displays. Four stereo buses provide digital and analog outputs. All switches, faders and displays are addressable via serial interface.

(252) 638-7000; fax (252) 637-1285

email@wheatstone.com

www.wheatstone.com

Circle (312) on Free Info Card



Miles Technology: ACT-1



ACT-1 tests all cables with XLR, RCA or phone connectors. Instantly displays cable wiring. Any shorts or opens are revealed. Can test cables from just one end. Provides an immediate and complete indication of the wiring status of any audio cable. With the flip of a switch, the unit provides a 500Hz test tone at either mic or line level for checking any signal path through an audio system. Can also be used for adjusting or calibrating levels.

(800) 280-8572
 fax (616) 683-4499
info@milestech.com
www.milestech.com

Circle (314) on Free Info Card

Mediatron: AirControl NT

The 1999 version of the AirControl NT hard-disk PC-based digital audio system for radio includes new plug-in tools to make it more effective in connecting with technologies like the Internet, intranet, and DAB. With the new system, it is possible to enter into the broadcast schedule of a Mediatron system anywhere and to record directly into the schedule. The recorded voice elements can be directly transmitted. Available in standard and professional versions. The standard version can be built up step-by-step to the professional version.

+49 8131 8305 0; fax +49 8131 8305 25
info@mediatron.com; www.mediatron.com


Circle (313) on Free Info Card

NEW MULTIFUNCTION LCD AVCOM's PSA-65C Portable Spectrum Analyzer

Microprocessor Controlled, 1-1250MHz In One Sweep!

AVCOM's newest Portable Microwave Spectrum Analyzer, model PSA-65C, incorporates a microprocessor and attractive multifunction, backlit LCD, with an expanded frequency range from less than 1MHz to over 1250MHz, for the amazing price of \$ 2930.

AVCOM's new PSA-65C is a low cost general purpose spectrum analyzer that's loaded with standard features including FM audio demodulator, AM detector and digital frequency lock. The PSA-65C covers frequencies thru 1250 MHz in one sweep with a sensitivity greater than -95 dBm at narrow spans. The PSA-65C is ideally suited for 2-way radio, cellular, cable, satellite, LAN, surveillance, educational, production and R&D work. Options include new 1250 MHz frequency extenders, BNG-1000A tracking (noise) generator, log periodic antennas, carrying case (AVSAC), and more.



AVCOM

500 SOUTHLAKE BOULEVARD
 RICHMOND, VA 23236 USA
 804-754-2500 FAX: 804-794-8254

Phone, fax or write for more information or to order.
 Visit our website at www.AVCOMoVA.com.

Circle (135) on Free Info Card

NEW!



"Portable Matchbox"

It's PORTAMATCH, the Matchbox that runs on batteries! Great for remotes, field recording, ENG, or anywhere you don't have AC power. Just add two 9-volt batteries and go!

HENRY ENGINEERING
 TEL (626) 355-3656 FAX (626) 355-0077
 FAX-on-Demand Doc #125 (626) 355-4210
<http://www.henryeng.com>




We Build Solutions.

Circle (136) on Free Info Card

KINTRONIC KTL LABS INC.

FOR AN EXPANDED BAND or
 IBOC / DAB SYSTEMS
 FOR THE 21st CENTURY



Prefabricated, Climate-Controlled, Fully-Equipped ATU Building
 PreTuned and Ready to Install. -WWJ, Detroit, MI

KINTRONIC LABORATORIES INC.

P.O. Box 845, Bristol, Tennessee 37621-0845
 Phone: (423) 878-3141 • Fax: (423) 878-4224
 Email: ktl@kintronic.com
 Web Site: www.kintronic.com



Circle (137) on Free Info Card

Auditronics: COMET 4600



The newly designed COMET 4600 series features hot-pluggable modules, differential busing and a choice of VCA or through-the-fader level control. All indicators are LEDs, including on/off switches. Other features include four stereo buses, optional stereo aux, six mix-minus buses and stereo cue.

(901) 362-1350
fax (901) 365-8629

sales@auditronics.com; www.auditronics.com

Circle (315) on Free Info Card

Audio Processing Technology: NXL384

Designed as a cost-effective solution to audio communications across permanent digital networks, the unit provides the benefits of apt-X to STLs and studio to



studio networking. apt-X technology guarantees uncompromised audio quality and lowest available coding delay to the broadcaster. The NXL384 offers features such as auxiliary data, alarm functions and integral backup circuitry to ensure program continuity.

+44 1232 371110; fax +44 1232 371137
salesuk@aptx.com; www.aptx.com

Circle (316) on Free Info Card

DH Satellite: Antennas

DH antennas are manufactured using the spinning process, which allows the company to achieve a high aperture efficiency. All mandrels and antennas go through regular and extensive quality-control checks. The company has the versatility to offer special sizes, thicknesses and special edge designs.

(800) 627-9443
fax (608) 326-4233
mdoll@mhtc.net
www.dhsatellite.com

Circle (317) on Free Info Card

EVI Audio: R200

The R200's proprietary Secure-Phase diversity uses the signal from both antennas at all times to eliminate phase or polarity shifts and maximize signal strength. Operates in the range between 710.100MHz and 721.350MHz on single frequencies. The system's RCU receiver is designed to work with microphone signals and offers a three-pin, XLR-type balanced mic level and 1/4-inch unbalanced line-level output connectors and specially tuned antennas.

(616) 695-6831; fax (616) 695-1304; tbriggs@eviaudio.com

Circle (318) on Free Info Card



RAMKO: '98/'99 catalog



This broadcast catalog offers more than 290 broadcast audio, video and digital problem solvers. The catalog describes the ProMod and ProMax lines of miniature and compact consumer to pro interface amps, mic amps, switchers, distribution amps, mixers, audio detector/switches, alarm generators and audio filters. A history and design description is also provided, which details the attention given to RFI proofing.

(800) 678-1357
fax (530) 672-7938

Circle (321) on Free Info Card

CircuitWerkes: EAS Trigger IV

The EAS Trigger IV interfaces relay closures from your automation or other control sources to trigger RWT or RMT events for single or multiple, co-located stations on the SAGE ENDEC EAS unit. Triggers for other units will soon be available.

(253) 565-8114
fax (253) 565-2301
info@bswusa

www.circuitwerkes.com

Circle (319) on Free Info Card

Industrial Computer Source: NTR2000-P

The Model NTR2000-P real-time clock card for IBM PC-compatible computers helps manage Y2K issues by bypassing the system clock and the PC's BIOS. Provides a stability of ±1sec per month. Performs in harsh operating environments from 0 degrees to 50 degrees C.


The heart of the card is National Semiconductor's DP8570A Real Time Clock IC, linked to a stable crystal with a known aging rate.

(800) 523-2320; fax (619) 677-0815
sales@indcompsrc.com; www.indcompsrc.com

Circle (320) on Free Info Card



SOLID STATE, FM BROADCAST POWER AMPLIFIERS



FM AMPLIFIERS FROM 150W TO 3KW,
MODULES FROM 10W TO 700W

Silicon Valley
POWER
AMPLIFIERS

The RF People

Call 408-986-9700

Fax 408-986-1438

Circle (139) on Free Info Card

LOUD and CLEAR

This magic box is making radio stations louder and clearer in all the major markets.

it may be why your competitor is louder.

The DCP-1A gives you increased loudness and SCA protection.

to get more information or arrange a free demo, call us today.

SOLID ELECTRONICS LABS

630 Greene Countrie Dr. Newtown Square, PA 19073 (610)353-9449

Circle (138) on Free Info Card



The Model 6013 FM is designed to mount on a pole and is ideally suited to top-mounted tower and rooftop installations. Available in halfwave spaced configurations for installations that have downward radiation concerns.

(207) 647-3327
fax (207) 647-8273
sales@shively.com
www.shively.com

Circle (322) on Free Info Card

Cool-Lux: Delta Force



The Delta Force charging system is a portable, single-port Minus Delta V charging system for Nickel Metal Hydrate and Nickel Cadmium rechargeable batteries with global AC power inputs. Designed for global applications and to work with Cool-Lux's COOLBrick, the replacement for the Anton-Bauer battery pack.

(818) 865-1616; fax (818) 865-1757
coollux@cool-lux.com; www.cool-lux.com
 Circle (323) on Free Info Card

Audioarts: RD12



The RD12 accepts and outputs analog and digital signals. The unit is an open-architecture design with 12 inputs, three stereo buses, multiple format A/D input converters, machine control, digital mix-minus and phone-module support for two callers.

(252) 638-7000
fax (252) 637-1285
email@wheatstone.com
www.wheatstone.com
 Circle (324) on Free Info Card

Andrew: Satellite antennas



The pipe-mountable 3.7-meter earth station antenna can be securely mounted onto a customer-supplied 6-inch (6.5-in O.D.) nominal pipe instead of a pedestal. The design eliminates the equipment enclosure, enabling the antenna to be installed in areas where space is limited. If required, outdoor RF equipment can be attached to the antenna's mounting frame in close proximity to the antenna-feed system. Available with C-, X-, Ku- and K-band feed systems. Uses advanced dual reflector technology with a two-piece precision-spun aluminum reflector to provide accurate surface contour, high gain and closely controlled pattern characteristics.

(708) 349-3300; fax (708) 349-5444
robert.leonard@andrew.com
www.andrew.com
 Circle (327) on Free Info Card

Broadcast Software International: WaveStation 3.0

or NT systems, requires no proprietary equipment, and uses pro or standard audio cards. Compatible with other Windows programs. Includes a built-in voice track editor, imports from and exports to most scheduling programs, and includes 24-hour technical support at no charge.

(541) 338-8588; fax (541) 338-8656; info@bsiusa.com; www.bsiusa.com
 Circle (325) on Free Info Card

Tascam: CD-450



The CD-450 features Auto Cue and Auto Ready functions, Call and End of Message functions, Fader and Event Start capability, incremental play, numeric keys, and all the connectors needed to interface with other equipment.

(323) 726-0303
fax (323) 727-7635
tascamsales@tascam.com
www.tascam.com
 Circle (326) on Free Info Card

Autogram: Pacemaker II Model PM228

This model features a modern styling and color with wood end bells, an exclusive bimodular concept, all DC control, and screw-type plug-in connectors. Uses similar switches and the same Penny & Giles pots as the original Pacemaker. Up to 60 stereo inputs. Modular design allows you to start with the number of modules you need and expand as needed. Easy to install and change after installation.

(972) 424-8585; fax (972) 423-6334
info@autogramcorp.com
www.autogramcorp.com
 Circle (328) on Free Info Card

QEI: Prebuilt transmitter sites

QEI prebuilt systems are designed for the new generation of broadcasters. You need the flexibility that a transportable pre-engineered system can deliver. Some potential uses for a prebuilt site include group ownership emergency backup system, broadband frequency agile market backup, natural disaster preparedness, upgrade of LMA for the duration of the LMA, temporary site for major equipment upgrades, replacement with nearly zero downtime, and complete transmitter site system integration.

(800) 334-9154
fax (609) 629-1751
qeisales@qei-broadcast.com
www.qei-broadcast.com
 Circle (329) on Free Info Card

Telex: CDP 2001

The CDP 2001, designed for multimedia and audio applications, supports all standard writing modes and is easily expandable to support DVD-R and CD-R. Direct SCSI allows the duplicator to operate stand-alone as well as to connect directly to a CPU/EDAT Duplication Workstation. All CD-R or DVD-R drives in the CDP 2001 become a target writer of a PC, Mac or Workstation. A duplicate can be copied directly from the host system on the fly without burning a master CD or DVD. Copies disc-at-once to disc-at-once and multisession to multisession. Converts multisession to disc-at-once and turns incremental writing on or off when copying a master to multisession.



(612) 884-4051; fax (612) 884-0043
pro.sound@telex.com; www.telex.com
 Circle (331) on Free Info Card


Holiday: HI-4417



The HI-4417 incorporates enhanced EMF measurement and analysis functionality in a new low-cost offering. Upgraded standard accessories provide easy portability during EMF measurement tests. Fiber optic connectivity between the meter and probe allows free positioning of the probe and an unhindered view of the display. Features include onboard logging and a tight frequency response. The unit's frequency range is 10kHz to 2GHz, its dynamic range is 1V/m to 300 V/m, and its overload limit is 1000V/m (continuous).

(612) 934-4920
fax (612) 934-3604
holaday@holadayinc.com
www.holadayinc.com
 Circle (330) on Free Info Card

ComStudy V1.50



RadioSoft ComStudy V1.50, shows a Most Likely Server map of 8 FM's. It is the hottest, most advanced software ever created for Broadcast and Land Mobile applications.

PRICED RIGHT! "UPGRADES" FOR ANY SOFTWARE USERS!
 Call now for demo or information
RadioSoft, 888-RADIO-95.
 109 W. Knapp Ave., Edgewater, Florida 32132
Seeing is Believing!
 Email: pmoncure@america.com
 Circle (119) on Free Info Card

Classifieds

Interested in Uncapped Income?

If you have incredible sales talent and drive, we have two unique opportunities. As **National Accounts Manager**, you will use radio knowledge, technical ability, and consultative sales approach to market Broadcast Electronics' industry leading products to the top companies in radio. As **Senior Account Manager**, you will use your radio expertise to sell directly to stations in your exclusive territory. You will be a high profile member of our overachieving sales team. Your compensation will be among the best in the industry, and your effort and result will earn you the opportunity to advance as we grow.

Fax Res & Cover to VPSM
603-794-8494



Digital Audio Labs: CardDeluxe



CardDeluxe is the newest member of the CardD family.

The unit has a PCI interface and 24-bit/96kHz balanced analog and S/PDIF digital I/O on a single card. Analog connections are made with 1/4-inch TRS connectors. Input levels are jumper selectable for +4dB or -10dB balanced/unbalanced operation. Four-channel operation is possible using analog and digital inputs and outputs simultaneously. Multiple cards can be synchronized to a master clock for multiple audio source playback. Drivers and support are available for Windows 95/98, NT and Mac drivers are under development.

(612) 559-9098; (612) 559-0124
www.digitalaudio.com
Circle (332) on Free Info Card

Antenna Concepts: Ultra Tracker



The Ultra Tracker circularly polarized halfwave spaced omnidirectional FM antenna places more than 99 percent of input power in the main lobe (rather than wasted in harmful side lobes). Ultra Tracker's signal varies no more than ±2dB over a path comparable to a typical FM signal with variations in field strength of ±10dB or more. This feature eliminates a major cause of multipath problems. The antenna anticipates the stricter federal RF radiation regulations slated to go into effect later this year and also addresses FAA requirements for compatibility with aircraft communications at or near the antenna site. At multistation sites, the antenna can reduce or eliminate intermod product to within FCC limits, often with little or no external filtering. Available in standard pole-mount design as well as severe-environment versions.

(530) 621-2015; fax (530) 622-3274
sales@antennaconcepts.com
www.antennaconcepts.com
Circle (334) on Free Info Card

Mouser Electronics: Catalog

The company's new catalog is now available in three forms: the traditional paper version, a CD-ROM catalog that offers a fully indexed and searchable product database, and a downloadable version available at the company's website.

(817) 483-6814
advertising@mouser.com
www.mouser.com
Circle (333) on Free Info Card

Hafler: TRM6



The TRM6, the latest addition to the Active Monitor Speaker System, is a two-way, bi-amplified active speaker system that is magnetically shielded. Offers a free field frequency response of 55Hz to 21kHz ± 2dB. The peak acoustic output per speaker pair using music as a sound source at 1m is 120dB or greater.

(888) HAFLE1
fax (602) 894-1528
www.hafler.com
Circle (335) on Free Info Card

RAK-1


Intelligent Rack Adapter

Anyone can take a device and shove it in a rack. It takes something special to make the product more intelligent in the process. *Something special has arrived...*

modem • parallel printer port • battery backup • surge suppression

The **RAK-1 Intelligent Rack Adapter** provides data communications and printing capabilities, a battery-backed power supply, telephone line surge suppression and front panel indicators. It's all combined in a sleek new aluminum rack-mountable chassis for one low price. And perhaps best of all, it protects your investment by using the RFC-1/B system that you already have!

The ultimate upgrade for the RFC-1/B!



615 • 228 • 3500 (vox)
615 • 227 • 2367 (fax)
615 • 227 • 2393 (f.o.d)
www.sinesystems.com

Circle (121) on Free Info Card



RADIO FURNITURE
geared towards
the next generation
of radio
environments




SETTING NEW STANDARDS OF EXCELLENCE, ENGINEERING & DESIGN

CALL 1 • 800 • 735 • 2070

Or Contact Your Local Forecast Distributor www.forecast-consoles.com
Circle (120) on Free Info Card

Broadcasters General Store: Equipment distributor



Celebrating 20 years of service, BGS is a full-line supplier of broadcast equipment representing more than 400 pro audio, pro video and RF manufacturers nationwide. The company's website contains a full catalog of the varied product lines it carries. The company has been serving the industry since 1979 with the customer service of yesterday and the technology of tomorrow.

(352) 622-7700; fax (352) 629-7000
bgs@atlantic.net; www.bgsfl.com
Circle (336) on Free Info card

Broadcast Technology Company: CP-4013

The CP-4013 composite processor integrates a fast-acting compressor that, besides its speed, uses a novel high-bandwidth VCA architecture which does not introduce distortion at maximum gain. With feed-forward compressor architecture and computer-optimized timing circuits, the unit permits faster attack speeds and a program-dependent release behavior, resulting in a more natural compressor sound. Uses a clipper for fastest transients, so stereo separation is 60dB or more. It is possible to add more than 3dB of perceived loudness with the unit and add presence to the stereo signal.

(719) 336-3903; fax (719) 336-9473
www.broadcasttech.com
Circle (337) on Free Info Card

E-Z UP: Instant Shelter Hut

The Instant Shelter Hut model is the latest addition to the company's shelter line. Features an easy-to-use white powder coated frame that sets up in 60sec. The gable-pitch design top features a larger area for custom graphics, which increases visibility of corporate logos or graphics.

(800) 45-SHADE; fax (909) 781-0586; www.ezup.com

Circle (338) on Free Info Card



Aphex: Model 1788

The Model 1788 remote-controlled mic pre-amp uses a patent-pending application of the audio DACs to reduce the the step size of the amplifier and eliminate the artifacts found in other stepped-gain controllers. Contains eight pre-amps in 2RU. May be controlled by MIDI, RS-232 or RS-422. Because the control protocol is MIDI, anything producing MIDI can act as the controller. Up to 16 units (128 channels) can be controlled by one control line. Has an RS-422 output that can be used to daisy chain units. All mic pre-amp functions can be controlled on the units as well. Has 39dB of adjustable input gain and fixed gain of 26dB for a total maximum gain of 65dB. A 26dB pad allows a pre-amp to be run as a unity gain buffer stage. Also features adjustable maximum output level, separate analog outputs and a digital option.

(818)767-2929; fax (818)767-2641

sales@aphexsys.com; www.aphexsys.com

Circle (339) on Free Info Card

Silicon Valley Power Amplifiers: 10/3000 and 10/1000

The 10/3000 solid-state FM broadcast amplifier is designed for continuous operation at 3kW and requires only 10W input. The amp is constructed with a 10/150 pre-amp driving three 10/1000 1kW amps whose outputs are combined and filtered. The 10/1000 is completely self-contained with its own power supplies, cooling and control circuitry. At-a-glance indicators give an immediate indication of the status of every module, and the four-line LCD displays show critical parameters.

(408) 986-9700

fax (408) 986-1438

sales@svpa.com

www.svpa.com

Circle (340) on Free Info Card



THE NAB RADIO SHOW

The Best Show on Radio!

August 31 - September 3, 1999
Orange County Convention Center
Orlando, Florida USA

Independent Audio: Pearl Lab



Pearl Lab mono and stereo condenser mics use the classic large, rectangular, dual-membrane capsule. The CC22 is a quality studio condenser mic; the DS60 is a multiple-choice stereo mic; the TL44 is a versatile stereo mic; the TL 66 is a small, cardioid mic suited for percussion in a studio or live environment; and the Model TLC 90 is designed for live performance.

(207) 773-2424

fax (207) 773-2422

www.independentaudio.com

Circle (341) on Free Info Card

Engineering Certification Workshops *Updated for 1999*

Hone your skills in these intensive Engineering Certification Workshops and receive a certificate signifying completion of each workshop. Attending these workshops may qualify as credit towards SBE re-certification. (These workshops are included with your Full Convention Registration.)

TUESDAY - 8/31

AM Antenna Workshop
It really doesn't take "black magic" to optimize and maintain AM antenna systems. Antenna guru Ron Rackley will demonstrate how the right knowledge can turn a stressful problem into a summer breeze.

WEDNESDAY - 9/1

Digital Facilities Workshop
Cut through the digital mumbo-jumbo and get down to the fun part of networking, distribution, maintenance and new technologies. And don't miss the latest on DAB — directly from the developers.

THURSDAY - 9/2

AM/FM Transmitter Workshop
John Bisset has garnered decades of RF wisdom straight from the trenches. Don't miss this opportunity to learn the tricks of the trade applicable to all types of transmitters and facilities.

NAB National Radio Award Winner



Join us as **Bill Stakelin**, President/COO Regent Communications, will be honored with the 1999 NAB National Radio Award at the NAB Radio Luncheon on Wednesday, September 1.

Plus, Get hands on with the latest equipment and technology from 150+ exhibitors!

Make Your Plans Today!

Visit www.nab.org/conventions/
For updates, registration and accommodations.

Call 1-800-342-2460
For general information.

Want to exhibit? Call 1-800-NAB-EXPO or 1-202-775-4988

see you in
Orlando!



ERI, SHPX series FM Antenna and λ Mounting System



your single source for:

- FM Antennas and Filters
- λ Mounting System
- Towers & Poles
- Structural Analysis
- Lightning Protection
- Grounding Systems
- Installation & Service

Call for special package price

ERI ELECTRONICS RESEARCH, INC.
812-925-6000

Circle (122) on Free Info Card

TRANSCOM CORP.

Serving the Broadcast Industry Since 1978

FOR INFORMATION & THE LATEST PRICES,

VISIT OUR WEBSITE-www.trcorp.com

SEND YOUR E-MAIL REQUESTS TO: transcom@trcorp.com

Fine Used AM & FM Transmitters. Authorized Representatives for all major equipment manufacturers. Let us send you a customized quote!

FM TRANSMITTERS	
100 W FM 1985	Harris FM 100K
100 W FM 1985	Harris FM 100K
2.5 KW FM 1974	Harris FM 2.5H3
2.5 KW FM 1984	Continental 814R1
2.5 KW FM 1976	Collins 831 D
3 KW FM 1975	CSI FM 3000E
3.5 KW FM 1986	Harris 3.5K
5 KW FM 1988	Harris FM 5K1
5 KW FM 1983	Harris FM 5K
5 KW FM 1980	Harris FM 5K
5 KW FM 1982	Continental 816R1
5 KW FM 1967	Collins 830E
10 KW FM 1967	Collins 830F1
10 KW FM 1962	RCA BTf 10D
25 KW FM 1981	Harris FM 25K
25 KW FM 1981	Harris FM 25K
AM TRANSMITTERS	
1 KW AM 1979	Harris MW1A
5 KW AM 1980	CSI T-5-A
10 KW AM 1982	Harris MW 10A
50 KW AM 1978	Continental 317C-1
50 KW AM 1982	Harris MW-50B
50 KW AM 1981	Harris MW-50B

P.O. Box 26744, Elkins Park, PA 19027

800-441-8454 • 215-938-7304 • FAX No. 215-938-7361

Circle (125) on Free Info Card

Buy simplicity, reliability and service.

EAS

Price \$1750.00


Equipment in-stock for immediate delivery.

Phone 740-593-3150


GORMAN-REDLICH MFG. CO.
257 W. Union St. Athens, Ohio 45701

FAX 740-592-3898

Now available with optional DTMF control via a phone line.



SCAN: RCT 101 171429R 1311712ECST
DECODER: Scanning
ENCODER: Ready * PRINTER NOT CONNECTED * Manual



- 5 two-way RS-232 inputs/outputs for computer, remote signboard & character generator
- 6 audio inputs on standard models. All audio inputs & outputs are transformer isolated from encoder-decoder board
- Automatic interruption of program audio for unattended operation
- 4 line 40 character LCD display with LED backlighting
- 20 key keypad to program unit, set modulation level, set input levels


- Will handshake with automation equipment
- 2 year warranty
- 2 minutes of digital audio storage
- 25 pin parallel printer port for external printer
- 52 terminals on the rear to interface with other equipment by removable plugs
- BNC fitting with 600 OHM balanced audio out for second transmitter

Web Site: www.gorman-redlich.com • E-mail: jimg@gorman-redlich.com


• Also available: weather radios, antennas for weather radios, crystal controlled synthesized FM digitally tuned radios, remote signboards, cables for interconnection, Character generators.

Circle (123) on Free Info Card

The finest in Modular Studio Furniture



endless combinations ...
precision quality ...
attractive design ...



starting at.. \$1098!

AFS Advanced Furniture Systems

1545 N. Washington Ave, Loveland CO 80538
Phone: 970-663-4123 Fax: 970-663-6338
Email: afs@mall.omn.com Website: www.omn.com/afs

Circle (126) on Free Info Card

Switcher tools

Designed by broadcast engineers for broadcasters, our audio and digital audio switchers offer excellent sonic quality, removable I/O connections, contact closures and serial remote control capabilities and flexible mounting accessories.



SS 12*4

Active crosspoint switching/routing with 12 stereo inputs and 4 stereo outputs.



8X2D

Active crosspoint switcher with 8 stereo inputs, 2 stereo and 2 mono outputs



SS 3.1

Passive switching/routing with 3 stereo inputs and one stereo output or vice-versa.



10X1

Passive switching/routing with 10 stereo inputs and one stereo output or vice-versa.



6X1G

Passive switching/routing with 6 stereo inputs and one stereo output, or vice-versa.



SS 8.2

Active crosspoint switching with 8 stereo inputs, 2 stereo plus 2 mono outputs.



3X2B

Active crosspoint switcher with 3 stereo inputs and 2 stereo outputs.



8x1 DAS

Routes any one of eight AES/EBU digital inputs to split outputs.



SS 2.1/BNC

Passive switching/routing with 2 composite audio, video, or AES/EBU inputs to 2 composite audio, video, or AES/EBU outputs, or vice-versa.



SS 2.1/TERM

Passive switching/routing with two stereo inputs to one stereo output or vice-versa.

Check out our web site for product information, list pricing and a list of distributors!


Internet: www.broadcasttools.com E-mail: btj@broadcasttools.com

Voice: 360 . 428 . 6099
Fax: 360 . 428 . 6719

BROADCAST tools inc.

Circle (124) on Free Info Card

THE ANTENNA IS DH!
THE PRICE IS RIGHT!
WHAT MORE COULD YOU ASK FOR?



3m Antenna w/48" Ring Mount

Quick Delivery!
Easy Assembly!
Delivered Right To The Job Site!

Call Now!

DH Satellite

600 North Marquette Rd.
Prairie du Chien, WI 53821

1-800-627-9443

Fax: 608-326-4233

Internet: designhomes.com/dhsat.html

Circle (127) on Free Info Card

TOWER

- Fabrication
- Design
- Engineering
- Installation
- Service
- Maintenance

Swager is your worldwide turnkey tower company.

Phone
1-800-968-5601
or Fax
1-800-882-3414



SWAGER
Communications, Inc.

P.O. Box 656
3560 East Swager Drive
Fremont, IN 46737 USA
Phone 1-800-968-5601 • 219-495-2515
Fax 1-800-882-3414 • 219-495-4205
E-mail: sales@swager.com
Internet: www.swager.com

Circle (105) on Free Info Card



Why Choose a Central Tower?

- Excellent Customer Service.
- Superior Engineering & Fabrication.
- Stringent Quality Control.
- Made in the U.S.A.
- Solid Reputation and Experience.
- Fast Response and Order Delivery.
- Versatile Product Line Including Antenna Mounts and Tower Accessories.
- Full Installation Services Available.
- Excellent Value and Cost Effective.

2855 Highway 261
Newburgh, IN 47630-8642
Tel: 800-664-8222
Fax: 812-853-6652

Visit our Website at:
www.centraltower.com



THE SKY IS THE LIMIT

Circle (110) on Free Info Card

Shively Labs

Reach for Ratings!
Shively Antennas Deliver Coverage!



- Superior Engineering
- Multistation Solutions
- Filters & Combiners
- Translators
- Reliable Pattern Studies
- Coax

FM & TV Antennas and Related RF Equipment
because ... it pays to be heard!

P.O. Box 389, Bridgton, ME 04009 USA
Tel.: (207) 647-3327 FAX: (207) 647-8273
1-888-SHIVELY e-mail: sales@shively.com
Web: www.shively.com
- An Employee-Owned Company -

Circle (106) on Free Info Card

The CircuitWerkes AC-12 Telephone Autocoupler Bay



Get up to 12 couplers in a neat, compact chassis

- ▶ Auto answer & disconnect.
- ▶ 2 audio busses for mass feeds.
- ▶ Individually card selectable buss or auxilliary audio I/O.
- ▶ The aux. audio jack is ideal for multiple IFB feeds, etc.
- ▶ Ring counter answers on user set ring number.
- ▶ Momentary or latching dry contact outputs at pickup.
- ▶ Remove & install cards without affecting the rest.
- ▶ LED indicators for ring, clipping, power & online.
- ▶ Check out our Internet web site for more info and technical manuals.

The AC-12 rack-mounted coupler bay is the best way to eliminate a wall or cabinet full of yesterday's couplers. Our unique dual audio busses eliminate the tedious and messy wiring associated with mass feeds. Each card can also individually either send or receive telco audio, making it perfect for IFBs, etc. Best of all, a loaded AC-12 lists for about \$200 per coupler.


CircuitWerkes
3716 SW 3rd Place
Gainesville, Florida 32607
(352) 335-6555 / fax 380-0230
<http://www.circuitwerkes.com>



Circle (104) on Free Info Card

"Remember that time is money."
- Benjamin Franklin

When you must, must have precision timing




When you require the best, most accurate in precision timing look only to ESE. Designed for "Precision Timing", ESE Master Clocks & Accessories have been the industry standard for over 27 years.

Whether using GPS, WWV, Modem, Crystal or line frequency accuracy - all ESE Master Clocks can drive digital or analog slave clocks, as well as interface with video and/or computer based systems. Call for more details.



142 Sierra Street • El Segundo, CA 90245 USA
Phone: (310) 322-2136 • Fax: 310.322.8127
www.e-se-web.com


Circle (109) on Free Info Card



NEW FOR 1999

FM BROADCAST ANTENNA

FMR Series



- Circular polarization
- Series fed element
- Internal feed
- Brass/Copper construction
- Excellent bandwidth

PROPAGATION SYSTEMS, INC.
719 Pensacola Road
Ebensburg, PA 15931 USA
814-472-5540 • FAX 814-472-5676
E-mail: psiba@surfshop.net
- See us at NAB Radio Show, Booth 446 -

Circle (107) on Free Info Card

MOUSER

ELECTRONICS

- Cabinets / Racks • Wire / Cable • Connectors • Power Supplies
- Knobs • Resistors • Potentiometers
- Relays • Batteries and Holders
- Capacitors • Equipment • Tools • Fans • Hardware • Kits • Lamps
- LEDs • Panel Meters • Speakers • Microphones • Switches
- Inductors • Transformers • Semiconductors

www.mouser.com

sales@mouser.com
(800) 346-6873
Fax: (817) 483-6899

Circle (103) on Free Info Card

Big Features Packaged Small

A new 2.7 GHz spectrum analyzer that proves big features do come in small packages.

Big Features

- Digitally synthesized frequency coverage from 9 kHz to 2.7 GHz
- AM/FM Demodulation
- Internal trace and setup memory
- AC/DC/Battery operation
- Full markers and limits capabilities




Packaged Small
■ 18 lb. - \$6,495.00



Tel: 800-835-2352 / 316-522-4981 Fax: 316-529-5575 Email: sales@ifrsys.com
Visit our web site to see the entire line of IFR products: www.ifrinternational.com

Circle (108) on Free Info Card

BROADCAST ENGINEERING CONSULTING SOFTWARE



Longley-Rice over 3-D Terrain

Professional software packages for preparing FCC applications & plotting coverage. For Windows & NT.

- Create "real-world" coverage maps & interference studies with Longley-Rice, TIREM, PTP, FCC & other models using polygon map features.
- Search for AM, FM, TV, DTV, & LPTV channels with graphics oriented programs and FCC databases.
- Plot STL paths in 3-D using 3-Arc second terrain databases...and more!



800-743-3684 • www.v-soft.com

Circle (114) on Free Info Card

Users talk about...



"Most of the stations I do engineering work for are in the market for digital systems. I told them I would definitely recommend a look at Digital Universe. I'm impressed by the system's speed and the graphic layout: it's very uncluttered. And anybody who knows CBSI doesn't even have to ask whether it's any good."

- Dave Wooten
Chief Engineer
KWIL




800-547-3930

www.digitaluniverse.org

Circle (113) on Free Info Card

PUT YOUR STATION ON THE MAP WITH A KD KANOPY



KD Kanopy
1-800-432-4435
http://www.kdkanopy.com

- Lightweight ALUMINUM Frame
- Sets Up in 30 Seconds
- No Loose Parts or Ropes
- Custom Silk Screened Graphics
- Variety of Colors & Accessories
- Water Resistant & Fire Retardant Fabric
- FREE Heavy Duty Carry Bags & Stakes
- 8' x 8', 10' x 10' & 10' x 20'

Circle (111) on Free Info Card

ENGINEER'S BEST FRIEND!

- Eliminate flanging (hollow room) effect
- Eliminate bad room acoustics
- Hold absolute levels
- Correct voice symmetry
- Front panel input level select +4 to -50 dB
- Three section variable boost and cut equalization
- Comander/Expander cross coupled for maximum punch
- Built-in earphone jack

AIRcorp 500PH Microphone Processor



- DE-ESSER designed to protect pre-emphasis curves
- Simultaneous mic level and line level outputs
- Internal 48 Vdc Phantom Supply



Call your dealer...
or call 972-304-0455 FAX: 972-304-0550

Circle (112) on Free Info Card

Advertiser Index

Advertiser	Page Number	Reader Service Number	Advertiser Hotline	Advertiser	Page Number	Reader Service Number	Advertiser Hotline
Advanced Furniture Systems	56	126	970-663-4123	Inovonics	50	132	800-733-0552
AETA Audio Corporation	2	101	973-659-0555	J K Audio	44	159	800-JKA-UDIO
AirCorp	58	112	972-304-0455	K D Kanopy	58	111	800-432-4435
AKG Acoustics Inc.	23	164	615-360-0499	Kintronic Labs Inc.	51	137	423-878-3141
Altronic Research Inc.	38	169	870-449-4093	Logitek	9	182-184	800-231-5870
Antenna Concepts	32	177	530-621-2015	Mackie Designs	17	150	800-258-6883
Antex Electronics	18	151	800-338-4231	Mager Systems	22	163	602-780-0045
Audio Broadcast Group	38	170	800-999-9281	Maycom Automation Systems	16	143	+31-481-377740
Audio Processing Tech.	34	180	123-237-1110	Mediastore	28	172	800-555-5551
Autogram Corporation	43	161	800-327-6901	Mediatouch	45	144,188	204-786-3994
Avcom of Virginia	51	135	804-794-2500	Mouser Electronics	57	103	800-992-9943
BGS/Cutting Edge	19	152	352-622-7700	Murphy Studio Furniture	36	166	800-307-1060
Broadcast Electronics	21	157,185-187	217-224-9600	NAGRA USA	28	173	615-739-5191
Broadcast Electronics	41	154	217-224-9600	NAB Broadcasters	55		202-429-5350
Broadcast Software Intl	48	149	888-BSI-USA1	Nautel Electronics	47	197-200	902-823-2233
Broadcast Technology	50	133	719-336-3902	Neumann	33	193-196	860-434-5220
Broadcast Tools	56	124	360-428-6099	NSN Network Services	42	156	800-345-VSAT
Cartworks	34	179	601-853-9976	OMB America	14	141	305-477-0974
Central Tower	57	110	812-853-0595	Pacific Research	35	165	760-438-3911
Circuitwerkes	57	104	352-335-6555	Prime Image Inc.	12	181	408-867-6519
Coaxial Dynamics, Inc.	46	147	800-COAXIAL	Propagation Systems Inc.	57	107	814-472-5540
Computer Concepts Corp.	37	168,189-192	913-541-0900	Prophet Systems Inc.	15	142	800-658-4403
Comrex Corp.	7	118	800-237-1776	QEI Corporation	36	167	800-334-9154
Comrex Corp.	29	174	800-237-1776	Radio Soft	53	119	888-RADIO95
Crown Broadcast	20	153	800-294-8050	Satellite Export	46	146	517-629-5990
Custom Business Sys. Inc.	58	113	800-547-3930	Shively Labs	57	106	207-647-3327
Custom Business Sys. Inc.	59	115	800-547-3930	Sierra Automated Systems	11	129	818-840-6749
Cutting Edge	13	140	216-241-7225	Silicon Valley Pwr Amplifier	52	139	408-986-9700
Davicom Technologies	42	155	877-327-4832	Sine Systems	54	121	615-228-3500
D H Satellite	56	127	608-326-8406	Smarts Broadcast	30-31	175	800-747-6278
Digital Audio Labs	22	162	612-559-9098	Solid Electronics Labs	52	138	610-353-9449
DPA Mics/TGI N.A.	46	145	519-745-1158	Superior Broadcast Prod.	44	160	972-473-2577
Enco Systems Inc.	3	102	800-362-6797	Swager Communications	57	105	800-968-5601
ERI-Electronic Research	56	122	812-925-6000	S.W.R. Inc.	49	130	800-279-3326
ESE	57	109	310-322-2136	TerraSonde	49	131	888-433-2821
Forecast Consoles	54	120	516-253-9000	Transcom Corp.	56	125	800-441-8454
Gepco	44	158	847-795-9555	V-Soft Communications	58	114	319-266-8402
Gorman Redlich Mfg. Co.	56	123	740-593-3150	Ward-Beck Systems	32	176	416-438-6550
Harris Corp.	24-27	171	800-622-0022	Wheatstone Corporation	60	116	252-638-7000
Henry Engineering	51	136	626-355-3656	Wireready	22,32,50	134	800-833-4459
IFR Systems	57	108	316-522-4981	360 Systems	5	117	818-991-0360

Looking for the best digital audio system?

Compare apples to apples.



Digital audio systems aren't created equal. You'll find that Digital Universe, CBSI's new system for live assist, satellite, automation and routing, stands out from the crowd.

cbsi
Custom Business Systems Inc

P.O. Box 67 • Reedsport, Oregon 97467
Telephone 541 271-3681 • FAX 541 271-5721
E-mail: info@cbsi.org • www.digitaluniverse.org

800 547-3930



Uncompressed Audio

Because most other systems depend on compression, they take huge bites out of your audio before it ever reaches the airwaves. Digital Universe serves up full CD-quality, 44.1 kHz audio, start to finish. That's audio fidelity sure to appeal to even the most golden-eared of your listeners.

High Channel Capacity

Just try running a station on 2, 3, even 6 channels. Most systems can't get much further than that, uncompressed, without adding lots of extra hardware. Digital Universe gives you 50 stereo channels,* all from a single server. No other system comes close.

**Tested capacity as of January 1999. Advances in PC hardware yield ongoing improvements in channel capacity.*

No Proprietary Hardware

These days, any system built around proprietary hardware is a dead end. But Digital Universe is software based, so your hardware choices are wide open. Run your system on standard, affordable PCs and mix and match audio cards among workstations: it's up to you.

Windows NT + Client/Server

Digital Universe's leading-edge Windows NT platform and client/server architecture give your system room to grow, without clumsy workarounds or multiple PCs in every studio. And Digital Universe was written for NT, not just "optimized" for it - it's the right infrastructure for the future as well as the present.

Sound impossible? Take the Digital Universe challenge. Contact us today to request your checklist for selecting a future-proof digital audio system. Then, compare apples to apples. Once you've heard what Digital Universe can do for your station, you won't settle for anything less than gold.

DIGITAL



UNIVERSE



DIGITAL INTEGRATOR

DON'T LET THE TRADITIONAL LOOK FOOL YOU! This new audio console from Wheatstone has the most advanced DIGITAL FEATURES available on the market today! How about **serial control** of all switch, fader and eight-character source display settings—for **TRUE INTEGRATION** with routers and automation systems—or four stereo mix busses with simultaneous digital and analog outputs? Multiple mainframe sizes? Dedicated phone modules with DSP generated mix-minus for easy control of two to four callers?

BUT DON'T STOP HERE: optional DSP equipped modules allow programmable ducking with gain reduction and master/slave selection, digital input attenuation, pan/balance, 4-band sweep EQ (plus sweep high pass), and compressor/limiter with threshold, ratio, attack, release and makeup gain—all on *each* input!



A meterbridge router controller panel can run our new Wheatstone rackmount switcher for hundreds of additional inputs. The totally modular hot-swap design accepts both analog *and* digital inputs. Dual metering is simultaneous VU and full scale digital peak. Add a PC based **setup program** for quick configuration of all displays, mutes, tallies, machine starts and mix-minus assigns (once set the PC is removed for console stand-alone operation) and you begin to see the *power* that lies behind this intuitively simple control surface.

SOUND LIKE SOMETHING YOU'RE LOOKING FOR? Give us a call here at **Wheatstone** and ask about the brand new **D-600 DIGITAL AUDIO CONSOLE**—our sales engineers would love to tell you more!

 **Wheatstone Corporation**

600 Industrial Drive, New Bern, North Carolina 28562 (tel 252-638-7000/fax 252-637-1285/email: sales@wheatstone.com)
Circle (116) on Free Info Card