

Electronic components & applications

Index to Volume 7

Contents

NUMBER 1

Stand-alone speech development system using a personal computer <i>Menno ten Have and Jos den Ouden</i>	2
Quality - high-speed CMOS <i>G. Schonk</i>	7
Datacomm peripherals for the 68000 microprocessor <i>Jim Magill and Guy Thomsen</i>	17
Single-chip multi-standard colour decoder <i>Andries Smaal</i>	24
RF ICs for portable communications equipment <i>Donald Anderson and Robert J. Zavrel</i>	37
Integrated a.m. receiver TDA1072A <i>J. Schuylenburg</i>	45
Memory-access controllers give microcomputers a minicomputer's throughput <i>Cecil Kaplinski and Martin Freeman</i>	52

NUMBER 2

Astable multivibrators using HCMOS ICs <i>Rob Volgers</i>	66
Crystal oscillators using HCMOS ICs <i>Jan Exalto</i>	73
Automatic placement machine for hybrid-circuit assembly	77
MOS-XY, interline and frame-transfer sensors compared <i>Max Collet</i>	81
Controller IC contends with multiple protocols <i>Jim Magill</i>	89
Alloy bonding for power semiconductors <i>A. Jonas and D. Onck</i>	95
VMEbus interface ICs for simpler asynchronous systems <i>S. Baliga</i>	106
Manually testing the a.c. characteristics of ECL ICs <i>C. Hamelin</i>	112
Indoor unit for satellite-ready tv <i>A. Dolstra</i>	116
Recent publications	119
Research News	122

NUMBER 3

HCMOS low-power logic ICs that set the standard <i>Henri Molko</i>	130
HCMOS Schmitt-trigger applications <i>Jan Exalto</i>	144
Using 74HCT HCMOS to replace LSTTL and drive transmission lines <i>Rob Volgers</i>	151
Protection of HCMOS logic ICs in the automotive environment <i>Jan Exalto</i>	163
Modifying LSTTL test programs to test HCMOS logic ICs <i>Henk Kloen</i>	170
Battery backup of HCMOS logic ICs <i>Rob Croes</i>	179
Standardizing latch-up immunity tests for HCMOS logic ICs <i>Rob Croes and P. M. Hendriks</i>	187

NUMBER 4

Parallel processing and pipelining usher DSP into the future <i>Peter Anders and Ton van Kampen</i>	202
Thermal resistance of SO and PLCC packages <i>Paul Melville</i>	208
ZrO ₂ oxygen sensor <i>C. Franx</i>	217
State-of-the art ICs simplify SSB receiver design <i>Robert Zavrel</i>	223
Speech synthesis: the complete approach <i>Menno ten Have</i>	229
Line-locked digital colour decoding <i>Ton Nillesen</i>	239
In-line system for surface-mount assembly accepts large circuit boards <i>J. J. de Jong</i>	246
Insulated encapsulations for easier mounting of power semiconductors	250
YJ1600 magnetron for microwave heating up to 6 kW <i>P. F. de Jongh and S. B. Worm</i>	256

Subject Index

Broadcast systems

- MOS-XY, interline and frame-transfer sensors compared 81

Data processing

- Datcomm peripherals for the 68000 microprocessor 17
- Memory-access controllers give microcomputers a minicomputer's throughput 52
- Controller IC contends with multiple protocols 89
- VMEbus interface ICs for simpler asynchronous systems 106
- Parallel processing and pipelining usher DSP into the future 202

Industrial heating

- YJ1600 magnetron for microwave heating up to 6 kW 256

Logic

- Quality - high-speed CMOS 7
- Astable multivibrators using HCMOS ICs 66
- Crystal oscillators using HCMOS ICs 73
- Manually testing the a.c. characteristics of ECL ICs 112
- HCMOS low-power logic ICs that set the standard 130
- HCMOS Schmitt-trigger applications 144
- Using 74HCT HCMOS to replace LSTTL and drive transmission lines 151
- Protection of HCMOS logic ICs in the automotive environment 163
- Modifying LSTTL test programs to test HCMOS logic ICs 170
- Battery backup of HCMOS logic ICs 179
- Standardizing latch-up immunity tests for HCMOS logic ICs 187

Radio, audio

- RF ICs for portable communications equipment 37
- Integrated a.m. receiver TDA1072A 45
- State-of-the art ICs simplify SSB receiver design 223

Semiconductors

- Alloy bonding for power semiconductors 95
- Insulated encapsulations for easier mounting of power semiconductors 250

Sensors

- ZrO₂ oxygen sensor 217

Speech synthesis

- Stand-alone speech development system using a personal computer 2
- Speech synthesis: the complete approach 229

Surface-mounted devices

- Automatic placement machine for hybrid-circuit assembly 77
- Thermal resistance of SO and PLCC packages 208
- In-line system for surface-mount assembly accepts large circuit boards 246

Television

- Single-chip multi-standard colour decoder 24
- Indoor unit for satellite-ready tv 116
- Line-locked digital colour decoding 239

Contributor Index

Anders, P.	202	Kaplinski, C.	52
Anderson, D.	37	Kloen, H.	170
Baliga, S.	106	Magill, J.	17, 89
Collet, M.	81	Melville, P.	208
Croes, R.	179, 187	Molko, H.	130
Dolstra, A.	116	Nillesen, A. H. H. J.	239
Exalto, J.	73, 144, 163	Onck, D.	951
Franx, C.	217	Ouden, J. den	2
Freeman, M.	52	Schonk, G.	7
Hamelin, C.	112	Schuylenburg, J.	45
Have, M. ten	2, 229	Smaal, A.	24
Hendriks, P. M.	187	Thomsen, G.	17
Jonas, A.	95	Volgers, R.	66, 151
Jong, J. J. de	246	Worm, S. B.	256
Jongh, P. F. de	256	Zavrel, R. J.	37, 223
Kampen, T. van	202		

Electronic Components & Applications is published four times a year by Philips Electronic Components and Materials Division (Elcoma), The Netherlands, in cooperation with associated companies such as Mullard Ltd. in England, Valvo in Germany and Signetics in the USA.

It is intended for those who have a professional need to keep up to date on electronic component and circuit developments.

Its contents are gathered from research, application and quality control laboratories and the factories of the Elcoma organisation around the globe.

Technical enquiries and requests for rights to reprint or translate articles should be addressed to the Editor, EC&A, Philips Electronic Components and Materials Division, Marketing Communications, Eindhoven, The Netherlands.

Abstracts or references should mention title, author, and the source: Electronic Components & Applications, published by Philips Electronic Components and Materials Division, Eindhoven, The Netherlands.

Subscription

The subscription rate for Volume 8 is \$15.00/£8.00/Hfl.40.00, postage paid; supplementary charge for airmail to countries outside Europe, \$6.00.

Subscription enquiries should be addressed to D. A. Roubos, Building BA, Philips Electronic Components and Materials Division, Eindhoven, The Netherlands; Telex 35000 phtcnl; Tel. +3140723412.