

October 1957

50 Cents

55c in Canada

QST

devoted entirely to

amateur radio




IN THIS ISSUE — FIELD DAY RESULTS

OUR MILLIONTH FILTER SHIPPED THIS YEAR...



FILTERS

FOR EVERY APPLICATION




TELEPHONE FILTERS


UTC manufactures a wide variety of band pass filters for multi-channel telephony. Illustrated is a group of filters supplied to Bell Telephone Co. for use in 40 channel multiplex units. These filters provide 60 dbm attenuation between 400 and 4000 cps.



Dimensions:
(4682A) 1 1/2 x 2 x 4".



Dimensions:
(3834) 1 1/4 x 1 3/4 x 2-3/16",
(2000, 1) 1 1/4 x 1 3/4 x 1 3/4".





AIRCRAFT FILTERS

UTC has produced the bulk of filters used in aircraft equipment for over a decade. The curve at the left is that of a miniaturized (1020 cycles) range filter providing high attenuation between voice and range frequencies.

Curves at the right are that of our miniaturized 90 and 150 cycle filters for glide path systems.



CARRIER FILTERS

A wide variety of carrier filters are available for specific applications. This type of tone channel filter can be supplied in a varied range of band widths and attenuations. The curves shown are typical units.



DISCRIMINATORS

These high Q discriminators provide exceptional amplification and linearity. Typical characteristics available are illustrated by the low and higher frequency curves shown.




Dimensions:
(6173) 1-1/16 x 1 3/4 x 3",
(6174A) 1 x 1 1/4 x 2 1/4".


For full data on stock UTC transformers, reactors, filters, and high Q coils, write for Catalog A.

UNITED TRANSFORMER CORP.

150 VARICK STREET, NEW YORK 13, N. Y.
EXPORT DIVISION: 13 EAST 40th STREET, NEW YORK, 16, N. Y. CABLES "ARLAB"
PACIFIC MFG. DIVISION: 4008 W. JEFFERSON BLVD., LOS ANGELES 16, CALIF



*From this exclusive HIGH
FREQUENCY filter originates
the cleanest signal on the air!*



**Hallicrafters new HT-32 transmitter features
5.0 mc. quartz crystal filter... new bridged-tee
modulator... high stability... gear-driven V.F.O.**

• Forget your old ideas about SSB signal clarity! The HT-32 establishes *entirely new standards* with two major achievements of the world famous Hallicrafters laboratories—yours exclusively in the HT-32:

- 1. 5.0 mc. quartz crystal filter.** Result of a 3-year research program, the crystal filter system now is commercially practical at *high frequencies*. System cuts unwanted sideband 50 db. or more!
- 2. New bridged-tee modulator.** Temperature stabilized and compensated network provides carrier suppression *in excess of* 50-db. Patented diode application develops

sideband energy from audio voltage. World's most stable modulator. These and many other features make your decision *clear*—compare the HT-32 with any other transmitter available. Your supplier has all the details. Stop by and see him today.

ADDITIONAL FACTS ABOUT THE HT-32

- SSB, AM or CW output on 80, 40, 20, 15, 11-10 meter bands.
- High-stability, gear-driven V.F.O.
- 144 watts peak power input.
- Distortion products down 30 db or more.
- Complete band switching.
- C.T.O. direct reading in kilocycles.
- T.V.I. suppressed.

NEW
FROM
hallicrafters
CHICAGO ILL. U.S.A.

*WHERE THE BEST IDEAS IN
COMMUNICATIONS ARE BORN*

EXPORT SALES:
International Operations
Raytheon Manufacturing Co.
Waltham, Massachusetts

**Available with convenient terms
from your Radio Parts Distributor.**



FIXED STATION PERFORMANCE

IN A MOBILE

The features of Collins KWM-1 Transceiver make it the finest mobile rig available. The permeability-tuned precision VFO and mixer crystal oscillators provide the stability; the Mechanical Filter and high Q permeability-tuned circuits provide the selectivity; 175 watts PEP input provides the talk power. It occupies very little space — only 6¼" high, 14" wide and 10" deep. Mounting tray folds out of the way when not in use. VOX circuits permit operation without holding mike button. Only \$770 net. Power supplies and other accessories extra. See your Collins distributor for full details about the KWM-1 and its accessories.

Collins CREATIVE LEADER IN COMMUNICATION



QST

OCTOBER 1957

VOLUME XLI • NUMBER 10

PUBLISHED MONTHLY, AS ITS OFFICIAL ORGAN, BY THE AMERICAN RADIO RELAY LEAGUE, INC., WEST HARTFORD, CONN., U. S. A.; OFFICIAL ORGAN OF THE INTERNATIONAL AMATEUR RADIO UNION

STAFF

A. L. BUDLONG, WIBUD
Editor

RICHARD L. BALDWIN, WIKE
Managing Editor

GEORGE GRAMMER, WIDF
Technical Editor

DONALD H. MIX, WITS
BYRON GOODMAN, WIDX
Assistant Technical Editors

EDWARD P. TILTON, WIHDQ
V.H.F. Editor

C. VERNON CHAMBERS, WIHQ
LEWIS G. MCCOY, WIICP
E. LAIRD CAMPBELL, WICUT
Technical Assistants

ROD NEWKIRK, W9BRD
Contributing Editor, DX

ELEANOR WILSON, W1QON
Contributing Editor, YLs

NANCY A. ACKERMAN
Production Assistant

LORENTZ A. MORROW, W1VG
Advertising Manager

EDGAR D. COLLINS
Advertising Assistant

Chris Dunkle and Associates
740 S. Western Ave.
Los Angeles 5
California Representative

DAVID H. HOUGHTON
Circulation Manager

J. A. MOSKEY, W1MYY
Assistant Circulation Manager

OFFICES

38 La Salle Road
West Hartford 7, Connecticut
TEL.: ADams 6-2535 TWX: HF 88

Subscription rate in United States and Possessions, \$4.00 per year, postpaid; \$4.25 in the Dominion of Canada, \$5.00 in all other countries. Single copies, 50 cents. Foreign remittances should be by international postal or express money order or bank draft negotiable in the U. S. and for an equivalent amount in U. S. funds.

Entered as second-class matter May 29, 1919, at the post office at Hartford, Connecticut, under the Act of March 3, 1879. Acceptance for mailing at special rate of postage provided for in section 1102, Act of October 3, 1917, authorized September 9, 1922. Additional entry at Concord, N. H., authorized February 21, 1929, under the Act of February 28, 1925.

Copyright 1957 by the American Radio Relay League, Inc. Title registered at U. S. Patent Office. International copyright secured. All rights reserved. *Quedan reservados todos los derechos.* Printed in U. S. A.

INDEXED BY

INDUSTRIAL ARTS INDEX
Library of Congress Catalog
Card No.: 21-9421

—CONTENTS—

TECHNICAL —

- The "Club-Saver" 2-Meter Portable
Robert F. Tschannen, W9LUO 11
- Combination Regulated Power Supply
L. D. Chipman, W4PRM 16
- Six Elements on 6.....*Edward P. Tilton, WIHDQ* 18
- Notes on Inductance Calculation.....*Theodore Elliott* 23
- A Universal Power Supply...*Robert E. Foltz, W9GBT* 26
- Transistor Regenerative Detectors
Irving Gottlieb, W6HDM 30
- An Electronic Transmitter-Receiver Antenna Switch
Edward Arvonio, W3LYP 32
- An Ultrastable Keyed V.F.O....*J. M. Shulman, W6EBY* 34
- Let's Increase V.F.O. Stability *W. B. Bernard, W4ELZ* 40
- A Simple Conelrad Alarm.....*John V. Fill, K2GC/4* 43
- Adapting the Viking I to S.S.B.
W. O. Schirmer, K2EST 44
- Improved A.V.C. for Side Band and C.W.
George W. Luick, W0BFL 46
- Recent Equipment:
The Hallicrafters SX-101..... 47
- Power Ratings (Technical Correspondence)..... 49

BEGINNER —

- A Window-Sill Antenna.....*Lewis G. McCoy, WIICP* 21

MOBILE —

- Low-Pass Filters for Mobile Use
Warren Rudolph, W4OHM 24

OPERATING —

- Audrey and the Hams....*Roger White, W5SKW, and Victor Canfield, W5BSR* 50
- Annual Simulated Emergency Test..... 55
- Contests.....*L. A. Morrow, W1VG* 56
- 1957 Field Day Tops 'Em All!...*Phil Simmons, W1ZDP* 60

GENERAL —

- Bibliography of QST Articles on TVI..... 54
- QST — Volume V (Part III)...*Sumner B. Young, W0CO* 70
- Mobile.....*Stanley Boyle, W6WED* 74
- Just a Big Old Bird.....*William L. Smith, W3GKP* 76
- W2KCR Receives High Navy Award..... 77
- The Morning After the Night Before..... 83

- "It Seems to Us —"..... 9
- Happenings of the Month..... 78
- Hamfest Calendar..... 10
- YL News and Views..... 80
- 1957 Sweepstakes Reminder... 10
- How's DX?..... 84
- Coming Conventions..... 10
- Hints and Kinks..... 90
- Our Cover..... 10
- The World Above 50 Mc..... 91
- ARRL Ontario Province Convention..... 10
- Correspondence from Members... 94
- Operating News..... 95
- Quist Quiz..... 17
- With the AREC..... 98
- Silent Keys..... 33
- Station Activities..... 104
- In QST 25 Years Ago..... 33
- ARRL QSL Bureau..... 192

Hawaii-California Two Meter Record Set by KH6UK-W6NLZ, Using Eimac Tubes



Ralph Thomas KH6UK

John Chambers W6NLZ

On July 8, 1957, Ralph Thomas KH6UK and John Chambers W6NLZ spanned the Pacific from Southern California to Oahu, T.H. on two meters. At 9:33 PM PDST, the first signals came through. Two-way CW contact was established at 10:11 PM PDST, and the last signal faded out at approximately 10:50 PM PDST.* To W6NLZ and KH6UK goes the distinction of being the first amateurs to cover such a vast distance on two meters . . . a matter of some 2558 air miles. Of significance is the fact that both KH6UK

and W6NLZ used Eimac tubes in their two meter final amplifiers . . . KH6UK running a pair of 4-125A's and W6NLZ employing a pair of 4X250B's, with inputs in both cases approximately one KW. The 120 amateur radio operators at Eimac salute KH6UK and W6NLZ on their achievement and are proud that Eimac tubes were again used in a communications first.

*On August 18, KH6UK and W6NLZ repeated their record-breaking contact.

EITEL-McCULLOUGH, INC.
SAN BRUNO · CALIFORNIA

Eimac First for quality, dependability and performance



4-125A CW Typical Operation	
Plate volts	3000 Volts DC
Screen volts	350 Volts DC
Plate current	167 Amps DC
Plate power input	500 Watts
Plate power output	375 Watts

4X250B CW Typical Operation	
Plate volts	2000 Volts DC
Screen volts	250 Volts DC
Plate current	250 Amps DC
Plate power input	500 Watts
Plate power output	410 Watts

There's a PR for every Service!




AMATEUR

40, 80 and 160 Meters, PR Type Z-2

Rugged. Low drift, fundamental oscillators. High activity and power output. Stands up under maximum crystal currents. Stable, long-lasting, permanently sealed.....\$2.95 Net

20 Meters, PR Type Z-3

Harmonic oscillator. Low drift. High activity. Can be keyed in most circuits. Stable as fundamental oscillators. Fine for doubling to 10 and 11 meters or "straight through" 20 meter operation.....\$3.95 Net



COMMERCIAL

COMMERCIAL, PR Type Z-1

Designed for rigors of all types of commercial service. Calibrated .005 per cent of specified frequency. Weight less than 3/4 ounce. Sealed against moisture and contamination. Meets FCC requirements for all types of service.

SPECIAL TYPES

Type Z-1, AIRCRAFT

3023.5 Kc., .005%.....\$3.45 Net

Type Z-1, MARS and CAP

Official assigned transmitter frequencies in the range. Calibrated to .005%. 1500 to 10000 Kc. \$3.45 Net

Type Z-6A FREQUENCY STANDARD

To determine band-edge. To keep the VFO and receiver properly calibrated.

100 Kc. \$6.95 Net




PR PRINTED OSCILLATOR KIT

Has many uses—

- As 100 Kc. Marker
- As 1000 Kc. Marker for Check Points up to 54 Mc.
- As Foundation Circuit for Low Frequency SSB Crystals

Assembled in minutes. Kit contains everything but 6BA6 oscillator tube and crystal.

Each \$4.50 Net



Type 2XP

Suitable for converters, experimental, etc. Same holder dimensions as Type Z-2.

1600 to 12000 Kc. (Fund.) ± 5 Kc. \$3.45 Net

12001 to 25000 Kc. (3d Mode) ± 10 Kc. . . . \$4.45 Net



VHF Type Z-9R

For Lear, Narco and similar equipment operating in the 121 Mc. region, requiring crystals in 30 Mc. range.

Each \$4.95 Net

Type Z-9A RADIO CONTROLLED OBJECTS

27.255 Mc., .04% . . . \$3.95 Net



Type Z-1 TV Marker Crystals

Channels 2 through 13 \$6.45 Net

3100 Kc. . . \$2.95 Net

4100 Kc. . . \$2.95 Net

4.5 Mc. Intercarrier, .01% 2.95 Net

5.0 Mc. Sig. Generator, .01% 2.95 Net

10.7 Mc. FM, IF, .01% . . . 2.95 Net

ALL PR CRYSTALS ARE UNCONDITIONALLY GUARANTEED. ORDER FROM YOUR JOBBER.

PETERSEN RADIO COMPANY, INC.
2800 W. BROADWAY • COUNCIL BLUFFS, IOWA

EXPORT SALES: Royal National Corporation, 250 W. 57th Street, New York 19, N. Y., U. S. A.

Section Communications Managers of the ARRL Communications Department

Reports Invited. All amateurs, especially League members, are invited to report station activities on the first of each month (or preceding month) direct to the SCM, the administrative ARRL official elected by members in each Section. Radioclub reports are also desired by SCMs for inclusion in QNT. ARRL Field Organization station appointments are available in the areas shown to qualified League members. These include ORS, OES, OPS, OO and OBS. SCMs also desire applications for SEC, EC, RM and PAM where vacancies exist. All amateurs in the United States and Canada are invited to join the Amateur Radio Emergency Corps (ask for Form 7).

ATLANTIC DIVISION			
Eastern Pennsylvania	W3JNQ	Richard B. Mesarov	1372 W. Indian Creek Dr., Philadelphia 31
Maryland-Delaware-D. C.	W3UCR	Louis T. Croneberger	9904 Gardiner Ave. Silver Spring, Md.
Southern New Jersey	K2BG	Herbert C. Brooks	800 Lincoln Ave. Palmyra
Western New York	K2HUK	Charles L. Hansen	211 Rosemont Drive Buffalo 26
Western Pennsylvania	W3JY	John F. Woitkiewicz	1017 Girard Road Pittsburgh 27
CENTRAL DIVISION			
Illinois	W9YLX	George Schreiber	239 S. Scoville Ave. Oak Park
Indiana	W9TOC	Arthur G. Evans	823 North Bosart Indianapolis
Wisconsin	W9KQB	George Wolda	2103 South 9 St. Manitowoc
DAKOTA DIVISION			
North Dakota	W0K IZ	Elmer J. Gabel	Hankinson
South Dakota	W0FLP	Lea Price	Hermosa
Minnesota	W0KLG	Robert Nelson	Custer State Park P. O. Box 425 Dassel
DELTA DIVISION			
Arkansas	W5ZZY	Ulmon M. Goings	P. O. Box 207 Osceola
Louisiana	W5FMO	Thomas L. Morgavi	3409 Beaulieu St. Metairie
Mississippi	W5FHH	John Adrian Houston, sr.	114 North First Ave. Cleveland
Tennessee	W4SOF	Harry C. Simpson	P. O. Box 10104 Memphis
GREAT LAKES DIVISION			
Kentucky	W4KKW	Albert M. Barnes	830 Third Ave. Dayton
Michigan	W8RAE	Thomas G. Mitchell	409 Liberty Buchanan
Ohio	W8AL	Wilson E. Weckel	2118 Tuscarawas St., W. Canton 8
HUDSON DIVISION			
Eastern New York	W2EFU	George W. Tracy	1138 North Country Club Drive Schenectady
N. Y. C. & Long Island	W2TUK	Harry J. Dannaia	139 East Zoranne Drive Farmingdale, L. I.
Northern New Jersey	W2VOR	Lloyd H. Manamon	709 Seventh Ave. Asbury Park
MIDWEST DIVISION			
Iowa	W0BDR	Russell B. Marquis	807 North Fifth Ave. Marshalltown
Kansas	W0ICV	Earl N. Johnston	1100 Crest Drive Lopeka
Missouri	W0GEP	James W. Hoover	15 Sandringham Lane Ferguson 21
Nebraska	W0ENP	Charles F. McNeel	Route 3, RFD North Platte
NEW ENGLAND DIVISION			
Connecticut	W1TYO	Victor L. Crawford	RFD 5, Stadley Rough Rd. Danbury
Maine	W1LKP	John Fearon	RFD 1 Wells Beach
Eastern Massachusetts	W1ALP	Frank L. Baker, jr.	91 Atlantic St. North Quincy 71
Western Massachusetts	W1HRV	Osborne R. McKeeraghan	22 Mutter St. Easthampton
New Hampshire	W1AII	John Arthur Knapp	15 North State St. Concord
Rhode Island	W1VXC	Mrs. June R. Burkett	24 Roger Williams Ave. Rumford 16
Vermont	W1OAK	Mrs. Ann L. Chandler	RFD 2 Barre
NORTHWESTERN DIVISION			
Alaska	K1TAGU	Dave A. Fulton	1016 Barron Anchorage
Idaho	W7RKI	Rev. Francis A. Peterson	Box 66 Preston
Montana	W7NPV/WX1	Vernon L. Phillips	Box 971 Harlowton
Oregon	W7JDX	Hubert K. McNally	11908 S.E. Madison St. Portland 16
Washington	W7FIX	Victor S. Gish	511 East 71st St. Seattle 5
PACIFIC DIVISION			
Hawaii	KH6AED	Samuel H. Lewbel	P.O. Box 3564 Honolulu
Nevada	W7JLV	Albert R. Chin	P.O. Box 14 Reno
Santa Clara Valley	W6YHM	C. Donald Eberlein	P.O. Box 372 Los Gatos
East Bay	W6FDJ	Roger L. Wibson	3018 Berlin Way Oakland 2
San Francisco	W6OPL	Fred H. Laubscher	655 Wakarobin Lane San Rafael
Sacramento Valley	K6CFE	LeVaughn Shipley	3005 Maison Way Sacramento 25
San Joaquin Valley	W6JPU	Ralph Saroyan	3639 Mono St. Fresno
ROANOKE DIVISION			
North Carolina	W4RRH	R. Riley Fowler	Box 143 Morgantown
South Carolina	W4HMG	Bryson L. McGraw	227 Kalmia Road Columbia
Virginia	W4KX	John Carl Morgan	c/o Radio Station WFVA, Box 269 Fredericksburg
West Virginia	W8POQ	Albert H. Hie	1013 Belmont St. Forest Hills, Charleston 4
ROCKY MOUNTAIN DIVISION			
Colorado	W0DML	B. Eugene Spoonemore	224 Carlile Ave. Pueblo
Utah*	W7OCX	Col. John H. Sampson, jr.	3618 Mt. Ogden Drive Ogden
New Mexico	W5OZ	Ray Birch	Route 1, Box 700 Albuquerque
Wyoming	W7PSO	James A. Masterson	851 Bon Ave. Casper
SOUTHEASTERN DIVISION			
Alabama	W4MT	Joe A. Shannon	Cottontdale
Eastern Florida	W4KGT	John F. Porter	6890 S.W. 51st St. Miami 55
Western Florida	W4MS	Edward J. Collins	1003 E. Blount St. Pensacola
Georgia	W4CFI	William F. Kennedy	459 Fairway Hill Drive, S.E. Atlanta
West Indies (Cuba-P.R.-V.I.)	KP4DJ	William Werner	563 Ramon Llovet Urb. Truman Rio Piedras, P. R.
Canal Zone	KZ5WA	P. A. White	Box 82 Gamboa
SOUTHWESTERN DIVISION			
Los Angeles	W6JOB	Albert F. Hill Jr.	801 No. Millard Ave. Rialto
Arizona	W7OIF	Cameron A. Allen	1020 East Maryland Ave. Phoenix
San Diego	W6LRU	Don Stansifer	4427 Pescadero San Diego 7
Santa Barbara	W6REB	Mrs. Dorothy F. Wilson	Rte. 1, 75 Vista Del Mar Ventura
WEST GULF DIVISION			
Northern Texas	W5TFP	Ray A. Thacker	4700 West Hanover Dallas
Oklahoma	W5FEC	Richard L. Hawkins	1408 Bell Ave. Lawton
Southern Texas	W5QEM	Roy K. Eggleston	1109 Vernon Drive Corpus Christi
CANADIAN DIVISION			
Maritime	VE1WB	D. E. Weeks	R.R. 3 St. Stephen, N. B.
Ontario	VE1NG	Richard W. Roberts	170 Norton Ave. Willowdale, Toronto, Ont.
Quebec	VE2GL	Gordon A. Lynn	R.R. No. 1 Ste. Genevieve de Pierrefonds, P. Q.
Alberta	VE6MJ	Sydney T. Jones	10707-57th Ave. Edmonton, Alta.
British Columbia	VE7JT	Peter M. McIntyre	981 West 26th Ave. Vancouver, B. C.
Yukon	VE4TF	James A. Elliott	190 Oakdean Blvd. St. James, Winnipeg 12
Manitoba*	VE5LU	Lionel O'Byrne	Rowatt

* Official appointed to act temporarily in the absence of a regular official.



Ode (owed?) to the GPR

Oh! GPR, Oh! GPR

How really, really great you are.

All the hams from A to Z

Are really crazy over thee.

Your built in ease of operation

Has swept like fire across the nation.

Your lovely, lovely sensitivity

Gives life a lot more liveability.

Your low, low noise and other factors

Make other sets real bad actors.

With SSB you are akin

It goes with you like Vermouth with Gin.

Your range, your band spread sure are great

All other brands you make me hate.

Your circuits and your AVC

Are sure to me a joy to see.

Oh! GPR, Oh! GPR

How really, really great you are.



ONE of the boys in our Sales Department (Charles Dean to be specific) got all het-up about the GPR-90 and wrote the above in a moment of passion, we assume.



GPR-90  **GPT-750**
TECHNICAL MATERIEL CORPORATION
MAMARONECK, N Y

THE AMERICAN RADIO RELAY LEAGUE, INC.,

is a noncommercial association of radio amateurs, bonded for the promotion of interest in amateur radio communication and experimentation, for the relaying of messages by radio, for the advancement of the radio art and of the public welfare, for the representation of the radio amateur in legislative matters, and for the maintenance of fraternalism and a high standard of conduct.

It is an incorporated association without capital stock, chartered under the laws of Connecticut. Its affairs are governed by a Board of Directors, elected every two years by the general membership. The officers are elected or appointed by the Directors. The League is noncommercial and no one commercially engaged in the manufacture, sale or rental of radio apparatus is eligible to membership on its board.

"Of, by and for the amateur," it numbers within its ranks practically every worth-while amateur in the nation and has a history of glorious achievement as the standard-bearer in amateur affairs.

Inquiries regarding membership are solicited. A bona fide interest in amateur radio is the only essential qualification; ownership of a transmitting station and knowledge of the code are not prerequisite, although full voting membership is granted only to licensed amateurs.

All general correspondence should be addressed to the administrative headquarters at West Hartford, Connecticut.



Past Presidents

HIRAM PERCY MAXIM, W1AW, 1914-1936
EUGENE C. WOODRUFF, W8CMP, 1936-1940
GEORGE W. BAILEY, W2KH, 1940-1952

Officers

President GOODWIN L. DOSLAND, W0TSN
Moorhead, Minnesota

First Vice-President WAYLAND M. GROVES, W5NW
P.O. Box 586, Odessa, Texas

Vice-President FRANCIS E. HANDY, W1BDI
38 La Salle Road, West Hartford, Connecticut

Vice-President PERCY C. NOBLE, W1BYR
37 Broad St., Westfield, Massachusetts

Secretary A. L. BUDLONG, W1BUD
38 La Salle Road, West Hartford, Connecticut

Treasurer DAVID H. HOUGHTON
38 La Salle Road, West Hartford, Connecticut

.

General Manager A. L. BUDLONG, W1BUD

Communications Manager FRANCIS E. HANDY, W1BDI

Technical Director GEORGE GRAMMER, W1DF

Assistant General Manager JOHN HUNTOON, W1VQ

Assistant Secretary PERRY F. WILLIAMS, W1UED
38 La Salle Road, West Hartford, Connecticut

.

General Counsel PAUL M. SEGAL
816 Connecticut Ave., Washington 6, D. C.

DIRECTORS

Canada

ALEX REID VE2BE
240 Logan Ave., St. Lambert, P. Q.
Vice-Director: William R. Savage VE6EO
833 10th St. N., Lethbridge, Alta.

Atlantic Division

GILBERT L. CROSSLEY W3YA
Dept. of E. E., Penna. State University
State College, Pa.
Vice-Director: Charles O. Badgett W3LVF
725 Garden Road, Glenside, Pa.

Central Division

JOHN G. DOYLE W9GPI
4331 N. Wildwood Ave., Milwaukee 11, Wis.
Vice-Director: George E. Kelth W9QLZ
RFD 2, Box 22-A, Ulen, Ill.

Dakota Division

ALFRED M. GOWAN W0PIR
1012 South Willow Ave., Sioux Falls, S. D.
Vice-Director: Forrest Bryant W0FDS
6840 Harriet Ave., Minneapolis, Minn.

Delta Division

VICTOR CANFIELD W5BSR
Box 965, Lake Charles, La.
Vice-Director: Milton W. Kirkpatrick W5KYC
4914 Floydell Dr., Baton Rouge, La.

Great Lakes Division

JOHN H. BRABB W8SPF
708 Ford Bldg., Detroit 26, Mich.
Vice-Director: Robert L. Davys W8EYE
247 Highland Ave., Salem, Ohio

Hudson Division

GEORGE V. COOKE, JR. W2OBU
3 Dalsy Lane
Commack, L. I., N. Y.
Vice-Director: Lloyd H. Manamon W2VQR
709 Seventh Ave., Asbury Park, N. J.

Midwest Division

ROBERT W. DENNSTON W0NWX
Box 631, Newton, Iowa
Vice-Director: Sumner H. Foster W0GQ
2315 Linden Dr., S.E., Cedar Rapids, Iowa

New England Division

MILTON E. CHAFFEE W1EFW
53 Homesdale Ave., Southington, Conn.
Vice-Director: Frank L. Baker, Jr. W1ALP
91 Atlantic St., N. Quincy 71, Mass.

Northwestern Division

R. REX ROBERTS W7CPY
837 Park Hill Drive, Billings, Mont.
Vice-Director: Howard S. Pyle W7OE
3434 74th Ave., S.E., Mercer Island, Wash.

Pacific Division

HARRY M. ENGWICHT W6HC
770 Chapman, San Jose 26, Calif.
Vice-Director: Harold L. Lucero W6JDN
1113 Elnore Ave., Dunsmuir, Calif.

Roanoke Division

P. LANIER ANDERSON, JR. W4MWH
428 Maple Lane, Danville, Va.
Vice-Director: Thomas H. Wood W4ANK
1702 N. Rhett Ave., North Charleston, S. C.

Rocky Mountain Division

CLAUDE M. MAER, JR. W0IC
740 Lafayette St., Denver, Colo.
Vice-Director: Carl L. Smith W0RWJ
1070 Locust St., Denver 20, Colo.

Southeastern Division

JAMES P. BORN, JR. W4ZD
25 First Ave., N.E., Atlanta, Ga.
Vice-Director: Thomas M. Moss W4HYW
P.O. Box 644, Municipal Airport Branch,
Atlanta, Ga.


Southwestern Division

WALTER R. JOOS W0RKM
1315 N. Overhill Drive, Inglewood 3, Calif.
Vice-Director: Virgil Talbot W6GTE
9226 Alexander Ave., South Gate, Calif.

West Gulf Division

GRADY A. PAYNE W5ETA
5103 Linden St., Bellaire, Texas
Vice-Director: Carl C. Drumeller W5EIC
5824 N.W. 58th St., Oklahoma City 12, Okla.

"It Seems to Us..."



PICON AND PROPAGATION

At the recent ARRL National Convention in Chicago some of you heard President Dosland make a strong plea for more amateur awareness of PICON — a Washington-style term for “public interest, convenience or necessity.” Our President emphasized organization for emergency purposes, and well he may have, for such work makes news that can be appreciated by the public at large.

But another kind of hamming has been equally important in establishing the worth of amateur radio, even though your TV-viewing neighbor may never have heard of it. Many important and influential people do know about it, and more will be learning as a result of our IGY Propagation Research Project. Amateur contributions to the advancement of the radio art were recognized as far back as 1911, when a famous scientist testified before a congressional committee that amateur work had aided scientific investigations even before that time.

The amateur record in opening up the world above 50 Mc. has been especially impressive. Moving into what seemed then to be wholly useless territory, hams working on 5 meters discovered tropospheric bending, sporadic-E skip propagation and reflection from the auroral curtain. This was in the middle 30's, years before there were plans for using the v.h.f. range for commercial or military communication.

Following World War II, 50-Mc. enthusiasts turned up what is now known as transequatorial scatter, a phenomenon being given concentrated scientific attention during the IGY. They demonstrated that early postwar predictions for F_2 -layer maximum usable frequency were far too low in many areas of the world. Pioneering work with reflections from meteor trails in the early 50's paved the way for development of means for long-distance communication with secrecy, a prime target in current work with meteor propagation. Scatter techniques, once thought to be usable only with very high power levels, are now being employed effectively by ham stations running less than 100 watts.

Hams have been able to augment scientific investigations mainly because of our unique character. We are everywhere. We operate

largely without preconceived notions as to what will or won't work. We try anything, even when better minds than ours have already figured out that what we are attempting is impractical. No better example of this emulation of the bee (theoretically incapable of flight, but doesn't know it) has appeared in many a day than the recent but now historic 144-Mc. QSO between W6NLZ and KH6UK. Nobody outside of amateur radio would have bothered to try such a thing even once, let alone attempt it nightly for nine months!

But John Chambers and Ralph Thomas were v.h.f. crazy from way back. They had seen the “impossible” done before, and they were game to keep on trying this one, even after 250 nightly attempts had given them not the slightest sign of encouragement. Then, on the night of July 8, the curtain of background noise parted a bit, and the 144-Mc. test transmission of KH6UK was heard, bending its way across more than 2500 miles of Pacific Ocean. A few minutes later they were at it two-way, and one of amateur radio's greatest moments was written into our history. The contact broke the amateur record by more than 1100 miles, and it exceeds by some 25 per cent the greatest distance over which signals of anything like this frequency had ever been received before.

The news traveled fast. Hams over the world heard of it the next day via W1AW. The public got it shortly after, through ARRL-prepared news releases that made newspapers and radio and TV news broadcasts. Trade and scientific journals featured it in their next editions. Top people in the wave propagation world were informed through the cooperation of Dr. M. G. Morgan, W1HDA, a moving spirit in the USA National Committee of the International Scientific Radio Union (URSI).

At the XII General Assembly of URSI held at Boulder, Colo., in late August, *QST*'s v.h.f. editor found this work a prime subject of conversation with some of the world's leading propagation authorities. From Dr. R. L. Smith-Rose of England, Vice-President of URSI, and Chairman of the URSI Commission on Ionospheric Propagation, on down, scientists of varying personal interests wanted to hear more of the event. There was much discussion of the nature of the signals, and of the ionospheric and tropospheric conditions

that prevailed when the contact was made.

All agreed on one thing — the distance was well beyond anything in their previous experience for the frequency, by whatever means. Without exception, these highly-placed men of science were strong in their praise. They found it truly remarkable that amateurs would have the facilities, the know-how, and most important of all the infinite patience for such an achievement. To a man they expressed the hope that the work would continue, and that future results would be as carefully documented as has been the work to date.

The tests are continuing. Already, they have produced another break-through, as reported in our v.h.f. column this month. It is quite likely that more will have been recorded before this appears in print. But whether or not W6NLZ and KH6UK ever hear one another again on 144 Mc., they have done all of us a service of the highest order. They have made powerful friends for amateur radio in an area where backing could be mighty important in bearing out our contention that hams occasionally do more than think up better ways to interfere with television.

PICON has seldom been better served!

24th ARRL Sweepstakes — Nov. 9-10 and 16-17

How many ARRL sections can you work in two week ends? How big a contact total can you run up? If you are located anywhere in the League's field organization (see page 6), you are urged to take part in this popular annual activity. Any bands, phone or c.w., may be used. The total operating time allowed each contestant is 40 hours out of the 66 available. Phone entries compete for awards only with other phone entries — c.w. scores only with other c.w. scores — in your particular section. Special Novice certificates are also issued. The SS starts at 1800 EST (1500 PST) Saturday afternoon November 9 and 16.

A complete announcement of the contest will appear in November *QST*.

Contest reporting forms will be sent to all amateurs who request. It is not necessary to use these forms if the report form prescribed in November 1956 or in the next issue of *QST* is followed.

OUR COVER

This month's cover shows Paul Blum, W2KCR, operating his North Syracuse, N. Y., station. As reported on page 77 of this issue, Paul has just received the Navy's Public Service Award. He runs a kw. on s.s.b., and visible in the photo are, at the left, a facsimile machine and, at the right rear, a radioteletype machine. An 85-foot tower out in the yard supports three beams which are almost always pointed due south!



Alabama — The annual Auburn picnic will be held at Chewacla State Park on Saturday, October 12.

Louisiana — The Greater New Orleans and Jefferson Parish amateur radio clubs will jointly sponsor a hamfest and dance on October 12 and 13. The picnic will be held at Audubon Park, Shelter House #7 area, with games, prizes, and refreshments. Also a hidden transmitter hunt. The place for the dance has not been selected as of this writing.

Massachusetts — The Seventh Informal Get-together of all New England DXCC members will be held on Saturday evening, October 19, at the Harvard Club of Boston, 374 Commonwealth Ave. Social hour at 6:30, dinner at 7:30. Admission is free, with dinner tickets priced at \$3.99. Contact R. E. Pierce, W1AXA, 51 Lexington Circle, Swampscott. Evenings telephone Lynn 3-0027.

New Mexico — The total Amateur Radio Club of Farmington will hold its annual dinner and get-together on Saturday, October 12. Get further details from Carl E. Black, sr., W5POI.

Minnesota — The Mankato Area Radio Club is holding a get-together at the Northern States Power Building on October 12 at 8:00 p.m. There will be several speakers on the program, including an FCC representative. No charge; the club will provide a snack. All amateurs and would-be amateurs in southern Minnesota invited.

New York — The Third Annual V.H.F. Roundup, sponsored by the Syracuse V.H.F. Club, will be held Saturday, October 12, at Martin's Restaurant in Liverpool. Speakers will include Sam Harris, W1FZJ, and Ed Tilton, W1JIDQ. Reservations must be made in advance with Al Obrist, W2YR, 8 Holly Road, North Syracuse, N. Y. Price, \$1.50, including dinner.

South Carolina — The annual Rock Hill Hamfest will be Sunday, October 13, at Joslin Park. All amateurs, families and friends in the southeastern area invited. Registration \$2.00, beginning at 9 A.M. Big dinner, recreational facilities for families. Further info from K4JFN.

A. R. R. L.

ONTARIO PROVINCE CONVENTION

Toronto, Ontario — October 18-19

The metropolitan Toronto radio clubs will be hosts to the first ARRL convention in Toronto in twenty-seven years on October 18 and 19. Over 700 amateurs and their ladies will attend, from Ontario, Quebec, Manitoba, Alberta, New York, Pennsylvania, Michigan, and Illinois.


The convention will start with a reception on Friday at 5 P.M. at the King Edward Hotel, King Street East, and a banquet will follow with entertainment and speakers. Saturday there will be contests, movies, clinics, presentations of trophies, and an initiation ritual for the ROWH. A program has been prepared for ladies.

Registration will begin on Friday at 4 P.M. in the lobby of the ballroom. Fee is \$5.00 per person, including the dinner. Tickets are available from Willy McCullough, VE3BCR, 203 Gamma Street, Toronto. For hotel or motel reservations, write Bob Haslett, VE3RH, 87 Divadale Drive, Leaside, Toronto 17, Ont. Chairman is Dick Roberts, VE3NG, SCM of Ontario.

COMING A.R.R.L. CONVENTIONS

October 18-19 — Ontario Province, Toronto, Ontario

November 8-11 — Far East Pacific Division, Guam



Happy members of the Wheaton Community Radio Amateurs, with some of the 2-meter stations that were built during the club project. Working together toward a common aim turned out to be fine for both club interest and local 2-meter activity.

The "Club Saver" 2-Meter Portable

A Group Project That Put New Life in an Old Club

BY ROBERT F. TSCHANNEN, W9LUO*

THE NAME "Club Saver" seems appropriate to describe the compact two-meter transmitter-receiver detailed in this article because the construction project involving it was responsible for thoroughly revitalizing a sadly waning ham club. The end results of this project were the construction of 50 units, lots of new two-meter activity, and an increase of 300 to 400 per cent in club attendance. The success of the undertaking is attributed to the fact that it was a low-cost project which appealed to nearly all of the club members, and to their inherent interest in construction.

The maximum cost of the planned building project was voted upon by club members before the unit was designed. After a \$30 upper price limit was determined, the equipment specifications were prepared. (The \$30 figure does not include the power supply.) In the design of the unit, every attempt was made to split the cost between the transmitter and receiver in such a way as to provide a sensible amount of performance from each.

The units were individually built by club members in their homes. In order to maintain uniformity in the design, the kits supplied to the members included punched chassis, panels and brackets and insofar as possible, equivalent components. Photographs were supplied for component location. Assistance in alignment and "de-bugging" was given as required. Further

discussion of the mechanics of the club project is omitted in favor of more electrical and constructional details.

General Description

Electrically the unit is quite simple. It consists of a superregenerative superheterodyne receiver with an r.f. stage, and a simple crystal-controlled transmitter in which the output stage is a plate-modulated doubler. A common audio system serves as receiver audio output amplifier or transmitter modulator. The unit was designed to operate from a 270-300 volt power supply having a current output capability of approximately 125 ma. With a 300-volt power supply, the plate input power to the 5763 runs 9 to 10 watts. Although the receiver is simple in design, it possesses sufficient sensitivity to provide satisfactory communication in conjunction with a low-powered transmitter. The complete unit is packaged in a 5 × 6 × 9-inch rectangular aluminum box (ICA 29844 or 29801.) The cadmium-plated steel chassis measures approximately 7 $\frac{3}{4}$ × 4 $\frac{3}{4}$ × 2 inches. Most of the major components may be identified from the chassis photos.

The Receiver Portion

A 6CB6 tube is used as a fixed-tuned r.f. amplifier. The antenna input circuit employs a single tuned circuit, L_6 , which is fixed-tuned at approximately 147 Mc. The plate circuit, L_7 , is tuned to 145 Mc. With the plate circuit of the staggered pair tuned to the lowest frequency,

*412 E. Maple St., Lombard, Illinois

the effective load looking into the grid circuit of the r.f. amplifier is capacitive in nature and regenerative tendencies are thereby reduced. By tapping the grid lead down on the antenna coil, the loading on this coil is reduced, the coil operating Q is increased and better image rejection is obtained.

A 12AT7 tube is the oscillator-mixer. The oscillator operates on the low side of the signal frequency. Its tank circuit is padded to reduce the tuning range so as to cover the two-meter band on C_6 with a moderate amount of leeway. The oscillator frequency range of 125.8-132.9 Mc. provides a signal tuning range of 143-150 Mc. with the i.f. at 17.2 Mc.

The 17.2-Mc. intermediate frequency was not an arbitrary choice, but was selected to provide a fair amount of selectivity with a minimum of birdies and image responses, when the receiver tunes the two-meter band.

The pentode portion of a 6U8 tube is the superregenerative second detector. Smooth regeneration control is obtained by varying the screen voltage. The triode portion serves as an audio amplifier in receiving and as a microphone amplifier when transmitting. In the receive position, grid bias is obtained from contact potential, plus rectified grid current which may be developed if the peak positive grid swing exceeds the contact bias. In the transmit position, the stage is a cathode-driven amplifier, with a small bias being supplied by the d.c. voltage drop across the secondary of the transformer T_1 . The d.c. required for microphone current is supplied from the by-passed cathode of the 6AQ5 output tube.

The output stage autotransformer step-up arrangement permits a high percentage of modulation, as compared with a Heising modulation system used without a dropping resistor. The transformer design is such as to permit both modulator and final plate current to flow without

Fig. 1—Schematic diagram and parts information for the 2-meter portable station. Unless otherwise stated, capacitors are ceramic. Values less than .001 are in $\mu\mu\text{f}$. Resistors are $\frac{1}{2}$ -watt carbon. Where polarity is shown, capacitors are electrolytic.

C_1, C_4, C_5 —1-8- $\mu\mu\text{f}$. plastic trimmer.

C_2 —25- $\mu\mu\text{f}$. variable.

C_3 —25- $\mu\mu\text{f}$. ceramic trimmer.

C_6 —2-plate midget variable, shaft type.

J_1 —Coaxial chassis fitting, female.

J_2 —Closed-circuit jack.

J_3 —8-pin chassis fitting, male. Provision is made for either 6- or 12-volt connection; see text.

L_1 —12 t. No. 26 enam., close-wound on $\frac{1}{16}$ -inch bakelite form, iron-slug tuned.

L_2 —2 t. wound in same direction as L_1 and about $\frac{1}{16}$ inch below it.

L_3 —5½ t. No. 18, $\frac{1}{2}$ -inch diam., $\frac{5}{16}$ inch long.

L_4 —4 t. No. 14, $\frac{3}{8}$ -inch diam., $\frac{1}{2}$ inch long, center tapped.

L_5 —1¾ t. insulated hookup wire. Wind to fit snugly inside L_4 .

L_6 —4 t. No. 18, $\frac{3}{8}$ -inch diam., $\frac{7}{16}$ inch long. Tap at 1¼ and 2¾ t. from ground end.

L_7 —3 t. No. 18, $\frac{3}{8}$ -inch diam., $\frac{7}{16}$ inch long.

L_8 —15 t. No. 36 d.s.c., close-wound on $\frac{1}{32}$ -inch bakelite form, iron-slug tuned.

L_9 —16 t. No. 32 d.s.c., close-wound at terminal end of form used for L_8 . L_8 is directly below it. Wind both in same direction.

L_{10} —3 t. No. 18, $\frac{3}{8}$ -inch diam., $\frac{7}{16}$ inch long. Tap at 1 t. from ground end.

RFC₁₋₄ incl.—R.f. choke, about 10 μh . May be 70 t. No. 38 enam. close-wound on $\frac{1}{8}$ - to $\frac{3}{16}$ -inch diam. form or high-value resistor.

S_1 —6-pole 2-position miniature ceramic switch (Centralab PA-2019).

T_1 —Single-button microphone transformer.

T_2 —Small modulation transformer, auto transformer type (Triad M-42).

core saturation. (This is sometimes the case when a small receiver type output transformer is used in this application.)

The send-receive switch is a miniature ceramic rotary with five of the six available poles of the switch used. This arrangement is simple and effective, and much less expensive than a push-to-talk relay.



The club-project 2-meter portable station described by W9LUO. Size may be judged from the 6-inch scale at the lower right. Power supply is a separate unit, and may be arranged to suit user's requirements.

The Transmitter

The first model transmitter designed for this project employed the same tube complement, but used a 48-Mc. crystal oscillator, tripling in the second half of the 6U8 tube. This arrangement provided straight-through amplifier operation of the 5763 stage. The input loading of the 5763 tube at 144 Mc. is considerably greater than at 72 Mc., however, and some difficulty was encountered in obtaining adequate drive, without excessive crystal current. The final design uses an 8-Mc. crystal oscillating on its third overtone at 24 Mc. The second half of the 6U8 triples to 72 Mc. and drives the 5763 plate-modulated doubler. An appreciable margin of drive capability is provided, and upward modulation with good linearity is obtained.

The heater connections of the unit are such that either a 6- or 12-volt supply may be used. For 12-volt operation, connect the source to Pins 2 and 8 of the input connector. For 6 volts, connect Pins 2 and 8 together with a jumper and connect the source between Pins 7 and 8.

Construction Hints

Best results may be expected if the layout and circuit are carefully followed. Principal components may be identified from the photos of the rear and bottom of the chassis. In the rear view the receiver portion is at the right. The tube in the right foreground is the 6CB6 r.f. amplifier. In line with it, near the panel, is the 12AT7 mixer-oscillator. The 6U8 and 6AQ5 are near the middle of the chassis. At the far left are the two transmitter tubes, the 5763 being the one at the corner of the chassis.

In general, the positions of various coils in both the receiver and transmitter should be as shown in the photos. Coils should be kept well away from the steel chassis. The position of the grid-plate shield on the bottom of the 6CB6 socket should be noted. This may be made of any shielding material which may be soldered into position readily. If desired, the crystal socket for the transmitter may be located on the side flange of the chassis and clearance holes punched in the case for quick crystal changing. Use a sturdy bracket to support the variable capacitor C_6 in order to prevent frequency shift due to


panel pressure which may occur during use of the equipment.

If a rear cover is used on the case of the unit, drill ventilating holes in the bottom and top of the cabinet and in the chassis, for "chimney" effect. The p.m. speaker should be spaced approximately 1/16 to 1/8 inch behind the plastic grill cloth, by means of washers, since at high audio levels the cone travel is otherwise sufficient to produce an objectionable buzz, as the outer ribs in the cone strike the grill cloth.


Alignment of the Receiver

After wiring is completed, check it over carefully. The receiver may now be connected to a power supply and warmed up. An accurately calibrated signal source and/or grid-dip meter is desirable for alignment purposes. An a.c. voltmeter, output meter or scope should be connected across the speaker voice coil terminals as an output indicator. A modulated 17.2-Mc. signal is loosely coupled to Pin 7 of the 12AT7 mixer. Set the volume control at maximum and the regeneration control for the cleanest output signal with least noise. The tuning slug in L_9 is then adjusted for maximum output indication across the speaker voice coil terminals. A reasonably strong signal must be used for this alignment, to override the noise developed in the superregenerative detector. If a modulated signal is not available, an alternate alignment technique is to use a c.w. input signal and tune L_9 for minimum noise output. Keep the input level sufficiently low to provide some noise for output indication.

The oscillator tuning range is adjusted next. This may be done by direct grid-dip meter pickup from the oscillator coil, L_{10} , or by insertion of an input signal to the antenna terminals. If direct grid-dip meter pickup is used, couple loosely to L_{10} , in order to minimize oscillator frequency calibration errors. The best method is by signal insertion to the antenna terminals. No oscillator interaction results from this method, so a more accurate calibration may be obtained. It is important in this case that the i.f. alignment be done first. An input signal tunable from 143 to 150 Mc. (preferably modulated) is used for this adjustment, and the oscillator tuning range is centered by spreading or squeezing turns of L_{10} . The coverage is then adjusted by bending stator



Interior view of the 2-meter station. Receiver portion is at the right side of the picture.



Receiver circuits are at the left side of this bottom view of the club-project portable.

or rotor plates of C_6 so as to tune the desired range. When the grid-dip meter is used for this adjustment, the oscillator coil and tuning capacitor are adjusted to provide an oscillator range of 125.8 to 132.8 Mc.

After the oscillator has been adjusted to cover the range, the r.f. alignment may be done. Using a modulated signal on 147 Mc., C_4 is tuned for maximum output indication. Similarly, C_5 is tuned for maximum output on a 145-Mc. signal. The tuning of these circuits is rather broad; care should be taken to adjust the input level to avoid overloading.

This completes the receiver alignment. Dial calibration markings should be made only after the receiver performs satisfactorily in all respects, as oscillator frequency calibration is influenced by changes in the r.f. plate and converter grid circuits, or by movement of components in the vicinity of the oscillator circuitry.

Transmitter Alignment

Transmitter adjustment is most easily carried out using a d.c. v.t.v.m. or a low-range d.c. milliammeter (0-5 ma.). The alignment basically consists of adjusting the tuned circuits for maximum grid current, starting with the oscillator. The tickler coupling of the regenerative oscillator must be adjusted to provide adequate but not excessive feedback, in order to assure crystal-controlled operation. Connect the v.t.v.m. from the junction of RFC_1 and the 68,000-ohm resistor to ground, or insert the d.c. milliammeter between the resistor and ground. This will read voltage or current developed in the tripler grid. Adjust the tuning core of L_1 until maximum voltage or current is read. There will usually be a sharp rise as L_1 resonates at the third-overtone frequency, 24 Mc. Listen to the character of the

oscillator note at 24 Mc. on a receiver, and check if it is crystal controlled by bringing a metal object near L_1 . If the note is clear and no frequency change is noted, the oscillator is crystal controlled. Back the tuning core out of the coil slightly and check to see that the oscillator starts rapidly. Feedback can be adjusted by changing the number of turns in L_2 , or its spacing from L_1 .

For tripler alignment, the v.t.v.m. is connected similarly in the 5763 grid circuit and the trimmer capacitor C_1 is adjusted for maximum indication.

Two No. 47 brown-bead pilot bulbs are next paralleled across the antenna connector to ground. The final amplifier tuning capacitor, C_2 , is adjusted for maximum brilliance in the output-indicating bulbs. Adjustment of the series antenna capacitor, C_3 , is made after the antenna system has been connected; this is commonly made by use of a crystal diode and milliammeter. With the final amplifier properly loaded, the unit will modulate upward with good linearity. If grid excitation is low, downward modulation will occur and poor efficiency will be obtained.

Conclusion

Most of the 50 kits supplied to club members and other interested parties have been completed and two-meter activity is steadily increasing. Credit is due to members of the club who have made the project successful; particularly, Don Hayworth, W9FYT, business manager of the affair, Bob Winston, W9WX, who did the chassis work, John Kullberg, W9YBC, for photographs, W9DLJ, W9IYL, W9FRE, W9NZM for components, W9FQ for bookkeeping, W9TVN for drawing, W9WKM for test equipment and Ken Guge for layout photos.

Combination Regulated Power Supply

Extending the Range of Regulated Output Voltage

BY L. D. CHIPMAN,* W4PRM

*A nominally 250-volt
regulator circuit is moved up by
steps in the voltage spectrum
through the device of increasing the
stabilized reference voltage.*

THE power supply described in this article makes use of relatively inexpensive components and gives good voltage regulation from zero output to full load current and with varying input voltage. The output voltage is variable over a 1200-volt range with front panel control.

The circuit, Fig. 1, is a combination of two commonly used regulator circuits. The gas-filled regulator tubes are used to establish a fixed reference voltage, to which is added an electronically regulated variable voltage.

In the author's transmitter the circuit is used with 4-125A tubes to provide regulated screen voltages of 350 volts for Class C operation when switch S_1 is in Position 2, and 615 volts for Class AB₁ operation when S_1 is in Position 1. The power transformer is a surplus unit with 600- and 1000-volt taps, a combination which is not an ordinary catalog item, but the transformer suggested in Fig. 1 will give approximately the same voltages. The design can be modified to give any voltage from 225 volts to 1200 volts, with each voltage design center variable \pm 60 volts. The maximum output current is determined by the power transformer, rectifier, and electronic regulator tubes.

The number of gas voltage-regulator tubes needed can be found by subtracting 250 volts from the wanted output voltage to get the approximate reference voltage, and then adjusting this reference to the nearest value obtainable from combinations of gas regulator tubes. For example, if the wanted output voltage is 350 volts the nominal reference voltage is $350 - 250 = 100$

* 816 Melrose St., Winston-Salem, N. C.




Fig. 1 — Circuit of the regulated power supply. Resistors are 1 watt unless indicated otherwise. See text for discussion of constants for various voltage ranges.

C_1, C_2 — 4- μ f. paper, 1500 volts.

C_3 — 0.1- μ f. paper, 600 volts.

C_4 — 12- μ f. electrolytic, 450 volts.

C_5, C_6, C_7 — 120- μ f. electrolytic, 350 volts.

C_8 — 4- μ f. paper, 600 volts.

R_1 — 50,000-ohm potentiometer, 1-watt or higher rating.

R_2, R_3, R_4 — 27,000 ohms, 2 watts.

S_1 — D.p.d.t. rotary.

S_2 — S.p.s.t. toggle.

T_1 — Power transformer, voltage and current ratings as required (see text). For output voltages of approximately 700 and 350, Merit type P-3175 (1100 volts center-tapped) is satisfactory.

T_2 — Filament transformer, 5 volts, 2 amp.

T_3 — Filament transformer, 6.3 volts, 1.2 amp. (may be combined with T_2 in a dual-secondary transformer).

V_5 — OA3/VR75 (see text).

V_6, V_7 — OD3/VR150 (see text).

volts. Either a VR75 or VR105 can be used. A VR75 is used for this output voltage in Fig. 1 in order to reduce the power dissipation in the 6L6 regulator tube.

The 615-volt output was computed as follows:

$$615 - 250 = 365$$

$$VR150 + VR150 + VR75 = 375 \text{ volts.}$$

The necessary reference gas-regulator tubes can be calculated in the same way for voltages up to 1200 volts.

For output voltages higher than 615 volts, the transformer T_1 will have to be changed. The voltage ratings of C_1 and C_2 also will have to be increased in proportion to the increase in output voltage. Additional capacitors and associated bleeder resistors will have to be added in series with C_5 , C_6 and C_7 so that the total voltage rating is greater than the output voltage. Also, the voltage rating of C_8 has to be more than the total of the ignition-voltage ratings of the gas regulator tubes.

To increase the current-carrying capacity of this regulator two or more 6L6 tubes can be used in parallel. The current through each tube should not be over 90 ma. The current-carrying capacity of the transformer T_1 has to be greater than the total current required from the output of the regulated power supply, of course.

The heater circuits of the 6L6 and 6SJ7 tubes should not be grounded. The heater winding should be insulated from the transformer core and should not break down with a voltage equal to the output voltage of the power supply.


With high voltage outputs it may be necessary to mount the voltage-control potentiometer with insulating washers on a bracket behind the panel and bring an insulated shaft through the front panel.

The rectified and filtered d.c. input voltage to the regulator should be a minimum of 50 volts higher than the required maximum output voltage.

QUIST QUIZ

This one was submitted by Ronald Egnitz, W3YNZ of North Braddock, Pa.:

Given three capacitors of $4 \mu\text{f}$., $2 \mu\text{f}$., and $1 \mu\text{f}$., respectively, connected as shown in the sketch. The $4\text{-}\mu\text{f}$. capacitor is charged to 20 volts as



shown, and the $1\text{-}\mu\text{f}$. capacitor has a 10-volt charge. When the switch is closed and all transients have disappeared, what voltage is across each of the capacitors? Assume the capacitors, conductors and battery are perfect.


- . . . -

How did you make out with the resistor problem last month? In case you didn't get it, here is the solution:

The zero-center milliammeter probably suggested some sort of bridge circuit; if it didn't it should have. Let's call the precision resistor R_4 and number the others R_1 through R_3 . The two measurements we are allowed will be made using the circuits shown; we must record the meter movement direction (if any) during the two measurements. Having these, we can refer to the table and it will tell which, if any, resistor


was high or low or if they were all the same.

If you worked out the solution to the harder



problem involving 14 resistors and three measurements, W2ALJ would appreciate hearing from you and comparing methods of solution.

Reading		Answer
I	II	
+	+	R_1 high
+	0	R_2 high
+	-	R_3 low
0	+	R_4 low
0	0	All equal
0	-	R_4 high
-	+	R_3 high
-	0	R_2 low
-	-	R_1 low



The 6-element long Yagi as it is installed at W1HDQ. Both it and the 16-element 2-meter array above it have separate vertical members which are fastened to the vertical support with TV-type U clamps.

Six Elements on 6

*A High-Performance Beam
for Today's 50-Mc. Conditions*

BY EDWARD P. TILTON, * W1HDQ

FOR ABOUT TWO YEARS the 6-meter beam at W1HDQ has been the 3-over-3 shown in recent editions of the *Handbook* and *Antenna Book*. It gave a good account of itself, and it fitted conditions as they were on 50 Mc. when it was erected. Its gain was reasonably high, and its broad frontal lobe (about the same as a single 3-element job) made precise aiming unimportant. But times have changed since 1955. That broad lobe, once so convenient for random operating, is something of a liability, now that new stations are springing up in all directions.

Then, too, we wanted to stack a 2-meter beam on the same support, so with some misgivings we took down the old faithful and put together a single 6-element job. It has worked out well, and it was relatively easy to handle, for an array over 20 feet long. Thinking that others who like to build their own beams may be interested in its design, we pass along the principal details herewith.

Element Spacing

Possibly there is only one "best" combination of element lengths and spacings for Yagi arrays, but we have found from long experience that nearly identical results can be obtained from a variety of element spacings, provided that the system is tuned for optimum performance, and matched so that it will take power efficiently. Nobody has yet designed a long Yagi mathematically, so the experimentally-inclined can still have their fun with variable elements and adjustable spacings. We've had our share, and the results may be seen in the *Handbook*, the *Antenna Book* and *QST* for many years past.

One thing seems fairly sure from all this work—ours and that of many others: higher performance can be obtained from Yagis of more than 3 elements if the spacings are increased for the directors after the first one. Reflector spacing is not a critical matter. You can use anything from 0.15 to 0.25 wave length with practically identical results, except that the closer spacing lowers the impedance somewhat and makes the tuning a bit sharper. But within reasonable limits you can tailor your design to physical requirements and available materials.

This is particularly true in arrays of 2 to 5 elements. Our 3-over-3 had spacings of 0.15 wave length for both reflector and director, and tests showed this to be close to optimum for forward gain, when lengths were adjusted to values given in the *Handbook*. We have also confirmed that the 0.2-0.2-0.25 spacing used in the *Handbook* 4-element job is close to optimum for a 12-foot boom. But you can make a 5-element job on the same boom length that will give another

* V.H.F. Editor, *QST*.

decibel or so of gain, with the elements all spaced 0.15 wave length. Its extra performance, particularly in sharpness of pattern, is well worth the extra element.

Top performance in the matter of gain does, however, call for wider spacings. The array shown here was built more or less according to the Greenblum information published in *QST* for August and September, 1956, which is repeated in part in the 1957 *Antenna Book*. One final word on dimensions: splitting hairs is definitely not required in measuring spacings. An inch one way or the other will make no measurable difference.

Construction

We are concerned here mainly with mechanical details and matching adjustments. Element mounting is handled by means of aluminum castings made especially for this purpose by Willard Radcliffe, WSLAH, Fostoria, Ohio. These fittings are made for several sizes of booms and elements, but the type here (the smallest available, Type HASL) takes $\frac{1}{2}$ -inch elements and a $1\frac{1}{4}$ -inch boom. Both dimensions are adequate for rugged 6-meter beams. The fitting shows plainly in the photograph of the matching device. Another fine way to mount elements is shown in Fig. 1. This requires drilling through the boom, but it involves no purchased fittings, and it is mechanically excellent.




Fig. 1—Method of mounting elements shown at the left requires drilling the boom, but provides inexpensive and secure assembly. Clips are cut from sheet aluminum and bent to fit. The mounting of the suspension bracing arms to the vertical support is shown at the right. Braces are flattened at the ends and bolted to brackets that clamp to the supporting pipe.

The boom is fastened to the vertical support by means of a gusset plate method that has worked out well in the 3-over-3. The mechanical details are shown in Fig. 18-8 of the 1957 *Handbook*. A single thick sheet of aluminum or steel may be used, but a lighter method (and one employing more readily available materials) is to use two sheets of aluminum about $\frac{1}{16}$ -inch thick, separated by a sheet of plywood or tempered masonite. We prefer the latter, as it seems to be impervious to weather if it is lacquered. It also is not as compressible as wood, so the nuts may be set up really tight and the adjustment will hold indefinitely. The plate for this array was made longer than that shown in the *Handbook*, and 4 U-clamps were used on the boom instead of 2.

It is not always possible to obtain lengths of 20 feet or more on one piece for a boom, but that

need not worry you. Ours was made from 3 separate pieces of aluminum and dural. If suspension bracing is used as shown, the method of splicing is not critical. One way to do it is to obtain the next size larger or smaller than the boom material, and use a short length either as a sleeve or a plug, over or inside the main boom. We used the latter method, and without a very good fit, either. We shimmed up the joint with flat strips of sheet aluminum, and pulled the whole thing up tight with a few judiciously placed self-tapping screws. (Needless to say, we slipped the element mountings over the boom before these screws were put into place.)

Suspension bracing is a great aid in using lightweight materials for a rugged beam that will take real punishment from the weather. The suspension of the boom can be done with small galvanized steel wire, or tubing can be used as in this array. If the latter, flatten the tubing at the point where it is to be fastened to the boom. We used the latter method, two screws for the foot of each brace. The upper portion of the brace is also flattened out, and it is bolted between the two halves of a clamp made of $\frac{1}{2}$ -inch aluminum. See Fig. 1.


In mounting the boom to the vertical support there is always the temptation to balance the system dimensionally. If there is a large difference between the weight of the two halves of the array it is better to balance it mechanically, at the expense of some ungainliness in appearance. Where wide spacing is used on the forward directors and close spacing near the driven element, this becomes more important than in small arrays.

The Gamma Match

For years we've liked the gamma system as a method of matching rotatable arrays fed with coax. Trouble was that the variable capacitor presented quite a problem in weatherproofing. Then along came W2VS, with his trombone capacitor described in July *QST*. Our gamma match is a modification of his, well suited to v.h.f. applications. The capacitor has extremely high Q , and it can be weatherproofed by wrapping the open ends with plastic tape.

The main gamma arm is cut from the same material as the elements. It is suspended parallel to the driven element by means of two 1-inch ceramic standoffs and four sheet aluminum clips, as shown in the photograph. The $\frac{1}{2}$ -inch tube is 15 inches long. Its inner end is connected to the inner conductor of a coaxial fitting, which is mounted on a small bracket screwed to the boom casting. Holes are drilled and tapped in the casting to take two 6-32 machine screws for mounting the bracket.

The sliding arm that is the movable element of the coaxial capacitor is made of $\frac{1}{4}$ -inch tubing or rod, about 14 inches long. It is maintained coaxial with the main arm by means of two polystyrene bushings. One is force-fitted to the end of the rod that goes inside the main arm. The other is fitted tightly into the far end of the main arm, but reamed out to permit the movable rod to slide freely in and out. These bushings can



Closeup view of the adjustable gamma match. Small rod, right, slides inside main gamma arm, providing adjustment of both the top position on the driven element, and value of the series capacitor.

be made from $\frac{3}{8}$ -inch polystyrene rod, or they can be fashioned easily from small polystyrene coil forms. We used the latter method. The National PRC-1 form is ideal for the purpose. It fits tightly over the $\frac{1}{4}$ -inch rod and slides freely inside the $\frac{1}{2}$ -inch arm. The bearing at the end of the arm where the adjusting rod projects was made by cutting the bottom off one of the PRC-1 forms and drilling out the inside so that it would pass the rod freely. It is shimmed up with plastic tape to a sufficient thickness to make it a tight fit inside the main arm. It is slipped over the rod and then pressed into place in the end of the arm.

A clip of sheet aluminum makes contact between the driven element and the sliding rod. Be sure that all surfaces at the points of contact are completely clean, as solid low-resistance electrical contact is of utmost importance here.

Adjustment

Tune the elements if you like. We've been through it many times, so you can take our word for the lengths given, or do the job yourself, if you have a foolproof gain-measuring setup. This is not a simple matter, as anyone who has done extensive work with Yagis can verify. Here we are concerned only with matching.

Matching *requires* an s.w.r. bridge. Don't try to do it without one! It doesn't have to be a fancy laboratory-type device, but you must have something that will enable you to adjust for zero reflected power. Field-strength meters, the gyrations of the final plate milliammeter, and all other indications except that minimum reflected-power reading are out. Buy, borrow, or build a bridge. You'll never have a more useful or necessary tool.

Put the beam up on a temporary support, as high above ground as you can get it and still reach the gamma adjustment. A half wave length will do, if the beam is in a clear flat area, with no wires, drain spouts or other metal, and preferably no foliage, within at least a half wave length all around. The larger the open space and the higher the beam position, the better, but these are minimum specifications.

Insert the s.w.r. bridge in the coaxial line at the antenna. At the transmitter will do in a pinch, but at the antenna gives the most sensitive indi-

cation. If your bridge is not the kind that can be left in the line at all power levels, you'll have to set up for operation at a power level that the bridge will take. Low power has the advantage that you can make adjustments without turning the rig off. We did the job with 100 watts in the line, and even though we wore heavy buckskin gloves the warmth of r.f. could be felt plainly. Bare-hands adjustments are out, with anything more than a few watts.

The adjustment is twofold. You've got to find the right spot for connecting to the driven element, and the right value of series capacitance to tune out the reactance of the arm. Start with the clip set at about 16 inches out from the boom. Set the nuts on the clip just tight enough to make a solid electrical contact, but loose enough so that the arm can be slid in and out.

Turn on the transmitter and read the reflected power. Maintain the clip at one position and slide the capacitor arm inward or outward slightly. Note if the reflected power changes, and which way. If it goes down move more in the same direction, until it goes as low as it will. If there is still a reading, the position of the clip must be altered a bit at a time, adjusting again for minimum reflected power. Eventually a combination will be found that gives a zero reading. That's it, except to check the reading when you get out of the antenna field. If the reading goes up, try the adjustment again, going a bit beyond the apparently optimum point, until you have a setting that results in a zero reading when you are out of the field of the array. Field glasses for reading the bridge meter may be helpful here.

At W1HDQ we have a run of over 100 feet of transmission line. To keep losses down, we bring the coax from the gamma match down to a balun at an anchor point at the top of the tower. There we have a 300-ohm *Q*-section, working into 450-ohm open-wire line. At the station, the 450-ohm line goes to an antenna coupler, coming out on coax to the send-receive relay. The antenna coupler is thus in the line for both transmission and reception, a desirable feature, we've found.

Results

A beam of this length is definitely not a broad-

(Continued on page 172)

No place for an antenna? Not the conventional type, perhaps, but where there's a window there's a way.

This article describes a simple antenna system of small physical size for those amateurs who have no space for conventional antennas. We call it a "window-sill antenna" because it is intended particularly for those who live in apartment buildings or rented rooms and have access to a window but have no other antenna facilities.

One of its features is that it can quickly be put up or taken down, if necessary — a feature that should appeal to amateurs who have reluctant landlords! This is accomplished by using a collapsible whip antenna mounted on a small platform that can be hooked on a window sill. Details for one type of mounting, offered as a suggestion, are shown in Fig. 2; you may need something different for your location.

If the window you plan on using is at the second floor level or higher, the whip can be mounted either horizontally or vertically, but horizontal mounting is preferable because it has the advantage of getting the antenna farther away from the building. At ground level or the first floor, the antenna should be mounted at an angle of 45 degrees or vertically with its base two feet or more from the wall of the building.

The antenna can be used on any of the bands from 80 through 6 meters. This is made possible by using a combination loading coil and matching circuit for coax line, as shown in Fig. 1. When fully extended, the whip (Ward Model SC-8) is 100 inches long. This length, plus the two or three feet of wire needed to connect from the base of the whip to the coil, is very short for 80 or 40 meters, but on 20, 15, 10 and 6, the length is comparable with a quarter wave length.

Antennas that are extremely short for a given band, such as this one on 80 and 40, are not very efficient radiators. But when it is a choice between an inefficient system and no antenna at all, it's a case of anything is better than nothing. And after all, mobiles do operate with just such an-





Fig. 1—Circuit diagram of antenna and coupling circuit.
 C_1 —140- μ mf. variable (Hammarlund MC-140-S).
 J_1 —Coax chassis receptacle, SO-239.
 L_1 —24 turns of No. 12, 6 turns per inch, 3 inches diam. (Air-Dux 2406).



The coupling circuit is constructed on a 3 × 5 × 10-inch aluminum chassis. An eight-inch length of wire is connected to the grounded end of the coil. This, with the clip at its end, serves to short out the unused portion of the coil. The clip is an E. F. Johnson type LC8.

A Window-Sill Antenna


80 Through 6 with a
Small Antenna System

BY LEWIS G. McCOY,* W1ICP

tennas — and manage to have satisfactory contacts with quite low power.

On 20 meters and higher frequencies the antenna efficiency improves, and the principal handicap is that a window-sill location is not the best place that could be chosen for a radiating system. However, necessity governs when no other spot can be used.

* Technical Assistant, QST.



Bottom view of the coupling unit showing the method for mounting C_1 on the Lucite bracket. An insulated shaft coupler is used to connect the rotor of C_1 to the shaft for the tuning knob.

The system described was tested on several bands at different locations. Here at Headquarters the building has a steel frame, typical of many apartment buildings so far as construction is concerned. The antenna was also tried at the home QTH of W1ICP, a two-story frame house. At both places the antenna was mounted horizontally at the second-floor level. Several contacts were made on each band from both locations. The power input was about 50 watts and the *worst* signal report received was a 5-6-9 from Illinois. (We won't list all the 5-9-9 reports, but we did receive a few!) One other installation was tried with the antenna mounted vertically a few feet above ground level. A three-foot metal stake driven into the ground was used for the ground connection. This setup more or less duplicates the average mobile installation. Several satisfactory contacts were made with it.

Coupling System

Construction of the loading coil and coupling system is simple. L_1 is mounted on Johnson Type 135-46 feed-through insulators. The variable capacitor, C_1 , is mounted on a $2\frac{1}{2} \times 3$ -inch piece of Lucite. A small right-angle bracket, $\frac{1}{2} \times \frac{1}{2} \times 3$ inches, is used to hold the Lucite to the chassis. An insulated coupling is used in conjunction with a panel bearing and shaft to bring the capacitor control to the front of the chassis. This reduces any hand-capacitance effects when adjusting C_1 , if the ground lead is short.




Fig. 2—This drawing shows one method of constructing a window mount. The metal brackets for hooking to the window sill can be made from shelf brackets available at any hardware store. The whip is supported by two steatite stand-off insulators.

Installation and Adjustment

The antenna preferably should be installed on a window that is near a heating radiator or water pipe. Either of these makes a reasonably good ground connection—in fact, any extensive

metallic system such as water piping or the metal frame of a building will, generally speaking, be a better “ground” than a rod driven into the earth and connected to the coupling circuit through a wire of appreciable length.

The simplest method of tuning is to use a standing-wave-ratio bridge in the coax line between the transmitter and coupler. If you don't have such a bridge then by all means build or buy one. Several different units are described in the measurements chapter of the *Handbook*.

Let's assume you're going to tune the system up on 40 meters. First, set your transmitter to the frequency you want to use in that band. Turn on the rig and set your s.w.r. bridge for reading reflected power. Tune C_1 and see if there is any sign of a match, indicated by a reduction in the reflected-power reading. At first, you'll probably find that there is no such indication, unless you are lucky enough to have the coil tap at the correct position. Finding the right place for the tap is the problem. Move the tap up or down the coil and tune C_1 again. Continue taking trial tap positions until you find one where tuning C_1 causes the reflected-power reading to take a dip. Then move the tap a fraction of a turn at a time until you are able to bring the reflected-power reading down to zero with C_1 . It will usually rise rapidly as C_1 is tuned on either side away from the correct setting, especially on the lower-frequency bands, because a small antenna system such as this will tune quite sharply. Once you find the proper tap point on the coil and the correct setting of C_1 as indicated by a reflected current of zero, the antenna is tuned for that frequency.

The same tuning procedure is used for all bands from 80 through 15 meters but the tuning will tend to be less critical on the higher bands where the antenna is longer in terms of wave length.

It is a good idea to make up a chart showing the proper tap points for each band. This will save a lot of work when you change bands. The amount of coil you'll need will depend on the band. Most of the coil will be used for 80 meters and less and less as you go to the higher-frequency bands. On 10 you won't need any coil; on 6 the whip should be shortened to 55 inches which is approximately a quarter wave length on that band.

If you happen to live several floors above the ground there is a simple method of increasing the efficiency of the system on 80 and 40. You can lengthen the antenna by clipping a wire to the end of the whip and letting it hang down. How much wire you can use will depend on the height.

The author would appreciate hearing from anyone who manages to work all states using this system. After all, it isn't impossible!

Note on Inductance Calculation

Designing Coils Having a Fixed Winding Pitch

BY THEODORE ELLIOTT *

IN DESIGNING air-core coils for a desired inductance and where a table or chart (or the *ARRL Lightning Calculator—Ed.*) are not readily available, the equation

$$L = \frac{0.2a^2n^2}{3a + 9b + 10c} \quad (1)$$

is used, where L is the inductance in microhenrys, a is the mean diameter of the coil in inches, b is the length of the winding in inches, c is the radial depth or thickness of the winding and n is the number of turns. In the case of single-layer coils, $10c$ may be neglected so that the equation becomes

$$L = \frac{0.2a^2n^2}{3a + 9b} \quad (2)$$

This is the form of the equation that will be discussed here.

Insofar as the coil diameter and the desired inductance are known, the equation usually is rearranged to solve for the number of turns of wire directly and a value for b is assigned that will suit the design. Thus when the number of turns has been determined from the equation, it is simply a matter of spacing these turns equally in the length b as chosen. For this purpose the equation is written

$$n^2 = \frac{3a + 9b}{0.2a^2} L \quad (3)$$

or

$$n = \sqrt{\frac{3a + 9b}{0.2a^2} L} \quad (4)$$

The number of turns solved for must be spaced out in the length already assigned by the value b , and very often this spacing is an odd value that is difficult to accomplish. Furthermore, the formula cannot be used for a winding with a desired turn spacing or "pitch," nor does it provide a precise solution for close-wound coils, whose "pitch" is the number of turns per inch listed in the wire tables for the particular size and type of wire being used. However, a precise solution for any "pitch" is easily found as follows:

Every coil has a certain number of turns per inch, or "pitch," whether it be the value from the wire tables or any other spacing that may be desired. Hence, the length b of any coil can be stated in terms of the total number of turns divided by the number of turns per inch, or "pitch," or, we can say $b = n/P$. Then the equation (3) becomes

$$n^2 = \frac{3a + 9\frac{n}{P}}{0.2a^2} L \quad (5)$$

By a little algebraic manipulation this can be put in the form

$$n^2 - \left(\frac{45L}{a^2P}\right)n = \frac{15L}{a} \quad (6)$$

This is an equation in the quadratic form $x^2 - ux = v$, the solution for which is

$$x = \frac{u \pm \sqrt{u^2 + 4v}}{2}$$

If the coefficient of n in parentheses in equation (6) is substituted for u and the right-hand term of equation (6) is substituted for v , the equation becomes

$$n = \frac{\left(\frac{45L}{a^2P}\right) \pm \sqrt{\left(\frac{45L}{a^2P}\right)^2 + 4\left(\frac{15L}{a}\right)}}{2} \quad (7)$$

At first glance, this appears to be quite formidable, but since L , a and P are known, it is readily apparent that the values shown in parentheses will resolve into single terms, thereby making the solution quite simple.

If the terms shown in parentheses in equation (7) are tabulated, their values become constants for the particular size of wire and diameter of coil form being used. A tabulation of such constants for $\frac{1}{2}$ -inch diameter forms is shown in Table I.

Table I				
Gauge	P	$\left(\frac{45}{a^2P}\right)$	$\left(\frac{45}{a^2P}\right)^2$	$4\left(\frac{15}{a}\right)$
18	23.6	7.63	58.2	120
20	29.4	6.12	37.5	120
24	46.3	3.89	15.1	120
28	72.7	2.48	6.13	120
32	113	1.59	2.54	120

The value of P in the above table is for enameled wire as listed in the wire tables.

To illustrate this simplification, assume that a coil of No. 28 enameled wire is to be close-wound on a $\frac{1}{2}$ -inch diameter form. Equation (7) then would be

$$n = \frac{2.48L \pm \sqrt{6.13L^2 + 120L}}{2}$$

and the only remaining variable would be the value of inductance desired.

* 11 Herrick St., Winchester, Mass.

Low-Pass Filters for Mobile Use

TVI Suppression With Compact Units

BY WARREN RUDOLPH,* W4OHH

• Low-pass filters designed for home-station use in suppressing TVI usually are much too bulky to be used conveniently in a mobile installation. Those described here are small enough to be tucked away in a corner, or built directly into the transmitter.

VOLUMES HAVE BEEN WRITTEN on the subject of low-pass filters for the home-station rig. But there has been very little concerning the application of such filters to mobile transmitters. It is true that the mobile installation starts out with several points in its favor as compared to the usual fixed station. The average mobile rig is of relatively low power and is fairly well shielded by the car body. Since cars are confined to streets and highways, the mobile antenna is seldom in close proximity to TV antennas, and its field and the field of the TV antennas are usually at right angles. Perhaps the most favorable condition is that the mobile transmitter is independent of the a.c. power line, so there is no possibility of coupling through this medium.

Nevertheless, under certain circumstances, TVI from the mobile rig can be quite as bad as from the home station, particularly when operating on 6 or 10 meters.

In most cases, commercially-available low-pass filters; as well as those described for home construction, call for components and a design not readily adaptable to the compactness required in mobile installations. In search of something that would meet the requirements of small size, ease of construction, low cost and acceptable attenuation, the author struck on the filter designs shown in Fig. 1.

No claim is made for the originality of these circuits, since they are exact duplicates of the filters used in the TA-104 series of Motorola mobile and base units for frequencies between 25 and 54 Mc. The circuit of Fig. 1A is for operating frequencies below 30 Mc., while Fig. 1B should be used with rigs operating in the 50-54-Mc. range. These filters, as described, will handle with ease anything up to and including the 829B class if the standing-wave ratio on the transmission line is reasonably low.

The author has had about 15 years of experience in the installation, design and maintenance of amateur as well as commercial mobile equipment. Over that period of time, there has never been a complaint of TVI from any rig equipped with these filters, even though we are located

behind a mountain and 72 miles from Washington, D. C. (Channels 4, 5, 7 and 9), 96 miles from Baltimore (Channels 2, 11 and 13), and approximately 45 miles from Harrisonburg, Va. (Channel 3). These filters do not, however, afford the attenuation of the multisection filters commonly used in home installations and I wouldn't recommend them for this purpose.

Construction

A point that makes these particular filters attractive is that, if you prefer, prewound coils and the required close-tolerance capacitors are available from Motorola Inc., Repair Parts Divi-






Fig. 1 — Low-pass filter circuits for mobile use. The circuit of A is for transmitters operating below 30 Mc., while B is for 6-meter installations. Numbers given in parentheses below are Motorola type numbers.

- C₁ — 4- μ f. \pm 0.5 μ f. tubular ceramic (21K471952).
- C₂ — 170- μ f. 5% silver mica (21K410062).
- C₃ — 24- μ f. 5% tubular ceramic (21R38932).
- C₄, C₆ — 40- μ f. 3% silver mica (21K803488).
- C₅ — 12- μ f. 5% tubular ceramic (21R891167).
- J₁, J₂, J₃, J₄ — Coax connector.
- L₁, L₂ — 8 turns No. 18 enam., 1/4-inch inside diam., close-wound (21K810402).
- L₃ — 7 turns No. 18 enam., 1/4-inch diam., close-wound (21K810402).

sion, Chicago 51, Ill., or any of their local service stations, for a total cost of less than a dollar for either unit. In building these filters, it is important that the coils in Fig. 1A be mounted at right angles, and that all leads be kept as short as possible. Components can be assembled on standard insulated soldering-lug strips, or on a small piece of Formica or polystyrene. The assembled unit should be mounted inside the transmitter, if possible, as close to the final output stage as possible, but completely shielded from it. If this is not feasible, the filter should be mounted in a shielding box properly inserted in the coax line, with coax fittings used at the input and output to prevent any r.f. from flowing around the filter.

* Berryville Ave., Winchester, Va.



Two views showing a typical low-pass filter assembly on a polystyrene base.

Using the Filters

These filters are designed for use with a properly-terminated 52-ohm coax transmission line. Therefore, the transmitter output should be at low impedance from a pi network with proper constants, or a low-impedance link coupled to a conventional tank, and tuned with a series capacitor.

Some hams have the idea that using a low-pass filter presents a lot of problems. Of course, if you try to feed an antenna presenting an impedance of several hundred ohms through a 52-ohm filter, you're going to get very little power out of the


transmitter and into the antenna. If the whip antenna is cut accurately to an electrical quarter wave length at the operating frequency (including the length of any lead through a base spring to the point where the connection to the coax is made), the antenna impedance will be resistive and sufficiently close to 52 ohms to work well. Under this condition, the length of the transmission line will be relatively unimportant. The author has used lines from a few inches to over 20 feet in mobile units and has never encountered difficulties in coupling provided the above-mentioned antenna length was observed.

Strays

Another corporate merger? K5INC worked W3CO.

On July 17 K8AEC worked KC4USK on 7205 kc., s.s.b. A first?

The Fulton County Amateur Radio Club, in Ohio, recently put on a three-hour demonstration of ham radio at a Boy Scout Camporee at Camp Lakota, near Defiance, Ohio. Nearly 750 boys saw the club members demonstrate code sending, two-way radiotelephone contact with W8OFN in Lyons, and contact with various mobile stations. Also on the program was a half-hour talk on amateur radio, a demonstration of a radio-controlled model boat, and the handling of traffic in connection with a simulated accident. The photo below at the left shows the base station setup against a background of scouting awards. At the right, the mobile is not being mobbed by an angry crowd, but much enthusiasm on the part of the Scouts is in evidence.



IN PLANNING equipment for mobile and emergency use most amateurs avoid the construction of their own vibrator supplies in favor of purchasing commercial products. However if a few precautions are observed there should be no difficulty in building a unit of greater flexibility and at less cost.

While most late-model cars use 12-volt batteries there are still a great number of cars in operation using 6-volt systems. Also due con-

sideration must be given to emergency operation under conditions where a 6-volt battery may be the only power source available. Since operation from a power line is, of course, to be preferred whenever such a source is available, provision for a.c. input is also highly desirable.

Circuit Features

The circuit of a universal power supply for emergency, mobile or home-station use is shown in Fig. 1. The unit shown in the photographs will furnish a d.c. output of 300 volts at 160 ma. It can be operated from any of the previously mentioned sources. No tricky switching arrangements or wiring changes are involved in shifting from one power source to another; it is a simple matter of plugging P_1 or P_2 , connected to the selected source, into one of the two chassis connectors J_1 or J_2 .

The circuit is designed around Merit P-3176 transformer T_1 . In addition to the high-voltage secondary (Terminals 8, 9 and 10), this transformer has a 6.3-volt filament winding (Terminals 5 and 7) for use with 115 v. a.c. input, and a center-tapped primary (Terminals 1, 2 and 4) for 6-volt vibrator input. This primary also has a tap yielding 6.3 volts between Terminals 1 and 3 on a.c. input. This 6.3-volt section and the 6.3-volt filament winding, connected in series, form the 12-volt center-tapped vibrator primary (Terminals 1, 3-5, and 7). Although the input voltage in this case is slightly higher than the windings were originally designed for, this connection has been used for long periods of time in several duplicates of this supply with no noticeable increase in transformer temperature, or subnormal vibrator life, as long as the normal secondary rating of 160 ma. at 300 volts was not exceeded. The resulting secondary output voltage is higher (approximately 20 per cent) than with normal 6-volt operation. To compensate for this, filter input capacitor C_5 can be switched in parallel with output capacitor C_6 , converting to choke input. Under this condition the d.c. output voltage under load is the same as with 6-volt input. A vibrator-primary current of 11.6 amperes was measured with 6-volt input under loaded conditions, and 6.8 amperes with 12-volt input.

It is realized, of course, that a vibrator of the split-reed type, which reverses current through the entire primary (center tap not used), could be used with the 6-volt vibrator primary for 12-volt operation.¹ However vibrators of this type generate considerably more hash, increasing the filtering difficulties as well as the switching problem. There is also the point that in case of failure in an emergency a replacement vibrator of the conventional type would probably be more easily obtained.

A pair of 6AX5GTs, each with plates in parallel, are used as rectifiers. C_1 and R_1 are the usual buffer capacitor and resistor which are highly important in maintaining normal vibrator life.


A Universal Power Supply

*Fifty Watts from Battery
or A.C. Line*

BY ROBERT E. FOLTZ,* W9GBT

Designed for emergency, mobile or home-station use, this flexible power-supply unit can be operated from a 6- or 12-volt storage battery or from a 115-volt a.c. line. Shifting from one source to another is a simple matter of interchanging input cable plugs.

The universal power supply with its input cables. The ventilation holes in the top and sides are for the rectifier tubes mounted inside. The output connectors behind the transformer should be of the female type as mentioned in the text. On the end of the chassis are the pilot lamp and the a.c. switch. Filter switch S_2 (not shown) could be mounted between the lamp and a.c. switch or at any other convenient spot. Notice that the d.c. cable is terminated in a cigar-lighter plug.



* 1214 Fourth Ave., Sterling, Ill.

¹ "Hints & Kinks," *QST*, March, 1957.

Hash filtering is provided by C_2 , C_3 and RFC_1 in the primary circuit, and C_4 and RFC_2 in the output. I_1 is a warning lamp that lights when the power is on.

Heater Connections

To adapt equipment for optional 6- or 12-volt operation, 6-volt tubes must be used with their heaters in series-parallel. Fig. 2 shows a typical example of connections. The tubes in the equipment should be divided into two groups whose heater-current ratings total as closely as possible

the same value.² The heaters in each group should be connected in parallel, and the two groups then connected in series. If it is impossible to arrive at a grouping that will have exactly the same total current, a resistor may be connected in parallel with the group drawing the smaller current as shown. The value of this resistor should be such that it will draw enough current at 6 volts to make up the difference between the two totals. One side of one group may be grounded to chassis

² "Revision of 6-Volt Equipment for 12-Volt Operation," *QST*, Aug., 1955.





Fig. 1 — Circuit of the universal power supply. All capacitances are in μf .

- C_1 — Buffer capacitor, tubular plastic.
- C_2 , C_8 — Hash-filter capacitor, paper.
- C_4 — Hash-filter capacitor, disk ceramic.
- C_5 , C_6 — Ripple-filter capacitor, 5 μf . or more, 600-volt oil-filled or electrolytic.
- F_1 — 3-amp. cartridge fuse (Littlefuse type 3AG) in extractor-post mounting (Littlefuse 341001).
- F_2 — 20-amp. cartridge fuse (Littlefuse type SFF) in in-line fuse retainer (Littlefuse 155020).
- I_1 — Neon pilot lamp.
- J_1 , J_2 — 12-contact male chassis connector (Cinch-Jones P-312-AB).
- J_3 , J_4 — 6-contact female chassis connector (Cinch-Jones S-306-AB).
- L_1 — 5-h. 200-ma. 80-ohm filter choke (Merit C-1396, Stancor C-1111).
- P_1 , P_2 — 12-contact female cable connector (Cinch-Jones S-312-CCT).
- P_3 , P_4 — 6-contact male cable connector (Cinch-Jones P-306-CCT).
- P_5 — Cigar-lighter plug (Mallory R-675).
- R_1 — Buffer resistor.

- R_2 — Series voltage-dropping resistor for receiver, slider adjustable.
- RFC_1 — 30 turns No. 14 enam., $\frac{1}{2}$ -inch diam., close-wound.
- RFC_2 — 1-mh. r.f. choke (National R-300-U, Millen 31106).
- S_1 — S.p.s.t. toggle switch.
- S_2 — S.p.d.t. toggle switch.
- S_3 — S.p.d.t. toggle, or other, at transmitter.
- T_1 — Combination power transformer: 6-volt d.c. vibrator or 115 v. a.c. input; 300 volts, 160 ma.; 6.3 volts 3 amp.; 6.3-volt 4.5-amp. tap on vibrator primary (Merit P-3176). Numbered terminals are color-coded as follows: 1 — heavy green; 2 — yellow; 3 — light green; 4 — black; 5 — brown; 6 — blue; 7 — white; 8 — red; 9 — red-yellow; 10 — red; 11 and 12 — black.
- X_1 — 4-prong tube socket for 6-volt vibrator (Mallory 4501 vibrator).
- X_2 — 4-prong tube socket for 12-volt vibrator (Mallory G4501 vibrator).



Bottom view of the universal power supply. Partitions divide the chassis off into three compartments. The one to the left contains 12-contact input connectors J_1 and J_2 , primary hash-filter components C_2 , C_3 and RFC_1 , and buffer capacitor and resistor C_1 and R_1 . The two rectifier tubes, 6- and 12-volt vibrators, RFC_2 and C_4 occupy the central compartment. The ripple-filter capacitors and choke, and the pilot lamp and a.c. switch are to the right.

but the other side of this group and both sides of the second group must be insulated.

Switching Circuits

Battery input connections are made through P_5 which plugs into a cigar-lighter socket in mobile service. F_2 is a special fuse designed to be inserted in the cord between P_5 and P_1 .

For 6-volt operation P_1 is plugged into J_1 . Through Pin 2, the ungrounded side of the battery (regardless of whether it is positive or negative) is applied to the center tap of the series-connected heaters. Through Pin 3, the ungrounded side of the battery circuit also goes through RFC_1 to Pin 1 where jumpers on P_1 connect to Pins 4 and 8. Pin 4 carries the ungrounded side of the battery circuit to the 6-volt primary center tap; Pin 8 carries it to the coil of the 6-volt vibrator at X_1 . The grounded side of the battery is fed to Pins 5, 7 and 9. Pin 5 grounds the insulated end of the heater series to connect the two groups in parallel (see Fig. 2); Pin 7 grounds the vibrator reed; Pin 9 connects car ground to power-supply chassis.

For 12-volt operation P_1 is plugged into J_2 . Through Pin 2, the ungrounded side of the battery is applied to the insulated end of the heater series. Through Pin 3, the ungrounded side of the battery circuit goes through RFC_1 to Pin 1 where the jumpers on P_1 connect it to Pins 4 and 8. Pin 4 carries the battery circuit to the center tap of the 12-volt vibrator primary; Pin 8 carries it to the coil of the 12-volt vibrator at X_2 . The grounded side of the battery is fed to Pins 5, 7 and 9. Pin 5 on J_2 is blank. Pin 7 grounds the reed of the vibrator; Pin 9 connects car ground to chassis.

For 115-volt a.c. operation P_2 is plugged into J_2 . A.c. input is fed to Pins 10 and 11 carrying it to the a.c. primary through S_1 . A jumper joins Pins 2 and 6 connecting Terminal 7 of one of the 6.3-volt heater windings to the insulated end of the heater series. Another jumper joins Pins 9 and 12 connecting Terminal 1 of the other 6.3-volt winding to ground. The two 6.3-volt windings are then in series applying 12.6 volts to the heaters in series.

Positive high-voltage output from the supply is fed to Pins 3 on output connectors J_3 and J_4 . The three heater connections are made through Pins 1, 2 and 6. The cable for transmitter plug P_3 has provision for connecting to a transmit-receive switch (S_3) at the transmitter. In the transmit position the plate voltage is fed to the transmitter. In the receive position the switch




Fig. 2 — Circuit showing typical series-parallel heater connections for 6-volt and 6 12-volt tubes. Resistor R_1 is used when necessary to balance the currents in the two branches as described in the text. The dashed line shows how the switching system connects all tubes in parallel for 6-volt operation by grounding.

feeds the plate voltage, via Pin 4, through series voltage-dropping resistor R_2 to Pin 4 on the other output jack and thence to the receiver. It will be noticed that the same circuit results with P_3 and P_4 in either output jack.

Construction

The unit is constructed on a $7 \times 12 \times 3$ -inch chassis, with only the transformer and output connectors J_3 and J_4 above deck. The two rectifier tubes and both vibrators are mounted below deck for compactness and shielding. This leaves a clear area on top of the chassis for mounting a receiver or small transmitter. Adequate ventilation is provided by patterns of $\frac{1}{4}$ -inch holes in the top of the chassis, directly over the rectifier tubes, and along the bottom edge of the chassis on both sides.

The transformer is centered at one end of the chassis. Output connectors J_3 and J_4 , shown mounted to the rear of the transformer, are the

male type because they happened to be on hand. However, in the consideration of safety to equipment and the operator, they should be of the female type as specified under Fig. 1.

The under side of the chassis is divided off into three compartments separated by metal partitions. These partitions have $\frac{3}{8}$ -inch lips bent up along all four sides with notches in the bottom corners to clear the chassis lips. The partitions are fastened in place by two machine or sheet-metal screws at each end. One section houses the ripple-filter components. The rectifier tubes and vibrators are mounted on the second partition. Vibrator grounding cups (Mallory GC7) fastened under the socket-mounting screws are important not only in holding the vibrators securely in their sockets but also for good grounding of the vibrator shells to reduce hash. The pilot lamp, a.c. power switch and filter switch S_2 (not shown) can be mounted on the front end of the chassis, with fuse F_1 and the input jacks at the other end. Shielding should be completed with a chassis bottom plate.

Wiring

As much as possible of the wiring should be done before fastening the partitions and connectors in place. Leads of approximately the required length can be soldered to the connectors before mounting. Wire not smaller than No. 14 should be used for the battery-circuit wiring. If necessary enlarge the holes in the terminals of the connectors with a drill or diemaker's file. If more than one connection to any terminal is required solder one wire to the terminal and the second wire to the first. The terminals on the Jones connectors are numbered and connections should be checked with Fig. 1 before mounting connectors.

Connections to the vibrator and rectifier sockets can be made most easily by laying the partition loosely in the chassis and then fastening it permanently in place after the connections have been made. In making the transformer connections be sure to follow the color coding (see Fig. 1) carefully for proper polarization of the windings that are connected in series.

Operation

In reference to mobile operation the cigar lighters in some cars are protected by a thermal overload breaker which may not carry the full load of the power supply. In such instances the breaker will have to be bridged, or a separate socket, such as used for battery charging, mounted on the bottom edge of the instrument panel.

Although the circuit is arranged so that no damage will occur if a mistake is made, the input connectors should be plainly marked to avoid plugging a cable into the wrong socket. If 12-volt input is plugged into the 6-volt input connector the 20-ampere fuse in the line will blow before any damage is done. Plugging 6-volt input into the 12-volt input connector results in little, if any, output. If the a.c. line is plugged into the 6-volt connector nothing happens because Pins 10 and 11, which carry the a.c. input, will be open. As mentioned earlier, results are the same with the receiver and transmitter power input plugged into either of the two output connectors.

This unit has been in regular service for over two years and has proved to be a very dependable and versatile supply. Many duplicates have been constructed by other amateurs in the area with equally satisfactory results.

Strays

WØTJA uses a piece of "range cable" between the service entrance box and his shack, to bring in the 220 service. At the entrance to the shack is a large disconnect switch, which all the family knows about, so that if anyone gets in trouble at the rig all power can be immediately cut off. Have you switched to safety?

— — — — —

A clipping from the *Miami Sunday News* tells about W4BQA's talking parakeet, and from the report of some of the conversations it might be better if W4BQA were on c.w!

— — — — —

KØBMQ and WN7HKE, friends of some thirty years standing, had gotten out of touch during the past five years. A recent *QST* direct-mail advertisement sent to WN7HKE got them back together again — it contained a reference to KØBMQ, clipped from the June issue of *QST*.



WN2MTC, left, and "almost-hams" Bill Cabeen and Steve Springer obligingly swung away from the counter so that Hq. staffer W1UED could get this shot of the QSLs stapled up by some of the hams taking part in the recent Scout Jamboree. Thirty-eight states, Hawaii and Ontario were represented in the guest book.

amount of radio-frequency energy for regeneration. Thus, some consideration must be given to β cutoff but the demand is relaxed considerably as compared with the cut-off frequency which would be required if the transistor operated primarily as a radio-frequency amplifier.

As shown in Fig. 1, the detector bears a close resemblance to a grid-leak tube circuit. The 5-mh. r.f. choke in the collector circuit is an absolute necessity, inasmuch as it extends the frequency limit at which the detector is able to regenerate. This choke should not be bypassed at the point where it connects to L_3 , as normally would be the case, but should be connected as shown in the circuit diagram.

The incoming high-frequency energy must be stepped down in impedance, through L_1L_2 , because the input impedance of the emitter-base diode is too low for connecting directly across a tuned circuit.

Two regeneration controls are provided, to make the receiver flexible with respect to different transistors. Once satisfactory operation is achieved with a given transistor, either R_1 or C_3 may be made fixed. Regeneration is increased by decreasing the value of C_3 or decreasing the value of R_1 .

The audio amplifier is a conventional grounded-emitter stage. β cut-off frequency need not be considered here, but the higher the β of this transistor, the greater the audio amplification. T_1 is connected as a step-down transformer to bring about an approximate match to the headphones.

The entire receiver can be powered from a single penlight cell. The total current drain is approximately 1.5 millamp. An antenna consisting of twenty feet of wire provides excellent reception. Of course, the antenna requirements can be expected to vary with location and environmental conditions. In the author's model, a ground was found helpful in reducing hand capacity. A vernier tuning dial is desirable, and a small variable capacitor across C_2 would be useful for band-spread tuning.

The coil winding data are given in Fig. 2. The specifications should be followed as closely as possible. Do not substitute different wire sizes or alter the physical relationships of the three coils. It is very important that the coil connections be made as depicted in Figs. 1 and 2. If a plug-in form is used, the manner in which the coils are connected to the pins is not of great importance; this is left to the discretion of the constructor.

The transistors are intended to be General Electric type 2N78 NPN germanium units, or the type ZJ6-18 or ZJ6-32 (also made by General Electric). Any of these three types will be satisfactory for the detector transistor, Q_1 , providing β is at least 60 and the cut-off frequency is no less than 200 kilocycles. This requirement can be met by any of these three types. However, not all 2N78s or ZJ6-18s will measure up to specifications. If the supplier is not willing to select one of these transistors for the specified parameters, it is better to order the type ZJ6-32. The β cut-off

frequency of the ZJ6-32 may run well over 300 kc. This is not always accompanied by β s of 60 or higher but in this case the high cut-off frequency relaxes the requirement for β . The net result is that the receiver may be expected to work with any ZJ6-32 and with selected 2N78s or ZJ6-18s.

Any of the three transistor types mentioned will be satisfactory for Q_2 , the audio stage. The β cut-off frequency is of no consequence here. Of course, the higher the β the more audio amplification will be provided. β s of 30 or so are entirely satisfactory and really "hot" performance is provided by transistors with β s in the vicinity of 60.




Fig. 2—Coil construction. All three windings are on a 1¼-inch diam. form (octal tube base). All coils are close-wound. For convenience in inserting the identifying letters in the drawing above, a small space is shown between L_1 and L_2 but the coils should be wound with no space between them. L_3 is wound over the bottom end of L_1 . L_1 has 19 turns of No. 31 enam. wire; L_2 and L_3 each have 8 turns of No. 27 d.c.c. wire.

It may be more convenient to specify the α rather than the β parameters when ordering. For this purpose, the following relationships are useful:

- 1) $\beta = \frac{\alpha}{1 - \alpha}$
- 2) $\alpha = \frac{\beta}{1 + \beta}$
- 3) β cut-off frequency = $(1 - \alpha) \times \alpha$ cut-off frequency (approx.)
- 4) α cut-off frequency = $\beta \times \beta$ cut-off frequency (approx.)

where β is defined as the current gain in the grounded-emitter configuration when the load impedance is zero, α is defined as the current gain in the grounded-base configuration when the load impedance is zero, and β or α cut-off frequency is the frequency at which the output has decreased 3 db. with respect to a low audio frequency, say 1000 c.p.s. β cut-off pertains to the grounded-emitter circuit and α cutoff is used in connection with the grounded-base circuit, both with zero load impedance.

Strays

K9HGJ is using a 500-watt Johnson rig. Do you get it, or do we have to spell out that HGJ can stand for Half Gallon Johnson?

An Electronic Transmitter-Receiver Antenna Switch

Automatic Receiver Protection for Instantaneous Break-In

BY EDWARD ARVONIO,* W3LYP

• Electronic t.r. switches are the answer to break-in operation with one antenna. They are practically a "must" for s.s.b. voice-controlled operation, and they are also very useful on a.m. and code. This particular switch uses a twin triode, with an "all-band tank" for tuning. As a consequence, the switch provides some gain.

EVER since single side band became so popular, electronic "t.r." switches have been under discussion. There have been many articles written on the subject, and a number of good ideas have developed from them. After 4½ years on s.s.b. I felt the need for a t.r. switch that would replace the old coaxial relay and give worthwhile gain on all bands with low noise and no TVI. I believe that the t.r. switch described here will come close to meeting these requirements. It will give a gain of better than 20 db. on all bands, and its operation as a t.r. switch leaves little to be desired. The tuning control has to be set only once whenever you change bands. With proper shielding and filtering, it was possible to eliminate TVI completely. At present

* Box 86, Raubsville, Pa.

I operate mainly on 21-Mc. s.s.b., and no TVI is caused by the switch.

Referring to the circuit in Fig. 1, one section of a 6BZ7 is used as a grounded-grid amplifier. Its plate circuit is tuned by an "all-band tank" that requires no switching. The output is coupled to the receiver through the second section of the 6BZ7, operated as a cathode follower. Operating bias for the input section is obtained by the d.c. drop across the 2.5-mh. r.f. choke; when the transmitter is on a high bias is developed across the 470K grid return.

The choice of tube for the switch came out of many experiments. I chose a tube that would have a low noise figure and would stand up under 1-kw. s.s.b. conditions without burning out. Let me not mislead you at this point; it is possible to blow the tube under certain operating conditions. It is possible to blow the tube if you operate the switch without an antenna load or operate with an s.w.r. of more than 3 at a kw. input. After checks of several makes of tubes, it was found that RCA 6BZ7s were the only ones that would stand up with a kilowatt transmitter. If lower power is contemplated, any brand will probably do.¹

¹ Manufacturers do not rate their tubes for r.f. voltages between heater and cathode, and the 200-volt d.c. rating




Fig. 1—Schematic diagram of the electronic t.r. switch. Capacitances are in µf. unless otherwise noted. Resistors are ½ watt unless otherwise specified.

- C₁ — 450-µmf. per-section, broadcast-receiver type.
- CR₁ — 130-volt 65-ma. selenium rectifier (Federal 1002A or equiv.).
- J₁, J₂ — Cable connectors, SO-239.
- L₁ — 19 turns, 1-inch diam., 32 t.p.i. (B & W 3016).
- L₂ — 23 turns, ½-inch diam., 16 t.p.i. (B & W 3003).


- RFC₁ — Ohmite Z-28 or equiv.
- RFC₂, RFC₃ — Ohmite Z-50 or equiv.
- RFC₄ — Bifilar winding. See text.
- V₁ — 6BZ7. See text.
- T₁ — 115-v. secondary at 15 ma., 6.3 volts at 0.6 amp. (Triad R-54X or equiv.).

A bifilar winding is used in the heater circuit of the 6BZ7 to reduce the heater-cathode capacity at V_{1A} . Shown as RFC_4 in Fig. 1, it was made by putting two parallel windings of No. 26 enameled on a $\frac{1}{2}$ -inch diameter form $1\frac{1}{2}$ inches long. The form can be a piece of hard wood or fiber rod or tubing, with the wires anchored through small holes at the ends of the form.

The switch was built in a $4 \times 5 \times 3$ -inch utility box, with the transformer and tube on top of the chassis and the remaining components inside. The tube socket was mounted close to the input connector J_1 . A little trouble with oscillation of the grounded-grid section was encountered when the unit was first tried, but this was cured by connecting a lead from the rotor of C_1 to a common ground point instead of relying upon the chassis for a ground return.

It has been found that when the switch was installed in some ham stations a loss of gain occurred when the transmitter was connected to the switch, but at no time did the gain go below unity. This loss of gain only occurs when the "suck-out point" of the transmitter output circuit occurs at the frequency to which the receiver is tuned.² It has been my finding that by changing for the 6BZ7 is not applicable. W3LYP's findings are reported here because the t.r. switch is a useful device, but using it at power levels above several hundred watts can only be considered as a calculated risk. At higher power levels two tubes should be used, with the heaters fed from separate windings, so that the heaters can be tied to the cathodes. — *Ed.*

the L -to- C ratio of the transmitter's output circuit it is possible to move the suck-out point sufficiently to overcome this difficulty. It takes only a small change to correct the situation.



This electronic transmit-receive switch works on all amateur bands down to 10 meters. No switching is required to change bands.

I've never encountered the trouble in my own station.

I hope those who try this switch will write and tell me whether their findings are the same as mine, and I will be interested in any comments on the switch.

² See Campbell, "Some Variations in T.R. Switch Performance," *QST*, May, 1956.



... Ah, those good old days! Everything was breadboard. Doublet antennas were being used on five meters. It was rumored that u.h.f. signals would actually "bend" over the horizon if the proper method were used.

... Twenty-five years ago this month it was reported that Warner and Segal had arrived in Madrid and were engaged in setting up an office in connection with their attendance at the Madrid conference.

... W6SN reported on W6USA and its sixty days of operation at Olympic village. Speaking of breadboard, the W6USA transmitter was built on a board seven feet long and three feet wide, with the 14-Mc. amplifier mounted above it!

... The ubiquitous Mr. Grammer had an article on "Electron-Coupled Oscillators for the Small Transmitter", using such tubes as the '24, '46 and '47.

... Two PA6s described a "Stabilized 'B' Supply for A. C. Receivers", while a Cornell University engineer discussed "Transmission-Line Feed for Short-Wave Antennas."

... Mr. Paul Segal contributed one of his rare articles, on the "Crystal Control of Radio Commission Hearings", presented at the request of the League's Board of Directors so that amateurs would understand the mechanics of hearings which investigate rules infractions.


... Ev Battey reported on a new type of contest—phone-c.w.—in which phone stations worked c.w. stations and vice versa

... Hams at Headquarters? There were ten in those days. Now, twenty-five years later, there are nearly three times that number


Silent Keys

IT is with deep regret that we record the passing of these amateurs:

W1LNX, James L. Barttro, Watertown, Mass.
 W1QBV, Monte R. Flagg, Dorchester, Mass.
 W2CNI, A. E. McConaghy, Camden, N. J.
 K2YNB, Robert J. Rukeyser, New Rochelle, N. Y.
 W3JVF, Clarence J. Sweigart, Gaines, Pa.
 W3OUM, George T. Miller, McKeesport, Pa.
 W3QKQ, John A. Rolle, Philadelphia, Pa.
 W4CAY, Arthur L. Blalock, Charlotte, N. C.
 W4CWS, Willis C. Parks, Dalton, Georgia
 K4JTG, John Ribarich, St. Petersburg, Fla.
 K5EQI, Marshall E. Farr, Tulsa, Okla.
 W5MN, Horace E. Biddy, San Antonio, Texas
 K6SAX, John M. Gates, Santa Fe Springs, Calif.
 W7FRO, Floyd F. Diekey, Ashland, Oreg.
 W7SCE, Lester P. Brunner, Oregon City, Oreg.
 W8HQF, Robert E. Montgomery, New Boston, Ohio
 W8LI, Darley F. Thurnes, Tallmadge, Ohio
 W8MIPG, Hugh L. Norton, Bedford, Ohio
 W8UWM, Leo F. Matuszyk
 W9GSX, Albert L. Kerst, Indianapolis, Ind.
 W9LQI, Faust H. Boyd, Ashton, Ill.
 W9MQB, Gabriel H. Melotte, Fort Atkinson, Wis.
 W9ACC, Elmer A. Gunther, Fort Dodge, Iowa
 W9FLZ, Clarence W. Christianson, Osage City, Kansas
 W9JDO, Elmer F. Kelm, Chanassen, Minn.
 W9YQJ, Sidney P. Stocking, Portageville, Mo.
 VE1XL, A. W. Doane, Truro, Nova Scotia



The rack panel of the tuning unit is 7 inches high. The controls on either side of the dial are for the bandsetting capacitors.



The tuning unit of the ultrastable v.f.o. is enclosed in a 7 x 9 x 15-inch aluminum box to minimize the reduction in coil Q by the shielding. The two feed-back capacitors are in the upper left-hand corner.

BY J. M. SHULMAN,* W6EBY

■ This article describes a v.f.o. of better ■
 ■ than average stability. Chirps and clicks ■
 ■ are virtually eliminated by operating the ■
 ■ tube just within the threshold of oscilla- ■
 ■ tion and reducing the voltage change ■
 ■ with keying to the minimum value that ■
 ■ will provide reliable control of oscilla- ■
 ■ tion. Attention to detail results in a unit ■
 ■ that also has exceptional freedom from ■
 ■ drift. ■


FROM THE THEORY of inductance-capacitance oscillators it is evident that the effective Q of the tuned circuit is a primary factor in determining stability. However, in order for the theory to have practical significance, assumptions have to be made that the values of inductance and capacitance in the tuned circuit remain absolutely constant.

What usually happens in practice is that the effective Q of the tuned circuit is drastically lowered by the time it is serving in an oscillator circuit, and that the inductance and capacitance do not stay constant. From this it might be inferred that most practical forms of v.f.o.'s are not as stable as they could be. That conclusion can be verified by some careful listening at low beat frequencies. Rare indeed is a v.f.o.-controlled signal found on 14 Mc. or higher that drifts only an imperceptible amount when first turned on or when keyed.

*789 Garland Drive, Palo Alto, California.

An Ultrastable Keyed V.F.O.

Fig. 1—Relative frequency drift of the ultrastable v.f.o. (A) vs. a commercially-available unit (B).



Such a signal is generated by the v.f.o. to be described. Its frequency stability performance is summarized by Fig. 1, where it is compared with one of the commercially available v.f.o.'s, each operating for more than an hour from a cold start. Drift of the commercial v.f.o. is 63 parts per million as compared with 2 parts per million for the ultrastable one. Driving a buffer followed by three doublers and a 150-watt final amplifier, the frequency of the ultrastable v.f.o. changes three cycles or less from that running alone. Keying by a rather unique method in the screen-grid circuit, the keying is clickless, chirpless and about as nearly perfect as the word can be defined.

All this was obtained by putting stability ahead of all other considerations in the design of a practical v.f.o. The design details can be summed up in two basic rules:

- 1) Use a tuned circuit with as high Q as possible, and then don't lower this Q any more than absolutely necessary for the maintenance of oscillations.
- 2) Give the inductance and capacitance in the tuned circuit a chance to remain absolutely constant, at least to the extent possible without resorting to temperature control.

Keying

Before discussing the features and construction of the ultrastable oscillator, a few more remarks about how it keys: With due regard for many unsatisfactory results, the *Handbook* tends to shy one away from keying a v.f.o., saying in effect that in the effort to compromise between clicks and chirps, "perfect" keying is a virtual impossibility particularly at 14 Mc. and higher frequencies. What happens with this v.f.o. is that be-

cause it operates near the threshold of oscillation, and because of the small voltage change with keying, it keys without the least sign of a chirp or click when driving two 5763 doublers and a pair of 807s in the final amplifier. And "without the least sign" refers to a check for transients with an oscilloscope as well as a listening check. Such results are not so surprising if you consider that the voltage across the key when up is only of the order of two volts. More will be told about the keying system in the description to follow.

Circuit

Since the series-tuned oscillator was introduced by J. K. Clapp¹ it has become something of a standard circuit for v.f.o.'s. Despite some controversy over its relative advantages and disadvantages for a stable oscillator, its advantages appear to outweigh its disadvantages for two reasons, neither of which is that it is inherently or theoretically more stable than other inductance-capacitance oscillator circuits. The first reason is that it enables practical realization of a higher effective tuned-circuit Q than most other circuits.² The second is that it is inherently well suited for physical separation of the tuned circuit from the tube circuit portion. This physical separation is of utmost importance in carrying out Rule 2 above. As little a temperature change as 2 degrees Fahrenheit has a perceptible effect on frequency, and heat from a tube adjacent to a tuned circuit must be avoided if stability is the first consideration.

¹ Clapp, "An Inductance-Capacitance Oscillator of Unusual Frequency Stability," *Proc. IRE*, March, 1948.

² Edson, *Vacuum Tube Oscillators*, John Wiley & Sons, New York, 1953.

Remotely Tuned Unit with Good C.W. Performance

This v.f.o. uses the series-tuned circuit and is divided into two separate sections — the tuned-circuit portion and the tube portion. The tuned-circuit portion is illustrated by the first and second photographs and is diagrammed in Fig. 2.




Fig. 2 — Circuit of the remote tuning unit.

- C₁ — 7-25- μ f. variable (Bud CE-2001 with 2 plates removed should be satisfactory — see Footnote 3).
- C₂ — 140- μ f. variable (Hammarlund HF-140).
- C₃ — 15- μ f. variable (Hammarlund HF-15).
- C₄ — 39- μ f. silver mica.
- C₅, C₆ — 0.005- μ f. silver mica.
- J₁ — Twin receptacle (SP-264).
- L₁ — 45 μ h. — 44 turns No. 14, 2½-inch diam., 5½ inches long, center-tapped (B & W 3906-1 or Airdux 2008).

There are two significant differences between this tuned circuit and that of most Clapp v.f.o.s which have been described previously. One is that the tube coupling capacitors are .005 μ f. instead of the .001 μ f. frequently used. The second is that the main tuning capacitor is isolated from ground by an insulated shaft and tapped across a portion of the coil. The first of these features decreases the coupling between tuned circuit and tube by a factor of 25, and increases the theoretically possible stability by a factor of five. The tube used must of course have enough mutual conductance to sustain oscillations under this condition. The second feature serves two useful purposes: (1) the tap, made with heavy solid wire at the top of the coil, adds to the rigidity of the coil assembly, and (2) any desired degree of band spread can be

had by selection of the tap position.

Tuned-Circuit Enclosure


Designed to cover a frequency range of 1.6 to 2.0 megacycles, the tuned-circuit assembly has traded space for stability in that the 7-inch-high-by-9-inch-deep-by-15-inch-wide aluminum box (Premier AC-1597) is none too large to house the 2½-inch diameter, 5½-inch-long coil. A smaller coil or smaller box or both would have lowered the *Q*. The coil and box used represent an all-out effort to obtain maximum tuned-circuit *Q* within dimensional limits of a standard rack. The lower box cover was reinforced with ¾-inch-thick plywood before mounting a 1-inch-thick plywood base which supports the coil on stand-off insulators to the center height of the box. The original top box cover was replaced with a 1¼-inch-thick aluminum cover to increase rigidity.

Tuned-Circuit Constructional Details

As shown in the photo looking down into the tuned-circuit box, all connecting leads are made with No. 12 solid wire, and the lengths are broken up by stand-off insulators so that no length remains unsupported more than about 3 inches. This kind of lead rigidity, plus rubber feet on the bottom of the box, minimizes twang from bumping or pounding on the operating table.

A length of RG-22/U cable terminated at each end by a PL-284 plug couples the tuned-circuit box to the tube portion of the v.f.o. This cable assembly is a critical point at which the stability of the v.f.o. can be ruined if the terminations are not good. A poor soldering job at either plug, or any relative motion between plug and cable, can cause frequency variations which might not be noticed in an ordinary v.f.o. but which look monstrous when you are checking stability down to the last cycle.

There has been considerable discussion in articles describing v.f.o.'s about the necessity for excellent contact in the tuning-capacitor bearings. The tuning capacitor used in this v.f.o.



The v.f.o. tube and buffer-doubler are housed in a 6 × 17 × 3-inch aluminum chassis behind a 3½-inch rack panel. The potentiometer at the left is for adjusting the keying threshold. The doubler tank circuit is to the right.




Fig. 3—Circuit of the tube section. All capacitances are in μmf . All 1000- μmf . capacitors are disk ceramic. Coupling capacitors are mica or ceramic. All fixed resistors are $\frac{1}{2}$ watt. All RFCs are standard 2.5 mh. r.f. chokes.

C_1 — 100- μmf . variable, receiving type.

J_1 — Twin receptacle (SO-264).

J_2 — Coax receptacle (SO-239).

J_3 — Open-circuit key jack.

L_1 - L_2 — 40 μh . — 50 turns No. 22, $1\frac{1}{4}$ -inch diam., 2 inches long; 3-turn link (B & W MEL-80).

has a flexible pigtail between the rotor and the rotor-connecting terminal, thus eliminating completely any possibility of trouble at this point. If one like this cannot be obtained commercially, it is possible to drill and tap the back end of the shaft of a standard type and attach a pigtail with a small screw.³ Since the rotor of the tuning capacitor should not be grounded, an insulating shaft extension must be used.

With the coil tap at the position indicated in Fig. 2, the range of the tuning capacitor is 1750 to 1775 kc. over 95 degrees, which is an excellent band-spread rate for the 1+Mc. band. With the tap on the 14th turn from the grid end of the coil, the range is 1750 to 1800 kc.

Tube Portion

As shown in the third photograph, the tube portion is assembled in a $6 \times 17 \times 3$ -inch aluminum box attached to a $3\frac{1}{2} \times 19$ -inch panel for rack mounting. The circuit diagram is shown in Fig. 3. With the entire unit operated from a 150-volt regulated power supply, ample output is obtained from the second half of the 12AV7 at 3.5 Mc. to drive a 5763 doubler. Neutralization of the buffer is not required because of the untuned grid and plate circuits.

The oscillator circuit is straightforward except for the keying system and the very loose coupling to the grid of the 12AV7 buffer by only 5 μmf . of capacitance. The 50K potentiometer in the oscillator screen circuit serves as a threshold control and is normally adjusted so that with the key down the oscillator is just within the threshold of oscillation and gives just enough output to drive the first half of the 12AV7 as a Class A amplifier without any grid current. The output of the first

half drives the second half as a doubler to 3.5 Mc.

With the key up, the 10K resistance across the key drops the screen voltage about 2 volts, which throws the 6AH6 tube out of oscillation. This inherent switching action by a change of only 2 screen-grid voltage occurs in the oscillator only when it is operating just within the threshold value of screen-grid voltage to sustain oscillations. Once that operating value is set, the 2-volt change by keying turns the oscillator on and off without the least chirp or click. Moreover, key-up and key-down heating effects are practically identical, thereby further reducing the possibility of drift caused by changes in tube capacitances.

At the 1.75-Mc. point in the tuning range, the critical screen-grid voltage for oscillation is 61 volts. With 60 volts on the screen the circuit is dead and with 62 volts it oscillates with just enough power to drive all the following stages to full output. The first half of the 12AV7 amplifier operates as a true Class A amplifier, and does not draw any grid current until the oscillator screen voltage is raised to 70 volts. For a two-volt keying difference across the 10K resistance, it is necessary to adjust the threshold control slightly for about each 50 kc. change in fundamental frequency. If this is considered an operating disadvantage, as it may be on the low-frequency bands, the resistance across the key can be increased so as to allow keying control of oscillation over an entire band with the threshold control set just within the threshold of oscillation at the highest frequency. For example, at 2 Mc. the threshold voltage is 81. With the control set for 82 volts key down and 100K ohms across the key, the screen voltage is 60 with the key up and the full range of 1.75 to 2 Mc. can be covered without adjustment. However, this condition is not optimum for stability except at 2 Mc., and the keyed voltage is more than the minimum necessary to control oscillation.

The very low coupling capacitance and low value of grid resistance in the grid circuit of the

³ This trouble has been avoided in some earlier v.f.o. designs (see *QST* for December 1948) by using a split-stator capacitor, the two connections being made to the stator sections with no connections to the rotor. The bearings are thus eliminated from the circuit. In this particular case, the capacitor should have 50 μmf . per section since the two sections are in series. — Ed.




Fig. 4 — Block diagram showing the method of checking v.f.o. frequency stability.

first half of the 12AV7 make the oscillator tube highly insensitive to anything that happens following it. With all following stages turned on, the frequency is at most 3 cycles higher than with the oscillator running alone. As compared with the click, chirp and shifting-under-load problems when trying to key an ordinary v.f.o. in the cathode circuit, this small difference represents rather superb performance for a keyed v.f.o.

Method of Checking Frequency Stability

Fig. 4 shows a block diagram of the equipment used in making accurate tests of frequency stability. When an accurately-calibrated audio oscillator is used it is possible to measure a change of one cycle per second by this method. The audio oscillator used in this setup was a Hewlett Packard Type 200AB. Audio oscillators which have heat effects at 60 and 120 cycles may be used in this manner if one keeps away from the frequencies where these effects occur.

To make measurements, the v.f.o. is tuned to a convenient frequency 50 or 60 cycles higher than the crystal-oscillator frequency, picking up the beat frequency f_a from the receiver, and applying it to one set of plates of an oscilloscope. The output of the calibrated a.f. oscillator is applied to the other set of plates of the oscilloscope, and the a.f. oscillator is then tuned for a circle pattern. The a.f. oscillator dial then indicates the number of cycles per second the v.f.o. frequency is higher than the crystal oscillator. Beat frequencies below 100 cycles should be used to take full advantage of the a.f. oscillator calibration. The lower the beat frequency the better the accuracy, but frequencies below 40 cycles may not be passed by the receiver.

Additional Test Results

Fig. 5 shows the results of a test where the room temperature during the time the oscillator was on was increased to determine the approximate effect of change in room temperature on frequency. A thermometer was held near the tuned circuit box while the heating system of the room was on continuously for two hours and

raised the temperature from 71 degrees to 73 degrees Fahrenheit. Setting the beat frequency at 60 cycles on a cold start, the frequency was 65 at the end of two hours with the higher room temperature, indicating a temperature coefficient of frequency of about 0.7 part per million per degree Fahrenheit.




Fig. 5 — Graph showing v.f.o. frequency change with change in room temperature.

Curve A in Fig. 5 is an expanded plot of the frequency test shown in Fig. 5, which is the frequency of the oscillator alone with all the following stages off. Curve B shows the oscillator frequency with all following stages turned on. The maximum difference between the two on any measurement was 3 cycles per second and the average about 2. These data are rather convincing evidence that the oscillator is for all practical purposes unaffected by loading insofar as frequency stability is concerned.

A "perfect" keyed signal is one completely free of backwave, drift, chirps and clicks. When such a signal is heard it is usually assumed that a crystal is used or that the oscillator is not keyed. Here is how the ultrastable v.f.o. stacks up against these requirements:

There is no backwave since the oscillator is actually switched on and off by the small change in screen voltage. At constant room temperature,





Fig. 6 — Frequency drift (A) of oscillator alone, and (B) with entire transmitter on. The difference between the two curves represents the change in frequency when stages following the oscillator are turned on.

drift is not over 2 parts per million from a cold start, as shown in Fig. 1A. Chirps, as indicated both by listening and by oscilloscope check, using the setup of Fig. 4 are virtually nonexistent (less than one part per million). Without any waveform shaping circuit at the key, clicks tested by sweeping the receiver through and beyond the a.f. beat-frequency range as described in the A.R.R.L. *Handbook* are also virtually nonexistent. Reports from local stations, one only a block away, have confirmed the absence of clicks. A shaping circuit consisting of a 3-henry choke in series and a 0.25- μ f. capacitor in parallel with the key showed no perceptible improvement in the character of the keyed signal, but it is interesting to note that the shaping circuit did not magnify the chirp as it usually does in conventional keyed oscillators. It should be remembered that the precautions mentioned in the *Handbook* in regard to the biasing of later stages in the transmitter must be observed to avoid introducing clicks in these later stages.

Strays

A teen-age baseball team from the Canal Zone touring the eastern states during August kept in touch with home by amateur radio. KZ5TG, K2DWY, and W2GY were among the stations participating in this public service. When last we heard, the Zoners were doing right well — they had won six and tied one.

Several months ago we expressed a curiosity as to which ham was, respectively, the most northerly, the most southerly, the most easterly, and the most westerly here in the continental United States. We have gotten replies from all the four corners of the States except for the South. Nobody has spoken up to lay claim to being the most southerly ham here in these United States. How about it?



All you old-time c.w. men will recognize the so-called "Navy knob." The drawing above shows how K6TWE took a poker chip, drilled a hole through the center, and converted a regular telegraph key into the real thing.


K0HBQ showed a nonamateur friend around his shack and gave him a short discourse on amateur radio. After soaking this in for a while, the friend asked, "Say, how long do you think it will be before you can turn pro?"

W2BDG says he mounts a light *under* the work bench, to help find those parts he is always dropping!

By what strange coincidence do you suppose W1MIMV got the Vermont license plate 7388?

W0KWA sends in a newspaper clipping showing an ad for an all-transistor pocket radio which has "a push-pull audio system with 100 million watts of undisputed output." Undisputed?

Not a typical amateur mobile station, certainly! This is K9CIB, equipped with a Hallicrafters SR500, a Mosley beam, and Gonset gear on 2 meters. The crank-up tower is used only when the converted fire truck is not in motion, and power is supplied by a 2.5 kw. generator.



Let's Increase V.F.O. Stability

Reducing Effects of Temperature and Vibration

BY W. B. BERNARD,* W4ELZ

Fig. 1




Fig. 2





Fig. 3



FROM LISTENING to conversations on the amateur bands, one gets the impression that the average v.f.o. in use is not as stable as users might desire. The wider use of s.s.b. has put more stringent requirements on oscillator stability. This brings up the question of what can be done to improve the performance.

Most of the v.f.o.'s in operation today use the Clapp, or series-tuned Colpitts circuit. So far as stability with changes in tube characteristics and loading is concerned, the consensus now is that there is nothing to choose between the Clapp circuit and circuits of other configuration.¹ With this point accepted, there are still other considerations that may make one type of circuit preferable to another in practice if not in theory.

Practical Disadvantages of the Series-Tuned Circuit

In the Clapp circuit, shown in most-common form in Fig. 1, the very low value of tuning capacitor, C_1 , causes one end of the inductor and its associated wiring to have a very high impedance to ground. Because of this, the small variation in capacitance which occurs when one of these parts moves mechanically in respect to ground, due to vibration or other movement, will cause a larger variation in frequency than would be the case if the impedance were lower. Most of us are familiar with the problem of preventing "microphonics" in a series-tuned circuit.

The search for the very high inductance required often leads to the use of inductors supported on plastic strips. These coils not only have very large temperature coefficients, but also poor retrace characteristics. That is to say, the temperature coefficient of inductance does not remain constant over a temperature cycle and varies from one cycle to another. The low thermal inertia of the fine wire used to wind a high value of inductance in small space, whether on a rigid form or not, gives rise to short-term frequency variations that can be very annoying.

In the case of a series-tuned circuit with a coil Q that is constant over the band being tuned, the tube g_m required to maintain oscillation varies with the third power of the frequency.² From a practical standpoint, this means that the

*Capt. USN, Code 812, Bureau of Ships, Navy Dept., Washington 25, D. C.

¹ *Proceedings of the IRE*, July, August, 1955.

² Clapp, "Frequency Stable LC Oscillators," *Proc., IRE*, Aug., 1954.

Fig. 1 — Typical series-tuned Colpitts or Clapp oscillator circuit.

Fig. 2 — Conventional Colpitts oscillator circuit.

Fig. 3 — Colpitts circuit modified to suit the value of tuning capacitor C_1 .

• *The proponents of series- and parallel-tuned v.f.o. circuits having battled to a draw on theoretical considerations, the author of this article now looks at the practical side. If you've been using a series-tuned circuit, this plug for a return to the old high-C Colpitts may interest you.*

power output of the series-tuned oscillator is likely to vary considerably from one end of the band to the other.

The High-C Oscillator

All of the foregoing problems can be minimized by a change to parallel tuning — in other words, a change to the old high-C Colpitts circuit, as shown in Fig. 2. The large swamping capacitances, C_2 and C_3 , in series, as well as the tuning capacitor C_1 , are now in parallel with the inductance. This reduces the circuit impedance and thus the frequency variation due to mechanical movement of components associated with the ends of the coil. It also reduces the value of inductance needed to resonate with the capacitors at the desired frequency. This lower value of inductance can be wound with heavier wire which makes a more rugged mechanical unit of higher thermal inertia which reduces drift due to short-time heating effects.³ The tube g_m required to maintain oscillation in a parallel-tuned circuit varies inversely as the first power of the frequency.² Therefore, the power-output variation in tuning over a band should be much less than with the series circuit.

Electron Coupling

There is also room for improvement in another respect. Most of the current v.f.o.s use the so-called "electron-coupled" circuit, as in Fig. 1. While this arrangement may save a slight amount of space, it has disadvantages. With the tubes ordinarily used, it is necessary to operate the cathode at some r.f. potential above ground. This is undesirable because it places the heater-cathode insulation across part of the tuned circuit. This insulation is the dielectric of a capacitor (sometimes with an associated leakage resistance) operating under very unsatisfactory thermal conditions.

With the electron coupled arrangement (screen grounded), the r.f. output plate current passes through part of the tuned circuit (C_3) in returning to cathode. Under this condition, any harmonic content in the plate current can detract from the stability.⁴

Maximum output from the e.c.o. circuit requires a minimum impedance between cathode and ground. On the other hand, the frequency

effect of the grid-cathode circuit of the tube is several times the effect of the cathode-ground circuit. Therefore, for maximum frequency stability, the larger swamping capacitance (lower impedance) should be across the grid-cathode circuit.

These considerations indicate that better stability should be obtained if the cathode is grounded, as shown in Fig. 2, and a separate amplifier used instead of the electron-coupled arrangement. Where space must be minimized, a triode-pentode (such as the 6U8) could be used for this purpose.

How Much C?

The maximum circuit capacitance that can be used will depend upon the tube g_m , and the losses in the inductor. The latter increase rapidly as the inductor becomes very small. However, in a practical case, the capacitance will usually be limited by the physical size of the variable capacitor required to tune across the desired band of frequencies. The size of the tuning capacitor required varies in direct ratio with the amount of fixed capacitance in shunt with it. Without going to transmitting-type variables, the largest variable capacitor commonly available is the "MC" type which is obtainable in units having maximum capacitances up to 325 $\mu\text{mf.}$ and a capacitance variation (maximum capacitance minus the minimum capacitance) of 300 $\mu\text{mf.}$ These units are quite reasonable in physical dimensions.

Calculations of other tank-circuit values for a range of 1.75 to 2 Mc., based on a variation of 300 $\mu\text{mf.}$ are shown in the appendix.

Should it turn out that the design has been too conservative, and the circuit superregenerates, it is only necessary to decrease the value of C_4 and connect additional capacitance across the entire circuit to restore the proper frequency range. If the error is in the opposite direction, and oscillation is not maintained across the entire band, the value of C_4 should be increased and the value of C_2 or C_3 decreased until the frequency range is correct. Similar calculations can be made for the range of 3.5 to 4 Mc. However, if the minimum circuit capacitance of 1000 $\mu\text{mf.}$ is maintained, the inductance will have to be reduced to 1.75 $\mu\text{h.}$ At an inductance this low, it may be impossible to obtain a coil of sufficiently high Q to maintain oscillation with a tube of average g_m . In this case, the design should be based on a smaller tuning capacitor.

Fixed capacitances should be made up of suitable combinations of silver-mica or TCZ units to provide the correct values. The best type of inductors temperaturewise are wound with heavy wire under tension on ceramic forms.

Although the high-C circuit can be operated with the tube remote from the tuned circuit as easily as with the Clapp arrangement, best stability should be obtained with the tube and circuit close together. Only a slight separation will provide adequate heat isolation, especially if heat baffling is used.

³ In practice, this factor depends to a considerable extent on the design and construction of the coil. — Ed.

⁴ Llewellyn, "Constant Frequency Oscillators," *Proc. IRE*, Dec., 1931




Fig. 4 — Practical circuit for a high-C Colpitts v.f.o., including a Class A buffer. All capacitances are in μmf . All 5000- μmf . capacitors are disk ceramic. All 100- μmf . capacitors may be mica or low-temp. ceramic. All resistors are $\frac{1}{2}$ watt.

C_1 — 325- μmf . midget variable (Hammarlund MC-325-M).
 C_2, C_3, C_4 — See text and appendix.

L_1 — Approx. 6.4 μh . — 15 turns No. 12, 2 inches diam., 2 inches long.
 $\text{RFC}_1, \text{RFC}_2$ — 2.5-mh. r.f. choke.

A Practical Circuit

Fig. 4 shows a practical circuit using the values worked out in the appendix. The triode-connected 6AU6 has a rated g_m of 4500. The oscillator feeds a Class A pentode amplifier using another 6AU6. It is recommended that the plate supply to the oscillator and screen supply to the amplifier be regulated. If low-impedance output is desired, a Class A cathode follower may be substituted for the grounded-cathode amplifier, although the output voltage will be less. Also, the follower provides less isolation between the oscillator and the load and therefore the load on the cathode follower should be fixed.

Appendix

To cover a desired frequency range, the ratio of minimum circuit capacitance to maximum circuit capacitance must be the square of the ratio of the maximum frequency to the minimum frequency. If the frequency range is to be 1.75 to 2 Mc., the frequency ratio is $2/1.75 = 1.14$. The capacitance range required is $1.14^2 = 1.3$.

If a tuning capacitor having a variation of 300 μmf . is used, the minimum circuit capacitance must be such that when 300 μmf . is added to it, the capacitance will be 1.3 times the minimum capacitance.

$$\begin{aligned} C_x + 300 &= 1.3 C_x \\ 0.3C_x &= 300 \\ C_x &= 1000 \mu\text{mf}. \end{aligned}$$

This should be the capacitance across L_1 (Fig. 4) with C_1 set at minimum capacitance. L_1 should have an inductance that will resonate at 2 Mc. with 1000 μmf . — approximately 6.5 μh . The variable C_1 then adds 300 μmf . which should tune the circuit to 1750 kc.

The criterion for oscillation in a Colpitts circuit is

$$\frac{10^6}{\mu m} = \sqrt{Z_2 Z_3} \quad (1)$$

where g_m is the transconductance of the tube in μmhos , and Z_2 and Z_3 are the impedances offered to the grid and plate of the tube, respectively. To allow for losses, we can select a value lower than average for g_m — 2000 μmhos .⁵

To equalize the effects of the grid-cathode and plate-cathode circuits of the tube on frequency stability, the impedance from grid to cathode should be much lower than from plate to cathode. Let us say that the plate-cathode impedance, Z_3 , should be 9 times the grid-cathode impedance, Z_2 . Then,

$$Z_3 = 9Z_2.$$

Substituting the above values in (1),

⁵ See Howson, "Designing the V.F.O.," *QST*, Dec., 1955, for a discussion of effective transconductance.

$$\frac{10^6}{2000} = \sqrt{(9Z_2)(Z_2)} = \sqrt{9Z_2^2} = 3Z_2$$

$$Z_2 = \frac{10^6}{6000} = 160 \text{ ohms}$$

$$Z_3 = 9Z_2 = (9)(160) = 1440 \text{ ohms.}$$

The over-all circuit impedance is given by:

$$Z_1 = QX_{ex}$$

where Q is essentially the Q of the inductor, and X_{ex} is the reactance of the circuit capacitance. At 2000 kc., the circuit capacitance is 1000 μmf ., giving a reactance of 80 ohms. Assuming a conservative value of 100 for Q ,

$$Z_1 = (100)(80) = 8000 \text{ ohms.}$$

$$Z_2 = \frac{Z_1}{n^2} \text{ where } n^2 = \frac{X_{ex}}{X_{c2}} = \frac{C_2}{C_x}$$

$$n^2 = \sqrt{\frac{Z_1}{Z_2}} = \sqrt{\frac{8000}{160}} = \sqrt{50} = 7.1$$

$$7.1 = \frac{C_2}{1000}; C_2 = 7100 \mu\text{mf}.$$

$$n^3 = \sqrt{\frac{Z_1}{Z_3}} = \sqrt{\frac{8000}{1440}} = \sqrt{5.55} = 2.36$$

$$2.36 = \frac{C_3}{1000}; C_3 = 2360 \mu\text{mf}.$$

The resultant of C_2 and C_3 in series is

$$\frac{(2360)(7100)}{2360 + 7100} = 1770 \mu\text{mf}.$$

Since the foregoing values were based on a circuit capacitance of $C_x = 1000 \mu\text{mf}$., a capacitor, C_4 , must be placed in series with C_2 and C_3 to reduce the circuit capacitance to this figure.

$$\frac{(1770)(C_4)}{1770 + C_4} = 1000$$

$$\begin{aligned} 1770C_4 &= 1,770,000 + 1000C_4 \\ 770C_4 &= 1,770,000; C_4 = 2300 \mu\text{mf}. \end{aligned}$$

MEMBERSHIP CHANGES OF ADDRESS

Four week's notice is required to effect change of address. When notifying, please give old as well as new address. Advise promptly so that you will receive every issue of *QST* without interruption.

A Simple Conelrad Alarm

Transistors in a Self-Contained Unit

BY JOHN V. FILL,* K2GC/4

• Here is a simple conelrad alarm receiver you can assemble in a hurry. Using a germanium diode and a pair of inexpensive transistors, it should be just the ticket for anyone within good signal-strength range of a broadcast station.

SINCE the first of this year it has been a legal requirement of the amateur fraternity to monitor a broadcast station while operating. Should an alert condition exist, all radio transmissions should cease as soon as possible, to prevent possible use of direction-finding equipment by an enemy bomber force.

Many amateurs have no doubt pressed into service an old a.c.-d.c. set with which they listen to nearby broadcast stations. Some have probably built multistage alarm circuits into these

* Lt. Col., U. S. Army Signal Corps, Army Ballistic Missile Agency, Huntsville, Ala.

sets. There should be an easier way, and there is!

There is a 250-watt BC station about five miles from me. With a 40-foot antenna and a tuned circuit of reasonable Q , the rectified signal from the station will develop approximately 5 μ amp. through a 47K load resistor. In looking up some characteristics of transistors recently, it seemed within the realm of possibility to convert microamperes to milliamperes with a minimum





Fig. 1 — Schematic diagram of the simple conelrad receiver. Resistors are $\frac{1}{2}$ -watt.


C₁ — Midget variable if auto-radio coil used at L₂; 100 μ f. if loopstick used.

K₁ — 700- to 1000-ohm sensitive relay (Sigma 41F-1000-S-SIL, Advance SV-1C, 1000 D, or equiv.)

L₁, L₂ — Auto-radio input coil or ferrite loopstick.



Two views of the simple conelrad alarm receiver. The physical arrangement is relatively unimportant, and the receiver can be built to suit the constructor.



of gear. With the addition of a two-stage d.c. amplifier using 2N109 transistors, 5 ma. was measured in the last stage, indicating a power gain of 1000.

The circuit of the finished alarm is shown in Fig. 1. Some antenna will be necessary unless one lives in close proximity to the broadcast station. The antenna coil can be an old auto radio front end coil or a ferrite rod. The main thing is to get at least 4-5 μ amp. of signal through the 47K resistor. Put a pair of high-impedance headphones in series with this resistor, identify the station and resonate the capacitor. A v.t.v.m. should indicate about $\frac{1}{2}$ volt negative across the resistor. Positive voltage will not be amplified, as the base input circuit of the first transistor should be slightly negative.

The relay should have about 700-1000 ohms d.c. resistance to match the transistor output and to keep the battery voltage low. A relay that will close at 3 $\frac{1}{2}$ ma. is satisfactory.

The entire system is "fail safe." The carrier holds the relay closed. Should the antenna become disconnected, the battery voltage drop, or practically anything else happen, the relay will open.

The switching contacts of the relay can be connected to keep a green pilot

(Continued on page 174)

Adapting the Viking I to S.S.B.

A "No-Modification" Method for Using the Viking as an S.S.B. Final Amplifier

BY W. O. SCHIRMER,* K2EST

This is a simple and convenient scheme for using the output r.f. stage of a popular a.m. transmitter as a linear amplifier for s.s.b. The same method should be applicable to other combinations than the one specifically discussed by the author, provided the amplifier to be used as a linear is biased from a fixed source.

ABOUT A YEAR AGO, after listening to the many s.s.b. stations, I decided to go the way of all flesh. At that time my transmitter was a Viking I that I had equipped with a coax antenna relay and a receiver muting relay. These were operated by the plate switch (SW₂ in the Viking I circuit); thus, to transmit I just pushed the plate switch, putting the transmitter on the air and muting the receiver.

A 10A exciter was acquired, along with a BC-458 for the v.f.o., and the necessary modifications to the BC-458 for v.f.o. operation were made. Then W4JMU's idea for using the Viking as a linear amplifier, as outlined on page 159 of the ARRL s.s.b. manual, was tried. While this worked fine, it limited transmission to 75 and 40 meters. Also, the Viking could not be used on a.m. without disconnecting the s.s.b. exciter and reconnecting the Viking v.f.o.

Briefly, what was wanted was a flexible system that would permit transmitting on 160 through 20 meters, a.m. or s.s.b., at the flip of a switch, and, last but not least, an easy method of doing this without modifying the Viking.

After some experimentation, the system shown in Fig. 1 was adopted. It has been in operation for over a year with most excellent and gratifying results.

Construction

A 5-turn link coil was made of No. 16 enameled wire about one inch outside diameter so it would fit snugly inside the buffer coil of the Viking. A small insulated terminal board, about 3 inches square, was attached to the aluminum shielding alongside the buffer coil. The link coil was connected to two terminals on the board. This mounting also held the link coil in place at the bottom of the buffer coil.

* Oliverea, N. Y.




Fig. 1 — Circuit arrangement for using an s.s.b. exciter to drive the final amplifier in the Viking I.

Then a piece of 52-ohm coax was run from the terminal board to the output terminals of the 10A, thus connecting the link coil directly to the 10A output. In my station the coax is about 24 inches long. A single-pole toggle switch, S_3 , was connected across terminals 8 and 9 on the 10A. This switch is closed during a.m. operation. On s.s.b. operation, the relay in the 10A operates the muting and antenna relays for the receiver, the s.p.s.t. switch being in the open position. I merely mounted this switch on a piece of metal attached to the back of the 10A, so that I could flip it on or off from the operating position.

No changes were made in the Viking. In fact, the nice part of this hookup is that only the top of the Viking has to be opened to make the connections. Just as easy as replacing a tube!

Operation

Close S_3 and tune up the Viking for a.m. operation. After tune up is complete, turn off the plate switch.

For s.s.b. operation, turn on the s.s.b. exciter and open S_3 . Turn the Viking CW-PHONE switch to cw. Connect a key to the key jack, or insert an open plug. This disables the oscillator in the Viking. Then turn on the plate switch. The idling plate current of the 4D32 should run about 20 ma. Put the OPERATION switch in the 10A on CALIBRATE and insert enough carrier to bring the plate meter up to about 100 ma. Adjust the tuning controls on the 10A for maximum 4D32 plate current. This last adjustment does not put you on the air, since the antenna is open, hence you can tune up the s.s.b. exciter without causing QRM. However, the r.f. is being dissipated in the 4D32, so carrier insertion should only continue for a short period — just long enough to obtain best output from the 10A. Then remove carrier and adjust the a.m. and p.m. potentiometer on the 10A for minimum 4D32 plate current. You are then ready to transmit by throwing the 10A switch to vox.

To go back to conventional Viking operation, open the plate switch, close S_3 , put the CW-PHONE switch on PHONE and you are ready to go on the air with Viking a.m. as soon as you close the plate switch. Of course, it is not necessary to remove the key or dummy key jack unless you wish to do so.

While operating s.s.b., do not drive the final plate current to more than 200 ma. In other words, adjust the audio control on the s.s.b.

exciter so that 200 ma. is the largest peak. Actually, the peaks will then be about 230 ma. at 600 volts, or about 138 watts peak envelope input.¹

While this system has not been tried with the Viking II or with exciters other than the 10A, there is no reason why it should not work with a Viking II or any other s.s.b. exciter.

The pattern obtained on a scope with two-tone modulation is excellent so long as the final is not driven beyond 200 ma. All signal reports indicate excellent quality, especially from hams with good s.s.b. receiving equipment such as slicers or receivers having s.s.b.-type selectivity. Contacts on 20 meters have been made on s.s.b. with the West Coast with 100 per cent readability, but when we switched to a.m., copy was negative.

One caution should be added: do not try to overdrive. Hold the audio gain as low as possible. Operation here is with 10A audio control at 8 o'clock.

It is not necessary to change any of the controls on the Viking in switching from a.m. to s.s.b. The meter will show some grid current on peaks, but this does not show up as nonlinearity on a scope. It is not necessary to back off on the Viking drive control in switching from a.m. to s.s.b., as in the system described by W4JMU; since all the drive is from the 10A, the Viking drive control has no effect.

For easy operation, two microphones are used here, one being connected to the Viking for a.m. operation and one to the 10A for s.s.b. operation.

Up to the present time, no effort has been made to try 10 and 15 meters, principally because of the lack of a 10-meter v.f.o. for the 10A and the requirement for somewhat different coupling for 10 and 15 meters inside the Viking. The 10- and 15-meter buffer coil is separate from the 160-20-meter coil of the Viking.

Since the output of the 10A falls off on 40 and 20 meters it may be advisable to open the resistors in the 10A final coil. This gives more drive for obtaining full output from the Viking.

So don't sell or trade the Viking! Just add an s.s.b. exciter, and with an hour's work you'll be on the air enjoying the advantages of both s.s.b. and ancient modulation.

¹ Since the relationship between peak-envelope and average currents will differ somewhat with different microphones and voice characteristics, the maximum meter reading that corresponds to the peak linear output of the amplifier preferably should be established with the aid of an oscilloscope in each case. — Editor.

Strays

W2BOH makes up a little decal for each item of gear that he builds, affixing it somewhere on the chassis. The decal identifies the issue of the magazine in which the equipment was described, greatly simplifying the servicing problem at a future date.

W3BBG recently worked W2BBG, who used to be W3BBG. Confusing, eh!

W6YKE discovered that the CW Cafe of Carthage, Mo., does not serve A-1 sauce. Tch, tch!

Improved A.V.C. for Side Band and C.W.

Audio Rectification and Its Advantages

BY GEORGE W. LUICK*, WØBFL

The requirements of a good a.v.c. system for side band and c.w. are a fast "attack" and a slow decay. Merely using a long time constant in the conventional a.v.c. circuit is not adequate. The hang a.v.c. system described early this year in *QST*¹ was a step toward better a.v.c. for side band and c.w., and in this article WØBFL tells how he modified the basic circuit to give superior a.v.c. action; the circuit is readily applicable to many receivers.

HAVING ACQUIRED a Collins mechanical filter, I set out to build an i.f. strip around it, somewhat along the lines of the high-frequency i.f. amplifier described in *QST*.¹ The "hang a.v.c."² seemed like a good idea, but I remembered that Luther Couillard, of Collins Radio, writing in the December, 1956, issue of the *I.R.E. Proceedings*, suggested that receivers for side band and c.w. should derive their a.g.c. voltage from the audio, which would eliminate isolation problems and give extra gain for a flatter a.v.c. characteristic. As a consequence I revised the hang a.v.c. circuit for audio rectification and installed it in the new i.f. strip. It works so well that I want to pass it along to the rest of the side-band (and c.w.) gang. I've never seen a flatter a.v.c. characteristic on any receiver, there is no problem with b.f.o. leakage into the rectifier as there is with the i.f. type, and it is very simple to set the threshold of compression

* 2713 S.W. 9th, Des Moines 15, Iowa.

¹ Goodman, "What's Wrong with our Present Receivers?" *QST*, January, 1957.

² Goodman, "Better A.V.C. for S.S.B. and Code Reception," *QST*, January, 1957.

so that a product detector can be run at the level that is the compromise between detector overload and available audio gain.

Those familiar with the i.f. hang-a.v.c. circuit will see that the audio-a.v.c. circuit, shown in Fig. 1, bears a family resemblance. Audio from the receiver is amplified in the a.v.c. amplifier, and rectified in the attack diode. The resultant voltage is applied to the a.v.c. line through the attack gate diode. The capacitor C_1 charges quickly and will remain charged until discharged by the recovery gate V_{1B} . This will occur some time after the signal has disappeared, because the audio was stepped up through T_1 and rectified in the recovery diode, and the resultant used to charge C_2 . This voltage holds V_{1B} cut off for an appreciable time, until C_2 discharges through the 4.7-megohm resistor.

A point of difference between this and the i.f.-type circuit, other than the frequencies involved, is the use of bias on both the recovery diode and the attack diode. If bias is applied only to the attack diode, noise and such can keep the recovery gate biased to cut-off and the a.v.c. bus won't discharge. The threshold of compression is set by adjusting the bias on the diodes (changing the value of the 3.3K or 100K resistors).

Before I tried the circuit, I wondered if the attack would be as rapid as with the i.f. type, but it appears to be instantaneous. Once in a while I get a strong noise pulse that will cause the a.v.c. to hang until C_2 discharges, but most of the time the gain returns very rapidly to that set by the signal. For an S-meter circuit I use a triode and a 0-1 milliammeter in the conventional bridge, as shown in *The Radio Amateur's Handbook*. It holds so still on a steady s.s.b. or c.w.

(Continued on page 174)





Fig. 1—Schematic diagram of the improved hang a.v.c. system. Resistors are $\frac{1}{2}$ -watt unless specified otherwise.

R_1 —Normal audio volume control in receiver.

T_1 —1:3 step-up audio transformer (Stancor A-53 or equiv.)

The hang time can be adjusted by changing the value of the recovery diode load resistor (4.7 megohms shown here). The a.v.c. line in the receiver must have no d.c. return to ground and the receiver should have good skirt selectivity for maximum effectiveness of the system.

• Recent Equipment —



Dust covers have been removed from the tuning capacitor gang and from the dial back and S-meter. The oscillator section of the tuning-capacitor gang uses ceramic insulation. Box in the right foreground mounts the crystal calibrator; the crystal is housed inside what looks like a glass tube envelope.

The Hallicrafters SX-101

IN MANY RESPECTS the circuit diagram of the SX-101 receiver is similar to that of the SX-100, and just glancing at the schematic you might say that the 101 is a ham-bands-only version of the 100. This would be a very good way to prove to the world at large that you know very little about receivers. Nowadays there is much more to a receiver than just the "hookup" (as the circuit used to be called), and the SX-101 illustrates the fact nicely.

Referring to Fig. 1, a block diagram of the SX-101, and comparing it with one of the SX-100 (*QST*, December, 1955), one sees that the first mixer is now a 6BY6 instead of a 6AU6, the high frequency oscillator is one triode of a 12AU7, and an S-meter tube has been added. Aside from these circuit changes and additions and the ham-

bands-only feature, the receiver is quite similar electrically to the 100. It is a double conversion receiver, with a first i.f. of 1650 kc. and a second i.f. of 50 kc. Switchable side-band selection is obtained by choice of second-oscillator frequency; the 50-kc. i.f. has five bandwidths (0.5, 1, 2, 3 and 5 kc.), and a notch filter is provided for notching out an interfering carrier. (The notch filter uses the bridged T circuit; it was given in the *QST* description of the SX-100). The various bandwidths are obtained by switching in capacitors that change the couplings between high-Q tuned circuits in the 50 kc. i.f. amplifier, and resistors are also switched in that lower the *Qs*. A detailed explanation of this variable bandwidth system, which Hallicrafters has been using for some time, will be found in the description of the




Fig. 7—Block diagram of the SX-101 amateur-bands receiver. A.v.c. is applied to the r.f. stage and the first i.f., and the manual gain control handles these two stages plus the i.f. tube following the notch filter. Regulated voltage is used on the 12AU7 oscillator, the screen of the first mixer and the screen of the S-meter tube.


SX-96 (QST, June, 1955).

The S-meter tube is a d.c. amplifier operated by the voltage developed by the a.v.c. rectifier. Sensitivity and zero adjustments permit setting the S meter over a wide range of adjustments; the S meter is adjusted at the factory to give a reading of S9 with a 50- μ v. signal at 14.3 Mc.

So much for the circuit differences; what else is there to a receiver? In this case, plenty, as we will try to show. Right off the bat you find that this receiver is no lightweight, and once you have hefted its 70 pounds out of the box and on to the table you don't have to worry about it (or the

table) blowing away. Weight *per se* is certainly no great virtue, but in this case it is a measure of the heavy chassis material that was used to insure mechanical stability.

In fact, stability certainly seems to have been a prime objective in the SX-101, since selectivity and sensitivity have been well taken care of since the SX-96. The receiver is shipped in a plastic bag with a dessicant, instead of merely protecting against scratches by the usual paper wrapping, and we learned from the manufacturer that the receivers are warm when they are sealed into these bags. When the customer opens the plastic bag



For good long-term stability, ceramic insulation is used in the oscillator band switch, tuning capacitor, trimmer capacitors and coil forms. The long thin metal tube just above the center houses the "Damp Chaser," a small heater that runs all the time the receiver is plugged into an outlet.

QST for

he is advised to plug in the receiver immediately. Even though the receiver isn't turned on, a "Dampp Chaser" (8-watt heating element) under the chassis keeps the receiver above room temperature. All this fuss and bother is gone to because the engineers found that condensation is a serious source of long-term drift, and this is their approach toward overcoming it. Any ham who has had equipment failures during the humid summer months, as many of us have, can take a tip from this treatment.

Users of the SX-96 and SX-100 forerunners of the 101 will find the tuning knob and drive is a far cry from what they have been used to. The knob is man-sized and well removed from other controls, and the tuning is smooth and stays put when you remove your hand. The tuning scale for the band you have switched to is the only one that is illuminated. A 100-ke. calibrating oscillator is included in the receiver, and if for any reason the pointer does not indicate a band edge accurately you can reset the pointer with a panel control. Tuning rates vary from a minimum of 17 kc. per knob revolution (7 Mc.) to a maximum of 160 kc. per knob revolution (28 Mc.). The 11- and 10-meter bands are included in one range, and the band switch has seven positions, for the amateur bands 160 through 10 meters. If your quick count told you this should require only six positions, we hasten to announce that the seventh position permits tuning in WWV on 10 Mc., to check your crystal calibrator.

The panel controls range from four small knobs

for antenna trimmer, pointer reset, notch depth and notch frequency through larger knobs for sensitivity, band selection, b.f.o. frequency, side-band selection, volume and selectivity, on up to the large knob for tuning. The tuning knob has a calibrated skirt around it, convenient for logging purposes. Toggle switches control calibration oscillator, a.v.c., noise limiter, b.f.o. and receive/standby; the a.c. power switch is on the side-band-selector switch. The headphone jack is on the panel, and antenna terminals (both binding posts and coax fitting are provided), speaker terminals (3.2 and 500 ohms) and the ubiquitous phono input jack are at the rear of the receiver. At the rear can also be found the fuse holder and the "d.c. power socket and plug." The latter permits using either battery or vibrator supply with the receiver, as explained in the instruction book. This socket also has a connection made to it that the writer believes could stand more explanation in the otherwise-good 24-page instruction book. The bottom end of the manual gain control is brought to Pin 4 of the socket, which makes the receiver (and its forerunners which also included it) a natural for applying the break-in system described in the keying chapter of *The Radio Amateur's Handbook* for many years. However, under section 2.9 of the instruction book very little is said about the usefulness of this connection, and unless the buyer of the receiver were unusually well up on his circuitry he would never make use of this little feature.

— B. G.

● Technical Correspondence

Power Ratings

Penta Laboratories
312 North Nopal Street
Santa Barbara, Calif.

Technical Editor, QST:

Enjoyed the piece on linear amplifier power ratings in the August issue, although it must be admitted that the whole field of power ratings is somewhat unrealistic when an a.m. phone can run 4 kw. peak input and 1500 watts average input, while a c.w. outfit is limited to 1 kw. peak. Actually many a.m. phones run considerably more than the legal limit during modulation when it is realized that some of the so-called peak limiters are nothing more than a rather inefficient form of controlled carrier, with the extra d.c. power being obtained by rectification of audio from the modulator.

It should be pointed out, however, that the 0.637 factor for the ratio of d.c. to peak current for a two-tone signal applies only in the case of a perfectly linear true Class-B amplifier. If the amplifier is perfectly linear and is operated in true Class B (which none are) the 0.637 factor will apply. If an amplifier has less than cut-off bias and is reasonably linear, the correct relationship between indicated (d.c.) and peak current is:

$$I_{pk} = 1.57 (I_{dc} - 0.363 I_0)$$

where I_{pk} = peak current

I_{dc} = average current (current read by plate meter)


I_0 = zero-signal (idling) current

Failure to realize that the zero-signal current can have a marked effect on the meter reading for a given peak can have some rather amusing results, as is shown by some of the absolutely impossible miscalculated two-tone data published by some tube manufacturers.

For a given peak input at any particular plate voltage, the maximum output will be obtained from the tube that requires the minimum zero-signal plate current and has the maximum usable linear plate swing. The amount of zero-signal plate current that must be used is a function of the relative sharpness of cutoff (see Bruene, "Linear Power Amplifier Design," *Proc. I.R.E.*, Dec., 1956). It is for these reasons that we have designed our new beam pentodes to cut off as cleanly as possible and to have the widest possible useful plate-voltage swing.

Leigh Norton, W6CEM

(Editor's note: The accompanying graph shows the relationship discussed by Mr. Norton. Knowing the ratio of the idling current to the plate current with the two-tone test signal, I_0/I_{dc} , one can find the factor that can be applied to give the peak current.)





The State C.D. Control Center (left to right) Major J. H. Boh, Deputy director for La., Ken Jumonville, K5BES-ARRL SEC, Fred Hotstream, K5CYQ.



W5APH and XYL W5KRJ handled 999 "Audrey" messages.

Audrey and the Hams

BY ROGER WHITE,* W5SKW
AND VICTOR CANFIELD,** W5BSR

BORN on June 24 in the southern Gulf of Mexico, Hurricane Audrey was a premature baby, an early beginning to the 1957 hurricane season. The Weather Bureau bulletin issued June 25, a Tuesday, warned: "A hurricane watch is advised for the Texas and Louisiana coasts." Less than 48 hours later, early Thursday morning, June 27, Audrey showed her power by smashing into the coast of Cameron parish, Louisiana, bringing recorded winds of 105 m.p.h., and estimates much higher.

More deadly still was the high wall of water she pushed before her. Extremely high tides were topped with pounding 20-foot waves that rolled 20 to 30 miles inland, carrying boats, homes and people with them. Besides being subjected to the ripping winds, the people of Cameron parish, driven atop their houses by the high tides, felt as if their homes were sitting in the midst of the high seas. Audrey threw mountain after mountain of raging water at them all day Thursday and on into Thursday night. It was early Friday



W5CCD (Arden Clinger, Lake Charles) use s.s.b. for contact with the state control at New Orleans.

morning before help could come to the people of Cameron.

When help did arrive, the workers found death and destruction. Survivors were huddled in isolated groups throughout miles of marshland, although one group of a thousand had reached safety at the courthouse in Cameron. Survivors were evacuated to neighboring Lake Charles. The exact total dead probably never will be known — the silent marshlands will retain that secret. The totals of dead and missing at Cameron climbed to over the 500 mark. But Audrey was not a one-parish disaster. Sixteen of Louisiana's parishes were declared a major disaster area. Lake Charles, thirty miles north of Cameron, in Calcasieu parish, housed and cared for 20,000 refugees. Cameron is now being rebuilt, and Louisiana is recovering from its worst catastrophe of the century.

Amateur radio operators made first preparations for Audrey that Tuesday night, June 25, when W5SKW, ARRL EC and C.D. Radio Officer contacted W5BSR, C.D. Communications Officer and discussed the news of the approaching hurricane. It was agreed that it looked like the Lake Charles/Cameron area was going to

* ARRL EC, 428 West Sale Road, Lake Charles, La.
** Director, Delta Division, ARRL; Communications Officer, Calcasieu Parish, Box 965, Lake Charles, La.

be in the direct path of the blow, and that immediate steps should be taken to alert all amateurs in the area. W5ZJT and W5KRJ, two NYLs who have a call list of all hams in the area, were asked to alert all on their lists to check their equipment, take necessary precautions to insure safety of their antenna systems, and to test and prepare for use any portable or emergency equipment that they might have. This they did, calling on Tuesday night and Wednesday morning until all were notified.

Also on Tuesday night, K5BTG, the ARRL Assistant EC in charge of emergency power supplies, was contacted. He started lining up previously committed emergency generators. It developed later that more generators were needed for communications and other uses. Early Tuesday night the EC contacted the Lake Charles Weather Bureau Chief, Mr. Paul Cook. Permission was granted by him to set up an amateur station in the weather bureau offices at the Lake Charles Air Base even though the bulletins were otherwise available. Mr. A. D. Spees, in charge of the lines bringing in crude oil, was contacted concerning a net to keep in touch with the Sour Lake, Texas, Cities Service field so that the flow of crude oil to Lake Charles could be controlled. His needs were only for an emergency generator for W5MOM at Lake Charles. More than twenty amateurs are connected with this company and other local plants so there was no trouble finding an amateur at Sour Lake for this circuit.

The EC made arrangements with his employer to use the telephone as much as necessary throughout Wednesday in order to get amateur radio communications arranged for emergency services characteristic of ham radio in natural disasters. Frequent contacts with C.D. Headquarters and the Weather Bureau were made to try to anticipate needs.

During Wednesday a study of available information was made to ascertain what facilities for radio communications existed in and out of the Cameron area. There were nine two-way radio systems operating. Arrangements were made for some of them to supply the Weather Bureau with on-the-spot reports of conditions in Cameron. The various oil company facilities were augmented by the Sheriff's department radio and the State Police radio with both fixed and mobile equipment.

With all these facilities available, the Communications Director and the EC decided against sending amateur radio facilities to Cameron before the storm. Later when Audrey struck with wind, wave and rain, there was a period of several hours when not one of the services was operating out of Cameron and an amateur radio installation

would have been invaluable. This is one lesson which will not be forgotten.

The Director and the EC were called to attend a meeting at the city hall Wednesday at 4:00 p.m. The city, parish, Civil Defense, Salvation Army, amateur radio and other officials and services were represented. Since it was almost a certainty that Audrey was coming inland in this area, the city hall was designated as the control point for relief, rescue, and other types of activities. A steering committee was set up, charged with preparing official news bulletins to be released to try to keep down unfounded rumors that always accompany such events.

The EC appointed K5CXB to organize a news network, which he did with efficiency and dispatch. W5KHC and K5JQC moved their personal station equipment into the city hall Wednesday evening, and the Fire Department volunteered their ladder truck to put up antennas in convenient trees. W5CCD was appointed to man 3925 kc., the Gulf Coast s.s.b. frequency. He established contact with K5BES in New Orleans and maintained a "pipe line" into State Headquarters until the hams secured their stations upon order from the EC at 1800 hours Sunday night, June 30.

One of the stations at the city hall was set up on the MARS frequency of 4020 kc. Wednesday night, and the other was set up on 3850 kc., the Southwest Louisiana Emergency Frequency. W5BWZ was designated as relay station on 3850 kc. since neon and fluorescent lights were making solid copy in the city hall impossible for all except very powerful signals. W5APH and his NYL, W5KRJ, elected to act as liaison on the MARS frequency of 4020 kc., to Fort Polk, La.

At about 1:20 a.m. Thursday morning, the amateur group at city hall felt preparations sufficiently complete. They hoped then to go home and get a little rest. Except for the already-predicted high tides in the Cameron area it looked as though it would be mid-morning Thursday before the leading edge of Audrey would be felt to any extent in Lake Charles. All agreed to be back at the city hall by about 7:00 a.m. Even with this there would be a long stretch without any rest if Audrey really showed her wares. But at 1:50 a.m. that Thursday morning, BSR and SKW were called back to city hall with the statement, "This hurricane has gone crazy! It's moving in

Vic Canfield, W5BSR, Communications Officer, looks in on the set up at City Hall, Lake Charles. At the rig (left to right) Roger White, W5SKW, EC-RO and Bill Caldwell, W5KHC.



much faster than expected. It has speeded up, both in its over-all movement toward land and in its velocity within. You better get back down here!"

So back to the city hall, where plans were reviewed, and at 4:00 A.M. the rest of the previously-alerted hams were called out. Those assigned to stations other than their own went to those stations; those assigned to city hall went there. Communications were established with Fort Polk direct and through W5APH, and contact with that point was never lost. At approximately 2:00 A.M. Thursday morning a telephone call was made to Vinton to W5ZCO and W5SWQ . . . the father/son ham team and it was learned that they had already lost an antenna. Until they could get another one up, nothing could be handled through their stations. Audrey was beginning to make trouble already. By four A.M. Thursday morning custodians and principals of the various schools in the Lake Charles area had been called and asked to open up their buildings to be used for shelters, not only for the people coming out of the territory to the South of Lake Charles, but for those who felt their own homes in Lake Charles might not be safe enough to survive the anticipated winds of Audrey.

W5ZAK, W5ZJS, K4BTY/5, the only mobiles available at the time, were sent to three of these shelters where they stayed in their cars during the complete blow and afterward relayed traffic to and from the city hall. ZAK even had the back glass blown out of his car, but remained on duty until there was no longer any need of his mobile at his assigned post. After being released from this duty all three operators went to one of the key fixed stations where they went to work handling traffic at the new location.

All day Thursday the hams handled all communications directed their way. Commercial power failed at 7:10 A.M. and all work continued on emergency power. There was no break in radio communications except for a brief interval Thursday afternoon when one antenna lead-in broke. An unidentified fireman of Lake Charles tied himself to a tree in the 90 m.p.h. wind and lowered one end of the antenna. Three hams, W5SKW, KN5IZE and K5JQC, spliced the ends together and the fireman re-tied it in the tree.

Available hams were spread "as thin as the mustard on a nickel hot dog" and couldn't cover

all of the shelters opened. This is where the industries around Lake Charles gave us a hand. Most of them lost their fixed antennas, but they still had mobiles on fixed frequencies, and they were put to good use by the EC. They covered shelters. They covered the city docks (Port of Lake Charles). They furnished a link from State Police Headquarters to city hall to relieve congestion on police frequencies. They even passed out portable power supplies to keep other stations on the air. They put a car or portable set at city hall with operator, were assigned Boy Scout runners, and invaluable services were rendered in the communication system.


Some time Thursday K5BQT was given the job of getting his BC669 into Cameron as soon as possible, since all communications there had failed. His was a lone responsibility to organize his personnel and get his own means of transportation down there. The EC promised emergency power and transportation from his home to docks or landing field.

K5BQT selected W5VTU and W5CTQ (who also took his equipment) to be his side kicks in Cameron and arranged transportation by boat. They were on the air from Cameron about 11:00 A.M. Friday. The first communications out of the stricken area reported: "Things are a mess here in Cameron. Boats are all over the land. Just wonder if anyone is reading this station." Not only did they have the first and only communications out of Cameron for several hours, the rig was set up on the boat and reports were transmitted back to City Hall concerning conditions down the channel from Lake Charles to Cameron. On arrival they dismantled the rig, carried it from the boat through mud, water, piles of debris and dead animals to the courthouse and put it on the air again, using emergency power.

During Friday the key stations really got into full swing, handling the traffic in and out of Cameron, relaying requests for helicopters, planes, boats, motors, clothing, food, embalming fluid, medicines, sprays, drinking water, water pumping facilities, cattle feed, requests for the Humane Society to try to come in and pick up living small animals and care for them until they could be reunited with their owners . . . if their owners survived. There were requests for hundreds of "plastic bags and blankets to handle the dead;" a request to Lafayette, "For additional priests with portable alters and equipment;" requests to anyone, "pitcher pumps to use to pump out shallow wells before treating;" requests for labor; requests for boats 40 feet and larger to be "mother" to a bunch of outboards being used in rescue service; the sad message, "To Dr. C. W. Carter, Cameron, La., Your wife and 2 boys alive and in good condition in Lake Charles, other three children were lost."

Roger White, W5SKW, ARRL EC and Area 3 RO, and XYL Bev were in the thick of things . . .

QST for



For many hours the hams had to refuse welfare messages which could have been important in helping to keep down rumors and reassure friends and relatives in all parts of the United States but emergency traffic directed to improving the danger aspects of the situation came before personal traffic.

Besides transmitting and receiving many messages, many official news bulletins were addressed to the outside through K5CXB. His net's news traffic was in some cases recorded for release on broadcast stations.

W5CCD kept a channel open into State C. D. Headquarters in New Orleans, also handled traffic and news. KRJ and APH handled a heavy load of traffic on the MARS circuit. W5WN moved many Welfare messages with help of a KL7 whose identity hasn't been established as yet. He came to help, was given a job to do, and executed it admirably along with W5IHR and others at W5WN's home. BWZ was always around to relay the Cameron traffic to and from the city hall; he had plenty to do. Several YLs spent sleepless hours at stations away from control center relaying, receiving and delivering messages by telephone.

Throughout Saturday and Sunday the hams operating with emergency generators or restored commercial power continued to move traffic of all types efficiently and without a break of any kind. On Saturday morning, W5HNS, K5HSN and W5MKI were sent to Cameron as relief operators. They remained 24 hours, doing all they could to help the situation.

The total number of messages and bulletins during the period of organized activity, was in excess of 4000. Many more welfare messages were handled by individual stations after organized and controlled operations ended.

As commercial power began to be available in the various sections of Lake Charles, Sulphur, Maplewood, and Hollywood, more amateurs came on the air, taking over most of the load of welfare traffic that was swamping the stations that had been in continuous operation using emergency power. All participating amateurs deserve great credit. All did what they could with what they had to do with, and that is all any ham involved with Audrey could do.

It is well to note that in true amateur fashion a lot of welfare traffic was handled by a couple of young Novices in Sulphur, KN5KSK and KN5JMV. These boys were helping out with some of the emergency nets operating out of Sulphur, and later when possible, they used their

own flea-powered rigs and exchanged messages in the Novice Bands with other Novices throughout the county.

On Sunday morning after Audrey was well on her way northward, a message was received from Cameron requesting parts to replace some that were giving up the ghost in two rigs operating there. The EC contacted W5WN, secured the parts and flew them down by 'copter about noon. By that time, some roads into Cameron had been opened, and other means of communications were becoming available. For one, the Army had arrived with their communications vans. So after returning to Lake Charles, the EC talked with communications Director W5BSR, and it was decided that by 1800 hours local time, usual or auxiliary communication systems in the stricken area should be functioning satisfactorily, and organized amateur operations could be terminated, the Cameron stations returned home; and all ham activity thereafter would be on an individual basis as desired by each operator.

Most of the hams involved had been on duty from early Wednesday morning until the stations in Cameron were brought back to Lake Charles around 10:00 P.M. Sunday night, roughly 120 hours with less than 12 hours sleep. They had handled the emergency in accordance with the best amateur traditions. They were, as one high C. D. official put it, "The only organization involved in the emergency that did not bog down sometime, somewhere."

There follows a list of the calls of all amateurs known to have participated in the organized communications portion of the emergency. If the call of any amateur who lives in the Lake Charles, Sulphur, Maplewood, or Hollywood areas, and who helped in any way, is not listed, please don't feel slighted. Those who worked with you know what you did, and you have the satisfaction of knowing that you, too, have done a typical amateur radio job.

W5AOA	W5IYG	W5TVH	K5CXB
W5BMK	W5JBW	W5UGJ	K5CZV
W5BSR	W5JFR	W5UJP	K5ESM
W5BWZ	W5KHC	W5VTU	K5GRG
W5CCD	W5KRJ	W5WMI	K5IMQ
W5CEZ	W5LLP	W5ZAK	K5IQZ
W5CNZ	W5MDN	W5ZJS	K5JQC
W5CTQ	W5MKI	W5ZJT	KN5ALU
W5DEA	W5MON	K5APH	KN5IZE
W5EAW	W5NHN	K5BQT	KN5JMV
W5HNS	W5OVE	K5BTG	KN5KFE
W5IHR	W5SKW	K4BTY/5	KN5KSK
W5IIF	W5TJB		

Strays Mag

One day recently, within a two-hour period and without prearrangement, K9AZK worked K5USA, K2USA, and W4USA. No, it wasn't on Armed Forces Day!

Leo C. Young, W3WV, well-known old-timer, was recently presented with a pin signifying forty years of service with the Naval Research Laboratory in Washington, D. C.

Bibliography of QST Articles on TVI

- Adjustable Dummy Antennas, Grammer, 32, March 1951.
 Adjusting the Antenna Coupler and Harmonic Filter (Technical Topics), 32, Aug. 1949.
 Amplifier Instability in Transmitters, Mix, 19, June 1948; also: 807s in Push-Pull, Mix, 11, Aug. 1948.
 Another TVI Kink (H & K), 60, Feb. 1949 (tin-foil trap).
 ARRL TVI Demonstration Completes Its First Tour, 16, Oct. 1953.
 Bandpass Circuits in a Multiband Transmitter, Chambers, 21, May 1949.
 Bandswitching V.H.F. Converter and Harmonic Checker, Tilton, 33, July 1951.
 Building an 813 Transmitter — Modern Style, Smith, 11, July 1951.
 By-passing for Harmonic Reduction, Grammer, 14, April 1951.
 Channel-Strip TVI (Happenings of the Month), 45, Oct. 1953.
 Chasing the Tennessee Valley Indians Out of a BC-610 Transmitter, Harlow, 65, May 1951.
 Color Television and the Amateur (Grammer), 31, Nov. 1953.
 Combining the Antenna Coupler and Low-Pass Filter (Grammer), 17, Mar. 1953.
 Curing Industrial TVI, Rand, Riley and Lamb, 29, Sept. 1951.
 Curing Interference to Television Reception, Seybold, 19, Aug. 1947.
 Dallas Plan for TVI, 26, June 1951.
 Dayton Plan for TVI (On the TVI Front), 34, Sept. 1951.
 Design of Low-Pass Filters, Seybold, 18, Dec. 1949; Feedback, 21, Jan. 1950.
 Don't Pamper Your Harmonics, Rand, 24, Feb. 1951.
 Effective TVI Probe (H&K), 69, May 1952.
 Eliminating TVI with Low-Pass Filters, Part I, Grammer, 19, Feb. 1950.
 Eliminating TVI with Low-Pass Filters, Part II, Grammer, 20, Mar. 1950.
 Eliminating TVI with Low-Pass Filters, Part III, Grammer, 23, April 1950.
 Eliminating 80-Meter Novice Harmonics, McCoy, 32, July 1956.
 FCC Public Notice — 21-Mc. TVI (Happenings of the Month), 43, Sept. 1953.
 FCC's Plan for Handling TVI, Turner, 22, Jan. 1952.
 Fishbox Shielding (H & K), 69, Dec. 1952.
 Grid Dip Meter for V.H.F. (H & K), 66, June 1948.
 Grid-Dip Oscillator (H & K), 58, Aug. 1947.
 Half-Wave Filters (Technical Topics), 36, Dec. 1949; also: Technical Topics, 34, Feb. 1950.
 Handling TVI Complaints Due to Poor TV Sets, Shook, 51, June 1953.
 Harmonic Radiation from External Nonlinear Systems Seybold, 11, Jan. 1953.
 Harmonic Reduction with Stubs (H & K), 58, Dec. 1948.
 Harmonic Reduction in a 500-Watt All-Band Rig, Mix, 21, Nov. 1949.
 Harmonic Suppression in Class C Amplifiers, Gemmill, 28, Feb. 1949; see also Grammer, 34, April 1949.
 Harmonics in the V.H.F. Range (Technical Topics), 68, April 1946.
 High-Attenuation Filter for Harmonic Suppression, Pichitino, 11, Jan. 1950.
 High-Pass Filters for the 50-Mc. Operator (Recent Equipment), 31, Aug. 1956.
 High-Pass Filters for TVI Reduction, Grammer, 46, May 1949.
 Home-Built Shielded Link (H & K), 63, Aug. 1952.
 Improved Shielding with Copper Screen (H & K), 68, Dec. 1952.
 Interference with Television Broadcasting, Grammer, 24, Sept. 1947.
 Is Your Rig R.F.-Tight? Schreiber, 29, Aug. 1953.
 ITV (Editorial), 9, Aug. 1954.
 "ITV" Filing (Happenings of the Month), 146, Dec. 1954.
 Keeping Your Harmonics at Home, Grammer, 13, Nov. 1946.
 Key Clicks and Receiver Bandwidths, Goodman, 34, April 1950.
 Letter to TV Manufacturers, 35, Feb. 1952.
 Letters from the TV Receiver Manufacturers, 27, Mar. 1952.
 "Little Slugger," Rand, 11, Feb. 1949 (ten-meter TVI-proof rig).
 List of TVI Committees, 51, Oct. 1956.
 Low-Pass Filter for High Power, Fosberg, 28, Oct. 1951.
 Low-Cost TVI Filter, Dene, 16, May 1950.
 Merit Award to Rand (Happenings of the Month), 44, Nov. 1953.
 Miniature Tribes in a Bandswitching Exciter, Mayer, 11, Dec. 1949.
 More on TVI Elimination, Rand, 29, Dec. 1948.
 Multiple-Circuit Tuners from Grid to Feeder, Chambers, 24, June 1949.
 On the TVI Front
 Arlington, Texas, TVI Forum, 16, Mar. 1953.
 ARRL TVI Demonstration to "Barnstorm," 50, June 1953.
 ARRL TVI Demonstration Visits Dallas, 57, Dec. 1954.
 Assist for TV Viewers, 16, Mar. 1953.
 Cure for ITV, 46, Sept. 1954.
 Encouraging Letter, 57, Dec. 1954.
 Interference Aids Available, 50, June 1953.
 Licking U.H.F. Strip TVI — A Success Story, 28, Mar. 1954.
 Raytheon Advises Consumers on TVI, 31, June 1954.
 Reminder — Television Script on TVI Available, 28, Mar. 1954.
 Roster of TVI Committees, 16, Mar. 1953.
 Addendum, 50, June 1953.
 Revised, 44, Sept. 1953.
 San Francisco Committee Reports Success, 50, June 1953.
 Servicemen Enlightened on TVI Problem, 53, Sept. 1952.
 TVI Can Be Licked!, 52, Dec. 1952.
 TVI Committee Operation Described, 46, Sept. 1954.
 TVI Forum, 44, June 1952.
 TVI Television Script Now Ready, 44, Sept. 1953.
 U.H.F. "Strips" — A Problem for the V.H.F. Man, 62, Dec. 1953.
 Up-to-Date List of TVI Committees, 31, June 1953.
 Washington, D. C. TVI Committee Successful, 52, Dec. 1952.
 V.H.F. Heterodyne TVI, 44, June 1952.
 21-Mc. TVI, 57, Dec. 1954.
 50-Mc. TVI Filter, 44, Sept. 1953.
 Operating the BC-606 in TV Fringe Areas (Ticen), 22, Dec. 1953.
 Painless Shielding for the Plug-in Coil Transmitter-Exciter Grammer, 10, Feb. 1952.
 Pi-Network Tank Circuits for High Power Grammer, 11, Oct. 1952.
 Stray, 126, Dec. 1952.
 Pointers in Harmonic Reduction, Grammer, 14, April 1949 (includes 54-88 Mc. converter for harmonic checking).
 Practical Applications of Pi-Network Tank Circuits for TVI Reduction, Grammer, 10, Jan. 1952.
 Preventing R.F. Leaks With Aluminum Foil (H & K), 122, Feb. 1954.
 Progress and Activities Report — Washington TVI Committee Richman, 52, July 1954.
 Progress Report on TVI Committees, Turner, 48, Feb. 1953.
 "Rackabinet," Thompson, 37, Sept. 1951.
 Reducing Key Clicks, Carter, 30, Mar. 1949.
 Regenerative Wavemeter, Grammer, 29, Nov. 1949.
 Sensitive Crystal-Type Field-Strength Meter, Turner, 20, Mar. 1949.
 Seven Bands at Low Cost, Chambers, 15, Aug. 1951.
 Shielding for TVI Reduction (H & K), 118, Oct. 1950.
 Simple Experimental Shielding (H & K), 66, Dec. 1950.
 Single-Control Low-Power Transmitter, Smith, 11, Jan. 1951.
 Spurious Transmitter Radiations, Conklin, 66, May 1947.
 "Tailor Made" Antenna Couplers, Grammer, 19, May 1950.
 Standing Waves and TVI (Technical Topics), 44, Jan. 1954.
 Suppressing TVI in the Meissner Signal Shifter, McCoy, 33, Oct. 1953.
 Television Interference (Happenings), 33, Aug. 1947.

Tin-Can Low-Pass, McCoy, 29, Sept. 1954.
 Traps for TVI Elimination (H & K), 132, Oct. 1948.
 TVI (editorial), 11, May 1947.
 TVI (editorial), 11, Nov. 1947.
 TVI (editorial), 11, May 1948.
 TV Channel No. 1 Deleted (Happenings), 28, July 1948.
 TVI (Editorial), 9, Aug. 1952.
 TVI and the Novice (McCoy), 40, Oct. 1953.
 TVI Booklet Available, 116, Feb. 1952.
 TVI Can Be Reduced, Rand, 31, May 1948 (includes "gimmick" harmonic checker).
 TVI Checking (Editorial), 9, Apr. 1954.
 TVI Checking at Headquarters, 34, Apr. 1954.
 TVI — Color . . . and Strips (Editorial), 9, Nov. 1953.
 TVI Committees (Editorial), 9, Feb. 1952.
 TVI "Diplomats," Rowe and Lake, 30, June 1954.
 TVI from 21 Mc., Grammer, 20, Dec. 1948.
 TVI (Happenings), 21, Oct. 1948.
 TVI Hints for the V.H.F. Man, Tilton, 16, Apr. 1953.
 TV Interference Problems, Kiser, 44, Feb. 1950.
 TVI Lectures, 10, Nov. 1952.
 TVI Patterns, 43, May 1949.
 TVI-proofing the ARC-5 V.H.F. Transmitter, Johnson, 50, Nov. 1950.
 TVI-proofing the Ten-Meter Transmitter, Rand, 31, April 1951.
 TVI-proofing the Viking I, Rand, 20, June 1952.
 TVI Reduction in Strong-Signal Areas, Johnson, 17, May 1953.
 TVI Reduction — Western Style, Murdock, 24, Aug. 1949.
 TVI Report to Manufacturers, Rand, 47, Aug. 1952.
 TVI Script (Editorial), 9, July 1953.
 TVI Show to West Coast (Happenings of the Month), 45, Apr. 1954.
 TVI Special for 50 Mc., Southworth, 14, Jan. 1956.
 TVI Tips, 44, June 1949 (discusses importance of where harmonics fall in TV channels).
 TVI Tips, 64, July 1949 (suggestions for 50-Mc. operation).
 TVI Tips, 45, Aug. 1949 (stresses importance of shielded hook-up wire).
 TVI Tips, 55, Oct. 1949 (discusses subsidiary tank resonance at v.h.f.).
 TVI Tips, 54, Mar. 1950 (junk-box TVI checker).
 TVI Tips, 46, Aug. 1950 (high-pass filters).
 TVI Tips, 30, Dec. 1950 (harmonic separators).
 TVI Treatment for "Command" Transmitters (H & K), 66, Apr. 1952.
 TVI Went Thattaway! or I'm Back in the Hamshack Again, Williams, 20, Feb. 1952.
 TV Receiver Radiation, Najork (Technical Correspondence), 507, Nov. 1954.
 Understanding Television Interference, McCoy, 15, Apr. 1956.
 Useful Tool for TVI Reduction (H & K), 69, July 1949.
 V.H.F. Parasitics in Beam Tetrodes, Grammer, 14, Aug. 1952.
 21-Mc. Letter to TV Manufacturers, 30, June 1952.
 50-Mc. TVI — Its Causes and Cures, Ladd
 Part I, 21, June 1954.
 Part II, 32, July 1954.

ANNUAL SIMULATED EMERGENCY TEST

October 12-13, 1957

The time is about upon us for another SET, the Amateur Radio Emergency Corps' annual test of its nationwide facilities. Emergency Coordinators should by this time have received the bulletin giving last minute details of the activity, which has been listed in the Activities Calendar since July *QST*. This, like the bulletin, is more a reminder than an announcement and will introduce newer amateurs to the procedure and urge all AREC members and traffic men to participate.

The Simulated Emergency Test is an ARRL activity embracing coordination with both the American National Red Cross and the Federal Civil Defense Administration, the former through contact with local Red Cross Chapters and the latter through contact with local civil defense officials. These are the two principal to-be-served agencies involved, although other agencies normally served by your AREC group may of course be included. The activity includes both local and national operation: the former through carrying out a local simulated emergency exercise of your own (or your EC's) choosing; the latter through relay of message traffic (1) from your Red Cross chapter to national headquarters, (2) from your local civil defense director to FCDA in Battle Creek, Mich., and (3) from every AREC member to the ARRL National Emergency Coordinator. It is not a contest. The scoring system is for the purpose of comparison with your last year's score if you had one; or to add to the national score to

bring it over last year's national score to show that the AREC is making progress in being prepared for any eventuality.

Sound interesting? Here's what you do:

- 1) Contact your local Emergency Coordinator and get signed up in the AREC, if you are not already registered (you should be). Even if you are, this is a good time to get that AREC membership card endorsed if it needs it. If you have no EC, get together with other interested local amateurs and recommend one to your SEC or SCM (see p. 6).
- 2) Take part in the local simulated emergency which your EC will organize for the October 13-14 week end. It may be that for local reasons he will throw this test on a different date. Find out, and plan to take part whenever it is to be held.
- 3) Originate a message to ARRL headquarters indicating your participation. Remember there are some 30,000 AREC members and if each one originates a message (we hope they do) we'll be swamped (and we hope we are), so keep these messages short. Ten words should be sufficient. Put the messages on the regular traffic nets of the National Traffic System, or clear them on one of the National Calling and Emergency Frequencies; 3550, 3875 or 7100 are usually best for this purpose. Regular traffic men will be monitoring those frequencies on the lookout for such traffic, as will W1AW and some of the ARRL headquarters gang.
- 4) After the test, your EC will summarize results on a form with which he will be provided. See that yours reports, so your work will receive credit.

Several ECs have told us that they intend making this year's SET a really gala affair, with all the trimmings, and that they expect to have a big turnout. Last year's affair was an improvement over the 1955 SET; we hope that this one will be the biggest ever, as well it might. How about *your* help, OM?

CONTESTS



BY L. A. MORROW * W1VG

LISTEN! "CQ test de CR6AI"; a grab for the v.f.o. dial, the final amplifier switch and the bug, "CQ SS, this is W0NPR in North Dakota, over"; and the quick frequency change, the snappy reply into the mike. It's the DX Contest, the Sweepstakes, or one of the other shindigs that all of us get into if we possibly can.

For improving operating technique on both c.w. and phone, increasing code speed, putting the rig and antennas through their paces, working that badly needed country or state, and, most of all, for real fun on the air, contests are the tops.

Contest operating is certainly stimulating and is sure either to make us feel proud of our operating ability and station efficiency — or to make us realize our shortcomings and prod us into correcting them.

Just as the race track is the proving ground for many automotive advancements, contests provide excellent means for testing ideas in station design and operating practices.

There's a big difference in our favor, however: cars and drivers must qualify before they can compete in the big time, but a ham station and a ham ticket are all we need. Neither advance notice of entering nor any special qualification is required; we can jump in at any time and operate as long as we like.

And we don't have to be hot shots to enjoy it. The few 35 w.p.m. fellows with contest experience have a wonderful time fighting for top honors, but they don't get any more kick than the rest of us who move along at 20 w.p.m., happy to add a few new countries or states.

Still, it would be nice to make a top score, so let's remember that while only one entrant can win a tennis tournament or a skeet shoot, there are many winners in each radio contest. In fact, there's a winner from each area. It is well known that radio conditions are not the same everywhere, and because of this fact, amateurs in each ARRL Section and in each country compete

against each other. The winner in one part of the U. S. may have a lower score than the first two or three in another part. One of the big appeals of contests is that, no matter where we live, we can enter with a chance of winning because our competitors have the same radio conditions we enjoy or suffer.

But, of course, everyone cannot be top man for his section or country, any more than every kegler can bowl 220. The fact remains that the majority of bowlers, the hundreds of thousands of golfers who never break 100, the many piscators who have the proverbial fisherman's luck, all have fun.

It's doubtful, though, that they have as much fun as we hams do in a good contest. For instance, there's Field Day. It's in June. Summer is in the air; the gang is together; we get to stay away from home all night. What if it does rain? We can always eat. There's even the possibility that someone in the group can actually cook. And the knowledge that we really are accomplishing something by setting up and operating emergency equipment instead of merely trying to get a better score than the rival Podunk Hollow group gives us a virtuous feeling.

Now it's Fall. Nights are crisp, and static on 80 and 40 has disappeared. Yes, 20, 15 and 10 are wide open, too. It's time for the Sweepstakes. QRM? Terrific — but that's what we want. The place to go duck hunting is where there are plenty of ducks, and many a new state Mallard can be brought down in the SS by a well aimed call.

Next, the holidays have passed. It's even possible that the Christmas bills have been paid. DX is really getting good. It reaches its climax in the DX Contest, the big ARRL affair that brings on the air hams in countries which have been just unknown spots on the map to most of us. Here's the big opportunity to finish off the DXCC and to prove that 200 watts with our smart operating can make that kilowatt guy down the street look like a lid.

* Advertising Manager, QST.

There is a pattern to contests, a pattern that has evolved through the years, partly because of similarity of contest rules, partly because of knowledge of operating practices and station layout gained through experience.

The basic rule of all contests requires an exchange between two stations of a small amount of information, the receipt of which must be acknowledged by both. The information may be numbers and states as in the DX contest, message preambles as in the Sweepstakes, or ARRL Sections as in the VHF Party.

The basic operating practices are for the rare stations to call CQ and for the others to answer, for calls to be short, for break-in or push-to-talk to be used wherever possible.

The basic station requirement is ease of operating. This means rapid frequency and band change, convenient placing of controls with a minimum of switches to throw, and, of course, break-in or push-to-talk. Power requirements vary with the type of contest. Although a 100

The Wireless Institute of Australia

— VK - ZL —

INTERNATIONAL DX CONTEST

This is to certify that _____ has been
awarded this certificate for outstanding performance in gaining
_____ place in the _____ Section of
the _____ Contest, and in scoring _____ points.

Serial No. _____ FEDERAL BUREAU OF INVESTIGATION

watt/80-meter antenna station may not give much competition in the DX contest to a 1 kw. 20-meter beam layout, it may win in the SS. Flexibility, ease of operating on several bands and the power multiplier count heavily in the Sweepstakes.

At the end of this article is a table showing the most popular and important contests. In it is listed the issue of *QST* which usually contains complete information on each of them. It provides a quick method of seeing just which contests are held when and should be of value when planning how many weekends a year the family can safely be neglected. Also, it should help when something like "CQ FD" or "CQ contest" is heard, since a glance at its *QST* reference will tell what is going on, how long it will last and how to get into it. *QST* now carries an Activities Calendar under Operating News, too; it's a monthly reminder of contests coming up.

Contests are divided into two basic classes. In one class fall the contests which are usually

SWISS UNION
OF SHORT WAVE AMATEURS
Certificate of Performance

This is to Certify that _____ Operator of
Amateur Radio Station _____ has this date received
this award in consideration of his accomplishment in gaining
the _____ place in the _____
This Certificate is issued in recognition of his meritorious Per-
formance on _____
Traffic Manager _____

sponsored by the amateur organization of a country and in which amateurs from all over the world are invited to take part. The other cases are those in which participation is limited to hams in a certain country or geographical area. The contests in the latter class range from the very large Sweepstakes to various small affairs generally sponsored by local radio clubs.

The only exception seems to be the RSGB sponsored BERU which is of international scope but open to stations in the British Empire only.

Participation in a CD Party — which is really a get-together, not a contest — is limited to Communications Department appointees, League Directors, SCMs and Headquarters employees. But any licensed ham can apply to the ARRL for one of the many appointments which, if made, will qualify him as a CD Party participant. *Operating an Amateur Radio Station* (available from ARRL) gives details on how to apply.

Two of the most important contests are the International DX Competition (DX Contest) and the Sweepstakes. A comparison of successful operating practices in these should be of value because each sets the pattern for several others. The WAE and VK/ZL Contests, for example, are in the same category as the DX Contest, while the W/VE Contest and the VHF SS are more like the Sweepstakes.

General practice in both types of contests is for the stations in the rarer locations to call CQ. In the DX Contest it's the countries outside the United States and Canada, and in the SS it's the boys in sections like Utah and Vermont whose CQs get the answers.

Calls, both CQs and replies, should be short.

October 1957

4 CONCURSO LABRE

liga de Amadores de Radio Enthusiastas Brasileiros

conferir este diploma a _____
por sua participação no seu excelente desempenho em
na classificação (1957) obtida
no dia de Janeiro de 1957

todo estudo
1957

WAEDC

TELEGRAFIE

ERREICHTE IM WAEDC DLEM EUROPÄISCHEN DL-CONTEST SEIN ERGEBNIS VON

MIT DIESER UNANZAHL PUNKTES ERREICHTE PLATZ DER KLASSE A VON

1955

In fact, a DX station usually does not have to call except when first coming on the air. Calling CQ after each contact is a waste of time, as there are always many stations waiting to work him. The answering stations should keep their calls short, too, since the DX station with many replies to choose from is quite apt to come back to the station who signs first.

The smart c.w. DX station operator will ignore calls on his own transmitting frequency. He knows how nerve-wracking it is to try to exchange information when both he and his contact have to battle the jumble of stations there who keep calling and calling but never seem to listen. He will answer the stations who call at least 2 kc. from his transmitting frequency, changing his receiver tuning to the other side as a pile-up becomes too great. If he is really sharp he is apt to tell what his new receiving frequency will be: "Down 3 kc," "Up 2," or whatever. The alert operators who want to work him will get there in a hurry — although a few of the boys will probably continue to call on the old frequency for ten minutes longer.

The operator at the DX station must make it plain to everyone just who it is he is working. The same DX contact has been claimed by more than one W because the DX operator gave the W's call when he first answered and did not send it again. QRM in the DX Contest, for example, is terrific and it is easy for two or more operators to think their calls have been answered. The following probably represents the minimum necessary for a good exchange:

KT1UX KT1UX de W1AW W1AW K
W1AW GE 589100 589100 W1AW de KT1UX
KN

KT1UX R 579CONN 579CONN 73 de
W1AW (A)

W1AW R SK de KT1UX (B)

It may not be necessary for the W station to send his own call before transmitting the number, as long as he signs at the end of the transmission (A). However, it is important for the DX station to confirm on his last transmission which U. S. station he was working so some other eager W will not claim credit for the contact. (B). The SK tells those waiting that he is finished with

the QSO and is ready to answer another call — but not on his own frequency, let's hope!

Should a DX station answer a fellow who calls him while he is working someone else? Most ops agree that the answer to this is a definite No. Other stations will swoop in like pigeons around a pile of corn, including our old friends who just keep calling and never listen, and the result is a QRM nightmare.

But how about tail-ending? Some DX stations like it and some do not. Although the first-class operator will wait until the station in contact is signing off and then give the DX station a quick one-by-one, another W may hear him and decide to call a little longer. Then two or three more join the happy gathering . . . and a few QSOs later confusion reigns.

It's been said many time, but let's repeat and repeat: *The DX station is in absolute control.* There's no cause for him to get mad and quit because of pile-ups. All he needs to do is to ignore stations who call while he is in a QSO, turn his receiver dial when too many find where he's listening and never answer a station on his own frequency.

It is even more important to make calls short in a domestic contest. A snappy "CQ SS" will get excellent results, since potential answers will not wait for a long CQer to sign, but will look for a better operator. Also, a long reply to a CQ is generally worthless because the CQer will probably have already replied to a short call. Sometimes a CQer in the CD Party, for instance, has finished a QSO with a station who gave him a short call by the time the long caller has finally decided to sign.

Unlike the DX contest, a domestic contest affords excellent opportunity for c.w. QSOs on the same frequency. Contests like the Sweepstakes are based on QSOs between any two stations, regardless of which Section each may be in. Pile-ups of any size seldom occur. Therefore, a CQer will not tune his receiver very far from his transmitter frequency because he wants a contact with someone and wants it fast. If he does not get immediate replies, he will either call CQ or answer a CQ; he won't wait. Also, an unsuccessful reply to a CQ will sometimes result in a contact with another unsuccessful replier. The stations are on approximately the same frequency and can hear each other.

Example:


CQ SS CQ SS CQ SS de W7KEV W7KEV
BK

Suppose W1AW answers W7KEV and, since W1AW works break-in, hears W9BRD call W7KEV too. If W7KEV does not answer either of them, W1AW gives W9BRD a one-by-one and gets him before he tunes his receiver to a different frequency. Even though W7KEV, W1AW, W9BRD and the station W7KEV answered are on approximately the same frequency, it is entirely practicable for both QSOs to take place.

It is evident that efficient station operating in a contest is more than just hard brass pounding

or fast gum beating. The advice of the high scorers is to make your time pay. It's foolish to send the preamble in an SS exchange at 30 w.p.m. when the other fellow (and we can judge pretty well by his sending) cannot copy more than 20. The whole thing will have to be sent over again and more than twice as much time will be required for the contact. And it is fruitless to rattle off phone contest information when we know that interference on our transmitting frequency is boiling and running over. We'll have to control ourselves and talk slowly and distinctly, perhaps repeating each word, perhaps repeating the entire information.

Even the big shots don't get answers to every CQ nor raise every station they call. But when they begin to miss too many, they try another band. If conditions are not good on any band, they stop for a while and go back on the air when signals are rolling in again. When they are too tired to operate and handle equipment well, they knock off for a short rest. And when they work a station, they don't wonder whether he was worked before or whether he is in a new Section. They know, because the list of stations worked and the check-off sheet are where they can be reached without fumbling through a lot of papers or knocking over the ash tray. They don't go out of the band to call a DX station, either. FCC QSLs aren't desirable collectors' items.



in future operating, whether amateur, commercial or in the armed forces. Perhaps it is like the experience of the man who went to the doctor because his back pained him and was told that certain muscles needed exercising. "Lay a pile of marbles on the floor each evening before you go to bed," advised the M.D., "and see how fast you can pick them up with your toes."

After a couple of weeks the patient bounced into the office, full of enthusiasm. "Well," smiled the doctor. "I'm glad to see your back is better."


"Gee, Doc," replied the man, "I kind of forgot about that — but, boy, am I a whiz at picking up marbles with my toes."

<i>Name of Contest</i>	<i>Sponsor</i>	<i>Issue of QST containing rules</i>	<i>Location in QST</i>
International DX Competition	ARRL	January	See Contents, page 3
VHF Sweepstakes	ARRL	January	See Contents, page 3
Belgian Contest	UBA	March	How's DX? Whence: Europe
The French Contest	REF	March	How's DX? Whence: Europe
OZ Cross Country	EDR	April	How's DX? Whence: Europe
PACC	VERON	April	How's DX? Whence: Europe
Helvetia-22	USKA	May	How's DX? Whence: Europe
Russian Contest, c.w.	Central Radio Club	May	How's DX? Whence: Europe
Labre DX Contest	LABRE	August	How's DX? Whence: Hereabouts
W/VE Contest	Montreal Amateur Radio Club	September	See Contents, page 3
VK/ZL DX Contest	WIA/NZART	October	How's DX? Whence: Oceania
Sweepstakes	ARRL	November	See Contents, page 3
21/28 Telephony Contest	RSGB	November	How's DX? Whence: Europe
Worked All Europe	DARC	December	How's DX? Whence: Europe
CD Party	Comm. Dept. ARRL	CD Bulletins	Not listed in QST

Good light and a comfortable chair help, while a little fresh air has been known to be harmless. It is suspected that there might be a better diet than cigarets and coffee.

The experience gained by working through contest QRM, by operating under pressure and by fast handling of equipment is of great value

When the routine, every-day operating we've been doing begins to give us a pain in the back, how about picking up some QSOs in a good, fast contest? We may find to our pleasant surprise that we've become whizzes at it — and that the backache and boredom caused by stereotyped QSOs have disappeared.



With W1FTZ looking on, the mayor of Concord, N. H. (where QST goes to press), transmits first "CQ Field Day" for Concord Brasspounders. W1OC/1 wound up as Class-10A winner, top One, and the nation's third-highest club.



For Pocono Amateur Radio Klub's W3MAA/3: YL WN3KZC at log, W3MDO at bug, W3YAZ at hamburger.

1957 Field Day Tops 'Em All!

Ideal Weather, Hot Bands, Balky Generators Keynote Record-Breaking Test of Emergency-Powered Equipment

DURING the last decade almost every phase of operating you can name has grown like Jack's beanstalk. DX, v.h.f., traffic, and what-have-you are riding high, and so are the League's Code Proficiency, RCC, WAS, and DXCC issuances. The most recent ARRL DX Competition and Sweepstakes drew nearly 2000 apiece, and the last V.H.F. SS hit over 800 entries, all-time peaks for all three contests. But when we totted up the 1957 Field Day statistics


BY PHIL SIMMONS, * W1ZDP

our eyebrows arched; 10,264 participants just *couldn't* be right. We carefully rechecked, found no mistake. Sure enough, there were 10,264 participants in the field, a whopping 430 per cent increase, by the way, over the first postwar FD of 1946.

* Asst. Communications Manager, C.W., ARRL.

Single-side-band tent contributed mightily to Garden State Amateur Radio Association's results. W2GSA's 22,089 points ranked second among all clubs and led Class 9A. Clean-up chores completed, most of W4FU/8's DX and contest hounds cluster 'round their potent emergency-power source. Standing: W8ELB, W8BOJ, W8IFX, W8USM, W4JBQ, W8SDJ, W8PBU, W8SMC, W8FGX, W8RSW, sitting: W8GZW. The 10-kw. genny must have purred continuously. With ten rigs, OVARA ficked off 1596 QSOs and 14,364 points, enough for top W8 and fifth-ranking club tally.





Nothing is more important to success than good antennas and there are a lot of ways to get them skybound. *Left:* KN4HKM, K4HQD, and W9AJE demonstrate the elbow-grease method as they raise the 15-meter "catfish special" onto a 90-foot lookout tower for Danville Amateur Radio Club's W4CBM/4. *Center:* W6MCK and W6WYD prepare to launch a vertical-supporting box kite for Aerojet Radio Amateur Club. The wire gave an excellent account of itself on 80 and 40, helped K6CLZ/6 poll 5901 points with three transmitters. *Right above:* No, this isn't a Bell Telephone lineman, it's W7UHK outfitted in climber's belt and spikes. Gary's about to ascend a 50-foot fir and hoist up a clover-leaf for W7YK/7. *Below, right:* W5EKK shows good archery form as he shoots a pulley line toward a lofty ponderosa pine on behalf of New Mexico's Manzano Mountain Moonshine and Rhombic Society. W5EKK & Co. have recently made a notable splash on the one-transmitter scene, having placed first last year and second in '57.



And is it really any wonder? The average ham, never so versatile as he is today, often uses both phone and c.w., v.h.f. and l.f., chases DX and pushes traffic at varying intervals. This is also the age of specialization, however, and almost everyone has an operating *preference*. Field Day, primarily a group affair, has universal appeal. At the site, every type of talent is needed and can be put to good use. The brute-force DXer who pursues prefixes at home with kw. and beam perhaps can best be utilized at the 20-meter FD position. The traffic hound? 80 and 75, naturally. The hot-shot SS and CI-Party fiend, the crack brasspounder? The busiest c.w. bands. The experienced v.h.f.-er? Let him ply his accustomed trade; he knows the 2- and 6-meter locals by name and which way to point the beam to raise them. How about the member who, for one reason or another, has been off the air for several years (and what club doesn't have some deadwood)? His code speed is rusty but he can serve a stint as a commissary hand or Field Day chairman. The more fortunate outfits may boast one of those mechanical and electronic geniuses who, after a glance at a schematic, can fix anything in jig time. Because fluttering generator voltages cause equipment components to pop at frequent intervals, this fellow, worth his

weight in precious gems, should be placed on 24-hour maintenance stand-by, not wasted on key-diddling. Novices? Plop them down at their own private position and let them work the 2-, 15-, 40, and 80-meter segments to their heart's content. They also make invaluable log-keepers, generator-gassers, tree-climbers, and general handy men. Yes, there's a job for everyone on that mountain or beach or hilltop. Is it so amazing, then, that the 1957 Field Day, on that one June week end, drew (a) five times as many hams as ever were active in a DX Contest or SS, (b) twelve times as many as entered the last V.H.F. Sweepstakes, and (c) more than twice as many as have qualified for the DXCC Award since its inception in the late 1930's? And there were 963 portables and mobiles and 2394 separate receiver-transmitter combinations afield in this record-smashing test of emergency-powered equipment.

Nudging upward, Tri-County Radio Association of Plainfield posted the top score in the Field Day. Employing eleven rigs, a 6-kw. generator, and their well-known W2LI/2, 35 operators racked 2678 contacts and a hefty 24,327-point total . . . Garden State Amateur Radio Association's W2GSA/2 landed 22,089 points via 2466 QSOs at its Class 9A setup,

aply situated on Telegraph Hill, Holmdel, N. J. . . . The third-ranking score came from Concord Brasspounders, whose members accumulated 20,070 points with ten transmitters at W10C/1.

Other Class-A portables tallying five-digit scores: W9RK/9 14,994, W4FT/8 14,364, K2AA/2 14,121, W2JIO/2 13,716, W6UW/6 13,650, W5SC/5 13,566, K6DTA/6 13,320, W7HZ/7 13,059, W2VDJ/2 12,600, W9ZAB/9 11,664, W6PD/6 11,313, W2GTD/2 10,890, W7DK/7 10,656, W6NWC/6 10,584, W6JU/6 10,548, W2KOJ/2 10,431, W2OR/2 10 365, W3RCN/3 10,296, K6EBN/6 10,080.

Competition is deemed to be between stations using like numbers of simultaneously-operated transmitters and final scores are tabulated in this fashion. We therefore salute the following



During a lull at W4PAY/4, the Amateur Radio Club of Falls Church, high-school lads K4IYE and K4MLA meandered off to check out this battery-powered 50-Mc. pack set. Note the cozy split phones.

clubs, many of whom established new contact and score records in leading their entry classifications:

Class	Call	Score
1A	W3BES/3	7383
2A	W1EIA/1	9360
3A	W3ATR/3	8118
4A	W9ZAB/9	11,664
5A	W2JIO/2	13,716
6A	K2AA/2	14,121
7A	W7HZ/7	13,059
8A	W7DK/7	10,656
9A	W2GSA/2	22,089
10A	W10C/1	20,070
11A	W2LI/2	24,327
13A	K6EA/6	9873

For geographical comparisons, here are the top scorers by call areas:

W10C/1	20,070	KH6RS/KH6	4482
W2LI/2	24,327	KL7AWR/KL7	540
W3RCN/3	10,296	KP4UY/KP4	7641
W4ZV/4	6840	KZ5AF/KZ5	5820

W5SC/5	13,566	VE1AEP/1	3366
W6UW/6	13,650	VE2ADX/2	3069
W7HZ/7	13,059	VE3JJ/3	5931
W4FU/8	14,364	VE6NQ/6	3042
W9RK/9	14,994	VE7ARV/7	4110
W0DKI/0	5499	VO1DS/1	1242

Things were humming too in Class B amongst the one- and two-man portables. Back again was W3EIS/3, W4YHD assisting, to amass 660 contacts and 9261 points with battery-powered Command Sets, a Ranger, and two Collins receivers. Don sums it up so, "This FD tops them all! We had everything going for us. No lightning storms, no ionospheric blackouts, no serious equipment trouble, and after several years of FD experience and careful arrangement of the setup, we just kept rolling along to a new Class-B record." . . . Runner-ups W2FBA/2 and W2JBQ, who've been going steady on Field Day since time immemorial, managed 6386 points, 448 QSOs. Says FBA: "Weather perfect as usual. On 15 successive Field Days we have never had bad weather." Anyone else around who can make that statement? . . . W3MSR/8 topped single-operator entries with 4086 points, followed by these other husky unit-individual scores: W1RAN/4 3632, K9DJB/9 3411, K5EZV/5 3042, K2DGT/6 2730, W7CJZ/7 2687, W7WOQ/7 2493, W9ESQ/9 2457.

Class C, the mobile category, is the easy way to get in on the fun, provided both the family flivver and the radio gear are in running condition. After all, what is simpler than hopping into the front seat and grinding out rapid-fire contacts? Hopping into the front seat and grinding out rapid-fire contacts was K5ENZ/5, capably aided by W6HQN. The contact total of 281 and score of 4131 came about courtesy of a Gonset station which included a v.f.o. driving a Commander and a Super 6 into a Super-ceiver. . . . Other outstanding mobile work: K2TOM/2 3591, K6EPC/6 3119, W8GHO/8 2849, W8PVC/8 2660, W8FKB/8 2579, W8QAV/8 1971, W3VXN/3 1917, W8AEU/8 1904, W8QNG/8 1836.

Quotes


"For sale very cheap: one transmitter, one receiver, one conglomeration of tangled wires formerly used as an antenna, one very muddy location (user must not be afraid of cows)." — *K0DSC/0*. . . . "W8FGX: 'FD is still the most interesting contest.' W8RSW: 'How about some bug-bombs and yellow lights to help insect QRM?' Re W8SDJ's coffee, W8XXX: 'What is this stuff, fuel oil?' W8TFX: 'Quit annoying W4KX with food when he should be getting 40-meter QSOs.' W8CEG: 'At times we finished a QSO with as many as nine beetles on the operator's hands and arms.' W8ELB: 'My morale is pretty low.' W4KFX: 'Oh, my aching back!'" — *Ohio Valley AR Assn., W4FU/8*. . . . "Our secret weapon was a 48-foot portable tower and a 600-foot long wire. All members thoroughly enjoyed FD at the T&R ranch, as did the eight horses in the corral which kept us company through the night. Because of excellent publicity in the papers and on radio and TV, we were visited by many people. We were also visited by thousands of bugs, critters, and varmints from the Florida Everglades." — *Miami Springs RC, K4OSQ/4*. . . . "FB weather, FB conditions, FB rigs, FB ops, FB antennas, lousy generator!" — *Baltimore Polytechnic Institute RC, W3CDI/3*. . . . "We broke all our previous records for

CLUB AGGREGATE MOBILE SCORES

Westpark Radiops.	45,021
Phil-Mont Mobile Radio Club	16,439
South Bend Mobile Amateur Radio Club	4632
Confederate Signal Corps.	1122
Hoosier Hills Ham Club.	676
Delco Radio Club.	635
Atlanta Radio Club.	342
Central Indiana Mobile Radio Club.	180
Central Queens Radio Club.	122
H.E.A. Radio Club.	81
Hampden County Radio Assn.	68

stations worked. Forty was wide open from start to finish and 80 was terrific during the night. On 20 we had too low an angle with the ground plane to raise zeros and fours and had to be satisfied with fives and sixes. Activity seemed greater than ever before. Our experience has been that a growing tendency exists to leave the large 6- to 10-transmitter installations for small groups of two to five operators. The main stumbling block appears to be the a.c. generator, but these units are becoming available at reasonable prices and we feel that more hams will gradually acquire them as part of their equipment. Healthy rivalry for top club honors exists here in Canada." — *Blackheath Cold Beer & Hot Bun Propagation Society, VE3PT/3*. . . . "For most of the week end we were without power, struck by lightning, fogged in and smogged in, rained upon, stuck in the mud, shocked, frozen, starved, poisoned, over-run by tourists, and thirsty. Enjoyed FDI!" — *Charlotte ARC, W4BX/4*. . . . "Cows constituted a major QRM problem. We spent more time chasing them from our food supply than operating." — *W3YL/3*. . . . "Mosquitoes, poison ivy, and QRM were present in profuse quantities but we still have the old spirit. The next FD will again lure us to our annual doom." — *Ridgewood High School RC, W2YNU/2*. . . . "Murphy's Law (p. 60, December 1956 QST) prevailed. The final tube of one rig went West and the brand-new spare was NG, but just wait till next year!" — *Albany Park ARC, K9CDI/9*. . . . "We like the new starting and ending times. Weather perfect and already making plans for '58." — *Happy Hawaiians, KH6EN/KH6*. . . . "Our best score in four years. Some wind and rain but bands were really hot." — *Brasspounders ARC, W8FWQ/8*. . . . "Excellent weather but conditions, especially on 40, killed plans for a record-buster (in Class 1A). We had our quality-control charts set up for 800-net contacts but averaged on the low side most of the night. Impressive operating skill was encountered; the boys are certainly developing their procedure and use of break-in." — *Manzano Mountain Moonshine & Rhombic Society, W5EKK/5*. . . . "Wonderful cooperation was received from the local chapter of the American Red Cross. Mr. Wick, the Executive Secretary, declared an authorized Red Cross emergency test and furnished us with tractor, trailer, food, gasoline, and hardware. Portable antenna towers were borrowed from state civil defense. Best band was 20, with 40 next, but 80 was jammed with harmonics from h.c. stations close by. Plenty of rain squalls and precipitation static but we were snug in our sleeping bunks in the trailer. Truly a wonderful FD here!" — *W0DKI/0*. . . . "Even though we were operating from a funeral tent, things were very lively. A portable TV brought along for the entertainment of off-duty ops worked beautifully." — *Old Dominion ARC, K4EAS/4*. . . . "Phooey, we should have done lots better, but 15 and 10 were poor and we wound up with most QSOs on 20, set up at 150-watts input. Result: points down. Need more t.r. switches next time and may add s.s.b. for some more extra-traffic contacts. All hands ate like pigs before the contest, then went on coffee and catch-can after the grind began. Wonderful weather. Everyone agrees that improving our electronic coordinator, known as 'The Thing,' will be a big help to our coming out on top in Class 1A." — *Tualatin Valley ARC, W70TV/7*. . . . "All 21 members participating had an FB time and agree wholeheartedly that this exercise is the year's most enjoyable activity." — *Richland ARC, W7YPA/7*. . . . "Like the new flexible starting-time arrangement." — *W3NW/3, Odessa ARC*. . . . "An interlock circuit between the two main rigs kept us in the one-transmitter class while 6-meter phone contacts were 'snuck

in' between hulls in the regular operation. The system led to a few cuss-words but proved very effective. We at first tried 30 watts on c.w. but couldn't get out of the back yard until we fired up the 32V and entered the new 150-watts-and-under power category. That extra two db. above 100 watts sure is an improvement, and going from 30 to 150 watts was like the difference between night and day. K0DBG spent three weeks building a neat little 30-watt rig with true break-in and all the fixings and we used it exactly 3½ hours!" — *Cedar Valley ARC, K0AZI/0*. . . . "Our first FD and very enjoyable, although we knocked ourselves out getting set up atop a 50-foot fire lookout tower. Strangely enough, our operating position was higher than our antennas. Hope to find another location next year, one without so many steps!" — *W4CVI/4*. . . . "Even though the weather was bad, the food lousy and the antenna poor, we enjoyed cranking out a few QSOs." — *Quad City ARC, W9YCR/9*. . . . "It doesn't pay to commit the station to one type of polarization. We could hear all call areas with strong sigs on a horizontal long wire for about four hours in the morning, but could only work a half-dozen with a vertical antenna. Next year we'll have both horizontals and verticals for transmitting." — *Boulder ARC, W0LA/0*. . . . "Just for variety we decided to use 500 watts, even though the power multiplier of one would cut down the score, and we were very busy logging 515 phone contacts with the Viking 500. A high wind threatened to carry away the tent but everything held. We had a terrific time and are looking forward to a bigger score in '58." — *W0YDX/0*. . . . "All for the new starting time and power-input level." — *W0FFN/0*. . . . "No rain. What happened?" — *W3EAN/3*. . . . "Respectfully suggest that mention be made in QST that foreign amateurs wishing to work U. S. or Cana-



Obviously W1IIM can't get the code off his mind. Lou is purported to be operating the Dream Band while off duty at Bristol County Amateur Radio Association's W1LAM/1.

dian FD stations limit their QSOs to essential exchanges of signal reports, QTH, and names, if necessary. This would enable them to work a new state or province in some cases and possibly help us land a new country or, at any rate, help prove that DX can be worked with low power and an emergency setup." — *Cross Roads ARC, VOIDS/1*. . . . "Unusual equipment: a portable fogging machine to keep the winged pests from carrying off any of our operators." — *Daytona Beach AR Assn., W4MEL/4*. . . . "Never will catch up on my beauty-rest. Everybody got some sleep but me." — *K2OSY/2*. . . . "Operation was from a recently-acquired school bus from which seats had been removed and operating desks installed. The converted bus will eventually house permanent equipment for all amateur emergency services, i.e., RACES, AREC, and MARS, as well as the Civil Air Patrol, National Guard, and local c.d." — *Harrison Emergency Communications Assn., W5WEE/5*. . . . "Nine operators, including two KNs, tried their luck with mike and key. However, all members were on hand to take an active part in setting up, cooking, etc., and to enjoy some wonderful 'eyeball' QSOs. We tried out our new club call for the first time." — *Mason County RC, K8DXF/8*. . . . "The Beaumont Boy Scout Camp of St. Louis County showed our group fine consideration in permitting use of

their Ranger tower and chow hall. We stayed on the air the full 24 hours except for five minutes when one of the guys went to sleep and let the generator run out of gas." — *W0FLR/0*. . . "Everything went smoothly until our antenna fell down. Then the rig started blowing fuses. After a thorough (?) investigation we decided that a power transformer was shot and put another transmitter into service. Actually, a bad low-voltage rectifier was the trouble. But looking over the whole event, we had a grand time. As for our score and other mishaps, wait till next year!" — *K0DKA/0*. . . "A new interlock phone-c.w. system in the one-transmitter class, along with revised operating techniques, boosted our score. Tried verticals with little success. Higher power improved our QSO total but was of questionable value score-wise. A wonderful time with the same old gang!" — *Dayton AR Assn., W8CEA/8*. . . "Everything I'B except that we plan to forgo the 30-watt multiplier for higher power. It takes a lot of juice to get over the Utah 'hills.' We strongly recommend that the 150-watt multiplier be lowered to the previous 100 watts." — *Utah ARC, W7CTI/7*. . . "Consideration should be given to providing a special category of recognition for those organizations who are necessarily restricted to six meters due to membership consisting mainly of Technicians. Obviously there is not the potential in v.h.f. that exists on the lower frequencies, both as to number of stations and the distance factor." — *Mobile Sixers, W3JBA/5*. . . "Our generator had to be turned off every two hours to allow the driving motor to cool for about 20 minutes." — *W3CQZ/3*. . . "Upon firing up we discovered so much line-voltage drop that our antenna relay wouldn't kick over. For the remainder of FD, two operators were on duty at all times, one at the rig and the other to hold in the relay manually." — *W8MNV/8*. . . "Everything was full of r.f. except the antenna but we still managed over 100 contacts." — *W0UJK/0*. . . "Torrential rains and a wet generator nearly finished us, what with three inches of rain in the tent, and it was late in the evening before we finally coaxed a CAP generator to turn over. Next year we will have a high and dry tent plus boots to wear. Despite insects, mud, and poor luck, we had a great time." — *Tri-State AR Society, K0AZK/9*. . . "The war-surplus generator started with the first tug of the rope when we arrived at the site. To our dismay, we then found we had no tree-climbers present, but many tosses of rocks finally got our antenna almost 13 feet in the air. When we happily tried to restart the genny, it took three solid hours of rope pulling. A doe, a porcupine, and other forms of wildlife having invaded our food box, the following morning we breakfasted on chipmunk-chewed bacon and murdered eggs. While yakking with a W6, Cliff got 65 watts of pure r.f. through the seat of his pants before we replaced our bare-wire lead-in with 300-ohm ribbon. In trying to get rid of hash without any capacitors, we directly grounded the generator. Wonder why the motor backfired and quit? Then the fuse box vibrated loose with a loud bang and flying sparks. Our log caught fire from our small stove. We hope other hams can profit by our mistakes." — *Mt. Shasta High School Mike & Key Club, K6CDQ/6*. . . "A surprising amount of s.s.b. activity." — *Richmond ARC, W4ZV/4*. . . "Loads of fun but where were the customary thunderstorms? In '58 we are shooting for more seasoned operators, better antennas, and maybe also a better location. The surplus 2.5-kw. generator, of which we had only one, held up swell and ran continuously for the whole 24 hours. Looking forward to and making plans for next year's bigger and better FD!" — *Elizabethtown Area Contest Group, W3MFW/3*. . . "Two meters was hot as a firecracker and our most successful band. The new 24-out-of-27 hours of operation rule is a good one. Keep it!" — *Santa Monica Bay Area Emergency Net, K6LDA/6*. . . "Our ninth annual FD as a club and for the first time it didn't rain. This fact, along with an absence of equipment failures, resulted in our best score yet." — *Keystone ARC, W3PSH/3*. . . "Unusual experience: no rain. Thanks." — *Night Owl Net, W2GIV/2*. . . "The Bandhoppers have obtained a two-wheel trailer and built into it provisions for a complete c.w. station. It is also used to carry all gear, including antenna poles, tent, two generators, guy ropes, and operating table. An extremely neat arrangement, it will keep our gear together and available for FD and local emergencies. The FD rules are satisfactory and workable and should be kept as much the same as possible from year to year." — *Bandhoppers RC, W0RFU/0*. . . "In all, 70 members participated with 32 actual operators in six shifts

of four each and rotating shifts on two rather undependable generators. Our only lady member did the cooking. For the first time in four years we had no storm." — *Palmetto ARC, W4MN/4*. . . "Of ten antennas, only the trusty 40-meter dipole worked well. Much difficulty matching and loading up the others." — *Delco RC, W3DUU/3*. . . "All-band trap dipoles FB all bands. No loading problems." — *Southington AR Assn., W1MEZ/1*. . . "Conditions were a lot more favorable than in '56 and we are looking forward to next year when we can fight the mosquitoes and weather again." — *Indian Hills RC, W8ICS/8*. . . "Even though K4IYE's forecast was correct (see Strays, p. 14, July QST), we had more fun than a rain-filled barrel of monkeys!" — *W9VT/9*. . . "We wish to offer our sincere thanks to K4IYE for his accurate long-range weather forecast, although he forgot to mention anything about the tornado that just missed us." — *Duncland AR Assn., W9EEO/9*. . . "The weather was excellent, hot and humid with temperatures about 90°. The usual thunderstorm did not materialize until we were all through Sunday. By running lower power this year we had hoped for a considerable advantage points-wise, but although we made a gain we did not get the lead expected." — *VESU/2*. . . "No generator trouble for the first time in six years." — *AR Society of Queens, W2CGK/2*. . . "The ARRL publicity release, locally modified, was used before Field Day and followed up later with another article, including photos, in the local weekly paper." — *Eglin AR Society, W4SRX/4*. . . "We operated practically in the shadow of the Brigham Young monument in Whitingham, Vermont. The 60-cycle generator frequency was ingeniously checked by comparison with a record-player turntable. This, our initial FD, taught us enough to better our score considerably next year. A great experience!" — *Royal Order of Left-Handed Chicken Pluckers, W1DGL/1*. . . "Most successful one yet but the phone men beat the c.w. boys. For shame! The addition of two new 40-foot masts next year will make the difference, wait and see!" — *Waterbury ARC, W1LAS/1*. . . "We learned that the attractive features of antenna procedure, as seen on paper, 'ain't necessarily so.'" — *Southwest Iowa AR Assn., K0GIV/0*. . . "An HRO was used as a monitor receiver to investigate the profitability of changing bands from time to time. A Conrad monitor with suitable relay and large 'alert' and 'safe' lights was also provided." — *Aiken ARC, K4JIV/4*. . . "Pre-testing of one 2500-watt generator, by letting it run for four hours at one-half its rated capacity, indicated its non-usefulness. It was therefore replaced with a 4-kw. job that performed FB." — *Mt. Vernon ARC, K8EEN/8*. . . "As a time-saver, suggest that more participants familiarize themselves with the ARRL sections as listed in QST." — *K6YZR/6*. . . "Our 3.5- and 14-Mc. receivers had audio outputs split into pairs of 'phones so that Novices could sit in, copy, and maintain duplicate logs. The newcomers appreciated this excellent opportunity for on-the-air code practice." — *Hamden ARC, W1WHF/1*. . . "A t.r. switch on the c.w. rig proved very worthwhile, but Windows gave us trouble. We changed to doublets at about 3 a.m." — *Peninsula ARC, W4K6K/4*. . . "The increase to 150 watts probably took the load off many guilty consciences." — *Rochester ARC, K0CPW/0*. . . "Best way to stay awake all night: drink coffee and keep eating. The hungrier you get, the sleepier you get." — *Montgomery County ARC, W9BXR/9*. . . "The Kohler generator was very reliable as we were off the air only eight minutes for fuel pump repairs. Our one Novice had QRM trouble but managed to salvage 16 contacts out of the maze. Would like to see in QST an explanation of logging procedures, methods for avoiding working the same station twice, and any other ideas to make the paperwork easy." — *Old Post AR Society, K0GQP/9*. . . "Receiver b.f.o. frequency shifted when phone rig went on air because of change in line load of generator. Next year, VR tubes." — *Fullmer Horton Memorial Radio Society, W4BUW/4*. . . "This was an all YL Field Day, except that we had some very welcome OM technicians along to help put up fallen antennas and keep the gas tank full. Several families spent the entire time on location. There was food galore and plenty of coffee, tea, and soft drinks. Not many contacts, but what fun!" — *Women Ham Operators of Tarrant County, W5PFU/5*. . . "We used FD as a partial c.d. drill for our mobiles at various points within a 30-mile radius. Best FD yet!" — *Red Cedar RC, W9WDK/9*. . . "We brought along everything but the club license for K2BR, so we used the call of K2LZB, on whose farm we were operating." — *Southern Counties AR Assn., K2LZB/2*. . .

"Our generator developed a gas-tank leak which we unsuccessfully patched with chewing gum. We ended up catching the gas, as well as bugs and grass, in a borrowed bucket and periodically emptying the whole mess back into the tank. When we marched into a nearby restaurant Sunday morning, dirty, ragged and wearing our W3BOA T-shirts and started talking about guys we had hung on poles, we had the waitresses scared stiff!" — *W3BOA/3*. . . "Saturday evening our Disaster Warning Net was called into service due to a thunderstorm and possible tornadoes. The *Midland Daily News* carried a release on our activities, which of course tied in nicely with the purposes of FD." — *Midland ARC, W8KEA/8*. . . "This is a new club and with only two FDs under our belts we have much to learn. We will give it the old college try again next year." — *Triangle RC, K8BLP/8*. . . "We put up a tent but what for — no rain! Quick calls on 75 were a 'must' and two meters was really hot." — *K2KFF/2*. . . "Our 3-kw. surplus generator performed nobly for the 24 hours. It needs some work, however, and when overhauled will be trailer-mounted with portable gear for prompt emergency use." — *Seward County RACES Group, W0VY/0*. . . "SBARS' first FD and eight of the twelve ops were Novices. Although the score was low we learned a lot about antennas and operating and are already setting our sights for '58. We QSLed 100 per cent if addresses were listed in the latest *Call Book*." — *South Bay AR Society, K6ULZ/6*. . . "We made over 1000 contacts; however, after eliminating duplicates and contacts where signal reports were incomplete, we had 945 valid QSOs. Since this was the first FD for all but three of ten operators, we feel it was a creditable showing. The




At Radio Amateur Megacycle Society's K9CJU/9, son W9PTZ and dad W9STZ join forces to set up printer, reperf, and converter, sole RTTY installation reported active in the '57 FD.

MARS Director of Caribbean Air Command has now included participation in FD activities as part of the local MARS program." — *Abrook AFB RC, KZ5AF/KZ5*. . . "A rare Field Day without rain or static and despite Murphy's Law we bettered our '56 score." — *Mid-Island RC, W2UBW/2*. . . "Operations were conducted from Geiger Grade Summit, four miles north of historic Virginia City and the famous Comstock Lode, at an altitude of 6900 feet. Three teams had been organized to cooperate in supplying equipment and setting up the three transmitters. This worked very well with the three group leaders having an 'internal' contest to see who could milk the most points out of each setup." — *Nevada AR Assn., W7YN/7*. . . "The usual assortment of burned-out lights, fuses, and tubes, without which no FD would be complete." — *Van-couver ARC, VE7AR/7*. . . "We got a nice write-up in the June 23 issue of the *Sunday Oregonian*." — "A most successful FD. However, we've learned much about running up points and next year watch our smoke! A salmon fisherman with rod and reel helped fling antenna lines over the nearby firs. One complaint: a pox on all those ops who felt that a poorly-handled bug and a 30-w.p.m. code speed were necessary. May their contacts be few and their wrists glass!" — *North Kitsap ARC, W7SRX/7*. . . "For a group that had never participated in a FD outing, we feel we made a satisfactory showing and learned much for future emergency operation if the need should arise."

— *Kentuckiana RC, W4MQ/4*. . . "Not quite like Field Day with no rain and few mosquitoes. Needed more coffee; only one op awake at 0300. On the operating side, we found break-in and v.f.o. to be 'musts.' A t.r. switch would have helped too, although we did pretty well with separate receiving antennas. C.w. accounted for over two-thirds of the QSOs and is undoubtedly the most reliable way to get points quickly." — *Trumbull Emergency Communication Assn., W1UNV/1*. . . "No power troubles and very little interference between rigs, but where were the five rigs the phone boys were supposed to bring?" — *Ablene ARC, W5QA/5*. . . "We found that by having an s.s.b. rig available we were able to snag a few more QSOs than otherwise. Let's hope other groups will do more s.s.b. work in the future. It's pretty hard to beat!" — *Haltfax ARC, VE1FO/1*. . . "Some were over-enthusiastic in operating too long stretches, causing lost time because of excessive tiredness. This has led to a complete revision of procedures to be used in '58. Publicity received in local papers attracted quite a few visitors, both hams and others. We picked a spot easily accessible to the public in one of the Passaic County parks, and visitors were guided through the various setups and given explanations." — *Paterson Emergency Radio Group, W2LIO/2*. . . "Antennas were erected Friday and stations set up early Saturday. Everything went along smoothly due to extensive advance planning." — *Harrisburg RAC, W3ZEK/3*. . . "The beam, a quick-disconnect type which could be carried on a car, was placed on a telescoping mast 30 feet high. All equipment was located in station wagons for quick mobility, and the entire area was secured and units departed in less than 30 minutes after QRT." — *K4BWB/4*. . . "It was routine this year. No snakes, bugs, or torrential rains, but the 10-kw. generator gave up at noon and the 2-kw. stand-by had to carry the load from then on. All hands had a most enjoyable time." — *Naval Air ARC, W4NEK/4*. . . "At 1600 Saturday the Mobile Chapter of the Red Cross brought coffee and doughnuts, with which they kept us supplied throughout the event. Later a photographer from WALA-TV arrived to film our operations and these were shown on a news program the following day. All in all we had beautiful weather and wonderful cooperation in making the '57 FD a big success." — *Mobile ARC, W4QEE/4*. . . "In spite of the check-off sheet, we still managed to come up with some duplicate QSOs. Doesn't everyone?" — *WISFW/1*. . . "A bear was spotted in the vicinity Sunday afternoon, probably the culprit who made off with several packages of hot dogs Saturday night. All seven Novices worked the Gonset on 145.5 Mc. and five helped log on other bands. Three did a terrific job of c.w. logging; these three will soon be generals!" — *Pocono AR Klub, W3MAA/3*. . . "The mosquito situation was excellent this year but then again Florida never did have any mosquitoes." — *Lake AR Assn., W4YKY/4*. . . "An r.f. keying monitor and break-in relay helped speed up operation, but next year we hope to have separate antennas or t.r. switches for change-over." — *Otaego ARC, K2DLB/2*. . . "The borrowed generator insisted on supplying only 70 volts, so we rented a 2½-kw. Onan. Our four-transmitter setup turned into three due to a 9:1 s.w.r. on the ten-meter beam and a broken trap condenser. We probably had the biggest assortment of inoperative equipment in history, seven receivers and six rigs. Score notwithstanding, our first FD was a huge success." — *Southside RC, K2TBW/2*. . . "Not enough people present. Next year we are going back to two stations to have less trouble finding operators." — *Harmonic Hill Radio League, K2HJG/2*. . . "Swimming was good so FD results were poor. Excellent eats were catered by three XYLs. A tornado a mile away got us off to a poor start, but all members had a great time, plenty to eat, and as much operating and sun-bathing as they wanted." — *Civilian Air Monitoring & Relay System, W8WSX/8*. . . "The v.h.f. gang really enjoyed a tremendous band operating on six meters Sunday." — *Auburn AR Assn., W2TCU/2*. . . "With a minimum of advance planning our goal to beat last year's score was accomplished, thanks to a generator which furnished 100-per-cent performance." — *St. Louis ARC, W0CDA/0*. . . "We had much generator trouble before the big day but none during the important period. If good results are to be obtained, pre-checking of all gear is an absolute necessity." — *Red River ARC, W0ILO/0*. . . "We made many mistakes we hope to correct next year but all who took part enjoyed FD and believe this was the biggest yet." — *Mineral Wells ARC, W5ABF/5*. . . "Main trouble to

be solved at MARC is interference between rigs being used simultaneously." — *Marathon ARC, K2ORH/2*. . . "Atop Mount Pierce, elevation 3278 feet, we believe we were the farthest west FD expedition in the U.S. Were we?" — *Far West RC, W6KJF/6*. . . "All bands were in good shape, with many cross-country and DX QSOs available, and there was beautiful but hot weather on Mt. Lukens, 5081 feet high and overlooking the whole Los Angeles area. A combination of vertical and horizontal antennas which are quickly switchable certainly pays off. Thanks for making possible the greatest event in ham radio." — *Crescenta Valley RC, W6JU/6*. . . "The 40-meter position ran 28 watts to a 2E26 'high final' suspended in the center of the antenna. The v.f.o. was fed to the final from the operating position through 100 feet of RG-59U and B-plus and filament voltages ran through 100 feet of lightweight armoured cable. Most of the members snickered and sneered as we raised the 'high final' but not when the 599 reports started to roll in." — *Joliet AR Society, W9OFR/9*. . . "The location at the Bourne Hill fire tower, as the name implies, is ideal for spotting forest fires or making contacts on the bands. Unfortunately the weather had been very dry and the fire index near the danger point all summer. FD week end was no exception and when we started out we had our doubts as to whether we would be allowed on the premises. What happened Sunday morning confirmed our fears. A fire was spotted and although many operators were willing to keep pounding away despite the threat (we teach all our Novices that do-or-die business), local authorities ordered us to vacate the area at about noon, five hours before our scheduled ending time." — *Narragansett Assn. of AR Operators, W1SKT/1*. . . "Our men still prefer operating during daylight hours. This always leaves some single op to work long periods during the wee hours of the late evening and early morning." — *Citrus Belt ARC, W6JBT/6*. . . "Much better results obtained this year by taking advantage of the rule whereby the transmitters can be spaced out to a 1000-foot circle. Far less interference was experienced." — *YL Radio Club of Los Angeles, W6MWO/6*. . . "The three c.w. rigs were specifically designed and built as one-band FD rigs incorporating features our group has decided are important. The results

40-c.w. and 15-c.w. ops worked each other and had logged 599 Ohio reports before realizing they had worked W8ID/8 from W8ID/8. This happened in the wee hours, of course." — *Seneca RC, W8ID/8*. . . "Surprised at the 6-meter activity. A great improvement over '56 and an FB time!" — *Teen Age R Assn., K8DDH/8*. . . "At 5 a.m. Sunday the bleary-eyed 10-meter operator heard, 'W1B1M, tell Harry, W1DRD, to come home immediately; his wife is having a baby.' And sure enough, an hour later Harry was the father of a bouncing baby boy. We think his name should be 'Mike.'" — *Central Massachusetts AR Assn., W1B1M/1*. . . "The new 20-meter 'Wonder-Bar' from June QST (p. 44) worked FB, but at 3 a.m. someone filled the generator with water after a mix-up in gas cans." — *Wheat Belt RC, W0HLL/6*. . . "Feasted on charcoal T-bone steaks and polished off two watermelons. We were surprised at the number of 15-meter contacts. Next year we expect to have an s.s.b. rig and beams for 15 and 20." — *Detroit Metropolitan RC, W8UMI/8*. . . "The members had a wonderful time, a good site, tall trees for shade and antennas, the generator worked perfectly, and the weatherman cooperated by providing ideal weather. Now that we've rested up, we're looking forward to next year." — *Ulater County Mike & Key Club, K2YOU/2*. . . "We used the bow-and-arrow idea to save wear and tear on the shins." — *Chicagoland Mobile RC, W9UPN/9*. . . "Towers that furnish the light for the night games of the Brooklyn Dodgers served as swell antenna masts at our site in Roosevelt Stadium. We shared the home team dressing room with the Bums." — *Jersey City Dept. of Parks RC, K2RLG/2*. . . "Our score in the five-transmitter class is 50 per cent higher than any other made in eleven consecutive Field Days. We are particularly proud of our homebrew equipment and the commissary crew provided by Scout Troop 104 of Fanwood, N. J." — *Wachung Valley RC, W2KOJ/2*. . . "The new starting-time arrangement is FB. We had a ball!" — *Westchester AR Assn., K6EBN/6*. . . "The club enjoyed its most successful FD in history thanks to W6AGO and W6MSG, who designed an effective antenna system for all bands." — *Paso Robles RC, W6AGO/6*. . . "First FD without thunderstorms and conditions were superb." — *Ridgewood RC, W2GTD/2*. . . "Although conducted in all seriousness, it was the usual highly-disorganized funfest that marks all FD operations." — *Rio Hondo RC, K61VN/6*. . . "It was necessary to place the generator in a small, enclosed building to keep engine noise from bothering normal people who wanted to sleep." — *Greenwich ARC, W1TLS/1*. . . "Next year it'll be different. Ha!" — *Prairie ARC, W9GFD/9*.



Beach umbrella shields busy W4PRO and W4ZZS at sun-swept site of Peninsula Amateur Radio Club's W4KEK/4 in Newport News, Virginia.


exceeded our hopes and we are already thinking about improvements for '58." — *Schenectady AR Assn., W2EFU/2*. . . "Band conditions were fairly good, weather ideal. DDT killed all the mosquitoes. In general, it could be said that operators and equipment performed the best yet." — *Quinte ARC, VE3BSQ/3*. . . "The 40-meter position alone provided more points than five transmitters could in '56 and for the first time in a Windsor FD we got no rain. We sort of miss it!" — *Windsor ARC, W3KIK/3*. . . "We found that four folded dipoles lessened the confusion. As always we ate well, food being available around the clock through our three chefs. How do you cross-reference contacts to avoid duplications?" — *San Fernando Valley RC, W6SD/6*. . . "This FD was a grand success, but the

SCORES

CLASS A

Class A stations are clubs and groups in the field. Scores are tabulated according to the number of transmitters operated simultaneously at each station. The figures and letters following each call indicate the number of valid contacts, the power inputs used, the number of participants at each station and the final score. The "power classification" used in computing the score is indicated by the letters A, B or C after the number of QSOs shown. A indicates power up to and including 30 watts (multiplier of 3); B indicates power over 30, up to and including 150 watts (multiplier of 2); C indicates over 150 watts (multiplier of 1).

One Transmitter					
W3BES/3	Frankford RC	816-	AB-3-	7383	
W5EKK/5	Manzano Mt. Moonshine & Rhombic Soc.	679-	A-6-	6336	
W0DKI/0	American Red Cross of St. Paul	586-	A-9-	5199	
W8CEA/8	Dayton AR Assn.	619-	AB-9-	5229	
KH6RS/KH6	Mauli ARC	473-	A-20-	4382	
KH6LN/KH6	Happy Hawaiians	463-	A-10-	4392	
W1EH/1	South Lyme Beer, Chowder & Propagation Soc.	452-	A-9-	4311	
W8RTR/8	Canton ARC	422-	A-26-	4023	
KH6BRJ/KH6	(nonclub group)	661-	B-7-	3984	
W3FVQ/8	Brass Pounders ARC	411-	A-10-	3924	
KH6WO/KH6	Honolulu ARC	435-	A-16-	3915	
W3PZW/3	(nonclub group)	401-	A-4-	3843	
K2KDG/2	Morristown High School RC	386-	A-3-	3690	
VE3PT/3	Blackheath Cold Beer & Hot Bun Propagation Soc.	376-	A-4-	3600	




Two-wheel trailer served as 14-Mc. phone position at Downey Amateur Radio Club's W6TOI/6, whose 7992 points earned second place in Class 8A.

W5LGG/5 K6LDA/6	(nonclub group)	603-	A-4	5427
W3PSH/3 W2GVV/2 W2UDD/2 K2OML/2 W8HZA/8 W9REG/9 W9DKR/9 W2IQ/2	Santa Monica Bay Area Emergency Net Keystone ARC Night Owl Net KBT ARC Raritan Bay RA Kanawha RC Tippecanoe AR Assn Kokomo ARC R.C.A. Moorestown ARC Candlewood AR Assn The DX Club Bayonne Civil Defense ARC Bandhoppers RC Father Busting Four Rappahannock Valley Walton Ham Group Kalamazoo ARC Merced ARC Williamite ARC Edison RA Assn Palmetto ARC Delco RC Stockton College RC Philadelphia Wiretess Assn Lake County ARC R.A.R. RC Detroit AR Assn State Line RC Canal Zone AR Assn Miami Springs RC Jaxhawk AR Soc. Norfolk Naval Shipyard RC Racine Megacycle Club Mesilla Valley RC Frank Hill RC Tri-Town RAC Gary RC Valley ARC Manchester RC (nonclub group) Creston R Assn Fresno ARC St. Louis Univ. ARC Amps Encanto RC YMCA RC Columbus AR Assn Levittown ARC AR Soc. of Queens Pittsburg County ARC Kaw Valley RC Polisetta RC Hindley RC Johnson County RAC Eglin AR Soc. Iowa-Illinois ARC Royal Order of Left-Handed Chicken Pickers Short Skip RC New Castle AR Assn. (nonclub group) Fraser Valley ARC Southington AR Assn. 18th Air Force MARS (nonclub group) Ford AR League Milwaukee RAC Waterbury ARC (nonclub group) Shaw-Sumner ARC Southwest Iowa AR Assn Dade RC Philadelphia High Frequency RC Kinston AR Soc. Frost City RC Meridian ARC	428- 478- 654- 611- 476- 388- 579- 400- 369- 565- 527- 435- 458- 489- 355- 488- 542- 348- 371- 371- 523- 522- 492- 486- 382- 502- 491- 466- 489- 299- 339- 328- 401- 466- 448- 420- 352- 435- 425- 281- 392- 410- 392- 405- 287- 375- 375- 237- 382- 309- 268- 218- 320- 340- 339- 363- 242- 312- 348- 361- 360- 285- 210- 352- 348- 306-	AR-10- AB-18- AB-9- B-23- AB-12- B-30- AB-7- B-25- AR-10- AB-7- B-4- B-9- AB-11- A-4- B-10- A-10- A-14- AB-14- AB-12- AB-70- AB-7- A-7- AB-12- B-15- A-3- A-21- A-12- B-15- AB-12- H-20- AB-15- B-21- B-25- B-31- B-1- A-15- AR-9- A-10- AB-52- H-50- AB-9- B-11- B-7- AB-9- B-40- AB-10- A-3- B-12- B-10- AB-10- B-7- B-8- AB-10- B-10- B-29- A-5- B-1- AB-15- AB-4- A-13- AB-12- B-7- R-11- B-6- A-15- AB-15- AB-7- B-12- B-17- AB-15- A-10- B-8- B-10-	5103 4881 4653 4590 4251 4122 4089 4086 3945 3927 3924 3828 3726 3627 3600 3555 3546 3519 3499 3495 3459 3420 3411 3402 3357 3339 3339 3339 3300 3282 3102 3087 3033 3012 2944 2946 2934 2916 2841 2799 2769 2766 2739 2688 2676 2601 2598 2568 2529 2502 2460 2454 2424 2424 2400 2400 2358 2292 2277 2214 2205 2199 2190 2184 2178 2178 2172 2166 2166 2160 2157 2115 2112 2088 1986

W4NSM/4 W4HNT/4 K8M/4 W5MRK/5 K0APS/0 K0DTE/0 K5WAC/5 W8DOC/8 W9BEN/3 W9OTU/9 W6BWM/6 K9BPK/9 W8OAJ/8	Central Virginia ARC Suburban Colonels Tidewater AR Soc Bartlesville ARC Des Moines RA Assn Larimer County ARC MARR Ft. Bliss Forest City ARC (nonclub group) Kaukaake Area R Soc. Madera County ARC (nonclub group) Mercer County R Assn (nonclub group) Merrimac Valley ARC (nonclub group) Aiken ARC Northern Colorado ARC Jackson RC Mt. Vernon ARC (nonclub group) (nonclub group) Blackstone Valley ARC (nonclub group) Ottawa ARC (nonclub group) Aero ARC Hobbs ARC Hamden ARC Polaris RA Sunrise RC Pensinsula ARC Loyalist City ARC Rochester ARC (nonclub group) Monterey County ARC Rio Hondo RC (Novice group) Middlesex ARC Old Post AR Soc. Northwest St. Louis ARC Simpson County ARC Mid-Hudson RC Wantage RC Fullmer Horton Memorial R Soc. Tyler ARC Raritan Valley RC Women Ham Operators of Tarrant County Door County ARC Lancaster R Transmitting Soc. Clearfield County RC Calhoun Area RC Central Illinois RC Nodaway Valley R Assn (nonclub group) Coke Center RC MARS RC South East ARC Rockford AR Assn Camellia Capital Clurps Red Cedar RC Mt. Clemens RC Dumas ARC West School RC Washington RC Fort Venango Mike & Key Club Apple City RC Southern Counties AR (nonclub group) North Pittsburgh Brass Pounders & Gum Beaters Coquille Valley RC Midland ARC Rahway High School RC Stratford ARC Tringale ARC Lorain County AR Assn For Bend County ARC (nonclub group) (nonclub group) Sarasota AR Assn Tribune Emergency Communication Assn Electron Club of Chicago Crete ARC St. Paul County RACES Group (nonclub group) Three Rivers Ham Club (nonclub group) (nonclub group) RF ARC Kirkland AR League South Bay AR Soc. Green Bay YMCA RC Bettipare ARC Ridgewood High School RC	315- 302- 316- 315- 290- 315- 284- 307- 306- 305- 203- 279- 200- 172- 297- 218- 200- 113- 275- 251- 250- 249- 248- 271- 270- 241- 229- 229- 262- 259- 219- 180- 139- 218- 161- 207- 210- 208- 231- 206- 185- 200- 232- 121- 192- 209- 186- 208- 183- 112- 180- 174- 172- 196- 167- 187- 156- 123- 178- 167- 92- 135- 171- 142- 139- 151- 113- 130- 155- 109- 153- 213- 443- 146- 126- 120- 117- 120- 107- 113- 110- 128- 107- 105- 106- 156- 116- 79- 113- 75- 315- B-16- B-11- B-30- B-7- B-10- AB-5- B-7- B-1- B-1- B-8- A-4- R-10- A-3- A-7- B-10- AB-18- R-11- AB-13- AB-8- AB-5- B-3- B-12- B-12- B-8- B-4- B-7- B-18- A-16- A-16- B-16- B-12- AB-14- AB-10- A-6- R-10- A-7- AB-6- B-20- AB-12- B-7- AB-11- B-25- A-10- B-14- B-7- AB-25- B-4- B-12- B-15- B-7- AB-7- B-8- B-8- AB-8- AB-7- B-15- B-7- AB-7- B-8- B-8- AB-8- B-10- B-15- B-9- AB-10- B-6- B-11- BC-14- AB-22- B-6- AB-3- B-8- B-4- B-8- B-9- AB-10- B-6- B-9- B-9- B-9- B-9- B-12- B-5- A-12- B-5- A-6- B-10-	1980 1868 1806 1890 1890 1866 1842 1836 1836 1830 1827 1824 1820 1782 1782 1743 1710 1689 1686 1662 1656 1650 1644 1638 1626 1620 1596 1590 1578 1572 1554 1527 1494 1485 1458 1449 1416 1410 1392 1386 1383 1353 1335 1332 1314 1254 1251 1248 1248 1233 1230 1188 1182 1176 1152 1122 1086 1074 1068 1062 1042 1047 1026 1026 996 942 933 930 930 918 918 903 900 876 873 870 855 834 828 828 810 801 795 780 780 735 735 711 678 675 672
---	--	---	---

K4DYF/4	Tumboldt ARC.....	303-	B-10-	656	W3MKA/3	West Philadelphia R	341-	AB-21-	2283
W0GYK/0	Kansas Nebraska RC.....	84-	B-7-	654	W7WZW/7	Assn. (nonclub group).....	380-	B-9-	2280
W18BF/1	Meriden ARC.....	196-	AC-10-	652	W8AM/8	Coffee Dinkers.....	355-	B-12-	2280
W0OKA/0	Ottawa R Emergency				W0WMA/0	Prairie Village Teenage			
W0QDN/0	Club.....	106-	B-3-	636	W4KYA/4	Lake AR Assn.....	281-	AB-9-	2268
W5MFX/5	Huron ARC.....	108-	B-15-	636	W7TZ/7	Grays Harbor ARC.....	363-	B-16-	2178
K17AWR/KL7	Enid ARC.....	93-	B-1-	558	W1HJ/1	(nonclub group).....	327-	AB-9-	2166
W41G/4	Kodiak ARC.....	65-	B-7-	540	K2DLB/2	Otago ARC.....	519-	A-9-	2151
W0XYV/0	Atlanta Teenage RC	63-	AB-10-	501	W5FC/5	Dallas ARC.....	321-	AB-12-	2138
K4BDT/4	RC of Leavenworth	80-	B-4-	480	YFICT/1	St. Croix Valley RC.....	208-	A-14-	2115
K6KHZ/6	Senior High School	51-	B-12-	458	K9EPL/9	Klix Chair & Splatter			
K2HLL/2	Peekskill Communica-	301-	BC-15-	401	K6BCV/6	Soc.....	327-	B-19-	2112
W1EPN/1	Peekskill Communica-	47-	AB-16-	381	W68NK/6	Mojave Desert ARC.....	326-	B-12-	3106
K9DHR/9	Club (nonclub group).....	63-	B-3-	378	K2MMM/2	Santa Monica City			
K8BYZ/4	Club (nonclub group).....	124-	AB-6-	372	W7GV/7	College AR.....	345-	B-14-	2082
K4OFZ/4	Edisto ARC.....	81-	B-7-	366	W1HQH/1	Fort New Jersey Net	315-	AB-5-	3082
W3EXW/3	Edna RC.....	53-	AB-12-	342	W1YFA/1	Old Pueblo AR.....	343-	AB-8-	3061
W3CD/3	(nonclub group).....	55-	B-8-	330	W2YBY/2	Cape Cod & Islands			
W1BRF/1	Quinebaug Valley RC	90-	ABC-8-	327	W6JQC/6	AR Assn.....	308-	AB-31-	2052
K2KED/2	Burlington County RC	32-	AC-3-	288	W3QKC/3	Walpole ARC.....	249-	AB-12-	2050
W3GFE/3	Hudson ARC.....	17-	AB-6-	273	W1UEY/1	(nonclub group).....	226-	A-5-	2034
K9EFC/0	(nonclub group).....	132-	B-16-	264	K4JLA/4	Southern California			
K9CDD/1	Albany Park ARC.....	42-	B-6-	252	W19CG/9	Putnam County AR	305-	AB-10-	2034
W2KYN/1	Kleberbecker ARC.....	36-	AB-4-	219	K2ZOG/2	Assn.....	311-	AB-8-	1992
K9ENM/9	Pontiac RC.....	86-	B-8-	172	W9DUK/9	Delaware ARC.....	195-	A-15-	1980
W2BMM/7	Tu-Boro RC.....	67-	AB-6-	170	W5YMD/5	Univ. of Arkansas			
K2WYN/2	(nonclub group).....	41-	AB-7-	144	W6CND/6	(nonclub group).....	301-	B-8-	1962
W4ZZ/4	Valley ARC.....	60-	AB-9-	63	W1KYZ/1	Electric City RC.....	291-	B-	1950
W8EPI/8					K5EVO/5	Santa Fe RC.....	261-	AB-9-	1875
					W1LAM/1	Bristol County AR			
					W3TBB/3	Assn. (nonclub group).....	311-	B-22-	1866
					W3RQM/3	Yaretz AR.....	221-	AB-4-	1794
					K2TBW/2	Southside RC.....	297-	B-14-	1782
					W0BLK/0	Black Hills ARC.....	266-	AB-10-	1755
					W8TRR/8	New Vienna Signal			
					W4CLR/4	Pushers.....	256-	B-12-	1686
					K9CCL/4	Panama City ARC.....	253-	B-14-	1668
					W6IAC/6	Southwest Missouri			
					K4ALI/4	Esccondido High School			
					K2HJG/2	RC.....	252-	B-	1662
					W4COY/4	Pensacola ARC.....	187-	AB-10-	1631
					W8WSX/8	Harmonie Hill R			
					W5CT/5	Leucue.....	247-	AB-10-	1605
					W7MLX/7	Tri-County ARC.....	241-	B-8-	1596
					W8YGV/8	Civilian AR Monitor-			
					W2PCU/2	ing & Relay System	251-	B-12-	1506
					W2GBN/2	Austin AR.....	428-	BC-	1482
					W3DJI/3	Cascade RC.....	246-	B-8-	1476
					W9GPD/9	Dayton AR Assn.....	232-	AB-17-	1470
					W7ANX/7	Albany AR Assn.....	238-	AB-27-	1461
					W7TAN/7	Schoharie County			
					W1TLL/1	ARC.....	185-	AB-6-	1440
					W0PMW/0	(nonclub group).....	206-	AB-4-	1404
					W1BBB/1	Prairie ARC.....	166-	AB-20-	1377
					K4GDL/4	Central Oregon RA.....	200-	B-10-	1350
					K2ESM/2	Yuma County RC.....	178-	AB-	1332
					W7EIP/7	Royal City AR Assn.....	194-	B-6-	1326
					W8LTL/8	Greenwich ARC.....	147-	A-15-	1323
					W4KH/4	Boot Hill ARC.....	193-	AB-16-	1323
					K6KHE/6	Portland A Wireless			
					K2GQX/2	Assn.....	116-	A-11-	1269
					W3EDU/3	Mike & Kay Club.....	210-	B-10-	1260
					W4LHV/4	(nonclub group).....	309-	B-	1254
					W6CDA/6	East Kootenay ARC.....	205-	B-9-	1230
					W1VNX/1	Grafton County AR			
					K6KHE/6	Assn.....	129-	A-7-	1161
					K2GQX/2	St. Louis ARC.....	193-	B-16-	1158
					W3EDU/3	(nonclub group).....	167-	AB-5-	1137
					W4LHV/4	Yuba-Sutter RC.....	187-	AB-8-	1131
					W8LTL/8	(nonclub group).....	180-	AB-8-	1116
					W4KH/4	York ARC.....	164-	AB-7-	1059
					W6CDA/6	Nashville ARC.....	245-	AB-15-	1053
					W1VNX/1	(nonclub group).....	139-	AB-5-	1008

(Continued on page 178)



Spokane Radio Amateur Club members posed their boxer mascot at the Viking controls during an idle moment at W7NBR/7.

QST - Volume V

Part III † — Foreword to Sumner B. Young's *(WØCO) Index

• Mr. Young concludes his outline discussion of the material contained in Volume V of QST.

(h) *Short Waves*: Adams-Morgan Co. exhibited its Type 2-5-U Radiophone, capable of transmitting on 7 wave lengths between 160 and 325 meters.⁸⁷

SDE operated a c.w. set, "very nicely," on 180 meters, by using a counterpoise under his antenna, instead of a ground.⁸⁸

The Twin City Radio Lab. (St. Paul, Minnesota) advertised that it would calibrate wave-meters over any range between 100 and 3000 meters.⁸⁹

Editor Warner said: ". . . The use of wave lengths less than 200 meters should be encouraged. . . . We will bet a pink hat we could work from Hartford to Chicago on 50 meters if we had to, and if QRM gets any worse we are going to try it. . . ."⁹⁰

Kruse pleaded with manufacturers to produce a wavemeter tuning from 125 to 250 meters.⁹¹

Boyd Phelps, 9ZT, published his pioneer article: "Radio Below 200 Meters."⁹² Among other things, he said: ". . . Working on 150 meters is now equivalent to a Z call and 373 meters, as far as interference is concerned. . . ."⁹³

John Reinartz, 1QP, at South Manchester, Conn., operated an i.c.w. set on 174 meters.⁹⁴

After joining the Headquarters Staff of the League as assistant editor, Boyd Phelps, 9ZT, opened up station 1HX at Hartford, Connecticut. And with it he worked Boston, Mass., reliably, on 130 meters; and he also succeeded in radiating energy on 70 meters.⁹⁵

In the July (1922) issue, it was announced that 9DSG had sent signals 1250 miles with a 5-watt tube on a one-wire antenna and a 180-meter wave length.⁹⁶

Hoover's 1922 experts recommended that the

*Rural Route 3, Box 94, Wayzata, Minn.

† For previous installments see following QST references: "QST — Volume I," October, 1954; "QST — Volume II," February, 1955; Part I of "QST — Volume III," March 1955; Part II of "QST — Volume III," April, 1955; Part III of "QST — Volume III," June, 1955; Part I of "QST — Volume IV," July, 1955; Part II of "QST — Volume IV," August, 1955; Part I of "QST — Volume V," December, 1956; Part II of "QST — Volume V," July, 1957.

Editor's Note: The call 2FP, mentioned on footnote 66 on page 77 of July 1957 QST, should have been 2PF.

⁸⁷ 26, October 1921. Paul F. Godley designed it. (Same ref.).

⁸⁸ 44, September 1921.

⁸⁹ 113, October 1921.

⁹⁰ 28, November 1921.

⁹¹ 57, August 1921 (Letter).

⁹² 21 to 26, March 1922. The Smith Cup Contest Committee thought very highly of the article. 32, April 1922.

⁹³ 25 to 26, March 1922.

⁹⁴ 12 to 13, June 1922.

⁹⁵ See "Changes at the QST Factory," 56, June 1922.

⁹⁶ 53, July 1922.

band from 150 to 200 meters be devoted exclusively to use by amateur telegraph and telephone stations; and that the hams should share 200-275 meters with technical and training schools.⁹⁷

(c) *Curiosities*: Four Amateurs in San Diego were boycotted by the League for disregard of the new Pacific Plan for the use of the air.⁹⁸

British hams proposed to the GPO authorities that they be allowed to communicate with any amateur station, instead of being limited to contacts with just 5 stations specified in the License. However, they also proposed that no amateur be allowed to send out a CQ call!⁹⁹

The Wireless Society of London began a campaign against "rude radio men."¹⁰⁰

The conference of experts convened in Washington at the call of Sec. Hoover (beginning February 28, 1922) and suggested, among other things, ". . . that direct advertising by radio be absolutely prohibited. . . ."¹⁰¹

Testifying before that same body of experts, Mr. Krumm (of Westinghouse) declared that 12 to 15 broadcasting stations were enough to cover the entire U.S.A.¹⁰² However, Mr. Nichols (of Western Electric) thought all 15 were needed.¹⁰³

Mr. Krumm also stated that a cheap Limited Commercial broadcasting station could cause QRM to expensive Westinghouse broadcasting-plants costing \$15,000.00 apiece!¹⁰⁴

Robert Garcia, 7 years of age, passed the Amateur First Grade License exam.¹⁰⁵

Dr. Lee DeForest resigned as active head of the DeForest Radio Tel. & Tel. Co. on September 26, 1921. It was announced that he would ". . . live in Germany the next few years where freedom from business cares and the opportunities for obtaining highly trained help [would] enable him to complete certain important research work. . . ."¹⁰⁶

In the course of radiotelephone experiments between the Lackawanna Limited and various stations (including amateurs), the train entered the Bergen Tunnel (4283 ft. long and 90 ft. underground). Inside it two c.w. stations and several ships were "heard distinctly."¹⁰⁷

⁹⁷ 16, June 1922. In a preliminary report, the Hoover experts recommended that wave lengths below 150 meters be "reserved," and that they not be assigned for use. See 10, April 1922. In the final report (released April 29, 1922) only waves below 100 meters were recommended for "reserved" status. See table at 15 to 16, June 1922. The lowest wave band recommended for use was 100-150 meters; and it was recommended for "private and toll broadcasting," exclusively. 16, June 1922.

⁹⁸ 11, May 1922 (Wise's Report).

⁹⁹ 40, June 1922.

¹⁰⁰ 30, September 1921.

¹⁰¹ 15, June 1922.

¹⁰² 9, April 1922.

¹⁰³ 9, April 1922, also.

¹⁰⁴ 9, April 1922, also.

¹⁰⁵ 48, September 1921.

¹⁰⁶ 54, October 1921 (in Strays).

¹⁰⁷ 25 to 26, June 1922. When the train emerged from

Two small gas-filled balloons were used by L. F. Kridler, SBDM (of Detroit), to carry aloft a long receiving antenna made from wire which he had stripped from the secondary of a Ford spark-coil. A letter from him, describing the results, said: ". . . Oh Boy, the sigs. came in much louder. Hams could be read anywhere in the house and Arlington, who usually can hardly be read, could be read anywhere in the room. I don't know how much wire I had up but it seemed like a half-mile at the least."¹⁰⁸

A Stray at 61, April 1922, reads as follows: ". . . San Fernando, California, possesses one of those real outsiders that have the interest of Citizen Radio at heart. Willis A. Rowe, who runs a garage, charges the storage batteries of most of the gang there free of charge. A Willis A. Rowe would be a welcome man in most every town."

L. C. F. Horle pointed out that in all the world there was not one modulator capable of producing as much as 5 kilowatts of audio-frequency energy.¹⁰⁹

To exclude distracting noises, Paul Oard (of Stockton, Calif.) used an aviator's helmet headset in connection with a radio receiver in his auto.¹¹⁰

Each month enough lists of Calls Heard to fill 100 pages of *QST* were received by the Editors.¹¹¹

(d) *Big government and commercial long-wave stations*: President Harding opened RCA's Radio Central on Long Island, N. Y., November 5, 1921. Through it he sent a message addressed to the entire world; and about 33 nations acknowledged its receipt, via the quickest available means.¹¹²

This huge station had 12 towers 410 ft. high, spaced 1,250 ft. apart; thus its antennas extended over a strip of land nearly 3 miles long.¹¹³

(e) *Legislation*: The full text of the proposed new radio law which was drafted after Hoover's experts had made their recommendations will be found at 56, 69 to 71, July 1922. For introductory and explanatory material see the article called "The New Radio Bill" found at 32, July 1922. After asking the hams to compare this draft with the Radio Act of 1912, this article said:

" . . . Notice that this bill does not repeal the old law *in toto* but amends it, principally by substituting new Sections 1, 2 and 3. . . .

"The general idea of the bill is that the law shall not specify wave lengths or classes of stations or any other technical consideration but instead shall be given almost unlimited authority to the Secretary of Commerce to classify stations, license them, and to make,

the tunnel, all signals "increased with a bang." (Same reference).

¹⁰⁸ 57, September 1921.

¹⁰⁹ 15, July 1922.

¹¹⁰ 51, August 1921. On other portable stations, located in automobiles, see: 41, December 1921 (Dallin), and 45, November 1921 (Springfield Club). Dallin had an l.e.w. transmitter in his car, which covered distances exceeding 20 miles.

¹¹¹ 52, March 1922 (Strays).

¹¹² 30, June 1922. On Radio Central, see Mr. Boucheron's article at 26 to 31, June 1922.

¹¹³ 29, June 1922.

alter and revoke regulations respecting their service, location, wave length, decrement, range, power, operating hours, etc., with authority to refuse or revoke a license whenever it is in the public interest to do so. It is an open secret that at present the Department of Commerce has no option but to issue a broadcasting license to every aspirant who asks for it, regardless of the chaos certain to result. The situation at present is entirely out of hand and confusion reigns supreme on the broadcast air. . . .

"But the main concern of our ARRL must be the effect the proposed measures will have on the amateur. At the hearings we asked for definition of our status in the law, and Mr. Hoover's Commission unanimously recommended that the status of the amateur and his wave-length bands be defined in the law. *This has not been done in the present bills.* It is true that Regulation Fifteen of Section 4 of the old law is to be amended to the effect that no private station shall use a wave length more than 275 meters nor less than 150 meters but it takes quite a stretch of imagination to construe that as a definite grant of those wave lengths to us amateurs. Nor is our existence given any guarantee in the bill — we are not named as one of the classes which shall always be provided for, as we asked. . . ."¹¹⁴

(f) "*Firsts*," or "*Near Firsts*": The N.A.W.A., an amateur organization sponsored by Wireless Press, Inc., broadcast the Dempsey-Carpentier fight returns over a powerful RCA radiophone station, located at Hoboken, N. J., on 1600 meters. The date was July 2, 1921. J. Andrew White, at ringside, spoke over a telephone line; and J. O. Smith (a former ARRL director) repeated the reports over the air. ". . . Amateurs in many nearby cities copied the returns and

¹¹⁴ On the original conference, see Warner's article, "The Washington Radio Conference," 7 to 12, April 1922. At page 12, he said: ". . . We have to thank our present guarantee in the 1912 law for our present existence — several times we would have gone up the flue if it hadn't been impossible to abolish us without changing the law, which is always a hard matter. . . . Altho contrary to the plan of the proposed amendment which would leave the specification of classes and wave lengths subject to change at the discretion of the Department, we feel that an exception can be made with propriety in the case of the amateur because his wave-length band is at one end of the spectrum and his province can be defined and all other frequencies left subject to change without disturbing the operation of the scheme. This has an added advantage in stabilizing the use of the frequencies near us, for what company would want to put their millions into equipment that might be made junk of by sudden shift in the amateur wave? . . ."

On the results of the conference, see "The Radio Telephony Conference," at 15 to 17, June 1922. The "Preliminary Report" was issued in March 1922; and a "Final Report" was released April 29, 1922. See 15, June 1922.

As to Chief Radio Inspector Terrell's suggestion (at the Third and Fourth Dist. Conventions) that the amateurs ought to release 375 meters for broadcasting use, see 24, April 1922.

On fear of "wave grabbing," by the "commercials," after the second "Transatlantics," see 25, January 1922.

The proposed new radio bill (H.R. 11964 and S. 3694) did not grant to anybody a *title* to any band of wave lengths. See 32, July 1922.

presented them to assembled audiences whose admission fees were turned over to charitable works under arrangements made by the Madison Square Garden Corp."¹¹⁵

A new department called "With the Radio-
phone Folks" appeared in *QST*.¹¹⁶

In Pittsburgh, radio electioneering was practiced for the first time when KDKA gave each candidate for mayor five minutes of time to address the voters over the air.¹¹⁷

The first *verifiable* signal to be heard across the Atlantic was that of 2PF. He was picked up by a British amateur at 2:30 A.M. (GMT) on December 8, 1921, about two days before Godley heard IBCG.¹¹⁸

Note that 2PF also did the first *definitely established* amateur transcontinental work with a "tube" transmitter when he was heard (at Reedley, Calif.) by 6ALE, on October 6, 1921.¹¹⁹

Hiram Percy Maxim's first introduction to amateur radio is mentioned at 48, June 1922: ". . . He was pushed into radio by his son, Hamilton, in 1910 and mastered the code at the age of forty. . . ."

Probably referring to an event which happened long before World War I, an ad found at 111, May 1922, stated that the first wireless telephone in the U. S. Navy was installed on the flagship *Connecticut*. It showed a photo of the apparatus, but gave no date of installation.

The Maryland Radio Association broadcast a sermon from Har Sinai Temple, via 3RM (Baltimore), on November 20, 1921.¹²⁰

At 45 to 46, February 1922, the manager of the Vancouver Division reported a "first," but failed to note the date: "Canadian 4CB was heard by Canadian 5CZ of Vancouver and it is the first time that a Canadian amateur signal has passed over the Rockies. It is reported that 4CB uses 10 watts of c.w. . . ."

At 49, March 1922, the following information appears: ". . . The first national market report to be broadcast by wireless anywhere in the world was sent out by the United States Department of Agriculture from the radio station of the United States Bureau of Standards a little over a year ago. . . ."

A letter from 9DTW (F. M. Ende of Ft.

¹¹⁵ 47, September 1921 ("Strays"). In the December, 1955, number of *Reader's Digest*, Mr. White published a most interesting article describing this event. See "The First Big Radio Broadcast," pages 81-85 of that issue.

¹¹⁶ 31 to 34, December 1921. The last appearance of this Department was at 38 to 39, 41, September 1922 (Volume VI).

¹¹⁷ 31, December 1921.

¹¹⁸ See footnote 27.

¹¹⁹ 32, April 1922. For date, see 47, December 1921. 2PF's i.c.w. signals were heard "all over the tent" by Godley at Ardossan on December 11, 1921 at 5:25 A.M. (GMT); 26 to 27, February 1922. Godley first heard 2PF at 5:18 A.M. on that date; 26, February 1922. In turn, 6ALE was the first "ham" station to send a signal across the U.S.A. on a transmitter having an input smaller than one kilowatt; 19, January 1922. For a description of 6ALE, see 46 to 47, December 1921. This station later became 6ZF and participated in a quick round-trip relay between NOF (Washington) and 6ZAC (Maui, T.H.), on April 21, 1922; 38, June 1922 ("Strays"). As 6ZF, he copied 2PF "quite often"; 59 to 60, April 1922 ("Strays").

¹²⁰ 29, January 1922. Rabbi Louis Bernstein preached.

Riley, Kansas) suggested the establishment of amateur standard-frequency stations (on both spark and c.w.).¹²¹

NSF (Anacostia) was referred to as the first *powerful* short-wave c.w. station.¹²²

Capt. William Rind, commanding the liner *America*, became the first master of a merchant vessel to talk by radiotelephone to his owners ashore and to receive orders for his vessel by this same means. He talked with Thomas H. Rossbottom, General Manager of the United States Lines, on March 6, 1922, while the *America* was still a "considerable distance from Ambrose Channel Lightship." The transmitter on the coast was at Deal Beach, N. J. The receiving station ashore was at Elberton, N. J.¹²³

On May 2, 1922, at the YWCA Building in New York City, the Women's Radio League of America was organized.¹²⁴

(g) *League Affairs*: The Board of Direction continued its policy of holding some of its meetings away from home. Having met at St. Louis during the December (1920) convention, and in New York City in early June 1921, it met at Chicago in September 1921, for the First National Convention.¹²⁵

At 8 to 9, October 1921, the part played by the Radio Club of Hartford in the formation of the League was reviewed by Maxim.

Representatives of "quite a few" affiliated clubs attended the so-called Washington Radio Conference, called by Mr. Hoover.¹²⁶

Amateurs on the West Coast adopted the "Pacific Plan," a scheme of control modeled on the "Chicago Plan."¹²⁷

*An editorial at 35, June 1922, announced that QST was not to be tempted into the business of catering to the needs of the "BCLs," but was determined to remain a magazine "of, by and for the amateur."*¹²⁸

¹²¹ 64, March 1922.

¹²² 32, April 1922; in the "Smith Cup" award write-up. See item about L. C. Young who got 6 points "for his persistence and operating skill which contributed to a large extent to the fine performance of station NSF, the first powerful short-wave c.w. station."

¹²³ 57 to 58, April 1922. For a photo of the radiotelephone room aboard the *America*, see 39, September 1922, in Volume VI.

¹²⁴ 49, June 1922. On May 16, 1922, Mr. A. A. Hebert, Treas. and a Director of the ARRL, and V.P. of the Second Dist. Exec. Council, spoke before this "YL" organization, on "Cooperation and Organization." (Same reference.)

¹²⁵ 19, August 1921; 15, October 1921.

¹²⁶ 7, April 1922.

¹²⁷ 50 to 51, March 1922. This plan was endorsed by all Pacific Coast radio clubs; and only in San Diego was there lack of cooperation. Four "ringleaders" there were placed under League "boycott"; and the license of one of them was revoked by the Department of Commerce. 41, May 1922 (Wise's Report).

¹²⁸ This editorial also stated, in italics: ". . . we [intend] to continue to be a magazine devoted to the practical improvement of short-wave two-way communication! . . ."

It differentiated between BCLs and hams as follows: ". . . we want to protest the occasional characterization of the new radio folks as amateurs. They're not amateurs. An amateur is one who pursues a line of endeavor for love thereof and not for commercial gain. Broadcast listeners of course have no financial incentive but neither are they interested in radio as such, but rather are concerned only about hearing something and hang how they get it. They're not amateurs—they are *radio fans*, novices. We hope

It was announced that Traffic Manager Schnell would tour the West Coast and visit as many affiliated clubs as his limited time allowed.¹²⁹

(h) *Non-Amateur News*: The old Fessenden 100-kilowatt 500-cycle synchronous spark set at NAA developed trouble and was replaced by a 35-kilowatt Telefunken 500-cycle quenched-gap spark set which had been used at Sayville before World War I. Reports indicated that the results produced by the smaller transmitter equaled those of the old 100-kilowatt set. The *QST* item continued: ". . . A tube set has been tested out but no information is available at this time."¹³⁰

At 59, April 1922, the "stray eliminator" invented by Dr. Louis Cohen, Chief of Army Radio Research, was mentioned. No details were given.

The Westinghouse Elec. & Mfg. Co. announced that it had sold the assets of The International Radio Telegraph Co. to the Radio Corporation, retaining certain patents and rights in foreign fields. The announcement added that Westinghouse had also obtained a substantial interest in the stock of the Radio Corporation and had made commercial agreements regarding the sale of radio equipment manufactured by Westinghouse.¹³¹

In a surprise decision, Judge Hugh M. Morris (U. S. Dist. Court, Delaware) held that Radio Audion Company was *not* infringing the Fleming Patent by manufacturing and selling 3-electrode amplifiers. R.C.A. had claimed infringement of this patent, which covered 2-electrode rectifiers.¹³²

Before the biggest audience ever gathered at a meeting of the IRE, Edwin Howard Armstrong (on June 7, 1922) "gave his new invention of super-regeneration to a tense and expectant audience in the form of a paper entitled 'Some Recent Developments of Regenerative Circuits.'¹³³

(i) *Reminiscences*: A letter from Geo. Roy Clough, found at 65 to 66, January 1922, mentioned the fact that he was once an operator "at the old De Forest station on Barge 94, also serving as assistant at old GV at the city of Galveston, Texas"; and the letter pointed out that this was 'way back in the days of the Morse code and untuned sets using the Fessenden electrolytic detector.

(j) *Radiotelephones*: Part II of R. A. Heising's paper on "Modulation in Radio Telephony" appeared at 9 to 15, August 1921. This installment described his "constant current system." The first part of this fine article had appeared

that some day they'll become amateurs but they are not today. . . ."

¹²⁹ 51, July 1922.

¹³⁰ 60, April 1922.

¹³¹ 47, November 1921 ("Strays").

¹³² 52, March 1922. The result of prior litigation, based on the same patent, had been that R.C.A. was the only firm permitted to manufacture 3-electrode tubes. (Same reference.)

¹³³ 7, July 1922. For a description of this invention, see 7 to 11, July 1922.

at 7 to 12, July 1921 (in Volume IV of *QST*).

A letter from K. B. Dokas, 9DKL, of Slayton, Minnesota, found at 65, January 1922, described a device for linking "land" and radio telephones. (He remarked, therein, that the literature on this subject appeared to be scanty).

Under the direction of D. W. Richardson, 3XM, of Princeton, N. J., the Delaware, Lackawanna & Western Railroad resumed experiments (commenced in prewar days) re conducting radiophone communication from a moving train. Tests were made in late March (1922), on the "Lackawanna-Limited," which signed the call DL. Many amateur stations were worked.¹³⁴

At 14 to 18, July 1922, L. C. F. Horle's paper on "Modulation in Radio Telephony" was also published. Among other things, he emphasized the desirability of using 100% modulation.¹³⁵

Dr. Alexanderson's method of modulating a high-frequency alternator was described (by Horle) at 16, July 1922; and Mr. Ernest Amy's "magnetic modulator," for use with such rotating machines, was also discussed at 17, July 1922.

(k) *Emergency Work*: In August 1921, a bad flood wiped out the town of Hatch, New Mexico, and partially destroyed other towns in the Rincon Valley. It also damaged property and crops. Losses totaled several millions of dollars; and thousands of people were forced to "flee to the hills for their lives." At 23 to 24, November 1921, Mr. R. W. Goddard (5ZJ) described the setting up of portable spark station 5FY at Rincon on the edge of the flooded area and recounted its use in producing communication back to station 5ZJ at Mesilla Park. From 5ZJ, messages were telephoned to Las Cruces. Although phone lines into the stricken district were soon repaired, this relay circuit continued to be used to a considerable extent, "as the cost was negligible and the service good."

At 40, October 1921, Mr. Reynolds, Supt. for Colorado in the Rocky Mountain Division of the League, referred to floods in that state (time of occurrence not fixed) and stated: ". . . When Pueblo was cut off from the outside we went down to Colorado Springs and tried to reach Pueblo by radiophone but we couldn't get anybody there. We then tried to take our portable radiophone to Pueblo but the authorities would not let anyone out of Colorado Springs onto the Pueblo road. . . . The wire connections were out two or three days. . . ."

The most important emergency work was done when an ice storm hit the Fox River Valley in northeastern Wisconsin. This storm became acute about 4:00 A.M. on February 22, 1922. ". . . About this time electric wires went down, train service was brought to a standstill, and the entire telephone, telegraph, and power and lighting service in the Fox River Valley was cut off. . . . The next act of the storm was to bring still colder weather and high winds which

(Continued on page 174)

¹³⁴ 25 to 26, 34, 40, June 1922.

¹³⁵ 15, July 1922.

Mobile

Mo Billing relaxed in his 1946 Supersix as he drove home from work. It was spring, ham radio was in the air, and Mo had just finished a terrific 15 minute QSO on the mobile rig. He had received an RST 599 from Incandescent, a small town just west of the Dark Mountains. This was 1550 miles airline from the home QTH and just about the longest DX he had ever made on the mobile installation.

Mo was mighty pleased with the performance of the 25 watt mobile rig and the base loaded 8-foot whip. The car had the usual grunts and groans that 11 years of service can add, but the rig and antenna installation were perfect.

As Mo pulled into the driveway, he stopped the car and, letting it idle, set the brake. He opened the garage door, bent the whip antenna into a graceful half-arc and locked it into position to the roof. As he did this he heard the rear end grunt. Although it was a rather loud grunt, he paid little heed to it since it had happened each night for almost two years and he was quite used to it.

That evening after supper, while Mo was reading in the easy chair, his XYL said, "Mo, I'll need the car tomorrow as I have to go into town to do some shopping, so I'll drive you to work in the morning." Mo nodded his approval and stuck his head back into QST. The article on a remotely-tuned auto antenna had him entranced.

Rising a little late the next morning, Mo rushed down to the office, kissed the wife good-bye and waved to her as she drove off. The day passed in not too unusual a manner. Mo closed out three big sales, signed off two contracts, and set up a sales re-organization meeting. After lunch he passed a couple hours drawing a revised physical layout of the remote antenna installation in the car. As luck would have it, he didn't hear the boss come over to his desk.

"What the heck are you doing, Billing?" Mo broke out into an immediate sweat, his voice rose an octave and clearing his throat he answered, "Just a new layout, Mr. Rud."



WHAT THE HECK ARE YOU DOING, BILLING?

Kay Rud, the big business tycoon, wrinkled his brow in confusion, "What layout?" he belated. Mo snatched at the proverbial straw.

"This is a layout of the second floor facilities. A better way to handle incoming orders, sir."

"Well, what's this box here with the circle with numbers on it." Mo looked at the base-loading coil assembly he had drawn. "Oh, that's a desk with a rotating file of customer credit cards."

"What are these two parallel lines that connect to that square saying 'relay box and mike connection'?"

Mo gulped once and said, "That's an inside telephone relay line that ends at Mike Jones desk. He can give special preference to cash orders and relay the information to the file desk."

Flushed with his own thoughts he continued, "Enna Smith, we call her 'Aunt Enna,' will transmit the stock information to the stock room via a 'send-receive' light system depending whether the order is incoming or outgoing."

Mr. Rud slapped Mo on the back. "By golly, Billing, this is terrific. Write this up in a form presentable to management and I'll push it through. This really deserves a raise!"

As Kay Rud left, Mo weakly slid down in his chair. Again he realized ham radio — and Lady Luck — had helped him in his job.

At 5 p.m. Mo walked out front to the parking lot where the XYL was waiting in the car. She was fuming! Mo opened all the windows (one didn't close anyway) to let the steam out of the car's interior.

"I got a ticket, Mo."

"A ticket? What happened?"

"I went around a corner on two wheels."

"On two wheels! How fast were you going, 100 miles per hour?"

The XYL vibrated as she said, "15 miles per hour."

Mo smiled. "Who are you kiddin', that's impossible."

The XYL said, "Not on the front two wheels it isn't."

As Mo pulled into the driveway of the home QTH and parked he yelled, "What's this drivel about front two wheels. I've never heard of such nonsense."


The XYL replied, "Look, Mo, I don't know what new piece of ham gear you're thinking of buying but that ticket will cost us \$25.00. The officer said next time it will cost you \$100.00 and the third offense will require impounding of your car. If you don't believe me, get out and look for yourself. It's still that way."

Mo shrugged his shoulders, got out of the car, walked to the rear — and stopped dead in his tracks. The rear wheels were a good three inches above the ground! Mo pushed down on the fenders and trunk but to no avail. The rear end kept rising up off the ground.

Mo then disconnected the whip antenna from the roof hitch point. Crunch! The rear end of the

car banged to the driveway. Visibly shaken, the XYL clambered out.

"Mo, we are going to get a new car. This heap is unsafe and is falling apart." Poor Mo had no argument. Obviously the frame was becoming rubbery.



That evening Mo went through a couple of motor magazines and two dozen pieces of sales literature on cars. Keeping in mind the new mobile installation, he narrowed it down to two or three models of a couple different manufacturers.

The XYL interrupted to tell him that she wanted a four door sedan with all leather and vinyl upholstery so that it would be resistant to kids that liked chocolate ice cream, greasy tools, and ham gear. Mo himself was the conservative type and shunned away from the deluxe models with tons of chrome stripping both on the interior and exterior.

Saturday morning they stopped off at Atomic Motors to see the new 1957 Nuclear Six. As the XYL was choosing the color scheme of the custom 4-door six cylinder job, Mo wandered about the showroom.

As he entered the side door of the display area his eye lit on a brightly polished beauty. He couldn't believe what he saw. His heart jumped a foot and almost stopped beating. In front of him stood a brand new 1957 Atomic Motors Fission V-8 with the revolutionary Rocket Heap styling. The rear fenders canted upward almost out of sight. And along the top of each fender was a strip of chrome. Mo paced off the length of the

chrome strips. Exactly right for a 10/20-meter beam. Excitedly he looked at the rear of the trunk. A huge V-8 design was there. Just perfect as a delta-match to the chrome strips.

Further investigation proved the dual exhaust lines were perfect for 40 meters. Under the hood, the fan proved perfect for 144 Mc. work. And the electrical system contained a 12-volt battery and oversize generator.

It took just 10 minutes of high pressure talk to convince the XYL that this model would have a high resale value. The XYL chose one with red and white upholstery and the car was theirs.

Of course the rest is history. Mo Billing won five U. S. and two foreign awards for the most outstanding achievements in amateur mobile operation for 1957. He servo-controlled the trunk lid to remotely stop it in any position to act as a ground plane for the Fender Beam. He has two patents on a "Dual-Muffler-Loaded 40-Meter Beam." He revolutionized 144 Mc. operation with his article on "Circularly Polarized 144 Mc. Operation with Rotating Fan Antennas." The IRE awarded him the honor of Extreme Fellow following his paper on "Delta-Matched V-8s."

He won the International Mobile DX Contest by amassing 3 million points more than the second place winner. And this he accomplished with a dead cell in the battery and a hole in one muffler.

Mo took his mobile equipped Nuclear V-8 to the manufacturer and pointed out it was a natural for hams. Now, Atomic Motors sells the car factory-equipped for hams and for the past two months is leading the nation as first in auto sales. In appreciation, they gave their national advertising business to Mr. Kay Rud's agency who in turn made Mo a senior vice-president.

The only sales bug proved to be a 6 db. loss between hams communicating between the Nuclear V-8's and older cars with lower rear fenders. However Mo designed the "6V8 Booster," an electronically controlled jack for raising rear fenders a quarter-wave off the ground.

Today, hams all over the world are waiting for even greater things to come from Mo Billing. Yesterday he got a ticket — for three wheels off the ground.

— W6WED

Strays

A Capitol Records recording session with Ella Mae Morse had these hams on the job: left to right, standing, John Krause, W6QMB (recording mixer-engineer); Hy Lesnick KN6ZSY (orchestra manager); Lee Gillette, K6HSZ (Capitol Records artist and repertoire producer); and Paul Weirick, K6AK (orchestra conductor). Seated, Frank Carlson, K6GXG (drummer); Ella Mae Morse; and Alvino Rey, W6UK (guitarist). Miss Morse's next Capitol Records album will, incidentally, be named the "Morse Code."



October 1957

Just a Big Old Bird

Spencerville, Maryland

Editor, *QST*:


I just didn't have the heart to tell W4ZXI.

I had sufficient reason, I guess. But then "osprey" isn't a common word to find spelled out in the middle of a c.w. transmission. Might take a repeat if it hit him cold. Then again, if his knowledge of ornithology was as meager as mine, a long-winded explanation might be required. And there really wasn't that much time. We both wanted to get aimed up on Orlando and count meteor bursts on W4LTU.

So when he said my signals were a bit below par, and had a queer fade, I just told him his were the same. Didn't say anything about the s.w.r., or wet bird feathers, or anything.

You see, once I had mentioned s.w.r., we both would have been stuck for an hour. I'd have had to tell him the whole story. About being in the garage just before supper, working on the new sump pump. And how I glanced up at the antenna as I headed for the house for chow. And saw the darned thing up there. Biggest bird I ever saw outside of a zoo, and perched right on the top bay of the 144 Mc. array, 83 feet or so up, squeezing with those big claws on that little $\frac{5}{8}$ " boom, and looking around like he owned the county.

And then I'd have to mention how the wife came out with the bird book and binoculars. And the call we put out for the nature-loving neighbors on the east side. And they had more bird books. And how we decided it wasn't big



enough for an eagle, and must be some kind of a hawk. And how I figured the first time I nudged the rotator switch, he would be off. And how I did, but he didn't. 180° around I took it, and all

the rascal did was turn around so he could again face away from the sun and into the wind. But he used his wings a bit for balancing on that one—guess the boom wasn't quite fat enough to suit him—and that's what gave the local experts a good look, wings and all, and that's what they said he was. An osprey, or fish hawk. Judging by those 38" rods he looked five feet or so in span.

And how I started to worry then about the rods. Just $\frac{1}{4}$ " aluminum tubing. And him hanging on right near the driven element, with those claws snuggled close to the #18 feed line. And how I fired up the transmitter and it didn't even bother him. Loaded fine, s.w.r. low and normal, but bird still there.



And still there after dark, by the glow from the spotlight. We all thought he might run for shelter when the rain started, but no, sir. Sat right there and got soaking wet. And the plate current went down, and the s.w.r. went up, and the meters jittered all around, and kept it up even after the rain slackened off. And old W4ZXI, his signals sounded frightful, all jumpy like.

But it was just too long a story, so I kept mum. Besides, I didn't want him thinking I hit the bottle so hard so early in the evening, and the whole thing simply didn't sound reasonable. Besides, he would have had me on the grille the next night to find how it came out. About how the bird left between 6 and 7 A.M. And the s.w.r. back to normal. And how inspection by binocular showed all in order. And that would have been the end of it.

So that's why I didn't say anything about it.

— William L. Smith, W3GKP

Strays

What's in a call? W1SGT (SGT is the abbreviation for sergeant in the Marine Corps) is a captain in the U. S. Navy.

What are the odds? W1COL taught the code to a would-be ham, who thereupon passed the exam and received the call K1COL.

W2KCR Receives High Navy Award

THE highest award made by the U. S. Navy to a civilian, its Navy Public Service Award, has just been made to Paul Blum, W2KCR, of Syracuse, N. Y., for the terrific job he's done in the past year and a half in handling all kinds of traffic to the Antarctic.

The citation which accompanies this award reads in part as follows, ". . . Mr. Blum, an outstanding radio amateur and communicator of the Greater Syracuse, N. Y., area, has given unselfishly of his time and effort to the great benefit of the morale and welfare of Naval personnel . . ."

Specifically, W2KCR has now been engaged since the spring of 1956 in handling traffic to and from the Antarctic, and in August of this year he passed the 10,000 mark in numbers of messages handled. Unless you could leaf through his message files and follow the exchanges between sailors and families, and read some of the mail that he has received from grateful addressees, it is impossible to realize what a great service he has rendered to Navy personnel in a frozen wasteland and their families at home. The messages run the gamut of emotions from joy to sorrow; they concern matters of love, sickness, family business, misunderstanding, loneliness and faith. Reading over his traffic file, it is small wonder that Paul Blum devotes so many hours of each day to this undertaking.

We visited W2KCR in August, having been advised by RADM Bruton in the Navy Department that the award had been approved and was to be presented by him at the ARRL National Convention in Chicago. After having spent a night (and we mean a *night!*) watching W2KCR in action, we assure you that he is highly deserving of the honor. Some of the Headquarters staff had previously visited W2KCR, but we wanted to see the operation firsthand. Arriving in mid-evening, we spent some time in getting acquainted over a cup of coffee or two. Along towards 2300 we got down to business, and by midnight we were working the Antarctic. And we continued to work them until after six A.M. We handled voice traffic. We handled some c.w. And we handled RTTY. We did it constantly. It was a busy night! At 0645 your writer headed for the airport and a Hartford plane, while Paul headed for bed and an hour's sleep before starting off to his regular job at the office. According to his wife, this is the customary routine!

How did he get started on this project? Well, in the spring of 1956 Kenneth Thomas, a Red Cross Disaster Communications official in Syracuse, conceived the idea of handling morale traffic to and from the Navy's Operation Deep Freeze. The late W2BTB was chosen by the Radio Amateurs of Greater Syracuse to journey to Washington and seek the Navy's cooperation,



W4IH presents Navy Public Service Award to W2KCR at ARRL National Convention.

which she obtained. And so the RAGS set up a committee to get the ball rolling. On March 21 K2BQO made the first contact with the Antarctic group, but it was apparent right from the start that it would be advantageous to have both ends of the circuit on s.s.b., and so W2KCR's station was pressed into service by the RAGS committee. Fourteen volunteers were signed up to keep the station on the air seven nights a week, and the Syracuse-Antarctic schedules were on their way.

The complexion of the operation has undergone steady changes through the months. W2KCR has added both radioteletype and radio facsimile facilities, and both of these modes have handled an increasing amount of traffic. He has personally financed the sending of Christmas greetings and anniversary greetings, by mail, to the families of the Antarctic sailors. His list of volunteer assistants has dropped to six. With the traffic load up and the number of assistants down, W2KCR has personally taken on an increasingly heavy load of operating, the result being the handling of a maximum number of messages with a minimum amount of sleep.

Rear Admiral George Dufek, Commander of the U. S. Naval Support Force, Antarctica, and author of the newly-published book *Operation Deepfreeze*, recently wrote us as follows: "I heartily concur that no morale factor has been as important to the men of DEEP FREEZE as has amateur radio. In the past we have taken every opportunity to express warm appreciation to those amateur operators who have been so important to us . . . I hope every amateur radio operator is aware of the great service to our operations ham radio is performing and how highly we value their cooperation."

Through the unselfish efforts of amateurs like W2KCR (and his volunteer assistants W2ABV, K2DUY, K2HWP, W2QAR, K2QXL and W2WS) amateur radio continues to maintain a high standard of exemplary public service.

— R. L. B.

Happenings of the Month

27-MC. FILING

In April, the Federal Communications Commission issued a series of proposals for a rearrangement of frequency assignments to a number of radio services, one of which would withdraw from amateur use the present 11-meter segment, 26,960-27,230 kc. At its meeting in May, the Board of Directors of ARRL instructed the General Manager to file comment opposing this proposal. We publish below the text of the League's filing in support of a continued assignment of this band for amateur use.

Before the
FEDERAL COMMUNICATIONS
COMMISSION
Washington 25, D. C.

In the Matter of
Complete revision of Part
19, Rules Governing the Cit-
izens Radio Service, and re-
allocation of frequencies in
the range 26.96-27.23 Mc.
from the Amateur Radio
Service (Part 12) to the Cit-
izens Radio Service.

Docket No. 11994

COMMENTS OF THE AMERICAN RADIO RELAY LEAGUE, Inc.

Pursuant to Paragraph 10 in the Notice of Proposed Rule Making in Docket 11994, the American Radio Relay League, Inc., submits these comments on behalf of more than 60,000 U. S. amateur radio operators who are members of the League.

The League is opposed to the adoption of the proposed rule changes for the following reasons:

POINT I

The adoption of the Commission's proposal would constitute a derogation of the Atlantic City Radio Regulations.

1. In its allocations planning during and immediately after World War II, the Commission concluded it was necessary to make expanded provisions for the operation of "industrial scientific and medical" equipment in the 27-Mc. region. The Commission found it impossible to acquire frequencies for that purpose by reducing the assignments to government and non-government fixed and mobile services in that portion of the spectrum. The Commission thereupon reduced the amateur 28-Mc. band by 300 kilocycles to make space available for ISM purposes. The Commission's announcement of these decisions, in its final report of frequency allocations above

25 Mc. (Docket 6651, May 25, 1945), indicated that the amateur service would be authorized to use a 270-kc. band shared with ISM.

2. These decisions became a part of the proposals of the United States for the then-forthcoming Atlantic City Radio Conference. For example, a Commission release of March 20, 1947, indicating certain views of the United States toward the world conference, stated, "A band of 270 kilocycles will be available to the United States amateur radio service." At the conference itself, in recognition of the ISM problem and to implement its control, it was found desirable to set up a worldwide ISM frequency, chosen by compromise as 27.120 Mc., $\pm 0.6\%$, or approximately 320 kc. In that portion of the spectrum, the present Atlantic City table of frequency allocations reads as follows:

Frequency Band and (Bandwidth) kc.	Allocation to Services	
	World-Wide	Regional
26,100-27,500 (1400)	a) Fixed b) Mobile except aero- nautical mobile	
57)	58)	

57) The frequency 27,120 kc. is designated for industrial, scientific and medical purposes. Emissions must be confined within the limits of $\pm 0.6\%$ of that frequency. Radio communication services operating within those limits must accept any harmful interference that may be experienced from the operation of industrial, scientific and medical equipment.

58) In Region 2, Australia, New Zealand, the Union of South Africa and the territory under mandate of South-west Africa, the amateur service will operate within the band 26,960-27,230 kc.

3. The United States is of course, a signatory nation to the Atlantic City Radio Regulations. These regulations, and particularly footnote 58 thereof, make it perfectly clear that by international agreement the band 26,960-27,230 kilocycles is assigned to the amateur service in Region 2 and to the amateur service in a number of other countries located outside of Region 2.

4. It is a well-known fact that the propagation characteristics of frequencies on the order of 27 Mc. are such that even low-power stations are capable of causing harmful interference to stations in other countries even at great distances. Therefore, any assignment of the frequencies here involved to a service not provided for by the Atlantic City table may well permit the operation of stations capable of causing harmful interference to stations in the amateur service in other countries where the service is authorized. Thus, the Commission's proposal, if adopted, would be in derogation of the Atlantic City Radio Regulations.

5. The League recognizes that under Paragraph 88, Chapter III, § 3 of the Atlantic City Radio Regulations, this government has a technical right to assign frequencies in derogation of

the allocations table on the express condition that no harmful interference shall be caused to authorized services. Nevertheless, it is absolutely essential that the United States, on the eve of participation in another world radio conference, avoids even the slightest indication that it is derogating under the existing treaty. The United States must support the international table of frequency allocations, to which it is a party, without equivocation.

POINT II

The Commission errs in its conclusions as to the nature and extent of amateur use of the 27-Mc. assignment.

6. In Paragraph 5 of the Notice, the Commission states that (1) there is comparatively little amateur use of the 27-Mc. band, and that (2) such use as is made consists primarily of remote control operations or short-distance communication. The League disagrees with both these conclusions.

7. The recent DX (distance) tests of the American Radio Relay League held in February, 1957, indicate (even allowing that such a scheduled event promotes more occupancy than normal) that there is actually a substantial use of the 27 Mc. band by amateurs. For example, during those weekend tests, one amateur station outside the United States was in communication with nearly 250 different amateur stations in this country on 27-Mc. using radiotelegraphy, and another foreign station similarly communicated with more than 150 different amateur stations using 27-Mc. radiotelephony. During the scheduled February weekends, amateur stations in more than 40 different countries (including colonies or possessions) were active in the 27-Mc. band. The above figures include only those amateur stations known to be participating in these specific tests and do not take into account any additional casual amateur operation which may have occurred simultaneously. We believe that comments which individual amateurs will file with the Commission in this proceeding will adequately indicate the extent of amateur use of the 27-Mc. band.

8. The information in the preceding paragraph contradicts the Commission's view that the band is used mostly for short-distance work. Indeed, if only short-distance (ground-wave) communication is contemplated by an amateur wishing to work in that portion of the spectrum, the 28-Mc. band is more suitable because of heavier occupancy. There are, on the other hand, occasions when the maximum usable frequency is in the vicinity of 28 Megacycles, so that there is considerable use of 27 Mc. for long-distance work when the 28-Mc. band will not provide sky wave communication.

9. To the best of our knowledge, there is no particular amount of radio-control operation at 27 Mc. by amateurs. There is, in fact, comparatively little use by amateurs of radio for remote control purposes in amateur bands; when such use is made, it is more often within other bands

such as 50 Mc., in preference to 27 Mc. because of the comparative lack of a sky-wave interference problem.

10. On the other hand, some experimental use of the 27-Mc. band is made by amateurs interested in "duplex" communication techniques, with some additional occasional use of facsimile transmissions, this being the lowest frequency band in which such emissions are permitted.

11. It is also worthy of note, in connection with Paragraph 5 of the Notice, that although the Commission indicates its proposed rules changes would permit amateurs, as individuals, to obtain Citizens licenses, this would only apply to amateurs 18 years of age or over because of the age restriction in § 19.2 of the Commission's Rules.

POINT III


The 27-Mc. amateur assignment is needed by the amateur radio service.

12. In November, 1945, the band 28,000-29,700 kilocycles was made available to the amateur service, instead of the 28,000-30,000 kilocycle band assigned before World War II. In March, 1946, a 270-ke. portion of the then-new "ISM band" was assigned, for the first time, to the amateur radio service, subject to interference from ISM. In the 27-28-Mc. region, therefore, the amateur service is provided with less space than had previously been assigned.

13. Despite the rapid development and adoption by amateurs of communication techniques more economical of spectrum space, congestion in the family of amateur bands continues to grow. The comparatively new amateur band at 21 megacycles to some extent compensated for a postwar reduction of frequency privileges elsewhere in the spectrum and has afforded some relief. But in the dozen years since World War II the amateur service in the United States has

(Continued on page 190)

A recent visitor in the States was Robert W. Ford, ex-AC3SS and ex-AC4RF, two calls well-known to DXers of six or seven years ago. Ford was captured by the Chinese communists and held prisoner for five years. His adventures before and during his confinement are brilliantly recounted in his recent book "Wind Between the Worlds," which we recommend for your reading. Ford was in this country doing a TV show on brainwashing, and through the courtesy of CBS spent a day in Hartford. In the photo below AC4RF (left) shows W1IKE and W1BUD the routes he followed. His TV appearance is tentatively scheduled for November 24 on the CBS documentary series "The Twentieth Century."



YL News and Views

BY ELEANOR WILSON,* W1QON

Eighteenth Anniversary Party

Sponsored by the Young Ladies Radio League

Please heed the changes in the awards section of this year's rules for the Anniversary Party. All other rules remain essentially the same as in last year's contest.

YLRL Vice President Mildred Wright, whose new Texas call is K5LIU (ex-W3YTM), extends a cordial invitation to all YLs throughout the world to participate in the contest. Contestants do *not* have to be members of the YLRL. The Party provides the best opportunity of the year to work the greatest number of YLs with the least effort, and have a grand time doing it.

So, get your Fall housecleaning done early, gals, and advise your friends that you're all booked up already for November 6th, 7th, 13th, and 14th.

Eligibility: All licensed YL and XYL operators throughout the world are invited to participate. Non-members of YLRL are not eligible for cup awards but are eligible for certificates. Only YLRL affiliated clubs will be eligible for the club award. Contacts with OMs do not count. (The YL-OM Contest will be held early in 1958.)

Operation: All bands may be used. Cross-band operation is not permitted.

Procedure: Call "CQ YLRL" or "CQ YL."

*YL Editor, QST Please send all news notes to W1QON's home address: 318 Fisher St., Walpole, Mass.



Among the 59 hams who gathered for the Eastern Pennsylvania-Pennsylvania Fone Net joint picnic at Easton, Pa., on July 28th were W3FHP, Rachel; W3GEU, Elaine; W3CUL, Mae; W3DBM, Flo; and WN3GTP, Irma (left to right in the photo). What we want to know is what did photographer W3PYF say (or do) to evoke such sportive smiles from the girls?

CONTEST PERIOD

Phone —

Starts: Wednesday, Nov. 6, 1957, 12 noon EST

Ends: Thursday, Nov. 7, 1957, 12 midnight EST

C.W. —

Starts: Wednesday, Nov. 13, 1957, 12 noon EST

Ends: Thursday, Nov. 14, 1957, 12 midnight EST

Exchange: QSO number; RS or RST report; name of state, U. S. possession, VE district, or country. California sections will include the name of their section in the exchange. California is divided into eight (8) sections as follows: Santa Clara Valley, East Bay, San Francisco, Sacramento Valley, San Joaquin Valley, Los Angeles, San Diego, and Santa Barbara.

Scoring: (a) Phone and c.w. contests will be scored as separate contests. (b) Add number of QSOs in each contest. A station may be contacted no more than once in each contest for credit. (c) Multiply the number of QSOs by the number of different states, U. S. possessions, VE districts, countries and California sections worked. Maryland and the District of Columbia count as one state. (d) Contestants running 150 watts input or less at all times may multiply the result of item (c) by 1.25 (low-power multiplier).

Logs: Copies of all phone and c.w. logs, showing claimed score, must be postmarked not later than November 30, 1957, or they will be disqualified. Please file separate logs for each mode of operation. Send logs directly to YLRL Vice President Mildred Wright, K5LIU (ex-W3YTM), P. O. Box 1088, Pasadena, Texas.

Awards: Highest individual phone score.....Cup
Highest individual c.w. score.....Cup
Highest (average) club score.....Gavel

Certificates will be awarded to high place c.w. and phone winners. Highest score in each district, U. S. possession, VE district, and country, where at least three entries are received, will be awarded a certificate. If a member wins both contests, she will be awarded the two cups.

The aggregate scores of phone and c.w. reported by club secretaries and confirmed by the receipt of contest logs by the Vice President shall constitute a club entry. Segregate club entries into phone and c.w. totals, add the two for aggregate club score, and divide the result by the number of members participating.

Scoring Example:

QSO No.	Station	RST	Place	No. of Each New Section or State
1	W1BQI	5-9	Va.	1
2	VE3AJR	5-9	Ontario	2
3	W6JZA	5-9	Calif.-Los Angeles	3
4	W4BLR	5-9	Va.	3
5	W6GGX	5-9	Calif.-San Diego	4

Total QSOs 5 times 4 states times 1.25 for low power multiplier equals 25 points score.



For the fifth consecutive term, Mrs. Betty H. Gillies served as Chairman of the All Woman Transcontinental Air Race Board of Directors in 1957. A past president of the 99's, Betty was a contestant in the 1949, '50, '51 and '52 races. During World War II she was a WASP Squadron Commander, and she has logged more than 3000 flying hours, holding commercial, flight instructor, instrument, single and multi-engine land and seaplane ratings. Betty has been operating as W6QPI since 1952 from her San Diego QTH.

EXPRESSING thanks and appreciation to all concerned with the 1957 All Woman Transcontinental Air Race, Betty Gillies, W6QPI, Chairman of the Board of Directors of AWTAR, Inc., (see photo) wrote: "The amateur net was great, and we officials certainly are grateful to all the YIs and OMs who gave so unstintingly of their time and effort to make it so. I just don't know how we would ever run the AWTAR without the help of the ham net."

Co-chairmen of the amateur net, George Graue, W9BKJ, and Thelma Zimmerman, W9JYO, were pleased with the results of the five day operation, July 6th thru the 10th, across the country from San Carlos, California, to Philadelphia, Pennsylvania, and at each of the eleven stop-over cities in between. W9BKJ summarized that flyers' progress reports were relayed rapidly, with the bulk of traffic moved on 3900 kc. and 7250 kc., as conditions warranted. (Portable v.h.f. equipment was generally used at the airport for initial relay to city stations.)

At the start of the race, the San Mateo County Airport was linked by teletype to amateur station W6PHS set up at the Villa Hotel in San Carlos and to amateur control station W6YFM in Belmont. Hal Jones, W6ZVV, and John Chamberlain, W6IUK, made the initial relays via a v.h.f. audio frequency shift keying teleprinter setup at the airport. Coordinating the information at the hotel were Chuck Bey, W6PHS, Jeri Bey, W6QMO, and the chairman of amateur communications for California, Rose



The initial take-off at San Mateo County Airport in San Carlos, California! The exact time of take-off of each of the 49 planes was carefully logged by both race officials and amateurs at the starting line.



On a plot board in the lobby of the Hotel Villa in San Carlos Rose Jolly, W6QPV, chairman of amateur communications for California, kept up to the minute on the progress of each of the planes with information received via teletype link with the airport.

The two meter teletype station at the Villa Hotel was operated on race day and the day before by Chuck and Jeri Bey, W6PHS and W6QMO, and Rose Jolly, W6QPV. Rose (left) and Jeri (right) are shown in the photo.



Jolly, W6QPV. At control station W6YFM information was received via teletype and relayed eastward on 40 and 80 meters by Howard Hale and Jim Jolly, W6WRI.

The function of the amateur net was to closely follow the progress of each contestant along the entire flight route, to relay personal messages originated by the pilots, and to supply unofficial start and finish times to race officials.

More than one hundred women flew some fifty aircraft in the 2600 mile race. Mrs. Alice Roberts of Phoenix, Arizona, Pilot, and Mrs. Iris Critchell of Palos Verdes Estates, California, co-pilot, placed first in the handicap. Flying a Beechcraft Bonanza, their average ground speed was 188.54 m.p.h. Esther Gardiner, W1YUO, of Waterford, Connecticut, was co-pilot of the aircraft which placed third.

Contestants included school teachers, grandmothers, aeronautical engineers, fashion models and flight instructors, acrobatic flyers, artists, and housewives. Some co-pilots held student licenses, with as little as 25 hours flying time; one pilot had 7700 hours in the air. The race is sponsored by the Ninety-Nines, Inc., an organization founded by the late Amelia Earhart for women pilots.

Assisting amateur co-chairmen W9BKJ and W9JYO were the following chairmen of the stop-over cities: San Carlos, California — Rose Jolly, W6QPV; Reno, Nevada — Wilma Sowle, W7QJH; Elko, Nevada — Janet Small, W7QYL; Salt Lake City, Utah — Reva Paulson, W7QWM; Rock Springs, Wyoming — Heber Brown, W7PJX; Cheyenne, Wyoming — Gilbert Dugger, W7MINW; North Platte, Nebraska — Robert Applegate, W0EVY; Omaha, Nebraska — Robert Sleyster, W0OSE; Moline, Illinois — Curtis Roseman, K9AKS; Fort Wayne, Indiana — Esther Clifton, W9PFO; Akron, Ohio — Charles Whitaker, W8BDM; Harrisburg, Pennsylvania — Bernard Schmidt, W3VDA; Philadelphia, Pennsylvania — Edith Rosner, W3AAU. Scores of other amateurs aided in the relaying of traffic throughout the race, and W9BKJ expressed appreciation for all of the help received.

Carolyn Currens, W3GTC, will serve as net chairman for the 1958 race. The AWTAR committee will begin planning of the flight route early in September. The terminus will be Charleston, South Carolina.

WAC/YL Applications

Barbara Houston, W3OQF, custodian for the YLRL WAC/YL award requests that applicants for the certificate hold their QSLs until notice is given here of her new Iowa address.

— — —

Coming Get-Togethers

The third annual Birthday Party of the Texas YL Round-Up Net will be held in Dallas, Texas, on Nov. 9, 1957, at "Choppy's". Details may be obtained from President K5BNQ.

We are happy to publish advance notice of

coming YL get-togethers. Please remember, however, that notices must be received at least two months prior to publication.



That's an XYL QSL Betty Chase, K0DTM, is presenting to John Froome, M. C. of "Party Line," a local TV ladies show on KAKE-TV, Wichita, Kansas. Betty extended the QSL with the good wishes of twenty XYLS of members of the Air Capital Amateur Radio Association present in the studio audience. The "ACARA Gals" wore club hats, and according to K0DTM succeeded in hamming up the show, while generating some local publicity for ham radio via video.

A HAMFEST

I was asked to go to a hamfest

And I thought that meant eating ham
But to my surprise I soon found out
Just what a dummy I am.

The hams at this feast were all human

And not the four-legged kind;

The one interest they all had in common
Is transmitting just what's on their mind.

It was a da-dit-da on one hand,

And a dit-dit-dit-da on another;

Or a C.W. fan arguing

With a phone band man, Oh Brother.

How's your grid drive in the final?

How's your power supply holding up?

You got a QSL from Russia?

You sure are a lucky pup.

I'm using an old folded dipole,

Not me, I've got a bean;

Well now me, I'll stick to a longwire,

For the calls come in like a dream

How's everything up on 80?

I don't know, I'm on 75;

Not me, I'm strictly a 10 man,

Say that band's more dead than alive.

What'll ya swap for some 304 TLs?

Say, gal, you can't give 'em away;

Someone hollered "Let's eat," BOY what a treat,

It was the first thing I understood all day.

W. S. GALLANT

Reprinted in the May issue 1957
of the *Camellia Capital Chirps*.

Strays

K6JFK gets a bang out of his mobile rig. He recently blew a fuse during a QSO and, after searching frantically through the glove compartment, could find only a .22 caliber long rifle cartridge. Into the fuse block it went. He now needs a fuse and a new power supply. — K6JYR

The Morning After the Night Before

THE morning after. I somehow managed to get to the office. Not on time, mind you, but I got here. Although my head still throbs and I'm literally shaking from utter exhaustion, I made my way through the long, dimly-lit corridor to my own little one-windowed cubby hole.

I'm vainly trying to recall the happenings of the night before. I know it wasn't a dream. My wrists are stiff and sore and my fingers ache (my sacroiliac isn't doing so badly either!). My head still whirls, and my ears are ringing R-5 S-9!


As far as I can remember it was a perfectly ordinary day. I arrived home from the office about 5:15 and scanned the ice-box for supper. After satisfying my insatiable appetite (and *that* isn't easy!), I went down to the shack. From here on things get pretty hazy.

I can remember putting the finishing touches on my new transmitter and checking all my antenna connections. My one-week-old vertical, like the transmitter, had yet to be put to the test. As the final connections were made, I could feel a sudden surge of excitement beginning to grow . . . you know, that ol' butterfly feeling.

I threw the receiver on and placed the transmitter back in its chassis. Got everything all tightened up and flipped the switch which controlled the filaments. It did my little heart good to see the green light go on and a faint orange color appear in the tubes.

I put the receiver on 15 and listened around a while. Heard nothing but a few faint signals. S'funny, now that I think of it. I can remember exactly where I set the v.f.o., 21,020 kc. I tapped out a CQ. Nothing. I tried again. Still nothing. Being a man of patience, I sat back and lit a

cigarette, took a deep drag, set my jaw tightly, and tried another CQ. An amusing thought flashed across my mind. Why not slap a "DX" on the end of that CQ? I chuckled to myself. I couldn't even raise a W let alone a DX station. But being a perfect slave to my own whimsical notions, I tagged the CQ with a "DX," signed my call, and dah-di-dah'ed. Then it happened. My heart pounded, spots danced before my eyes, and although the sound was in my earphones, I still moved closer to the receiver. I don't remember the rest. I must have collapsed.



--THE DXER

As I sit here in the office, head in hands and in dire need of a shave and a cup of coffee, a cynical voice lifts me from the abyss of despair to the realm of realism. "Well, the DXer finally made it to work!" Yes, that was it! That's what had happened, I had worked my first DX station, a . . . a . . . an 11, I had worked an 11. "The DXer," I revel in that glorious word. Just think, only 99 to go! — *W1FGF*

Strays



"DX Night" at the Milwaukee Radio Amateurs' Club brought forth these displays of cards. In all, there were 20 displays, and it was quite a colorful exhibit of the interesting cards that can be collected by a DXer. The display was arranged by the club's DX chairman, W9FDX.




CONDUCTED BY ROD NEWKIRK,* W9BRD

How Not:

We strive to limit our preachments on negative DX aspects. Ham radio is meant to be pleasant, and we prefer to accentuate the positive. A certain soapbox responsibility falls our lot, however, and sober October is as good a month as any to discharge a portion of this obligation. . . .

In high-pressure 1957 it seems strange to contemplate the fact that your ARRL DX Century Club and its Countries List were conceived in the middle 1930s more as a *means* than as an *end*. A stable DX yardstick was badly needed then, a reliable measure of station-operator long-distance effectiveness as an answer to the pertinent question, "How'm I doin'?" DXCC delivered. Subsequent years of painstaking administration and promotion have caused DXCC to become a wonderful game within The Game, an urgent incentive of itself. And no other certification of ham communications achievement has ever been wooed with such steadfast and universal zeal.

So much is all to the good. Ham radio is a hobby, a hobby is supposed to be fun, and programs such as DXCC are designed to enhance that enjoyment. But there is perspective to be maintained. ARRL Communications Manager WIBDI puts it well on page 77, August *QST*. *I.e.*, there are other things in DX life besides a numbers game. There had better be, because this graph, based on cold statistics appearing in our October 1952 "How's" effort, points up a massive moral:



From this anyone can clearly ascertain that DXers who become totally obsessed with the

*4822 West Berteau Avenue, Chicago 41, Ill.

CAUTION

Under this country's treaty obligations and on formal notice received from other nations, FCC-licensed amateurs are warned to engage in no communications with stations in the countries listed below. This is in accordance with the FCC Public Notice of December 21, 1950 (p. 23, Feb., 1951 *QST*), and as since revised.

Cambodia (F18, XU), Indonesia. (PK, YB-YH), Iran (FP-EQ), Korea (HL-HM), and Viet Nam (F18, XV, 3W).

For those whose *QST* files do not go back to 1950 we will gladly supply, upon request, literature describing the circumstances of this prohibition.

collecting of "new ones" are doomed to have their pastime pitifully peter out. It's inevitable. If a numbers angle is the *only* kick they've conditioned themselves to derive from DX pursuit then the inexorable law of diminishing returns will wither their fun, dry it up and blow it clean away.

So don't be like the bird who takes wonderful week-end drives into the country but misses all the scenery because he's too busy watching mileage roll up on the dashboard. Sure, it's interesting and necessary to know how far we've traveled. But an *ignis fatuus* of comparative numbers never was intended to be the intrinsic end of all DX effort. Relax — savor your DX. Linger awhile and enjoy the beautiful rolling DX bandscape!

* * *

Losing a little perspective is one thing; each of us is susceptible to this at one time or another. But going clear off one's rocker is something else again. In any contest — DXCC fundamentally is a long-range never-ending contest — some immature and mentally unstable participants really pop their tops and get carried 'way off the beam. Indeed, some DX-stricken BB-brains have been known to go off their rockers to such extent that they willfully violate the legal power input limit, rig bogus QSLs, intentionally gum up frequencies, and pull other puerile stunts well calculated to alienate their saner DX associates and the amateur world in general.

Some offended victims and shocked observers would go so far as to blame DX, DXCC and the ham radio environment itself for such sordid psychoticism. Don't you believe it. Chronic eight balls are just as disreputable in any other pursuit, be it collecting stamps or breeding guppies. It is unfortunately true, however, that the very nature of amateur radio makes all of us particularly vulnerable to the depredations of sneaks who

bravely balk their colleagues from behind locked doors. This for the sake of a hobby!

We are fortunate in one respect. Many of these megalomaniac misfits burn themselves out like short-fused ionospheric stinkbombs, quickly wearied by their own obnoxiousness. But each new DX generation bears a small fringe of such vipers. At the local level especially, these pests can spoil a lot of fun. They must be attenuated at the local level and it's heartening to note that some of the clubs mentioned last month are seriously concerning themselves with this problem.

What:

October may be poetically sober but it's also one of the most DXceptional months of the year, Ten-meter time! Solid strapping 7- and 3.5-Mc. DX signals at your fingertips, while 20 and 15 meters, DX mainstays all summer, take on a lively long-path wide-open tone. Even old 160 crashes the act with surprising miles per watt. . . . In the following reports of DX activity over the past few weeks frequencies (in number of kc. above the lower band limit) appear within parentheses, times without. *E.g.*, (9) = 14,009 kc. if the paragraph treats 20-meter work. Times are GMT using the nearest whole-hour figure such as 7 for 0720, or 0 for 2349. As a rule, for space considerations, each DX-station suffix appears no more than once per band-paragraph. . . .


40 c.w. is back with a bang as signal-to-static ratios bar once more. Let's start with *W1YNP*: LZ1KPB, SP6EG, UB5KDQ, VP3VN, YO6KFA 7DL to reach 145. *W2EQS*: 4X4RE (35) 3, 5A5TZ (30) 3, VP3, *W2HUG*: CN8BL, PJ2AW, SP8CP, VPs 5BI, 8CW, YU2HEF, finds his 7-Mc. stuff between 7010 and 7035 kc., uses a 44-ft. rainpipe vertical, *W2JBL*: VK 8M, heard LZs 2KML 2KWR 2KZP all hugging the low edge. *K2GPG*: CT1CN, OKs 1AJB 2HW, PYs VKs, rare prince Edward Island's K2UT/VEI, made it 72.44. *W3FMH*: CT1NT, LZ1KRU, YO7DL, YU3HLJ, runs 40 watts to a BC-459, plans a 7-Mc. Lazy-H; heard HA3MA, LZ2KSB, UA2KAW, UB5KKK, VO4RZ, VS9AT, ZP5HK, *W3MQY*: nailed that HA3 plus ZS1IC (37) 0, 5A, has 98 countries confirmed on 40. *K5DKL*: KH6 VK, *K5GHP*: WH6CEA, XE2RC, *K6KIV*: JAs 1BJH (3) 13, 71W (15) 13, LU2YRM (25) 11, UA01J (25) 11, also raised s.s.b. JAs 1AVS and 1M9 with c.w. calls (3) 13-14. *K6QBY*: closing in on AJD and WJDXRC thanks to QSOs with JAs 1ACA 1AEA 1CO 1EC 1EF 1GF 2AQ 2BL 2LC 2RA 3RG 3MC 3MF 3UT 3XY 3ZT 3ZU 4HM 4JL 5AB 5AI 6MZ 7AZ 7BO 7FS 8AA 8AH 8GK 9BY 9GG 9HF, *K6QHC*: JA VPs, VS1GL, *K6RGO*: DU7SV, four JAs, XE2LT, KR6 KL7s, *K6SHJ*: KL7AVF, *W7DJU*: KR6AK, VKs VPs, *VE80J*: K2OBJ. . . . Don't hold-your-breath-for-QSLs contacts: CS3AA by Ws 1YNP 8YFJ, K2PGP; BVIUS by W3FMH, Ks 2PGP 4DON; and PX1YR by K2PGP. . . . In the dark hours the Novice DX spotlight swings to 40 from 15. Luck at *KN2UZZ*: WH6CBX (158) 1 on AT-1 and dipole. *KN4KTN*, WH6CBy (167) 10. *KN4MZN*: WV4BW (175) on a CQ. *KN5KWC*: WH6CHV on DX-20, ARC-5 receiver, doublet. *KNØHGB*: KH6BXX.


20 c.w. enjoys its usual equinoctial boom despite occasional auroral jitters. Zeroes first - *WØNCS*: came out of DX retirement for FB8CD (195) of the Comoros,



HB1UE/FL of Liechtenstein, KP6AG, PJ2ME, UN1AE (20) T5, UQ2AS, UR2AK, UQ2AS to reach 90/75 on his "tired old" 807s. *WØQGI*: UR2AR, XW8AG for 190. *KØARS*: HP1LO, KA2s KS OZ, Jamaican VP5BL, now going after No. 57. *KØDON*: is tied with KØARS after KV4BO. *KØDQI*: FL1R, FE8AE, FF8AC, KP6AL, OA4EY, RAEM, TP2WBO, T12ES, UAs 1AI 3MIA, Lecwards VP2, now 71.44. *WØJN*: CN2AO (10) 22. *W8CCD*: ZC4GT (23), Sint Maarten. *W8TBY*: 77/54 via HP1BR, KV4AA (80) 21-0, OA7I, SP9EU, UA3ZR, YO3WL, YV5ES, FPs, Sint Maarten, Lecwards, K8AMX: T12VA, UA6KOB, *W7CSF*: GR7DQ, XW8AB, XZ2TH, *W7DJU*: DU7SV, JAs 1ACU 1BC 1QI 4AF 4AH 6CI 8AH 9GG, KAs 2MP 2SH 5MC, *W7DKH*: JAs 1AHC 1VE 5AI, KA2KS, VK9XX 9-10, ZK2AD 9, KV4 DU on 65 watts and 12-ft.-high doublet, *W7FBD*: of Almonds, LA2JE/P of Svalbard (15) 6 who seemed to go unnoticed, 5A5TZ for 190 worked. *W7GYR*: JAs 1AL 1CC 3AZ 3UL, KAs 3CY 3JL 4AS 5MK, KV4 ZSs, *W7WJY*: CN8FW, FK8AC (90) 7, HBs 1GJ, Glaris 4FE, JAs 1AJU 1BCO 2NX 3FT 6CI 7IV 9FZ 1, KC4USA (45) 7, KG6AA 18, K9HRW/KG6 (45) 8, KR6QW (60) 16, SPs 1JN 3PH 6BZ 9KAD, UAØKFG (50) 3, UB5UA (45) 5, UQ2BA (70) 3, VS2DW (50) 16, ZC5JM (75) 16, ZESJA (80) 4, *W7Y4Q*: reached 98/75 on JAs 2WB 4KM 7HL 8GA 9BI all 7-14, KA7DM (80) 7, KH6CV KW6 (75) 15, KR6s MD (75) 9, RX (80) 15, UAØKCA (88) 14, UPØ1.6 (10) 15 near the North Pole, VSs 1HU (10) 14, 2FF (40) 15, 2FN (52) 15, both XW8s, ZC5AL (40) 10, XZ2, *W8AG*: EL2P (30) 5, GD4VH (80) 5, HA5DH (60) 5, KG1JA (40) 5, UPØ1.7 (100) 7 way up north, VKØAB (20) 5, YV1AD (75) 6-7, ZE2JD (45) 7, UA3MIR (83) 18, one ZM7AC (80) 15, *W8RLP*: made it 131/100 because of CN8CJ (84) 7, CR7BN (35) 13, EL2L (49) 8, FB FB8s XX (38) 7, ZZ (28) 8, FK8AT (25) 10 on Lifou Isle, GC2FZC (47) 9, KC4USB (21) 9, LZ1KPZ (79) 4, OX3WE (119) 4, ZB2I (72) 9, ZC5RF (58) 15, ZEs

Clipperton, Cocos and Navassa were never like this! You can DXpedition to the Aland Islands in the sedately sumptuous atmosphere of Old Europe. OH2s FC, IK and KQ (shown here, l. to r., are OH2s KQ and IK) steamed to the islands aboard SS *Regin* in late July, entered their names in the Hotel Hjorten guest book, hauled their gear upstairs, mounted a ground-plane on that chimney, and then leisurely accumulated over 400 QSOs. To save wear and tear on that roof the management might well install a permanent all-band antenna, this coax-fed from a luxurious DXpeditionary suite appointed with a marka-in-the-slot serve-yourself ham station. Anyone for room service? (Photos via W1WG)





VE3AHU/SU logged contacts with some 100 countries on 14- and 21-Mc. phone since firing up on Gaza Strip in June. Shown here are ops VE3AHU and S. C. Hensley, both of Canadian Signals, and they are assisted by VEs TACK and 6QK. That Levantine landscape supports a Canada-beamed rhombic and Lazy-H, an all-band trap-type radiator, and a 15-meter ground-plane. The transmitter is a BC-610; a Collins R-388 receives. VE3AHU leaves Egypt this month but expects that replacements will help keep Canadian UNEF members in touch with the homeland and well represented on DX bands.

2JBY (48) 14, 5JU (79) 14, 4X4JS (67) 14, F8S F8S KP6 XW8 ZK2, W6RZS; climbed to 118,104 via FK8AL, FO8AQ, KP6 ZE, W6ZZ; some twenty G-men, JA4AG, OE3VP, KP6 ZK2, Leewards, ZS2CV, K6ICS/6; HK5CR, UA0KJA, YV5BX for No. 52, K6LEB; UA0 ZC5, VR3B, K6LZI; BV1US (67) 9-10, 4X4BX (29) 5-6, KP6 K86 XZ2; heard PZ1AM (9) 5-6, UA0CK (57) 13, VK9VM (17) 12, VP8CW (45) 8, VU2KM (41) 13, K6QEV; CE9AS (25) 12, DU1RTI 15, FY7YF (25) 9, HH2OT (20) 8, HK5BY 6, KG6 IDT 7 of Fletcher's Lee Island, 4A0 (20) 7, VS6AE 10, YV4AU 7, BV1 KP6 VK9 ZC5, K6QHC; CX1BO KGLAN, LUINE, YO3RM, UA0s FB FR KKB, UL7KBA, ZD9AE, KC6 KM6 KR6 VS1s, K6RGO; KA3JL, KH6AIK, KG6 on an AT-1, K6SHJ; CX2CO, KR6AY (80) 10, KX6AF (60), UA0 K86, K5BGB; tried new 700-watt on FP8AP, KC4USV, KS6AD, VQ6AC, VU2SX, New Amsterdam FB8, UA0 XZ2 ZC5, K5GHP; KA4EB, W4EJP; CE2CB, OA4FM 2, YV5GY (100) 2, heard UQ2KAA (20) 2, W4HKJ; FF8BZ (60) 22, UAs 6JF 9KAB (72) 4, UB5s KBB KCB KMA, UD6KAB (75) 0, UG6AB (60) 1, UL7KAA (84) 13, VU2RM (50) 11, K4DAS; FY7YE (50), HA5AL (4), UB5s KAW KBR, YO3FT, ZK1AU, F8S SPs UAs UG6 UQ2, K4LEX; OO5GU (20) 22, UD6, W3CAZ; GP1CJ (40) 0, JA1BIQ (94) 12, OE8KI, SP1JE, UA1KAL, DU F8 HA UQ2, declares that Threes are insufficiently represented in these archives, W3GRO; Leewards VP2, W3RPG; monitored taboo 3W8AA (60) 9-10, W2EQS; SV0WR (10) 4, UA3XL, VK9AD (25) 10, VP6KL (100) 1, VQ6A 23, VQ8MS 23, ZB2J 22, ZC4IK (95) 3, 3V8GA 2-3, F8S FO8 F8S KP6 UQ2 ZK1, Liechtenstein, W2JMJ; DU1OR (60) 10-11, FO8AC (80) 5, ST2AR (4) 23, VK5TL (55) 10 of scarce Australia Northern Territory, VS1s HC HJ HU all 10-11, VS9AD (20) 0, YJ1DL (20) 10, ZG4CB (60) 21, ZLSAA (50) 9 of New Zealand Antarctica, Spitzbergen, CR7 KC4 KP6 OH9 VQ6 V86 ZK2, Kerguelens, wonders if anybody markets a "Stop DXing" pill, K2CJR; KV4, Dutch St. Martin, K6NCG, operated by K2DGT; PK8AS (110), HK3JC (80), LX2GH, PZ1AP (4), UA9VA (2), VS1GZ, VS4BA (9), CPl F08 F8T KP6 KW6 OA VS2 ZC5, K2ENO; UO5KAA, K2BZT; CR6CK (35) 0, FO8AP (42) 4, OH8 2RD and 3QC in the Alands, SV0WR (W3JTC) (60) 22, UA9s AU CN DI all 2-3, UG2AR (55) 2, UD6DD (79) 2, UP6KAF (38) 4, UH8BA (58, 90) 22, UH8s KAA (37) 2, KAE (10) 2, UL7KBB (62) 3, UM8KAA (50, 95) 0, UO5s AA (21) 2, PK (78) 1, UP2AT (68) 1, ZC4s AM (6) 2, GT (50) 0, one 2G1AE (6) 0, 4X4s IM (48) 23, IX (37) 3, Liechtenstein, F8S, Spitzbergen, KS6 UQ2, Leewards, VS9, K2GFG; CRs SSP (35) 7, 10-11, K86 UM8, Kerguelens, K2KAS; DM2ALN, T22AA, UA1KAG, YU5GN, HA, K2MGR; F8S SPs UO5, Liechtenstein, K2PUG; YO3FB, HH UB5 4X4, still stalks Y12C, K2PRR; HA5s AIR AP both (80) 17, TI2PZ (76) 17, F8S SPs VKs salore, K2XG; VS1 ZC5, shadows KG1BB (35) 2-3, VK0PK (70) 8, VU2CR (50) 10-11, that UP0L6 and one HA0KHB, K2SLL; LU1AA, W7BDZ; ZD4CM (44), 5A1FA (47), W1BPW; F85AJ (60) 12, HH2CL (80) 22, IS1CXF (20) 21, LX1DA (75) 21, KR6MD (60) 12, UA1AS, UA3s DA KAF, UA4s HC KSA, UA6s AJ KEB, UB5s CI KKA UX, UO2AU, UA9CN, UP5BH (60) 12, one ZAIKAA (20) 23, FY7 OA QD SV0 VK9, Leewards, now has 103-70, W1DBA; DMs 2AD 3AVU 2WFO 3KXH, HA8 8WS 0HC both (50) 22-1, SPs 2CI 5BP 8CP 8HT 8HU all (35-85) 2-3, UAs 1DZ 1KAP 3AC 3BW 3WZ 4HL 6KVB 6LF 6UL 9AU

(50) 2, UB5s CZ DU (40-45) 0-2, UC2AD (50) 3, 4X4CJ (10) 3, OQ UD6 UO5 UQ2, VS1 YO YV, numerous VKs, W7HK 1; OE5VP, SP1KBT, UB5KLA, W7JMT; FB8BX (70) 12, VR6TC (20) 8, W7JNP; CE9AQ, CX5PV, JA3BB, OA4EY, OY1R, UA6UL, CE9AQ, CX5PV, Sint Maarten, I1ER; W7CXZ; Utah! K66CMJ; AG4HN (15) 14, K17BP; JA3QY, K2ILQ KG6 (75) 8, KC4 KP6 VK9 VK6, needs only Maine for WAS after catching W3IYE for Delaware, OVAKT; CR4AI, LU8 4ZB 9ZC, UL7s GN KAK, YV5HL, VK9JF of Corcoran, Keeling, ZC4H, ZS3B, DU KA OH9 ZA, 4X4YL, VE80J; CE3RE, KJ6BD, OX, is overrun with Russian listeners reports.

20 phone's favors were sought and won by K2BZT; FB8BC 4, IJZJG/M1 3, 15FL 1, SP5KAB 4, VE3AHU/SU 0, VK9YT 12, VQ5GJ 22, VQ8AL 4, ZG4CN 4 and 3V8AS, K4DAS 48; CR5SP, KG4AO, TG9US, VP9DC, YSIAMS, K4IEQ; KA2KJ (170) 7, K66AA Y (280) 6, KS4AY (240) 3, KH6BZZ KJ6 (260) 5, K4LEX; VP7NP (200) 20, K5BGB; s.s.b. customers KA6SC, KG1HL, K6ICS/6; the aforementioned YS1 regular, K6LZI; s.s.b. fan HS1A (295) 14, beard side-banders TE2WBU (302) 5, VS6s AZ BE (302) 14, 5A5TH (310) 5 and a.m. VR4JB 8-9 on 14,111 kc, W7WJY; KA2CO, HK7LZ; CE6AC, CNs 2BK 8FQ, DU7RL, FO8AC, 4S7s MIG YL, all after midnight Colombian time, ... TE2WBU, working s.s.b. with K9HZM's 10-B driving 813s, had a busy afternoon in August with HS1A, DJ1CE, DL4VT, G8CO, OZ3EA, GM3CIX, SM6SA, ON4DM, VQ4EO, ZES5J and ZS6AJH. "This is the first time I have ever heard such excellent DX from this location!"

15 c.w. surveys roll in from every call area and this range is cookin' with hydrazine! Down the list we find W6WHW; CN2AQ, CR7LU, DU7SV, FO8AC, OD5XX, 3V8AO, 9S4CM to reach the 103rd plateau, K0CER; JA1CC (62), K0DMJ; HA8WS, LX1AS, OH9QC 6, OQ5HP, UA6ROB, UC2KAB, VR2AM, VS6s DO DV, YO2KAB, ZG4FL, 5A3TO, DU F08 3V8 to make it 104 worked with his 813, K0GCG; OKs 1KTI 2LW, K0GRS; DM2ALN, UO2KAL, WP4AIT, 3V8AQ, H8C2C; FA3OA (62), GD3FXN (43), UB5AQ (64), YO8MS (51), W87BA; LA8ZC, W8YGR; seeds of Euros, OKs 1MB 3AL, 3V8AD, CN2, Leewards on 50 watts, says "Next year I'll be 51 and will raise my power to 51 watts." W7DJU; LA5HF, W7QMI; Leewards, 3V8, sundry Europeans, W7YJQ; DM2s A6K AJG both 0-23, HA5AM (40) 6, HPILO (20) 2, JA1AAW (80) 4, KG1JA (20) 17, LZ1WD (60) 16, OH3UI 0, SV0WP (15) 20, UJ8AF (80) 5, W6HPP; CT1CF, OK3DG, PJ2ME, SP3LP, VP6LP, XE1PJ, GD OH9; heard FO8AU, UB5s UW WF, UO2AS, VQ8 2RG 4FU 4GP, XW8AG, 9S4AX, W6R1P; LZ1AI (16) 6, ZB1CR (12) 6, W6ZZ; 3W8, K6ICS 6; FA, Sint Maarten, K6LEB; KP6AL, VP7NB, Alands, K6PBI; HA5BL, SP2BK, Alands, K6QHC; CE3DZ, KX6AF, JA8 1AA 1ADW 7AD, VK7KM VK9, VS6DW, K6YBO; HC8 1WP 2GR, OAs 1BP 5C, XE2BC, K6DKL; LU8EE, W4EJP; E14 c.w.-to-phone, K4CWS; DM2ADN, OA4AU, OK3FM, SPs 3PL (20) 3-4, 6EG (55) 3, UA1DH (43) 6, YO3WL (60) 5, LZ UB5 3V8, heard UC2AN, K4HQD; UB5ER, still seeks MP4BBL (22) 4-5, K4LEX; VP5CM (250) c.w.-to-phone, K4OJW; FF8AC, UA1X, W3GRO; many Euros, FF8BZ (100), WP4AJZ (108), UC2, Dutch st.

Martin on one crystal frequency. W2EQS: ZC6BU 20, XW8AB (100) 19, K21GP: HA5BW, HH2LD, TF2WBZ, UA1KAS, French St. Martin's PS7RT (W6TTH), W7YNP: GB3SP only England, HA1KSA, JA7AD, UAs 1BE 9CR, UO5AA, that 2G1AE, 4X4FQ, HP1 984, 11ER: CN8FM, CR6KR, JA5AI, all W.K. areas save No. 9, KL7BK: HC7WK (140) 3, was LUIVY's first KL7, ON4KT: GP1CJ, JA1AH, KN8CR, heard FUBAA.

15 phone has just begun to roll again. Sneaking under the tent early were KOCER: CR6BH (246), H17TB (227), OK1AA (252), KODON: VPTNV 1-2, K6GRS: CN8GL, HH2s DB RM, KG1LL, OA4EU, W9BCK: DU6IV, ET2PA, FB8BX, PS7RT, KB6TF, KC4USK, PJ2MC (W6TTH), VQ6ST, VR6TC, VS4JT, ZD4BB, ZK1BS, KS6, now at 130 113 on 21-Mc. phone, W8CCD: exhibition station GB3SP, HC1DL (175), HK7AB (209), KG1JA: (258), VP4LO (250), YN1TF (250), W7Y4Q: KA2MA (230) 23, KR6AU (280) 5, W6ZZ: climbed to 112 phone countries worked, 99 on 21 Mc., with KB6BE, KW6CJ, KN6BQ, VR2BC, ZLs 1AFQ 1DE 3FM 3JD, KS6, sneaked away from his favorite band for sporadic cracks at 20 meters. K61CS/6: HR1EZ, TG9US, VR2AZ, various MMs. K6PBI: CN8FY, GX2FH, KA2AL, OE5CK, TF2WBZ, ZLs 1GH 2MA on 100 watts, K4HQD: CN8GX (365) 23, HP1LB (320) 23, TE2CHV, VE2YE, VE8 (325) 2 on Baffin Island, V1EKH (163) 22, ZD6RAI (165) 19, K4LEX: caught DXpeditioner K2CPR signing FP8AA, W7PMZ: has 172 worked on 15 including CN8s BC FN HB JW, CT1OR, ETs 2PA 3XY, KGs ICT 6AGO, W0BELV, KG6, MP4BCC, OE5FK, OQ5D1, TG9WB, UA1BE, VP6WR, 9S4CM, missed VS2DO, W7YNP: ZP5s MC MD, 5A1JT, ON4KT: ZP5CF.

15 Novice frequencies are QRV for the fall rush. Nice worms caught by early bird K2VUTC: CN2AQ, GC2CNC, HC1LE, IT1AI, PZ1AQ, SV9WZ, XE1BI, 3V8AD, 4X4JT, 5A3TO, has half-DXCC. K2ZYTZ: HC1FS c.w.-to-phone, OK3BG, SPIKAA, FT2EA, UA3CR, VK3s, VP2AD, ZB1DC, ZLIAPM, ZS6EU, WL7BYA on 50 watts and dipole. W3JEE: SP6EP, other Europeans, likes his 81K beam. K4LHC: DL2YU, OA4AU, WL7BWY, WP4s AJ1 AJ2, YQ3WL, YU1NM, more Euros with Adventurer, S-38, 7-Mc. doublet. K5HMS (now K5HMS): closed his Novice DX career with 19/17, advises WN KN DX hunters to do more listening and less CQ-DXing. K9ZJL: GE3RE, CX1FB, PY2BQI, VS1HC, VK WL7 ZL on Ranger, 75A-1 and beam. K9GZY: CM8EM, OH1ST, ON4MV, WL7 WP4, other Europeans and Oceanians. K9HGB: JA1ADN, K75KK, OK1LM, OY2H, WL7s BXV CAJ, WP4 AIS, UQ2AS, ZLIADM, ZS6EU, K9HJV: WP4AU.


10 phone, spotty into September, supplied entertainment for W6ZZ: a dozen different KH6s, KH6CV/KW6, VK2AMD, ZL1s BY GJ, K6LOM: KX6AF (700) 2, VR2DB (400) 1, K6QHC: VP6GN, ZL1GH, KX6, W8GUZ: classes VS9A1, ZD3BFC, ZS81 (60) 15-16, has 105/97 on 28-Mc. phone alone, W81B: VP6US, YN4CB, K6DON: CX8CD (400) 0, HK7LX: CE3GQ, CN8CR, CX2s IY LU, EA8BV, OQ5AZ, VO2NS, VS2EZ, ZC4F, ZL4AU, ZP5CZ, ZSs 1NL 4PB 5MP 5OV 6APA and a hatful of W/Ks. --- Ten c.w. grudgingly gave up GP1CJ (50) 17-18 to W2EQS, and KZ5EH (280) 21 to W7YAQ.

Lower frequencies had little to offer the long-haul sports in late summer although W7DJU and other westerners picked up such stray VKs as 3FC during the wee hours on 80 c.w. --- W2EQS and FP8AA (K2CPR) shattered the late-summer calm on 160 c.w. with a July "first" when an 1810-ke. Q300-GMT schedule paid off in fine style. --- Apparently about a third of us have schedules with Asiatic influenza this year or next. The darned stuff already has made WAC and is well on its way toward DXCC and WAS. If you do catch it, gang, may your cases be mild and may your convalescences be chock-full of DX!

Where:

Europe --- Regarding our August mention of the SARRL (South Africa) QSL bureau policy, ON4KT writes: "Our UBA bureau does not handle cards for nonmembers; either, Call Book QTHs are the best bet for ON-Is although most active ON-Is are UBA members." Then Ted adds, "ON4CK has answered all QSLs received for past ON4CK LX work. . . . DM16MM/MM tells me that he was on land

"HB9EU holds about every worth-while DX award in the books. His 813 rig, one-third of a mile away from this shack, v.f.o. on 80, 40, 20 and 15 meters, is remotely controlled over a 430-Mc. link. That receiver is a triple-conversion job. Rudi's an amateur's amateur!" This from ARRL Communications Manager W1BDI who visited HB9EU's Zug diggings with HB9QO during a jolly July swing through Switzerland.



15REX, with 15FL pictured last month, has contributed more than his share of Somalia DXCC credits to the North American crowd. Ed, like almost all of some twenty licensed 15s, radiates from the Italian trust territory's capital, Mogadiscio. (Photo via 11FT)

and officially licensed during his ZL2AIB activity." --- OVARA has it that some 3000 UA1KAE Antarctica QSLs are being readied for the mails. --- The prefix UA and its numerical indicators cover an awful lot of ground. Without Call Book info to help you perhaps this rundown, courtesy Austria's OVSV, will be of interest: UA1-A-B-C-F-KA-KB, Leningrad; N-O-P-KE-KF, Archangel; Q-KI, Volodga; T-KM, Novgorod; Y-Z, Murmansk; UA2-A-KA, Kaliningrad. UA3-A-B-C-D-F-G-H, Moscow; T-KO-KT, Gorky; U-KQ, Ivanovo; V-KS, Vladimir; W-KU, Kursk; X-KW, Kaluga; KY, Briansk. UA4-A-KA, Stalingrad; C-KC, Saratov; F-KB, Penza; H-KH, Kuibishev; M-KK, Ulanovsk; N-KN, Kirov; P-Q-R, Tatar; KU, Mordov; KY, Kuvash. UA6-A-KE, Stavropol; J-KV, No. Osetin; I-KO, Rostov; P-KP, Grosny; S-KS, Krim; U-KT, Astrakhan; and KW, Dagestan. Which carries us into


Asia --- UA9-A-KA, Tscheljabinsk; C-D-KC-KD, Sverdlovsk; F-KE, Molotov; K-KH, Tomsk; J-KJ, Tyumen; M-KM, Omsk; O-KO, Novosibirsk; Q-KQ, Kurzan; S-KS, Sechkalov; U-KU, Kemerovo; W-KW, Bascikir; and Y-KY, Altai. UA0-A-KA-KB, Krasnojarsk; F-KF, KG, Kabarovsk; I-KK-KO, Primorsky; O-P-KP, Buyat-Mongol; KQ, Yakutsk; S-KS-KT, Irkutsk; and U-V, Tschita. --- "I operated KA0LJ on Iwo during the fall of 1955 and got thoroughly messed up there. Was evacuated to Japan for surgery and then a typhoon wrecked the island, blowing the station over a cliff, before I got back. In fact I never did get back! Much of my log was lost and it turned out to be quite a mess. I did send out many QSLs but was always with the feeling that I'd lost some somewhere." That from rover W3YHI (see "When?"). Goes to show you what severely DX-enuating circumstances can develop 'twixt QSO and QSL. --- The grapevine informs W2HJJ, KP4KD and others that oodles of overdue XW8AB QSLs are about to circulate. --- WGDXC learns that XZ2TH is a philatelist --- adorn your mail accordingly. --- NNRC suggests that G. C. Voller, 13 Marlborough Rd., Ashford, Middlesex, England, may assist in confirming 1956 YL2AM contacts.

Africa --- "I was active in 1951 as ZD2AO, Port Harcourt, Nigeria, and I've just discovered that a number of cards, both to and from stations worked, were lost in the



mails." If this note from G2AO applies to you, glom the ex-ZD2AO QTH to follow. . . . ZD4CM writes W6AM: "It is my intention to QSL all contacts. If any of the boys haven't had cards from me, and the delay seems un- usually long, they should write and let me know." . . . VE3AHU/SU advises, "Since we started operations on the 1st of May we have sent out over 500 cards, maintaining a 100-per-cent service to all new contacts. Over a hundred of these have been Stateside QSOs. Who knows—if band conditions improve toward the west we may even make WAS from Gaza Strip!"

Oceania—VR6TC writes W1LVQ ancient QSL difficulties on Pitcairn. Tom would roll off many more QSOs but for the fact that "QSLs just get too heavy." Any ideas for him? . . . ZC5AL tells W1WPO and 2GT that IRCs are welcomed and are quite usable in his area. ZC5AL's first 1000 QSLs vanished in four months thanks mostly to eager W. Ks.



SP5HH's Warsaw installation is representative of Poland's current ham radio boom. W9OYZ points out that Warsaw Radio Club now sponsors these certifications of world-wide availability: AC15Z (All Countries 15 Districts) based on confirmed QSOs with FC, HA, HV (I), II, IS1, IT1, M1, OE, OH, OK, SP, UP2, UQ2, UR2, YU, ZA, ZB1 and Trieste amateurs; W21M (Worked 21 Meridian Warsaw) requiring QSLs from CR6, FQ8, HA, LA, LA/P, OH, OH/Ø, OK, OG5, SM, SP5, SV, UP2, UQ2, YO, YU, ZA, Z5, ZS3, ZS9 and 5A stations. For necessary details write WRC, P.O. Box 122, Warsaw 10, Poland.

Hereabouts—From beleaguered HK0AI: "I certainly appreciate all the kindness I have received from various hams that I contacted and would like very much to write each a personal note. But this is quite impossible because there are so many. I promise, now that my sister is here to help me, that every card will be answered sooner or later." This via W1s UED WPO, W6AM and other informants

W4HKJ understands that YS1MS QSL chores for QSOs dating after August 1st are being handled by W3EQK. "I was VP5ML on Grand Turks last year and part of 1957, making quite a few contacts with amateurs throughout the world. After I returned to the States I spent quite a few months getting married and such, neglecting some QSLs. But all set to go now in my new QTH!" Marty's current K2SRN QTH follows. . . . HH2OT writes W6RLP, "W4HYW does my QSLing from the States because it costs about 25 cents per card to send 'em out from here, up to 80 cents per card to some parts of the world." . . . The following whereabouts result from the efforts of W1s BDI BIH BPW HKA UED WPO.

W2s CNT EQS HMJ, K2s BZT PRR, W3s GRO RPG VZ1, W4ANE, K4s DAS HQD IEX KTN, W5OER, W6s AM KG LTX NAZ RLP ZVQ, K6s DV IOS, W7FBD, W8YGR, W9s JIN OYZ VCH, YUEDI, W9QGI, K0DQ1, KNØHGB, TF3KG, LX4CJ, Japan DX Radio Club, Northern California DX Club, Newark News Radio Club, Ohio Valley Amateur Radio Association, OVSV (Austria), Southern California DX Club, West Gulf DX Club and Willamette Valley DX Club:

CN8GX, R. A. Hunt, APO 113, New York, N. Y.
DL2YU, D. Willoughby, 22C Rothenbach, Post Efield, 3 Kelenstrasse, Germany
DL3TG, K. Silber, Langenhorn 2, Hamburg, Germany ex-F7ER (to K2JCS)
FB8XX (via FB8BC)
FP8AA (to K2CPR)
GD4VH, Glenburn, Phildraw Rd., Ballasalla, I. of M., U. K.
HA5DØ (ex-HA2KTB) I. Jonas, Budapest XX, Sagvari Endre, 80, Hungary

HC1WP, E. Escobar P., P. O. Box 461, Quito, Ecuador
HH2HH, P. O. Box 248, Port-au-Prince, Haiti
HH2Z, Box 72, Port-au-Prince, Haiti
HH3VC, P. O. Box 4, St. Mare, Haiti
ex-HPIEH (to HH2DL)
IIA1M, A. Saggiari, Corso Vittorio Emanuele 6, Padova, Italy
JAIADN, F. Thara, P. O. Box 7, Ogikubo, Tokyo, Japan
JA7JL, Miss C. Osato, 15 Herita-Minami, Yamadashinden, Sendai, Japan

K2SWO/KP4, P. O. Box 242, Rio Piedras, P. R.
KØDEG/KG6, K. Oliver, 852nd AC & W Sqdn., APO 334, San Francisco, California
KA4AS, Fushimi Radio Club, 10th US ASA FLD STA., APO 9, San Francisco, California
ex-KA5GL-W4DNU, P. G. Roemer, KH6CMM, Staff Allowance, FAW-2, Base Radio, USNAS, Navy 14, FPO San Francisco, California
KAØLJ (see preceding text)
KAØSC, APO 815, San Francisco, Calif.
KGIAS, 931st AC & W Sqdn., Box 95, APO 23, New York, N. Y.

OA5M, Box 1229, Lima, Peru
OZ4FF, Box 88, Roenne, Bornholm Island, Denmark
PY1KZ, P. O. Box 125, Rio de Janeiro, Brazil
PY2BKV, Box 540, Campinas City, Sao Paulo, Brazil
PY3PA, P. O. Box 256, Porto Alegre, Brazil
PY5AL, P. O. Box 260, Curitiba, Parana, Brazil
PY7YS, P. O. Box 417, Ceara, Brazil
SPIKBT, Box 148, Szczecin I, Poland
SP5HS, K. Slomzynski, P. O. Box 92, Warsaw 32, Poland
SP9EU, Box 326, Katowice, Poland
TL2VA, C. A. Angelini, Box 441, San Jose, C. R.
ex-VK9AJ (to GØ3GBC)

VK9JF, M. Fulton, Direction Island, Cocos-Keeling Gp., Indian Ocean, via Darwin, Australia
VO1DQ/VE8, 920th AC & W Sqdn., APO 863, New York, N. Y.
VP2VB (via KV4AA)
VP5CM (ex-GW3CMK) (via VP5AO)
ex-VP5ML, M. Leeds, K2SRN, 67 Park Terr. E., New York 34, N. Y.

VP7NP, USN Mobile Construction Bn. 4, FPO, New York, N. Y.

VP8BS (to G4NT)
VO2JB, P. O. Box 558, Broken Hill, No. Rhodesia
YØ6AC, Beven, Sgts. Mess, Harzeisa, British Somaliland
VØ8SP (to VØ8AP)
ex-VR3G (to G3KDE)
VS1HU (via MARTS)
VU2AK, L. King, Vehicle Depot, Avadi, Madras, India
WG6AHF, R. K. Kula, Stn. 8, Agaña, Guam, M. I.
WG6AHG, J. Royse, Maite Barrigada, Guam, M. I.
WG6AHH, T. E. Blackburn, Qtrs. 1758, Bingham St., NAVCOMMSTA, Guam, M. I.
XE2PY, L. Mordecai, 41 Mississippi, Col. de Valle, Monterey, Mexico

XZ2TH, Tun Hta U, 75 Bogyoke St., Rangoon, Burma
ex-Y12AM (see preceding text)
ex-ZD2AO, F. E. Wingfield, G2AO, 86 Leigh Sinton Rd., Malvern, Wores., England
ZD6FC, Box 434, Limbe, Nyasaland
ZD8JP, John Packer, Ascension Island, South Atlantic
ex-ZE2KL, G. Metcalfe, Sgts. Mess, RAF Stn., Watton, Thetford, Norfolk, England
ZL1APM, C. M. Rowe, 8 Morrow Ave., Bucklands Beach, Auckland, New Zealand
3V8GA, Box 303, Tunis, Tunisia
5A1FA, J. Bergouzi, Ghadames, Libya

Whence:

Oceania—Cocos-Keeling chatter courtesy VS1BB: "VK9AJ's old rig now is operated by Mike Fulton, a New Zealander, signing VKØJF on 20 e.w. He is on most evenings around 1030 GMT and hopes to get an all-band rig going soon. Mike is a newcomer to the game and seems quite surprised at the wild pile-ups he causes! On West Island is another new arrival, VK6ZAE, holder of an Australian v.h.f. ticket. When he becomes proficient at c.w. he will be getting a full VK9 license." . . . Reminder: As detailed last month, the gala 1957 VK ZL Test comes off on October 5-8 (phone) and 12-13 (c.w.). . . . WØZZ captured WAZL No. 38, only the fourth awarded to W. Ks, for confirming QSOs with 35 of NZART's 55 New Zealand branches. In the other direction WØZZ also has worked 42 of England's shires. . . . Collectors of significant ham literature might check with VK3NY regarding WLA's latest Call Book edition, a neat volume of 136 pages. . . .

Writes VR6TC: "I'm sorry I don't get on c.w. more often to give the chaps a better chance. I've been on only a few hours for a few evenings and have made about fifty QSOs." . . . NZART's Alanawatu branch, ZL2HP secretary, makes available a WAM (Worked All Manawatu) certification based on the logging of QSOs with twelve Manawatu ZLs after September 1, 1956. Check with award manager ZL2HT for the finer points. . . . W6RZS's donation of 6AB7/1853 bottles pepped up FK8AL's SX-28. . . . CR1ØAA tells K6ICS that his new 6V6-807 ensemble is


rarin' to go. . . . W3RPG finds ex-VR3G now active as GBKDE on 20 c.w. . . . KH6GMM (W4DNU) and K2GNY take steps to help KP6s AK and AL spread the DX gospel from Palmyra. "We intend to spend up to three weeks on the island depending upon our transportation, working c.w. only on 40, 20 and 15 meters." Mac and Bill also have longer-range plans to do extensive island-hopping in other Pacific areas when both retire from the Navy next year. . . . Club Oceaniagrams: (OVARA) A roundup on New Caledonia doings finds FK8s AB QRL on ship-board; AC active on 14, 21 and 28 Mc.; AH available on 14- and 21-Mc. c.w. around 0600 GMT; AL rebuilding and laying in new QSL stock; AO off to France; and AT, a separate job for DUF purposes, still busy on 7, 14 and 21 Mc., mostly c.w. (WGDXC) W6TOUT-KS6 spiced up the August DX menu from Pago Pago with 20-meter c.w. and s.s.b. gyrations. Ted intended a VR5 stop but found that Tonga had disengaged from commercial airline service. . . . ZC3AC is reported inactive for want of receiving equipment. (JDXRC) PK1AQ, "QSL via PKRL," may or may not be in Indonesia but the prefix is out of bounds for FCC-licensed amateurs — and for all other law-abiding International Telecommunications Union signatories, for that matter.

Africa — More from VE3AHU/SU: "We still have to work our first Six or Seven and have only Iowa, Kansas and Missouri logged among zeroes. But neighboring 4Ns, 1P4s, etc., assure us that the western U. S. A. will come in as soon as the weather back home cools down. We originally went on the air in the hope that we might be able to reach Canada or the States every now and then to pass messages, get first-hand news, etc., but found conditions on 20 to be so good and so reliable that we have been able to maintain seds every day with various stations across Canada for phone traffic. One thing, due to the intense heat here our working day finishes at 1300 local time; so we manage to make up in the afternoons for sleep lost hammering during the ungodly hours. Most frequently asked question is, 'Do you count as a separate country, OM?' Biggest pest: the ham who zeroes in and then calls every few minutes for 'a short QSO, OM,' and who, if ignored, calls consistent CQs on the frequency. But to counteract these are the dozens who act in the best traditions of ham radio. Sand, filtering in at 122 degrees in the shade, forces us to do a complete cleaning of all equipment at least once each week using vacuum cleaner, air hose and brushes. At least we have no worries of ice bringing the aeralis down!" . . . EA9DF tells W8KML he's been reassigned to Spain. This tumbles Rio de Oro stock and Ifni DXpeditionary possibilities as well. . . . W0JUN discovered that CN2AO is ex-EA4AO and a prowar luminary of wide DX renown. . . . (NSFY (K4ESI) knocks off next month but meanwhile keeps watch for buddies on 20 and 15 phone from 1900 to 0000 GMT. . . . W6ZZ learns of the passing of 3V8AN, former Tunisia QSL chief and remembered by the old DX school as F4AA of yore. . . . WAS-wise, W7FBD hears that FE8AH needs only Utah for the full 18; he concentrates on Sevans around 14,035 kc, F8AC scurts 14,070 kc. at 0600 GMT for Montana with his 50-watt. . . . WVDXC mentions August activity by VQ8SP (VQ8AP) on tiny Cargados Carajios a few hundred miles off Mauritius (20 c.w.) while SCDXC mentions the return to France of FB8XX operator Louis.

Asia — "I tuned up once on 20 meters at KA6J, signed the call and never got a chance to call CQ," recalls W3YH. "There was a pile-up beyond description right on top of me! I was forced to announce that I would answer no one within 15 kc. of me, purely in self-defense. It's impossible to describe the pile-ups that came along. I know many fellows didn't get answers but you can't work anyone when everyone lands atop you. Some fellows were unbelievers; they didn't get QSOs." This episode could almost be titled, "WAS on No CQs." . . . JA notes courtesy K6DV: J8AA scored the first Japan-to-JALJG Antarctica phone QSO on 20 meters. Takeo prefers 14-Mc. A3 action but keeps an ear tuned to the c.w. segment because he wants to raise his total of 47 YL QSOs to an even 100. . . . Japan's prime minister saluted JA6 licensees for outstanding service during disastrous summer floods. Falling in step with Uncle Sam, more and more overseas authorities are coming to respect ham radio's full public service potential. . . . From KA4AS: "We, the Fushimi Amateur Radio Club, have been on the air for only three weeks now and have made 114 contacts with 37 countries on 14-Mc. phone and c.w. W7WTU and myself (W9VCH) will soon be joined by several more operators and we QSL 100 per cent." . . . "At RAF club station VS1GL we are still feeling for the elusive last few stungs on the WAS ladder — Ark., the Dakotas, Vt. and some others," writes VS1BB, staff op. . . . OVARA mentions UA0KAI in connection with Tannu Tuva emanations. . . . WGDXC credits VS1HJ with Maldives operational intentions.

Europe — Notice a recent upsurge in I1 activity? Well, in commemoration of Christopher Columbus's voyage of New World discovery, the Genoa branch of Italy's ARI rather belatedly announces an annual Columbus Marathon Contest. The first of these, a 70-day session, concludes at 2359 GMT, October 12th. You still have a few days left to try your luck working I1-stations; exchanges are merely

RSTs or RSs and one's final score is simply total QSOs. The filing of results is interesting: Each candidate for various awards must forward before July 31, 1958, a claimed score; then the contest committee, on the basis of claims received, will request those with highest scores to submit transcripts of their logs which must be certified by two amateurs in the same country as the claimant. (This *modus operandi* is calculated to dodge bulky paperwork and those of us who have seen blizzards of multipage contest logs buffetting ARRL Hq. can fully appreciate this objective. But three or more mailings are involved in this system instead of one conclusive filing, definitely a pitfall where a major contest is involved.) Furthermore, special awards are declared available for those who contact the greatest numbers of Genoa I1s in the affair (sixty are listed workable) and this facet



HK7LX of Bucaramanga, high in the Andes, has collected over forty United States and fifty countries on 10 and 20 phone since activating last June. Edmundo's rig, carrier-controlled with clamp-tube modulation, runs 200 watts.

requires that your I1-bound QSLs be shipped to ARI, Casella Postale 347, Genoa, Italy, to arrive by December 31, 1957. . . . Another marathon, this one sponsored by the Munich chapter of Germany's DARC: From October 1 to December 31, 1957 (no times given) amateurs world wide are invited to work as many Munich DJ/DLs as possible. Munich stations will identify themselves by appending "C12" to their calls. Scoring: "Each contact with a single Munich station is counted as one point per band. . . . The sum of points thus gained is multiplied by the number of bands used during the contest (3.5, 7, 14, 21 and 28 Mc. available). Amateurs outside Europe may count two points for each contact established on the 3.5-Mc. band." Additionally, EYMA (800 Years Munich) certifications requiring contact with twenty Munich DJ/DLs are made available to W.K.VE VO participants who ship their Munich-bound contest QSLs to OV München, P. O. Box 4, Munich 40, Germany, postmarked no later than January 31, 1958. This shindig commemorates Munich's 800th anniversary and dig this angle: "The amateur with the highest score from each continent will be awarded expenses for a three-day stay in Munich on the occasion of the Anniversary Festival, July, 1958." *Prosit!* . . . As of August 1st, SSA (Sweden) substitutes a fee of ten Swedish crowns (about two smackers) for the IRC's hitherto acceptable in applying for WASM certifications. Write SM5AHK for complete scoop on the award. . . . European amateurs flock to and from DXpeditionary spots this fall with gay abandon. W3TLN mentions M1B (11s KCG and ZJG); W8DAW comments on OK1MB & Co. Albanian efforts as OK1KSR/ZJA; and W1PI lists HB9s KB MQ and OQ as August visitors to Liechtenstein. . . . W2EQS points out that SV0s WB WE and WO, using phone for the most part, hold out on Rhodes. Also that more Crete SV0WN work is in the offing. . . . Swiss gist via W1BDI: HB9PA determinedly dials for Utah and Arizona to complete WAS. . . . HB9(G)'s June DXcursion to canton Uri, one of the rarest of H-22 certification trophies, resulted in only two U. S. A. contacts. Uri, a deep valley shielded on all sides, is one of the roughest radio locations in Europe. . . . HB9MK shortly will be MMing on 21 and 28 Mc. . . . That controversial August U.S.S.R. Youth Festival was represented DXwise by UA3s MIA and MIR. . . . W2HMJ notes that the current UQ2AB operator is not the same fellow who still owes him a QSL for a 1948 QSO. . . . I1FT's log weighs in at 564 U. S. A. QSOs with 45 states plus a 111/97 DX record. . . . From W3YH: "I'm taking a 100-watt s.s.b. rig to Germany and will be on 20 meters as soon as I get my ticket. Used to operate as DL4CK from 1949-'52, mostly 144 Mc." . . . W7QNI

(Continued on page 176)



Hints and Kinks

For the Experimenter



USING THE NC-300 ON MARS FREQUENCIES

THE 80-meter range of the NC-300 may be lowered to receive some of the MARS frequencies by connecting a "two-bit" capacitor in parallel with the high-frequency oscillator section (front end of the gang) of the ganged variable.

The capacitor is made with a length of bare solid hookup wire, a coin and a layer of Scotch tape. Solder the wire to the free lug on the oscillator tuning capacitor, and then bend as shown in Fig. 1. The coin must make good contact




Fig. 1—Sketch showing the "two-bit" capacitor connected in parallel with the oscillator tuning unit of a type NC-300 receiver.

with the wire spring, and must be completely insulated from the chassis by the tape. A 25-cent piece will lower the receiver tuning range to include the MARS frequency at 3250 kc.

—Capt. J. R. Hagen, K4JMA

IF you want to include a MARS frequency — say, 4025 kc. — in the 80-meter tuning range of a National NC-300 try the following:

Using a pair of tin snips or good quality side cutters, cut about one sixteenth of an inch from the dial stop on the ganged tuning capacitor. Then, with the aid of long-nose pliers, bend the tab until it breaks off. Now, you have extended the tuning range of the receiver without harming its resale value.

Just be sure not to cut too much off the dial stop. Otherwise, you may run the dial pointer off scale and down the side of the receiver!

—Leonard M. Norman, W5CIN

HIGH- AND LO-BAND EDGE MARKERS FOR "COMMAND" TRANSMITTERS

SOME operators may be interested to know that the "resonance-indicator" circuit in the popular Command transmitters will work with two crystals. Therefore, it is possible to use the arrangement for marking both the upper and lower limits of a band.

The two crystals must be connected in parallel before being inserted in the original crystal holder. An adapter for a pair of FT-243 holders can easily be made by wiring an 8-prong octal

socket to an 8-prong octal plug. The latter may very well be the base of an old tube. Prongs 1 and 7 of the socket should be connected to Pin 7 of the base, and socket prongs 3 and 5 to Pin 3 of the base. Remove the unused prongs from the socket to prevent shorting, and bind socket and base tightly together with friction tape.

The magic eye (1629) may not open as wide with the dual-crystal arrangement as it does when a single crystal is used, but it will give a positive indication of resonance as the v.f.o. frequency slides onto either crystal frequency. The frequency of the oscillator may "pull" slightly toward the crystal frequencies, but this slight pull may even help so far as staying in the band is concerned. Of course, when using this system, one must first make very sure that the marker crystals are within the band.

—Joseph W. Thane, K0GGL

ALUMINUM FOIL TEMPLATES

CHOKEs, transformers, etc. — especially surplus brands — are frequently housed in complicated castings with mounting holes at the bottom that seem to have been laid out any-old-how. This type of construction usually presents a problem when the time comes for laying out the chassis.

One solution is to take a sheet of aluminum foil such as Reynolds Wrap and lay it flat over the mounting surface of the component. Gentle rubbing with a fingertip will then bring out the position of the mounting holes as well as the outline of the casting. The template may then be trimmed down to size with a razor blade, transferred to the chassis, and the mounting hole locations spotted with a scribe or center punch.

Credit for this technique goes to the small boy observed "making money" by rubbing a tin-foil wrapper placed on a fifty-cent piece.

—John Paddon, VE2EE

ADDITIONAL USES FOR THE S METER

USING the S meter of the station receiver with external leads for certain measurements is not new, but the value of the trick is certainly enhanced when the available meter is of the microampere type. While the fact does not seem to be too widely known, several types of Hammarlund receivers carry a 200-microampere unit, including the HQ-129X, SP-400X and military equivalents. A meter of this rating is ideal for g.d.o., v.t.v.m., f.s. measurements, etc. In the case of the SP series, the meter is rather easily removed and replaced.

—Otto L. Woolley, W0SGG

The World Above 50 Mc.

1215-1350

2300-2450

3300-3350

5650-5925

10,000-10,500

21,000-22,000

50,000-7

CONDUCTED BY EDWARD P. TILTON,* WHDQ


Cleaning up 220-Mc. reception with a crystal-controlled converter is not easy—when the receiving location is close to a high-powered TV station operating on Channel 13. Other high-band v.h.f. channels may be nearly as bad, for there are innumerable ways for the TV signal to get into the receiver i.f. system, if the signal level is really high.

W8JLQ Toledo, Ohio, found that the ordinary variety of crystal-controlled converter was just about useless, in the face of some 70 kw. on Channel 13, less than 2½ miles away. A weird combination of birdies, video buzz and f.m. sound centers on 220.25 Mc., where it is over S9. The interference tapers off slightly in either direction, but it repeats at 221 Mc. At the lowest point in the first megacycle of the band, 220.6 Mc., the strength is S6.

What appears to happen is this: a beat between the sound carrier, 215.75 Mc., and the video carrier, 211.25 Mc., is produced in the mixer, by severe overload. This 4.5-Mc. signal beats with the sound carrier to produce the horrible mess at 220.25 Mc.

Several trap arrangements were tried, with little success. The interfering signal is too close in frequency to the desired one for ordinary traps to be of much use. A series-resonant trap across the input, or a parallel-resonant one in series with the input, made a dent in the interference, but either one raised the noise figure from 6 db. to about 12. A half-wave section of coax, shorted at one end and connected across the converter input at the other, was more effective, but it also degraded the noise figure excessively. It was made

* V.H.F. Editor, QST.



Beer-can coaxial line converter for 220 Mc. by W8JLQ. Two of the three 6BC4 grounded-grid amplifier tubes are not visible in this picture. They are mounted on a line 45 degrees to the right of each tank circuit. Oscillator-multiplier stages are on small insert plate, to the left of the power supply components.

of high-Q line of the sort used for transmission purposes in TV stations, and resonated at the TV frequency.

Remembering a commercially-built u.h.f. receiver he had seen, W8JLQ decided to try coaxial-line r.f. interstage coupling circuits, loosely coupled to the tubes, in a series of grounded-grid stages. The beer-can lineup shown in the accompanying photograph is the result. It is by no means a complete cure, but it is the best yet tried, and its




Fig. 1 — Mechanical details of the beer-can 220-Mc. tank circuits.

performance in other respects is quite good. Possibly other 220-Mc. workers who have troubles with off-band signals would be interested in trying the approach. In conditions somewhat less severe than these it should afford a complete cure.

The Beer-Can Circuits

First procure three beer cans, 12-ounce size. Help on the project is easy to get at this stage of the game, if you start with cans of the full variety. Details of the coaxial line assemblies are shown in Fig. 1. The inner conductors are 5/8-inch o.d. copper tubing, a standard size readily obtainable at plumbing shops. The mounting



1 W8ZJB	7 W6OB	13 W0DZM	19 W3OJU
2 W8BJV	8 W0INI	14 W0HVW	20 W6TMI
3 W8CJS	9 WHDQ	15 W0WKB	21 K6EDX
4 W5AJG	10 W5MJJ	16 W8WJ	22 W5SFW
5 W9ZHL	11 W2IDZ	17 W0OGW	23 W0ORE
6 W9OCA	12 WILL	18 W7ERA	24 W9ALU
	25 W8CMS	26 W0MVG	

W1VNH 47	W4LNG 45	K6HY 43	W9MPH 42
W1CLS 47	W4CPZ 45	W6ABN 43	W9EPT 41
W1CGY 46	W4UCH 44	W6NIT 42	W8SWH 41
W1LGN 46	W4HKK 44	W6IWS 41	K9EID 38
W1AEP 46	W4QN 44	W6CAN 40	W9KLR 36
W1RUF 44	W4FLW 43	W6BW 39	
W1SUZ 44	W4RFR 42	K6RNO 38	
W1FOS 44	W4OXC 41	W6FER 38	
W1KHL 42	W4MS 42	W6OJF 31	
W1EPL 41	W4FNR 40		
W1MFM 39	W4ZBQ 40		
W1SPX 36	W4AYY 38	W0QUIN 47	
W1UHE 35	W4IJJ 38	W7FFF 48	W0TKX 47
W1FAM 34	W4YRM 38	W7HFA 47	W0EPT 47
W1LGE 33	K4DNG 37	W7BQX 47	W0JOL 46
W1FVZ 32	W4HHK 37	W7FDJ 46	W0USQ 45
W1FTT 31	W4AKX 36	W7DYD 47	W0FYF 45
W1WAS 31	W4GJO 35	W7ACD 45	W0PFP 45
	W4ZD 35	W7JRG 44	W0OPZ 44
	W4HZG 34	W7HOC 42	W0QVZ 44
	K4AGM 32	W7IPA 42	W0CNM 44
		W7FTV 41	W0YJF 44
		W7CAM 40	W0URQ 44
		W7QDJ 34	W0VHS 43
		W7UFB 33	W0IPI 43
W2MEU 47	W5VY 48	W0WNU 42	
W2RGV 47	W5LFP 47	K0DXS 42	
W2AMJ 46	W5FSC 46	K0GKR 41	
W2BYM 46	W5ONS 45	W0PKD 41	
W2FJH 45	W5JLY 45	W0ZTW 41	
K2ITP 43	W5SML 44	W0YZZ 38	
K2ITQ 43	W5EXZ 43	W0ZKD 37	
W2SHV 43	W5JME 42	W0VJK 36	
K2JNS 42	W5VU 43	K0BPM 35	
K2AXQ 42	W5CYW 41	W0LJ 35	
W2GYV 40	W5FAL 41	W8RFP 45	W0CJR 35
K2HPN 39	W5HEZ 41	W8LFD 44	
W2ORA 39	W5BXA 41	W8HJR 43	
W2QVH 38	W5FXN 42	W8WPD 43	
K2HRB 37	W5EXZ 38	K8CIC 42	
K2LTW 35	W5EUI 38	W8EYH 42	
K2YWH 34	W5ABW 38	W8YLS 41	VE3AET 46
	W5HFF 38	W8NQC 40	VE3AB 35
	K5CYK 38	W8PCK 38	VE1EF 35
	W5NSJ 36	W8NOH 34	VE3BBX 33
	W5FRK 36		VE1QY 32
	K5CYK 36		VE2AOM 31
	W5WZF 33		VE3DER 31
	K5AJW 33		VE3RHQ 30
	W5ZTL 33	W9BRN 48	XEIGE 27
	W5ZVF 31	W8ZHB 48	VE1PQ 23
	W5LFM 26	W9QJH 48	VE3OJ 22
		W9VZP 47	VE1WL 21
		W9RQM 47	CO8WW 21
		W9CRM 47	VE4HS 20
		W9JFP 47	CO2ZX 16
		W9AAG 16	LU9MA 16
		W9UTA 15	PZ1AE 15
		W9UNS 45	KL7VT 9
		W9MHP 43	AI AUH 5
		W9JCI 42	VQ2PL 5

Calls in bold face are holders of special 50 Mc. WAS certificates listed in order of award numbers. Others are based on unverified reports.

brackets, spaced 120 degrees, are soldered to the outside of the can at about 2 1/4 inches up from the bottom. Coupling loops are brought through the wall of the can, 2 inches up from the bottom.

The coupling loops are all the same length, but the plate loops are coupled much more closely than the output loops. Coupling is adjusted by bending the loops. The cathode and mixer loops are bent almost over to the wall of the can, while

the plate loops are close to the inner conductor. The degree of coupling that is most desirable will depend on the severity of the interference problem. Generally speaking, the coupling should be adjusted for the lowest noise figure that will still give the attenuation of the spurious signals.

Assembling the coaxial circuits is not difficult. The thin and nicely-tinned stock from which the cans are made makes soldering easy. The trim-

2-METER STANDINGS

U. S.		U. S.			
States	Area	States	Area		
W1REZ	24 7	1175	W6NLZ	9 3	2540
W1FZJ	21 6	1120	W6WSQ	5 3	1380
W1PZQ	20 6	1050	W6DNG	5 3	660
W1HDD	20 6	1020	W6AJE	4 2	360
W1AJR	20 6	810	W6RRZ	4 2	360
W1AZK	20 6	1160	W6PJA	4 3	1390
W1KCS	19 6	1080	W6ZL	3 2	1400
W1TZY	17 6	750	W6AJE	3 2	640
W1WZ	17 6	680	W6WJ	3 2	400
W1BCN	16 5	650	W6MMU	3 2	388
W1KHL	16 5	540	W6ORS	3 2	365
W1AMN	15 6	800	W6LSB	2 2	360
W1AFO	15 5	810			
W2ORI	32 8	1200	W7VMP	11 5	1280
W2NLY	31 8	1390	W7LEH	6 3	1020
W2CXY	28 8	1140	W7JRC	4 3	1040
W2AZL	25 8	1050	W7LHM	4 2	1050
W2BLV	23 7	1020	W7JZ	4 2	853
W2DWJ	21 6	720	W7JJP	3 2	850
K2CER	21 6	910	W7YZU	3 2	240
W2OPQ	20 6	970	W7JJO	2 2	140
W2AMJ	20 6	960			
W2PAU	20 6	880	W8KAY	35 8	1020
W2CRB	20 6	740	W8WVY	30 8	1200
W2UTH	19 7	880	W8RMI	29 8	800
W2VTP	19 7	650	W8LOP	27 8	1060
K2JN	19 6	925	W8SRW	27 7	850
W2RGV	19 6	720	W8SEC	26 7	860
W2KIR	19 6	—	W8PFT	25 8	985
K2JL	19 6	785	W8ILC	25 8	800
W2ACB	18 6	675	W8LPD	25 8	750
W2LHL	17 6	660	W8DX	25 8	720
W2RAG	17 6	650	W8WRN	23 8	680
W2SHT	16 6	650	W8BAX	23 8	675
W2PCQ	16 5	650	W8LXN	22 8	725
			W8JWV	22 8	710
			W8REP	18 7	800
W3RGT	28 8	850	W8ZCV	17 7	970
W3RUE	28 5	740	W8RWW	17 7	630
W3IBH	22 7	650	W8LWY	17 7	610
W3GKP	23 6	800			
W3TDF	22 6	880	W9KLR	35 8	950
W3PPH	21 8	—	W9WOK	35 8	800
W3KCA	21 7	—	W9REM	27 8	850
W3ZD	20 7	—	W9FVJ	26 8	850
W3KWL	19 7	740	W9ZLL	25 8	700
W3NKM	19 8	660	W9EQC	25 8	820
W3YHL	19 6	800	W9GAB	24 7	1100
W3BNC	18 7	750	W9EIN	24 7	725
W3LNA	16 7	720	W9BPV	23 7	1000
			W9UCI	22 8	750
W4HHK	30 9	1280	W9UED	22 7	960
W4HJQ	30 8	825	W9AGC	22 7	850
W4MKJ	24 8	725	W9KPH	21 7	690
W4LTK	23 8	1160	W9MID	19 7	640
W4AO	23 7	950	W9REM	19 6	—
W4JGJ	22 7	660	W9LEL	19 6	—
W4UMF	21 6	720	W9ALU	18 7	800
W4DWU	20 6	675	W9JGA	18 6	720
W4OLK	19 6	820	W9MBL	16 7	660
W4JFY	18 7	830	W9JYT	15 7	560
W4IKZ	18 6	720	W9LEL	15 6	780
W4VLA	17 7	825	W9DSD	15 6	700
W4WNL	17 7	750	W9DDG	16 6	700
W4TLY	16 7	1000			
W4CLY	15 5	720	W0EMS	27 8	1175
W4ZBU	14 5	800	W0IHD	26 7	870
W4WCB	14 5	720	W0GUD	25 7	1085
W4SOP	13 5	680	W0INI	16 8	830
W4CPZ	12 5	650	W0CDB	17 6	800
W4UDQ	11 5	850	W0ONG	17 6	800
W4MDA	11 5	68	W0SMJ	14 6	1000
W4KCC	10 4	860	W0USQ	14 6	750
W4GIS	9 2	335	W0IFS	14 5	725
			W0VFG	13 5	700
W5DFU	24 9	1300	W0ZJB	11 4	650
W5RCI	23 7	950			
W5AJG	18 7	1280	VE3DIR	26 8	915
W5EHL	15 7	830	VE3AB	25 8	910
W5JWL	14 6	1150	VE3BQN	17 7	790
W6MNV	14 5	700	VE3RFR	16 8	820
W5FSC	12 5	1390	VE3BPB	13 6	715
W5ABN	12 5	780	VE2AOK	12 5	550
W5GNL	10 5	1400	VE3AQQ	11 7	800
W5VW	10 5	1180	VE1QY	11 4	900
W5SWY	10 3	600	VE7FJ	2 1	365
W5ML	9 3	700			
W5NDE	8 3	520			
W5PZ	8 3	500			
W5PEK	8 2	581			
W5VY	7 3	1200	KH6UK	1 2	2540




Fig. 2 — Circuit diagram of the W8JLQ 220-Mc. converter. Oscillator-multiplier system employing two dual triodes is not shown, as its circuitry is conventional.

mers mounted across the open ends of the tank circuits help to hold the inner conductors in alignment.

The r.f. amplifier tubes are 6BC4s, a type well adapted to grounded-grid service. The mixer is a 6AK5, operated with low cathode bias. The high value of cathode bias often shown for pentode mixers was found to aggravate the overloading and cross-modulation problems¹ and lowering the bias seemed to have no adverse effects. The idea was to protect the mixer, and possibly the last r.f. stage, for they are where most of the trouble develops. Possibly one more coaxial tank in the input circuit of the first 6BC4 would have helped still more. Injection at 206 Mc. is supplied by a 12AT7 oscillator-doubler, and a 6BQ7A doubling twice. The crystal is on 25.75 Mc., and the circuitry is conventional.

Adjustment and Results

If the interference problem is a very severe one, as in W8JLQ's case, the coupling should be adjusted as loosely as possible and still retain a good noise figure. His converter showed 5 to 6 db., a very respectable noise figure at 220 Mc. Where a conventional converter showed a minimum interference level of S6 (at 220.6 Mc.) the beer-can job shows substantially no Channel 13 interference at this frequency. It is possible to read an S3 voice signal around 220.6 Mc., even with the beam aimed at the TV station. There are still some strong birdies around 220.25 Mc., but reception is possible on 220 now, where it was not before.

Where the interference level is lower, or on

¹ Mixers in v.h.f. converters have been designed in years past for optimum noise figure. This objective, important when no r.f. stage is used, was achieved by keeping the plate current to the lowest usable value. When this is done, by either high bias or low screen voltage, the stage becomes very susceptible to overloading. Where good r.f. stages are employed, they control the over-all noise figure of the system. In that case the mixer may be set up for better overload characteristics, by eliminating grid-lead bias, lowering the cathode bias and increasing the screen voltage. Probably the only limit in this respect is the safe plate and screen dissipation of the tube used for the mixer. — *Ed.*

channels farther removed in frequency from 220 Mc., it would seem that these inexpensive and easily-built tank circuits should solve the problem entirely. When the converter is tuned for high attenuation it is definitely not a broad-band device. If you want to cover more than one megacycle of the band, with high attenuation of off-band signals, it might be desirable to make provision for gang tuning.

KH6UK — W6NLZ REPEAT ON 144 MC.

The record 144-Mc. contact of July 8 between KH6UK and W6NLZ was repeated Aug. 18, under quite similar conditions. Tests made by KH6UK for other West Coast stations were first heard by W6NLZ at 2000 PST. Two-way communication was held from 2050 to 2114, and the signal remained audible until 2127.

Most of W6NLZ's reception was weaker than during the first QSO. After some minutes of very low signal level at the start, reception improved so that the two-way portion was solid, though never reaching the peaks that marked the first success. KH6UK, on the other hand, recorded clearer reception of W6NLZ than during the July contact, probably the result of less interference from the h.f. transmitters of RCA Communications, whose antennas are close by the big array at KH6UK.

When signals were at their best, W6NLZ tried his 144-Mc. s.s.b. A tape recording received from KH6UK shows the signal at the threshold of voice readability at this time.

How were these contacts made? Evidence from the Los Angeles Weather Bureau, and scientific opinion gathered by your conductor while attending the URSL General Assembly at Boulder, Colo., point definitely to tropospheric propagation. While the 2540-mile path is some 25 percent longer than any previous proven reception of signals at 100 Mc. or higher, some authorities on tropospheric propagation over ocean paths are of the opinion that the new record is far from unbeatable.

One well-known scientist expressed the opinion that conditions favorable to very long-distance work exist frequently in the Doldrums belt. He does not rule out the possibility of 144-Mc. work with Europe, even across the frequently turbulent North Atlantic.



Correspondence From Members-

The publishers of *QST* assume no responsibility for statements made herein by correspondents.

RAGCHEWING A LOST ART . . .

1745 Helen Drive, N.E.
Atlanta 6, Georgia

Editor, *QST*:

I want to comment on the lack of imagination, interest or intelligence on the part of Novices. Conservatively speaking nine out of ten QSOs go like this: "O. K. O.M. Trx for call. Ur RST is 599. QTH is Anytown, Ga. Name is Illwind. Bk to u." The other ham reciprocates with pretty much the same thing, addresses are exchanged and so ends a "QSO."

Often I'll try to liven up a QSO with "Hw WX there" "Hw old r u" or "Hw many states hv u got?" with poor results. Often the reason is they don't know what WX means, or they have gotten so used to sending only RST, name, address and 73 they can't copy anything else. What is this strange aversion Novices have for ragchewing? Surely they're not interested only in collecting QSL's.

Perhaps you can suggest some intelligent questions aimed at striking up a conversation. Maybe ARRL can develop another operating aid called, "Friendly Conversation for the Deadhead Amateur."

I hope you will continue to encourage fraternalism among hams with things like the RCC.

— Danny Gross, KN4OGY

. . . OR IS IT?

3836 Sylvania Road
Petersburg, Michigan

Editor, *QST*:

At 8:40 A.M. Friday, May 17, I was scanning the 80-meter band for a contact when I heard KN8DNJ calling CQ. We began our QSO as usual, with name and QTH, but the real conversation began with a blimp flying low over Lorain. He gave me a description of it and what it was doing. Then we went on to describe our rigs, family, ages and so forth. The QSO finally wound up with the weather conditions and an invitation here for a steak dinner, with gravy. After saying hello to the XYLs this QSO signed off at 11:05. I do not know if a QSO of two hours and twenty-five minutes sets a c.w. record or not. There were no messages, just friendly ham talk.

I have never met Bill — this was our first QSO, but you can bet it will not be the last one. In fact, I want to make a trip to Lorain to meet Bill and his family. I am very much in favor of the friendly QSO, not the name, QTH, QRT kind.

— Earl Valentine KN8ENV

DURABLE

1214 Fourth Avenue
Sterling, Illinois

Editor, *QST*:

I have been very much surprised at the continued correspondence that I receive from the interest in building the low cost code-practice oscillator (September, 1955 *QST*, page 22). In spite of more recent transistor oscillators, persons looking through their back copies of *QST* seem to find the features of satisfactory loud-speaker operation and safe A.C. operation very appealing.

My correspondence originates due to the difficulty in obtaining the TV horizontal oscillator coil which in the original was a GE type RLC-091. This is a tapped coil and it appears that it is one of the few types used in TV sets that provide a tap. The inductance is not difficult to duplicate but no data was given in the original article.

Due to the policy of GE distribution, their parts are quite difficult for the beginner to obtain. When the original was constructed, one of the large mail order houses carried this particular item but they have since discontinued doing so. I have found that a "Miller" coil No. 6324 (J. W. Miller

Co., Los Angeles) is the equivalent and is quite readily available through parts suppliers. This tapped coil has an inductance of 60-130 Mh. and does a very satisfactory job in this circuit.

Although I had expected the interest and correspondence to die down by this time, each month brings me an average of six letters making this inquiry, so I thought you might be interested in inserting information relative to the Miller coil in *QST*.

Quite a number of schools have written me that they have built a dozen or so of these units and find them very satisfactory. Correspondence stems from every walk of life including the armed services.

— Robert E. Foltz, W0GBT

STILL MORE "INCENTIVE"

847 Lee Hall Street
San Antonio 12, Texas

Editor, *QST*:

I have read, with much interest, about the clash of the classes, extra and advanced, and it seems that neither side has yet hit upon the true argument. I am an extra class licensee holding license number AE-9-31 and cannot see where the extra class fellows have any beef whatsoever since the advanced boys were simply graduates of the early days when academic requirements were not quite so rigid. To say the advanced licensees were not entitled to the same privileges afforded extra class would be the same as to say that lawyers who graduated in 1935 did not have to know quite so much as lawyers of the class of 1957 due to expanded tax matters and such so they cannot enjoy the same privileges offered to the 1957 class. That would be ridiculous. Extra class, today's model, passes a stiffer examination and faster code than the advanced did so we just chalk it up as being born a few years too late.

— Thomas J. Prothro, W5HBP

THE JOLLY ROGER

15 Bucklin Street
Pawtucket, Rhode Island

Editor, *QST*:

I would like to take advantage of your publication to bring to the attention of my fellow amateurs one of the lowest forms of life, the Bootlegger.

Sometime during January of this year, which was during my novice days, I received a QSL from a W9 in Iowa (I still need Iowa) for a QSO on 15 Meter phone.

Then to add insult to injury I heard this bootlegger on 15 Meter Fone myself. He was engaged in a local QSO. Shortly after he proceeded to start to fool around using an accent which I would be ashamed to use in any company.

This matter has been reported to the FCC and I would like to have any other reports of a QSO with any station using my call on 15 Meter Fone.

— David E. Tetreault, W1MOP

PSE QSL

645 Cowles Avenue
Red Bluff, California

Editor, *QST*:

I think all Generals should take a lesson from the Novice. I am working very hard for my WAS but I have to have QSLs to do it. I have worked stations who said they would QSL and never do. I would like to suggest to those who do not QSL to say they don't when asked for a QSL.

I am fully aware that I have just said what has been said many times before and will be repeated many more times to come. So what do you say — how about that long-awaited QSL for someone's WAS?

— Peter S. Freeman, K6RFT
(Continued on page 188)



Operating News



F. E. HANDY, WIBDI, Communications Mgr.
GEORGE HART, WINJM, Natl. Emerg. Coordinator
PHIL SIMMONS, WIZDP, Asst. Comm. Mgr., C.W.

ROBERT L. WHITE, WIWPO, DXCC Awards
LILLIAN M. SALTER, WIZJE, Administrative Aide
ELLEN WHITE, WIYYM, Asst. Comm. Mgr., Phone

Traffic. Traffic volume in domestic amateur circles has been substantially constant over the last couple of years, with of course seasonal or holiday variations. A careful look at activities reports in preparing information for the ARRL Board of Directors this year indicated increases not so much in traffic volume but in the *number of reports*. More amateur interest in nets and traffic was indicated. During 1956, 39 BPI medallions were issued to amateurs completing three months of BPL-high traffic standings, not necessarily for consecutive months.

"Over" vs. Break-Break. ARRL's July Phone Bulletin to PAMs and OPS reviews ideas utilized by successful phone nets throughout the nation. It is the practice in the Virginia Fone Net to avoid break-break, just giving the call, so the NCS gets the identity of stations reporting in *faster*. Apparently concurring with VFNs idea, VE7FB comments that there could be further avoidance of break-break, especially as he has heard it in net traffic sessions! He would suggest much greater use of the very proper procedure word: OVER.

Let us quote from VE7FB's letter: "... We are trying to move traffic faster by nets which in general do a very good job. But one little word is worth all the break-break you hear! That word is OVER. It is simple and has more meaning. The use of the word 'break' can sometimes bring break-in stations on the net at the wrong time, instead of the proper station." To those in QSO pausing for possible corrections to traffic in progress may we suggest use of OVER, reserving the word 'break' for actual break-in use. And in net practice, as observed by VFN and others (one is calling in and identifying after the NCS has made his call) one's call, and not 'break', seems the preferable practice.

Single Side Band Progress. An analysis was made of affiliated club reports of s.s.b. use. Returns from 100 clubs were examined at random, these representing a membership of 3151 amateurs. In the group 157 operative s.s.b. stations were identified; also 116 other club members were planning s.s.b. operation. In a survey made a year earlier by the same method 46 per cent of the clubs had s.s.b.-using members; in the Feb. '57 survey 73 per cent of all the clubs surveyed were found to have some s.s.b. installations in use. In this sort of a look at our over-all operations a five-year charting of the development of this type of use shows a linear or straight line increase. The number of s.s.b.-users per 100-

amateurs according to this club survey is now up to five and still growing.

Clubs . . . On Organized vs. Individual Effort. Individual operating is probably the greatest main spring amateur radio has for getting the results! However, great benefits in our amateur radio result in all larger programs as a result of teamwork or group effort. A thousand active affiliated clubs attest to the services they offer individual club members in as many communities. It is practically individually helpful as well as fraternally rewarding to share and pool our experiences and ideas. Many letters from clubs attest their high success with code and theory programs, TVI committees, auctions, hamfests and their own operating programs and club-to-club challenges in connection with each of the major ARRL operating activities through the year.

Clubs and individuals each can benefit by tying local to the national programs and patterns. Organized effort makes many benefits possible not realized without. Besides the Sweepstakes, Field Day and contests in general, each club can aspire to recommend to SCMs their operators of a caliber qualified to hold Official Relay Station or Official Phone Station appointment and through their participation in section nets the club has communications links to outside communities. Each SCM especially will welcome word from clubs not now having an ARRL Official Observer SCM-appointee and an OBS to extend self-advisory and radio bulletin information to these groups and communities of active amateurs. Such posts are available in the national ARRL field organization plan to make such services widely available. Every club (we hope) likewise will assist in encouraging qualified and available operating members with mobiles to be registered in the Amateur Radio Emergency Corps and enlisted in local, county or area RACES plans.

It is in the full creation and establishment of these recognitions and recruiting to take on the appropriate and qualified activities that we can greatly strengthen both our local club interests and national organization . . . and by doing this increase the enjoyment, benefits and recognition accorded all as amateurs.

For Better Traffic Handling. *Pacific Area Net News* makes a point of suggesting that all traffic handlers concentrate on *accuracy* instead of volume to make their hobby of handling traffic of utmost value in the amateur ranks. Here are some principles to follow: The message, all parts including check, should be copied *correctly*

and completely before an "R" is sent to indicate its full and correct receipt. Ask fills as necessary. There is no place among the elite in traffic for the guesser! PANN points out that if all amateurs participating in traffic work make the effort, every single message can be delivered with the exact wording in which it was filed. This never can be done if originators, and those receipting to originators for traffic, accept originated messages that are incomplete, or without a word count, or obviously misrouted. Call back to query any point of uncertainty *before* receipting for traffic.

Message Routing Suggestions. The casual greeting message may be highly important to the mother or father who has not heard from service-connected persons overseas for many a month! But another message that *looks* important may be lightly valued by a recipient with many other interests. The worth or importance of traffic cannot be decided by radio operators; *only* the addressee or originator knows that aspect! In PANN W7BA decries some improper routing of traffic observed as "just to build up a score." From his remarks some general principles can be stated: (1) Unless one can expedite traffic directly and with reasonable promptness, it shouldn't be accepted. (2) Unless he has definite schedules to expedite it, an operator should refuse northbound traffic headed south, eastbound traffic headed west, etc. (3) Long-haul traffic should invariably go into the National Traffic System (via area, regional or, if necessary, state nets or those having liaison with NTS . . . or be relayed alternatively via stations on any band having proper schedule connections for the given traffic). (4) 75 and 80 meter nets can best handle all traffic in a given region covered by such nets or to specific points covered by definite schedule guaranteed by a net-member. (5) Movement of messages through casual operators unfamiliar with or not having net connections and outlets is not to be recommended, generally speaking.

The phone and c.w. net members of organized groups, however, almost always can give advice and best routing service. The distinction between commercial and amateur service is that the former has to be *guaranteed* as to delivery. In the amateur service, speed and reliability depend exclusively on *unpaid and voluntary* efforts with no guarantee but our integrity as individuals and our love of conducting successful communication!

How Is Your Code? In the last calendar year nearly 3500 copies of W1AW and W6OWP qualifying runs were submitted to ARRL. Certifications were issued to 3151 individuals showing their status and progress in code. About one-third these certificates were issued in the lower speed brackets, 10 and 15 w.p.m. There was progressively smaller participation at higher speeds. Ten to 35 w.p.m. runs are *equally* available. Over 30,000 individual amateurs will have been certified in the ARRL program by the time this appears in print. The larger number of all certificates and endorsement stickers issued are at the speed of 15 w.p.m., probably indicating that one of the great uses of the program is to help in qualifying for the General Class FCC ticket. We *hope* that all prospective amateurs know about the ARRL W1AW and W6OWP program and take advantage of the daily tape-sent practice that is available as well as the monthly qualifying runs. For the newcomer who is extremely nervous and working c.w. ardently for his General Class preparation (and a WAS), we suggest possible acquisition of the 20 w.p.m. certificate. It gives a greater margin of "certified confidence" in sitting down for the test. This speed and higher speeds are well worth following up on other grounds than any examination need. A generous share of the difficult DX, the ability to communicate reliably through QRM or with limited equipment, or in emergency, the traffic know-how of the real communicator, all these things and your reputation as a skilled and full-fledged amateur spell out that you owe it to yourself to go much farther than any minimum requirement in code. Operating in contests may help code ability; regular DX work or taking part in a good c.w. traffic net, as soon as your ticket will permit, will do even more for you according to several of those in the know.

The number of code proficiency endorsements and initial certifications continued in an uptrend for the year 1956. The number of endorsements *over* initial certification increased 7%, while the number of new certifications were at a rate 27.4% higher than the previous year. This CP program incidentally seems to be one of ARRL's most useful and generally appreciated programs. If you haven't been certified or endorsed all the way up to the top of this program, we invite you to make full use of all the W1AW and W6OWP runs as they take place. — F. E. II.



Not long ago the New Jersey Phone Net held a picnic, attended by the above characters. They are (top row, l. to r.) K2EMJ, K2HXX, W2SUG, K2JTU, W2VC, W2HIR, W2SHL, K2HPV; bottom row: W2VDE, W2KFR, K2CDH, K2ETG, W2RHX, K2CLD.

Section Emergency Coordinators of the Amateur Radio Emergency Corps

The Section Emergency Coordinator is appointed by the SCM to take charge of the promotion of the Amateur Radio Emergency Corps organization throughout the Section. He acts as the SCM's executive in the furthering of provisions for emergency amateur radio communications in every community likely to suffer in case of a communications emergency. One of the duties of the SEC is to recommend the appointment of Emergency Coordinators for the various communities in his Section. Does *your* town have an EC? If not, recommend the name of a likely prospect to the SEC. The SEC invites your questions concerning the status of the AREC in your Section.

ATLANTIC DIVISION				
Eastern Pennsylvania	W3NNT	Douglas Morick	510 Hickory St.	Bethlehem
Maryland-Delaware-D. C.	W3PKC	John Campodonico	629 McCabe Ave.	Baltimore 12, Md.
Southern New Jersey	W2YRW	John Wesley Sammis	120 Rhoads Ave.	Haddonfield
Western New York	W2UTH/FRL	Henry A. Blodgett	515 Victor-Holcomb Rd., Rt. 1	Victor
Western Pennsylvania	W8OMA	Walter P. Remele	20 N. Howard Ave.	Bellevue 2
CENTRAL DIVISION				
Illinois	W9HOA	A. B. Brand	1211 Harlem Blvd.	Rockford
Indiana	W9QYO	Frank M. Carroll	542 S. Maple Ave.	Creas
Wisconsin	W9EIZ	C. E. Finger	1422 Arctic St.	Antigo
DAKOTA DIVISION				
North Dakota	W8CAQ	Douglas H. Clason	44-16th Ave., So.	Fargo
South Dakota	W9YOB	Wallace Koppman	725 St. Charles St.	Rapid City
Minnesota	W0WVO	Jerry K. Fraser	2019 4th St., West	White Bear Lake
DELTA DIVISION				
Arkansas	W8DAG	Malcolm G. Y. Hoyis	909 Ruby St.	Oseola
Louisiana	K5BES	Kenneth Lummerville	1847 Pratt Drive	New Orleans 22
Mississippi	W6GG	Harvey Lee Trefl	P. O. Box 527	Cleveland
Tennessee	W4RRV	S. B. DeHart	227 S. Purdue	Oak Ridge
GREAT LAKES DIVISION				
Kentucky	W4JSH	Meek W. Brazelton	222 State St.	Lexington
Michigan				
Ohio	W8UPB	Dana E. Cartwright, sr.	2979 Observatory Rd.	Cincinnati 8
HUDSON DIVISION				
Eastern New York	W2KGC	William L. Stahl	Box 543	Fishkill
N. Y. C. & Long Island	W2ADO	Maurice Mulligan	Box 134	Westbury
Northern New Jersey	W2IIN	John J. Vitale	57 Sayre St.	Elizabeth 3
MIDWEST DIVISION				
Iowa	W6MIG	Russell R. Rosenkrans	2121 Byron Ave.	Waterloo
Kansas	W6PAH	W. G. Schrenk	144 Westview Drive	Manhattan
Missouri	W8BUU	Charles O. Gosch	711 S. Oakland St.	Webb City
Nebraska	W8JDJ	Francis B. Johnson	820 S. 44th St.	Lincoln 10
NEW ENGLAND DIVISION				
Connecticut	W1EOR	John L. Henley	RFD 1	Andover
Maine	W1TVB	Chester A. Dykeman	RFD J	Gray
Eastern Massachusetts	W1BL	Raymond E. Boardman	53 Thurston Rd.	Newton Upper Falls 64
Western Massachusetts	W1RRX	William F. Ham	222 Westfield Rd.	Holyoke
New Hampshire	W1BXU	William E. Goldthwaite	24 Franklin St.	Concord
Rhode Island	W1PAZ	Thomas C. McCormick	1934 Smith St.	North Providence
Vermont	W1SIO	Carl M. Anderson	9 West St.	Brattleboro
NORTHWESTERN DIVISION				
Alaska	KL7AMS	Leibert Bailey	Box 1071	Anchorage
Idaho	W7IWW	Alan K. Ross	2105 Irene St.	Boise
Montana	W7KUH	Walter R. Marten	3021 6th Ave., So.	Great Falls
Oregon	W7QYS	Jim A. McCurdy	Fairview Rt.	Coquille
Washington	W7PQT	Vern C. Shafer	319 Talcott	Sedro Woolley
PACIFIC DIVISION				
Hawaii	KH6ABI	Leon K. Johnson	6081 Keeki St.	Honolulu
Nevada	W7JU	Ray T. Warner	539 Birch St.	Boulder City
Santa Clara Valley	W6NVO	Edward T. Turner	2837 Fernwood	San Mateo
East Bay	W6CAN	J. Wayne Clark	70 Hoffman Ave.	Napa
San Francisco	W6KZF	William J. Ray	52 Matilda Ave.	Mill Valley
Sacramento Valley				
San Joaquin Valley	W6EBL	F. E. Robinson	Sonora Motor Hotel	Sonora
ROANOKE DIVISION				
North Carolina	W4ZG	Roy C. Corderman	730 Yorkshire Rd.	Winston-Salem
South Carolina	W4SOF	James E. Murff, Jr.	104 So. 16th Ave.	Dillon
Virginia	W4PAK	Frederick D. Hackworth	Route 1, Box 7-H	Fentress
West Virginia	W8KXD	Alvin Huntsman	524 Ninth St.	Moundsville
ROCKY MOUNTAIN DIVISION				
Colorado	W0NIT	Donald Middleton	920 West Adams	Pueblo
Utah	W7JOE	John Tempest, Jr.	1599 Orchard Dr.	Salt Lake City
New Mexico	K5DAA	Allan S. Hargett	1001 Birch Lane	Carlsbad
Wyoming	W7MNV	Gilbert A. Dugger	120 No. Ave., C4	Cheyenne
SOUTHEASTERN DIVISION				
Alabama	W4TKL	W. W. Varnedoe	Rt. 4, Box 486	Huntsville
Eastern Florida	W4IYT	Andrew C. Clark	41 Lenape Drive	Miami Springs
Western Florida	W4EIZ	B. G. Moore, jr.	P. O. Box 808	East Pensacola Heights
Georgia	N4AUM	Erlon N. Allred, Jr.	Box 24	Hephzibah
West Indies (Cuba-P.R.-V.I.)	KP4AA	Ernesto Viera	170 Arizmendi St.	Rio Piedras, P. R.
Canal Zone	KZ5RV	Ralph E. Harvey	Box 15	Palboa Heights
SOUTHWESTERN DIVISION				
Los Angeles	W6LIP	Bruce T. Huntley	4570 San Blas	Woodland Hills
Arizona	W7YWF	Howard Hampton	2812 W. Campbell Ave.	Phoenix
San Diego	W6RTU	Harold W. Eberle	334 Patriota Lane	El Cajon
Santa Barbara	K6CVR	Robert Henke	728 W. Mission St.	Santa Barbara
WEST GULF DIVISION				
Northern Texas	W5BNG	L. L. Les Harbin	4515 Calmont	Ft. Worth
Oklahoma	W5LXH	Ray C. King	1404 Sherry Lane	Shawnee
Southern Texas	W5QKF	Dr. R. O. Best	3544 Santa Fe	Corpus Christi
CANADIAN DIVISION				
Maritime	VE1FH	Dr. L. P. Doucett		Cheticamp, N. S.
Ontario	VE3KA	T. W. Clemence	2278 King St., East	Hamilton
Quebec	VEQ2N	Felix Edge	2604 de la Palaise	Sillery
Alberta	VE8MJ	Sydney T. Jones	10708-57th Ave.	Edmonton
British Columbia	VE7JT	P. M. McIntyre	981 W. 26th Ave.	Vancouver
Yukon				
Manitoba				
Saskatchewan	VE5LU	Lionel O Byrne		Rowatt



The last year has seen an upsurge of activity within our AREC. In some cases, said to relate, this has been caused by decreased activities along RACES lines in areas where civil defense activities have not been stressed or are disappointing to participating amateurs. In others, more gratifyingly, the increase has been due to a gradual straightening out of the relations between the AREC and RACES into a more unified program in which things are beginning to assume their proper proportions and find their proper places.

But most of all, we think, the increase has been brought about by the infiltration into the AREC of young amateurs in the novice category or those just graduated therefrom, and this is the most gratifying of all because it insures us a supply of youthful enthusiasm and vigor which we very much need in our organization. In the earlier days of amateur radio most of us were youngsters ourselves. We had to set up the AREC without, generally speaking, the guiding hand of age and experience. It was a long, hard row to hoe, and we had to learn by bitter experience what was wise and what was unwise, what was practical and what was impractical, what was effective and what was ineffective. Today, largely because of the novice program, we get many inquiries from youngsters who are just getting their feet wet in amateur radio and are eager and anxious to direct their activities along service lines. They look to us for guidance, and it is our responsibility to guide them along the most beneficial channels.

We know only too well that youngsters of teen age and under can be a dadgummed nuisance, and it is easy enough to fall into the fallacy of considering them more trouble in a serious organization than they are worth. They are noisy, impetuous, impulsive, and cocky. At club meetings they are disorderly, mischievous, disrespectful and quarrelsome. They get in your way, under your feet and in your hair. It is very hard to drum anything into their thick skulls, but they think they know it all. In other words, they are boys (except the ones who are girls, in which case about the only difference is obvious) and act as such despite the fact that they are amateurs. Regardless of all this, the influx of young people into amateur radio, brought about largely by novice programs, is a very valuable asset which must be encouraged and preserved.

So, all you ECs and older AREC members, how about giving a hand in helping these kids along? Set up a novice program in your AREC group, give them something to do, make them feel like a part of the organization so they can be proud of the part they play, and assist them in obtaining their general licenses so they can take a more active part. Above all, when a novice asks about registering in the AREC, don't turn him down just because you don't know what you'll do with him. No amateur willing to register in the AREC should be turned down; AREC is open to all amateurs—novices, technicians, general, extra and all, old or young, ARRL members and CQ subscribers. Let's not have anyone excluded because he can't find out whom to sign up with. It's our own organization and we need every amateur we can get in it.

From W0KXL's *Midwest Chirps* we now have more details of tornado operations in the Kansas City area in May. This, then, is supplementary to the account which appeared in September QST.

Shortly after the tornado ripped through the Ruskin Heights area of Hickman Mills, just east of Kansas City, 25 amateur mobiles were at the scene, the first of which was K0AFW followed by W0s LRU OLO QLW and RDI. W0MID took over as NCS from his fixed station in Raytown and also acted as liaison station with the 6-meter net. Mobiles were dispatched to key points. The Kansas City 6-Meter Net on 50.4 Mc. also went promptly into action with K0s BCW DGU GPS GYE and W0s ETB MID and 'BMB active. This net obtained prompt action in getting the gas cut off from broken gas lines, thus avoiding serious

fires and explosions. W0MID relayed to W0RVG, club station of the Heart of American Radio Club. RACES radio officer W0QLW, operating as an amateur, says that amateur communications in the tornado area were well organized after the first half hour, although state law forbids civil defense from taking over in natural disasters. At the request of the Hospital Association, amateur mobiles were dispatched to all hospitals to endeavor to get a better distribution of the injured from the tornado area, telephone communications being overloaded to the point of breakdown. In the evening of May 20, K0AFW switched from his mobile to a transmitter and receiver set up in the back of his station wagon, using a generator supplied by W0AOK. This unit handled a great number of official and personal emergency calls. In the morning of May 21 this setup was moved to the Baptist Church Center, relieving the mobile stationed at that point, and mobiles were henceforth used at survivor registration centers, to check on inquiries, investigate damage and determine safety of occupants of damaged residences.

In the afternoon of May 21 a two-meter teletype link was set up between the area and Kansas City. Many operators did much operating with little sleep. An "unofficial" version of the Missouri State CD Net operated on 3995 kc. for 30 hours, NCS'd by K0BZK assisted by W0NCTI, but the bulk of out-of-town communications came over commercial circuits whose long-haul lines were little affected. Inquiries coming in through regular traffic and emergency nets were handled mostly by the amateurs themselves because of the heavy load on the Red Cross. The Kansas CW Net and the Tenth Regional Net of the ARRL National Traffic System funneled this traffic into and out of Kansas City with characteristic dispatch, mostly through K0BXT and W0NIY. Some normal channels were bypassed because of the emergency situation.

The active Lawrence, Kans., Mobile C.D. group sent mobiles to Ottawa, Kansas, to help, where they ran into some conflict of authority between the police and National Guard but succeeded in being of material assistance. Fixed stations were W0FON and W0UNT operated by W0LUB. Mobiles were W0s ABZ KLK NSB OBII OYZ RZF TIX, K0s BIU EDZ.

W0MID notes that the tornado had no apparent effect on 10 and 6 meter conditions, but plenty on 80 and 75—an important point to remember in future operations of this kind.

Other amateurs reported to have participated: K0s AEU BIX BVD BXU CFI CTG CTK DWK GZR HBC HDT HJQ IAH BZK BXF HIAI HBG; W0s ASI AUC BYM CBD DOK DVC DXE DXI EDG EPB ESW FIF PJK GHS GPS GVI GVE HOK IDL IIS ITJ JFT JXT KMV KUC LK LKS LOH LQV MAF MALJ NNU OMM QIZ QJC QPJ QPM RYV SSG SVQ SZH TFQ TNA TOD TOQ TQR TQS UBR UBS UNV UBX VFI VRF WWA WWB WYK TOL FRS ERH UXT, W0GEX, 0, W7VXF, 0, W5WFA, W5KLB, W8AQW. There are unquestionably omissions, Mert says. Tax, Mert.

Rains up to ten inches brought serious flooding throughout much of southwestern Minnesota on June 19. W0SKQ at Marshall commenced emergency operation at once, assisted by W0s VTZ UNG DXY TWO, K0s TWO and CUO, all of whom reached the W0SKQ location by army truck and hip boots. Messages were handled for Civil Defense, Red Cross and the telephone company. W0QIQ, EC for Lyons County, after being flooded out of his home, assisted from the east side of the flooded river. W0BMJ "whomped up" a six-watt transmitter and assisted in taking calls and relaying to W0SKQ. Other stations operating out of the flooded area were W0s WBH YMM GBF SZJ KXW LCM DKE PBY BBY WYS and QDZ. Amateurs throughout the state cooperated in the emergency, handling traffic both into and out of the affected area.—W0FTO, SEC Minn.

On June 20 a huge tornado funnel passed through Fargo, N. Dak., leaving utter destruction and injury to many people. W0s TXJ JNP KZZ NGL and others went into action immediately afterward. A base of operations was set up at W0QWZ to handle the mobiles and to handle incoming and outgoing messages. Within an hour the group had mobiles in action at the local airport to provide lights for plane landings, and at other places to try to locate missing people. Power lines down over much of the city made travel

Activity at the C.D. headquarters station in Tulsa, Okla., on May 18, during the Arkansas River flood in which the town of Bixby was isolated and all communications were by ham radio. Sitting at the far operating position is K5DVF; at the lower position is K5DGA; and at lower right are W5ZBI (EC) and W5KYA. Others in the picture are unidentified c.d. workers.



very difficult and circuitous. Among the many other amateurs taking part were W0s ECX SEO and QPT. In St. Paul, W0PDN assisted the Pioneer Press in getting news dispatches out of the area by amateur radio (via W0QWZ), which information was used by the paper the next morning, plus a short plug for the amateurs. — W0CAQ, SEC N. Dak.

— — — —

Amateurs in Keswick, Ont., assisted in a storm on July 3, an aftermath of Hurricane Audrey, when all communications, both telephone and hydro, were cut off, virtually isolating the community. VE3BUT and VE3DSM of Toronto volunteered to assist and were sent to the stricken area in their mobiles. Unable to make direct contact with the Toronto station, VE3RH, relay was provided by VE3GJ in Orillia, later relieved by VE3YS in Newmarket and several others. The two mobile units handled all emergency communications into and out of Keswick during the 72-hour blackout, then continued to handle personal emergency messages until resumed communications could get back to normal. The VE amateurs received good publicity and much praise for this work.

— — — —

While driving near Boise, Idaho, on July 11, W7NVO discovered a fire and immediately put out a "Mayday" call for assistance on his mobile. He was answered by W7YUX, who called fire equipment to the scene to quench the blaze.

— — — —

On July 12, while participating in Operation Alert, W4RHZ, operating mobile in Newport, Ky., with K4KFO accompanying him, came upon an automobile abandoned on passenger railroad tracks. The car was so situated on the curbing that it could not be moved. W4RHZ immediately called net control W4BZ/4, who instructed W4BJN to alert the railroad dispatcher to set up a red block. Newport police were also called and a wrecker was dispatched to the scene to move the car.

— — — —

The Florida Mid-Day Traffic Net was alerted on April 2 to assist police in the search for a missing beauty queen from St. Petersburg. Fifteen stations relayed the message to police departments of other cities. After a four-hour period of announcements on the net, W4BNE, net control, was informed that the missing beauty had simply eloped with her boy friend and was not missing after all. The net then relayed cancellations to all the police departments notified. All stations received a thank-you from the St. Petersburg police chief. Those who took part: W4s DVT EHW DWL, EDT EKU NAK JCS TAS, K4s IRZ EBZ GOX ANJ. — K4BNE.

The Cuyahoga County, Ohio, AREC received a tornado alert at 0900 on June 18. Stations began collecting immediately on Cleveland's emergency frequencies on 10 and 6 meters. Throughout the alert a total of 45 stations in 27 communities checked in, giving excellent communications over the area. Many communiquees were handled regarding the advance of the storm. Stations in the 6-meter net: W3s TFW TXC CTP NRI CWW LHX QLB UDL UKC FFA HZY, K8BXY. Stations in the 10-meter net: W3s AEU OPX BDZ NZC OHJ YBN OIC SKG MWE BUQ UEM OED ZJQ MAE QXS OJR INW FKB OKI BGO PFK WLM CYT RDP LVM BMX OYS JFD PVC, K8s ABA CFH EDJ AET. — W3AEU, EC Cuyahoga Co., Ohio.

— — — —

On June 11 the Dade County (Fla.) Red Cross Chapter called SEC W4IYT for help. The problem was to locate the son of a woman who was dying of leukemia in Miami. A message was originated and put out on the Florida Phone Traffic Net and the Tropical Phone Traffic Net. Two days later W4IYT was informed that the son had been located by a Wilmington amateur as a result of the efforts made by the two nets and was on his way to Miami. The following amateurs were known to have assisted in the search: K2EFA, W3CUL, W4s PL DVR PZT HNC FPC HCQ LMT, K4s ANJ ENW, W5BZS, each of whom received a message of appreciation from Miami Red Cross. — W4IYT, SEC E. Fla.

— — — —

On June 29 the Heart of America Radio Club Emergency Net was alerted for flood conditions along the Big Blue River. K0AEU was called at 0400 and in turn alerted mobile W0s UBR KMV and OLO who were placed at strategic check points to report conditions. W0RSW/m also checked in during the early part of the day. W0RYG, the club station, was manned by K0s AEU QIZ UBR and TTFQ. Operation continued until 1800, when the danger was declared past. Other amateurs participating included W0s QMZ VNZ RDI/m QLW/m EQI/m SSG HTY/m ZMR UHB JEC, K0DZR.

— — — —

Sixteen SECs filed June activities reports, representing 5285 AREC members. This is down two reports from last June, but up almost a thousand AREC members. We welcome Northern Texas Section to the new total of 32 sections heard from this year. Other sections reporting: Ga., E. Fla., Minn., Iowa, Ky., NYC-LI, Colo., W.N.Y., Wis., San Joaquin Valley, Santa Clara Valley, Maritime, Alabama, Conn., Mont.

This brings us to the midway point in 1957 and we note that the following sections have reported each month so

far: Ga., W.N.Y., Conn., Minn., Colo., San Joaquin Valley, E. Fla., Santa Clara Valley, NYC-LI, Wis., Maritime. Here is the chart showing comparison of this mid-year with those of previous years back as far as 1953:

Year	Total Reports	Diff. Sections
1957	124	32
1956	113	30
1955	98	26
1954	77	21
1953	103	25

RACES News

On July 10 a simulated emergency called "Operation Chow" was conducted in Ewing Township to test c.d. forces in the evacuation and feeding of a large population, in Mercer County, N. J. All communications posts were manned within an hour after civil defense was alerted, due to an efficient telephone alerting system. Communications were passed with municipalities in a matter of minutes, with county communications acting as liaison between the municipalities. Mobile stations were manned on two and six meters. A new type of message, called an "information message," was tried out during this drill and found to be effective in reducing paper work. Two 2-meter nets, a 6-meter net and an 80-meter c.w. link to state headquarters were in operation. The whole operation, the first of its kind ever attempted at county level, was considered a success by county officials.



How about a little more RACES news, fellas? Want this column to fold up?

TRAFFIC TOPICS

For the information of all who think that we are anti-c.w. or anti-phone in our ARRL traffic policies: we are neither. We are, however, *pro*-traffic, and we don't care much how it is handled as long as it is handled well. It is characteristic of practically every traffic net that it considers itself the best doggone net that ever came down the spout, and that we ought to go hog wild in giving it publicity; this regardless of whether it's a c.w. or phone net, or any other kind. We can't come anywhere near to giving each net the publicity it thinks it deserves; there just isn't enough QST space. So we treat all nets as much alike as possible. Section-level nets find their best outlet for publicity in their SCM's column. Other nets of wider coverage can have their activities mentioned in this column briefly if they send in the information. But it just isn't practical to mention in detail all new nets that are formed, print recruiting propaganda, list member rosters and the like. About all we can do is summarize traffic totals and occasionally make mention of methods used by this or that net which appear to have a general application — this regardless of whether they operate on phone or c.w.

How about the National Traffic System, you ask? NTS is not a c.w. organization, as so many traffic men, especially those operating on phone, think. What's more, it never has been. The difference between NTS and most ARRL-

NATIONAL CALLING AND EMERGENCY FREQUENCIES (Kc.)

C.W.		PHONE	
3550	3875	7100	7250
14,050	14,225	21,050	21,400
28,100	29,640	50,550	145,350

During periods of communications emergency these channels will be monitored for emergency traffic. At other times, these frequencies can be used as general calling frequencies to expedite general traffic movement between amateur stations. Emergency traffic has precedence. After contact has been made the frequency should be vacated immediately to accommodate other callers.

The following are the National Calling and Emergency Frequencies for Canada: c.w. — 3535, 7050, 14,060; phone — 3765, 14,160, 28,250 kc.

BRASS POUNDERS LEAGUE

Winners of BPL Certificates for July traffic:

Call	Orig.	Recd.	Rel.	Del.	Total
W3CUL	157	1591	1402	179	3329
W3W1Q	103	948	1102	47	2500
W7BA	17	1066	1018	16	2147
W2KBE	89	906	754	194	2033
W8BDR	25	983	934	21	1960
W4PL	7	883	841	15	1746
W8SCA	7	711	708	3	1429
W9CPL	7	644	594	50	1295
W9PZO	15	578	528	18	1139
W6LGG	21	544	471	57	1095
W9NZZ	3	387	0	385	1003
W8UPH	16	454	388	55	913
W8BLW	7	461	426	12	906
W9JYO	549	178	158	12	897
W6CYH	602	144	123	20	889
W9CXY	4	431	357	44	806
W9CZT	16	399	383	16	814
W9DQO	5	379	364	0	748
W1ARR	92	334	296	24	746
W7PGY	24	361	308	48	741
W3ZSX	197	312	178	30	717
K2ECY	57	278	300	70	705
W5BGF	17	332	279	31	649
W8BLI	3	323	315	8	649
K4EZZ	161	234	190	25	610
W9GAR	4	301	299	6	610
K9EDI	75	205	243	71	594
W9ZYK	16	276	270	22	584
W9EHT	4	280	242	23	549
W9FAT	72	247	106	29	544
K6DYX	2	266	246	13	527
W1UEQ	4	259	232	31	526
W3VHK	63	236	118	97	514
K2PHF	82	233	145	51	511
W2KPV	30	263	137	77	507
W9LAA	35	234	234	0	503
Late Reports:					
W3CUL (May)	164	1158	941	193	2456
W8ELW (June)	9	367	358	8	742

More-Than-One-Operator Stations

Call	Orig.	Recd.	Rel.	Del.	Total
K7FAE	65	1564	1446	69	3144
K9USN	541	232	277	4	1104
K5WAB	46	525	479	46	1096
K6GDT	289	148	5	143	585
Late Reports:					
W6IAB (June)	63	1229	1064	275	2631
K8GAJF (May)	84	269	228	38	619

BPL for 100 or more originations-plus-deliveries

K6GZ	278	K2QIY	118	W3TN	102
K9GDF	271	W8CSK	117	W4HKK	101
K2NTJ	168	W9TT	115	Late Reports:	
K2RIC	145	W3EPL	112	W6ZJR	(June) 174
K8GAJF	141	K2MMM	111	W9ETM	(June) 160
K5DGI	140	W6EHH	109	W7TLC	(June) 132
W3CVE	135	W9DGA	108	W8FWQ	(June) 115
W8FWQ	135	K9CLS	104	W3CVE	(June) 112
W9LXL	119	W0KJZ	103		

More-Than-One-Operator Stations

K3WBV	127	Late Reports:			
K5FAA	105	K8GAJF	(Mar.)	152	
		K8GAJF	(Apr.)	108	

BPL medallions (see Aug. 1954 QST, p. 64) have been awarded to the following amateurs since last month's listing: W5UXE.

The BPL is open to all amateurs in the United States, Canada, Cuba and U. S. possessions who report to the SCM a message total of 500 or more, or 100 or more originations-plus-deliveries for any calendar month. All messages must be handled on amateur frequencies within 48 hours of receipt, in standard ARRL form.

sponsored activities is that it makes no distinction between c.w. and phone. It is designed for a purpose, and that purpose is to handle traffic on a systematized basis, utilizing those traffic men who believe in its principles and will abide by its methods. As far as mode is concerned, it tries to utilize the best mode to suit the need, impartially and unprejudicially. We would like to have more phone stations participate, particularly at section level where the need for greater coverage is paramount, but this participation, just as in the case of c.w. stations, must be within the NTS framework. In NTS, the only place where we want or need nets with all possible corners is at the section level. Participation in NTS nets at regional and area and Transcontinental Corps levels is on the basis of assignment of volunteers. So far, at all but the section level c.w. has carried the full load. This is because c.w. stations have volunteered for these assignments and phone stations, generally speaking, have not, and also because c.w. bands are better suited for this type of representative activity over medium and long distances. However, it is far from unthinkable that it could be done by phone. There is just one basic requirement that

makes it difficult for some phone stations to participate at these levels: the requirement for liaison with other NTS nets in order to effect the proper traffic flow, in the right direction at the right time. This means that phone stations participating at regional level or above are going to have to have, or acquire, some code proficiency because some of the liaisoning nets will undoubtedly be c.w. nets, and some of the c.w. stations are going to have to use phone because some of them will be phone nets.

The suggested solution to this dilemma is obvious: set up two National Traffic Systems, one on c.w. and one on phone. Horrors! The present structure is difficult to maintain; to split it into two duplicating systems is enough to cause screaming nightmares. Besides, is not this further separation of facilities for a common purpose, inimical to the traffic handling game as a whole? Are we so small that we cannot be compatible because we don't all operate by the same mode? Cannot the necessary connections between phone and c.w. facilities, both set up to handle traffic, be completed by those who are equally at home by both modes? We think they can. In fact, in some sections they have. The greatest need is the *desire* to do it.

—

Miscellaneous July reports. Eastern States Net reports 27 sessions, 60 stations participating, traffic total of 1022. Early Bird Transcontinental Net reports 31 sessions, 341 messages. Interstate S.S.B. Net reports 683 messages handled by 38 stations, average session time of one hour fifty-five minutes. North Texas-Oklahoma Net reports 31 sessions, 931 check-ins, traffic total of 284. Transcontinental Phone Net reports the following totals: First Call Area — 1247; Second Call Area — 1190; Fourth, Ninth and Tenth Call Areas — 1002; total — 3439.

—

National Traffic System. Since this copy is going in about a week early in order that the writer can catch some vacation, we want to thank all net reporters for their efforts to get reports to us early, by request. Those not included in the summary below are *not necessarily* late, but we'll include them in a "late" summary next month, "late" in this case meaning beyond the arbitrarily-moved-up deadline. No stigma attached. July reports:

Net	Sessions	Traffic	Rate ¹	Average	Representation %
EAN	23	867	.683	37.7	93.5
CAN	31	1141	37.0	100
PAN	29	908	.386	31.3	100
1RN	26	277	10.6	75.6 ²
2RN	49	381	.282	7.8	95.2
3RN	46	274	.290	6.0	72.5
4RN	23	147	6.4	46.6
RN5	54	596	.370	11.1	70.1
RN6	22	296	13.5	18.8 ²
8RN	31	161	5.2	71.0
9RN	56	981	.388	17.5	77.7
TEN	93	1928	.566	20.7	57.0
ECN	18	76	4.1	72.2 ²
Sections ³	414	2910		7.0	
TCC East	54 ⁴	113			
TCC Central		1820			
TCC Pacific	140 ⁴	873			

Summary 915 13749 EAN 12.0 CAN/PAN
Record 915 13749 15.2 100

¹ New method of calculating rate: Total traffic divided by total time in session.

² Regional net representation based on one session per night. Others are based on two or more sessions.

³ Section nets reporting: CN & CPN (Conn.); Iowa 75 Phone; TLCN (Iowa); KYN & KPN (Ky.); NTX (N. Tex.); S, Dak 75 Phone & S, Dak. 40 Phone; SCN (Calif.); GSN (Ga.); QKS, QKS SS & QKN (Kans.); NUN (N. J.); Minn. Noon Phone; MNS (Minn.).

⁴ TCC functions reported, not counted as net sessions. CAN is holding up fine through the QRN and heat. PAN certificate has been issued to W0KQD; Nevada and Utah still sorely needed. 2RN certificates have been issued to K2KSP and W2RXL. NYS showing is not so good in the absence of W2BXP; W3UE says UQ2KAA reported into 3RN, but had no traffic. W4AKC reports for 4RN again. W5RCF, acting RN5 manager, says he thinks the boys back east don't know *nutthin'* about QRN. W6ZRJ says he can't supply figures for the new "rate" column. W0KJVJ

NATIONAL RTTY CALLING AND WORKING FREQUENCIES

3620 kc.

7140 kc.

and K9CVD have earned their TEN certificates; Lydia says that TEN has six active YL operators and wonders if any other regional can say the same, or better.

Transcontinental Corps: W0BDR has taken over TCC-Central from W0SCA as director. Russ is well qualified for the job and we know will make a go of it.

Area	Functions	% Successful	Traffic	Out-of-Net Traffic
Eastern	52	86.5	808	113
Pacific	140	82.9	1746	873

The TCC roster: Eastern Area — W1s ARR AW BDI EMG NJM TYQ, W2s HDW ZRC, W3s COK WG, W8ELW, W9s CXY DO. Central Area — W0s CXY DO, W0s BDR KJZ LGG SCA. Pacific Area — W6s ABD GIW VZT PLG EOT BPT HC IPW ZRJ, K6s CME DYX GZ ORT, W7s GMC UJL ZBO, W0KQD.

RTTY SWEEPSTAKES ANNOUNCEMENT

Merrill L. Swan, W6AEE, announces that the RTTY Society of Southern California will sponsor another RTTY SS the first week end in November. The contest will be held over a thirty-hour period starting at 6:00 p.m. EST November 1 and ending 12:00 midnight EST November 2. Stations will exchange messages consisting of message number, originating station's call, check or RST report of two or three numbers, ARRL Section of originator, local time (0000-2400 preferred), date, and band used. Score one point for a message sent and received for entirely by RTTY, and one point for a message received and acknowledged by RTTY. For final score, multiply the total message points by the number of different ARRL Sections (see page 6) worked. Two stations may exchange messages again on a different band for added points, but the section multiplier does not increase when the same section is worked on another band. Each foreign country counted by ARRL for DXCC credit is treated as a new section for RTTY multiplier credit. Logs should be mailed to Merrill L. Swan, W6AEE, 372 West Warren Way, Arcadia, California.

RESULTS, JULY CD PARTIES

Here are the highest claimed scores registered by ARRL officials and appointees during the CD Parties of July 20-21 and 27-28. Figures after each call indicate score, number of contacts, and number of ARRL sections worked. Final and complete results will appear in the October CD Bulletin.

C.W.

W6JVA	202,041-353-63
W3VOS	171,240-529-64
W8YMD	157,140-291-60
K8DDO	150,474-268-62
W1WEP	135,000-428-62
W1EOB	133,760-411-64
K8LYJ	121,189-236-58
W1RAN	117,115-391-59
W8MSR	111,900-366-60
W1ARR	104,920-337-61
K4DTL	104,135-350-59
W4KFC	102,785-330-61
W3NF	99,470-336-58
K2DXV	99,415-332-59
W4PNK	95,200-340-56
K2EIU	94,770-345-54
W1FEA	94,620-327-57
K6BWD	88,715-177-55
W4WFK	87,920-309-56
K4DAS	85,120-300-56
K4HOU	84,645-291-57
KL7CDF	75,492-152-54
W98DK	75,320-262-56
K8BFX	72,105-253-57
K5DGI	71,590-360-54
W9YYG	71,340-241-58
K6ORT	68,958-138-54
W1ACR	68,000-272-50
K2OMT	67,440-278-48
K2BHQ	67,330-254-52
W9MAK	66,250-244-53
K4EZZL	65,190-241-53
K0CNC	62,640-212-58
W6YCF	62,373-132-51
W7ZUD	62,379-139-49

W2DRV	60,760-241-49
W8UPH	60,210-218-54
W2CWO	60,155-227-53
W4TFX	59,925-250-47
W4ZM	59,925-230-51
K4DWF	58,500-225-52
K4AJG	57,250-225-50
K2DDK	55,000-215-60
W1GWD	53,200-190-56
W8UYR	53,800-240-44
K4DVR	52,020-200-51
VE7AC	50,040-123-45
W8CHK	50,760-184-54
W9IA	50,490-180-54

PHONE

W2VCZ	23,250-147-31
K2EIU	15,730-125-24
W2KFR	13,125-105-25
W9SZR	12,900-80-30
W1BS	12,740-91-28
W3BNN	12,600-105-24
W1HKN	12,375-89-25
W1FEA	11,615-101-23
W1ARR	11,500-83-23
W4TFX	11,385-94-23
W1JYH	11,235-100-21
W3NF	10,625-78-25
W1GVK	9,500-95-20
W8MSR	9,240-77-22
W1JYH	7,700-65-22
K2OLL	5,570-59-18
W8PBC	5,535-49-23
W1SMO	5,510-52-19
W2CWD	5,120-64-16

CODE PROFICIENCY PROGRAM

Twice each month special transmissions are made to enable you to qualify for the ARRL Code Proficiency Certificate. The next qualifying run from W1AW will be made on October 16 at 2130 Eastern Daylight Saving Time. Identical texts will be sent simultaneously by automatic transmitters on 1885, 3555, 7080, 14,100, 21,010, 28,060, 50,900 and 145,600 kc. The next qualifying run from W6OWP only will be transmitted on October 2 at 2100 PDST on 3590 and 7128 kc.

Any person can apply. Neither ARRL membership nor an amateur license is required. Send copies of all qualifying runs to ARRL for grading, stating the call of the station you copied. If you qualify at one of the six speeds transmitted, 10 through 35 w.p.m., you will receive a certificate. If your initial qualification is for a speed below 35 w.p.m., you may try later for endorsement stickers.

Code-Practice transmissions are made from W1AW each evening at 2130 EDST. Approximately 10 minutes' practice is given at each speed. References to texts used on several of the transmissions are given below. These make it possible to check your copy. For practice purposes, the order of words in each line of QST text sometimes is reversed. To improve your fist, hook up your own key and buzzer or audio oscillator and attempt to send along with W1AW.

Date Subject of Practice Text from August QST

- Oct. 1: *N.B.S. Equatorial Region* . . . , p. 11
 Oct. 4: *The Norberg Crud-O-Ject*, p. 16
 Oct. 7: *The Alert Alarm*, p. 18
 Oct. 10: *The A.R.R.L. . . . Mobile Transmitter*, p. 20
 Oct. 15: *A Simple Halo for 2-Meter Mobile Use*, p. 29
 Oct. 17: *Controlling Your Station With One Switch*, p. 35
 Oct. 23: *Linear Amplifiers and Power Ratings*, p. 42
 Oct. 25: *African Field Day*, p. 48

W1AW OPERATING NOTE

The W1AW operating schedule, as shown on page 86, *May QST*, and page 81, *September QST*, will be maintained through October 26. The W1AW fall schedule, which becomes effective October 27 with the return to EST, will appear in next month's issue.

ELECTION NOTICE

(To all ARRL members residing in the Sections listed below. You are hereby notified that an election for Section Communications Manager is about to be held in your respective Section. This notice supersedes previous notices.

Nominating petitions are solicited. The signatures of five or more ARRL full members of the Section concerned, in good standing, are required on each petition. No member shall sign more than one petition.

Each candidate for Section Communications Manager must have been a licensed amateur for at least two years and similarly a full member of the League for at least one continuous year immediately prior to his nomination.

Petitions must be in West Hartford, Conn., on or before noon on the closing dates specified. In cases where no valid nominating petitions were received in response to previous notices, the closing dates are set ahead to the dates given herewith. The complete name, address, and station call of the candidate should be included with the petition. It is advisable that eight or ten full-member signatures be obtained, since on checking names against Headquarters files, with no time to return invalid petitions for additions, a petition may be found invalid by reason of expiring memberships, individual signers uncertain or ignorant of their membership status, etc.

The following nomination form is suggested: (Signers will please add city and street addresses to facilitate checking membership.)

Communications Manager, ARRL, [place and date]
 38 La Salle Road, West Hartford, Conn.

We, the undersigned full members of the
 ARRL Section of the
 Division, hereby nominate
 as candidate the Section Communications Manager for this
 Section for the next two-year term of office.

Elections will take place immediately after the closing

dates specified for receipt of nominating petitions. The ballots mailed from Headquarters to full members will list in alphabetical sequence the names of all eligible candidates.

You are urged to take the initiative and file nominating petitions immediately. This is your opportunity to put the man of your choice in office.

— F. E. Handy, Communications Manager

Section	Closing Date	SCM	Present Term Ends
Yukon*	Oct. 10, 1957	W. R. Williamson	Mar. 17, 1949
San Juanquin			
Valley	Oct. 10, 1957	Ralph Saroyan	June 15, 1957
North Dakota	Oct. 10, 1957	Elmer T. Gabel	June 15, 1957
East Bay	Oct. 10, 1957	Roger L. Wixson	Oct. 14, 1957
Alabama	Oct. 10, 1957	Joe A. Shannon	Dec. 14, 1957
Ohio	Oct. 10, 1957	Wilson E. Weckel	Dec. 14, 1957
Illinois	Oct. 10, 1957	George T. Schreiber	Dec. 15, 1957
Western Florida	Oct. 10, 1957	Edward J. Collins	Dec. 15, 1957

A.R.R.L. ACTIVITIES CALENDAR

- Oct. 2: CP Qualifying Run — W6OWP
 Oct. 12-13: Simulated Emergency Test
 Oct. 16: CP Qualifying Run — W1AW
 Oct. 19-20: CD QSO Party (c.w.)
 Oct. 26-27: CD QSO Party (phone)
 Nov. 7: CP Qualifying Run — W6OWP
 Nov. 9-10, 16-17: Sweepstakes
 Nov. 14: CP Qualifying Run — W1AW
 Dec. 4: CP Qualifying Run — W6OWP
 Dec. 20: CP Qualifying Run — W1AW
 Jan. 2: CP Qualifying Run — W6OWP
 Jan. 4-5: V.H.F. Sweepstakes
 Jan. 11-12: CD QSO Party (c.w.)
 Jan. 18-19: CD QSO Party (phone)
 Jan. 20: CP Qualifying Run — W1AW
 Feb. 1-16: Novice Round-up
 Feb. 5: CP Qualifying Run — W6OWP
 Feb. 7-9: DX Competition (phone)
 Feb. 14: Frequency Measuring Test
 Feb. 18: CP Qualifying Run — W1AW
 Feb. 21-23: DX Competition (c.w.)
 Mar. 6: CP Qualifying Run — W6OWP
 Mar. 7-9: DX Competition (phone)
 Mar. 19: CP Qualifying Run — W1AW
 Mar. 21-23: DX Competition (c.w.)

OTHER ACTIVITIES

The following lists date, name, sponsor, and page reference of QST issue in which more details appear.

Sept. 28-29: W/VE Contest, Montreal Amateur Radio Club (page 84, last month's issue).

Oct. 5-6: Connecticut QSO Party, Connecticut Wireless Association (page 144, this issue).

Oct. 5-6: VK/ZL DX Contest (phone), NZART and WIA (page 72, last month's issue).

Oct. 12-13: Michigan QSO Party, (page 130, this issue).

Oct. 12-13: VK/ZL DX Contest (c.w.), NZART and WIA (page 72, last month's issue).

Nov. 1-2: RTTY Sweepstakes, RTTY Society of Southern California, (page 101, this issue).

Nov. 6-7: YLRL Anniversary Party (phone), YLRL, (page 80, this issue).

Nov. 13-14: YLRL Anniversary Party (c.w.), YLRL, (page 80, this issue).

Nov. 23-24: 21/28 Mc. Telephony Contest, RSGB (details next month).

Quebec*	Oct. 10, 1957	Gordon A. Lynn	Dec. 15, 1957
South Carolina	Oct. 10, 1957	Bryson L. McGraw	Dec. 30, 1957
Alaska	Nov. 11, 1957	Dave A. Fulton	Jan. 15, 1958
Eastern New York	Nov. 11, 1957	George W. Tracy	Jan. 27, 1958
Virginia	Dec. 10, 1957	John Carl Morgan	Feb. 11, 1958
North Carolina	Dec. 10, 1957	B. Riley Fowler	Feb. 15, 1958
Maritime*	Dec. 10, 1957	D. E. Weeks	Feb. 15, 1958
Georgia	Jan. 10, 1958	William E. Kennedy	Mar. 13, 1958

* In Canadian Sections nominating petitions for Section Manager must be addressed to Canadian Director Alex Reid, 169 Logan Ave., St. Lambert, Quebec. To be valid, petitions must be filed with him on or before closing dates named.

ELECTION RESULTS

Valid petitions nominating a single candidate as Section Manager were filed by members in the following Sections, completing their election in accordance with regular League policy, each term of office starting on the date given.

Saskatchewan	Lionel O'Byrne, VE5LU	June 10, 1957
Eastern Pennsylvania	Richard B. Mesirov, W3JNQ	June 15, 1957
Oklahoma	Richard L. Hawkins, W5FEC	Aug. 9, 1957
Maine	John Fearon, W1LKP	Aug. 9, 1957
Manitoba	James A. Elliott, VE4IF	Aug. 9, 1957
West Virginia	Albert H. Hix, W8PQQ	Sept. 18, 1957
Indiana	Arthur G. Evans, W9TQC	Oct. 14, 1957

In the San Francisco Section of the Pacific Division, Mr. Fred H. Laubscher, W6OPL, and Mrs. Cynthia DeLauney, W6PHT, were nominated. Mr. Laubscher received 159 votes and Mrs. DeLauney received 156 votes. Mr. Laubscher's term of office began Aug. 14, 1957.

In the Southern New Jersey Section of the Atlantic Division, Mr. Herbert C. Brooks, K2BG, and Mr. Edward G. Raser, W2ZI, were nominated. Mr. Brooks received 178 votes and Mr. Raser received 124 votes. Mr. Brooks' term of office began Aug. 26, 1957.

"Reminiscing. . . The period of Amateur Radio most talked about is that between the Leyden Jar and the Chemical Rectifier. . . money in abundance did not necessarily make for good stations in those days. . . home building taking considerable skill was necessary. The popularity of 'phone operation and the influx of many (beginning) operators. . . it seems best to state the case of code. It is possible, and more often done than not, for the new amateur to purchase all of his equipment ready-made including the antenna. The only effort necessary on his part is to hang up the antenna, cut some coax (and) he is now in business; he can communicate immediately on 'phone and gab with the best of them. Nothing remarkable or startling has been accomplished.

Supposing this same individual includes a key with his purchase of factory-made equipment and attempts to communicate by code. He immediately discovers that he is not at all proficient at this means of communication. . . and wonders why he gets no answers. He becomes aware of the fact that this will take some doing on his part before he can bat it off and take it with the best of the code operators. Often newly-licensed hams go back 'phone operation and remain there.

If however, our Mr. New Ham perseveres in code work, it will one day dawn on him that he has become master of a most accurate means of communication. His DX horizons have greatly increased along with reliability of schedules. And of the utmost importance: he has found a new and fascinating hobby! . . . Code is still an important means of communication as well as (specialty within) ham radio. The 'phone man who forgets what little he knew of code after obtaining his ticket cannot possibly know these things for he has never been there."

— WØDZG in Podunk News.

DX CENTURY CLUB AWARDS

HONOR ROLL	
W1FH 272	W8NBNK 265
W6AM 272	W8RRA 265
W8HGW 271	W6RW 265
W6ENV 270	W3GHD 265
W9NDA 269	Z1ZGX 264
W6MXX 268	W6CQU 264
W2GZ 268	W0T 263
W6DZZ 266	G2PL 263
W6SYG 266	

Radiotelephone	
W3CT 241	W8BF 241
W4ERR 257	C8MM 247
W1FH 251	W9NDA 243
W8HGW 251	W3JNN 243
ZS6BW 249	W9RBI 243
W8WZ 241	W6AM 241
W8WZ 241	CX2CO 239
W8WZ 241	W1NWO 234
W8WZ 241	W0AIW 231

From July 15, 1957 to August 15, 1957 DXCC certificates and endorsements based on postwar contacts with 100-or-more countries have been issued by the ARRL Communications Department to the amateurs listed below.

NEW MEMBERS		
G3FXB 187	W4TK 109	W9YMG 102
W3NA 175	CR6CK 108	W3GEN 101
W2BVB 151	G3BHW 106	W4VCB/3 101
G3CVC 158	G3QJ 105	W3DDV 100
K4YBK 127	R3YY 105	W3RZL 100
CE3HL 126	W9BFW 105	W3UVT 100
ON4KR 121	SM5EG 105	W4VGT 100
F3DM 117	K6KJE 104	W5BQS 100
W9HTY 116	K2QXG 104	K6WQ 100
W9KMN 115	OH9PF 103	W8QV 100
I1WP 114	W6ZCC 103	W9MZZ 100
W6JMB 113	SP3PL 103	W6DFI 100
OH2LA 112	T12BX 102	W0DRG 100
W6SEO 110	W3WQN 102	D13KN 100
4X4FV 110	JA2AT 102	G5JL 100
	JA2BL 102	

Radiotelephone		
G3FXB 157	W3MJJF 110	K6BAGO 102
W3GAN 130	W9ZUL 110	W3HW 101
CE3HL 122	I1ZFF 109	W4EFF 101
V82DB 121	HR1EZ 106	W7FNC 101
F88C 117	CX6BM 105	HK1DZ 101
W7VE 119	W0ZSZ 105	W1VAN 100
4X4CX 115	W8KDJ 104	W3UMU 100
W8CI 113	K4RVP 104	K6EYR 100
W5YKK 111	W2HTI 102	F7AX 100
	D19OV 102	

ENDORSEMENTS		
W0ELA 243	G3HLS 230	W8KPL 220
W6YY 238	W7NKW 223	G4ZU 220
W2HMJ 232	W6BVM 222	K2GFO 211
W5BGP 232	OK1FP 222	W5DMR 210
W8EMS 232	W4EPA 220	W7ASG 210

W3FGB 204	K2OEA 160	W8JXY 131
W6DBP 200	W2NUT 160	G3VA 131
W7RT 200	W3ROH 160	W3DBX 130
G6B8 200	W4JTI 160	W3NKM 130
ON4PA 200	W6MUF 160	W4JUF 130
SM5CO 200	W7ATB 159	W6TK 130
K4PTL 192	W8PHZ 156	W9PNE 130
SM3AKM 192	W38WV 154	VE3IR 130
W5KBU 191	K4BVQ 152	W6ZVQ 125
W6YMD 190	K2AAA 151	W0D8P 123
YV5AE 190	W6NJU 151	W1YQC 121
W8D8U 183	W9RIN 151	W3RCP 121
W2LAX 181	W1KXU 150	W5MY 121
W3MDE 181	W2DEC 150	W6PLK 121
W8CQ 181	W28SC 150	W1DHO 120
W8HMI 180	W5UUK 150	W50RN 120
G3BMD 180	W6GUU 150	W6MJP 120
H2RD 180	G2AJB 145	W7RFB 120
YV5BZ 180	W7HKT 142	PA6VO 120
W3KZQ 179	W0JYW 142	SM5VN 120
OH3RA 179	G4FN 142	K4EHA 119
W1RB 173	I1Z 141	K4EJO 119
D16MK 172	W1RWS 140	K4GSS 119
W1LIM 170	W2GHL 140	W1DTG 117
W2MUM 170	W9ROU 140	W8YS 117
W6GMF 170	W0DST 140	K9CLO 112
W6ULS 170	SM5CCE 140	W0OAG 112
W9RKP 170	W5DOK 138	W4BFR 111
W6AYJ 168	W3EOB 136	W4QT 111
J46AO 165	W4JZQ 134	W1YYR 110
W1AUR 162	W8ERA 133	W3HXA 110
W3NCF 161	W7QON 132	W9BYN 110
W7BGH 161	W8LY 132	W9ROK 110
W1DNC 160	G2BVN 132	VE5TK 110
W1WLW 160	PA0NIC 132	

Radiotelephone		
W6YY 215	F9RM 171	K2AAA 138
G3RNN 207	W0VSK 170	W05YK 136
W5RNB 199	W4DMR 166	W8BY 133
T12HP 190	W1UMV 165	W9Y8K 132
W5KBU 189	W1AUR 157	W6TXL 130
W3UIP 184	T12LA 156	W2BYP 121
W5GXP 181	W5HJA 151	L15DC 121
W4EEB 177	W8EMZ 151	W2TEK 111
G6EAP 174	W7EAP 140	W0SEP 110
W3NA 171	G3ATZ 140	W9BEK 110

W/VE/VO Call area and Continental Leaders		
W2AGW 261	VE3QD 210	VE7ZM 228
W4FM 255	VE4XO 118	VE8AW 191
W4ATW 252	W7EAP 140	W0SEP 110
VE1HG 164	VE6VK 164	Z86B 253
VE2WV 192		4X4RE 222

Radiotelephone		
W2BXA 207	VE1CR 122	VE7ZM 185
W4HA 212	VE2GQ 130	Z12GX 230
W5BGP 224	VE3RF 163	OD5AB 180
W7HIA 189	VE8KU 116	E2ACQ 230
	VE6NX 101	

PAM-WAS 3CM AREC ORS CP SEC OBS TCC OO NTS-WAG
Station Activities
 OBS AIOPR EC DXCG CLUBS RM OPS RCC

• All operating amateurs are invited to report to the SCM on the first of each month, covering station activities for the preceding month. Radio Club news is also desired by SCMs for inclusion in these columns. The addresses of all SCMs will be found on page 6.

ATLANTIC DIVISION

EASTERN PENNSYLVANIA—SCM, Richard B. Mesirov, W3JNQ—SEC: NNT, PAM: TEL, RM: YAZ, E. Pa. nets: 3610, 3850 and 3997 kc. The annual picnic of the Delaware-Lehigh ARC at Easton on July 23 was a huge success with more than 52 operators in attendance. PYF was chairman and was assisted by GOT and FKE. Section Net certificates were awarded to DJL, EPL, GEU and NQB at that time. The Tamaqua ARC held its 3rd annual picnic in July with 68 operators plus their families in attendance. The Carbon and Lehigh Valley ARCs were present as guests. CMA, KJJ, LDV, ZRQ and ZXP organized the good time for all. New appointments for the month: EQA, NOH and WJD as OOs; KDF as ORS; EPL (who made the BPL on deliveries) as OPS; EBG, EPL and LEZ as OBS. WHK applied for ORS appointment and made the BPL. The Harrisburg ARC tested its new 6-meter net by handling traffic for the Powder Puff Derby on July 7, 8, 9, 10. Nineteen operators worked on 75, 40 and 6 meters handling traffic between Harrisburg, Philadelphia and Akron, using the call ZEK/3. BNR transmits bulletins Mon. through Fri. at 1045 EST on 3850 kc. RL now is on s.s.b. EU is QRL remodeling his farm. The Montgomery County RACES 1937 Operation Alert took place on July 8, 9, 10, 11 with 64 operators participating; 23 separate c.d. organizations reported in! The Schuylkill County RACES participated in the same Alert and gained valuable experience, with 32 of 36 messages relayed to the country seat by 2 meters. Many thanks to all who offered good wishes on the new job as SCM. Traffic: (July) W3CUL 3329, ZSX 717, WHK 514, TEJ 228, EPL 485, AMC 69, DJL 36, TSY 38, PYF 32, HNR 23, NQB 22, BFF 11, ZLC 11, PLY 2, JNQ 1. (May) W3CUL 2456.

MARYLAND-DELAWARE-DISTRICT OF COLUMBIA—SCM, Louis T. Cronenberg, W3UCR—Asst. SCM Delaware: Philip R. de Courcelle, 30QZ. SEC: PKC. MDD meets on 3650 kc. M-Sat. at 1915 EDT. AEPN on 3820 kc. M-W-F. at 1830. SS at 1300 EDT. New EC appointees: YOB for Kent and Queen Annes and PPY for St. Marys. The Foundation of Radio Amateur Clubs has selected Aug. 15, 16, and 17, 1958, for the ARRL National Convention. The officers of the Foundation are FMC, pres.; KFC, 1st vice-pres.; 3NL, 2nd vice-pres.; 4ZAI, secy., and 3RE, treas. The Foundation named OMN chairman of the Annual Washington Area Hamfest to be held at the Gaithersburg Fair Grounds. G5BT was guest speaker on July 26 at the RCARA and gave a talk on how amateur radio activities are conducted in England. Because of the tight schedule on his first trip to the States, he was only able to visit the ham shacks of HCG, HN, MSR, OBR, RE and UCR. The BARCS held a gala dinner on July 15 at the Park Plaza Hotel, Baltimore, with many in attendance. We regret to report the accidental electrocution of BSA. WLZ's father, while at work. WV has been kept busy skedding MSK and MCG/VE4 at Churchill, Canada, and CDQ from EA6AF and EA5EL and others while Liz is vacationing in Europe. PQT, at Patuxent River NAS, is active in traffic nets under the guidance of MUK. K9AAU, former chief operator of PQT, has returned home to Chicago. IXX is heard again on the AEPN and is home after a stay in the hospital which started the day of the AEPN Picnic. The members of St. Bernadets Parish Boy Scouts had communications daily from their Allegany State Park, N. Y., two-week encampment to Takoma Park, furnished by WN3LLL on 40-meter c.w. to NJT and others. Doug is one of the

Scouts and this was his first try at traffic. FAL is back at Argentina, Newfoundland, operating on 15-meter phone and c.w. after a short trip to Patuxent River NAS. JII mobilized through Canada and New York during his July vacation. AME and BSY have joined the 6-meter ranks in the Washington Area. WXF now is mobile. At last the XYL of CKR has received her license, KN3AUX. KN3AUX is not the XYL of UCR as reported in another publication. EKO is representing Delaware in MDD almost every night. JEW is back on 2 meters. ASD is building new 2-meter gear and is sporting a 48-element beam. SQV has acquired an HT-30 and now is up to 59 countries on 14-Mc. s.s.b. Good DX is being worked from FNI's all-band mobile. DQZ's NC-300 was hit by lightning, but it has been repaired and Ray is back on the air. 4EKO, formerly at Aberdeen, now is in the Army at the Signal Labs., Ft. Monmouth, N. J. GOJ was married on Field Day and is living in Baltimore. PRL is taking frequent trips to Venezuela and has been missed on the MEPN. K2MAX, chief operator of W3USA, reports the station is maintaining a 24-hour watch on ham and MARS, and UOS and ITSAI are part of the staff of eight. Traffic: (July) W3UE 438, CVE 343, PQT 289, PZW 282, K3WBJ 198, W3ZGN 156, TN 142, PQ 136, WY 100, UCR 84, JZY 62, AHQ 50, BUD 43, COK 38, RV 32, OYX 23, FAP 8, KA 6. (June) W3CVE 344, ECP 31, COK 16, ULI 12, GRO 2.

SOUTHERN NEW JERSEY—SCM, Herbert C. Brooks, K2BG—SEC: YRW. PAM: ZI. Many thanks to those who supported me in the recent election. I solicit the help of everyone for the good of the section. We regret to add CNI to Silent Keys. Mac was well known in the Camden Area. Additional Field Day reports were received from K2LBZ/2, Mays Landing, and K2PSR/2, Lambertville. High traffic totals are being maintained by HDW, RG, BZJ and K2JGU despite summer QRN. N.J.C.D. Headquarters has a new 170-ft. tower. K0HEX/2 is located at Ocean View. K2DSL is back on NJN. K2MUE, Riverside, has moved to W9-Land. HPV, Pennsgrove, is building a new rig. K2CPR/FP8AA has returned from vacation on St. Pierre. Jack worked 1020 stations in 50 countries during his month's stay. K2KEW reports that his XYL has dropped the "N" and is now K2ZULP. 5VC1/2 is now Technical Editor of SJRA's *Harmonics*. Watch QST for SJRA's contact certificate rules. K2MBD is doing a fine job at Camden County C.D. Hq. K2KTS continues to do a fine job with his code class. Operation Alert provided plenty of traffic-handling experience. At State Hq. ZI is chief and BZJ asst. chief, supported by K2DSL, SUG, ISZ, 3BCJ and K2CLD. Mercer County RACES did a fine job maintaining communications during a large scale evacuation. Many thanks to K2I1W for a fine job of reporting Mercer Co. activities. We expect to appoint ECs for Camden and Gloucester Counties next month. Atlantic County activities seem to be increasing. Contact K2PQS, So. Counties Amateur Radio Assn. secretary, for information on club meetings. Traffic: W2HDW 209, RG 196, K2JGU 138, W2BZJ 78, K0HEX/2 30, K2SOL 25, W2ZI 23, K2DSL 18, MUE 16, HPV 4.

WESTERN NEW YORK—SCM, Charles T. Hansen, K2HUK—SEC: UTI/FRL, RMs: RUF and ZRC. PAMs: TEP and NAI. NYS C.W. meets on 3615 kc. at 1800, E5SS on 3590 kc. at 1800, NYS phone on 3925 kc. at 1800, FAR on 3570 kc. at 1700, NYS C.D. on 3509.5 and 3993 kc. at 0900 Sun., TCPN 2nd Call Area on 3970 kc. at 1900, SRPN on 3980 kc. at 1000, LSN on 3970 kc. at 1600. Using ICE's camp as a base, members of the Antique Wireless Association recently visited the old Marconi station at Kingston, Ontario. K2RIQ has been operating portable from Scout Camp. K2IYP has slowed down a bit because of a recent illness but, as you can see, she's still near the top in the traffic list. The newly-formed Marathon Amateur Radio Club participated in this year's Field Day activities. New officers are K2ORH, pres.; KN2UOH, vice-pres.; K2SNQ, secy.; K2VKZ, treas.; KN2ZBL, pub. chmn. PKC had a siege of illness but expects to get back on the air with a new 600-watt 4-250A rig. The RARA held a family picnic, pot-luck style, with much success. The Erie County Emergency Net also held an FB pic-

(Continued on page 118)

CYRUS T. READ, W9AA, passed away in Chicago August 9, 1957. We at Hallicrafters, along with his numerous friends the world over, deeply feel his loss. Cy had a long association, not only with amateur radio, dating back to 1916, but with us here in the development of better amateur equipment. The subject of his last article was one particularly close to his heart; we feel after reading it that you will agree with Cy—amateur radio can lead to a brilliant life-time career . . . It did for him.

—Bill Halligan, Jr.

AMATEUR EXPERIENCE

HAVE you ever considered how many leading engineers and scientists got their start in amateur radio? Not only that but how many of those same men have maintained their interest throughout the years? Here at Hallicrafters, as was pointed out once before, we have a large number of active hams both in the factory and in the lab.

ONE of the most outstanding groups of amateurs and ex-amateurs I have been privileged to know was assembled during the war at a time when I was serving as Assistant Secretary at the American Radio Relay League. At New London, Connecticut, a short distance from Headquarters, there were apparently a number of top secret research projects, staffed by an impressive group of college professors, Ph.D.'s, and other individuals. I was told that the atmosphere of the whole place was quite formal, everyone being addressed as Doctor or Professor. Finally someone started a quiet investigation and found that a large number of these gentlemen were or had been ham operators. The formality thereupon diminished and finally they decided to hold a regular Hamfest. Being the only available speaker at Headquarters I was sent down to represent the League. It was a fine Hamfest and we all had a wonderful time, proving that hams are still hams underneath, no matter how much higher education may be piled on top.

7HERE was a time when parents regarded amateur radio as nothing more than a short-lived hobby, and did not really encourage their youngsters to follow it. Let us hope that this short-sighted attitude no longer exists. Amateur radio is a wonderful way to get started in any scientific field, and families who have sons or daughters who are interested in that direction should certainly give them all the encouragement possible; it may lead to a brilliant life-time career.


Very 73,
CY READ, W9AA

Bill Halligan Jr.


W. J. Halligan W9AC

for hallicrafters

NEW! THE VIKING "NAVIGATOR" ...an outstanding CW TRANSMITTER/EXCITER!



- Bandswitching 160 through 10 meters
- Flexible, highly stable VFO
- Electronic time sequence keying



This splendid new 40 watt CW transmitter/exciter is designed for the discriminating CW operator who desires a compact, flexible CW transmitter with enough RF power to excite most high powered final amplifiers on CW or AM. Highly stable, built-in VFO is temperature compensated and voltage regulated—unit may also be operated by crystal control. Electronic time sequence keying applies wave shaping to the keyed amplifier stages for perfect "make" and "break" on your keyed signal. Signal clicks and chirps are eliminated, yet the "break-in" advantages of a keyed VFO are retained. The system operates so fast that a breaking station may be heard between transmitted dots! Fully TVI suppressed and filtered—wide range pi-network output will match transmission line impedances from 40 to 600 ohms. Completely self-contained with built-in power supply.

Cat. No. 240-126-1 Viking "Navigator" Kit with tubes, less crystals and key **\$149⁵⁰**
Amateur Net

Cat. No. 240-126-2 Viking "Navigator" wired and tested with tubes, less crystals and key.....\$199.50 Amateur Net

See your
authorized Johnson
distributor for
easy payment
terms!




E. F. Johnson Company

2833 SECOND AVENUE S. W. • WASECA, MINNESOTA



**Viking "Thunderbolt"
Linear Amplifier**



**Viking "Pacemaker"
Transmitter/Exciter**

2000 WATTS P.E.P.*—VIKING "THUNDERBOLT" Drive it with the Viking "PACEMAKER"

The hottest linear amplifier on the market, the Viking "Thunderbolt" delivers solid communication power—over 2000 watts P.E.P.* input; 1000 watts CW; 750 watts AM linear; in a completely self-contained desk-top package. Continuous coverage 3.5 to 30 megacycles—instant bandswitching. The "Thunderbolt" may be driven by the Viking "Navigator," "Ranger," "Pacemaker," or other unit of comparable output. Drive requirements: approximately 10 watts in Class AB₂ linear, 20 watts Class C continuous wave. When used with the "Pacemaker" or similar exciter, the non-inductive input circuit requires no grid tuning. Wide range pi-network output will match transmission line impedances from 40 to 600 ohms. Two meters provide constant visual check—plate current meter also reads watts input, and the second meter reads grid current or plate voltage. Completely self-contained with all power supplies. For 115 VAC—230 VAC, 50-60 cycle, single phase.

Cat. No. 240-353-1 Viking "Thunderbolt" Kit with tubes. . . . Amateur Net] **\$450⁰⁰**

Cat. No. 240-353-2 Viking "Thunderbolt" wired and tested with tubes. \$525.00 Amateur Net]†

†Prices subject to revision. November 1957 delivery anticipated.

Here to stay! The "Pacemaker" is an outstanding power bargain when used alone or as an exciter for the "Thunderbolt" linear amplifier. 90 watts input CW and SSB (P.E.P.) . . . 35 watts AM! Band-switching 80, 40, 20, 15 and 10 meters.

YOUR BEST BUY—AND HERE'S WHY!

- 1. EXCLUSIVE**—Unique circuitry uses only 1 mixer for improved spurious signal rejection greater than 50 db. Eliminates great multiplicity of sum and difference spurious products inherent in systems utilizing 2 or 3 mixers.
- 2. BALANCED RANGE AUDIO**—Does not sacrifice low frequency response as is usually necessary in filter-type equipment.
- 3. BUILT-IN VFO**—Highly stable, temperature compensated and voltage regulated. Complete coverage of all bands without crystal switching or re-tuning.
- 4. FRONT PANEL CARRIER BALANCE**—Provides optimum carrier rejection.
- 5. NO FIXED IMPEDANCE OUTPUT CIRCUIT**—Wide range pi-network output assures proper load impedance to final amplifier.
- 6. INDIVIDUAL CRYSTAL CONTROL**—of sideband generating frequency for each band.

Cat. No. 240-301 Viking "Pacemaker" wired and tested with tubes and crystals, less key and microphone.

Amateur Net

\$495⁰⁰



*The F.C.C. permits a maximum one kilowatt average power input for the amateur service. In SSB operation under normal conditions this results in peak envelope power inputs of 2000 watts or more depending upon individual voice characteristics. The Johnson Viking "Thunderbolt" Linear Amplifier produces these higher powers and is the only equipment available to amateurs which can reach the maximum legal limit of "Talk-Power".

See your
authorized Johnson
distributor for
easy payment
terms!



E.F. Johnson Company


2833 SECOND AVENUE S. W. • WASECA, MINNESOTA



Belden has been a
supplier of wire and cable
to the Ham Fraternity
since 1902.



HEATHKITS[®]



*Top quality
ham equipment
in kit form . . .
designed especially to
meet your requirements!*

Heath amateur radio gear is designed by hams—for hams, to insure maximum "on the air" enjoyment. Good design and top-quality components guarantee reliability. Heathkits are easy to build and are easy on your budget! You save by dealing direct, and you may use the Heath Time Payment Plan on orders totaling \$90.00 or more. Write for complete details.

HEATHKIT

DX-100

TRANSMITTER KIT

PHONE
AND CW

- ▶ Phone or CW—160 through 10 meters.
- ▶ 100 watts RF on phone—120 watts CW—parallel 6146 final.
- ▶ Built-in VFO— π network output circuit.
- ▶ Easy to build—TVI suppressed



MODEL DX-100

\$189⁵⁰

\$18.95 dwn., \$15.92 mo.
Shpg. Wt. 107 lbs.

Shipped motor freight unless otherwise specified.
\$50.00 deposit required on c.o.d. orders.

The Heathkit DX-100 phone-CW transmitter offers features far beyond those normally received at this price level. It has a built-in VFO, built-in modulator, and built-in power supplies. It is TVI suppressed, and uses π network interstage coupling and output coupling. Matches antenna impedances from approximately 50 to 600 ohms. Provides a clean strong signal on either phone or CW, with RF output in excess of 100 watts on phone, and 120 watts on CW. Completely bandswitching from 160 through 10 meters. A pair of 1625 tubes are used in push-pull for the modulator, and the final consists of a pair of 6146 tubes in parallel. VFO dial and meter face are illuminated. High-quality components throughout! The DX-100 is very easy to build, even for a beginner, and is a proven, trouble-free rig that will insure many hours of enjoyment in your ham shack.




HEATH COMPANY BENTON HARBOR 9, MICHIGAN

A Subsidiary of Daystrom, Inc.

HEATHKIT **DX-35** TRANSMITTER KIT

PHONE AND CW

This transmitter features a 6146 final amplifier to provide 65 watt plate power input on CW, with controlled-carrier modulation peaks up to 50 watts on phone. Modulator and power supplies are built in, and the rig covers 80, 40, 20, 15, 11 and 10 meters with a single band-change switch. Pi network output coupling provides for matching various antenna impedances. Employs 12BY7 oscillator, 12BY7 buffer and 6146 final. Speech amplifier is a 12AX7, and a 12AU7 is employed as modulator. Panel control provides switch selection of three different crystals, reached through access door at rear. Panel meter indicates final grid current or final plate current. A perfect low-power transmitter both for the novice or the more experienced amateur. A remarkable power package for the price. The price includes tubes, and all other parts necessary for construction. Comprehensive instruction manual insures successful assembly.



MODEL DX-35

\$56⁹⁵


Shpg. Wt.
24 Lbs.

\$5.70 dwn., \$4.78 mo.

- ▶ Phone or CW—80 through 10 meters.
- ▶ 65 watts CW—50 watts peak on phone—6146 final amplifier.
- ▶ Pi network output to match various antenna impedances.
- ▶ Tremendous dollar value—easy to build.

BRAND NEW

HEATHKIT **DX-20** CW TRANSMITTER KIT



MODEL DX-20

\$35⁹⁵

\$3.60 dwn., \$3.02 mo.
Shpg. Wt. 18 Lbs.

- ▶ Designed exclusively for CW work.
- ▶ 50 watts plate power input—80 through 10 meters.
- ▶ Pi network output circuit to match various antenna impedances.
- ▶ Attractive and functional styling—easy to build.

Here is a straight-CW transmitter that is one of the most efficient rigs available today. It is ideal for the novice, and even for the advanced-class CW operator. This 50 watt transmitter employs a 6DQ6A final amplifier, a 6CL6 oscillator, a 5U4GB rectifier and features one-knob bandswitching to cover 80, 40, 20, 15, 11 and 10 meters. It is designed for crystal excitation, but may be excited by an external VFO. A pi network output circuit is employed to match antenna impedances between 50 and 1000 ohms. Employs top-quality parts throughout, including "potted" transformers, etc. If you appreciate a good signal on the CW bands, this is the transmitter for you!




HEATH COMPANY BENTON HARBOR 9, MICHIGAN

A Subsidiary of Daystrom, Inc.

HEATHKIT

COMMUNICATIONS-TYPE, ALL BAND

RECEIVER KIT



This receiver covers 550 kc to 30 mc in four bands, and is ideal for the short wave listener or beginning amateur. It provides good sensitivity and selectivity, combined with fine image rejection. Amateur bands are clearly marked on the illuminated dial scale. Features transformer-type power supply—electrical band spread—antenna trimmer—separate RF and AF gain controls—noise limiter—headphone jack—and AGC. Has built-in BFO for CW reception. Shpg. Wt. 12 Lbs.

MODEL AR-3

\$29⁹⁵

incl. excise tax
(less cabinet)

\$3.00 dwn., \$2.52 mo.

CABINET: Fabric covered cabinet with aluminum panel as shown. Part 91-15A. Shipping Wt. 5 Lbs. \$5.00 dwn., \$4.25 mo. \$4.95

(A) HEATHKIT VFO KIT MODEL VF-1

Covers 160, 80, 40, 20, 15, 11 and 10 meters with three basic oscillator frequencies. Better than 10 volt average RF output on fundamentals. Requires 250 VDC at 15 to 20 ma, and 6.3 VAC at 0.45A. Incorporates regulator tube for stability and illuminated frequency dial. Shpg. wt. 7 lbs. \$1.95 dwn., \$1.64 mo. **\$19.50**

(B) HEATHKIT GRID DIP METER KIT MODEL GD-1B


Continuous coverage from 2 mc to 250 mc with prewound coils. 500 ua panel meter for indication. Use to locate parasitics, for neutralizing, determining resonant frequencies, etc. Will double as absorption-type wavemeter. Shpg. wt. 4 lbs. \$2.00 dwn., \$1.68 mo. **\$19.95**

(C) HEATHKIT ANTENNA IMPEDANCE METER KIT MODEL AM-1

The AM-1 covers 0 to 600 ohms for RF tests. Functions up to 150 mc. Used in conjunction with a signal source, will determine antenna resistance and resonance, match transmission lines for minimum SWR, determine input impedance, etc. Shpg. wt. 2 lbs. \$1.45 dwn., \$1.22 mo. **\$14.50**

(D) HEATHKIT "Q" MULTIPLIER KIT MODEL QF-1

Functions with any receiver having IF frequency between 450 and 460 kc that is not AC DC type. Operates from receiver power supply, requiring only 6.3 volts AC at 300 ma (or 12.6 vac at 150 ma), and 150 to 250 vdc at 2 ma. Simple to connect with cable and plugs supplied. Provides extra selectivity for separating signals, or will reject one signal to eliminate heterodyne. Effective Q of approximately 4000. Shpg. wt. 3 lbs. \$1.00 dwn., \$.84 mo. **\$9.95**



HOW TO ORDER...

It's simple—just identify the kit you desire by its model number and send your order to the address listed below. Or, if you would rather budget your purchase, send for details of the Heath Time Payment Plan for orders totaling \$90.00 or more.



HEATH COMPANY BENTON HARBOR 9, MICHIGAN

A Subsidiary of Daystrom, Inc.

hallicrafters

SINGLE SIDEBAND
MONTH IS
HERE!

WIN

a complete SSB station
consisting of **SX-101** receiver



Hear Single Sideband
in action at your own
distributor's . . . and enter the
easiest, most exciting contest in ham history!

To give licensed hams a real opportunity to know the advantages of SSB, Hallicrafters has designated October as *Single Sideband Month*.

During October, leading distributors from coast to coast will be demonstrating Single Sideband on a specially installed, complete SSB station on their premises. (Participating distributors listed below.)

Each distributor will conduct a *local*

contest, selecting a winner from among his own customers.

Each local winner will receive an award of a famous, *Hallicrafters SX-101 receiver* worth \$395.00!

But that's not all—from among the more than 90 local winners, a grand prize winner will be selected to receive, in addition to his SX-101, a *Hallicrafters HT-32 Transmitter* and *HT-33 Kilowatt Amplifier*!

HERE'S HOW YOU ENTER—

1 Go to the distributor nearest you who is listed below—any time during the month of October. Hear his informative and interesting *special SSB demonstration*.

2 Fill out the entry card which your distributor will supply you, *including call letters and completion of, in twenty-five words or less, the statement:*

“Hallicrafters SSB equipment is superior because . . .”

3 Turn in card to distributor—*do not mail to Hallicrafters*. Distributors will judge entries and select winners *locally*. Awards will be made to entrants submitting the best, most sincere and original statements in the opinion of the distributor or other individual(s) he may designate.

4 Each local winner will receive a *Hallicrafters SX-101 Receiver* from his distributor. Decision of the distributors' judges shall be final.

5 Local winners' names and entry statements then will be forwarded to the Hallicrafters Company, where a panel of judges will select one as *Grand Winner*. This lucky ham will receive, in addition to the SX-101 awarded to him locally, a companion *Hallicrafters HT-32 Transmitter* and *HT-33 Amplifier*. Judges' decision shall be final.

6 Entries become the property of the Hallicrafters Company, and will not be returned. Winning statements may be published by the Hallicrafters Company and winners identified.



HT-32

transmitter

HT-33

kilowatt amplifier

or one of more than **90** SX-101's



VISIT ONE OF THESE DISTRIBUTORS IN OCTOBER!

CALIFORNIA

Berkeley: Electronics Suppliers
Burbank: Valley Electronic Supply Co.
Culver City: White Enterprises
Inglewood: Universal Distributors, Inc.
Long Beach: Larry Lynde Electronics
Los Angeles:
Henry Radio
Radio Products Sales Co., Inc.
Oakland: Elmar Electronics
Palo Alto: Zack Radio Supply Co.
Sacramento: Market Radio Stores
San Diego:
Western Radio & Television Supply

San Francisco:

Northern Cal. Amateur Supply
San Francisco Radio & Supply Co.
Television Radio Supply Co.
Zack Radio Supply Co.
San Jose: Frank Oument

COLORADO

Denver: Radio Products Sales Co.

CONNECTICUT

Hartford: Hatry of Hartford, Inc.
New Haven: Radio Shack Corporation

DELAWARE

Wilmington: Almo Radio Co.

DISTRICT OF COLUMBIA

Washington, D. C.:
Electronic Wholesalers, Inc.

FLORIDA

Miami: Electronic Supply Co.
Tampa: Kinkade Radio Supply

GEORGIA

Atlanta: Specialty Distributing Co.

IDAHO

Idaho Falls: Schwendiman's

ILLINOIS

Chicago:

Allied Radio Corp.
Green Mill Radio Supply Co.
Newark Electric Co.
Premier's Ham Shack

Peoria: Selectronics Supplies, Inc.

INDIANA

Fort Wayne: Warren Radio Co.
Frankfort: M. H. Dossett Co.
Indianapolis:
Graham Electronics Supply, Inc.

South Bend: Radio Distributing Co., Inc.

IOWA

Council Bluffs:
World Radio Laboratories, Inc.

Des Moines:

Bob & Jack's Store for Hams
Fort Dodge: Ken-Els Radio Supply

LOUISIANA

Shreveport: Kolemey Sales Co., Inc.

MARYLAND

Silver Springs: Emco Wholesalers

MASSACHUSETTS

Boston: DeMambro Radio Supply Co.
Worcester: Radio Electronic Sales Co.

MICHIGAN

Detroit:

M. N. Duffy & Co.
Reno Radio
Grand Rapids: Radio Parts Co.

MINNESOTA

Minneapolis:
Lew Bonn Co.
Electronic Center, Inc.
Northwest Radio & Electronic Supply Co.

MISSOURI

Kansas City:
Associated Electronic Supply Co.
Radiolab
St. Louis: Walter Ashe Radio Co.

MONTANA

Great Falls: Modern Equipment Co.

NEW HAMPSHIRE

Concord: Evans Radio

NEW JERSEY

Bloomfield: Variety Electronics Corp.
Newark: Hudson Radio & Television Corp.
Passaic: Nidisco-Passaic, Inc.
Trenton: Almo Radio Co.

NEW YORK

Albany:
Fort Orange Radio Distributing Co., Inc.
Amsterdam: Adirondack Radio Supply
Bluepoint, L. I.: Standard Parts Corp.
Buffalo: Genesee Radio Parts Co.
Hempstead: Standard Parts Corp.
Jamaica: Harrison Radio Corp.
Mineola: Arrow Electronics, Inc.
New York:
Harrison Radio Corp.
Harvey Radio Co.

Hudson Radio & Television Corp.

Terminal Radio Corp.
White Plains: Melville Radio Corp.

OHIO

Cincinnati: Steinbergs, Inc.
Cleveland:
Pioneer Electronic Supply Corp.
Columbus: Universal Service
Toledo: Selectronic Supplies, Inc.

OREGON

Portland:

Portland Radio Supply Co.
United Radio Supply, Inc.

PENNSYLVANIA

Allentown: A. A. Peters, Inc.
Philadelphia:
Almo Radio Co.
Radio Electric Service Co., Inc.
Pittsburgh: Tydings Co.
Reading: George D. Barbey Co.

SOUTH DAKOTA

Watertown: Burghardt Radio Supply

TENNESSEE

Chattanooga:

Curle Radio Supply & Sound Service
Knoxville: Bondurant Brothers Co.
Memphis: W & W Distributing Co.

TEXAS

Amarillo: R. & R. Electronic Co.
Austin: Hargis-Austin, Inc.
Houston:
Busacker Electronics Systems
R. C. & L. F. Hall, Inc.
Lubbock: R. & R. Parts & Supply Co.
San Antonio: Modern Electronics Co.
Waco: Hargis Co., Inc.
Wichita Falls: Mooney Radio Supply Co.

VIRGINIA

Arlington: Key Electronics
Norfolk: Radio Equipment Co.

WASHINGTON

Seattle:

Amateur Radio Supply Co.
Seattle Radio Supply
Tacoma: C & G Radio Supply

WISCONSIN

Fond du Lac: Harris Radio Corp.
Manitowish: Harris Radio Corp.
Milwaukee: Amateur Electronic Supply



"I am now using the Gotham V80 vertical antenna with only 55 watts, and I am getting fantastic reports from all over the world". VP1SD

ALL-BAND VERTICAL ANTENNAS

GOTHAM'S sensational new vertical antennas give unsurpassed multi-band performance. Each antenna can be assembled in less than two minutes, and requires no special tools or electronic equipment. In the V160, resonance in the 160, 80, 75, and 40 meter bands is secured through use of the proper portion of the loading coil. Yet, when the coil is eliminated or bypassed, the V160 will operate on 20, 15, 10 and 6 meters! The same idea applies to our V80 and V40 multi-band verticals. No guy wires needed; rugged, occupies little space, proven and tested.

I USE MY GOTHAM ALL BAND VERTICAL ON 6, 10, 15 AND 20

ME TOO, TOM-AND LAST NIGHT I SWITCHED TO 40, 80, AND NO. WORKED SOME REAL DX!



Simple design and superior materials give all-band operation, and effective, omni-directional radiation. Gotham verticals are rugged, with low initial cost and no maintenance. Guaranteed Gotham quality at low Gotham prices. Perfect for the novice with five watts or the expert with a kilowatt.

QUALITY MATERIAL

Brand new mill stock aluminum alloy tubing with Aluminite finish for protection against corrosion. Loading coils made by Barker & Williamson.

ALL-BAND OPERATION

Switch from one band to another. Operate anywhere from 6 to 160 meters. Work the DX on whatever band is open.

EASY ASSEMBLY

Less than two minutes is all you need to put your vertical together. No special tools or electronic equipment required. Full instructions given.

SIMPLE INSTALLATION

Goes almost anywhere. On the ground, on the roof, or outside your window. No trick fittings or castings needed.

AMAZING PERFORMANCE

Hundreds of reports of exceptional DX operation on both low and high power. You will work wonders with a Gotham vertical.

NO GUY WIRES

Our design eliminates unsightly guy wires. You save time, trouble, space and money by avoiding guy wires.

PROVEN DESIGN

Over a thousand Gotham verticals are on the air — working the world and proving the superiority of Gotham design.

AND THE PRICE IS RIGHT!

"I worked LU3ZS on Half Moon Island in Antarctica on Dec. 26 at 21150 Kc. I was using my Gotham V80 vertical antenna and only 35 watts." KN5GLI



Airmail Order Today — We Ship Tomorrow

GOTHAM Dept. QST
1805 PURDY AVE., MIAMI BEACH, FLA.

Enclosed find check or money-order for:

V40 vertical for 40, 20, 15, 10, 6 meters.....\$14.95
V80 vertical for 80, 75, 40, 20, 15, 10, 6 meters.....\$16.95
V160 vertical for 160, 80, 75, 40, 20, 15, 10, 6 meters.....\$18.95

Name.....

Address.....

City.....Zone.....State.....

WORK THE WORLD



How to order
Send check or money order directly to Gotham or visit your local distributor. Immediate shipment by Railway Express, charges collect. Foreign orders accepted.

GOTHAM 1805 PURDY AVENUE
MIAMI BEACH 39, FLA.

YOU COULD WORK WONDERS IF YOU HAD A GOTHAM BEAM!

Study these specifications—compare them—and you too will agree, along with thousands of hams, that **GOTHAM** beams are best!

TYPE OF BEAM. All Gotham beams are of the full half-wave plumber's delight type; i.e., all metal and grounded at the center. No wood, tuning stubs, baluns, coils, or any other devices are used.

MORE DX CONTACTS

GAIN. Gotham beams give the maximum gain obtainable. Our 2-element beams give a power gain of four (equivalent to 6 db.); our 3-element beams give a power gain of seven (8.1 db.), and our 4-element beams give a power gain of nine (9.6 db.)

THE DESIGN IS PROVEN

FRONT-TO-BACK RATIO. We guarantee a minimum F/B Ratio of 19 db. for any of our 2-element beams; 29 db. for any of our 3-element beams; 35 db. for 4-element beams.

THOUSANDS IN DAILY USE

MATCHING. Matching of the transmission line to the beam is extremely simple and quick. No electronic equipment or measuring devices are required.

ALCOA QUALITY ALUMINUM

ASSEMBLY AND INSTALLATION. No special tools are required for assembly and installation. Entire job can be done by one man in less than an hour. Full instructions are included with each beam.

CONSISTENT PERFORMANCE

MAST. Any Gotham beam can be mounted on a simple pipe mast. Diameter of the pipe should be between $\frac{3}{4}$ " and $1\frac{1}{4}$ ".

YOU WILL WORK THE WORLD

STANDARD AND DELUXE BEAMS. Standard beams in the 6, 10 and 15 meter bands use $\frac{3}{8}$ " and $\frac{1}{4}$ " tubing elements; the deluxe models for these bands use $\frac{1}{2}$ " and 1". In 20 meter beams, the standard has a single boom, while the deluxe uses twin booms.

TRIBANDER BEAMS

6-10-15 TRIBANDER.....\$39.95
10-15-20 TRIBANDER..... 49.95

Do not confuse these full-size tribander beams with so-called midgets. The Tribander has individually fed (52 or 72 ohm coax) elements and is not frequency sensitive, nor does it have baluns, coils, traps, or other devices intended to take the place of aluminum tubing. The way to work multi-band and get gain is to use a Gotham Tribander Beam.

TWO BANDER BEAMS

6-10 TWO BANDER.....\$29.95
10-15 TWO BANDER..... 34.95
10-20 TWO BANDER..... 36.95
15-20 TWO BANDER..... 38.95

Each Two Bander has twin 12' booms, and full-size half-wave elements. $\frac{7}{8}$ " and 1" aluminum alloy tubing, all castings and fittings are supplied. Assembly is easy. No traps, coils, baluns or stubs are used. All dimensions furnished, all machining done for you. Satisfaction guaranteed. Send for free literature.


You could work KC4USA in the Antarctica with only 90 watts on 15 meters, as W4SK did.

You could work over 100 countries with a three element 10 meter beam, and be a top man on the frequency, like WØDEI.

You could work terrific skip and DX with reports of 20 over 9, with as little as 36 watts input on 20 meters, as W. E. Woods did.

You could work 29 states in three months on six meters, with low power, as K2LHP did.

HI JIM, HEARD YOU WORKING THAT DX STATION. HOW DO YOU DO IT ON THE LOW POWER YOU RUN?



EASY BILL, I'VE GOT A GOTHAM BEAM. I'M WORKING STATIONS I NEVER HEARD BEFORE. DX IS A CINCH NOW.



Airmail Order Today — We Ship Tomorrow

GOTHAM Dept. QST
1805 PURDY AVE., MIAMI BEACH, FLA.

Enclosed find check or money-order for:

TRIBANDER

6-10-15 \$39.95 10-15-20 \$49.95

6 METER BEAMS

Std. 3-El Gamma match 12.95 T match 14.95
 Deluxe 3-El Gamma match 21.95 T match 24.95
 Std. 4-El Gamma match 16.95 T match 19.95
 Deluxe 4-El Gamma match 25.95 T match 28.95

10 METER BEAMS

Std. 2-El Gamma match 11.95 T match 14.95
 Deluxe 2-El Gamma match 18.95 T match 21.95
 Std. 3-El Gamma match 16.95 T match 18.95
 Deluxe 3-El Gamma match 22.95 T match 25.95
 Std. 4-El Gamma match 21.95 T match 24.95
 Deluxe 4-El Gamma match 27.95 T match 30.95

15 METER BEAMS

Std. 2-El Gamma match 19.95 T match 22.95
 Deluxe 2-El Gamma match 29.95 T match 32.95
 Std. 3-El Gamma match 26.95 T match 29.95
 Deluxe 3-El Gamma match 36.95 T match 39.95

20 METER BEAMS

Std. 2-El Gamma match 21.95 T match 24.95
 Deluxe 2-El Gamma match 31.95 T match 34.95
 Std. 3-El Gamma match 34.95 T match 37.95
 Deluxe 3-El Gamma match 46.95 T match 49.95

(Note: Gamma-match beams use 52 or 72 ohm coax. T-match beams use 300 ohm line.)

NEW! RUGGEDIZED HI-GAIN 6, 10, 15 METER BEAMS

Each has a TWIN boom, extra heavy beam mount castings, extra hardware and everything needed. Guaranteed high gain, simple installation and all-weather resistant. For 52, 72 or 300 ohm transmission line. Specify which transmission line you will use.

Beam #R6 (6 Meters, 4-El).....\$38.95
 Beam #R10 (10 Meters, 4-El)..... 40.95
 Beam #R15 (15 Meters, 3-El)..... 49.95


Name.....

Address.....

City.....Zone...State.....



A QSL PIN free

from **HARVEY'S**
with every  transmitting tube
you buy during October and November



Here's an unusual opportunity to have your QSL card made into a lapel pin. You'll be proud to show your call letters to other hams in such an eye-catching way. Best of all, it's FREE, when you purchase an RCA transmitting tube for your gear . . . whether you drop in at HARVEY'S, just off Times Square, or send in your order by mail. All you have to do is bring or send in your QSL card when ordering. HARVEY'S will do the rest . . . and soon you'll be sprouting your new identification pin . . . an exact color reproduction of your QSL card.

And, you can count on HARVEY'S service and RCA tubes for double dependability. HARVEY'S line of RCA tubes is so complete that any power tube requirement is filled right from stock. This is important to hams who depend on tubes for continued operation of their rigs.

Whether you phone, order by mail, or drop in, you can depend on HARVEY that you receive exactly what you ordered, and that it will function and perform to your complete satisfaction. You also receive the friendly reliable service you'd expect from fellow hams . . . with years of experience . . . catering to the needs of hams the world over.

Order your RCA transmitting tubes from HARVEY . . . and get your free QSL pin, now!



Write, Wire
or Phone
for Prompt
HARVEY
Service!

Established 1927

HARVEY

RADIO COMPANY, INC.

103 W. 43rd St., New York 36, N.Y. • JU 2-1500

WHEN YOU BUY Transmitting Tubes

ALWAYS in Stock at HARVEY'S



As you prepare your rig for Fall-Winter operations, you can be sure that whatever your replacement needs, HARVEY'S will have the exact RCA tube in stock . . . for immediate delivery.


Hams the world over have come to rely on HARVEY'S to have every RCA tube they need to keep their rigs, whatever the type, in continuous operation.

They know that they can count on RCA tubes to withstand severe punishment. They know, too, that RCA and HARVEY are synonymous with the best in service.

Whether you're on SSB, reaching for DX, a vital link in net or CD communications, or just a novice, you can count on RCA tubes for every replacement need, and

**You Can Count On
HARVEY to have it
In Stock For
IMMEDIATE DELIVERY**


When you buy an RCA transmitting tube from HARVEY during October and November, don't forget to send or bring in your QSL card . . . so you can receive your FREE QSL pin.



YOU'VE READ ALL ABOUT THE GREAT NEW

Collins KWM-1

first Mobile SSB transmitter . . .



NOW IN STOCK
at "the place to buy . . ."

WORLD RADIO LABORATORIES

Save space and cost with this new 14-30 mc 175 watt PEP input transmitter for fixed station or mobile operation. Frequency stability and readability is comparable to that of the KWS-1/75A-4. The panel meter serves as an S-meter during receive and multimeter during transmit. Break-in CW using VOX circuits is built-in, as is a side tone for monitoring CW. Ten 100kc bands are available anywhere in the 14-30 mc range.

Net: \$770.00
ONLY \$77.00 Down
\$44.12 per mo.


516E-1 12 vdc Power Supply\$248.00
516F-1 115 vac Power Supply 103.00
312B-2 Speaker Console with directional wattmeter 146.00
312B-1 Speaker in cabinet 25.00
351D-1 Mobile Mounting TrayTBA

and, of course, top trades

AT THE

"World's Largest Distributor of Amateur Radio Eqpt."

WORLD'S MOST PERSONALIZED ELECTRONIC SUPPLY HOUSE



World Radio
LABORATORIES

PH. 2-0277

Send Me
FREE
1958
CATALOG!

3415 W. BROADWAY COUNCIL BLUFFS, IOWA

AND COMPLETE INFORMATION ON THE NEW COLLINS KWM-1. I WISH TO TRADE-IN MY CURRENT

Name: _____

Address: _____

City & State: _____

(Continued from page 104)

nic. K2HCS reports that the mobile group in the Niagara Frontier Area really has been active this past summer. Included were transmitter hunts and a combination picnic-auction. OZR renewed as OPS. The following EC appointments were renewed: QY for Monroe County and City of Rochester, CBA for Orleans County and VEY for Wayne County. The following received net certificates for NYSTPEN: K2BUI, K2HJC, K2KNU, K2PLO, K2RMG, WFY, WZQ and YIY. K2QPC was appointed OPS. Anyone desiring appointment such as OQ, OES, OPS, ORS, OBS, etc., should contact the SCM for details. The Air Force MARS State-Wide Two-Meter Net now is underway. ZOL has successfully headed up a program in Syracuse whereby youngsters received their training for ham tickets under the auspices of the Air Force MARS Youth Program. K2HUK is heading up a similar program in the Buffalo Area. ORI upped his tally to 32 states on 144 Mc. During recent tropospheric openings many of the gang in Erie County worked 400 to 500 miles using Gonset Communicators. Many stations were active during Operation Alert 1957. ZHU, EC for Oswego County, reports that 14 amateurs participated, including 10 AREC members operating under K2AVG. Erie County C.D., using the station call K2ELE, had 100 individual units in operation and maintained contact via 144 Mc. with other area counties and cities. Traffic: (July) W3ZRC 237, K2YIP 101, GWN 72, RYH 30, W3ZHU 39, K2BBJ 12. (June) W2DXV 277, ZRC 184, FEB 20, K2BBJ 13.

WESTERN PENNSYLVANIA—SCM, John F. Woitkiewicz, W3GJY—SEC: OMA, RMS; UHN, NUG, GEG and NRE. PAMS; AER and TOC. The WPA Traffic Net meets nightly except Sat. and Sun. on 3585 kc. The Steel City ARC reports its FD venture was a success with MPO, ZGI, GKY, NRO, NKM, TOB, SDV, TSR, TQK, UHM, ANX, ZPZ, WHY, JQI, LOR and ZDW taking part. LKM sorrowfully found out that 807s will not replace 810s. MPK bought a new car. ZPZ is the proud possessor of a new DX-35 van at the PIE Hamfest. UUH works up into the Pir North with a bent indoor folded dipole on 15 meters. ZGI won a scholarship to M.I.T. FML is piling up new states on 6 meters. AAN also is active on 6 meters. RER, reporting for the Allegheny-Kiski ARC, says 2550 points were amassed by the club during the FD activity. The club station, RVC, took part in the c.d. air raid alert and provided good communication between Northern Westmoreland County and county control at Greensburg. The club's c.d. net meets each Tue. at 2100 on 2036 kc. The Conemaugh Valley ARC participated in Operation Alert with much success. Net control was at Cresson Sanatorium and stations were set up on 29.470 Mc. and 3910 kc. with UY's and K2RQK's gear being used as well as ZIO's transceiver and PHH's mobile. LXQ was state control on 3502 kc. UY, ALIM, IYY, ZIO, PEH, WRE and K2RQK/3 were stationed at net control. KFG turned in as relief operator at OKI's QTH and QYK relieved LSE. During "Operation Escape" many mobiles took part. A joint operation venture was made with Blair County C.D. In Blair County among the actives were CHN, VPF, MRI and UBP as mobiles. TTF made WAS. PHH turned in the winning design for the club emblem. New club members are NDO, OKI and WN3IJA. YOZ operates from Pittsburgh with a three-element 2-meter beam. RSB is active on the West Able C.D. Net Sun. at 9 A.M. on 3997 kc. and the West Charley Net at 8:30 A.M. on 29490 kc. and has installed an electric wrench to raise and lower his tower. RTB has reached 136 confirmed on c.w. GIY has 107. OEY enjoyed his visit to KP4AIO. KN3RCY is the proud possessor of a new harmonic. The Indiana County ARC Net (RACES) meets on 29.6 Mc. Tue. at 2100 EDT. YEY, secy. of the Mercer County Radio Assn., reports the club will purchase permanent Field Day equipment for future outings. LMM finally collared ZCSAL and CE8AC. UFN put up a new Telrex 10-over-20 beam. KN8BAF is using a Globe Scout 680 and an SX-99. ZIA joined MARS. Technician Class license holders in the State now are entitled to have their calls on their auto license plates by virtue of legislation signed by Gov. Leader. New Novices in the Pittsburgh Area are KN8AXZ, AZP and BCY. Novice HSW passed his General Class exam. NYD and OVM got the DX-100 going at TOC's shack. VWL, NYD and TOC did fine work in the C.D. Alert Test. New officers of the Breeze Shooters Net for the 1957-58 tenure are OPF, pres.; VEK, secy.; IMB, checker; SUJ, MCE and TVW, directors. RSB was awarded a briefcase for his fine work as secretary. YDA has gone mobile. UJP has a 152-A, is on 6 meters and worked his first air-mobile. The Indiana ARC was ably represented during C.D. Alert under direction of County Radio Officer VKD with YCG and ADK assisting at the mike. The

(Continued on page 120)

Reliability



for QSO for contest

Along about now you're probably thinking about settling down to a good winter season of QSO's and contests. It's good to know the rig is ready to go at a moment's notice—but that calls for smart preventive maintenance.

Take capacitors, for example—one can may look as good as the next, but preventive maintenance begins inside a component. That's the real story of Mallory FP capacitors. Here are some of their specs you should know.

Mallory FP capacitors feature fabricated plates and etched cathodes—your assurance that they will retain *full* capacity ratings for a *long* life, even under the most severe conditions.

Mallory FP capacitors are rated at 85°C (185°F), to withstand tough environment service.

Mallory FP capacitors are manufactured in hospital-pure surroundings—are kept free from all foreign matter and contamination that could shorten useful life.

And—Mallory FP capacitors are made in a range of single and multiple sections—with an extremely wide range of voltage and capacity ratings.

Make ready for QSO or contest—see your Mallory Distributor for the FP capacitors you need—see him for all your component requirements.


P. R. MALLORY & CO. Inc.
P.O. Box 1558
INDIANAPOLIS 6, INDIANA

P.R.MALLORY & CO. Inc.
MALLORY

New TOWERS

... added to the
Tele-Vue line


Rotor mounts
inside top section
on Adjustable Rotor Post



NOW 17 MODELS

Rotor mounting bearings to accommodate AR22—TR2—TR4 —(and others) standard equipment on models 40R and 50R hinged base or pipe base lay-over towers. New models are larger overall . . . Top section 9½", bottom 12½" (outside dimensions). Tele-Vue's telescoping towers are used by hams all over the world. Spring loaded ratchet winch allows tower to be telescoped easily by one man from ground. Constructed of husky aircraft type tubular steel, with tough three coat finish. Hoist cable is 1270 lb. test aircraft cable.

Pipe base eliminates concrete
Eave Bracket simplifies installation
Hinged base easy to service
20-30-40-45-50-60 ft. sizes
Layover with extra crank available
PRICES START AT \$40.25
Monthly payment plan



Tele-Vue Towers, Inc.

701-707 49th St., So. ST. PETERSBURG, FLORIDA

QST-10 **FREE BROCHURE**

MAIL THIS COUPON FOR FULL INFORMATION

Name _____

Address _____

City _____ State _____

Prices subject to change without notice.

County Net meets Tue. at 9 P.M. on 29.6 Mc. DMB works 40-meter c.w. when he is free from studies. ELZ can be heard in the wee hours of the morning gunning for DX. VKD is almost ready to go to press with his *Ham Register*. ZOX works 7-Mc. phone. YOK is QRL building a new home. Traffic: W3WVQ 2200, LHM 135, GJY 60, RSB 14, UHN 12, YCG 10, HXF 8, TOC 5.

TROPHY ANNOUNCED

Amateurs in the Atlantic Division are invited to compete for the Frederick A. Leonard (W3AZG) Memorial Award, honoring the memory of the afore-mentioned amateur. The 21½-inch trophy will be awarded to the highest scoring Atlantic Division station (phone or c.w.) using 150 watts or less during the November ARRL Sweepstakes. Last year a similar trophy was won by W3JNQ who by his personal request has eliminated himself from this year's competition, as has the donor, W3GJY. Final Sweepstakes tabulations as published in QST will determine the winner.

CENTRAL DIVISION

ILLINOIS—SCM, George T. Schreiber, W9YIX—Asst. SCM: Grace V. Ryden, 9GME, EC: HOA, Cook County EC: HPG, RM: MAK, Section nets: ILN, 3151 kc, Mon. through Sat, IEN 3940 kc. With vacations on, news is short, but the Chicago gang is unanimous, almost, in reporting water in basements and equipment because of July storms. ILN handled 165 messages in 21 sessions while the North Central Phone Net handled 594. No report was received from IEN. New members of the ILN are K9DYT, K9IFB and W9PWV. BON writes he has discovered you don't need power on 6 meters. New calls heard in the section are: Novices (all KN9s) ICV, IKX, JKR, IKG, IKH, IMX, IUK, IVJ, ILP, IKS, IMV and KN8GOV/9. Welcome, fellows. BA reports the St. Clair Amateur Radio Club held its first annual dinner and a good time was had by all. K9BIY put up a three-element beam and is very active on 10 meters. JMY split his piggy bank and sports a new 75A-3. TT plans to attend the U. of I. this fall to complete his E.E. degree. RSY and RSZ (father and son) vacationed with a Gonset on 6 meters and had a ball, while TCX still has fun with a three-quarter-watt mobile. When you read this, SCV will be off on a European tour. ULS, who has operated from Ft. Sheridan, will move to Ft. Monmouth in the East. ADC and K9HH did yeoman work with their Gonsets when the Chicago airport building was flooded. LXL is out of the hospital and feeling much better. JQQ held down the fort at home while his XYL went fishing in Wisconsin. That's a switch. The Hamsters Radio Club has a new duplicating machine and as a consequence it makes *Ham Gab* much easier to read. The club again has embarked on a code practice course under the direction of K9AXD. K9DYT has been on less than a year and already has 41 states confirmed. GDI still is fighting his quod but has it working well on 20 meters at least. Now comes 15 and 10 meters. LTI writes of the doings of the Prairie Amateur Radio Club. Wish we had space to reproduce. The Glenbrook High School Electronic Club elected officers but all we know is that OHO is president. Who are the other officers? Officers elected for the newly-formed Six Meter Club of Chicago are K9GIS, NYO, K9AZE and OVL. UBI plans to go to 600 watts soon. NIU writes that he had a swell time at the APCO Convention in Dayton and was interested in the ham display they had there for the claps who make their living from police radio. Traffic: K9TSN 1104, K9EDI 594, W9EXL 397, IDA 368, MAK 313, FAW 189, YYG 46, K9DYI 14, W9VBY 10, UBI 7, SKR 4.

INDIANA—SCM, Seth Lew Baker, W9NTA—Asst. SCM: George H. Graue, 9BKJ, SEC: QYQ, RMs: DGA, TQC and TT, PAMs: CMT, KOY, SWD and UXK. New appointment: K9AZK as ORS. FD messages were received late from MYI, TWA, EZS, AYU, TTL and K9CLL. New stations on 6 meters are K9DFK, ADN IEU and ISD. New calls are KN9BW, IHO, ICM ISA, IRZ, IRT, IQB, IJT and IXD, who is Butch, the XYL of SWD, and *BISON* editor. K9LEA is new in Seymour. YFD made DXCC. K9FLE is RCC. About 500 were present at the IRCC Picnic at Indianapolis, staged by the combined clubs of Indianapolis. The Michiana ARC won the FD Plaque again. QYQ, our SEC, from Orleans, was awarded the Plaque

(Continued on page 122)

new completely...
brilliantly
new!



COMMUNICATOR



Now... a new series of VHF station "packages", linear amplifiers and accessories for amateur 2 and 6 meter bands and other VHF ranges.

The modern Communicator III model combines, in a single unit, all features found previously only in several different models. Many important, wholly new features add to even better performance and operating convenience.

- Modern inside and out. Finished in attractive Alpine White enamel with knobs in Gun Metal Blue. Cabinet size is approximately the same.
- 6V DC and 12V DC and 115V AC. All three. One vibrator. Simple interior strapping changes DC voltages.
- Full press-to-talk operation. (Actuated by button on microphone) Transmit-receive switch on panel can be used if desired.
- Receiver: New low-noise X155 RF tube in sensitive "Cascode" with AVC to avoid blocking tendency from very strong locals. Special gang-tuned circuits provide new high order of image rejection. Improved I-F selectivity. Gonset noise limiter. Adjustable squelch. Earphone provisions.
- Full-vision slide-rule-type tuning dial.
- Squelch for quiet standby. Control on panel.
- Transmitter: All tunable circuits now have panel knobs. New gang-tuned circuits reduce spurious emissions to negligible values. New 6L6GB modulator tube gives heavier modulation.
- Panel meter replaces "Green eye." Meter switches to exciter or RF output or to receiver for indication of relative signal level.
- Provision for 6' crystals with panel selector switch. (Also operation with external VFO.)
- Silicon diodes eliminate power supply rectifier tubes.
- New line includes Linear Amplifiers in all frequency ranges and entirely new VFO which has ranges for both 2 and 6 meters.
- 269.50 less microphone and crystals.

GONSET
BURBANK, CALIFORNIA

DIVISION OF L. A. YOUNG SPRING & WIRE CORPORATION



**Guaranteed, Low-Cost, hy-gain
VHF Beams from "the place to buy"**




**2
METERS**

**Only
\$795**

Low cost, light weight, easy to install. Elements snap into position for immediate use. Cut for the middle of the band; covers entire 2M band with excellent gain. Folded ratio dipole, nom. impedance 300 ohms. Low SWR for 300 ohm balanced line or 72 ohm coax thru 1/2 wave balun. Stacking bars provide full wave length spacing and perfect match for balanced line or coax thru 1/2 wave balun; \$3.95.

**CATALOG NO.
69B046**




**2
METERS**

**Only
\$995**

**CATALOG NO.
69B047**

Highest possible gain per dollar per foot, pre-assembled and pre-cut. Middle of the band, covers entire 2M band with excellent gain and operating characteristics. Folded ratio dipole, nom. impedance 300 ohms. Low SWR for 300 ohm line or 72 ohm coax thru 1/2 wave balun. Stacking bars provide full wave length spacing and perfect match for balanced line or coax thru 1/2 wave balun; \$3.95.



**6
METERS**

**Only
\$1495**

Factory pre-assembled, with elements adjustable over entire 6M band. T or gamma match for balanced or coax line feed. Add'l. gain through stacking. Stacking bars provide 1/2 wave length spacing and perfect match for balanced line or coax thru 1/2 wave balun; — \$3.95.

**CATALOG NO.
69B048**

NEW!

**26-AV. NEW, VHF 2-BAND
(2 & 6 METER) AUTOMATIC
VERTICAL . . . IN STOCK!**

\$16.95

**PLEASE SEND ME THE HY-GAIN BEAM CHECKED.
MY CHECK IS ENCLOSED.**

2M, 5E 2M, 10E 6M, 5E

NAME: _____

ADDRESS: _____

CITY & STATE: _____

WORLD'S MOST PERSONALIZED ELECTRONIC SUPPLY HOUSE

**World Radio
LABORATORIES**
PH. 2-0277

3415 W BROADWAY COUNCIL BLUFFS IOWA

**NEW
1958
CATALOG
NOW
AVAILABLE**

as Indiana's Outstanding Amateur. This was a very popular choice as Frank has done a wonderful job in organizing AREC and RACES throughout the State. SWD reports IEN Evening traffic as 407 and Morning as 115, total 522. QIN, as reported by TQC, had 317 and TT gives RFN as 80 and UTL as 961. KOY reports Interstate S.S.B. as 683. Those making HPL were NZZ, JYO, EQO, ZYK, EBZ, TT and DGA. FTM made it for June with Bird Expedition traffic. It seems Indiana is handling traffic from near both poles. The Evansville group furnished communications for the Water Carnival on the Ohio River. Some 10-meter rigs were used but most was on 50.58 Mc. The TARS code class has had about 25 members and expects to graduate several Novices. This work was sparked by OG, DGA and AIN. New Technician Class licensees at Evansville are K9JAR and ITN. K9GGB, Meg, is active with a Ranger and an SX-99. KN9GAW is on with a 6146 running 50 watts and an RME-4350 using a 40-meter drople. Please send in your traffic reports and news items to reach us not later than the 5th of the month. Don't hesitate to send in your traffic count even if it is small. Traffic: (July) W9NZZ 1007, JYO 897, EQO 748, ZYK 584, EBZ 549, TT 388, TQC 375, JOZ 358, KOY 295, SVL 244, K9BBO 221, W9VAY 216, AB 155, DGA 110, FTM 102, NTA 88, SWD 63, EJV 60, QYQ 60, RTH 52, BKJ 44, WUH 42, CC 36, DOK 32, WHL 25, GJS 21, JBQ 24, WAU 19, POZ 18, QR 18, HRW 15, CMT 14, WBA 13, BDP 11, IMU 10, EJC 9, HXR 9, BUQ 8, CDW 8, FYM 8, K9HGF 8, W9LSG 8, DZC 6, VPJ 5, HUF 4, SYM 4, DWK 3, SNQ 3, K9ELE 2, CFG 1, EDG 1. (June) W9ETM 221, DGA 14, SYM 8.

WISCONSIN—SCM, George Wolda, W9KQB—SEC: EIZ. PAMs: NRP and AJG. RMs: KJJ and K9AEQ. Nets: WIN, 3535 kc. 7:00 p.m. CDT daily; BEN, 3950 kc. 6:00 p.m. CDT daily. YRO earned DXCC with 102 countries on phone. CXY has his multi-band antenna atop the new 60-ft. tower. KJJ changed to a 6146 final in his AT-1. K9CAH/9 had a chipmunk in his rig while at Scout Camp. K9AEQ is on with a new Ranger. YAK is sailboating and building tape recorders. K9GDF made his first HPL with 260 originations; CXY received his 22nd BPL. The Oshkosh Club meets the 2nd and 4th Tue. of the month and has its net on 1815 kc. Sun. at 8:00 p.m. LAG and his XYL, K9CCS, operate from home, cottage and store and mobile from the new station wagon. UMJ worked Ohio and Canada on 2 meters and IMQ had an 83-mile contact into Michigan. GAB has a new tunable i.f. receiver for his converters and wants 144-Mc. schedules. The Milwaukee Club will celebrate its 40th year of existence this year. Congratulations. The Manacorad Club Net now meets at 11:00 A.M. Sun. on 3965 kc. OTL claims no battery trouble with his 2-watt mobile after 4 years of active operation. HI, RQK got his 75-meter folded dipole up to 65 feet in the air for a big help to his signal. SZR ran his DX worked to 100 with a 4X4 contact. MPO is collecting certificates with his racing pigeons while the summer static is heavy. EIZ has a new daughter as of August and KQB became a grandpop for the first time. YAR is back on c.w. after several years of inactivity from Kiel. UV is on 160-meter mobile with much success. SDK had a 75,320 score in the July CD Party on c.w. FZC vacationed at OT's cottages at St. Germain and reported a real time. WIN in need of traffic outlets in the Fox River Valley Area. Traffic: (July) W9CXY 866, K9GDF 351, AEQ 160, W9KJJ 103, KQB 81, OT 14, OTL 14, SZR 4, GPL 2, SDK 2. (June) W9SAA 48, SIZ 13, JEF 1.

DAKOTA DIVISION

SOUTH DAKOTA—SCM, Les Price, W9FLP—Asst. SCM: Gerald F. Lee, 6YKY. The S.D. 80-Meter Phone Net reports 22 sessions with QNI 271, high 20, low 7, average 12.3; traffic 43, high 7, low 0, average 2. The S.D. 40-Meter Phone Net reports 27 sessions with QNI 381, high 25, low 1, average 14; traffic 27, high 6, low 0, average 1. K9NZ is a new call in Sioux Falls. K9LAW and his wife received their first harmonic, a daughter, July 13. NDK was in Vermillion for Summer Science Institute and helped operate DKJ during the recent RACES exercise. We have a report from General Arndt, Civil Defense Director, that the recent RACES exercise was a success. MIMQ injured his right hand by driving a TV ground rod through it. The following South Dakota members are checking into the Western Nebraska Net: HOJ, K9HSW, OFP, RWX, K9BMQ and K9AIE. A new operator at MARS station K9FBJ, at Ellsworth AFB, Rapid City, is K9KKA. A new beam antenna is being manufactured in Yankton. S. D., designed by AST, from Salina, Kans. The 40-20-meter beam measures only 27 inches. The following hams vacationed: ZJF, Black Hills, Badlands and Yellow-

(Continued on page 124)

You may wish, you explain

EXCERPT FROM JOB APPLICATION FORM:

Considering this application or, if you wish, in this form which requires further

After two reasonably satisfying years with [redacted], I've accumulated quite a few reasons why I'd like to join Raytheon. I've seen a lot of your equipment and it has quality all through. During the War, while in the Navy, I worked on your SG-1 Radar. I know that your Company and your Field Engineers enjoy a fine reputation. It is my understanding that if I am accepted, I will be considered for assignment to one of your various High Speed Bombing Radar or Missile Programs. Several Raytheon Field Engineers I knew ~~from~~ in the past now have very responsible positions with your Company. One of my friends, who recently joined your ~~comp~~ department, mentioned that the company now has over 24,000 employees, needs many more engineers and prepares its men for advancement. He ~~had~~ also said it was easy to talk to the people in charge and you answer person to person mail promptly. He liked your policy of moving household goods to keep men close to their families and the consideration you gave him regarding his choice of assignment and location. He also met some radio hams in your department with whom he had talked over the air. Last, but not least, he is pleased with his monthly pay check!

PLEASE DO NOT WRITE BELOW THIS LINE

Interviewer's Comments

Seems alert and intelligent. I was impressed with his electronic experience and his apparent technical competence. Pleasing personality. Recommend we hire him for assignment to the Hawk missile program and arrange for him to work in engineering or production for initial training. Note that he has an EE degree.

Date Hired	Start to work	Dept.	Job Code	Classification	Acct. Code
7/10/57	8/1/57	G.S.D.	776-mm9	Field Engineer	GSD-23-1

Reporting to G. E. Dodge

Signature of person hiring *O. L. Dewey*

FIELD ENGINEERING with a FUTURE

Raytheon field engineering gives you a real chance to up-grade your future—many of our executives are former field engineers. Primarily, we need men with an E.E. degree and field experience but write if you have

a good radar, fire control or missile background. Attractive salaries; assistance in relocating; insurance; really interesting work. Write E. K. Doherr in confidence, without obligation.

RAYTHEON MANUFACTURING COMPANY

Government Service Department
100 River Street, Waltham 54, Massachusetts



Excellence
in Electronics

It's NEW
 It's DIFFERENT
 It's FOR YOU
 It's ...
**TRAP
 MASTER**

VERTICAL
 for 10-40

✓ Broad Band
 ✓ Low SWR

Low cost, easy installation, rugged construction...these are features that make the MOSLEY "Trap-Master" Vertical a real VALUE—at any Ham Shack!

Exclusive "Trap-Master" design provides low SWR and band-switching is automatic from 10-40 meters!

Engineered to take a full 1 KW and maintain an electrical quarter wave length on each band!

Enclosed traps and base loading coils are weather-proof—dirt-proof—fool-proof!

"Trap-Master" vertical antennas are constructed of rugged, light-weight 61ST6 aluminum tubing. Telescoping sections attain a maximum height of 24'.

No tuning is necessary! All MOSLEY "Trap-Master" antennas are pre-tuned, pre-drilled and color coded... easy to assemble...requires little space!

MODEL V-4-6

\$27.95

In stock at your nearest
 Ham Dealer.

Mosley Electronics, Inc.

8622 ST. CHARLES ROCK ROAD, ST. LOUIS 14, MISSOURI

stone; GQH, Yellowstone and Grand Tetons; BJV, didn't tell where he was going; EUJ, scraping and painting the house; OOO, operating portable at Lake Madison; KXZ, in the East; KØBAMI-KØBMS, mobilizing in W7-Land; FJZ, a tour through the East Coast where he visited some of his old Navy haunts after 45 years and also the *Mayflower II*; YKY and family in the Denver Area; YOB and family in Denver; AØVME in the Black Hills; FLD and family in Chicago. KØIAY visited the Black Hills Amateur Radio Club, OH now has a kilowatt single sideband. NPV has a brand-new 1937 Oldsmobile and is trying to figure out how to mount mobile equipment. IWE has new Ford Station wagon. New Novices at Rapid City are KNØKKS and KNØKXR, who has a new Viking Adventurer. KØBMO now has a DX-35 and a 135-ft. doublet. QEK-K/CDO have moved into another house in Pierre and are fixing up their shack. SCT has an emergency power plant ready to go and a 2-meter receiver. YKY is filling in while FLP is on vacation, so does not have all the traffic reports. Traffic: WØSCT 325, YKY 22, FJZ 7, BAIQ 3.

MINNESOTA—SCM, Robert Nelson, WØKLG—Asst. SCM; Bob Schoening, ØTKX, SEC; GTX, RMs: DQL and RLQ, PAMs: LUX and JIE. New OO and ORS appointments went to KØGCN; OO and OES appointments went to VYL. WMA keeps many phone-patch schedules with Greenland, QXA and QXF are instructors at the Minneapolis Radio Club code classes each Wed. WDW schedules KØHMJ at camp many-point. 2-meter DX has been plentiful at UBD. KØGKI built a new 20-meter beam between AREC/RACES activities. KØDHH and KØDHI have a new DX-100 and along with KØHNU operated portable at the Boy Scout camp with a 1000-ft. antenna. KNØIYO passed his Technician Class exam. RQJ publishes a neat C.W. Net newsletter. KLG visited several western hams during his vacation. The Minneapolis Radio Club 29.4-Mc. Phone net has changed to Tue. at 8 P.M. Old-Timer CO richly deserved the appointment as M.C. at the Chicago National Convention dinner! QVR has been giving his new mobile a workout. TJI will be watching from Japan for Minnesota signals. QDP operated portable from Montana this summer. ØRQ and KJZ attended the Rocky Mountain Division Convention. 3HTF and family now live near Minneapolis. DHY has a new Valiant. BHA has a new Elmac. KØHNL is new on 75 meters at LeSueur. NUI reports the formation of the Hector Area Radio Club with 20 members. Traffic: (July) WØKJZ 395, GTX 163, QXF 110, KØG 109, DQL 79, RQJ 68, KØGCN 52, BTE 47, WØJG 25, UMX 25, WMA 25, HEN 22, NNG 22, BUO 16, KØEPT 16, GUJ 16, WØVQY 13, QVR 13, LUX 10, IRJ 9, LIG 9, KNR 7, KØGKI 2, WØUCV 2. (June) WØKFN 37, KØBUD 42, GKI 1.

DELTA DIVISION

ARKANSAS—SCM, Ulmon M. Goings, W5ZZY—SEC; DAG, PAM; DYL, RM; CAF. The Pine Bluff Radio Club recently held its second week-end picnic and its own Field Day. The members take along some radio gear, emergency power, antennas, etc., and have a grand time operating under emergency conditions. We think that is a very good thing to do and encourage other clubs to try it. The amateurs at Harrison have an emergency communications bus rigged up and are ready in case an emergency should arise. The ØZK C.W. Net is progressing rapidly with more new members joining in. DUV has moved from Osceola and now resides at Wilson. New hams in the section are KN5LEH, College Heights; KN5LNN, Russellville; KN5LEL, LNL, KRY and KVV, of Van Buren. FPA has a new rotor for his three-element beam. New ECs are KØHYD and GCF. Several certificates are now due for endorsement. Be sure to mail them in. We are all very glad to see K5ANF back on the air. John did not have a rig for awhile which was the reason for his absence. UED has up a new antenna. KAN has a new 6-band converter for his mobile. KRO is now mobile with an AF-67. Traffic: W5DAG 47, WSM 27, KRO 12, MWV 12, APA 6, HYD 6, ZXS 4.

LOUISIANA—SCM, Thomas J. Morgavi, W5FMO—A dance on Oct. 12 will precede the Greater New Orleans and Jefferson Parish Radio Clubs' Hamfest to be held on Oct. 13 with refreshments, prizes, games, a hidden transmitter hunt, a fish pond, an auction, new equipment display and a picnic lunch at Audubon Park, Shelter House #7 Area. ZNI now has an HT-32 driving four 837s in grounded grid. QQK is a new Official Observer. MXQ is chairman of the coming New Orleans hamfest. JPV expects to have all-band mobile working in the next few weeks. NDV reports a low traffic count. K5DDH recently returned from a trip through W6-, W7- and W8-Land. He now is planning to put up his 15-meter beam. EA reports activity in

(Continued on page 126)


A Ham's Best Friend...

The New RME 4350 Receiver

4301
Sideband Selector

4350
Receiver

4302
Matching Speaker



AMATEUR NET \$229!
Compare with *any* Receiver
Before you buy!

Dual Conversion for all Amateur Bands

At last, your long-standing desire for better controls to complement your judgment and skill has been achieved in a receiver that sells at a sensible price. Yes, all the design features you want and need for present conditions in amateur bands, and usually found only in expensive receivers, are available to you in the RME 4350. It's laboratory-engineered to give maximum performance for SSB, CW, phone DX, Traffic and contests.

Superior Design Features Cost Less . . . with the RME 4350

- **Dual Conversion.** Maximum performance results through the use of crystal-controlled dual conversion; images on all amateur bands are down 54 db or more.
- **High Selectivity and Rejection.** Even at high frequencies, you can precisely tune the signal you want.
- **Easy, Pinpoint-Precision Tuning . . . Velvet-Smooth Operation** with the E-V exclusive, new two-speed tuning control. With it, you can tune to any part of the band and then micro-scan the area or the whole dial range by means of a 75 to 1 differential planetary reduction mechanism. This mechanism is an integral part of the tuning knob.
- **A High Degree of Mechanical and Thermal Stability** has been achieved by a 6-pound, die-cast panel, welded chassis and case, widely-spaced tuning condenser plates, voltage regulation and temperature compensation of thermal-sensitive elements. As a result, there is negligible frequency shift or drift.
- **Sensitivity** is between 1 and 2 microvolts throughout the tuning range.
- **Low Noise Factor**—between 3.5 and 6, formerly unheard of in communications receivers.

*Meet "Your Best Friend" at Your
EV-RME Distributor! Write for
complete details, Dept. Q710.*



RME RADIO MFG. ENGINEERS, INC.

DIVISION OF ELECTRO-VOICE, INC. BUCHANAN, MICHIGAN




BEFORE YOU BUY or TRADE . . . SEE WARD W2FEU

Hams want to deal with reliable distributors. Ward, W2FEU, is jealous of his high standing and has a long record of service to the hams.

HE NOW PROUDLY OFFERS THE

National NC-300



Ten dial scales for coverage of 160 to 1 1/2 meters with National's exclusive new converter provision with the receiver scales calibrated for 8, 2, 1 1/2 meters using a special 30-35 mc tunable 1F band.

THE "Dream Receiver." Check the features below:

* COVERAGE

BAND DESIGNATION AND LENGTH		
160 meters	1.8 to	2.0 mc.
80 meters	3.5 to	4.0 mc.
40 meters	7.0 to	7.3 mc.
20 meters	14.0 to	14.4 mc.
15 meters	21.0 to	21.5 mc.
11 meters	26.5 to	27.5 mc.
10 meters	28.0 to	29.7 mc.
8 meters	49.5 to	54.5 mc.*
2 meters	143.5 to	148.5 mc.*
1 1/2 meters	220 to	225 mc.*

* Unable with Accessory Converters.

* CONTROLS

RF Gain and AC ON/OFF; AF Gain and RF Tube Gain Switch; Tone Control; AM-CW-SSB-ACC Switch; CW Pitch; Main Tuning; Calibration Correct; Antenna Trimmer; Crystal Calibrator ON/OFF; Limiter; 1F Selectivity; Crystal Selectivity; Crystal Phasing; Band Switch; Phono-Jack.

● ADDITIONAL FEATURES, MANY EXCLUSIVE!

High stability • sharp, medium and broad selectivity • Under 1.5 microvolts sensitivity • complete tuning and audio systems • full tube complement • longest slide-rule dial ever • 3-position 1F selector • Separate linear detector for SSB • Hi-speed tuning dial with 40:1 ratio • Exclusive RF gain provision for CW • Provision for external control of RF • Muting provisions for CW break-in • Calibration reset from front panel • Dual conversion all-bands • Crystal filter with phasing control • wide-range tone control • Selectivity at 6 db down 500 cye. 3.5 kc and 8 kc from front panel • Crystal filter at 2215 kc provides notching plus 3 bandwidth positions plus 3 1F selectivity positions.

Suggested price, without trade-in, only \$39.90 down. Cash price \$399. Slightly higher West of the Rockies. Get Particulars of the NATIONAL "Old Receiver Round-Up" Contest. Drop a line to Ward, W2FEU

ADIRONDACK RADIO SUPPLY

185-191 W. Main St., Amsterdam, N. Y.

Ward J. Hinkle, Owner

Tel. Victor 2-8350

the Audrey disaster to the extent of picking up news for the TV and BC station in Monroe, TYW, OES and OPS, has been very active on v.h.f. and u.h.f., and reports that he is getting a new NC-183 and building an s.s.b. exciter for 75 meters. He recently was appointed editor for a proposed newsletter to be published by the GNORC. According to the last report received from AIWE, he was busy handling traffic. We would like to hear that EB is back home and well again. K5GDI worked three new ones on 20 meters. ZD3, ZK1 and ZC5. He has DXCC now with 133 worked and 115 confirmed. He made 105,000 points in the April CD Party. K5DMA has modified his DX-100 with a health's recommendation in order to get away from a chirpy c.w. signal. AZM has the AREC net Sat. at 1300 on 7255 kc. BSR and SKW are putting finishing touches on a c.d. communications plan for Area 3. Send your reports in early. Traffic: K5FAA 354, W5CEZ 194, K5DGI 150, W5MWE; 92, YVW 70, JPV 20, MXQ 17, EA 14, NDV 8, K5DDH 2.

MISSISSIPPI—SCM, John Adrian Houston, sr., W5EHH—Many Mississippi amateurs participated in handling welfare messages during Hurricane Audrey. Appointments of the month are F5EE, Lee County; K5GRL, Pontotoc County; K5GRV, Itawamba County as ECs; FPI, Hattiesburg, as RM. The CAP and the Cleveland Amateur Club are planning to obtain a truck to be fitted with emergency communication gear. The Jackson Hamfest was well attended with amateurs from several states present. K5AYP won the main prize. New officers of the Tupelo Amateur Club are AMZ, pres.; EHX, vice-pres.; K5CHT, secy.-treas. Traffic: W5JHS 53, EHH 12, GG 8, K5EXG 4.

TENNESSEE—SCM, Harry C. Simpson, W4SCT—SEC; RRV, PAM; PQP, RM; IV. Congratulations to PL, our perennial BPLer, and newcomer 5RCF, who made BPL three consecutive months to earn the nice BPL medallion! PL, who hastens to assure us he has not gone s.s.b., has a new slicer which works wonders on c.w.! RM IV reminds all members of the Tennessee C.W. Net which meets on 3635 kc. at 7 p.m. CST. LPW reports he is now on s.s.b. PAM PQP says the new Nashville c.d. bus is working fine, and he would like to have a Memphis station meet the phone net sometime! The Davidson County Emergency Net has opened again. Nice bulletins were received from Oak Ridge and Memphis. Summer greetings got to Chattanooga, for a blank bulletin was received from the fine Frye ARC! KYO reports that JPH has a modulator that works well without a rectifier tube in its power supply, and TYX had a Knoxville QSO using only his co-ax connector as an antenna! UZZ reports Jackson members AYQ, SNX, UAW, TBS, TM, SBF, SZL, PKE, AWW, IOS, CBA and FSP operated UZZ/4 during Operation Alert. UZZ also is the new EC for Jackson-Madison County. Memphis operators of EM during the Alert were ASL, BAQ, BWB, BXJ, CCH, CLQ, CPM, CRP, CTA, DCH, DJO, FRB, GPZ, GRB, IQX, LVS, SCF, TIL, WBK, YMG and ZIA. Mobiles and fixed stations included ADL, ASL, BOM, CLQ, CPM, CTA, GPZ, LYG, STI, TIL, YMB, BDK, CPO, EPZ, FEB, DQH, GAQ, HHK, JXG, ODR and UDI. All net managers are reminded to register their nets with Headquarters immediately. The deadline is Nov. 1. Ask Headquarters for Form CD-85. K4JPP is a new operator at WBF. GEN is rebuilding a BC-610. GPL has a new final. YRM now has 38 confirmed on 6 meters. UWA and his XYL JNI send 73 to all Tennessee friends. They are leaving the State for two years. YMB, operating mobile on 2 meters, worked DQH for a distance of 51.5 miles! TDZ reports IKK is a new-comer from Rome, Ga., and has his kw. working on 6 meters atop Signal Mountain with a seven-element beam! EWC, HSX, HUT and SCT are working on a new RTTY project, with a friendly assist from SJJ and ACL. Traffic: (July) W4PT, 1746, W5RCP 649, W4VJ 93, POP 75, UVI 60, YRM 56, IV 48, SCT 42, BMC 29, GPL 17, TDZ 16, PAH 14, UVS 13, HKU 6, ZBQ 6, IGW 5, HSX 4, HUT 4, LPW 3, BAQ 2, GEN 1, KTN 1, KYO 1, UWA 1, WBF 1, WQT 1. (June) W4PQP 62.

GREAT LAKES DIVISION

KENTUCKY—SCM, Albert M. Barnes, W4KKW—SEC; JSH, PAMs; VJV and SUD. RM; QCD. PAM VJV reports that KPN had the best month since the start of KPN some three years ago. Thirty-one sessions were held with an average of 5.1 messages handled per session. The ten most active stations were K4JPP, K4ICN, KJP, K4GAG, SZB, UVJ, AZQ, K4ECJ, SBI and K4BPX. SBI also had the highest session of the month. RM QCD reports that KYN also had a good month; 31 sessions were held with an average per session of 8.25 messages. The most active stations were K4KIO, ZDB, JSH, K4JPP, SUD, K4CSH, BAZ, CDA, MWX and KKW. MGT is our



(Continued on page 130)

For your most exciting visit to a radio distributor, take a few hours and look over the new ELDICO line

We were tempted to start this ad with an invitation to join the hams with outstanding signals who always seem to work them from the "top of the pile." But truly, this new ELDICO line is so full of features that the excitement will start when you first fondle the dials on your distributor's shelf . . . and it will be yours to enjoy every time you throw the switch to command your operating frequency.

Two superb transmitters offer features found nowhere else in comparable units. ELDICO's SSB-100F basic exciter/transmitter and SSB-1000 kw power amplifier

are designed for outstanding performance on *all modes* of transmission — SSB, CW, and AM — with every operating provision for amateurs concentrating in any of these phases of ham radio. With the basic SSB-100F, you have an ideal medium-power rig or exciter. At any time, you can add the kw linear SSB-1000 or any other PA. Military type construction . . . integral 1" oscilloscopes in exciter and PA . . . full break-in keying . . . just look over the specs, then drop in on your ELDICO distributor to examine for yourself why ELDICO is the fastest-growing name in transmitters for military and amateur service. And don't forget: this promises to be one of the hot operating seasons for all times . . . make it an ELDICO season!



ELDICO SSB-1000

Low Drive Requirement: 3 watts P.E.P. will drive to full kilowatt. Pi-network Output: Single knob bandswitch. High-efficiency silver-plated Pi-network output circuit. Matches wide range of antenna impedances.

High Harmonic Attenuation: High-Q plate and grid circuits and Pi-network output circuit provide maximum harmonic-attenuation.

Power Rating: DC Input C.W. 1000 watts, A.M. 700 watts

Peak Envelope Power:
Input SSB-1000 watts

Output SSB-625 watts

Frequency Range: 10 thru 80 meters.

Tube Lineup: 9 tubes; two 866, two OA2, one OB2, one 6AU6 one 1CP1, two 4 x 250B.

ELDICO SSB-100F

Type of Emission: C.W. — A.M. — SSB
Power Ratings: DC average input SSB-100 watts; A.M. input (two tone test)—60 watts. Peak envelope power input SSB-144 watts. Peak envelope power output SSB-100 watts.

Keying: Grid block, full break-in.

Harmonics and Spurious Responses: Spurious mixer products—50 db or more down. Third order distortion products—35 db or more down. TV interference suppression—40 db or more second harmonic, 60 db or more higher harmonics.

Unwanted Sideband and Carrier Suppression: 50 db minimum attenuation, through low frequency crystal lattice filter.

Frequency Stability: Control Oscillator—(800 to 1300 kc) ± 100 cycles after two minute warm up period. Output frequency—within 300 cycles after five minutes warm up period. Dial accuracy ± 2'kc after calibration.

Tube Lineup: 22 tubes, including two rectifiers, two voltage regulators, one oscilloscope and one 5894 power amplifier.

ELDICO
ELECTRONICS


Write W2BFY for additional details
if your distributor can't assist you.

29-01 BORDEN AVENUE, LONG ISLAND CITY, NEW YORK

A Division of Radio Engineering Laboratories, Inc.

New! A SELF-SUPPORTING Trap Vertical Series

FACTORY PRE-TUNED & PRE-ADJUSTED
for Quick, Easy Assembly





Completely

\$16.95
Ham Net





2-6 Meters

MODEL 26-AV


Here's hy-gain's recently designed Automatic Vertical for the 2 and 6-meter bands, with the startling new "sleeve decoupling" principle. Complete with ground plane at only \$16.95. Over-all height of Vertical and length of ground plane is 5 ft. Less than 2:1 SWR on both bands. 52 ohm coaxial feed. Complete instructions.



The new "Capacity Hat," a unique feature with hy-gain, electrically lengthens the vertical and increases radiating efficiency. Included with both the Models 14-AV and 18-AV.




Radically new. Decoupling Sleeve automatically isolates the various sections of the Model 26-AV Vertical, developing quarter-wave resonance on each band. Complete ground plane is also dual resonant for both bands. Totally unaffected by the weather; extremely efficient at high frequencies.




MODEL 12-AV

The hy-gain Automatic Trap Vertical for automatic coverage of the 10, 15 and 20-meter bands. Sensational Insu-Traps isolate various sections of the vertical, developing quarter-wave resonance on each band. 52 ohm coaxial feed. Less than 2:1 SWR on all bands. Overall height: 14 ft. No "guess-work" assembly, with hy-gain's step-by-step instructions.

Model 12-RMK: Combination Radial and Guy Wire Mounting Kit, designed to mount the 12-AV Vertical. Complete with 5' 11/2" steel mast, pre-cut radials which also act as mast guy wires, all hardware and base mount: \$8.95.



A new feature of all four Automatic verticals, this Base Insulator and Mount makes possible the self-support of the beams, Heavy duty cast aluminum mounting bracket is adjustable for various sizes of masts, with weather-protected internal coaxial fitting. Insulator is fiber glass impregnated nylon. All electrical connections factory sealed. Entire unit is completely weather-sealed.



MODEL 14-AV

The hy-gain Automatic Trap Vertical for automatic coverage of the 10, 15, 20 and 40-meter bands. Sensational Insu-Traps isolate various sections of the vertical, developing quarter-wave resonance on all bands. Includes the hy-gain "Capacity Hat." Overall height: 21 ft. 52 coaxial feed. Less than 2:1 SWR on all bands.

Model 14-RMK: Combination Radial and Guy Wire Mounting Kit, designed to mount the 14-AV Vertical. Complete with 5' 11/2" steel mast, pre-cut radials which also act as mast guy wires, all hardware and base mount. Detailed instructions for easy assembly: \$9.95.



MODEL 18-AV

The hy-gain Automatic Trap Vertical for automatic coverage of the 10, 15, 20, 40 and 80-meter bands. Sensational Insu-Traps are used to isolate the various sections of the vertical, developing three-quarter wave resonance on the 10 and 15-meter bands, and one-quarter wave resonance on the 20, 40 and 80-meter bands. 52 ohm coaxial feed. Less than 2:1 SWR on all bands. Complete with side mount kit; may be side-mounted at 18 foot height; completely self-supporting; above 18 ft. Overall height: 38 ft. Complete instructions for all conceivable ground or building mountings.

Exclusive new Insu-Trap concept in parallel resonant trap circuits obscures old fashioned open-type coils. Effectively isolates various sections of the 12-AV, 14-AV and 18-AV so that an electrical resonant length exists on bands 80-10M. The only adjustable, completely weatherproof trap. Adjustable capacitor color coded for Fone or CW. Hi-Q coils wound on high impact styron forms, also acting as low power factor dielectric for capacitors. No air dielectric involved. Assembly completely enclosed in weatherproof polyethylene cover.

Send for Detailed Brochure . . . Now

**THE ONLY ANTENNA LINE STOCKED INTERNATIONALLY
AT LEADING DISTRIBUTORS . . . EVERYWHERE!**



1828 N STREET


LINCOLN, NEBRASKA

VALLEY Electronic Supply Co.

STORES IN
BURBANK AND VAN NUYS, CALIF.

"Serving
the West"

HY-GAIN



3 ELEMENT TRI-BAND

Pre-tuned, pre-matched,
pre-adjusted. Full KW
all bands. 1 yr. guarantee.

Amateur Net: **\$99.75**

VALLEY ELECTRONIC IS THE "FINAL WORD!"

Trade-Ins. Save time, money. Get the "final word" from Valley first! Equipment. All the top name equipment first. Service. Over 200 years of combined ham experience.

FREE! Novice classes at both stores!
Hundreds have graduated to date.

Phone for details.

Some prices slightly higher west of the Rockies



VALLEY ELECTRONIC SUPPLY CO.
1302 W. Magnolia, Burbank, Calif.
Victoria 9-4641
17647 Sherman Way, Van Nuys, Calif.
Dickens 2-5143

most active OO with OMW running a close second. K4HTO/W4JUI, is a father-son combo very active on 6 meters. Listen for them! New OPS: K4IMW. New ORS: 1AY. KN4QPB is a new ham in Paintsville. The following hams visited W4JOU in Hazard: K4ICN, K4BPX, K4GAG, BAX, K4ECJ, K4HBF, K4MNF, K4EMH/4, and KN4KZB. K4KIN is stationed at Norfolk, Va. ATTENTION NOVICES! MWX is now holding Kentucky Novice Net (KNN) every Tue. night at 8:30 CST ON 3735 kc. Here's your chance to get started in a slow-speed traffic net. K4KIO is doing well with 9 watts on 40 meters. NIZ sends May, June and July reports together. RHZ did very well with the local C.D. Alert. K4OCH is the club call of the Warren County Radio Club, also the c.d. station on 6 meters. K4JGN is QRL the school band. KKG has too much grass to keep cut. Hi! KZF is active in the ARRL IGY-PRP program for 6 meters. K4HTO worked Guatemala on 6 meters. OMW is putting up a tri-band beam for 10, 15 and 20 meters. Traffic: W4KKW 101, K4KIO 133, W4JSH 119, QCD 109, RPF 36, K4HBF 70, OCH 61, W4NIZ 56, RHZ 36, SZL 14, K4AIS 13, W4MWX 13, HJL 12, BZY 11, K4JGN 11, KIN 8, W4KKG 3, KZF 2, K4HTO 1, W4OMW 1.

MICHIGAN—SCM, Thomas G. Mitchell, W8RAE—Please note that this report contains July and June traffic totals as well as those late May receipts, which were omitted in last month's report because of a July vacation which is now history. ELW and FWQ qualified for BPL certificates in June and July to help swell our traffic totals. Because of a change of policy relative to the appointment of Assistant SCMs it has been necessary to terminate such appointments for AQA and SCW, who have been active in that capacity for several years. Many thanks to them for their valuable help. The section is the beneficiary of their efforts. The second meeting of the Area RACES Officers was called by the State RACES Officer for the purpose of furthering the RACES organization in Michigan. This group is to be known as the MICHIGAN AMATEUR RADIO EMERGENCY COMMUNICATIONS CLUB, or MARECC, and will serve as the staff of the State RACES Officer. During that meeting on July 27 and 28 much was accomplished in line with rewriting the existing Michigan RACES Plan. Two important changes that can be announced at this time are the deletion of any assignment(s) in the 160-meter band and the assignment of 29.610 Mc. as the state-wide mobile frequency. (All mobile operation in RACES will be on that single frequency in order to provide depth of communications for mutual support.) The latter will probably evoke criticism, but the decision was based on sound reasoning and experience. Though our participation in OPAL 1957 was limited, it did indicate our potential with proper organization and training. Thanks to all stations that participated. My thanks to all for the various picnic invitations. My schedule has not seemed to allow attendance at any of them this year. Traffic: (July) W8ELW 906, FWQ 181, ILP 155, GKT 150, QOQ 144, NUL 98, YAN 52, RVZ 49, FX 42, FGB 31, NAW 26, HKT 23, OGY 22, NOH 16, DAP 15, WXO 14, AUD 13, DSE 12, QIX 8, UCN 3. (June) W8ELW 742, FWQ 178, NOH 110, NAW 104, ILP 103, DAP 100, NUL 92, OCC 71, YAN 57, FX 32, PXA 25, RVZ 19, TBP 19, AUD 14, WXO 14, OGY 13, QIX 8, FGB 5, HSG 5, SCW 5, EGI 4, OCU 4, HKT 3, DSE 2. (May) W8GKT 165, FGB 51, RTN 28, TBP 23, SCW 14, TIN 2, SJF 1.

1957 MICHIGAN QSO PARTY

October 12-13

Amateurs everywhere are invited to participate in a Michigan QSO Party, jointly sponsored by the Michigan Emergency Net and the Buzard's Roost Net to assist those working for the Michigan Wolverine Award. (Rules for obtaining this certificate appeared on page 51 of last July QST.)

The party will begin at 12:00 P.M. EST October 12 and continue until 12:00 A.M. EST October 13. Michigan stations will indicate their counties, but amateurs elsewhere are not required to transmit any specific information.

Logs should be sent to the Grand Rapids Amateur Radio Association, P. O. Box 333, Grand Rapids, Michigan.

OHIO—SCM, Wilson E. Weckel, W8AL—Asst. SCM: J. C. Erickson, 8DAE. SEC: UPB. RMs: DAE and FYO. PAMS: FNN, HPP, HUX and HZJ. RO spent his vacation on a lake freighter to Duluth and return. K8s DLJ, DVJ and AQU received their Gen-
(Continued on page 134)

JAMMED PACKED WITH ACTION!



Ask the man that has one.
More features than all other converters combined!
Write for complete information . . . PRICE only \$149.00

The **HAMMARLUND HC-10** **SSB/CW AM/MCW CONVERTER**



HAMMARLUND MANUFACTURING COMPANY, INC., 460 W. 34th ST., N. Y. 1, N. Y. • Export: Rocke International, 13 E. 40th St., N. Y. 16, N. Y. Canada: White Radio, Ltd., 41 West Ave. N., Hamilton, Can.

HARRISON

IS HEADQUARTERS

for HAMMARLUND

Offering advanced features, well engineered, produced to highest standards of quality, all at amazingly low prices! Here's the best place to get this sparkling new receiving equipment by one of the oldest and best manufacturers.



HQ-110

The newest! Dual conversion on 6, 10, 15, 20 and 40, single on 80 and 160. Crystal oscillator, and calibrator. Q Multiplier. Automatic Auto-response audio system. Top Ham Value! You can be enjoying this FB new receiver while paying only

\$17 a month.

(Even less, if your trade-in and down payment is more than \$25 and the low carrying cost!)

With control clock, \$10 more.
Matching speaker - \$14.95.

HQ-100

Excellent performance, at lowest price! Covers .54 to 30 MC, with calibrated bandspread of Ham bands. Has Q multiplier, Auto-response, etc. it's yours for only

\$12 a month,

with down payment of \$25 and low carrying cost.




With control clock, add only \$10.
Matching speaker - \$14.95.
Crystal calibrator - \$15.95.

FOR QUICKEST DELIVERY—

send me your order right now! A deposit of only \$5 (returnable any time you say) will start fast action. If you have a trade-in, tell me all about it so I can give you the very highest allowance. Mention the approximate terms you would like, and give employment and credit references.

Prompt, safe shipment to most anywhere in the world, or, you can "Come and get it!" and take it safely home with you.



HQ-150

Here's all the FB features of the famous HQ-140-XA, PLUS Q Multiplier, crystal calibrator, clear-sight S meter, etc. You can get the pleasure of operating it now, while paying only

\$22 a month!

(Even less, if down payment and trade-in comes to more than \$30 and low carrying cost.)

Matching speaker - \$14.50.

Our big Jamaica Store
is Ham Headquarters for
ALL LONG ISLAND!

Conveniently located on Hillside Ave.
at 145 Street. Easy parking.
Open Friday nites 'til 9.
Republic 9-4102

HARRISON

Ham Headquarters Since 1925

225 GREENWICH STREET
NEW YORK 7, N.Y.

PHONE ORDERS - BARCLAY 7.7777

LONG ISLAND - 145 24 Hillside Ave. Jamaica

ALL ROADS LEAD TO HAM HEADQUARTERS, U.S.A.!

because here, in the World's largest trading center, you can get more for your money! Our tremendous volume gives you the benefit of truly lowest overhead per transaction. You get the greatest values, the latest improved equipment, the lowest prices, the easiest terms, the "hottest" trade-in deals, all with the friendliest personal and helpful Service.

Hurry on in! With the new highways, it really isn't much of a drive, from even Maine, Ohio, or Virginia! Easy parking. Bring along your old gear, for my tip-top allowance. I guarantee you'll go home delighted.

73, Bil Harrison, W2AVA

From South and West: Thru New Jersey, leave Holland Tunnel in "Downtown" exit lane, continue straight down for 12 blocks.

From North: Thruway exit 7, Saw Mill River Parkway, (or George Washington Bridge), down Henry Hudson Parkway and West Side Highway. Exit at Chambers St., left on Chambers 3 blocks to West Broadway, right 4 blocks.

From New England: Merritt Parkway, to West Side New York via Henry Hudson and West Side Highways. (See "From North")

From Long Island: Via Brooklyn-Battery Tunnel, right on West St. 9 blocks to Vesey St., right 2 blocks to Greenwich St., left 1/2 block.

Via Tri-Boro, Queensboro, or Midtown Tunnel: East River (F.D.R.) Drive downtown, and around thru underpass tunnel to Brooklyn Tunnel entrance, but continue straight up West St. 9 blocks to Vesey St., right 2 blocks to Greenwich St., left 1/2 block.

All New York SUBWAYS can bring you to Ham Headquarters, U.S.A.!

IRT, Lexington Ave. Express to Fulton Street station, up Broadway to Barclay St., left 2 blocks.

IRT, 7th Ave. Express to Chambers Street station, down West Broadway 4 blocks.

IND: Take A, AA, CC, or D train to Hudson Terminal (Chambers St.), one block west on Barclay St.


BMT 4th Ave. line to City Hall Station, walk two blocks west on Barclay St.

It's even easy by TRAIN!—Penn Station: Take IRT Subway Express downtown 2 stops to Chambers St.

Grand Central Station: Take IRT Express downtown 3 stops to Fulton St.

Hudson Terminal: Fulton St. exit, left 1 block to Greenwich St., right 1/2 blocks.

Barclay St. Ferry: 2 blocks east to Greenwich St.



HC-10

Want to turn your present receiver into the sharpest, slickest, SSB/CW/AM/MCW job, one which can hold its own with the very best of them? Just plug this new HC-10 Converter into the 450 to 500 KC IF output tube socket, and connect your speaker!

It has T-slot filter, vernier passband tuning, noise limiter/squelch, linear product detector, stable BFO, adjustable decay AVC, IF amplifier, internal power supply, etc. to add every modern feature to your receiver. Uses 10 tubes.


TRY ONE, and you'll be convinced! It's well worth the \$149 investment. Especially when you can get it for only \$24.92 down, and 12 monthly payments of \$11, which includes all carrying cost.

ASK FOR COMPLETE LITERATURE ON ANY HAMMARLUND PRODUCT

The world-famous HARRISON TRADE-IN CENTER

is the greatest! Come, pick your choice from the hundreds of like-new trade-ins, all money-saving bargain price tagged! Easy terms, trades.

Come, sit in this chair...
 try out the new hallicrafters SSB gear,
 ...and perhaps win the entire station!



You are cordially invited . . .

All during October, you have an opportunity to win an SX-101 Receiver, and an HT-32, HT-33 Transmitter, in the big

HARRISON - hallicrafters SSB CONTEST

Here's how:

1. Come to Ham Headquarters, USA, and operate this FB new SSB station.
2. On our entry card, write up to 25 words telling what you like about this new hallicrafters SSB equipment.

NOTHING TO BUY!

NO OBLIGATION!

(I just want you to try out this rig, because I know you will then want it in your own shack!)

BCNU. 73, *Bil Harrison W2AVA*

OPEN DAILY AND SATURDAYS 8:30 TO 6:15 WELCOME!

IT'S EASY TO ENJOY IT, NOW!

- SX-101** — Almost any receiver traded in will cover the down payment, the balance can be retired at around \$18 a month.
- HT-32** — Only \$29 a month can make this yours! Even less, if your down payment (or trade-in) is more than \$95 and the low carrying charge.
- HT-33** — What easy terms would you like? I will tailor them to fit your budget.

Just received some fresh ones. But, they go fast! If you will send a small deposit (returnable any time you say) now, then I can reserve your choice for you while we are arranging credit, and a trade-in deal that I guarantee will make you very happy! TNX

HARRISON BIG BONUS PRIZES AND CASH FOR WINNERS!

No need for you to miss even one day of the fun of using this equipment in your own shack, because winners of our contests who have bought any of this equipment from us during October can have their cash back instead, and, IN ADDITION, Harrison will give each a valuable BONUS PRIZE!

YOU'RE A WINNER . . . EVERY TIME YOU DEAL WITH HAM HEADQUARTERS, USA!

You can also enter the SEPARATE CONTEST AT OUR JAMAICA STORE (Open Fridays til 9 PM) Harrison always gives you MORE!

HARRISON

Ham Headquarters Since 1925

225 GREENWICH STREET
 NEW YORK 7, N.Y.

PHONE ORDERS · BARCLAY 7-7777
 LONG ISLAND - 144 24 Hillside Ave., Jamaica

JUDGING

for the winners of the TWO SX-101 Receivers will be conducted in our New York store on Saturday, Nov. 9th, by a panel of prominent Amateurs. The winning entries will then be forwarded to hallicrafters for judging in their national contest for the HT-32, HT-33 prize.

YOUR DISTRIBUTOR Has the NEW De Luxe Tecraft CASCODE CONVERTERS FOR 6 AND 2 METERS

These NEWLY DESIGNED crystal controlled converters retain all of the features which have made the Model CC5 famous, and provide, in addition:

VARIABLE RF GAIN . . . to help control cross-modulation.

ADJUSTABLE IF FREQUENCY TRAPS . . . to attenuate unwanted signals at the IF frequency. (Feed-thru)

HIGH FREQUENCY .005% CRYSTALS . . . To limit spurious responses and provide extreme calibration accuracy.

COMPLETE ISOLATION OF OSCILLATOR CHAIN FROM RF AMPLIFIERS . . . achieved thru the use of L/C filters in all power wiring, and complete shielding.

MODEL CC50 6 meters **\$44.95**

MODEL CC144 2 meters **\$44.95**

Write us for literature



The Equipment Crafters, Inc. 523 WINNE AVE., RIVER EDGE, N. J.
COlfax 2-0159

eral Class tickets. IUC and his XYL took a trip into Northern Michigan. The Toledo Mobile RC is looking for a meeting place. Suggest you contact your local Red Cross chapter, for it is you mobile boys they want to tie in with if ever you have a local emergency. OQR, SUP, MQQ and NBD have their 2nd-class commercial tickets. DN has a new Gonset 6-meter Communicator. TPD is now mobile with a new Elmac AF-67. RZM is Toledo's ham of the month and his XYL is RZN. The Dayton ARC's VHFest was attended by 119 hams plus their families. There were 108 prizes. SVI and RVH are building 420-Mc. gear. There are about 75 stations on 6 meters in the Dayton Area. RKR moved to Minnesota and TPL to California. INQ, NAF, K8s BOW and BOZ attended the V.H.F. Picnic in Columbus. AQ vacationed in Maine. OJZ has a new Viking II. TTJ has a new mobile rig on 10 meters. UZN has an SX-101 and a new Johnson 500. WTO has a new Gotham V-80 vertical. KN8HBA is a new ham in Hamilton. BIM has a new Johnson 500. QZH has his General Class ticket and a 600 Lipco. TND has a Cesco phone patch. YAD, who now lives in W2-Land, visited Canton. MWL has a new Drake phone patch. WJB has a new 20-meter beam. K8AKU has a new D104 mike. QVK is back on the air after being off for five years. Massillon's new ham is KN8GZT. VYU was in boot camp at Great Lakes for two weeks. Your SCM attended the Hocking Valley RC's Picnic, where more than one hundred amateurs and their families were present, with LG's XYL, PRT, GCN, VDA and BPI winning the five major prizes. OOU is experimenting with antennas. KN8CLP has a new SX-101. TCT spent one week of his vacation in the hospital for a complete check-up and built a 220-Mc. converter. LMB vacationed in Michigan. Columbus ARA's *Carascope* tells us that IBX and K8ANX have new Viking Valiants; VOW worked an FP8 and a KG6 for two new ones on 15-meter phone; AV received a famed FS7RT QSL; those taking part in Operation Alert were FYW, ZQX, ZCK, VHO, GKQ, ZCQ, RTF, ABM, MRC, QDH, VFI, IJ, KVZ, VFO, IKB, K8CUN, AND KN8GMS; states confirmed on 6 meters are NVI with 38, FOU with 24 and HOF with 20; WRN has 23 confirmed on 2 meters; 9JGL and son, K9AGU, have moved to Columbus. K8CRY and son, K8CTD, have their General Class tickets and a Viking Valiant. UPH and CSK made the BPL in July. New appointments are FNN as PAM, HPP as OPS and OOU as GO. TZO and his XYL, K8BOF, have a new son. The South East ARC's new amateurs are KN8s GEK, GGU, GGV, GGW, GGX, GGY, GHR, GIH, GJE, GJI, GJJ, GJK, GKC and GKD. PBZ's XYL is KN8JI and his daughter is KN8GGU. The South East ARC meets the 2nd Tue. of each month. We hope this finds UWM fully recovered from his operation. DOG, in seven years, is responsible for fifty General Class licenses. K8CFA is a psychiatrist. CTZ spent his vacation in Florida. K8AEC worked KC4USK on 40-meter s.s.b. The Marietta ARC is working on a club transmitter. MGC installed a W3DZZ tri-band beam for 10, 15 and 20 meters. The Cuyahoga County AREC has a storm warning network tying six individual nets on 10 meters and five nets on 6 meters with a portable station at the Weather Bureau. On July 24 a storm alerted QLB, NRI, AEU, VJA, LHX, PTT, BEN, PVC, TXZ, TFW, GHT, DGK, HXL, CPZ, AAG, BFT, VFU, OXS, OED, IEH, AJH, UGB, CFH, OPX, NND, SLF and K4IWM/M8. PLQ took part in the V.H.F. and Field Day contests. Traffic: (July) W8UPH 913, CSK 329, K8AEC 278, W8CGF 168, K8BPX 133, W8DAE 99, WTO 81, HZJ 68, AL 44, VDA 40, SZU 37, K8DDG 34, W8VYU 24, IBX 16, RO 16, LZE 14, QIE 12, VVX 11, QOD 6, STR 5, MGC 4, AQ 2. (June) W8VDA 64, SYD 13, WTO 13, PLQ 7, KN8BUT 1.

HUDSON DIVISION


EASTERN NEW YORK—SCM, George W. Tracy, W2EFU—SEC: KGC, RM: BXP, PAMs: IJG and NOC. Section Nets: NYS on 3615 kc. at 1900, NYSPTEN on 3925 kc. at 1800, SRPN on 3980 kc. at 1130, IPN on 3970 kc. at 1530, MHT on 3718 kc. Sat. at 1300. New appointments: ERO as GO, K2UYK as ORS. The SRPN and IPN picnic was held at Warners Lake July 20 with over 30 members attending. Ditto for the NYSPTEN picnic at Green Lakes State Park, Syracuse on Aug. 3. K2DEM was a radio counselor during the summer at Furnace Woods Camp at Peekskill, also handling traffic. ANB reports his RTTY receiver is working fine but more work is necessary on the transmitter. Those heard from Overlook Mountain during the June V.H.F. Party included: JFB, LWI, K2HBN, UKB and VYV. LWI has a new three-element beam for 6 meters and is working on a p.p. 4-65A amplifier for 2 meters. The Capitol District boys had a 6-meter mobile get-together on Mt. Graylock in July, which included IVVD, K2BSB, CBA, IUX, LVZ, OXU, RYG, TDB

(Continued on page 138)

*
Adirondack Radio, Amsterdam, N. Y.; A & F Electro Mart, Milwaukee, Wis.; A G Radio Parts, Elkins Park, Pa.; Alco Electronics, Lawrence, Mass.; Amateur Radio Equipment, Wichita, Kans.; Amateur Radio Supply, Seattle, Wash.; Arday Electronics, Louisville, Ky.; Bluff City Distributing, Memphis, Tenn.; Bob & Jack's Store for Hams, Des Moines, Ia.; Ham Burger, Philadelphia, Pa.; Burghardt Radio Supply, Watertown, So. Dak.; Burstein-Appelheer, Kansas City, Mo.; Busacker Electronics, Houston, Tex.; C & G Radio, Tacoma, Wash.; Chester Electronic, Kenosha, Wisc.; James W. Glary Co., Birmingham, Ala.; Crabtree Wholesale Radio, Dallas, Tex.; Curie Radio, Chattanooga, Tenn.; & Huntsville, Ala.; Custom Electronics, Dayton, Ohio; Demambro Radio, Boston, Mass.; Denison Radio, Denison, Tex.; Ebinger Electronics, St. Louis, Mo.; Electronic Distributors, Muskegon, Mich.; Electronic Equipment & Engr., Corpus Christi, Tex.; Electronic Supply, Melbourne & Miami, Fla.; Electronic Supply, Battle Creek, Mich.; Electronic Wholesalers, Washington, D. C.; Elliott & Hanson, Rochester, Minn.; Elmar Electronics, Oakland, Calif.; Evans Radio, Concord, N. H.; Farnsworth Radio & TV Waterloo, Ia.; Freck Radio & Supply, Asheville, No. Car.; Green Mill Radio, Chicago, Ill.; H & H Electronic, Rockford, Ill.; Harrison Radio, New York, N. Y.; Harris Radio, Fon Du Lac, Wisc.; Henry Radio, Butler, Mo., & Los Angeles, Calif.; Industry Services, Arlington, Va.; J & M Radio & TV Supplies, Rockford, Ill.; Ken-Els Radio, Cedar Rapids & Fort Dodge, Ia.; Klaus Radio & Electric, Peoria, Ill.; Meyers Electronics, Bluefield, W. Va.; Northwest Electronics, Spokane, Wash.; Payette Radio, Montreal, Can.; Peard Electronic, Jacksonville, Fla.; A. A. Peters Electronic, Allentown, Pa.; Pioneer Electronic, Cleveland, Ohio; Portland Radio, Portland, Ore.; Premier TV Radio, Chicago, Ill.; Prestwood Electronic, Augusta, Ga.; Radio Distributing, Harrisburg, Pa.; Radio Equipment, Norfolk, Va.; Radiolab, Kansas City, Mo.; Radio, Tulsa, Okla.; Radio Parts, Milwaukee, Wisc.; Radio Supply, Richmond, Va.; Radio & Television Clinic, Baltimore, Md.; Radio Tron Supply, Des Moines, Ia.; Reno Radio, Detroit, Mich.; Rogers Radio, Denver, Colo.; Roswell Electronic, Cambridge, Mass.; Sacramento Amateur Radio & TV, Sacramento, Calif.; San Francisco Radio & Supply, San Francisco, Calif.; Southern Radio, New Orleans, La.; Southwest Wholesale Radio, Phoenix, Ariz.; Tydings Co., Pittsburg, Pa.; Uncle George's Radio Ham Shack, Silver Spring, Md.; Universal Service, Columbus, Ohio; Valley Electronic, Burbank & Van Nuys, Calif.; W & W Distributing, Memphis, Tenn.; Walker-Jimison, Gary, Ind.; Young & Young, Lawrence, Mass.; Yukon Radio, Anchorage, Alaska; X-Ray Electronic, Springfield, Mo.; World Radio Laboratories, Council Bluffs, Ia.

Now, increased safety factor through use of the 4-400A Final Tube

Globe King 500B



A bandswitching transmitter for 540 watts on fone and CW; 540 watts on SSB (P.E.P.), with 10W external exciter.

Outperforming any rig in its price and wattage range, the King bandswitches 10-160M in a 31x22x14 3/4" handsome cabinet, especially designed for TVI-suppression. The Transmitter is relay controlled; includes a built-in antenna relay; built-in VFO; and separate power supply for modulator section, allowing better overall voltage regulation. Commercial-type compression circuit keeps modulation at high level. King features grid-block keying for signal clarity. Pi-network matches most antennas, 52-600 ohms. Provisions for crystal operation.

Cat. No. 145AF001—Wired & Tested.....\$725.00

All WRL Electronics Transmitters operate on most CAP and MARS frequencies.

Globe Scout 680




65 watts CW; 50 watts on fone, plate modulated.

A compact, self-contained, bandswitching transmitter for operation of the 6 through 80 meter bands, with built-in power supply. High level modulation is maintained. TVI-suppressed cabinet. Pi-network output on 10-80M; link-coupled on 6M, matching into low impedance beams. New type, shielded meter. Globe Scout 65 is identical, except bandswitching 10-160M. Size: 8x14x8".

- Model 680
- Cat. No. 145AF007—Kit.....\$89.95
- Cat. No. 145AF006—Wired & Tested...\$109.95
- Model 66
- Cat. No. 145AF005—Wired only.....\$99.95

FCDA Certified on factory wired and tested models for crystal controlled operation.

Globe Champion 300



A bandswitching, 10-160M, Transmitter for 350 watts CW, 275 watts fone, and 300 watts SSB (P.E.P.), with any 10W external exciter.

The single-switch bandswitching Champion is extensively TVI-suppressed, filtered and bypassed. High level Class "B" modulation is sustained without usual clipping distortion through use of a new commercial type compression circuit. Pi-network output circuit, 48-700 ohms, built-in VFO, push-to-talk, antenna changeover relay, and improved Time Sequence keying are all features. 1000 volt plate capacity of Final tubes offer 33 1/3% safety factor. Only 12x21 3/8x17" in size, self-contained.

Cat. No. 145AF011—Kit.....\$375.00
Cat. No. 145AF010—Wired & Tested\$449.00

Globe Chief 90



A completely bandswitching, 90 watt transmitter for 10-160M.

Here's a compact, 8x14x8", sturdy rig with well-filtered, built-in power supply. Pi-network matches most antennas from 52-600 ohms. Modified grid-block keying is employed for maximum safety. Has provisions for VFO input and operation. Kit form includes complete manual and all tubes and parts. Meter and cabinet carefully shielded for reduction of unwanted TVI.

- Cat. No. 145AF013—Kit.....\$54.95
- Cat. No. 145AF012—Wired & Tested.....\$67.50


Guaranteed
FOR ONE FULL YEAR

SEE YOUR NEAREST DISTRIBUTOR
MOST OF THEM CAN OFFER TIME-PAYMENTS TO SUIT YOUR BUDGET

WRL Electronics

34th & BROADWAY
COUNCIL BLUFFS, IOWA

KINKADE RADIO



for the top
performing
Amateur
kilowatt...
Collins
KWS-1

Unmatched performance, accuracy and stability characterize the Collins KWS-1 in SSB, AM or CW operation. Extremely accurate 70E VFO. Pi-L output network. Collins Mechanical Filter. See us about generous trade-in allowance and time payment terms. KWS-1 kilowatt Transmitter,
Net Price -----\$2,095.00

75A-4 SSB Receiver



Designed expressly for operation on the 7 HF Amateur bands. Features AVC on SSB and CW, separate detectors for AM and SSB, passband tuning, rejection tuning, Gear Reduction Tuning Knob, superior selectivity and many other time-proven Collins features. 75A-4 Receiver, Net Price -----\$695.00

KWM-1 SSB Mobile Transceiver



First mobile transceiver in the Amateur field — 175 watts PEP input, 14-30 mc. Use for mobile or fixed station without modification.
KWM-1 Transceiver, Net Price -----\$770.00

For complete information, accessories, terms, trade-ins, write:

KINKADE
RADIO SUPPLY, INC.
1707 Grand Central Ave., Tampa 6, Fla.

and YWH. Nearly 15 mobiles were present. This group monitors 50.7 Mc. for contacts or use during an emergency, so call in when you can. K2PRB now is modulating his AT-1 and building a BFO for his CD-2 to grab some 2-meter c.w. stations. 813s in p.p. are now being used by ZBS in his s.s.b. rig. Among those receiving their General Class tickets are K2YTD and UPD. An emergency call from West Morocco for a special medicine was handled by KFA and flown back by commercial airline. Another mercy mission successfully handled by amateur radio. Congratulations. Traffic: W2EFU 203, PHX 157, K2HPQ 94, W2ATA 86, K2DEM/2 72, LK1 58, EIU 35, MBF 32, UYK 31, W2GDD 14, K2RKY 10, KN2YTD 10, W2ANB 5, TYC 2.


NEW YORK CITY AND LONG ISLAND—SCM. Harry J. Dannals, W2TUK—SEC: ADO. PAM; OBW. RM: WFL. Section Nets: NLI, 3630 kc. nightly at 1930 EST and Sat. at 1915 EST. NYC-LIPN, 3908 kc. Mon. through Sat. from 1730 to 1830 EST. NYC-LI AREC, 3908 kc. Sun. at 1400 EST. BPL cards go to W2s KEB and KFV and K2s ECV and PHF as the traffic nets continue their fine work. The NYC-LIPN handled 374 messages. Attendance on the NYC-LI AREC Net continues to be very good with many messages being handled. The Nassau County 10-Meter AREC Net has introduced a visiting program for alternate net nights. The mobiles visit the various home stations. K2PHF increased power with a Globe King transmitter. BO had to discontinue his mobile operation temporarily while recovering from a back injury. K2DEM/2, at camp in Peekskill, handled traffic on 75 meters with a Viking II and an HQ-129X. JGV is active on 144 Mc. with a Communicator and stacked co-plane antenna. IAG operated 75-meter mobile while on vacation. K2EQH is net control for the newly-formed V.H.F. MARS Net. LGK built a transistorized Conelrad monitor. K2AAW vacationed in Virginia. WAC on s.s.b. has been completed by K2OIL. IVS is enjoying mobile operations, especially after contacts with KZ5 and YV5 from the car. TUK now runs a Phasemaster II and P-400-GG linear amplifier into a two-element Gonsat Bantam beam and keeps daily skeds on 14-Mc. s.s.b. with his dad, GG/4. JCA is awaiting the arrival of a new HT-32 rig. K2AZT is increasing his 50-Mc. mobile power from 7 to 50 watts. SEU is a new station heard on 6 meters. K2QFV is using v.o.x. on 50 Mc. and is now building a 4-125A final for that band. A new 75A-4 and a two-element beam for 20 meters have been added to the station of K2MYW. K2MEM has a new NC-109 receiver which helps his traffic total to climb. GZD is mobile with 120 watts and a tri-Band converter. WN2HQJ is active from Islip with an AT-1 and NC-98. Several of the Amateur U.H.F. Club of Jamaica members are active on 420 Mc. K2s TTA and VMY have a new Viking Valiant and SX-101. A new station in Huntington is WN2HPJ. K2DDK had to take down his v.h.f. antenna but he still is active on the h.f. bands with a DX-100. 9FD1/2 is using a Harvey-Wells T-90 for his mobile rig. AEV sports a new Viking Ranger. K2TNM dropped the "N" and added a new Globe Scout and Matchbox. It is with deep regret that I report the death of K2MFD, ex-president of the Nassau KC and a personal friend of your SCM. Len will be missed by his many amateur friends. BTP and OBW made a trip to Bermuda in the M/S Stormy Petrel and worked on 10 and 15 meters as BTP/MM. K2PWH is now building a frequency meter suitable for use on 6 meters. K2BSU is now on 50 Mc. with a Teleraft converter and low-power rig. As an indication of mobile activity on 10 meters, your SCM kept count of the mobiles worked and the figures are interesting. In eleven weeks of mobiling on 10 meters, 100 different local mobiles were contacted. Has anyone surveyed the local mobile concentration on other bands? As the fall operating season approaches, you are invited to take part in the many ARRL nets and activities. Your SCM would like to visit your club. Please write and arrange a date. Traffic: (July) W2KEB 2033, K2ECY 705, PHF 511, W2KFV 507, BO 164, K2LUM 108, W2AEE 73, K2DEM/2 72, W2IGV 68, K2KQG 65, PAI 55, KSP 53, SEK 35, W2HAC 18, K2EQH 13, W2IAG 13, LGK 12, PF 11, GME 10, DRD 9, K2MEM 8, TSE 8, AAW 7, OIL/2 6, W2IVS 4, TUK 4, EC 3, K2DDK 2, W2ICA 1. (June) K2MYW 7.

NORTHERN NEW JERSEY—SCM. Lloyd H. Manamon, W2VQR—SEC: IIN. PAM; VDE. RMs: BRC, NKD, CGG. K2SOH has been elected president of the Avenel Radio Club. VDE is organizing an AREC net in Jersey City. Section Net certificates were issued to NCZ, CJI, NHJ, OUS, HIA, HKY, CBT and K2HHH for their work in NJFN. VDE has been appointed EC for Jersey City. K2CSC is active on RTTY. K2AJV reports booming activity on FNI. K2MFX is a new RACES station in Monmouth County. In checking we find that GYU has been mentioned in QST at least once per year since 1923. This is a fine record of activity. K2MMM made the BPL for the second month running. EWZ is an old reliable on

(Continued on page 140)

go mobile with *Master Mobile*

NEW! . . . SILVER-PLATED ROLLER WITH POSITIVE ACTION, STAY-PUT CONTACT ANTENNA COILS



No. 333

MASTER MIGHTY MIDGET



. . . engineered to provide the highest "Q" consistent with good design. Compact, extremely rugged, yet lightweight, its operation assures precision tuning with the new adjustable silver-plated roller that stays put! Perfect for 40-20-15-11-10 meters. "Get 5 Bands Plus on 1 Coil." **\$9.95**

MASTER DELUXE ALL-BANDER No. 750

HY "Q" construction with wider spacing of turns for high frequency bands. Use as center or base loaded antenna with 60" whip.

- Covers 10 thru 75 and all intermediate frequencies.
- Silverplated single turn contact, positive spring.
- Eccentric cam contact, easy selection of turn.
- Automatic lock prevents damage to coil.

Amateur net. **\$14.95**



- Ruggedized construction
- Greater efficiency
- Precision made
- 2 3/4" Diameter

Master

Ultra-High "Q" COILS


For 80-40-20 & 15 Meters

After many years of experimentation, here is the coil with the highest "Q" ever obtained. Tested and found to have a "Q" of well over 515. **\$525 ea.** Use with 36" base section, 60" whip.

W6EFX—Says!

"I would not be without a Master Matcher on my mobile rig . . . I can QSY on any band at the same time peak my antenna at the operating frequency for *maximum output*. It makes a mobile like a home station!"


W. B.



MASTER MATCHER & FIELD STRENGTH METER

Automatically tunes the entire band from the driver's seat! 6 or 12 volt models **\$24.95**

MICRO-Z-MATCH Matches Trans. Line



Complete with Kit **\$7.95**



BODY MOUNT No. 321

less spring **\$7.95**

BODY MOUNT

Heavy duty Stainless Steel Coax. Conn. **\$15.95**

Other Mounts from **\$8.75 up**

THE NEW DIAGONAL SWIVEL BALL-JOINT LOCKS IN ALL POSITIONS

Leaders in the Design and Manufacturing of


mobile equipment

AT LEADING RADIO JOBBERS EVERYWHERE

Master Mobile Mounts, Inc.

1306 BOND STREET - LOS ANGELES 36, CALIFORNIA

BUMPER MOUNTS WITH NEW X-HEAVY DUTY CHAINS



No.444 **\$17.80** No.445 **\$7.95** No.446 **\$13.45**


Adjustable to any bumper. No holes to drill, easy to attach. High-polished Chrome Plated 3/8"-24 thread, to fit all antennas. Precision engineered.

GROUND PLANE ANTENNA

Outperforms any type mobile vertical dipole, "Drooping" type.

Gives a low angle of radiation for general coverage. Ideal for CD, defense nets, Amateur, Broad Band. Matches 52 ohm coax cable. Adjustable radials. For medium or low-powered trans.

Model 300



Net **\$12.95**

NEW NOISE-FREE

E-Z-OFF ANTENNA CONNECTOR

Connect or remove your loading coils, whips or mounts in a jiffy. No wrenches, pliers or screwdrivers needed. High-grade stainless steel throughout.

- Precision made
- Maximum efficiency
- Positive lock—will not corrode



AMATEUR NET **\$2.95**


inside OR outside...

THE VERY FINEST!
TESTED AND PROVEN
IN THE WORLD'S HAM SHACKS!


the *hy-gain* **3-Element Tri-Bander**
ONE FEEDLINE - THREE BANDS (10, 15 & 20M)

There Are More hy-gain Tri-Banders In Use Than All Other 3-Band Beams Combined!


3 Active Elements on Each Band!




Exclusive New Insu-Trap:- a new concept in parallel resonant circuits obsoletes old fashioned open-type coils. The only adjustable, completely weatherproof trap. Adjustable capacitor color coded for Fone or CW. HI-Q coils wound on high impact styron forms which also act as low power factor dielectric for adjustable capacitors. No air dielectric involved. Trap assembly completely enclosed in weatherproof polyethylene cover with 2 grams of silica gel to absorb condensation.




Boom/Mast and Element Clamp:- ruggedly designed 12 Ga. galvanized steel channel for positive grip. Used throughout the entire Tri-Bander Series. Heavily plated and serrated 5/16" U-Bolts.



\$99.75



The "Carpet Beater" Ends:- employed on all Tri-Banders, specially designed of aluminum wire to reduce fatigue caused by vibration, increase the broad band characters of the beam, and to reduce element sag to a minimum.



Split Insulated Dipole:- fed directly with RG-8U ohm coaxial cable and coaxial line balancing choke results in low SWR on all bands. No adjustment necessary.

All specifications furnished from experimentally derived data. These figures will maintain in most installations if antenna is relatively in the clear.

	Model No.	Gain in DB Over Dipole	F/B Ratio In DB	SWR	Max. Power	Horizontal Beam Width	Boom Length	Boom Diameter	Element Diameter	Element Wall	Element Alloy	Longest Element	Approx. Net Wt.
3 Element	152T-3	8 Aver.*	25 Aver.	Less Than 1.5:1	1 Kw	59°	216"	1 1/2" Hot Dip Galv. Steel	1 1/8, 1, 3/8, 3/4"	.058, .049, .035	6061ST6 Ant. 41	31', 9"	58#

* Additional Director Element for Increased Gain and F/B Ratio on 10M, Net \$14.95.

The standard of comparison for three band antenna systems, the hy-gain Tri-Bander is factory pre-tuned, pre-matched and pre-adjusted and may be erected in an extremely short time with no test equipment and no further adjustment necessary. Guaranteed to outperform stacked

arrays, because interaction and detuning effects have been eliminated. All hardware hot dip galvanized steel for maximum weather ability. Injection molded polyethylene, styron and cycloac plastic used throughout. Complete assembly and installation instructions furnished.

AND THESE OTHER 3 GREAT HY-GAIN TRI-BANDERS . . . IN STOCK AT LEADING AMATEUR RADIO DISTRIBUTORS EVERYWHERE!

1-ELEMENT TRI-BANDER **\$39.95**

2-ELEMENT TRI-BANDER **\$69.50**

5-ELEMENT TRI-BANDER **\$395.00**

Write for Complete, Detailed Brochure!

hy-gain antenna products

1828 N STREET
138

LINCOLN, NEBRASKA

WHAT'S INSIDE ?

Speaking of Elmar's king-sized store and of the newest and finest things in electronics...

*practically everything**



ELVIN
WGTT



MARIO
WGDOB




Big, big stocks... kept fully up to date. Try Elmar first for virtually all nationally advertised brands and models of transmitters, excitors, receivers, tubes, parts and accessories. Also rotators, towers and antennas including the entire Hy-Gain line.

WHAT'S INSIDE ?

Speaking of HY-GAIN'S latest, highly effective 3-element beam for 10, 15 and 20 meter operation using a single coax feed line... and of its completely weatherproof adjustable traps...

A cut-away photograph easily saves the well-known 10,000 words.



This trap is used in HY-GAIN multi-band antennas including:
TRI-BANDER SERIES...
MULTI-BAND VERTICAL SERIES.
5-BAND DOUBLET SERIES....

HY-GAIN 3-ELEMENT TRI-BANDER..

20-15-10M... (Model 152-T3) 99.75

Slightly higher west of the Rockies


ELMAR ELECTRONICS

140 - 11th Street, Oakland 7, California.

THE

Collins KWM-1

first mobile SSB first mobile transceiver



Use it for mobile. Use it for fixed station. No modification necessary in this 14-30 mc 175 watt PEP input transceiver. It's new, revolutionary, and we have it for immediate delivery!

Utilization of common components in both transmitting and receiving functions results in a saving of both space and cost and, in the case of frequency-determining components, assures exact coincidence of transmitted and received signals. Frequency stability and readability is comparable to that of the KWS-1/75A-4. The panel meter serves as an S-meter during receive and multimeter during transmit. Break-in CW using VOX circuits is built-in, as is a side tone for monitoring CW. Ten 100 kc bands are available anywhere in the 14-30 mc range.

NET PRICES

KWM-1 Transceiver	\$770.00
516E-1 12 vdc Power Supply	248.00
516F-1 115 vac Power Supply	103.00
312B-2 Speaker Console with directional wattmeter	146.00
312B-1 Speaker in cabinet	25.00
351D-1 Mobile Mounting Tray	TBA

Write us for complete information and details of our unusual Time Payment Plan. We feature a complete line of Collins equipment and accessories.

UNIVERSAL DISTRIBUTORS, Inc.

4642 West Century Blvd., Inglewood, Calif.

Phone OR 5-4740

FNJ. K2JOM is active on 40-meter c.w. K2MFF needs Cape May, Hunterdon and Salem Counties for his WANJ. Please drop him a line and arrange a sked. KN2VAB is going up for his General Class license soon. WN2BVE is running a DX-35 on 40, 80 and 15 meters. The GSARA's monthly paper is complete with pictures this month. We extend a word of praise for FZY on the excellent job he did for the GSARA Field Day operation. RXL is planning to increase activity. K2GIF is active in MARS. K2RGS is back from a trip to the West Coast. Bob installed a new mobile rig for the long trip but was bothered by ignition interference. KN2VIV is working toward his General Class license. K2VAB has received an RCC certificate and will be on the air soon with a new DX-100. New members on FNJ are K2KSH, RRH, TWK, UQY, VNU and W2RW. The traffic total for July on FNJ was 434. KN2YFE passed the General Class exam and has a DX-35 on the air working all bands. Bouquets are in order for K2MFF, who has been holding down several 2RN skeds as well as acting as NCS when the regular NCS doesn't show. K2BHQ continues to do an excellent job on both 2RN and NJN and recently has taken on the job as second regional representative to EAN. Our RMR, BRC, reports active QNA runs between 23 and 34 stations per month. The first seven months of the current year shows a total of 197 sessions held with 2785 QNIs and 2040 messages handled. This is an average of 14.2 stations per session with a traffic count of 10.4 messages per session. New calls on NJN during July were 7LJ, SUG, ING, K2TJN and SOX. K2EB has been a great asset to the Morris County RACES organization, and has been appointed Assistant County RO. The FNJ has a very interesting biography of K2MFF in the July issue of its net bulletin. K2AJV is suffering quite a financial loss in bearing the expenses of publication of the FNJ monthly bulletin. How about the net members giving him a lift? BZJ, ZI and SUG are doing a fine job at RACES state control as staff operators and instructors for our county nets. BTG is working good DX. YLS is active in Monmouth County RACES. K2DHE has a fine turnout each Mon. evening for the Monmouth County RACES Net drill. K2ICE has had little time for operating because of the summer business rush at his downtown parking lot. OUS is limbering up the bug key on 144-Mc. m.c.w. CQB is heard on 2 meters. IIN is kept busy on frequency allocations problems connected with RACES operation in the Delaware Valley Area. WN2MRV sends in his first report. Four stations made BPL this month. The section traffic count for July was 2302 messages handled. Traffic: (July) K2RIC 262, TNJ 253, MFF 243, MMM 232, W2MLW 199, K2OYI 187, WJV 150, BHQ 127, W2RXL 106, K2GIF 80, OAM 60, QYI 57, MFX 54, W2BRC 41, VDE 39, EWZ 37, K2BWQ 33, W2WOJ 23, DRV 22, KFR 21, K2EMJ 18, W2OXL 3, K2JOM 4, W2CVW 2, K2UQY 2. (May) K2RGS 11.

MIDWEST DIVISION

IOWA—SCM, Russell B. Marquis, W6BDR—Operation Alert, under the direction of EHH, State Radio Officer, received statewide cooperation. Four clubs, Des Moines, Cedar Rapids, Burlington and Sioux City, organized links with civil defense. Many individual Iowa amateurs also participated. We think that EHH and the other Iowa amateurs are to be congratulated on a nice job. EFG received an EC appointment. Following are renewals: TQO as EC, GXQ as OBS and LCX as OBS. SLC is now on the air with a Johnson 500 rig. K6BKL has an SX-106 and is waiting for a Globe Scout to get on 6 meters. The Des Moines Club Annual Picnic was well attended by amateurs from all over the State. WLR, PCQ and K6CLI journeyed from Waterloo to Cedar Rapids in a raft on the Cedar River with a kw. rig and worked over 200 contacts. KN6KOP is a new ham at Burlington. YUA is building a new "Big Bertha" transmitter. EHH and K6CLS made BPL for the first time with originations and deliveries. LCG had a nice write-up in the local newspaper about her amateur activities. LCX has a new NC-300. Traffic: (July) W6BDR 1960, SCA 1429, PZO 1139, LGG 1093, CZ 814, LCX 432, BIP 422, QVA 253, EHH 242, K6CLS 198, W6CXQ 179, BLH 153, LJV 116, JLV 37, UTD 53, IUY 52, K6ETZ 50, W6KVF 40, NCS 26, NYX 26, K6GOQ 24, CER 18, CFB 18, GBD 18, BRE 17, W6PTL 15, K6GXC 14, W6SIC 14, FMZ 13, UHO 10, K6CYF 7, W6INE 7, ADB 6, REM 6, JFJ 5, NYT 5, COD 4, EDM 4, GQ 4, UTX 4, K6GGT/6 2, K6GHH 2, W6VWF 2. (June) W6PTL 10.

KANSAS—SCM, Earl N. Johnston, W6ICV—SEC: PAH, PAM; LEW, RM; QGQ. Wichita now has a Red Cross Disaster Communications truck which is equipped with transmitter, receiver, 60-ft. telescoping mast, one large power supply and two smaller power supplies, PA system, and various kinds of flood lights. In the

(Continued on page 142)

**WHY USE MAKESHIFT
TUBES FOR GROUNDED-
GRID OPERATION?
THESE RUGGED POWER
TRIODES ARE DESIGNED
FOR IT!**



No need to fiddle with makeshifts. These Penta power triodes were designed specifically for the job. And only Penta makes them. Either tube will boost a 100-watt class transmitter up to a kilowatt. Either tube can be used for both SSB, CW service. There's no neutralization!

PL-6569—250-watts plate dissipation, hi mu (45). With a power gain of 10 or more, this tube gives you more than 800 watts output with only 75 watts drive. Low plate-to-filament capacitance (0.10 uuf) gives you high stability.



PL-6580—400-watt plate dissipation, hi mu (45). More conservative than the PL-6569. Useful in linear amplification of AM signals where carrier efficiency is low, and extra plate dissipation is needed.

FREE DATA FILE 301—gives ratings, operating conditions, suggested circuits plus single-sideband data. Write today for your personal copy.



PENTA LABORATORIES, INC.


312 No. Nopal St. Santa Barbara, Calif.



EXTRA-RUGGED PLATE CAP—Penta has designed both these tubes with a one-piece low-loss copper plate and cap seal. It can't break off. And there are no set screws or separate pieces to come loose.

TRADE MARK REG. U. S. PAT. OFF.

Centralab Ceramic Transmitting Capacitors



4 Ways Better

- 60 to 90% smaller
- 50 to 75% less expensive
- handle up to 300% more r-f power
- lower internal inductance.

You don't have to take our word for it. Here's what a satisfied user has to say — "We have found that Centralab capacitors are a 'must' in high-power r-f work. They are the only ones whose internal inductance is low enough to do the job"

They're ideal for stationary and mobile transmitters, tuned tank circuits, antenna circuits, and other applications where high-voltage, high-frequency circuits are required.

CRL capacitors have extremely low pf (down to .1%) and inductance. Retrace characteristics are stable. Their "double cup" design provides greater strength and long leakage paths... prevents arcing.

You can choose from 39 types... 11 terminal styles. Capacitance, 3 to 1000 mmf, 5 kv to 20 kv d.c. Low moisture absorption meets applicable MIL specifications.

Get your CRL Series 850 ceramic transmitting capacitors from your Centralab distributor. They're shown on page 39 of Catalog 30. If you don't have a copy, ask your distributor for one, or write direct to Centralab.

Centralab

A DIVISION OF GLOBE-UNION INC.
912J EAST KEEFE AVENUE • MILWAUKEE 1, WISCONSIN
In Canada 804 Mt. Pleasant Road • Toronto, Ontario

D-4658

event of a disaster this unit will move into the disaster area and communicate with the base station, SOE. EXG has been appointed Assistant to Director of Communications for Wichita-Sedgwick County C.D. HAW, of Hamlin, has graduated from college and now is back home with his old call and a new RAIE 4300. KØBAU, Acting State C.D. Director, reports this year's Operations Alert was most successful and he wishes to thank all those who helped make it a success. News is rather scarce this month but thanks to you traffic reporters. Traffic: (July) WØBLI 649, QGG 300, TOL 272, NIY 224, FNS 176, KØBIX 169, BXF 161, WØABJ 60, KNØHSF 41, WØFHT 23, KNØIIVD 18, WØUOL 18, LEW 14, MXG 14, ICV 11, WMV 11, FDJ 10, KØHVR 6, ETB 5, WØTNA 5, ASY 4, KNØKDV 3, WØDEL 2, UAT 2, WXE 1. (June) KØBIX 158, WØMXG 32, KNØHVG 29, WØHNN 17, FDJ 12, DEL 10, WMV 8, MEF 6, KØETB 4, WØUAT 2.

MISSOURI—SCM, James W. Hoover, WØGER—According to information published in *Midwest CLIXS* the top Missouri traffic men over the last ten years are QXO (1947 through 1952) and CPI (1953 through 1956). QXO was the top traffic man in the Midwest Division in 1947 and 1949. The Kansas City gang was called out to supply communications on June 29 when flooding conditions occurred on the Big Blue River. Eighteen stations participated. OUD has her new 120-watt transmitter on and is getting better signal reports. KØGWL dropped the "N" from his Novice call upon receipt of his General Class license. KNØJPJ has received MARS authorization. EEE and WPF have qualified for Traffickers 1000 certificates. KØI and his NYL, PSP, are back on 10 meters after having receiver trouble. QHL has a new 75A-4 receiver. KØBWQ is vacationing in Canada. KØCML has just erected 10- and 20-meter beams. KØHQQ and KØIHY recently installed 75-meter mobile equipment. KØDEX has a new kilowatt amplifier. KØDRY is moving to Fayetteville, Ark. NNM has a 1.5-kilowatt gasoline-driven generator available for emergency use. ECE has completed 20 years with the Cape Girardeau Police Department. Recently-appointed Emergency Coordinators include BYJ, CQW, CWT, DWX, MMZ, NNM, PSP, TXP and VJD. Traffic: (July) WØCPI 1295, GAR 610, OMM 136, VPG 131, GBJ 121, KIK 121, OUD 119, EBE 36, KA 30, LQC 30, CKQ 28, WFF 21, BUL 22, HUI 20, EEE 17, RTW 17, IIR 16, OVV 16, YVM 15, KØIFM 11, WØECE 10, WYJ 8, GEP 3, VFP 3, KØHQQ 2, IHY 1, KNØJPJ 1. (June) WØUXT 45, EEE 37, ECE 13, KA 11, KØCHZ 9, WØLJS 3. (May) WØLJS 10, KA 4. (Apr.) WØLJS 11. (Mar.) WØLJS 22. (Jan.) WØYVM 25.

NEBRASKA—SCM, Charles E. McNeel, WØEXP—SEC: JDJ, PAM: MAO, DDT has accepted appointment as Route Manager and on Aug. 1 took over net control for the Nebraska C.W. Net, which meets at 1900 on 3525 kc. daily. KNØLCJ is a new Novice at Seward. KØDGW, of Benedict, has been elected net manager for the Morning Phone Net which meets at 0730 CST daily and in July had QNI 398 and QTC 130 with a duration of 957 minutes and has 27 active members on roll call. UOV is a new member. New officers of the Grand Island Radio Club are KØEJY, pres., and KNØJGY, secy.-treas. The club meets the third Thurs. of the month at KMMJ studios. JDJ, our SEC, attended the hamfest at Scotts Bluff. More than 75 amateurs participated in the recent c.d. alert with 430 messages handled via RACES network. There are no reports from the other Nebraska nets for the month of July at this writing so will have to send this in without them. Please get your reports in before the 5th of the month, please. Traffic: WØZVG 82, DDT 55, NIK 51, LJO 15, UJK 14, ZWF 10, VGH 9.

NEW ENGLAND DIVISION

CONNECTICUT—SCM, Victor L. Crawford, WITYQ—SEC: EOR, RM: KYQ, PAM: YBH. Traffic Nets: MCN, Mon.-Fri. 0645 on 3640 kc.; CPN, Mon.-Sat. 1800, Sun. 1000 on 3880 kc.; CN, Mon.-Sat. 1845 and 2200 on 3640 kc.; CTN, Sun. 0900 on 3640 kc. Congratulations to YBH for another fine CPN bulletin. EJJH, RLD, IYR, IOI, FRN, IM, KNIBKL and BYC provided communications during the Barnum Festival in Bridgeport. APA has QSOed four of the Antarctica stations. FRN and son, KNIBKL, are active on 6 meters. KNIBJI has joined the AREC in Bridgeport. KYQ reports CN held 27 sessions during July handling 261 pieces of traffic. Average QNI was 12. The second session of CN also met 27 times handling 29 messages. KNIBEN has dropped the "N." WHL attended the Graveyard Net Picnic in Virginia during Field Day. HCZ is busy working new states on 6 meters. CPN met 31 times, handling 215 messages with an average daily attendance of 27 stations. High QNI: YBH, 31; TVU, 29; ZHM, 29; DHP, 27. RFC is busy working

(Continued on page 144)

WE TRADE HIGHER!

Howdoody...

I'm Jack S., head evaluator of trade-ins at the Walter Ashe Radio Co. Now, I don't evaluate heads! So don't go sendin' in no shrunken, head-hunters handiwork, I spectin' cash allowance on new merchandise. What I mean is....I'm in charge of the Dept.

The picture shows me gettin' down to the office bright and early....well, early! My chauffeur drives me down in a long white limousine, with an assistant chauffeur at his side. They both help me off with my coat....it's a little tricky....and stand at attention while I evaluate old store-bought electronic stuff people want to trade in on fine new merchandise. (Nothin' older than 1945.)

The Boss says I'm doin' a bang-up job! My department took a whoppin' loss last month.....which is the way the Boss wants it. He fired my predesse...predices...predases...the guy what had the job before me for showing a \$1.89 profit in a three-month period. Heck, my salary alone loses him that much in a day's time! He says I got real job security if I can stay as moronic as I am!

Write when you get work, or when you decide to trade!

Jack S.



IT'S EASY TO DO BUSINESS WITH WALTER ASHE!

1. Just tell us what factory-built gear (made since 1945) you have to trade, and what new gear you wish to purchase. You'll get our top dollar quote by return mail.

2. When the deal is made, you ship your equipment to us by prepaid express or, if express is not available, by prepaid truck. We check it at once and, in most cases, your new gear is on its way to you within 24 hours after we receive your trade-in.


3. We will ship your new gear to you via express in most instances. Where express is not available, or not practical, we will ship by truck.



HALLICRAFTERS HT-32 TRANSMITTER. Net.....\$675.00



HAMMARLUND HQ-110. Less Clock. Net.....\$ 229.00



JOHNSON VALIANT KIT. Net..\$ 349.50 Wired..... 439.50

DO YOU HAVE OUR NEW CATALOG? ITS FREE!

WRITE FOR FULL DETAILS ABOUT OUR TIME PAYMENT PLAN

All prices f. o. b. St. Louis . Phone CHestnut 1-1125

Walter Ashe
RADIO CO.
1125 PINE ST. • ST. LOUIS 1, MO.

WALTER ASHE RADIO COMPANY
1125 Pine Street, St. Louis, Mo.

OUR 35TH YEAR

Rush "Surprise" Trade-In Offer on my.....

for.....

(show make and model of new equipment desired)

Q-10-57


Send new FREE Walter Ashe catalog.

Name.....

Address.....

City..... Zone..... State.....

LAKESHORE
announces the
new and improved



CONDENSED SPECS

- SWITCHABLE EYE FOR TUNE UP OR DISTORTION CHECKING
- IMPROVED 9 MC STABILITY
- NEW STEEL CHASSIS
- TALK ON FREQUENCY OR ZERO BEAT
- VOLTAGE REGULATION
- MANY OTHER FEATURES



DX. AMY is vacationing. KNICJJ and KNICSY are new Novices in Southington. JSQ, OKY, RRS, VP, WGJ and WPR attended the monthly meeting of the Newington gang at the Nutmegger House. FVV has moved to Hartford. IUC spent his vacation seeing the West. MQT is busy building a half-gallon. FCE has a new 20-meter beam up. KICXY and KICUB are new hams in Winsted. FYF spent his vacation on Cape Cod. KNICMW is a new Novice in Wethersfield. RAN has added 3 new countries for a total of 169/149. NUB and LIG are emitting potent signals on 10 meters. EJJ is on 6 meters. SUZ has worked 44 states on 6 meters using only 35 watts. CUT operates 2-meter mobile each weekday morning around 3 EDST. Section Net certificates were issued to EKJ, VQH, FHP, ECH, PJO, FDJ and IRX for their activities on CPN. New appointments: FEA and MQT as ORS, ECH as OO, MQT as OBS. Appointments renewed: APA, BII, VKZ and YYM as ORS, APA, DHP and YYM as OPS, VTY as EC for Trumbull. OO reports were received from DHP and BVB. CUT and FVV submitted OES reports. MCN handled 62 pieces of traffic in 23 sessions. High QNT: DIY, 22; 1BE, 21; EFW, 19. Traffic: (July) WIAW 234, VBH 215, KYQ 211, GVK 102, TYQ 101, HD 100, RGB 70, ULY 59, CUH 42, BYB 39, DHP 36, FHP 36, ECH 35, LV 35, MQT 28, VTY 23, AMY 19, RFJ 19, FYF 18, APA 10, EBW 6, EJJ 6, FCE 5, KIBFJ 4, WIGEA 2. (June) WIKYQ 171, YNC 10.

C.W.A. TENTH ANNUAL CONNECTICUT QSO PARTY OCTOBER 5-6, 1957

All Connecticut amateurs are cordially invited to take part in the Tenth Annual Connecticut QSO Party sponsored by the Connecticut Wireless Assn., Inc.

Rules (1) The party will begin at 5:00 P.M. EDST October 5 and end at 11:00 P.M. EDST October 6. (2) Any and all amateur bands may be used, and either phone, c.w., or both. C.w.-to-phone and cross-band contacts are permitted, but no extra credit is allowed for such QSOs. (3) The general call will be "CQ CN" on c.w. and "CQ Connecticut" on phone. (4) The same station may be counted but once regardless of band. Mobile, portable and home stations covered by the same station license all constitute the same station. (5) Exchange names of town areas. (6) Score one point per contact; multiply contact points by number of town areas worked for final score. (7) Reports must show band, times of QSO, call of stations worked, town area of station worked. All reports must be post-marked no later than November 15 and should be sent to Richard M. Smith, W1PTX, RFD 2, Box 247, Winsted, Conn. (8) Special recognition to the high scorers, the v.h.f. leader, and the top-scoring Novice. All decisions of the C.W.A. Contest Committee will be final.

Here is an opportunity to see how many Connecticut stations you can work in a 30-hour period. Get on the air this October week end and meet the gang in your section!

MAINE—Acting SCM, Charles L. Chapman, W1WTG—Maine now has a new SCM John Fearon, W1LKP, RFD 1, Wells Beach, Maine. We are all behind you, John, for the next two years. The best of luck. All the fellers and gals in Maine thank VYA for the splendid job he did during the past two years. We now have several new hams in for a Maine vacation. MYM is back at Wayne. An SWL in Naples always catches the Sea Gull Net. SCM has a new harmonic. BDL is in Alaska. IUV is back after visiting W6-Land. The next report will come from LKP.


EASTERN MASSACHUSETTS—SCM, Frank L. Baker, jr., W1ALP—New appointments: DIY as OBS, OPS and ORS. Appointments endorsed: AWA North Reading, ISU Holbrook, LQQ Hamilton, BWH Attleboro, TRC Maynard, FEC Middleboro, LLY Arlington, PJ Everett as ECs (in many cases most of these also are the Radio Officers for their towns): AWA, BPW and LQQ as OBSs; WK, BPW and BGW as OOs; LQQ as OPS; EAE as ORS. We are sorry to have to announce the death of QBV, the father of KIBOR. KNIACF is on 2 meters. TOW is on 40-meter phone.

(Continued on page 146)

the beam to buy . . . FROM "the place to buy!"

THE *hy-gain*

10M
3 ELEMENT




\$19⁹⁵

Weighing only 18 lbs., this Spanner is small enough to be rotated by any TV rotator. Elements adjustable for maximum gain over entire ten meter band . . . Factory pre-tuned, pre-adjusted and pre-matched. Easy to assemble in short order. No further adjustments necessary.

THE *hy-gain*

15M
3 ELEMENT




\$29⁹⁵

Still small enough to be rotated with the heavy duty TV rotators, this ruggedly-built antenna is also adjustable over the entire fifteen meter band. T or Gamma match for any line balanced or coaxial 52 to 450 ohms. Extremely simple to put up and into operation.

THE *hy-gain*

20M
3 ELEMENT



\$49⁹⁵

This heavy duty, full-sized twenty meter array is really built to take it. The elements are adjustable over the entire twenty meter band and they are telescoped three times to minimize element sag. Combination T or Gamma match for any line balanced or coax 52 to 450 ohms.

AMATEUR BAND	MODEL NUMBER	DESCRIPTION	AV. GAIN IN DB OVER DIPOLE	AV. F/B RATIO IN DB	HORIZONTAL BEAM WIDTH	BOOM LENGTH	BOOM DIAMETER	ELEMENT DIAMETER	ELEMENT WALL	ELEMENT ALLOY	MAX. MAST DIAMETER	LONGEST ELEMENT	APPROX. NET WT.
10 M	103	3 Elem.	8.5	24	59°	104"	1 1/2"	7/8" & 3/4"	.049 and .035	6061ST6 Ant. 41	1 1/2"	17' 10"	19#
15 M	153	3 Elem.	8.5	24	59°	142"	1 1/2"	7/8" & 3/4"	.049 and .035	6061ST6 Ant. 41	1 1/2"	23' 10"	30#
20 M	203	3 Elem.	8.5	24	59°	212"	1 1/2"	1, 7/8, 3/4"	.058 .049 .035	6061ST6 Ant. 41	1 1/2"	35' 9"	48#

Here are low cost beams of excellent construction, offering superior performance. Each incorporates the specially designed "carpet beater" ends of aluminum wire to reduce fatigue and increase broad band characteristics, new Boom/Mast Clamp for positive grip, and high impact cyclac insulators. Guaranteed for one full year.

and the complete line of *hy-gain* ANTENNA PRODUCTS!

AND THE WORLD-FAMOUS TRANSMITTERS: GLOBE KING, GLOBE CHAMPION, GLOBE SCOUT & GLOBE CHIEF . . . IN STOCK AT . . .

"The World's Most Personalized Radio Supply House"

WORLD RADIO LABORATORIES

3415 WEST BROADWAY


PHONE 2-0277

COUNCIL BLUFFS, IOWA

NEW

PI

air dux



A complete new series of air dux coils designed expressly for pi network tank circuits. One group has every other turn indented for ease of tapping. The other group is wound with a change of pitch in the middle. The wider pitch gives higher Q and allows greater simplicity in selecting the proper inductance point. The smaller diameter coils double nicely as either an oscillator or an interstage coil.

Available in a wide range of sizes.

This complete air dux series now offers the amateur a wide variety of coils to enable them to construct the latest advancements in transmitter circuitry.

For more complete information and a new brochure write to

Illumitronic  **engineering**
sunnyvale california

Heard on 75 meters: BSO, OUM and VE2AHK/1 mobile. FGJ and FGZ are father and son and have a DX-100. FJJ/1 was in New Hampshire for two weeks. EAE is on 2 meters on the Cape with 2-meter Halo. BPW made 100 countries and is publishing a weekly *CQ Mass. Bulletin*. ETH/1, on all bands, got hit by lightning. He and SMO were on in the CD Parties. ISU is back from vacation. KNICLO is active on 40 meters. NF has 100 countries and took a 2-meter Gonset up on the Empire State Bldg. and worked many W2s. AVY/6 writes from Los Angeles and says he feels pretty good. CHA now is in Scarborough, Me. The Framingham Club did better on Field Day this year. KCR has the quad working better. #TOS/1 is in the Air Force at Otis A.F.B. SMO visited JFS. IKK gets on 75 meters quite a lot. IBE has a new pole and antenna for 40 meters. Ex-1TON is now K6YRK in El Monte, Calif. QLT/5, in Port Aransas, Tex., says he hopes to come back. TRC says they have a Gonset for 6 meters in his town. KQJ still is on 6-meters but is going on 220 Mc. with BYY and CAS and will be on 10 meters later. QOI has a new tower for 6 meters. EKG spoke on "Matching Transmission Lines" at the Braintree Club. The club had a picnic. MPT was chairman. DIY has an AT-1 transmitter and an HQ-140X receiver. VIN says they have RACES and are going to get set up now in Carlisle. CXJ has his boat in the water again. PIW vacationed in Maine. RAM is back from W6-Land. MJA went to Florida. LAU went on a Windjammer Cruise. UG is busy with his boat. SXD went to New York. CGU is building a 1-kw. power plant. KVX sold his boat. NHS has a new car. HTU, FEC and PZU are on 6 meters. IYD is getting interested. FZJ has been endorsed as EC for Medfield. VVA is mobile on all bands. TEO moved to Winthrop. AGB moved away from Winthrop. DEL is in the Navy. OIR took a trip down South. KNIAIQ went on a trip and was mobile on 2 meters. The Winthrop C.D. Net was on once a month during the summer. The Sector 1-B Net has new crystals for each town for 29,490 kc. The Eastern Mass. Net is on 3660 kc. each night at 7. NCSs are: Mon. UE, Tue. AUQ, Wed. EAE, Thurs. BPW, Fri. EMG. You are invited to join them any time. RK is Radio Officer for Reading. JZQ is Radio Officer for Sector 1-E. UE says he is very busy with guests. Traffic: (July) WIEMG 399, IBE 256, FJJ 187, #TOS/1 86, W1EAE 63, AUQ 62, BPW 20, CZW 14, TY 14, ATX 12, TZ 10, UKO 10, ETH 6, DIY 4, AHP 2, BY 2, DTB 2, SMO 2. (June) W#TOS 1 47, W1AOG 17, KBS 12, SMO 7.

WESTERN MASSACHUSETTS—SCM, Osborne R. McKeraghan, W1HRV—SEC. RRR, RAI; BVR, PAM; MNG. Don't forget the WMCW Net that meets on 3560 kc. daily Mon. through Sat. at 1900 EDST. We need net representation from Worcester. The WM Phone Net on 3870 kc. at 1800 EDST Wed. has expanded operations and now meets on Mon., Wed. and Fri. at the same time. We need a good phone traffic net in Western Mass., so how about supporting this one, fellows? In October the Hoosac Valley Club will start theory classes for those seeking General Class licenses. The Central Mass. Assn. combined its August meeting with an outing in Sutton. The Hampden County Assn. rolled up a score of 4560 points for its Field Day total. The Pioneer Valley Club reports a total of 2615 points for its first Field Day try. UEQ won a BPL citation for his July traffic total. ORS endorsement goes to ZUU, who is active again on WMN. OPS endorsement goes to DPY. ZEO, EC for North Adams, has been appointed C.D. Radio Officer there. A new Novice in Southwick is KNICER. Williamstown has a new Technician Class licensee, K1CQK. K1BDP, recently licensed in Shrewsbury, is active with a new Globe Scout. AUC, JGX and JLA are new Technician Class licensees in the Worcester Area. ZEO lost an antenna Bridge during a thunderstorm because of a close hit. HRD, in North Adams, now holds General and Technician Class licenses. RB reports 170 countries confirmed out of 198 worked. His latest are VR6TC and 3A2BG. His kw. and 75A-4 are really snagging them on 20 meters. AJX is building an 813 rig and has received his 1st-class commercial radiotelephone license. HRV enjoyed some nice mobile QSOs on 10 meters during a short trip to the Boston Area. Mobile activity on 10 meters in the Springfield Area is heavy during the early morning and late afternoon on 29 Mc. with sometimes 5 or 6 mobiles on the frequency. Traffic: (July) W1UEQ 526, DWA 47, FZY 31, AJX 25, MNG 24, DGL 21, LDE 13, AGM 5, BVR 5, ZEO 4, HRV 3 (June) W1WEF 118.

NEW HAMPSHIRE—SCM, John A. Knapp, W1ALJ—SEC. BXU, RMs; CRW and COC, PAM; CDX. The NH/RACES Net meets Sun. at 1300 on 3850 kc.; the GSPN Mon. through Fri. at 1900 on 3842 kc. and on Sun. at 0900; and the NTHN, traffic net, Mon. through Sat. at 1900 on 3685 kc. This net needs regulars in the Manchester, Nashua, Keene and Portsmouth Areas. Please check in and help keep the traffic


(Continued on page 148)

Your Ham Headquarters WASHINGTON TO FLORIDA

WE GIVE HIGH TRADES ON YOUR PRESENT EQUIPMENT

Collins SSB equipment for immediate delivery

75A-4 SSB Receiver




Designed expressly for operation on the 7 HF Amateur bands. Features AVC on SSB and CW, separate detectors for AM and SSB, passband tuning, rejection tuning, Gear Reduction Tuning Knob, superior selectivity and many other time-proven Collins features.
75A-4 Receiver, Net Price\$695.00

KWM-1 SSB Mobile Transceiver



First mobile transceiver in the Amateur field — 175 watts PEP input, 14-30 mc. Use for mobile or fixed station without modification.
KWM-1 Transceiver, Net Price\$770.00





for the top
performing
Amateur
kilowatt...
Collins
KWS-1

Unmatched performance, accuracy and stability characterize the Collins KWS-1 in SSB, AM or CW operation. Extremely accurate 70E VFO. Pi-L output network. Collins Mechanical Filter. See us about generous trade-in allowance and time payment terms.
KWS-1 kilowatt Transmitter,
Net Price\$2,095.00

10% DOWN • HIGH TRADES • UP TO 24 MONTHS TO PAY

For all amateur and industrial requirements, write or call. We carry all brands in stock.



ELECTRONIC SUPPLY

61 N.E. 9th STREET • MIAMI 32, FLA. • Phone FRanklin 9-4512

ELECTRONIC SUPPLY

913 MORNINGSIDE DRIVE • MELBOURNE, FLA. • Phone 1735

ELECTRONIC WHOLESALERS, INC.

2345 SHERMAN AVE., N.W. • WASHINGTON 1, D.C. • Phone HUDson 3-5200

ALL WRL PRODUCTS

NOW IN STOCK IN THE

SOUTH

COMPACT, POPULAR, LOW COST ...

THE RELIABLE

Globe Scout 680

Bandswitching 6-80M, Fone & CW

Only \$109.95

KIT: \$89.95



Compact, completely bandswitching transmitter for 6-80 Meters; allows operation of 6M band by technicians, novice CW hands, or use by advanced ham without becoming obsolete. Completely self-contained with built-in power supply, for 65 watts CW, 50 watts phone. High level modulation. TVI-shielded cabinet. Pi-Net output on 10-80M; link-coupled output on 6M, matching into low impedance beams. New-type shielded, full-range plastic meter for better readability. Adaptable for Mobile operation.

Globe Scout 66, as shown, but for Range 10-160M, wired, Only: \$99.95

THE FAST-SELLING

Globe Chief 90

Only \$67.50

Kit: \$54.95



Handsome 90 watt Xmtr. with meter indication at 75 watts, allowing the Novice all the power he can legally use. Self contained, completely bandswitching, 160-10M, Combination Pi-Net, with provisions for antenna changeover relay, speech modulator input, VFO input and operation. Modified Grid-Block Keying for max. safety. Has complete, well-filtered power supply. Kit contains pre-punched chassis, all parts and detailed assembly instructions.

AT

W & W

DISTRIBUTING COMPANY

644 MADISON AVE.

MEMPHIS, TENNESSEE

WRITE FOR MONTHLY BULLETIN QSD

moving. KNICHF captured top honors by taking first prize for his home-built Novice transmitter in the Ford Industrial Arts Award. SEC BXU reports that all ten New Hampshire counties participated in RACES/Alert during the mid-July National C.D. Test. RACES/AREC cleared 176 pieces of traffic which was the highest total in comparison with other communication services. The Concord Brasspounders, OC, kicked off its Field Day activities with the first CQ being called by Mayor Charles Davie. ARR is using a Viking I and reports FB results after raising the Windom another 20 feet. The U. of N. H., ASZ, will be on with a kw in October. CCE is running 900 watts on s.s.b. KIAPQ has a new Johnson 500 in operation. Mid-summer visitors at KIBCS were 2LWJ, WN2MXZ and WN1MO. Certificates endorsed: ARR and EVN as OPS. FUA is a new OO. Repeat memo to new units: Please send me your QTH. Traffic: (July) WIARR 746, OGU 116, KIBCS 131, WIHOU 69, 11Q 27, KVG 18, BVS 4, EVN 2. (June) W1NPY/JTB 7.

RHODE ISLAND—SCM, Mrs. June R. Burkett. W1VXC—SEC: PAZ, PAM; YNE, RMs: BBN and BTV, KIBWX is a new OES. A new certificate is now being offered to anyone who qualifies. It is "Worked All Bristol, R. I. on Six Meters." For further information contact MUZ, EPN, who recently received DXCC, has his 20-meter three-element beam on a new 40-ft. tower. At the annual meeting of the NAARO on June 25, the following officers were elected: LWA, pres.; ICJ, vice-pres.; KNIAZH, secy.; Doc Harris, treas.; and YLE, QBZ and WQU, Board of Governors. UHE is building a high-power transmitter for 50 Mc. CMH made a good number of contacts in the e.w. portion of the recent CD Party. MUZ would like to make skeds for low-power e.w. contacts around a 250-mile radius on 50.7 Mc. Successful and regular contacts are being made with WIN/MM about the U. S. CCG *Spar* through the cooperation of TGD, MUL, FVZ and PGZ. KIBWX is building a receiver and transmitter for 220 Mc. Ex-MSD is now K2TYO and operates a Viking II from Fishkill, N. Y. GR has been endorsed as Class I OO. OGT and VXC now have a 2-meter beam. Traffic: WICMH 51, TGD 32, YRC 18, HKN 10, HLY 10, WED 6.

VERMONT—SCM, Mrs. Ann L. Chandler, W1OAK—SEC: SIO, RM; BNV, PAM; SEO, FAK has been appointed an OES. OPS and ORS endorsements go to VZE. Complaints are coming in on zero-beating the NCS or using crystal. Those using v.f.o. should be sure to QNZ. We are always looking for Vermont amateurs on the various traffic nets in the State. KCI is leaving Vermont for New Hampshire and still plans to report in Vermont nets. KICUF (FMK's XYL) is going to operate 50 and 220 Mc. FMK, EXZ and BTW had a 3-way phone contact on 40 Mc. which covers the State pretty good. Speedy recoveries are wished for APZ and WOA. A new club called the Wind Hams Radio Club has been organized in Bellows Falls. Officers are AD, pres.; TXY, vice-pres.; Reynolds Anoe, secy.; KIBQB, treas.; WN1MK, act. chairman. Membership at present numbers 10 and the club invites others to join. New in Bellows Falls is KNICYZ. KNIBSU is operating from Joe's Pond with a 3717 Lettine 240 and an SX-25 receiver. FMK worked 34 states on 50 Mc. K1AJL has passed from Novice to General Class license. When the plane crashed on Glastonbury Mountain, ZJL kept active as Communications Officer of Springfield Squadron CAP. JMI, from Connecticut, operated portable on 14-Mc. e.w. from a tent in Orange. ZEW likes working in Massachusetts and is happy over his Globe King, a V2A electrovoice mike and an NC-300. The new RACES State Radio Officer is UCU. Operating portable on 50 Mc. at Camp Killooteet in Hancock is K2DCY. Visitors this month at MMN and OAK were GQJ, JMI, OHI, PSG and XYL. KN1ACM, K2DLL and VE2AOK. Traffic: (July) WIBXT 12, OAK 72, AVP 70, ELJ 37, ZJL 4. (June) W1ZJL 3.

NORTHWESTERN DIVISION

IDAHO—SCM, Rev. Francis A. Peterson, WTRKI—Thanks to all for making the Silver Jubilee Big Springs Hamfest such a success. The C.D. Alert was good, but 40 meters had to be used when 75 was washed out. There are new Novice and Conditional Class tickets all over the State. Quite a few complaints have been coming in about sloppy and inefficient net procedure. Let's clean it up. Check the booklet, "Operating an Amateur Radio Station," if you are not sure. The SCM can send you a copy. Also e.d. colored decal stickers are now available for RACES members. See RKI, OCR or MKS. Every town or club should have an OO. We also need an OES around Boise and Wallace. See your SCM. RKI visited the shacks of BDL, NOB, VQC, GMC, RSP and ASA. CGV got his ticket just in time for the hamfest. VQC is working DX. LQU has a new linear. BDL finds a long wire works FB on his mobile. Thanks for the many reports. Keep them (Continued on page 150)


New 'Skillman' Speed-Master semi-automatic key special

Superior to \$20 'bugs elsewhere

The first truly professional semi-automatic key priced below \$20.00. Has all of the deluxe features wanted by professional operators as well as amateur CW men. Easily adjusts from 10 WPM to any speed you desire. Has 8 separate tension and speed adjustment knobs to personalize it for your own "fist". All operating parts are precision-tooled brass with oil-tempered steel springs. Base is heavily weighted and has plastic suction cups. Transparent plastic dustcover. Imported! With cord, and alligator clips. Ship. 5 1/2 lbs. Order No. Q-7902.

\$11⁹⁵

- ▶ Silver contacts
- ▶ Smooth easy operation
- ▶ As slow as 10 wpm
- ▶ As fast as you want




Dual high-voltage power supply kit sale

Parts net for \$59.50

\$21⁹⁵

- ▶ Ripple less than 1%
- ▶ Excellent regulation
- ▶ Dual push-pull 5U4G's
- ▶ Oil Filled condenser input



The magnificent shielded transformer alone nets for over \$20! It is rated to deliver 426 VDC @ 265 mils DC and simultaneously will deliver 326 VDC @ 340 mils DC. The filament windings will deliver 6.4 V. @ 11 amps, 5.0 V. @ 6.0 amps and 6.4 V. @ .6 amps. Each section of the dual-high voltage power supply utilizes parallel 5U4G's, 2-8 mmf. @ 600 volt oil-filled condensers and a 3 henry @ 300 mil. choke. A 20K 100W bleeder resistor is also used. All components

mount on a heavy gauge 10" x 14" x 3" black ripple finish chassis with adequate "breathing room" for each component. Complete with all necessary parts. Money back guarantee. Ship. 40 lbs. Order No. Q-10016.

400 VDC @ 250 Ma.
350 VDC @ 150 Ma.
6.3 V. @ 11 Amps.
6.3 V. @ .6 Amps.

\$8.50 'monitor-quality' crystal headset!

Fabulous CRYSTAL

70-7000 cps Frequency response

EXCLUSIVE! This fully adjustable headset may be used in place of conventional (and cumbersome) high-impedance phones — for tape recorder monitor, private listening via shortwave and ham radios. Beside its fatigue-free weight factor, this fine new Archer audio product offers a CRYSTAL wide-range far beyond the reach of good magnetics. Complete with super-fine 40" cord. Imported. Note: ear-tubes hinged to spread for custom fit, wear "under chin" like Telex-type headsets! Ship. 3/4 lb. Order No. Q-8241

Weighs less' than ONE ounce


Includes Headset,
Jack and Plug



Reg. Net
at \$8.50

\$2⁹⁸

Archer S1-D dynamic mike with 1957 styling!



List
\$40.00

\$10⁹⁵

Now widely used and acclaimed, but newly restyled for 1957 with lustrous gray body, gold screen, gray cord! High impedance (30K), high fidelity (50-11,000 cps), SLIM genuine dynamic features built-in on/off switch, tuned cavity design — NOT "just a pipe" — 12 feet of cable, modern 7/8" by 1/4" dia. design, slip-out cradle rest, output — 56 db. Net wt. only 8 ounces — ideal for hand-held use slipped out of cradle. Imported. Enormous savings — mike carries a list price of \$40.00. Ship. 2 lbs. Order No. Q-9084.

Brand New

Catalog 58-Q

Write for your copy

RADIO SHACK
CORPORATION

RADIO SHACK CORP.

167 Washington St., Boston, Mass. 230 Crown St., New Haven, Conn

SEE AD ON OPPOSITE PAGE

Before you buy ANY
HAM EQUIPMENT
.... GET
Henry's DEAL



HAMMARLUND

HQ110 • 20 monthly payment \$11.30.
\$22.90 down. CASH PRICE \$229.00.
Designed all the way with the amateur
in mind. Smart, modern receiver packed
with all the features an amateur wants.
Clock timer \$10.00 extra.

**HENRY HAS THESE HAMMARLUND ITEMS
IN STOCK FOR IMMEDIATE SHIPMENT**

- HAMMARLUND HQ140XA.....\$249.50
- HAMMARLUND HQ150..... 295.00
- HAMMARLUND HQ100..... 169.00
- HAMMARLUND PRO310..... 595.00

Complete stock of all transmitters, receivers, antennas, rotators, towers, parts, accessories, equipment. Henry has ALL the new equipment first.

PRICES SUBJECT TO CHANGE
TRADE — CASH — TERMS

WRITE, WIRE, PHONE HENRY NOW

**Henry
Radio
Stores**

Phone 395

Butler 1, Missouri

GRanite 7-6701

11240 West Olympic Blvd. Los Angeles 64

Send
for
Free
Catalog

coming. Traffic: W7GMC 375, EMT 56, VQC 36.

MONTANA—SCM, Vernon L. Phillips, W7NPV/WXI
—SEC: KUH, PAM; EOL, RM; KGI. The Old Faithful
Radio Club of Livingston held its annual picnic on
July 14 near Clydepark. The Helgate Radio Club
supplied communications for the Luther League Con-
vention in Missoula, July 18 through July 21, which
was attended by 10,000 young folks from all over the
nation. Stations were set up at entry points and the
mobiles aided traffic officers by escorting convoys. The
22nd Annual Glacier-Waterton International Peace
Park Hamfest, held July 20 and 21 at Appar in Glacier
Park, was attended by 150 licensed hams and their
families. CRD's XYL won the NC-109. About 50
Montana hams and their families attended the 25th
Anniversary of the Wyoming-Idaho-Montana-Utah
Hamfest at Big Springs, Idaho, August 2, 3, and 4.
Officers for next year are YEC, pres.; YHB, secy.;
and JPD, vice-president. HPZ got his General Class
license. PXR moved back to Billings from New Mexico.
WRK moved from Kalispell to Lewistown. Traffic:
W7OOG 11, OIP 6, NPV 5, YHS 4, YPN 4, TGM 2.

OREGON—SCM, Hubert R. McNally, W7JDX—
OLU has moved to Empire. KTL is now K8DDB at
Pt. Pleasant, W. Va. AJN, net mgr. of OSN, has been
appointed RM for Oregon and will handle all c.w.
matters. HJU has resigned as EC and HCE has been
appointed for Washington County. UQI is the new EC
for Clackamas County. PQJ is going strong as OO.
JKU resigns as QPS after many years and says he is
going to take things easier. SO has opened a radio
store in Albany. KTG now is in San Diego, Calif.,
with Convair-Astronautics Co. VPH is a new OO in
Medford. KL has resumed as EC in Lane County.
AIH, ISP and UZU will continue as ECs. QYS has
returned home after a month in Alaska and will resume
SEC duties. The Trenzage Amateur Radio Club has
been formed in Coos Bay with the station call HUD.
The OARS Net is going strong on 29.2-kc. We regret
the passing of SCE, Lester Brewer, 24, after a long
illness. The OEN Picnic at Tillamook and the Baker
Radio Club Picnic at Barker were both swell affairs,
only your SCM had better learn to curb his appetite
at these affairs! Your SCM would like to have perma-
nent schedule around 3830 kc, the first Sat. of each
month at about 1900 PST. It's swell for LO contacts
and any other business we might want to conduct. OSN
on 3585 kc. had a good month with BRATS to OMO,
YKT and ZPH. Traffic: (July) W7APE 120, YKT 70,
OLU 51, JDX 36, LT 32, AJN 28, BVH 28, OMO 25,
ZFH 25. (June) WTLC 225, LT 77, OLU 25, HJU 14.

WASHINGTON—SCM, Victor S. Gish, W7FX—The
Washington Section Net (WSN) meets on 3575 kc, at
1900 PST Mon. through Fri. YJE reports running a
Class B linear on 6 meters and worked ACD on 50
Mc. The Valley Amateur Radio Club (Puyallup) had
about 60 persons at its Field Day set-up between
Graham and Eatonville. SLB transferred to K1L7. FQI
dropped the "N." KN7AFU is a new Novice using an
AF-67. MCU, QPX, SLB and OIV visited CG Lorain
Station at Pt. Grenville. PUA is batching it in Brem-
erton where he is apprentice engineer for Civil Service.
QLC left for Guam and is working for Philco Cor-
poration. The Spokane Amateur Radio Club had an
excellent turnout for Field Day and operated 80 through
10 meters. The Clarkston gang is going high power.
PSL and HDT have p.p. 813s. UJA has p.p. 4E27s.
HDT says he told the XYL, "No more building until
the big rig is squirting out some r.f." OE returned
home from W6 on July 3 and has been busy on WSN
and C&E frequencies. He sold the Ranger and now is
using a Globe Chief. VOG is rebuilding. DVC and
UGK are using Johnson 6&2s on 50 Mc. CYQ rebuilt
the DX-35 for 6 meters. The County-Line V.H.F. So-
ciety was formed during the summer in the northern
part of King County and the southern part of Snohom-
ish County. Membership is by invitation only. Contact
any member on 6 meters. K7FAE skeds K5FJC,
K6FDG, K6FCY, W6PZO, K6FCT, KR6KS, KM6AX,
W3W1Q, K7FBL, W1ARR and K6PEJ. Dave, ex-K6-
YGB, now is K7ANS. HNT got a 25-w.p.m. CP Award.
K7FAE also is DXing—ZK2, FG7, F7P8, HC1, KA6,
FE8, YJ1 and CR9, all on 20 meters. AMC is laying
oak floors; that's hamming? PGY made his 52nd BPL
without a break—just about 60,000 messages handled.
YEM reports AREC activity from Walla Walla. FRU
tried out the new Ford on a Montana trip. WAH
now has MTHC for RN7 and WSN and NCSed RN7
21 nights in July. APS is QRL painting. AIB's new
5-band trapped antenna and new receiving antenna are
very successful. The new shack is just about complete.
ER was off the air most of the summer but expects to
be more active now. LVB painted the house. BAK is
overhauling the mobile rig. AVM has fully recovered
from surgery and reports the Aberdeen gang is going
50-Mc. mobile. EZB fixed WN7GM1's rig. BDK is
working on 1296-Mc. gear to work PUA. WAF asks
"Do I have to sign 7 when I use my rig six blocks
from home QTH?" Answer, "You sure do." K6COP


(Continued on page 152)

before you
buy ANY
HAM EQUIPMENT
 GET

Henry's DEAL

ON
Collins

KWM-1 Mobile Transceiver



First SSB Mobile Transceiver ever offered. 14-30 mc. 175 watt PEP input. Use for mobile or fixed station without modification. Frequency stability comparable to KWS-1 and 75A-4. Break-in- CW using VOX circuits — side tone CW monitor. Self adjusting ALC. Mechanical Filter sideband generation. Complete TVI filtering. Pi-L output network. 6¼" H x 14" W x 10" D. Available in limited quantity.

KWM-1 Mobile Transceiver, Net Price\$770.00

75A-4 Net Price, complete with Gear Reduction Tuning Knob, 3.1 kc Mechanical Filter, and tubes\$695.00

KWS-1 Net Price\$2,095.00

PRICES SUBJECT TO CHANGE

Trade • Cash • Terms

Write, wire, phone or visit either store today.

Butler 1, Missouri
 Phone 395



Henry Radio Stores

Granite 7-6701

11240 West Olympic Blvd. Los Angeles 64



Bob Henry,
 W6ARA
 Butler, Mo.

Ted Henry,
 W6UOU
 Los Angeles



TOP TRADE-INS

We try to top all offers. Your trade-in makes down payment. Write for our offer.

EASY TERMS

90 days open account or 10% down—up to 20 months. We finance. Payment within 90 days cancels all interest. Write for details.

A-1 RECONDITIONED APPARATUS

Nearly all makes and models — Big Savings — Ten day trial—90 day warranty. 90-day full trade back on new apparatus. Write for bulletin.

PERSONAL SERVICE FAST DELIVERY

Your inquiries and orders handled same day. Write, phone or wire us.

COMPLETE STOCKS

Henry has everything in the amateur equipment field, new or used . . . transmitters and receivers.

Send for NEW
FREE Catalog

"World's Largest Distributors of Short Wave Receivers."



Machlett

Coaxial Terminal Triodes:

Thoriated-tungsten filament tubes for broadcast transmitters.

You may convert your present AM or communications broadcast transmitter with the most modern high power electron tube available for driver, modulator or final output section.

Machlett coaxial triodes are available for transmitters or induction or dielectric heaters 3kw to 50kw and higher.

You will realize gains in tube life as well as significantly lower operating costs.

Write today for information on converting to...

MACHLETT

Export inquiries are encouraged.

MACHLETT LABORATORIES, INC.
Springdale, Connecticut

152

and K6PLW and family dropped in on the SCM on Aug. 6. Traffic: K7FAE 3144, WTBA 2147, PGY 741, K7WAT 544, W7VAZ 421, FRU 202, WAH 186, APS 100, AMC 63, AIB 56, ER 22, FZQ 21, USO 16, JEY 12, LV3 10, BAK 4, YJE 4.

PACIFIC DIVISION

HAWAII—SCM, Samuel H. Lewbel, KH6AED—The Honolulu Amateur Radio Club Convention was a great success with over 300 attending the dinner and evening events. WH6CAJ, Anacleto Heloca, has volunteered to send reports on ham activity from Kona on the Island of Hawaii. From Guam, via K6BAGS, the new Assistant SCM, comes news of the Second Far East Pacific Division ARRL Convention to be held Nov. 8 through 11. KH6AIK/KG6 has been transferred to duty in the States. KG6FAE is handling a heavy traffic load from servicemen on Guam to their families back home. KG6IG, on Chi Chi Jima, schedules Guam. KH6IJ is sporting a new mobile rig, new from the wheels up. Nese also has switched to s.s.b. with a new HT-32. KH6DE also has announced he will be on s.s.b. Traffic: (July) KH6AJF 295, (May) KH6AJF 619, (Apr.) KH6AJF 189. (Mar.) KH6AJF 349.

SANTA CLARA VALLEY—SCM, G. Donald Eberlein, W6YHM—SEC: NVO. RM: ZRJ. PAMs: OFJ and WGO. A new EC is DEF, of Redwood City, covering the area of Redwood City, Atherton and Menlo Park. OII is acting NCS of the American Legion Net on Mon. nights. K8DYX took a vacation by traveling in Oregon for a week. K6GZ still makes BPL on originations of traffic he files on amateur nets after getting it from his MARS skeds. VZT is cleaning up key clicks on his 14-Mc. rig. WN6LKV is studying for his General Class ticket. ZLO reports that the Monterey Bay Radio Club expects to have a booth at the County Fair. Traffic will be handled from the booth. Some thirty amateurs in the Redwood City Area have formed a club to further c.d. activity in their locality. They have received the cooperation of the City Council and are installing equipment, have applied for a station license and are formulating a RACES plan. PBC is experimenting with various converter circuits for 50 Mc. as well as 144 and 220-Mc. converters. HJP is operating KR6RX using s.s.b. on 14 Mc. MMG is rebuilding the c.w. rig installing time sequence keying. QRN is causing some trouble with reception of signals on the TCC skeds of the NTS. There is need for more stations with medium power both on this coast as well as in the Midwest and Eastern Areas. If you would like to put in a night or two a week in this interesting ham activity, contact your SCM for further details. Traffic: K8DYX 327, GZ 423, W6VZT 366, BPT 337, JCG 300, FON 74, YBV 60, OII 22, K6HGV 14, W6ZLO 10, PBC 2.

EAST BAY—SCM, Roger L. Wixson, W6PDJ—On Fri., Sept. 27, at the Oakland Red Cross Bldg., 906 Fallon St., Oakland, there will be a meeting of all appointees in the East Bay section. It will start at 8 p.m. sharp. The purpose of this meeting will be to reorganize ARRL activities in this section. A formal notice will be sent each appointee prior to the meeting. Refreshments will be served following the meeting. Around the clubs in the East Bay: At a recent East Bay Radio Club meeting (meets 2nd Fri.) K6PNC arranged movies showing the European Road Races. The Oakland Radio Club (meets 1st Fri.) did not meet during July or August. For September K6UWD will give a talk and demonstration on remote control as applied to model airplanes. This should prove to be a wonderful program. The Mt. Diablo Club (meets 3rd Fri.) had as its meeting for the month a transmitter hunt. It looks like this club had a good Field Day with a total of 7281 points. The SARO (meets 1st Mon.) met at Bob's of Burlingame. The speaker for the evening was VE2AGF/W6, whose topic was "Operation Pole Vault." This subject had to do with the installation of a communication link extending from the Northeastern U. S. into the North Polar regions. Tommy showed many beautiful color slides showing various stages of development of the subject. From the SEC: Wayne reports that the Six Shooters are on target with 6 meters. The boys will provide communications again this year for the Napa Parade. Wayne is doing a fine job with AREC, with 35 members checking in between Napa and Solano Counties. A recent c.d. drill was held with EZZ, LSC, YSD, CAN, QPY, BBU, RZR, BYQ, HUY, NOP and NDR. The ACACIA Club met at BF's and from what I understand the steaks were fine. Port is past master of Piedmont Lodge and played a large part in getting the ACACIA Club started. The meeting which was to have been held at K6LDX's place was postponed because so many were vacationing. The NCARTS is really booming! VPC is keeping the keys as hot as usual and tells me that the Teletype Net has gotten underway. They call the net QBFN (Quick Brown Fox Net). K6GZ is

(Continued on page 154)



FORT ORANGE

Radio Distributing Co. INC

904 BROADWAY, ALBANY 4, N Y U S A
AMATEUR HEADQUARTERS

CALL ALBANY 5-1594

NITES 2-7729


THE LONG COOL NITES ARE HERE AGAIN AND UNCLE DAVE HAS THE ANSWER TO WHAT TO DO - READ ON

GLOBE SCOUT 680, 65W CW, 50W' Phone Kit **\$89.95**, wired **\$109.95**

GLOBE CHIEF 90, 90 Watt CW XMTR Kit **\$54.95**, wired **\$67.50**

VFO Model 755 Kit **\$49.95**, wired **\$59.95**

SCREEN MODULATOR KIT **\$13.95**



DUAL CONVERSION

HALLICRAFTERS

SX101, All Ham

Band Receiver

160-10 MTRS

\$395.00 Less Speaker

NOW IN STOCK

PANDA BEAM

10-15-20 MTRS.

\$99.50

NEW! QSU

VIKING

THUNDERBOLT

2000 Watts P.E.P.

Input

Linear Amplifier

Continuous Coverage 3.5 - 30 MC

DRIVE REQUIREMENTS:


10 Watts Class AB2 Linear

20 Watts Class C Continuous Wave

WIRED & TESTED

\$525.00

TENTATIVE



NATIONAL NC109 RECEIVER

Complete Coverage 540 KC-40 MC

Provision For SSB Reception

FINEST RECEIVER IN ITS PRICE CLASS **199.95**

MATCHING SPEAKER **17.50**

\$229.00

RME 4350 RECEIVER

Dual Conversion

2 Speed Tuning Knob

1.8 MC-30 MC



CUSHCRAFT VERTICAL ANTENNA

for 10-15-20 MTRS Trapped **\$28.50**

COME IN AND SEE THE FIRST TRANSISTORIZED ALL-BAND SSB, FIXED-PORTABLE-MOBILE TRANSMITTER-RECEIVER

FPM 200 By HALLICRAFTERS

price to be announced

QSU For Top Used Equipment

XMTRS & ACCESSORIES

HEATH AT-1 (Late)	\$ 27.50
COLLINS 32V3 (A Beauty)	575.00
ELDICO TR 75 TV (Good)	29.95
VIKING MOBILE (Excellent)	75.00
ELMAC A54H (Good)	75.00
DELTRONIC 2 MTR TRANSCEIVER	99.50
STANCOR ST203 10 MTR MOBILE	24.95
VIKING I (Excellent)	175.00

Write Uncle Dave
W2APF

with your needs
and problems.

NOISE CLIPPERS	4.95
6 VOLT GENERATOR	22.50
TECRAFT 6 MTR CONV	27.50

FREE CONELRAD SEQUENCE CHART

WE SPECIALIZE IN FOREIGN TRADE

RECEIVERS

CEN. ELEC. SIDEBAND SLICER	\$ 49.95
Hallcrafters S40B with	
Heath "Q" Mult.	79.95
Hallcrafters S38C (Good)	24.50
Hallcrafters 30-50 MC FM	42.50
Hallcrafters SX42 (Less Speaker)	150.00
MILLEN R9'ER 92101	15.00
KNIGHT OCEAN HOPPER, COILS	10.00
GONSET TRI BAND CONVERTER	27.50
GONSET 10 MTR CONVERTER	20.00


EASY TERMS - TRADES - QSU

24 HR. SERVICE

on stock items

93 CHANCES

OF FINDING THE RIGHT VOLUME CONTROL



Universal Features
of Q CONTROLS
Enable IRC Distributors
to Supply Most Amateur
Needs Immediately

93 Resistance Values

With the most versatile stocks in the field, IRC distributors can now supply in minutes over 90 Type Q single carbon controls—plain and tapped.

7 Standard Tapers

Variety of linear, logarithmic, semi-logarithmic, and other curves provide full coverage of ham equipment requirements.

16 Fixed Shafts

Solve mounting and knob problems with the Knobmaster Shaft (fits most knobs without alteration) or any of 15 interchangeable special shafts.

Special Controls... Quick

You can quickly make duals or triples simply by adding IRC Multisections to a standard Type Q Control. IRC Type 76 Switches are easily attached.

SEE YOUR **IRC**® DISTRIBUTOR



INTERNATIONAL RESISTANCE CO.

Dept. 433, 401 N. Broad St., Philadelphia 8, Pa.

In Canada: International Resistance Co., Ltd.
Toronto, Licensee


net control with K6GES as alternate. Weekly skeds with 8HP and daily skeds on 3820 kc. 8:30 to 7:00 p.m. Mon. through Fri. are in progress. The NCARTS's last meeting was held in honor of 9CIRW at Fisherman's Wharf, San Francisco. Well, gang, things are picking up again and I hope that I can stay home long enough to get out some good SCM reports and visit more clubs. Traffic: K6GK 441, W6VPC 56.

SAN FRANCISCO—SCM, Walter A. Buckley, W6GGC—About 25 of the Marin amateurs turned out to help the fire and police departments recently when one whole block of stores on the main street of San Rafael were destroyed by fire. Amateurs set up a loud-speaker system and helped control the traffic jam. They also rendered much help by means of mobile communications. The Tamalpais Amateur Radio Club had to cancel its picnic which was scheduled for July 20 because of the fire hazard, through lack of rains. Many of his old airwave "pals" will be sorry to hear of the death of DEK. Dr. Al Havens belonged to most of the local radio clubs and was well liked by all who knew him. GQA reports that although he never looks for DX he interrupted a traffic-handling session to work an F8 who was calling CQ on the frequency. MYX acted as hidden transmitter station for the 29ers hunt. We are sorry to state that the San Francisco Section is losing QMO to the Santa Clara Section. She expects to be in her new QTH by the time this reaches the press. Jeri has been very faithful with reports each month as ORS and OPS. Lots of DX at the new location, Jeri and Chuck. K6LCF was guest speaker at the San Francisco Radio Club's monthly meeting and spoke on Low Power Compact Mobile Transceivers. It was enjoyed by all who attended the meeting. NIM has kept in touch with the gang from Pusan, Korea, and expects to be back at City College of San Francisco by now. YIK also has kept in touch from Norwich, Conn. At a club meeting of the Young Ladies Radio Club of San Francisco BDE gave the report that "Swoop" is well on its way. Both the group at the Long Beach Pacific Division Convention and the Chicago National Convention included the program on the activities for the ladies attending conventions. BDE, Esther Given and K6HLW, Kay MacGillivray, worked hard in a program similar to the Wouff Hong for the National Convention which was held July, 1956, in San Francisco and are very happy that other convention committees elsewhere are continuing with the "Swoop." Traffic: W6QMO 80, GCV 35, JWF 18, GGC 16, GHI 10, GQA 8.


SACRAMENTO VALLEY—SCM, LeVaughn Shipley, K6CFF—The amateur fraternity suffered a great loss in July with the passing of HIR. Dick was president of the RAMS in Sacramento, a good c.w. operator, an interesting rag-chewer on phone and a fine "ball round ham." We need more fellows like HIR to spark our enthusiasm. Congratulations to the new officers of the Yuba-Sutter Club: K6IVM, pres.; K8AAW, vice-pres.; and RXX, secy. Are you interested in single sideband? K6BIJ says all you need is a good final with a garbage disposal unit for a modulator and you have an FB s.s.b. rig! A tip of your SCM's hat to K6QIP, the EC for Sacramento County, and all the fellows who participated in the e.d. drill, Operation Alert. PIV did an outstanding job as NCS on 147.12 Mc. Participating were 10 mobile units, 12 emergency radio units and numerous fixed stations. A total of 18 messages was handled on 2 and 75 meters. The Amateur Radio Emergency Corps (AREC) is sponsored by ARRL and is our oldest organized emergency service. All amateurs are eligible whether League members or not. Let's all get busy and push AREC in our clubs. Application forms are available from the SCM or ARRL. Chico still is in need of an EC. How about it, fellows? Do you know any good traffic men? Tell them a traffic round table meets every Sun, at 9 A.M. on 3820 kc., phone or c.w. All the nets say they have a difficult time disposing of traffic for our section. Look for CMA with the Central Valley Net on 3525 kc. M-F at 1900. Traffic: K6SXA 141, RPQ 43, KN6YBV 22, W6ZF 20.

SAN JOAQUIN VALLEY—SCM, Ralph Saroyan, W6JPU—The Emergency Coordinator for Tulare County is ARE. All ARRL appointees are urgently requested to get in their reports. They are important for our records. EBL has a new Hi-Gain beam on 10, 15 and 20 meters. BAN, DVK, K6LLF, PSQ, KN6SVN, K6SVM, SDR, K6PFB and ONK helped out on the nation-wide e.d. test in Selma. K6JGH, KOK, K6IRQ, K6OEM, JMP and MGN handled e.d. in Fresno City. KMN has moved down to Bakersfield. K6BGO is recuperating from an operation and says he is as good as ever. ZYDM is a new call heard in Fresno. K6YVE now has his General Class license. Sam Sirinian, a ham-to-be, loaned his 100-ft. crank-up tower to use during the nationwide e.d. drill. UTU is heard on 75-meter s.s.b. HIA won a new Buick. PPO is heard on 20-meter s.s.b. JPS worked 11 states on 6 meters with 2 watts and a nondescript antenna. JJV is conducting
(Continued on page 156)


don't settle for less than *Collins* from **DOW RADIO, INC.**



KWS-1



75A-4



KWM-1

KWS-1

POWER AMPLIFIER INPUT — 1 kw peak envelope power SSB, 1 kw CW operation. Equivalent to 1 kw on AM when using narrow bandwidth receiver.

R-F OUTPUT IMPEDANCE — 52 ohms.

FREQUENCY BANDS — 80, 40, 20, 15, 11, 10 meters.

EMISSION — SSB, AM carrier plus one sideband, CW.

HARMONIC AND SPURIOUS RADIATION — (Other than 3rd order distortion products.) Intra-channel radiation is at least 50 db down. All spurious radiation at least 40 db down at output of exciter. Second harmonic at least 40 db down; all other harmonics at least 60 db down.

DISTORTION — SSB, 3rd order products approximately 35 db down at 1 kw PEP.

FREQUENCY STABILITY — After 15 minutes warmup, within 300 cps of starting frequency. Dial accuracy: 350 cps after calibration.

AUDIO CHARACTERISTICS — Response: ± 3 db, 200 to 3,000 cps. Noise and hum: 40 db or more below reference output level. Input: .01 volts for rated power output.

MICROPHONE INPUT — Will match high impedance dynamic or crystal.

WEIGHT — 210 pounds.

SIZE — (Both Units) — 40 1/2" high, 17 1/4" wide, 15 1/2" deep.

RACK MOUNTING — Angle brackets kits available for RF Unit and power supply.

Net Price -----\$2,095.00

75A-4

FREQUENCY BANDS — 160, 80, 40, 20, 15, 11, 10 meters.

SIZE — 10 1/2" high, 17 1/4" wide, 15 1/2" deep.

WEIGHT — 35 pounds.

RACK MOUNTING — Angle mounting kit available.

NUMBER OF TUBES — 22, including rectifiers.

SENSITIVITY — 1.0 microvolt for 6 db signal-to-noise ratio with 3 kc bandwidth.

AVC CHARACTERISTICS — Audio rise less than 3 db for inputs of 5 to 200,000 uv.

IMAGE AND IF REJECTION — Image ratio at center of each band 50 db or better. IF rejection at center of each band 70 db or better.

AUDIO CHARACTERISTICS — Output — .75 watts with a 3.0 uv signal, 30% modulated. Output impedance — 500 ohms, 4 ohms. Response of audio circuits — ± 3 db 100 cps to 5,000 cps. Distortion — Less than 10%.

MUTING — Provisions for muting the Receiver during key-down operation are provided. A muting voltage of +20 volts must be supplied by transmitter.

FREQUENCY STABILITY (at 14 mc) — Temperature — Less than 1200 cycles drift from 0 to $\pm 60^\circ$ C. Warmup drift — Less than 300 cycles after 15 minutes operation. Line voltage — Less than 100 cycles for $\pm 10\%$ change. Dial accuracy — 350 cycles after calibration.

Net Price -----\$695.00

KWM-1

Use it for mobile. Use it for fixed station. No modification necessary in this 14-30 mc 175 watt PEP input transceiver. It's new, revolutionary, and we have it for immediate delivery!

Utilization of common components in both transmitting and receiving functions results in a saving of both space and cost and, in the case of frequency-determining components, assures exact coincidence of transmitted and received signals. Frequency stability and readability is comparable to that of the KWS-1/75A-4. The panel meter serves as an S-meter during receive and multi-meter during transmit. Break-in CW using VOX circuits is built-in, as is a side tone for monitoring CW. Ten 100 kc bands are available anywhere in the 14-30 mc range. Size: 6 1/4" H x 14" W x 10" D.

NET PRICES

KWM-1 Transceiver	\$770.00
516E-1 12 vdc Power Supply	248.00
516E-1 115 vac Power Supply	103.00
312B-2 Speaker Console with directional wattmeter	146.00
312B-1 Speaker in cabinet	25.00
351D-1 Mobile Mounting Tray	TBA

Generous trade-in allowances . . . Time Payment Plan

DOW RADIO, INC.

1759 E. Colorado St. Pasadena, California

TRAVELING LIGHT

BUT WITH A COMPLETE

pocket-sized

LABORATORY

ON HAND for his service needs in the Triplett

Model 666R pocket size VOM

TRAVELING LIGHT, too, on expense

Model 666R is only \$29.50 net

Enclosed selector switch of molded construction keeps dirt out. Retains contact alignment permanently. A Triplett design representing the culmination of a quarter-century of switch making experience. Unit construction—All resistors, shunts, rectifier and batteries housed in a molded base integral with the switch. Eliminates chance for shorts. Direct connections. No cabling.

Precision film or wire-wound resistors mounted in their own separate compartment—assures greater accuracy. Four connectors at top of case, control knobs and instrument are all flush mounted with the panel.

3" 0-200 Microammeter, RED • DOT Lighting guaranteed. Red and black dial markings on white. Easy to read scale.

Pre-calibrated rectifier unit. Batteries—self-contained, snap-in types, easily replaced.

RANGES

D.C. VOLTS: 0-10-50-250-1000-5000, at 1000 Ohms/Volt.

A.C. VOLTS: 0-10-50-250-1000-5000, at 1000 Ohms/Volt.

D.C. MA: 0-10-100, at 250 M.V.

D.C. AMP.: 0-1, at 250 M.V.

OHMS: 0-3000-300,000 (20-2000 center scale).

MEG OHMS: 0-3 (20,000 Ohms center scale).

(Compensated Ohmmeter circuit.)

Also available—Model 666-HH Pocket VOM, Net \$24.50.



TRIPLETT

TRIPLETT ELECTRICAL
INSTRUMENT CO.
Bluffton, Ohio

code sessions each week. C'ET has a new Elmac mobilizing. The Coalinga Radio Club meets the 2nd and 4th Wed. of each month. K6HII is painting her kitchen between c.d. drills and nets. The Turlock Radio Club used its handy-talkies on 2 meters for communications during a controlled burn at Coulterville. K6GOX is waiting for F2. YHI has a Pacemaker. VPV has a 75-A3. WN6NKZ is working out PB on 40-meter c.w. K6HTM is on 75-meter s.s.b. with a homemade filter rig. NDP is stationed at Scott Airforce Base. BNP is with MATS operating out of Northern Calif. UBK is putting up a rhombic antenna. Traffic: W6ADB 52, EBL 8.

ROANOKE DIVISION

NORTH CAROLINA—SCM, B. Riley Fowler, W4RRH—SEC: ZG, PAM; DRC. In the summertime amateur radio takes a slump and leaves very few to carry on the work of handling the traffic that piles up. You are urged to meet the nets as much as possible and accept traffic destined for your area. A change has been made in the emergency set-up in the State. The NCS of the Tar Heel Emergency Net will be NCS in any emergency instead of the Greensboro Club station. The net will function as always. The Net Manager, YPZ, may at his discretion request that the NCS be moved temporarily if conditions warrant the change. The club station in Greensboro has been designated as an Area Station and will work on the RACES frequency. We seriously need a dependable outlet in Camp Lejeune and High Point. How about it, fellows? Even the NCN (c.w.) has trouble moving traffic into those areas. K4DNW has stopped the letters requesting the SCM to get someone on 4RN. Paul is doing quite well with this assignment. His traffic count was 315 this month. K4CDZ also is taking his part of traffic on 4RN. I did not receive a report from him. Each of these boys are ORS and are doing a very fine job. Several counties report funds available to purchase equipment for RACES. HKB has been appointed District MARS Director by the State MARS Director, RRF. DRC had to give up the job after a very successful term because of his health.

SOUTH CAROLINA—SCM, Bryson L. McGraw, W4HMG—For the first time an XYL club has been formed in our State with the XYL of PED, pres.; the XYL of DNX, vice-pres.; the mother of IRW, secy.; and the XYL of IMY, social chairman. PED, one of our fine ORS, makes four net skeds daily. HJK reports the start of a 2-meter net in the Rock Hill Area. FAV, with a crazy receiver that works only when standing on its end, has beaten many local experts. ASA is very proud of his much-remodeled Super Pro. Thanks to K4EAR for the personal visit and fine spirit toward ham radio. MVX is laying it on the line to many service clubs with fine talks on amateur radio. K4PJE was very busy with plans for the gang's beach excursion. K4ADD now is in Arlington, Va., and looking for the gang on 40 meters from South Carolina. VPV has a nice signal here although only using a mobile antenna for his fixed station. RCY was here visiting many old friends. Finding themselves short of operators during Field Day. K4DLN (Jan) the XYL of GOJ, took time out to produce a new jr. operator. We are all happy to welcome both K4AND (Bob) and his XYL, K4ALM, to Columbia. Congrats to Maj. R. C. O'Connor and his fine gang at K4FFU/A for their fine showing on Field Day. GQE and K4CTX work nightly into Aiken with AIB and others. GQCE is one of our fine s.s.b. stations on 2 meters and contributes much to our hobby. CAL and the Aiken gang did a nice job in the July 12th Test. Join the ARRL; do it today. Traffic: W4AKC 144, K4EJK 38, W4PED 31.

VIRGINIA—SCM, John Carl Morgan, W4KX—SEC: PAK, PAMs: ONV and K4ASU. RMs: IA, LW and K4KNP. The SVARC produced its biggest Dickey Ridge Hamfest with some 350 hams and their families present. The Bristol ARC has a new call, K4QUW. K4MBL made General Class and is operating mostly at the Mine Depot Club station, YIA, at Yorktown. ZCL's XYL now is KNARBU. Welcome to K2CQW, now an announcer at WNNT, Warsaw, and K2GWW, keeping things hot at MCS station PEC at Quantico. We are sorry to lose BMH, now K8EEJ in W. Va., K4DBC, who moved to Illinois, and K4OQR, heading back for Iowa and K6AZJ. K4EZZ finally made the BPL Medallion. CWB spent several hours monitoring 75 meters during the Powder Puff Derby. Two VN stalwarts, IF and ZM, admit to giving s.s.b. a whirl. ZM and APM say DST is that part of the State snafus net participation. K4JKK bemoans that "something" always seems to come up at 1900. VN time, while K4BUI lists the "somethings" as summer job, senior life saving and "the women"! KMS is about to tackle 2 and 6 meters with a new converter. JIR has a new s.s.b. rig in the car. JUJ played host to fellow "contest man" and ex-Ohio SCM 8AJW. BRF and his

(Continued on page 138)

FREE! LAFAYETTE CATALOG



JUST OFF THE PRESS! NEW 180 PAGE ELECTRONIC CATALOG FEATURING THE BEST BUYS IN THE BUSINESS


The newest and largest assortment of Electronic, Radio and TV parts, Hi-Fi and Public Address Components and systems, Test Equipment, tubes, Transistor Kits and miniaturized components for transistor circuitry, Ham Equipment, Builders Kits, Tools, Books, Microscopes, Binoculars, Telescopes, Cameras, and Drafting Equipment.—ALL AT LOWEST PRICES.—Catering to the economy minded dealer, serviceman, engineer, technician, experimenter and hobbyist. **CRAMMED FULL OF MONEY SAVING BUYS. SEND FOR YOUR FREE COPY TODAY.**

LAFAYETTE SMASH HAM CLEARANCE DEMONSTRATOR CLOSEOUTS PRACTICALLY AT COST! ALL NEW AND IN PERFECT SHAPE! QUANTITY LIMITED! SUBJECT TO PRIOR SALE


MENTION THIS AD IN YOUR ORDER

1 DRAKE TV52-40LP Low Pass Filter	8.95	2 LYSCO 310 (10 meter ground plane)	14.95
1 ELDICO AT-1 Antenna Scope Kit...	22.95	1 LYSCO 315 (15 meter ground plane)	17.25
1 ELDICO GDO Grid Dip Osc.	38.95	2 LYSCO 316 (20 meter ground plane)	26.25
2 ELDICO GDO Grid Dip Osc. Kit...	27.95	1 LYSCO 600S Xmtr.	142.45
1 ELDICO MHT-2AC Pwr. Supply...	29.95	1 MORROW 2BR Mobile Converter...	22.95
1 ELDICO MP-2 2 Meter Xmtr.	69.95	1 MORROW Fixed Tuned Revr. #1059	96.30
1 ELDICO TR-1 w/Pwr. Supply & Tubes	175.00	2 MORROW Top Hats	1.95
1 ELDICO TR-78TV Kit CW Xmtr.	48.70	1 MOSLEY VP20-3 Antenna	49.75
2 HALLICRAFTERS S102 2 Meter Revr.	44.95	1 MOSLEY VP20-2 Antenna	11.25
1 HALLICRAFTERS S106 6 Meter Revr.	44.95	1 MOSLEY VP20-3 Antenna	17.25
2 HARVEY WELLS VFO (Bandmaster)	34.95	2 NATIONAL TB-1 Revr. Tilt Bottoms	4.95
1 JOHNSON 240-102 Viking II Xmtr Kit	210.00	1 NATIONAL TB-3 Revr. Tilt Bottoms	4.95
2 KRECO CO-6 6 Meter Coax.	18.75	1 SONAR MB-26 2 Meter Xmtr.	59.95
1 LYSCO A129 10 Meter Mobile Xmtr.	29.50	1 SONAR SRT-120P Xmtr. w/Pwr. Supply	209.50
1 LYSCO A173T Xmtr.	25.15	1 SONAR SRT-120P Kit	148.85
		1 SONAR C-120 Mobile Case for SRT-120	7.50

R/C ELECTRIC SERVO MECHANISM



• DESIGNED AND PRICED FOR HOBBYISTS
New, powerful, motor driven R/C actuator. Delivers positive, instantaneous action. Provides selective steering and electronic, automatic return to neutral. Extremely efficient when used with model boats and land vehicles. Only 2 1/4" x 2" x 1 3/4". Includes instructions and linkage. F-327 Net **5.95**




LITTLE "JEWEL" R/C RELAY

The Mighty Mite of the R/C field. Weighs less than 1/2 oz. Only 3/4" H x 1 7/32" W x 1-1/16" L. Highly sensitive—extremely rugged. Pulls at 1.4 Ma—drops out 1.2 Ma D.C. S.P.D.T., 5000 ohm coil. F-260 Net **2.75**

Imported

LAFAYETTE SPECIAL R/C RECEIVER

Completely wired and assembled, with tube, ready to operate on exom fire. 27.255 MC remote control band. Size: 1 3/4" x 1-15/16" x 3". Weight 3.3 oz. Uses one 1.5 volt and one 45 volt battery. Less batteries. Shpg. wt., 6 oz. F-208 Net **8.75**



LAFAYETTE SPECIAL RADIO CONTROL TRANSMITTER

Completely assembled—tested—and guaranteed R/C transmitter. Includes tube and 27.255 MC crystal, 6 sect. Telescoping antenna. Size: 4" x 4" x 12". Approx. 1 mile range. Shpg. wt., 3 lbs. Less batteries. F-249 Net **14.95**




TRANSISTOR CODE PRACTICE OSCILLATOR KIT

For those interested in mastering the international code, an audio tone oscillator is essential. The circuit of this transistorized feedback oscillator has the simplicity of the neon glow, the signal strength of the vacuum tube, and requires only two penlite cells for weeks of service. It may be used for solo practice, or two may send and receive with the same unit. Kit comes complete with Transistor, Telegraph Key, Resistors, Condensers, Masonite Board, etc., and Schematic Diagram. KT-72 Net **2.99**

Cannon ECI—Single Headset Net **1.13**

NEW! HIGH SENSITIVITY POCKET MULTITESTER 20,000 OHMS PER VOLT DC — 10,000 OHMS PER VOLT AC

A terrific buy in a convenient accurate, completely wired instrument. Has a 3" 36 μ A meter, 1% precision resistors and efficient single selector switch. Scales: Volts DC and AC; 0-10-50-250-500-1000 Ohms; 0-50K-500K-5 Mega; DC current; 0-50 μ A-1MA-25MA-500MA; Decibels; —20 to +22, +20 to 36. Attractive plastic front in rugged shielding metal case. Imported to save you money. Size: 3-5/8 x 5 1/4 x 1-5/8". Complete with batteries and test leads. Shpg. wt., 3 1/2 lbs. RW-50 Net **14.50**



3 TRANSISTOR SUPERHET POCKET RADIO KIT

- A TRUE POCKET SUPERHET RECEIVER—NO EXTERNAL ANTENNA
- NO EXTERNAL GROUND



A remarkable sensitive, super-selective pocket superhet receiver with astonishing performance over the complete broadcast band. Uses 2 high-frequency and one audio transistor plus efficient diode detector and features 2 specially matched IF transformers for maximum power transfer. The components are housed in a professional looking beige plastic case. The receiver's appearance enhanced by attractive maroon and silver station dial. Sensitive built-in ferrite antenna eliminates need for external antenna. A designer's dream in a true pocket superhet receiver! Complete with all parts, transistors battery, case, dial and easy to follow step-by-step instructions. 4 1/4" x 2 1/4" x 1-1/16". Shpg. wt., 1 lb.

KT-116—Complete Kit, less earphone..... Net **16.95**
MS-260—Super Power Dynamic Earphone..... Net **3.95**

NEW "DYNA-SLIM" MICROPHONE

- HIGH IMPEDANCE — 50,000 OHMS
- ON-OFF SWITCH • "QUICK-SLIP" ADAPTER

New dynamic, high output microphone with all the features of "mikes" costing 3 times Lafayette's price! Output level — 35 db. Smooth response from 60 to 10,000 cycles. Omnidirectional head. External on-off switch. Slips on or off stand adapter in a wink. Standard 3/4" — 27 adapter permits tilting mike for multi-angle use. Satin black and chrome finish. Complete with detachable cable and connector. 8" long, 1 1/4" max. dia. tapered panel. Shpg. wt., 2 lbs. PA-43 Net **6.95**



Lafayette Radio
Dept. VJ

165-08 Liberty Ave.
JAMAICA 33, N. Y.

100 SIXTH AVE. NEW YORK, N. Y.
PLAINFIELD, N. J., 139 W. Second St. BOSTON 10, MASS., 110 Federal St.
BRONX 58, N. Y., 542 E. Fordham Rd. NEWARK 24, N. J., 74 Central Ave.
Include postage with order.

**CONVERTS ANY TV OR OTHER
TYPE ROTATOR INTO THE
FINEST AVAILABLE HAM
ANTENNA ROTATING ASSEMBLY
AT THE LOWEST COST EVER!**


**JUST \$5.93
PER MO.**
AT

"the place to buy!"

Only \$74.50

THE
REVOLUTIONARY

Hy-Gain Roto Brake!



- ✓ Will support 150 lbs. of antennas against 5000 in.-lbs. of torque (equal to ave. installation in 80 mph. wind)
- ✓ Prevents damage to beam; provides radial and thrust bearing; prevents coasting and shifting
- ✓ Kits available for adapting to most any type pole and tower mounting.
- ✓ Works in conjunction with any TV or other type rotator.

WRITE for Detailed Brochure !

PLEASE SEND COMPLETE INFORMATION ON
HY-GAIN'S REVOLUTIONARY ROTO-BRAKE!

NAME: _____

ADDRESS: _____

CITY & STATE: _____

WORLD'S MOST PERSONALIZED ELECTRONIC SUPPLY HOUSE

World Radio
LABORATORIES
PH. 2-0277

3415 W. BROADWAY COUNCIL BLUFFS, IOWA

**1958
CATALOG**
NOW
AVAILABLE
FREE!

XYL IKA took turns visiting their Georgia home and maintaining a radio sked both trips. K4EJU complains her BF, CXQ, won't climb a tree to put up her antenna. By the time you read this, the "Ya, Free For All" will be history. However, all are urged to submit logs, no matter how small your participation. Traffic: (July) K4EJL 610, W4IA 345, QDY 245, K4JLO 70, W4BZE 69, K4SD 53, W4CFV 52, KX 44, FLX 41, K4MEV 29, KNP 28, JKK 24, W4AAD 21, RHA 21, K4ELG 19, W4APM 18, K4BUI 18, W4FKP 16, LW 14, CVO 10, THM 8, CWB 6, K4EAQ 3, W4TJ 3, TFX 2, K4ATF 1. (June) W4FKP 23, RHA 10, THAI 3.

WEST VIRGINIA—SCM, Albert H. Hix, W8PQQ—Asst. SCM; Festus R. Greathouse, 8PZT, SEC; KXD, PAM; FGL, RMs; DFC, GBF, HZA and PBO. TGF has a new Wonderbar antenna, GIU has a new Ranger and Wonderbar antenna, 3GWN/8 went home to Philadelphia after the school season was over. NIY has a new TCS RTTY transceiver on the air, SWL is with CAA in Elkins. He is on 75-meter d.s.b. with a 400-watt linear. GIU and AXU operated v.h.f. in the contest lately on a high peak near Elkins. EUJ is building a new 2/6 converter. OIV is on phone with 20 watts doing a fine job. KN8DZU passed the General Class exam. KN8GBN is a new ham in Hurricane. HZA traded a Viking II for a 32V-2. SSA is in the process of moving. His antenna blew down in a recent storm. K8CNB is very active with traffic work. K8CSG visited 4AAI and 4YEL in Virginia recently. PQQ attended the Chattanooga, Tenn., Hamfest and visited 4QT. The Black Diamond Radio Club is a new one recently activated for hams in Beckley, Williamson, Bluefield, Hinton, etc. For details on the meeting time, etc., contact GGC. K8DDB has a trap antenna going and is working on the tower and beam. He took part in the recent CD Party. AVW has a new HT-32. NYH renewed OPS and ORS appointments. ESH worked lots of 6-meter long-distance U. S. stations recently. VYR is a new ORS and is doing a fine traffic job. The Parkersburg Club had a fine picnic recently. PQQ, GBF and PZT attended the National Convention in Chicago. FNI is very active and is operating the WVN regularly handling lots of traffic. Traffic: W8KXD 97, HZA 38, BWK 37, FNI 33, VYR 23, NYH 17, K8CSG 10, CNB 5, W8PQQ 3.

ROCKY MOUNTAIN DIVISION

COLORADO—SCM, B. Eugene Spoonemore, W8DML—SEC; NIT, PAM; IUF, GBS; K8BTU, OO; OTR, OES; K8CLJ, DRY, and WPY attended summer camp at Palmer Lake. NIT, VLS, NCB, SKB, WN8IYY and Betsy, at Beaver Creek Camp, maintained daily schedules with KQD, YFL, NVU, K8BOH, CEN and others. Has Don revealed the mysterious converterless converter? The Larimer County Radio Club held its annual picnic at the Fort Collins Mountain Park in Cache La Poudre Canyon. TX and CKV report some mighty good swapping material went by the board. One session of the Breakfast Club included PGX, TDAM, BET, EOQ, DGP, DXF, HPE, W5POI and 7YWW. We understand DDM had a birthday, finally making it to 39. The Pueblo Amateur Radio Club recently received a new mobile emergency unit with all the trimmings through the efforts of DLZ, LVS and K8DZI and local c.d. officials. We wish to welcome FRW to Loveland from Syracuse. K8DCW has moved back to Denver from Montrose. 78NP, Virginia, from Boulder City, Nev., will be a student this fall at Colorado State. Ft. Collins. LVS, CVK, GGS and TWA all have new home-built transmitters. TDG was a recent patient at Saint Luke's. WUN spent the summer at Derkers. The Colorado Weather Net returned to 3945 kc. meeting Mon. through Sat. at 0800. Traffic: W8IA 503, KQD 467, K8DXF 107, W8QOT 192, K8DCW 61, DCC 51, W8NIT 46.

UTAH—Acting SCM, Col. John H. Sampson, jr., W7OCX—SEC; GPN, PAM; 1DTB. Working in pairs with one pair each night for five nights, valuable radio communications between the stock pens and the announcers' booth was furnished the Ogden Rodeo by EIF, GPN, QDS, CGW, ABI, SST, BBN, NHL, SAZ and LLH. OSJ is completing work on an all-band s.s.b. rig. CGW has started work on a similar set-up. QNV visited his son in Yellowstone Park and reports good fishing. GPN also vacationed in Yellowstone and Big Springs. Traffic: W7OCX 2.

NEW MEXICO—SCM, Ray Birch, W5OZ—SEC; K5DAA. PAM; DVA. Operation Alert '37 instigated quite a bit of activity in this area. Thirty hours of operation are credited to those participating. 10-meter mobiles were LFH, YDE, DHZ, JNP, EYR, HAF, ADX, ADY, ZHN, NSN, WBG, JST, LKX and FVY. At C.D. Headquarters were UOZ, PDY, COH and UWA. 2 meters played an important part in the test, with ZHN, FPB, FAG, EJE, PLK, PIZ, MWY, LHV, GLJ, IVZ, ADS, GGE, KN8KSH and JUL on the

(Continued on page 160)



RIDER BOOKS THE EASY WAY TO MORE ELECTRONIC KNOWLEDGE

for Career Advancement—More Successful Ham Operation

READ THESE NEW RIDER BOOKS

- HOW TO READ SCHEMATIC DIAGRAMS** by David Mark
Covering the symbols and abbreviations used in schematic diagrams related to the electronics field, this book starts with individual components and carries through to receivers and similar equipment. Components and circuits are identified and explained. No. 208, soft cover, approx. 170 pp. \$3.50
- REPAIRING HI-FI SYSTEMS** by David Fidelman
Deals with finding the troubles and repairing faults in hi-fi equipment with no test instruments — with simple equipment — and with elaborate equipment. Encompasses pre-amps, amplifiers, AM-FM tuners, loudspeakers, record players, changers and tape recorders. Shows how to analyze and repair typical troubles through a system of logical steps. Covers every situation encountered by the hi-fi equipment owner or repair technician. No. 205, soft cover, approx. 170 pp. \$3.90
- D-C CIRCUIT ANALYSIS** by Dr. Alexander Schure
Latest addition to the Electronic Technology Series. Starts with the fundamental physics of DC electricity and traces the development of simple series circuits to combined series-parallel, bridge circuits and the analysis of complex DC circuits. Diagrams support circuit theories. Review questions. No. 166-18, soft cover. \$1.35
- GETTING STARTED IN AMATEUR RADIO** by Julius Berens W2PIK
For the individual who wants to get a license to own and operate his own amateur radio transmitter. Explains the license classes and requirements for each. Fundamentals of electricity and electronics explained in easy-to-understand language. Sample transmitting circuits. Stress placed on learning the International Morse Code, with a diagram of a code oscillator, and code memorization techniques. Numerous questions and answers for license examinations. Explanation of the FCC regulations. No. 199, soft cover, 140 pp. \$2.40

BASIC SERIES by Van Valkenburgh, Nooger & Neville, Inc.

The fabulous picture-text books, that teach faster and easier! The theory, principles and practice of electricity, electronics, synchros and servos, are here presented in a manner which permits a rapid grasp of the fundamentals of these vitally important subjects. Over 2,000 specially prepared illustrations present, explain and make every topic discussed picture clear.

- BASIC ELECTRICITY**, #169, soft cover, 5 volumes, 624 pp., \$10.00 per set. #169H, cloth bound in single binding. \$11.50
- BASIC ELECTRONICS**, #170, soft cover, 5 volumes, 550 pp., \$10.00 per set. #170H, cloth bound in single binding. \$11.50
- BASIC SYNCHROS & SERVOMECHANISMS**, #180, soft cover, 2 volumes, 270 pp., \$5.50 per set. #180H, cloth bound in a single binding. \$6.95

BASIC TELEVISION

by Dr. Alexander Schure

The whole world of black and white television is before you for only \$10.00

New 5-volume Rider "picture book" course by Dr. Alexander Schure teaches the complete basic principles and practices of black and white television easily, quickly and understandably. You can master the basics of television easily, rapidly and thoroughly with this "learn by pictures" training course.

It's so easy to learn

Here's how this easy, illustrated course works. Every page covers one complete idea! There's at least one big illustration on that same page to explain it! What's more, an imaginary instructor stands figuratively at your elbow, doing "demonstrations" that make the theory easy for you to follow and understand. Then, at the end of every section, you'll find a review that highlights the important topics you've just covered. You build a thorough, step-by-step knowledge at your own pace — as fast as you yourself want to go.

5 complete volumes

It starts with the transmitter and discusses in detail the following subjects: Volume 1 deals with the transmitter; the handling and the operation of the camera; formation of the picture signal and the general content of the transmitter. Volume 2 covers the organization of the entire TV receiver treating each section individually from antenna to picture tube. Volumes 3, 4 and 5 contain the TV receiver circuit explanations. Each volume covers a specific number of sections in the receiver. In effect, the presentation is like a spiral — first an overall view of the whole, and then the detailed explanation of each part. The most perfect modern teaching technique. The result — maximum understanding.

No. 198, soft cover, 5 volumes, \$10.00 per set; No. 198-H, cloth bound in a single binding, \$11.50.

ADVANCE YOUR CAREER WITH THESE BOOKS

- INTRODUCTION TO PRINTED CIRCUITS** by Robert L. Swiggett, #185, soft cover, 112 pp. \$2.70
- HOW TO USE TEST PROBES** by A. Ghiradi & R. Middleton, #165, soft cover, 176 pp. \$2.90
- UNDERSTANDING VECTORS & PHASE** by Rider & Usian, #103, soft cover, 160 pp. \$3.99
- HOW TO USE METERS** by John F. Rider, #144, soft cover, 144 pp. \$2.40
- FUNDAMENTALS OF TRANSISTORS** by Leonard Krugman, #160, soft cover. \$2.70
- INTRODUCTION TO COLOR TV** (2nd Edition) by Kaufman & Thomas, #156 soft cover, 160 pp. \$2.70
- HOW TO SELECT AND USE YOUR TAPE RECORDER** by David Mark, #179, soft cover, 148 pp. \$2.95
- OBTAINING & INTERPRETING TEST SCOPE TRACES** by John F. Rider, #146, soft cover, 190 pp. \$2.40
- TELEVISION—HOW IT WORKS** (2nd Edition) by J. Richard Johnson, #101, leather finish MARCO, 352 pp., \$4.60. #101-H, cloth bound. \$5.50
- REPAIRING TELEVISION RECEIVERS** by Cyrus Gluckstein, #191, soft cover, 212 pp. \$4.40
- FM TRANSMISSION & RECEPTION** (2nd Edition) by Rider & Usian, #102, cloth bound, 460 pp. \$4.95
- CLOSED CIRCUIT TV SYSTEM PLANNING** by M. A. Meyers & R. D. Chipp, #203, cloth bound 8 1/2 x 11", approx. 250 pp. \$10.00
- HOW TO INSTALL & SERVICE INTERCOMMUNICATION SYSTEMS** by Jack Darr, #189, soft cover 152 pp. \$3.00
- TRANSISTOR ENGINEERING REFERENCE HANDBOOK** by H. E. Marrows, #193, cloth bound, 9x12" 288 pp. \$9.95
- BASICS OF PHOTOTUBES & PHOTOCELLS** by David Mark, #184, soft cover, 136 pp. \$2.90

ELECTRONICS TECHNOLOGY SERIES edited by Alex. Schure, Ph.D., Ed.D.

- #166 RC & RL Time Constant Only \$.90
- #166-2 FM Limiters & Detectors Only \$.90
- #166-3 Frequency Modulation..... Only \$.90
- #166-4 Crystal Oscillators Only \$1.25
- #166-5 A-M Detectors Only \$1.25
- #166-6 Limiters & Clippers Only \$1.25
- #166-7 Multivibrators Only \$.90
- #166-8 R-F Transmission Lines.....Only \$1.25
- #166-9 Amplitude Modulation..... Only \$1.25
- #166-10 Blocking Oscillators Only \$1.25
- #166-11 Wave Propagation Only \$1.25
- #166-12 Superheterodyne Converters & I-F Amplifiers Only \$.90
- #166-13 L-C Oscillators Only \$1.25
- #166-14 Antennas Only \$1.50
- #166-15 Inverse Feedback Only \$.90
- #166-16 Resonant Circuits Only \$1.25

These books are sold by electronics parts jobbers and book stores. Canadian prices 5% higher. If your dealer doesn't have these books, order direct.



W2RID



FREE! FREE!
Handsome genuine leather, gold stamped bookmark—lasts a lifetime — if you write today for FREE 1957 Summer-Fall Catalog Q-10 of all RIDER Books.

JOHN F. RIDER PUBLISHER, INC. 116 West 14th Street, New York 11, N. Y.

In Canada: Charles W. Pointon, Ltd. 6 Alcina Ave., Toronto, Ontario

Crystals! Guaranteed!! We Got 'Em!

3005	3800	4800	5873	6390	6972	7350	7520	7640	7860	8050	8300	8560
3010	3815	4810	5878	6397	6975	7353	7523	7643	7863	8053	8303	8563
3015	3825	4820	5885	6399	6977	7355	7525	7645	7865	8055	8305	8565
3020	3830	4830	5892	6403	6980	7357	7527	7647	7867	8057	8307	8567
3025	3835	4835	5900	6408	6985	7360	7530	7650	7870	8060	8310	8570
3030	3840	4840	5907	6415	6990	7365	7535	7655	7875	8065	8315	8575
3035	3845	4845	5915	6420	6995	7370	7540	7660	7880	8070	8320	8580
3040	3850	4850	5922	6425	7000	7375	7545	7665	7885	8075	8325	8585
3045	3855	4855	5930	6430	7005	7380	7550	7670	7890	8080	8330	8590
3050	3860	4860	5937	6435	7010	7385	7555	7675	7895	8085	8335	8595
3055	3865	4865	5945	6440	7015	7390	7560	7680	7900	8090	8340	8600
3060	3870	4870	5952	6445	7020	7395	7565	7685	7905	8095	8345	8605
3065	3875	4875	5960	6450	7025	7400	7570	7690	7910	8100	8350	8610
3070	3880	4880	5967	6455	7030	7405	7575	7695	7915	8105	8355	8615
3075	3885	4885	5975	6460	7035	7410	7580	7700	7920	8110	8360	8620
3080	3890	4890	5982	6465	7040	7415	7585	7705	7925	8115	8365	8625
3085	3895	4895	5990	6470	7045	7420	7590	7710	7930	8120	8370	8630
3090	3900	4900	5997	6475	7050	7425	7595	7715	7935	8125	8375	8635
3095	3905	4905	6005	6480	7055	7430	7600	7720	7940	8130	8380	8640
3100	3910	4910	6012	6485	7060	7435	7605	7725	7945	8135	8385	8645
3105	3915	4915	6020	6490	7065	7440	7610	7730	7950	8140	8390	8650
3110	3920	4920	6027	6495	7070	7445	7615	7735	7955	8145	8395	8655
3115	3925	4925	6035	6500	7075	7450	7620	7740	7960	8150	8400	8660
3120	3930	4930	6042	6505	7080	7455	7625	7745	7965	8155	8405	8665
3125	3935	4935	6050	6510	7085	7460	7630	7750	7970	8160	8410	8670
3130	3940	4940	6057	6515	7090	7465	7635	7755	7975	8165	8415	8675
3135	3945	4945	6065	6520	7095	7470	7640	7760	7980	8170	8420	8680
3140	3950	4950	6072	6525	7100	7475	7645	7765	7985	8175	8425	8685
3145	3955	4955	6080	6530	7105	7480	7650	7770	7990	8180	8430	8690
3150	3960	4960	6087	6535	7110	7485	7655	7775	7995	8185	8435	8695
3155	3965	4965	6095	6540	7115	7490	7660	7780	8000	8190	8440	8700
3160	3970	4970	6102	6545	7120	7495	7665	7785	8005	8195	8445	8705
3165	3975	4975	6110	6550	7125	7500	7670	7790	8010	8200	8450	8710
3170	3980	4980	6117	6555	7130	7505	7675	7795	8015	8205	8455	8715
3175	3985	4985	6125	6560	7135	7510	7680	7800	8020	8210	8460	8720
3180	3990	4990	6132	6565	7140	7515	7685	7805	8025	8215	8465	8725
3185	3995	4995	6140	6570	7145	7520	7690	7810	8030	8220	8470	8730
3190	4000	5000	6147	6575	7150	7525	7695	7815	8035	8225	8475	8735
3195	4005	5005	6155	6580	7155	7530	7700	7820	8040	8230	8480	8740
3200	4010	5010	6162	6585	7160	7535	7705	7825	8045	8235	8485	8745
3205	4015	5015	6170	6590	7165	7540	7710	7830	8050	8240	8490	8750
3210	4020	5020	6177	6595	7170	7545	7715	7835	8055	8245	8495	8755
3215	4025	5025	6185	6600	7175	7550	7720	7840	8060	8250	8500	8760
3220	4030	5030	6192	6605	7180	7555	7725	7845	8065	8255	8505	8765
3225	4035	5035	6200	6610	7185	7560	7730	7850	8070	8260	8510	8770
3230	4040	5040	6207	6615	7190	7565	7735	7855	8075	8265	8515	8775
3235	4045	5045	6215	6620	7195	7570	7740	7860	8080	8270	8520	8780
3240	4050	5050	6222	6625	7200	7575	7745	7865	8085	8275	8525	8785
3245	4055	5055	6230	6630	7205	7580	7750	7870	8090	8280	8530	8790
3250	4060	5060	6237	6635	7210	7585	7755	7875	8095	8285	8535	8795
3255	4065	5065	6245	6640	7215	7590	7760	7880	8100	8290	8540	8800
3260	4070	5070	6252	6645	7220	7595	7765	7885	8105	8295	8545	8805
3265	4075	5075	6260	6650	7225	7600	7770	7890	8110	8300	8550	8810
3270	4080	5080	6267	6655	7230	7605	7775	7895	8115	8305	8555	8815
3275	4085	5085	6275	6660	7235	7610	7780	7900	8120	8310	8560	8820
3280	4090	5090	6282	6665	7240	7615	7785	7905	8125	8315	8565	8825
3285	4095	5095	6290	6670	7245	7620	7790	7910	8130	8320	8570	8830
3290	4100	5100	6297	6675	7250	7625	7795	7915	8135	8325	8575	8835
3295	4105	5105	6305	6680	7255	7630	7800	7920	8140	8330	8580	8840
3300	4110	5110	6312	6685	7260	7635	7805	7925	8145	8335	8585	8845
3305	4115	5115	6320	6690	7265	7640	7810	7930	8150	8340	8590	8850
3310	4120	5120	6327	6695	7270	7645	7815	7935	8155	8345	8595	8855
3315	4125	5125	6335	6700	7275	7650	7820	7940	8160	8350	8600	8860
3320	4130	5130	6342	6705	7280	7655	7825	7945	8165	8355	8605	8865
3325	4135	5135	6350	6710	7285	7660	7830	7950	8170	8360	8610	8870
3330	4140	5140	6357	6715	7290	7665	7835	7955	8175	8365	8615	8875
3335	4145	5145	6365	6720	7295	7670	7840	7960	8180	8370	8620	8880
3340	4150	5150	6372	6725	7300	7675	7845	7965	8185	8375	8625	8885
3345	4155	5155	6380	6730	7305	7680	7850	7970	8190	8380	8630	8890
3350	4160	5160	6387	6735	7310	7685	7855	7975	8195	8385	8635	8895
3355	4165	5165	6395	6740	7315	7690	7860	7980	8200	8390	8640	8900
3360	4170	5170	6402	6745	7320	7695	7865	7985	8205	8395	8645	8905
3365	4175	5175	6410	6750	7325	7700	7870	7990	8210	8400	8650	8910
3370	4180	5180	6417	6755	7330	7705	7875	7995	8215	8405	8655	8915
3375	4185	5185	6425	6760	7335	7710	7880	8000	8220	8410	8660	8920
3380	4190	5190	6432	6765	7340	7715	7885	8005	8225	8415	8665	8925
3385	4195	5195	6440	6770	7345	7720	7890	8010	8230	8420	8670	8930
3390	4200	5200	6447	6775	7350	7725	7895	8015	8235	8425	8675	8935
3395	4205	5205	6455	6780	7355	7730	7900	8020	8240	8430	8680	8940
3400	4210	5210	6462	6785	7360	7735	7905	8025	8245	8435	8685	8945
3405	4215	5215	6470	6790	7365	7740	7910	8030	8250	8440	8690	8950
3410	4220	5220	6477	6795	7370	7745	7915	8035	8255	8445	8695	8955
3415	4225	5225	6485	6800	7375	7750	7920	8040	8260	8450	8700	8960
3420	4230	5230	6492	6805	7380	7755	7925	8045	8265	8455	8705	8965
3425	4235	5235	6500	6810	7385	7760	7930	8050	8270	8460	8710	8970
3430	4240	5240	6507	6815	7390	7765	7935	8055	8275	8465	8715	8975
3435	4245	5245	6515	6820	7395	7770	7940	8060	8280	8470	8720	8980
3440	4250	5250	6522	6825	7400	7775	7945	8065	8285	8475	8725	8985
3445	4255	5255	6530	6830	7405	7780	7950	8070	8290	8480	8730	8990
3450	4260	5260	6537	6835	7410	7785	7955	8075	8295	8485	8735	8995
3455	4265	5265	6545	6840	7415	7790	7960	8080	8300	8490	8740	9000
3460	4270	5270	6552	6845	7420	7795	7965	8085	8305	8495	8745	9005
3465	4275	5275	6560	6850	7425	7800	7970	8090	8310	8500	8750	9010
3470	4280	5280	6567	6855	7430	7805	7975	8095	8315	8505	8755	9015


SPECIAL
FT-243
FUND. FREQ.
59¢
ea.

Albuquerque to Santa Fe link. Others active were WNU, K5DAA, DAB and GYZ. The Albuquerque and Farmington newspapers gave CTN, NSV, LYT and VDT a nice write-up in connection with the part they played in the test. The Totah Amateur Radio Club had a swell time at its 4th picnic held at Pine River Dam. Among the eyeball to eyeball QSOs were DAL, POL, DCM, SGC, SB, CIN and *PGN. SUY is laid up with a broken heel, SB and WKV are both tuning new receivers. New calls in Gallup are K5LFE, LOY and LOU. GEM has a new call, GB. Traffic: K5GYZ 2W, W5CIN 10, K5DAA 10, W5TPB 7, GB 3.


WYOMING—SCM, James A. Masterson, W7PSO—SEC: MNW. RM: BHH. The Pony Express Net meets Sun. at 0830 on 3920 kc. with PSO and MWS alternating as NCS. The YO Net meets Mon., Wed. and Fri. at 1830 on 3610 kc. with BHH, DXV and MNW alternating as NCS. The following RACES stations participated in the nation-wide emergency alert held in July: MNW, MWS, YWW, YJG, HCA, KUB, HRM, WNI, BLW, OBC, LKQ, SZZ, PSO, BHH, AMU, NNX and HYW. MBL and LVU are building 2-meter transceivers. NVX has a new s.s.b. v.f.o. 5TKR7, who is mobile on 6 meters in the Casper Area, has been conducting ground-wave experiments with UFB on 6 meters. NNX has a new 60-ft. tower. Several Wyoming amateurs, including AMU, IDO, OSH, BKL, DW and ALL, recently got together for an informal hamfest at Pinedale with AEC as host. KN7AHH and N7AHI are new calls in Casper. Traffic: W7AINW 25, PSO 20, NMW 13, LKQ 10, YWW 7.

SOUTHEASTERN DIVISION

ALABAMA—SCM, Joe A. Shannon, W4MI—SEC: TKL, RM: KIX, PAM: K4AOZ. Welcome to K4HFX in Adamsville. Velma



RADIO SUPPLY COMPANY has the new *Collins* KWM-1 SSB Mobile Transceiver NOW!




Limited quantity of this Collins *first* now available for immediate delivery. First come, first served. Look at the features of this new 14-30 mc 175 watt PEP input transceiver. Use "as is" for mobile or fixed station — no modification necessary. Frequency stability comparable to Collins KWS-1 and 75A-4. Self adjusting automatic load control. Mechanical Filter sideband generation. Complete TVI filtering. Pi-L output network. 6 $\frac{1}{4}$ " H x 14" W x

10" D. Look at the price, too — a tremendous value for a Collins SSB station.

KWM-1 SSB Mobile Transceiver,

Net Price	\$770.00
516E-1 12 vdc Power Supply	248.00
516F-1 115 vac Power Supply	103.00
312B-2 Speaker Console with directional wattmeter	146.00
312B-1 Speaker in cabinet	25.00
351D-1 Mobile Mounting Tray	TBA



If you want to buy, swap or make a deal, call stop in or write. Liberal trade-in allowances — easy time payment plan with 24 months to pay.



RADIO SUPPLY COMPANY

Wholesale Electronics

3101 Fourth Ave. South Birmingham 5, Ala.
Telephone 4-0588



**STOP-UM
SMOKE
SIGNALS**

USE

**RAYPAR
FREQUENCY-RATED
R. F. CHOKE COILS**

Now you can get R.F. Choke Coils that operate at peak efficiency in series- or shunt-feed transmitter circuits. Raypar's advanced engineering and winding techniques utilize parallel resonances to obtain maximum impedance on prescribed operating frequencies while locating series resonances out of the range of interest.

These application-designed R.F. Choke Coils include medium and high power units in three mounting types for use on frequencies between 3.5-31 mcs. and 12-55 mcs.

For complete data, get Bulletin RL 557-10 from your distributor or direct from factory.

Prices will please you.

RAYPAR, INCORPORATED

7800 WEST ADDISON STREET, CHICAGO 34, ILL.

copy on to a friend when you are finished with it.
Traffic: (July) W4DVR 271, FPC 259, WS 190, EHW 187, PZT 127, PUJ 124, IYT 77, LMT 66, K4BNE 65, OSQ 62, W4BWR 45, K4ANJ 42, IWT 38, DII 32, AKQ 31, MTP 26, HNC 23, KDN 15, AHW 14, W4AZK 11, K4DRO 9, W4SMK 6, K4LFA 4, W4TAS 3, K4QKI 1, (June) W4PJU 334, K4BNE 77, W4HNV 42, K4KDN 33, W4SMK 8.

WESTERN FLORIDA—SCM, Edward J. Collins, W4MS/W4RE—SEC: HIZ, EC: MFY, RMs: AXP Escambia, BVE Okaloosa, EQR has 45 states on 6 meters. K4KIF works everything he hears on 6 meters. There are now 18 stations on 6 meters in the Pensacola Area. PQW is tinkering with s.s.b. gear. DAO/DEF joins MUX in keeping the Red Cross gear going. FHQ has a Viking KW and really pucks a wallop. ZFL has an FB list on 20-meter c.w. AXP is a grandpop for the fourth time. PAA still hunts Dog Xray. K4IYQ has one of the best-sounding 6-meter mobiles we have heard. K4HYL is building a kw. final. UUF wants a kw. on 6 meters. K4IVD works 6 meters en route to work and back. K4ECP has a DX-35 on 6 meters. K4EHI is moving back to Pensacola. A1S has 42 confirmed on 6 meters. K4AGM has 34 out of 35 confirmed on 6 meters. GMS put up a new beam and then put the old one back. JPD has trap antennas all over the place. K4JPU has a converter for 6 meters in the car and is building a transmitter. CNK returns to the air on 6 meters after a long layoff. K4GJI has 6-meter gear about ready to go. K4PJC pumps out an FB signal on 6 meters with a Harvey-Wells. K4PMP is building up gear. K4ADY is away in the Army. It is rumored that BGG has a DX-100. K4DDD is antennaing. CCY is compressing the kw. rig. UCY still confines his activity to 10 meters. RE expects to blossom out on 6 meters with a Ranger 6N2 unit. SPP shows the gang how to get out with low power. K4IJK wants a Viking 500. QK still meets the Hurricane Net on frequency. VR holds to 7-Mc. c.w. HBK works DX while the rest of us sleep. ZPN keeps 7 Mc. hot. K4PSB is shopping for gear. K4QAT is getting hot to go. K4OWW is ready for 6 meters. W4OOO runs low power on 10 meters. K4OXB stays vertically polarized. K4APE continues to do an FB job as OO. I would appreciate hearing from those interested in OO, ORS, OPS, OBS and OES appointments. AXF has been supervising the construction of a new radio room for her OM.

GEORGIA—SCM, William F. Kennedy, W4CFJ—SEC: K4AUM. PAMs: LXE and ACH. RM: PIM. GCEN meets on 3995 kc. at 1830 EST Tue. and Thurs., 0800 EST on Sun.; ATLCW on 7150 kc. at 2100 EST Sun.; GSN Mon. through Fri. at 1900 EST on 3595 kc.; PIM as NC; the 75-Meter Mobile Phone Net each Sun. at 1330 EST on 3995 kc., UUH as NC; the Atlanta Ten-Meter Phone Net each Sun. at 2200 EST on 29.6 Mc.; VHW as NC. We amateurs in Georgia sure hated to list our good friend Parks in Silent Keys. The Georgia Cracker Radio Club held its annual picnic in Dublin July 28. New officers elected were C.F.J. pres.; K4DNH, 1st vice-pres.; K4INN, 2nd vice-pres.; EHM, 3rd vice-pres. PDP has had too much yard work to do this summer so his ham activity has been low. BYJ enjoyed a wonderful vacation at Lake Marion. S. C. K4DKM is half way through his second Navy school in Memphis. FGH is preparing a 250th to christen his 17-foot cabin cruiser. BQF left for the Navy Aug. 19. K4KIV, at Albany, is doing an FB job at K4MCL. The Fitzgerald Amateur Radio elected K4LBC, pres.; K4KZP, vice-pres.; Max Hair, secy.; KN4KZO, treas. The club invites all hams and those interested in ham work to meet with them at radio station WBHB in Fitzgerald. The Augusta Hamfest was the best we have seen in a long time. Hats off to the committee that did such a swell job in putting it on. RACES and its fine officers did an excellent job in its 1957 Alert evacuation. Many hams throughout the State showed that when they were needed they could be counted on. Traffic: K4LVE 300, W4BQF 293, K4MCL 214, W4PIA 127, ETD 44, PBK 43, K4KIV 26, HOU 24, APC 22, W4BXY 21, K4CSL 8.

WEST INDIES—SCM, William Werner, KP4DJ, SEC: AAA. AAA, in a new QTH, reports slow return of the AREC registration forms he sent during June. Those who joined AREC during June-July are AAK, AAM, ABN, ABW, ACQ, ACY, ADK, AEF, AEI, AIA, AJI, LK, MP, NY, PW, QM, RC, RE, RK, WT, YD, ZK and FAE. ECs WT at Mayaguez and WR at Aguadilla now have a supply of AREC registration forms for stations in their districts. USN transferred KP4UH at Sabana Sea soon will be on s.s.b. AAB reports activities on 6 meters, with two new stations in Arecibo and one in Bayamon. ADH uses a Globe Scout 680 on 6 meters from Puerto Nuevo. CA has a new Hylite 6-meter beam and ABN and ADH copying. RM finally got on 3925 kc. with a Globe King. RD has

(Continued on page 164)

Easy Terms

can be arranged on new or used equipment. We have the largest stock of *Reconditioned, guaranteed* used equipment in the North-east.

Write for our latest used equipment list, also for particulars on our time payment plan.


Globe Scout 680

65 watts CW; 50 watts on fone, plate modulated.

A compact, self-contained, bandswitching transmitter for operation of the 6 through 80 meter bands, with built-in power supply. High level modulation is maintained. TVI-suppressed cabinet. Pi-network output on 10-80M; link-coupled on 6M, matching into low impedance beams. New type, shielded meter. Globe Scout 66 is identical, except bandswitching 10-160M. Size: 8x14x8".



Model 680
Cat. No. 145AF007 — Kit..... \$89.95
Cat. No. 145AF006 — Wired & Tested \$109.95
Model 66
Cat. No. 145AF005 — Wired only.... \$99.95

 FCCA Certified on factory wired and tested models for crystal controlled operation.

Globe Chief 90

A completely bandswitching, 90 watt transmitter for 10-160M.

Here's a compact, 8x14x8", sturdy rig with well-filtered, built-in power supply. Pi-network matches most antennas from 52-600 ohms. Modified grid-block keying is employed for maximum safety. Has provisions for VFO input and operation. Kit form includes complete manual and all tubes and parts. Meter and cabinet carefully shielded for reduction of unwanted TVI.




Cat. No. 145AF013 — Kit..... \$54.95
Cat. No. 145AF012 — Wired & Tested \$67.50

Now, increased safety factor through use of the 4-400A Final Tube

Globe King 500B

A bandswitching transmitter for 540 watts on fone and CW; 540 watts on SSB (P.E.P.), with 10W external exciter.



Outperforming any rig in its price and wattage range, the King bandswitches 10-160M in a 31x22x14 1/4" handsome cabinet, especially designed for TVI-suppression. The Transmitter is relay controlled; includes a built-in antenna relay; built-in VFO; and separate power supply for modulator section, allowing better overall voltage regulation. Commercial-type compression circuit keeps modulation at high level. King features grid-block keying for signal clarity. Pi-network matches most antennas, 52-600 ohms. Provisions for crystal operation.

Cat. No. 145AF001 — Wired & Tested... \$725.00

All WRL Electronics Transmitters operate on most CAP and MARS frequencies.

Globe Champion 300

A bandswitching, 10-160M, Transmitter for 350 watts CW, 275 watts fone, and 300 watts SSB (P.E.P.), with any 10W external exciter.



The single-switch bandswitching Champion is extensively TVI-suppressed, filtered and bypassed. High level Class "B" modulation is sustained without usual clipping distortion through use of a new commercial type compression circuit. Pi-network output circuit, 48-700 ohms, built-in VFO, push-to-talk, antenna changeover relay, and improved Time Sequence keying are all features. 1000 volt plate capacity of Final tubes offer 33 1/3% safety factor. Only 12x21 1/2x17" in size, self-contained.

Cat. No. 145AF011 — Kit..... \$375.00
Cat. No. 145AF010 — Wired & Tested... \$449.00



HAMS HERE TO SERVE YOU

WIBFT WIFTJ WIQYZ WITTU
WIRVQ WIOGZ WIRMI WIZJC
WIGAH WIEEQ WIEET

Evans RADIO

P.O. BOX 312


CONCORD, N. H.

NEW

complete line for communication

WARD ANTENNAS

Pioneer antenna maker now adds new bases, new masts, new springs and coils for all your requirements . . . in all price ranges.



See distributor or write for newest catalog

Ward PRODUCTS CORPORATION

A division of THE GABRIEL COMPANY

Dept. QST-10 — 1148 Euclid Ave. — Cleveland 15, Ohio
 In Canada: Atlas Radio Corp., Ltd.
 50 Wingold Ave., Toronto, Ontario

a new Elmac AF67 on 3925 kc. AED is assembling a DX-35. HG uses a DX-100 and 67-ft. multiband antennas with 450-ohm line and Matchbox tuner. Mayaguez District Net frequencies are 3980 and 7210 kc. AZ is erecting two 60-ft. steel towers to support a five-element 20-meter Telrex beam and a 15-meter three-element beam. ABA is building an a.c. power supply for ART-13. AZ is MARS ACCT. ACQ is AC4ACQ and AAM is AH2AR. The Mayaguez District Emergency Net meets Tue. at 7 p.m. on 3980 kc. with KP4WT as NCS. The San Juan District Emergency Net meets Tue. at 6:30 p.m. on 3885 kc. with KP4AAM as NCS. Officers of the Mayaguez ARC are WT, pres.; GH, vice-pres.; HG, secy.; MR, treas. The club put on a 30-minute TV show on WORA-TV in conjunction with civil defense, simulating emergency communications between various towns and stations. Stations participating were WT Mayaguez, QC/mobile at Cabo Rojo, PZ Ensensada, ADY Yauco, HG/KP4 at power company offices. The Mayaguez ARC held Field Day activities at La Playa Tres Hermanos in Afiasco Bay. Two gasoline-powered generators were supplied by the local c.d. office and the Mayor of Mayaguez. KD received a Virginia Jamestown Festival certificate and has 28 more QSLs for a sticker. KD skeds K4LWX and KN4LEA in Arlington to talk to son, also skeds ex-KP4JF, now W4DRV, in Norfolk, on 15-meter phone. Late Flash: KD's son is now KN4PUJ. KD QSOed VQ6LQ for DXCC-222. Ex-PA0OA visited KD. AHO Aibouto and AJ1 Guayama report to the 3925-kc. Net using 5-watt BC-474s. The morning session of the Antilles Weather Net uses 7245 kc. at 7 a.m. The 5:30-p.m. session still is on 3815 kc. AED transferred to teach at Colegio Ponceño, Ponce, on Aug. 15. AAA's Master Mobile antenna was stolen while he was parked in Rio Predras. RK has a new QTH on the Trujillo Alto Road. US has a summertime job with the Communications Authority. ABA installed a Conelrad Alarm system that takes his transmitter off the air when the b.c. station goes off, as per January QST. The local San Juan c.d. office and Mayoress may provide emergency power plants to selected amateurs where the State C.D. could not. YD reported a police car over a cliff to KP4DC at Police Headquarters during the 3925-kc. Net drill on July 3 before the police net had received the information. AAA and DJ operated at NCS KP4DC in Police Headquarters during the C.D. Alert on July 12 handling traffic on both 3925 kc. and the CAP frequency, 3115 kc. Stations reported as standing by were WT, WR, HG, HZ, ABX, NW, RE, GP and KV4AA, who volunteered to QSP to c.d. headquarters in Thomasville, Ga. GP has a 5-kw. emergency power plant. KP4AHL, on Vieques Island, is on low power. WV4BW, St. Thomas, is on 40 meters using a DX20. Traffic: (July) CO3RC/CO2UG 7. (May) CO3RC/CO2UG 7.

CANAL ZONE—SCM, P. A. White, KZ5WA—The Canal Zone lost a very well-liked active amateur in July when KZ5PP suffered a fatal heart attack and joined the Silent Keys. JJ has been spending his evenings working Novices on c.w. He worked K1ADL also ex-KZ5LW, on c.w. in July from Framingham, Mass. AU is active on 21-Mc. s.s.b. with his KWS-1 making lots of solid "QRM-less" QSOs. RU has moved to a new QTH on Santa Claus Lane in Balboa. DP/M and QA/M check in regularly on the Mon. night 23.9-Mc. Emergency Net drill. KJ is back in circulation operating mobile. EH operates a.m. from his fort Kobbee, C.Z., QTH and s.s.b. from his Stateside QTH. EP was last heard working his mobile rig, W2HVB/M, in South Carolina en route to New York. KA and RM, Kay and Roger, are visiting his folks in Miami. K4AEE, on the last leg of their vacation. BE is getting out well with his 813 grounded-grid final. WU is having great success on all bands including 80 meters, using 200 watts to a three-wire "V" antenna with relay switching cap at the apex of the "V." FL and ML, Frank and Martha, are enjoying the visit home of son LF, who is here from Cornell for the summer. WA became a grandfather again when the stork brought a son to daughter Jean and her OM K5CJE, at No. Little Rock, Ark. The news was given by W5WUX, Evelyn. Traffic: KZ5HA 108, VR 86. WA 24, RV 9, EL 3.

SOUTHWESTERN DIVISION

LOS ANGELES—SCM, Albert F. Hill, jr., W6JQB—SFC: LIP. RMs: BHG and W6GJP. PAMs: K6BWD and ORS. GYH made BPL for the 17th consecutive month. Congrats, Cavi. New appointments for this month: K6DDI and WII as OBSs; BES as OQ; KN6VBQ as OBS. HAL is sporting a new 75A-4. K6JSN is maintaining a sked with Peru. AM has a new RME-4350 with 4301 subband selector. K6PLW has a new 600-watter on c.w. Novices, remember your net, the Frigle Net, on 3711 kc. at 2000 PDT. Check in with HJY. K6LVR, of Redlands, is a new member of the SCN. K6EA is QRL fixing up the house, as is your
(Continued on page 166)

BUSACKER
Electronic Systems, Inc.

JOINS

Collins **RADIO CO.**

in
bringing to you the

KWM-I

We Trade!
We Finance!
We Service!

73, W5CVE-TED

BUSACKER *Electronic*
SYSTEMS, INC.


1216 WEST CLAY, HOUSTON 19, TEXAS • PHONE JACKSON 6-2578

VALLEY Electronic Supply Co.

STORES IN
BURBANK AND VAN NUYS, CALIF.

"Serving
the West"

NATIONAL



NEW! NC-109 RCVR

AM-CW-SSB. With exclusive
Microtome xtal filter.

Amateur Net: \$199.95

VALLEY ELECTRONIC IS THE "FINAL WORD!"

Trade-Ins. Save time, money. Get the "final word" from Valley first! Equipment. All the top name equipment first. Service. Over 200 years of combined ham experience.

W60YD W6YPA W6YML K6CRD W6QJI
W6VCR W6KSF K6PMU W6VBY K6DPH
W6LTY K6UAZ K6BSB W6EBG K6JIM

Some prices slightly higher west of the Rockies



VALLEY ELECTRONIC SUPPLY CO.
1302 W. Magnolia, Burbank, Calif.
Victoria 9-4641
17647 Sherman Way, Van Nuys, Calif.
Dickens 2-5143

SCM! BES has a new quad on 20 meters and a kw. s.s.b. rig under construction. RKU is taking it easy in the hospital. Our best for a speedy recovery. Wally, K6OZJ reports nice daily 6-meter openings. SRF is spending the summer on the beach at Alamogordo. K6COP is on vacation and sporting a new NC-300. K6GTG has been on "location" for quite a spell. K6EPY is Alternate NCS on the 246 Net. WT is home from a nice 6-state vacation trip. Support your section traffic net, the Southern California Net (SCN) on 3600 kc., at 1930 PDT nightly. Traffic: (July) W6GYE 83P, K6OZJ 436, MON 409, OQD 295, LVR 182, W6HJY 172, BHG 146, QLM 120, K6PLW 114, QZZ 114, QMK 112, W6INH 49, K6COP 48, GUZ 48, HVC 48, EPY 46, W6USY 41, K6EA 32, DDO 17, W6BUK 14, MEF 12, AM 8, CMN 6, YSK 6, K6LYJ 5, HOV 4. (June) W6ZJB 234, HJY 162, K6QZZ 84, W6WT 27.

ARIZONA—SCM, Cameron A. Allen, W7OIF—SEC: YWF, PAM AEN, 3865 kc.; ASI, PAM Grand Canyon Net, 7210 kc.; LUJ. The GC Net enjoys a large check-in of W6s and W5s in New Mexico and Texas. The Phoenix V.H.F. Club Net on 50 Mc. took part in Operation Alert. ABU was NC with FFF, JBZ, JHX and AGG. RUX has a new GPR-90 and 48-ft. tower. The Arizona Amateur Radio Club has taken the tower situation in Maricopa County to court. Listen on 3865 kc. at 1930 MST for late details. UVR, Tucson, has a system for protecting the modulation transformer from surge voltages when you cut the carrier. Quite a bit of interest is being shown in the Worked All Arizona Award. Traffic: W7FKK 285.

SAN DIEGO—SCM, Don Stansifer, W6LRU—The July column was written by your SCM in the High Sierras of Eastern California while vacationing with the family, and enjoying the out-of-doors. K6BHM has joined the Coast Guard, and sold his DX-100 to KSE before departing for four years. K6CTQ is now stationed at the Miramar NAS. CAE vacationed at Lake Tahoe. IAB now has a new KWS-1 on 15 meters. FVA, EC for the Northern County Area, reports 24 active stations checking into the 75-Meter AREC Net. WNN visited ex-San Diegoan VOP, who is now 7ECZ while on vacation in British Columbia and W7-Land. New officers of the Convair Club include K6IAF, pres.; and K6QXN, secy. Coronado Club members using their mobiles for the 4th of July Parade communications included DGO, JVA, KSI, K6LDI and 7DBY/6. The regular quarterly meeting of the San Diego Council of Amateur Radio Organizations in late July included quite a discussion on the recent FCC decision allowing increases in receiver radiation. The August meeting of the San Diego DX Club was held at the home of CAE. CGQ is back in San Diego and looking for a good DX location on Pt. Loma. Traffic: (July) W6EOT 399, WNN 2. (June) W6LAB 2631.

SANTA BARBARA—SCM, Mrs. Dorothy E. Wilson, W6REF—Asst. SCM: Bill Farwell, 6QIW. SEC: K6CVR, K6BF is vacationing in Quebec, Canada, where he expects to visit friends of many QSOs. LBL is building an all-band rig for DX hunting. He works JAs on 75 meters. KZO combined things by getting married and also going mobile in August. K6CVR and his NYL had a new jr. operator July 24. K6KPU and W6QIW are active in the American Legion Net. W6KSW and REF are active in the Mission Trail Net. JPP is a new OPS and ORS. K6IVB has the rig installed in a new QTH. This is all the news that was available this month. Our thanks to those who did report. Without reports we cannot send anything in for printing. So, please, next month send me whatever news you have to Rte. 1, 75 Vista del Mar, Ventura, Calif. Yes, REF has moved the QTH from Oxnard to Ventura. Traffic: W6QIW 66, REF 25, K6KPU 8, W6PWK 4.

WEST GULF DIVISION

NORTHERN TEXAS—SCM, Ray A. Thacker, W5TFF—Asst. SCM: Bruce Craig, W5JQD. SEC: BNG. PAMs: AEX and IWQ. RM: AHC. It sure was a pleasure to see so many of you fellows from this section in San Antonio. Our Southern Texas friends sure put on a fine convention. Seems as if each convention becomes more enjoyable than the past one. We look forward to seeing and meeting more hams from this section next year in Oklahoma City! We here in Dallas hope to have the convention here another time! OPS and ORS appointments have been issued to K5HTH. Our congratulations to UBW, who got married! We sure appreciate the reports received from OOs and OESs this month and will look for reports and an increase next month. The South Plains ARC now sponsors code and theory at the Naval Reserve Bldg. KPJ and QPI are headin' up this project. New officers of the Pampa ARC are LJO, pres.; IWQ, vice-pres.; JHA, secy.-treas. HZF, UXY and DFB keep regular skeds with KA2RB, ex-5EPO. KN5LLN is new on the air from Amarillo. LOH is the proud owner of a new Valiant! Novices: KN5KNR, of Huntsville, has

(Continued on page 168)

Enjoy the Prestige of A Field Assignment with BENDIX RADIO!



ELECTRONIC FIELD ENGINEERS

Engineering degree or
equivalent experi-
ence in electronic
systems re-
quired.

FIELD SERVICE TECHNICIANS

Technical school, plus
three years experi-
ence required.
Military ex-
perience ac-
ceptable.

Pride in your work and your recognition in the field—that's important to the "inner man". The opportunity to advance rapidly and to grow in your profession—that's important to your future! Excellent starting salaries

and field allowances—they're important to the family! You will obtain *all* these advantages when you choose a field assignment with the leader in its field—Bendix Radio!


Simply drop us a postal card stating education & experience. We'll arrange for a personal interview.

Address:
MR. O. A. BOWMAN
Field Engineering Dept. Q



Bendix Radio

DIVISION OF BENDIX AVIATION CORP.
SMITH & GREENSPRING AVENUES
BALTIMORE 9, MARYLAND




TELEWRITER CONVERTER FOR RECEIVING RADIO TELETYPE

To receive amateur or commercial teletyped messages by radio, you need the following equipment: (1) Good communications receiver. (2) A TELEWRITER CONVERTER which plugs into the receiver phone jack. (3) A Polar Relay which plugs into the back of the Telewriter Converter. (4) A small 110 volt, 60 ma, d.c. power supply, to operate the selecting magnet(s) in the teleprinter machine. (5) A teleprinter (teletype) machine, which is an electric typewriter controlled by radio signals. (Used teletype machines are available from \$75 up) Telewriter Converter \$89.50, Polar Relay \$14.75. For additional information write: Tom, W1AFN.

ALLTRONICS-HOWARD CO. Box 19, Boston 1, Mass.
Tel. Richmond 2-0048

EASY TO LEARN CODE

It is easy and pleasant to learn or increase speed the modern way—with an **Instructograph Code Teacher**. Excellent for the beginner or advanced student. A quick, practical and dependable method. Available tapes from beginner's alphabet to typical messages on all subjects. Speed range 5 to 40 WPM. Always ready, no QRM, beats having someone send to you.



ENDORSED BY THOUSANDS!

The **Instructograph Code Teacher** literally takes the place of an operator-instructor and enables anyone to learn and master code without further assistance. Thousands of successful operators have "acquired the code" with the **Instructograph System**. Write today for full particulars and convenient rental plans.

INSTRUCTOGRAPH COMPANY

4709 SHERIDAN ROAD CHICAGO 40, ILLINOIS

BUY IT FROM "THACH" WØQV



for the top
performing
Amateur
kilowatt...
Collins
KWS-1

Unmatched performance, accuracy and stability characterize the Collins KWS-1 in SSB, AM or CW operation. Extremely accurate 70E VFO, Pi-L output network, Collins Mechanical Filter. See us about generous trade-in allowance and time payment terms. KWS-1 kilowatt Transmitter,

Net Price\$2,095.00

75A-4 SSB Receiver



Designed expressly for operation on the 7 HF Amateur bands. Features AVC on SSB and CW, separate detectors for AM and SSB, passband tuning, rejection tuning, Gear Reduction Tuning Knob, superior selectivity and many other time-proven Collins features. 75A-4 Receiver, Net Price\$695.00

KWM-1 SSB Mobile Transceiver



First mobile transceiver in the Amateur field — 175 watts PEP input, 14-30 mc. Use for mobile or fixed station without modification.

KWM-1 Transceiver, Net Price\$770.00

For complete information, accessories, terms, trade-ins, write:

THE OVERTON ELECTRIC CO., INC.

522 Jackson St., Topeka, Kansas
Phone CE-3-3261

advised of a new Novice emergency net on 7175 kc. No date was given, so listen! The Panhandle ARC announces new officers as GEE, pres.; EKP, vice-pres.; HTH, treas.; IRP, secy. Teen-agers, monitor 3920 kc. all day. You will find a lot of buddies on this frequency. Wonder how many of you who heard John Huntoon's talk in "Santone" have absorbed what he said! Traffic: K5WAB 1096, BKH 208, W5ACK 135, K5EMR 88, W5AHC 76, BOO 72, OCV 54, K5HIT 22, W5ASA 19, TFP 15, AWT 8, K5HAY 8.

OKLAHOMA—SCM, Richard L. Hawkins, W5FEC—Asst. SCM: James R. Booker, 5ADC, SEC: LXH. PAMs: EJK and MFX. RM: JXM. EJK is our new PAM for 40 meters replacing KY, who resigned because of increased business activity. Thanks, Bob, for an FB job. Oklahoma hams owe a vote of thanks to CCV and his cohorts for getting the license plate bill passed in its improved form. We must support them by applying for the call letter plates when they are available. Oklahoma hams were successful in their efforts at San Antonio to bring the next convention to Oklahoma City. 3CEP/KH0CE, Okinawa, is looking for an Oklahoma phone patch on 20 meters under the call KR6SS-KR6AF. K5KFS received RCC and CP-15 certificates. Bertha, JCY, received DXCC, the 1st NYL in Oklahoma and 2nd in the West Gulf Division. EHC was elected Oklahoma representative for 14th MARS. NLZ is on 220 Mc. KL7BVV now is K5KPX. KN5KRI moved to Dodge City, Kans. K5KTW is a new ham in Lawton. PWN has a new three-element three-band beam and a 40-ft. pole. ATL moved to Bartlesville. MMD and K5AOV are working DX. K5EJC has a new jr. operator. K5GJF/5 was with the 45th Division handling traffic during the summer encampment. A new Novice is KN5LDP. NXQ is back after three years in Japan. Traffic: (July) W5ESB 260, DRZ 229, K5EGS 228, W5QVY 151, K5CAY 105, CBA 90, CVU 58, W5FEC 57, MGK 36, K5DVE 24, W5BBA 16, PNG 13, CCK 12, MFX 9, VAX 8, EHC 7. (June) W5DRZ 108, BBA 58.

SOUTHERN TEXAS—SCM, Roy K. Eggleston, W5QEM—SEC: QKF, RM: FCX. The new officers of the El Paso Amateur Club are KOE, pres.; JSJ, vice-pres.; RUO, treas.; and KN5KOM, secy. The board of trustees is composed of KBP, BYG and BQU. New hams from the 1957 code class are KN5EOK, KYZ, KVF, KVH and KVJ. Congratulations, K5HJU and HTR have dropped the "N" from their calls. SMG is out of the Army and putting Laredo on the map on all bands. K5KYO is a new ham in Laredo. QOC vacationed in Northwest U.S.A. K5JGU, ex-W8UQS, is active at Falfurrias and is the new EC for that area. BXU is in the Army. FMI Kerrville, PBU McAllen and K5BJP Orange are new ECs. How about you amateurs in these districts contacting these ECs and lining up with the AREC? Those from Corpus Christi attending the ARRL Convention in San Antonio were AQK, BKG, HQR, YCV, LOW, MSA, QFA, QKF, QEM, K5COZ, CFA, IBK and GJX. HQR and YCV are vacationing in Arkansas and Mississippi. DSY is in Illinois. DTJ has been on the sick list. ZIE is EC at Leakey. UO EC at Lufkin, and GMM EC at Huntsville. QEM, K5COZ and CFA are vacationing in the mountains of Colorado. GHL has a new 250-watt amplifier on 6 meters. There are 30 stations on 6 meters in Houston. FCX is the RM at Old Ocean. Traffic: W5EGD 218, FCX 122, DTJ 90, MN 77, K5AJP 56, KN5KWC 5.

CANADIAN DIVISION

MARITIME—SCM, D. E. Weeks, VE1WB—Asst. SCM: Aaron Solomon, IOC, SEC: FH. A "Worked Atlantic Provinces" Award (WAP) has been announced by the NBARA. This award will be open to all amateurs. Further details will appear in a later issue of QST. PF and ABT have taken up residence in the Nation's Capitol after 8 years in the Maritimes. Good luck to you, Ed and Doreen, and we look forward to working you when you get settled in Ottawa. Active s.s.b. stations in the Halifax Area now include LY, LZ, SI, TA and WL. IB, WL, ZR and PQ (Halifax) have been working EF (Musquodoboit) and WIQCC/VE1 (Pictou) on 50 Mc. ground-wave in between band openings. The NBARA held its annual Meeting at Kingsclear and reelected the following officers: EE, pres.; ABZ, 1st vice-pres.; UL, 2nd vice-pres.; UT, secy.-treas. Many ARRL appointments for the Maritime section are now open. Please drop a line or send a message to this office for further details. Traffic: VE1FQ 168, W2ZR/-VO1 74, VE1FH 32, UT 22, DB 11, OM 11, ME 10, GA 8.

ONTARIO—SCM, Richard W. Roberts, VE3NG—The Norquebot Radio Club had a very successful hamfest in Timmins. Among those seen there were PH, BOV, NG (SCM), DSX, BWH, EAW, DMI, DSJ and DQL. At the present time the big news is the Ontario Provincial ARRL Convention to be held at Toronto, Oct. 18 and 19 at the King Edward Hotel.

(Continued on page 170)

CONGRATULATIONS

W6NLZ and KH6UK


on the first W6/KH6

two-way QSO on
2 meters!



KH6UK,
"Tommy"
Thomas

W6NZL,
John Chambers



Both W6NLZ and KH6UK long felt that this record setting contact was a distinct possibility. Both operators were highly skilled, each had many VHF "firsts" to his credit. Schedules were diligently maintained. Equipment was continually improved. Finally on July 8, 1957... two-way contact!

Gonset's antenna group is indeed proud that both of these well known amateurs were using Gonset-designed Big-Bertha-type antennas.





GONSET

DIVISION OF L. A. YOUNG SPRING & WIRE CORP. Burbank, Calif.

From 50 milliwatts . . .

to a full "gallon"



QST covers the field. CK761s or 4-250As, 1-tube regens to superselective IF strips, end-fed long wires through long, LONG Yagis—all have appeared in QST. Whatever your interests in this fascinating hobby, you'll find the articles you want in QST.

And remember—League members have QST delivered to their doors each month for only \$4 a year (\$4.25 in Canada; \$5 elsewhere).

THE AMERICAN RADIO RELAY LEAGUE

WEST HARTFORD 7

CONNECTICUT

by TEST or TESTIMONIAL

the finest transmitter

in its price & wattage range

KØDBN

I have been using my Scout with the WRL '755' VFO for about eight months and I have had a world of pleasure out of it. I have made over 700 contacts, working almost strictly phone. For antennas, I have loaded up practically everything from a hairpin to a flagpole and they have worked out.


I have been working 10 meters for about seven out of the eight months. I have made contacts with Europe, Africa, Canada, Alaska, Central America, South America, Islands in the Caribbean, and New Zealand.

The Globe Scout, though small in size and low in power, is the biggest buy in a low price transmitter.

Bob Fehr, KØDBN
6611 Sutherland Ave.
St. Louis 9,
Missouri

THE WRL Globe Scout 680

\$891
per mo.
Just \$11.00 Down



Wired & Tested: \$109.95

Kit Price: \$89.95

A compact, self-contained, bandswitching transmitter for 6-80M, with built-in power supply, 50W fone, 65W CW. High level modulation. Cabinet shielded for TVI-suppression. Pi-net output on 10-80M; link-coupled output on 6M, matching into low impedance beams. New type shielded, full-range meter. Adaptable for Mobile. Best by any test. Try it!

And the World-Famous

Globe Chief 90 \$ 67.50; \$ 5.47 per mo.
Globe Champ 300 \$449.00; \$25.14 per mo.
Globe King 500B \$725.00; \$40.60 per mo.

SEND FOR COMPLETE BROCHURE!

WORLD RADIO LABORATORIES

3415 W. BROADWAY
COUNCIL BLUFFS, IOWA

Please send me your free catalog and info on:
 Globe Chief, Globe Scout, Globe Champ,
 Globe King.

Name:

Address:

City & State:

Details can be had from Bill McCullough, BCR, or through the SCML. SG has moved to Bolton. AUU was on vacation. DH now is in Ottawa. ALO is active again on 7 Mc. BPR spent his holidays in V-Land with v.h.f. boys. AAS and AUU were at Algonquin Park. CAB was at a lighthouse and worked AAS consistently on 75 meters. EGG wishes to join the c.w. net. DQX is busy with the summer edition of Metro's Modulator. AJR subs for DPO on QMN during his vacation. AHU is portable at the Gaza Strip. His home QTH is Barrie, Ont. He QSLs 100 per cent and works 14 Mc. The Sarnia group is looking for a new name for the club. KN8BGG reports big DX-TV from a station in Halifax, N. S. GB/mm has a yacht at Sarnia. AML, DJY and DFU were in the SS Contest re-ently. KN8CIG is vice-pres. of the Sarnia Club. CE is expecting a new HQ-110. AES is OPS and has a new antenna on 75 meters. BJR vacationed in Connecticut. DU vacationed on the West Coast and returned home to find a new 75A-4, won at the North Bay Hamfest. BSW reports a new antenna on 20 and 40 meters. NO is active on 75 and 20 meters. DJTO is heard on 75 meters. His low-power rig gets out OK. DAR is on 20-meter mobile and his fixed rig is on 75 meters. DUU is heard on all bands. NF works the Ontario Phone Net. DVM, DZA, ARF, NG and ELC all work from Lake Mazinaw on 75 meters. Traffic: (July) VE3NO 100, BUR 90, AUU 63, NG 57, DPO 50, OLB 20, RW 20, AML 18, AJR 17, EAU 16, DUU 12, AES 6, CE 3, DH 3. (June) VE3EAU 13.


QUEBEC—SCM, Gordon A. Lynn, VE3GL—APH has been transferred from the Province and the duties of QSL Manager have been taken over by Y.A. Geo. C. Goode, 188 Lakeview Ave., Montreal 33, Que. He reports a lot of cards on hand for many VE2s for whom he does not have stamped addressed envelopes. All VE2s who are active should get an envelope or envelopes to him quickly. ATL continues active on various nets. AGN also continues active in traffic and is building a new rig with a 4-125A in the final. ATS, AWD, AWK, EG, JB, NU, UB, RU, AAI, ADB, AFV, AIV, ALA, AAI, AOB and AOL are all active on the Quebec Traffic Phone Net. AAR, AIB, IIE, AOL, AWU and KB are all operating mobile. AWA is back on 80-meter c.w. FF has been on 2 meters for 2 years, has a 19 set converter and an 829 with 100 watts on 2 meters. LU has a 75A-4 and a KWS-1. GK operated from Lake Louise during the summer. TT is on 2 meters. ABE is on from Mon Repos Beach. ABN, AEN, AWR and AFJ are on 80-meter c.w. AJR, at Hull, and AJS, at Quebec, are on 75-meter phone. ALB is on from St. Gabriel de Brandon and ALD from St. Jerome. AOK is on 2 and AOM on 6 meters. ASW has a 10-meter beam. ATE is on from Contrecoeur. AWK has a DX-100 and an AR-77. UF is on 40 meters with flea power. VI is active on the c.w. traffic nets. ANK is mobile on 3.8 Mc. AUH is running down harmonics. YU took the beam down for an overhaul and spent a 3-week holiday in G-Land. Traffic: (July) VE2AGN 197, DR 90, (June) VE2ATL 110, AGN 64, DR 48, EC 43, AWK 8.

ALBERTA—SCM, Sydney T. Jones, VE6MJ—The Calgary Club is to be congratulated on a very successful hamfest. Approximately 170 guests sat down to a nice banquet, highlighted by practical jokes pulled by the Edmonton gang. An excellent demonstration of radioteletype was put on by FH and DZ from Edmonton. Following the hamfest on Sunday afternoon, Aug. 4, DZ and IC worked NX mobile-to-mobile from Calgary to Banff with good signals an air-line distance of about seventy miles on 144 Mc. Nice going, boys. BL is the new EC for the Grande Prairie Area. WG, formerly of Calgary, is located in Edmonton and is active on 40- and 80-meter c.w. CA and his XYL, BC, were Edmonton visitors following the hamfest in Calgary. EA is building a cottage at Sandy Lake. HM still is handling gobs of traffic for the boys in the north and is working on an RTTY set-up. Traffic: (July) VE6HM 297, TT 11, BL 6, MJ 5, PV 5, OD 3. (June) VE6HM 245.

BRITISH COLUMBIA—SCM, Peter M. McIntyre, VE7JT—To many in British Columbia it will be interesting to know when and where the various clubs meet and the persons charged with running the club for the season. This month the active Royal City Amateur Radio Association is on the spot with the Vancouver DX Club next month, with ALR as your columnist. At the helm of the RCARC are KD, pres.; ADF, vice-pres.; and FY, secy.-treas., with 30 licensed members out of 33 members, also two doctors licensed as amateurs (any other club as well protected medically?). The club meets the second Thurs. of each month at 8 P.M. at 1825 Douglas Hwy., New Westminster. In order to relinquish the title of radio widow, the XYL of ADF got a call of her own. ADR. The members of the club are 100 per cent behind c.d. and have 4 Gonsset Communicators and 2 gas generators ready for use. Two of the members, PS and YM, are active on 2 meters each Tue. and Sun. at 9 P.M. As each

(Continued on page 172)

MM-1 + Receiver Monitoring = MM-2



All the transmit features of the MM-1 *plus* RECEIVER MONITORING are presented in the new MULTIPHASE RF ANALYZER MM-2.

For use on SSB, DSB, AM, PM and CW.

RECEIVER MONITORING — use with any receiver. Look at received signals. Give reports of Overmodulation, Flat-topping, Parasitics Key waveshape, etc. Simple connections, no holes to drill, plug-in IF unit. New features asked for in your letters.

New variable sweep control with improved speech locking for transmit and receive. TRANSMITTER MONITORING — NO TUNING, BROADBAND response flat from 1 MC to 55 MC at power levels of 5 watts to 5 KW. Useful indications to 200 MC. For use in "series" with 52-72 ohm coaxial lines. A short pickup antenna is recommended for other systems. RF attenuator controls height of pattern in 3 db steps. Function selector for envelope, trapezoid or bow tie patterns. Built-in 1 KC oscillator.

Silent, Automatic, Electronic switching between RECV and XMIT triggered by transmit RF.

Model MM-2 wired, less IF Adapter \$129.50 Kit . . . \$99.50

Plug-in IF Adaptors — Model RM-50 for 50 KC IF, Model RM-80 for 80 KC IF,

Model RM-455 for 450 to 500 KC IF \$9.95

Watch for early announcement of our new Model 100V Broadband Exciter-Transmitter with built-in Linear VFO. It will be advertised when it is in stock at your distributor.

WRITE FOR INFORMATION



Central Electronics, Inc.

1247 W. Belmont Ave. • Chicago 13, Illinois

the Collins 75A-4



Designed expressly for Operation on the 7 HF Amateur bands

This outstanding SSB receiver features AVC on SSB and CW, separate detectors for AM and SSB, passband tuning, rejection tuning, Gear Reduction Tuning Knob, superior selectivity and many other time-proven Collins features. Net Price ----\$695.00

Complete line of Collins equipment and accessories.

GRAHAM ELECTRONICS SUPPLY, INC.

102 So. Pennsylvania St.
Indianapolis, Indiana

It's here now! Famous

Telrex "TRI-BAND"®

TB2E—
10, 15, 20

FULL SIZE —
NO COMPROMISE!

3-Band One-Transmission Line Array

Telrex tuned, matched and calibrated for easy assembly (without formulas or traps to break down) to provide outstanding performance on 3-bands with a practical long-lasting structure incorporating the finest of materials. Install a Telrex tri-band today for full size 2-element performance (gain 5.5 db) F/B 18 db — and enjoy your hobby to the fullest!

Price: \$158.00

Order today from —

f.o.b. Norfolk, Va.

Radio Equipment Co., Inc.


821 West 21st Street
Norfolk 10, Virginia

— or call

W4AEX, W4KWY, W4NTT, W4Y00, W4YJR, KB4/OLZ

SILENT A.C. MAGNET

prevents hum modulation
of carrier



Model
DKC-GE
1000 WATTS
Length 4 1/2"
width 3"

A.C. types guaranteed as quiet as D.C.

Special connector protects your receiver from R.F. during transmission (Optional) Transmit contact-pressure over 75 grams making the 1000 watt rating very conservative. Causes negligible change in SWR up to 100 Mc.

Now Available in KIT FORM: select the exact model and type from your dealer's stock. All magnets and other parts interchangeable. Assembled units still a stock item.

AC types (All Volt.) Amateur net. **\$10.50**
DC types (All Volt.) Amateur net. **9.50**

Add **\$2.00** for DPDT External Switch (optional)
Add **\$1.00** for SPDT External Switch (optional)
Add **\$1.00** for Special receiver protecting connector (optional)



DKF rigid adapter for external chassis mounting **\$1.85**

Prices net FOB Warren, Minn. Shipping Weight 9 oz. Dealers inquiries invited. Literature on request.

THE DOW-KEY CO., INC.
BOX 57B WARREN, MINNESOTA

1 1/4,
2,
6
or
10 METERS *Teecraft*
with

Teecraft Transmitters For 220, 144, 50, or 10-11-15 Mc. Hi-Level Plate Modulation • Hi-Impedance Mike Provisions for Metering All Stages • Tuned Antenna Output System to 52/72 Ohm Line • RF Output-Indicator • Power Requirement 6.3 v AC @ 4 amps & 250 v DC @ 250 ma. • Tubes: 6AU6 osc.; 5763 Buf/Dbler; 6360 Buf/Mult; 6360 final amp.; 12AX7 speech amp. & driver; 2-6AQ5 modulators • Power Input to Final, 20 Watts.
Complete with tubes, crystal and plugs. . . . **\$59.95**
Matching Power Supply. **39.95**



AT YOUR DEALER,
OR WRITE
*The Equipment
Crafters, Inc.*

523 Winne Ave., River Edge, New Jersey, Colfax 2-0159
See Our Ad on page 134 on New Cascode Converter!

month progresses a club will appear in print. Please forward details on the officers, meeting times and meeting places. For reporting credit attached to B.C.: KGIDT, operators K2MRF and W7YJP, working from Fletcher's Ice Island, made BPL Traffic: KGIDT 585.

MANITOBA—Acting SCM, James Elliott, VE4IF—DS has been very busy with IGY work. Get back on the air soon, Jack. Congrats to BB on the arrival of a fine son. Bob has been doing a fine job on mobile. PE is back on with 75-meter mobile e.w. and hopes the band will smarten up soon. HL is back on the air. Glad to see you, John. KL and LO have moved to a new QTH. SA has been plugging hard on the air for the ARRL Hamfest. IP, GE and PE attended the Calgary Hamfest. Despite very bad conditions, the Manitoba Phone Net has been doing a good job. Keep it up, gang. Affiliation of the Amateur Radio League of Manitoba with the ARRL is progressing and final approval is expected soon. Traffic: VE4GE 12, AY 11, JY 8, AN 4.

Six Elements on 6

(Continued from page 20)


band device. We checked the range over which a satisfactory s.w.r. could be maintained without readjustment of the gamma match. It was not very wide. Adjusting for zero reflected power (1-to-1 s.w.r.) at 50.3 Mc. the beam showed under 1.7 to 1 from 50.0 to 50.6 Mc. The s.w.r. went up sharply above 50.7 Mc., being well over 2 to 1 at 51 Mc. By adjusting for minimum s.w.r. at 50.6 Mc., the array could be made to work from 50 to above 51 Mc. without going much over 2 to 1, probably an acceptable figure, even with coax feed.

Checks on the air show no large difference in performance over the first megacycle, either receiving or transmitting. Front-to-back ratio averaged about 18 db. over the first megacycle, and the nulls on the sides are deep and wide -- the mark of an effective array. We've made no attempt to measure beam width accurately, but this we know: the 6-element job has to be much more carefully aimed than smaller arrays we've used in the past. This sharpness would have been thought a nuisance years ago, but it comes in handy now, when we want to knock down the strength of a local who may be 20 degrees or so off the line to the station we're trying to work. It is often possible to move the beam a bit off the exact line to the desired signal, and thereby put the local in one of those deep nulls, where he won't smear the DX we're trying to copy.

In ionospheric-scatter tests to date, the new array has shown itself to be at least the equal of the old 3-over-3 in every case, and indications are that it is slightly better. The boys locally like it -- except when it is aimed directly at them!

Dimensions given below are for use in the first megacycle of the band. Subtract 2 inches from each dimension for each megacycle higher in frequency, if you want to use the array at optimum efficiency higher in the band. All figures in inches. Reflector — 116. Driven element — 110 1/2. First director — 105 1/2. Second director — 104. Third director — 102 3/4. Fourth director — 101 1/2. Reflector to driven element — 36. Directors are spaced 36, 42, 59 and 70 inches. If you want a longer array, space each additional director 70 or more inches from the last one, and make each one inches progressively shorter.

The **ORIGINAL
THREE-BAND**



- ✓ **NO STACKING REQUIRED**—all elements are at the full height yet wind resistance is held to a minimum.
 - ✓ **UNIQUE WINDMILL DESIGN**—permits ready access to all parts of the beam from the tower.
 - ✓ **WIDE-BAND BALANCER**—affords perfect pattern symmetry with coaxial feed line. No adjustment required.
 - ✓ **MAXIMUM GAIN**—over 8-db. gain on 20 and 15 meters, somewhat higher on 10 meters.
 - ✓ **HIGH FRONT TO BACK RATIO**—in most installations the front to back ratio exceeds 30 db. on 10 and 20 meters and 25 db. on 15 meters.
 - ✓ **RUGGED DESIGN**—Boom consists of two 12-foot lengths of 2¼" dia. tubing with .065" wall. Three-band elements are made of 1½" tubing with .058" wall. All tubing is of 6061-T6 heat-treated aluminum alloy for maximum weather resistance and strength.
- MODEL FT-100 BEAM ANTENNA PARASITIC ARRAY** operating on 10, 15 and 20 meters. Complete with chromate dipped hardware and aircraft type stainless steel clamps (to assure against corrosion and rust), assembly instructions and prints. **\$225.00**
- MULTIBAND DESIGN FOR WIRE ANTENNAS**—The W3DZZ design employs a concentric coil and condenser completely potted in Polyester Resin. Polystyrene insulation of concentric capacitor can withstand highest amateur transmitter voltages.
- MODEL FT-200 TRAPS** for 5-band antenna operation on 10/15/20/40 and 80 meters. (75 ohm feed line). Pair, postpaid. **\$12.50**




See your local distributor or (Harvey has it in the N.Y. area) write to:
FREDERICK TOOL & ENGINEERING CORPORATION
 414 PINE AVENUE, FREDERICK, MARYLAND

**Win A Hallicrafters SX-101
 * From *Arrow* Electronics**


Free!




*Contest Will Be Conducted From
 Arrow's Mineola Location Only



SX-101




HT-32



HT-33

Arrow Carries A Complete Line Of Ham Equipment In Stock.
 Check Our Export Department For Overseas Shipments.

See Hallicrafters
 Ad On Page 112
 For Complete
 Contest Rules...

ARROW  **ELECTRONICS, INC.**
 65 Cortlandt St., New York 7, N. Y. • Dlgy 9-3790
 525 Jericho Turnpike, Mineola, N. Y. • Pioneer 6-8686

by TEST or TESTIMONIAL

the finest transmitter
in its price & wattage range


K9GHD

I just thought I would give you a little progress report on the newly purchased Globe Chief. On 15 I have talked to Alaska, England and a few days ago France. All this was using a half wave dipole about 10 feet above ground. Having never received a report below 569, I owe all the honors to the Globe Chief. Seeing that my antenna set-up is inferior I know it has to be the transmitter that is putting out such a beautiful signal. I think the G. Chief is of very good engineering quality and is easy to operate, all in all the best transmitter in the world in the 50 dollar price range.

Sam L. Bourland, K9GHD
Route 2
DuQuoin,
Illinois

THE WRL Globe Chief 90

\$547
per mo.
Just \$6.75 Down



Wired & Tested: \$67.50

Kit Price: \$54.95

Just try this handsome, compact, self-contained 90W transmitter. Completely band-switching, 160-10M. Combination pi-net with provisions for antenna changeover relay, speech modulator input, VFO input and operation. Built-in, well-filtered power supply. Modified grid-block keying. Kit contains pre-punched chassis, all parts and detailed assembly instructions.

And the World-Famous

Globe Scout 680	\$109.95; \$ 8.91 per mo.
Globe Champ 300	\$449.00; \$25.14 per mo.
Globe King 500B	\$725.00; \$40.60 per mo.

SEND FOR COMPLETE BROCHURE!

WORLD RADIO LABORATORIES



3415 W. BROADWAY
COUNCIL BLUFFS, IOWA

Please send me your free catalog and info on:
 Globe Chief, Globe Scout, Globe Champ,
 Globe King.

Name:

Address:

City & State:

A Simple Conelrad Alarm

(Continued from page 43)

lamp glowing (with a filament transformer for lamp supply) or any number of alarm indicators including interlocks in the plate supply of the transmitter.

To monitor the station aurally, connect a pair of high-impedance phones across the relay. This device can also be used at an airport control tower, for instance, to monitor a homing beacon or other navigational aid, providing positive indication of the signal being radiated. The tuned circuit should, of course, be resonated to the frequency of the transmitter concerned.

Improved A.V.C.

(Continued from page 46)

signal that you would think the meter was stuck.

I have spent considerable time and thought trying to improve the circuit still more, but it works so well for me now that I can't find a way to make it better. Possible improvements might be a self-adjusting noise clipper to prevent noise pulses from disabling the a.v.c., although this happens only rarely, as mentioned above. Some users might prefer to bypass the cathode resistor of the a.v.c. amplifier with a large electrolytic capacitor, to increase the gain of that stage. This necessitates raising the threshold bias if the audio output of the detector is to remain the same level as before. The additional gain should give a still flatter a.v.c. action, but I can notice no practical difference.

In my i.f. strip I feed manual gain-control bias to the a.v.c. bus through a diode and it works fine that way, but the a.v.c. works so well even on weak signals that I never use manual gain control.

QST—Volume V

(Continued from page 73)

carried away telephone poles, wires, and trees, eliminating the possibility of repairs. . . .¹³⁶

Quinn Brothers, holders of 9ZL's old Special License, with the help of Mr. H. Bishop (9DV), assembled and connected the component parts of a half-kilowatt spark transmitter at Neeah, Wisconsin. They then tuned this set onto 600 meters and contacted WMW, the station of the Pere Marquette Railroad, at Manitowoc, Wisconsin, and began to handle traffic. The source of power was an a.c. generator located at one of the big paper mills in Neeah. The installation of the station at that spot required about 6 hours of work. (19, June 1922.)


Spark-coil stations (for the most part) fed traffic to 9ZL from points such as Oshkosh, Appleton, and Green Bay. (20, June 1922.)

" . . . Many extremely important messages were handled and invaluable service rendered,

¹³⁶ 19, June 1912.

NEW HORIZONS IN AMATEUR EQUIPMENT FROM DeMambo


HALLICRAFTERS SX-101 RCVR ♦ HALLICRAFTERS HT-32 XMTR



All amateur and as rugged as they come! It's the first complete answer to ham reception . . . incorporating every essential feature needed for today and wanted for the future.

- Complete coverage of 7 bands — 160, 80, 40, 20, 15, 11-10 meters.
- Special 10 mc. pos. for WWV, plus coverage of major MARS frequencies.
- Exclusive Hallcrafters upper/lower side band selection.
- S-meter functions with A.V.C. off.
- Tee-notch filter.
- Local oscillator output available for use in heterodyne V.F.O.

\$395.



A new complete table top, high efficiency amateur band transmitter providing S.S.B. AM or CW output on 80, 40, 20, 15, 11 and 10 meter bands. This unit incorporates two new exclusive features in S.S.B. generation techniques. First, a 5.0 mc. quartz crystal filter which cuts unwanted sideband 50 db. or more. Second, a newly developed bridged-tee modulator which makes the HT-32 extremely stable.

- C.T.O. direct reading in kilocycles to less than 300 cycles from reference point.
- 144 watts plate input (P.E.P. two-tone).
- Distortion products down 30 db. or more.
- Carrier suppression down 50 db. or more.

\$675.

DeMambo RADIO SUPPLY COMPANY, INC.

SIX STORES TO SERVE YOU

Worcester, Mass. Providence, R.I. Manchester, N.H. Keene, N.H. Brockton, Mass. Lawrence, Mass.

All with TELETYPE CONNECTION to MAIN STORE 1095 Commonwealth Avenue, Boston 15, Mass.

Write, wire or phone ERNIE BONO (W1QBP) for immediate service
BETTER STILL, COME IN—PLENTY OF PARKING SPACE

COMPLETE— CONVENIENT ARRL LOG BOOK

It helps make the job of record keeping a pleasant one. Fully ruled with proper headings for all necessary entries, the Log Book not only helps you to comply with FCC regulations but also provides a lasting record of many pleasant QSOs.

in Looseleaf form (3-hole)

100 sheets — \$1.00

Spiral bound, 39 pages

50¢ U. S. A. Proper

60¢ Elsewhere

(postpaid anywhere)


The American Radio Relay League

West Hartford 7, Conn.

Now In
Stock In
KANSAS

the Hy-Gain Triple Spanners

1 beam, 1 feedline, 3 bands (10, 15 & 20M), and low SWR. Guaranteed for one year. Better performing than three stacked arrays because interaction and detuning effect is eliminated. Extremely easy to erect; no adjustment necessary.



- Rotatable Di-Pole . . . \$ 39.95
- 2-element space-saver 69.50
- 3-element standard 99.75
- 5-element champion 395.00



Insu-Trap; — only weatherproof, adjustable trap circuit in existence. Acts as insulator for selected frequencies, isolating various element sections at 10, 15 & 20M.

There are more hy-gain Triple Spanners in use than all other three band beams combined!


and the complete line of the Hy-gain ANTENNA PRODUCTS!

SEND FOR DETAILED BROCHURE!

Amateur Radio Equipment Co.

1203 EAST DOUGLAS, WICHITA, KANSAS

KEN-ELS RADIO SUPPLY



for the top performing Amateur kilowatt...
Collins
KWS-1

Unmatched performance, accuracy and stability characterize the Collins KWS-1 in SSB, AM or CW operation. Extremely accurate 70E VFO. Pi-L output network. Collins Mechanical Filter. See us about generous trade-in allowance and time payment terms. KWS-1 kilowatt Transmitter,

Net Price ----- \$2,095.00

75A-4 SSB Receiver



Designed expressly for operation on the 7 HF Amateur bands. Features AVC on SSB and CW, separate detectors for AM and SSB, passband tuning, rejection tuning, Gear Reduction Tuning Knob, superior selectivity and many other time-proven Collins features. 75A-4 Receiver, Net Price ----- \$695.00

KWM-1 SSB Mobile Transceiver



First mobile transceiver in the Amateur field — 175 watts PEP input, 14-30 mc. Use for mobile or fixed station without modification.

KWM-1 Transceiver, Net Price ----- \$770.00

10% down — 24 months to pay. Your trade-in may cover down payment. Export business welcomed.

KEN-ELS RADIO SUPPLY

428 Central Ave.
Fort Dodge, Iowa
Phone 5-2451

67 16th Ave. S.W.
Cedar Rapids, Iowa
Phone EM 4-1172

particularly to the Northwestern Railroad Company, which had had several wrecks and was in great need of wrecking equipment. By radio this was secured and rushed to the scenes of the various accidents.

"The condition outlined above obtained for a week in which time 9ZL handled 250 messages. A steady watch was kept at all times by the two Quinn Brothers and Mr. H. Bishop, all three of whom [were] ex-commercial operators. The messages handled related only to matters of extreme importance such as railroad messages, death messages, and supply orders for the stricken districts. . . ." (20, June 1922.)

An item in "Strays," at 52, July 1922, reads:

"Mr. J. F. Carpenter, who was our hero of the storm relay routes described in April, was called upon again to give help in the case of another storm bringing down the wires of the Northern States Power Co. On a few minutes' notice he grabbed a five watt e.w. set and drove with the General Supt. to St. Croix Falls, Wisconsin, where communication was established back to 9XI in a few minutes and important messages handled over the 60 mile gap. Hot stuff! The station is still being maintained and more e.w. sets are being put in the other main plants now."

SUMMARY REMARKS:

He who studies Volume V will encounter many difficulties. They arise from several sources: poor editorial arrangement, inaccuracies, and exasperating lack of names, essential details, and dates. But the wealth and importance of the subject matter will impress the thoughtful reader and will bring him sure reward for his pains.

I repeat: *It was (and still is)* one of the most important Volumes of QST ever published.

How's DX?

(Continued from page 89)

hears that OH3TH needs only North Dakota to sew up a neat 10-watt 21-Mc. WAS. . . . TF2WBU comments on TF2WBT's return to the U. S., and on TF2WBZ's working a near-DXCC in ten short weeks.

South America — Via WIUED of ARRL Hq.: Chile's Radio Club Rancagua offers all amateurs its Bernardo O'Higgins certification, a diploma based on QSOs with club-member CEAs (10 required for W.K. VE/VO applicants). Contacts must date after April of this year and you can check with RCR, Casilla 20, Rancagua, Chile, for full specs on this sheepskin. . . . W2OHF and XYL enthusiastically commend the hospitality of OAs AI FM FT FU, HCIs FS LE NA RY and respective spouses upon return from a summer tour *del Sur*. . . . VP8BW heads back toward the U.K. aboard *John Biscoe*, leaving VP8CC in full charge of Deception Island VP8 hamming. "During my stay there I raised about 50 countries, all continents, and almost all states. Got on the air on the 14th of August and worked up to the end of December. Following that I spent February and March in the South Orkneys where I managed to add a few more to my score from Signy Island. It was a bitter blow not to be able to complete WAS or DXCC but maybe I'll be going south again some time!" . . . HK7LX worked 560 stations, 57 countries and all states but Colo., the Dakotas, Del., Me., and Wyo. in his first two months on 10 and 20 phone. . . . According to OVARA, volcanic eruptions discourage South Sandwich outpost activity at this time.

Hereabouts — Being so regularly maligned at DX points it's good for our North American DX morale to get a boost now and then. ON4KT feels that "Ham spirit must have

(Continued on page 178)

FOR YOUR TRANSMITTER —

NOW—

JUNIOR BALUNS

150 Watts—1.5 to 30 mc
Specifically Designed For
Transmitters of 200 Watts or Less Input

Low cost, conservatively rated, broadband baluns which may be used with B & W 5100—Collins 32-V—Heath DX-100 and other similar transmitters.

These units require no tuning, no switches . . . weatherproof for outdoor mounting; small enough for mounting in transmitter. These baluns are indispensable when connecting coaxial cable to a balanced line as in feeding dipoles, folded dipoles, trap antennas, beams, etc.


BALUNS NOW IN PRODUCTION

TB-2J	75 ohms unbalanced to 300 ohms balanced	Price \$9.95
TB-4J	75 ohms unbalanced to 75 ohms balanced	\$9.95

Also In Production—RF TRANSFORMER

T-1J	75 ohms unbalanced to 50 ohms unbalanced	\$9.95
------	--	---------------

Specifications: Overall length 4 1/2", height 2", width 2 1/4", weight 1-lb.



it's Here!

**AN ELECTRONIC
T-R SWITCH
THAT REALLY
WORKS!**



FEATHERWEIGHT • MIDGET-SIZE • UPS EFFICIENCY

Don't confuse this great, new electronic Transmitter-Receiver Switch with anything similar you've ever known! Here is a truly effective, efficient and practical replacement for that time-worn coax relay. The Lymnar TRS-1 Switch is designed for any amateur transmitter, home-made or commercial. Wonderfully tiny, it hides away inside most transmitters (1 1/2 x 1 1/2 x 2 1/4, weighs approx. 4-oz.), does not add any TVI and makes most receivers perform better. Under test, receiver sensitivity increased up to 15db when used with transmitters of 150-watts or less . . . uses negligible power for operation and takes 6.3 volts filament and 150 volts @ 13 mills for plate of type 6AH6 tube, ordinarily supplied by transmitter. This switch is a must for every Ham rig!

PRICE \$11.95
(with tube)

LYNMAR ENGINEERS, INC.

1432 N. CARLISLE STREET • PHILADELPHIA 21, PA.

Consultants and Manufacturers

ELECTRICAL - MECHANICAL - ELECTRONIC

WANTED • Aircraft radio man for installation and service to corporation aircraft. Modern, fully equipped shop in East. Excellent living and working conditions. All replies confidential.

PAGE AIRWAYS, Inc.

Rochester Airport, Rochester, N. Y.

**GET YOUR COMMERCIAL TICKET
EASIER WITH...**

**Kaufman's
RADIO OPERATOR'S LICENSE
Q AND A MANUAL**

Now available
6th EDITION
up to the minute



The **BEST** book for
FCC License Preparation
Covers elements 1 thru 8.

The only book with complete discussion of answers to every technical question in the FCC Study Guide. Makes it very easy to answer multiple choice questions. Used by leading schools and industry. Only \$6.60 at jobbers, bookstores or direct from:

JOHN F. RIDER PUBLISHER, INC.

116 West 14th Street, New York 11, N. Y.

**XMTRS FOR 160 TO 2 METERS
TECHNICIAN—NOVICE—GENERAL
or Special Freq. 500 KC. to 160 MC.**



**LETTINE MODEL 240 TRANSMITTER WITH MOBILE
CONNECTIONS AND A.C. POWER SUPPLY**

This outstanding transmitter has been acclaimed a great performer throughout the world. Air wound plug-in coils used for high efficiency. Takes any freq. from 1.6 to 30 mc. Ideal for General Class, Novice, CAP, CD, Industrial. Sold direct from our factory, ready to operate. 40 to 50 watts input, Phone-CW. Complete with 8 x 14 x 8 cabinet, 40 meter coils, xtal. tubes: 6V6 osc., 807 final, 5U4C rect., 6S17 xtal mike amp., 6N7 phase inv., 2 6L6's PP mod. Wt. 30 lbs. \$79.95. 80, 20, 10 meter coils \$2.91 per band. 160 meter coils \$3.60. **MODEL 130 FOR 120 TO 130 WATTS — \$199.50** **MODEL 242 FOR 6 METERS OR 2 METERS — 45 WATTS INPUT — 6146 FINAL.** Complete with mobile connections, A.C. power supply, tubes, xtal. Xtal mike input. Uses 8 mc. xtals or Lettine VFO. Swinging link matches 52 — 300 ohm antennas. Same cab. as 240. \$89.95.

VFO—\$49.95 — ANT. TUNER \$20.00 LESS COILS
Send full amount or \$25 with order — balance C.O.D.

LETTINE RADIO MFG. CO.

62 Berkeley St.

Valley Stream, N. Y.

the Collins KWM-1



FIRST Mobile SSB Transceiver — 175 watts PEP input, 14-30 mc. Excellent frequency stability. Use as mobile or fixed station without modification. Break-in CW using VOX circuits, side tone for monitoring CW. Ten 100 kc. bands available anywhere in the 14-30 mc range. 6 1/4" H x 14" W x 10" D. Net price -----\$770.00

Write or see us about trade-ins, time payment terms.

Selectronic SUPPLIES, INC.

1320 Madison Ave., Toledo 2, Ohio, "Dale" Mgr.
803 So. Adams St., Peoria 2, Ill., "Jim" Mgr.



MASTER MECHANIC PORTABLE LIGHT PLANTS, PUSH BUTTON START

Item 24
AC Plant 700 Watts—115 v. 60 cyc. Powered by a rugged 2.2 hp. easy starting Briggs gas engine. No wiring necessary! Just plug in and operate. Plenty of current for receivers, transmitters, antenna motors, emergency lights, etc. which require up to 700 Watts. Ideal for radio amateurs, Civil Defense, trailers and camps. Complete with Voltmeter and built-in winding to charge 6 v. auto batteries. Both engine and generator fully radio shielded. Hams report less hash than on commercial power line.

Item 24. Wt. 75 lbs. Be prepared if war or storms knock out power lines. **\$143.50**
800 Watt Plant (Item 44) same as above but with larger engine and greater capacity. **\$169.95**
1200 Watt Plant (Item 45) same as Item 24 but with larger generator and engine—50% greater output. **\$199.50**

We make all sizes up to 25,000 Watts. Write for information. Send 10¢ for big 1957 Catalog. Free with order. Prices f.o.b. factory. Money back guarantee. Send check or M.O. Master Mechanic Mfg. Co., Dept. 29-R, Burlington, Wis.

MODEL
CD-2
FCDA
Accepted

DOUBLE CONVERSION RECEIVER
PLATE MODULATED P.P. FINAL

- Available for 2 Mtrs. or 6 Mtrs. **2 Meters**
- Designed for CD, Fixed or Mobile **CD-6**
- Your complete CD station **6 Meters**

A complete return available on request to CD Division

SONAR RADIO CORP
3050 WEST 21st ST., B'KLYN, N. Y.

originated Stateside because the spontaneous friendly helping-hand outlook of the W.K. boys is unique in this world." W2HAJ chuckles, "CO2SW finally got himself a beam and will be more active now that he is modernized." W1JMI gave QSOs to 152 Vermont-hungry hams in 21 countries while camped in the "east forty" of W1s MMN and OAK W6ITH now has piled up about a thousand contacts from each of his P2M/C and F57RT locations. Yet he reports that pile-ups still are almost as big as they ever were. Reg welcomes all ideas on additional DXpeditionary objectives, especially areas which would be in the brand-new category. For 14-Mc. Utah-hunters W7QDJ 6 suggests old schoolmates W7s MWR and QDS W0QGI, then W9FC, nostalgically reminisces of prewar days when he regularly worked FB8AB of Madagascar using only p.p. 45s and a 2-tube blooper receiver. K2DGT says farewell to DX work at Treasure Island's K6NCG installation and heads for DX climes aboard a Navy carrier. Another "How's" contributor of long standing, W2ZVS, drew his USAF wings in Texas and now departs for Europe. Overseas stations needing Arkansas will find K5s EQ GOE HSM IIX and W5WXP perking with beams on 10-meter phone. W4HKJ wonders how many DXers have completed RST599 or R859 "DXCCs." It's a trick, all right, but Jeeves feels that the shiniest medals should be struck for lads who manage to work DX while generating the least QRM. Does anyone have an RST339 "DXCC"? From HH2OT via W6RLP: "In June a tornado struck us here, tearing the roof off the house and thoroughly drenching everything. The rig was damaged and my antenna system destroyed." Club items from here and there, first WVDXC: VP2VB revisited the British Virgins in midsummer to dispense a flock of Leeward Islands QSOs on several bands, c.w. and s.s.b. Danny has hopes of fitting out a vessel to replace his ill-fated Yasme. WGDXC's new slate of officers has W5ADZ, pres.; W5CEW, v.p.; W5VHR, sec.-treas.; W5s FXN FEL JUF NW UX, policy committeemen; W5s GNG and KBU co-editors of the *DX Bulletin*. OVARA chafes at the DXpeditionary bit once again and busily interrogates DXers concerning future targets. Meanwhile, W8s JIN BTI FGX and W4KVV lead the *Other Waves* band-countries listing with 1224, 1010, 992 and 702, respectively. The W9 Central Division Century Club (W9DXCC) with W9FDX chairman, produced and directed the lively DX program at this year's ARRL National Convention in Chicago. W1WFO, Ws ICE 8PQQ 9RKP 0ELA, VP2VB and YA1AM topped the billing.

Ten Years Ago in "How's DX?"—October, 1947, sees summer static subsiding, our 80- and 40-meter bands reviving, and long-distance signal strengths increasing generally. On 20 c.w. the transpolar barrage of Russian signals steps up pace with UAs 9CB 0KQA, UA3BD/UC2, many UB5s, UG6WD, UH8AF, UI8AA, UJ8s AC AD, UO5AD, UQ2AB, UR2KAA and RA6M widely worked. Other delicacies reported: Cs 1ZC 7MK, EK1AJ, EF8 2IS 3D, ET1s IR JJ, FG8D, FQ3AT, FT4AN, HP4Q, HS1SS, IH4CH, IG1ISA, Js 4AAV 5AAH 8AAF 9AAM 98TR, KP6AB, KS4AC, OL2KAA, PKs 1R1 2ML 5LK 6HA 6NC 6WS, FX1V, TA1BB, VR5s IP PL, VS7s DR, FS, VU7JU, W2WVM C9, YO2F, ZC6DD and ZM6AF. On 14-Mc. phone the vocal focus is on CR4HT, EK1AS, F83GW, F8AA, J2s AAU CAL JCQ, KA1FH, KG6AV/VG0, LX1ST, M69AD, MD5AL, OK4JDT, OX3CC, VP3LF, W3JRP/KG6, ZC6AH and ZD6DT The 10-meter phone mob swarms all over J9KC, KJ6AA, PK1MF, SUIWS, VR6AA, ZK1AA and ZS4L of Basutoland W4BPD's formidable all-band antenna farm is described, a maze of copperwork typical of many springing up throughout our postwar DX world The "1st All-European DX Test" is scheduled for late next month, an affair possibly inspired by the resounding success of this year's 13th ARRL DX Competition.

1957 Field Day

(Continued from page 69)


W3SAY/3	Nittany Valley ARC...	160-	B- 8-	960
W0ILO/0	Red River ARC.....	160-	B-10-	960
W4ILO/4	Key West ARC.....	81-	A- 8-	954
W0ELJ/0	Grand Island AR Soc.	149-	B-11-	894
W8TFY/8	Portsmouth RC.....	119-	B-10-	864
W5ABF/5	Mineral Wells ARC...	114-	B-13-	834
W3TMO/3	Abington ARC.....	131-	AB- 8-	813
W7CDA/7	Poeacello ARC.....	238-	BC-	813
K9CQA/9	Hoosier Hills Ham Club.....	133-	B-	798
K2ORH/2	Marathon ARC.....	122-	AB- 9-	792
W9FQ/9	(nonclub group).....	60-	A- 3-	783
W9BOM/9	Kenosha R Communi-cations Soc.....	175-	BC-17-	714
VO1CU/1	Newfoundland RC...	116-	B- 5-	690
W6KJF/6	Fur West RC.....	88-	B- 5-	678
W8VPR/3	Anne Arundel RC...	314-	B-	628
W3HZW/3	Keut County ARC...	100-	B- 9-	600
VE3ANX/3	Kingston ARC.....	84-	AB-14-	543
W8OKW/8	Tri-County MARS Assn.....	85-	B-11-	510

(Continued on page 180)




Quality Built

2 AND 6 METER CONVERTERS



XC-144

Two Meter grounded grid 417A Crystal Controlled Converter. 2.8 db Noise figure, 33 db Power gain, 60 db Image rejection, 80 db I.F. rejection and 80 db down on all other spurious responses. XC-144 output 14 to 18 mc. Price \$79.95



XC-50

Six Meter Double Cascade Crystal Controlled Converter. 4 db Noise figure, 33 db Power gain, 90 db Image rejection, 80 db I.F. rejection and 80 db down on all other spurious responses. XC-50 output 14 to 18 mc. XC-51 output 10 to 14 mc. Price \$59.95

Other Models:

- XC-144-C output . . . 26 to 30 mc.
- XC-144-N output . . . 30 to 34 mc.
- XC-50-C output . . . 26 to 30 mc.
- XC-50-N output . . . 30 to 34 mc.

Ask your dealer or write to

TAPETONE, INC.

10 ARDLOCK PLACE, WEBSTER, MASS.



CODE-SENDING-RECEIVING-SPEED

Be a Radio Ham or Commercial Operator. Pass FCC code test in few weeks. Fascinating hobby. Good pay, interesting work in Commercial field. Same system used by radiotelegraph specialists. FREE book explains how Amateurs and Operators learn code and develop amazing skill and speed. Candler System Co., Dept. 4-L, Box 928, Denver 1, Colo., U.S.A. and 52b, Abingdon Rd., Kensington High St., London W.8, England

THE LEAGUE EMBLEM



With both gold border and lettering, and with black enamel background, is available in either pin (with safety clasp) or screw-back button type. In addition, there are special colors for Communications Department appointees.

- ▶ Red enameled background for the SCM.
- ▶ Green enameled background for the RM, PAM or EC.
- ▶ Blue enameled background for the ORS or OPS.

THE EMBLEM CUT: A mounted printing electrotype, 3/4" high, for use by members on amateur printed matter, letterheads, cards, etc.

\$1.00 Each, Postpaid

DECALS: A black and gold decal approximately 4 inches high, designed for use on inner surfaces of automobile windshields and windows or outer surfaces such as bumpers, equipment panels, etc., is available at 10 cents each (no stamps, please) to cover costs.

AMERICAN RADIO RELAY LEAGUE

West Hartford 7, Connecticut

HATRY Has Served the Amateurs of Mass., Conn. and R. I. for 28 Years.

HATRY Has a Good Stock of Ham Parts.

HATRY Has a Separate Dept. to Serve Hams, with Hams in Charge.

HATRY Stocks National, Collins, Hammarlund, Elmac, Central Electronics, Gonset, Morrow and others.

HATRY Has Telrex, CushCraft, 3DZZ, Hy-Gain, Mosley Beams in Stock.


HATRY OF HARTFORD

203 ANN STREET
HARTFORD, CONN.

Tel. JA-7-1881

"The ELECT in ELECTRONICS"

You Can't Get a Better Deal



Whatever Your Ham Needs!

- ✓ THE NAMES YOU KNOW—B & W, Conset, Hallicrafters, Hammarlund, Hy-Gain, Johnson, Mosley, National, RME and WRL.
- ✓ PRICES YOU CAN AFFORD—Easy terms. 10% down—18 months to pay.
- ✓ MONEY SAVING TRADE-INS—Top trade-in allowances cut the amount you pay.
- ✓ GUARANTEED USED GEAR — We won't sell it unless it works.
- ✓ HELPFUL SERVICE — We'll take time to personally help you. Ham radio is our only business.
- ✓ CENTRAL LOCATION—FAST DELIVERY—We're as near as your mailbox or telephone . . . as fast as the trains.

BOB and JACK'S
W8AUL W8PRF
STORE FOR HAMS

**611 FOREST AVENUE
DES MOINES, IOWA**
SEE OR WRITE US

ELECTRONICS • RADIO • 36 Years of Successful
RADAR • TELEVISION • Training in Electronics
COMMERCIAL RADIO INSTITUTE


Approved by Maryland Board of Education

38 West Biddle St. Baltimore 1, Md.
Write for Free Catalog • Tel. LE 9-3342

Sending is so much easier with

The FAMOUS
SEMI-AUTOMATIC

VIBROPLEX



Ends
Sending
Fatigue
Forever

ORDER
YOURS
TODAY!

That's because its semi-automatic action performs all the tiring arm work for you. No special skill necessary. It is free of nervous and muscular tension common to old-fashioned keys, and it's trouble proof. Adjustable to any desired speed—fast and slow always under perfect control, and the signals are strong, clean and easy to read. Touch control provides the touch you like for best work. Vibroplex is precision built for long life and rough usage. Gives years of the finest, easiest sending service. Take the advice of the world's finest operators and get your Vibroplex today — its easy operation will amaze you.

Choice of five models standard or deluxe, priced from \$15.95 to \$29.95. Left-hand models. \$2.50 more. Carrying case, \$6.75. Order yours today. At dealers or direct.

THE VIBROPLEX CO., INC.

333 Broadway New York 3, N. Y.

W9HGC/9	CAA RC.....	111-	AB- 6-	422
VE6NC/6	Northern Alberta RC.	119-	AB- 8-	398
W7OZJ/7	(nonclub group)	51-	AB- 5-	345
W6PMM/6	Rosevelt High School	42-	B- 9-	252
K2V8U/2	Davis High School RC	118-	AB- -	250
W3AIW/3	Carbon ARC.....	106-	AB-23-	238
VE7VP/7	Point Grey ARC.....	37-	B- 6-	222
K2UDP/2	Central Queens RC.....	100-	AB- 3-	209
K17RN/KL7	St. Parkas.....	147-	BC- 6-	172
W3MOZ/3	Shamrock ARC RC.....	34-	B- 8-	144
K9CHU/9	(nonclub group).....	56-	B-15-	112

Four Transmitters Operated Simultaneously

W9ZAB/9	York RC.....	1271-	A-14-	11,664
W8PD/8	North Hill Mobile Net.....	1232-	A-30-	1,313
W6JU/6	Crescenta Valley RC.....	1146-	A-21-	10,548
W2OH/2	Pompton Valley RC.....	1395-	AB-35-	10,365
W8M8M/8	Motor City RC.....	1095-	AB-25-	8208
K2HC/2	Windblowers VHF Soc.	885-	A-18-	8208
W9OPR/9	Joliet AR Soc.....	859-	AB-18-	7395
W1SKT/1	Narragansett Assn. of AR Operators.....	942-	AB- -	7227
W6JBT/6	Citrus Belt ARC.....	727-	A-12-	6831
W2CWW/2	Staten Island AR Assn.	768-	AB-20-	6456
W5LDD/5	Los Alamos ARC.....	770-	AB-20-	6030
W6MWO/6	Yosemite AR Soc. of Los Angeles.....	739-	AB-15-	5364
VE3A18/3	Oakville ARC.....	555-	A-12-	5229
W2WUX/2	Utica ARC.....	549-	A-20-	5166
W1NEM/1	Hartford County AR Assn.....	546-	A-40-	5139
VE3BXT/3	Scarboro ARC.....	561-	A- -	5049
W3KWH/3	Steel City ARC.....	791-	B-25-	4908
W8TO/8	Columbus AR Assn.....	981-	ABC-36-	4753
W2EFU/2	Schenectady AR Assn.	754-	AB-67-	4728
W9IGV/9	Huntington ARC.....	514-	AB-11-	4661
W1Q8A/1	Wildwood RC.....	702-	AB-15-	4642
K6PVN/6	Rio Hondo RC.....	467-	A-16-	4428
K6CXI/6	Hamilton High School ARC.....	449-	A-15-	4041
W0GVL/0	Kansas City ARC.....	663-	B-21-	3978
W8KP/8	Amateur MARS Com- munications Club.....	465-	AB-30-	3921
K5INH/5	Temple ARC. Waco ARC.....	650-	B- -	3900
W0ERG/0	Stoux City ARC.....	583-	ABC-20-	3798
VE3BSQ/3	Quinte ARC.....	567-	AB-23-	3783
K8DDH/8	Teen Age RC.....	561-	AB-10-	3759
K6COK/6	El segundo Civil De- fense R Group.....	491-	AB-12-	3717
W1WFB/1	Milford ARC.....	577-	AB-12-	3645
W3KIK/3	Windsor ARC.....	599-	B-20-	3594
W2ZQ/2	Delaware Valley R Assn.....	562-	B-22-	3462
W91KN/9	Plain AR Soc.....	384-	A-21-	3456
W6SD/6	San Fernando Valley RC.....	473-	AB-15-	3369
K0GEU/0	Montrose County ARC	407-	AB-17-	3369
VE6NQ/6	Calgary AR Assn.....	482-	B- 6-	3042
VE3DRT/3	Skywide ARC.....	301-	A-15-	2934
W6AXX/6	Soc. of AR Operators.	427-	AB-26-	2922
W81D/8	Seneca RC.....	460-	B-20-	2910
W6HTE/6	North Bay AR Assn.	458-	AB-13-	2832
K6QCO/6	(nonclub group).....	383-	AB- 4-	2799
W9LL/9	Midway RC.....	452-	AB-20-	2778
W4CRM/4	Danville ARC.....	519-	BC-20-	2640
W2CQV/2	Salem County RC.....	403-	AB-26-	2642
VE1ND/1	Fredericton RAC.....	252-	A-10-	2493
W1BIM/1	Central Massachusetts AR Assn.....	414-	B- 6-	2484
W1ORS/1	Stamford ARC.....	308-	AB-16-	2319
W8HLD/8	Catapa AR Soc.....	362-	AB-25-	2244
W91P/9	Indianapolis RC.....	425-	BC-10-	2181
W6HQL/6	Coronado RC.....	308-	AB-14-	2118
W7ACK/7	Skagit ARC.....	326-	B-12-	2106
K6LHF/6	(nonclub group).....	254-	AB- 6-	2073
W0HL/0	Wheat Belt RC.....	303-	B-26-	1968
W1QKA/1	Nashua Mike & Key Club.....	268-	AB- 5-	1911
W8STD/8	204 ARC.....	316-	B-12-	1896
VE3MRC/3	Metro ARC.....	189-	AB-14-	1881
K2YNT/2	Metuchen Y RC.....	212-	A-16-	1878
W2AFU/2	Ocean County AR Assn.....	308-	B-18-	1848
W7LAR/7	Ogden ARC.....	281-	B-23-	1836
W8UMI/8	Detroit Metropolitan RC.....	257-	AB- 8-	1794
K2YOU/2	Ulster County Mike & Key Club.....	262-	AB-15-	1746
W7WBK/7	Yellowstone RC.....	289-	B- 4-	1734
W9UPN/9	Chicagoland Mobile RC.....	216-	AB-10-	1611
W1OEO/1	(nonclub group).....	231-	AB- -	1578
W5WX/5	Panhandle ARC.....	246-	B-25-	1476
W2SEX/2	AR Assn. of the Tona- wandas.....	205-	AB-25-	1467
W4VTF/4	Catawba Valley ARC.	231-	B-17-	1386
V7BQ/7	Toom AR Soc.....	432-	AB- 8-	1330
W5IU/5	Kerrville RC.....	217-	AB-11-	1329
K5TD1/5	Alamogordo ARC.....	182-	AB- 8-	1326
W9MLJ/9	Y-Rad Club.....	206-	B-21-	1326
W2OFO/2	Rome RC.....	131-	AB-15-	975
W91DA/9	Sargento Valley RC.	246-	BC- -	951
W8WNK/8	(nonclub group).....	155-	B-14-	930
K9CJU/9	RA Megacycle Soc.....	154-	B- -	924
K2IBC/2	Avenel RC.....	121-	AB- 6-	864
W9AVE/9	(nonclub group).....	71-	AB- 7-	693
W1TKZ/1	Wellesley AR Soc.....	49-	A- 7-	684
K0AZV/0	Kirkwood High School ARC.....	108-	A-11-	648
W7QF/7	Tektrox Employees' ARC.....	81-	AB-16-	486
W9SAA/9	Falls ARC.....	11-	B-12-	306
K2RLG/2	Jersey City Dept. of Parks RC.....	51-	AB- -	292


(Continued on page 182)

SINGLE SIDEBAND

SINGLE SIDEBAND is here to stay and it behooves us all to learn about this modern and revolutionary form of transmission. Whether or not you're already using SSB, you'll find much useful information on both transmitting and receiving techniques in "Single Sideband for the Radio Amateur." The work of more than twenty-five authors is collected between two covers for convenient reference. Keep up with the game, get your copy now!

\$1.50 Postpaid

U. S. A. Proper • \$1.75 Elsewhere



CONTAINS MORE THAN
300 ILLUSTRATIONS,
OVER 200 PAGES

The AMERICAN RADIO RELAY LEAGUE, Inc. WEST HARTFORD 7, CONN.

FREE COIL BULLETIN

Technical data on coils specified in QST and Handbook. Standard coil series ideal for experimenters and designers.

NORTH HILLS ELECTRIC CO., INC.
402 Sagamore Avenue • Mineola, L. I.

DISTRIBUTORS { Harrison Radio Corp., New York, N. Y.
Radio Shack Corp., Boston, Mass.
Zack Radio Supply Co., Palo Alto, Calif.



**FALL ISSUE — AMATEUR RADIO
CALLBOOKS \$4.50 POST PAID**
RME-4350 RECEIVER — \$229.00
ADDRESS STICKERS — 1000 for \$2
CALL-LETTER SIGN 7x11 - 2 for \$1
DE-LUXE QSL SAMPLES 50 CENTS
RUS SAKKERS (W8DED)
P.O. BOX 218, HOLLAND, MICH.

announcing the
**Cubex TRI-BAND
CUBICAL
QUAD**

- EQUALS 3 EL w.s. BEAM
- 8 db GAIN, 24 db FBR
- TV ROTOR HANDLES
- ONLY 16.8" wide - NO STUBS

Dual-band 15-20 \$44.95
Dual-band 10-15 \$34.95
factory prices — f.o.b. arcadia, cal.
— write for brochure 'dx' —

CUBEX CO. 3322 TONIA AVENUE
ALTADENA, CALIFORNIA

IN THE ILLINOIS AREA

Klaus Radio & Electric Co.

is the place to buy


Collins Equipment

KWS-1 1 kilowatt Transmitter w/Power Supply \$2,095.00
75A-4 SSB Receiver \$ 695.00
KWM-1 SSB Mobile/Fixed Station Transceiver ... \$ 770.00
and a complete stock of all Collins accessories.

*Liberal trade-in allowances.
Convenient Time Payment Plan.*

Klaus Radio & Electric Co.
403 E. Lake Street Peoria, Illinois
Phone 8-3401

DALTON-HEGE for your KWM-1



FIRST Mobile SSB Transceiver — 175 watts PEP input, 14-30 mc. Excellent frequency stability. Use as mobile or fixed station without modification. Break-in CW using VOX circuits, side tone for monitoring CW. Ten 100 kc bands available anywhere in the 14-30 mc range. 6 1/4" H x 14" W x 10" D. Net price\$770.00

Write or see us about trade-ins, time payment terms.

DALTON-HEGE RADIO SUPPLY CO.

912 West 4th St., Winston-Salem, N. C.

STAY ON
THE AIR!

BEAT TVI

with the amazing, new AMECO
LOW PASS FILTER

The AMECO low pass filter suppresses the radiation of all spurious signals above 40 Mc. from the transmitter. The filter uses a Constant K Circuit, and is designed for Coaxial cable (52 to 72 ohms). Other features include: • Negligible Insertion Loss • 35 Db and more attenuation of harmonic & spurious frequencies above 50 Mc. • Will handle up to 200 watts of RF power • Each unit complete with bracket, and instructions. **\$1.95** Amateur net



Model LN1 with 2 RCA phono jacks\$2.25
Deluxe Model LN2 with 2 SO-239 Coax. Connectors. \$3.75

HIGH PASS FILTER

The AMECO high pass filter is placed in series with the TV receiver's antenna to prevent the transmitter's signal from entering the receiver. All frequencies above 45 Mc. are passed through without loss. The AMECO high pass filter is designed for use with the common 300 ohm twin line.



Model HP-45

OTHER FEATURES INCLUDE:

- 40 db and more attenuation at 14 Mc. and below; 20 db attenuation at 10 meters
- Negligible insertion loss
- Filter uses balanced constant K circuit

At the amazing
low, low price of

95¢ Amateur
Net

Available at leading Ham equipment distributors, or write

AMERICAN ELECTRONICS CO.

1203 Bryant Ave. (Dept. Q10) New York 59, N. Y.

Fire Transmitters Operated Simultaneously

W2JIO/2	Fordham RC.....	1499-	A-35-13,716
W6NWG/6	Palomar RC.....	1176-	A-25-10,584
W2JIO/2	Watchung Valley RC.....	112-	A-35-10,431
K6EHN/6	Westchester AR Assn.....	1120-	A-35-10,080
W2YKQ/2	Lake Success RC.....	1049-	AB-22- 8,643
W6LUC/6	Santa Barbara ARC.....	1028-	AB-29- 8,268
W6RFW/6	Four H Minus One Club.....	889-	AB-25- 7,404
W3AFM/3	Chesapeake ARC.....	756-	AB-20- 6,999
W9SW/9	Chicago Suburban R Assn.....	690-	A-25- 6,471
K6YJL/6	RA Mobile Soc.....	648-	A-19- 6,075
W2JZ/1	Westchester AR Assn.....	893-	AB-15- 5,688
W6AGO/6	Paso Robles RC.....	885-	H- 8- 5,460
W7AW/7	Seattle ARC.....	590-	AB-33- 5,145
W6PMK/6	North Peninsula Electronics Club.....	548-	A-15- 5,112
W3NKF/8	Naval Research Lab ARC.....	526-	A-11- 4,959
K4CYP/4	Wayne County AR Assn.....	779-	B-15- 4,848
K6SIR/6	Ramona RC.....	560-	AB-29- 4,671
K2AAN/2	Babylon RC.....	697-	AB-20- 4,362
K2ERQ/2	IBM AR Assn.....	705-	B-30- 4,230
K6QEH/6	HEA ARC.....	507-	AB-14- 3,993
VE3ZM/3	Geuph ARC.....	431-	A-14- 3,879
K6EAT/6	Meridian AR Soc.....	615-	AB-47- 3,804
W6RNA/6	The Corona Gang.....	419-	A- 5- 3,771
W8RNF/8	Lake Geauga ARC.....	617-	B-24- 3,702
W2OW/2	Binshampton AR Assn.....	582-	AB-25- 3,615
W4THM/4	Bristol ARC.....	772-	BC-20- 3,408
K6QEM/6	Collins RC.....	463-	AB- 9- 3,399
VE1EP/1	W.A. ARC.....	348-	A-10- 3,366
W4JP/4	Blue Grass RC.....	356-	A-10- 3,204
W8KGG/8	Huron Valley AR Assn.....	482-	AB-26- 3,147
W1GEB/1	North Shore R Assn.....	444-	AB-14- 3,144
VE3DC/3	Hamilton ARC.....	316-	A-21- 3,105
W5LJO/5	(nonclub group).....	317-	A- 8- 3,078
VE1AN/6	Calvary AR Assn.....	483-	B- 3- 3,042
W5ABD/5	Westside ARC.....	470-	B-21- 2,970
W3CTC/3	Delaware Valley ARC.....	429-	AB-12- 2,910
W6MFI/6	Cathay RC.....	404-	AB- 7- 2,793
W5U8/5	Wichita Falls ARC.....	461-	H- 5- 2,766
W2DYM/2	Amateur UHF Club of Jamaica.....	301-	A-12- 2,709
K9GXU/9	St. Clair ARC.....	409-	AB-14- 2,633
W4MOE/4	Asheville ARC.....	393-	AB- 1- 2,532
W1TKA/2	Stamford ARC.....	296-	AB-16- 2,514
W9IAW/9	Twin City RC.....	343-	AB-20- 2,466
K1BC/1	CQ RC.....	313-	AB-23- 2,106
K6ER/6	(nonclub group).....	308-	AB- 1- 2,067
K5AXA/5	San Angelo ARC.....	252-	AB-25- 1,818
W1RFP/1	Thayer School of Engineering RC.....	235-	B- 1- 1,410
W8FGY/8	Van Wert ARC.....	215-	AB-14- 1,395
K9HDL/9	Khart ARC.....	167-	AB-14- 1,224
W3MIE/3	Crawford County R Assn.....	118-	B-15- 708
W8QCL/8	Wood County ARC.....	111-	B- 9- 666
VE3HX/3	Brantford ARC.....	282-	B-18- 564

Mar Transmitters Operated Simultaneously

K2AA/2	South Jersey R Assn.....	1539-	A-35-14,121
W2VDJ/2	Lakeland AR Assn.....	1375-	A-17-12,600
W2GTD/2	Ridgewood RC.....	1185-	A-20-10,890
W3TUV/3	Northeast RC.....	1431-	R-32- 8,686
K9AVE/9	Illinois Valley R Assn.....	752-	A-12- 6,786
W8ACW/8	Genesee County RC.....	875-	B-36- 5,400
K6CSU/6	Band Spanners RC.....	788-	AB-20- 5,190
K6HR/6	Sylvania ARC.....	546-	A-20- 5,139
W1SS/1	Bedford ARC.....	761-	AB-12- 5,040
W2GQ/2	Nutley AR Soc.....	543-	A-25- 4,987
W1NY/1	Hampton County R Assn.....	735-	AB-20- 4,866
K6AGF/6	Tri-County AR Assn.....	633-	ABC-15- 4,707
W2US/2	Suffolk County RC.....	602-	B-20- 3,612
W3BN/3	Reading RC.....	545-	B-27- 3,332
W7NBR/7	Spokane RAC.....	515-	B- 1- 3,228
W6GHJ/6	Mountain View ARC.....	470-	AB-10- 3,426
W2FA/2	Western Westchester RC.....	348-	A-14- 3,132
VE3AVU/3	North Shore RC.....	429-	ABC-14- 2,751
W1EJN/1	Pioneer Valley ARC.....	325-	AB-30- 2,629
W2BVL/2	Nassau RC, Five Towns RC.....	420-	AB-30- 2,592
W5NRJ/5	Garland ARC.....	296-	AB-12- 2,034
K2TAZ/2	Northern Nassau ARC.....	262-	AB-15- 1,805
W4MQN/4	Atlanta RC.....	325-	AB-27- 1,788
W9BBA/9	Mississippi Valley RC.....	255-	AB-23- 1,539
K8BYL/8	AR Assn.....	197-	AB-17- 1,422
W4NPT/4	FAETULANT ARC.....	138-	AB-13- 837
W3USC/3	Washington County ARC.....	70-	ABC-12- 426

Seven Transmitters Operated Simultaneously

W7HZ/7	Valley ARC.....	1424-	A-59-13,059
W1GLA/1	Eastmanham RC.....	747-	AB-16- 4,637
W1LL/1	Sub. Sig. RC.....	697-	A-30- 4,625
VE3JJ/3	West Side RC of Toronto.....	634-	A-26- 5,931
W8UFF/8	Ft. Hamilton AR Assn.....	645-	A-14- 5,805
VE3DCE/3	Niagara Peninsula RC.....	769-	AB-30- 5,256
W6BXN/6	Albany ARC.....	735-	AB-19- 4,740
W4HFF/4	Alexandria RC.....	557-	AB-10- 3,507
W5GM/2	Albany AR Assn.....	420-	AB- 1- 2,784
K8FDU/8	Gentile RC.....	352-	AB-35- 2,418

Eight Transmitters Operated Simultaneously

W7DK/7	RC of Taoma.....	1159-	A-25-10,656
W6TOI/6	Downey ARC.....	1224-	AB-20- 7,992
W6CX/6	Mt. Diablo ARC.....	784-	A-31- 7,281
K6QZJ/6	Rivside County AR Assn.....	659-	A-30- 6,156

(Continued on page 184)

FREED MIL-T-27A POWER & PULSE TRANSFORMERS FOR IMMEDIATE DELIVERY FROM STOCK

POWER TRANSFORMERS

Cat. No.	Hi Volt	DC Volts	DC Amps	Filament V 1	Filament Amp.	Filament V 2	Filament Amp.	Case Size
MGP1	400/200 ct	185	.070	6.3/5	2	6.3	3	HA
MGP2	650 ct	260	.070	6.3/5	2	6.3	4	JB
MGP3	650 ct	245	.150	6.3	5	5.	3	KB
MGP4	800 ct	318	.175	5.	3	6.3	8	LB
MGP5	900 ct	345	.250	5.	3	6.3	8	MB
MGP6	700 ct	255	.250					KB
MGP7	1100 ct	419	.250					LB
MGP8	1600 ct	640	.250					NB

PULSE TRANSFORMERS

Cat. No.	Block's Osc.	Int. Coupl'g.	Low. Pow. Out.	Pulse Voltage Kilovolts	Pulse Duration Microseconds	Duty Rate	No. of Wdgs.	Test Volt. KVRMS	Char. Imp. Ohms
MPT1	✓	✓	✓	0.25 0.25 0.25	0.2-1.0	.004	3	0.7	250
MPT2	✓	✓	✓	0.25 0.25	0.2-1.0	.004	2	0.7	250
MPT3	✓	✓	✓	0.5 0.5 0.5	0.2-1.5	.002	3	1.0	250
MPT4	✓	✓	✓	0.5 0.5	0.2-1.5	.002	2	1.0	250
MPT5	✓	✓	✓	0.5 0.5 0.5	0.5-2.0	.002	3	1.0	500
MPT6	✓	✓	✓	0.5 0.5	0.5-2.0	.002	2	1.0	500
MPT7	✓	✓	✓	0.7 0.7 0.7	0.5-1.5	.002	3	1.5	200
MPT8	✓	✓	✓	0.7 0.7	0.5-1.5	.002	2	1.5	200
MPT9	✓	✓	✓	1.0 1.0 1.0	0.7-3.5	.002	3	2.0	200
MPT10	✓	✓	✓	1.0 1.0	0.7-3.5	.002	2	2.0	200
MPT11	✓	✓	✓	1.0 1.0 1.0	1.0-5.0	.002	3	2.0	500
MPT12	✓	✓	✓	0.15 0.15 0.3 0.3	0.2-1.0	.004	4	0.7	700

ALSO AVAILABLE — Military Standard Filament and Audio Transformers.

Send for NEW 48 page transformer catalog. Also ask for complete laboratory test instrument catalog.

FREED TRANSFORMER CO., INC.
1703 WEIRFIELD ST., BROOKLYN (RIDGEWOOD) 27, N. Y.

THERE ARE

CUSHCRAFT ANTENNAS

... for every Ham use!

¾ METER — 80 METERS

VERTICALS — BEAMS
GROUND PLANES

See Your Distributor or Write for Catalog

CUSHCRAFT

621 HAYWARD ST.
MANCHESTER, N. H.



Series 2000
Snap-Action
10 Amperes



Series 4000
Silent Action
½ Ampere



Series 23
Silent
Miniature
¼ Ampere



Series 30
Silent Sub-
Miniature
.10 Ampere

- All for 115 V. AC operation
- Current carried commensurate with size

Write for Bulletin M-200



Telephone Fleetwood 4-1040

513 Hillgrove Avenue
La Grange, Illinois

P
U
S
H
B
U
T
T
O
N
S
W
I
T
C
H
E
S

In the Spokane area

Northwest Electronics, Inc.

is the place to buy

Collins Equipment

KWS-1 1 kilowatt Transmitter w/Power Supply \$2,095.00
75A-4 SSB Receiver ---\$ 695.00
KWM-1 SSB Mobile/Fixed Station Transceiver ---\$ 770.00
and a complete stock of all Collins accessories.

Liberal trade-in allowances.
Convenient Time Payment Plan.

NORTHWEST ELECTRONICS, CIN.
East 730 First Avenue, Spokane, Washington

RIVERSIDE and SAN BERNARDINO COUNTIES

GIL SEVERNS

IS THE PLACE TO BUY

Collins EQUIPMENT

KWS-1

1 kilowatt Transmitter
w/Power Supply -----\$2,095.00

75A-4 SSB Receiver -----\$695.00

KWM-1 SSB

Mobile/Fixed Station
Transceiver -----\$770.00

and a complete stock
of all Collins accessories.

Liberal trade-in allowance.
Convenient Time Payment Plan.

GIL SEVERNS

AMATEUR DISTRIBUTORS


1340 E. Florida PH-7271 Hemet, Calif.

NOVICES! • BEGINNERS!

Get your copy of the all-new NOVICE AND TECHNICIAN HANDBOOK by Don Stoner, W6TNS, and Bill Orr, W6SAI.

This book helps you with the code, helps you build your rig, and helps you get on the air! Complete dope on Novice antennas and equipment. Price: \$2.85 at your radio dealer. Add 15 cents postage on orders to

RADIO PUBLICATIONS, Dept. 10, Wilton, Conn.



Groth

TURN COUNT DIAL

Registers Fractions to 99.9 Turns

FOR roller inductances, INDUC-TUNERS, fine tuning gear reducers, vacuum and other multitur-

variable condensers. One hole mounting. Handy logging space. Case: 2" x 4". Shaft: 1/4" x 3". TC 2 has 2 1/2" dial — 1 1/2" knob. TC 3 has 3" dial — 2 1/2" knob. Black bakelite.

TC 2 \$4.20 — TC 3 \$4.75 — Spinner Handle 75c extra

Add 8¢ for Parcel Post.
R. W. GROTH MFG. CO.
10009 Franklin Ave. Franklin Pk., Illinois



"SATURN 6"

MOBILEER

- ▶ Horizontally polarized
- ▶ Minimizes flutter and noise
- ▶ Adjusts to your frequency in 6 meter band
- ▶ Feeds with 50-ohm cable
- ▶ Fits standard mounts
- ▶ Ruggedly constructed
- ▶ Weighs under 2 lbs.

MODEL S-1

"Saturn 6" Antenna

2-pc. adjustable aluminum mast, bracket, universal bumper hitch. No holes to drill. Co-ax feed line not inc. Net.\$16.95

HI-PAR PRODUCTS CO. • Fitchburg, Mass.

W3BTN/3	North Penn ARC.....	716-	AB-23-	4746
K5DWC/5	Alamo City Junior ARC.....	650-	AB-20-	4197
W4VTA/4	Confederate Signal Corps RC.....	632-	AB-14-	4131
W6TCS/8	Monterey Bay RC.....	451-	ABC-30-	3630
W9TVI/9	Peoria Area ARC.....	317-	A-35-	3078
K8DAC/8	Saginaw Valley Ait Assn.....	389-	B-50-	2484
W7KYC/7	Portland ARC.....	347-	ABC-23-	2177
W5HMF/5	Oil Capitol Mobile Club.....	254-	AB-18-	1794

Nine Transmitters Operated Simultaneously

W2GSA/2	Garden State AR Assn.	2466-	AB-40-	22,089
W6UW/6	Santa Clara County Lower Columbia AR Assn.....	1584-	AB-31-	13,650
W7NCW/7	Minneapolis RC.....	876-	AB-21-	6678
W6CKF/6	Toledo RC.....	521-	AB-28-	3945
W8FO/8	524-	B-28-	3144

Ten Transmitters Operated Simultaneously

W1OC/1	Concord Brassbound- ers.....	2204-	A-24-	20,070
W4FU/8	Ohio Valley AR Assn.	1696-	A-27-	14,364
W3RCN/3	Rock Creek AR Assn.	1119-	A-40-	10,296
W3GV/3	R Assn. of Erie.....	583-	ABC-35-	4320

Eleven Transmitters Operated Simultaneously

W2LY/2	Tri-County R Assn....	2678-	A-35-	24,327
W9RK/9	Northwest ARC.....	1660-	AB-37-	14,994
W58C/5	San Antonio RC.....	1698-	AB-24-	13,566
K6DTA/6	West Valley RC.....	1455-	A-50-	13,320
W9VLC/6	West Valley ARC.....	1084-	A-52-	6930
VE3BR/L/3	Nortown ARC.....	799-	AB-50-	5145

Thirteen Transmitters Operated Simultaneously

K6EA/6	Associated RA of Long Beach.....	1070-	A-52-	9873
--------	-------------------------------------	-------	-------	------

CLASS B

Grouped in this listing are the scores of portable stations manned by one or two operators. Where two persons participated, the call of the assisting operator is given below that of the amateur whose call was used. Figures following the call listings indicate number of contacts, power and final score.

One Transmitter

W3EIS/3	..660-	A-9261	K4BZJ/4	..201-	B-1206
W4YHD	..448-	A-6386	K4INR	..133-	A-1197
W2PBA/2	..128-	A-4086	K6GOL/6	..185-	A-1097
W2JBQ	..244-	A-3632	W6AWP	..150-	AB-1080
W3MSR/8	..354-	B-3411	K2PBR/2	..79-	A-1067
W1RAN/4	..338-	A-3042	W2DEN/2	..90-	A-1035
K4OGR	..455-	R-2730	W1SMO/1	..85-	A-990
K9DJB/9	..174-	A-2687	K2HMG/2	..109-	A-981
K5RZV/5	..252-	A-2493	W2LVN/2	..46-	A-959
K5ABV	..273-	A-2457	W6TOD/6	..159-	B-954
K2DGT/6	..273-	A-2457	W2GAI/2	..80-	A-945
W7CJZ/7	..234-	A-2331	W2WZ	..155-	B-930
W7GNL	..160-	AB-2246	K6QJW/6	..102-	A-918
W7WQ/7	..342-	R-2208	W5CMS/5	..102-	A-918
W7CNI	..309-	B-1854	K6HDN	..35-	A-810
W9BRQ/9	..201-	A-1809	W4RHZ/4	..135-	B-810
W8GNA/9	..299-	B-1794	W4ZOU	..80-	B-798
W9VLC/6	..105-	A-1755	K9CAE/9	..135-	B-810
W80EQ/8	..268-	AB-1746	K9DGE	..108-	B-798
W8HXB	..192-	A-1728	W4OWV/4	..34-	A-797
W8MZA/8	..251-	B-1656	K4IIX	..132-	B-792
W8EOP	..183-	A-1647	W3NWA/3	..105-	B-780
W9LNQ/9	..153-	A-1602	W3NWA/3	..85-	A-765
K6OP/6	..118-	A-1593	W4ZOU	..31-	A-756
W6GQB	..90-	A-1553	K9EOR	..80-	A-738
K2PRP/2	..172-	A-1548	W9ZMU	..57-	A-720
K2OEG	..248-	B-1488	VE2JY/2	..50-	A-720
W7ZUD/7	..210-	B-1410	VE3BON/3	..60-	A-675
W7DMR	..196-	B-1326	W8GZK/8	..82-	B-642
W5ELK/5	..221-	B-1326	W5SYL	..52-	A-603
K5GBU	..144-	A-1296	W3ZIG/3	..75-	B-600
W1EKO/1	..144-	A-1296	W3BOT/3	..98-	B-588
W1YQA	..137-	A-1233	K2BFC/2	..276-	B-552
VE2ARC/2	..91-	A-1229	K2KDW/2	..66-	B-546
W3BLW/3	..86-	A-1229	W7NXZ/7	..60-	A-540
W9ZJY	..71-	A-1296	WNTHFZ	..11-	A-486
K5CYH/2	..71-	A-1296	W8PEQ/8	..80-	B-480
W3JHV/2	..71-	A-1296	K8CZG	..50-	B-480
W6SYD/6	..71-	A-1296	W1CAI/1	..42-	A-378
K6HUR	..71-	A-1296	W1ZQM/1	..42-	A-378
W9OBY/9	..71-	A-1296	K1BYE	..42-	B-360
W9OHU	..71-	A-1296	W5CIN/507	..42-	B-360
W5GES/5	..71-	A-1296	W7GVV/7	..31-	A-419
K5EMJ	..71-	A-1296	W2AOD/2	..42-	A-378
W6TLX/6	..71-	A-1296	K2COC	..42-	A-378
K6BVV	..71-	A-1296	W2JUS/2	..42-	A-378
W7KCN/7	..71-	A-1296	W6ZGA/6	..60-	B-360
W7KXN	..71-	A-1296	W1YOR/1	..55-	B-330
K5EMA/5	..71-	A-1296	W7R38/7	..36-	A-329
W5TBP	..71-	A-1296	W7ZXC/7	..36-	A-329
W4JZC/4	..71-	A-1296			
W4IYK	..71-	A-1296			
W0RJX/0	..71-	A-1296			
W0MEL	..71-	A-1296			
K2TJM/2	..71-	A-1296			
KN2YTD	..71-	A-1296			
K4KTD/4	..71-	A-1296			
W4UWA	..71-	A-1296			
W9FPT/9	..71-	A-1296			
W6PFE/6	..71-	A-1296			
W0WIE/0	..71-	A-1296			

(Continued on page 186)

ANTENNA PROBLEMS?

HERE is the information you may be looking for . . . all under one cover. You'll find in the pages of the A.R.R.L. Antenna Book the answers to almost any antenna problem you might encounter.


LOOKING for information on mobile whips or planning an elaborate beam to snag those rare DX stations? From basic theory to how to build 'em, horizontals, verticals, rotaries, fixed beams, transmission lines, v.h.f., u.h.f., together with dimensions, photos, drawings, radiation patterns, you'll find details in the information-packed ARRL Antenna Book. Better pick up your copy now.

\$2.00

U.S.A. proper
\$2.25 Elsewhere

AMERICAN RADIO RELAY LEAGUE, INC.

West Hartford 7, Connecticut



LMB PRESENTS THE NEW "SAL-MET"

FREE 1957 CATALOG covering the full precision engineered line of original box chassis as manufactured by LMB including new Miniature, new Jiffy, new T.F., new Utility Boxes. Eleven different types, 160 different shapes and sizes. A ready reference for engineers, experimenters or anyone using metal boxes. Send for your FREE CATALOG now!

"SAL-MET" Non-corrosive Flux — solders copper to aluminum, aluminum to aluminum, any metal to any metal using conventional solder and regular soldering methods. Send for both LMB and "SAL-MET" Catalogs.

LMB

1011 Venice Boulevard
Los Angeles 15, California

OVERSEAS

Career opportunity with MAJOR OIL PIPE LINE for Technicians with several years maintenance experience on VHF, FM, Mobile and Point-to-Point systems. Instrumentation experience valuable, but not essential. High net earnings and liberal employee benefits.

TRANS-ARABIAN PIPE LINE CO.


505 PARK AVENUE
NEW YORK 22, NEW YORK

Try It! . . . Buy It!

THE RELIABLE, COMPACT

Globe Scout 680

Bandswitching 6-80 M



Only
\$109.95

KIT: \$89.95

Compact, completely bandswitching transmitter for 6-80 Meters; allows operation of 6 M band by technicians, novice CW bands, or use by advanced ham without becoming obsolete. Completely self-contained with built-in power supply, for 65 watts CW, 50 watts phone. High level modulation. TVI-shielded cabinet. Pi-Net output on 10-80M; link-coupled output on 6 M, matching into low impedance beams. New-type shielded, full-range plastic meter for better readability. Adaptable for Mobile Operation.

Globe Scout 66, 10-160M, Wired, Only \$99.95

SEND FOR COMPLETE BROCHURE!


CURLE RADIO SUPPLY

439 BROAD STREET
CHATTANOOGA, TENNESSEE

Now In Stock In the Hy-Gain Triple Spanners



1 beam, 1 feedline, 3 bands (10, 15 & 20M), and low SWR. Guaranteed for one year. Better performing than three stacked arrays because interaction and detuning effect is eliminated. Extremely easy to erect; no adjustment necessary.



- Rotatable Di-Pole \$ 39.95
- 2-element space-saver 69.50
- 3-element standard 99.75
- 5-element champion 395.00

Insu-Trap; — only weatherproof, adjustable trap circuit in existence. Acts as insulator for selected frequencies, isolating various element sections at 10, 15 & 20M.

There are more hy-gain Triple Spanners in use than all other three band beams combined!



SEND FOR DETAILED BROCHURE!

ROGER'S RADIO

1648-52 WAZEE, ST. • DENVER, COLORADO

Introducing the Aristocrat of CABINET RACKS!

POR Series

Exploded View

CONTACT YOUR LOCAL DISTRIBUTOR OR SEND FOR SHEET NO. 5-108

NEW and DIFFERENT
PREM-O-RAK
 by PREMIER

AVAILABLE IN 20 DIFFERENT SIZES — FROM 7" to 35" PANEL SPACES

BOTH 15 1/4" and 18" DEEP FOR STANDARD 19" PANELS

- Shipped knocked down for easy assembly.
- Handsomely finished in two-tone Gray and Brown Hammetone.
- Panels may be mounted on both front and rear
- Interlocking removable top and rear panels made of perforated metal and held by captive screws.
- Panels fit into 1/4" recess. Base supplied with 4 rubber feet.
- Components may be mounted on base before assembly of rack
- Screws not visible from outside.

PREMIER

METAL PRODUCTS CO.
 DEPT. Q, 337 MANIDA ST
 NEW YORK 59, N. Y.

Western Sales Office:
 988 Market St., San Francisco 2, Calif
 Phone: GRaystone 4-1069

Export Dept. —
 EMEC, 127 Grace St., Plainview, New York

K5GFM/5	71-	A-294	K5HWY/5	32-	B-74
K5HHJ			KIACL/1	21-	A-63
K2YCY/2	123-	AB-263	K6COP/8	4-	A-54
VEEED/6	106-	B-262	KNRFSG/8	9-	B-54
VE6EJ			VE1AEB/1	9-	B-54
W6BTP/6	76-	A-223	K61CS/6	6-	B-36
K6KND			KN0JMX/9	14-	B-28
W3TRW/3	16-	A-216	KN0JMU		A-18
W3TIA			KN0JLU/507	2-	A-28
WSQH/1	66-	A-198	VE2ATI/2	4-	B-10
WNINHE/1	22-	A-198			
K4DVR/4	76-	B-152			
KN4PFY			Two Transmitters		
VE2AGN/2	25-	A-150	W7PRA/7	228-	B-2277
VE2EJ			W7GHT		
W3YNC/3	24-	B-144	K69XA/6	193-	A-1980
W5POI/547	24-	B-144	K6TBM		
K2UUT/3	68-	B-136	W5KGI/5	224-	B-1344
KN2ZLN			K5DGT		
W6LAH/6	9-	A-122	W2PPY/2	175-ABC	1071
W6EA			W2GRK		
W2ZAL/2	13-	A-117	W1TYB/1	144-	AB-1050
KN9EAG/9	13-	A-117	W1NYG		
W5GIF/5	17-	B-102	K5AXD/5	99-	A-891
W2HK/2	45-	B-90	W5HJ		
W2TYC/2	43-	B-86	K0EPT/0	92-	H-702
W9TBZ/9	41-	B-82	W8PKU/8	49-	AB-339
K8LDQ					

CLASS C

Grouped in this tabulation are the scores of entrants in the mobile class. Figures following the call indicate number of contacts, power and final score.

K5ENZ/58	281-	A-4131	W9TTL/9	19-	A-608
K2TOM/26	239-	A-3591	K2DEV/24	19-	A-594
K6EPC/6	206-	A-3119	W4YOK/4	40-	B-585
W8GHO/8	120-	A-2849	W3HIF/3	40-	A-500
W5PVC/8	120-	A-2860	K4KFF/40	41-	A-554
W8FKB/8	114-	A-2579	W9AYU/9	15-	A-540
W8QAV/8	69-	A-1971	W3CNO/3	34-	B-531
W3VXN/3	110-	A-1917	W3QOH/3	14-	A-527
W8ABU/8	64-	A-1804	W9FGZ/9	12-	A-486
W8QXG/8	59-	A-1836	W3SLI/3	11-	A-473
KNABA/8	54-	A-1769	W3MHR/3	10-	A-473
W8SAGA/8	53-	A-1755	W3YFV/3	9-	A-459
W2PVZ/8	46-	A-1661	W8VZB/8	34-	A-459
W8SDZ/8	46-	A-1661	W3OMK/3	46-AB	432
W8CDB/8	46-	A-1661	W6ENL/6	30-	A-405
W8CYW/8	46-	A-1661	W3PIT/3	4-	A-392
W8LEX/8	46-	A-1661	W8LVM/8	4-	A-392
W8MWE/8	46-	A-1661	W8QLB/8	2-	A-365
W8NGY/8	46-	A-1661	W8TFU/8	2-	A-365
W8NXX/8	46-	A-1661	W3DPT/3	14-	B-351
W8HGA/8	46-	A-1661	W3RTH/3	15-	B-351
W8PM/8	46-	A-1661	W2MZB/2	58-	B-348
W8RDP/8	46-	A-1661	W3QCV/3	13-	B-342
W8UYJ/8	46-	A-1661	W4SJJ/4	21-	A-284
W8WAG/8	46-	A-1661	W6MHS/6	19-	A-257
W8ZJQ/8	46-	A-1661	W9THT/9	15-	A-203
K8AAC/8	46-	A-1661	W9HDP/9	20-	A-180
K8CEP/8	46-	A-1661	W9QYQ/9	13-	A-176
W6EHA/6	118-	A-1593	W9UKT/9	19-	B-171
W6GTG/6	78-	A-1391	W1GRJ/1	18-	B-162
W7TWA/9	55-	A-1321	K4DNH/4	12-	A-162
W3NDP/3	84-	B-1071	W4BIS/4	10-	B-135
W3HQJ/3	52-	A-1040	W9BA/9	10-	A-135
KN1BSM/1	75-	A-1013	K2OUD/2	9-	A-122
W3SAA/3	44-	A-945	K4AQX/4	9-	A-122
W9MYI/9	40-	A-891	W3PWT/3	12-	B-108
W3AJJ/3	39-	A-864	K4BLX/4	8-	A-103
W3JTB/3	38-	A-851	K2TIS/2	10-	A-54
W3PWG/3	38-	A-851	W4FDK/4	6-	A-81
W3LNU/3	38-	A-824	K4CFN/4	6-	A-81
W9EZS/9	35-	A-810	K68NQ/6	6-	A-81
W3PNY/3	32-	A-770	W1HRV/1	5-	A-68
W3YJM/3	30-	A-743	W2HIF/2	4-	A-54
W6QY/6	28-	A-729	W4TFC/4	4-	A-54
W5USN/59	213-	C-720	W3PFI/3	3-	B-48
W8NOW/6	79-	B-711	K4AJL/4	3-	B-45
W3IRB/3	25-	A-675	K4CFO/4	3-	A-41
K9CLL/9	23-	A-662	W9YDP/9	3-	A-27
W3WNC/3	22-	A-635	W5THL/5	2-	B-18
W3UVL/3	21-	A-621	W3YNC/3	1-	A-14
W3UZF/3	21-	A-621	K6JRR/7	1-	A-9
W3SDZ/3	40-	B-612			

CLASS D

Grouped in this tabulation are the scores of home stations operated from emergency power.

K2OFQ¹² 652, W1ONK²⁷⁵, W8QLY¹³ 178, K5FGJ¹⁴ 138, KM6AX¹⁵ 135, K6GAA¹⁶ 97, W2ZRX/VO1, W3LSS⁵⁶, W6RDF⁹ 20, W3CVE¹⁷.


CLASS E

Grouped in this tabulation are the scores of home stations operated from commercial power sources.

W4FGH¹⁷ 520, K2MMX¹⁸ 420, K6DDO 360, W0NT¹⁹ 347, W2G8J² 257, K2KMA² 213, W1YJH 207, W3YVJ² 206, W3YWT³ 201, W3WJF 200, W6PHO 185, W1FYF 175, W7WMY 175, K6OYE 175, W4KFC 166, W6MJP 165, K4HAV² 159, K6BFS 157, K5GNY 152, K5TPN 148, K2GZD 143, K2QMT 143, W1AW² 141, K5GAB² 138, W8TIZ 135, K2SLF 134, W3COU²⁰ 128, K6PLW 128,

(Continued on page 188)

the Collins 75A-4



Designed expressly for Operation
on the 7 HF Amateur bands

This outstanding SSB receiver features AVC on SSB and CW, separate detectors for AM and SSB, passband tuning, rejection tuning, Gear Reduction Tuning Knob, superior selectivity and many other time-proven Collins features. Net Price ----\$695.00

Write or see us about trade-ins
or time payment terms

Radio Electric

SERVICE CO. OF PENNA., INC.

7TH & ARCH STS. • PHILA. 6, PA.
Phone WALnut 5-5840

Branches in Easton, Allentown and Willow Grove

CANADIANS! We have large stocks of nationally advertised Ham parts. Write for Free catalog.

THE CRAWFORD RADIO

VE3YR 119-121 JOHN ST., N. VE3JU
"Geo" HAMILTON, ONT. "Bill"

NEW! . . . 60-ft. 4-BAND ANTENNA TUNES 40-20-15-10 METERS



Same Hi-power design except 4 band s in 60
Tested at 10,000 KV RF. Will handle 2 KW of well over-
modulated AM. Only coils guaranteed to take a KW on
the market.

Available for immediate delivery
40M-C 4 band KW coils \$14.95
40M-A 4 band KW antenna \$24.50
All antennas have 88 ft. KW twinlead, heavy
duty insulators, copperweld wire.

FIVE BAND ANTENNAS STILL AVAILABLE:

HC-F 5 band KW coils \$19.95
HA-F 5 band KW antenna \$33.95

Improved quarter KW 5 band models:

5 BC-F phone coils; 5BC-C CW coils \$12.50
5BA-F phone; 5BA-C CW antennas \$27.50

Postpaid in U.S.A.


MONEY BACK GUARANTEE

GENERAL CRYSTAL COMPANY, INC.
372 Wilmot Ave., Burlington, Wis.

PORTABLE POWER PLANTS

Push Button Start—115 V AC
(& 12 V DC) Always available.

Be prepared with reliable emer-
gency power, designed for use
with radio gear, etc. Only unit at
these low factory prices fully
shielded and filtered for radio,
and individually checked by
scope. Not surplus, but brand
new 4 cycle, easy starting, cast
iron cylinder engines, fiber glass
insulated generators, and control
boxes with voltmeter and con-
trols. Conservatively rated. Just the generator for CD,
Field Day, Camping and Boats. Complete line. Fully
guaranteed.



700 watt (A712) Shpg. wt. 77 lbs. \$143.50
1000 watt (A1012) Shpg. wt. 90 lbs. \$195.50
Sizes to 3500 watts. Dual voltage models, automatic
controls, etc., available. Write:

GENERAL ELECTRONIC SERVICE CO.
P. O. Box 9 ROCKWELL 3-2425 Burlington, Wisconsin


NOW HAM RADIO IS PAYING ME!




Over the years I've invested considerable money in this wonderful hobby. Been worth it, too, for I've had lots of fun—and learned a lot about radio. Just last year while in QSO a ham upstate told me about the boom in commercial and public-safety 2-way radio. He said he was cashing in on his ham radio experience by doing regular maintenance and FCC checks on commercial rigs.

After pulling the big switch I started reading QST—and saw Lampkin Laboratories' ad for their free booklet "HOW TO MAKE MONEY IN MOBILE-RADIO MAINTENANCE." I sent in the coupon . . . and learned how easy it is to get into 2-way radio maintenance. Now I have a high-paying business in my own shack!

The same coupon is at the bottom of this ad—and it can lead to the same results for you.
BETTER MAIL IT TODAY—WHILE IT'S FRESH IN YOUR MIND!



LAMPKIN TYPE 205-A
MODULATION METER
Range 25 to 500 MC
Price \$240.00 net



LAMPKIN TYPE 105-B
FREQUENCY METER
Range 0.1 to 175 MC and up
Price \$220.00 net

THESE ARE THE TEST INSTRUMENTS USED BY THOUSANDS OF 2-WAY ENGINEERS:

TIME PAYMENT PLAN AVAILABLE!

LAMPKIN LABORATORIES, INC.
Mfg. DIVISION, BRADENTON, FLA.

At no obligation to me, please send free booklet and
dope on time-payment plan.

Name _____
Address _____
City _____ State _____


LAMPKIN LABORATORIES INC., BRADENTON, FLA.



"Mags" Magers
W00JI, President

NEW! Here's VESTO'S New Hurricane-Proof TOWER

Completely self-supporting! Uses no guy wires! New hinged base allows you to assemble your Vesto tower on the ground and raise into upright position! Or assemble from ground up, a piece at a time!



Tilts heaviest antennas
Holds in any position

NEW!
Vesto's geared crank-over antenna head holds in any position! Tilts heaviest antennas. The new geared head permits antenna to be tilted to any desired position for accessibility.

TEN TOWER SIZES TO CHOOSE FROM:

22 ft. to 100 ft. Prices start at only \$104. You Save By Buying From Vesto!
Small Down Payment—Easy Terms

LOOK AT VESTO'S FEATURES!

- 4-leg construction gives better balance and strength
- Steel ladder from ground to platform at top
- Safety platform with metal railing and trap door
- Heavy galvanized steel construction

*No Vesto tower has ever been damaged by hurricane!

Send Today for Complete FREE INFORMATION

VESTO COMPANY, INC., DEPT. C
20th & Clay, North Kansas City, Mo.

Name _____ Call _____

Address _____

City _____ State _____

W4FRO 124, W0YCA 121, W5DDL² 116, W5KQJ 116, K8WBZ 107, W7ULC 105, K5HIM 100, K6RGO 100, W4WSF 94, K2PIM 89, W7QLH 88, K5GOI²¹ 87, K0BLY 86, K8EEG 85, K2SWI 83, KP4DH 83, K0ARS 82, VE1EK 81, W8GBH 80, K4DKV 76, K0ADI 76, W1DXS 75, K2GTC 73, K4HCS 72, K4KIR 71, W8WRO 69, K2SOW 69, W4HKJ 67, W2ZRX 66, K2PCJ 65, W9EXL 64, K6DHE 64, VE3MI 62, W1BPW 61, WSUPI 61, K5DRC 61, K9CPF 60, K0UKX 59, W8KMF 57, K0GZP 57, K2JSS² 53, W8EXW 52, K9AVK 51, W6CTL 49, W6GQZ 47, K0TAN 44, K5GHP 43, W5EZJ 42, K2VVL 42, KN2VTW 42, W2CJM 40, W6PMU 40, W9JUN 39, K6OHV 39, KN6VXS 38, W6UJA 35, W7VAS 35, W7JC 34, W0BWJ 34, W3CVE 33, K5GIF 31, VE1DD 31, K4JMN 30, W1VPP 28, W3HUK 28, W60JW 28, K2UCF 28, W5QPS 27, W5UWA 26, K6VZA 6 24, K1AKO 23, K9EWB/0 23, KN2VQM² 21, KN2YPT 19, W2ZAL 18, W4FLX 18, K8DKU 18, W3IKB² 17, W1EFW 16, K2RDP 16, W1HRV 14, W3ZJD 14, W8YPT 14, KL7CDF² 14, K2CTK 13, KN6VWE² 13, W5FET 12, K2EZ 12, K4GHM 12, K6JGN 12, KN6VDG 12, K0LFW 12, W1DTK 11, K5BKK 11, W6NKT 10, W9SDK 10, K2JLJ 10, KN5JCC 10, VE6MJ 10, KL7DR 9, W3NRE 8, W1RFJ 7, W7ESJ 7, W1LGO 6, W7CWN 6, W1NSG 5, W1ZMB 5, K6RFT 5, K9ATE 5, K0HVR 5, KN1BIM 5, W2VMX 4, W3RDZ 4, W6DKN 4, W6DWJ 4, WN2BYE 4, W3IDO 3, KN1BYL 3, KN6HQX 3, W1PID 2, K2DEAM 2, VE1AEB 2, W8IVK 1, W9YBG 1, WN7JBV 1, K4JLO 1, KN2UOK 1.

¹ W9s DIK NHE, oprs. ² 2 oprs. ³ W4YE, K4CAX, oprs. ⁴ W7LUS, K5EBA, oprs. ⁵ W6HQN, 2nd opr. ⁶ 2 rigs, 6 oprs. ⁷ W6HBF, 2nd opr. ⁸ 17 oprs. ⁹ 3 oprs. ¹⁰ K4KES, 2nd opr. ¹¹ W9RYQ, 2nd opr. ¹² Frog Hollow ARC, 6 rigs, 9 oprs. ¹³ Mahoning Valley AR Assn., 2 rigs, 8 oprs. ¹⁴ MARS RC, 2 rigs. ¹⁵ 6 oprs. ¹⁶ 9 oprs. ¹⁷ 2 rigs, 2 oprs. ¹⁸ 5 rigs, 12 oprs. ¹⁹ 4 oprs. ²⁰ 2 rigs, 4 oprs. ²¹ 5 oprs.

Correspondence

(Continued from page 94)
599X

2434 South 2nd St.
Abilene, Texas

Editor, QST:

Why don't hams give honest RST reports? It ain't just the new-crop (Novice ops). It's the oldies too. 90% will give out with an R5 if they can read the other station at all, the "S" is nearly always about 2-points above "honest" and the "T" . . . Oh me! The station on the other end thinks he isn't getting thru at all if he receives and RST 459, where if'n he will look that up on the RST-scale, he will find that he is putting in a pretty dog-gone nice sig. If we take all the sigs we can read, on the air, they would probably average 349-459 (not mentioning chirps, tails, key-thumps and just plain raw notes. Honestly, there are very few true RST 599X sigs on the bands (other than locals). Man, U gotta back-away from a 599; he'll block your receiver if you leave the vol where you set it to sweep the band! Oh well, we have a lotta fun anyway.

— Franklin C. Burt/W5BGX-N8.N.A.4

LISTEN!

1708 Military
Omaha, Nebraska

Editor, QST:

I believe that I have found the source of the terrific QRM on the Novice bands: empty-headed operating. Listening on 7161 kc. for less than three minutes I heard five Novices calling CQ, three calling simultaneously. But not one of these CQs got a call back. It seems to me that if more Novices would listen before transmitting and call fewer CQs they would have many more solid, pleasant QSOs and with only a tiny fraction of the QRM.

— Tom Fitzsimmons, K0OFF

A CALL FOR THE WOUFF-HONG

Box 462
Washington, North Carolina


Editor, QST:

Thanks so much for the W1AW code practice. Without it I'd never have gotten my Gen'l. I guess. Use the Wouff-Hong on those guys who don't listen before they transmit and in doing so QRM the heck out of your code practice. The same goes for the guys who put a carrier on the air for tune-up and never sign name, call sign, or nuttin'.

— Charles Cowell, Jr., K4KJLJ

UP TO DATE

THE brand-new 39th edition of the Radio Amateur's LICENSE MANUAL is complete, up to date and revised to include latest information on amateur licensing. Contains the new mail-examination regulations, information on all the latest questions included in FCC amateur exams, all the dope on frequency privileges for the various classes of amateur licensees, the full text of RACES regs, details of the U.S.-Canada Reciprocal Operating Agreement and code-practice schedules, and the current FCC examination schedule. A useful manual for all, newcomer and oldtimer alike.



Order *YOUR* copy today

PRICE **50¢** POSTPAID

ALL the dope between two covers... complete and easy to understand.

- NOVICE
- TECHNICIAN
- CONDITIONAL
- GENERAL
- EXTRA-CLASS

The AMERICAN RADIO RELAY LEAGUE, Inc.

WEST HARTFORD 7, CONN.

GET INTO ELECTRONICS

Train for best technical positions in a Top-flight school. Specialize in missiles, computers, radar, communications, industrial electronics, color TV, automation. Excellent program in theory, laboratory, mathematics. Major firms select our graduates as Tech. reps., field engineers, specialists. Associate degree granted. 21 months' program. High school or equivalent required. Write for catalog.

VALPARAISO TECHNICAL INSTITUTE
Dept. TW Valparaiso, Indiana




FREE 172 PAGE 1958 B-A CATALOG

Complete guide to Everything in Radio, TV and Electronics for Dealers, Servicemen, Schools, Amateurs, Broadcasters, Public Utilities, Engineers, Experimenters, Factories and Laboratories.

BURSTEIN-APPLEBEE CO., 1012 McGEE ST., KANSAS CITY, MO.

FROM THE MAKERS OF "BEAMED-POWER" ROTARIES!

Telrex MEDIUM DUTY BEAM ROTATOR




MEDIUM DUTY ROTATOR R-100

—and Direction Indicating & Control System R-100S

The finest medium duty beam rotator and direction control indicator system available. Model R-100S is smooth and quiet electrically and mechanically. Powered by two reversible, noiseless motors. Torque adequate to rotate and hold one full-size 20-meter array or three small-size 10, 15 and 20-meter arrays. Indicator features large-size direct and reciprocal markings for rapid, easy beam readings. Price \$158.75.

ALSO AVAILABLE—Model R-200S, 1000" lbs. torque. Price \$344.50

DIRECTION INDICATOR



ASBURY PARK 22, NEW JERSEY, U.S.A.

Tel: PROspect 5-7252

Happenings of the month

(Continued from page 79)

more than doubled; from approximately 75,000 licensees to more than 150,000. New licenses are being issued at the rate of 10,000 per year, excluding Novice Class licensees. In view of the tremendous growth of the amateur service, a 270-kilocycle segment becomes of considerable importance in order to relieve congestion in the amateur service.

POINT IV

The Commission's proposal to assign the proposed services in the ISM band at 27 Mc. is not sound allocations engineering.

14. The Commission is overly optimistic in its feeling that the Citizens Radio Service will be able to operate successfully under conditions of severe interference such as often exists in the ISM band. Even if no ISM interference were present, the order of frequency is a poor one for the type of service proposed; it is well within that portion of the spectrum where marked sky-wave effects occur over a large part of the sunspot cycle and it is inconceivable that multiple assignments to a so-called short-range service can be made without the certainty of long-distance interference. The Commission should be well aware that widespread international amateur communications take place in this band, much of it with low power. The League feels that solely on the basis of the order of frequency the Commission's proposal represents an unworkable expedient.

15. With the increasing use of the band by the ISM services, the problem for the proposed service assignment will become that much more acute. In fact, the use of the band in many areas will probably become impossible, this being true especially in heavily populated areas where Citizen service assignments would, of course, be most numerous. The League is of the opinion it is only because of the comparatively slow development of the ISM services that amateurs have been able to utilize the band to the extent they have. Since ISM devices by their nature often create intolerable interference conditions for other services, amateur operation in some areas has been found difficult or impossible. The League believes that this will become increasingly apparent as the ISM services expand. This will, of course, be equally true for amateurs as for others. Amateurs, however, are widely scattered throughout the nation and also have considerable freedom in choice of operating time. Although an increasing number of amateurs will find it impossible to use the band while the ISM services operate, others may still be able to do so. This is a situation with which the proposed service cannot effectively cope.

AMERICAN RADIO RELAY LEAGUE, Inc.

PAUL M. SEGAL
Its General Counsel

A. L. BUDLONG
General Manager
September 3, 1957

A HAM'S DREAM COME TRUE!

TRI-BAND Cubical Quad

Three beams for the price of one!

- ★ Pre-tuned coils—no tuning required.
- ★ Very light weight. TV rotator will handle.
- ★ Minimum wind resistance.
- ★ 8 Db gain on 20.
- ★ 10 Db gain on 10 and 15.
- ★ 20 Db Minimum F/B ratio.

Hams all over the world voice their praise
of The SKYLANE CUBICAL QUAD

Only
\$54.95 SKYLANE PRODUCTS

F.o.b. 5320 Nebraska, Tampa 3, Fla.

For the Finest in Ham Equipment
VARIETY ELECTRONICS CORP.

Bloomfield Ave. & State St.
Bloomfield, N. J.

Open Mon., Wed. and Fri. to 9 P.M.

CALLING ALL HAMS!

Individualized with your own call letters

Personalized hand made accessories for
the ham who displays his call with pride.

A quality line of jewelry made of precious metals

TIE CLIP



Sterling silver or
1/20 12K gold filled
\$7.50

Solid 14K gold
\$45.00

CUFF LINKS

Sterling silver or
1/20 12K gold filled
\$16



An ideal gift to give or receive

WILLMART JEWELRY CO.

4278 Bedford Ave.

Brooklyn, N. Y.

SWITCH TO SAFETY!



RADIO COURSES

Radio Operating • Code •
Radio Servicing • Television Servicing •

Preparation for Civilian, Maritime,
Army and Navy License requirements

Write for information on these courses to:

BROOKLYN Y.M.C.A. TRADE SCHOOL

1115-1119 Bedford Ave., Brooklyn 16, New York

IN THE LEXINGTON AREA
Radio Equipment Co.

IS THE PLACE TO BUY

Collins **EQUIPMENT**

KWS-1

1 kilowatt Transmitter
 w/Power Supply\$2,095.00
 75A-4 SSB Receiver\$695.00

KWM-1 SSB
 Mobile/Fixed Station
 Transceiver\$770.00
 and a complete stock
 of all Collins accessories.

RADIO EQUIPMENT CO.

480 Skain Avenue
 Lexington, Kentucky

"U-MAKE-M"

ACTUAL **NAMEPLATES** SIZE

684 self-stick letters and numbers like the above, made of tough non-tear plastic coated fabric mounted on dispenser cards. Each letter and number is easy to peel off and apply to any panel surface without fuss, muss or water. Will give your equipment a genuine professional appearance. At your jobber or
 Send \$1.00 bill, which will be refunded if you are not satisfied!

M P SPECIALTIES CO., 233 East Ave., Park Ridge, Illinois

for a CAREER in communications
 ... to pass FCC amateur exams

LEARN CODE
 and Theory

\$3.95
 up

**EASY,
 FAST HOME STUDY**

with 78 r.p.m. or 45 r.p.m. Unbreakable
 Phonograph Records
**PASS COMMERCIAL AND AMATEUR CODE
 EXAMS, AMATEUR THEORY EXAMS, FOR
 YOUR FCC LICENSE!**

4 AMECO Courses Available:

No. 1 — **NOVICE CODE COURSE.** You get and keep 10 recordings (alphabet through 9 W.P.M.), includes typical FCC type code exams. Free instruction book on learning how to send and receive code the simplest, fastest way; plus charts to check your receiving accuracy; plus an album; all for the low price of only: 45 r.p.m. **\$6.95** 78 r.p.m. **\$7.95**

No. 2 — **SENIOR CODE COURSE.** You get and keep everything given in the Novice Course except that you get 22 recordings (alphabet through 18 W.P.M.), plus typical FCC type code exams for General class and 2nd class commercial telegraph license. All this for only: 45 rpm **\$11.95** 78 rpm **\$12.95**

No. 3 — **NEW ADVANCED COURSE.** Prepares Novice operators for the amateur general class and second class commercial license tests. Contains 12 recordings (8 through 18 W.P.M.) PLUS the complete code book — PLUS typical F.C.C. code examinations for general and commercial tests. ALL for only: 45 r.p.m. **\$5.95** 78 r.p.m. **\$6.95**

No. 4 — **COMPLETE RADIO THEORY COURSE.** A complete, simplified home study theory course in radio covering the Novice, Technician, Conditional and General classes — all under one cover — with nearly four hundred typical FCC type questions to prepare you for license exam. No technical background required. You also get, FREE, a guide to setting up your own Ham station. All for the amazing low, low price of... **\$3.95**

No. 5 — **RADIO AMATEUR QUESTIONS & ANSWERS LICENSE GUIDE.** A "must" if preparing for Novice, Technician or General class exams. Approx. 200 questions & answers (most multiple choice type) similar to ones given on F.C.C. exams. Has 2 typical F.C.C. type exams. Other questions by subjects, easier to study. Low, low price of **50¢**

FREE LITERATURE AVAILABLE
 Sold at leading distributors
 everywhere or write to
 Dept. Q10

AMERICAN ELECTRONICS CO.
 1203 Bryant Ave., New York 59, N.Y.

NOW AVAILABLE

Two years in the making. 500 pages. Handbook size. For those interested in knowing about those they hear on the bands. Locates others with interests common to yours. Helps you remember. 1,000 uses.

HAM REGISTER
 137 S. 6th St.
 Indiana, Pa., U. S. A.

(C.O.D. only in U. S. and Pos.)

Please fill my order for () copies of H. R. at \$5.00 each. () Pmt. herewith, () Send C. O. D. I must be pleased or book will be returned in 10 days for refund of purchase price.

Name _____
 Address _____

**Clip Coupon &
 Mail Today!**

A.R.R.L. QSL BUREAU

The function of the ARRL QSL Bureau system is to facilitate delivery to amateurs in the United States, its possessions, and Canada of those QSL cards which arrive from amateur stations in other parts of the world. Its operation is made possible by volunteer managers in each W, K and VE call area. All you have to do is send your QSL manager (see list below) a stamped self-addressed envelope about 4¼ by 9½ inches in size, with your name and address in the usual place on the front of the envelope and your call printed in capital letters in the upper left-hand corner.

- W1, K1 — O. W. Waterman, W1IPQ, 99 Flat Rock Rd., Easton, Conn.
- W2, K2 — E. F. Huberman, W2JIL, Box 746, GPO Brooklyn 1, New York.
- W3, K3 — Jesse Bieberman, W3KT, P.O. Box 400, Bala-Cynwyd, Pa.
- W4, K4 — Thomas M. Moss, W4HYW, Box 644, Municipal Airport Branch, Atlanta, Ga.
- W5, K5 — Robert Stark, W5OLG, P.O. Box 261, Grapevine, Texas.
- W6, K6 — Horace R. Greer, W6TI, 414 Fairmount St., Oakland, Calif.



Founded in 1909

RADIO TELEPHONY RADIO TELEGRAPHY RADAR & TELEVISION

Courses ranging in length from 7 to 12 months. Dormitory room and board on campus for \$48.00 a month. The college owns KPAC, 5 KW broadcast station with studios located on campus. New students accepted monthly. If interested in radio training necessary to pass F.C.C. examinations for first-class telephone and second-class telegraph licenses, write for details. New Advanced TV Engineering Course.


PORT ARTHUR COLLEGE PORT ARTHUR TEXAS

Approved for G. I. training

Beams FOR THE *Deans*
OF *Hamdom*


THOSE WHO KNOW THE DIFFERENCE!
SEE PAGE 109 NOVEMBER QST
TENNALAB-QUINCY, ILLINOIS

IS YOURS ON FILE WITH YOUR QSL MGR?




- W7, K7 — Joseph P. Vogt, W7ASG, P.O. Box 88, John Day, Oregon.
- W8, K8 — Walter E. Musgrave, W8NGW, 1245 E. 187th St., Cleveland 10, Ohio.
- W9, K9 — J. F. Oberg, W9DSO, 2601 Gordon Drive, Flossmoor, Ill.
- W0, K0 — Alva A. Smith, W0DMA, 238 East Main St., Caledonia, Minn.
- VE1 — L. F. Fader, VE1FQ, 125 Henry St., Halifax, N. S.
- VE2 — George C. Goode, VE2YA, 188 Lakeview Ave., Pointe Claire, Montreal 33, Que.
- VE3 — Leslie A. Whetham, VE3QE, 32 Sylvia Crescent, Hamilton, Ont.
- VE4 — Len Cuff, VE4LC, 286 Rutland St., St. James, Man.
- VE5 — Fred Ward, VE5OP, 899 Connaught Ave., Moose Jaw, Sask.
- VE6 — W. R. Savage, VE6EO, 883 10th St. N., North Lethbridge, Alta.
- VE7 — H. R. Hough, VE7HR, 2316 Trent St., Victoria, B. C.
- VE8 — W. L. Geary, VE8AW, Box 534, Whitehorse, Y. T.
- VO — Ernest Ash, VO1AA, P.O. Box 8, St. John's, Newfoundland.
- KP4 — E. W. Mayer, KP4KD, Box 1061, San Juan, P. R.
- KH6 — Andy H. Fuchikami, KH6BA, 2543 Naumau Dr., Honolulu, T. H.
- KL7 — KL7CP, 310 — 10th Ave., Anchorage, Alaska.
- KZ5 — Catherine Howe, KZ5KA, Box 407, Balboa, C. Z.

CUT CHASSIS HOLES FAST!



Smooth, accurate openings made in 1½ minutes or less with Greenlee Radio Chassis Punch

Quickly make smooth, accurate holes in metal, bakelite, or hard rubber with a GREENLEE Chassis Punch. Easy to operate . . . simply turn with an ordinary wrench. Round, square, key, and "D" types . . . wide range of sizes to make openings for sockets, plugs, controls, meters, terminal strips, transformers, panel lights, etc. Assure perfect fit of parts and professional finish to every job. Write for descriptive literature. Greenlee Tool Co., 1870 Columbia Ave., Rockford, Ill.



GREENLEE

Strays

W 7 O(ak) H(arbor) W(ashington) LIVES in Oak Harbor, Wash.! — W7OE.

3 outstanding Hallicrafters SSB units

get yours from Burghardt's!

Convenient Terms

Speedy Delivery

Stan Burghardt
W0BJV



SEE HALLICRAFTER'S AD


See the Hallicrafter's ad elsewhere in this issue, listing complete details for their giant SSB contest. Burghardt Radio Supply is proud to be a participating distributor in this nationwide contest.



Just \$39.50 down—easy terms.

SX-101

Excellent stability—sensitivity less than 1 microvolt on all bands. Covers 160, 80, 40, 20, 15, 11-10 meters—special 10 mc. position for WWV, plus coverage of major MARS frequencies.



Just \$77.50 down—easy terms.

HT-33 Linear Kilowatt Amplifier

Ultra-compact—extra safe, extra long life ceramic power tubes. 1000 watts CW and SSB (P.E.P.) input . . . 775 watts AM. 80, 40, 20, 15, 11, and 10 meters. Pi-network output system for high harmonic suppression. Single knob bandswitching. Built-in power supply. All control leads filtered. Relay rack panel mounting if desired.



Just \$67.50 down—easy terms.


HT-32 Transmitter

A complete table-top, high efficiency amateur band transmitter. SSB, AM or CW on 80, 40, 20, 15, 11 and 10 meters. Two new exclusive SSB features—piezo electric filter cuts unwanted side-band 50 db or more—newly developed bridged-tee modulator. 144 watts plate input (P. E. P. two tone). Built-in voice control. Ideal CW keying and break-in operation.

- ✓ TERRIFIC TRADE-INS
- ✓ 10% DOWN—EASY TERMS
- ✓ SPEEDY DELIVERY
- ✓ PERSONAL ATTENTION

⋮

BIG NEW CATALOG — The most up-to-date presentation of amateur equipment available. Check full of gear and accessories. Write for your free copy today!



Burghardt

RADIO SUPPLY

Satisfaction Guaranteed
or your money refunded after 10 day trial

P.O. Box 746, Watertown, So. Dakota • Phone 5749

HAM-ADS

(1) Advertising shall pertain to radio and shall be of nature of interest to radio amateurs or experimenters in their pursuit of the art.

(2) No display of any character will be accepted, nor can any special typographical arrangement, such as all or part capital letters be used which would tend to make one advertisement stand out from the others. No Box Reply Service can be maintained in these columns nor may commercial type copy be signed solely with amateur call letters.

(3) The Ham-Ad rate is 30¢ per word, except as noted in paragraph (4) below.

(4) Remittance in full must accompany copy, since Ham-Ads are not carried on our books. No cash or contract discount or agency commission will be allowed.

(5) Closing date for Ham-Ads is the 20th of the second month preceding publication date.

(6) A special rate of 7¢ per word will apply to advertising which, in our judgment, is obviously non-commercial in nature. Thus, advertising of bona fide surplus equipment owned, used and for sale by an individual or apparatus offered for exchange or advertising inquiring for special equipment, takes the 7¢ rate. Address and signatures are charged for. An attempt to bid in apparatus in quantity for profit, even if by an individual, is commercial and all advertising so classified takes the 30¢ rate. Provisions of paragraphs (1), (2) and (5), apply to all advertising in this column regardless of which rate may apply.

(7) Because error is more easily avoided, it is requested signature and address be printed plainly. Typewritten copy preferred but handwritten signature must accompany all authorized insertions.

(8) No advertiser may use more than 100 words in any one issue nor more than one ad in one issue.

Having made no investigation of the advertisers in the classified columns except those obviously commercial in character, the publishers of QST are unable to vouch for their integrity or for the grade or character of the products or services advertised.

QUARTZ—Direct importers from Brazil of best quality pure quartz suitable for making piezo-electric crystals. Diamond Drill Carbon Co., 248 Madison Ave., New York City 16.

MOTOROLA used FM communication equipment bought and sold. WBCO, Ralph Hicks, 204 E. Fairview, Tulsa, Okla.

WANTED: Cash or trade, fixed frequency receivers 2K/42 Mc. W9YIY, Troy, Ill.

MICHIGAN Hamst! Amateur supplies, standard brands. Store hours 0830 to 1730 Monday through Saturday. Roy J. Purchase, WRP, Purchase Radio Supply, 327 E. Hoover St., Ann Arbor, Michigan. Tel. NORMandy 8-8262.

WANTED: Early wireless gear, books, magazines, catalogs before 1922. Send description and prices. W6GHI, 1010 Monte Dr., Santa Barbara, Calif.

WANTED: All types aircraft & ground transmitters, receivers ART-13, RT18/ARC1, R5/ARN7, BC610E, ARN6, BC788C, ARC3, BC342. Highest prices possible paid. Dames, W2KUW, 308 Hickory St., Arlington, N. J.

ATTENTION Mobilizers! Leeco-Neville 6 volt 100 amp. system alternator, regulator & rectifier, \$45.00. Also Leeco-Neville 12-volt 100 amp. system, alternator, regulator & rectifier, \$85.00. Good condition. H. A. Zimmerman Jr., K2PAT, 115 Willow St., Brooklyn 1, N. Y. Ulster 2-3472.

CASH for your gear. We buy as well as sell. Write for cash offer or trade. We stock Elmac, Gonset, Hallcrafters, Hammarlund, Johnson, Waco Radio Etc. Also National and other ham gear. H. & H. Electronic Supply, Inc., 506 Kishwaukee St., Rockford, Ill.

WANTED: Receiver R5/ARN-7, MN-62A transceivers, RT18/ARC-1, AN/ARC-3, BC-788C, 1-152U, Collins, Bendix equipment, test sets, dynamometers, inverters. We pay highest prices. Advise quantity condition, price in first letter. Aircraft Radio Industries, Inc., 15 East 40th St., New York City. Tel. LEXington 2-6254.

DX'ERS Notice! Save money? Save Time? Free info. DX QSL Coop, Box 5938, Kansas City 11, Mo.

MULTI-BAND Antenna, 80-40-20-15-10, \$19.95. Patented. Send stamp for information. Lattin Radio Laboratories, Owensboro, Ky.

SAN FRANCISCO and vicinity. Communication receivers repaired and realigned. Guaranteed work. Factory methods. Special problems invited. Any equipment. Associated Electronics, 58 South P St., Livermore, Cal. W6EJL upper.

RECEIVERS: Repaired and aligned by competent engineers, using factory standard instruments. Authorized Factory Service Station for Collins, Hallcrafters, Hammarlund, National. Our twenty-first year. Douglas Instrument Laboratory, 176 Norfolk Ave., Boston 19, Mass.

RADIO magazines. Buy, sell or trade. Bob Farmer, Plainview, Texas. **HALLCRAFTERS**, Central Electronics ham gear—others. Swartzlander Radio Limited, Fremont, Ohio. Call Jerry, W8EPI or write.

WANTED: BC-221, BC-348, BC-312, BC-342, BC-610-E, ARN-7, BC-788, ARN-6, APR-4, ARC-1, ARC-3, ART-13. All types surplus or amateur transmitters, receivers, test equipment taken in trade for New Johnson Viking Ranger, Paecemaker, Vallant, Hallcrafters, Hammarlund, National, B&W, Gonset, Elmac, Telrex, Fisher H-FI, etc. Write Tom, W1AFN, Alltronics-Howard Co., Box 19, Boston 1, Mass. Tel. Richmond 2-0048. Store: 60 Spring St., Newport, R. I.

SEND for this month's standout listings of Reconditioned Equipment. Also request our new "1957" Amateur Catalog. We feature all leading brands and promise you an attractive deal always regardless of your needs or budget. Check our offer first. We deal quickly, easily and always on a personal basis. Stan Burghardt, W9BJV, Burghardt Radio Supply, Watertown, S. Dak.

QSL'S? SWL'S? Finest and largest variety samples 25¢ (refunded). Call books latest, \$1.50. "Rus" Sakkers, W8DED, P.O. Box 218, Holland, Michigan.

QSL'S Taprint, Union, Mass.

DELUXE QSL'S—Petty, W2HAZ, Box 27, Treuton, N. J. Samples 10¢.

QSL'S "Brownie," W3CJI, 3110 Lehigh, Allentown, Penna. Samples 10¢; with catalogue, 25¢.

QSL'S-SWL'S Now printing for a third generation YL ham! Samples 10¢. C. Fritz, 1213 Briarclark, Joliet, Ill.

QSL'S-SWL'S Samples 10¢. Malgo Press, 1937 Glendale Ave., Toledo 14, Ohio.

QSL'S-SWL'S 100, \$2.85 up. Samples 10¢. Griffith, W3FSW, 1042 Pine Heights Ave., Baltimore, Md.

WLSL Twenty exclusive designs in 3 colors. Rush \$3 for 100 or \$5 for 200 and get surprise of your life. 48 hour service. Satisfaction guaranteed. Constantine Press, Hadenburg, Md.

QSL Samples, Dime, refundable. Roy Gale, W1BD, Box 154, Watford, Conn.

QSL'S Neat, Attractive. Samples 10¢. Woody's, Box 164, Asher Sta., Little Rock, Ark.

QSL'S Sharp! 200 one color, glossy, \$4.75; Multi-color samples dime. KOPAS QSL Factory, Edward Green & Sons, Box 197, Frankfurt, Ind.

QSL'S Glossy, two colors, samples 10¢ (refunded). 200 cards \$3.75. W1GKH Press, Candevier Ridge, Danbury 18, Conn.

QSL'S Reasonable, 3 Week Delivery. Samples dime (coin). Dick, K6GJM, Box 294, Temple City, Calif.

QSL'S samples, dime. Gay Krenz, Fall Creek, Wis.

QSL'S Reasonable. Nice designs. Samples free. Stan, W2DJH, 19 Elm St., Warrensburg, N. Y.

QSL'S-SWL'S Samples free. Bartinoski, W2CUE Press, Williamstown, N. J.

QSL'S: Cartoons, colors, something different. Samples 15¢, Chris, W9PPA, 365 Terra Cotta, Crystal Lake, Ill.

QSL'S-SWL'S High quality. Reasonable prices. Samples. Bob Teachout, W1FSV, 204 Adams St., Rutland, Vt.

QSL'S Reasonable, nice designs. Samples free. Stan, W2DJH, 19 Elm, Warrensburg, N. Y.

QSL'S California only. Samples 10¢. Dauph, K6JCN, Box 66009, Mar Vista 66, Calif.

QSL'S! Shack accessories! Brochure free. WAT, Box 128, Brecksville, Ohio.

QSL'S of distinction! Three colors and up. 10¢ brings you samples of distinction. Uncle Fred, Meshoppen, Pa.

SEND \$3.00 for 200 2-color QSL'S-SWL'S. Fast service. Samples 25¢. Bolles, W5OWC, Box 9007, Austin 17, Texas.

QSL'S Samples, dime. Printer, Corwith, Iowa.

QSL'S Cartoons, colors. Something different. Samples 15¢, Chris, W9PPA, 365 Terra Cotta, Crystal Lake, Ill.

QSL'S SWL'S, VHF'S, XYL-OM'S. (Sample assortment approximately 9½¢.) Covering designing, planning, printing, arranging, mailing, eye-catching, comic, sedate, fabulous, DX-attracting, prototypical, snazzy, unparazoned, cards. Rogers, K0AAB, 737 Lincoln Ave., St. Paul 5, Minn. Also glamorous, pulsating (Wow!)

CREATIVE QSL and SWL Cards. Are you proud of your card? If not, let us print your next order. Write for free samples and booklet. Personal attention given to all requests. Bob Wilkins, Jr. KN6ZMT, Creative Printing, P.O. Box 1064-C, Atascadero, Calif.

QSL'S Samples, Riddle W. Scott, W3CSX, Fairplay, Md.

QSL'S-SWL'S Samples free. Bauck, 703 Cumberland St., Richmond, Va.

QSL'S-SWL'S 100 cards \$2.50. Samples 10¢. Rusprint, Box 7507, Kansas City 16, Mo.

QSL'S-SWL'S that bring returns! Samples 25¢ (deductible). C. Fritz, 1213 Briarclark, Joliet, Ill.

RUBBER Stamps for Hams, sample impressions. W9UNY, C. W. Hammer, 542 North 93rd St., Milwaukee, Wis.

QSL'S-SWL'S Samples, Bob Cushing, W1HOU, 43 Ashland St., Manchester, N. H.

QSL Special. Free sample. Nat Stinnette, W4AYV, Umatilla, Fla.

QSL'S Reasonable, nice designs. Samples free. Stan, W2DJH, 19 Elm St., Warrensburg, N. Y.

QSL'S Glossy. Samples 10¢. W1OLU Press, 30 Magoun, Medford, Mass.

TECHNICAL Manuals TM11-273, 120 pages covering BC-312 receivers and BC-191 transmitters, \$2.50. LD-60/APA-10 Pan-adaptor maintenance manuals, \$2.75. Both postpaid in U.S.A. Electroncraft, Bronxville, N. Y.

"PG-In-A-Poke" Not if you visit Ham Headquarters, USA, and take your choice from the hundreds of "Like New" bargains in the world-famous Harrison Trade-In Center! (88 photographs, p. 137, March QST and p. 133 April QST). Greater values, because tremendous turnover means lower overhead! Terms, Trades BCNU, Bill Harrison, W2AVA, 225 Greenwich St., New York City.

SHAW Electronic Supply has new and used ham gear. Clyde, W9KLF, Darling at Gale, Angola, Ind.

CODE Course Supreme, on magnetic recording tape. Results guaranteed. Novice tape, basic instruction, practice material to 8 WPM, \$5.95; advanced tape—practice material 9 to 18 WPM, \$1.05. Combined, \$9.95. 7" dual track, 3¼ IFS. Tapedcode, Box 31-E, Langhorne, Penna.

CASH Paid for BC-342, BC-312, BC-610E/UP, BC-614E/UP, BC-639, BC-221, JH-70, BC-60; also TTY equipment and parts for TG-7, model 15, etc. RM-39 remote control, AN/TRC-7 transceiver, surplus test equipment. Freight paid. Amber Industrial Corp., 75 Varick St., N. Y. 13, N. Y. Tel. CANal 6-7455.

HR0-60T with matching speaker; A, B, C & D coils, new condition, in original cartons and warranty card, \$475; Globe King 500A used less than five hours transmission, excellent condition, looks like new, \$500. F. W. Kelly, Lookout Mountain, Tenn.

FOR Sale: Johnson Viking II complete with all up-to-date modifications plus push-to-talk, matching VFO and low-pass filter. Selling to go high power on VEE, \$230.00 or best offer. PNR8 mobile receiver. Best offer. J. B. Harwell, Jr., Gurdon, Arkansas, W5JWL.
HAMMARLUND HQ140XA receiver. Like new condx. \$175; also Hallcrafters 840B, very gud condx. \$65. Gerst. 2674 West 25th St., Cleveland, O. Want: RME-45, Calomatic.

RECORDING & Brochure: Limited Edition. A tribute to Radio and Morse operators. "The Saga of Telegraphy" is a historical story of communications men and their progress since 1844. It highlights courageous deeds performed by them. Available in two parts: 33 1/2 record, playing time 45 minutes, includes narration and code. Brochure is the written & illustrated story. Special price to amateurs: Brochure, \$1.00; Recording, \$3.00 or both for \$3.75. J. R. Graham, W4RJX, P.O. Box 1556, Arlington 3, Va.

CASH Paid! Sell your surplus electronic tubes. Want unused, clean transmitting, special purpose, receiving, TV types, maketrons, klystrons, broadcast, etc. Also want military, and commercial lab test and communications gear. We swap, too, for tubes or choice equipment. Send specific details in first letter. For a fair deal write, wire or telephone: Barry Electronics, 512 Broadway, New York 12, N. Y. Tel. Walker 5-7000.

SELL: HR0-M all coils and 100-watt converter to Ham hand radiotelephone. Sacrifice both: \$170. C. Van Demburgh, Byrdton, Va.

SIDE BAND and High Power operators: End antenna relay problems with our vacuum coaxial relay. Send for dope sheet. South Bay Electronics, 3125 Barney, Menlo Park, Calif.

FOR Sale: Collins 30K1 400 watt transmitter, like new condx. W8VYE, Orville Wood, Camden, Ohio. Tel. 243.

ETCHED-Circuit material, supplies, instructions, free catalog. Etched circuit. P.O. Box 2582, South Bend 14, Ind.

DELTA-TENNA ground planes, commercial quality 2 mtr., \$19.95, 6 mtr., \$24.95; 10 mtr., \$29.95. Also cut to any commercial frequency 450-20 Mc. Western Gear, Dept. Q, 132 W. Colorado, Pasadena, Calif.

WANTED: Used receivers and transmitters. Will pay cash or radio, 10% down with up to 24 months to pay in stock. New 75448 KWS-1a, KWM-1SSB mobile transceiver, Johnson, B&W National, Hallcrafters, Elmec, Hammarlund, Gonset, Central Electronics, Mosley, Hi-Gain and Gotham Beams. Write for list of bargains in reconditioned receivers and transmitters with new guarantee. Shipped on approval. Write Ken, W0ZGN, or Glen, W0ZKI for our best deal. Ken-Els Radio Supply Co., 428 Central Ave., Ft. Dodge, Iowa.

SELL: 75A1, \$225; W68A1 conversion, recently aligned, manual, excellent condition. W8VM, 737 Northampton, Palo Alto, Calif.

INSTRUCTION, General Theory Class beginning Oct. at Jamaica, L. I. Evening Community Center. Data on application, S. Schachet, W2HNG, 13580 232 St., Springfield Gardens 13, L. I., N. Y.

SSB transmitter for sale. Eldico 100A, P.E.P. 100 watts output. Full coverage ham bands. In perfect condition: \$494 which is 1/3rd off new price. K2CTV, Tom Patterson, 50 Crescent Lane, Roslyn Heights, Long Island, N. Y.

WANTED: Highest prices paid for ART-13, ARC-1, RC-788, BC610, RC348, ARC-3, BC312, RC342 and other military or aeronautical surplus. Name your price. We pay freight and C.O.D. James S. Spivey, Inc., 4908 Hampden Lane, Bethesda, Md.

WANTED: ARC-3, ARC-1, ART-13, BC-312, BC-342, BC-610, RC-788 and other surplus. Advise what you have and price. W4VHG, Box 5878, Bethesda, Md.

WANT For Cash: Instruction manual for HR050T1, coils, 50XC1V. Have Heath V6, tubes and small parts for sale or for trade, stamp brings list. M. J. Marshall, 455 Washington Ave., Dumont, N. J.

NEW Collinear type VHF beams. Write for information. .051 perforated aluminum sheet, 5/64" OD holes, 1/4" centers, \$1.20 sq. ft. Radcliff's, Fostoria, Ohio.

COLLINS KW-1: This transmitter has had very few hours of use and can be considered as new. I am offering this for sale, factory crated, and F.o.b. Ithaca for \$3000. Robert E. Sprole, Ithaca, N. Y.

NOVICE: Complete amateur station. Hallcrafters 8-38 rcvr; T-21 ARC-5 40-meter xtal controlled xmitter running 30 watts. Filtered power supply. Excellent working condition, mostly new tubes. Best offer \$35. KN8GJM, Michael Treister, 2408 Dysart, Cleveland 18, Ohio.

SELL: Viking I, best offer over \$100. C. Lindeman, W1MLM, NBC, 30 Rockefeller Plaza, N. Y. 20, N. Y.

WANTED: SX42 cabinet only. Bob Forman, Monmouth, Ill.

VIKING Adventurer and WRL screen mod., \$55. W2QEG, RR#2, Granite Spring Rd., Yorktown Heights, N. Y.

SALE: Telrex 10 meter 20 meter beams, used good condx, also Electrofab 15 meter beam, new, reasonable. C. Storck, 5 Winfield Terrace, Great Neck, L. I., N. Y.

FACTORY-Wired Viking II and Viking VFO for Sale. Has push-to-talk. Good condition. Price: \$210. Donald Klein, W9ATU, 1206 Fremont, Belleville, Ill.

HAM Register. For the best information about those you hear on the bands. H-R, 37 South 6th, Indiana, Penna.

5Kw Generator, 115/230 volt, single phase, 60 cycle, brand new, \$695. Stephen Grossman, W2YGA, Clinton Corners, N. Y.

FOR Sale: HT-30, \$275; SX-100, \$175.00, both like new. Will ship if you pay collect. Phone, Avenue 2-1067, W9TWY, Albert Pontarelli, 4903 Oakdale Ave., Chicago 42, Ill.

SELL Or swap: Heathkit AT-1 transmitter and Heathkit VFO, in excellent condx: \$35.00. Want: DX35 or 2 or 6 meter rig, K2BYX, Schwartz, 2772 Ocean Ave., Brooklyn 29, N. Y. Tel NI-8-7261.

HRAND New SX-100, \$200; Collins 30K1, TVI suppressed, \$700. Pick up deal only. W2BBV, 49 Frum Ave., Yonkers, N. Y.

FOR Sale: Lampkin 105 frequency meter, in gud condx w/manual: \$50.00. Morrow Electric Co-op, Mt. Gilead, Ohio.

SELLING Out radio and TV business because of sickness (sick of the business), 27 years' accumulation of junk. Write: Clare E. Ernst, Alger, Mich.

304TL's, new, \$7.00, socket, transformer; BC-224E, \$40. W4ATE, Brizendine, 1001 Merritt St., Old Hickory, Tenn.

FOR Sale: Viking I, Johnson TVI kit installed, B&W 52 ohm low-pass filter, Dow-Key 115VAC coaxial relay, Heathkit VFO, Astatic JT-30 mobile, HR050T receiver, complete with five coil sets and xtal calibrator, less spkr., William Glebel, W91WU, 3539 Green Street, Steger, Ill.

SELL: HQ140X. In exc. condx; Johnson Ranger, fair condx. \$350 for both. Call 8Heepshead 3-0721, N. Y. area after 6 p.m. weekdays. K2JJK.

SELL Or Swap: Beautiful BC696 - 75 meter fone/xmitter 50 watts, just add push-to-talk, converted and antenna: \$50. C1CE22 5-cil. beam, mike, pwr supp., mike, condx; Hammarlund fone, str. #SP135C w/KVC 100Kc xtal, \$10; B&W TR switch, \$10; PE103 with cables, little used, \$15. \$100 for the entire lot. W2NXZ, Bayshore, L. I., N. Y.

SELL: Globe King 500A, exc. condx. \$500. Or will swap for smaller xmitter plus cash, similar condx. Factory-built Ranger preferred. Raymond E. Disbrow, K2DFP, Box 161, Hazlet, N. J.

WANT Used NC900 or SX101. Also want to sell or trade RCA WV97A VTVM new condition, never used; also Delco motor model A2400 1/8 HP single phase 60 cycle 110 volts. W2HBV, 654 Freeman St., Orange, N. J.

VIKING 122, VFO, perfect, \$27.50. C. G. Dickens, 945 Jefferson St., Hagerstown, Md.

COMPLETE 600 watt AM xmitter, 4-250A w/pair of 810's, husky RCA modulation xfrmr, Hunter Cyclemaster PTO exciter, in enclosed relay rack on casters, PI output, price: \$255.00. Will not ship. Come and get it. Also Ultra modulation unit for KW, unused, \$65. Will ship it. Morton Jacobs, K8EPJ, 6416 Verona Rd., Prairie Village 15, Kans.

SALE: One Master Mobile all-band loading coil. One Rex Hasset Helium filled 15 meter loading coil. Both as new. \$10 each. N. K. Thompson, W1JWV, 99 Water St., Millinocket, Me.

TRADE: Canon D-8 camera with telephoto and wide-angle lens; also various accessories for a Collins 75A3 or receiver of same calibre, and same type of xmitter. Write for full info to E. Ritchie, CT2, Nav. 214, Box 50, NCF, % P.O., N. Y., N. Y.

HQ-129X, \$120. Won't ship, Chris Sorensen, 1127 Greenwood, Palo Alto, Calif.

HIGH BAND Motorola, Link GE, 2-way FM equipment, \$40 per unit up; 6V dynamotor dynamotors, 600V at 170 Ma., \$7.50 each. Some low band GE and Link equipment. Dave Graves, W8LRT, Barnesville, Ohio.

FOR Sale: Excellent condition, National HR0-5 with spkr, pwr supply, and the original six bandspread and general coverage coils. Also an added coil for excellent 10-meter reception. Recent tune-up and replacement of condensers. Complete: \$130. With xtal cal., \$140. K9CAT, Don Meredith, 2416 Hansen, Racine, Wis.

SELL: SX-42, \$95; AR-1, \$12; A-9-B, \$28; A-7-E, \$14; Elico Model 320 Signal Generator, \$10; F.o.b. Lantana or will deliver 50 miles from Palm Beach, Ted Beach, K4MKK, Box 746, Dantana, Fla.

PRESSURE from business, XYL, Jr. ops drastically curtailed fixed operation. Going mobile, PRO310 for sale. New, March 1957. Practically unused. Asking \$450. Will consider a deal offering Mobile TX, K20CW, W. 55 Gaynor Pl., Glen Rock, N. J.

FOR Sale: Used NC-300 in perfect condition, \$315. Will answer all inquiries. Alan Lockett, K9CEY, 105 South Losey Blvd., La Crosse, Wis.

SELL Bound QSTs 1939 thru 1950 (except 1940). In excellent condx. \$20 F.o.b. Fairfax, Va. W48XLE, K. P. MacDowell, 605 Spring Lake Terr., Fairfax, Va.

FOR Sale: Stromberg-Carlson AU-32 amplifier \$50.00; RAX-1 2-1.5 Mc. receiver (Naval Aircraft, G-E built, Broadcast) converted to 110 AC, \$40, both in excellent condx. Also will sell NC-108KB with rack, \$50. Make offer. L. C. Barrett, 318 Park, Hanover, N. H.

FOR Sale: RAY 5100 and 51EB, \$150; NC183, \$158 or both units for \$500. Both units in excellent condition. Richard Evans, K6DDJ, BH1, Calif.

WANTED: Ham magazines prior to 1916; Callbooks prior to 1922. Wm. B. Dick and Electro Import catalogs; Callers mag showing Marconi's transmission in 1901. Have QST's to trade also. W7OHW, Rt #1, Box 204A, Oak Harbor, Washington.

HEAVY Duty American Bosch generators and regulators 12V 50A. Rebuilt guaranteed for 100 days. \$75 prepaid. Fred Haight, 9875 Ozka, Romulus, Mich.

FOR Sale: 2-Meter Tecraft converter, factory-wired, 14-18 Mc. IF, like new, \$30; RME-152A 2-4-10 meter converter; has 6BQ7A piggy-back for 6; Operating manual, \$35. Millen 90281 pwr supp. Used very little, \$40. All items F.o.b. "Doc" L. M. Hagerthy, W1RYM, Scarborough, Me.

FOR Sale: Skylane Products cubical quad with 100 ft. coax each band, \$50. Will not ship. K2JQJ, Bound Brook, N. J.

NRA Perfect Winchester 94 (30-30) Remington 722 (222) with KV scope Marlin 39A (22) for 75A2, HQ150 or cash. J. L. Huffman, 324 Miller St., Blacksburg, Va.

SELL Or trade: 32V3 and Hammarlund 8F600JX. Together or separately. Mike Yarus, Box 2278, Johns Hopkins University, Baltimore, Md.

NATIONAL NC300 used only few hours in excellent condition with speaker and crystal calibrator: \$300 F.o.b. Bristol, Conn., W1AYR. A. B. Nelson, 350 Fern Hill Road, Bristol, Conn.

HALLCRAFTERS 840B; with 8 meter, \$60. WIZIE, Dave Drescher, Maple Road, Portland, Conn.

FOR Sale: VHF152, \$25. J. J. Gillen, 912 So. 57th St., Phila. 43, Penna.

FOR Sale: B&W 5100 \$250. In excellent condx with manuals. W5TOM, 1811 Ave. K, Galveston, Texas.

SALE: Complete, up-to-date, Vol. 1 through 10 RCA HB-3 tube Handbook, \$9.00 postpaid. Richard C. Vail, 1110 Berry Lane, Richmond, Ind.

FOR Sale: 813 rig per Jan. 1954 QST \$145; Harvey-Wells Bandmaster 7 Match or multiplier \$58; 120 watt modulator complete with speed and power supply, \$50; NC173 rvr. with Q multiplier, \$105; LW 2 meter trans. and converter complete with tubes, \$39.00; 12 volt dynamotor 680 volts 210 mills, \$8; power supply components for 813 rig, \$50. All inquiries answered. Jules P. Bernd, W8QCH, 1201 Mills Ave., North Muskegon, Mich.

SELLING Out: 8X28, PE103, Gonset Triband, 60 watt modulation transformer, RF ammeters. Want: Harmon-Kardon TA-10 and electric milk. Have stop watch & food mixer for trade. Robert Schramm, W9RYK, 3212 Madison St., Skokie, Ill.

FOR Sale: Hallcrafters 8X-99, 4 months old. Never used in station operation. \$115. Bob Devaney, 8832-7th Ave., Brooklyn, N. Y. Tel BE 8-1711.

FOR Sale: DX100, \$165.00. Going single sideband. W1NRG. NC300, used about three hours. Best offer over \$300. K2QWG, R. C. Miller, Hillcrest Rd., Plainfield, N. J.

DX-35 in excellent cond., \$50; Carter 6v in 400 at 150 out., \$11; 2 meter omni-directional quad, \$5. John Birken, K2BFS, 65 Southgate Rd., Valley Stream, L. I., N. Y.

TRADE: Ham equipment for stamp collections. Will trade misc. amateur equipment and test instruments. All commercial equipment. From misc. accessories to complete KW station AM and 8B. Write full details of collections. W3MTV, H. E. Ide, 1317 Moon Dr., Yardley, Penna.

FOR Sale: Latest version Collins KWS-1 with 4X250Bs, new condx, used approx. 20 hours; \$1,600. Also have Collins 75A2 receiver (without mechanical filter) in excellent condx, \$290. John W2TKI, 1, Apt. 28, 210 Riverway, Boston 15, Mass. Phone: LO 6-3026.

TELEVISION Camera. A new surplus RCA ATJ with 450 line resolution to highest bidder. W8RMI, 1910 Long Point, Pontiac, Mich.

CHECK with Roswell Electronics for your amateur needs. See W1BTX, K1BYP, Cambridge, for personalized attention. QTH is 306 Prospect St., Weymouth, Mass.

COLLINS KWL factory converted to 8SB with all new controls for switching to A.M. or 8SB immediately. Excellent results have been had using a 20A or HT30 exciter. The finest ham transmitter ever built is now for sale, \$3000. Perfect. A good chance to show the XYL Florida. Drive down, rent a U-Haul trailer truck and take the right home in one piece all ready to operate. Lewis E. Springer, W4NMW, 705 Harrison St., Hollywood, Fla. Tel: 2-8074.

SELL: Collins 75A2A, factory modified, 800 and 3100 cycle filters. Crystal calibrator, speaker. Absolutely clean. Price: \$345. Paul Elliott, W5QGV, Bishop, Texas.

FOR Sale: Mon-Key automatic key, \$20. KN9IZF, Roger C. Parmenter, 1234 S. Knight Ave., Park Ridge, Ill.

FOR Sale: Homelite VFO 2-80, less power supplies 150 reg. 300 V, \$25. Dave Thomson, 3213 Osborne, Racine, Wis.

FOR Sale: G66-B, 3-way PS/Speaker, \$220.00; G-77 and mod. power supply with cables and brackets, \$240, like new condx, purchased March 1957; Shure 505C I-imp. mike, \$12. First \$435 takes all. M. H. Crain, W7YOF, 4219 N. 44th Place, Phoenix, Ariz.

SALE: Globe Scout 65B transmitter modified for use with Heathkit VFO-1 and exciter. VFO and Q multiplier, \$10. Julius Conners, K2VYD, 64-04 217th St., Bayside 64, L. I., N. Y.

WANTED: Two Collins 810H exciters, Braulio Dueno, University of Puerto Rico, Mayaguez, P. R.

FOR Sale: HRO-60, like new condx, \$350; Collins 32V1 TVT-suppressed, completely shielded, leads by-passed, low pass filter, 110 volt co-ax ant. relay, ant. tuner with R.F. meter plus spare 4732, \$250. Both for only \$575. Bill Mueller, W1WQN, 10 Dover St., Pittsfield, Mass.

SALE: Heathkit AR-2 rvr in cabinet, \$20; Heathkit AT-1 transmitter with antenna changeover relay plus Heathkit AC-1 antenna coupler, \$40. Walt Wernsing, KN2ZJF, 62 Hurley Ave., Wyckoff, N. J.

FOR Sale: Hallcrafters 8-76 receiver, in new condition. Neatly built 120 watt band switching c.w. all-band transmitter. Both for \$150. Fred Galia, W2LSN, 780 Garden St., New York 60, N. Y.

TELEEX 20M-56-235 4 element 20 meter beam for sale, perfect condition, \$165. D. Mitchell, R1 Box 59, Winnebago, Ill.

FOR Sale: Hallcrafters 8X-28, 8X-25 receivers, Globe Scout 65 transmitter, Communications typewriter, RCH Scott receiver, NC183D, like new, K4BFF, Blackville, S. C.

SELL: Hallcrafters SP-44 Panadapter, \$40; New Eddico 300 watt antenna tuner, \$20; Millen R8er and 10 meter coil, \$8. Harry Taubin, W2GCW, 731 Gerard Ave., Bronx 51, N. Y.

TRADE: PE-75 gas generator for good used receiver. W6KEK, 135 Santa Fe Ave., El Cerrito, Calif.

FOR Sale: TG-34A code keyer, 3-one hour tapes, in FB condx, \$19.50 F.o.b. Weber "A-Midge" 3-speed portable record player, perfect, \$14.95. Bob Parrish, K5KFG, Box 2251, Corpus Christi, Texas.

DESPERATELY Need: Good used Gonset Mobile Converter. W1PFG, % ARRL.

SELL: portable Soundcriber, 125 discs, \$50, in excellent condx, cabinetd Mallory TV101HIF converter \$12. Prepaid. Gene Rider, 1810 Alamanda Drive, N. Miami, Fla.

BARGAINS: With New Guarantee: RME-84 \$65.00; HT-20 xmttr, \$249.00; Collins 32V3 \$495.00; NC-125 \$139.50; TBS-50C \$69.00; TBS-50D \$69.00; APS-50 p.s. \$29.50; TBS VFO \$35.00; Lyco 3R2 VFO \$19.95; Lyco 600 \$69.00; Eddico TR-75TV \$25.00; B&W \$100 \$299.00; Adventurer \$34.50; Knight CW xmttr, \$34.95; Gonset 200 VFO \$45.00; Transmitter VFO and Q multiplier, \$10; Julius Conner King 500A \$69.00; Globe King 275 \$199.00; Globe King 400B \$275.00; Scout 65A \$69.00; Scout 65B \$75.00; Globe King 400C TVT \$299.00; HQ-129X \$159.00. Free trial, terms, write Leo, W6GTF for best deals. World Radio Laboratories, 3415 West Broadway, Co. Bluffs, Iowa.

RECEIVER, GPR-90 with GSB-1 8SB adapter and GPS speaker, all new and original cases with unused factory warranties. Used 10 hours. Cost new \$660.50, must sell for \$525.00 soon going to college. Excellent equipment for the real DX'er. W4AIR, 4319 Lowe Road, Louisville 5, Ky.

SELL Viking II and VFO. Time sequence keying. Factory wired. Perfect condx. \$250. Worked 178 countries. New York City vicinity deal only. W2EQS, O'Brien, 48 Prospect, Westwood, N. J. Tel: Westwood 5-2749.

SELL: Central Electronics 10B with QT-1, 80, 40, 20, 15 meter coils and 458 VFO, \$150; four 6AG7's CG linear 200 watts, \$50. Bill Williams W9VJK, 372 No. Greenwood, Kankakee, Ill.

CANADIANS or others: Selling out transmitter, hundreds of quality parts, 813 rig January 1954 QST, complete with 1250V DC power supply in Hammond 56" steel cabinet, responsible for DXCC, EDXC, WAC on 4 bands, using only folded dipoles, also Mosley VP20A beams unused, extra meters, coils, tubes, condensers, transformers both power and modulation, etc. everything 25 or 60 cycle, QST 1936-54 inclusive, \$250 the lot. Send for list. W3EADV, P. Eveshish, 1782 Keele St., Toronto, Can. Phone RO 2-1829.

F.R. Globe Chief xmttr. NC1700 rvr. \$125 or VHF gear. What have U.S. Rocky, K2VYD, 637 W. Cabinn, Dr., Clifton, N. J.

KWS-1 and 75A-4 with new tuning knobs and latest factory construction. KWS-1 has new heat reducing tube shields. Both for \$2000 or KWS-1 for \$1500. F.o.b. San Bernardino, Calif. Write or wire Will Boyd, 2314 Serrano Road, San Bernardino, Calif.

FOR Sale: In exc. condx. Gen. Elec. 10B3; 458VFO C.E. case; 600 watt linear amplifier 6-162Bs, pl-net output, pwr supp. Bud cabinet, \$200. F.o.b. shipping point. W9L8, I. J. Sprawka, 612 So. Lincoln, Park Ridge, Ill.

SELL: 8X96, Johnson Vallant, low pass, fo-ax relay, D104 mike, Heath GB1B, 3-el. 10-m. beam and 175 ft. 50 ohm co-ax, \$500. No delivery. Floy V. Friberg, W9AXG, Boyd, Minn.

WANTED: KW linear final for single 4-1000A, also 5000V. plate transformer. A. R. Bates, W4SK, Box 554, Eau Claire, Wis.

FOR Sale or swap for what you have, 32V, 20A "Delco Plant" in gud condx. Robert Gotts, K4FD, #2, Northville, Mich.

COLLINS KW-1: This transmitter has had very few hours of use and can be considered as new. I am offering this for sale, factory graded, and F.O.B. Ithaca for \$3000. Robert R. Sprole, Ithaca, N. Y.

FOR Sale: NC-173 rvr with speaker, AT-1 xmttr with QST modification in final; Heath Q-multiplier; d.c. coupler complete with antenna changeover relays, Bud code oscillator and key. In excellent condx. Complete station and a real buy at \$190. George Duvall, Box 54, Algona, Iowa.

COLLINS 32V3 transmitter and push-to-talk D-104 mike, \$490.00 plus shipping with Collins VFO and dial calibration, Excellent condition, like-new appearance. H. R. Riddle W8EDL, 3106 Sherbrooke, Toledo 6, Ohio.

8SB Transformers identical to those used in W2EVI, exciter (see QST March 1956), brand new, 3 for \$4; 45mae 92 KC vacuum condensers 12 μ fd and 50 μ fd, brand new, \$5.50 ea., 2 for \$10.50; brand new full-wave bridge selenium rectifiers 30 VAC to 24 VDC at 500 Ma, perfect for surplus rear, \$1; 4 for \$3.50; brand new Oneer xfrms, 1000 to 1 Imped. ratio eliminates one voltage amp. stage, ideal for portable and for mobile \$1.95 ea., 2 for \$3. All post-p. except condensers. No C.O.D. please. Tucker, W2H1L, 51-10 Little Neck Pkwy., Little Neck 62, N. Y.

FOR Sale: NC300, \$300; Pacemaker \$350; Telrex 5-el. 10M beam, \$75. F.o.b. Westbury, N. Y. W2COR, 70 Palm Lane.

WANTED: Viking I transmitter. Give price. W2ZI.

WIREP's Viking Ranger for sale new model with grid block keying; \$175. NC-300 with matching speaker, \$325.

TRADE: Cannon camera with 1.5 lens, telephoto, Graphic, flash Ansco cameras and other photo equipment. Want: Johnson or Hallcrafters equipment. I. J. Winston, K2YWA, 35 Van Orden Pl., Clifton, N. J.

FOR Sale: Transifron linear amplifier, 500W P.E.P., bandswitching 80-10, best offer over \$100. W2ZDQ, George Fenning, 8 Tessen St., Teaneck, N. J.

SALE: Heathkit 0-10 oscilloscope, \$55; new 4X250B tube, \$25. Ralph Queen, 1113 Duquesne Dr., Tucson, Ariz.

WANTED: 15 meter coil set, HRO-50T, A. S. Cahn, 120 Lynn, Shreveport, La.

SACRIFICE Perfect HT-32, 75-A4, KW Matchbox, Johnson Matchstick, C.E. MM-1 modulation monitor, parts for G.G. final with R&V parts. Make your offer and will ship reasonable distance. W8AAQ.

WANTED: N. Y. area only. Factory-wired Central Electronics 20A with QT-1 and VFO including 10 meters. Must be in perf. condx. Auguste Schwab, Jr., 560 Woodmere Blvd., Woodmere, L. I., N. Y.

FOR Sale: Late 75A3, calibrator and 3.1 Kc filter and Viking Pacemaker, both in excellent condx. Best offer. all letters will be answered H&WF.

NEED Money for school! Meissner signal shifter all-band VFO, with phase modulator, \$20; Almarx Rothman screen grid modulator, maximum for KW, and power supply, \$20; Millen Mod. 90800 75-watt all-band transmitter, all-coils, \$15; \$10. W9QXR, 1422 Noyes, Evanston, Ill.

SELL: Kilowatt power supply, selective output, 1500 to 2300 volts, 500 Ma; also attractive list of construction parts, stamp for list. W9RFL, 345 W. 9th St., Fremont, Neb.

SYRACUSE VHF Round-Up: October 12, 2 PM at Martin's Restaurant in Liverpool, N. Y. By pre-registration only \$4.50. Talks by Sam Harris and Ed Tilton; humorous after-dinner speaker, food food. Obtain tickets from W21YR, 8 Holly Rd., North Syracuse, N. Y.

FAMOUS VHF "Lunenburk" antennas, 6 meter 5-el., \$14.95; 2 meter 6 element, \$6.95; 6 meter horizontally polarized mobile antenna. Wholesale Supply Co., Lunenburg, Mass.

WANTED: Old 500 to KW rack panel one rig. Age, TVI suppression no problem. Send specs. Tom Hardy, W5MZP, Hardy, Ark.

SELL: SX71 and speaker, 250 watt xmttr complete with xtal, less M.V. Instrutograph with tapes. Lot for \$200. No shipping. W3GXD, "Bud" Brown, 2326 N. Bodine St., Philadelphia 33, Penna.

SELL Pacemaker, used less than 2 months, same as new. Incorporates latest changes. \$385. F.o.b. St. Albans, West Virginia. Robert L. Hall, W5ORD, 12 Mt. View Drive.

FOR Sale: RCA (R-88 Communications revr (AR-88 with phasing control), excellent, unmodified, perfectly aligned with matching speaker. Best offer over \$185 takes it. F.o.b. John Kane, 27 School Lane, Haddonfield, N. J.

GPR-90 and matching speaker, brand new, guarantee. Will accept reasonable offer. G. F. Guler, Trajter Haven, Melbourne, Fla. Telephone 1255-7.

FOR Sale: NC-188 complete; warranty still in effect. Best offer. W0M1JW, 730 S. Clinton, Iowa City, Iowa.

SELL: SP600JX Hammarlund with speaker, in new condx w/ instruction manual and performance data: \$600.00 complete. James H. Ceell, 3743 Spring Grove Ave., Cincinnati 23, Ohio.

4 EL-20, 3 el-15 full size on 2" square boom. Castings and elements by Radcliff. Tilt center. Instructions as used by W4QJR and W8KOE. Best offer \$150 up. Frank Baker, McComb, Ohio.

MODIFIED 838C (66dx) \$30; grid modulator \$12. W4GLM, 819 E. 5th, Lumberton, N. C.

SALE: Hammarlund ASP-794 similar SP400X, tunes 1250 Kc to 40 megs, excellent performance and condx. \$175; Precision Model 912 tube checker, \$20; new tubes: 8138, \$5 — 254, \$5 — 8K2578, \$10 — 185A, \$5; other tubes, transformers and miscellaneous parts. Send stamp for list. W3KA, 10406 Insley St., Silver Spring, Md.

FOR Sale: Complete phone and c.w. station with VFO and ant. coupler: NC-25, DX-35, EL-1, A-1 all for \$225. Details. Write John Lyon, W9LHG, 1208 South Vine St., Urbana, Ill.

SELL: Morrow 3BR, \$20; Select-O-Ject, \$8.00; 75-meter linear amplifier, 1625's, \$10. Jim Zvolanek, W9WIO, 3827 W. 83rd Place, Chicago 29, Ill.

75A4 Manufactured June, used 2 weeks returned to Collins for calibration correction. Returned in factory sealed carton and never opened. Exactly like new. Make me an offer, \$585 or more. Am going to get by with my 75A5 (75A3/5tecer). W9BNF, Glen Byars, Box 105, Kearney, Neb.

FOR Sale: Elmac A-54H, 12V, 500V, 250 Ma Carter dynamotor with mounting and relay controls. Gonset Super Six with clipper squelch. Heavy duty 400C shunt mobile mike, coax connector and complete Alband ant. 505C shunt mobile mike, \$200. W. J. Wilmoth, W4HCU, 2790 Range Line Rd., Memphis 8, Tenn.

SELL: Viking Valiant, \$300 plus shipping. Lee Gomel, W5BZW, 1125 Dakota SE, Albuquerque, New Mex.

SX-71, Hallcrafters receiver, brand new, never used, original carton with R-46 matching speaker, \$200; new PE-103 dynamotor, long cables, \$19; 1956 Callbooks, \$2.50; PE-104 vibrator supply, input: 6/12 vdc, output: 84/51/1.4 v. dc, new, \$12; antique army transmitter 2J32 Magnetron, \$12; soldering guns, Wen \$260, \$7; Weller \$100 \$3; American Beauty \$3138 iron and #75 stand, \$7, priced F.o.b. Will ship Laekner, 2029 Bradlee, Chi. 18, Ill.

NEED AT1 or DX35. Write K4LHD, Bill Dycus, 1424 Madison St., Paducah, Ky.

TRADE: Cannon camera 35 mm mod. IV-82, 85 mm f1.9 telephoto lens, flash unit, two lens hoods and gadget-bag, in new condx for ham receiver such as NC-300 or SX-101 or complete beam antenna system including tower and rotor. W5YQG, 1424 Ross St., Clovis, New Mexico.

SELL QST February 1921 through 1951, 31 year run, in binders, \$95. Tenniald 10-meter beam 5L1ORG, half price. No shipping! Write W2AEB.

FOR Sale: 75A4, brand new with 3 Kc and 6 Kc filters: \$595.00, in original carton. N. J. Ferro, W1QLF, 14 South Main St., Putnam, Conn.

FOR Sale: 6001, Central Electronics linear amplifier, new. Will not ship but willing to deliver in Connecticut or to state line. First check for \$385. A. M. Wilson, W1NQP, 71 Laurel St., Putnam, Conn.

FOR Sale: Tubes, Brand new 813's, \$8; 810's, \$7.50; 322A's, \$3.50; 250TH's, \$17.50; 4-250A, \$25. Complete Motorola FM receiver PMR-13V, \$125; Motorola FM xmitter PMT-25V, \$100; Collins plate transformer 3500 C.T., 230 mils, \$30; complete Collins power supply, 1200C.T., 280 mils, filament and bias transformers, condensers, all wired, \$35; all-band Elmac mobile, A54H xmitter with 6V supply, PMR-6A revr with PR-6 supp, all-bander coil, whip, mount \$225; Navy AT2 xmitter, covering up to 540-9050 Kc, \$20; Lear LR5B VNF Aircraft xmitter, \$185; power supply for 8C-522, \$12. All guaranteed. Can ship C.o.d. Bill Slep, W4FHY, Ellenton, Fla.

WANTED: Gonset 6-meter Communicator; Johnson 250 Matchbox, low pass filter; Mallory 12 Volt Vibropack; Teeraft, Taponet 6 meter converter; Millen or Barker & Williamson grid dipper; Capitol radio, Cleveland Institute electronics course, Stan Anderson, 4730 Homer Ave., Washington 23, D. C.

SELL: Mosley 20 mtr. beam, WPA-20-2, CDR TR2 rotor assembly, 110 ft. RG8/U and 110 ft. 8 wire cable. All brand new, never used. Best offer over \$80 takes all or will sell separately. Sam Sherman, W2DXV, 460 Georgia Ave., Brooklyn 7, N. Y.

SELL: Heath VFO, \$15; 6-v. Mallory Vibrapack, 300 volt 200 mill \$30; Teeraft 2-meter xtal converter, \$20; 6 volt dynamotor 400 volt 300 mill, \$12.95; 2-829 B tubes, \$5.50 each. All in good shape. W3ELV, % Kronenberg's Store, Carlisle, Penna.

WANTED: QST from January 1946 through July 1956; CQ from January 1946 through June 1955; 500 mile radfax, also tube tester, Army I-177, all offers answered. A. M. Wickland, 308 Monroe St., Kalamazoo, Mich.

SELL: SX-99 voltage regulated, temperature compensated, recently reconditioned, \$109.00. Globe Chief 90, like new condx. Best offer over \$40. Lad Jelen, KSDEW, Rte. 4, Medina, Ohio.

SELL: Collins 75A2 with speaker and crystal calibrator. Recently realigned, \$300. C. Lindemann, W1MLM, NBC-TV, 30 Rockefeller Plaza, NYC.

2 and 6 meter KW amplifier using new ceramic 4X250B's. Operates Class C and Linear. Dual band coaxial grid, interchangeable plate tanks. Model KW-99 amplifier plus tubes, less plate tanks, \$176.50. 6 and 2 meter plate tank compartments, \$33.00 each. Literature available. Amplex Radio Products, 2072 Portlock, RR #6, Millford, Mich.

WANT For Cash: Instruction manual for HR050T1, coils, 50XC/U. Have Heath V6, tubes and small parts for sale or for trade, stamp brings list. M. J. Marshall, 455 Washington Ave., Dumont, N. J.

N/W Collinear type VHF beams. Write for information. .051 perforated aluminum sheet, 5/64" OD holes, 3/8" centers, \$1.20 sq. ft. Kaceliff's, Postoria, Ohio.

NOVICE: Complete amateur station. Hallicrafters S-38 revr; 1-2; ARC-5 40-meter xtal controlled xmitter running 30 watts. Filtered power supply. Excellent working condition, mostly new tubes. Best offer over \$45. KN8GJM, Michael Treister, 2408 Dysart, Cleveland 18, Ohio.

SELL: Viking I, best offer over \$100. C. Lindemann, W1MLM, NBC, 30 Rockefeller Plaza, N. Y. 20, N. Y.

SALE: 6C21/450TL @ \$8.00 each, 2 for \$15; 2C26 @ \$3.00 each; 5BPI @ 3.98 c.o.b. Olin Electronic Supply, 6009 Eastern Ave., Baltimore 24, Md.

SELL: Hallicrafters S-76 and speaker, \$39; Viking VFO, VFO power supply Adventurer, JT70 xtal mike, and plate modulator, \$39. No dup. K9CFF, 215 Locust, Onalaska, Wisconsin.

SELL: Hammarlund HQ-129X, matching speaker and crystal calibrator. Just realigned and extra nice, in original carton, \$155. Edison, Tex. People, Texarkana, Tex.

WANTED: May 1948 QST. Please advise price and condition. Bud Rungel, W9OGA, 474 W. Montrose Ave., Chicago 41, Ill.

BARGAINS: Reconditioned with new guarantee. Shipped on approval. Hallicrafters \$38, \$29; 840A, \$69.00; SX99, \$19.00; SX71, \$149.00; SX100, \$229.00; Viking Adventurer, \$39.00; Viking II, \$199.00; Ranger, \$179.00; Vallant \$379.00; 840H; S85; S85A; NC98; NC183D; NC300; HQ129X; HQ140X; GPR90; A54; AF87; PMR6; PMR7; Collins KW8-1; 75A1; 75A3; 75A4; 32V3. Many other items. Easy terms. Write to list, Henry Radio, Butler, Mo.

SELL: 500W AM xmitter, P-4-125A, modulator pair 8118, Class A, 6 ft. cabinet, SXV coils, separate pwr supplies. Modity rectifier to bridge for KW. \$165. Ferris F.o.b. W80VA, 25310 Conover Dr., Bay Village, Ohio.

NATIONAL NPW-O Gear Drive unit with 6-gang 225 uvf per section condenser, insulated sections, in gud condx. special dial: F8 for VFO, freq. meter, etc. \$4.50; new GF11 transmitter with tubes (see Jan. CQ), \$7.35. Guaranteed 4-125A, \$9.00; new 6146, \$3.50. New 829B, \$6. F.o.b. Plaistow, N. H. Joe Harms, W1GET, North Main.

F&W 5100B and 518B-B, like new, \$550; BC-348 with power supply, \$440. Model 120, 120-120, less over, \$75. Send for list of many other items. W2CFT, Box 483, Lake Ronkonkoma, L. I., N. Y.

SELL: Elmac PMR6 revr 12V with pwr supply, \$85; 3-el. Triband beam, \$45.00; T/R switch, \$5.00; Brush tape recorder, \$40. M. H. Klapp, 17 Kenosha St., Albany, N. Y.

PHASEMASTER II, new, late model, factory-wired with 458 tube. Will ship anywhere in U. S. A. prepaid \$250. Harold V. T. Each, 1014 26th Ave., North, Minneapolis 11, Minn.

W8CUP suggests "Simplified CRPL DX Predictions" July QST, 9 maps, instructions, \$2.00. L. C. Custerdine, W8CUP, 213 E. LaSalle St., Royal Oak, Mich.

SELL three BC-645 transceivers, like new condx, \$15 each or \$35 all three. W4GRP, 210 Elm St., S.W., Vienna, Va.

FOR Sale: GO-9 transmitter, 75 through 10, 165 watts, VFO, Class B modulation, TVI suppressed, spare 813, and H. V. transformer, complete schematics, I.D. phenix, antenna tuner, 500 watt components, 115 cabinets, \$180. R. Phoenix, W9HPN, 432 S. Madison, Macomb, Ill.

SELL: Viking Ranger, factory-wired. Will hold test QSO, \$170. F.o.b. Miami, Fla. K4KJV, Barry Diamond, 2018 S. W. 13th St.

THUNDERBOLT 2000 watt P.E.P. Johnson Viking Linear Final. Here is the unit that will put your signals in the clear with twice as much power output as many so-called KW's — four times as much as the usual 500 or 600 watt linear. Ladd Electronics will give you highest trade-in allowances and good delivery on this and other new Johnson products. Write to us immediately. Ladd Electronics, 111 N. 11st, Omaha, Neb.

WANTED: Immediately by student: Two xmitters DX-100 or Viking II w/VFO. Also DR-23 or similar prescaler. Must be in gud condx and reasonably priced. Urgent since I am leaving for Europe by October 15th. Offers from New York metropolitan area only. Larry Greenman, c/o Soloff, 909 East 29th St., Brooklyn, N. Y.

FOR Sale: Rayco ant. coils, \$7.00; excellent Super Pro, complete, \$177; Bell & Howell tape recorder, late model, \$155; 10-meter xmitter, 800 watts, \$150; 810's, \$8.00; 110TH, \$4; 4E27, \$6; 75T, \$3; 35T, \$2; 872 w/socket, \$2. Will trade Bundy tube forham equipment. W2ETM, St. Marians, 2200 Ocean Ave., Brooklyn 29, N. Y.

SELL: DX-100 in perfect condx, \$190; SX-99 w/4 multiplier in perfect condx, \$25. Coling VHF1 W3KQP, James C. Watts, Timberlane, Hanover, P. C., Maryland.

FOR Sale: Plate transformers: 2400-0-2800 A.C., 400 mills, \$20; 1300-0-1300 A.C., 600 mills, \$22. Stan La Dage, 431 Oakland Ave., Maple Shade, N. J. Will not ship.

COMBO 75A2 and GSB-I slicer. A perfect revrg. set-up. Both perfect and like-new condx. Sold in combination only \$400. Box 575, Church Street Station, N. Y. C., N. Y.

FOR Sale: DX-100, in excellent condx. Modulation improvement. Prefer pickup, but will ship: \$185.00 cash. Harold Trimble, W5BTD, Box 408, Kilgore, Texas.

WANTED: 75A4. Advise serial number. Cotter, 1638 Washington, Wilmette, Ill.


FOR Sale: New factory-wired GN". Used only 10 hours: \$119.95. Also have 12-volt deluxe II Communicator, in perf. condx: \$160.00. Harry M. Barrett, W8QYU, Whitehall, Mich.

10B, rack mounting, in perf. condx: \$100. Money back guarantee, Beavers, 323 Main, Pine Bluff, Ark.

Designed for



Application



The No. 90901 One Inch Instrumentation Oscilloscope

Miniaturized, packaged panel mounting cathode ray oscilloscope designed for use in instrumentation in place of the conventional "pointer type" moving coil meters uses the 1" ICP1 tube. Panel bezel matches in size and type the standard 2" square meters. Magnitude, phase displacement, wave shape, etc. are constantly visible on scope screen.

JAMES MILLEN MFG. CO., INC.

MAIN OFFICE AND FACTORY
MALDEN
MASSACHUSETTS



Index of Advertisers


Ack Radio Supply Co.	161
Adirondack Radio Supply	126
Allied Radio Corp.	200
Altronics-Howard Co.	167
Amateur Radio Equipment Co.	175
American Electronics Co.	182, 191
American Radio Relay League	169, 175, 179, 181, 185, 189
Arrow Electronics, Inc.	173
Ashe Radio Co., Walter	143
Belden Mfg. Co.	108
Bendix Radio Div.	167
Bob & Jack's	180
Brooklyn YMCA Trade School	190
Burgardt Radio Supply, Inc.	183
Hurstein-Apfebebe Co.	189
Busacker Electronic Systems, Inc.	165
Candler System Co.	179
Centralab	142
Central Electronics, Inc.	171
Collins Radio Co.	2
Commercial Radio Institute	180
Crawford Radio, The	187
Cubex Co.	181
Curie Radio Supply	185
Cushman Products	183
Dalton-Heze Radio Supply Co.	182
DeMambo Radio Supply Co.	175
Dow-Key Co., Inc., The	172
Dow Radio, Inc.	155
Eitel-McCullough, Inc.	7
Eldico Electronics	127
Electronic Supply Co.	147
Electro-Voice, Inc.	125
Elmar Electronics	139
Equipment Crafters, Inc., The	134, 172
Eyavis Radio	163
Fort Orange Radio Distributing Co., Inc.	53
Frederick Tool & Engineering Corp.	173
Freed Transformer Co., Inc.	183
General Crystal Co., Inc.	187
General Electronic Service	187
Gonest Div.	121, 169
Gotham	114, 115
Graham Electronics Supply, Inc.	171
Grayhill, Inc.	183
Greenlee Tool Co.	192
Groth Mfg. Co., R. W.	184
Hallcrafters, The	1, 105, 112, 113
Ham Register, Inc.	191
Hammarlund Mfg. Co., Inc.	131
Harrison Radio Corp.	132, 133
Harvey Radio Co., Inc.	116, 117
Harty of Hartford	189
Heath Co., The	109, 110, 111
Henry Radio Stores	150, 151
Hi-Par Products Co.	184
HV-Gain Antenna Products Co.	128, 129, 138
Instrumental Engineering	145
Instructogic Co., Inc.	167
International Crystal Mfg. Co., Inc.	199
International Resistance Co.	154
Johnson Co., E. F.	106, 107
Ken-Els Radio Supply	176
Kinkade Radio Supply, Inc.	136
Klaus Radio and Electric Co.	181
Lafayette Radio	157
Lakeshore Industries	144
Lampkin Labs, Inc.	187
Lettime Radio Mfg. Co.	177
LMB	185
Lynmar Engineers, Inc.	177
Machlett Labs, Inc.	152
Mahory & Co., Inc., P. R.	119
Master Mechanic Mfg. Co.	178
Master Mobile Mounts, Inc.	137
Millen Mfg. Co., Inc., James	198
Mosley Electronics, Inc.	124
M P Specialties Co.	191
National Co., Inc.	Cov. 111
North Hills Radio, Inc.	139, 181
Northwest Electronics, Inc.	183
Overton Electric Co., Inc.	168
Page Airways, Inc.	177
Penta Labs, Inc.	141
Petersen Radio Co.	5
Port Arthur College	192
Premier Metal Products Co.	186
Radio Electric Service Co. of Penna., Inc.	187
Radio Equipment Co. (Lexington, Ky.)	191
Radio Equipment Co., Inc. (Norfolk, Va.)	171
Radio Publications, Inc.	184
Radio Shack Corp.	149
Raypar, Inc.	162
Raytheon Mfg. Co.	123
ReCA Electron Tube Div.	Cov. IV
Rider Publisher, Inc., John F.	159, 177
Rogers Radio	186
Sakkers, Rus.	181
Selectronic Supplies, Inc.	178
Severns, Gil	184
Skylane Products	190
Sonar Radio Corp.	178
Tapstone, Inc.	179
Technical Materiel Corp.	7
Tele-Vue Towers, Inc.	120
Telrex, Inc.	189
Tennalab	192
Trans-Arabian Pipe Line Co.	185
Triplet Electric Instrument Co.	156
United Transformer Co.	Cov. II
Universal Distributors, Inc.	140
U. S. Crystals, Inc.	160
Valley Electronic Supply Co.	130, 166
Valparaiso Technical Institute	189
Variety Electronics Corp.	190
Vesto Co., Inc.	188
Vibronex Co., Inc., The	180
Ward Products Corp.	164
Willmart Jewelry Co.	190
World Radio Labs	118, 122, 145, 158, 170, 174
WRL Electronics Products	135
W & W Distributing Co.	148

LOW COST...

FCV-1 CRYSTAL CONTROLLED CONVERTER

For 6 Meter or 2 Meter

- Compact
- Simple to operate
- Simple to assemble
- Output IF frequency can be changed by merely changing the crystal (crystal range of 40 MC to 50 MC).



KIT (with crystal less tubes)\$10.95
 COMPLETE, wired and tested, with tubes and crystals\$15.95

Frequency Range:
 6 Meters: 50-54 MC
 2 Meters: 144-148 MC
 Sensitivity 1 microvolt or better
 Output IF* (1) 600 KC to 1500 KC
 (2) 7 MC to 11 MC
 (3) Special—Write for Information.
 *Specify IF when ordering.

Plate Power 150 volts to 250 volts
 DC @ 15 ma to 20 ma
 Heater Power 6.3 volts @ 625 ma
 Tubes 6AK5 RF Amplifier
 6J6 Mixer Oscillator
 Size (Overall) 4"x3 1/2"x3 1/2"
 Weight 3 ounces.

QUICK SELECTION of the 12 most used Frequencies

MODEL C-12 CRYSTAL CONTROLLED ALIGNMENT OSCILLATOR

The Model C-12 Test Oscillator has 11 internal crystal positions and 1 external . . . provides a number of different crystals in one unit for quick selection.

Unit accommodates FX-1 Crystals from 200 KC to 15,000 KC. Built-in Attenuator. Maximum output is .6 volt.

External Crystal Socket. Write for complete information on FX-1 Crystals.


OSCILLATOR (Less Crystals) 200 KC-15,000 KC Range\$49.50

The C-12 Unit is compact, self-contained complete with power supply for operation on 115 volts AC, 60 cycle.



ONE DAY! PROCESSING CRYSTALS

Commercial Type F-6 and Amateur Type FA-9. Write for free catalog.



HOW TO ORDER:

International Crystals and Printed Circuit Units are sold direct, for fastest service! Shipments prepaid when cash accompanies order; otherwise C. O. D.

International CRYSTAL MFG. CO., INC.

18 N. Lee • Oklahoma City, Okla. • Ph. FO 5-1165

send for the most widely used
AMATEUR & INDUSTRIAL ELECTRONIC SUPPLY GUIDE



Free!

**ALLIED'S
1958
COMPLETE 404-PAGE
CATALOG**

*fastest service
in electronic supply*

**ALLIED gives you every
buying advantage**

HIGHEST TRADES: Get the top trade at ALLIED. Tell us what you've got and what you want—we'll come up with the best of deals.

EASIEST PAY TERMS: Only 10% down, or trade-in as down payment; up to 18 months to pay. Extra: 15-day trial on all receivers.

LARGEST STOCKS: Get *everything* from our complete stocks of Ham gear and industrial electronic supplies—all the dependable lines.

HAM-TO-HAM HELP: Our staff of 35 Hams goes all-out to give you the help you want—you'll like the personal attention you always get at ALLIED.



Send for the 1958 ALLIED Catalog. You'll want it handy always—to fill all your station needs—to bring you *everything* in Electronics at lowest, money-saving prices. The 404-page ALLIED Catalog features the largest and latest selection of receivers, transmitters, electron tubes, transistors, test instruments, money-saving KNIGHT-KITS, Hi-Fi systems and components, P.A. equipment, recorders, electronic parts, tools, books and specialized industrial electronic equipment. Save time, money and effort—fill *all* your electronic supply needs from your 1958 ALLIED Catalog.

send for **FREE** catalog

Send for our lists of top buys in reconditioned Ham gear. We trade **BIG**, so we always have on hand outstanding buys in fine reconditioned equipment. Ask for our lists.

Serving the Amateur for 37 years



ALLIED RADIO

100 N. Western Ave., Chicago 80, Illinois

NOW, get your NC-300 for little or NO MONEY DOWN

it's National "old receiver round-up time"

How many times have you wished your old receiver was a bright new National NC-300? Now, make this dream come true, and save money too!

HIGHEST TRADE-IN ALLOWANCES IN HISTORY!

Most National distributors are offering top deals for your old receiver—regardless of age—toward National's famous NC-300.

NO CASH DOWN in most instances where old receiver covers down payment, up to 20 months to pay balance.

You may win a FREE NC-300 if your old receiver is the nation's oldest one traded for an NC-300 during the contest period. Get official entry form from your local National Company Distributor.

Final decision will rest with National Co.'s appointed board of judges. Contest period: August 1—Dec. 31, 1957




BUNTON BROWNE/New York

World famous National NC-300—thousands now in use. Suggested price, without trade-in—only \$39.90* down. Cash price \$399.00 at most National distributors.

* Slightly higher west of the Rockies.

FREE FROM NATIONAL: MAIL COUPON NOW

This is what you get: Free 19" x 20" 360° world Azimuthal map. (Use it to aim your beam), and full information on National's "Old Receiver Round-Up" plus detailed facts on the NC-300 and why it is your best value.





since 1914 **National**  **Company, Inc.**
Malden 48, Mass.
8 out of 10 U.S. Navy ships use National receivers

National Company, Inc.
Dept. 300, Malden 48, Massachusetts


Please send me my FREE Azimuthal map and full information on National's "Old Receiver Round-Up" plus detailed facts on the NC-300.

Name _____ Call _____
Address _____
City _____ Zone _____ State _____

NEW VIKING "COURIER"



RCA-811-A—A high-perveance power triode. 260 watts input, CW; 260 watts, SSB; 175 watts, AM phone. For more data, write RCA Commercial Engineering, Sect. B Harrison, N. J.



The Viking Courier—Johnson's new bandswitching 500-watt linear amplifier

Inside the Viking Courier—showing the RCA-811-A's "ready to go"

Designed "ahead" for the progressive amateur who wants a signal that carries authority, this Johnson high-power linear has what it takes. Two RCA-811-A power triodes deliver the rf punch.

Here are important reasons why designers specify the RCA-811-A: (1) The tube is a high-perveance type—delivers a whale of a lot of power at moderate plate voltages; (2) Its extremely high mu per-

mits operation in class B SSB service with zero bias; (3) It delivers more watts of power for your "transmitter dollar."

Whether you buy or build, for best performance make sure the tube line-up in that rig is RCA. RCA high-perveance power triodes and beam power tubes are available at your RCA Tube Distributor—for every amateur power requirement. See him for the types you need.



TUBES FOR AMATEURS

RADIO CORPORATION OF AMERICA

Electron Tube Division

Harrison, N. J.