

CATALOG No. 150



GENERAL

MFG. CO.

CEMENT

Manufacturers of

RADIO and ELECTRONIC PRODUCTS

- ✓ **CHEMICALS** ✓ **HARDWARE**
- ✓ **TOOLS • KITS** ✓ **INSULATION**

MANHATTAN RADIO & EQUIPMENT INC.
1732 Grand Ave.
KANSAS CITY, MO.

GENERAL CEMENT MFG. CO.
Rockford, Illinois, U.S.A.



CEMENTS — CHEMICALS
PAINTS — FINISHES

CABINET REPAIR
KITS — GRILLE CLOTH

DIAL CORDS
DIAL BELTS — ETC.

RADIO KNOBS
PHONO NEEDLES

SWITCHES
PLUGS — JACKS, ETC.

WIRE STRIPPERS
NE-O-LITES — AERIALS

TOOLS MISC.
ALIGNMENT TOOLS

HARDWARE
RADIO PARTS



World Radio History

G-C Quality Radio and Electronic Products

SINCE 1929 GENERAL CEMENT has faithfully served the Radio Field by producing quality Chemicals, Parts, Materials, Tools and Equipment necessary for the maintenance of Radio and Electronic Equipment. General Cement originated items such as Cements, Chemicals, Packaged Hardware, and many special tools, kits and accessories for the Radio Field. Now in the rapidly expanding and changing industrial fields, G-C is cooperating by aiding other industries as well by supplying them with their new requirements resulting from the changing electronic age, which is now so important to every type of industry desiring to keep abreast of times.

Distributors, Dealers and Manufacturers are assured of satisfaction when using G-C Products. High quality, precision standards and laboratory control in manufacturing assure the best parts or products obtainable.

Special products, parts and tools can often be supplied made to special order, and inquiries are invited. Excellent manufacturing facilities are at your disposal. Let G-C help you solve your problems.

ALWAYS DEMAND G-C PRODUCTS FROM YOUR DISTRIBUTOR

"The Standard of the Industry"

GENERAL INDEX

Description	Page	Description	Page	Description	Page
ADHESIVES	3, 4, 5, 6	Flock Kits and Accessories.....	9, 16	Recording Wire.....	32
Alignment Tools.....	42, 43, 44	Flocked Screening.....	15	Reducers.....	37
Antenna Accessories.....	32, 35	Fungus Varnish.....	6	Refrigerator Repair Kits,	
Antenna, Auto.....	32	Fuse Holder.....	35	Accessories.....	12, 13, 14
Auto Radio Knobs.....	27	Fuse Puller.....	45	Resistors.....	40
BAKELITE	34	GLUE	3, 4, 5	Retaining Rings.....	56
Banana Plugs.....	47	Grille Cloth.....	15	Rivets.....	61
Battery Plugs.....	48	Grommets.....	33, 61, 62	Rubber Drives.....	24, 62, 63
Belts, Belting.....	19, 20, 33	HARDWARE		Rubber Feet.....	34, 63
Box Displays.....	51 thru 63	25, 27, 29, 33, 35, 36, 37, 46 thru	63	Rubber Grommets.....	33
Brackets.....	58	Hardware Displays.....	51 thru 63	Ruf-Koat.....	9
Bushings.....	27, 37	Hardware Laboratory.....	50	SCRATCH Remover.....	11, 14
CABINET Repair Kits,		Hex Nuts.....	49, 53, 54	Screwdrivers.....	43
Accessories.....	12, 13, 14, 16	Hole Plugs.....	57	Screws.....	25, 29, 49, 51, 52
Cabinets.....	49	IGNITION Suppressors.....	32	Set Screws.....	25, 29, 52, 53
Cables.....	18	Inspection Lite.....	40	Shellac Sticks.....	13, 14
Carbon Brushes.....	40	Insulating Compounds.....	6	Signal Lights.....	36
Card Displays.....	51 thru 63	Insulations...6, 31, 33, 34, 35, 37,	63	Skrtach Stik.....	15
Cements.....	3, 4, 5	JACKS	35, 46, 47	Sleeving.....	31, 35
Chassis Holder and Phono.....	17, 41	Jewells, Signal Lights.....	36	Sockets.....	35, 36
Chassis Mounts.....	34, 62	KITS ...6, 8, 9, 10, 12, 13, 25, 28, 31,		Solder Tips.....	45
Chemical Compounds...6, 7, 10, 11, 19		33, 34, 37, 39, 44, 45, 48, 49,	50	Soldering Lugs.....	57, 58
Chemical Kits and Lab.....	5, 6, 8	Knobs.....	25, 26, 27	Soldering Paste, Flux.....	8, 10
Clamps.....	58	Knob Felts.....	25	Solvents.....	3, 5, 10
Cleaners.....	7, 11	Knob Pullers.....	27	Spade Bolts.....	52
Clips.....	47, 57, 58	LACQUER	9	Spaghetti.....	31
Coil Dopes.....	6	Lock Washers.....	55	Speaker Repairs.....	3, 11, 45, 50
Color Coding Kit.....	8	Lubricants.....	10, 11, 28, 29	Speaker Shims.....	45, 50
Connector...28, 34, 35, 37, 45, 46, 47		Luminous Materials.....	10	Spray Gun.....	16
Contact Dopes.....	6, 7	MACHINE Screws...25, 29, 49, 51,	52	Spring Maker.....	17
Cord Dressing.....	10	Microphone Carbon.....	10	Springs...18, 25, 29, 32, 49, 59,	60
Cord Sets.....	34	Microphone Connector.....	37	Stains.....	9
Cotter Pins.....	56	Mirror.....	45	Staples.....	49
Couplings.....	37, 45	NE-O-LITES	40	Static Eliminator.....	32, 33
Crystal Lacquer.....	9	Neon Lamps.....	40	Strippers.....	11, 38, 39, 45
Crystals.....	24	Non-Slip.....	10	Switches.....	30
DIAL Belt Manual.....	21, 22, 23	Nuts.....	49, 53, 54	TACK Bumpers.....	34, 63
Dial Belts.....	20	OILS	10, 11	Tape.....	31
Dial Belt Kits.....	20	PAINT	9, 10, 11, 16	Terminal Strips.....	35
Dial Belt Specifications...20, 21, 22,	23	Phone Tips.....	46	Test Leads, Prods.....	46
Dial Cable.....	18, 19	Phono Accessories.....	28, 29, 41, 46	Testers, Electric.....	40
Dial Cable Racks.....	18	Phono Racks.....	41	Thinner.....	3, 5, 10
Dial Crystals.....	24	Phono Set Screws.....	29	Tools, Alignment Tools...17, 18, 19,	
Dial Drives.....	24, 62	Phono Turntable Drives...24, 29,	63	25, 27, 36, 38, 39, 41 thru	46
Dial Lite Coloring.....	8	Phonograph Needles.....	28	Trimounts.....	57
Dial Pointers.....	24	Pilot Lights.....	36	Tube Cement.....	3
Display Cards.....	51 thru 63	Pin Plugs.....	47	Tube Pin Straightener.....	36
Dust Felts.....	61	Pins.....	61	Tube Puller.....	17, 45
EXTENSIONS	34, 37, 40	Plugs.....	34, 35, 46, 47, 48, 49,	Tubing.....	31
Eyelets.....	60	Polishes.....	14	VACUUM Cleaner Belts.....	33
FABRIC	14, 15, 34	Porcelain Glaze.....	9	Varnish.....	6, 9, 11
Fahnestock Clips.....	58	Pulleys.....	59	WASHERS	25, 55, 56, 63
Felt Feet.....	34, 63	RACKS	49	Wax, Floor.....	11
Felt Koat Flock.....	9, 16	Record Accessories...11, 24, 28, 29,	32	Window Cleaner.....	11
Felt Koat Undercoat.....	16	Recording Stylus.....	28	Wire.....	29, 32, 46
Felt Pads.....	25, 28, 34, 61, 63			Wire Strippers.....	11, 38, 39, 45
Fibre Washers.....	56, 57			Wrenches.....	39, 42, 43, 45, 50
Finishing Materials.....				Wrinkle Varnish.....	9
.....9, 10, 11, 12, 13, 14, 16, 17					

GENERAL CEMENT MANUFACTURING CO.

919 Taylor Avenue

Rockford, Illinois, U.S.A.

Phone 2-6695

Copyright 1948

Quality Radio Products

CEMENT



GENERAL

2



All G-C Chemicals and Cements are Sealed with DuPont Cel-O-Seal Bands - Ask For G-C Sealed Chemicals
G-C RADIO SERVICE SOLVENT
 Cleans and Dissolves

The best solvent for loosening cement on speaker cones, frames, etc., made to dissolve all types of cements. Can also be used as a thinner for G-C Cement and other cements. Will cut and dissolve any cement as used on Radio Speakers. Used by leading speaker manufacturers.

No.		List Price
31-2	2-oz.	\$0.40
31-2-D	Display 12 No. 31-2	4.80
31-4	4-oz.	.60
31-6	6-oz.	.75
31-8	8-oz.	.85
31-16	16-oz.	1.25
31-32	32-oz.	2.45
31-G	1 Gallon	5.00
31-5G	5 Gallons	23.25

Standard Carton 12 Units

G-C can supply Cements, Chemicals, Coil Dopes and Adhesives for all purposes in any quantity.

5-gallon cans and 50-gallon drums available. Write for quotations on larger containers.

"STICK WITH G-C"

G-C RADIO SERVICE CEMENT
"For Radio and Speaker Repairs"

This high grade cement is specially prepared for Radio and Speaker Work. It is unexcelled for cementing and replacing cones on dynamic speakers, repairing rattling or torn cones, cementing voice coils, spiders, etc. It can also be used for a bakelite or glass cement, in cementing loose tube bases and grid caps to glass, sealing adjustments, cementing parts to chassis, etc. It is dependable, vibration-proof, water-proof and very fast drying. It will not crack or shrink paper cones. This is the original Speaker Cement as used by Manufacturers and the best that is made for the purpose. Brushes are attached to caps of bottles.

No.		List Price
30-2	2-oz. Bottle, brush attached to cap	\$0.50
30-2-D	Display 12 No. 30-2	6.00
34-2	Cement in Tube	.42
34-2-D	Display 12 Tubes	5.04
30-4	4-oz.	.90
30-6	6-oz.	1.25
30-8	8-oz.	1.60
30-16	16-oz.	3.00
30-32	32-oz.	5.75
30-G	1 Gallon	9.35
30-5G	5 Gallons	42.00

Standard Carton 12 Units

The proper thinner for G-C Radio Service Cement is G-C No. 28 Cement Thinner (Page 5).



G-C PLASTIC CEMENT
"Works on All Types of Plastics"

This is the best all-purpose cement for any emergency job you may have. Excellent for cementing broken plastic cabinets, cementing grille cloth in place, cementing dial and glass crystal assemblies, cementing knots in dial cord, etc. This is truly a cement of many uses. Very fast drying, water-proof. Brushes are attached to caps of bottles.

No.		List Price
32-2A	2-oz.	\$0.60
32-8A	8-oz.	1.60
32-16A	16-oz.	3.00
32-32A	32-oz.	4.25
32-CA	1 Gallon	10.00
32-5CA	5 Gallons	48.00

Standard Carton 12 Units

The proper thinner for G-C Plastic Cement is G-C No. 28 Cement Thinner (Page 5).

G-C SPEAKER REPAIR CEMENT IN TUBES

"The Original Speaker Cement"

Here's our high grade speaker cement in a handy tube for those who prefer to use a tube. Cement can be applied directly from tube on the parts to be cemented without the use of a brush. This tube is very handy to carry with you on every service job, and should be a part of your tool kit. This tube is very satisfactory and handy for other purposes besides speaker repairs. It can be used in the repair of parts and cabinets. It is also a very good general purpose water-proof glue and makes the best model and hobby cement.

"A Tube in your Service Kit will come in handy."

No.		List Price
34-2	Large Size	\$0.42
34-2-D	Display 12 No. 34-2	5.04



G-C BAKELITE CEMENT
"The Only Practical Cement for Bakelite and Plastics"

This cement is especially made for cementing Bakelite to Bakelite, and Bakelite to other materials. Produces a bond practically as strong as the material itself. Very useful for repairing broken molded pieces, knobs, panels, and for building up thickness of Bakelite for machining, for inserts in moldings, tubing, for attaching labels to Bakelite, etc. Indispensable to the experimenter. Brushes are attached to caps of bottles.

No.		List Price
32-2	2-oz.	\$0.60
32-8	8-oz.	2.00
32-16	16-oz.	3.75
32-32	32-oz.	5.50
32-G	1 Gallon	18.50
32-5G	5 Gallons	70.00

Standard Carton 12 Units

The proper thinner for G-C Bakelite Cement is G-C No. 67 Thinner. (Page 5.)

G-C VINYLITE CEMENT

This new G-C Cement of Vinylite Base has great adhesion, high tackiness, and extreme flexibility. Excellent for cementing metals, plastics, paper, leather, etc. Can also be used as a thermoplastic cement for non-porous materials. Cement is applied to both surfaces, dried and then pressed together under heat such as flat irons, hot plates, or soldering irons. Sets on cooling. It can be air dried in most applications of cementing porous and non-porous materials. It sticks to most anything. Water-proof, fast drying. Brushes are attached to caps of bottles.

No.		List Price
58-2	2-oz.	\$0.50
58-8	8-oz.	1.60
58-G	1 Gallon	9.35

Standard Carton 12 Units

The proper thinner for G-C Vinylite Cement is G-C No. 31-2 Solvent (See Pages 3 or 5.)

G-C HOUSEHOLD and MODEL CEMENT

Fast-drying cement, suitable for many uses. Excellent "Household Cement". Also an ideal "model-makers" cement for use on model airplanes, railroads, ships, toys, etc. Will cement wood, paper, plastics, metal, china, crockery, ceramics, etc. Fast-drying, water-proof. Brushes are attached to caps of bottles.

No.		List Price
45-2	2-oz. Bottle with Brush	\$0.50
45-3	2-oz. Tube	.42
45-3-D	Display of 12 Tubes	5.04

Standard Carton 12 Units

The proper thinner for G-C Household Cement is G-C No. 28 Cement Thinner. (Page 5.)

GENERAL CEMENT CEMENTS for Radio Work



G-C FABRIC TO METAL AND TRIM CEMENT

For cementing cloth and felt to metal. Ideal for cementing felt to phono turntables, grille cloth to metal cases, re-pairing auto upholstery, fabrics, etc. Fast drying, waterproof.

No.		List Price
22-4	4-oz.	\$0.50
22-8	8-oz.	.90
22-16	16-oz.	1.75

Standard Carton 12 Units

The proper thinner for G-C Fabric to Metal Cement is G-C No. 67 Thinner (Page 5).



G-C GRAY RUBBER CEMENT

Best quality general purpose rubber cement for cloth, paper, rubber, etc. This cement makes a very handy all-purpose Rubber Cement due to its great tackiness and adhesion. It has many applications in home, industry, automotive or hobby shop.

No.		List Price
23-4	4-oz.	\$0.50
23-8	8-oz.	.90
23-16	16-oz.	1.75

Standard Carton 12 Units

The proper thinner for G-C Gray Rubber Cement is G-C No. 67 Thinner (Page 5).



G-C RUBBER TO METAL and DIAL DRIVE CEMENT

Specially prepared for cementing rubber dial drives to metal shafts, rubber mountings to chassis, or for cementing any rubber material to metal. Excellent for refrigerator door rubber gaskets, weather stripping on auto doors, etc. It can also be used on any material where flexibility is required. Fast-drying, waterproof.

No.		List Price
35-2	2-oz. Bottle with Brush	\$0.50
35-3	2-oz. Tube	.50
35-3-D	Display of 12 Tubes	6.00
35-4	4-oz.	.90
35-8	8-oz.	1.60
35-16	16-oz.	3.00
35-32	32-oz.	4.50
35-C	1 Gallon	9.35
35-5G	5 Gallons	42.00

Standard Carton 12 Units

The proper thinner for G-C Rubber Cement is G-C No. 67 Thinner (Page 5).



G-C WOOD CABINET GLUE

This is the ordinary well-known wood glue that is used in repair of furniture, chairs, radio cabinets, etc. It can also be used for gluing on radio grille cloth, labels to wood, etc. It will not injure the finish on cabinets.

No.		List Price
39-2	2-oz. bottle with brush	\$0.50
39-4	4-oz.	.65
39-8	8-oz.	.90
39-16	16-oz.	1.50

Standard Carton 12 Units



G-C GRILLE CLOTH FABRIC CEMENT

This is a gray rubber cement specially formulated for cementing grille cloth, leatherette and luggage fabric covering to metal or wood cases or cabinets, test equipment, etc. It will not penetrate, stain or shrink the materials. It's just the cement for the purpose.

No.		List Price
38-4	4-oz.	\$0.50
38-8	8-oz.	.90
38-16	16-oz.	1.75

Standard Carton 12 Units

The proper thinner for G-C Grille Cloth Fabric Cement is G-C No. 67 Thinner (Page 5).



G-C ELECTRICAL AND RESISTOR CEMENT

Here's the heat-proof cement that hardens like porcelain, same as used on resistors, flat irons, electrical appliances, etc. The service man will find many uses for this cement.

No.		List Price
27-2	2-oz. Bottle	\$0.60
27-2-D	Display 12 No. 27-2	7.20

Standard Carton 12 Units

Prices on larger quantities available on request.



G-C FILM SPICING CEMENT

This is a new improved Film Cement. Here is the best buy in cement for the best grade of home or professional movie film splicing cement. Will work on both safety and nitrate film. Compare this value with other cements.

No.	List Price
33-1 Reg. Bottle with Brush	\$0.35

Standard Carton 12 Units



G-C ACRYLIC CEMENT

Specially prepared for cementing Lucite, Plexiglass and other acrylic materials. Fast drying, welds the materials together.

No.	List Price
40-2 2-oz. Bottle with Brush	\$0.50

Standard Carton 12 Units
Prices on larger quantities available on request.



G-C LABEL CEMENT

Here's a label cement that will make labels stick to anything, metal, glass, wood, tin, bakelite, plastics, etc. Excellent for cementing labels to bins, racks, etc.

No.	List Price
46-2 2-oz. Bottle with Brush	\$0.50
46-8 8-oz.	1.50
46-G 1 Gallon	12.00



G-C ART-X RUBBER CEMENT

Clear Pure Rubber Artist and Layout Cement This is a pure rubber natural color clear cement such as is used by artists and layout men. It sticks fast, will not stain or shrink paper, and can be easily removed. Handy use for this is in laying out panels and design work. Simply cement a piece of paper to the panel, protect it and work on it. When done, paper can be easily removed.

No.		List Price
33-4	4-oz.	\$0.50
33-8	8-oz.	.75
33-16	16-oz.	1.25
33-1G	1-gal.	5.00

Standard Carton 12 Units



G-C No. 28 CEMENT THINNER

This thinner is made of same solvents as G-C Service Cement and makes the best thinner for G-C Service Cement. It will not change the characteristics of the original cement.

No.		List Price
28-2	2-oz.	\$0.40
28-2-D	Display 12 No. 28-2	4.80
28-4	4-oz.	.60
28-8	8-oz.	.85
28-16	16-oz.	1.25
28-32	32-oz.	2.45
28-G	1 Gallon	5.00
28-5G	5 Gallons	23.25

Standard Carton 12 Units

G-C RADIO SERVICE SOLVENT

Cleans and Dissolves

The best solvent for loosening cement on speaker cones, frames, etc., made to dissolve all types of cements. Can also be used as a thinner for G-C Cement and other cements. Will cut and dissolve any cement as used on Radio Speakers. Used by leading speaker manufacturers.

No.		List Price
31-2	2-oz.	\$0.40
31-2-D	Display 12 No. 31-2	4.80
31-4	4-oz.	.60
31-6	6-oz.	.75
31-8	8-oz.	.85
31-16	16-oz.	1.25
31-32	32-oz.	2.45
31-G	1 Gallon	5.00
31-5G	5 Gallons	23.25

Standard Carton 12 Units



G-C No. 29 LACQUER THINNER

Solvent for thinning all types of lacquers, lacquer enamels, telephone black and gray, touch-up lacquers, airplane dopes, model cements, etc.

No.		List Price
29-2	2-oz.	\$0.40
29-4	4-oz.	.60
29-8	8-oz.	.85
29-16	16-oz.	1.25
29-32	32-oz.	2.45
29-G	1 Gallon	5.00
29-5G	5 Gallons	23.25

Standard Carton 12 Units

G-C No. 67 PAINT THINNER

Excellent thinner for Ruf-Koat, Krome-Koat, B-K Cement, Insulating Varnish and Rubber Cements. Will not change the characteristics of the original materials.

No.		List Price
67-2	2-oz.	\$0.40
67-4	4-oz.	.60
67-8	8-oz.	.85
67-16	16-oz.	1.25
67-32	32-oz.	1.75
67-G	1 Gallon	3.75
67-5G	5 Gallons	15.75

Standard Carton 12 Units

G-C No. 41 Q-DOPE THINNER

Will Cut and Dissolve Polystyrene Materials
Excellent solvent for Polystyrene Q-Dope and any other Polystyrene Coil Dopes and Cements. It will also soften and dissolve any polystyrene rods, sheets, etc. This clear water-white solvent will not change the characteristics of the original materials.

No.		List Price
41-2	2-oz.	\$0.40
41-4	4-oz.	.60
41-8	8-oz.	.90
41-G	1 Gallon	4.50

Standard Carton 12 Units



G-C CEMENT SAMPLER KIT

"A Real Sampler Kit for Laboratories and Engineers"

Have you ever wondered what cement to use for some application and wasted weeks of time writing for samples, information, etc., before you got the right stuff? G-C Cement Lab-Kit solves your problems. This kit contains a cement and adhesive for every conceivable use and purpose with instructions. Cements of all types are included so you can try them yourself for any application. A necessity in every shop and factory.

No.		List Price
345	Cement Lab-Kit	\$5.00

G-C RADIO CHEMICAL KIT AND REFILLS

A complete kit of 8 chemical necessities in neat leatherette pocket case. Makes it easy for Serviceman to always have his chemical needs with him. Includes: Service Cement, Rubber Drive Cement, Carbon-X, Lube-Rex, Scratch Polish, Liquid Non-Slip, Dial Oil and Contact Cleaner. Servicemen should have this kit with them for every outside call.

No. 999 Radio Chemical Kit List Price \$3.00

G-C CHEMICAL KIT REFILLS

No.	List Price	No.	List Price
† 30-0 Radio Cement	\$0.25	† 1200 Carbon-X	\$0.25
† 35-0 Dial Drive Cement	.25	† 1203 Lube-Rex	.25
† 127-0 Contact Cleaner	.25	† 1211 Liquid Non-Slip	.25
† 923 Scratch Polish	.25	† 1246 Dial Oil	.25
Jobber's Display 12 Bottles—Any Type			\$3.00

†Add suffix "D" to part number to get display of 12.

GENERAL CEMENT

Solvents and Thinners



G-C COIL DOPE KIT

Handy Coil Dope Kit, containing one 2-oz. bottle G-C Polystyrene Q-Dope and one 2-oz. bottle G-C Q-Dope Thinner. Kit includes 2 brushes.

Especially handy kit for amateurs, experimenters and servicemen, requiring a low-loss compound for designing or repairing high frequency coils.

No.	List Price
888 Kit	\$0.80



G-C RADIO CHEMICAL LABORATORY

"Use G-C Chemicals for Radio Repairs and Save Time"

Here is a real professional Radio Chemical Laboratory that is complete in every respect. Twenty large 2-oz. bottles put up in permanent laboratory stand that can be placed on your bench or hung up on the wall. The stand is a permanent rack to hold all your Radio Service Chemicals and find them when you need them. Every needed chemical and cement is included in this Laboratory for all kinds of Radio Repairs, speakers, coils, contacts, dials, controls, etc. Every Radio Man, Radio Laboratory, Radio Engineer and Radio Manufacturer should have this complete Laboratory.

No.	List Price
997 G-C Chemical Laboratory	\$9.10
	Including FREE METAL RACK



CEMENT AND SOLVENT KIT

"A Handy Kit to Carry With You"

This is a handy kit for speaker repairs on the job. The kit contains one bottle of high grade Speaker Cement and one bottle of Cement Solvent, together with a handy brush. This cement can also be used for other radio work, such as cementing parts to chassis, sealing adjustments, etc. The solvent is a good cleaner for controls and contacts. The bottles are put up in a neat compact carton, making it easy to carry.

No.	List Price
343 Cement and Solvent Kit	\$0.65



G-C CONTACT & ATTENUATOR SERVICE KIT

"Eliminates Noise . . . Prevents Corrosion"

Ideal kit for cleaning noisy attenuators, tuners, all-wave switches, variable contacts, etc. Consists of special contact cleaner and special corrosion-resistant lubricant. With this kit you can easily clean these noisy controls and 9 times out of 10 without dismantling the chassis or control unit. Your first job will more than pay for this kit in time saved.

No.	List Price
777 Kit	\$1.00



G-C FUNGUS VARNISH

"Meets U.S. Army Signal Corps Specifications"

G-C Fungus Varnish is used on all types of Radio, Electronic and Communication equipment to prevent moisture absorption and fungus growth, when equipment is used in hot and humid climates. It can be used for dipping, brushing or spraying applications.

No.	List Price
57-2 2-oz.	\$0.50
57-8 8-oz.	1.00
57-16 16-oz.	1.50
57-C 1 Gallon	9.00

Standard Carton 12 Units

The proper thinner for G-C Fungus Varnish is No. 67 Thinner. (Page 5.)



G-C Q-DOPE (COIL DOPE)
"Liquid Polystyrene for R.F., U.H.F. and V.H.F. Components"

G-C Q-Dope is pure polystyrene dissolved in Q-Dope Thinner. Specially prepared for coating, doping, sealing, cementing and impregnating coils and paints in "Very High" and "Ultra High" Frequency Ranges. It will not change R.F. circuit values. Q-Dope is moisture repellent, is non-hygroscopic and will give excellent performance in temperature ranges -70°F. to 160°F. Can also be used for "Welding Polystyrene to Polystyrene".

No.	List Price
37-2 2-oz.	\$0.50
37-4 4-oz.	.75
37-8 8-oz.	1.25
37-16 16-oz.	2.25
37-32 32-oz.	3.50
37-C 1 Gallon	9.00

Standard Carton 12 Units

The proper thinner for G-C Q-Dope is G-C No. 41 Thinner (Page 5).



G-C LIQUIDOPE

"Genuine All-Wave Coil Dope"

Nitrocellulose base coil dope for all-wave coil windings. Clear and fast-drying. Gives coils a tough protective film that insures firmness and prevents characteristic changes due to weather. Excellent for supporting coil forms and wires. It can be used for doping, sealing, impregnating, dipping and coating.

No.	List Price
36-2 2-oz.	\$0.50
36-8 8-oz.	1.25
36-16 16-oz.	2.25
36-32 32-oz.	3.75
36-C 1 Gallon	9.35

Standard Carton 12 Units

The proper thinner for G-C Liquid Dope is G-C No. 28 Cement Thinner (Page 5).



G-C INSULATING & DIPPING VARNISH

Easy-to-use Insulating Varnish made of highest quality ingredients. Produces a smooth tough film that is water-proof, oil-proof and non-corrosive. This varnish is recommended for treating field coils, noisy or buzzing transformers and choke coils. It can be used as a dipping varnish or applied with a brush.

No.	List Price
56-2 2-oz.	\$0.50
56-4 4-oz.	.75
56-8 8-oz.	1.00
56-16 16-oz.	1.75
56-C 1 Gallon	9.80

Standard Carton 12 Units

The proper thinner for G-C Insulating and Dipping Varnish is G-C No. 67 Thinner. (Page 5.)



G-C CONTACT & CRYSTAL CLEANER

A fast-evaporating Cleaner specially prepared for cleaning contacts and crystals. Cleans easily and will not injure delicate parts, crystals, etc. "Hams" and Radio Men will appreciate this item. It cleans and works fast. Brushes in bottles.

No.		List Price
127-2	2-oz.	\$0.40
127-4	4-oz.	.60
127-8	8-oz.	.75
127-16	16-oz.	1.10

Standard Carton 12 Units

NEW G-C ELECTRONIC CONTACT CLEANER

"New Red Cleaner Made with Lube-Rex"
This is the most universal and most popular all-purpose contact cleaner on the market. Used extensively by thousands of Service Men. It is fast drying and fast acting. On drying it leaves a non-corrosive film on the contacts that insures long, trouble-free action. Brushes in bottles.

No.		List Price
210-2	2-oz.	\$0.40
210-4	4-oz.	.65
210-8	8-oz.	.90
210-16	16-oz.	1.65
210-32	32-oz.	3.00
210-G	1 Gallon	7.50

Standard Carton 12 Units

G-C RADIO CHASSIS CLEANER

Make extra money by returning your customer's set thoroughly cleaned from dirt, grease and grime. Chassis Cleaner cleans Radio Chassis, Panels, Test Equipment, etc., without injuring the surface. It makes an excellent cleaner for rough wrinkle finish surfaces. Buy in gallon quantities and save.

No.		List Price
123-8	8-oz.	\$0.65
123-16	16-oz.	1.00
123-G	1 Gallon	3.50

Standard Carton 12 Units



G-C CARBON TETRA-CHLORIDE

100% Pure Carbon Tetra-Chloride. Non-explosive and non-inflammable. For cleaning electrical controls and contacts. An excellent and safe household cleaner. Kills bugs, roaches, etc. Brushes in bottles.

No.		List Price
211-2	2-oz.	\$0.40
211-4	4-oz.	.60
211-8	8-oz.	.85
211-16	16-oz.	1.50
211-32	32-oz.	2.45
211-G	1 Gallon	6.25

Standard Carton 12 Units

G-C CARB-O-TET

Specially prepared from 100% pure Carbon Tetra-Chloride material.

No.		List Price
*215-G	1 Gallon	\$3.85

*Available to Distributors only in standard case lots of six gallons. F.O.B. Rockford, Ill.

G-C CONTACT DOPE

Ideal contact cleaner for electronic switches, controls and contacts. Specially prepared to resist corrosion and oxidation on contacts. Eliminates noise on switches and contacts.

No.		List Price
1213	Tube	\$0.40
1213-D	Display 24 Tubes	9.60
1214	2-oz. Bottle	.50

Standard Carton 12 Units

G-C CARBON CONTROL CLEANER

Now many noisy volume controls, switches, etc., can be repaired without even removing the chassis from the cabinet. A new G-C development supplied with a special applicator. Makes it easy to repair most noisy volume controls, tone controls, switches, band switches, push buttons—in fact, most all types of moving contacts. A special chemical that both removes oxidation and minimizes future trouble by coating the contacts. Special Applicator supplied with each bottle of Carbon Contact Cleaner which makes it so easy to apply.

No.		List Price
212-2	2-oz. Bottle with Applicator	\$0.75
212-2-D	Display 12 No. 212-2	9.00



G-C GRAFOLINE

"A Radio Contact Lubricant for Metallic Contacts"

Grafoline is absolutely necessary to insure proper and lasting repairs for all air-exposed contacts, switches, and wire-wound volume controls—wherever dust and dirt affect the quiet action of adjustable radio parts or controls. Radio Men need this compound for all-wave switches, wire-wound controls, to clean noisy tube-prongs, etc. On switch contacts it increases the current capacity of the switch and contacts last longer.

"It Cleans As It Lubricates"

No.		List Price
120-2	2-oz. Bottle	\$0.50
120-16	16-oz. Bottle	2.00

Standard Carton 12 Units

G-C CARBON-X

"For Noisy Carbon Controls"

Here is an item every Service Man has been looking for. A practical method to touch up those worn and noisy spots on carbon volume controls. You simply apply CARBON-X over the bad spots and the job is done. When you cannot sell a replacement control you can do the job with Carbon-X. Brushes in bottles.

Carbon-X Is An Electrical Conductor

No.		List Price
1204	1-oz. Bottle	\$0.75
1205	2-oz. Bottle	1.00

Standard Carton 12 Units

G-C LUBE-REX

"Lubriplate"

"Prevents Corrosion"

The best contact cleaner on the market. Fine for attenuators, push-button switches, all-wave switches, contacts, etc. Cleans contacts and prevents corrosion. The only acceptable lubricant for Philco Mystery controls. Moisture repellent and rust preventing—fine for use on locks, fishing reels, guns, dial mechanisms, phonograph equipment, etc. Is especially desirable since it clings to the metal.

No.		List Price
1206	2-oz. Tube	\$0.50
1206-D	Display 12 Tubes	6.00
1209	2-oz. Bottle	.50
1208	16-oz. Bottle	2.25

Standard Carton 12 Units

NEW G-C CONTACT SILVER PLATE

"Silver Plates Without Special Equipment"

New discovery for plating worn contacts, newly made contacts, replacing worn silver plating, to silver plate new metals, etc. Silverplates copper, brass, bronze, zinc, German silver, nickel silver, silver plate. Prevents corrosion by actually applying a coat of silver. . . . Easy-to-use Silver Plate Compound for Radio Service Men, "Hams", Experimenters, Electricians, Mechanics, etc. Merely wipe the compound into the metals you wish to plate with a soft cloth. Nothing special required—Wonderful Cleaner and Polisher for silverware, nickel and chrome.

No.		List Price
213-2	2-oz. Bottle	\$0.75
213-2-D	Display 12 No. 213-2	9.00

New! G-C No. 998

Chemical Laboratory

Here's the latest in G-C chemical innovations. A complete practical laboratory made up to fit the needs of all Service Men in their everyday work. The quantities are arranged so that you get more of the items used constantly. Ideal for the Service Man, Engineer, Experimenter, etc.



Heavy Steel Rack finished in new Luster finish — designed to hang on the wall or stand on your bench.

Here's what G-C gives you:

Heavy Steel Rack FREE and 19 Different Bottles and Chemicals.

HEAVY STEEL RACK IS FREE


CONTENTS:

- | | |
|--|---|
| <p>8-oz.
 30-8 Service Cement
 31-8 Service Solvent
 92-8-L Scratch Polish
 95-8-L Creme-O-Wax
 210-8 Red Contact Cleaner</p> | <p>4-oz.
 22-4 Fabric to Metal Cement
 35-4 Rubber to Metal Cement
 37-4 Q-Dope
 56-4 Insulating Varnish
 127-4 Contact Cleaner
 211-4 Carbon Tetra-Chloride</p> |
| <p>2-oz.
 32-2A Plastic Cement
 36-2 Liquidope
 120-2 Grafoline
 126-2 Rek-O-Dope</p> | <p>2-oz.
 1205 Carbon-X
 1209 Lube-Rex
 1215 Liquid Non-Slip
 1247 Dial Oil</p> |

Cat. No. 998 Chemical Laboratory

List Price \$12.25

DEALER'S NET \$7.35



G-C R.M.A. COLOR CODING KIT

Complete Kit of all of the standard R.M.A. colors: Black, Brown, Red, Orange, Yellow, Green, Blue, Purple, Grey and White. All colors are brilliantly alive. Brushes furnished and R.M.A. color chart is on box. Kit is necessary for complete color coding parts. Materials are fast drying Lacquer Enamels.

No.	List Price
677 Color Coding Kit	\$1.75



G-C TOUCH-UP COLOR CODING KIT

"Air Drying in a Few Minutes"

Kit consists of four brilliant colors of the highest grade lacquer enamel for color coding sockets, all-wave coils, jacks, wire terminals, and parts of testing equipment. You can improve the appearance of your equipment with this kit. Colors of red, green, blue and yellow furnished with solvent and brushes in this kit.

No.	List Price
675 Kit	\$0.75



G-C DIAL LITE COLORING

Long-lasting coloring for multi-colored dials, signals, lighting, decorative lighting, etc. Instant drying. Bright colors of Red, Green, Blue, Amber, Purple and Solvent. Earn extra money by selling colored dial lites.

DRESS UP THOSE OLD SETS

No.	List Price
66-6 Kit of 6 bottles	\$0.85
66-5 Kit of 5 bottles, no purple	.70
66-1 Bottle of any color	.15
66-2 2-oz., any color	.50
66-16 16-oz., any color	2.00



G-C NON-CORROSIVE LIQUID SOLDERING FLUX

"Fast Soldering for Radio and Electrical Work"

Best quality non-corrosive flux for all types of radio and electrical soldering, for copper, brass, steel, nickel, etc. Makes the solder flow faster and smoother and stick better.

No.	List Price
42-2 2-oz.	\$0.50
42-8 8-oz.	1.60
42-G 1 Gallon	9.00

Standard Carton 12 Units



G-C KRystal KOAT CRYSTALIZING LACQUER

The famous G-C Krystal Koat lacquer. Strictly air-drying; forms beautiful floral pattern when dry. For chassis, panels, etc. Can be used on metal, wood or paper. Colors: Black, Gray, Brown, Green, Blue, Red and Clear. Specify color.

No.		List Price
63-2	2-oz.	\$0.60
63-4	4-oz.	1.00
63-8	8-oz.	1.75
63-16	16-oz.	3.00
63-32	32-oz.	4.50
63-G	1 Gallon	15.00
63-5G	5 Gallons	71.25

Standard Carton 12 Units

The proper thinner for G-C Krystal Koat is G-C No. 29 Lacquer Thinner (Page 5).

Note: Impenetro Sealer must be used for undercoat when Krystal Koat is applied over other finishes. Same price as Krystal Koat. Use Clear for frosting window glass.

G-C RUF-KOAT AIR DRY WRINKLE FINISH

"Can Be Air Dried or Baked"

The only finish that will air dry and give you a professional wrinkle job without baking. It is the same finish as is employed by manufacturers on P.A. Equipment, Chassis, Panels and Racks. Easy to use. Don't experiment—use the best. Colors: Black, Gray, Brown, Green, Red and Blue. (Specify Color.)

No.		List Price
60-2	2-oz.	\$0.60
60-4	4-oz.	1.00
60-8	8-oz.	1.75
60-16	16-oz.	3.00
60-32	32-oz.	4.50
60-G	1 Gallon Black	15.00
60-G	1 Gallon Colors	16.00
60-5G	5 Gallons Black	67.50
60-5G	5 Gallons Colors	72.00

Standard Carton 12 Units

The proper thinner for G-C Ruf-Koat is G-C No. 67 Thinner (Page 5). Undercoat: Use Ruf-Koat. Undercoat before applying Ruf-Koat on porous materials. Same price as Ruf-Koat.



G-C TELEPHONE BLACK & GRAY

High grade lacquer enamel that covers well and dries fast. Black will produce an ebony black finish that is so familiar on telephone devices. Gray is a pleasing shade. Excellent for panel work and parts. Specify color.

No.		List Price
62-2	2-oz.	\$0.50
62-8	8-oz.	1.25
62-16	16-oz.	2.25
62-32	32-oz.	3.50
62-G	1 Gallon	11.60
62-5G	5 Gallons	54.00

Standard Carton 12 Units

The proper thinner for G-C Telephone Black and Gray is G-C No. 29 Lacquer Thinner (Page 5).

G-C KROME-KOAT ALUMINUM PAINT

Fast-drying, ready-mixed aluminum paint, leaves chrome-like finish. For P.A. equipment, speakers, chassis, etc.

No.		List Price
61-2	2-oz.	\$0.50
61-4	4-oz.	.75
61-8	8-oz.	1.25
61-16	16-oz.	2.00
61-32	32-oz.	3.75
61-G	1 Gallon	12.50

Standard Carton 12 Units

The proper thinner for G-C Krome Koat is G-C No. 67 Thinner (Page 5).

FELT-KOAT KITS

"Flock Finishing Kits"

Complete Flock Finish Kit for applying soft, felt-like flock to phono-turntables, cabinets, testers, panels, displays, tool chests, compartments, lamp bases, wire mesh on speakers and microphone grilles, etc. Produces heavy, soft, velvet-like coat that prevents scratching. Kit contains Flock, Special Applicator, Undercoat, Thinner and Brush. Easy to apply. Colors: Brown, Blue, Taupe, Black, White, Ivory, Red, Green, Silver and Gold. (Specify color.)

No.		List Price
180-0	DeLux Kit	\$2.50
180-1	Regular Kit	1.95

(180-1 Kit does not include Brush and Thinner)

For complete listing on Flock Materials see Page 16.



G-C SPIRIT VARNISH STAIN

The same stains that are used in our cabinet touch-up kits. A durable fast-drying varnish with the finishing stains in it. Walnut shade.

No.		List Price
161-2	2-oz.	\$0.50
161-4	4-oz.	.75
161-8	8-oz.	1.25
161-16	16-oz.	2.00
161-32	32-oz.	3.00

Standard Carton 12 Units

The proper thinner for G-C Spirit Varnish Stain is G-C No. 67 (Page 5).

G-C PENETRATING STAIN

"Spirit Type"

The stain that is used to cover scratches and nicks on Radio Cabinets, Pianos, Furniture, etc. Specially formulated to penetrate into wood. Fine for darkening the corners on cabinets. Walnut shade.

No.		List Price
162-2	2-oz.	\$0.40
162-4	4-oz.	.75
162-8	8-oz.	1.25
162-16	16-oz.	2.00

Standard Carton 12 Units

G-C PORCELAIN GLAZE

"For Refrigerators and Washers"

Easily fills in those nicks and dents in porcelain. Used on refrigerators, washing machines and all porcelain. Merely fill in the nick and smooth over.

No.		List Price
911	2-oz.	\$0.75
911-16	16-oz.	3.50

The proper thinner for G-C Porcelain Glaze is G-C No. 29 Thinner (Page 5).



G-C LUMINOUS LITE-KOAT KIT

"Glows In the Dark"
A long-life, non-poisonous luminous coating that emits light in the dark. Coating absorbs light in daytime and glows in the dark. Hundreds of uses in the laboratory, home, office, institutions, factories, etc. Ideal to coat or stripe dials, knobs, switch plates, meter boxes, key holes, panels, instruments, hallways, staircases, location of lights, etc. Makes it easier to locate in the dark. Deluxe Kit contains generous quantity of Lite-Koat Powder, Mix-Koat Top-Koat, to protect the finish, handy small brushes for applying and thinner. Complete instructions and suggestions.

- | | |
|--|---------------|
| No. | List Price |
| 184-0 DeLuxe Kit | \$2.50 |
| Contains Lite-Koat Powder, Mix-Koat Top-Koat, brushes and Thinner. | |
| 184-1 Regular Kit | 1.65 |
| Contains Lite-Koat Powder, Mix-Koat and brushes. | |

G-C LUMINOUS LITE-KOAT MATERIALS

LITE-KOAT POWDER

This material is mixed with "Mix-Koat" to give the luminous effect of "Lite-Koat".

- | | |
|----------------------|--------------------------|
| 185-1—1-oz. | List Price \$0.95 |
| 185-2—2-oz. | List Price 1.65 |
| 185-8—8-oz. | List Price 4.75 |
| 185-16—16-oz. | List Price 9.25 |

MIX-KOAT

This material is used to mix "Lite-Koat" Powder for painting on any surface.

- | | |
|----------------------|--------------------------|
| 186-2—2-oz. | List Price \$0.50 |
| 186-8—8-oz. | List Price 1.25 |
| 186-16—16-oz. | List Price 2.25 |

KOVER-KOAT

"Kover-Koat" is used to protect the painted luminous surface to give it greater durability.

- | | |
|----------------------|--------------------------|
| 187-2—2-oz. | List Price \$0.50 |
| 187-8—8-oz. | List Price 1.25 |
| 187-16—16-oz. | List Price 2.25 |

MIX-KOAT THINNER

This thinner can be used for "Mix-Koat" and "Kover-Koat" to thin when necessary.

- | | |
|----------------------|--------------------------|
| 188-2—2-oz. | List Price \$0.50 |
| 188-8—8-oz. | List Price 1.25 |
| 188-16—16-oz. | List Price 2.00 |

(Write for prices in large quantities.)



G-C RADIO DIAL OIL

Special oil for lubricating dial mechanisms. Treated with graphite to assure effective lubrication long after it is applied. You need this for the new complicated dials. It's an ideal oil for places that are not lubricated often.

- | | |
|------------------------------------|---------------|
| No. | List Price |
| 1245 4-oz. | \$0.40 |
| 1247 Lab. Size for 997 Lab. | .30 |

Standard Carton 12 Units

G-C REFRIGERATOR & APPLIANCE OIL

Here's an oil that you can use on Refrigerator Motors, Washing Machines, Lawn Mowers, Vacuum Cleaners and Appliances. Use it yourself and sell a can to your customer when repairing the appliances. An excellent oil just for the purpose.

- | | |
|-------------------|--------------------------------|
| No. | List Price |
| 1250 4-oz. | Refrigerator Oil \$0.40 |

Standard Carton 12 Units

G-C NON-STICK IRON TIP COMPOUND

"Made with Graphite"

A new development. Prevents iron tips from burning into soldering irons. Saves tips and irons. When you change the tip dip it into the compound and insert it in the iron. It will prevent sticking.

- | | |
|---------------------------|---------------|
| No. | List Price |
| 1201 2-oz. Bottle | \$0.50 |
| 1216 16-oz. Bottle | 2.75 |

Standard Carton 12 Units

G-C MICROPHONE CARBON GRANULES

Finest grade polished carbon. No ash content, so can stand high currents without burning. Enough for several double-button microphones. Three types.

- | | |
|--|---------------|
| No. | List Price |
| 1281 No. 100 Size | \$0.80 |
| Highest sensitivity, best quality reproduction, but packs easily. | |
| 1282 No. 80 Size | .80 |
| Best for general purpose work. Good quality reproduction and does not easily pack. | |
| 1283 No. 60 Size | .80 |
| Best for hard use—sound trucks, etc. | |



G-C SOLDERING PASTE

"The Best Electrical Paste on the Market"

New high quality, non-corrosive soldering paste for radio and electrical work.

- | | |
|-----------------------------------|---------------|
| No. | List Price |
| 1207 2-oz. can | \$0.25 |
| 1207-D Display 24 No. 1207 | 6.00 |

New! G-C DIAL CORD DRESSING STICK

A new, easy way to treat slipping cords on dial mechanisms. Simply rub the stick on cord and job is done! Prevents and stops slipping. Carry a stick with you and save time.

- | | |
|----------------------------|---------------|
| No. | List Price |
| 1212 Dressing Stick | \$0.25 |

- | | |
|-----------------------------------|-------------|
| 1212-D Display 36 No. 1212 | 9.00 |
|-----------------------------------|-------------|

NON-SLIP COMPOUND FOR RADIO DIALS

Powder Compound for treating friction type dial drives such as cords, cables and belts. Also can be used on V-Belts or Flat Belts on Refrigerators and Washing Machines, Stokers, Motors, etc., to prevent slipping.

- | | |
|----------------------|---------------|
| No. | List Price |
| 1210 Non-Slip | \$0.40 |

Standard Carton 12 Units

LIQUID NON-SLIP "For Radio Drive Cables and Belts"

Penetrating and fast-drying liquid dressing. Shrinks fibres, prolongs life of cables and belts and prevents slipping. This compound can also be used on larger flat belts or V-belts to prevent slipping on all types of equipment.

- | | |
|-----------------------------------|---------------|
| No. | List Price |
| 1211 1/2-oz. | \$0.25 |
| 1211-D Display 12 No. 1211 | 3.00 |
| 1215 2-oz. | .50 |

Standard Carton 12 Units



G-C RECORD LUBRICANT
"For All Phono Records"

Reduces the surface noise and prevents excessive wear on all types of records. Also saves the needle. Make your records sound better and last longer by treating them with G-C Record Lubricant regularly. Also can be used as a pre-recording lubricant.

No.		List Price
125-1	1-oz. Bottle	\$0.25
125-1-D	Display 12 No. 125-1	3.00
125-2	2-oz. Bottle	.50
125-4	4-oz. Bottle	.75
125-6	6-oz. Bottle	.90

Standard Carton 12 Bottles

G-C REK-O-DOPE
"New Recording Lubricant Compound"

A necessity when recording records. Apply Rek-O-Dope to the record before recording for best results. An all-purpose compound which cleans, lubricates and hardens the grooves on new recordings. Preserves new recordings and records and renews old records. Records treated with G-C Rek-O-Dope will give better tone and last longer.

No.		List Price
126-1	1-oz. Bottle	\$0.25
126-1-D	Display 12 No. 126-1	3.00
126-2	2-oz. Bottle	.50
126-4	4-oz. Bottle	.75
126-6	6-oz. Bottle	.90

Standard Carton 12 Bottles

G-C PHONO-TURNTABLE MOTOR & GEAR LUBRICANT

New "Sta-Put" - Recommended by Manufacturers

A new special lubricant for phonographs. Other lubricants will thin and run to the lowest point of gravity on the mechanism, but this is specially formulated so that the lubricant clings to the surface of the parts. Eliminate trouble on phono repairs by using the best. This lubricant insures long life to parts that are not lubricated often.

No.		List Price
1223	Tube	\$0.50
1223-D	Display 12 Tubes	6.00
122-2	2-oz. Bottle	.50

G-C SCRATCH REMOVER LIQUID

New type liquid! Removes scratches instantly. Simply wipe the liquid with a cloth over the scratches and they will disappear. A handy bottle to have in every Service Man's kit.

No.		List Price
917	2-oz.	\$0.40
923	1/2-oz.	.25
923-D	Display 12 No. 923	3.00

Standard Carton 12 Units



G-C FLOOR WAX
"Self-Polishing Wax"

This is a very high grade heavy duty commercial floor wax that will stand a lot of wear. Excellent for homes, stores, offices, etc. It is superior to ordinary waxes.

No.		List Price
97-G	1-Gallon Can	\$5.95

Standard Carton 6 Gallons

G-C RUBBING OIL

For rubbing down newly finished cabinets and furniture. Takes the high gloss off newly lacquered and varnished surfaces. Produces a satin-like finish.

No.		List Price
163-16	16-oz.	\$0.70
163-32	32-oz.	.95
163-G	1 Gallon	2.50

Standard Carton 12 Units

G-C FRENCH EMULSION

This is the best pad lubricant to use with the French Varnish for the French Polishing Method.

No.		List Price
164-4	4-oz.	\$0.50

G-C FRENCH VARNISH

The same material as used by craftsmen to repair furniture and blend in the repaired surfaces to match the original. Merely apply over the repaired part and it will blend into the original finish and conceal the repair. It can be padded by the French Polishing Method or it can be brushed or sprayed. It dries fast.

No.		List Price
160-2	2-oz.	\$0.50
160-4	4-oz.	.70
160-8	8-oz.	1.25
160-16	16-oz.	2.25

Standard Carton 12 Units



G-C WINDOW CLEANER CONCENTRATE
"Make Your Own Window Cleaner and Save"

Here's exactly the same compound as is used in the popular window cleaners — make your own and save. You simply add the concentrate to water and have a first-grade window cleaner. Concentrate is colored blue. Regular size bottle will make a quart of cleaner.

No.		List Price
122-5	6-oz.	\$0.50
122-G	1 Gallon	4.00

Standard Carton 12 Units

G-C TOPS SPOT CLEANER

A high-grade dry cleaner with a special applicator. The applicator is in the cap—no extra cloth needed. Non-explosive. Sell your customers for extra profits.

No.		List Price
124-2	6-oz. with Special Cap	\$0.50
124-8	8-oz. No Special Cap	.50
124-16	16-oz. No Special Cap	.75

Standard Carton 12 Units

G-C STRIP-X
"Strip Enamel from Magnet Wire"

G-C Strip-X makes it easy to work with enameled magnet wire. Simply dip the ends of wire in Strip-X and the enamel will be removed ready for soldering.

No.		List Price
26-2	2-oz.	\$0.50

(Larger Quantities—Prices on Application)

Standard Carton 12 Units

G-C SPEAKER CONE RECONDITIONER
"It Corrects that Dried-Out Cone"

Speaker cones dry out in time and lose their original mellow tone qualities. The G-C Speaker Cone Reconditioner will rejuvenate the cone and restore the original tones. Simply apply the liquid with a brush or soak the cone in G-C Reconditioner, and when dry the original plasticizer and oils will be restored to the cone. Make extra money doing this for your customers.

No.		List Price
25-8	8-oz.	\$0.85
25-16	16-oz.	1.50
25-1G	1 Gallon	5.00

Standard Carton 12 Units

G-C CABINET REPAIR KITS

General Cement leads the way in supplying the Trade with the most practical and effective Cabinet Repair Kits. All kits are specially made for Radio Men and include latest and best type finishes for repairs. They require no special skill in Cabinet Repairs to get a perfect job. All finishes are spirit soluble, and will not cut or damage the surrounding finish on the cabinet. They are easy to use and with a little practice you can make perfect patches on any cabinet. Recondition old cabinets and repair scratches and dents for extra profits. When you buy G-C Repair Kits you buy the best available for the purpose.

G-C No. 900 MASTER DELUXE CABINET REPAIR KIT

"A New, Most Complete Repair Kit"

With this Master Repair Kit all repairs can be made even for the most exacting customer. All of the essentials for a really satisfactory repair job are included in this Kit. Our new spirit stains, varnishes and enamels are included in this kit (all spirit solvent). With these new spirit type materials, repairs can be more quickly made without the danger of spoiling the finish adjoining the surface. Wood cabinets, plastic cabinets, knobs, refrigerators, appliances, etc., can be repaired with this kit. Generous quantities of all materials supplied.

Here's what you get in the Master DeLuxe Cabinet Repair Kit—the best and most complete kit on the market for every use—**THE BEST BUY!**

Metal Box
10 Shades Shellac Sticks
Spatula
Alcohol Lamp
Alcohol
Shellac Stick Rubbing Fluid
Rubbing Felt
French Varnish

French Varnish Emulsion
Walnut French Varnish
Dark Walnut Spirit Stain
Light Walnut Spirit Stain
Walnut Enamel
Ivory Enamel
White Refrigerator Enamel
General Skratck Stik

Wiping Cloth
Steel Wool
Sandpaper
Furniture Polish
Touch-Up Brush
Wood Glue
Directions

No. 900 Master DeLuxe Cabinet Repair Kit List Price \$8.95

G-C No. 901 CABINET REPAIR KIT

"A Complete Professional Kit"

Here's a kit that is second to none. It is a complete kit that will meet any emergency or do any repair job. With this kit you can repair wood cabinets, as well as plastic and bakelite cabinets, knobs, etc. On dents or nicks you can use the shellac sticks and melt them in with the spatula and alcohol lamp. On light scratches you can use the GENERAL SKRATCH STIK, or the stains. Metal Escutcheons can be touched up with this kit.

Kit comes in a handy metal box, and contains an assortment of 10 shades of shellac sticks, bottles of light and dark stain, bottle of metal shading varnish, bottle of polish, General Skratck Stik, alcohol lamp (with alcohol), spatula, touch-up brushes, steel wool, sandpaper, rubbing felt, shellac stick, rubbing fluid and wiping cloth. Everything necessary to do a practical repair job. No Special Skill is required to make perfect patches with this kit. Directions included.

No. 901 Cabinet Repair Kit List Price \$4.95

G-C No. 902 REFRIGERATOR PATCH KIT

"A Practical Kit for Porcelain and Duco Boxes"

An ideal repair kit for repairing nicks or dents on any type of Refrigerator. Kit contains everything necessary to do a perfect patch job on either a porcelain or Duco finish box. No special skill is required to use this kit. This can also be used on Washing Machines, Kitchen Ranges and other appliances. Handy Kit contains a bottle of pure white lacquel enamel, bottles of tinting colors, yellow, blue, brown and black, bottle of solvent, porcelain patch stick, spatula, steel wool, sandpaper and brushes. All put up in a metal box.

No. 902 Refrigerator Patch Kit List Price \$3.95

G-C No. 903 RADIO CABINET-REFRIGERATOR PATCH KIT

"For Filling in Deep Nicks and Scratches"

Here's a very handy complete kit of Shellac Patch Sticks that will fill almost every demand. With this kit you can patch Wood as well as the new Plastic and Bakelite Radio Cabinets and white Refrigerators. Simply heat the spatula on the alcohol lamp and melt the shellac sticks into the nicks or scratches and smooth off with fine steel wool or hot spatula. Apply a little polish and the job is done. Handy kit comes in metal box and contains 10 shellac sticks in light and dark shades of walnut, oak and black and white, alcohol lamp (with alcohol), spatula, steel wool, sandpaper, wiping cloth, scratch polish, shellac stick rubbing fluid and rubbing felt.

No. 903 Patch Kit List Price \$3.50



G-C No. 907 MASTER CABINET TOUCH-UP KIT

"The Ideal Quick Touch-Up Kit"

A high-grade, complete, fast Touch-Up Kit for repairing scratches and dents on radio cabinets and furniture. All the varnishes, enamels and stains included in this kit are made of spirit-type solvents which dry rapidly so your repairs can be quickly made. Spirit-type finishes do not cut into the finish adjoining the surface you are repairing and spoil your repair for you. Kit contains a large bottle of French Varnish, French Varnish Emulsion, Ivory, Walnut and Refrigerator Enamels, Dark Walnut Stain, Scratch Polish, Scratch Filler, Sandpaper, Steel Wool, Rubbing Cloth and directions are included in a metal box.

The best kit to take with you on the job.

No. 907 Master Touch-Up Kit

List Price \$2.95



G-C FRENCH VARNISH KIT

"A Complete Kit for French Polishing"

A kit that fills a long-felt need. The French Varnishing method is the practical way to blend repairs on finished wood surfaces with the regular finish. This kit is practical, not hard to use, and is an important addition to your present Repair Kit. Kit comes complete with a bottle of French Varnish, French Emulsion, polishing pad and complete directions for French Polishing.

No.	List Price
160-0 French Varnish Kit	\$1.25



G-C MAGIC SCRATCH REMOVER KIT

This kit is a combination of 6 shades of Scratch Crayon fillers and Light and Dark Scratch Fluid. Put up in a convenient box, it makes a handy container to carry with you and you have both items handy for an emergency job.

No.	List Price
915 Kit	\$1.25



G-C PLASTIC CABINET TOUCH-UP KIT

"For Plastic and Colored Cabinets"

A new Kit composed of six various shades of high grade lacquer enamels for touching up plastic cabinets. All colors are very brilliant and will blend with cabinets in use. Kit contains Walnut, Ivory, Black, Red, Blue and Green colors. Brushes furnished.

No.	List Price
910 Kit	\$1.25



G-C CABINET TOUCH-UP KIT

"Improved Kit"

A practical Kit for scratches and dents. Includes light and dark stains and light and dark varnish stains that dry almost immediately, brushes, wiping cloth and scratch filler.

No.	List Price
905 Kit	\$1.00



G-C CABINET REPAIR KIT MATERIALS

No.	List Price	No.	List Price
908 Porcelain Patch Stick	\$0.40	990 Rubbing Felt Pad, 3 x 4 x 1/2	.25
925 10 Asst. 2 1/4" Shellac Sticks	1.65	937 Alcohol Lamp with Alcohol	.35
992 Shellac Stick Rubbing Fluid, 2-oz.	.40	938 Pint Alcohol Lamp Fluid	.75
SANDPAPER			
900-11R 4/0 Sheet	.10	161-4 VARNISH STAIN* Walnut, 4-oz.	.75
900-12R 7/0 Sheet, very fine	.15	162-4 SPIRIT STAIN* Walnut, 4-oz.	.75
SPATULA			
936 Spatula for Shellac Sticks	.25	900-13R BRUSH Touch-Up Brush	.45
900-14R Steel Wool Pads, per box of 16	1.60		

*More Complete Listings on Shellac Sticks, Stains, Varnishes and Accessories. See Pages 9 and 14.



G-C CREME-O-WAX POLISH
"A White Non-Sfaining Polish"

The best polish for furniture, refrigerators, radio cabinets, pianos, etc. A wax base polish that dries to a hard, durable glossy finish. Polish the radio cabinets and refrigerators after every job and have better satisfied customers. You can also sell a bottle to every housewife after you show her what you use. The best polish for the purpose.

No.		List Price
95-2	2-oz.	\$0.25
95-8	8-oz.	.45
95-8-L	8-oz. Lab Size	.45
95-8-D	Display 12 8-oz.	5.40
95-16	16-oz.	.75
95-32	32-oz.	1.25
95-G	1 Gallon	4.00

Standard Carton 12 Units



G-C MAGIC SCRATCH REMOVER POLISH
Dark Shade

Something new! Polish contains the proper stains, etc., to eliminate scratches on cabinets while polishing the cabinet to a gloss! Excellent for radio cabinets, furniture and wood-work. You can sell a bottle of this on every repair job to all housewives.

No.		List Price
92-2	2-oz.	\$0.25
92-8	8-oz.	.45
92-8-L	8-oz. Lab Size	.45
92-8-D	Display 12 8-oz.	5.40
92-16	16-oz.	.75
92-32	32-oz.	1.25
92-G	1 Gallon	4.00

Standard Carton 12 Units



G-C MAGIC SCRATCH REMOVER POLISH
New! Light Shade

Light shade scratch polish for blonde maple, mahogany and all light woods. Removes scratches and makes the wood look like new. Polishes at the same time.

No.		List Price
93-2	2-oz.	\$0.25
93-8	8-oz.	.45
93-8-D	Display 12 8-oz.	5.40
93-16	16-oz.	.75
93-32	32-oz.	1.25
93-G	1 Gallon	4.00

Standard Carton 12 Units



G-C LEMON OIL POLISH

A high-grade inexpensive lemon oil polish. Polish those sets after repairing for customer good-will. It makes an excellent polish for treating dust rags, dust mats, etc. It will pick up dust and dirt.

No.		List Price
91-8	8-oz.	\$0.40
91-16	16-oz.	.55
91-G	1 Gallon	3.00

Standard Carton 12 Units




G-C AEROPLANE-TYPE LUGGAGE FABRIC

The new fabric used on all of the portable radios. Necessary to recover or repair damaged cases on portable radios, to cover and modernize test apparatus and home-built radios. The use of this product eliminates the need for expensive cases to house your instruments and is a logical covering for that worn-looking test instrument case. Gray or Brown. Specify color wanted.

No.		List Price
960	18" x 18"	\$0.75
961	36" x 18"	1.50
962	Any Length, 36" Wide, per yard	2.75

(Note: Use grille cloth cement as an adhesive for this fabric. See page 4.)



G-C LEATHERETTE INSTRUMENT FABRIC

A black or brown leatherette finish fabric for covering those small instrument cases that need recovering. Used by manufacturers as the original covering for many instruments. Renew your instruments and keep your customer sales-appeal. Black or Brown—specify color.

No.		List Price
965	18" x 16"	\$0.75
966	18" x 32"	1.50
967	Any Length, per yard	2.75

(Note: Use grille cloth cement as an adhesive for this fabric. See Page 4.)



G-C PORCELAIN PATCH STICK

Specially made for white porcelain Refrigerators, Washing Machines, Sinks, Ranges, Plumbing Fixtures, etc. Simply melt into nick and smooth off. Makes a perfect patch.

No.		List Price
908	Porcelain Patch Stick	\$0.40
908-D	Display 12 No. 908 Sticks	4.80



G-C SHELLAC STICK KIT

Handy kit of 10 assorted colors of shellac sticks to take care of all types of wood patching. Colors and shades of Walnut, Oak, Mahogany, Blonde Maple, White and Black included in this kit.

No.	List Price
925 Shellac Stick Kit	\$1.65



G-C SHELLAC STIKS

High-grade sticks for permanently filling in holes and nicks in cabinets and furniture. G-C Shellac Sticks flow freely and are easy to use. All shades are available.

No.		List Price
929	Light Walnut, 7" Stick	\$0.50
930	Dark Walnut, 7" Stick	.50
933	Black, 7" Stick	.50
934	White, 7" Stick	.50
935	Maple, 7" Stick	.50
978	Light Oak, 7" Stick	.50
979	Dark Oak, 7" Stick	.50
980	Transparent, 7" Stick	.50
981	Light Transparent, 7" Stick	.50
982	Walnut, 7" Stick	.50
983	Mahogany, 7" Stick	.50
984	Blonde Maple, 7" Stick	.50

12 Sticks to a Carton

G-C GENERAL SKRATCH STIK

"Removes Scratches"

Did you ever accidentally scratch a Radio Cabinet just when you were completing the repair job? Accidents do happen and you can avoid many embarrassing cases like this if you have in your pocket a G-C Skcratch Stik. You simply run the Skcratch Stik over the scratch, and it will vanish like magic—before your customer is the wiser—and everybody is happy. This Stik comes in a handy case so it is easy to carry with you. Makes an excellent advertising premium, as it can be supplied in gross lots with your name on the labels.

No. 909 **General Skcratch Stik** List Price \$0.35
 No. 909-D **Display of 12 Stiks** List Price 4.20

1-A SKRATCH STIK DEAL—WIRE DISPLAY FOR DEALERS

Dealers and Servicemen—Display the No. 1-A Skcratch Stik deal in your shop or store and sell Skcratch Stiks to your customers. Every home and office needs one. You can earn extra profit with this self-selling display.

No. 1-A Deal **12 Skcratch Stiks, Wire Display** List Price \$4.75

Special Dealer's Net \$2.49

(Jobber's Note—12 No. 1-A Deals to Jobber's Carton)



G-C SPARKLE GRILLE CLOTH

"Specially Made for Juke Boxes"

Now you can replace and repair old and dim grille cloths on Juke Boxes and give them that "New Original Sparkle" again. Two brilliant patterns available. This cloth can also be used on light plastic cabinets. (Indicate Pattern.)

No.		List Price
957	Pattern A Per Yard 42" Wide	\$10.00
958	Pattern B Per Yard 42" Wide	10.00

New! METAL FLOCKED GRILLE SCREEN

Very popular Grille Screen flocked with a smooth rayon velvet-like flock. This metal screen may be used on intercom systems, speakers, home radios, auto radios, small midgets, juke boxes or anywhere where a strong protective grille is necessary. It can be bent and shaped to fit odd places. It is weatherproof and can be used outdoors. Made on electro-galvanized metal screen, flocked on both sides. It can be supplied in special colors and sizes in quantities.

No.		List Price
951-1	8" x 11" Walnut Brown	\$0.70
951-3	8" x 11" Ivory	.70
951-5	8" x 11" Maroon	.70
952-1	18" x 24" Walnut Brown	2.75
952-3	18" x 24" Ivory	2.75
952-5	18" x 24" Maroon	2.75
953-1	36" x 36" Walnut Brown, per yard	6.95
953-3	36" x 36" Ivory, per yard	6.95
953-5	36" x 36" Maroon, per yard	6.95



G-C RADIO CABINET SPEAKER GRILLE CLOTH

"New Modern Beautiful Designs and Patterns"

Replace that old grille cloth and modernize those old sets. G-C grille cloth is supplied in beautiful and modern patterns to fit the design of any cabinet. The cloth is supplied in light and dark walnut shades in patterns for both small and large cabinets. It is also available in the light and ivory shades for light wood and plastic cabinets. On packaged sizes assorted patterns are supplied unless otherwise specified. On yard packages, specify shade or color and small or large pattern desired.

No.		List Price	No.		List Price
†940	18" x 20"	\$1.25	†948	6" x 6"	\$0.25
†941	9" x 18"	.58	†954	5" x 10"	.35
†942	12" x 12"	.60	949-1	1-yard Packages	5.75
†943	14" x 18"	.70	949-1R	40" Wide Cont. Length, per yard	4.95
†944	24" x 13"	.90	949-2R	50" Wide Cont. Length, per yard	5.60
†945	18" x 13"	.70	†950	Roll, 9" x 12"	.50
†946	8" x 8"	.28	950-D	Display of 8 No. 950	4.00
†947	9½" x 10"	.30			

For ivory and light wood cabinets light colored grille cloth is available at above prices. Specify "Ivory" after part number when wanted. †Add suffix "D" to part number to get display of †2.

WHAT IS FLOCK FINISHING?

Flock finishing is becoming a very popular and practical application used in many industries. It is used in the Radio Industry on phono turntables, speaker grilles, radio cabinets, for sound deadening, etc. In the home it has applications as a soft base to prevent scratching furniture, it is applied to bottoms of table lamps, vases, statues, stands, ornaments, etc. The Automotive Industry uses this in

lining compartments, making artificial upholstery, patching upholstery, etc. It is also used on displays, in jewelry boxes, silverware boxes, tool and instrument kits, filters, etc. It really has thousands of uses for many trades and industries.

With the G-C Flock Kits, Applicators and Guns you can obtain a production finish easily without any special equipment.

G-C FELT-KOAT FLOCK FINISH SPRAY KITS

"New Patented Blower Spray Gun for Flock"

The new G-C method of applying flock with the G-C patented gun. It distributes flock evenly and blows each fibre into the undercoat vertically with great power. The flock in reality "flocks to the undercoat in a heavy velvet coat." Coats of varied softness and density can be obtained by amount you apply.

You can do a professional job without any experience with the new G-C patented Blower Gun; no special skill required. You can really turn out a professional job on phono turntables, cabinets, grilles, instrument cases, tool boxes, toys, ornaments, signs and hobby uses.

Earn extra profit on refinishing turntables for Juke Boxes, Home Sets, etc. Many ornamental designs can be obtained with this new kit.

Kit Contains:

- | | | |
|-------------------------------|--------------------------|-----------------------|
| 1 Special Patented Blower Gun | 1 Can Ivory Flock | 1 Can Brown Undercoat |
| 1 Can Brown Flock | 1 Can Thinner | 1 Can Ivory Undercoat |
| | 1 Brush and Instructions | |

No. 180-2 DeLuxe Blower Kit Complete List Price \$9.50



G-C FELT-KOAT FLOCK

Genuine Rayon Flock 1/16" length fibers accurately cut, give a beautiful shiny felt or plush-like surface. This is the same material as supplied in our kits. Covers approximately 90 square feet to the pound. (Do not confuse this with the dull cotton flocks.) Colors available: Brown, Taupe, Blue, Black, White, Ivory Red, Green, Silver and Gold. (Special colors available in 100-lb. lots.)

Specify Color Wanted

No.	Specify Color Wanted	List Price
180-5	Flock, Kit size, 1 1/2-oz. Sifter Can	\$1.00
180-6	Flock, 1/2-lb. Clear Plastic Bag	2.50
180-7	Flock, 1-lb. Clear Plastic Bag	4.50

(On 25 lbs. or more of a color, prices on application.)

G-C FLOCK SIZING UNDERCOAT

This is the material that is first applied on surface to be flocked. Then flock is applied. Can be used on metal, wood, paper, etc. Covers approximately 300 square feet to gallon. Colors: Brown, Taupe, Blue, Black, White, Ivory, Red, Green, Silver and Gold.

No. (Specify Color)	List Price
180-4 4-oz.	\$1.00
180-8 8-oz.	1.75
180-16 16-oz.	2.50
180-G 1 Gal.	14.50

G-C RUBBER-BASE FLOCK SIZING UNDERCOAT

Use where flock is applied to fabrics, upholstery, etc., for a soft, pliable surface. Neutral base color. (Use Thinner Type No. 67, Page 5.)

No.	List Price
182-4 4-oz.	\$1.00
182-8 8-oz.	1.75
182-16 16-oz.	2.50

FLOCK SIZING THINNER

"Thinner for Type No. 180 Undercoat"

No.	List Price
181-4 4-oz.	\$0.40
181-8 8-oz.	.55
181-16 16-oz.	.75
181-C 1 Gallon	3.75



G-C No. 180-0 DELUXE FELT-KOAT KIT

"Flock Finishing Kit"

Complete Flock Finishing Kit for applying soft, felt-like flock to phono-turntables, cabinets, testers, panels, displays, tool chests, compartments, lamp bases, wire mesh on speakers and microphone grilles, etc. Produces heavy soft velvet-like coat that prevents scratching. Kit contains Flock, Special Applicator, Undercoat, Thinner and Brush. Easy to apply. Colors: Brown, Blue, Taupe, Black, White, Ivory, Red, Green, Silver and Gold.

No.	Specify Color Wanted	List Price
180-0	DeLuxe Kit	\$2.50

G-C No. 180-1 FELT-KOAT KIT

"For Flock Finishing"

Here's a handy, inexpensive kit for applying flock to phono turntables, cabinets, lamp bases, speaker grilles, cameras, etc. This kit is identical to the No. 180-0 Kit except it contains only flock in a special applicator can and the undercoat. Colors available: Brown, Blue, Taupe, Black, White, Ivory, Red, Green, Silver and Gold.

No.	Specify Color Wanted	List Price
180-1	Regular Kit	\$1.95

G-C FELT-KOAT SPECIAL FLOCK PATENTED BLOWER GUN

Here's an easy way to apply flock and get a professional production-like job. This gun, specially designed, distributes the flock evenly and blows each fibre into the undercoat vertically with great force, thereby giving a smooth, velvet finish. Every fibre is securely held in the undercoat. This gun can also be used for dusting and cleaning by simply attaching the pressure nozzle listed below. Will fit other blower guns also.

No.	List Price
180-3 Flock Blower Gun	\$3.95
180-4-N Nozzle Only for Dusting and Cleaning, fits above gun	.60

G-C AMO MINIATURE TUBE PULLER

"Pat. Pend."

"Prevents Tube Breakage and Burned Fingers"

Patented AMO was designed to prevent tube breakage, prevent burned fingers and to speed up production of radios using the miniature type tubes. AMO now makes it possible to easily remove or insert miniature tubes such as 6AG5, 50B5, etc. It works on the suction and vacuum principle.

Now . . . for the first time the miniature tube, which is coming into the market in ever increasing numbers, and which will in time replace most common and high frequency radio tubes, can easily be extracted or placed into their proper sockets, without the fear of breakage or burning the hands, into those hard-to-reach places, with AMO.

This wonderful new tool is simple to operate, and can reach places where fingers alone would find it difficult. To extract tubes, simply press "AMO" down on tube and lift up. Tube is then released by pressing release button. AMO will pull tubes out of the tightest sockets, where it is impossible to pull them by hand without breaking the tube. To insert tubes into hard-to-reach places, place tube in AMO holder, press into socket and release!

MADE BY G-C ONLY!

No.		List Price
5093	AMO Tube Puller	\$ 1.65
5093-D	Display of 12 No. 5093	19.80

G-C CHASS-EZ

"The New Wonder Tool for Every Service Bench"

"Pat. Pend."

A Radio Chassis Holder built by a Radio Serviceman who knows the problems of other Radio Servicemen. The very simplicity of the CHASS-EZ is its chief merit. The tubes and undersides of the Radio Chassis are held open and accessible; this allows the Serviceman more convenience in working on the intermittent set that must be set aside and played for a few hours

Here is your opportunity to do away with big, awkward holders and eliminate the necessity of using cigar boxes, bottles, etc., to hold the radio chassis. The CHASS-EZ does the job simply and easily.

The CHASS-EZ has special reversible hooks on one end to handle the flanged type chassis or to tilt the chassis back if necessary. The slide adjustment on the CHASS-EZ compensates for the chassis width and to clear any obstruction that may be on the inside edge of the chassis.

Enjoy increased income through greater efficiency and output of work. Order your CHASS-EZ now!

No. 5207	Chass-Ez	List Price \$3.65
		Dealer's Net Only \$1.95

G-C SPEDEX SPRING-MAKER

"Makes All Types of Coil Springs"



"Pat. Pend."

Here's the new G-C Spring Winder that will make any spring you need for most any emergency repair job. It is simple to operate and springs can be made very fast. Any diameter spring and any size wire can be used.

You can make any type of spring, any number of coils and any pitch desired. You can make both compression and extension springs. Simple screw adjustment will vary the pitch instantly. Spring winder fastens to any bench.

Very handy for Radio Men, Auto Mechanics, Experimenters, Engineers, Tool and Die Shops, Machine Shops, Key Shops, etc. Liberal quantity of various sizes of music wire supplied with the spring winder.

No.		Net Price
5209	Speedex Spring Winder with Asst. Spring Wire	\$9.95
5210	Replacement Kit of Asst. Sizes Music Wire	1.50



New!

PLASTIC CONTAINERS



Now all 25-ft., 50-ft. and 100-ft. spools of G-C cord are put up in non-breakable, transparent plastic containers. When cord is used up container can be used for storing parts, screws, etc.

G-C RADIO DIAL CABLES AND CORDS are accepted and approved as standard by the Radio Industry, Government and Testing Laboratories. They are manufactured of finest raw materials available under strict production and laboratory control.

All G-C Dial Cords are made of finest Nylon Braid, braided over a Spun Fibre Glass Core. They are prestretched and are chemically treated after braiding to prevent stretching, insure long life and prevent slipping. G-C Cords are the best on the market. All G-C Cords are available at leading Radio Parts Jobbers in 25, 50, 100, 500 and 1,000 foot spools.

G-C No. 75, 75-A and No. 74 Nylon Dial Cables will take care of 90% of the replacements.



The Three Most Popular Cords Being Used

G-C No. 75 STANDARD THIN NYLON CORD .028" diameter

This is the exact replacement and most popular nylon cord that is used on 95% of the latest sets manufactured. Made of finest braided Nylon over a Fibre Glass Core. It is prestretched and chemically treated. Ask for G-C Cat. No. 75 Cord.

No.	Spool	List Price
75-25	25 ft.	\$ 1.25
75-50	50 ft.	2.40
75-100	100 ft.	4.50
75-500	500 ft.	13.00
75-1000	1000 ft.	25.00
75-11	Env.	.40
75-11-D	Display 20 No. 75-11	8.00

G-C No. 75-A EXTRA THIN NYLON CORD .025" diameter

This cord is used on Motorola, RCA, GE, Sentinel, Stromberg Carlson and others. Extra thin, made of finest braided nylon, chemically treated. Ask for G-C Cat. No. 75-A Cord.

No.	Spool	List Price
75A-25	25 ft.	\$1.25
75A-50	50 ft.	2.40
75A-100	100 ft.	4.50
75A-500	500 ft.	13.00
75A-1000	1000 ft.	25.00

G-C No. 74 MEDIUM NYLON CORD .040" diameter

This cord is exactly the same as used on models of RCA, Philco, Majestic, Wells Gardner, etc. Made of finest braided Nylon over a Spun Fibre Glass Core. It is prestretched and chemically treated. Ask for G-C No. 74 Cord.

No.	Spool	List Price
74-25	25 ft.	\$1.25
74-50	50 ft.	2.40
74-100	100 ft.	4.50
74-500	500 ft.	16.00
74-1000	1000 ft.	30.00
74-11	Env.	.40
74-11-D	Display 20 No. 74-11	8.00



G-C No. 70 BRAIDED BRONZE CABLE .040" diameter

Braided Phosphor Bronze Cable made over a fibre glass core for greater strength and flexibility. Will not unravel. Ask for G-C Cat. No. 70 Cable. This cable is also used for Aircraft Reel-In Type Antenna Cable, special instruments, technical apparatus, etc.

No.	Spool	List Price
70-25	25 ft.	\$ 1.25
70-50	50 ft.	2.40
70-100	100 ft.	4.50
70-500	500 ft.	16.00
70-1000	1000 ft.	30.00
70-11*	Env.	.40

G-C No. 71 42-STRAND BRONZE CABLE .040" diameter

42-strand twisted Phosphor Bronze Cable used on Majestic, Bosch, Philco, etc. 42 fine strands braided over a fibre glass core. Very durable and flexible. Also used for Aircraft Reel-In Type Antennas, technical apparatus, instruments, etc.

No.	Spool	List Price
71-25	25 ft.	\$ 1.25
71-50	50 ft.	2.50
71-100	100 ft.	4.50
71-500	500 ft.	18.00
71-1000	1000 ft.	35.00
71-11*	Env.	.40

G-C No. 73 HEAVY NYLON CORD .062" diameter

This is a heavier cord such as used on models of Philco, Silver Marshall, Majestic, Brunswick, etc. Very strong cord and chemically treated. Ask for G-C Cat. No. 73 Cord.

No.	Spool	List Price
73-25	25 ft.	\$ 1.50
73-50	50 ft.	2.75
73-100	100 ft.	5.00
73-500	500 ft.	20.00
73-1000	1000 ft.	38.00
73-11*	Env.	.40

G-C No. 76 SPECIAL THIN BRONZE CABLE .025" diameter

Extra thin braided bronze cable such as is used on GE and RCA sets. Also used for flexible connections on speakers, cones, for pigtailed, etc. Ask for G-C Cat. No. 76 Cable.

No.	Spool	List Price
76-25	25 ft.	\$ 1.25
76-50	50 ft.	2.40
76-100	100 ft.	4.50
76-500	500 ft.	13.00
76-1000	1000 ft.	25.00
76-11*	Env.	.40

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

G-C HANDY PICK-UP TOOL "Mechanical Fingers"

One of the handiest tools you can have in your home, shop, office or farm. Truly a tool of many uses. It will pick up pieces and parts dropped into inaccessible places, will hold screws, nuts and bolts to start in hard places and will assist you in many ways. Very handy for the Radio Man, Electrician or Auto Mechanic. Housewives find this very useful in washing bottles, cleaning and polishing places hard to reach. Tool is 15" long.

No.	List Price
5089 Pick-up Tool	\$1.50

G-C SERVICEMEN'S DIAL CABLE RACKS

A new convenient way to handle Radio Dial Cables. Hang the rack on the wall and measure the cable as required. Each rack has a permanent 10-inch ruler lithographed on the attractive metal sign. Special feature of rack is that each spool winds separately without disturbing the other spools.

No. 7-A-25 CABLE DEAL RACK IS FREE

Includes rack, ruler and five 25-ft. spools each of Nos. 71, 73, 74, 75 and 76 cables.

No. 7-A-25	List Price	Dealer Net
	\$6.50	\$3.90

G-C DIAL DRIVE SPRING ASSORTMENT

Handy kits of high quality dial springs made of best grade of music wire. Six sizes of springs take care of most requirements.

No.	List Price
1054	10 Assorted \$0.40
1054-D	10 Assorted Display 20 Env. Reg. Springs 8.00
1054-S	10 Small Springs .40
1054-S-D	10 Small Springs Display 20 Env. Small Springs 8.00
1055	Kit of 25 Asst. Springs 1.10
1056	Kit of 100 Asst. Springs 4.00

(See Page 59 for individual listing of Springs)



SPECIAL APPLICATION CABLES

G-C can supply special cables for many uses and purposes. Some of these listed are used on various types of special Radio Dials, instruments, controls, drawing boards, technical apparatus, strain gauges and other special equipment.



G-C No. 73-X EXTRA HEAVY NYLON CORD .072" DIAMETER

This is heavier than our 73 cable, same as used on Philco Models, Instruments, etc. Ask for G-C Cat. No. 73-X.

No.	Spool	List Price
73X-25	25 ft.	\$ 1.50
73X-50	50 ft.	2.75
73X-100	100 ft.	5.00
73X-500	500 ft.	20.00
73X-1000	1000 ft.	38.00
73X-11	Env.	.40
73X-11-D Display		
20 No. 73X-11		8.00



G-C No. 78 WHITE BRAIDED LINEN CORD .040" DIAMETER

White braided linen cord, same as used on Emerson Models, Instruments, Drawing Boards, etc. Chemically treated, very strong and durable. Ask for G-C Cat. No. 78 Cable.

No.	Spool	List Price
78-25	25 ft.	\$ 1.25
78-50	50 ft.	2.40
78-100	100 ft.	4.50
78-500	500 ft.	13.00
78-1000	1000 ft.	25.00
78-11	Env.	.40
78-11-D Display		
20 No. 78-11		8.00



G-C No. 79 MONEL METAL CABLE .035" DIAMETER

Very strong and durable non-corrosive type cable, same as used on many models. Will not stretch or unravel. Preferred by many to the Bronze Cable. Ask for G-C Cat. No. 79 Cable.

No.	Spool	List Price
79-25	25 ft.	\$ 1.25
79-50	50 ft.	2.40
79-100	100 ft.	4.50
79-500	500 ft.	15.00
79-1000	1000 ft.	28.00



G-C No. 80 SPECIAL THIN METAL CABLE .015" DIAMETER

A strong extra thin twisted metal cable, very popular on foreign and export receivers, instruments, etc. Ask for G-C Cat. No. 80 Cable.

No.	Spool	List Price
80-25	25 ft.	\$ 1.25
80-50	50 ft.	2.40
80-100	100 ft.	4.50
80-500	500 ft.	18.00
80-1000	1000 ft.	35.00



G-C SPECIAL EXTRA THIN PHOSPHOR BRONZE CABLE .012" DIAMETER

Special thin cable made of 7 strand of .004" twisted phosphor bronze cable. Used by Army and Navy on Radio, Radar Equipment and special instruments.

No.	Spool	List Price
82-25	25 ft.	\$ 1.25
82-50	50 ft.	2.40
82-100	100 ft.	4.50
82-500	500 ft.	18.00
82-1000	1000 ft.	35.00



G-C PHOSPHOR BRONZE BELTING

This belting is required to make repairs on some of the older model sets.

For Atwater Kents
3/16" wide x .005 thick.

No.	List Price
61-25 25 ft. spool	\$ 1.50

For Brunswick
5/16" wide x .006 thick.

62-25 25 ft. spool	2.00
--------------------	------



G-C NON-SLIP COMPOUND FOR RADIO DIALS

Powder and Liquid Compound for treating friction type dial drives such as cords, cables, and belts. Also can be used on V Belts or Flat Belts on Refrigerators and Washing Machines, Stokers, Motors, etc., to prevent slipping.

No.	List Price
1210 Powder Non-Slip Compound	\$0.40
1215 2-oz. Liquid Non-Slip Compound	.50



NEW! G-C DIAL CORD DRESSING STICK

A new easy way to treat slipping cords on dial mechanisms. Simply rub the stick on cord and job is done! Prevents and stops slipping. Carry a stick with you and save time.

No.	List Price
1212 Dressing Stick	\$0.25
1212-D Display— 36 No. 1212 Sticks	9.00



G-C READY MADE DIAL CABLES

Here are a few Ready Made Cables that are still popular on some old sets. Save time in repairing these old sets with ready made cables.

No.	Make of Set and Model No.	List Price
R7	Brunswick 15, 22 Front	\$0.50
R8	Brunswick, 15, 22 Rear	.50
R9	G.E., A88, A82, A87	.50
R10	Majestic, 70, 71, 72	.50



G-C No. 77-SK DIAL CORD KIT

Kit contains four 25-ft. spools of the most popular cords. Our 75-25 Nylon, 74-25 Nylon, 76-25 Thin Bronze and 71-25, 42 Strand Braided Bronze. With this kit you can take care of most any set.

FREE assortment of Eyelets and Clamps with Kit.

No.	List Price
77-SK Cable Kit	\$4.75



G-C No. 78-SK DIAL CORD KIT

A handy combination Kit of 10 ft. lengths of all G-C dial cables. Each type in a separate envelope and all packed in a leatherette covered box.

No.	List Price
78-SK Complete Kit	\$4.65



G-C DIAL CABLE TOOL

A handy tool to aid in replacing worn out cables or cables slipped off of drums. Makes it easy to replace dial cord springs also. A necessity in cramped spaces around the dial.

No.	List Price
5096 Dial Cable Tool	\$0.75
5096-D Display of 12 Tools	9.00

STEEL BOXES
Supplied
with Kits



SINGLE BELTS Only
25¢
List Each

G-C SERVICEMEN'S DIAL BELT KITS

General Cement Belts are approved replacements for all sets. They are made of best quality material and will not stretch. They are specially treated to prevent slipping. They are the best. Sizes available for all sets. They are easy to install as they are made to fit. No adjustments necessary.

G-C SERVICEMEN'S KITS

Servicemen! Have an assortment of belts on hand for prompt replacement. Kits contain only the more popular belts used. KIT INCLUDES ATTRACTIVE STEEL BOX—BELT SCALE AND COMPLETE LISTING OF OVER 1100 MODELS.

- | | | |
|--------------|----------------------------------|------------|
| No. | | List Price |
| G- 25 | Kit of 25 popular belts | \$ 6.70 |
| G- 50 | Kit of 50 popular belts | 13.40 |
| G-100 | Kit of 100 (includes every size) | 25.00 |
| G-200 | Kit of 200, assorted | 50.00 |
| G-300 | Kit of 300, assorted | 75.00 |

G-C Belts are the same type as used by manufacturers on the best sets.
EACH BELT List Price \$0.25

INSTRUCTIONS — FOR MEASURING BELTS

To determine size of belt, if the old belt is available, cut the belt and measure for stretched-out length. This will be "cut length" of belt. If old belt is not available or is worn out so that it cannot be properly measured, stretch a thin thread around belt pulleys on set. (Be sure to use thin thread as a thick cord will give an inaccurate reading.)

Measure the thread, it will be our "circumference around pulleys." In measuring belts always remember that the circumference around pulleys is not the same as stretched out or cut length. A belt when cut, develops approximately 3/16" extra length when stretched out, depending on thickness of belt.

G - C RADIO BELT SPECIFICATIONS

LISTED AS PER BELT NO.

LISTED AS PER BELT SIZE

G-C Belt No.	Circumference Around Pulleys	Cut Length	G-C Belt No.	Circumference Around Pulleys	Cut Length	Circumference Around Pulleys	Cut Length	G-C Belt No.	Circumference Around Pulleys	Cut Length	G-C Belt No.
101	6-23/32"	6-29/32"	148	14-33/64"	14-3/4"	6-23/32"	6-29/32"	101	11"	11-3/16"	135
102	6-57/64"	7-5/64"	149	15-1/64"	15-13/64"	6-55/64"	7-3/64"	102	11-5/64"	11-17/64"	130
103	7-15/32"	7-21/32"	150	15-61/64"	16-9/64"	6-57/64"	7-5/64"	103	11-9/64"	11-21/64"	131
104	8-1/64"	8-13/64"	151	14-57/64"	15-5/64"	6-15/16"	7-1/8"	104	11-5/32"	11-15/32"	137
105	7-1/2"	7-11/16"	152	10-1/2"	10-11/16"	7-1/64"	7-13/64"	105	11-3/16"	11-3/8"	171
106	7-1/4"	7-7/16"	153	8-39/64"	8-51/64"	7-9/32"	7-7/16"	106	11-9/32"x	11-5/32"x	131W
107	7-11/16"	7-7/8"	154	12-1/32"	12-7/32"	7-13/32"	7-19/32"	107	11-3/8"	11-9/16"	134
108	8-21/32"	8-27/32"	155	7-35/64"	7-23/32"	7-13/32"	7-21/32"	108	11-25/64"	11-37/64"	136
109	8-1/2"	8-11/16"	156	7-9/32"	7-15/32"	7-1/2"	7-11/16"	109	11-7/16"	11-5/8"	173
110	8-25/64"	8-37/64"	157	7-1/64"	7-13/64"	7-35/64"	7-23/32"	110	11-21/32"	11-27/32"	194
111	7-15/16"	8-1/8"	158	6-15/16"	7-1/8"	7-11/16"	7-7/8"	111	11-3/4"	11-15/16"	141
112	8-43/64"	8-55/64"	159	8-1/32"	8-7/32"	7-3/4"	7-15/16"	112	11-3/16"	12"	143
113	8-3/32"	8-9/32"	160	8-11/16"	8-7/8"	7-15/16"	8-1/8"	113	12"	12-3/16"	134
114	8-15/64"	8-27/64"	161	6-55/64"	7-3/64"	8-1/64"	8-13/64"	114	12-1/32"	12-7/32"	158
115	9-13/64"	9-25/64"	162	8-13/64"	8-25/64"	8-1/32"	8-7/32"	115	12-3/32"	12-1/4"	142
116	9-5/16"	9-1/2"	163	9-19/64"	9-31/64"	8-3/32"	8-9/32"	116	12-7/32"	12-13/32"	140
117	9-1/16"	9-1/4"	164	10-1/4"	10-7/16"	8-3/16"	8-3/8"	117	straight belt	12-7/16" str. belt	193
118	10-23/64"	10-35/64"	165	17-1/16"	17-1/4"	8-13/64"	8-25/64"	118	12-9/32"	12-15/32"	139
119	9-17/32"	9-23/32"	166	19-7/16"	19-5/8"	8-15/64"	8-27/64"	119	12-15/32"	12-21/32"	144
120	10-45/64"	10-57/64"	167	8-13/16"	9"	8-25/64"	8-37/64"	120	12-1/2"	12-11/16"	178
121	10-11/16"	10-7/8"	168	12-13/16"	13"	8-1/2"	8-11/16"	121	12-39/64"	12-51/64"	145
122	10-3/8"	10-9/16"	169	17-13/32"	17-19/32"	8-39/64"	8-51/64"	122	12-13/16"	13"	168
123	9-7/8"	10-1/16"	170	16-19/64"	16-31/64"	8-21/32"	8-27/32"	123	13-3/16"	13-3/8"	146
124	10-17/64"	10-29/64"	171	11-3/16"	11-3/8"	8-43/64"	8-55/64"	124	14-7/32"	14-13/32"	186
125	10-25/64"	10-37/64"	172	8-3/16"	8-3/8"	8-11/16"	8-7/8"	125	14-27/64"	14-39/64"	147
126	10-1/16"	10-1/4"	173	11-7/16"	11-5/8"	8-13/16"	9"	126	14-33/64"	14-3/4"	148
127	9-59/64"	10-7/64"	174	7-3/4"	7-15/16"	9-1/16"	9-1/4"	127	14-57/64"	15-5/64"	151
128	10-19/64"	10-31/64"	175	21-5/16"	21-1/2"	9-13/64"	9-25/64"	128	15-1/64"	15-13/64"	149
129	10-41/64"	10-53/64"	176	22-35/64"	22-47/64"	9-19/64"	9-31/64"	129	15-17/64"	15-29/64"	187
130	11-5/64"	11-17/64"	177	7-13/32"	7-19/32"	9-5/16"	9-1/2"	130	15-7/16"	15-5/8"	183
131	11-9/64"	11-21/64"	178	12-1/2"	12-11/16"	9-17/32"	9-23/32"	131	15-13/16"	16"	182
131W	11-9/32"	11-15/32"	179	17-37/64"	17-49/64"	9-7/8"	10-1/16"	131W	straight belt	16" str. belt	192
132	10-31/32"	11-5/32"	180	10-27/32"	11-1/32"	9-59/64"	10-7/64"	132	15-61/64"	16-9/64"	150
133	10-61/64"	11-9/64"	181	18-9/16"	18-3/4"	10-1/16"	10-1/4"	133	16-19/64"	16-31/64"	170
134	11-3/8"	11-9/16"	182	15-13/16"	16"	10-1/16"	10-7/16"	134	16-27/64"	16-39/64"	184
135	11"	11-3/16"	183	15-7/16"	15-5/8"	10-17/64"	10-29/64"	135	16-15/16"	17-1/8"	185
136	11-25/64"	11-37/64"	184	16-27/64"	16-39/64"	10-19/64"	10-31/64"	136	17-1/16"	17-1/4"	165
137	11-5/32"	11-15/32"	185	16-15/16"	17-1/8"	10-23/64"	10-35/64"	137	17-13/32"	17-19/32"	169
138	12"	12-3/16"	186	14-7/32"	14-13/32"	10-3/8"	10-9/16"	138	17-37/64"	17-49/64"	179
139	12-9/32"	12-15/32"	187	15-17/64"	15-29/64"	10-25/64"	10-37/64"	139	17-5/8"	17-13/16"	190
140	12-7/32"	12-13/32"	188	19-47/64"	19-59/64"	10-1/2"	10-11/16"	140	18-1/2"	18-11/16"	189
141	11-3/4"	11-15/16"	189	18-1/2"	18-11/16"	10-41/64"	10-53/64"	141	18-9/16"	18-3/4"	181
142	12-3/32"	12-1/4"	190	17-5/8"	17-13/16"	10-11/16"	10-7/8"	142	19-7/16"	19-5/8"	166
143	11-13/16"	12"	191	22-49/64"	22-61/64"	10-45/64"	10-57/64"	143	19-47/64"	19-59/64"	188
144	12-15/32"	12-21/32"	192	straight belt	16"	10-27/32"	11-1/32"	144	21-5/16"	21-1/2"	175
145	12-39/64"	12-51/64"	193	straight belt	12-7/16"	10-61/64"	11-9/64"	145	22-35/64"	22-47/64"	176
146	13-1/2"	13-11/16"	194	11-21/32"	11-27/32"	10-31/32"	11-5/32"	146	22-19/64"	22-61/64"	191
147	14-27/64"	14-39/64"									

IT PAYS TO BUY G-C RADIO DIAL BELTS

Millions of G-C Belts in use as original equipment and as exact replacements. G-C Belts are used by Leading Radio Manufacturers on original equipment.

- Accurately Made
- Uniform Construction
- No Stretch
- No Slips
- No Humps
- No Weak Joints
- Best Rubber
- Pliable
- Stronger
- Weather Resisting
- Last Longer
- Original Belt Equipment
- Exact Replacements
- Up-to-Date Listings
- Tailor-Made Kits*
- Guaranteed

*Buy a G-C Tailor-Made Dial Belt Kit made up of your exact territorial belt requirements. Sold only through your Jobber. Same price as belt kit listed above.

(The attractive Self-Serve Belt Display pictured at the right is for your convenience in purchasing G-C belts from your distributor. Buy your belts from the G-C Self-Serve Display to get accurately made, trouble-free, and guaranteed belts.)





GENERAL CEMENT

Dial Belt Replacement Guide

Model No.	G-C Belt No.	Cut Length	Model No.	G-C Belt No.	Cut Length	Model No.	G-C Belt No.	Cut Length	Model No.	G-C Belt No.	Cut Length	Model No.	G-C Belt No.	Cut Length	Model No.	G-C Belt No.	Cut Length
ACRATEST			AIRLINE (Cont'd)			BELMONT (Cont'd)			CROSLY (Cont'd)			EMERSON (Cont'd)			EMERSON (Cont'd)		
248H	108	8-27/32"	62-251	123	10-1/16"	1174	107	7-7/8"	1227	158	7-1/8"	AA131	103	7-21/32"	C139	118	10-35/64"
248W	108	8-27/32"	62-253	123	10-1/16"	112-125	126	10-1/4"	<i>Manual Tuning</i>			AB178	118	10-35/64"	C140	118	10-35/64"
30C	109	8-11/16"	62-255	123	10-1/16"	112-176	107	7-7/8"	<i>Models</i>			AB182	118	10-35/64"	C142	118	10-35/64"
31C	109	8-11/16"	62-257	123	10-1/16"	112-194	153	8-51/64"	<i>Electric Tuning</i>			AB183	118	10-35/64"	D5	118	10-35/64"
AM29C	109	8-11/16"	62-259	192	16"	BOSCH			CROWE MFG CO.			AB184	118	10-35/64"	D134	118	10-35/64"
AM79H	109	8-11/16"	62-301	159	8-7/32"	660	129	10-53/64"	3187	167	9"	AC130	104	8-13/64"	D136	118	10-35/64"
AM111G	109	8-11/16"	62-301X	159	8-7/32"	670	115	9-25/64"	3489	129	10-53/64"	AC149	104	8-13/64"	D138	118	10-35/64"
ADMIRAL			62-303	131W	11-15/32"	670C	115	9-25/64"	3594	187	15-29/64"	AC168	104	8-13/64"	D139	118	10-35/64"
<i>Straight Face Chassis</i>			62-307	123	10-1/16"	670S	115	9-25/64"	3631	101	6-29/32"	AC202	104	8-13/64"	D140	118	10-35/64"
AM3	139	12-15/32"	62-309	131W	11-15/32"	678	115	9-25/64"	7457	117	9-1/4"	AE163	114	8-27/64"	D142	118	10-35/64"
AM3-86-57	139	12-15/32"	62-316	123	10-1/16"	680	115	9-25/64"	7878	110	8-37/64"	AF171	106	7-7/16"	D146	118	10-35/64"
AM4	139	12-15/32"	62-317	123	10-1/16"	CAMDEN			7879	102	7-5/64"	AF173	106	7-7/16"	P117	103	7-21/32"
AM4-58	139	12-15/32"	62-318	192	16"	CAPEHART			9824	107	7-7/8"	AF179	106	7-7/16"	F122	103	7-21/32"
AM5	139	12-15/32"	62-328	123	10-1/16"	CASE			9905	114	8-27/64"	AF180	106	7-7/16"	F133	103	7-21/32"
AM6	139	12-15/32"	62-338	123	10-1/16"	701	178	12-11/16"	10305	154	12-7/32"	AF185	106	7-7/16"	F135	103	7-21/32"
AM6-86-57	139	12-15/32"	62-358	184	16-39/64"	801	178	12-11/16"	10565	105	7-11/16"	AG151	118	10-35/64"	F141	103	7-21/32"
AM7	139	12-15/32"	62-368	184	16-39/64"	802	178	12-11/16"	11117	144	12-21/32"	AH162	106	7-7/16"	G4	103	7-21/32"
AM7-86	139	12-15/32"	62-407	123	10-1/16"	1001	178	12-11/16"	11165	116	9-1/2"	AH165	156	7-15/32"	G127	103	7-21/32"
AM8	139	12-15/32"	62-408	192	16"	1101	178	12-11/16"	11175	107	7-7/8"	AH166	106	7-7/16"	H5	104	8-13/64"
AM8-59	139	12-15/32"	62-409	192	16"	1102	178	12-11/16"	12704	188	19-59/64"	AH171	106	7-7/16"	H5L	104	8-13/64"
<i>Tilt Face Chassis</i>			62-416	123	10-1/16"	165ME	178	12-11/16"	13628	119	9-23/32"	AH173	106	7-7/16"	H130	104	8-13/64"
AM3	138	12-3/16"	62-418	192	16"	19A	178	12-11/16"	13636	123	10-1/16"	AH174	106	7-7/16"	H137	104	8-13/64"
AM3-87-88	138	12-3/16"	62-428	123	10-1/16"	19RSME	178	12-11/16"	13755	190	17-13/16"	AH176	106	7-7/16"	J106	161	7-3/64"
AM4	138	12-3/16"	62-430	123	10-1/16"	27SME	178	12-11/16"	13762	191	22-61/64"	AH179	156	7-15/32"	K106	102	7-3/32"
AM4-88	138	12-3/16"	62-448	184	16-39/64"	27ORSME	178	12-11/16"	13841	189	18-11/16"	AH180	106	7-7/16"	K116	102	7-5/64"
AM5	138	12-3/16"	62-458	184	16-39/64"	CORONADO			14039	152	10-11/16"	AH185	106	7-7/16"	K121	102	7-5/64"
AM6	138	12-3/16"	AIRMASTER			(Gamble Skogmo, Inc.)			DE JUR AMSCO			AH185	106	7-7/16"	K123	102	7-5/64"
AM6-86-57	138	12-3/16"	<i>All Models</i>			<i>ODM</i>			<i>10-608</i>			AJ130	104	8-13/64"	LAC4	103	7-21/32"
AM7	138	12-3/16"	<i>ARVIN</i>			<i>ODM-578</i>			<i>10-609</i>			AJ149	104	8-13/64"	LAC5	103	7-21/32"
AM7-87	138	12-3/16"	<i>617</i>			<i>WG</i>			<i>155</i>			AL130	104	8-13/64"	L117	103	7-21/32"
AM8	138	12-3/16"	<i>617B</i>			<i>457</i>			<i>163</i>			AL132	104	8-13/64"	L117LW	106	7-7/16"
AM8-89	138	12-3/16"	<i>618B</i>			<i>516</i>			<i>163</i>			AL149	104	8-13/64"	L122	103	7-21/32"
F3	139	12-15/32"	<i>627</i>			<i>1170</i>			<i>164</i>			AL164	104	8-13/64"	L122LW	106	7-7/16"
8K	170	16-31/64"	<i>627B</i>			<i>118</i>			<i>165</i>			AL168	104	8-13/64"	L133	103	7-21/32"
8KU	170	16-31/64"	<i>628B</i>			<i>552</i>			<i>165</i>			AL202	104	8-13/64"	L133LW	106	7-7/16"
8T	170	16-31/64"	<i>927</i>			<i>650A</i>			<i>1102</i>			ALLW130	156	7-15/32"	L135	103	7-21/32"
8TU	170	16-31/64"	<i>1127</i>			<i>686</i>			<i>552</i>			ALLW132	156	7-15/32"	L135LW	106	7-7/16"
9G	169	17-19/32"	<i>1237</i>			<i>740</i>			<i>1102</i>			ALLW149	156	7-15/32"	L137	103	7-21/32"
11-A	169	17-19/32"	<i>1237D</i>			<i>770</i>			<i>1102</i>			ALLW168	156	7-15/32"	L141	103	7-21/32"
11-5	169	17-19/32"	<i>1247</i>			<i>778</i>			<i>1102</i>			AM131	103	7-21/32"	L141LW	106	7-7/16"
14-5	169	17-19/32"	<i>1247A</i>			<i>787</i>			<i>1102</i>			AA	103	7-21/32"	L143	103	7-21/32"
16R	169	17-19/32"	<i>1247D</i>			<i>810</i>			<i>1102</i>			AA	103	7-21/32"	L143W	103	7-21/32"
16S	169	17-19/32"	<i>1427</i>			<i>822</i>			<i>1102</i>			AB	118	10-35/64"	L150	103	7-21/32"
16V	169	17-19/32"	<i>1427D</i>			<i>850B</i>			<i>1102</i>			AC	104	8-13/64"	M134	118	10-35/64"
86	139	12-15/32"	<i>Port No.</i>			<i>22CMS76</i>			<i>1102</i>			AE	114	8-27/64"	M136	118	10-35/64"
139-11A	169	17-19/32"	<i>28-13838</i>			<i>26FMS52</i>			<i>1102</i>			AF	106	7-7/16"	M139	118	10-35/64"
140-165	169	17-19/32"	<i>28-15647</i>			<i>8X35</i>			<i>1102</i>			AG	118	10-35/64"	M140	118	10-35/64"
144-11A	169	17-19/32"	<i>556</i>			<i>8X36</i>			<i>1102</i>			AH	106	7-7/16"	M142	118	10-35/64"
144-165	169	17-19/32"	<i>685</i>			<i>17447</i>			<i>1102</i>			AJ	104	8-13/64"	M146	118	10-35/64"
AIRLINE			BELMONT			CROSLY			EMERSON			AP	156	7-15/32"	P117	174	7-15/16"
<i>(Montgomery Ward)</i>			<i>556</i>			<i>636</i>			<i>A</i>			AP	156	7-15/32"	S7	159	8-7/32"
62-179	163	9-31/64"	<i>685</i>			<i>726</i>			<i>AA</i>			AP	156	7-15/32"	S50	159	8-7/32"
62-180	163	9-31/64"	<i>686</i>			<i>816</i>			<i>AB</i>			AP	156	7-15/32"	S134	162	8-25/64"
62-182	163	9-31/64"	<i>746A</i>			<i>916</i>			<i>AB</i>			AP	156	7-15/32"	S138	162	8-25/64"
62-185	163	9-31/64"	<i>770</i>			<i>1016</i>			<i>AC</i>			AP	156	7-15/32"	S139	162	8-25/64"
62-187	163	9-31/64"	<i>778</i>			<i>1126</i>			<i>AC</i>			AP	156	7-15/32"	S140	162	8-25/64"
62-190	163	9-31/64"	<i>786</i>			<i>1155</i>			<i>AF</i>			AP	156	7-15/32"	S147	159	8-7/32"
62-192	164	10-7/16"	<i>787</i>			<i>1216</i>			<i>AG</i>			AP	156	7-15/32"	X146	118	10-35/64"
62-194	163	9-31/64"	<i>822</i>			<i>1316</i>			<i>AH</i>			AP	156	7-15/32"	X175	118	10-35/64"
62-195	164	10-7/16"	<i>845A</i>			<i>1336</i>			<i>AM</i>			AP	156	7-15/32"	X178	118	10-35/64"
62-196	163	9-31/64"	<i>878</i>			<i>1516</i>			<i>AM</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-197	164	10-7/16"	<i>878A</i>			<i>1517</i>			<i>AP</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-206	163	9-31/64"	<i>878B</i>			<i>1517</i>			<i>AR</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-207	163	9-31/64"	<i>878C</i>			<i>1517</i>			<i>AS</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-209	163	9-31/64"	<i>878D</i>			<i>1517</i>			<i>AS</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-215	119	9-23/32"	<i>879</i>			<i>1517</i>			<i>AV</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-216	163	9-31/64"	<i>947</i>			<i>1517</i>			<i>B</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-218	163	9-31/64"	<i>1070</i>			<i>1517</i>			<i>BF</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-220	163	9-31/64"	<i>1070B</i>			<i>1517</i>			<i>C</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-221	163	9-31/64"	<i>1070B</i>			<i>1517</i>			<i>D</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-222	163	9-31/64"	<i>1070B</i>			<i>1517</i>			<i>F</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-226	192	16"	<i>1070B</i>			<i>1517</i>			<i>G</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-228	192	16"	<i>1070B</i>			<i>1517</i>			<i>H</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-249	163	9-31/64"	<i>1070B</i>			<i>1517</i>			<i>J</i>			AP	156	7-15/32"	X183	118	10-35/64"
62-250	192	16"	<i>1070B</i>			<i>1517</i>			<i>K</i>			AP	156	7-15/32"	X183	118	10-35/64"
			<i>1070B</i>			<i>1517</i>			<i>L</i>			AP	156	7-15/32"	X183	118	10-35/64"
			<i>1070B</</i>														

Model No.	G-C Belt No.	Cut Length
FADA (Cont'd)		
192	109	8-11/16"
193	109	8-11/16"
211	130	11-17/64"
212	138	12-3/16"
216	138	12-3/16"
220	130	11-17/64"
270	110	8-37/64"
271	110	8-37/64"
290	130	11-17/64"
291	130	11-17/64"
311	130	11-17/64"
312	138	12-3/16"
316	138	12-3/16"
FAIRBANKS-MORSE		
GA	143	12"
5C	143	12"
5D	143	12"
6A	143	12"
6C	143	12"
7D	168	13"
8A	168	13"
58	173	11-5/8"
72	173	11-5/8"
73	173	11-5/8"
82	109	8-11/16"
90	109	8-11/16"
91	140	12-13/32"
100	109	8-11/16"
110	109	8-11/16"
120	140	12-13/32"
FIDELITONE		
7GM-8	116	9-1/2"
GAROD		
370	119	9-23/32"
370A	119	9-23/32"
371	119	9-23/32"
380	124	10-29/64"
381	129	10-53/64"
731	119	9-23/32"
731A	119	9-23/32"
803E	164	10-7/16"
830	119	9-23/32"
830A	119	9-23/32"
831	119	9-23/32"
831A	119	9-23/32"
<i>Manual Tuning Models</i>		
309	187	15-29/64"
903	187	15-29/64"
930	119	9-23/32"
930A	119	9-23/32"
1203	187	15-29/64"
1204	187	15-29/64"
1240	120	10-57/64"
1240A	120	10-57/64"
1603	187	15-29/64"
1604	187	15-29/64"
1650	120	10-57/64"
1650A	120	10-57/64"
3012	187	15-29/64"
3016	187	15-29/64"
4012	187	15-29/64"
4016	187	15-29/64"
4110	120	10-57/64"
4560	120	10-57/64"
5140	120	10-57/64"
5240	120	10-57/64"
6250	121	10-7/8"
6385	182	16"
<i>Automatic Tuning Models</i>		
309	170	16-31/64"
903	170	16-31/64"
1203	170	16-31/64"
1204	170	16-31/64"
1603	170	16-31/64"

Model No.	G-C Belt No.	Cut Length
GAROD (Cont'd)		
1604	170	16-31/64"
3012	170	16-31/64"
3016	170	16-31/64"
4012	170	16-31/64"
4016	170	16-31/64"
GENERAL ELECTRIC		
F107	174	7-15/16"
F109	174	7-15/16"
F135	174	7-15/16"
GILFILLAN		
58X	164	10-7/16"
GOODYEAR		
1070	126	10-1/4"
1173	153	8-51/64"
1174	107	7-7/8"
112-125	126	10-1/4"
112-176	107	7-7/8"
112-194	153	8-51/64"
GRUNOW		
573	131	11-21/64"
631	131	11-21/64"
643	131	11-21/64"
711	131	11-21/64"
723	131	11-21/64"
731	131	11-21/64"
733	131	11-21/64"
735	131	11-21/64"
823	132	11-5/32"
831	132	11-5/32"
833	132	11-5/32"
835	132	11-5/32"
941	132	11-5/32"
1191, 11G	145	12-51/64"
1192, 11918	145	12-51/64"
1198	144	12-5/8"
1201	149	15-13/64"
HALLICRAFTERS		
5T	117	9-1/4"
5PA	117	9-1/4"
514	119	9-23/32"
HOWARD		
450	180	11-1/32"
518	141	11-15/16"
520	141	11-15/16"
565	141	11-15/16"
568	141	11-15/16"
568R	141	11-15/16"
575	141	11-15/16"
580	141	11-15/16"
585	141	11-15/16"
718APC	141	11-15/16"
718C	141	11-15/16"
718FM	141	11-15/16"
KEYSTONE		
C-8 Proj.	168	13"
R-8 Proj.	150	16-9/64"
KINGSTON		
17447	147	14-39/64"
17514	104	8-13/64"
17628	102	7-5/64"
17676	132	11-5/32"
KNIGHT		
11A	169	17-19/32"
115	179	17-49/64"
16R	179	17-49/64"
16S	169	17-19/32"
A9788	144	12-21/32"
A9789	144	12-21/32"
A9830	126	10-1/4"
A9831	126	10-1/4"
A9852	144	12-21/32"
A9853	144	12-21/32"
A9854	144	12-21/32"
810510	170	16-31/64"
810511	170	16-31/64"

Model No.	G-C Belt No.	Cut Length
KNIGHT (Cont'd)		
810512	170	16-31/64"
810515	170	16-31/64"
810516	170	16-31/64"
810517	170	16-31/64"
810518	170	16-31/64"
810520	179	17-49/64"
810521	179	17-49/64"
810522	179	17-49/64"
810523	179	17-49/64"
810525	179	17-49/64"
810526	179	17-49/64"
810537	179	17-49/64"
810538	179	17-49/64"
810539	179	17-49/64"
810540	170	16-31/64"
810541	170	16-31/64"
810542	170	16-31/64"
810760	179	17-49/64"
810761	179	17-49/64"
810762	179	17-49/64"
810765	179	17-49/64"
810766	179	17-49/64"
810767	179	17-49/64"
D10773	170	16-31/64"
E10744	169	17-19/32"
E10745	169	17-19/32"
E10850	169	17-19/32"
E10851	169	17-19/32"
E10880	169	17-19/32"
E10881	169	17-19/32"
H9791	126	10-1/4"
H9792	126	10-1/4"
H9795	126	10-1/4"
LAFAYETTE		
B15	115	9-25/64"
822	115	9-25/64"
830	123	10-1/16"
835	115	9-25/64"
C46	121	10-7/8"
C47	121	10-7/8"
C61	121	10-7/8"
C62	121	10-7/8"
C64	121	10-7/8"
M83	139	12-15/32"
M84	139	12-15/32"
M85	139	12-15/32"
M86	139	12-15/32"
McMURDO SILVER		
All Models	117	9-1/4"
MAJESTIC		
65-new	161	7-3/64"
65-old	177	7-19/32"
66-new	161	7-3/64"
66-old	177	7-19/32"
75-new	161	7-3/64"
75-old	177	7-19/32"
76-new	161	7-3/64"
76-old	177	7-19/32"
85-new	161	7-3/64"
85-old	177	7-19/32"
86-new	161	7-3/64"
86-old	177	7-19/32"
650-new	161	7-3/64"
650-old	177	7-19/32"
750-new	161	7-3/64"
750-old	177	7-19/32"
850-new	160	8-7/8"
850-old	109	8-11/16"
1050-new	160	8-7/8"
1050-old	109	8-11/16"
1056-new	176	22-47/64"
1056-old	175	21-1/2"
1058-new	160	8-7/8"
1058-old	175	21-1/2"
1250-new	160	8-7/8"

Model No.	G-C Belt No.	Cut Length
MAJESTIC (Cont'd)		
1250-old	109	8-11/16"
1356-new	176	22-47/64"
1356-old	175	21-1/2"
1656-new	176	22-47/64"
1656-old	175	21-1/2"
<i>With Pulley Idler</i>		
1056	176	22-47/64"
1058	176	22-47/64"
1356	176	22-47/64"
1656	176	22-47/64"
7182-old	106	7-15/32"
17182-new	106	8-7/8"
17182-old	106	7-7/16"
17203	161	7-3/64"
NORTH ELECT.		
Type One	117	9-1/4"
Other Nos.	152	10-11/16"
PHILCO		
54-7194	121	10-7/8"
R. C. A.		
SQ1	111	8-1/8"
SQ2	111	8-1/8"
SQ4	111	8-1/8"
SQ2X	111	8-1/8"
858K	131	11-21/64"
858T	131	11-21/64"
858T6	177	7-19/32"
85E	122	10-9/16"
85K	177	7-19/32"
85K1	126	10-1/4"
85T	112	8-55/64"
85T1	177	7-19/32"
85T2	113	8-9/32"
85T5	111	8-1/8"
85T8	111	8-1/8"
85T9	126	10-1/4"
868K	131	11-21/64"
868T	131	11-21/64"
86E	140	12-13/32"
86K	140	12-13/32"
86K2	111	8-1/8"
86K7	140	12-13/32"
86T	131	11-21/64"
86T1	131	11-21/64"
86T2	111	8-1/8"
86T3	111	8-1/8"
86T4	131	11-21/64"
86T6	111	8-1/8"
86X	177	7-19/32"
86X4	177	7-19/32"
87EY	131	11-21/64"
87K	140	12-13/32"
87K1	140	12-13/32"
87K2	140	12-13/32"
87T	131	11-21/64"
87T1	111	8-1/8"
87T2	140	12-13/32"
87T7	111	8-1/8"
87X	131	11-21/64"
87Y	131	11-21/64"
88K	140	12-13/32"
88U	140	12-13/32"
88U2	140	12-13/32"
88W	140	12-13/32"
95FT	111	8-1/8"
153	154	12-7/32"
153 Osc.	140	12-13/32"
325C	174	8"
501	174	8"
502	174	8"
502X	174	8"
504	174	8"
810K	140	12-13/32"
810K1	140	12-13/32"

Model No.	G-C Belt No.	Cut Length
R. C. A. (Cont'd)		
810T	140	12-13/32"
810T4	140	12-13/32"
812X	138	12-3/16"
ACR-111	116	9-1/2"
RC278A	112	8-55/64"
RC289A	131	11-21/64"
RC290A	140	12-13/32"
RC294	112	8-55/64"
RC2948	112	8-55/64"
RC314	122	10-9/16"
RC314C	113	8-9/32"
RC3158	111	8-1/8"
RC315C	111	8-1/8"
RC3198	140	12-13/32"
RC325	111	8-1/8"
RC325D	111	8-1/8"
RC326	151	15-5/64"
RC327	184	16-39/64"
RC328	141	11-15/16"
RC366	111	8-1/8"
U101	177	7-19/32"
U102E	122	10-9/16"
U103	177	7-19/32"
U105	140	12-13/32"
U106	140	12-13/32"
U107	140	12-13/32"
U813	140	12-13/32"
30461	129	10-53/64"
31527	115	9-25/64"
RADIO PRODUCTS		
10305*CO	154	12-7/32"
11117*CO	144	12-21/32"
13755*CO	190	17-13/16"
13762*CO	191	22-61/64"
SCOTT		
Type One	119	9-23/32"
Type Two	152	10-11/16"
SENTINAL		
47-A	164	10-7/16"
SILVER MARSHALL		
846	130	11-17/64"
1731	130	11-17/64"
SILVERTONE		
<i>(Seats Roebuck)</i>		
1930	114	8-27/64"
1940	114	8-27/64"
1941	145	12-51/64"
1956	114	8-27/64"
1970	114	8-27/64"
1970A	114	8-27/64"
1978	110	8-5/8"
1981	145	12-51/64"
1981C	145	12-51/64"
1710	145	12-51/64"
1710A	145	12-51/64"
7221	115	9-25/64"
7340	145	12-51/64"
12645		



Model No.	G-C Belt No.	Cut Length	Model No.	G-C Belt No.	Cut Length	Model No.	G-C Belt No.	Cut Length	Model No.	G-C Belt No.	Cut Length	Model No.	G-C Belt No.	Cut Length	Model No.	G-C Belt No.	Cut Length			
SPARTON (Cont'd)			ZENITH (Cont'd)			ZENITH (Cont'd)			ZENITH (Cont'd)			ZENITH (Cont'd)			CHASSIS NOS. (Cont'd)					
1288P	134	11-9/16"	55151	117	9-1/4"	75258	*D. 168...13"	105492	117	9-1/4"	150246	*D. 168...13"	12A2	138	12-3/16"	12A3	138	12-3/16"		
1288P-old	173	11-5/8"	55161	117	9-1/4"	75258	*C. 115... 9-25/64"	105531	117	9-1/4"	150246	*C. 138... 12-3/16"	12A4	138	12-3/16"	12A5	138	12-3/16"		
1567	134	11-9/16"	55233	167	9"	75260	*D. 168...13"	105549	117	9-1/4"	150269	*D. 168...13"	12A6	117	9-1/4"	12B1	117	9-1/4"		
1567-old	173	11-5/8"	55251	167	9"	75260	*C. 115... 9-25/64"	105566	117	9-1/4"	150269	*C. 138... 12-3/16"	12B2	138	12-3/16"	12B3	138	12-3/16"		
1568	134	11-9/16"	5X230	167	9"	75261	*D. 168...13"	105589	117	9-1/4"	150270	*D. 168...13"	1201	160	8-7/8"	1201A	160	8-7/8"		
1568-old	173	11-5/8"	5X248	167	9"	75261	*C. 115... 9-25/64"	105590	117	9-1/4"	150270	*C. 138... 12-3/16"	1202	139	12-15/32"	1202A	139	12-15/32"		
1867	134	11-9/16"	5X274	167	9"	75363	*C. 115... 9-25/64"	105669	117	9-1/4"	150271	*D. 168...13"	1203	149	15-13/64"	1203A	149	15-13/64"		
1867-old	173	11-5/8"	68107	168	13"	8530	146...13-3/8"	105690	117	9-1/4"	150271	*C. 138... 12-3/16"	1204	*D... 168...13"	1204	*C... 138... 12-3/16"				
STROMBERG-CARLSON			ZENITH (Cont'd)			ZENITH (Cont'd)			ZENITH (Cont'd)			ZENITH (Cont'd)			ZENITH (Cont'd)					
All Models 151...15-5/64"			68129	168	13"	85129	168...13"	115474	117	9-1/4"	150272	*D. 168...13"	1204	*M... 117... 9-1/4"	1206	138	12-3/16"	1207	138	12-3/16"
TRUETONE			68164	168	13"	85154	168...13"	12A57	139	12-15/32"	150272	*C. 138... 12-3/16"	1481	138	12-3/16"	1501	*O... 168...13"	1501	*C... 138... 12-3/16"	
D-692	135	11-3/16"	6J230	167	9"	85443	117	9-1/4"	12A58	139	12-15/32"	150272	*M. 117... 9-1/4"	1501	*M... 117... 9-1/4"	1502	*D... 138... 12-3/16"	1502	*M... 117... 9-1/4"	
D-692 late	194	11-27/32"	6J257	167	9"	85451	117	9-1/4"	12H650	117	9-1/4"	150272	*D. 168...13"	1502	*M... 117... 9-1/4"	1502A	*D... 138... 12-3/16"	1502A	*M... 117... 9-1/4"	
D-694	135	11-3/16"	6J436	117	9-1/4"	85463	117	9-1/4"	12H670	117	9-1/4"	150272	*C. 138... 12-3/16"	1503	*D... 138... 12-3/16"	1503	*M... 117... 9-1/4"	1601C	139	12-15/32"
ULTRAMAR			6J463	117	9-1/4"	85531	117	9-1/4"	12H671	117	9-1/4"	150273	*M. 117... 9-1/4"	1601P	139	12-15/32"	2281	138	12-3/16"	
66A	131	11-21/64"	6S27	116	9-1/2"	85548	115	9-25/64"	12H678	117	9-1/4"	150273	*C. 138... 12-3/16"	2501	149	15-13/64"	2501P	149	15-13/64"	
96A	131	11-21/64"	6S27A	116	9-1/2"	85563	115	9-25/64"	12H679	117	9-1/4"	150273	*M. 117... 9-1/4"	5508	101	6-29/32"	5513	101	6-29/32"	
120	127	10-7/64"	6S29	116	9-1/2"	85586	115	9-25/64"	12H689	138	12-3/16"	16 Tube		5513A	101	6-29/32"				
801	127	10-7/64"	6S52	116	9-1/2"	85587	115	9-25/64"	12H695	138	12-3/16"	Strata	139	12-15/32"	5516	117	9-1/4"			
802	127	10-7/64"	6S52A	116	9-1/2"	85588	115	9-25/64"	12H696	138	12-3/16"	16A61	139	12-15/32"	5518	117	9-1/4"			
WELLS-GARDNER			6S128	168	13"	85647	117	9-1/4"	12L57	139	12-15/32"	16A63	139	12-15/32"	5522	167	9"			
2C	164	10-7/16"	6S137	168	13"	85661	117	9-1/4"	12L58	139	12-15/32"	601	101	6-29/32"	5523	167	9"			
2D	192	16"	6S147	168	13"	9530	128	10-31/64"	12S205	*D. 168...13"	885	160	8-7/8"	5614	101	6-29/32"				
6F	164	10-7/16"	6S157	168	13"	9554	128	10-31/64"	12S205	*C. 138... 12-3/16"	901	129	10-53/64"	5618	101	6-29/32"				
7G	163	9-31/64"	6S203	167	9"	9555	128	10-31/64"	12S232	*M. 117... 9-1/4"	908	101	6-29/32"	5619	116	9-1/2"				
9C	163	9-31/64"	6S222	167	9"	95203	*D. 168...13"	95203	*C. 138... 12-3/16"	880	160	8-7/8"	5621	116	9-1/2"					
14	131W	11-15/32"	6S223	167	9"	95203	*M. 117... 9-1/4"	95203	*M. 117... 9-1/4"	885	160	8-7/8"	5622	116	9-1/2"					
15	131W	11-15/32"	6S229	167	9"	95204	*D. 168...13"	95204	*D. 168...13"	909	101	6-29/32"	5634	168	13"					
16	131W	11-15/32"	6S238	167	9"	95204	*C. 138... 12-3/16"	95204	*C. 138... 12-3/16"	909	101	6-29/32"	5635	168	13"					
1782	131W	11-15/32"	6S239	167	9"	95222	*D. 168...13"	95222	*D. 168...13"	909	101	6-29/32"	5638	167	9"					
17L	192	16"	6S241	167	9"	95222	*C. 138... 12-3/16"	95222	*C. 138... 12-3/16"	909	101	6-29/32"	5642	167	9"					
17PA	131W	11-15/32"	6S249	138	12-3/16"	95232	*D. 168...13"	95232	*D. 168...13"	909	101	6-29/32"	5644	133	11-9/64"					
17T1	131W	11-15/32"	6S254	133	11-9/64"	95232	*C. 138... 12-3/16"	95232	*C. 138... 12-3/16"	909	101	6-29/32"	5648	167	9"					
27L	193	12-7/16"	6S256	133	11-9/64"	95232	*M. 117... 9-1/4"	95232	*M. 117... 9-1/4"	909	101	6-29/32"	5649	133	11-9/64"					
57E	168	13"	6S300	167	9"	95242	*D. 168...13"	95242	*D. 168...13"	909	101	6-29/32"	5679	117	9-1/4"					
57F	125	10-9/16"	6S341	133	11-9/64"	95242	*C. 138... 12-3/16"	95242	*C. 138... 12-3/16"	909	101	6-29/32"	5704	128	10-31/64"					
A1	131W	11-15/32"	6S361	167	9"	95244	*D. 168...13"	95244	*D. 168...13"	909	101	6-29/32"	5704A	128	10-31/64"					
A2	131W	11-15/32"	6S362	133	11-9/64"	95244	*C. 138... 12-3/16"	95244	*C. 138... 12-3/16"	909	101	6-29/32"	5707	117	9-1/4"					
A3	131W	11-15/32"	6V27	116	9-1/2"	95244	*M. 117... 9-1/4"	95244	*M. 117... 9-1/4"	909	101	6-29/32"	5709	168	13"					
A4	131W	11-15/32"	6V62	116	9-1/2"	95244	*C. 138... 12-3/16"	95244	*C. 138... 12-3/16"	909	101	6-29/32"	5710	167	9"					
A5	131W	11-15/32"	70119	117	9-1/4"	95244	*M. 117... 9-1/4"	95244	*M. 117... 9-1/4"	909	101	6-29/32"	5711	168	13"					
OD	163	9-31/64"	70126	117	9-1/4"	95262	*D. 168...13"	95262	*D. 168...13"	909	101	6-29/32"	5715	138	12-3/16"					
OE	192	16"	70127	117	9-1/4"	95262	*C. 138... 12-3/16"	95262	*C. 138... 12-3/16"	909	101	6-29/32"	5801	168	13"					
88A9	170	16-31/64"	70138	117	9-1/4"	95262	*M. 117... 9-1/4"	95262	*M. 117... 9-1/4"	909	101	6-29/32"	5808	117	9-1/4"					
8X35	163	9-31/64"	70148	117	9-1/4"	95263	*D. 168...13"	95263	*D. 168...13"	909	101	6-29/32"	5902	128	10-31/64"					
8X36	164	10-7/16"	70151	117	9-1/4"	95263	*C. 138... 12-3/16"	95263	*C. 138... 12-3/16"	909	101	6-29/32"	5903	128	10-31/64"					
8X42	192	16"	70153	117	9-1/4"	95263	*M. 117... 9-1/4"	95263	*M. 117... 9-1/4"	909	101	6-29/32"	5903A	128	10-31/64"					
8X46	193	12-7/16"	70162	117	9-1/4"	95264	*D. 168...13"	95264	*D. 168...13"	909	101	6-29/32"	5905	*D. 168...13"						
8X47	168	13"	70168	117	9-1/4"	95264	*C. 138... 12-3/16"	95264	*C. 138... 12-3/16"	909	101	6-29/32"	5905	*C. 138... 12-3/16"						
8X57	131W	11-15/32"	70178	115	9-25/64"	95264	*M. 117... 9-1/4"	95264	*M. 117... 9-1/4"	909	101	6-29/32"	5905	*M. 117... 9-1/4"						
8X62	170	16-31/64"	70203	167	9"	95307	138	12-3/16"	95307	138	12-3/16"	909	101	6-29/32"						
WESTINGHOUSE			70222	167	9"	95324	138	12-3/16"	95324	138	12-3/16"	909	101	6-29/32"						
1029X	124	10-29/64"	70229	167	9"	95344	138	12-3/16"	95344	138	12-3/16"	909	101	6-29/32"						
1029Y	124	10-29/64"	70239	167	9"	95365	*D. 138... 12-3/16"	95365	*D. 138... 12-3/16"	909	101	6-29/32"								
1230X	124	10-29/64"	70241	167	9"	95365	*M. 117... 9-1/4"	95365	*M. 117... 9-1/4"	909	101	6-29/32"								
1230Y	124	10-29/64"	70243	167	9"	95367	138	12-3/16"	95367	138	12-3/16"	909	101	6-29/32"						
WILCOX-GAY			70253	167	9"	95369	138	12-3/16"	95369	138	12-3/16"	909	101	6-29/32"						
6S12	125	10-37/64"	7J232	168	13"	10H551	117	9-1/4"	10H551	117	9-1/4"	909	101	6-29/32"						
A21	125	10-37/64"	7J259	168	13"	10H571	117	9-1/4"	10H571	117	9-1/4"	909	101	6-29/32"						
ZENITH			7J323	138	12-3/16"	10H571R	117	9-1/4"	10H571R	117	9-1/4"	909	101	6-29/32"						
SF134	117	9-1/4"	7J368	138	12-3/16"	10H573	117	9-1/4"	10H573	117	9-1/4"	909	101	6-29/32"						
SF166	117	9-1/4"	7S28	128	10-31/64"	10S130	168	13"	10S130	168	13"	909	101	6-29/32"						
SF233	167	9"	7S30	128	10-31/64"	10S147	168	13"	10S147	168	13"	909	101	6-29/32"						
SF251	167	9"	7S53	*D. 128...10-31/64"	10S153	168	13"	10S153	168	13"	909	101	6-29/32"							
5S29	157	7-13/64"	7S53	*C. 126...10-1/4"	10S155	168	13"	10S155	168	13"	909	101	6-29/32"							
5S29A	101	6-29/32"	7S204	*D. 168...13"	10S156	168	13"	10S156	168	13"	909	101	6-29/32"							
5S56	101	6-29/32"	7S204	*C. 115... 9-25/64"																




G-C DIAL POINTERS

Popular pointers that will fit on most any set. Easy to replace the damaged or broken pointer. Pointers can be cut shorter to fit small dials.

No.	List Price
(a) *6801 3" Rotary Pointer for 1/4" shaft, gold	\$0.35
(b) *6802 5" 360° Rotary Pointer for 1/4" shaft, gold and red	.35
(c) *6803 2" Slide Pointer, red translucent	.25
(d) *6804 2 1/4" Slide Pointer, white enamel	.25
6810 Kit of 10 pointers in plastic case	2.95

*Standard Jobber's Quantity 20 Pointers on Card Display. Add suffix "D" to Part No.



G-C DIAL POINTER KIT

Here is a complete kit of 10 assorted dial pointers. Pointers come in a clear transparent plastic case which keeps the pointers in perfect condition.

No.	List Price
6810 Kit of 10 pointers in plastic case	\$2.95



G-C PLASTIC CRYSTAL

Plastic unbreakable crystal is available in flat sheets in size listed. Can be used on radio dials, clocks, dash board, where odd shapes and sizes make it difficult to replace with glass. This material can be cut to size, fitted and cemented into place. It is crystal clear.

No.	List Price
92 8" x 10" Flat	1.45



G-C RADIO AND PHONOGRAPH RUBBER DRIVES

Very necessary replacement item to replace worn drives on dials, phono motors, turntables, motors, etc. G-C can supply drives for every set. If size is not listed, send old sample, giving model number, make of set.

No.	List Price
*1024-S-Env. Assortment of 5 Small Dial Drives	\$0.40
*1024-L-Env. Assortment of 5 Large Dial Drives	.40
*1024-E Env. Assortment of 10 Dial Drives	.80
1025 Box of 25 Asst. Drives	1.50
1026 Box of 100 Asst. Drives	6.00
* 1 AK Small	\$0.10
* 2 AK Large	.10
* 3 Stewart-Warner	.10
* 4 Kennedy, Wells-Gardner	.10
* 5 Stewart-Warner	.10
* 6 R.C.A.	.10
* 7 Stewart-Warner	.10
* 8 Stewart-Warner	.10
* 9 Atwater-Kent	.10
*10 Stewart-Warner	.10
*11 Large Atwater-Kent	.10
*12 Emerson-Majestic	.10
*13 Small Ak	.10
*15 Philco	.25
*16 General Industries RX-LX Alliance 80, Admiral, Philco, VM, Gen. Ind., Seeburg, etc.	.25
*18 R.C.A.	.15
*19 Philco, R.C.A., etc.	.15
*20-E Detrola, Rubber Type	.40
*20-1-E Spring for Detrola 550, Utah, Trela, etc.	.50
*21-A General Electric	.15
*22 R.C.A. RP-176, GE 809-J, large tire	1.00
*23 R.C.A. RP-176, GE 809-J, rim drive	.20

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

(For specifications on drives and additional displays, see Page 62)



G-C RADIO DIAL GLASS, CLOCK AND INSTRUMENT CRYSTALS

"For Replacement of All Glass Crystals"

Round convex replacement glass crystals for radios, clocks, auto radios, instruments, panels, dash board, thermostats, etc. Sixty-one sizes. Available individually or in assortments. Keep a couple assortments on hand.

No.	Diam.	List Price	No.	Diam.	List Price
25	1 3/4"	\$0.50	55	5 5/8"	\$0.60
26	1 7/8"	.50	56	5 3/4"	.60
26A	2"	.50	57	5 7/8"	.60
27	2 1/8"	.50	58	6"	.60
28	2 1/4"	.50	59	6 1/8"	.60
29	2 3/8"	.50	60	6 1/4"	.60
30	2 1/2"	.50	61	6 3/8"	.60
31	2 5/8"	.50	62	6 1/2"	.60
32	2 3/4"	.50	62A	6 5/8"	.60
33	2 7/8"	.50	63	6 7/8"	.60
34	3"	.50	64	6 3/4"	.60
35	3 1/8"	.50	66	7"	.70
36	3 1/4"	.50	67	7 1/8"	.70
37	3 3/8"	.50	68	7 1/4"	.70
38	3 1/2"	.50	69	7 3/8"	.70
39	3 5/8"	.50	70	7 1/2"	.70
40	3 3/4"	.50	71	7 5/8"	.70
41	3 7/8"	.50	72	7 3/4"	.70
42	4"	.60	73	7 7/8"	.70
43	4 1/8"	.60	74	8"	.70
44	4 1/4"	.60	75	8 1/8"	.75
45	4 3/8"	.60	76	8 1/4"	.75
46	4 1/2"	.60	77	8 3/8"	.75
47	4 5/8"	.60	78	8 1/2"	.75
48	4 3/4"	.60	79	8 5/8"	.75
49	4 7/8"	.60	80	8 3/4"	.75
50	5"	.60	81	8 7/8"	.75
51	5 1/8"	.60	82	9"	.75
52	5 1/4"	.60	83	9 1/8"	.75
53	5 3/8"	.60	84	9 1/4"	.75
54	5 1/2"	.60			

No.	List Price
DC65 Assorted Kit of 65 Crystals	\$35.00
DC25 Assortment 25 Most Popular Crystals	12.50

G-C RADIO KNOB KITS

Kits made up of molded plastic knobs of new modern design, walnut and ivory patterns. It's easy to replace knobs when you have a G-C knob assortment kit. Servicemen need knob replacement kits so as to be prepared for every unexpected service job. Carry a knob kit with you on the job. Kit of knob springs and needle cup included Free in every kit.



No.	List Price
1140 35 Assorted Push-On Knobs	\$3.95
1141 28 Assorted Spring Knobs	3.95
1142 24 Assorted Set Screw Knobs	3.95
1143 30 Assorted All Type Knobs	3.95
1144 15 Assorted Auto Radio Knobs for 1/4" and 3/16" Shafts	3.95



G-C RADIO KNOB FELTS

Brown felt washers, such as used behind Radio Knobs to prevent scratching and rubbing on cabinet. It almost makes a good pad to put under cabinets to prevent scratching.

No.	List Price
*1065-E Envelope 50 Felts	\$0.40
6641 Hardware Lab Jar 70 Knob Felts	.65

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).



G-C RADIO KNOB SET SCREWS

Accurate machined set screws made of steel, hardened, cup point slotted head for radio knobs, pulleys, bushings, etc. Assortments contain various lengths of 6/32, 8/32 and 10/32 slotted cup point set screws.

No.	List Price
1060 50 Assorted Set Screws	\$1.00
1061 100 Assorted Set Screws	1.80
*1062-E 20 Assorted Set Screws in Envelope	.40
6605 Hardware Lab Jar 30 Asst. Knob Set Screws	.65


*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).



G-C KNOB PULLER

Here's what all Servicemen need for removing radio knobs. You can easily remove those knobs that are hard to grip. Simply slip the G-C puller behind the knob and pull it off. Saves time, the cabinet and the knob. Have one in your shop and in your tool kit! Every Serviceman should have this.

No.	List Price
1063 Knob Puller	\$0.25
1063-D Display 24 Pullers	6.00




G-C KNOB SPRING KITS

Kits of 12 different type knob springs or wedges to fit all types of knobs. Made of tempered spring steel, a very handy kit for every Service Man.

No.	List Price
*1049-E 20 Assorted in Envelope	\$0.40
1050 Kit of 35 Springs	.70
1051 Kit of 100 Springs	1.35
6619 Hardware Lab Jar 35 Assorted	.65

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).



G-C RADIO PUSH-ON KNOB SPRINGS AND WEDGES

Knob Springs for All Types of Knobs

No.	Style	Length	Width	List Price
*6460	K1, Light	7/16"	9/32"	\$0.40
*6461	K2, Heavy	7/16"	9/32"	.40
*6462	K3	5/16"	9/32"	.40
*6463	K4	5/32"	3/8"	.40
*6464	K5	13/32"	7/32"	.40
*6465	K6	3/8"	9/32"	.40
*6466	K6-S	1/4"	9/32"	.40
*6467	K7	1/2"	9/32"	.40
*6468	K8	3/8"	9/32"	.40
*6469	K9	1/4"	11/32"	.40
*6470	K10	3/8"	3/8"	.40
*6471	K11	7/16"	3/8"	.40
*6472	K12	7/16"	3/8"	.40
6619	Hardware Lab. Jar 35 Knob Springs			.65

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D). For additional listings on Knob Springs, see Page 59.

GENERAL



CEMENT

Knob Kits—Set Screws—Knob Springs

25

G-C PLASTIC SET SCREW KNOBS — 1/4" SHAFT

Majestic Bakelite Knobs

Popular pattern. Set screw type. 7/8" diameter, 1/4" shaft.

No.		List Price
1100	Walnut	\$0.16
1100-I	Ivory	.20
1100-D	Display 20 Env. Asst. (2 to Env.)	8.00
1102-D	Display 12 Env. 1100; 8 Env. 1100-I Knobs (2 to Env.)	8.00

Royal Bakelite Knobs

Beautiful pattern. Set screw type. 7/8" diameter, 1/4" shaft.

No.		List Price
1105	Walnut	\$0.16
1105-I	Ivory	.20
1105-D	Display 12 Env. 1105; 8 Env. 1105-I Knobs (2 to Env.)	8.00

Yankee Bakelite Knobs

Popular pattern. Set screw type. 3/4" and 1" diameter, 1/4" shaft.

No.		List Price
1109	3/4" Walnut	\$0.16
1110	1" Walnut	.16
1109-I	3/4" Ivory	.20
1110-I	1" Ivory	.20
1109-D	Display 12 Env. 1109; 8 Env. 1109-I Knobs (2 to Env.)	8.00
1110-D	Display 12 Env. 1110; 8 Env. 1110-I Knobs (2 to Env.)	8.00

Modern Large Knob

Attractive molded knob. Knurl shaft or set screw types available. 1 1/8" diameter.

No.	Knurl Shaft Type	List Price
1176	Walnut	\$0.12
	Set Screw Type	
1177	Walnut	.16
1176-D	Display 20 Env. Asst. 1176, 1178, 1180 Knurl Knobs (2 to Env.)	8.00
1177-D	Display 20 Env. Asst. 1177, 1179, 1181 Set Screw Type (2 to Env.)	8.00

Standard Package — Distributors Quantity 10 Knobs of a Type to Box.

New Large Knob

Very popular molded knob. Knurl shaft or set screw types available. 1 1/8" diameter.

No.	Knurl Shaft Type	List Price
1178	Walnut	\$0.12
	Set Screw Type	
1179	Walnut	.16

Popular Large Knob

Very attractive molded knob. Knurl shaft or set screw types available. 1 1/8" diameter.

No.	Knurl Shaft Type	List Price
1180	Walnut	\$0.12
	Set Screw Type	
1181	Walnut	.16

Standard Package — Distributors Quantity 10 Knobs of a Type to Box.

Midget Bakelite Knobs

Set Screw Type
Popular knobs for small sets. 1/4" diameter. 1/4" shaft.

No.	Pointer Type	List Price
1115	Walnut	\$0.12
1116	Ivory	.13
1117	Red	.13
1118	Black	.12
1115-D	Display 20 Env. Asst. (3 to Env.)	8.00

Midget Bakelite Knobs

Set Screw Type
Popular knobs for small sets. 1/4" diameter. Set screw 1/4".

No.	Non-Pointer Type	Price List
1111	Walnut	\$0.12
1112	Ivory	.13
1113	Red	.13
1114	Black	.12

Standard Package — Distributors Quantity 10 Knobs of a Type to Box.

G-C POINTER SET SCREW KNOBS — 1/4" SHAFT

Streamline Pointer

The most popular pointer knob. 1/4" shaft, set screw type 1 1/4" long.

No.		List Price
1136	Black	\$0.15
1136-W	Walnut	.16
1137	Red	.18
1137-I	Ivory	.20
1136-D	Display 20 Env. Asst. (2 to Env.)	8.00

Streamline Pointer

A very popular pointer knob. 1/4" shaft, set screw type, 2" long.

No.		List Price
1135	Black	\$0.20
1135-W	Walnut	.24
1138	Red	.24
1138-I	Ivory	.26

Standard Package — Distributors Quantity 10 Knobs of a Type to Box.

Modern Pointer Bar Knobs

Brass Bushing

Such as used on intercomms and instruments. Attractive pattern, black finish. Set screws, 1/4" shaft, 2 3/4" long. Metal pointer can be removed if not wanted.

No.		List Price
1130	Black	\$0.38
1130-W	Walnut	.38

Modern Pointer Bar Knobs

Brass Bushing

For intercomms and instruments. Attractive pattern, black finish. Set screw, 1/4" shaft, 1 5/8" long. Metal pointer can be removed if not wanted.

No.		List Price
1131	Black	\$0.35
1131-W	Walnut	.35

Instrument Knob

A heavy duty knob for communication equipment, instruments, etc. Bakelite molded knob with pointer, 1/4" brass insert and set screw. 1 3/4" O.D. x 7/8" over-all height. Arrow is molded in knob.

No.		List Price
1175	Black	\$0.35

Streamline Pointer

Brass Bushing

Most popular pointer knob with brass insert for better mounting. 1/4" shaft, set screw type, 1 1/4" long. Used on radio instruments, flat irons, appliances, etc.

No.		List Price
1170	Black	\$0.25
1170-W	Walnut	.25
1172	Red	.30
1172-I	Ivory	.30

Standard Package — Distributors Quantity 10 Knobs of a Type to Box.

Streamline Pointer

Brass Bushing

Very popular pointer knob with brass insert for better mounting. 1/4" shaft, set screw type. 2" long.

No.		List Price
1171	Black	\$0.30
1171-W	Walnut	.30
1173	Red	.36
1173-I	Ivory	.36

Popular Bar Knob

Very popular knob on intercomms, instruments and appliances. Made of Bakelite with set screw. 1/4" hole. 1 5/8" long.

No.		List Price
1132	Walnut	\$0.20

G-C KNOB DISPLAYS AND PACKAGES

Attractive merchandising displays help sell the radio knobs.

Envelopes packaged in cellophane make a beautiful display.

No.		List Price
1100-D	Display 20 Env. Asst. Set Screw Knobs (2 to Env.)	\$8.00
1102-D	Display 12 Env. 1100; 8 Env. 1100-I Knobs. (2 to Env.)	8.00
1105-D	Display 12 Env. 1105; 8 Env. 1105-I Knobs. (2 to Env.)	8.00
1109-D	Display 12 Env. 1109; 8 Env. 1109-I Knobs. (2 to Env.)	8.00
1110-D	Display 12 Env. 1110; 8 Env. 1110-I Knobs. (2 to Env.)	8.00

No.		List Price
1115-D	Display 20 Env. Asst. Midget Knobs. (3 to Env.)	8.00
1136-D	Display 20 Env. Asst. Type Pointer Knobs. (2 to Env.)	8.00
1150-D	Display 20 Env. Asst. 1153, 1155, 1156 and 1160 Knobs.	8.00
1151-D	Display 20 Env. Asst. 1153, 1154, 1155 and 1156 Knobs.	8.00
1152-D	Display 20 Env. Asst. 1151 and 1152 Knobs.	8.00
1157-D	Display 20 Env. Asst. 1156, 1157, 1158, 1159 and 1160 Knobs.	8.00

No.		List Price
1176-D	Display 20 Env. Asst. 1176, 1178 and 1180 Knurl Knobs. (2 to Env.)	8.00
1177-D	Display 20 Env. Asst. 1177, 1179 and 1181 Set Screw Knobs. (2 to Env.)	8.00
1184-D	Display 20 Env. Asst. Walnut 1184, 1186, 1188, 1193 and 1197 Knobs.	8.00
1185-D	Display 20 Env. Asst. Ivory 1185, 1187, 1189, 1194 and 1198 Knobs.	8.00
1191-D	Display 20 Env. Asst. Auto Radio Knobs. (2 to Env.)	12.00





G-C PUSH-ON KNURL SHAFT KNOBS

Popular Plastic Knob

$\frac{3}{8}$ " diameter with $\frac{1}{2}$ " shank extension for $\frac{1}{4}$ " knurled shaft.
No. List Price
1153 Walnut \$0.12
1154 Ivory .13
1150-D Display 20 Env.
Asst. 1153, 1155, 1156
and 1160 Knobs 8.00

Attractive Plastic Knob

$\frac{3}{8}$ " diameter, flush type for $\frac{1}{4}$ " knurled shafts.
No. List Price
1155 Walnut \$0.12
1156 Ivory .13
1151-D Display 20 Env.
Asst. 1153, 1154, 1155
and 1156 Knobs 8.00

Midget Type Plastic Knob

$\frac{3}{4}$ " diameter with $\frac{3}{8}$ " shank extension for $\frac{1}{4}$ " knurled shafts.
No. List Price
1157 Walnut \$0.12
1158 Ivory .13
1157-D Display 20 Env.
1156, 1157, 1158, 1159
and 1160 Knobs 8.00

Midget Type Plastic Knob

$\frac{3}{4}$ " diameter flush type for $\frac{1}{4}$ " knurled shafts.
No. List Price
1159 Walnut \$0.12
1160 Ivory .13

Standard Package — Distributors Quantity 10 Knobs of a Type to Box.



Acorn Plastic Knob

For Midget Sets

$\frac{3}{4}$ " diameter, $\frac{1}{8}$ " shank extension for $\frac{1}{4}$ " knurled shafts.

No. List Price
1182 Walnut \$0.12
1183 Ivory .13

Push-On Knurl Knobs

Large $\frac{3}{8}$ " diameter plastic knob, flush type for $\frac{1}{4}$ " knurled shaft.

No. List Price
1184 Walnut \$0.12
1185 Ivory .13
1184-D Display 20 Env.
Asst. 1184, 1186, 1188,
1193 and 1197 Knobs 8.00

Push-On Knurl Knobs

Large $\frac{3}{8}$ " diameter plastic knob with $\frac{1}{2}$ " shank extension for $\frac{1}{4}$ " knurled shafts.

No. List Price
1186 Walnut \$0.12
1187 Ivory .13
1185-D Display 20 Env.
Asst. Ivory 1185, 1187,
1189, 1194 and
1198 Knobs 8.00

Pointer Type Plastic Knob

$\frac{3}{8}$ " diameter with $\frac{1}{2}$ " shank extension for $\frac{1}{4}$ " knurled shaft.

No. List Price
1188 Walnut \$0.12
1189 Ivory .13

Standard Package — Distributors Quantity 10 Knobs of a Type to Box.



Midget Type Plastic Knob

To match 1184 to 1189 series.
 $\frac{3}{8}$ " diameter, $\frac{1}{2}$ " shank extension for $\frac{1}{4}$ " knurled shafts.

No. List Price
1197 Walnut \$0.12
1198 Ivory .13

Midget Type Plastic Knob

To match 1184 to 1189 series.
 $\frac{3}{8}$ " diameter, flush shank type for $\frac{1}{4}$ " knurled shafts.

No. List Price
1193 Walnut \$0.12
1194 Ivory .13

G-C KNOB PULLER

Here's what all servicemen need for removing radio knobs. You can easily remove those knobs that are hard to grip. Simply slip the G-C puller behind the knob and pull it off. Saves time, the cabinet and the knob. Have one in your shop and in your tool kit! Every serviceman should have this.

No. List Price
1063 Knob Puller \$0.25
1063-D Display 24 Pullers 6.00

Standard Package — Distributors Quantity 10 Knobs of a Type to Box.



G-C SPRING AND D-SHAFT PUSH-ON KNOBS

Spring and D-Shaft Knobs

Spring type plastic knob $\frac{3}{8}$ " diameter to fit $\frac{1}{4}$ " flat shafts. Has $\frac{1}{8}$ " extension shaft.

No. List Price
1151 Walnut \$0.12
1152 Ivory .13
1152-D Display 20 Env.
Asst. 1151, 1152 Knobs 8.00

Spring and D-Shaft Knobs

Very popular D-shaft or flat shaft type plastic knob, $\frac{5}{8}$ " diameter.

No. List Price
1161 Walnut \$0.12
1162 Ivory .13

Spring and D-Shaft Knobs

Very popular D-shaft or flat shaft type plastic knob, $\frac{3}{4}$ " diameter.

No. List Price
1163 Walnut \$0.13
1164 Ivory .14

Spring and D-Shaft Knobs

Large D-shaft or flat shaft type plastic knob, 1" diameter.

No. List Price
1165 Walnut \$0.14
1166 Ivory .15

Standard Package — Distributors Quantity 10 Knobs of a Type to Box.



G-C AUTO RADIO KNOBS

G-C AUTO RADIO KNOBS

Attractive set screw type auto radio knob that will fit in with any car interior. Knob $\frac{1}{2}$ " diam. x $\frac{1}{2}$ " high. Available for $\frac{1}{4}$ " and $\frac{3}{8}$ " shafts. Brass bushing with set screw.

No. List Price
1191 Pearl Gray, $\frac{1}{4}$ " shaft \$0.30
1192 Maroon, $\frac{1}{4}$ " shaft .30
1167 Pearl Gray, $\frac{3}{8}$ " shaft .30
1168 Maroon, $\frac{3}{8}$ " shaft .30

G-C AUTO RADIO KNOBS

Popular set screw type auto radio knob that can be used as a replacement on most sets. Knob $\frac{1}{2}$ " diam. x $\frac{7}{8}$ " high. Can be used for either $\frac{1}{4}$ " or $\frac{3}{8}$ " shafts with bushing included.

No. List Price
1195 Pearl Gray \$0.30
1196 Maroon .30
1191-D Display 20 Env. Asst.
Knobs (2 to Env.) 12.00

G-C AUTO RADIO KNOBS

Brass plated knob that can be used for general replacement on auto radios. Available for $\frac{1}{4}$ " and $\frac{3}{8}$ " shafts. Set screw mounting.

No. List Price
1169 $\frac{1}{4}$ " \$0.30
1174 $\frac{3}{8}$ " .30

G-C REDUCING BUSHINGS

Now you can get a reducing bushing for knobs and shafts that really works. Made of brass, split type, easy to use.

No. List Price
6751 Reduce $\frac{1}{4}$ " to $\frac{3}{8}$ " Env. of 8 \$0.40
6751-D Display of 20 Env. 8.00
6751-C Reduce $\frac{1}{4}$ " to $\frac{3}{8}$ " per 144 6.50

Standard Package — Distributors Quantity 10 Knobs of a Type to Box.



G-C MASTER-POINT

'Cathedral Tone' Phono Needle

Long-life, quality performance needle. Made with a special alloy tip to assure uniform reproduction. Has remarkable endurance on either light or heavier weight pick-up arms. Easy on the records and will give excellent reproduction. Each needle supplied in a cellophane wrapped card.

No.	Each	List Price
1430	Each	\$0.75
1431-D	Display of 12 No. 1430	9.00



G-C MASTER-POINT

'Symphonic' Phono Needle

A better quality phonograph needle, especially designed to give excellent tone reproduction. Because of its design, is very easy on records and will give extra long life. The tip is made of special alloys which assure thousands of plays. True reproduction with minimum needle pressure on the record. Excellent for the home automatic record player.

No.	Each	List Price
1435	Each	\$ 1.00
1435-D	Display of 12 No. 1435	12.00



G-C MASTER-POINT

'Concert Grand' Phono Needle

Our very finest needle. A phonograph needle that will bring out even the slightest tone and give scratch-free reproduction. The needle for the discriminating. Long life, with a special long-lasting, perfectly formed tip made from precious metal. Especially designed to give quiet, noise-free and natural, true reproduction. Pick up every tone with this specially designed "light touch" needle that is so easy on the records. Truly the needle of the Masters. Designed for use also on automatic record players.

No.	Each	List Price
1436	Each	\$ 1.50
1436-D	Display of 12 No. 1436	18.00



G-C MASTER-POINT

'Juke Special' Phono Needle

The needle preferred by Juke Box operators. Has a perfectly formed tip made of precious metals so as to assure extra long life—even when used on equipment with heavy pick-up arms. Excellent tone reproduction. Guaranteed to give thousands of satisfactory plays. It will pay operators of Juke Box equipment and other automatic equipment to use this fine quality G-C "Juke Special." Buy this guaranteed needle to minimize needle replacements.

No.	Each	List Price
1437	Each	\$ 1.00
1437-D	Display of 12 No. 1437	12.00



G-C MASTER-POINT LONG LIFE RECORDING STYLUS

The best cutting stylus made from processed alloy steel, that will give several hours of perfect cutting. Not to be confused with cheap short-lived stylus. Each needle mounted on cellophane wrapped card. Sell your customers the best so as to assure satisfaction.

No.	Each	List Price
1433	Each	\$0.50
1434-D	Display of 12 No. 1433	6.00



G-C SERVICEMAN'S PHONO NEEDLE PACKET

"Sell a New Needle On the Job"

Just what every Serviceman should carry with him on every service call so he can profit by selling new needle replacements. Handy package containing ten assorted high quality G-C Master-Point Needles for all purposes. Packaged in attractive folder which protects the needle packages so that they are fresh and new when you make your sale. Packet contains 2 each G-C Needles No. 1436, 1435, 1430, 1437, and 2 each No. 1433 Recording Stylus. Save by buying this assortment and earn extra profit. (Standard carton 12 packets.)

No.	Packet 10 Needles	List Price
1432	Packet 10 Needles	\$9.50



G-C RECORD LUBRICANT

"For All Phono Records"

Reduces the surface noise and prevents excessive wear on all type of records. Also saves the needle. Make your records sound better and last longer by treating them with G-C Record Lubricant regularly. Also can be used as a pre-recording lubricant.

Standard Carton 12 Bottles		
No.	Each	List Price
125-1	1-oz. Bottle	\$0.25
125-1-D	Display 12	3.00
125-2	2-oz. Bottle	.50
125-4	4-oz. Bottle	.75
125-6	6-oz. Bottle	.90



G-C REK-O-DOPE

"New Recording Lubricant Compound"

A necessity when recording records. Apply Rek-O-Dope to the record before recording for best results. An all-purpose compound which cleans, lubricates and hardens the grooves on new recordings. Preserves new recordings and records and renews old records. Recordings treated with G-C Rek-O-Dope will give better tone and last longer.


Standard Carton 12 Bottles		
No.	Each	List Price
126-1	1-oz. Bottle	\$0.25
126-1-D	Display 12	3.00
126-2	2-oz. Bottle	.50
126-4	4-oz. Bottle	.75
126-6	6-oz. Bottle	.90



G-C CORD CONNECTOR

Handy cord connector to connect phono motors to radio set. . . . Also handy for appliances, vacuum cleaners, sewing machines, etc.

No.	List Price
868 Con-	connector \$0.65



G-C RECORD-TURNTABLE FELT

"Ready-Cut Pieces"

Replace worn out and "friction-less" felt on record turntable. You or your customers can not obtain good recordings or reproductions unless the record is held firmly in place on the turntable. Keep a supply of this special felt on hand for that extra profit job. Pieces cut round, center hole punched. Easy to apply with G-C Fabric to Metal Cement. (Page 4)

No.	Diameter	List Price
1292	7 7/8" Diameter	\$0.40
1296	8 7/8" Diameter	.55
1293	9 7/8" Diameter	.60
1294	11 7/8" Diameter	.70
1295	15 7/8" Diameter	1.20

BROWN FELT - By the Yard

No.	List Price
1298	Brown Felt 36" Wide, per yd. \$5.00



G-C PHONO TURNTABLE DRIVES

Rubber Replacement Drives

Exact duplicates for replacement of popular friction type phono turntable drives. Use G-C 35-2 Rubber to Metal Cement for cementing rubber to rim.

No.	Description	List Price
16	For General Industries RX-LX Motors	\$0.25
*16-E	Env. 2 No. 16 Drives	.40
16-19-D	Display of 32 Asst. Phono Drives	6.40
17	For Alliance Model and Motorola	.25
*17-E	Env. 2 No. 17 Drives	.40
18	For R.C.A.	.15
*18-E	Env. 3 No. 18 Drives	.40
19	For Philco, R.C.A., etc.	.15
*19-E	Env. 4 No. 19 Drives	.40
*20-E	Detrola Rubber Drive	.40
*20-1-E	Detrola Spring Drive	.50
21-A	For General Electric Models	.15
*21-A-E	Env. 2 No. 20-A	.40
*22	R.C.A. RP-176, GE 809-J, large tire	1.00
23	R.C.A. RP-176, GE 809-J, rim drive	.20
*23-E	Env. 2 No. 23 Drives	.40

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

G-E DETROLA SPRING DRIVE

For Part No. 50137

Genuine replacement for Detrola turntables. Spring drive made of best quality materials. Elastic tension with core inside. Used on Detrola, Utah and Trela models.

No.	Description	List Price
20-1-E	Detrola Spring	\$ 0.50
20-1-D	Display of 20 No. 20-1	10.00

G-C PHONOGRAPH NEEDLE AND STYLUS SET SCREWS

"These Are Accurate Machined Screws, Precision Made"

Here's the hard-to-get replacement thumb set screws for pick-up arms and recording heads! Replacements for all popular types. Specially made round head, hardened machine screws. Buy a kit so as to have all 10 sizes on hand for those unexpected rush jobs and calls.

No.	Description	List Price
1052	15 Assorted Stylus Screws	\$ 1.50
*1052-E	Env. 7 Asst. Screws	.40
1053	100 Asst. Stylus Screws	10.00

INDIVIDUAL PHONO SCREW SPECIFICATIONS

*P1	2-56 x 9/16"	\$0.10
	For Shure Bros. Pt. No. 30-132.	
*P2	2-64 x 3/4"	.10
	For Astatic Pt. Nos. 3258, 3572, 3579 and cartridges numbered C-42; all "L" Cartridges; M-22, etc. R.C.A. Pt. No. 37045 and Seeburg Models. Shure Pt. No. 48-02 and cartridges No. 93-A, 96-A, 900, 900 PN, W56A, W57A, W58A, W59A and W56PN. Webster Pt. No. P9564 and cartridges C2, C4, C5, C6, D2, D3, D4 and D5.	
*P3	1-56 x 3/4"	.10
	For Astatic Pt. Nos. 3205, 3207 and 3206. Used on all "B" cartridges. Stromberg-Carlson SD-64, SD-149. Universal Pt. No. 3207 and Webster No. 26A2108.	
*P4	1-64 x 1"	.15
	For Rek-O-Kut Recorder Cutter No. MG625 and No. 8-SP, Webster Co. No. 26A2142.	
*P5	1-72 x 9/32"	.15
	For R.C.A. No. 34432.	
*P6	1-72 x 29/32"	.10
	For R.C.A. Nos. 33974, 3811, 33529, 31160, 12539.	
*P7	0-64 x 27/32"	.15
	For Webster Electric No. P4819-2.	
*P8	4-48 x 23/32"	.15
	For Shure Model No. 30-76.	
*P9	2-64 x 29/32"	.15
	For R.C.A. Long Type; Astatic Pt. No. 3530 and cartridges 401-A; Webster cartridge No. C-3.	
*P10	1-64 x 3/4"	.15
	For Audex D-32.	

CARTRIDGE MOUNTING SCREWS

For mounting cartridges in Phono Pick-Up Arms.

*6005-E	4-36 x 1/4"	Env. 60	\$0.40
*6005-AE	4-40 x 1/4"	Env. 60	.40

*Standard Jobber's Quantity 20 Env. Specify Box (X) or Card Display (D).



G-C PHONO NEEDLE AND PARTS CUP

Standard size bakelite molded replacement phono needle cup. Makes an excellent container to hold small parts, screws, nuts and bolts when working on sets. Prevents loss of parts.

No.	Description	List Price
1399	Phono Needle Cup	\$0.10
1399-R	Needle Cups, per 1000	75.00

G-C RECORD CLEANING PAD

For all who use records, this specially treated pad is necessary to clean and remove dust and accumulation from records, without harming them. You can sell record users one of these pads.

No.	Description	List Price
1290	Size 4"x4"	\$0.25
1291	Size 6"x6"	.45
1291-D	Display	
12	No. 1291	5.40

G-C SHIELDED PHONO PICK-UP WIRE

Handy packages of shielded phono pick-up wire, very handy for new installations or replacements. Enough for several jobs in each envelope.

No.	List Price
*1738-E Envelope	\$0.40

*Standard Jobber's Quantity 20 Env. Specify Box (X) or Card Display (D).



G-C PHONO TURNTABLE SPRINGS

Needed by all servicemen. An assortment of the most popular type phono turntable springs. Assortments contain springs used by RCA, Philco, Seeburg, New Products, Oak, Zenith, Detrola and many others. Two assortments, one of smaller size springs and the other of larger types.

No.	Description	List Price
6478	Kit of 50 Springs	\$2.25
6479	Kit of 100 Springs	4.00
*6480-E	Env. 10 Small Size Springs	.40
*6481-E	Env. 8 Larger Size Springs	.40

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

G-C PHONO TURNTABLE MOTOR & GEAR LUBRICANT

New "Sta-Put" - Recommended by Mfgs.

A new special lubricant for phonographs. Other lubricants will thin and run to the lowest point of gravity on the mechanism, but this is specially formulated so that the lubricant clings to the surface of the parts. Eliminate trouble on phono repairs by using the best. This lubricant insures long life to parts that are not lubricated often.

No.	Description	List Price
1223	Tube	\$0.50
1223-D	Display 12 Tubes	6.00
122-2	2-oz. Bottle	.50

G-C LUBE-REX "LUBRIPLATE"

"Prevents Corrosion"

The best contact cleaner on the market. Fine for attenuators, push-button switches, all-wave switches, contacts, etc. Cleans contacts and prevents corrosion. The only acceptable lubricant for Philco Mystery controls. Moisture repellent and rust preventing — fine for use on locks, fishing reels, guns, dial mechanisms, phonograph equipment, etc. It is especially desirable since it clings to the metal and prevents corrosion.

No.	Description	List Price
1206	2-oz. Tube	\$0.50
1206-D	Display 12 Tubes	6.00
1209	2-oz. Bottle	.50
1208	16-oz. Bottle	2.25

12 to Display

GENERAL



CEMENT

Phonograph Accessories



G-C TOGGLE SWITCHES

Ball Handle

High grade switches specially made for controlling Radio Sets, Small Motors, etc. The best switches made for the purpose. Underwriters approved. Rated at 3 amps, 125 volts. Made by H & H for G-C. Nickel plated finish.

No.	Description	Shank Length	List Price
1300	S.P.S.T.	1/2"	\$0.60
1301	S.P.S.T.	1"	.70
1302	S.P.D.T.	1/2"	.80
1303	S.P.D.T.	1"	.80
1304	D.P.S.T.	1/2"	1.20
1305	D.P.S.T.	1"	1.25
1306	D.P.D.T.	1/2"	1.30
1307	D.P.D.T.	1"	1.40



G-C BAT HANDLE TOGGLE SWITCHES

Tear Drop Style

Same as our regular toggle switch except that the handle is bat shaped. It is especially attractive for panel and instrument boards. 1/2" shank. Nickel plated. Made for G-C by H & H.

No.	Description	Shank Length	List Price
1330	S.P.S.T.	1/2"	\$0.60
1331	S.P.D.T.	1/2"	.70
1332	D.P.S.T.	1/2"	1.20
1333	D.P.D.T.	1/2"	1.30

G-C TOGGLE SWITCH OFF-ON PLATE

Fits Toggle Type Switches — Nickel Plated

No.	Description	List Price
1329	On-Off Plate	\$0.05

Standard Package — Distributors Quantity 10 Switches of a Type to Box.



G-C EXTRA HEAVY DUTY POWER SWITCH

For use in motors, projectors, transmitters, amplifiers, and movie equipment where heavy currents are carried. Made by H & H for G-C. Rated 10 amps, 125 volts. Three types, with neutral off in center. Size: 2" x 1" x 1 1/8", sleeve 3/4" diam.

No.	Description	List Price
1352	D.P.D.T.	\$ 5.50
1353	3.P.D.T.	8.25
1354	4.P.D.T.	12.00

G-C NEUTRAL CENTER SWITCH

Handy radio, appliance and tester switch with 3 positions, On-Off-On. Rated 15 amps, 110 volts; 1 1/2" shank. Nickel plated.

No.	Description	List Price
1308	S.P.D.T.	\$1.25
1309	D.P.D.T.	2.00



G-C ROTARY SWITCHES

Best grade rotary switches especially made for replacements, or construction of new apparatus. Underwriters approved. Rated at 3 amps, 125 volts. Made by H & H for G-C. Shafts 1 1/2" long.

No.	Description	Shank Length	List Price
1320	S.P.S.T.	3/8"	\$0.75
1321	S.P.S.T.	1"	.85
1322	S.P.D.T.	3/8"	.95
1323	S.P.D.T.	1"	1.05
1324	D.P.S.T.	1"	1.45
1325	D.P.D.T.	3/8"	1.45
1326	D.P.D.T.	1"	1.55



G-C HEAVY DUTY POWER SWITCH

D.P.S.T. toggle power switch rated 12 amps at 125 volts. Used on motors, appliances, photographic equipment, where a heavy duty switch is required. Made by H & H for G-C. Nickel plated.

No.	List Price
1350	Toggle Switch \$1.50

Standard Package — Distributors Quantity 10 Switches of a Type to Box.



G-C HEAVY DUTY POWER SWITCH

Push button type D.P.S.T. heavy duty power switch rated 12 amps at 125 volts. Specially adaptable as a safety switch for transformers, racks and transmitters and high frequency work. Made by H & H for G-C. Nickel plated.

No.	List Price
1351	Push Switch \$2.20



G-C BAT HANDLE TOGGLE SWITCH WITH WIRE LEADS

An excellent switch for vacuum cleaners, appliances, radio sets, etc. Nickel plated with wire leads. Underwriters approved, rated at 3 amps, 125 volts. Made for G-C by H. & H.

No.	Description	Shank Length	List Price
1335	S.P.S.T.	1/2"	\$0.85



G-C PUSH BUTTON SWITCH

A two-circuit, slow make-and-quick-break momentary contact switch. One circuit is normally on and the other is off. Pushing the button reverses the circuits in use. Used on many testers and analyzers. Rated at 3 amps, 125 volts. Made by H & H for G-C. Shaft 5/8" long.

No.	Switch	List Price
1340		\$1.00

G-C PLASTIC PUSH BUTTON

For 1340 Switch
Red or Black (Specify Color)

No.	Push Button	List Price
1343		\$0.30



G-C HANDY SLIDE SWITCH

Very popular slide switch used on phonographs, tone controls, circuit controls, auto lights, electric trains, test instruments, etc. 1/2" wide, 1 1/8" center mounting holes.

No.	Description	List Price
1355	S.P.S.T.	\$0.35
1357	S.P.D.T.	.40
1358	D.P.S.T.	.45
1359	D.P.D.T.	.50

Standard Package — Distributors Quantity 10 Switches of a Type to Box.



G-C TOGGLE SWITCH

S.P.S.T. appliance switch. Rated at 3 amps, 125 volts. Underwriters approved, open metal housing. Solder terminals. Made by Cutler-Hammer. Nickel plated.

No.	List Price
1339	Toggle Switch \$0.40



G-C PUSH-ON PUSH-OFF SWITCH

Very popular switch as used on vacuum cleaners, appliances and test equipment. Push once it's on, then push again it's off. Rated 3 amps at 125 volts. Made by H & H for G-C. Nickel plated.

No.	Description	List Price
1338	S.P.S.T.	\$1.30

CEMENT



GENERAL



G-C COATED SLEEVING

Improved Saturated Sleeving, lower price than regular spaghetti. Dielectric strength 2,000 volts. Used for general insulation and repair work. Colors: Black, Red, Yellow, Green and Blue. Specify color.

No.	(All in 30" Lengths)	List Price
525	No. 20, fit 20 wire	\$0.10
528	No. 17, fit 18 wire	.10
531	No. 14, fit 14 wire	.12
533	No. 12, fit 12 wire	.13
537	1/8" I.D.	.19
540	3/16" I.D.	.25
543	1/4" I.D.	.31
546	3/8" I.D. (resist. size)	.44
547	1/2" I.D.	.50

All sizes available in continuous lengths on special order of 1000 feet or more.



G-C SPAGHETTI ON SPOOLS

"Approved by ASTM"

5000-Volt Dielectric Strength

Best grade varnished tubing put on convenient 20-ft. spools. Will fit wire from No. 12 to No. 18. Colors: Black, Red, Yellow, Green and Blue. Specify color.

No.	List Price
499 20-ft. Spool	\$1.75

SPECIAL SIZES AND COLORS

Prompt Delivery

Special sizes, colors and lengths are available in quantities of 1000 ft. or more. Please write for quotations on special requirements.



G-C RADIO SPAGHETTI

"Approved by ASTM"

5000-Volt Material — 30" Lengths

High grade spaghetti for Radio-Television work. Average dielectric strength, 5000 volts. Very flexible. Smoothly coated with best grades of varnish. Material is approved by A.S.T.M. Colors: Black, Brown, Red, Green and Yellow. Specify color.

No.	(All in 30" Lengths)	List Price
500	No. 20, fit 20 wire	\$0.15
503	No. 17, fit 18 wire	.15
506	No. 14, fit 14 wire	.15
508	No. 12, fit 12 wire	.15
512	1/8" I.D.	.32
515	3/16" I.D.	.44
518	1/4" I.D.	.56
521	3/8" I.D. (resist. size)	.69
522	1/2" I.D.	.94
523	1/2" I.D.	1.15

All sizes available in continuous lengths on special orders of 1000 feet or more.



G-C GENFLEX PLASTIC TUBING

G-C PLASTIC TUBING KITS

Handy kits of assorted colors and sizes. Ideal for experimenters and servicemen.

No.	List Price
635 Kit of 25 ft. Assorted Sizes 18 to 10 Genflex Tubing	\$0.90
635-D Display of 8 No. 635 Kits	\$7.20
636 Kit of 15 ft. Assorted Sizes 10 to 2 Genflex Tubing	.90
636-D Display of 8 No. 636 Kits	7.20

"MADE OF EXTRUDED PLASTIC"

High grade extremely flexible plastic tubing for Radio and Electronic Insulation work. Highly resistant to cold or heat. High dielectric strength, average 8,000 volts. Tubing is put up in attractive individual boxes for easy handling.

COLORS: BLACK, RED, GREEN and CLEAR (Specify Color)

Cat. No.	B-S Gauge	Approx. I.D.	Stand. Pkg.	List Price	Cat. No.	B-S Gauge	Approx. I.D.	Stand. Pkg.	List Price
603	18	.042	20 ft.	\$0.80	613	8	.133	15 ft.	\$0.80
605	16	.053	20 ft.	.80	616	6	.166	10 ft.	.80
607	14	.066	20 ft.	.80	617	4	.208	10 ft.	.80
609	12	.085	20 ft.	.80	620	2	.263	10 ft.	.80
611	10	.106	15 ft.	.80					

All sizes available in continuous lengths on special order of 1,000 feet or more.



G-C RADIO FRICTION TAPE

This narrow 3/8" tape was particularly made for radio work. It eliminates waste and tearing of tape. It saves time and is handy to carry with you.

No.	List Price
870 3/8" Narrow, 65 ft.	\$0.55



G-C ASSORTED SPAGHETTI KIT

An assortment of 7 1/2" lengths of spaghetti sleeving. 26 lengths to the kit. Sizes include from No. 17 wire to 3/8" I.D. A very handy bundle to have for repair jobs.

No.	List Price
550 Kit 26 Lengths	\$0.65
550-D Display 8 Kits	5.20



G-C No. 551 BARGAIN SPAGHETTI KIT

"A Box Full of Spaghetti"

Here's a buy you can't beat on a spaghetti assortment. A variety of sizes and colors are included of high grade varnish tubing. Put up in attractive box. This kit will pay for itself on the first few repair jobs.


No.	List Price
551 Spaghetti Kit	\$1.25

GENERAL CEMENT Insulated Tubing — Tape — Kits

SPEEDEX-FENDER AND COWL AERIAL

New Low-Loss Super Auto Antenna

Built and engineered for the best cars. Exclusive features. Full telescoping, low-loss polystyrene insulators, stainless steel top rod, Admiralty brass tubing, triple chrome plating, smooth, positive slide contacts, universal adapter to fit all fenders, fits all cars, all radios — a beautiful aerial you will be proud of. Three sections, extends to 69". The best low-loss aerial made.



No. **7055 Speedex Fender Aerials** List Price **\$7.50**
(Standard Carton—10 Aerials)

G-C FORD ROOF AERIAL

Ford-Mercury Part No. 51A-18813-A1

Replacement aerial for all Ford and Mercury Roof Aerials of 1941-42-46-47-48 that operate from behind the dividing post of the windshield. Made of Admiralty brass tubing with stainless steel extension rod, triple chrome plated. Free sliding with positive contacts insure noise-free reception. Easy to install, fits without any changes, replaces original aerial. Comes complete with knob and set screw.



No. **7056 Ford Roof Aerial** List Price **\$2.25**
10 Aerials to Standard Carton

G-C HUB CAP STATIC SPRING

Eliminates static noises caused by front wheels of cars. Springs have riveted metal points for firm, smooth contact.



No. 1058 Each	List Price \$0.11	No. 1059 Box of 24 Springs	List Price 2.30
----------------------	--------------------------	-----------------------------------	------------------------

G-C IGNITION SUPPRESSORS

G-C now offers a rugged assortment of bakelite auto radio ignition suppressors. All metal parts are made of brass and all terminals securely fastened in casings. All resistors are double-impregnated with a special moisture-proof compound to eliminate resistance variation due to moisture and weather. G-C suppressors are impervious to heat, oil, moisture and mild acids. Over 50,000 miles of operation.



No. (a) 1501 Bracket Type	List Price \$0.30	No. (e) 1505 Screw Type, Universal	List Price \$0.30
No. (b) 1502 Ford V8	List Price .30	No. (f) 1506 Snap-on Type	List Price .30
No. (c) 1503 Ford V8 Brush Type, 33, 34, 35 Cars	List Price .30	No. (g) 1507 Distributor Type	List Price .30
No. (d) 1504 Ford V8 Brush Type, 36 to 40 Cars	List Price .30	No. (h) 1508 Cable Type for Splicing Cables	List Price .30

G-C HIGH FIDELITY RECORDING WIRE

Finest quality stainless steel Recording Wire for true reproduction. Gives permanent recordings which can be replayed indefinitely. Easily erasable. Same wire as used by leading manufacturers of Wire Recorders. Supplied on standard RMA spools to fit all Wire Recorders. Plastic leaders included with each spool of wire.



No.	Description	List Price	Consumers Net	Dealers Net
5171	1-hour Spool	\$6.95	\$5.00	\$3.50
5172	1/2-hour Spool	4.18	3.00	2.10
5173	1/4-hour Spool	2.78	2.00	1.40
5174	Plastic Leaders, for Armour Type Recorders, per pair	.20	.16	.11
5176	Empty Rewind Spool	1.00	.70	.49



G-C VACUUM CLEANER BELTS

"Made of Best Grade Live Rubber"

Display G-C Vacuum Cleaner Belts and make extra profit. Needed in every home—so sell to all your customers. Belts made of finest grade live rubber. Display the belts in your store and also carry an assortment with you when making service calls. Belts marked for identification.

POPULAR CLEANER BELT DISPLAY ASSORTMENTS

No.	List Price
1010-D Display 12 Assorted Belts—3 each cleaner belts types No. 7013, No. 7015, No. 7016 and No. 7017	\$2.80
7010-D Display 12 Flat Type Belts—3 each cleaner belts types No. 7012, No. 7013, No. 7014 and No. 7015	2.70
7011-D Display 12 Round Type Belts—Used on Apex, Hoover, AMC and Kenmore; 4 each belts No. 7016, No. 7017 and No. 7018	3.00

INDIVIDUAL BELTS AND DISPLAYS

*7012 Flat Belt—2 1/8" I.D. x 1/2" wide x 1/8" thick. Fits Premier Duplex, Jr.; G.E.; AMC; Bee-Vac; Eureka, G Models; Hamilton Beach, 8, 12, 14; Kenmore, BV Types; Universal; Westinghouse	.20
*7013 Flat Belt—2 3/8" I.D. x 1/2" wide x 1/8" thick. Fits Premier Duplex, G.E., Westinghouse, Royal, Universal, Hamilton Beach, AMC, Airway, Apex, Eureka, Graybar, Kirby, Regina, Scott-Fitler, Sweeper Vac	.20
*7014 Flat Belt—3 1/2" I.D. x 1/2" wide x 5/32" thick. Fits Airway, Apex, G.E., Kenmore, Premier, Singer	.25
*7015 Flat Belt—3 3/4" I.D. x 1/2" wide x 9/64" thick. Hoover large flat type	.25
*7016 Round Belt—3" diam. x 5/16" thick. Fits Hoover, 25, 26, 27, 80, 103, 150, 300, 305, 450, 475, Pt. No. 44783; Apex, 129	.25
*7017 Round Belt—3 3/4" diam. x 1/4" thick. Fits Hoover models 102, 105, 541, 543, 961, N. Special, Pt. No. 484-M	.25
*7018 Round Belt—3 3/4" diam. x 5/16" thick. Fits AMC, Kenmore Commander, Hoover Models 60, 90, 575, 700, 725, 750, 800, 925, 930	.25

*Standard Jobber's Quantity 12 to Display (add suffix D to part number).

G-C RUBBER GROMMETS

Soft black rubber grommets such as used for protecting wire and cables going through chassis, panels, etc. These are also used for mounting condensers, tube sockets, phono motors, etc., to prevent shock and vibration.

No.	A	B	C	D	E	List Price
*1039 Env. 15 Asst.						\$0.40
1040 Kit 50 Asst.						1.05
*1041-C Box of 144	7/16"	3/16"	7/32"	1/16"	5/16"	2.60
*1041-E Env. of 15	7/16"	3/16"	7/32"	1/16"	5/16"	.40
*1041-2C Box of 144	11/32"	1/8"	3/16"	1/16"	1/4"	2.10
*1041-2E Env. of 15	11/32"	1/8"	3/16"	1/16"	1/4"	.40
*1042-C Box of 144	9/16"	1/4"	1/4"	1/16"	3/8"	3.30
*1042-E Env. of 15	9/16"	1/4"	1/4"	1/16"	3/8"	.40
*1043-C Box of 144	5/8"	3/8"	1/4"	1/16"	1/2"	3.75
*1043-E Env. of 15	5/8"	3/8"	1/4"	1/16"	1/2"	.40
*1043-1C Box of 144	13/16"	1/2"	11/32"	1/8"	5/8"	5.15
*1043-1E Env. of 15	13/16"	1/2"	11/32"	1/8"	5/8"	.40

G-C PURE GUM GROMMETS

Very soft live rubber grommets for shock and vibration dampening. For mounting tuning condensers, sockets, phono motors, chassis, etc.

No.	A	B	C	D	E	List Price
*7580-E Env. of 15 Asst.						\$0.40
7581 Kit of 100 Asst.						2.25
*7582-E Env. of 15	7/16"	3/16"	7/32"	1/16"	5/16"	.40
7582-C Box of 144	7/16"	3/16"	7/32"	1/16"	5/16"	3.05
*7584-E Env. of 15	9/16"	1/4"	1/4"	1/16"	3/8"	.40
7584-C Box of 144	9/16"	1/4"	1/4"	1/16"	3/8"	4.10

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

(For complete specifications and other listing of grommets, see Page 61.)

New! STATIC CHASER

G-C STATIC POWDER AND INJECTOR

(Pat. Pend.)

"Approved by Tire and Auto Manufacturers"

Anti-Static Powder dissipates static which causes radio noise and contact shock. Minimizes auto radio static interference caused by friction of rotating parts, including wheels, brakes and tires. New powder should be blown into all inner tubes—especially helpful in the new synthetic type tires. Tire static powder kits include new easy-to-use injector for injecting G-C Wheel Static Powder into tire tubes without completely deflating the tires.

Tire static powder is blown into the tire inner tube under air pressure—as available at regular gasoline service stations. By using the new G-C special powder injector the new G-C tire static powder can be blown into the inner tube without completely deflating the tire. Merely reduce the tire air pressure 5 or 10 pounds, attach the injector to the tube valve stem, pour the contents of one envelope of G-C tire static powder into the injector. After replacing the cover on the injector, apply air pressure and adjust the tire to the proper pressure. The powder will automatically be properly blown and distributed into the inner tube.

"It Really Works!"

No.	List Price
5604 G-C Injector Only for G-C Static Powder	\$1.50
5605 G-C Static Powder Packet for 5 Tires (1 car)	1.00
5606 Kit of Injector and Static Powder	2.50

1. Unscrew injector cover. 2. Empty one package into water. 3. Slide injector on tire valve and blow powder into inner tube with regular air tire.

REPEAT PROCESS ON ALL TIRES INCLUDING SPARE

GENERAL CEMENT Grommets—Cleaner Belts—Static Chaser



G-C INSULATING CAMBRIC

"Breakdown Voltage 10,000 Volts"
Dry yellow varnished cambric for field coils, transformers, chokes, resistors, motors, etc. Needed for many repair jobs to insulate parts and wires.

No.	Description	List Price
549	Roll, over 210 sq. in.	\$0.75
549-D	Display, 10 Rolls	7.50
548	36" x 36", yd., any length	4.00

G-C LAMINATED BAKELITE PANELS

Black laminated bakelite. Needed by all experimenters, amateurs and radio men for insulating parts, terminal strips, building sets, etc. 1/16" thick stock. Black color.

No.	Description	List Price
590	6" x 6" x 1/16"	\$0.60
591	6" x 12" x 1/16"	1.10
592	12" x 12" x 1/16"	2.20

G-C FIBEROID

"Fish Paper"

Fish paper has many uses around the shops for repair jobs where electrical insulation is required.

No.	Description	List Price
560	.010"—240 sq. in. roll	\$0.50
560-D	Display 8 No. 560	4.00



G-C ATTACHMENT CAPS

Approved attachment caps. Made of rubber or bakelite body with brass blades and spring contacts.

MODERN STREAMLINE CAP
(a) No. 865 List Price \$0.25
SPRING ACTION BAKELITE CAP
(b) No. 860 List Price \$0.25

SCREW BASE
For Attachment Plugs
(c) No. 867 List Price \$0.17

G-C SPRING ACTION CUBE TAP

New type bakelite cube tap, with 3 outlets always available. It will stay in place because of spring action features. High quality cube tap that will not go to pieces.

No.	Description	List Price
862	Brown Cube Tap	\$0.30

G-C CUBE CORD CONNECTOR

Bakelite cord connector to fit on end of cords. Make your own extensions with this cube connector.

No.	Description	List Price
863	Cube Connector	\$0.25

G-C BAKELITE SURFACE BLOCK

Brown bakelite convenience block to fasten to the wall, base boards or on the extension cord.

No.	Description	List Price
866	Surface Block	\$0.50



G-C RADIO CORD SETS

Handy replacement cord sets, ready to attach to radio sets and appliances. Made of approved brown parallel wire with plugs attached.

No.	Description	List Price
885	6 ft. Brown	\$0.45
886-P	7 1/2 ft. Brown	.60



G-C EXTENSION CORDS

G-C extension cords are made of approved wire ready to use with a plug on one end and a 3-way tap on the other end.

No.	Description	List Price
887	6 ft. Brown	\$0.75
889	7 1/2 ft. Brown	.90



G-C CORD STRAIN RELIEFS

Use G-C cord strain reliefs on chassis and appliances when replacing cords. It will prevent shorts and do a better job.

No.	Description	List Price
6675-E	Env. of 4 Strain Reliefs	\$0.40
6675-D	Display of 20 Pkgs. of 6675	8.00



G-C FELT PADS AND BUMPERS

Assorted felt pads can be cemented to bottoms of cabinets, lamps, vases, etc., to prevent scratching.

No.	Description	List Price
*1069-E	40 Asst. Pads in Env.	\$0.40



G-C RUBBER FEET

Screw Type

A solid rubber foot for radio cabinets, tool kits, boxes, etc. Prevents scratching of furniture. Can be used with any type of screws, tacks or nails.

No.	Description	List Price
*1075-A	Env. of 12 Asst.	\$0.40
*1075-B	Env. of 12	.40
(A) 1/2" Diam. (B) 3/16" High		
*1075-C	Env. of 10	.40
(A) 1/2" Diam. (B) 1/4" High		
*1075-F	Env. of 8	.40
(A) 1/2" Diam. (B) 5/16" High		



RUBBER BUTTON BUMPERS

The rubber bumpers require no screws to mount. Simply slip into hole and bumper will stay there. Very popular on table model radio sets. Plastic and metal cabinets.

No.	Description	List Price
*7596-E	Env. of 10	\$0.40
(A) 3/8" (B) 1/2" (C) 3/16" (E) 3/16"		
*7597-E	Env. of 10	.40
(A) 1/2" (B) 7/16" (C) 1/4" (E) 1/4"		
*7598-E	Env. of 8	.40
(A) 1/2" (B) 9/16" (C) 1/2" (E) 5/16"		



G-C CABINET FELT FEET

Screw type chassis felt feet, such as used under radio cabinets, chassis, instruments, etc.

No.	Type Screw	List Price
*1086-E	Env. 4 Assorted	\$0.40
*1086-BE	Env. 4 Sheet Metal	.40
(A) 1/2" (B) 3/16" (C) 1/2"		
*1087-E	Env. 4 6-32 Screw	.40
(A) 1/4" (B) 3/16" (C) 1/2"		
*1088-E	Env. 4 Sheet Metal	.40
(A) 3/4" (B) 1/4" (C) 1/2"		
*1089-E	Env. 4 10-32 Screw	.40
(A) 3/4" (B) 1/4" (C) 1/2"		

G-C TACK BUMPERS

Handy tack bumpers of many uses. Can be used under radio cabinets, etc., to prevent scratching. Tack is molded into the rubber ready to use. 3/8" diam.

No.	Description	List Price
*1075-E	Env. of 10 Tack Bumpers	\$0.40
1077	Box of 100 Tack Bumpers	3.50



G-C RUBBER CHASSIS MOUNT KITS

Soft rubber mounts for floating chassis, speakers and motors to prevent vibration, microphonic noises and to deaden sound on motors and machinery.

No.	Description	List Price
*1038-E	Env. of 10 Small Assorted	\$0.40
No. 1030	Kit of 25 Assorted	1.80

(For detailed specifications and other sizes of Chassis Mounts, see Page 62.)



G-C RUBBER KIT ASSORTMENT

Handy kit to keep in the shop. Contains various sizes of rubber grommets, chassis mounts, etc. An exceptional buy.

No.	Description	List Price
7600	Rubber Kit	\$1.00

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).



STANDARD TUBE SOCKETS

G-C BAKELITE SOCKETS

High quality molded bakelite sockets. High dielectric. Sockets have plated bronze contacts and will not corrode. Three grounding lugs are on metal base of each socket, and are automatically grounded when the socket is installed. 1 1/4" mounting centers. 1-3/8" mounting hole.

Standard R.M.A. Contact Spacings

No.	List Price
1528 8-prong Octal Base	\$0.15
1528-L 8-prong Octal Type	.20

G-C WAFER SOCKETS

High grade laminated bakelite sockets with positive contacts. Std. spacings.

No.	Mtg. Centers	List Price
1534 4-prong	1-1/2"	\$0.15
1535 6-prong	1-1/2"	.15
1536 6-prong	1-1/2"	.15
1537 7-prong, small	1-1/2"	.15
1537-L 7-prong, large	1-1/2"	.18
1538 8-prong, Octal	1-5/16"	.18
1538-2 8-prong, Octal	1-1/2"	.18
1538-L 8-prong, Octal	1-5/16"	.20

MINIATURE TUBE SOCKETS

G-C BAKELITE MINIATURE SOCKET

For Miniature Tubes

High quality bakelite molded socket with metal saddle mounting. Made with phosphor bronze plated contacts for 7-prong tubes. Standard mounting centers.

No.	List Price
1540 Bakelite Socket	\$0.25

G-C WAFER MINIATURE SOCKET

For Miniature Tubes

Made of bakelite, high grade sockets for the new miniature tubes. Phosphor bronze contacts for 7-prong tubes. Standard 3/8" mounting centers.

No.	List Price
1541 Wafer Socket	\$0.15
1542 Wafer Socket with mounting strap	.17



G-C AUTO ANTENNA PLUG

Shielded positive connector plug same as used on Motorola and other auto radios.

No.	List Price
1740 Shielded Pin Plug	\$0.15

G-C ANTENNA CONNECTOR JACK

Shielded type jack to fit the 1740 plug for auto antenna and phonograph connection.

No.	List Price
1741 Shielded Jack	\$0.25

G-C PHONO PLUG

Used on all types of phonograph connections, on RCA, Zenith, Phleco and others. Can be used for auto radio connector.

No.	List Price
1742 Midget Pin Plug	\$0.10
*1742-E Env. 4 - 1742	.40
1742-M Per 1000 - 1742	39.00

G-C PHONO JACK

Very popular jack used for phonograph attachments. To be used with No. 1742 plug.

No.	List Price
1743 Phono Jack	\$0.15
*1743-E Env. 3 - 1743	.40
1743-M Per 1000 - 1743	98.00

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).



G-C EXTENSION JACK AND CONNECTOR

Special jack used in extending radio antenna cables and phonograph attachments. Will fit 1740 or 1742 plugs.

No.	List Price
1744 Extension Jack	\$0.20

G-C FUSE CONNECTOR

Regular Type

Same as used on auto radios and other equipment. Completely assembled, ready to use.

No.	List Price
1749 Reg. Fuse Connector	\$0.20

G-C JUMBO FUSE HOLDER

Large size fuse holder, 2 1/2" long x 1/2" diameter.

No.	List Price
1748 Jumbo Fuse Holder	\$0.30

G-C ANTENNA CONNECTOR

Used for connections on auto antenna and ground lines.

No.	List Price
1747 Antenna Connector	\$0.15

G-C MOTOROLA LEAD ADAPTER

Adapter plug used to adapt a bayonet type of connector to motorola type.

No.	List Price
1745 Motorola Lead Adapter	\$0.35

G-C ADAPTER SHELL

Used to change the motorola type of fitting to a bayonet type connector.

No.	List Price
1746 Adapter Shell	\$0.10

G-C ANTENNA CONNECTOR END

To be used with regular antenna connectors. Supplied complete with bushing.

No.	List Price
1750 Antenna Connector End	\$0.10

G-C AUTO FUSE INSULATOR SLEEVE

Insulating sleeve to fit regular fuse holders.

No.	List Price
6720-E Env. of 16	\$0.40
6720-D Display of 20 Env.	8.00



G-C REPLACEMENT PARTS FOR ANTENNA AND FUSE CONNECTORS

No.	List Price
(a) 1791 Sleeve of Fuse Connector	\$0.05
1791-C Box of 144 No. 1791	7.20
(b) 1792 Sleeve of Antenna Connector	.05
1792-C Box of 144 No. 1792	5.00
(c) 1793 End Piece for Antenna and Fuse Connector	.04
1793-C Box of 144 No. 1793	7.20
(d) 6720 Auto Fuse Insulator Sleeve	.02
6720-C Box of 144 No. 6720	1.50
(e) 1796 Spring for Antenna and Fuse Connector	.01
1796-G Box of 144 No. 1796	1.40
(f) 1795 Bakelite Bushing	.03
1795-G Box of 144 No. 1795	3.50

G-C SCREW TYPE TERMINAL STRIPS

Mounted on laminated bakelite strips, rigidly constructed, terminals will not turn and short.

No.	No. of Contacts	List Price
1772	2	\$0.18
1773	3	.27
1774	4	.36
1775	5	.45
1776	6	.54
1777	7	.63
1778	8	.72
1779	9	.81
1780	10	.90

G-C SOLDER TYPE TERMINAL STRIPS

Mounted on laminated bakelite strips. Lugs are securely fastened and will not turn.

No.	No. of Contacts	List Price
1781	1	\$0.05
1782	2	.06
1783	3	.07
1784	4	.11
1785	5	.12
1786	6	.13
1787	7	.14
1788	8	.15
1789	9	.18
1790	10	.20



**G-C ONE-INCH
JEWEL SIGNAL LIGHT**

Very popular on radio and electrical switch boards, signal devices, laboratory equipment, etc. Bulbs can be easily changed from the front by removing the jewel. Available in various bases as listed and jewel color of red, green, blue, amber, opal and clear. 1" mounting hole required. (Specify color of jewel.)

No.	Type of Socket	Jewel	List Price
7901	110-volt Candelabra	Facetted	\$1.40
7902	110-volt Candelabra	Smooth	1.40
7903	Miniature Bayonet	Facetted	1.40
7904	Miniature Bayonet	Smooth	1.40
7905	Miniature Screw	Facetted	1.40
7906	Miniature Screw	Smooth	1.40



**G-C 3/4-INCH
JEWEL SIGNAL LIGHT**

3/4" Signal Light that can be used for many purposes. Jewels can be removed from front of panel. Supplied in various bases as listed and faceted jewels in colors of red, green, blue, amber, opal and clear. 11/16" mounting hole required. (Specify color of jewel.)

No.	Type of Socket	List Price
7907	Miniature Screw	\$0.80
7908	Miniature Bayonet	.80
7909	110-volt Candelabra	.80



**G-C 1/2-INCH
JEWEL SIGNAL LIGHT**

Very popular 1/2" Signal Light. Jewel can be removed from the front. Supplied in various bases as listed and faceted jewels in colors of red, green, blue, amber, opal and clear. 7/16" mounting hole required. (Specify color of jewel.)

No.	Type of Socket	List Price
7910	Miniature Screw	\$0.35
7911	Miniature Bayonet	.40
7912	110-volt Candelabra	.40



G-C PANEL JEWELS

Complete jewel assemblies available in 1", 3/4" and 1/2" diameter jewels in both smooth and faceted types. Holders are brass nickel plated supplied complete with nuts to fit panels up to 1/4" thick. Colors red, green, blue, amber, opal and clear. (Specify color desired.)

No.	Diam.	Jewel Type	Mounting Hole	List Price
7913	1/2"	Facetted	7/16"	\$0.25
7914	1/2"	Smooth	7/16"	.25
7915	3/4"	Facetted	11/16"	.60
7916	1"	Facetted	1"	1.10



**G-C CLIP-ON
PILOT LIGHT SOCKETS**

Available in both types, clip up and clip down. Makes an ideal replacement socket. Cadmium plated.

No.	Type	List Price
7920	Min. Screw Clip Up	\$0.15
7921	Min. Screw Clip Down	.15
7922	Min. Bayonet Clip Up	.17
7923	Min. Bayonet Clip Down	.17
7924	110-volt Candelabra Clip Up	.20
7925	110-volt Candelabra Clip Down	.20



**G-C BRACKET-TYPE
PILOT LIGHT SOCKETS**

Available with bracket up or down, as listed, in various bases. Sturdy construction, cadmium plated.

No.	Type	List Price
7926	Min. Screw Bracket Up	\$0.15
7927	Min. Screw Bracket Down	.15
7928	Min. Bayonet Bracket Up	.17
7929	Min. Bayonet Bracket Down	.17
7930	110-volt Candelabra Bracket Up	.20
7931	110-volt Candelabra Bracket Down	.20



**G-C UNMOUNTED
PILOT LIGHT SOCKETS**

Unmounted sockets can be used for replacement or other purposes.

No.	Type	List Price
7932	Min. Screw Base	\$0.15
7933	Min. Bayonet Base	.14
7934	110-volt Candelabra	.16



G-C PILOT LAMP INSTALLER

Make a hard job easy with this handy bulb installer. Made of rubber, will take all types of miniature, neon and candelabra lamp. Very handy in places that are hard to reach. Speeds up production and service work.

No.	List Price	
7935	Pilot Lamp Installer	\$0.40
7935-D	Display of 12	4.80



**G-C MINIATURE
TUBE-PIN STRAIGHTENER**

Precision-constructed steel die designed for straightening pins on fragile miniature tubes of the 1S5, 6AK5, 9002 variety. Quickly aligns pins that have been bent on the production line or when removing tubes from sockets. Operation is entirely automatic and is performed by simply inserting tube within guide pillars and plugging die into die in base. Unit can be carried in tool box or can be fastened to the bench. Every Service Shop needs 3 or more of these straighteners. It will pay for itself in tubes saved.

No.	List Price	
5191	Tube-Pin Straightener	\$ 1.00
5191-D	Display of 12	12.00





G-C MICROPHONE CHASSIS UNIT CONNECTOR

Single contact male connector that is used on the chassis. This is used with our No. 7942 Female Connector. Made of brass, nickel plated. Supplied with washers and nuts.

No.	List Price
7941 Chassis Connector	\$0.35



G-C MICROPHONE CONNECTOR
Single Contact Male Type

This is a sturdy completely shielded single contact microphone connector. Made of brass, bright chrome plated with steel spring cord protector to prevent breakage of wire.

No.	List Price
7940 Single Contact Male Connector	\$0.45



G-C MICROPHONE CONNECTOR
Single Contact Female Type

To be used with our Nos. 7940, 7941 and 7943 Male Connectors to make connections to microphones and amplifiers. Comes complete with coupling rings. Made of brass, chrome plated.

No.	List Price
7942 Single Contact Female Connector	\$0.55



G-C MICROPHONE CONNECTOR
Closed Circuit Type

Same as our No. 7941 except the closed circuit type. It prevents open circuit noises when microphone is disconnected. It can be used with our No. 7942 Female Connector.

No.	List Price
7943 Closed Circuit Connector	\$0.55



G-C MICROPHONE CONNECTOR CAP

To protect connector on microphones and amplifiers. Seals against dirt and protects the thread against damage.

No.	List Price
7944 Connector Cap	\$0.50



G-C SHAFT EXTENSIONS

Popular 1/4" shaft extension with flat shaft for spring type push-on knobs.

No.	List Price
6755 1/4" x 1/4" Long Flat Shaft Extension	\$0.35
6716 1/4" x 4" Long Round Shaft Extension	.35



G-C SHAFT COUPLINGS, EXTENSIONS AND REDUCERS

Accurately machined fittings made of brass and high grade insulating material for coupling and extending shafts of the same or different diameters. Made in as small dimensions as practical so as to use the minimum of space.

BRASS FITTINGS			INSULATED FITTINGS		
No.	List Price		No.	List Price	
6701	\$0.25	1/4" to 1/4" coupling	6721	\$0.25	1/4" to 1/4" coupling
6702	.30	1/4" to 3/8" coupling	6722	.30	1/4" to 3/8" coupling
6703	.25	1/4" to 3/16" coupling	6723	.25	1/4" to 3/16" coupling
6704	.30	3/8" to 3/8" coupling	6724	.30	3/8" to 3/8" coupling
6705	.30	1/4" hole to 1/4" shaft extension	6725	.30	1/4" hole to 1/4" shaft extension
6709	.30	3/4" hole to 3/4" shaft extension and increaser	6731	.30	3/4" hole to 3/4" shaft extension and increaser
6710	.30	3/8" hole to 1/4" shaft extension and reducer	6732	.30	3/8" hole to 1/4" shaft extension and reducer
6711	.30	3/8" hole to 3/8" shaft extension	6733	.30	3/8" hole to 3/8" shaft extension
6712	.20	1/4" x 8" brass shaft	6734	.30	1/4" x 8" fibre shaft
6713	.35	1/4" x 12" brass shaft	6735	.55	1/4" x 12" fibre shaft
6714	.35	3/8" x 6" brass shaft	6736	.60	3/8" x 6" bakelite shaft
6715	.60	3/8" x 12" brass shaft	6737	1.00	3/8" x 12" bakelite shaft
6716	.45	1/4" hole x 1/4" round shaft x 4" long	6738	.45	3/8" x 6" fibre shaft
	.35		6739	.80	3/8" x 12" fibre shaft

G-C REDUCING BUSHINGS

Now you can get a reducing bushing for knobs and shafts that really works. Made of brass, split type, easy to use.

No.	List Price
6751 Reduce 1/4" to 3/16" Env. of 8	\$0.40
6751-D Display of 20 Envelopes	8.00
6751-G Reduce 1/4" to 3/16", per 144	6.50

G-C BRASS AND INSULATED SPACERS AND BUSHINGS

Spacers and Bushings needed for insulating and spacing of parts. Needed on chassis, sub panels, etc.

No.	Assortments	List Price
6617	Hardware Lab. Jar 12 Assorted Spacers and Bushings	\$0.65
*6760-E	Env. 12 Asst. Ins. Spacers	.40
6762	15 Asst. Threaded Brass Bushings 6-32 thread, 1/4" to 3/4" long	1.25
6763	15 Asst. Threaded Brass Bushings 8-32 thread, 1/4" to 3/4" long	1.25
*6775-E	Env. 12 1/4" x 1/4" Ins. Spacers	.40
*6776-E	Env. 8 1/4" x 3/8" Ins. Spacers	.40
*6779-E	Env. 6 3/8" x 1/4" Ins. Spacers	.40
*6781-E	Env. 12 Asst. Metal Spacers	.40
*6785-E	Env. 10 1/4" x 1/4" Metal Spacers	.40
*6786-E	Env. 8 1/4" x 3/8" Metal Spacers	.40
*6789-E	Env. 6 3/8" x 1/4" Metal Spacers	.40

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).


BRASS				INSULATED			
No.	O.D.	Length	List Price Each	No.	O.D.	Length	List Price Each
6765	1/4"	1/4"	\$0.04	6775	1/4"	1/4"	\$0.04
6766	1/4"	3/8"	.05	6776	1/4"	3/8"	.05
6767	1/4"	1/2"	.05	6777	1/4"	1/2"	.05
6768	1/4"	3/4"	.06	6778	1/4"	3/4"	.06
6769	3/8"	1/4"	.05	6779	3/8"	1/4"	.05
6770	3/8"	1/2"	.06	6780	3/8"	1/2"	.06
6771	3/8"	3/4"	.07	6781	3/8"	3/4"	.07

THREADED BRASS BUSHINGS

No.	O.D.	Thread Size	Length	List Price Each	No.	O.D.	Thread Size	Length	List Price Each
6785	1/4"	6-32	1/4"	\$0.05	6790	1/4"	8-32	1/4"	\$0.05
6786	1/4"	6-32	3/8"	.07	6791	1/4"	8-32	3/8"	.07
6787	1/4"	6-32	1/2"	.08	6792	1/4"	8-32	1/2"	.08
6789	1/4"	6-32	3/4"	.09	6793	1/4"	8-32	3/4"	.09



with Speedex WIRE STRIPPERS



HELD IN YOUR
HAND OR

HELD ON THE BENCH

FAST OPERATING TOOL. Fast operating precision made hand tool strips insulation from all types of wire. This stripper saves considerable time in Aviation industry, Automotive industry, Army, Navy, Signal Corps and Tank Corps. An ideal tool for Manufacturers, Electricians, Radio Men, Ignition Experts and Maintenance Men.

Speedex Strippers are made to strip wire sizes No. 8 to No. 30. Hardened Steel precision ground cutting blades are interchangeable and can be purchased separately.

EASY TO OPERATE. Speedex Wire Stripper can be used as a production tool on the bench or as a portable hand tool wherever needed. 750 to 1000 wires can be stripped per hour by girls or men.

STANDARD MODELS

This is the most popular Speedex Model and is satisfactory for 90% of stripping jobs. Illustrated on the right.

AUTOMATIC MODELS

With "stay open feature" for stripping fine standard wires. Automatically holds jaws open until wire is removed. Strips all types fine stranded wire without crushing. Can also be used on solid wire. Has "on or off" mechanism so Automatic Model can be used as a Standard Model if desired.

FOR SIZES AS LISTED BELOW

No. 733	12 to 20 Wire	No. 744	12 to 20 Wire
No. 733-A	14 to 30 Wire	No. 744-A	14 to 30 Wire
No. 733-B	10 to 18 Wire	No. 744-B	10 to 18 Wire
No. 733-C	8 to 10 Wire	No. 744-C	8 to 10 Wire

Sizes below specially made for Stranded wires. Cutters made to fit Wire sizes as listed, for perfect stripping without marring flexible Wires.

No. 733-D	16, 18, 20, 22 Wires	No. 744-D	16, 18, 20, 22 Wire
No. 733-E	14, 16, 18 Wires	No. 744-E	14, 16, 18 Wire
No. 733-F	10, 12, 14 Wires	No. 744-F	10, 12, 14 Wire
No. 733-G	For No. 18 POSJ or parallel wire	No. 744-G	For No. 18 POSJ or parallel wire
No. 733-H	For the new 300 ohm Television and FM twin transmission line.	No. 744-H	For the new 300 ohm Television and FM twin transmission line.

Shipping Weight 1 Lb. Each Standard Carton 12 Strippers

STRIPS ALL TYPES OF WIRES



STANDARD MODEL

\$6 LIST



AUTOMATIC MODEL

\$8 LIST



NO SECOND SQUEEZE REQUIRED
Simple "ON or OFF" Mechanism
PATENTS PENDING

Speedex WIRE STRIPPER KIT

deluxe WIRE STRIPPER KIT

COMPLETE KIT FOR ALL SIZE WIRES



Handy Speedex Wire Stripper Kit comes complete with Wire Stripper and seven different size blades neatly put up in a special permanent steel box. Be ready to strip any size wire No. 8 to No. 30 with this kit. Very practical kit for the Radio Service Man, Electrician, Mechanic and Manufacturer. Kit is put up so that all parts are kept together in one box. Very handy kit for the tool box, home workshop, maintenance and production. Kits available with Automatic No. 744 Strippers or Regular No. 733 Strippers.

No.		List Price
733-K	Standard Speedex Stripper Kit complete with blades	\$15.00
744-K	De Luxe Speedex Stripper Kit complete with Automatic Model Tool and all blades	17.00



G-C "SPEEDEX" REPLACEMENT BLADES

Fit Standard and Automatic Models

Blades Interchangeable

No.	Wire Sizes	List Price
3W	12-to-20	\$1.50
3W-A	14-to-30	1.50
3W-B	10-to-18	1.50
3W-C	8-to-10	1.50
3W-D	16, 18, 20, 22	1.50
3W-E	14, 16, 18	1.50
3W-F	10, 12, 14	1.50
3W-C	Blades for Parallel No. 18 POSJ or similar	1.50
3W-H	Blades for the new 300-ohm Television and FM twin Transmission line	1.50

"SPEEDEX" STRIPPER BENCH HOLDER

"For the Factory or Service Bench"

Special Bench Holder that will hold any model Speedex Stripper. Makes a bench operated tool which is especially handy for stripping insulation from wires in production. With this holder a hand operated Speedex can be converted to strip up to 2,500 wires per hour. Made of steel.

No.	List Price
755 Bench Holder	\$3.75

NEW "SPEEDEX" TRIG-O-MATIC CONVERSION PLATE

"Patent Pend."

With this plate you can convert any regular model Speedex Stripper to an Automatic Stay-Open Model. It's easy to install, simply remove the old plate and put this on. Will improve your old stripper and make it fully automatic.


No.	List Price
756 Trig-O-Matic Plate Only	\$2.00

G-C SHUR-GRIP PLIER WRENCH

Here's a universal handy all-purpose plier wrench. This is something new and different from the average Grip Wrench. It works with a short pawl against the cam handle, giving it extra power. IT UNLOCKS WITHOUT SNAPPING THE FINGERS. Jaws are forged from alloy steel and specially heat treated for toughness and durability. It is a high quality tool.

No.	List Price	Dealers Net
767 7" Shur-Grip	\$3.50	\$1.80
770 10" Shur-Grip	3.95	1.95

G-C Ne-O-Lite



DISPLAY CARDS
 No. 5112-D 12 Ne-O-Lites
 No. 5100-D 20 Ne-O-Lites

INDIVIDUAL CARDS
 No. 5100 — With instructions for Bin and Counter Sales.



Instantly tests by glow both AC and DC circuits, 60 volts AC to 550 volts AC or DC.

A simple, safe, dependable electrical circuit tester—easy to use with a Neon Glow Lamp which varies in light intensity according to voltages. Traces all types of trouble, such as grounded lines, open circuits, short circuits, etc. Everyone can use the handy Ne-O-Lite Tester—Vest Pocket size. Used by Radio Men, Electricians, Mechanics, Home Owners, Maintenance Men, etc.

- Tests Cords, Appliances, Signals
- Locates Blown Fuses
- Tests Radios
- Tests Polarity
- Tests Automotive Cables, Circuits
- Tests Electric Fences
- Tests Armatures
- Tests Spark Plugs

No. 5100	Ne-O-Lite Mounted on Instruction Card	List Price \$ 0.50
No. 5100-D	Display 20 Ne-O-Lites	List Price 10.00
No. 5112-D	Display 12 Ne-O-Lites	List Price 6.00



G-C THERMO VOLT CIRCUIT TESTER

"For 15-60 Volts AC or DC"

Tester designed for use between 15 and 60 volts, either AC or DC. Used for testing thermostats, aircraft circuits and all lower voltage controls operating up to 60 volts. Also needed in aircraft, trains, 28-32 volt electrical systems, marine lighting, etc. Durable pocket type tester housed in a permanent plastic case. Equipped with long test leads. A necessity when installing automatic heating or air-conditioning equipment. Useful to the engineer, electrician, radio man, etc.

No.		List Price
5150	Thermo-Volt Circuit Tester	\$ 1.75
5150-D	Display 6 Thermo-Volt Testers	10.50



G-C NEON GLOW LAMP

Genuine NE-T2 Neon Glow Lamp as used in test lights, testers, appliances, switches, etc. Can be used as a test light or indicating light.

No.	List Price
717 Neon Lamp	\$0.20
(Jobber's Quantity 100 Lamps)	

G-C RESISTOR FOR NEON LAMP

The resistor that is required to use with above Neon Glow Lamp for voltages 90 to 550 volts.

No.	List Price
718 Neon Resistor	\$0.10
(Jobber's Quantity 100 Resistors)	




G-C LO-VOLT CIRCUIT TESTER

"For 0-15 Volts"

Low voltage tester for testing 0 to 15 volts, either AC or DC. Just the tester for making low voltage automotive tests on lighting and primary ignition circuits. Tests storage batteries, headlight wiring, generator out-put, etc. Also useful for testing bell circuits and control circuits operating at less than 15 volts. Supplied with screw-type bulb for easy replacement. A necessity for the mechanic or electrician.

No.		List Price
5125	Lo-Volt Circuit Tester	\$1.25
5125-D	Display 6 Lo-Volt Testers	7.50
5126	Replacement Screw Type Bulb for No. 5125	.25
5127	Replacement Shield for Bulb for No. 5125	.15



G-C INSPECTION LIGHT

"110 Volts AC or DC"

Just the light for service work in the field. Lights up those hard-to-see corners in chassis and refrigerators. Makes an excellent inspection lamp for production inspectors. Handy for coloring dial light bulbs. Dip bulb in coloring and job is done.

No.		List Price
705	Inspection Light	\$1.75
705-D	Display 6 Lights	\$10.50
704	Replacement Bulb for 705	.15
704-S	Clear Plastic Shield	.15



G-C CARBON BRUSH KIT

Here's a kit every service man, electrician, radio and electrical shop needs. A complete assortment of carbon replacement brushes for vacuum cleaners, washing machines, ironers, pumps, fans, mixers, office appliances, cash registers, drills, barber equipment and other small motors.

Kit Contains 92 Brushes and 18 Springs

No.		List Price
7000	Brush Kit	\$8.25

Ne-O-Lite Electrical Testers

CEMENT

GENERAL

40

The New G-C Wonder Tool

CHASS-EZ

(Pat. Pend.)

New Wonder Tool to Make the Radio Service Man's Job Easier

Here is the best and simplest Chassis Holder on the market to make your job easier. The simplicity of this holder is its chief merit. It can be installed in five seconds, it's easy to use and there are no parts to get lost. It's all one simple unit made of steel and nicely plated.

The tubes and undersides of the chassis are always open and accessible. This allows the service man more convenience in working on intermittent sets that must be set aside and played for a few hours.

Here is an opportunity to discard boxes and bottles and make your job simpler. Try one and you will buy several for your bench. It will fit over 90% of all straight or flanged chassis.

No. 5207 Chass-Ez

List Price \$3.65

DEALER'S NET ONLY \$1.95



New Improved Model

G-C PHONO TURNTABLE STAND

Here is just what you have been looking for. An adjustable, inexpensive stand to hold phono turntables while you are making repairs and adjustments. The new stand raises the turntable about 15 inches above the bench so you can easily look under the mechanism to check it while in operation. Then the unit can be easily pivoted on the swivel joints so that repairs can be made without removing the turntable from the stand. Easily adjusted to all sizes and types of phono turntables. Sturdily made of steel. Every service shop needs several of these stands.

No. 5205 Phono Turntable Stand

List Price \$6.65

DEALER'S NET ONLY \$3.99



G-C RADIO JACKS

Convenient Tool to Keep on the Bench


Another practical tool for the radio bench. Have you ever tried to prop up a set with boxes, old parts, batteries, etc.? If you have—then you will appreciate a pair of these CHASSIS JACKS. They are adjustable to fit any set, or any conditions. They are made of metal, and much superior to any type of wood props. They take very little space and are very convenient.

Service men should have at least two pairs of jacks on the bench. They will more than pay for themselves in saving time. After you once try these jacks they will become a part of your regular equipment.

No. 711 Chassis Jacks, per pair

List Price \$1.95

DEALER'S NET ONLY \$1.17



G-C RADIO CHASSIS GUARDS

"The Answer to the Radio Man's Problem!"

Inexpensive set of guards that will protect the chassis and tubes. When working on set, chassis can be turned in any position without damage to set or tubes. Adjustable to fit all sets. Easily applied. Install these on a set when you take it out of the cabinet and leave them on till you return the set. These guards protect the set and make it easy to carry the chassis.

No. 709 Chassis Guards, complete, pair

List Price \$2.25

DEALER'S NET ONLY \$1.35



GENERAL
CEMENT

Radio and Phono Chassis Racks



G-C No. 5014 ALIGNMENT TOOL

This is the most popular alignment tool for most receivers. Made of Bone Fibre, combination tool. Consists of Screw Driver with metal nib, 1/4" Hex Wrench slotted and 1/8" Hex Wrench on other end.

No.		List Price
5014	Tool	\$ 0.85
5014-D	Display of 12 Tools	10.20

G-C No. 5015 ALIGNMENT TOOL

Similar to our 5014 except supplied with heavy duty metal screw driver. Made of Bone Fibre, combination tool. Consists of Screw Driver with metal nib, 1/4" Hex Wrench, 1/4" Hex Wrench slotted, with metal Screw Driver on one end.

No.		List Price
5015	Tool	\$ 1.35
5015-D	Display of 12 Tools	16.20

G-C No. 5016 ALIGNMENT TOOL

Popular tool to be used in aligning sets without removing from cabinet. Has a short screw driver and a side wrench. Made of Bone Fibre, combination tool that can be used for most purposes. Consists of Screw Driver with metal nib, 1/8" Hex Wrench, 1/4" Hex Side Wrench and 1/4" Hex End Wrench slotted.

No.		List Price
5016	Tool	\$ 1.35
5016-D	Display of 12 Tools	16.20



G-C INSULATED HEX WRENCH AND DRIVER

Combination hex wrench and insulated screw driver. The screw driver may be extended from handle to provide extra long length. No metal parts, this is an all-fibre tool. Used to neutralize coils, condensers, etc.

No.		List Price
5005	Extends from 7-13"	\$0.75
5005-D	Display of 12 Tools	9.00
5006	Extends from 11-17"	1.00

G-C NON-EXTENSION TYPE WRENCH AND DRIVER

Same as above except screw driver is permanently attached in wrench. Length not adjustable. Overall length 6 inches.

No.		List Price
5007	Tool	\$0.40
5007-D	Display 12 No. 5007	4.80

Insul. Aligning Wrenches

Made of Bone Fibre Tubing. Hexed full length inside, so end wrench can be cut off when worn out, and tool is as good as new again. A very popular all-around tool.

		Hex Size	List Price
No.	Length	Across Flats	Diam.
5051	5"	5/16"	7/16" \$0.30
5052	5"	1/4"	3/8" .25
5053	6"	1/4"	3/8" .35
5054	8"	1/4"	3/8" .40
5055	12"	1/4"	3/8" .50
5053-D	Display of 12 No. 5053 Tools		4.20
5054-D	Display of 12 No. 5054 Tools		4.80

G-C ALIGNMENT WRENCH For Philco, RCA, Etc.

Excellent for neutralizing air trimmers on many models, RCA Victor, Philco and others. Has 5/16" Hex Wrench on one end and metal hook on other end to adjust air trimmers.

No.		List Price
5085	Tool	\$ 1.50
5085-D	Display 12 Tools	18.00



G-C DUPLEX NO-METAL ALIGNMENT SCREW DRIVER

Made of Hard Bone Fibre or Polystyrene—1/4" blade on one end, and 1/8" blade on other. 8" long. Very handy dual purpose alignment screw driver. Ends can be re-ground and used again.

No.		List Price
5009	6" Bone Fibre Duplex Screw Driver	\$0.40
5009-D	Display 20 No. 5009 Tools	8.00
5010	6" Polystyrene Duplex Screw Driver	.40
5010-D	Display 20 No. 5010 Tools	8.00

G-C NO-METAL INSULATING ADJUSTMENT SCREW DRIVER

Made of black Bone Fibre. Indispensable for aligning all wave sets. Will give long service. Ends can be re-ground.

No. 5004	7" Long	List Price	\$0.40
No. 5004-D	Display of 12 Tools	List Price	4.80
LOW-LOSS POLYSTYRENE TYPE—Ideal for U.H.F. Sets			
No. 5008	7" Long	List Price	\$0.40
No. 5008-D	Display of 12 Tools	List Price	4.80

G-C ALIGNMENT SCREW DRIVER

Low Inductance Metal Tip Screw Driver made of Genflex material—strong, durable, completely insulated. Very popular all-around alignment tool. Made in two sizes—1/4" and 7/32" diameter.

No.		List Price
5000	1/4" Diam. x 6" Tool	\$0.40
5000-D	Display of 12 Tools	4.80
5088	7/32" Diam x 6" Tool	.40
5088-D	Display of 12 Tools	4.80



G-C DUPLEX ALIGNMENT SCREW DRIVER

Low Inductance Metal Tip on both ends made of Genflex material. One end is 1/4" and other end is turned down to 7/32" diameter for small holes. Strong, durable, completely insulated tool.

No.		List Price
5001	Tool	\$0.75
5001-D	Display of 12 Tools	9.00

G-C RCA ALIGNING TOOL

Made of 1/4" Bone Fibre, narrow screw driver on one end and screw nib inserted on other end. Used on RCA sets and others for coil and push button adjustments.

No.		List Price
5003	Tool	\$0.75
5003-D	Display of 12 Tools	9.00

G-C R.F., I.F. and PUSH-BUTTON ALIGNMENT TOOL FOR BENDIX, RCA, ETC. Used on the Latest Sets

A new specially designed tool for adjusting iron core I.F. and R.F. transformers, coils, alignment condensers, and push-button timers. Used on Bendix, R.C.A. and others. Made of small diameter fibre. Metal tip on one end, other end recessed tip.

No.		List Price
5087	Tool	\$0.75
5087-D	Display of 12 Tools	9.00



G-C DUPLEX INSULATED WRENCH ALIGNMENT TOOL

Made of Bone Fibre with 1/4" Hex Metal Wrench one end and 5/16" Hex Metal Wrench on other end. This is a very durable all-around adjustment tool.

No.		List Price
5017	Tool	\$ 1.25
5017-D	Display 12 Tools	15.00

G-C ALLIGATOR AND WRENCH ALIGNING TOOL

Made of 7/32" Bone Fibre with alligator on one end and 1/4" metal Hex Wrench on other end. Very popular tool.

No.		List Price
5012	Tool	\$0.50
5012-D	Display 12 Tools	6.00

G-C ALLIGATOR WRENCH AND SCREW DRIVER

For RCA, Philco and others. Made of 7/32" Bone Fibre and strong metal wrench on one end and metal screw driver tip on other end.

No.		List Price
5011	Tool	\$0.50
5011-D	Display 12 Tools	6.00

G-C TRIMMER TOOL

Handy tool to adjust smallest size trimmer condensers. Screw driver is 7/32" diameter and will fit small holes. Other end has a reinforced 5/16" hex nut wrench.

No.		List Price
5067	Trimmer 6" Long	\$ 1.00
5067-D	Disp. 12 No. 5067	12.00



G-C WRENCH AND SCREW DRIVER ALIGNING TOOL

Made of 7/32" Bone Fibre with 1/4" Hex Wrench on one end and Screw Driver with metal nib on other end. This is a very handy alignment tool and wrench.

No.	Tool	List Price
5013	Tool	\$ 0.85
5013-D	Display 12 Tools	10.20



G-C ALIGNING TOOL FOR PUSH BUTTON TUNERS

Required to adjust Push-Button Tuners. Socket Screw Driver made of best steel. Handle made of Bone Fibre.

No.	Tool	List Price
5018	Tool	\$0.75
5018-D	Display 12 Tools	9.00



G-C ALIGNMENT TOOL FOR PHILCO, RCA, ETC.

For neutralizing air trimmer condensers on all model sets. Made of 7/32" Fibre. Metal clip on end.

No.	Tool	List Price
5086	Tool	\$0.60
5086-D	Display 12 Tools	7.20



G-C BALANCING TOOL

A short neutralizing tool for work in close quarters. Sets can be adjusted without removing from cabinets. A very handy tool.

No.	Tool	List Price
5084	Tool	\$0.50
5084-D	Display 12 Tools	6.00



G-C "STRATO" TUNING WAND

Made of Genflex rod with brass cylinder on one end and iron core on other end, used for adjusting and checking coils. By inserting iron core end you increase the inductance and inserting brass end lowers inductance.

No.	Tool	List Price
5002	Tool	\$ 1.00
5002-D	Display 12 Tools	12.00



G-C TEST Mallet, SCREW DRIVER AND TUBE TAPPER

Handy tool made with insulated screw driver on one end and rubber mallet on other end. Very handy for tapping tubes to find shorted or intermittent tubes.

No.	Tool	List Price
5081	Tool	\$0.65
5081-D	Display 12 Tools	7.80



G-C TEST PROBE

Handy new test probe to "dig in" and find the trouble. Fibre point on one end. Metal hook on other end. Excellent for locating loose connections and shorted parts.

No.	Tool	List Price
5082	Tool	\$0.50
5082-D	Display 12 Tools	6.00



G-C SCREW DRIVERS

Insulated screw drivers for radio work. No. 5056 for radio knobs, No. 5057 regular type for all-around radio use.

No.	Blade	List Price
5056	3" x 1/8" (Small)	\$0.25
5056-D	Display 12 No. 5056	3.00
5057	3" x 3/16" (Large)	.75



G-C CABLE EYELET TOOL

Inexpensive riveting tool for riveting parts to chassis and for turning eyelets on dial cables and assemblies. Kit consists of a base which can be inverted in a vise and clincher punch for turning the rivets.

No.	Tool	List Price
741	Tool	\$1.00
741-D	Display of 8 - 741	8.00



G-C MULTI-PURPOSE TOOL

Specially made for adjusting neutralizing padding condensers and iron core tuners and coils. One end has a screw driver and the other end a sleeve socket screw driver.

No.	Tool	List Price
5091	Tool	\$0.75
5091-D	Disp. 12 No. 5091	9.00



G-C BAKELITE 5/16" HEX WRENCH-SCREW DRIVER

Molded bakelite insulated wrench for radio work. 5/16" hex has reinforced brass collar to prevent breakage.

No.	Tool	List Price
5083	Tool	\$0.50
5083-D	Display 12 Tools	6.00



G-C ALIGNING TOOL

Specially designed for K-tran and L.F. transformers. Made of bone fibre, screw driver on one end.

No.	Tool	List Price
5097	Tool	\$0.75
5097-D	Disp. 12 No. 5097	9.00



Bakelite Neutralizing Tool U.S. Army TL-207

Made of Genuine Molded Bakelite. Combination screw driver and 5/16" hex wrench. Approved by U.S. Army Signal Corps. Very handy for aligning all types of receivers. Screw driver and wrench can be used separately.

No.	Tool	List Price
5027	Tool	\$2.25



G-C NEUTRALIZING AND ALIGNING TOOL U.S. Army TL-138-A

Approved tool for all-around radio tuning and aligning. 8" long, sturdily constructed.

No.	Tool	List Price
5098	Tool	\$ 1.00
5098-D	Disp. 12 No. 5098	12.00



G-C NEUTRALIZING AND ALIGNING TOOL

Approved by U.S. Army & Navy

Made of bakelite, double-end aligning tool. 9/32" diameter x 8" long. Approved and used by Army-Navy, Western Electric and other manufacturers.

No.	Tool	List Price
5099	Tool	\$ 1.25
5099-D	Disp. 12 No. 5099	15.00



G-C NEUTRALIZING TOOL U.S. Army TL-138-B

Handy short tool used by U.S. Signal Corps, U.S. Navy, Bendix, R.C.A. and others.

No.	Tool	List Price
5066	Tool	\$ 1.50
5066-D	Disp. 12 No. 5066	18.00



G-C FLEXI-DRIVER

"Around-the-Corner" screw driver for radio work. Insulated tips prevent "shorts" and guide the blade over screws for easy tuning. Approved by U.S. Army and Navy.

No.	Tool	List Price
5019	Tool	\$ 2.00
5019-D	Display 6 Tools	12.00



Zenith Push-Button Wrench

Special wrench necessary to use in adjusting Zenith push-button radios. One side has a 5/16" hex wrench and the other a slot. Made of steel nickel plated.

No.	Tool	List Price
5094	Zenith Wrench	\$0.17
5094-D	Disp. 24 Wrenches	4.08



G-C CONTACT ADJUSTER

A handy tool to adjust contacts on switches, relays on pin ball machines and radio sets. Also an excellent tool for adjusting condenser plates, jack and switch contacts.


No.	Tool	List Price
5095	Contact Adjuster	\$0.17
5095-D	Display 24 Tools	4.08



G-C DIAL CABLE TOOL

A handy tool to aid in replacing worn out cables or cables slipped off of drums. Makes it easy to replace dial cord springs also. A necessity in cramped spaces around the dial.

No.	Tool	List Price
5096	Dial Cable Tool	\$0.75
5096-D	Display 12 Tools	9.00



G-C No. 5024 PROFESSIONAL ALIGNMENT KIT

A Complete Alignment and Neutralizing Kit in Leatherette Case

Kit contains all tools necessary to service any set. Handy to carry in roll type case. Used by Army and Navy as approved equipment. Preferred by all radio men as standard equipment. This is the best kit made for radio men. Kit contains the following tools:

- | | | | | |
|--------|--------|--------|--------|--------|
| 1—5000 | 1—5011 | 1—5018 | 1—5035 | 1—5082 |
| 1—5001 | 1—5012 | 1—5019 | 1—5051 | 1—5083 |
| 1—5002 | 1—5013 | 1—5031 | 1—5053 | 1—5084 |
| 1—5003 | 1—5015 | 1—5032 | 1—5056 | 1—5085 |
| 1—5004 | 1—5016 | 1—5033 | 1—5057 | 1—5086 |
| 1—5005 | 1—5017 | 1—5034 | 1—5081 | 1—5087 |

Cat. No. **5024 Professional Alignment Kit in Roll Type Case**

List Price **\$19.95**

G-C No. 5025 PROFESSIONAL ALIGNMENT KIT

A Complete Alignment and Neutralizing Kit in Steel Box

Kit contains every tool necessary to service any set. This is the most DeLuxe set on the market. The best there is. Kit contains the following tools:

- | | | | | |
|--------|--------|--------|--------|--------|
| 1—5000 | 1—5011 | 1—5018 | 1—5035 | 1—5082 |
| 1—5001 | 1—5012 | 1—5019 | 1—5051 | 1—5083 |
| 1—5002 | 1—5013 | 1—5031 | 1—5053 | 1—5084 |
| 1—5003 | 1—5015 | 1—5032 | 1—5056 | 1—5085 |
| 1—5004 | 1—5016 | 1—5033 | 1—5057 | 1—5086 |
| 1—5005 | 1—5017 | 1—5034 | 1—5081 | 1—5087 |

Cat. No. **5025 Professional Alignment Kit in Steel Box**

List Price **\$19.95**



G-C NX ALIGNING KIT

An all-purpose kit, used by many Radio Men to neutralize most sets. Approved by U.S. Army and Navy. Very handy all-purpose aligning and neutralizing kit. Fourteen different tool applications from five basic tools, some parts which telescope into each other to make the kit handy to use. Contains:

- 1—5004 Screw Driver
- 1—5011 Alligator Wrench
- 1—5017 Double End Wrench
- 1—5015 Combination Tool
- 1—5016 Combination Tool
- 1—Leatherette Case

No. 5020 Kit List Price \$6.50



G-C TE-45A NEUTRALIZING KIT

Very handy kit for balancing most radio receivers. Used by many radio service men. Approved by U.S. Army Signal Corps. The all-purpose kit used by Signal Corps. Kit contains:

- 1—5" Small Screw Driver
- 1—5019 Flexi-Driver
- 1—5003 Tool
- 1—5000 Tool
- 2—5051 Tool
- 2—5052 Tool
- 1—Leatherette Case

No. 5021 Kit List Price \$6.75



VEST POCKET ALIGNING KIT

A very handy all-purpose aligning kit. Handy to carry with you for quick adjustments on all types of sets. Four different tools designed for the six most popular types of adjustments. Kit contains:

- 1—5012 Alligator and Hex Wrench
- 1—5000 Screw Driver
- 1—5003 RCA Screw Driver
- 1—5004 Screw Driver
- 1—Leatherette Case

No. 5022 Kit List Price \$3.00



G-C No. 5026 ALIGNMENT KIT

Here's a new DeLuxe G-C Alignment Kit which includes the most popular tools for the service man together with the new Flexible Shaft Screw Driver and Tuning Wand. Tools are put up in Leatherette Roll Type Case making it easy to carry in your pocket. Fourteen different tools designed into seven basic tools, some parts which telescope into each other. This is a very universal and complete kit. Kit contains:

- | | |
|-------------|--------------------|
| 1—5002 Tool | 1—5016 Tool |
| 1—5004 Tool | 1—5017 Tool |
| 1—5011 Tool | 1—5019 Tool |
| 1—5014 Tool | 1—Leatherette Case |

No. 5026 Kit List Price \$7.50



G-C No. 5023 ALIGNMENT KIT

A very complete inexpensive kit that will take care of most sets. Put up in a handy, easy-to-carry roll-type case. Used by thousands of radio men. Contains seventeen tools designed into nine basic tools, some parts of which telescope into each other. Kit contains:

- | | |
|-------------|--------------------|
| 1—5001 Tool | 1—5017 Tool |
| 1—5003 Tool | 1—5053 Tool |
| 1—5004 Tool | 1—5056 Tool |
| 1—5011 Tool | 1—5057 Tool |
| 1—5016 Tool | 1—Leatherette Case |

No. 5023 Kit List Price \$6.25



NEW! G-C WIRE STRIPPER

Sensational 5-in-1 tool made of hardened steel. Is a wire stripper, scraper, cutter, screw driver and wire winder all in one. Save time by having one on your bench and one in your tool kit. A real tool!

No.		List Price
757	Wire Stripper	\$0.25
757-D	Display of 24 Strippers	6.00

G-C TUBE AND PARTS EXTRACTOR TL-201

This handy tube extractor was originally designed by the U.S. Signal Corps as standard equipment. Now it's available to all. Skillfully constructed of spring steel, cadmium plated. Has rubber cushion on the prongs. It's a handy tool to have around.

No.		List Price
5092	Tube Extractor	\$1.00

G-C SPEEDEX FUSE PULLERS

Inexpensive—non-slip fuse puller. Safe and handy for cartridge fuses. Laminated insulation construction of high dielectric material for extra strength and safety. Keeps the fingers away from dangerous high voltages. A necessity in every tool kit.

No.		List Price
5525	Midget Size, for fuses 1/4" to 1/2" diameter	\$0.50
5525-D	Display 6 No. 5525 Pullers	3.00
5526	Pocket Size, for fuses 1/2" to 1 1/2" diameter. Voltages to 200 amps at 250 volts and 100 amps at 600 volts	1.00
5526-D	Display 6 No. 5526 Pullers	6.00



G-C SOLDER IRON TIPS

Bright plated to resist corrosion. These tips are made of best grade hard-drawn copper. G-C tips will heat up fast and retain the heat for fast soldering.

No.	Diam.	Long	List Price
724	1/4"	x 3"	\$0.45
725	5/16"	x 4 1/2"	.55
726	3/8"	x 4 1/2"	.60
727	7/16"	x 4"	.75



G-C SOLDERING COOLANT AND FLUX ATTACHMENT

Cools and Sets Solder Instantly (Patent Pending)

Here's a handy attachment that you can put on any soldering iron and speed up production and repairs. No waiting for solder to cool. Dip the brush in a coolant of water or alcohol and cool the solder instantly. Also can be used for soldering flux or paste. With this attachment it's just like having a helper to solder.

No.		List Price
720	Coolant Attachment	\$0.25
720-D	Display of 20 No. 720	5.00



NEW G-C SOLDERING WIRE COUPLERS

(Patent Pending)

Here's a handy assortment of wire connectors to resplice cut wires and solder again. Makes it handy to clip wires in testing and re-soldering. Simply slip over wires to be connected and solder. Will really save time.

No.		List Price
7500	Package of Connectors	\$0.40
7500-D	Display of 20 No. 7500	8.00



G-C 8-PIECE VEST POCKET SET

An outstanding seller. Seven sockets, 1/4", 5/16", 11/32", 3/8", 7/16" Hex., 3/8" Round Knurled, 1/4" Square and 4" L Handle with two friction balls in baked enameled box.

No.		List Price
712	Vest Pocket Set	\$1.40



G-C 6-PIECE "SLIP-ON" SET

The feature of the handle held together by friction ball securely holding 5 Hexagon Sockets, sizes 1/4", 5/16", 11/32", 3/8" and 7/16" is outstanding. Wood handle, orange enamel. Sockets plated.

No.		List Price
715	Slip-On Set	\$1.50



NEW G-C INSPECTION MIRROR

Here's something you've always wanted, an inspection mirror to see in the chassis and inspect coils, parts and connections. Made with a long handle, it will get into most any place and under anything. Order yours today.

No.		List Price
5090	Inspection Mirror	\$0.50
5090-D	Display of 12 Mirrors	6.00



G-C SWEDISH STEEL SPEAKER SHIMS

A Permanent Tool that Makes Speaker Repairs Simple. Speaker shims are necessary to every service man to enable him to properly adjust any type of a dynamic speaker. With our steel shims, adjustments on speakers can be made in a few minutes and satisfactory results are assured, where without shims much more time is required. These shims are made of the best grade of Swedish Steel, they are really very flexible and can be honestly called a permanent tool. Four sizes are furnished in a handy gold-lettered partitioned snap case, .004, .006, .008 and .010 in. With these shims you get the thinnest shims and by a combination of sizes you can have as thick as .0275 in. shims. Instructions included with kit.

No.		List Price
701	16 Shims, Color-Coded, in a Kit	\$0.65
701-D	Display of 12 No. 701	7.80



G-C FIBRELOID SPEAKER SHIMS

A Very Handy Tool for Centering Voice Coils

This kit of Speaker Shims is made of specially tough and flexible Fibreloid (Celluloid) and is preferred for adjustments on certain types of speakers. Our kit consists of five different sizes that will take care of all speakers: .005, .0075, .010, .0125 and .015 inches. All sizes are colored and the different gauges are indicated on the attractive gold-lettered snap case supplied with this kit:

No.		List Price
702	Five Sizes—20 Shims to This Kit	\$0.60
702-D	Display of 12 No. 702	7.20

GENERAL CEMENT **Speaker Shims—Service Aids** 45



G-C MASTER TEST LEAD REPLACEMENT WIRE

Replace worn out test lead wires with these 6000 volt extra flexible leads specially made for test leads. Red and black wire each 50" long, packed in cellophane envelopes.

No.		List Price
5049	Test Lead Wires	\$ 0.50
5049-D	Display of 12 No. 5049	6.00
5049-C	100-ft. *Spool Test Lead Wire	5.00
5049-M	1000-ft. *Spool Test Lead Wire	45.00

* (Specify Color—Red or Black)

G-C MASTER TEST LEADS

The best test leads you can buy, 50" long, 6000 volt, heavy duty test prods, solderless type. Extra flexible leads run through the handles and are fastened under the knurled collar on the tips. Tips are insulated red and black colors and are removable, they are the solderless type.

No.		List Price
5050	Master Test Leads	\$1.50
5050-D	Display of 6 No. 5050	9.00



G-C TEST PRODS

"Solderless Type"

Handle is made of red or black non-breakable fibre material. Solderless tip is made of brass nickel plated.

No.	Size and Color	List Price
5041	5 1/4" —Red	\$0.40
5042	5 1/4" —Black	.40
5043	7 1/4" —Red	.50
5044	7 1/4" —Black	.50

G-C LOW-LOSS DELUXE TEST PRODS

New low-loss Test Prods made of low-loss non-breakable cellulose acetate material, moisture resistant. Excellent for high voltage, low inductance. Solderless type tip made of brass nickel plated.

No.		List Price
5045	Red	\$0.50
5046	Black	.50
5045-D	Display 18 Prods, 9 Red-9 Black	9.00

G-C NEEDLE-POINT TEST PRODS

6" Test Prods are made of non-breakable plastic material available in red and black. Chuck tip and phono needle point can be removed. Chuck is made of brass nickel plated.

No.		List Price
7701	Needle Point Prod	\$0.50
7701-D	Display of 12 No. 7701	6.00



G-C MODERN PHONE TIP PLUG

New streamlined safety tip plug adds safety and appearance to your old test leads. Fits standard phone tip jacks. Same as used on latest type instruments.

No.		List Price
7704	Red Phone Plug	\$0.50
7705	Black Phone Plug	.50

Insulated Test Prod Tips

Insulated with unbreakable plastic material, solderless type of test prod tip. Wire fastens under knurled nut. Made of brass nickel plated. Red and black colors.

No.		List Price
5061	Red Test Prod Tip	\$0.24
*5061-E	Env. 2 No. 5061	.40
5062	Black Test Prod Tip	.24
*5062-E	Env. 2 No. 5062	.40

G-C TEST PROD TIPS

Solderless type plug for ends of cords, test leads and test prods. Wire fastens under knurled nut. Made of brass nickel plated.

No.		List Price
5060	Test Prod Tip	\$0.12
*5060-E	Env. 3 No. 5060	.40

G-C PHONO NEEDLE POINT TEST PROD CHUCK

Threaded type phono needle point chuck fits 1/4-20 thread. Supplied complete with needle made of brass nickel plated.

No.		List Price
7702	Threaded Needle Chuck	\$0.18

*Standard Jobber's Quantity 20 to Display (D) or Box (X).



G-C HEAVY DUTY PHONE TIP PLUG

Standard heavy duty plug same as used on test leads, prods, etc. Made of brass, nickel plated. Will push into 1/4" hole on test prods.

No.		List Price
7706	Heavy Duty Plug	\$0.15

G-C STANDARD PHONE TIP

Solid Type

Standard phone tip made of cold brass, end drilled out to receive wire. Bright nickel plated. Made according to RMA specifications.

No.		List Price
6321-E	Env. of 8	\$0.40
6321-D	Disp. 20 Env. 6321	8.00
6321-C	Package of 144	5.85
6321-M	Package of 1000	35.00

G-C STANDARD PHONE TIP

Standard phone tip made of drawn brass, bright nickel plated.

No.		List Price
6320	Env. of 16	\$0.40
6320-O	Display of 20 Env. No. 6320	8.00
6320-G	Package of 144	2.10
6320-M	Package of 1000	12.50
6629	Hardware Lab Jar of 30	.65

G-C PHONO NEEDLE POINT TEST PROD CHUCK

Push-on type phono needle point chuck will push into a 1/4" hole on test prods. Made of brass, nickel plated.

No.		List Price
7703	Push-On Needle Chuck	\$0.15



G-C INSULATED PHONE TIP PLUG

Fits standard phone tip jacks, tip is made of brass and is insulated with low-loss plastic material. Specially suitable where minimum amount of metal can be exposed.

No.		List Price
7710	Red Insulated Tip	\$0.15
7711	Black Insulated Tip	.15

G-C INSULATED SPADE LUG

Tapered spade lug can be used on any size screw or terminal strip up to No. 10. Fits all banana plugs on receptacle end.

No.		List Price
7712	Red Spade Lug	\$0.16
7713	Black Spade Lug	.16

G-C PHONO TIP JACKS

An outstanding phone tip jack used by leading test instrument manufacturers. Made with phosphor bronze springs that make positive contact. Made of brass, nickel plated. Fits 1/4" hole and panels up to 3/8" thick.

No.		List Price
7714	Phone Tip Jack	\$0.10

G-C INSULATED PHONE TIP JACKS

Insulated phone tip jacks same quality as our No. 7714, made with phosphor bronze springs. Insulated head is 1/4" diam. Jack will fit 1/4" hole and panels to 1/4" thick.

No.		List Price
7715	Red Phone Tip Jack	\$0.20
7716	Black Phone Tip Jack	.20



Spring Banana Plug

Insulated Solderless Type
No metal parts are exposed around the handle of the spring non-collapsible banana plug. Spring action prongs give maximum area of contact. Connection of wire is made to internal solderless fastener. Handle is highly polished, metal parts nickel plated.

No.	List Price
7730 Red Banana Plug	\$0.25
7731 Black Banana Plug	.25

Spring Banana Plug

Insulated Handle
On this high-grade banana plug, connection is made by a side screw. Spring prongs give maximum area of contact. Handle is highly polished and metal parts nickel plated.

No.	List Price
7732 Red Banana Plug	\$0.20
7733 Black Banana Plug	.20

Banana Pin Plugs

Approved silver plated plugs. Can be used for many purposes. Ideal for multiple plugs and cords. Straight shank, small type. Can be riveted or soldered.

No.	List Price
*6400 Env. 10 Plugs	\$0.40
JACKS FOR 6400 PLUGS	
*6401 Env. 4 Jacks	\$0.40
*Standard Jobber's Quantity 20 Env. Specify Box (X) or Card Display (D).	

Spring Banana Plug

Used extensively for plug-in coils, terminal strips, etc. Shank is threaded 6-32, supplied complete with lug and nut. Brass nickel plated.

No.	List Price
7736 Banana Plug	\$0.12

Spring Banana Plug

This is identical to our 7736 plug except it is made with a female 6-32 thread on end. Supplied with soldering lug and screw.

No.	List Price
7737 Banana Plug	\$0.12



G-C BANANA JACK

Standard banana pin jack will fit all jacks. Made of brass, nickel plated. Fits 1/4" hole. Supplied with nut and lug.

No.	List Price
7740 Banana Jack	\$0.10

INSULATED BANANA JACK

Standard banana jack, insulated with high lustre plastic. Fits 1/4" hole and panels to 3/8" thick. Supplied complete with nut and lug.

No.	List Price
7741 Red Banana Jack	\$0.15
7742 Black Banana Jack	.15

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

G-C RCA PIN PLUG AND JACK

Used on various types of RCA equipment but adaptable to all sets and purposes. A fine auto-radio antenna connector.

No.	List Price
1742 Midget Pin Plug	\$ 0.10
*1742-E Env. of 4 - 1742	.40
1742-M Per 1000 - 1742	39.00
1743 Midget Shielded Jack	.15
*1743-E Env. of 3 - 1743	.40
1743-M Per 1000 - 1743	98.00

Combination Banana Plug and Phone Tip Jack

INSULATED

Insulated combination jack that will fit all standard banana pins and phone tip plugs. Made of brass with phosphor bronze springs, insures positive contact. Nickel plated. Will fit 1/4" hole and panels to 3/8" thick.

No.	List Price
7744 Red Combination Jack	\$0.20
7745 Black Combination Jack	.20



G-C ALLIGATOR CLIPS

Insulated
Very popular alligator clip, accurately made for use on test equipment, batteries, etc. Insulated with polished plastic handles. Solder type. Nickel plated.

No.	List Price
5064 Red Insulated Clip	\$0.20
*5064-E Env. 2 - 5064	.40
5065 Black Insulated Clip	.20
*5065-E Env. 2 - 5065	.40

G-C ALLIGATOR CLIP

Non-insulated, very popular alligator clip used on all types of equipment, batteries, etc. Accurately made with strong spring. Solder type. Nickel plated.

No.	List Price
5063 Non-Insulated Clip	\$0.12
*5063-E Env. 3 No. 5063	.40

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

G-C INSULATED ALLIGATOR CLIP

Very popular screw-type alligator clip, insulated with bright plastic handle. Wire can be fastened under screw.

No.	List Price
7750 Black Ins. Clip	\$0.25
7751 Red Ins. Clip	.25

G-C ALLIGATOR CLIP

Very handy screw-type alligator clip used by radio men, experimenters and engineers. Wire can be quickly fastened under the screw.

No.	List Price
7752 Alligator Clip	\$0.18

G-C WEE-PEE-WEE CLIP

A new very popular clip, smaller than ever. Ideal for coils and high frequency work. Made of phosphor bronze, it is light weight and thin nosed.

No.	List Price
7755 Wee-Pee-Wee Clip	\$0.25

GC PEE-WEE CLIP

Very popular small test clip for radio, ignition and electrical work. Interlocking jaws insure positive contact and jaw teeth mesh.

No.	List Price
7756 Pee-Wee Clip	\$0.10

G-C CROCODILE CLIP

Very handy for test work in close quarters. Has exclusive features of nesting teeth that give solid contact along entire length of jaw. Steel cadmium plated.

No.	List Price
7757 Crocodile Clip	\$0.20

G-C FAHNESTOCK AMMETER CONNECTOR

Very handy for connecting auto radios to ammeter screws. Makes positive contact in the fastest and easiest way. Simply clip on the screw and it's there to stay.

No.	List Price
6307 Each	\$0.12
6307-G Box of 144	14.60



G-C FAHNESTOCK CLIPS

Very popular Fahnestock Clips insure positive contacts. Used on batteries, antenna leads, antenna loops, temporary connections and used by experimenters and engineers. Made of spring brass, will give long life.

Small Size Clip

1/2" Long x 7/32" Wide
Will take up to No. 16 wire, No. 6 mtg. hole.

No.	List Price
6301 Each	\$0.03
6301-G Box 144	2.10

Medium Size Clip

3/4" Long x 5/16" Wide
Will take up to No. 14 wire, No. 6 mtg. hole.

No.	List Price
6302 Each	\$0.03
6302-G Box 144	2.25

Large Size Clip

1-1/16" Long x 3/8" Wide
No. 8 Mounting Hole

No.	List Price
6303 Each	\$0.04
6303-G Box 144	2.40

Medium Size with Solder Lug

3/4" Long x 5/16" Wide
No. 6 Mounting Hole

No.	List Price
6306 Each	\$0.04
6306-G Box 144	3.10

Double Type Clip

1 1/2" Long x 5/16" Wide
No. 6 Mounting Hole

No.	List Price
6304 Each	\$0.14
6304-G Box 144	19.45

For additional listings on Fahnestock Clips—including displays—see Page 57.



7803 7804 7805 7806 7807 7808 7809 7810 7811 7812

G - C R A D I O B A T T E R Y P L U G S

No. 7803 **List Price \$0.11**
3-prong large plug for 45-volt "B" portable batteries, such as Eveready No. 482, etc.

No. 7804 **List Price \$0.25**
3-prong plug with Fahnestock Clips, for standard 4½-volt "C" batteries, such as Eveready 771, etc.

No. 7805 **List Price \$0.40**
5-prong plug with Fahnestock Clips, for standard 22½-volt "C" batteries, such as Eveready 768, etc.

No. 7806 **List Price \$0.11**
2-prong plug for portable 4½-volt "A" batteries, such as Eveready 746, etc.

No. 7807 **List Price \$0.11**
3-prong small plug for 45-volt "B" portable batteries, such as Eveready 482, 738, etc.

No. 7808 **List Price \$0.11**
2-prong small plug for 1½-volt "A" portable batteries, such as Eveready 742, etc.

No. 7809 **List Price \$0.13**
4-prong large plug for combination 1½-volt "A" and 90-volt "B" portable packs, such as Eveready 748, etc.

No. 7810 **List Price \$0.11**
2-prong plug for 6-volt portable "A" batteries, such as Eveready 747, 718, etc.

No. 7811 **List Price \$0.13**
4-prong plug for combination 6-volt "A" and 90-volt "B" portable packs, such as Burgess 2F4B60, etc.

No. 7812 **List Price \$0.11**
2-prong plug with guide pin for 7½-volt portable "A" batteries, such as Burgess G5, etc.



7813 7814 7815 7816 7817 7818 7819 7820 7821 7822

No. 7813 **List Price \$0.13**
4-prong small plug for combination 1½-volt "A" and 63-volt, 75-volt or 90-volt "B" portable batteries, such as Burgess 6FA60, 4GA42, Philco P60A41, etc.

No. 7814 **List Price \$0.22**
8-prong plug with guide pin, for combination 7½-volt "A" and 63-volt or 90-volt "B" portable packs, such as Burgess D5A60, Philco P841, P87, Sky Chief models, etc.

No. 7815 **List Price \$0.09**
Male snap-fastener for connecting to negative terminal of miniature 67½-volt "B" portable batteries, such as Eveready No. 467 Minimax, Burgess XX-45, etc.

No. 7816 **List Price \$0.11**
Female snap-fastener for connecting to positive terminal of miniature 67½-volt "B" portable batteries, such as Burgess XX-45, Eveready No. 467 Minimax, etc.

No. 7817 **List Price \$0.25**
3-prong large plug with Fahnestock Clips, for standard 45-volt "B" batteries.

No. 7818 **List Price \$0.20**
2-prong plug with Fahnestock Clips for standard and portable 1½-volt "A" batteries.

No. 7819 **List Price \$0.13**
4-prong large plug for combination 6V "A" and 75V "B" battery packs such as Burgess G4B50, Zenith Z-675, etc.

No. 7820 **List Price \$0.16**
5-prong large plug for combination 6V "A" and 90V "B" battery packs such as Burgess F4B60, Zenith Z-659, etc.

No. 7821 **List Price \$0.13**
4-prong small plug, which has three thin pins and one thick pin, for combination 6V "A" and 90V "B" battery packs such as Burgess 2F4A60, Philco P60A8F4, etc.

No. 7822 **List Price \$0.22**
8-prong octal plug for combination 1½-volt and 90-volt portable "AB" packs, such as Zenith Z-9-B, Burgess 4FA60, General P60A-4L, etc.



7823 7824 7825 7826 7827 7828 7829 7830 7831

No. 7823 **List Price \$0.20**
2-prong plug with Fahnestock clips for standard 3-volt "A" batteries, such as Rayovac P9403, etc.

No. 7824 **List Price \$0.11**
2-prong plug without clips for standard 3-volt "A" batteries, such as Rayovac P9403, etc.

No. 7825 **List Price \$0.13**
4-prong small plug with eccentrically spaced pins, for combination "AB" battery packs, such as Usalite AB-671, Philco P60A110, etc.

No. 7826 **List Price \$0.11**
3-prong plug, which has two thin pins and one thick pin, for standard 4½-volt "C" batteries, such as Eveready 771, etc.

No. 7827 **List Price \$0.22**
7-prong large plug for combination 135-volt "B" and 9-volt "C" batteries, such as used on Philco 37-33, 37-38, 38-33 and 38-38 battery receivers and type 9068, etc.

No. 7828 **List Price \$0.27**
Special 8-prong large plug for combination 135-volt "B" and 13½-volt "C" batteries, such as used on Philco Models 34, 34A, 39 and 39A battery receivers, etc.

No. 7829 **List Price \$0.22**
5-prong plug for standard 22½-volt "C" battery, such as Eveready 768, etc. Same as our No. 7805 except without Fahnestock clips.

No. 7830 **List Price \$0.11**
2-prong plug with large pins, one thin and one thick. Used extensively in portable batteries.

No. 7831 **List Price \$0.22**
5-prong small plug, including guide pin, for combination 1½-volt "A" and 75-volt or 90-volt "B" portable batteries.

G - C R A D I O B A T T E R Y P L U G K I T S

Battery plugs are used on all portable and farm radios, test equipment and apparatus using plug-in batteries.

Servicemen! It will pay you to have an assortment of G-C Battery Plugs on hand so you can make prompt repairs. Assortments supplied with a sturdy, slide-in, drawer-type metal box that holds all your plug requirements. Furnished complete with handy reference chart which gives data on each plug.

No.		List Price
7801	Kit 100 Assorted Plugs in Metal Box	\$12.00
7800	Kit 50 Assorted Plugs in Cardboard Box	5.50





G-C HELL BOX

A grand assortment of screws, nuts, lugs, clips, washers, clamps, caps and all types of Radio Parts that you need in your everyday work. Just dig in and find it. Thousands of pieces in a box.

No.		List Price
6500	Hell Box Assortment in Metal Box	\$3.25
ENVELOPE ASSORTMENTS		
*6056-E	Env. Asst'd Hdwe.	.40
(As above except smaller quantities.)		
*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).		



G-C HANDY DIAL AND KNOB REPAIR KIT

Assortment of knob springs, set screws, dial springs, idler pulleys and drive rubbers. A handy kit to take on the job.

No.		List Price
1015	70-piece Repair Kit	\$2.25
1016	150-piece Repair Kit	4.50



G-C PHONO SPRING KIT

Kit contains assorted springs same as are used on phono turntables. With this kit you can replace the broken or weak spring without waiting or delay in service. Kit contains springs same as used on most phono turntables.

No.		List Price
6478	Kit of 50 Phono Springs	\$2.25
6479	Kit of 100 Phono Springs	4.00



G-C STEEL RACKS

An excellent steel rack to hold small bottles, parts and jars, and keep your place in order. 20" long; shelves 2 1/4" wide. Will fit 2-oz. No. 4002 bottle listed below.

4010	Steel Rack for 20 2-oz. Jars	\$1.75
4012	Steel Rack for 40 2-oz. Jars	2.50



G-C STEEL STOCK CABINETS

Ideal steel drawer-type cabinet for radio parts, etc. Made so cabinets can be stacked on top of each other. Size, 13 1/2" long, 6" wide, 4" high.

No.		List Price
4001	Cabinet	\$2.50



G-C SERVICEMAN'S HARDWARE ASSORTMENT

Inexpensive, easy way to get a complete assortment of the necessary hardware items needed in everyday repair work. Two separate assortments similar to those supplied in larger Hardware Laboratory Assortments except smaller quantities. No. 1 assortment is similar to No. 6601 and No. 2 is similar to No. 6602 assortment. (See page 50.) Items packaged in handy envelopes for easy accessibility.

No.		List Price
6603-D	No. 1 Assortment	\$8.00
6603-2-D	No. 2 Assortment	8.00



G-C HARDWARE AND PARTS GLASS JARS

Wide mouth jars, ideal for storing small radio parts, screws, nuts, etc. Complete with caps.

No.		List Price
4002	2-oz. Jar	\$0.12
4004	4-oz. Jar	.20
4008	8-oz. Jar	.25
4009	16-oz. Jar	.35

12 Each Size to Standard Carton



G-C STAPLE DRIVER STAPLES

Hardened Steel. Best quality staples in cartridge form to fit Staple Drivers. Lacquer coated, rust-proof steel.

No.		List Price
430	Approx. 250 Staples to Box	\$0.60



G-C INSULATED BELL STAPLES

Saddle-type insulated staples for holding wires in place and out of the way.

No.		List Price
1751	Fig. 1, 3/16" x 1/2" Box of 50, No. 1	\$0.20
1752	Box of 100, No. 1	.35
1753	Fig. 2, 3/16" x 5/8" Box of 50, No. 2	.20
1754	Box of 100, No. 2	.35
1755	Fig. 3, 3/16" x 3/4" Box of 50, No. 3	.20
1756	Box of 100, No. 3	.35
1757	Fig. 5, 1/4" x 5/8" Box of 50, No. 5	.20
1758	Box of 100, No. 5	.35
1759	Fig. 6, 1/4" x 3/4" Box of 100, No. 6	.35
1760	Fig. 7, 1/4" x 7/8" Box of 100, No. 7	.35
1761	Extra Large Cable Size Fig. 10, 3/8" x 3/4" Box of 100, No. 10	.65

Standard Carton 20 Boxes of 50 Staples or 10 Boxes of 100 Staples



G-C MACHINE SCREW AND NUT ASSORTMENT

Handy assortment of 4-36, 6-32, 8-32 and 10-32 screws and nuts. A very handy kit.

No.		List Price
*6038-E	Env. 25 Screws, 25 Nuts	\$0.40

*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).



G-C THREADED STEEL RODS

Needed threaded steel rod for servicing, repairing and designing new equipment. Package contains 6-32 and 8-32 threaded rod.


No.		List Price
*6665-E	Pkg. 6-32 and 8-32 Rod	\$0.40



G-C VENTILATING PLUGS

Ideal ventilating plug for chassis, amplifiers, racks, transmitters, etc. Just snap into a 1-inch hole.

No.		List Price
*1709-E	Env. of 4 Plugs	\$0.40



Cat. No. 6604

DeLuxe Hardware Laboratory, 40 Jars on one rack, contains both assortments.

List Price \$26.00
Dealer's Net Only 15.60

Cat. No. 6601

Hardware Laboratory, 20 Jars as listed.

List Price \$13.00
Dealer's Net Only 7.80

Cat. No. 6602

Hardware Laboratory, 20 Jars as listed.

List Price \$13.00
Dealer's Net Only 7.80

New G-C

COMPLETE HARDWARE LABORATORY

Here is a complete Electronic Hardware Rack that contains over 2,100 essential Electronic Hardware items, packed in clear glass jars with screw caps.

HEAVY STEEL RACK IS FREE!

The ideal Lab for Radio Service Shops, Factories, Experimental and Research Labs, Home Work Shops and Hobby Shops.

No. 6601 Hardware Rack Assortment Contains:

No.	List Price
6605	Asstd. 6-32, 8-32, 10-32 Knob Set Screws \$0.65
6606	Asstd. Hex Nuts, 4-36 and 6-32 sizes65
6607	Asstd. Hex Nuts, 8-32 and 10-32 sizes65
6608	Asstd. Sheet Metal Screws, sizes No. 4 and 665
6609	Asstd. Sheet Metal Screws, sizes No. 8 and 1065
6610	Asstd. Machine Screws, 4-36 and 6-32 sizes65
6611	Asstd. Machine Screws, 8-32 and 10-32 sizes65
6612	Asstd. Steel Washers, No. 4 and 6 sizes65
6613	Asstd. Steel Washers, No. 8 and 10 sizes65
6614	Asstd. Lock Washers, No. 4, 6, 8 and 10 sizes65
6615	Asstd. Mounting Nuts for Volume Controls65
6616	Asstd. Extension Springs65
6617	Asstd. Brass and Insulated Bushings and Spacers65
6618	Asstd. Soldering Lugs65
6619	Asstd. Knob Springs65
6620	Asstd. Trimounts65
6621	Asstd. Dial Cord Clips65
6622	Asstd. Rivets and Eyelets65
6623	Asstd. Felt Pads for Cabinets65
6624	Asstd. Tack Bumpers65

No. 6602 Hardware Rack Assortment Contains:

No.	List Price
6625	Asstd. Grommets, small size \$0.65
6626	Asstd. Grommets, large size65
6627	Asstd. Acorn Nuts65
6628	Asstd. Rack Screws and Cup Washers65
6629	Asstd. Phone Tips65
6630	Asstd. Speed Nuts65
6631	Asstd. Ornamental Head Screws . .65
6632	Asstd. Escutcheon Plate Screws . .65
6633	Asstd. Wood Screws65
6634	Asstd. Fibre Washers65
6635	Asstd. Grid Caps65
6636	Asstd. "C" Washers65
6637	Asstd. Hairpin Spring Clamps . . .65
6638	Asstd. Dial Pulleys65
6639	Asstd. Fahnestock Clips65
6640	Asstd. Voice Coil Dust Felts65
6641	Asstd. Knob Felts65
6642	Asstd. Cotter Pins65
6643	Asstd. Compression Springs65
6644	Asstd. Cable Holder Clamps65

JOBBERS' JAR REPLACEMENTS, 12 EACH TO CARTON



G-C HEXAGON KEY WRENCHES

Essential key wrenches for every repair man. Made of special alloy steel properly hardened. Used on knobs, dials, phono needles, motors, pulleys, etc.

No.	List Price
5030	Env. 4 Assorted Wrenches \$0.40
5030-D	Display 20 No. 5030 8.00
5029	Kit 6 Assorted Wrenches in Leatherette Case .75
5029-D	Display 16 No. 5029 Kits 12.00
5029-A	Env. 3 Hex Key Wrenches for No. 1/4" to 3/8" Set Screws and No. 8 to 1/4" Cap Screws .40
5029-A-D	Display 20 No. 5029-A 8.00
5031	No. 4 Set Screw Wrench .11
5032	No. 5 and 6 Set Screw Wrench .11
5033	No. 8 Set Screw, No. 4 Cap Screw .11
5034	No. 10 Set Screw, No. 5 - 6 Cap Screw .11
5035	1/4" Set Screw, No. 8 Cap Screw .11
5036	3/8" Set Screw, No. 8 Cap Screw .12
5037	3/8" Set Screw, No. 1/4" Cap Screw .12
5038	7/8" Set Screw, No. 1/8" Cap Screw .14

BRISTO KEY WRENCHES

Spline Type

Very popular "Bristo" or "Spline" type wrenches as used on phono needles, motors, pulleys, knobs, etc. Made of alloy steel, properly hardened.

No.	List Price
5069	Env. 4 Assorted Wrenches \$0.40
5069-D	Display of 20 No. 5069 8.00
5070	Kit of 6 Assorted Wrenches in Leatherette Case .75
5070-D	Display of 16 No. 5070 Kits 12.00
5071	No. 4 Set Screw .11
5071-A	No. 5 Set Screw .11
5072	No. 6 Set Screw .11
5073	No. 8 Set Screw, No. 4 Cap Screw .11
5074	No. 10 Set Screw, No. 5 - 6 Cap Screw .11
5075	No. 1/4" Set Screw, No. 8 Cap Screw .11
5076	No. 3/8" Set Screw, No. 10 Cap Screw .12
5077	No. 3/8" Set Screw, No. 1/4" Cap Screw .12
5078	No. 7/8" Set Screw, No. 1/8" Cap Screw .14

NEW G-C SPEAKER SHIM KIT

Here's a kit of shim stock that you can use for repairing and centering any type of cone the "new way". A generous supply of both celluloid and bronze shim stock is included in various widths and thicknesses to take care of any cone adjustments. Shim stock can be used for spacers in centering or for wrapping around pole piece to center properly and reposition the cone. It will true up cones out of shape if cone is moistened and allowed to dry with shims in place. A kit will more than pay for itself on the first job and will last a long time. Instructions included.

No. 7720 Kit of Celluloid and Bronze Shim Stock.

List Price \$2.00



4-IN-1 CARD DISPLAY	DISPLAY BOX	PLASTIC ENVELOPES	GLASS JARS	BOXES OF 144	BOXES OF 1000			
20 ENVELOPES TO A CARD When Card is wanted Specify "D" after Part No.	20 ENVELOPES TO A BOX When Box Display is wanted Specify "X" after Part No.	Transparent and Unbreakable List Price 40¢	Far Hardware Racks List Price 65¢	(One Gross) Specify "G" after Part No.	Specify "M" after Part No.			
DESCRIPTION AND SPECIFICATIONS	Part No.	Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Price	Part No.	List Price

G-C ROUND HEAD MACHINE SCREWS
STEEL - NICKEL PLATED

Assorted Machine Screws	296-E	50						
Assorted Screws and Nuts	6038-E	50						
Assorted 2-56 Screws and Nuts	7129-E	50						
Assorted 4-36 and 6-32 Screws			6610	75				
Assorted 4-36 Screws	6001-E	45						
Assorted 6-32 Screws	6002-E	45						
Assorted 8-32 and 10-32 Screws			6611	60				
Assorted 8-32 Screws	6003-E	40						
Assorted 10-32 Screws	6004-E	30						
Machine Screws, 2-56 x 1/4"					7130-G	.70	7130-M	4.20
Machine Screws, 2-56 x 1/2"					7131-G	.75	7131-M	4.50
Machine Screws, 2-56 x 3/4"					7132-G	.85	7132-M	5.00
Machine Screws, 3-48 x 3/4"	7124-E	60			7124-G	.95	7124-M	5.60
Machine Screws, 4-36 x 1/4"	6005-E	60	6005	100	6005-G	.75	6005-M	4.40
Machine Screws, 4-36 x 3/8"					7138-G	.75	7138-M	4.60
Machine Screws, 4-36 x 1/2"	6006-E	50	6006	100	6006-G	.80	6006-M	4.85
Machine Screws, 4-36 x 3/4"	6007-E	40	6007	80	6007-G	.95	6007-M	5.60
Machine Screws, 4-40 x 1/4"	6005-AE	60	6005-A	100	6005-AG	.75	6005-AM	4.40
Machine Screws, 4-40 x 1/2"	6005-BE	50	6005-B	100	6005-BG	.80	6005-BM	4.85
Machine Screws, 4-40 x 3/4"	6005-CE	40	6005-C	80	6005-CG	.95	6005-CM	5.60
Machine Screws, 6-32 x 1/4"	6008-E	50	6008	90	6008-G	.80	6008-M	4.90
Machine Screws, 6-32 x 1/2"	6009-E	50	6009	85	6009-G	.95	6009-M	5.70
Machine Screws, 6-32 x 3/4"	6010-E	45	6010	75	6010-G	1.10	6010-M	6.60
Machine Screws, 6-32 x 1"	6011-E	35	6011	50	6011-G	1.25	6011-M	7.50
Machine Screws, 6-32 x 1 1/4"					7141-G	1.50	7141-M	8.90
Machine Screws, 8-32 x 1/4"	6013-E	45			6013-G	1.10	6013-M	6.50
Machine Screws, 8-32 x 3/8"	6014-E	40	6014	70	6014-G	1.15	6014-M	6.75
Machine Screws, 8-32 x 1/2"	6015-E	35	6015	65	6015-G	1.20	6015-M	7.25
Machine Screws, 8-32 x 3/4"	6016-E	30	6016	60	6016-G	1.40	6016-M	8.35
Machine Screws, 8-32 x 1"	6017-E	25	6017	45	6017-G	1.60	6017-M	9.65
Machine Screws, 8-32 x 1 1/4"					7142-G	1.90	7142-M	11.25
Machine Screws, 10-32 x 1/2"	6020-E	30	6020	60	6020-G	1.45	6020-M	8.60
Machine Screws, 10-32 x 3/4"	6021-E	25	6021	50	6021-G	1.70	6021-M	10.25
Machine Screws, 10-32 x 1"	6022-E	20	6022	35	6022-G	1.90	6022-M	11.50
Machine Screws, 10-32 x 1 1/2"					7143-G	2.55	7143-M	15.25
Machine Screws, 1/4-20 x 1/2"					7144-G	2.40	7144-M	14.50
Machine Screws, 1/4-20 x 1 1/4"					7145-G	3.65	7145-M	22.00
Machine Screws, 1/4-20 x 2 1/2"					7146-G	6.25	7146-M	37.50

G-C BINDING HEAD MACHINE SCREWS
STEEL - NICKEL PLATED

Assorted Binding Head Machine Screws	7150-E	50						
Machine Screws, 6-32 x 3/16"					7151-G	.80	7151-M	4.80
Machine Screws, 6-32 x 1/4"	7152-E	50			7152-G	.80	7152-M	4.90
Machine Screws, 6-32 x 3/8"					7153-G	.90	7153-M	5.30
Machine Screws, 8-32 x 5/16"					7158-G	1.10	7158-M	6.50

G-C OVAL HEAD RACK AND CABINET SCREWS
STEEL - NICKEL PLATED

Assorted Rack Screws and Washers	6039-E	30	6628	50				
Machine Screws, 6-32 x 1/2"					6540-G	.95	6540-M	5.70
Machine Screws, 6-32 x 3/4"	6541-E	40	6541	50	6541-G	1.10	6541-M	6.60
Machine Screws, 8-32 x 3/4"	6542-E	30	6542	45	6542-G	1.20	6542-M	7.25
Machine Screws, 10-32 x 3/4"	6543-E	20	6543	45	6543-G	1.65	6543-M	10.00

G-C THREADED STEEL RODS

Package 6-32 and 8-32 Rods	6665-E							
----------------------------	--------	--	--	--	--	--	--	--

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number
NOTE — SPECIAL QUANTITY DISCOUNTS ON LARGER BULK QUANTITIES. On 1,000 to 4,999 Regular Discount Applies, "Schedule A".
 On 5,000 to 9,999 use "Schedule B" Discounts. On 10,000 and over use "Schedule C" Discounts.

GENERAL



CEMENT

Machine Screws



4-IN-1 CARD DISPLAY
20 ENVELOPES TO A CARD
When Card is wanted
Specify "D" after Part No.

DISPLAY BOX
20 ENVELOPES TO A BOX
When Box Display is wanted
Specify "X" after Part No.

PLASTIC ENVELOPES
Transparent and Unbreakable
List Price **40c**

GLASS JARS
For Hardware Racks
List Price **65c**

BOXES OF 144
(One Gross)
Specify "G" after Part No.

BOXES OF 1000
Specify "M" after Part No.


DESCRIPTION AND SPECIFICATIONS	Part No.		Quantity in Env.		Part No.		Quantity in Jar		Part No.		List Price	



G-C ORNAMENTAL HEAD SCREWS
STEEL - STATUARY BRONZE PLATED



Assorted Ornamental Head Screws	1094-E	15	6631	50								
Ornamental Head Screws, 6-32 x 3/4"	1097-E	20			1097-G	.95	1097-M	5.75				
Ornamental Head Screws, 6-32 x 1"	1098-E	20			1098-G	1.40	1098-M	8.25				
Ornamental Head Screws, 8-32 x 1 1/4"	1099-E	15			1099-G	1.90	1099-M	11.25				



G-C WOOD SCREWS
ROUND HEAD - STEEL - NICKEL PLATED




Assorted Wood Screws	6110-E	30	6633	45								
Wood Screws, No. 4 x 1/2"	6114-E	30	6114	45	6114-G	1.65	6114-M	9.75				
Wood Screws, No. 4 x 3/4"	6115-E	30	6115	40	6115-G	1.80	6115-M	10.75				
Wood Screws, No. 6 x 3/4"	6116-E	30	6116	40	6116-G	1.85	6116-M	11.00				
Wood Screws, No. 6 x 1"	6117-E	25	6117	35	6117-G	2.15	6117-M	13.00				
Wood Screws, No. 8 x 3/4"	6118-E	25	6118	35	6118-G	2.15	6118-M	12.75				




G-C SHEET METAL SCREWS
HEX HEAD - SLOTTED - SELF-TAPPING - NICKEL PLATED
POINTED TYPE "A"



Assorted Sheet Metal Screws	297-E	25										
Assorted No. 4 and No. 6 Sheet Metal Screws			6608	50								
Assorted No. 8 and No. 10 Sheet Metal Screws			6609	45								
Sheet Metal Screws, No. 4 x 1/2"	6090-E	40	6090	50	6090-G	1.25	6090-M	7.50				
Sheet Metal Screws, No. 6 x 1/4"	6091-E	35	6091	50	6091-G	1.25	6091-M	7.50				
Sheet Metal Screws, No. 6 x 3/8"	6092-E	30	6092	50	6092-G	1.30	6092-M	7.75				
Sheet Metal Screws, No. 6 x 1/2"	6093-E	30	6093	50	6093-G	1.40	6093-M	8.25				
Sheet Metal Screws, No. 6 x 3/4"	6094-E	25	6094	50	6094-G	1.50	6094-M	9.00				
Sheet Metal Screws, No. 8 x 3/8"	6095-E	30	6095	50	6095-G	1.50	6095-M	9.00				
Sheet Metal Screws, No. 8 x 1/2"	6096-E	25	6096	45	6096-G	1.65	6096-M	9.75				
Sheet Metal Screws, No. 8 x 1"	6097-E	20	6097	40	6097-G	2.15	6097-M	12.75				
Sheet Metal Screws, No. 10 x 3/8"	6098-E	25	6098	40	6098-G	1.85	6098-M	11.00				
Sheet Metal Screws, No. 10 x 1/2"	6099-E	20	6099	40	6099-G	1.95	6099-M	11.75				
Sheet Metal Screws, No. 10 x 3/4"	6100-E	20	6100	35	6100-G	2.20	6100-M	13.25				




G-C ESCUTCHEON PLATE SCREWS
ROUND HEAD - SLOTTED - STATUARY BRONZE PLATED



Assorted Escutcheon Screws	1090-E	30	6632	50								
Escutcheon Screws, No. 2 x 1/4"	1091-E	30			1091-G	1.60	1091-M	9.50				
Escutcheon Screws, No. 2 x 3/8"	1093-E	30			1093-G	1.60	1093-M	9.50				



G-C SPADE BOLTS or MOUNTING SCREWS
STEEL - NICKEL PLATED



Assorted Spade Bolts	6080-E	30										
6-32 No. 6 7/16"	6081-E	30			6081-G	1.55	6081-M	9.25				
6-32 No. 6 9/16"	6082-E	30			6082-G	1.60	6082-M	9.50				
6-32 .100 9/32"					6083-G	3.10	6083-M	18.65				
8-32 No. 8 7/16"					6084-G	3.75	6084-M	22.50				



G-C RADIO KNOB SET SCREWS
SLOTTED - HEADLESS - HARDENED STEEL



CUP POINT is standard.

No. 1060 Kit 50 Asst. Set Screws	List Price \$1.00											
No. 1061 Kit 100 Asst. Set Screws	List Price \$1.80											
Assorted Set Screws	1062-E	20	6605	30								
Assorted Set Screws, 6-32	6061-E	20										
Assorted Set Screws, 8-32	6062-E	20										
Assorted Set Screws, 10-32	6063-E	20										
Set Screws, 6-32 x 1/8"	6071-E	20	6071	30	6071-G	2.40	6071-M	14.50				
Set Screws, 6-32 x 3/16"	6072-E	20	6072	30	6072-G	2.65	6072-M	15.75				

(Continued on Next Page)

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

**4-IN-1 CARD DISPLAY**

20 ENVELOPES TO A CARD
When Card is wanted
Specify "D" after Part No.

DISPLAY BOX

20 ENVELOPES TO A BOX
When Box Display is wanted
Specify "X" after Part No.

PLASTIC ENVELOPES
Transparent and Unbreakable
List Price **40c**

GLASS JARS
For Hardware Racks
List Price **65c**

BOXES OF 144
(One Gross)
Specify "G" after Part No.

BOXES OF 1000
Specify "M" after Part No.

DESCRIPTION AND SPECIFICATIONS

Part No. Quantity in Env.

Part No. Quantity in Jar

Part No. List Price

Part No. List Price

**G-C RADIO KNOB SET SCREWS — Continued**

Set Screws, 6-32 x 1/4"	6073-E	20	6073	30	6073-G	2.40	6073-M	14.50
Set Screws, 8-32 x 1/8"	6074-E	20	6074	30	6074-G	3.15	6074-M	19.00
Set Screws, 8-32 x 3/16"	6075-E	20	6075	30	6075-G	2.25	6075-M	13.50
Set Screws, 8-32 x 1/4"	6076-E	20	6076	30	6076-G	2.30	6076-M	13.75
Set Screws, 8-32 x 1/2"	6077-E	20	6077	30	6077-G	2.65	6077-M	15.75
Set Screws, 10-32 x 3/16"	6078-E	20	6078	30	6078-G	2.40	6078-M	14.50
Set Screws, 10-32 x 1/4"	6079-E	20	6079	30	6079-G	2.65	6079-M	15.75

**G-C BRISTO SET SCREWS**

HARDENED STEEL - SPLINE TYPE - HEADLESS
One Wrench Included In Each Envelope Package



Assorted Lengths, 4-36	7175-E	4						
Assorted Lengths, 6-32	7180-E	4						
Assorted Lengths, 8-32	7185-E	4						
Bristo Set Screws, 4-36 x 1/8"					7176-G	14.50	7176-M	87.00
Bristo Set Screws, 6-32 x 1/8"					7181-G	15.30	7181-M	91.70
Bristo Set Screws, 6-32 x 3/16"					7182-G	15.65	7182-M	94.00
Bristo Set Screws, 8-32 x 1/8"					7186-G	15.65	7186-M	94.00
Bristo Set Screws, 8-32 x 3/16"					7187-G	16.10	7187-M	96.35

**G-C ALLEN HEX SET SCREWS**

STEEL - HARDENED - HEADLESS
One Wrench Included In Each Envelope Package



Assorted Lengths, 4-36	7190-E	4						
Assorted Lengths, 6-32	7195-E	4						
Assorted Lengths, 8-32	7200-E	4						
Hex Set Screws, 4-36 x 1/8"					7191-G	14.50	7191-M	87.00
Hex Set Screws, 6-32 x 1/8"					7196-G	15.30	7196-M	91.70
Hex Set Screws, 6-32 x 3/16"					7197-G	15.65	7197-M	94.00
Hex Set Screws, 8-32 x 1/8"					7201-G	15.65	7201-M	94.00
Hex Set Screws, 8-32 x 3/16"					7202-G	16.10	7202-M	96.35

**G-C HEXAGON NUTS****STEEL - NICKEL PLATED**

Assorted Hex Nuts	293-E	45								
Assorted 4-36 and 6-32 Nuts			6606	60						
Assorted 8-32 and 10-32 Nuts			6607	60						
Thread	Width	Thickness								
2-56	3/16"	1/16"	7225-E	40		7225-G	1.05	7225-M	6.25	
3-48	3/16"	1/16"	7226-E	40		7226-G	1.05	7226-M	6.25	
4-36	1/4"	3/32"	6041-E	50	6045	80	6041-G	1.00	6041-M	6.00
4-40	1/4"	3/32"	6041-AE	50	6041-A	80	6041-AG	1.00	6041-AM	6.00
5-40	5/16"	7/64"			6045-B	75	6045-BG	1.10	6045-BM	6.50
6-32	1/4"	3/32"	6042-E	45	6046	75	6042-G	1.10	6042-M	6.50
6-32	5/16"	7/64"					7230-G	1.10	7230-M	6.50
8-32	1/4"	3/32"	6043-E	40	6047	60	6043-G	1.20	6043-M	7.25
8-32	5/16"	1/8"					7233-G	1.20	7233-M	7.25
10-32	3/8"	5/64"	6044-E	35	6048	50	6044-G	1.35	6044-M	8.00
1/4-20	7/16"	3/16"					7235-G	2.00	7235-M	12.00
5/16-32	7/16"	3/32"					7236-G	2.90	7236-M	17.35
3/8-32	9/16"	3/32"	6050-AE	20			6050-AG	2.45	6050-AM	14.60
7/16-27	9/16"	1/8"					7238-G	5.30	7238-M	31.90
15/32-32	9/16"	5/64"	6050-BE	15			6050-BG	6.30	6050-BM	43.80

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

NOTE — SPECIAL QUANTITY DISCOUNTS ON LARGER BULK QUANTITIES. On 1,000 to 4,999 Regular Discount Applies, "Schedule A". On 5,000 to 9,999 use "Schedule B" Discounts. On 10,000 and over use "Schedule C" Discounts.



4-IN-1 CARD DISPLAY 20 ENVELOPES TO A CARD When Card is wanted Specify "D" after Part No.	DISPLAY BOX 20 ENVELOPES TO A BOX When Box Display is wanted Specify "X" after Part No.	PLASTIC ENVELOPES Transparent and Unbreakable List Price 40c	GLASS JARS For Hardware Racks List Price 65c	BOXES OF 144 (One Gross) Specify "G" after Part No.	BOXES OF 1000 Specify "M" after Part No.
---	---	--	--	--	--

DESCRIPTION AND SPECIFICATIONS		Part No.	Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Price	Part No.	List Price
--------------------------------	--	----------	------------------	----------	-----------------	----------	------------	----------	------------



G-C BRASS HEXAGON NUTS



Thread	Width	Thickness							
2-56	3/16"	1/16"	7241-E	45		7241-G	1.00	7241-M	6.15
3-48	3/16"	1/16"	7242-E	45		7242-G	1.00	7242-M	6.15
4-36	1/4"	3/32"	7243-E	45		7243-G	1.15	7243-M	7.00
4-40	1/4"	3/32"	7244-E	45		7244-G	1.15	7244-M	7.00
6-32	1/4"	3/32"	7245-E	40		7245-G	1.65	7245-M	9.95
8-32	5/16"	1/8"	7248-E	35		7248-G	2.00	7248-M	12.00
10-32	3/8"	5/64"	7249-E	30		7249-G	2.20	7249-M	13.15



G-C MOUNTING NUTS
STEEL - NICKEL PLATED



Assorted Mounting Nuts			6050-E	15	6615	25				
Thread	Width	Thickness								
5/16-32	7/16" (Rotary Switch Size)	3/32"					7236-G	2.90	7236-M	17.35
3/8-32	9/16" (Volume Control Size)	3/32"	6050-AE	20			6050-AG	2.45	6050-AM	14.60
7/16-27	9/16" (Pilot Light Size)	1/8"					7238-G	5.30	7238-M	31.90
15/32-32	9/16" (Toggle Switch Size)	5/64"	6050-BE	15			6050-BG	6.30	6050-BM	43.80
15/32-32	Round Ring Nut (Toggle Switch Size)	1/16"	6050-CE	10			6050-CG	4.75	6050-CM	28.50



G-C TIMMERMAN SPEED NUTS



Assorted Speed Nuts			6055-E	40	6630	60				
Speed Nuts, No. 4			6051-E	40			6051-G	1.20	6051-M	7.25
Speed Nuts, No. 6			6052-E	40			6052-G	1.20	6052-M	7.25
Speed Nuts, No. 8			6053-E	40			6053-G	1.20	6053-M	7.25
Speed Nuts, No. 10			6054-E	30			6054-G	1.20	6054-M	7.25



G-C ACORN NUTS
SOLID BRASS - NICKEL PLATED



Assorted Acorn Nuts			6030-E	12	6627	18				
Acorn Nuts, 6-32			6031-E	15			6031-G	3.25	6031-M	19.50
Acorn Nuts, 8-32			6032-E	15			6032-G	3.25	6032-M	19.50
Acorn Nuts, 10-32			6033-E	10			6033-G	4.10	6033-M	24.50



G-C KNURLED THUMB NUTS
BRASS - NICKEL PLATED



Assorted Knurled Thumb Nuts			6654-E	10						
Knurled Thumb Nuts, 6-32			6655-E	15			6655-G	1.90	6655-M	11.25
Knurled Thumb Nuts, 8-32			6656-E	12			6656-G	1.90	6656-M	11.25
Knurled Thumb Nuts, 10-32			6657-E	8			6657-G	6.00	6657-M	35.75



G-C WING NUTS
NICKEL PLATED



Assorted Wing Nuts			6658-AE	10						
Wing Nuts, 6-32			6658-E	10			6658-G	5.60	6658-M	33.50
Wing Nuts, 8-32			6659-E	10			6659-G	5.60	6659-M	33.50
Wing Nuts, 10-32			6660-E	10			6660-G	5.60	6660-M	33.50

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number
NOTE — SPECIAL QUANTITY DISCOUNTS ON LARGER BULK QUANTITIES. On 1,000 to 4,999 Regular Discount Applies, "Schedule A".
 On 5,000 to 9,999 use "Schedule B" Discounts. On 10,000 and over use "Schedule C" Discounts.





4-IN-1 CARD DISPLAY
20 ENVELOPES TO A CARD
When Card is wanted
Specify "D" after Part No.

DISPLAY BOX
20 ENVELOPES TO A BOX
When Box Display is wanted
Specify "X" after Part No.

PLASTIC ENVELOPES
Transparent and Unbreakable
List Price **40c**

GLASS JARS
For Hardware Racks
List Price **65c**

BOXES OF 144
(One Gross)
Specify "G" after Part No.

BOXES OF 1000
Specify "M" after Part No.

DESCRIPTION AND SPECIFICATIONS Part No. Quantity in Env. Part No. Quantity in Jar Part No. List Price Part No. List Price

G-C METAL WASHERS

Assorted Metal Washers				6150-E	100						
Assorted No. 4 and No. 6 Washers						6612	135				
Assorted No. 8 and No. 10 Washers						6613	100				
Screw Size	Hole Size	O.D.	Thickness								
No. 4	1/8"	9/32"	1/32"	6154-E	100	6154	150	6154-G	.60	6154-M	2.50
No. 6	5/32"	3/8"	1/32"	6155-E	80	6155	125	6155-G	.65	6155-M	3.95
No. 8	3/16"	7/16"	1/32"	6156-E	80	6156	100	6156-G	.70	6156-M	2.25
No. 10	13/64"	3/8"	1/32"					7306-G	.70	7306-M	2.35
No. 10	13/64"	7/16"	1/32"					7307-G	.70	7307-M	2.35
No. 10	13/64"	1/2"	.049	6157-E	75	6157	100	6157-G	.70	6157-M	2.35
No. 12	.228	7/16"	.021					7308-G	.70	7308-M	2.75
No. 1/4"	9/32"	5/8"	1/16"	6158-E	75			6158-G	.70	6158-M	3.25
No. 1/4"	17/64"	1/2"	1/16"					7311-G	.70	7311-M	3.25
No. 5/16"	5/16"	11/16"	1/16"					7312-G	.70	7312-M	3.50
No. 3/8"	3/8"	11/16"	1/16"					7313-G	.70	7313-M	3.75

G-C LOCK WASHERS

INTERNAL LOCK WASHERS

Assorted Lock Washers, All Types				1717-E	65	6614	90				
Assorted Internal Lock Washers				7320-E	60						
Screw Size O.D.											
Internal Lock Washers, No. 2				7322-E	45			7322-G	1.15	7322-M	7.00
Internal Lock Washers, No. 3								7323-G	1.00	7323-M	6.00
Internal Lock Washers, No. 4								7324-G	.75	7324-M	4.50
Internal Lock Washers, No. 6				7326-E	60			7326-G	.75	7326-M	4.50
Internal Lock Washers, No. 8				7328-E	60			7328-G	.75	7328-M	4.50
Internal Lock Washers, No. 10				7330-E	60			7330-G	.80	7330-M	4.75
Internal Lock Washers, No. 1/4"								7332-G	1.00	7332-M	6.00
Internal Lock Washers, No. 5/16"								7333-G	1.25	7333-M	7.50
Internal Lock Washers, No. 3/8"						6508	50	7334-G	1.75	7334-M	10.50
Internal Lock Washers, No. 3/8"								7335-G	1.75	7335-M	10.50
Internal Lock Washers, No. 15/32"								7338-G	2.30	7338-M	13.75

EXTERNAL LOCK WASHERS

Assorted External Lock Washers				7350-E	60						
External Lock Washers, No. 4								7354-G	.75	7354-M	4.50
External Lock Washers, No. 6				7356-E	60			7356-G	.75	7356-M	4.50
External Lock Washers, No. 8				7358-E	60			7358-G	.75	7358-M	4.50
External Lock Washers, No. 10								7360-G	.80	7360-M	4.75
External Lock Washers, No. 1/4"								7361-G	1.00	7361-M	6.00
External Lock Washers, No. 3/8"								7363-G	1.75	7363-M	10.50

SPLIT TYPE LOCK WASHERS

Assorted Split Type Lock Washers				6502-E	60						
Screw Size	O.D.	Thickness									
No. 4	3/16"	1/32"		6503-E	65	6503	100	6503-G	.70	6503-M	3.75
No. 6	15/64"	1/32"		6504-E	65	6504	100	6504-G	.70	6504-M	3.25
No. 8	15/64"	.025		6505-E	55	6505	90	6505-G	.75	6505-M	3.00
No. 10	5/16"	.050		6506-E	50	6506	90	6506-G	.75	6506-M	2.50
No. 1/4"	7/16"	5/64"		6507-E	50	6507	80	6507-G	.80	6507-M	3.75

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

NOTE — SPECIAL QUANTITY DISCOUNTS ON LARGER BULK QUANTITIES. On 1,000 to 4,999 Regular Discount Applies, "Schedule A". On 5,000 to 9,999 use "Schedule B" Discounts. On 10,000 and over use "Schedule C" Discounts.





4-IN-1 CARD DISPLAY 20 ENVELOPES TO A CARD When Card is wanted Specify "D" after Part No.	DISPLAY BOX 20 ENVELOPES TO A BOX When Box Display is wanted Specify "X" after Part No.	PLASTIC ENVELOPES Transparent and Unbreakable List Price 40c	GLASS JARS For Hardware Racks List Price 65c	BOXES OF 144 (One Gross) Specify "G" after Part No.	BOXES OF 1000 Specify "M" after Part No.
---	---	--	--	--	--

DESCRIPTION AND SPECIFICATIONS				Part No.	Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Price	Part No.	List Price
--------------------------------	--	--	--	----------	------------------	----------	-----------------	----------	------------	----------	------------



G-C SPRING FRICTION WASHERS



Assorted Spring Friction Washers				6190-E	25						
A	B	C	Thickness of Metal								
9/64"	5/16"	1/32"	.012					7385-G	1.95	7385-M	11.75
3/16"	3/8"	1/32"	.008					7386-G	1.95	7386-M	11.75
3/16"	7/16"	1/16"	.008					7387-G	1.95	7387-M	11.75
1/4"	9/16"	1/16"	.012					7389-G	2.10	7389-M	12.50



**G-C CUP FINISHING WASHERS
NICKEL PLATED**



Assorted Screws and Washers				6039-E	30	6628	45				
Assorted Cup Washers				6159-E	40						
Cup Washers, No. 6				6161-E	40	6161	65	6161-G	.85	6161-M	5.00
Cup Washers, No. 8				6162-E	40	6162	65	6162-G	.90	6162-M	5.50
Cup Washers, No. 10				6163-E	40	6163	65	6163-G	1.10	6163-M	6.50



G-C C-WASHERS and RETAINING RINGS



Assorted C-Washers					6180-E	50	6636	85				
Shaft Diam.	A	B	C	D								
3/16"	.171	.125	.062	.031	6182-E	40	6182	65	6182-G	1.40	6182-M	8.25
1/4"	.234	.156	.046	.031	6183-E	40	6183	65	6183-G	1.40	6183-M	8.25
1/4"	.260	.187	.062	.031	6184-E	40	6184	65	6184-G	1.40	6184-M	8.25
1/4"	9/32" O.D.	Wire Ring		.029	6185-E	50			6185-G	.90	6185-M	5.25



G-C COTTER PINS



Assorted Cotter Pins			6440-E	60	6642	90				
Diameter	Length Under Eye									
Cotter Pins, 1/16"	1/2"						7301-G	.70	7301-M	2.50
Cotter Pins, 1/16"	1"						7303-G	.70	7303-M	3.00
Cotter Pins, 1/16"	1-1/4"						7304-G	.70	7304-M	3.50
Cotter Pins, 3/32"	1/2"						7305-G	.70	7305-M	2.50



G-C HAIR PIN COTTERS



Assorted Hair Pin Cotters			6475-E	50	6637	75				
A	B	C								
9/32"	1/16"	.026					7375-G	.70	7375-M	4.25
3/8"	1/16"	.026					7376-G	.70	7376-M	4.25
13/32"	3/32"	.026					7377-G	.70	7377-M	4.25
1/2"	5/32"	.026					7378-G	.80	7378-M	4.75
21/32"	3/16"	.032					7379-G	.70	7379-M	4.25



G-C FLAT FIBRE WASHERS




Assorted Flat Fibre Washers				1718-E	60	6634	85				
Screw Size	I.D.	O.D.	Thickness								
No. 6	.136	1/4"	1/32"	6513-E	60	6513	100	6513-G	.70	6513-M	3.50
No. 8	11/64"	3/8"	1/32"	6514-E	60	6514	100	6514-G	.70	6514-M	4.00
No. 10	.196	3/8"	1/32"	6515-E	50	6515	80	6515-G	.75	6515-M	4.00
No. 1/4"	1/4"	1/2"	3/64"	6516-E	40	6516	80	6516-G	.75	6516-M	4.50
No. 3/8"	3/8"	5/8"	3/64"	6517-E	40	6517	70	6517-G	.90	6517-M	5.50
No. 15/32"	15/32"	3/4"	1/32"					6518-G	1.00	6518-M	6.00

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

NOTE — SPECIAL QUANTITY DISCOUNTS ON LARGER BULK QUANTITIES. On 1,000 to 4,999 Regular Discount Applies, "Schedule A". On 5,000 to 9,999 use "Schedule B" Discounts. On 10,000 and over use "Schedule C" Discounts.




4-IN-1 CARD DISPLAY 20 ENVELOPES TO A CARD When Card is wanted Specify "D" after Part No.	DISPLAY BOX 20 ENVELOPES TO A BOX When Box Display is wanted Specify "X" after Part No.	PLASTIC ENVELOPES Transparent and Unbreakable List Price 40c	GLASS JARS For Hardware Racks List Price 65c	BOXES OF 144 (One Gross) Specify "G" after Part No.	BOXES OF 1000 Specify "M" after Part No.				
DESCRIPTION AND SPECIFICATIONS		Part No.	Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Price	Part No.	List Price



G-C EXTRUDED FIBRE WASHERS




Assorted Extruded and Flat Fibre Washers	6512-E	30										
Assorted Extruded Fibre Washers	6520-E	40										
A	B	C	D	Screw Size								
5/16"	.187	.140	.039	No. 6	6525-E	40	6525	65	6525-G	1.65	6525-M	10.00
3/8"	.250	.169	.031	No. 8	6526-E	30	6526	65	6526-G	1.65	6526-M	10.00
7/16"	.255	.196	.032	No. 10	6527-E	30	6527	65	6527-G	1.65	6527-M	10.00
1/2"	.375	.250	.032	1/4" Shaft	6528-E	24	6528	50	6528-G	1.85	6528-M	11.00
5/8"	.437	.380	.031	3/8" Shaft	6529-E	20	6529	50	6529-G	2.00	6529-M	12.00



G-C SNAP BUTTON HOLE PLUGS



Assorted Hole Plugs	1716-E	10										
No. 1710 Asst. 50 Plugs in Box	List Price \$2.45											
Ventilating Plugs, 1" Hole Size	1709-E	4					1709-G	16.25	1709-M	97.00		
For Hole Dia.	A	B	C	D								
1/4"	13/32"	1/4"	17/64"	5/64"	1711-AE	10			1711-AG	4.40	1711-AM	26.50
5/16"	7/16"	1/4"	21/64"	1/16"	1711-BE	10			1711-BG	4.40	1711-BM	26.50
3/8"	17/32"	3/8"	25/64"	5/64"	1711-E	10			1711-G	4.40	1711-M	26.50
1/2"	21/32"	17/64"	17/32"	5/64"	1712-E	8			1712-G	6.35	1712-M	38.00
5/8"	51/64"	9/32"	41/64"	5/64"	1713-E	6			1713-G	6.35	1713-M	38.00
3/4"	15/16"	19/64"	49/64"	3/32"	1714-E	6			1714-G	6.35	1714-M	38.00
1"	1-5/32"	19/64"	1-1/32"	5/64"	1715-AE	4			1715-AG	8.30	1715-AM	49.75
1-1/8"	1-5/16"	11/32"	1-9/64"	3/32"	1715-BE	4			1715-BG	10.25	1715-BM	61.50
1-1/4"	1-7/16"	5/16"	1-17/64"	3/32"	1715-E	4			1715-G	10.70	1715-M	64.25



G-C SNAP-IN TRIMOUNTS



No. 1720 Asst. 100 Trimounts	List Price \$1.20										
Assorted Trimounts	1719-E	25	6620	45							
To Fit Hole	A	B									
1/8"	9/32"	3/16"			1721-E	25		1721-G	2.10	1721-M	12.25
1/8"	9/32"	13/64"			1722-E	25		1722-G	1.75	1722-M	10.50
.136	11/32"	17/64"			1723-E	25		1723-G	1.75	1723-M	10.50
.136	23/64"	9/32"			1724-E	25		1724-G	2.10	1724-M	12.25
5/32"	3/16" x 11/32"	25/64"			1726-E	18		1726-G	2.65	1726-M	16.00
5/32"	3/16" x 11/32"	21/32"			1727-E	18		1727-G	2.20	1727-M	13.25



G-C DIAL CORD CLIPS



Assorted Dial Cable Clips	6220-E	45	6621	75						
Used On Cord No.	A	B	C							
75 - 75A	1/8"	7/64"	3/32"	6221-E	45		6221-G	1.25	6221-M	7.50
74 - 74L	1/4"	5/32"	5/32"	6222-E	45		6222-G	1.25	6222-M	7.50
73 - 73X	3/16"	9/64"	3/16"	6223-E	45		6223-G	1.25	6223-M	7.50



G-C SOLDERING LUGS



No. 1020 100 Asst. Solder Lugs	List Price \$0.90									
Assorted Soldering Lugs	1019-E	45	6618	75						
Hole Size	Fig. No.	Length								
Solder Lugs, No. 6	M	11/16"	7441-E	30			7441-G	1.45	7441-M	8.75
Solder Lugs, No. 8	M	11/16"	7442-E	30			7442-G	1.45	7442-M	8.75
Solder Lugs, No. 10	A	11/16"	1021-AE	30			1021-AG	1.45	1021-AM	8.75
Solder Lugs, No. 6	B	23/32"	1021-BE	30			1021-BG	1.45	1021-BM	8.75
Solder Lugs, No. 8	B	23/32"	7445-E	30			7445-G	1.45	7445-M	8.75

(Continued on Next Page)

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number



4-IN-1 CARD DISPLAY 20 ENVELOPES TO A CARD When Card is wanted Specify "D" after Part No.	DISPLAY BOX 20 ENVELOPES TO A BOX When Box Display is wanted Specify "X" after Part No.	PLASTIC ENVELOPES Transparent and Unbreakable List Price 40c	GLASS JARS For Hardware Racks List Price 65c	BOXES OF 144 (One Gross) Specify "G" after Part No.	BOXES OF 1000 Specify "M" after Part No.				
DESCRIPTION AND SPECIFICATIONS		Part No.	Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Price	Part No.	List Price

		G-C SOLDERING LUGS — Continued							
Solder Lugs, No. 6	C	11/16"	1021-CE	30		1021-CC	1.10	1021-CM	6.50
Solder Lugs, No. 6	F	9/16"	1021-FE	30		1021-FG	1.00	1021-FM	6.00
Solder Lugs, No. 8	F	9/16"	7451-E	30		7451-G	1.00	7451-M	6.00
Solder Lugs, No. 6	H	7/8"	7454-E	30		7454-C	1.10	7454-M	6.50
Solder Lugs, No. 8	H	7/8"	7455-E	30		7455-G	1.10	7455-M	6.50
Solder Lugs, No. 10	H	7/8"	7456-E	30		7456-G	1.10	7456-M	6.50
Solder Lugs, No. 4	K	13/16"	7458-E	30		7458-G	1.45	7458-M	8.75
Solder Lugs, No. 8	K	13/16"	7460-E	30		7460-C	1.45	7460-M	8.75
Solder Lugs, No. 10	K	13/16"	7461-E	30		7461-G	1.45	7461-M	8.75
Solder Lugs, No. 6	L	5/8"	7462-E	30		7462-C	1.45	7462-M	8.75
Solder Lugs, No. 8	L	5/8"	7463-E	30		7463-G	1.45	7463-M	8.75

		G-C CABLE HOLDER CLAMPS							
Assorted Cable Clamps		6250-E	25	6644	40				
To Fit Cable	Mounting Hole								
1/8" to 3/16"	No. 6	6251-E	25	6251	40	6251-G	2.10	6251-M	12.25
3/16" to 1/4"	No. 6	6252-E	35	6252	40	6252-G	2.10	6252-M	12.25
1/4" to 5/16"	No. 6	7503-E	20			7503-G	2.50	7503-M	15.00
5/16" to 1/2"	No. 6	6253-E	20			6253-G	2.50	6253-M	15.00
3/4"	No. 10					7505-G	2.50	7505-M	15.00

		G-C GRID CAPS							
Assorted Grid Caps		6290-E	16	6635	25				
Glass Tube Grid Caps		6291-E	15			6291-G	1.80	6291-M	10.75
Metal Tube Grid Caps		6292-E	15			6292-G	1.65	6292-M	9.75

		G-C FUSE CLIPS							
For 1/4" Glass Fuses, No. 6 Mounting Hole		6311-E	10			6311-G	2.25	6311-M	13.50

		G-C FAHNESTOCK CLIPS								
Assorted Fahnestock Clips		6300-E	18	6639	30					
Fig.	Length	Width	Mtg. Hole	Max. Wire						
A	1/2"	7/32"	6	16	6301-E	15	6301-G	2.10	6301-M	12.25
B	3/4"	5/16"	6	14	6302-E	12	6302-G	2.25	6302-M	13.50
C	1-1/16"	3/8"	8	10	6303-E	10	6303-G	2.40	6303-M	14.25
D	1-3/4"	3/8"	8	10	6304-E	3	6304-G	19.45	6304-M	116.75
E	3/4"	5/16"	6	14	6306-E	12	6306-G	3.10	6306-M	18.75
F	Ammeter Connectors				6307-E	3	6307-G	14.60	6307-M	87.50

		G-C ANGLES and BRACKETS								
Assorted Angles and Brackets		6260-E	15							
A	B	C	Hole Size							
1/4"	3/16"	9/32"	6		6261-E	20	6261-G	2.10	6261-M	12.25
3/8"	1/4"	9/32"	6		6262-E	15	6262-G	1.65	6262-M	10.00
1/2"	7/16"	3/8"	6		6263-E	15	6263-G	2.10	6263-M	12.50
3/16"	5/8"	3/8"	6		6264-E	15	6264-G	2.40	6264-M	14.50
6-32 Thread										

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

NOTE — SPECIAL QUANTITY DISCOUNTS ON LARGER BULK QUANTITIES. On 1,000 to 4,999 Regular Discount Applies, "Schedule A". On 5,000 to 9,999 use "Schedule B" Discounts. On 10,000 and over use "Schedule C" Discounts.



4-IN-1 CARD DISPLAY 20 ENVELOPES TO A CARD When Card is wanted Specify "D" after Part No.	DISPLAY BOX 20 ENVELOPES TO A BOX When Box Display is wanted Specify "X" after Part No.	PLASTIC ENVELOPES Transparent and Unbreakable List Price 40c	GLASS JARS For Hardware Racks List Price 65c	BOXES OF 144 (One Gross) Specify "G" after Part No.	BOXES OF 1000 Specify "M" after Part No.
---	---	--	--	--	--

DESCRIPTION AND SPECIFICATIONS				Part No.	Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Price	Part No.	List Price
--------------------------------	--	--	--	----------	------------------	----------	-----------------	----------	------------	----------	------------

G-C DIAL PULLEYS											
Assorted Dial Pulleys				6057-E	6	6638	12				
A	B	C	D (Groove Width)								
3/8"	.120	1/8"	3/32"	6057-AE	8			6057-AG	4.60	6057-AM	27.45
7/16"	.067	13/64"	1/8"	6057-BE	7			6057-BG	6.10	6057-BM	36.20
1/2"	1/8"	3/16"	3/32"	6057-GE	7			6057-GC	5.85	6057-GM	35.10
.620	.128	.165	1/16"	6057-CE	5			6057-CG	9.00	6057-CM	54.00
.860	.128	5/32"	.050	6057-FE	3			6057-FG	16.75	6057-FM	100.00

G-C RADIO KNOB SPRINGS												
K1	K2	K3	K4	K5	K6	K6S	K7	K8	K9	K10	K11	K12

Assorted Knob Springs				1049-E	20	6619	35				
No. 1050 Kit of 35 Springs				List Price \$0.70							
No. 1051 Kit of 100 Springs				List Price \$1.35							
Fig. No.	Width	Length	For Knob Shaft Diam.								
K1	9/32" Light	7/16"	1/4"	6460-E	20			6460-G	2.10	6460-M	12.25
K2	9/32" Heavy	7/16"	1/4"	6461-E	20			6461-G	2.45	6461-M	14.75
K3	9/32"	5/16"	1/4"	6462-E	20			6462-G	2.25	6462-M	13.50
K4	3/8"	5/32"	1/4"	6463-E	15			6463-G	3.55	6463-M	21.25
K5	7/32"	13/32"	1/4"	6464-E	10			6464-G	4.90	6464-M	29.50
K6	9/32"	3/8"	1/4"	6465-E	10			6465-G	4.40	6465-M	26.50
K6-S	9/32"	1/4"	1/4"	6466-E	10			6466-G	4.60	6466-M	27.50
K7	9/32"	1/2"	1/4"	6467-E	20			6467-G	3.75	6467-M	22.50
K8	9/32"	3/8"	1/4"	6468-E	10			6468-G	5.55	6468-M	33.25
K9	11/32"	1/4"	1/4"	6469-E	10			6469-G	5.55	6469-M	33.25
K10	3/8"	3/8"	1/4"	6470-E	20			6470-G	2.25	6470-M	13.50
K11	3/8"	7/16"	1/4"	6471-E	20			6471-G	2.50	6471-M	15.00
K12	3/8"	7/16"	3/16"	6472-E	20			6472-G	2.75	6472-M	16.50

(Additional Listings on Knob Springs on Page 25)

G-C DIAL DRIVE TENSION SPRINGS AND PHONO SPRINGS					
---	--	--	--	--	--

Asst. Regular Dial Drive Springs				1054-E	10	6616	15				
Asst. Small Dial Drive Springs				1054-SE	10						
No. 1055 Kit of 25 Asst. Springs				List Price \$1.10							
No. 1056 Kit of 100 Asst. Springs				List Price \$4.00							
Asst. Large Tension Springs				6421-E	8						
Asst. Small Tension Springs				6420-E	10						
A	B	C	Wire Size	Old No.	List Price						
1/8"	1/2"	1/4"	.019	T1	\$0.05	6450-E	10	6450-G	3.85	6450-M	23.00
1/8"	1"	3/4"	.019	T2	.06	6451-E	8	6451-G	5.25	6451-M	31.50
3/16"	1"	5/8"	.020	T3	.06	6452-E	8	6452-G	5.00	6452-M	29.75
3/16"	1-3/8"	1"	.020	T4	.06	6453-E	8	6453-G	5.10	6453-M	30.50
1/4"	1-1/2"	1"	.026	T5	.08	6454-E	6	6454-G	6.90	6454-M	41.50
1/4"	2"	1-1/2"	.026	T6	.10	6455-E	5	6455-G	9.35	6455-M	56.00

(Additional Listings on Dial Drive Springs on Page 18)

G-C PHONOGRAPH SPRINGS					
-------------------------------	--	--	--	--	--

No. 6478 Kit of 50 Springs				List Price \$2.25							
No. 6479 Kit of 100 Springs				List Price \$4.00							
Asst. Small Phono Turntable Springs				6480-E	10						
Asst. Large Phono Turntable Springs				6481-E	8						
A	B	C	Wire Size								
9/64"	7/16"	1/8"	.008			7535-G	6.40	7535-M	38.50		
5/32"	3/4"	1/2"	.016			7537-G	5.15	7537-M	30.75		
3/16"	19/32"	13/32"	.014			7539-G	5.65	7539-M	34.00		
3/16"	1-1/8"	3/4"	.014			7543-G	6.65	7543-M	40.00		
1/8"	19/32"	11/32"	.006			7544-G	6.95	7544-M	41.75		
5/32"	1-1/16"	3/4"	.010			7545-G	6.75	7545-M	40.50		
15/64"	1-3/4"	1-1/4"	.022			7546-G	7.35	7546-M	44.00		
3/16"	9/16"	1/4"	.033			7547-G	4.65	7547-M	28.00		
1/2"	1-5/16"	9/16"	.026			7548-G	9.35	7548-M	56.00		

(Additional Listings on Phono Springs on Page 29)
20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

Compression Springs—Eyelets



4-IN-1 CARD DISPLAY
20 ENVELOPES TO A CARD
When Card is wanted
Specify "D" after Part No.

DISPLAY BOX
20 ENVELOPES TO A BOX
When Box Display is wanted
Specify "X" after Part No.

PLASTIC ENVELOPES
Transparent and Unbreakable
List Price **40c**

GLASS JARS
For Hardware Racks
List Price **65c**

BOXES OF 144
(One Gross)
Specify "G" after Part No.

BOXES OF 1000
Specify "M" after Part No.

DESCRIPTION AND SPECIFICATIONS	Part No.	Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Price	Part No.	List Price
--------------------------------	----------	------------------	----------	-----------------	----------	------------	----------	------------


G-C COMPRESSION SPRINGS



Asst. Small Compression Springs	6430-E	20	6643	30						
Asst. Large Compression Springs	6431-E	15								
O.D.	Length	Wire Size	No. of Coils							
7/64"	5/32"	.012	3				7476-G	1.45	7476-M	8.75
.121	1/4"	.015	6				7477-G	1.45	7477-M	8.75
.145	19/32"	.012	10				7478-G	1.45	7478-M	8.75
.175	11/16"	.016	9				7479-G	1.45	7479-M	8.75
.175	1-1/4"	.014	17				7480-G	1.95	7480-M	11.75
.195	7/16"	.024	6				7481-G	1.95	7481-M	11.75
.203	25/32"	.022	11				7482-G	2.20	7482-M	13.25
.243	7/8"	.020	11				7483-G	2.45	7483-M	14.75
17/64"	1/2"	.016	6				7484-G	1.95	7484-M	11.75
9/32"	1-1/4"	.023	17				7485-G	1.90	7485-M	11.50
5/16"	1"	.020	14				7486-G	1.75	7486-M	10.50
5/16"	1-1/2"	.016	9				7487-G	2.20	7487-M	13.25
.320	13/32"	.016	5				7488-G	1.95	7488-M	11.75
.320	13/32"	.026	3				7489-G	1.70	7489-M	10.25
.330	15/32"	.030	5				7490-G	1.95	7490-M	11.75
11/32"	5/8"	.029	7				7491-G	2.20	7491-M	13.25
11/32"	11/32"	.038	3				7492-G	1.95	7492-M	11.75
3/8"	11/16"	.022	7				7493-G	1.25	7493-M	7.50
25/64"	5/16"	.048	3				7494-G	2.40	7494-M	14.50
.491	1"	.039	8				7495-G	2.75	7495-M	16.50
19/32" x 5/16"	1-1/2"	.040	7	Tapered			7496-G	2.90	7496-M	17.50
1" x 11/16"	13/16"	.079	4	Tapered			7497-G	3.15	7497-M	19.00



G-C BRASS EYELETS



Asst. Rivets and Eyelets	1027-E	55	6622	85						
Asst. Eyelets and Clamps	1028-E	60								
Eyelet Assortment	6900-E	55								
Shank Dia.	Length Under Head	Head Dia.								
.087	1/8"	.145					7251-G	.60	7251-M	3.50
.087	5/32"	.145					7252-G	.65	7252-M	3.75
.087	7/32"	.145					7253-G	.75	7253-M	4.50
.087	11/32"	.180					7254-G	.95	7254-M	5.75
.123	5/32"	.197					7257-G	.75	7257-M	4.50
.123	7/32"	.195					7259-G	.85	7259-M	5.00
.123	1/4"	.195					7260-G	.90	7260-M	5.50
.123	9/32"	.195					7261-G	.95	7261-M	5.75
.125	5/16"	.289					7264-G	2.50	7264-M	15.00
.127	15/32"	.222					7265-G	1.90	7265-M	11.50
.133	11/64"	.225					7266-G	.85	7266-M	5.00
.150	1/8"	.250					7267-G	.90	7267-M	5.25
.150	5/16"	.250					7268-G	1.10	7268-M	6.50
.182	3/16"	.315					7269-G	.55	7269-M	3.25
.182	7/32"	.285					7270-G	1.15	7270-M	7.00
.182	11/32"	.285					7271-G	1.60	7271-M	9.50
.210	3/16"	.395					7272-G	1.90	7272-M	11.50
.213	3/16"	.345					7273-G	1.25	7273-M	7.50
.248	7/32"	.380					7274-G	1.55	7274-M	9.25

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

NOTE — SPECIAL QUANTITY DISCOUNTS ON LARGER BULK QUANTITIES. On 1,000 to 4,999 Regular Discount Applies, "Schedule A". On 5,000 to 9,999 use "Schedule B" Discounts. On 10,000 and over use "Schedule C" Discounts.

GENERAL CEMENT

60



4-IN-1 CARD DISPLAY
20 ENVELOPES TO A CARD
When Card is wanted
Specify "D" after Part No.

DISPLAY BOX
20 ENVELOPES TO A BOX
When Box Display is wanted
Specify "X" after Part No.

PLASTIC ENVELOPES
Transparent and Unbreakable
List Price **40c**

GLASS JARS
For Hardware Racks
List Price **65c**

BOXES OF 144
(One Gross)
Specify "G" after Part No.

BOXES OF 1000
Specify "M" after Part No.

DESCRIPTION AND SPECIFICATIONS			Part No.	Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Price	Part No.	List Price
			G-C RIVETS							
Asst. Rivets and Eyelets			1027-E	55	6622	85				
Rivet Assortment			6850-E	60						
Shank Diameter Length Under Head										
Rivets	.059	5/32"					7276-G	1.40	7276-M	8.50
Rivets	.059	3/16"					7277-G	1.40	7277-M	8.50
Rivets	.059	1/4"					7278-G	1.40	7278-M	8.50
Rivets	.059	5/16"					7279-G	1.40	7279-M	8.50
Rivets	.088	3/16"					7280-G	1.40	7280-M	8.50
Rivets	.098	3/16"					7283-G	1.40	7283-M	8.50
Rivets	.121	1/8"					7286-G	1.65	7286-M	10.00
Rivets	.121	5/32"					7287-G	1.65	7287-M	10.00
Rivets	.121	3/16"					7288-G	1.65	7288-M	10.00
Rivets	.121	7/32"					7289-G	1.65	7289-M	10.00
Rivets	.121	1/4"					7290-G	1.65	7290-M	10.00
Rivets	.121	5/16"					7291-G	2.10	7291-M	12.50
Rivets	.121	3/8"					7292-G	2.10	7292-M	12.50
Rivets	.121	1/2"					7293-G	2.10	7293-M	12.50
Rivets	.121	5/8"					7294-G	2.10	7294-M	12.50
Rivets	.146	5/16"					7296-G	2.10	7296-M	12.50
Rivets	.146	17/32"					7297-G	2.10	7297-M	12.50

DESCRIPTION AND SPECIFICATIONS			Part No.	Quantity	Part No.	Quantity	Part No.	List Price	Part No.	List Price
			G-C ESCUTCHEON PINS							
Asst. Escutcheon Pins			6670-E	100						
Length	Diam.	Finish								
1/4"	No. 18	Stat. Bronze					7526-G	.60	7526-M	3.50
1/4"	No. 19	Stat. Bronze					7527-G	.65	7527-M	4.00
1/4"	No. 20	Stat. Bronze					7528-G	.75	7528-M	4.50
1"	No. 15	Nickel Plated					7529-G	.85	7529-M	5.00

DESCRIPTION AND SPECIFICATIONS			Part No.	Quantity	Part No.	Quantity	Part No.	List Price	Part No.	List Price
			G-C VOICE COIL DUST FELTS							
Assorted Dust Felts			1079-E	25	6640	50				
Diameter										
Dust Felts	1/2"		1080-E	25			1080-G	1.25	1080-M	7.50
Dust Felts	3/4"		1081-E	25			1081-G	1.35	1081-M	8.00
Dust Felts	1"		1082-E	25			1082-G	1.40	1082-M	8.50
Dust Felts	1-1/4"		1083-E	20			1083-G	1.85	1083-M	11.00
Dust Felts	1-1/2"		1084-E	20			1084-G	2.00	1084-M	12.00
Dust Felts	1-3/4"		1085-E	20			1085-G	2.10	1085-M	12.50
Dust Felts	2-1/4"		1085-AE	20			1085-AG	2.50	1085-AM	15.00

DESCRIPTION AND SPECIFICATIONS					Part No.	Quantity	Part No.	Quantity	Part No.	List Price	Part No.	List Price
					G-C RUBBER GROMMETS							
Assorted Soft Grommets					1039-E	15	6626	20				
Assorted Grommets					1044-E	15	6625	25				
No. 1040 Kit of 50 Assorted Grommets												
List Price \$1.05												
A	B	C	D	E								
11/32"	1/8"	3/16"	1/16"	1/4"	1041-2-E	15			1041-2-G	2.10	1041-2-M	12.50
7/16"	3/16"	7/32"	1/16"	5/16"	1041-E	15			1041-G	2.60	1041-M	15.50
9/16"	1/4"	1/4"	1/16"	3/8"	1042-E	15			1042-G	3.30	1042-M	19.75
1/2"	1/4"	5/16"	1/8"	3/8"					7566-G	3.20	7566-M	19.25
5/8"	3/8"	1/4"	1/16"	1/2"	1043-E	15			1043-G	3.75	1043-M	22.50
13/16"	1/2"	9/32"	1/16"	5/8"	1043-1-E	10			1043-1-G	5.15	1043-1-M	30.75
1-1/16"	5/16"	11/32"	5/32"	7/8"					7569-G	10.75	7569-M	64.50

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

GENERAL



CEMENT

Rivets — Felts — Grommets



4-IN-1 CARD DISPLAY 20 ENVELOPES TO A CARD When Card is wanted Specify "D" after Part No.	DISPLAY BOX 20 ENVELOPES TO A BOX When Box Display is wanted Specify "X" after Part No.	PLASTIC ENVELOPES Transparent and Unbreakable List Price 40c	GLASS JARS For Hardware Racks List Price 65c	BOXES OF 144 (One Gross) Specify "G" after Part No.	BOXES OF 1000 Specify "M" after Part No.
---	---	--	--	--	--

DESCRIPTION AND SPECIFICATIONS	Part No.	Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Price	Part No.	List Price
--------------------------------	----------	------------------	----------	-----------------	----------	------------	----------	------------




G-C PURE GUM GROMMETS

Very soft live rubber grommets for shock and vibration dampening. For mounting tuning condensers, sockets, phono motors, chassis, etc.



Assorted Pure Gum Grommets	7580-E	15						
No. 7581 Kit of 100 Asst. Grommets								
List Price \$2.25								
A	B	C	D	E				
7/16"	3/16"	7/32"	1/16"	5/16"	7582-E	15	7582-G 3.05	7582-M 18.25
9/16"	1/4"	1/4"	1/16"	3/8"	7584-E	15	7584-G 4.10	7584-M 24.50




G-C RUBBER CHASSIS MOUNTS



Assorted Chassis Mounts	1038-E	10						
No. 1030 Kit 25 Asst. Chassis Mounts								
List Price \$1.80								
A	B	C	D	E				
3/4"	5/32"	7/32"	1/2"	1/4"			7571-G 7.80	7571-M 46.75
3/4"	1/8"	3/8"	1/2"	1/4"	1031-E	8	1031-G 7.10	1031-M 42.50
3/4"		1/2"		5/16"			7573-G 6.35	7573-M 38.00
3/4"	7/16"	1/2"	7/16"	3/16"	1032-E	6	1032-G 8.30	1032-M 49.75
3/4"	11/16"	3/4"	7/16"	3/16"	1033-E	4	1033-G 11.65	1033-M 70.00
3/4"		9/32"		1/4"	1037-E	8	1037-G 6.55	1037-M 39.25
1"	3/8"	1/2"	1/2"	1/4"	1034-E	4	1034-G 12.15	1034-M 73.00
1-1/4"	11/16"	7/8"	1/2"	5/16"	1035-E	2	1035-G 21.90	1035-M 131.50
1-1/4"		3/8"		1/4"	1036-E	2	1036-G 11.70	1036-M 70.00

(See Additional Listings on Chassis Mounts on Page 32)



G-C RADIO DIAL DRIVES

Small Dial Drives	1024-SE	5						
Large Dial Drives	1024-LE	5						
No. 1024 Env. 10 Asst. Radio Dial Drives								
List Price \$0.80								
No. 1025 Box 25 Asst. Drives								
List Price \$1.50								
No. 1026 Box 100 Asst. Drives								
List Price \$6.00								
O.D.	I.D.	Thickness					FOR SET MODELS	
19/32"	5/16"	5/16"	1-E	5	Atwater-Kent Small Part No. 1568L		1-M	42.00
13/16"	5/16"	5/16"	2-E	5	A-K Large, for Gear Part No. 17961		2-M	52.50
1/2"	7/32"	11/32"	3-E	5	Stewart-Warner 113, 114 Converter		3-M	44.00
19/32"	5/16"	7/16"	4-E	5	Kennedy 26, 34, 36 and Wells-Gardner 2-22 Series, Brush Part No. 106245		4-M	55.00
1-3/32"	27/32"	3/16"	5-E	5	Stewart-Warner 105-120, RCA		5-M	37.50
41/64"	7/32"	3/8"	6-E	5	RCA All Numbers		6-M	47.50
5/8"	7/32"	5/16"	7-E	5	Stewart-Warner 102-104		7-M	47.50
13/16"	9/16"	3/16"	8-E	5	Stewart-Warner 105-120, Small		8-M	36.50
3/4"	7/16"	1/4"	9-E	5	Atwater-Kent Part No. 27333 for Models 456, 655Q, 768Q, 978Q		9-M	36.50
1-3/8"	1-1/8"	3/16"	10-E	5	Stewart-Warner 126		10-M	36.50
2-11/32"	1-31/32"	5/32"	11-E	5	Large Atwater-Kent for Part No. 27332 for Models 465Q, 655Q, 768Q, 9780 General Industries		11-M	55.00
Special Grooved			12-E	5	Emerson-Majestic Grooved Rubber fits 1/4" Shaft		12-M	63.75
19/32"	5/16"	1/4"	13-E	5	Small A-K for Part. No. 27332		13-M	35.00
2-3/4"	2-3/8"	1/4"	15-E	2	Philco Part No. 42-2346		15-M	88.50

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

NOTE — SPECIAL QUANTITY DISCOUNTS ON LARGER BULK QUANTITIES. On 1,000 to 4,999 Regular Discount Applies, "Schedule A". On 5,000 to 9,999 use "Schedule B" Discounts. On 10,000 and over use "Schedule C" Discounts.



4-IN-1 CARD DISPLAY
20 ENVELOPES TO A CARD
When Card is wanted
Specify "D" after Part No.

DISPLAY BOX
20 ENVELOPES TO A BOX
When Box Display is wanted
Specify "X" after Part No.

PLASTIC ENVELOPES
Transparent and
Unbreakable
List Price **40c**

GLASS JARS
For Hardware Racks
List Price **65c**

BOXES OF 144
(One Gross)
Specify "G" after
Part No.

BOXES OF 1000
Specify "M" after
Part No.

DESCRIPTION AND SPECIFICATIONS

Part No. Quantity in Env.

Part No. Quantity in Jar

Part No. List Price

Part No. List Price

G-C PHONO TURNTABLE DRIVES

REPLACEMENT RUBBER DRIVES FOR ALL PHONOGRAPHS

No. 16-19-D Display Asst. Phono Drives (20 Env.)			List Price \$6.40		FOR SET MODELS	
O.D.	I.D.	Thickness				
2-11/32"	1-31/32"	11/64"	16-E	2	Gen. Ind. RX-LX Motors	16-M 55.00
1-25/32"	1-15/32"	3/16"	17-E	2	Alliance 80, Motorola, Admiral, Part No. G400A23, G400A50, G400A27 Gen. Ind.; Philco Part No. 76-2374, 76-2379; Farnsworth Part No. 13583, 13854, 13635, VM, Crescent, Lear Brush Part No. 106245; Aero, Seeburg, Balantine, Trela, Cavalcade, Emerson and Others	17-M 56.50
1-3/32"	27/32"	3/16"	18-E	3	RCA Part No. 36274, RP-160, RP-158, RP-162, GE and Others	18-M 36.75
3/8"	1/8"	1/4"	19-E	4	Philco, RCA, etc.	19-M 31.50
5-15/16"	5-11/16"	3/16"	20-E	1	Detrola	20-M 165.50
	Spring Drive		20-1-E*	1	Detrola 550, Utah, Trela, etc.	20-1-M 387.50
1-3/16"	1-1/32"	11/64"	21-AE	2	General Electric	21-AM 49.75
No. 22 RCA RP-176, GE 809-J, Large Tire			List Price \$1.00		(See Additional Listings on Phono Drives on Page 29) *List Price, 50c each. Display of 20, \$1.00.	
			23-E	2	RCA RP-176, GE 809-J, Rim Drive	



G-C CHASSIS FELT FEET
SCREW TYPE

Asst. Screw Type	Chassis Felt Feet	1086-E	4				
A	B	C	Type of Screw				
1/2"	3/16"	1/2"	No. 6 x 1/2" Sheet Metal Pointed	1086-BE	4	1086-BG 14.15	1086-BM 84.75
1/2"	3/16"	1/2"	6-32 Machine	1087-E	4	1087-G 14.15	1087-M 84.75
3/4"	1/4"	1/2"	No. 6 x 1/2" Sheet Metal Pointed	1088-E	4	1088-G 14.85	1088-M 89.10
3/4"	1/4"	1/2"	10-32 Machine	1089-E	4	1089-G 14.85	1089-M 89.10



G-C RUBBER FEET
SCREW TYPE

Asst. Screw Type	Rubber Feet	1075-AE	12			
O.D.	High					
3/8"	3/16"	1075-BE	12	1075-BG	2.20	1075-BM 13.25
1/2"	1/4"	1075-CE	10	1075-CG	2.45	1075-CM 14.75
5/8"	5/16"	1075-FE	8	1075-FG	3.75	1075-FM 22.50



G-C RUBBER BUTTON BUMPERS
JUST PUT IN HOLE

A	B	C	E				
O.D.	Height	Hole	Height				
3/8"	3/8"	3/16"	3/16"	7596-E	10	7596-G 2.80	7596-M 16.75
1/2"	7/16"	1/4"	1/4"	7597-E	10	7597-G 3.50	7597-M 21.00
5/8"	9/16"	3/8"	5/16"	7598-E	8	7598-G 4.80	7598-M 28.75



G-C GENUINE TACK BUMPERS

No. 1077	Box 100 3/8" Bumpers	List Price \$3.50				
3/8" O.D.	Rubber Tack Bumpers		1075-E	10	6624	18
			1075-G	4.40	1075-M	26.50



G-C FELT PADS

No. 1071	100 Assorted Felt Pads	List Price \$0.60				
1/2" O.D.	x 1/4" Thick Felt Pads		1069-E	40	6623	60
			1071-G	.75	1071-M	4.50



G-C CORD STRAIN RELIEFS

Will Fit P.O.S.J. Cord	6675-E	4	6675-G	9.35	6675-M	56.00
------------------------	--------	---	--------	------	--------	-------

(Additional Listing Rubber and Felt Feet on Page 32)



G-C RADIO KNOB FELTS

3/4" O.D. x 1/4" Hole, Brown	1065-E	45	6641	75	1065-G	.70	1065-M	2.90
------------------------------	--------	----	------	----	--------	-----	--------	------



G-C TERMINAL STRIP ASSORTMENT

Assorted Terminal Strips	6855-E	4				
--------------------------	--------	---	--	--	--	--

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

GENERAL



CEMENT

Phono Drives—Radio Parts

63

DISPLAYS FOR G-C CEMENTS AND CHEMICALS



G-C COMPLETE CHEMICAL DISPLAY
70" Wide, 74" High, 21" Deep




G-C "NARROW" CHEMICAL DISPLAY
33" Wide, 74" High, 21" Deep

Radio Parts



**WIRE RACK
HARDWARE
DISPLAY**
9" Wide,
24" High

DISPLAYS FOR G-C HARDWARE TOOLS AND PARTS



G-C "HEX-VIEW" DISPLAY
33" Wide, 78" High

MANHATTAN RADIO & EQUIPMENT INC.
1732 Grand Ave.
KANSAS CITY, MO.



**G-C REVOLVING
HARDWARE DISPLAY**
26" Wide, 26" High



G-C "WALL-VIEW" DISPLAY
36" Wide, 67" High, 10" Deep