

# GROVE

## BUYER'S GUIDE

OCTOBER, 1996

**S**  
**C**  
**A**  
**N**  
**N**  
**E**  
**R**  
**S**

Originally produced as an integral section of *Monitoring Times* magazine, October 1996 issue, this 16-page Grove product section is distributed separately on request, along with other sections featuring scanners, satellite reception equipment, books and software. The various sections will appear on a rotating basis as part of *Monitoring Times*.

Grove Enterprises  
7540 Hwy. 64 W.  
Brasstown, N.C. 28902

1-800-438-8155 US & Can.  
(704) 837-9200  
FAX (704) 837-2216  
e-mail: [order@grove.net](mailto:order@grove.net)

Please visit our web site at  
[www.grove.net](http://www.grove.net)

*UPS 2nd Day Air Shipping at Ground Rates on All Products We Sell!*



Imagine: an affordable, compact, tabletop receiver with continuous 100 kHz-1999.99 MHz frequency coverage (less cellular) in precise 10 Hz steps—longwave, shortwave, VHF/UHF, all services and modes (wide and narrow FM and AM, USB, LSB, CW). Add high sensitivity, IF shift, selectable AGC timing, audio peak filter to automatically enhance modes, built-in RS232C and CI-V for direct computer control, 1000

memory channels in 20 banks, multiple scanning selections with priority function and selectable delay, S-meter settable squelch, noise blanker, and 12 VDC / 120 VAC operation.

This all-new receiver offers features previously found only on the premium R-9000—which sells to the government for \$7,508—but the R-8500 retails for under \$2,000. High stability crystal oscillators combine with automatic frequency control circuitry for outstanding stability. Multiple tuning speeds optimize signal hunting. Alphanumeric display aids in identifying memorized frequencies. Automatic memorizing of search-discovered active frequencies, skipping of unwanted channels, three antenna connectors for optimal choices for frequency ranges, even voice scan to ignore noisy channels, and even optional voice synthesizer and remote control—an incredible array of advanced features!

Call today to reserve your premium ICOM R-8500. It should be in stock with pricing confirmed by the time you read this. Check our site on the World Wide Web for updates on pricing. See pp. 8-9 for detailed specifications.

ORDER SCN 1

**\$1999<sup>95</sup>**

*Plus \$17 UPS Shipping*

## Improve *any* Scanner with the Grove SP-200A!

Why pay over \$400 for separate audio components for your listening post—such as a speaker, adjustable notch/peak filter, audio amplifier, bass and treble equalizers, audio squelch, recorder activator and noise limiter—when you can have them all in one attractively styled solid oak cabinet! This quality accessory is guaranteed to improve reception on any receiver, scanner or transceiver.

Peak desired signals while reducing or even eliminating interference. Ideal for voice, music, CW or data. Equipped with stereo-mono headphone jack for privacy. Heavy-duty AC power supply is included at no extra charge!

The cabinet is hand-crafted in the mountains of North Carolina. Textured metal front panel resists fingerprints.



ORDER SPK 13

**\$199<sup>95</sup>**

*Plus \$8 UPS  
Shipping*



***The Biggest Performance Boost  
You Can Get for Under \$200!***

# Not *MIR*-ely Great for Terrestrial Listening ...




Shown: Uniden BC9000XLT with GRE Super Converter

Put your new Uniden **BC9000XLT**—our best selling desktop scanner—through its paces, monitoring frequencies as high as 1.3 GHz (including cellular when combined with the GRE Superconverter, on sale with this package)\*!

The Uniden **BC9000XLT** makes it easy to bridge the gap between terrestrial and orbital monitoring. This superb desktop scanner is for serious monitors of the 25-550, 760-1300 MHz (less cellular) spectrum—and the missing cellular frequencies can be restored by adding our discounted GRE Super Converter! The BC9000XLT features 500 memory channels, tuning knob, 16-digit alphanumeric display with adjustable brightness, powerful 2.2 watts of audio, tone control, and CTCSS tone squelch option.

The intuitive layout of the panel makes operating a breeze! An illuminated keypad and rubber-padded tilt feet combine with the large tuning knob for additional comfort during periods of serious signal searching. Search lockout of up to 50 frequencies prevent unwanted interruptions. This scanner means business.



Monitor the Space Shuttle at 259.7 MHz and the Russian Mir Space Station at 143.625 MHz.

The GRE Super Converter, reduced to \$79.95 when purchased with the BC9000XLT, gives this unit no-gap coverage in the 800 MHz range (unlawful to monitor conversations!).

Purchase now and you will receive absolutely free Grove's new 1996 Grove FCC Database—a spectacular compendium of all the licensees in the FCC Master File! Public safety, railroad, business, industrial, broadcast, maritime, and many, many others. Sort by service, state, call sign, antenna height, output power, county, and many more!

Call now and order this incredible package now and we'll have it on your doorstep in two days!



Get the 1996 Grove FCC Database CD FREE with your order!

ORDER SCN30 and CVR 3  
**\$389<sup>95</sup>** **\$79<sup>95</sup>**

Reduced from \$84.95 for this special package only.

SHIPPING  
\$9 UPS  
\$16 US Mail  
\$16.50 Canadian UPS  
\$20.50 Canadian APP

ACCESSORIES  
ACC 130 CTCSS tone board \$46.95  
Installation Fee \$20.00  
BRK 2 Mounting bracket \$15.95  
CVR 3 GRE Superconverter \$84.95  
GCC 4 Cig. Lt. Pwr. Adapt. \$9.95

\* Note: It is unlawful to listen to cellular telephone conversations

**Bea**rcat

## Uniden BC3000XLT A Great Full-Range Hand-Held Scanner at a Bargain Price!

Featuring continuous 25-550, 760-1300 MHz (less cellular) frequency range, 400 memory channels, 10 priority channels, 100-channel-per-second TurboScan, automatic storage of search-discovered frequencies, selectable-channel overload attenuator, mode and step selection, data skip, and reduced-intermod design.

Strong audio guarantees crisp reception in noisy environments; up to 50 frequencies may be locked out of the search function to eliminate unwanted interruptions; battery save circuit extends charge life during inactive reception periods; handsome, rugged styling makes this handheld scanner an outstanding choice. See detailed specifications on pp. 8-9.



ORDER SCN29  
**\$369<sup>95</sup>**

ACCESSORIES  
BAT 15 Replacement battery pack \$31.95  
CAS 6 Carrying Case \$19.95  
DCC 7 Universal DC adapter \$15.95  
PWR 2 Desktop Charger \$59.95

SHIPPING  
\$8 UPS  
\$10 US Mail  
\$13 Canadian UPS  
\$13 Canadian APP

## Uniden BC-890XLT



This popular, low cost scanner features wide frequency coverage (29-54, 108-174, 216-512, 806-956 MHz—less cellular), 200 memory channels, 100-channel-per-second TurboScan, weather alert, CTCSS (optional), channel activity counter, 10 channel priority, search autostore, tape recorder output, memory channel transfer, and much, much more!

See pp. 8-9 for detailed specifications.

ORDER SCN19  
**\$269<sup>95</sup>**

SHIPPING  
\$9 UPS  
\$16 US Mail  
\$17.50 Canadian APP  
\$16.50 Canadian UPS

ACCESSORIES  
ACC 96 CTCSS Squelch Decoder \$59.95  
Installation Fee \$20.00  
BRK 2 Mounting bracket \$15.95  
CVR 3 GRE Superconverter \$84.95  
DCC 4 Cig. Lt. Pwr. Adapt. \$9.95

# Uniden BCT 7

New Low Price!

**Tiny Scanner is Mobile Giant for Law Enforcement Scanning**



This tiny scanner has factory-programmed scan banks for law enforcement (state-selectable highway patrol!), firefighting, weather broadcasts, medical emergency teams, highway maintenance crews, and on-scene news reporters! You can even enter up to 100 of your own frequencies for private scanning anywhere from 26.9-27.4 (all 40 CB channels!), 29.7-54, 108-174, 406-512, and 806-956 MHz (less cellular).

**Special Feature:** The BCT-7 BearTracker flash-alerts you to radar speed patrols up to three miles away by intercepting their mobile extenders! Brightly-backlit LCD display has high visibility, while powerful three-watt audio blasts through the noisiest mobile environment!

Comes ready to go with AC adaptor, DC power cord, cigarette lighter cord, mobile mounting bracket, telescopic antenna, frequency guide, complete instructions, and even a mobile antenna! See detailed specifications on pp. 8-9.

ORDER SCN21  
**\$179<sup>95</sup>**  
 SHIPPING  
 \$9 UPS  
 \$16 US Priority Mail  
 \$17.50 Canadian APP  
 \$16.50 Canadian UPS

**ACCESSORIES**  
 ANT 4 Magnetic Mount Mobile Antenna \$39.95  
 ANT 13 Windshield Mount Ant. \$24.95  
 ANT 20 No-tenna \$13.95  
 ANT 30 Stealth Mobile Antenna \$29.95

# UNIDEN BC230XLT

*Here's the update of the revered BC220XLT*

Uniden now includes a spare battery and charger with their popular hand-held scanner. Frequency coverage 29-54, 108-174, 406-512, and 806-956 MHz (less cellular). 200 memory channels in 10 banks include 10 priority channels for instant access to important transmissions regardless of monitoring status. TurboScan and TurboSearch provide 100 channel per second scanning and 300 channel per second searching! Preprogrammed service search affords single-key access to police, fire, emergency, aircraft, marine and weather frequencies! Data skip avoids noisy data transmissions, stopping only on valid communications! See pp. 8-9 for detailed specifications.

ORDER SCN24  
**\$239<sup>95</sup>**  
 SHIPPING  
 \$8 UPS  
 \$10 US Mail  
 \$14 Canadian UPS  
 \$12.50 Canadian APP

**ACCESSORIES**  
 BAT 8 BP 120 battery pack \$19.95  
 DCC 7 Universal DC adapter \$15.95  
 CAS 9 Leather case \$19.95



*Comes with its own battery charger and spare battery.*



# UNIDEN Beartracker BCT 10

NEW!



Tiny and inconspicuous, the new Beartracker BCT-10 easily snaps on your vehicle's sun visor or may be conveniently set on your dashboard; simply touch the STATE button until the appropriate two-letter code (including Canadian provinces) is displayed, then listen for highway patrol communications, including radar traps. A visual and audible warning alarm may be selected to alert you to activity; unwanted channels may be locked out; an LED numerical signals strength meter gives you a relative indication of the distance of radio signals.

The BCT-10 automatically scans through 866 preprogrammed law enforcement frequencies in the 37-46, 138-172, and 423-508 MHz bands with an average sensitivity of 0.4 microvolts. Instant, pushbutton weather access is also provided for all U.S. NOAA and two Canadian Coast Guard channels.

Built-in speaker allows police communications monitoring, or an external speaker may be plugged in for vehicle-filling sound; may be muted for alarm-only function. Status lights identify types of communications being monitored.

Accessories include visor bracket, suction windshield mount, cigarette lighter power plug, DC power cord, stub and wire antenna.

ORDER SCN22  
**\$179<sup>95</sup>**  
 SHIPPING  
 \$9 UPS  
 \$16 US Mail  
 \$16.50 Canadian UPS  
 \$17.50 Canadian APP

## Modification/Trade-In Service

Grove Enterprises can perform many of the equipment modifications that you may need to turn a good scanner or receiver into a great one. Or, if you're in need of a quality used piece of equipment, Grove may have what you need

Modifications, excluding cellular mods, are available for new equipment at the time of purchase from Grove, as well as for used equipment. Before returning your scanner or receiver for modifications, or if you would like more information about our trade-in service, please call 704-837-7081.

Simply explain the type of modification or service you desire. If the requested service is available, Grove will issue you a service order number and advise you of the modification fee and the return shipping charges.



Ship your equipment to Grove enclosing a check for the modification and return shipping. A five to seven day turnaround time is possible for simple mods requiring no new parts.

- Scan/Search Speed Increase
- S-Meter Addition
- Frequency Restoration (800-900 MHz)
- Improved Headphone Audio
- Lightning Static Protection (Sony 2010)
- Factory Accessory Installation
- Memory Channel Increase
- Scout 40 Reaction Tune Modification

Grove can perform mods on most models from: ICOM, AOR, REALISTIC, SONY (2010 only), AND UNIDEN; *call for a complete list. See our site on the World Wide Web for an up-to-date list of trade-ins. Set your browser to www.grove.net*



# The Renowned AR-8000



## Full 800 MHz Restorable **AOR** Quality Scanners!

\*After you purchase and receive your AR 8000, we can restore the missing 800MHz for only \$40 plus return shipping.

With wide frequency coverage—500 kHz-1900 MHz (less cellular, restorable), 1000 memory channels, AM/FM/SSB reception, selectable tuning steps from 50 Hz-999.995 kHz. An oversized, edgelit LCD window holds 44 bold alphanumeric characters.

Autostore, RS232 control, second-radio cloning, power saver, keyboard beep defeat, and selectable-channel display blanking. Dial tunes frequencies and channels. Dual VFOs and 30-channel-per-second scan/search speed.

Each channel may be programmed for frequency, mode, audio or carrier squelch with programmable 1-99 second delay, 10-dB attenuator, step size, channel offset, and channel designator. Any channel priority sampling, LCD, S-meter/spectrum display unit!

Interchangeable NiCd/alkaline batteries (4AA NiCds and charger included); a universal external power jack for mobile use; an internal ferrite antenna for medium-wave reception; illustrated 115-page owner's manual. See detailed specifications on pp. 8-9.

*The most feature-packed  
handheld scanner on the market!*

ORDER SCN27

**\$599<sup>95</sup>**

SHIPPING

\$9 UPS  
\$10 US Priority Mail  
\$14 Canadian UPS  
\$12.50 Canadian APP

ACCESSORIES

ACC157	Optolinx Universal Interface	\$129.95
ACC156	SAC-8000 Interface Cable	\$34.95
BAT 1	AA Alkaline batteries	\$ .79
BAT 13	Extra AA Nicad batteries	\$2.75 ea
CAS 2	Genuine Leather case for AR-8000	\$29.95
CTR 8	Optoelectronics Scout 3.1	\$399.95
PWR 2	Desktop Charger	\$59.95
SFT 2	Scancat Gold Software	\$94.95

# AR5000

## Super Wide-Coverage Receiver!



AOR has scooped the market with their new AR5000 extended-frequency coverage receiver, tunable from 10 kHz through 2600 MHz (less cellular) and offering 650 memory channels in 65 10-channel banks. Imagine listening to 60 kHz time signals, VLF naval communications, international shortwave broadcasting, worldwide single-sideband communications, civilian and military aeronautical transmissions, as well as VHF/UHF public safety radio, ham repeaters, microwave earth satellites, and much, much more all on one receiver!

This triple-conversion luxury receiver offers outstanding sensitivity (0.15 microvolt SSB, 0.3 microvolt VHF/UHF, 0.6 microvolt AM), rapid 50-channel-per-second scan/search speed, programmable tuning steps from 1 Hz to 1 MHz, all mode reception (AM/FM/LSB/USB/CW), selectable IF bandwidths (3/6/15/40/110/220 kHz), superb frequency stability (+/-1 ppm, 0-50 deg. C.), mobile or fixed power (12 VDC / 120 VAC), and much, much more. See specifications on pp. 8-9.

ORDER RCV 12

**\$1999<sup>95</sup>**

SHIPPING

\$17 UPS  
\$29 US Priority Mail  
\$26 Canadian UPS  
\$35.50 Canadian APP

# AR-3000A

## Professional Desktop Scanner



Imagine: A fully-restorable, general coverage shortwave receiver and wide-frequency-coverage scanner, in one compact instrument!

The AOR AR3000A offers 100 kHz-2036 MHz (less cellular—restorable) frequency coverage, continuous tuning dial, AM/FM/SSB mode reception, 400 memory channels and 50 channel per second scan/search rate. High sensitivity and sharp selectivity let you hear signals lesser scanners and shortwave receivers miss.

Operates on 13.6 VDC for compact mobile installations; 120 VAC adaptor included. See specifications on pp. 8-9.

*\*After you purchase, we can restore the missing 800MHz for only \$65.*

ORDER SCN26

**\$1062<sup>95</sup>**

SHIPPING

\$11 UPS  
\$18.50 US Priority Mail  
\$19.50 Canadian UPS  
\$21.50 Canadian APP

ACCESSORIES

CVR 3	GRE Super Converter	\$84.95
SFT 2	ScanCat Gold Software	\$94.95

## From Radio Shack

# PRO-26

## Handheld Scanner

*Wide Coverage—  
Scan up to 1.3 GHz!*

Radio Shack's PRO-26 is feature-packed! Offering nearly continuous coverage, less cellular, from 25 to 1300 MHz, 200 memory channels, 300-channel-per-second search rate, triple up-conversion, high sensitivity, and powerful 250 mW audio, the new PRO-26 is making waves on the scanner scene! Belt clip, flex whip and manual included. See specifications on pp. 8-9.



ORDER SCN5

**\$349<sup>95</sup>**

SHIPPING

\$8 UPS  
\$10 US Priority Mail  
\$13 Canadian UPS  
\$13 Canadian APP

ACCESSORIES

BAT 1	AA cells (four required)	\$ .79 ea.
PWR 5	AC adaptor/charger	\$6.95
DCC 6	Cigarette lighter DC cord	\$12.95
ANT 8	Telescoping whip antenna	\$16.95
ANT 14	Condor flex antenna	\$29.95

# The New Generation from Radio Shack!

## PRO-2046 Mobile Scanner

*Allows Instant Police, Fire, Emergency, etc. Search*

Sporting wide frequency coverage (29-54, 108-174, 406-512, and 806-956 MHz less cellular), 100 memory channels in 10 banks, high sensitivity, and fast scan/search speed, this new mobile scanner allows instant Service Search (Police/Fire/Emergency, DOT, HWY, and Public Service), data channel skip, any-channel priority and delay, and instant weather broadcast access.



Tune up and down automatically from any displayed frequency, lock out up to 20 unwanted or busy frequencies in the search sequence, temporarily store up to 10 search-discovered frequencies for quick recall. Your new PRO-2046 comes with DC power cord, mobile mounting bracket and full instructions.

ORDER SCN 7  
**\$239<sup>95</sup>**

SHIPPING  
\$7 UPS  
\$9.50 US Priority Mail  
\$15 Canadian UPS  
\$12.50 Canadian APP

*Purchase the ICOM R100 with Full-Coverage No-Gap, 100 kHz-1300 MHz Option\**

## ICOM R100 *New Low Price!*

### Mobile Desktop Scanner



For the full-spectrum listener, this compact scanner is hard to beat: tuning range from 100 kHz-799 MHz, 900-1856 MHz\* with direct keypad entry or knob tuning, 100 channel memory, switchable preamp and attenuator, programmable 24-hour clock timer, 10 search ranges, LCD bargraph S meter, AM and wide/narrow FM mode detection (no SSB) just begin the list of features. Comes with VHF/UHF telescoping antenna, HF wire antenna, DC power cable, mounting bracket, fuses, speaker plug, cable ties, and screws. See detailed specifications on pp. 8-9. Prices subject to change due to yen fluctuations.

\*After you purchase and receive, we can restore the missing 800-900MHz for \$40 plus \$10 shipping.

**ACCESSORIES**

CVR 3	GRE Super Converter	\$84.95
PWR 16	AC Adaptor	\$24.95
SPL 2	SCPC splitter	\$64.95

Order SCN 14  
Only **\$679<sup>95</sup>**

SHIPPING  
\$10 UPS  
\$17 US Priority Mail  
\$18 Canadian UPS  
\$19.50 Canadian APP

# SDU 100

## GROVE SPECTRUM DISPLAY UNIT

*Exclusive, real-time spectrum display—This is the ultimate surveillance tool!*



Enjoy the high-tech advantage of counter-surveillance professionals who depend upon spectrum analyzers to find eavesdropping transmitters ("bugs"). As the "spikes" appear on the screen you can tune them in quickly; no need to wait for the slow, hit-and-miss search of a scanner. A "freeze" function allows you to hold and examine all of the signals present at any moment in time!

Your receiver's tuned signal is the center of the screen, with up to 10 MHz (or as narrow as 100 kHz) of spectrum displayed simultaneously! Nail those unknowns as soon as they transmit! Ideal for locating jammers, identifying sources of radio interference, studying signal propagation, testing antennas, aligning receivers and transmitters, and much more!

Connect the SDU-100 to any TTL monochrome monitor, or order the matching VID-200 high contrast 9" CRT monitor. 12 VDC powered for mobile or field environment; AC adaptor included (the VID-200 is AC powered).

The SDU-100 is configured to operate on receiver intermediate frequencies (IFs) of 8.8 and 10.7 MHz. The IF or receiver model must be specified at the time of order. Designed and manufactured by Grove in the USA!

**SDU-100 Spectrum Display Unit \$499<sup>95</sup>**  
**VID-200 9" CRT Monitor \$149<sup>95</sup>**

Shipping charges for SDU-100 and monitor ordered together:  
\$16 UPS  
\$22.50 US Priority Mail  
\$22 Canadian UPS  
\$25 Canadian APP

The SDU-100 is compatible with the following receivers:  
ICOM R7000, ICOM R7100, ICOM R9000, ICOM R8500, AR5000.

## NEW! Save \$\$\$ on RAM Upgrades for PCs!



Through a special distributor-direct arrangement, we can offer you for a limited time high-quality RAM expansion at INCREDIBLE savings! Adding 4 more mb to your computer's 4 mb RAM will virtually double Windows speed! These 72 pin, double sided SIMMs feature gold contacts and offer 60-70 nanosecond access speed (check your computer specifications for speed and parity requirements). These are standard replacement units—at a great price which includes FREE first class shipping!

70 ns, non-parity .... RAM 04 .....	\$25.95	16MB (4x32) EDO 60 ns, non-par. . RAM 16E ..	\$119.95*
70ns, non-parity .... RAM 08 .....	\$52.95		
60 ns, non-parity .. RAM 16 .....	\$119.95		

*\*For use with Pentium processor only*

# S O F T W A R E

Grove has great values on all the latest software for scanner enthusiasts, hams and shortwave listeners. See our special Buyer's Guide featuring Software, Books and Accessories for complete details (published as an insert to the November edition of Monitoring Times magazine and available separately from Grove by request). Our software stock includes, but is not limited to, the following. Please call for additional information or availability on items not shown here:

PRODUCT	CODE	PRICE
SCANCAT GOLD (Restores 800 MHz on AR8000 and more)	SFT 2	\$94.95
SCAN MANAGER PRO v.1.1 (Computer Control Software for Hams, SWLs)	SFT 13	\$68.95
SCANSTAR FOR WINDOWS PLUS (Restores 800 MHz on AR8000--and more)	SFT 9	\$159.95
SCANSTAR FOR WINDOWS SE (Supports fewer receivers than Plus version)	SFT 10	\$99.95
SCANSTAR COMMERCIAL (Advanced multiple radio scanning, etc.)	SFT 7	\$129.95
TUNE-IN SCANNER DATABASE (Organizes logged frequencies in database)	SFT 6	\$24.95
MESSAGE TRACKER BASIC 3.0 (Record and recall pager messages)	SFT 11	\$179.95
MESSAGE TRACKER PRO 3.0 (Advanced version of above)	SFT 12	\$279.95
CD-ROM REPEATER MAP BOOK (Ham callsign database for all platforms)	BOK 101CD	\$29.95



## OPTOLINX UNIVERSAL INTERFACE

This replacement for the popular CX12 computer interface connects your AR8000 or 2700 to a PC for full computer control; decode DCS and CTCSS tones and DTMF telephone digits with the DC440 decoder connected to your AR3000A receiver. It will computer control the Icom R7000, 7100 and 9000. You can even use the OPTOLINX to receive longitude and latitude coordinates from any GPS or LORAN receiver with NMEA 0183 output. Or connect it to the Opto Scout frequency recorder to download its memory, and use it with the M1 frequency counter and Optolog software for computer controlled data logging of intercepted frequencies.

ORDER ACC 157  
**\$129<sup>95</sup>**

SHIPPING  
\$6 UPS  
\$7 US Mail  
\$10.50 Canadian UPS  
\$11.50 Canadian APP

## 1996 Enhanced Grove FCC Database v6.0 Available on both CD-ROM and High Density Diskette

The new Grove FCC Database is a spectacular compendium of all the licensees in the FCC Master File! Public safety, railroad, business, industrial, broadcast, maritime and many, many others. You can sort through fields like city, service, state, callsign, antenna height, output power, county, and many more! The program can also be custom-tailored to fit your specific searching needs using any available information you have. Simply choose from either CD-ROM or High Density Disk.

Grove FCC Database on CD-ROM offers a unique and useful mapping program. This program shows you on a map where your desired station is including major roadways, cities, state and county borders. To operate the mapping program you must have a VGA card, 386 or higher processor, 4 M RAM, 10 M free hard disk space, and a mouse is recommended.

Shipping for both CD-ROM and High Density Disk: \$4 First Class Mail



Send in your old version for trade-in and get a new FCC-CD (w/o mapping) for only \$49.95

- Diskette:**
- FCC96 (Indicate State)-HD
  - CA, TX, FL ..... \$49.95
  - Additional Data Disks ..... \$39.95
  - All Other States ..... \$39.95
  - Additional Data Disks ..... \$29.95
- CD-ROM:**
- FCC-CDM w/ Mapping: ..... \$169.95
  - FCC-CD w/o Mapping: ..... \$99.95



## Optoelectronics Scout Frequency Counter



Ideal for calibrating signal generators and transmitters, for countermeasures applications, and for determining the unknown frequencies of transmitters, walkie-talkies, mobile radios, base stations, cordless phones, ham and CB radios, radio control units, and other signal emitters.

This precision instrument offers outstanding sensitivity and TCXO (temperature compensated crystal oscillator) accuracy of 1 part per million. Price includes rechargeable battery pack and AC wall charger/adaptor, but not antenna (available from the list of accessories below). Operate for several hours on a fresh charge, or continuously with the wall adaptor.

The **Frequency Scout** is an advanced pocket frequency counter with memory and a selectable, silent vibrator or audible beeper to alert you to signal presence. With continuous 10-2800 MHz frequency coverage and 13 millisecond intercept time, the Scout accurately displays frequencies on a 10-digit, backlit LCD. High sensitivity captures weak signals for hundreds of feet, depending upon conditions.

Connected to your ICOM R7000, R7100, R9000 (ICOM CT-17 interface and audio cable, or OptoElectronics CX 12 required), or easily-modified AR8000, you can automatically receive any intercepted signal within its frequency range!

Relative signal strengths are displayed on a 16-segment bargraph, and up to 400 different intercepted signal frequencies may be automatically stored in memory for later recall. Continuous operation for at least 8 hours on a fast two-hour-rechargeable battery. Antenna sold separately.

ORDER CTR 8  
**\$399<sup>95</sup>**

SHIPPING FOR EACH  
\$7.50 UPS  
\$9 US Priority Mail  
\$12 Canadian UPS  
\$10.50 Canadian APP

**ACCESSORIES**

- ANT 19 4'-18" telescoping whip
- ANT 8 7'-46" long-range tele. whip
- ANT 27 Low profile 1-1/2' close-range antenna
- BRK 3 Universal Belt Clip
- CAS 8 Leather Case

# M-400 Universal Decoder

Access an entire dimension of coded communications signals.




**SPECIFICATIONS**  
**MODES:** Baudot (45, 50, 57, 100 baud); ASCII (75, 130, 150 baud); SITOR A & B (Automatically selected); FEC-A (96 & 144 baud); SWED-ARQ (S, M and L lengths); FAX (120 LPM & 600 CPM); parallel printer port; Paging (GOLAY, PO, SAG); ACARS; Encoded location (CTCSS: all 41 frequencies); DCS: all 104 codes; Tone dialing (DTMF: all 16 digits)

**FILTER:** Low tone (mark): 1275 Hz; Shifts: 170, 425, 850 Hz plus 100, 1000 Hz variable; **INPUTS:** Speaker: 4-16 ohms @ 100 mW max; Discriminator: 10K ohms @ 0.25 V max; **OUTPUT:** ASCII: R of Certronics standard; DCS: connector; **DISPLAY:** Two line, 20 characters each; 5.7 dot matrix LCD; **POWER REQUIRED:** 11-16 VDC @ 200 mA; AC adaptor included; **SIZE:** 8-3/4" W x 2-1/2" D x 8" D; **WEIGHT:** 2 lbs

ORDER DEM 9

**\$399<sup>95</sup>**

SHIPPING \$9 UPS  
 \$18 US Priority Mail  
 \$20.50 Canadian APP  
 \$22 Canadian UPS



NEW VERSION 2! Now with Super POCSAG, 1200 baud, simple, pushbutton mode selection, this self-contained, compact, menu-driven decoder, when connected to your scanner's or VHF/UHF receiver's external speaker jack, will reveal CTCSS (PL) sub-audible tones, DCS (DPL) squelch tones, POCSAG and GOLAY digital paging messages, DTMF (Touch Tone\*) telephone numbers, even air-to-ground ACARS digital aircraft messages!

Connected to your shortwave receiver (SSB mode), you can read RTTY, SITOR, FEC-A, SWED-ARQ, and even FAX pictures when used with a printer! There is no Morse code or packet capability. A jack is included to attach an external speaker so that you can still listen if your internal speaker is disconnected when using the M-400.

Input jacks provided for either audio or discriminator interconnect. AC wall adaptor, full manual and pair of 1/8" (3.5 mm) plugs included. *Your parallel printer will allow full page hardcopy.*

## Add Screen Capture Interface!

Want to see a full-screen display of intercepted text messages? Connect the new CI-400 between the M400 and your IBM compatible computer (286, DOS 3.3 or better); requires 8 bit slot, 215 kB disk storage for program files, 3.5" floppy. Recommended: mouse, color monitor, hard drive. Includes interface card, cable, software, manual.

Features automated software installation, on line help, autosave of incoming text, 80 character/25 line display, file print capability (no fax capability). Alerts/prints up to five user-defined search strings (SelCals); blocks two undesired messages (reverse SelCals); visual and audio alerts for text matches which can be selectively routed to the printer.

SFT 14 Screen Capture Interface for M400 **\$109<sup>95</sup>**

# Universal SCPC-200 Satellite Audio Receiver

Easily Receive Hundreds of SCPC Radio Channels

On Your Standard TVRO Home Dish Satellite System!



Replacing the ever-popular SCPC-100, this flexible, new, microprocessor controlled receiver has automatic LNB drift compensation and offers direct frequency tuning with frequency readout on a high contrast LCD, and direct transponder tuning as well. Its large memory bank of 50 channels, wide/narrow bandwidth selection and automatic tuning indicators add to the feature list which also includes digital frequency lock-on, service name readout, and standard 70 MHz baseband output (tunable 50-90 MHz).

High quality audio is available from either a line output or 8 ohm speaker jack; RF input is standard 950-1450 MHz from C and Ku band LNBS. Powered by either 120 VAC, 60 Hz, or 12 VDC @ 500 mA, the SCPC-200 measures 12"W x 1-3/4"H x 8"D and weighs 8 lbs.

ORDER RCV 28  
**\$399<sup>95</sup>**

SHIPPING \$9 UPS  
 \$18 US Priority Mail  
 \$22.00 Canadian APP  
 \$20.50 Canadian UPS



## NEW! SCPC SPLITTER FOR YOUR SATELLITE DISH!

Now you can use your R7100 and R100 to listen to those single channel per carrier (SCPC) satellite radio broadcasts from major networks—news, music, interviews sports, religion, international broadcasting, and more! Connects in seconds between your satellite cable and receiver, then to your R7100 and R100 antenna port, no modification necessary!

ADPK13 Cable, "F" Male **\$2.50**

ORDER SPL 2  
**\$64<sup>95</sup>**

PLUS \$5.50 UPS  
 \$6.50 US Priority Mail  
 \$11 Canadian UPS  
 \$10 Canadian APP

# GRE SUPER CONVERTER

Receive continuous 800-1000 MHz on your programmable scanner



Looking for the best way to get uninterrupted 800-1000 MHz coverage in your desktop scanner? Whether your scanner doesn't have that range now, or is one of the models with certain 800 MHz frequencies factory-censored, these high-sensitivity converters from GRE will fill in the gap!

Simply install a nine-volt battery (not supplied) or AC adaptor (optional); BNC connectors are provided to interconnect with your scanner. Use an 800 MHz-capable external antenna or attach a whip adjusted to about 4" (or 12" for gain) like the Grove ANT-19 (\$14.95) or ANT-8 (\$16.95).


When you tune 406-512 MHz on your scanner, you will be receiving 806-912 MHz! Just add 400 to the frequency displayed on your scanner, and you'll know your receive frequency when the converter is switched on. A handy bypass switch allows you to restore normal operation of your scanner without having to remove the converter.

Order CVR 3  
 Only **\$84<sup>95</sup>**

SHIPPING \$6 UPS  
 \$7 US Priority Mail  
 \$8.50 Canadian APP  
 \$10 Canadian UPS

ACCESSORIES  
 ANT 22 High gain 800 MHz portable antenna **\$29.95**  
 PWR 13 Universal power supply **\$9.95**  
 BAT 4 9volt battery **\$2.25**

A great new omni-directional scanner antenna with flexible mounting options!



Mast not included

O  
M  
N  
I

Designed by Bob Grove, this exclusive Grove product offers 25-1300 MHz coverage; lightweight, compact design, high performance, and low cost! Designed especially for wide-area metropolitan listeners, the 68" Omni can be mounted on a mast, in an attic crawl space, against a wall...just about anywhere convenient.

**BONUS FEATURE!** Although the Omni is essentially non-directional, a metal mast gives it useful directional properties. Overload interference from paging transmitters, weather stations, FM or TV broadcasters or other sources may be reduced or eliminated when positioning the antenna on the mast at the time of installation! Similarly, a distant, weak signal may be peaked by the same technique!

Comes with balun transformer, F connector, offset pipe, mounting hardware and instructions.

ORDER ANT 5  
**\$1995**

SHIPPING  
\$11 UPS  
\$12.50 US Priority Mail  
\$13.50 Canadian APP  
\$18 Canadian UPS

# Grove's Scanner Specification Guide

Scanner	AR 3000A	AR 6000	AR 8000	ICOM R100	ICOM R6500	Radio Shack Pro
Catalog Page #	4	4	4	5	1	4
Grove Order #	SCN 26	RCV 12	SCN 27	SCN 14	SCN 1	SCN 5
Grove Price	\$1,062.95	\$1995.95	\$599.95	\$679.95	\$1999.95	\$349.95
Frequency Range	100kHz-824 MHz, 849-869 MHz, 894-2036 MHz	10 kHz-2600 MHz (less cellular)	500kHz-1900 MHz (less cellular)	100 kHz-900 MHz, 900-1856 Hz	100 kHz-1999.99999 MHz (less cellular)	25-54, 60-80, 82-180-512, 517-82, 815-869, 879-13 MHz (less cell.)
Keypad Entry?	Yes, plus tuning dial	Yes, plus tuning dial	Yes	Yes	Yes	Yes
Tuning Steps	Programmable 50 Hz-999 kHz	Programmable 1 Hz-1 MHz	50 Hz-999.995 kHz	1/5/8/9/10/12 5/15/20/25 kHz	1050/100 Hz, 12/5/8/9/10/12/5/20/25/100/1000 kHz custom	5/6/12.5/ WFM 200 kHz
RIT, Fine Tuning	Tuning dial	(Not necessary)	Tuning dial	Tuning dial	No	No
Display	Backlit LCD	Backlit LCD	Backlit LCD	Backlit LCD	Backlit LCD, alphanumeric display	LCD
Dimmer	On/off	Yes	On/Off	On/Off	Yes	No
Recommended Use	Serious wide-spectrum	Wide spectrum monitoring	Gen. purpose wide-freq.	Gen. purpose wide-freq. incl. FM, TV aud.	Serious wide-spectrum monitoring	VHF/UHF
Receiving Modes	AM/NFM/WFM/LSB/USB/CW	AM/NFM/WFM/LSB/USB/CW	AM/NFM/WFM/USB/LSB/CW	AM, NFM, WFM	AM/FM (w/ AFC)/USB/LSB/CW/RTTY	AM, NFM, WFM
Memory	400 chan. w/ backup	650 Channels	1000 channels	100 channels	1000 channels	Non-volatile 200 c
Scan	50 channels/sec.	50 channels/sec. w/ priority	30 channels/sec.	3 modes/20 channels/sec.	10-20 chan./sec. multifunction	50 channels/sec.
Banks	4	65	20 (50 channels ea.)	Programmable	20	10 banks/20 chan.
Channel Lockout	Scan & search chan.	Yes	Yes	Yes	Yes	Yes
Priority	4 channels	Yes	Any channel	Yes	Yes	Any one channel
Search	50 channels/sec.	50 channels/sec.	30 channels/sec.	10 ranges	Yes, with automemory write	300 steps/sec.
Delay	Yes, variable	Yes	Programmable	3 programmable functions	Yes	Indiv. chan. 2-4 se
Squelch	Yes	Yes	Audio/carrier activ.	All modes	Yes	Yes
Clock	Yes	Yes	No	24 hr. timer w/ sleep	No, sleep timer	No
Audio Output Power	1.2 W @ 4 ohms	1 W	180 mW	2.5 W	2W @ 8 ohms	250 mW max
Record Audio Output	Yes	Yes	No	Yes	Yes	No
Recorder Activator	Yes	No	No	Yes	Yes	No
Signal Strength Ind.	Yes	Analog S-meter	LCD bargraph	LCD bargraph	S meter with center tuning indicator	No
Computer Interface	RS232C	Yes, all functions	RS232 Optional	No	RS232C and CI-V	No
Conversion Scheme	Triple conv.	Triple (622/210/7 MHz, 455 kHz)	Triple up/quad. on WFM	Triple conv.	Triple conv.	Triple conv.
Sensitivity	0.25-0.35uV	0.6 uV or better	0.25-3 uV	0.4-10 uV	0.2 uV SSB, 0.5 uV NFM	0.8 uV nom. (NFM)
Selectable Preamp.	No	Yes	No	Yes	No	No
Selectable Atten.	Yes	Yes	Yes, chan. selectable	Yes	-10/-20 dB	Yes
IF Selectivity	(-6/-60 dB): SSB 2.4/4.5 kHz, AM/NFM 12/25 kHz	3/6/15/40/110/220 kHz	SSB (-6/-50 dB): 4/15 kHz, AM/NFM: 12/25 kHz, WFM 180/800 kHz	(-6 dB) Narrow FM, 180 kHz wide FM, 6 kHz AM	5/12/150 kHz FM, 2.2/5.5/12 kHz AM, 2.2 kHz SSB/CW	(-30 dB) 30 kHz AM/NFM
Noise Blanker/Limiter	No	Yes	No	Yes	Yes	No
Antenna Connector	BNC Integral whip	3, programmable frequency ranges	BNC	PL259/N	SO-239 (UHF)(0.1-30 MHz), N (30-2000 MHz)	BNC
Dimensions	5.5"W/3"H/7.875"D	8.5"Wx3.5"Hx10"D	6"H/2.75"W/1.5"D	5.8"W/2"H/7.1"D	11.25"W/4.5"H/8.25"D	2.62"W/6.1"H/1.62"D
Weight	2.5lbs	7 lb. 10.5 oz	13 oz.	3.1 lbs.	18 lbs.	8.47 oz.
Power Requirement(s)	9-16 VDC	13.8 VDC 2.1 A or 120 VAC @ 60 Hz	4AA cells (NiCds supplied)	12 VDC	12 VDC/120 VAC @ 60 Hz	9 VDC (4AA cells)
Warranty	One year	One year	One year	One year	One year	One year*
Accessories Incl.	Tele. whip/AC adapt./DC adaptor/Manual	Manual/AC adaptor	AC adaptor/whip antenna/cig lighter cord/manual/carrying strap	VHF/UHF tele. ant./HF wire ant./DC power cable/mounting bracket/luses/speaker-plug/cable tie/screws	Manual	Belt clip/flex whip antenna

## Professional Wideband Discone



Best Discone on the Market for VHF/UHF Receivers and Transmitters

The discone antenna is used by government and military agencies worldwide because of its wide bandwidth characteristics and non-directional coverage. Now Diamond offers this professional grade discone at a popular price.

Designed for use with wide-frequency coverage VHF/UHF scanners and receivers, the Diamond D130J discone consists of 16 rugged, stainless steel elements and is capable of transmitting up to 200 watts in the amateur 50, 144, 220, 432, 900, and 1200 MHz bands.

As a receiving antenna, the D130J is omni-directional for continuous 25-1000 MHz (and above) coverage. A base-loaded, vertical top element is used as a low band (30-50 MHz) frequency extender. The elements are arranged on a 24-inch support pipe equipped with two strong mounting brackets to accommodate any standard mast-pipe (1" to 2-1/8" diameter). Choose 50 or 100 feet of coax from page 10.

ORDER ANT 9  
**\$8795**

SHIPPING  
\$8 UPS  
\$8 US Priority Mail  
\$10.50 Canadian APP  
\$15 Canadian UPS

**SPECIFICATIONS**  
Frequency coverage  
Impedance  
Power rating  
Connector  
Antenna style  
Vertical length  
Weight

25-1300 MHz  
50 ohms nominal  
200 watts  
UHF  
Discone  
66 inches  
2.2 pounds



*Prices and other Specifications Subject to Change without Notice*


# Famous Grove Scanner Beam

**6-9 dB gain over other scanner antennas!**

Our world-renowned Scanner Beam provides unexcelled 30-50 MHz low band reception, 108-137 MHz aircraft, 137-174 MHz high band, 225-400 MHz military aircraft and satellites, 406-512 MHz UHF, and 806-960 MHz microwave mobile.

**HAMS NOTE**—can be used for transmitting up to 25 watts on 144, 220, and 420 MHz bands. 50/75 ohms nominal impedance. May be used with inexpensive TV antenna rotator (available on p. 12, or fixed in one direction as required for those elusive, distant stations. Local signals still come in loud and clear from all directions.

Balun transformer, offset pipe and all mounting hardware included (requires TV type F connector on your coax—available on p. 10). Approximate size 8'H x 5'W.



Ballistic Pro 2046	Uniden BC-230XLT	Uniden BC-890XLT	Uniden BC-3000XLT	Uniden BC-9000XLT	Uniden BCT-7	Uniden BCT-10
5	3	2	2	2	3	3
SCN 7	SCN 24	SCN 19	SCN 29	SCN 30	SCN 21	SCN 22
\$239.95	\$239.95	\$269.95	\$369.95	\$389.95	\$179.95	\$179.95
54, 108-174, 406-12, 806-956 MHz (less cellular)	29-54, 108-174, 406-512, 806-956 MHz (less cellular)	29-54, 108-174, 216-512, 806-956 MHz (less cellular)	25-550, 760-1300 MHz (less cellular)	25-550, 760-1300 MHz (less cellular)	26.9-27.4/29.7-54/108-174/406-512/806-956 MHz (less cellular)	37.02-46.02/138.3-172.02/423-508.48 MHz
Yes	Yes	Yes	Yes	Alphanumeric	No	No
5/12.5 kHz	5/12.5 kHz	5/12 5/25 kHz	5/12 5/25/50 kHz	5/12.5/25/50 kHz	5/12.5 kHz	N/A
No		Cont. tuning dial	No	Tuning knob	No	No
Backlit LCD	Backlit LCD	Backlit LCD	EdgeLit LCD alphanumeric	16-character	Backlit LCD	2-Digit LED
No	On/off	No	Dn/off	High/low/off	No	No
General purpose mobile	VHF/UHF utilities	General purpose	Gen. purpose scanning	Serious scanning	Casual Public Service Monitoring	Highway Speed Patrol Detection
AM, NFM	NFM, AM (aero) det. by freq. range	AM, NFM	WFM, NFM, AM (selectable)	WFM, NFM, AM	AM (air), NFM	VHF low, VHF high, UHF
100 channels	200 channels	200 channels	400 channels	500 channels	Pre-programmed by service plus user-selected frequencies	866 pre-programmed frequencies
34 channels/sec.	100 channels/sec.	100/20 channels/sec.	100 channels/sec.	100 channels/sec.	100 channels/sec.	N/A
10	10	10	20	20	12 service bands	N/A
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	10 channels	10 channels	10 channels	10 channels	No	N/A
300 channels/sec.	300 channels/sec.	w/ autostore	300 steps/sec.	300 steps/sec.	Yes	N/A
2 sec. any chan.	2 sec. any chan.	2 sec. all chan.	2/4 sec. chan-selectable	2 sec. chan-selectable	2 sec. all channels	2 sec. all channels
Yes	Yes	Yes	Yes	Yes	Yes	N/A
No	No	No	No	No	No	No
2 W	180 mW	2.7 W	320 mW	2.2 W	3 W	1 W
No	No	Yes	Spkr. & earph. jacks	Yes	No	No
No	No	No	No	Yes	No	No
No	No	No	No	No	No	LED
No	No	No	No	No	No	No
Dual conv.	Double conv.	Dual conv.	Triple-up conv.	Triple-up conv.	Double conversion	N/A
0.7 uV ave.	0.5 uV nom NFM	0.75-1.1 uV			0.5-0.7 uV	0.3-0.5 uV
No	No	No	No	No	No	No
No	No	No	No	Yes, chan. selectable	No	No
2/30 kHz -6/-50 dB						N/A
No	No	No	No	No	No	No
BNC	BNC	BNC	BNC	BNC	BNC	BNC
7"Wx2"Hx7.5"D	6"Hx2.5"Wx1.7"D	10.5"Wx3.5"Hx7.5"D	7.4"Hx2.7"Wx1.5"D	10.5"Hx3.38"Wx7.5"D	5.25"Wx1.62"Hx7"D	3"Wx5.25"Dx1.3"H
2 lbs. 3 oz.	2 lbs.	3 lbs. 14 oz.	13 oz.	4lbs	1lb. 11 oz.	7 oz.
12 VDC 12.6 VDC	Battery	120VAC/12 VDC	6.5 VDC	12 VDC (AC adapt. incl.)	12 VDC	13.8 VDC
One year	One year	One year	One year	One year	One year	One year
DC cord/Mobile mounting bracket	Drop-in charger/flex antenna/belt clip/manual/earphone extra battery pack	AC adaptor/tele whip/instructions	Rechargeable bat. pack/AC wall adaptor-charger/belt clip/flex antenna/earphone/manual	AC adaptor/tele whip/owner's manual	Mobile bracket, DC cord, cigarette lighter cord, AC adaptor, telescopic whip, mobile whip	Windshield mount, visor mount, cigarette lighter adaptor, built-in antenna, DC power cord, hard wired power cord.

## AUSTIN FERRET BASE ANTENNA

*For transmitting and receiving!*

Whether you are a ham, scanner enthusiast, or two-way commercial or government radio user, nothing has the combined frequency coverage, bandwidth, gain, durability, and performance of the Austin Ferret! A professional antenna made to exacting standards and offering omnidirectional reception from 25-1800 MHz with no gaps, the base model Ferret adds to base installations what the legend Condor adds to hand-held radios.

With frequency centers for lowest SWR ideally placed at 40, 100, 122, 146, 155, 315, 465, 865, and 1280 MHz, the Ferret easily handles transmit powers up to 100 watts for commercial, military and amateur applications. Only 8' long and rigidly enclosed in a sturdy plexiglass radome, the Ferret is easily mounted to your mastpipe (bracket hardware not supplied). Terminated with a low loss N connector for maximum signal transfer to your coax.

**Order Line: 1-800-438-8155; Product Support Info.: (704) 837-7081**

ORDER ANT 1  
**\$59<sup>95</sup>**  
 SHIPPING  
 \$11 UPS  
 \$12.50 US Priority Mail  
 \$13.50 Canadian APP  
 \$18 Canadian UPS

*Shipped only in US and Canada*



ORDER ANT 10  
**\$249<sup>95</sup>**




SHIPPING  
 \$30 UPS 2nd day air  
 \$20 Ground

# THE SCANTENNA FROM ANTENNA CRAFT

This full-frequency, omnidirectional scanner antenna will equal or outperform any competitor on the market. Its dipole-cluster design utilizes broadband techniques to provide continuous frequency coverage from 25-1300 MHz, offering superb reception of public safety, civilian and military aircraft, hams, personal communication devices, maritime, CB — anything in its frequency range! Requires TV type F connector on your coax — available below.

Approximate size 7-1/2'H x 4-1/2'W.



ORDER ANT 7  
**\$39<sup>95</sup>**

SHIPPING  
\$11 UPS  
\$8 US Priority Mail  
\$11.50 Canadian APP  
\$18 Canadian UPS


Shipped only in U.S. and Canada

# Grove PRE-5A VHF/UHF Signal Booster

Now Grove has integrated its high-performance preamplifier and control box into one convenient unit, offering improved performance. The new PRE-5A offers wide dynamic range and low noise for weak signal boosting, and improved overload (intermod) reduction unmatched in other 30-1000 MHz preamplifiers.

Single knob operation offers continuous gain control from -10 dB attenuation to +18 dB amplification. Switched off, signals are automatically routed from the antenna directly to the receiver, bypassing the preamplifier.

Use the new PRE-5A with up to 100 feet of Grove low-loss coax to your antenna and enjoy improved VHF/UHF reception on scanners, TVs, FM stereos, and other receiving equipment (not to be used for transmitting). Powered by 12 VDC @500 mA; AC adaptor not included.



ORDER PRE 5A  
**\$89<sup>95</sup>**

SHIPPING  
\$6.50 UPS  
\$8.50 US Priority Mail  
\$11.50 Canadian APP  
\$10.50 Canadian UPS

**ACCESSORIES**

- PWR 21 500MA Power Supply \$9.95
- ADAPTOR KITS:
- ADPK 3 BNC/F \$ 9.95
- ADPK 6 Motorola/BNC \$9.95
- ADPK 9 N/F \$12.95

Also perfect for use with the OMNI and Discome

**PRE-5 SPECIFICATIONS:**


- GAIN:** Continuously adjustable —10 dB to +18 dB
- FREQUENCY RANGE:** 30-1000+ MHz
- NOISE FIGURE:** 3.5 dB
- 3RD ORDER INTERCEPT POINT:** +27 dBm
- DIMENSIONS:** 4"W x 2"H x 3"D
- WEIGHT:** 10 oz.
- CONNECTORS:** Low-loss type F
- POWER REQUIRED:** 12 VDC 500 MA(norm.); AC adaptor

# Genesys G-1 Transmitting/Receiving VHF/UHF Antenna

Extremely rugged for permanent base installations, this new antenna is designed for dual-band amateur 144-148/440-450 MHz transmitting and receiving, yet works well for scanning the aeronautical and land mobile bands from 118-960 MHz as well. The compact (43") G-1 increases gain by 3 dBd in the 144-174 MHz range, and 6 dBd from 406-470 MHz.

Accepts up to 120 watts transmit power at 50 ohms, fitted with SO-239 (UHF) female connector.

**NEW!**



ORDER ANT 11  
**\$89<sup>95</sup>**

SHIPPING  
\$8 UPS  
\$12.50 US Priority Mail  
\$13.50 Canadian APP  
\$18 Canadian UPS

# Premium Low-Loss RG6-U Cable and Adaptors



Have you had trouble finding the right coaxial adaptors for linking your antenna and receiver? We can help! Simply tell us what adaptors you need, or what antenna and radio you will be using. We will provide you with a cable which is ready to attach between your antenna and receiver!

## ADAPTORS AVAILABLE

**RG 59U**

(25 feet w/ adaptors)

ORDER CBL 25

**\$9<sup>95</sup>**

\$5.50 UPS  
\$5.50 US Priority Mail  
\$7 Canadian APP  
\$12 Canadian UPS

**RG 6U**

(50 feet w/ adaptors)

ORDER CBL 50

**\$14<sup>95</sup>**

\$6.50 UPS  
\$6.50 US Priority Mail  
\$8 Canadian APP  
\$13 Canadian UPS


**RG 6U**

(100 feet w/ adaptors)

ORDER CBL 100

**\$19<sup>95</sup>**

\$7 UPS  
\$7.50 US Priority Mail  
\$9 Canadian APP  
\$17 Canadian UPS



- ADP 1 UHF Female to F male
- ADP 2 F Female to PL259 Male
- ADP 3 F Female to N Male
- ADP 4 F Female to Male 1/8" Mini-Plug
- ADP 5 N Female to BNC Male
- ADP 6 UHF Female to Male 1/4" Mini-Plug
- ADP 7 UHF Female to N Male
- ADP 9 F Female to BNC Male
- ADP 10 UHF female to BNC Male
- ADP 11 UHF female to RCA male
- ADP 12 BNC female to N male
- ADP 13 BNC/BNC (right angle elbow)
- ADP 14 F female to RCA male
- ADP 15 N female to F male
- ADP 17 BNC female to F male
- ADP 18 F female to 2 wires
- ADP 19 UHF female to 2 wires
- ADP 22 Motorola female to BNC male
- ADP 23 UHF female to UHF female barrel—\$1.50
- ADP 24 BNC female to PL259 male
- ADP 26 F female to F female barrel—\$2.00
- ADP 27 Banana Plug—\$2.00
- ADP 28 F female to PAL fem. Satellite700
- ADP 29 3.5mm female to 2.5mm male min. plug—\$1.50
- ADP 30 Dual BNC fema. to BNC male T-adaptor—\$1.50
- ADPK 10 F female to Motorola male
- ADPK 13 F male to F male 3ft.cable—\$2.50
- ADPK 14 F/Motorola cable, 3ft.—\$2.50
- ADPK 15 PL259 male to PL259 male 3ft.—\$2.50
- ADPK 16 BNC male/ BNC male 3ft cable

Unless otherwise specified, adaptors may be ordered separately for \$5.95 each. Free shipping if ordered with other products; \$2.50 for one or more shipped alone.

If you are unsure which adaptor is needed, call Chanel or Sue at 704-837-7081 or e-mail them at [tech@grove.net](mailto:tech@grove.net) for assistance.

## The Unique Grove HIDDEN ANTENNA

The Hidden Antenna may be used alone with your scanner for improved signal reception over your attachable whip, or may be connected to the powerful GRE PRE-1 or Grove PRE-5 for considerably increased signal strengths.




This five-foot, thin-profile, flexible wire antenna can be hung in a corner, behind a drape—just about anywhere out of sight. Comes fully assembled with 20 feet of coax and F male connector, with 3 adaptors for PL259 (UHF), Motorola and BNC connections.

ORDER ANT 6  
**\$19<sup>95</sup>**




SHIPPING  
\$6.75 UPS  
\$4.50 US Priority Mail  
\$6.50 Canadian APP  
\$10 Canadian UPS



## The Grove No-Tenna™

Turn Your Car into a Giant All-Band Antenna!



Imagine: strong, clear, continuous frequency coverage of shortwave and scanner signals without having to mount an antenna anywhere on your car! No invitation to theft, suspicion, breakage, low overhangs, hole drilling, scraped paint, or cables through doors or windows. **No visible antenna whatsoever!** The 8' cable mounts in seconds, using your entire car body as a giant, 1-1000 MHz, all-band antenna!

Ideal for city dwellers, travelers, reporters, investigators—anyone who doesn't want a visible receiving antenna on his vehicle (not for transmitting).

Full instructions and universal connectors for RCA, BNC and 1/8" (3.5mm) miniplug included. If you own an ICOM R-100 be sure to specify a PL-259 adaptor.

ORDER ANT 20  
**\$19<sup>95</sup>**

SHIPPING  
\$5 UPS  
\$5 US Priority Mail  
\$6 Canadian APP  
\$6.50 Canadian UPS

## STEALTH Mobile Monitoring Antenna

A unique design optimizes coverage of the popular 30-50, 118-174, 406-512 and 806-960 MHz bands; this low-profile, magnetic-mount mobile antenna is only 18" high, yet offers performance comparable to much bulkier scanner antennas.

Rugged, stainless-steel whip and strong magnetic base are hermetically sealed for waterproof construction, sleek black finished for unobtrusive mounting. Includes 14 feet of small-diameter cable and BNC connector.



ORDER ANT 30  
**\$29<sup>95</sup>**

SHIPPING  
\$7.50 UPS Ground  
\$7 US Priority Mail  
\$10 Canadian APP  
\$15 Canadian UPS



## Windshield Mount Scanner Antenna

No holes and no magnets, this 22" Valor Glas-Master is designed for today's wide-frequency-coverage mobile scanners, 30-1200 MHz (not for transmitting). Simply clean an area on your rear window (cleansing pad included) and stick the antenna base to the glass. A companion coupler on the inside of the window does the rest!

15' of cable with BNC and Motorola connectors included—no assembly required.

ORDER ANT 13  
**\$29<sup>95</sup>**

SHIPPING  
\$7 US Priority Mail  
\$7.50 UPS  
\$10 Canadian APP  
\$15 Canadian UPS


## MAGNETIC MOUNT MOBILE ANTENNA

This sleek, black, 24" fiberglass whip, mounted on a strong magnetic base, assures reception on 30-50 MHz low band, 88-108 MHz FM broadcast, 118-136 MHz aircraft, 136-174 MHz high band, 225-400 MHz military aircraft, 406-512 MHz UHF land mobile, and 806-960 MHz microwave mobile.

Equipped with 12 feet of coaxial cable with Motorola and BNC connectors.

ORDER ANT 4  
**\$39<sup>95</sup>**

SHIPPING  
\$7.50 UPS  
\$7 US Priority Mail  
\$10 Canadian APP  
\$15 Canadian UPS




(Also available: ANT 4W is the whip antenna alone for your 3/8" x 24 TPI threaded mount, \$12.95 plus \$6.50 UPS shipping)

## From Max Systems: High Gain 800 MHz Portable Antenna

The Max Systems antenna will make a tremendous improvement in 806-960 MHz reception over the whip provided with your hand-held or desktop scanner! (Not usable in other frequency ranges.)

Equipped with standard BNC connector; rugged ground-plane construction for optimum performance. Only 7-1/2" tall. Ideal for use with GRE converters.



ORDER ANT 22  
**\$29<sup>95</sup>**

With straight connector for handhelds

ORDER ANT 23  
**\$34<sup>95</sup>**

With right-angle con for desktop use



SHIPPING: \$7 UPS; \$8.50 US Priority Mail; \$11.50 Canadian UPS; \$15 Canadian APP

## Universal Whip Antenna

Today's hand-held VHF/UHF scanners and handie-talkies from Bearcat, Regency, Cobra, Radio Shack, ICOM, Yaesu, and Kenwood have excellent sensitivity and talk power, but their range is reduced by their short "rubber ducky" antennas. Grove has the solution!

Just replace that inefficient flex antenna with our universal full-length whip—and stand back! Extendable from 7 to 46 inches, the ANT-8 is made of chrome-plated brass and equipped with a standard BNC base. Transmits on 45-960 MHz; receives 25-1300 MHz.

If your interest doesn't include 30-50 MHz low band, choose our new ANT-19 with its full adjustability from 4"-18" (transmits and receives from 144-960 MHz).

Order ANT 8 (7"-46") ..... **\$16<sup>95</sup>**  
 ANT 19 (4"-18") ..... **\$14<sup>95</sup>**  
 ANT 8B ..... **\$21<sup>95</sup>**  
 (w/right-angle BNC adaptor)  
 ANT-8N ..... **\$23<sup>95</sup>**  
 (w/right-angle N adaptor)

SHIPPING  
\$5.50 UPS  
\$5 First Class Mail  
\$4.50 Canadian APP  
\$10 Canadian UPS



**GROVE'S SCANNER ACCESSORY MART**

**The Legendary "Condor" High Gain Flex Antenna**

This "rubber duckie" really makes a difference on handheld scanners. The 12" Austin Condor is guaranteed to improve weak signal scanner reception—on all frequency ranges—when compared to the original scanner antenna.

- ORDER ANT 14 ..... \$29.95
- ORDER ANT 14B ..... \$34.95  
(w/BNC right-angle conn.)
- ORDER ANT 14N ..... \$36.95  
(w/N right-angle conn.)



SHIPPING: \$6.50 UPS; \$5 US Priority Mail; \$10 Canadian UPS; \$6.50 Canadian APP

**Auto Antenna Multicoupler**

Enjoy excellent 30-960 MHz mobile scanner reception using your existing AM/FM auto antenna? That's right; no holes, no magnets, no scratched paint—no clumsy cables going through doors and windows!



The Para Dynamics PDC 63 Mobile Multicoupler takes only seconds to install and allows simultaneous use of your AM/FM car radio as well as your mobile scanner. Comes equipped with your choice of Motorola or BNC connector.

- ORDER CPL-63M (Motorola) ..... \$14.95
- ORDER CPL-63B (BNC) ..... \$16.95

SHIPPING: \$5.50 UPS; \$5 US Priority Mail; \$10 Canadian UPS; \$6.50 Canadian APP

**Heavy Duty Rotator**

Ideal for the Grove Scanner Beam, amateur VHE/UHF antennas, TV and FM antennas, this rotator features a heavy-duty motor with high torque (tested through 70 MPH winds) with brake pads to protect the drive train. Two synchronized motors give precise station location; extra-strength machine gears overcome ice loads without binding. Mounts on masts up to 2" diameter. Requires 3 conductor cables (optional). Fast and easy installation.

- ORDER ROT 1 ..... \$59.95
- SHIPPING \$7.50 UPS
- \$11.50 US Priority Mail
- \$18 Canadian UPS
- \$14.50 Canadian APP

**ACCESSORIES:**  
CBL 2 50 feet 3-conductor cable \$5.95  
CBL 3 100 feet 3-conductor cable \$8.95

**GRE Super Amplifier**




Boost the range of your hand-held scanner. GRE Super Amplifier has 20 dB (adjustable) gain from 100-1000 MHz! BNC connectors allow the Super Amplifier to be mounted between the scanner and antenna; a bypass switch permits the unit to be disabled without having to remove it. A 9-volt alkaline battery (not supplied) will provide up to 24 hours of continuous operation; a convenient external power jack permits the unit to be used continuously from a 9 V DC wall adaptor (not supplied).

- ORDER PRE 1 ..... \$49.95
- SHIPPING \$6.50 UPS
- \$6 US Priority Mail
- \$10 Canadian UPS
- \$7.50 Canadian APP

**ACCESSORIES**  
ANT 22 High gain 800 MHz antenna \$29.95  
PWR 13 Universal power supply \$9.95  
BAT 4 9volt battery \$2.25

**Dual Scanner Multicoupler**



Connect two scanners (or one scanner with separate antenna jacks) to one antenna cable! Insertion loss only 3dB maximum; port isolation typically 25 dB; impedance 50-75 ohms. Package consists of a wide-frequency-coverage splitter (25-1300 MHz or more) and three output cables with adaptors for UHF (PL-259), Motorola, F, and BNC connectors (input and output).

- ORDER CPL-SC ..... \$29.95
- SHIPPING \$5.50 UPS
- \$5.50 US Priority Mail
- \$6.50 Canadian APP
- \$7 Canadian UPS

**Lightning/EMP Protector**

While nothing can withstand a direct lightning hit, the Grove LAR-1 connects between your antenna cable and radio to prevent induced voltages from nearby lightning strokes and high-powered transmitters from burning out your equipment\* Uses state-of-the-art gas discharge technology. Extremely low signal loss—0.2 dB at 1500 MHz! Ideal for protecting scanners, shortwave receivers, CB and ham equipment, VCRs, TVs, satellite receivers, FM stereo systems, and more. May be used with transmitters up to 100 watts, and at frequencies up to 2000 MHz.

- LAR1F (with F conn) ..... \$19.95
- LAR1B (with BNC conn) ..... \$24.95
- LAR1P (w/ PL-259 UHF conn) ..... \$24.95
- LAR1M (with Motorola conn) ..... \$29.95
- SHIPPING \$5 UPS
- \$4.50 US Pr. Mail
- \$6.50 Can. APP
- \$9.50 Can. UPS

\*Will not prevent AC power line surges. Appearance may vary.

**Car Window Antenna Clip**

Dramatically increase your mobile range with a hand-held scanner or two-way radio without resorting to a permanent or magnetic whip. Simply slip this unobtrusive, durable custom bracket on a side window and roll it up! Equipped with standard BNC connector to accommodate most compact whips.



- ORDER BRK 9 ..... \$28.95
- SHIPPING \$5.50 UPS
- \$5.50 US Priority Mail
- \$6.50 Canadian APP
- \$7 Canadian UPS



**Pro Antenna Switch**

Switch your scanner, shortwave receiver, ham transceiver, or any other radio device operating at frequencies as high as 1000 MHz with this superb, die-cast, waveguide-cavity antenna switch. Handles up to 2500 watts PEP for transmitting, VSWR under 1:1.2, insertion loss only 0.2 dB, and port-to-port isolation 60 dB. Automatically grounds unselected port. Standard UHF (SO-239) connectors mate with PL-259 and other adaptors.



- ORDER SWC 1 ..... \$25.95
- SHIPPING \$5 UPS
- \$4.50 US Priority Mail
- \$10 Canadian UPS
- \$6.50 Canadian APP

**Grove Scanner Filter**

Eliminate those aggravating FM and TV broadcasters from interfering with your favorite scanner frequencies!


Select any one additional source of interference in the 100-220 MHz range and reject it as well! Ideal for use with preamplifiers and outdoor scanner antennas!

An adjustable 100-220 MHz 30 dB notch filter allows you to reduce or eliminate single-frequency interference from aircraft, mobile telephone repeaters, paging signals, NOAA weather stations, nearby amateur, or other repeaters. Comes with standard F connectors and full instructions.

- ORDER FTR 5 ..... \$44.95
- SHIPPING \$5.50 UPS
- \$5 US Priority Mail
- \$8 Canadian UPS
- \$6.50 Canadian APP

**GROVE'S SCANNER ACCESSORY MART**

**Interference Eliminators**

 Ideal for suppressing overload interference from AM and shortwave broadcasters, CB, Aircraft and more. Reject unwanted signals by 40 dB or more; reduce intermod interference by at least 120 dB! Filters can be combined for deeper rejection or multiple frequencies. Simply choose your filter(s) from the list below and specify your antenna connectors.


**FTR 6:** 30-2000 MHz Bandpass Filter. Removes AM broadcast. CB and shortwave interference from scanners  
**FTR 8:** 118-137 MHz Band Reject Filter. Removes aircraft interference from scanners

ORDER FTR 6 or 8  
**\$29<sup>95</sup>**

SHIPPING  
 \$5 US Priority Mail  
 \$6.50 Canadian APP  
 \$10 Canadian UPS

**ADAPTOR KITS:**  
 ADPK 1 PL-259 (UHF) \$9.95  
 ADPK 3 BNC/F \$9.95  
 ADPK 6 Motorola/BNC \$9.95  
 ADPK 9 N/F \$12.95

**NIGHTLOGGER II**



**Tape Automatic Recorder Activator**

This respected product is now improved, offering manual-auto switch, line-spike protection, "record" indicator lamp, removable/replaceable cables, internal monitoring speaker, volume control, adjustable dropout time delay, and dry-contact relay switching. Ideal for unattended recording of scanner traffic, shortwave programs, events, and official communications record logging. AC adaptor, audio and control cables included.

ORDER ACC 02  
**\$69<sup>95</sup>**

SHIPPING  
 \$5.50 US Priority Mail  
 \$6.50 UPS  
 \$7.00 Canadian APP  
 \$10 Canadian UPS

**Pro Power Supply**



Operating from 100-115 volts AC, this rugged, compact (5"W x 3"H x 5"D) lab power supply is ideal for powering those mobile and portable, battery-operated scanners, shortwave radios, CB rigs, and other equipment. Adjustable from 9 to 15 volts and provides up to 5 amps DC. Over-current protected. Includes binding posts as well as cigarette lighter jack for powering your accessories. Large meter shows voltage and current.

ORDER PWR 3  
**\$59<sup>95</sup>**

SHIPPING  
 \$6.50 UPS Ground  
 \$5.50 US Priority Mail  
 \$7.50 Canadian APP  
 \$10.50 Canadian UPS

**Weather-Proof Flex-Tape!**

Ideal for securely wrapping coax couplings and splices without heat or mess. Forms a tight, flexible, waterproof seal for wiring, plumbing, automotive, marine, and other hostile environments. Easy to apply; remains pliable for years without leaving a sticky residue like putty sealants. Resists water immersion, sunlight, abrasion, impact, and most chemicals. 22-foot roll.



ORDER ACC 168  
**\$1<sup>95</sup>**

SHIPPING  
 \$1.50 First Class  
 \$4 UPS  
 \$6 Canadian UPS  
 \$5.50 Canadian APP



**Desktop Stand/Charger**

Looking for a way to use your handheld transceiver or scanner as a desktop unit, powering or charging it from the AC line? Two cables are provided to fit the majority of radios which require 12 VDC, center pin positive (+). A second charge jack allows powering an accessory or second radio simultaneously at up to 350 mA current drain.



Ideal for popular 12-volt-charged radios from Uniden, Icom, AOR, Yupiteru, Trident, and more.

ORDER PWR 2  
**\$59<sup>95</sup>**

SHIPPING  
 \$6.50 UPS  
 \$6.50 US Priority Mail  
 \$8 Canadian APP  
 \$10.50 Canadian UPS

**Variable Attenuator**



**Reduces Overload Interference!**

Reduce scanner and shortwave intermod and desensitization with this variable attenuator. Adjustable from 0 to 20 dB attenuation from 0-1000 MHz or higher! Can also be used to reduce distortion when connected between a radio's audio output and your tape recorder! Equipped with F connectors; adaptors available from list below.

ORDER ATT 1  
**\$9<sup>95</sup>**



SHIPPING  
 \$5.50 UPS or Priority Mail  
 \$6.50 Canadian APP  
 \$7 Canadian UPS

**Adaptor Kits**

ADPK 1 PL-259 (UHF) \$9.95  
 ADPK 3 BNC/F \$9.95  
 ADPK 6 Motorola/BNC \$9.95  
 ADPK 9 N/F \$12.95

**Power Pocket**



A sealed, rechargeable, lead/acid battery which provides 12 volts at 2 ampere-hours for rugged, extended-life applications! Encased in a secure pouch with a belt loop and shoulder strap provision, a completely discharged Power Pocket can be recharged in only 6-8 hours and will hold a useful charge for up to half a year! You can expect 3 to 5 years lifetime from this compact unit which comes complete with cigarette lighter receptacle to fit a variety of Grove power adaptors. AC charger included at no additional cost.

ORDER BAT 16  
**\$59<sup>95</sup>**

SHIPPING  
 \$6 UPS Ground  
 \$5.50 US Priority Mail  
 \$7.50 Canadian UPS  
 \$10.50 Canadian APP

**Universal Power Converter**

Operate your AC operated equipment anywhere in the world when you travel. This handsome, compact power converter set comes with a heavy duty, 1600 watt transformer and five wall adaptors for any 50 or 60 Hz, 120 or 240 VAC outlet. A convenient, color coded, country selection chart is included.



ORDER PWR 20  
**\$34<sup>95</sup>**

SHIPPING  
 \$7 UPS  
 \$9 US Priority Mail  
 \$12 Canadian APP  
 \$12 Canadian UPS

**Mobile DC Power Converter**

It's hard to find a DC operated accessory that *won't* work with the new Grove DCC 3 cigarette lighter adaptor. Equipped with the six most popular power plugs and switchable among 1.5, 3, 4.5, 6, 7.5, 9, and 12 volts at up to 800 mA current, this mobile powerhouse is the most versatile we've ever seen!



ORDER DCC 3  
**\$12<sup>95</sup>**

SHIPPING  
 \$5.50 UPS  
 \$4.50 US Priority Mail  
 \$7 Canadian APP  
 \$9 Canadian UPS

**Alkaline/NiCd Batteries**

**BAT 06** AAA Batteries \$1.79 ea.  
**BAT 01** AA Batteries \$1.79 ea.  
**BAT 02** D Batteries \$1.19 ea.  
**BAT 03** C Batteries \$1.09 ea.  
**BAT 04** 9V Batteries \$2.25 ea.  
**BAT 13** AA NiCd rechargeable Batteries \$2.75 ea.



**FREE SHIPPING w/PURCHASE OF ANY OTHER BATTERIES!**

SHIPPING  
 \$3 UPS or US Priority  
 \$5.50 Canadian APP  
 \$6.00 Canadian UPS

GROVE'S SCANNER ACCESSORY MART

Portable Power Station

A rugged, battery power source that can actually run your high-powered monitoring equipment and other accessories when needed, yet provide enough reserve power to start your car if that battery is dead! The Power Station is a compact powerhouse built around a 12 volt, 7 ampere-hour, rechargeable gel cell housed in a rugged ABS carrier. You can choose 3, 6, 9 or 12 volts output. Dimensions 7lbs, H8" x W7 x 4.5.



ORDER PWR 1 SHIPPING  
\$59<sup>95</sup> \$6.50 UPS  
\$5.50 US Priority Mail  
\$7.50 Canadian APP  
\$10.50 Canadian UPS

Universal Power Supply

Our universal PWR 13 AC adaptor is especially rugged, capable of switching to your choice of 3, 4.5, 6, 7.5, 9 or 12 volts DC at a current of 500 milliamps (1/2 amp)! Another switch lets you choose + or - polarity.

An array of plugs on its interconnect cord assures proper mating to any electronic accessory. Plugs into standard house current (120 VAC, 60 Hz).

Also available: PWR 12 light duty Universal Power Supply (same plugs and voltages as above, but reduced amperage and no polarity switch), and PWR 19 standard 12VDC at 200 mA with standard 2.1 mm plug (center +).

PWR 13 .....\$9.95  
PWR 12 .....\$4.95  
PWR 19 .....\$7.95

SHIPPING: \$5.50 UPS  
\$5.50 US Priority Mail  
\$6.50 Canadian APP  
\$7 Canadian UPS

Mobile Cigarette Lighter Power Adaptor


Simply plug the Grove DCC 4 into your vehicle's cigarette lighter to charge the batteries or any other mobile accessory, including radar detectors, which use a 12 volts DC, center pin positive, 2.1 mm barrel connector.

Has replaceable 3A fuse.

Order DCC 4  
Only \$9<sup>95</sup> Free First Class Shipping

AC Surge Protectors

Protect your delicate radio, computer, TV, stereo, test equipment, and other electronic equipment from devastating power-line voltage spikes and current surges. For all standard U.S. and Canada power lines (120 VAC, 1875 W, 60 Hz, 15 A).



Not shown to scale

ORDER LAR 2 (single outlet) \$3<sup>95</sup> SHIPPING \$1.50 First Class \$4 UPS \$5.50 Canadian APP \$6 Canadian UPS

ORDER LAR 3 (6 outlets) \$4<sup>95</sup> SHIPPING \$2 First Class \$4 UPS \$5.50 Canadian APP \$6 Canadian UPS



Metro West Battery Packs

The "Pro-Pack 1200" is a double-life battery pack for the popular Uniden BC200XLT, BC100XLT, BC205XLT, and Regency 4030 hand-held scanners with 1200 mAH charge capacity, twice that of the original equipment. The replacement look-alike slips right on the scanner to replace the original. Includes AC wall charger. Order BAT 9.

Charge your high-capacity Metrowest battery like the pros with this drop-in charger (not for original Bearcat battery pack). Automatic circuit provides a full charge in just seven hours, yet prevents overcharging! Powered by your 12 VDC wall adaptor or the Grove DCC 4 cigarette lighter cord. Order PWR 15.

Original replacement Uniden BC200XLT battery pack (also fits BC100XLT, BC205XLT and Regency 4030. Order BAT 14.

BAT 9 .....\$79.95  
PWR 15 .....\$49.95  
BAT 14 .....\$39.95

SHIPPING: \$6 UPS; \$7 US Priority Mail; \$10 Canadian UPS; \$8.50 Canadian APP

Universal Belt Clip

A quick press firmly attaches this strong, plastic belt clip to your frequency counter, handie-talkie, cellular or cordless phone, camera, pager, test equipment, portable radio, or virtually any other flat surface!



ORDER BRK 3 SHIPPING \$4<sup>95</sup> \$2.50 First Class \$4 UPS \$5.50 Canadian APP \$6Canadian UPS

Compact Scanner Mounts

Get organized in your car! The BRK 1 (at right) holds one hand-held, while the BRK 7 holds two (or one scanner and a beverage container)—with a handy compartment in the middle for other accessories!



Their sturdy jaws do an excellent job of supporting your radio — even with cables and antennas connected — on a desk or table top or even the bumpy environment of a vehicle, plane or boat.



Need an even bigger mount? Order the BRK 10 Deluxe Mobile Organizer with room for two scanners, frequency organizer, cassettes and CDs, notepads—and more!



One final, smaller option is our hand-held radio caddy that attaches to the inside ledge or your car's window for super convenient access? Order the BRK 11.

BRK 1 .....\$9.95  
BRK 7 .....\$12.95  
BRK 10 .....\$14.95  
BRK 11 .....\$7.95

SHIPPING BRK 1, 7 & 10: \$6 UPS; \$5 US Priority Mail; \$7 Canadian UPS; \$10 Canadian APP  
SHIPPING BRK 11: \$7 UPS; \$6 US Priority Mail; \$15 Canadian UPS; \$13Canadian APP

Color Radio Wall Map

Ideal for hams, shortwave listeners and scanner hobbyists alike! Shows worldwide callsign prefixes, basic spectrum allocations from 300 kHz-3 GHz, phonetic alphabet, ham bands by license class, and Morse code symbols. Colorful, informative, accurate. Measures 37" x 25". Nationally advertised at \$19.95.



ORDER CHT 4 SHIPPING \$14<sup>95</sup> \$6 UPS \$2.50 Bookrate \$6 Canadian APP \$8.50 Canadian UPS

Also available: new 1996 30" x 40" official government Color Wall Chart of United States Radio Spectrum, 9 kHz-3 GHz.

ORDER CHT 1 SHIPPING \$9<sup>95</sup> \$4.50 UPS/US Priority Mail \$2.50 Bookrate \$12 Canadian UPS or APP

**GROVE'S SCANNER ACCESSORY MART**

**Naval Amplified Speaker/Recorder Activator**



The HTS-3 is designed for handheld walkie talkies and scanners, this amplified speaker puts out a resounding one watt of audio in noisy locations!

Powered by AA nicads or alkalines (or 12V auto system via included cigarette lighter cord), battery saver automatically shuts off power when no sound is present. It activates a tape recorder whenever sound is present (1/8", 3/32" cables included)!

ORDER SPK 11 SHIPPING  
**\$29<sup>95</sup>** \$6.50 UPS  
 \$7 US Priority Mail  
 \$10 Canadian UPS or APP

**ACCESSORIES**

- BAT 1 AA Alkaline batteries \$ .79
- PWR 13 AC wall power supply \$9.95
- BAT 13 Nicad AA batteries (4 required) \$2.75/each

**NEW! Universal Headset**



This lightweight headset with volume control is ideal for stereo music as well as communications applications. The adjustable headband with cushioned earpieces affords maximum comfort, while the 20-20,000 Hz frequency range assures brilliant highs and thundering bass. Six foot cord is terminated in a 3.5 mm (1/8") stereo plug; 1/4" stereo adaptor included.

ORDER HDP 2 SHIPPING  
**\$19<sup>95</sup>** \$6.50 UPS  
 \$6.50 US Priority Mail  
 \$10 Canadian UPS  
 \$8 Canadian APP

**Clip-On Mini Speaker**

Great for hand-holds, this tiny (2" square), lightweight (2-3/4 oz.) speaker plugs into any standard 1/8" (3.5 mm) earphone jack and provides excellent, concentrated sound when clipped to a lapel or collar. Ideal for crowded or noisy locations where you don't want your scanner blaring and don't want the confinement of an earphone.



ORDER SPK 9 SHIPPING  
**\$10<sup>95</sup>** \$5.50 UPS  
 \$4.50 US Priority Mail  
 \$9 Canadian UPS  
 \$5.50 Canadian APP

**ACCESSORY**

ADP 29 3/32" (2.5 mm) adaptor (for BC200XL, etc.) \$1.50



**Cassette Audio Adaptor**


Listen to your scanner over your car or home stereo! Imagine—any electronic component that you own with an audio output jack (including your scanner or shortwave receiver) can be played directly through your home stereo system, portable "boom box," auto stereo or any other cassette player to provide full, rich sound! Shaped like a normal cassette, this adaptor slides into your cassette player. Your scanner or audio device then attaches to the adaptor with a 1/8" (3.5 mm) stereo or mono plug (included with flexible cord). Requires no power.



ORDER ACC79 SHIPPING  
**\$9<sup>95</sup>** \$2 First Class  
 \$4 UPS  
 \$5.50 Canadian APP  
 \$6 Canadian UPS

**Noise-Cancelling Speaker**

This low-cost mobile and base speaker is ideal for scanners, CBs, mini-portables, and other communications accessories that would benefit from an external speaker. A pushbutton high-frequency-rolloff switch reduces crackling, pulse noise. Measuring approximately 4" square, this compact accessory speaker is rated at 10 watts and comes with 10' cable and 1/8" (3.5 mm) miniplug. Hinged mobile mounting bracket included.



ORDER SPK 6 SHIPPING  
**\$16<sup>95</sup>** \$5.50 UPS  
 \$4.50 US Priority Mail  
 \$9 Canadian UPS  
 \$5.50 Canadian APP

**Sun Visor Mobile Speaker**



Clever, convenient, and barely 1-1/4" thin; simply slide this 5-1/2" x 3" dual speaker on your vehicle's sun visor for high quality, concentrated sound. Ideal for noisy environments. Includes 6' cord with 1/8" (3.5 mm) miniplug.

ORDER SPK 15 SHIPPING  
**\$16<sup>95</sup>** \$5.50 UPS  
 \$4.50 US Priority Mail  
 \$9 Canadian UPS  
 \$5.50 Canadian APP

**New at Grove: Clarity Hearing Instruments**



*Why pay more than \$1,000 for a hearing aid, when this top-quality unit can be yours for less than half the price?*

Crystal-clear hearing enhancement, exclusively from Grove Enterprises!



An exclusive agreement between Grove Enterprises and a high-tech aerospace manufacturing firm allows us to bring you unexcelled, in-the-canal hearing enhancement at a dramatically low price! Clarity uses state-of-the-art flex-circuitry and advanced micro-technology, and is designed to aid the majority of people with hearing loss, from mild to moderately severe. The Clarity CL 2000 offers exceptional sound quality, reliability and comfort, and it comes with a carrying case, cleaning tool, four batteries, a 30-day money-back guarantee, and a one year warranty against manufacturing defects.

For an exceptional value buy 2 and save \$63.00. See our site on the World Wide Web for additional information (<http://www.grove.net/~clarity>).



**Clarity**  
 HEARING INSTRUMENTS  
*Satisfaction Guaranteed!*

*Comes with batteries, pouch, cleaning tool and user guide.*



ORDER CHI 2000 L (left ear) or CHI 2000 R (right ear)  
**\$479<sup>95</sup>**

FREE First Class Mail Shipping in U.S. (Call for foreign rates)

**ORDER TWO AND SAVE!**  
 CHI 2000 B (one left and one right)  
**\$895<sup>95</sup>**

FREE First Class Mail Shipping in U.S. (Call for foreign rates)

**ACCESSORY**

BAT 17 Replacement Batteries, call for price/availability

NOTE: Your order for a Clarity Hearing Instrument will be processed and shipped immediately after we receive the signed and dated "Waiver to Medical Evaluation Requirements" contained on the order form of this section.

Based upon the Supreme Court rulings of McLeod vs. Dillworth (1944), Bellas Hess (1967) and the proposed Brooks legislation (H.R. 2230), effective September 1, 1990, Grove Enterprises will no longer collect sales or use taxes apparently invalidly levied by states against residents when they purchase from us in North Carolina. We have neither economic presence nor nexus in these states as established by the U.S. Supreme Court.

## To Speed Your Order, Follow These Simple Steps:

**Postal Orders:** Include the product name or description, catalog number, price, shipping charge per item (overpayments for multiple items will be refunded), your name, shipping address (or billing address if different), shipping method, and payment method. Include a check, money order or credit card number (Mastercard, Visa, Discover Card), expiration date and issuing bank. C.O.D. is an additional \$5.50 per package, available UPS ground rate only, payable upon delivery by cash, certified check or money order. Mail your order to Grove Enterprises, PO Box 98, Brasstown, NC 28902. Please send no cash or stamps.

**E-Mail Orders:** Be prepared with the information requested above and send it to: [order@grove.net](mailto:order@grove.net).

**Phone Orders:** Be prepared with the information requested above and call toll-free: (800) 438-8155; outside the U.S. and Canada call (704) 837-9200 (no collect calls please).

**Fax Orders:** Prepare the information requested above and fax it to: (704) 837-2216.

**U.S. Shipping and Delivery:** Unless you are notified of a delay, all parcels

are shipped within one working day upon receipt of your order to the 50 United States by UPS 2nd Day Air at normal ground rates. UPS Next Day Air is available at additional cost. Express and Priority Mail are also available; contact us for charges.

U.S. Postal Service delivery is typically within 10 days of shipment, although book rate delivery may take up to four weeks. If you do not receive your parcel by the end of these time frames, call us to put a tracer on your order.

**Purchase Orders:** Written purchase orders are accepted from city, state and federal agencies and institutions. Terms are net within 10 days, with an additional 1-1/2% per month service charge beyond 10 days.

**Foreign Shipments:** Place your order as described above, contacting us for shipping costs. Payment is expected by International Money Order or a bank draft drawn in U.S. currency drawn on a U.S. bank. Post Office insurance does not apply to some countries and we do not assume any responsibility for losses beyond proof of shipment. No CODs accepted from APOs, FPOs or addresses outside the U.S.A.

## Order Blank

10/96

Is this an address change?  Yes!  No!

If this is your first order, where did you hear about Grove Enterprises? \_\_\_\_\_

### Shipping Address:

NAME: \_\_\_\_\_  
 STREET ADDRESS: \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_  
 DAYTIME PHONE: (Area Code) \_\_\_\_\_

### Billing Address

NAME: \_\_\_\_\_  
 STREET ADDRESS: \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_  
 HOME PHONE: (Area Code) \_\_\_\_\_

### Waiver To Medical Evaluation Requirements (Required for Purchase of Clarity Hearing Instruments Only)

I have been advised that the Food and Drug Administration has determined that my best interest would be served if I had a medical evaluation by a licensed physician, preferably a physician who specializes in diseases of the ear, before purchasing a hearing aid. I am 18 years old or older and voluntarily sign this waiver which indicates that I do not wish a medical evaluation before purchasing a hearing aid. I understand that if unsatisfied with my hearing aid(s), I may return it within 30 days of the shipping date, for a full refund.

Signature \_\_\_\_\_

Date \_\_\_\_\_

### Payment Method:

Personal checks subject to verification.  
 CHECK  MONEY ORDER  
 COD  MASTERCARD  
 VISA  DISCOVER CARD

### Shipping Method:

UPS 2ND DAY  US PRIORITY/FIRST CLASS MAIL  
 UPS NEXT DAY  BOOKRATE (Book orders only)

Product	Stock #	Quantity	Price	Shipping	TOTAL
<i>Customer Service: If you are confused about what equipment to order, call Sue or Chanel at 704-837-7081, 8:00-5:00</i>					
Monitoring Times magazine subscription		1 year*	\$23.95 (US)	-----	
NEW! 6-month subscription to MT magazine		6 months*	\$12.95 (US)	-----	
Satellite Times magazine subscription		1 year**	\$19.95 (US)	-----	

\* Two-year subscription to Monitoring Times, \$45.95; Three years, \$67.95. Foreign air mail, one year \$85.95

\*\* Two-year subscription to Satellite Times, \$38; Three years, \$56. Foreign air mail, one year \$68.00

### Credit Card Orders:

Card Number: \_\_\_\_\_

TOTAL \$ \_\_\_\_\_

Exp Date: \_\_\_\_\_

NC Residents add 6% Sales Tax \$ \_\_\_\_\_

Signature: \_\_\_\_\_

TOTAL ENCLOSED \$ \_\_\_\_\_

Mail order to: **Grove Enterprises**, P.O. Box 98, 7540 Hwy. 64 West, Brasstown, NC 28902; Phone: (800) 438-8155; (704) 837-9200; FAX (704) 837-2216; Online at [www.grove.net](http://www.grove.net)



October 1 - November 30, 1992

Happy Halloween from

GROOVE



Order Line: (800) 438-8155 (M-f, 8am-5:30pm EDT)  
Office Line: (704) 837-9200 (M-f, 9am-5pm EDT)  
Technical Line: (704) 837-7081 (M-f, 8:30am-11:30am and 1pm-4:30pm EDT)  
FAX Line: (704) 837-2216 (24 hours/day, 7 days/week)

**Bulletin Board System:**

The Grove System's BBS's hours are as follows:

Monday-Friday, 6:30pm-8am Eastern Daylight Time and 24 hours/day on weekends.

All phone numbers are active during the same time periods.

(704) 837-7081 - 9,600/14,400 BPS  
(704) 837-9200 - 300/1200/2400 BPS  
(704) 837-5957 - 300/1200/2400 BPS



# ROVE ENTERPRISES, INC.

*Receiving and Monitoring Equipment, Accessories and Publications  
Publisher of Monitoring Times*

Dear Friends:

As fall closes in, most of us become aware of our vulnerability and isolation during the winter months. This is also prime monitoring time; not only do we have the opportunity, but long-distance conditions are prime. Now is the best time to plan for the winter monitoring season!



First, check your subscription to *Monitoring Times*. The expiration date (your last issue) will be in the upper right hand corner of the mailing label. Renew before you forget! We never have enough back issues to satisfy all the requests.

Next, check your antenna system. Are any elements bent, corroded or loose? How about solder connections? Is the coax more than five years old? Has moisture intruded into any connectors? Are signals gradually growing weaker? Do you have any splices? It's time for maintenance — maybe even some replacements!

And finally, give serious consideration to upgrading. We always want something better, and there always IS something better! Roam with me through these catalog pages and discover — or rediscover — tantalizing and useful equipment, accessories and books, many of which make marvelous gifts!

Bob

*P.O. Box 98 • 140 Dog Branch Road • Brasstown, NC 28902-0098  
Voice 704-837-9200 • Fax 704-837-2216*



# Grove's Customer Satisfaction Guarantee

## RETURN AUTHORIZATIONS

"I THOUGHT I WOULD LIKE IT, BUT I DON'T" — Simply call our toll-free line (1-800-438-8155) within 30 days of shipping date and request a return authorization number. Place the RA number prominently on the outside of the shipping carton to expedite your return. Upon receipt of the product in original packaging and new condition (please be sure to double box items which were shipped to you in that form, wrap items so no scratching or rubbing occurs, and don't put tape or write on the outside of display box); we will refund your money, less shipping, or give you credit toward another product—your choice. Any product returned in not-as-new condition will be assessed a fair refurbishing charge. Be sure to include the authorization number as a 10% restocking charge must be assessed for products returned without authorization. Special order items cannot be returned.

"I RECEIVED A DAMAGED PACKAGE" — If you see that the package is damaged when delivered, ask the UPS driver to wait while you open the box and inspect the contents. If it is damaged, refuse the package and call us on our toll-free line (1-800-438-8155) to advise of the problem. If the package is left on your doorstep and you discover that it is damaged, call your local UPS office and ask them to pick it up. Be sure to keep the packing box. Then call us and we will see that a replacement is shipped.

## DEFECTIVE MERCHANDISE

If any merchandise proves to be defective within thirty days of shipping, call our toll-free line (1-800-438-8155) to receive a return authorization number. We will issue a call tag for UPS to pick up the package from your address at no cost to you. If you return via another method (e.g. UPS Red, Federal Express)—**only UPS ground charges will be refunded**. When we receive the unit here we will check it out, and if it is defective we will replace it with a new unit at no cost to you. If the unit is not defective, we will call to give you the choice of a refund or return of the equipment with an explanation as to why you may have thought it was defective. If merchandise becomes defective after thirty days, please see the individual warranties below.

## CHANGES IN PRICES, SPECIFICATIONS AND AVAILABILITY

If there is a price increase over \$10 from the amount you have shown on your order, you will be notified before shipment. If the increase is under \$10, you will be sent a statement of amount due with your merchandise. If there is a price decrease you will be sent a refund check.

Specifications are subject to change without notice. Manufacturers frequently make minor changes during production to improve performance.

Due to demand and availability, we occasionally have to drop a product from our catalog. All available items on your order will be shipped and a refund will be sent for the item which is no longer available. If the discontinued item is tied in with other equipment you have ordered, we will contact you to be sure you want the order shipped.

## ANY QUESTIONS?

If you require additional technical information on our products, call 704-837-7081 or send questions along with a self-addressed stamped envelope, and we will be happy to reply. Questions regarding shipping methods, accounts, etc., call 704-837-9200.

## Manufacturers' Warranties

### GROVE ENTERPRISES, INC.

All equipment manufactured by Grove Enterprises, Inc. is warranted against manufacturing defects for a period of one year under normal use by the purchaser, providing that no modifications or field repairs have been attempted.

If any equipment should fail after the initial thirty day warranty (above) Grove shall repair or replace that defective equipment upon its postpaid return. Please call our toll-free number (1-800-438-8155) to receive a return authorization number. The use of this number will expedite its repair and should appear in bold letters as ("RA 111") on the outside of the package. The warranty does not cover hazard to person or associated equipment or property. Your warranty is considered to be in effect from the date of shipment to you. Violations of the warranty clause will automatically void the warranty and services or repairs will be charged to the owner.

Service outside of the one year warranty will be charged at the cost of parts, labor, and return shipping. Payment for repairs must be received before the repaired unit can be returned.

### WARRANTIES BY ICOM, UNIDEN, KENWOOD, ETC.

If any equipment should fail after the initial thirty day warranty (above), check your service manual for the repair center nearest you or call our toll-free line (1-800-438-8155) for the name, address, and phone number of the service center nearest you.



# Choosing a Shortwave Receiver

Copyright 1992 by Grove Enterprises Inc.

P.O. Box 98, Brasstown, NC 28902 (Phone 704/837-9200)

Choosing a shortwave receiver for your personal use is a lot like choosing a car. You must first decide what basic service you need, then shop for the best buy.

Looking for a good portable? The Sony ICF2010 is the best choice. Featuring key-board entry of frequencies as well as a tuning dial, the radio offers sensitivity and a choice of wide or narrow selectivity. In addition to 150 kHz-30MHz continuous coverage, the 2010 also offers 118-136 MHz aircraft and 88-108 MHz FM broadcast reception.

The 2010's synchronous detection enhances shortwave reception; single side-band signals are also quite satisfactory. Battery life is much improved over its predecessors and it comes with an AC adaptor. Additional features are found on the new upgraded model SW77, listed in this catalog.

For low cost at reasonable performance, try the Sangean ATS-803A. Continuous 150 kHz-30 MHz AM and SSB reception are offered along with FM broadcast and wide or narrow selectivity. An AC adaptor is included.

If you want pocket portability, forget high quality; the two don't mix. The characteristics of greatest importance to listeners are those which are most commonly compromised in low-cost radios; frequency stability, dial accuracy, selectivity and overload immunity.

The Grove TUN3 and TUN4 preselectors will reduce or eliminate overload interference on low cost receivers which suffer from poor dynamic range, and are equipped with connectors for an external antenna.

For the serious listener the new Grove SW-100, Drake R8, ICOM R71A, Kenwood R5000 and JRC NRD535 head the list.

## SHORTWAVE ANTENNAS AND ACCESSORIES

While it is true that any length of wire will pick up signals, a well planned antenna installation will pick them up better. The greatest efficiency of an antenna occurs when its electrical length matches that of the incoming radio wave (resonance). For a given length this only occurs at one frequency and related multiples. It is the job of the antenna designer to come up with the best combination of characteristics for wide frequency coverage.

The "bigger the better" concept has its limitations. Once an antenna is large enough

to hear signals above the noise generated by the receiver's own circuitry, further strength is unnecessary. For most applications 20-75 feet is plenty long enough; in fact, doubling the length of a matched antenna will improve signals by only 3 decibels—half an S unit and barely discernible.

Impedance matching (standing wave ratio-SWR) may be important for transmitting, but is of virtually no concern in receiving. While a perfect match between an antenna and receiver will deliver the greatest signal strength, the background atmospheric noise (hiss and static) will increase proportionately. The net result will be a high S-meter reading, but no better signal readability above the noise.

A wire antenna may be thick or thin, made of any metal, insulated or uninsulated, stranded or solid; it will hear all signals the same. Choose your wire for strength, solderability and corrosion resistance.

An antenna should be as high as possible and away from large metal surfaces and electrical power lines to avoid electrical noise pickup and shock hazard. Indoor antennas often pick up noise from household appliances, although loop antennas may be rotated for minimum interference.

## RECOMMENDED ANTENNAS

For shortwave reception, it's hard to beat an elevated dipole. In actual field tests the low-cost Grove Skywire (ANT-2) repeatedly equalled or outperformed any other receiving antenna on the market including expensive trap dipoles.

Trap dipoles are designed to work best on certain ranges like the broadcast or ham bands, often compromising the remaining frequency ranges. Why buy a general coverage receiver, then reduce its capability with a frequency-restricting antenna?

For medium and longwave reception, the operator may wish to disconnect the ground side of the feedline, thus allowing the feedline to become part of the antenna for added length and improved low frequency signal strengths.

Directional antennas concentrate incoming signals ("gain") from one direction while rejecting interfering signals from other directions.

The large capture area (aperture) of a big antenna overcomes poor sensitivity in old receivers by providing stronger signals, but modern receivers have excellent sensitivity and require smaller antennas.

Active antennas are nothing more than short vertical elements attached to an amplifier to approximate the signal levels delivered by a full-size antenna. Untuned amplifiers are vulnerable to strong signal overload because of limited dynamic range. This produces gain compression (apparent lack of sensitivity) and intermodulation ("intermod"—the mixing of signal frequencies heard as spurious signals throughout the listening range).

Some active antennas, including the Grove Hidden Antenna system, overcome this shortcoming by including a preselector which selects the desired frequency and attenuates all others.

Because of their indoor location, complexity, vulnerabilities and cost, active antennas should be chosen only when adequate outdoor antennas are not possible.

If an antenna intercepts enough signal voltage to overcome losses and noise in the receiver, no amount of amplification will make the signal easier to copy, just louder—along with louder background noise.

## FEEDLINE

A wire run from your receiver to a nearby tree may produce excellent reception, but it is susceptible to electrical noise pickup from nearby appliances; use coaxial cable for your antenna lead-in. For reception below 30 MHz, virtually any well-shielded coax like RG-58/U, RG-59/U, RG-6/U or RG-8/U is satisfactory for runs up to at least 100 feet.

## PRESELECTORS

A passive (unamplified) preselector like the Grove TUN-3 MiniTuner can be thought of as a frequency-adjustable gate for radio signals; its purpose is to pass desired signal frequencies while rejecting all others. Installed between the antenna line and receiver, it eliminates intermodulation, image interference and desensitization caused by strong signals in economy receivers. It is not an impedance matching device nor preamplifier, so it won't make received signals stronger.

In contrast, an amplified preselector like the Grove TUN4 not only passes those desired signals, but amplifies them as well, often improving reception when the antenna is small or indoors.



## GROUNDING

A connection to an earth ground rarely makes signals stronger, but will lessen the hazard of electrical shock and may reduce electrical line noise interference or AC hum on received signals.

An effective ground consists of a short length of heavy gauge wire (or coax cable shield) connected to a single metal pipe or rod driven at least eight feet into moist soil. Dry soil or sand is worthless as a ground. A metal (not PVC) cold water pipe may work, but hot water pipes are usually caulked at the water heater, electrically insulating them. As a last resort, connect your ground wire to the screw holding on the wall plate over the AC outlet.

Equipment chassis should be commonly tied together by a single ground wire to reduce common mode hum. Experiment with different grounding combinations for best results.

The old-fashioned gap-type lightning arrestors so common during the vacuum tube era are no longer adequate; transistors burn out at voltages much lower than an air gap can protect. Offering much better protection are the new gas-charge types such as the Grove LA1 and Alpha Delta TransiTrap.

While nothing can guarantee protection from a direct lightning strike (always disconnect your antenna from your equipment during storm season), these devices will harmlessly short-circuit any voltages induced on the antenna by close strikes.

## The Top 100 SW Frequencies

*An introduction to shortwave listening from Grove Enterprises and Monitoring Times.*

Nowhere in the radio spectrum is found as much intrigue as on shortwave. The following frequencies (in kHz) list voice utilities (two-way communications) using upper side-band (USB) and AM broadcasters best heard in the early evening hours.

### UTILITIES

2670	U.S. Coast Guard	
4063	Mississippi River Barges	
4069.2	Ship working channel	
4087.8	Mississippi River Barges	
4112.6	Ship calling channel	
4125	Ship calling channel	
4143.6	Mississippi River Barges	
4413.4	Ship working channel	
4419.4	Ship working channel	
4467.5	Civil Air Patrol	

4517	Air Force MARS	13113.2
4593.5	Air Force MARS	
4637.5	Offshore petroleum	13181
4670	"Spy numbers" broadcasts	13201
4742	"Spy numbers" broadcasts	13215
5015	Army Corps of Engineers	13241
5320	U.S. Coast Guard	13270
5598	International airlines	13282
5616	International airlines	13306
5680	U.S. Coast Guard	13354
5692	U.S. Coast Guard air/ground	14441.5
5696	U.S. Coast Guard air/ground	14447
5703	Tactical Air Ground	
5812	"Spy numbers" broadcasts	
6506.4	U.S. Coast Guard ships	
6518.8	Inland waterways	
6521.9	Mississippi River barges	
6577	International airlines	
6586	International airlines	
6604	Flight weather	
6673	NOAA hurricane hunters	
6683	Andrews AFB, VIP	
6697	U.S. Navy	
6738	U.S. Air Force air/ground	
6753	Canadian Air Force	
6761	Strategic Air Command	
6802	"Spy numbers" broadcasts	
6927	Andrews AFB, VIP	
8291.1	Ship to shore, Pacific	
8418	"Spy numbers" broadcasts	
8740.6	Ship to shore	
8778	U.S. Navy	
8784	Ship to shore	
8805.7	Ship to shore	
8808.8	Ship to shore	
8825	International airlines	
8846	International airlines	
8879	International airlines	
8891	International airlines	
8921	International airlines	
8972	U.S. Navy, Atlantic	
8984	U.S. Coast Guard air/ground	
8989	U.S. Air Force air/ground	
8993	U.S. Air Force air/ground	
9014	U.S. Air Force air/ground	
10493	FEMA emergency net	
10780	NASA air/ground	
11176	U.S. Air Force air/ground	
11182	Scott Air Force Base, air/ground	
11200	RAF, flight weather	
11233	Canadian Air Force air/ground	
11234	RAF, air ground	
11243	Strategic air command	
11246	U.S. Air Force air/ground	
11282	International airlines	
12429.2	Ship to shore	

U.S. Coast marine weather
U.S. Navy
U.S. Air Force air/ground
U.S. Air Force air/ground
U.S. Air Force air/ground
Flying weather
Flight weather
International airlines
NOAA hurricane hunters
Navy MARS
Navy MARS

## INTERNATIONAL BROADCASTERS

*(Schedules subject to change)*

5960	Canada
6045	Germany
6175	England
7325	England
7355	USA
7375	Costa Rica
9530	Spain
9590	Netherlands
9695	Sweden
9755	Canada
9745	Ecuador
11550	Ecuador
11950	Cuba
12095	England
15120	USA
17795	Australia
21740	Australia

## TIME SIGNALS

WWV	CHU
5000	3330
10000	7335
15000	14670

10/92

**Technical Question  
on catalog products?  
Call Sue  
704-837-7081**



**New from Grove!  
Designed and  
manufactured  
in the USA!**



Production model will vary slightly in appearance from this developmental photo due to improvements.

# The Grove SW-100

## Full-Featured General Coverage Receiver

Built to exacting government surveillance standards, the SW100 professional grade receiver offers premium features at affordable cost.

Secured in a compact, all-metal enclosure, the lightweight SW100 tunes from 10 kHz through 32 MHz (1000 MHz with optional converter under development) and offers 1000 memory locations. Precise 10 Hz frequency readout on a large backlit LCD; receives all modes including AM, USB, LSB and narrowband FM! Even RTTY, FAX, packet and other

digital modes with external decoder.

Advanced synchronous detection reduces fading and distortion on distant AM stations while allowing the passband to be tuned for optimum reception. Up-conversion and wide dynamic range virtually eliminate images and intermod. Crystal and multi-element piezo filters assure optimum reception under brutal interference conditions.

Enjoy unexcelled sound from a tone equalized, full-fidelity, 4" top-mounted speaker, while a sensitive, all-mode squelch removes irritating background noise be-

tween signals. Annoying tones and whistles are sliced out with a 40 dB notch filter, and a low-distortion pulse noise limiter suppresses electrical interference.

Read signal strengths accurately in S units and microvolts; a center tuning indicator assures precise frequency adjustment. Tape recorder control allows recording of your favorite programs; an RS232C computer interface is available.

**NOTE: Demand for this receiver, due for release in December, is expected to be heavy. Reserve orders are being taken now.**

**Order GR1**

Introductory price of only

**\$799<sup>95</sup>**

Shipping \$14 UPS  
\$27 UPS 2nd Day Air  
\$28 US Priority Mail  
\$24 UPS Canadian  
\$35 Canadian Air Parcel Post

### SPECIFICATIONS

**Frequency Range:** 10 kHz-32 MHz  
**Memory:** 1000 channels (10 banks of 100) store frequency, mode, selectivity, channel number, lockout  
**Scan:** 20 channels per second (varies with mode and frequency) with 2 second delay; A/B VFO automatically follows dual-frequency communications  
**Frequency Readout Accuracy:** 10 Hz (5 decimal places)  
**Center Frequency Tuning Indicator:** LCD  
**Frequency Accuracy:** +/- 5 ppm  
**Sensitivity (10 dB SINAD SSB, 50 ohms):** 0.5 microvolts (8 dB) or better  
**Dynamic Range:** 80 dB min.  
**Intermodulation (3rd Order Intercept Point):** +15 dBm min.  
**Image/IF Rejection:** 90 dB min.

**Selectivity (2:1 shape factor, -6/-60 dB):** AM/SSB wide 6.0 kHz, medium 3.0 kHz, narrow 2.4 kHz, sharp 1.0 kHz (optional); FM narrow 15 kHz, sharp 6.0 kHz  
**Tuning Steps:** AM 100/1000 Hz, AM synch/SSB 10/100 Hz, NFM 2.5/12.5 kHz, plus user defined 10 Hz-1000 kHz  
**Conversion Scheme:** Up-converted double superheterodyne (45 MHz, 455 kHz)  
**AGC:** 10 mS attack, 10 mS AM/FM decay, 500 mS SSB decay  
**Receiving Modes:** AM, AM synch, USB, LSB, NBFM  
**Noise Limiter:** Low distortion pulse clipping  
**Overload Protection:** Induced lightning and signal overload  
**Tone control:** Bass/treble adjust  
**S Meter:** D'Arsonval movement registers S units and microvolts

**Display:** Backlit LCD  
**Notch Filter:** Suppresses 450-5200 Hz tone interference 40 dB  
**Squelch:** Signal activated, all modes  
**IF Output:** 45 MHz for SDU  
**Power Requirement:** 12 VDC @ 1 A; 120 VAC adaptor included  
**Recorder Activator:** Sinks 12 VDC @ 1 A  
**Record Output:** 600 mV @ 1000 ohms  
**Audio:** 4 watts @ less than 10% THD into 4 ohms  
**Internal speaker:** Top mounted, 4" full fidelity  
**Earphone Jack:** 1/4", 4-16 ohm, anti-blast protected  
**External speaker jack:** 1/8"  
**Dimensions:** 4"H x 10"W x 8"D; rack mountable  
**Weight:** 5.5 lbs.  
**Warranty:** One year




SW-100 Options and Accessories

(price and availability subject to change)

<b>GAC1</b>	30-1000 MHz frequency extension module (includes wideband FM filter) 1993	\$499
<b>GAC2</b>	RS232C interface with squelch and signal strength lines, cable, disc, program and documentation 1993	\$79.95
<b>ACC23</b>	12 VDC mobile cigarette lighter power adaptor	\$9.95
<b>GAC5</b>	240 VAC AC adaptor 12/92	
<b>GAC15</b>	Rechargeable battery pack 12/92	\$79.95
<b>GAC7</b>	19" rack mount kit 12/92	\$19.95
<b>GAC13</b>	1 kHz CW/RTTY Collins mechanical filter	\$99
<b>GAC14</b>	Dust cover 12/92	\$9.95

New from Grove! Designed and manufactured in the USA!

Grove SDU-100 Spectrum Display Unit



NOTE: Demand for this spectrum display system, due for release in December, is expected to be heavy. Reserve orders are being taken now.

Turn your Icom R7000, R7100 or Grove SW-100 into a powerful spectrum analyzer! Plugs into any receiver or transceiver that has an IF output jack!

Enjoy the high-tech advantage of countersurveillance professionals who depend upon spectrum analyzers to find eavesdropping transmitters ("bugs").

As the "spikes" appear on the screen you can tune them in quickly; no need to wait for the slow, hit-and-miss search of a scanner.

Your receiver's tuned signal is the center of the screen, with up to 10 MHz

(or as narrow as 100 kHz) of spectrum displayed simultaneously! Nail those unknowns as soon as they transmit!

Ideal for locating jammers, identifying sources of radio interference, studying signal propagation, testing antennas, aligning receivers and transmitters, and much more!

Connect the SDU-100 to any TTL monochrome monitor, or order the matching VID-100 9" CRT monitor. 12 VDC powered for mobile or field environment; AC adaptor included (the VID-100 is AC powered).

The SDU-100 is configured to operate with a variety of receiver intermediate frequencies (IFs), including 8.8, 10.7, 21.4,

45 and 70 MHz. This must be specified at the time of order. An inexpensive plug-in module can be ordered later to change the IF if desired.

SPECIFICATIONS

- SPAN:** 10, 5, 2, 1 MHz; 500, 200, 100, 0 (Time) kHz
- DISPLAY ACCURACY:** +/-3% or +/-3 dB, whichever is larger
- RESOLUTION BANDWIDTH:** 5, 30 kHz
- SWEEP TIME:** 0.1, 0.5, 2, 6 seconds
- IF:** SDU-100A 8.83, 10.7, 21.4 MHz  
SDU-100B 45, 70 MHz (others available)
- VIDEO OUTPUT:** TTL to optional monochrome monitor
- INPUT MINIMUM DETECTABLE SIGNAL (MDS):** Adjustable, -130 to -50 dBm
- DISPLAY DYNAMIC RANGE:** 90 dB

Order Today!

Order both for

SDU-100	Spectrum Display Unit	\$499 <sup>95</sup>
VID-100	9" CRT Monitor	\$149 <sup>95</sup>

\$599<sup>95</sup>

# FULL SPECTRUM RECEIVER



From R.L. Drake —

## The R8 Communications Receiver!

It has been nearly a decade since this respected American company withdrew from manufacturing communications equipment; now they have returned better than ever!

The exciting new R8 general coverage communications receiver offers outstanding 100 kHz-30 MHz performance at a competitive cost. Four voice-bandwidth filters combined with excellent audio design make international broadcast listening as well as utilities monitoring a pleasure.

Synchronous detection reduces fading and distortion while passband tuning rejects adjacent frequency interference. Ideal for AM, SSB, RTTY, CW reception.

Optional converter allows AM/FM reception 35-55, 108-174 MHz, while a builtin microprocessor/controller offers RS232 computer control and multiple-function scanning.

Dual VFOs, switchable preamp/attenuator, dual-time-zone clock timer, switchable antenna inputs, universal power supply and more combine to make this new receiver an outstanding value.

*Grove discount price only*

Order RCV1  
Retail ~~\$979~~

**\$959<sup>95</sup>**

\$14 UPS; \$27 UPS 2nd day; \$28 US Priority Mail  
\$24 UPS Canada; \$35 Canadian air parcel post

### ACCESSORIES:

- ACC43 VHF Converter \$199.95
- ACC49 External Speaker \$48.95 plus \$6 UPS
- ACC67 Service Manual \$39.95
- ACC77 PC Software \$58.95
- Installation fee \$20

### SPECIFICATIONS

Frequency range: 100 kHz-30 MHz (35-55/108-174 MHz with optional converter)

Keypad frequency entry: Yes  
Tuning steps: 10/100 Hz (10/100/1000 FM/AM)  
RIT (fine tuning) not required  
Display: Backlit LCD

Dimmer: Yes  
Type of listening recommended: International broadcast and utilities  
Receiving modes: AM, narrow FM, USB, LSB, RTTY, CW, synchronous AM

Memory: 100 channels  
Banks: 10  
Lockout: No  
Priority: No  
Search: No

Delay: Yes  
Squelch: Yes  
Clock: Dual time zone  
Audio output power: 2.5 W @ 4 ohms for 10% THD  
Record audio output: Yes

Recorder activator: No  
S meter: Analog  
Computer interface: RS232  
Conversion scheme: Double up-conversion  
Sensitivity: 0.5 uV 1.5-30 MHz (0.25 uV 5-30 MHz with preamp), 1 uV 100 kHz-1.5 MHz

Selectable preamplifier: Yes  
Selectable attenuator: Yes  
Selectivity: (-6/-60 dB, 2:1 shape factor) 6/4/2.3/1.8 kHz; 500 Hz (3:1)  
Image rejection: greater than 80dB 1.5-30 MHz, greater than 60 dB 100 kHz-1.5 MHz

Frequency stability: +/- 10 ppm - 10° to 50° C

Selectable AGC: Off/slow/fast  
Dynamic range: 90 dB @ 20 kHz spading  
Passband tuning: +/- 3 kHz  
Noise blanker/limiter: Dual  
Adjustable notch filter: 500-5000 Hz, 40 dB  
Tone control: Yes  
Antenna connector: Dual, switched  
Dimensions: 13-1/2"W x 5-1/4"H x 13"D  
Weight: 13 lbs.  
Power requirements: 100/120/200/240 VAC, 50/60 Hz, 11:16 VDC @ 2A  
Warranty: 1 year



## Kenwood R-5000

This extraordinary communications receiver has built-in modes for AM, FM, USB, LSB, CW, FM and FSK (RTTY). 100 memory channels store frequency, mode, and antenna selection (two inputs); 10 Hz tuning accuracy. Non-volatile memory retains functions even if long-life lithium battery fails.

Filters are provided for 6 kHz AM, 2.5 kHz SSB; you can add up to two more (one each: CW, SSB or AM). Excellent audio quality for broadcast monitoring.

Order RCV7  
Retail ~~\$1099.95~~

Only  
**\$879<sup>95</sup>**

\$25 UPS; \$35 UPS 2nd day air; \$39 US Priority Mail  
\$35.50 UPS to Canada; \$45 air parcel post to Canada

### OPTIONAL ACCESSORIES

If only accessories are ordered, add \$10 to total order.

ACC50	VC20 118-174 VHF conv.	\$199.95	ACC59	IF232C translator control	\$94.95
ACC51	YK88A 6 kHz AM filter	\$84.95	ACC69	IC-10 Interface	\$34.95
ACC52	YK88S 2.4 kHz SSB filter	\$84.95	ACC62	Headphones HS5 deluxe	\$64.95
ACC53	YK88SN 1.8 kHz narrow SSB	\$84.95	ACC63	Headphones HS6 lightwt	\$44.95
ACC54	YK88C 500 Hz CW filter	\$84.95	ACC65	SP23 external speaker	\$65.95
ACC55	YK88CN 270 Hz narrow CW	\$94.95		(plus \$7.50 UPS shipping)	
ACC56	DK2 12VDC mobile power cable	\$12.95	ACC66	MB430 mobile mount bracket	\$34.95
ACC57	VS1 voice synthesizer	\$59.95	ACC68	Service manual	\$25

Installation of one or more accessories \$20.

### SPECIFICATIONS

Frequency range: 100 kHz - 30 MHz  
Keypad frequency entry: Yes  
Tuning steps: 10/100 Hz/1.2/5/5/10/20/50 kHz set by mode RIT (fine tuning) Yes

Display: Fluorescent  
Dimmer: Yes  
Type of listening recommended: Domestic and international broadcasting; two-way SSB/CW/RTTY

Receiving modes: AM, USB, LSB, narrow FM, RTTY, CW  
Memory: 100 channels  
Scan: Yes, programmable

Banks: 10  
Lockout: Yes  
Priority: No  
Search: Yes

Clock: 24 hour, dual function with timer  
Audio output power: 1.5 watts  
Record output: Yes; no activator  
S meter: Analog

Computer interface: Optional  
Conversion scheme: Dual up-conversion; 50,1125/8.83 MHz  
Sensitivity: SSB 1.6-30 .25 uV (5) 00-1600 kHz 4 uV; 150-500 kHz 1uV

Selectable preamplifier: Yes  
Selectable attenuator: 10/20/30 dB  
Selectivity: (-6/-60dB) AM 6/24 kHz; SSB 2.5/4.9 kHz  
Image rejection: 80 dB

Frequency stability: +/- 300 Hz after 30 minutes warmup  
Selectable AGC: fast/slow/off  
Dynamic range: 102 dB  
Passband tuning: Yes

Noise blanker/limiter: Dual  
Adjustable notch filter: Yes  
Antenna connector: SO-239 (UHF); random wire terminal  
Auxiliary connector: No

Dimensions: 10.62"W x 3.78"H x 10.6"D  
Weight: 12.3 lbs.  
Power requirements: 12 VDC (with optional adaptor), 120/240 VAC

Warranty: One year  
Accessories included: None





# JRC NRD-535D



The top of the line has a new leader! Japan Radio Company, manufacturer of the coveted NRD series of professional communications receivers, has just introduced an advanced receiver design with superb performance features.

Offering continuous frequency coverage of 90 kHz through 30 MHz and reception modes for AM, USB, LSB, CW, RTTY, FAX and narrowband FM, frequency is displayed to 10 Hz accuracy on a giant, brightness-adjustable fluorescent display; tuning resolution is an incredible 1 Hz at a drift-free +/- 2 parts per million!

JRC's remarkable new continuously-variable passband filter allows the user to custom-select the exact filter bandwidth he wants, from 0.5-5.8 kHz, to reduce or eliminate adjacent channel interference with minimum impact on the fidelity of the desired signal. Exalted carrier selectable sideband (ECSS) permits additional clarity of reception on AM international broadcasters who are plagued by adjacent-frequency interference.

Four filter bandwidths may be selected for any mode (except NBFM which is 12 kHz). The dual noise blanker is extremely effective in reducing or eliminating aggravating impulse noise like ignition noise and the woodpecker.

Comfortable, effective listening is enhanced by the array of front panel controls like squelch, AF and RF gain controls, tone control, and AGC timing. A powerful 24-hour clock-timer can be pre-adjusted for frequency, mode and on/off time, and even includes a record activator so you can automatically listen to or record a transmission of interest. A built-in RS232 interface allows your computer to control virtually every function of this remarkable receiver for even greater listening power.

## SPECIFICATIONS

Frequency range: 90 kHz-30MHz  
 Keypad frequency entry: yes  
 Tuning steps: 1 Hz minimum  
 Display: Fluorescent  
 Dimmer: 4 levels  
 Type of listening recommended: Utility and foreign broadcasting  
 Receiving modes: AM, CW, RTTY, FAX, NBFM, USB, LSB  
 Memory: 200 channels  
 Scan: Yes  
 Banks: No  
 Lockout: No  
 Priority: No  
 Search: Yes  
 Delay: Yes  
 Squelch: Yes  
 Clock: 24 hour clock/timer  
 Audio output power: 1 watt @ 4 ohms  
 Record audio output: 1 mW @ 600 ohms (mini phone plug)  
 Recorder activator: yes  
 S meter: Analog-emulation fluorescent  
 Computer interface: RS232 built-in

Conversion scheme: Triple up-conversion (70.45 MHz/455/97 kHz)  
 Sensitivity: 0.5 uV 1.5-30 MHz (SSB)  
 Selectable preamplifier: No  
 Selectable attenuator: 20 dB  
 Selectivity: (-6/-60 dB) AUX 12/24 kHz, WIDE 6/15 kHz, INTER 2/6 kHz, NARR 1/3 kHz, FM 12 kHz, continuously adjustable 0.5-5.8 kHz  
 Image rejection: -70 dB  
 Frequency stability: +/- 2 PPM after one-hour warmup  
 Selectable AGC: Fast/slow/off  
 Dynamic range: 106 dB @ 300 Hz BW  
 Passband tuning: +/- 1 kHz  
 Noise blanker/limiter: Dual width  
 Adjustable notch filter: -30 dB  
 Tone control: Yes  
 Antenna connector: SO-239 (UHF)  
 Auxiliary connector: No  
 Dimensions: 13"W x 5"H x 11"D  
 Weight: 20 lbs.  
 Power requirements: 120/240 VAC @ 50/60 Hz; 12 VDC 2 A  
 Warranty: One year  
 Accessories included: None

Order RCV3

**\$1688<sup>95</sup>**

\$20 UPS; \$35 UPS 2nd day;  
\$35 US Priority Mail; \$30 Canadian UPS;  
\$45 Canadian Air Parcel Post

## OPTIONAL ACCESSORIES

- ACC5 Upgrade Kit **\$169.95**  
(0.5-5 kHz tunable filter for early models)
  - ACC 24 6ZCJD00 serial cable for computer **\$59.95**
  - ACC25 NVA-319 matching speaker with pushbutton audio filters **\$179.95**
  - ACC26 CFL-218A 1.8 kHz extra sharp SSB/RTTY filter **\$139.95**
  - ACC27 CFL-232 500 Hz sharp CW filter **\$139.95**
  - ACC28 CFL-251 2.4 kHz sharp SSB/fax filter **\$139.95**
  - ACC29 CGD-135 High stability (+/-0.5 PPM) crystal oscillator **\$79.95**
- Upgrade and filter installation fee: \$20 any quantity



# Sale!

**Special closeout price from Grove while quantities last!**

# JRC NRD-525



Order RCV 16 **\$889<sup>95</sup>**

\$20 UPS; \$35 UPS 2nd Day;  
\$35 US Priority Mail; \$30 Canadian UPS;  
\$45 Canadian Air Parcel Post

Eventually, a receiver is going to be discontinued. Now you can get this remarkable receiver at a greatly reduced price.

Two hundred memory channels store your choice of frequencies from the continuous 90 kHz-34 MHz tuning range, in any mode — AM, FM, USB, LSB, RTTY, CW and FAX. Memory channels may be scanned or searched, each channel storing such information as frequency, mode, bandwidth, AGC timing, and attenuation setting.

Frequencies may be keyboard entered and dial selected. Factory selectivities are 12, 4 and 2 kHz; two more may be added in any mode. A double super-heterodyne circuit (70.45 MHz/455 kHz) features up-conversion for minimum image response, and wide dynamic range (greater than 100 dB assures excellent intermod immunity). IF and image rejection are typically 70 dB or more. High sensitivity (0.5 uv SSB) catches the weakest signals.

Passband tuning and a notch filter allow precise targeting of signal interference while an effective noise blanker permits rejection of pulse noise. Tone control, BFO, RIT, squelch, RF gain, step tuning, 24 hour clock timer with record activator and computer compatibility make this a remarkable receiver.



Let's go batty over this sale!

ICOM prices have increased over 18%, but, as a Grove customer, you can still purchase ICOM products at previously low prices while supplies last!

# ICOM R-71A

Call now for special \$60 rebate from ICOM!



This receiver is as professional as it looks. The brilliant fluorescent display provides frequency information down to tenths of a kilohertz and alerts the listener to other dial settings (mode, memory, channel, VRO).

Signal resolution of 10 Hz eliminates the need for RIT, even on SSB or RTTY mode and may be scanned or searched. An effective noise blanker has adjustable controls for optimum reduction of a wide variety of impulse noises, from power line hash to the Russian woodpecker.

Filter selectivities of 6, 2.3 and 0.5 kHz are provided; you may add one more for use in any mode.

This latest version also reintroduces passband tuning.

Of interest to the visually impaired is the optional EX-310 speech synthesizer which announces the displayed frequency in English.

Order RCV6

Retail \$999

Only

\$849<sup>95</sup>

\$15 UPS; \$30 UPS 2nd Day;  
\$30 US Priority Mail  
\$39 Canadian Air Parcel Post;  
\$25.50 UPS to Canada

## SPECIFICATIONS

Frequency range: 100 kHz-30MHz  
Keypad frequency entry: Yes, plus tuning knob  
Tuning steps: 10 Hz  
RIT (fine tuning): No  
Display: Fluorescent  
Dimmer: Yes  
Type of listening recommended: Domestic and international broadcasting, two-way communications  
Receiving modes: AM, USB, LSB, RTTY, CW, narrowband FM  
Memory: 32 channels plus 2 temporary VFO memories  
Scan: yes  
Banks: Mode scan  
Lockout: No  
Priority: No  
Search: Yes  
Delay: Yes  
Squelch: Yes  
Clock: No  
Audio output power: 2 watts  
Record output: Yes  
Recorder activator: Yes  
S meter: Analog

Computer interface: Optional  
Conversion scheme: Quadruple up-conversion  
Sensitivity: 0.2 uV with preamplifier on  
Selectable preamplifier: Yes  
Selectable attenuator: Yes  
Selectivity: (-6/60 dB) wide 6/15 kHz; narrow 2.3/4.2 kHz; optional FM 15/25 kHz  
Image rejection: 60 dB  
Frequency stability: 50 Hz  
Selectable AGC: Yes  
Dynamic range: 86 dB  
Passband tuning: No  
Noise blanker/limiter: Dual, adjustable  
Adjustable notch filter: Yes  
Antenna connector: SO-239 (UHF)  
Auxiliary connector: 70 MHz IF output  
Dimensions: 11-1/4"W x 4-3/8"H x 10-7/8"D  
Weight: 16-1/2 lbs.  
Power requirements: 120/240 VAC; 12 VDC with optional EX239  
Warranty: One year  
Accessories included: None

## OPTIONAL ACCESSORIES

One or more accessories installed at time of order -- \$20 flat fee.

ACC1	EX257 FM mode detector	\$49.95
ACC2	SP3 speaker	\$65 (plus \$7.50 UPS)
ACC3	DC Power kit EX299	\$12.25
ACC4	CR64 high stability crystal	\$79.95
ACC73*	UX14 Level converter	\$70.95
ACC74*	CT-17 computer interface	\$95.95
*Must use ACC73 & ACC74 together		
ACC7	EX310 voice synthesizer	\$59.95
ACC8	FL32A CW narrow filter	\$69.95
ACC9*	FL44A SSB filter	\$178.95
ACC10*	FL63A CW narrow filter	\$59.95
*Use only one filter		
ACC12	RC11 remote control	\$70.95
ACC13	MB12 mobile mount bracket	\$25.95
ACC14	Service manual	\$25

Call now for special \$60 rebate from ICOM!

# ICOM R-72 GENERAL COVERAGE COMMUNICATIONS RECEIVER



For the serious shortwave enthusiast on a budget, the new R72 offers full 100 kHz-30 MHz frequency coverage and direct keypad entry with advanced features. A backlit LCD shows the receiver's 10 Hz frequency resolution, while 101 scannable memory channels store frequencies in AM, LSB, USB, RTTY, and CW. Dual-range search is included as well as an analog S meter and a recorder activator coupled to a 24 hour clock timer.

Retail \$999

Order RCV8

Only

\$799<sup>95</sup>

\$15 UPS; \$30 UPS 2nd day; \$30 US Priority Mail  
\$39 Canadian Air Parcel Post; \$25.50 Canadian UPS

OPTIONAL ACCESSORIES: ACC4 High Stability Crystal \$79.95  
Installation Fee \$20

## SPECIFICATIONS

Frequency range: 30 kHz-30 MHz  
Keypad frequency entry: Yes  
Tuning steps: 10Hz/1kHz/10kHz  
RIT (fine tuning): unnecessary  
Display: Backlit LCD; 10 Hz resolution  
Dimmer: Yes  
Type of listening recommended: Domestic and international broadcasting; two-way SSB/CW/RTTY  
Receiving modes: AM, SSB, CW; FM optional  
Memory: 101 channels  
Scan: Yes  
Banks: No  
Lockout: Yes  
Priority: No

Search: Dual range  
Delay: Yes  
Squelch: Yes  
Clock: Yes with timer  
Audio output power: 2 watts  
Record Output: Yes  
Recorder Activator: Yes  
S meter: Yes; analog  
Computer interface: optional  
Conversion scheme: Triple up-conversion; 70.4515 MHz, 9.0115 MHz, 455 kHz  
Sensitivity: 100 kHz-1.8 MHz 2uV SSB/12.6uV AM; 1.8-30 MHz (preamp on) 0.16 SSB/2uV AM; optional FM 0.5uV  
Selectable preamplifier: Yes  
Selectable attenuator: 10/20/30 dB  
Selectivity: (-6/-60dB): AM wide 6/20 kHz; AM narrow/SSB 2.3/8 kHz; optional FM 15/30 kHz

Image rejection: 70 dB  
Frequency stability: +/- 30 Hz after 1 hour warmup  
Selectable AGC: fast/slow  
Dynamic range: 100 dB  
Passband tuning: No  
Noise blanker/limiter: dual  
Adjustable notch filter: No  
Tone Control: No  
Antenna connector: SO-239 (UHF) and push clip  
Auxiliary connector: No  
Dimensions: 9.5"W x 3.7"H x 9"D  
Weight: 10.6 lbs.  
Power requirements: 120/240 VAC, built-in niacds; optional 13.8 VDC mobile kit.  
Warranty: One year  
Accessories included: None



## Philips DC-777 Mobile AM/FM/Shortwave Radio

For those mobile shortwave listeners who want it all—FM stereo, local AM medium wave and international broadcasting, the DC777 even includes a stereo cassette player so you can hear your favorite tapes when listening conditions aren't the best. Twenty memory channels with autosearch, a brilliantly-backlighted LCD frequency display, crisp stereo FM, compact in-dash mounting, digital frequency entry—just a few of the advanced features which are found on this high quality, multiband auto radio. DIN mounting bracket included for imported vehicles.



Order RCV12 **\$389<sup>95</sup>**

\$7 UPS; \$12 UPS 2nd Day Air; \$15.50 US Priority Mail; \$12 Canadian UPS; \$18 Canadian Air PP

### ACCESSORIES:

- ACC91 Pull-out security mount \$59.95
- ACC92 U.S. vehicle dashmount kit \$19.95  
(specify model and year when ordering)
- ACC93 Wired remote control kit \$79.95

### SPECIFICATIONS

Frequency Range: 530-1710, 3170-21910 kHz AM; 87.5-108 MHz FM  
 Keypad frequency entry: Yes  
 Tuning steps: 1/10 kHz AM, 50 kHz FM  
 RIT (fine tuning): No  
 Display: Backlit LCD  
 Dimmer: No  
 Type of listening recommended: Broadcasting  
 Receiving modes: AM/WFM  
 Memory: 20 shortwave presets  
 Scan: Yes  
 Banks: No  
 Lockout: No  
 Priority: No  
 Search: Five-level autostore  
 Delay: Infinite  
 Squelch: No  
 Clock: Three program timers  
 Audio output power: 50 watts max.  
 Record audio output: No  
 Recorder activator: No

S meter: No  
 Computer interface: No  
 Conversion scheme: Double conversion  
 Sensitivity: Unavailable  
 Selectable preamplifier: No  
 Selectable attenuator: No  
 Selectivity: Unavailable  
 Image rejection: Unavailable  
 Frequency stability: Unavailable  
 Selectable AGC: No  
 Dynamic range: Unavailable  
 Passband tuning: No  
 Noise blanker/limiter: No  
 Adjustable notch filter: No  
 Tone control: Bass, treble, balance fader  
 Antenna connector: Motorola  
 Auxiliary connector: No  
 Dimensions: 7"W x 2"H x 6"D  
 Weight: Approx. 8 lbs  
 Power requirements: 13.6 VDC  
 Warranty: One year  
 Accessories included: DIN mounting bracket



## The Sangean ATS-803A

Whether you are a beginner looking for a high performance portable at low cost, or a seasoned SWL planning on a second receiver, this is clearly the most feature-packed, high performance portable under \$200!

Order RCV4 **\$169<sup>95</sup>** Only

\$7 UPS; \$12 UPS 2nd day; \$15 US Priority Mail  
\$17 Canadian Air Parcel Post; \$11 Canadian UPS

### SPECIFICATIONS

Frequency range: 150 kHz - 30 MHz, 87.5 - 108 MHz  
 Keypad frequency entry: Yes  
 Tuning steps: 1 kHz  
 RIT (fine tuning): Tuning knob and BFO  
 Display: Illuminated LCD  
 Dimmer: No  
 Type of listening recommended: Domestic & intl broadcast, casual  
 Receiving modes: AM, SSB, wideband FM  
 Memory: 9 channels  
 Scan: Yes  
 Banks: No  
 Lockout: No  
 Priority: No  
 Search: Yes  
 Delay: Yes  
 Squelch: No

Clock: With alarm/sleep functions  
 Audio output power: 900 milliwatts  
 Record output: 5 pin DIN connector, 1 millivolt @ 1000 ohms  
 S meter: LED light bar  
 Computer interface: No  
 Conversion scheme: Dual up-conversion; 55.845 MHz, 10.7 MHz, 450 kHz  
 Sensitivity: Not available  
 Selectable preamplifier: No  
 Selectable attenuator: RF gain control  
 Selectivity: Wide/narrow AM/SSB (6.5 kHz AM)  
 Image rejection: AM 50 dB; FM 60 dB  
 Frequency stability: Quartz PLL  
 Selectable AGC: No

Dynamic range: Not available  
 Passband tuning: No  
 Noise blanker/limiter: No  
 Adjustable notch filter: No  
 Tone control: Separate bass & treble  
 Antenna connector: RCA photo plug  
 Auxiliary connector: No  
 Dimensions: 11-1/2"W x 6-1/4"H x 2-1/2"D  
 Weight: 4 lbs.  
 Power requirements: 2 AA and 6 D cells or 120 VAC  
 Warranty: 1 year  
 Accessories included: AC adaptor, stereo headphones, shoulder strap, SW handbook, external antenna adaptor.

## Top-of-the-line With Built-In Cassette Recorder

## Sangean ATS-818CS

Imagine—record your favorite programs automatically with the dual-zone clock timer on any frequency from 150 kHz through 30 MHz, 87.5-108 MHz FM as well! This impressive portable has SSB and CW reception, 45 memory channels, wide/narrow filter selectivity, signal strength indicator, AC wall adaptor and more!

Order RCV9 **\$249<sup>95</sup>**  
Retail ~~\$309~~ Only

\$7 UPS; \$14 UPS 2nd day; \$15.50 US Priority Mail  
\$20 Canadian Air Parcel Post; \$12.50 Canadian UPS



### SPECIFICATIONS

Frequency range: 150 kHz-30 MHz AM/SSB, 87.5-108 MHz FM  
 Keypad frequency entry: Yes  
 Display: Backlit LCD  
 Dimmer: Yes  
 Recommended use: Casual SW listening  
 Receiving modes: AM, SSB, FM  
 Memory: 45 presets  
 Scan: Yes  
 Banks: No  
 Lockout: No  
 Priority: No  
 Search: Yes  
 Delay: Yes  
 Squelch: No  
 Clock: Dual time display with record timer

Audio output power: 800 mW  
 Record audio output: No  
 Recorder activator: Internal programmable cassette recorder/player  
 Signal strength indicator: Yes  
 Computer interface: No  
 Conversion scheme: Double conversion  
 Sensitivity: Not available  
 Selectable preamplifier: RF gain control  
 Selectable attenuator: No  
 IF selectivity: Wide/narrow switch  
 Image rejection: Not available  
 Frequency stability: Not available  
 Selectable AGC: No

Dynamic range: Not available  
 Passband tuning: No  
 Noise blanker/limiter: No  
 Adjustable notch filter: No  
 Tone control: Yes  
 Antenna connector: Yes  
 Auxiliary connector: No  
 Dimensions: 11-1/4"W x 7-3/8"H x 2-3/4"D  
 Weight: 3 lbs. 13 oz.  
 Power requirements: AC, internal batteries  
 Warranty: One year  
 Accessories included: AC adaptor, external antenna adaptor, shortwave handbook



# The Sony ICF-SW77

For those who have been looking for the next step up, it's here! The new Sony ICF-SW77 has all of the features of the popular ICF-2010 (except air band), plus:

- Front panel tuning dial
- Separate bass and treble controls
- 162 non-volatile memory channels
- Stereo FM (headphones)
- Station name display
- 50 Hz fine tuning steps
- Broadcasting time display
- 24 hour/local time clock
- 5-event timer
- Worldwide power supply



Order RCV10


Retail ~~\$549<sup>95</sup>~~

Only

**\$465<sup>95</sup>**

\$7 UPS; \$14 UPS 2nd day; \$17 US Priority Mail  
\$20 Canadian Air Parcel Post; \$12.50 Canadian UPS

# Sony ICF-SW55



- Frequency range and modes: 150 kHz-30 MHz AM/SSB, 76-108 MHz FM
- Station name tuning with LCD display
- 125 Frequency Memory
- .1/1 kHz Tuning Steps
- EEP ROM Memory (no battery backup required)
- FM Stereo (earphones only)
- World Time Clock
- Includes carrying case, soft pouch, world band guidebook, AC adaptor, AN-71 compact antenna, stereo earphones

Order RCV15

Retail ~~\$449<sup>95</sup>~~

Only

**\$369<sup>95</sup>**

\$7 UPS; \$14 UPS 2nd day; \$17 US Priority Mail  
\$20 Canadian Air Parcel Post; \$12.50 Canadian UPS

# SONY ICF-2010

*The World's Most Popular Radio!*

This is the full-featured portable for the serious shortwave listener. Synchronous detection allows interference-free reception on many stations difficult to hear on other radios. Narrow/wide selectivity switching; clock/timer allows up to 4 automatic on/off cycles per day for frequencies and times of your choice; 10-step LED signal strength meter, audio tone selection for speech or music; and 10 station direct-access keyboard combine to make this Sony product a remarkable value for beginners or seasoned SWL's.



## SPECIFICATIONS

Frequency range: 150 kHz-30MHz, 76-108, 116-136 MHz  
 Keypad frequency entry: Yes, plus tuning knob  
 Tuning steps: 100 Hz  
 RIT (fine tuning): No  
 Display: Backlit LCD  
 Dimmer: No  
 Type of listening recommended: Domestic & international broadcasting, casual two-way SSB and aircraft  
 Receiving modes: AM, USB, LSB, wideband FM; synchronous detection  
 Memory: 32 channels  
 Scan: Yes  
 Banks: No  
 Lockout: No  
 Priority: No  
 Search: Yes  
 Delay: Yes  
 Squelch: No  
 Clock: 12/24 hour with alarm and sleep timer  
 Audio output power: .380 milliwatts  
 Record output: Miniplug; .775 millivolts @ 1000 ohms; no activator  
 S meter: LED bargraph

Computer interface: No  
 Conversion scheme: Dual up-conversion  
 Sensitivity: 0.2 uV SSB  
 Selectable preamplifier: No  
 Selectable attenuator: DX/local switch  
 Selectivity: Wide 18 kHz @ -50 dB; narrow 10 kHz @ -50 dB  
 Image rejection: Not available  
 Frequency stability: Quartz PLL  
 Selectable AGC: No  
 Dynamic range: Not available  
 Passband tuning: No  
 Noise blanker/limiter: No  
 Adjustable notch filter: No  
 Tone control: Yes  
 Antenna connector: 1/8" mini phone plug  
 Auxiliary connector: No  
 Dimensions: 11-3/8"W x 6-1/4"H x 2-1/16"D  
 Weight: 3-3/4 lbs.  
 Power requirements: 2 AA and 3 D cells or 120 VAC  
 Warranty: One year  
 Accessories included: AC adaptor, earphone, shoulder strap, wire antenna, external antenna adaptor/plug, shortwave handbook.

Order RCV2

Retail ~~\$459<sup>95</sup>~~

Only

**\$349<sup>95</sup>**

\$7 UPS; \$13 UPS 2nd day  
\$16 US Priority Mail  
\$18 Canadian Air Parcel Post  
\$12.50 Canadian UPS



SPECIFICATIONS

Frequency range: 150-29995 kHz, 87.6 - 108 MHz
Keypad frequency entry: Yes
Tuning steps: 5 kHz, fast/slow button
BIT (fine tuning): +/- 10 kHz AM and SSB
Display: Backlit LCD
Buzzer: No
Type of listening recommended: Domestic & international broadcasting, casual SSB
Receiving modes: AM, wide FM, SSB
Memory: 10 channels
Scan: Yes
Banks: No
Lockout: No
Priority: No
Search: Yes, with times delay
Delay: No
Squelch: No
Clock: With timer & sleep function
Audio output power: Unavailable
Record audio output: yes
Recorder activator: yes
S meter: Single "tune" LED
Computer interface: No
Conversion scheme: Dual conversion
Sensitivity: Unavailable
Selectable preamplifier: No
Selectable attenuator: DX/local switch
Selectivity: Unavailable
Image rejection: Unavailable
Frequency stability: Unavailable
Selectable AGC: No
Dynamic range: Unavailable
Passband tuning: No
Noise blanker/limiter: No
Adjustable notch filter: No
Tone control: Music/news switch
Antenna connector: No
Dimensions: 7-9/32"W x 4-11/16"H x 1-1/4"D
Weight: 1-1/4 lbs.
Power requirements: 4 AA cells or AC adaptor
Warranty: One year.
Accessories included: Stereo earplugs, carrying case, reel antenna, AC wall adaptor.

The New SW7600 - A Potent Portable from Sony



It was inevitable. The early models ICF 2002 and 2003 have been replaced by a tiny marvel with AM, SSB, and even FM stereo coverage! Measuring just over 7 inches wide and weighing 22 ounces, the SW7600 is loaded with features! DX/local switch reduces "pumping" on strong SSB signals; power switch lock prevents accidental battery depletion during transport.

Continuous 150 kHz-29.995 MHz frequency coverage plus 87.6-108 MHz FM headphone stereo (headphones included!), pushbutton tuning, tone control, external antenna jack, clock timer with sleep function, tilt bracket, keyboard lock, direct-entry keypad and ten scannable memory channels keynote the high-tech features of this potent portable!

Manufacturer's suggested retail \$249.95

Order RCV11

\$219.95

\$7 UPS; \$10 UPS 2nd day; \$13 US Priority Mail
\$11 Canadian UPS; \$15 Canadian Air Parcel Post



Sony ICF-SW1S

"The SW1's performance is superior to that of any other micro-portable."...Larry Magne, as quoted in Monitoring Times

James Bond fans will love it and so will discriminating worldband listeners who want compact convenience. The SW1S is hardly larger than a cassette tape and weighs a mere 7-1/2 ozs., yet it incredibly boasts a LCD digital frequency readout, 150 kHz-30 MHz AM frequency coverage in 5 kHz increments, 24 hour digital clock/timer, keypad tuning, and ten scannable memory channels!

But that's not all. It comes equipped with FM stereo reception (and teeny earphones to boot!), and a universal 100-240 volt automatically-adjusted AC power supply with worldwide adaptor plug.

Yet there's much more: Tucked into the compact carrying case is a sophisticated active antenna designed to provide worldwide reception anywhere without the need of a cumbersome outside antenna! And if you do have room for a wire antenna, simply reel it out of its retractable capsule accessory.

Order RCV13

Only

\$279.95

\$7 UPS; \$12 UPS 2nd day
\$15 US Priority Mail
\$17 Canadian Air Parcel Post
\$11 Canadian UPS

SONY COMPARISON CHART

Table with 6 columns: Received Band, Way of Tuning, Tuning Mode, Others, ICF-SW55, ICF-SW77, ICF-2010, ICF-SW7600, ICF-SW1S. Rows include FM Stereo, Air Band, Station Name Tuning, AM Tuning Step, Preset Memories, Broadcasting Time Display, Auto Program Select, AM Wide/Narrow filters, SSB Wide/Narrow filters, USB/LSB Select, Synchronous Detection, Clock, Timer, Rec Out Jack, Ext Antenna Jack, Sleep Mode (min), Tone Control.



## Universal M8000 Multimode Decoder

Now, the most advanced data reader/decoder ever produced! Nothing could be simpler: plug the new M8000 into your receiver's or scanner's speaker or earphone jack, connect a printer or VGA color monitor, and copy Morse code, RTTY, ASCII, TOR (FEC and ARQ), packet, FDM, Russian Cyrillic, bit inversion, facsimile and even piccolo--all off the air! The M8000 will even automatically tune its filters!

Ideal for testing data transmissions--reads digital pager transmissions (GOLAY and POCSAG) when connected to any scanner (unlawful for unauthorized listening!). Print squelch prevents noise from generating garbled messages, while internal displays alert you to baud rates, control characters, tuning graphs and other information, all in 16 vibrant colors!

Operates on 120 or 240 VAC, 50/60 Hz, and measures 16-3/8"W x 3-1/2"H x 12-3/4"D. Truly a remarkable monitoring accessory for the serious utilities enthusiast.

Retail price ~~\$1999<sup>95</sup>~~

Grove price only

**\$1298<sup>95</sup>**

Order DEM6

### OPTIONAL ACCESSORIES WITH M8000:

19-inch rack panel mounting kit \$19.95

Plus \$10 UPS; \$20 UPS 2nd day air;  
\$20 US Priority Mail; \$35 Canadian Air Parcel Post;  
\$25 Canadian UPS

## MFJ-1278

### All-Mode Digital Decoder For Your Computer!



If you have an IBM compatible computer (Mac and Commodore adaptors available) and a shortwave receiver or transceiver, you can now display radioteletype messages, bit inversion RTTY, packet communications (military, commercial and amateur), news and weather facsimile photos and maps, AMTOR and SITOR messages, Morse code, Navtex alerts, ASCII text, even amateur slow-scan television! Top-rated demodulator in independent tests!

Multi-grey level gives sharp newsphoto and SSTV imaging! LED all-mode tuning meter makes perfect signal adjustment a snap, and an automatic signal identification circuit selects the mode for you! If you are a licensed amateur, the MFJ-1278 can be used for transmitting as well! Let us know what model transceiver you have, and we'll provide the interface cable (see list below)!

Hams can use the personal mailbox soft-partitioned memory for electronic messages.

Includes port for Epson or IBM compatible printer. Full-color SSTV is displayed on your color monitor with the optional MFJ-1289 terminal software.

Comes with 32K RAM, host mode, KISS interface for TCP/IP/MSYS, independent transmit level for each port, random code generator, lithium battery backup, RS-232 and TTL serial ports, socketed ICs, tuneup command, peripheral I/O port, automatic serial numbering, programmable message memories, dual radio ports for HF and VHF, CW paddle jack, audio amplifier and monitor speaker for signals and sidetones, packet connect bell, full operation manual. As if this weren't enough, each 1278 is accompanied by a coupon entitling the owner to one free upgrade in the future!

The MFJ-1278 alone prints out SSTV and FAX, but requires the MFJ-1289 MultiCom enhancement package to display on screen. This powerful IBM-compatible software provides high-resolution FAX imaging, macro keys for instant mode changes without having to reset parameters, and an alarm for detecting key letters, words or phrases. For transmitting, many additional features are provided.

Measures only 9-1/2"W x 1-1/2"H x 9-1/2"D. Powered directly from 120 VAC/60 Hz, or 12 VDC.

Only

**\$249<sup>95</sup>**

Order DEM8

\$7 UPS

\$13 UPS 2nd day

\$15 US mail priority

\$12 Canadian UPS

\$18 Canadian Air Parcel Post

### ACCESSORIES:

ACC39	MFJ-1282B Commodore 64/128 adaptor	\$39.95
ACC40A	MFJ-1289 Hi-res enhancer (5-1/4" disk)	\$59.95
ACC40B	MFJ-1289 Hi-res enhancer (3-1/2" disk)	\$59.95
ACC61	MFJ-1290 Amiga adaptor	\$49.95
DEM4	MFJ 1278-T Turbo with 2400 baud modem	\$329.95

### TNC cables, \$13.95 each:

ACC41	Icom 8 pin (MFJ-5084)
ACC42	Yaesu 8 pin (MFJ-5080)
ACC46	Kenwood, Alinco 8 pin (MFJ-5086)
ACC44	Kenwood HT (MFJ-5026)
ACC45	Icom, Yaesu HT, Alinco DJ-560 (MFJ-5024)



## Grove's Indoor SWL Antenna System

Out performs competitive active antennas  
Connects to any receiver equipped with an external antenna jack

### Your key to exciting shortwave reception without an outside antenna!

Here's the apartment dweller's dream—a high performance, amplified indoor antenna system for general coverage shortwave and medium wave monitoring. This thin profile, flexible wire antenna can be inconspicuously run along molding, out a window to a tree, even under a rug. And when connected to the powerful TUN-4 signal booster, you have instant coverage from 100 kHz to 30 MHz!

Yes, global short wave reception will be at your fingertips, and you can operate two radios at one time!

The powerful new TUN-4 MiniTuner Plus can be used with any indoor or outdoor antenna to improve received signal strengths enormously. Just a few feet of wire or your present indoor shortwave antenna will give exciting new depth to your listening pleasure!

Easy to use and extremely flexible, the TUN-4 has a built-in, solid-state booster amplifier to give additional strength to all received signals from 100 kHz through 30 MHz, broadcasters and utilities stations. Wall adaptor (120VAC/12VDC) included.



### SPECIFICATIONS

**Gain:** Approximately 20 dB  
**Freq Range:** 100 kHz-30MHz in 4 bands  
**Preselector Type:** Series-tuned L-section filter  
**Power Required:** 9 to 18 volts DC (12 VDC nom.) @ 30 mA.  
**Connectors:** SO239 (4) signal line, 2.1 mm DIN power  
**Cabinet:** Custom formed aluminum, baked enamel finish  
**Dimensions:** 9-1/4"W x 3"H x 4"D  
**Weight:** 1-1/2 lbs.

### WHAT YOU NEED TO ORDER:

**TUN-4 MiniTuner Plus \$99.95** plus \$5 UPS shipping  
**ANT6 Hidden Antenna** (see pg. 22) **\$19.95** plus \$3.75 UPS shipping  
**CKSW Accessory kit \$12.95** plus \$3 shipping  
*includes 20' antenna wire, banana plug plus 3 adaptors for all portable and tabletop multi-band radios equipped for external antenna connections.*

Shipping charges for system ordered together: \$7 UPS; \$11 UPS 2nd Day Air; \$8 US Priority Mail; \$15 Canadian UPS; \$13 Canadian Air Parcel Post

## Grove's Outdoor SWL Antenna System

Connects to any receiver with an external antenna jack

A high performance, low cost shortwave/longwave dipole designed for total 100 kHz-30MHz coverage without the gaps found in more expensive trap antennas.

Modeled after the famous Grove all-band transmitting dipole, the 66-foot SKYWIRE is off-center fed, designed specifically for serious SWL's... Includes pre-measured stranded copper antenna wire, porcelain end insulators, custom center insulator for your PL-259 coax connection, and full instructions.

Then add the Grove MiniTuner to your outdoor shortwave antenna will allow signal peaking to perfection as well as eliminate intermodulation on your general coverage receiver. Comes equipped with standard UHF (PL-259) connectors.



### WHAT YOU NEED TO ORDER:

**TUN-3 MiniTuner \$49.95** plus \$4 shipping  
**ANT-2 Skywire antenna** (See pg. 14 for specs) **\$29.95** plus \$3.75 shipping  
**CB 50 \$19.95** or **CB100 \$29.95** (See page 26)  
**CKSW Accessory Kit \$12.95** plus \$3 UPS shipping  
*(includes 20' antenna wire, banana plug, 3 adaptors for all portable and multiband tabletop radios equipped for external antenna connections.)*

Shipping charges for system ordered together: \$8.00 UPS; \$12 UPS 2nd Day Air; \$8 US Priority Mail; \$13.50 Canadian UPS; \$16 Canadian Air Parcel Post

### SPECIFICATIONS

**Frequency Range:** 100 kHz-30MHz in 4 bands  
**Circuit:** Series-tuned L-section filter  
**Tuner:** 365 pF air variable capacitor, ball bearing drive  
**Input connector:** SO-239 (UHF, female) with random wire provision  
**Output connector:** PL-259 (UHF, male) on 24" coax cable  
**Enclosure:** Custom formed aluminum  
**Dimensions:** 4"W x 2"H x 3"D  
**Weight:** 12 ounces



Improve reception with  
this agile filter!

**MFJ 752C Signal Enhancer II**



Reduce interference and enhance sound with the latest all-mode, dual, tunable filter. Connect between your receiver's or scanner's external speaker jack and an external speaker or headset, then tune the two filters to peak or notch audio signals.

Remove annoying whistles with the 70 dB notch filter. Set audio bandwidths from a sharp 40 Hz to full range sound. Suppress static crashes and impulse noise with the ANL clipper.

External speaker, headphones and AC power supply required.

Order **FTR1** **\$94<sup>95</sup>**

\$5 UPS Shipping; \$8 UPS 2nd Day  
\$7.50 US Priority Mail; \$11 Canadian Air PP  
\$10 Canadian UPS

**ACCESSORY:** ACC95 AC Power Supply \$9.95

**Lightning/EMP Protector for  
Scanners and Shortwave Receivers**

While nothing can withstand a direct lightning hit, the new Grove LA-1 connects between your antenna cable and radio to prevent induced voltages from nearby lightning strokes, high-powered transmitters, and other massive energy surges from burning out your equipment\*



Appearance may vary

Not a flimsy spark gap or simple diode shunt, the Grove LA-1 uses state-of-the-art gas discharge technology, proven in government tests to be the best deterrent against lightning and electromagnetic pulse (EMP) surges.

Responds in one ten-millionth of a second to short-circuit bursts of 250,000 volts at currents of 5000 amps, while allowing normal signal voltages (and even control voltages up to 50 volts AC or DC) to pass undisturbed! Extremely low signal loss—0.2 dB at 1500 MHz! Ideal for protecting scanners, shortwave receivers, CB equipment, VCRs, TVs, satellite receivers, FM stereo systems and more.

The tiny protector measures only 3/4"D x 1-1/2"L and comes equipped with standard F connectors for home entertainment equipment and Grove accessories. Adaptors are available as shown below.


- LA1F** (equipped with F connectors) **\$19.95**
- LA1B** (equipped with BNC connectors) **\$24.95**
- LA1P** (equipped with PL-259 UHF connectors) **\$24.95**
- LA1M** (equipped with Motorola connectors) **\$29.95**

\$3 UPS; \$5.50 UPS 2nd Day;  
\$6 Canadian APP; \$8 Canadian UPS

\*Will not prevent AC power line surges; such protectors are available from Radio Shack, computer stores, and most department stores.

**The Grove Skywire Antenna**

Now with improved waterproof feedline connector at no extra charge!



HAMS! Ideal for transmitting when used with a transmatch. (1.8-30 MHz at up to 250 watts)

*Outdoor dipole for worldwide shortwave reception*

Highest performance and lowest cost—an unbeatable combination! Why restrict your frequency coverage with the gaps found in expensive trap dipoles or unpredictable random wire when you can get unsurpassed full-frequency reception with the Grove Skywire?

Comes assembled with SO-239 UHF female connector ready for your PL-259 (UHF male) equipped coaxial cable (50 or 75 ohm) see page 26; includes two professional porcelain end insulators and complete instructions.

Order **ANT 2** **\$29<sup>95</sup>**

\$3.75 UPS; \$6 UPS 2nd day  
\$4.50 Priority Mail;  
\$6.50 Canadian Air PP;  
\$8 Canadian UPS

**ACC101** CH239 SW Dipole Connector only **\$9.95**  
plus \$3 UPS shipping

**SPECIFICATIONS**

- Length:** 66 feet
- Feedpoint impedance:** 50 or 75 ohm (nominal)
- Feedpoint location:** 22 feet from end
- Elements:** 18 AWG (16 x 30) bare stranded copper
- Connector housing:** Heavy duty black phenolic

**Portable  
Shortwave  
Reel  
Antenna**



Have you ever been in a situation with your shortwave portable where you just know a few extra feet of antenna would bring in that weak station? This new reel antenna is the answer!

23 feet of insulated wire rolls up by a finger spool into a pocketable package for convenient storage; clip it to your whip antenna and reel out whatever length you need for signal improvement!

Order **ANT 15** **\$8<sup>95</sup>**

\$3.75 UPS; \$6.50 UPS 2nd Day Air; \$3.50 US Parcel Post  
\$6 Canadian Air Parcel Post; \$8 Canadian UPS





# Choosing a Scanner

Copyright 1992 by Grove Enterprises Inc.  
P.O. Box 98, Brasstown, NC 28902 (Phone 704-837-9200)

## Caveat: ECPA '86

The Electronic Communications Privacy Act of 1986 forbids the monitoring of certain services receivable on scanners. Although there is no evidence at present that the new law is being enforced, violations are punishable by fine and/or imprisonment. The following list is included as a guide only and Grove Enterprises assumes no liability for its accuracy or interpretation.

The law forbids monitoring: 1. Encrypted or scrambled signals; 2. Paid subsidiary carrier authorization (SCA); 3. Mobile telephones or voice paging; 4. Remote broadcast or studio/transmitter links.

You may monitor any other transmission "readily accessible to the public" including public safety, federal and military, aircraft and maritime, amateur and CB, business and industrial, private land mobile, cordless telephones, and any interference-causing protected transmission long enough to identify its source.

The consumer electronics marketplace bulges with products competing for your dollar. By following a few simple rules you will make the right choice in buying that new scanner.

### FREQUENCY RANGE

The most common frequency ranges monitored by scanner enthusiasts are: 30-50 MHz (VHF low band), 144-174 MHz (VHF high band) and 450-512 MHz (UHF). Most scanners now include the 406-420 MHz federal government land mobile and 420-450 MHz amateur band as well. These bands all utilize narrow band FM for communications.

The civilian VHF aircraft band (118-136 MHz, AM mode) provides another interesting target for monitoring as does the emerging 806-960 MHz band, sometimes called the cellular band or microwave mobile (806-960 MHz), now in use in all major metropolitan areas. Very few receivers include the military UHF aircraft band (225-400 MHz, AM mode).

The prospective scanner buyer should decide which of these aspects of listening are of greatest interest before purchasing a radio.

### PROGRAMMABLE OR CRYSTAL?

Stay away from crystal type scanners unless you won't be changing frequencies. For the majority of listeners, keyboard programmable scanners are the way to go—no question about it.

### MOBILE, BASE, OR HAND HELD?

Scanners come in a variety of models to meet the particular needs of the listener. Do a lot of driving? Install a mobile unit. Constantly

in and out of the car, office or home? You may prefer a hand-held. Do most of your listening in the office or home? A base unit would be more practical.

Many models are capable of more than one application, accepting power from AC mains as well as mobile battery supply. AC wall adaptors charge batteries in hand-helds and power the scanner when plugged in.

Most hand-held scanners have small speakers which do not compete well in a noisy environment; an earphone or external speaker will solve that problem.

### TECHNICAL SPECIFICATIONS

The terminology used to rate a scanner's performance may be explained simply.

**Sensitivity** refers to the weakest signal voltage that the radio will respond to readably; the lower the number, the better. Good sensitivity is about 0.5 microvolts.

**Selectivity** is the radio's ability to reject adjacent frequency interference; the sharper, the better, especially in urban areas. Average selectivity for a scanner would be about 30 kHz (sometimes stated as +/- 15 kHz) at -50 dB.

**Dynamic range** is the ability of a scanner to handle extremely strong as well as extremely weak signals. Since none of them does it very well, this specification is never given.

**Intermodulation** ("intermod") is an internally-generated interference produced when strong signals mix together, producing spurious signals. It is often recognizable because of its distorted contents from two or more signals. Intermod results from inadequate dynamic range.

**Images** are produced in every receiver. They are recognizable as a duplicate of the legitimate signal, offset by 21.4, 21.6 or 21.7 MHz (twice the intermediate frequency—I.F.) from the actual frequency, depending upon the scanner. With up-conversion design, image frequencies fall outside the tuning range and aren't a problem.

### WHICH SCANNER IS THE BEST?

Like answering "Which car is the best?", we must list qualifications. At the present time, programmable scanners are available from Uniden, ICOM, AOR, Radio Shack, and Cobra. Additionally, the Yaesu FRG-9600, Kenwood RZ-1, and ICOM R-1, R-100, R-7000 and R-9000 offer VHF/UHF coverage and scannable memories.

Most popular scanners have excellent sensitivity and reasonable selectivity (reject adjacent channel interference), but suffer from intermodulation and image interference from strong signal overload, especially when used with an outdoor antenna.

The PRO-2006 is more immune to interference from intermodulation and images, making it an excellent choice for strong or weak signal areas like large cities.

In comparison, while the Bearcat BC760XLT and BC800XLT have superb sensitivity, they are easily overloaded by strong signals; use them in rural or deep suburban locations, or with their own attachable whip antennas in the city.

### SCANNER ANTENNAS

**HAND-HELD** - The whip antenna included with your scanner is fine for local reception of strong signals, but if you are interesting in reaching out further, a larger external antenna is necessary. The Grove ANT-8 adjustable whip will increase range on any hand-held scanner or transceiver equipped with a BNC connector (not screwthread).

Hand-held radios may also be connected to mobile and rooftop base antennas as well, provided they are equipped with BNC connectors.

**MOBILE** - Inside a vehicle, a scanner's



## COAXIAL CABLE

attachable whip is shielded by the vehicle body and an external antennas is recommended. A rooftop location is ideal, providing uniform response in all directions. Mounted elsewhere (fender, trunk, bumper), the pattern will favor the direction of the car body.

The short length and low height of mobile antennas limit their distance, and loading coils restrict their frequency range. 800 MHz coverage is more by accident than design. The mobile scanning enthusiast must be content with local listening.

Mobile scanner antennas like the popular Grove ANT4 come equipped with a Motorola plug or BNC connector and have strong magnetic bases which will not come loose at normal road speeds.

Amplified antennas like the Diamond D505 offer much greater range, but may overload and cause intermod in strong signal areas.

If an outside antennas is undesirable, the car's existing AM/FM antenna may be used with a multicoupler like the Grove ANT-63 with some compromise in signal strengths. In weak signal areas, a preamplifier like the Grove PRE-4 will boost reception range.

**BASE** - Many discones advertise 25-1300 (or higher) MHz response. While it is true that any antenna will get some signals at virtually any frequency, most discones have poor response below 100 MHz and erratic response above that.

Several discones are extremely well constructed including the Diamond D-130. It is an excellent, omnidirectional, VHF/UHF transmitting antenna and performs well for local reception.

Most low-cost base antennas work well for local coverage (25-50 miles distance). Remember, the smaller the dimensions of the antenna, the poorer it will perform on low band (30-50 MHz).

The best nondirectional, all-band scanner antennas on the market are the Antennacraft ANT-7 Scantenna, sold by Grove, and the Channel Master 5094A MoniTenna available from Channel Master.

An "omnidirectional" antenna mounted within a couple of feet of a metal mast or another antenna becomes directional due to signal reflection. In this case, turn the mast or antenna while listening to signals of interest to determine the best overall position, then tighten it down.

For extended range, a directional antenna like the new Grove Scanner Beam, used with an inexpensive TV rotator, offers gain in its forward direction while receiving local signals all around. VHF and UHF reception in excess of 100 miles under favorable conditions are possible.

At VHF/UHF frequencies, common CB-type RG-58/U coax will actually absorb signals. We recommend low-loss RG-6/U like the Grove CB-50 and CB-100 cables with custom connectors. It offers 100% shielding, small diameter, flexibility and low cost.

For the lowest possible losses, especially in runs in excess of 100 feet, use Belden 9913 or RG-11/U mini. These cables and connectors are available from some electronics distributors and TV and video accessory outlets.

Don't be concerned with impedance; although your scanner is designed to work with 50 ohm cable, no antenna made maintains a constant impedance over the wide frequency range of modern scanners. You want low loss and 100% (or close to it) shielding.

## PREAMPLIFIERS

One of the most misunderstood accessories is the preamplifier. Its purpose is to boost weak signals which would remain unheard on a receiver without it. To do this it needs to have a very low noise figure, but very little gain.

Antenna-mounted preamplifiers are especially helpful in overcoming losses in long coaxial cables (over 100 feet and above 400 MHz).

Wideband (untuned) preamplifiers like the Grove PRE-4 work well in low-signal-strength environments, but when used with outside antennas in a metropolitan area they saturate easily, causing desensitization (signals are weaker than before) and generate intermodulation (spurious signals) as well.

## FILTERS AND ATTENUATORS

One of the most common causes of interference is strong signal overload. An attenuator reduces all signals, regardless of frequency, by the same amount; band-reject (stop-band) filters and wave traps remove a specific swath of spectrum; low-pass filters cut off all signals above a certain frequency; high-pass filters cut off all frequencies below a certain frequency; and notch filters attempt to remove one specific frequency.

The Grove FTR-5 is a combination filter designed to reduce interference from shortwave, AM, TV and FM broadcast stations, a common problem, as well as any one user-selected signal in the 100-174 MHz range.

## A Scanner Sampler

The spectrum above 30 MHz is saturated with two-way intrigue—air to ground, ship to shore, military and federal government, public safety, hams, businesses, trains—if you know where to look.

By convention, the VHF and UHF portion of the bands are divided into discrete segments (bands), names as follows: 30-50 MHz, VHF low band; 72-76 MHz, VHF mid band; 108-174 MHz, VHF high band; 225-512 MHz, UHF; and 806-960 MHz, microwave mobile or cellular band.

35.02	McDonald's order window
40.50	Army Search/Rescue
41.50	Army aircraft
46.61-46.97	Cordless phones
46.75	Pres. Helicopter
47.42	Red Cross
49.83-49.89	Wireless baby monitors
121.5	Air emerg/calling
122.0	Flight weather
122.2	Flight service
122.75	Gov't air to air
122.8	Small airport UNICOM
122.9	gov't aircraft
122.925	Natural resources air
123.1	Air search & rescue
123.45	Pilots air to air
126.2	Military air towers
135.575-	
135.625	ATS-3 satellite
143.625	Russian Mir cosmonauts
148.15	Civil Air Patrol
150.00	Russian satellite
151.625	Itinerant walkie talkies
154.37	Fire mutual aid
155.34	Hospital/ambulance
155.37	Police/mutual aid
156.8	Boats call/distress
157.05	Coast Guard
157.10	Coast Guard
157.15	Coast Guard
162.40-	
162.55	Weather service
163.200	U.S. Marshall
165.2875	ATF
165.375	Secret Service
165.950	IRS
167.050	FCC
167.5625	FBI
170.875	Federal Prisons
170.925	Federal Prisons
236.6	Air Force Towers
241.0	National Guard
243.0	Military aircraft calling/distress
255.4	Mil flight weather
257.8	Mil tower calling
259.7	Space Shuttle
311.0	SAC primary
321.0	SAC secondary
344.6	Mil flight weather
349.4	MAC primary
381.8	CG aircraft
415.200	Fed protection service
415.700	Air Force One
417.200	Fed Protection Service
462.95-	
463.175	Paramedics
464.500	PGA tournament
469.500	NASCAR racing



Let's go batty over this sale!

ICOM prices have increased over 18%, but, as a Grove customer, you can still purchase ICOM products at previously low prices while supplies last!

# ICOM R7100

## VHF/UHF Communications Receiver

ICOM has done it again! They took the most popular features of the legend R7000, added a few features that listeners wanted, and released this new, compact receiver.

The R7100 offers continuous frequency coverage (no gaps) from 25 to 2000 MHz on a brilliant LCD readout, selectable tuning steps, USB/LSB/AM/FM modes with wide and narrow selectivity switching.

900 scannable memory locations store frequency, channel number, mode and search steps; ten search banks with memory channel lockout, 5 or 12 channel-per-second scan speed and scan-resume delay are also found on this model.

High sensitivity and stable SSB reception are additional perks, as are sensitive, all-mode squelch and easy pushbutton function selection.



Call now for special \$60 rebate from ICOM!

Order SCN15

\$1139<sup>95</sup>

\$16.50 UPS; \$33 UPS 2nd day air; \$35 US Priority Mail; \$27 Canadian UPS; \$43 Canadian Air Parcel Post

### SPECIFICATIONS

Frequency range: 25-2000 MHz  
 Keypad frequency entry: Yes  
 Tuning steps: 100 Hz; 1/5/10/12.5/20/25/100 kHz; 1 MHz  
 RIT (fine tuning): No  
 Display: LCD  
 Dimmer: yes  
 Type of listening recommended: Utility monitoring  
 Receiving modes: AM, WAM, FM, WFM, NFM, USB, SSB  
 Memory: 900 channels  
 Scan: 5/12 ch/sec  
 Banks: 9  
 Lockout: Yes  
 Priority: Yes  
 Search: Yes  
 Delay: 0/2/5/10 seconds; infinite  
 Squelch: Yes  
 Clock: Yes with 2 event timer  
 Audio output power: 2 W @ 10% THD  
 Record output: Yes  
 Recorder activator: Yes  
 S meter: analog  
 Computer interface: Optional

Conversion scheme: Triple up-conversion under (778.7 or 266.7, 10.7 MHz; 455 kHz)  
 Sensitivity: 0.35 mV NFM  
 Selectable preamplifier: No  
 Selectable attenuator: Yes  
 Selectivity: @-6dB: 2.4 kHz SSB, 6 kHz AM/NFM, 15 kHz AM/FM, 150 kHz WFM  
 Image rejection: 50 dB  
 Frequency stability: +/- 1.5 ppm 25-250 MHz, +/- 5 ppm 25-1000, +/- 10 ppm 1300 MHz  
 Selectable AGC: No  
 Dynamic range: Unknown  
 Passband tuning: No  
 Noise blanker/limiter: ANC  
 Adjustable notch filter: No  
 Tone Control: No  
 Antenna connector: N female  
 Auxiliary connector:  
 Dimensions: 9-1/2"W x 3-3/4"H x 9-1/2"D  
 Weight: 13 lbs.  
 Power requirements: 13.8 VDC, 117/240 VAC  
 Warranty: One year  
 Accessories included: Plugs, fuses, DC cord, spare screws

### OPTIONAL ACCESSORIES

(\*Call for price and availability)

- \*Remote control
- \*Computer Interface
- ACC36 UT36 Voice Synthesizer \$33.95
- ACC71 SP20 Speaker \$139.95
- ACC72 TVR7100 Video Adaptor \$209.95
- ACC74 CT17 Level Converter \$95.95
- ACC78 Service Manual \$25
- ACC83 MB5 Mounting Bracket \$25.95
- ANT8N 46" Extendable Ship Antenna \$23.95
- Installation of one or more accessories \$20

# ICOM R7000

## Continuous Coverage VHF/UHF Receiver!

Used by government and military agencies worldwide, the ICOM R7000 provides total spectrum 25-1000 (triple conversion) and 1025-2000 (quadruple conversion) MHz frequency coverage with 100 Hz fluorescent readout accuracy! Add to this enormous tuning range 99 memory channels with priority function, keyboard entry or dial tuning, FM/AM/SSB modes, five tuning speeds, S-meter/center tuning meter, 2.8/9/15/150 kHz filter selection, noise blanker, internal speaker with 2.5 watts of audio power, spurious signal suppression greater than 60 dB, high sensitivity, and programmable scanning with auto-write memory, and you have the most advanced scanner receiver ever designed for the serious VHF/UHF listener.

Order SCN4

Retail ~~\$1199~~

\$999<sup>95</sup>

\$16.50 UPS; \$33 UPS 2nd day air; \$35 US Priority Mail; \$27 Canadian UPS; \$43 Canadian Air Parcel Post



## Icom R-100 MOBILE/DESKTOP SCANNER



For the full-spectrum listener, this compact scanner is hard to beat: continuous tuning range from 100 kHz through 1856 MHz with direct keypad entry or knob tuning, 100 channel memory, switchable preamp and attenuator, programmable 24-hour clock timer, 10 search ranges, LCD bargraph S meter, AM and wide/narrow FM mode detection (no SSB) just begin the list of features.

Grove discount price only

Order **SCN14**

**\$599<sup>95</sup>**

Call now for special \$60 rebate from ICOM!

**ACCESSORIES:**  
ACC75 AC Adaptor \$24.95

\$8 UPS; \$14 UPS 2nd Day Air;  
\$16 US Priority Mail  
\$12 Canadian UPS;  
\$19 Canadian Air Parcel Post

### SPECIFICATIONS

**Frequency range:** 100 kHz-1856 MHz  
**Keypad frequency entry:** Yes  
**Tuning steps:** 1/5/8/9/10/12.5/20/25 kHz  
**RIT (fine tuning):** Tuning knob  
**Display:** Backlit LCD  
**Dimmer:** On/Off  
**Type of listening recommended:** Domestic and international broadcasting, including FM and TV audio; VHF/UHF scanning  
**Receiving modes:** AM, narrowband FM, wideband FM  
**Memory:** 100 channels  
**Scan:** Three modes/20 channels per second  
**Banks:** Ten with programmable characteristics  
**Lockout:** Yes  
**Priority:** Yes

**Search:** 10 ranges  
**Delay:** 3 programmable functions  
**Squelch:** All modes  
**Clock:** 24 hour with timer and sleep switch  
**Audio output power:** 2.5 watts  
**S meter:** LCD bargraph  
**Computer interface:** No  
**Conversion scheme:** Triple conversion  
**Sensitivity:** 500 kHz-1.6 MHz 10 uV AM; 1.6-50 MHz 5.6 uV narrow FM/3.3 uV AM; 50-905 MHz 0.4 uV narrow FM/1. uV AM  
**Selectable preamplifier:** 15 dB  
**Selectable attenuator:** 20 dB  
**Selectivity:** (-6 dB) narrow FM 15 kHz; 180 kHz wide FM; AM 6 kHz  
**Image rejection:** Unknown  
**Frequency stability:** Unknown

**Selectable AGC:** No  
**Dynamic range:** Unknown  
**Passband tuning:** No  
**Noise blanker/limiter:** Yes  
**Adjustable notch filter:** No  
**Tone control:** No  
**Antenna connector:** BNC  
**Auxiliary connector:** No  
**Dimensions:** 5.8"W x 2"H x 7.1"D  
**Weight:** 3.1 lbs.  
**Power requirements:** 12 VDC  
**Warranty:** One year  
**Accessories included:** VHF/UHF telescoping antenna, HF wire antenna, DC power cable, mounting bracket, fuses, speaker plug, cable tie and screws.

## ICOM R1 General Coverage Pocket Scanner

Imagine, a shortwave and VHF/UHF scanner with continuous 100 kHz-1300 MHz (no gaps!) frequency coverage that fits in your shirt pocket! You select the mode—AM, FM wide or narrow—and install up to 100 of your favorite shortwave and scanner frequencies into memory. An edge-lit LCD shows frequency, memory channel, and other settings as well.

Less than 2" wide, the R1 scans, searches and autoloads, has knob tuning, a signal strength indicator, and even a 24-hour clock timer! This high-sensitivity scanner comes with flex whip, rechargeable battery, AC wall charger/adaptor and belt clip.



Order **SCN13**  
Retail **\$599**

Only

**\$449<sup>95</sup>**

\$6 UPS; \$9 UPS 2nd Day Air; \$11 US Priority Mail  
\$9 Canadian UPS; \$12 Canadian Air Parcel Post

### ACCESSORIES:

<b>ANT8</b>	Range extending telescoping whip	<b>\$16.95</b>
<b>ACC19</b>	R1 Carrying case (no battery pack)	<b>\$19.95</b>
<b>ACC30</b>	BP-90 Replaceable AA battery case	<b>\$16.95</b>
<b>ACC33</b>	BP-90 Carrying case	<b>\$19.95</b>
<b>ACC32</b>	BP-84 Triple-life battery pack	<b>\$75.95</b>
<b>ACC34</b>	BP-84 Carrying case	<b>\$19.95</b>
<b>ACC31</b>	CP-12 Cigarette power cord	<b>\$18.95</b>
<b>ACC48</b>	BC-72A Desk Charger	<b>\$99.95</b>
<b>ACC76</b>	Service Manual	<b>\$25</b>
<b>ACC90</b>	BA12 Battery Charger Adaptor	<b>\$17</b>
<b>HDP1</b>	Headphones	<b>\$19.95</b>

### SPECIFICATIONS

**Frequency range:** 100 kHz-1300 MHz  
**Keypad frequency entry:** Yes  
**Tuning steps:** 0.5/5/8/9/10/12.5/15/20/25/30/50 kHz  
**RIT (fine tuning):** Tuning knob  
**Display:** Edge-lit LCD  
**Dimmer:** On/Off  
**Type of listening recommended:** Domestic & international broadcasting, including FM and TV audio; VHF/UHF scanning  
**Receiving modes:** AM, narrowband FM, wideband FM  
**Memory:** 100 channels  
**Scan:** 20 channels/second  
**Banks:** No  
**Lockout:** Yes  
**Priority:** Yes  
**Search:** 10 ranges with autoload  
**Delay:** 2 second, 10 second timed  
**Squelch:** All modes  
**Clock:** With on/off timer  
**Audio output power:** 150 milliwatts @ 8 ohms  
**Record audio output:** Earphone jack  
**S meter:** LCD bargraph  
**Computer interface:** No  
**Conversion scheme:** Trip conversion 266.7/10.7 MHz/455 kHz  
**Sensitivity:** NFM, 0.4 uV; AM, 0.79 uV; WFM 3.2 uV  
**Selectable preamplifier:** No  
**Selectable attenuator:** No  
**Selectivity:** (-6dB) AM 15 kHz; narrow FM 15 kHz; wide FM 150 kHz  
**Image rejection:** Not available  
**Frequency stability:** Not available  
**Selectable AGC:** No  
**Dynamic range:** Not available  
**Passband tuning:** No  
**Noise blanker/limiter:** No  
**Adjustable notch filter:** No  
**Tone control:** No  
**Antenna connector:** BNC  
**Auxiliary connector:** No  
**Dimensions:** 1-7/8"W x 4"H x 1-1/2"D  
**Weight:** 9.9 ounces  
**Power requirements:** Internal nicads; 120 VAC wall charger/adaptor included; 6-16 VDC external  
**Warranty:** One year  
**Accessories included:** Flex antenna, AC wall adaptor/charger, belt clip



**SPECIFICATIONS**

Frequency range: 29-54, 118-174, 406-512, 806-956 MHz (less cellular)  
 Keypad frequency entry: Yes  
 Tuning steps: 5/12.5 kHz determined by frequency range  
 RIT (fine tuning): No  
 Display: Edgelit LCD  
 Dimmer: On/Off  
 Type of listening recommended: VHF/UHF utilities  
 Receiving modes: AM/narrow FM determined by frequency range  
 Memory: 200 channels  
 Scan: 16 channels per second  
 Banks: 10  
 Lockout: Yes  
 Priority: Ten channels  
 Search: Yes  
 Delay: Individual channels  
 Squelch: Yes  
 Clock: No  
 Audio output power: 450 milliwatts  
 Record audio output: Earphone jack  
 Recorder activator: No  
 S meter: No  
 Computer interface: No  
 Conversion scheme: Double conversion  
 Sensitivity: 0.4 uV 29-54/136-174 MHz, 0.5 uV 406-512 MHz, 0.8 uV 118-136 MHz, 1uV 806-956 MHz  
 Selectable preamplifier: No  
 Selectable attenuator: No  
 Selectivity: (-55 dB) 50 kHz  
 Image rejection: Unavailable  
 Frequency stability: Unavailable  
 Selectable AGC: No  
 Dynamic range: Unavailable  
 Passband tuning: No  
 Noise blanker/limiter: No  
 Adjustable notch filter: No  
 Tone control: No  
 Antenna connector: BNC  
 Auxiliary connector: No  
 Dimensions: 2-11/16"W x 7-1/2"H x 1-3/8"D  
 Weight: 1-1/4 lbs.  
 Power requirements: 12 VDC (internal nicads)  
 Warranty: One year  
 Accessories included: Earplug, AC wall adaptor/charger, flex whip, leatherette case

The world's choice hand-held scanner at a popular price!

# Uniden Bearcat BC200XLT

Unlike its competitors, the BC200XLT comes equipped with a detachable nicad battery pack, leatherette holster, AC wall charger/adaptor, and earplug.

Instant weather scan is pre-programmed. Audio has plenty of punch for noise locations. The rugged, rubberized keypad has excellent tactile feedback.



Order **SCN9** Only **\$239<sup>95</sup>**  
Retail ~~\$469<sup>95</sup>~~

\$6 UPS; \$9 UPS 2nd Day Air; \$9 US Priority Mail  
\$10 Canadian UPS; \$12 Canadian Air Parcel Post

**ACCESSORIES:**

- ACC99** Extra Bearcat Battery pack **\$39.95**  
(plus \$4 UPS shipping if ordered separately)
- ACC16** Extra Metro West long-life battery pack **\$65.95**  
(see page 26 for more details)
- ACC70** Pro-Charge 7 (see page 26 for more details) **\$36.95**
- HDP1&** Headphones (see page 31 for more details) **\$19.95**
- ACC35** 3/32" Adaptor for headphones **\$1.50**

# Uniden Bearcat BC760XLT



Measuring a tiny 2" high by 7" wide and deep, this scanner is ideal for mobile installations. Many agencies use CTCSS ("PL") sub-audible encoding to separate groups of users. With the optional ACC96 decoder and ACC97 switch installed in your BC760XLT, you can choose which channels you want to

hear with normal squelch, and which will respond only to the proper tones all at the same time!

The 760 also has pre-programmed service search capability, just push a button to find active police, fire, aircraft, maritime, emergency, and weather channels!

Order **SCN12** Only  
Retail ~~\$399<sup>95</sup>~~

**\$269<sup>95</sup>**

\$7 UPS; \$12 UPS 2nd Day Air;  
\$15 US Priority Mail  
\$11.50 Canadian UPS;  
\$20 Canadian Air Parcel Post

**OPTIONAL ACCESSORIES**

- ACC96** CTCSS Squelch Decoder **\$59.95**
- ACC97** ON/OFF plug-in switch **\$10.95**  
(must use ACC96 and ACC97 together)
- ACC98** Preamplifier (plug-in) **\$29.95**
- Installation of ACC96 and 97 **\$10.00**

**SPECIFICATIONS**

Frequency range: 29-54, 118-174, 406-512, 806-956 MHz (less cellular)  
 Keypad frequency entry: yes  
 Tuning steps: 5/12.5 kHz determined by frequency range  
 RIT (fine tuning): No  
 Display: Backlit LCD  
 Dimmer: No  
 Type of listening recommended: VHF/UHF utilities  
 Receiving modes: AM, narrow FM determined by frequency range  
 Memory: 100 channels plus pre-programmed police, fire, aircraft, maritime, emergency, weather frequencies  
 Scan: 15 channels per second  
 Banks: 5  
 Lockout: Yes  
 Priority: Channel one  
 Search: Yes  
 Delay: yes  
 Squelch: Yes  
 Clock: No  
 Audio output power: 3 watts  
 Record audio output: External speaker jack; no activator  
 S meter: No  
 Computer interface: No  
 Conversion scheme: Dual conversion  
 Sensitivity: 0.4 uV 29054/136-174 MHz, 0.5 uV 406-512 MHz, 0.8 uV 118-136 MHz, 1uV 806-956 MHz  
 Selectable preamplifier: Optional accessory  
 Selectable attenuator: No  
 Selectivity: (-55 dB) 50 kHz  
 Image rejection: Unavailable  
 Frequency stability: Unavailable  
 Selectable AGC: No  
 Dynamic range: Unavailable  
 Passband tuning: No  
 Noise blanker/limiter: No  
 Adjustable notch filter: No  
 Tone control: No  
 Antenna connector: BNC  
 Auxiliary connector: No  
 Dimensions: 6-5/16"W x 1-5/8"H x 7-3/8"D  
 Weight: 1-1/4 lbs.  
 Power requirements: 12 VDC, 120 VAC wall adaptor Included  
 Warranty: 1 year  
 Accessories included: Mobile mount kit, DC cord, attachable whip



# Uniden Bearcat BC800XLT

Top of the Line — With Uninterrupted 800 MHz Coverage!



The BC800XLT features low, high, air, UHF and 800 MHz band coverage with 40 channels of memory and instant weather reception.

Other features include search capability, rapid scan (15 channels per second), powerful 1.5 watt audio amplifier, two telescoping antennas (one) for 800 MHz range, better than 1 microvolt sensitivity, 55dB selectivity @ +/- 25 kHz, instant weather reception, brilliant fluorescent display, AC/DC operation, direct channel access, individual channel delay, priority channel one, fully synthesized keyboard entry.

Order SCN 11

Retail ~~\$499<sup>95</sup>~~

Only

**\$239<sup>95</sup>**

\$7 UPS; \$13.50 UPS 2nd Day Air;  
\$16 US Priority Mail  
\$12 Canadian UPS; \$19 Canadian Air Parcel Post

## SPECIFICATIONS

Frequency range: 29-54, 118-174, 406-512, 806-912 MHz  
Keypad frequency entry: Yes  
Tuning steps: 5/12.5 kHz determined by frequency range  
RIT (fine tuning): No  
Display: Fluorescent  
Dimmer: No  
Type of listening recommended: VHF/UHF utilities  
Receiving modes: AM, narrow FM determined by frequency range  
Memory: 40 channels  
Scan: 15 channels/second  
Banks: 2  
Lockout: yes  
Priority: Yes  
Search: Yes  
Delay: Individual channel  
Squelch: yes  
Clock: No  
Audio output power: 1.5 watts  
Record audio output: External speaker jack; no activator  
S meter: no  
Computer interface: No  
Conversion scheme: Double conversion  
Sensitivity: 0.6 uV 29054/116-174 MHz, 0.8 uV 118-136/406-512 MHz, 1 uV 840-012 MHz  
Selectable preamplifier: No  
Selectable attenuator: No  
Selectivity: (-55 dB) 50 kHz  
Image rejection: Unavailable  
Frequency stability: Unavailable  
Selectable AGC: No  
Dynamic range: No  
Passband tuning: No  
Noise blanker/limiter: No  
Adjustable notch filter: No  
Tone Control: No  
Antenna connector: 2 Motorola (separate 800 MHz jack)  
Auxiliary connector: No  
Dimensions: 10-1/2"W x 3-5/8"H x 8"D  
Weight: 7.1 lbs.  
Power requirements: 120 VAC, 12 VDC  
Memory backup: 2 AA cells (not supplied)  
Warranty: One year  
Accessories included: Attachable whips (2)

## SPECIFICATIONS

Frequency range: 29-54, 108-174, 406-512, 806-956 MHz (less cellular)  
Keypad frequency entry: Yes  
Tuning steps: 5/12.5 kHz determined by frequency range  
RIT (fine tuning): No  
Display: Edgelit LCD  
Dimmer: No  
Type of listening recommended: VHF/UHF utilities  
Receiving modes: AM/narrow FM determined by frequency range  
Memory: 50 channels  
Scan: 5/15 channels per second (selectable)  
Banks: 5  
Lockout: Yes  
Priority: Channel one  
Search: Yes  
Delay: Individual channel  
Squelch: Yes  
Clock: No  
Audio output power: 1.3 watts  
Record audio output: Earphone jack  
Recorder activator: No  
S meter: No  
Computer interface: No  
Conversion scheme: Double conversion  
Sensitivity: 0.5 uV or better 29-512 MHz FM, 0.8 uV 108-136 MHz, 1 uV 806-956 MHz  
Selectable preamplifier: No  
Selectable attenuator: No  
Selectivity: (-55 dB) 50 kHz  
Image rejection: Unavailable  
Selectable AGC: No  
Dynamic range: Unavailable  
Passband tuning: No  
Noise blanker/limiter: No  
Adjustable notch filter: No  
Tone control: No  
Antenna connector: BNC  
Auxiliary connector: No  
Dimensions: 9"W x 6-1/2"D x 2-1/4"H  
Weight: 1 lb. 6 oz.  
Power requirements: 12 VDC  
Warranty: One year  
Accessories included: 120 VAC wall adaptor, whip

# Uniden Bearcat BC855XLT



Don't be fooled by its low price. The BC855XLT is a low-profile, desktop scanner with outstanding performance. Offering a frequency range of 29-54, 108-174, 406-512 and 806-956 MHz (less cellular, restorable), this sleekly-designed scanner includes 50 memory channels, individual channel lockout and delay, automatic squelch, priority, a non-volatile memory and powerful, crisp 1.3 watt audio!

All land mobile public service bands, civilian aircraft band, instant weather channel access are yours, and its BNC jack accommodates a snap-on whip (provided) or your external antenna. A 12-volt AC wall adaptor is included.

Order SCN8

Only

**\$189<sup>95</sup>**

Retail ~~\$299<sup>95</sup>~~

\$6 UPS  
\$9 2nd Day Air  
\$9 Priority Mail  
\$10 Canadian UPS  
\$12.50 Canadian Air Parcel Post



# Realistic® PRO-43 Handheld Scanner



Yes, Realistic is now leading the market with their new 200 channel, programmable, hand-held scanner with increased frequency range: 30-50, 118-174, 220-512 and 806-1000 MHz (less cellular).

Military and civilian aircraft, public safety, amateur, government, maritime, business--all VHF/UHF communications services in a compact 2-1/4"W x 5-3/4"H x 1-1/2"D handheld weighing only 14-1/2 ounces, sturdy belt clip and BNC flex whip included.

Runs off 6 AA alkaline or nicad batteries (not included). With its fast 25 per second scan rate, this triple-conversion scanner is a winning companion!

Order SCN 17  
Retail ~~\$349~~

Grove price only  
**\$299<sup>95</sup>**

\$6 UPS; \$9 2nd Day Air;  
\$9 Priority Mail  
\$10 Canadian UPS; \$12.50  
Canadian Air Parcel Post

**ACCESSORIES:**

- ANT 8 Range extending antenna \$16.95
- ACC47 Nicad batteries (6 required) \$1.95/each
- ACC100 AC Wall Adaptor/Charger \$6.95

**SPECIFICATIONS**

Frequency range: 30-50, 118-174, 220-512, 806-999.9875 Mhz  
Keypad frequency entry: Yes  
Tuning steps: 5/12.5/25 kHz determined by frequency range  
RIT or fine tuning: No  
Display: Edgelit LCD  
Dimmer: On/off  
Recommended use: VHF/UHF utilities  
Receiving modes: AM/FM narrow  
Memory: 200 channels  
Scan: 25 channels per second  
Banks: 10  
Lockout: Yes  
Priority: Channel one  
Search: 50 channels per second  
Delay: Individual channel, 2 seconds  
Squelch: Yes  
Clock: No  
Audio output power: 250 milliwatts  
Record audio output: Earphone jack  
Recorder activator: No  
Computer interface: No  
Conversion scheme: Triple conversion: 608/48.5 MHz/455 kHz  
Sensitivity: 1 microvolt or better  
Selectable preamplifier: No  
Selectable attenuator: No  
IF selectivity: (-50 dB) 40 kHz  
Antenna connector: BNC  
Auxiliary connector: No  
Dimensions: 2-1/4" W x 5-3/4"H x 1-1/2"D  
Weight: 14.5 ounces  
Power requirements: 9 VDC (6 AA cells)  
Warranty: One year  
Accessories included: Belt clip, flex whip antenna

*The Most Popular High-Performance Scanner  
Ever Made is Even Better  
and At a Grove Discount Price!*



# The Realistic® PRO 2006

With no crystals needed, this exceptional unit delivers a wide range of frequencies not found on most scanners—including public service, broadcast FM, military bands and CB! Resists strong signal overload interference.

Rapid 26-channel-per second scan and search complements this scanner's excellent interference immunity for metropolitan monitoring. Built-in speaker and telescoping antenna are included. Jacks provide for external speaker, tape recorder, and DC adaptor.

Order SCN 6  
Retail ~~\$399~~

**\$359<sup>95</sup>**

Plus \$7 UPS, \$12.50 2nd Day Air,  
\$15.50 U.S. Priority Mail  
Canadians: \$12 UPS, \$19 Air P.P.

Enhance your audio with an amplified speaker  
available on page 29!

**SPECIFICATIONS**

Frequency range: 25-520, 760-1300 MHz (less cellular)  
Keypad frequency entry: Yes  
Tuning steps: 5, 12.5, 30 (if cellular restored), 50 kHz  
RIT (fine tuning): No  
Display: Backlit LCD  
Dimmer: Yes  
Type of listening recommended: VHF/UHF communications; casual FM broadcast  
Receiving modes: AM, wide & narrow FM  
Memory: 400 channels; frequency and mode  
Scan: 26 channels per second  
Banks: 10  
Lockout: Individual channel  
Priority: Any channel  
Search: 26 channels per second  
Delay: 2 seconds, individual channels  
Squelch: Yes  
Clock: No  
Audio output power: 1.3 watts @ 8 ohms  
Record audio output: 600 mV @ 10K ohms  
Recorder activator: No  
Meter: No  
Computer interface: No  
Conversion scheme: Tripe up-conversion  
Sensitivity: 0.5 uV NFM 25-1100 MHz; 2 uV AM; 3 uV WFM  
Selectable preamplifier: No  
Selectable attenuator: Yes, 10 dB  
Selectivity: (-6-50 dB) 18/30 kHz NFM/AM; 300/600 kHz WFM  
Image rejection: Unavailable  
Frequency stability: Unavailable  
Selectable AGC: No  
Dynamic range: Unavailable  
Passband tuning: No  
Noise blanker/limiter: No  
Adjustable notch filter: No  
Tone control: No  
Antenna connector: BNC  
Auxiliary connector: No  
Dimensions: 8-1/2"W x 4"H x 8"D  
Weight: 4-3/4 lbs.  
Power requirements: 120 VAC @ 60 Hz; 13.8 VDC (10 watts)  
Warranty: One year  
Accessories included: Telescoping whip, manual



**NEW**

# Realistic® PRO-2026 Mobile Scanner



Made for Radio Shack by Uniden, the PRO-2026 has the major features of the popular BC760XLT, but is designed for mobile operation only (the Bearcat accessories will not work with the PRO-2026).

Frequency range is 29-54, 108-174, 406-512 and 806-956 MHz (less cellular). Any channel may be selected for priority, sampled every few seconds for activity. Factory-preset police, fire, ambulance, aircraft, marine and weather channels may be scanned by pressing the appropriate button when driving in new locations.

A great mobile scanner (mounting bracket included) at a great price, only \$189.95!

**Order SCN 16**

\$6 UPS; \$9 UPS 2nd Day Air;  
\$9 US Priority Mail  
\$10 Canadian UPS; \$12 Canadian Air Parcel Post

*Grove price only*


**\$189<sup>95</sup>**

## Specifications

**Frequency Range:** 29-54, 108-174, 406-512, 806-956 (less cellular)  
**Keypad frequency entry:** Yes  
**Tuning steps:** 5/12.5 kHz  
**RIT or fine tuning:** No  
**Display:** Fluorescent  
**Dimmer:** No  
**Recommended use:** Mobile  
**Receiving modes:** AM/NFM  
**Memory:** 100 channels  
**Scan:** 14 channels per second  
**Banks:** 5 banks of 20 channels each  
**Lockout:** Individual channel  
**Priority:** Any one channel  
**Search:** 19 steps per second  
**Delay:** Individual channel  
**Squelch:** Yes  
**Clock:** No  
**Audio output power:** 1.1 watts  
**Record audio output:** No  
**Recorder activator:** No  
**Conversion scheme:** Dual conversion, 10.8 MHz/450 kHz  
**Sensitivity:** 0.7 microvolts average  
**Selectable preamplifier:** No  
**Selectable attenuator:** No  
**IF selectivity:** (-50 dB) 30 kHz  
**Selectable AGC:** No  
**Antenna connector:** BNC  
**Auxiliary connector:** No  
**Dimensions:** 6-5/8"W x 1-5/8"H x 7-3/8"D  
**Weight:** 2 lbs. 3 oz.  
**Warranty:** One year  
**Accessories included:** Mobile mount kit

## Austin Condor High-Performance Flex Antenna

For years we have been looking for a replacement "rubber duckie" that really makes a difference on handheld scanners. It's here! The Austin "Condor" is guaranteed to improve weak signal scanner reception—on all frequency ranges—when compared to the original scanner antenna.




**Order ANT 14** *Only*

**\$29<sup>95</sup>**

\$3.75 UPS; \$6 UPS 2nd Day Air; \$4 US Priority Mail;  
\$8 Canadian UPS; \$6 Canadian Air PP

## The Grove Hidden Antenna



The Hidden Antenna may be used alone with your scanner for improved signal reception, over your attachable whip or may be connected to the powerful

Grove PRE4 or TUN4 for considerably increase signal strength on scanners and shortwave receivers.

This five-foot, thin-profile, flexible wire antenna can be hung in a corner, behind a drape—just about anywhere out of sight. Comes fully assembled with 20 feet of coax and F male connector, with 3 adaptors for PL259 (UHF), Motorola and BNC connections.

**Order ANT 6**

**\$19<sup>95</sup>**

*Only*

\$3.75 UPS; \$6.50 UPS 2nd day ; \$3.50 US Parcel Post  
\$6 Canadian Air Parcel Post; \$8 Canadian UPS






6-9 dB gain over other scanner antennas!

# SCANNER BEAM

The Best Scanner Antenna Money Can Buy!



Order ANT1

Only

\$59<sup>95</sup>

\$6 UPS; \$9.50 UPS 2nd Day  
\$11 US Priority Mail  
\$13 Canadian Air PP  
\$10 Canadian UPS

Only shipped in U.S. and Canada

Our world-renowned Scanner Beam has been improved to provide unexcelled 30-50 MHz low band reception, 108-136 MHz aircraft, 136-174 MHz high band, 225-400 MHz military aircraft and satellites, 406-512 MHz UHF, and 806-960 MHz microwave mobile.

HAMS NOTE—can be used for transmitting up to 25 watts on 144, 220, and 420 MHz bands. 50/75 ohms nominal impedance.

May be used with inexpensive TV antenna rotator for boresight accuracy, or fixed in one direction as required for those elusive, distant stations. Local signals still come in loud and clear from all directions.

Balun transformer, offset pipe and all mounting hardware included (requires TV type F connector on your coax—available on pg. 26). Approximate size 8'H x 5'L.

## THE SCANTENNA FROM ANTENNACRAFT!

This new, full-frequency, omnidirectional scanner antenna will equal or outperform any competitor on the market. Its dipole-cluster design utilizes broadband techniques to provide continuous frequency coverage from 25-1300 MHz, offering superb reception of public safety, civilian and military aircraft, hams, personal communication devices, maritime, CB — anything in its frequency range! Requires TV type F connector on your coax—available on pg. 26. Approximate size 7-1/2'H x 4-1/2'W.



Order ANT 7

Only

\$39<sup>95</sup>

Only shipped in U.S. and Canada

\$5 UPS; \$8 UPS 2nd Day Air; \$7 US Priority Mail, \$11 Canadian Air Parcel Post, \$10 Canadian UPS

## Professional Wideband Discone

Best Discone on the Market for VHF/UHF Receivers


The discone antenna is used by government and military agencies worldwide because of its recognized high performance, wide bandwidth characteristics. Now Diamond offers a professional grade discone at a popular price.

Designed for use with wide-frequency coverage VHF/UHF scanners and receivers, the Diamond D130J discone consists of 16 rugged, stainless steel elements and is capable of transmitting up to 200 watts in the amateur 50, 144, 220, 432, 900, and 1200 MHz bands.

As a receiving antenna, the D130J is omnidirectional for continuous 25-1000 MHz (and above) coverage. A base-loaded, vertical top element is used as a low band (30-50 MHz) frequency extender.

The elements are arranged on a 24-inch support pipe equipped with two strong mounting brackets to accommodate any standard mast-pipe (1" to 2-1/8" diameter).

Choose 50 or 100 feet of coax from page 26..



### SPECIFICATIONS

Frequency coverage	25-1300 MHz
Impedance	50 ohms nominal
Power rating	200 watts
Connector	UHF
Antenna style	Discone
Vertical length	66 inches
Weight	2.2 pounds

Order ANT 9 Only \$79<sup>95</sup>

\$5 UPS; \$7.50 UPS 2nd Day; \$7 US Priority Mail \$10 Canadian Air Parcel Post \$9 Canadian UPS

## SCANNER ANTENNAS



EXCLUSIVELY FROM GROVE!

### Designed for Today's Wide Frequency Coverage Mobile Scanners!

For years, mobile scanning enthusiasts have had to settle for compromised reception from antennas designed long ago for limited coverage scanners. Now, Grove offers the first high-performance mobile antenna designed in our labs for new, wide-frequency-coverage scanners.

Utilizing Grove's exclusive bifilar helix construction, this sleek, black, 24" fiberglass whip, mounted on a strong magnetic base, assures premium signal reception on 30-50 MHz low band, 88-108 MHz FM broadcast, 118-136 MHz aircraft, 136-174 MHz high band, 225-400 MHz military aircraft, 406-512 MHz UHF land mobile and 806-960 MHz microwave mobile.


Tested to withstand interstate highway speed and equipped with 12 feet of coaxial cable with Motorola and BNC connector, the ANT-4 will perform where others fail.

**ANT-4** **\$49.95**  
(Magnetic mount antenna with Motorola and BNC connector)

plus \$4.50 UPS; \$7.50 UPS 2nd Day; \$6 US Priority Mail  
\$9.50 Canadian Air Parcel Post; \$8.50 Canadian UPS

**ANT-4W** **\$24.95**  
(Whip antenna alone for your 3/8" x 24 TPI threaded mount)

plus \$3 UPS; \$6 UPS 2nd Day; \$4.50 US Priority Mail  
\$6 Canadian Air PP; \$7.50 Canadian UPS



## Windshield Mount Scanner Antenna



No holes and no magnets, this 22" Valor Glas-Master is designed for today's wide-frequency-coverage mobile scanners, 30-1200 MHz (not for transmitting). Simply clean an area on your rear window (cleansing pad included) and stick the antenna base to the glass. A companion coupler on the inside of the window does the rest!

15' of cable with BNC and Motorola connectors included—no assembly required.

**\$49.95** manufacturer's retail

*Grove price only*

Order **ANT 13** **\$39<sup>95</sup>**

\$4 UPS; \$7 UPS 2nd Day Air; \$5 US Priority Mail  
\$8 Canadian UPS; \$7.50 Canadian Air PP

**ACCESSORY: ACC94 Adhesive re-mount kit** **\$4.95**

## Extend the Reception Range Of Your Handheld Radio!

Today's hand-held VHF/UHF scanners and handie-talkies from Bearcat, Regency, Cobra, Radio Shack, ICOM, Yaesu, and Kenwood have excellent sensitivity and talk power, but their range is reduced by their short "rubber ducky" antennas. Grove has the solution!

Just replace that inefficient flex antenna with our universal full-length whip—and stand back! Extendable from 7 to 46 inches, the ANT-8 is made of chrome-plated brass and equipped with a standard BNC base. Transmits on 45-960 MHz; receives 25-1300 MHz.

If your interest doesn't include 30-50 MHz low band, choose our new ANT-19 with its full adjustability from 4"-18" (transmits and receives from 144-960 MHz).

Order **ANT-8** (7"-46") **\$16.95**  
**ANT-19** (4"-18") **\$12.95**  
**ANT-8B** (w/right-angle BNC adaptor) **\$21.95**  
**ANT-8N** (w/right-angle N adaptor) **\$23.95**

\$3.50 UPS; \$5.50 UPS 2nd Day Air  
\$4 First Class Mail ; \$4 Canadian small packet; \$7.50 Canadian UPS





# Grove's Outdoor Scanner Antenna System



\*Not recommended for metropolitan use

Start with our Scantenna or Scanner Beam then add our PRE-4 Wideband Preamp

The PRE 4 Power Ant has taken all the best from its successful predecessors and combined them into one powerful signal booster for scanners, even TV and FM stereos!

Equipped with a high gain, low noise, solid state amplifier stage, the PRE-4's front panel control allows custom selection of up to 20 dB of amplification!

The weatherproof remote booster module may be attached at the antenna for maximum effectiveness to overcome coax cable losses, or may be mounted on the back of the control box for convenience. Power is supplied to the remote module through your coax.

Two output connectors are provided allowing you to use two scanners on one antenna at the same time! All connectors are type F for maximum signal transfer. 120VAC/12VDC wall adaptor included.

## WHAT YOU NEED TO ORDER:

**ANT 7 Scantenna** (see page 23) **\$39.95**

or

**ANT 1 Scanner Beam** (see page 23) **\$59.95**

plus

**PRE 4 Preamp** **\$59.95** plus \$3.75 UPS shipping

**CK-SC Scanner Interconnect Kit** **\$12.95** plus \$3.00 UPS shipping

(includes one 3' F/F cable with adaptors for most scanners)

Shipping charges for system ordered together: \$10 UPS; \$17 UPS 2nd Day Air; \$15.50 US Priority Mail; \$17 Canadian UPS; \$20 Canadian Air Parcel Post

## SPECIFICATIONS

**GAIN:** 20 dB max.

**CONNECTORS:** Type F for signal line; 2.1 mm. DIN for power

**CABINET:** Custom formed aluminum, baked enamel finish

**DIMENSIONS:** 4"W x 2"H x 3"D

**WEIGHT:** 10 oz.

Connects to any scanner equipped with an external antenna jack

# Grove's Indoor Scanner Antenna System

The Apartment Dweller's Dream

The Grove Hidden Antenna System is a high performance, amplified indoor antenna for scanner monitoring. The 66-inch flexible ANT6 can be tucked in a corner, hung behind a drape—just about anywhere out of sight. And when connected to the powerful PRE4 signal booster, you have instant coverage from 30 to over 1000 MHz.

Yes, wide area scanner coverage will be at your fingertips, and you can operate two scanners



Hidden Antenna, as packaged, with Grove PRE4

## WHAT YOU NEED TO ORDER:

**ANT 6 Hidden Antenna** (see page 22) **\$19.95**

**PRE 4 Preamp** **\$59.95** plus \$3.75 UPS shipping

**CK-SC Scanner Interconnect Kit** **\$12.95** plus \$3.00 UPS shipping

(includes one 3' F/F cable with adaptors for most scanners)

Shipping charges for system ordered together: \$7 UPS; \$11 UPS 2nd day Air; \$8 US Priority Mail; \$15 Canadian UPS; \$13 Canadian Air Parcel Post

**"I wish to compliment you on the design of the PRE4. This is the best of three preamps that I have used for listening to the ATS-3 satellite. It beats the Radio Shack 15-1117 and the Ramsey 2 meter preamps in noise and amplification."**


--Martin Toomajian, Jr.  
Watervliet, NY

## SCANNER ACCESSORIES



Convert Your Car Antenna  
Into a Scanner Antenna!

### Mobile Antenna Multicoupler




How would you like to enjoy excellent 30-960 MHz mobile scanner reception using your existing AM/FM auto antenna? That's right; no holes, no magnets, no scratched paint or clumsy cables going through doors and windows. Ideal for low-profile monitoring installations where a separate scanner antenna is desirable.

The Para Dynamics PDC 63 Mobile Multicoupler takes only seconds to install and allows simultaneous use of your AM/FM car radio as well as your mobile scanner. Comes equipped with your choice of Motorola or BNC connector.

Order CPL-63M (Motorola) \$16.95  
Order CPL-63B (BNC) \$14.95

\$3.50 UPS; \$6.50 2nd Day Air; 4 US Priority Mail  
\$8 Canadian UPS; \$6 Canadian Air PP

### Dual Scanner Multicoupler




Would you like to connect two scanners (or one scanner with separate antenna jacks) to one antenna cable? The new Grove CPL-SC universal multicoupler is the answer! Insertion loss only 3 dB maximum; port isolation typically 25 dB; impedance 50-75 ohms.

Consisting of a wide-frequency-coverage splitter (25-1300 MHz or more) and two 3' output cables with adaptors for UHF (PL-259), Motorola, F, and BNC connectors (input and output), you'll be set for any combination.

Order CPL-SC \$29.95 \$3.50 UPS  
\$6.75 UPS 2nd Day Air  
\$4 US Priority Mail  
\$7.50 Canadian UPS  
\$6 Canadian Air PP

ADP 15 adaptor for ICOM  
AH-7000 discone, \$5.95



### Premium Low-Loss RG-6U Cable with Connectors

Have you had trouble finding the right coaxial connectors for linking your antenna and receiver? We can help! Simply tell us what connectors you need, or what antenna and radio you will be using. We will provide you with a cable which is ready to attach between your antenna and receiver!

Cable loss per 100 ft:  
1.6 dB @ 50 MHz  
2.6 dB @ 170 MHz  
4.6 dB @ 450 MHz

CB50 (50 feet w/ connectors) \$19.95

\$4 UPS; \$7.50 UPS 2nd Day; \$5.50 US Priority Mail;  
\$7.50 Canadian Air PP; \$8 Canadian UPS

CB100 (100 feet w/ connectors) \$29.95

\$4.50 UPS; \$7.50 UPS 2nd day; \$6.50 US Priority Mail;  
\$8.50 Canadian Air PP; \$9 Canadian UPS

No other lengths available

### Adaptors Available:

ADP1 UHF Female to F male  
ADP2 F Female to PL259 Male  
ADP3 F Female to N Male  
ADP4 F Female to Male Mini-Plug  
ADP5 N Female to BNC Male  
ADP6 UHF Female to Male Mini-Plug  
ADP7 UHF Female to N Male  
ADP9 F Female to BNC Male

ADP11 UHF female to MOT male  
ADP13 BNC/BNC (right angle elbow)  
ADP14 F female to MOT male  
ADP15 N female to F male  
ADP17 BNC female to F male  
ADP18 F/2 wires  
ADP19 UHF/2 wires


ADP22 MOT/BNC  
ADP24 BNC female to PL259 male  
ADP26 F/F Barrel  
ADP27 Banana Plug

Adaptors may be ordered separately for \$5.95 each. Free shipping if ordered with other products; \$1.50 for one or more shipped alone.

If you are unsure which adaptor is needed call Sue at 704-837-7081 for assistance.



# Metro West Long-Life Battery Pack for BC200XLT, BC205XLT, and BC100XLT



Over the years, MetroWest has introduced a number of innovative accessories for hand-held scanners, but none is more welcome than their new, double-life battery pack for the popular Uniden BC200XLT hand-held scanner.

The "Pro-Pack 1200" is numbered for its 1200 mAH charge capacity, twice that of the BP200 which comes with the BC200XLT from Uniden. The replacement look-alike slips right on the scanner to replace the original.

About 1/4" taller and slightly fatter than the Uniden pack, the Pro-Pack 1200 does not allow the top strap of the Uniden case to button over the top as it did before, but is still may wrap around the front or back securely.

Because the charger jack on the battery pack had to be relocated due to battery density, the scanner must be removed from its holster before it can be recharged. The user may wish to punch a second hole at the new location for plug-in convenience. An AC wall adaptor/charger is included.

Order ACC16

Only

**\$65<sup>95</sup>**

\$4 UPS; \$6.75 2nd Day Air; \$5.75 US Priority Mail  
\$8 Canadian UPS; \$8 Canadian Air PP



# Metro West Pro-Charge 7

## Drop-In Charger for the Metrowest Battery!

Charge your high-capacity Metrowest battery like the pros with this drop-in charger (not for original Bearcat battery pack). Automatic circuit provides a full charge in just seven hours, yet prevents overcharging! Powered by your 12 VDC wall adaptor or from the Grove ACC23 cigarette lighter cord.

Lightweight (8 oz.) and compact (3-1/4" x 4-1/2" x 1-3/4"); two-color LED indicator shows charge status.

Order ACC 70

Only

**\$36<sup>95</sup>**

\$4 UPS; \$6.75 2nd Day Air;  
\$5.75 US Priority Mail  
\$8 Canadian UPS; \$8 Can Air PP

# Rechargeable AA Nicad Batteries

(500 milliamp)

For use with the PRO-43 as well as other handheld scanners.

## Grove Discount Price

**\$1<sup>95</sup>/ea**

Order  
ACC 47

plus \$1.50 shipping  
any quantity

Back by popular demand!

# Universal Power Supply/Charger

Our universal AC adaptor is especially rugged, capable of switching to your choice of 3, 4.5, 6, 7.5, 9 or 12 volts DC at a current of 500 milliamps (1/2 amp)! Another switch lets you choose + or - polarity.

An array of plugs on its interconnect cord assures proper mating to any electronic accessory. Plugs into standard house current (120 VAC, 60 Hz).



Order  
ACC20

A \$15 dollar value for Only

**\$9<sup>95</sup>**

plus \$3 UPS or Priority Mail



## Communications Headphones

*Ideal for sports events!*


### For All Listening Requirements

Imagine—an ear-cushioned headset with adjustable volume controls for each earpiece and a stereo/mono switch built in! These new phones have a power handling capacity of 0.5 watts, frequency response of 20-18,000 Hz, sensitivity of 105 dB and 32 ohm impedance to match all external speaker/earphone jacks.

Perfect for any audio application—stereo systems, communications receivers and scanners. Coil cord with 1/4" plug included.



Actual appearance may vary



**Universal adaptor:** one or two 1/4" headphone jacks to 3/32" (2.5 mm) or 1/8" (3.5 mm) plug — fits all model scanners

**Order HDP 1**

*Only*

**\$19<sup>95</sup>**

\$5 UPS; \$7 UPS 2nd Day Air; \$5.50 US Priority Mail  
\$8.50 Canadian UPS; \$7.50 Canadian Air PP

**Accessories:**

ACC80 Universal Adaptor

\$12.95

ACC35 3/32" Adaptor (fits BC200XLT)

\$1.50

## Mobile Cigarette Lighter Power Adaptor for Bearcat Scanners!



Simply plug the Grove ACC23 into your vehicle's cigarette lighter to charge the batteries and/or operate your Bearcat scanner or any other mobile accessory, including radar detectors and the Grove PRE4 Power Ant, which use a 12 volts DC, center pin positive, 2.1 mm barrel connector.

**ACC23**

*Only*

**\$9<sup>95</sup>**

**INCLUDING FIRST CLASS MAIL SHIPPING**

## Clip-On Mini Speaker for Handheld Radios

Brand new! This tiny (2" square), lightweight (2-3/4 oz.) speaker plugs into any standard 1/8" (3.5 mm) earphone jack and provides excellent, concentrated sound when clipped to a lapel or collar. Ideal for crowded or noisy locations where you don't want your scanner blaring and don't want the confinement of an earphone.



**Order SPK 9**

*Only*

**\$9<sup>95</sup>**

\$3.50 UPS; \$5.50 UPS 2nd Day Air; \$3.50 Priority; \$6.75 Canadian UPS; \$5 Canadian Air PP

**ACCESSORIES:**

ACC35 3/32" (2.5 mm) adaptor \$1.50 (for BC200XLT, etc).

## Recoton Smart Charge Portable Power Station



**Order PWR1**

**\$79<sup>95</sup>**

Don't ever be caught in a power shortage again. This portable powerhouse from Recoton provides 3, 6, 9 and 12 VDC to your battery- or DC-operated equipment at currents of up to 10 amps (120 watts)!

Ideal for camping or emergency radio operation—ham, CB, scanners and shortwave receivers, other two-way radio equipment—camcorders, portable TVs and refrigerators during storm power outages, or even starting battery-dead vehicles and boats. Charges from convenient 120 VAC line or a vehicle cigarette lighter (plug included).

The internal safety-sealed, 6.5 ampere hour, lead-acid battery has an automatic shutoff to prevent overcharging; a built-in voltmeter alerts you at all times to output voltage and battery condition.

Lightweight (8 lbs) and compact (7" x 4" x 8"), this Recoton Smart Charge power station is UL listed for safety and quick-charges in only three hours from your cigarette lighter receptacle or eight hours from an AC wall receptacle.

plus \$7.25 UPS; \$15 2nd Day Air; \$15.50 US Priority Mail; \$12 Canadian UPS; \$20 Canadian Air Parcel Post

**NEW** Naval HTS-2  
Compact Amplified Speaker  
*Includes Tape Recorder Activator!*

Designed for handheld walkie talkies and scanners, this amplified speaker puts out a resounding one watt of audio in noisy locations!

Powered by AA nicads or alkalines, battery saver automatically shuts off power when no sound is present. It activates a tape recorder whenever sound is present (1/8", 3/32" cables included)!

Compact (2-3/4" W x 4-1/2" H x 2-1/4" D) and lightweight (10 ounces), this amplified speaker can be snugly placed on your radio desk or stuck by Velcro to your vehicle's dashboard. LED signal light, audio level adjustment and amplifier bypass switch are included!



Order  
**SPK11**

Only  
**\$29<sup>95</sup>**

**ACCESSORIES:**

- ACC23 Cigarette lighter power adaptor \$9.95
- ACC20 AC wall power supply \$9.95
- ACC47 Nicad rechargeable batteries \$1.95/each (4 required)

Plus 4.50 UPS; \$7.50 UPS 2nd Day Air; \$6 US Priority; \$9 Canadian UPS or APP

**Amplified  
Extension Speaker**

The new Grove SP10 amplified extension speaker turns your scanner's mousy squeak into a lion's roar! Your radio's volume control automatically sets the SP10's output power. Ideal for emergency vehicles—or your own car (rugged metal tilt bracket included). Fills noisy locations with clear, room-expanding sound.

Capable of delivering a powerful 10 watts when connected to your radio's external speaker or earphone jack, yet small enough for under-dash mounting. Connect the SP10 to your vehicle's 12 volt system for mobile applications, or order the SP10A for AC operation.

Imagine—crisp, room-filling sound from your Realistic, Bearcat, or other compact receiver. Sleek, black communications styling and no more small-speaker blues!



**SPECIFICATIONS**

- Dimensions:** 4-1/2"H x 5"W (less bracket)
- Weight:** 26 ounces
- Speaker size:** 4" square
- Impedance:** 3-16 ohms nom.
- Input audio voltage:** 1.5 V P-P max.
- Audio power:** 18 watts peak
- Operational power:** 12 VDC @ less than 200 mA typ.
- Audio cable:** 10 ft.; 3.5 mm (1/8") mini phone plug
- DC cable:** 5 ft., color-coded; in-line 2 A. fuse

Manufacturer's suggested retail: \$79.95

- Order **SP10** (for mobile use) only **\$39.95**
- Order **SP10A** (for 120 VAC) only **\$49.95**

plus \$4.50 UPS; \$7.50 UPS 2nd day; \$6 US priority; \$9 Canadian UPS or APP

*Check the electromagnetic radiation levels  
in your environment!*

**ELF RADIATION DETECTOR**  
**ONLY \$99<sup>95</sup>!**



Order **GSM2**  
**\$99<sup>95</sup>**  
Only


plus \$3.75 UPS; \$6 UPS 2nd Day Air; \$4.50 US Priority Mail; \$8 Canadian UPS; \$6.75 Canadian Air Parcel Post

By special arrangement with the manufacturer, Grove brings you this sensitive, dependable ELF (extremely low frequency) exposure meter to arm you against the hazards of electromagnetic radiation.

Not limited to just 60 Hz like competitive narrow-frequency units, this meter measures from 30-300 Hz to detect harmonic radiation from power lines and other sources.

Simply switch this pocket instrument on and read instantly the radiation from computers, radios, home stereo and video systems, appliances, power lines, electric blankets and more. Standard 9-volt battery included.

Choose from low-level **GSM2** (0.1-199.9 milligauss) or standard **GSM3** (1-1999 milligauss), only \$99.95 each including vinyl zipper pouch and informative instructions.



Order **GSM3**  
**\$99<sup>95</sup>**  
Only

plus \$3.75 UPS; \$6 UPS 2nd Day Air; \$4.50 US Priority Mail; \$8 Canadian UPS; \$6.75 Canadian Air Parcel Post



## Frequency Counter Facts

Frequency counters are among the most useful of all laboratory instruments, but their limitations as well as their advantages must be understood. Since they are broadband devices (untuned), they respond to all signals strong enough to be registered. If two or more signals are present at the same time, they will be measured at the same time—in a meaningless readout.

For this reason, in populated areas it is best to use a frequency counter with a short antenna located close to the source of signal to be measured; this way, only the desired signal frequency will be shown. A longer antenna may be used out in the country to measure a signal perhaps hundreds of feet away.

Now, use your Opto frequency counter to find the frequencies of public safety and business walkie talkies, cordless telephones, CB and ham transceivers, government and military transmitters, baby monitors, hidden bugs and wireless intercoms—anything radiating a steady signal in the frequency range of the frequency counter!

## Optoelectronics Pocket Frequency Counters



**Model #2300**

**Order CTR 4**

only

**\$125<sup>95</sup>**

We have added the necessary options and discounted the total for your best value! Ideal for calibrating signal generators, transmitters, for countermeasures applications, and for determining the unknown frequencies of transmitters, walkie-talkies, mobile radios, base stations, cordless phones, ham and CB radios, radio control units and other signal emitters.

These tiny, precision instruments offer outstanding sensitivity and TCXO (temperature compensated crystal oscillator) accuracy of 1 part per million. All prices include rechargeable battery pack and AC wall charger/adaptor, but not antennas (available from the list of accessories below). Units operate for several hours on a fresh charge, or continuously with the wall adaptor.

The effective range of these frequency counters varies from about one foot (cordless phones) up to 75 feet or more for more powerful transmitters.

For casual applications such as reading the frequencies of nearby transmitters, select the new 2300. Measuring a scant 3-1/2"W x 3-3/4"H x 1"D and weighing about nine ounces, it offers 1-2400 MHz frequency range, 8 LED readout and VHF/UHF sensitivity of 3 millivolts (3 mV).

Or, look at the advanced features of the new, premium 3000: Ten-digit LCD readout, optional backlite for clear night-time viewing; total-spectrum 10 Hz-3000 MHz frequency range—from sub-audible through microwave! 1 mV typical sensitivity; 16-segment LCD signal-strength bargraph for tuning nearby transmitters or tracking hidden transmitters; even lab measurement capability of period, time interval and ratio are included at no extra cost.

For surveillance applications ("sweeping" rooms for hidden bugs), an optional audible tone alerts you to the presence of an unseen transmitter, changing its pitch as you approach its hidden location without having to see the bargraph! A powerful pocket package at its advertised \$450, and an incredible value at Grove's price of only \$359.95!

### ACCESSORIES:

- ACC11 Zippered soft case (for 3000) \$15.95
- ACC18 Zippered soft case with display window (for 2300) \$12.95
- ANT19 4"-18" telescoping whip \$12.95
- ANT8 7"-46" long-range telescoping whip \$16.95
- ACC6 Test probe for circuit testing \$20.95



**Model #3000**

**Order CTR 6**

only

**\$349<sup>95</sup>**

**Optional backlite \$64.95  
and sweep tone**

### Shipping for above units:

- \$5 UPS; \$8 UPS 2nd Day Air; \$8 US Priority Mail
- \$9 Canadian UPS, \$10 Canadian Air PP





## SCANNER FILTER

Years ago, our first scanner filter allowed the listener to reject any signal in the VHF high band which was causing overload problems. It was a step in the right direction.

But interference problems, are far more severe now, with multiple sources disrupting listening. A simple notch filter is no longer the answer. Enter: The new Grove FTR5 Scanner Filter! Ideal for use with outside antennas and with signal boosters (preamplifiers)—anytime interference is troublesome.

An adjustable 100-220 MHz 30 dB notch filter allows you to reduce or eliminate single-frequency interference from aircraft, mobile telephone repeaters, paging signals, NOAA weather stations, nearby amateur or other repeaters.

High-Q microstripline circuitry features custom-wound inductors for deep interference rejection. A rugged weatherproof enclosure allows masthead mounting. Standard F connectors are provided for convenient interconnection with other adaptors or accessories.

A diode shunt array protects your scanner from nearby lightning strokes and high-powered transmitters. A high-pass filter removes shortwave feedthrough, while band-reject filters remove FM and TV broadcast interference automatically.

Nothing has been overlooked in this state-of-the-art 30-2000 MHz filter. Full instructions included.


<b>Order</b>	<b>FTR5</b>	<b>F connectors</b>	<b>\$39.95</b>	
	<b>FTR5B</b>	<b>BNC conn</b>	<b>\$44.95</b>	\$3 UPS; \$6 2nd Day Air
	<b>FTR5M</b>	<b>Motorola conn</b>	<b>\$44.95</b>	\$4 US Priority Mail;
	<b>FTR5P</b>	<b>PL259 conn</b>	<b>\$44.95</b>	\$8 Canadian UPS
	<b>FTR5N</b>	<b>N conn</b>	<b>\$44.95</b>	\$6 Canadian Air Parcel Post

### SPECIFICATIONS

Passes: 30-50, 118-174, 225-1500 MHz	Insertion Loss: less than 3dB
Rejects: 0-30, 50-118, 174-225 MHz	Dimensions: 6"L x 1-1/8"D
Frequency Range: 30-2000 MHz (nom.)	Weight: 3 ounces

## Hear Shortwave on Your Scanner!

How would you like to hear the 4-22 MHz worldwide shortwave stations on your scanner? If you presently have aircraft band coverage, the world is yours with the new CVR1 Scanverter module from Grove Enterprises! We even provide the antenna!



Not a kit, the Grove Scanverter module comes fully assembled and tested! Simply attach a 9 volt battery (not included) and listen to BBC, Radio Moscow, the Voice of America, even time and propagation alerts from WWV and CHU! And if your scanner covers 115-141 MHz (AM mode), you can hear your local AM broadcasters and even CB!

The Grove shortwave Scanverter connected to your scanner unleashes global listening power! A quick glance at your conversion chart tells you where to tune in signals and how to interpret your scanner's frequency readout for shortwave.

The CVR1 Shortwave Scanverter module comes complete with antenna and interconnect cable which plugs into your antenna jack (cabinet not included.) Tell us your scanner model when you order.

Order CVR 1 Only **\$39<sup>95</sup>**

\$3.50 UPS; \$6 UPS 2nd Day; \$6 Canadian UPS; \$6.75 Canadian APP

## GRE Super Amplifier



Would you like more range out of your hand-held scanner? Try the new GRE Super Amplifier with built-in battery and 20 dB (adjustable) gain from 100-1000 MHz!

BNC connectors allow the Super Amplifier to be mounted between the scanner and rubber ducky antenna; a bypass switch permits the unit to be disabled without having to remove it.

A 9-volt alkaline battery (not supplied) will provide up to 24 hours of continuous operation; a convenient external power jack permits the unit to be used continuously from a 9 VDC wall adaptor (not supplied).

Order PRE1 *Grove price only*  
**\$54<sup>95</sup>**  
 Retails for ~~\$69~~

\$3.75 UPS; \$6.50 UPS 2nd Day Air; \$5 US Priority Mail  
 \$8 Canadian UPS; \$7 Canadian Air PP

## RECEIVE CONTINUOUS 810-912 MHz ON YOUR PROGRAMMABLE SCANNER GRE SUPER CONVERTERS

Looking for the best way to get uninterrupted 810-912 MHz coverage on your hand-held or desktop scanner? Whether your scanner doesn't have that range now, or is one of the models with certain 800 MHz frequencies factory-censored, these high-sensitivity converters from GRE will fill in the gap!

Simply install a nine-volt battery (not supplied); BNC connectors are provided to interconnect with your scanner. Use an 800 MHz-capable external antenna or attach a whip adjusted to about 4" (or 12" for gain) like the Grove ANT-19 (\$12.95) or ANT-8 (\$16.95).

When you tune 410-512 MHz on your scanner, you will be receiving 810-912 MHz! Just add 400 to the frequency displayed on your scanner, and you'll know your receive frequency when the scanner is switched on. A handy bypass switch allows you to restore normal operation of your scanner without having to remove the converter.



Super Converter II for handheld scanners



Super Converter 9001 for tabletop scanners

Factory price ~~\$94~~

ORDER CVR2 for hand-held scanners: \$79.95

ORDER CVR3 for desktop or mobile scanners: \$84.95


\$4 UPS; \$6.75 UPS 2nd Day; \$6 US Priority Mail  
 \$8 Canadian Air Parcel Post; \$8 Canadian UPS



Seth Thomas

## 24-Hour Studio Clock

For the "Professional Touch"



Seth Thomas

Nothing lends an air of authority in a radio station like the clock on the studio wall. It is traditional, recognizable, functional, and now, with a modern precision quartz movement, accurate to 1/2 second per day.

This studio clock from Grove Enterprises is a professional 13" Seth Thomas, featuring a 24-hour movement with bold, black numerals and a red sweep-second hand.

A convenient set knob allows precise set-up at installation; add an inexpensive alkaline AA cell (not included) and you have at least a year of unattended, accurate time — even during power outages.

Order CLK1 Only


**\$29<sup>95</sup>**

\$3 UPS; \$6 UPS 2nd Day Air  
\$6 US Parcel Post; \$10  
Canadian APP or UPS

## MFJ Dual Digital Clock

This compact digital timepiece features two large LCD quartz movements to provide accurate 24 hour UTC radio time as well as local time. Mounted in a rugged extruded aluminum frame with a handsome brushed accent, the clock features high-contrast, 5/8 inch numerals, easy to see anywhere in your radio room.

Powered by a long-life battery, the clock may be switched to show seconds as well. Measuring a scant 4-1/2"W x 2"H, the MFJ108B dual time clock can easily fit on any radio desk and provide valuable time information instantly.



Order CLK2

Only


**\$19<sup>95</sup>**

\$3.75 UPS, \$6 2nd Day Air, \$4 US Priority Mail  
\$8 Canadian UPS; \$7 Canadian Air PP

## MFJ World Map Clock

This new desk digital world map/clock adds a touch of golden elegance to your radio room. Time zones are available at the touch of a button, and the day of the week, date, and local 12 or 24 hour time with one second per day accuracy are also displayed in large LCD characters.

Key cities across the globe are highlighted to make identification easier and an alarm tone can be set to alert you to any particular time. The MFJ-112 measures 4" H x 3-1/2" W and battery is included.



Order CLK4 Only

**\$24<sup>95</sup>**

\$3.75 UPS, \$6 2nd Day Air,  
\$4 US Priority Mail  
\$8 Canadian UPS;  
\$7 Canadian Air PP

## Color Wall Chart of the Radio Spectrum

For years, our customers have asked us for a useful, informative, and accurate wall chart showing details of the radio spectrum. Now Grove offers this incredible 50" x 32", full-color, fold-out wall chart of the United States radio spectrum!

Printed on heavy gloss paper, the chart of the spectrum shows both government and non-government frequency allocations from 3 kHz through 300,000 MHz (300 GHz)—the entire radio spectrum!

28 services are shown in separate colors: land mobile, aeronautical, maritime, space, fixed, amateur, radio and TV broadcasting and more. No other low-cost publication provides so much band allocation detail at a glance as this handsome, professional wall chart.


Order CHT 1

Only

**\$9<sup>95</sup>**

plus \$3 UPS \$6 2nd Day Air; \$1.50 Bookrate;  
\$8 Canadian UPS; \$5.50 Canadian Air PP

**Federal Frequency Assignment Master File**



224 controversial pages provide the most comprehensive look at federal government frequencies in print. Over 100 agencies, from the Central Intelligence Agency to the National Security Agency are listed; scanner and shortwave as well. No matter where you're located, you'll hear many of these frequencies in use. Alphabetized by department and agency and their locations, then listed in frequency order, this compendium is the most authoritative reference for armchair monitoring of "forbidden" frequencies we've ever seen!

**BOK1 \$24.95**  
Shipping Code B

**Scanner and Shortwave Answer Book**



What is the best antenna for your requirements? When do you need a preselector rather than a preamp? What is the difference between "meterband," megahertz" and "kilohertz"? How can you determine the source of electrical interference and cure it? These are samples of the hundreds of questions expertly answered by Bob Grove's guide to monitoring. If you have questions about listening and equipment, chances are you'll find the answers here! Liberally illustrated and professionally printed. Affordably priced for hobbyists, new and experienced. Take advantage of this limited reference edition while supplies last!

**BOK5 \$12.95**  
Shipping Code A


**Official Aeronautical Frequency Directory**



By Robert A. Coburn  
This second edition features 430 pages of listings of HF, VHF and UHF air-to-air, air-to-ground and ground utilities frequencies used by civilian, government and military agencies across the country. FAA, CAP, military, aeronautical telephone, flight support, airport communications—they're all here! Arranged alphabetically by state, lists include service, name, location, call sign, frequency and use. Tables include allocations, voice designators and more.

**BOK6 \$24.95**  
Shipping Code B


**Air Scan**



By Tom Kneitel  
This fifth edition of the exhaustive frequency directory for aircraft monitoring enthusiasts includes 2-30 MHz shortwave SSB as well as VHF-AM/FM and UHF-FM for all 50 states and Canada. Military and federal tactical frequencies, flight service stations, NASA support frequencies, conservation agencies, even air show frequencies! Public safety agencies employing air-to-air and air-to-ground communications are provided as well throughout the VHF low, high, and UHF bands.

**BOK7 \$14.95**  
Shipping Code B


**Top Secret Registry**



By Tom Kneitel  
The book that made headline news when a copy was uncovered during an organized crime raid. This 7th Edition concentrates on VHF and UHF scanner frequency ranges, agencies include Secret Service, Customs, DEA, CIA, NSA, White House, Border Patrol, ATF, and dozens of other government bureaus who would prefer not to have their communications frequencies published.

**BOK8 \$19.95**  
Shipping Code B


**Sports & Entertainment Frequency Directory**



By Bob Grove  
This second edition helps you listen to drivers and pit crews at the autoraces, boat race communications, air show stunt coordination, gambling casino management and security, Disney attractions, parade floats, amusement parks, wireless mikes, sports reporters, and much more. Over 2000 frequencies for sports events, tourist attractions, stadiums and arenas, and even fast food restaurant chains! Handy 4" x 5".

**BOK12 \$9.95**  
\$2 UPS or Bookrate


**Monitoring the Military**



By Daryll Symington  
Over 10,000 VHF/UHF frequencies for nearly 400 military bases throughout the U.S., plus an extensive list of radio call signs and identifications, make this brand new publication a hot reference for the scanner listener! Frequency listings for 30-50, 118-174, and 225-420 MHz are included for air tactical and refueling operations, military police, base security, paging, medical, disaster, fire/crash, command posts, commanders' nets, maintenance, and more.

**BOK15 \$15.95**  
Shipping Code B

**Listener's Lawbook**




By Frank Terranella  
Attorney Frank Terranella, whose specialty is radio law, has collected all of the monitoring laws across America, state by state (as applicable), and includes a thorough discussion of the 1934 Communications Act, the 1986 Electronic Communications Privacy Act, and even the FCC proposal to remove all police, fire, and medical channels from radio!  
48 pages, 8-1/2" x 11".

**BOK 16 \$9.95**  
Shipping code A



## BOOKS: Scanning

### Receivers and Scanners Pricing Guide



By Bob Grove

If you are like the majority of listeners who enjoy a bargain, you won't want to be without this new pricing guide. Collected from many sources, this handy pocket reference lists lowest advertised retail price when new and typical used market value for hundreds of current and discontinued shortwave and scanning receivers. Don't go to a flea market without it!

**BOK 17 \$5.95**

Plus \$1.50 First Class Mail

### Police Call Radio Guide



Edited by Gene Hughes

This accurate directory has become the standard reference for the scanner listener, providing comprehensive frequency and location information as well as radio signals and codes for law enforcement, fire hospital, ambulance services, local government, federal agencies, forestry services, military bases, national parks, railroads, airlines, and maritime. All frequencies have been updated directly from licenses through 10/91.


Order the volume for your region or the entire nationwide set!

- BOK21** CT, ME, MA, NH, NY, RI, VT
- BOK22** DE, MD, NJ, PA
- BOK23** MI, OH
- BOK24** IL, IN, KY, WI
- BOK25** IA, KS, MN, MO, NE, ND, SD
- BOK26** DC, FL, GA, NC, SC, VA, WV
- BOK27** AL, AR, LA, MS, OK, TN, TX
- BOK28** AZ, CO, ID, MT, NM, NV, UT, WY
- BOK29** CA, OR, WA

**Only  
\$9.95/each**

Shipping Code B

### Guide to the AR1000



By Howard Bornstein

An extensive guide covering operations, applications, accessories and references for the AOR AR-1000 handheld scanner.


A handy, fold-out, quick-lookup chart is included.

Also applies to the AR1000X, AR1000XC, AR1000XLT, AR2000, AR2800, and Fairmate models HP100, HP200 and HP2000.

**BOK61 \$14.95**

Shipping Code B

### Directory of North American Military Aviation Communications—VHF/UHF



By Jack Sullivan

**Only  
\$14.95/each**

Dogfights, midair refueling, Blue Angels, and Thunderbirds air shows, tactical maneuvers, flight training, aircraft emergency, Strategic Air Command missions, Air Force One, Coast Guard rescue missions. All of these and more are at your fingertips—if you know where to listen!

Frequencies, modes, locations, agencies, and uses for over 20,000 listings from

Aerial maps, glossary, monitoring hints, and a table of abbreviations cross-referenced by frequency and state, and alphabetized by city. United States, Canada, Mexico, Virgin Islands, Bahamas, Cuba, Puerto Rico, and Central America included!

- BOK 31 NE** (CT, DC, DE, MA, MD, ME, NH, NJ, NY, OH, PA, RI, VA, VT, WV, Ontario, Quebec, Maritime Provinces)
- BOK 32 SE** (AL, AR, FL, GA, KY, LA, MS, NC, SC, TN, Puerto Rico, Caribbean, Central America)
- BOK 33 CENTRAL** (IA, IL, IN, KS, MI, MN, MO, MT, NE, ND, OK, SC, TX, WI, WY, Mexico, Manitoba, Ontario, Saskatchewan)
- BOK 34 WESTERN** (AK, AZ, CA, CO, HI, ID, NM, NV, OR, UT, WA, Alberta, British Columbia, Northwest Territories, Yukon)
- BOK 44** (Europe, North Africa, Middle East)

Shipping Code B

### Official Scanner Guide



By Robert Coburn

For New England scanning enthusiasts, nothing provides more information in directory form than this series of guides—a quality print job on heavy paper in bold, easy-to-read type.

Alphabetized by city and cross-referenced by frequency, this comprehensive directory includes law enforcement, fire, medical, aircraft, maritime, weather, railroads, amateur radio, GMRS, business and experimental, power companies, forestry, security patrols, and more.

- BOK35 Connecticut \$17.95**
- BOK36 Massachusetts \$24.95**
- BOK37 New Hampshire \$17.95**
- BOK38 Rhode Island \$17.95**
- BOK39 Vermont \$14.95**
- BOK62 Maine \$17.95**

Shipping Code B



47th Edition 1993 World Radio TV Handbook




The ultimate sourcebook for international broadcast monitoring remains the best seller in its field. It is a giant collection of frequencies, addresses, program schedules, beam headings, and other pertinent data concerning every major radio station in the world—longwave, mediumwave, and shortwave. Identify those elusive DX stations by their musical interval signals, slogans and languages as shown in the exhaustive listings within its 600 pages. Additional chapters provide expert guidance in selecting equipment and accessories for listening.

**BOK3**

Reg. \$19.95 plus \$4 UPS  
Order by 12/31/92  
and save \$5!

\*Payment is processed at time of order.

Confidential Frequency List



This eighth edition is an excellent reference on 4-28 MHz communications.

Listings by frequency include ship and shore stations, embassy communications, aeronautical radio, INTERPOL, spy numbers stations, military tactical communications and more.


Thousands of utilities (two-way communications) frequencies, conveniently arranged in numeric order. If you hear it on the air, it is probably listed in this edition of the famous CFL.

**BOK4**

**\$19.95**

Shipping code B

Latest Intelligence



By James E. Tunnell

To quote the publisher's own description, "An international directory of codes used by government, law enforcement, military, and surveillance agencies." Thousands of terms and abbreviations, are explained for the first time in this giant 300 page book.

Tables of frequencies used by DEA, ATF, FBI, cellular telephones, FAA, aircraft flight test, U.S. marshals, Border Patrol, medical networks, US Air Force Mystic Star, military air refueling, aerobatic teams, Secret Service and others are included.

**BOK11**

**\$16.95**

Shipping code B

Shortwave Listening Guidebook



By Harry Helms

Want to learn more about the fascinating world of shortwave listening? Harry Helms explains all about the hobby, from the types of listening targets to choosing the right receiver and accessories.


Join Helms on a world tour of the international broadcasters—including mystery stations, pirates and clandestines. Frequencies, time zones, and utilities (the two-way communicators of the spectrum) are discussed in detail. 320 pages, 6" x 9".

**BOK13**

**\$16.95**

Shipping code B

Shortwave Directory



By Bob Grove

The 7th edition Shortwave Directory is the consummate DXer's bible for the first 30 MHz of radio spectrum.

Listings include U.S. and foreign military and government departments, scientific installations, spies and smugglers, pirates and clandestines, emergency communications networks, aircraft and ships, NASA Space Shuttle tracking networks, English language broadcasting worldwide and more!


Cross-referenced by agency and frequency. Aglossary of commonly-heard radio communications terms, acronyms and abbreviations is included. 270 pages, 8-1/2" x 11".

**BOK14**

**\$15.95**

Shipping code B

Passport to World Band Radio



Approximately 400 easy-to-read pages this 1993 edition provides up-to-date frequencies, schedules and languages of worldwide broadcasters; interviews with and articles by the best known names in shortwave listening; in-depth, authoritative reviews of receiving equipment and accessories.

Also includes Larry Magne's highly acclaimed, no-holds-barred, 1993 "Buyers Guide to World Band Radio".


Get the most from your shortwave receiver by using the foremost guide to world band listening.

**BOK18**

**\$16.95**

Shipping code B

World Press Services Frequencies



By Thomas Harrington

Previous editions of this popular news frequency directory sold out quickly. This all new 1992 edition is cross-referenced by time, frequency and location, and lists approximately 400 frequencies and dozens of agencies which may be heard on RTTY and other modes as well throughout the shortwave spectrum.


Additional chapters list abbreviations and explain about equipment, accessories and tuning tips. This book is a must if you have a shortwave digital demodulator.

**BOK20**

**\$8.95**

Shipping code B

North American Radio Guide



Mediumwave, FM and TV DXers will delight in this new directory of broadcasters in the United States, Canada and Puerto Rico. Its bold print on heavy paper provides durable access to its logically arranged chapters.

Thousands of listings in its 160 pages are alphabetical by state or province, then city; frequencies, call signs and formats follow. Special thumb-tab pages for National Weather Service, National Public Radio and sports stations are provided.

A broadcast listener's bonanza for only \$7.95

**BOK40**

**\$7.95**

Shipping code B

# BOOKS: Shortwave



## Tune in on Telephone Calls



By Tom Kneitel

No listener's book in recent history has caused so much consternation as Kneitel's recent 'expose' on where to listen to cellular, cordless, air to ground, ship to shore, military, satellite and wilderness radio phones—even pagers!

160 information-packed pages let you know just how vulnerable your calls are!

**Order BOK41 \$12.95**

Shipping Code A

## New 1993 Edition! Guide to Shortwave Programs



By Kannon Shanmugam

All new for 1993, this exhaustive listing of English-language shortwave broadcast programs covers news, music and documentaries. 160+ pages, the 1993 edition lists some 20,000 programs from more than 100 stations worldwide.

Twenty-four hour a day programming is extensively cross-referenced by time and day of the week; includes a comprehensive frequency list to increase your chances of success. Professionally printed and easy to read.

**Order BOK 43 \$15.95**

Shipping Code B

## 1992 Edition Pirate Radio Directory




By George Zeller

Recognized as a leading authority on unlicensed broadcasters, George Zeller has updated his popular directory of pirate broadcasters — dozens and dozens of stations from all over North America.

**Order BOK46 \$9.95**

Shipping Code B

## Compendium of American Railroad Radio Frequencies




By Gary L. Sturm and Mark J. Landgraf

The latest and the best! This handy 8-1/2" x 5-1/2" glossy handbook has over 200 pages, complete with introductory chapters on railway communications systems, a glossary of terminology, and thousands of frequency identifications alphabetized by railroad name.

**Order BOK48 \$14.95**

Shipping Code B

## International Callsign Directory



By Gayle Van Horn


The most exhaustive list of tactical callsigns and their identifications ever assembled for shortwave and scanner listeners in a massive, 250 page directory!

Codes from the US Air Force, Navy, Army, Customs, Secret Service, Marine Corps, and foreign military as well as internationally registered callsigns and their users around the world. Coastal maritime stations, embassies, merchant marine, aviation, NASA, US and foreign military, Interpol, MARS, and many more!

**Order BOK51 \$24.95**

Shipping Code B

## US Maritime Frequency Directory



By Robert Gad and Robert A. Coburn

Whether your maritime listening interests involve a scanner or a shortwave receiver, this is the book for you! A massive compilation from official lists of US Coast Guard, high seas radiotelephone, coastal and ship stations, emergency distress, marine operator, weather service, inland waterways, and more!

**Order BOK 52 \$14.95**

Shipping Code B

## New 1992-1993 Edition! M Street Radio Directory




Considered by experts as the most authoritative and comprehensive guide to AM and FM broadcasting stations in the US and Canada, this latest edition by the publishers of the prestigious M Street Journal is packed with program formats, frequencies, Arbitron (and other) ratings, market information and addresses of thousands of licensees.

**Order BOK 53 Reg. \$32.95 \$29.95**

Shipping Code B

## Revised 3rd Edition! Canadian Military Radio Frequency Guide




By Robert S. Ing

Previously, shortwave and scanner monitors have had to rely on occasional club bulletins or U.S. frequency directories for Canadian utilities information. This new book lists Canada's extensive worldwide military frequencies and locations of CFARS, Coast Guard, UN, NATO, NORAD, Snowbird, and many other military deployments.

**Order BOK 55 \$13.95**

Shipping Code B

**Scanner Modification Handbook Volume 1**




By Bill Cheek

Although concentrating on mods for the Realistic®PRO2004 and 2005, excellent hints are included for scanners in general. Cellular telephone frequency plans, adding S meters, squelch improvements, voltage protection, cellular restoration, increasing memory capacity (64,000 channels for the PRO2004/2005 and 3200 for the PRO34!), portable power supplies, choosing antennas and coax, and more!

**BOK 2 \$17.95**  
**Save\$\$\$ Buy both for \$29.95**

Shipping Code A

**Scanner Modification Handbook Volume 2**



By Bill Cheek

This second volume continues where the first leaves off. Detailed step-by-step instructions to add modifications to perk up your scanner.

While concentrating on the Realistic®PRO-2004/5/6, PRO-34, PRO-2022, Uniden BC200/205XLT, BC100XLT, and BC760/950XLT, if you are a clever technician, many of the techniques may be applied to other scanners as well. Some references made to Volume 1.

**BOK V2 \$17.95**  
**Save\$\$\$ Buy both for \$29.95**

Shipping Code A

**Radio Tech Modifications**



Ever wondered how amateur radio equipment is easily modified to provide wider frequency coverage? Services like MARS, CAP, and Experimental are allowed to use modified amateur equipment. Only an experienced technician should attempt to perform the alterations which may void the radios' warranties.

This well-illustrated manual shows frequency expansion for over 50 of the most popular amateur transceiver models from Alinco, ICOM, Kenwood, Yaesu and Uniden; CB channel and power increase (illegal in the U.S.); and cellular restoration in the Bearcat 200XLT, 760XLT, and 960XLT scanners.

**Order BOK 10 \$19.95**

Shipping Code B

**Radio/TV Interference**




By Frank P. Hughes

In our age of electronics, we are surrounded by electrical interference generators. While the FCC can handle complaints of illegal CB amplifiers, Hughes tells you how you can locate and fix radiation from heaters, doorbells, motors, appliances, and dozens of other offending devices.

**Order BOK 47 \$6.95**

Shipping Code A

**Lost Users Manual**




If you have an older radio that you lost the manual for or were just curious about how it *really* works, then the Lost Users Manuals is the book for you. It contains 78 manuals from companies like: Alinco, Kenwood, ICOM, Yaesu and Uniden.

**Order BOK49 \$19.95**

Shipping Code B

**Hints & Kinks**



Over the years, many experimenters have come up with ingenious and resourceful solutions to hobby challenges. Gleaned from the pages of QST magazine, hundreds of the best practical tips have been published in this low cost how-to book.


Topics covered include portable and mobile, antennas and feedlines, computers and digital modes, transmitting and receiving, power supplies, taming interference and testing equipment. Tables of conversion factors and schematic symbols are included.

**Order BOK 57 \$7.95**

Shipping Code B

**Propagation Programs**

A Review of Current Forecasting Software




By Jacques D'Avignon

Bandaid? Minipro? Ionsound? The number of shortwave radio propagation prediction programs on the market is bewildering. Which is best for you? This up-to-date review of the ten leading programs will help you make the right choice the first time!

**Order BOK 59 \$9.95**

Shipping Code A

**ARRL Radio Frequency Interference Handbook**



As more electronic devices come into play in today's society, more interference is generated by these devices. This new book from the ARRL thwarts both new and old radio interference problems. From tracing the source to shielding the receiver, this book has everything you need to know about solving the annoyance of interference. 235 pages, 8-1/2" x 11", perfect bound.

**Order BOK 60 \$14.95**

Shipping Code A



**Now You're Talking**



Interested in ham radio? This excellent, new publication from the American Radio Relay League (ARRL) teaches you everything you need to know for your code-free Technician or Novice class license. Crisply printed, lavishly illustrated, and easy to understand.

**Order BOK 45 \$19.95**

Shipping Code B

**Third Edition World Ham Net Directory**




By Mike Witkowski

Amateur radio provides a fascinating frontier for licensees and listeners alike. This new directory contains over 900 listings of amateur radio shortwave networks around the globe. Emergency, educational, SWL, technical, hobby, roundtables — they're all here, complete with frequencies and schedules.

**Order BOK 50 \$9.95**

Shipping Code B

**Klingenfuss Guide to Utilities**




By Joerg Klingenfuss

The ultimate reference for the first 30 MHz of worldwide utilities monitoring, all modes. Arranged by frequency. Contains chapters on callsigns, modes and formats. A must for the serious ute specialist.

**Order BOK 54 \$34.95**

Shipping Code B

**1993 Edition! ARRL Handbook for Radio Amateurs**



Its 1200 pages contain authoritative and accurate, yet simply explained, chapters on the amateur radio hobby, basic electronics, radio transmitters and receivers, digital technology, antennas and transmission lines, video and data communications, amplifiers, power supplies, projects and techniques, interference and more!

Liberal illustrated and exhaustively indexed, the ARRL Handbook remains the best book bargain in the technical marketplace and considered an industry standard!

**Order BOK 58 \$24.95**

\$5 UPS; \$10 2nd Day Air; \$4 BR; \$14 Canadian UPS or Air PP




Place your order today by using the order form inside the back cover or call for faster delivery:

**1-800-438-8155**

**Monday thru Friday  
8:00 am to 5:30 pm  
Eastern Time**

**We accept Mastercard,  
Visa and Discover!**

**1991 Satellite Television Sourcebook**



By Ken Reitz

This ultimate reference to TV satellites provides more information than anything else on the market.


Lists of dealers, manufacturers and publishers, including addresses and phone numbers, for magazines, books and equipment. Detailed chapters on how satellite TV works.

C band, Ku band, weather, amateur and even international satellites are covered. **A free 1992 update sheet is included.**

**Order BOK 19 Reg. \$12.95 \$5.95**

Shipping Code B

**Hidden Signals on Satellite TV**



By Thomas P. Harrington

Just released, this expanded third edition is the ultimate reference for information on how to hear and watch those mystery signals on TV satellites.

Everything from teletype press news to stock market reports, business teleconferencing to long distance telephones, international broadcasting relays to music services.

Loaded with charts, illustrations and instructions, Hidden Signals is a satellite hacker's dream!

**Order BOK 42 \$19.95**

Shipping Code B

**4th Edition Weather Satellite Handbook**



By Ralph E. Taggart

Weather satellite reception is becoming quite popular. Ralph Taggart's most recent handbook is filled with useful information, charts, photos and diagrams.

Concentrating on the 137 and 1691 MHz birds, Taggart's handbook includes construction details on antennas and rotators, tracking devices and programs, computer control, receivers, monitors and printers, converters and demodulators — both simple and sophisticated.

**Order BOK 56 \$19.95**


Shipping Code B





# FCC DATABASE ON DISK! *Exclusively from Grove Enterprises*

City	State	Frequency	Service	Callsign	Licensee
MANVILLE	RI	M00870 (3000)	CL	KNKA292	PROVIDENCE
MAPLEVILLE	RI	M00154 (1900)	PF	KNGP417	CELLULAR
MELVILLE	RI	M03700 (0000)	CX	ES65036	OAKLAND



**NEW  
1992  
EDITION!**

*"I received your FCC Database Program and am just gobbling up the information on it. It is great! (Jim Lockwood--Salem, OR)*

Now you can own the exhaustive Federal Communications Commission State Index database - millions of listings - all on convenient IBM-compatible disks with custom database manager included!

Services include broadcasting, radio common carrier (including cellular and mobile telephone), experimental, private, cable, land mobile, industrial, business, public safety (police, fire, medical), land transportation, specialized mobile radio, aviation ground stations and marine coastal stations.

All records are cross-indexed by frequency, licensee name, state, city, callsign and service. If you need to identify a signal, simply type in whatever information you have and watch the full file come up!

Requires a hard drive\*\*\* and a minimum of 512K RAM; supports a mouse and CGA, EGA and VGA graphics.

Available on 5.25" High (1.2mb), 5.25" Low (360K) and 3.5" High (1.44mb) density disks.

**Only \$59.95\* for your program disk and one state and \$49.95\* for each additional state!**

1992 Updates: \$9.95 for program and \$29.95 for data

Please specify your state and what density (3.5HD, 5.25HD, 5.25LD\*\*(360K) disks that you need.



## ORDER TODAY!

Full installation of this program can take up to 1 hour depending on the state.

\* Plus \$2.50 shipping for one or more states.

\*\* CA, TX and FL not available in 5.25" Low Density (360K) format.

\*\*\* Requires anywhere from 1.8mb to 46.2mb of Hard Disk space, depending on the state.



# SALE



## Special Sale!

### The Best Deal on "Near-Perfect" Items

RCV14	<b>ICOM R9000</b> — New!	<b>\$4495</b>
RCV16	<b>JRC NRD-525</b> — Scuffed cabinet	<b>\$870</b>
RCV2	<b>Sony 2010 Receiver</b> — Manual written in and scratches on case	<b>\$300</b>
RCV15	<b>Sony 55 Receiver</b> — Manual written in	<b>\$300</b>
SP10	<b>External Speaker</b> — Cosmetic Defect	<b>\$34.95</b>
SP10A	<b>External Speaker</b> — Damaged Box	<b>\$45.95</b>
PHN1	<b>Friends Only Incoming Call Screener</b> — Damaged Box	<b>\$55</b>
	<b>Magnet base only for mobile mount antenna</b> — Scuffs on base	<b>\$20</b>

*Free UPS Ground shipping included in price*

**SUBSCRIBE  
TODAY!**

Join the thousands of others  
who enhance their enjoyment  
of radio monitoring...

## Subscribe to **Monitoring Times!**

**E**very month *Monitoring Times* brings everything you need to know to make world band listening even more rewarding: the latest information on international broadcasting schedules, frequency listings, station profiles, program commentary, personality interviews, international DX reports, propagation charts, reviews of world band radio products, and tips on how to hear the rare stations.

But *Monitoring Times* doesn't stop there. It also keeps you up to date on what's happening on the airwaves between the international broadcasting bands: information on government, military, police and fire networks; action on the ham bands; and tips on monitoring everything from air-to-ground and ship-to-shore signals to radioteletype, facsimile and space communications.

Jammed with up-to-date information and concisely written by the top writers in the field, *Monitoring Times* belongs next to your receiver.

**A sample copy  
is available  
for \$3.00**

*Order your subscription today  
before another issue goes by.*

# **MONITORING TIMES**

P.O. Box 98 Brasstown, NC 28902

*Your authoritative source, every month.*

Yes, begin my subscription to Monitoring Times. I've enclosed a check. For MC/VISA orders, call 1-704-837-9200.

- U.S. SUBSCRIPTION
- One Year at \$19.95
  - Two Years at \$38.00
  - Three Years at \$56.00

- Canadian and foreign rates (MC/VISA or money order in U.S. funds).
- One Year at \$28.50
  - Two Years at \$55.00
  - Three Years at \$79.50

**ATTENTION OVERSEAS SUBSCRIBERS**  
For better delivery of *MT* we suggest you  
subscribe through: INTERBOOKS  
8 Abbot Street  
Perth, PH20EB  
Scotland

Phone: Perth (0738) 30707 **Contact for rates!**

Name \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Country \_\_\_\_\_ Zip \_\_\_\_\_

**TO SPEED YOUR ORDER FOLLOW THESE SIMPLE STEPS**

**MAIL ORDER**

1. Fill out the order blank and send a check, bank or postal money order, or your complete charge card information (see #3 below) to Grove Enterprises, P.O. Box 98, Brasstown, N.C. 28902.
2. **DO NOT SEND CASH OR STAMPS!** COD is available for \$5 per package via UPS Ground only (no COD's through Post Office or via UPS Red or Blue Label). Cash, certified check or money order required at time of COD delivery.

**PHONE ORDERS**

1. Have your order form filled out and your charge card in front of you. (Minimum charge card order, \$15).
2. Call our order desk toll free, 1-800-438-8155  
Hawaii, Alaska, foreign countries call 1-704-837-9200 (no collect calls please!)
3. Give the secretary your name, shipping address for UPS delivery (and mailing address if different from shipping address), what you wish to order, your charge card number and the expiration date. *IF THIS IS YOUR FIRST ORDER we must have the name and location of the bank which issued your card and the address shown on your charge card records.* If this is not possible, we will require a money order or certified check before the item can be shipped. (This method is necessary to eliminate fraudulent use of credit cards).

**SPECIAL SHIPPING INFORMATION**

All **Hawaii** shipments via UPS must go Blue Label (ask for charges). Blue Label and Next Day Air available from UPS; Express and Priority Mail available from the U.S. Post Office. Call or write for charges.

**PURCHASE ORDERS**

Written purchase orders will be accepted from city, state and federal agencies and institutions. Terms are net 10—1½% over 30. Special sale prices are not honored on open accounts


**DELIVERY SCHEDULE**

We ship within one working day upon **RECEIPT OF YOUR ORDER** unless you are notified of a delay. UPS shipments should arrive within 5 working days; U.S. Post Office shipments within 10 working days (bookrate can take as much as four weeks). These are maximum delivery times; if you do not receive your order within these time frames, call us so we can place a tracer on your order.

**FOREIGN SHIPMENTS**

Write or call, telling us what you want and how you want it shipped (surface or air parcel post; shipments can be made by air freight or UPS to Canada and some European countries). Please note—orders to some countries cannot be insured by the Post Office. We do not assume any responsibility for losses other than proof of shipment. **PAYMENT BY INTERNATIONAL MONEY ORDER OR BY A BANK DRAFT DRAWN IN U.S. CURRENCY. SORRY, NO C.O.D.s TO APOs, FPOs OR OUTSIDE U.S.A.**

**NO STAMPS PLEASE**



**FAX: 1-704-837-2216**  
**TOLL FREE ORDER LINE: 1-800-438-8155**  
**(MASTERCARD, VISA, DISCOVER, COD)**

**ORDER BLANK** 10/92

If this is your first order, where did you hear about Grove Enterprises? \_\_\_\_\_

**SHIP TO: Name** \_\_\_\_\_

**Street Address (for UPS delivery)** \_\_\_\_\_

**City** \_\_\_\_\_ **State** \_\_\_\_\_ **Zip** \_\_\_\_\_

**Phone: (Area Code)** \_\_\_\_\_

**MAILING ADDRESS IF DIFFERENT FROM STREET ADDRESS:**

**P.O. Box** \_\_\_\_\_

**City** \_\_\_\_\_ **State** \_\_\_\_\_ **Zip** \_\_\_\_\_

**PAYMENT METHOD:**

*Personal checks subject to verification.*

- CHECK
- COD
- VISA
- MONEY ORDER
- MASTERCARD
- DISCOVER

**SHIPPING METHOD:**

- UPS GROUND
- US POSTAL
- UPS BLUE

	Product	Stock #	Quantity	Price	SHIPPING CHARGE	TOTAL
<div style="border: 1px solid black; padding: 5px;"> <p><b>BOOK ORDERS</b></p> <p>Shipping Code A: \$3 UPS \$6 2nd Day Air \$1 50 BR \$8 Canadian UPS \$5 50 Canadian APP</p> <p>Shipping Code B: \$4 UPS \$7 2nd Day Air \$2 BR \$8 Canadian UPS \$6 50 Canadian APP</p> <p>If ordering more than one book, pay full shipping for first book ordered, \$1 shipping for each additional book.</p> </div>						

If ordering a subscription to Monitoring Times also—please make payment for MT on a separate check made payable to Monitoring Times *Thank You*

**Total \$** \_\_\_\_\_

**CARD NUMBER, IF APPLICABLE: (\$15 minimum)**

Georgia Residents add 4% Sales Tax  
NC Residents add 6% Sales Tax \$ \_\_\_\_\_

**Name of Issuing Bank** \_\_\_\_\_ **Exp. Date** \_\_\_\_\_

**Total Enclosed \$** \_\_\_\_\_

\_\_\_\_\_  
Signature

**Send Order To: GROVE ENTERPRISES**  
P.O. Box 98, 140 Dog Branch Road, Brasstown, NC 28902-0098  
Phone (704) 837-9200

Based upon the Supreme Court rulings of McLeod vs Dillworth (1944), Bellas Hess (1967) and the proposed Brooks legislation (H.R. 2230), effective September 1, 1990. Grove Enterprises will no longer collect sales or use taxes apparently invalidly levied by states against residents when they purchase from us in North Carolina. We have neither economic presence nor nexus in these states (with the exception of Georgia) as established by the U.S. Supreme Court



# Autumn Bargains

**TUN3 MiniTuner**  
Eliminate intermodulation on your general coverage receiver for only...  
**\$49.95** plus \$4 UPS



**PRE4 Preamp**  
A powerful signal booster for scanners, TV and even FM stereos for only...  
**\$59.95** plus \$3.75 UPS

**Satellite TV Sourcebook**  
By Ken Reitz  
This ultimate reference to TV satellites provides more information than anything else on the market. Includes free 1992 update.  
**\$5.95** Reg \$12.95 plus \$4 UPS

**Friends Only**  
Incoming Call Screener  
Only the people with your security code get through!  
**\$59.95** plus \$5.50 UPS

## GROVE ENTERPRISES

P.O. Box 98, 140 Dog Branch Road, Brasstown, NC 28902-0098

\*\*\*\*\* 3-DIGIT 980  
H MILLER 06/01/1993  
6400 MALTBY ROAD

WOODINVILLE WA 98072-8375

BULK RATE  
U.S. POSTAGE  
PAID  
RIPON COMMUNITY  
PRINTERS  
RIPON, WI



Help us to conserve our natural resources. If you receive more than one catalog, please call us and let us know. Address correction requested.