

INDEX

VOL. X. The Wireless Engineer & Experimental Wireless 1933

I. GENERAL INDEX

	PAGE		PAGE
A bac for Single-layer Coils, H. Seki	12	Broadcast Relay Systems (<i>Patents</i>)	466
Abacs for Measuring Resistances	553, 554	Broadcasting on 7.85 Metres in Amsterdam, P. J. H. A. Nordlohne	186
ABSTRACTS AND REFERENCES (<i>see separate Index</i>)	492	Bush Radio, Baird Television Receiver (<i>Illus- tration</i>)	540
(<i>Correspondence</i>)	492	C abinet Sets (<i>Patents</i>)	641
Acoustical Performance of a Cone-type Loud Speaker, D. A. Oliver	420	Capacitive or Capacitative (<i>Editorial</i>)	1
Aerials (<i>Patents</i>)	56, 464, 585	(<i>Correspondence</i>)	145
Aerials, Transmitting, Some New Types (<i>Editorial</i>)	525	Cathode-coupled Amplifiers (<i>Patents</i>)	289
Aircraft Wireless (<i>Patents</i>)	350, 586	Cathode-ray Oscillograph at Ultra-high Frequencies, Use of, H. E. Hollmann	430, 484
Amplification of Transients, C. H. Smith	296	Cathode Ray Oscillograph in Radio Research (<i>Editorial</i>)	251
Amplifier Circuits (<i>Patents</i>)	234, 290, 665	Cathode-ray Television (<i>Patents</i>)	236, 466
Amplifiers, Gas-filled (<i>Patents</i>)	583	Cathode-ray Tube, New High-Efficiency, M. von Ardenne	592
Amplifiers, H.F. (<i>Patents</i>)	347, 665	Cathode-ray Tubes (<i>Patents</i>)	350, 466, 644
Amplifiers L.F. (<i>Patents</i>)	523	Cathodes, High-emission (<i>Patents</i>)	289
Amplifiers, Screen-grid (<i>Patents</i>)	583	Catkin Valve, Osram and Marconi	295
Amplifiers, Tone Correcting, G. Priechenfried	487	Change of Address	254
Amplitude of Loud Speaker Diaphragms at Low Frequencies, N. W. McLachlan	375	Characteristics of Short-wave Propagation (<i>I.E.E. Paper</i>), Prof. J. Hollingworth	89
Application of the Dynatron, M. G. Scroggie	527	Circle Diagrams of Valve Input Admittance and Amplification Factor, F. M. Cole- brook	657
(<i>Correspondence</i>)	663	Circularly-polarised Radiation (<i>Patents</i>)	176
Attenuation of Transmission Lines, M. J. O. Strutt	139	Civil Aviation Signal Services, Choice of Wavelengths, N. F. S. Hecht and H. L. Crowther	596
Automatic Gain Control (<i>Patents</i>)	120	Coils, Iron Powder Compound Cores for (<i>Editorial</i>)	1
Automatic Tone Compensation (<i>Patents</i>)	233	Coils, Iron Core Tuning (<i>Editorial</i>)	293
Automatic Tuning (<i>Patents</i>)	58	Cold-cathode Valves (<i>Patents</i>)	345
Automatic Volume Control (<i>Patents</i>)	119, 178, 292	Cole, E. K. Ltd., Capacity-Matching Bridge (<i>Illustration</i>)	76
Automatic Volume Control for Radio Re- ceivers, C. B. Fisher	349, 524, 642	Colour Television (<i>Patents</i>)	464, 643
B alancing and Stabilising of H.F. Ampli- fiers (<i>I.E.E. paper</i>), W. Ure, E. J. Grainger, and H. R. Cantelo	259	Combined Transmitter and Receivers (<i>Patents</i>)	582
Band-pass Filters (<i>Patents</i>)	348	Constant-Coupling Systems (<i>Patents</i>)	408, 644
Band-pass Tuners (<i>Patents</i>)	522	Constant-frequency Generators (<i>Patents</i>)	350
Beam Systems (<i>Patents</i>)	407	Constant-gain Receivers (<i>Patents</i>)	642
Beat Frequency Oscillator, M. F. Cooper and L. G. Page	469	Constant-sensitivity Couplings (<i>Patents</i>)	641
(<i>Correspondence</i>)	663	Cooling H.F. Apparatus (<i>Patents</i>)	56
BOOKS RECEIVED	25, 88, 196, 374	CORRESPONDENCE, 26, 145, 202, 257, 313, 369, 429, 491, 555, 612, 663	
BOOK REVIEWS :		Coupling Circuits (<i>Patents</i>)	642
Alternating Current Electrical Engineering, P. Kemp	433	D ecoupling Efficiency, W. A. Barclay	307
Atmospheric Electricity, B. F. J. Schonland	137	(<i>Correspondence</i>)	612
Einführung in die Schwingungslehre, Dr. Barkhausen	138	Decrement of Tuned Circuits, Optimum, D. A. Bell	371
Electron Tubes and their Application, J. H. Morecroft	556	Demodulation under Practical Conditions, M. V. Callendar	480
Elements of Engineering Acoustics, L. E. C. Hughes	656	(<i>Correspondence</i>)	612
Principles of Electromagnetism, E. B. Moullin	61	Detector-Amplifiers (<i>Patents</i>)	666
Radio Engineering, F. E. Terman	316	Detector Oscillators (<i>Patents</i>)	235
Short-wave Wireless Communication, A. W. Ladner and C. R. Stoner	138	Detectors or Rectifiers (<i>Patents</i>)	234
Theory of Thermionic Vacuum Tubes, E. L. Chaffee	380	Diaphragm, Paper Cone, Coil-driven, Vibra- tions of, F. R. W. Strafford	141

	PAGE		PAGE
Diode as a Cumulative Grid Rectifier, E. A. Biedermann	123	Errors in D.F. Calibrations of Steel Ships, J. F. Coates	434
Direction-Finding (<i>Patents</i>)	120, 584, 586	Naval Wireless, G. Shearing	662
Distortion Cancellation in Audio Amplifiers, W. Baggally	413	Operation of Several Broadcasting Stations on the Same Wavelength, P. P. Eckersley and A. B. Howe	196
Double Channel Transmission (<i>Correspondence</i>)	664	Radio Compass Developed in H.M. Signal School, C. E. Horton and C. Crampton	434
Dry-Contact Rectifiers (<i>Patents</i>)	57, 177, 406, 584	Thermionic Valve, L. B. Turner	27
Dynatron, Application of, M. G. Scroggie	527	World Physics in Relation to Wireless, Sir F. Smith (<i>Kelvin Lecture</i>)	317
(<i>Correspondence</i>)	663	Interference Elimination (<i>Patents</i>), 176, 234, 347, 348, 466	
Dynatron Circuit, High Selectivity Voltage Amplification, F. M. Colebrook	69	Interference with Broadcast Reception (<i>Editorial</i>)	237, 645
(<i>Correspondence</i>)	204	Iron-content Cores for H.F. Coils, A. Schneider	183
E dison Swan 250-watt Amplifier (<i>Illustration</i>)	144	(<i>Correspondence</i>)	313
Electrolytic Condensers (<i>Patents</i>)	524	Iron Core Tuning Coils (<i>Editorial</i>)	293
Electromagnetic Induction (<i>Editorial</i>)	409	(<i>Correspondence</i>)	491
Electromagnetism, Principles of (<i>Editorial</i>)	61, 179	Iron Powder Compound Cores for Coils (<i>Editorial</i>)	1
(<i>Correspondence</i>)	146, 202, 315, 429, 555	Iron-Powder Cores (<i>Editorial</i>)	467
Electronic Oscillations and the Magnetron Short-wave Oscillator (<i>I.E.E. Paper</i>)			
E. C. S. Megaw	142		
Electrostatic Loud Speakers (<i>Patents</i>)	520	K emp, G. S., Obituary Notice	90
Errors in D.F. Calibrations of Steel Ships (<i>I.E.E. Paper</i>), J. F. Coates	434		
EXHIBITIONS:		L aminated or Non-laminated H.F. Cores? (<i>Correspondence</i>)	491
Olympia Radio Show, 1933 (<i>Illustration</i>)	483	L.F. Transformers (<i>Patents</i>)	289
Olympia Radio Show, 1933, Review of Exhibits	543	Light Intensifier (<i>Patents</i>)	119
Physical Society	68, 74	Light-Sensitive Relays (<i>Patents</i>)	642
F errocast H.F. Coils, A. Schneider	183	Loud Speaker, Cone-type, Acoustical Performance of, D. A. Oliver	420
Field Strength, Recording (B.B.C. Automatic Equipment), C. H. Smith	14	Loud-speaker Connections (<i>Patents</i>)	346
Film Television (<i>Patents</i>)	520	Loud Speaker Diaphragms, Amplitude of, at Low Frequencies, N. W. McLachlan	375
G eneral Radio Apparatus for Measuring Receiver Characteristics (<i>Illustration</i>)	77	Loud-speaker Diaphragm (<i>Patents</i>)	349
"Glow-discharge" Amplifiers (<i>Patents</i>)	119	Loud Speakers (<i>Patents</i>), 60, 118, 176, 290, 349, 406, 464, 520, 523, 524, 585	
Gramophone Amplifiers (<i>Patents</i>)	348	Lucerne Wavelength Plan	647
Gramophone Pick-ups (<i>Patents</i>)	175, 349, 465, 521		
Grid Current Compensation in Power Amplifiers, W. Baggally	65	M agneto-Ionic Theory, J. A. Ratcliffe	354
H armonic Content in Amplifiers (<i>Correspondence</i>)	26, 147	Magnetron Oscillator for Ultra-Short Wavelengths, E. C. S. Megaw	197
H.F. Feeder Lines (<i>Patents</i>)	176, 178, 292	Magnets, Permanent (<i>Patents</i>)	407
H.F. Generators (<i>Patents</i>)	177, 233, 290	Mains Hum, Preventing (<i>Patents</i>)	665
H.F. Generators (<i>Correspondence</i>)	555	Mains-Supply Units (<i>Patents</i>)	176
H.F. Systems (<i>Patents</i>)	407	Man-made Static, P.O. Display at Olympia	486
High Power Pentode as an Electron-Coupled Transmitter, J. C. W. Drabble and R. A. Yeo	648	Marconi Company's Display at Physical Society's Exhibition (<i>Illustration</i>)	68
I mpedance Measurements (<i>Correspondence</i>)	146	Measurement of Radio-frequency, Simplification of, W. H. F. Griffiths	239, 299
Impedance Measuring Set, Modifications, A. T. Starr	609	(<i>Correspondence</i>)	369
INSTITUTION OF ELECTRICAL ENGINEERS, PAPERS READ:		Measuring Attenuation of Transmission Lines, M. J. O. Strutt	139
Balancing and Stabilising of H.F. Amplifiers, W. Ure, E. J. Grainger, and H. R. Cantel	259	Measuring Percentage Modulation (<i>Patents</i>)	644
Characteristics of Short-wave Propagation, Prof. J. Hollingworth	89	Measuring Resistances, W. A. Barclay	552
Electronic Oscillation and the Magnetron Short-wave Oscillator, E. C. S. Megaw	142	Measuring the Self-capacitance of Coils, M. G. Scroggie	477
		Microphones, Ribbon (<i>Patents</i>)	408
		"Midget" Receivers (<i>Patents</i>)	292
		Mirror-drums for Television (<i>Patents</i>)	522
		Modifications in the New Impedance Measuring Set. A. T. Starr	609
		Modulating Systems (<i>Patents</i>)	345, 643

	PAGE		PAGE
Monodial A.C. Super, Booklet	90	R adio Beacons (<i>Patents</i>)	59
Muirhead & Co.'s Valve-maintained Tuning Fork for Frequency Control (<i>Illustration</i>)	75	Radio Compass Developed in H.M. Signal School (<i>I.E.E. Paper</i>), C. F. Horton and C. Crampton	434
Muirhead & Co.'s Precision Variable Condenser (<i>Illustration</i>)	75	Reaction Control (<i>Patents</i>)	57, 408
Multiplex Signalling (<i>Patents</i>)	520, 641	Receivers (<i>Patents</i>)	118, 291, 292, 347
Multi-range Direct-reading Ohmmeter, M. G. Scroggie	606	Receiver Circuit for Electrostatic Speaker (<i>Patents</i>)	584
Multi-range Mains-operated Valve Voltmeter, C. N. Smyth	134	Recharging H.T. Batteries (<i>Patents</i>)	289
Multi-stage Amplifiers (<i>Patents</i>)	521	Recording Field Strength, C. H. Smith	14
N auen Station (<i>Editorial</i>)	121	Rectifying Valves (<i>Patents</i>)	233, 522
Naval Direction Finding (<i>I.E.E. Papers</i>), J. F. Coates and C. E. Horton and C. Crampton	434	Remote Control (<i>Patents</i>)	346, 408
Naval Wireless (<i>I.E.E. Paper</i>), G. Shearing	662	Researches of the late Dr. D. W. Dye on the Vibrations of Quartz (<i>I.E.E. Paper</i>), E. H. Rayner	205
New Abac for Single Layer Coils, H. Seki	12	Resistances, Measuring, W. A. Barclay	552
New High-efficiency Cathode-ray Tube, M. von Ardenne	592	S canning Discs (<i>Patents</i>)	235, 348
New Types of Broadcast Transmitting Aerials (<i>Editorial</i>)	525	Schäffer, W. (Obituary Notice)	258
Non-linear Valve Characteristics, C. S. Bull	83	Screened Grid Amplifiers (<i>Patents</i>), 59, 236, 642	642
N.P.L. Annual Visit	412	Selectivity Devices (<i>Patents</i>)	119
N.P.L. New Radio Department	306	Self-capacitance of Coils, Method of Measuring, M. G. Scroggie	477
O hmmeter, Multi-range Direct-reading, M. G. Scroggie	606	Self-Tuned Amplifiers (<i>Patents</i>)	60
Olympia 1933, Review of Exhibits	543	S.G. Valve as a Superhet Detector, C. B. Fisher	541
(<i>Correspondence</i>)	664	Short-wave Aerials (<i>Patents</i>)	56, 585
Oscillator, Beat-Frequency, M. F. Cooper and L. G. Page	469	Short-Wave Generators (<i>Patents</i>)	58, 585, 666
Oscillators H.F. (<i>Patents</i>)	407	Short-Wave Propagation, Some Characteristics (<i>I.E.E. Paper</i>), Prof. J. Hollingworth	89
Optimum Decrement of Tuned Circuits for the Reception of Telephony, D. A. Bell	371	Short-Wave Receivers (<i>Patents</i>)	175, 583
Output Stages, Choice of Valves for L.F. Amplifiers, C. C. Whitehead	78	Short-Wave Systems (<i>Patents</i>)	666
P arasitic Oscillations, Eliminating (<i>Patents</i>) Patent "Pool" in U.S.A.	521, 18	Short-Wave Television (<i>Patents</i>)	289
PATENTS, 56, 118, 175, 233, 289, 345, 406, 464, 520, 582, 641, 665		Signalling Systems (<i>Patents</i>)	175, 464
Pentagrid Converter, C. L. Lyons	364	Signalling to Aircraft (<i>Patents</i>)	56
Pentode as an Electron-coupled Transmitter, J. C. W. Drabble and R. A. Yeo	648	Simplification of Accurate Measurement of Radio-frequency, W. H. F. Griffiths, 239, 299 (<i>Correspondence</i>)	369
Pentode Modulators (<i>Patents</i>)	584	Sound Distribution from a Horn (<i>Correspondence</i>)	26
Philips' Receiver—Dynamic Resistance (<i>Correspondence</i>)	664	Sound Reproducing (<i>Patents</i>)	178, 585
Photo-Electric Cells (<i>Patents</i>)	57, 586	Standard Audio-frequency Oscillator	363
Physical Society's Exhibition	74	Standard Telephone Co., Oscillator (<i>Illustration</i>)	76
Picture-transmission Systems (<i>Patents</i>)	465	Straight Sets <i>v.</i> Superheterodyne (<i>Correspondence</i>)	145
Piezo-Electric Couplings (<i>Patents</i>)	176	Sullivan-Griffiths Universal Wavemeter (<i>Illustration</i>)	74
Piezo-Electric Oscillators (<i>Patents</i>)	292	Sullivan Inductance Matching Set (<i>Illustration</i>)	74
Portable or Field Sets (<i>Patents</i>)	522	Superheterodyne Receivers (<i>Patents</i>), 59, 291, 406, 584, 586, 665	
Pot Screens (<i>Patents</i>)	349	Super-Regenerative Circuits (<i>Patents</i>)	60
Powdered Magnetic Cores (<i>Patents</i>)	643	Super-Regenerative Receivers (<i>Patents</i>)	290, 586
Pre-Set Condensers (<i>Patents</i>)	521	T elevision (<i>Patents</i>), 175, 235, 236, 289, 345, 350, 464, 465, 520, 582, 644, 666	
Principles of Electromagnetism (<i>Editorial</i>), 61, 179 (<i>Correspondence</i>)	146, 202, 315, 429, 555	Television Receiver, Bush Radio, Baird Mirror-drum (<i>Illustration</i>)	540
Publication of Articles	595	Theory and Practice of Tone Correction, F. M. Colebrook	4
Push-Pull Circuits (<i>Patents</i>)	233	(<i>Correspondence</i>)	315, 370
Q uartz Vibrations, The Researches of the late Dr. D. W. Dye (<i>I.E.E. Paper</i>), E. H. Rayner	205	Thermionic Amplifiers (<i>Patents</i>)	177, 292, 466
		Thermionic Valve (<i>I.E.E. Paper</i>), L. B. Turner	27
		Tilt of Radio Waves and their Penetration into the Earth (<i>Editorial</i>)	587

	PAGE		PAGE
Tone Correcting Amplifiers, G. Priechenfried..	487	Valve-Holders (<i>Patents</i>)	57
Tone Correction, Theory and Practice, F. M. Colebrook	4	Valve-Oscillators (<i>Patents</i>)	347
(<i>Correspondence</i>)	315, 370	Valves, No-filament (<i>Patents</i>)	290
Transmitting Circuits (<i>Patents</i>)	236	Valves (<i>Patents</i>)	350, 408, 644
Tuning Coils (<i>Patents</i>)	120	Valves, Pentode (<i>Patents</i>)	347
Tuning Controls (<i>Patents</i>)	59	Valves, Triode and Tetrode for Measurement of D.C. Potentials, T. P. Hoar	19
Tuning Devices (<i>Patents</i>)	406	Variable Condensers (<i>Patents</i>)	60, 407
Tuning Dials (<i>Patents</i>)	583	Variable μ Valves (<i>Patents</i>)	175, 643
Ultra-short Wave Broadcasting (7.85 metres) in Amsterdam, P. J. H. A. Nordlohne	186	Variable Resistances (<i>Patents</i>)	349
Ultra-short-wave Generators (<i>Patents</i>)	522	Vibrations of a Coil-driven Paper Cone, F. R. W. Strafford.. .. .	141
Ultra-short Wavelengths, A Magnetron Oscillator for, E. C. S. Megaw	197	(<i>Correspondence</i>)	204, 257, 313
U.S.A. Patent "Pool"	18	Visual Tuning Indicators (<i>Patents</i>)	582
Use of Triode and Tetrode Valves for Measurement of D.C. Potential Differences, T. P. Hoar	19	Voltage Amplification with High Selectivity by means of the Dynatron Circuit, F. M. Colebrook	69
Valve Amplifiers (<i>Patents</i>)	347	Voltmeter Valve, Multi-range Mains-operated, C. N. Smyth	134
Valve Characteristics, Non-linear, C. S. Bull	83	Volume Control (<i>Patents</i>)	56, 177, 178, 406, 666
Valve Construction, A New Idea (Catkin Valves)	295	Wave-band Adaptors (<i>Patents</i>)	523
Valve Construction (<i>Patents</i>)	118, 345	Wave-Band Switching (<i>Patents</i>)	57
Valve Data Diagrams (<i>Correspondence</i>)	257	Wave-change Switching (<i>Patents</i>)	583
Valve Input Admittance and Amplification Factor. Circle Diagrams, F. M. Colebrook	657	Wavemeter with Alternative Close and Open Scales	255
Valve Voltmeter for Audio Frequencies	310	West Regional Station, Washford Cross (<i>Illustration</i>)	309
		"Whistle" Eliminators (<i>Patents</i>)	119
		Wired-Wireless Systems (<i>Patents</i>), 235, 350, 528, 585	585
		World Physics in Relation to Wireless, Sir F. Smith (<i>I.E.E. Kelvin Lecture</i>)	317

II. INDEX TO AUTHORS

BAGGALLY, W.	65, 413	NORDLOHNE, P. J. H. A.	186
BARCLAY, W. A.	307, 552	OLIVER, D. A.	420
BELL, D. A.	371	PRIECHENFRIED, G.	487
BIEDERMANN, E. A.	123	RATCLIFFE, J. A.	354
BULL, C. S.	83	RAYNER, E. H. (<i>I.E.E. Paper</i>)	205
CALLENDAR, M. V.	480	SCHNEIDER, A.	183
COATES, J. F. (<i>I.E.E. Paper</i>)	434	SCROGGIE, M. G.	477, 527, 606
COLEBROOK, F. M.	4, 69, 657	SEKI, H.	12
COOPER, M. F. and PAGE, L. G.	469	SHEARING, G. (<i>I.E.E. Paper</i>)	662
DRABBLE, J. C. W. and YEO, R.A.	648	SMITH, C. H.	14, 296
FISHER, C. B.	248, 541	SMITH, SIR F. (<i>I.E.E. Kelvin Lecture</i>)	317
GRIFFITHS, W. H. F.	239, 299	SMYTH, C. N.	134
HECHT, N. F. S. and CROWTHER, H. L.	596	STARR, A. T.	609
HOAR, T. P.	19	STRAFFORD, F. R. W.	141
HOLLINGWORTH, PROF. J. (<i>I.E.E. Paper</i>)	89	STRUTT, M. J. O.	139
HOLLMANN, H. E.	430, 484	TURNER, L. B. (<i>I.E.E. Paper</i>)	27
HORTON C. E. and CRAMPTON, C. (<i>I.E.E. Paper</i>)	434	URE, W., GRAINGER, E. J. and CANTELO, H. R. (<i>I.E.E. Paper</i>)	259
LYONS, C. L.	364	VON ARDENNE M.	592
MCLACHLAN, N. W.	375	WHITEHEAD, C. C.	78
MEGAW, E. C. S. (<i>I.E.E. Paper</i>)	142, 197		

III. ABSTRACTS AND REFERENCES

PROPAGATION OF WAVES

- On the **Absorption** of Short Electric Waves in Ionised Gases, an Attempt to Establish the Existence of the Long Wave Radiation of the Hydrogen Atom.—Betz, p. 93.
- Field Tests on Radio Communication over Long-Distance Aircraft Routes [including the Reduction of Short-Wave Fading by "Alternate-Aerial" Transmission or Reception].—von Handel, Krüger and Plendl, p. 557.
- Characteristics of Electromagnetic Radiation from Aircraft in Flight.—Rives and Coe, p. 558.
- The New Views on the Composition of the Atmosphere.—Vercelli, p. 382.
- Atmospheric Conditions and the Kennelly-Heaviside Layer.—Colwell, p. 28.
- Attenuation of Over-Land [and Over Land-and-Water Combinations] Radio Transmission in the Frequency Range 1.5 to 3.5 Megacycles per Second.—Anderson, p. 439.
- Effects of the Aurora Borealis [on 40-Metre Band Reception in Pennsylvania].—Skitzki, p. 31.
- The Aurora and World Space Echoes [Suggestion of Long Bands of Particles from the Sun].—Dostal, p. 266.
- "Blanketing" Effect of Aurora and of Electric Charges in the Clouds due to Intense Summer Heat.—Ogilvie, p. 614.
- Auroras: see also Echoes, and under "Atmospherics and Atmospheric Electricity."
- Measurements of Attenuation, Fading, and Interference [by Atmospherics] in South-Eastern Australia, at 200 Kilocycles per Second.—Munro and Green, p. 559.
- [Australian] Radio Research Board: Fourth Annual Report (for Year ended 30th June, 1932) [Fading: Lateral Deviation of Sky Wave on Broadcasting Frequencies: Directional Properties of Short Horizontal Aerials: Atmospherics, etc.], p. 265.
- Direct-Ray Broadcast Transmission [and the Prediction of Field Strengths at Distances up to 2 000 Kilometres for Wavelengths from 60 to 2 000 Metres].—T. L. Eckersley, p. 29.
- Comparative Field Strengths given by Long and Short Broadcast Waves [550–1 450 kc/s].—Byrne, p. 206.
- Note on the Field Intensity of the Marconi Broadcasting Station erected at Warsaw.—T. L. Eckersley, pp. 113–114.
- Periodic Variations of the Field Strengths of [Broadcasting] Radio Stations [at Short Distances].—Eppen, p. 342.
- Sheath Grounds Affect Travelling Waves in Cables.—Beck, p. 387.
- Travelling Wave Voltages in Cables.—Brinton, Buller and Rudge, p. 616.
- Report on the Tests in the Punkwa Caves and Tunnels.—Fritsch, p. 558.
- Symposium on Climatic Cycles [Tree Ring Records, Periodicity in Solar Variation, the Nature of the Solar Cycle, Correlation of Sedimentary and Climatic Records], p. 321.
- Some Results of Further Studies in the Correlation of Cosmic Phenomena with Radio Intensities, as measured at the Perkins Observatory.—Stetson, p. 615.
- The Applicability of the Resonance Method to the Measurement of Dielectric Constants of Aqueous Solutions.—Jeżewski, p. 207.
- Measurements of Dielectric Losses in Castor Oil [Confirmation of Debye's Formulae for Anomalous Dispersion and Absorption, for Wavelengths 200–2 000 Metres].—Snoek, p. 93.
- Dielectric Polarisation in Solid Bodies.—Errera, p. 498.
- Characteristics of Differential Systems, and the Propagation of Waves.—Levi-Civita, p. 321.
- The Wave Equation on the Riemannian Logarithmic Surface: On a Problem in the Diffraction of Waves.—Soboleff: Volterra, p. 150.
- Phenomena of Diffraction at Small Spheres in the Neighbourhood of Foci of Convergent Spherical Waves.—Möglich, p. 618.
- The Theory of Critical Opalescence in the Diffusion of Light [Discrepancies between Observed Facts and the Calculations of Einstein and of Ornstein and Zernicke: a New Theory].—Rocard, p. 93.
- Discussion of Some Asymptotic Expansions in the Theory of the Vertical Electric Dipole.—Murray, p. 616.
- Optical Dispersion: Quantum Theory of Dispersion. [Surveys].—Korff and Breit: Breit, pp. 31 and 150.
- Dispersion of Light caused by Sound Waves.—Debye, p. 167.
- Investigations of Dispersion [in Liquids] with Undamped Ultra-Short Waves.—Seeburger, p. 207.
- Short-Wave Dispersion [in Polar Liquids].—Luthi, p. 321.
- A Study of the Intensity Variations of Downcoming Wireless Waves [Lateral Deviation and Fading].—Ratcliffe and Pawsey, p. 384.
- The Influence of the Earth in Radio Communication.—Smith-Rose, p. 497.
- Radiation from Antennae under the Influence of the Earth's Properties. F.—Radiation into the Earth.—Strutt, p. 624.
- Earth: see also Ground.
- The Characteristics of a Deep Focus Earthquake: a Study of the Disturbance of February 20, 1931.—Scrase, p. 208.
- Some Remarks on the [Japanese] Earthquake of 2nd March, 1933.—Brazier and Génaux: Maurain, p. 267.
- Abnormally Good Reception from W3XAL (16.87 m) in England on Eve of Californian Earthquake, p. 321.
- Periodic Components in Love Waves [from the 1922 Formosa Earthquake Records].—Labrousse, p. 561.
- Considerations for the Explanation of World Space Echoes, the Aurora and Magnetic Disturbances. Part I.—Dostal: Störmer, p. 31.
- Polarisation of Echoes from the Heaviside Layer [Sense of Polarisation of Split-Echo Rays].—T. L. Eckersley, p. 386.
- Echo Measurements on the Ionised Layers of the Atmosphere [on Six Rapidly Changed Wavelengths between 40 and 1 000 Metres].—Goubau, p. 383.
- A Method of Automatically Recording Echoes from the Ionosphere [using a Cathode-Ray Oscillograph and capable of recording Simultaneous Tests on Several Wavelengths].—Goubau and Zenneck, p. 320.
- Recording Wireless Echoes at the Transmitting Station.—Ranzi, p. 559.
- Recording Wireless Echoes at the Transmitting Station.—Mitra and Rakshit: Watson Watt and Bainbridge-Bell, p. 386.
- The Effect of the Sun's Eclipse on Radio Waves [Facsimile Observations on about 35 Metres and Aural on 30 Metres: Effect of Electronic Shadow Found].—Alexanderson, p. 91.
- New Radio Field Stations; Measurements during Eclipse.—Bureau of Standards, p. 30.
- Measurements of Ionisation in the Kennelly-Heaviside Layer during the Solar Eclipse of 1932.—Henderson, p. 264.
- Fading and Signal-Strength Measurements taken during the Solar Eclipse of August 31st, 1932.—Henderson and Rose, p. 264.
- Observations of the Effective Height of the Kennelly-Heaviside Layer and Field Intensity during the Solar Eclipse of August 31st, 1932.—Kenrick and Pickard, p. 386.
- Eclipse Cinematography [Technique, and Importance as Aid in Determining Exact Times of Contact and Duration].—Korff, p. 265.
- Photometric Study of the Partial Eclipse of the Moon, 14th September, 1932 [and Deductions regarding the Ozone and Heaviside Layers].—Link, p. 150.
- Photometric Theory of Lunar Eclipses [Leading to the Deduction of an Absorbing Layer at about 150 Kilometres].—Link, p. 207.
- The Eclipse of the Sun of 31st August, 1932, and the "Sounding" by Atmospheric Parasites.—Lugeon, p. 92.
- Observations in Transmission during the Solar Eclipse of August 31st, 1932.—Martin and McCuskey, p. 387.
- Continuous Kennelly-Heaviside Layer Records of a Solar Eclipse [with Suggestions of a Corpuscular Effect on Appleton Layer].—Mimmo and Wang, p. 386.
- Effect of the Solar Eclipse on the Ionosphere.—Mitra, Rakshit, Syam and Ghose, p. 614.
- Observations on the Kennelly-Heaviside Layers during the Solar Eclipse of 31st August, 1932 [Investigation of "Corpuscular Eclipse" Effects on 60-Metre Wave Reflection].—Paul, p. 320.
- Radio Observations on the Upper Ionised Layer of the Atmosphere at the Time of the Total Solar Eclipse of August 31st, 1932.—Rose, p. 264.
- An Effect of the Recent Solar Eclipse on the Ionised Layers of the Upper Atmosphere [supporting Ultra-Violet Light as Ionising Agency for Lower Layer].—Schafer and Goodall, p. 91.
- The Photometry of Solar Eclipse Phenomena.—Sharp and others, p. 561.
- Amateur Observations during the Total Eclipse of the Sun.—Woodward, p. 149.
- Radio Observations during the Total Solar Eclipse of Aug. 31st [and the Nature of the Ionising Agency], p. 30.
- Ionisation during Lunar Eclipses, p. 30.
- Eclipse: see also under "Atmospherics."
- Calculation of the Electromagnetic Field of an Alternating Current in a Space with a Plane Boundary Surface.—Fock, p. 616.
- An Electron Orbit in the Magnetic Equatorial Plane of the Earth.—Swann, p. 31.
- Ellipsoidal Functions and Their Application to Some Wave Problems.—Hanson, p. 580.
- The Occurrence of "Evening Concentration" in the Appleton Layer.—Paul, p. 320.
1. A Preliminary Investigation of Fading in New South Wales.
 2. Studies of Fading in Victoria: a Preliminary Study of Fading on Medium Wavelengths at Short Distances.
 3. Studies of Fading in Victoria: Observations on Distant Stations in which no Ground Wave is received.—Green and Baker: Cherry and Martyn: Cherry, p. 385.
- Selective Fading Phenomena and Height Measurements of the Ionosphere [Fictitious Heights liable to be obtained by the "Pulse" and Other Systems].—von Handel and Plendl, pp. 383 and 497.
- Investigation of Selective Polarisation Changes and Fading, by Frequency-Change and Pulse Transmissions.—von Handel, Krüger and Plendl, p. 558.
- Fading and Night Distortion [Observations on Colombo Station], p. 30.

Propagation of Waves.

- Fading**: see also Australia, Downcoming, Polarisation.
- Fermat's Principle** [Theoretical Discussion].—Natanson, p. 494.
- Electromagnetic Field at a Distance from a Transmitter** [General Discussion: Watson, Austin-Cohen, and Eckersley Formulae: Madrid Conference Sub-Committee Reports], p. 439.
- A Field Intensity Meter** [using a Modified Superheterodyne Circuit].—Brown and Koehler, p. 48.
- Portable Long Wave Testing Apparatus** [Field-Strength Measuring Set].—de Coutouly, p. 223.
- A Note on an Automatic Field Strength and Static Recorder.**—Mutch, pp. 222-223.
- Measurements of the Electromagnetic Radiation from Aerials** [Field-Strength Measuring Set for Motor-Car Transport: Charts of Poste-Parisien and Radio-Paris: Results over Sea, with Comparison of Austin Formula and Madrid Conference Curves: P. P. Eckersley's Indirect Night-Field Rule].—David, p. 439.
- Field-Strength Measuring Set for Ground and Sky Waves, and Some Results of Practical Tests.**—Green and Wood, pp. 574-575.
- Propagation Characteristics of High-Frequency [Short] Radio Waves, and a Method of Calculation of Their Field Strengths.**—Namba, p. 149.
- A Method of Calculation of Field Strengths in High-Frequency Transmission.**—Namba and Tsukada, pp. 149 and 560.
- The Contribution of Radiotelegraphy to Geophysics,** p. 382.
- The Optical Behaviour of the Ground for Short Radio Waves.**—Feldman, p. 497.
- Ground**: see also Earth, Soil.
- Cyclones, Anticyclones, and the Kennelly-Heaviside Layer.**—Colwell, p. 387.
- Measurements of the Height of the Heaviside Layer.**—Elias, von Lindern and de Vries, p. 496.
- Note on a Multifrequency Automatic Recorder of Kennelly-Heaviside Layer Height [and the Existence of Three Layers].**—Gilliland, p. 439.
- Kennelly-Heaviside Layer Measurements on the Byrd Antarctic Expedition, 1929-30.**—Hanson, p. 265.
- Records of the Effective Height of the Kennelly-Heaviside Layer [Frequencies 2 050 and 4 095 kc/s].**—Kenrick, p. 496.
- A New Modulator for Use in Kennelly-Heaviside Layer Recording.**—Mimno, Wang and King, p. 320.
- Double-Refraction Effects in the Kennelly-Heaviside Layers.**—Mimno and Wang, p. 438.
- A Balanced Receiving Circuit for Kennelly-Heaviside Layer Observations [Avoidance of Paralysis by Direct Radiation].**—Mimno and Wang, p. 439.
- Heaviside Layer Height Measurement: A Pulse-Generating Circuit using the Intermittent Discharge through a Gas-Filled Triode.**—Verman and Mahomed, p. 497.
- Measurements on the Kennelly-Heaviside Layers by a Continuously Recording Method.**—Wolf, p. 268.
- Heaviside Layers**: see also Atmospheric, Ionisation, Ionised, Ionosphere, Long Wave, Magneto-Ionic, Outer Atmosphere, Propagation, Reflecting, Reflection, Short Wave, Stratosphere, Temperature, Upper Atmosphere.
- The High-Frequency Discharge [and the Formation of "Plasmoids" at Mid-Points of the Internodes of the Standing Waves].**—Chenot: Wood, p. 498.
- The High-Frequency Discharge in Gases [and the Effects of a Magnetic Field].**—Jonescu and Mihul, p. 439.
- Ionisation of Air and Hydrogen in the High-Frequency Discharge.**—Jonescu and Mihul, p. 498.
- High-Frequency Discharge, Fields**: see also Ionised.
- Theory of the Transmission of Waves in an Ionised Gas in which there is a Horizontal as well as a Vertical Gradient.**—Eckersley, p. 613.
- A New Method of Calculating the Hypo-central Depth.**—Caloi, p. 561.
- Investigations on Space Charges in Ice [and Their Effect on the Dielectric Constant].**—Oplatka, p. 616.
- Refraction of Intra-Red Rays [Ships detected 6 Miles beyond Horizon].**—Maccnel, p. 561.
- On the Bearing of the Natural Intra-Red Oscillations of Materials on Their Dielectric Losses.**—Czerny and Schottky, p. 31.
- Interaction of Radio Waves [in the Propagating Medium].**—Tellegen, pp. 437 and 558.
- The Properties of the Interference of Widely Divergent Pencils of Light Rays [and the Polarisation in the Interference Field of Two Pencils].**—Wawilow and Brumberg, p. 387.
- The Interference Pattern of Three Carrier Waves [Investigation of Three Transmitters each radiating the Same Speech Message with a Frequency Separation of about 7 Kilocycles/Second].**—Ladner and Wassell, pp. 207 and 267.
- Causes of Ionisation in the Upper Atmosphere.**—Ranzi, p. 28.
- Evidence of a Minor Effect of Corpuscular Radiation on Atmospheric Ionisation.**—Burton and Boardman, p. 149.
- Weekly Measurements of Upper-Atmospheric Ionisation [Variation in Region E over Sunspot Cycle: Thunderstorms as Subsidiary Ionising Agency: etc.].**—Appleton and Naismith, p. 494.
- Ionisation in the Upper Atmosphere at about 200 km above Sea Level.**—Hulburt, p. 496.
- Ionisation Density and Critical Frequency.**—Tonks, p. 559.
- Properties of Ionised Gases in High Frequency Fields.**—Gutton, p. 440.
- The Propagation of Electrical Oscillations along a Tube containing an Ionised Gas.**—Gutton and Chenot, p. 266.
- Ionised Gases in the Magnetic Field; Pressures less than 10^{-3} mm Hg [and the Effect of Water Vapour].**—Jonescu and Mihul, p. 92.
- Ionised Gases in a Magnetic Field; Pressures greater than 10^{-3} mm Hg.**—Jonescu and Mihul, p. 93.
- The Absorption of Energy in Ionised Gases.**—Jonescu and Mihul, p. 266.
- The Faraday Effect in Ionised Gases for Waves of Length 4 cm.**—Keck, p. 207.
- On the Absorption of the Debye-Falkenhagen Relaxation Force in a Neutral, Partially Ionised Gas—Plasma, Kennelly-Heaviside Layer.**—Niessen, p. 28.
- The Charge of Spherical Particles in an Ionised Field.**—Pauthenier and Moreau-Hanot, p. 150.
- Ionised Fields, Gases**: see also High-Frequency.
- A Comparison of the Frequency-Change and Group-Retardation Methods of Measuring Ionised-Layer Equivalent Heights.**—Naismith, p. 264.
- General Theory of the Propagation of Radio Waves in the Ionised Layer of the Upper Atmosphere.**—Namba, pp. 149 and 497.
- The Geophysical Significance of Radio Measurements of the Ionised Layer [and a Discussion of Bartel's Correlation Methods and Tests for Harmonic Components].**—Tuve: Bartels, p. 265.
- Wireless Studies of the Ionosphere [including a Section on the Magneto-Ionic Theory and an Extension of the Lorentz Dispersion Theory].**—Appleton, p. 30.
- The Ionosphere—Professor Appleton's Address to the Royal Society.**—Appleton, p. 494.
- Fine-Structure of the Ionosphere.**—Appleton, p. 558.
- The Ionosphere as a Doubly-Refacting Medium [Split Echoes due to Magneto-Ionic Double Refraction].**—Appleton and Bulder, p. 262.
- Continuous Measurements of the Virtual Heights of the Ionosphere [on a Frequency of 4 100 kc/s].**—Gilliland, p. 614.
- The Generation and Reception of Wireless Signals of Short Duration [for Investigation of Ionosphere].**—Herd, p. 263.
- Studies of the Ionosphere and Their Application to Radio Transmission [Measurements of Critical Frequencies: the F Region composed of Two Layers by Day: Skip Distances as Absorption, not Penetration, Phenomena].**—Kirby, Berkner and Stuart, p. 438.
- Measurements of Echoes from the Ionosphere at the Summer Solstice [1933: Broadcast and Short Waves].**—Mögel, p. 613.
- Researches on the Distribution of Ionic Density in the Ionosphere and on Its Variations.**—Ranzi, p. 384.
- An Automatic Recording Method for Wireless Investigations of the Ionosphere [and a Discussion of Some Results: Thunder- and Showers-clouds as the Cause of Abnormal E-Layer Ionisation].**—Ratcliffe and White, p. 495.
- Fine-Structure of the Ionosphere.**—Ratcliffe and White, p. 559.
- Characteristics of the Ionosphere.**—Schafer and Goodall, p. 558.
- Sounding the Ionosphere.**—Verman, p. 614.
- The Ionosphere.**—Watson Watt, p. 559.
- Ionospheric Investigations in High Latitudes.**—Appleton, Naismith and Bulder, p. 613.
- Kennelly-Heaviside Layer**: see Heaviside Layer.
- Lateral Deviation**: see Downcoming.
- Theoretical Investigation on Currents through the Bridge and through the Ends of a Lecher Wire System.**—Ataka, p. 171.
- Radio-Frequency Transmission Lines: Ellipse Diagram of a Lecher Wire System: Application of Circle Diagram to Transmission Lines.**—Roder: Hikosaburo: Creedy, p. 321.
- Luminous Discharge between Lecher Wires in a Partially Evacuated Tube.**—Herschberger, Zahl and Golay, p. 498.
- Lecher Wires**: see also under "Measurements and Standards."
- The Depolarisation of Light diffused by a Uniaxial Crystal when the Optical Axis is Parallel to the Diffused Ray. Experimental Study and Theoretical Considerations.**—Cabannes, p. 387.
- Light Intensity at Different Depths in Lake Water [down to 70 Feet: Exponential Intensity Variation for Some Wavelengths only: Calculation of Absorption Constants].**—Erikson, p. 387.
- Light Rays and Wave Surfaces in General Anisotropic Bodies.**—Frank, p. 208.
- Line Oscillations.**—"Tuned Power Lines" [101 km Telephone Line with Ground Return set into Resonance Oscillation at 940 Cycles/Second].—Marro, p. 616.
- On Linear Systems with First-Order Partial Derivatives with Two Variables.**—Carleman, p. 616.
- Long Wave Transmission, Treated by Phase Integral Methods.**—T. L. Eckersley, p. 28.
- Remarks on the Propagation Law for Long Electric Waves and the Action of the Heaviside Layer [with a New Interpretation of the Austin Formula].**—Noether, p. 381.
- Theory of the Propagation of Low-Frequency [Long] Waves [Change from Metallic to Dielectric Reflection, etc.].**—Yokoyama and Namba, p. 30.
- Some Long-Distance Transmission Phenomena of Low-Frequency [Long] Waves.**—Yokoyama and Tanimura, pp. 964 and 497.

Propagation of Waves.

- The Discontinuous Nature of Love Waves.—Coulomb, p. 616.
- Propagation of Waves: Work of Special Committee at Lucerne [Qualifying and Amplifying Madrid Committee's Reports], p. 560.
- The Propagation of Waves: an Account of Work carried out at Madrid [Field Intensities for 1 kw Radiated, Wavelengths 150-2000 Metres: Limiting Ratio of Fields of Two Stations on Same Wavelength], p. 319.
- Propagation of Waves of 150 to 2000 Kilocycles per Second (2000 to 150 Metres) at Distances between 50 and 2000 Kilometers [Madrid Sub-Committee Graphs of Average Data].—van der Pol, Eckersley, Dellinger and le Corbeiller, p. 560.
- The Surface of Waves in a Liquid submitted to the Action of a Magnetic Field.—Cotton, p. 321.
- The Effect of the Earth's Magnetic Field on the Propagation of Short Wireless Waves.—Ratcliffe and White, p. 559.
- The Magneto-Ionic Theory.—Ratcliffe, p. 495.
- A Simple Method of Producing and Projecting Mercury Ripples.—Harmon and Brinsmade, p. 150.
- Meteors and the 80-90 km Layer of the Earth's Atmosphere.—Malzev, p. 561.
- The Theoretical Frequency Distribution of Photographic Meteors.—Millman, p. 207.
- The Ionising Effect of Meteors in relation to Radio Propagation.—Skellett, p. 207.
- Meteors cause Reflection of Short Wave Radio Signals.—Skellett: Schafer and Goodall, p. 92.
- Observations of Kennelly-Heaviside Layer Heights during the Leonid Meteor Shower of November, 1931.—Schafer and Goodall, p. 207.
- Meteors: see also Winds, and under "Atmospherics."
- Direct Measurement of the Gravitational Effect of the Moon [Unexplained Lag, larger than Computed Effect of Sun].—Hartley, p. 387.
- Further Results in the Study of Apparent Variations of the Vertical with the Hour-Angle of the Moon.—Stetson: Loomis and Stetson, p. 615.
- The Influence of the Moon on Electromagnetic Waves.—Stoye, p. 615.
- Moon: see also Periodicities.
- The Outer Atmosphere of the Earth [A Survey].—Hulburt, p. 32.
- The Effect of High-Tension Overhead Lines on the Propagation of Electromagnetic Waves.—Zuhrt, p. 206.
- Propagation of High-Frequency Currents along Overhead Power Lines affected by Short-Circuits or Faults in Insulation.—Fallou, p. 440.
- The Absorption of Oxygen in the Ultra-Violet [and the Existence of an O₄ Molecule].—Herman, p. 498.
- Study of Atmospheric Ozone by a Rapid Method of Visual Photometry.—Gauzit, pp. 92 and 560.
- Vertical Distribution of Ozone in the Atmosphere.—Götz, Dobson and Meetham, p. 560.
- The Magnetic Properties of Liquid Ozone.—Lainé, p. 387.
- Ozone and the Sunspot Cycle [Latest Observations Not Confirming a Correlation].—Fowle, p. 615.
- The Bright and Dark Fringes on the Edges of the Penumbra thrown by an Opaque Body illuminated by a Large Source of Light.—Wollers: Demetrovic, p. 31.
- Some Common Periodicities in Radio Transmission-Phenomena [Solar Rotation Period and Its Prominent Third Harmonic: Lunar Period, with Prominent Second Harmonic suggesting a Kennelly-Heaviside Layer Tidal Effect].—Kenrick and Pickard, p. 265.
- The Influence of the Earth's Magnetic Field on the Polarisation of Sky Waves.—Baker and Green, p. 385.
- The Limiting Polarisation of Downcoming Radio Waves Travelling Obliquely to the Earth's Magnetic Field.—Baker and Green, p. 614.
- The State of Polarisation of Sky Waves: Height Measurements of the Heaviside Layer in the Early Morning [Waves of Broadcast Frequencies].—Green, p. 385.
- The Magnetic Rotation of the Plane of Polarisation of Electromagnetic Waves in Ionised Gases [Experimental Confirmation of Theory].—Keck and Zenneck, p. 92.
- The State of Polarisation of Downcoming Wireless Waves of Medium Length [and the Cause of Rapid Fading].—Ratcliffe and White p. 559.
- On Radiometer Action and the Pressure of Radiation.—Bell and Green, p. 267.
- On the Pressure of Radiation at Refraction.—Bellia, p. 208.
- The Appleton-Hartree Formula and Dispersion Curves for the Propagation of Electromagnetic Waves through an Ionised Medium in the Presence of an External Magnetic Field. Part I: Curves for Zero Absorption.—Mary Taylor, p. 263.
- Propagation of Waves of 150-2000 kc/s over Distances of 50-2000 km.—van der Pol, p. 382.
- Remark on a Paper by Murray and One by van der Pol and Niessen on the Propagation of Electromagnetic Waves.—Niessen, p. 382.
- Results of the Third [Polish] Investigations on the Propagation of Intermediate [200-50 m] and Short [50-10 m] Waves.—Sokolow and Bylewski, p. 386.
- The Propagation of Electromagnetic Waves—Account of the Facts already Acquired; Synthesis of Ideas and Theories.—Labbat, p. 440.
- Propagation of Electromagnetic Waves [over the Surface of a Conductive Earth: Revival and Amplification of Vaschy's Treatment (1925)].—Pomey, p. 615.
- Pulse Generator using Cold-Cathode Neon Discharge Tube and giving 100-Microsecond Pulses.—Verman, p. 614.
- Some Applications of the Reciprocity Theorem in Radio Telegraphy.—Graffi, p. 31.
- The Reflecting Layers of the Upper Atmosphere [and Changes in Barometric Pressure].—Colwell and Myers, p. 437.
- Measurements of the Reflection at the Heaviside Layer.—Elias and von Lindern, p. 206.
- Experimental Researches on the Total Reflection of 18-cm Hertzian Waves [and the Study of a Radiometer suitable for these Waves].—Beauvais, pp. 150, 440, 494, 558.
- Metallic Reflection. IV. Propagation of Electromagnetic Waves along Curved Wires.—Ebeling, p. 498.
- The Reflection of Light at a Surface Covered by a Monomolecular Film.—Strachan, p. 208.
- Phase Changes at Reflection by Very Thin Metallic Layers.—Rouard, pp. 208, 440.
- The Reflection of Plane Wave Pulses from Plane Parallel Plates.—Muskat, p. 616.
- The Propagation of Electromagnetic Fields along Rivers [Tests along the Danube in Flat and Mountainous Regions].—Fritsch, p. 319.
- The Scattering of Light [and the Effect of Particle Size].—Bancroft and Gurchot, p. 267.
- The Scattering of Light in Very Clouded Media.—Fabrikant, Ginsburg and Pulver, p. 387.
- On the Scattering and Absorption of [Plane] Electromagnetic Radiation by a Small Sphere.—Beck and Wenzel, p. 616.
- The Screening of the Magnetic Field of Cylindrical Coils.—Hillers, p. 281.
- The Theory of the Interpretation of Seismic Travel-Time Curves in Horizontal Structures.—Slichter, p. 150.
- The Theory of Refraction Shooting [of Seismic Waves].—Muskat, p. 321.
- The Transmission of Seismic Waves [Deductions from the Santiago Data].—Neumann, p. 616.
- Electromagnetic-Wave Prospecting in U.S.S.R. [and the Theory of Propagation in Semi-Conducting Media].—Petrowsky, p. 498.
- Electromagnetic Shielding at Radio Frequencies.—King, p. 206.
- Experiments on Electromagnetic Shielding at Frequencies between One and Thirty Kilocycles.—Lyons: King, p. 403.
- North Atlantic Ship-Shore Radiotelephone Transmission during 1930 and 1931 [Analysis of Short-Wave Data: Field Strength Contour Diagrams, etc.].—Anderson, p. 206.
- The Apparent Velocity of Short Radioelectric Waves.—Stoyko and Jouaust, p. 437.
- Anomalies in the Propagation of Short Radioelectric Waves [Abnormally Long Path Time for Annapolis Time Signals received in France].—Stoyko and Jouaust, p. 437.
- Short-Wave Transmission to South America [Survey of Transmission Conditions: Absence of Seasonal Effect: Characteristics of Atmospheric Noise, etc.].—Bürrows and Howard, p. 206.
- Studies in Radio Transmission [Short-Wave Echo, Field Strength and Facsimile Measurements].—T. L. Eckersley, p. 29.
- Some Characteristics of Short-Wave Propagation [especially Long-Distance Reception of a Single, Very High-Angle Ray].—Hollingworth, pp. 91, 206, 319.
- Experimental Contribution to the Study of the Propagation of Short Waves [based on Paris-Buenos Ayres and Paris-New York Services].—Maire, p. 404.
- Transoceanic Reception of High-Frequency [Short-Wave] Telephone Signals [and the Correlation of Magnetic Activity and Signal Strength].—Morris and Brown, p. 230.
- Angle of Elevation of Short-Wave Rays.—Walmsley, p. 91.
- Short-Wave Broadcasting in the Dutch East Indies.—Kuyck, p. 497.
- The Theory of the Skin Effect.—Rothe, p. 498.
- The Electrical Properties of Soil for Alternating Currents at Radio Frequencies.—Smith-Rose, p. 382.
- Transoceanic [Short-Wave] Radio and Solar Activity.—Brown: National Broadcasting Company, p. 614.
- Solar Influences on Radio Transmission [Survey].—Appleton, p. 265.
- Solar Influences: see also Climatic, Eclipse, Periodicities.
- The Absorption of Sound in the Atmosphere: a Suggested Explanation [of the Observed Absorption more than Twenty Times as great as the Calculated].—Rocard, p. 321.
- The Relation between the Resolving Power of a Spectroscope and the Principle of Uncertainty.—Goldman, p. 267.
- Small Sphere: see Diffraction, Scattering.
- Standing Light Waves: Repetition of an Experiment by Wiener, using a Photoelectric Probe Surface—Ives and Fry, p. 335.
- Effect of Storms on Radio.—Colwell and Myers, p. 321.
- Radio Transmission from the Stratosphere, during Piccard's Ascent, p. 92.
- On Energy Effects in the Troposphere produced by Pressure Variations in the Stratosphere.—Ertel, p. 266.
- Clouds in the Stratosphere.—Störmer, p. 497.

Propagation of Waves.

- Progress in the Studies of Cosmic Correlations with Radio Reception at the Perkins Observatory [Closer Inverse Correspondence of Radio Reception with Sunspot Numbers—Closer than with Ultra-Violet Radiation: Correlation with Lunar Altitudes].—Stetson, p. 265.
- Sun Spots and Radio Reception.—Stetson, p. 265.
- "Those Sunspots" [Choice of Working Waves for Short-Wave Services].—Alway, p. 320.
- Sunspots: see also under "Atmospherics and Atmospheric Electricity."
- Superposition of Two Modulated Radio Frequencies [Treatment applicable to Direct and Reflected Beams].—Roder, p. 210.
- The Diffraction of Light by [Supersonic] Elastic Waves.—Lucas, p. 150.
- Optical Properties of Solid and Liquid Media submitted to Supersonic Elastic Vibrations.—Lucas and Biquard, p. 31.
- Some Experiments on the Diffraction of Light by Supersonic Waves.—Bar and Meyer, p. 616.
- The Change of Form undergone by Surges as a result of Corona Loss.—F. Voerste, p. 387.
- The Damping of Surges on H.T. Lines [Higher Values than those calculated from Skin Effect, and Their Causes].—Flegler and Röhrig, pp. 440 and 616.
- Distant Television Reception: Multiple Images due to Propagation Effects.—Bodroux and Rivault, pp. 572-573.
- The Temperature of the Upper Atmosphere deduced from Day/Night Change of Height of Absorption Layer for Auroral Light.—Angeheister, p. 560.
- The Non-Uniform Transmission Line: Corrections.—Starr, p. 31.
- Linearly Tapered Loaded Transmission Lines.—Arnold and Taylor, p. 150.
- Theory of the Propagation of Electrical Energy along Transmission Lines.—Bláha, p. 321.
- Checking the Behaviour of Ultra-High-Frequency [2- and 5-Metre] Waves: Interesting Transmission Tests using Directive Aerials.—Jones, p. 328.
- Experiments on Ultra-High-Frequency Communications [on 8.2-Metre Wave from Summit of Mt. Fuji].—Nakai, Kimura and Ueno, p. 173.
- The Ultra-Short-Wave Service between Corsica and the Continent.—de Cléjoux, pp. 228-229.
- Some Results of a Study of Ultra-Short-Wave Transmission Phenomena [Effect of Reflection Components: Three Reflection Surfaces even in Hill-to-Hill Transmission: Comparison of Methods of Field Strength Measurement: etc.].—Englund, Crawford and Mumford, pp. 318 and 381.
- Propagation Tests with the 1.3-Metre [Ultra-Short] Wave.—Esau and Köhler, p. 381.
- Absorption and Reradiation of [Ultra-] Short Electric Waves.—Fountain, p. 327.
- A Study of the Propagation of [Ultra-Short] Wavelengths between Three and Eight Metres [and an Empirical Ultra-Short-Wave Propagation Formula].—Jones, p. 334.
- Some Characteristics of Five-Metre [Ultra-Short-Wave] Transmission.—Kraus, p. 558.
- "Ultra-Shorts" from the Air [Transmissions from an Aeroplane: Occurrence of Shadows cast by Banks of Cloud or Rain?].—Morgan, p. 494.
- Ultra-Short-Wave Tests from Summit of Mount Snowdon [Five-Metre Signals to Hoddesdon, Herts, 200 miles away].—O'Hefferman and Myatt, p. 558.
- Radio-telephone Service between France and Corsica on Ultra-Short Waves.—Picault, p. 31.
- Ultra-Short-Wave Propagation [with Methods of Measuring Attenuation and Field Strength: Important Action of Regular Reflection and of Diffraction: etc.].—Schelling, Burrows and Ferrell, pp. 318 and 381.
- The Propagation of Ultra-Short Waves.—Smith-Rose, p. 148.
- Notes on Propagation of Ultra-Short Waves below Ten Metres in Length [Empire State Building and Other Transmissions].—Trevor and Carter, pp. 334-335.
- The Propagation of Ultra-Short Waves through Oil and Water.—Uda and Takao, p. 31.
- Experiments with Ultra-Short Waves: Demonstration [on 65-cm Wavelength: including Imitation of Fading].—Yates-Fish, p. 494.
- The Damping of [Ultra-] Short Waves by Conductive Walls.—Zuhrt, p. 493.
- Field Strength Measurements of Ultra-Short Waves from Empire State Building, p. 207.
- Recent American Amateur Results on Ultra-Short Waves (50 Megacycle Band), p. 148.
- Experiments on the Propagation of Ultra-Short and Micro-Waves in Tunnels [the Shafts and Galleries of Mines and a Concreted Tunnel].—Arenberg and Peickov, p. 558.
- Considerations on the Propagation of Ultra-Short and Micro-Waves.—Pession, p. 493.
- Ultra-Short and Micro-Waves: see also Very Short.
- Present Knowledge of the Upper Atmosphere.—Appleton, p. 30.
- A Survey of the Physics of the Upper Atmosphere.—Bartels, pp. 92 and 262.
- Discussion on Papers by Bartels and Rukop on the Upper Atmosphere.—Bartels: Rukop: Lassen: Franck, p. 382.
- The Existence of More Than One Ionised Layer in the Upper Atmosphere.—Builder, p. 148.
- On a Study of the Upper Ionised Atmosphere in Bengal by Wireless Echoes of Short Delay.—Mitra and Rakshit, p. 148.
- General Theory on the Propagation of Radio Waves in the Ionised Layer of the Upper Atmosphere.—Namba, p. 265.
- The Present Position of the Investigation of the Upper Atmosphere by the Study of the Propagation of Waves.—Rukop, p. 382.
- Travel of Wireless Waves. Sir Frank Smith's Kelvin Lecture—How Radio Research Has Enlarged Our Knowledge of the Upper Atmosphere, p. 382.
- Contributions to the Calculation of the Velocity of Spherical Waves [Raumwellen] in the Interior of the Earth.—Witte, p. 267.
- Radio Communication by means of Very Short Electric Waves [around 50 Centimetres].—Marconi, pp. 91, 153-154, 207, 266, 267, and 493.
- New Range Tests with Very Short Waves of 60 Centimetres.—Marconi, p. 615.
- Progressive Periodic Waves at the Surface of Water in a Shallow Container [Verification of Kelvin's Formula].—Baurand, p. 387.
- Wireless Reception and the Weather [Correlation between Barometric Pressure and Strength of WCAU Signals at Paisley, Renfrewshire], p. 321.
- The Influence of the Weather on the Propagation of Radio Waves.—Fuchs, p. 438.
- On Calculations of the Ionisation in the Upper Atmosphere [Better Agreement between Calculated and Observed Night Increase of Skip Distance by Recognition of Winds and Effect of Earth's Magnetic Field: etc.].—Hulbert, p. 266.
- On Winds in the Upper Atmosphere [Meteor-Train Observations agree with Theoretical Inferences: Desirability of Meteor-Train Observations during Magnetic Storms].—Hulbert, p. 266.

ATMOSPHERICS AND ATMOSPHERIC ELECTRICITY

- Electrical Properties of the Atmosphere in the Neighbourhood of Flying Aircraft [Marked Stratification of Atmospheric Space Charge at and just above Cloud Level: Possibility of using Electrical Phenomena as an aid to Height Estimation in Blind Flying].—Rose, p. 442.
- An Extremely Simple Method of Periodogram Analysis [taking One-Third the Time taken by Correlation Periodogram: Calculations made on ordinary Adding Machine].—Alder, p. 323.
- Practical Application of Periodogram Analysis.—Sandström: Lindquist, p. 389.
- Principles of Statistical Analysis Occasionally Overlooked [Application to Cosmic Ray Data].—McNish, p. 499.
- The Effects on Human Beings of Atmospheric Electrical Phenomena and Meteorological Influences.—Chorus and Levi, p. 269.
- Papers on Atmospheric Electricity and Terrestrial Magnetism, at the International Electricity Congress, Paris, pp. 94 and 151 (two).
- Weather Forecasting by Atmospherics.—Ashwin, p. 323.
- Noise Intensity due to Atmospherics, Measured at Different Parts of the Broadcast Spectrum.—Byrne, p. 441.
- On the Rapid Variation of Atmospherics at Sunrise [and Lugeon's "Sounding" of the Upper Atmosphere].—Bureau: Lugeon, p. 440.
- Probability Ideas applied to Radio Communication: the Question of Atmospherics.—Deloraine, p. 441.
- Directional Studies of Atmospherics at High Frequencies.—Jansky, p. 208: see also end of Cosmic, Static.
- Records of Atmospherics [Pic du Midi, Nov. 1931 to Aug. 1932: Lugeon's "Vertical Sounding" of the Atmosphere].—Link: Lugeon, p. 31.
- Sources of Atmospherics observed between England and Australia, using the Cathode-Ray Direction Finder.—Munro and Huxley, p. 32.
- Atmospherics in Australia—I. Radio Research Board, Report No. 5.—Munro and Huxley, p. 267.
- Atmospherics ["Fulgurs"] in South-Eastern Australia, measured on a Frequency of 200 Kilocycles per Second.—Munro and Green, p. 561.
- Solar Rotation and Atmospherics.—Schindelbauer, p. 208.
- On the Relation between Atmospherics and Meteorological Elements observed at Okinawa.—Yanagimoto, p. 32.
- Results in Cinematographic Height Measurements and Proof of an Infra-Red Radiation in the Aurora Borealis [due to Nitrogen rather than to Oxygen].—Bauer, p. 389.
- An Auroral Arc at less than 80 km Height above the Earth.—Harang and Bauer, p. 268.
- Low Auroras and Terrestrial Discharges.—Beals, p. 561.
- Low Altitude Aurorae.—Chapman, p. 93.
- Auroral Curtains and the Corpuscular Theory.—Störmer, p. 389.
- The Most Important Results of Aurora Borealis Research.—Störmer, p. 389.
- The Horseshoe Aurora.—Hill: Störmer, p. 268.
- The Auroral Spectrum and Its Interpretation.—Vegard, p. 617.
- Investigations of the Auroral Spectrum during 1921-26 [and Conclusions regarding Upper Atmosphere].—Vegard, p. 389.
- The Audibility of the Aurora, p. 323.

Atmospherics and Atmospheric Electricity.

Aurora : see also Space Charge.

A Consideration of the Emission of the Auroral Green Light in the Night Sky [Discussion of the Reactions between Oxygen and Nitrogen Atoms].—Kimura, p. 33.

Attempts and Suggestions towards the Development of Radiometerographical Methods [for Sounding Balloons].—Väisälä, p. 151.

Ionisation of the Atmosphere and its Biological Effects.—Koller, p. 32.

The Biological Effect of Cosmic Rays.—Lakhovsky : Rivera, p. 34
The Influence of Humidity on the Breakdown Voltage in Air.—Dei, p. 33.

Spark-Gap Breakdown : Characteristic Properties of the Glow Discharge.—Hellman : Rogowski, p. 209.

A Fundamental Problem of the Motion of an Electrically Charged Particle in Cosmic Space.—Störmer, p. 268.

Study of the Electrical Conductivity and Condensation Nuclei on a Voyage to Greenland.—Maurain and Devaux, p. 93.

Measurement of the Electrical Conductivity of the Air by a Null Method.—Thellier, p. 442.

Methods of Measuring the Electrical Conductivity and Ionisation of the Air.—Salles, p. 617.

Bead-Corona on Radio Antenna.—van der Pol, p. 94.

Origin of Cosmic Radiation.—Alfvén, p. 388.

Energy-Loss and Scattering of Cosmic-Ray Particles.—Anderson, p. 322.

Cosmic Ray Bursts.—Anderson, p. 323.

A Self-Recording Cosmic-Ray Electrometer and Depth-Ionisation Curve.—Benade, p. 95.

Secondary Radiation Produced by Cosmic Rays.—Benade, p. 95.

Intensity of Cosmic-Ray Ionisation in Western North America.—Bennett, Dunham, Bramhall and Allen, p. 94.

New High-Altitude Study of Cosmic-Ray Bands and a New Determination of Their Total Energy Content.—Bowen, Millikan and Neher, p. 617.

Cosmic-Ray Ionisation as a Function of Pressure, Temperature, and Dimensions of the Ionisation Chamber.—Broxon, p. 95.

Fluctuations of Cosmic-Ray Ionisation.—Broxon, Merideth and Strait, p. 442.

The Corpuscular Nature of Cosmic Radiation and the Effect of Terrestrial Magnetism.—Clay, p. 209.

Variation of Cosmic Radiation with Geographical Latitude and Terrestrial Magnetism.—Clay and Berlage, p. 34.

Professor A. H. Compton's Studies of Cosmic Rays.—Compton, p. 34.

Ionosphere Rays Possible as New Name for Cosmic Rays.—Compton, p. 94.

Progress of Cosmic-Ray Survey.—Compton, p. 94.

Sea Level Intensity of Cosmic Rays in Certain Localities from 46° South to 68° North Latitude.—Compton, p. 152.

Some Evidence Regarding the Nature of Cosmic Rays.—Compton, p. 322.

Nature of Cosmic Rays.—Compton, p. 387.

A Geographic Study of Cosmic Rays.—Compton, p. 322.

A Positively Charged Component of Cosmic Rays.—Alvarez and Compton, p. 442.

Spectrum of Cosmic Radiation.—Conway, p. 95.

Deflection of Cosmic Rays by a Magnetic Field [Positive Results].—Curtiss, p. 152.

Cosmic Rays—What Physicists Have Learned About Them.—Darrow, p. 389.

Secondary Effects of Cosmic Radiation.—Fünfer, p. 500.

The Variation with Pressure of Ionisation by Cosmic Rays.—Gross, p. 34.

The Dependence of Cosmic Ray Ionisation on Pressure and Temperature.—Gross, p. 209.

The Absorption of Cosmic Radiation.—Gross, p. 499.

Diurnal Variation of Cosmic Rays and Terrestrial Magnetism.—Gunn, p. 94.

Cosmic Rays may be born of Neutral Rays from Stars.—Gunn, p. 209.

High-Speed Ions of Stellar Origin [Bearing on Cosmic Radiation].—Gunn, p. 389.

Latitude Effect of Cosmic Radiation.—Hoerlin, p. 562.

Use of Argon in the Ionisation Method of Measuring Cosmic Rays and Gamma Rays.—Hopfield, pp. 152 and 499.

Efficiency of Geiger Counter and Absorption of Cosmic Rays.—Jacobsen, p. 95.

The Variation of Cosmic-Ray Intensities with Azimuth on Mt. Washington, N. H.—Johnson, p. 388.

The Azimuthal Asymmetry of the Cosmic Radiation.—Johnson, pp. 442 and 499.

The Direction of Cosmic Rays.—Johnson and Street, p. 34.

The Variation of the Cosmic-Ray Intensity with Azimuth.—Johnson and Street, p. 94.

Comparison of the Angular Distributions of the Cosmic Radiation at Elevations 6 280 ft. and 620 ft.—Johnson, pp. 388 and 561.

Angular Distribution of Low Energy Cosmic Radiation and Interpretation of Angular Distribution Curves.—Johnson and Stevenson, pp. 388 and 562.

The Asymmetry of the Cosmic Radiation at Swarthmore.—Johnson and Stevenson, p. 562.

An Interpretation of Cosmic-Ray Phenomena.—Johnson, p. 94.
Cosmic Rays Bombard Earth with 40 000 Million Volts [New Estimate].—Johnson, p. 34.

Cosmic Rays—Theory and Experimentation [History and Present State].—Johnson, p. 152.

Counting Cosmic Rays.—Johnson and Street, p. 34.

The Cosmic-Ray Hodoscope and a Circuit for Recording Multiply Coincident Discharges of Geiger-Müller Counters.—Johnson, p. 388.

The Cosmic Ray Hodoscope.—Johnson and Stevenson, p. 618.

Concerning the Production of Groups of Secondaries by the Cosmic Radiation.—Street and Johnson, p. 34.

Remarks on the Problem of Cosmic Rays [Generation of "Positive Electrons" by Impact on Matter].—Kallmann, p. 500.

Investigations of the Vertical Counter Effect of Cosmic Radiation.—Kolhörster, p. 152.

Proposal for a Uniform Notation for Strength of Gaseous Ionisation [application to Cosmic Ray Experiments].—Kolhörster, p. 152.

The Hardest Cosmic Rays and the Electric Charge of the Earth.—Kolhörster, p. 617.

The Interpretation of the Experimental Determination of the Mean Specific Ionisation of Cosmic Radiation from Comparative Measurements with an Ionisation Chamber and a Counter.—Kolhörster and Tuwim, p. 322.

The Straight Line Law in Cosmic Ray Coincidences and Its Experimental Validity.—Kolhörster and Tuwim, p. 618.

Azimuthal Investigation of Cosmic Radiation.—Korff, p. 562.

Density of Energy in the Universe [Smaller than Cosmic-Ray Energies].—Korff, p. 618.

Remark on the Variations of Cosmic Ray Intensity at Great Altitudes.—Kulenkampff, p. 209.

Magnetic Spectrum of Cosmic Rays.—Kunze, p. 94.

Magnetic Deviation of Cosmic Rays in a Wilson Cloud Chamber.—Kunze, p. 268.

Investigation of Cosmic Radiation in the Wilson Chamber.—Kunze, p. 499.

The Latitude Effect of Secondary Electrons due to Cosmic Rays.—Langer, p. 268.

Cosmic Rays are Photons, Dr. Millikan declares.—Langer : Millikan, p. 322.

"Super-Radium" Supplied Energy for Rapid Cosmic Evolution [Cosmic Rays are Traces of the Radiation emitted Then].—Lemaître, p. 95.

Einstein Backs Lemaître Idea that Cosmic Rays are Birth Cries.—Lemaître, p. 209.

On Compton's Latitude Effect of Cosmic Radiation.—Lemaître and Vallarta, pp. 152 and 209.

Analysis of the Absorption Curve of Cosmic Radiation.—Lenz : Regener, p. 499.

X-Rays made as Cosmic Rays plough through Gas [and cause Part of the Charge in an Ionisation Chamber used for Ray Measurements].—Locher, p. 200.

Expansion Chamber Data on Cosmic-Ray Ionisation.—Locher, p. 323.

On Measurements of Fluctuation in Cosmic Radiation.—Messerschmidt, p. 34.

Disintegration of Atoms by Cosmic Rays.—Messerschmidt, p. 388.

Cosmic Rays Measured in Stratosphere [100 Times more intense at 18 Kilometres than at Sea Level].—Millikan, Bowen and Neher, p. 388.

Cosmic-Ray Intensities in the Stratosphere.—Bowen and Millikan, p. 442.

Millikan and Compton Debate Cosmic-Ray Facts and Theories.—Millikan : Compton, p. 209.

The Sun and Cosmic Rays.—Millikan and Neher, p. 268.

New Technique in the Cosmic-Ray Field and Some of the Results obtained with it.—Millikan and Neher, pp. 322, 388.

Altitude Increases Quantity of Cosmic Rays.—Mott-Smith, p. 94.

Airplane Cosmic-Ray Intensity Measurements.—Mott-Smith and Howell, pp. 94, 322 and 561.

The Airplane Method of Obtaining Cosmic-Ray Intensity Data.—Howell and Mott-Smith, p. 322.

Origin of the Cosmic Rays.—Piccard, p. 34.

Study of the Cosmic Radiation at Great Altitudes.—Piccard and Cosyns, p. 33.

Recent Researches on Cosmic Rays.—Piccard : Regener, p. 33.

Measurement of Cosmic Radiation in the Stratosphere.—Regener, p. 33.

Energy of Cosmic Rays.—Regener, p. 209.

The Energy Current of Cosmic Radiation.—Regener, p. 268.

The Absorption Curve of Cosmic Radiation and Its Meaning.—Regener, p. 442.

Cosmic Rays [Exclusively Corpuscular at Sea-Level : Primary Radiation from Outer Space also probably Corpuscular : "Transition Effects" in Absorption Curves Explained].—Rossi, p. 388.

Interaction between Cosmic Rays and Matter.—Rossi, p. 562.

The Secondary and Tertiary Particles Produced by Cosmic Rays.—Sawyer, p. 618.

On the Cosmic Radiation [Theory of Origin covering both Hard and Soft Components].—Sevin, p. 33.

Atmospheric and Atmospheric Electricity.

- On the Absorption of **Cosmic Radiation** by the Atmosphere [Support of the Writer's View of Radioactivity of Free Protons as Ionising Agency and Extra-Nuclear Electrons as Agency for Absorption].—Sevin, p. 388.
- Spectrum of **Cosmic Radiation**.—Skapski, p. 33.
- Some New Coincidence Measurements on the **Cosmic Radiation**.—Sparks and Pickering, p. 268.
- Angular Distribution of **Cosmic-Ray Particles**.—Stearns and Bennett, p. 499.
- Solar Component of **Cosmic Rays**.—Stearns, Overbeck and Bennett, p. 95.
- The Disintegration of Various Materials by **Cosmic Radiation**.—Steinke, Castell and Nie, p. 618.
- The Attenuation of **Cosmic Rays** in their Passage through Different Materials.—Steinke and Tielsch, p. 618.
- Production of Secondaries by **Cosmic Rays**.—Street, p. 500.
- Concerning the Production of Groups of Secondaries by the **Cosmic Radiation**.—Street and Johnson, p. 618.
- A Mechanism of Acquisition of **Cosmic-Ray Energies** by Electrons.—Swann, pp. 152, 268 and 389.
- On the Nature of the Primary **Cosmic Radiation**.—Swann, p. 499.
- Detection of the Ionisation by Individual **Cosmic Rays**.—Swann, p. 500.
- Space Density of **Cosmic-Ray Particles**.—Swann, p. 618.
- On the Nature of the Primary **Cosmic Radiation**.—Swann, p. 618.
- Cosmic-Ray Nuclear Disintegrations**.—Swann and Montgomery, p. 618.
- On the Limits of Application of the Mathematical Theories of the Vertical Counter Effect in **Cosmic Radiation** and of the **Cosmic-Ray Coincidences**.—Tuwim, p. 95.
- General Mathematical Theory of the Vertical Tube Counter Effect of the **Cosmic Radiation**.—Tuwim, p. 152.
- Mathematical Theory of the Average Action of the **Cosmic Radiation** on Detecting Instruments, Shielded or Non-Shielded.—Tuwim, p. 323.
- First Results obtained in a New **Cosmic-Ray Observatory**.—Tuwim, p. 388.
- A New Method of Direct Determination of the Natural Angular Distribution of **Cosmic Rays** [Rotatable System of Tube Counters of Varying Lengths].—Tuwim, p. 499.
- Measurements of **Cosmic Rays** with a New Type of Counter Tube [and the Action of the Rays on Chemical Elements: Ionisation (Extranuclear Electrons) and Absorption (Nuclei)].—Tuwim, p. 500.
- The Interpretation of the Azimuthal Effect of **Cosmic Radiation**.—Vallarta, p. 562.
- Passage of Swift Corpuscular [Cosmic] Radiation through a Ferro-Magnetic Substance.—von Weizsäcker, p. 618.
- Influence of the Earth's Magnetic Field on **Cosmic Radiation**.—Zanstra, p. 617.
- How Far Do **Cosmic Rays** Travel?—Zwicky, p. 209.
- Cosmic Rays**: see also Analysis, Biological, Electrons, Emanation, Geiger, Ionisation, Night Sky, Penetrating, Relations.
- Cosmic-Ray Observations and Jansky's "Static Hiss"** quoted as Evidence of Absolute Cosmic Motion in Ether-Drift Theory.—Miller, p. 617.
- A Recording Frequency Counter depending on the Time Constant of a Circuit [Counter for Atmospherics, Tachometer, etc.].—Lugeon and Gurtzman, pp. 457-458.
- Summation Methods in Smoothing Curves.—Vercelli, p. 389.
- Spark Discharge in the Air, Part III.—Asami, p. 499.
- Theory of Spark Discharge in Air [Contradiction of Townsend's Theory: Ionisation due to Electron Impact only: Importance of Role of Positive Ion as Space Charge].—Kumagai, p. 151.
- Development of Electric Discharge as affected by the Residual Charge: Study with a Resonant Wave, Continued.—Mochizuki and Kano, p. 151.
- An Experimental Study of Electrical Discharge in Gases at Normal Temperatures and Pressures.—Stephenson, p. 151.
- Study of the Electric Discharge [Velocity and Properties of Second Negative Streamer].—Toriyama and Shinohara, p. 499.
- Bends in the Initial Voltage Characteristic [in Spark Discharges].—Toepfer, p. 151.
- Divining of Water, etc.: see Lightning.
- Hypothesis on the Source of Electrostatic and Magnetic Fields of the Earth.—Machihara, p. 498.
- The Problem of Vertical Earth Currents [and Their Probable Non-Existence].—Gish, p. 617.
- Relation between the Diurnal Variations of the Earth Current and of the Terrestrial Magnetic Field.—Stenquist, p. 208.
- The [Continual] Fluctuations of the Earth's Electric Field [not only due to Local Irregular Disturbances].—Dupérier and Collado, p. 561.
- The Influence of Atmospheric Suspensoids upon the Earth's Electric Field as indicated by Observations at Kew Observatory.—Wright, p. 269.
- A New Apparatus for the Measurement of the Earth's Magnetic Field.—Bates, p. 267.
- Cosmic Disturbances of the Earth's Magnetic Field and their Influence upon Radio Communication [Comprehensive Survey].—Kennelly, p. 267.
- Sudden Changes in the Earth's Magnetic Field.—Rodés, p. 389.
- The Riddle of the Secular Variation of the Earth's Magnetism [and the Suggestion of a Magnetised Core rotating with a 480-Years' Period].—Schmidt, p. 267.
- The Eclipse of the Sun of 31st August, 1932, and the "Sounding" by Atmospheric Parasites.—Lugeon, p. 92.
- Effects of Solar Eclipse on Audio-Frequency Atmospherics.—Burton and Boardman, p. 150.
- Polarisation of the Solar Corona during the Total Eclipse [Almost Constant for All Wavelengths: the Corona behaves as a Gas of Free Electrons].—Dufay and Grouiller, p. 442.
- Eclipse: see also under "Propagation of Waves."
- The Diurnal Component of the Electrical Potential Gradient at Val-Joyeux: Variations in Phase and Amplitude [Rapid and Yearly].—Guizonnier, p. 151.
- [Establishment of an Important Relation between] the Electrical Potential Gradient and Atmospheric Pressure.—Guizonnier, p. 561.
- Motion of Electrons in Heterogeneous Magnetic Fields.—Ertel, p. 561.
- Positive and Negative Electrons Apparently Produced in Pairs [Support to Millikan's Photon Theory of Cosmic Rays].—Langer: Anderson, p. 442.
- On the Paths of Electrons in an Electric and Magnetic Field with Axial Symmetry [Theoretical Paper].—Störmer, p. 339.
- Application of Liouville's Theorem to Electron Orbits in the Earth's Magnetic Field [and Cosmic-Ray Intensities].—Swann: Lemaître and Vallarta, p. 617.
- Electronic Bombardment as a Factor in Atmospheric Phenomena [Blue Colour of Sky, Unpolarised Light from Night Sky Clouds, etc.].—Cohn, pp. 389 and 442.
- A New Method of Determining the Emanation Content of the Atmosphere and its Application to the Investigation of the Connections with Meteorological Factors and of the Influence of the Emanation Content of the Atmosphere on Measurements of Cosmic Radiation.—Messerschmidt, p. 388.
- Contribution to the Study of the Fulminant Matter.—Mathias, p. 268.
- Efficiency of the Geiger-Müller Counter.—Rossi, p. 95.
- The Discharge Mechanism in the Geiger-Müller Counter and its Connection with Properties of the Normal Glow Discharge.—Schulze, p. 95.
- A Circuit for Recording Multiply-Coincident Discharges of Geiger-Müller Counters.—Johnson and Coit, p. 388.
- Temperature Effect and Its Elimination in Geiger-Müller Tube Counters.—Curtis, p. 268.
- Associated Problems of Hydrology and Terrestrial Electricity.—Gish, p. 617.
- Non-Existence of Ion Mobility Spectrum in Air.—Varney, p. 151.
- Study of the Methods of Ion Counting [in Air].—Graziadei, p. 210.
- Variations in the Small-Ion Content of the Atmosphere, and Their Causes.—Wait, p. 561.
- On the Ionic Spectrum of the Atmosphere [Summarising Report].—Kähler, p. 32.
- Ionisation Charts of the Upper Atmosphere [from Chapman's Theory].—Millington, p. 32.
- The Value of the Townsend Coefficient for Ionisation by Collision at Large Plate Distances and Near Atmospheric Pressure.—Sanders, p. 98.
- The Ionisation due to Gamma and Cosmic Rays in Oxygen and Xenon [Preliminary Communication].—Masuch, p. 95.
- Electronic Ionisation at Low and High Pressures [in Nitrogen, Oxygen and Air].—Masch, p. 151.
- Some Comments on the Relation between Ionisation and Ionisation Current in Gases at High Pressures.—Harper, p. 210.
- On the Formation of Negative Ions according to Quantum Mechanics [and the Light of the Night Sky].—Rocard, p. 93.
- Relations between the Combination Coefficients of Atmospheric Ions.—Whipple, p. 498.
- Slow-moving Ions in the Atmosphere.—Wait and Torreson, p. 269.
- An Improvement to the Kydonograph.—Hartje, p. 33.
- An Improvement to the Kydonograph: Correspondence.—Müller-Hillebrand: Hartje, p. 151.
- Investigation of the Action of the Kydonograph.—Wilkinson, p. 499.
- A New Wide-Angle Lens [applicable to Photography of Lightning Flashes, Aurora, etc.].—Schulz, p. 33.
- A Lens for Cosmic-Ray Electrons.—Swann and Danforth, p. 500.
- Lichtenberg Figures in Gases and Liquids.—Toriyama, p. 389.
- Lightning and Its Behaviour to Overhead Lines.—Aigner, p. 93.
- Influence of Geophysical Factors on the Frequency of Lightning Strokes on an Area.—Bogovičevskiy, p. 561.
- A Destructive Lightning Flash [Descriptive Account].—Boys, p. 441.
- Progressive Lightning: a New Stereoscope.—Boys, p. 389.
- Influence of the Geological Composition of the Ground on the Ionisation of the Air and on the Incidence of Lightning.—Dauzère, p. 441.
- Effect of Lightning on Transmission Lines [Steepness of Wave Front can reach 15 to 20 Thousand kv/Microsec.: Highest Potential 5 Million Volts: etc.].—Fortescue, p. 389.
- The Surge-Crest Ammeter [for Lightning Study].—Foust and Kuehn, p. 151.
- On the Propagation of a Lightning Discharge through the Atmosphere.—Halliday, p. 208.

Atmospheric and Atmospheric Electricity.

A Method of Protection against Direct **Lightning Strokes** [for Points on an Overhead Line particularly liable to such Strokes].—Holzer, p. 93.

On the Velocity of the Extension of a **Lightning Flash**.—Jehle, p. 441.

Ball Lightning.—Jones, p. 33.

Experimental Studies on the Propagation of **Lightning Surges** on the 154 kv Tokyo Line of the Nippon Electric Power Company.—Kasai, p. 268.

The Causes of the Prevalence of **Lightning Strokes** at Certain Points on a High-Tension Line [Effect of Subterranean Water: Hazel-Twig Divining].—Lehmann, p. 93.

Lightning Study aided by a New Instrument [the Surge-Crest Ammeter].—Lewis, p. 151.

Some Points concerning **Lightning Conductors** [including Calculation of Probable P.Ds between the Conductor Tip and Earth].—Monney, p. 617.

On the Causes of the Predilection of **Lightning** for Certain Points on High Tension Lines.—Müller-Hillebrand and others. Lehmann, p. 151.

Overhead Lines and **Lightning Disturbances** according to Recent Foreign Publications.—Müller-Hillebrand, p. 93.

Attempt at a Theory of the **Lightning Flash**.—Ollendorff, p. 441.

Lightning [Height of Cloud and Extent of Charge deduced from Form of Wave Front: Duration and Nature of Discharge from Rear Slope: etc.].—Peek, p. 389.

Lightning Research. American and Continental Observations.—Influence of Radio-Activity in the Soil—Explanation of "Dowsing" [Summary of Papers at the International Electrical Congress].—Peek, Fortescue, Dauzère, Bogoiavlensky and Chatelain, Rudenberg, and others: Lehmann, p. 32.

Gaseous Breakdown at Normal Pressure [Application to Growth of **Lightning Flash**].—Sämmer, p. 616.

Development of the **Lightning Discharge**.—Schonland and Collens, p. 616.

Special Meeting of the Union of Electricity Works in Saxony, for Discussion of **Lightning Problems**.—Toepler and others, p. 151.

Protection against **Lightning** by the "Distant Conductor."—Walter, p. 441.

Protection against **Lightning** by the "Distant Lightning Conductor" [and the Calculation of the Area protected by a Vertical Well-Earthed Rod of given Height].—Walter, p. 268.

The Apparent Effect of **Magnetic Activity** upon the Secular Variation of the Earth's Magnetic Field.—McNish, p. 617.

Variation of the Horizontal Component around Days of **Magnetic Calm**.—Éblé, p. 442.

Contribution to the Study of **Magnetic Disturbances**.—Lévine, p. 267.

Secular Changes of the **Magnetic Elements**, Ottawa, 1500-1930.—Herbert, p. 561.

On the Influence of a Superposed **Magnetic Field** on the Dielectric Behaviour of Some Solid, Liquid and Gaseous Bodies.—Schmid, p. 33.

Field Energy of **Magnetic Storms**.—Chapman, p. 389.

Some Problems of Modern Meteorology, No. 10. Terrestrial Magnetism—the **Magnetic Variations of Short Duration**.—Goldie, p. 389.

Physics in Meteorology.—Simpson, p. 32.

Meteors and the 80-90 km Layer of the Earth's Atmosphere.—Maizev, p. 561.

Meteors: see also under "Propagation of Waves."

New Observations on the Spectrum of the **Night Sky** [and a Comparison with the Auroral Spectrum].—Dufay, p. 617.

Spectra of the **Night Sky**, the Zodiacal Light, the Aurora, and the Cosmic Radiations of the Sky.—Slipher, p. 617.

Some Photographs of the Tracks of **Penetrating Radiation** [showing Positive Electrons].—Blackett and Occhialini, p. 343.

Penetrating Radiation from Thunderclouds.—Cairns, p. 561.

Thunderstorms and Penetrating Radiation.—Rizzo, p. 95.

The Properties of the **Penetrating Corpuscular Radiation** at Sea Level.—Rossi, p. 499.

On the Nuclear Disintegration produced by the **Penetrating Radiation**.—Rossi, p. 562.

Secondary Effects of **Penetrating Corpuscular Radiation**: Anomalies of Absorption of **Penetrating Radiation**.—Rossi: Rossi and Crino, p. 95.

Evidence of a **Penetrating Radiation** from **Thunderstorms**.—Schonland and Viljoen, p. 33.

On a **Penetrating Radiation** from Thunderclouds.—Schonland and Viljoen, p. 442.

The Distribution of the Ionising Particles of the **Penetrating Radiation** in Relation to the Magnetic Meridian.—Viljoen and Schonland, p. 562.

Spectrum and Latitude Variation of **Penetrating Radiation**.—Williams, p. 338.

Some Common Periodicities in Radio Transmission-Phenomena.—Kenrick and Pickard, p. 265.

Progress-Report of the International Polar Year of 1932-33.—Fleming, p. 617.

Ionic Over-Voltage **Protectors**.—AEG, p. 389.

Electric Charges on **Rain Drops**.—Banerji and Lele, p. 151.

A Note on an Automatic Field Strength and Static Recorder.—Mutch, pp. 222-223.

Relations among Fluctuations of the Cosmic-Ray Ionisation, of the Terrestrial Magnetic Field, of the Atmospheric Potential Gradient and of the Absolute Humidity.—Broxon, Merideth and Strait, p. 617.

On the "Return" **Shock**.—Mathias, p. 94.

A Noticeable Period of Solar Activity—the First Fortnight in February.—Memery: Esclangon, p. 267.

The Researches on the Relations between **Solar and Terrestrial Phenomena**.—Abetti, p. 389.

The Time Interval between **Solar Phenomena and Terrestrial Magnetic Disturbances**.—Maurain, p. 441.

The **Space Charge** in Relation to the Chemical Components of the Atmosphere.—Stoppel, p. 32.

On the Development of the **Space Charge** of a Spark Gap with an Impulsive Voltage.—Sämmer, p. 323.

Density of Electronic **Space Charges** of Störmer's Aurora Theory Insufficient to Cause Long-Delay Echoes.—Dostal: Störmer, p. 33.

The Behaviour of Glass-Enclosed Single Spark-Gaps to Surges [and the Advantage of Radioactively Produced Ionisation].—Berger, p. 617.

The Internal **Stability** of Masses of Air of Various Origins.—Fontell, p. 150.

Theory of Elastic Systems Vibrating under Transient Impulse, with an Application to Earthquake-Proof Buildings [and to the Effect of Static on Radio Circuits].—Biot, p. 269.

Electrical Disturbances ["**Static Hiss**"] of Extraterrestrial Origin.—Jansky, p. 441.

Radio Impulses ["**Static Hiss**"] Found Coming from Heart of Milky Way.—Jansky, p. 498.

Radio Waves from Outside the Solar System [Direction of Arrival of "**Static Hiss Type**" Atmospherics].—Jansky, p. 561.

Static Hiss: see also Atmospheric.

Electromagnetic Effects in **Stellar Atmospheres**.—Anderson, p. 617.

On the Relations of Stellar Electricity and Magnetism to the Phenomena of the Sun's Atmosphere.—Gunn, p. 208.

Some Considerations on the Hydrodynamical Interpretation of **Sunspot Periodicity**.—Riabouchinsky, p. 32.

A Strange Phenomenon [Arcs of Light in Evening Sky in England on Day of Large **Sunspot**: Apparent Height about 300 Miles].—p. 323.

Sunspots: see also under "Propagation of Waves."

The Recording of **Surges** [Two Simple Equipments as Substitutes for the Cathode-Ray Oscillograph].—Dodds and Fucks, pp. 635-636.

The Electric Field of Overhead **Thunderclouds**.—Banerji, p. 32.

The Polarity of **Thunderclouds**.—Halliday, p. 32.

Summer Thunderstorms.—Bower, p. 323.

Formation of Local **Thunderstorms**. Part II. Processes in the Free Atmosphere above Lindenberg on 2nd and 3rd July, 1932.—von Ficker, p. 389.

The Influence of **Thunderstorms** on Radio Propagation.—Fuchs, p. 442.

Work of United States Hydrographic Office in Terrestrial Magnetism and Electricity [Locating **Thunderstorms** by Cathode-Ray Direction Finders].—Gherardi, p. 267.

Precaution against Disturbances caused by **Thunderstorms** on Electric Power Transmission Lines [Thunderstorm Observations and Warnings in Tokyo and Yokohama].—Takahawa, p. 498.

A Census of **Summer Thunderstorms**, p. 32.

Thunderstorms: see also Penetrating.

The Ultra-Violet Transmission Coefficient of the Earth's Atmosphere.—Rockwood and Sawyer, p. 32.

Measurements of **Ultra-Violet Solar Radiation** in Various Localities [at Various Heights at Various Stations in Europe, North Sea and Atlantic Ocean].—Coblentz, Stair and Hogue, p. 151.

PROPERTIES OF CIRCUITS

New Types of Thermionic **Amplifier** [particularly the Use of Virtual Negative Resistance in "Compensated" Resistance-Coupled Amplifiers].—Denina, p. 97.

High-Frequency **Amplifier** with Series Resonant Circuit [as Plate Load instead of Usual Parallel Resonant Circuit: Improved Results in Amplification and Stability, e.g. in I.F. Amplifier of Superheterodyne Receiver].—Iso, p. 500.

Note on Tuned-Anode and Transformer-Coupled R.F. **Amplifiers**.—Marique, p. 393.

The Balancing and Stabilising of H.F. **Amplifiers**.—Ure, Grainger and Cantelo, p. 500.

The A.C. Resistance of Straight Wires of Circular Section composed of Several **Concentric Layers** [e.g., Tinned or Oxidised Copper Wire].—Ekelöf, p. 323.

Relations between the Parameters of **Coupled-Circuit Theory** and Transducer Theory, with Some Applications [Determination of Conditions for Resonance in a Chain of Coupled Circuits].—Brainerd, p. 324.

The Resonance Frequencies of **Two Coupled Oscillatory Circuit** [and a New Method of Frequency Analysis].—Fehr and Kreihsheimer, p. 562.

The Direct Solution of **Coupled Tuned Circuits**.—Kelley, p. 98.

Properties of Circuits.

- Contribution to the Study of the Stability of Oscillations in Coupled Circuits [e.g. in Oscillating Circuit coupled to Wavemeter].—Mercier, p. 443.
- Frequency of Oscillations in Two Inductively Coupled Circuits [One being in a Valve Anode Circuit: the Theoretical Existence of Three Frequencies].—Rousseau, p. 562.
- Transformer Coupling Circuits for High-Frequency Amplifiers.—Christopher, p. 34.
- Coupled Circuits: see also Lecher Wire.
- Coupling and Coupling Coefficients.—G.W.O.H., p. 35.
- The Experimental Demonstration of the Effects of Coupling of Harmonic Motions, as illustrating Phenomena in Quantum Mechanics [Study of Coupled Electrical Circuits].—Burton, p. 98.
- A New Method of Radioelectric Coupling: The "Diffusion" Coupling.—Cordebas, p. 622.
- Crosstalk as a Reflection Phenomenon.—Ohashi, pp. 35 and 153.
- Potentials, Resistances and Tuning in Damped and Undamped Circuits: Errata.—Osnos, p. 97.
- The Action of Damping Reduction [by Retroaction] in Broadcast Receivers.—Kautter, pp. 622-623.
- Decoupling Efficiency [and a Convenient Alignment Chart].—Barclay, p. 500.
- The Impedance of Defective Loaded Lines, particularly One with Abnormal Wire-to-Wire Capacity in a Loading Coil Section.—Adams and Haas, p. 324.
- "Demodulation" [and in particular the "Detector Choking Effect"].—Lewis: Colebrook, p. 96.
- Some Notes on Demodulation.—Roder, pp. 212-213.
- The Efficiency of Valve Detection.—Kahan and Dierewianko, p. 96.
- The Detection of Modulated Oscillations [and the Deficiencies of the Usual Valves for Both Methods of Detection].—Varret, p. 96.
- Theory of the Detection of Two Modulated Waves by a Linear Rectifier.—Aiken, p. 392.
- Diode Detection Analysis.—Kilgour and Glessner, p. 566.
- Voltage Amplification with High Selectivity by means of the Dynatron Circuit.—Colebrook, p. 212.
- Dynatron: see also Frequency.
- Equivalent Circuits [and Their Methods of Use].—Starr, p. 35.
- Replacement of a Mechanical Vibrating System by an Equivalent Electrical Circuit.—Domerque, p. 35.
- The Equivalent Circuit of a System of Two Inductively Coupled Circuits.—Rimini, p. 35.
- Two-Element Band-Pass Filters [and the Use of Charts].—Beatty, p. 98.
- On the Theory of Electrical Filters.—Bubenik, p. 97.
- Resistance in Band-Pass Filters.—Buffery, p. 35.
- Critical Reviews of Books and Papers on Electric Filter Circuits.—David: Cauer: Guillemin: Jaumann: Strutt: Beatty, p. 443.
- The Theory of Band-Pass Filters for Radio Receivers.—Oatley, p. 98.
- Method of Calculating the Attenuation in a Band-Pass Filter arbitrarily composed of Inductances, Resistances, Capacities, Transformers.—Pleijel, p. 500.
- The Working Attenuation of the Simplest Filter Chains.—Tchajanow, p. 153.
- The Behaviour of Wave-Filters when Loaded with Saturated Iron Chokes.—Wassmann, p. 97.
- Filters: see also Coupled, Coupling, Multipole, Network, Transformer: and under "Reception," "Acoustics," and "Subsidiary Apparatus."
- Fly-Wheel and Series Circuits with Self-Excited Oscillations produced by Thermionic Valves.—Heegner, p. 154.
- A Fourier Analysis of Radio-Frequency Power Amplifier Wave Forms.—Hallman, p. 37.
- A Simplified Frequency-Dividing Circuit [using One Pentode Valve].—Andrew, p. 578.
- Frequency Division by means of a Dynatron Oscillator.—Kahan, p. 97.
- Frequency Doubling in a Triode Vacuum Tube Circuit.—Smith, p. 210.
- Investigations on the Setting-In Point of Grid Current in Amplifier Valves.—Rothe, p. 95.
- Grid Current Compensation in Power Amplifiers.—Baggally, pp. 217-218.
- Extension of the Methods of Heaviside's Calculus in Calculation of Circuits containing Parameters varying with Time.—Neufeld, p. 153.
- Mutual Impedance of Long Grounded Wires when the Conductivity of the Earth varies Exponentially with Depth.—Gray, p. 327.
- The Significance of the Sign of a Mutual Inductance.—Nimmo and Poole, p. 35.
- Iterative Impedances [of Dissymmetrical Quadripoles].—Pomey, p. 324.
- Amplitude Characteristics [Resonance Curves] of Coupled Circuits having Distributed Constants [Bridge-Coupled Lecher Wire Pairs].—King, p. 618.
- The Relation between the Disturbance Current and the Degree of Asymmetry in Lines subject to Induced Noise.—Schotte, p. 443.
- Invariant Properties of the Extreme Fringes of Inducing and Induced [Magnetic] Fields.—Lehmann, p. 98.
- Can Magnetisation Formulae be applied to the Quantitative Treatment of Building-Up Processes in Circuits containing Iron?—Hak, p. 97.
- Real Power Matching and Apparent Power Matching [for Transmission of Maximum Power from Source to Load].—Fischer, pp. 34 and 153.
- An Example of a Complete Analogy between Electrical and Mechanical Oscillation.—Ramsauer, p. 500.
- A New Analogy between Mechanical and Electrical Systems.—Firestone, p. 269.
- Mechanical Models for the Investigation of Electrical Stability Problems.—Darricus, p. 390.
- Superposition of Two Modulated Radio Frequencies [and the Distortions in the Resulting Envelope].—Roder, p. 210.
- New Results in the Calculation of Modulation Products [applicable to Linear, Square Law and Other Rectifiers, Peak Choppers, etc.].—Bennett, p. 389.
- Theory and Application of Symmetrical Multipole Connections.—Baerwald, p. 35.
- The Production of Negative Conductances by means of Retroactive Couplings.—Kautter, p. 447.
- A Dynamic Characteristic of Thermionic Vacuum Tube with Negative Resistance [and the Conditions for the Occurrence of the "Blocking" Phenomenon].—Fukuta, p. 35.
- A Method for Calculating Transmission Properties of Electrical Networks consisting of a Number of Sections [using Difference Equations].—Alford, p. 619.
- Equivalent Circuits of an Active Network.—Brainerd, p. 210.
- Note on Network Theory [General Expressions for Passive "Transducers" or Quadripoles connected in Various Ways to form a Resultant Passive Transducer].—Brainerd, p. 35.
- Note on Bartlett's Bisection Theorem for 4-Terminal Electrical Networks.—Brune, p. 35.
- Geometrical Circuits of Electrical Networks.—Foster, p. 35.
- Extension of Maxwell's Rule for Analysing Electrical Networks.—Ku, p. 563.
- Transmission Curves of High-Frequency Networks.—Model, p. 210.
- Initial Phase Angles of Low-Pass Networks, and the Phase Compensating Networks of the "Bridged-T" Type.—Nagai, p. 97.
- On the Electrical Constants of Meshed Networks.—Ravut, p. 153.
- A New Theorem for Active Networks.—Starr, p. 618.
- Non-Linear Characteristic Curve Families [Application to Triode Amplifier Valves].—Feldtkeller and Jacobi, p. 619.
- Mathematical Expression of a Saturation Curve: Useful in Calculating Non-Linear Circuits.—Summers, p. 390.
- Non-Linear Circuits Applied to Relays.—Suits, p. 403.
- A Note on Nonlinearity in Transducers used in Communication [and Its Correction by a Series Compensating Transducer].—Caporale, p. 563.
- On the Theory of the Freely Oscillating Circuit.—Rousseau: Osnos, p. 210.
- New Abnormal Oscillating Phenomena in an Oscillation Circuit including an Externally Excited Saturated Transformer.—Watanabe and Takano, p. 152.
- Building-Up of a Self-Oscillation in an Oscillation Circuit including a Periodically Varying Inductance [H.F. Alternator of Inductor Type].—Watanabe, Saito, and Kaito, p. 500.
- The Mechanism of the Production of Oscillations.—Le Corbeiller, p. 445.
- Some Electrical Oscillators of Special Shape [Forks with Prongs of Different Length, with Prongs at Right Angles, etc.].—Lindman, p. 270.
- On the Theory of Oscillatory Condenser Discharges.—Thomson, p. 269.
- Contribution to the Theory of the Natural Frequencies and Self-Excitation in [Coupled] Electrical Oscillatory Circuits.—Kaiser, p. 323.
- Oscillatory Circuits [Mathematical Investigation of Toroidal Inductance connected to Condenser].—Dacos, p. 563.
- Calculation of Output and Distortion in Symmetrical Output Systems.—Nelson, p. 152.
- Simplification of the Calculation of Parallel-Connected A.C. Resistances [e.g., Equivalent Circuit of Piezoelectric Crystal].—Vilbig, p. 619.
- A Practical Analysis of Parallel Resonance [with Applications to the Adjustment of Radio Apparatus].—Lee, p. 269.
- Discussion on "A Practical Analysis of Parallel Resonance."—Seeley: Lee, p. 500.
- Further Note upon the Pentode with Capacitive Coupling.—Sims, p. 153.
- Equivalent Circuit of a Blocking-Layer Photocell.—Wood, p. 324.
- Sustained Oscillations [from a Photoelectric Cell Circuit].—Hoehard, p. 391.
- Pulse Factor and Pulse Damping.—Führer, p. 98.
- The Quadripole Properties of the Two-Wire Two-Valve Repeater and Their Dependence on Its Internal Construction.—Byk, p. 619.
- Law of Reciprocity for Changes involving the Removal of One Degree of Freedom in Linear Systems.—Bloch, p. 443.
- Discussion on "Some Notes on Grid Circuit and Diode Rectification."—Kelly: Nelson: Terman, pp. 392-393.

Properties of Circuits.

Mechanical Relaxation Oscillations [Application of Electrical Theory to Mechanical Systems: Experimental Confirmation].—Kajdanowsky and Chaikin, p. 619.

The **Damped Resonance Circuit with Iron-Cored Inductance** [Graphical Determination of Stationary Conditions].—Diesendort, p. 500.

The Representation of [Single-Peak] **Resonance Curves** by "Selectivity Indexes."—Kafka, pp. 448-449.

Some Experiments on the **Retardation Networks** [the Adjustment of the Delay Time, and the Action of Transients].—Nagai, p. 97.

A **Retraction Coupling Independent of Frequency**, for Valve Oscillators and Oscillating Audions [derived from the Loftin-White Circuit].—Below, p. 96.

Circuits with a Capacity in Parallel with a **Saturated Diode**.—Dei, p. 390.

A **Skin-Effect Phenomenon** [in Concentric Pipe Feeders: Resistance of a Hollow Cylindrical Conductor may Increase if its Thickness is Increased, for Very High Frequencies].—Schelkunoff, p. 153.

Skin Effect in a Stratified Cylinder of Circular Section.—Strutt, p. 269.

The Magnetic Field of a **Solenoid Oscillating at Radio Frequencies**.—Stuhlman and Githens, p. 35.

Sub-Harmonics in Forced Oscillations in Dissipative Systems.—Pedersen, pp. 626-627.

Some General Resonance Relations and a Discussion of **Thevenin's** [Pollard's] Theorem.—Brainerd, p. 563.

[Air Cored] **Transformers with Variable Coupling**.—Siegel, p. 443.

Ideal Transformer, Ideal Synapter [dealing also with Phase] and **Perfect Transducer**.—P. C. Vandewiele, p. 443.

Theory of Elastic Systems Vibrating under **Transient Impulse**, with an Application to Earthquake-Proof Buildings [and to the Effect of Static on Radio Circuits].—Biot, p. 269.

Transient Régimes [in Viscous Liquids].—Crausse and Baubiach, p. 269.

Transients in Negative Constant Series Circuits.—Verman, p. 500.

A Study of **Transitory Régimes** and Time Constants for the Principal Circuits used in Wireless Engineering.—Rocard, p. 97.

TRANSMISSION

New Radio Telephone Equipment for Transport **Airplanes**; and A Three-Frequency Radio Telephone Transmitter for Airplanes.—Martin: Tinus, p. 502.

Airport Radio Transmitter [Western Electric Type 10A].—Knott, p. 99.

Determination of Grid Driving Power in Radio-Frequency Power **Amplifiers**.—Thomas, p. 621.

The Balancing and Stabilising of High-Frequency **Amplifiers** with Special Reference to Power Amplifiers for Radio Transmitters [for Naval Ship Use].—Ure, Grainger and Cantelo, pp. 446 and 502.

Experimental Examination of the Theory of the **Barkhausen Oscillations** [Möller's "Sorting-Out" Theory of the Electrons].—Helmholz: Möller, p. 390.

Calculation of the Mechanism of Oscillation Onset with a Valve in the **Barkhausen-Kurz Circuit**.—Edler, p. 211.

New Ideas on the **Barkhausen-Kurz Oscillations**.—Orgel, p. 270.

Investigation of **Barkhausen-Kurz Oscillations**.—Alfvén, p. 619.

Electronic 'Phone **Break-in**: Another 'Phone Break-In System.—Mesa: Ashlock, p. 99.

Break-In Operation with Crystal Control: Blocked-Grid Keying applied to a High-Power Transmitter.—Foreman, p. 155.

A **Low-Power Broadcast Transmitter** [100 Watts Output Basic Unit, extensible up to 1 000 Watts by adding Amplifier Unit].—Kishpaugh, p. 37.

New **High-Power [Broadcast] Transmitter** to replace Daventry Long-Wave Set [using "Series Modulation"].—pp. 211 and 271.

Low Power Radio Transmitters for Broadcasting.—Kishpaugh and Coram: Western Electric Company, p. 271.

Carrier Noise in Short-Wave Transmitters.—Gracie and Dixon, p. 211.

Line-Controlled Synchronisation of Common-Wave Transmitters.—Runge, pp. 285-286.

The Question of the Choice of **Common-Wave Systems** [Synchronised or Un-synchronised].—Gerth, p. 391.

Time Delay Effects in Synchronous [Common-Wave] Broadcasting.—Aiken, pp. 460-461.

Device for Preventing Breakdown of Neutralising Condenser in High-Power Amplifiers.—Churchill, p. 155.

More on **Transmission-Line** ["Impedance-Line"] Interstage Coupling [between Exciter and Power Amplifier], p. 502.

Crystal-Controlled Transmitter with Variable Wavelength.—Telefunken Company, p. 271.

The **Crystal Drive of the Experimental Short-Wave Broadcasting Station G5SW**.—Parkin, p. 565.

A More Stable **Crystal Oscillator** of High Harmonic Output [Screen-Grid Valve with Tuned Circuit between Cathode and Earth, Crystal between Grid and Cathode].—Lamb, p. 502.

Where does a **Decaying Oscillating Process** end, and a **Building-Up Process** begin?—Barkhausen and Häsler, p. 619.

Decimetre Waves: see under Ultra-Short.

The **Dynatron Oscillator** [and the Suitability of the Mazda AC/S2 Valve for Frequencies up to at least 60 Megacycles/Sec. with Normal Dynatron System].—Scroggie: Colebrook, p. 99.

Crystal Control applied to the **Dynatron Oscillator**.—MacKinnon, p. 155.

Theoretical and Experimental Studies on the Frequency Stabilisation of the **Dynatron-Type Oscillator** [including the Use of an Additional Inductance in the Dynode Circuit].—Hayasi, p. 502.

The **Inner-Grid Dynatron** and the **Duo-Dynatron** [Single Tetrode Beat-Frequency Oscillator].—Hayasi, p. 620.

Effect of Circuit Parameters on the Constancy of the Frequency of a **Plio-dynatron**.—Mears, p. 620.

The Effect of the Curvature of the Characteristic on the Frequency of the **Dynatron Generator** [Frequency Changes greater than can be accounted for by Curvature alone].—Moullin, p. 564.

The **Inter-Electrode Capacitance of the Dynatron** with Special Reference to the Frequency Stability of the Dynatron Generator.—Baker, p. 565.

Maximum Efficiency from the Type 52 Valve: 800 Watts in Aerial with 1 Kilowatt Input.—Perrine, p. 37.

Efficiency in the Output Amplifier [and Aerial]: Some Suggested Methods of Increasing Antenna Power.—Schnell, p. 99.

Electronic: see under Ultra-short.

A Graphical Method for Determining the Transit Times of **Electrons** in a Three-Electrode Valve under Conditions of Space-Charge Limitation.—McPetrie, p. 564.

The Determination of the Interelectrode Times of Transit of **Electrons** in Triode Valves with Positive Grid Potentials.—McPetrie, p. 620.

Electron-Coupled Oscillators for the Small Transmitter [giving Steady-Frequency Note characteristic of Crystal Control, with the possibility of Changing the Frequency].—Gramer, p. 37.

A **Power Type Electron-Coupled Exciter Unit** [and the Measurement of Power by Incandescent Lamp and Photronic Cell].—Houldson, p. 325.

Diminution of Fading by Alternating the Transmitted Wave between Two Neighbouring Wavelengths.—USSR Electrot. Association, p. 271.

Elimination of Fading Compensating Devices by Choice of Modulation Curve of Transmitter, and Rectifying Curve of Receiver, as Identical Exponential Functions.—Rosenstein, p. 446.

A **Radio Transmitter for the Itinerant Flyer**.—Bishop: Bell Laboratories, p. 155.

Fly-Wheel and Series Circuits with Self-Excited Oscillations produced by Thermionic Valves.—Heegner, p. 154.

A **Fourier Analysis of Radio-Frequency Power Amplifier Wave Forms** [Class B and C R.F. Amplifiers].—Hallman, pp. 37 and 391.

The **Modulated C.W. Transmitters of the French Coast Stations**.—Bruniaux, p. 211.

Frequency Multiplication by Superposition of Two Oscillations each modulated at the Oscillating Frequency, One in Phase and the Other in Opposed Phase.—Wassermann, p. 445.

The Required Minimum **Frequency Separation** between Carrier Waves of Broadcast Stations.—Eckersley, p. 285.

Frequency Stabilisation by Coupling the Grids of Push-Pull Circuit through a Quartz Crystal.—Elektrosvias, Leningrad, p. 271.

Limits of Frequency Stability of Modern Short Wave Transmitters.—Vallauri, p. 155.

An Oscillator having a **Linear Operating Characteristic** [and High **Frequency Stability**].—Arguimbau, p. 211.

Study on the **Frequency Variation** of Valve Generators.—V. Further Comparison of Frequency-Variation Characteristics of Hartley and Colpitts Oscillators, and a New Method of Stabilisation using Low Excitation.—Ishikawa, p. 37.

The Interdependence of **Frequency Variation and Harmonic Content**, and the Problem of Constant-Frequency Oscillators.—Groszkowski, pp. 390 and 564.

Frequency Variation, Stability: see also Dynatron, Electron, Stabilisation.

Researches on the Establishment of a Limit of Intensity for the **Harmonics of Transmitting Stations**.—Krusisz and Wolski, p. 391.

Suppression of Transmitter **Harmonics**.—Dietsch, p. 565.

Tunable Hum [from Gas and Vapour Rectifiers]: Its Cause, Effect and Elimination.—Dellenbaugh, p. 155.

Modulated Light-Ray from Airship as a Link in Broadcast Transmission, p. 99.

Magnetolectric Radiations from Ring-Shaped or Spiral Oscillators.—Lindman, p. 445.

The H.F. Currents produced by H.T. **Magnets**.—Jaffray, p. 271.

A Note on the Theory of the **Magnetron Oscillator** [Correction to Okabe's Constant by allowing for Cardiod Path of Electron].—Hoag, p. 620.

On the Generation of the Medium-Wave Oscillation by the Split-Anode **Magnetron**.—Morita, p. 620.

Magnetostatic and Magnetron: see also under Ultra-short.

A System of Double Modulation for Duplex Radio Communication on **Micro-Waves**.—Carrara, p. 54.

The Indirectly Heated Triode as Generator of **Micro-Waves**.—Giacomini, p. 501.

Transmission.

- The Generation of **Micro-Waves** with Special Valves in a Retarding-Field Connection.—Gossel: Kohl, p. 564.
- Modulating** the Screen-Grid R.F. Amplifier: How It Behaves with Grid, Screen-Grid and Plate Modulation.—Robinson, p. 155.
- Modulation** and Distortion Measurements by means of the Cathode-Ray Oscilloscope.—Bagno and Egert, p. 89.
- Frequency Modulation** and the Effects of a Periodic Capacity Variation in a Non-Dissipative Oscillatory Circuit.—Barrow, p. 565.
- Getting Quality Performance with Class B **Modulation**: Practical Design and Operating Data for Best Tube Combinations.—Collins, p. 446.
- Series Modulation** [and Its Advantages over Other Systems].—Ditcham, p. 391.
- A Note on Grid-Bias **Modulation** [Necessity for Capacity of Class B Amplifier equal to Ten Times the Carrier Power].—Hallman, p. 155.
- Making Practical Use of Grid-Bias **Modulation**: Applying It to Amateur 'Phone Transmitters.—Isberg, p. 37.
- Modulation** by Two-Grid Valves.—Lorenz Company: RCA., p. 271.
- Band Widths** in Frequency- and Amplitude- **Modulation**.—Lüschen, p. 99.
- Increase of **Modulation** in Radiotelephonic Transmitters.—Marietti, p. 502.
- Note on an Impulse Indicator [for Monitoring **Modulation** of Wireless Transmitters and Sound Films].—Rocard, p. 621.
- The Graphical Treatment of **Modulation** Problems [including Applications to the Transmission of Carrier and Side-Bands from Separate Aerials, and to Common-Wave Broadcasting].—Roder, p. 446.
- A New Method of Obtaining Frequency **Modulation** [by Varying Resistance through Use of R. F. Transmission Line].—Scott: Eastman, p. 565.
- New Developments in the Design of Broadcasting Transmitter [Chireix De-phasing **Modulation**, at "Radio-Paris" and "Poste Parisien"].—Singer, p. 99.
- Circuit for Modulation** by Grid Direct Current.—Telefunken Company: Buschbeck, p. 271.
- Modulation Products** in a Power Law Modulator.—Tynan, p. 621.
- Modulation**: see also Multiple.
- Class B Audio Amplifier as a **Modulator** for Broadcasting Stations.—Barton, p. 621.
- Application of Transformer-Coupled **Modulators** [and the Higher Efficiency and Decreased Distortion of Class B Amplification].—Hutcheson, p. 565.
- A Simplified Method of **Modulator** Design.—Laport, p. 621.
- Elementary Theory of a System of **Multiple Modulation** of a R.F. Oscillation [a Method of Obtaining Maximum Efficiency with Linear Modulation up to the Highest Modulation Percentage].—Fayard, p. 621.
- Operating Mechanisms of **Negative Resistance Oscillators** (IV): Inspections on the Auxiliary Equation of Oscillation.—Usui, p. 155.
- Special Kinds of **Neon Tube Oscillations** [using Cylinder and Co-axial Wire Electrodes and a Magnetic Field].—Okabe, p. 99.
- Non-Linear**: see Relaxation: also under "Properties of Circuits."
- On the Spontaneous Generation of **Oscillation** in Low Pressure Discharges.—Mitra and Syam, p. 36.
- The Mechanism of the Production of **Oscillations** [General Mathematical Treatment].—le Corbeiller, pp. 36 and 445.
- Different Forms of **Oscillation** obtainable with Thermionic Valves.—Vecchiacchi, p. 620.
- Circuits within Circuits: a Discussion of Parasitic Oscillations in Neutralised Amplifiers.—Grammer, p. 502.
- Stringent Test for Photoelectric Cell [Half-Mile Optical Link in Broadcast Transmission]. p. 271.
- Sustained Oscillations [from a Photoelectric Cell Circuit].—Hochard, p. 391.
- Plidynatron**: see Dynatron.
- The Generation of **Polyphase Oscillations** with the aid of Dynatron Circuits.—Groszkowski, p. 445.
- Duplex Portables** [Portable Self-Contained "Transceivers" for Transmission and Reception, weighing 23 Pounds].—Keefer and Grant, p. 502.
- Power Ratios** in High Power Radio Transmitters [Values for All Stages represented on Single Logarithmic Diagram: Determination of Efficiencies].—Stuedel, p. 37.
- Generation of Current with **Rectangular Wave-Form** by Glow-Discharge Tubes or Dynatrons.—Telefunken, p. 621.
- On Self-Excited Non-Linear Valve Oscillations [Relaxation Oscillations: Experimental and Theoretical Investigation].—Straub, p. 620.
- Resonance** in Three-Electrode Valves.—Gill and Donaldson, p. 444.
- Screen-Grid Valves** in Quartz-Controlled Transmitters [for Short and Ultra-Short Waves].—Price, p. 325.
- A System for the Inversion of Frequency Distribution [for Secrecy and Other Purposes].—Niwa and Hayashi, p. 36.
- Secret** [Telegraphic and Telephonic] Communication by Phase Modulation Method.—Kujiral and Sakamoto, p. 35.
- A Bridge Type Speech Inverter [for Secret Radio-telephony].—Matsuyuki, p. 36.
- Secret Telephony**: the Application of "Kinematic Distortion" in Sound-on-Film and Magnetic Systems.—Podlasky, p. 155.
- Multiplex Working and Its Application to Secret Telephony.—Villen, p. 342.
- Short-Wave Circuit** emitting Trains of Waves at Equal Intervals of Time [and Possible Applications].—Petrucci, p. 391.
- The Proof of the Shot Effect by the Building-Up of Oscillations in a Valve Generator.—Hässler, p. 619.
- The **Single Side-Band System** applied to Short-Wave Telephone Links.—Reeves, p. 391.
- Arrangement for **Single Side-Band Modulation**.—von Plebanski, p. 446.
- Single Side-Band Telephony** on Short Waves.—Deloraine: Reeves, p. 446.
- Single Side-Band Radiotelephony** [Theory and Methods, including Balanced Modulation by Diodes].—Kolesnikov, p. 565.
- The Stabilisation of High Frequency Generators [Survey, for International Electricity Conference].—Kiebitz, p. 37.
- Standing Wave**: see under Ultra-Short.
- Damped Waves, Musical Spark Transmissions, Long Waves, Arcs and Alternators [a Survey of Ten Years].—Bethenod, p. 325.
- Study of the Synchronisation of a Self-Excited Oscillator, and of Its Behaviour in the Neighbourhood of Synchronisation.—Subra, p. 619.
- Telephony by Carrier and One Side Band**.—Chakravarti, p. 502.
- A Sensitive **Tuning Indicator** [Dry-Plate Rectifier Disc and Milliammeter shunted by Condenser].—Blitch, p. 446.
- Studies on Radiotelephone Transmitters and Receivers for **Ultra-Short Waves**.—Ataka, p. 501.
- On the Modulation of an **Ultra-Short Wave** by a [Modulated] Medium Wave, and its Detection.—Ataka, p. 620.
- The Waves of Less Than Ten Metres [**Ultra-Short Waves**: a Survey of Ten Years].—Beauvais, p. 325.
- Electron Conduction in Thermionic Valves [and the Generation of **Ultra-High Frequencies** in Diodes].—Benham: Potapenko, p. 444.
- Discussion on "A New Circuit for the Production of **Ultra-Short-Wave Oscillations**."—Carrara: Kozanowski, p. 211.
- The Generation of "Centimetre" [**Ultra-Short**] Waves.—Chapman, p. 37.
- Discussion on "Historical Review of **Ultra-Short-Wave Progress**."—Dowsett: Wenstrom, p. 325.
- Ultra-Short-Wave Generator** using Magnetron [with Anode split longitudinally into Four Segments: Modulation by Change of Magnetising Current].—GEC: McArthur, p. 620.
- Frequency Multiplication in **Ultra-Short Waves** by Superposition on Retarding Field Potential.—Gerhard, p. 445.
- Inductive Coupling Arrangement for Several **Ultra-Short-Wave Valves**.—Gerhard, p. 445.
- Graduating to Oscillator-Amplifier Transmitters on 56 Mc [and the Prevention of Frequency Modulation and Drift in the **Ultra-Short-Wave Band**].—Griffin, p. 445.
- "Five-and-Ten" [**Ultra-Short-Wave**] Oscillator-Amplifier Transmitters.—Griffin, p. 620.
- Oscillators for Very High Frequencies and Radio-Communication on **Ultra-Short Waves** [A Survey].—Gutton, pp. 37 and 324.
- New Transmitter and Receiver for **Ultra-Short Waves** [Grid and Anode led out through Both Sides of Bulb, for use with Two Lecher Wire Systems].—Hollmann, p. 99.
- The Ultradynamic Excitation of Oscillation by Retroaction ["Inversions" Theory of **Ultra-Short Wave** Generation by Normal and Retarding-Field Circuits].—Hollmann, p. 563.
- Magnetostatic Oscillators for Generation of **Ultra-Short Waves**.—Kilgore, p. 154: see also Mourmoutseff, below.
- The Use of Insulated Reflection Plates, sliding on Parallel-Wire Supply Leads, in place of Choking Coils in **Ultra-Short-Wave Work**.—Kohl, p. 445.
- On the Production of Undamped Oscillations of [**Ultra-Short**] Wavelengths of the Order of a Decimeter in a Reaction Circuit. Part I.—Kroebel, p. 36.
- The Tool-Box 56-Mc [**Ultra-Short-Wave**] Transceiver: a Hand-Portable Five-Metre Station with a New Type [Pickard] Antenna System.—Leonard and Hadlock, p. 620.
- Production of Electronic [**Ultra-Short-Wave**] Oscillations with a Two-Electrode Valve.—McPetrie, p. 390.
- A [Split-Anode] Magnetron Oscillator for **Ultra-Short Wavelengths**.—Megaw, p. 324.
- Electronic Oscillations. Also An Investigation of the Magnetron [**Ultra**] Short-Wave Oscillator.—Megaw, p. 324.
- [**Ultra**] Short-Wave Oscillation: Production of Electronic Oscillations—Methods of Using the Magnetron Short Wave Oscillator [and a Comparison between Electronic and Dynatron Oscillations].—Megaw: General Electric Company, p. 270.
- On the Intensity of Electron [**Ultra-Short-Wave**] Oscillation in a Triode.—Morita, pp. 154 and 501.
- Magnetostatic Oscillator for [**Ultra-Short**] Waves below 50 Centimetres.—Mourmoutseff and Kilgore, p. 98: see also Kilgore.
- The Generation of Standing Waves [**Ultra-Short Waves** down to 3 Metres, using Concentric Feeders in the Oscillating Circuit].—Mourmoutseff and Noble, p. 98.

Transmission.

New Forms of [Ultra-] Short-Wave Tubes [including the "Standing Wave" and "Magnetostatic" Oscillators].—Mourontseff, Kilgore and Noble, p. 98.

Electronic [Ultra-Short-Wave] Oscillations in a High Vacuum [Electron Flow equivalent to Negative Resistance for a Certain Frequency Band].—Müller, p. 443.

On the Production of Ultra-Short-Wave Oscillation with a Cold-Cathode Discharge Tube [and Strong Magnetic Field].—Okabe, p. 501.

The Use of Magnetic Fields for the Production of Ultra-Short Waves. Magnetron Transmitters.—Ponté, p. 444.

On the Generation of Ultra-Short Electromagnetic Waves using the Scheme of H. Barkhausen and K. Kurz.—Potapenko, p. 99 : see also Benham, above.

Ultra-Short-Wave Magnetron Generator [with Anode split longitudinally into Four Segments: Opposite Pairs joined by a Curved Connector of Length chosen to give Standing Waves].—RCA, p. 620.

A New Spark Oscillator for Decimetre [Ultra-Short] Waves [Concentric Tube Circuit Design, for Greatly Increased Powers].—Rohde and Schwarz, p. 501.

Electron [Ultra-Short-Wave] Oscillations.—Rostagni, pp. 37 and 271.

Short- and Ultra-Short-Wave Transmitting Circuit with Several Lecher Pairs of Mica-Insulated Copper Strip.—Rothe and Roosenstein, p. 211.

The Generation of Hertzian Waves [including Ultra-Short Waves] by means of Diodes.—Sahánek, p. 36.

Ultra-Short-Wave Technique in Radio Communication.—Smith-Rose, p. 99.

S.F.R. Ultra-Short-Wave System using Magnetrons [for Wavelengths 70-120 cm].—Soc. Française Radio-Électrique, p. 390.

Crystal Control of Ultra-Short-Wave Transmitters.—Anon.: Straubel, p. 37.

Points of Connection of Feeders to Lecher System in Ultra-Short-Wave Transmitter.—Tellegen: Philips' Company, p. 211.

The Generation of Ultra-Short Waves by Magnetron Oscillators with Multiple Filaments.—Uda, Ochiai and Seki, p. 501.

Circuit for Generating Ultra-Short Waves below 1 Metre with an Output of 5 Watts and Over [Oscillatory Circuit between Anode and Cathode].—Westinghouse Company, p. 154.

100 Metres and Below [Survey of Methods of Generation of Ultra-Short Waves].—Whitehead, p. 390.

The Setting-In of Ultra-High-Frequency Oscillations.—Witt, p. 98.

Comparison between Push-Pull Connected and Parallel Connected Types of Electron Oscillation [Ultra-Short-Wave] Circuits.—Yamauchi, p. 501.

Slightly Damped Ultra-Short Electric Waves [below 10 cm: Experimental Method of Generation].—Zakrzewski and Miesowicz, p. 564.

Self-Modulation of Barkhausen-Kurz Ultra-Short-Wave Transmitters, p. 99.

[Ultra P] Short-Wave Generating Circuit using Valve with Two Cold Electrodes, Point and Plate, p. 99.

Ultra-Short and Ultra-High: see also Barkhausen, Electron, Micro-Waves, Screen-Grid, Very Short.

A Method of Obtaining Very Low Frequency Alternating Currents by means of a Series-Wound D.C. Dynamo [combined with a Separately-Excited Dynamo acting as a Condenser].—Hueter, p. 36.

Radio Communication by means of Very Short Electric Waves.—Marconi, p. 153.

RECEPTION

A Variable Wavelength Aerial [Aerial Wire winding on Metal Drum: Improved Short-Wave Reception by Adjusting to Optimum Natural Wavelength], p. 566.

A Crystal Control Superheterodyne Receiver [for Aeroplanes: Western Electric 12A Receiver].—Fischer, p. 504.

Airplane Radio Freed from Ignition Interference.—Jenkins, p. 215.

New Ideas in American Sets, p. 100.

A Review of Developments in [American] Broadcast Receivers of 1933.—Messing and Cohen, p. 623.

A High-Output Amplifier [Attachment] for the Battery Receiver: Improved Performance from Battery Sets.—An Application for the New Class B Audio Tube.—de Soto, p. 39.

Amplifiers for Bands of Frequencies (for Frequency-Changing Receivers).—Drouin, p. 37.

High-Frequency Amplifier with Series Resonant Circuit [as Plate Load instead of Usual Parallel Resonant Circuit: Improved Results in Amplification and Stability, e.g. in I.F. Amplifier of Superheterodyne Receiver].—Iso, p. 504.

Note on Tuned-Anode and Transformer-Coupled R.F. Amplifiers.—Marique, p. 393.

A New Type of L.F. Amplifier [Glow-Discharge Tube Coupling: for Frequencies from 0 to 10 000 c/s].—Schäfer: Peek, p. 212.

H.F. Amplifier with High Amplifying Power [Reduction of Anode-Circuit Damping in a S.G. Stage without Alteration of Tuning].—von Ardenne, p. 566.

A Regenerative Resistance Amplifier for a Wide Frequency Band.—Wada, p. 99.

Amplifiers: see also under "Properties of Circuits," "Acoustics" and "Subsidiary Apparatus."

New Auto Radio Receiver [Nine-Valve Superheterodyne with Class B Amplification].—RCA Victor Company, p. 100.

Auto-Radio an Expanding Market in 1933: Police Radio Increases, p. 214 : see also Police.

Eliminating Spark Plug Disturbance in Automobile Radio.—Marsten, p. 325.

Automatic Disconnection of Mains Aerial on plugging in the Outside Aerial, in a Telefunken Receiver, p. 100.

Automatic Fading Compensation.—Nentwig, p. 158.

Automatic Fading Regulation without Regulating Valve or Battery.—Franck, p. 623.

Automatic Gain Control of Radio Receivers [on Commercial Channels].—Cohen, p. 393.

Automatic Gain or Volume Control: see also Fading, Volume.

Automatic Regeneration [One Adjustment gives Suitable Regeneration Constant over Whole Tuning Scale].—Tanner, p. 566.

Circuits for Amplified Automatic Volume Control [using the Duplex Diode Triode].—Barton: Travis, p. 213.

Practical Automatic Volume Control.—Cocking, p. 158.

Adding Automatic Volume Control to the Monodial.—Cocking, p. 272.

Delayed Amplified A.V.C.—Cocking, p. 623.

Delayed Diode A.V.C.—Cocking, p. 623.

Corrected A.V.C.—Cossor Laboratories, p. 447.

Automatic Volume Control for Radio Receivers [Survey of American Developments].—Fisher, p. 447.

Cutting Out Distorted Reception of Over-Weak Signals in Receivers with A.V.C., with Help of Thyatron controlled by A.V.C. Rectifier.—RCA, p. 567.

Automatic Volume Control for Selective Fading by Subdivision of Frequency Band into Several Components each with its own Control Frequency.—Siemens and Halske, p. 567.

Automatic Volume Control.—Smith, p. 158.

An A.V.C. Unit.—Smith, p. 326.

Automatic Volume Control [with Double-Diode Triode, giving Quiet, Amplified and Delayed AVC].—Smyth, p. 213.

Automatic Volume Control by Regulation of Filament Current, which forms Anode Current of Control Valve.—Telefunken Company, p. 158.

Automatic Volume Control and Fading Compensation [Survey of New Methods and Possibilities].—Wigand, p. 567.

Adding Automatic Volume Control to an Existing Receiver with a Variable-Mu H.F. Stage, p. 213.

The History of A.V.C., p. 326.

Improvement to Automatic Volume Control, to avoid Hiss on tuning to a Blank Channel, p. 272.

Balancing Radio Receiving Circuits [Discussion of Methods of Stabilising against Oscillation].—Tennil, p. 100.

Flexible Band Pass Unit.—Dent, p. 39.

The Use of Uranium Dioxide as a Series Resistance for Iron Barretters.—Meyer, p. 273.

The Beat-Note-Combinational-Tone Controversy.—Hazel and Ramsey, p. 623.

Receiver Scales at the Berlin Radio Show, in particular the AEG "Optical Station Indicator," p. 39.

Receivers at the Berlin Radio Show.—Schwandt, p. 39.

The Present Position in Broadcast Receiver Design [Berlin Exhibition and Vienna Autumn Fair, 1932].—Klein: Mittelmann, p. 100.

New Automatic Bias Scheme.—Bowen, p. 213.

Future Trends in Broadcast Receivers: Possible New Gadgets.—Jarvis, p. 156.

The Design of Broadcast Receivers.—Turner, p. 156.

Broadcasting and Current Supply [Statistics regarding Increased Power Consumption due to Broadcasting].—Civita, p. 393.

New Battery Output Stage: Class B Amplification: the Latest Development.—Walker, p. 272.

Class "B" Economy is Two-Fold.—Scroggie, p. 505.

Controls for 1933 Receivers [particularly Moulded Carbon Variable Resistances and Their Uses].—Wunderlich, p. 447.

Copper-Oxide Rectifier used for Radio Detection and Automatic Volume Control.—Grondahl and Place, p. 39.

A New Method of Radioelectric Coupling: the "Diffusion" Coupling.—Cordebas, p. 622.

Reception in China on a Crystal Detector [Nanking at 500 km by day: Manila at 2 500 km by night].—Oster, p. 446.

Decoupling Efficiency [and a Convenient Alignment Chart].—Barclay, p. 504.

Decoupling and Instability [Production of Motor-Boating by Incorrect Design of Decoupling Circuits].—Preston, p. 448.

The Optimum Decrement of Tuned Circuits for the Reception of Telephony [with Channels spaced 9 kc/s].—Bell, p. 503.

Method of Demodulating a Frequency-Modulated Wave.—RCA, p. 273.

Some Notes on Demodulation.—Roder, p. 212.

Demodulation: see also Detection.

Double-Grid Valve in Circuit to prevent Overloading [Anode-Bend Rectification] in Grid Detection, p. 100.

Theory of the Detection of Two Modulated Waves by a Linear Rectifier.—Aiken, p. 392.

Reception.

- The Mode of Action of Diode Detection.—Urtel, p. 623.
 An Analysis of Power [Grid] Detection [and the Use of a High-Impedance Choke in place of the Grid Leak and of a Tungsten Lamp as Plate Series Resistance].—de Cola, p. 566.
 Detection : see also Demodulation.
 Screen-Grid Voltage and Detector Sensitivity.—Flippin, p. 38.
 The Detector.—Lewis, p. 38.
 Improving the Grid-Leak Detector : a Simple Method of Obtaining Greater Linearity in a Superheterodyne Receiver [Addition of Second R.F. Choke between Anode and Junction of By-Pass Condenser and R.F. First Choke].—Smith, p. 100.
 The H.F. Screen-Grid Valve as an Anode-Bend Detector.—Kammerloher, p. 623.
 The Functions of the Leaky-Grid Detector with Reaction, divided between Two Valves, p. 157.
 The Diode Quality Four [Four-Valve Battery-operated Receiver with Diode Rectifier].—Smith, p. 39.
 Some Notes on the Use of a Diode as a Cumulative Grid Rectifier.—Biedermann, p. 326.
 Diode Detection Analysis.—Kilgour and Glessner, p. 566.
 Design of D.C. Sets : Problems Peculiar to Direct Current Supply.—Cocking, p. 39.
 The Tuning Curves of Electrical Distant Control Devices for Radio Receivers.—Schadow, p. 39.
 Why the Double Hump ? [In Band Pass Filters].—Howe, p. 623.
 Voltage Amplification with High Selectivity by means of the Dynatron Circuit.—Colebrook, pp. 212 and 326.
 Trends of Design at the Ninth Radio Exhibition, Paris, 1932.—Adam, p. 155.
 The Radio Exhibitions [National and International] in Paris, 1932, p. 505.
 Exhibitions : see also Berlin, Radio, Trend, and under "Miscellaneous."
 The Introduction, into an Existing Receiver, of Exponential Valves in the place of ordinary Screen-Grid Valves, p. 446.
 Anti-Fading Circuit using Variable-Mu Valve.—Chrétien, p. 100.
 Anti-Fading Circuits.—Chrétien, p. 158.
 Counteracting Fading by Periodic Detuning of Receiver.—Deutsche Tel-werke u. Kabelind. A.G., p. 214.
 The Influence of Fading Compensation on Contrast in Music.—Sturm, p. 623.
 The New Tuning Coils ["Ferrocort" Iron Cores].—Sowerby : Vogt, p. 39.
 Ferrocort, a New Material [and a Two-Valve Receiver using Ferrocort Coils].—Olvenstedt, p. 100.
 Iron Powder Compound Cores for Coils [Ferrocort, etc.].—G.W.O.H. p. 173.
 The Ferrocort III.—Cocking, p. 273.
 Class "B" Ferrocort Receiver.—Page, p. 326.
 Iron-Content [Ferrocort] Cores for High-Frequency Coils.—Schneider, p. 403.
 Ferrocort : see also under "Subsidiary Apparatus and Materials."
 Fidelity Compensation by Regeneration [by Feeding-back Part of Output in Phase to Screen-Grid Circuit of Tetrode].—Matthews, p. 212.
 Adjustment of Band Breadth in a Band-Pass Filter by Variable-Coupling Coils tending to Neutralise the Fixed Couplings.—Meissner, p. 566.
 The Best Filter Chain for Mains-Driven Apparatus.—Piesch, p. 158.
 Filter for the Intermediate-Frequency Amplifier [of a Superheterodyne Receiver].—Piesch, p. 211.
 Square-Top Filters [especially for the I.F. Circuits of Superheterodyne Receivers].—Piesch, p. 504.
 French Receiver Trends.—Picard, p. 155.
 Retaining Higher Frequencies : Part II. Frequency Correction.—Bowen, p. 99. See also Tone Correction.
 Glow-Discharge Tube between Grid and Anode of Reaction Audion to prevent Adjustment beyond Oscillation Threshold.—Hinrichsen, p. 272.
 Grid Bias from Anode Current : Some Necessary Precautions.—van Reyschoot : Pound, p. 100.
 An Obscure Cause of Poor Reception [Faulty Combination of Parallel-Feed Transformer and Automatic Grid Bias Resistor].—M. G. Scroggie, p. 213.
 High-Selectivity Tone-Corrected Circuits.—Robinson : G.W.O.H., pp. 99 and 156.
 Wireless in the Modern Hotel [Waldorf Astoria].—Dinsdale, p. 39.
 Suppression of Mains Hum : the Use of an Auxiliary Valve in Opposition to Output Valve : of a Bridge Circuit : of Rectifiers in Opposition across Heating Circuit.—Siemens-Schukert, p. 448.
 Bridge-Type Push-Pull Amplifiers [to avoid Hum induced in Coupling Transformer].—Tulauskas, p. 504.
 Ingenious Circuits in New Radio Receivers, p. 100.
 Study of the Input Circuit of a Radiotelephonic Receiver [and the Predominant Importance of the H.F. Losses].—Mezey, p. 448.
 Various Methods of Detecting Faulty Insulators on H.T. Lines under Tension.—Robertson, p. 392.
 The Law of the Broadcast Listener and the Elimination of Wireless Interference.—Adam, p. 157.
 Concerning the Second Congress of Defence against Radioelectric Interference (Paris, 25th-27th November, 1932).—Adam, p. 325.
 Fundamental Points in the Suppression of Radio Interference [Man-Made].—Alexander, p. 892.
 Interference with Wireless Reception Arising from the Operation of Electrical Plant.—Angwin, p. 39.
 The Radio-Noise Meter and Its Application to the Measurement of Radio Interference.—Barhydt, p. 392.
 Eliminating Radio Interference from Pin Type Insulators.—Barrow, p. 325.
 Avoidable Interference.—Bernaert, p. 505.
 Antenna Transmission Line Systems for Radio Reception [Elimination of Man-Made Interference by Suitable Location of Aerial and the Use of a Shielded Lead-In].—Brigham, p. 449.
 Cutting Out the Crackle : What the Listener Can Do to Minimise Interference.—Calkin, p. 40.
 Whistle Suppressor [A Simple Tuned Filter for Eliminating Heterodyne Interference].—Cocking, p. 39.
 Interference with Broadcast Reception due to Mercury-Vapour Rectifiers.—Dennhardt, p. 391.
 The Construction of Choking Coils for Preventing Radio Interference [e.g. from Mercury Vapour Rectifiers].—Glas, p. 39.
 Interference : Notes on Methods for Elimination of Interference caused by Non-Radio Devices.—Glas, p. 157.
 Interference with Broadcast Reception.—G.W.O.H., p. 447.
 Devices to prevent Man-Made Interference with Radio Reception, and Their Use.—Hémardinger, p. 157.
 The Effect of the Leads to an Interference-Suppressing Condenser.—Kotowski and Kühn, p. 325.
 Radio Reception and Interference from Neighbours [from Electrical Apparatus, etc.].—Mestre, p. 325.
 Problems of Electrical Interference.—Morris, p. 623.
 Interference with Broadcast Reception.—Nat. Elec. Light Assoc., p. 447.
 The Legal Position of Producers of Wireless Interference with respect to the Listeners.—Ottoz, p. 158.
 [Hints on] Reducing Noise Interference [including the Limited Usefulness of the Shielded Lead-In].—Philco Company, p. 325.
 Anti-Interference Filter for Electric Motors, etc., which does not raise Potential of Frame of Motor.—Philips' Company, p. 325.
 An Apparatus for Measuring the [Radio-] Frequency Spectrum of Sources of Interference with Broadcast Reception.—Wild : Siemens and Halske, p. 272.
 Some Causes of Interference with Radio Reception on Aeroplanes, and Methods of Overcoming Their Effects.—Zanini, p. 100.
 Interference Filtering [Special Wave-Trap Circuit], p. 157.
 Electrical Interference [Additional Causes, including Static Charge on Motor Frame due to Belt Slippage], p. 39.
 Interference : see also Noise, Screened, Superhet, and under "Aerials."
 Italian Broadcast Receivers : "Radiomarelli" 1932-33 Receivers, p. 623.
 Broadcasting Progress in 1932, and European Broadcasting versus Economic Depression [U.I.R. Statistics of Listeners].—Burrows, p. 393.
 An Improved Version of the Loftin-White Circuit [using only Indirectly-Heated Valves, including a Pentode in the Output Stage].—Prinzler, p. 100.
 The H.F. Currents produced by H.T. Magnets.—Jaffray, p. 271.
 Superheterodyne Receiver with Magnetostrictive Coupling in I.F. Circuit to increase Selectivity.—USSR Electrot. Association, p. 273.
 VDE Regulations for Mains-Driven Broadcast Receivers.—Verband Deutscher Elektrotechniker, p. 326.
 The Influence of Matching [Circuits with Valves] on the Amplification and Selectivity of Tuned R.F. Amplifiers.—Baerwald, p. 503.
 Matching : see also under "Properties of Circuits" and "Aerials."
 An All-Wave [Two-Valve] Midget Receiver : a Semi-Portable covering from 12 to 4 500 Metres.—Parmenter, p. 100.
 The Midget Universal Mains Set.—Keith Henney, p. 273.
 The Modern D.C. Three [with Screen-Grid Detector].—Page, p. 157.
 The Production of Negative Conductances by means of Retroactive Couplings [and the Calculation of Retroactive Receiver Circuits].—Kauter, p. 447.
 Suppression of Noise in Radio Receivers : QAVC [Quiet Automatic Volume Control], NSC [Noise Suppression Control], or simply "Squeech."—Messing, p. 326.
 An Inter-Carrier Noise Suppression System [using the Wunderlich Valve of a New Type, with Small Shielded Extra Anode].—Wunderlich, p. 447.
 Noise Intensity in Radio Reception.—Byrne, p. 448.
 Inter-Carrier Noise Suppression : a New System [using the Wunderlich B Valve and Automatic Volume Control].—Wunderlich, p. 213.
 Maximum Output, Efficiency, and Optimum External Resistance of Output Valves [for Class A and Class B Amplification].—Urtel, pp. 274-275.
 The Pentagrid Converter [Combined Oscillator-Detector for Superheterodyne Receivers].—Lyons, pp. 394 and 504.
 Improvements to the Pentode Output Stage [Reduction of Capacity in Choke Filter Output Circuit].—Piesch : Sims, p. 157.
 The "People's Receiver," pp. 505 and 567.

Reception.

- Reception Tests on the German "People's Receiver"—Leithauser, p. 623.
- A New Development in Tuning ["Permeability" Tuning].—Hallows, p. 100.
- Permeability Tuning.—Scroggie, p. 158.
- Ferro-Inductors and Permeability Tuning.—Polydoroff, p. 393.
- The Development of Police Motor-Car Radio.—Thomas, p. 327: see also Auto.
- The Two-Unit Portable.—Smith, p. 446.
- Back to Quality in Radio Receivers! [With Curves showing Wide Difference in Tone Fidelity between Large and Small Receivers].—p. 447.
- Outstanding Battery Set Development ["Quiescent Push-Pull"].—Yeoman Robinson, p. 156.
- The Quiescent Push-Pull Two.—Page, p. 156.
- New Apparatus and Appliances [Special Transformer and Output Choke for "Quiescent Push-Pull"], p. 213.
- Q.P.P. with Triodes.—Page, p. 213.
- Practical Hints on Q.P.P.—Hallows, p. 504.
- Present and Possible Future Trends in Radio, p. 326.
- Radio Receiver Situation for 1933 [including "Colour" Visual Indication of Noise, Tone and Volume Control], p. 447.
- Radio at the Leipzig Spring Fair, p. 447.
- Trends in Radio Design and Manufacturing, p. 580.
- Radio Distribution System for Apartment Buildings.—Bell Laboratories, p. 567.
- A Radio Distribution System for Apartment Buildings [wired with Special Coaxial Conductor: One Aerial, 3000 or more Receivers].—Boeck, p. 326.
- The Radio Industry in the Season 1932/1933 [Analysis of Types, Prices and Sales].—Menzl, p. 214.
- Radio Receiver Design [The Equivalent Circuits Useful in Broadcast Receiver Design].—Smith, p. 447.
- The Use of Instruments in Radio Receiver Manufacturing.—Miller, p. 447.
- Radio Statistics.—Production and Use, p. 326.
- Receivers [a Survey of Ten Years].—David, p. 326.
- Discussion on "Some Notes on Grid Circuit and Diode Rectification" [Distortion avoided even for 100% Modulation by connecting Grid Leak to Positive Point instead of to Earth].—Kelly: Nelson: Terman, pp. 213 and 392.
- Reflex Circuit Considerations.—Stinchfield and Schade, p. 567.
- The Use of Multi-Wave Circuits in Grid and Anode Circuits of a Receiver with Retroaction, to give Rectangular Resonance Curve.—Lorenz, p. 448.
- The Retarding-Field Audion controlled without Power Expenditure [and used for Waves other than Ultra-Short].—Hollmann, p. 621: see also Ultra-Short.
- The Action of Damping Reduction [by Retroaction] in Broadcast Receivers.—Kautter, p. 622.
- Alteration of Tuning when the Retroaction Coupling is Varied.—Schiemann, p. 622.
- The Screen-grid Valve as a Frequency-Changer in the Super-Het [Theoretical Treatment and Practical Conclusions].—White, pp. 99 and 157.
- Screened Aerial Down Leads.—Brigham, p. 325.
- Reducing Man-Made Static [The Use of a Screened Lead-In and the Calculation of the Appropriate Impedance-Matching Network].—Browning, p. 157.
- The Question of the Screened Aerial Lead [and the Recommendations of the Association of German Electricity Works].—Nentwig, p. 157.
- Screened Cable for Down Lead [Capacity under 30cm/m: Weight 160 gm/m].—Telefunken Company, p. 325.
- The Installation of Aerials with Screened Down Leads.—Wigand, p. 449.
- Why Does the Low-Frequency Amplifier Howl? Tests on the Static Screening of A.F. Transformers.—Piesch, p. 448.
- Second Channel Suppression.—Kinross, p. 446.
- A Practical Criterion of Selectivity [Unsatisfactory Nature of I.R.E. Practice and of Thomas' Method: Need of Arbitrary Limit defining "Just Appreciable" Interference: Suggestion of 10% Relative Audio Volts Output].—Callendar, p. 100.
- Selectivity in Broadcast Reception. 1. Band-Pass Filters. 2. Tone Correction.—Davidson: Bell, p. 326.
- Average Selectivity Curves of 1931-32 Superheterodyne and Tuned R.F. Receivers.—Horn, p. 326.
- The Representation of [Single-Peak] Resonance Curves by "Selectivity Indexes".—Kafka, p. 448.
- Systematic Study of Short-Wave Triode Amplifying Circuits by "Neutralisation" [particularly the Bridge Method].—Haraguchi, p. 39.
- Short-Wave Two [with Screen-Grid Valve as Regenerative Detector].—Dent, p. 39.
- Short-Wave Transoceanic Telephone Receiving Equipment.—Polkinghorn, p. 327.
- Practical Short-Wave Reception.—Whitehead, p. 393.
- Universal A.C. Short-Wave Converter.—Cocking, p. 393.
- An A.C. Short-Wave One-Valve Receiver [using a Pentode: Smooth Reaction down to 10 Metres], p. 505.
- High-Speed Telegraphic Reception on Short-Wave Transoceanic Services [with particular reference to the "Double Undulator" System for Combating Fading and Atmospherics].—Mögel, p. 503.
- The Radio Receiver Characteristics related to the Sideband Coefficient of the Resonance Circuit.—Takamura, pp. 38 and 156.
- Sideband Splash.—Hallows, p. 157.
- A Long-Wave Single-Sideband Telephony Receiver for Transatlantic Working: Hill and Page, p. 566.
- Improved Smoothing in Mains Receivers by connecting Valves as Series Elements of Anode-Current Filter Chain.—TKD, p. 448.
- The Problem of Stability [in Radio Receivers].—Chrétien, p. 448.
- Stability Problems of Tuned R.F. and Superheterodyne Receivers.—Place, p. 623.
- A Superheterodyne Receiver with Several Frequency Changes in the I.F. Circuit.—Aigner, p. 566.
- New Pentagrid Tubes and Coil-Switching in the Amateur-Band Superhet.—Allen, p. 567.
- Checking the Performance of the Superheterodyne First Detector [and the Choice of Valve Types].—Chaney, p. 446.
- Selected Problems from Broadcast Receiver Technique, with Special Reference to the Superheterodyne Receiver.—Clausing, p. 623.
- Monodial D.C. Super.—Cocking, p. 100.
- The All-Wave Monodial Super.—Cocking, p. 213.
- The New Monodial Super.—Cocking, p. 504.
- New Ideas for the Superheterodyne [including the Pentagrid Valve as Frequency Changer].—Cocking, p. 504.
- The Di-Super-6 [Superheterodyne] Receiver with Double Frequency Change [avoiding "Double Image" Trouble without Defects of Usual Methods].—De Giorgi, p. 39.
- Straight Sets versus Superheterodynes: Correspondence.—Elliott, p. 326.
- A Note on Interference Tones in Superheterodyne Receivers.—Floyd, p. 504.
- Papers on the "Single-Signal" Superheterodyne Receiver.—Lamb, pp. 39, 327, 446 and 504.
- The Single-Signal Receiver at Work: The Single-Signal Super in Another Dress.—Parmenter: Lusk: Lamb, p. 101.
- A Superheterodyne Receiver using the New "Fading Hexode" and "Mixing Hexode" Valves.—Wigand: Telefunken, p. 446.
- A Screen-Grid-Valve Dynatron Oscillator Circuit for Superheterodynes, Free from Harmonics, p. 157.
- The "Die Sendung" 5-Valve Superheterodyne Receiver [with only one I.F. stage: Automatic Volume Control], p. 100.
- On Super-Regeneration.—Egerland, p. 99.
- The Theory of the Super-Regenerative Coupling.—Gorelik, p. 622.
- A Super-Regenerative Short-Wave Attachment [for Telephony Reception], p. 393.
- Transforming Receiver Constructional Diagrams to work from Different Supply Sources [A.C., D.C. and Battery].—Schwandt, p. 158.
- "Synchronous" Reception.—de Bleszciez, p. 38.
- Tatsfield Relaying Receivers, p. 393.
- Receiver Testing Equipment for Shop or Field.—Myers, p. 158.
- Set Analysers [for Testing Broadcast Receivers].—Lewis, p. 393.
- Tone Control Output Unit.—Vaughan, p. 393.
- A Note on the Theory and Practice of Tone-Correction.—Colebrook, pp. 156 and 504. See also Frequency, High Selectivity, Selectivity.
- Remarks on "A Note on the Theory and Practice of Tone-Correction" [Additional Method depending on Series Resonant Circuit].—Cope: Colebrook, p. 504.
- Tuned-Transformer Coupling Circuits [Low-Loss Air-Core Transformers, as used in I.F. Amplifier of Field Strength Measuring Set].—Christopher, p. 326.
- Transformerless Plate Supplies [for Receiver Valves], p. 504.
- The Trend of Progress, p. 623.
- Receiving Sets for the Tropics: a Plea for Study of the Eastern Market, p. 504.
- Tuning Discontinuities of a Rotating Variometer smoothed out by Combination with a Rotating Condenser with Wave-Form Edges.—Telefunken, p. 448.
- Gaseous Discharge Tubes for Radio Receiver Use [as Visual Tuning Indicator with or without "Noise Gate"].—Dreyer: Senauke, p. 272.
- The Two-Circuit Tuner [in Broadcast Receivers: Usual Adjustment of Coupling loses Brilliance of High Notes: Desirability of Small Amount of Adjustable Tone Correction].—Editorial, p. 99.
- Improving the 50-Mc Receiver: Constructional Details of Two New Sets for the Ultra-High Frequencies.—Hadlock, p. 447.
- The Rectification of Alternating Voltages at Ultra-High Frequencies by means of Diodes.—Carrara, p. 503.
- Studies on Radiotelephone Transmitters and Receivers for Ultra-Short Waves [and the Super-regenerative Action of an ordinary Regenerative Receiver].—Ataka, p. 501.
- On the Modulation of an Ultra-Short Wave by a [Modulated] Medium Wave, and its Detection.—Ataka, p. 620.
- The Detection of Microwaves [Ultra-Short Waves of Frequency about 10^9 c/s].—Carrara, p. 38.
- Ultra-Short-Wave Two.—Dent, p. 447.

Reception.

- An Unusual 56Mc [Ultra-Short-Wave] Super-Regenerative Receiver: Details of a Portable Set with Self-Quenching Detector.—Haydock, p. 567.
- Reception of Ultra-Short (3 Metre) Waves on a Tourmalin-Stabilised Receiver.—Heinrich-Hertz Institute, p. 622.
- The Reception of Decimetre [Ultra-Short] Waves with the Retarding-Field Audion.—Hollmann, p. 621: see also Retarding-Field.
- Receiver for Ultra-Short Waves, using Split-Anode Magnetron.—Int. Gen. Elec. Company, p. 273.
- Oscillating Split-Anode Magnetron as Detector for Ultra-Short Waves.—Int. Gen. Elec. Company, p. 326.
- Experiments on the Reception of Ultra-Short Waves.—Marconi, p. 155.
- Ultra-Short: see also Ultra-High.
- Visual Test Devices [giving R.F. Frequency Response Curve of Receiver or Components, for Production Testing: Rotating Sweep Condenser and Mirror, Mirror Galvanometer, etc.].—Schuck, p. 39.
- Acoustically Compensated Volume Control for Radio and Phonograph Sets.—Wolff and Cornell, p. 332.
- Manual Volume Controls.—Branth, p. 326.
- The Westector.—Westinghouse Company, p. 272.
- Wireless World Battery Baby Superhet.—Cocking, p. 39.
- The Wireless World Modern Battery Four.—Cocking, p. 623.
- The Wireless World Straight Three [Battery Operated].—Smith, p. 100.

AERIALS AND AERIAL SYSTEMS

- Argument as to Reliability of Field Strength Measurements taken in Aircraft.—Gothe: Krüger, p. 158.
- Airplane Radio Freed from Ignition Interference.—Jenkins, p. 215.
- Angle of Elevation of Short-Wave Rays.—Walmsley, p. 91.
- Experimental and Theoretical Study of the Polar Distribution of Energy in a Beam at Great Distance from the Sender [and Theory of the Transmission of Waves in an Ionised Gas in which there is a Horizontal as well as a Vertical Gradient].—Eckersley, p. 624.
- The Improvement of Broadcasting Aerial Systems [Survey], p. 158.
- Is the Problem of the Communal Aerial Solved?—Noack: Philips' Company, p. 624.
- The Concentrator Antenna [giving Decreased Space Wave and Increased Efficiency at the Shorter Broadcast Wavelengths].—Westinghouse Company, p. 449.
- Operation of the New ["Concentrator" Directive Broadcasting] Antenna at KYW., p. 567.
- On the Numerical Calculation of the Current in an Antenna [and the Reduction of Related Double Integrals].—Murray, p. 215.
- The Distribution of Radiated Power along a Dipole [Half-Wave] Aerial.—Bechmann, p. 101.
- Asymptotic Dipole Expansions for Small Horizontal Angles.—Murray, pp. 40 and 616.
- The Generalised Theory of the Electromagnetic Field of a Dipole and of Radiation from the Latter.—Rosing, p. 40.
- Note on Directed Transmissions [from a Single, Greek-Pattern Array: the Production of Two Beams rotating in Opposite Directions by a Periodic Variation of Wavelength].—Longo, p. 505.
- Theory and Practical Application of Directed Radiation [Comprehensive Survey of Beam Aerial Theory: Calculation of Radiation Diagram of Zeesen Short-Wave Broadcasting Aerial].—Ochmann and Rein, p. 567.
- Directive Aerial consisting of a Conductor bent into a Zig-Zag in One Plane.—International Standard Electric Corporation, p. 159.
- Phase Synchronisation in Directive Antenna Arrays, with Particular Application to the Radio Range Beacon [using the "Transmission Line" Antenna, Adcock Principle].—Kear, p. 625.
- Extension of the Mesny "Meandering" [Zig-zag Directive] Aerial System.—Latour, p. 159.
- Investigating the Directive Properties of an Amateur Antenna [Long L-Aerial for Short Waves].—Seaton, p. 449.
- The New High-Power Broadcasting Station at Vienna, with Reflector Tower for Directive Working.—Telefunken, p. 215.
- Directive Actions of Wave Resonators and Their Effects on the Plane of Polarisation of Electromagnetic Waves.—Uda and Nakamura, p. 159.
- Horizontal Directive Short-Wave Antenna.—U.S.S.R. Elek. Ver., p. 449.
- Improved Directive Reception on a Multiplicity of Aerials by using Repeated Frequency Multiplication before Combining.—von Plebanski, p. 328.
- A New Type of Directive Aerial [with Radiating Elements of Progressively Increasing Length: Especially Suitable for Ship-Shore Working].—Walmsley, p. 101.
- Short-Wave Directive Aerial Systems. Part I.—Whitehead, p. 328.
- Directive Broadcasting at WFLA-WSUN [Two Insulated Towers tuned to a Quarter Wavelength and spaced a Quarter Wavelength].—Wilmotte, p. 101.
- Directive Antennae for Broadcast Stations [particularly at WFLA, Florida].—Wilmotte, p. 158.
- Earth Resistances [Potential Gradient in the Surrounding Soil depends only on Dimensions of the Earth Plate].—Tagg, p. 101.
- The Resistance of Earth Electrodes [for Earthing Electrical Installations and Apparatus].—Morgan and Taylor, p. 505.
- Effect of the Earth's Non-Homogeneity in Strata on the Electromagnetic Field of a Horizontal Transmitting Aerial [Theoretical Investigation and Experimental Confirmation on a 5.4 m Wave].—Hara, p. 159.
- Radiation from Antennae under the Influence of the Earth's Properties. E.—Radiation into the Earth.—M. J. O. Strutt, p. 624.
- An Experimental and Analytical Investigation of Earthed Receiving Aerials: Corrections.—Colebrook, p. 327.
- The Effective Combating of Short Range Fading in Broadcasting, by Special Transmitting Aerial Systems [for Space-Wave Suppression].—Harbich and Hahnemann, p. 40.
- Results of the Breslau "Anti-Space-Wave" [Anti-Fading] One-Wire Broadcasting Aerial.—Böhm, p. 101.
- The Fading-Diminishing ["One-Wire"] Aerial of the Breslau Broadcasting Station.—Eppen and Gothe, p. 394.
- The Polygon Broadcasting Aerial for Suppression of Fading.—Böhm; Böhm, Bechmann and Roosenstein: Telefunken, p. 158.
- The Effective Combating of Near Fading in Broadcasting by Transmitting Aerials of Particular Design [Elektrotechnischer Verein Discussion].—Hahnemann, Harbich, Runge, Gothe, Plendl, Krüger, p. 158.
- Field Tests on Radio Communication over Long-Distance Aircraft Routes [including the Reduction of Short-Wave Fading by Alternate-Aerial Transmission or Reception].—von Handel, Krüger and Plendl, p. 557.
- An Anti-Fading Aerial consisting of a Wire wound into a Spiral.—SFR, p. 273.
- Fading eliminated by High Aerial supported by Balloon ["Blimp Antenna"], p. 449.
- Anti-Fading: see also Concentrator.
- Cable-Type H.F. Feeders [Buried, for Transmitting and Receiving Aerials].—Lambin, p. 567.
- Twisted-Pair Feeders for the Transmitting Antenna.—Grammer, p. 567.
- Feeders: see also Transmission Lines, Lecher Wires.
- On the Calculation of the [Short-Wave] Frame Antenna with Uniformly Distributed Electromotive Force.—Iwakata, p. 40.
- The Gain in Beam Antennas.—Kato and Takeuchi, p. 505.
- Grounds [The Use of Ground Rods], p. 40.
- The Electrical Heating of Overhead Lines against Hoar Frost.—Halbach, p. 215.
- Mutual Impedance of Grounded Wires Lying On or Above the Surface of the Earth.—Foster, p. 624.
- Mutual Impedance of Long Grounded Wires when the Conductivity of the Earth varies Exponentially with Depth.—Gray, p. 327.
- General Formula for the Mutual Radiation Impedance of Any Straight Parts of the Wires with Standing Sinusoidal Current Distribution.—Hara, p. 624.
- The Calculation of the Impedance of Aerials [with Mid-Point Feed: for Various Values of λ/λ_0].—Labus, p. 214.
- Mutual Impedance of Two Skew Antenna Wires.—Murray, p. 214.
- Ellipse Diagram of a Lecher Wire System [and the Transition from Double to Single Hump of Current Distribution].—Hikosaburo: Mohammed and Kantebet: Takagishi, p. 327.
- [Broadcast Receiving] Aerials and Lightning, p. 505.
- Swedish Tests on Impregnating Processes for Wooden Masts, p. 273.
- Lattice Masts of Tubular Construction, with Welded Joints.—Rixe, p. 394.
- Buckling Loads in Lattice Masts, particularly in High Radio Towers, —Föppl, p. 567.
- The Joining of Two Lines of Different Characteristic Impedance [and the Calculation of the Dissymmetric Quadrupole for Matching a Two-Wire and a Concentric Line].—Pomey, p. 449.
- Matching Feeders with Short- [and Ultra-Short-] Wave Transmitting Aerials.—Issakowitsch-Kosta, p. 214.
- Radiation Characteristics of Beam Antennas [and the Dispersion of the Beam by the Heaviside Layer]: Errata.—Minohara, Tani and Ito, p. 40.
- "The Calculation of the Radiation Characteristics and Radiation Resistances of Aerial Systems": Correction of a Formula.—Bechmann, p. 567.
- Measurements on the Radiation Induction in Symmetrical [Short-Wave] Aerials [and, the Influence of Height above Ground].—Schmidt, p. 160.
- Calculation of the Radiation Resistance of a Two-Wire Feeder.—Loeb: Brillouin, p. 160.
- Reply to Mr. Hallén's Remarks on my Paper "The Free Electrical Vibrations of Rod-Shaped Conductors."—Lindman, p. 101.
- A Method of Measuring the Sag of Telephone Lines [Depending on the Velocity of Propagation of a Transverse Wave].—Thomas, p. 160.
- Change of Sag due to Clearing of the Sleet on One of the Span Wires of a Suspended Overhead Transmission Line.—Nishiyama, p. 160.
- "Receptm" Screened Lead-In Cable, p. 624.
- The Installation of Aerials with Screened Down-Leads.—Wigand, p. 449.
- Screened, Shielded Aerials, etc.: see also under "Reception."

Aerials and Aerial Systems.

- Antenna Transmission Line Systems for Radio Reception [Elimination of Man-Made Static by Suitable Location of Aerial and the Use of a Shielded Lead-In].—Brigham, p. 449.
- Short-Wave Aerials** [for Broadcast Reception: including Frame Aerials].—Floyd, p. 40.
- Transmission-Line Feed for **Short-Wave** Antennas (including the Grounded Antenna).—McLean, p. 40.
- Short-Wave** Aerial System with Horizontal Dipole, consisting of Two Networks of Wires, and Vertical Feeders; for Production of Purely Horizontal Polarisation.—Telefunken, p. 153.
- Short-Wave** Aerial System with All-Round Horizontal Radiation [Horizontal Radiators forming Sides of Polygon, Connected in Series by Vertical Lecher Pairs with Adjustable Bridges].—Elektrosvias, Leningrad, p. 158.
- Tests on **Stranded Wires**.—List, p. 160.
- A Three-Sided Radio Tower [Self-Supporting 200-Foot Tower, Steel Tube Construction].—Cousin, p. 101.
- A 267-Metre Tower as Radio Aerial, p. 273.
- Notes and Recollections on the Erecting of the Towers of the Wireless Station of Croix d'Hins [near Bordeaux: Metal Tripods 250 Metres High, and their Foundations].—Pomey, p. 40.
- Wooden Towers at the Leipzig Broadcasting Station.—Herbst, p. 160.
- The Effect of Metal Towers on the Radiation from an Aerial [Eiffel Tower Diagram].—David, p. 160.
- A Proof that the Induction Motor Circle Diagram applies to the **Transmission Line**.—Creedy, p. 327.
- Transmission Lines** for Short-Wave Radio Systems.—Feldmar, p. 160.
- Graphical Methods for Problems involving Radio-Frequency **Transmission Lines**.—Roder, p. 327.
- A Simple Method of Measuring the Attenuation of **Transmission Lines** [H.F. Feeders, etc.].—Strutt, p. 327 (two).
- Transmission Lines**: see also Feeders, Lecher Wires.
- Checking the Behaviour of **Ultra-High-Frequency** [2- and 5-Metre] Waves: Interesting **Transmission Tests** using Directive Aerials [Wave Reflectors and Directors].—Jones, p. 328.
- Feeders for **Ultra-Short Waves**.—Bahemann, p. 159.
- A Study of [Ultra-] **Short-Wave Directive Antennae**.—Chiba, Taki and Ito, p. 101.
- Absorption and Reradiation of [Ultra-] **Short Electric Waves**.—Fountain, p. 327.
- Special Aerials for the Transmission and Reception of **Ultra-Short** (80 cm) Waves.—Morita, p. 159.
- Some Notes on "Wave Canal" [Directional Aerial System for **Ultra-Short Waves**, using a Line of Wave Directors with Metallic Plates forming a Partial or Complete Rectangular Tube].—Nakamura, p. 505.
- The Pickard Dipole System for **Ultra-Short Waves**, using Untuned Feeder with Special Coupling Transformer.—Pickard, p. 567.
- Aerial and Reflector System for **Ultra-Short Waves**.—RCA, p. 273.
- Reflectors for **Ultra-Short Waves**.—Telefunken, p. 449.
- Ultra-Short and Ultra-High**: see also Matching.
- A **Variable Wavelength Aerial** [Aerial Wire winding on Metal Drum: Improved Short-Wave Reception by Adjusting to Optimum Natural Wavelength], p. 567.
- The Radiation Characteristics of a Vertical **Half-Wave Antenna**.—Stratton and Chinn, p. 214.
- Vibration in Electrical Conductors [and the Advantage of a Triangular Cross Section].—Davison, Ingles and Martinoff, p. 40.
- A **Vibration-Damping Lever** for Attachment to Overhead Lines near Point of Suspension.—Schmitt, p. 215.
- Conductor Vibration from Wind and Sleet.—den Hartog, p. 394.
- Mechanical Vibrations in **Transmission Lines**.—Niven, p. 273.
- Theoretical and Experimental Investigations of the Vibrations in Overhead Lines.—Schmitt and Behrens, p. 506.
- Measurements of **Wind Pressure** on Overhead Wires.—Sherlock, p. 40.
- VALVES AND THERMIONICS**
- The Dependence of Adsorbed Ions on Temperature.—Becker and Brattain, p. 508.
- American Papers** on New Valve Types: see below.
- New Amplifiers, Detectors and Rectifiers [Multifilamentary Cathodes: Electron Coupling: Class B: Diode-Pentode, etc.], p. 273.
- Progress in Tubes for Radio [RCA Radiotron and Cunningham 25Z5 Rectifier, Power Amplifier Triode 2A3 with Multifilamentary Cathode, etc.], p. 328.
- Developments in the Electrical Industry during 1932: Electronic Tubes [including Improved Plotron for Sensitive Measurements at Low Frequencies, with Cathode between Grid and Anode], p. 328.
- Triple Grid Power Amplifier Tubes [as Suppressor Grid Output Pentode, Class B Zero Bias Output Valve, or Class A Low Impedance Triode].—Herold, p. 161.
- Radio Tube Progress [Arcturus 58: Radiotron 55—Two Diode and Triode Unit; Radiotron 82—Full Wave Rectifier], p. 102.
- Notes on the 59-Type Power Output Tube [Three Grids, Seven-Prong Base; for Alternative Use as Triode, Class A or Class B, or Pentode, Class A].—Jarvis, p. 102.
- Some Facts About the Recently-Announced Tubes [Types 41-44, 52, 55 and 85 (Duplex-Diode Triodes), 83 (Mercury-Vapour Rectifier), 89, Wunderlich and Triple-Twin], p. 41.
- Still More Tubes [including "Pentagrid Converters" and "Duo-Diodes" with Pentodes in Output Portion], p. 450.
- New Vacuum Tubes and Their Applications.—Hull, p. 328.
- Characteristics of American Electronic Tubes: with Chart.—Henney, p. 102.
- Coefficient of **Amplification** of Triodes [Discussion of Chief Methods of Measurement].—Dei, p. 569.
- New Vacuum Valves and Their Applications [Special Plotrons, Cathode-Ray Tube for X-Ray Chemical Analysis, Thyratrons, and Phanotrons].—Hull, p. 160.
- Observations of a **Barium Cathode**, sputtered on Nickel, with an Electron Microscope.—Brüche and Johansson, p. 569.
- New Valves at the Berlin Radio Exhibition: Binodes and 9-Watt Pentodes, p. 569.
- Thermal and Photoelectric Emission from **Caesium-Caesium Oxide** Cathodes, and the Influence Exerted on Emission by Inclusion of Caesium Atoms in the Dielectric.—de Boer and Teves, p. 507.
- Fine but Strong Low-Current Oxide-Coated Cathodes with Tungsten (Molybdenum, Tantalum) Core coated with Nickel (Platinum, Cobalt), p. 625.
- The **Catkin Valve**, p. 394 (three).
- Audio System with the New 2B6 Tube [for Class A Triode Output].—Stromeyer, p. 625.
- Special Two-System Valve for Class B Amplification.—Cossor Ltd., p. 274.
- Class B Amplifiers considered from the Conventional Class A Standpoint.—Nelson, p. 506.
- Tubes with **Cold Cathodes** [Glow Discharge as Electron Source].—Hund, p. 215.
- Cold Cathodes**: see also Corona, Filamentless, Glow Discharge. Surfaces from which **Cold Emission** Currents appear only at Very High Field Gradients.—Chambers, p. 451.
- Effect of High Series Resistance on **Cold Emission**.—Mebs, p. 507.
- Electronic Emission from **Cold Metals**.—Henderson, p. 274.
- Note on **Contact Potential Difference** [and Thermionic Work Functions].—Waterman, p. 508.
- Contact Potential Differences** between Different Faces of Copper Single Crystals.—Farnsworth and Rose, p. 631.
- A **Corona-Discharge "Valve"** at Atmospheric Pressure.—Gemant, p. 394.
- Detector Tube Performance Curves** [Diode; Conventional Detectors; Duplex Diode-Triodes; Types 75 and 2A6, with High-Mu Triode Section; Duplex Triode-Pentodes].—Nelson, p. 450.
- The 77 as a [Self] Biased Detector with 100 Volts Plate Supply [for Small Universal A.C.—D.C. Receivers], p. 450.
- Considerations on **Detector-Output Tube Systems** [and the Possibilities of the Two-Valve Superheterodyne].—Nelson, p. 450.
- A New Type of Valve **Diagram** [showing "Durchgriff," Mutual Conductance and Internal Resistance, and also "Güte"—Product of Mutual Conductance and Amplification Factor].—Gundlach, p. 41.
- A New Type of Valve **Diagram**.—Howe: Gundlach, p. 161.
- Valve Data **Diagrams**: Correspondence.—Basto: Koga: G.W.O.H., p. 451.
- The Graphical Classification of Valves [Valve Diagrams including "Güte"].—Zilitinkevitch, p. 568.
- The **Double Diode Triode**.—Smyth and Stewart, p. 394.
- The Inner-Grid **Dynatron** and the **Duo-Dynatron**.—Hayasi, pp. 620-621.
- Testing the Elasticity of Vacuum Tube Filaments.—Marshall, p. 41.
- The Course of the Electrical Field in Electronic Valves, measured in the **Electrolytic Trough**.—Barkhausen and von Brück, p. 273.
- "**Electrometer**" Valves *versus* Ordinary Triodes in Valve Voltmeters with High Input Impedance.—McFarlane, p. 569.
- Electron Conduction in **Thermionic Valves**.—Benham, p. 444.
- Electronics and **Electron Tubes**.—McArthur, pp. 395 and 506.
- Electronic Phenomena in Radioelectric Valves.—van der Pol, p. 625.
- Oblique Initial **Emission** of Therm-electrons from Rough Crystalline Metal Surfaces.—Seemann, p. 161.
- The Spatial Distribution of the **Emission** from Incandescent Cathodes.—Hamacher, p. 216.
- On the Secondary **Emission** from the Grid in Triodes [Experiments indicating an Emission due to Photoelectric Effect of Soft X-Rays from Cathode].—Pinna, p. 161.
- The Variation of Secondary **Emission** with Heat Treatment.—Copeland, p. 395.
- The **Emission Valve** Modulator for Superheterodynes [Four-Grid Detector-Oscillator].—Wheeler, p. 328: see also Hexode.
- The Radio Exhibitions in Paris 1932, [including Transmitting and Receiving Valves], p. 506.
- Exponential Valves**: see Screen-Grid.
- The Role of Vacuum Tubes in a Tube Factory.—Koechel, p. 451.
- The **Valve Filament**.—Beatty, p. 161.
- New Developments in **Filamentless Tubes**.—Hund, p. 274.
- Filamentless** Radio Tubes Demonstrated for Wide Use.—Hund: Wired Radio, Inc., p. 328.
- The **Filamentless Tube**, p. 394.

Valves and Thermionics.

- Filamentless** : see also Cold Cathodes.
Indirectly Heated Valves with Double-Wound [Non-Inductive] Filaments, p. 328.
Method of Fixation of Emissive Material on Cathode Tubes heated by Internal Filament.—Lévy, p. 329.
The Flash-Are ["Rocky Point Effect"] in High-Power Valves.—Gossling, p. 41.
Electric Currents from Hot Cathodes in Gases and Vapours at Atmospheric Pressure.—Ruhnke, p. 41.
Valve with Glow Discharge as Electron Source.—Telefunken, p. 102.
A Non-thermionic [Glow Discharge] Amplifier Tube.—Reich, p. 161.
Application of Graphite as an Anode Material to High-Vacuum Transmitting Tubes.—Spitzer, pp. 451 and 569.
Investigations on the Setting-In Point of Grid Current in Amplifier Valves [Comparison between Directly and Indirectly Heated Cathodes].—Rothe, pp. 95-96.
Grids for Tubes [Comparison between Molybdenum and Nickel].—Hunter, p. 102.
The Heat of Evaporation of Electrons in the Thermionic Effect.—Franzini, p. 395.
Circuit for Determining Heating Time of Vacuum Tubes [using Telecon Clock].—Koechel, p. 102.
The Hexode Vacuum Tube: Emission-Valve Mechanism.—Wheeler, p. 450 (two).
The Hexode, a new German Valve.—Wigand: Telefunken, p. 450.
Hexodes, a New Type of Receiving Valve.—Telefunken Company, p. 506.
Hexodes : see also Emission Valve, Superheterodyne.
Rectifiers and Oscillators with 220-Volt Valves, and Tests on High-Voltage Rectifier Valves.—Diefenbach: Härtel, p. 625.
A "Low Hum" Vacuum Tube [No. 262A High-Gain A.F. Amplifier for A.C. Mains].—J. O. McNally: Western Electric Company, p. 215.
A Study of Hum Generation in Vacuum Tubes as affected by Heater Design.—Glauber and Campbell, p. 569.
I.E.E. Wireless Section : Chairman's Address. Part I: Thermionic Valves. Part II: Spontaneous Fluctuations in Valve Amplifiers.—Turner, p. 215.
Imported Valves.—Application for Marking Order under the Merchandise Act, p. 506.
On the Density Distribution of Unipolar Ion Currents [Theoretical Investigation].—Deutsch, p. 330.
A Life-Test Power Supply utilising Thyatron Rectifiers.—Lord, p. 570.
The Behaviour of an Electronic Valve with a Ferromagnetic Anode in a Magnetic Field.—Schwarzenbach, p. 624.
On the Influence of the Magnetic Field of Filament Currents on the Electron Path.—Hamacher, p. 273.
Various Papers and Patents on Magnetron Oscillators, p. 624.
Magnetron : see also Ultra-Short.
Dynamic Measurement of Electron Tube Coefficients.—Tuttle, p. 506.
Dynamic Tube Measurements over Wide Ranges of Values [by Valve Bridge].—Tuttle: General Radio, p. 102.
Grid and Plate Currents in a Grid-Controlled Mercury Vapour Tube.—Seletzky and Shevki, p. 329.
Emission of Metallic Ions from Oxide Surfaces. I.—Identification of the Ions by Mobility Measurements: II.—Mechanism of the Emission.—Brata: Powell and Brata, p. 625.
"Sprayed Mica" used in Valves to prevent Leakage.—Na. U. Rad. Corp.; p. 329.
Anti-Microphonic Valves ["Rigid Unit" Construction].—Mullard Company, p. 41.
Measuring Microphonic Noise in Vacuum Tubes [Equipment in which Microphonic Response is indicated by Steady Deflection of Output Meter].—Pidgeon, p. 161.
A Measuring System for Microphonic Noise Currents.—Kelley, p. 569.
On Micropyrometry.—Lewin, p. 41.
The Thermionic and Photoelectric Work Functions of Molybdenum.—Du Bridge and Roehr, p. 41.
The [Experimental] Effect of High Electrostatic Fields upon the Vaporisation of Molybdenum [in the form of Heated Wires].—Estabrook, p. 330.
Secondary Emission of Electrons from Molybdenum.—Copeland, p. 569.
The Effect of Temperature on the Emission of Electron Field Currents from Molybdenum and Tungsten.—Ahearn, p. 507.
The Place of Nickel in Radio Tube Manufacture.—Marino, p. 215.
Noise [Thermal and Shot Effect] as a Limiting Factor in Amplifier Design.—Keall, p. 631.
Inter-Carrier Noise Suppression : a New System [using the Wunderlich B Valve with Additional Anode for Amplifying the AVC Potentials].—Wunderlich, p. 213.
Non-Linear Valve Characteristics : a Brief Discussion on Their Use.—Bull, p. 216.
Out-Gassing Electrodes by means of a Short Induction Winding moved to-and-fro in an Axial Direction.—Telefunken, p. 451.
The Output Power of the Final Valve in an Amplifier, and Its Practical Significance.—Kammerloher: Leithäuser, pp. 45 and 398.
Output Stages : the Choice of Valves for Use in Low-Frequency Amplifiers [Rapid Test Method].—Whitehead: Brain, p. 215.
Emission from Oxide-Coated Cathodes.—Benjamin and Rooksby, pp. 329 and 569.
The Quantitative Determination of the Free Alkali-Earth Metal in the Oxide Cathode.—Berdennikowa, p. 330.
Two Processes for the Formation of Oxide-Coated Cathodes.—Bluhm: Tödt, p. 451.
Papers on the Investigation of Oxide Cathodes by means of the Electron Microscope.—Brüche and Johansson, p. 102.
The Total Radiation from Oxide Cathodes.—Clausing and Ludwig, p. 625.
Oxide Cathodes [A Survey].—Gehrts, p. 41.
Determination of the Work Function of [Barium] Oxide Cathodes.—Heinze, p. 216.
Phenomena in Oxide Cathodes, and Their Transverse Resistance.—Kroczeck, p. 330.
The Work Functions of the Components of Activated Oxide-Coated Cathodes.—Rentschler, Henry and Smith, p. 161.
Oxide Cathodes : see also Barium, Caesium, Cathodes, Thoriated, Thorium.
The Pentagrid Converter [Combined Oscillator-Detector for Superheterodyne Receivers].—Lyons, pp. 394 and 564.
A Power Amplifier Pentode Tube [Radiotron 48, Curvingham C-48], p. 102.
On the Use of the Pentode Valve for Pressure Recording [in Fluids, using Capacity-Change Method : Pentode acting both as Oscillator and Valve Voltmeter by Suitable Use of the Three Grids].—Oliphant, p. 161.
The Screened H.F. Pentode.—Goldup, p. 274.
High-Frequency Pentodes.—Wigand, p. 506.
Pentodes : see also Screen-Grid.
The Emission from Glowing Platinum in Gases, in particular in Iodine Vapour and Chlorine.—Müller, p. 41.
Thermionic and Adsorption Characteristics of Platinum on Tungsten.—Sears and Becker, p. 507.
Vacuum Tube Characteristics in the Positive Grid Region by an Oscillographic Method.—Kozanowski and Mourontseff, pp. 450 and 569.
Effect of Ammonia on Positive Ion Emissivity of Iron, Nickel, and Platinum.—Brewer, p. 395.
The Emission of Positive Ions from Heated Metals: The Temperature Variation of the Positive Ions from Molybdenum.—Barnes, p. 161.
Liberation of Electrons from a Metal under Bombardment by Slow Positive Ions [and Calculation of Minimum Potential Drop (of the order of 1 Volt) for which an Ion will extract Electrons].—Valle, p. 395.
Graphical Determination of Performance of Push-Pull Audio Amplifiers.—Thompson, p. 394.
Push-Pull Amplifier Graphics.—Kilgour, p. 328.
Measurement of the Internal Resistance of B-Amplifier Valves [by a Modified Wheatstone Bridge Method].—Babits and Szalontay, p. 625.
The Screen-Grid Valve as a Frequency-Changer in the Super-Het.—White, p. 99.
The Behaviour of Screen-Grid Valves in the Presence of Secondary Electrons.—Herweg and Ulbricht, p. 506.
The Internal Resistance of Screen-Grid Valves.—de la Sablonière, p. 507.
Secondary Emission in Thermionic, particularly Screen-Grid Valves [with Special Reference to H.F. Transmitting Valves].—de la Sablonière, p. 507.
The Measurement of the Screen-Grid Loss of a Driven S.G. Transmitting Valve.—de la Sablonière, p. 507.
Screen-Grid, Pentode and Exponential Valves.—Heinze, p. 625.
Papers on Shot Effect and Thermal Agitation, and the Initial and Final Amplitudes of a Damped Oscillatory Process.—Barkhausen and Hässler: Hässler, p. 625.
Radio Tubes in Need of Simplification.—Bureau of Standards, p. 329.
Valves for Sound Picture Systems.—Kelley, p. 569.
Space-Charge Currents at High [and Ultra-High] Frequencies.—Protze, p. 568.
Space-Charge Phenomena in Electronic Valves [and the Anomalies in the Static Characteristic of the Hull Magnetron].—Schwarzenbach, p. 624.
Thermionic Tubes in which Grid- and Anode-Sections, in Plane perpendicular to Cathode, form Spirals one within the other, p. 274.
The Spray Shield Tube.—Parker and Fox, p. 394.
The New Valves [Mixing Hexode, Fading Hexode, and Binode] and Their Connections in Superheterodyne Receivers.—von der Bey, p. 625.
Vacuum Tubes [Survey for 1932].—Davies, p. 215.
Valves [a Survey of Ten Years].—Ponte, p. 329.
New Material for Radio Tubes ["Svea" Plate and Wire for Electrodes, Plates, Getter Cups, Screens, Lead-in and Support Wires, etc.].—Todd, p. 102.

Valves and Thermionics

New Tubes : New Tube Materials [particularly Svea Metal], p. 451
 New **Telefunken** Valves [and in particular the Bifilar Cathode].—Schröter, p. 625. See also Transmuting.
Theory of Thermionic Vacuum Tubes.—Chaffee (Book Review), p. 506.
Thermal Agitation of Electrons in a Metallic Conductor [Verification of Nyquist's Theory, and Precision Measurement of Boltzmann's Constant].—Williams and Wilbur, p. 161.
The Thermionic Effect treated according to the Fermi Statistics and Wave Mechanics.—Rossi, p. 102.
The Deactivation—Dispersion of the Thorium Layer—of **Thoriated Tungsten** through Bombardment by Positive Ions [Contradiction of Kingdon and Langmuir's Theory].—Gehrts, p. 329.
The Processing of Thoriated Tungsten Filaments.—Ausman, p. 569.
The Diffusion of Thorium in Tungsten [and the Effect of Size of Grain].—Fonda, Young and Walker, p. 330.
Thermionic and Adsorption Characteristics of Thorium on Tungsten.—Brattain and Becker, p. 330.
Characteristics and Functions of Thyatron.—Hull, p. 339.
Radiation-Cooled Power Tubes for Radio Transmitters [with Peak Output Capacities 500, 1 500, and 2 000 Watts].—Mendenhall, pp. 40 and 101.
On Short Wave Transmitting Valves [and the Superiority of the Low-Voltage High-Emission Type].—Haraguchi, p. 41.
Telefunken Transmitting Valves [including Short- and Ultra-Short-Wave Types, and Special Valves for Decimetre Waves].—Kühle, p. 101.
300 kw Transmitting Valve for Hilversum.—Philips Company, p. 624.
[German] High-Power Transmitting Valves, p. 624.
Present and Possible Future Trends in Radio [including Steel for Valve Anodes, etc.], p. 326.
A Theory of Available Output and Optimum Operating Conditions for Triode Valves.—Callendar, p. 568.
The Dial-Coded Universal Tube Checker and Circuit Analyser.—De Soto, p. 506.
The Emission of Positive Ions from Hot Tungsten.—Moon, p. 41.
The Potential Difference between Incandescent Tungsten Electrodes at Different Temperatures.—Kuhn, p. 161.
The Positive Ion Work Function of Tungsten for the Alkali Metals.—Evans, p. 330.
New Tube Type Designations [Valve-Numbering System adopted by American Radio Manufacturers Association], p. 450.
Tube Types Tabulated [including Sections for Special Types and for Western Electric Transmitting Tubes], p. 41.
The Indirectly-Heated Triode as Generator of Ultra-Short [Micro-] Waves.—Giacomini, p. 501.
Measurements on Valves for Generating Ultra-Short Waves [Micro-Waves down to 5 cm: including a Special Duplex Valve].—Gossel, p. 567.
Magnetostatic Oscillators for Generation of Ultra-Short Waves.—Kilgore, p. 154.
Valves for Ultra-Short Waves : Reduction of Inductance of Grid Electrodes by Combination of Two or More Helices in Opposed Sense.—Kohl, p. 450.
Valves for Ultra-Short Waves : Preventing Deformation of Grid Electrode by Insulating Strip made fast to Nodal Points of Spiral.—Kohl, p. 450.
The Magnetron Ultra-Short-Wave Oscillator.—Megaw, p. 329.
The Design of Triodes for Ultra-Short [Electron Oscillation] Waves.—Morita, p. 161.
New Forms of [Ultra-] Short-Wave Tubes [including the "Standing Wave" and "Magnetostatic" Oscillators].—Mourmesteff, Kilgore and Noble, p. 98.
Vacuum Tubes for Use at Extremely High Frequencies [Very Small Triodes and S.G. Valves for Ultra-Short (Micro-) Waves].—Thompson and Rose : Thompson, pp. 450 and 624.
Ultra-Short : see also Magnetron, Space-Charge.
On the Effect of High Electrostatic Fields on the Vaporisation of Metals [Theoretical Discussion].—Worthing, p. 330.
The Westinghouse Industrial Tube DRJ-571, an Indirectly Heated Multi-Grid Valve giving Constant Current Output for Plate Potentials varying from 10 to 400 Volts.—Haller, p. 625.
The Temperature Dependence of the Work Function for Composite Surfaces.—Brattain and Becker, p. 508.
The Work Functions of Electrons Emitted from Metals.—Tamm and Blochinzev, p. 395.
A New Method of Determining Thermionic Work Functions of Metals and Its Application to Nickel.—Fox and Bowie, p. 508.
Work Functions : see also Contact P.D., Oxide.
The Inspection of Indirectly Heated Cathodes by X-Rays.—Déjardin and Thovert, p. 161.
Experiments of the Contact Potential of Zinc Crystals.—Zisman and Yamins, p. 330.

DIRECTIONAL WIRELESS

A Note on the Theory of Night Errors in Adcock Direction-Finding Systems.—Coales, p. 42.
The Cause and Elimination of Night Effects in Radio Range-Beacon Reception ["Transmission-Line" Aerial System : Application of Adcock Aerials to Equi-Signal Beacon].—Diamond, p. 162.

Phase Synchronisation in Directive Antenna Arrays, with Particular Application to the Radio Range Beacon [using the "Transmission Line" Antenna, Adcock Principle].—Kear, p. 625.
Wireless Direction Finding [Marconi-Adcock Installations at Pulham and Lympe : another for Dubendorff].—Marconi Company, p. 331.
Radio Aids to Air Navigation [New Target-Flight Radio Compass, and Its Combination with Magnetic Compass for Automatic Steering Control with Drift Correction : Landing Aids].—Green and Becker : G.E.C., p. 395.
Automatic Steering Control with Automatic Radio Drift Correction, for Aircraft.—G.E.C., p. 331.
Radio System for Blind Landing of Aircraft.—Bureau of Standards, pp. 451, 508 and 570.
Radio System for Landing Aircraft during Fog : Installation at Newark Airport.—Diamond, p. 570.
Blind Landing of Aircraft [A Survey].—Gloeckner, p. 162.
Supersensitive Recorders of Altitude- and Temperature Variations, for Aircraft.—Ildrac, p. 102.
Radio Guidance [for Aircraft, using Two Rotating Beacons transmitting Simultaneously on Same Frequency].—Miller, p. 162.
Aircraft : see also Fog, and under "Atmospherics and Atmospheric Electricity."
The Automatic Communication to a Moving Craft of its Bearings taken by two Fixed Stations.—Csejkovits and Dieckmann, p. 451.
Radioelectricity in Aviation [a Survey of Ten Years].—Frank, p. 331.
The Production of Two Horizontal Beams rotating in Opposite Directions, by feeding a Single Greek-Pattern Array at one End with a Periodically Varying Wavelength.—Longo, p. 508.
Blind Landing : see Aircraft, Fog.
Shipboard Observations with a Cathode-Ray Direction Finder between England and Australia.—Munro and Huxley, p. 41.
The Cathode-Ray Direction Finder used for examining Long-Distance Short-Wave Signals.—Hollingsworth, p. 102.
Radio Direction Finding [including the Cathode-Ray Cyclograph].—Mesny, p. 396.
The Cathode-Ray Compass.—Ende and Gloeckner : A.E.G., p. 570.
A Radio Compass developed in H.M. Signal School.—Horton and Crampton, pp. 395 and 625.
Direct-Reading Direction Finder with Continuously Rotating Goniometer Coupling Coil.—Dieckmann and Berndorfer, pp. 162 and 274.
Direct-Reading Direction Finder—I. T. and T., p. 274.
A New Beacon for Irish Waters [Lightship Automatic Wireless Beacon combined with Submarine Sound Transmitter, giving Distance as well as Bearing], p. 396.
Distance Determination by Electromagnetic Waves.—Weigl, p. 451.
Elimination of 180° Error in a Frame Aerial by the Use of the "Diffusion Coupling,"—Cordebas, p. 626.
Errors in Direction-Finding Calibrations in Steel Ships due to the Shape and Orientation of the Aerial of the Transmitting Station.—Coales, pp. 395 and 625.
Automatic Correction of Errors in Direction Finding.—Telefunken : Leib, p. 274.
An Inverter-Lamp for the Conversion of 60-Cycle Power into 1 000 Cycle Modulated Light [with particular Application to Modulated Light Beacons and Tuned Photoelectric Cell Receivers for Aircraft Direction in Fog].—Westendorp, p. 42.
Direction Signalling in Fog.—Della Riccia, p. 162.
Sonic Marker Beacon for Fog Landing [Fan-Shaped Beams of 3 000 c/s Whistle].—Rice, p. 331.
Fog Landing by Wireless [Newark Air Port], p. 626.
Fog : see also Aircraft.
An Improved Goniometer-Type Direction Finder for High-Frequency Waves [using Adcock Aerials and a Divided Search Coil].—Tsukada, p. 102.
The Precision attained by a Goniometric Frame, and the Convenience of the "Radio Line."—Bertin, p. 396.
The Elimination of Night-Course Variations in Radio Range-Beacons [by Replacing the Crossed Loops by Two Vertical Towers, giving No Horizontally Polarised Components].—Kear, p. 274.
Night Course, Effects, Errors ; see also Adcock, Polarisation, Ultra-Short.
On the Solution of the Problem of Night Effects with the Radio Range Beacon System [the "Transmission Line" Antenna System : Adcock Principle].—Diamond, p. 508.
The Influences of the Earth's Magnetic Field on the Polarisation of Sky Waves [and Its Bearing on Errors in Direction-Finding].—Baker and Green, pp. 385-386.
The "Iron Ring Quotient Meter."—Geyger, p. 451.
S.F.R. Transmitter for Radio Alignment ["SADOD" System], p. 626.
A New Stroboscopic Direction Finder [for use on Moving Craft, particularly Aircraft].—Hardy, pp. 216 and 570.
Transmission Line : see Adcock.
Ultra-Short-Wave Beacons.—Kramar : Lorenz Company, p. 162.
Ultra-Short-Wave Guiding Beam with Inter-locking Signals.—Telefunken : Ilberg, p. 274.

Directional Wireless.

- Ultra-Short-Wave Beacon** [with Generating Circuit alternating between Positions on either Side of Focus of Parabolic Reflector].—Telefunken: Ludentia, p. 451.
- A Radio Range Beacon Free from Night Effects [by the Use of Ultra-Short Waves].—Chinn, p. 508.

ACOUSTICS AND AUDIO-FREQUENCIES

- Effect of Position on the Absorption of Materials for the Case of a Cubical Room [and the Need of Caution in Applying the Usual Formulae for Absorption Coefficient and Decay Factor].—Andree, p. 44.
- On the Most Favourable Space Absorption [and the Influence of the "Building-Up Period."].—Benecke, p. 333.
- The Theory of Sound Absorption in Porous Walls.—Cremer, p. 510.
- Measurement of the Acoustic Absorption Percentage at Oblique Incidence, with the Help of Standing Waves.—Cremer, p. 571.
- Absorption of Sound in Molecular Gases.—Kneser, p. 277 (two).
- The Effect of Humidity upon the Absorption of Sound in a Room, and a Determination of the Coefficients of Absorption of Sound in Air.—Knudsen, p. 44.
- The Absorption of Sound in Air and Water Vapour.—Knudsen, p. 511.
- Absorption of Sound by Porous Materials.—Kühl and Meyer, p. 44.
- Variation of Acoustical Absorption Coefficients of Porous Bodies with the Angle of Incidence and the Frequency.—Kühl and Meyer, p. 572.
- The Absorption of Sound in the Atmosphere: a Suggested Explanation.—Rocard, p. 334.
- Fundamental Investigations on the Absorption of Sound.—Winterger and Klupp, p. 219.
- A Measurement of the Fundamental Sound Generated by the Aircscrew of an Aeroplane in Flight: and The Propagation of Sound along the Slipstream of an Aircscrew.—Paris, p. 511.
- Studies on the Sounds Emitted by Revolving Aircscrews.—Obata, Yosida, and Morita, p. 277.
- Received Speech Amplifier for Telephone Subscribers.—Siemens & Halske, p. 218.
- The Subscriber Output Amplifier.—Winzheimer and Reppisch, p. 509.
- The Audio Transformer as a Selective Amplifier.—Pawley, p. 218.
- A High-Gain Audio-frequency Amplifier [using Screen-Grid Valves].—Verman, p. 331.
- Supervisory and Control Equipment for Audio-frequency Amplifiers.—Sohon, p. 286.
- Graphical Determination of Performance of Push-Pull Audio Amplifiers.—Thompson, pp. 394-395.
- Filter-Type Interstage Amplifier Coupling.—Stone: Salisbury, p. 628.
- The "Amplifier" [applicable to Harmonic Telegraphy by Carrier Currents].—Kajii and Matsumae, p. 105.
- A New Acoustic Analyser.—Determination of the Sound Spectra produced by Aircraft in Flight [Microphone, Amplifier, and Tuned Bifilar Quadrant Electrometer].—Delsasso, p. 46.
- A Photoelectric-Mechanical Method for the Harmonic Analysis of Periodic Functions.—Dietsch and Fricke, p. 44.
- A New Electrical Method of Frequency Analysis and Its Application to the [Detection and Measurement of] Frequency Modulation.—Barrow, p. 45.
- Analysis:** see also Frequency, Harmonic, Measurement.
- Developments in the Application of Articulation Testing.—Castner and Carter, p. 628.
- The Advantages and Disadvantages of the Articulation, Intelligibility, and Repetition Rate Techniques.—Collard, p. 452.
- Articulation:** see also Intelligibility, Performance.
- Dynamic Microphones create New Requirements as to Noise Levels [Notes on the Design of Suitable Attenuators].—Bjorndal, p. 105.
- Audio System** with the New 2B6 Tube.—Stromeyer, p. 625.
- A Theoretical Study on the Articulation and Optimum Reverberation in Auditoriums: Again on the Optimum Reverberation of Auditoriums.—A. Hirayama, p. 163.
- Acoustics of Large Auditoriums.**—Lifshitz, p. 219.
- Auditoriums:** see also Enclosed, Room, Studio.
- "Automatic Secretary" for Recording Telephone Conversations without Electrical Connections to Telephone Circuit.—Loftin-White Laboratories, p. 105.
- The Beat-Note-Combinational-Tone Controversy.—Hazel and Ramsey, p. 623.
- Self-Biasing Output Circuit using Field Coil of Loud Speaker.—Thompson-Houston Company, p. 628.
- An Acoustic Illusion Telephonically Achieved [Binaural Reception].—Fletcher, p. 508.
- Binaural Reception.**—Fletcher, p. 627.
- Binaural Sound-Locators.**—Paris, p. 164.
- Success in obtaining Tonal Balance between Brass Band and Piano, Violin, etc., for Broadcasting.—Taylor Branson: Stokowski, p. 332.
- Average Energy Spectrum of a Broadcasting Station and Its Measurement.—Eckersley, p. 275.
- The Deadenng of Sound and Vibration in High Buildings.—Genest, p. 452.
- Long Distance Telephone Circuits in Cable.—Clark and Osborne, p. 46.
- Experimental Study on the Non-Loaded Cable used as a Long-Distance Telephone Line.—Matsumae, Yoshida, and Shinohara, p. 162.
- Calibration** of Low Audio-Frequencies [using an Ordinary Electric-Mains Clock and the Output Stage of a Radio Receiver].—Meissner, p. 511.
- Vibrations produced in Bodies by Contact with Solid Carbon Dioxide [and Possible Applications].—Waller, p. 167.
- Carrier in Cable** [and the use of a New Type of Amplifier embodying the Principle of "Negative Feedback"].—Clark and Kendall: Black, p. 628.
- Method of Recording Sound by means of a Cathode Ray.—von Hartel, p. 105.
- The Vibration Forms of Cone Diaphragms [Chladni Figures obtained by preventing the Powder from Sliding by Rotating the Cone about its Axis].—Benecke: Telefunken, p. 43.
- Papers on Chladni Plates.—Colwell, pp. 43, 219 (three), 275, and 452.
- Note concerning a Direct Reading Electrical Chronograph for Accurate Reading of Very Short Intervals of Time [for Echo Sounding].—Dubois and Labourer, p. 164.
- Audio-frequency Constants of Circuits and Telephone Lines.—Chakravarti, p. 453.
- Preparations of Colloids by Supersonic Dispersion.—Marinesco, p. 220.
- Vibrations of a Coil-Driven Paper Cone: Correspondence.—Benecke: Pedersen: Strafford, p. 509.
- Natural Vibrations of a Conical Shell [Application to Loudspeaker Theory].—Strutt, p. 627.
- Measurement of the [Frequency of] Radial Oscillations of Thin Aluminium Conical Surfaces.—van Urk and Hut, p. 627.
- The Resonance Frequencies of Two Coupled Oscillatory Circuits [and a New Method of Frequency Analysis and Non-Linear Distortion Measurement].—Fehr and Kreihsheimer, p. 562.
- Evaluating Hearing Aids [Determination of the "Figure of Merit" of any Device for Individual Cases of Deafness].—Harvey Fletcher, p. 167.
- Decibel and Decineper Charts** [for Simplifying Calculations of Transmission Lines and Amplifiers].—Sklar, p. 517.
- Delayed Speech** [including the Magnetic Tape-Recording Method].—Hickman, p. 628.
- Acoustic Demonstration Experiment.—Waetzmann, p. 333.
- The Influence of an Air Cushion with Absorbing Back Wall on a Telephone Diaphragm.—Schuster and Hobberg, p. 275.
- The Axial Sound-Pressure due to Diaphragms with Nodal Lines.—McLachlan, p. 42.
- Material for Experimental Diaphragms [Doped Tussore Silk].—Simeon, p. 165.
- Diaphragms:** see also Cone, Discs, Loudspeaker, Propagation, Sphere, Vibrating.
- Office Dictating Machines need Better Fidelity, p. 105.
- Perception of the Direction of Notes and Musical Sounds.—Reich and Behrens, p. 163.
- Directive Effect** and Radiated Power of Acoustic Radiators and Radiator Groups in the Neighbourhood of a Reflecting Plane Surface.—Fischer, p. 219.
- The Acoustic and Inertia Pressure at any Point on a Vibrating Circular Disc.—McLachlan, p. 43.
- The Accession to Inertia of Flexible Discs Vibrating in a Fluid.—McLachlan, p. 42.
- Distribution of Sound Radiation from Circular Discs with Nodal Lines [Mathematical Investigation].—McLachlan, p. 102.
- The Acoustic Power Radiated from Circular Discs with Nodal Lines [Mathematical Investigation].—McLachlan, p. 103.
- Dispersion** of Sound in Several Gases, and Its Relation to the Frequency of Molecular Collisions.—Richards and Reid, p. 167.
- The Dispersion Theory of Sound.—Rutgers, p. 277.
- Remark on "The Dispersion Theory of Sound" by Rutgers.—Kneser, p. 277.
- Acoustic Method of Distance Measurement.—Yagi and Matusuo, p. 572.
- Permissible Amplitude Distortion of Speech in an Audio Reproducing System.—Massa, p. 397.
- Amplitude Distortion compensated by Impedance decreasing with Current [Thyrite] in Plate Circuit of Distorting Valve.—Massa, p. 571.
- Interpreting Distortion Data.—Scroggie: Massa, p. 510.
- Requirements of Audio-Frequency Systems [including Tolerable Harmonic Distortion with Single-Sided and Push-Pull Connections].—Nason, p. 628.
- Distortion** in Recording and Reproduction of Sound [I. "Kinematic" Distortion, in Sound-on-Film and Magnetic Systems: Application to Secret Telephony].—Podlasky, p. 104.
- Ellipsoidal Functions** and Their Application to Some Wave Problems.—Hanson, p. 580.
- An Acoustic Constant of Enclosed Spaces Correlatable with Their Apparent Liveness.—Albersheim and Maxfield, p. 276.
- The Fundamental Problem of Electro-Acoustics [the Conditions for Fidelity of Reproduction of the Original Sound].—Koerts, p. 571.
- On the Fidelity of Reproduction of Sound.—Caporale and di Sabatino, p. 627.
- The Design of Filters for Carrier Programme Circuits.—Ralph, p. 452.

Acoustics and Audio-Frequencies

- Filters** : see also under "Properties of Circuits," "Reception," and "Subsidiary Apparatus."
The Theory of Acoustic Filtration in Solid Rods.—Lindsay and White, p. 219.
Locating Fish by Submarine Echoes, p. 511.
Note on Tyndall's Sensitive Flame.—Zahradnick, p. 276.
Improved Burner for Singing Flames. Overtones in Vibrating Strings.—Hopfield, p. 167.
Electro-Acoustic Properties of Flames [Experiments with a View to developing a New Microphone].—Verman, p. 509.
Sound-Sensitive Flames.—Zickendraht, p. 167.
A New [Double-Heterodyne] Method of Frequency Analysis and Its Application to the Investigation of Aeroplane Noises.—Eisner, p. 626.
Frequency Analysis : see also Analysis, Coupled.
Automatic Logarithmic Recorder for Frequency Response Measurements.—Ballantine, p. 276.
Papers on the Generation of Audio and Very Low Frequencies.—Mitra and Syam : Hueter, p. 36.
An Improved Heterodyne Note Generator.—von Radinger, p. 398.
Construction and Tests of Audio-frequency Generators.—Rosani, pp. 166 and 453.
A New Type of L.F. Amplifier [Glow-Discharge Tube Coupling : for Frequencies from 0 to 10 000 c/s].—Schäfer : Peek, p. 212.
The Shactograph [a Portable, Mains-driven Gramophone with Electrical Reproduction, giving also Broadcast Reception and Home Recording], p. 165.
The Evolution of the Gramophone.—Arbib, p. 275.
[Gramophone] Amplifier Designs.—Dent, p. 276.
Practical Experiences with the Home-Recording of Gramophone Discs.—Daudt, p. 627.
Analysis of Sound Recording [on Gramophone Discs : Relations between Recording Technique, Playing Time, Loudness, etc.].—Hagemann, p. 627.
The Modern A.C. Quality Amplifier [Self-contained Gramophone Equipment].—Page, p. 217.
Home Recording of Gramophone Records.—Nesper, p. 44.
Gramophone Tracking [a Geometrical Note].—Record, p. 44.
[Gramophone] Turntable Design and Operation.—Gunsolley, p. 104.
The Selenophon Sound-on-Strip Gramophones.—Rosen : Selenophon Company, p. 44.
Grid Current Compensation in Power Amplifiers.—Baggally, p. 217.
Sub-Harmonics in Forced Oscillations in Dissipative Systems.—Pedersen, p. 626.
A New Harmonic Analyser [Synchronous Disc and M.C. Voltmeter].—Gates, p. 218.
Harmonic Content in Amplifiers [Indiscriminate Use of Power Basis and Amplitude Basis in Specification : the Need for Uniformity].—Kirke, pp. 218 and 331.
Modern Theory and New Experiments on the Acoustic Horn.—Bernini, p. 43.
Sound Distribution from a Horn.—McLachlan, p. 217.
The Theory of Horns [and some Experimental Investigations of the Validity of its Assumptions and Approximations].—Hall, p. 43.
The Hum due to the Sound-Reproducing Lamp in Sound-Film Equipments.—Kotowski, p. 509.
The Determination of the Electroacoustic Parameters of a Telephone Receiver, and the Measurement of Acoustic Impedance [and of the Absorption Coefficients of Materials].—Sacerdote and Gotta, p. 167.
The Design of Portable Speech Input Equipment for Remote Control Broadcasting.—Lyon, p. 105.
Measurements of Sound Insulating Properties at Supersonic Frequencies.—Malov and Rschevkin, p. 44.
Oscillographic Investigations on the Insulation, against Sound Transmission along Solid Bodies, provided by various Building Constructions.—Kreüger and Sager, p. 44.
Loud Speaker requires Wider Band than Telephone Receiver for Equal Speech Intelligibility.—Lüschen : Hines, p. 103.
The Influence of Side Tone upon the Intelligibility of Telephone Communication.—Pocock, p. 276.
Intelligibility : see also Articulation, Performance.
New Lamp for Sound-Recording and Television [Mercury Vapour, with Grid], p. 165.
Recording a Foreign Language on to an Existing Film : the "Dubbing" Booths of the Jofa Studios, p. 105.
The "Topoly" [Tobis-Polyphon] Process for Making Sound Films in Several Languages.—Neuburger, p. 43.
Sound is Synchronised [the Use of the "Rhythmograph" in Transposing Sound Films into Other Languages].—Feinberg : Blum, p. 105.
"Levels" in Electro-Acoustics [Suggestion of "Brigg" to replace TU, Decibel and Phon].—Vandeweile, p. 629.
Dispersion of Light caused by Sound Waves [in a Fluid].—Debye, p. 167.
Some Experiments on the Diffraction of Light by Ultrasonic Waves [in Liquids].—Bär and Meyer, p. 453.
Voice Transmission on a Beam of Light [Demonstration Apparatus].—Ramsey, p. 572.
Electro-Acoustic Lissajous' Figures.—Carrière, p. 43.
Judging the Loudness of Musical Sounds.—Trautwein, p. 105.
An Experimental Determination of the Equivalent Loudness of Pure Tones.—Munson, p. 276.
Estimating Loudness : Is the Ear an A.V.C. Device?—Beatty, p. 332.
Scales of Loudness.—Churcher and King, p. 452.
Two Integral Laws of Acoustics. Loudness and Audibility Time of an Acoustic Impulse.—Lifschitz, p. 510.
Loudness and Intensity Relations.—Ham and Parkinson, p. 43.
Trends of Loud Speaker Design at the Paris Radio Exhibition : Comparison between Magnetic and Electrodynamic Types.—Adam, p. 165.
Loud Speaker with Composite Cone of Two or More Flexibly Connected Portions each Driven by its own Moving Coil.—AEG, p. 332.
Cone Loud Speaker with Cone Space taken up by Independent Filler [e.g., Wooden Cone] with Sound Channels leading to Flat Surface : to prevent Interference Effects due to Depth of Cone Diaphragm and to improve Frequency Characteristic.—AEG and Stenzel, p. 452.
Measurements of Armature Forces in Loud Speakers.—Amsel, p. 397.
The Electrodynamic Diaphragm Drive [for Moving-Coil Loud Speakers : the Optimum Mass for the Moving Coil].—Benecke, p. 42.
Measurement of the Phase and Amplitude of Moving-Coil Loud Speakers.—Binder, p. 216.
Symmetrical Loud Speaker System with Soft Iron Laminated Field Magnets and Armature : Armature Flexibly Connected to Neutral Point of Field Magnet.—Noack : Borchardt, p. 332.
Special Loud Speaker for Reproduction of Low Notes in Large Auditorium.—Charlin and Toulon, p. 103.
Use of Cathode-Ray Oscillograph for obtaining Frequency-Response Curves [of Loud Speakers].—Davis, p. 570.
How the Glow Loud Speaker Works.—Gemant, p. 275.
The Rochelle Salt Loud Speaker.—Gervin : Sawyer, p. 332.
The Theory of the Horn-Type Loud Speaker.—Hanna, p. 43.
Some Acoustic and Telephone Measurements [British Post Office : including Loud Speaker Tests].—Harbottle, p. 43.
Room Errors in Loud Speaker Tests.—Kellogg, p. 165.
Electro-Acoustic Investigations on Electro-Magnetic Loud Speakers.—Lehmann, p. 331.
The Distribution of Sound Radiation from a Sphere vibrating in Various Ways : with Applications to Loud Speaker Diaphragms.—McLachlan, p. 42.
Sound Intensities : Volume Level and the Loud Speaker.—McLachlan, p. 43.
Methods of Investigating the Vibrational Frequencies of Conical Shells and Loud Speaker Diaphragms.—McLachlan, p. 103.
Mathieu's Equation and the M.C. Loud Speaker [Analysis of Electro-Mechanical Rectification].—McLachlan, p. 103.
Damping of Low-Frequency Oscillations in a M.C. Loud Speaker.—McLachlan, p. 103.
Loud Speakers : Discussion at Informal Meeting of I.E.E.—McLachlan and others, p. 103.
Discussion on "On the Amplitude of Driven Loud Speaker Cones."—McLachlan : Strutt, p. 331.
On the Amplitude of Loud Speaker Diaphragms at Low Frequencies.—McLachlan, p. 509.
Loud Speaker Performance and Design : Driving Mechanisms.—McLachlan, p. 627.
A New Electro-Magnetic Loud Speaker Movement with Small Restoring Force when Field is Excited.—Nernst and Driescher, p. 397.
Loud Speakers at the Berlin Show.—Nesper, p. 103.
A New High Efficiency Loud Speaker of the Directional Baffle Type.—Olson, p. 43.
A New Cone Loud Speaker for High Fidelity Sound Reproduction.—Olson, p. 452.
The Field Coil of M.C. Loud Speaker used as L.F. Choke.—Olvensted, p. 165.
Generation of Harmonics in Horn Loud Speakers : the Resulting Power Limitation for these Instruments.—Y. Rocard, p. 627.
Reverberation and the Loud Speaker.—Sweeney, p. 165.
Electrodynamic Loud Speaker of Special Design for Large Outputs.—Telefunken : Gerdien and Neumann, p. 275.
Arrangement for In-phase Transmission of Forces to Different parts of a Surface, particularly Loud Speaker Diaphragms.—Telefunken : Hähnle, p. 452.
Hornless Large-Surface Loud Speaker dispensing with Baffle and Cabinet, Outer Edge of Diaphragm carried back to Wall of Room.—Teuke, p. 452.
Loud Speaker with Large-Surface Membrane fixed at Edges and drawn out into Oblique Cone.—van Lier, p. 627.
Loud Speaker Curves and their Interpretation.—Voigt, p. 103.
Further Investigations into the Acoustic-Electrical Transformation in Loud Speakers.—Zickendraht and Lehmann, p. 43.
Electro-Acoustic Investigations on Loud Speakers.—Zickendraht and Lehmann, p. 43.
Circuit for Disconnecting Loud Speaker Moving Coil from Amplifier when Field Excitation falls below a Limiting Value, p. 275.
The Principle and Advantages of the "Free Swinging" Loud Speaker Movement, p. 43.

Acoustics and Audio-Frequencies.

- A New Moving-Coil Loud Speaker with Cone replaced by Flat Pleated Diaphragm, avoiding Air Column Resonance Effects, p. 43.
- Loud Speakers : see also Diaphragms, Discs, Horn, Propagation, Sphere, Vibrating.
- The Production of Homogeneous Magnetic Fields.—Bühl and Coeterier, p. 43.
- The Theory of Magnetic [Steel Wire or Band] Sound Recording.—Hormann, p. 104.
- The Magnetic Recording of Sound on Steel Bands.—Meyer and Schüller, p. 104.
- A Magnetostriction Oscillator producing Intense Audible Sound, and Some Effects obtained.—Gaines, p. 166.
- Match Your Impedances [and the Calculation of Audio-Transformer Ratios to Avoid Distortion].—Noble, p. 628.
- Real Power Matching and Apparent Power Matching [for Transmission of Max. Power from Source to Load].—Fischer, p. 34.
- Matching the Loud Speaker with the Output Stage.—Keller, p. 217.
- Pointer Instruments for Beat-Note Methods of Measurement [including Harmonic Analysis].—Laille, p. 110.
- The Absolute Measurement of the Fundamental Magnitudes in Acoustics.—Carrière, p. 333.
- Objective Measurements of Sound Intensity [Survey].—Trendelenburg, p. 510.
- The Objective Measurement of Sounds.—Trendelenburg, p. 628.
- Measurements and Tests Special to Telephony.—Cohen, p. 398.
- Acoustic Measuring Instruments for Practical Use.—Jaekel : Siemens & Halske, p. 218.
- Acoustic Measuring Instruments.—Hanson, p. 276.
- The Measurement of Mechanical Impedance to L.F. Alternating Torsional Motion : and The Recording of the Characteristic of a Mechanical Filter.—Paolini, p. 627.
- The Measurement of Mechanical Resistances to Rotary Motion [and an Electrical Method of producing Mechanical Resistances of Any Desired Value and Kind].—Paolini, p. 570.
- A Compensation Microphone of Very Small Dimensions [for Sound Field Measurements].—Geffcken, pp. 217 and 333.
- Deflexions and Vibrations of a Circular Elastic Plate under Tension [Mathematical Investigation for application to Design of Condenser Microphone].—Bickley, p. 333.
- A Miniature Condenser Transmitter [Microphone] for Sound-Field Measurements.—Hall, p. 103.
- A Pistonphone for the Determination of the Low-Frequency Response of the Condenser Microphone.—Obata and Yosida, p. 166.
- Velocity [Ribbon] Microphones : Practical Construction of Two Types That Are Easy to Make.—Melotte : Elliot, p. 217.
- The Ribbon Microphone [Theory].—Olson, p. 44.
- On the Collection of Sound in Reverberant Rooms, with Special Reference to the Application of the Ribbon Microphone.—Olson, p. 397.
- New Velocity ["Ribbon"] Microphone Promises Revolutionary Broadcast Advances [Uniform Response from Zero to 14 000 Cycles/Sec].—RCA Victor, p. 103.
- The Ribbon Microphone and Its Applications.—Weinberger, p. 103.
- The Advantages of the Light-Weight Crystal Microphone for Sound Picture Recording, p. 452.
- The Evolution and Present Condition of Microphone Technique.—Chavasse, p. 217.
- Some Remarks on the Classification of Microphones.—Charke-witsch : Schuster, p. 509.
- A Microphone Amplifier with Automatic Volume Control.—Bertolotti, p. 165.
- Microphone and Studio Technique, p. 628.
- Microphones : see also Flames.
- Quantitative Investigation of the Acoustic "Pull-In" [Mitnahme] Effect.—Chaikin, p. 45.
- Mixed Circuits [for Combining Programme Elements on Several Channels], p. 628.
- A Machine which generates a Modulated Frequency Band.—Dornig, p. 511.
- Modulation Products in a Power Law Modulator.—Tynan, p. 621.
- Music Transmission over Short-Wave Commercial Radio-Telephone Circuits.—Gracie, p. 404.
- Perfect Quality and Auditory Perspective in the Transmission and Reproduction of Music.—Jewett, p. 396.
- The Reproduction of Music by New Methods.—Stokowski, p. 396.
- Transmit "Auditory Perspective" in Music : Bell Laboratories co-operate with Dr. Stokowski's Orchestra in 16 000-Cycle Fidelity at Ten-fold Volume, p. 452.
- The Scale of Sound Amplitudes in Music.—Wagner, pp. 572 and 629.
- Amplitudes of Sounds from Musical Instruments.—Wagner, p. 218.
- The Tactual Perception of Musical Intervals.—Goodfellow, p. 510.
- The Society for Electrical Music, p. 217.
- Electronic Music [System of Electro-Magnets and Toothed Phonic Wheels].—Fremneef, p. 44.
- Pitch Control for an Electronic Musical Instrument.—Bunting, p. 165.
- New Electronic Musical Instrument [Photoelectric Control of Neon Lamp Circuit].—Saraga, p. 165.
- Electro-Mechanical Oscillator particularly applicable to Electrical Musical Instruments.—Michaud, p. 452.
- Electronic Musical Instruments of Europe and U.S.—Miessner, p. 332.
- Electrical Musical Instruments, Their Methods of Action and Functions.—Janovsky, p. 627.
- Electrical Musical Instruments at the Berlin Radio Exhibition : Editorial, p. 44.
- Electrical Musical Instruments : see also Organ, Piano, Trautonium.
- The Loudness of Noises [a New Theory and the Failure of the Old].—Barkhausen and Steudel, p. 510.
- The Radio-Noise Meter and Its Application to the Measurement of Radio Interference.—Barhydt, p. 392.
- A Study of Noises, and of the Acoustic Insulation of Materials and Buildings.—Cellerier, p. 46.
- Summation Methods in Noise Problems.—Churcher, King and Davies, p. 628.
- The Frequency Analysis of Aircraft Noises [using the Exploring Note Method and The Rectifier Bridge Analyser].—Eisner, Rehm and Schuchmann, p. 46.
- Noise Measurement [Survey].—Free, p. 628.
- Researches and Measurements on Noise in the U.S.A. [including the Analyser and Its "Mechanical Filter"].—Hanna, Marvin and Wolf, p. 167.
- The Suppression of Noise [British Association Paper].—Kaye, p. 398.
- Special Noise Testing Equipment.—MacNee, p. 276.
- Noise Measurements on Motor Vehicles.—Meyer and Willms, p. 46.
- The Barkhausen Effect as Noise Standard.—Nukiya and Saito, p. 46.
- On the Accuracy of the Aural Method of Measuring Noises.—Obata and Morita, p. 218.
- Practical Methods of Combating Noise in Industrial Works [General Account].—Osswald, p. 46.
- The Significance of Noise Measurements.—Pratt, p. 46.
- A Recording Noise-Level Meter : the "Pegelschreiber" and its Use by the German P.O.—Ribbeck and Wiedemann, p. 628.
- The Perception and Measurement of the Loudness [of Noises and Musical Notes].—Steudel, p. 510.
- The Noise Problem from the Standpoint of the Engineer.—Wagner, p. 217.
- A Note on Nonlinearity in Transducers used in Communication.—Caporale, p. 563.
- Measurements of Amplitude and Phase of the Octave in a Tuning Fork.—Derjaguin, p. 572.
- The Coupleux-Givelet Electronic Organ.—Givelet, p. 165.
- Sound Ornaments.—Gradenitz : Fischinger, p. 332.
- A New Beat-Frequency Oscillator.—Bagno, p. 105.
- A New Mains-Operated Audio-Frequency Oscillator.—Brookes-Smith, p. 572.
- A Low-Frequency Oscillator [delivering 23 Milliampères into a 6.0 Ohm Load at Frequencies between 10 and 800 Cycles/Sec.].—Hudack, p. 45.
- A Heterodyne Oscillator of Wide Frequency Range.—Kreer, p. 166.
- Beat-Frequency Oscillator Control : Determining the Proper Plate Shape.—Lampkin, p. 166.
- Standard Audio-Frequency Oscillator.—Standard Telephones & Cables, p. 511.
- Resistance-Stabilised [Audio] Oscillators [and Their Design Principles].—Ternan, p. 628.
- Measurement of the Power Output of Low Frequency Final Stage Amplifiers.—Babits, p. 45.
- A Theory of Available Output and Optimum Operating Conditions for Triode Valves.—Calendar, p. 568.
- Detectors as Output Valves giving 800 mw : Power Grid Detection with High-Impedance Choke in place of Grid Leak.—de Cola, p. 571.
- The Output Power of the Final Valve in an Amplifier, and Its Practical Significance.—Leithäuser pp. 45 and 398.
- The Maximum Power Outputs of Amplifier Valves, for Complex Loads [and the Optimum Matching Conditions].—Söchting, p. 165.
- Maximum Output, Efficiency, and Optimum External Resistance of Output Valves [for Class A and Class B Amplification].—Urtel, p. 274.
- Output Stages : the Choice of Valves for Use in Low Frequency Amplifiers [Rapid Test Method].—Whitehead : Brain, p. 215.
- A New Criterion of Circuit Performance [New Performance "Unit"].—Collard, p. 452.
- The Production of Specified Wave Forms with the Photoelectric Siren.—Knauss, p. 333.
- Determination of Working Characteristics at Different Frequencies, by the use of a Photoelectric Siren.—Schäfer and Lubzinsky, p. 45.
- A New System of Reproducing Sound Photo-Electrically.—Selgas and Lafon, p. 105.
- Introduction to the Photographic Recording of Sound.—Eggert and Schmidt, p. 332.
- A New Method of Sound-Pulse Photography [Foley Sound-Shadow Method modified to use Induction Coil in place of Electrostatic Machine].—Kalyanaraman, p. 46.
- Keyboard and Loud Speaker [Neo-Bechstein Piano].—Raven-Hart, p. 217.
- Scientific Piano for Radio City, p. 332.

Acoustics and Audio-Frequencies.

- The Sound Output of a Grand Piano.—Lübcke and Wernicke, p. 572.
- Electrical Pick-Up requiring No Amplification [embodying Plate-and-Grain Microphone].—Belin, p. 164.
- The Frequency Characteristics of Electrical Gramophone Pick-Ups.—Emde and Vierling, p. 509.
- Acoustic Pick-Up for Philadelphia Orchestra Broadcasts.—Maxfield, p. 219.
- Pick-Up Resonance and Needle Scratch.—Stewart, p. 104.
- The Pick-Up and the Fidelity of Reproduction.—Varret, p. 103.
- Special Pick-Ups for the Low Amplification provided by the German "People's Receiver," p. 627.
- On the Determination of Some of the Elastic Constants of Rochelle Salt [Piezoelectric Resonators] by a Dynamical Method.—Davies, p. 508.
- A Piezoelectric Resonator with Uniform Response over a Given Range of Frequencies [and Its Use as Electro-Optical Relay, Microphone, etc.].—Guerbilsky, p. 508.
- Experimental Investigations on the Piezoelectric and Dielectric Properties of Rochelle Salt [and the Design of a Piezoelectric Microphone].—Schwartz, p. 164.
- Some Observations on the Acoustic Field of Piezo-Quartz Crystals.—Bücks, p. 333.
- Some Observations on Oscillating Piezo-Quartz Crystals and their Acoustic Field.—Bücks and Müller, p. 572.
- On the Propagation of Sound Waves in Thin Anisotropic Plates.—v. Békésy, p. 167.
- The Propagation of Sound Waves of Finite Amplitude [Mathematical Analysis with Results applicable to High-Power Horn Loud Speakers].—Rocard, p. 216.
- Vast Public Address System at Thirty-First International Eucharistic Congress.—McPherson, p. 452.
- Quality in [Broadcast] Radiotelephony.—David, p. 218.
- Control of Sound Quality in Picture Production.—Dreher, p. 217.
- Back to Quality in Radio Receivers! p. 452.
- Quasi-Standing Waves in a Dispersive Gas.—Bourgin, p. 220.
- Some Measurements on the Rayleigh Disc.—Kotowski, p. 45.
- On the Absolute Measurement of Sound Intensity by the Rayleigh Disc Method, and the Calibration of Microphones [Advantages of the Very Small "Piezophone"].—Niwa and Nishimura, p. 166.
- Sensitive Rayleigh Discs for Acoustic Measurements.—Grösser, p. 453.
- Problem relating to the Theory of the Rayleigh Disc.—Kotani, p. 572.
- Acoustic Receivers.—Perrin, p. 333.
- The Voltage-Substitution Method of Determining the Sensitivity of Electro-Acoustic Receivers.—Lueder and Spenke, p. 332.
- Sound Recording for the Amateur.—Slade, p. 44.
- A New System of Sound Recording [Vertical Cut].—Harrison, p. 44.
- Recent Fundamental Advances in Mechanical Sound Records on Wax Discs using Vertical Cut. Demonstration.—Frederick, p. 275.
- Vertically Cut Sound Records.—Frederick and Harrison, p. 332.
- Measurement of the Reflecting Power of the Earth for Sound Waves at Normal Incidence.—Eisner and Krüger, p. 629.
- Reflection of a Sound Wave from a Circular Plate.—Sasao, p. 452.
- A New Method of Construction of a Sound Reflector giving Cylindrical Waves [for Public Address Purposes].—Mulder, p. 163.
- The Acoustical Properties of Parabolic Reflectors [and a Comparison with Conical Horns].—Sató and Sasao, pp. 276 and 627.
- A Simple Resonance Receiver for Short Sound Waves.—Kröncke, p. 46.
- Retarding Relay for Synchronising Direct Reception and Loud Speaker Reception in Public Address Systems.—Gaumont, p. 217.
- A Modified Formula for Reverberation.—Millington, p. 219.
- A New Reverberation Formula.—Sette, p. 276.
- Reverberation Relations in Broadcast, Sound Film and Gramophone Reproduction.—Citron, p. 397.
- On Reverberation Time in Broadcasting Studios [including Sound Absorption by Artists themselves, etc.].—Hoshi, p. 510.
- Absolute Null Points of Sound Pressure produced by a Sinusoidal Sound Wave in a Room.—Hermann, p. 276.
- Combined Reverberation Time for Electrically Coupled Rooms.—Hill, p. 219.
- Studies on the Room Acoustics. Part I. Errata.—Hirayama, p. 163.
- Model Tests on Room Acoustics and the Measurement of Acoustic Absorption Coefficients.—Khuner, p. 276.
- Resonance in Small Rooms.—Knudsen, p. 219.
- The Sound Field Distortions in the Neighbourhood of Absorbing Surfaces, and Their Importance in the Acoustics of Rooms.—von Békésy, p. 163. See also Auditoriums.
- A Shorted-Turn Indicator [e.g. for Testing Voice Coils of M.C. Loud Speakers].—Seright, p. 509.
- Position Finding by Under-Water Sound Signals.—Hubbard, p. 220.
- On the Possibility of Determining the Slope of the Sea Bottom by means of a Single Acoustic Sounding.—Marti, p. 46.
- Acoustic Sounding Equipments, p. 46.
- Echo Sounding. XI.—Recent Forms of the British Admiralty Echo Sounder, p. 164.
- Corrections Applied to Echo Soundings, p. 164.
- The "Drive-In" Movie [Outdoor Automobile Sound-Film Theatre] p. 627.
- Sound Film Recording [especially the Photophone System].—Federici, p. 106.
- The Damping of String Galvanometers for Sound Film and Recording Purposes.—Söchting: Selenophon Company, p. 165.
- The "Klarton" Sound-Film Process, with Special Attention to the Electro-Optical and Photographic Conditions.—Lichte and Narath, p. 275.
- The Breusing-von Hartel Sound Film Recording Process.—Rubert, p. 275.
- Sound Film Recording [particularly the RCA Photophone System].—Federici, p. 509.
- Analysis of the Wave Form in Sound-on-Film Recording by the Intensity Process.—Sandvik and Hall, p. 452.
- Sound Film: see also Photographic, Recording.
- Vacuum Tube and Photoelectric Tube Developments for Sound Picture Systems.—Kelley, p. 571.
- Radio Acoustic Sound Ranging.—Rude, p. 164.
- Accession to Inertia of, and Power Radiated by, a Sphere Vibrating in Various Ways; with Applications to Hornless Loud Speakers.—McLachlan, p. 216.
- Stroboscopic Demonstration of Tones [Modification of Scripture's "Strobilion"].—Anderson and Lowery, p. 572.
- Acoustic Features of WCAU's New Studios [Philadelphia], p. 163.
- Acoustics of Broadcasting and Recording Studios.—Stanton and Schmid, p. 219.
- The Acoustic Problem in Broadcasting Studios [Convergent Walls, Stockholm and Malmö Studios, etc.].—Lemoine, p. 452.
- Studios: see also Auditorium, Enclosed, Room.
- Influence of Supersonic Waves on Chemical Processes.—Beuthe, p. 572.
- Optical Method of Measuring the Absorption of Supersonic Waves by Liquids [based on the Diffraction of Light due to the Supersonic Waves].—Biquard, p. 220.
- Supersonic Waves: Expressions for Energy Transmission and Decay of Amplitude with Distance due to Viscosity and Heat Conduction.—Biquard, p. 453.
- Unsuccessful Tests on the Transmission of a Supersonic Beam through Air.—Field, p. 453.
- Applications of Supersonics, including Depth Sounding and Submarine Signalling.—Florisson and Vecchiacchi, p. 453.
- A Brief Survey of Supersonics.—Hubbard, p. 276.
- Experimental Methods for the Production and Study of Supersonic Vibrations. In "A Brief Survey of Supersonics."—Hubbard, p. 276.
- The Effect of Humidity on Supersonic Velocity in Air.—Kinoshita and Ishii, p. 276.
- Action of Supersonic Waves on Photographic Plates.—Marinesco and Trillat, p. 333.
- Experiments on the Absorption and Diffusion of Supersonic Energy.—Paolini, p. 166.
- Supersonic Dispersion and Absorption in CO₂.—Pielemeier, p. 44.
- Chemical and Biological Effects of Supersonic Radiation.—Szent-Györgyi, p. 277.
- Effect of Supersonic Vibrations on Unstable Systems.—Wood, p. 277.
- Heterodyne Detection of Supersonic Acoustic Waves in Air.—Yagi and Matsuo, p. 511.
- The Restoration of Suppressed Speech Frequencies by means of a Non-Linearly Distorting Section.—Schmidt, pp. 398 and 628.
- Automatic Synchronisation of Tuning-Fork Oscillators for Lissajous Figure and Photocell Device, p. 628.
- Synthetic Sound.—Rosen, p. 217.
- Audible Writing [Synthetic Sound].—Böhm: Pfenniger, p. 332.
- Miniature Talkies.—Davies and Buckland, p. 452.
- A High-Quality Ribbon Receiver [Head Telephones].—Olson and Massa, p. 397.
- Electrostatic Head Telephones.—Longo, p. 571.
- World-Wide Telephony—Its Problems and Future.—Gherardi and Jewett, p. 46.
- The Thermophone and its Use as an Acoustic Measuring Instrument.—Geffcken and Keibs, p. 333.
- Thermophone: see also Threshold.
- Investigations on Acoustic Threshold Values. II. The Thermophone and its Use as an Acoustic Measuring Instrument.—Geffcken and Keibs, p. 276.
- Determination of the Sound Pressure at the Threshold of Audibility by means of Thermophones.—Waeztzmann and Geffcken, p. 333.
- Absolute Measurements of the Loudness of Sound in the Region of the Threshold of Audibility.—Huizing, p. 510.
- A Note on the Theory and Practice of Tone-Correction.—Colebrook, pp. 156 and 504.
- A Method of Tone Control.—Cope: Colebrook, p. 504.
- Output Transformer Design.—Dent, p. 333.
- On the Audibility of Transient Phenomena, with Consideration of Space Acoustics.—von Békésy, p. 398.
- Amplification of Transients.—Smith, p. 509.
- A System of Effective Transmission Data for Rating Telephone Circuits.—McKown and Emling, p. 628.

Acoustics and Audio-Frequencies.

- Transmission of Sound through Partitions.—Davis, p. 219.
 The Trautonium.—Germann, p. 628.
 Determination of Velocity of Sound in Sea Water in Cape Cod Bay.—Cowie: Reed, p. 164.
 The Velocity of Sound in an Absorptive Gas.—Bourgin, p. 167.
 A Method for the Determination of the Velocity of Sound in Solids.—Richards, p. 219.
 The Velocity of Sound in Gases in Tubes.—Kaye and Sherratt, p. 511.
 Theory of Vibrating Membranes and Plates.—Colwell and Stewart, p. 43.
 The Transfer of Vibrational Energy between Molecules.—Kneser, p. 511.
 Vibrations of a Coil-Driven Paper Cone.—Strafford, p. 332.
 Vibrations in Solid Rods and Discs.—Field, p. 627.
 An Improved Vibrograph [for Analysis of Vibrations of Stretched Strings, Tuning Forks, etc.]—Tirunaranayachar, p. 167.
 A Thermionic Voltmeter with Logarithmic Calibration Curve [particularly for Electro-Acoustic Recording Equipments].—Kommel, p. 50.
 A Valve Voltmeter for Audio-Frequencies, Calibrated by Direct Current, p. 511.
 Acoustically Compensated Volume Control for Radio and Phonograph Sets.—Wolf and Cornell, p. 332.
 Volume Control by Potential Divider consisting of a Series of Mutually Decoupled Inductances each with the Same Time Constant as the Pick-Up.—Bethenod, p. 571.
 Fourier Analysis and Vowel Curves.—Nisbet, p. 276.
 Fourier Analysis and Vowel Curves.—Scripture, p. 218.
 Observations on Filmed and Filtered Vowels.—Scripture, p. 44.
 Observations on Filmed and Filtered Vowels.—Benton: Paget, p. 44.
 Researches on the Structure of the Vowels.—Kucharski, p. 276.
 On the Properties of Japanese Vowels and Consonants [Determination of the "Formanten" from Oscillograms].—Obata and Tesima, p. 572.
 Interference Elimination [in Reverberation Time Measurements] with the Warble Tone.—Barrow, p. 44.
 Weight as a Determining Factor in Sound Transmission.—Sabine, p. 219.
 The X-Ray Sound Film.—Grosse, p. 275.

PHOTOTELEGRAPHY AND TELEVISION

- Receiving Television in an Airplane.—Lubcke, pp. 108 and 167.
 Electron Diffraction and Photoelectric Effect at Alkali Metal Surfaces.—Kluge and Rupp, p. 455.
 High Frequency Amplification in Television.—Krawinkel and Ziebig, p. 47.
 The Calculation of a L.F. Amplifier for a Photoelectric Cell.—Boutry, p. 221.
 An Evacuated Amplifier Combination for the Measurement of Small Photoelectric Currents.—Custers, p. 334.
 A Method of Compensating the Plate Currents [in a Triode Amplifier applicable to Photoelectric Cells].—Donzelot and Divoux, p. 113.
 Marconi Television Amplifier with Flat Response Characteristics from 10 Cycles to 150 Kilocycles, p. 279.
 Field Strength and Ion Concentration near the Cathode of an Arc Discharge.—de Groot, p. 278.
 "News" by Television: the Baird Process, p. 108.
 Five Years: the Development of the [Baird Television] Programmes, p. 279.
 The Theory of the Bequerel Effect [and the Distinction between It and the Hallwachs Effect and Photo-Conductivity].—Baur, p. 47.
 Book Reviews: Handbook of Phototelegraphy and Television: Photoelectric Cells and Their Use.—Schroter: Suhrmann, p. 108.
 Present Position of Technical Arrangements for Television Broadcasting.—Schriever, p. 630.
 Non-Loaded Cable for Picture Transmission, etc.—Matsumae, Yoshida, and Shinohara, p. 168.
 Collisions of the First and Second Kind in the Positive Column of a Caesium Discharge.—Mohler, p. 48.
 Thermal and Photoelectric Emission from Caesium-Caesium Oxide Cathodes and the Influence Exerted on Emission by Inclusion of Caesium Atoms in the Dielectric.—de Boer and Teves, p. 573.
 The Long-Wave Limit of Sensitivity of the Caesium-Oxide Photo-cell.—Widmer, p. 631.
 Characteristics of Certain Caesium-Oxide Photoelectric Cells.—Peters and Woodford, p. 47.
 The Spectral Sensitivity of Caesium-Oxide Photoelectric Cathodes [and its Variation with Time].—Déjardin and Latarjet, p. 278.
 Photoelectric Cells using Caesium on Oxidised Silver: Optical Effect of the Silver Oxide.—Ives and Fry, p. 335.
 Caesium-Oxygen-Silver Photoelectric Cell of High Sensitivity, for Sound Picture Systems.—Kelly, p. 573.
 Photoelectric Effect of Caesium Vapour.—Kunz, p. 573.
 New Research on Cathode Rays.—Baird Company, p. 279.
 A New Multiple Cathode-Ray Oscillograph.—Boekels and Dicks, p. 283.
 An Investigation of Various Electrode Structures of Cathode-Ray Tubes suitable for Television Reception.—Du Mont, p. 220.
 Reception of Television: How the Cathode-Ray Oscillograph can be Utilised.—Hardy, p. 512.
 Static Light/and Current/Voltage Characteristics as the Basis of Brightness Modulation in Cathode-Ray Tubes [and the Electrical Behaviour of such Tubes compared with that of Gas-Filled Valves].—Hehlgans, p. 629.
 Distortions caused by the Space Charge in Cathode-Ray Tubes [and the Use of a Bent Tube].—Hudec, p. 453.
 Intensity Control of the Gas-Concentrated Cathode Ray by Wehnelt Cylinder.—Kleen, p. 220.
 Intensity [Brightness] Control of Gas-Concentrated Cathode Rays by Electrical Fields.—Wehnelt Cylinder.—Michelissen and Kleen, p. 105.
 The Construction and Working of a Cathode-Ray Oscillograph [with Special Cathode giving Ray of Secondary Electrons by Impact of Positive Ions].—Peters, p. 47.
 Cathode-Ray Tubes costing 75 and 150 Marks.—Pressler Company, p. 399.
 Cathode-Ray Tube containing Two Independent Systems.—Schlesinger: Loewe Company, p. 168.
 Cathode-Ray Television in which the Ray re-sets itself at End of Line and End of Picture by action on Auxiliary Electrodes on Fluorescent Screen.—Telefunken, p. 168.
 Cathode-Ray Television with Line Change effected by Ray Itself.—Telefunken: Ilberg, p. 338.
 Remarks on W. Heilmann's Paper "The Sensitivity of the Braun [Cathode-Ray] Tube with Gas Concentration, at Various Frequencies."—von Ardenne: Heilmann, p. 172.
 Cathode-Ray Oscillography [Physical Society Discourse].—Watson Watt, p. 224.
 Cathode-Ray: see also Electron and under "Subsidiary Apparatus and Materials."
 Television by Cinematography followed by Scanning and Recording on Gramophone Disc.—Telebor Company, p. 168.
 Images in Colour: Suggested Method.—Williams, p. 168.
 Colour Television.—Gouck: Williams, p. 399.
 Reflecting Values of Colours [Experimental Results].—Wood, p. 630.
 Contact Potential Differences between Different Faces of Copper Single Crystals.—Farnsworth and Rose, p. 631.
 The Photoelectric Effect of Crystals of Argentite, Proustite and Pyrrargyrite.—Athanasiu, p. 573.
 The Temperature Dependence of the Crystal Photoelectric Effect.—Barth and Dember, p. 400.
 Photoelectric Effect in Cuprite Single Crystals.—Deaglio: Dember, pp. 455 and 573.
 The Crystal Photoelectric Effect in Transparent Zinc Sulphide.—Dember, p. 47.
 Internal Photoelectric Absorption in Halide Crystals.—Gurney, p. 573.
 The Crystal Photoeffect.—Joffé, p. 573.
 The Photoelectric Effect in Cuprite Crystals.—Joffé, p. 455.
 The Photoelectric Effect in a Particular Active Layer of the Carbonium Crystal.—Losew, p. 455.
 Crystal Photoelectric Effect in Photoelectrically Conducting NaCl.—Pelz, p. 631.
 On the Movement of Electricity Caused by Light, Heat and Cathode Rays in Single Crystals of Galena.—Rupp, p. 277.
 The Theory of the Crystal-Photoeffect.—Teichmann, p. 170.
 Contribution to the Theory of the Crystal Photoelectric Effect.—Teichmann, p. 400.
 The Internal Photoelectric Effect in Crystals.—Wilson, p. 107.
 Crystals: see also Rectification.
 Behaviour of Electrons and "Holes" [Positive Electrons] in [Illuminated] Cuprous Oxide.—Joffé, Nasledov and Nemenov, p. 632.
 The Nature of the Spontaneous Currents Occurring on Illumination of Various Detector Substances.—Waibel, p. 47.
 Remark on the Paper by F. Waibel, On the Nature of the Spontaneous Current given by Illumination of Various Detector Materials.—Rupp, p. 170.
 The Phonovisograph [for Simultaneous Disc Recording of Sound and Television].—Wollmann, p. 168.
 Elimination of Echo Effects in Phototelegraphy by Automatic Threshold Regulation on Receiver.—Telefunken: Schroter and Federmann, p. 336.
 The Geometrical Electron Optics of the Electromagnetic Field with Axial Symmetry.—Glaser, p. 399.
 The Influence of Matter on Very Slow Electrons, investigated Photoelectrically.—Lang, p. 456.
 Electrons and Electron Optics: see also under "Subsidiary Apparatus."
 Photoelectric and Metastable Atom Emission of Electrons from Surfaces in the Rare Gases.—Kenty, p. 278.
 The Occurrence and Explanation of the Selective Emission of Photoelectrons at Composite Alkali Cathodes.—Kluge, p. 221.
 Photoelectric and Thermionic Emission from Composite Surfaces.—Nottingham, p. 47.
 Energy Distribution of Photoelectrons from Zinc Surfaces.—Bradbury, p. 455.
 Theory of the Energy Distribution of Photoelectrons.—Du Bridge, pp. 170 and 455.

Phototelegraphy and Television.

- Television at the Berlin Radio Exhibition, 1932: Television from the Witzleben Ultra-Short-Wave Transmitter.—Kette: Kirschstein, p. 46.
- The Special German P.O. Section for Television at the 9th Great German Radio Exhibition.—Kette, p. 46.
- Television at the 1932 Berlin Radio Exhibition.—Traub, pp. 108 and 630.
- Television Exhibition, pp. 336 and 399 (two).
- The Dependence of the Optical Threshold of the Eye on the Visual Angle, and Its Relation to the Visibility of Weakly Lit Elements in Television Reception.—Peters, p. 630.
- The Eye: a Link in the Television Chain.—Wright, p. 108.
- Switching Arrangement at Facsimile Receiver to ensure a Strong Start-Stop Signal without Too Strong a Picture Signal.—Siemens & Halske, p. 167.
- Fading Elimination, especially in Phototelegraphy.—Int. Gen. Elec., p. 279.
- The Photoelectric Properties of Alkali Metal Films as a Function of Their Thickness.—Brady, p. 107.
- The Action of a Beam of Periodic Light on Some Metallic Films.—Majorana, p. 278.
- Optical and Photoelectrical Investigations of Thin Metallic Films.—Schulze, p. 170.
- The [Constant Quantum] Efficiency of Fluorescence of Sodium Salicylate.—Dubouloz, p. 454.
- The Determination of the Highest Frequencies to be Transmitted and the Influence of Phase Distortion in Television.—Fayard, p. 399.
- Light Emission from Gas Discharges especially from Resonance Lines [Theoretical and Experimental Treatment of Neon Sodium Vapour Lamp, etc.].—de Groot, p. 168.
- The New Gas Discharge Tubes, and Their Application to Television.—Harris, p. 278.
- The Importance of the High Frequency Gas Discharge for Television.—Rohde, p. 48.
- Electrical Cinematography [Images recorded on Gramophone Records].—Hémarinquer, p. 632.
- The Icoscope.—Zworykin, pp. 453, 573 and 629.
- The Occurrence of Image Errors in Television, Phototelegraphy, etc.—Thun, p. 631.
- The New Continuously-Working Intermediate-Film Television Transmitter of the Fernseh A.G.—Schubert, p. 630.
- The Baird Grid [Kerr] Cell, p. 278.
- The Te-Ka-De Crystal Light Relay [replacing Kerr Cell].—von Okolicanyi, p. 630.
- New Optical Assembly for Television Projection Receivers [Kerr Cell Equipment using both Ordinary and Extraordinary Rays].—Levin, p. 573.
- Light Modulation. Improved Method for Use in Television—Brighter Images [Use of Kerr Cell without Nicol Prisms].—Myers: Wilson Laboratories, p. 106.
- A Note on the Kerr Cell [and the Distortion due to the Curvature of Its Characteristic].—Wright, p. 612.
- A Method of Measuring the Maximum Intensity of Light from the Photoflash Lamps or from Other Sources of Short Duration.—Forsythe and Easley, p. 48.
- A New Crater Point Lamp.—Mervyn Company, p. 106.
- White Light for Television [a New Mercury Lamp excited by Electrodeless Discharge].—Peck: Myers, p. 168.
- Considerations on the Latest Methods of Generating Light [including the Sodium Vapour Lamp for Television, etc.].—Pirani, p. 512.
- Television Reception with Mirror Helix and Mercury-Argon Lamp fed with High Frequency Current.—Scholz, p. 48.
- Sodium-Vapour Lamps.—Wertli: Philips Company, p. 106.
- New Lamp for Sound-Recording and Television [Mercury Vapour, with Grid], p. 168.
- Lamps: see also Gas Discharge, Light Sources, Modulated, Projection.
- Plano-Convex Water Lens in front of Television Screen to give "Depth" to the Image.—Myers, p. 168.
- Measurements on the Effect of Light on Spurious Contact Potentials and "Trapped" Electrons.—Nottingham, p. 631.
- Crystal Light Relay: see under Kerr Cell.
- New High Intensity Light Sources for Television Receivers [especially the "Linear" Lamp for Mirror Helix, with Modulated D.C. to Internal Electrodes and R.F. Control to External Ring Electrodes].—Scholz: Leithäuser, p. 48.
- New American Light Sources for Television Receivers: the Weiller Hot-Cathode Crater Lamp, and a Mercury-Arc Tube with Very Short Arc whose Light is conducted to Scanning System through Quartz Rod, p. 630.
- The Practical Realisation of Thun's "Line Control" [Variable Spot Speed Principle] with the Application of Newly Developed Methods.—von Ardenne, p. 46.
- The Thun "Line Control" System [Variable Speed Scanning], p. 454.
- The Low Frequencies in the Television Image Currents.—Kirschstein, p. 631.
- The Photoelectric Sensitivity of Magnesium.—Cashman and Huxford p. 455.
- Photoelectric Properties of Magnesium.—Déjardin and Schwéglér pp. 455 and 631.
- The Photoelectric Effect at Magnesium Surfaces.—Gerding and Gerding-Kroon, p. 278.
- Demonstration of Marconi Television [at British Association Meeting], pp. 46 and 108 (two).
- Marconi Television Transmitter Type TT5.—Kemp, p. 220.
- A More Compact Mirror Drum?—Everett, p. 279.
- Mirror Drum Scanning: the Optical Efficiency.—Wilson, p. 399.
- The Balancing of Mirror Drums.—Wright, p. 399.
- Combination of Mirror Drum and Nipkow Disc on Same Axle.—Lecuyer, p. 630.
- Brightness Relations in Mirror-Wheel Reception: Correspondence.—Papst: Kirschstein, p. 630.
- The Production of Modulated Light.—Wataghin and Deaglio, p. 106.
- The Suitability of "Series Modulation" ["Constant Potential" Modulation] for Television Transmission.—Ditcham, p. 399.
- Modulation Frequencies in Visual Transmission.—White, p. 220.
- The Thermionic and Photoelectric Work Functions of Molybdenum.—Du Bridge and Roehr, p. 47.
- Some Distant Receptions of Television Transmissions from London [and the Occurrence of Multiple Images].—Bodroux and Rivault, p. 572.
- On the "Hunting" of Nipkow Discs.—Haefer and Möller, p. 106.
- Noise as a Limiting Factor in Amplifier Design [with Special Reference to Television].—Keall, p. 631.
- Sight and Sound on One Wave.—Peck: Columbia Broadcasting Company, pp. 46 and 108.
- Sight and Sound on One Wave [Sound Impulses converted into Light Impulses which are used as part of the Scene to be Televised].—Wood, pp. 279 and 399.
- Sustained Oscillations [from a Photoelectric Cell Circuit].—Hochard, p. 391.
- Photoelectric Conduction and Absorption in Lenard Phosphorescent Materials in the Red and Infra-Red Regions of the Spectrum.—Weber, p. 456.
- Investigation of Barrier-Layer Photocells [Effects of Electrode Thickness and of Nature of Gas used in Sputtering Process, etc.].—Borissow, Sinehnikow and Walther, p. 400.
- Electrical Characteristics of Barrier-Layer Photocells.—Gleason, p. 631.
- The Dependence of the E.M.F. of Copper Oxide [Barrier Layer] Photocells on the Intensity of Illumination and Wavelength.—Goldmann and Lukasiewitsch, p. 220.
- The Frequency Variation of the Barrier-Layer Photocell.—Görlich, p. 336.
- Reversal of Current in Rectifier Photocells.—Guild, p. 277.
- Radio Tubes used as Photocells.—Koechel, p. 169.
- Non-Additive Effect of Different Radiations on Copper Oxide Photocells.—Lapique, p. 454.
- Reversal of the Current from a Cuprous Oxide Photocell in Red Light.—Poole and Atkins, p. 221.
- Reversal of Current in Rectifier Photocells.—Poole and Atkins, p. 454.
- Experiments on the Suitability of Some Rectifier Photocells for the Measurement of Daylight.—Poole and Atkins, p. 454.
- Self-Generating Photocell [Dry-Disc Cell giving 5-7 Milliampères in Direct Sunlight].—Rhamstine, p. 221.
- On the Proof of a Boundary Layer in Cuprous Oxide Barrier-Layer Photocells.—Rother and Bomke, p. 400.
- Photocells from Rectifier Discs.—Wilson, p. 169.
- The Equivalent Circuit of a Blocking-Layer Photocell.—Wood, pp. 336 and 631.
- Good Matching Conditions for Low-Resistance Barrier-Layer Photocell by use of Magnetron in First Amplifier Stage.—Zeiss Ikon, p. 573.
- Photocells and Their Applications.—Zworykin and Wilson, p. 454.
- Photocell and Amplifier Combination with Very Short or No Connecting Leads, by use of Valve with External Control Electrode.—Tonbild-Syndikat, p. 454.
- Photo-Conductivity [Survey, with Bibliography of 180 Items up to 1932].—Nix, p. 47.
- On the Confirmation of the Existence of a New Photoelectric Phenomenon [Effect of Intermitent Illumination on Thin Platinum Films on Glass].—Majorana, p. 170.
- Remark on the Paper by Q. Majorana: "On a New Photoelectric Experiment."—Étzrodt, p. 573.
- Photoelectric Emission from Different Metals.—Rentschler, Henry and Smith, p. 169.
- The Bernheim Photoelectric Cell Functioning without Current Amplification.—Bernheim: G. Mazo Company, p. 512.
- Oxide-Film [Barrier-Layer] Photoelectric Cells.—Bloch, p. 400.
- Contribution to the Study of Gas-Filled Photoelectric Cells.—Boutry, p. 169.
- Recent Improvements in Photoelectric Cells.—Campbell, p. 169.
- Modern Methods of Manufacturing Photoelectric Cells.—Déjardin, pp. 169 and 221.
- The Use of Colour Filters, controlling Part only of Sensitive Surface, to make Spectral Sensitivity of Photoelectric Cell similar to that of the Eye.—Dresler, p. 454.
- On a Working Régime of Gas-Filled Photoelectric Cells [the Hemispherical Dunoyer Cell "SCAD Series S"].—Dunoyer and Paouloff, p. 278.

Phototelegraphy and Television.

- The Effect of a Magnetic Field on a Gas-Filled Photoelectric Cell.—Fourmarier, p. 168.
- The Copper-Cuprous-Oxide Rectifier and Photoelectric Cell.—Grondahl, p. 515.
- A New Use for Old Valves [as Photoelectric Cells, through Action of Magnesium Deposit].—McCarthy, p. 169.
- Inertia Effects in Gas-Filled Photoelectric Cells.—Ollendorff, p. 107.
- Photoelectric Cell replaced by Discharge Tube containing Atoms in Metastable State (Neon with Argon Admixture, using Neon Light Scanning).—Philips Company, p. 169.
- Photoelectric Cells for Ultra-Violet Light.—Rentschler, Henry and Smith, p. 400.
- Photoelectric Cells: Their Properties and Uses.—Stoodley, p. 335.
- Spectral Sensitivity Curves of Sodium, Cadmium, and Titanium Photoelectric Cells.—Taylor, p. 278.
- Photoelectric Cell with Grid for Carrier Frequency, used in Compensation Circuit so that no A.C. flows in External Circuit in absence of Illumination.—Telefunken: Schriever, p. 278.
- An Extraordinary Photoelectric Cell, p. 277.
- "Visitron" Photoelectric Cells with Normal Sensitivities from 100 to 150 Microamperes per Lumen, p. 277.
- Photoelectric Cells: see also Caesium, Photoelectric Tubes, Photocell, Photoemissive, Photovoltaic, Photronic, Selenium, Television.
- Photoelectric Currents in Gases between Parallel Plate Electrodes.—Young and Bradbury, p. 221.
- The Selective Photoelectric Effect [Comprehensive Survey].—Déjardin, p. 107.
- The External Photoelectric Effect in Alkali Halides.—Fleischmann, p. 631.
- Theory of the Complex Photoelectric Effects.—Goldstein, p. 573.
- Influence of the Metal Surface on the Position of Selectivity in the External Photoelectric Effect, and The Selective Behaviour of Alloys in the External Photoelectric Effect.—Hlučka, p. 631.
- Connection between Natural Vibration and Selective External Photoelectric Effect.—Hlučka, p. 335 (two).
- The Periodic Photoelectric Effect of Thin Layers with Monochromatic Illumination.—Hlučka, p. 335.
- A New Type of Photoelectric Effect in Cuprous Oxide in a Magnetic Field.—Kikoïn and Noskow, p. 454.
- The Internal Photoelectric Effect in Semi-Conductors, and the Hall Effect.—Kikoïn and Noskow, p. 336.
- Experiments on the Selective Photoelectric Effect and the Optical Absorption at Compound Photoelectric Cathodes.—Kluge, p. 107.
- The Optical Absorption at Surface Films with Doubly Selective Photoelectric Effect.—Kluge, p. 573.
- Conservation of Energy and Impulse in the Photoelectric Effect.—Kunz, p. 456.
- The Internal Photoelectric Effect in Liquid Dielectrics.—Liandrat, p. 455.
- Recent Developments in the Study of the External Photoelectric Effect.—Linford, p. 400.
- The Photoelectric Effect of Electric Spark Radiation.—Meiklejohn, p. 222.
- The Internal Photoelectric Effect of Gamma Rays.—Meitner and Kan Chang Wang, p. 632.
- Existence of an Internal Photoelectric Effect in Cuprous Oxide.—Nasledow and Nemenow, p. 277.
- The Photoelectric Effect in the [Copper Oxide/Zinc] Barrier Layer on Irradiation by Ultra-Violet Light.—Nasledow and Nemenow, p. 336.
- The Question of the Internal Photoelectric Effect in Cuprous Oxide.—Nasledow and Nemenow, p. 400.
- Investigations of the Internal Photoelectric Effect in Metals.—Schulze, p. 455.
- Calculation of the Long-Wave Limit of the Photoelectric Effect from the Atomic Volume of the Elements.—Schweikert, p. 107.
- The Photoelectric Effect in a Silicon Carbide Detector.—Specht, p. 631.
- Angular Variation of the Photoelectric Effect on Insulators in Polarised Light.—Spies, p. 573.
- On the Occurrence of the Spectral Selective Photoelectric Effect at Thin Alkali Metal Films.—Suhrmann and Schallamach, p. 107.
- The Question of the Existence of a Barrier-Layer Photoelectric Effect in Lead Sulphide.—Tiede and Brückmann, p. 221.
- The Influence of Oxygen and Sulphur on the Photoelectric Effect in Alkali Metals—*k* and *na*.—Timofeev and Nalinow, p. 400.
- Photoelectric Effect: see also Crystal, Detector, X-Ray.
- Photoelectric Emission in a Magnetic Field.—Schmid, p. 335.
- Extension of Fowler's Theory of Photoelectric Sensitivity as a Function of Temperature.—Waterman and Henshaw, p. 574.
- Note on Rating of Photoelectric Tubes [and the Effect of the Temperature of the Light Source].—Koller, p. 169.
- On the Conditions Necessary for the Occurrence of an Independent Photoelectric Voltage.—Teichmann, p. 48.
- The Chemical and Physical Conditions of the Photoelectrically Active Hydrogen Load of Platinum and Palladium.—Bethe, p. 278.
- Effect of Temperature on the Energy Distribution of Photoelectrons.—Roehr and Du Bridge, p. 631.
- The Passage of Photoelectrons through Mica.—Bradbury and Young, p. 222.
- Comparison of Photo-Emissive, Photo-Conductive and Photo-Voltaic Cells.—McMaster, p. 573.
- Phototelegraphy of Half-Tone Pictures by Multiple Modulation of a Short Wave.—Telefunken: Schröter, p. 453.
- The Role of Colouring Matter in Photovoltaic Phenomena.—Stora, p. 455.
- Sensitivity, along the Spectrum, of Photovoltaic Cells with Copper Electrodes covered with Sub-Oxide of Copper.—Athanasius, p. 169.
- On the Differentiation between the Electronic and the Photo-electro-chemical Effects in Photovoltaic Cells.—Audubert, p. 278.
- Photovoltaic Cells and Their Applications.—Boutaric: Audubert, p. 336.
- Papers on Photovoltaic Cells of Salts of Copper.—Audubert, p. 455.
- Comparative Characteristics of the Copper Oxide and "Photronic" Cells: The Weston Photronic Cell in Optical Measurements: A New Photo-Cell Photometer [using two Photronic Cells].—Bartlett: Shook and Scrivener: Gleason, p. 47.
- The Variation in Sensitivity of the Photronic Cell with X-Ray Wavelengths.—Gleason, p. 631.
- Notes on the Weston Photronic Photoelectric Cell.—Romain: Bartlett, p. 277.
- Aspects of the Transmission and Reception of Still Pictures.—Tweed, p. 47.
- Polarising Louvres and Their Application [to replace Nicol's Prisms].—Smith, p. 573.
- Design for Projection Apparatus [using the Crater Type Neon Lamp].—Mervyn Company, p. 168.
- Photoelectric Quantum Counters for Visible and Ultra-Violet Light: Part I.—Locher, p. 170.
- [Television] Progress at Radiolympia, p. 630.
- Phototelegraphic Recorder with Stylus tracing a Sine Wave of Amplitude dependent on the Absorption offered to the Scanning Light Spot.—Burlin, p. 632.
- A.C. Rectification by Photosensitive Aggregates [Objections to Eccles's Thermoelectric Theory of Crystal Detector: New Theory].—Barnard, p. 400.
- Reflecting Values of Light.—Wood, p. 279.
- Contribution to the Determination of the Reflection Coefficients of Metals for Visible and Ultra-Violet Light.—von Fragstein, p. 455.
- An Electro-Optical Relay using a Quartz Resonator with Uniform Response over a Wide Range of Frequencies.—Guerbilsky, p. 512.
- The Determination of the Limiting Photoelectric Wavelength for Rhemium.—Engelmann, p. 573.
- Sixty-Line Scanning: Demonstration at University College, p. 399.
- A New Method of Beam-Scanning Transmission [based on the Ulbricht Sphere Principle used in Photometry].—Möller, p. 630.
- Is the Scanning Disc Obsolete?—Barton Chapple, p. 107.
- Scanning Disc with Two-Turn Spiral, combined with Half-Speed Disc with Spiral Winding: Small Diameters without Loss of Brightness.—Barthélemy, p. 454.
- Scanning System allowing the use of Ordinary Talking Films for both Picture and Voice Transmission.—Peck, p. 399.
- Experiments and Measurements with Selenium Barrier-Layer Photocells.—Bergmann, p. 335.
- Chrom-Selenium Photocells.—Fink and Alpern, p. 169.
- The Dependence of the E.M.F. of Selenium Barrier-Layer Photocells on the Intensity of Illumination.—Goldmann, p. 221.
- The Selenium Photo-Element and Its Applications.—Schwandt, p. 47.
- Selenium Cell employing New Principle.—Süddeutsche App., p. 221.
- The Becquerel Effect at Selenium Electrodes.—Volmer and Moll, p. 278.
- The Conductivity of Electronic Semi-Conductors in a Magnetic Field.—Bronstein, p. 400.
- The Discontinuities of Potential at the Contact of a Semi-Conductor and a Metallic Electrode.—Déchêne, p. 455.
- Electrical and Optical Behaviour of Semi-Conductors. IX. Mechanism and Origin of Conductivity in the Dark and Photoelectric Conductivity of Cuprous Oxide.—Engelhard, p. 631.
- Report on the Theory of Semi-Conductors.—Fowler, p. 515.
- Electrical and Optical Behaviour of Semi-Conductors. VII.—Photoelectric Properties of Semi-Conducting Barrier Layers.—Leo, p. 107.
- Electrical and Optical Behaviour of Semi-Conductors. VIII.—A Method for the Measurement of Photoelectric Currents in Semi-Conductors.—Schönwald, p. 107.
- Shot Effect and Thermal Noise in the Photocell Amplifier.—von Orbán, p. 334.
- Photoelectric Measurement of the Shapes of Solar Absorption Lines.—Dunham, p. 632.
- Standing Light Waves: Repetition of an Experiment by Wiener, using a Photoelectric Probe Surface.—Ives and Fry, p. 335.
- Retinal Rivalry as a Neglected Factor in Stereoscopic Vision.—Washburn, p. 630.
- Hand Synchronisation.—Carmichael, p. 168.
- Synchronisation of D.C. Motor by Tuning Fork driven by Magnet Poles on Shaft of Motor itself.—Thomson-Houston Company, p. 336.
- Synchronisation in Television [including Description of the Marconi Method].—Walker, p. 399.

Phototelegraphy and Television.

- A **Synchronising System** for Electrical Transmission of Pictures.—Niwa, p. 108.
- The present Position of **Telefunken Television Broadcasting**.—Schroter, p. 629.
- "Self Centred" **Television**.—De Wet, pp. 108 and 279.
- A New [Television] System? [Numerous Photo-sensitive Elements each controlling Amplitude of One Particular Note: Corresponding Conversion at Receiver].—Owen, p. 108.
- Survey of the Development and Present Position of **Television**.—Kette, p. 630.
- Developments in **Television** [including Telefunken Results with Mirror Helix and Intermediate Film, using 7 Metre Wave].—Lance, p. 108.
- Television** [Survey for 1932].—Mitchell, p. 220.
- A Contribution to the Development of Practicable **Television Systems**.—Thun, p. 630.
- The Problems of **Television** [including mention of a New Photoelectric Cell, Cable for Frequencies up to 500 kc/s, etc.].—Walton, p. 107.
- Big Events in 1932: A Year of Progress [in **Television**]. p. 108.
- Television Developments**: Great Britain—Germany—United States, p. 46.
- Television in America To-day** [including Details of the Farnsworth Cathode-Ray "Dissector" and "Oscillite" Tubes].—Dinsdale, p. 108.
- Television in Holland**.—Witsenberg, p. 108.
- Theoretical Notes on Certain Features of **Television Receiving Circuits** [including Correction of Resistance-Coupled Amplifiers by Addition of Small Amounts of Inductance].—Robinson, p. 512.
- Two-Way Television** as a Public Utility Service.—Wilson, p. 279.
- The Use of the Cathode-Ray Oscillograph at **Ultra-High Frequencies**.—Hollmann, p. 634.
- A Study of the Propagation of [**Ultra-Short**] Wavelengths between Three and Eight Metres.—Jones, p. 334.
- The First **Ultra-Short Wave Television Receiver** on the Market.—Noack, p. 453.
- Notes on Propagation of Waves below Ten Metres in Length [**Ultra-Short Waves**].—Trevor and Carter, p. 334.
- Television Tests** on **Ultra-Short Waves** from Empire State Building, p. 220.
- A Photoelectric "**Valve**".—Kunz and Tykociner, p. 631.
- Ships at Sea get **Weather Maps** of Whole Ocean.—RCA, p. 167.
- Photoelectric Investigation of the Temperature Variation of the Electronic **Work Function** at a Nickel Surface Covered with Atomic Barium.—Suhmann and Deponne, p. 632.
- Variation of Photoelectric Efficiency with **Work Function** in the Extreme Ultra-Violet.—Kenty, p. 455.
- On the **Work-Functions** of Electrons Emitted from Metals.—Tamm and Blochinzev, p. 47.
- The Response of Barrier-Layer Photo-Cells to **X-Rays**.—Gleason, p. 455.
- The Saturation Current in the Photoelectric Conductivity of **X-Rayed Rock Salt**.—Kalabuchow, p. 277.
- On the Classical Distribution of Electrons in the Photoelectric Effect of **X-Rays**.—Kunz, p. 455.
- The Electron Emission from Metals under the Action of **X-Rays**.—Küstner, p. 48.
- On the Behaviour of Barrier-Layer Photoelectric Cells on Exposure to **X-Radiation**.—Scharf and Weinbaum, pp. 277 and 454.

MEASUREMENTS AND STANDARDS

- A New **A.C. Measuring Set** based on the Principle of the Potentiometer [using a Vacuum Thermo-junction carrying a Current kept constant by a Potentiometer Device].—Tanaka and Sakai, p. 51.
- Arrangement for Measuring the Amplifying Power of **H.F. Amplifiers**.—Telefunken and Runge, p. 574.
- Amplifiers**: see also Transmission Equivalent.
- Pointer Instruments for **Beat-Note Methods** of Measurement [including Harmonic Analysis].—Laible, p. 110.
- Beat-Note Methods** of Measurement and Their Liability to Error [including the "Double-Beat" Method].—Subra, p. 633.
- Bridge Methods** for Measurements at Radio Frequencies.—Burke, p. 51.
- A Radio-frequency **Bridge** for Impedance and Power-Factor Measurements.—Dye and Jones, p. 337.
- Alternating-Current **Bridges** for Measurements of Electrical Insulating Materials.—Ford and Reynolds, p. 223.
- The Thompson **Bridge** for Direct Current.—Kronert, p. 51.
- The Convergence of Successive Measurements in **Bridge Methods**.—Küpfmüller, p. 634.
- On the **A.C. Bridge** with Instrument Transformers, and Characteristics of Each of its Elements.—Kuriyama, p. 513.
- Accidental Errors in **A.C. Bridges** [Reduction of Errors by a "Method of Repetition"].—Ogawa, p. 513.
- Universal Alternating-Current **Bridges**.—Ogawa, p. 513.
- Bridge** for Measuring a Billion Ohms with 1 Volt impressed: using the General Electric FP-54 Four Electrode Valve.—Saxl, p. 634.
- The **Brownian Motion** of the Resonance Radiometer.—Van Lear, p. 223.
- Note on an Improved Form of an Induction Coil **Buzzer** [as A.C. Source for Resistance Measurements using Special A.C. Galvanometer as Null Indicator].—Mukherjee, p. 576.
- The Standards of **Capacitance** at the Physikalisches-Technische Reichsanstalt.—Giebe and Zickner, p. 338.
- Exact and Absolute Measurement of Small **Capacities**.—Clay, p. 49.
- Direct-Reading **Phonic Capacity Meter** [Oscillating Neon Tube Method].—Durepaire, p. 633.
- Measurement of Small **Capacities**.—Lampe, p. 110.
- A New Method of Measuring **Capacities** at High Frequencies.—Schmidt, p. 337.
- Triode Instruments for the Measurement of **Capacity**, with Proportional Scales and Direct Reading.—Vecchiacchi, p. 49.
- The Industrial Measurement of **Capacity and High Resistance**.—Regoliosi, p. 633.
- Determination of the **Chemical Composition** of Liquids by Electrical Resistance Measurements [Using the Geyger "Iron Ring Quotient Meter"].—Geyger, p. 457.
- The Calculation of Air-Cored Protecting Chokes.—Edler, p. 633.
- Empirical Formulae for the Calculation of Air-Cored Chokes.—Hak, p. 633.
- The Calculation of Iron-Free **Choking Coils** [Simplified Method allowing for Heating Effects].—Edler, p. 576.
- Chokes**: see also Coils, and under "Subsidiary Apparatus" (Chokes, Coils, Iron-Cored).
- Synchronisation of **Clocks** over Telephone Network.—Brillie Frères, p. 223.
- The Clunker Electric **Clock** for Mains which are not Time-Controlled.—British Thomson-Houston Company, p. 223.
- Radio **Clock System** Patented.—McCann, p. 338.
- A Speaking **Clock** [for Use on Telephone Network].—Nimier, p. 50.
- Quartz Clocks** as Time Standards [Critical Discussion].—Scheibe, p. 633.
- A **Quartz Clock** for Very Exact Measurements of Time and Frequency.—Scheibe and Adelsberger, p. 109 (two).
- Crystal-Controlled **Clock** with Quartz vibrating at such a Low Rate as to require No Frequency Reduction.—Sollenberger, p. 457.
- A New Type of Free-Pendulum **Clock**.—Tomlinson, p. 223.
- A New Electric Pendulum **Clock**.—W. Zeh Company, p. 109.
- Clocks**: see also Frequency, Time.
- The Calculation of Air-Cored Single-Layer Coils [Formula for Least Length of Wire].—Edler, p. 49.
- The Effect of Displacement Currents on the High-Frequency Resistance of Circular Single-Layer Coils.—Palermo, p. 172.
- A New Abac for Single-Layer Coils.—Seki, p. 172.
- A Quasi-Stationary Calculation of the Natural Wavelengths of Single-Layer Flat and Cylindrical Coils.—Zuhrt, p. 633.
- Coils**: see also Chokes.
- The Measurement at High Frequencies [above 1 Mc/s] of the Loss Angles of **Condensers**.—Rohde and Schlegelmilch, p. 512.
- The Complete Field Distribution in a Cylindrical **Conductor** of Circular Cross Section composed of an Inner Conductor of One Material and an Outer Sheath of Another, for an Alternating Current in an Axial Direction.—Fischer, p. 171.
- A Wide-Range Coupling Meter for Inductive, Capacitive and Real Couplings.—Wirk: Siemens & Halske, p. 633.
- AEF Provisional Resolutions on the Names and Definitions of Various Types of Electric **Current and Voltage**, p. 634.
- Simultaneous Measurement of **Current, Voltage and Phase** at High Frequencies.—Ruelle, p. 514.
- A Method of **Damping** Measurement for Oscillatory Circuits [using a Quartz-Controlled Signal Generator].—Petrzilka and Fehr, p. 48.
- Dynamic Measurement** of Electron Tube Coefficients.—Tuttle, p. 506.
- Crystal Control applied to the **Dynatron Oscillator**.—MacKinnon, p. 155.
- The Definition and Measurement of the Resistance of an **Earth Connection**.—Bigorgne and Marzin, p. 513.
- The Measurement of the Resistance of **Earths** by the Mocquard Apparatus.—Bridoux: Mocquard, p. 513.
- The Resistance of **Earth Electrodes**.—Morgan and Taylor, p. 505.
- A Geophysical **Earth Tester** [Modification of "Megger"]. p. 513.
- Earth-Resistance Meter** with Greatly Increased Sensitivity.—Pflizer, p. 634.
- Some Recent **Earth-Resistivity Measurements** in the United States.—Card, p. 634.
- A New Exposition of **Electromagnetic Phenomena**: the Uselessness of the Idea of Magnetic Mass.—Vasilescu-Carpen, p. 456.
- On the Use of the Vacuum Tube **Electrometer** with Extremely High Input Resistance.—Burrroughs and Ferguson, p. 634.
- The Use of Vacuum Tube **Electrometers** for Measuring the Potentials of High-Resistance Cells.—Burrroughs and Ferguson, p. 172.
- A Sensitivity Control for the Lindemann **Electrometer**.—Grimmett, p. 223.
- The Double-Thread **Electrometer** as an A.C. Voltmeter at High [and Ultra-High] Frequencies.—Nissen, p. 574.
- A Braun **Electrometer** with Fibre Suspension.—Wehnelt and Johannesson, p. 634.

Measurements and Standards.

- A Practical Vacuum-Tube Circuit for the Measurement of Electromotive Force [without "Electrometer" Valves].—Ellis and Kiehl, p. 337.
- Erroneous Loss-Angle Measurements** due to Capacity Changes [from Small Corona Effects, etc.] during the Period of Application of A. C. Voltage.—Tschiasny, p. 634.
- Correction of Frequency Error in Moving-Iron Voltmeters.—Campbell: Carter: Gall, p. 634.
- Errors in Voltage Measurements** due to Earth Capacitances.—Starr, p. 634.
- Field Instruments** [and Methods of Meeting their Special Requirements].—Gall, p. 634.
- A **Field-Intensity Meter** [using a Modified Superheterodyne Circuit].—Brown and Koehler, p. 48.
- A **Field-Intensity Set** [for both Ground and Sky Waves, and Some Results].—Green and Wood, p. 574.
- Recording **Field Strength**: Equipment used by the B.B.C. for Automatic Measurement.—Smith, p. 170.
- A Note on an Automatic **Field Strength and Static Recorder**.—Mutch, p. 222.
- Field-Strength Measuring Set** for Motor-Car Transport, and Results obtained.—David, p. 457.
- Portable Long Wave Testing Apparatus [**Field-Strength Measuring Set**].—de Coutouly, p. 223.
- Some Methods of Stabilising the Frequency of Radio Oscillators.—Bruzau, p. 109.
- Change in Schedule of Radio Transmissions of Standard Frequency.—Bureau of Standards, p. 401.
- The Stabilisation of Frequencies and Their Exact Measurement [Survey].—Decaux, pp. 338 and 401.
- Frequency Measurements at Radio Frequencies**: Bulletin 10.—General Radio, p. 401.
- Precise **Frequency Measurement**.—Giebe, p. 401.
- The Simplification of Accurate Measurement of Radio-Frequency.—Griffiths, p. 456.
- The Absolute Measurement and International Comparison of Frequencies.—Groszkowski, p. 110.
- A Differential **Frequency Indicator** [for Monitoring Purposes].—Groszkowski, p. 401.
- The Simplification of Accurate Measurement of Radio-Frequency [Comparative Merits of Crystal-Controlled and Fork-Controlled Multivibrators].—Hartshorn: Griffiths, p. 514.
- A New Method of Absolute Measurement of Frequency [Photographing Phase Shift at Each Second Signal of Chronometer].—Kono, p. 49.
- The **Micrometer Frequency Meter**.—Lampkin, p. 576.
- A Standard of Radio Frequency [Quartz-Driven Clock: the Necessity of devising a Ball Thrust Bearing to replace the Jewel Bearing].—Steel, p. 457.
- Combining the **Frequency Meter and Monitor**: Adding an Output Detector to the Electron-Coupled Frequency Meter.—Houldson: Schnell, p. 171.
- A **Frequency Monitoring Unit** for Broadcast Stations [Western Electric No. 1-A Unit].—Coram, p. 174.
- R.F. **Frequency Response Curves** of Tuned Circuit, Tuned Transformer, Amplifier or Complete Receiver, Rapidly Obtained by Visual Method.—Schuck, p. 49.
- A Precision Tuning Fork **Frequency Standard** [including the use of Maginvar].—Norman, p. 170.
- Damping and Resonance with an Einthoven String Galvanometer.—Bebb, p. 280.
- A **Vibration Galvanometer** with Deflection Range independent of Frequency.—Meissner and Adelsberger, pp. 50 and 280.
- Design of a Moving-Magnet Galvanometer rendered Astatic by a New Method.—Meylan, pp. 50 and 401.
- New **Galvanometers**.—Moll: Moll and Burger, p. 634.
- On a Solution of the Motion of a Galvanometer excited by Any Periodic Current.—Yoneda, p. 223.
- Generating High Frequencies with Precision: A Precise Radio-Frequency Generator.—Heising: Scott, p. 170.
- Portable Unmodulated Radio-Frequency Generator and Attenuator [and Its Use for Measuring Sensitivity and Band Width Characteristics of a Receiver].—Marconi Company, p. 110.
- A Simple Method of Measuring **Harmonics** in High-Frequency Circuits [using an Ordinary Wavemeter].—Osnos, pp. 48 and 279.
- High-Frequency Measurements**.—Hund, p. 457.
- I.E.E. Meter and Instrument Section**: Chairman's Address.—Spilsbury, p. 223.
- A New **Impedance Measuring Device** [Zero Beat observed by introducing a Third Signal].—Barber, p. 633.
- Measurements of the Characteristic **Impedance** and Apparent Impedance of Symmetrical and Unsymmetrical Overhead Lines at High Frequencies [in Connection with the Propagation of Interference with Broadcast Reception].—Clausing, p. 222.
- Measurements of **Impedances**.—Starr, p. 110.
- A Note on **Impedance Measurement** [American Three-Winding Transformer or Hybrid Coil Method].—Starr, p. 110.
- Simplifying the Practical Use of the Starr **Impedance Measuring Set**.—Steffensen, p. 49.
- Impedance Measurements**.—Walsh: Starr, p. 337.
- The Self and Mutual **Inductances** of Long Concentric Multi-Layer Solenoids.—Janet, p. 456.
- The Fundamental and Harmonic Frequencies of Multi-Layer **Inductance Coils**.—Korn, p. 576.
- Engineering Calculation of **Inductance** and Reactance [at Low Frequencies] for Rectangular Bar Conductors.—Schurig, p. 576.
- A Simplified Precision Formula for the **Inductance** of a Helix with Corrections for the Lead-In Wires.—Snow, p. 49.
- The Bearing of the Earth's Internal Magnetic Permeability upon the Self- and Mutual-Inductance of Coils Wound on its Surface.—Swann, pp. 49 and 110.
- On the Use of Arithmetic-Geometric Mean Series for the Calculation of Elliptic Integrals, with Special Reference to the Calculation of **Induction**.—Grover, p. 456.
- On some New Formulae for the Calculation of Self and Mutual **Induction** of Coaxial Circular Coils in Terms of Arithmetic-Geometrical Scales.—King, p. 456.
- Inductance and Induction**: see also Choking, Coils, Mutual.
- An Instrument for the Measurement of Dielectric Loss in **Insulations** [for Rapid Routine Testing Purposes].—Bray, p. 513.
- A Method of Measuring High **Insulation Resistances** [Loss of Charge Principle with Constant Applied Voltage].—Higgs, p. 513.
- An Apparatus for Measuring the [Radio-] Frequency Spectrum of Sources of Interference with Broadcast Reception.—Wild: Siemens & Halske, p. 272.
- The Measurement of **Ionisation Currents** by means of an A.C. Bridge and Valve Amplifier.—Ewles, p. 51.
- Theoretical Investigation on Currents through the Bridge and through the Ends of a **Lecher Wire** System.—Ataka, p. 171.
- Metallic Reflection: Propagation of Electromagnetic Waves along Curved Wires [Experiments on Partly Curved **Lecher Wire** System].—Eveling, p. 498.
- Luminous Discharge between **Lecher Wires** in a partially Evacuated Tube.—Hersberger, Zahl and Golay, p. 498.
- Method of Measuring the Input Impedance of Ultra-Short-Wave Detectors, and Other Impedances at Ultra-High Frequencies, by a Bridge-Coupled **Lecher Wire** System.—King, p. 633.
- The Parallel Wire [**Lecher Wire**] System as a Measuring Instrument in Short-Wave Technique.—Schmidt, p. 222.
- Lecher Wire**: see also Ultra-Short and under "Propagation of Waves."
- The **Light Ray** as Pointer for Technical Measuring Instruments.—Sieker, p. 223.
- The Application of Radio to Astronomical **Longitude Determinations** of the Geodetic Survey of Canada.—Ogilvie, p. 633.
- Possible Errors in **Longitude Determinations** depending on the Apparent Propagation Velocity of Short Waves.—Stoyko and Jouaust, p. 457.
- Measurements of the Logarithmic Decrements of **Magnetostriction Resonators**.—Kopilowitsch, p. 576.
- High-Frequency **Magnetostriction** Vibrator [Nickel-Chrome Alloy Rod or Plate].—Matsudaira, p. 109.
- Magnetostriction** of a Circularly Magnetised Bar and Its Applications.—Mori, p. 50.
- A Method of Determining the **Magnetostrictive** Constants, and Some Notes on the Motional Impedances of Magnetostrictive Resonators.—Aoyagi, p. 633.
- Hysteresis Phenomena in the Reciprocal **Magnetostrictive** Effect.—Kopilowitsch, p. 514.
- The Joule **Magnetostrictive** Effect in a Group of Cobalt-Iron Alloys.—Williams, p. 109.
- High-frequency **Measurements**.—Hund, p. 634.
- Discussion on "The Growth of Electrical Measurement from Its Commencement."—Knowles, p. 51.
- Radioelectric Measurements at the Laboratoire National de Radioélectricité.—p. 633.
- Future Progress in Electrical Measuring Instruments.—Drysdale, p. 634.
- Mechanical Factor of Merit** with respect to Electrical Instruments.—Goss, p. 401.
- The Partial Elimination of the Averaging Effect ["Smoothing" due to Inertia] of **Meters**.—Gschwind and Lohmann, p. 457.
- Astatic Precision **Meters** for Current, Voltage and Power.—Siemens & Halske, p. 457.
- Direct-Reading **Modulation Meter** [using a Detector Valve with nearly Parabolic Characteristic].—Wada and Goto, p. 513.
- Degree of **Modulation** measured by Two-Valve Voltmeters, one with Parabolic Characteristic and the other acting as Linear Rectifier.—Wigge, p. 457.
- The Utilisation of **Multi-Electrode** Vacuum Tubes for Laboratory Measurements.—Ruelle, p. 337.
- Multivibrator** with Condensers replaced by Piezoelectric Resonators of Same Natural Frequency and Opposed Temperature Coefficients.—Telefunken, p. 632.
- Multivibrator** Circuit with Two Triodes, or One Tetrode, with Piezoelectric Crystal Replacing a Condenser.—Telefunken, p. 576.
- Measurements of the **Mutual Impedance** of Circuits with Earth Return.—Collard, p. 49.
- The Measurement of **Mutual Inductance** by the Compensation Method.—Geyer, p. 49.
- Tables for the Calculation of the **Mutual Inductance** of Any Two Coaxial Single-Layer Coils.—Grover, p. 576.

Measurements and Standards.

- The Calculation of **Mutual Inductances** [of Two Coaxial Coils] from the Field Diagram of a Winding.—Potthoff, p. 633.
- A **Null Instrument** for A.C. with the Sensitivity of a D.C. Instrument.—König, p. 50.
- The **Oersted**.—U.S. Bureau of Standards, p. 281.
- An **Oscillator** having a Linear Operating Characteristic [and High Frequency Stability].—Arguinbau, p. 211.
- Theoretical and Experimental Studies on the Frequency Stabilisation of the Dynatron-Type **Oscillator**.—Hayasi, p. 502.
- Valve Oscillator** with Retroaction through a Rod-Shaped Conductor set in Longitudinal Vibration by Electrostatic Attraction.—Kunge, p. 170.
- Study of the Synchronisation of a Self-Excited **Oscillator**, and of Its Behaviour in the Neighbourhood of Synchronisation.—Subra, p. 619.
- New Radio Test **Oscillator** [with High Frequency Stability due to "Electron-Coupled" Circuit], p. 457.
- Checking the Performance of Loop **Oscillographs** by means of the Cathode-Ray Oscillograph.—Loncar, p. 634.
- Measurement of the Power Output of L.F. Final Stage Amplifiers.—Babits, p. 45.
- Improvement of the Isochronism of **Pendulums** by the use of Elastic Stops.—Haag, p. 109.
- Schuler's Compensating **Pendulum** [Efficiency, and Accuracy compared with Wireless Time-Signals].—Weber, p. 633.
- Experiments on the Change of Period of a **Blade Pendulum** when an Additional Mass is placed at Different Points, and the Corresponding Theory.—Oosting, p. 109.
- The Measurement of the **Piezoelectric Deformations of Quartz and Tourmalin** Plates by means of a Modified Optical Lever.—Fink, p. 171.
- A **Piezoelectric Resonator** with Uniform Response over a Given Range of Frequencies.—Guerbilsky, p. 508.
- Thickness Vibration of **Piezoelectric Oscillating Crystal**.—Koga, p. 50.
- Vibration of **Piezoelectric Oscillating Crystal**.—Koga, p. 632.
- A 200-Kilocycle **Piezo-Oscillator** [for Standard-Frequency Transmissions].—Lapham, p. 632.
- Low-Frequency Mechanical Stimulation of **Piezoelectric Crystal** to give High-Frequency Oscillations of Natural Frequency of Crystal.—Loewe, p. 171.
- Method of Altering the Frequency of a **Piezoelectric Crystal** between Fixed Electrodes with Air Gap, by Varying the Pressure of the Surrounding Medium.—R.C.A., p. 171.
- Piezoelectric Control of Oscillator Frequency** [Circuit giving Correctly Phased Grid Potential].—Schäffer, Lubszynski and Hoffmann, p. 171.
- Single Frequency **Piezoelectric Plate** having the Various Diameters proportional to the Square Root of the Modulus of Elasticity in the Corresponding Direction.—Straubel, p. 171.
- Piezoelectric Crystal** with Low Temperature Coefficient.—Telefunken: Osnos, p. 632.
- Piezoelectric Oscillator Circuit** with Improved Constancy of Frequency.—Thomson-Houston Company, p. 632.
- Modes of Vibration of **Piezoelectric Crystals**.—Williams, pp. 171 and 576.
- Temperature Compensation for **Piezoelectric Oscillators**, p. 109.
- Piezo**: see also Quartz, Rochelle Salt, Tourmalin, and under "Acoustics" and "Miscellaneous."
- Deflections and Vibrations of a Circular Elastic **Plate** under Tension.—Bickley, p. 333.
- The Use of Triode and Tetrode Valves for the Measurement of Small D.C. **Potential Differences**.—Hoar, p. 280.
- A Method of Automatic Compensation of Potentials and Its Application to Determining the **Potential Distribution** in L.F. Electric Fields.—Dunikowski, p. 457.
- Some Important Applications of the A.C. **Potentiometer** with Capacitive Potential Division [and the Measurement of the Loss Angles of Dielectrics at High Voltages].—Angelini, p. 457.
- The Measurement of the **Power Factor and Capacitance of a Condenser** by Comparison with a Mutual Inductance.—Smith, p. 457.
- Some Observations on the Acoustic Field of **Piezo-Quartz Crystals**.—Bücks, p. 333.
- Some Observations on Oscillating **Piezo-Quartz Crystals** and their Acoustic Field.—Bücks and Müller, p. 575.
- Quartz Oscillator** with Optical Coupling to Amplifier.—Cady, p. 109.
- The Movements of a **Quartz Crystal** in an Electrostatic Field.—de Gramont, p. 513.
- The Different Oscillation Régimes of a Parallelepiped of **Quartz** [and the Cause of Rotation of a Pivoted Crystal].—de Gramont, p. 575.
- Isothermal and Adiabatic Moduli of Elasticity of **Quartz Crystals**.—de Mandrot, p. 171.
- The Modes of Vibration of **Quartz Piezoelectric Plates** as Revealed by an Interferometer.—Dye, p. 109.
- The Temperature Variations of the Frequency of **Piezoelectric Oscillations of Quartz**.—Gibbs and Thatté, p. 50.
- Luminous **Quartz Resonators** as High-Frequency Standards.—Giebe and Scheibe, p. 337.
- The Frequency Variation due to Heat generated by the Vibration of a **Quartz Plate**: Some Characteristics of a Y-Cut **Quartz Plate**.—Hatakeyama, p. 50.
- Researches on the Secondary Charges and Mechanical Attractive Forces of a **Quartz Crystal Oscillator**: the Practicability of **Quartz Relays**.—Heinrich-Hertz Institute, p. 633.
- Optical Demonstrations of the "Ziehen" [Oscillation-Hysteresis] Effect in a **Quartz Crystal**.—Hiedemann and Asbach, p. 514.
- Silvering to Lower Crystal Frequency [Controlled Deposition of Silver Electrodes to cure **Quartz Crystals** ground to Too High a Frequency].—Hunter, p. 223.
- Mounting **Quartz Plates** [and the Simplification of the Frequency/Temperature Curve by Clamping].—Lack, p. 338.
- Grid/Filament Connection of **Quartz** in Pierce Oscillator Circuit, superior to Grid/Plate or Plate/Filament Connection.—MacKinnon, p. 171.
- A **Quartz Plate** of Minimum Frequency Variation.—Matsumura and Kanzaki, p. 514.
- Temperature Coefficient of Frequency of X-Cut Rectangular **Quartz Plates**.—Matsumura and Kanzaki, p. 514.
- An X-Ray Examination of the Harmonic Thickness Vibration of **Piezoelectric Quartz Plates**.—Nishikawa, Sakisaka and Sumoto, p. 338.
- Experimental Determination of the First **Piezo-Modulus of Quartz**.—Nussbaumer, p. 50.
- A Triple Interferometer for Distinguishing Flexural and Longitudinal Vibrations in **Quartz**.—Osterberg, p. 223.
- A Multiple Interferometer for Analysing the Vibrations of a **Quartz Plate**.—Osterberg, p. 457.
- The Researches of the late Dr. D. W. Dye on the Vibrations of **Quartz** [including his Ring Oscillator].—Rayner: Dye, pp. 338 and 514.
- Variation of Dielectric Constant of **Quartz** with Applied Potential [and with Temperature].—Saegusa and Nakamura, p. 280.
- On the Variation of the Electrical Conductivity of **Quartz, Tridymite, and Cristobalite** with Temperature.—Shimizu, p. 514.
- A Simple Method of Determining the First **Piezo-Modulus of Quartz** from Measurements of a Quartz Resonator.—Szőkely, p. 50.
- Quartz Crystal and Thermostat** in Bulb.—Telefunken: Bechmann, p. 280.
- Temperature Variation of Viscosity and of the **Piezoelectric Constant of Quartz**.—Van Dyke, p. 171.
- Measuring the Temperature of a **Quartz Oscillator Crystal** in Its Bulb, p. 109.
- Discussion on "The Campbell-Shackleton Shielded Ratio Box."—Behr and Williams, p. 51.
- Measurement of the Internal Resistance of B-Amplifier Valves [by a Modified Wheatstone Bridge Method].—Babits and Szalontay, p. 634.
- The B.A. Standards of **Resistance**, 1865-1932.—Glazebrook and Hartshorn, p. 51.
- Two Simple Methods of Absolute Measurement of Electrical Resistance in Terms of Inductance and Frequency.—Nettleton and Balls, p. 513.
- First Comparisons of the National Standards of Electrical Resistance, carried out at the International Bureau of Weights and Measurements.—Pérard and Romanowski, p. 576.
- Methods for Measurement of High Resistance at High Frequency.—Taylor, p. 171.
- The Converse **Piezoelectric Effect** in Mixed Crystals Isomorphous with Rochelle Salt.—Bloomenthal, p. 575.
- On the Determination of Some of the Elastic Constants of Rochelle Salt by a Dynamical Method.—Davies, p. 578.
- Electrical Properties of Isomorphous Crystals of **Rochelle Salt** and Sodium Ammonium Tartrate.—Eremejew and Kurtschatow, p. 575.
- The Natural Frequencies of **Rochelle-Salt Bar Oscillators**: Unexpected Departure from Usual Formulae.—Heinrich-Hertz Institute, p. 633.
- The Lower Curie Point in **Rochelle Salt**.—Kurtschatow, p. 576.
- Experimental Investigations on the **Piezoelectric and Dielectric Properties of Rochelle Salt**.—Schwartz, p. 164.
- A New Method of Determining the Static Dielectric Constant of **Semiconductors** and Measurements of the Dielectric Constant of **Rochelle Salt**.—Oplatka, p. 401.
- High-Frequency Measuring Apparatus and **Signal Generators**.—Siemens & Halske, p. 48.
- Skin Effect** in a Stratified Cylinder of Circular Section.—Fischer and Strutt, p. 576.
- The Measurement of **Small Electrodynamic Forces** with the Condenser Microphone.—Agricola, p. 223.
- New National Radio Standards [for Broadcast Receivers and Components], p. 110.
- Apparatus for the Comparison of the Electromotive Forces of **Standard Cells**.—Vigoureux: Brooks, p. 634.
- The Wireless World Direct Reading **Station Finder**.—Smith, p. 223.
- Frequency Requirements and the Control of Frequency for **Synchronous Motor** Operation of Astronomical Telescopes.—Moffitt, p. 49.
- Self Analysers [for Testing Broadcast Receivers].—Lewis, p. 401.

Measurements and Standards.

- Characteristics of **Thermo-Ammeters** for use at Radio Frequencies.—Takaya, p. 280.
- A New Way of Making Use of **Thermoelectric Phenomena**.—Égal, p. 227.
- The Measurement of Peak Values of Alternating Currents and Voltages by means of a **Thyratron** [using the Relationship between Grid Voltage and Minimum Striking Voltage on Anode].—Hughes, p. 513.
- Robot Clock announces **Time** from the Paris Observatory.—Esclançon, p. 576.
- Automatic Equipment for the Transmission of the Exact **Time** over the Telephone System, p. 223.
- Further Results in the Study of Apparent Variations of the Vertical with the Hour-Angle of the Moon [and the Variation in **Time-Determinations** at Greenwich and Washington with Lunar Hour-Angle and Declination].—Stetson: Loomis and Stetson, p. 633.
- Time-Keeping**—Old and New.—Hope-Jones, p. 223.
- Synchronous Electric **Time Service**.—Warren, p. 109.
- Studies of the Transmission of **Time Signals** [and the Determination of Delay Times].—Jouaust, p. 515.
- On the Piezoelectric Properties of **Tourmalin**.—Fox and Underwood, p. 338.
- Discussion on Overtones in **Tourmalin-Crystal Vibrations**.—Heinrich-Hertz Institute, p. 632.
- Relations between Etch Figures and Piezoelectric Properties of **Tourmalin**.—Matsumura and Goto, p. 514.
- Effect of Temperature upon Piezoelectric Vibration of **Tourmalin Plates**.—Matsumura, Ishikawa and Goto, p. 514.
- Longitudinal and Flexural Vibrations of **Tourmalin Plates**.—Petržilka, p. 223.
- Short Wave Circuit emitting **Trains of Waves** at Equal Intervals of Time [Applicable to Time Signals and to the Comparison of Condensers].—Petrucchi, p. 391.
- The Measurement of the Power of a **Transmitter** by Incandescent Lamp and Photronic Cell.—Houldson, p. 337.
- A New "Compensator" Measuring Equipment for the Determination of the **Transmission Equivalent** of Quadripoles [and Amplifiers].—Piesch, p. 513.
- Attenuation of **Transmission Lines**: Simple Method of Measuring.—Strutt, p. 327.
- Method of Field-Strength Measurement, especially for **Ultra-High Frequencies**.—Solnemann, p. 279.
- The Measurement of [**Ultra**] High Frequency Potentials with the Thread Electrometer.—Ubricht, p. 574.
- Measurement of the Frequency of **Ultra-Radio [Ultra-Short] Waves** [using Special Lecher Wire System].—Hoag, p. 222.
- Wavelength Measurement of **Ultra-Short Waves** by a New Precision Method using a Movable Lecher Wire System.—King, p. 632.
- Wavelength Measurements on **Ultra-Short Waves** [Use of Small Incandescent Lamp in Tuned Circuit, with **Tourmalin Crystal** in Parallel].—Leithäuser and Petržilka, p. 109.
- On Standards for Measurement of **Ultra-Short Waves**.—Leithäuser and Petržilka, p. 223.
- Tourmalin Resonators** for Short and **Ultra-Short Waves**.—Petržilka, p. 109.
- New Method of Measuring Electric and Magnetic Properties of Metals in the Region of **Ultra-Short Electromagnetic Waves**.—Potapenko and Sanger, p. 279.
- Practical Measurement of **Ultra-Short Waves**.—Whitehead, p. 456.
- Ultra-High and Ultra-Short**: see also Electrometer, Lecher Wire.
- A New System of Electric and Magnetic **Units**, and Their Dimensions.—Bucher, p. 456.
- International Action on **Units** in Electricity and Light.—Bureau of Standards, p. 456.
- Three Superfluous Systems of **Electromagnetic Units**.—Campbell, p. 280.
- Dimensions of Fundamental **Units**.—Denton, p. 456.
- Two Significant Comparisons of the Use of the Absolute Unit M.K.S. $\ddot{\omega}$ [and of the orthodox C.G.S. Unit: Calculations of the Capacity of the Earth and the Inductance of a Coil].—Giorgi, p. 456.
- Electric and Magnetic **Units**. The Basis of a System of Definitions.—Glazebrook, p. 338.
- Electrical and Magnetic **Units**.—Griffiths, p. 280.
- Conference of the Symbols, **Units** and Nomenclature Commission of the International Union of Pure and Applied Physics, and Its Results.—Kennelly, p. 280.
- A New System of **Units** in Electromagnetism.—Verschaffelt, p. 51.
- Suggested Unit of Vibration Amplitude [the "Pal," corresponding to the Phon in Acoustics].—Zeller, p. 401.
- Methods of Measuring **Voltage, Current** and **Power** in Pulsating Current.—Okitsu, p. 634.
- Correction of Frequency Error in Moving Iron **Voltmeters**.—Gall: Carter, p. 172.
- Correction of Frequency Error in Moving-Iron **Voltmeters**.—Campbell: Carter, pp. 50 and 280.
- New Type of Electrostatic **Voltmeter** [for measuring Potential Gradients and High Electrostatic and R. F. Voltages].—Field, pp. 172 and 634.
- A Rotary **Voltmeter**.—Kirkpatrick, pp. 50 and 172.
- A **Valve-Voltmeter** for Measurements of Hydrogen-Ion Concentration.—McFarlane, p. 401.
- Application of Compensated **Valve-Voltmeter** to Measurements of Glass Electrode Potentials [without Use of "Electrometer" Valves].—McFarlane, p. 575.
- A Survey of the Vacuum-Tube **Voltmeter Field**.—Nason, p. 401.
- Valve Voltmeters**.—Payne, p. 634.
- A **Thermionic Voltmeter** with Logarithmic Calibration Curve [particularly for Acoustic Measurements].—Rommel, p. 50.
- An Amplifying **Voltmeter** [using a Two-Grid Valve to generate A.F. Current with Amplitude depending on D.C. Voltage to be measured: Milliammeter reads Changes of 2×10^{-3} Volt].—Roulleau, p. 513.
- A Multi-Range Mains-Operated **Valve Voltmeter**.—Smyth: G.E.C., p. 337.
- An Improvement in Vacuum Tube **Voltmeters** [for Audio-frequencies].—Somers, p. 280.
- A **Valve Wattmeter**.—Mallett, p. 634.
- A New Apparatus for Determining the Relationship between **Wavelengths** of Light and the Fundamental Standards of Length.—Sears and Barrell, p. 49.
- On the Best Method of Calibrating **Wavemeters** [Liability to 0.5% Error].—Kahan, p. 400.
- Contribution to the Study of the Stability of Oscillations in Coupled Circuits [e.g. in Oscillating Circuit coupled to **Wavemeter**].—Mercier, p. 443.
- A **Wavemeter** with Alternative Close and Open Scales.—Radio Research Station, p. 456.
- Interference **Wavemeter** with Large Wave Range for Laboratory Use.—Rohde and Schwarz, p. 49.
- The Temperature Coefficient of the Saturated **Weston Cell**.—Vigoureux and Watts, p. 280.

SUBSIDIARY APPARATUS AND MATERIALS

- Plateless Batteries [Accumulators].—Block Batteries Ltd.: Fuller, p. 281.
- An Important Improvement in the Construction of the Lead Accumulator [the Féry-Carbone Non-Sulphating Cell], p. 459.
- Iodine Accumulators.—Fourcalt: Boissier, p. 282.
- Electrical Accumulators according to Recent Patents.—Jumau, p. 341.
- Halogen Salts Accumulators.—Reyval: Jumau, p. 282.
- Accumulators: see also Storage.
- Magnetic Properties and Chemical Linkage in Alloys.—Dorfman, p. 578.
- The Use of Two-Grid Valves for the Amplification of Continuous Currents.—Donzelot and Divoux, p. 460; see also Amplifier.
- The Elimination of Background "Noise" in Sensitive Pulse Amplifiers.—Curtiss, p. 282.
- A Resistance-Coupled [Two-Stage] Amplifier for Measuring Ionisation Currents.—Curtiss, p. 579.
- A Method of Compensating the Plate Currents [in a Triode Amplifier to allow the use of a Sensitive Instrument].—Donzelot and Divoux, p. 113.
- A D.C. Amplifier for Photometric Purposes.—Donzelot and Divoux, p. 228; see also Amplification.
- Detection of Corpuscular Radiation by Vacuum Tube Methods [Design of High Gain Resistance-Capacity Coupled Amplifiers].—Dunning, p. 341.
- A Two-Stage Mains-Driven Amplifier enabling a Photocell to operate a Commercial Relay.—Kagamaster, p. 228.
- Three-Stage Direct-Coupled Amplifier [Practically Independent of Fluctuations of Operating Voltages, and Distortionless between 0 and 10^4 Cycles/Second].—König, p. 636.
- Simple Amplifier for Geiger-Müller Counters.—Libby, p. 113.
- A High Voltage Sensitivity Direct-Current Amplifier [based on Tetrode Negative Resistance in Plate Circuit].—Macdonald and Campbell, p. 636.
- A Direct Current Amplifier.—Macdonald and Macpherson, p. 228.
- Operating Constants for Direct-Current Thermionic Amplifiers.—Macdonald and Tweed, p. 516.
- A High-Gain A.C.-D.C. Amplifier [Pentode as Plate-Circuit Resistance].—Meissner, p. 636.
- A Supersensitive Amplifier for Measuring Small Currents.—Moles: G.E.C., p. 341.
- On Transients in Transformer Amplifiers.—Nowotny, p. 340.
- The Audio Transformer as a Selective Amplifier.—Pawley, p. 218.
- A Direct Current Amplifier with Good Operating Characteristics [using Radiotron Valves].—Taylor and Kerr, p. 228.
- A Direct-Current Amplifier Circuit.—Turner, p. 516.
- Shot Effect and Thermal Noise in the Photocell Amplifier.—von Orbán, p. 334.
- The Application of a Thermionic Amplifier to the Photometry of the Stars.—Whitford, p. 228.
- A New Method for Amplifying and Recording Small E.M.Fs [using a Photoelectric Cell].—Morgan, De Vore and Baker, p. 636.
- A Simple Method of Analysing Strip Records of Registering Apparatus.—Dalchau, p. 285.
- A New Method of Frequency Analysis applicable to Acoustic and Radio Frequencies.—Fehr and Kreisheimer, p. 578.
- A Mechanical Aid to the Analysis of Complex Spectra.—Harrison, p. 228.

Subsidiary Apparatus and Materials.

- The Resonance Method of Wave-Form Analysis [and a Résumé of Other Methods].—Morgan, p. 113.
- Analysis: see also Harmonic, and under "Acoustics."
- On the Sparking Condition of Low Voltage Arcs and Grid-Controlled Low Voltage Arcs [Thyratrons]. I.—Klaiber, p. 577.
- A Geometrical Method of Integration and an Apparatus for Measuring the Areas of Curved Surfaces.—Myard, p. 638.
- The Automatic Transmission by Radiotelegraphy of the Reading of an Instrument by Two Audio-frequency Modulations of Varying Depth.—Csejkovits and Diekmann, p. 460.
- The Electrical Conductivity of Uranium Dioxide and Its Use as Series Resistance, especially for Iron-in-Hydrogen [Barretter] Resistances.—Meyer, p. 284.
- Stabilised "B" Supply for A.C. Receivers [using Commercial Neon Glow Lamps].—Dekker and Keeman, p. 112.
- The Breakdown Voltage of Luminous-Nitrogen-Tubes with Variable Electrode Distance. I. Straight Tube.—Fricke, p. 284.
- Is the Breakdown of Insulating Liquids a Heat Process?—Koppelman, p. 578.
- A New Method of Eliminating Edge Effect in Electric Breakdown.—Norcross, p. 637.
- The Mechanism of the Electrical Breakdown of Transformer Oil.—Rebhan, p. 341.
- The Influence of the Steepness of Rise of A.C. Voltage on the Breakdown Potentials of the Rare Gases and Air in Luminous Tubes.—Spielhagen, p. 284.
- The Oscillographic Investigation of the Breakdown Process due to Overheating (in a Solid Dielectric).—von Philippoff, p. 341.
- A Study of the Electrical Breakdown of Liquids [Paraffin Oil and Xylol] by Means of the Electro-Optical Shutter.—Washburn, p. 341.
- An Electrical Calculating Machine.—Mallock, p. 460.
- A Calculating Rule of Highly Elastic Rubber, p. 579.
- H.T. for the Car Set.—Dinsdale, p. 459.
- Barrier Layer Investigations on Carborundum Crystals.—Claus, p. 53.
- Aperiodic Amplifier for Cold-Cathode Oscillographs.—Kroemer, p. 635.
- A Cold-Cathode Oscillograph for Low Excitation Voltage.—Rogowski and Malsch, p. 283.
- Applications of the Cathode-Ray Oscillograph [Factors affecting Accuracy of Measurements, and Their Compensation: Oscillograph with Magnetic Deflection].—Batcher, p. 224.
- Cathode Ray Oscillography.—Bedford, p. 283.
- A New Multiple Cathode-Ray Oscillograph.—Boekels and Dicks, p. 283.
- Simultaneous Traces with Cathode-Ray Oscillograph [with Single Ray: the Use of a Synchronised Rotary Switch].—Bradner Brown, p. 578.
- The Optics of the Braun Low-Voltage [Cathode-Ray] Tube.—Brüche, p. 458.
- The Use of the A.C.-Driven Cathode-Ray Tube as Synchronoscope.—Brüche, p. 635.
- The Technique of the High-Speed Cathode-Ray Oscillograph.—Burch and Whelpton, pp. 51 and 339.
- Comparison of Electronic and Optical Blackening with the Cathode Ray Oscillograph.—Buss and Pernick, p. 52.
- Cathode Ray Photography of Random Electrical Transients.—Chapman, p. 403.
- A New [Low-Voltage] Cathode-Ray Oscillograph.—Dantscher: AEG, p. 635.
- Use of Cathode-Ray Oscillograph for obtaining Frequency-Response Curves.—Davis, p. 570.
- The Limiting Efficiency of the Cathode-Ray Oscillograph with Lens Recording.—Dodds, p. 517.
- The Recording of Surges [Simple Equipments as Substitutes for the Cathode-Ray Oscillograph].—Dodds and Fucks, p. 635.
- Recent Developments in Cathode-Ray Tubes and Associated Apparatus [including Cathautograph and Cathode-Ray Compass].—Du Mont, p. 458.
- New Cathode-Ray Tube Screen Material.—Du Mont Laboratories, p. 458.
- A Simple Circuit with Compulsory Coupling of the Beam-Locking Device and the Time Deviation in the Cathode-Ray Oscillograph.—Fucks and Kroemer, pp. 283 and 635.
- Some Experiments on the Electrostatic Concentration of Cathode Rays.—Graupner, p. 51.
- The Cathode-Ray Oscillograph in Radio Research.—G. W. O. H.: Watson Watt, Herd and Bainbridge-Bell, p. 518.
- A Linear Timing Axis for Cathode-Ray Oscillographs [using "Westinghouse Industrial Tube"].—Haller, p. 635.
- A Method of Extending the Frequency Range of the Cathode-Ray Tube.—Hartridge, p. 172.
- On Experience with the Use of Bromide Paper for [Internal] Cathode-Ray Oscillograms.—Hayakawa and Hishiyama, p. 517.
- The Sensitivity of the Braun [Cathode-Ray] Tube with Gas Concentration, at Various Frequencies [0 to 1 Megacycle/Sec.].—Heimann, p. 51: see also below (von Ardenne).
- The Use of the Cathode-Ray Oscillograph at Ultra-High Frequencies.—Hollmann, p. 634.
- Cathode-Ray Oscillograph for Ultra-High-Frequency (B.-K.) Oscillations: Electron Path-Time Error Automatically Compensated.—Hollmann: von Ardenne, p. 111.
- Stroboscopic Investigations with the Cathode-Ray Oscillograph.—Hollmann and Saraga, p. 282.
- A Cathode-Ray Oscillograph for Internal Recording and Rapid Changing of Film without Breaking the Vacuum.—Holzer and Knoll, p. 51.
- Distortions due to Space Charge in Cathode-Ray Tubes.—Hudec, p. 453.
- Intensity Control of the Gas-Concentrated Cathode-Ray by Wehnelt Cylinder.—Kleen, p. 220.
- The Cathode-Ray Oscillograph.—Knoll, p. 51.
- The Cathode-Ray Oscillograph: the Production and Focusing of the Electron Beam.—Knoll, p. 111.
- The Multiple Cathode-Ray Oscillograph.—Knoll, p. 111.
- New Cathode-Ray Tube for Micro-Waves.—Kreiselheimer, p. 635.
- The Electron Current Density in Cathode-Ray Discharge Tubes.—Malsch, p. 635.
- A Cathode-Ray Oscillograph for Direct Photography of Very High Direct and Alternating Voltages.—Messner, p. 458.
- Intensity Control of Gas-Concentrated Cathode-Rays by Electrical Fields.—Wehnelt Cylinder.—Michelsen and Kleen, pp. 105-106.
- Lightning Transients—Measurement by Cathode-Ray Oscillograph [Ferranti Model].—Miller, p. 111.
- Cathode-Ray Tubes Costing 75 to 150 Marks.—Pressler Company, pp. 399-400.
- Time-Marking a Cathode-Ray Oscillograph [by Unfocusing the Spot by applying a Periodically Varying Potential to the Wehnelt Cylinder].—Richardson, p. 283.
- Sensitive Cold Cathode-Ray Oscillograph.—Rogowski, p. 402.
- Cathode-Ray Oscillography [Survey of Cold-Cathode Oscillograph Developments].—Rogowski, p. 516.
- Note on the Cathode-Ray Oscillograph.—Rogowski, p. 635.
- The Possibility of Focusing Cathode-Ray Beams of Large Initial Cross-Section.—Ruska, p. 617.
- Wave-Form Studies with the Cathode-Ray Oscillograph [with Description of General Radio Tube and Controlled Linear Sweep Circuit].—Scott, p. 51.
- The Simultaneous Recording of Several Processes with the Cathode-Ray Oscillograph [using an Ordinary Single Tube].—Sewig, p. 339.
- High-Speed Cathode-Ray Oscillographic Recording on Commercial Photographic Paper.—Stekolnikoff; Förster, p. 458.
- Cathode-Ray Tubes [Two New Gas-Focused Types].—Sutherland and Harcher, p. 111.
- Study of H.T. Circuit Breakers, using a Cathode-Ray Oscillograph with Film wound on Rotating Drum.—Van Sickle and Berkeley, p. 635.
- Remarks of W. Heimann's Paper "The Sensitivity of the Braun [Cathode-Ray] Tube with Gas Concentration, at Various Frequencies."—von Ardenne: Heimann, p. 172.
- Special Lens and Oscillograph Camera for Cathode-Ray Tubes.—von Ardenne, p. 578.
- Cathode-Ray Oscillography [Physical Society Discourse].—Watson Watt, pp. 172 and 224.
- Applications of the Cathode Ray Oscillograph in Radio Research.—Watson Watt, Herd and Bainbridge-Bell, p. 402: see also above (G.W.O.H.).
- Cathode-Ray: see also Electron, Plotrons, Wehnelt, and under "Phototelegraphy and Television."
- Design of an Apparatus for Cathode Sputtering.—Darbyshire, p. 341.
- The Calculation of Iron-Cored Chokes [for Telephonic Frequencies].—Marocchi, p. 226. See also Iron-Cored.
- The Analysis of Processes occurring in Very Short Times [by High-Speed Cinematography up to 80 000 Pictures per Second].—Ende, pp. 112 and 225.
- Cinematography: see also Discharge.
- The Influence of a Metallic Cover on the Losses, Inductance and External Field of a Coil.—Kaden, p. 576.
- Design of Radio-Frequency Coils.—Place, p. 341.
- Special Design of H.F. Coils [for Master-Oscillator] to give Constant Inductance over Temperature Range of 40° C.—Ure, Grainger and Cantelo, p. 460.
- Note on a New Rotating Commutator [for Charging Condensers, etc.].—Telang, p. 285.
- The Essentials of Wireless Components. Part I: High-Frequency Chokes.—Scroggie, p. 577.
- Cost versus Quality in Radio Set Components [I.R.E. Symposium], p. 638.
- The Measurement of the Capacity of Commercial Electrolytic Condensers, and an Investigation of Its Dependence on Temperature, Voltage and Prolonged Loading.—Bauder and Janssen, p. 112.
- A Plate Condenser with Negative Capacity.—Benndorf, p. 460.
- Electrolytic Condensers.—Coursey, p. 173.
- Capacitance and Potential Gradients of Eccentric Cylindrical Condensers.—Dawes, p. 340.
- Conductivity and Loss Angle Measurements on Paper Condensers for 50-Cycle Supply with Superposed High Frequency.—Fehr and Hubmann, p. 637.

Subsidiary Apparatus and Materials.

- A.C. Capacities of Electrolytic Condensers, and Potential Gradients in Anodic Films.—Godsey, p. 402.
- Note on Thermal Instability in Cylindrical Condensers due to Dielectric Losses [Calculation of Electric Intensity giving Instability].—Goodlet, p. 577.
- Gang Condensers of Variable Capacity for Modern Receivers [including the Problem of "Microphonics"].—Koepping, p. 112.
- The Inductive Resistance of Roll-Type Condensers at High Frequencies.—Kotowski and Kühn, p. 340.
- The Measurement at High Frequencies [above 1 Mc/s] of the Loss Angles of Condensers [and of Various Natural and Artificial Insulating Materials].—Rohde and Schlegelmilch, pp. 512-513.
- Increasing the Range of Rotation of a Variable Condenser.—Telefunken: Hagenhaus and Seng, p. 340.
- Recent Developments in Mica Condensers.—Thiessen, p. 460.
- VDE Regulations for Condensers for Broadcast Receivers and Interference Prevention.—Verband Deutscher Elektrotechniker, p. 460.
- VDE Test Specifications for Condensers for Broadcast Receivers and Interference Prevention, p. 227.
- Balancing Device for Rotating Condensers, etc., by Separately Screw-Adjusted Segments of a Slotted Stator Plate.—von Kramolin, p. 638.
- Air-Type Alignment Condensers for Plug-In Coils [replacing Mica-Type "Trimmers"].—p. 516.
- The Influence of Surface Charges on Measurements of the Conductivity of Poor Conductors.—Goldhammer, p. 637.
- New Connecting Leads for Broadcast Receiver Equipments.—AEG, p. 637.
- Constant Direct Current [by use of Grid-Controlled Rectifier: Drop of Main Rectified Current in Iron-Wire Ballast Lamp used as Grid Bias].—Westendorp, p. 341.
- Measurements on Contact Potential Difference between Different Faces of Copper Single Crystals.—Farnsworth and Rose, p. 402.
- Elmet Metals ["Rotung" and "Silvung"].—Specially Prepared Tungsten with Copper and with Silver: for Contacts and Thermionic Valves], p. 637.
- Converters: see also Gas-Filled, Inverters, Rectifiers.
- Compressed Powder Cores [for Pupa Coils, etc.].—Deutschmann, p. 113.
- Iron-Content Cores for High-Frequency Coils [Vogt Iron (Ferrocart)].—Schneider, p. 403.
- A Mercury Jig for Testing [Permeability of] Toroidal Cores [of Permalloy-Dust].—Young, p. 403.
- Controlled Silent [Corona] Discharge at Atmospheric Pressure.—Gemant, p. 401.
- A Recording Frequency Counter depending on the Time Constant of a Circuit [Counter for Atmospheric, Tachometer, etc.].—Lugeon and Gurtzman, p. 457.
- A Circuit for Recording Multiply-Coincident Discharges of Geiger-Müller Counters.—Johnson and Street, p. 341.
- A New Coupling for Electric Drive, with Overload Release.—AEG, p. 579.
- A.C. Rectification by Photosensitive Aggregates [Objections to Eccles's Thermo-electric Theory of Crystal Detector: New Theory].—Barnard: Eccles, p. 402.
- A New Detector [Insensitive Galena Crystal treated with Sulphur, with Copper Electrode].—Cayrel, p. 459.
- A Note on the Magnetic Susceptibilities of Cuprous Oxide Films.—Bhatnagar and Mitra, p. 515.
- Electrical Conductivity of Cuprous Oxide [and Its Variation with Temperature: Energy of Electron Dissociation].—Jusé and Kurtschatow, p. 402.
- On the Optical Transparency of Cuprous Oxide in Connection with the Electrical Conductivity.—Mönch, p. 53.
- Thermo- and Voltaic E.M.F. of Cuprous Oxide.—Mönch, p. 515.
- On Thermal and Voltaic E.M.F.s of Cuprous Oxide.—Mönch and Stechhöfer, p. 636.
- Cuprous Oxide: see also Rectifiers.
- An Apparatus for Tracing the Mean Derivative of a Function represented by Its Curve in Cartesian Co-ordinates, p. 517.
- Curve Plotter and Comparator for Laboratory and Production Test Uses.—Isler, p. 228.
- Decibel and Decineper Charts [for Simplifying Calculations of Power Gain and Loss in Transmission Lines and Radio Amplifiers].—Sklar, p. 517.
- Electro-Mechanical Determinant Machine.—Weygandt, p. 579.
- Commercial Testing of Solid Dielectrics [Survey of Methods in Various Countries].—Caviglia, p. 227.
- Contact Phenomena in Dielectrics.—Electrical Research Association: Metropolitan-Vickers Company, p. 340.
- Commercial Dielectrics: the Factors concerned in Their Dielectric Losses: Electro-Osmotic Mechanism, and Semi-Permeability: Intense Polarisation retained by a Dielectric solidified in an Electric Field: etc.—Lahousse, p. 516.
- Some Observations of Residual Charge in Dielectrics.—McCleery, p. 341.
- Effect of Temperature Change on the Resistivity of Dielectrics.—McCleery, p. 402.
- Current Conduction in a Dielectric, Papers on.—Schumann, p. 282 (three).
- The Dielectric Losses in Impregnated Paper.—Whitehead, p. 340.
- Calculation of the Dielectric Constant of a Salt from a Single Measurement of a Mixture of Air and the Salt.—D. A. G. Bruggeman, p. 637.
- On the Bearing of the Natural Infra-Red Oscillations of Materials on their Dielectric Losses.—Czerny and Schottky, p. 31.
- Dielectric: see also under "Propagation of Waves."
- Study in the Discharge in an Ionic Tube with the help of a Cinematographic Apparatus.—Dolejssek and Dráb, p. 224.
- The Possibility of Introducing Very High Potentials into Discharge Tubes [2130 kv, by Long Sub-divided Path with Magnetic Fields at the Bends].—Sitnikov, p. 52.
- The Tuning Curves of Electrical Distant Control Elements.—Schadow, p. 58.
- S.F.R. Chauveau Auto-Alarm [Distress Signal] Receiver, p. 638.
- A Drawing Instrument for Large Radius Arcs.—Simeon, p. 460.
- Tests on the Performance of Dry Cells.—Ruelle, p. 226.
- Dry Cells: see also Primary.
- Dynamios for Radio Transmitting Stations.—Hutt: Brown-Boveri Company, p. 459.
- A Voltage-Multiplying Connection for Influence Electrical Machines and a Model giving 210 kv for Insulator Testing, etc.—Hochhäusler, p. 637.
- A Compact [Oil-Cooled] Electromagnet for General Purposes [giving 32 500 Gauss].—Bates and Lloyd-Evans, p. 578.
- An Improved Balanced Circuit for Use with Electrometer Tubes.—Turner and Siegelin, p. 636.
- The Application of the Electrometer Triode to the Measurement of Ionisation Current.—Teegan and Hayes, p. 403.
- Electrometer Triode in the X-Ray Ionisation Spectrometer.—Wooster: Robinson, p. 403.
- The Trajectories of Electrons in a Longitudinal Magnetic Field.—Kwal, p. 283.
- On the Paths of Electrons in an Electric and Magnetic Field with Axial Symmetry [Theoretical Paper].—Störmer, p. 339.
- Flexible Electron Beams.—Brüche, p. 51.
- The Geometry of the Accelerating Field as It Affects the Electron Beam with Gas Concentration.—Brüche, p. 51.
- Electron Beam and Gas Discharge.—Brüche, p. 283.
- Remark on the Space-Charge Field of the Gas-Concentrated Electron Beam.—Engel, p. 115.
- On the Formation of Images by Electron Beams on the Lines of Geometrical Optics.—Glaser, p. 283.
- The Dependence of Electron Beam Concentration on the Kind of Gas.—Richter, p. 517.
- On the Explanation of the Gas-Concentrated Electron Beam.—Rogowski and Graupner, p. 111.
- Theory of the Gas Concentration of Electron Beams.—Scherzer, p. 458.
- The Electric Electron Condensing Lens.—Johansson and Scherzer, p. 224.
- Electron Lenses.—Davison and Calbick, p. 224.
- Cinematograph Records of Oxide Cathodes using an Electron Microscope.—Brüche and Johansson, p. 111.
- Some New Cathode Investigations with the Electrical Electron Microscope.—Brüche and Johansson, p. 111.
- Observations of a Barium Cathode, sputtered on Nickel, with an Electron Microscope.—Brüche and Johansson, p. 578.
- Theory of the Electron Microscope.—Glaser, p. 517.
- The Electron Microscope.—Knoll and Ruska, p. 51.
- The Geometrical-Optical Portrayal of Hot Cathodes by Electron Rays with the help of Magnetic Fields [Electron Microscope].—Knoll, Houtermans and Schulze, p. 283.
- Formation of Images by Secondary Electrons in an Electron Microscope.—Knoll and Lubszynski, p. 635.
- On the Theory of the Electron Microscope.—Posener, p. 283.
- Formation by the Electron Microscope of Images of Surfaces irradiated by Electrons.—Ruska, p. 517.
- The Delineation of Irradiated Films in the Electron Microscope.—von Borries and Ruska, p. 517.
- The Foundations of Geometrical Electron Optics.—Brüche, p. 224.
- Symposium on Electron Optics.—Davison, Farnsworth, Swann and Danforth, Zworykin, p. 459.
- Electron Optics: On Electron Beams in High Vacuum.—Davison: Zworykin, p. 459.
- The Geometrical Electron Optics of the Electromagnetic Field with Axial Symmetry [and the Avoidance of Aberration and Distortion].—Glaser, p. 399.
- Contributions to the Theory of Geometrical Electron Optics.—Picht, p. 224.
- On the Theory of Electron Optics.—Picht: Scherzer, p. 458.
- The Theory of the Lens Errors in Electron Optics.—Scherzer, p. 224.
- On Electron Optics [Survey of the Focusing of Electron Beams].—Zworykin, p. 578.
- Self-Focusing Electron Streams [e.g. in Cathode-Ray Tubes].—Bennett, p. 635.
- The Cathautograph: an Electronic Pencil [using a Fluorescent Screen with a Decay Period of about 30 Seconds].—Du Mont, p. 224.
- Class "B" Eliminator [using special Neon Tube Stabiliser].—Page, p. 341.

Subsidiary Apparatus and Materials

- Damping Measurements on Iron-Cored [Ferrocart] Coils.—Frühau, p. 172.
- Iron Powder Compound Cores for Coils [Ferrocart, etc.].—G.W.O.H., p. 173.
- How Ferrocart is Made.—Schneider, p. 281.
- Ferrocart.—Schneider, p. 515.
- "After-Effect" Losses in Ferromagnetic Materials for Weak Alternating Fields.—Goldschmidt, p. 112.
- Comparison between Cascades of Tuned R. F. Amplifiers and the Band-Pass Filters of Cauer and of Jaumann.—Baerwald, p. 516.
- The Properties and Calculation of the Multiple Bridge Filter.—Cauer; Jaumann, p. 228.
- Critical Reviews of Books and Papers on Electric Filters.—David, p. 443.
- A Recent Contribution to the Design of Electric Filter Networks [Cauer's Method in Simplified Form of Sufficient Accuracy for Most Cases].—Guillemin; Cauer, p. 52.
- A Filter for an X-Ray Power Supply [Greinacher Rectifier Circuit and Balanced Pi-Type Low-Pass Filter].—Hoag and Andrew, p. 225.
- A Filter for the Intermediate-Frequency Amplifier [of a Superheterodyne Receiver].—Piesch, pp. 211-212.
- The Construction and Balancing of Intermediate-Frequency Band-Pass Filters.—Sturm, p. 638.
- Filters: see also under "Reception," "Acoustics and Audio-Frequencies."
- The Efficiency of Fluorescence of Sodium Salicylate.—Doubouloz, p. 458.
- The Variation of the Intensity of Fluorescence with the Wavelength of the Exciting Radiation [and the Effect of the Solvent].—Fabrikant, p. 578.
- Quantitative Study of the Inhibiting Action of Certain Ions on the Fluorescent Power of Uranine [the Sodium Salt of Fluorescein].—Bouchard, p. 284.
- A Spectroscopic Method of Determining the Excitation of Luminescence [for the Rapid Choice of the Ultra-Violet Wavelength suitable for Various Fluorescent Substances].—Heyne and Pirani, p. 225.
- The Spurious Ring exhibited by Fluorescent Screens.—Hughes, p. 517.
- A Simplified Frequency-Dividing Circuit [using One Pentode Valve: for Frequency-Measuring Equipments].—Andrew, p. 578.
- Taylor's Frequency Tripler [Explanation of Action].—Pillai and Mowdawalla, p. 515.
- "Wax-Operated Switches" and Metallised Wax Strips as Fuses for Instruments, Fractional-H.P. Motors, etc.—Bullen, p. 578.
- Fusible Jack for Multi-Range Meters [each Jack containing the Appropriate "Littel-fuse" and secured under the Binding Post of One Range].—p. 285.
- The Physical Foundations of the Grid Control of Gas-Discharge Tubes [including Mercury-Vapour Rectifiers with Grids].—Glaser, p. 111.
- The Mode of Action of Gas-Discharge D.C. Converters.—Laub, p. 636.
- Grid-Controlled Gas Discharge [Thyratron] as Alternating Current Resistance which can be Regulated.—Lenz, p. 516.
- The Control Curves of Intermittently Controlled Gas Discharges [in Grid-Controlled Rectifiers, etc.].—Lübcke, p. 226.
- AEF Provisional Resolutions on Names and Definitions relating to Gas Discharges of Various Types, p. 636.
- A Method of Control for Gas-Filled Tubes [by "Repeated Transient" Voltages].—Stansbury, p. 339.
- Prevention of Glow Discharge at Hot Cathode of Gas-Filled Discharge Tube by use of a Suppressor.—Telefunken; Bräuer, p. 339.
- The Ignition Process and Power to the Grid in Hot-Cathode Gas-Filled Relays [Thyratrons, etc.].—Klemperer and Steenbeck, p. 636.
- Gaseous Discharge Tubes for Radio Receiver Use [as Visual Tuning Indicator with or without "Noise Gate"].—Dreyer; Senauke, p. 272.
- The Dielectric Losses of Glass and Their Dependence on Its Composition.—Keller, p. 282.
- The Dielectric Strength of Thin Layers of Glass and Mica.—Alexandrow and Joffe, p. 637.
- The Control and Extinction of a Glow Discharge in a Tube with Mains-supplied Cathode and a Third Electrode.—Badareu, p. 284.
- A Unipolar Form of "Gliding Corona" [a Kind of Glow Discharge; and a Criticism of Gemant's "Electrophotography" of the Porous Structure of Insulating Materials].—Coehn and Ziegler, p. 577.
- The Theory of Glow-Discharge Valve Tubes [for Protecting Devices: Possibility of Using Greater Electrode Gaps].—Heer, p. 578.
- The Heavy-Current Glow Discharge at Atmospheric Pressure: A New Type of Discharge.—Heer and Thoma; Krug, pp. 112 and 228.
- The "Stabilisator" [Glow-Discharge Potential Divider and Voltage Regulator].—Körös, p. 226.
- The Provision of Several Different Anode Voltages by the "Stabilivolt" Glow-Discharge Tube.—Körös, p. 577.
- A New "Amplitude-Limiting" Glow-Discharge Lamp Type AR 220 for Preventing Excessive Output from an Amplifier, p. 113.
- "Super-Responsive Graphers" with or without Automatic Change of Chart Speed.—Everett, Edgumbe and Company, p. 285.
- A Photoelectric-Mechanical Harmonic Analyser.—Dietsch and Fricke, p. 53.
- A New Harmonic Analyser [Synchronous Disc and M.C. Voltmeter].—Gates, p. 228.
- Harmonic Analysis of Oscillatory Phenomena (Mathematical Processes: Methods of Pichelmayer and Schruttkka and of Zipperer).—Kronert, p. 517.
- Harmonic Analysis: see also Analysis, Integration.
- Supplying Atmospheres of Known Humidity.—Walker, p. 341.
- Hypernik—Its Uses and Limitations.—Wentz, p. 52.
- The Control of Ignition-Coil Discharge Characteristics.—Finch and Sutton, p. 282.
- A New Type of Impedance Unit [Filter Unit from Twisted Pairs of Conductors Encased in Shielding].—Allen, p. 577.
- Prevention of Frequency Variation due to Thermal Expansion and Contraction of Inductance Coils with Varying Loads, by means of a Compensating Current.—Telefunken; Roosenstein, p. 284.
- Variable Inductors for Bridge Measurements [10:1 Ratio, 0.005 to 500 Millihenries].—Burke, p. 53.
- The Electrical Strength of Insulating Materials under Mechanical Strain.—Akahira and Gemant, p. 637.
- Insulating Materials—Some Recent Developments [Elephantide Press-Papers, Alkyd Resins, etc.].—Dunton, p. 227.
- A New Industrial Insulating Material: the Lambert Insulating Concrete.—Ferrier, p. 516.
- Losses in Commercial Insulating Materials [and a Comparison between the Maxwell-Wagner and Debye Theories].—Kirch, p. 52.
- A New Compressed Insulating Material [Synthetic Resin and Linen Aggregate].—Römmeler Company, p. 460.
- A New Insulating Material from Aluminium Oxide.—Siemens & Halske, p. 402.
- A New Insulating Material: Permail [from Wood and Synthetic Resins].—Steinmann, p. 52.
- An Efficient Insulating Device for Electrostatic Work [Quartz Insulators with Surface Films eliminated by use of Heaters].—Telang, p. 340.
- The Properties of Electrotechnical Insulating Materials and Their Measurement.—Wagner, p. 340.
- Calan, a New Insulating Material for High-Frequency Engineering, p. 402.
- "Calit" and "Calan," Two New Ceramic Insulating Materials, p. 460.
- A Symposium on Insulating Materials and Their Uses, p. 516.
- High-Frequency Ceramic [Insulating] Material [giving Accuracy of Dimension, High Dielectric and Mechanical Strengths].—p. 340.
- Insulating Materials: see also Dielectric, Glass and Mica, Glow Discharge, Insulation, Insulators, Kolonit, Mycalex.
- Insulating Suspensions or Supports for Short-Wave Components, to avoid Dielectric Losses: the Use of Metallic Windings of High Inductance as Insulators.—Telefunken Company, p. 227.
- A Summary of Year's Insulation Research.—Whitehead and others, p. 227.
- Capillary Action in Impregnated Paper Insulation.—Whitehead and Greenfield, p. 227.
- Tests on Insulators for Carrier Current Lines.—Boella, p. 52.
- New Pin Insulators Free from Radio Interference.—Brown, p. 637.
- New Liquid Insulator Devised for Transformers [Will Not Mix with Water: Decomposes into Non-Combustible Gases].—Clark; GEC, p. 112.
- Research brings Remarkable New Liquid Insulator—"Pyranol."—GEC, p. 112.
- Critical Remarks on Some New Researches on the Breakdown of Solid Insulators.—Inge, Walther and Wul, p. 516.
- The Molecular Orientation of Liquid and Viscous Insulators and Its Influence on the Anomalous Properties of these Dielectrics at High Frequencies.—Kostomarov, p. 637.
- On New Integrations of the Askania Works [Differential-Integrator, Prism Derivator, etc.].—Picht, p. 173.
- New Instruments for Mechanical Integration, Differentiation, and Harmonic Analysis on the Principle of "Rolled-Up" Abscissae.—Boisseau, p. 517.
- The Relaxation Inverter and D.C. Transformer.—Reich, p. 339.
- The Parallel Type of Inverter [3-Electrode Hot-Cathode Gas-Filled Tube: including Use for Supplying Power from D.C. Systems to A.C. Radio Sets].—Tompkins, p. 402: see also Converter, Thyratrons.
- Iodide Cells—An Investigation of Cadmium Iodide and Zinc Iodide Types.—Salazar, p. 459.
- Curves for the Determination of the Permeability of, and Losses in, Iron Sheet.—Arkadiew, p. 578.
- The Magnetic Properties of Electrolytic Iron [in Very Thin Layers].—Grigorow, p. 578.

Subsidiary Apparatus and Materials.

- Magnetisation of Iron by the Superposition of an A.C. Field on a Constant Magnetic Field.—St. Procopiu, p. 515.
- Physical Properties and Structure of the Binary System **Iron-Cobalt**.—Kussmann, Scharnow and Schulze, p. 52.
- The "Fer-X" [Iron-Cored] H.F. Transformers.—Budich Company, p. 579.
- Remarks on "Iron Cores for High-Frequency Coils" [Vogt Iron (Ferrocort)].—Nissen: G.W.O.H.: Schneider, p. 515.
- Calculation of **Iron-Cored Coils** simultaneously traversed by A.C. and D.C.—Matteini, p. 52.
- The Approximate Calculation of **Iron-Cored Inductances**.—Somedà: Marocchi, p. 515.
- Iron Cores**: see also Cores, Ferrocort, Permalloy, Permeability. Physical Properties of **Iron-Nickel Alloys** [especially Perminvar].—Dahl, p. 52: see also Nickel-Iron.
- The **Kathetron**: a Control Tube with External Grid.—Craig, p. 339.
- Keyboard Telegraph Transmitter and Recorder** [for Unskilled Operators].—Painton and Paul, Ltd, p. 285.
- Kolonit**, a New Insulating Material from Coal, p. 637.
- A Mechanical Process for the Comparison of Observations by the Method of **Least Squares**.—Germansky, p. 638.
- The **Luminescence of Alkaline Earth Tungstates** Containing Lead.—Swindells, p. 458.
- Electro-Plating Copper on **Manganin**.—Cosens, p. 637.
- A **Magnet** for Alpha-Ray Spectroscopy with 1 cm Annular Air Gap of Diameter 80 cm, Fields up to 18 000 Gauss].—Cockcroft, p. 340.
- Permanent Magnets**.—Elenbaas, p. 460.
- Contributions to the Design Calculation of **Pot Magnets**.—Jasse, p. 340.
- A **Permanent Oxide Magnet** and Its Characteristics.—Kato and Takel, p. 579.
- The Problem of Unipolar Induction and the Electrical Surface Charges on Rotating Magnets.—Slepian, p. 579.
- New **Magnetic Materials** for Pupin Coils [Isoperms].—Dahl, Pfaffenberger and Sprung, p. 637.
- Isoperme, a **Magnetic Material** for Telephone Engineering.—Goldschmidt and Pfaffenberger, p. 281.
- A New Method for **Magnetic Measurements** on Strips of Sheet Metal.—Hermann, p. 226.
- Commercial Materials of Great Magnetic Softness** [and a Quick and Accurate Method of Measuring Small Coercive Forces].—Stablein, p. 112.
- The Production of **Homogeneous Magnetic Fields**.—Bühl and Coetier, p. 52.
- A **Magnetic Flux Recorder**.—von Auwers, p. 579.
- The Significance of Internal Tensions in the Theory of Magnetisation Curves.—Preisach, p. 52.
- Mechanical Models** for the Investigation of Electrical Stability Problems.—Darricus, p. 404.
- A Method of **Cleaning Mercury**.—Burstyn, p. 111.
- Study of the Magnetic Control of the **Mercury Arc** and of the Static Conversion of Direct into Alternating Current.—Savagnone, p. 110.
- The Theory of Rectification in **Hot-Cathode Mercury Vapour Tubes**.—Brandt and Smith, p. 111.
- The **Mercury Vapour Valve** with Polarised Grids, and Its Use as a Reversible Converter.—Ehrensperger, p. 111.
- X-Ray Study of the Density Distribution in a [Mercury Vapour] Discharge Tube.—Ishida and Suetsugu, p. 402.
- On the Possibility of **Binding Mercury Vapour** and other Unwanted Vapours in Air by Photochemical Methods.—Klumb, p. 112.
- The Extinction of **Anode-Current Arc** by Polarised Grid in **Mercury Vapour Tubes** [Contrary to Usual Belief: New Possibilities].—Kobel, p. 636.
- Investigations on **Mercury Vapour Discharges**.—Lübcke, p. 111.
- Physical Processes in **Low-Pressure Mercury Vapour Arcs** [Mercury Vapour Rectifiers].—Lübcke, p. 577.
- Magnetic Control of Mercury Vapour Rectifier Tubes** [instead of Grid Control].—Reich, p. 339.
- Grid and Plate Currents** in a Grid-Controlled **Mercury Vapour Tube**.—Seletzky and Shevki, p. 329.
- The Importance of Temperature Regulation in the use of **Mercury Vapour Rectifiers**, and a Device for this Purpose.—Stansbury and Brown, p. 459.
- Notes on the Manufacture of **Mercury Vapour Rectifier Tubes**.—Weiller, p. 459.
- A **Full-Wave Mercury Vapour Rectifier** [RCA-83, Cunningham CX-83], p. 110.
- Types of **Very Small Motors** [500 Watts downwards].—Bunzl-Geemen, p. 281.
- Sensitive Speed Control for **Electric Motors**.—Giebe, p. 341.
- The Development of a **Sound-Isolating Base for Motors**.—Hull, p. 459.
- Mycalex**, an Insulating Material for High Voltage and High Frequency [with Data].—von Nagy, p. 637.
- Neon-Lamp Method** [Relaxation Oscillation Circuit] for the Measurement and Registration of Photoelectrically Active and Ionising Radiations.—Stäger, p. 112.
- A Theory of **Neon Tube Operation**.—Summers, p. 112.
- A Method for Calculating Transmission Properties of **Electrical Networks** consisting of a Number of Sections.—Alford, p. 638.
- On the Structure of the **Nickel-Iron Alloys**.—Broniewski and Smolinski, p. 515: see also Iron-Nickel.
- The **Contact Rectifier** as **Noise-Limiting Device** for Telephone Receivers.—Kallmann, p. 636.
- The Suppression of **Disturbing Noises** by Gaseous Discharge Cut-Outs.—Werrmann, p. 403.
- Control by "Non-Linear" Circuits [Transformer Combinations, etc.].—General Electric Company, p. 227.
- The **Electrical Conductivity of Thin Films of Mineral Oils**.—van Arkel and Koopman, p. 637.
- Direct Proof of the **Space Charge in Oils**.—Gemant, p. 577.
- Electrical Breakdown in Air and Transformer Oil under Pressure**.—Walther and Inge, p. 637.
- The **Electrical Strength of Liquid Insulating Materials** [Oil and Xylo] at High Frequencies [and the Thermal Breakdown Effect].—Schlegelmilch, p. 578.
- Two New Oscillators for the Radio-Frequency Range**.—Grant, p. 341.
- An **Oscillograph for Ten Thousand Cycles**.—Curtis, p. 225.
- A **Fast and Economical Type of Photographic Oscillograph**.—Draper and Luck, p. 636.
- The Application of **Resonant Shunt Damping to Oscillographs**.—Martin and Caris, p. 112.
- The **Two-Element Portable Oscillograph Improved**.—Rusher, p. 112.
- Checking the Performance of **Loop Oscillographs** by means of the **Cathode-Ray Oscillograph**.—Lon'ar, p. 634.
- New **Crystal Oven** [Heat-Insulated Chamber replaced by Heavy Copper Plate and Small Crystal Compartment], p. 52.
- A **Novel Thermometer** [for Crystal Heater Ovens: Metallic Expansion Varies Carbon Button Microphone Pressure].—Gutterman, p. 52.
- Photronic Cell for Temperature Control** [of a Crystal Oven], p. 52.
- What is Anomalous Behaviour of **Permeability at High Frequencies?**—Arkadiew, p. 226.
- Calculation of the **Permeability and Losses in Ferromagnetic Sheets** at a Given Frequency [with Formulae and Curves].—Arkadiew, p. 340.
- On the **Permeability of Iron at Ultra-Radio Frequencies**.—Arkadiew, p. 460.
- Permeability of Iron at Ultra-Radio Frequencies**.—Hoag and Jones, p. 226.
- Further Remarks on the **Non-Existence of an Anomaly in the Permeability of Iron in the Wavelength Range 84-1300 Metres**.—Wait, p. 637.
- Ferro-Inductors and Permeability Tuning**.—Polydoroff, p. 393.
- Phanotrons**: see **Pliotrons** (Hull), Rectifier.
- Liaison between the Two General Methods of Preparing Phosphorescent Zinc Sulphide**.—Coustal, p. 458.
- Photoelectric Cell**: see **Amplifying and Recording Small E.M.Fs.**
- The **Sensitization of Ordinary Photographic Plates to Wave Lengths below 2500 Å**: A Simplified Method of Preparing Schumann Plates.—Allen and Franklin: Hopfield and Appleyard, p. 52.
- The **Photographic Emulsion**—Variables in Sensitisation by Dyes: the Mechanism of Hypersensitisation.—Carroll and Hubbard, pp. 52 and 284.
- The **Effectiveness of Photographic Layers in Spectrography of All Wavelengths** [including Cathode Rays: a Survey].—Eggert, p. 459.
- The **Intensification of Photographic Records** by Subsequent Exposure to Weak Light before Development.—Hartree and Hill, p. 52.
- The **Photographic Action of Electrons** [and the Effect on the "Threshold" of the Sensitising Process of Oiling the Surface of the Film].—Whiddington and Taylor, p. 52.
- An Arrangement for **Introducing Photographic Plates into a High Vacuum** and for Removing Them therefrom.—Andresen, p. 284.
- Photography of Faint Transient Light Spots**.—Richardson, p. 284.
- The Most Important **Phototechnical Properties of 32 Commercial Types of Film**.—Schmieschek, p. 517.
- The **Darboux-Koenigs Planigraph**.—Nyström, p. 228.
- On the Theory of the **Luminous Arc Plasma**.—Gábor, p. 111.
- Plastic Materials in Engineering**.—Röhrs, p. 227.
- The **Crystalline State of Thin Sputtered Films of Platinum**.—Thomson, Stuart and Murison, p. 516.
- Study of the **Electrical Properties of Thin Films of Platinum** obtained by Cathode Sputtering.—Frýr, p. 516.
- The Application of the **FP-54 Photron** to Atomic Disintegration Studies.—Hafstad, p. 636.
- New **Pliotrons, Cathode-Ray Tubes for X-Ray Analysis, Thyratrons and Phanotrons**.—Hull, p. 173.
- "Banana" **Plugs for Laboratory Use**.—Bader, p. 113.
- Potentiometers**: a Survey.—Brooks, p. 227.
- Distortion of Curve Form by Unsuitable Sliding-Contact Potentiometers**.—Kind, p. 113.
- A **New Slide-Wire Potentiometer** [Rotatable Cylinder with Contact Ball].—Robertson, p. 113.
- A **Triode Instrument for the Regulation of Electrical Quantities** according to a **Predetermined Programme**.—Plicker: Fehr, p. 113.

Subsidiary Apparatus and Materials.

- Measurement of Gas Pressure by Negative Glow.—Rentschler, p. 112.
- The Caustic Soda Primary Battery with Depolarisation by Atmospheric Oxygen.—Le Carbone Company, p. 226.
- Primary Battery Substitutes for Automobile Radio Receivers.—Dunsheath, p. 173.
- Logarithmic Protractor.—Yearian, p. 638.
- A New Exhaust Pump for High Vacuum [Cenco Aristovac Pump, Molecular Drag Principle].—Cadwell, p. 112.
- High-Speed High-Vacuum Diffusion Pumps.—Estermann and Byck, p. 52.
- A New Type of Vacuum or Circulating Pump.—Harrington, p. 52.
- Special Apparatus for Continued Operation of High-Vacuum Pumps without Superintendence.—Pupp, p. 284.
- Continuous-Drive Record Paper Holder for Oscillographs.—Fischer, p. 635.
- A Pen Recorder for D.C. Millivolts and Microamperes at Energy Levels of 4–5 Microwatts.—Bernade and Lunas, p. 227.
- A New Electronic Recorder: New System of Recording using Electronic Means.—Bernade and Lunas, p. 338.
- The Field of Application of the "Pegelschreiber" [Automatic Level Recorder] in Telephone Engineering.—Fenyó, p. 638.
- A Round Chart Indicating Recorder.—Leeds and Northrup Company, p. 460.
- Analyses of Rates of Rotation of Recording Drums.—Blake and McComb, p. 635.
- On the Driving Mechanism of Recording Apparatus.—Baltzer, p. 579.
- Rectifier Valve with Cylindrical Anode and Cathode of Tungsten Wire wound round a Calcium Cylinder and continued to a Point near the Anode.—Abadie, p. 110.
- The Properties of Copper-Oxide Dry-Plate Rectifiers under Prolonged Test.—Böhm, p. 110.
- A Rectifier System for [Plate Voltage Supply of] Broadcast Speech-Input Equipment, using the New -83 [Mercury-Vapour Rectifier].—Bradner Brown, p. 636.
- [The Construction of] the Tantalum Rectifier for Battery Charging.—Colebrook, p. 515.
- A Phanotron [Hot-Cathode Gas-Filled] Rectifier for Power and Lighting Service.—Currier and Whitney, p. 636.
- Current and Potential Relations in Grid-Controlled Rectifiers.—Dällenbach, p. 111.
- Theory of [Mercury Vapour] Arc Rectifiers with Retarded Commutation.—Demontvignier, p. 111.
- The Selenium Rectifier [Comparison with Copper-Oxide Type].—Fukuda and Saito, p. 515.
- Selenium or Selenide Rectifier?—Gripenberg, pp. 53 and 282.
- The Copper-Cuprous-Oxide Rectifier and Photoelectric Cell.—Grondahl, p. 515.
- Copper-Oxide Rectifier used for Radio Detection and Automatic Volume Control.—Grondahl and Place, p. 39.
- The Mercury Vapour Valve with Control Grids, and Its Use as a Reversible Rectifier.—Hafner, p. 111.
- Fundamental Characteristics and Applications of the Copper-Oxide Rectifier.—Hamann and Harty, p. 637.
- Thyratron-Controlled Voltage Rectifiers [for Laboratory Use: employing Selsyn Transformer].—Hartman, p. 282.
- The Stopping Layer of Rectifiers.—Jusé, p. 636.
- The Current Rectifier as an Alternating Current Load.—Klemperer, p. 111.
- The Current Rectifier with Capacitative Load.—Klemperer and Strobl, p. 577.
- The Ignitron—a New Controlled Rectifier [Arc started by Spark between Carborundum and Mercury].—Knowles: Westinghouse Company, p. 577. See also below (Slepian).
- Tests on the New Arc-in-Air Rectifier for Very High Voltages and Powers.—Marx, p. 459.
- Measurements on Barrier-Layer Rectifiers [New and Aged: Bergstein's Classification: Wagner's Theory].—Meyer and Schmidt, p. 225.
- [Experimental] Comparison of the Rectifying Characteristics of Hot-Cathode Mercury-Vapour Rectifier Tubes and High-Vacuum Diodes.—Miura and Utsumi, p. 111.
- The Current and Voltage Ratios of the Grid-Controlled Rectifiers.—Müller-Lubeck and Uhlmann, p. 459.
- Investigation of the Copper Oxide Rectifier at High Voltages [Contradiction of Cold Emission Theory and Agreement with Joffé-Frenkel Gas Theory].—Nasledow and Nemenov, p. 402.
- Metal-Clad Mercury Arc Rectifiers in Broadcast Stations.—Sidler, p. 339.
- A New Method of Starting an Arc [High Resistance "Starter Rods" of Carborundum, etc., for Controlled Rectifiers].—Slepian and Ludwig: Westinghouse, p. 636. See also above (Knowles).
- Gas and Vapour Tube Multipliers for Indicator Use [The Use of Grid-Controlled Rectifiers for Amplification of Small D.C. Voltages, as from Thermocouple Pyrometers].—Weller, p. 459.
- Data of Rectifier Valves, Philips, Rectron, Telefunken and Valvo, p. 110.
- Rectifiers: see also Converters, Crystal, Cuprous Oxide, Inverters, Mercury Arc, Mercury Vapour, Relays, Voltage.
- Three-Phase Transformer Connections and Their Application to High-Voltage Rectifying Circuits.—Epperson, p. 459.
- The Conductivity of Compressed Mercuric Sulphate [Rectifying Action].—Scislawski, p. 577.
- The New "K" Tube [Neon Tube particularly designed for Operation of Relays].—Brown, p. 173.
- [Tone-Frequency Valve Relay employing] Rectified Reaction.—Harris, p. 113.
- An Electron-Tube Time-Delay Relay.—Holloway, p. 640.
- Glow-Discharge Relay actuated by Increasing the Electrode Gap.—Landis and Gyr, p. 227.
- Gasfilled Relays. Part II.—Practical Applications.—Lewer and Dunham, p. 53.
- Non-Linear Circuits [Saturating Reactors in Resonance Circuits] Applied to Relays.—Suits, p. 403.
- The Performance of Relays [as regards Variability in Time of Operation].—Tomlinson, p. 578.
- A High-Speed Reactance Relay [using Induction Dynamometer Principle for Torque Production].—Warrington, p. 403.
- Relays for Electronic Devices, p. 285.
- Relay Circuit for Pointer Instruments, replacing Positive Contact by Spark or Brush Discharge which triggers a Glow Discharge Relay, p. 227.
- A Commercial ("SSW") Glow-Discharge Relay, p. 113.
- Relays: see also Glow Discharge.
- Special Flexible Shaft for Remote Control, p. 579.
- 100,000-Ohm Wire-Wound Resistances [for Noiseless Operation of Volume Control, etc.].—Clarostat Company, p. 227.
- Constant High Ohmic Wire Resistances for Heavy Loading.—Jungesblut, p. 284.
- Variable [Pressure-Regulated] Carbon Resistances.—Le Carbone Company, p. 112.
- Metallic Electrical Resistance Materials [including Megapyr, Isabellin and Kruppin].—Schulze, p. 637.
- Controls for 1933 Receivers [particularly Moulded Carbon Variable Resistances and Their Uses].—Wunderlich, p. 460.
- A New Continuously Variable Resistance, p. 227.
- A New Resistance Material with Very High Melting Point: the Kanthal Alloys, p. 637.
- Resistance: see also Manganin.
- "Monette" High-Resistance Cord, p. 284.
- The Measurement of the Phase Angles of Shielded Resistors.—Berberich, p. 227.
- A Resistor for High-Voltage Measurements [made from Thin-Film Carbon Resistances].—Bowdler, p. 637.
- The Constant Paramagnetism of Metallic Rhenium.—Perakis and Capatos, p. 281.
- Rhenium, Its Properties and Application, p. 281.
- An Improved Rheostat [with Screw-Drive Mechanism].—Whitson, p. 113.
- Anomalous Dispersion of the Dielectric Constant of Rochelle Salt.—Busch, p. 637.
- Measurements of the Dielectric Constant of Rochelle Salt by a New Method.—Oplatka, p. 403.
- Investigation of the Dielectric Properties of Rochelle Salt by means of X-Rays.—Staub, p. 403.
- Conducting Properties of Rubber Strongly impregnated with Lamp Black [and Their Variation with Tension and Compression: Applications to Radio Technique].—Granier, p. 462.
- A Novel Optical Screen for Classroom Demonstrations [White Cotton Threads stretched Vertically like Harp Strings].—Howey, p. 285.
- Screening of a Core-less Oil-cooled Choking Coil by means of an Auxiliary Winding. Part 1.—Hak, p. 226.
- The Screening of the Magnetic Field of Cylindrical Coils.—Hillers, p. 281.
- New Design of High-Wattage Incandescent Lamps made possible by the Development of a Simple and Reliable Method for making a Copper-to-Glass Seal.—Wright, p. 285.
- The Conductivity of Electronic Semi-Conductors in a Magnetic Field.—Bronstein, p. 402.
- The Discontinuities of Potential at the Contact of a Semi-Conductor and a Metallic Electrode.—Déchéne, p. 515.
- Electrical and Optical Behaviour of Semi-Conductors. IX. Mechanism and Origin of Conductivity in the Dark and Photoelectric Conductivity of Cuprous Oxide.—Engelhard, p. 636.
- Report on the Theory of Semi-Conductors.—Fowler, p. 515.
- Electromagnetic Shielding at Radio Frequencies.—King, p. 206.
- Experiments on Electromagnetic Shielding at Frequencies between One and Thirty Kilocycles.—Lyons: King, p. 403.
- An Instrument for Testing Windings for Short-Circuited Turns.—Geyger, p. 113.
- A Shorted-Turn Indicator [e.g. for Testing Voice Coils of M.C. Loud Speakers].—Seright, p. 517.
- A Signal Generator for the New Receiver Tests.—Thiessen, p. 341.
- Magnetic Skin Effect in Laminated Iron with an Air Gap.—Kaden, p. 226.
- The Theory of the Skin Effect.—Rothe, p. 498.
- Skin Effect in a Stratified Cylinder of Circular Section.—Strutt, p. 269.
- Skin Effect with Direct Current.—Weber, p. 516.
- A New Substitute for the Slide Rule.—Ravigneaux, p. 228.
- A Study of the Probable Error of Slide Rules.—MacAdam, p. 53.

Subsidiary Apparatus and Materials.

Sodium-Filled Tubes as Electrical Conductors for Large Currents.—Dow, p. 284.

Spiral Springs [New Theory, New Methods of Attachment, etc.].—van den Broek, p. 53.

The **Stabilisation of Potentials** of the Order of 1 000 Volts by means of Positive Corona Discharges: a Portable Apparatus for Use with Ion Tube Counters, etc. [using a Spark Coil as Supply Source].—G. Medicus, p. 638.

On the Quantitative Theory of the **Wimshurst Static Machine**: of the Toepler-Holtz Static Machine.—Simon, p. 285.

Progressive Lightning: a New Stereoscopic.—Boys, p. 389.

Composition of Grids for Positive Plates of Storage Batteries as a Factor influencing the Sulphation of Negative Plates [and the Effect of the Presence of Antimony].—Vinal, Craig and Snyder, p. 579.

Focusing Stroboscopic Measurements by means of Short Voltage Impulses [as the Source of Lamp Illumination].—Fucks and Weyrauch, p. 113.

A **Tuning-Fork-Controlled Stroboscopic Light Source**.—Kluge, p. 113.

The **Mercury Arc** as an Actinic **Stroboscopic Light Source**.—Edgerton and Germeshausen, p. 113.

A **New Material** for Various Radió Purposes.—“Svea” Iron.—Todd, p. 113.

Special Iron for Vacuum-Tube Electrodes [“Svea Metal”], p. 281.

Synchronisation of Motors: the Prevention of Hunting [using an Elastically-Connected Flywheel, a Photoelectric Cell and Thyratrons].—Lichine: Béghin, p. 578.

Synchroscope: see Cathode-Ray.

The **Newton Tangraph Rule**, p. 460.

Outline of a Theory of the Technique of **Temperature Regulation**.—Lang, p. 342.

On the **Temperature Coefficient** of the Electrical Resistance of Silicon, and a **Thermoelectric Phenomenon** of Unipolar Substances.—Bedel, p. 112.

The **Construction of Thermoelectric Piles**.—Cotton: Égal, p. 341.

New Way of Making Use of Thermoelectric Phenomena [Many Thermojunctions in Series].—Égal, p. 227.

An **Iridium-Rhodium Thermoelement** for Temperatures up to 2 000°C.—Feussner, p. 342.

A **Precision Aperiodic Thermostat** [to avoid Rapid Local Temperature Fluctuations often undetected by Thermometer].—Schmitt, p. 52.

Modifications in the Houghton-Hanson [Hot and Cold Bulb] **Thermostat**, p. 52.

An **Automatic Regulating Device** for **Thermostats** or **Adiabatic Calorimeters**.—Rieche: Semm, p. 112.

Calculations on Thyratrons [on Basis of Richardson Equation: Desirable Relations Found].—Frenkel, p. 459.

Characteristics and Functions of Thyratrons.—Hull, p. 339.

The **Temporal Course of the Ignition** of Ionic Valves [Thyratrons].—Klemperer, p. 459.

The **Single-Tube Thyatron Inverter** [and Its Applications, particularly as Generator of Saw-Tooth Voltage for Linear Time Base or Spot-Welding Control].—Livingston and Lord, p. 459.

A **Life-Test Power Supply** Utilising **Thyatron Rectifiers**.—Lord, p. 577.

Harmonic Commutation for **Thyatron Inverters** and **Rectifiers**.—Willis, p. 173.

The **Use of Thyratrons** as **Relays** in **Heater Sets** [for Crystal Incubators], p. 577.

A **Study of the Thyatron Commutator Motor**.—Willis, p. 281.

The **Thyatron Relaxation Oscillator** and Some of Its Applications.—Reich, p. 53.

Thyratrons: see also Arcs, Converters, Gas-Filled, Inverters, Pilotrons, Rectifiers.

Electronic Timer for Very Short Intervals [Double Thyatron Circuit suitable for use with Photoelectric Cell].—Lord, p. 113.

An **Automatic** [Photoelectric] **Time-Recorder**.—Richards and Wood, p. 53.

A **Time Transformer** for the Automatic Registration of Short Times.—Steenbeck and Strigel, p. 225.

Tuned-Transformer Coupling Circuits [Low-Loss Air-Core Transformers, as used in I.F. Amplifier of Field Strength Measuring Set].—Christopher, p. 341.

Light-Weight Transformers for Aircraft [for Transmitters and Receivers].—Grant, p. 226.

A **Current Transformer** for Low Radio Frequencies [for Use in the Measurement of Currents of 10–50.0 A at 60 kc/s, in Conductors at Potentials 10 000 v above Earth].—Hilton, p. 638.

Transformers with Peaked Waves [e.g. for Neon Lamp Stroboscopes].—Kiltie, p. 226.

The **Design of an “Error-Free” Current Transformer** [Constant Permeability by use of Two Magnetic Circuits working respectively on the Concave and Convex Parts of Their Magnetisation Curves].—Schwager, p. 515.

Power Transformer Testing.—Shea, p. 173.

[Air-Cored] **Transformers** with Variable Coupling.—Siegel, p. 443.

VDE Rules for Design and Testing of Small and Low-Voltage **Transformers**.—Verband Deutscher Elektrotechniker, p. 460.

VDE Rules for Design and Testing of Small and Low-Voltage **Transformers**, p. 340.

Current Transformer of Toroidal Type, giving Limited Secondary Current even with Excessive Primary Current, p. 340.

Contribution to the Calculation of the Optimum Dimensions of **Electrical Transformers and Machines**.—La Cour, p. 228.

New Apparatus and Appliances [Special Transformer and Output Choke for “Quiescent Push-Pull”], p. 226.

Push Pull Output Transformer, p. 638.

The **Preparation of Metallic Tungstates** [and the Advantage of the Presence of an Alkaline Chloride].—Karl, p. 458.

Vapour Pressure of Vacuum Cements.—Zabel, p. 459.

A **Mercury Sealed Gas Valve**.—Essig, p. 225.

On the **Regulation of Voltage** [Various Systems, including the Tirrill Regulator].—de Querquis, p. 112.

The **Use of Triode Vacuum Tube Rectifiers** to Supply Constant **Voltage**.—Richards, p. 636.

Triode Regulators [for Rapid and Accurate Voltage Control: Philips Company].—Voorhoeve and de Jong, p. 112.

Diode Regulators—a Simple Method of **Voltage Control**, p. 341.

Automatic Voltage Regulation by a Recording Voltmeter with Predetermined Limits inscribed in a Conductive Ink.—Fehr, p. 638.

Methods of Power-Supply Voltage Regulation during Keying, p. 112.

Voltage Stabilisation: the Mechanism of Voltage Regulation by means of Gas Discharge Tubes.—Colebrook, p. 577.

A **Simple Method of Observing High-Frequency Voltage Wave Forms** [Cathode-Ray Oscillograph and Rotating Mirror].—Bab, p. 224.

Wave-Forms: see also Cathode-Ray.

Discussion of the Action of a **Wenhelst** Cylinder using Potential Theory.—Wendt, p. 635.

Heat-Resistant Insulated Wire [Vega Chrom-oxide Wire], p. 341.

The **A.C. Resistance** of Straight **Wires** of Circular Section composed of Several Concentric Layers [e.g., Tinned or Oxidised Copper Wire].—Ekelöf, pp. 323-324.

Tests on Stranded Wires.—List, p. 284.

Secondary Electrons in X-Ray Tubes [Avoidance of Their Effects].—Bouwers and van der Tuuk, p. 112.

X-Ray Tube Input Control.—Harper, p. 225.

A **Metal X-Ray Tube** [using Stainless Steel, Pyrex Glass, Sealing Wax. Absence of Ground Cone Joints and the Use of Vacuum Grease].—Ksanda, p. 112.

Operation of Thick-Walled X-Ray Tubes on Rectified Potentials [Blocking Action of High Negative Charge on Cold Glass Walls].—Taylor and Stoneburner, p. 284.

STATIONS, DESIGN AND OPERATION

Ultra-Short-Wave Developments in Aircraft: a Description of Equipment for Duplex Telephony on One Aerial.—Gee, p. 404.

Aircraft Radio [Survey].—Okada, p. 639.

Projected Ultra-Short-Wave [“Microwave”] **Service for Aircraft** [Information between England and France, p. 286.

The **Clear Channel in American Broadcasting** [Is it Still Essential?].—Broadcast Committee, I.R.E., p. 342.

Announcers and Announcing.—Lebede, p. 229.

The **Prospects of Long-Wave Broadcasting** in South-Eastern **Australia**.—Munro and Green, p. 579.

Radio Communication in Aviation [a Survey].—Brenot, p. 460.

Adaptation of the Baudot Apparatus to Long- and Short-Wave Radiotelegraphy.—Verdan, p. 639.

Bisamberg: see Vienna.

The **Boat Race**: Description of the Apparatus used on the B.B.C. Launch, p. 342.

The **Fading-Diminishing** [“One-Wire”] **Aerial of the Breslau Broadcasting Station**.—Eppen and Gothe, p. 394.

The **Breslau High-Power Broadcasting Station** [and the “One-Wire” Aerial Results], p. 114.

Development of Broadcast Transmissions [International Organisation, Administration, etc.].—Brailiard, p. 404. See also under “Miscellaneous.”

Long versus Short Broadcast Waves.—Byrne, p. 229.

The **Required Minimum Frequency Separation** between Carrier **Waves of Broadcast Stations**.—Eckersley, p. 285.

Proper Sites for Broadcast Stations: a Radical Proposal to Improve Receiving Conditions [Transference of Stations to Sites near Centre of Territory Served].—Horn, p. 342.

Some New Foreign Broadcasting Stations [Prague, Sottens and Beromunster, Westerglen].—Adam, p. 229.

Periodic Variations of the Field Strengths of [Broadcasting] **Radio Stations**.—Eppen, p. 342.

Ten Years of Broadcasting.—Flurry, p. 342.

How should the Sound Archives of Broadcasting be Used?—Lebede, p. 229.

The **Technique of Broadcasting**.—Part I., p. 114.

China’s First High-Power Broadcasting Station, at Nanking, p. 114.

The **Coltano Radio-Maritime Centre**.—Pesson, Montefinale and Marzoli, p. 114.

New Milestones in Commercial Wireless.—Chetwode Crawley, p. 174.

Some Experiments on Common-Frequency Broadcasting.—Takata and Kinase, p. 53.

Stations, Design and Operation.

- Time Delay Effects in Synchronous [Common-Wave] Broadcasting.—Aiken, p. 460.
- The Question of the Choice of Common-Wave Systems [Synchronised or Unsynchrosised].—Gerth, p. 391.
- Line-Controlled Synchronisation of Common-Wave Transmitters.—Runge, p. 285.
- Common-Wavelength Relay Broadcasting [Nature and Possibilities].—Wells, p. 404.
- Supervisory and Control Equipment for Audio-Frequency Amplifiers.—Sohn, p. 286.
- Experimental Results on a Radio Broadcasting System using Distribution Networks of Electric Supply.—Miura, p. 639.
- Short-Wave Broadcasting in the Dutch East Indies.—Kuyck, p. 497.
- The Radiation Diagram of the Eiffel Tower Wireless Station.—David, p. 173.
- Six Months of Empire Broadcasting.—Ashbridge, p. 460.
- Empire Broadcasting.—Smith-Rose, p. 174.
- The Empire Transmitting Station: Technical Details of the New Short-Wave Equipment, p. 114.
- Christmas Greetings Over the Empire: How the Broadcast was Done, p. 174.
- Empire Broadcasting—Details of Equipment at Daventry—New Short-Wave Transmitters, p. 114.
- The Empire Broadcasting Station, p. 174.
- System for the Elimination of Effects of Fading and Atmospherics in High-Speed Telegraphy, using Signal Repetition Method.—Telefunken: Schröter, p. 230.
- Transoceanic Short-Wave Services: the Prediction of Day-to-Day Transmission Conditions by Forecasting the Magnetic Activity.—Brown: National Broadcasting Company, p. 639.
- A Frequency Monitoring Unit for Broadcast Stations.—Coram, p. 174 and 342.
- The German Stations for Oversea Service.—Hahn, p. 230.
- The Completion of the German Broadcasting Network: the New High Power Stations Langenberg and Breslau.—Semm, p. 54.
- The German Broadcasting Network. II. The New Leipzig High Power Station and the Common-Wave Stations at Frankfurt (Main) and Trier.—Semm, p. 638.
- Germany's High-Power Broadcasting Stations.—Semm, p. 342.
- System of Interference-Free Telegraphy.—Siemens & Halske: Jipp, p. 236.
- The International Organisation of Radio Communications: Organisations, Conventions and International Regulations.—Adam, p. 460.
- The Development of Broadcasting in Italy, p. 638.
- Land-Line Circuits for Broadcasting: Equalisation of Land-Line Circuits, p. 579.
- The League of Nations Wireless Station.—van Dissel, p. 638.
- The Marconi Short-Wave Telephone-Telegraph Installation of the League of Nations.—Marconi Company, p. 286.
- The Lucerne Wave Allocation Plan.—Giess, p. 518.
- The European Radiocommunications Conference at Lucerne, 1933.—Reyval, p. 639.
- Lucerne Wave Plan: Some Continental Opinions, p. 518.
- The Lucerne Fight over the Radio Waves, p. 579.
- New European Wavelengths Plan: the Lucerne Convention, p. 518.
- Lucerne Convention: see also Madrid.
- Reception Reports on "Radio-Luxemburg," p. 638.
- Radio Luxembourg: Junglinster High-Power Broadcasting Station.—Soc. Française Radio-Electrique, p. 405.
- The Radioelectric and Telegraphic Conferences at Madrid, 1932, and Lucerne, 1933.—de Fabel, p. 639.
- The International Radiotelegraphic and Telegraphic Conference, Madrid, 1932.—Pfeuffer, p. 518.
- The International Radiotelegraphic and Telegraphic Conference in Madrid, 1932.—Reyval, p. 460.
- The Madrid Conference: Amateur Representatives Successful, as Fourteen-Weeks' Meeting Continues all Amateur Bands.—Warner, p. 229.
- The Madrid Conference and the Regulation of Radio Communication [with Field Strength Curves for Sea and Land], p. 518.
- The Propagation of Waves: an Account of Work carried out at Madrid [Field Intensities for 1 kw Radiated: Limiting Ratio of Fields of Two Stations on Same Wavelengths], p. 319.
- Micro Radio Waves—Recent Experimental Work carried out in Italy—Reception beyond Optical Range.—Marconi, p. 236.
- A System of Double Modulation for Duplex Radio Communication on Micro-Waves.—Carrara, p. 54.
- Micro-Wave Service between Lympe Airport, near Hythe, and Stinglevert, near Calais.—Standard Telephones and Cables, p. 173.
- Micro: see also Aircraft, Sardinia, Ultra-Short.
- Note on an Impulse Indicator [for Monitoring Modulation of Wireless Transmitters and Sound Films].—Rocard, p. 639.
- "France-Algeria" Multiplex and Secret Radiotelephone Service.—Borias, p. 638.
- Music Transmission over Short-Wave Commercial Radio-Telephone Circuits.—Gracie, p. 404.
- A Broadcasting Service for Portugal: Establishment of a State Monopoly, p. 518.
- Field-Strength Charts of Poste-Parisien and Radio-Paris.—David, p. 461.
- The Working of Radioelectric Services [Survey of Ten Years].—Picault, p. 342.
- Transoceanic Radio Communication [RCA Network].—Beverage, Peterson and Hansell, p. 404.
- The First Broadcast "with Reply" [Hugenberg's Speech to Cassel Meeting].—Kluth, p. 639.
- The Installation at WHAM [Rochester, N.Y.], p. 638.
- Comparison between 10-Metre and 35-Centimetre Services (between Italy and Sardinia).—Pession, p. 517.
- Radioelectric Communication with Ships at Sea.—Picault, p. 229.
- North Atlantic Ship-Shore Radiotelephone Transmission during 1930 and 1931 [Analysis of Short-Wave Data].—Anderson, p. 229.
- Speech from Ship to Shore.—Bennington, p. 114.
- Short-Wave Transmission to South America [Survey of Transmission Conditions, etc.].—Burrows and Howard, p. 229.
- Experimental Contribution to the Study of the Propagation of Short Waves [based on Paris-Buenos Ayres and Paris-New York Services].—Maire, p. 404.
- Particulars of the Principal Short-Wave Stations of the World.—Namba, p. 174.
- A Method of Calculation of Field Strengths in High-Frequency [Short-Wave] Radio Transmission.—Namba and Tsukada, p. 560.
- Long-Distance Short-Wave Services [a Survey of Ten Years].—Villem, p. 342.
- Transoceanic Reception of High-Frequency Telephone Signals [Short-Wave Relaying for International Broadcasting].—Morris and Brown, p. 230.
- Short Wave: see also Dutch E. Indies, Sardinia.
- Simultaneous Broadcasting [Land-Line Technique].—Lyall, p. 638.
- Simultaneous Telegraphy and Telephony on Short-Wave Circuits.—Thierbach, p. 114.
- Simultaneous Telephony and Telegraphy on Short Waves.—Lüschen, p. 114.
- The Use of a Control Frequency outside the Speech Band for Controlling Receiver Amplification and simultaneously for Telegraphic Communication.—Telefunken: Runge, p. 342.
- The Tatsfield Checking Station: Development of the B.B.C. Listening Post, p. 342.
- A Telephone System for Harbour Craft: Fishing Industry Adopts Marine Telephony.—St. Clair: Woodworth, p. 54.
- Radio-Telephony [Survey for 1932, including the "Compondor" Device].—Falkner, p. 230.
- Mobile Radiotelephony [Passenger Ships, Whaling Ships, Trawlers, Aircraft, Trains].—Loring and Buttner, p. 114.
- The Use of Telephonic Circuits for Special Transmissions: Broadcast Relaying: Picture Transmission: Conferences by Telephone.—Höpfner, p. 229.
- The "Radio Trains" of the National Society of Belgian Railways.—Katel, p. 639.
- High Power Transmission and Reception at One Station (Beam Station at Salisbury, Rhodesia).—Marconi Company, p. 230.
- Experiments on Ultra-High-Frequency Communications [on 8.2-Metre Wave from Summit of Mt. Fuji].—Nakai, Kimura and Ueno, p. 173.
- Some Practical Experiments on Ultra-Short Waves [7.75 Metres: B.B.C. and Marconi Company's Preliminary Tests].—Ashbridge, p. 229.
- Ultra-Short Waves and Their Use in Radio Communication.—Carrara, p. 114.
- The Ultra-Short-Wave Service between Corsica and the Continent.—de Cléjoux, p. 228. Also Picault, below.
- Ultra-Short Radio Waves and the Cardiff-Weston-super-Mare Radio Link.—Nancarrow, p. 228.
- Broadcasting on [Ultra-Short Waves of] 7.85 Metres: Experimental Work in Amsterdam.—Nordlohne: Philip's Company, pp. 229, 342, and 404.
- Five Metre [Ultra-Short-Wave] Work for Amateurs.—O'Heferman and Morgan, p. 461.
- The Radio-telephone Service by Ultra-Short Waves between the Continent and Corsica.—Picault, p. 54. Also de C., above.
- One More Step in Universal Communication [the "Transceiver," a Two-way Transmitter and Receiver weighing 22 Pounds with Battery Unit, for Ultra-Short Wave around 5 Metres].—RCA Victor, p. 173.
- Communication Tests on Ultra-Short Waves between Small Islands and Main Land.—Uda, Obata, Arisaka and Seki, p. 173.
- Tests for Broadcasting and for Some Other Special Communication by Ultra-Short Waves.—Uda and Arisaka, p. 173.
- The Ultra-Short-Wave Link across the Bristol Channel, p. 114.
- "Ultra-Shorts" from the Air.—Morgan, p. 517.
- Ultra-Short and Ultra-High: see also Aircraft, Micro.
- The Vienna [Bisamberg] High-Power Broadcasting Station.—Meyer, p. 638.
- The New Vienna Broadcasting Station.—Telefunken, p. 286.
- The Bisamberg (Vienna) High-Power Broadcasting Station with Reflector Tower.—Telefunken, p. 229.

Siations, Design and Operation.

Note on the Field Intensity of the Marconi Broadcasting Station erected at **Warsaw** [Comparison of Observed Results with the Eckerlesy "Modified Watson Diffraction Formula"].—Eckerlesy, p. 113.

Wireless Equipment in British **Warships**.—Garner, p. 404.

West Regional Broadcasting Station in Great Britain, p. 404.

GENERAL PHYSICAL ARTICLES

The Laws of Action at a Distance in Electricity.—Abraham, p. 639.
The Equilibrium of Atoms and Ions Adsorbed on a Metal Surface.—Evans, p. 343.

Phase Boundary Potentials of Adsorbed Films on Metals.—Whalley and Rideal: Jacobs and Whalley, p. 579.

On the Cold Cathode Vacuum Arc.—Newman, p. 55.

Arc, Spark and Glow: A Note on Nomenclature.—Thomson, p. 55.

On Atoms of Action, Electricity and Light.—Fleming, p. 54.

Electrical Barkhausen Effect in Crystals of Rochelle Salt.—Kluge and Schönfeld, p. 287.

On the Relation between the Integral and the Differential Biot-Savart Law.—Greinacher, p. 114.

Recombination Radiation in the Caesium Positive Column.—Mohler, p. 580.

The Adsorption of Caesium Atoms on Tungsten.—Langmuir, p. 343.

The Nature of Adsorbed Films of Caesium on Tungsten. Part I. The Space Charge Sheath and the Image Force.—Langmuir, p. 343.

Accommodation Coefficient of Gaseous Ions at Cathodes.—Compton, p. 115.

Interpretation of Phenomena due to Accommodation Coefficient of Ions at Cathode Surfaces.—Compton, p. 343.

On the Mobility of Electrical Charge Carriers under the Simultaneous Influence of Strong Electric and Magnetic Fields.—Kugler, Ollendorff and Roggendorf, p. 461.

Movement of Charged Particles in a Field of Suddenly Changing Potential.—Persico, p. 461.

Physics and the Method of Coincidences.—Bender, p. 54.

Demonstration of the Existence of the Multiple Compton Effect.—Hulubei, p. 287.

Theory of the Conductivity of Polarizable Media.—Jaffé, p. 287.

The Electronic Conductivity of the Copper Oxides.—Le Blanc, Sachse and Schöpel, p. 579.

Problems of Electrical Images in Dielectrics. I.—Weigle, p. 54.

Dielectric Constant and Particle Size.—Williams and Oncley, p. 230.

On Some Applications of the Absolute Differential Calculus to Physics.—Kaplan, p. 230.

On an Analogy between the Dirac Electron and the Electromagnetic Wave.—de Broglie, p. 54.

The Interaction of Charges in Dirac's Theory [Interaction of Two Electrons in Three Dimensions].—Nikolsky, p. 461.

On Dirac's New Theory of the Electromagnetic Field.—Schubin, p. 518.

The Influence of Circuit Constants and Frequency on Characteristics of Gas Discharges at Low Pressures (Part VI).—Asami, p. 580.

The Explanation of Luminous Phenomena in Spark Discharge through Gases.—Fucks, p. 230.

Gas Discharge and Breakdown.—Rogowski, p. 115.

Corona and Spark Discharge in Gases.—Stephenson, p. 579.

High-Frequency Electric Discharge in Gases.—Wilson, p. 461.

Electrodeless Discharges in Uniform Fields.—Yarnold, p. 343.

Energy turned into Mass for First Time in History: Atom Disintegration Experiments confirm Einstein's Theory of Mass-Energy Equivalence.—Bainbridge, p. 405.

Experiments to Determine the Total Intensity of the Earth's Magnetic Field from the Time of Rotation of Slow Electrons.—Stehberger, p. 518.

The Value of e/m .—Birge, p. 343.

Determination of e/m for an Electron by a New Deflection Method.—Dunnington, p. 343.

A Determination of e/m by means of Photoelectrons excited by X-Rays.—Kretschmar, p. 343.

The Most Probable Values of the Atomic Constants e and h .—Ladenburg, p. 343.

The Most Probable Values of e , e/m and h .—Shiba, p. 343.

On Measurements of e/m for Thread-like Electron Beams.—Siebertz, p. 115.

Theory of Electric Charge.—Eddington, p. 54.

The Kinetics of Electrode Processes. Part II.—Reversible Reduction and Oxidation Processes.—Butler and Armstrong, p. 287.

Potential Distribution About an Electrode on the Surface of the Earth [Analytical Treatment, including the case of a Many-Layer Earth].—Muskat, p. 518.

New Investigation of the Electrolytic Valve Action. V.—The Properties of the Sparks.—Güntherschulze and Betz, p. 55.

On the Subject of the Electromagnetic Equations.—Prunier, p. 639.

On the New Relations in Electromagnetism and Their Interpretation.—Prunier, p. 639.

The Electromagnetic Field of a Moving Uniformly and Rigidly Electrified Sphere and Its Radiationless Orbits.—Schott, p. 342.

Scattering of Electrons by Ions and the Mobility of Electrons in a Caesium Discharge.—Boeckner and Mohler, p. 405.

The Foundations of Geometrical Electron Optics.—Brüche, p. 230.

Electron Beam and Gas Discharge.—Brüche, pp. 283-284.

Extension of Woo's Formula. Intensity of the Light diffused by an Electron in Motion.—Cannata, p. 405.

Remarks on the Magnetic Moment and the Moment of Rotation of the Electron.—de Broglie, p. 54.

The Linear Momenta of Electrons in Atoms and in Solid Bodies, as Revealed by X-Ray Scattering.—Du Mond, p. 405.

Electrical Charges Smaller than That of the Electron.—Ehrenhaft, p. 287.

The Possible Existence of a Charge smaller than that of the Electron.—Wasser; Ehrenhaft, p. 639.

Remark on the Space-Charge Field of the Gas-Concentrated Electron Beam.—Engel, p. 115.

On the Conservation of the Quantity of Motion in the Processes of Electron Collision.—Goldstein, p. 115.

Emission of Electrons from Metals under the Action of Monochromatic X-Radiation.—Hase, p. 343.

On the Velocity Distribution of Secondary Electrons from Insulators.—Kalkhoff, p. 343.

Secondary Electron Emission from Tantalum [on Bombardment by Lithium Ions].—Utterback and Williams, p. 343.

The Diffusion of Electrons by Atoms.—Winter, p. 518.

Electron Diffusion, Electron Attachment, and the Ageing of Negative Ions in Commercial Nitrogen at Atmospheric Pressure.—Zeleny, p. 55.

Electron: see also Dirac.

Electron Theory of Metals [Mathematical Paper on Present State including Thermionic and "Cold" Emission].—Peters, p. 461.

Notes on Some Electronic Properties of Conductors and Insulators.—Fowler, p. 579.

On the [Quantum Mechanics] Theory of Electronic Semi-Conductors.—Bronstein, p. 461.

An Elementary Theory of Electronic Semi-Conductors, and Some of Their Possible Properties.—Fowler, p. 579.

The Passage of Photonic Rays through Atoms [and the Ether as a Corpuscular Structure whose Corpuscles are Atoms of Zero Atomic Number with Nuclei formed of a Proton and an Electron].—Posejpal, p. 55.

The Polarisation of the Fluorescent Light of Pure Mercury Vapour [and the Depolarising Effect of a Magnetic Field].—Kastler, p. 639.

The Fundamental Particles.—Langer, p. 54.

Contemporary Advances in Physics: High-Frequency Phenomena in Gases.—Darrow, pp. 174 and 230.

Gravitation and Electricity.—Viney and Leybourne: Willis, p. 343.

The Twenty-Third Kelvin Lecture: "The Work of Oliver Heaviside."—Sumpner, p. 174.

The Hydrodynamic Theory of Electro-Magnetism.—Prunier, p. 54.

The Principle of Indefiniteness.—Darrow, p. 518.

Course of Current and Voltage in Insulating Materials with One or Several Movable Thin Layers of Charge.—Schurmann, p. 461.

Measurement of the Townsend Coefficients for Ionisation by Collision.—Sanders, p. 580.

Ionisation by Positive Ions.—Townsend and Jones, p. 343.

Electrical Conductivity of Ionised Gas in the Presence of a Magnetic Field.—Cowling, p. 461.

Investigations of the "Electrical Diffusion" of the Ions in Gases with Unipolar Charge.—Wolodkewitsch, p. 287.

The Definition of the Magnetic Field [Thompson's Formulae more practical than Maxwell's].—Abraham, p. 518.

The Action of a Magnetic Field on the Absorption Rays of Iodine [and Its Destructive Action on Fluorescence].—Agaribiceanu, p. 287.

On the Influence of a Transverse Magnetic Field upon the Resistance of Liquid Metals.—Fakidov and Kikoin, p. 579.

Atomic Magnetism.—Chevallier: Cabrera, p. 287.

A Common Misapprehension of the Theory of Induced Magnetism.—Wilberforce, p. 287.

Generalisations of Maxwell's Theory.—Viney, p. 54.

Michelson Interferometer Experiment: Miller's Result on Mount Wilson explained as the Esclangon Effect.—Carvallo, p. 174.

The Chemical Nature of the Neutron.—Achalme, p. 287.

The Neutron.—Kurie, p. 405.

Artificial Production of Neutrons.—Lauritsen, Crane and Soltan, p. 287.

The Mass of the Neutron [consisting of One Proton and One Electron of Negative Energy].—Placinteanu, p. 518.

Theoretical Considerations on the Constitution of Neutrons, Positive Electrons and Photons: the Existence of Negative Protons.—Placinteanu, p. 639.

Synthesis of the Works of Newton, Fresnel and Maxwell.—Sevin, p. 639.

Non-Canonical Transformations and the Electromagnetic Field.—Rumer, p. 513.

Non-Conducting Modifications of Metals.—Kramer and Zahn, p. 115.

The Problems of Perturbations and Self-Consistent Fields.—Brillouin, p. 54.

An Effect of Space-Charge in Probe Analysis of a Plasma.—Sloane and Emeleus, p. 639.

General Physical Articles.

- The Formation of the Maxwell Distribution in a Langmuir Plasma.—Gábor, p. 230.
- Electrostatic Theory of a [Langmuir] Plasma.—Gábor, p. 639.
- Langmuir's Plasma.—Seeliger, p. 55.
- Paramagnetic Rotatory Polarisation [especially the Enormous Rotating Power of Tysonite].—Bequerel and de Haas, p. 115.
- Positive and Negative Electrons Apparently Produced in Paris [Support to Millikan's Photon Theory of Cosmic Rays].—Langer : Anderson, p. 461.
- The Positive Electron.—Anderson, p. 405.
- Contribution to the Study of the Positive Electrons [showing Some Photographs of the Tracks of Penetrating Radiation [showing Positive Electrons]].—Blackett and Occhialini, p. 343.
- New Evidence for the Positive Electron.—Chadwick, Blakett and Occhialini, p. 405.
- Contribution to the Study of the Positive Electrons.—Curie and Joliot, p. 405.
- The Origin of the Positive Electrons.—Curie and Joliot, p. 518.
- Positron formally Introduced; Negative Proton Predicted.—Anderson, p. 405.
- Free Positive Electrons ["Positron" suggested as Name: Lose energy more rapidly than "Negatrons" in passing through Matter].—Davis : Anderson, p. 405.
- Positive Electrons and the Existence of Protons [Dirac's Theory of the Holes : the Proton as a "Hole with a Neutron"].—Mandel, p. 518.
- Electrostatic Deviation and Specific Charge of the Positive Electron.—Thibaud, p. 579.
- Some Evidence indicating a Removal of Positive Ions from Cold Surfaces by Electric Fields.—Beams, p. 115.
- Emission of Positive Ions from Cold Surfaces under the Influence of Strong Electric Fields.—Harper, p. 115.
- A New Expression for Poynting's Radiation Vector.—Prunier, p. 639.
- Probability and the Exponential Laws of Physics [Derivation from Poisson's Probability Equation].—Holmes, p. 518.
- The Complexity of the Proton and the Mass of the Neutron [Proton composed of Neutron and Positive Electron].—Curie and Joliot, p. 579.
- Quantum Theory of Dispersion (Continued). Parts VI and VII.—Breit, p. 579.
- On Quantum Electrodynamics.—Dirac, Fock and Podolsky, p. 518.
- The Lagrangian in Quantum Mechanics.—Dirac, p. 342.
- A Further Point of Analogy between the Equations of the Quantum Theory and Maxwell's Equations.—Fahmy, p. 287.
- On the Quantum Theory of the Diffusion of Electrons.—Goldstein, p. 114.
- Quantum Theory of Inelastic Collisions of Electrons.—Goldstein, p. 579.
- The Quantum Theory of Semi-Conductors [a Survey].—Hill, p. 461.
- On the Function of Quantum Mechanics which corresponds to a Given Function in Classical Mechanics.—McCoy, p. 114.
- Quantum Mechanics of Collision Processes.—Morse, p. 55.
- Experimental Establishment of the Relativity of Time.—Kennedy and Thorndike, p. 174.
- Ritz's Electrodynamics Theory.—Hovgaard, p. 579.
- Observation with the Eye of a Schrot Effect for Photons.—Barnes and Czerny, p. 461.
- Semi-Conductors : see also Electronic, Quantum.
- The Field Distortion of a Plane Spark Gap, crossed at Constant Voltage by an Ionising Electron Layer.—Sämmer, p. 461.
- On the Flow of Electric Current in Semi-Infinite Stratified Media.—King, p. 286.
- Superconductivity of Tin at Radio Frequencies.—Silsbee, Scott, Brickwedde and Cook, p. 579.
- Supraconductivity [Survey and Bibliography].—Clusius, p. 115.
- Variational Principles in Electromagnetism.—Bateman, p. 639.
- On the Foundations of the Electron Wave Equation.—Milner, p. 286.
- The Wave-Mechanical Theory of the Harmonic Oscillator.—Oseen, p. 286.
- The Analysis of Compound Wave Forms.—Thompson, p. 230.
- On the Electromagnetic Field of the Wave of Light.—de Broglie, p. 114.
- MISCELLANEOUS**
- On Abstracts Journals.—Pegram, p. 640 : see also Physical Society. Scientific Instruments and Aeronautics.—Wimperis, p. 232.
- Yearly Report of the Electrical Engineering and Wireless Division of the German Aircraft Research Establishment.—Fassbender, p. 115.
- A Method of Solving Algebraical Equations.—Labaye, p. 287.
- Amplifier : see Carrier.
- An Amplifying Lever for the Measurement of Small Displacements [such as the Deformations of Piezoelectric Plates].—Fink and Fox, p. 463.
- Physico-Chemical Method of Analysis in an Organic Solution by Measuring the Dielectric Constant.—Chrétien and Laurent, p. 117.
- The Differential Equations of Ballistics.—Clemmow, p. 343.
- Reproduction of Print for the Blind.—Allen, p. 463.
- Photoelectrograph for the Blind.—Perls : Thomas, p. 174.
- The Optical Electrical Transformation of Printed Matter into Sound or Raised Characters for the Blind, with the help of the "Principle of Optical Congruence."—Schutkowski, p. 344.
- Reading Print by Photoeol [Photoelectrograph and Visagraph for the Blind].—Walker, p. 174.
- A Method for the Investigation of the Impedance of the Human Body to an Alternating Current.—Brazier, p. 581.
- Some Remarks on the Question of the Resistance of the Body to High-Frequency Currents.—Malov, p. 581.
- The International Organisation of Broadcasting.—Brenot, p. 232.
- Brush Discharge in Air affects Engine Performance, p. 581 : see also X-Rays.
- A Portable Amplifying Electro-Cardiograph.—Siemens Company, p. 117.
- An Electrical Calculating Machine.—Mallock, p. 460.
- The Work of the Institute for the Applications of Calculation [including Problems connected with Oscillation Transformers, Thermionic Currents, etc.], p. 580.
- Improvements in Prytherch's Capacity Dilatometer.—Haughton and Adcock : Prytherch, p. 518.
- Small Capacity Changes : see also Kathetron, Ultra-micrometric.
- A New System of Multiple Telegraphy by Carrier Current [including the "Amplifier"].—Kajii and Matsumae, p. 166.
- Carrier in Cable [and the Use of a New Type of Amplifier embodying the Principle of "Negative Feedback."].—Clark and Kendall, p. 628.
- Report on the Tests in the Punkwa Caves and Tunnels.—Fritsch, p. 558.
- On the Classification of Technical Papers [The Brussels Decimal Classification System].—Moench, p. 231.
- The Transparency of Clouds and Fogs to Visible and Infra-Red Radiations.—Müller, Theissing and Kiessig, p. 55.
- An Electron-Tube Time-Delay Relay for Automatic Stopping of Coil-Making Machines for Valve Filaments.—Holloway, p. 640.
- Glow Tube Checks Over- and Under-Voltages [for Testing Coin Relays in Coin Collectors], p. 117.
- The Method of Coincidences, or a Quick Method of Determining the Approximate Value of a Simple Correlation Coefficient.—Savur, p. 287.
- Code of Fair Competition for the Radio Manufacturing Industry [submitted to the National Recovery Administration], p. 640.
- International Electricity Congress, Paris, 1932 : Summaries of Papers in Sections I and II, p. 55.
- Radio-Electricity at the International Electrical Congress, Paris, 1932 [Summaries], p. 115.
- The Biological Effect of Cosmic Rays.—Lakhovsky : Rivera, p. 117.
- Curve Sheet for Working out Measurements of Complex Quantities.—Hermann, p. 461.
- The 8th "Deutsche Physiker- und Mathematikertag," Bad Nauheim, 1932, p. 232.
- Radio International [a Five-Language Dictionary giving 900 of the Most Important and Commonly Used Radio Terms].—Pariser, p. 640.
- Development and Programme of the Differential Analyser.—Bush, p. 231.
- A Simple Method for the Numerical Solution of Differential Equations : Note on Error and its Avoidance.—Bickley, p. 461.
- Successive Approximations [to the Solution of Linear Differential Equations] by the Rayleigh-Ritz Variation Method.—MacDonald, p. 461.
- The Potential Value in Industry of Discoveries which are of Comparatively Small Scientific Importance.—Moore, p. 55.
- Dissemination of Scientific Knowledge.—Lefson, p. 231.
- Signal Distortion in Telegraph Circuits.—Jolley, p. 288.
- The Measurement of Telegraph Distortion.—Terry, p. 462.
- Mutual Impedance of Grounded Wires Lying On or Above the Surface of the Earth.—Foster, p. 640.
- A Study of Stray Earth Currents [from D.C. Lines] and of Electrolytic Phenomena.—Schlumberger, p. 117.
- Table of Organisation and Programme of Higher Education in Electrical Engineering in Different Countries, p. 231.
- Applied Science Not So Efficient as Supposed : Overall Efficiency of Automobile Transportation of Passengers only 3%.—Winston, p. 405.
- The Permanent Electret.—Eguchi, p. 232.
- Electrical Communication in 1932.—I. T. and T. Laboratories, etc., p. 288.
- New Applications and the Expansion of Recent Uses of Electricity : Recent Applications of Electrical Methods.—Sills : Bishop, p. 231.
- Some Recent Developments in Electromagnetic Inspection and Test Equipments.—Smith, p. 640.
- Electronic Devices for Industrial Control.—Gulliksen, p. 232.
- Electronic Devices in a Testing Laboratory.—Sharp, p. 117.
- Electro-Physics [Review of Progress].—Campbell, p. 461.
- Greatly Enhanced Effects of Galvanic Electrotherapy by use of High Voltages.—Pasteur, p. 344.
- Ellipsoidal Functions and Their Application to Some Wave Problems.—Hanson, p. 580.
- Notes on Relations between Elliptic Integrals and Schlomilch Series [in connection with the Calculation of Modulation Products].—Bennett, p. 519.

Miscellaneous.

- The **E.M.F.s** developed by **Man** in Contact with a Metallic Conductor [and Their Diurnal Variation].—Vlès and others, p. 463 : see also Growth.
- Tests on High-Speed Diesel Engines by Electrical [Piezoelectric, Ultra-Micrometric, etc.] Methods.—Nägel, p. 232.
- The Strobophometer [for Studying the Knock in Internal Combustion Engines].—Stansfield and Carpenter, p. 55.
- The Physical Society's Exhibition, January, 1933, pp. 232, 287 and 288.
- What the Industry brings to the Berlin Radio Exhibition, p. 580.
- Wireless and Other Electrical Apparatus at the German Aircraft Exhibition, 1932, p. 115.
- From the Great German Radio Exhibition, Berlin, 1932.—Burstyn, p. 115.
- Technical Advances at Radio Exhibition, Berlin, 1932 [especially Superheterodyne Receivers], p. 115.
- The 9th German Radio Exhibition, 1932, p. 55.
- Olympia, 1932 : Impressions of the Radio Exhibition, p. 115.
- This Year's Radio Exhibition [Olympia].—Turner, p. 115.
- The Post Office Exhibit at the National Radio Exhibition.—Morris, p. 115.
- Artificial Fever : see also Heating, Radiotherapy, Ultra-Short.
- Investigations of the Transparency to Light of Fog.—Born, Dziobek and Wolf, p. 581.
- Remark on the Paper by G. Köhler and A. Walther : On the Fourier Analysis of Functions with Discontinuities, Corners and Similar Peculiarities.—Feinberg, p. 230.
- The Theory of Functions and Its Application in Engineering. Rothe, Ollendorff and Pohlhausen, p. 55.
- The Contribution of Radiotelegraphy to Geophysics, p. 382.
- Progress in 1932 in the Work of the German State Post Office, p. 405.
- Glossary of Physical Terminology.—Weld, p. 640.
- Researches on the Influence of Electrical Conditions on the Growth of Infants.—Vlès, p. 174 : see also E.M.F.s.
- Short Wave H.F. Currents. Their Heating Effects.—Short Wave Diathermy.—Cross, p. 117.
- A Study of High-Frequency Heating [in connection with the Production of Artificial Fever].—De Watt : Whitney, p. 117.
- The Theory of Heating by Induced H.F. Currents.—Ribaud, p. 231.
- High-Frequency Heating in Industry, p. 117.
- Heating : see also Electrotherapy, Fever, Radiotherapy, Ultra-Short.
- Meeting of the Heinrich-Hertz Institute, 1933, p. 640.
- The Electrostatic Production of High Voltage for Nuclear Investigations.—Van de Graaff, Compton and Van Atta, p. 462.
- The International Indexing of Scientific and Technical Papers.—Bradford, p. 287.
- An Installation for Telephony on Infra-Red Rays.—Fernandes, p. 640.
- Infra-Red, The Next Playground of Vacuum Tubes [Sextant, Locating Aeroplanes by Heat of Exhaust, Warships by Funnel Heat, Iceberg Warning].—Macneil, p. 117.
- Infra-Red Fog-Eye picks up Ships below Horizon.—Macneil, p. 581.
- International Instruction in Communication.—Gill : Craemer, Ebeling and Küppmüller, p. 287.
- Inductive Interference from Fault Currents on E.H.T. Power Lines.—Jackman, p. 519.
- The Production of 4 800 000 Volt Hydrogen Ions.—Livingston and Lawrence, p. 462.
- The Juridical Control of Radio in France.—Mestre, p. 287.
- The Kathetron as a Detector of Small Capacity Changes [Application to Detection of Foreign Bodies or Flaws].—Craig, p. 344.
- "Radio Knife" employing Induced Currents [thus dispensing with Electric Cord Connection], p. 231.
- Lamé, Mathieu and Related Functions in Physics and Engineering.—Strutt, p. 461.
- Variation of Luminous Intensity of Incandescent Lamps as a Function of Variation of Applied Voltage.—Pêcheux, p. 231.
- Notes on the Method of Least Squares.—Eddington, p. 237.
- On the Theory of Errors and Least Squares.—Jeffreys, p. 55.
- An Electronic Phase-Failure Relay [for Lifts or Hoists driven by Polyphase Mains].—Stanbury and Brown, p. 344.
- The Atoms as a Source of Light [and the Search for "Cold" Light].—Dushman, p. 344.
- Electroless Discharge and Sources of Monochromatic Light.—Eslangon, p. 232.
- A Sonic Nephelometer [for Comparison of Light transmitted by Translucent Materials].—Wilson, p. 462.
- On Linear Systems with First-Order Partial Derivatives with Two Variables.—Carleman, p. 639.
- Looking Ahead as 1933 Opens, p. 231.
- Loud Speakers summon Physicians in the New York Hospital ["Doctors' Paging Service"], p. 463.
- Limiting Values of Vectors of a Locus Curve [Application to the Simple Calculation of Maxima and Minima in place of Differential Calculus].—Kind, p. 580.
- Mechanical Models for Electrical Processes.—Weller, p. 580.
- German State Railways' Apparatus for the Calibration of Measuring Instruments for the Determining of Mechanical Movements.—Bernhard and Kammerer, p. 288.
- An Example of a Complete Analogy between Electrical and Mechanical Oscillation.—Ramsauer, pp. 500-501.
- Elimination of the Troubles in Telephone Circuits produced by Mercury-Vapour Rectifiers.—Collett, p. 519.
- Removal of Metallic Deposits [on Walls of Discharge Tubes] by High-Frequency Currents.—Robertson and Clapp, p. 640.
- Development of the High-Frequency Metallurgical Oven.—Tama, p. 344.
- Partial Sterilisation of Milk in Continuous Process, by Use of Magnetostriction Generator.—Gaines, p. 174.
- Radio-Telephony in Mines.—Noack, p. 231.
- A Photoelectric Method of Putting in Evidence the Mitogenetic Radiation of Gurwitsch.—Petri : Gurwitsch, p. 288.
- Tuning In on Mosquitoes, p. 117.
- Mosquitoes attracted by Ultra-Violet Lamps and then Trapped or Electrocuted, p. 581.
- Variable Speed Motor with Vacuum Tubes.—Alexanderson, p. 640.
- Optical Manograph with Low Inertia [for Study of Internal Combustion Motors].—Serruys, p. 463.
- Modern Communication Systems [including Multiple Utilisation of Transmission Systems, as in Two-Band Telephone Systems and Simultaneous Telephony and Telegraphy on Short Waves].—Lüschen, p. 116.
- Mutual Impedance of Grounded Wires for Horizontally Stratified Two-Layer Earth.—Riordan and Sunde, p. 624.
- Mutual Induction between Power and Telephone Lines under Transient Conditions.—Radley and Josephs, p. 462.
- Radio Tubes Amplify and Measure Nerve Messages.—Bronk, p. 117.
- A Universal Precision Stimulator [Thyratron Circuit for Nerve Physiology Researches].—Schmitt, p. 174.
- Radio and Electrical Nomenclature [a Plea for a General "Cleaning Up"].—Scroggie, p. 462.
- Optical Telephony to a Ship Below the Horizon, p. 463.
- Optico-Electrostatics [Optical Method of Determining the Electric Field in a Dielectric].—Tutumi, p. 174.
- Engineering Organisation.—Shea, p. 580.
- The New German Patent and Trade Mark Law.—Neumann, p. 117.
- The U.S.A. Patent "Pool", p. 231.
- Patent Problems in the Field of Electronics [and the Need of Careful Study of Previous Patents].—Toulmin, p. 117.
- Changes in Patent Procedure, p. 117.
- An Extremely Simple Method of Periodogram Analysis.—Alter, p. 343.
- Practical Application of Periodogram Analysis.—Sandström : Lindquist, p. 405.
- The Use of the Selenium Barrier-Layer Photocell for Physical Measurements.—Bergmann, p. 116.
- The Importance of the Barrier-Layer Photocell in Illuminating Engineering.—Bloch, p. 232.
- Colour Measurement by the Three-Colour Method using a Photocell.—Bloch, p. 344.
- Semi-Conductor Photocells and Their Application in Colorimetry and Photometry.—Lange, p. 344.
- Control of Wood-Pulp Cooking by Photocell.—Navarre Paper Mills, p. 462.
- Making Measurements with the Photocell.—Walker, p. 581.
- Photocell Applications :—Surgeon and Operating Theatre Door ; Mine Door opened by Mine Locomotive ; Drinking Fountain ; Theatre Admission Checking ; Comparing "Amount of Ink" in Printing Book Forms for Uniformity, p. 460.
- Photocell signals when Coffee is roasted to Correct Shade, p. 463.
- New Use for Photocell [preventing Damage to Printing Machinery if Paper Breakage occurs], p. 238.
- Photocell Control against Paper Breakage in Newspaper Printing, p. 581.
- Laundry Conveyor operated by Photocell, p. 581.
- Photocell ensures Perfect Jig-Saws, p. 581.
- Colour Matching in Automobile Plant [by Photocells : for Parts finished in Different Places or Other Factories], p. 581.
- Light Sensitive Process Control [Photoelectric Control of Concentration of Solutions].—Alfriend, p. 640.
- Photoelectric Scopometer [for Turbidimetric and Colorimetric Measurements].—Bausch and Lomb Company, p. 344.
- A [Photoelectric] Smoke Density Meter.—Bean, p. 231.
- A Photoelectric Motor and Two Photometers, using Barrier-Layer Photocells.—Bergmann, p. 344.
- A Practical Photoelectric Reflection Meter [using the Bergmann Selenium Barrier-Layer Photocell].—Bergmann, p. 462.
- Improvement of the Photoelectric Polarimeter.—Brubhat and Guinier, p. 288.
- Experiments on Polarimetry by Photoelectric Technique : Measurements of the Rotatory Dispersions of Some Sugars.—Brubhat and Chatelain, p. 232.
- A Photographic Recording Photoelectric Densitometer.—De Vore, p. 640.
- * The Exact Measurement of Photographic Densities [by Photoelectric Methods].—Fleury and Boutry, p. 462.
- A Photoelectric Transparency Meter.—Geffcken and Richter, p. 116.
- A New [Barrier-Layer] Photoelectric Microphotometer with Synchronous Recording Equipment.—Lange, p. 116.
- An Improved Photoelectric Recorder.—La Pierre, p. 581.

Miscellaneous.

- Experiments with a Recording Photoelectric Pyrometer [and Its Use as an Automatic Control in Spot Welding, etc.].—Müller and Zetzmann, p. 344.
- Photoelectric Colour-Measuring Instruments.—Neustadt, p. 519.
- Photoelectric Compensation Method for Photometric Measurements [using Two Selenium Barrier-Layer Cells].—Richter, p. 116.
- A Photoelectric Instrument for Comparing the Strengths of Coloured Solutions.—Selwyn: Kodak Company, p. 462.
- The Limiting Magnitude observable with a Photoelectric Stellar Photometer. The Application of a Thermionic Amplifier to the Photometry of Stars.—Sinclair Smith: Whitford, p. 462.
- Measurement of Yarn Thickness and Evenness [by Photoelectric Method].—Stanbury, p. 231.
- Portable Photoelectric Colour-Matcher operating at Three Points of the Spectrum.—Westinghouse Company, p. 116.
- An Integrating [Photoelectric] Photometer for X-Ray Crystal Analysis.—Wheeler Robinson, p. 581.
- The Development of Commercial Photoelectric Photometers.—Winch and Harper, p. 116.
- Photoelectric Control of Welding, Rivet, and Valve-Stem Heaters: of Amount of Chlorine introduced into Water Supply, p. 581.
- Cloth-Dyeing Machine with Photoelectric Reverser: Electric Eye watches Bowling-Alley "Foul Line": Smoke Recorder and Truck-Height Indicator in Holland Tunnel, p. 231.
- Photoelectric Photometer tests Air Purity, p. 463.
- Photoelectric Cells in Investigations of the Range of Lighthouses with Revolving Beams.—Blondel, p. 581.
- A Precision Densitometer using a Photoelectric Cell.—Boutry, p. 462.
- The Posophotometer [Photographic Exposure Meter using Photoelectric Cell].—Établissements Filmograph, p. 581.
- The Measurement of Very Weak Luminous Flux by means of a Photoelectric Cell.—Gambetta, p. 462.
- The Automatic Control of Street Lighting by Photoelectric Cells.—Hauser, p. 116.
- The Synchronoscope, using a Photoelectric Cell.—Heyne, p. 462.
- The Automatic Timing of the Ostwald Viscometer by means of a Photoelectric Cell [eliminating Psychological Errors].—Jones and Talley, p. 519.
- Use of the Photoelectric Cell in Biology [Study of Area and Shape of Blood Cells].—Savage, p. 231.
- Applications of Photoelectric Cells in Chemical Engineering.—Smithells, p. 288.
- Photoelectric Cells: Their Properties and Uses. II. Some Applications.—Stoodley, p. 463.
- Photoelectric Cells in Photometry.—Walsh, p. 581.
- The Bernheim Photoelectric Cell requiring No Amplification, p. 519.
- Rotations of Frictionless Steam or Gas Meter counted by Photoelectric Cell, p. 463.
- Photoelectric Cell Applications [Control of Hydrogen Ion Concentration in Various Processes: Handling of Hot Steel Strip in Tube Manufacture], p. 344.
- Stringent Test for Photoelectric Cell [Half-Mile Optical Link in Broadcast Transmission], p. 271.
- Testing of Raw Silks for Uniformity of Thread Diameter by Photoelectric Cell, p. 117.
- Photoelectric Cells: see also Blind, Photocells, Photoelectric, Pressures, Tube, Walking, and below.
- Photoelectric Control of Paper Cutter for Paper Bag Making.—Shoultz, p. 463.
- Photoelectric Control in the Printing Arts [with List of Sixteen Applications to Printing, Publishing, etc.], p. 116.
- Photoelectric Control of Works Lighting saves 4 000 kwh Monthly, reduces Lamp Replacements 25%, improves Production and reduces Accidents, p. 344.
- Photoelectric Relays.—King, p. 174.
- Photophony [Photo-Telephony] with Voltage Modulation of Incandescent Lamp—Viewed from Its Wave Form.—Suzuki, p. 231.
- Opposed Photronic Cells responsive, independent of General Illumination, p. 344.
- Report on the Publications Questionnaire Sent to Members of the American Physical Society [Economy Proposals: the Abstracts Problem], p. 287: see also Abstracts.
- The Activities of the Physikalisches-Technische Reichsanstalt in the Year 1931, p. 232.
- Recording and Measuring Blood Pressure by a Piezoelectric Method.—Bugnard, Gley and Langevin, p. 231.
- The Use of Piezoelectric Crystals in Resonant Oscillation for the Measurement of Pressures [New Piezoelectric Dynamometer].—Guerbilsky, p. 580.
- The Piezoelectric Measurement of Mechanical Vibrations, Accelerations and Extensions.—Kluge and Linckh, p. 288.
- Piezoelectric Methods of Measuring Mechanical Forces.—Saxl: Kluge and Linckh, p. 117.
- Piezoelectric Measurement of Pressures [e.g. in Large Guns, or Very Low Pressures] and Weights.—Weber, p. 463.
- Piezoelectric: see also Engines, Motors, Pressure, Vibrations, Vibrometer, and under "Measurements and Standards."
- Pittsburgh's Contributions to Radio.—Kintner: Fessenden, p. 232.
- On Some Processes of Electro-Culture and on the Distant Action of Metallic Circuits on the Growth of Plants.—Failletaz: Lakhovskiy, p. 117.
- Plants as Detectors [Rectifying Effect of Sap Movement].—Marinesco p. 174.
- Decreasing the Tractive Force necessary for Ploughing by the use of Electric Currents between Plough and Blade.—Weber, p. 344.
- [Variation of] Conductivity of NaCl Crystals under Pressure.—Gyulai, p. 463.
- Direct Determination of the Mean Pressure in Heat Engines.—Labarthe, p. 580.
- Methods of Measuring and Recording Rapidly Varying Pressures [as in Aeroplane Engine Cylinders: a Photoelectric Method].—Labarthe and Demontvignier, p. 231.
- On the Use of the Pentode Valve for Pressure Recording in Fluids.—Oliphant, p. 161.
- Measuring Instantaneous Pressure in Shot Guns [Piezoelectric Gauge], p. 117.
- The Principles of Electromagnetism.—Moullin, pp. 462 and 519.
- The Concepts of Inverse Probability and Fiducial Probability Referring to Unknown Parameters.—Fisher: Jeffreys, p. 287.
- Probability, Statistics, and the Theory of Errors.—Jeffreys, p. 519.
- Probability Theory and Telephone Transmission Engineering.—Hoyt, p. 230.
- Electromagnetic-Wave Prospecting in the U.S.S.R.—Petrowsky, p. 519.
- Modern Methods of Protection against Theft by Automatic Alarm Apparatus [Infra-Red-Ray, Vibration, and Capacity-Change Methods].—Dubois, p. 640.
- Publicity and the Physicist.—Potter, p. 580.
- The Movements of a Quartz Crystal in an Electrostatic Field.—de Gramont, p. 518.
- The Rotation of a Quartz Crystal.—de Gramont, p. 581.
- On the Probable Emission of a Radiation of Small Penetrating Power from Certain Metals.—Reboul, p. 463.
- Highly Absorbable Radiations from "Resistance Cells."—Reboul, p. 463.
- The Radio Corporation of America and Its Ramifications.—Winkler, p. 580.
- Radio Engineering.—Terman, pp. 288 and 519.
- Survey of the Most Important Developments in Radio Engineering and Acoustics in 1932.—Elektrotechnischer Verein, p. 580.
- Radio Engineering Handbook.—Edited by Henney, p. 462.
- The Radio Industry in 1932 [Some Statistics], p. 405.
- The Technical Problems of Radio-Telephony, at the U.I.R. Meeting at Montreux, June, 1932.—Adam, p. 55.
- Radio-Telephony [Survey for 1932, including the "Compondor" Device].—Faulkner, p. 230.
- Radiothermy [including Artificial Fever: with Bibliography].—Whitney, p. 117.
- On a New Type of Reasoning and Some of Its Possible Consequences and Remarks on the Preceding Note on Many-Valued Truths.—Zwicky: Bell, p. 519.
- Some Electrical Methods of Remote Indication.—Midworth and Tagg, p. 580.
- Remote Indication and Control Devices.—Tagg, p. 462.
- Utilising the Results of Fundamental Research in the Communication Field.—Jewett, p. 287.
- Research Developments in 1931 and 1932.—Koenemann, p. 405.
- Recent Radio Research, p. 232.
- Electronics in Resistor Manufacturing.—Podolsky, p. 640.
- The Dielectric Constant [of Rocks containing Salt and Bitumen] at Volkenroda.—Löwy, p. 640.
- Royal Society Conversazione—Radio and Other Exhibits, p. 580.
- Variation of Conductivity of Rubber impregnated with Lamp Black: Applications to Variable Resistance, Vibrometer, Pick-up, Tuning Fork, etc.—Granier, p. 405.
- Progress of Vulcanisation watched by means of Oscillator Grid-Circuit Condenser Plates embedded in Rubber Mass, p. 640.
- On the Prior Probability in the Theory of Sampling.—Jeffreys, p. 230.
- Short-Wave Treatment of Nervous Paralysis.—Kellner, p. 463.
- Short-Wave Wireless Communication.—Ladner and Stoner, p. 580.
- Skin Effect with Direct Current.—Weber, p. 519.
- Iron Tube filled with Metallic Sodium as Overhead Conductor for Large Currents.—Bundy, p. 519.
- The Projection of Solid Images in Space by the "Katscope."—Siemens Company, p. 640.
- The Role of Statistical Method in Economic Standardisation.—Shewhart, p. 519.
- The Distribution of Second Order Moment Statistics in a Normal System.—Wishart and Bartlett, p. 55.
- Principles of Statistical Analysis Occasionally Overlooked.—McNish, p. 499.
- The Nitriding of Steel by the use of High-Frequency Currents, p. 117.
- Stroboscopy applied to the Calibration of Electricity Meters.—Maurer, p. 640.
- Le Roy's Generalisation of Borel's Method of Summation of Divergent Series: the Theory of the Product of Two Series.—Vignaux, p. 405.

Miscellaneous.

- Summation Methods in Smoothing Curves.**—Vercelli, p. 405.
- Tangential Polar Coordinates** or Polar Coordinates, and Their Applications.—Jacob, p. 461.
- On Writing Technical Articles.**—Williamson, p. 462.
- Determining the Transmission Efficiency of Telegraph Circuits.**—Jolley, p. 462.
- An All-Mains, Voice Frequency Single-Channel High Speed Duplex Telegraph System.**—Owen and Bevis, p. 116.
- Point to Point Radio Telegraphy:** Present Position and Possible Future Development.—Wells, p. 116.
- Ten Years of Wireless, 1922-1932.**—The First Ten Years of the "Société des Amis de la T.S.F." and of the Journal "L'Onde Electrique."—Gutton, p. 343.
- Nikola Tesla and His Work,** p. 288.
- The Application of Radio Technique to the Testing of Materials:** the Measurement of the Internal Friction of Metals.—Polotowsky, p. 581.
- Electron Tubes in Radio City Theatres:** Lighting-Control, Sound, and Air-Conditioning Applications of Tubes, p. 344.
- Magnetic Apparatus for the Measurement of Thicknesses** [e.g. of Thin Sheets or Wires of Non-Magnetic Materials: Direct-Reading, suitable for Continuous Operation].—Bricout, p. 288.
- On the Relation between the Carson Integral Equation and the Solution by Fourier's Integral in the Solution of Transient Phenomena.**—Nukiyama, p. 639.
- The Robot Translator** [the Caralozzi Translatorphone], p. 344.
- Trends in Radio Design and Manufacturing** [Binaural Transmission: Hill-and-Dale Gramophone Recording: Reflex Circuits: etc.], p. 580.
- Photoelectric Cell Equipment in Steel Tube Works,** p. 344.
- The Rôle of Vacuum Tubes in a Tube Factory.**—Koechel, p. 581.
- Thyratron Control of Welding in Tube Manufacture.**—Lord and Livingston, p. 640.
- The Siccometer:** an **Ultra-Micrometer** for the Testing of Moisture in the Manufacture of Paper.—Carsten and Walter: Siemens & Halske, p. 232.
- The [Ultra-Micrometric] Measurement of Small Electrodynamic Forces with the Condenser Microphone.**—Agricola, p. 223.
- Ultra-Micrometric Method of Measuring the Temperature of Metal Container in Calorimetric Processes.**—Esser and Grass p. 519.
- The Sounding String as a Measuring Apparatus** [as **Ultra-Micrometric** Device for Small Movements in Buildings, Hulls, etc., and Lathe Investigations].—Haake, p. 232.
- A Non-Electric Ultra-Micrometric Device for Measuring Length or Pressure-Changes, depending on Mercury Columns of Large and Small Cross-Sections.**—Mohr, p. 55.
- Ultra-Micrometric:** see also Capacity, Electromagnetic, Engines, Kathetron, Mechanical, Motors, Rubber, Thicknesses.
- The Production of the Merget Phenomenon** [Gaseous Thermomdiffusion] by d'Arsonvalisation by **Ultra-Short Waves.**—Bordier, p. 231.
- [Ultra-Short] Radio Waves Kill Insect Pests** [in Wheat, Seeds, Tobacco, Vegetables, etc.].—Davis, p. 463.
- The Ultra-Short Electromagnetic Waves, with particular regard to Military Applications.**—Gatta, p. 519.
- Experimental Researches on the Effects of Ultra-Short Waves on the Functioning of the Cerebellum.**—Gemelli, p. 463.
- Measurements of the Temperature in the Interior of an Egg in the Electric Field of Ultra-Short Waves.**—Jellinek, p. 463.
- Heating Effects of Ultra-Short Waves.**—McLennan, p. 344.
- Ultra-Short Electric Waves:** a New Development in Diathermy.—Schliephake, p. 640.
- Killing Weevils in Wheat by [Ultra-] Short Wave.**—Westinghouse Company, p. 463.
- Ultra-Short [6 Metre] Waves kill Pests in Stored Beans, Peas, etc.,** p. 640.
- Ultra-Short Waves** [as used for producing Artificial Fever] bake Crustless Bread, p. 640.
- Ultra-Short:** see also Fever, Heating.
- New Valves and Their Industrial Applications** [Special Plotrons, Cathode-Ray Tubes for X-Ray Analysis, Thyratrons, and Phanotrons].—Hull, p. 174: see also Coil-Making, Electronic, Weighing, Wheat.
- Polar Chart Makes Vector Addition Easy.**—Arapakis, p. 174.
- Measurement of Velocity of Projectiles by means of Kerr Cell.**—Cranz, Kutterer and Schardin, p. 232.
- Measuring the Vibrations of Machine Parts** [by Method of Tuned Reeds] to Reduce Noise and Speed-Up Production.—Firestone, Durbin and Abbott, p. 55.
- Mechanical Vibration Research.**—Den Hartog, p. 55.
- Measurement of the Dissipation of Vibratory Energy in a Steel Bar by an Electrical Method.**—Kimball, p. 232.
- Measurement of the Vibrations of Railway Superstructures.**—Koch, p. 288.
- Mechanical Vibration of Conductor due to D.C. Corona Discharge.**—Kumagai and Nagaya, p. 518.
- The Technique of Vibration Measurement** [Survey with Bibliography of 73 Items].—Lehr, p. 55.
- Magnetostriction of a Circularly Magnetised Bar and Its Applications** [e.g. to Investigate the Torsional Vibrations of a Rotating Shaft].—Mori, p. 50.
- The Vibration of Taut Electric Wires** [and the Avoidance of Resonance Effects].—Respighi, p. 117.
- The Investigation of Mechanical Vibrations by Phase Measurement.**—Späth, p. 232.
- The Employment of the Reciprocity Relations in the Investigation of Mechanical Vibrations.**—Steinheil, p. 232.
- Torsional Vibrations in Axles and Shafts and the Resonance Oscillations in Filters** [Suggestion of a Method of Testing].—Treves, p. 232.
- Suggested Unit of Vibration Amplitude** [the "Pal"].—Zeller, p. 463.
- Portable Vibration-Velocity Meter for Velocities from 25 to 2 500 Mils per Second through Frequency Range 25 to 5 000 Cycles/Second,** p. 344.
- Vibrometer:** see also Piezoelectric, Rubber.
- Moving Track for Walking Exercises, with Speed Controlled by Walking Speed through Thyratrons and Photocells or Condenser Effect.**—British Thomson-Houston Company, p. 117.
- Lightning Research** [and **Water Diving Tests**].—Rudenberg: Lehmann, p. 55.
- Automatic Weighing with Vacuum Tubes** [for Wind Tunnel Measurements of Aeroplane Stresses, etc.].—Eastman, p. 344.
- The Use of a Condenser-Resistance Combination as Timing Circuit for Grid-Controlled Rectifiers used in Welding,** p. 581.
- Valve Method of Measuring the Moisture Content of Wheat.**—Hartig and Sullivan, p. 581.
- Study of the Wing Beats of a Bird or Insect by the use of a Hot Wire and Cathode-Ray Oscillograph.**—Magnan, p. 581.
- Notes on Wireless History.**—Taylor, p. 232.
- X-Rays Ionise at 100 Feet** [and the Possibility of using such Distant Ionising Action for "Short-Circuiting Aeroplane Engines"].—Du Mond, p. 405: see also Brush Discharge.