

# Audio

DECEMBER 1986 • \$2.25

INTERVIEW/PART II  
**LEIBER & STOLLER**

## **McLAREN AMP & PREAMP QUITE LIKABLE**



## **BUILD AN LEDE LISTENING ROOM**

### **REVIEWED-**

**MICHAEL GYRODEC**

**TURBULENCE-**

**STYLISH, GREAT SOUND**

**MONITOR 650E**

**COMPACT PER-**

**FORMANCE**

06030



## JBL PRO SOUND COMES HOME.

Now JBL brings advanced state-of-the-studio and state-of-the-stage speaker technology all the way home.

JBL is the speaker of choice in renowned concert halls and nearly seventy percent of recording studios worldwide. JBL puts on a powerful live performance on tour with superstar rock artists, under the most demanding, sustained volume conditions.

Using technology developed to satisfy these professional applications, JBL lets the home audience experience pro performance, too. The new JBL home loudspeaker systems deliver smooth, flat, accurate response with maximum power handling capability. Time domain and titanium technologies throughout ensure full dynamic range and precise stereo imaging for exciting, true-to-live sound.

JBL. The loudspeakers professionals feel most at home with.

For more information and your nearest dealer call toll free 1-800-633-2252 Ext. 150 or write JBL, 240 Crossways Park West, Woodbury, New York 11797.



A Harman International Company



# THE DELICATE BALANCE



**P**OLARIS. The promise of delicate tube-like performance is part of the allure of MOSFET amplifiers. But the promise remained largely unfulfilled, until now, because of transconductance error. In Polaris, Sumo employs proprietary active bias output circuitry to correct the problem. Dedicated servo circuitry also reduces crossover notch distortion to levels found in the very best Class A amplifiers. And the elimination of protection circuitry ensures the purest possible reproduction of music.

The power is 100 watts RMS per channel into 8 ohms at 0.05% THD. There is no current limiting. Polaris is a conservatively rated amplifier capable of driving 4 ohm, even 2 ohm, loads comfortably.

Audiophile analog pressings reveal new nuances of sound. Compact Digital discs display dynamic range without high end pain. Loudspeakers are driven to new highs. Subwoofers to new lows. There is finesse for the subtlest shading and power for the most explosive rock-and-roll.

Sumo products are manufactured in the USA. Among the select group of dealers stocking them are:

SPEAKERCRAFT, INC.  
6282 Magnolia Ave.  
Riverside, CA 92506  
Tel: 714/787-0400

THE SOUND CENTER  
707 N. Monroe St.  
Tallahassee, FL 32303  
Tel: 904/681-2929

**POLARIS** by




SUMO PRODUCTS GROUP, 21300 Superior St., Chatsworth, CA 91311 Tel: 818/407-2427  
SUMO CORP. CANADA, 1305 Odium Dr., Vancouver, B.C. V5L 3M1 Tel: 604/254-5148





See page 62



See page 54

## FEATURES

<b>THE AUDIO INTERVIEW: JERRY LEIBER &amp; MIKE STOLLER, PART II</b>	Ted Fox	54
<b>BUILD A LIVE END/DEAD END LISTENING ROOM, PART I</b>	William R. Hoffman	62
<b>1986 ANNUAL INDEX</b>		167

## EQUIPMENT PROFILES

<b>McLAREN 402 PREAMP AND 702 AMP</b>	Bascom H. King	68
<b>MICHELL GYRODEC TURNTABLE</b>	Edward M. Long	82
<b>ZETA STANDARD TONEARM AND GOLDBUG CLEMENT II CARTRIDGE</b>	Edward M. Long	90
<b>REVOX B286 TUNER/PREAMP</b>	Leonard Feldman	102
<b>NEC CD-650E COMPACT DISC PLAYER</b>	Leonard Feldman	112
<b>AURICLE: AUDIO RESEARCH D-250MKIIS AMPLIFIER</b>	Anthony H. Cordesman	122
<b>AURICLE: AUDIOSOURCE RTA-ONE REAL-TIME ANALYZER</b>	Howard A. Roberson	128

## MUSIC REVIEWS

<b>COMPACT DISCS</b>		132
<b>ROCK/POP RECORDINGS</b>	Michael Tearson, Jon & Sally Tiven	140

## DEPARTMENTS

<b>WHAT'S NEW</b>		6
<b>ROADSIGNS</b>	Ivan Berger	12
<b>SPECTRUM</b>	Ivan Berger	16
<b>CODA: JACK TRUX</b>	Ivan Berger	18
<b>BEHIND THE SCENES</b>	Bert Whyte	22
<b>DIGITAL DOMAIN</b>	Ken Pohlmann	29
<b>SIGNALS &amp; NOISE</b>		34
<b>AUDIO ETC</b>	Edward Tatnall Canby	39
<b>TAPE GUIDE</b>	Herman Burstein	44
<b>AUDIOCLINIC</b>	Joseph Giovanelli	48

The Cover Equipment: McLaren 402 preamp and 702 amp.  
The Cover Photographer: ©1986, Bill Kouirinis.

Audio Publishing, Editorial and Advertising Offices,  
1515 Broadway, New York, N.Y. 10036.

Subscription Inquiries, (800) 525-0643; in Colorado, (303) 447-9330.



See page 140





In the trendy world of high tech electronics-of-the-month, Peter Perreux makes each unit as if it were his last... and yours.

Perreux audiophile components are distributed exclusively in the U.S. by Signet, 4701 Hudson Drive, Stow, Ohio 44224




Enter No. 33 on Reader Service Card

## Good Speaker Cabinets should be SEEN — not HEARD

When your speaker's drive unit vibrates, the cabinet vibrates as well, colouring the sound and producing the dreaded "hangover effect".

B&W MATRIX eliminates the last barrier to pure clean sound and banishes "hangover" forever.

MATRIX's cellular honeycomb-like inner structure ensures stiff, nonresonant walls. Each cell is filled with acoustic foam to create THE ULTIMATE ANECHOIC ENVIRONMENT. Add an exclusive drive unit of homopolymer plastic, a ferrofluid-cooled tweeter and a sophisticated cross-over network and you've got the revolutionary MATRIX.



**B&W MATRIX**  
You need never hear  
from Speaker Cabinets  
Again !!



ANGLO AMERICAN AUDIO,  
Box 653 Buffalo, N.Y. 14240. (416)297-0595

Enter No. 11 on Reader Service Card

## MUSIC

Whatever the Moment,  
Whatever the Reason,  
Rotel delivers —  
with FEELING.



Rotel's sophisticated technical refinements have earned critical acclaim worldwide for outstanding sound quality, tremendous dynamic range and powerful authoritative performance. Superb engineering provides the strength for heavyweight power handling as well as the finesse to supply full, detailed dynamic sound. Rotel's fast becoming known as a tough high-end system with an easy mid-range price.

Rotel delivers the power, the quality — the feeling every time.

**ROTEL** *hi-fi*

ROTEL OF AMERICA, Box 653 Buffalo, N.Y. 14240. (416)297-0599

Enter No. 38 on Reader Service Card

## Audio

Eugene Pitts III  
Editor

Art Director: Cathy Cacchione

Technical Editor: Ivan Berger  
Managing Editor: Kay Blumenthal  
Copy Chief: Elise J. Marton  
Associate Art Director: Linda Zerella  
Assistant Editor: Andrea Lynne Pieper

### Associate Editors:

Edward Tatnall Canby, Bert Whyte, B. V. Pisha

### Senior Editors:

Leonard Feldman, Richard C. Heyser,  
Howard A. Roberson

Senior Editor/Music Features: Ted Fox  
Editor-At-Large: David Lander

### Contributing Editors/Artist:

Susan Borey, Herman Burstein, David L. Clark,  
Anthony H. Cordesman, Ted Costa, John Diliberto,  
John M. Eargle, Joseph Giovannelli,  
Laurence L. Greenhill, Bascom H. King,  
Edward M. Long, Peter W. Mitchell,  
Jon R. Sank, Donald Spoto, Michael Tearson,  
Jon & Sally Tiven, Paulette Weiss

Business Services Director: Catherine Hennessey

Circulation Director: Brian T. Beckwith

Production Director: David Rose

Production Manager: Michele Lee

Research Manager: Neil Karlin

Special Projects Coordinator: Phyllis K. Brady  
Ad Coordinator: Susan Oppenheimer

Stephen Goldberg  
Publisher

### ADVERTISING

Advertising Director: Stephen W. Witthoft  
(212) 719-6335

Account Managers: Lesa Rader Giberson  
(212) 719-6291  
Nick Matarazzo  
(212) 719-6346

Western Manager: William J. Curtis  
Regional Manager: Megean Roberts  
(818) 784-0700

Classified Manager: Laura J. LoVecchio  
(212) 719-6338

Classified Assistant: Mary Jane M. Adams  
(212) 719-6345

### CBS MAGAZINES EXECUTIVE STAFF

President: Peter G. Diamandis  
V.P., Editorial Director: Carey Winfrey  
Sr. V.P., Publishing: Robert F. Spillane  
Sr. V.P., Circulation: Robert E. Alexander  
Sr. V.P., Operations: Robert J. Granata  
V.P., Finance: Arthur Sukei  
V.P., Subscription Circulation: Bernard B. Lacy  
V.P., Mfg. & Distribution: Murray M. Romer  
Pres., CBS Magazine Marketing: Carl Kopf

AUDIO (ISSN 0004-752X, Dewey Decimal Number 621.381 or 778.5) is published monthly by CBS Magazines, A Division of CBS Inc., at 1515 Broadway, New York, N.Y. 10036. Printed in U.S.A. at Nashville, Tenn. Distributed by CBS Magazine Marketing.

Second class postage paid at New York, N.Y. 10001 and additional mailing offices. Subscriptions in the U.S., \$17.94 for one year, \$32.94 for two years, \$45.94 for three years, other countries, add \$6.00 per year.

AUDIO is a registered trademark of CBS Inc. ©1986, CBS Magazines, A Division of CBS Inc. All rights reserved. Editorial contributions are welcomed but should be accompanied by return postage. Submissions will be handled with reasonable care, but the Editor assumes no responsibility for safety or return of manuscripts, photographs, or artwork. The Publisher, in his sole discretion, reserves the right to reject any ad copy he deems inappropriate.

Subscription Service: Forms 3579 and all subscription correspondence must be addressed to AUDIO, P.O. Box 5316, Boulder, Colo. 80302. Please allow at least eight weeks for the change of address to become effective. Include both your old and your new address and enclose, if possible, an address label from a recent issue. If you have a subscription problem, please write to the above address or call (800) 525-0643; in Colorado, (303) 447-9330.





# LIFE, IN ORDER OF IMPORTANCE: FOOD, SHELTER AND A PAIR OF VERY LOUD SPEAKERS.

A Digital Series loudspeaker from Cerwin-Vega is accurate, sensitive and extremely clean. And the first piece of audio equipment to be included in the hierarchy of needs.

Each D-Series loudspeaker, from the two-way/eight-inch "D-1" to the three-way/fifteen inch "D-9", is designed to

completely reveal the expanded dynamic range of compact discs, 8mm video and digital audio tape decks. Loud and clear.

Because there's nothing more important in life than great sound.

Except, perhaps, survival.

 **Cerwin-Vega!**

*For more information please write or call:*  
Cerwin-Vega: 555 E. Easy St., Simi Valley, CA 93065, (805) 584-9332 Telex: 662250  
Cerwin-Vega Canada: 2360 Midland Ave., Unit 21/Scarborough, Ontario M1S 4A9  
Cerwin-Vega Europe: Skanderborgvej 71/DK-8680 Ry, Denmark

Enter No. 51 on Reader Service Card

## Mirage Loudspeaker

Unlike most dipole speakers, the Mirage M1 uses cone drivers. One of the two 3/4-inch tweeters, one of the two 4 1/2-inch midrange units, and one of the 8-inch woofers fire to the rear; the other 8-inch woofer is front-firing. Frequency response is rated at 25 Hz to 22 kHz,  $\pm 2$  dB, and power-handling is rated at 300 watts maximum. The speakers measure 60 in. high by 19 in. wide by just 9 in. deep. Price: \$3,000 per pair.

For literature, circle No. 100



## Hitachi Portable CD Player

Hitachi's entry into the widening field of portable CD players is a little larger than most, but fills that extra space with extra features. The DAD-P100 has a battery pack (for six AA cells) and an a.c. power supply built in, plus an input for external 9-V d.c. power. A scan function plays the first 10 S of each track automatically. Price: \$299.

For literature, circle No. 102

## Quad Power Amplifier

A new protection circuit in the Quad 606 is placed at the amplifier's a.c. line input, in order not to interfere with the signal path. The circuit senses current drawn over time, rather than instantaneous current, so that brief power demands will not trigger it unnecessarily. The "current-dumping" amplifier circuit uses feed-forward error correction, and delivers approximately 135 watts rms per channel into 8-ohm loads. Price: \$995.

For literature, circle No. 101





## AudioSource Audio/Video Controller

The AV-Four combines a five-input video/audio switcher with several audio-enhancement circuits. The latter include DNR noise reduction, a stereo synthesizer, a surround-

sound synthesizer, and a seven-band equalizer with spectrum analyzer display. A built-in 30-watt stereo amplifier can be used to drive front or rear speakers. Other facilities include one set of front-panel audio/video inputs, antenna

switching that allows viewing telecasts while dubbing tapes, and an r.f. modulator for direct connection to TV-set antenna inputs. Price: \$199.95.

For literature, circle No. 103





# MORE GUTS, MORE GLORY.



## The guts:

Look inside an ADS CD player and you'll know it's not a machine for novices.

The laser transport floats on a tuned, four-point rubber/spring suspension. The transport chassis is rigid cast alloy rather than stamped sheet metal or plastic. The player housing is made of thick, steel plate and extruded aluminum. This massive (and expensive) construction makes the ADS CD3 and the new CD4 virtually immune to physical and acoustic vibration.

For error correction, ADS uses a proprietary variable correction window. Instead of correcting large, fixed clumps of data, the ADS system constantly adjusts to the exact size of disc errors. Error correction is far less intrusive. Performance is far more accurate.

Ordinary CD players use one power supply. The CD3 uses five. The CD4 uses three. Shielded and regulated, they protect the audio signal from high-speed digital noise and dynamic limiting.

Further refinements include dual 16-bit digital-to-analog converters with double oversampling, digital plus analog filtering and an ultra-precise, linear-drive three beam laser.


## The glory?

Waiting for you at your ADS dealer.

An audition will prove that all CD players are not created equal. Some are created perfect.

For a free buyer's guide, "CD Players:

Differences That Matter" and the name of your local ADS dealer, call 1-800-345-8112. In PA. Call 1-800-662-2444.



Right: The critically acclaimed ADS CD3. Consistently rated as one of the top players in the world. Left: The new CD4. Slightly fewer control functions, identical audio performance. Watch for the reviews.



# STEP UP

# TO Soundcraftsmen

## SEPARATES OR SYSTEMS?

Soundcraftsmen is the only manufacturer to give you a wide choice in Professional Quality 19-inch rack mount Separates...

The all new PRO SYSTEM THREE, list-priced at just over \$1,000, features the "EXPLOSIVE" NEW 410-watt Pro-Power Three Power MOSFET Amplifier with the matching DX3000 PREAMPLIFIER (\$299.). Inputs for CD Player, Video/Audio, Tuner, Phono, two Tape decks with dubbing, Bass and Treble controls, and Signal Processor loop...and the T6200 AM/FM STEREO DIGITAL TUNER, priced at only \$299.00 gives you 8 AM, 8 FM Station Presets, Automatic or Manual Scanning, Digital Quartz PLL Synthesizer with Quadrature Front End, 9.8dBf Sensitivity.

"Hardwood end panels optional at extra cost.



## FOR A DEMONSTRATION, VISIT NEAREST DEALER LISTED BELOW

However, many additional Dealers—too numerous to list here—are located throughout the U.S. with many models on display. If no dealer is shown near you, or you encounter any difficulty, please phone us at 714-556-6191, ask for our "Dealer Locator Operator."

### ALASKA

- Wrangell WRANGELL DRUG
- ARIZONA**
- Glendale D&G STEREO
- Yuma WAREHOUSE STEREO
- NO. CALIFORNIA**
- Concord SOUND DISTINCTION
- Goleta HOUSE OF AUDIO
- Milpitas AMERICAN VIDEO CENTER
- Sacramento LISTEN HERE
- World Electronics
- San Francisco LISTENING POST
- San Jose L.Z. PREMIUMS
- SO. CALIFORNIA**
- Cerritos FEDCO (MEMBERS ONLY)
- Costa Mesa ATLANTIC MUSIC
- FEDCO (MEMBERS ONLY)
- Goleta HOUSE OF AUDIO
- Hollywood SPEAKER REPAIR
- OF CALIFORNIA
- Los Angeles FEDCO (MEMBERS ONLY)
- BEL-AIR CAMERA
- Mission Viejo VIDEO LASER
- Montebello SML, INC.
- Ontario FEDCO (MEMBERS ONLY)
- Orange FIDELITY SOUND
- Pasadena FEDCO (MEMBERS ONLY)
- San Bernardino FEDCO (MEMBERS ONLY)
- San Diego FEDCO (MEMBERS ONLY)
- Torrance STEREO HI-FI CENTER
- Van Nuys FEDCO (MEMBERS ONLY)
- Whittier HI FI HAVEN
- COLORADO**
- Colorado Springs THE SOUND SHOP
- Denver, Arvada, Aurora STEREO PLUS
- Englewood GOLD SOUND
- Gunnison WILDWOOD MUSIC

### CONNECTICUT

- Bristol TUNXIS ELECTRONICS
- Danbury CARSTON STUDIOS
- Newington TUNXIS ELECTRONICS
- Waterbury TUNXIS ELECTRONICS
- West Hartford TUNXIS ELECTRONICS
- FLORIDA**
- Clearwater DALTON AUDIO VIDEO
- Fort Lauderdale SPEAKER WAREHOUSE
- Fort Myers STEREO GARAGE
- Fort Walton Beach AUDIO INTERNATIONAL
- Hollywood + Hialeah SPEAKER WAREHOUSE
- Lakeland THE SOUND FACTORY
- Melbourne AUDIO MART
- Merritt Island AUDIO MART ELECTRONICS
- Miami AUDIO PLUS
- LA MIRAGE
- LAS FABRICAS
- MIAMI HI FI CENTER
- Naples STEREO GARAGE
- Orlando AUDIO MART ELECTRONICS
- MARKETPLACE ELECTRONICS
- St. Augustine AUDIO DESIGNS
- St. Petersburg THE MUSIC SHOP
- West Palm Beach SOUND SHACK
- GEORGIA**
- Atlanta AUDIO UNLIMITED
- STEREO DESIGNS
- Augusta THE STEREO SHOP
- Warner Robbins WORLD HI FI
- HAWAII**
- Hilo YAFUSO T.V. APPLIANCE
- Honolulu VIDEO LIFE
- Lihoe, Kauai JACK WADA ELECTRONICS
- Waialuku, Maui ADRIAN'S ELECTRONICS
- IDAHO**
- Idaho Falls PHASE 4 STEREO

### ILLINOIS

- Chicago MARTROY ELECTRONICS
- MUSICRAFT
- Dekalb MIKE ROSE ENT.
- Sunderland SCIENTIFIC STEREO
- Gurnee OPUS EQUIPMENT
- Peoria ELECTRONICS DIVERSIFIED
- Quincy MERWELLS
- INDIANA**
- Anderson ANDERSON ELECTRONICS
- Indianapolis STEREO IMAGE
- Michigan City AUDIO CONNECTION
- New Haven HJS SOUND
- South Bend TWILIGHT ZONE
- Lafayette VOX'S ELECTRONICS
- IOWA**
- Davenport GRIGG'S MUSIC
- Mapleton BRENNER'S
- KANSAS**
- Overland Park AUDIO ELECTRONICS
- Salina DELS TV
- Whitna AUDIO PLUS
- KENTUCKY**
- Lexington THE STEREO SHOPPE
- Louisville HI-FIDELITY, INC
- LOUISIANA**
- Baton Rouge NEW GENERATION
- Covington NORTHSORE AUDIO
- Houma LANNY'S MUSIC
- LaFayette NEW GENERATION
- Lake Charles SIGHT & SOUND
- ERT. CENTER
- New Orleans SOUTHERN RADIO SUPPLY
- TULANE STEREO
- MARYLAND**
- Annapolis MID SHIPMEN'S STORE
- Baltimore STANSBURY STEREO
- Frederick THE ELECTRONIC SHOP
- Gaithersburg AUDIO BUYS

### MASSACHUSETTS

- Boston S&S AUDIO
- ENCORE AUDIO
- Dartmouth MIKE ROSE ENT.
- Dekalb AUDIO PLUS
- Sunderland SCIENTIFIC STEREO
- Gurnee OPUS EQUIPMENT
- Peoria ELECTRONICS DIVERSIFIED
- Quincy MERWELLS
- INDIANA**
- Anderson ANDERSON ELECTRONICS
- Indianapolis STEREO IMAGE
- Michigan City AUDIO CONNECTION
- New Haven HJS SOUND
- South Bend TWILIGHT ZONE
- Lafayette VOX'S ELECTRONICS
- IOWA**
- Davenport GRIGG'S MUSIC
- Mapleton BRENNER'S
- KANSAS**
- Overland Park AUDIO ELECTRONICS
- Salina DELS TV
- Whitna AUDIO PLUS
- KENTUCKY**
- Lexington THE STEREO SHOPPE
- Louisville HI-FIDELITY, INC
- LOUISIANA**
- Baton Rouge NEW GENERATION
- Covington NORTHSORE AUDIO
- Houma LANNY'S MUSIC
- LaFayette NEW GENERATION
- Lake Charles SIGHT & SOUND
- ERT. CENTER
- New Orleans SOUTHERN RADIO SUPPLY
- TULANE STEREO
- MARYLAND**
- Annapolis MID SHIPMEN'S STORE
- Baltimore STANSBURY STEREO
- Frederick THE ELECTRONIC SHOP
- Gaithersburg AUDIO BUYS

- New York, NY S&S AUDIO
- STERED PLAZA
- New York, NY THE LAST DETAIL
- New York, NY VICMARR STEREO
- Staten Island, NY CLONE AUDIO
- Woodbridge, N.J DRUCKER
- Brooklyn, NY RADIO FACTORY
- Islan Cove, NY ISLAND AUDIO
- Woodside, NY LEONARD RADIO
- Brooklyn, NY MAGNA ELECTRONICS
- NEW YORK**
- UPSTATE
- Plattsburgh GREAT NORTHERN STEREO
- Syracuse MORRIS ELECTRONICS
- SUPERIOR SOUND
- Watertown HAPPY EAR STEREO
- NORTH CAROLINA**
- Fayetteville QUALITY SOUND
- Greensboro, High Point, Winston-Salem, AUDIO-VIDEO CONCEPTS
- Goldboro PRO SOUND
- Hendersonville PRO SOUND & ELECTRONICS
- Hickory MC LAUGHLIN'S TV
- Belmont, NJ SOUND SYSTEMS
- Bloomfield, NJ SOUND REPRODUCTION
- Boundbrook, NJ PRANZATELLI'S STEREO
- Bronx, NY BRONX ENTERPRISES
- WECMARR STEREO
- Hawthorne, NJ THE SPEAKERMAN
- Little Falls, NJ DRUCKERS
- Morrisstown, NJ DRUCKERS
- Newark, NJ MEG RADIO CORP.
- New York, NY CANAL HI FI
- New York, NY CRAZY EDDIE
- New York, NY LEONARD RADIO

### OKLAHOMA

- Oklahoma City JOHNSON TV & SOUND
- OREGON**
- Eugene BRADFORD'S HIGH FIDELITY
- Klamath Falls HIGH COUNTRY RECORDS
- Bloomburg WEBBER'S PRO AUDIO
- Chambersburg SUNRISE ELECTRONICS
- Hermitage CUSTOM SOUND CO.
- McKeesport HI FI CENTER
- Philadelphia RADIO 437
- SOUND OF MARKET
- SOUND SERVICE
- Pittsburgh AUDIO JUNCTION
- Reading, Shillington PHOENIX HI FI
- Sharon ELECTRONICS LTD.
- Willow Grove SOUNDX
- PUERTO RICO**
- Santurce R. F. ELECTRONICS
- SOUTH CAROLINA**
- Columbia NORTON STEREO
- Greenville DON JONES STEREO
- Newberry THE ELECTRONIC SHOP
- Spartanburg DON JONES CUSTOM STEREO
- TENNESSEE**
- Nashville AUDIO SYSTEMS
- TEXAS**
- Arlington SOUND IDEA
- Beaumont BROCK AUDIO
- Corpus Christi SOUND VIBRATIONS
- El Paso SOUND ROOM
- Fort Worth SOUND IDEA
- Houston HOME ENTERTAINMENT
- Hurst SOUND IDEA
- Midland FOLGER'S ENTERTAINMENT

### UTAH

- Bountiful INKLEY'S
- Midvale INKLEY'S
- Salt Lake City INKLEY'S
- St. George ARROW AUDIO
- VERMONT**
- Brattleboro SCIENTIFIC STEREO
- VIRGIN ISLANDS**
- St. Thomas, U.S. and British Virgin Islands ELECTRONICS UNLIMITED
- VIRGINIA**
- Arlington LERMA AUDIO
- Falls Church AUDIO BUYS
- Richmond GARY'S
- WASHINGTON**
- Olympia DESCO ELECTRONICS
- Spokane MILLMAN'S STEREO
- Yakima STEREO FIRST
- WEST VIRGINIA**
- Morgantown THE SOUND POST
- Princeton THE SOUND POST
- WISCONSIN**
- Appleton AMERICAN TV
- Glendale SOUNDSTAGE
- Madison AMERICAN TV
- Oshkosh AUDIO PLUS
- Sheboygan GENE'S CAMERA & SOUND
- Waukesha AMERICAN TV

Enter No. 30 on Reader Service Card





# STEP UP

# TO Soundcraftsmen


STEP-UP to the demonstrably superior PERFORMANCE and unsurpassed FLEXIBILITY of our complete line of AFFORDABLE Stereo Separates. Audio components designed to complement, enhance and improve your present system. Whether you're playing your favorite new CD Disc, listening to your Video Surround Sound or just tuning into your local FM station, you will immediately realize the benefits of stepping-up to Soundcraftsmen. We at Soundcraftsmen, go the extra mile to deliver to you an unparalleled listening experience—each and every time you turn on your Soundcraftsmen State of the Art components.

Our new Power Mosfet High Current and Class "H" Signal-Tracking Amplifiers, all manufactured by Soundcraftsmen in the U.S.A., are the most advanced Stereo and Professional Amplifiers available. Auto-Buffer for Continuous 2-Ohm Operation, No-Current-Limiting, Auto-Crowbar Output Protection, Power Mosfet circuitry for Superb Sonics and High Reliability, Calibrated LED meters, A-B Speaker Switching, 125 to 600 w/p/c @ 8 ohms, 20-20kHz, < 0.05% THD. Our 205 watt amps begin at only \$449.00, up to the massive 900-watts-per-channel-@ 2-Ohms Pro-Power Eight, at less than 78¢ per watt!

Soundcraftsmen's four extremely versatile Pre-amplifiers range in price from \$299.00 to \$699.00. These Unique Equalizer/Preamplifiers and Straight-Line Preamplifiers offer features such as Adjustable Phono Capacitance and Impedance, Moving Coil Inputs, Phono Input Level Controls, -97dB phono S/N, Exclusive Auto-Bridge circuit for Triple-Powered Mono Operation of Stereo Amplifiers, versatile Push-Button Patch bay with External Processor Loops, Digital and Video/Audio Inputs, Precision Passive-Coil EQ Circuitry and Exclusive 0.1dB Readout Differential/Comparator® Unity Gain Controls for precise in/out signal matching.

And for a real "Musical High," enhance your system with the addition of one of the World's Most Accurate Real-Time Analyzers or Equalizers. Not only the ultimate in Frequency Control capability (up to 22dB gain per octave) but also a 100-LED display panel AND an incredibly accurate 0.1dB readout capability! Automatic or Manual Octave-Scanning for Fast, Accurate Analyzing and Equalizing. Precision Passive-Coil Filters for Highest Gain and Lowest Distortion. Computone Charts and 12" LP Frequency Analysis Test Record included with EQ's. Our Analyzer-EQ and Equalizers are priced from \$799.00 to as little as \$199.00!


Ask for a Sound Demonstration with a Soundcraftsmen Frequency Analyzer Test Record—see one of our Dealers listed on the opposite page, or call our "Dealer Locator" operator at 714-556-6191, if there is no Dealer listed near you.



## FREE!

**16-PAGE FULL-COLOR BROCHURE, AND \$19.95 SYSTEM-EVALUATION KIT: 1-12" LP Spectrum Analysis Test Record, 2-sets of Computone Charts, 1-Connector Cable for comparison test, 1-instruction folder for use with your present stereo system. JUST WRITE TO US OR CIRCLE READER SERVICE CARD for FREE SPECIAL OFFER DETAILS.**

Enter No. 30 on Reader Service Card





**NOW YOU DON'T NEED  
A COMPETITION LICENSE  
TO RIDE HOME ON THE WINNER:  
RE71.**



Here in the land of the Double Nickel, "racing heritage" and "winning performance" are easy to assert. Hard to test.

So we launched our new V-rated RE71 Potenza at the track. We made it available in 1985 to SCCA competition license holders, hoping they would carry it into the crucible of competition. We were not disappointed.

Neither were they.

A winner in its first season of showroom stock\*, the RE71 showed particular aptitude for the endurance end of the racing spectrum—good news for those who like their thrills to last.

And now—just as we announce general availability of RE71s—someone *has* put them to a test. The February '86 *Car and Driver* reports

on their comparison of ten 50-series radials. And the RE71 did so well, we recommend a quick lap of the public library to check out the results.

None of this is a surprise when you consider this Potenza's pedigree. The V-rated RE71's unidirectional tread pattern is daringly similar to that of our European Formula 3000 racing rain tire. Its race-bred crown contour and high-grip compound are designed for crisp handling on dry surfaces. And its hard-rubber insert near the rim reduces sidewall flex for cornering dexterity.

See the complete line of Bridgestone Potenza performance radials at your Bridgestone retailer. For the one nearest you, call 1-800-453-9000.

\*Tires shaved to racing depth.

©1986 Bridgestone (U.S.A.), Inc., Torrance, CA

**BRIDGESTONE**

WHERE NEW IDEAS TAKE HOLD.



## EPI Video Speaker System

The VCS2000 three-way speaker system includes shelves to hold a TV set or monitor, a VCR, and other video or audio/video components. The downward-facing subwoofers have shielded magnets to protect the TV picture. Frequency response is rated at 45 Hz to 20 kHz,  $\pm 3$  dB, and rated sensitivity is 88 dB SPL for 1 watt input. The system is shipped




disassembled, with wood-grain vinyl finish in dark or light oak or black ash. Price: \$399.95. For literature, circle No. 104

## JVC Car Stereo

The elaborate radio facilities of JVC's top-of-the-line KS-RX605 head unit include presets for 20 stations; seek, scan, and preset-scan tuning, and both local/distant and stereo/mono switches. In addition to an auto-reverse

tape transport with Dolby B NR, the unit features a five-band equalizer, switchable loudness compensation, and a CD-player input. The slide-out chassis can be removed for theft protection. Price: \$479.95. For literature, circle No. 105




## Yamaha Audio/Video Amplifier

The AVC-50 stereo amplifier mixes audio and video features in nearly equal proportion. Six of its 10 selectable stereo inputs are for audio only, and the others (including one input repeated on the front and rear panels) are for audio and video. The amplifier section delivers 45 watts per channel, and has separable amp and preamp sections for use with external processors, crossovers, and higher powered amps. A four-

speaker surround system, with both delay and matrix circuits, is compatible with Dolby Surround video software, and can simulate stereo or surround sound from mono sources. Video features include variable control over detail, sharpness, and video level,

with independent record-out selection of audio and video, plus provision to monitor one audio or video program while recording another. The remote control can also command other new Yamaha audio components. Price: \$449. For literature, circle No. 106



## Monster Cable MC Pre-Preamplifier

A dual-mono design, the Alpha Plus has totally separate circuitry (including rechargeable-battery power supplies) for each channel. Its battery-charge circuits operate only when the unit is off, thereby avoiding potential hum and noise problems. Input impedances at 10, 30, 80, 800, and 47K are selected by pressing front-panel buttons; intermediate impedance values can be obtained by pressing two



buttons at once. The unit's enclosure is made of wood. Price: \$475. For literature, circle No. 107

## FROZEN OUT



### Cultural Conflict

Car makers know at all times what they'll be making three years down the line. Their designs have been frozen, the tooling to make them is on order, and the marketing plans have already begun to jell. Electronics companies have more short-term plans and faster reflexes; some of the products they'll offer three years from now may not even have been invented yet.

This cultural gap, I hear, recently lost a major audio company a sizable chunk of business. They had almost gotten a contract to supply car-stereo

units to one of the world's biggest car makers when the auto company asked, "Is this a finished product?"

"Well," said the audio company, "we'll keep making improvements as we go along, so we always produce the best possible product."


"No deal," said the car company. "We only handle finished products. We can't put our name behind something that hasn't even been developed yet." So the people who buy that car three years from now will get some other supplier's product, one whose design is frozen now—and will be three years out of date then.

### News & Notes

- Now tube-amplifier enthusiasts can get tube amps for their cars too. Milbert Amplifiers of Germantown, Md. offers a dual 30-watt model, the BaM-230, designed by David Berning.

- Matsushita is planning to begin manufacturing car-stereo equipment in the U.S. in May of 1987 at a new plant in Peachtree City, Ga., near Atlanta. Eventually, U.S.-made car-audio gear will replace nearly half the company's current exports to the U.S.

- Japanese car manufacturers are shifting to the DIN-sized radio slots used by European manufacturers. Toyota and Honda adopted the DIN standard in 1982, and Nissan began switching over to it in 1985. This should broaden the selection of car-stereo equipment available to owners of European and Japanese cars alike, by freeing stereo dealers to carry more models that differ in substance rather than in size and shape.



### Car Disc Player, Cheap

Compact Disc players for the car are priced at about \$600 to \$900. Portable CD players, which can be hooked into car-stereo systems with low-priced adaptors, cost about \$200. But there's an even cheaper way to play discs in your car . . . different kind of discs, however.

For just \$29.95 (plus shipping), the H & R Corporation has a 12-volt Matsushita record changer. It wouldn't track well over bumps, of course, and you'd have to build a base for it, then find a place to install it. The good news is that its ceramic cartridge would probably interface well with the AUX inputs on some car-stereo head units.

### New Dawn for AM?

The coming of AM stereo has not yet had much effect on AM broadcast practices or receiver design. Car-stereo makers have added stereo decoders but have not done much else to improve their tuner sections, and broadcasters seem to be transmitting stereo with the same old limited response as their former mono transmissions. I've heard only one really good AM section in a car in the last 30 years. Though it was only mono, I didn't much mind that; better good mono than so-so stereo.

Now, however, tuner makers will have an even better excuse than stereo to redesign their products. The U.S. and other countries in this hemisphere have agreed on a plan to extend the AM band to make room for more stations (300 more in the U.S.). The FCC plans to take applications for these new frequencies in 1989. Presumably, radios that can receive these new stations should reach the market about then. And it seems likely to me that some radio manufacturers will take advantage of this redesign to improve the AM performance of their deluxe models. At least, I hope so.

### Equal Is . . .

There are two ways to alter the sound in your car with an equalizer. One way is to put an equalizer in your car. Another is to use your home system's equalizer to make tapes that are pre-equalized to sound best in your car. However, finding the right EQ curve to use will take a lot of trial and error. Most car systems I've heard could use a bit of boost at the low end, some cut at around 150 to 250 Hz, and perhaps some boosting in the lower treble. Yamaha makes a tape deck, the K-600 (\$369) with a switchable car-tape record EQ curve built in; it gives an 8-dB boost at 60 Hz and a 4-dB cut at 200 Hz.

As usual with equalizers, you should first cut back any over-emphasized frequencies. Then boost the frequencies which are hard to hear in your car—those which your system cannot reproduce, and those which are cancelled by your car's acoustics or overwhelmed by road noise. Boost cautiously—otherwise, you can cause distortion in your original recording or drive your system's amps and speakers into overload.

Illustrations: Michael A. Donato



# If you can't afford it, spare yourself the heartache of listening to it.

We are all aware that, money aside, it is an easy matter to upscale our quality of life, but difficult to lower it. In this regard, ignorance is bliss, and strict abstinence is sometimes better than a taste of something finer that we can't have. So it is with the Concord HPL-55C Tuner/Amplifier/Tape Deck. One listen could ruin you.

Concord's performance engineering over the years has resulted in a list of mesmerizing characteristics that, as you become aware of them, will change your perceptions of car radios.

For instance:

A sound most critics claim is the best they've ever heard in a car radio.

Superb stereo imaging, wide band frequency response, and very low distortion levels are just some of the qualities of Concord's exclusive Matched Phase Amorphous Core Tape Head.

A cleaner sounding FM than you ever believed possible, thanks to the exclusive Concord FNR FM noise reduction system.

The Tuner/Tape Switch

enables the listener to hear radio broadcasts when tape is in the rewind, fast forward or play mode.

Hot AM Stereo that receives Motorola C-QUAM broadcast signals.

Electronic DC Servo Tape Drive for extended life and accurate control of tape speed.

High powered inboard amplifiers—rated at 25 watts per channel.

Dolby B,C, + DBX: Tape noise reduction systems.

Lighted panel switches, electronic memory with 24 preset

stations, signal processor circuitry, a two-way/four-way amplifier, automatic Music Search Scanner, and a Bass EQ Switch.

One listen to all of this and you will be exhilarated. But then, if you can't afford it, you will be depressed. What will it be? Exhilaration and depression, the full human gamut? Or blissful ignorance? The trouble is, if you have read this far you are no longer blissfully ignorant.



**CONCORD®**  
Anything else is a compromise.

Concord Systems, Inc.  
25 Hale Street, Newburyport, MA 01950  
800-225-7932, (in MA) 800-892-0565  
A Perill Company

Enter No. 18 on Reader Service Card



# Who buys Pyle Driver<sup>®</sup> Car Stereo?



## *almost everybody!*



Over two million car owners have installed the great sound of Pyle Driver<sup>®</sup> speakers.

### **The Quality Continues! Introducing Car Stereo Components Powerful Enough to be Pyle.**

#### **New Pyle Driver<sup>®</sup> Pounders**

Powerful new speaker systems for pickups, hatchbacks, sports cars, vans and 4x4's. Pound for pound, the most dynamic speaker systems on or off the road.

#### **New Pyle Digital Demand Amplifiers**

Power packed and distortion free for pure explosive sound. Pyle Digital Demand amplifiers, preamp/EQ and electronic crossover are American made and fine tuned by 30 years experience. Perfectly Pyle!

Enter No. 36 on Reader Service Card



# PYLE

For the name of the Pyle dealer nearest you write:  
Pyle Industries, Inc. • 501 Center St. • Huntington, IN 46750



In the past, car-sound amps were all measured at 10% THD. But there was no intent to deceive, because customers rarely saw any specs at all.




Illustration: Rosalind Ivens

### The Ten-Percenters

In the May issue, an article on car stereo (adapted from my book) said that if a car amplifier's power rating didn't specify distortion, power had probably been measured at a distortion level of 10%. A reader recently called to ask what made me say this. Was I a cynic? "No," I told him, "more of a historian."

Back when I first got interested in better car sound, virtually *all* car-sound amplifiers were measured at 10% THD. There was no intent to deceive customers, because the customers rarely saw any specs at all. If people didn't demand much in the way of specifications for their console radio-phonographs, why would they want them for a car accessory? Within the car and car-accessory trade, power specs were sometimes mentioned, but everyone in the trade knew the distortion level was implicitly 10%, so nobody was fooled. (Why 10%? It was probably picked at a time when that was a respectably low distortion level, at least for car use.)

Even in home audio, where power was publicly specified, some power specs included implicit distortion figures. Radios and phonographs carried "EIA Power" ratings, measured at a standard 5% THD, with the distressing word "distortion"

left discreetly off the spec sheet. Only audio *components* specified both power and distortion. When the FTC began formulating a standard power-rating rule for home components, the EIA testified that their implicit 5% system was easier on consumers, who would just be confused by additional numbers. (To be fair to the EIA, some consumers would be.)

When home-audio manufacturers such as Pioneer and Sanyo entered the car-audio field, they measured and specified performance in the same terms for both kinds of equipment. Soon, many other manufacturers were following their lead. This led to a two-tier spec system, with old-line car-sound manufacturers still specifying power the old way, and converts from home audio specifying it the new way. Today, a lot of companies do both, so their power ratings can be compared to those of all their competitors, no matter what system they follow.

### Delco-GM/Bose Revisited

When I wrote about the Delco-GM/Bose sound system for our December '82 issue, it was the only factory-installed car-stereo supersystem. Now that I've had a chance to evaluate the Ford/JBL system (see June '86 and November '85 *Audio*), I wanted to refresh my impressions of the Delco-GM/Bose.

My second go-round with the system left me with most of my 1982 impressions intact. The cross-fired speaker design still impressed me with its ability to provide good balance on both sides of the car at once, obviating the need for a balance control. I continued to feel that the system could benefit from a subwoofer option, which GM still does not offer (though they do make a subwoofer available with another sound system in some other cars). And I still thought that the four station-preset buttons in Delco's head unit were not enough, at least in metropolitan areas.

Some of my impressions did change, though, and all slightly for the better. The bass no longer seemed heavy to me, except on AM; and even on AM, dialing in about half

the available bass cut made the sound very good—far better than the AM on most car or home systems. The lack of separate tweeters still bothered me a trifle, but not as much as it had the first time I auditioned this system.

On the head unit, Delco has added one feature and changed another. The new feature is a music-finder system. The change is in the method of entering stations into the preset memory. On the original head unit this was done by pulling and pushing the preset buttons; on the new one it's done by pressing a properly inconspicuous memory button. The control panel does not indicate that you must press the volume knob to reverse the direction of tape play; labelling the fast-wind knobs "Fwd." and "Rev." just adds to the confusion. The manual for the system now includes a list of FM stations by location, frequency and program format, a nice touch for travellers.

Imaging was sharper than I remembered it but a bit overblown, as if one were listening through headphones. The headphone effect was particularly noticeable when I

played "Walk on the Wild Side" from the Lou Reed album of the same name—the chorus, after sticking in the back for the first few bars, seemed to advance toward and then around me.

Some day, I'd like to get a chance to compare the Delco-GM/Bose and Ford/JBL systems more directly. I know I prefer the former's spatial qualities and the latter's frequency balances, but overall I find them so closely matched that whichever I've heard more recently is the one I like better.

It may be a matter of opinion which of the two is more worth buying (I'd pick the car before the system, in any case), but there's no question that GM's is the less worth stealing. The head unit, while good, will only fit GM cars; the amplifiers are built into speaker systems that will only fit specific GM models. Since the amplifiers and speakers are effectively unstealable, thieves may decide the head unit by itself isn't worth stealing. Delco-GM/Bose system owners who do lose their head units, however, might consider a new one that has more features and hotter performance.


## BACK TO THE FUTURE

### Unreal Time

Humans can predict the future in ways no electronic circuit can. A recording engineer, for example, can adjust levels not only to match what the musicians are playing at the moment (electronic circuits can do that too), but also to match what those musicians will be playing, before they play it. Those level predictions can be based on familiarity with the music, a reading of the score, or simply a feel for the music's inherent logic—a sense that the music will get louder at a given point because it ought to.

So far, our circuits cannot guess the future—they either *know* what's coming or they're at a loss. One way circuitry gets such sure foreknowledge is by reading the present while acting on the past. For instance, record-cutting setups often have two playback heads reading the master tape. First the tape passes a head whose output feeds the computer that adjusts the spacing between grooves; about 1.8 seconds later it passes a head whose output feeds the cutter. The first head tells the computer what's coming up in terms of signal volume—and, by extension, how wide the land (area between grooves) will have to be 1.8 seconds (one revolution) hence. By the time the signal hits the cutter, it's already history to the first playback head.

That sort of thing is easy to do on music already frozen for posterity, like the master tape in the above example. But how can we time-shift



live music so our systems can know what's coming? Digital thinking suggests two ways.

Short time shifts are simple. First, digitize the signal (which we will be doing more and more, anyway). Then, pass it simultaneously into a shift-register memory and into the circuits which compute what's to be done with the signal when it comes out of the memory's other end. Using CD's 16-bit samples and 44.1-kHz sampling rate, the memory in a 640K personal computer would be enough to delay a stereo signal by nearly 4 seconds—a long time, to digital signal-processing circuits.

For longer time shifts, it might be necessary to record our digitized signal on some handy medium. Since the signal is not being permanently stored, computer disks would be ideal, allowing any section that's already been played to be

immediately recycled back under the recording head. A 5-megabyte computer disk (about the smallest hard disk now available) would hold nearly half a minute of CD stereo. That would probably be enough advance warning for a level-adjustment circuit to sense where the music's dynamics were heading—to sense, for instance, whether a given loud note was a peak or the start of a long crescendo, and how loud that crescendo might yet get.

This could be done with analog tape loops too, of course. The catch is that each generation of recording on such loops would degrade the signal noticeably. Digitizing would degrade it a lot less—and once digitized, we can record and re-record the signal all we want with no further loss. If that signal is going to be digitized in any case, we're home free.

### News & Notes

- A home optical-disc recorder—which will not be compatible with CD—has been announced for limited production by CompuSonics. The DSP-1000 uses 5-inch optical discs which can be recorded once and played indefinitely, but not erased and reused. A two-sided disc can hold about 37 minutes of high-fidelity stereo per side; a data-compression scheme can double that time, though presumably with some loss of quality. With maximum data compression, the disc can hold 4 hours and 16 minutes of monophonic sound per side, but

with an upper frequency cutoff of 6 kHz. Only 25 units were planned for initial production, to sell for \$6,995 each. Double-sided discs will cost \$175 apiece, and single-sided discs will be \$99 each.

- A digital recorder with no moving parts has been announced by a London company, Lyric Data, according to *The Sunday Times* of London. The IXI stores music on computer memory chips, in cartridges which the *Times* describes as "slightly smaller than videocassettes." The IXI's capacity is 30 minutes, using three such cartridges, each

holding 600 1-megabit memory chips. Presumably, it uses fewer bits per sample or a lower sampling rate than CD, which would require about 850 megabits of storage for 10 minutes of data alone, not counting the memory required for error-correction bits. The price of each cartridge was quoted at about \$4,500; no price was given for the IXI recorder.

- Direct digital broadcasting began, on an experimental basis, several months ago in Boston. From August through October, WGBH broadcast digital sound over its UHF TV outlet, WGBX, using a Sony PCM-





# Everything you want to know about digital audio is now on video.

**Audio's Len Feldman leads you through the world of digital audio ...on video cassette available exclusively through this special offer.**

When it comes to digital audio, few people are more knowledgeable about both the technology and current industry developments than *Audio's* Len Feldman.

And now it's possible to benefit from his knowledge and insight in a direct and personal way.

Drawing on his more than 25 years of experience in the audio field, Len recently gave a series of digital audio seminars across the nation sponsored by *Audio* and *Sony*. We've put the best of those seminars on videotape...and it's now available strictly to *Audio* readers.

## The most informative 59 minutes in the world of digital audio

For your convenience, the videotape is divided into four sections: *Essentials of Digital Technology...Advances in Compact Disc Players...New*

*Compact Disc Applications...and Future Digital Technology.* So you can locate specific topics quickly after you've seen the tape once.

Len explains digital technology...shows you the latest applications...tells you what features to look for when comparing players...and even unveils a few exciting new breakthroughs not yet available in stores.

Just look at the subjects covered: *basics of digital technology...differences in digital filtering, tracking, error correction and other key topics...advances in compact disc players, including one beam vs. three-beam laser...new car compact disc players...digitally-generated texts and pictures...the latest advances in digital recording...digital jukeboxes...and more.*

## Digital audio technology was never so accessible

It's hard to imagine a simpler or more pleasant way to get a solid grasp of digital technology—*exactly what it is and where it is going.*

Just turn on your VCR, sit

back and listen to the expert! Len is amiable and energetic. He uses plenty of diagrams and illustrations to clarify important points. And he livens up his talk with personal anecdotes. (For example, he'll tell you how he road-tested a car compact disc player—when no test standards existed.)

And, of course, unlike a live seminar, Len will "repeat" anything you want again and again for you—just use the *rewind button!* Your VCR may also have the capability of freezing specific charts or equipment on your TV screen.

## Introductory Price Available Until December 31, 1986

For about what you'd pay for a compact disc, you can now

benefit from the knowledge and insight of one of today's leading digital authorities.

Until December 31, *The World of Digital Audio* is available for the low introductory price of \$19.95. And it's available in either VHS or Beta format. You should also know that this videotape is available only through this offer in *Audio*—it's not sold in stores.

So order your copy today—and move yourself fast forward into the digital audio revolution!



A cooperative effort of **Audio** and **SONY**

MAIL TO:  
**Audio** P.O. Box 603 · Holmes, PA 19043

Rush me my copy of THE WORLD OF DIGITAL AUDIO for the introductory price of \$19.95, plus \$3 shipping and handling. I prefer  VHS  BETA

Payment enclosed (PA residents add state sales tax)  
 Bill my:  VISA  MasterCard  American Express

Account # \_\_\_\_\_

Exp. Date \_\_\_\_\_ Signature \_\_\_\_\_

Name \_\_\_\_\_ (please print) 59

Address \_\_\_\_\_

City/State/Zip \_\_\_\_\_

Simply fill out and mail the coupon below. For faster service, **CALL TOLL-FREE 1-800-345-8112** (Pennsylvania residents call 1-800-662-2444) VISA, MasterCard and AMEX accepted.

## Can recording studios afford to go digital? Costs are high, tax breaks are ending, and no one is sure which format to buy.

F1 digital adaptor to encode the signal. Listeners with a PCM adaptor and either a VCR, a separate video tuner, or a monitor receiver could receive the broadcasts; WGBH estimates that 200 to 500 listeners in the Boston area are so equipped. The station hopes that this experiment could lead the FCC, now exploring frequency allocations in the upper UHF band, to allocate some of those frequencies to digital sound broadcasting. A digital station would take up about half the bandwidth of a UHF TV channel.

• Digital times may be hard ones for recording studios, reports *Studio Sound* magazine in England. The efforts of record companies are being partially diverted from new recording sessions to CD reissues of LPs. Equipping a studio with digital recording gear is a big gamble, not only because of its high price but also because no one is quite sure which of two competing digital studio recorder systems—ProDigi (PD) or DASH—will win out. And for those U.S. studios that wait until the dust settles before deciding, the 1987 tax laws may make investments in new equipment less attractive. Nonetheless, a Sony executive predicts that within two years digital recording will become more common than analog in studios with 24 tracks or more.

• While American record companies seek an electronic lockout that will prevent DAT (and possibly analog) cassette decks from dubbing CDs, Kenwood has announced the development of a computer-controlled recording system that will make such dubbing easier. The system would sample CD signals to find a peak level, then set a recorder to just accommodate that peak. This would allow uncompressed dubbing without overload distortion.

• Studer and Philips have formed a partnership to develop CD-related studio equipment, including direct CD recorders.

• Several Sony "Pressman" portable recorders now have boundary microphones built in; Sony also has announced, in Japan, a recorder that reverses before the tape ends, so as to lose virtually no sound.

The TCM-1000 monitors the speed of the cassette reels to determine when the tape is about to run out.

• Sharp has developed a smaller, lighter semiconductor laser for CD players. The company says that players using this laser can be made 1.2 inches thick, 0.4 inch thinner than the current minimum.

• A bilateral agreement between the U.S. and Mexico has opened the door to longer hours for daytime-only AM radio stations in both countries. Stations which formerly went off the air at sundown or 6:00 P.M., whichever came later, may now stay on the air until two hours past sundown. In addition, 321 clear-channel AM stations that were formerly daytime-only may now operate 24 hours a day.

• A patent for a direct digital loudspeaker has been granted to Walter E. Stinger, Jr. of Narberth, Pa. Like other digital speakers which have been patented here and abroad, it is a cellular array. The patent is #4,515,997.


• General Electric, the new owner of RCA Corporation, is selling the RCA/Ariola record division to Bertelsmann AG, of Germany; Bertelsmann already owned 25% of it. The record division had been part of RCA since that company purchased the Victor Talking Machine Company in 1929. Nipper, the fox terrier listening to the gramophone in the famous painting "His Master's Voice," will now have two masters in the U.S.: RCA's consumer electronics division, and the record company.

• A cross between karaoke, jukeboxes, and the old "record-your-voice" booths has opened in Houston. At Music Tracks, customers can record their own voices over instrumental and background vocal tracks custom-recorded for the company. According to Music Tracks, 70 songs were available by mid-1986.

• For once, an audio development—the BTSC stereo TV sound system—has won TV's Emmy award. Honors went to Zenith and dbx for inventing it, to the Electronic Industries Association for work on its adoption, to RCA Labs for research and measurements, and to NBC for being first to use it network-wide.

### The White Terror

Bob Carver has suggested an answer to my problem of cats clawing speaker grilles and drivers. Whenever he gets in a new pair of speakers, he cues up some white noise and waits for the cats to check out the new additions. Once the cats get close to the speakers, he gives them a blast of noise. Usually that's all it takes to keep them away from those speakers ever after; only one kitten has needed to get the white-noise treatment twice. To the cats, I suspect, it sounds like the hostility hiss of the largest cat in the world. If you try it, don't do it loud enough to terrorize your tweeters into permanent silence.



### Coda: Jack Trux

John H. Trux, Jr., founder and past president of Bang & Olufsen of America, Inc., passed away in September.

Like many prominent audio figures, Jack was also an amateur musician. A jazz drummer, he often followed sales meetings by playing in jam sessions with his staff. After working for Ampex and Bell & Howell (then a maker of tape decks), Jack began importing and selling Bang & Olufsen phono cartridges. In 1970, he founded B & O of America, serving as its president until his retirement in 1983.



# Digital Discrimination.

## BECAUSE ALL CD'S ARE NOT CREATED EQUAL, THE NEW CARVER DTL-200 COMPACT DISC PLAYER IS INTRIGUINGLY DIFFERENT.

The Carver DTL-200 answers the audiophile's demand for a CD Player which provides not only the greater dynamic range and richer bass expected from compact disc technology, but also the musicality, spectral balance and spatial qualities of well executed analog high fidelity recordings.

The new remote control Carver DTL-200 represents the next logical evolutionary step towards marrying the awesome technology of digital playback with Bob Carver's commitment to the re-creation of the live performance. It embodies the latest digital/analog conversion circuitry with oversampling, sophisticated laser system and a wealth of operating features. And it possesses unique Carver circuitry that solves real-world sonic problems associated with commercial CDs.


**TIME DOMAIN CORRECTION.** The Carver DTL-200 incorporates an important new computer logic innovation that monitors the incoming digital signal for imperfections and "glitches" caused in recording and production. Such errors are immune to conventional error-correction processes because they are actually data anomalies. Yet they can add overall harmonic distortion and cause audible changes in sound quality.

The DTL-200's Time Domain Correction circuit constantly performs a complex, 25-bit digital calculation on passing data. This high-speed error correction algorithm, in conjunction with a 121-pole digital filter, terminates distortion-causing high harmonics as they occur in the bit stream. The result is frequency response within 1/1000 of a dB of the original, with significant reduction of distortion to less than 0.007%.

**PLUS THE DIGITAL TIME LENS.** On top of this unerring ability to produce natural, real-sounding music from the CD's digital bits, the Carver DTL-200 has the remarkable Digital Time Lens circuit to insure your listening enjoyment.

When Bob Carver obtained his first compact disc player, he was surprised at the sound derived from most of the compact discs he purchased. The three-dimensional musical perspective which his analog system provided in lush abundance on phono discs evaporated into a flat, brittle wasteland. After exten-

sive testing, Bob uncovered two fundamental flaws in almost all compact discs: 1) An unpleasant, harsh spectral energy balance. The overall octave-to-octave energy balance was shifted on the CD towards more midrange above 400 Hz; 2) The amount of L-R signal (which carries the spacial detail of the music) on the CD was inexplicably, but substantially, reduced when compared with the amount of L-R signal found on the corresponding analog disc. The difference is obvious in these two oscilloscope photos.



- A. Lissajous pattern showing spatial detail (L-R) (L+R) ratio from an LP record.  
B. The same instant of music but taken from the CD version. Note the decreased (L-R) content, as shown by the narrowed trace.

Carver's circuitry corrects the ratio of L-R to L+R by performing one extra, but important mathematical operation on the signal stream that all other CD players fail to perform. This final operation makes all the difference.

The result is a natural sound with more of the three-dimensional information that places us in the same space with performers. You won't need the Digital Time Lens on all CDs. But it is there when you need it.

In the beginning, Carver hoped, indeed he expected, that once recording artists and engineers became more experienced with CD technology

fewer and fewer CDs would require the Digital Time Lens. But both laboratory and listening tests reveal that the majority of even the most recently released CDs benefit significantly from the Digital Time Lens.

**PACKED WITH USEFUL FEATURES.** The Carver DTL-200 makes enjoying Compact Discs a simple exercise in button pushing from your favorite listening chair. You can program any combination of up to twelve tracks from a single CD, repeat a specific track or a whole Compact Disc for uninterrupted enjoyment.

Along with the ability to skip forward or backwards song-by-song, a touch of a key allows you to audibly review a disc backwards or forwards at many times normal speed. An A-B Specific Phrase Repeat lets you carefully analyze one section of a performance or simply provide a point of reference in a long, un-indexed symphonic movement.

All functions are displayed on an easy-to-read but subtle LCD display including programming sequence, current selection number, individual and total playing times plus indexing cues.

**HEAR THE CARVER DIGITAL DIFFERENCE.** Just as all CD's are not created equal, neither are Compact Disc Players. Of all the models currently available, only the new DTL-200 (and DTL-50) have the innovative and exacting Bob Carver touches that can substantially enhance your enjoyment of the digital medium.

Audition the new DTL-200 today at your Carver dealer, using a variety of discs. You will be surprised at how audibly it can improve on what is already the best playback medium ever offered.

**SPECIFICATIONS:** Frequency Response 5Hz-20kHz  $\pm$  0dB  $\pm$  0.2dB Total Harmonic Distortion 0.007% S/N, 100db Channel Separation, 90dB  $\cdot$  1kHz Dynamic Range 96dB Wow & Flutter unmeasurable Programming, 12-track remote and manual



# CARVER

PO Box 1237, Lynnwood, WA 98046

POWERFUL

MUSICAL

ACCURATE

Distributed in Canada by: evolution technology

Enter No. 15 on Reader Service Card







YOU'RE LOOKING AT SERIOUS ENTERTAINMENT.



There are exotic cars and exotic cars. And then there's the Lamborghini Countach Quattrovalvole.

There are CD players and CD players. And then there's the Alpine 7902.

Until the 7902, there has never been a CD player and FM/AM tuner engineered *together* in a complete 7"x 2" unit, to fit the dash of virtually any car.


Like the Lamborghini, every cubic inch of the 7902 is serious performance technology. By redesigning and applying advanced Alpine technology to each element in the system, we've created an entertainment package that easily handles rough roads and weak radio signals.

The 3-beam laser pickup created for the 7902 is about 70% lighter than others. It reads data more accurately and rides on a precision drive mechanism that absorbs mechanical backlash, ensuring outstanding tracking accuracy.

The laser transport is protected against road-shock by a silicon-oil suspension system, and is mounted on a rigid zinc die-cast chassis to maintain perfect alignment.

Our T-10 II Tuner™ utilizes multiple FM circuits on a single tiny chip, smaller than ever before, for superior reliability and reception.

How does it sound? You'll just have to audition it at an Alpine dealer. Come on in when you're ready to get serious. **ALPINE**



Enter No. 7 on Reader Service Card

BERT WHYTE

## MASTERS & MAESTROS



It is axiomatic that the first production models of devices developed using a new technology are quite expensive. This was true with color television and with videocassette recorders, and most assuredly was the case with Compact Disc players. We all remember the kilobuck-plus CD players, many of which left a great deal to be desired in respect to performance.

It is also usually true that the prices of these products generally decline in direct relation to their popularity in the marketplace and the speed with which high-volume production is achieved. Certainly the success of the Compact Disc has been beyond even the most rosy-hued, optimistic projections. In just over three years, the overwhelming popularity of and demand for CD players have brought their price down to levels of little more than \$100!

Unfortunately, in spite of the mass appeal of the CD, there has not been a commensurate decline in the price of software (though the proliferation of CD manufacturing plants has helped to alleviate some supply problems). In most major markets, CDs cost \$10 to \$15 each—roughly two to three times the cost of vinyl LPs.

While a great many people are buying CDs at their current prices, and many justify these prices in terms of the quality of the product and its wear-free longevity, no one has any doubts about the market constraints imposed by expensive CD software. Even now, reports are creeping into the trade press about overproduction and subsequent costly warehousing of low-priced CD players. Everyone agrees that if the price of CDs could be reduced by 25 to 30%, the warehouses would be emptied in very short order.

The normal production of CD masters is a complex photo-optical process which must be carried out under clean-room conditions, and the associated equipment in the plant adds up to about \$2 million. Other, experimental CD production techniques have been tried, one being a "continuous web" process in which CDs could be stamped out in cookie-cutter fashion. However, there doesn't seem to be any further promise in this approach, and none of the other production schemes have borne fruit.

Well, friends, Teldec is now working on a new CD processing technology which may ultimately be the first step in reducing the cost of Compact Discs.

As far back as the mid-'70s, Teldec was experimenting with cutting video signals onto discs. In fact, at Decca Records in London, the great Arthur Haddy showed me some of these discs and their associated equipment. In later years came an offshoot of this technology, Teldec's Direct Metal Mastering process. Now it seems that some aspects of the DMM technology can be applied to the mastering and production of CDs.

In Teldec's new CD process, just as in DMM, a blank disc is electrolytically plated with copper. The copper is amorphous and must be used within a few days; the blank disc cannot be used if the copper has changed to a crystalline structure. Neumann has built a lathe somewhat similar in appearance to a standard disc-cutting lathe. Mounted on it is a CD cutterhead which works on piezo-electric principles and drives an embossing tool. The incoming signal causes the tool to emboss the soft copper of the CD blank with sufficient force to create a series of wedge-shaped pits whose walls are angled at 45°. An elaborate control system maintains the proper depth of the embossing.

Teldec claims many advantages for this system. The V-shaped information pits are easier for the laser to track and afford better error correction; the V-wall pits also allow better molding of the polycarbonate CD. The cutting need not be under clean-room conditions; it is done directly onto the copper substrate, and this can be easily silvered with standard electroplating equipment. Incidentally, the amount of recording time on a CD made in this process is comparable to that achieved with the standard photo-optical process.

The Teldec CD-cutting process, said to be 80% cheaper than systems currently in use, is undergoing tests by several American record companies. One thing is certain: If the system really works well (and all indications seem to say it does), it will be a great boon to many of the independent cutting labs in this country. Without the necessity of clean-room conditions, it will mean much wider availability of less expensive CD processing. Apparently, this new Teldec technology will eventually bring us less expensive CDs.

Illustration: Mary Jo Mazzella



Sansui's S-X700 is the intelligent choice for upgrading your system or starting a new one.

Sansui takes performance and value to heart. That's why our new S-X700 AM/FM stereo receiver should be the heart of your system. With solid power,\* it flawlessly reproduces the exciting experience of digital music.

Engineered with traditional attention to detail and state-of-the-art performance, there's no comparison for pure quality and real value.

Built with a heavy-duty transformer generally used only in higher output models, plus exclusive Sansui circuitry, the S-X700 produces music with a unique openness and clarity that other receivers just can't match.

Styled for elegance with a functional yet uncluttered appearance, the all-metal cover, chassis and faceplate are only an outward indication of the S-X700's solid performance capabilities. The solid feel of its controls confirms the quality of performance which awaits you.

So why spend more and get less for your system? Put Sansui's S-X700 at the heart of it and get pure performance and value. The idea is just as smart as it sounds.

\*40 watts per channel, minimum RMS, both channels driven into 8 ohms at 20-20,000 Hz, with no more than 0.04% THD.

# Start smart with this pure performance receiver.

Sansui Electronics Corp., Lyndhurst, NJ 07071, Carson, CA 90746



**Sansui**

*Putting More Pleasure in Sound.*

# Matthew Polk's New Generation of Revolutionary TRUE STEREO SDAs



SDA SRS  
\$1395.00 ea.



SDA SRS 2  
\$995.00 ea.



SDA CRS +  
\$395.00 ea.



SDA 1B  
\$695.00 ea.



SDA 2A  
\$499.00 ea.

Digital Disc Ready

Matthew Polk's new generation of revolutionary TRUE STEREO SDA Loudspeakers fully realize the astonishingly lifelike three-dimensional imaging capabilities of stereophonic reproduction.



# "The Genius of Matthew Polk Brings You A New Generation of Extraordinary Sounding SDAs"

*"Literally a new dimension in sound"*

*Stereo Review Magazine*

**The result is always better than would be achieved by conventional speakers."**

*Stereo Review Magazine*

Polk's critically acclaimed, Audio Video Grand Prix Award winning SDA technology is the most important fundamental advance in loudspeaker technology since stereo itself. Listeners are amazed when they hear the huge, lifelike, three-dimensional sonic image produced by Polk's SDA speakers. The nation's top audio experts agree that Polk SDA loudspeakers always sound better than conventional loudspeakers. Stereo Review said, "Spectacular ... the result is always better than would be achieved by conventional speakers." High Fidelity said, "Astounding... We have yet to hear any stereo program that doesn't benefit." Now the dramatic audible benefits of Polk's exclusive TRUE STEREO SDA technology are available in 5 uniquely superb loudspeaker systems, the SDA SRS, SDA SRS 2, SDA-1B, SDA-2A, and the SDA CRS +.

**"They truly represent a breakthrough"**

*Rolling Stone Magazine*

Without exaggeration, the design principals embodied in the SDAs make them the world's first true stereo speakers. When the big switch was made from mono to stereo, the basic concept of speaker design was never modified to take into account the fundamental difference between a mono and stereo signal.

What is the difference between a mono and stereo speaker? The basic concept of mono is that you have one signal (and speaker) meant to be heard by both ears at once. However, the basic concept of stereo is that a much more lifelike three-dimensional sound is achieved by having 2 different signals, each played back through a separate speaker and each meant to be heard by only one ear apiece (L or R). So quite simply, a mono loudspeaker is designed to be heard by two ears at once while true stereo loudspeakers should each be heard by only one ear apiece (like headphones). The revolutionary Polk SDAs are the first TRUE STEREO speakers engineered to accomplish this and fully realize the astonishingly lifelike three-dimensional imaging capabilities of stereophonic sound.

## **How Polk SDAs Achieve True Stereo**

Polk SDA technology solves one of the greatest problems in stereo reproduction. When each ear hears both speakers and signals, as occurs when you use conventional (Mono) speakers to listen in stereo, full stereo separation is lost. The undesirable signal reaching each ear from the "wrong" speaker is a form of acoustic distortion called interaural crosstalk, which confuses your hearing.

The Polk SDA systems eliminate interaural crosstalk distortion and maintain full, True Stereo separation, by incorporating two

## **SDA Signature Reference System (SRS) - \$1395.00 ea.**

**AudioVideo Grand Prix Winner**

The finest speaker that Polk manufactures. This limited production flagship model combines patented SDA TRUE STEREO technology with phase-coherent focused line-source multiple driver topology to achieve new levels of state-of-the-art imaging, detail, coherence, dynamic range and bass reproduction.

## **New SDA-SRS 2 - \$995.00 ea.**

This new scaled down version of the SRS incorporates virtually all its innovations without significantly compromising its awesome sonic performance.

## **SDA 1B - \$695.00 EA.**

**AudioVideo Grand Prix Winner**

A beautifully styled, full size floor-standing system combining Polk's state-of-the-art components with exclusive 3rd generation TRUE STEREO technology for extraordinarily lifelike sound. High Fidelity said "the Polk SDA 1 Loudspeaker provides startling evidence of the audio industry's essential creative vitality."

## **New SDA 2A - \$499.00 ea.**

**AudioVideo Grand Prix Winner**

The new SDA 2A is a full size floor standing system which incorporates many of the latest refinements in SDA technology developed for the SRS models. It represents an extraordinary value which combines spectacular SDA performance with a remarkably affordable price. High Fidelity said listening to the SDA 2 is "an amazing experience."

## **New SDA CRS + - \$395.00 ea.**

**AudioVideo Grand Prix Winner**

The new SDA CRS + is the world's best sounding bookshelf loudspeaker and now incorporates many of the latest refinements in SDA technology developed for the SRS models. It combines the extraordinarily lifelike three-dimensional sonic performance of Polk's patented SDA technology with a handsome enclosure (stand or shelf mountable) of attractively modest proportions. Stereo Review said the CRS is "an impressive achievement".

completely separate sets of drivers (stereo and dimensional) into each speaker cabinet. The stereo drivers radiate the normal stereo signal, while the dimensional drivers radiate a difference signal that acoustically and effectively cancels the interaural crosstalk distortion and thereby restores the stereo separation and imaging lost when you listen to normal "mono" speakers. The sonic benefits are remarkable.

**"Breathhtaking... a new world of hi-fi listening"**

*Stereo Buyers Guide*

**"Mindboggling...astounding...flabbergasting"**

*High Fidelity Magazine*

Words alone cannot fully describe how much more lifelike SDA TRUE STEREO reproduction is. Reviewers, critical listeners and novices alike are overwhelmed by the magnitude of the sonic improvement achieved by Polk's Stereo/Dimensional technology. You will hear a huge sound stage which extends beyond the speakers and beyond the walls of your listening room itself. The lifelike ambience revealed by the SDAs transports you to the acoustic environment of the original sonic event. Every instrument, vocalist and sound becomes tangible, distinct, alive and firmly placed in its own natural spatial position. You will hear instruments, ambience and subtle musical nuances (normally masked by conventional speakers), revealed for your enjoyment by the SDAs. This benefit is accurately described by Julian Hirsch in Stereo Review, "...the sense of discovery experienced when playing an old favorite stereo record and hearing, quite literally, a new dimension in the sound is a most attractive bonus..." Records, CD's, tapes, video and FM all benefit equally as dramatically.

**"You owe it to yourself to audition them"**

*High Fidelity Magazine*

SDAs allow you to experience the spine tingling excitement, majesty and pleasure of live music in your own home. You must hear the remarkable sonic benefits of SDA technology for yourself. You too will agree with Stereo Review's dramatic conclusion: "the result is always better than would be achieved by conventional speakers... it does indeed add a new dimension to reproduced sound."

**polkaudio**  
The Speaker Specialists®

5601 Metro Drive, Baltimore, Md. 21210

**Where to buy Polk Speakers? For your nearest dealer, see page 144**

Enter No. 35 on Reader Service Card

Engineer Tom Jung thinks mixer electronics are vital, and he's bought a fancy Class-A console. I wish more recordists would do the same!

Now let me tell you about a significant new advance in recording technique introduced by the redoubtable Tom Jung of Digital Musical Products.

Tom has a justly deserved reputation for his superlative CDs. He is an engineer and a consummate mixing artist who most assiduously searches for

ways to improve the sonic quality of his digital recordings.

Tom sent me an advance copy of a very special CD project he has been working on for some time. The album features pianist Billy Barber and is entitled *Lighthouse*. Well, Billy does play the piano here, but he is heard along

with some of the most complex and exotic and dynamically exciting sounds you can imagine, all the product of Tom Jung's fertile mind and dazzling technology. Here is a glimpse of how Tom recorded this music.

First off, Tom hied himself to the famous Carroll Musical Instrument Co. in New York. This company is known for its comprehensive collection of percussion instruments, including many rare and exotic items. Next, he recorded a large array of these instruments with a pair of omnidirectional Brüel & Kjaer microphones. A Kurzweil synthesizer with an added PCM processor sampled the mike waveforms at 50 kHz per second, and these were stored on floppy disks with a Macintosh computer. Eight other synthesizers were linked, all with preset programs.

Billy Barber, wearing earphones, heard all the outputs of the Kurzweil and the floppy disks with the percussion programmed, and the outputs of the eight linked synthesizers. He played the piano along with all this, and Tom recorded him with a pair of B & K omni mikes. The signals were routed to Tom's new mixing console, which is equipped with all Class-A electronics. The dual output of the mixer was fed into the two channels of a Mitsubishi digital recorder.

You just have to hear this CD to believe the quality of the sound. Bass synthesizer frequencies, the impact and timbre of the assorted percussion instruments, and the piano are heard with an immediacy of presence, and the transient responses are the sharpest and cleanest I have ever heard. The use of Class-A preamps must contribute a great deal to these immaculate sonics. Literally, the clarity of all musical elements is quite breathtaking.

Tom is exploring other areas of recording with a view toward improving quality, but he believes the input console's electronics are vitally important. To this end, he has just taken delivery on a 26-input unit, with all Class-A electronics. He also has acquired some new ribbon microphones which he feels will mate well with the Class-A preamps.

Now if we can only get some of the classical recording people to get behind some of these fancy new consoles!

COMPACT  
disc  
DIGITAL AUDIO

All selections also available on LP and cassette.

© 1986 DG / PolyGram Records, Inc.



# HEAR WHAT YOU'VE BEEN MISSING!

When you hear the fidelity and accuracy of the AKG K 240DF Studio Monitor Headphones, you'll know why it's become a standard for Digital Compact Disc recording engineers and professional musicians around the world. The K 240DF establishes a uniform sound quality, free from environmental variables. It has been created to meet a recently proposed IRT (Institute for Broadcast Technology) international standard. It's so smooth and flat that AKG engineers in developing digital reference headphone studios. Each K 240DF is tested in a diffused sound field to arrive at a headphone design with a flat frequency response ( $\pm 2\text{dB}$ ) and matched sensitivity. This professional headphone is close to perfection — without coloration or distortion — allowing you to enjoy all the advantages of the latest in CD technology. The self-adjusting headband supports circumaural ear cups. Each contains hand selected, large dynamic moving-coil transducers and acoustic filters yielding the ultimate in Digital CD reproduction. Minimum weight is well distributed for maximum comfort over longtime wear.

The AKG K 240DF Studio Monitor Headphone is a total design concept, just right for you to hear what you've been missing!



77 Sellenck Street  
Stamford, CT 06902

Studio-Monitor

DIFFUSED - ENTZERT  
NACH  
IRT  
K 240DF  
2 x 606 OHMS  
MADE IN AUSTRIA



PCM DIGITAL

33CY-1018

DENON

# LONG LIVE THE CHIEF

The Count Basie Orchestra



# BASIE LIVES!

There is no doubt that the spirit of William "Count" Basie lives on in the countless Basie fans whose number keeps growing in legions. In fact, the Basie Orchestra just won *DownBeat's* 1986 International Critic's Poll. To celebrate the Count Basie Orchestra's 50th Anniversary and to honor the Count's birthdate (August 21st), Denon is releasing an historic compact disc, "Long Live the Chief!". Under the leadership of veteran Basie band

member Frank Foster, "Long Live the Chief!" puts new life in many of the Basie Band's standards (April in Paris, Li'l Darlin', Corner Pocket, and Shiny Stockings), and injects the Basie spirit into some brand new material.

New to the Basie Band, but certainly not new to the recording industry, is 75 year old Denon (Nippon-Columbia). Denon brings its unparalleled digital audio recording and compact disc pressing expertise to the party to

produce one of the most significant jazz recording events in recent years.

Join Denon and celebrate Basie's birthday and the 50th Anniversary of his band. All say, "Long Live the Chief!".

## DENON

The First Name in Digital Recording



## ROM-ANCING THE CLONE



Illustration: Bob Scott

As the name implies, *Audio* is a magazine about audio. Thus, theoretically, the articles should deal mainly with audio topics. But in the case of digital technology, the distinction between audio and data is increasingly blurred. This month, and next, let's consider the growing CD family. While you weren't looking, the music CD has been cloned into two new media, CD-ROM for computer information and CD-I for interactive, multi-media uses. Both carry that silvery surface a long way from Mozart or Manhattan Transfer.

Rather than storing music, the CD format can be treated as a read-only memory system for any kind of program material, and CD-ROM (Compact Disc Read-Only Memory) is the logical extension of digital audio CDs into that much broader application of general information storage. It is intended mainly as a medium for data distribution and mass storage for computer-related applications.

To clarify: The format with which you are familiar, CD-Audio, is a specific application of Compact Disc technology; it is a standard for recording PCM audio. The CD-ROM standard is derived from the CD-Audio standard, but

defines a format for general data storage. Unlike CD-Audio, CD-ROM is not tied to any specific application. Both use optical discs, of the same diameter (12 cm, or 4.7 inches) but with different data formats.

Apart from modulation and error-correction overhead, a CD-ROM holds more than 650 megabytes (1 byte = 8 bits) of user information. This is a large storage area, equivalent to 1,500 half-megabyte floppy disks, 275,000 pages of alphanumeric, 18,000 pieces of computer graphics, or 3,600 still video pictures. A CD-ROM can efficiently store information such as computer application software, operating systems, data bases, published reference materials, directories, back issues of journals, encyclopedias, libraries of still pictures, parts catalogs, or other types of information not requiring frequent updating. For example, how about a catalog of every music recording ever made, and every record review ever written? Easy—it would occupy a disc or two.

The amount of data stored on a CD-ROM is, of course, equal to the amount of information stored on a CD-Audio disc. But a ROM makes you more aware of just how information-hungry a

music recording is. If you were to download all the information from one fully loaded CD-ROM at a rate of 300 baud (transmitting it to a friend, for example, using a modem and a telephone line) for 24 hours a day, it would take 184 days to transmit the contents. (Hopefully, it wouldn't require a long-distance call!)

Think of CD-ROM as electronic paper (and a lot of it); anything publishable is a candidate for CD-ROM. However, a CD-ROM is much more efficient than paper. For example, the text of the *Grolier Academic Encyclopedia* is available on a CD-ROM, and it occupies only about 60 megabytes, or one-tenth of the disc's storage space. A comprehensive index, occupying another 60 megabytes, greatly facilitates data access. Enter a subject, and a listing of entries comes up on the screen. These entries are far more comprehensive than those in a conventional encyclopedia because the system's catalog can compare your request with the contents of the entire encyclopedia. A phrase like "freedom of speech" might have only a few citations in the index of a conventional encyclopedia, but in a CD-ROM system, every mention of that phrase in the entire encyclopedia would be displayed. Then you could scroll to any entry and read the full text. The words you searched for would be highlighted in the text.

Like an audio CD player, the CD-ROM player contains laser optics, a disc drive, and demodulation and error-correction circuits. However, instead of an audio output section, it has a computer interface. (Combination players, with both audio and computer outputs, could also be made.)

Although a CD-ROM disc looks exactly like a music CD, it identifies itself (through the Q subcode channel) as differing from an audio CD, and it employs a modified data format. Data in a music CD is derived from the 44.1-kHz sampled signal, with 16-bit quantization. The 16 bits are divided into higher and lower 8-bit bytes. These data bytes (before EFM modulation) are grouped into frames of 24 bytes, and parity bits and a synchronization word are added. While satisfactory for music applications, a 24-byte frame is inconveniently short for massive transfers of

"Automotive Tuner/Decks, Amplifiers  
and Electronic Crossovers...  
for those who care enough to listen."

**SOUNDSTREAM**  
C A R A U D I O



You can think of CD-ROM as electronic paper, only it is much more efficient. Anything publishable is a candidate for the format.

computer data or programs. Furthermore, the audio CD makes no provision for locating any specific frame by its address.

The solution to both problems was to design the CD-ROM system around blocks of 98 frames. Addressing information is handled by treating the subcode information for each block as eight 98-bit subcode words instead of the 98 eight-bit words (bytes) used in the audio format. The effective data block becomes 2,352 bytes (24 bytes  $\times$  98 frames). This is sufficiently long to handle data in units of 2,048 (2K) bytes—convenient for computer use—without totally discarding the audio CD format.

Each CD-ROM disc is divided into 330,000 blocks, and each block is divided into four fields. The first 12 bytes from each 2,352-byte block are used as a synchronization word. The next four bytes form a header field used for time and address flags. Specifically, the header contains a mode byte (which shows which of two data formats is in use) and three address bytes. These three bytes store location as time: The first address byte holds minutes (0 to 74), the next address byte holds seconds (0 to 59), and the


last holds the block number (0 to 75) within the second. For example, an address of 59-20-45 denotes the 45th block in the 20th second of the 59th minute on the disc. This repeats information already found in the Q subcode channel, but it makes searching faster and more accurate.

As I've said, the mode byte distinguishes between two CD-ROM data formats. (Audio and other CD formats are told apart by Q-channel subcode data, while CD-ROM is distinguished from CD-I by data in the disc's table of contents; however, these standards aren't final.) Only one of the mode byte's eight bits is needed for this; the rest may be used for future formats. The CD-ROM Mode 1 format provides for 2,048 bytes of each block—exactly 2 kilobytes—to be devoted to user data. The Mode 2 format allows for 2,336 bytes of user data. Fewer bytes are given to error detection and correction (EDC/ECC) in Mode 2 than in Mode 1, as shown in Fig. 1.

Because of extended error correction, Mode 1 will have the greatest application. The 2,048 bytes of user data is where the actual CD-ROM data resides. (Recapitulating, this is formed from part of the data area gathered


Fig. 1—Data formats for Mode 1 and Mode 2 CD-ROM. The area shown is equivalent to 98 CD audio frames or 1/75 S.

**MODE 1**



EDC = Error Detection Code, ECC = Error Correction Code

**MODE 2**







## The best brains in television.

Building a breakthrough color TV takes brains: the computer brains of IC chips. Unlike the analog workings of conventional TVs, these new chips from NEC store, process, and control the picture in digital form. So TV performance can be raised to a higher level. The level of NEC Digital Television.

Take a look at our 26" square picture. You'll see richer color, more contrast, more resolution, and more picture than ever before.\* With a VCR connected, NEC's digital Picture-in-Picture lets you watch two shows at the same time on the same screen. And our three-way digital freeze lets you stop even the

fastest running back in his tracks.

It shouldn't surprise anyone that the company behind this surprising new TV is NEC. We're at the forefront of computers, monitors, and broadcast video. And that takes real brains.

# NEC®

We bring high technology home.

NEC Home Electronics (U.S.A.) Inc., 1255 Michael Drive, Wood Dale, IL 60191






# If You Think This Face Is Beautiful, Wait 'Til You Hear It Sing.

Pioneer's KEX-900 car stereo component. The ultimate combination of beauty and grace, this gorgeous model reveals five different faces—one for each and every operating mode.

But it's more than just the best looking AM/FM Cassette Tuner you've ever laid eyes on. Because this incredible sounding beauty was born with it all: electronic full-logic controls, a 7-band electronic graphic equalizer, a spectrum analyzer, Supertuner II™ technology, Best Station Memory, wired remote control, a digital clock, plus a built-in anti-theft "Secret Code"™ system.

The seductive five faces of Pioneer's KEX-900. See them at your Pioneer Dealer. Or call 1-800-421-1404.



The KEX-900.

## A Grace Note

Dear Editor:

Such uncanny timing! First comes Ted Fox's wonderful article on zydeco music (see September 1986), helping convince me that *Audio* tops the list in reading for music and hi-fi between the same covers. Then, a mere two weeks later, Paul Simon's *Graceland* sails into the local shops on LP, CD and cassette (*at the same time*—bravo, Warner Bros.), wearing its Louisiana-to-Africa influences proudly on its record sleeve. (I bought the CD.) I'm sure Mr. Tearson or the Tivens will get to it in due time; for now I'll just say it's all terrific music, first note to last, and that, as you know, ain't too common.

The musical influences Simon is helping introduce to the mainstream (if one can still regard Paul as such) can do nothing but good. I don't know about zydeco taking off like crazy, even in New York, but stranger things have happened.

Barrett W. Benton  
New York, N.Y.

## Some Words About Words

Dear Editor:

Regarding Jon R. Sank's comments on "simplex power" and "phantom power" in his profile of the Shure SM91 microphone (see *Audio*, June 1986), I agree entirely that one term should not have more than one meaning. But in this particular case I have to condemn the electronics industry for accepting second meanings for related terms.

In this case, the terms were in use by the telephone and telegraph industry since the 1800s. "Simplex" is the superpositioning of a d.c. signal over an a.c. signal—that is, a telegraph channel over a voice channel. A one-way channel, that is; a dual channel was called "duplex." The terms are still accepted today; other terms are also in use, such as "half-duplex." These terms are also used in radio communication and have a very similar significance.

The terms "phantom" and "ghost" were also coined by the telephone industry in the late 1800s. The first term defines an artificial voice circuit derived from two physical circuits; a further artificial circuit derived (with great difficulty) from two "phantoms" was called a "ghost." Once more the elec-

tronics industry stole a term from others and then was surprised at the ensuing confusion.

The proper term for the SM91 circuit in question is without doubt "simplex." Shure stands vindicated and should be congratulated for their attempt to straighten things out, or at least to bring forth the subject.

For many years I have been shocked at the laxity of the industry in its coining and accepting of terms without proper research and/or application of the correct rules of word creating. For example, quadrphony and its variations should be tetraphony. There is also the odd juxtapositioning of stereophonic vs. monoral, or is it monaural? Maybe it should be monophonic. I wish the editors of the most professional magazine of the trade would stand guard on the proper use and spelling of English.

I will continue to enjoy reading your magazine as I have for many decades.

F. A. Leclaire  
Montreal, Que.

*Author's Reply:* My reference was a book published by RCA Global Communications in 1976, *Communications Terminology Guide*. On page 1-14 "simplex" is defined as: "Method of operation of a communications circuit where signals can be transmitted in one direction at a given time. A radio circuit must always be simplex when only a single carrier frequency is used." This is why I rejected the term as a substitute for "phantom," which has been used for a long time by other manufacturers of condenser mikes.

Some new information has come to light from Shure Brothers. I received a letter from Shure's president, Mr. James Kogen, which enclosed a note from Elaine Shinbrot, who wrote the SM91 data sheet. She relates that the original reason for using simplex, "besides the debate on which was proper, was that Gotham Audio, I believe, claimed to have a copyright on the term 'phantom.'" Since Shure is now using the term phantom with simplex in parentheses, the industry seems to be all together on terms, albeit with a somewhat incorrect usage, according to Mr. Leclaire.

I thank him for setting things straight, and making all of us in today's electronics industry look a little foolish for

having mixed up the terms stolen from telephony. I would like to add that Harry Olson did use the term monophonic in some publications circa 1960, but apparently it did not catch on. He defined stereo/monophonic as including field reproduction by speakers, whereas binaural/monaural systems employed headphones.—*Jon R. Sank*

*Editor's Note:* It's fairly well established among language handlers that usage and meaning do change over the years, even if we don't want them to and even if we're using a well-defined technical term. In the present case, it appears to me that Mr. Leclaire is citing a technology which hasn't been practiced for some time. If language is mimesis, as Aristotle taught, then words describing dead technologies should die too. Clearly false. And what is to be made of the changes in, say, the Greek language over the years? It's thought that ancient Greeks would not be able to understand the current tongue. Too, there's the problem of authorities with opposing definitions, not to mention spellings. While I am not yet ready to turn in my blue pencils and resign my editor's post, I am often amazed that any meaning gets across at all.—*E.P.*

## Call from Overseas

Dear Editor:

Do you know where I might be able to get replacement parts for a Triplet sound level meter, M-370? The manufacturer apparently has moved or is no longer in business. To complicate matters, the IC which is defective (the only one, fortunately) does not have a clear number stamped on top. Thus, I would have to contact someone who is an agent or specializes in repair of Triplet instruments in order even to identify the part needing replacement.

Being stationed in Manila, where nothing is obtainable (and what is obtainable does not work much of the time), your assistance is especially appreciated.

Douglas K. Ramsey  
American Embassy  
APO, San Francisco, Cal. 96528

*Editor's Note:* If anyone can help Mr. Ramsey, we hope you'll let him know.—*E.M.*



# ADCOM<sup>®</sup> GFP-555 PREAMPLIFIER



**A remarkable combination of exceptional performance, flexibility and value.**

The traditional audiophile has typically had the choice of two opposing designs in preamplifiers. One offered flexibility, with the (assumed) sacrifice in musical accuracy. The other took the purist route, with no features beyond a volume control and on/off switch.

The Adcom GFP-555 preamplifier was designed to face this dilemma head-on, and resolves it in ways that will satisfy the most diehard of purists.

**Outstanding performance—affordable price.**

The GFP-555's musical performance is outstanding—by any measurement or listening criterion—and at the same time it offers a full array of meaningful controls and features.

What's more, the GFP-555 does it all at a surprisingly affordable price. Surprising, that is, only to those who aren't yet familiar with the Adcom approach to design and performance. Musical performance, in particular.

**Getting down to basics: Sound quality is paramount.**

**Gain path—simple and direct.**

The GFP-555's gain path is simple and direct from input to output. The use of a minimum number of components—each of the highest quality—means low waveform distortion and less phase shift.

The gain stages employ the most innovative state-of-the-art linear amplifiers ever used in high fidelity components. These individually selected instrument-grade devices are in a class by themselves.

# THE ADCOM

The speed of the gain stages is extraordinarily high—almost fifty times faster than the speed of CD or LP signals. And along with this speed, there's the lowest noise and lowest offset voltage currently available.

The almost nonexistent offset voltage eliminates the need for blocking capacitors used by others, and allows the GFP-555 to be direct coupled for exceedingly wide frequency response—from DC to beyond 400,000 Hz.

Noise is exceptionally low throughout all inputs, with a typical noise floor of four billionths of a volt-per-square-root-hertz—more than 115 dB below a 10mV input at 1kHz!

The power transformer and associated power supply components are of very sophisticated design. Dispersion of radiated noise and hum fields is eliminated by the use of layers of mu-metal shielding on the power transformer. In addition, the use of large filter capacitors permits excellent regulation of power supply, providing consistently high performance regardless of fluctuations in signal or AC line voltage.

Those concerned about preamps with tone-control circuitry should be aware that although the GFP-555 has it, the "normal" position keeps this circuitry out of the signal path as thoroughly as if it weren't there at all. When wanted, it can be switched in.

The high- and low-cut filters are passive. Their gentle slope has very low phase shift, and prevents ringing and significant changes in sound quality.

The output impedance is 470 ohms, low enough to avoid high-frequency loss when long lengths of cable are used between the preamplifier and power amplifier.

CD and phono input jacks, and all output jacks, are gold plated for minimum signal loss.

## And speaking of flexibility.

There are times you may want to listen to one input (phono, tuner, CD, tape, etc.) while taping from another. That's precisely what you can do with this preamplifier.

The headphone jack has its own amplifier, both to prevent loading of the preamp output circuit and to provide sufficient gain to drive virtually any headphone.

Two sets of output jacks are provided: one pair for amplifiers, such as Adcom's, which are direct-coupled; the other pair for amplifiers which require coupling capacitors.

For optimized performance of any magnetic phono cartridge, adjustable capacitance loading is provided.

There's an unusual number of inputs: five for high level inputs (tuner, CD, tape 1, tape 2, video/AUX); and one phono input that can be switched for low- or high-output moving-coil and moving-magnet cartridges.

Contour circuits for enhancing bass response at low listening levels have been around for some time, of course. Ours are considerably

## Headphone amplifier.

A separate high quality audio amplifier section is provided for use with headphones.

## Tightly-regulated power supply.


Maintains outstanding performance and consistency, regardless of fluctuations in signal level or AC line voltage.

## On-chassis selector switching.

By avoiding long signal traces and wires, this feature minimizes crosstalk by switching audio signals close to their input source.

## Volume control.

This high quality precision potentiometer maintains ideal balance between channels throughout its rotation.





# GFP-555 PREAMPLIFIER

## Glass epoxy circuit board, copper plated on both sides.

This allows one side of the circuit board to be used as a shielding/ground plane, thus preventing hum and RF interference from reaching the signal paths.

## Direct on-chassis input/output jacks.


This design technique outmodes point-to-point wiring. Induced hum, noise and unreliability in the signal path are no longer of concern.

## Bypass capacitors.

Where electrolytic capacitors are necessary in the signal path, they are shunted by high quality polystyrene, silver mica, or polypropylene capacitors. The result is audibly superior decoupling/isolating performance at mid and high frequencies, achieved by the lower inductance and ESR of these devices.

## Custom-designed linear gain stages with unique semiconductor complement.

Both the low level (phono) and high level (CD, tuner, tape) circuits, are proprietary Adcom state-of-the-art configurations using instrument-grade semiconductor devices. They have extremely low noise and distortion, and their speed of operation is many times faster than the frequency components found in musical signals.



more sophisticated, more useful and more musically accurate over a wider range of listening conditions than any you are likely to have encountered.

Considering the opportunities offered by the new breed of signal processors, you'll welcome the separate processor loop that leaves both tape loops available for use.

#### Final word.

What all this adds up to with respect to music is very simple. There is less phase shift between channels, dead quiet background (essential for CDs), total transparency and clarity of detail. The music truly comes alive, with no sense of "electronic presence" in the reproductive chain.

Of course, we hope that this information reaches you at a time when you're interested in a new preamplifier, or should be—whether your first or an upgrade—and that what interests you above all is a demonstrably superior combination of sonic performance, flexibility and value.

#### SPECIFICATIONS.

Total harmonic distortion: 0.005%

IM distortion: 0.005%

Signal-to-noise ratio:

Phono (re 0.5 V output): >85 dB

Tuner, CD, tape (re 2 V output): >100 dB

Tone controls:

Bass (40 Hz)  $\pm 9.5$  dB

Treble (15 kHz)  $\pm 9.5$  dB

Contour (switchable): +6 dB at 50 Hz

Frequency response: 1 Hz – 100 kHz  $\pm 0.1$  dB

High filter (switchable): –2.5 dB at 20 kHz (6 dB/octave)

Low filter (switchable): –5 dB at 20 Hz (6 dB/octave)

Input sensitivity for 0.5V output:

Phono High MC/MM: 0.4 mV

Phono Low MC: 0.13 mV

High: 40 mV

Maximum output level: 10 volts

Input impedance:

High MC/MM: 47 kohms

Low MC: 100 ohms

Output impedance: 470 ohms

Phono overload at 1 kHz High MC/MM: 140 mV

Phono input capacitance: Adjustable; 100 pF, 175 pF, 275 pF


Line voltage: 120V/60 Hz (Available in 230V/50 Hz

on special order)

Dimensions: 17"  $\times$  3 $\frac{1}{4}$ "  $\times$  12 $\frac{3}{4}$ " D (432mm  $\times$  83mm  $\times$  324mm D)

Weight: 14 lbs. (6.4 kg)

Optional accessory: Model RM-3, rack mount adapters.



Adcom products are available with white or silver front panels on special order. Shown: GFP-555 preamplifier, GFT-555 AM/FM-stereo tuner and GFA-545 power amplifier with white front panels.

# ADCOM®

11 Elkins Road, East Brunswick, NJ 08816 USA  
Telephone: 201-390-1130

Distributed in Canada by PRO ACOUSTICS INC.  
Pointe Claire, Quebec H9R 4X5

©1986 ADCOM GFP/886 PRINTED IN USA



## TIME AFTER AIR TIME



Photograph: David Hamsley

**M**ost of us have had certain points in our lives that, as we gaze backwards in our mental rear-view mirror, look more and more like right-angle corners in the broad highway of life. My audio right angle was just like that, in 1946—though at the time all I could see was a blank wall, or maybe a highway dead end. A promising new career in FM radio had dropped out from under me, thanks to the closing of the station where I worked. I would *not* go back to teaching music, thanks! Not to students who didn't like music, anyhow. So I floated, high and dry, and looked at my dead end. It was not a pleasant sight.

But the corner was there. Within months I was writing record reviews for a magazine. And long before the next year was out, 1947, I snagged another opportunity, precisely at the first blossoming of the high-fidelity movement. It was writing for this mag.

When I finally got back on the FM air, much later, it was in the time of a false peace, when the same programs were widely carried by both AM and FM outlets, twins but for the circuitry—negating all that we had done in the way of developing FM's special qualities. Every network, every big AM station,

had its FM transmitter on the side, but the FM "program department" was usually no more than a connecting cable in the station's control room. This was cheap and easy and kept the station's fingers in the pot, just in case. It also stifled all trace of initiative among those who valued FM for itself, as a hi-fi medium with great new possibilities for the home listener.

Few AM programs were then technically suitable for FM quality, not only due to those famous telephone lines that tied the networks together but also because of casual standards within the AM stations themselves. I'm sure a lot of engineers, AM as well as FM, would have enjoyed reaching for new quality levels, as they always do. But the way I get it, the general feeling was all too familiar: Why buck the system, why bother? What you gain here you'll lose there. Very understandable, as it always is. It is never easy to reform a system that in its time has been hugely successful—and that was AM radio before FM and before TV.

Meanwhile, to carry on this digression, AM radio itself was rapidly losing ground in favor of television. Soon it was almost as stranded as FM, and just as confused as to where to go

next. For a while it seemed to many of us that radio—all radio—would simply disappear, in favor of the picture on the tube. There was nowhere to turn—yet. Radio, both types, also faced that blank wall, that seeming dead end. As we know, both kinds survived, in spite of television. But it was an incredibly close call. I still wonder at it. Can you imagine—no radio, *no radio at all*?

What saved radio, both the good and the bad, were new things, new concepts, that in 1946 were scarcely imaginable. Hence the blank wall, hence what seemed like the end of the road. But all this is another story, a story in which, happily, what we now call audio at last combines forces with radio for very much of a joint relationship. We, in early hi-fi, had good sound. FM also had it. Soon a third medium, the disc record, would join in. TV couldn't care less—for how many years? Decades.

It was a sharp corner, indeed, for the entire area of reproduced sound, that year. Television, being new, didn't have to make any turns. But the rest of us barely made it, including myself, with a safety margin of practically zero. By 1950 we were all there, safely, more or less, and then came the Eisenhower Prosperity. That gave us wings, and we took off . . .

After my FM station shut down, around the springtime of 1946, as I remember, I managed to put out one final broadcast on the old FM band. It was on a very different station, and to tell the truth I am only deducing that it was "old band," simply because of the date—but I am reasonably certain of it. Mercifully, I can't remember the station's call letters, but I can see the place in my mind, all too easily. In any case, it was still on the FM air, independently, for a while after my own outfit quit.

During my station's brilliant (nonprofit) expansion during 1945 and 1946, when I had taken on full-time duties of numerous sorts, I had suggested we establish a "house organ" chorus under my direction—since I had experience in that field—which would be all-radio, like the NBC or CBS Symphonies of the time over at the big networks. It would be on a miniature scale, of course, but would have one feature the networks didn't exploit: FM

For a while it seemed to us that all radio would simply disappear, in favor of the picture on the tube. It was a close call.

hi-fi sound. I asked if we could rehearse the (unpaid) singers right there in our upstairs studio, where we would put on a broadcast every so often, myself conducting the music and also commenting on it from a written script directly into our hi-fi mikes. The station had to keep open; we would cost nothing extra, rehearsing in the big studio while records were broadcast, or the news, from our smaller studio. The idea was taken up right away—we had an intelligent management, as I have said before. They were open to any practical new thought, in that interim period of nonprofit broadcasting, which had at least a fighting chance of keeping things going in the FM future when money would begin to count. We had an audience, and we wanted to build that audience just as far as we could, with so few FM sets out in the field to hear us, so that later on we could expand it on a solid basis as new post-war receiving equipment appeared on the market. Practical? I'd call it shrewd, and sensible. My chorus would do the station no harm, cost nothing, and enhance its reputation for enterprising programming. Was that bad for future commercialization?

Remember, this would be live FM, broadcast and received with a sonic quality that was unheard of at that time. It would be a startling experience (I hoped, in all my youthful enthusiasm) for our listeners.

So we began rehearsals, one evening a week, in that same penthouse studio with the big piano and the fireplace about which I have written before. True, it was a very poor place to sing in, being essentially dead. If Mr. John K. Mitchell (who wrote in this space in July '86) had been around to fix us up with some of those 15-kHz lines, out to a nice, fat church in the vicinity, we could have put on a hum-dinger of a chorus program, acoustically speaking. But I expect I was a bit vague at that point as to what a 15-kHz line might be, and so we sang in that dead studio, and in due course put on several evening broadcasts, complete with my commentary, just as planned. Musically, I am glad I do not have recordings of those performances—I have done a lot better in the 40 years since. But we did it, and would have gotten better—but suddenly the station

wasn't there. And I had an orphan chorus of 25 on my hands with no place to go.

It had to be FM, of course. So I went to this other station. How naive I was! And little did I know. This outfit was, somehow, into facsimile, the broadcasting by radio signal of whole documents, received and printed out at some other location. It was a modern miracle and surely did have possibilities. Somebody had put a lot of money into a state-of-the-art FM outlet complete with ultra-mod studio, as well as facilities for facsimile broadcast; I can only guess that, like the station I'd worked for, they wanted to keep their spot on the broadcast band and had to produce a viable signal on a regular schedule while the facsimile biz got organized. So I waltzed confidently over to this outfit and suggested they take on my FM Radio Chorus. We would give them broadcast concerts as we had at the other station, now departed. After all, they had to fill up time *somehow*; we'd be glad to help.

Well, I have never since run into quite such hard-boiled disbelief as those facsimile guys showed. I don't think they gave a hoot for an audience, as we did. They were on the air (I assume) simply to be on the air and hold their place. As to cultchah—classical chorus, what kind of damfool idea was *that*? Don't you understand, we're in *business*! (Well, they would be, with luck.) But oddly enough, they took us on, if with no visible enthusiasm. We were clearly a batch of loony nuts, but we would fill up some air time for them while they waited things out. This was in late 1946.

There was one minor misunderstanding. In their experience, any "talent" that went on the air walked in, did its stuff, and got out. You should have seen those faces when I casually remarked that of course we would want to rehearse in the studio once a week for X months before we could put on a show for them. They simply did not believe me—that isn't what you *do* in radio; you must be crazy. They didn't say it, they just looked it. But times were bad right then and they needed some free talent. So they let us in, anyhow. Gingerly.

So we rehearsed, in that anechoic, soundproofed studio, with the stony

## Buy Any Sony Compact Disc Player and get 2 CDs free.

Between September 15, 1986 and January 31, 1987, buy any Sony home, car, or portable compact disc player and receive 2 CDs free from the 20 listed below. (You pay only for shipping and handling.) Just mail the coupon below, together with a copy of the proof of purchase for your Sony CD player.

346478 Madonna True Blue (Sire)	345553 Branford Marsalis Romances For Saxophone (CBS Masterworks)
346312 Billy Joel The Bridge (Columbia)	343947 Tony Bennett The Art of Excellence (Columbia)
346270 Wham Music From the Edge of Heaven (Columbia)	343582 Van Halen 5150 (Warner Bros.)
346023 Genesis Invisible Touch (Atlantic)	342097 Barbra Streisand The Broadway Album (Columbia)
343327 Wynton Marsalis Jolivet/Tomas. Trumpet Con- certos (CBS Masterworks)	339226 Michael Tilson Thomas, Gershwin: Rhapsody in Blue, Etc. Los Angeles Philharmonic (CBS Masterworks)
346809 Enrique Batiz Dvorak: Sym. No. 9 "New World"; London Philharmonic (Verese Sarabande)	336222 Dire Straits Brothers in Arms (Warner Bros.)
346015 Jean-Claude Malgoire, Cond. Handel: Royal Fire- works Music, La Grande Ecurie Et La Chamber Du Roy (CBS Masterworks)	334391 Whitney Houston (Arista)
345892 Ruthless People Original Sound Track (Epic)	326629 Bruce Springsteen Born In The U.S.A. (Columbia)
345827 Bob James and David Sanborn, Double Vision (Warner Bros.)	323261 Lionel Richie Can't Slow Down (Motown)
343095 Philip Glass Songs from Liquid Days (CBS)	339200 Stevie Wonder in Square Circle (Tama)

And, as a special bonus we'll enroll you in the CBS Compact Disc Club—which offers you the CDs you want at substantial savings! But you have absolutely no obligation to buy anything, ever—and you may cancel your membership at any time.

**How the Club works:** every four weeks (13 times a year) you'll receive the Club's music magazine. If you want only the Selection of the Month, do nothing—it will be shipped automatically. If you prefer an alternate selection—or none at all—mail the response card, always provided, by the date specified. You will always have at least 10 days to make your decision. If you ever receive any selection without having had at least ten days, you may return the selection at our expense. The CDs you order as a member will be billed at regular Club prices, plus shipping and handling.

Sony/CBS CD Offer, 1400 N. Fruitridge,  
P.O. Box 1129, Terre Haute, Indiana 47811

I have enclosed a copy of proof of Sony CD player purchase. Rush my 2 FREE CDs (I will be billed \$3.00 for shipping and handling only) and enroll me in the Club under the terms outlined above. I understand I have absolutely no obligation to buy anything, ever—and may cancel at any time.

Send these 2 CDs

Insert Code #

Insert Code #

My main musical interest is:  
( ) Rock/Pop ( ) Classical

Name

Address

City

State

Zip

Coupons must be postmarked by February 15, 1987. CBS Compact Disc Club reserves the right to cancel any membership. Offer good in continental USA only, excluding Alaska.

**SONY**  
THE LEADER IN DIGITAL AUDIO™

© 1986 Sony Corporation of America. Sony and The Leader in Digital Audio are trademarks of Sony.

RDN/NA





## To hear why Genesis records on Sony digital equipment, play them back on a Sony Compact Disc Player.

When it comes to capturing the experience of live music, no audio equipment delivers the lifelike reproduction of digital audio.

That's why the only digital recording equipment chosen by Tony Banks, Phil Collins and Mike Rutherford of Genesis is, not surprisingly, the leader in the industry: Sony.

Not only has Sony led the way in professional digital recording equipment, we invented the digital audio system for playback—the compact disc player. Sony also introduced the first home, car and portable CD players. And Sony sells more types of compact disc players than anyone else in the world.

But whichever Sony Compact Disc Player you choose, each allows you to hear the music the way the artist originally intended.

So why not do what Genesis does? Play back the top-selling compact discs like "Invisible Touch" the way they were mastered. On

Sony Digital equipment. You'll find that when it comes to bringing you close to the music, nothing even comes close.

**The Sony CDP-55.**  
Sony's best value in a full-featured compact disc player



From its Unilinea™ Converter and digital filter to its programming flexibility and supplied Remote Commander® unit, the Sony CDP-55 has everything you need in a home CD player.

**SONY**  
THE LEADER IN DIGITAL AUDIO™

# THE FINE SCIENCE OF COMPONENT CABINETRY



**HIGH PERFORMANCE:** Designed to the sound principles of audio and video performance, all CWD cabinets are hand-crafted from select hardwoods and lovingly hand-finished.

**A SYSTEM THAT GROWS WITH YOU:** Add on, arrange and rearrange for virtually any configuration. Easy to tailor, our cabinets fit both your lifestyle and your audio/video components, even big screen. Add a wine rack, drawers, stunning glass doors.

**REMARKABLE QUALITY:** From the precision hardware to the natural oiled finish, every CWD cabinet is a fine piece of furniture you'll cherish for years. But see for yourself.

**CALL TOLL FREE 1-800-323-2159** for the dealer nearest you (in Illinois call 312-563-1745).

**CWD®**

CUSTOM WOODWORK & DESIGN INC.

This fully modular, flexible cabinet system in Natural Oak features our wine rack, bronze tempered glass doors, solid oak doors and interior cabinet lights.

All CWD cabinets and accessories available in handsome Dark Oak (shown below), contemporary Natural Oak, and classic Natural American Walnut.



High performance modular furniture that keeps pace with your electronic system



1. BUILT-IN DIGITAL SYNTHESIZED AM/FM STEREO TUNER
2. 10 STATION PRE-SETS (5 FM, 5 AM)
3. DOLBY \*B NR
4. 3 BAND GRAPHIC EQUALIZER
5. AUTO-REVERSE
6. UP/DOWN AUTO-SCAN
7. ANTI-ROLLING MECHANISM
8. SOFT TOUCH CONTROLS
9. STEREO/MONO SELECTOR
10. DETACHABLE BELT CLIP
11. LIGHTWEIGHT STEREO HEADPHONES

## Next year, the kitchen sink.

It's got everything. Including digital synthesized tuning with 10 presets. Auto-reverse. Dolby\*B noise reduction. An anti-roll mechanism (so the tape won't shake, rattle or roll). And sound you won't hear from some home systems.

The Toshiba KT-4066. We didn't leave much room for improvement. \*TM Dolby Labs

In Touch with Tomorrow  
**TOSHIBA**

Toshiba America, Inc., 82 Totowa Road, Wayne, NJ 07470

Enter No. 49 on Reader Service Card

We wanted to build our audience, with so few FM sets out in the field, so that later we could expand it on a solid basis as postwar receivers appeared.


faces always in the background. And eventually we gave our broadcast concert, with the same stony faces in attendance at the controls. We then departed. Forever. That was the end of Old-Band FM for me.

I don't think anybody heard that concert; I doubt if the station had any audience, though I might be wrong in my recollection. I remain mystified as to why they had a fancy studio, since they made it so clear that facsimile was their business for the future. All in all, this was a ghoulish way to end five years of sheer FM euphoria on my part! The FM Radio Chorus, of course, dissolved. We were not about to rehearse on a street corner for our broadcasts.

I did not get to another chorus for eight years, until 1954, and that one was strictly for live performance, with an occasional (hi-fi) recording on tape. This group still exists, after 32 years, which sort of makes up for 1946.

Looking back, now, I really question who was the more practical and hard-boiled, the station I worked for or the businesslike facsimile outlet. In death all men are equal, and so are radio stations. But which of these had the more accurate approach to the future of radio?

While the other station worked, apparently, to stay on the air, we had worked our hardest at acquiring a base audience, and for that audience we produced as much in the way of new ideas as we could possibly turn out while we waited for the war to end and business to return. We got an audience—an almost fanatical loyalty, and bushels of mail from those few listeners who had come to own FM receivers before the clamp-down of war. I could not believe the wonderful letters I personally received, week after week, from these people, who knew they were in on something new and different that others were missing.

Moreover, even though we died as a station along with our place on the FM band, we had already foreshadowed a great deal of what is now public-radio FM on a much larger scale. And I think we also pointed the way toward the few genuinely commercial "classical" FM outlets that have found the means to stay permanently alive and well. So who was most practical? We were. 



# A NEW PERSPECTIVE

**S**tereo is more than just a suggestion of left and right. Ideally, it is the sonic image of an environment, recreating the time and space of a live performance. It's left, right, center and all points in between. It's up, down, near and far.

It's what we call a soundstage. This third dimension (an audible depiction of a recording's spatial cues) is the designer's ultimate goal. At Infinity, it has obsessed us throughout our 18 years of designing and building loudspeakers. Above all, it is a goal which we have approached systematically, through unremitting attention to drivers, cabinets and crossovers.

Traditional driver materials and designs proved inadequate for the accurate rendering of a soundstage. So we developed new materials—like polypropylene compounds and poly-

imide/aluminum films—and used them in drivers with specially contoured cones, domes and planar diaphragms, whose unique structural properties achieve wider bandwidth, quicker transient response and lower distortion than conventional designs.

Since drivers alone don't recreate an image, we have curved the enclosure's front vertical edges so you hear sound radiated directly from the drivers, not

reflections generated by the cabinet. And our elegant, linear-phase crossovers insure seamless transitions from driver to driver.

But we had one more goal in our audible conquest of space: value. Realizing a proper soundstage in our \$45,000 Infinity Reference Standard is one thing, but achieving much of that performance in an affordable bookshelf speaker is another. So we invite you to explore our new R3 Series—five models, priced from under \$150 per pair, that affordably allow you to achieve a new perspective...

 Infinity®



Infinity Systems, Inc. ■ 9409 Owensmouth Ave. ■ Chatsworth, CA U.S.A. 91311 ■ (818) 709-9400  
In Canada ■ H. Roy Gray Ltd. ■ 14 Laidlaw Blvd. ■ Marham, Ontario Canada L3P1W7 ■ (416) 234-4833

Enter No. 24 on Reader Service Card

# TAPE GUIDE

HERMAN BURSTEIN

## Copying Phono Discs

*Q. I own a rather extensive collection of 78-rpm and LP records and want to transfer many of them onto cassette tapes. In past years I have read several articles on how to clean up these old jewels, but alas, I did not save them. I own high-quality audio equipment with which to make the transfers, but I am at a loss as to how to proceed. I will appreciate your suggestions.—Clifton T. Chadwick, Wheat Ridge, Colo.*

A. One of the articles to which you refer is probably that by Peter Milton, "Get the Most Sound from 78s," in the June 1982 issue of *Audio*.

A great deal of help can be obtained with the aid of an equalizer and/or tone controls between the phono playback system and the cassette deck input; this is particularly the case for 78s. Unfortunately, most preamps and integrated amps and receivers place the tone controls after the tape deck's output, so they are not of help. Hence you probably have to rely on an equalizer, which can be very useful in achieving an optimum balance between extended treble response and minimum noise. A dynamic noise-reduction unit could be beneficial; perhaps it could be advantageously used with the equalizer. In setting such equipment, you must have confidence in your own ears rather than in settings arrived at by some formula.

## Rise and Fall of EE Tape

*Q. I thought that metal and Type II tapes were to be available for open-reel decks. What happened? Also, I am confused as to the difference between these and conventional open-reel tapes.—Donald Bisbee, Columbus, Ohio*

A. Still available from a few manufacturers, Extra-Efficiency or EE open-reel tape is made with particles similar to or the same as those used in Type II cassettes. The tape deck, for its part, must supply a higher bias and different treble equalization to get the most from this hotter tape. These electromagnetic changes are much like those required in a cassette deck in the switch from Type I to Type II tapes.

It turned out, apparently, that at speeds over 1½ ips, EE tape didn't present quite so obvious an audible

advantage over ferric oxide as it had at the standard cassette speed of 1⅞ ips. And then there was the problem of compatibility between the older non-EE decks and these new tapes, as well as the increasingly excellent performance found in the current cassette decks. For these and possibly for other reasons, the move toward EE tape has apparently come nearly to a halt.

## More on Print-Through

*Q. Does metal tape offer more protection against print-through than do the other types of tape?—Robert R. Maigatter, Kewaunee, Wisc.*

A. I do not know from experience, but on theoretical grounds, I would expect metal tape to be less subject to print-through because of its much higher coercivity, which makes it more difficult to magnetize. (Print-through results from one layer of tape on the reel magnetizing the adjacent layer.)

If you are in the mood to experiment, you could investigate on your own, comparing metal tape with another type. Most of the print-through develops within the first two or three days after recording, so you don't have to wait very long for results.

## Record Transfers to Tape

*Q. I am in the process of transferring old 78-rpm records to tape. My collection includes old acoustics and post-1925 electricals, including a number of foreign make. My aim is to reproduce these records as they were intended to be heard. I have improved their sound with an inexpensive, no-frills equalizer, but in setting this device I need information about the old equalization curves. I also need accurate information on the current phono standard, the RIAA curve.—George Wheeler, Sea Cliff, N.Y.*

A. Old 78-rpm records were recorded with a very substantial variety of equalization characteristics, depending on label and age, and I'm not in a position to provide such a listing in this column. All that can be said here is that some of these old records require more bass boost and some less; the same is true for treble cut (some were even recorded flat in the treble range). The best course is to use what sounds best to you, taking into account not only frequency response but also

noise. In other words, at times you may want to accept poorer treble response in exchange for reduced noise. Of course, this will require individual experimentation with each record, using your equalizer.

The RIAA playback curve calls for bass boost commencing (up 3 dB) at 500 Hz and levelling off (3 dB below maximum) at 50 Hz; total boost is 20 dB. It calls for treble cut beginning (3 dB down) at 2,122 Hz and continuing thereafter at a rate approaching 6 dB per octave; thus, for example, response is 13.7 dB down at 10 kHz relative to 1 kHz.

Onkyo has a preamp, the P-3030, with a single "78" equalization setting which may or may not match your 78s precisely, but which should come closer than the standard RIAA. Another device, the Esoteric Sound Re-Equalizer (reviewed in *Audio*, November 1985), can be used to obtain a more precise equalization match to nearly any 78-rpm disc.

## What's a "Live Source"?

*Q. I have read recommendations about which types of cassette tape to use when recording a "live source." Does this refer to recording a live source directly, or does it mean recording a live source broadcast over an FM station?—Name withheld*

A. Recording a live source signifies that one is making a recording at the performance site itself—that there is nothing between the tape deck and the source except a microphone (and perhaps a mixer).

For live recording on cassette, it is desirable to use metal tape to encompass the entire dynamic range, which can be as much as 70 dB or so. This will tend to minimize distortion and loss of high frequencies. But when FM stations broadcast "live," they use compression to reduce the dynamic range to about 60 dB or less. In that case, one can usually get good results by using a high-quality tape other than metal, such as ferric oxide, chrome, ferricobalt, or ferrichrome.

**If you have a problem or question on tape recording, write to Mr. Herman Burstein at AUDIO, 1515 Broadway, New York, N.Y. 10036. All letters are answered. Please enclose a stamped, self-addressed envelope.**





Teac.

For over thirty years Teac has been famous for building precision tape recording equipment. But, we're not willing to rest on our reels. So now Teac offers its most comprehensive line ever. From audio and hi-fi video recording equipment, to compact disc players, to graphic equalizers, speakers, and a complete line of audio and video accessories. One thing, however, will never change at Teac—our obsession with creating the most advanced, featured-filled, superbly executed audio and video equipment we can make. So, no matter what Teac you decide to buy, you can be assured of acquiring a piece that has been built to fanatical standards.

Hi-Fi in the extreme.

**TEAC**<sup>®</sup>

Enter No. 45 on Reader Service Card

If your car deck simply stops when ignition is turned off, the rubber roller and drive wheels may develop flat spots, causing wow and flutter.

#### How Best to Dub

*Q. I want to copy a cassette recording of songs I have written. I want the quality to be very good but the cost within reason. My choices are: A real-time dub from my deck to a friend's deck; a high-speed dub on a \$5,000 professional machine, which will cost \$2; a real-time dub on a studio-quality cassette deck, which will cost \$15. Which would you choose?—Steve Holliday, Santa Cruz, Cal.*

*A. I vote for the first course, namely a real-time dub with the aid of your friend's deck, assuming that your deck and your friend's are both of good quality and in good shape. Try dubbing from your deck to your friend's, and vice versa, to see which gives better results. If the original tape has NR, have both decks' NR circuits switched on (see "Deck-to-Deck Matching and NR: Straightening the Mirror" in the August 1986 issue).*

*Why not try things in the order you listed? First dub with the help of your*

*friend's deck. If the copy does not compare favorably with the original, try a high-speed dub on the professional deck. If still not satisfied, then try the real-time dub on studio equipment. Keep in mind that you cannot improve on the quality of the original, so the \$15 course may sound scarcely, if at all, better than the free one.*

#### Flat Spots

*Q. My car's cassette deck does not automatically eject a tape when the engine is turned off, and tapes therefore are forgotten at times and remain in play position. Can this damage any of the deck's parts and cause a deterioration in playback response?—Samuel J. Neiditch, Redlands, Cal.*

*A. The possibility of damage depends on what your deck does when the power to it is shut off. If the deck just stops, with the tape still squeezed between the rubber pressure roller and the capstan, the roller may develop a "flat spot" at the point where it con-*

*tacts the tape and capstan. If the mechanism contains rubber drive wheels, they may develop flat spots too. Such flat spots cause wow and flutter, sometimes severe. While they are not necessarily permanent (the rubber tends to have a "memory" and therefore may recover its roundness), flat spots may become permanent if the deck is left in play position long enough. It is difficult for me to define "long enough," however.*

*On the other hand, some car decks go into "standby" when the power goes off, leaving the cassette in playing position but removing the pressure roller a short distance from the tape and capstan. This prevents flat spots.*

*It is possible, in hot weather, that a cassette left in either type of deck might warp enough to become unplayable or even enough to get stuck in the transport. Should this happen, the deck would have to be disassembled by a service technician in order to remove the tape.*

**Sony just extended the range of**





Dolby and dbx NR systems suppress noise introduced in recording and playback, while DNR suppresses noise which is already present in the program material.

#### Bright Sound

*Q. My cassette tapes have a brighter sound when the equalization switch is in the 120- $\mu$ S position. Why?*—Robert W. Thompson, Glendale Heights, Ill.

A. I do not know whether you are referring to recording or playback or both. And I do not know if the EQ and bias switching are combined into one; I will assume they are. When the switch is in the 120- $\mu$ S position, this ordinarily applies less bias than in the 70- $\mu$ S position, resulting in increased treble response but also greater recorded distortion if you use tape formulations other than ferric. In playback, the 120- $\mu$ S setting applies less bass boost—which comes out to the same thing as less treble cut—and therefore yields brighter treble response.

#### Combining NR Systems

*Q. Can the DNR (Dynamic Noise Reduction) system be used in conjunction with Dolby C NR? Will it enable me*

*to retain the wide frequency response (20 Hz to 17 kHz) I now have with my tape deck? Can the DNR system be used for both playback and recording?*—Eric Gagne, South Hadley, Mass.

A. DNR is used solely for playback. Its purpose is to maintain the frequency response of the program source so far as the human ear can detect. It seeks to suppress high-frequency response, and thereby noise, only when the high-frequency content of the program material is minimal; that is, it ought to operate only when the high-frequency content is virtually masked by the noise.

DNR seeks to suppress noise already present in the program material (phono records, recorded tapes, etc.). In contrast, systems such as Dolby and dbx NR cannot suppress noise in the program source; they suppress noise—and remarkably so—in the tape recording and playback system. The Dolby and dbx systems work by encoding (compressing) the signal being

recorded and decoding (expanding) the signal that is played back; the downward expansion in playback also takes down the noise present in the tape system.

You could use a DNR system to reduce noise of the program source before the signal is fed to the tape deck. Or you could use DNR after the playback signal has been delivered by the tape deck.

*(Editor's Note: In my experience, DNR systems whose thresholds are not adjustable, such as those built into many car-stereo systems, do reduce high-frequency response, but only slightly. However, DNR systems with adjustable thresholds, such as those in some stand-alone noise-reducers, can usually be adjusted so as to eliminate most high-frequency noise with little or no discernible effect on treble response. Keep in mind, though, that it is rarely, if ever, possible to eliminate all audible noise without a slightly diminished treble.—I.B.)*

**your music.**

### Our new UX tapes deliver higher highs, lower lows and wider dynamic range.

If you're going to listen to music at all, you may as well get it all. No matter how high or low, how loud or soft. Captured so faithfully that trying one of these new tapes at least once is something you owe yourself. And your music.

Each of these four new UX tapes represents the kind of advancement of music reproduction you've come to expect from Sony. UX-ES, for instance, offers the best frequency response of any Type II tape we've ever formulated. Yet UX-PRO actually goes one better with a ceramic tape guide that yields the most incredibly quiet tape housing Sony has ever produced.

Sony UX tapes. Now when a musician really extends himself, so will your tape.

**SONY**  
THE ONE AND ONLY.



© 1986 Sony Corporation of America. Sony and The One and Only are trademarks of Sony.

## Hum in Phono Cables

*Q. I am puzzled by a minor problem with my turntable. Any power cord within 12 inches of the phono cables causes an audible hum from my speakers. Power cords near other cables, such as those connecting preamp to power amp, tuner to preamp, etc., do not cause this hum. Do my phono cables need replacing? I'd really hate to do that, because these cables are soldered directly to the turntable lug strip.—Jerry Powley, Fort Worth, Tex.*

A. Power cords produce a.c. fields which can be picked up by some cables and then passed into the audio circuits, where they are amplified and fed to the loudspeakers as audible hum. Because phono cartridges have very low-voltage outputs, phono input circuits have more gain than the other inputs in your system. As a result, any hum picked up by the phono cables will be amplified more than hum picked up elsewhere, and so will be more audible. Also, the phono system's impedance is likely to be higher than the combined impedance of a cassette recorder and AUX input, etc.

Audio cables are not completely shielded. This is why hum voltages can get into the cables in the first place. Do not replace your cables—just keep the power cords away from them, as stated in most turntables' instructions.

## Type I and Type II dbx NR

*Q. What is the difference between the dbx Type I and dbx Type II noise-reduction systems?—Tim Schindler, Mechanicsville, Md.*

A. Both are full-band 2:1 compression/expansion ("compansion") systems. Both boost treble during recording and impose a mirror-image cut in playback. The difference lies in the range in which the companding works. The sensors that control the compander action of dbx Type I read all audio frequencies from 22 Hz to 21 kHz; those that control dbx II's compander action read signals only between 30 Hz and 10 kHz, so they won't mistrack when used with imperfect recording media. This band-limiting applies only to dbx II's control circuits, not its audio circuits.

Type I is designed for recording systems such as 15-ips studio recorders,

which have the ability to record high-level, high-frequency signals. Type II, because of its band-limited control circuits, is more forgiving of media such as cassettes, which have high-frequency headroom limitations, low-frequency head "bumps," and other imperfections.

## Faulty Phono Muting

*Q. I own a top-grade automatic turntable. At this time, however, the muting circuit is inoperative. In order to avoid possible speaker damage, I have to run to the equipment and turn the volume down during the "change cycle." Any advice?—Bernard A. Dupont, Putnam, Conn.*

A. The mute is supposed to silence any output from the cartridge unless the stylus is on the record. This is accomplished by two sets of switch contacts, one set per channel. The contacts are usually flat leaves which touch together during muting. They are wired in such a manner that, when the contacts close, the output from the cartridge is shorted.

In your case, either the contacts never touch or there is dirt, oxide, or even grease on the contacts which prevents the shorting action. If the contacts simply don't close, the cure depends on the design of the leaves and upon the way they are pressed together. You will either have to bend them so they are closer together during "play" or you must adjust the position of a cam which works against the contacts. If there is surface contamination, a suitable contact cleaner should be able to fix the contacts.

## Hum in Stacked Components

*Q. I often see systems in which the individual components appear to be stacked one on the other. Shouldn't this produce problems? I remember that when I was dubbing eight-track tapes to cassette, the two decks were stacked. I could hear a hum during recording. In fact, that hum was recorded on my cassettes. When I separated the two decks, the hum was no longer there.—Tim Schindler, Mechanicsville, Md.*

A. An eight-track machine has a playback head, and this head can act like a transformer. It is, therefore, susceptible to hum fields, which can be

produced by power transformers and motors. In your case, either the motor or power transformer in the cassette recorder was sufficiently close to the playback head of the eight-track player for the hum to find its way into the head. Yes, heads are shielded against this hum, but shielding is never perfect, and some heads are shielded better than others.

With good shielding and judicious physical placement of hum-producing elements with respect to elements which tend to be sensitive to hum, it is possible to design components which will operate properly when stacked.

In summary, if a manufacturer designs a set of components to be stacked, he will have taken hum into account during the design process. If, on the other hand, you stack a random set of components, you run some risk of hum.

## Interrelating Specs

*Q. My stereo receiver has a frequency response of 20 Hz to 20 kHz and about 85 dB S/N for AUX signals; my cassette deck has a maximum frequency response of 20 Hz to 19 kHz and an S/N of 92 dB (with noise reduction). My turntable and cartridge have a signal-to-noise ratio of 78 dB and a frequency response of 10 Hz to 30 kHz. How do these specs interrelate? What is the maximum S/N and the maximum frequency response that could be obtained from the kind of setup I've described?—Tim Schindler, Mechanicsville, Md.*

A. The best S/N you can expect from a multi-component system will be that of the noisiest component that is handling the signal at the time (except when playing records, in which case performance is limited not so much by your equipment as by the background on the discs, which can be as low as 60 dB.) Assuming your receiver's S/N at the phono input is about 80 dB, you could expect an S/N of 78 dB, at best, when playing very quiet records, the limit being your turntable's S/N. When playing tapes made from low-noise

**If you have a problem or question about audio, write to Mr. Joseph Giovanelli at AUDIO Magazine, 1515 Broadway, New York, N.Y. 10036. All letters are answered. Please enclose a stamped, self-addressed envelope.**



# **THE NEW LOOK OF VANTAGE.**



***Same great taste  
in an exciting new pack.***

© 1985 R. J. REYNOLDS TOBACCO CO.

SURGEON GENERAL'S WARNING: Cigarette  
Smoke Contains Carbon Monoxide.

9 mg. "tar", 0.7 mg. nicotine av. per cigarette by FTC method.

# A Denon amp vs. its only competition.



**Denon PMA-900V  
Integrated Amplifier**

Denon America, Inc., 27 Low Drive, Fairfield, NJ 07006  
Denon Canada, Inc., 17 Denison Street, Markham, Ont. L3R 1B5 Canada





DRA-95/R: Remote Control; Video Capability; 85 W/ch., both ch. driven, 8 Ohms, 20 Hz-20 kHz, 0.03% THD.



DRA-75VR: Remote Control; Video Capability; 65 W/ch., both ch. driven, 8 Ohms, 20 Hz-20 kHz, 0.03% THD.



DRA-55 A: Non-Switching Class A Circuitry; Video Capability; 55 W/ch., both ch. driven, 8 Ohms, 20 Hz-20 kHz, 0.015% THD.



DRA-35V: Non-Switching Class A Circuitry; Video Capability; 40 W/ch., both ch. driven, 8 Ohms, 20 Hz-20 kHz, 0.05% THD.



Admittedly, it's tough to compete with Denon's integrated amplifiers. In Japan, they've been praised for "a wide balance and richness in sound" and called "nothing short of phenomenal." But now Denon amps are getting a run for their money... from the new Denon receivers.

Combining a separates-quality amplifier and tuner on the same chassis is not a new idea. But who else actually does it? Look inside the new DRA-95VR Receiver and you'll find precisely the same circuits that make Denon amps so highly acclaimed.

You'll discover the same Pure Current Power Supply for an amazing 60 dB reduction in dynamic IM distortion. You'll see the same discrete output transistors (not cheap IC "power packs") for superior sonic resolution. The same video inputs and outputs. And the same MC cartridge head amp.

Beyond even this, Denon's top two Receivers are supplied with an integrated remote control that also operates a Denon Cassette Deck and any of three Denon CD Players.

So before you make your next high fidelity purchase, get yourself to a Denon dealer. He'll show you the only receivers with the guts to stand up to the world's finest integrated amps.

**DENON**  
DESIGN INTEGRITY

Denon DRA-95VR  
AM/FM Receiver

In a multi-component system, the best S/N you can expect will be that of the noisiest component handling the signal at a given time.

sources, your best S/N would be 85 dB, limited by your receiver's S/N at its high-level inputs. In practice you'd achieve slightly worse figures than these, because even the quietest components would be adding some noise to the total; however, the added noise might not be audibly significant.

In frequency response, too, you will be limited by your system's weakest link—and perhaps by the sum of all your components' frequency roll-offs, depending on how their manufacturers specify response. If response is specified flat within a fraction of a dB, then the effects of multiple components

would be negligible; your response when listening to records would be 20 Hz to 20 kHz (limited by the receiver) and when listening to wide-range tapes would be 20 Hz to 19 kHz (limited by the tape). If response is specified in terms of the frequencies at which output is 3 dB down, however, the frequency errors would add up rapidly. If your cartridge, receiver, and deck were all 3 dB down at 20 kHz, say, then response when recording from your turntable and monitoring the tape would be 9 dB down at 20 kHz.

## Get Active...

Every audiophile dreams of having a music system which includes a pair of loudspeakers driven by four or six power amplifiers separated by an electronic crossover. In such an active system, the amplifiers operate within a specific portion of the frequency spectrum providing a detailed and articulated sound. The electronic crossover defines the role of each driver and amplifier precisely, resulting in more accuracy, greater efficiency and lower distortion than is possible with typical passive crossovers. Meridian integrates carefully matched active electronics into each of their loudspeakers giving them the ability to retrieve more realism in a reproduced musical event than any comparable passive design.

The third generation of active loudspeakers from Meridian allow your audiophile dreams to come true at a price much lower than you would expect. When you hear how much musical enjoyment you can have, we're sure you'll get active.

BOOTHROYD STUART  
**MERIDIAN**



Pictured is the Meridian M30 biamplified active loudspeaker. Also available are the larger biamplified M20 and the triamplified M100 models.

Exclusive U.S. Distributor **MADRIGAL, LTD.**, PO. Box 781, Middletown, CT 06457 ITT TLX 4942158

## The Virtues of Noise

In the March 1986 issue, a question was published in "Audioclinic" from a reader who wondered why a faint hiss is audible even on CDs designated "DDD."

I think it may actually be undesirable to remove every last vestige of wide-band noise from any digital format. Indeed, it can be shown that a small amount of wide-band noise (called "dither") added to raw digital audio will not only mask but actually reduce the small amount of noise and distortion caused by quantization—if the dither meets certain mathematical criteria.

Quantization is a sequence of the smallest voltage changes which can be represented by a digital system, corresponding to changes of one count in the least significant bit. When used, dither is injected at a level which randomly modulates the system by at least one count, plus whatever audio is present, thus "blurring" the sharp, stepwise effect of quantization.

In actual practice, the noise in mixers, preamplifiers, and other nondigital studio equipment may provide this signal. However, as the noise floor of this equipment is further reduced (as a result of design improvements and the continued conversion to digital), it may be desirable to deliberately add dither to the signal. Dither can be added at any point between the studio and the CD player. At least one manufacturer, Carver, adds dither itself, via the Digital Time Lens circuitry in its players. The sound of some CDs may be enhanced by this treatment.

If your reader has a Carver CD player, and if the Time Lens is switched in, this could account for the hiss.—Karl Uppiano, Caldwell, Idaho





# GRP WHERE ARTISTRY MEETS TECHNOLOGY




Diane Schuur/*Timeless*



Kevin Eubanks/*Face to Face*



Lee Ritenour/*Earth Run*



Eddie Daniels/*Breakthrough*



Glenn Miller/*In The Digital Mood*




Dave Valentin/*Light Struck*



Grusin/Ritenour/*Harlequin*



Billy Cobham/*Power Play*



Special EFX/*Slice Of Life*



The Chick Corea Elektric Band

An ongoing commitment to the latest digital recording technology has earned GRP the singular distinction as *The Digital Master Company!*

From *New Age* to *Fusion*, from the *Pioneers* to the *Legends*, GRP proudly presents the hottest names in jazz in the medium they were meant to be heard in.

Music reproduction reflecting the highest state of the art recording technology, from...

**GRP, THE DIGITAL MASTER COMPANY.**

Also available on Records and Cassettes.

THE DIGITAL MASTER COMPANY



Enter No. 23 on Reader Service Card

For a free color catalog write to: GRP Records, Dept. C, 555 W. 57th Street, New York, N.Y. 10019



# Jerry & Mike Leiber & Stoller

## The First Independent Producers—Part II

Stoller and Leiber transformed the role of the record producer into a much more responsible one than it had been. Earlier, most producers felt the duties were chores, necessary but without much opportunity for a truly significant contribution. Perhaps because their talents were so strong or because they didn't know where the limits were, they raised the producer's role to art.



Let's talk about *The Drifters*. "There Goes My Baby" was the first session you produced for them. It was such a beautiful, lush production. . . .

J.L.: That was the time Jerry Wexler's tuna fish sandwich went all over the wall. We played him the record while he was eating his lunch. He started screaming at us: "What are you doing with my money!?! This is the dumbest, the craziest! This stupid record is out of tune! Hey, Ahmet, isn't it out of tune!?" [Laughter.] Ahmet says, "Hey, wait a minute! Stoller knows whether it's in tune or not! Is it out of tune?" [Laughter.] Stoller says, "Well, it's a little out of tune, but I think it's kind of interesting." [Laughter.] "Interesting! What kind of interesting? The stupid tympani are out of tune, man! This is a rotten, dumb record! And I'm not going to put it. . . ." And the tuna fish sandwich was all over the wall.

M.S.: Ahmet was trying to mollify us. He said, "You know what, fellows? Look, you guys cut great records, but you can't hit a home run every time at bat. You know that." We said, "But there's something in it. Can we work with Tommy Dowd? Maybe we can fix it up." It wasn't recorded where we usually record because Atlantic's studio was booked that day, and it was

done. . . . It was upstairs on 40th Street, off Sixth Avenue.

J.L.: The booth was upstairs, but the recording was down in the pit. There was a terrible time lag in the studio, and a strange echo system. It gave a weird wash to the record. We knew the tymps were out of tune. It sounded like two AM radio stations playing at the same time.

M.S.: It wasn't that they were out of tune, it was that they weren't played by a tympanist. He was an R&B drummer and he just played it straight through, and the one pitch went through all the changes.

Now, this was the first R&B tune to feature strings. . . .

M.S.: We had tympani, four violins, and a cello, with a regular rhythm section which we augmented because I had come up with this Borodin-like line I was playing on the piano during rehearsals. Jerry said, "That should be violins." Stanley Applebaum wrote the line as a unison for the violins and cello. Anyway, the tymp was in the studio, and Jerry and I have always

loved a certain Brazilian beat, called the *baion*, which we heard sung by Silvano Mangano in the Italian film *Anna*. It later became the signature of half a dozen years of rock 'n' roll and soul records. It was used extensively not only by us, but after us by Phil Spector and Burt Bacharach.

So Ahmet and Jerry thought you were nuts?

J.L.: Wexler thought it was terrible, god-awful.

M.S.: I think Ahmet thought it was awful too, but he was trying to be kind.

J.L.: I'm trying to remember who came in and said it was a hit. Was it Nesuhi [Ertegun]?

M.S.: No, I think it was Tommy Dowd. We said, "Let us work with Tommy on it." We just mixed it. It was only three or four tracks.

J.L.: I know that at some point Ahmet said he thought it was a hit. Maybe it was just before we released it. I remember Ahmet saying, "It could be a hit." And, of course, it did go on to become a hit.

Then came more with *The Drifters*, like "This Magic Moment," written by Doc Pomus and Mort Shuman.

J.L.: Yeah. We started building this rhythm section. By the time we were in full swing, we were using like three to







**A**t first,  
them crazy.



Mike Stoller and Jerry Leiber at the piano in 1959, the year they produced The Drifters' hit "There Goes My Baby" for Atlantic.

Photograph: Courtesy of Leiber & Stoller

five guitars—a 12-string, a lead guitar, two rhythm guitars . . .

M.S.: . . . and one that went "chang." [Laughter.] Electric, using whole notes. J.L.: Then we used up to three percussionists and a drummer. We had somebody on African drum, a triangle, and vibes and marimbas, then a regular drummer.

**Wasn't Phil Spector your apprentice?**

J.L.: We brought him in sometime in late 1960. Phil Spector was another discovery of Lester Sill. Lester called me on the phone and said, "There is this very talented young kid out here, and he's bored with the scene." Nothing much was happening there [L.A.]. At the time, everything was happening in New York. He was just out of high school. Lester said, "He wrote one hit song and he made a record, and he wants to hang out with you guys." I said, "Sure, send him along." And he stayed in my house.

M.S.: We sent him a ticket as a favor to Lester.

**What did he do as your apprentice?**

J.L.: He just hung around us.

M.S.: To help support him we'd put him in the guitar section. Then we started getting him outside gigs.

J.L.: We had too much work. A job came through. Big Top Records—Paul Case—called us and wanted us to cut Ray Peterson. We didn't have time. I said, "You know, there's a very talented young man who's working with us,

and I think he can handle it very well. We'll supervise him and check the mixes." He said okay, he'd take a chance. Phil went in and cut "Corinna, Corinna." The rest is history [laughter]. **He must have been heavily influenced by the stuff you were doing with The Drifters.**

J.L.: I think he was influenced by our techniques and ideas, but he used them in his own way. We used five guitars; he used three pianos. He was influenced by us, but he developed his own thing, which is what anyone who's good finally does.

**Jerry Wexler said he remembered that when Atlantic got an early eight-track machine, you were saying, "You can't make R&B records on multi-track, it's going to change the sound of the records, and it won't sound authentic anymore." Is that accurate?**

J.L.: Did I say something like that? I could have. Well, they were too clean. I used to talk about "the rub." Then someone explained that it was on the old tube machine.

M.S.: Oh, no, that had to do with the harmonics being different on the tube machines. But Tommy's [Tommy Dowd's] eight-track was running on tubes at that time rather than chips. It was later on that we learned the difference between the transistor and the tube machine, the warmth of the tubes, and the slight harmonic distortion that was different.

J.L.: You couldn't make a Howlin' Wolf record, you couldn't make a Chess record, you couldn't get that sound on a transistor machine. At first, multi-track techniques drove me crazy because of the possibilities and the alternatives. It bothered me because I was always geared for a record session like I was geared for a performance. It all had to do with capturing the spontaneity of the moment. The idea of having so many extra tracks meant that you had the luxury of making mistakes or not being "up" for the moment to really nail it, in that one take or two takes or whatever. You could come in later and overdub it. Not that we hadn't ever used overdubs before, but we didn't normally use them to get the central performance. We would use them to fix a moment, something that was off. But we always felt the band, the rhythm section, and the singer—there was an interaction that was irreplaceable. I don't like to make tracks and overdub a voice. We thought that was dead. So the idea that all these tracks were there would create a kind of laziness in terms of performance. It took a kind of urgency out of the moment for me. Recording, for me, was not as exciting anymore.

**Mike, do you agree with that?**

M.S.: Well, a little. I recall using the eight-track machine with Tommy as if it were an extension of mono, not like the experiences we've had since in working 16-track and 24-track, where I've definitely felt exactly as Jerry has described. I've gotten hung up on the process, in some cases—lost in the technical possibilities, and the remix possibilities, and sometimes the "we'll do it later" possibilities. But the eight-track, especially with The Coasters, where we had the rhythm divided on the tracks—the main thing that it gave us was three tracks to play with the vocals. If a performance was almost there and we missed one line, instead of having to intercut it with another per-



the possibilities of multi-track tape recorders drove  
It seemed like there were too many alternatives.

formance, where the rhythm section might not fit perfectly, we could touch up that particular line. We had the luxury of being able to fix it.

**You adapted to this?**

M.S.: Very quickly. We were helped, of course, by the fact that we were working with a technician who became a great producer, Tommy Dowd, who understood what we were doing as producers. He was just brilliant. You know, a lot of the engineers we worked with became producers afterward. Tommy Dowd, Brooks Arthur, Phil Ramone was an engineer at A&R Studios. We started working with him in 1959, when we began using orchestras too large for Atlantic's old studio on 56th Street. There were techniques that we used in those early days that you just don't think about now because you can do so many different things electronically. While we were mastering, for example, we were always very aware of the possibility of altering the tempo ever so slightly. But they didn't have all the VFOs, variable frequency oscillators. So we would "speed them a wrap." You took a piece of tape and you wrapped it around the capstan, which made the take-up faster. We wouldn't speed it so many seconds, we'd speed it one wrap or two wraps. It was hard to speed it a half-wrap because then you would get a wobble [laughter].

**Didn't you also work briefly for RCA Victor in New York, in 1957?**

M.S.: 1958. We moved to New York at the end of '57. We had already started working for Atlantic in California. The RCA thing was arranged by Jean Aberbach through Steve Shoals, who was head of A&R.

J.L.: [At RCA] by the time you filled out a requisition for something, the idea was stale. I got so confused. All the offices looked exactly the same [laughter]. I couldn't find my office. I would come to the building, and every day I would go into an office and sit down and I'd be sitting there for 10 minutes thinking this was my office and a guy would come in and look at me and he'd say hello, and I'd say hi. He'd walk around kind of uneasy, and I'd start to feel uneasy. Then he'd say, "You're in my office." [Laughter.] I'd get up and I'd go into another empty office. They were these cubicles, and they were all

furnished the same, the same size. I didn't know where I was. I couldn't make it.

M.S.: We produced seven records in our first four months there, and had six Picks of the Week in *Cashbox*. Varetta Dillard, Georgia Gibbs. . . . But they never sold any of those records. Meanwhile, we made one record for Atlantic during that same period and it was a smash.

J.L.: So we said, "We're wasting our time," because even if we made a hit, it wouldn't be played.

**Was it that they weren't greasing the right people?**

J.L.: We didn't know what was going on. The records were being sold by the people who sold refrigerators.

M.S.: We didn't know how records


were promoted. We only knew that you made them and Atlantic put them out and if they were good they'd be hits.

**Let's talk about Elvis Presley, another RCA artist. How did you feel about him before he recorded your material?**

M.S.: I heard "Heartbreak Hotel" and I loved it. It was weird and it had more echo than I'd ever heard before, but I loved it. That was in the beginning of '56. Then I went to Europe for three months and I didn't know that Elvis had become the biggest thing going in the States.

J.L.: He came back on the *Andrea Doria*. I had just come back from California. I had been on this hair-raising fishing trip where we were stranded off the coast of California for like 18 hours. It was terrible. We went out on a little

Photograph: Courtesy of Leiber & Stoller



Jerry testing his pipes in 1959 as Dick Charles (center) and Mike looked on. Youngster is unidentified.


Photograph: Frank Driggs Collection



The Coasters, working with them, says Mike Stoller, "was the most fun we ever had with any artist."



Photograph: Courtesy of Leiber & Stoller



Courtesy of Downstairs Records Inc.

A scene from the Presley movie *Jailhouse Rock*, whose music was reportedly written by Leiber and Stoller in one afternoon. That's Mike seated at the piano.

# It was obvious to but his knowledge

fishing boat that shouldn't have gone out more than five or six miles, and it went out about 24 miles. The motors gave out, and we were stranded out there. We were towed in, finally, by the Coast Guard, and the rope broke a few times. I had this great, wild adventure up my sleeve to tell Stoller. I was checked into the Algonquin and I was smoking a cigarette and listening to the news, and I get this news flash that the *Andrea Doria* is sinking off the coast of Nantucket. I thought: He's on that boat, I've been upstaged again! [Laughter.] Actually, I thought of that later. I was absolutely horrified. I had just found out that Elvis' "Hound Dog" was an overnight smash, and I had this great news for Mike that we had this great hit record. Then the news came of the sinking ship. I listened all night and I heard there were survivors. I didn't know who, though. Then, finally, I got a telegram.

M.S.: I had some lire in my pocket. We were on a United Fruit Lines Boat that had picked us up out of a lifeboat. They wouldn't send a telegram unless we paid in cash. I had given money to

some other people to send wires back to Italy. I could only afford to send one telegram and I figured Atlantic Records was the place, because I knew Jerry and Lester Sill were planning to meet me there. Jerry was at the dock waiting when we came in . . .

J.L.: . . . with the news about "Hound Dog." I thought he might be wet, so I brought him a suit [laughter].

*How did you feel about the way Elvis did "Hound Dog"? He changed the lyrics around and so forth.*

J.L.: The first time I heard it, I hated it. I didn't like it at all. My idea of the right rendition was the Big Mama Thornton record. Elvis' record was much too frantic. The original was kind of a cross between a New Orleans buck dance and a blues-rumba. It was relaxed and nasty. The Presley record that I loved most was "Love Me." I thought Elvis Presley was the greatest ballad singer since Bing Crosby.

*What was it like, working with Elvis?*

J.L.: He was fast. Any demo you gave him he knew by heart in 10 minutes.

M.S.: He'd sing along with it a few times, and he'd know it.

J.L.: Elvis Presley was like an Olympic champion. He had more vitality than 10 other singers put together.

*You didn't feel, as two guys very involved in authentic black music, that he was some kind of usurper of the black sound?*

J.L.: I wouldn't say a usurper. I felt he was not quite authentic—after all, he was a white singer, and my standards were black.

M.S.: We had strong feelings about what we thought was authentic. And one of the things we felt was not authentic was a white singer singing the blues. Why we thought that it was all right for us to pass, I don't know. Maybe because we were writers, not performers. But even so, I did like Elvis right from the git.

*Was he aloof in those days?*

M.S.: No. He was protected. He was removed. . . .

J.L.: He was protected by the CIA [laughter].

M.S.: The Memphis Mafia CIA. Colonel Parker. They kept him separate. We met him in a studio at Radio Recorders when we were doing the prerecording of the songs for [the film] *Jailhouse Rock*. It was great, very easy. We were surprised at the kind of knowledge that he had about black music. We figured that he had these remarkable pipes and all that, but we didn't realize that he knew so much about the blues. We were quite surprised to find out that he knew as much about it as we did. He certainly knew a lot more than we did about country music and gospel.

*What was it like writing the songs for the Elvis films?*

J.L.: We thought they were dopey.

M.S.: We would write for them, but after a while they got so dumb and so repetitive that we got bored and decided not to do any more because it was just no fun.

J.L.: We did more Presley movies than we ever intended to do because we were making so much money. But it got to a point where we just couldn't stand it anymore.

M.S.: It got to the point where it got to be too much like work. The score to *Jailhouse Rock* was written in one afternoon in the Gorham Hotel. Because Jean Aberbach, who was the publisher and co-owner of Elvis Presley Music and Gladys Music [and cofounder,



Leiber and Stoller that Elvis had a remarkable voice, of the blues came as a big surprise to them.

with brother Julian, of Hill and Range Music], came in and said, "Where's the score, boys?" He sat down on a big, overstuffed chair and planted himself in front of the door and said, "You're not leaving until I have some songs." *Let's talk about some of the records you produced at United Artists in the early '60s. There were some very nice pop tunes like "Only in America" and "She Cried" for Jay and The Americans, and one of my favorites, The Exciters' "Tell Him."*

J.L.: Well, that one's a *baion*, with triangles.

M.S.: Bert Berns wrote the song, and I think they had released a record of it before, on a small label, and it had not been successful. We liked the song . . .

J.L.: . . . and we had this hysterical-sounding group called The Exciters. The girl, Brenda, sang out of tune, but she sang in a wild, exciting way.

M.S.: They used "Tell Him" in *The Big Chill*.

*You did Ferrante & Teicher at United Artists, no?*

M.S.: One side, "Lawrence of Arabia." [Laughter.] We had them playing inside the piano on the strings.

*Your songs and productions, which started out being inside and hip, gradually became more universal.*

M.S.: I wonder about that.

*"Only in America" seems as universal as can be.*

J.L.: Let me tell you something about that. "Only in America" was a song that Mann and Weill wrote with us. Originally it was The Drifters singing "only in America can a guy get a break," again a send-up—a black person talking about what a great place this country is for opportunity, an ironic, bitter statement. Now, Jerry Wexler heard the thing and he said, "Are you kidding? I'm not putting that out. I don't need that kind of trouble." So I said, "Can we have the track?" He said, "Sure." So we made a deal with Atlantic and we took the track and overdubbed it with Jay and The Americans. They sang it. A white group singing it sounds like "Tenement Symphony." It sounds as if they meant it. It was no longer ironic; in fact, it was downright patriotic. But you're right about some of our other productions. We did start moving more into the mainstream of the pop music business. We certainly were not cutting

the blues anymore. There wasn't a large enough audience for the blues anymore. The business was changing. M.S.: What was happening at that time in terms of black music was that Motown was starting. And Sam Cooke, and Sam and Dave.

*How did you feel about Motown then?*

J.L.: At first we thought it was white bread. We thought that Motown was Madison Avenue for black people. We said, "Man, those are white teenage stories. What does that have to do with black culture?" We'd have discussions about that with some black music people from time to time. They'd say, "What? Are you in love with the ghettos? Are you in love with that old regionalism? Things are changing, man. That's not the black image any longer."

*Would you say that your Red Bird label was a reaction to this?*

M.S.: No. A reaction to United Artists.

J.L.: We had broken with Atlantic in '60, '61. We went to United Artists and made a slew of hits. At one point we looked at each other and asked, "Why are we making these record companies rich? Why don't we go into the record business again, and do what we want to do, and not have to call upstairs for budgets, etc.?" We opened up a record company, Tiger, and each record got hit picks in the trades and we didn't get one of them played. Nothing was selling. We were cutting people like Alvin Robinson, who was a soul/blues singer from New Orleans, and we loved him. Still love him. We cut a number of great singers, and blues-oriented songs that we thought were great, and we couldn't sell two records. We were about to go out of business. Mike and I had been



Courtesy of Downstairs Records Inc.

*The Dixie Cups, whose 1964 "Chapel of Love" was a hit for Leiber and Stoller's own Red Bird label.*

*"Only in America" was first intended for The Drifters, but it was Jay and The Americans who finally recorded it.*

Courtesy of Downstairs Records Inc.

The Shangri-Las, another hit-making "girl group" for Red Bird.



Courtesy of Downstairs Records Inc.

# P

## erhaps because Stoller never felt

got an old Tiffany cigarette case, opened it up, took out a Pall Mall, lit it and blew the smoke into Hy Weiss' face. He said, "Hy, we're going to see who the schmuck is." [Laughter.] I had told him I had these acetates. He asked, "Where are the acetates?" I told him, "They're sitting on my desk in the Brill Building." He said, "Give me the keys to your office." I said, "I'll go with you." He said, "No. Don't come with me. Come in tomorrow morning when you normally do and I'll see you." I said, "Are you going to stay there all night?" He said, "I might." I gave him the keys and I came in at 11 o'clock the next morning and he was sitting behind my desk, not a hair out of place, same suit, same tie. He held up this acetate and said, "On my life. On my life." I said, "What are you talking about? Play it." He put it on, and I hated the f---ing record.

### What was it?

J.L. (singing): "Going to the chapel, and we're gonna get married. . . ." [Laughter.] He says, "This is a stone smash." I said, "George, you're the boss. You put it out. I hate it." [Laughter.] That was the first record on Red Bird. I think we ran 18 straight hits.

M.S.: Something like that, between The Shangri-Las, The Dixie Cups, The Jelly Beans, The Ad Libs . . . but Alvin Robinson, we released records on him that sold 100,000, and his were the kind of records we loved. After a couple of years we felt distanced from the material that our record company was doing. It was doing great, and selling all kinds of records, but we didn't have any emotional feeling for that. Because we wanted to write.

### What happened next?

J.L.: We did some outside productions and writing after that. At some point we gave George Goldner Red Bird Records for one dollar.

### Let's talk a little bit about your work with Peggy Lee.

M.S.: It started in '62. We made a demo of "I'm a Woman" and sent it out to Dave Cavanaugh at Capitol Records. Not long after, Peggy was appearing at Basin Street East. We went down to catch her act and she was singing the song. The audience loved it and we went down to the studio about a week later and recorded it.

### When did you write "Is That All There

producing and supervising record production with songwriter-producer teams that we were bringing along, like [Jeff] Barry and [Ellie] Greenwich, and Shadow Morton. Mike had written some arrangements for them with a group called The Dixie Cups. We had some sessions in the can with a couple of little girl groups that had nothing to do with our tastes in music at all. It had to do with the young writer-producers who were now working under our banner. They were doing what they wanted to do. But we were running out of money and time because the records we had made were not selling. Mike, didn't we, with the advent of George Goldner, start a new label because we thought the other label had the stigma of flops?

M.S.: Tiger and Daisy were the first labels, formed when we left United Artists. Our first releases came out the week of the Kennedy assassination. Of course, nothing ever happened with them. The music business, along with everyone else, went into a state of shock. By the following year, in about March or April, when we were coming out of that shock, we needed to start releasing some of these records that had been piling up on our desk. That is when Jerry bumped into George Goldner and made what I consider to be the best possible business arrangement that could have been made for us to go into the record business.

### How was it the best arrangement?

M.S.: Goldner was the best record salesman, ever . . .

J.L.: . . . outside of Jerry Wexler. He had Gee Records, Rama, and Roulette, Tico. . .

M.S.: He started all these labels. He was a mambo dancer. . . .

J.L.: His problem was gambling; he was a big horse player. He lost every label he ever had, at the track. I met him one night when he was down on his luck and out of money, sitting with Hy Weiss, who owned Old Town Records, in Al and Dick's. Weiss was blowing cigar smoke in his face, calling him a schmuck, and telling him what kind of fool he was and why, and trying to get him [George] to work for him for like \$200 a week. George said he needed at least \$350. Hy had invited me over to the table, and was using me as kind of an audience to put George down. Hy would turn to me and say, "See this schmuck sitting before you? He was worth \$20 million, and he blew it at the track." Then he would blow more cigar smoke at him. I'm sitting there looking at George and thinking, "We don't have much money. I can't really afford to give George \$350 a week. . . ."

M.S.: But if he'd made \$20 million in the record business, he must've known how to do something right. . . .

J.L.: At some moment I said, "George, you want to go into the record business?" He looked at me and said, "I hope you're not pulling my leg because I wouldn't think it was too funny right now." I said, "I'm not being funny at all. I'm being serious." He said, "What kind of a deal are you talking about?" I said, "A partnership." He said, "A partnership with Leiber and Stoller? What kind?" I said, "Even up. Three ways." Upon hearing this, he went into his inside coat pocket and



they were so prolific as record producers, Leiber and competitive when lending a hand to other writers.

*Is"?" It almost sounds like a comment on your careers up to that point.*

J.L.: Maybe it was. We were thinking of moving on. We were getting older, and we weren't writing for kids anymore; we weren't kids anymore. We were looking for another, more mature audience. We thought perhaps the theater would be the place for us. So I started experimenting with some ideas, and Mike and I got together on that. "Is That All There Is" was one of the first ideas of that genre that we completed.

*Was it very successful?*

J.L.: Not at first. We did it first with Georgia Brown.

M.S.: I wouldn't say that it wasn't successful. Georgia Brown performed it beautifully on a BBC television show in 1966. But she didn't get to record it, and without record sales it's hard to measure the success of a song. We continued to work on it—we rewrote it a couple of times. Then Jerry presented it to Peggy when she was working at the Copa. She was very taken with it, and Jerry told her that we would produce it with her in L.A.

J.L.: It's funny. I just saw Ahmet the other day, and he said, "Hey man, I want you to write some songs for Peggy. We just signed her."

M.S.: When we went up to Peggy's house she was playing an album of Randy Newman doing his own songs, like "Linda" and "I Think It's Gonna Rain Today." The orchestrations were so beautiful that we decided to use him on "Is That All There Is," and he did a brilliant job of arranging and orchestrating it.

*How did it feel for you, as songwriters, to work with other songwriters when you were producers or record-company owners? Did you feel sympathetic?*

J.L.: I think so. Strangely, I think because we were prolific enough producers, we never felt very competitive. We would sometimes give the back side of a sure-fire hit to another writer. I guess we thought we could make a hit record any time we felt like it.

M.S.: It wasn't like we were taking pity on anyone. It wasn't charity. There was enough for everybody.

J.L.: There was so much going on. We had so many opportunities to do whatever we wanted. If a songwriter came along with a great song, we'd do it. We loved good songs.

*You mean you weren't a couple of pains in the neck who would start re-writing songs?*

J.L.: Oh yes, we were. I was very tough on writers. I made Gerry Goffin and Carole King rewrite the lyrics to the bridge on "Up on the Roof." And I had Doc Pomus rewrite part of "Save the Last Dance for Me."


M.S.: We changed the structure on lots of those songs. But we were close friends of these writers and we could say, "Look, Doc, we're going to take this section out, and come out of the

instrumental right into here." And he'd say, "Oh man, that sounds great."

J.L.: To make the song better, to make the record better, to make the production better, we felt that we had this obligation as producer/arrangers.

*What's happening now?*

J.L.: We're starting work on an exciting new musical, with Julian Barry doing the book.

M.S.: And 20th Century-Fox just acquired the rights to our life history, and we're looking forward to working on that as well. 



The duo from 1953 to today.



Photographs: Courtesy of Leiber & Stoller

# Build A LIVE END/ DEAD END Listening Room

## PART I

**William R. Hoffman**

**Your listening room has a great effect on the sound of your system because of reflections. Here's how to tame them.**

**R**ecent developments in sound recording have begun to put more demands on the entire chain of sound reproduction equipment. With the advent of 14- and 16-bit digital coding systems and the Compact Disc as a viable sound-storage medium, the limits formerly set by the natural shortcomings of the vinyl LP record and magnetic recording tape have disappeared. Without the limits on signal levels set by the noise floors of these media, the ability to record low-level information containing the acoustics and character of a particular environment is unprecedented. But with this impressive recording capability must come a reproducing system that can clearly re-create these sounds, including all the important acoustic cues used by the human brain in determining the quality and nature of the original sounds. Electron-

---

*William R. Hoffman is a senior technician at Precision Audio Labs, Reno, Nevada. This article, a limited application of the live-end/dead-end concept, is based on research and development work by Don Davis of Synergetic Audio Concepts, San Juan Capistrano, California. The term LEDE is a trademark of his company.*

ics and loudspeakers are now available with the required level of performance to meet these needs, yet this is not enough.

The acoustics of the listening room play a major part in the perception ability of the listener. Even the most sophisticated loudspeaker system will be helpless in poor acoustic circumstances. When problems exist, the only remedy is to apply known principles of acoustics—some only recently come to light—to the situation. Then, under correct circumstances, the full capability of digital sound reproduction can be realized.

### **Room Acoustics and the LEDE Concept**

In 1972, Haas [1] showed that the acoustical anomalies of an enclosed space had almost no appreciable effect on the perceived sound from a loudspeaker if one important characteristic of the radiated sound field was carefully preserved: If the direct sound radiated from the loudspeaker was allowed to reach the listener well before the sounds reflected from adjacent room surfaces, then the brain would almost totally ignore the later sound and accept the direct output as the only one present. Specifically, Haas showed that a delay between the direct and reflected sound of more than about 20 mS, equivalent to a distance of about 23 feet, was sufficient to allow complete differentiation under normal circumstances. In addition, he showed that this delay requirement was modified by the strength of the early-arrival sounds. The concept of direct, early, and late sound arrivals is illustrated in Fig. 1.

Another artifact produced by these early reflections is clearly evident when an analysis is made by the use of Time Delay Spectrometry (TDS). Figure 2

shows the output of a studio monitor loudspeaker, both without (Fig. 2A) and with (Fig. 2B) very early reflections. Note the smooth response of the speaker in free space (anechoic conditions) and the very ragged response when the early reflections are added. Complete cancellation of some frequencies will occur when the delay is sufficient to make the direct and reflected output 180° out of phase. Clearly, then, if it were possible to eliminate all early reflection effects, not only would the actual response of a speaker be much smoother, but as far as the perceptions of the listener would be concerned, the room would take on the qualities of an echoless, free-space environment.

As Fig. 1 illustrates, the critical surfaces are those near the loudspeaker system, in the end of the room where the speakers are located. Deadening these surfaces will remove the early reflections, but treating the walls with sufficient damping material could both be expensive and require changes in the room structure—and this is not always practical.

Yet, another approach is possible: Creating a live-end/dead-end (LEDE) environment, by eliminating the sound radiated by the speakers in the unwanted directions. This can be accomplished by the placement of absorptive materials between the speaker and any nearby surfaces. Specifically, by using a number of free-standing absorptive panels, arranged around the loudspeaker in a semicircle or a horse-shoe-shaped array, no wall treatments may be necessary.

### **Construction of the Acoustic Panels**


Figure 3 shows cutaway views of the suggested panel construction. Note that the panel is simply a wooden





An LEDE demonstration room designed by the author for The Audio Authority in Reno, Nevada

Fig. 1—Lateral reflection patterns in a listening room, showing some paths of direct sound (A), early reflections (B), and late reflections (C) and (D).



frame with a solid back, and with architectural fiberglass or rock wool placed inside as an acoustical absorber. Covering the front surface is a thin, open-mesh grid made from screen or chicken wire, stapled to the wooden frame, which retains the absorbing material. A stretched fabric cover is placed over the entire assembly, either fastened by stapling or sewn as one piece and pulled down over the panel, like a sock. Completing the job would be some brackets, or a wood or metal plate, attached to the bottom to support the panel upright.

Note that such a construction is very simple and inexpensive and that it allows the builder to select the style and color of the outside material. In addition, should the cover ever become

## Both the vertical and horizontal dimensions of the panels must be great enough to keep sound waves from getting around due to diffraction.

Table I—Minimum panel array widths required to avoid diffraction, for various sound frequencies and wavelengths (where panel width =  $717/f$ ).

Freq. (Hz)	Wave-length (Feet)	Minimum Total Panel Width (Feet)
50	22.6	14.3
100	11.3	7.2
200	5.65	3.6
300	3.77	2.4
400	2.83	1.8
500	2.26	1.4
600	1.88	1.2
700	1.61	1.0
800	1.41	0.9
900	1.26	0.8
1,000	1.13	0.7

damaged, it could easily be repaired or replaced. The only important requirements for the panels are their dimensions and absorptivity, which are quite easily determined.

### Designing the Panels

In designing the panels it must be realized that they will be acoustically effective when two conditions are met. First, their vertical and horizontal dimensions must be great enough so that the sound waves will not go around them due to diffraction. Second, the sound-absorbing material must be effective over the required range of frequencies. For our purposes, this range is from the low-frequency limit determined by room dimensions and panel construction to at least 2 kHz, with at least 80% absorption.

Before proceeding any further, we must have some knowledge of the circumstances under which our treatment will be used. To begin with, we must examine the room in which our sound system is located, and especially the area where the loudspeakers will be placed. This LEDE system works best when the speakers are well away from any wall surfaces—a typical arrangement for many listening rooms today. Keeping in mind that the absorbent panels must eliminate reflections from all surfaces within a radius of approximately 10 to 12 feet, plan enough of them to block all sound radiation toward these surfaces. The panels should be spaced 1 to 2 feet from each speaker in an open, semicircular pattern, as has been mentioned.

Now that we have a general plan for the system, we can use the following four-step procedure to determine both the panel dimensions and the thickness and density of the absorbent material to be used.

The first step is to determine the lowest frequency that needs to be absorbed by the panels, which is a function of the dimensions of the listening room (usually the floor-to-ceiling dimension). To determine this frequency, find the smallest room dimension, in feet, along the bottom of the graph of Fig. 4, and then the corresponding low-frequency cutoff limit for that dimension.

Next, proceed to Table I. From the value of low-frequency cutoff, deter-

mine the required total panel width. You may extrapolate for values that are between those given; this will cause no problems, as the exact dimensions are not critical. Note that this dimension is to be the *minimum overall* width of the array of panels that will be built, and is not necessarily the dimension of just one panel only, unless it is convenient to build just one panel.

Next, we must determine the approximate absorption characteristics of the panels according to the material we will place inside them. Table II lists values for standard architectural fiberglass or rock wool. Most of this material is available in 2- or 3-inch thicknesses, and in various densities from about 2 to 6 pounds per cubic foot. Although it comes in various widths, 2 feet is probably the most common. It can be purchased from most lumberyards or material supply houses. What is to be purchased is the common fiberglass or rock wool, with no backing material.

Looking at Table II, it is obvious that even very light material is quite absorptive, and the thicker and denser it is, the more effective it will be. Choose the best material you can obtain that will meet the 80% minimum requirement over the range from the low-frequency cutoff (from step 1) to at least 2 kHz. (But note, also, that at the low-frequency limit the absorption can drop to about 50% or so without causing any difficulties.)

Our final step is to determine the dimensions of the panels we will construct, as taken from the material thickness, low-frequency cutoff point, and array dimensions we have already determined. To begin with, the frame depth must be equal to the fiberglass thickness plus the thickness of the backing material. The panel width will be determined by the size of the speaker system. This dimension is not critical, provided that the width of the array, as it will be arranged around each loudspeaker, meets or exceeds the minimum value from Table I. In most cases, this will be no problem. Now the only remaining dimension to determine is the panel height. Again, this is not critical—as long as the panel is taller than the loudspeaker by the value of the minimum panel width (taken from Table I).




Fig. 2—Frequency response of reference loudspeaker system under anechoic conditions (A) and with effects of early reflections (about 1.1 mS delay) added (B). (After Davis.)



# HOW SOUND IS ABSORBED

## Design Examples

To help understand the procedures, let us do some sample problems. Say a room is 14 feet wide by 19 feet long, with an 8-foot ceiling. The loudspeakers are about 1 foot wide by 2 feet high by 1 foot deep, and are on stands 1 foot high, making the arrangement 3 feet high overall.

To begin with, Fig. 4 tells us the low-frequency limit we need to deal with is about 420 Hz, taken from the room's minimum dimension, its height of 8 feet. Then, Table I tells us that the minimum array width will be about 1.8 feet, based on the 420-Hz limit. Also, with the limit in mind, and from what is available in fiberglass, we select 2-inch material of 4-pound density, giving us much more than the minimum 50% absorption at the low-frequency limit. This means the panel's depth will be 2 inches plus the thickness of the backing we use.

Now we can determine the panel height. The height of speaker and stand is 3 feet. Add to this the value of the minimum array width, 1.8 feet, and we have 4.8 feet (minimum). Finally, from the dimensions of the speaker cabinets (1 foot wide by 1 foot deep), and allowing approximately 1 foot clearance, we see that three panels, each 3 feet wide, will surround the speaker on three sides. So a total of six panels will be needed.

Here is another example. We have a room 12 feet by 10 feet, with an 8-foot ceiling. The loudspeaker is a three-piece system, with two satellites measuring 8 inches square and a single subwoofer. The satellite speakers are on stands that raise them to a height of 3.5 feet overall. For this room and system combination, Fig. 4 tells us the low-frequency limit is again 420 Hz, determined by the ceiling height dimension of 8 feet, and again the minimum array width is set at 1.8 feet, taken from Table I. Also, given the same low-frequency limit, we can again choose to use 2-inch fiberglass with 4-pound density, since its absorptency will meet the minimum needs of the system.

Now, from the small dimensions of the satellite speakers, it is obvious that three panels of 2-foot width will be sufficient for each speaker. Finally, the panel height will be the speaker height,

The process of sound-wave absorption is a complex one, actually involving several simultaneous mechanisms. In general, absorption is accomplished by converting the acoustic energy in the air into other forms of energy, such as simple heat or mechanical motion.

Specifically, in a fibrous tangle (such as fiberglass or rock wool), the acoustic waves that enter the material will also proceed to propagate through it. In the process, a portion of their energy will be converted into heat by the frictional and viscous properties of the tangle. In addition, the fibers of the material are set in limited motion, further reducing the energy in the wave. Altogether, the cumulative effects of these mechanisms will vary with two important factors: Density of initial packing, in pounds per cubic foot, and the mass of each of the fibers in the material used.

One other effect of the fibrous




Fig. B1—Speed of sound versus packing density of material. Speed in air is normally 1,130 feet per second. (After Bradbury.)

tangle is the reduction of the speed of sound (normally about 344 meters/second, or 1,130 feet/second) for the waves passing through the material. Fig. B1, after the work of Bradbury [2], shows the change, which is a function of the density of the material according to the formula:

$$\alpha = \sqrt{1 + \frac{\text{density of material}}{\text{mass-density of air}}}$$

with stand (3.5 feet), plus the minimum array width of 1.8 feet, for a total of about 5.5 feet.

It should be noted here that no treatment has been applied to the bass system used. Because the effective low-frequency limit of the absorption panels is about 420 Hz, and the bass module only operates up to about 150 Hz (typical), it is obvious that no treatment is necessary for it.

Let's take one more example, this time involving a large room, 18 feet by 28 feet, with a raised architectural ceiling having an average height of 16

feet. The loudspeakers used in this room are large, multi-driver, extended-range systems, 3 feet wide by 7.5 feet high by 1.2 feet deep.

Now, this example represents an extreme for the free-standing panel's absorption system. To begin with, Fig. 4 tells us we have about a 200-Hz low-frequency panel cutoff for this room, based on the 16-foot dimension. Table I gives a minimum width, for each array of panels, of about 3.6 feet. In addition, with this rather low cutoff frequency, fiberglass of at least 2-inch thickness and 4 to 6-pound density will be re-

Table II—Percentage absorption vs. frequency for fiberglass panels of various densities. (After Knudsen, Owens-Corning Fiberglas Corp.)

ABSORPTION OF 2-INCH THICK FIBERGLASS (%)						
Lbs./Ft. <sup>3</sup>	128 Hz	256 Hz	512 Hz	1,024 Hz	2,048 Hz	4,096 Hz
2	32	50	83	86	74	—
3	43	60	92	88	77	87
4	55	69	96	94	87	—
6	57	80	97	97	92	—

ABSORPTION OF 3-INCH THICK FIBERGLASS (%)						
Lbs./Ft. <sup>3</sup>	128 Hz	256 Hz	512 Hz	1,024 Hz	2,048 Hz	4,096 Hz
2	43	76	98	93	87	87
3	68	80	99	97	82	79
4	72	97	99	97	90	81




Fig. 3—Photo and cutaway view of absorption panel's construction. The panel should have a solid backing (not shown).




Fig. 4—Lowest effective frequency for acoustic-panel absorbers as a function of room size (where  $f = 3,390/\text{smallest room dimension in feet}$ ). For frequencies below those shown, other forms of absorption (such as wave cavities) would be needed.

## You may not like your speaker system after using these LEDE panels, but you will know much better what it really sounds like.

quired. Indeed, such a system will benefit from even more absorption, to help reduce the multiple return echoes that occur in such a large room, so a 3-inch thickness is recommended.

To complete the design work in this example, it is obvious these large speaker systems will require either a large number of panels or a few panels very wide and tall. In this case, we can allow the builder to choose his design to fit his space and needs. As an example, panels 3 feet wide, two behind each speaker and one on each side (for a total of eight), may be chosen, with a minimum height of about 11 feet (the speaker height of 7.5 feet, plus the array minimum-width dimension of 3.6 feet). Their thickness would be 3 inches, plus backing thickness. Please note here that with panels this heavy and tall, vertical stability may be a problem. Therefore, additional upright supports may be necessary or possibly even suspension from the ceiling.

### Final Suggestions

Now that the basic LEDE system design has been prepared, a few additional points need to be made for the system to work at its best.

First, the LEDE system we have considered here has been designed to prevent any early reflections on all critical walls within the listening area. But there are other sources of problems. The first is the floor directly in front of the loudspeakers. In most rooms, the floor is only a foot or so beneath the loudspeaker drivers, and therefore is potentially a source of early reflections. In many rooms, carpeting covers much or all of the floor, minimizing these reflections. If it does not, then some kind of substitute must be provided. A rug, or similar, will suffice in most cases, provided that it extends at least 5 to 10 feet in front of the speakers.

Another source of reflections is the ceiling, especially if it is low and the loudspeakers are tall, or set on tall stands. Again, in most cases this is not a problem, as contemporary construction usually includes adequate ceiling treatment. In the event this is not the case, then acoustical tile or similar material, should be used.

A second point: With the advent of Time Delay Spectrometry, an interesting phenomenon was noted when test-

ing some rooms for the effect of early reflections. When a loudspeaker was set firmly on an acoustically live surface, such as a wooden floor, the measured output from the loudspeaker also included some "pre-echo"—sound that originated from the speaker, yet arrived before the speaker's direct sound through the air. This phenomenon was traced to the wooden floor—vibrations from the bass driver were coupled through the speaker cabinet, then through the floor, and were then re-radiated into the air near the microphone used for the measurements. The wood was conducting the sound faster than the air did, and therefore brought the sound to the pickup microphone first. This somewhat surprising phenomenon is also a source of early-reflection effects, and it will cause the same response irregularities as shown in Fig. 2B. Therefore, the treatment of the floor with a carpet has a second advantage: Seeing that the loudspeakers are not firmly coupled by their own weight to a *transmissive* surface that can retransmit sound into the air.

Finally, a word of caution. Attempting to implement the LEDE concept in systems where the loudspeakers are a "Direct Reflecting" type will not be successful. These speakers *require* the many early reflections, because this is what provides the acoustic effects that the systems were designed to have. Under such circumstances, a live, unaltered room is absolutely necessary. For all other system types, even dipole "screen" systems, that do have a degree of backward radiation, the LEDE treatment will still work well. These speaker types do not exclusively depend on their rear radiation for normal operation.


We will conclude this design feature by describing a more complete implementation of the LEDE system, one in which we will actually modify the room surfaces themselves. ▲

### References

1. Haas, H., "The Influence of a Single Echo on the Audibility of Speech," *Journal of the Audio Engineering Society (JAES)*, Vol. 20, 1972.
2. Bradbury, J. L. S., "The Use of Fibrous Material in Loudspeaker Enclosures," *JAES*, Vol. 24, 1976.



# He's good. But can he remember 785 of your favorite songs?



This Magnavox compact disc player can. In fact, the top-rated CDB650 is the *only* CD you can program to play 785 selections. As you build your library, just program in your favorite selections from each disc in any order you want. The CDB650 will never forget them. Because it's the only CD with

Favorite Track Selection. With FTS, the memory remains forever, even during power outages, even if it's unplugged. And it comes with full-function remote control.

With 4 times over-sampling and digital filtering, all you hear is the absolutely flawless reproduction of sound. What else would you expect from the people who invented CD technology?

The CDB650. Unforgettable.



*Flawless sound. The ultimate memory.*

**Nobody puts it together like MAGNAVOX.**

© 1986 N.A.P. Consumer Electronics Corp. A North American Philips Company

Enter No. 27 on Reader Service Card

# 1

## McLAREN 402 PREAMP AND 702 AMP

### Manufacturer's Specifications Preamplifier

**Frequency Response:** Phono, RIAA  $\pm 0.2$  dB, 20 Hz to 20 kHz; high level, 5 Hz to 100 kHz, +0, -1 dB.

**THD:** Less than 0.015%, 20 Hz to 20 kHz, at rated output level, for any input or output.

**S/N Ratio:** MM phono, 82 dB A-weighted, 74 dB unweighted, re: 5 mV; MC phono, 76 dB A-weighted, 68 dB unweighted, re: 0.5 mV; high level, 100 dB A-weighted, 94 dB unweighted, re: 500 mV.

**Input Sensitivity (For Rated Output at 1 kHz):** MM phono, 1.0 mV; MC phono, 100  $\mu$ V; high level, 100 mV.

**Input Overload Level (At 1 kHz):** MM phono, 150 mV; MC phono, 15 mV; high level, infinite.

**Input Impedance:** Phono, 47 kilohms, user-selectable to any lower value; high level, 50 kilohms.

**Output Impedance:** 100 ohms.

**Output Level:** Rated, 1.0 V; maximum, 16 V.

**Tone-Control Range:** Bass,  $\pm 8$  dB at 100 Hz; treble,  $\pm 8$  dB at 10 kHz.

**Phase:** With tone controls bypassed, noninverting from phono to main out, inverting from high level to main out, both reversed by switching tone-control circuits in; inverting from phono to tape out.

**Dimensions:** 16.5 in. W  $\times$  4.1 in. H  $\times$  11.2 in. D (42 cm  $\times$  10.5 cm  $\times$  28.5 cm).

**Weight:** 14.3 lbs. (6.5 kg).

**Price:** \$1,495.

### Power Amplifier

**Power Output:** 100 watts rms per channel continuous (120 watts IHF dynamic power), both channels driven into 8 ohms; 160 watts rms per channel continuous (200 watts IHF dynamic power), both channels driven into 4 ohms.

**Power Bandwidth:** 10 Hz to 50 kHz.

**Rated THD:** Less than 0.05%, 20 Hz to 20 kHz, at or below rated output.

**Frequency Response:** 5 Hz to 60 kHz, +0, -1 dB; -3 dB at 120 kHz.

**S/N Ratio:** 110 dB, A-weighted, below rated output.

**Rise-Time:** 2.5  $\mu$ S at rated power.

**Channel Separation:** 70 dB, 20 Hz to 20 kHz.

**Input Sensitivity:** 1.0 V rms for rated output.

**Input Impedance:** 50 kilohms.

**Output Impedance:** 0.05 ohm.

**Phase:** Noninverting.



**Dimensions:** 16.5 in. W  $\times$  4.1 in. H  $\times$  11.6 in. D (42 cm  $\times$  10.5 cm  $\times$  29.5 cm).

**Weight:** 28.6 lbs. (13 kg).

**Price:** \$1,195.

**Company Address:** c/o Audio-Quest, 629 Camino de Los Mares, #306, San Clemente, Cal. 92672.

For literature, circle No. 90







The McLaren 402 stereo preamp and 702 power amplifier are very attractive, nicely made pieces of audio gear from New Zealand. I heard the 402 preamp and a pair of the 902 mono power amps driving a pair of Vandersteen speakers at the '86 Winter CES and was favorably impressed with the sound. As it turned out, *Audio* had the 402 and 702 slated for review, and they turned up on my doorstep a month or so after the show.

**Construction**


Both units are built up from two thick aluminum-extrusion sides bolted to the front panels. The rear panels and bottom plates bolt to the extrusions. The top covers slide from the rear into slots in the extrusions and are held in place by four Allen-head bolts. In both units, the top covers are mounted so as to allow an air space about a quarter of an inch high by 14 inches wide; this allows internal heat to escape out the rear.

The power amp's rear panel is a thick aluminum casting with vertical fins over most of its outside surface. Two pairs of five-way speaker binding posts, a pair of female RCA input jacks, a line fuse, and a power cord are on this panel. A horizontal ledge on the inside of the rear-panel casting


has four pairs of Hitachi power MOS-FETs in TO-3 metal cases mounted on it. A p.c. board extending under the ledge picks up the power-transistor pin connections and carries the rest of the amplifier circuitry. A pair of 15,000- $\mu$ F, 63-V main filter capacitors are mounted on their sides near the right front of the amplifier. A bus bar connects the ground sides together and serves as a means to connect the various circuit grounds to this point. A good sized E-lamination power transformer is mounted to the amp's bottom plate at front center. On the front panel are a pushbutton power switch and a yellow LED to indicate when power is turned on.

The preamp has a large p.c. board that takes up the whole interior of the unit. A potted toroidal power transformer and the other power-supply components are located along the left side of this board. Tone, balance, and volume control potentiometers are sealed Alps dual units which mount to the front of the p.c. board. The tape source and main selector knobs operate rotary-to-linear converter mechanisms that control, via a flat metal cable, remotely located slide switches at the rear of the board near the signal input jacks. The preamp's active signal circuitry takes up the remainder of the board space. Of note here is the use

Of note in the preamp's construction is the use of a "star grounding" scheme where all grounds come from various points to one common point.



**Fig. 1—Line-level frequency response, 402 preamplifier, for reviewer's instrument load (see text) and for standard IHF load.**



**Fig. 2—Square-wave response, 402 preamp line-amplifier section. Upper traces are for 20-Hz signal, with instrument load and (showing greater tilt) with IHF load. Lower traces are for 20 kHz, right channel, with balance control set full right (largest trace), centered, and set full left (smallest trace). Scales: Vertical, 2 V/div.; horizontal, 10 mS/div. (upper traces), 10  $\mu$ S/div. (lower traces).**

of a "star grounding" scheme whereby all signal grounds come from various points in the circuitry to one common point. Signal in/out jacks are gold-plated p.c.-mount types.

The preamp's front-panel controls, from left to right, are a pushbutton power switch; a tone-control bypass toggle switch; and rotary knobs for bass, treble, balance, volume, record-out selection, and main input selection. A yellow power-on LED is located above the power switch. On the rear panel are the signal input and output jacks, power cord, line fuse, and a ground terminal post.

### Preamplifier Circuitry

The 402 preamp consists of four active circuit blocks per channel: A phono input stage, phono equalizer, output or line amplifier, and tone-control amplifier. All of these blocks have essentially the same circuit topology—complementary dual-differential input amplifiers driving complementary common-emitter output stages whose collectors are tied at the output point. All have direct-coupled inputs and capacitor-coupled outputs. Emitter degeneration (negative feedback) is not used in the input stages but is used in the output stages.


The input-stage emitter pairs are fed via a simple resistor tied to the appropriate supply rail. All devices are bipolar. Each block has its own three-terminal plus-and-minus regulator. The phono input stage operates the differential amps at 5 mA per device and has a switchable feedback loop for two closed-loop gains: 21.5 dB for moving-magnet cartridges and 43.3 dB for moving-coil. Frequency response is flat in this stage. The shunt feedback resistor in the moving-coil feedback divider is 4.7 ohms for lowest noise in this mode. There are two 4PST DIP switches on the p.c. board, one for each channel, to control the mode of the phono input stage. Two poles select the feedback divider, a third puts 1,000 pF across the phono input in moving-coil mode, and the fourth pole selects 100 ohms or 47 kilohms for phono-input resistive loading. The phase of the phono input stage is noninverting. Output coupling to the phono equalizer is via a 1- $\mu$ F polypropylene capacitor. The equalizer stage is configured as an inverting amplifier. The input resistor is split into two parts with a capacitor to ground at the junction of the two resistors. This forms a passive roll-off at 2,120 Hz for the high-frequency equalization. The feedback network contains an RC network to accomplish the bass boost between 50 and 500 Hz. A consequence of this phono topology is that absolute phase is inverted at the tape output for a correctly connected phono cartridge.

The main and tape-out selector switches in the 402 are functionally very effective. All high-level inputs, including both tape inputs and the output of the phono equalizer, go to the contacts of both switches. The wipers of the tape selector go to tape out, and the wipers of the input selector go off to the volume controls feeding the output amplifiers. This arrangement allows one to record and listen to each input source independently.

The line amplifier is different from most such circuits in that it is connected in the inverting mode instead of the more usual noninverting connection. The output of the volume control, which is 50 kilohms, drives the input summing resistor, which has a value of 12 kilohms. This causes the



# Take the only Road.



# And feel the Thunder!


**Live and feel the Thunder . . . from Porsche to pick-up!**

The MTX Road Thunder Series are hand tailored for all hatchbacks, vans, and trucks. And they're portable! Backed with a 10-year limited warranty, our carpeted 8 inch/2-way, 10 inch/3-way, and our thunderous 12 inch/3-way Polypropylene speakers install in minutes. Incredible 150 watts RMS power handling, 40HZ - 22KHZ frequency response, and the ability to handle the entire digital, audio range with ease.

Take the only road . . . crank up your own Thunder from MTX!

## MTX LOUDSPEAKERS

The MITEK Group  
"Listening For The Future"




Phone: 815/367-3811  
One Mitek Plaza


Winslow, Illinois 61089

Enter No. 26 on Reader Service Card

Preamp main and tape-out selector switches are very functional, allowing one to record and listen to each input source independently.



**Fig. 3—RIAA equalization error for 402 preamp's MM and MC inputs, with instrument and IHF loads. Note the low-end roll-off and the expanded scale.**



**Fig. 4—MM phono response, 402 preamp, to pre-equalized square waves at 40 Hz (top traces), 1 kHz (middle trace), and 10 kHz (bottom trace). Note effects of IHF (greater tilt) and instrument loads at 40 Hz. Scales: Vertical, 2 V/div.; horizontal, 5 mS/div. (top), 200  $\mu$ S/div. (middle), 20  $\mu$ S/div. (bottom).**

high-level input impedance or the load on the phono equalizer to drop down to only about 10 kilohms when the volume control is fully up. This is not a likely occurrence in normal use, but it can arise. For example, I ran into this condition when using a 0.5-mV moving-coil cartridge in the moving-magnet phono mode. I had to set the volume control close to maximum to get the listening levels desired.

The balance function is accomplished by altering the feedback resistors in the line amplifier in a complementary manner with the balance-control dual potentiometer. When the balance control is centered, gain is set at about 21 dB by the ratio of the feedback resistors to the input resistors. The balance control alters the gain of each channel by  $\pm 3$  dB for a total channel difference of 6 dB.

The tone-control amplifier, the last active block in the chain, is always driven by the output of the line amp. The circuit is inverting, using the usual Baxandall tone-control topology with a gain of  $-1$ . The main output jacks are connected to the wipers of a DPDT toggle switch that selects either the main output of the line amp or the output of the tone-control amp.

Since the phono output is inverting and the line amp is inverting, the overall phase from phono input to main out is noninverting. However, high-level inputs to main output are inverting but can be rendered noninverting (at the expense of adding the tone amp) by engaging the tone-control switch. The only thing one can't correct is the inverting phase of the phono input to tape out. High-level inputs to tape out are, of course, noninverting, as there are no active electronics in this path.

The power-supply circuitry of the 402 preamp starts out with full-wave-rectified  $\pm 34$  V d.c. filtered by two 1,000- $\mu$ F/50-V capacitors. This rectified and filtered d.c. is regulated down to  $\pm 27$  V d.c. by 24-V, three-terminal regulators with their reference terminals going to ground through 3-V zener diodes. The regulator outputs are bypassed by 100- $\mu$ F electrolytics and 0.1- $\mu$ F film capacitors. The first stage of the phono preamp is regulated down to  $\pm 11$  V by a zener-follower arrangement.

#### Power Amplifier Circuitry

The 702 power amplifier's circuitry is fairly simple and straightforward; it consists of a two-stage differential amplifier with a turn-around circuit in the second stage, driving two pairs of complementary MOS-FET power devices in parallel. All front-end transistors are bipolar. The signal input to the input differential amp is capacitor-coupled by a 1- $\mu$ F polypropylene capacitor loaded with 47 kilohms to ground, followed by a 2.2-kilohm series resistor and a 330-pF capacitor to ground at the noninverting base. The input devices are PNP, with an overall d.c. output offset-adjustment pot in their emitter circuit. Collector outputs of the first stage are direct-coupled to the bases of the second differential stage, which utilizes NPN devices. One collector output is part of the composite drive to the output stage; it is connected to the bottom of the bias-spreading resistor and drives the gates of the P-channel output devices. The other output collector goes up to the base of a PNP device which has a diode in series with 100 ohms up to a positive power supply. The emitter of this transistor also goes, through 100 ohms, to



SURGEON GENERAL'S WARNING: Smoking Causes Lung Cancer, Heart Disease, Emphysema, And May Complicate Pregnancy.


# Winston America's Best.

Excellence.  
The best live up to it.






Measured noise and crosstalk in the phono circuitry is quite good, though there is a low-end roll-off in moving-magnet.



**Fig. 5—THD + N vs. frequency, 702 amplifier, for power levels of 1, 10, and 100 watts into 8 ohms (solid curves) and 3, 30, and 120 watts into 4 ohms (dashed curves).**



**Fig. 6—Harmonic-distortion residue, 702 amp, for two frequencies, at 10 watts output into 8-ohm loads. Upper traces show 0.008% THD at 1 kHz; lower traces show 0.025% THD at 10 kHz. Note similarity between distortion waveforms (see text).**

the same positive supply. The collector goes down to the positive end of the bias-spreading resistor and drives the gates of the N-channel output MOS-FETs. The function of the aforementioned turn-around transistor is to take one of the differential output phases of the NPN differential pair, invert that phase, and add the resultant output to the other phase to develop a complementary signal based to ground; this drives the output stage. The output resistance of this drive stage is fairly high. Most designs that use MOS-FET output devices use an additional complementary emitter-follower stage to more effectively drive the considerable capacitance that MOS-FETs have at high frequencies. On the other hand, the 702 has one less stage and may be sonically the better for it.

Overall negative feedback is taken from the output to the inverting input of the input differential amp via a series resistor bypassed by a small capacitor. The shunt feedback resistor is returned to ground through a 220- $\mu$ F capacitor bypassed by a 1- $\mu$ F polypropylene film capacitor. Thus, the d.c. gain of the circuit is 1, with an input roll-off of about 3 to 4 Hz and a second roll-off, in the feedback network, of about 0.9 Hz.

A full-wave bridge-rectified supply provides  $\pm 53$  V d.c. for both output stages. A separate half-wave-rectified supply provides power for two positive regulators and one negative regulator for each channel to feed the front-end circuitry with one negative and two positive voltages. These voltages are higher than the output-stage potentials to ensure full drive to the MOS-FETs.

#### Preampifier Measurements

Line-amp gain of the McLaren 402 was found to be about  $10.75 \times$  or 20.6 dB. This yields an IHF sensitivity for AUX inputs of some 46.5 mV. Output impedance of the line amp was a low 36 ohms in series with 1  $\mu$ F. With the tone stage switched in, output impedance was found to be lower yet (due to more feedback from its -1 gain), about 5 ohms in series with 1  $\mu$ F.

THD + N at 10 V rms output was less than 0.01% from 20 Hz to 20 kHz for my instrument load (91 kilohms in parallel with 250 pF) or the IHF load of 10 kilohms in parallel with 1,000 pF. This was true whether the tone stage was switched in or not. Clipping level was some 16 V rms. The line amp would drive 600 ohms to 10 V rms at about 0.3% distortion, although the 3-dB low-frequency cutoff point was around 260 Hz due to the 1- $\mu$ F output coupling capacitor.

Frequency response for the line section is shown in Fig. 1. The low-frequency roll-offs are due to the 1- $\mu$ F output coupling capacitors.

Channel-to-channel crosstalk was measured using the "CD" high-level input, with the volume control fully on and the undriven input terminated by 1 kilohm. Results differed slightly, depending on which channel was driven. For the worse direction, R to L (drive right, measure left), crosstalk was better than -80 dB up to 10 kHz, increasing to -78.8 dB at 20 kHz and -66.7 dB at 50 kHz. With the tone stage engaged, crosstalk increased to -70.8 dB at 20 kHz and -61.4 dB at 50 kHz—very good figures. The crosstalk signals were in phase for pulse or square-wave excitation.

Volume-control tracking was found to be within  $\pm 0.2$  dB



# ANNOUNCING THE CBS COMPACT DISC CLUB

## ANY 2 COMPACT DISCS FOR \$1.00 WITH MEMBERSHIP




345777




346023




346478



345827



346957



346270



343327


CHOOSE STATE-OF-THE-ART SOUND IN THE LATEST CD RELEASES.



219477




345785




334391



343582



344812




347492




326629




345553




346643




343095




347054



342097



339226



346312

286914. Fleetwood Mac—Rumours, #1 Hit Album. Includes Don't Stop; more. (Warner Bros.)  
 346767 Johnny Mathis—Most Requested Songs. (Columbia)  
 328302. Tina Turner—Private Dancer. Who's Love Got To Do With It; Let's Stay Together; more! (Capitol)  
 337519. Heart. Top 10 Album. What About Love; etc. (Capitol)

339242. Puccini Heroines. Eva Marton, Renata Scotta, etc. (CBS Masterworks)  
 321570. Beethoven: Symphony No. 5; Schubert: Symphony No. 8—Lorin Maazel, Vienna Phil. (Digital—CBS Masterworks)  
 345207. Buddy Holly—From The Original Master Tapes. (MCA)  
 263293. Bolling: Suite for Flute & Jazz Piano—Rampal, Bolling (CBS Masterworks)

324822. Ravel: Bolero; Rhapsodie Espagnole; etc. (Digital—CBS Masterworks)  
 314443. Neil Diamond's 12 Greatest Hits. Vol. 2. You Don't Bring Me Flowers (with Barbra Streisand); etc. (Columbia)  
 346809. Dvorak: Symphony No. 9 "New World"/Carnival Overture. London Phil. Orch. (Verese Sarabande)

316604. Tchaikovsky: 1812 Overture; Marche Slave; Beethoven: Wellington's Victory, Larin Maazel, Vienna Phil. (DIG—CBS Masterworks)  
 343715. Vivaldi—Four Seasons. Maazel, members Orch. National de France (Digital—CBS Masterworks)  
 308049-398040. Creedence Clearwater Revival featuring John Fogerty/Chronicle. Greatest hits. (Counts as 2—Fantasy)

320499. The Police—Synchronicity. Winner of 3 Grammy Awards! (A&M)  
 322024. Huey Lewis & The News—Sports. Bad Is Bad; etc. (Chrysalis)  
 340323. Sade—Promise. #1 Smash. (Portrait)  
 323251. Lionel Richie—Can't Slow Down. All Night Long; etc. (Motown)  
 333286. Phil Collins—No Jacket Required. (Atlantic)

339200. Stevie Wonder—In Square Circle. #1 album. (Tama)  
 328740. Mozart: Piano Concerto No. 26 (Coronation); Rondos. Murray Perahia and English Chamber Orchestra. (Digital—CBS Masterworks)

**COMPACT disc**  
DIGITAL AUDIO

**The age of CD sound is here**—and you have a practical new way to find the CDs you want. As your introduction to the CBS Compact Disc Club, you can choose any 2 CDs listed in this ad for just \$1.00. Fill in and mail the application—we'll send your CDs and bill you for \$1. You simply agree to buy 2 more CDs (at regular Club prices) in the next year—and you may then cancel your membership anytime after doing so.

**How the Club works.** About every four weeks (13 times a year) you'll receive the Selection of the Month for your musical interest... plus many exciting alternates. In addition, up to six times a year, you may receive offers of Special Selections, usually at a discount off regular Club prices, for a total of up to 19 buying opportunities.

If you wish to receive the Selection of the Month, you need do nothing—it will be shipped automatically. If you prefer an alternate selection, or none at all, fill in the response card always provided and mail it by the date specified. You will always have at least 10 days in which to make your

decision. If you ever receive any Selection without having 10 days to decide, you may return it at our expense.

The CDs you order during your membership will be billed at regular Club prices, which currently are \$14.98 to \$15.98—plus shipping and handling. (Multiple-unit sets may be somewhat higher.) After completing your enrollment agreement you may cancel membership at any time; if you decide to continue as a member, you'll be eligible for our money-saving bonus plan. It lets you buy one CD at half price for each CD you buy at regular Club prices.

**10-Day Free Trial:** We'll send details of the Club's operation with your introductory shipment. If you are not satisfied for any reason whatsoever, just return everything within 10 days and you will have no further obligation. So why not choose 2 CDs for \$1 right now.

**ADVANCE BONUS OFFER:** As a special offer to new members, take one additional Compact Disc right now and pay only \$6.95. It's a chance to get a third selection at a super low price!

Selections with two numbers contain 2 CDs and count as 2—so write in both numbers.

**CBS COMPACT DISC CLUB: Terre Haute, IN 47811**

CBS COMPACT DISC CLUB, 1400 N. Fruitridge P.O. Box 1129, Terre Haute, Indiana 47811-1129

Please accept my membership application under the terms outlined in this advertisement. Send me the 2 Compact Discs listed here and bill me only \$1.00 for both. I agree to buy two more selections at regular Club prices in the coming year—and may cancel my membership at any time after doing so.

Send me these 2 CDs

ADVANCE BONUS OFFER: Also send me a third CD right now at the super low price of just \$6.95, which will be billed to me.

My main musical interest is (check one):

*(But I may always choose from any category)*

ROCK/POP  CLASSICAL

Mr. \_\_\_\_\_  
 Mrs. \_\_\_\_\_  
 Miss \_\_\_\_\_  
Print First Name Initial Last Name

Address \_\_\_\_\_ Apt. \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Do you have a VCR? (Check one.)  Yes  No 119/587

Do you have a credit card? (Check one.)  Yes  No

This offer is not available in APO, FPO, Alaska, Hawaii, Puerto Rico; please write for details of alternative offer.

Note: We reserve the right to request additional information or reject any application

ZEH/NZ ZQL/NP



I definitely recommend leaving these pieces on continuously; otherwise, one will never hear them at their best.

**Table IA—Phono noise referred to input, MM mode.**

Source Impedance, Ohms	Bandwidth	Phono Noise	
		L	R
0	400 Hz to 30 kHz	355 nV	382 nV
0	A-Weighted	252 nV	289 nV
100	A-Weighted	260 nV	293 nV
1k	A-Weighted	347 nV	367 nV
IHF MM	A-Weighted	1.82 $\mu$ V	1.72 $\mu$ V

**Table IB—IHF phono S/N (re: 5-mV, 1-kHz input), MM mode.**

Source Impedance, Ohms	Bandwidth	S/N, dB	
		L	R
0	A-Weighted	86.0	84.8
100	A-Weighted	85.7	84.6
1k	A-Weighted	83.2	82.7
IHF MM	A-Weighted	68.8	69.3

**Table IIA—Phono overload vs. frequency and loading, MM mode, right channel.**

Frequency	IHF Load		Instrument Load	
	E Out, V	E In, mV	E Out, V	E In, mV
20 Hz	10.4	20.2	14.6	20.2
100 Hz	14.9	33.0	15.5	33.0
400 Hz	15.4	96.5	15.5	96.5
1 kHz	15.3	152.0	15.3	152.0
3 kHz	15.1	260.0	15.3	260.0
6 kHz	15.4	465.0	15.5	465.0
10 kHz	14.8	780.0	14.9	780.0
20 kHz	7.25	620.0	7.3	620.0

**Table IIB—Phono overload vs. frequency and loading, MC mode, right channel.**

Frequency	IHF Load		Instrument Load	
	E Out, V	E In, mV	E Out, V	E In, mV
20 Hz	10.5	2.0	14.8	2.0
100 Hz	15.0	3.4	15.6	3.4
400 Hz	15.2	9.6	15.3	9.6
1 kHz	15.4	15.2	15.5	15.2
3 kHz	15.2	26.5	15.3	26.5
6 kHz	15.4	46.5	15.4	46.5
10 kHz	13.9	70.0	14.0	70.0
20 kHz	7.0	70.0	7.1	70.0

down to  $-45$  dB,  $\pm 0.5$  dB to  $-60$  dB, and almost 3 dB out at  $-70$  dB.

Rise- and fall-time for the line amp, with or without the tone amp engaged and with instrument or IHF loading, was  $1.8 \mu$ S up to  $\pm 20$  V output. Further, it was about the same with the volume control down 6 dB from maximum. This is good performance. The right channel had about 6% overshoot, probably due to the tolerance of the small capacitors across the feedback resistors in the line-amp circuit. 'Scope

photos of the line section's square-wave performance are shown in Fig. 2. The top traces are for a 20-Hz signal for instrument and for IHF loading; the greater tilt is for the IHF loading. The bottom traces are for a 20-kHz signal through the right channel, with the balance control fully clockwise, centered, and fully counterclockwise. The highest amplitude trace is for the clockwise (maximum right) position.

Phono preamp gain in the moving-magnet mode turned out to be  $101 \times$  or 40.1 dB at 1 kHz. I ran into erratic results when attempting to measure MC gain by feeding both input channels in parallel from a common source, my usual method. Further investigation revealed a tendency for the preamp to oscillate at about 10 MHz when the inputs were paralleled physically close to the jacks in MC mode. With one input driven at a time, gain was stable enough to be measurable. This instability under measurement conditions also prevented reliable assessment of input noise in the MC mode with low-value terminating resistors plugged directly into the input jacks. All of this seems to be a peculiarity that the 402 displays only under measurement conditions—I had no problem using the unit in several audio systems. The majority of cartridges, with no external tie points between their signal grounds, would act as separate signal sources of each channel; therefore, the problem would not occur. When finally measured, moving-coil gain turned out to be 60 dB at 1 kHz. Phono sensitivity (IHF) measured 5 mV for MM and  $500 \mu$ V for MC from phono to tape out, and  $465 \mu$ V for MM and  $46.5 \mu$ V for MC from phono to main out.

Phono noise in MM mode is summarized in Tables IA and IB. MM input noise in the band from 400 Hz to 20 kHz appeared to be about 100 nV. In use, the subjective noise in MC mode was about 10 to 12 dB quieter than in MM mode.


Phono overload versus frequency and loading is summarized in Tables IIA and IIB. One thing is of note here: Up to about 10 kHz, the output waveform indicated overload by distorting one or both peaks in some way. Above 10 kHz, the input acceptance should about double, theoretically, but does not in this design. Looking at the THD residue while doing this test, peak aberration turns into a symmetrical compression above 10 kHz, indicating that the first-stage block of the phono preamp circuit is probably clipping. Still, 152 mV at 1 kHz for MM is a good, respectable figure. Large-signal response to a pre-equalized, non-band-limited square wave into the phono section was good up to about  $\pm 2$  V. Above this output level, the waveform started to symmetrically compress the high frequencies.

Phono equalization error for MC and MM modes, measured at tape out, is shown in Fig. 3. Of interest is the very noticeable roll-off in the low end, especially with the IHF load. For some reason that I don't understand, the low-end roll-off is worse for MM than for MC. One thing to remember in this design is that the more clockwise the volume control is, the lower the load impedance that the volume control/line amplifier will present to the phono output, the limit being about the 10 kilohms of the IHF load. I don't care for this measured characteristic in the 402, as I believe that the lower the low-frequency response—all other factors remaining the same—the better the overall sound.

The phono section's square-wave response in MM mode is shown in Fig. 4. The top traces are a 40-Hz signal, shown



# BEYOND CONVENTIONAL AUDIO



Onkyo's special "In-Phase" Transformer is placed between the power transformer and the capacitors. It prevents phase shift between the voltage and current in the amp-to-speaker signal path that can cause poor stereo imaging and diminished bass response.

## ONKYO'S REAL PHASE POWER SUPPLY SYSTEM FOR SUPERB STEREO IMAGING AND PRECISE BASS DEFINITION

The primary function of an amplifier is to take a very small audio signal from a source such as record, tape or CD, and amplify it to a level that is strong enough to drive a loudspeaker. However, amplifiers are usually designed not with loudspeakers as a load, but instead with rather simple loads using resistors of fixed impedance. It is well known that the electrical characteristics of loudspeakers provide a complex load to the amplifier, resulting in less than ideal performance.

Typically, conventional amplifiers use a main (or primary) power transformer to convert the household AC current to lower levels suitable for the amplifier's output stage. Unfortunately, due to the reactive nature of loudspeakers, a phase shift between the power supply's charging voltage and current is inevitable. The more complex the speaker load and the music signals being amplified, the greater the phase shift. This phase degradation is audible, resulting in poor stereo imaging and a lack of bass definition.

The ONKYO Real Phase power supply uses not one, but two transformers. The primary transformer is a high current design, capable of handling substantial power levels. In addition, a second power transformer is connected in series with the primary transformer, detecting and eliminating any phase shift between charging voltage and current. The resulting output from the power supply is smooth stable DC, duplicating the ideal charging current, and free of the fluctuations caused by reactive speaker loads.

The audible benefits are striking. Sound stage and stereo imaging are precisely focused without blurring or image wander. Bass foundation and detail are significantly improved, providing convincing deep bass performance. Critics are unanimous in their praise of ONKYO's Real Phase amplifiers.

The ONKYO Real Phase power supply system is incorporated in our new Grand Integra separate amplifiers, Integra integrated amplifiers, and Integra tuner/amplifiers. Your ONKYO dealer will be pleased to demonstrate the audible superiority of Real Phase. For a detailed technical description of the Real Phase power supply system, please write to ONKYO.

Artistry in Sound

# ONKYO

200 Williams Drive, Ramsey NJ 07446

The 702 amp can provide an extremely smooth and spacious sound, with a harmonic "rightness" which will amaze.

with instrument and with IHF loading, the latter having the greater tilt. The middle (1-kHz) and bottom (10-kHz) traces look the same with IHF or instrument loading.

Finally, MM phono channel-to-channel crosstalk was measured with the undriven channel terminated by 100 ohms. Results were extraordinary—greater than 80 dB down, from 20 Hz to 50 kHz, in both directions. With the undriven channel terminated by the IHF MM load, crosstalk was absolutely symmetrical (a first) in both directions, rising to -60.6 dB at 5 kHz and peaking at -50 dB at 9 to 10 kHz.

### Power Amplifier Measurements

The 702 power amp was run at one-third power (33.3 watts) into 8-ohm loads for one hour. The heat-sinks got very

hot during this interval. Since I could not find any indication of a thermal cutout in the schematic, I decided not to run the test into 4-ohm loads.

Voltage gain was found to be 33.5x or 30.5 dB, which yields an IHF sensitivity of 84.4 mV to produce 1 watt into 8 ohms. The manufacturer's spec for input sensitivity is 1 V to produce rated output; in view of the measured gain, input sensitivity for rated output is more like 0.84 V.

THD + N as a function of power, frequency, and load is shown in Fig. 5. Typical harmonic-distortion residue is shown in Fig. 6 for 10-watt outputs at 1 and 10 kHz. Sensitivity for distortion is the same in both 'scope traces. I measured 1-kHz distortion as 0.008% and 10-kHz distortion as 0.025%. What is interesting is that the wave shape is very similar for the two frequencies. The magnitude increase at 10 kHz is probably due to lower loop gain (less feedback) at higher frequencies. There are no stability-compensation capacitors per se in the circuit except the small one across the feedback resistor. Therefore, I deduce that the reduction in loop gain at higher frequencies is most likely due to the high drive impedance to the MOS-FET output transistors against their input capacity. Figure 7 shows 1-kHz distortion versus power and load, along with SMPTE-IM distortion.

Dynamic power was found to be 121 watts into 8 ohms and 210 watts into 4 ohms. Steady-state clipping power was 105 watts into 8 ohms and 160 watts into 4 ohms. All tests were done, as usual, with 120-V a.c. line power.

Frequency response, at a 1-watt level into 8 ohms (2.83 V rms), is shown in Fig. 8 for no load (open circuit), 8-ohm loading, and 4-ohm loading. 'Scope photos of square-wave behavior appear in Fig. 9. The top traces are for a 10-kHz signal with no load and with loads of 8 and 4 ohms. The middle trace is for 10 kHz loaded with 8 ohms in parallel with 2  $\mu$ F. The bottom trace is for 40 Hz with an 8-ohm load. The output buffering inductor in this design seems to have more inductance than usual, as evidenced by the top traces in Fig. 9, where the effect of output loading at the higher frequencies extends more into the half-cycle time of the 10-kHz signal. However, the low ringing on the 8-ohm, 2- $\mu$ F load is exemplary. Rise- and fall-time into 8 ohms was 2.8  $\mu$ s at  $\pm 5$  V output. Large-signal rise- and fall-time increased to 3  $\mu$ s, with some overshoot on the positive-going transition only. Clipping behavior at high frequencies showed considerable evidence of "sticking."

Crosstalk versus frequency was measured with the undriven channel terminated in 1 kilohm. The crosstalk was some 6 to 8 dB worse in the right-to-left direction and still measured better than -80 dB at 1 kHz, rising to -69 dB at 5 kHz, -56.7 dB at 20 kHz, and -49.5 dB at 50 kHz.

Signal-to-noise ratio (IHF) for the 702 amp was 95.3 dB for the right channel and 93.8 dB for the left. Damping factor versus frequency is shown in Fig. 10.

Regarding peak current delivery: I have been using, at different times, 0.1- and 1-ohm loading for this test. It is obvious that 1 ohm is a more realistic load to use, as some speakers have been known to dip down to nearly 1 ohm but certainly not to 0.1 ohm. Accordingly, I have decided to use 1 ohm for this test from now on. The 702 was able to deliver a respectable  $\pm 24$  amps into 1 ohm with one channel driven using the IHF 1-kHz tone-burst signal.




Fig. 7—Distortion vs. frequency, 702 amp, showing THD + N at 1 kHz, and SMPTE IM, for 8- and 4-ohm loads.




Fig. 8—Frequency response, 702 amp, with no load (open circuit) and with 8- and 4-ohm loads.



# BEYOND CONVENTIONAL AUDIO



## THE ONKYO INTEGRA TX-108 THE FIRST RECEIVER WITH SEPARATES PERFORMANCE

In the past, buying a receiver over costly separate components meant sacrificing sound quality for the sake of convenience and economy. The ONKYO Integra TX-108 sets a new standard for receiver performance by providing sound quality normally associated with separates with maximum audio and video system control flexibility, all operated by 25 key wireless remote control.

The heart of the TX-108 is ONKYO's patented Real Phase power-supply system. Real Phase insures phase accuracy in the audio signal by placing a second power transformer between the main power transformer and the filter/storage capacitors, duplicating the theoretical perfect charging current, pure DC. The TX-108 provides an RMS power of 100 watts per channel into 8 ohms and an IHF dynamic power of 295 watts into 2 ohms, along with precisely focused imaging and deep, tight bass.

Full audio/video flexibility is provided by 5 audio and 2 video inputs facilitating easy dubbing between video and audio sources. A unique Sound Control system incorporates a dual band Dynamic Bass Expander for superior deep bass impact and definition, a Dynamic Transient Expander to restore impact and dynamics to compressed music sources, and a Simulated Stereo function for monophonic video soundtracks.


Now, there's a new standard for receiver convenience and separates performance. The ONKYO Integra TX-108.

*Artistry In Sound*


# ONKYO®

200 Williams Drive, Ramsey, NJ, 07446

I have listened to these units for hours on end without irritation, and am fairly satisfied with their presentation.



**Fig. 9—Square-wave response, 702 amp. Top traces: 10 kHz into 8- and 4-ohm resistive loads and into open circuit (no load). Middle trace: 10 kHz into 8 ohm, 2- $\mu$ F load. Bottom trace: 40 Hz into 8-ohm load. Scales: Vertical, 5 V/div.; horizontal, 20  $\mu$ s/div. for 10-kHz traces, 5 ms/div. for 40-Hz trace.**



**Fig. 10—Damping factor vs. frequency, right channel, 702 amp.**

### Use and Listening Tests

Equipment used in my system to evaluate the 402 and 702 included an Infinity air-bearing turntable and arm with a Koetsu EMC-1B cartridge and Infinity RS IIB speakers. Other electronics on hand were Robertson Twenty Twenty and Cook/King reference preamplifiers and Marantz Nine power amplifiers.

My first reaction to the McLaren components was that the preamp was pretty good and the amp wasn't so good. However, after both pieces had warmed up by being left on for a couple of days, I found myself commenting, "This equipment makes pretty good music after all." I would definitely recommend leaving these pieces on continuously; otherwise, one will never hear them at their best. I found that the sound of the preamp was noticeably better in the MM mode using my 0.5-mV Koetsu than in the MC mode, considerations of noise, and of bass roll-off with volume control at max, aside. No operational glitches were observed in use with either piece, separately or in combination with other components. Subjectively, I didn't like the tone-control characteristics because the turnover frequencies seemed to be too low for the bass and too high for the treble.

The importer of the McLaren equipment informed me of a modification to the power amp that has improved its sound and is representative of current production. This consists of bypassing the four internal power-supply fuses with 0.01- $\mu$ F Wonder Caps. After receiving and installing these capacitors, I warmed up the amp again and found that, indeed, the sound was better. I have listened to these units for hours on end without irritation and have been fairly satisfied with their presentation.

I tried the preamp in a friend's system which includes Snell Type A-III speakers, a Conrad-Johnson PV5 preamp, a Robertson Forty Ten amp for bass, and Gordon Mercer feedback-less tube amps for mid/highs. The sound was very good and musical with the McLaren preamp in this system. It was interesting to find that when an Infinity hybrid Class-A power amp was substituted for the Gordon Mercer tube amps for mid/highs, the system also sounded very good, and similar to the sound with the tube amps. However, when the Conrad-Johnson PV5 preamp was reinstalled in place of the McLaren, the sound wasn't so hot with the Infinity amp, but was good again with the tube amps—one of the many combinational puzzles I've encountered.

The 702 power amp was tried in the system of my associate Geoff Cook, where we used it as a bass amp up to 300 Hz along with a Crown Microtech 1000 and a Robertson Sixty Ten. The McLaren 702 was judged to be the best in this application by a considerable margin.

In my system, I have used the 402 preamp with Marantz Nine power amplifiers and have obtained very good results. Even better results come from using the 702 power amp with the Cook/King reference tube preamp; this is what makes me suspect that the power amp has better sound than the preamp. Sound with the combination of 702 and Cook/King is extremely smooth and spacious, with a harmonic "rightness" that continues to amaze me.

In conclusion, I would have to say that I like these pieces of McLaren gear quite a lot and would recommend a serious listen.

*Bascom H. King*





# The concert continues with the Ford JBL Audio System.

Imagine the music of 12 speakers driven by 140 watts...

Just imagine a car audio system that could really deliver music as rich and powerful as a live concert.

Imagine music emanating from 12 JBL speakers—specifically equalized and adjusted to the surrounding environment and deftly capable of reproducing digitally accurate full-range, high fidelity sound.

- 12 JBL speakers including 2-6" x 9" woofers, 2-3½" midrange speakers and 2-7/8" tweeters located in the rear deck; 2-5¼" woofers mounted in the doors; and 2 tweeters and 2 midrange speakers in the instrument panel. Selective frequency fading so all woofers remain in operation at controlled levels when faded front/rear.

Imagine the sheer impact of 140 watts of total system power. Ample power to virtually eliminate distortion for the most comfortable listening—even at high volume for very long periods of time.

- 140 watts TSP—4 amplifiers, 35 watts per channel into 4 ohms at 1000 Hz with .07% THD. 105 dB SPL maximum acoustic output. Excursion control computer with continuously variable loudness compensation and automatic overload protection.

Then stop imagining and hear the real thing for yourself, exclusively at your Lincoln-Mercury dealer today.

**JBL loudspeakers are featured in world renowned sound systems everywhere, including Tokyo's NHK Hall, Los Angeles Music Center, Tanglewood Music Shed, Frankfurt Opera House and now the Lincoln Continental and the Lincoln Town Car.**



**AUDIO SYSTEMS**

# 2

## MICHELL GYRODEC TURNTABLE

**Manufacturer's Specifications**

**Drive System:** Belt.

**Speeds:** 33 $\frac{1}{3}$  and 45 rpm.

**Wow & Flutter:** 0.04%.

**Rumble:** -78 dB.

**Speed Accuracy:**  $\pm 0.1\%$ .


**Dimensions:** 21 $\frac{1}{4}$  in. W  $\times$  7 $\frac{1}{2}$  in. H  
 $\times$  16 $\frac{3}{4}$  in. D (54 cm  $\times$  19 cm  $\times$   
42.6 cm), including dustcover.

**Weight:** 37 lbs. (16.8 kg).

**Price:** \$1,190.

**Company Address:** c/o Reference  
Monitor International, 2615 Jacaran-  
da, Carlsbad, Cal. 92008.

For literature, circle No. 91





Michell Engineering was one of the first companies I know of to make what might rightfully be termed an audiophile turntable. Back in the early 1970s, John Michell designed what he called the Hydraulic Reference turntable. With its striking appearance, that unit turned more than phonograph records—it turned a lot of heads too. The present GyroDec turntable bears a strong resemblance to the Hydraulic Reference, even though many of the early features, including the hydraulic system, have long since been discarded in favor of more conservative engineering. The original hydraulic turntable featured a rotating bath of high-viscosity oil and an adjustable paddle. Although a synchronous motor was used, the turntable was designed to run slightly fast. By adjusting the drag of the paddle in the rotating oil bath, the speed of the platter could be slowed down. The exact speed was determined by using the stroboscopic disc which was supplied with the turntable.

Another feature of the original turntable was the use of cylindrical pods arrayed around the periphery of the platter. The pods faced up, and the phonograph record was supported only at its edges. In those days a great deal of effort was made to reduce the buildup of static electricity in a record, because noises caused by electrical discharges between the record and the phono cartridge could be heard during playback. The pods were used not only to reduce this static-electricity effect but also—since they were made of solid brass—to place extra mass at the periphery of the turntable platter to increase its inertia. This increased the flywheel effect of the platter, thus reducing wow and flutter. The GyroDec (which is made in England) still uses these pods, but only for their inertial effect; the disc rests on a conventional platter and mat, and the pods are attached to the underside of the platter.

### First Impressions

The GyroDec makes a very strong visual impression. It will never be mistaken for any of the usual run of mass-market turntables: Its styling is very, very "modern," making use of handcrafted, crystal-clear acrylic plastics and highly polished, plated metal parts. In fact, the cylindrical metal

parts are gold-plated. Other metal surfaces, such as the subchassis, have a satin-smooth aluminum finish. But while the quality of the styling is open and airy, the whole assembly, including the clear acrylic cover, is very heavy; the mass necessary to achieve a stable record-playing system is engineered into the GyroDec while remaining beautifully disguised. There is no turntable base in the usual sense; instead of the closed, rectangular box we are all used to seeing, the GyroDec has a main support base made from a single sheet of thick, clear acrylic.

### Features

While it appears upon first look that styling is paramount in the GyroDec, a closer examination reveals that good engineering principles are not compromised to achieve the excellent appearance.

The GyroDec has a low-voltage synchronous motor with a stepped pulley on the spindle for 33 $\frac{1}{3}$  and 45 rpm. The motor is located at the left rear corner of the turntable and is mounted directly to the main support base. The flexible belt which drives the outside rim of the turntable is completely accessible, so changing the turntable speed, by moving the belt from one step on the motor pulley to another, is very easily accomplished. The power supply is a separate unit with a 3-foot cord that plugs into an a.c. outlet and a 6-foot cord that plugs into the motor. No a.c. line voltage is present at the turntable, so hum from this source is not a problem. There are three grooves around the edge of the platter. The unit that I tested had a single drive belt; however, I have been informed that later versions have two belts to improve speed stability. A ring, which is part of the suspended subchassis, surrounds the motor housing. This ring was intended originally to allow the use of two tonearms simultaneously, with the motor mounted elsewhere on the main support base. (Most audiophiles eschew the practice of using two tonearms to play the same record because of the interaction between the two arms that can result. This interaction arises when mechanical energy travels through the vinyl record material from one pickup stylus to the other.) The clearance between this ring and the motor housing was less in the unit I tested than in later models, but, by carefully balancing the turntable, I experienced no problems caused by the narrow clearance.

The suspended subchassis is of aluminum, cast in the form of a large central ring and two smaller ones. The large ring has spokes to a central hub which carries the main turntable bearing. The smaller rings, at the left and right rear, hold the motor housing and the tonearm mounting platform, respectively. The spokes of the large subchassis ring are weighted with lead to increase the suspended mass and to damp any resonance.


The springs on which the subchassis is suspended form an equilateral triangle, one corner of which is located in line with the center of the platter and the tonearm's mass. The other two springs are equidistant from this line.

The six gold-plated brass weights on the underside of the platter are distributed evenly around its periphery. This accomplishes at least three things: First, as mentioned earlier, it causes the effective mass of the platter to be increased, thereby increasing the flywheel effect without pro-


## MEASURED DATA

Parameter	Measurement	Comment
Speed Stability	± 0.12%	Excellent
Wow, Unwtd.	0.18%	Very Good
Wow, DIN Wtd.	0.08%	Excellent
Flutter, Unwtd.	0.13%	Very Good
Flutter, DIN Wtd.	0.03%	Excellent
Wow & Flutter, Unwtd.	0.22%	Very Good
Wow & Flutter, DIN Wtd.	0.08%	Excellent
Long-Term Drift	0.10%	Excellent
Rumble, Unwtd.	-80.9 dB	Excellent
Rumble, Wtd.	-93.6 dB	Excellent
Suspension Resonance	4.67 Hz	See Text


Wow and flutter is very low, and the quality of sustained piano tones, which are very difficult to reproduce without waver, was deemed excellent.



**Fig. 1—Computer plot of the tonearm/cartridge resonance; actual turntable wow is very low. the peak at 5.9 Hz is due to**



**Fig. 2—Speed drift over 42-S period. The variations at 0.56 Hz are related to the 33 1/3-rpm speed. Note the high stability, with very low short-term and long-term drift.**



**Fig. 3—Speed stability referenced to 3,150-Hz test tone on B & K 2010 test record. The turntable is running about 0.94% fast, as shown by displaced curve, but is very stable at that speed.**

portionately increasing the mass load on the main bearings. It also puts the effective mass closer to the horizontal plane of the main bearing, which lessens the tendency of the platter to wobble. Last, it helps to damp the natural ringing modes of the platter. These cylindrical weights, which are 1.25 inches in diameter and 1.5 inches long, increase the platter weight to 9.5 pounds.

The main bearing is made of phosphor bronze and has a tolerance of 0.0001 inch. A hardened-steel ball is fitted to the main shaft, which extends down from the center of the platter.

The main platform is first levelled by adjusting the three rubber-tipped feet, and then the subchassis can be levelled by adjusting the three compression-type springs, which are under easily removable covers. These springs have foam pads inside and rubber pads on each end to damp any ringing.

Tonearms can be mounted to a circular acrylic disc which is supplied with the turntable. This disc fits into the circular ring on the right rear of the subassembly and is locked in place with three screws. A number of tonearms can be mounted, adjusted, and then easily interchanged by using a different disc for each arm. For measurements and listening tests, I used the Zeta tonearm and the Goldbug Clement II cartridge, which are also imported by Reference Monitor International. (This tonearm and cartridge combination is the subject of a separate report in this issue.)

#### Measurements and Listening Tests

As has been the case in my past reports for *Audio*, I will try to show correlation between the technical measurements I made on the Michell turntable and the comments of members of a listening panel. The panel members are asked not to make any verbal comments while they are listening to particular selections; they are asked to write down such comments and, after the selection has ended, to discuss these and any other reactions they might have with other panel members. A test form has been developed which allows rating the sonic quality of the reference system and the equipment being tested on a scale from 0 to -5. High-quality recordings which feature piano, percussion, vocals, orchestral crescendoes, etc. are selected to allow the panel members to make their evaluations. The ratings of 0 to -5 were chosen because it is easier to hear faults in reproduced sound than to hear things which can be considered positive. I look at the results of the ratings, the written comments, and notes which I have made during the discussions, and try to relate these to my technical measurements. I always adjust the equipment being evaluated and make the technical measurements before the listening sessions to make certain that the equipment is performing properly.

Figure 1 shows the spectral distribution of energy caused by wow and flutter. The main peak, at 5.9 Hz, is due to the resonance of the tonearm mass and the cartridge compliance. This peak shows that the percentage of wow, read from a wow and flutter meter, would be even lower if the contribution of the tonearm/cartridge could be removed. The actual wow, caused by the turntable alone, is thus very low. The ratings given by the listening panel to the reference system and the GyroDec were essentially identical for the



This turntable has the lowest rumble I have ever measured, and its isolation is excellent as well.

reproduction of piano recordings, except for staccato passages. The quality of sustained piano tones, which are very difficult to reproduce without waver, was deemed excellent.

Figure 2 shows that, over a 42-S period, the GyroDec turntable is very stable. The speed drifts less than  $\pm 0.10\%$  from the  $33\frac{1}{3}$ -rpm speed during this period of time, and the short-term cyclical variation is less than  $\pm 0.20\%$ . The short-term variations occur once per revolution of the turntable or at a rate of 0.56 Hz. Both the long- and short-term drift are very low and must be considered excellent. Figure 3, a graph of the change in frequency of the 3,150-Hz wow-and-flutter test tone on the B & K 2010 test record, shows that the GyroDec is running about 0.94% fast and that it holds this speed very closely over a long period. Because the Nicolet 660A-2D FFT spectrum analyzer which I used for this measurement was in the "zoom" mode, with a total window width of only 80 Hz, the 16 samples were necessarily taken over a long period of time.

The spectrum of the GyroDec's rumble components is shown in Fig. 4. Once again, the contribution of the tonearm/cartridge resonance can be seen. The actual rumble caused by the turntable would measure much lower if the output due to this resonance could be removed from the total. Even with this effect, which of course contributes to the perceived sound quality, the graph shows that the GyroDec has very low rumble—the lowest I have ever measured for a turntable. No comments were made by the listening panel about rumble, and I consider the performance of the GyroDec to be superb in this regard.

Figure 5 shows the output caused by a mechanical impulse applied to the edge of a stationary record with the phono stylus resting in a groove. This test is made to determine the turntable's effectiveness in damping the mechanical energy in the record. The GyroDec is only moderately effective in this regard; certain comments made by panel members, who rated the reference system as being clearer and more precise when reproducing a staccato piano passage, may be related to this delayed energy. Figure 6 is a graph of the spectral distribution of the energy caused by a series of mechanical impulses similar to the impulse applied for Fig. 5. As is the case for all the turntables I have tested, there is a great deal of energy near the tonearm/cartridge resonance—in this case at 5.9 Hz. (The exact frequency varies with different tonearm/cartridge combinations, of course.) The cursor is set to 100 Hz, where the next greatest output occurs. The fact that this output is due to delayed energy added to the desired signal is probably more important than the exact distribution of that energy. This energy probably contributed to the coloration of human voice which was noted by one panel member. The coloration was slight, but it was noticed because it was less apparent in the sound of the reference system.

Figure 7 shows the output which resulted from a mechanical shock applied to the heavy platform on which the turntable rested during all of the technical testing. This platform is extremely massive and very well isolated from mechanical vibrations which might otherwise reach the turntable. The force of this impulse was set to the highest level I have used on any previous turntable. The isolation of the GyroDec is excellent. The tendency for the vibration to die down and




Fig. 4—Rumble spectrum, measured with B & K 2010 test record. Main output is from tonearm/

cartridge resonance at 5.9 Hz. Rumble is the lowest I have measured for a turntable.

Fig. 5—Output vs. time for mechanical shock applied to edge of a stationary record, with stylus resting in groove.





Fig. 6—Spectrum of output caused by a series of mechanical impulses to edge of a stationary record, with stylus resting in groove near the middle

of the disc. Output is highest at arm/cartridge resonance; cursor is at 100 Hz, where the next greatest output occurs.

FOR THOSE OBSESSED WITH MUSICAL PERFECTION,



Technics

Compact Disc Player SL-P500

FF-1

OPEN/CLOSE

compact disc  
DIGITAL AUDIO

High Resolution Digital Filter  
High Speed Linear Access System

phones level max



# TECHNICS NOW OFFERS FOUR WAYS TO ATTAIN IT.

Compact disc players  
for your home. Car. And everywhere  
in between.

Before we could satisfy your obsession with musical perfection, we had to satisfy our own. And we have.

Our newest home compact disc player is the ultra-sophisticated and fully programmable SL-P500. It plays any selection. In any order. Even by remote. Or you may choose to drive off with the new Technics combination car



CD player and digital AM/FM tuner. Its shock-absorbing suspension system helps ensure a truly flawless musical performance no matter where the road leads. Or select our biggest achievement—the incredibly small SL-XP8 portable CD player. It's barely larger than the disc it plays. It even has a built-in AM/FM tuner.

Or perhaps you'd prefer a Technics CD player that comes with everything—because it's part of a perfectly pre-matched audio rack system.

No matter which you choose, you'll experience the musical perfection of the compact disc. Because every Technics CD player has been engineered with a powerful and accurate fine-focus single-beam laser system (FF1).

A word of caution, however. Knowing about Technics CD players could lead to another obsession: wanting to own all of them.




## Technics

The science of sound


Enter No. 46 on Reader Service Card




I recommend that you audition the GyroDec with the very best equipment. I am certain that you will be impressed.



**Fig. 7—Output vs. time response for mechanical shock applied to heavy platform on which the turntable rested. The GyroDec's isolation from the shock is excellent.**



**Fig. 8—Spectrum (to 5 kHz) of the vibrations caused by mechanical shock applied to platform supporting the turntable.**



**Fig. 9—Spectrum (to 100 Hz) of the vibrations from a 100 dB SPL acoustic field at the surface of a record. Cartridge stylus is resting in a groove near the middle of the record.**

panel. The other closely spaced group of spikes, which appear between about 500 Hz and 2 kHz, are at a very low level and probably do not contribute any significant coloration to the sound.

Figure 9 shows the spectrum of the output generated by a very slow sweep of frequencies from 20 to 100 Hz, which produces an acoustical level of 100 dB SPL at the surface of a record on the turntable. The stylus was resting in the groove of the record, which was stationary. This is a very severe test. The GyroDec did quite well—breakthrough output is at least 30 dB below the 10 cm/S reference—and should be considered very good as far as acoustical isolation is concerned. However, I have seen better performance from other turntables that I have tested. The output at 5.9 Hz is again due to the tonearm/cartridge resonance, while the output at higher frequencies is probably due to internal eigenmodes (natural modes of resonance) of the suspension springs. The results are still good enough to allow the GyroDec to be classified as an audiophile turntable.

### Conclusions

As I have said, the GyroDec has the lowest rumble of any turntable that I have measured. It compared well with the reference standard, except for slightly greater coloration on voice and a bit more blurring on staccato piano passages. On most program material, the difference was extremely subtle and the listening-panel ratings were identical for the GyroDec and the reference system. I should mention that the reference system did not employ vacuum clamping of the record. I have found vacuum clamping to be so effective that to use it on a reference system when evaluating the sonic attributes of a turntable without it, like the GyroDec, would be almost like comparing apples to oranges. I did use a very good turntable platter-to-record interface on the reference system. I recommend that you audition the Mitchell GyroDec with the best associated equipment; I am certain that you will be impressed. *Edward M. Long*

then come up again is due in part to the fact that the suspension has some closely spaced resonances which add and cancel at a very low frequency. There is also a tendency for the turntable subchassis to rotate slightly at this low frequency.

Figure 8 shows the spectral distribution of the energy caused by a series of mechanical impulses applied, as in Fig. 7, to the turntable platform. The cursor is set at 350 Hz, which is the highest frequency of a number of spikes which appear between about 100 and 350 Hz. These energy clusters could be a source of coloration, but they are hard to correlate directly with any comments made by the listening



**THINK OF IT AS THE  
WORLD'S SMALLEST DIGITAL PLAYER.**




Now you can take the dynamics of digital performance anywhere. With TDK HX-S. It captures the purity and nuances of digital sound like no other high-bias audio cassette.

Specifically designed to record digitally-sourced materials, HX-S offers four times the magnetic storage capability of other high-bias cassettes available today. Plus unmatched high frequency MOL (Maximum Output Level) for optimum performance.

With all this going for it, HX-S does more than step-up your pocket-sized player. It also acts like fuel injection for your car audio system. And it can turn a boombox into a portable music hall.

TDK HX-S. One small step for digital. One giant leap for music-kind.



**THE ART OF PERFORMANCE.**

TDK is the world's leading manufacturer of audio & video cassettes and floppy disk products.

Enter No. 43 on Reader Service Card

© 1983 TDK Electronics Corp.

3

## ZETA STANDARD TONEARM AND GOLDBUG CLEMMENT II CARTRIDGE

### Manufacturer's Specifications Tonearm

**Type:** Large-diameter, thin-wall, pivoted tube with fixed headshell and adjustable counterweight mass.

**Pivot-to-Stylus Distance:** 9 in. (22.9 cm).

**Overall Length:** 11½ in. (29.2 cm).

**Offset Angle:** 23.75°.

**Effective Mass:** 16.0 grams, without cartridge.

**Cartridge Weight Range:** 4 to 12 grams.

**Total Cable Capacitance:** 90 pF.

**Price:** \$875.

For literature, circle No. 92

### Cartridge

**Type:** Moving coil.

**Stylus:** Oval diamond on beryllium-pipe cantilever.

**Output:** 0.25 mV for 3.54 cm/S at 1 kHz.

**Frequency Response:** 20 Hz to 35 kHz.

**Channel Separation:** 28 dB at 1 kHz.

**Channel Balance:** 1 dB.

**Impedance:** 14 ohms.

**Compliance:** Static,  $38 \times 10^{-6}$  cm/dyne; dynamic,  $17 \times 10^{-6}$  cm/dyne at 100 Hz.


**Recommended Tracking Force:** 1.3 grams,  $\pm 0.1$  gram.

**Weight:** 5.6 grams.

**Price:** \$490; replacement stylus, \$245.

For literature, circle No. 93

**Company Address:** c/o Reference Monitor International, 2615 Jacaranda, Carlsbad, Cal. 92008.





One of the reasons that analog disc is still the medium of choice among audiophiles is that, a few years ago, tonearms took a turn for the better, as designers began to apply what some might term "space-age" technology. One of the tonearms that has resulted from this new technology is the Zeta, manufactured in Willesden, England by C & B Tools & Developments and distributed in the U.S. by Reference Monitor International of Carlsbad, Cal. Other tonearms which use similar engineering principles and materials include the Sumiko MDC-800 and the Linn Ittok LV II. Some of the ideas incorporated in the SME Series V can also be traced to this new approach to tonearm design. The Sumiko, Linn, and SME tonearms have been tested previously; reports can be found in the September 1983, March 1984, and June 1986 issues of *Audio*.

Like the other tonearms mentioned above, the Zeta features a relatively large-diameter, thin-walled, straight tube. Armtubes used in older designs were usually smaller in diameter, with thicker walls, and often were angled near the headshell or had S-shaped bends along their length. The use of thinner walls of larger diameter allows the mass of the tonearm to be reduced while equalling or even surpassing the strength and integrity of the older designs.


## MEASURED DATA

### Zeta Standard Tonearm

Pivot-to-Stylus Distance:  $9\frac{7}{16}$  in. (233 mm)  
 Pivot-to-Rear-of-Arm Distance:  $2\frac{7}{16}$  in. (59 mm)  
 Overall Height Adjustment:  $\frac{5}{8}$  in. (16 mm)  
 Tracking-Force Adjustment: 0 to 1.8 grams; no calibrations.  
 Tracking-Force Calibration: None; auxiliary gauge required.  
 Cartridge Weight Range: 5 to 12 grams.  
 Counterweights: One, with steel inserts.  
 Counterweight Mounting: Steel discs screwed to aluminum carrier.  
 Sidethrust Correction: Coil-spring type, uncalibrated knob.  
 Pivot Damping: None.  
 Lifting Device: Damped lever and finger lift.  
 Headshell Offset:  $23.8^\circ$   
 Overhang Adjustment: Slots in headshell.  
 Bearing Alignment: Excellent.  
 Bearing Friction: Less than 40 mg, no play.  
 Bearing Type: Ball-and-plate, vertical and lateral.  
 Lead Torque: Very low.  
 Arm-Lead Capacity: 88 pF.  
 Arm-Lead Resistance: 1.2 ohms.  
 External Lead Length: 42 in., with gold phono plugs.  
 Structural Resonances: 350, 900, and 1,650 Hz.  
 Base Mounting: Round hole, six screws.



### Goldbug Clement II Cartridge

Coil Inductance: 15  $\mu$ H (left and right channels).  
 Coil Resistance: Left, 14.0 ohms; right, 13.6 ohms.  
 Output Voltage: Left, 0.096 mV/cm/S; right, 0.093 mV/cm/S.  
 Recommended Tracking Force: 1.6 grams.  
 Cartridge Mass: 5.7 grams.  
 Microphony: Very low.  
 Hum Rejection: Excellent.  
 High-Frequency Resonance: 27.8 kHz.  
 Rise-Time: 20  $\mu$ S.  
 Low-Frequency Resonance: 6 Hz (in Zeta Standard tonearm).  
 Low-Frequency Q: 1.  
 Recommended Load Resistance: 40 ohms.




**Fig. 1—Frequency response and interchannel crosstalk of Zeta Standard arm and Goldbug Clement II cartridge, using B & K 2010 test record.**

**Fig. 2—Low-frequency tonearm/cartridge resonance is at 5.9 Hz with a Q of 3.1, B & K 2010.**




**Fig. 3—Slow-sweep check (20 Hz to 2 kHz) for tonearm resonances. Note small discontinuities at 28, 42, and 320 Hz.**


Using thinner tube walls of larger diameter allows the arm's mass to be reduced while equalling or even surpassing the strength of older, thick-wall designs.



**Fig. 4—** Output of arm/cartridge when mechanical impulse was applied to armtube, with arm on rest. Decay rate is a bit slower than desirable.



**Fig. 5—** Output (averaged) of arm/cartridge due to 16 mechanical impulses applied to armtube. Note peaks between 1 and 10 kHz.



**Fig. 6—** Interchannel phase difference of arm/cartridge, using pink noise from B & K 2011, band 7.

Another, less obvious design idea used in the Zeta was to make the armtube continuous from the headshell to the rear of the tonearm. This is a result of rethinking the design parameters in terms of energy transfer and dissipation. By using the same material for the headshell and the armtube, the velocity of energy is unchanged from one end of the tonearm to the other. The rationale behind this stems from the fact that whenever kinetic energy meets a barrier, standing-wave energy is generated. This causes interference effects in the mechanical energy that is traveling along the tonearm and makes damping and dissipating this energy more difficult. Any energy which is not properly dissipated can cause delayed-energy interactions with the desired mechanical energy being transduced by the pickup cartridge stylus, because it can be reflected back to the stylus tip. A change in material, and therefore a change in propagation velocity, acts as an unwanted barrier, to a greater or lesser extent, depending upon how different the materials are. The fact that the Zeta headshell is bonded to the armtube not by adhesives but by a tight, thermal bonding technique is good because it ensures a minimal barrier effect between the two. In other words, the unwanted mechanical energy in the tonearm can be transferred along the armtube to the pivot bearings and then through the arm pillar to the mounting board, where it can be dissipated. While (for practical reasons) the bearings cannot be of the same material as the armtube and headshell, the arm pillar is. Therefore, any energy which is reflected will encounter a similar energy velocity characteristic on either side of the bearings, and thus ensure at least a symmetrical relationship.

### First Impressions

I tested the bearing friction in my usual manner by holding the tonearm pillar in one hand and pulling and pushing the armtube with the other hand. The Zeta tonearm bearings, which are ball-and-race for both vertical and horizontal pivots, had no noticeable play and yet were very free of friction in either plane of motion.

The Zeta comes in a sturdy wooden case with a hinged cover. The satin-black finish of the headshell, armtube, gimbal support, pillar, and mounting base is excellent. The arm pillar and the gimbal bearing support give an outward impression of really solid construction, and indeed they have been machined from solid blocks of aluminum and finished to a satin smoothness. All of this tells me that the manufacturer is committed to producing a very high-quality product, albeit in necessarily small quantities.

### Features

The Zeta's solid headshell has two slots which allow for minor final adjustments in the overhang and offset to bring forth that last bit of performance. The finger lift is well designed and easy to grip.


The counterweight consists of an aluminum shell which holds different steel inserts that can be chosen to balance the cartridge so that the counterweight is as close to the arm pillar as possible. This minimizes the dynamic mass of the tonearm by reducing the moment of inertia. The aluminum outside shell of the counterweight is not decoupled from the armtube by any rubber or plastic rings, as is usually the



THE COMPACT DISC MUSIC GUILD PRESENTS...

# THE BOSTON POPS TREASURY OF MUSICAL FAVORITES

FOR ONLY \$49<sup>95</sup>—Less Than \$1<sup>00</sup> A Selection



**FREE FOR 10 DAYS!**

**Almost 3 hours of Waltzes, Marches, Screen Music, "Memory Music" and more. Available for the first time on 3 Compact Discs.**

**A COMPLETE COMPACT DISC LIBRARY OF MUSIC FOR EVERY MOOD, EVERY MOMENT, EVERY INTEREST!**

Here, in one COMPLETE TREASURY is a remarkable collection of the World's Most Wanted Music—performed by the renowned Boston Pops, under the incomparable baton of Maestro Arthur Fiedler whose programming genius helped create the legend that is the Boston Pops.

Imagine, MORE THAN 50 of the World's Most Famous selections—many captured for the very first time on Compact Discs. You'll thrill to the Boston Pops' rendition of **STARS AND STRIPES FOREVER**—by John Philip Sousa. Enjoy the unique "Pops" rendition of **By The Time I Get To Phoenix**, **September Song**, and **The Look Of Love**.

**POPULAR MUSIC OF OUR TIMES — AND LIGHT CLASSICAL THEMES THAT SHOULD BE AVAILABLE IN EVERY HOME! THREE COMPACT DISCS — ALL DIGITALLY REMASTERED**

Some of the most beautiful melodies ever written are included—**The Theme from "Romeo and Juliet,"** **Waltz of the Flowers** from **"The Nutcracker"** and **The Blue Danube Waltz**. And, that's just the beginning. Please see the partial list of contents below!

**PARTIAL LIST OF CONTENTS . . . THE BOSTON POPS TREASURY OF MUSICAL FAVORITES . . . ARTHUR FIEDLER CONDUCTING**

Stars and Stripes Forever  
Stardust  
Seventy-Six Trombones  
September Song  
Sabre Dance  
Days of Wine and Roses  
Festive Overture  
When You Wish Upon A Star  
Theme from "Love Story"

Those Were The Days  
Forgotten Dreams  
The Blue Danube Waltz  
Medley From: "The Man of La Mancha"  
Raindrops Keep Fallin' On My Head  
Medley from: "Fiddler On the Roof"

Theme from "Midnight Cowboy"  
An Outdoor Overture  
The Look of Love  
Do You Know The Way To San Jose?  
You Will Be My Music  
Waltz of the Flowers from "The Nutcracker"

By The Time I Get To Phoenix  
If Might As Well Be Spring  
Hava Nagila  
Rainy Days and Mondays  
Promises, Promises  
Springtime Overture  
Night and Day  
Claire De Lune  
Gentle On My Mind

**AUDITION THE TREASURY FREE FOR 10 DAYS . . . KEEP THE "CD" STORAGE RACK AS OUR GIFT**

Enjoy all 50 selections over and over again on your own equipment. If then, you don't agree that this is indeed one of the most remarkable musical collections ever—just return the complete Treasury for our "no quibble" refund but keep the Compact Disc storage rack—**FREE!** The return option is yours, so there is **NO** risk!


**ORDER TODAY BY PHONE OR MAIL AN EXCLUSIVE COLLECTION AT A REMARKABLE PRICE — ONLY FROM THE COMPACT DISC MUSIC GUILD**

This exclusive set is **NOT AVAILABLE IN STORES ANYWHERE**. It has been prepared by the Guild especially for this offer and to make the services and advantages of the Guild (which presents Compact Discs of special interest only) known to serious collectors.

We invite you to join us—there is **NO CONTINUING OBLIGATION**.

To take advantage of this offering, please fill in and mail the attached coupon at once—or for fastest service, telephone **TOLL FREE** to the Guild at **1-800-255-3472** (in Connecticut call **(203) 452-0203**).

**FREE DISCBOX Compact Storage System**



- Wall or shelf mounting
- Holds 10 CD's
- Interlocking modular design

**Yours just for listening to the BOSTON POPS' TREASURY for 10 DAYS!**

THE COMPACT DISC MUSIC GUILD A-1286  
41 Monroe Tpke, Trumbull, CT 06611-1315

YES, send me the COMPLETE BOSTON POPS TREASURY OF MUSICAL FAVORITES for my 10 day FREE AUDITION at the special Guild price of \$49.95 (plus \$4.00 shipping, handling and insurance, total \$53.95\*). Be sure to include my FREE DISC STORAGE CASE. I understand that if I am not absolutely delighted in every way, I can return the Treasury for a full refund. In any case, the STORAGE CASE IS MINE TO KEEP.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Telephone number ( \_\_\_\_\_ ) \_\_\_\_\_

Check enclosed


**CHARGE MY CREDIT CARD**

Visa  MasterCard  American Express  Discover


Card Number \_\_\_\_\_ Exp. Date \_\_\_\_\_

\*Connecticut residents please add 7 1/2% sales tax.

One of the outstanding attributes of this arm and cartridge combination is its ability to present a stereo image that is both stable and wide.



**Fig. 7—Interchannel phase difference of arm/cartridge as a function of frequency (B & K 2011, band 7, pink noise). Phase difference at 20 kHz (cursor position) is 3.9°, equivalent to only 0.5  $\mu$ S of interchannel delay.**



**Fig. 8—Tracking of arm/cartridge with a 1-kHz test tone from the B & K 2010 at 20 cm/S (top) and 25 cm/S (bottom).**

case with other tonearms, so the energy which reaches the counterweight can enter it and be dissipated. The Zeta uses the counterweight to set the tracking force and therefore is not a dynamically balanced design, as the previously mentioned tonearms are. After the cartridge is installed, the tracking force is adjusted by sliding the counterweight toward the arm pillar. Since there are no markings on the Zeta to indicate the tracking force, a separate gauge must be used. A locking screw is provided to ensure that the counterweight cannot move after the tracking force is set.

The sidethrust correction can be adjusted by turning a small knob located on the side of the gimbal support. This knob controls the tension of a coiled spring, which applies a horizontal force to the tonearm. This force counteracts the sidethrust force caused by the offset headshell and the

velocity of the record groove. There are no calibrated markings for this adjustment; some experts contend that it is best made while listening to some typical recordings, because different levels of groove modulation can be a factor.

### Measurements and Listening Tests

Since the Goldbug Clement II moving-coil cartridge is also distributed by Reference Monitor International and was recommended for use with the Zeta tonearm, this is the cartridge which I used for the technical and listening tests. The Clement II features an elliptical stylus mounted on a beryllium cantilever.

The output and interchannel crosstalk versus frequency are shown in Fig. 1. A listening panel evaluated the sound quality of the Zeta/Clement combination with respect to my reference system. After listening to various recordings, they made numerous comments which could be easily correlated with the upper frequency range of the Zeta/Clement combination. The downward slope of the upper frequency response, as heard by panel members, was not stated as directly negative comments about the Zeta/Clement combination, but as positive comments about the reference system. The quality of closely miked piano as reproduced by the reference system was termed "brighter," while the Zeta/Clement combination was heard as being "clearer" and "more sonorous." A recording of brass was heard as "sharper" when reproduced by the reference system. I think these comments indicate that, while the high-frequency output of the reference system is a bit stronger, the output of the Zeta/Clement combination is at least pleasant, and with certain recordings even more so than the reference system. The very low interchannel crosstalk shows that the Zeta/Clement combination is capable of producing excellent stereo images, which I will discuss later.


Figure 2 shows the low-frequency resonance caused by the mass of the tonearm interacting with the compliance of the cartridge. This resonance occurs at about 5.9 Hz. The Q is about average for this type of tonearm/cartridge combination. From the measured data, the Clement II would seem to require a tonearm with slightly less mass than the Zeta. However, comments about the reproduction of deep bass being "more boomy" with the Zeta/Clement combination were expressed only after playing a recording made with the microphone inside a drum which was highly damped with padding. After listening to orchestral recordings which featured big drum sounds, and which were made in large halls, no comments were made about the lack of tightness in the bass. I take this to mean that although the Q is a factor, it is not a major one.

Figure 3 is a graph of the output for a slow sweep made to reveal any tonearm resonance effects. Small discontinuities can be seen at 28, 42, and 320 Hz. These effects are very small, and the only correlation to actual sound that I could even suggest is based upon comments that voices seemed to be a "a little bit more colored" when reproduced by the Zeta/Clement combination. I really feel that these comments by the listening panel are more closely related to the effects seen in Figs. 4 and 5, which show the output versus time and the amplitude versus frequency, respectively, when the Zeta tonearm is excited by a mechanical shock applied to



# FUEL INJECTION FOR YOUR MUSIC

SHIFT INTO DIGITAL DRIVE WITH RECOTON'S CD ADAPTER



Accelerate into the digital dimension with Recoton's Compact Disc Adapter. Designed by award-winning audio engineer Larry Schotz, this versatile accessory delivers the full impact of digital sound—with no signal loss.

Just plug into the output jack of your portable CD player. Then insert the adapter into your car's cassette unit. No wiring. No permanent installation. Just pure pleasure—to go. Pick one up today and we guarantee you'll never be driven to boredom.

**RECOTON**<sup>®</sup>  
**THE PROVEN PERFORMERS**

46-23 CRANE STREET, LONG ISLAND CITY, NY 11101  
1-800-RECOTON.

COMPACT  
disc  
DIGITAL AUDIO



**Boston**Acoustics



## The new Boston T1000.

*A higher level of sonic architecture.*

Announcing the Boston Acoustics T1000 tower speaker system. It elevates stereo music reproduction to a new, rarified level of realism. Yet its slender tower architecture requires very little floor space.


We engineered the T1000 in a distinctive new way. Our new midrange driver is large, letting it reproduce far more of the important mid-frequency information than a smaller driver can. In addition, we placed it – and our CFT-5 dome tweeter – in the highest portion of the tower. As a result, all the directionally important mid and high frequencies emanate together at ear level. Just as with live music.

This unique architecture also frees the dual woofers to concentrate on bass reproduction alone. In fact, the Boston T1000 tower system lets you enjoy the entire tonal range of music, including the very lowest octave. With a wide dynamic range that does full justice to digital sources. And with stereo imaging that's pinpoint precise.


For a descriptive T1000 brochure, just send us your name and address. Boston Acoustics, Inc., Department AT, 247 Lynnfield Street, Peabody, MA 01960. (617) 532-2111.




The very low distortion measurements correlate well with listeners' comments about clarity and sonority.




**Fig. 9—Spectral analysis of the cartridge output when reproducing the test signal of Fig. 8. The third harmonic (at the cursor position) is 0.35% in the left channel and 1.05% in the right.**



**Fig. 10—Output from 15- and 30-cm/S, 10.8-kHz pulse test, Shure TTR-103 test record. Note the small amount of asymmetry and compression.**



**Fig. 11—Spectral analysis of distortion products from signals shown in Fig. 10. Distortion is very low.**



**Fig. 12—Output from 1-kHz square wave, CBS STR-112 test record. Ringing is at 27.8 kHz.**

the armtube. This test is designed to reveal any standing-wave energy in the tonearm. As shown in Fig. 5, there are numerous resonances between 1 and 10 kHz. The decay rate, as shown in Fig. 4, is a little slower than desirable. This could add a bit of coloration, and the human voice is a very sensitive test for this.

One of the most outstanding attributes of the Zeta/Clement combination is its ability to present a stable and wide stereo image. Comments made by the listening panel with respect to the stereo image were very favorable as compared to the reference system. The excellent interchannel amplitude separation, shown earlier, when combined with the data of Fig. 6, confirms the panel members' observa-

tions. Figure 6 shows the output of the left channel versus the right. A perfect 45° line would indicate no deviation between channels; the deviation here is very slight. Also, the interchannel phase difference versus frequency, shown in Fig. 7, is as good as I have ever measured.

The clarity of the sound of single instruments and small ensembles, especially at high levels, was commented upon by some panel members. This correlates well with the low amount of distortion and the excellent tracking of the Zeta/Clement combination, shown in Figs. 8 and 9. Both figures show that, even for the highest level band of the B & K 2010 test record, the tracking is very good. Many tonearm/cartridge combinations are not capable of tracking this band.

It is easy for me to recommend the Zeta arm. The Goldbug cartridge is also an excellent performer, especially its tracking of high levels.

The spectrum of the distortion products is shown in Fig. 9. The very low distortion, especially for the odd harmonics, correlates well with the panel's comments about the Zeta/Clement combination having good clarity and a "sonorous" quality. High amounts of odd-order distortion are usually heard as a "harsh" or "bright" quality.

Some comments made by listening-panel members seem to correlate well with the data shown in Figs. 10 and 11. For example, one comment was made that the piano in the RCA recording of the Saint-Saëns Symphony No. 3 (with Charles Munch conducting the Boston Symphony Orchestra) was "clearer" and "more sharply defined" when reproduced by the Zeta/Clement combination, while sounding more "sonorous" with the reference system. The ability of this panel member to hear the sharply defined piano was most likely possible because of the high degree of separation and lack of the fuzziness usually caused by poor interchannel phase relationships; the "sonorous" quality produced by the reference system was probably due to its slightly better performance when reproducing complex waveforms. The sound of full orchestra at high levels, especially the sound of cymbals, was "slightly clearer" when reproduced by the reference system, but the comments made by panel members for the Zeta/Clement combination with this kind of music were very complimentary. Even at the highest level of the Shure TTR-103 test record, which is 30 cm/S, Fig. 10

shows only a small amount of asymmetry and compression. Figure 11 shows that the low-frequency modulation components due to nonlinearity are very low, even at the 30 cm/S level.

Figure 12 shows the output of the Zeta/Clement combination for the 1-kHz square wave of the CBS STR-112 test record. This is a very good waveform and is typical for a cartridge which has a roll-off of high frequencies such as that indicated in Fig. 1. The ringing, at 27.8 kHz, is the high-frequency resonance due to the interaction of the stylus effective tip mass with the compliance of the vinyl of the test record. This resonance, obviously, is well above the audio band, which shows that the Clement II cartridge has a very low effective tip mass, and that it can therefore handle high-level high frequencies very well.

#### Conclusions

The fact that the Sumiko MDC-800 tonearm is no longer available makes it very easy for me to recommend the Zeta, which I consider to be its closest rival. The Goldbug Clement II cartridge is also an excellent performer, especially with regard to tracking high levels, particularly in the mid-range of frequencies. The stereo image which this combination can produce is its strong point. In my opinion, the Zeta Standard tonearm and the Goldbug Clement II cartridge offer good value.

*Edward M. Long*

## Discwasher® gets the grubbies out of your grooves.

The Discwasher® D4+™ Record Care System features a unique fluid and special directional micro-fiber pad to clean your records safely and effectively. It picks up the grubbies without leaving behind any residue.

For your stylus, Discwasher® SC-2™

Stylus Care System loosens and wipes away all damaging contaminants. Gently and thoroughly.

Discwasher is the technological leader in keeping your records and equipment in top condition. Discwasher, 4309 Transworld Road, Schiller Park, IL 60176.

Find out what we can do for your tape, compact disc and video equipment, too!

**discwasher®** For good, clean fun.



© 1986 Discwasher  
A Division of International Jensen Inc.

Enter No. 21 on Reader Service Card



“... the **McIntosh**<sup>®</sup> has the best sound yet of any  
**COMPACT DISC PLAYER**...”

McIntosh has earned world renown for its technological contributions for improved sound. When you buy a McIntosh you buy not only HIGH TECHNOLOGY that leads to superior sound reproduction, you buy technological integrity proven by time. The McIntosh Compact Disc Player is the newest evidence of McIntosh technological integrity.

For more information on the McIntosh MCD 7000 Compact Disc Player and other industry-leading McIntosh products write:

McINTOSH LABORATORY INC.  
P.O. Box 96 EAST SIDE STATION, A105  
BINGHAMTON, NY 13904-0096




**COMPACT**  
**disc**  
DIGITAL AUDIO

Handcrafted with pride in the United States by dedicated, highly trained craftspeople.

Enter No. 31 on Reader Service Card

# A man's home is



*The revolutionary Yamaha DSP-1 brings world-famous acoustical environments into your listening room at the push of a button. Its 30-key wireless remote unit (below) controls a two-line, 16-character backlit LCD that displays all program functions on the DSP-1.*

With the introduction of the new Yamaha DSP-1 Digital Sound Field Processor, listening to recorded music at home is no longer the next best thing to being there.

It is being there. Quite literally.

The most significant advancement in acoustic realism since stereo, the DSP-1 enables you to enjoy performances in the actual listening environments in which they were intended to be heard in the first place. Without leaving your home.

In twelve of the world's most famous sites, to be exact. Including three concert halls, a chamber, cathedral, church, disco, jazz club, rock concert arena, warehouse loft, pavilion, and outdoor stadium.

Additionally, the DSP-1 offers a four-directional presence mode as well as three surround-sound systems: a large theater, a medium sized

theater and even digital delay Dolby® surround.

Previous analog "surround" processors simply produced the illusion of a sound field by altering the existing stereo signal. The new DSP-1, however, digitally reproduces the actual sound fields of the world's finest listening environments, without affecting the purity of the original source material.

Utilizing the Yamaha-developed four-microphone Single Point Quad sound field analysis technique, Yamaha engineers spent five years analyzing the acoustic architecture of the world's most noted performance facilities, including echo patterns, reflective personalities and such data as timing, volume level and apparent source directionality. This information was then programmed into the DSP-1's computer memory (ROM).

The frequency response and dynamic range



# It's his cathedral, church, disco, stadium



# no longer his castle.

characteristics from your stereo source material trigger the continuous release of this information, to precisely reproduce the acoustic personalities of selected performance environments.

The reproduction of this acoustic architecture in your home is made possible by the development of a proprietary Yamaha VLSI (very large scale integrated circuit), the YM-3804. It calculates early sound reflections in real time based on the echo patterns stored in the DSP-1 memory—enabling accurate re-creations of these listening environments at the push of a button.

Each reflection is calculated using the very same sampling rate and quantization as compact discs (44.1 kHz, 16 bit linear), producing an output with dynamic range of 94 dB and 0.006% THD, making audiophile quality digital sound field synthesis possible for the very first time.

Every DSP-1 acoustic response pattern has several key response parameters you can alter to customize the size, shape and character of the listening environment.

These include room size, liveness, initial delay time, high pass filter cutoff, low pass filter cutoff and reverberation time.

After modifying a program, you can then give it a name, and store it in one of the DSP-1's 16 user memories.

In addition, there are 16 sound effector programs built in, such as time-delay, stereo flange, tremolo, chorus, pitch change and auto panning. So the DSP-1 can also be used effectively as a musical instruments effects device.

All sound field modes and parameters are controlled from the palm of your hand, since the DSP-1 is operated by a 30-key wireless remote control. This allows you to select the performance environment and adjust parameters—even program them into memory—without sacrificing the perspective of your listening position.

Its large backlit LCD confirms all mode selections and parameter readings as you make them. The remote control also lets you adjust the effect level and front/rear balance, and even give titles to those new modes you program.

The full benefits of Yamaha sound field synthesis is best experienced with four speakers which are powered by the new Yamaha 4-channel M-35B power amplifier, in addition to the front stereo speaker pair, driven by your existing amplifier.

If desired, however, the front left and front right output may be combined with the existing main-channel speakers.

For our thorough White Paper on Yamaha digital sound field synthesis, please write us at the address shown below.

But mere words can never hope to convey the magnitude of this accomplishment. Visit an authorized Yamaha dealer today for a complete demonstration. And discover why stereo alone is now as outdated as living in a castle.

Yamaha Electronics Corporation, USA, P.O. Box 6660, Buena Park, CA 90622



# concert hall, jazz club, and theater.

## 4

REVOX B286  
TUNER/PREAMP

## Manufacturer's Specifications

## FM Tuner Section

**Usable Sensitivity:** Mono, 12.8 dBf.

**Quieting Sensitivity:** Mono, 15.2 dBf; stereo, 36.8 dBf (per DIN Standard).

**S/N Ratio:** Mono, 84 dB; stereo, 80 dB.

**THD at 1 kHz:** Mono, 0.15%; stereo, 0.3%.

**Frequency Response:** 20 Hz to 15 kHz, +0.3, -0.8 dB.

**Capture Ratio:** 2.0 dB.

**Adjacent-Channel Selectivity:** 16 dB.

**Alternate-Channel Selectivity:** 96 dB.

**Image Rejection:** 110 dB.

**I.f. Rejection:** 110 dB.

**Spurious-Response Rejection:** 110 dB.

**Subcarrier-Product Rejection:** 78 dB.

**Stereo Separation at 1 kHz:** 43 dB.

**Muting Threshold:** 18 dBf.

**Stereo Threshold:** 26 dBf.

**Output Level at Tape Out:** 1.8 V.

## AM Tuner Section

**Usable Sensitivity:** 36  $\mu$ V.

**Frequency Response:** 120 Hz to 3 kHz, -6 dB.

**THD at 1 kHz:** 1.5% for 80% modulation.

**S/N Ratio at 80% Modulation:** 60 dB.

**Muting Threshold:** 50  $\mu$ V.

**Output Level for 80% Modulation:** 1.5 V at tape output.

## Preamplifier Section

**Frequency Response:** 20 Hz to 20 kHz, +0, -0.3 dB.

**Phono Equalization:** RIAA  $\pm$ 0.3 dB.

**THD at 1 kHz:** 0.005% for rated output.

**S/N Ratio:** MM phono, 80 dB re: 5 mV input; MC phono (optional), 76 dB re: 0.5 mV input; high level, 96 dB re: 500 mV input and rated output.

**Channel Separation at 1 kHz:** Phono, 60 dB; high level, 75 dB.

**Crosstalk Between Inputs at 1 kHz:** 90 dB.

**Rated Output Level:** Output "A," 6 V; output "B," 2 V; headphones, 6 V; tape, 500 mV.

**Input Sensitivity for Rated Output:** MM phono, 2.7 mV; MC phono (optional), 0.5 mV; high level, 250 mV.

**Maximum Input Level:** MM phono, 150 mV; MC phono (optional), 6 mV; high level, 8 V.

**Tone-Control Range:** Bass,  $\pm$ 12 dB at 40 Hz; treble,  $\pm$ 10 dB at 15 kHz.

**Subsonic Filter (Phono Only):** 12 dB per octave, -3 dB at 15 Hz.

## General Specifications

**Power Requirements:** 115 V a.c., 60 Hz; 50 watts maximum.

**Environmental Operating Temperature:** 40° to 104° F (5° to 40° C).

**Dimensions:** 17 $\frac{3}{4}$  in. W  $\times$  6 in. H  $\times$  13 $\frac{1}{16}$  in. D (45 cm  $\times$  15.3 cm  $\times$  33.2 cm).

**Weight:** 20 lbs. (9 kg).

**Prices:** \$1,690; MC input, \$95; B205 remote, \$125; B206 Transceiver, \$125; B203 timer controller, \$500.

**Company Address:** 1425 Elm Hill Pike, Nashville, Tenn. 37210.

For literature, circle No. 94

I have long wondered why the combination tuner/preamplifier component is so uncommon. Years ago, in the early days of high-fidelity equipment, many manufacturers offered such units. One reason for the relative rarity of this very practical combination today may be the relative unimportance of FM broadcasting in Japan, where so much of our present-day audio hardware comes from. In fact, receivers, too, are practically never sold in Japan, but there seems to be enough of a demand for them in the U.S. to justify their manufacture by Asian firms for export.

By contrast, in Europe—and specifically in Switzerland and West Germany, where the Studer and Revox divisions of Willi Studer AG are based—FM is as popular as it is in this country. In light of that popularity, the advantages of a high-quality tuner/preamp such as the B286 become obvious. It can be combined with a power amplifier that delivers exactly the output power you require or it can be used with powered speakers (such as Revox's own Agora Bs.)

The Revox B286 tuner/preamp is one of the most versatile and feature-laden units of its kind that I have ever tested. Its dual-microprocessor tuning section lets you program a total

of 29 AM and FM stations into its nonvolatile memory. Optimum reception modes for each station can also be programmed. Furthermore, since not all FM (and certainly not all AM) stations are received at equal volume, it is possible to individually set loudness levels for each of the stations you preset, as well as for all other program sources connected to this remarkable component. Therefore, when you switch between memorized stations or between sources, you won't have to scramble for the volume control.

When used with the B286, the optional B205 remote control handles such functions as power on/off, source selection, preset-station scanning and recall, A/B output selection, volume adjustment, balance, tone defeat, and 20-dB muting. With the addition of the optional B203 timer controller, the B205 remote can also operate and program other Revox components connected to the tuner/preamp. The timer controller also has an RS-232 port for programmed control by a computer. With the further addition of the B206 remote-control "Transceiver," which relays control commands between rooms, the B205 can control an entire multi-room system.





### Control Layout

At the upper left of the front panel are numbered keys for addressing the 29 possible station memories, a "Tuner/Enter" key, and a key which is used to sequentially read out the assigned station memories. "Volume" buttons (up and down) are at the center of the panel; farther to the right are the audio-mute, tone-defeat, and program-source selector buttons ("Phono," "Disc," and "Tape 1" and "Tape 2" loops). In the upper right corner is the main "Power" switch which, when used to turn on the tuner/preamp, powers up the unit with the last selected source. However, you can also turn the unit on by pressing the "Phono," "Disc," or "Tuner/Enter" buttons, which simultaneously selects the indicated input. This is a rare and worthwhile convenience, giving you direct access to any source you like, even when the B286 is turned off.

The "Tuner/Enter" button has yet another function in addition to source selection and turning on the power. It is also used when recalling preset stations to register the memory number you select.


The lower left section of the panel, aside from the phone

jack, is devoted entirely to tuner-related controls. Two "Alphanumeric" buttons permit you to key in the call letters of memorized stations. To do this, you first press the "Display" key, then the preselect button for the station whose call letters you wish to store; next you scan up and down through the alphabet with the "Alphanumeric" buttons. When you find the first letter you desire, press the "Cursor" button to get into the second letter position, and so on for each position. When you're finished, press "Store" to enter this information into memory. You can store other information, too, such as the type of programming each station favors or you might even enter the name of a disc jockey on each station.


Other buttons at the lower left are used for up/down "Autotuning" (automatic station search), "Frequency Step" tuning, FM muting, mono/stereo and stereo blend selection, and AM/FM selection.

Controls at the lower right of the panel handle all preamplifier-section functions. The "Sensitivity" control allows programming of input sensitivities for the preset stations and other program sources. A control marked "Volume Top"

Revox managed both to keep FM response flat all the way to 15 kHz and to attenuate the 19-kHz tone by 75 dB—a neat trick.



**Fig. 1—Mono and stereo quieting and distortion characteristics, FM section.**



**Fig. 2—THD vs. modulating frequency, FM section.**

enables you to limit maximum listening volume. Buttons for both tape monitors, subsonic filter (in the phono mode), bass, treble, loudness compensation, channel balance, and selection of outputs are also located in this area. You may select either a high-level output ("A"), low-level ("B"), or neither, for headphone-only listening.

A display area at the center of the panel offers a variety of status indications. Tuner functions shown on the display include station frequency or call letters, the number of the station memory in use, center-tune indication, FM muting status (auto or off), mono/stereo and blend switching, tuner band (AM or FM), and stereo FM reception. Preamp displays include volume level (in dB), -20 dB mute, balance, bass and treble tone-control settings, and the status of the input, output, and tape-monitor selectors, subsonic filter, and loudness compensation.

On the rear panel of the B286 are jacks for high- and low-level output, CD and phono inputs, and two sets of tape record/play jacks. There are also a ground terminal, a serial link terminal for connection to the B203 timer controller or B206 Transceiver, the antenna connections, and two switches. One of these switches selects any of three phono load capacitances to match whatever moving-magnet cartridge and arm cabling you use. The other, a pushbutton near the phono input jacks, selects moving-magnet or moving-coil operation—but only if you purchase the MC input option.

The FM antenna terminal is a 75-ohm coaxial type, but it uses a European connector rather than the Type F or BNC connectors used in the U.S. Revox therefore supplies a matching male plug for this terminal, as well as a 300/75-ohm step-down transformer. For AM reception, a separately mountable loop antenna is supplied; the antenna terminals also allow an outdoor antenna to be connected for both FM and AM.

#### FM Tuner Measurements

Mono usable sensitivity for the FM tuner section of the B286 was 12 dBf, slightly better than claimed. In stereo, a signal level of 22 dBf was required to reach "usable-sensitivity" performance. Fifty-dB quieting was reached with a

signal level of 14 dBf in mono and 38 dBf in stereo. These levels are not comparable to the manufacturer's "Quieting Sensitivity" spec, since, as a European company, Revox uses the DIN Standard. In any case, the sensitivity of this tuner was very good, regardless of how you define the measurement.

Best signal-to-noise ratio obtained with strong input signals was 87 dB in mono, significantly better than the 84 dB claimed. The S/N in stereo also exceeded the manufacturer's spec, with a measured value of 82 dB. Quieting characteristics, as well as harmonic distortion at 1 kHz, are plotted in Fig. 1 as a function of input signal level. With strong signals applied, THD at this frequency reached a low of 0.12% in mono and was actually a bit lower in stereo, reaching only 0.09%. Both figures are lower than those claimed in Revox's conservative specification sheet.

Test standards require measuring THD at 100 Hz and 6 kHz, as well as 1 kHz. At 100 Hz, THD measured 0.11% in mono and 0.14% in stereo; at 6 kHz, THD was 0.065% in mono and 0.27% in stereo. Figure 2 shows how harmonic distortion varies with frequency for the FM tuner section operated in mono and in stereo.

Rather than have stereo "blend" turn on automatically in the presence of a noisy or weak stereo FM signal, Revox leaves the decision about blending up to the user. Figure 3 shows FM frequency response, full separation, and separation with the blend control turned on. Response was extremely flat from 30 Hz to 15 kHz, with the output down only 0.3 dB at the high-frequency extreme. This is very unusual for an FM tuner. Most tuners, in an attempt to provide a high degree of attenuation at 19 kHz, begin to roll off somewhat short of the 15-kHz cutoff point. Revox was able to maintain virtually flat response all the way out to 15 kHz while at the same time providing more than 75 dB of attenuation (or rejection) of 19- and 38-kHz subcarrier products! On the other hand, SCA rejection was not as good as I might have hoped, measuring only 55 dB. It is quite possible that SCA is not used extensively in Europe, and the designers of this tuner section may not have had much experience with SCA interference problems. Since a majority of FM stations in this country no longer employ an SCA carrier (for secondary



As soon as  
the dealer said,  
"To/without/and,"  
I said  
"Okay, Akai!"

There were other  
things about  
Akai's CD-A70.  
Naturally, I loved  
the 3-beam laser  
pick-up, digital  
filter, subcode ter-  
minal, and insu-  
lated floating  
mechanism.

Loved 'em.

But then the  
dealer showed me  
the Natural Logic  
Operation.

Three buttons  
take me to the  
music I want to  
hear without the  
music I don't. And  
play all that's in  
between just like  
a CD should.

It blew me away.

**AKAI**

Akai. Easy-to-program CD systems. Akai America, Ltd.  
Dept. W 800 West Artesia Blvd., Compton, CA 90220

RANDOM PROGRAM & QUICK ACCESS SYSTEM

COMPACT  
disc  
DIGITAL AUDIO

PHONES


DIGITAL

COMPACT DISC PLAYER CD-A70


Enter No. 4 on Reader Service Card



The B286's stereo blend works at all frequencies, not just the highs. When I thought a bit and listened, I realized this approach makes a lot of sense.



**Fig. 3—Frequency response (top trace) and separation vs. frequency with blend activated (middle trace) and deactivated (bottom trace). Note flatness of middle trace (see text).**



**Fig. 4—Analysis of distortion and crosstalk for 5-kHz FM modulating frequency. Note lack of spurious crosstalk components and of subcarrier leakage.**

programming), the rather poor SCA rejection may not pose a problem in your area or with the stations which you normally listen to. It's a point that should be checked out, though, if you know that your favorite stations transmit SCA programming.

With the blend feature deactivated, separation at mid-frequencies measured 45 dB. At 100 Hz, separation was equally high, and at 10 kHz, it decreased to 36 dB—still more than adequate. With the blend switch turned on, separation was reduced to around 12 dB across the audio band. Unlike most blend circuits, Revox's reduces separation over the entire audio spectrum almost equally, rather than just at the high-frequency extreme. When I thought about this (and listened to some weak stereo signals), I realized that it makes a lot of sense. After all, background noise in FM is essentially white noise that's already somewhat rolled off at the high end by de-emphasis. Therefore, the noise spectrum contains low and middle frequencies. In some cases, these frequencies may be as great in amplitude as the high-frequency hiss which first comes to mind when you think about FM background noise.

Figure 4 shows what can be done, as far as crosstalk is concerned, in a properly designed tuner. The tall spike at the left represents a 5-kHz signal modulating the left channel at 100%. The shorter spike contained within it shows separation at 5 kHz, and the shorter spikes to the right represent second-, third-, and fourth-harmonic distortion components appearing at the output of the unmodulated channel. The greatest of these (second harmonic) is down some 55 dB relative to 100% modulation. More important, there is not the slightest evidence of any other spurious crosstalk components at the unmodulated channel's output. There is no subcarrier leakage visible within the dynamic range of this spectrum analyzer display.

Muting threshold measured 17 dBf, very close to the 18 dBf claimed by Revox and an ideal setting. Stereo threshold was actually a bit lower than stated, with the switchover from mono to stereo occurring as signal levels reached 22 dBf. At this switchover point, signal-to-noise ratio was already close to 40 dB.

Capture ratio measured 1.8 dB, and alternate-channel selectivity measured 95 dB. Spurious-response rejection, i.f.

rejection, and image rejection were all in excess of 100 dB. AM suppression, not specified, was a very high 62 dB.

#### AM Tuner Measurements

Revox is one of only a few companies to spell out the full performance—for better or worse—of their AM tuner sections. Since they have been so honest about this often-overlooked section, I decided to make a few more AM measurements than I usually do. As shown in Fig. 5, frequency response extended to 3.5 kHz for the  $-6$  dB cutoff point. That may not sound like much—until you compare it with the  $-6$  dB point of most other AM tuners, which usually occurs at around 2.0 or 2.5 kHz. In any event, Revox claims response only to 3.0 kHz for this AM section, so they more than meet that claim. Signal-to-noise ratio for the AM tuner, referred to 60% modulation, measured 53 dB, and THD for a 1-kHz signal at 30% modulation was 1.4%. Usable sensitivity was 30  $\mu$ V, quite a bit better than the 36  $\mu$ V claimed. The AM muting threshold was set at 25  $\mu$ V.

#### Preamplifier Measurements

The sample B286 that I measured was not equipped with the optional moving-coil inputs. Phono input sensitivity via the built-in moving-magnet cartridge inputs measured 1.7 mV for the standard 0.5 V to be delivered at the low-level preamp output terminals. Since the high-level outputs provide more gain, you will only need 0.55 mV at the phono inputs to produce the same 0.5 V at these outputs. Phono overload, for a 1-kHz input signal, was 200 mV, well above the 150 mV claimed. Phono signal-to-noise ratio measured at the high output terminals was 77 dB; at the low outputs it was almost the same, 78 dB. For these measurements, a standard 5-mV input signal was used and the volume control was adjusted for a standard 0.5-V output.

It was clear from my measurements that Revox has chosen to use a modified RIAA playback curve rather than the original equalization curve specified by the RIAA more than 30 years ago. The IEC (International Electrotechnical Commission) supports an equalization characteristic which produces an extra roll-off at the low end, beginning at about 35 Hz and continuing all the way down to 2 Hz; they take the position that this added roll-off reduces the audible effects



So then the dealer said,  
"Get the Akai, okay?"

So I said, "Okay." And  
then I said, "But like  
why the Akai, okay?"

And he said, "The  
Interactive Monitor  
System."

And I said, "Omygod,  
no way."

He said, "Yes indeed,  
on-screen VCR pro-  
gramming on every  
one of their models."

So I said, "Okay, okay.  
Akai!"



**AKAI**


Enter No. 5 on Reader Service Card

Akai America, Ltd.  
Dept. W 800 West Artesia Blvd.,  
Compton, CA 90220




This unit is bulky but has near-perfect ergonomics and astounding sound quality. If you can afford it and have the room, it's well worth owning.


of turntable rumble. So, when I measured the RIAA equalization accuracy, I found less than 0.2 dB of deviation from 15 kHz down to 50 Hz. At 30 Hz, however, the extra time constant recommended by the IEC (and incorporated in this preamp section) produced a  $-1.0$  dB deviation compared with the original RIAA curve. At 20 Hz, there was an additional roll-off to  $-2.5$  dB. If the subsonic filter is turned on, additional attenuation is introduced which results in a further



**Fig. 5—Frequency response, AM section.**



**Fig. 6—Tone-control range, preamplifier section. Note absence of effect on midrange.**



**Fig. 7—Characteristics of loudness compensation. Note that only bass is affected.**

reduction of subsonic frequency response. At 20 Hz, response is then down 3.0 dB (compared to the unmodified RIAA curve), and at 10 Hz, an additional attenuation of 13 dB occurs.

High-level input sensitivity measured 26 mV for 0.5 V output at the high-level ("A") output jacks and 80 mV for the same output level at the low-level ("B") jacks. Signal-to-noise ratio for the high-level inputs measured 89 dB at the "A" outputs and 92 dB at the "B" outputs, for 0.5 V out and a 0.5-V input signal at 1 kHz. Overall frequency response via the high-level inputs extended from 6 Hz to 50 kHz for a  $-1$  dB roll-off and from 3 Hz to 95 kHz for the  $-3$  dB cutoff points. Within the audible range from 20 Hz to 20 kHz, response was flat to within 0.2 dB. Maximum output at the high-level outputs was 10.0 V before significant amounts of harmonic distortion were observed. From the low-level outputs, as much as 3.0 V could be obtained before noticeable distortion occurred. The volume control's two stereo sections tracked each other perfectly (I couldn't even detect 0.1 dB of difference between channels) all the way from maximum setting down to the  $-80$  dB setting.

Figure 6 shows the cut and boost range of the bass and treble controls. Notice that levels of the midrange frequencies, from around 400 Hz up to around 2.5 kHz, are not affected, even when the bass and treble controls are set to their maximum or minimum points. This is how a good set of bass and treble controls should be designed, though all too few are.

I am also in full agreement with Revox's treatment of the loudness compensation. Revox has wisely elected to boost only bass response when the volume control is adjusted for lower and lower listening levels. A careful examination of the well-known Fletcher-Munson "equal loudness" curves will show that, although human hearing does tend to fall off at the high end (i.e., it takes higher levels of high frequencies to be perceived as equal in loudness to middle frequencies), the fall-off does not increase as listening levels are lowered. Therefore, the treble boost added by most loudness-compensation circuits is really not necessary; only the amount of bass compensation needs to be increased as lower and lower listening levels are used. The curves of Fig. 7 show that the Revox engineers understand this psychoacoustic phenomenon and have designed their loudness-compensation circuitry accordingly.

#### Use and Listening Tests

If you have the room—and can afford it—the B286 is a precision component worth owning. Revox has never been known for miniaturized products, and this tuner/preamp is no exception. Once you accept its rather bulky size and begin to use its intelligently designed features, you quickly realize, as I did, that its ergonomics are as close to perfection as anyone has yet achieved. Beyond all this, however, it's the excellent sound quality of the B286 which astounded me. Although the distortion figures for the FM tuner section were not the lowest I've ever measured, signals from properly operated FM stereo stations were received with an openness and clarity that has to be heard to be believed. With a good antenna connected, background noise was so low that I was able to enjoy listening to broadcasts of CDs



**The dealer said, "Surround Sound" is the difference between okay and Akai.**

And every Akai receiver has "Surround Sound."

So I surrendered.  
Wouldn't you?

Wouldn't you buy a receiver that wrapped you in a saxophone sound so big it made you shiver and so real it woke up your cat?

Especially if it came with a seven-band graphic equalizer and wireless remote?

Wouldn't you?

Surrender.



Only Akai offers "Surround Sound" on every receiver. Akai America, Ltd. Dept. W  
800 West Artesia Blvd., Compton, CA 90220

Enter No. 6 on Reader Service Card

Just because the preamp is only part of the B286, don't think that it can't stack up against some of the best separate preamps I've tested.

without having to make excuses for the background noise levels which normally limit the dynamic range of such transmissions.

The controls had a nice, positive tactile feedback, despite the light touch needed to activate them. While the alphanumeric station-designation storage may seem a bit unnecessary to some, it probably didn't account for much of the cost of this product, and it is fun to use and observe.

Years ago, preamplifiers (and, for that matter, tuner/pre-amplifiers) had input level controls which served to equalize the levels of all program sources connected to them. Revox's "input sensitivity alignment" feature goes well beyond that, in that it adjusts listening levels for individual stations (some of which modulate more heavily than others) as well as for different external program inputs. If you have ever had to reach for a volume control whenever you switched stations or program sources, you will really appreciate this feature. I suspect that this would be even more important if I were sitting across the room from the set and switching stations or program sources using the optional remote. That remote (which I didn't have when testing the B286) does have a volume control, but it probably responds slower than built-in volume controls, since those on remotes usually do.

Certainly not everyone is prepared to spend well over \$1,000 for a tuner/preamp, but the price is not really that out of line when you consider that a separate tuner would have

to be augmented by either a separate preamplifier/control component or an integrated amplifier. With the B286, all you need is a power amp or, as mentioned earlier, an active speaker system which includes its own power amplifier. And make no mistake about it. Just because the preamplifier is an integral part of the B286, don't think that it could not stack up against any separate, high-quality preamp. In many ways, the preamplifier performance of this two-for-one unit surpasses that of some of the best high-priced, high-performance preamplifiers I have measured and listened to. For example, if you've generally been against the use of tone controls because they tend to color critical mid-frequency response, you'll quickly change your mind when you begin to use the bass and treble circuits of the B286. I found myself able to compensate for source material which I felt lacked upper treble or which was recorded with an exaggerated amount of lower bass. I was able to do this without using an expensive graphic equalizer and without having to tolerate obvious imbalances in the tonal structure of the music itself.

Anyone who has ever dealt with a Revox tape deck knows the true meaning of the phrase "Swiss craftsmanship." Now that same phrase applies to the Revox B286. It has the unmistakable touch of excellence that I've come to expect from Dr. Willi Studer and his crew of perfectionists.

*Leonard Feldman*

## Two new expressions of quality from Japan

The E-302 integrated amplifier combines a very conservatively rated 120-watt per channel power amplifier with a sophisticated and refined preamplifier in a single chassis to offer you a convenient, attractive, and cost effective alternative to separate components.

Accuphase has a heritage of producing some of the finest sounding tuners available. The T-107 tuner, the long awaited

FM only version of the highly acclaimed T-106, offers a new level of performance and value which none can match.

Both units are part of the Accuphase tradition of offering the highest level of performance achievable with the finest available parts and workmanship that has made the Accuphase name synonymous with quality the world over.



# Accuphase


Exclusive U.S. Distributor **MADRIGAL LTD.** Post Office Box 781, Middletown, CT 06457 ITT TLX 4942158  
Enter No. 2 on Reader Service Card




# NOW PLAYING AT A RECORD STORE NEAR YOU.

# NUTCRACKER

ORIGINAL  
MOTION PICTURE  
SOUNDTRACK




ORIGINAL  
MOTION PICTURE  
SOUNDTRACK  
NEWLY RECORDED FOR THE  
MOTION PICTURE



COMPACT DISC (CD-80137) 2CD  
LP RECORD (CS-17137) 2LP  
CASSETTE (CS-372CS)



ORIGINAL  
MOTION PICTURE  
SOUNDTRACK



ORIGINAL  
MOTION PICTURE  
SOUNDTRACK

Enter No. 48 on Reader Service Card

5

## NEC CD-650E COMPACT DISC PLAYER

### Manufacturer's Specifications

**Frequency Response:** 5 Hz to 20 kHz, +0.5, -1.0 dB.

**S/N Ratio:** 96 dB.

**Dynamic Range:** 92 dB.

**THD:** 0.006%.

**Channel Separation:** 86 dB at 1 kHz.

**Number of Programmable Selections:** 15, random access.

**Output Level:** Fixed, 2.0 V rms for 0-dB level; variable, 0 to 2.0 V rms; headphone, 0 to 2.0 V rms into 30 ohms.

**Average Access Time:** 3 S.

**Power Requirements:** 120 V a.c., 60 Hz, 25 watts.

**Dimensions:** 16<sup>15</sup>/<sub>16</sub> in. W x 2<sup>15</sup>/<sub>16</sub> in. H x 12<sup>5</sup>/<sub>8</sub> in. D (43 cm x 7.5 cm x 32 cm).

**Weight:** 11.1 lbs. (5 kg).

**Price:** \$449.

**Company Address:** 1255 Michael Ave., Wood Dale, Ill. 60191.

For literature, circle No. 95





I had begun to believe that all CD players priced below \$500 were compromised designs, intended for the more casual listener who couldn't differentiate between "good" and "superb" sound. The NEC CD-650E changed my mind about that! In terms of reproduced sound quality, this player has to rank with the best at its price level or, for that matter, at any price level. And no wonder! It incorporates what are obviously very linear *dual* digital-to-analog converters, two-times oversampling with true 16-bit digital filters which introduced no measurable phase delay, and a three-beam laser pickup, which, by industry consensus, seems to be the way to go for superior tracking.

I found the chassis of the NEC CD-650E to be extremely well built and resistant to external vibration, thanks to the "floating" mount of its critical components, such as the laser pickup assembly.

The unit is supplied with a wireless remote control, so many convenience and basic operating features can be activated from your listening position. The remote module has a numerical keypad which not only enables you to access specific tracks on a CD but also permits memory storage of up to 15 selections that can be played in any order you choose. The remote control even has a pair of buttons which let you adjust volume level, providing you connect your amplification system to the player's "Variable" outputs. Prior to seeing the 650E, this is a feature I've found only on models costing over \$800. There's one control on the remote, however, that I did feel was a bit of overkill: The "Open/Close" button. I really see no point in being able to open and close the disc tray from across the room!

### Control Layout

Thanks to the many functions that can be controlled via the remote module, the front panel of the CD-650E is relatively uncluttered and aesthetically pleasing. The usual "Power" switch and the disc drawer are at the left of the panel. To the right of the drawer is the remote's sensor window, and to the window's right are four indicator lights. These illuminate to show "Repeat" play, "A-B" repeat play, "Memory" (when selections have been stored in memory), and "Remain T." The latter lights up when the corresponding button on the remote unit is pressed to switch the display from elapsed time of the current track to total remaining disc time. The display area for track number and time is adjacent to the four indicators, and major operating controls ("Play/Pause," forward and reverse skip, and "Stop/Clear") are conveniently clustered at the upper right.

A few additional controls are along the middle and right of the panel's lower section. These include an "Open/Close" button, "Repeat" and "Memory" buttons, a stereo phone jack, and a tiny volume control knob. When the remote control is used to adjust output level, this motorized control knob actually turns.

The rear panel is equipped with a subcode output jack, in anticipation of the CD-graphics decoder boxes which may be available soon. (For how long have I been saying that?) The "Fixed" and "Variable" left- and right-channel output jacks are also on the rear.

In addition to duplicating the front-panel functions, the supplied remote control has several buttons not found on





Fig. 1—Frequency response, left (top) and right channels.



A

B




Fig. 2—S/N analysis, both unweighted (A) and A-weighted (B).

# Not Evolutionary,

## Pioneer's Revolutionary C-90/M-90 Elite High-Fidelity Components.

The C-90 Preamp readies you for the video revolution, with six video inputs, a built-in

Audiophiles, take note: The preamp and amplifier you've been waiting for are finally here.

Introducing the Pioneer Elite Hi-Fi C-90 Preamp and M-90 Power Amplifier. Together, they combine the finest in both audio and video to retrieve every detail and nuance found in your cherished records, tapes, compact discs, LaserVision™ discs and other software. Imagine a soundstage spread throughout your entire listening room! Stunning, transparent, three-dimensional music, the likes of which you've never heard, apart from a live performance.

We paid fantastic attention to detail to gain this level of musical truth. One example: the C-90 volume control is a motorized, high precision rotary potentiometer. This permitted us to create the world's first high-end preamp with a no-compromise hand-held "SR"<sup>™</sup> remote-control unit.

The C-90 features three separate power transformers—two to power left and right audio channels for vanishingly low crosstalk, and a third transformer to drive the preamp's unique video capabilities, relays, display and microprocessor. All switching functions are accomplished by electronic relays. Thus the signal paths are as short as possible, improving signal-to-noise ratio and channel separation. Anti-vibration measures taken to further the C-90's sonic excellence include a solid aluminum volume control knob, polycarbonate chassis feet, and rubber-cradled PC boards. Soft copper-plated screws insure a snug fit of chassis, transformers, transistors, and help to dampen vibration.

video enhancer, and two-buss switching (separate "Record" and "View" selectors). The C-90's unique system remote-control unit features volume adjustment, input source selection, and control of audio and video input devices such as Pioneer's "SR" compatible VCRs, CDs, LaserVision players and cassette decks.

The M-90 is a superb high-power stereo amplifier, utilizing dual-mono construction. It is conservatively rated at 200 W/CH into 8 ohms<sup>1</sup> and delivers 800 W/CH of dynamic power at 2 ohms<sup>2</sup>. The wide dynamic range of digital sources can now be reproduced effortlessly, with any loudspeakers. The M-90's high current capacity of 47 amps can handle the challenge of the most complex speaker loads. To further enhance S/N ratio and channel separation, relay-operated electronic switches and a long shaft volume control keep the length of signal paths down to a minimum. Why include a high quality volume control on a power amp? Simple. To pursue the straight-wire-with-gain philosophy when using a CD player connected directly. Pure sound, redefined.

The exquisite finish of the M-90 and C-90 reflects their quality. Elegant rosewood side panels and front panels with a deep hand-brushed lacquer finish emphasize the care of craftsmanship we've lavished on these two components. The Pioneer C-90 Preamp and M-90 Power Amp. Evolutionary? Hardly. Revolutionary? Most definitely.

For your nearest Pioneer Elite Hi-Fi dealer, phone 1-800-421-1404.



# Revolutionary.




 **PIONEER**<sup>®</sup>


**CATCH THE SPIRIT OF A TRUE PIONEER.**

Enter No. 44 on Reader Service Card


An unusual feature allows using the remote to call up a *programmed* number in a series of selections, not just the *track* number.



**Fig. 3—THD vs. frequency, at two output levels (see text).**



**Fig. 4—Spectrum analysis of reproduced 20-kHz test signal. Note the lack of in-band beat components.**



**Fig. 5—Separation vs. frequency.**

the main unit. Besides the numeric keypad already mentioned, there are buttons for changing the time display back and forth between current track time and total remaining time; for initiating, clearing, and specifying A-to-B repeat-play; and for audible fast search. The forward and reverse fast-search modes move the laser pickup slowly for about 3 S and then speed up the process if you continue to depress either button.

In the course of experimenting with this unit's features, I discovered an unusual one that I hadn't run across before. If you press a number button on the remote control during playback of a series of programmed tracks, play will continue from the selection stored in the corresponding memory address. In other words, if I pressed "5" while listening to playback of a memorized series of tracks, the CD-650E would start playing whatever track I had entered into memory as the fifth selection—not track number 5. I discovered this little trick quite by accident, but then found it fully explained near the back of the owner's manual. Incidentally, because of the very logical layout of the CD-650E's front panel and remote control, everything that needed to be said in the owner's manual took only about 10 pages, not counting the cover, trouble-shooting guide, and listing of specifications.

### Measurements

Before I get into the test results themselves, a few words are in order about several changes in my test procedure, prompted by a new test disc being prepared by the CBS Technology Center under the guidance of my good friend and colleague Robert Finger. Bob has been participating in an EIA Standards Subcommittee charged with creating a standard for measurement of CD players. If you're a regular reader of *Audio*, you may remember that some months ago I described a proposed standard, for the same purpose, drafted by the EIAJ (the Electronics Industry Association of Japan). While that standard was an excellent piece of work, members of the EIA subcommittee (including myself) felt that it was deficient in certain areas and that certain characteristics of CD players weren't being addressed or included in the test procedure.

The new disc that the CBS Technology Center has been working on addresses those missing points and has tracks which provide appropriate signals for making the additional tests. For example, in checking linearity, additional levels at -30, -40, -50, and -70 dB have been included. Sweep frequency response now extends to 22.05 kHz, instead of 20 kHz; this enables testers to get a very accurate response reading at the 20-kHz top limit of a Compact Disc player. Square-wave tests and other impulse signals have been added to the disc, so that I no longer have to jump back and forth among a number of test discs in order to complete my measurements.

Because I am a member of the standards committee, Bob Finger was kind enough to send me a test pressing of the new test disc. It's not yet available generally, so please don't write to ask where you can buy it. When the actual production pressing of the disc takes place, I'll give you details about how to get it. Meanwhile, I'm beginning to use the new disc, starting with this report, with thanks extended




# TAPE IT TO THE LIMIT.



## The dawn of a new tape decade.

The digital age has pushed recorded sound to the limit. Now Triad Digital Transcription Tape takes you there, too. It's the first totally new tape for your deck in a decade.



Leading tapes share limited, pre-digital formulas. They just don't measure up to today's advanced recording techniques and audio equipment.

Triad's exclusive, patented metal tape formulations deliver maximum performance with a composition of exceptionally dense, uniform ferrous hydroxide particles. Their increased surface area holds more signal with less distortion than previously possible.


## Triad and true performance for every deck.

Unlike pre-digital tapes designed for sources with dynamics averaging only 45-50dB, Triad's advanced metal technology delivers over 80dB of exciting, true-to-life dynamic range. With Triad, tape decks can actually perform beyond the limits of their own manufacturers' expectations.

Triad MG-X's high retentivity and coercivity are optimum for metal position transcription of digital material. For true metal quality in the high (CrO<sub>2</sub>) position, the EM-X's reduced coercivity and controlled retentivity deliver more high frequency headroom and dynamic signal with higher overload levels than any other Type II tape. And for the widest dynamic range with the flattest frequency response in the normal position, it's the cobalt-doped Triad F-X.

## The housing that Triad built.

A revolutionary tape deserves a revolutionary tape housing. Triad's exclusive built-in Azimuth Alignment Guide guarantees precise tape-to-head contact for minimal tape skewing, extended



high frequency response and spatially accurate, three-dimensional sound. The unique Delta Transport housing also features a full-length, solid lubricant slip shield for less friction, reduced wow-and-flutter and prolonged tape life.

Triad Digital Transcription Tape. Three advanced formulations that take you to the limit of today's recording technology.




# TRIAD

For more information and your nearest dealer call 516-496-3400 Ext. 282 or write 240 Crossways Park West, Woodbury, NY 11797.


\*Maxell and XLI-S are registered trademarks of Maxell Corp.

\*\*TDK and SA are registered trademarks of TDK Corp.


At 98.3 dB, S/N was far better than claimed, and dynamic range was an incredibly high 106 dB.



**Fig. 6—Reproduction of a 1-kHz square wave.**



**Fig. 7—Single-pulse test.**



**Fig. 8—Interchannel phase difference when reproducing a 20-kHz tone. One trace was vertically displaced for clarity.**

to Robert Finger and to the CBS Technology Center for making it available to me.

Frequency response, shown in Fig. 1, was perfectly flat to below 20 Hz. At 20 kHz, it was down only 0.5 dB on the left channel and 0.6 dB on the right. Signal-to-noise ratio was far better than claimed. In an unweighted measurement, shown in Fig. 2A, the S/N was 98.3 dB; with an A-weighting network in the signal path (Fig. 2B), the S/N increased to a remarkably high 104 dB.

Figure 3 shows how harmonic distortion varied with frequency at maximum recorded level (0 dB) and at a level 20 dB lower. Notice that I have not included results at -30 dB as I have done in the past. Experience has shown that the THD difference between -20 and -30 dB will be linear, an increase of roughly 3:1, so there's really no point in making measurements at the lower level. The dotted curves in Fig. 3 represent the appearance of out-of-band "beats" which are not actually harmonic distortion and which are, of course, inaudible. Figure 4 shows the single beat obtained at around 24 kHz when a 20-kHz signal is reproduced. Even this out-of-band beat was down some 50 dB or more, compared to the reference level, and was of no concern to me. It's when I start seeing in-band beats (as I have on several CD players of lesser quality) that I begin to worry. If I had measured THD in accordance with the EIAJ proposal, using a 20-kHz low-pass filter in the signal path, I wouldn't have seen this beat and couldn't compare it with nonharmonically related out-of-band and in-band components seen on other units.

Dynamic range, measured by adding 60 dB to the THD (expressed in dB) observed for a 1-kHz signal at the -60 dB level, turned out to be an incredibly high 106 dB. Either NEC is being very conservative in their specification of dynamic range, or they're measuring this important spec in some other way than the method endorsed both by EIAJ and EIA.

Channel separation measured nearly 90 dB at mid- and low frequencies, as plotted in Fig. 5, but decreased almost linearly at higher frequencies, to about 70 dB at 20 kHz. Overall linearity was within 0.5 dB from maximum recorded level down to -80 dB. SMPTE-IM distortion measured 0.01% at maximum recorded level. CCIF IM was a very low 0.002% at 0-dB level and did not change at -10 dB recorded level.

The reproduced 1-kHz square wave shown in Fig. 6 confirms the fact that digital filtration is being used here, and it is about as close as a CD player can come to "flat-top" square-wave reproduction. Figure 7 shows a reproduced unit-pulse signal, while Fig. 8 confirms the fact that NEC used two D/A converters and compensated perfectly for any time delay between channels. Had I not slightly displaced one trace from the other, you wouldn't be able to tell that both the left and right 20-kHz signal outputs were being displayed in separate traces on the monitoring scope.

Output level (from the CD-650E's fixed output jacks) was a relatively high 2.48 V at the left channel and 2.52 V at the right, for a level difference between channels of 0.2 dB or so. Wow and flutter, if present at all, was below the measurable limits of my test equipment.





## How to install a 100-Watt\* MOS FET Receiver, a Dolby HX Pro Cassette Deck, and an anti-resonant Compact Disc Player in every room.

Imagine controlling and enjoying a music system throughout your house. In the bedroom as you get dressed. In the family room as you relax. In the living room as you entertain. Better yet, imagine all of this music reproduced with consummate fidelity.

That's the idea behind the Kyocera Full-System Remote Control network. With additional speakers and Kyocera's tiny infrared remote sensors, you can enjoy your music—and control your system—in any room!

Just as important, the Kyocera network is the first remote system with audiophile credentials. You have your choice of critically acclaimed MOS FET Receivers,

sophisticated three-motor Cassette Decks, plus a new generation of CD Players with the Fine Ceramics anti-resonant construction Kyocera originated.

So you don't have to settle for an audiophile system that plays in only one room. Kyocera has the one audiophile system that plays in all of them.



Built right from the ground up.

Kyocera International, Inc., 100 Randolph Road, CN 6700, Somerset, NJ 08873-1284 (201) 560-0060  
 Kyocera Canada, Inc., 7470 Bath Road, Mississauga, Ont., L4T 1L2, Canada (416) 671-4300  
 800-633-2252, ext. 224

\*100 Watts/ch., continuous RMS, both ch. driven, 8 Ohms, 20 Hz-20 kHz, 0.02% THD

Enter No. 25 on Reader Service Card

The piano-concerto sound reproduced by the NEC was absolutely superb, as good as I've heard from just about any CD player.

Short access time—the time needed for the laser pickup to move from one track to an adjacent track—was 1.0 S. Long access time was about the only disappointing feature of this player. It took a full 7.5 S for the pickup to find its way from the innermost track of a test disc to its outermost track. Certainly this is not a serious problem. It was simply an unexpected result from a player that is, in every other respect, so superior to the average unit.

The CD-650E zipped right through my special defects test disc, as I would have expected. As CD players have improved, it is obvious that the original Philips disc designed to assess error correction and tracking ability is no longer adequate. One of the future projects of the EIA CD Standards Subcommittee—after we complete the basic measurement standard and issue the first test disc about which I spoke earlier—is to develop a second test disc that truly does check error correction and tracking in a way that is meaningful for today's CD players. In any event, my own finger-tapping tests on the sides and top of this player revealed that NEC's claims about isolation from external vibration are fully justified. I really had to tap the unit pretty hard to make it mistrack at all.

#### Use and Listening Tests

I have found that the sound of a piano is one of the most difficult to reproduce faithfully. Furthermore, even if mike

placement and recording technique are good, some CD players will impart to piano sounds an unnatural and somewhat strident character which is immediately apparent (even to less-experienced listeners). It was for this reason, in addition to the fact that I like the music, that one of the CDs I used to check out this player was a new Telarc release offering Prokofiev's Piano Concerto No. 3 and Tchaikovsky's Piano Concerto No. 1, played by Jon Kimura Parker with André Previn conducting the Royal Philharmonic Orchestra. I'm told that Schoeps MK-2 and MK-4 mikes were used and that the digital recorder was a modified version of Sony's PCM-1610. Monitor speakers were B & W 801Fs (no wonder the recording engineers got the balance right). To put it succinctly, the sound reproduced by the NEC CD-650E hooked up to my reference system was absolutely superb—as good as I've heard from just about any CD player.

The supplied remote control worked flawlessly, and when listening to nonclassical fare, I found the ability to do random-access programming from my easy chair rather a nice convenience. I'll even confess to having pushed the open/close button a couple of times from across the room, even though that feature serves no practical purpose. Oh, well, NEC can be forgiven for this slight overembellishment, in light of the excellent player they have created at a very reasonable price.

Leonard Feldman

# TWO HITS FOR ANY SEASON

DIGITAL CHRISTMAS.  
DIGITAL BROADWAY.

*It's Christmas like you've never heard it before. It's Broadway better than it would sound in the theatre. Arranged, designed and produced especially for your Compact Disc player, these two recordings feature the broadest range of tone ever presented in holiday or show music. Performed by the brilliant Orchestra Manhattan and featuring a magnificent chorus on many of the holiday selections, these hour long\* recordings are for the serious audiophile and for all lovers of great music.*



Two gifts they won't already have.

**MAN** Featuring the Orchestra Manhattan conducted by Byron Olson.

**HAT** ON MANHATTAN COMPACT DISC.

**TAN** DIGITAL BROADWAY also available on High-Quality XDR® cassettes.


\*Christmas—66:23 minutes. \*Broadway—49:13 minutes.





# BRYSTON

Continues to define the state-of-the art . . .  
Introducing The Bryston 12B Pre-Amplifier



**"The Bryston 12B preamplifier; uncommonly flexible, startlingly musical."**

**B**ryston has, for more than a decade, built the finest audio equipment.

Our amplifiers and preamplifiers have always met the needs of the most sophisticated audiophile systems. Bryston's new 12B preamplifier continues this tradition.

New methods of storing and processing audio signals are making greater demands on the accuracy, noise floor, headroom, and flexibility of your audio

system. The Bryston 12B is a control preamplifier designed for the present, and future expansion of that system.

We have equipped the Bryston 12B to accept seven separate sources including both moving coil and moving magnet phono cartridges, compact disc, tuner, two tape decks (with full dubbing in both directions), and an extra auxiliary input.

Bryston's unique and innovative circuitry has been even further

refined for greater signal-to-noise ratio, closer adherence to equalization standards, and headroom which cannot be exceeded by any commercially available signal. The result is a further advance of Bryston's high standard for lucid transparency and clarity of musical reproduction.

We invite you to experience the Bryston 12B preamplifier; uncommonly flexible, startlingly musical.

In Canada:

BRYSTON MARKETING LTD.

57 Westmore Dr., Rexdale, Ontario, Canada M9V 3Y6  
(416) 746-0300

In the United States:

BRYSTON VERMONT

RFD #4, Berlin, Monpelier, Vermont 05602  
(802) 223-6159

## AUDIO RESEARCH D-250MKIIS AMPLIFIER

**Company Address:** 6801 Shingle Creek Pkwy., Minneapolis, Minn. 55430.

For literature, circle No. 96

The Audio Research D-250 Mark II Servo is the third generation of one of the most widely praised vacuum-tube power amplifiers ever built. It is also one of the most expensive—it costs \$6,900—and one of the most powerful. The D-250MKIIS will deliver about 240 watts per channel into 4-, 8-, and 16-ohm loads. While this kind of power is not exceptional when compared to transistor designs, it is amazing in a tube amplifier.

As you might expect from its power rating, the D-250MKIIS is not small; it measures 19 in. × 10½ in. × 20¾ in. and weighs 138 pounds. It is not the power amplifier for an audiophile without strong friends. It also is not simply a tube amplifier, it is a 32-tube amplifier. The D-250MKIIS uses 16 6550s for amplification, four 6550s for electronic regulation, and 12 smaller tubes for the input amp (6DJ8), cross coupler (7044), driver amp (6DJ8), driver cathode follower (7044), and regulator driver (12AT7).

A glance at the inside is also very impressive. The circuit layout is very clean for so complex a design, and the passive components are all top quality. The tubes are placed along both sides and the rear of the chassis, with two exceptionally large output transformers and a massive power transformer in front. With the filaments glowing, one feels a little like asking for certification by the Nuclear Regulatory Commission, but the D-250MKIIS has proved to be an exceptionally stable and trouble-free unit.

Such reliability is important in any amplifier, but particularly in one so heavy and complex. Fortunately, Audio Research has been able to draw on both experience and technology to correct the problems that affected the



original D-250. The company is now using 6550 output and regulator tubes that are made by Philips (USA) rather than by G.E., and has found that the Philips tubes have a life of up to 2,000 hours in the D-250. The circuit's fusing and key resistors were changed in the Mark II version, and soft-start circuitry is used to largely eliminate any risk of the kind of "meltdown" that would require a service call.

As for design features, the Mark II is more the result of Audio Research's steady refinement of tube design than a radical breakthrough. The main change from the previous versions of the D-250 is the introduction of "servo" circuitry first seen in the Audio Research M-100 mono power amplifier. This adjusts the bias to keep tube pairs balanced in spite of tube aging, and is particularly valuable because the D-250MKIIS does not have the front-panel bias adjustment of the M-100. Once the bias is properly set up—and mine came right on the money from the factory—the D-250MKIIS can be left alone

and simply enjoyed. This amp also has a new direct-coupling circuit, taken from the M-100, and a number of other circuit refinements. It is probably enough to say this is the new state of the art from the firm which has as much experience in top-quality tube designs as anyone in the business.

As with most tube amplifiers, the technical specifications of the D-250MKIIS are good, without reaching the hyperbolic performance levels of the most expensive transistor designs. It is conservatively rated as having typical harmonic-distortion levels of 1% from 20 Hz to 20 kHz. The power bandwidth (−3 dB) is 12 Hz to 60 kHz. IM distortion is less than 0.1% at 1 dB below rated output. Input sensitivity is 1.2 V rms, and input impedance is 75 kilohms. The slew rate is 25 V/μS, rise-time is 3 μS, negative feedback is 19 dB, and output regulation is 0.4 dB with a 16-ohm load to open-circuit. The D-250MKIIS also has the relatively low damping factor common with all tube amplifiers (about 20).



# Our speakers aren't from parts unknown.

## Cabinet

Infinite baffle system, low diffraction grill, acoustically beveled cabinet edges, dark oak finish. Designed and manufactured at Bozak factory, New Britain, CT.

## Crossover

Proprietary CAD techniques pinpoint precise frequency crossover points, insuring maximum performance. Designed and manufactured at Bozak factory, New Britain, CT.

## Sonic Characteristics

Satisfies all the demands of digital audio sources. Combines clarity, imaging, definition and impact to create a stunning stereo sound stage experience.



## Tweeter

Patented, soft-domed, fluid damped. Effortless high end response with enhanced linearity. Designed at Bozak factory, New Britain, CT.

## MidTweeter

Patented, curvilinear aluminum cone. Handles upper mid-range frequencies. Superbly reproduces strings, providing a silky, smooth sound, eliminating the harshness common to other speakers. Designed and manufactured at Bozak factory, New Britain, CT.

## MidRange

Patented, curvilinear aluminum cone. Provides far superior transient response with far less distortion than conventional cones. Unbelievably stable. Designed and manufactured at Bozak factory, New Britain, CT.

## Woofer

Patented, variable density, lambs-wool compound cone. Remarkable bass extension and definition, with distinctive timbres reproduced intact. Designed and manufactured at Bozak factory, New Britain, CT.

There are a lot of well known speakers on the market today. Unfortunately, practically all of them are assembled with parts sourced from a variety of unknown manufacturers. This is because of the raw material, equipment, labor cost, and extra effort involved in creating a speaker totally in-house.

But, the only way to make a truly perfect speaker is to go to this extreme, and that's exactly what we do at Bozak. Every component part of a Bozak speaker is a Bozak part, all designed, fabricated and assembled under one roof. That's why Bozak is the only popularly priced speaker company that can offer a **FULL TEN YEAR WARRANTY** on each of our models.

Remember, you can buy a speaker that has its name just on the front. Or, you can buy a speaker that has its name on everything inside as well. Bozak.



# Bozak®

**LISTEN TO THE MUSIC.**

**326 South St., New Britain, CT 06051 (203) 225-0555**

For the name of your nearest dealer, call (203) 225-0555. On the west coast, (714) 841-9540

Enter No. 12 on Reader Service Card

The midrange makes a seamless transition into the bass and treble, with no apparent coloration other than a slightly forward sound.

These specifications, however, tell relatively little about the sound of this amplifier, and it is unquestionably one of the best-sounding amplifiers ever built—whether tube or transistor. One of the most sonically revealing and musically realistic, it does not have anything like the classic "tube sound";

there is no tube warmth or forgiveness. The D-250MKIIS will reveal everything a top-ranked transistor amplifier will reveal. At the same time, it still has the air, the natural harmonics and upper frequency performance, and the freedom from listening fatigue that have characterized the best tube units.

The D-250MKIIS has an almost faultless midrange, and appears exceptionally linear in terms of frequency response and timbre. This gives it outstanding performance in two areas which seem particularly important, the upper bass/lower midrange, and the upper midrange. The D-250MKIIS is one of those few amplifiers whose midrange seems to make a seamless transition into the bass and treble. Most amplifiers call attention to themselves with characteristic colorations in these areas. Tube amplifiers tend to be slightly warm in the lower midrange; transistor amplifiers tend to be too lean and recessed. Tube amplifiers tend to be forgiving and lose detail in the upper midrange and treble; transistor amplifiers tend to overemphasize the upper midrange and be too hard. In contrast, the D-250MKIIS has no apparent coloration other than a slightly forward sound character. Even this sound character may stem from the amplifier's exceptional transparency and ability to reveal normal miking and recording techniques, rather than being a true coloration.

The D-250MKIIS is not as "sweet" as some top-quality tube amplifiers (such as the Counterpoint SA-4 or the New York Audio Laboratory OTL designs), but it provides equal upper octave detail, without a trace of hardness. The treble, upper midrange, and midrange also "float" together in a musically natural way. Most power amplifiers good enough to float an image—that is, providing a natural illusion of imaging, sound-stage size, and depth—tend to emphasize some aspect of the sound stage or frequency spectrum over others. The D-250MKIIS minimizes these effects to an exceptional degree.

The sound stage is extremely three-dimensional, although there is less depth than in some competing designs, like those of Conrad-Johnson. The width, height, and placement of instruments are all excellent. The sound stage is, however, a large one and has a somewhat forward character. You feel you are sitting close to the performance rather than in mid-hall. This impression may be reinforced by the amplifier's apparent tendency to make the upper midrange a bit more live or detailed than may be fully natural. However, because so many re-

# NOW YOU WON'T BE DISAPPOINTED WITH THE SECOND BEST

For years the Linn Sondek LP12 has set the standards by which all other turntables are judged.

Our engineers built the new Linn Axis with the same precision as the Sondek . . . but they've made it more affordable.

In fact, for a lower price, we've given the Axis advanced features you won't find in any other turntable at any price!

Exceptional precision is provided by a pair of low distortion, class A amplifiers driving each of the motor phases.

A "smart" controller senses the motor load and provides higher voltage during startup and reduces


the voltage (and noise) once the platter reaches speed.

Electronic switching turns the Axis on or off and provides a smooth transition from 33 to 45 rpm.

An ingenious self-aligning suspension system isolates the arm and platter from the motor, base, and external disturbances.

Of course, the Linn Sondek LP12 remains the reference, but we know you won't be disappointed with our second best.

We haven't cut corners on our legendary engineering . . . only on the price.



Linn Hi-Fi is distributed by:  
Audiophile Systems Ltd.  
8709 Castle Park Dr.  
Indianapolis, IN 46256

Aldburn Electronics  
127 Portland Street  
Toronto, Ontario  
Canada M5R2N4



Audiophiles seeking a *ne plus ultra* system must audition this amp before making a choice. It gives a real-world education in what the High End can do.

cordings are made under conditions in which this is the natural sound, it is again unclear to me whether the characteristic is in the amplifier or the source material.

The bass is surprisingly well controlled and natural. The D-250MKIIS does not have the power, control, and bass extension of the best transistor amplifiers, but it comes very close. In fact, with many speakers it produces a more natural feeling of bass power than its transistor counterparts. Many speakers benefit from a slight increase in low bass, provided that the amplifier involved does not run out of power and begin to lose control. Organ fanatics may still prefer transistors, but anyone who pays close attention to the pitch and character of bass strings will find the D-250MKIIS is one of the few amplifiers which can reproduce bass strings in a fully convincing manner.

As for the value of 240 watts per channel, this unit demonstrates how sheer power pays off in terms of superb dynamics and power-handling capability. Many amplifiers handle either loud passages or soft passages well, but few handle both well. Few provide a full range of convincing musical detail when there is a great deal of low-level information mixed in with major musical climaxes. The D-250MKIIS deals effortlessly with such shifts in the music, and it's exceptionally good in handling grand opera and symphonic and choral music like Mahler's Eighth Symphony. This ability to combine power with superb sound staging also helps to free the listener from the consciousness that he is listening to a recorded performance.

The D-250MKIIS also performs well into a range of loads that is unusually wide for a tube amplifier. However, since it uses an output transformer, it is not the amplifier for speakers with ultra-low impedances, in the 2-ohm range, say, and a little care will be needed to ensure a proper match of speaker and amp. Nevertheless, the D-250MKIIS is far less sensitive to speaker load, and far more predictable in sound character, than are lower power tube amplifiers.

Minor caveats aside, the Audio Research D-250MKIIS is one of the few amplifiers that audiophiles seeking a *ne plus ultra* system virtually must au-

dition before making their choice. It is also a product that audiophiles should listen to even if they can't afford its steep price tag. It helps provide a benchmark for evaluating the sound of other components and for judging the strengths and weaknesses of other amps. Most important, it provides a

real-world education in what the High End can do. Used with other equipment of comparable quality, the D-250MKIIS shows both that components really do sound different and that selecting the very best can pay off in a tremendously more enjoyable and musical system. *Anthony H. Cordesman*

## Features borrowed from "big brother."

The Revox B215 cassette deck comes equipped with a long list of standard features. Each has a specific no-nonsense purpose. Taken together, they enable the serious home recordist to duplicate key auxiliary functions of professional studio recorders like our Studer A820.



**Right on Cue**—A pro recorder always lets you know where you are on the tape and then helps get you where you need to go—quickly and accurately. B215 cueing features include:

- **Automatic Cue to Tape Oxide**—After rewind, the B215 cues past the clear leader to the beginning of tape.
- **Real Time Counter**—Under microprocessor control, the counter computes elapsed time even when you insert a partially wound cassette.
- **Two Memory Locate Buttons**—Each quickly fast winds to any point you select on the tape.
- **Record Start Locate**—Every time you go into record the start time is entered into Locate 1 memory.

**Essential Monitoring**—Because the B215 has separate record and play heads, you can monitor your recording as you make it.

Other monitoring features include:

- **Automatic Tape/Source Switching**—When you start recording, the B215 switches the outputs from source to tape monitoring. Manual override possible, of course.
- **Headphone Jack**—A triple output power and a volume control. Truly useful.

**Automatic Fade-In/Fade-Out**—Professional-sounding quick fades (2 second) from silence to full level.

**Playback Features:**

- **LOOP**—Repeats tape segment of any length.
- **SAVE STATUS**—Sets B215 to record or play when external timer comes on.

**External Machine Control**—When you need to operate your recorder from elsewhere in the room, the B215 responds to an optional infrared remote con-


trol transmitter. (The same unit also operates all other Revox audio components.) In addition, with an eye toward future computer controlled systems, the Revox B215 can be controlled through its serial data port.

**Programmed for a Purpose**—Our sophisticated microprocessor controls were programmed for a purpose: to offer professional recording capabilities to the home audio enthusiast. How well we accomplished the job is for you to judge. If you are interested in making cassette recordings of the finest quality, we invite you to evaluate the B215 at your nearest Revox dealer. (Sorry, a Studer A820 will not be available for comparison.) For more information contact Studer Revox America, Inc., 1425 Elm Hill Pike, Nashville, TN 37210. (615) 254-5651.



**STUDER REVOX**

Enter No. 42 on Reader Service Card




## T H E R E   A R E   S O M E   T H I N G S   O N L Y

A centaur's horn cries hauntingly. A siren's song whispers untold promises. For listeners with discerning ears, those rare and magical sounds can be a reality. A reality evoked by a speaker possessing a higher fidelity. Altec Lansing®

How did Altec Lansing bring this world to life? By creating the ideal materials to more perfectly recreate the timbre,

texture and power of every musical composition. Carbon Fiber Woofers for soft passages that come across as dramatically as loud passages. A Polyimide Mid Range and Tweeter for rich, uncolored sound. And to coordinate these components for remarkably true-to-life sound, we delivered the "art of balance." Even our hand-crafted cabinets have been specially





## C E R T A I N P E O P L E C A N H E A R

designed for optimum musicality. The result? Speakers so pure, so uncompromising, they capture the very soul of sound.

If you have an uncompromising ear, measure it against our new line of loudspeakers. And hear what others only imagine.

Altec Lansing is sold only by leading high fidelity retailers. For information and the name of your nearest Altec Lansing

dealer, call 1-800-ALTEC 88. (In PA, 717-296-HIFI). In Canada call 416-496-0587 or write 265 Hood Road, Markham, Ontario, Canada L3R 4N3.

© 1986 Altec Lansing Consumer Products, Milford, PA 18337.



Enter No. 8 on Reader Service Card

## AUDIOSOURCE RTA-ONE REAL-TIME ANALYZER

**Company Address:** 1185 Chess Dr., Foster City, Cal. 94404.  
For literature, circle No. 97

In recent years, combination equalizer/RTAs have become quite popular, and these units do work very well in most cases. However, there are a number of excellent equalizers, both octave-band and parametric, which do not include any form of spectral display. Audiophiles should always have faith in their own listening tests, but it is difficult to make equalizer adjustments without an RTA for basic reference and guidance.

Not many octave-band RTAs are on the market, and the AudioSource system which I checked out is one of the few made to fit within a typical audiophile's budget. The retail prices are \$249.95 for the RTA-One analyzer, \$54.95 for the accessory PNG-One pink-noise generator, and \$29.95 for the RTA-One remote microphone. The RTA, noise generator, and an a.c. adaptor for the RTA (\$15.95) were contained in a handy carrying case (\$34.95). My first impression was that the RTA-One is slightly large and heavy for easy hand-holding. On the other hand (no pun intended), I appreciated the ruggedness of its steel case, a major contributor to the weight.

Three rotary switches on the front control "Power/Decay" ("Off/On Fast/On Slow"), "Input Display" ("Line Level/Line RTA/Mic RTA/Mic Level"), and "Level (dB)." The level settings for "Mic S.P.L." range from "60" to "110" in 10-dB steps and for "Line" go from "-40" to "+10," also in 10-dB steps. The knobs are of good diameter and have very legible indices. However, they were a bit hard to turn, despite the grooving on their edges, because their detents were quite stiff and they do not normally project very far from the panel. Although the manual does not mention it, the knobs can be pulled out one-half inch, but I found that they were hard to pull.

All front-panel designations are



white on a black background, making them easy to read.

The LED-type display above the knobs has the 10 standard octave-spaced bands at 31.5, 63, 125, 250 and 500 Hz, and 1, 2, 4, 8 and 16 kHz. The nine vertical LEDs for each band range from "-10" to "+10" in 2.5-dB steps. All of these LEDs are red, with the exception of the 10 in the "0" row, which are green. The 2.5-dB steps are somewhat coarse, but a worthwhile improvement in resolution can be gained by adjusting level and EQ for equal momentary flashing in each channel when using pink noise. I really liked the green reference-level LEDs—I felt that they helped to speed the equalization process.

At the top of the level display are three red indicators: "Power," "Low Bat." and "Overload." All are aids to proper operation of the RTA-One.

The microphone, which projects out

from the end of the case, has a fairly large conical surround. The shape should help to prevent unwanted reflections, but the microphone cannot be checked with a standard calibrator—a common characteristic of most inexpensive RTAs. When the unit is in "Line RTA" and "Mic RTA" modes, the individual levels in each of the 10 bands are displayed. In the "Level" modes, the total energy in all 10 bands is summed and shown as a horizontal row of LEDs. A fast check showed that the RTA-One did quite an accurate job of summing, which most RTAs do not.

The AudioSource unit has good-quality jacks for external d.c. (standard coaxial), external microphone (phone), and line input (dual phono). The left/right summing at the phono jacks was both unexpected and very nice to see included. On the back are four rubber feet for horizontal placement, and two rubber-strip feet are on the end for



THE COMPONENTS OF HIGH PERFORMANCE.



No one plays the piano better than Harman Kardon. Or the flute. Or the guitar. Or any other instrument, for that matter. No one has a better voice than Harman Kardon. Because true-to-source performance is foremost in every aspect of every Harman Kardon high fidelity component.

Harman Kardon's years of experience add up to your experiencing the full sonic range, excitement and subtle nuance of live music. From hot rock to cool jazz, symphonic grandeur to vocal timbre, Harman Kardon's technological advances have continually set the highest standards of sonic excellence. No one engineers components that bring you this near to live sound.

Advanced audio and video components from Harman Kardon. We put the live performance in high performance.

For a live audition at a dealer near you, call toll free 1-800-633-2252 Ext. 250. Or write to 240 Crossways Park West, Woodbury, New York 11797.

**harman / kardon**

A Harman International Company

# Critic's Choice

I found the AudioSource unit easy to use in a home listening system, and it can be helpful in sound reinforcement as well.



"The MG-III is a remarkable speaker at any price; at \$2,000\* it will be a runaway best seller."

INTERNATIONAL AUDIO REVIEW (U.S.A.)  
HOTLINE #31, 1984

"With me, it's now a question of trying to live without them, rather than with them. In other words, I'm 'hooked'."

HI-FI ANSWERS (U.K.)  
JULY, 1985

"Here we have a remarkable, true audiophile speaker."

HI-FI NEWS AND RECORD REVIEW (U.K.)  
JUNE, 1984

"One of the best sounds at the Riviera (Consumer Electronics Show)."

AUDIO MAGAZINE  
MAY, 1985

"Especially with full orchestral music, the MG-III really shows its full potential."

STEREOPLAY (GERMANY)  
AUGUST, 1984

"This speaker will be a classic."

HIGH FIDELITY (DENMARK)  
JULY-AUGUST, 1984

The Absolute Sound Magazine.

SEE REVIEW IN VOL. 9, NO. 35  
AUTUMN, 1984

## Magneplanar<sup>®</sup> MG-III

\* PLUS FREIGHT

### III MAGNEPAN

1645 9th Street  
White Bear Lake, MN 55110  
Enter No. 28 on Reader Service Card

setting the unit vertically—handy for monitoring levels at a distance. The tripod socket on the back is useful when notes need to be taken and some form of holding is required. The battery compartment, which holds four AA cells, is easily opened with a quarter-turn of the slotted thumbscrew.

Before trying to do any equalizing, I checked over the ranges of levels available. Usually it is necessary to have at least 60 dB SPL in a room when making adjustments; the RTA-One will indicate as low as 50 dB SPL ("−10" on the "60" scale). It will show levels as high as 120 dB SPL (" +10" on the "110" scale). A fast comparison showed that the SPL indications were accurate within about 2 dB. The reference level for line inputs is 1.0 V, so the range of voltage indications is from 3 mV ("−10" on the "−40" scale) to 10 V (" +10" on the " +10" scale). With the signal levels in typical equipment ranging from perhaps 20 mV to 2 V, it appeared that line levels would not be a problem.

The owner's manual is not detailed, but the instructions are generally quite good, with important cautions on avoiding excessive boosts at the frequency extremes. I noticed a couple of oddities, including a reference to the "audible audio range."

I monitored music for a while and concluded, as I had expected, that "Fast" mode was essential to get an accurate sense of the changing music spectra. To me, the attack time was good, but the decay time was a little fast. The 20-dB range was rather limiting for this use with many types of music. There seemed to be good separation between bands, and a vocal tone at the center of the 250-Hz band was indicated as 7.5 dB lower in the two adjacent bands—typical for many octave-band RTAs.

In preparation for doing some equalizing, I took a look at the PNG-One pink-noise generator. There were a number of similarities with the RTA-One: Steel case, readily accessible battery compartment (dual 9-V), dual phono jacks, rubber feet, and a power-on indicator—a good collection of features. The PNG-One also has an output-level control, important for setting test levels correctly. The sound from the device was quite smooth, with just

a slight burbling, but no recycling clunk was observed.

With the PNG-One connected directly to the RTA-One, the display was quite flat, in general, but the level in the 31.5-Hz band was about 2.5 dB low. The 63-Hz band was slightly low and the 500-Hz band slightly high. The response was almost exactly the same for both slow and fast response times. You can use the PNG-One and RTA-One to check for flat response in any piece of gear inserted between them; the display after insertion should be the same as before.

With pink noise fed through the entire system, I checked the RTA-One microphone for directionality by pointing the unit directly at the loudspeaker and rotating it back and forth. Very little change occurred in the level of the 16-kHz band, showing that the microphone was insensitive to exact pointing—a desirable trait which is lacking in most RTA microphones. The overall mike response was acceptably flat.


I found the AudioSource unit easy to use in a home listening system, and the green reference row helped to speed the process of equalizing and adjusting levels as needed. "Slow" had just a little bit of level spreading, and "Fast" was too jittery for most equalizing, as would be expected. I did find, however, that "Fast" was good for pinpointing the relative band levels—increasing the resolution of the level readout, as it were.

I also used the unit in a high-school auditorium, in a sound system used for a production with many musical numbers and a few skits. My 1/3-octave RTA wasn't fit to travel at the time, so the RTA-One and PNG-One were used to guide equalizing, to get basic smoothing for the system output and to compensate for some room conditions. AudioSource does not claim that this equipment can do sophisticated analysis, but they're right that it can be helpful in sound reinforcement.

I just lifted the RTA-One off my desk, and it still seems on the heavy side, but it also appears to be rugged and reliable, and I'll opt for those two characteristics any day in the week. Overall, there are quite a few more positive points than negative ones for this unit and its accessories. If you need an RTA, take a look. *Howard A. Roberson*



# SOUND INSURANCE



**\$3.95**

If you're on the lookout for the highest quality in audio equipment, here's how to make sure you get what you pay for: *The Best of AUDIO*.

**T**his brand-new publication is an in-depth collection of product reviews, test reports and other equipment analyses that have appeared in *AUDIO* magazine during the past year. Now compiled into one handy reference book, *The Best of AUDIO* will help you make intelligent buying decisions based on the opinions of the leading editors in the field.

You'll get the very latest word on the cream of the equipment crop. The year's best CD players, pre-amps, amplifiers, tuners, receivers, turntables, tone arms, car-

tridges, cassette decks and blank tapes. *AUDIO*'s staff of experts, supervised by editor-in-chief Gene Pitts, help you decide what's best...and best for you. They've chosen their favorite pieces of equipment, based strictly on quality. And their original reports appear here just as they first ran in *AUDIO*.

*The Best of AUDIO* will be available only at newsstands—except for this special offer to readers of *AUDIO* magazine. To reserve your copy, complete the coupon and return it with your payment today!

THE BEST OF **Audio**

P.O. Box 603 · Holmes, PA 19043

**YES!**

Send me a copy of *The Best of AUDIO* as soon as it comes off press. My check for \$4.95\* (\$3.95 plus \$1 for postage and handling) is enclosed.

Mr. \_\_\_\_\_  
Mrs. \_\_\_\_\_  
Ms. \_\_\_\_\_  
(please print full name)

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

\*Please add your applicable sales tax. 75

## JUST FOLKS

### **New Acoustic Music:** Various Artists Rykodisc RCD 20002.

*New Acoustic Music* is a collection of choice cuts drawn from the Rounder Records catalog. Despite the title and the "new wave" cover art, the music is traditional in style, played on folk instruments such as banjos, mandolins, dobros, and guitars. Rykodisc calls it "new acoustic music" because all but one of the tracks are original compositions rather than old standards.

The folks at Rykodisc selected a group of pieces that work well together, and presented them in an order that stands up to repeated playbacks. There are no jarring juxtapositions or weak fillers. When an entire CD glides by effortlessly, you know that someone with good taste and judgment has been at work. The company also took advantage of CD's longer playing time. The 15 tracks add up to over 64 minutes of music. Here is a label that understands the nature of the medium and makes a point of fully utilizing it.

The sound quality is exemplary. Clearly, the original analog recordings were outstanding, and the CD reveals their virtues, not their imperfections. Although each track was recorded in a different place, at a different time, the contrasts in room ambience are never distracting. During "Marv Pontkallec," for Celtic harp, the background sound of waves gently rolling onto the shore adds to the atmosphere without drawing undue attention to itself. This track has been tastefully put in the middle of the disc, creating a neat pivot point.

Darol Anger's octave violin work on the second track, Todd Phillips' "Fat Kid," sounds a bit like that of Jean-Luc Ponty. Anger appears again with a loose, swinging fiddle solo in Tony Trischka's "Pour Brel," with similar effect. But Anger is definitely his own man, and the references only serve to add spice to his playing. Fred Carpenter displays still another violin style. His dark, rich tone sounds more like a viola than a violin in Tony Rice's mellow, reflective "A Child Is Born."

In "Thirteen," from his *Solo* album,

Rob Wasserman shines in a wonderful acoustic bass solo. You'll hear pitch bends, fingers sliding, strings hitting the fingerboard, and other close-up sounds, all done with flair and good



taste. The way he plays his bass—including fragments of accompaniment figures—makes it sound as flexible as a guitar.

Mandolins, dobros, and banjos are everywhere. David Grisman and Andy Statman play a mandolin duet in "Two White Boys Watching James Brown at the Apollo." Jerry Douglas and his group use them all in "Intro," a delightfully percolating piece.

*New Acoustic Music* is as fresh and clean as the produce at a farmer's roadside stand. It's just the kind of music to put on your stereo after a long, hard day.

Steve Birchall

### **The Bridge:** Billy Joel Columbia CK 40402.

He's street-tough and worldly-wise; he's tender, vulnerable, and sensitive. He's a rocker. He's a crooner. He's a knockout lyricist, a damn fine musician, and he has great taste in women. Billy Joel has matured into a pop artist with real staying power. His latest album, *The Bridge*, reveals the piano man in top form.

This Compact Disc is an original digital recording which, like Joel himself, is light on flash and heavy on substance. Don't let the lack of studio raz-

zle-dazzle fool you, though; there is no finer example of professional recording than this.

The reproduction of Joel's piano, for instance, is simply perfect. Although he is equally expert on synthesized keyboards, the artist's passion for the acoustic instrument comes through in every note of "Baby Grand," his latest piano love song. This bluesy, minor-key ballad was written specifically to lure the great Ray Charles into the studio with Mr. J., and damned if it didn't succeed. Joel eases himself into Charles' vocal territory smoothly and naturally. The two trade verses and fluid piano runs so well that you'll find yourself programming your Compact Disc player to run it by a few more times.

But if this kind of mellowness isn't your frame of reference for Billy Joel, if the sweet, sexy gentility of "Temptation"

doesn't really get to you, or if the thoughtful beauty and rich, slow guitar of "This Is the Time" fail to catch your heart, then you probably like Joel in his harder mode. *The Bridge* actually starts out rocking with a passion as Joel plunges into the first cut, "Running on Ice." His sophisticated lyrics about the tensions of modern urban life are carried by a wonderfully anxious piano figure and sharp, nervous punctuation from drums, cymbals, and synthesizer. Need a cut you can really sink your feet into? How about the rock-steady beat and familiar-yet-new melody of "A Matter of Trust"? The radio-famous "Modern Woman" chugs along, shaking up your blood; "Code of Silence" and the final cut, "Getting Close," have a certain melodic monotony, but lyrically they'll bring you to attention if you just give a listen.

Joel has enlisted some of the heaviest hitters in musicdom to assist in this winning production. Cyndi Lauper's unique voice soars behind his on "Code of Silence," which she cowrote. For the jazzy "Big Man on Mulberry Street," jazz greats Ron Carter and Michael Brecker apply their considerable chops to acoustic bass and tenor sax, respectively. On "Getting Closer," Steve Winwood runs his hit-creating



fingers across the keys of a Hammond B-3 electric organ.

The heaviest hitter in the production department is producer Phil Ramone, who has helped put together another exquisitely recorded disc. The gentle percussion that travels oh-so-smoothly from left to center to right on "Modern Woman," and the subtle echo on Joel's vocal that just picks up sibilants and the very ends of lines on "A Matter of Trust," are impressive. What really counts here, though, are the expert reproduction of true tonal values for all instruments, and the clarity and sense of depth that capture every nuance of Joel's complex lyrics and dramatic instrumental delivery.

If you have a taste for terrifically recorded, moving, rocking, thought-provoking albums, *The Bridge* is for you.

*Paulette Weiss*

---

**Mozart: The Four Horn Concertos.**

The St. Paul Chamber Orchestra, Pinchas Zukerman; Hermann Baumann, horn.

**Philips 412 737-2.**

Horn virtuoso Hermann Baumann gave us a superb reading of the Telemann horn concertos on an earlier Philips CD (412 226-2), and his performance of the famous Mozart horn concertos is equally convincing.



*Pinchas Zukerman*

Inevitably, Baumann's recording of these works will be compared to Barry Tuckwell's great performance on London (CD 410 284-2). Both players are consummate artists. Tuckwell has a

lighter tone and achieves a wonderful cantabile quality in his playing. Baumann is darker hued and more sonorous, and his tone often emphasizes the guttural qualities of his instrument. Both approaches work well. Baumann's horn is more forwardly recorded than Tuckwell's, and indeed, his orchestral accompaniment is more close-up as well. Tuckwell's orchestra is in a more recessed acoustic perspective and has more hall ambience.

In spite of the ripe fullness of horn and orchestra in this recording, the Philips engineers have provided it with fairly spacious acoustics. Pinchas Zukerman and his St. Paul Chamber Orchestra obviously have a fine rapport with Baumann; their playing is very polished and displays a lovely string tone.

*Bert Whyte*



*André Previn*

---

**Walton: Belshazzar's Feast; Suite from Henry V.** The Royal Philharmonic Orchestra, André Previn.  
**RPO Records CDRPO 8001.**

This release deserves special attention for several reasons. First, it represents the inauguration of the new RPO

On the Vivaldi concertos, guitar transients are utterly clean and the orchestra's strings sound incredibly sweet.

label, owned by the Royal Philharmonic itself. Second, it presents an absolutely definitive recording of the ever-popular "Belshazzar's Feast."

As early as 1967, Previn proved that he was a Walton specialist when RCA released his recording of Walton's first symphony with the London Symphony Orchestra. That recording still remains the benchmark. Now, nearly 20 years later, Previn has the field all to himself. There is no question that he understands both the architectural and emotional dimensions of Walton's music better than any other living conductor, and he is consequently able to draw meaning and substance out of Walton's music, where most others produce tentative results.

From a purely orchestral point of view, there is more limning of detail and structure than ever before. Once you've heard the work straight through, it is very instructive to rehear it, with score in hand, to see some of the things Previn does. And of course the sonics are up to date, complete with organ and antiphonal brass bands.

The only runner-up to this disc is the old Roger Wagner EMI recording with the same orchestra. In that version,

soloist-narrator John Cameron turned in an absolutely stunning performance and captured the Old Testament fire and drama perfectly. In the new RPO version, baritone Benjamin Luxon handles the lyrical tasks beautifully, but he lacks the dramatic zeal of Cameron. The choral duties are well handled by the Brighton Festival Chorus and the Collegium Musicum of London.

The moving music which Walton wrote for Olivier's 1944 film *Henry V* remains one of the high points in cinematic writing. Here it is given the best performance on record since Walton's own, back in the '60s.

In short, if you are a Waltonian, you must get this CD! *John M. Eargle*

**Vivaldi: Guitar Concertos.** The Academy of St. Martin-in-the-Fields with Los Romeros, Iona Brown. **Philips 412 624-2.**

If you love Vivaldi, you'll be enamored of this CD. The superbly accomplished instrumentalists of Los Romeros perform these guitar transcriptions of five Vivaldi concertos with their usual technical brilliance and sensitive musicality. The always reliable, always vir-

tuosic Academy of St. Martin-in-the-Fields orchestra provides a well-integrated, finely wrought accompaniment.

The Philips engineers have achieved a very natural balance between guitarists and orchestra, and their acoustic perspective is warm and spacious. The transients of the guitars are utterly clean, while the string sound of the orchestra is incredibly sweet and smooth, yet well defined. Even the most rabid anti-digital folks would be pleased with this lovely sound. Highly recommended.

*Bert Whyte*

**Tchaikovsky: The Nutcracker.** The London Symphony Orchestra, Sir Charles Mackerras. **Telarc CD-80137-2**, two-disc set.

In the relatively short time since Telarc Records was founded, the label has achieved an enviable and justly deserved reputation for the sonic excellence of its recordings. Producer Bob Woods and engineer Jack Renner must be particularly proud of this recording of the complete "Nutcracker" ballet because it marks their entry into the "big-time" show-biz world. This "Nutcracker" is the soundtrack of Hyperion Pictures' new movie of the same title, which features a celebrated and somewhat controversial version of the ballet danced by the Pacific Northwest Ballet of Seattle.

Sir Charles Mackerras was the ideal choice to conduct the complete "Nutcracker." A ballet conductor of wide experience, he gained an early reputation in the field with his delightful ballet, "Pineapple Poll," based on Gilbert & Sullivan themes. Above all other considerations in this performance, Sir Charles does not treat the score as a concert performance of a ballet, but as a totally balletic entity. His tempi, his pacing, and his phrasing guide us smoothly through the various scenes and tableaux, yet there is never any lack of dynamic expression, nor does he oversentimentalize the more lyrical sections.

Working in Watford Town Hall near London, Jack Renner has given us a superlative recording of this beloved score. He has caught just the right perspective for this music. There is a nice, spacious ambience, yet orches-

Los Romeros





# FREE CDs FROM CBS!

# Buy 5 CBS CDs, Get 1 Free!



Choose from any of our almost 800 selections (single-disc CDs only) in all categories of music, including all the latest hits. Coupons redeemable for FREE CDs are now available wherever CBS Compact Discs are sold. Hurry in to your favorite CD outlet for a redemption coupon and details.\*

\*Free CDs directly from CBS with coupon only. Not redeemable in stores. \$1.00 postage and handling charge.

## THIS MONTH'S BIG EVENTS FROM CBS COMPACT DISCS.

BRUCE SPRINGSTEEN & THE E STREET BAND "Live/1975-85"  
ELVIS COSTELLO AND THE ATTRACTIONS "Blood & Chocolate"  
BOSTON "Don't Look Back"  
'TIL TUESDAY "Welcome Home"  
JOAN JETT AND THE BLACKHEARTS "Good Music"

SURVIVOR "When Seconds Count"  
"West Side Story" ORIGINAL BROADWAY CAST  
"The Sound Of Music"  
ORIGINAL BROADWAY CAST  
RODGERS & HAMMERSTEIN: "South Pacific"  
Te Kanawa, Carreras, Vaughan, Patinkin; Ambrosian Singers; London Symphony Orch./Tunick

MOZART: Don Giovanni  
Raimondi, Te Kanawa, Berganza; Paris Opera Orchestra & Chorus/Maazel  
BEETHOVEN'S Greatest Hits  
Plus 25 other Composer's Greatest Hits titles.

"CBS" is a trademark of CBS Inc. © 1986 CBS Inc.

**LOOK FOR OUR FULL LINE OF CHRISTMAS CDs!**

**COMPACT  
disc  
DIGITAL AUDIO**

Enter No. 14 on Reader Service Card

# Audio

## BOUND VOLUMES BACK ISSUES BINDERS/SLIPCASES



### BOUND VOLUMES

**Great Reading, Great Price!**

A ready reference for audiophiles! A full year of AUDIO is carefully hard-bound for easy reference. Complete volumes for the years 1977 through 1984 are available. Only \$24.95 including shipping and handling.

**TO ORDER:**

Indicate year(s) requested and send check or money order, NO CREDIT CARDS, to: AUDIO Magazine, 1515 Broadway, New York, NY 10036, Attn: Bound Volume Dept. Allow 4 weeks for delivery.

### BACK ISSUES

Single-copy back issues of AUDIO from 1983 through current issue are available. (Note: April, August, and October 1983 are unavailable.) \$5.00 per issue postpaid.



### BINDERS/SLIPCASES



Maintain your AUDIO collection in these top-quality binders or slipcases. Binders, \$9.00 each; 3/\$26.00; 6/\$50.00. Slipcases, \$7.65 each; 3/\$22.00; 6/\$40.00. Include \$2.50 per order for postage and handling.

**TO ORDER:** Indicate issue/binder/slipcase. Include proper amount for postage and handling. California residents must include 6% sales tax. Allow 4 weeks for delivery. Make check/money orders payable to: Old Del Mar Emporium (ODME), P.O. Box 1126, Redlands, CA 92373. DIRECT TOLL-FREE ORDER NUMBER: 1-800-833-6363. In California, call: 1-800-331-6363. Call Monday-Friday, 8:00 AM to 6:00 PM PST. Use your Visa, Mastercard, or American Express card. \$15.00 MINIMUM CREDIT CARD ORDER.

The impeccably English *Carols for Christmas* is nicely varied, with lots of solid vocal sound. For an Anglophile, it's heaven.

tral detail is always well maintained. The tumultuous "Battle of the Mouse King" sequence has tremendous dynamic energy, and just to give it more visceral impact, Jack dubs in a few of the cannon shots he had handy from his famous recording of the "1812 Overture"! This is a real gem, with superb balances, even in difficult sections like the boys' wordless chorus during the "Waltz of the Snowflakes" scene.

A triumph for all concerned, this production ought to be made into a video-disc with digital soundtrack. It would be a stunning audio/visual experience.

*Bert Whyte*

### Carols for Christmas, Vol. I and Vol. II.


The Royal College of Music Chamber Choir and Brass Ensemble, Sir David Willcocks.

Rykodisc RCD 1004/5, two-disc set.

Phew—if I puff and I hurry, this will be the first Christmas recording in years I've been able to get into the December issue. We receive scads of holiday releases every year—just in time for January.

There are two CDs and no less than 41 carols here, enough for anybody's Christmas, and more. Excellent background stuff for department stores too, and banks. Impeccably English, the music was arranged and conducted by Sir David Willcocks, the very Dean of British choral conductors. It's nicely varied, some with voices alone, some with the inevitable boy soprano (or are they little-girl sopranos, by this late date?), others with piano, full cathedral organ, brass choir, Christmas bells, what have you. Sir David isn't of the conservative school; his chosen voices have always (on records) had a somewhat professional fullness and vibrato, in contrast to other cathedral-type English choirs and soloists. So that's what you will find here—lots of solid vocal sound and, of course, the most utterly, impeccably British pronunciation. For Anglophiles it's heaven on earth.

As for me, coming from New England, out of these 41 carols I found I instantly knew the tunes and some of the lyrics of at least 35 of them. Yep, same old music, and nicely, if conventionally, arranged by Sir David. "We Three Kings from Orient Are." "We




**A** child who's lived in a concrete jungle all his life doesn't know the pleasure of climbing a tree. Send a child to camp this summer.

**Sharing is caring!**








“Who cares how they sound.  
These speakers have *everything!*”

When you realize how hard it is to make a simple design perform correctly, it's easy to see why some speaker designers use compensating gadgetry to disguise the shortcomings of their basic components. It's also easy to proclaim the virtues of these “engineering breakthroughs.” But it can be difficult to hear the music through all that hardware.

Celestion speakers contain some of the most sophisticated engineering you're ever likely to hear. Or not hear, to put it more accurately. We design speakers to vanish in the presence of good recordings. To that end, our engineers concentrate on



SL6S Treble Unit 8kHz      Conventional Plastic Film Treble Unit 8kHz

Our computerized laser interferometry mapping system exposes imperfections in driver performance so we can eliminate them.

making them as simple as possible.

There's a catch to this approach, of course. With nothing to hide mistakes, we have to do everything right. So we do everything ourselves (surprisingly few companies can build a speaker from scratch) optimizing every component. Then we combine them in elegantly simple systems that function directly, truthfully and musically.

Choosing speakers is no great mystery. Neither is good speaker design, although there seems to be plenty of mystification going around.

If you've grown tired of speakers that give you everything *but* open,

transparent sound and accurate imaging, arrange an audition at your Celestion dealer. And discover the music that's been hidden behind all that hardware.



Celestion's award-winning one-piece tweeter dome is designed to perform without physical, hence acoustical, distortions.



Celestion DL8

Celestion SL6S

Enter No. 17 on Reader Service Card

**CELESTION**

Kuninholm Drive, Box 521, Holliston, MA 01746  
(617) 429-6706

Lionel Richie's new disc may not be very touching, but no praise is too great for the technical side. Every cut is vibrantly, thrillingly alive.

"Wish You a Merry Christmas," "Joy to the World"—it took me back.

You can't go wrong here, even if the very British performance comes to us straight from its pressing in Japan, the home (away from home) of Western recording. If you don't get this in time for Christmas 1986, try it for '87.

*Edward Tatnall Canby*

**Dancing on the Ceiling:** Lionel Richie Motown 6158MD.

A writer from the South was fond of the phrase "slicker than mule spit," and though I took a powerful liking to the image it conjured up, being a city kid I never really knew just how slick mule spit was. I believe Lionel Richie's *Dancing on the Ceiling* has given me a better grasp of the metaphor.

Now, now, you Lionel Richie fans—don't get all hot under the collar. I really like him. His classic ballads have become permanently installed in the pop repertoire, and his up-tempo ma-

terial is tuneful, cheery, and full of high spirits.

While this album may be too surface-slick to touch the emotions, no praise is too great for its technical side. Every cut here is vibrantly, thrillingly alive. Instruments are vivid and defined with precision, as Richie's vocals brush up against your ear with the intimacy of someone singing to you alone. The gorgeous tone of the electric keyboard on "Ballerina Girl" is a real aesthetic treat, and the piercing sweetness of the strings is breathtaking; the arrangement (by Richie and John Barnes) on "Don't Stop" is a masterful interweaving of synthesizers and percussion, with some absolutely eerie electronic effects. The digital process keeps those big, silent spaces yawningly empty. The recording is equally spectacular throughout, with gorgeous balances and a sense of space so keenly delineated that instrumental movement from left to right will have you involuntarily whipping your head

about to follow the sound. While foreground-to-background movement will pull you deeply into the recording.

Unfortunately, this sense of depth will satisfy the ear alone; it rarely touches the heart or mind. The material is about as deep as the thoughts of a backward gnat. There is also a real sense of aural *déjà vu*; recycled riffs appear throughout.

It's a real shame that this very attractive surface is so slippery that there's nothing to hold onto. I'm going to just let it slip right off my CD player.

*Paulette Weiss*

**William Tell and Other Favorite Overtures.** The Cincinnati Pops Orchestra, Erich Kunzel. Telarc CD-80116.

If you want to exercise your woofers and overindulge in digital dynamics, simply "turn up the wick," as our British cousins say, and stand back!

This is a typical Telarc blockbuster

# RECOMMENDED FOR THOSE



To record at high levels you need the right tape. We recommend three. Maxell's new MX and XL-S high-performance tapes deliver just what you need for today's digital music. Great





Charles Dutoit

CD, with Erich Kunzel at the helm of the Cincinnati Pops Orchestra. Tried-and-true overtures are here in all their massively orchestrated glory—"Light Cavalry," "Fra Diavolo," "Poet and Peasant," and by all odds the best

performance of the much-maligned "William Tell Overture" in years. The prologue to the "Tell" is simply lovely, with gorgeous cello sounds, and the "Hi-Ho Silver!" section is played at full gallop with stunning effect.

Throughout this CD, the brass, so essential in these overtures, rings out with bright and brazen voice, and the famous Telarc bass drum lends its authority with visceral impact. *Bert Whyte*

**Mendelssohn: Piano Concertos Nos. 1 and 2.** The Bavarian Radio Symphony Orchestra, Charles Dutoit; András Schiff, piano.  
**London 414 672-2.**

András Schiff's brilliant pianism shines in his spirited and highly expressive traversal of these ingratiating Mendelssohn concertos. Conductor Dutoit elicits a most sympathetic accompaniment from the orchestra, and the engineers have provided a very high-energy, dynamic recording with a rather close-up perspective. There is a lot of presence, with the piano a bit prominent, but just the same it is a lovely sound, leavened by the resplendent acoustics of the Herkulesaal in Munich. *Bert Whyte*

# WITHOUT A FEAR OF HEIGHTS.



frequency response. Signal-to-noise ratios of extreme clarity. And MOLs engineered to knock you on your ear.

Use Maxell MX and XLS tapes the next time you're recording high-energy sources. Anything else just comes up short.

Enter No. 29 on Reader Service Card

**maxell**

The perfect response to digital technology.

MICHAEL TEARSON  
JON & SALLY TIVEN

## CONTINENTAL RHYTHMS



**Graceland:** Paul Simon  
Warner Bros. 25447, \$9.98.

Sound: B Performance: A

What a delicious smorgasbord of sounds this album is! Much of *Graceland* was recorded in Johannesburg, South Africa, with native black musicians. It is not so much that the sounds are bizarre or particularly exotic, but that they are exotically deployed.

The sound of an accordion, of all things, frames the album. "The Boy in the Bubble" opens *Graceland* with an insistent, chugging figure on the squeeze box (played by Baghiti Khumalo); the band soon joins in, playing a hard shuffle. Bass guitar is virtually the lead instrumental voice, dipping all over and around the melody. A taut tension binds "The Boy in the Bubble." I remember, at first listening, how impatient this opener made me to hear the rest.

Next is the jaunty "Graceland," a song of fragments in which Elvis Pres-

ley's mansion becomes a metaphor for a safe haven, an Eden. The sounds of percussion and steel guitar (played by Demola Adepoju of King Sunny Ade's band) are the song's tattoo. The Everly Brothers join Simon on vocals.

"I Know What I Know" is about an attempted seduction, for which Simon is joined by General M. D. Shirinda and The Gaza Sisters, who add some wild counter-vocals. "Gumboots" features The Boyoyo Boys. Set at a quick, finger-popping pace, it is written as a stream-of-consciousness series of urban events. "Diamonds on the Soles of Her Shoes" opens with a collaboration with the a cappella group Ladysmith Black Mambazo. Then, a rhythm section featuring bassist Khumalo and guitarist Chikapa "Ray" Phiri joins in to make extremely happy music, over which Simon weaves a dreamy tale of night life and dancing and escaping the blues.

Side two opens with "You Can Call Me Al," *Graceland*'s first single and the

only selection that I feel doesn't quite work. This is not due to the music, however, which is ace. The same crew as the one used for "Diamonds" sets up a hot, popping groove, and expatriate South African Morris Goldberg contributes a blazing pennywhistle solo. The problem is that Simon's singing here is inescapably wimpy.

"Under African Skies" is a portrait of an African walking in his native land. Paul sings it beautifully as a duet with Linda Ronstadt. This leads directly to "Homeless," performed with Ladysmith Black Mambazo, whose voices swoop, blend and soar. Sung in English and in Zulu, it is a breathtaking showstopper.

*Graceland* closes with two songs which employ American bands, each with its own exotic feel. Good Rockin' Dopsie and The Twisters propel "That Was Your Mother" to a white-hot Cajun shuffle. The accordion reappears here as a lead instrument. It figures, too, in the finale "All Around the World or The Myth of Fingerprints," on which the Los Angeles group Los Lobos appears. The beat here is the hardest and strongest of the set. Los Lobos cooks!

On first listening to the LP, I was struck with the warmth of the sound and the subtlety of a mix which allows many elements to be heard very well. Sounds of percussive effects, accordion, bass, horns, guitars, and especially voices are wonderful. The cassette, by comparison, doesn't have the same warmth or smoothness, but the detail of the percussion is sharper and more brittle. Of the two, I prefer the LP. The CD blows them both out of the water, with superb presence and phenomenal detailing. Some elements come alive that were almost masked in the other formats: Bongos beneath voices, the feel of the room, stereo placement. All of a sudden you are in the room with the musicians. This is a CD to play for doubters of the medium.

*Graceland* is a remarkable album, a genuine work of art as fine as any Paul Simon has ever done. The diversity of its sounds, the excellence of Simon's compositions, and the quality of the performances are undeniable. This album demands a spot near the very top of my best-of-the-year list. I know I'll be listening to it for years to come.

Michael Tearson



**Itchy Twitchy Feelings:** Various Artists

**EMI Treasury ST-17203, \$8.98.**

Sound: B+ Performance: A

**Rock Me All Night Long:** Various Artists

**EMI Treasury ST-17201, \$8.98.**

Sound: B+ Performance: A

EMI's Alan Warner and John Guarneri have dug into the files of two labels they acquired, Sue and Aladdin, and come out with two superb packages of early rock 'n' roll tracks, digitally remastered and well annotated. The artists, featured in some of their earliest recorded performances, include Ike & Tina Turner, Don Covay, Inez Foxx, Louis Jordan, Shirley and Lee, Helen Humes, and plenty more. These are some of the recordings that gave birth to rock 'n' roll and R&B, and they've long been out of print. The performances are often hysterical and full of surprises—a treat for music fans of all ages.

Jon & Sally Tiven

**True Colors:** Cyndi Lauper  
**Portrait R 40313.**

Sound: B- Performance: C+

Money changes everything, boy. Not too long ago, Cyndi didn't have two sides of vinyl to rub together, and yet she still managed to whip out perhaps the finest debut album of the decade. Even after the first *four* singles from *She's So Unusual*, Lauper had hitting power to spare—talk about a deep bench! Now, with her second album, *True Colors*, she's got clout enough to get Pee-wee Herman to guest star. But somehow, even that momentous musical event isn't enough. *True Colors* is mostly devoid of *any* colors.

Aside from the obviously heartfelt torch/pop song "Boy Blue," the album is engulfed by self-consciousness. Lauper needed something "catchy" to start with—hence an overproduced bit of bubble gum ("Change of Heart") the likes of which she made fun of in "Girls Just Want to Have Fun." She needed something "soulful"—hence a syrupy cover of Marvin Gaye's "What's Goin' On" that not only misses Marvin's point (did *he* need to open with gunfire to get it across?), but hasn't anywhere near the pain and longing of her own "Time After Time." And, of course,

Lauper needed something "wacky"—hence an old calypso tune ("Iko Iko"). The opening lyrics say it all: "Here I am/Just like I said I would be." Just giving the people what they want.

Yes, Lauper's voice is still exceptional—technically—and on this album it does technically wonderful things. But like guest Nile Rodgers' overcooked guitar work on "Change of Heart," Lauper's bent notes, pops, and echoes are gimmicky. So are the undistinguished guest appearances by The Bangles and Billy Joel, among others, which only serve to point out this album's bloated nature. Such massive artillery—and no victory.

All this calculation might have held a certain smug charm if it weren't being passed off as sincere. As it is, if this album shows Cyndi's true colors, she should get a new paint job.

Frank Lovece


**Mars Needs Guitars!:** The Hoodoo Gurus

**Bigtime/Elektra 60485-1, \$8.98.**

Sound: B Performance: B+

Man-oh-man, what crazy atomic retro! *Mars Needs Guitars!* is an aural museum of 1960s artifacts, into which we can peer with the benefit of perspective. It all gets a little too obvious when the album credits salute Barbara Eden, Hank Kimble, Tina Louise, and Jonathon Harris, who played the evil Dr. Smith on *Lost in Space*, but musically, there's nothing so unsubtle as, say, painter Roy Lichtenstein's over-size comic-book panels.

In fact, this irony-fisted album is surprisingly full of nuance. Sure, the title track's lyrics boom out "I'm a stone-age Romeo/Got a space-age Juliet," but then check out something as subtle as the futuristic Mersey sound of



What a crazy retro sound! The Hoodoo Gurus have created an aural museum of 1960s artifacts, but they're not reverential in the least.



"Show Some Emotion"—why, it's The Dave Clark 2005! Then there's the cautionary ballad "Hayride to Hell," about Charlie, who drove a thousand miles and had a teenage daughter who fell in with a city mayor's son and . . . . Oh, it's too horrible.

The Hoodoo Gurus are not, however,

reverential in the least. With strumming major chords, delightful "ooh-wee" fill-ins and cymbal-crashing big finishes, the band re-creates key '60s motifs and then twists them out of shape. Sort of like cubist artists, except they swing.

The band's virtues, unfortunately, are also its vices. There's little rhythmic

variation from song to song, and you can't really tell if these guys have got their chops ready for the long run or not. While David Faulkner's adorably homely vocals never grate, they're never great. Still, if you like big red Coca-Cola signs, hot rods and drive-in beach movies, then you'll probably dig The Hoodoo Gurus' brand of preliter-ate rock 'n' roll. Or is that postmodern? I always get those two confused.

Frank Lovece

**Class of '55:** Carl Perkins, Jerry Lee Lewis, Roy Orbison and Johnny Cash  
**America/Smash 422 830 002-1**, digital, \$8.98.

Sound: B

Performance: B

I'm always amazed that Roy Orbison and Jerry Lee Lewis are still alive; they have been through nearly every rock-legend tragedy and misfortune one could name, both self-inflicted and otherwise. Thus, their collaboration with Johnny Cash and Carl Perkins takes on a mythic quality, as if Jimi Hendrix and Janis Joplin had come back to jam with Mick Jagger and Tina Turner. (I'm kidding! But you get the idea.)

This Memphis reunion of four great rock 'n' roll pioneers singing mostly new material is a joy, but not joyous. It starts out promisingly with a Carl Perkins rocker, "Birth of Rock and Roll," that jumps up and down every inch of the guitar neck. It's finger-pickin' rock-abilly leaping like a Tijuana toad—and damn the missed notes, this is rock 'n' roll, boy! Jerry Lee follows with a delightfully lascivious "Sixteen Candles." But after that, sentimentality takes hold. This tendency reaches its nadir with a tribute to Elvis Presley called "We Remember the King." The idea is altogether appropriate, of course, but the horns of Gabriel in the background do get to be a bit much; I mean, no king was ever really a god.

The record winds up with a big number called "Big Train (from Memphis)," written by John Fogerty and featuring Fogerty, the late Rick Nelson, Dave Edmunds, June Carter Cash, The Judds and others. While "Train" is energetic, it never reaches the anthem-

**PolyGram**

**Jazz**

**New Releases From  
The World Leader in Jazz CDs!**

**GLENN MILLER**  
In Hollywood  
Music From Original Soundtracks  
826 635-2

**ELLA FITZGERALD**  
THE IRVING BERLIN SONGBOOK  
in 2 Volumes  
VOL. 1 829 534-2  
VOL. 2 829 535-2

**BILLIE HOLIDAY**  
billie holiday songbook  
823 246-2

**FRED ASTAIRE**  
irving berlin songbook  
829 172-2

**DINAH WASHINGTON**  
bessie smith songbook  
826 663-2

**Legrand Jazz**  
Michel Legrand  
With Miles Davis, Bill Evans, John Coltrane, Ben Webster  
830 074-2

Verve EmArcy MPS PHILIPS mercury LONDON PolyGram

© 1986 PolyGram Records, Inc.



# Challenging Design.

## FOR UNDER \$500 YOU CAN OWN AN AMPLIFIER JUDGED TO HAVE THE EXACT SOUND CHARACTERISTICS OF AN ESOTERIC \$3000 MODEL.

Bob Carver recently shocked the staid audiophile world by winning a challenge that no other amplifier designer could ever consider.

The new M-1.0t was judged, in extensive listening tests by one of America's most respected audiophile publications, to be the sonic equivalent of a PAIR of legendary, esoteric mono amplifiers which retail for \$3000 each!


### CARVER'S GREAT AMPLIFIER CHALLENGE.

Last year, Bob Carver made an audacious offer to the editors of *Stereophile Magazine*, one of America's exacting and critical audio publications. He would make his forthcoming amplifier design sound exactly like ANY high-priced, esoteric, perfectionist amplifier (or amplifiers) the editors could choose. In just 48 hours. In a hotel room near *Stereophile's* offices in New Mexico! As the magazine put it, "If it were possible, wouldn't it already have been done? Bob's claim was something we just couldn't pass up unchallenged."

What transpired is now high fidelity history. From the start, the *Stereophile* evaluation team was skeptical ("We wanted Bob to fail. We wanted to hear a difference"). They drove the product of Bob's round-the-clock modifications and their nominees for "best power amplifier" with some of the finest components in the world. Through reference speakers that are nothing short of awesome. Ultimately, after exhaustive listening tests with carefully selected music ranging from chamber to symphonic to high-impact pop that led them to write, "...each time we'd put the other amplifier in and listen to the same musical passage again, and hear exactly the same thing. On the second day of listening to his final design, we

*threw in the towel and conceded Bob the bout. According to the rules... Bob had won."*

**BRAIN CHALLENGES BRAWN.** Below is a photo of the 20-pound, cool-running M-1.0t. Above it are the outlines of the pair of legendary mono



amplifiers used in the *Stereophile* challenge. Even individually, they can hardly be lifted and demand stringent ventilation requirements. And yet, according to some of the most discriminating audiophiles in the world, Bob's new design is their sonic equal.


The M-1.0t's secret is its patented Magnetic Field Coil. Instead of increasing cost, size and heat output with huge storage circuits, Magnetic Field Amplification delivers its awesome output from this small but powerful component. The result is a design with the dynamic power to reproduce the leading edge attacks of musical notes which form the keen edge of musical reality.

**A DESIGN FOR THE CHALLENGES OF MODERN MUSIC REPRODUCTION.** The M-1.0t's astonishingly high voltage/high current output and exclusive operation features make it perfect for the demands of compact digital discs, video hi-fi and other wide dynamic range playback media. The M-1.0t:

- Has a continuous FTC sine-wave output conservatively rated at 200 watts per channel. \*
- Produces 350-500 watts per channel of RMS power and 800-1100 watts momentary peak power (depending on impedance).
- Delivers 1000 watts continuous sine wave output at 8 ohms in bridging mode without switching or modification.
- Is capable of handling unintended 1-ohm speaker loads without shutting down.
- Includes elaborate safeguards including DC Offset and Short Circuit Power Interrupt protection.

**SHARE THE RESULTS OF VICTORY.** We invite you to compare the new M-1.0t against any and all competition. Including the very expensive amplifiers that have been deemed the M-1.0t's sonic equivalent. You'll discover that the real winner of Bob's remarkable challenge is you. Because world class, superlative electronics are now available at reasonable prices simply by visiting your nearest Carver dealer.

**\* SPECIFICATIONS: Power, 200 watts/channel into 8 ohms 20Hz to 20 kHz, both channels driven with no more than 0.15% THD. Long Term Sustained RMS power, 500 watts into 4 ohms, 350 watts into 8 ohms. Bridged Mono power, 1000 watts into 8 ohms. Noise, -110dB 1HF A-weighted. Weight, 20 lbs.**



# CARVER

P.O. Box 1237, Lynnwood, WA 98046

POWERFUL

MUSICAL

ACCURATE

Enter No. 16 on Reader Service Card

Distributed in Canada by: evolution technology

# polkaudio

The Speaker Specialists®

Where to buy Polk Speakers?

## AUTHORIZED DEALER LIST

**CANADA:** Call Evolution Technology, Toronto for nearest dealer 1.800.263.6395

**AL:** Auburn: Audio Warehouse  
**Birmingham (Homewood):** Audion  
**Huntsville:** Campbell's Audio Video, Sound Distributors • Mobile: Sound Advice • Montgomery: The Record Shop  
**AK:** Anchorage: Shimek's • Fairbanks: Hoin's Music  
**AZ:** Flagstaff: Sound Pro • Mesa: Hi-Fi Sales • Tucson: Audio Emporium  
**AR:** Little Rock: Leisure Electronics • Searcy: Sound Room  
**CA:** Arcata: Arcata Audio • Bakersfield: Sound Advice • Berkeley: Sounding Board • Campbell: Sound Goods • Canoga Park: Shelley's • Chico: Sounds By Dave • Davis: World Electronics • Fairfield: G & M Stereo Unlimited • Fresno: Banana's Hi-Fi • Los Angeles: Beverly Stereo • Mill Valley: World of Sound • Mountain View: Sound Goods • Napa: Fairvision • Orange: Absolute Audio • Penngrove: California Stereo • Sacramento: World Electronics • San Diego: Sound Company • San Francisco: Stereo Store, World of Sound • San Gabriel: Audio Concepts • Santa Barbara: Creative Stereo • Santa Maria: Creative Stereo • Santa Monica: Shelley's Stereo • Stockton: Gluskens Camera Audio Video • Thousand Oaks: Creative Stereo • Ventura: Creative Stereo • Visalia: Mega Stereo • Walnut Creek: High Fidelity Shoppe  
**CO:** Arvada: Soundtrack • Aurora: Soundtrack • Boulder: Soundtrack, Wavelength Stereo • Colorado Springs: Sunshine Audio • Denver: Soundtrack • Littleton: Soundtrack • Pueblo: Sunshine Audio • Thornton: Soundtrack  
**CT:** Avon: Hi-Fi Stereo House • Fairfield: Audio Design • Greenwich: Al Franklins • Groton: Roberts • Hartford: Al Franklins • New Haven: Audio Den • Newington: Hi-Fi Stereo House • New London: Roberts • Norwalk: Audiotronics • Westport: Hi-Fi Stereo House  
**DE:** Wilmington: Bryn Mawr Stereo  
**DC:** Myer Emco  
**FL:** Altamonte Springs: Audio Spectrum • Boca Raton: Igar Video • Daytona Beach: Stereotypes • Ft. Lauderdale: Capl Video • Ft. Myers: Stereo Garage • Ft. Pierce: Sound Shack • Ft. Walton Beach: Audio International • Jacksonville: Audio Tech • Lakeland: Sound Factory • Merritt Island: Southern Audio • Miami: Audio By Caruso, Capl Video, Symphonic Ear • Naples: Stereo Garage • Orange Park: Audio Tech • Orlando: Audio Spectrum • Pensacola: Fidler Hi-Fi • Tallahassee: Stereo Store • Tampa: Audio Vision • W. Palm Beach: Electronic Connection  
**GA:** Atlanta: Stereo Village • Augusta: Stereo City • Duluth: Stereo Village • Macon: Georgia Music • Morrow: Stereo Village • Savannah: Audio Warehouse • Smyrna: Stereo Village • Tucker: Stereo Village  
**HA:** Honolulu: Stereo Station  
**ID:** Boise: Stereo Shoppe • Moscow: Audio Point • Pocatello: Stereo Brothers • Sandpoint: Electracraft • Twin Falls: Audio Warehouse  
**IL:** Aurora: Stereo Systems • Bloomington: Alan's Creative Stereo • Buffalo Grove: Columbia Audio Video • Carbondale: Southern Stereo • Champaign: Good Vibes Sound Inc. • DeKalb: Audio Plus • Hoffman Estates: Simply Stereo • Highland Park: Columbia Audio Video • Joliet: Stereo Systems • Lansing: Audio Clinic • Mt. Prospect: Simply Stereo • Naperville: Stereo Systems • Northbrook: Alan's Creative Stereo • Peoria: Igar Electronics • Riverdale: Simply Stereo • Rockford: Columbia Audio Video • Schaumburg: Alan's Creative Stereo • Hi-Fi Hunch • Springfield: Sundown One • Sterling: Midwest Hi-Fi • Vernon Hills: Alan's Creative Stereo • Villa Park: Hi-Fi Hunch • Waukegan: Alan's Creative Stereo  
**IN:** Bloomington: Hensler Electronics • Bluffton: Clay TV & Stereo • Ft. Wayne: Classic Stereo • Lafayette: Good Vibes Sound Inc. • Marion: Classic Stereo • Muncie: Classic Stereo • South Bend: Classic Stereo • Terre Haute: Prosal Electronics  
**IA:** Des Moines: Audio Labs • Fairfield: Golden Ear Audio Video • Mason City: Sound World • Sioux City: Audio Emporium  
**KS:** Junction City: Audio Junction • Overland Park: Audio Electronics • Wichita: Audio Visions • Topeka: Nelson's  
**KY:** Bowling Green: Audio Center • Lexington: Stereo Shoppe • Overton: Audio • LA Grains: Stereo Village • Lafayette: Sound Electronics • Metaline: Stereo Village • New Orleans: Stereo Village • Opelousas: Sound Electronics • Shreveport: Audio Fidelity • West Monroe: Audio West  
**ME:** Bangor: Sound Source • Camden: Harbor Audio Video • Westbrook: Hawkes TV • The Sound Center  
**MD:** Annapolis: Spaceways Sound • Baltimore: Soundscape • Frederick: Evergreen Audio • Rockville: Myer Emco  
**MA:** Boston: Waltham Camera & Stereo • Fitchburg: Fritchburg Inc. • N. Dartmouth: Creative Sound Systems • Worcester: O'Cons  
**MI:** Ann Arbor: Absolute Sound • Birmingham: Almas Hi-Fi • Dearborn: Almas Hi-Fi • East Lansing: Stereo Shoppe • Farmington Hills: Almas Hi-Fi • Grand Rapids: Classic Stereo Ltd. • Iron Mountain: Sound North • Kalamazoo: Classic Stereo Ltd. • Lansing: Stereo Shoppe • Farmington Hills: Sound Room • Royal Oak: Absolute Sound • Saginaw: Audio Shoppe • Court St. Listening Room • Traverse City: Stereo Shoppe  
**MN:** Brooklyn Center: Audio King • Burnsville: Audio King • Duluth: Me's TV & Audio • Edina: Audio King • Mankato: Audio King • Minneapolis: Audio King • Minnetonka: Audio King • Rochester: Audio King • Roseville: Audio King • St. Paul: Audio King  
**MS:** Columbus: Audio Advantage • Gulfport: Empress • Jackson: Walters Audio • Pascagoula: Empress • Tupelo: Audio Advantage  
**MO:** Cape Girardeau: Stereo One • Columbia: D & M Sound • Lebanon: Sight & Sound • St. Louis: Sound Central  
**MT:** Bozeman: Thrifty Ear • Great Falls: Beverly Music • Hi-Fi • Helena: Hi-Fi • Missoula: Hi-Fi • Butte: Hi-Fi • Great Falls: Hi-Fi • Helena: Hi-Fi • Missoula: Hi-Fi • Butte: Hi-Fi  
**NC:** Asheville: Mi Toad's Stereo Video • Chapel Hill: Stereo Sound • Charlotte: Stereo Video • Iart's • Gastonia: Iart's • Greensboro: Stereo Sound • Kannapolis: Iart's • Moorehead City: Anderson Audio • New Bern: Anderson Audio • Pineville: Stereo Video • Raleigh: Audio Buys, Stereo Sound • Wilmington: Atlantic Audio • Winston-Salem: Stereo Sound  
**ND:** Bismarck: Pacific Sound • Minot: Midwest Audio  
**NE:** Lincoln: Stereo West • Norfolk: Mid City Stereo • Omaha: Stereo West  
**NH:** Concord: Audio of New England • Laconia: Audio of New England • Lowell: North Star Electronics • Salem: Quonks • South Portland: Stereo Sound • Frank- lin Lakes: Franklin Lakes Stereo • Maple Shade: Bryn Mawr Stereo • Montclair: Perdue Radio • Raritan: AC Audio • Ridgewood: Sounding Board • Shrewsbury: Mountain Stereo • Yoma River: Rand's Camera • West Caldwell: Perdue Radio  
**NM:** Albuquerque: Real Time Audio • Al- bany: D&K Electronics • Carlsbad: Pleasant's  
**NV:** Las Vegas: Upper Ear • Reno: The Audio Authority  
**NY:** Albany: Clark Music • Batavia: Unicorn Audio • Buffalo: Spokes Stereo • Canajoharie: Chemung Electronics • Elmira: Chemung Electronics • Fredonia: Studio One • Glens Falls: Audio Genesis • Huntington: Audio Breakthroughs • Ithaca: Chemung Electronics • Jamestown: Studio One • Manhasset: Audio Breakthroughs • Newburgh: Rand's Electronics • New York City: Audio Breakthroughs • Orangeburg: Work Shop • Rochester: JB Sound • Scarsdale: Listening Room • Syracuse: Clark Music • Vestal: Hart Electronics • Wappingers Falls: Clark Music • West Coxsack: Clark Music • OH: Cleveland: Audio Craft • Cincinnati: Stereo Lab • Columbus: Stereo Lab • Fair- lawn: Audio Craft • Findlay: Audio Craft • Lima: Audio Craft • Mansfield: Audio Craft • Toledo: Audio Craft • Westlake: Audio Craft  
**OK:** Lawton: Hi-Fi Shop • Oklahoma City: Audio Dimensions • Tulsa: Audio Advice  
**OR:** Beaverton: Stereo Superstores • Eugene: Bradford's High Fidelity • Portland: Stereo Superstores  
**PA:** Allentown: Bryn Mawr Stereo • Altoona: Sound Concepts • Blakely: Hart Electronics • Bryn Mawr: Bryn Mawr Stereo • Camp Hill: Bryn Mawr Stereo • Erie: Studio One • Frazier: Bryn Mawr Stereo • Indiana: Sound Concepts • Jenkintown: Bryn Mawr Stereo • John- stown: Igary's Entertainment • Kingston: Hart Electronics • Lancaster: G & T Stereo • Montgomeryville: Bryn Mawr Stereo • Northampton: Audio Junction • Philadelphia: Bryn Mawr Stereo • Pittsburgh: Audio Junction • Quakertown: Bryn Mawr Stereo • Reading: G & T Stereo • Selins- grove: Bryn Mawr Stereo • Williamsport: Robert M. Sides  
**Puerto Rico:** Rio Piedras: Precision Audio  
**RI:** N. Providence: Eastern Audio  
**SC:** Charleston: Audio Warehouse • Colum- bia: Stereo Shop • Greenville: Mitchell's Stereo • Greenwood: Stereo Shop • Rock Hill: Iart's • Spartanburg: Stereo Shop • Union: Hart Electronics • Sioux Falls: Audio King  
**TN:** Chattanooga: College Hi-Fi • Cookeville: Network Entertainment • Knoxville: Hi-Fi • Rockwell Stereo Video • Kingsport: Mi Toad's Stereo Video • Knoxville: Lindsey Ward • McMinnville: Network Entertainment • Memphis: Opus II • Nashville: Hi-Fi Buys  
**TX:** Arlington: Sound Idea • Austin: Audio Video • Beaumont: Brock Audio • College Station: Audio Video • Corpus Christi: Tape Town • El Paso: Soundquest • Ft. Worth: Sound Idea • Galveston: Island Audio • Houston: Sheffield Audio • Hurst: Sound Idea • Longview: Audio Techniques • Lubbock: Ultra Electronics • Odessa: Harold's Elec- tronics • Sherman: Worldwide Stereo • Temple: Audio Tech • Texarkana: Sound Town • Waco: Audio Tech  
**UT:** Logan store only: Stokes Brothers • Salt Lake City: Broadway Music  
**VT:** Burlington: Audio Den  
**VA:** Bristol: Mi Toad's Stereo Video • Char- lotteville: Sound Machine • Falls Church: Myer Emco • Leesburg: Evergreen Audio • Richmond: Igary's Stereo • Roanoke: Au- diotronics • Virginia Beach: Digital Sound  
**WA:** Bellevue: Northwest Audio Video • Bell- ingham: QC Stereo • Lynnwood: Northwest Audio Video • Oak Harbor: QC Stereo Center • Richland: Tin Ear Stereo • Seattle: Delinive Audio • Northwest: Audio Video • Spokane: Electracraft (H&S) • Tukwila: Northwest Audio Video  
**WV:** Barboursville: Pied Piper • Beckley: Pied Piper • Huntington: Pied Piper • Mor- gantown: Sound Post • Piedmont: Sound Gallery  
**WI:** Appleton: Sound World • Eau Claire: EME Audio Systems • Green Bay: Sound World • Lacrosse: Sound World • Madison: Happy Medium • Marinette: Sid Sales • Milwaukee: Audio Emporium • Wausau: Sound World  
**WY:** Cheyenne: Igar Electronics • Riverton: Sound Room

Despite its shortcomings, this Memphis reunion is a flat-out great reminder of what down 'n' dirty rock is all about.



Perkins, Lewis, Orbison, Cash

ic—a shortcoming, in fact, of the entire record.

But the hell with it. *Class of '55*, with whatever shortcomings, is a flat-out great reminder of what down 'n' dirty wonderfulness rock 'n' roll is all about. Aficionados of old-time hollow-body mono may not like the fact that the album was digitally recorded and mixed, but the high tech doesn't detract. How can it, when the four stars here are greater than the sum of their parts? *Frank Lovece*

## True Stories: Talking Heads Sire 25512-1, \$9.98.

Sound: C— Performance: D+

Is there something clever about throwing everything you know out the window? Perhaps it's a function of Talking Heads' resolve to leave behind the Afro-polyrhythms of their middle period and return to basics. Or maybe David Byrne poured so much of his creative juice into the movie, *True Stories*, that he had only a drop or two left for this record, which consists of Talking Heads versions of songs from the film.

Whatever the reason, this is a very unsatisfactory album by one of the best bands of the '80s. Many of the songs are disappointing in the worst way: They inspire no comments whatsoever. Of "Puzzlin' Evidence," however, one can at least say it has a very nice, slow-build introduction and a choir which is used in a manner very reminiscent of Philip Glass.

The first two cuts are paeans to convention, unredeemed by a good melody or an exceptional lyric. The third, "Hey Now," is a slightly Caribbean tune with hints of zydeco, but otherwise it's just like the first two. Things take a brief turn for the better with "Papa Legba," in which careful, imaginative positioning makes the most of the subtle, idiosyncratic percussion by Paulinho da Costa.

After two more write-offs come "Dream Operator," "People Like Us," and "City of Dreams," which, if not brilliant, are at least a respite from the rest of the album's pointless strutting and fretting. Among these three, two have gentle, decent lyrics, and all have pretty melodies.


There's no point in paying close attention to the production of this album, because the group obviously didn't. This is a strictly functional self-production—one that makes little or no use of the creative opportunities of the recording studio. No delightful details await discovery at remote levels of the mix; virtually everything that happens technically happens in a very small range of sonic possibility, just as everything that happens musically happens on just one or two levels of organization. However it happened, the majority of this album's nine tunes sound like first drafts. *Susan Borey*





# GET THE HIGH END. ON THE FLIP SIDE.

INTRODUCING THE FUJITSU TEN DUAL AZIMUTH.



**Dual**  
AZIMUTH

*Auto-Reverse never sounded better. Only a re-calibrated tape head permits perfect sound reproduction in Forward and Reverse. Fujitsu Ten's unique Dual Azimuth System automatically adjusts the tape head, realigning it with the tape. The result: an enhanced Dolby and the full range of frequency response in both directions.*

FROM \$250.....TO \$2000



The Dual Azimuth Adjusting System introduced in Fujitsu Ten's incredible \$2000 Compo is now available in the new "M" Series. Features of the M3 auto-reverse cassette receiver include electronic tuning, pre-set scan, Ultra Tuner (for superior FM reception), Dolby NR, automatic tape program search, high power (56 Watts total output), 4 channels amplified, soft green fully illuminated controls and, of course, the *expensive* Dual Azimuth System. Like all Fujitsu Ten car audio products, the "M" Series offers you high-end performance at a reasonable price: \$250-\$350.



**FUJITSU TEN**  
CAR AUDIO

51 MILLION UNITS...34 YEARS EXPERIENCE

Write: Fujitsu Ten, 19281 Pacific Gateway Drive, Dept. 321, Torrance, California 90502.

© 1986 Fujitsu Ten Corp. of America. In Canada: Noresco Canada Inc., Toronto, Ontario. Manufactured by Fujitsu Ten Ltd.

Enter No. 22 on Reader Service Card

Aided by luminous sidemen, Marti Jones is aiming for the mainstream now, with vocals that stretch from pure pop to hardish rock.

**Match Game:** Marti Jones

**A&M SP-5138, \$8.98.**

Sound: B+

Performance: A-

Marti's first album was a cult classic, an eclectic debut produced (and mostly written) by Don Dixon, a fine guiding hand if ever there was one

(ask R.E.M. or Dumptruck). Her second album is more of a stab at the major marketplace. Losing none of her charm, she tackles songs that seem more likely to land her in the Top Ten, including Elvis Costello's "Just a Memory," Dwight Twilley's "Chance of a Lifetime," and John David's "It's Too



Late." Her vocals stretch from pure pop to hardish rock, aided and abetted by luminous sidemen like Mickey Curry, Ricky Byrd, Marshall Crenshaw, and T-Bone Burnett.

Whether Marti Jones crosses over from local heroine to nationwide starlet with *Match Game* is anybody's guess, but she's got a lot of style and appeal, and she makes very likable records.

*Jon & Sally Tiven*

**Emerson, Lake & Powell**

**Polydor 829 297-1, \$8.98.**


Sound: B

Performance: B+

Confession time: I hated Emerson, Lake & Palmer with a passion. Their overbearing and humorless pomposity left me cold and flat. Quite to my own surprise, the debut of Emerson, Lake & Powell I find sprightly and buoyant by comparison.

One line in the credits leaps out at me as a partial explanation of how EL&P went right. Thanks are given to Lee Abrams, the radio consultant who's lately been helping bands to better tailor their music for radio (and isn't *that* a scary concept?). Among his clientele have been Yes, Asia and GTR. His advice: Make sure you give listeners melodies they will remember and hum later—a simple principle that is not nearly as simple to execute.

Yet EL&P have done it admirably. The first side of their album contains three selections, two of which are fairly lengthy and involved, yet melodic. Together the three flow into a seamless album side that plays so nicely that it's over way too soon. Side two has four shorter songs plus an eight-minute reworking of the "Mars" section of Holst's



# Powerful Analytical Tool

## SIGNET TK44 STEREOPHONES

Plug in TK44 Stereophones by Signet and hear the plain truth about the rest of your stereo system. These truly sophisticated electret stereophones are almost uncanny in their accuracy. Their frequency response, sensitivity, low distortion, and dynamic range challenge some very prestigious speakers.

You can determine whether acoustic feedback from speakers is muddying up your bass, or whether that subtle HF distortion is really your tweeters...or perhaps a subtle preamp symptom. Are standing waves a problem? Compare your speakers with the sound of your TK44 Stereophones and get the answers.

Even if you never hear a problem, you now own a listening standard-of-comparison that is unrivalled at its price...and far beyond. And there's a bonus. Now you can listen at any level, any time of the day or night, without fear of annoying family or neighbors. Without compromising your sonic standards.

Enjoy the unparalleled freedom of TK44 Stereophones. Or simply use them as a diagnostic tool for better sound. Either way Signet TK44 Stereophones can improve your stereo system...and your every listening experience. TK44 Stereophones are displayed with confidence at your nearest Signet showroom.

 **signet**<sup>®</sup>

4701 Hudson Drive, Stow, Ohio 44224

Enter No. 40 on Reader Service Card



....remarkable!



**par.a.digm** (par'adim) *noun*: serving as an example or model of how something should be done.

Every once in a great while a product comes along that offers performance which rises above the current variety of clever designs and marketing hype. When this occurs the new level of performance achieved can be readily heard by both the ardent audiophile and the novice listener. Paradigm is a breakthrough loudspeaker that

provides a level of musical truth that simply must be heard.

Oh yes, the price for such glorious performance? Well . . . that's ever more remarkable.

**Paradigm**<sup>®</sup>  
*music . . . above all.*

In the U.S.: **AudioStream Corporation**, Box 1099, Buffalo, NY 14210  
In Canada: **Paradigm Electronics Inc.**, 4141 Weston Rd #5, Weston, ON M9L 2S8

Enter No. 10 on Reader Service Card

Emerson, Lake & Powell have delivered a buoyant album, with a big sound whose dynamics are vivid and wide-ranging.



no mistake—Cozy Powell has long been a top drummer in England. And most important, he has the right initial.

To say that the sound is big is a mighty understatement. This album requires volume to be heard properly; its dynamics are vivid and wide ranging. Add the fine performance, and EL&P emerges as one of 1986's nicest surprises.

*Michael Tearson*

**Three Hearts in the Happy Ending Machine:** Daryl Hall  
RCA AJL1-7196, \$9.98

Sound: B Performance: B+

The stuff of Daryl Hall's second solo album is infectious, unpretentious, and well crafted. Although it almost never challenges the listener by stretching or exploding the conventions of soul- and rock-derived pop, neither does it insult the listener by pretending it's something it isn't. And with its modest but heartfelt inventiveness, its consistent tunefulness, and Hall's mellifluous, passionate singing, it never fails to entertain.

The production, by Hall, Tom "T-Bone" Wolk, and Eurythmics' Dave Stewart, is characterized by tasteful abundance and savvy emulation. The consistently spacious, asymmetrical positioning of elements fully utilizes all three dimensions—up/down, left/right, and near/far. Echoes bounce back and forth between left and right channels, and hot, prolonged decays give the impression that drumbeats and piano chords are dissolving in the air. Sounds are clear and distinct, with the exception, perhaps, of "Dreamtime," in which a bid to render an overactive imagination degenerates—like an overworked watercolor—into mud.

Sometimes, it sounds as if the producers consciously appropriated the production styles of their hippest peers. "What's Gonna Happen to Us" has much in common with Prince's "Purple Rain": A compressed, echoed, and distanced lead vocal, a relatively spare instrumental setting, an all but identical chord progression, and a very similar melody line. The space,

"The Planets." The hit single "Touch and Go," a catchy piece of powerful pop music, opens the side with dynamics to spare. "Love Blind," the set's romantic piece, is followed by the cool, jazzy "Step Aside." "Lay Down Your Guns" is an intricate construction that begins softly and builds to a crashing martial

conclusion. It leads directly to "Mars," the closest to the old ELP's grandeur/composity of anything here.

Bringing in Cozy Powell to replace Carl Palmer (still occupied with Asia) hasn't made a bit of difference in the EL&P format, especially with Lake and Emerson writing the material. But make



### The Next Logical Step . . .

Meridian, the company which led the way in demonstrating the true sonic possibilities of the CD medium, continues to lead the industry with the introduction of their new model 207 Professional compact disc player.

The 207 is built on two chassis. The transport and all mechanical components are housed in a chassis which offers front loading convenience while carefully isolating both the disc drive and laser mechanism from external vibrations. A separate chassis containing the audio and control electronics is entirely free of the electromagnetic radiation of the transport motors and any microphonics that might be introduced by their operation. These factors contribute to the 207's ability to reproduce the more subtle nuances of a musical event.

The full function remote control capability of the 207 includes a recently designed circuit for controlling the output level. This revolutionary electronic gain control provides the highest audible quality ever available with a remote control, allowing the 207 to be conveniently used to directly drive active loudspeakers or a power amplifier without requiring a preamplifier.

In addition, the 207 provides an auxiliary high level input and a full tape loop, making this product essentially a CD player plus preamplifier. The 207's innovative design can simultaneously improve your sound quality and simplify your home entertainment by performing as the control center for your system.

Select Meridian and take the next logical step.

BOOTHROYD STUART  
**MERIDIAN**

Exclusive U.S. Distributor **MADRIGAL, LTD.**, P.O. Box 781, Middletown, CT 06457 ITT TLX 4942158





Hearing Dr. John anew is like a blast of fresh air, and the 12 tracks from Delbert McClinton are some of his best.



isolated accents, inventive licks, light touch, and understatement of "Only a Vision" bring to mind the perfectionist production of Steely Dan. Sometimes the emulation might better have been avoided: Only the warmth and unpretentiousness of Hall's vocal and the superiority of his melody save the moving "Someone Like You" from sounding like a clone of Foreigner's ponderous, anthemic "I Want to Know What Love Is." Here, as elsewhere on this surprisingly likable album, what emerges is a portrait of a nice guy, trying to grow. *Susan Borey*

**Gumbo:** Dr. John  
**Alligator AL 3901, \$8.98.**

Sound: B Performance: A

**Honky Tonkin' (I Done Me Some):**  
Delbert McClinton  
**Alligator AL 3902, \$8.98**

Sound: C Performance: B

Alligator Records, that fountainhead of blues and reggae, begins its new Rockback series of classic rock 'n' roll reissues with two excellent albums.

Dr. John's *Gumbo*, originally a 1972 Atlantic release, is a primer in the New Orleans rock 'n' roll of the '50s and '60s, arguably rock 'n' roll's richest vein. The playing and performances are infectious, filled with sly joy. The song choices are impeccable. Hearing anew Dr. John's versions of "Iko Iko," "Big Chief," "Junko Partner," and the rest is like a blast of fresh air. It helps a lot that Dr. John's original annotation is included, unedited. The sound is faith-

ful to the original release, and *Gumbo* remains a landmark album.

Delbert McClinton's *Honky Tonkin'* is his own choice of top tracks from the first two albums he cut for ABC Records, his first solo efforts. The 12 selections here are no less than a celebration of steamy honky-tonk music, an

indigenous American form that includes ballads, rockers, and blues. These remain some of his best recorded performances despite a sound that now seems a bit pinched.

Alligator's new series is off to a super start. I can't wait to see what they come up with next. *Michael Tearson*

# STOCKING STUFFERS



414 632-2 LH  
Includes **White Christmas · Silver Bells**  
**Little Drummer Boy · Twelve Days**  
**of Christmas**



414 421-2 LH  
The newest **New World!**



414 391-2 LH3  
Includes **Choral Fantasy**  
Complete on 3 CDs!



417 006-2 LH  
Recorded live in Italy!  
First time on CD!



Also available on  
London's Imported LPs and Cassettes

© London/PolyGram Records, Inc.

# CLASSIFIED ADVERTISING

## CLASSIFIED ADVERTISING RATES

**BUSINESS ADS**—\$1.85 per word, MINIMUM charge PER AD, PER INSERTION \$45. All centered or spaced lines \$16.

**NON BUSINESS ADS**—\$1.30 per word, MINIMUM charge PER AD, PER INSERTION \$30. All centered or spaced lines at \$13.

**ALL LINE ADS**—First line set in bold face type at no extra charge. Additional words set in bold face at \$2.00 extra per word. One point ruled box is \$15.

**CLASSIFIED LINE ADS ARE PAYABLE IN ADVANCE BY CHECK OR MONEY ORDER ONLY.** (Sorry, we cannot accept credit cards or bill for line advertising.) **ALL LINE ORDERS** should be mailed to:

AUDIO/CBS Magazines  
P.O. Box 9125  
Dept. 346V  
Stamford, CT 06925

**ORDERS WILL NOT BE PROCESSED WITHOUT ACCOMPANYING CHECK OR MONEY ORDER FOR FULL AMOUNT.**

**CLOSING DATE**—First of month two months preceding the cover date. If the first of the month falls on a weekend or holiday, the closing date is the last business day preceding the first. **ADS RECEIVED AFTER THE CLOSING DATE WILL BE HELD FOR THE NEXT ISSUE UNLESS OTHERWISE STATED.**

**FREQUENCY DISCOUNTS**—3 times less 5%, 6 times less 15%, 12 times less 20%. These discounts apply to line ads only. Ads submitted for a three-time frequency are unchangeable. Frequency discounts not fulfilled will be short-rated accordingly. Agency discounts do not apply to line advertising.

**BLIND ADS**—Audio box numbers may be used at \$8 extra for handling and postage.

**GENERAL INFORMATION**—Ad copy must be type-written or printed legibly. The publisher in his sole discretion reserves the right to reject any ad copy he deems inappropriate. **ALL ADVERTISERS MUST SUPPLY:** Complete name, Company name, Full street address (P.O. Box numbers are insufficient) and telephone number. Classified LINE ADS are not acknowledged and do not carry Reader Service Card Numbers. **AGENCY DISCOUNTS** do not apply to line advertising. **FREQUENCY DISCOUNTS** not fulfilled will be short rated accordingly. Only those advertisers who have prepaid for their entire contract time will be **RATE PROTECTED** for the duration of that contract, in the event of a rate increase.

### CLASSIFIED DISPLAY RATES

1 col x 1 inch	\$316
1 col x 2 inches	\$498
1 col x 3 inches	\$713
2 cols. x 1 inch	\$567
2 cols. x 2 inches	\$958

One column width is 2 1/8". Two columns wide is 4 1/4". For larger display ad rates and 6, 12, 18 and 24 times frequency rates call (212) 719-6338.

**DISPLAY ADVERTISERS** should make space reservation on or before the closing date. Ad material (film or velox) may follow by the tenth. **DISPLAY ADVERTISERS MUST SUPPLY COMPLETE FILM NEGATIVE READY FOR PRINTING OR VELOX.** PRODUCTION CHARGES WILL BE ASSESSED ON ANY AD REQUIRING ADDITIONAL PREPARATION.

**ALL DISPLAY CORRESPONDENCE** should be sent to:  
Laura J. Lo Vecchio, AUDIO MAGAZINE,  
1515 Broadway, New York, NY 10036

**FOR ADDITIONAL INFORMATION: CLASSIFIED LINE ADS:** Mary Jane Adams—(212) 719-6345. **CLASSIFIED DISPLAY ADS:** Laura J. Lo Vecchio—(212) 719-6338

Discover  
**ESB**  
Loudspeakers  
•Accurate•Musical•Powerful•

**CS1 AUDIO**  
at  
NJ's Authorized Dealer  
of Precision Audio/Video  
193 Bellevue Ave., Upper Montclair, NJ 07043  
201-744-0600

## FOR SALE

**AAA—LOW PRICES—HIGH END EQUIPMENT!!!**  
DENON, VANDERSTEEN, HAFLER, PS AUDIO, CARVER, NAKAMICHI, MOSCODE, ACOUSTAT, YAMAHA, KEF, BELLES, CONRAD-JOHNSEN, APOGEE, ADCOM, B&W, COUNTERPOINT, JSE, NAD, JBL, SOTA, B&O, BOSTON ACOUSTICS, PROTON, MIRAGE, DCM, B&K and any others you desire. AUDIO ELITE, 414-725-4431, Menasha, Wisconsin.

**OUR PRICES CAN'T BE BEAT!!!**

**AMERICA'S LARGEST** dealers in HIGH END USED stereo. We **BUY** and **SELL** by **PHONE**. **STEREO EXCHANGE** 687A Broadway, between 3rd and 4th St. (opposite Tower Records) NYC 10012. (212) 505-1111 and (800) 833-0071.

**AUDIO RESOURCE'S LABORATORY** is equipped with over \$100,000 of Audio Testing Equipment. Five technicians, all specialists in their fields, combine to form what is increasingly considered the **BEST** source of personalized audio expertise. Need **PRECISION TUBE MATCHING**? We **GUARANTEE** the finest. **OPTIMIZED CUSTOM TUNER ALIGNMENTS, REFURBISHING OF RARE AMPLIFIERS**, or stabilizing an ARC's appetite for service. **AUDIO RESOURCE** offers specialized procedures performed by certified technicians, including two PhD's. There are few situations we cannot handle. **FREE CATALOG.** **AUDIO RESOURCE, #1 METAIRIE COURT, METAIRIE, LOUISIANA 70001. 504-833-6942.**

## FOR SALE

**A A TAKES THE HIGH PRICE OUT OF HIGH END CARVER YAMAHA NAD**

2000 Receiver	\$1148	M-85	\$828	2200	\$398
M1.5t	\$698	C-85	\$586	4155	\$335
M1.0t	\$485	C-80	\$668	7175	\$586
DTL 200	\$636	R-9	\$622	PERREAUX	
DTL 50	\$485	R-8	\$679	SM2	\$998
TX 2	\$335	CD2000	\$528	SA2	\$678
			\$668	1150B	\$898

ADS, Boston Acoustics, Denon, Kef, Marantz, NEC, Proton, SAE, Tanberg, Sound Craftsman, plus many more.

Affordable Audiophile is absolutely the lowest!! To receive our catalog our the latest equipment at the lowest prices, send \$1 to cover postage and handling.

Always Free Shipping and US Warranties

Orders Only—(800) 443-0100 EXT. 111—VISA, M/C  
4455 Torrance Blvd., Suite 313 Torrance, CA 90503

## AA#1 RATING !!

Our **WONDER CAPS®** and **WONDER SOLDER™** have been rated **BEST** in the world by reviewers and professional experts. What do they say? Write **TRT, Box 4271, Berkeley, CA 94704.**

## A JANIS BASS SYSTEM

FOR MANY YEARS A  
REFERENCE STANDARD FOR SUBWOOFER PERFORMANCE  
ITS THE CHOICE WHEN ONLY THE BEST WILL DO



ASK FOR OUR COMPLETE LITERATURE THE JANIS BASS SYSTEM

JOHN MAROVSKIS AUDIO SYSTEMS, INC  
2889 Roebling Avenue, Bronx, New York 10461 (212) 892-7419



## FOR SALE

**ABC.** Get **LOW PRICES** on ALL types of audio equipment—including highend and even esoteric products not normally discounted! Now we can save you money on the equipment you **REALLY WANT.** Extensive selection—no need to settle for second choice. Thousands of satisfied customers nationwide. **FAST** delivery available. All products feature USA manufacturer's warranty. Call us for price quotes or friendly, expert advice. Catalog \$1. 616-451-3868. VISA/MC/AMEX. The Audio Advisor, Inc., 225 Oakes SW, Grand Rapids, MI 49503.

**ABSOLUTE LOW PRICES—QUALITY AUDIO!!!**  
We have a **LARGE SELECTION OF AUDIOPHILE EQUIPMENT** From mid-fi to high-end! **FAST SERVICE!** Trades Welcomed! **EXPERT ADVICE!** USA Warranty! VISA/MC. 414-722-6889. AUDIO ENTERPRISES.

**OUTSTANDING PRICES!!!**

**ABSOLUTE POLARITY INVERTER.** Reverses the phase of your system. Improves imaging on high quality speakers. \$99. Details available. Phaseinverters: 16724 Stuebner Airline, Spring, TX 77379. 713-251-2924; 11-6:30 central.

**CARVER, NAKAMICHI, BANG & OLUFSEN, A.D.S., CROWN, REVOX, TANDBERG, HAFLER, ADCOM, MISSION, N.A.D., HARMAN/KARDON, KYOCERA, YAMAHA, LUXMAN, DENON, KLIPSCH, B & W, KEF, D.C.M., E-V, J.B.L., INFINITY, D.B.X., AKG, AND OTHER QUALITY COMPONENTS. BEST PRICES—PROFESSIONAL CONSULTATION. ALL PRODUCTS COVERED BY MANUFACTURERS' U.S.A. WARRANTY. AMERISOUND SALES, INC., JACKSONVILLE, FLORIDA 32241. EAST: (904) 262-4000 WEST: (818) 243-1168.**

**ACCESSORIES FOR AUDIOPHILE TURNTABLES AND CD PLAYERS.** We guarantee the following products to improve your turntable/CD player's performance or we will refund the purchase price.

- 1). Audioquest Reflex Clamp ..... \$35
  - 2). Audioquest Profile Auto Armlift ..... \$35
  - 3). Audioquest Sorbothene Mat ..... \$35
  - 4). Audioquest Isofoot ..... \$10
  - 5). Audioquest CD Damper ..... \$15
  - 6). Sumiko HS-12 Headshell ..... \$30
- For AR turntables:
- 7). Predrilled Aluminum Armboards  
MMT, Linn, or AR arms ..... \$30
  - 8). Hum-shielding for AR Platters ..... \$39
- The Audio Advisor, Inc., 225 Oakes SW, Grand Rapids, MI 49503. (616) 451-3868. Shipping \$3/item.

### ACOUSTAT AND PS AUDIO—SUPERB!

Free shipping! Fast service! Also Sota, Thorens, Talisman, Audire, Hafler, Klipsch, Adcom, Quad, Sony, Compact Digital Players. READ BROTHERS STEREO, 593 King Street, Charleston, South Carolina 29403. (803) 723-7276.

**ALTEC—8 WALNUT MODEL 19'S NEW IN CARTONS** \$6000 + SHIPPING. REED G. HINTON, 3001 N. 51ST. ST., KANSAS CITY, KANSAS 66104.



## A SINGER'S DREAM!

### REMOVES VOCALS FROM RECORDS!

Now You can sing with the world's best bands! The **Thompson Vocal Eliminator** can remove most or virtually all of a lead vocal from a standard stereo record and leave most of the background untouched! Record with your voice or perform live with the backgrounds. Used in Professional Performance yet connects easily to a home component stereo system. Not an equalizer! We can prove it works over the phone. Write or call for a Free Brochure and Demo Record.

**LT Sound, Dept. AU, P.O. Box 338,**  
Stone Mountain, GA 30086 (404) 493-1258  
**24 HOUR PHONE DEMO LINE: (404) 493-6879**

## BENNETT SOUND CORPORATION



**SW 100 Amplified Subwoofers**  
**Below 20 HZ — Below \$700.**

P.O. BOX 565  
RESEDA, CA 91335  
(818) 345-1608



## KINERGETICS KCD-20

**“... the first CD player to crack the Class 1 sound barrier”**

**“International Audio Review”**  
J. Peter Moncrieff

## AUDIO GALLERY

America's largest selection of Turntables, Tonearms, Cartridges & Accessories. Also, state of the art CD Players, PCM Units, Amps & more. 40 pg. current price sheets \$3. Write or call:

**Audio Gallery • 2718 Wilshire Blvd., Santa Monica, CA 90403**  
**Tuesday — Saturday (213) 829-3429**

## FOR SALE

### ADCOM GFA-555/MUSICAL CONCEPTS

Several circuit changes later, your Adcom GFA-555 will sound like the musical sweetheart you wanted it to be! M-555FX \$129/installed. Musical Concepts, #1 Patterson Plaza, Florissant, MO 63031, 314-831-1822, 1-5PM CST.

### ALABAMA-WEST GEORGIA

Audioquest, Belles, Creek, Dynavector, Futterman, Garrott, Grado, KEF, Klipsch, McLaren, Meridian, MIT Cables, Monster Cable, MOSCODE, NAD, Oracle, Premier, Promethean Green, Quad, Rauna, Signet, Spectrum, Soundstream, Souther, Thorens, Transparent Audio, Tube Traps, VPI, Zapco and more. **ACCURATE AUDIO** 110 E. Samford Ave, Auburn, AL 36830. 205-826-1960.

## FOR SALE

**AMBER 70 \$289, COUNTERPOINT SA7 \$249,** Naim preamp \$179, Rotel 870 \$279, NAD amp \$119, JSE One \$699, Spectrum 208 \$269, Magnaplanar MG2B \$749, Conrad Johnson PV-6 \$499, Audio Research SP6C \$599, LINN & arm \$549, Audio Interface transformer \$159, Vandersteen 2C \$699, PS CD1a, 200C, Acoustat, Adcom 555, Superphon, B&K, Audible Illusions. (714) 861-4830 Evenings.

**AUDIO RESOURCE** is an **AUTHORIZED MCINTOSH DEALER** and **SERVICE AGENT** offering ALL of the latest **McINTOSH ELECTRONICS**, **FREE SHIPPING**, and **FULL FACTORY WARRANTIES**. Buy only from an **AUTHORIZED MCINTOSH DEALER**. Call for prices. **AUDIO RESOURCE, #1 METAIRIE COURT, METAIRIE, LOUISIANA 70001. 504-833-6942.**

# POWER PLAY.

**Introducing the New Monster "M-Series"**  
**Sonic Reference Standard Audio Cables**

### Thrilling! Dynamic! Exciting!

Like a new component, our M1 Speaker Cable and M1000 audio interconnect cables lets you hear all of your favorite recordings as a new sonic experience.

### Time compensated cable windings with a totally new development. "MicroFiber".

The heart of the M-Series is our new MicroFiber insulation combined with our sophisticated new cable constructions. We've found that second only to cable windings, dielectric insulating material is the most influential factor in how an audio cable sounds. By precision wrapping MicroFiber around selected conductors, we've enabled the audio signal to travel faster, cleaner, with less signal loss, and more uniformly through the cable than with other materials.

### The M-Series gives you 5 significant advances in cable technology.

*Soundstage.* Ultra precise. Ultra wide.



*Quiet.* Less "intertransient noise" so quiet passages are even more quiet.  
*Fast.* Transients are audibly quicker, razor sharp and incredibly clear.  
*Deep Bass.* Bass you can feel. Earth shaking if your system goes down low.  
*Dynamics.* More powerful. More precise. More like real music.

### Available for immediate audition at your Monster M-Series dealer:

The Monster M1. Our most advanced speaker cable design that will put you back into your listening chair.

The Interlink M1000. Featuring our renowned "Bandwidth Balanced" technology along with our latest cable construction using MicroFiber for a new level of audio interconnect cable performance.

Together, they are the world's most exciting cables to listen to and are sure to make a sonically rewarding addition to your sound system.

*MicroFiber dielectric precision wrapped around each conductor group.*

# Monster Cable®

Monster Cable Products, Inc.  
101 Townsend, San Francisco, CA 94107  
Tel: 415 777-1355 Telex: 470584 MCSYUI



# POLYCAPS from MADISOUND

Looking to improve your audio system? Crossovers, preamps, and CD players can benefit from polypropylene capacitors in the signal path and for power supply decoupling. We are pleased to announce that we know have in stock CHATEAUROUX METALLIZED POLYPROPYLENE CAPACITORS of exceptional quality and excellent price. This type of dielectric has been characterized by Walter Jung and Richard Marsh as "outstanding" when compared with all other dielectrics in the areas of:

1. Dissipation Factor Percentage
2. Dielectric Absorption Percentage
3. Stability

## TECHNICAL SPECIFICATIONS

- Dissipation factor @ 20°C: less than .01%
- Dielectric absorption factor @ 20°C: less than .01%
- Insulation resistance @ 20°C: More than 100kMΩ/μFD
- Dielectric: Polypropylene Film
- Working Voltage: 250V DC or higher
- Test Voltage: 2.15 times related voltage
- Encapsulation: Plastic, Epoxy Closing
- Leads: Tinned pure copper multistrand insulated sleeves, radial 4 inches
- Capacitance tolerance: ±10% (grading to 1% available)

Dimensions in inches:

2μFD	.83D	1.9L	25μFD	1.6D	2.6L
4μFD	.98D	1.9L	35μFD	1.38D	2.6L
8μFD	.98D	2.6L	50μFD	1.38D	3.4L
12μFD	1.3D	2.6L	70μFD	1.62D	3.4L
15μFD	1.4D	2.6L	80μFD	1.75D	3.4L

## AUDIOPHILE NET PRICES:

1.0μFD	\$1.85 each	12.0μFD	\$ 4.30 each
2.0	2.05	15.0	5.30
3.0	2.15	20.0	6.80
3.3	2.50	25.0	7.55
4.0	2.50	30.0	8.90
4.7	2.75	35.0	10.00
5.0	2.75	40.0	11.10
5.6	3.05	45.0	12.20
6.0	3.05	50.0	13.25
7.0	3.25	60.0	15.45
8.0	3.50	70.0	17.60
10.0	4.20	80.0	19.75

Matched pairs or grading to 1% tolerance: add 10%. Ten pieces or more of the same value: deduct 10%. Order Information: All capacitor orders will be shipped promptly, if possible by UPS. COD requires a 25% prepayment, and personal checks must clear before shipment. Adding 10% for shipping facilitates shipping procedure; residents of Hawaii, and those who require Blue Label air service, please add 20%. There is no fee for packaging or handling. We will accept MasterCard or VISA on mail or phone orders.

Try our free

**AUDIO PROJECTS COMPUTER BBS:**  
300, 1200, 2400 Baud / 24 hours (608) 767-2585

**MADISOUND SPEAKER COMPONENTS**  
8608 UNIVERSITY GREEN  
BOX 4283

MADISON, WISCONSIN 53711  
PHONE (608) 831-3433



## BUILDING ON SUCCESS

Developed from the legendary MS20, the new **MORDAUNT-SHORT MS25Ti** is an advanced high efficiency two-way system, with 8" bass unit, Titanium tweeter, and overload protection.

At \$250 the pair, the **MORDAUNT-SHORT MS25Ti** is available in Black Ash or Walnut laminate.

## Mordaunt-Short

RCS Audio International, Inc.  
1055 Thomas Jefferson St. N.W.  
Washington, DC 20007

(202) 342-0400

U.S. distributors for British Fidelity, Mordaunt-Short, Spondor, and Logic.

## FOR SALE

### ANNOUNCING THE MUSICAL CONCEPTS MC-2 TEFLON

A TEFLON™ circuit board??? Yes!!! The new MC-2 is an improved version of our highly acclaimed MC-1, rated "best solid state preamp" by Audiogram. The MC-2 Teflon™ offers astounding inner detailing and delicacy. "Seeing into" the soundstage has never been like this! Mil quality glass/epoxy version of MC-2 also available. MC-2 will retrofit into Hafler DH-101, Dyna PAT-4/5 and scratch built units. Recent retrofits by our customers have included the PS-IVH and Audible Illusions Modulus. MC-2T (Teflon™) \$400/kit, MC-2 \$269/kit. Musical Concepts, #1 Patterson Plaza, Florissant, MO 63031, 314-831-1822, 1-5PM CST.

**AUDIO CLASSICS OFFERS THE BEST** trades towards: Goldmund, Conrad-Johnson, NYAL Moscode, Futterman OTL, Quicksilver, Koetsu, Merrill, Kindel, Merlin, Nitty Gritty, Stax, Grado, Promethean, Melos, Berning, Fried, Pink Triangle, Classe, GSI, Kinergetics, Souther, JSE, Distech, Definitive, MIT, Straightwire, Superphon, Lazarus, Kimber Kable, Magnum, Audioquest, B&K, Mod Squad, MFA, Focus, C.A.T., Polyphasors, Revolver, Jordan, Buel, Sumiko, Plasmatronics, Sound Labs, SME, Well Tempered, FMS, Talisman, and more. **AUDIO CLASSICS INC.** Call: (405) 842-3033.

## FOR SALE

**ARISTON SUPER SALE—SAVE UP TO 62%.** These renowned British belt drive turntables are now available at below-cost clearance prices: RD40 OPUS ARM—\$155; RD40 ARMLESS—\$130; RD40 MKII, DC MOTOR OPUS ARM—\$185; Ariston High Output MC Cartridge—\$35. **SALE ONLY WHILE QUANTITIES LAST.** Call **ARISTON SUPER SALE**, 416-531-8334 OR WRITE: PO. BOX 653, BUFFALO, NY 14240.

**AR, PROAC, SOTA, PERREAUX, CJ, BEYER, STAX, CARVER, CONCORD, DENON, ENERGY, HK, KEF, NAD, NAKAMICHI HOME & AUTO, NITTY GRITTY, NILES, ORTOFON, PARSEC, POLK, PROTON, SOUND-CRAFTSMEN, SUMIKO, GRACE, THORENS, VPI, CWD, AND MORE.** PROFESSIONAL CONSULTATION AND INSTALLATION. THE LISTENING ROOM, 1305 COURT ST. SAGINAW, MICHIGAN 48602. (517) 792-3816.

### ATTENTION AUDIOPHILES!!!

**AAA CALL US** for quality audio **LOWEST PRICES** yes even on **ESOTERIC AUDIO** with **FAST SERVICE** AND **EXPERT ADVICE** Call 414-722-6889. **VISA MC.** Large selection. **AUDIO ENTERPRISES.**

**THOUSANDS OF SATISFIED CUSTOMERS!!**

**BEST PRICES—FACTORY SEALED COPIES. GALE • MOBILE FIDELITY • NAUTILUS • SHEFFIELD LABS •** many more ... misc. single copies & sets. **COMPLETE SET OF MFSL CATALOG •** all **UHQR's.** 303-443-4443.

How you can afford tubes...  
without going down one.

Affordable excellence from GSI Musical Electronics. Start with the 5tp High Gain Vacuum Tube Preamp at less than \$1200. Complement with the AT 250-watt Tube/Hexlet Power Amp for tube sound with solid-state power and reliability. Experience the GSI system as well as these other top performers:  
ASC (Tube trap) • Athena (Polyphasors)  
Audible Illusions • Classe • Lazarus • Melos  
Euphonic Technology (CD player) • Eminent Technology  
Roy Grant • Klyne • Quad • Quicksilver  
MIT (MH-750 Shotgun) • Oracle • Syrnix • Target  
Straight Wire • Superphon • Sumiko • Well Tempered  
Van Den Hul • Vandersteen • VPI • Well Tempered.

Phone the number shown for your private appointment.

HOURS: By Appointment. Also available for Sunday appointments.  
920 Sherman Ave., Thornwood, NY 10594  
Day Phone: 203-869-0745  
Eve: 914-747-3375

**Definitive HiFi**

## DISC CLEANING PERFECTED!

Nitty Gritty Record Care Products manufactures unique cleaning systems that are 100% effective in eliminating dust, grease and static electricity from records and compact discs. Records and cd's that have been cleaned by a Nitty Gritty sound more like live music. They have extended high frequency response, improved imaging, more acoustical space, and less noise. Everyone can hear the obvious improvement that a Nitty Gritty cleaning makes.

## NITTY GRITTY

RECORD CARE PRODUCTS, INC.

4650 Arrow Hwy #F4 Montclair CA 91763  
17141 625-5525



## FOR SALE

### AMAZING? ISN'T IT

The amount of nonsense that gets thrown around in the audio world. If you are sick of being treated like a 5-year-old child by shoe salesmen masquerading as audio experts, you owe it to yourself to give us a call. Our opinions are based on a solid foundation of experience with the components we sell as well as those sold by our competitors. Most importantly we don't simply sell the finest audio equipment available, we arrange it in complementary systems designed to extract the greatest benefit from your audio dollars chosen from among the following lines we represent:

ACOUSTAT • ADCOM • AKROYD • APOGEE • AUDIO-QUEST • AUDIO NOTE • AUDIO RESEARCH • BERNING • CWD • DYNAVECTOR • GRACE • GRADO • HEYBROOK • HI-PHONIC • KISEIKI • KOETSU • KRELL • KYOCERA • LINN SONDEK • LIVEWIRE • MONSTER CABLE • NITTY GRITTY • NYAL (MOSCODE) • ONIX • ORACLE • PROAC • PROTON • PS AUDIO • RANDALL RESEARCH • RAUNA • REGA • REVOX • ROBERTSON

• SILTECH • SME V • SNELL ACOUSTICS • STAX • SYMDEX • SYRINX • TALISMAN • TARGET • VANDERSTEEN

### SOUND BY SINGER

165 E. 33RD STREET  
New York, NY 10016  
(212) 683-0925  
WE SHIP ANYWHERE

### ATTENTION! FREE UPS SHIPPING!

Carver, Nakamichi, Conrad/Johnson, Apogee, Superphon, Harman/Kardon, SONY, AR Sapphire ES-1 turntable, Hafler, Onkyo, Magnal, P.S. Audio, NEC Video. Trade-ins welcome! DEMO SPECIALS—Nakamichi ST-7 tuner \$499, Nakamichi PA-7 \$1199, Nakamichi PA-5 \$699, Apogee Duetta \$1995. Expert consultation available—ask for Cliff or Ward. THRESHOLD AUDIO, 409 South 22nd St., Newark-Heath, Ohio 43056. 614-522-3520.

**AUDIO ABODE IS THE HIGH-END** alternative for Dallas, Texas. We feature products by Argent, Ariston, B&K, BEL, British Fidelity, Chesky Records, Chicago Speaker Stand, Clearaudio, Dayton Wright, Eminent Technology, Melos, Morrison, Souther, Straight Wire, Sumiko, VPI and others. (214) 369-2092, evenings and weekends.

**AUDIO BEST: LA, ORANGE, SAN BERNARDINO** area, California: Acoustat, Conrad Johnson, PS Audio, Adcom, Audible Illusion, Superphon, B&K, Moscodes, VPI, Well-Tempered-Lab, Sonagraph, Systemdeck, MMT, Grado, Alphason, MIT, Monster, Audioquest, Randall, Straightwire, Spica, Spectrum, Rauna, Soundlab & more. (714) 861-5413, appointment.

**BEAT THE PRICE FIXERS WITH** low discount prices and full U.S.A. manufacturers warranties on: Nakamichi, Revox, Carver, Bang & Olufsen, ADS, Kyocera, HK, Crown, Hafler, B&W, NAD, Tandberg, Polk. Island Audio, Inc., 1122 Riverside Drive, Holly Hill, FL 32017. (904) 253-3456.

Acoustat AR Boston Acoustics B&W Carver Camber Castle Celestion CWD Dual Fried Hafler Koetsu Magnum Onkyo	 <b>Sound &amp; Music</b> 351 Pleasant St., Northampton, MA 01060 (413) 584-9547	Ortofon PS Audio Revox Rotel Shure Signet Snell Sony S.O.T.A. Soundstream Spica Stax Sum ko Thorens
--	--	--

## FOR SALE

**AUDIO BY A.J. CONTI OFFERS** the following equipment for audition: Marin Logan, Counterpoint, Classe, Basis, Electron Kinetics, Eminent Technology, Entec, Kindel, MIT, Magnum, Monster, Quicksilver, Shinon, Sonex, Spica, SOTA, Syrinx, Merrill, VPI, Audioquest. Shown by appointment only; your choice of equipment in a single speaker demonstration. Audio by A.J. Conti, Hudson, NH. (603) 883-4504.

**AUDIO COMPONENTS BY:** Adcom—Berning—Classé—Audio—Clearaudio—Counterpoint—Decca—Distech—Dynavector—Electron Kinetics—Entec—Grado—JSE—Kindel—Koetsu—Kimber—MIT—Moore—Franklin—Premier—Rega—Shinon—Souther—Spica—Straightwire—Stax—Superphon—VPI—Well Tempered Lab.

**DEMONSTRATORS & USED WITH WARRANTY;** Beveridge 2SW-2 \$5000, Berning TF-10HA \$1365, Berning EA-2100 \$1885, Counterpoint SA-2 \$565; Electrocompaniet Preampwire I & Limited Edition \$2375, Esoteric Audio 509/pr \$1220, NAD-1130 \$125, NEC CD-803E \$500, Precision Fidelity M7a \$590, Sideral Acoustic IV \$800, Stax ESL-F83 \$3600, Triad System 70 \$250.

**NEW WITH WARRANTY;** Accuphase AC-2 \$255, Audio Interface CST-8C \$175, Koetsu EMC-1B & SA-1100BII \$820, Profile II \$110, Stax CPY/ECP-1 \$375, Stax UA-7CF \$150.

**GREENFIELD EQUIPMENT,** 7805 Greenfield Street, River Forest, IL 60305. 312-771-4660. MC/VISA. Auditions by appointment—Shipping & Export Facilities.

### AUDIO ELITE IN WISCONSIN!!!

DENON, VANDERSTEEN, HAFLER, PS AUDIO, CARVER, NAKAMICHI, MOSCODE, ACOUSTAT, YAMAHA, KEF, BELLES, CONRAD-JOHNSON, APOGEE, ADCOM, B&W, COUNTERPOINT, JSE, NAD, JBL, SOTA, B&O, BOSTON ACOUSTICS, PROTON, MIRAGE, DCM, B&K, and any others you desire. AUDIO ELITE, 414-725-4431, Menasha, Wisconsin.

CALL US WE CARE!!!

### LINN LP12 MODIFICATION & NEW LINN PRODUCT

Zener diode Valhalla modification. Tremendous improvement at low cost, \$8. Visit our SINGLE SPEAKER DEMONSTRATION ROOM and hear these remarkable new Linn products: NEW Axis turntable \$425, Index Speaker \$350/pr., K-9 mm cartridge \$175, Preamp, Poweramp. Visa and MasterCard. WORLDWIDE EXPORTING. Free delivery to ALL zip codes. OXFORD AUDIO CONSULTANTS, INC., Box 145, Oxford, OH 45056-0145, 513-523-3333, TLX427791.

## KINERGETICS KCD-20

“... the first CD player to crack the Class 1 sound barrier”

“International Audio Review”  
J. Peter Moncrieff



# regal

**REGA products reflect a splendidly simple British design philosophy: use only what is necessary & make it of the highest quality. The result is a handsome source of beautiful music, at a proper price.**

**REGA dealers will encourage you to listen to your favorite recordings and judge for yourself. For information:**

**import audio**

**3149 shenandoah, st. louis, mo. 63104 • 314-773-1211**

## The Best Deserves the Best



**SME Series V**  
“The Best Tonearm in the World.”

### Talisman Virtuoso DTi

... “The best high output MC on the market and one of the best cartridges available regardless of type or price.”

—Stereophile Magazine Vol. 9, #4

P.O. Box 5046, Berkeley, CA 94705  
415-843-4500

It should come as no surprise that these two thoroughbreds work so well together. When we saw **SME's** remarkable achievement of rigidity, non-resonance and neutrality, we set about creating a phono cartridge designed to the same parameters.

Separately, each is recognized as the state-of-the-art in its genre. And, of course, the **SME V** will bring out the best in whichever phono cartridge you decide to use, just as the **Virtuoso** will perform superbly in other tonearms.

Together they are the single most faithful instrument for reproducing recorded music. Once you've listened to this combination, we think you'll agree. Call us at (415) 843-4500 and we'll rush literature to you and give the name of an audio specialist who can demonstrate **our best playing your best.**

## FOR SALE

### AUDIO CONNECTION in Northern New Jersey

**TURNABLES:** Basis, Goldmund, Heybrook, Merrill, The Well Tempered Lab  
**TOEARMS:** Eminent Tech., Goldmund, Well Tempered  
**CARTRIDGES:** Decca, Garratt P-77, Grado, vdHul MC10  
**ELECTRONICS:** (solid state) Belles, British Fidelity, FM Acoustics, Jordan, Leach, Magnum Dynalab (tube) Audible Illusions, Melos, MFA Systems, Music Reference (RAM), Quicksilver  
**CD PLAYERS:** Melos Audio, Harman Kardon  
**SPEAKERS:** Kindel, Princeton Acoustics, Heybrook, Rauna, Spondor, Vandersteen  
**ACCESSORIES:** AudioQuest, Chicago Sp. Stand Goldmund, Livewire, Kimber Kable, MIT, Peterson, Sims Vibration, Sonex, Tiptoes, ToruFluid, ASC Tube Traps, Tweek

1-201-239-1799

615 Bloomfield Ave., Verona NJ 07044

AUDIO CONNECTION also has for sale: occasional close-outs, used equipment. **HOURS:** Mon, Tues, Fri 12-7, Thurs 12-9, Sat 11-6. Closed: Sun, Weds. **PLEASE, CALL FOR AN APPOINTMENT!**

**COTTER:** He never made the "3" series but as his exclusive exporter for 7+ years, I just bought out his "2" series and now offer factory-new, in original packing: CM-2 \$1000, PW-2 \$350, CM-2/PW-2 \$1275, PSC-2 \$300, NFB-2 \$90, CM/PW/PSC/NFB combo \$1475. SORRY—no MK-2's left. Also have one Desktop Loudspeaker System DLS-1 at \$250, also new. We take American Express. M. BERNIS INDUSTRIES, INC., 145 W45th Street, NYC 10036. (212) 869-4580.

### CD-1 BY MUSICAL CONCEPTS

The Musical Concepts dual 16 bit, quadruple oversampling CD player is here! Utilizing the best of European CD technology and our proven modification techniques, Musical Concepts presents a truly musical CD player. The question is simple! Can a CD player convey the emotion of music and generate an emotional response, besides frustration, in the listener? The answer, YES! The Musical Concepts CD-1, a head turning experience for sophisticated listeners! CD-1 \$495. Dealer inquiries invited. Musical Concepts, #1 Patterson Plaza, Florissant, MO 63031, 314-831-1822, 1-5PM CST.

**AUDIO RESEARCH M300 AMPLIFIERS**, one pair new in factory sealed boxes. best offer. (216) 658-4092 evenings.

The **audioquest aq MC-4** is a high-output moving coil cartridge that shames most cartridges at twice its price. The AQ MC-4 has extremely flat frequency response, is neutral and smooth, yet has speed and punch to send the magnetic cartridge die-hards reeling. At only \$195, this is where your music has been hiding.

629 Camino de los Mares #306, San Clemente, CA 92672 (714)240-0604

## FOR SALE

**BEST TRADES OFFERED.** Acoustat, Adcom, Allison, Alpha, Alphason, Apt, AR, Audioquest, B&K, BEL, Berning, British Fidelity, Celestion, Classé, Creek, Distech, Duntech, Dual, Fried, Futterman, Goetz, Grace, Grado, GSI, Gyrodec, Hafler, Heybrook, JSE, Kiseki, Koetsu, Lazarus, Logic, M&K, McLaren, MCM, Melos, Micro Seiki, Mordaunt-Short, Meridian, Merlin, Monster Cable, Nitty Gritty, PS Audio, OHM, Quicksilver, Premier, Rauna, Revox, Robertson, Rogers, Rotel, SAEC, SME, Snell, SOTA, Spondor, Spica, STAX, Straightwire, Superphon, Souther, Symdex, Talisman, Tannoy, VPI, VSP, Rowland Research, and more. Free newsletter. **AUDIO DOCTOR**, 1518 W. Commercial, Box 380, Buffalo, MO 65622. (417) 345-7245. Hours: M-Fri 9-6.

**B&K AMPLIFIERS, PREAMPLIFIERS:** High performance electronics you can afford. **AUDIO NEXUS**, NJ (201) 464-8238.

**CHICAGO SPEAKER STANDS, MONSTER CABLE,** LAST Cleaners at affordable prices. **FREE** catalog: Class-A-Underground, 35 North Greenbush Road, West Nyack, NY 10994. Visa—Mastercards, Friendly—Quick service.

## FOR SALE

**CALL TOLL FREE! 1-800-826-0520 FOR:** NAD, PROTON, H.K., HAFLER, B&W, TANDBERG, AUDIOCONTROL, DAHLQUIST, dbx, NITTY-GRITTY, 3D, CWD, REVOLVER, STAX, M&K, BELLES, MOSCODE, FRIED, AUDIOQUEST, THORENS, MONSTER, SNELL, ORACLE PRO-AC, GRACE, GRADO, DCM, TALISMAN, TIPTOES. **FREE CATALOG. SOUND SELLER**, 1706 MAIN ST., MARINETTE, WI 54143. (715) 735-9002.

**CASH** for all types of **USED STEREO EQUIPMENT.** We **BUY** by **PHONE. STEREO TRADING OUTLET**, 320 Old York Rd., Jenkintown, Pa 19046. 215-886-1650.

**CONRAD JOHNSON PREMIER 1 AMP**, \$2595, VPI turntable \$425, VSP Labs Trans Mos 150 amp \$425, Audible Illusions Modulus 1 preamp \$295, Krell KMA-100 amps \$3395 pr., Audio Interface CST-80/III Step-up transformer \$225, Audioquest Shadow tonearm \$195, Entec SW-1 subwoofer \$1595, Nikko Alpha 450 amp \$545, Grace 747 tonearm w/VTA adaptor \$198. All used equipment in excellent condition at Audio by A.J. Conti, Hudson, NH. (603) 883-4504.

# WATTS NEW?

- |                |   |
|----------------|---|
| <b>CARVER</b>  | <ul style="list-style-type: none"> <li>• M1.OT "TUBELIKE" AMP</li> <li>• MXR-150 RECEIVER</li> <li>• DTL-50 &amp; 200 CD PLAYERS</li> </ul> |
| <b>DENON</b>   | <ul style="list-style-type: none"> <li>• DCD-1300, 700, &amp; 500 CD PLAYERS</li> <li>• VR-35, 55, 75, &amp; 95 RECEIVERS</li> </ul>        |
| <b>NAD</b>     | <ul style="list-style-type: none"> <li>• 7250 &amp; 7175 PE RECEIVERS</li> </ul>  |
| <b>B&amp;O</b> | <ul style="list-style-type: none"> <li>• BEOSYSTEM 5500 MULTIROOM SYSTEM</li> </ul>   |
| <b>ADS</b>     | <ul style="list-style-type: none"> <li>• CD-4 ATELIER CD PLAYER</li> </ul>  |
| <b>DBX</b>     | <ul style="list-style-type: none"> <li>• SOUNDFIELD 100 &amp; 1000 SPEAKERS</li> </ul>  |
| <b>DCM</b>     | <ul style="list-style-type: none"> <li>• TIMEFRAME 700 PANAL SPEAKERS</li> </ul>  |

**OPEN SUNDAYS 1-5 PM  
PLEASE NO MAIL ORDERS**

**AUTHORIZED DEALERS FOR:** ADS • ALLISON • ALPINE • NAD • ENERGY • HAFLER • JENSEN VIDEO • KLOSS • LUXMAN • NEC • BANG & OLUFSEN • CARVER • DBX SOUNDFIELD • M&K • DCM • DENON • PROTON • 3D ACOUSTICS • UNGO BOX

Call for store hours (718) 961-9888.

173 Broadway, New York City, NY 10007  
(NW corner of Broadway and Cortlandt  
One night up Entrance on Cortlandt St.)



OR IN QUEENS

184-10 Horace Harding Expwy, Fresh Meadows, NY 11365  
Exit 25 L.I.E. Utopia Pkwy (Three blocks from Bloomingdales)



**audio-technica** *Grace*

**DIAMONDS ARE NOT FOREVER!**

When was the last time you changed your stylus? If you can't remember, then it may already be too late!!

We specialize in phono cartridges, factory original replacement styli & record care items only!!

**(800) 221-0906**

CALL TOLL-FREE FOR FREE PRICE QUOTES AND VISA/MC ORDERS N.Y. STATE (516) 599-1112

SEND SELF ADDRESSED STAMPED ENVELOPE FOR OUR FREE CATALOG.

**LYLE CARTRIDGES**  
Dept. A, Box 158  
Valley Stream, N.Y. 11582

Phones Open Mon-Sat 9 am-8 pm

**ortofon SHURE STANTON**



## FOR SALE

**CROSSOVER AUDIO:** Here you'll be treated with respect and genuine concern for your best interests. Featuring: Counterpoint, SOTA, PS AUDIO, Well Tempered Lab, Eminent Technology, SME, Rauna, Spica, Meridian, Sonographe, Van Den Hul, MIT, Pearson Audio, Premier, B&K, Talisman, Monster Cable, Sumiko products, Magnavox CD, Lazarus and more. Free Shipping within New England. **CROSSOVER AUDIO**, 10 Tate's Brook Rd., Somersworth, NH 03878. Call (603) 692-5452.

### DIGITAL SUBWOOFER?!

Digital technology has become a major force in the audio world, with its ability for high dynamics, accuracy, low noise and outstanding clarity.

After two years of research and development, **ACOUSTIC ELECTRONICS CORPORATION**, is pleased to announce the integration of digital technology into its new **AQ-200D DIGITAL SUBWOOFER SYSTEM. THAT'S RIGHT!!** A digital subwoofer with a (200K) sampling rate. This marks an unprecedented first in the audio industry!

No other subwoofer is capable of the accuracy that the **AQ-200D** delivers! This is possible, in part, by the fact that all bass information is relayed entirely through our new innovative fiber optic system! (NO WIRES!!) Many other new and exciting ideas are utilized in this latest design from **ACOUSTIC ELECTRONICS CORPORATION**.

Whether you own dynamics, ribbons, or electrostatic loudspeakers, this is the only subwoofer to use. Choose either the **AQ-200D DIGITAL SUBWOOFER**; the **AIR 3.3 MONO BLOCK AMPS**, or the renowned **AIR 2.2 STEREO AMP** from **ACOUSTIC ELECTRONICS CORPORATION** and you will be assured of the finest sound reproduction quality at any price!

For further info and dealer listing write:  
**ACOUSTIC ELECTRONICS CORPORATION**  
BOX 13  
HIGHLANDS, NJ 07732

**DISCO/STAGE LIGHTING AND EFFECTS**, pro sound equipment, new and used—Wholesale. Write: Free Catalog, P.O. Box 20395, Bowling Green, KY 42101.

**DENNESEN STRAIGHT LINE** tracking air bearing tone arm, complete with pump. Cost \$1200. New, in box: \$550. (415) 254-4290.

## Going Portable!

Go with...

## CD/MATE™

The Original Portable Compact Disc Carrier



Sug. Retail  
\$9.95

- ATTACHES TO PORTABLE CD PLAYERS WITH VELCRO TABS (Incl.)
- PLUSH INTERIOR HOLDS SIX CD'S WITHOUT JEWEL BOXES

### CD/MATE™

P.O. BOX 1480 BURBANK, CA 91507  
818-846-0765

## FOR SALE

**DYNACO KIT BUILDERS—225,000-LB BUYOUT!** Tubes, transistors, metalwork, raw drivers, circuit boards, etc. Complete 200/200w "Black Box 410" transistor power amp kit, \$299. Owner/repair manuals (any), \$6 each. Stamp for list. SCC, Bex 551AM, Dublin, OH 43017; (614) 889-2117. VISA/MC.

**ELECTRON TUBE SALES 6DJ8 6AN8A 6CA7 6L6GC 6550A EL34 KT77 KT88 EF86** Same day shipping from stock Industrial Tube Distributors since 1947. 4000 Types in stock. A F S Electronics, 7110 DeCelis Place, Van Nuys, Ca. 91406, 1-800-422-4250.

### ELITE MUSIC SYSTEMS

Belles Research XLM preamp and 200 amp; Systemdek-profile-Apature Koce hi output M.C., Mirage 750 with stands—\$2500. Entry level solid state system. Exclusive dealer for the incredible \$10,000 Logan Labs preamp-headamp combo. Product list:

Logan Labs, Symdex, Berning, Classe Audio, Oracle, VPI, Alphason, Kiseki, Miyabi, Apature, Audioquest, Sumiko, NYAL-Moscoda, BEL, Belles Research, Randall Research, Systemdek, Profile, Chicago Stands, Kimber Kable, Music-Link, Mirage, 901 Versailles Ct., Maitland, FL 32751. Eves and weekends. (305) 629-9161.


**EXCEPTIONAL AUDIO REPRODUCTION SYSTEMS** ADCOM, AR, ARCAM, AUDIOQUEST, AUDIOSOURCE, AUDIRE, BRITISH (MUSICAL) FIDELITY, CHICAGO, CREEK, DUAL, GRACE, GRADO & SIGNATURE, GOLDRING, FRIED, HEYBROOK, KENWOOD BASIC, KYOCERA, LINN, LOGIC, MAS, MORDAUNT-SHORT, NITTY GRITTY, PREMIER, PROMETHEAN, QED, RATA, REGA, ROTEL, ROYD, SHINON, SPECTRUM, SUPERPHON, SUPEX, TALISMAN, TARGET along with LAST, LIVEWIRE and others. EARS, P.O. BOX 658-U, W. COVINA, CA 91790. 818-961-6158 EVENINGS, WEEKENDS. MC/VISA. MANY MONTHLY SPECIALS, PREPAID SHIPPING-SEND STAMP!!

## KINERGETICS KCD-20

"... the first CD player to crack the Class 1 sound barrier"

"International Audio Review"  
J. Peter Moncrieff

## McIntosh®



from AUDIO RESOURCE  
authorized McIntosh dealer  
sales • restoration • repairs

#1 Metairie Ct., Metairie, LA 70001  
(504) 833-6942

"The synthesis LM250 expresses the excitement and impact of the original performance. Truly a musician's loudspeaker."

Lewis Lippnick  
Principal Contrabassoonist  
National Symphony Orchestra

synthesis

2817 M Dorr Avenue • Fairfax, Virginia 22031

## IS THE RUMOR TRUE?

There is a rumor that a revolution is about to take place in the audio industry. That a corporation has been formed to bring America and the world the ultimate of quality and value in audio components.

The rumor is true! The company is Mondial Designs, Ltd. The man behind the company is Anthony Federici. His task: To form a coalition of some of the world's finest engineers, designers and production facilities and to bring to the public the best value in electronics and speakers.


Unfortunately, no electronic audio components presently being manufactured satisfy Mondial's requirements of quality *and* value. At Mondial, we believe that quality need not exist only for those capable of paying several thousand dollars for a pre and power amp combination. Toward that goal of quality *and* value Mondial has created a new component line.

Available this winter will be power amplifiers of the highest quality at the reasonable cost of under \$1,000 for 100 wpc and \$1,500 for 200 wpc. The preamplifiers will be available this spring, allowing you to acquire a high quality pre and power amp combination for well under \$2,000. These are not "garage" made audio components that trade off reliability for sound quality.

Mondial Designs will bring you the highest sound quality with the utmost reliability due to our advanced manufacturing and engineering techniques.

If you're considering the purchase of an audio component, do yourself a favor and write for more information.

**Mondial Designs, Ltd.**  
2 Elm Street  
Ardsley, New York 10502



## JUST LISTEN!

"The Mod Squad Compact Disc Damper is an inexpensive device that gives better sonic results than any \$25 device has a right to. If it will fit in your CD player, it comes with my highest recommendation."

**Allen Edelstein**  
Stereophile, vol. 9, no. 2

"We know of no other audio accessory that provides so much sonic improvement for so little cost. A must, if application dictates, for any system having compact discs as a program source."

**Earl C. Hudson,**  
Audiogram 21



## YOU'LL HEAR WHAT THEY'RE TALKING ABOUT

Available from Mod Squad dealers everywhere

The Mod Squad offers a unique portfolio of products and services. For a complete catalog, send \$2 (refundable with order) to The Mod Squad, Department A, 542 Coast Highway 101, Leucadia, CA 92024.

*The Mod Squad*

542 Coast Highway 101  
Leucadia, CA 92024  
(619) 436-7666

In Australia: Sound Centre HI-FI, Brisbane  
In Canada: May Audio Marketing, Longueuil  
In France: Audio Quartet, Nice  
In Hong Kong: Sound Chamber  
In Italy: P.F.A., Pisa  
In Netherlands: Audio Quartet, Nice  
In South Africa: Phonovox, Johannesburg  
In Switzerland: The Critical Ear, Basel  
In United Kingdom: Parabolic Sales, Devon

### FOR SALE

**FLORIDA WEST COAST BRADENTON AUDIO WORKSHOP.** NAD • ADCOM • LUXMAN • POLK • SIGNET • SOTA • JSE • INFINITE SLOPE. 3203 MANATEE AVE. W., BRADENTON, FL. 33505. 813-748-3868.

#### FRIED SPEAKERS & KITS

State-of-the-art sound. Try our prices! Free shipping. Also Sota, Hafler, SAE, Audire, Thorens, Adcom, Klipsch, CD players. READ BROTHERS STEREO, 593 King Street, Charleston, South Carolina 29403. (803) 723-7276.

**FUTTERMAN OTL-1, H3AA, LUXMAN 3045** modified, Quad 405, Tubegod NB-1, Linn LP12, Mission 714, Decca cartridge, custom built speakers—Infinity ribbon mids, TI-D bass panels, ribbon tweeters, Hartley subwoofer, Electronic and passive crossover. (404) 971-9779, leave message. I'm not a dealer.

**GENE RUBIN AUDIO—LOS ANGELES:** Linn, Naim, Rega, Thorens, Hafler, Creek, Rotel, Energy, Conrad-Johnson, British-Fidelity, Spendor, Superphon, Mordaunt-Short & more. (818) 571-1299, (213) 283-0001.

**KRELL KSA-50 \$1450, PAM-1 LATEST** boards \$1150, both mint and under warranty, see AUDIO Dec-85; SHERWOOD MICRO CPU-100 Tuner \$450; SONY ELCASET, mint, tapes \$175. (206) 282-8371.

### FOR SALE

**HAFLER AND DYNA MODS BY MUSICAL CONCEPTS**  
HAFLER DH-101: SUPERMOD IIIIN, MC-2, MC-2 TEFLON™

HAFLER DH-110: M-110SX (successor to highly rated M-110SN)

HAFLER DH-100: M-100SX, making opamps sound like music.

DYNA PAT-4/5: MC-2, MC-2 TEFLON™

FOR ALL PREAMPS: Teflons™, outboard power supplies, LIPS II regulators

HAFLER DH-200/220: M-200FX (200), M-220FX/500 (DH-220/500)

HAFLER DH-500: M-500FX (early 500s), M-220FX/500 (late 500s)

HAFLER DH-120: M-120FX, 60 very sweet watts.

ADCOM GFA-555: M-555FX, a sweetening of the aggressive nature.


FOR ALL AMPS: toroid transformers, high performance filter capacitors, deluxe gold connectors, special wiring, total dual mono conversions, Teflon™ capacitors.

SOON: mods for Dyna tube and solid state components. Musical Concepts, #1 Patterson Plaza, Florissant, MO 63031, 314-831-1822 1-5PM CST, Dealer inquiries invited.

**HAFLER PREAMPS, POWER-AMPS, TUNERS & ACCESSORIES.** MOST MODELS IN STOCK. CALL TOLL-FREE 1-800-222-3465 FOR ORDERING & PRICES. WE CAN'T BE BEAT! HCM AUDIO, (916) 345-1341 VISA/MC/AMEX.

INTRODUCES

# Fanfare Direct Audition



Anthony Cordesman, writing in *Stereophile* on the Tempo: "... it is a remarkably affordable way to get a speaker with excellent imaging and soundstage ..."

Previously available only through the finest high-end salons, Fanfare is now available through the revolutionary, no-risk, Direct Audition plan. This reduces the price on the Fanfare by over 40%, but more importantly, with Direct Audition there will be no doubt whether the sound heard in the showroom is what you will get at home, because your listening room is the showroom! And if for any reason you want to return the speakers, just call our toll-free number.

For information on DIRECT AUDITION, brochures and copies of reviews, please call 1-800-345-4424 outside of CA, inside CA call 800-843-3537 or write us at 4650 Arrow Hwy. #F4, Montclair, CA 91763



## FOR SALE

### HAFLER—HIGH QUALITY, LOW COST

We stock all of the following components: DH-100K \$175, DH-100A \$225, DH-110K \$360, DH-110A \$440, DH-120K \$260, DH-120A \$320, DH-160K \$275, DH-160A \$375, DH-220K \$400, DH-220KE \$410, DH-220A \$500, DH-220AE \$510, DH-330K \$385, DH-330A \$460, DH-500K \$675, DH-500KE \$695, DH-500A \$850, DH-500AE \$870. Accessories too! Three year warranty on assembled units. Visa and MasterCard. **WORLDWIDE EXPORTING.** Free delivery to ALL zip codes (PR and APO/FPO too). OXFORD AUDIO CONSULTANTS, INC., Box 145, Oxford, OH 45056-0145, 513-523-3333, TLX427791.

### HAFLER IN THE SOUTH!

In stock, the superb Hafler pre-amps, amplifiers, tuner and equalizer. Immediate FREE shipping. Also Acoustat, Adcom, Audire, CWD, Fried, Klipsch, Mirage, Monster Cable, PS, Sony, Superphon, Talisman, Thorens, CD players. **READ BROTHERS STEREO**, 593 King Street, Charleston, South Carolina 29403. (803) 723-7276.

**IT'S WORTH IT CALLING ME!** McIntosh, Marantz tube components, Western Electric, Altec, JBL, Jensen, Tannoy, Trusonic Raw Speaker. Tube etc. top cash. Henry Chang, 309 East Garvey Ave., Monterey Park, CA 91754. (818) 571-6274.

**LANSING & SOUTHERN MI. AUDIOPHILES! FRIED,** Robertson, Quicksilver, Apt, Oracle, Thorens, Assemblage Auditions and sales, relaxed atmosphere. Appointments only. Newsletter, "Jemstone", Box 240, DeWitt, MI 48820-0240. 517-669-9544.

**CARVER, NAKAMICHI, BANG & OLUFSEN, A.D.S., CROWN, REVOX, TANDBERG, HAFLER, ADCOM, MISSION, N.A.D., HARMAN/KARDON, KYOCERA, YAMAHA, LUXMAN, DENON, KLIPSCH, B & W, KEF, D.C.M., E.V. J.B.L., INFINITY, D.B.X., AKG, AND OTHER QUALITY COMPONENTS. BEST PRICES—PROFESSIONAL CONSULTATION. ALL PRODUCTS COVERED BY MANUFACTURERS' U.S.A. WARRANTY. AMERISOUND SALES, INC., JACKSONVILLE, FLORIDA 32241. EAST: (904) 262-4000 WEST: (818) 243-1168.**

**LOW DCR AIR CORE INDUCTORS ARE OUR ONLY PRODUCT!** Wide selection of coils wound with twelve and sixteen gauge wire! Custom orders welcome! Lowest prices! Rush C.O.D. orders accommodated! Free Information! Wilsonics, 2510 47th Street, Suite AA, Boulder, Colorado 80301, (303) 530-1067 evenings

**LOWEST POSSIBLE PRICES ANYWHERE! FULL WARRANTY—Most Audio Brands!! C.D. Players—Car Products—Computers (Hardware—Software)—Most Video Brands!! ELECTRIFIED DISCOUNTERS, 996 ORANGE AVE., WEST HAVEN, CT, 06516, MC/VISA. (203) 937-0106.**

**MARK LEVINSON EQUIPMENT:** 6B Pre-amps (\$3950/pr.), 2A amplifiers (\$3500/pr.), LNC-2 crossovers (\$1500 ea.), all mint. Call: (213) 214-6078 (Weekdays), (213) 934-1817 (nights/weekends) Pacific Time.

**MCINTOSH (ALL TYPES), MARANTZ (TUBE) AND OTHER PRECISION AUDIO COMPONENTS, SPEAKERS & PARTS BOUGHT-SOLD-TRADED-MODIFIED. FREE CATALOGUE, 8AM-5PM EST MON-FRI. AUDIO CLASSICS, POB 176AFS, WALTON, NY 13856. 607-865-7200. AUDIO ADVERTISER SINCE 1979.**

**MUSICAL CONCEPTS PROUDLY PRESENTS THE FX series modifications for Hafler power amplifiers.** Holographic three dimensionality is no longer the exclusive province of the finest tube amplifiers. In our experience no other solid state amplifier compares. We offer outstanding modifications for Hafler preamps: toroid outboard power supplies, LIPS II ultra fast regulators and Teflon<sup>TM</sup> capacitor kits. New circuit boards for the DH-101 and Dyna PAT-4/5, including Teflon<sup>TM</sup> versions. For Hafler and Dyna amps: toroid power transformers, high performance filter capacitors and total dual mono installations. Finally, our Dyna tube modifications are nearing completion. Musical Concepts, #1 Patterson Plaza, Florissant, MO 63031, 314-831-1822 (1-5PM CST).

**PREMIER MMT & FT-3 TONEARMS & ACCESSORIES BY SUMIKO. PLUS TWEAK • COUNTERFEET • COUNTERPARTS • FLUXBUSTER • SOUNDTRACTOR • NAMIKI. MOST ITEMS IN STOCK. CALL TOLL-FREE 1-800-222-3465 FOR ORDERING AND PRICES. WE CAN'T BE BEAT! HCM AUDIO, (916) 345-1341 VISA/MC/AMEX.**

## In New England...

Known by the company we keep.

<b>MAJOR AUDIO</b>	Grado	Stax
Acoustat	Signature	Sumiko
ADS	Livewire	Talisman
Alpha	Magnepan	Tandberg
Audio	Martin-Logan	Thiel
Interface	Meitner	Threshold
Audio Pro	Meridian	Vandersteen
Audioquest	Mission	Velodyne
Boston	Mod Squad	VPI
Acoustics	MIT	Yamaha
Bryston	NAD	Yamaha
Carver	Nakamichi	Audiophile
CWD	Nelson Reed	
DCM	Oracle	<b>VIDEO</b>
Denon	Robertson	NAD
Dynavector	Signet	NEC
Eagle	Snell	Pioneer
Eminent	SOTA	Proton
Technology	Spica	Sony

Modern Demo Facility. Specialty Records. Accessories and CDs. In-store Service. Custom Cataloging. No Mail Orders Please

# 5 TAKE AUDIO

105 Whitney Ave., New Haven, CT

Mon., Tue., Wed., Fri., 10-6, Thurs., 10-8, Sat., 10-5  
MC / VISA / AMEX / TAKE 5 Charge

"...the first CD player to crack the Class 1 sound barrier"

"International Audio Review"  
J. Peter Moncrieff



**KINERGETICS KCD-20**

Gold Series  
Compact Disc Player

Audition this technological breakthrough at your Kinergetics Dealer.

ASR KINERGETICS INCORPORATED

6029 Reseda Blvd. • Tarzana, CA 91356 • (819) 345-2851


# Wingate Not for beginners.

The discriminating sensibilities of the true audiophile are developed gradually as an acquired taste. Naturally, then, we realize that the Wingate 2000A is an extraordinary feat of engineering that far exceeds the understanding or appreciation of the novice. Instead we suggest this incomparable Pure Class A amplifier only for the audio connoisseur whose trained ear will recognize absolute purity of sound.



Wingate Audio Corporation  
P.O. Box 9121, 423 4th St., SW  
Hickory, NC 28603  
704-324-0334 1-800-2-CLASS-A

100 w/ch dual-mono power MOSFET Pure Class A amplifier with zero-negative feedback design for unprecedented signal transparency and resolution. Also available in black anodized finish.





## MOVING, LEGENDARY SOUND.

Chestnut Hill Audio is moving around the corner to expanded facilities. Our legends go with us: Accuphase, Acoustic Electronics, Amber, Apature, Apogee, Audio Pro, Audiogust, B&K, Berning, Cabasse, CWD, Counterpoint, DB, Distech, Duntech, Entec, Euphonic, Fourier, Grace, Hafler, ITC, Janis, Koetsu, Kyoocera, LAST, Linn Sondæk, Live Wire, Logic, Levinson, Meridian, Miyabi, Michell, Mordaunt Short, Music Reference, Nitty Gritty, NAIM, NYAL, Oracle, Origin, Pyramid, P.S. Audio, Quad, Rauna, RGR, Signet, Sony, Souther, Spectral, Spendor, Symdex, Talisman, Tandberg, Thorens, 3-D Acoustics, VPI, VSP Labs, Vandersteen, Zeta.

149 North Third Street, Philadelphia, PA 19106 (215) 923-3035

## CHESTNUT HILL AUDIO LTD.

### FOR SALE

## MCINTOSH

WANTED: MCINTOSH, MARANTZ, AUDIO RESEARCH, DYNACO, LEVINSON, KRELL, CITATION, ALTEC, JBL, TANNOY, CJ, EV, EMT, THORENS, WESTERN ELECTRIC, TUBE & SOLID STATE, BUY-SELL-TRADE, MAURY CORB, (713) 728-4343, 11122 ATWELL, HOUSTON, TX 77096.

**NO DEALER IN YOUR AREA?** Call ELECTRONIC CREATIONS for: B&W, Canton, Conrad Johnson, Crown, DBX/Soundfield, Dual, Grado, Harman Kardon, Koetsu, Kyoocera, Magneplanar, Monster Cable, Marcoff, Nakamichi, Nitty Gritty, PS Audio, Sony, Sony ES, Sota, Syrinx, Spica, Sumiko, Stax, Technics. Competitive prices. Visa, MC, Shipping World-wide. 305-831-1010, Visit our store in Orlando, Florida.

**RARE BRB AMPLIFIERS—NEW—BELOW WHOLE-SALE.** Model 200-\$395. Model 120-\$295. \*\*\*\* Rating and State-Of-The-Art Rating. High Current, Ring Emitter Technology. (408) 245-9864.

**REVOX B-285 DIGITAL RECEIVER** with remote control etc. Unopened box. Unneeded gift. \$1150. (617) 527-0313.

### FOR SALE

**NEW ENGLAND LISTENERS: CROSSOVER AUDIO** in New Hampshire provides world class sound at many price points. We offer: Counterpoint, SOTA, PS Audio SME, Eminent Technology, Well Tempered Lab, Meridian, Sonographe, Rauna, Carnegie, Van Den Hul, MIT, Pearson Audio, Spica, Premier, B&K, Talisman, Monster Cable, Sumiko products, Magnavox CD, Lazarus, Mogami Synthesis and more. Free shipping within New England. Call or write for free newsletter/advice. **CROSSOVER AUDIO, 10 Tate's Brook Rd., Somersworth, NH 03878. Call (603) 692-5452.**

### PAUL HEATH AUDIO

Apogee, Audible Illusion, APT, B&K, Convergent Technology, Eagle, Grado, Infinite Slope, Kinergetics, Lazarus, Martin-Logan, Melos, Merlin, Micro, Magnum/Dynalab, Onkyo Integra, Palantir, PS Audio, Quicksilver, Rega, Spica, Streets, Systemdek, UltraStat, Vandersteen, VPI, Well-Tempered, Wingate. **SACRIFICE** following: Acoustat 2+2, B&W 2000, Berning 230, Clements RT7, Daybreaks, Magneplanar IIs, Marantz 10B, Mission Argonaut, MCM 7s, Meitner Pre Amps, Perkins Monitors, Raven Ribbons, Rauna Leiras, Robertson 4010, Sumo Amps & Pre, Snell 1s, many others. 217 Alexander St., Rochester, NY. (716) 262-4310 Evenings: (716) 346-5630.

### FOR SALE

**MARANTZ #THREE CROSSOVERS \$600pr.** #One pre-amplifiers \$500pr., #16 \$250, 7T \$150. Eagle 2A scarcely used \$775. Audiopulse 1000 \$750. Gold Aero exceptional tubes (numerous types) stocked. Complete retube kits shipped fast! Mogami Neglex 2534 interconnect cable \$.60', 2513 speaker cable \$2.50'. McIntosh MC-225 \$300, MR-71 \$350, MR-67 \$150, 1700 \$300, 1900 \$450, MX-110's \$300-400, C-26 \$300. Paoli S.O.B. amplifiers \$2,650. Denon demos: PRA-1000 preamplifier \$275, DR-M33 cassette \$325. Mercury Living Presence, R.C.A. shaded dogs request list. R.C.A. ribbon microphones: 77DX \$475, BK-11A \$190. Handpicked tubes 1963 vintage many types. S.A.E. MKV1 tuner w/cabinet \$275, MK1B preamplifier w/cabinet \$200, MK1VDM power amplifier \$225. Boothroyd-Stuart Meridian amplifier system \$400. Crown DL phono modules 1/2 price. Onkyo sealed TX-25 \$125, TX-35 \$185. Sony LC90-FeCr \$11, LC60-FeCr \$6, LC90-SLH \$9, LC60-SLH \$4.50 elcaset tape. Teac AL-700 elcaset recorders factory sealed \$1,100 originally. \$299, RX-10DBX DBX sealed \$225. Technics RS-7500 elcaset mint \$500. Panasonic SH-3433 quadscope \$300. Mitsubishi DA-R8 \$150. Lux L-110 integrated \$525. EV 7445 quadraphonic encoder \$475. Teac remotes \$50. Pioneer RTU44 quadraphonic recorder w/remotes \$1,250, RG-1 \$75. Computers: Apple 2+ \$300, 3 w/256K \$400, Profile winchester \$200, drives, cards, software. Sony TC854-4S quadraphonic w/sync, new capstan motor!, remote \$1,200. Ortofon STM-72 transformer \$25. 900 prerecorded r/tr \$7, 1/2track \$18. Require collections pre-recorded openreel, McIntosh, Marantz (tube) units, Sony, Teac, Advent Dolby units, oddball pieces, accessories. Desire pre-eminent consignment items. Money back guaranty. Mail Order Specialist! Shipping worldwide except AIR CANADA! Martin Gasman, 779 Worcester Street, Wellesley, Mass. 02181. Telephone: 617-CEL-TICS, 617-235-8427.

**NITTY GRITTY RECORD CLEANING MACHINES & SUPPLIES** IN STOCK. IF YOU'RE USING ANY OTHER METHOD OF RECORD CLEANING YOUR RECORDS ARE STILL DIRTY! SAVE YOUR RECORDS! INVEST IN A NITTY GRITTY, NITTY GRITTY MACHINES ARE QUALITY CONSTRUCTED AND EASY TO USE. WE ALSO STOCK REPLACEMENT PARTS AND THE NEW CD CLEANING MACHINE. CALL TOLL-FREE 1-800-222-3465 FOR ORDERING & PRICES. WE CAN'T BE BEAT! HCM AUDIO, (916) 345-1341. VISA/MC/AMEX.

**NASHVILLE AND MIDDLE TENNESSEE** Authorized dealer for VPI, SOUTHER, DYNAVECTOR, and accessories. Emphasizing MUSIC and QUALITY. McIntosh tube gear, Franklin Audio Consultants, Box 1014 Franklin, TN 37065-1014, (615) 790-3936.

**CARVER, NAKAMICHI, BANG & OLUFSEN, A.D.S., CROWN, REVOX, TANDBERG, HAFLER, ADCOM, MISSION, N.A.D., HARMAN/KARDON, KYOCERA, YAMAHA, LUXMAN, DENON, KLIPSCH, B & W, KEF, D.C.M., E-V, J.B.L., INFINITY, D.B.X., AKG, AND OTHER QUALITY COMPONENTS. BEST PRICES—PROFESSIONAL CONSULTATION. ALL PRODUCTS COVERED BY MANUFACTURERS' U.S.A. WARRANTY. AMERISOUND SALES, INC., JACKSONVILLE, FLORIDA 32241. EAST: (904) 262-4000 WEST: (818) 243-1168.**

**U.T.C. AUDIO TRANSISTORS NEEDED.** LS-845, LS-58, LS-56, LS-22, LS-6, LS-7. Jeffrey Medwin, 6800 Elmwood, Kansas City, MO 64132.

**VPI, EMINENT TECHNOLOGY, DISCRETE CABLES** at affordable prices. **FREE** catalog: Class-A-Underground, 35 North Greenbush Road, West Nyack, NY 10994. Visa—Mastercards, Friendly Quick Service.

## Audio Video Car Stereo

Lowest Prices on All Major Brands of Audio, Video & Car Stereo

**FULLY WARRANTED**

**GET IT FREE!**

Free Delivery Anywhere in the U.S.  
Major Credit Cards Accepted

**The SOUND Approach**  
6067 Jericho Tpke., Commack, NY 11725  
"Call Us" (516) 499-7680

# POWER BRIDGE

PERFORMANCE ENHANCED FOR: LEVINSON, KRELL, ROLAND RESEARCH, MERIDIAN, ACOUSTAT QUAD, STAX, MARTIN LOGAN, CELLO, CONVERGENCE AUDIO TECHNOLOGY, ETC.



**DISCRETE TECHNOLOGY LABORATORIES, INC.**

7911 OCEANSIDE ROAD, OCEANSIDE, NEW YORK 11572 (516) 678-3961

MANUFACTURERS OF FINE AUDIO CABLES,  
ELECTRONICS AND SOUNDSORBER PANELS  
DEALER INQUIRIES INVITED



## audioquest CD players - The next generation

629 Camino de los Mares #306, San Clemente, CA 92672 (714) 240-0604

### FOR SALE

## Philadelphia Audiophiles

We proudly represent:

Acoustic Research	Infinite Slope	Quicksilver
Adcom	Kimber Kable	Rega Planar
Akroyd	Kindel	Revolver
Apt	Kinergetics	Rogers
Ariston	Linn Sorddek	Scott
Audible Illusions	Merlin	Sherwood
Beard	Micro Selki	Sonographe
B&K Components	NAD	Soundcraftsman
Celestion	Naim	Spica
Conrad Johnson	Nitty Gritty	Stax
Creek	Nobis	Straightwire
Eagle Amps	Parasound	Superphon
Electrocompaniet	Pioneer Elite	Triad
ESB	PS Audio	Ultra by Shure
Golding	QED/Target	Wharfedale

Plus 15 brands of cartridges and more!

## SOUND SERVICE CO.

8010 Bustleton Ave. Philadelphia, PA 19152  
(215) 725-1177-78 Bank Cards Accepted

**RELAX, ENJOY YOUR STEREO PURCHASE.** Unsurpassed advice from a certified audio consultant. Risk free home trial. 150% value on trades. Fine quality home and care equipment from the exclusive supplier to a national buying cooperative. Community Audio, 318 W. DuVal, Philadelphia, PA 19144. (215) 843-9918, M-F.

**WHAT IS THE REASON FOR BUYING** in Miami or New York when you can purchase directly from the exclusive export department of CONRAD-JOHNSON, COTTER, DELOS, FOSGATE, JANIS, KOETSU, MARTIN-LOGAN, MOTIF, SONOGRAPHE, SOUND CONNECTIONS, SYNTHESIS, TIFFANY CONNECTORS (in 220/50, 110/60, etc). In the USA, contact: M. Berns Industries Inc., POB "D," Gracie Station, NY, NY 10028. Telex: 237078 BERNS UR. In South America contact our exclusive distributor who offers complete service and technical aid: Martin Ferrari Hi Performance Equipment, Cuba 2263, Buenos Aires 1428, Argentina. Phone: (1) 781-1221/0605. Offices in Brazil.

## GOODBYE TO THE BOX

ARC CS2 — a new concept in loudspeaker design.

The cylindrical structure eliminates many sound problems associated with box designs, resulting in tight powerful bass.



For information or dealer inquiries:

## ARC

2888 Bluff St., No. 438 Boulder, CO 80301 | 303 | 449-8896

### FOR SALE

**SINCE THE NEW GARROTT P-77'S DEBUT** in March of this year, this cartridge has become an absolute favorite for many music lovers and analog enthusiasts. It has rightly been called a "Dynamic Coil" cartridge because it incorporates for the first time the advantages of moving coil, variable magnetic reluctance and moving magnet types. Fatigue-free, a marvelous tracker and a groove preserver, this instrument is not only musical but also within reach expense-wise. For your area dealer call Audio Advancements: 201-857-1422.

**SONY ES-620 MUSICAL CONCEPTS** ModII disc player \$500. Berning EA-230 tube amp \$375, NAD 2200 amp \$325, Audio Concepts Quartz 3way speakers \$500, Grado Sig8MR \$100. Most equipment 3 months old. 201-231-9241.

**SYSTEM OF THE YEAR**—exquisite selection of quality equipment for connoisseurs from the Washington area professional recording industry showroom: JSE INFINITE SLOPE speakers, B.E.L. (also VSP, BELLES) amps-preamps, STRAIGHTWIRE cables, KINERGETICS CD-player, V.P.I. turntable—GRADO tonearm—GRADO SIGNATURE cartridge, plus . . . APHEX SURROUND SOUND DECODER—list \$900, sale \$595. Tonmeister (301) 229-1664.

## Definitive Stereo—Southern Style!

- Apogee
- Bang & Olufsen
- Cello
- Duattech
- Entec
- Goktmund
- Janis
- KEF
- Krell
- Linn
- McIntosh
- Magneplanar
- Meridian
- N.A.D.
- Nakamichi
- Phase Technology
- Polk Audio
- Quad
- Quicksilver
- Rega
- Rowland
- Signet
- Spectral
- Stax
- Van den Hul
- Yamaha

- Factory Authorized Service
- Consultation, Design and Installation
- Quality Stereo and Video Cabinetry
- On-Location Master Recording Service

# audition

2829 18th Street South  
Birmingham, Alabama 35209  
(205) 870-3554  
Mon.-Sat., 9:30-6

## This Christmas, choose COUNTERPOINT



**WINNER**  
Japan's  
COMPONENT  
OF THE YEAR  
Award

## SA-5 Preamplifier—Vacuum-tube performance for far less than you'd expect

**T**HIS CHRISTMAS, treat yourself to the superb sweetness and dimensionality of our premium SA-5 preamplifier. Rugged vacuum-tube regulators help amplify and equalize miniscule signal voltages with maximum accuracy and minimum sonic degradation . . . at a reasonable price you can afford, for Christmas.

**Tubes: learn why, FREE**

Any audiophile will tell you that tube components produce better sound. Call us at **800-247-6468** (or **(619) 453-9090** if you live in California) to get your fact-filled package on the 'how's' and 'why's' of tube performance and design.


**Tubes: get one, FREE**

If you'd like a sample of today's advanced tube technology, just ask! A fun stocking stuffer for Christmas . . . for free.



**COUNTERPOINT**  
Dept. C, P.O. Box 12294  
La Jolla, CA 92037

## LOWER SUBWOOFER DISTORTION



The Larger VMPS Subwoofer, 39" x 2 1/2" x 17" (HxWxD), 120 lbs available in oak or walnut.

The **Larger VMPS Subwoofer** (\$439ea kit, \$549ea assem) is one of three high-performance, low-cost Subwoofers designed to fulfill every audiophile's particular requirements for bass extension, physical size and first-octave output levels.

The **Smaller VMPS Subwoofer** (\$229ea kit, \$299ea assem), housed in a compact 3.5 ft<sup>3</sup> enclosure, achieves a low frequency cutoff of 28Hz (-3dB) and THD below 1.5% (1W drive), and is ideal where space is at a premium. Our highly acclaimed **Original Subwoofer** (\$299ea kit, \$375ea assem) provides very low THD (0.5%/1W drive), high 94dB/1W/1m sensitivity, and a -3dB point of 19Hz in a cabinet of only 5.6ft<sup>3</sup> total volume. The 8.25ft<sup>3</sup> **Larger Subwoofer** features outstanding performance specifications unsurpassed by any competitor and not even approached by all but one or two regardless of price (-3dB, 17Hz and 250Hz; 0.4% THD/1W drive, 95 db/1W/1m sensitivity.) All Subwoofers operate either with our 100Hz **Passive Crossover** (\$30ea kit, \$40ea assem) or John Curl's all-out **Electronic Crossover** (Model TPC-1, \$449).

Write for reprints of **Stereophile's** rave reviews of our Original Subwoofer (Vol 8/4, Aug 85) and the Super Tower IIa/R (Vol 9/3 Ap 86), plus brochures and test reports, or hear VMPS at the dealers listed below. Other models include the **Mini Tower II** (\$329ea kit, \$439ea assem), **Tower II** (\$439ea kit, \$599ea assem), **Super Tower/R** (\$699ea kit, \$969ea assem), and the 76", 300lb **Super Tower IIa/R** (\$1099-1299ea kit, \$1499-1699ea assem). Kits supplied with fully assembled cabinets and all prices include free shipping in USA.

### VMPS AUDIO PRODUCTS

div Itone Audio

3412 Eric Ct El Sobrante CA 94803 (415) 222-4276

Hear VMPS at: The Listening Studio, Boston; Par-Troy Sound, Parsippany NJ; The Long Ear, Coeur d'Alene Id; Sound Stage, Syracuse Ut; Shadow Creek Ltd, Minneapolis Mn; Mountaineer Telephone, Beckley W Va; Arthur Morgan, Altamonte Springs Fl; Efficient Stereo, Torrance Ca; Sounds Unique, San Jose Ca; Digital Sonics, Foster City Ca; Itone Audio, El Sobrante Ca; Eclectic Audio, Livermore Ca.

## WORLD REFERENCE TURNTABLE SYSTEMS MICRO SEIKI RX-1500VG

20 lb platter • continuous vacuum hold down • completely separated motor unit • platter turned by a silk thread: will play perfectly while sitting atop a live speaker! U.S. list \$2,295 from your local dealer or write:

**ANALOG EXCELLENCE**

12021 Wilshire Blvd., #131, Los Angeles, CA 90025 • (213) 453-6306

### FOR SALE

## START WITH SEPARATES SYSTEM

(UNDER \$3400)

Turntable: LINN AXIS  
Cartridge: LINN K-9  
Preamp: ADCOM GTP-500  
Amplifier: ADCOM GFA-545  
CD Player: ADCOM GCD-300  
Speakers: SNELL E2'S

## SOUND BY SINGER

165 E. 33rd Street  
New York, NY 10016  
(212) 683-0925  
WE SHIP ANYWHERE

**SPEAKERS! CALL TOLL-FREE 1-800-222-3465 TO DISCOVER TREMENDOUS SAVINGS ON MANY BRANDS OF QUALITY HOME LOUDSPEAKER SYSTEMS INCLUDING ENGLAND'S FINEST. ALL WITH U.S.A. WARRANTIES. HCM AUDIO (916) 345-1341.**

### FOR SALE

#### WE ARE AMAZING!!!

Amazing offers on HI-FI, VIDEO, and CAR STEREO. Choose from: YAMAHA, SONY, ALPINE, KENWOOD, INFINITY, JBL, MERIDIAN, CARVER, NAKAMICHI, CANTON, MISSION, PS AUDIO, APOGEE, HAFNER, STAX, much more. We have no competitors. If you're serious or curious, you cannot afford to wait. For a look at the future of electronics retailing, CALL or WRITE. TODAY:

**AMAZING INT'L SIGHT & SOUND, INC.**  
DEPT 11  
1323 SOUTH 4TH ST.  
PHILADELPHIA, PA. 19147  
(215) 969-1166

#### SIDEREALCAP

NOT JUST ANOTHER GENERIC CAPACITOR WITH A WONDERFUL NAME, THE SIDEREALCAP WAS DESIGNED FROM ITS INCEPTION TO BE THE FINEST SOUNDING CAPACITOR AVAILABLE FOR AUDIO TODAY.


FIND OUT WHAT THE MUSIC LOVER'S CAPACITOR DOESN'T SOUND LIKE. CALL (619) 722-7707, OR WRITE TO: SIDEREAL AKUSTIC, 1969 OUTRIGGER WAY, OCEANSIDE, CA 92054.

FREE LITERATURE AND PRICE INFORMATION UPON REQUEST.  
DEALER INQUIRIES INVITED.

# The Most Knowledgeable Audio Dealership

Many audiophiles who want high quality audio systems are misled by well meaning—but misinformed salesmen, magazines, and friends whose understanding of sound reproduction is superficial or incomplete. As a result, many expensive "mistakes" are made.

During the past 10 years, Gala Sound has distinguished itself as the preeminent high-quality audio dealership in the United States. Founded by pianist/acoustician James Gala, audiophiles, musicians, orchestra conductors, and recording engineers throughout the U.S. and Europe rely on Gala Sound for state-of-the-art audio systems tailored to their specific needs, listening environments and budgets. These systems are second to none.



If you're serious about sound, you can own the finest: a definitive audio system from Gala Sound. Phone (do not write) Jim Gala at (716) 461-3000.

KEF • B&W • MAGNEPLANAR • ACOUSTAT • MERIDIAN • MARK LEVINSON • THRESHOLD  
McINTOSH • CONRAD-JOHNSON • BRYSTON • BELLES RESEARCH • REVOX

# GALA SOUND

3122 Monroe Avenue, Rochester, New York 14618 • (716) 461-3000



## FOR SALE

**THE INCOMPARABLE GARROTT SUPER-DIAMONDS** . . . specially designed to successfully translate the most

delicate analog groove signals . . . are now available to be transplanted unto your favorite cartridge for the utmost in musical information retrieval and enjoyment. This super-diamond is mirrorpolished, resulting in an all-time low groove friction (no record wear). Its acceleration capability far exceeds that of normal commercial styli, tracking the groove walls with extraordinary ease. If you wish to upgrade the performance of your cartridge, call or write for information on how to obtain this unique stylus transplant service. Audio Advancements, P.O. Box 15, Verona, NJ 07044. Tel: 201-857-1422.

SPICA, B&K, LAZARUS, SUPERPHON, STRAIGHT-WIRE, CHICAGO STANDS & MORE. AUDITIONS BY APPOINTMENT. MOBILE RECORDING COMPANY. CARMEL, IN 46032. (317) 846-5308 EVES. & WKENDS.

## LOUDSPEAKERS

**ABSOLUTELY UNPARALLED IN EXCELLENCE!** Audition these remarkable, patented JSE Infinite Slope loudspeakers in your own home on our 7 Day—**NO RISK AUDITIONING** Policy. We'll pay shipping and offer a **FREE 1 YEAR** subscription to Audio. Authorized JSE, Fried, Spectrum, Hafler, Thorens, Apature dealers. **SOUND UNLIMITED**, 178 Main St., Bristol, Conn. 06010. Est 1959. (203) 584-0131.  
**MC/VISA AMEXP ACCEPTED**

**ACCURATE & AFFORDABLE, OVER 30 PROVEN DESIGNS** for audiophiles, speaker kits for home, car, subwoofer & pro. JBL, AUDAX, SEAS, polypropylene drivers & crossovers. \$2 Gold Sound, Box 141A, Englewood, CO 80151.

**AMAZING JSE LOUDSPEAKERS: THE SECRET** is their Infinite Slope Crossovers. Experience them at home. **10-DAY MONEY BACK AUDITIONS. WE PAY SHIPPING.** AUDIO NEXUS, NJ (201) 464-8238.

**AMERICA'S LARGEST** dealers in **HIGH END USED** stereo. We **BUY** and **SELL** by **PHONE. STEREO EXCHANGE** 687A Broadway, between 3rd and 4th St. (opposite Tower Records) NYC 10012. (212) 505-1111 and (800) 833-0071.

**A&S SPEAKERS IS PROUD TO** announce that we are now carrying complete, audiophile loudspeakers systems from VMPS, Scan-Speak, Euphonic Audio, and Nelson-Reed. Also available is the widest selection of speaker components and kits from Focal, Audax, Dynaudio, Peerless, Becker, Jordan and others. Free catalog. **A&S SPEAKERS**, Box 7462A, Denver, CO 80207. (303) 399-8609.

**FRIED LOUDSPEAKERS: LEGENDARY, FANTASTIC.** Audition all models at **AUDIO NEXUS**, NJ. (201) 464-8238.

*More*  
**MAGNAVOX**



New, 16 bit Magnavox CD Players are great. Smoother, airier, more musical sound quality. 2 new models: CDB 650 and CDB 460 on sale!

Closeout sale on 14 bit models while supplies last. FD 1041/FD 2041 and FD 1051 priced from \$159.88.

Philips based digital circuitry employed in our reference. P.S. Audio CD-1A. Nothing sounds finer to us than this heavily modified unit. Hear for yourself. \$800 less trade-in.

95 vaassar st.  
cambridge, ma  
02139



617  
547-2727

# WBT

**THE PERFECT CONTACT  
WITH LOCKABLE PLUGS**



For your free copy of our catalogue contact:  
**may audio marketing ltd**

P.O. Box 1048 Champlain, N.Y. 12919 Tel.: (514) 651-5707

## LOUDSPEAKERS

**BETTER THAN ELECTROSTATICS!** Find out about our new ribbon speakers and sophisticated dynamic systems. New catalog has details plus kits, parts, electronics and much more. \$1 (bill) to: New York Acoustics, 167 Saw Mill River Road, Yonkers, NY 10701. (914) 476-4900.

**CARVER, NAKAMICHI, BANG & OLUFSEN, A.D.S., CROWN, REVOX, TANDBERG, HAFLER, ADCOM, MISSION, N.A.D., HARMAN/KARDON, KYOCERA, YAMAHA, LUXMAN, DENON, KLIPSCH, B & W, KEF, D.C.M., E-V, J.B.L., INFINITY, D.B.X., AKG, AND OTHER QUALITY COMPONENTS. BEST PRICES—PROFESSIONAL CONSULTATION. ALL PRODUCTS COVERED BY MANUFACTURERS' U.S.A. WARRANTY. AMERISOUND SALES, INC., JACKSONVILLE, FLORIDA 32241. EAST: (904) 262-4000 WEST: (818) 243-1168.**

**SPECTRUM LOUDSPEAKERS: HIGHEND SOUND**, budget prices. **AUDIO NEXUS**, NJ (201) 464-8238.

## LOUDSPEAKERS


**ELECTRONIC CROSSOVER—EX-18** (Electro-Voice). Stereo 2-way (bi-amp) or mono 3-way, variable 100-8000Hz, 18db. Select optimum crossover frequency. \$207.30 shipped. Free literature. Rick Marder. AHCo. (201) 561-8123.

**JBL, ALTEC, ELECTRO-VOICE** speaker components and speaker systems. Gauss, Pyle components. Low prices, free flyer. Professional amplifiers (Carver, Hafler), recorders (Revox, Tascam), microphones. Rick Marder, AHCo. (201) 561-8123.

**PRINCETON ACOUSTICS REFERENCE LOUDSPEAKERS:** the speaker system that has solved remaining speaker problems and features: right size, good efficiency, utmost transparency, superb imaging, impeccable bottom end, and more. Audio Connection in NJ: 201-239-1799.

## —APOGEEACOUSTICS, INC.

Designers and Manufacturers of the World's  
Only Full Range Ribbon Speaker Systems



48" x 24" x 2"


"CALIPER"

The New Measure of Sound

—APOGEEACOUSTICS, INC.

35 York Industrial Park • Randolph, MA 02368

Telex: 928121 APOGEE RAND



## The New Richter Scale Series III More Features Give You More Bass Control

When we introduced the world's first half-octave bass equalizer with warble-tone analyzer, laboratory-grade measurement microphone and built-in electronic crossover, it shook up the audiophile world. Finally, speaker performance and room anomalies below 250Hz could be effectively analyzed using warble tone, a high resolution dB meter and a 4-micron diaphragm back-electret measurement microphone on a convenient 20' cord.

Well, now there is even more performance. The new Richter Scale Series III has six half-octave EQ bands (at 22.5, 31.5, 45, 63, 90 and 125Hz). Its extremely sharp 24 dB/octave programmable electronic crossover employs Linkwitz-Reilly alignment, a hitherto esoteric and incredibly expensive design which provides flat amplitude response with zero phase differences (lobing error).

Plug-in modules allow easy adjustment from 20Hz on up. Specs are astonishing: 0.005% THD and -120dB S/N.

You get a built-in 18dB/octave subsonic filter, rumble reduction circuit, amplifier bridging and mono bass output. And our famous measurement microphone and warble tone generator. And gold plated jacks no less. All built in the USA and backed with a gutsy 5-year warranty for \$349. Write us for complete information, a technical paper on Linkwitz-Riley, and the location of your nearest dealer.

### AudioControl™

6520-212th St. S.W. • Lynnwood, WA 98036  
Phone (206) 775-8461

In Canada call for nearest dealer  
Evolution Technology 800-263-6395

### LOUDSPEAKERS

**SPEAKER BUILDERS SAVE 50-70%.** Esoteric kits including compound subwoofers, ribbon systems. Dynaudio, Strathern, Seas, IAR Wondercaps, Chateauroux polypropylene, Phase and amplitude correct active crossover kits by Shadow. AC foam for cost effective room treatment. The finest in stock, guaranteed lowest prices, helpful service! All new 1986 Catalog \$2 refundable. Audio Concepts, 1631 Caledonia St., La Crosse WI. 54602, 608-781-2110.

**ARE THE BEST SPEAKER SYSTEMS** really available only by mail? Send \$1 for our 60 page color catalog. Acoustic Interface, POB 6632A, Santa Barbara, CA 93160.

**LEGACY-1 LOUDSPEAKERS BY REEL TO REAL DESIGNS:** An unprecedented combination of dynamics, pinpoint imaging, midrange articulation and bass heft. Samarium Cobalt leaf tweeters, European dome midranges, and polypropylene subwoofers in a proprietary configuration. Biampable. Gold binding posts. High definition wiring. Ten year warranty. Beautiful cabinetry. Affordable! RTRD, 2105 Claremont, Springfield, IL 62703. (217) 529-8793.

**LOUDSPEAKER COMPONENTS-KITS.** Audax, Dynaudio, Eclipse, Focal, Peerless, Morel, Vifa, and more! 1µF-80µF polypropylene capacitors. Catalog \$1. Meniscus, 3275W Gladiola, Wyoming, Michigan 49509. (616) 534-9121.

### CARTRIDGES & TONEARMS

**MOVING COILS SOUND BEST** however don't waste \$1,000 for cartridges/tonerarms. GRAMOPHONE says "MKIV tonearm \$89 + MC-2V \$79 + T-24 \$89 reproduced test sequence of records with unusual accuracy & tonal naturalness". High output MC-3L/2 'Vital' stylus \$79. NEW MKIV SUPER tonearm \$125. MC-7V/111 cartridge \$125, transparent master-tape sound. VISA/MC Reviews \$1 bill. Mayware, P.O.B. 58, Edgware, Middx. England.

### TURNTABLES

**EMINENT TECHNOLOGY AIRBEARING TONEARM:** Glides along your records like silk. AUDIO NEXUS, NJ (201) 464-8238.

**MERRILL ACRYLIC LEAD PLATTER WITH OUTER CLAMPING RING FOR THE AR TURNTABLE. COMING SOON. UNDERGROUND SOUND, 2125 CENTRAL AVE., MEMPHIS, TN 38104.**

**SOTA TURNTABLES: BEAUTIFULLY CRAFTED, UNSURPASSED SONICS.** AUDIO NEXUS, NJ (201) 464-8238.

**MERRILL AR MODIFICATIONS—MERRILL TURNTABLE**  
UNDERGROUND SOUND, 2125 CENTRAL AVE., MEMPHIS, TENN. 38104 (901) 272-1275.

### PLANS & KITS

**NOISE REDUCTION—ELIMINATE HISS** on recorded tapes. Fast, no pumping, built-in bypass. Plans and PC board \$18.95. Certified check/Money order. Sound Innovations, P.O. Box 7394, Bloomfield Hills, MI 48302-7394.

### PARTS & ACCESSORIES

**BRISSON INTERCONNECTS, CUSTOMIZED ATHENA** PolyPhasors, MI-330 in any configuration, including tone-arm sets and Camac terminations for Goldmund and Levinson. Brisson hookup wire for audio constructors, MIT wiring harness for INFINITY RS-1, custom threaded Tiptoes for any component, ASC Tube Traps, Wonder Caps & solder, Resistors, connectors, etc., \$1 catalog. Michael Percy, Box 526, Inverness, CA 94937. 415 669-7181.

**DB-3 ACTIVE ELECTRONIC CROSSOVERS ARE** available at any frequency, with Gaussian (6,12 dB), Butterworth (18 dB) and in Phase (24 dB/octave) slopes. Also custom versions. Level controls, less than 0.0008% THD, five year warranty. Frequency change at factory or in field, generous credit for exchanges. DB SYSTEMS, Main St., Rindge, New Hampshire 03461. (603) 899-5121.

**TUBES & ACCESSORIES WITH ADVICE** on tubes, mods., system design, new & used components. Amperex, EE, GE, Gold Lion, Mullard, Sylvania, Tungstram. Exclusive US rep. Siemens/Telefunken. Great prices. Consultant/supplier to manufacturers, dealers, clubs, individuals. Douglas Kent Smith Consulting, 240 W. Pike St., Canonsburg, PA 15317-1163. (412) 746-1210.

### CD PLAYERS

**NEW SHURE CD PLAYER**  
SV40 w/only 5 yr. laser warranty  
**Call LYLE CARTRIDGES** for Details  
**800-221-0906**

**ANY OTHER CD PLAYER WILL fail** to convince you that CD software is comparable to analog. Musical Concepts modified CD players will convince you that other CD players (at any cost) are the problem. Available: Complete Level II players \$550, or the all-out Level IV (including toroid outboard power supply) \$850. We also accept Sony and Philips based units for modification. Consult with us on models accepted and power supply options. Musical Concepts, #1 Patterson Plaza, Florissant, MO 63031, 314-831-1822 (1-5PM CST).

### COMPACT DIGITAL PLAYERS!

In stock! Fast, FREE shipping. Also: Adcom, Klipsch, Acoustat, PS, Sony, Spica, Fried, and more. (See our Hatler ad.) READ BROTHERS STEREO, 593 King Street, Charleston, South Carolina 29403. (803) 723-7276.

**J.S. AUDIO OFFERS A LARGE** selection of CD players at competitive prices. For more information Mon. thru Sat. please call 301-890-3232. J.S. Audio, One Childress Court, Burtonsville, MD 20866. We honor Visa & M/C.

### DIMENSIONAL PURITY

### VANDERSTEEN AUDIO



Vandersteen Audio was founded in 1977 with the commitment to offer always the finest in music reproduction for the dollar. Toward this goal there will always be a high degree of pride, love, and personal satisfaction involved in each piece before it leaves our facilities. Your Vandersteen dealer shares in this commitment, and has been carefully selected for his ability to deal with the complex task of assembling a musically satisfying system. Although sometimes hard to find, he is well worth seeking out.

Write or call for a brochure and the name of your nearest dealer.

**VANDERSTEEN AUDIO**  
116 WEST FOURTH STREET  
HANFORD, CALIFORNIA 93230 USA  
(209) 582-0324

MODEL 2C

### KIMBER KABLE

HIGH PERFORMANCE  
SPEAKER WIRE

NEW KABLES  
ASK YOUR DEALER

**KIMBER KABLE**  
2675 Industrial Drive  
Ogden, Utah 84401  
(801) 621-5530



## TAPE RECORDERS

AMERICA'S LARGEST dealers in HIGH END USED stereo. We BUY and SELL by PHONE. STEREO EXCHANGE 687A Broadway, between 3rd and 4th St. (opposite Tower Records) NYC 10012. (212) 505-1111 and (800) 833-0071.

## AUTO SOUND

CARVER, NAKAMICHI, BANG & OLUFSEN, A.D.S., CROWN, REVOX, TANDBERG, HAFNER, ADCOM, MISSION, N.A.D., HARMAN/KARDON, KYOCERA, YAMAHA, LUXMAN, DENON, KLIPSCH, B & W, KEF, D.C.M., E-V, J.B.L., INFINITY, D.B.X., AKG, AND OTHER QUALITY COMPONENTS. BEST PRICES—PROFESSIONAL CONSULTATION. ALL PRODUCTS COVERED BY MANUFACTURERS' U.S.A. WARRANTY. AMERISOUND SALES, INC., JACKSONVILLE, FLORIDA 32241. EAST: (904) 262-4000 WEST: (818) 243-1168.

NAKAMICHI TD-1200 MK-I AM-FM CASSETTE. Perfect. (List \$1270) \$700. Techno Ungo box Remote TL-4000 car security, power pack, pager, keys. (List \$731.50) \$440 warranted. Jerry, 313-353-4148, leave message.

## BLANK TAPE

3.95 SHIPPING ANY SIZE ORDER 1-800-245-6000

TDK	1/120/1750	HG	MAXELL
MA-90	5.79	4.69	5.79
MA-90	3.59	TDK-HDPRO	8.29
HXS-90	2.99	MAXELL	4.69
SAX-90	2.19	MAXELL GOLD	7.29
ADX-90	1.99	FUJISONY	4.79
SA-90	1.69	SONY	5.99
AD-90	1.59	SONY	5.99
90	99	SONY	5.99
60	99	SONY	5.99
FUJI-FR90	1.89	SONY	5.99

WE WILL BEAT ANY PRICE OF THE TOTAL ORDER INCLUDING ALL SHIPPING & HANDLING CHARGES BY 1%  
3.95 SHIPPING ANY SIZE ORDER C.O.D. ADD 1.95  
ALL TAPES HAVE U.S. WARRANTIES

48 HR SHIPPING

TAPE WORLD 200 SPRING ST BUTLER PA 18001  
COMPLETE LINE OF TDK AND MAXELL IN STOCK

M-F 9:30-5:00  
412/283-9821  
800/245-6000

REDUCE AUDIO CASSETTE TAPING COSTS 70%. Use recording company professional bulk pack instead of expensive consumer packaging. All popular major brand equivalents. Only the best. Satisfaction or money back. Phone or write for free discount price list. We only sell cassettes. GREENCORP INC., 3505S Ocean Drive, Hollywood FL 33019 1-800-972-0707.

## COMPACT DISCS

**WE'RE MUSIC TO YOUR EARS**

- Free Catalog of CD's
- Same day shipping if you order before 12:00pm EDT.
- \$1.00 DISCOUNT per disc on orders of 10 or more.
- \$2.50 for UPS Cont. U.S. shipments.

Call Toll Free to order:  
USA 1-800-232-3687  
NYS 1-800-537-7303

P.O. Box 616, Clifton Park, NY 12065  
518-664-2550

COMPACT DISC CENTRE

CHECK OUR LOW PRICES!

DIRECT-TO-TAPE RECORDINGS: REAL TIME DUPLICATED REELS (2/4 track, Dolby B/C, TypeX), CASSETTES, PCM DIGITAL CASSETTES, and BETA HIFI AUDIO from MASTER TAPES. We also sell CD'S. SEND \$1.00 for CATALOG and NEWSLETTER. Direct-to-Tape Recording, 14-R Station Avenue, Haddon Heights, NJ 08035.

THE CD DEPOT. CD'S \$12.99, thousands in stock. Free catalog. 11703-D Raintree Village Blvd., Tampa, Fla 33617. (813) 985-1574. Call Today.

COMPACT DISCS—CLASSICAL, JAZZ, POP/AUDIO-PHILE, EUROPEAN & JAPANESE IMPORTS. Special orders welcomed. Send \$3 for comprehensive catalogue. Players available. NYCD, P.O. Box 20232, London Terrace Station, New York, NY 10011

When we say  
it's good...it is!

Adcom + Apogee + AR + B&K + Carnegie + CJ  
Eminent Technology + Grado + HK + Infinity RS1b  
Krell + Kyocera + Meridian + NEC + Pro Ac + SME 6  
Spendor + Spica + Souther + Sumiko + VPI + MORE  
and now, JADIS!

AUDIO  
VISION

1060 Massachusetts Avenue  
Arlington, MA 02174  
617 648-1111

## COMPACT DISCS

COMPACT DISCS—MOST TITLES \$12.99—\$14.99. 4,500 plus titles in stock. Free catalog plus regular updates. Oz Records, 5246A Memorial Drive, Stone Mountain, GA 30083, (404) 292-5451.



## COMPACT DISCS AND ACCESSORIES

Call for FREE catalog.  
Requests welcome  
24 hours a day.

ALL DISC MUSIC, INC.

CT call  
1-452-0203

Retailer prices available  
**1-800-ALL DISC**

41 Monroe Turnpike, Trumbull, CT 06611

## SOTA's Reflex Clamp is Here!



Ready to Hear LP Perfection?


SOTA's new record clamp combines simplicity of use, elegance, and unequalled performance. True Reflex action. Rigid, massive, yet decoupled during play. The ideal match for the SOTA Supermat.

Capture part of the SOTA achievement. Experience how perfect an LP can sound! Warning: Both may be addictive!

SOTA  
industries

P.O. Box 7075, Berkeley, CA 94707

## SIEFERT RESEARCH HYBRI-DOME...A NEW ERA IN LOUDSPEAKER DESIGN



Featuring the revolutionary new **HYBRI-DOME High-Frequency Driver**(1), Siefert Research's new Magnum III 3-way Loudspeaker System ushers in a new era in loudspeaker performance.

Key to Magnum III's natural sound is its exclusive **HYBRI-DOME** high-frequency driver with its hybrid mating of metal and plastic. This **two-piece** construction uses an optimally-stiff aluminum dome supported by a highly-compliant polyamide plastic suspension. Aluminum's stiffness extends response to over 32 kHz whereas the compliant plastic suspension permits operation down to 1500 Hz. Also, this provides transverse-wave absorption and edge termination that can't be achieved by **one-piece metal** assemblies. (Frequently-used **one-piece** soft plastic or fabric domes experience mid-spectrum breakup difficulties highlighted in widely-published laser interferometry photos.) Thus, the **HYBRI-DOME** provides unmatched sound smoothness, transparency and an effortless, uncolored reproduction of complex tonalities.

At the heart of the Magnum III is a new, unique **Six-Octave Midrange Driver**(2). The exceptionally-smooth response (100 Hz to 8 kHz, ± 2 dB) of this four-inch, polypropylene-cone driver extends with minimum group delay one octave on either side of the 250/3000-Hz crossover frequencies.

Magnum III uses an expensive **Third-Order 250-Hz Crossover Network**(3) that is just below middle C (262 Hz). This locates any crossover phase changes well below the extra-sensitive 400- to 1500-Hz sound region.


The final element providing a robust low end to below 36 Hz (-3 dB), is the **Integrated Tuned Port**(4) that shares the enclosure's 3/4-inch wood material. Others use a lower-cost cardboard tube that causes audible air turbulence.

The synergism afforded by Magnum III's features gives it extraordinarily-low-group delay, exceptional imaging and 38-Hz to 32-kHz response within ± 2 dB.

The compact enclosure (only 22H x 13.5W x 14D) is available in walnut, oak, or black-lacquered natural hardwood.

We invite you to audition the Magnum III at home for 30 days. If it does not meet your requirements, the purchase price will be refunded with no hassle.

For the complete story on the Magnum III, or its highly-regarded predecessor, the Maxim III (2-way system), call or write. VISA and MASTERCARD are accepted. PRICE: \$699/pair, plus \$36 UPS.



**SIEFERT RESEARCH**

31212A Bailard Rd., Malibu, CA 90265  
(213) 457-4239

© 1986 Siefert Research







## WANTED TO BUY

**AMERICA'S LARGEST** dealers in HIGH END USED stereo. We BUY and SELL by PHONE. STEREO EXCHANGE 687A Broadway, between 3rd and 4th St. (opposite Tower Records) NYC 10012. (212) 505-1111 and (800) 833-0071.

**MCINTOSH, MARANTZ TUBE, MCINTOSH S.S.** equipment, Thorens, Western Electric, Tubes, Speakers, etc. TOP CASH. Scott Dowling, 9908 Daines Drive, Temple City, CA 91780. (818) 286-9122, evenings/weekends.

**MCINTOSH, MARANTZ TUBE COMPONENTS,** Western Electric, Altec, JBL, John Conrad, 1178 Blackbird St., El Cajon, CA 92020. (619) 449-9155.

**WANTED MCINTOSH ML1C OR ML2C SPEAKERS.** PAIR, WILL PAY TOP DOLLAR, CALL MIKE, 1-312-351-3171, ANYTIME, ANY LOCATION.

**HAVE YOU NOTICED NATIONAL PRICE** increases on "collectible" tube electronics? Vast exporting is driving up prices drastically. When buying, or selling, contact AUDIO RESOURCE for unquestionably the best prices on McIntosh, Marantz, Altec, etc. Keep our "audio resources" in the USA. AUDIO RESOURCE, #1 METAIRIE COURT, METAIRIE, LOUISIANA 70001. 504-833-6942.

## MAIL ORDER

**ABARGAIN: TECHNICS STYLUS GUAGE \$59,** 100CMK4 \$335, 305MCII \$215, EPA500 \$295, EPA250 \$275, STAX PRO/LAMBDA \$629, SRM1/2 \$259, SIGMA/SDR7 \$369, LAMBDA/SRD7 \$310, PRO-LAMBDA/SRD7II \$450, SRDX \$125, GRACE 747 \$199, 707IIB \$179, F9E(S) \$135, F9E RUBY \$169, F9E STYLUS \$79, RUBY STYLUS \$120, ACCUPHASE AC2 \$325, AC3 \$245, DENON 103D \$155, DL305 \$325, DL303 \$199, DL304 \$245; DYNAVECTOR 23RS(MR) \$199, 17DS(MR) \$385; KOETSU BLACK \$519, ROSEWOOD \$695; FR64fx \$325, FR1MK3F \$185, FRMC45 \$199; SIGNET XK50 \$199; PROTON 450 \$175, PROTON 540 \$179; HITACHI SAX-102 INTERCOM 1.5' \$17, NAMIKI DIRECT FINDER \$59; TURNTABLES AVAIL; WANTED: COMPUTER PRINTERS & HRDDSK DR. SEND SASE, BOX 3334, RIDGEWOOD, NY 11386; SHIP COD; ALL UNUSED. ALL DAY—(212) 619-2888; (305) 487-1048; (718) 366-0360.

**CARVER, NAKAMICHI, BANG & OLUFSEN, A.D.S.,** CROWN, REVOX, TANDBERG, HAFNER, ADCOM, MISSION, N.A.D., HARMAN/KARDON, KYOCERA, YAMAHA, LUXMAN, DENON, KLIPSCH, B & W, KEF, D.C.M., E-V, J.B.L., INFINITY, D.B.X., AKG, AND OTHER QUALITY COMPONENTS. BEST PRICES—PROFESSIONAL CONSULTATION. ALL PRODUCTS COVERED BY MANUFACTURERS' U.S.A. WARRANTY. AMERISOUND SALES, INC., JACKSONVILLE, FLORIDA 32241. EAST: (904) 262-4000 WEST: (818) 243-1168.

**J.S. AUDIO OFFERS AN EXTENSIVE** product selection of HOME AUDIO, CAR STEREO, esoterics and the new DIGITAL DISC PLAYERS AT EXTREMELY COMPETITIVE PRICES. We provide six years of audio sales experience, candid honest advice and full warranty on all products we sell. For pricing and stock information call: 301-890-3232 or write to: J.S. AUDIO, One Childress Court, Burtonsville, MD 20866. We honor Visa/MC and COD. Monday—Friday 11AM-7PM, Saturday 11AM-4PM.

**NAKAMICHI:** BX100 \$279, BX125 \$379, BX300 \$599, RX202 \$549, RX303 \$849, RX505 \$999, CR7A \$1199. DRAGON \$1599, OMS3A \$599, OMS4A \$849, SR2A \$389, SR3A \$499, ST7 \$619, CA5 \$629, TD700 \$699, TD300 \$319, PA400M \$359, PA350 \$339, SP300 \$279, SP400 \$309.

**YAMAHA:** R9 \$699, R8 \$539, R7 \$399, R5 \$269, R3 \$209, GE60 \$329, CD2000 \$649, CD1000 \$539, CD700 \$479, CD500 \$329, M85 \$799, C85 \$639, T85 \$379, M65 \$559, C65 \$439, M45 \$349, C45 \$299, T720 \$199, AVC50 \$379, DSP1 \$729, K1020 \$539, K720 \$399.

**DENON:** DRM44HX \$519, DRA75V \$409, DRA95V \$539, DCD700 \$329, DCD1500 \$529, DP59L \$499, PMA900V \$559.

**SONY:** TCD5M \$649.

USA Warranty. VISA/MC/AMEX/DINERS/COD. Order Only Please Call: 1-800-255-9500 EXT. 201. Info. Please Call: 1-206-221-2977, for JBL, Harman Kardon, Kyocera, LUXMAN, Alpine, Carver. Taskamichi Audio: POB 25583, Seattle, WA 98125. Prices Subject to Change. Thank You!!

## Improve the sound of any speaker.



**Chicago Speaker Stand**

American quality and technology made in the USA  
312-745-5500 800-882-2256

Yes, your speakers can sound as if they cost twice as much. Chicago Speaker Stands' are rigid and spiked to prevent the movement that causes smearing and blurring of the musical event. Chicago Speaker Stands must be heard. Over 25 Models. Prices start at under \$43 per pair.

**THE SOUTHER JUNIOR**  
THE SLA-3 IMPROVED REPLACED BY THE NEW **TRIGUARTZ** SUPERIOR SOUND SAME PRICE **\$850**  
ANNOUNCING FOR '86  
SUPERB SOUND SWEET PRICE **\$550**  
THE CLEARAUDIO IMPORTER  
THE LEADER IN LINEAR PHONO TRACKING  
**SOUTHER ENGINEERING CORPORATION**  
425 YORK STREET CANTON MASSACHUSETTS 02021  
617-828-5050/TELEX SOUTHER 940 536805 T5 L E

## ACTIVE ELECTRONIC CROSSOVERS

NEW DESIGN! MODEL 120  
NOW AVAILABLE

Made to order in bi-amp, tri-amp, and quad-amp configurations with optional level controls, subsonic filters, or summers. Filters regulated power supplies, equalizers, also available.

Free catalog and price sheet

**DeCoursey Eng. Lab.**

11828 Jefferson Bl. Culver City, CA 90230  
PHONE (213) 397-9668

**THE REFERENCE**  
**ALPHASON HR 100 S MCS**

For more information on the whole range of Alphason tone arms please contact **may audio marketing ltd**  
P.O. Box 1048 Champlain, N.Y. 12919 Tel.: (514) 651-5707

# AD INDEX

**LiveWire Type 8.** speaker cable uses 8 polypropylene insulated OFHC copper conductors in a critically engineered magnetic field balancing array. This remarkable cable sounds much bigger than its 1/2" diameter would indicate. At only \$3 per foot plus \$30 per pair prep (including custom gold ends), Type 8 is a very cost effective way to let the music through.

629 Camino de los Mares #306, San Clemente, CA 92672 (714)240-0604

## MAIL ORDER

### WE ARE AMAZING!!!

Amazing offers on HI-FI, VIDEO, and CAR STEREO. Choose from: YAMAHA, SONY, ALPINE, KENWOOD, INFINITY, JBL, MERIDIAN, CARVER, NAKAMICHI, CANTON, MISSION, PS AUDIO, APOGEE, HAFLER, STAX, much more. We have no competitors. If you're serious or curious, you cannot afford to wait. For a look at the future of electronics retailing, CALL or WRITE, TODAY:

AMAZING INT'L SIGHT & SOUND, INC.  
DEPT 11  
1323 SOUTH 4TH ST.  
PHILADELPHIA, PA. 19147  
(215) 969-1166

**WHOLESALE AUDIO, VIDEO, TELEPHONE ACCESSORIES.** Cables, antennas, amplifiers, cartridges, transformers, watches, calculators, chemicals, speakers, radios, microphones, adaptors. Free catalog. 718-897-0509. D&W Enterprises, 68-12 110th Street, Flushing, NY 11375.

## SERVICES

**ATTENTION LONG ISLAND AUDIOPHILES!** Well established audio club seeking to expand. All Hi-Fi enthusiasts welcome. Monthly meetings, technical help available plus good fellowship! Call: (516)-271-4408, 589-4260, 825-2102, evenings.

**AUDIO PULSE SERVICE.** Factory trained technicians. Write us about Model One update kits. White Labs, 10528 Lower Azusa Rd., Suite 192A, El Monte, CA 91731. (818) 446-5346.

## BUSINESS OPPORTUNITIES

**COMPUTERS PC/XT AND AT COMPATIBLES:** High Quality, Low Prices. Assembled, Kits, Monitors, Printers, Software, Etc. Dealer Info. MicroMagic, Box 18009, Seattle, WA. 98118. East: 202-723-7404, West: 206-325-7601.

## MISCELLANEOUS

**NEW IDEA?** American Patent in Washington, D.C. will assist you through Research and Development! Free Kit—1-800-257-7880.

Enjoy the music as well as the convenience.  
The SONOGRAPHE SD1 features analogue circuits by conrad-johnson to bring musical accuracy to the compact disc format.



the conrad-johnson group  
2800R Dorr Avenue  
Fairfax, Virginia 22031  
(703) 698-8581

Firm (Reader Service No.)	Page
ADS (1)	7
AKG	27
Accuphase (2)	110
Adcom (3)	35 - 38
Akai (4, 5, 6)	105, 107, 109
Alpine (7)	20 & 21
Altec Lansing (8)	126 & 127
Audiophile (9)	124
AudioStream (10)	147
B & W (11)	4
Boston Acoustics	96
Bozak (12)	123
Bridgestone	10
Brytonvermont (13)	121
CBS Records (14)	135
Capitol Records	120
Carver (15, 16)	19, 143
Celestion (17)	137
Cerwin-Vega (51)	5
Columbia House	75
Compact Disc Music Guild (50)	93
Concord (18)	13
Custom Woodwork & Design	42
Denon (19, 20)	28, 50 & 51
Deutsche Grammophon	26
Discwasher (21)	98
Ford/JBL	81
Fujitsu Ten (22)	145
GRP Records (23)	53
Harman/Kardon	129
Infinity (24)	43
JBL	Cover II
Jazz	142
Kyocera (25)	119
Levinson	Cover III
London	149
MTX Loudspeakers (26)	71
Magnavox (27)	67
Magnepan (28)	130
Maxell (29)	138 & 139
McIntosh (31)	99
Meridian	52, 148
NEC	31
Onkyo	77, 79
Panasonic (47)	Cover IV
Perreux (33)	3
Pioneer (34, 44)	33, 114 & 115
Polk (35)	24 & 25, 144
Pyle (36)	14
Recoton (37)	95
Rotel (38)	4
Sansui (39)	23
Signet (40)	146
Sony	40 & 41, 46 & 47
Soundcraftsmen (30)	8 & 9
Soundstream (41)	30, 32
Studer Revox (42)	125
Sumo	1
TDK (43)	89
Teac (45)	45
Technics (46)	86 & 87
Telarc (48)	111
Toshiba (49)	42
Triad	117
Vantage	49
Winston	73
Yamaha	100 & 101



# 1986 ANNUAL INDEX

## SUBJECT INDEX

### Addenda

*Museum of Broadcasting: The Show Place*, David Lander (Jan. 1986, 58), May, 8.  
*The Audio Interview: Bob Thiele*, Ted Fox (Feb. 1986, 36), May, 8.  
Kenwood KRC-999 Car Stereo (Equipment Profile, April 1986, 52), Oct., 29.

### Book Reviews

*The New Sound of Stereo*, June, 53.  
*San Francisco Nights*, June, 53.  
*Principles of Digital Audio*, June, 54.  
*Beatle! The Pete Best Story*, June, 57.  
*Bookcassettes* (from Brilliance Corp.), June, 57.  
*In One Lifetime: The Life of William Grant Still*, June, 58.

### Car Stereo

*Detroit Steers a Collision Course on Car Stereo*, David Lander, April, 46.  
*Music on the Move: The Keys to Car Stereo*, Ivan Berger and Hans Fantel, May, 52.  
*12th Annual Car Stereo Directory*, May, 95.

### Cartridges

*A Clutch of Cartridges* ("Auricle"), Anthony H. Cordesman, Feb., 86.

### Compact Disc Players

*One Listener's CD Player Survey* ("Auricle"), Anthony H. Cordesman, Jan., 120.  
*Change for the Better: Four Multi-Disc CD Players*, Leonard Feldman, June, 62.

### Construction Projects

*Build a Slow-Start Circuit*, Daniel Dufresne, Jan., 66.  
*Build a Stereo/Balance Test Switch*, Herman Burstein, July, 46.  
*Build a Passive Image Enhancer*, Richard J. Kaufman, Nov., 60.  
*Build a Live End/Dead End Listening Room, Part I*, William R. Hoffman, Dec., 62.

### Directories

*Car Stereo Directory*, May.  
Amplifiers/Equalizers, 95; CD Players, 106; Radios/Tape Players, 107; Speakers, 115; Company Addresses, 136.  
*Annual Equipment Directory*, Oct.  
Introduction, 153; Digital Processors, 157; Compact Disc Players, 158; Amplifiers, 170; Preamplifiers, 186; Tuners, 201; Receivers, 204; Turntables, 210; Phono Cartridges, 219; Tonearms, 228; Open-Reel Tape Decks, 233; Cassette Decks, 236; Blank Tape, 244; Microphones, 248; Headphones, 259; Equalizers, 264; Ambience & Surround-Sound Processors, 271; Signal Processors, 272; Crossovers,

275; Hi-Fi VCRs, 279; Loudspeakers, 283; Company Addresses, 397.

### Equipment Profiles/Auricles

Adcom XC-MR II ("Auricle: A Clutch of Cartridges"), Feb., 86.  
Akai CD-M88 Compact Disc Player, March, 76.  
Alpine 5900 Car Stereo Compact Disc Player, Feb., 70.  
Alpine 7374 Car Stereo, April, 62.  
Audio Control Phase Coupled Activator, Sept., 80.  
Audio Research SP-11 Preamplifier ("Auricle"), Sept., 92.  
Audio Research D-250MKIIS Amplifier ("Auricle"), Dec., 122.  
AudioSource RTA-One Real-Time Analyzer ("Auricle"), Dec., 128.  
Azden WMS-10 Wireless Microphone, Nov., 110.  
Bang & Olufsen Beogram CD X Compact Disc Player, March, 54.  
BASF LH-MI, CR-EII, and CR-MII Cassette Tapes ("Cassette Test Update"), June, 74.  
Bryston 5B Preamplifier and TF-1 Transformer, Sept., 60.  
Classé Audio DR-3 Amplifier, July, 76.  
conrad-johnson Premier Five Amplifier, Aug., 50.  
dbx DX3 Compact Disc Player, Nov., 82.  
Decca Super Gold ("Auricle: A Clutch of Cartridges"), Feb., 86.  
Denon DCD-1800 ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
Denon DCR-7600 Car Stereo, April, 70.  
Denon DX3, DX4, HD6, HD7, HD8, and HDM Cassette Tapes ("Cassette Test Update"), June, 74.  
Denon DCD-1500 Compact Disc Player, June, 116.  
Discrete Technology LSI ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
Discrete Technology LSI MK.II Compact Disc Player, Nov., 102.  
Electrocompaniet MC-2 Pre-Preamp ("Auricle"), Jan., 114.  
Fried Studio IV Speaker, Feb., 58.  
Fuji GT-I, FR-II, and GT-II Cassette Tapes ("Cassette Test Update"), June, 74.  
Garrott Decca ("Auricle: A Clutch of Cartridges"), Feb., 86.  
Goldbug Clement II Cartridge and Zeta Standard Tonearm, Dec., 90.  
Grace G-747 Tonearm and F-9E Super Cartridge, Jan., 94.  
Grado Signature 8MR ("Auricle: A Clutch of Cartridges"), Feb., 86.  
Hafler DH-330 FM Tuner, Nov., 74.  
Harman/Kardon CH160 Car Stereo, May, 66.

Infinity RS 4B Loudspeaker ("Auricle"), April, 32.  
Kenwood KRC-999 Car Stereo, April, 52; Addendum, Oct., 29.  
Kinergetics KPA-1 Preamplifier, Aug., 62.  
Klipschorn Loudspeaker, Nov., 64.  
Lirpa Distortek J-X33B Rack System ("Auricle"), April, 80.  
Magnavox FD3040SL ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
Magnum Dynalab FT-101 Tuner, June, 108.  
Marantz PMD430 Portable Cassette Deck, July, 94.  
Maxell UR, UDS-I, XLI, XLI-S, UDS-II, XLII, XLII-S, and MX Cassette Tapes ("Cassette Test Update"), June, 74.  
McLaren 402 Preamplifier and 702 Amplifier, Dec., 68.  
Memorex MRX I, HBII, HBXII, and CDXII Cassette Tapes ("Cassette Test Update"), June, 74.  
Meridian MCD ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
Meridian Professional ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
Michell GyroDec Turntable, Dec., 82.  
Mission DAD-7000R ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
Mitsubishi DP-409R ("Four Multi-Disc CD Players"), June, 62.  
Monster Cable X-Terminator Speaker Plugs ("Auricle"), Jan., 118.  
Nakamichi OMS-5 ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
Nakamichi TD-700 Car Stereo, March, 58.  
Nakamichi CR-7A Cassette Deck, Aug., 42.  
NEC CD-705E ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
NEC CD-650E Compact Disc Player, Dec., 112.  
Nikko NCD-600 ("Four Multi-Disc CD Players"), June, 62.  
Onkyo M-510 Amplifier ("Auricle"), Aug., 69.  
Oracle Delphi II Turntable ("Auricle"), June, 130.  
PDMagnetics FERRO, Tri-Oxide FERRO HG, 500 Crolyn, 500 Crolyn HG, and 1100 Metal HG Cassette Tapes ("Cassette Test Update"), June, 74.  
Pioneer PD-9010X Compact Disc Player, Feb., 78.  
Pioneer PD-M6 ("Four Multi-Disc CD Players"), June, 62.  
Proton D940 Receiver, July, 86.  
RAKS High Dynamic, High Dynamic I, and High Dynamic II Cassette Tapes ("Cassette Test Update"), June, 74.  
Revox B225 ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
Revox B286 Tuner/Preamplifier, Dec., 102.  
Robertson Sixty Ten Amplifier, Feb., 52.  
Scotch CX, XSI, XSII, and XSMIV Cassette Tapes ("Cassette Test Update"), June, 74.  
Sherwood CRD-180 Car Stereo, May, 72.  
Shure SM91 Microphone, June, 122.

# 1986

# ANNUAL INDEX

SME V Tonearm and Talisman Virtuoso DTI Cartridge, June, 88.  
 Sony D-5 ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
 Sony CDX-A10 ("Four Multi-Disc CD Players"), June, 62.  
 Sony HF, HF-S, UCX, UCX-S, and Metal-ES Cassette Tapes ("Cassette Test Update"), June, 74.  
 SOTA Star Sapphire Turntable, June, 98.  
 Soundstream TC 308 Car Stereo, Sept., 66.  
 Talisman Alchemist IHS ("Auricle: A Clutch of Cartridges"), Feb., 86.  
 Talisman Virtuoso DTI Cartridge and SME V Tonearm, June, 88.  
 Tandberg 3008A Preamp and 3009A Amplifier, June, 68.  
 TDK D, AD, SA, SA-X, and HX-S Cassette Tapes ("Cassette Test Update"), June, 74.  
 Technics EPC-205CMk4 Cartridge, Jan., 78.  
 Technics EPC-305MCII Cartridge and SH-305MC Transformer, Aug., 56.  
 Technics SH-8066 Equalizer, Nov., 94.  
 Terk 8403 FM Antenna, Jan., 89.  
 Triad FX, EM-X, and MG-X Cassette Tapes ("Cassette Test Update"), June, 74.  
 Uher CR 160 AV Portable Cassette Recorder, Jan., 104.  
 Yamaha CD-2 ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
 Yamaha CD-3 ("Auricle: One Listener's CD Player Survey"), Jan., 120.  
 Yamaha K-1020 Cassette Deck, March, 68.  
 Yamaha YGE-600 Car-Stereo Equalizer ("Auricle"), May, 81.  
 Zeta Standard Tonearm and Goldbug Clement II Cartridge, Dec., 90.

## FM Reception

*FMX: Long Distance Stereo, Clean as Mono*, Leonard Feldman, May, 60.

## Forum

*Tape Measure*, Leonard Feldman, Jan., 39.

## Headphones

*A History of Binaural Sound*, John Sunier, March, 36.

## History of Audio

*Museum of Broadcasting: The Show Place*, David Lander, Jan., 58; *Addendum*, May, 8.

*A History of Binaural Sound*, John Sunier, March, 36.

*Confessions of a Loudspeaker Salesman*, Harold Weinberg and Robert Angus, March, 48.

*Fitting Revivals: The Mosaic Reissues*, Frank Driggs, June, 136.

## Interviews

*Bob Thiele*, Ted Fox, Feb., 36; *Addendum*, May, 8.

*Phil Ramone*, Ted Fox, July, 38.

*Jerry Leiber & Mike Stoller*, Ted Fox, *Part I*, Nov., 52; *Part II*, Dec., 54.

## Lirpa

*The Lirpa Turbo Steamtable*, Prof. I. Lirpa and Ivan Berger, April, 42.

*Lirpa Distortek J-X33B Rack System* ("Auricle"), April, 80.

## London Letter

*Masterful Remastering* ("Jazz Classics in Stereo"), Donald Aldous, Nov., 9.

## Loudspeakers

*Confessions of a Loudspeaker Salesman*, Harold Weinberg and Robert Angus, March, 48.

## Measurements

*Femtowatts Take Over*, Leonard Feldman, Nov., 80.

## Microphones

*Matching a Mike*, Howard A. Roberson, Aug., 40.

## Music Performance & Recording

*Fitting Revivals: The Mosaic Reissues*, Frank Driggs, June, 136.

*Zydeco Music: Hot as a Pepper*, Ted Fox, Sept., 42.

*London Letter: Masterful Remastering* ("Jazz Classics in Stereo"), Donald Aldous, Nov., 9.

## Obituaries

Frank Hoffman, Feb., 21.

Herb Horowitz, April, 40.

C. G. "Mac" McProud, Sept., 6.

A. Stewart Hegeman, Nov., 26.

Jack Trux, Dec., 18.

## Psychoacoustics

*A History of Binaural Sound*, John Sunier, March, 36.

*The Filters in Our Ears*, F. Alton Everest, Sept., 50.

## Round-Up Reviews

*One Listener's CD Player Survey* ("Auricle"), Anthony H. Cordesman, Jan., 120.

*A Clutch of Cartridges* ("Auricle"), Anthony H. Cordesman, Feb., 86.

*Change for the Better: Four Multi-Disc CD Players*, Leonard Feldman, June, 62.

*Cassette Test Update: 49 Formulations*, Howard A. Roberson, June, 74.

## Tape & Tape Recorders

*Forum: Tape Measure*, Leonard Feldman, Jan., 39.

*Cassette Test Update: 49 Formulations*, Howard A. Roberson, June, 74.

*Deck-to-Deck Matching and NR: Straightening the Mirror*, Howard A. Roberson, Aug., 30.

# AUTHOR INDEX

**Aldous, Donald**, *London Letter: Masterful Remastering*, Nov., 9.

**Angus, Robert** and Harold Weinberg, *Confessions of a Loudspeaker Salesman*, March, 48.

**Berger, Ivan** and Prof. I. Lirpa, *The Lirpa Turbo Steamtable*, April, 42. With Hans Fantel, *Music on the Move: The Keys to Car Stereo*, May, 52.

**Burstein, Herman**, *Build a Stereo/Balance Test Switch*, July, 46.

**Dufresne, Daniel**, *Build a Slow-Start Circuit*, Jan., 66.

**Everest, F. Alton**, *The Filters in Our Ears*, Sept., 50.

**Fantel, Hans** and Ivan Berger, *Music on the Move: The Keys to Car Stereo*, May, 52.

**Feldman, Leonard**, *Forum: Tape Measure*, Jan., 39; *FMX: Long Distance Stereo, Clean as Mono*, May, 60; *Change for the Better: Four Multi-Disc CD Players*, June, 62; *Femtowatts Take Over*, Nov., 80.

**Fox, Ted**, *The Audio Interview: Bob Thiele*, Feb., 36; *Addendum*, May, 8; *The Audio*

*Interview: Phil Ramone*, July, 38; *Zydeco Music: Hot as a Pepper*, Sept., 42; *The Audio Interview: Jerry Leiber & Mike Stoller, Part I*, Nov., 52 and *Part II*, Dec., 54.

**Hoffman, William R.**, *Build a Live End/Dead End Listening Room, Part I*, Dec., 62.

**Kaufman, Richard J.**, *Build a Passive Image Enhancer*, Nov., 60.

**Lander, David**, *Museum of Broadcasting: The Show Place*, Jan., 58; *Addendum*, May, 8; *Detroit Steers a Collision Course on Car Stereo*, April, 46.

**Lirpa, Prof. I.** and Ivan Berger, *The Lirpa Turbo Steamtable*, April, 42.


**Roberson, Howard A.**, *Cassette Test Update: 49 Formulations*, June, 74; *Deck-to-Deck Matching and NR: Straightening the Mirror*, Aug., 30; *Matching a Mike*, Aug., 40.

**Sunier, John**, *A History of Binaural Sound*, March, 36.

**Weinberg, Harold** and Robert Angus, *Confessions of a Loudspeaker Salesman*, March, 48.



The evolution continues...



The new NQ 20  
Monaural Reference Amplifier  
introduced February 1986



# Now Panasonic Hi-Fi VCRs can make your house sound better than most movie houses.

Experience the supernatural. An eerie presence seems to fill the room. This phenomenon is created by the picture and sound from the new Panasonic VHS Hi-Fi video recorder, PV-1742. In fact, it has the amazing ability to produce sound better than most movie houses.

This Panasonic VCR can do something else that's unbelievable. It can turn your ordinary TV into a stereo TV.

Because its built-in MTS decoder lets

you enjoy stereo TV broadcasts through your stereo.

Less sophisticated video recorders won't stand a ghost of a chance once you see what this VCR can do: Its HQ circuitry enhances the image. The Tech-4™ four-head system gives you virtually noise-free slow motion and freeze-frame. And its full-function wireless remote can even let you program it to record up to 8 shows over 3 weeks.

So create a supernatural presence in your home.

Experience Panasonic VHS Hi-Fi.

**Panasonic**  
just slightly ahead of our time.



THE PANASONIC LAS VEGAS PRO-AM  
APRIL 23-MAY 3, 1987. SEE IT ON NBC.

Poltergeist II from MGM/UA Home Video November 1986.

© MGM Entertainment Co. 1986  
TV picture simulated. Stereo where available.

Enter No. 47 on Reader Service Card