SALE ENDS SEPTEMBER 13, 1968 . INDEX ON PAGE 2-B CATALOG 27

BONUS OFFERS

NEW ITEMS

ALLIED Det de la constance de la cons Shown in optional wood case



ALLIED[®] 399 Solid-State 122-Watt Stereo FM/AM Receiver **Our Finest and Most Powerful Allied Receiver!**

PRICE CUTS

- Transformerless Audio Circuit for Ultra-Wide Power Bandwidth and Response
- Full Tape Recorder Facilities Four IF's, 2 Limiters 82 Semiconductors

Was \$299.95. Buy now and save 23% on our best Allied receiver. Pulls in real-as-life

NO MONEY DOWN... TAKE UP TO TWO YEARS TO PAY

SATISFACTION GUARANTEED OR YOUR MONEY BACK See Page 2-B

AIIIFO RADIO 100 N. WESTERN AVE., CHICAGO, ILLINOIS 60680 (AREA CODE 312) HA 1-6800

Exciting Special-Purchase Sale! Deluxe Fisher 700T 120-Watt Solid-State Stereo FM Receiver



SEE FISHER 700T SYSTEMS ON PAGE 6 FOR SAVINGS UP TO \$160.38

SOME OF THE IMPORTANT EXTRAS **OF THE FISHER 700T**

WAS \$424.58

\$17 monthly

\$**349**⁵⁰

"Super Synchrode" FM Front End With FET's



"Transist-O-Gard" Protects Output Stage



Fisher's Famous "Stereo Beacon"







"Tune-O-Light" Dial Pointer for Easy Tuning



Between-Station Silencing for Noise-Free Tuning

Price Cut on Fisher's Finest Stereo FM Receiver

- Four IF Stages, 3 Limiters, Wideband Detector
 Headphone Jack
- Distortion-Free Baxandall Tone Control Circuits
 Luxury Styling
- Full Facilities for Use with Tape Recorder Center-Channel Output

Take advantage of this rare chance to enjoy giant savings on Fisher's finest stereo FM receiver. The best of Fisher engineering brings you unsurpassed stereo realism, styling excellence, and operating convenience. Ultra-sensitive FM circuit features "Super Synchrode" Field-Effect-Transistor front end, four IF amplifiers, and three limiters to provide brilliant, static-free stereo reception even in weak signal areas. Has inputs and controls that give you complete audio mastery over every stereo and mono music source.

Has outputs and inputs for recording, playback and monitoring of stereo tapes. Silencing feature eliminates annoying "hash between stations when tuning. Illuminated D'Arsonval signal-strength meter makes perfect tuning fast and easy. Fisher's "Stereo Beacon" flashes on when stereo is tuned-in, and auto-metically antiches multiple microscience to tuned-in, and automatically switches multiplex circuit to stereo mode. Superior distortion-free Baxandall tone control circuits. "Tune-O-Lite" dial pointer permits accurate tuning even in a dimly lighted room."Transist-O-Gard" protection circuit prevents overloading caused by accidental shorting of speaker leads.

Power Output, 120 watts IHF at 4 ohms, 50 watts per channel sine wave. Frequency Response, ± 1 dB, 20-25,000 Hz. Hum and Noise: magnetic phono —55 dB; auxiliary —65 dB. IHF Sensi-tivity, 1.8 uV. Capture Ratio, 2 dB. FM Stereo Separation, 40 dB. Outputs: 4 to 16 change three her backstones and the sensitivity of the se Outputs: 4 to 16 ohms; stereo headphones; recording. Controls include bass, treble, balance, loudness, high and low filters, four-

13 W 2633 RX. Oiled Walnut Wood Case. Shpg. wt., 91bs. . . 22.45

Entire Contents Copyrighted 1968 by ALLIED RADIO CORP., Chicago, Illinois 60680. Printed in U.S.A.

NO MONEY DOWN

You Need No Cash

For Greater Buying Power Open an ALLIED Credit Fund Account TODAY!

YOU Can Step Up to Better Living Now...



BIG Advantages

When You Have an Allied Credit Fund Account

- 1. NO MONEY DOWN Buy whatever you want to the full limit of your Credit Fund. Nothing to pay for 30 days.
- CONTINUOUS BUYING POWER Your Allied Credit Fund is like a lump sum deposit of money invested by Allied in your good faith, set aside in your name and ready for use by you alone at any time.
- 3. YOU CAN TAKE UP TO 24 MONTHS TO PAY Allied spreads your payments to suit your budget.
- 4. A PERMANENT AND SELF-REPLENISHING FUND Purchases are charged against your Credit Fund, but every payment you make reduces the balance due and at the same time increases your credit. Your Credit Fund is always ready for you to use over and over again.
- MAKE ADD-ON PURCHASES ANYTIME No need to complete payments on a previous purchase to make a new purchase. Just say "Charge It". After your first order, your signature on any Allied order blank is all you need to make future purchases. Minimum add-on order required is only \$10.
- 6. YOU ALWAYS KNOW WHERE YOUR ACCOUNT STANDS You get a full statement each month showing your purchases, payments, unpaid balance, and most important—the amount of unused credit in your account for add-on purchases.
- 7. USE YOUR CREDIT FUND AS A 30-DAY CHARGE ACCOUNT No service charge when you pay in full within 30 days.
- 8. SHOPPING IS QUICKER AND EASIER You never have to figure freight or delivery charges we prepay them and include them in your statement. It's the simplest, most convenient way to buy all your electronic equipment.

INDEX

Amateur Gear		
AMPLIFIERS		
Kits		44
Antennas, TV		
Auto Accessories		
Cameras and Photo Equipment		
Cartridges, Phono		15
CITIZENS BAND EQUIPMENT		
Kits		
Crystals		
Experimenter's Equipment		
Headphones, Stereo		
HI-FI SYSTEMS		
Hobby Kits		
Intercoms		
Inverter Kit		
KNIGHT-KITS		
Lamps	• • • •	48
Mikes and Accessories		
Models		
Phonographs		
Power Supply		
Projectors, Movie		70
Radios, Auto		
Portable		
Shortwaye 51	72	.75
Shortwave	72	73
VHF-FM	74	75
Radio Control Equipment		58
Radio Control Equipment		. 58 -10
RECEIVERS, HI-FICov.	1, 2	-10
RECEIVERS, HI-FICov.	1, 2	-10 8
RECEIVERS, HI-FI	1, 2 .12	-10 8 -15
RECEIVERS, HI-FICov. Kits RECORD CHANGERS	1, 2 .12	-10 8 -15 .22
RECEIVERS, HI-FI	1, 2	-10 -15 -22
RECEIVERS, HI-FICov Kits RECORD CHANGERS Recording Tape Records Remate Controls Reverberation Units	1, 2 .12 .34,	-10 -15 -15 -12 -11 -11 -66 -59
RECEIVERS, HI-FICov. Kits RECORD CHANGERS Recording Tape Records Remate Controls Reverberation Units	1, 2 .12 34, .37	-10 -15 -15 -12 -11 -66 -59 -39
RECEIVERS, HI-FI	1, 2 .12 .34, .37 ,65	-10 -15 -15 -22 -11 -66 -39 -67
RECEIVERS, HI-FI	1, 2 .12 .34, .37 ,65	-10 -15 -22 -11 -66 -39 -39 -67 -47
RECEIVERS, HI-FICov. Kits RECORD CHANGERS Recording Tape Records Remate Controls Reverberation Units	1, 2 .12 .34, .37 ,65	-10 .8 -15 .22 .11 .66 .59 .39 .67 .47 .33
RECEIVERS, HI-FI	1, 2 .12 34, .37 ,65	-10 -15 -15 -22 -11 -66 -39 -67 -39 -67 -33 -22
RECEIVERS, HI-FI	1, 2 .12 .34, .37 .65	-10 8 -15 -22 -11 -66 -39 -39 -67 -47 -33 -22 -40
RECEIVERS, HI-FICov Kits RECORD CHANGERS Recording Tape Records Remate Controls Reverberation Units	1, 2 .12 .34, .37 .65 .30, .34,	-10 -8 -15 -22 -11 -66 -39 -67 -47 -33 -22 -40 -35
RECEIVERS, HI-FI Cov. Kits Record Changers Recording Tape Records Remate Controls Reverberation Units .7, Rotators, Antenna Speakers and Systems .17-22, 36, Tachometer Tape Cartridges Cassettes Tape Decks .25, 26, .26, 26, 32, Recorders .23, 24, 26, 32,	1, 2 .12 .12 .34, .37 .65 	-10 -8 -15 -22 -11 -66 -59 -39 -67 -33 -22 -40 -35 -40 -35 -4
RECEIVERS, HI-FI	1, 2 .12 .12 .34, .37 .65 	-10 -8 -15 -22 -11 -66 59 -39 -67 -39 -67 -33 -22 40 -35 -22 -33 -33
RECEIVERS, HI-FI	1, 2 .12 .12 .34, .37 , 65 .30, .34, Cov 22,	-10 8 -15 .22 .11 .66 .59 -39 -67 .33 .22 .40 .35 4 .33 .71
RECEIVERS, HI-FI	1, 2 .12 .12 .34, .37 , 65 .30, .34, Cov 22, .37	-10 8 -15 .22 .11 .66 .59 -39 -67 .47 .33 .22 40 .35 .4 .40 .35 .41 .33 .71 -39
RECEIVERS, HI-FI Cov. Kits Cov. Kits Correction Controls Records Remate Controls Reverberation Units 7, Rotators, Antenna Speakers and Systems 17-22, 36, Tachometer Tape Cartridges Casettes 25, 26, Players 23, 24, 26-32, Tape Recording Accessories Television Sets Antennas Test Equipment 600	1, 2 .12 .12 .34, .37 , 65 .30, .34, Cov 22, .37 .62,	-10 .8 .15 .22 .11 .66 .59 .39 .67 .33 .22 .40 .35 .40 .35 .40 .35 .40 .35 .40 .35 .40 .35 .40 .35 .40 .35 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .59 .40 .59 .59 .59 .59 .59 .59 .59 .59 .59 .59
RECEIVERS, HI-FI Cov. Kits Cov. RECORD CHANGERS Recording Tape Records Remate Controls Reverberation Units .7, Rotators, Antenna .7, Speakers and Systems .17-22, 36, Tachometer	1, 2 .12 .12 .34, .37 , 65 .30, .34, Cov 22, .37 .62,	-10 .8 -15 .22 .11 .66 59 -39 -67 .33 .22 40 35 .47 33 .22 40 35 .47 .33 .71 -39 .66
RECEIVERS, HI-FI Cov. Kits Cov. ReCORD CHANGERS Recording Tape Recording Tape Records Rewarberation Units .7, Rotators, Antenna .7, Speakers and Systems .17-22, 36, Tachometer .72, 25, 26, Tape Cartridges	1, 2 .12 .34, .37 ,65 .30, 34, Cov 22, .37 .62, .66,	-10 .8 -15 .22 .11 .66 .59 -39 -67 .33 .22 .40 .35 .40 .35 .40 .35 .40 .35 .40 .35 .40 .35 .40 .35 .40 .35 .40 .59 .66 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .40 .59 .59 .40 .59 .59 .59 .59 .59 .59 .59 .59 .59 .59
RECEIVERS, HI-FI Cov. Kits Cov. RECORD CHANGERS Recording Tape Records Remate Controls Reverberation Units .7, Rotators, Antenna	1, 2 .12 .34, .37 ,65 .30, .34, Cov 22, .37 .62, .66,	-10 -15 -22 -11 -66 -59 -39 -67 -33 -22 -40 -35 -39 -67 -39 -66 -45 -67 -64
RECEIVERS, HI-FI Cov. Kits Cov. RECORD CHANGERS Recording Tape Records Remate Controls Reverberation Units .7, Rotators, Antenna .7, Speakers and Systems .17-22, 36, Tachometer	1, 2 .12 .12 .34, .37 .65 .34, Cov 22, .37 .62, .66,	-10 -15 -15 -22 -11 -66 -59 -39 -67 -33 -22 -40 -35 -47 -33 -22 -40 -35 -47 -39 -66 -45 -67 -64 -64 -64 -64 -64 -64 -65 -67 -66 -67 -66 -66 -67 -66 -67 -66 -67 -66 -67 -66 -67 -67
RECEIVERS, HI-FI Cov. Kits Cov. Record Changers Records Remate Controls Reverberation Units 7, Rotators, Antenna Speakers and Systems 17-22, 36, Tachameter Cartridges Cassettes 12, 26, 26, 27, 28, 28, 28, 28, 28, 28, 28, 28, 28, 28	1, 2 .12 .12 .34, .37 .65 .30, .34, Cov 22, .37 .62, .66, .35,	-10 -15 -22 -11 -66 -59 -39 -67 -39 -67 -33 -39 -67 -39 -66 -33 -39 -66 -33 -39 -67 -64 -39 -64 -59 -64 -65 -64 -65 -65 -64 -65 -65 -65 -65 -65 -65 -65 -65 -65 -65
RECEIVERS, HI-FI Cov. Kits Cov. RECORD CHANGERS Recording Tape Records Remate Controls Reverberation Units .7, Rotators, Antenna	1, 2 .12 .12 .34, .37 , 65 .30, .34, Cov 22, .37 .62, . .66, . .35, .	-10 -15 -22 -11 -66 -59 -39 -67 -33 -22 -40 -35 -47 -39 -66 -45 -64 -63 -59 -64 -63 -59 -64 -63 -59 -64 -63 -59 -64 -64 -65 -64 -65 -64 -65 -64 -65 -64 -65 -64 -65 -64 -65 -64 -65 -64 -65 -64 -65 -65 -65 -65 -65 -65 -65 -65 -65 -65
RECEIVERS, HI-FI Cov. Kils Cov. Record Controls Rewords Controls Reverberation Units 7, Retarts Controls Reverberation Units 7, Rotators, Antenna Speakers and Systems 17-22, 36, Tachometer Controls Control	1, 2 .12 .12 .34, .37 , 65 .30, 34, Cov 22, . .37 .62, . .66, . .35, .	-10 .8 -15 -22 -15 -22 -15 -22 -39 -39 -67 -39 -67 -33 -39 -67 -39 -66 -45 -64 -63 -59 -67 -45 -64 -63 -59 -67 -64 -64 -65 -67 -64 -65 -67 -66 -67 -66 -67 -67 -67 -67 -67 -67
RECEIVERS, HI-FI Cov. Kits Cov. Kits Controls Records Remate Controls Reverberation Units 7, Retards Remate Controls Reverberation Units 7, Rotators, Antenna Speakers and Systems 17-22, 36, Tachometer Tape Cartridges 22, 26, Players 23, 24, 26-32, Recorders 23, 24, 26-32, Tape Recording Accessories Television Sets Antennas Test Equipment 600 Kits Tools and Equipment Transistors Tubes TUNERS Kits VALLE TALKIES KITS CONTRACTION CONTRACTIO	1, 2 .12 .34, .37 ,65 .30, 34, .65 .33, .37 .62, .62, .66, .35, .14	-10 .8 -15 -22 11 -66 59 -67 -39 -67 -39 -67 -39 -67 -39 -67 -64 -33 -39 -64 -64 -59 -67 -64 -64 -59 -67 -64 -67 -64 -64 -65 -67 -64 -64 -65 -64 -64 -64 -64 -64 -64 -64 -64 -64 -64
RECEIVERS, HI-FI Cov. Kils Cov. Record Controls Rewords Controls Reverberation Units 7, Retarts Controls Reverberation Units 7, Rotators, Antenna Speakers and Systems 17-22, 36, Tachometer Controls Control	1, 2 .12 .34, .37 ,65 .30, 34, .65 .33, .37 .62, .62, .66, .35, .14	-10 .8 -15 -22 11 -66 59 -67 -39 -67 -39 -67 -39 -67 -39 -67 -64 -33 -39 -64 -64 -59 -67 -64 -64 -59 -67 -64 -67 -64 -64 -65 -67 -64 -64 -65 -64 -64 -64 -64 -64 -64 -64 -64 -64 -64

Satisfaction Guaranteed OR YOUR MONEY BACK

SATISFACTION GUARANTEED OR YOUR MONEY BACK

If for any reason you are not satisfied with your purchase, return it to u within 30 days in the original factory carton and we will exchange it c return your money (less transportation charges). Merchandise returned mus not have been abused or altered. This policy does not apply to kit See page 424 in our Catalog No. 270 for kit guarantee.

IMPORTANT

We limit Parcel Post shipment to merchandise weighing 25 lbs. and measur ing 72 in.—length plus girth (around widest part of parcel). High-value o fragile merchandise is shipped Express (even if size and weight is within Parcel Post limits). Items not mailable have "U" or "Z" in Stock No. Suffix

IT'S EASY TO ESTIMATE PARCEL POST CHARGES

Up to 16 oz., all zones allow $4 \notin$ for first 2 oz., $2 \notin$ for each additional oz. Finweight of your merchandise in the extreme left-hand column of the char below. Pay the amount listed for Parcel Post shipment to your zone. A fraction of a pound is charged as a full lb. For example, if the weight is 5 bs and 1 oz. to Zone 4, postage would be for 6 lbs. (90 \notin). Over 25 lbs. shipper truck or express. PARCEL POST RATES

See Catalog 270 for chart to find yaur Parcel Post zane or contact yaur post office

WEIGHT 1 Lb. & Not Exceeding	Local	1st & 2nd Zone	3rd Zone	4th Zone	5th Zone	6th Zone	7th Zone	8th Zone
2	\$0.40	\$0.50	\$0.50	\$0.55	\$0.60	\$0.70	\$0.75	\$0.80
3	.40	.55	.60	.65	.75	.85	.95	1.05
- 4	.45	.60	.65	.75	.85	1.00	1.10	1.25
5	.45	.65	.70	.80	.95	1.10	1.30	1.45
6	.45	.70	.80	.90	1.05	1.25	1.45	1.65
7	. 50	.80	.85	1.00	1.15	1,40	1.60	1.85
8	. 50	.85	.90	1.05	1.30	1.50	1.75	2.00
	.55	.90	.95	1.15	1.40	1.65	1.90	2.20
10	.55	.95	1.05	1.20	1.50	1.75	2.10	2.40
11	.55	1.00	1.10	1.30	1.60	1.90	2.25	2.60
12	.60	1.05	1.15	1.35	1.70	2.00	2.40	2.75
13	.60	1.10	1.20	1.45	1.80	2.10	2.55	2.95
14	.65	1.15	1.30	1.50	1.90	2.25	2.70	3.10
15	.65	1.20	1.35	1.60	2.00	2.35	2.95	3.30
16	.65	1.25	1.40	1.65	2.10	2.45	3.00	3.45
17	.70	1.30	1.45	1.75	2.20	2.60	3.15	3.65
18	.70	1.35	1.50	1.80	2.30	2.70	3.30	3.80
19	.75	1.40	1.60	1.90	2.40	2.85	3.45	4.00
20	.75	1.40	1.65	1.95	2.50	2.95	3.60	4.15
21	.75	1.45	1.70	2.05	2.60	3.05	3.75	4.35
22	.80	1.50	1.75	2.10	2.65	3.15	3.90	4.50
23	.80	1.55	1.80	2.15	2.75	3.30	4.05	4.65
24	.85	1.60	1.85	2.20	2.85	3.40	4,15	4.85
25	.85	1.60	1.90	2.30	2.90	3.50	4.30	5.00
For each	Add	Add	Add	Add	Add	Add	Add	Add
Extra Lb.	5¢	5¢	5¢	5¢	10¢	10¢	15¢	15¢

INSURANCE

We insure all Parcel Post shipments with a private insurance company. In case of loss or damage, adjustment is made easily and quickly. Please allow for insurance as follows: \$ 2.00 to \$ 15.00...20¢ \$ 15.01 to \$ 50.00...30¢ \$ 50.01 to \$100.00...40¢ \$100.01 to \$150.00...50¢ \$150.00 and Up60¢

NEW INFORMATION ON REA EXPRESS AND TRUCK SHIPMENTS

REA EXPRESS. One of the fastest ways to ship unmailable items. On cash orders send full payment for merchandise and also include Express charges. (See Allied Catalog 270 or call your REA agent to estimate charges.) On Credit Fund orders Express charges are prepaid by Allied and added to your account. "U" or "Z" at end of Stock No. designates unmailable item (11 W 2501 U or 11 W 2001 Z, for example).





TRUCK SHIPMENTS. For heavier shipments, truck is most economical. Shipping rates vary slightly in different areas and some areas charge extra for residential delivery. On cash orders send full payment for merchandise and also include Truck charges. (See Allied Catalog 270 or call your local agent to estimate charges.) On Credit Fund orders Truck charges are prepaid by Allied and added to your account.



Powerful ALLIED Receiver with Deluxe 65-Semiconductor Circuit

\$12 monthly

• 130 Wetts Peak

· Stereo Switching

• Tape Monitor

• 2 µV F.A. Sensitivity

The Allied 365 sets a new standard in performance and value! Features: superior Schmidt electronic automatic stereo/mono switching; brilliant AM; preamp with all controls, inputs; 130-watts peak hi-fi power. Preamp has facilities for all sources including tape monitor and input for tape transport. Tuning meter; stereo FM indicator; flywheel tuning; speaker switch; stereo headphone jack. Switches for loudness, AFC, high-frequency filter. ± 1 dB, 20-50,000 Hz. With metal case. Optional wood case below. $5x16x12^{\circ}$. For 117 VAC. From Japan

65-WATT ALLIED® 365 Solid-State Stereo FM-AM Receiver and Systems









65-Watt Ultra-Deluxe System

Separately, \$574.85. Top-quality for those who want the finest. System includes: Allies 365 Receiver; Garcard Sl95 3-Speed Automatic Turntable with Base; Empire 888TE Elliptical Stereo Cartridge; two Argos TX-4 Three-Way 12" Speaker Systems. SL95 turntable has Synchro-Lab motor for constant speed; advanced ultra-low mass pickup arm; adjustable counterweight; anti-skating; stylus force dial; automatic or manual play. 888TE stereo cartridge tracks at ½ to 2 grams, has 15° elliptical diamond stylus. TX-4 systems have 3 speakers including famous Jensen 12" woofer; oiled walnut finish; 35-17,000 Hz. Cables. 14 W 0125 D2Z. Wt., 105 lbs. 399.95



65-Watt Top Value System

Separately, \$449.25. Excellent-quality matched components at a low sale price! System includes: Allied 365 Receiver; Garrard SL65 4-Speed Automatic Iurntable; Base Pickering V15/AC-3 Stereo Cartridge; two Knight 3030A Ihree-Way 12" Speaker Systems. SL65 turntable has Synchro-Lab motor; cuing and pause control lever; opticaltype stylus adjustment; adjustable counterweight; automatic intermix; automatic or manual play. V15/AC-3 stereo cartridge tracks at 3 to 7 grams, has conical diamond stylus. 3030A systems have 12" woofer, 6" midrange, $3\frac{1}{2}$ " tweeter; oiled walnut; 35 Hz to beyond audibility. Cables. 14 W 0126 D5Z. Wt., 102 Ibs. 349.95



65-Watt Budget-Priced System

Separately, \$384.30. Quality components—a sale standout at this low price! Includes: Allied 365 Receiver; Garrard 40 Mark II 4-Speed Automatic Turntable and Base; Shure M32E Elliptical Stereo Cartridge; two Knight 3005 Three-Way 10" Bookshelf Speaker Systems. Mark II has silent 4-pole motor for exact speeds of 1624, 3314, 45, and 78 rpm; two spindles; large weighted platter; automatic or manual play. M32E stereo cartridge tracks at 214 to 5 grams, has elliptical diamond stylus. 3005 speaker systems have 10° woofer, 6° midrange, 312° tweeter; oiled walnut veneer; cane grille; 40-16,000 Hz response. Cables.

Order Yaur Stereo Hi-Fi System Now-No Money Down At Allied

45-WATT ALLIED[®] 355 Solid-State Stereo FM-AM Receiver and Systems



Feature-Packed Allied Receiver with 59-Semiconductor Circuit

195 Matal Case \$9 monthly

Wish

- 90-WattPeakPower
- Precise Tuning Meter
- Speaker Plug-Ins
- 2 µF FM Sensitivity

The Allied 355 offers many exciting features, exceptional hi-fi performance, and decorator styling at a surprisingly low price! Features: automatic Schmidt FM stereo/mono low price! Features: automatic Schmidt FM stereo/mono switching; plug-in speaker connectors; switchable AFC; transformerless output for wide-band 20-30,000 Hz re-sponse. Complete tape monitor facilities; precision illumi-nated tuning meter; stereo indicator light; front-panel stereo headphone jack. Positive-action rocker switches. 5x16x121/2". With metal case. Optional walnut case below. For 110-120 V, 50-60 Hz AC. From Japan. 14 W 5071 RU. Shpg. wt., 27 lbs. \$9 Monthly..... 179.95 14 W 5003 RX. Oiled Walnut Wood Case. Wt., 6 lbs... 19.95









45-Watt Value-Packed System

Separately, \$394.25. Specially matched components-fine quality system at a low, low price! System includes: Allied 355 Receiver: Garrard SL55 Automatic Turntable & Base; Empire 888E Elliptical Stereo Carlridge; two Knight 3030A Three-Way 12' Acoustic-Suspension Speaker Systems. SL55 has 4-speed Synchro-Lab motor; cuing lever; counter-balanced tubular pickup arm; stylus pressure adjustment; automatic stylus pressure adjustment; automatic or manual play. 888E stereo cartridge tracks at $\frac{3}{4}$ to 5 grams, has 15° elliptical diamond stylus. 3030A sys-tems have 12'' woofer, 6'' midrange, $3\frac{1}{4}''$ tweeter; oiled walnut finish; 35-17,000 Hz. With cables. 14 W 0124 D5U. Wt., 99 lbs.. 299.95



\$22995 \$12 monthly


45-Watt Budget-Priced System

Separately, \$308.80. An outstanding value at this special low price! System includes: Allied 355 Receiver; Garrard 40 Mark II Automatic Turntable & Base; Shure M44E Elliptical Stereo Carlridge; two Knight KN-3002 Two-Way 8' Book-shelf Speaker Systems. Mark II turntable has silent 4-pole motor for speeds table has shent 4-pole motor for speeds of $16\frac{2}{3}$, $33\frac{1}{3}$, 45, and 78 rpm; two spindles; large weighted platter; auto-matic or manual play. M44E stereo cartridge tracks at $1\frac{3}{4}$ to 4 grams, has elliptical diamond stylus. 3002 systems have 8' woofer, $3\frac{1}{2}$ ' direct-radiator tweeter; oiled walnut finish; matching wills dether 50.15000 Hz moreover grille cloth; 50-15,000 Hz response. With cables.

14 W 0123 D5U. Wt., 76 lbs... 229.95

\$**349**95 \$155.30 \$17 monthly **45-Watt Deluxe Stereo System** Separately, \$505.25. Excellent quality a stereo system you will be proud to

own. System includes: Allied 355 Receiver; Garrard SL75 3-Speed Automatic Turntable & Base; Pickering XV-15/AME Elliptical Stereo Cartridge; two Argos TX-4 Three-Way 12" Speaker Systems. SL75 turntable has Synchro-Lab motor for speed accuracy; adjustable counterweight; stylus force assembly; anti-skate; automatic or manual play. XV-15/AME stereo cartridge tracks at ¹/₂ to 1¹/₂ grams, has elliptical dia-mond stylus. TX-4 systems have 3 speakers including famous Jensen 12" woofer; oiled walnut finish; 35-17,000 response. With cables. 9122 D5Z. Wt., 104 lbs. 349.95



32-WATT ALLIED-KNIGHT Stereo FM-AM Receiver and Systems



Allied-Knight Stereo Receiver—Famous for Value



\$8 monthly

- 64-Watt Peak Power
- Tuning "Eye"
- Channel Balance
- 2.5 µV Sensitivity

The KNI-333 offers top engineering and styling at a sur-prisingly low price! FM stereo, plus mono FM and AM are received with astonishing depth and tonal purity. Stereo indicator light flashes on when stereo FM is transmitted. Magic-Eye indicator pinpoints strongest signal. AFC locks-in FM to prevent drift. Controls include: power/on-off; bass; treble; loudness; dual-concentric volume/balance.





32-Watt Fine-Quality System

Separately, \$475.25. Top-performing system engineered for acoustical ex-cellence. System includes: Allied-Knight KNI-333 Receiver; Garrard SL75 Automatic Turntable & Base; Empire 888TE Deluxe Elliptical Stereo Cartridge; two Argos TX-4 Three-Way 12" Specker Systems. SL75 turntable has Synchro-Lab motor with all 4 speeds; cuing and pause control lever; optical-type stylus pressure adjustment; automatic or manual play. 888TE stereo car-tridge tracks at ½ to 2 grams, has 15° diamond stylus. TX-4 systems have 3 speakers including Jensen 12" woofer; oiled walnut finish; 35-17,000 Hz response. With cables. 14 W 0117 D5Z. Wt., 105 lbs., 299.95





32-Watt Top-Value System

Separately, \$358.80. Fine-quality system of matched components-great value at this special price! System invalue at this special price! System in-cludes: Allied-Knight KNI-333 Receiver; Garrard SL55 Automatic Turntable & Base; Shure M44E Elliptical Stereo Car-tridge; two 3030A Three-Way 12" Acoustic-Suspension Speaker Systems, SL55 has 4-speed Synchro-Lab mo-tor; euing lever: counter-balanced tor; cuing lever; counter-balanced tubular pickup arm; stylus pressure adjustment; automatic or manual play. M44E stereo cartridge tracks at 1³/₄ to 4 grams, has diamond stylus. 3030A systems have 12" woofer, 6" mid-range 3¹/₂" tweeter; oiled walnut fin-ish; 35-17,000 Hz. With cables. 14 W 0120 D5Z. Wt., 102 lbs.. 249.95



32-Watt Economy Stereo System

\$|9995

\$10 monthly

Save

\$69.30

Separately, \$269.25. The most for your Separately, 5269.25. The most for your hi-fi dollar—superb value at this low sale price! System includes: Allied-Knight KNI-333 Receiver; Garrard 40 Mark II Automatic Turntable & Base; Pickering V15/AC-3 Stereo Cartridge; two Knight 3002 Two-Way 8" Bookshelf Speaker Systems. Mark II turntable has silent 4-pole motor for speeds of 16%, 33%, 45, and 78 rpm; two spindles; large weighted platter; auto-matic or manual play. V15/AC-3 stereo cartridge tracks at 3 to 7 grams, stered carringe tracks at 5 to 7 graus, has diamond stylus. 3002 systems have 8" woofer; 3½" direct-radiator tweeter; oiled walnut finish; 50-15,000 Hz response. With cables 14 W 0121 D5U. Wt., 77 lbs.. 199.95

Use Allied's Credit Fund Plan to Get the Component Systems You Want Now

ALLIED 5

Save on Systems Featuring FISHER 700T Receiver



Individual Components Were \$578.88. Allied special purchase makes this spectacular value possible! Huge savings on Fisher's Finest Solid-State Stereo FM Receiver, the 700T, in an outstanding music system. Advanced circuit boasts "Super-Synchrode" field-effect front-end, Four IF ampli-Super-Synchrode held-effect front-end. Four IF ampli-fiers and three limiters provide astonishingly pure sound. Tremendous 120 watt IHF output. Full controls, inputs, tape facilities. Optional case below.

Popular Garrard SL55 Four-Speed Automatic Turntable with Base and Pickering V15/ACE-3 Stereo Elliptical Cartridge. Garrard precision engineering and the famous Synchro-Lab motor for perfect speed. Two Allied 3005 Three-Way 10" Shelf Speaker Systems. 10" woofer, 6" midrange, $3\frac{1}{2}$ tweet-er. Oiled walnut veneer cabinets. With all cables, hi-fi

Separately, \$658.88. Magnificent quality and performance at a gigantic savings. Fisher 700T Solid-State 120-Watt Stereo FM Receiver brings you breathtaking power and stereo realism. "Super Synchrode" field-effect front-end for super sensitivity. Inputs and controls for every music source. Tape recording and monitoring facilities. Betweenstation quieting. Optional case at left.

Precision Garrard SL65 Four-Speed Automatic Turntable with Base and Empire 888E Stereo Elliptical Cartridge. Boasts Synchro-Lab motor for perfect speed accuracy. Cuing, dynamically balanced pickup arm with adjustable counter-

Special-Purchase Sale on Fisher Portable Stereo Phono



50B Solid-State 30-Watt Stereo Phono

\$**|59**50

\$8 monthly

Portable Stereo Phono With the Power of a Home Music System

Exciting special-purchase price on a portable stereo phono with an amplifier more powerful than many home music systems. Solid-state cir-cuit delivers full 30-watt IHF power output to two full-range 6" free-piston speakers. Speaker enclosures separate to 20' for great stereo; close to form handsome luggage-style case. Complete array of controls, plus inputs for tape and tuner. Tape output. Stereo headphone jack

Get All Your Stereo Equipment on Allied's Credit Fund Plan

Save on Systems with SCOTT Stereo Amplifier



Famous Scott 299T Deluxe 65-Watt Solid-State Stereo Amplifier

> \$8 Latest \$14995 monthly

Superb Scott quality at our specialpurchase price. Delivers 65-watts (IHF) of brilliant stereo sound. Full array of controls and inputs for phono, tuner and tape. Tape monitor switch. Loudness compensation. Dual clutch-13 W 2730 RU. *\$8 Monthly*.... 149.95 13 W 2001 RX. Metal Case. 5 lbs.. 11.85 13 W 2002 RX. Oiled Walnut Wood Case. Shpg. wt., 6 lbs...... 20.82

Value-Priced Stereo System A Featuring Scott 299T Amplifier Save \$50.20 \$**73q**50


Separately, \$289.70. Value-packed system features the Scott 299T 65-Watt Stereo Amplifier. Delivers powerful, fullrange stereo. Loudness compensator. tape monitor. Order case, left. Deluxe Allied 919 4-Speed Automatic Turntable with Base and Pickering V15/AC-3 Stereo Cartridge. Cuing, adjustable anti-skate, low-mass arm. Two Allied 3005 Three-Way 10" Shelf Speaker Systems. 10" woofer, 6" midrange, 31/2" tweeter. Oiled walnut cabinet. Cables, hi-fi booklet. Shpg. wt., 66 lbs. 13 W 0403 D5U. \$12 Monthly. 239.50

Deluxe 65-Watt Stereo System with Scott 299T Amplifier

Save \$144.75 \$29950

Separately, \$444.25. Superb system features the Scott 299T 65-Watt Solid-State Stereo Amplifier. Has controls and inputs for every stereo source. Optional case, left. Famous Garrard SL65 4-Speed Automatic Turntable with Base and Empire 888TE Stereo Elliptical Cartridge. Synchro-Lab motor for perfect speed accuracy, finest perform-ance. Two Argos TX-4 Three-Way 12" Speaker Systems. Jensen 12" woofer, 8" midrange, 3½" direct-radiator tweeter. Oiled walnut. 88 lbs. 13 W 0404 D5U. \$15 Monthly. 299.50

Exciting Fisher K-10 SpaceXpander **Stereo Reverberation Unit**



Fisher 160-T- Walnut Sides Included \$25950 Save \$65.20 \$13

FISHER 40-Watt Stereo System and "Tune-O-Matic" Receiver

monthly

System with 160-T "Tune-O-Matic"

Separately, \$324.70. Feature-packed system offers great stereo, plus oper-ating convenience and versatility. New Fisher 160-T 40-Watt Stereo FM Re-ceiver. Push-button tuning of five easily preset stations. Deluxe Allied 919 4-Speed Automatic Turntable with Base and Pickering V15/ACE-3 Stereo Elliptical Cartridge. Automatic or manual operation, cuing. Two Allied 3002 Two-Way 8" Speaker Systems. 8" woof-er, 3½" tweeter, crossover. Oiled wal-nut. Shpg. wt., 61 lbs. 13 W 0405 D5U. \$13 Monthly. 259.50

New! 160-T Stereo FM Receiver

Advanced design 40-watt solid-state stereo FM receiver offers superb performance and unique features at moderate price. "Tune-O-Matic" pushbuttons let you select any of five preset stations; or tune manually. Boasts FET front end, 3 IC's in IF stage, silicon output transistors with protection circuit. Complete controls and inputs. 2.2 µV sensitivity. Lowprofile styling with sculptured walnut sides. $3/x15/x111/4^{\circ}$. For 115 VAC. Shpg. wt., 18 lbs. 13 W 2545 U. 160-T Alone..... 199.95


- Adds New "Depth" to Hi-Fi With Music-Hall Acoustics
- Simple Plug-In Connections

Add a thrilling new dimension to your stereo or mono system. The Space-Xpander simulates depth and realism of concert halls by delaying part of the audio signal for 33 milliseconds. Duplicates the sound so perfectly you'll think you're hearing a live perform-ance. Plugs into any Fisher receiver, including earlier models. Also for any system having separate preamps or tape monitor facilities. 115 VAC. tape monitor Shpg. wt., 10 lbs. 13 W 2097 X. \$5 Monthly......71.55

Boost Your Buying Power with Allied's Credit Fund Plan

Music Systems Featuring EICO Stereo Kits

MONEY-SAVING SYSTEMS-YOU SAVE EVEN MORE BECAUSE YOU ASSEMBLE THE KIT





\$19420 Save \$35.05 \$10 monthly



Stereo Phono System

Separately, \$229.25. You'll enjoy this excellent stereo phono system even more because you assemble the Eico 3070K 70-Watt Solid-State Stereo Amplifier (described at right). Includes precision-made Garrard 40 MK II Four-Speed Automatic Turntable with Base and Empire 808 Stereo Cartridge and Two Allied 3005 hi-fi booklet. Shg. wt., 65 lbs. 13 W 0313 D5U, \$10 Monthly. 194.20



\$9995 \$5 monthly

Eico 3070K 70-Watt Stereo Amplifier Kit

Powerful all-silicon solid-state stereo ampli-fier kit delivers 70 watts IHF at 4 ohms. Boasts high-gain preamp. Controls and inputs for every music source. 5-100,000 Hz. Outputs: 4-16 ohms, headphones, tape. With metal case. 31/4x12x8". For 115 VAC.



Save \$29915 Deluxe 70-Watt Kit \$75.10 Stereo FM-Phono System \$15 monthly

Separately, \$374.25. Outstanding stereo system at a huge savings, plus the extra enjoyment of building your own re-ceiver. Eico 3570K 70-Watt Stereo FM Receiver with Metal Case. All-silicon-transistors. Famous Garrard SL55 Four-Speed Auto-



\$6995 \$9 monthly

Eico 3570K 70-Watt **Stereo FM Receiver Kit**

All-silicon-solid-state stereo FM receiver kit. Boasts five tuned circuits in extrasensitive front-end; four double-tuned IF stages for high selectivity; transformerless output for full response. Full array of con-trols and inputs. With metal case. 4½x16x 9". 115 VAC. Shog. wt., 14 lbs. 13 W 2342 RU. Kit. \$9 Monthly 169.95



Save \$20.00 on Pioneer SX-300T Value-Packed Stereo FM-AM Receiver

Price cut on exceptional solid-state stereo FM-AM receiver. Loaded with features for top performance. Boasts superior Schmidt time-switching multiplex circuit; transformerless output for wide response; complete tape monitoring facilities. Advanced 41-transistor, 12-diode circuit with full array of controls for complete mastery of every music source. Switchable loudness contour.

Delivers 40 watts IHF at 4 ohms, 25 watts rms. Response: ±3 dB, 20-20,000 Hz. FM Sensitivity: 3 µV IHF. Harmonic Distortion: less than 1%. Inputs: magnetic and ceramic phono, aux., tape monitor. *Outputs*: 4-16 ohms, stereo headphone, tape. 5% x16x125%". Optional case below. For 115 VAC. From

Allied Is the World Leader in Stereo Hi-Fi Components

Dynakit Components...Top-Value Stereo Systems

A B "Stereo 70" Amplifier and PAS-2X Preamp Kits

Save \$30.00 Both \$ 2990 \$7 monthly

Separately, \$159.90 Famous Dynakit combination at a big \$30.00 savings—save even more because you assemble the kits yourself. Famous 70-watt rms basic amplifier delivers astonishingly pure sound. Full 10-40,000 Hz response, ± 0.5 dB, with less than 1% distortion. Hum and Noise, more than 90 dB below output. Four EL34 tubes. 4-16 ohm output.

PAS-2X stereo preamplifier provides complete control facilities for the "Stereo 70." Deluxe tube circuit has tape monitor, variable channel separation, scratch filter. Inputs for phono, tape head, tuner, recorder. Critical circuitry is prewired. Response, ± 0.5 dB, 10-40,000 Hz. "Stereo 70," $6\frac{1}{2}x9\frac{1}{2}x13"$. PAS-2X, 4x13x8". Both include metal covers. For 115 volts, 60 Hz AC. Shpg. wt., 42 lbs. 13 W 0348 RL2U. Stereo 70 and PAS-2X Kits. \$7 Monthly 129.90

 13 W 0348 RL2U. Stereo 70 and PAS-2X Kits. \$7 Monthly 129.90

 13 W 2237 RU. Stereo 70 Kit Alone. 31 lbs.

 99.95

 13 W 2535 X. PAS-2X Preamp Kit Alone. 11 lbs.

 59.95

B C Dynakit "Stereo 35" and PAS-2X Kits Save \$20.00 Both \$9990 \$5 for \$9990 monthly

Separately, \$119.90. PAS-2X (described above) with "Stereo 35" 35-watt rms basic amplifier for clean, true-to-life stereo. ± 1 dB, 10-40,000 Hz. 8, 16 ohms. Four 6BQ5 output tubes. Metal cover. $4x5^{1}/_{2}x13^{*}$. 115 VAC. 27 lbs. 13 W 0070 RL2X. Stereo 35 and PAS-2X Kits. \$5 Monthly 99.90









New! Martel FAX-88 Stereo FM-AM Compact

Compact Receiver and Speakers Easily Fit On Bookshelf
 Solid-State Circuit Delivers 40-Watt Peak Music Power

Sensitive 20-watt stereo FM-AM receiver drives two matched speaker systems, each with 5" woofer and $2\frac{1}{2}$ " tweeter. Great stereo realism. Full array of controls and inputs. AC convenience outlet. Tuning meter, stereo indicator light. Walnut cabinets. Receiver and speakers each 11x6 $\frac{1}{4}$ x7". 120 VAC. Japan. 29 lbs. 13 W 2045 U. \$7 Monthly. 139.95



Martel RA-800 120-Watt Stereo System

All-Silicon Amplifier
Deluxe Automatic Turntable
3-Way 10" Speaker Systems in Walnut Veneer Cabinets

Use Allied's Credit Fund Plan to Own the Finest Stereo Components

ALLIED O

Outstanding Values in Hi-Fi Components

Cut \$20 More!



- \$17 monthly
- Field-Effect Transistor Front-End
- **Finest-Quality Silicon Transistors** .
- Noise-Free Between-Station Hush
- Automatic Stereo FM Switching
- **Front-Panel Level Adjustment**
- Zero-Center Tuning Meter
- Tape Monitor
 Headphone Jack



Sherwood S-7800 140-Watt Solid-State Stereo FM-AM Receiver

Lost Low Sole Price Wos \$369.50. Professional-quality receiver boasts all-silicon transistor circuit with Field-Effect Transistors in RF and mixer stages for extraordinary stereo FM, and superb AM. Instant output overload protection. Main/Remote speaker switches; stereo headphone jack. Output, 140 watts IHF. Power Bandwidth, 12-35,000 Hz. IM Distortion, 0.1%. FM Sensitivity, 1.6 μ V for 30 dB quieting. Capture Ratio, 2.2 dB. Size, $4\frac{1}{2}x16\frac{1}{2}x14^*$. For 110-120 V, 60 Hz AC. Optional walnut or metal case below.
13 W 2424 RU. Shog. wt., 27 lbs. \$17 Monthly.
13 W 2475 RX. Walnut Grain Metal Case. Wt. 8 lbs.
13 W 2429 RX. Oiled Walnut Wood Case. 8 lbs. \$5 Monthly.

9.00 28.00



- **Top Value** \$**775**00 \$12 monthly
- **Drives Any Speaker System**
- Full-Range Sound at All **Power Output Levels**
- Clutch-Type Bass, Treble
 - **Cantrols for Each Channel**

AR 120-Watt Stereo Amplifier— All-Silicon Solid-State Design

Acoustic Research stereo amplifier with many circuit advancements, at an outstanding low price. All-silicon transistors and DC driver clamping circuit boost usable dynamic range, and hold harmonic distortion to less than 0.5% and hold narmonic distortion or less than 5.0 /p at full 120-watt output. Wonderfully clear sound, with flat response from 20-20,000 Hz even at full power. Idler power supply prevents turn-on noise bursts when main amplifier switch is off. Null circuit for perfect channel

Clearance Sale! Special Purchase of E-V Receivers



Electro-Voice 1177 Solid-State **65-Watt Stereo FM Receiver**

Last Low Sale Price Was \$177.00. Combines advanced solid-state circuit, exquisite styling and extremely compact design. 65-watts power reproduces music with brilliant clarity and full dynamic range. Stereo indicator light; moving "spot-of-light" dial pointer; color-coded indicator lights.

Inputs for magnetic phono, auxiliary, high level tape. Power: 65 watts IHF; 100 watts peak; 36 watts rms. Response, 20-20,000 Hz. FM Sensitivity, 2 μ V for 20 dB quieting. Capture Ratio, 2.5 dB. Distortion, less than

Use Allied's Credit Fund Plan to Order Your Receiver or Amplifier Now

Sensational Values in LP Stereo Record Sets



Great value and favorite with high-fidelity fans. Each record in this set is specially selected by Allied. Five stereo LP records include percussion, jet planes, powerful classical music, original motion picture sound tracks, and stereo sound effects. Helps you set up your hi-fi system-affords

Use Allied's Credit Fund to Take Advantage of These Low Prices

only organ records can. Collection includes: George Wright Plays the Mighty Wurlitzer Organ; Showtime; The George Wright Sound; Encores, Vol. II; The Genius of George Wright; The Roaring 20's; Have Organ Will Travel; Com-mand Performance; Original Sweet and Low.

13 W 2022 REX. Shpg. wt., 5 lbs. 10 Record Set 17.88

Three Outstanding High-Fidelity Automatic

ALLIED® 480 Four-Speed Automatic Turntable

\$1995

With Cartridge \$5 monthly

Exciting value in an all-new automatic turntable. Smart styling and excellent specifications at lowest cost. Plays stack of six 12° , 10° or 7° records automatically at 162_{3}° , 33_{3}° , 45 or 78 rpm. Mixes 10° and 12° records of same speed.

Lightweight pickup arm and matched ceramic stereo cartridge for superb tracking, plus impressive response and separation. Syntheticsapphire flip-over stylus plays any mono or stereo record.

Large 9" table. Styled in dark gray with black and satin-silver trim. Base, 13¹³/g^{*}. Requires 4⁵/₄" above, 2³/₄" below mounting board. Optional 45-rpm spindle, base below. 110-120 V, 60 Hz AC. 10 lbs.

14 W 5460 X. *\$5 Monthly.* 19.95 14 W 5471 X. Walnut-Finished Wood Base. Wt., 3 lbs. 4.95 14 W 5463. 45-rpm Automatic Spindle. Shpg. wt., 8 oz. 1.29

Cartridge—Empire 888E Elliptical

Knight[®] KN-990A 4-Speed Stereo Turntable Outfit

Here's What You Get!

KN-990AChanger,	Empire 888E,
Regular \$29.88	Regular \$39.95
Walnut Base, Regular \$4.95	Total Value

Save \$32.28 \$4250 \$5 monthly



ligh-Torque 4-Pole Motor

NEW!

A Can a

djustable Disengages Needle for True Pressure Manual Play 12 ALLIED

Order Now with No Money Down on Allied's Credit Fund Plan

Base—Finished in Oiled Walnut

Turntable Values..All Exclusive at Allied!

ALLIED[®] 919 Four-Speed Automatic Turntable With All Accessories for Only \$4.99 More!

- Cuing and Pause Control with One-Groove Accuracy
- Low-Mass Counterbalanced Tubular Pickup Arm
- Adjustable Anti-Skate Control for Precise Tracking
- Plays Records Automatically—Also Single-Play

Separately, Up to \$99.80. Complete package includes: Allied 919 Automatic Stereo Turntable, Handsome Oiled Walnut Wood Base, Molded Styrene Dust Cover, plus your choice of Empire 8886, Pickering V15/ATE-3, or Shure M44E Stereo Elliptical Cartridge. Deluxe four-speed automatic turntable boasts low-mass aluminum pickup arm, counter-balanced on virtually frictionless ball bearings. Precision pause and cuing control. Anti-skate control for superb low-pressure tracking. Resiliently-mounted 4-pole motor. "Pop" filter, muting switch. Automatic shutoff; clip-in cartridge holder. With two spindles. Flutter, less than .05%. Wow, less than 0.12% rms. 13½x11"¼. 115 VAC. Wt., 18 lbs.

14 W 0294 RCDA. Specity Carriage. 30 Monuniy
14 W 5459 RX. Allied 919 Turntable Alone. 91/2 lbs 49.95
14 W 5450 RX. Oiled Walnut Wood Base. Wt., 3 lbs4.95
14 W 5614 RX. Mounting Board. Shpg. wt., 2 lbs
14 W 5453 RX. Dust Cover. Transparent styrene. 5 lbs 4.95
14 W 5454 R. 45-rpm Automatic Spindle Wt. 12 oz 1.69

Complete ALLIED Turntable Package

Save Up to \$44.85

All This \$5495 \$5 monthly



Your Choice of Stereo Cartridge



The ALLIED 919 Turntable is Precision-Crafted in England

Famous GARRARD Automatic Turntables



SL95 Automatic Turntable and Cartridge

Save Up to \$39.94. Every deluxe feature for superlative performance and operating convenience. Plays up to 6 records automatically or operates manually. Synchro-Lab motor for exact speed accuracy at 331/3, 45 and 78 rpm. Ultra-low mass pickup arm; adjustable counterweight; anti-skating control; stylus force dial. Combined manual and cuing controls and combined speed and record size selector. 15¹³/₁₆x145%. With stereo elliptical cartridge for 1¢ more—choose Empire 888E, Pickering V15/ATE-3 or Shure M44E. Order base, 45rpm auto. spindle below. 115 V, 60 Hz. 13 lbs. \$7 Monthly

13 W 0081 RCDU. Specify Cartridge.... 129.51 SL95 With Deluxe Elliptical Cartridge for \$5 More, Save \$44.95. Empire 888TE or Pickering XV-15/AME.-specify. Shpg. wt., 13 lbs. 13 W 0082 RCDU. \$7 Monthly ... 13 W 3061 RU. SL95 Alone. 13 lbs. 129.50

SL95 with Superb 999VE Cartridge



Save \$49.95. Garrard's finest automatic turntable with Empire's finest stereo elliptical cartridge. 13 lbs. 13 W 0083 RDU. \$8 Mo. 154.50

SL65 Automatic Turntable and Cartridge

Save Up to \$29.94. Fine 4-speed automatic turntable has Synchro-Lab motor. Plays record stack, or manual. Tubular arm with adjustable counterweight. Cuing, anti-skate, stylus force dial. 15%x13%". With stereo elliptical cartridge for 1¢ more—Empire 808E, Pickering V15/ACE-3 or Shure M32E. Order beca 45 Order base, 45 auto. spindle below. 115 V, 60 Hz, 13 lbs. \$5 Monthly

13 W 0079 RCDU. Specify Cartridge.....79.51

SL65 With Lighter-Tracking Elliptical Cartridge for \$5 More. Save Up to \$34.95. Empire 888E, Pickering V15/ATE-3 or Shure M44E. 115 V, 60 Hz. Shpg. wt., 13 lbs.

Genuine Garrard Accessories

*Includes accessory trav

Stock No.			Lbs.	EA.	
13 W 3153	RX	Base for SL65. SL55	5	4.95	
13 W 3067	RX	Base for SL95*	6	5.95	
13 W 3165	RX	Dust Cover, SL65, SL55	5	4.95	
13 W 3154	RX	Dust cover, SL95	5	5.95	
13 W 3087	R	45-rpm auto. spindle			
		for SL65. SL55	1/2	3.80	
13 W 3076	R	45-rpm auto. spindle, SL95	1/2	3.80	

SL55 Automatic Turntable and Stereo Cartridae Elliptical \$5951 Elliptical \$6450 \$1.55 \$5950

Save up to \$29.95. Synchro-Lab motor and Garrard Cuing lever, stylus pressure adjustment. 147/8x123/4". Empire 808E, Pickering V15/ACE-3 or Shure M32E. Order base, 45-rpm auto. spindle, below. 115 V, 60 Hz AC. 11 lbs. 13 W 0077 RCDU. Specify Cartridge. \$6 Monthly 59.51

SL55 With Lighter-Tracking Elliptical Cartridge. Save Up to \$\$4.96. Choose Empire 888E, Pickering V15/ATE-3 or Shure M44E. Shpg. wt., 11 lbs. 13 W 0078 RCDU. Specify Cartridge. \$5 Monthly 64.50 13 W 3064 RU. SL55 Alone. 11 lbs. \$5 Monthly. 59.50

ALLIED 14

Garrard Automatic Turntables are Precision-Crafted in England

only \$5 more

V15/ATE-3 \$39.95

M44E

888E \$39.95

Shown on base

Complete DUAL Automatic Turntable Outfits





Pickering V15/AME-2 Elliptical Cartridge. Outstanding value in a stereo cartridge. 15°, 0009°x.0002° diamond stylus. 6-32,000 Hz. 30 dB separation. Tracks at ½-3 grams. 25x 10⁻⁶ cm/dyne compliance. Wt., 4 oz. 13 W 3895 RS. \$5 Monthly...... 19.95

B Pickering V15/ATE-1 Elliptical Car-tridge. Suitable for manual or automatie turntables that track down to 2 grams. .0004"x.0009" 15° diamond stylus. 35 dB separation. Response, 20-20,000 Hz. 3 oz. 13 W 3957 S. \$5 Monthly 16.88

Pickering V15/AT-2 Conical Car-tridge. Amazing value on stereo cartridge with .0007 diamond stylus. 35 dB channel separation. Frequency response, 20-20,000 Hz. 1-5 gm. track-ing. She and the separation of the second stylus.

ing. Shpg. wt., 3 oz. 13 W 3963 S. 10.88

Buy With No Money Down at Allied . . Up to 2 Years to Pay

Quality Cartridge at Low Cost

Excellent value in an outstanding Shure stereo magnetic cartridge with .0007' conical diamond stylus. May be

used with automatic or manual turn-



Save Up to \$39.95 on AR Outfits



13 W 3119 RU. XA Turntable Outfit Alone. Shpg. wt., 20 lbs.....78.00

Special Purchase! Empire Turntable in Two Professional Combinations!

Empire 398C Turntable, Base and 888TE or 999VE Stereo Cartridge

Bring professional turntable performance to your home stereo system at a remarkable low price. Exciting combination offer includes Empire's 398C broadcast-quality turntable with walnut base, plus an Empire stereo elliptical cartridge. Turntable features hysteresis-synchronous motor, isolated suspension, vibration-free performance. Rumble-free belt drive turns the balanced 6-lb. machined platter. Top-of-plate belt positioning provides accurate 33¹/₃, 45, 78 rpm speeds. "Dyna-Lift" raises pickup arm at end of record. Balanced arm boasts free suspension —perfect tracking at lowest pressure. Adjustable from 0-8 grams. No feedback. Flutter/wow: inaudible—less than 0.05%. Rumble: better than -65 dB. Retractable 45-rpm adapter. Rubber mat. Satin chrome finish. Walnut base, 8³/₄x17x15". For 117 VAC.

A 398C with Empire 888TE. Deluxe stereo cartridge. 15° .0002″x.0007″ elliptical diamond tip stylus. 6-32,000 Hz. Output 5.0 mV per channel. Separation: 30 dB. Compliance: 25x10⁻⁶ cm/dyne. Tracks, ½2⁻² grams.
13 W 0006 DU. 398C and 888TE. 28 lbs. 134.88

B 398C with Empire 999VE. Empire's finest stereo cartridge for unmatched performance. .0002"x.0007" extra-high compliance elliptical diamond stylus. 6-35.000 Hz. Output: 5.0 mV per channel. Separation: 30 dB. Compliance: 30x10⁻⁶ cm/dyne. ½-1½ grams.
13 W 0004 DU. 398 C and 999 VE. 28 lbs.159.88

Special Purchase! Empire 888SE

Super-Elliptical or 888P Conical-Tip Stereo Cartridge



C Empire 888SE Super-Elliptical Cartridge. Outstanding magnetic stereo cartridge for finest manual or automatic turntables. 15° .0007*x.0003" diamond stylus. 6-32,000 Hz. Compliance: 25x10⁻⁶ cm/dyne. Separation: 30 dB. Tracks, ¹/₂-3 grams. 13 W 3991 RS. Shpg. wt., 4 oz......21.95

 Empire 888P Conical-Tip Cartridge. Fine magnetic stereo cartridge for automatic or manual turntables. 15° .0006" conicaltip diamond stylus. Response: 10-28,000 Hz. Output: 8.0 mV per channel. Compliance: 15x10⁻⁶ cm/dyne. Separation: 30 dB. Tracks from ½ to 4 grams.
 W 3986 RS. Shpg. wt., 4 oz...... 14.95

All Cartridges on This Page Have Standard Mounting Centers

Save Up to \$60.14 on Knight Speaker Systems

KN-2380 Three-Way 15-inch Speaker System Knight's Finest High-Fidelity Speaker System



Each

monthly


\$6

Knight's very best speaker system offers deluxe features for superb Sound at unusually low price, plus you save an additional 0.14 when you buy a pair! Features giant 15" woofer with $1\frac{3}{4}$ -lb. ceramic magnet for organ-like bass. Ultra-smooth midrange speaker and dome-radiator tweeter, with separate level controls, reproduce the midrange with like domits with each separate level controls. mid- and high-frequencies with life-like clarity. You get a phenomenal response of 20 Hz to beyond the audio range.

Fine furniture cabinetry features hand-sculptured solid walnut molding, flush-grooved 314" base, and hand-rubbed furniture veneers. Operates vertically on floor base or horizontally on shelf. 3/4" hardwood construction eliminates the possibility of unwanted resonances. Finished on 4 sides in luxurious oiled walnut veneer.

Handsome satin-black base is specially for floor use. Size, 301/4x201/2x 14". Power handling capacity: 50 watts, 100 watts peak. Impedance: 8 ohms. Shpg. wt., 55 lbs. each. Shipped express. 20 W 9514 RZ \$8 Monthly. Each 149.95

In Pairs. \$6 Monthly Each 119.88





In Pairs. \$5 Monthly Each 37.45

In Pairs. \$5 Monthly Each 62.45

Knight Speaker Systems Are a Product of Allied Radio

ALLIED 17

Our Lowest Price Ever for a Pair of These UTAH 8-inch Acoustic-Suspension Speaker Systems! Save \$48.95




Don't Miss This Spectacular Offer-Use Your Allied Credit Fund Account

Empire 4000M Two-Way 10-inch **Pedestal-Style Speaker System**



20 W 7391 RZ. Wt., 85 lbs. \$7 Monthly. 129.95

University K-2 Enclosure Kit plus Model 201 Two-Way 8" Speaker—Save \$5.00 When You Buy Both



Buy **Both for** \$ 5 95



Repeat Sale! 2 UTAH WD-66 Three-Way 12" Speaker Systems

- 12-inch Woofer Has Dual-Diameter Magnet
- Direct-Radiator 6-inch Midrange Speaker
- Square 3¹/₂-inch Tweeter for Sparkling Highs

A remarkable value by any standard of comparison! Now you get two Utah three-way high-fidelity speaker systems at one sensational low price. Each of these deluxe Model WD-66 speaker systems features a big 12-inch woofer with dual-diameter magnet equivalent to 1-pound, $5\frac{1}{2}$ -ounces of Al-nico V—plus a $1\frac{1}{2}$ -inch copper voice coil for powerful, rich bass. Direct-radiator 6-inch speaker for smooth mid-range. Square 31/2-inch tweeter for sparkling treble. Dualdiameter magnet design assures maximum sound output per watt, allowing use of smaller amplifiers with outputs as low as 10 or 12-watts per channel. Uniform frequency re-

- Ducted-Port ³/₄-inch Walnut Veneer Enclosure
- Fiberglass-Lined Interior Prevents Resonance
- Built-In Crossovers for Smooth Reproduction

sponse from 30 to 17,500 Hz. Built-in crossovers at 2000 and 5000 Hz for smooth frequency distribution. Attractive ducted-port 34-inch walnut veneer enclosure is not only a decorative addition to the home, but also enhances the bass response of the woofer. Fiberglass-lined interior prevents unwanted resonance, further improving tonal quality. Matching grille cloth is designed to allow free passage of higher frequencies. 30 watts; 60 watts peak. 8 ohms. 14¹/₂x 24x9' deep. Wt., 29 lbs. each. 20 W 7079 RU. 55 Monthly. Two Systems for 89.50

No Money Down on Anything You Buy-Use Your Allied Credit Fund Account

ALLIED 19



Knight® KN-615HC Three-Way 15" Speaker with 5-Pound Magnet

Save \$15.00 Now Only \$**59**⁹⁵

Was \$74.95. Our very best Knight speaker—one of our very best sale values! No other speaker anywhere near this sale price comes close to matching the performance of the KN-615HC.

Huge 15' high-compliance woofer provides deep, Huge 15" high-compliance woofer provides deep, powerful bass down to 20 Hz. Massive 5-lb. cer-amic magnet; 2½" copper-ribbon voice coil. Radax midrange cone with mechanical crossover at 2000 Hz gives added realism to middle fre-quencies. Built-in electrical crossover directs frequencies above 3500 Hz to the compression-type VHF tweeter—rectangular diffraction horn; 6.8-oz. ceramic magnet; 1" aluminum voice coil. Elements aligned in strong cast alloy frame. coil. Elements aligned in strong cast alloy frame.

\$5 monthly

Response: 20-20,000 Hz. Capacity: 50 watts. Im-pedance: 16 ohms. Depth: 91%. 20 W 9502 RU. 31¼ lbs. \$5 Monthly.....59.95

High-Fidelity Speakers at Special Sale Prices





\$5 monthly

Utah C12PC-3B "Celesta" Three-Way 12" Speaker



Two Speakers

\$3595

\$5 monthly

One of our most popular high-fidelity speakone of our most popular night-indenty speak-ers, now offered at sensational savings! Big 12^e woofer with $4\frac{1}{2}$ -lb. magnet structure, cloth-roll suspension, and $1\frac{1}{2}$ voice coil reproduces powerful bass down to 25 Hz. Midrange cone and tweeter with Alnico V magnet carry crystal-clear highs to beyond audibility. Crossovers at 1000 and 3500 Hz. Large windows in frame permit free cone travel; internal dust seal protects voice coil gap. Moisture resistant. Rigid die-cast frame assures perfect alignment of elements. Fingertip terminals. Capacity: 45 watts. Impedance: 8 ohms. 5¹¹/6st deep. Wt., 1214 lbs. each. 20 W 8229 RX. 1 Spkr. 34.95 2 Spkrs. 35.95



Utah C12PC-2A Two-Way 12" High-Fidelity Speaker

One Speaker \$7650 \$5 monthly

Two Speakers 7750 \$5 monthly

Special purchase makes this outstanding speaker value possible. Buy a pair for the sensational low price of \$27.50. High-com-pliance 12" woofer delivers solid bass down to 30 Hz. Treble cone gives response to 20,000 Hz. Powerful 20-oz. ceramic magnet and long-throw 1½" voice coil combine for the very best in high-fidelity reproduc-tion. Solid die-cast frame assures accurate alignment of moving parts—large frame alignment of moving parts—large frame windows allow maximum cone travel. Internal dust cap; moisture-resistant construction. Spring-loaded terminals are col-51/2* deep. Wt., $11\frac{1}{2}$ lbs. each. 20 W 8227 RX. 1 Spkr. 26.50 2 Spkrs. 27.50

Use Your Allied Credit Fund—Take Advantage of These Sale Savings!



Outstanding Hi-Fi and Patio Speaker Values



\$5 monthly

Utah D8P 8-inch Two-Way High-Fidelity Speaker

Reg. \$14.95 Each. Special low sale price saves you over 33% when you buy two. Fine-quality speakers are ideal for stereo in custom installations. Only 4" deep—fit easily in Instantations: Only $\frac{1}{2}$ deep—int easing in bookshelf enclosures or any setup requiring a shallow area. Powerful $\frac{1}{2}$ voice coil com-bine to give you the very finest in high-fidelity reproduction. Moving elements are held in rigid alignment by the heavy-duty frame—frame windows allow maximum cone travel. Speaker delivers solid bass down to 35 Hz, brilliant treble to 13,000 Hz. Capacity 37 watts peak. Impedance: 8 ohms. Depth: 4". Wt., 5½ lbs. each. 20 W 8158 RX. 1 Spkr. 14.95 2 Spkrs. 19.90





Utah D8LA 8-inch Two-Way High-Fidelity Speaker

Outstanding high-fidelity speaker value! Imagine getting two 8' two-way speakers for just \$11.73 . . . you actually pay less than \$6.00 each! Their impressive tonal performance and attractive exteriors have the sound and look of quality. High-effi-ciency Alnico V dual-diameter magnets plus treated cone edges and whizzer cone assure rich, powerful bass and brilliant highs. Rigid frame construction provides permanent alignment of all parts. Long-throw 11/4 voice coil. Frequency response: 40 to 16,000 Hz. Power handling capacity: 25 watts peak. Impedance: 8 ohms. Mounting depth: 4". Wt., 4 lbs. each.



Two Speakers

Limited Quantity

20 W 8437 R. 1 Spkr. 10.73 -2 Spkrs. 11.73

Allied Has the Finest Speaker Systems at the Lowest Prices

ALLIED 21

Half-Price Sale on Utah TXC-1 Tweeter Outfit Save ^{\$}14.50 on This Special Sale Offer!

Save <u>50%</u> Now Only \$1 / 50 

litté

Utah "Celesta" 3-Way 8" Speaker ...Save \$18.95 When You Buy Two!

Order Your Speakers Now—Use Allied's Credit Fund Plan



ALLIED® Model 1100 Portable Cassette Recorder with 1¢ Bonus

\$59 %

- Cassettes Snap in and Out Easily
- Records Up to 2 Hours (Both Tracks)
- Easy-to-Operate Keyboard Controls
- \$5 monthly Level/Battery Condition Meter

Allied's own tape cassette recorder offers top value and versatility at a low price. Unbeatable for on-the-go recording in classroom, car, home or office. Records up to two hours of extra-clear mono (both tracks). Cassettes snap in and out quickly and easily. Operates from five "C" batteries or AC adapter, included, that snaps on to recorder. Adapter has cord storing compartment.

Allied Has Quality Tape Equipment to Meet Every Need





Cassette Recorders-Save Up to \$10.00

A Norelco "150 Cerry-Corder" with AC Adapter

Separately \$79.40. The "Carry-Corder 150" produces exceptionally clear voice and music recordings for a recorder of such small size—measures only $7\frac{3}{4}x4\frac{1}{2}x2\frac{1}{4}$ ". Records up to two hours with easy-loading Philips-type tape cassette at $1\frac{7}{8}$ ips (using both tracks). Fully transistorized, it runs for hours on inexpensive flashlight batteries or on 120 VAC with adapter.

Has input for radio and output for external amplifier. Complete with carrying case, remote start-stop micro-phone, blank tape cassette. Uses 5 batteries (order below). From Holland. Shpg. wt., 5 lbs. \$5 Monthly

15 W 0506 L2X. Recorder and AC Adapter.	69.40
15 W 7212 RS. Tape Recorder Alone. \$5 Monthly	. 59.50
15 W 7215 R. AC Adapter Alone. Shpg. wt., 1 lb	19.90
18 W 5865 R. Extra Batteries. 4 oz Pkg. of 2	for 33∉

B Wollensak Model 4200 Tape Cassette Recorder

Was \$74.95, Save \$5.00. Miniature monaural portable recorder records and plays up to two hours with easy-touse, drop-in Philips-type tape cassettes. Simple to operate -single 4-position switch controls all functions. Constant-speed capstan drive at 1% ips. Separate recording level and volume controls. Safety lock prevents accidental erasures. Combination Recording-level/Battery-condition meter. Frequency response: ±3 dB, 80-10,000 Hz. With

C New! Aiwa Model TP-736 Cassette Portable

Full-feature capstan-drive portable cassette recorder, with automatic volume control, at a low, low price! Ordinarily, you would expect to pay far more for these deluxe features. Records and plays mono at $1\frac{7}{8}$ ips using easy-loading, drop-in Philips-type cassettes.

Capstan-drive insures constant speed for better recordings. AVC (automatic volume control) prevents over-recording by controlling recording level. Easy to operate, the TP-736 has a single 4-position selector lever control for forward, stop, rewind and fast-forward. Built-in $2\frac{1}{4}$ " speaker has an exceptionally clear tone. Fully transistorized circuit includes 7 transistors and 1 thermistor.

Operates for hours on 4 inexpensive "C" batteries. 5x 81/4x21/2". With sensitive dynamic microphone, batteries, plus earphone for private-listening. From Japan. Shpg. wt., 41/2 lbs.

15 W 7033 U. \$5 Monthly. 39.95

D Aiwa TP-1004 Battery/AC Stereo Cassette Recorder

Compact stereo tape cassette system records and plays 4-track stereo and mono on Philips-type cassettes. Truly portable, it operates on both batteries and AC current so you can use it wherever you go. Loads instantly, takes only seconds to insert tape cassette.

Positive-action pushbutton controls; level and tone con-trols for each channel; two record-level meters. Has two extended-range 3x5" oval speakers mounted in matching speaker enclosures that separate for true-to-life stereo sound.

Frequency response: 60-10,000 Hz. Speed, 1% ips. Records from microphones, radio/phono/TV. Full-feature circuit boasts 14 transistors, 8 diodes and 4 thermistors. Convenient storage compartment. Complete with two dynamic microphones (one with remote control), blank tape cassette, two earphones. For 110-120 V, Hz AC, or batteries (in-cluded). Size, 12³/₄x13x3¹/₂". From Japan. Shpg. wt., 9 lbs.

Allied Carries a Full Line of Tape Recorders

Save — ALLIED "TD-1030 Tape Deck and Bonus



Top-Performing Solid-State 4-Track Stereo Tape Deck

Tape Deck and Bonus Items Purchased Separately, \$163.42. Feature-packed solid-state deck has record/play preamps for 4-track stereo and mono-just plug it in to your present stereo music system or console and it's ready to play. Or you can simply plug stereo headphones into front-panel jack—deck has a built-in stereo headphone amplifier with its own level control. Automatic tape lifters protect tape heads during fast forward and rewind. Digital counter. Speeds: $7\frac{1}{2}$, $3\frac{3}{4}$, $1\frac{1}{6}$ ips. 7" reel capacity. Response, 30-18,000 Hz at $7\frac{1}{2}$ ips for brilliant stereo sound. Operates vertically or horizontally.

Two record-level meters; single-knob control; instant stop; automatic shutoff; record-ready light; powerful capacitor-

Save on ALLIED's Own Component FM-AM-Phono-Tape System



Complete Stereo Entertainment Ensemble-Full Tape Record/Playback Facilities, plus Stereo FM-AM, Phono

Components Purchased Separately, \$564.65. An audio fan's dream come true! This all-Allied system in-cludes: Allied TD-1030 Stereo Tope Deck with deluxe wood case. Allied 365 Solid-State 65-Watt Stereo FM-AM Receiver delivers 130 watts peak power. Automatic stereo switching. Plug-in speaker connectors. Tuning meter. Speaker main/remote switch. Metal Tuning meter. Speaker main/remote switch. Metal case. Allied 919 4-Speed Automatic Turntable with walnut wood base. Adjustable anti-skate, low-mass counterbalanced pickup arm, cuing and pause control. Automatic record changing, or manual. Pickering V15/ATE-3 Stereo Cartridge with elliptical diamond stylus. Two assembled Knight KN-3030A Speaker Systems. 12" woofer, 6" midrange, 3½" tweet-er. Oiled walnut veneer. With cables. 14 W 0317 D6Z. Wt., 121 lbs. \$19 Monthly.. 429.98 14 W 5003 RX. Walnut Receiver Case. 6 lbs..... 19.95



Take Up to Two Years to Pay at Allied . . . No Money Down

Prices Slashed on Famous Stereo Tape Decks

Save

\$10.00

\$5 monthly



Concord 501D Solid-State **Stereo Tape Deck**

- Three-Speed Operation
- Two Large Record Level Meters
- Pause Control and Digital Counter Recording Controls Concealed
- by Fold-Down Panel

Was \$109.50. Amazing low price for this quality solid-state stereo tape deck. Records four-track stereo or mono for stereo tape deck. Records four-track stereo or mono for playback through your stereo music system or console. Speeds: $7\frac{1}{2}$, $3\frac{3}{4}$ and $1\frac{1}{6}$ ips. Pause control and digital counter simplify editing. Two large level meters indicate the exact recording level for perfect results every time. the exact recording level for perfect results every time. Recording controls and inputs are concealed behind a fold-down panel. Response: 50-15,000 Hz at $7\frac{1}{2}$ jps. Flutter and Wow: 0.25% at $7\frac{1}{2}$ jps. Inputs: Two mike, two radio/phono. Handsome wood base with black and silver panel. Less mikes. Size, $12\frac{1}{4}x14\frac{5}{8}x4\frac{3}{4}x$. For 115 volts, 60 Hz, AC. From Japan. Shpg. wt., 20 lbs. 15 W 7291 RU. \$5 Monthly. 99.50



53

Deck shown in optional case

-

\$10.00 **q**95 \$8 monthly

Save

Roberts 1721 Solid-State Stereo Tape Deck

- Pause Control and Digital Counter
- Dual Record Level Meters
- Two Volume, Two Tone Controls
- Automatic Shutoff at End of Tape
- Built-In Head Demagnetization

Was \$159.95. Professional-quality stereo deck adds taped stereo to your music system or console. Records and plays four-track stereo or mono tapes at $7\frac{1}{2}$ and $3\frac{3}{4}$ ips. Dual level meters indicate recording level for perfect results. Pause control and digital counter for editing and indexing. Volume and tone controls for each channel. Automatic

Save \$55.06 Studio-Quality Viking Deck plus Amplified Speaker Systems

Separately \$397.06. Deluxe 88-RMQ compact stereo deck plus Viking 4400 amplified stereo speaker systems. Deck records 4-track stereo and mono. Three heads and independent playback preamps Three heads and independent playback preamps permit direct tape monitoring and sound-on-sound. Two VU meters, 7½ and 3¾ ips speeds, digital counter. Response: ±3 dB, 30-18,000 Hz at 7½ ips. 13x13x6¼". Optional case below. Speaker out-fit delivers 30 watts per channel, has stereo head-phone jack, on-off/vol. control, bass-boost switch. Each enclosure has 8" woofer, 3½" tweeter. Walnut finish. Each, 14x16x5". 115VAC. 15 W 0092 L2U. Deck and Speakers. 52 lbs... 342.00 15 W 7401 RU. Viking 88-RMQ Alone. 25 lbs ... 288.96

15 W 7408 U. 4400 Speaker Outfit. 27 lbs.... 108.10

\$17 monthly

Deck and

Speakers

Enjoy A New Deck Now . . Pay Later with Allied's Credit Fund Plan



Prices Cut on Three Popular Stereo Recorders

A Aiwa TP-1001 Solid-State 4-Track Stereo Tape Recorder

Was \$189.95. A great value at this exceptional low price! Solid-state recorder with true hi-fi response looks and performs like a "pro." Smooth from 70-15,000 Hz at 7½ ips. Has many deluxe features. Hysteresissynchronous motor keeps flutter and wow inaudible—only 0.15% at 7½ ips. Pause control for easy editing. Digital counter. Full 7" reel capacity. Self-contained speakers. Automatic shutoff. Jack for headphones. Volume and tone controls for each channel. Speeds, 7½, 3¾, 1½ ips. With two dynamic mikes with on/off switches, 7" (1200-ft.) reel of tape, takeup reel, patch cords, splicing tape. 14½x13½x10". For 117 V, 60 Hz AC. From Japan. 12 lbs. 15 W 7289 U. \$9 Monthly.... 169.95

B Roberts 1725 High-Fidelity 4-Track Stereo Tape Recorder

Wos \$209.00. Dynamic low pricing for a tape recorder of this quality. Provides superb stereo sound. Response is 40-18,000 Hz at $7\frac{1}{2}$ ips. Records and plays 4-track stereo and mono at $7\frac{1}{2}$, $3\frac{3}{4}$, and $1\frac{1}{6}$ ips. Features automatic motor shutoff at end of tape, two built-in 5x7'' extendedrange speakers, two professional-type level meters, convenient edit pause lever, electrically switched motor speed, stereo headphone jack. Operates horizontally or vertically. Antibacklash rocker arm prevents tape spillage. Flutter/Wow, only 0.2% at $7\frac{1}{2}$ ips. Deluxe tube-type circuit. With two mikes, 7' takeup reel. $13\frac{1}{4}x$ $7\frac{1}{2}x13\frac{3}{4}''$. For 110-125 volts, 60 Hz AC. Japan. Shpg. wt., 34 lbs. 15 w 7379 U. \$10 Monthly.... 189.00

© Panasonic RS-780S Solid-State 4-Track Stereo Reversing Recorder


Was \$279.95. Big \$30.00 price cut on Panasonic's "Impressario" featurepacked, professional-quality recorder. An outstanding value too good to miss. Impressively styled, matching wood cabinets. Two swing-out speaker enclosures house perfectly matched woofers and tweeters—excellent channel separation. Records and plays 4track stereo or mono at $7\frac{1}{2}$, $3\frac{3}{4}$ and $1\frac{7}{8}$ ips. Fully automatic reversing gives you continuous operation. Solidstate circuit provides 8 watts of music power per channel. Four-digit counter for precise timing; cue-button for dubbing. 7" reel capacity. Two penciltype mikes. Size, $15\frac{1}{2}\times16\frac{3}{4}\times11\frac{1}{2}$ ". 110-120 volts, 60 Hz AC. From Japan. Shpg. wt, 41 lbs. 15 W 7155 RZ. \$13 Monthly...249.95

Get Your Recorder Now with Allied's Credit Fund Plan

Save \$100.00

TANDBERG **Stereo** Tape Recorder

Deluxe Solid-State Recorder by World-Renowned Tandberg at Huge Savings



Model 12 Solid-State Stereo Recorder

950 Was \$449.50 \$17 monthly

Sigmese Teak Wood Cabinet

Save \$100 on this professional solid-state recorder. Records and plays 4-track stereo or mono at 7½, 3¾, 1⅔ ips. Built-in 4x7" speakers. One channel can play while 4x7 speakers. One channel can play white other is recording. Also, one channel can be used as PA while other is recording. Level meters, 4-digit counter. 30-20,000 Hz. All inputs. Six-watt stereo amplifier



Model 12E Solid-State Stereo Recorder

\$20 monthly

Attache-Style **Case for Easy** Portability

Professional-quality recorder with built-in

Exclusive Allied Closeout on Concord Stereo Recorders



Concord 600 Stereo Tape Recorder Price Cut

Was \$179.50. Solid-state stereo recorder features 10-watt amplifier, detachable speaker enclosures. Records and plays 4-track stereo or mono at $7\frac{1}{2}$, $3\frac{3}{4}$, $1\frac{7}{8}$ ips. Level meters; pause control; digital counter. 50-15,000 Hz at 71/2 ips. Inputs: 2 mike, 2 radio/phono. Outputs: stereo headphones, preamp.

\$8 monthly

Concord 994 Automatic-Reversing Recorder

Repeat of Sale \$**749**50 \$13 monthly

Save

\$30.00

\$ 4950

Remarkable value in an advanced design solid-state recorder. Records, plays 4-track stereo or mono up to 24 hours. Continuous playback for preset time-1/2-hour to all day. Automatic programing for reverse, single play, continuous play or manual. Automatic threading. Automatic stop. Full fea-

Concord 884 Stereo Tape Recorder

Repeat of Sale 20950 \$11 monthly

Priced for a closeout, this deluxe solidstate stereo recorder is loaded with features. Records and plays 4-track stereo and mono at 71/2, 33/4, and 17/8 ips with echo, sound-on-sound, special effects. Keyboard controls. Two level meters. Monitor, 15-watt stereo am-plifier. Two speakers, one in lid for separation. 40-16,000 Hz at $7\frac{1}{2}$ ips. With 2 mikes, 7° takeup reel, patch cords. 11x15¹/₂x17". For 115 VAC. From Japan. 43 lbs. 15 W 7990 U. \$11 Monthly 209.50

28 ALLIED Order Your Tape Recorder Now ... No Money Down at Allied

Save! Wollensak Recorders at Lowest Prices Ever

5750 Stereo Tape Recorder in Hardwood Cabinet

Was \$219.95. Deluxe solid-state stereo recorder in a luxuriously finished hardwood cabinet. Records, plays 4-track stereo and mono at $7\frac{1}{2}$, $3\frac{3}{4}$, $1\frac{7}{8}$ ips. Central control panel, automatic tape lifters, self-adjusting brakes, automatic head demagnetization, pause control, digital counter, automatic shutoff. With one mike, 7" reel of tape, takeup reel. 101/2x193/4x10". 115 VAC.

15 W 7040 R. Extra Mike. 3 lbs.... 13.50

5740 Full-Feature Stereo Tape Recorder

Was \$199.95. All the deluxe features of the Model 5750 above, but in a vinyl-clad cabinet. Includes: monitor headphone jack, reel locks, tone and volume controls for each channel. Inputs: 2 mike, 2 radio/phono, Outputs: Preamp. extension speakers. 40-17,000 Hz at $7\frac{1}{2}$ ips. With one mike (order

\$9 monthly

5300 Solid-State Stereo Tape Recorder

Was \$219.95. Recorder with two matching speaker systems in acoustically-designed walnut enclosures: each with 9x6" woofer and 3" tweeter. Automatic head demagnetization, self-admatic head demagnetization, self-ad-justing brakes, pause control, auto-matic shut-off, 2 level meters. Four speeds: 7¹/₂, 3⁸/₄, 1⁷/₈, 1⁵/₁₆ ips. 40-17,000 Hz at 7¹/₂ ips. 10¹/₄x60x8³/₄". With one mike, 7" reel of tape, takeup reel. 115 VAC. Shpg. wt., 45 lbs. 15 W 0088 L2U, \$10 Monthly... 189,95 15 W 7040 R. Extra Mike. 3 lbs... 13.50



Save

\$20.00



Low-Profile Hardwood Cabinet with Detachable 6" Speaker Enclosures



Speakers Separate Up to 9 Feet for Full-Range Hi-Fi Stereo Realism



Decorator Styled in Walnut Cabinets

AWA

Save

\$10.00

\$ 4995

\$8 monthly





Quantity Limited!

Sony 260 Solid-State Stereo Recorder Closeout Sale

Priced for a sellout! Deluxe model records and plays 4-track stereo or mono at 7½ and 3% ips. Features "Radial Sound Projection System" for wide stereo separation—acoustically isolated, built-in speakers. Has pause control, auto-matic tape lifters, automatic shutoff, 2 level meters. 50-15,000 Hz at 71/2 ips. Inputs: 2 lo-Z mikes, 2 high-level for 15,000 fiz at 7/2 195. inputs: 2 to 2 integes, 2 ingn-level for radio/phono. Outputs: 2 ext. speaker, 2 line. $15\frac{1}{2}x21\frac{3}{8}x$ $7\frac{3}{4}$ ". With two F-96L dynamic mikes, 7" takeup reel, patch cords. For 115 VAC. From Japan. Shpg. wt., 42 lbs. Quantity Limited.

Aiwa TP-1012 Battery/AC Stereo Recorder

Was \$159.95. Record and play full-range 4-track stereo or mono tapes in your home, car, anywhere! Versatile recorder boasts two level meters, automatic shutoff, digital counter, pause control, five-watt output. $7\frac{1}{2}$, $3\frac{3}{4}$, $1\frac{7}{8}$ ips. 50-16,000 Hz. Two built-in 6x4'' speakers. Inputs: 2 mike, 2 aux. Outputs: ext. speakers, stereo headphones. Compartment for 2 mikes and AC line cord. With 2 mikes, 7'' reel of tape. 7" takeup reel, batteries and AC cord. Size, 13/2x12%x 71/4". For 115 VAC, 8 "D" batteries, 12 V car battery. From Japan. Shpg. wt., 17 lbs. 15 W 7151 X. \$8 Monthly. 149.95

Take Up to Two Years to Pay with Allied's Credit Fund Plan

ALLIED 29

Save on Bell & Howell Recorder/Speaker Combos

Save \$24.00

Save \$36.00

Save \$73.00



2265 Reversing Solid-State Stereo **Recorder with Two Speaker Systems**

Records and plays in both directions, reverses automatically. Automatic head degaussing. Pause control, level meters, automatic shutoff. 71/2, 38/4, 17/8, 15/16 ips. 40-17,000 Hz at 71/2 ips. 1/g, '2/6 ips. 40-17,000 Hz at 7/2 ips. 17 watts music power. 7' reel capacity. Built-in 8x4" speakers plus pair of deluxe 605 walnut 6' systems. Re-corder, 81/2x13/2x15/2'. Speakers, 10x131/2x61/2' each. 2 mikes. 117 VAC. 15 W 0091 L2U. Wt., 57 lbs...339.95 15 W 7030 U. Model 605 Speaker Sys-



Recorder With Two Speaker Systems

Automatic reversing (record and play), threading, shutoff, tape lifters, head degaussing, and programing cycle. Sound with sound. Level meters. 40-17,000 Hz at $7\frac{1}{2}$ ips. 4 speeds. 30 watts music power. 7" reel capacity. Built-in 8x4" speakers plus two 15 W 7027 U. Model 2295 Recorder Alone. Shpg. wt., 39 lbs... 369.95 15 W 7028 U. Model 610 Speaker System. Shpg. wt., 12 lbs...... Each 33.00



2297 Reversing Solid-State Stereo **Recorder With Two Speaker Systems**

Bell & Howell's finest recorder has all the features of 2295 listed at left, plus hinged, walnut-finished front panel cover, powerful 30 watts music power output. Resp., 40-17,000 Hz at $7\frac{1}{2}$ ips. Built-in 8x4" speakers plus pair of

15 W 7025 U. Model 2297 Recorder Alone. Shpg. wt., 39 lbs... .419.95 15 W 7026 U. Model 630 Speaker Sys-



7000D Solid-State Stereo Tape Deck

Was \$149.00. Deluxe tape deck plays and records four-track stereo and mono through your present stereo music system. Convenient pushbutton operation. Has two record level meters, automatic end-of-reel shutoff. Two speeds, $7\frac{1}{2}$ and 3% ips. Advance solid-state circuit design. Frequency response 40 to 18,000 Hz. Size, 15x14x7". Complete with wood base, 7" takeup reel. For 117 volts, 60 Hz AC. From West Germany. Shpg. wt., 15 lbs. 15 W 7429 RU. \$7 Monthly.....

8000E Solid-State Stereo Tape Recorder

So popular in Catalog 275 we are offering it again. Records and plays 4-track stereo or mono at $7\frac{1}{2}$, $3\frac{3}{4}$, $1\frac{7}{8}$ or $1\frac{5}{16}$ ips. "Dia-Pilot" allows synchronization with slide projector or

Allied Has Quality Tape Equipment for Every Requirement

A Popular Telmar T-100 Miniature "Pocketcorder"

Repeat \$5 of Sale! monthly

Exciting special sale price on this solid-state recorder for on-the-spot taping! Records up to 80 min. at $^{15}/_{6}$ ips on $1\frac{7}{8}$ reel. Capstan drive assures constant speed. Built-in speaker for fine sound. With remote-control mike, earphone, leather case, three 80-minute tapes, four penlight batteries. Only $7\frac{5}{8}x3\frac{7}{8}x1\frac{7}{8}$ ". Japan. Shpg. wt., 6 lbs. (Recommended for good-fidelity voice recording.) voice recording.) 15 W 7425 RX. \$5 Monthly......24.95

B Sony 907 Portable with **Automatic Volume Control**

\$5

Repeat \$3450 of Sale! monthiv

Sold only by Allied! Big-recorder per-formance for less. Records without overload distortion, thanks to Autooverload distortion, thanks to Auto-matic Volume Control. Solid-state circuit is hum and noise-free. Two-speeds: 3³/₄, 1⁷/₈ ips. Response is 90-9500 Hz at 3³/₄ ips. Radio, TV inputs. Complete with 4 "D" batteries, mike, earphone, 3¹/₄" takeup reel, plastic case. Size 8³/₄x8³/₄x3³/₄". From Japan. Shpg. wt., 6 lbs. 15 W 7416 S. \$5 Monthly......34.50

C 2-Speed Craig 212 with **Automatic Level Control**

Great	\$30	105	\$5
10 1 1		JUU	40
Value!	' Ji		monthly

Battery-powered solid-state recorder



Sensational Values in Portable Mono Recorders



D Concord F-90 Battery/AC Tape Recorder / AM Radio

Save \$**59**50 \$5 \$10.00 monthly

Wos \$69.50. Concord's solid-state "Radiocorder" combines a 2-speed recorder with a deluxe AM radio. Record your favorite programs on tape as you listen. Plays on batteries or AC. Radio and recorder may be used AC. Radio and recorder may be used separately or together. 1% and 3% ips. Pushbutton controls. 3%" reels. Level/battery meter. Remote-control mike, 5 "C" batteries. 4x8½x9". From Japan. Wt., 7 lbs. 15 W 7022 RX. \$5 Monthly.....59.50

E Telmar 555 Battery/AC 3-Speed Tape Recorder

Repeat \$5995 \$5 of Sale! monthly

Uses flashlight batteries, 12 VDC car battery, or AC. Constant-speed cap-stan drive. All solid-state. 7½, 3¾. 1½ ips. Pushbutton controls. Level meter, digital counter, record-safety lock. 60-14,000 Hz at 71/2 ips. Radiolock. 00-14,000 fiz at (72) ps. naup-phono, telephone pickup, mike inputs. With mike, 5" reel of tape, batteries, takeup reel, leatherette case. From Japan. Overall size, $11/2\times101/2\times35/6$ ". Shpg. wt., 13 lbs. 15 W 7426 RU. \$5 Monthly...... 59.95

E Aiwa TP-715 Two-Speed Solid-State Recorder

Save \$**31**95 \$5 \$5.00 monthly

Was \$39.95. Deluxe-battery-powered and solid-state. Records/plays two-track mono at 3% and 1% ips on 3%" reel. AC bias for wide response. 21%" speaker for fine sound. Pushbutton operation. Meter indicates recording

Boost Your Buying Power with Allied's Credit Fund Plan

Bargains in Tape Recorders and Players



\$5 monthly Aiwa TP-80]

7"-Reel AC Recorder



Records, plays 4-track stereo and mono at $7\frac{1}{2}$, $3\frac{3}{4}$, $1\frac{7}{6}$, $1\frac{5}{6}$ ips. 40-20,000 Hz at $7\frac{1}{2}$ ips. One speaker, 2nd speaker jack. $4x9\frac{3}{8}x10^{\circ}$. Mike, 5° takeup reel, rechargeable battery/charger, 117 VAC adapter. 15 W 7090 X. Japan. 19 lbs. \$10 Monthly 199.95 15 W 7091 X. 6000M. Mono. Battery Only. 12 lbs. 174.95 18 W 5868 R. "D" Batts. for 6000M. (Req. 6.) 8 oz. $4/67 \epsilon$



Telmar 80-G Stereo Tape Player System



Aiwa TP-724 Battery/AC 7" Mono Recorder





Telmar 80-D 8-Track Stereo Tape Cartridge Player

ALLIED® Top-Value Blank Recording Tape



Specially made Allied tape outperforms tape costing much more. Features wide frequency response and low noise levels with uniform output for excellent mike pickup. Strict quality control assures flawless manufacture. Provides intimate recorder head contact for fullrange fidelity. Lubricated for long head and tape life. Exceptional strength and high resistance to adverse temperature and humidity conditions. Excellent for recording from mike, tuner or phono. *Polyester types, offer high resistance to breaking. †Tensilized topquality polyester; ‡Acetate.

Stock R	Reel	eel Feet	Base,	Wt	EACH	
No.	Size	reet	Mils	Lbs.	1-11	12-Up
15 W 8740 R	31/4"	600*	1/2	1/2	.89	.79
15 W 8741 R	.5"	\$000	1	1/4	1.18	1.06
15 W 8742 R	7*	12001	11/2	1	1.49	1.34
15 W 8743 R	7"	1800*	1	11/4	2.14	1.93
15 W 8744 R	7"	2400+	1/2	1	3.49	3.14
15 W 8745 R	7"	3600+	1/2	1	4.98	4.49

Allied[®] "265" Deluxe Recording Tape • Color-Coded Leaders • Bonded Sensing Foils • Head Cleaner Tape End Low As \$188

Allied "265" Ultra-Range recording tape offers a fullspectrum formula for master recording quality. Wound on heavy-duty, computer-type reels; micro-polished to reduce abrasion to a minimum. Red and green leaders color-code each end of the tape. Ultra-thin bonded sensing foils actuate recorders with automatic reverse mechanism. Latest binder system features homogenized lubrication to minimize peeling and flaking. A length of head cleaning tape is spliced into one end of every reel of tape to remove accumulated material from the recorder heads. Pad of silicone-impregnated rayon tape conditioner in box to maintain tape surface in likenew condition. tPolyester; *Acetate.

Stock	Real	Feet	Base,	Wt.	EACH	
No.	Size	. ear	Mils	Lbs.	1-11	12-Up
15 W 8269 R	7"	1275*	11/2	1	2.09	1.88
15 W 8270 R	7*	1875†	1	1-	3.19	2.97
15 W 8271 R	7"	2475†	1/2	1	4.60	4.14

Allied[®] Blank Tape Cassettes

For any recorder using the Philips cassette system. (Not for 8-track cartridge recorders.) Super-coated for superior signal/noise ratio. In mailing box.

Stock No.	Type	Hours	Wt., Lbs.	1-11, EA.	12-Up, EA
15 W 8001 15 W 8002	C-60 C-90	1 11/2	1/2 3/4	1.79	1.61
15 W 8003	C-120	2	1 1	3.65	3.28

- Philips Cassettes
- Minimal Friction
- Superior S/N Ratio
 Low As

\$161



Special Low Prices on Stereo Headphone and Intercom





Martel Stereo Headphones Closeout Value

Your chance to get stereo headphones at a sensational closeout savings. Literally surrounds you with full-range stereo sound. Form-fitted flex vinyl earcups, adjustable padded headband and light weight contribute to comfortable, private listening. 8 ohms. With 6' cord, $\frac{1}{4}$ " phone plug. Japan. 1 lb. 20 W 8035. 5.95



Fanon Solid-State Wireless Intercom System

Use Your Allied Credit Fund to Buy What You Need Now

NEW) Car Tape Players with Stereo Reverb Bonus



Designed Especially for Stereo Tapes and FM-Stereo

Allied's Own Deluxe Car Stereo Reverb

Adds even more realism to stereo tapes and FM-stereo. Mixes sound from each stereo channel and delays it through the rear speaker. Fills that hole-in-the-middle with the extra dimension of reverberation. For any 4or 8-track stereo tape player or stereo-FM radio. Infinite control selections, front-panel operation. Styling With 6x9" rear deck speaker and chrome grille. Mounts easily under dash in most cars. 13/4x8x53/4". For 12 VDĆ

19 W 4579. Shpg. wt., 6 lbs. \$5 Monthly 29.95



Ranger 4- and 8-Track Tape Player/FM Radio plus Reverb

Deluxe stereo cartridge player with built-in FM radio, plus Stereo Reverb System above, for only \$5 more! Reverb unit adds amazing realism and depth to stereo tapes, imparts a stereo "effect" to the monaural FM radio. Illuminated slide-rule FM dial flips back automatically when you insert a tape cartridge.



Both for Only monthly

Reverb System Regularly \$29.95. Yours for only \$5, during this sale, with purchase of Ranger Tape Player/FM Radio



Automatic Radio 4- and 8-Track Car Stereo Tape Player plus Stereo Reverb System

Deluxe solid-state stereo tape player, with stereo reverb system for only \$5 more. Plays 4- and 8-track stereo tape cartridges in your car, or at home with optional AC adapter Also accepts FM and AM tuner cartridges. Fully automatic operation-insert cartridge and player starts; remove it, player stops. Features 10-watt stereo amplifier; four-way speaker balance (left, right, front and rear; volume and tone controls; track shift button; lighted channel indicator. Mounts easily under dash in theftproof bracket; slides out for home use. With four 5" full proof bracket; slides out for home use. With four 5' full range speakers, chrome grilles. Walnut case, $3^3/4 \times 8^1/2 \times 8''$ For 12-volt negative ground. Optional AC adapter, AM and FM tuner cartridges below. Shpg. wt., 20 lbs. 19 W 0035 L2X. Tope Player and Reverb. $\frac{36}{10}$ Mo... 114.95 19 W 4244 RX. Tope Player and Reverb. $\frac{36}{10}$ Mo... 114.95 19 W 4244 RX. Tope Player and Reverb. $\frac{36}{10}$ Mo... 114.95 19 W 4244 RX. Tope Player and Reverb. $\frac{36}{10}$ Mo... 114.95 19 W 4244 R. FM Tuner Cartridge. Shpg. wt., 1 lb... 39.95 19 W 4246 R. AM Tuner Cartridge. Shpg. wt., 1 lb... 29.95 19 W 4250 R. 117 VAC Adapter. Shpg. wt., 4 lbs... 27.95

34 ALLIED Use Allied's Credit Fund Plan to Buy Your Tape Player Now

Save! Car Tape Players and Bonus Offers NEW

Universal FM-AM Tuner Cartridge

Instantly converts any 4- or 8-track car tape player into a great sounding AM and FM radio. Simply insert the tuner cartridge where you play your tapes, then tune all your favorite programs! Has 6-transistor, 9-diode circuit; built-in AFC; slide-rule dial. No rewiring—includes special an-tenna coupler that hooks tuner to car radio antenna; plug antenna into coupler and coupler into tuner cartridge. High-impact case, 4x6x1". With 9-volt battery

19 W 4580. Shpg. wt., 4 lbs. \$5 Monthly. 39.95

Antenna Coupler **Connects FM-AM Tuner** Cartridge to Car Antenna

\$5 monthly



Ranger 4- and 8-Track Tape Player plus FM-AM Cartridge

Outstanding bonus offer! Deluxe stereo tape player lets you play all the popular 4- and 8-track stereo cartridges available; and you get the convenience and versatility of an AM and FM radio in a single tuner cartridge! Tape player features fully automatic operation, just insert the cartridge and it activates proper playing mechanism. Has 14-watt solid-state stereo amplifier; fine tuning



Save \$15.00 Both for \$6 Only monthly FM-AM Tuner Cartridge Reg.

\$39.95. Slides into player.

Save \$7.94 on Automatic Radio Car Stereo Tape Players with Speaker Bonus



8-Track Stereo Tape Player with Bonus

Quality 8-track car stereo tape player brings you full widerange stereo from any standard 8-track tape cartridge. Has 8-watt solid-state amplifier; dustproof cartridge door

Deluxe 8-Track Stereo Tape Player with Bonus

Versatile 8-track stereo tape player-plays 4-track tapes with adapter (included); accepts AM and FM tuner car-tridges. 8-watt solid-state amplifier; lighted channel inditridges. 8-watt solid-state ampliner; lighted channel indicator; volume, balance and tone controls. Automatic operation. Black, chrome face. 2/2x6/4x6". 12 VDC negative ground. Japan. With Stereo Speaker Bonus.
19 W 0032 12X. Shpg. wt., 12 lbs. \$5 Monthly.......89.96
19 W 4578 X. Tape Player Alone. Shpg. wt., 8 lbs......89.95
19 W 4266 RX. Speakers Alone. Shpg. wt., 4 lbs. Per Pair 7.95

Allied Has Quality Stereo Tape Players for Every Budget

ALLIED 35

Save Up to 50% on Musical Instrument Speakers



UTAH

15-inch Musical Instrument Speaker With 6¾-lb. Magnet Structure

• Ideal for Electric Organ and Bass Guitar

- High-Flux Barium-Ferrite Magnet
- Rigid, Reinforced Steel Speaker Frame

MI-15RC. Imagine being able to buy a 15" speaker at such an outstanding low price! Perfect for musical groups and combos... provides rich reproduction of electric organ and bass guitar. Offers full tonal quality with crisp response.

Heavy-duty epoxy-bonded construction. Thick steel pot plates, reinforced steel chassis. Massive 2-lb. barium-ferrite magnet for high flux density. Oversize voice coil absorbs heat of transient peaks. Treated cone for smooth response.

Exclusive internal dust seal. Elasticized cone edges; flex proof voice coil leads. 8 ohms. 75 watts peak power. Mtg. depth, 6½°. Limited Quantity! 16 W 3183 RX. Wt., 12¼ lbs...... 15.00



12-inch High-Fidelity Musical Instrument Speaker

Magnificent Allied-Utah Music Speaker-Column • 4 Specially Designed 10" Speakers for Excellent Response

Was \$59.95. The very latest sound reproducer is the perfect

speaker for conventional electric and bass guitar amplifiers.

Contains four specially-designed 10" speakers for excellent

frequency response. Handles solid bass notes with minimum

distortion. Sturdy enclosure has $\frac{3}{4}$ construction, vinyl covering that wipes clean easily with a damp cloth. Handles

100-watts peak power. Acoustical fiber-glass lining. Con-

venient carrying handle. Impedance, 8 ohms. Size, 45x14x

100-Watts Peak Power

 Acoustical Fiber-Glass Lining

8". Shpg. wt., 60 lbs. 16 W 3567 Z. \$5 Monthly.....

• Massive 6 3/4-pound Magnet Structure for High Flux Density

• Oversize Voice Coil • Heavy-Gauge Reinforced Steel Chassis MI-12RC. Top-quality 12" speaker at unusually low price. Ideal for replacement or as original equipment in electric organ or bass guitar amplifiers. Smooth, life-like tone and extended-frequency response for faithful musical reproduction. 2-lb. barium-ferrite magnet provides high flux density. Oversize voice coil absorbs heat of transient peaks. Reinforced steel chassis. Flex-proof voice coil leads; internal dust seal. Imp., 8 ohms. Capacity, 50 watts peak power. Depth. 51/6". 12 50

Count on Allied to Pass Savings On to You

Alliance, CDE TV-Antenna Rotator Systems



Alliance Rotator Systems with 1¢ Bonus

C-225 Solid-State Automatic System, Turn pointer on con-C-225 Solid-State Automatic System. Turn pointer on con-sponds. Rotates 360° . No solenoids—silent operation. Super-sensitive, perfect for color TV. Magnetic brake, sensing circuit eliminate over-travel. Instant reverse. Moisture sealed, factory lubricated. Rust-fighting external bardiane. Plastic control cabinet. $5\pi h^2/sx 4^4/s^2$. U.L. Listed.

U-100 Automatic System, Economical outfit provides B 0-100 Automatic System. Economical outht provides positive, automatic antenna rotation. Simply turn pointer on control unit's compass dial. Rotates 360° at one rpm. Positive mechanical stop. Lubricated and moisture sealed. Mahogany plastic control, 7x41/2x4". For 117 VAC.

T-45 Manual Rotator System. Our lowest-priced antenna C 1-45 Manual Kotator System, Our Jowess-priete alternation at one rom. You can add extra Control Units and control rotator The role can add extra Control Units $4J_{2x}GJ_{2x}2J_{2}''$. U.L. Listed. 115 VAC. With 100' 5-cond. cable only 1é more! 11 W 0098 L2W. Shpg. wt., 14 lbs. \$5 Monthly......23.99 11 W 1555 RW. Rotator Alone. Wt., 10 lbs.......23.99 11 W 1690 RW. Extra Control Unit. 4 lbs.. 13.95

CDE Rotator Systems with 1¢ Bonus


AR-33 Pushbutton Solid-State Automatic System. Control has five pushbuttons you easily set to your stations. Silicon transistors; heavy-duty relays. Rotator has heavywall die casting, ball bearings, inline design. Cannot be blown-off station while control is energized. Raymond Loewy designed control. U.L. Listed. For 110-120 VAC.

E AR-22R Automatic Rotator System. Set compass dial-antenna automatically positions itself. Precision turning thru 360° in 6° increments. Highly reliable in repeatability and accuracy. Reset switch built into control base. Instantly reversible. Magnetic brake prevents over-travel.

(F) AR-10B Automatic Rotator System. Low in price, yet sensitive enough to tune to exacting color transmissions. Just set direction on the 360° control box—rotator will

Depend on Allied for the Best in Antennas and Accessories

Enjoy Movie-Clear Pictures With an Allied . .



Get the TV Antenna You Want Now-Use Your Allied Credit Fund

Dollar-Saving TV Antenna/Rotator System

ALLIED "MARK 26" ANTENNA AND ALLIANCE T-45 ROTATOR COMBINATION

VHF Up to 160 Miles UHF Up to 85 Miles FM Up to 80 Miles

- For All 82 TV Channels plus Stereo FM
- Easy to Install-Requires Only One Down-Lead
- Touch-Bar Control Lets You Pinpoint Stations
- Weatherproof Rotator Turns 360° in 60 Seconds

Separately, \$53.93. Save over 25% on this special deep-fringe antenna and rotator value. Three-piece outfit in-cludes Allied's brand-new "Mark 26" Antenna, Al-liance T-45 Rotator, and silent touch-bar Control Unit. One antenna gives you outstanding reception of VHF and UHF-TV plus FM. Rotator lets you aim antenna, important for color reception and preventing ghosts.

"Mark 26" antenna has new "Frequency Dependent" design for excellent performance on all channels. Has 26 active elements for plenty of signal-pulling power and flat response. Gold-corodized to fight rust. One-piece UHF and VHF drive lines; reinforced elements. Snaplock brackets; hi-impact crossover spacers; channeltype UHF elements of spring tempered aluminum. Sus-pension support for 1"-square 123¹/₂" boom. Preassem-bled. Overall width, 9 ft. 300-ohm impedance. Includes VHF-UHF splitter-only one lead-in needed from antenna.

Rotator turns 360° at one rpm, clockwise or counterclockwise. Instantly reversible. Positive mechanical stop. Factory-lubricated for life; moisture sealed. Mahogany-plastic control unit has control bar that you touch to rotate antenna. Pointer indicates antenna direction. U.L. Listed. 120 VAC. Order installation

11 W 2012 ZW. Mark 26 Antenna Alone, 15 lbs..... 29.95



Featuring Solid-State Automatic Pushbutton Control



KNIGHT Colorset 55 and CDE AR33 System

- Control Presets for Up to Five Different Stations
- Push a Button-Rotator Aims at the Station
- Antenna has Triple Thick, Rugged Sleeved Elements
- Receives VHF-UHF-FM But Requires Only One Lead-In

Separately, \$84.90. Our finest antenna/rotator outfit. Allied's Knight "Colorset 55" deep-fringe Antenna Allied's Anight University of the Arto-Rotor. Provides finest possible reception of VHF/UHF color or black-and-white TV, or FM.

Antenna has 55 driven elements for optimum reception anywhere. Preassembled twin-boom supports all ele-ments. Has high sensitivity and flat frequency response. Good directivity fights multipath signals (ghosts). Goldcorodized inside and out to fight corrosion. Extra-rigid construction with one-inch tubular boom bracing, ex-clusive boom support and side-sway control. With VHF-UHF splitter. Only one lead-in is required. 300 ohms.

Unique CDE AR33 solid-state Auto-Rotor features 360° compass-dial operation, with five pushbuttons that you set to your desired stations. Heavy-duty construction; silent operation; ±1% accuracy. Takes up to 510 inch-pounds pressure without stalling; cannot be blown off station while control is energized. For 117 VAC.

Foam-Type Lead-In Recommended for These Antenna Systems

ALLIED 39



Exciting low sale price on our KG-415. Offers everything you need in a 4track stereo deck, but for much less money than professional decks with comparable performance. Three 4-track hyperbolic heads permit tape monitoring, sound-on-sound and echo. Switch selects left or right channel for mono; or both channels for stereo. Selection is indicated in one of six illuminated windows. Separate solid-state record and play preamps, with mike and auxiliary mixing. Head cover flips up for cleaning and editing.

Assembly is simplified with preassembled Viking tape transport, specially built to Knight-Kit specifications. The transport boasts precision capstan motor with flutter-filter belt drive, plus separate take-up motor. All you assemble are the solid-state modular circuits. Features single-knob tape operation, automatic end-of-reel shutoff, push-to-reset digital counter for cuing. Records and plays at $7\frac{1}{2}$ and $3\frac{3}{4}$ ips on up to 7" reel.

Exclusive stereo headphone amplifier module, with volume control. Operates horizontally or vertically. Case below. 14¹/₂x14x8¹/₂". For 110-130 volts, 60 Hz AC. 22 W 3788 RZW. Shpg. wt., 30 lbs. \$13 Monthly. 249.95

22 W 3003 RW. Oiled Walnut Wood Case. Shpg. wt., 9 lbs.19.95Portable Carrying Case. Holds KG-415 deck, plus 2 mikes, tape, takeupreel, cables. Black with aluminum trim. 153/4x16x11%.22 W 3006 RW. Shpg. wt., 18 lbs. \$5 Monthly.22 W 3366 RW. Knight KN-4520B Mike. Use 2 for stereo. 2 lbs.Ea. 9.95

SPECIFICATIONS

Response: ±2 dB, 50-18,000 Hz at 7½ ips; ±2 dB, 50-14,000 Hz at 3¾ ips

Flutter/Wow: less than 0.2% rms, 7½ ips. Signal-to-Noise Ratio: 50 dB or better.

- Harmonic Distortion: less than 1.5% at "O" VU level.
- Input Impedances: Mike, 3000 ohms; Line, 50,000 ohms.
- Input Sensitivity: Mike. 1.5 mV for "O" VU; Line, 100 mV for "O" VU.
- Output Impedances: Playback, 250 ohms; Source, 1000 ohms; Monitor Playback, 250 ohms.

Equalization: 7½ ips, NAB; 3¾ ips, EIA. Fast-Forward Time: 1200 ft. in 69 seconds. Rewind Time: 1200 ft. in 90 seconds

Solid-State Modular Circuits: 17 transistors, 6 diodes.

Bias/Erase Frequency: 80 kHz; built-in 1kHz test oscillator.

Use -Allied's Credit-Fund Plan to Buy Your Knight-Kit

Knight-Kit[®] KG-795 Solid-State Stereo FM Tuner Kit with All SILICON Transistors for Super-Stability



SPECIFICATIONS

Usable IHF Sensitivity: 3 microvolts. Frequency Response: =1 dB, 30-15,000 Hz. Harmonic Distortion: ess than 1.0%. Hum and Noise: -50 dB.

Capture Ratio: 3 dB.

IF Rejection: more than 80 dB.

Image Rejection: more than 80 dB.

AM Suppression: greater than 30 dB.

- Output Voltage: 0.5 volt with 1000 microvolt input signal, 100% modulated at 400 Hz.
- Channel Separation: 30 dB or more at 1 kHz.

Antenna: 300-ohm input.

Power Required: 110-130 V. 60 Hz. AC. Size: 35/6x13x10" deep.

- Stable All-Silicon-Transistor Circuit with Two Tuned RF Stages
- Stereo Indicator Light and Automatic Mono-Stereo Switching
- Factory Assembled and Aligned IF and RF Stages
 Tuning Meter


Outstanding quality, at a low money-saving price! Deluxe stereo-FM tuner kit has all-silicon transistor circuit that delivers full-range stereo with complete stability and amazing realism. Assembly is remarkably easy, aided by a large printed circuit board and factory-assembled-and-aligned RF and IF stages. You not only get the advantage of our low sale-price, but you also have the satisfaction of building a top-quality hi-fi component that outperforms many factory assembled tuners.

Boasts two IF and two tuned RF stages for outstanding image rejection and 3-microvolt (IHF) sensitivity. Wideband circuits assure full-range response for thrilling stereo sound. Precision circuit uses 25 premium semiconductors for best stability. Smooth flywheel-action tuning combined with precision tuning meter and edge-lit dial make station selection a cinch. Stereo indicator light and automatic mono-stereo switching circuit for best reception of all the FM stereocasts in your area. Automatically switches to stereo mode when a stereo program is tuned in.


Extruded aluminum front panel with walnut inlay for handsome, expensive appearance. Balanced 300-ohm antenna input. With FM dipole antenna, all parts, instructions. Optional case below. Shpg.wt., 7 lbs. 22 W 3701 RW. &5 Monthly. 22 W 3713 RW. Oiled Walnut Wood Case. Shpg. wt., 6 lbs. 14.95

KG-795 Tuner/KG-865 Amplifier Kit Package \$1995 \$6 monthly \$10.00 Both for Only

Stereo kit package includes KG-795 Tuner Kit above, plus its ideal mate—the Knight-Kit KG-865 50-watt Stereo Amplifier Kit. Complementary Symmetry Circuit eliminates output and driver transformers for excellent response and power band-width. Silicon transistors for utmost stability. Low-noise preamp transistors; wide array of inputs and controls, stereo head-phone jack. Response, 18-30,000 Hz; Power Bandwidth, 20-20,000 Hz. Extruded aluminum panel, walnut inlay. 35₆x13x 10^o, 115 VAC. Optional cases above. Shpg. wt., 17 lbs. 22 W 0666 L2W. KG-795 and KG-865. *36 Monthly*... 119.95



Knight-Kit-Your Best Value in Do-It-Yourself Stereo



VOLUME

OFF

CHANNEL



knight-kit

SPECIAL

VALUE

RECEIVER CIRCUIT. Type: single-conversion, 5-channel crystal controlled. Sensitivity: 1.5 µV for 10 dB signal-to-noise ratio. IF Selectivity: ±4 kHz at 6 dB down for 10 µV antenna input. Adjacent Channel Rejection: over 30 dB on 5 tuned circuits.

TRANSMITTER CIRCUIT. Type: 5-channel, crystal-controlled. Power Input: 5 watts. Output Impedance: matches 50-ohm antenna. Modulation: =80% min. Power Output: 3 watts.

AUDIO/MODULATOR. Receiver Power Output: 1.5 watts min. at less than 10% total harmonic distortion. Modulator Power Outpul: 2.25 watts min. at less than 10% total harmonic distortion. Frequency Response: 300 Hz to 3 kHz at 3 dB down points.

Switches and Controls: On/Off Volume; Ad-justable Squelch Control; Illuminated Selector Switch.

Semiconductor Complement: 13 silicon transistors and 9 diodes.

Lowest Price Ever! Price Slashed on Famous Safari® II Solid-State 5-Watt 5-Channel Citizens Band Two-Way Radio Kit

q95

Safari II "

knight

\$5

monthly

ROUELCH

Thousands

Sold for \$69.95

in Catalog 270

- Up to 5-Channel Crystal-Controlled Transmit-Receive
- Simple Front Panel Controls for Easy Operation

Priced lower than ever before! Buy now and get this performance-tested kit that offers outstanding 2-way CB communications on up to five crystal-controlled transmit/receive channels. Factory assembled and aligned transmitter makes kit easy to build and assures reliable operation. Features simple three-control operation and stable silicon transistor solid-state circuit. Compact design permits mounting in car or boat in a matter of minutes. Use it also with the optional AC power supply (below) as a fine base station.

Sensitive superhet receiver has adjustable squelch control to silence speaker between calls; built-in series-gate noise limiter to overcome ignition or pulse-type interference. Full 5-watt transmitter has double-pi output network to match 50-ohm antenna. Additional chainel crystals simply plug into circuit. Other features are combina-tion on-off volume control; five-channel rotary-type illuminated selector switch.

Accessories for Base and Mobile Station Operation



Converts Safari Units to 110-130 VAC Base Use

AC Power Supply and Charger. Fully assembled. Highly stable AC power supply and battery charger instantly converts Safari units to 110-130 volt, 60 Hz operation to make them very efficient base stations. Also serves as charger for portable Safari battery pack (see Cat. 270). Has 3-position switch for controlling Charge/Off/ Operate functions, Regulated DC out-put. Size 234x574x8". With all cables. Shpg. wt., 3½ lbs. 22 W 3180 RW. \$5 Monthly..... 16.95 3 and Up..... Each 1.95 22 W 3218 RCW. Receive. .. Each 2.50 3 and Up.....Each 1.95 Mobile Mounting Brocket. Allow Safari II through IV to be easily mounted in car or boat in a matter of minutes.

Shpg. wt., 3 lbs. 22 W 3197 RW....

Buy Your Knight-Kit CB Equipment with Allied's Credit Fund Plan

^sIO.00 Price Cut on Safari[®] I CB 2-Way Radio Kit



- 23 Crystal-Controlled Channels Crystals Supplied
- Dual Power Supplies for 110-130 VAC and 12 VDC
- Sensitive Dual-Conversion Superhet Receiver
- Low-Noise Nuvistor RF Stage Fine-Tuning Control
- Illuminated RF Output and Signal-Strength Meter
- Factory Assembled and Aligned Synthesizer

knight-kit Safari I 5-Watt Crystal-Controlled 23-Channel Citizens Band 2-Way Radio Kit

\$7 monthly

Save \$10.00

 $W_{\sigma s}$ \$139.95. You save \$10.00 and get full crystal-controlled transmit and receive on all 23 CB channels; universal operation from 110-130 V, 60 Hz AC or 12 VDC; plus performance and reliability usually found only in much more expensive units. Features factory assembled and aligned frequency synthesizer, no extra crystals needed; full 5-watt input; selective dual-conversion superhet receiver; simplified controls for convenient fixed or mobile operation.

Receiver section boasts low-noise nuvistor RF stage for excellent 0.5 μ V sensitivity. Front-facing 4" PM speaker for better voice clarity. Adjustable squelch circuit for quiet operation; special tuning circuit to bring in stations operating up to 1 kHz off-frequency. Transmitter has full 5-watt input; 100% modulation capability; mike gain control with normal and overmodulation indicators; illuminated RF/S meter; PA/CB switch; ANL switch; harmonic trap for minimum TVI; adjustable pi-network for 45 to 95-ohm antennas. Efficient relay-operated transmit/receive functions.

SPECIFICATIONS

RECEIVER CIRCUIT. Sensitivity: $0.5 \ \mu V$ for 10 dB S/N ratio. Selectivity: 7 kHz at 6 dB down points. Dual Conversion IF Frequencies: 6 MHz and 455 kHz. Adjacent Channel Rejection: more than 40 dB. Range of Tune Control: ± 1 kHz. Image Rejection: better than 50 dB. Audio Output: better than 2.5 watts.


TRANSMITTER CIRCUIT. Power Input to Final: 5 watts. Modulation Capability: 100%. Hum and Noise: at least 42 dB down. Antenna Match: Pinetwork. Impedance: adjustable, 45 to 95 ohms. Synthesizer Frequency Accuracy: better than .005% for all 23 CB channels. TVI Protection: adjustable harmonic trap.

GENERAL Active Elements: 12 tubes, 3 diodes and 2 transistors for equivalent 19-tube performance. Power Requirements: 110-130 volts, 60 Hz AC at 60 watts; or 12.6 VDC, neg. ground only, at 4.6 amps. Front Panel Controls: Mike Gain; Tune; Volume; Power Off/On; Squelch; ANL Off/On; PA/CB; illuminated Channel Selector. Cables: AC and DC power cords (DC plug fits car's lighter socket).

Safari | 23-Channel Mobile Outfit with 102" Stainless-Steel Whip Antenna big \$10.00 savings on this deluxe Save \$10.00

\$14495

nici i com



knight-kit Closeout Prices . . Save on Four Popular Kits







A KG-854 Solid-State 54-Watt **Stereo Amplifier Kit**

- Five Pairs Sterea Inputs Loudness Switch
- Sterea Reverse Switch

 Scratch Filter
- Rumble Filter Tape Recording Outputs

Was \$79.95 in Cat. 270. Low price for this quality solid-state stereo amplifier. Boasts 54 watts IHF music power; has inputs for Tape Head, Mag, Phono, Tuner, Aux. 1 and Aux. 2. Stereo reversing switch; loudness switch: scratch and rumble filters: stereo headphone jack. Self-resetting circuit breakers for complete overload protection. Response, ±1 dB, 20-25,000 Hz. Harmonic distortion less than 1%. PC board, plugin transistors, military-type terminal wiring. 234x13x11". Sierra Gold/Charcoal. 115 24 VAC. Case below. Limited Quantity! 22 W 3605 RW. 14 lbs. \$5 Monthly. 69.88 22 W 3035 RXW. Wood Case. 4 lbs...13.95 22 W 3036 RXW. Metal Case. 3 lbs. 5.95

8 KG-662 Solid-State Power Inverter/Battery Charger Kit

• Full 125-Watt Continuous Power

- Operates AC Appliances from DC
- 4-Amp Taper Charge to 12-V Batteries

Was \$34.95 in Cat. 270. Inverter/charger kit lets you use many types of AC appliances in your car, boat, trailer or camper unit. Converts 12 VDC to 110-130 VAC; has special DC output for universal motor loads: delivers 4 amp tapering charge to 12volt batteries. Has resettable circuit breaker. Square-wave output, 55-65 Hz at 125 watts continuous power rating. Solid-state circuit uses 2 germanium power transistors. Generous heat sink area for full power dissipation. Silicon-diode starting network; capacitive and diode despiking network. Output load optimizing switch; pilot light; fuse. Aluminum case, 4³/₄x8x8¹/₄". With all parts, solder, instructions. 22 W 3903 RW. Shpg. wt. 7 lbs.

C C-100 Walkie-Talkie Kit

Closeout priced! Great for campers, sportsmen, or just around the house. Sends and receives messages up to 1/4 mile. Has crystalcontrolled transmitter and sensitive superregenerative receiver. No license requirements or age limitations. Push-to-talk ments of age innitations. Fusi-to-tark switch: volume control; 40" telescoping an-tenna; 2" speaker/mike. Solid-state circuit. $5\sqrt[3]{8x2}/{8x1}$ ". With all parts, instructions, Ch. 7 transmit crystal. Carrying case, battery below. Limited Quantity!

22 W 3804 W. Shpg. wt., 14 oz...Each 4.88 22 W 3005 RW. 9-V Batt. Use 1. Pkg. 3/79¢ 22 W 3013 W. Case, Strap. Wt. 4 oz....98¢

D C-555 Walkie-Talkie Kit

Was \$15.88 in Cat. 270. Crystal-controlled Wos \$13.88 in Col. 270. Crystal-controlled transmit/receive: $\frac{3}{4}$ mile range. 5-transis-tor circuit; superhet receiver; press-to-talk operation. Volume control; 40° telescoping antenna; earphone jack. Prealigned and mounted IF transformers. No age limit, license requirements. $7x3\frac{1}{8}x2^{"}$. Batteries, crystals below. Limited Quantity. 22 W 2822 BW W 2 Diversity.

22 W 3822 RW. Wt. 2 lbs Each 11.88
22 W 3014 RW. 9-V Batt. Use 1. 2 oz 35¢
22 W 3092 RW. Case, Strap. 6 oz 1.98
Crystals. Specify Ch. 2-22. Wt. 3 oz.
22 W 3034 RCW. Transmit, Use 1
22 W 3041 RCW, Receive, Use 1

Knight-Kits Are First in Value and Performance

ALLIED 44



KG-625 Deluxe 6" VTVM Kit

• 1/2-Volt Full Scale DC Range • 1% Resistors

200 µA Meter Movement • Knife-Edge Pointer

Reads AC, (rms), DC to 1500 volts; AC (p-p) to 4200 V;



KG-688 Sine/Square Generator Kit With \$7501 Kit \$7500 \$5 Bonus Alone monthly

all-silicon Solid-state circuit uses transistors. Sine wave output covers 20 Hz to 2 MHz in 5 ranges; square wave covers 20 Hz to 200 kHz in 4 ranges. Sulzer oscillator circuit; Field Effect Transistor. Complementary symmetry output. Constant impedsymmetry output. Constant imped-ance, calibrated step attenuators; up to ± 41 dB in 1 dB steps. Sine wave voltage adjustable 0-7.5 Vrms; square wave, 0-10 V. 4" dial, 6:1 vernier drive, anti-backlash. $7\frac{3}{2}x7\frac{3}{2}sx10\frac{3}{4}x$. All parts, instructions, 110-130 V, 50-60 parts, instructions. 110-130 V, 50-60 Hz AC. Solder Kü Bonus. 22 W 0042L2XW. Wt., 1034 lbs. 75.01 22 W 3995RW. KG-688 Alone. 75.00

on This Page Butane


With Any

knight-kit

Blowtorch / **Soldering Kit**

only 1¢ more Save \$3.74

Reg. \$3.75. Pocket-size, Brazes, solders, peels paint, etc. 3500° pin point flame. With solder, tip, 2 butane charges.



KG-650 RF Signal Generator Kit

Fundamental Coverage from 160 kHz to 112 MHz

Modulated, Unmodulated and 400-Hz Audio Outputs

Ideal for AM, FM or TV alignment. Five-band fundamental output (160 kHz to 112 MHz), usable harmonics to 224 MHz. Step and continuous-type attenuators. 400 Hz audio output adjustable to more than 10 volts. Provision for external modulation sources. 74x10/sx54. 115 VAC. Solder Kit Bonus.



KG-640 20,000 Ohms/V VOM Kit With \$4496 Kit \$44 \$5 monthly

Deluxe taut-band VOM features 57 ranges controlled by a single range/ function switch and range doubler. Reads AC, DC to 4000 V; output to 400 V; ohms to 10 meg; DC current to 16 A; decibels from -12 to +74. Accuracy: DC, $\pm 3\%$; AC, $\pm 5\%$; to 1600 V. Has polarity reversing switch; $4\frac{1}{2}$ ° mirrored scale; 1% resistors. $6\frac{5}{4}\times$ $5\frac{1}{4}\times3\frac{3}{4}$ °. All parts, leads, batteries instructions. Solder Kil Bonus. 22 W 0044 L2XW. Wt., $5\frac{5}{4}$ lbs.44.96 22 W 3954 RW. KG-640 Alone....44.95 Deluxe taut-band VOM features 57

KG-685 Solid-State Color Bar/Pattern Generator Kit With

\$89%

For Accurate Convergence and Color Adjustments

Bonus

\$89⁹⁵

Provides 7 crystal-controlled displays for complete color set adjustments: 10 color bars; purity, tracking, cross-hatch patterns; horizontal and vertical lines; dots. Gray scale tracking pattern has 6 discrete levels of brightness. -2 V output for Zenith color sets. Has insulation piercing clips; shaded light source; service mirror; storage compart-ment. 4⁵x9⁵x12". With all cables, test leads, instructions. 110-130 V, 60 Hz AC. Solder Kit Bonus. 22 W 0041 12XW. Shpg. wt., 14³4 lbs. *\$5 Monthly*...89.96 22 W 3989 RW. KG-685 Alone. Shpg. wt., 14 lbs......89.95



Generates 7 Stable Crystal-Controlled Patterns

Use Allied's Credit Fund Plan to Buy All Your Knight-Kit Test Equipment

Kit

Alone



TR-106 6-Meter Transceiver Kit. Performance-proven Knight-Kit 6-meter transceiver is ideal for shack or mobile, now at our amazing low sale price! Nuvistor RF and crystal-controlled mixer stages are factory-assembled and aligned for construction ease. Dual-conversion receiver section boasts $0.5~\mu V$ sensitivity. AVC action prevents blasting and ANL cuts ignition and pulse-type interference.

Efficient three-stage transmitter has doubler, tripler and straight-through final amplifier. 15 watts input. Plate and screen modulation for low distortion and excellent linearity. Deluxe features include: separate AF and RF gain controls; frequency spot switch; automatically switched, illuminated "S"/RF meter; illuminated vernier-drive tuning dial "S"/RF meter; illuminated vernier-drive tuning dial; transmit indicator light, Front-panel jack for low-im-

pedance headphones or external speaker. Built-in frontmounted speaker. Three front-panel crystal jacks. Rear panel VFO input, VFO power output. Pi-network output matches 30-90 ohm antenna impedances. Standard SO-239

 Knight-Kit TR-108
 2-Meter Transceiver Kit. As above, but covers 144-148 MHz. Has tube-type RF stage. Sensitivity, 1.0 μV. Shpg. wt., 22 lbs.

 22 W 3462 RKW. \$5 Monthly.
 99.95

TR-106 AND TR-108 SPECIFICATIONS

RECEIVER. Coverage: 6 meters, 50-52 MHz; 2 meters, 144-148 MHz. Input Impedance: 50 ohms. Sensitivity: 0.5 µV for 6 meters; 1.0 µV for 2 meters. Selectivity: 8-kHz bandwidth at 6 dB down. Audio Output: More than 5 watts @

10% distortion. TRANSMITTER. RF Power Input: 15 watts nominal. Output Impedance: 30-90 ohms; pi-net coupling. Modulation: AM (hi-level plate and screen). Frequency Control: Fundamental (8 MHz) crystals or VFO.

17 W 9402 RCS. 2-Meter Crystal. Specify 8000-8222 kHzwill be supplied within ±5 kHz. Shpg. wt., 3 oz.....2.95

ACCESSORIES FOR TR-106 AND TR-108 TRANSCEIVER KITS

22 W 3140 RW. Base for Desk-Top Use. Wt., 5 lbs...... 5.95





Companion Model V-107 VFO for 6 or 2 Meters

VFO kit for use with 6 or 2-meter transceiver kits. Utilizes Clapp Oscillator circuit, carefully temperature compensated, for maximum stability. Voltageregulator-stabilized DC supply for oscillator. Power is drawn from transceiver kit. Has easy-to-read, backlighted dial calibrated for 6 and 2 meters. Smooth, effortless vernier-tuning drive. B+ switch and indicator light allow for stand-by operation. Overall size, $5\frac{1}{2}x4\frac{1}{4}x6\frac{1}{4}^{*}$. With all parts, wire, solder and stepby-step instructions. Shpg. wt., 5 lbs. 22 W 3461 RW. \$5 Monthly..... 19.95

46 ALLIED Knight-Kit—Your Best Buy for Value, Performance, and Dependability



Knight-Kit KG-372 Capacitive-Discharge System Kit

• Up to 20% More Gasoline Mileage • Improves Starting in Any Weather • Increases Life of Spark Plugs 3 to 10 Times • Easy Kit Assembly

SPECIFICATIONS

Input Source: 12-volt pos. or neg. ground battery, generator or alternator system. Input Current: 1-5 amps. Output Voltage: 400volt discharge pulse. Triggering: Ignition points or other suitable source. Max. Point Series Resistance: Approx. 25 ohms.

KG-385 Wireless FM Microphone Kit

- No Larger Than A Pack of Cigarettes
- Transmits to Any Standard FM Radio
- Solid-State
 All Parts Included
- Pre-Drilled Anodized Aluminum Case

18 W 5999 R. 9-Volt Battery. 4 oz. Pkg. of 3 for 79¢



Use Allied's Credit Fund Plan to Buy Your Automotive Accessories



Latest Hobby Kits for Everyone





Stage Coach

695

UNIVERSAL

Hi-Intensity

Lamp Kit

\$588

G

A 1930 Duesenberg SJ Town Car Kit

True-to-scale model of this world-famous luxury car! Front wheels steer by worm and sector gears. Over 150 parts, screwdriver assembly. Die-cast metal, chrome, high-impact plastic. 1/18th scale, $12\frac{1}{4}$ long. 22 W 9563. Shpg. wt., 3 lbs. 7.95

B 1930 Packard Sport Phaeton Kit

C 1932 Chevrolet Sport Coupe Kit

Snappy-looking Chevy coupe, popular car of the 1930's. Has 75 die-cast metal and chrome-plastic parts. Front wheels steer; hood lifts off to show highly detailed engine. Wire wheels. 1/20th scale, 8" long. 22 W 9565. Shpg. wt., 2 lbs. 3.25

D 1930 Duesenberg Phaeton Kit

One of the most talked-about classic cars of all time. 150 die cast and chrome-plastic parts. Features flexible exhaust pipes, worm and sector gear steering actual rubber tires, detailed engine. 1/18th scale, $12\frac{1}{4}$ * long. 22 W 9566. Shpg. wt., $3\frac{1}{2}$ lbs. **7.95**

Save \$1.20 on Car Kit Package

Reg. \$15.15. Models of three famous cars—1930 Duesenberg SJ Town Car; 1930 Packard Sport Phaetan; 1932 Chevy Sport Coupe. 22 W 0302 L3. Wt., 7 lbs...13.95

3-Kit \$1395 Pkg. \$1395

Practical Lamp Kits

CRAFT MASTER "Western-Motif"

Lamp Kits



E Stage Coach Lamp Kit

Brighten your room with a bit of the old West. Handsome stagecoach lamp kit includes all parts for an authentic old time stage coach, plus providing a useful light. Attractive printed lamp shade adds to the mood with a Western campfire scene. Fireproof. Easy-to-assemble. Uses standard 110-V bulb (not supplied). 11 $\frac{1}{2x}$ 6/\$x16³/4°. For 110 VAC 22 W 9555. Wt., 3 lbs. 6.95

F Covered Wagon Lamp Kit

Detailed covered wagon model brings the spirit of the pioneers to your study, den or rec room. Makes a practical, non-glaring lamp with the wagon cover making its own lamp shade. All parts included for both wagon and lamp. Uses standard 110-V bulb (not supplied) Fireproof. Easy to assemble. Overall size, $14x6\frac{1}{2}x10\frac{3}{4}$ ". Operates from 110-130 V. 60 Hz AC. 22 W 9556. Wt., 3 lbs......4.95

G Decorator-Styled High-Intensity Lamp Kit

Provides bright, clear light when and where you need it—great for studying, doing close hobby work, or just reading. Non-glaring light is equivalent to 150 watt incandescent bulb. Folding arm for compact storage. Hi-Lo-Off switch lets you select the exact light you need Handsome mar-proof wood-grain finish; double shade; deluxe rosewood inlay in base for a real decorator's touch. Beige color. Assembles easily in just a few hours. With #93 bulb. 110 VAC. From Japan. 22 W 9501. Shpg. wt., 2 lbs. 5.88

48 ALLIED

Allied Has Interesting Hobby Kits for Every Budget

Deluxe Hobby Kits

A Famous Renwal Visible V-8 Engine

\$|U88

Fully Detailed . . **Actually Operates**

Educational and informative V-8 engine kit simulates the power plant of many automobiles. Gives you a good working knowledge of the V-8 engine. All parts are precision molded in four basic colors, including "clear" so that the actually functioning pistons, connector rods, rocker arms, and even the properly timed spark plugs can be easily observed. Complete with miniature electric motor, all necessary metal parts, and an informative instruction and operating manual. Operates on two "C" batteries; order below. Overall size, 14/2x101/2x7/4". 22 W 9554 X. Shpg. wt., 5 lbs. 10.98 18 W 5865. Botteries. Wt., 6 oz. Pkg. of 2/33¢

B Cox Chaparral Gas Racing Car Kit **Exciting Working** SI 195 Scale Model

Now you can have your own working scale model of the race car everyone's talking about! The Chaparral has proved itself in races around the world. Its years-ahead engineering, top performance and speed have made it a winner many times over. Realistic scale model has front dive planes; movable rear spoiler; handsome chrome accessories; racingtype tires and numbers, rugged steel X-frame; chassis with shock absorbing front wheels. Dual rear wheel drive has 2.8:1 gear ratio. Fast-starting .049 cu. in. gas engine. Fully detailed assembly instructions. 1/20th scale, 10" long

22 W 9552. Shpg. wt., 3 lbs..... 11.95

C Renwal Mustang GT Fastback Kit

\$795

True-to-Life Scale Model

A model maker's must, this authentically detailed scale model will provide hours of kitbuilding fun and give a thorough knowledge of the workings of one of America's most popular cars. Features many working mechanisms-doors, hood and trunk open; windows crank up and down; front and rear seats fold. Has an actual operating steering mechanism, and fully detailed engine, undercarriage, plus suspension systems. Rugged die-cast metal parts, handsome chrome trim. Realistic rubber tires. Assembles easily in just a few hours;

D Revell Cutty Sark Clipper Ship Kit With Ful \$ 95 Sails

One of the most famous ships of the 19th Century now in a truly impressive scale model. Gives a rugged, masculine appearance to any room in your house. Has full sails; prepainted hull; authentically detailed planking and interior. Ready-to-rig deadeyes and blocks. Even includes twenty realistically detailed crew members to add a lifelike touch. Molded in three colors. Includes all parts and cement, plus an informative 26-page historical booklet from the Cutty Sark Society giving the history and times of these famous clipper ships. Overall size, 22" high, 36" long, 5" wide.

22 W 9545 X. Shpg. wt., 5 lbs. 11.95



Buy a Hobby Kit Today—Use Allied's Credit Fund Plan

Exciting Kits.. Explore the Mysteries of Science



Weather Station Lab Kit Forecasts Weather


S**n**95

 Measure Wind Speed and Direction Gauge Rainfall to 1/100th of an Inch

Includes Weather Map, Cloud Chart

Here is a great offer for junior scientists, hobbyists, and do-it-yourselfers. This easy-to-assemble weather station lab kit actually enables you to forecast the weather. Everything you need is included. You build a Remote-reading Anemometer and Wind Vane for measuring wind speed and direction; sensitive Air-Tank Barometer with 4-ft. indicator column, to measure changes in atmospheric pressure; Sling-Psychrometer to measure relative humidity; Roin Gouge that measures rainfall to 1/100th of an inch. Flashing neen indicator lights show wind speed and direction on indoor indicator board. Equipped with safety power cord. 150-ft. lead-in wire, detailed weather map, cloud chart, forecasting manual, and illustrated, easy-to-understand in-structions. For 110-120 V, 60 Hz AC. Shpg. wt., 2 lbs. 9.95

22 W 9514.....



Complete Outfit

88

Weathercraft Deluxe Weather Forecasting Lab Kit

Now you can do your own weather forecasting easily and accurately with this Porter "Weather-craft" complete weather forecasting lab kit. The set contains every instrument necessary to predict the weather as accurately as your TV weatherman. Includes: Wind Vane and Anemometer to measure wind direction and speed; Compensated Aneroid Barometer to record any

changes in atmospheric pressure; complete set of Graphs for charting air pressure, complete set of Graphs for charting air pressure and tem-perature; Psychrometer for determining relative humidity; Roin Gauge for measuring amount of rainfall. Set is packed in a 3-panel metal box that withstands rough wear. Wt., 6 lbs. 22 W 9557 X 11.88

18 W 5865 R. "C" Batts. (Uses 2.) 6 oz. 2/33¢



Photography Darkroom Kit with Precision Enlarger

Great value for shutterbugs, hobbyists, and beginners. Money-saving Photography Lab Kit contains everything you need to develop and print your own photos at home. you need to develop and print your own photos at nome. Features: Precision 35mm Horizontol-Type Enlarger with twin condensing lenses and 3" focal length projection lens. Produces quality enlargements up to 8×10^{-7} . Contect Print Frame takes negatives up to $3 \times 2 \times 4 \times 4^{-7}$. 3 Plostic Developing Iroys, Tray Thermometer, Developing Chemicals, Film Clips, Neon Safelight, Printing and Enlarging Paper, Darkroom Handbook, Instructions. Wt., 4 lbs. 22 W 9522.


12.95

Completely Safe, Educational Atomic Energy Lab Kit

Atomic Energy Lab Kit opens up the fascinating world of nuclear physics. Sale radioactive materials enable you to conduct simple experiments in nuclear reaction. Atomic Cloud Chamber with projector illuminator lets you track the movement of alpha, beta particles, and measure the speed and density of cosmic rays and atmospheric ionization. Spinthariscope measures the changes in the atom's nuclear structure and the resulting energy production. Electroscope, with scale and magnifying viewer, measures radiation and tests samples. Wt., 3 lbs. 22 W 9523.

Begin an Exciting New Hobby with an Easy-to-Build Kit

Price Cuts on Shortwave Receivers, Converters



Hallicrafters S-210 Shortwave/FM-AM Receiver

Four International Shortwave Bands Drift-Free FM
AM Broadcast Band Built-in AFC
 Tone Control Headphone, External Speaker Jack

Was \$74.95. Enjoy the excitement of shortwave listening! Tunes four inter-national broadcast bands: 5.9-6.25 MHz, 9.45-9.8 MHz, 11.65-12.05 MHz, 15.05-15.55 MHz. All four are full-dial for extra-wide station separation and effortless tuning. Dial is marked with major international stations. Also tunes 88-108 MHz FM band for static-free music, and AM broadcast band. Tone





Six Bands

4 International Broadcast Bands: 5.9-6.25 MHz, 9.45-9.8 MHz, 11.65-12.05 MHz, 15.05-15.55 MHz. FM Bond: 88-108 MHz. AM Breadcast Bend: 550-1600 kHz.



Enjoy Your Shortwave Receiver Now... Use Allied's Credit Fund Plan

Special Values in CB Walkie Talkies



ALLIED A2543 1-Watt 3-Channel Save \$3095

\$3.00 \$5 monthly

Lloyd's 7A08 Two-Channel

Save

2.00 Each Was\$14.95. Nine-transistors. Offers the versatility of two-channel operation, at an amazing low price. Includes AC adapter for use at home, too. Provides excelleut communications with 100-mW transmitter and sensitive superhet receiver. No license required —no age limit. On-off/volume control, push-to-talk switch. Telescoping an tenna. Chromed plastic case, 25% S5%x1½2'. With study carrying case, AC adapter, 9-volt battery, and erystals for Channel 9. Extra crystals on page 58. Japan. Shpg. wt., 11b. 17 W 9774 RS. 12.95

ALLIED A2544 2-Watt 3-Channel

Never \$ Priced Lower! \$

\$4450 \$5 monthly

Perfect where greater range and depeudability are a must! Fifteen-transistor circuit, 2-watt input, 100% modulation. Tuned RF stage for extra sensitive reception. Variable squelch quiets receiver between calls. "Call Signal" alerts other similar units when you call. Telescoping 11-section antenna. Battery/Power meter. Full panel of accessory jacks. Metal cabinet, $8\frac{1}{4}x3\frac{1}{4}x2\frac{1}{4}$ ". Order 8 penlite cells or rechargeable battery below. With Ch. 11 crystals, leather case. Extra crystals on page 58. 17 W 9802 RS. Japan. 2 lbs.... 44.50

ACCESSORIES FOR ALLIED MODELS A2543 AND A2544 WALKIE-TALKIES

12-Volt Battery Charger. Shpg. wt., 6 oz. 17 W 9643 R. 5.95

52 ALLIED

FCC License Needed for Walkie-Talkies Over 100 mW-No Exam Required

Big Summer Sale on CB Two-Way Radios

COMPACT 12-CHANNEL TWO-WAY CB RADIO

Modern Compact Style . . . Solid-State Reliability



5 monthly

Up to 12 Crystal-Controlled Transmit/Receive Channels
 Ultra-Stable—13 Silicon Transistors and 9 Diodes



ALLIED® A-2507 5-Watt Solid-State 2-Way Radio

Deluxe circuit offers up to 12 crystal-controlled channels...packed with extra features. You get simple operation, an ultra-stable silicon transistor circuit, built-in $3\frac{1}{2}$ " speaker, and a rugged communications-quality push-to-talk mike, all in a compact case only $2\frac{1}{8}x8\frac{1}{2}x67$ ". Five-watt RF power input. Illuminated channel selector dial, transmit indicator light, noise limiter, squelch control. Five tuned circuits, sharp adjacent channel rejection. 12 VDC neg. gnd. With mike, power cable, Channel 9 crystals. See page 58 for extra crystals.

17 W 6790 RX. Shpg. wt., 4 lbs. \$5 Monthly	
17 W 6815 R. Mobile Mounting Bracket. Wt., 1 lb.,	
17 W 6814 RX. AC Power Supply. Wt., 31/2 lbs	

Hallicrafters CB19 Base/ Mobile 5-Watt 2-Way Radio

Full Legal 5-Watt Input
Communications-Type Speaker

Dynamic Mike, Coiled Cord
"Transmit" Indicator Light

Was \$99.95. Save \$10.00 on this twoway radio that offers features and performance of many models costing much more. Provision for up to 8 crystal-controlled transmit/receive channels, plus dual-conversion superhet receiver that tunes all 23 channels. Built-in power supplies for both mobile and base operation.

Full 5-watt RF power input; output matches 50-ohm antennas. Built-in noise limiter; "S" meter. Illuminated selector switch; combination on/ off/squelch control; VFO on/off switch; volume control. Tube circuit. Cabinet has hinged cover. 7x12x5'. With mike, power cords, Ch. 11 crystals, mobile mtg. bracket. For 115 VAC/12 VDC neg. gnd. Extra crystals on pg. 58. Wt., 15 hs. 17 W 6270 X. \$5 Monthly.....89.95



Get Your CB Station Now With Allied's Credit Fund Plan

Save on ALLIED[®] 23-Channel 2-Way CB Radio

ALLIED **23-CHANNEL CB RADIO** SUMMER SALE

Cut \$5.00 More \$ 2995 \$7 monthly

✓ Cut \$5.00 From Previous Low Sale Price of \$134.95 ✓ Solid-State Electronic Switching—No Mechanical Relays ✔ With All Crystals for 23-Channel Transmit and Receive






Allied A-2533 Solid-State 5-Watt 2-Way CB Radio

Get more out of your CB operation with this fine 23-channel solid-state CB rig—now at a money-saving low price. Boasts latest design and Fight of the second sec

Ultra-Stable Solid-State Circuit


- Range Expander Boosts Talk-Power
- Pi-Network Matches Any Antenna
- Power Output/"S" Meter



Superhet Receiver-5 Tuned Circuits

- 14 Silicon Transistors, 9 Diodes
- With Crystals for All 23 Channels





CNIGHT

Separately, \$179.90. Compact solid-state CB radio, plus transmit and receive crystals for all 23 channels at one sensational low price! Receiver receive crystals for all 23 channels at one sensational low price! Receiver has 5 tuned circuits for outstanding selectivity. Fine-tuning control lets you tune even off-frequency signals. Squelch; 23-channel illuminated rotary switch. 5-watt RF input; double-pi 50-ohm output. Zener diode regulation. 67/8x81/2x21/4". With push-to-talk speaker/mike, power cable, crystals for Channel 9, plus Crystal Package (reg. \$69.95) for all other channels. For 12 VDC neg. gnd. 17 W 0210 L2X. Shpg. wt., 8 lbs. \$7 Monthly. 17 W 6815 R. Mobile Mounting Bracket. Wt., 1 lb. 3.95 17 W 6814 RX. 117 VAC Power Supply. Wt., 31/2 lbs. 19.95

Make Allied	Your	Headauarters	for	Citizens	Band	Equipment	

DARCHIT =

Exciting Bargains in Citizens Band Equipment



Model 13-150

Midland 5-Watt 8-Channel Solid-State 2-Way CB Radio

Save \$5.00 5**69**95 \$5 monthly


• Ideal for 12-Volt Car or Boat • Dependable Solid-State Circuit

Was \$74.95. Outstanding sale value, reduced from our previous sale price! Solid-state CB two-way radio features compact size-ideal for communications from your car or boat. Full 5-watt input power; sensi-CB channels. Has simplified front panel controls for easy mobile opera-tion; convenient push-on/push-off volume control; illuminated RF output meter; variable squelch for receiver quieting. Built-in voltage stabilizer, sealed micro-relay switching, and active AGC circuit assure dependable operation without fading or overdriving. Two-watt audio output and 21/4" speaker provide clear sound. Pi-network output matches 50-ohm antennas to provide maximum effective signal. Only $2x6\frac{1}{2}x7^{*}$, for mounting anywhere. Has 12 VDC mobile power supply. With push-



Use Allied's Credit Fund to Buy All Your CB Equipment

Values in Johnson "Messenger" CB 2-Way Radios



MESSENGER

780



- Full Legal-Limit Power Input
 - r Input • Built-in Speech Compressor N Sensitivity • Combination S/Power-Output Meter

• 0.5 μ V for 10 dB S/N Sensitivity You'll like the great solid-state performance of the sensitivity

unter#6

S 0

ABELCI

Ready for 12-VDC Operation on All 23 Channels

NEW

\$19950

\$10 monthly

You'll like the great solid-state performance of this brilliant new Citizens Band 2-way radio. It has the most powerful transmitter you can buy (full legal-limit 5-watt input) and a highly sensitive double-conversion superhet receiver $(0.5 \ \mu\text{V})$ for 10 dB s/N ratio) that pulls in signals less sensitive sets missi'. Operates on all 23 channels through frequency synthesis. All crystals are furnished and installed. Advanced design circuit contains 23 transistors and 15 diodes. Built-in speech compressor gives greater talk power and range without distortion or splatter. Other features: combination S/Power-Output meter; squelch control for silencing speaker between calls; built-in 3-watt public-address system requiring only an external speaker for operation; well-designed ceramic microphone. Size only $2\frac{1}{2}x38.9\frac{1}{2}'$. With universal mobile mounting bracket. For 12-VDC negative-ground operation on all 23 channels. FCC Type Accepted and DOT Approved. 199.50



Messenger II 5-Watt 10-Channel CB 2-Way Radio With 23-Channel Continuously-Tuned Receiver

- Use as Base or Mobile Station with Dual Power Supply
- Switch Selection of Up to 10 Crystal-Controlled Channels
- Highly Sensitive and Selective Superhet Receiver
- Positive-Action Squelch Silences Receiver Between Calls
- Automatic Volume Control Reduces Fading and Blasting
- High-Efficiency Automatic Noise Limiter Quiets Reception
- Meets Federal Communications Commission Specifications

Save \$20.00

Was \$12995 \$7 monthly

Allied Offers the Best Credit Terms in the Electronics Industry

Professional 5-Watt CB 2-Way Radio



Ideal Base-Station Unit



Squires-Sanders "Admiral" Solid-State 23-Channel 2-Way Radio

- Mike Has Built-In Preamplifier
- Exclusive Pulse Noise Eliminator Accurate 12-Hour Digital Clock

Sensitive Double-Conversion Receiver

Pushbutton Controls for Four Functions

\$**379**95

\$16 monthly

Luxurious new professional solid-state base station with pulse eliminator and ANL for clear, quiet reception. Excellent 0.5 μ V sensitivity; sharp crystal lattice filter; adjustable squelch for silencing receiver between calls; automatic gain control for holding audio output virtually constant. Full 5-watt transmitter modulates 100%; has speech booster for increased talk power and range; frequency synthesizer for 23-channel crystal-controlled transmit/receive. Also: PA provision; S-meter; 30-75 solid-state power supply. 29 silicon transitors, 6 diodes, 2 zener diodes. Handsome vinyl cloth covered cabinet, teakwood panel. 5½x13³/x10³/4". With all crystals, PTT ceramic mike and solid-state preamp, die-cast aluminum mike stand. For 105-125 VAC. Shpg. wt., 11 lbs. 17 W 6272 K. \$16 Monthly.

Antenna Specialists CB Antenna Sale

VALUES IN BASE, MOBILE AND PORTABLE MODELS. SALE ENDS AUGUST 30, 1968 FOR ITEMS "C" AND "D"

A M-148 "Speakin Beacon"

Was \$29.95 in Cat. 260. An advanced concept in Citizens Band antenna design-it actually lights up when you transmit! Red neon light at top of antenna is triggered by RF energy. No separate wiring to light is required. Aluminum coaxial type, 18' high. ½ wave. Fits 1-in. O.D. pipe. Shpg. wt., 8 lbs. Shipped truck or express truck or express. 17 W 6367 ZW. \$5 Monthly.... 22.95

B MC-27 Ground Plane


Closeout of popular ground plane antenna. 108-in. solid aluminum heat-treated radials and radiator. Supplied in two 54-in. lengths joined by coupling nuts to simplify installation. Radials are bent at proper angle for 50-ohm match. Coaxial fitting accepts PL-259. Fits 1 to 14-in. masts. 17 W 6370 X. Wt., 7 lbs..... 12.95

C M-176 Trunk Mount Antenna

Was \$23.27. Save \$2.33. Base loaded antenna with attractive gray jacket and chrome fittings. Has "Quick Grip" mount—no holes to drill. Grip" mount—no holes to drill. Stainless steel whip with adapter provides for 1¼" fine tuning ad-justment. Stainless steel spring. VSWR 1.5:1 or better. Solderless lead connection to antenna. 16-ft. RG/58U, PL-259. 17 W 8645 RX. 3 lbs. \$5 Mo. .. 20.94

D WT-1 "Whipper-Snapper"

Ideal replacement for any broken or worn Citizens Band walkie-talkie an-tenna. Base loaded, it installs without removing existing antenna. Pro-fessionally designed to provide equivalent performance and also to enhance appearance of walkie-talkie.



Make Allied Your Headquarters for CB Equipment and Accessories

ALLIED 57



17 W9352 RCS 17 W9359 RCS Lafayette "Comstat 19" 17 W9377 RCS 17 W9363 RCS Sonar H Lincoln L-2540, 41, 42 17 W9369 RCS L7 W940 1 RCS squires Sanders

17 W6600 RCS 17 W9407 RCS

CB9, CB10, CB17,

Hallicrafters CB12, CB19. CB21

CB27

Boost Your Buying Power with Allied's Credit Fund Plan

7W6604 RCS 17W9378 RCS

17W9368 RCS 17W9378 RCS


17W6600 RCS 17W9344 RCS

Summer Specials on Car Radios and Reverbs



Solid-State Pushbutton FM-AM Radio with Choice of Dash or Trunk Reverb

Deluxe FM-AM car radio plus your choice of dash or trunk-mount reverb unit-sensational year-end value! Radio boasts push-pull output for plenty of volume without distortion. Four IF stages assure excellent sensitivity and freedom from static. Con-tinuous tone control; AFC. Nine



19 W 4458 X. Radio Only. 11 lbs.. 69.95

more

Save

\$3.28

Regular

\$3.29

Value

\$5 monthly



only


Treak Mount

Dash Mount

Trunk

Mount

more



Allied exclusive—FM-AM radio with reverb system (described (C), (D) below)-only \$1 morel

C

ALLIED Tunable Trunk and Dash Reverb Systems A Manual Tuning 6 7 911 14 STATE SOLID With Antenna B Pashbutton Tuning 80 51 6 7 8 10 12 H 16 8 C 196 With Antenna BONUS A Universal Manual-Tuning AM Car Radio with Antenna Bonus. Solid-state with 7 tuned circuits; RF stage. ANTENNA 4" speaker. Mounts under or in dash of only cars, boats. 2x6³/₈x5". For 12 VDC neg./pos. gnd. Japan. Plus antenna (see right) for only 1¢ more. Order now Ć

Universal AM Radios with 1¢ Auto Antenna Bonus

REPEAT OF A GREAT SALE!



Dash Mount Solid-State Reverb. Great sale price! Adds pleasant "concert-hall" reverberation to car radio. Mounts under dash, connects to your radio. Variable control adjusts amount of reverb. Chrome and simulated walnut. $1\frac{1}{2}x7x5\frac{1}{2}$ ". With 6" speaker (for convertibles); 6x9" adapter-board (for rear deck mtg.); 6x9" chrome-plated grille. 12 VDC neg. ground.

Solid-State Dash-Mount FM Tuner plus Rear Speaker Bonus

. FM/AM Selector Switch

1¢ more

- Ultra Slim Styling
- No Wiring Necessary

at this low price! 19 W 0017 L2X. Wt., 11 lbs..... 19.96

B Universal Pushbutton AM Radio with

12-volt cars, boats. 5 "quick-set" pushbuttons. 4" speaker. 2x63/8x5". For 12 VDC neg./pos. gnd. Japan.

Plus bonus antenna (see right) for only

19 W 0018 L2X. Wt., 11 lbs.... 29.96


Antenna Bonus. Solid-state with 8 tuned circuits. Mounts under dash in

Enjoy all your favorite FM programs in your car. Tuner

Make Allied Your Headquarters for All Your Car Radio Needs

Save

\$4.99



ALLIED 59



Solid-State All-Purpose Auto Analyzer ... Outstanding Sale Price!

Wos \$59.95. Battery-powered all-in-one analyzer makes tune-ups and servicing easier. Has large, easy-to-read 7" meter. Tachometer reads engine rpm—helps you to set idling speed and automatic transmission shift points. Dwell meter tests points, to see using speed and automatic transmission shift points. Dwell meter tests points, distributor and spark advance. Ammeter checks generator, alternator, voltage regulator. Ohmmeter covers electrical systems. Scales: Tach, 0-1200, 0-6000 rpm; Dwell angle, 0-60; Amps, -5 to +90; Volts, 0-3, 0-16; Spark Output, 0-30; Re-sistance, 0-20,000 ohms; condenser resistance; coil resistance. For 4, 6, 8-cyclinder engines, 6 or 12 V. ignition systems. With batteries. Shpg. wt., 8 lbs. 19 W 4208 RX. \$5 Monthly. 18 W 5002 R. External Reflection (March 2) Shoe art 10 cm

timing.

Checks automatic spark advance, detects worn distributor shaft and helps to synchronize double breaker points for maximum engine performance.

Uses Xenon stroboscope tube. U.L. Listed. For 110-120 V, 60 Hz AC or DC. Shpg. wt., 2 lbs.

You Can Save Up to 25% on Do-It-Yourself





Capacitive-Discharge Ignition System

Separately, \$49.90. "Mark 10." True electronic system for car or boat. Develops 3 to 4 times more energy, with spark rise-time 10 times faster, for superior combustion. Reduces waste, boosts performance. Up to 20% better gas mileage; 3 to 10 times longer spark plug life; 60 to 80 per cent less ignition maintenance. Silicon controlled rectifier switching—unaffected by temperature. Takes about 10 minutes to install using standard coil. 8x5x4". 12 VDC negative ground. With FREE manual.


Judson Electronic-Magneto Ignition

Separately, \$49.83. This performance-proven system gives improved ignition for faster starts, even in subzero weather, plus outstanding high-rpm performance. Premium silicon transistor ensures longer spark plug and point life. As with a magneto, voltage increases as engine speed increases. The output wave form is actually the same as that of a magneto. Uses less current than a standard ignition system. Onepiece unit installs easily by simply transferring 2 wires from present ignition coil. For 6 or 12 volt negative ground. With FREE manual.

19 W 0002 L2X. Shpg. wt., 81/2 lbs. \$5 Monthly 39.88

Automotive Test Instruments and Accessories

New! Auto Side Marker Lights



Update, Customize Pre-1968 Cars

- Two Amber, Two Red
- Quick, Easy To Install



Update your car with new car styling and lighting. Marker lights go on with your car lights to warn drivers approaching from the side. Durable impact resistant, SAE approved plastic lenses and chrome-plated frames. Complete with four marker light assemblies (2 red for rear and 2 amber for front), sockets, bulbs, wire, instr. For 12 V. Wt., $1\frac{1}{2}$ lbs. 19 W 4021... Set of 4 for 4.95

Uni-Tach Performance Monitor







\$5 monthly

Was \$27.95. Protects your car trunk, doors and hood from burglars by sounding sharp, penetrating police-type siren. Siren operates from car battery when doors, hood or trunk are opened. Continues operation until alarm is turned off with a key. With six switches, mounting brackets, electric lock, hardware and complete instructions. 12 VDC. 19 W 4127 RX. 6 lbs.... 24.95

Use Allied's Credit Fund Plan to Buy Your Auto Accessories

Test Equipment and Power Inverter Prices Slashed





	EACH in Quantities of								
Tube		1-9	1	0-49	50-UP				
Туре	Was	Now Only	Was	Now Only	Was	Now Only			
IG3GT/IB3GT	\$1.38	1.10	\$1,24	.99	\$1.10	.88			
3A3A/3B2	1.60	1.28	1.44	1.15	1.28	1.02			
6AQ5A	1.13	.90	1.01	.80	.90	.72			
6AX4GTB	1.25	.99	1.13	.90	1.00	.80			
6BQ7A	1.88	1.50	1.69	1.35	1.50	1.20			
6BZ6	1.05	.84	.95	.76	.84	.67			
6CB6A/6CF6	1.05	.84	.95	.76	.84	.67			
6GH8A	1.60	1.28	1.44	1.15	1.28	1.02			
6GW6/6DQ6B	2.10	1.68	1.89	1.51	1.68	1.34			
6JE6A	4.25	3.40	3.82	3.05	3.40	2.72			

Allied Has America's Largest Stock of RCA and G.E. Tubes . . and Ships Whichever Is in Stock All Tubes Guaranteed* for 24 Months (*except for broken tubes)

Tube Type	EACH	in Quan	titles of	Tube Type EACH in Quantitles.of				EACH in Quantities of			
	1-9 10-49 50-UP		Tube Type	1-9	10-49	50-Up	Tube Type	1-9	10-49	50-Un	
0Z4	1.43	1.28	1.14	6BN6	1.68	1.51	1.34	61B6A	2.93	2.63	2.34
1G3GT/1B3GT	1.10	.99	.88	6BQ5/EL84	1.48	1.33	1.18	6JC6A	1.98	1.78	1.58
1V2	1.10	.99	.88	6BO6GTB/6CU6	2.05	1.85	1.64	6 IEGA	3.40	3.05	2.72
1X2B/1X2A	1.55	1.40	1.24	6BO7A	1.50	1.35	1.20	6IU8A	1.75	1.58	
2AV2	1.28	1.15	1.02	6BU8	1.85	1.67	1.48	6KA8	2,25	2.03	1.40
2CY5	1.80	1.62	1.44	6BZ6	.84	.76	.67	6KZ8	1.85	1.67	1.48
3A3A/3B2	1.28	1,15	1.02	6BZ7	2.08	1.87	1.66	6L6GC	2,38	2.14	
3BZ6	1.18	1.06	.94	6CB6A/6CF6	.84	.76	.67	6LF8	1.93		1.90
3CB6/3CF6	1.48	1.33	1.18	6CD6GA	2.75	2.48	2.20	654A		1.73	1.54
3DG4	2.15	1.94	1.72	6CG8A	1.63	1.46	1.30	6SN7GTB	1.28	1.15	1.02
5AQ5	1.35	1.21	1.08	6CL8A	1.95	1.76	1.56	6T8A	1.75		
5CG8	1.68	1.51	1.34	6CM7	1.48	1.33	1.18	6U8A/6KD8	1.55	1.58	1.40
5U4GB	1.13	1.01	.90	6CQ8	1.75	1.58	1.40	6V6GTA		1.40	1.24
5U8	1.73	1.55	1.38	6CU5	1.48	1.33	1.18	6X4	1.35	1.21	1.08
5Y3GT	.98	.88	.78	6CY5	1.80	1.62	1.44	6X8A	.90 1.58	.81	.72
6AF4	2.05	1.85	1.64	6DE4	1.60	1.44	1.28	8F07/8CG7			
6AF4A	2.05	1.85	1.64	6DG6GT	1.93	1.73	1.54	10DE7	1.18	1.06	.94
6AL5	.95	.86	.76	6DQ5	3.93	3,54	3.14	12AT7/ECC81	2.00	1.80	1.60
6A M 8A	1.73	1.55	1,38	6DR7	2,15	1.94	1.72	12AU6	1.43	1.28	1.14
6AN8A	1.98	1.78	1.58	6DT6A	1.13	1.01	.90	12AU7A/ECC82	1.05	.95	.84
6AQ5A	.90	.80	.72	6DW4B	1.75	1.58	1.40	12AV6	.90		
6A S5	1.48	1.33	1.18	6EA8	1.65	1.49	1.32	12AX4GTB		.81	.72
5AU4GTA	1.85	1.67	1.48	6EB8	2.35	2.12	1.88	12AX7A/ECC83	1.35	1.21	1.08
6AU5GT	2.45	2.21	1.96	6E17/EF184	1.78	1.60	1.42	12AZ7A	1.25	1.13	1.00
6AU6A	1.05	.95	.84	6EM7	2,45	2.21	1.96	12B4A	1.48	1.33	1.18
SAU8A	2.30	2:07	1.84	6EW6	1.28	1.15	1.02	12BA6	.90		
5AV6	.88	.79	.70	6F07/6CG7	1.18	1.06	.94	12BA0		.81	.72
SAW8A	1.93	1.73	1.54	6GF7A	2.43	2.18	1.94	12BH7A	1.18	1.06	.94
SAX4GTB	.99	.90	.80	6GH8A	1.28	1.15	1.02	12BY7A	1.58	1.42	1.26
SAY3B	1.45	1.31	1.16	6GK5	2.08	1.87	1.66	12GW6/12D06B	1.60	1.44	1.28
BA6/EF93	1.05	.95	.84	6GM6	1.48	1.33	1.18			1.91	1.70
BC8	1.88	1.69	1.50	6GU7	1.70	1.53	1.36	17GW6/17DQ6B 35C5	2.13	1.91	1.70
BE6	1.28	1.15	1.02	6GY6	1.45	1.31		35C5 35W4	1.20	1.08	.96
BH6	1.48	1.33	1.18	6GW6/6DQ6B	1.68		1.16		.70	.63	.56
BK4B	3.78	3.40	3.02	6HZ6	1.50	1.51	1.34	3525GT	1.20	1.08	.96
BK7B	1.85	1.67		616A	1.50	1.35	1.20	50C5	1.18	1.06	.94
	1.00 1	1.07	1.40	10307	1.45	1.31	1.16	50L6GT	1.63	1.46	1.30

When Ordering Tubes, Specify Department No. (25 W 28) AND Tube Type. Example: 25 W 28 0Z4. See pages 263 thru 266 of 1968 Catalog 270 for additional tube listings.

Boost Your Buying Power with Allied's Credit Fund Plan

Parts Bargains with FREE Bonus Offer



Photo-Multiplier Power Transistor \$ 49

Values in Popular Transistors -Stock Up at These Low Prices BCCDD 2 for 4 for 4 for Each 62¢ 69¢ 69¢ 69¢

 Audio Power Transistor. Rated 3 amps @ 30 VDC. Beta, 25 V;
 I_{CBO} 3 mA; Gain 35.5 dB. For 6, 12, 28-V. Shpg. wt., 4 oz.
 24 W 9633 R. Pkg. of 2 for 62¢

 B
 IF-RF
 PNP
 Transistor.
 Fab,
 10

 MHz;
 BV_{CB0},
 25 V;
 Ic peak,
 400

 mA.
 Shpg. wt.,
 4 oz.
 24 W
 9642 R.
 Pkg. of 4 for 69¢

 C NPN Transistor. Equal to 2N168, 69, 70. BV_{CB0} 15V; BV_{CER}, 10V; Io peak, 400 mA. Wt., 4 oz.
 24 W 9643 R. Pkg. of 4 for 69¢

b 40-Watt PNP Transistor. Junction type. Rated 15 amps at 30 V. Replaces Delco 501, Bendix 2N173, 2N278. Shpg. wt., 3 oz. 24 W 9634 R. Each 69¢





38-Pc. Semiconductor Package

Was \$1.98. Package contains 4 PNP transistors, 4 NPN tran-

sistors, 2 power transistors (TO-3 case), 4 silicon rectifiers (2 amp), 20 germanium diodes, 4 Zener diodes (3/4 watt). 4 oz.

FREE

Plastic Storage Box

Save 15%

\$168




Integrated Circuit Experiment Kit

For linear applications experiments. Fairchild NJS 716 medium-power audio-amplifier integrated circuit. Gains to 10, 20, 100, 200. 11 transistors, 6 diodes, 18 resistors. Instructions. 24 W 9268. 1 oz.....5.95



 $\frac{1}{2}$ Watt Pkg. of 100. Was \$1.98. Following values, in quantities of from 1 to 7 each: 33, 56, 82, 270, 680, 820, 3300, 1K, 4.7K, 8.2K, 15K, 18K, 22K, 27K, 68K, 220K ohms; 1, 1.5, 2.7, 4.7, 22 megohms. $\pm 10\%$ Tolerance. Wt., 10 oz. Saze 34%. 24 W 9699 R. Pkg. of 100...... 1.29







Special Bonus! Plastic Storage Box FREE with Purchase from These Two Pages Totaling Over \$5.00. Specify 24 W 9844 G.

specify 24 if Juri 0.

24 W 9844. Plastic Box Alone..98¢



Non-locking, rated at 3 amps; 300 watts maximum AC, noninductive load. Housed in metal shield with mounting bracket, 7-ft. leads. SPST. 8 oz. 24 W 9451....Pkg. of 2 for 1.29

Enjoy Instant Buying Power . . Pay Later with Allied's Credit Fund Plan

Parts Bargains with FREE Bonus Offer



Use as phono or PA amp. etc. Pushpull 50-mW output; 8-ohm imped-ance. Requires 6-volt battery. 1x4³/₄". 24 W 9536. Wt., 2 oz.... ... 1.69



Here's a great opportunity to stock up on top-quality hookup wire at a low price. Convenient 25-ft. coils. Assorted gauges, insulations, colors -tinned, untinned types. 24 W 9935 R. Wt., 1³/₄ lbs. Pkg. 10/98¢



Top value. Open-circuit, two conductor phone jacks for standard 14" phone plugs. Quality-made with plated contacts and terminals. Stock up now! Shpg. wt., 6 oz. 24 W 9227 R Pkg. of 5 for 98¢



Bargain price for top-quality plugs Bargain price for top-quarky prings for headphones, microphones, other applications. Nickel-plated brass, screw terminals. 2% long, ¼" di-ameter. Shpg. wt., 12 oz. 24 W 9225 R. Red. . Pkg. of 4 for 98¢ 24 W 9226 R. Block. Pkg. of 4 for 98¢



Fine assortment of four relays with popular coil voltages and contact ratings. Wide range of electronic applications. Shpg. wt., 8 oz. 24 W 9199 R.....Pkg. of 4 for 1.69



Quality Transistor Power Transformer Save \$1.00 \$ 98

Wos \$2.98. Many replacement uses. Primary for 115 V, 60 Hz AC. Two secondaries: 6.3 V at 1 amp; 65 V center-tapped at 400 mA. $3x3x2\frac{1}{2}$ ". 24 W 9966 R. Wt., 4 lbs.....




Yours Free with Purchase Totalina Over \$5.00-Select Any Merchandise From These Two Pages. Specify 24 W 9844 G.

24 W 9844. Plastic Box Alone..... 98¢



pearance and dependability are important. DPDT contacts rated 3 amps at 125 volts. Shpg. wt., 4 oz. 24 W 9198 R. . Pkg. of 4 for 1.29



Use in a variety of projects. Primary, 117/234 V. Sec., 475 VCT @ 70 mA; 6.3 V filament @ 1.03, 1.33, 0.6 amps. 24 W 9406. Wt., 2¹/₂ lbs...98¢



B 8-inch Specker. Stock up now at this special low price. Upgrade your radio or TV set; install in extension baffle. Features whizzer



Wos \$3.95. Ideal for solid-state appli-cations. 5 each: 10 $_{\mu}F$ at 15 WVDC, 15 $_{\mu}F$.at 16 WVDC, 20 $_{\mu}F$ at 20 WVDC, 30 $_{\mu}F$ at 6 WVDC, 50 $_{\mu}F$ at 3 WVDC, 100 $_{\mu}F$ at 3 WVDC, plus 5 each of 2 other popular values. Wt., 8 oz. Save 15%. 24 W 9265...... Box of 40 for 3.35

Fine Buy \$329

Chassis Kit with Breadboard

Aluminum frame with snap-locks form a chassis that can be ex-panded, stacked, coupled. Phenolic mtg. board, 1 panel, 4 rails, 2x4x7". 50 solderless terminals. 24 W 9210 R. Wt., 10 oz. 3.29

Valuable Computer Board

Over 200 parts plus mounting board. 16 transistors, 80 diodes. 71 resistors, 16 sil-ver-mica capacitors and many other valuable electronic parts. Shpg. wt., 1 lb. 24 W 9054.....1.98



Take Up to Years to Pay with Low Monthly Payments



8-Transistor AM Pocket Radio

A Powerful 8-transistor AM radio gives clear 18 W 5980 R. 9-V Batteries. 4 oz. Pkg. 2 for 59¢

Solid-State FM-AM Radio with AFC

B FM-AM radio at a sensational low price! Lightweight, compact. Features AFC for drift-free FM tuning; FM-AM selector switch; telescoping antenna; carrying cord. With ear-phone, battery. Plastic case, $5x3x134^{\circ}$. Japan.

Don't Miss These Big Values ...



\$249 Tools not included

30-Drawer Small-Parts Cabinet

Improves UHF ond VHF

TV Pictures

Constructed with rigid heavy-duty steel frame, 93/4x17x65/16". Thirty "See-thru" non-spill plastic drawers, each 11/4x2/4x53/4". Save time-have all small parts at your fingertips. Store nuts, bolts, screws, other fasteners and connectors in this handy cabinet. With dividers, labels for each drawer. Convenient carrying handle lets you take cabinet on the job.

24 W 9028 RX. Wt., 9 lbs.... 4.94

Tool-Mate Workshop Tool Caddy

Keeps hand-tools and small parts ready to use and well organized. Has 39 different tool holding slots. Two jumbo storage wells for hammers, flashlights, other large items. Four dust-free drawers for storing small parts, nails, screws, nuts and bolts. Everything is stored in an upright, easy-to-use, easy-to-find position.



20,000 Ohm/Volt Pocket VOM \$744

Two-color $3\frac{1}{2}$ " scale. 250 μ V movement, ± 5 accuracy. 20,000 ohms/volt DC, 10,000 AC. DCV, 0-5-25-125-500-2500; ACV, 0-10-50-250-1000; DC Current, 0-50 μA , 250 mA; Ohms, 0-60K, 0-6 megs. Batt., leads, case. Japan. 24 W 9318 R. Wt., 2 lbs....7.44



\$845 Save \$1.50 Only

Wos \$9.95. New concept in sound reproduction. Turns entire sur-face—walls, doors, etc.—into sounding board. For PA systems, background music. Connect speaker outputs to reproducer, mount on desired surface. 2x2x2

\$1295 Instantly improves the performance of your roof antenna for clearer B&W or color TV. Corrects mismatch, fights ghosts. 12-pos. switch. Connects in seconds with just a screwdriver. 31/2 lbs. \$1588

Rembrandt TV Color-Computer




Wireless remote control system switches "Telewand", batt.



Famous G.E. Telechron **Clock-Timer** \$798

Special Purchase! Controls radios, appliances, etc. Automatic on-off at any pre-selected time up to 12 hours. Manual also. Ĉan sound buzzer 10 min. to 1 hour after "on" cycle begins. 15-amp rating. 6x4⁷/x2⁹/s". For 117 V, 60 Hz AC. Limited Quantity! 24 W 9052. Wt., 2 lbs... 2.98



Save at Allied's Low Prices!

Low Price on Lutron **Electronic Light Dimmer**



Take advantage of this special low price and order now! Solid-state dimmer adjusts intensity of light in any room for reading, TV watching, relaxing. Con-tinuously variable setting. Lights turn on or off by pushing knob, so setting is not changed. For up to 600 watts of incandescent lighting. Requires minimum load of 100 watts. Outstanding



1/4" Standard Power Drill

Model F-11. Features rugged, heavy-duty universal motor that develops 1200 rpm full-load speed. Jacobs geared chuck and key. Multiple thrust bearings. Switch locks trigger "on" for continuous

SG 95

"Jif" Automatic Lawn Mower Starter

Use with Any 1/4", 3/2" or 1/2" Electric Power Drill

> Complete with Cords

> > \$195-

off

Makes gas engine starting quick and easy. Use on most types of gas-powered mowers, snow-mobiles, snowblowers, chain saws, etc. Just remove drive shaft nut and attach "Jiff" start-er. Power drill does all the work. 24 W 9454. Shpg. wt., 1 lb...... 6.95



Utah MI-8JC Was \$8.37. Provides natural reproduction for amplified musical instruments-specially effective for electric organ and guitar. Gives rich tonal quality and wide response. 10-oz. barium-ferrite magnet has high flux density. Cone treated for smoother response and longer life. Oversize voice coil absorbs heat of transient peaks. Steel chassis. 8 ohms. 16 W 3516 R. 2³/₄ lbs.....5.60



phone conversations to FM (88-108 MHz) radio. Connects to phone line* 24 W 9479. Shpg. wt., 8 oz. 8.98 *Limitations in use may be regulated by state laws.



Hi-Fi System Shutoff New! Cardioid \$ 195 Dynamic Mike Switch automatically shuts off Switch for High/Low Impedance your entire hi-fi system after last record has played. For Mesh Screen Wind, "Pop" Filters changers with automatic shut-Sphere-top mike eliminates feed-back. Ideal for PA, indoors or out. 24 W 9234 R. Wt., 2 lbs.... 4.95 150-250 ohms and 50K impedances. -62 dB at 1000 Hz. Satin-chrome. On-off switch; 20' cable. Japan. 24 W 9222. Wt., 1½ lbs..... 14.95 **Fused AC-Outlet Boxes** with Cord and Plug 121 121 121 YOUR -----CHOICE A \$195

21 W 4385.... 12.95

Step Up to Better Living with Allied's Credit Fund Plan

I TTO IT I IT



Telephoto/Wide-Angle Lens Kit for Polaroids



Was \$32.50. Enjoy your Polaroid even more with this lens outfit. Includes telephoto lens, wideangle lens, combination telephoto/wide-angle viewfinder and leather case. Telephoto lens gives about 2X magnification. Wideangle lens gives 75% increase in area covered. Viewfinder clamps on camera. For Models 100, 101, 103, 230, 240, 250 only. Shpg. wt., 2 lbs. 10 W 4957 RS. 27.50 10 W 4708 S. Telephoto Ouffit Alone. Wt., 1 lb. 19.95

Polaroid Cameras, Accessories COMPLETE 17-PIECE POLAROID CAMERA OUTFITS

A Model 250 17-Pc. Color-Pack Outfit

Finest Color-Pack Camera Outfit ever offered. Zeiss-Ikon range/viewfinder corrects for parallax and field size. Four exposure ranges, triplet lens with electric eye and electronic shutter. Automatic operation, even with flash. Automatic time exposures to 10 seconds. Tripod socket. Includes: Comero; Cose; Flosh; Color Film Pack; 12 Floshbulbs; Album for 90 Photos. Wt, 6½ Ibs.

10	W	0106	L2S.	\$8	Mo	nthly.			1	54.95	
10	W	4824	RS.	Cam	era	Alone	. 3	lbs	1	29.88	
10	W	4859	RS.	583	AC	Close-L	Jp	Kit.	For	250.	
Fo	cu	ses to	9".	Wt.	, 6	oz				10.95	
10	W	4704	S.	581/	A P	ortrait	t K	Git.	For	250.	
Fo	cua	ses to	19"	. W1	t., 6	oz				10.95	

B Model 210 17-Pc. Color-Pack Outfit

C Model 230 17-Pc. Color Pack Outfit


Expensive features, moderate price. Camera has triplet lens, folding range/viewfinder, 5capacitor shutter. Automatic exposures up to 10 seconds. Plastic body. Includes: Comera; Case; Flash; Color Film Pack; 12 Flashbulbs; Album for 90 Photos. Wt., 7 lbs.

Film and Accessories for Polaroid Cameras

10 W 4928 X. Print Copier. Lets you make color or black-and- white duplicate prints with your Polaroid. Wt., 1 lb7.95
10 W 4882 S. Carryall Case. Black vinyl. Wt., 11/2 lbs 10.95
10 W 4883 RS. Development Timer. Wt., 4 oz
10 W 4884 RS. Self-Timer. Wt., 4 oz
10 W 4909 RS. Flash Attachment. For all 100- and 200-Series Cameras. Uses M-3 Bulbs. Wt., 1 ¹ / ₂ lbs
10 W 4903 RS. M-3 Flashbulbs. Wt., 12 oz Pkg. of 12/1.59
10 W 4885 RS. Cloud Filter. Increases sky/cloud contrast. (Not for Models 210, 220, Swingers). Wt., 7 oz
10 W 4886 RS. Cable Release. Wt., 4 oz
10 W 4879 RS. Type 107 B&W Film. 8 exp. Wt., 6 oz 2.29
10 W 4880 RS. Type 108 Color Film. 8 exp. Wt., 6 oz 4.50
10 W 4784 S. Photo Album. Holds up to 90 $3\frac{1}{4}x4\frac{1}{4}$ " photos, in clear picture windows. Walnut grain cover. 1 lb



Exciting Polaroid "Big Swinger" Takes Full-Size 3¹/₄x4¹/₄" Pictures



Polaroid Color Pack Cameras Give Color Pictures in 60 Seconds, B&W in 15

Single-Lens-Reflex Cameras, Photo Accessories

Save \$13995 ^{\$}15.00 \$7 monthly

Yashica J-7 35mm SLR

YABHICA

Was \$154.95. Exposure indicated by pushbutton dual-range CdS meter cross-coupled to ASA (12-800) and shutter (1/1000-1 second). Fast f/1.7 lens, screw-in mount. Depth-of-field preview, automatic diaphragm. Self-timer. X, FP sync. Accessory shoe. With leather carrying case. From

Japan. Shpg. wt. 5 lbs. 10 W 4993 RS. \$7 Monthly ... 139.95 10 W 4905 RS. Above, with faster f/1.4 lens. Save \$15.00! 5 lbs. 164.95

Accessory Lenses for 35mm SLR Cameras

Fit Yashica, Practica, Pentax, Mamiya (except 528TL) only. Adapter included. Not for Nikon, Canon. With lens and dust caps. Japan.

Automatic Types. Automatically stop down when you shoot. 35mm f/2.8 Wide-Angle. Focuses from 1.8'. Covers 63°. 10 W 4881 S. \$5 Monthly. Wt., 11/2 lbs... 49.95 135mm f/2.8 Telephoto. Focuses from 6'. Covers 18°.

Preset Types. Manually controlled aperture.

Tripods for Still

And Movie Cameras Sunset FO2000. Boasts channel-type 3-section aluminum legs with reversible rubber and spike feet. Vert. tilt and

and spike lett. Vert. the and 360° pan head with indicator. Extends to 52° with 14° lift column. Telescopes to 18°. From Japan. Wt., 4½ lbs.

10 W 4875 X 17.95

Quick-Set 6000. 3-section tel-escoping legs. 21³/₄" to 59" plus 14" lift column. Chrome-

plated elevator column, bright finish on upper legs. 10 W 4876 X. 3 lbs. 12.95

85-210mm f/4.8-f/22 Zoom. Focuses from 9'. With leather case. Only 6³/₄ long. Wt., 2 lbs. 10 W 4443 RS. *\$5 Monthly*

300mm f/5.5 Telephoto. 6x magnification. Focuses from 25'. Tripod socket. Wt., 21/2 lbs. 10 W 4431 RS. \$5 Monthly 44.95 135mm f/28 Telephoto Fo

10 W 4995 RS. \$5 Monthly	Wt., 14 oz.
35mm f/2.8 Wide-Angle, Focuses from 3'.	Wt. 9 oz
10 W 4994 RS. \$5 Monthly	36.95



101

Save \$10990 \$15,00 \$6 monthly

21.2

Mamiya 528TL Outfit/Telephoto Lens

Separately, \$124.90. Outfit includes camera, lens, cases for both. Camera has f/2.8 lens, thru-the-lens CdS light meter, automatic exposure control with override. 1/500-1/15 second plus "B". M, F, X sync. With case. Japan. 10 W 4783 S. Wt., 4 lbs..... 109.90 10 W 4869 S. Camera and Case Alone. 10 W 4851 S. Telephoto Lens. 1 lb. 29.95 10 W 4945 S. Wide Angle Lens. 1 lb. 29.95



Yashica \$15495 "System" SLR \$8 monthly

TL SLR with Dual Thru-Lens Sensor

Professional-type "system" camera at a moderate price. Has dual CdS sensor in pentaprism for integrated reading at shooting aperture. Just match needle with meter in viewfinder. No exposure compensation necessary regardless of lens or filter used, f/2 lens in screw mount. $\frac{1}{2}$ -1/500 second and bulb. FP-X flash sync. Self-timer. With leather carrying case. From Japan. Shpg. wt., 3 lbs. 10 W 4782 S. \$8 Monthly 154.95





Compact Vivitar 56 Speedlight

Accura Color Enlarger

Model 66. Enlarges 21/4x21/4" negatives, color or black & white, up to 15x15". Has 4" double-condensing system. Filter drawer. 75mm f/3.5 lens. Bellows focusing. Ad-justable easel. Glassless 21/4x

Accura 35mm Enlarger

Enlarges 35mm negatives up to 8x10" on baseboard. Features a double-condenser system and coated 50mm f/3.5 lens. Bellows focusing. Glass-



\$9995 \$5 monthly

Save \$40.00

Viceroy 6:1 Power Zoom Camera

The camera buy of the year. Has f/1.8 power zoom lens with 6:1 ratio; cartridge loading; pistol grip; thru-the-lens CdS meter with manual override, backlight control; battery tester; focusing eyepiece; built-in "A" filter. 12, 18, 32 FPS. Focuses close as 5'. Batteries, carrying strap. Japan. 10 W 4953 S. Wt., 3 lbs. \$6 Monthly.....99.95

10 W 4953 S. Wt., 3 lbs. *\$5 Monthly*....99,95 10 W 4932 RS. Super 8 Kodachrome II Cartridge Film for All Cameras on This Page. 6 oz.....2.49



Servo-powered exposure system responds instantly to changes in light read by behindthe-lens CdS cell. Spotlight, backlight compensation. f/1.8, 9-36mm zoom lens focuses to 3.5'. Reflex viewfinder shows f/stop, lowlight warning. Type A filter. Remote control socket, cont. run lock. 12, 18, 24 FPS, single frame. Batts., strap. Japan. 10 W 4732 S. Wt., 4 lbs. \$7 Monthly... 134.95

Lowest Price Ever! Super-8 Cameras and Outfits



\$17180

Separately, \$197.80

Save \$23.00



Get Your Movie Outfit Now With An Allied Credit Fund Account

Portable TV...Save Up to \$50.00



Battery/AC **Portable TV Outfit** With Car Cord

)

\$**99**95 \$5 monthly

A Sharp 11"-Diag. Solid-State TV

Separately, \$105.90. Our largest screen all-channel solid-state portable. Op-erates from household AC, bonus 12-VDC car power cord, or optional re-chargeable power pack (below). 70 sq. in. viewing area. Wide-range 41% oval


18 W 5858 R. Extra Batt. 6 lbs.... 10.62

B Symphonic "Minni 3" 3"-Diag. TV

Was \$159.95. Save over 30% on this sensational value! Deluxe personal portable TV goes everywhere, weighs $5\frac{1}{2}$ lbs. with optional rechargeable batteries. Plays from batteries, AC, or car lighter with optional 12-VDC cord below. 4.7 sq. in. viewing area. Solid-state circuit. Separate UHF and VHF antennas. 6% x31/2x6". With earphone, AC adapter battery charger. Optional battagin balow Jurop







Sharp 18"-Diagonal Partable TV

Save	Our Lowest	\$0 4 95
\$10.00	Price Ever!	\$ 94 95

Was \$104.95. Our lowest price ever for any 18" portable TV. All-channel set boasts the latest circuits. Bonded picture tube cuts glare and reflections. 172 sq. in. viewing area. 16,500 volts picture-brightening power. High-gain frame-grid tubes for good pictures even in fringe areas. Front-mounted controls; 61% oval speaker; separate VHF, UHF antennas. High-impact plastic case. 1878x193%x1234". For 117 V, 60 Hz AC. Japan. Shpg. wt., 381/2 lbs. Express

10 W 4335 RU. \$5 Monthly 94.95

Sharp 15"-Diagonal Portable TV

Save	Our Lowest	CO 050
\$6.00	Price Ever!	\$8350

Was \$89.50. Extra-fine value at this sale price. Boasts three frame-grid IF amplifier tubes and AGC circuit for outstanding pictures, even in fringe areas. 119 sq. in. viewing area. Speaker delivers clear FM sound. Easy-to-read UHF-VHF channel selector windows. Separate UHF and VHF antennas. High-inpact plastic case, 16x16x 11½". Earphone included. Leather handle. For 110-120 V, 60 Hz AC. Japan. Shpg. wt., 33¼ lbs. Shipped Express

10 W 4274 RU. \$5 Monthly 83.50

Sharp 12"-Diagonal Portable TV

Earphone Included	\$7	9 95	\$5 monthly
incivaea			monthiy

Sleek, slimline set gives you excellent reception, easy portability—at an ex-ceptionally low price! Deluxe features include: 75 sq. in. viewing area; frame-grid IF amplifiers and keyed Automatic Gain Control for excellent reception even in fringe areas. 4x3" upront speaker; separate antennas-telescoping VHF, loop UHF. 2-tone gray high-impact plastic cabinet with chrome trim. 13¹/₂x13¹/₂x10³/₄". U.L. Listed. For 110-120 V, 60 Hz AC. From Japan. 23¹/₂ lbs. Exp. 10 W 4226 U. *\$5 Monthly......*79.95

Enjoy Portable TV Now—Use Allied's Credit Fund Plan



A Save \$14.95 on Stereo FM-AM Portable

Separately, \$84.90 in Catalog 270. Take true-to-life stereo with you everywhere. Features two widerange 4" speakers that separate for maximum stereo realism-fold behind cabinet for carrying. Seventeen transistor circuit provides excellent stereo FM, clear AM. Has stereo indicator light, AFC, tone control, Built-in AM, telescoping FM antennas. 5½x9½x9 3½8". With adapter for 117 VAC, four "C" batteries, two earphones. From Japan. 6 lbs.

B Save \$10.00 on 5-Band Battery/AC Portable

Was \$69.95. Quality portable offers exciting listening on five bands: sensitive FM and AM, 108-134 MHz VHF for local aviation, 1.6-4.6 MHz marine band and 148-174 MHz VHF Public Service Band for business and emergency services. Operates on batterics or built-in 117 VAC cord and plug. Diecast front, illuminated color-coded band indicators, tail light, AFC, 4" speaker, built-in AM, telescoping VHF-FM antennas. $9\frac{1}{2}x3\frac{1}{2}x3\frac{1}{2}x3\frac{1}{2}x$. With earphone, strap, four "C" batteries. Japan. 7 lbs. 10 W 4241 S. \$5 Monthly.

18 W 5078 R. Extra "C" Batteries. 6 oz..... Pkg. 2/33¢

C Long-Range Battery/AC Portable AM Radio

Super-sensitive AM portable pulls in even fardistant stations. Operates on batteries or 117 VAC with built-in cord and plug. Powerful ten-transistor circuit boasts tuned RF stage. Three-gang tuning capacitor with smooth vernier tuning. Large $3\frac{1}{2}$ speaker for extra-clear reception. Simulated leather case, $7x4x2\frac{1}{4}$ ". With earphone, four "C" batteries. From Japan. Shpg. wt., $3\frac{1}{2}$ lbs. 10 W 4286 S 16.95

18 W 5078 R. Extro "C" Batteries, 6 oz..... Pkg. 2/33¢

D Save \$17.00 on 6-Band Radio with AC Adapter

Separately, \$73.90 in Catalog 270. Deluxe full-size 6-band portable brings you hours of fascinating listening. Covers standard FM and AM, plus 150-400 kHz LW marine and aviation weather, 1.8-4.2 MHz marine band, and int'l SW on 2 bands-3.8-

E Save \$20.00 on Deluxe 5-Band Car/Portable

Radio and Bracket Separately, \$129.90 in Cat. 270. Globetraveler Jr. provides superb performance. Brings you great FM and AM, 230-400 kHz LW, 7.5-20 MHz SW and 5.95-6.25 MHz spread-band SW AFC, AM bandwidth control, 4-watt output, 5x7" speaker, tuning/battery-test meter. 11 transis-tors. Operates on 5 "D" batteries (below), 6/12-V car batt. or with 110/220 VAC adapter (below). 3%x111/2x8". With ext. SW ant. adapter, and lock-

3% X11/225 . WIGE ext. SW ant. adapter, and lock-ing car mounting bracket. W. Germany. 10 W 4525 X. Wt., 12 lbs. *\$6 Monthly* 109.90 10 W 4193 RS. AC Adapter. 110/220V. 1¼ lbs. 14.95 18 W 5079 R. "D" Batteries. (Uses 5.) 10 oz....4/65¢

F Save \$10.00 on 4-Band Battery/AC Portable

Was \$74.95. Powerful portable is ideal for pilots and sportsmen. Covers FM, AM, 150-400 kHz LW and 108-140 MHz VHF aircraft band. Eighteentransistor circuit delivers more than one-watt output to 3x5" speaker for clear, full sound. Features a sleep switch that automatically turns off radio in



\$2995

- Two Built-In Speakers for Full-Range Sound
- Full-Size Portable with Leatherette Case

\$5 monthly

Switchable AFC Locks In FM, Prevents Drift

Full-size FM-AM portable boasts two built-in speakers for exceptional fidelity and clear sound. Powerful 15-transistor circuit provides sensitive reception. Operates on batteries or



• Wide Slide-Rule Dial • Tone Control • 3 1/2" Speaker • Leatherette Cabinet

\$5 monthly

Rugged new portable provides excellent reception of standard FM and AM, plus sensitive coverage of the 1.6-4 MHz marine band and 4-12 MHz international shortwave. Operates on bat-

ALLIED 73



*Hear exciting emergency and Public Service communications, plus the new 162.55 MHz Weather Band in many cities.



Battery/AC Portable with Two VHF Public Service Bands plus FM-AM

> Save \$10.00 \$5 monthly

Was \$69.95. Deluxe VHF-FM-AM portable covers two VHF Public Service Bands plus standard FM and AM. Hear exciting police, emergency and industrial communications on 30-50 MHz and 152-174 MHz. Has slide-rule dial, switchable dial light, and 4 speaker. Plays on batteries or 115 VAC. 18 transistors. Black leatherette



Battery/AC Portable Has Two VHF Public Service **Bands plus FM-AM-SW**

Exciting 5-Band Coverage in a Compact Portable! \$5 monthly



All-new five-band portable. Hear both VHF public service bands-30-50 MHz and 146-175 MHzfor police, fire and industrial radio, standard FM and AM stations and thrilling international shortwave on 6-18 MHz.

Pushbutton band indicator light. Telescoping 44" FM-SW-VHF antenna. 18 transistors. Handsome die-cast front, plastic case with leather carrying handle. Operates on 4 "C" batteries or with built-in 120 VAC cord and plug. With batteries, earphone, $10x6^{1}/2x3^{3}4^{"}$. Japan. 8 lbs.

10 W 4409 S. \$5 Monthly 54.95 18 W 5078 R. Extra "C" Batteries. Shpg. wt., 6 oz. .. Pkg. of 2/33¢



AM/VHF Aircraft and AM/VHF **Public Service Band Portables**

O Each

Both Models Play on Batteries

\$5 monthly

or Built-In AC

Deluxe 2-band AM/VHF portables tune AM, plus VHF aircraft or VHF Public Service Band. Operate on batteries or built-in 115 VAC. Feature: AFC, 3¹/₂" speaker, telescoping antenna, Black leather-ette case, 9x3x5/4". With 4 "C" batteries, earphone. From Japan. Shpg. wt., 4 lbs.

AM/VHF Aircraft 10 W 4520 RS. Band. Covers 108-135 MHz. . . 26.95 10 W 4521 RS. AM/VHF Public Service Band, 148-174 MHz 26.95 18 ₩ 5078 R. Extra Batts. 6 oz. 2/33€

Lowest-Cost AM/VHF Aircraft or Public Service Band Portables

Fach \$5 monthly

Hear Exciting VHF Radio on a **Pocket Portable**

Pocket-size portables for exciting coverage of VHF aircraft or Public Service Band plus AM. 11 transistors. 6¹/₂x3³/₄x1¹/₂". Case, 4 "AA" batts., earphone. AC adapter below. Japan. Shpg. wt., 2 lbs. 10 W 4155 S. AM/VHF PSB Band (30-50 MHz).... Low . 21.95 10 W 4156 S. AM/VHF PSB High Band (146-174 MHz) AM..... 21.95 10 W 4157 S. AM/VHF Aircraft Band. .21.95 (108-134 MHz). 10 W 4053 RS. AC Adapter. 8 oz. 2.95 18 W 5083 R. Extra Batts. 6 oz. 2/27¢

***WHAT YOU CAN EXPECT FROM OUR VHF PORTABLES**

30-50 MHz and 148-174 MHz Public Service Bands: Police, fire, CD, other emergency services; plus continuous weathercasts on 162,55 MHz in 17 U.S. cities. 108-135 MHz Aviation Band: planes, airports and navigation stations. Check locally for specific frequencies. Location Is Important. The closer you are to a highway, airport, harbor, city, or other source of VHF, the more you will hear. Calls are generally of short duration with random elapsed time between calls. Television audio may also be heard in many parts of the U.S.

74 ALLIED Allied Has the Best Values in Multi-Band Radios



FM-AM-VHF Car/Portable

Bracket, Lock and \$5095 With Mounting Key, AC Cord

\$5 monthly

New play-anywhere 3-band car/portable radio covers AM, FM, plus 150-176 VHF Public Service Band for police calls and emergency services. Brings you sensitive, stable performance, pinpoint selectivity, peak 2-watt output for plenty of volume without distorfor prency of volume without discor-tion. Vernier slide-rule tuning (dial lights when used with car batt.); 43%x234''' speaker; 3-way power supply. Shock-proof construction, smart styl-ing Sling is and suit of mobile next ing. Slips in and out of mobile mounting bracket easily. Solid-state, has 12 transistors, 4 diodes, thermistor. Op-erates on three "C" batteries; 6 or 12 VDC; or 117 VAC. $7\frac{1}{2}x5\frac{1}{2}x2"$. With mtg. bracket, AC cord, batteries, ear-phone, lock and key. U. L. Listed. Japan. Shpg. wt., 5 lbs. 10 W 4594 S. \$5 Monthly 59.95



5-Band Portable and \$1 Bonus Package

FM/AM/Shortwave/VHF Public Service/VHF Aircraft



Everything you need in a portable for listening enjoyment. Receives FM; Everything you need in a portune to instanting enjoyment. Receives r_{M_1} , AM; 5-12 MHz shortwave; local airports, planes on 108-135 MHz; police, public service on 147-175 MHz. Slide-rule dial, dial light, tone control, fine tuning, AFC, 3x6" speaker. Built-in AM, SW antennas, telescoping FM-VHF antenna, 15 transistors, 6 diodes. With earphone, 4 batteries, *plus* SW antennas for the standard bonus: SW antenna for extra-long range including Motorola-type adapter plug; "ABC's of Shortwave Listening"; 8 extra batteries. 7%x101/2x3". For 4 "C" batteries or 110 VAC. From Japan. Shpg. wt., 13 lbs. 10 W 0096 L2X. \$5 Monthly 60.50 10 W 4362 RX. Radio Alone. Shpg. wt., 9 lbs. 59.50 11 W 1749. SW Antenna Alone. Shpg. wt., 4 lbs. 18 W 5078 R. Extra "C" Batteries. Shpg. wt., 10 oz. 7.95 Pkg. of 2 for 33¢

23 W 7538. "ABC's of Shortwave Listening" Alone. Wt., 12 oz. 2.25



NOTE: The closer you are to a city, highway, or airport, the more VHF you will hear. Calls are of short-duration, with random elapsed time between calls. Radios above tune new 162.5 MHz Weather Band heard in many areas.

ALLIED 75

ALLIED RADIO

100 N. WESTERN AVE ... CHICAGO, ILLINOIS 60680

POSTMASTER: If Undeliverable, Do Not Return.

MARES C BUNER Phie Thail DA DA-4 JUST MARK 27164

.

BULK RATE U. S. Postage PAID CHICAGO, ILLINOIS Permit No. 4722



Aiwa Battery/AC Cassette Recorder with Built-In FM-AM-Marine Band Radio

Was \$109.95 Now \$0**n**95 \$5 Only monthly Cut \$20.00

Save more than 18% off our previous low price. Just snap in a cassette to record anywhere ... no reel threading, no fumbling. Loads of fun at parties, both indoors and out. Tops for dictation, too. Unique combination of 3-band radio and recorder lets you record broadcasts directly, or "live" events with the microphone. Sound monitor switch lets you listen to radio as you record. Tunes standard FM and AM bands plus Marine band from 1.4 to 4 MHz. Simplified pushbutton controls. Built-in 3x5" speaker. Record level/battery condition meter. Has auxiliary input and output jacks. Telescoping antenna. Records up to two hours on one Philips-type cassette. Size, $9x11!4x3!'_2$ ". Complete with mike, earphone for private listening, one 60-minute C-60 cassette, batteries. For 117 volts, 60 Hz AC or 4 "D" batteries. From Japan. Shpg. wt., $6\frac{1}{2}$ lbs. 15 W 7165 S. \$5 Monthly.....