

Allied Radio

833 W. JACKSON BLVD. CHICAGO ILL.

PROFIT BY LOWEST

ALL PRICES TAX FREE

We do not charge a sales tax but absorb this tax ourselves. All prices in this book are net to you. No need to worry about any extra unexpected charges on your order—there are none when you buy from ALLIED.

In this way we bring you additional savings and lower prices. The result of the modern ALLIED merchandising method is strikingly evident in the unparalleled low prices you will find on every page of this catalog.

WE WILL NOT BE UNDERSOLD

The merchandise in this catalog is quoted at prices that we believe will undersell all competition. You can buy from Allied knowing that you will always receive the advantage of lowest prices. If prices are reduced you receive the benefit immediately. Should any competitor offer exactly the same merchandise at a lower price, send in your order and the page from competitor's catalog. We will meet the price. Allied will not be undersold.

VISIT OUR SALESROOM

Our location just outside of Chicago's busy loop district is convenient to all railway terminals, express offices, boat lines, motor buses, and, in fact, every form of transportation. For the convenience of our customers we maintain a large display room where you are assured of courteous attention at all times. Chicago is acknowledged to be the greatest distributing center in the world. With ALLIED service you are assured of prompt shipments. The combination ments. The combination



QUALITY

All receivers and parts illustrated in our catalog are first quality. up to manufacturers' highest standards. We do not buy jobs, seconds, substandards or any apparatus that does not come up to our rigid standards. We will not sacrifice quality for price.

SERVICE

Your orders receive immediate, careful attention at ALLIED. We are organized to handle a tremendous rush of business. Our highly trained organization functions with one idea uppermost in mind—"to fill every order with absolutely no delay or sacrifice of accuracy."

VALUE

The prices in this book will startle you. We invite comparison, confident that item for item our values can't be beaten. Remember too, your transportation charges are usually less because of our ideal central location. Our freight allowance is another inducement to centralize your buring with ALLIED,

PROFITS

The profits you make by dealing with ALLIED are reflected not only in our extremely low prices that defy competition, but also in the high quality of our merchandles, which results in satisfied customers who reorder again and again. Cash in on these added profits that good-will brings.

TERMS

Our terms are cash to all. Selling on these terms eliminates expensive bookkeeping and credit losses. These savings we pass on to you in reduced prices. Shipments made C. O. D. to old customers. On first order, please send deposit to establish good faith. All prices in this book are net to you—all trade discounts and the 2% cash discount have already been deducted. No federal tax to be added; these quotations are tax free to you.

ALLIED RADIO CORPORATION

833 JACKSON BLVD.,

CHICAGO, ILL

PRICES EVER OFFER

We must warn our customers against the flood of "gyp," substandard radio receivers and parts being offered to unsuspecting dealers and service men. Manufacturer's seconds, job lots, factory rejects and offered to unsuspecting dealers and service men. Manufacturer's seconds, job lots, factory rejects and all manner of what is really junk is being doctored up to look like new and offered in glowing, misleading terms, at prices slightly below the cost of first standard goods. Don't be fooled; such material placed in your customer's set will lead to far more grief, expense and loss of good will than the original slight savings.

ALLIED is an old established organization, which has won the continued confidence of many thousands of customers since the earliest days of radio. We are in husiness to stay. You are assured of receiving first quality goods at all times and a fair and square adjustment under our guarantee.

FULL DISCOUNTS TO ALL CUSTOMERS

A 2% cash discount has been deducted from all prices in our book. If you send cash in full with your order you save the C. O. D. collection charges. But if you prefer part C. O. D. shipment, you still receive the full 2% cash discount to which you are entitled.

AMONG ALLIED CUSTOMERS

ALLIED is proud to number among its customers the U. S. Government, practically all of the leading Universities and Colleges, Broadcasting Stations and many thousands of radio dealers, service men and manufacturers throughout the land, who are acquainted with ALLIED reliability and cooperation.

THE ALLIED PERSONNEL

It is important to know the caliber of the organization with which you do business. Every department in our organization is captained by an executive whose experience and ability make him worthy of his job. Our buyers are alert to bring the best that the market affords, at money saving prices. Your orders are sped on their way by an efficient operating force supervised by executives of long experience. In every division you can depend on efficient, careful, speedy service at all times.

RELIABLE SELLING

You cannot afford to gamble with your customers. Neither can we. That's why we offer Reliable A-1 Quality and Service only. Every article in our book measures up to its claims. Some mail order firms are making extravagant claims entirely out of proportion to the quality and value of the merchandise offered. Beware of that type of selling. It isn't good business. ALLIED is proud of its repeat husiness from old customers. You can depend on us for quality and service. ity and service.

PROMPT SHIPMENTS

Prompt service is absolutely necessary in this age. You want your order to reach you in the shortest possible time. With an organization developed to handle enormous volume promptly and accurately you are assured of top-notch service. We have the advantage of being in the very center of all forms of transportation. Try us when speed is a factor. You will be placesative currently. transportation. Try us when will be pleasantly surprised.

DON'T SPLIT YOUR ORDER

ALLIED can supply anything and everything in Radio. If the item you want is not listed in our catalog, we can supply it in practically every instance, and at prices equal or lower than you can obtain elsewhere. If listed in some other catalog or radio publication, mention where you saw it and we will supply we will supply.

FOREIGN CUSTOMERS

We have a large foreign trade and invite foreign we have a large roreign trade and invite location patronage. Foreign orders and correspondence are supervised by an experienced executive. Send letter of credit on Chicago or New York exchange of at least 50% of the total. On orders less than \$25.00 send remittance in full. All quotations F. O. B. Chicago. On parcel post shipments send sufficient remittance to cover postage. Any excess will be promptly refunded.

We Pay the Freigh

Guarantee.

We guarantee 100% value in price, quality and service. Every item in our catalog is guaranteed to conform exactly to the description and illustration. We guarantee that our merchandise conforms to the standards of the Radio Manufacturers' Association and will perform in the manner intended for such apparatus. Any merchandise that does not so operate, if returned at once, will be promptly adjusted by exchange or repair.

on all orders of \$25 º or more

Make your order \$25.00 or more and we will pay freight charges up to \$2.00 per hundred pounds. This offer makes our low prices even lower. It places the goods on your floor at prices below competition and means added profits. This offer applies on all merchandise in our catalog except A and B batteries, Aerial Wires, Insulators, and Consoles less chassis.


onsoles less chassis.

Send in your paid freight bill
with order number on label of
the shipment and we will either
send you our check or apply the
allowance on your next order,
as you prefer. You may order
shipment to go by Express
or Parcel Post—a proportionate allowance will be
made. Take advantage of
ALLIED'S liberal freight
allowance offer. It will
save you money and give

you a greater profit mar-



Stube



The Last Word In Radio

The 1933 Knight 8 is offered with the utmost confidence in its ability to produce greater power, more life-like tone and better sensitivity and distance reach than have been possible herestofore in radio. Brilliance and thoroughness in the design of the R.C.A. Licensed Superhet circuit, built up to wonderful efficiency around the amazing new high gain triple grid tubes, give the Knight 8 a new meaning. Pentode volume, full range tone control, and quiet automatic volume regulation offer you would be proved. Humi-free undistorted volume and a flawless purity of the property of the province of the property of the prop

Super Power

Vast reserves of power are built up in the Knight 6 heavy duty power pack and plenty of volume is always ready for any kind of reception, far or near. The super-efficient pentode audio and the brand new Inter-Station Moise Superssor render this unlimited volume absolutely free from distortion and help create a perfectly life-like tone.

The New Tubes

The newly developed 56, 57 and 56 type triple grid Super-Phonic tubes used in the Knight 8 circuit produce practically double the sensitivity of las year's sets, make for more economy ir operation, assure absolutely quiet, quick heating operation, and of tonal range, and an all-around super-efficiency, and an all-around super-efficiency.

QUIET AUTOMATIC-

Brighter Tone - More Power

In the new Knight 8, tonal reproduction is accomplished against a wonderfully flawless background of unlimited volume, and projected through a carefully matched dynamic reproducer bearing the famous name of Jensen. There is fidelity of tone at all ranges, and a perfect mastery of the individual notes you may desire to hear by means of the flow control. Quiet Automatic Volume Control assures delightful hum-free reception at all times. All of the former obstacles to perfect radio have been overcome in the tone and power of the Knight 8:

Complete Less Tubes

The Knight 8 is offered in console shown at left, with speaker, but without

No. E9732. List Price, \$65.95. YOUR PRICE.....

Complete With Tubes

Offered complete, with 3—56, 1—57, 2—58, 1—47, and 1—80 genuine R.C.A. tubes. An autounding value. No. E9733, List Price, \$77,45. YOUR PRICE.

2995

R.C.A. LICENSED UPERHET

Stube CHASSIS

WITH NEW TRIPLE GRID TUBES

The wonderfully constructed chassis of the Knight 8 pictured at the right is compactly designed to employ the new type tubes and is built mightily to give you the longest and most efficient life a radio ever had. Three new 56, one 57, and two 58 type tubes do wonders for its wivid tone and surging power. Fou can reach out an amazing distance with this precision instrument, and every station will come in clearly separated and with wonderful volume and tonal beauty. Chassis size, 13" wide, 8\%" deep, 7" high.

8 WONDERFUL CIRCUIT FEATURES

New type triple grid tubes.
 Quiet automatic volume control.
 Four Pentode tubes.
 Full range tone control.
 Spotlight tuning, full vision dial.
 R.C.A. licensed Superhet design.
 Jensen speaker.
 Inter-Station Noise Suppressor.

CHASSIS LESS TUBES

CHASSIS WITH TUBES



FULL RANGE TONE CONTROL

SUPERHETERODYNE

A MARVEL OF EFFICIENCY

We want each of our customers to know in detail the wonderful circuit design of the Knight 8. The new Super-phonic tubes are used in it as follows: 1-58 in an R.F. stage, 1-57 as First Detector, 1-56 as Oscillator, 1-58 as 1.F. Amplifier, 1-56 as Second Detector and AVC, and 1-58 as First Audio. 1-47 tube is used as a power tube and 1-89 as rectifier. Silent Automatic Volume Control and Full Range Tone Control are achieved in the Knight, and Spot-light Tuning and the Inter-Station Noise Suppressor are brand new features.

A WINNING COMBINATION

The Knight 8 has been appropriately placed in a splendid new radio console which is distinctly appealing in its-beauty and sturdy in its construction. It is a midboy of the artistic turned six-leg type. It has fluted pilasters, arched proscenium of maple with seroll overlays and a handsome shaped grille. It stands 42 inches high and is perfectly proportioned and acoustically correct for use with the Knight 8 for which it was specifically built.

VOLUME CONTROL

MAGIC NEW TUBE PERFORMANCE

The new type triple grid Super-phonic tubes improve both the radio frequency and audio frequency operation of the set immensely. They mark Knight 8 performance as the last word in split-hair selectivity, powerful sensitiveness, perfect volume control, and quiet operation. Then, too, the new tubes mean real economy in operation because they cut down considerably on power consumption. They make possible the perfect operation of an automatic built-in volume control which eliminates fading, assures a constant powerful flow of volume for all reception and makes tuning easy and pleasurable. The Knight 8 is most certainly the radio of the hour, combining as it does supreme achievements in radio design, together with the finest materials available, at prices that are in tune with the times.

BRILLIANT TRUE TONE

It's a thrilling experience to listen to the Knight 8. There is a distinctly individual and life-like reality in every sound reproduced. The tonal output of each program is built up to a rare golden beauty in which every overtone and every freency of the whole sound range has beenkeenly captured and sustained through the famous Jensen dynamic speaker. And there's Tone Control too—perfected to a high degree so that by the turn of a knob you can emphasize for yourself the notes you enjoy hearing the most. A beautiful life like tone that high quality brings.

FULL VISION SPOT LIGHT DIAL

DELIGHTFUL TO TUNE

Note the simple arrangement of the Knight 8 controls, the clear visual dial with the Spotlight innovation, and the volume and tone control knobs. all designed to eliminate guesswork and to make tuning extremely simple and enjoyable.

INTERSTATION NOISE SUPPRESSOR

A new and wonderful device, which enables you to tune in stations without interference or static of any kind, is located on the front panel and is simple to operate.



4 NEW PENTODES

LIMITLESS POWER

Pentode power has proved marvelous in the newer radios and in the Knight 8 it has been developed to its fullest advantage. It produces splendid volume, with plenty to spare, and all of it with a new standard of absolutely quiet operation.

SUPERHETERODYNE PLUS!

The RCA licensed circuit of the Knight 8 is of the latest superhet type. It assures you the maximum in economical efficient operation. It is the set of today, priced right to today.

Consider the outstanding features of the set circuit and the extreme beauty of its external appearance, and then look at the price. There is no radio value on the market today that is comparable to ALLIED'S astouding presentation of the Knight 8 Superheterodyne. It's the set you and your friends have been waiting for—a radio receiver that offers the latest and best features found only in the most expensive sets, but offered now at a price you can afford.

COMPLETE, LESS TUBES

The Knight is offered here in the cabinet pictured above at the right, with speaker, but

without tubes \$3445
No. E9734.
List, \$74.95.
YOUR PRICE

COMPLETE WITH RCA TUBES

Here is the Knight 8 complete with 3—56, 1—57, 2—58, 1—47 and 1—80 RCA tubes.

No. E9735. List, \$86.45. YOUR PRICE \$39<u>95</u>

NEW SUPERHETERODYNE CIRCUIT



BATTERY OPERATED RECEIVER

FAMOUS RCA RECEIVER

This genuine RCA Battery receiver brings This genuine RUA Battery receiver orings within easy reach of every home without electric current, wonderfully clear and faithful radio reception. This set quoted at a bargain price can be operated with great economy and efficiency. Here is a world famous RCA radio renowned for its beauty and operating perfection, offered at a sensational price that is a mere fraction of its original retail value.

A QUALITY SPEAKER

The famous RCA 103 Speaker is recommended for use with the Radiola 21. It is both beautiful in appearance, and splendid in its ability to yield a remarkably clear tone, with real depth and fidelity. pearance, and spiendid in its ability to yield a re-markably clear tone, with real depth and fidelity. Our supply of these speakers is limited and we urge you to order at once. When our stock is exhausted we shall substitute another appropriately matched magnetic speaker of the highest quality.

well-known BATTERY CIRCUIT
The Radiola 21 employs two 232, one 231, and two
230 screen grid tubes in its efficient circuit of two
R.F. stages, two A.F. stages, and a tuned detector.
It features a local-distance switch which permits
more uniform sensitivity, making possible increased
distance range and better selectivity. Plenty of
clear quiet volume is built up in the audio circuit
to render pure tone quality over a wide range of
frequencies. You will be amazed at the efficient,
economic operation of this advanced battery operated radio.

NO. E9981. SET ONLY. RETAIL VALUE.\$45.00

ONLY

Retail Value. YOU'R PRICE ..

a charming center carving and clever of the set is the shadow dial which throws illuminated numerals on a translucent window when the set is in operation. The compact cabinet measures 19½ in. long, 10 in. high, and 9½ in. deep. POWERFUL 2 VOLT S. G. TUBES

CABINET DESIGN

The cabinet of the RCA 21 is pleasingly built of Philippine mahogany beautifully embellished by

Five of the late type screen grid 2 volt tubes are employed in the Rudiola 21. They are designed to operate from a 2 volt storage "A" battery. These new low-drain tubes save "B" battery current, and yet they exceed in power and tone, the older type battery tubes. 2 volt screen grid battery performance is comparable to that of the smaller modern all-electric sets. Enjoy far-reaching sensitivity, great power, and wonderful radio tone with this set, even if you have no electricity in your home.

SET AND SPEAKER

The famous RCA 21 is offered here in its beautiful table model cabinet with speaker, but without table or accessories. Each set is a brand new, genuine RCA product in its original factory carton.

No. E9932. Retail Value, YOUR PRICE ...

Set, Speaker and Table The RCA 21 table model bat-tery radio offered with speaker and a fine table which serv

mirably to house all batteries. Made of walnut, measuring 30 in. high, 22½ in. wide, and 11% in. Lens accessories. deep.

No. E9933. Retail Value. YOUR PRICE ..

SET, SPEAKER, TABLE AND ALL ACCESSORIES

Here is the Radiola 21 offered with speaker, table, and all necessary accessories. These innecessary accessories. These include 2—232, 1—231, and 2—230 tubes; a 2 volt storage "A" battery, 3—45 volt "B" batteries, a 22½ volt "C" battery and aerial cery, 3-45 volt "B" batteries, a 22½ volt "C" battery and aerial and ground equipment. Nothing more to buy. Packed in original factory eartanged. and ground equipment original more to buy. Packed in original factory cartons—each set brand new and genuine RCA. A real hargain. Send your order in at once so that you may be assured of obtaining one of these splendid radios. No. E9934.



LONG & SHORT WAVE RECEPTION

New features galore are packed into this Knight New features galore are packed into this Anight to tube Battery Operated Triple-Wave Radio. Its triple scale Spotlight dial tunes from 20-65, 65-200, and 200-550 meters. Perfect daytime short wave as well as long wave reception assured. The superhet circuit employs new type 34 tubes which have magnified volume and sensitivity immensely and made for more economical operation. Quiet Automatic Volume Control, new Push-pull Audio, and the 3 position wave switch are added up-to-the-minute features.

CLASS "B" POWER

The famous new Class "B"
Power Audio found only in the
most expensive new AC sets. is
incorporated in the Knight 8 Battery radio. The new type low
drain tubes have increased volume enormously, accomplished quiet operation, made better tone quality and automatic volume control possible, reduced battery consumption and achieved real sensitivity and selectivity.



The Knight 8 Battery set console is of the new turned 6 leg desken, featuring a beautiful walnut front panel flanked by curved, futed pilasters. Delightfully finished in walnut, stands 42 in. high. 25 in. wide, and 13 in. deep.

WALNUT BEAUTY

BATTERY OPERATED SUPERHET CHASSIS

The wonderful superhet circuit of this finest of bat-tery radios features Class tery radios features Class "B" audio power, automatic volume control, 20-550 meter range, and push-pull low drain audio. The chassis is ideal for console installation, measuring 11½ in, long, 7 in, high, and 7% in, deep.

OVERSIZE SPEAKER

The tremendous output of the receiver is adequately handled by a large permanent magnet dynamic speaker which does full justice to the wide tonal range of the receiver, achieving flawless clarity in the contract of the receiver. tone and power

WITH R. C. A. TUBES

The Knight 8 Battery chassis with speaker and 2—48, 2—34, 2—32 and 2—30 R.C.A. tubes.

No. E9761. Retail Value.

YOUR PRICE

20-550 METER RANGE

LESS TUBES & BATTERIES

The new Knight 8 Battery set is offered here in its ex-quisite cabinet together with speaker, but without tubes or batteries. No. E9764. List.

\$87.50.\$3985

COMPLETE LESS BATTERIES

With 2-49, 2-34, -32 and 2-30 R.C. tubes, but less A. tubes, batteries, No. E9765. Retail Value, \$103.50. YOUR PRICE

WITH ALL ACCESSORIES

Includes tubes, 4-45 v. "B" and 1-2 v. Storage "A" batteries. No E9767. Ret. Value, \$119.50. YOUR PRICE Retail



LESS TUBES

The Knight 8 Battery radio is offered here in chassis form only, with speaker, but less tubes. No. E9760.

Retail Value, \$62.50.

\$78.50.

5 TUBE SHORT & LONG WAVE MARVEL

A wonderful battery operated 5 tube All-wave set covering from 75-550 meters. It features five tuned circults employing the new type 34 low drain tubes. Absolute 1 microvoit sensitivity enables the Knight 5 to master great distance both in long as well as in short wave reception. The unique Sector Vision dial makes dual wave tuning a pleasure. The attractively designed two-tone table cabinet measures 12 in. high, 7 in. wide, and 6 in. deep.

NINE SPLENDID NEW FEATURES

1. The new low-drain type 34 tube. 2. Long and short wave range from 75-550 meters. 3. 5 tuned circuits. 4. Full range Tone Control. 5. Quiet Automatic Volume Control. 6. Interstation Noise Suppressor. 7. Sector Vision Dial. 8. Oversize dynamic type speaker. 9. 1 Microvolt sensitivity.



SET & TUBES, LESS BATTERIES

The Knight 5 Dual Wave Battery set less batteries with 2—32, 1—33, and 2—34 R. 1—33, and C. A. tubes.

No. E9727. Retail Value, \$39.95. YOUR PRICE

SET, TUBES & BATTERIES

The Knight 5 complete with 2—32, 1—33, 2—34 R.C.A, tubes and 3—45 v. "B" and 1—2 v. Eveready Air Cell batteries.

teries. No. E9729. Beta Value, \$53.75. YOUR PRICE Retail



The Knight 5 Battery set may be efficiently used with a 32 v. Delco plant by tapping off two volts and employing 5-45 v. "B" batteries.



Set, Speaker and Remote Control

Here is the Knight DeLuxe Auto Set consisting of remote control, set, and Utah speaker, offered at a new low price. Retail \$ No. E9776. Value, \$39.50. YOUR PRICE

With Tubes, Less Batteries

The Knight Auto Set, including control, speaker, and 2-58, 1-57, 1-37, set, speaker, and 2-58, 1 and 2-41 Eveready tubes.

No. E9777. Value, \$50.95. YOUR PRICE Retail

Complete With Tubes, Batteries and Accessories

The Knight Auto Set complete with tubes. 3—45 v. "B" batteries, aerial, suppressors, condenser, and all necessary hardware.

No. E9779. Re Value, \$62.50. YOUR PRICE ...

Retail

grid tubes used only in the finest new A.C. sets, are built into the circuit of the Knight DeLuxe Auto Radio. They achieve double the rolume formerly possible—a new kind of volume which is absolutely quiet and undistorted—and in addition they give sensitivity and tone an entirely new aspect by spreading out over a much wider range of sound frequencies. These new tubes are a with stand of sound frequencies, the same have some the property of the same have so the same that you enjoy over your set at home.

S-G Push-Pull Pentode

Two new 41 tubes arranged in a mighty push-pull Pentode combination, form a perfect climax to the DeLoxe Auto Radio circuit which is capable of the finest sensitivity and keenest selectivity yet achieved by engineers in an auto set. Every obstacle formerly in the way of perfect auto radio reception has been eliminated in the PeLuxe 5 by the use of the new tubes, perfected chassis shielding, and an ingentously powerful circuit. The strong R.F. pick-up makes for uniform volume under varying condition. condition,

Utah Speaker

Flawless tone is reproduced in the Knight Auto Set through a Utah Universal Mount-ing dynamic speaker which may be installed easily at any position or angle.

EASY TO MOUNT

The receiver case of the DeLuxe Auto Set measures only 7 ½ x5 ½ x6 ½ inches and lends itself readily to mounting even in the smallest cars. The dynamic speaker is only 10 in. In diameter and 4 in deep. The Remote Control is attached to the stee ing post, and operates the receiver by means of a perfected universal joint positive mounting which is easily adjustable to any car. Shielded speaker and control cables help make a neat and extremely efficient mounting.

Perfect Control

You will derive endless pleasure on city and country roads, listening to strong clear radio entertainment that is comparable to that of the finest new Console sets. You will enloy especially the easy tuning from the unique new Full Vision Spotlight tuning disl. No back lash, no difficulties, Absolute selectivity at all points of the dial, and good strong sensitivity at all times. The DeLuxe Auto Radio is a Derfect auto radio.

is a perfect auto radio.



PLENTY OF POWER

The 5 tube Auto Set featured here is the same in appearance and size as the DeLuxe model described above except that it uses one 41 tube in place of two. Its very latest advanced serven grid circuit is rugsgedly designed and constant. The Utah universal mounting type speaker handles the output of the receiver without blast or distortion. Tone quality has been given major consideration and its vitality will be a source of constant radio pleasure. Enjoy programs even when you are away from home, and experience the same luxurious tone and power which your console radio possesses. Endo as you ride:

Control, Set, and Speaker

The Knight 5 Auto set consisting of receiver re-mote control and Utah speaker, offered less acces-

No. E9770. Betall

COMPLETELY SHIELDED

The positive volume control and unique Spot-light Full Vision Dial of the Knight 5 Auto set make it easy and enjoyable to operate. The compactness and simplicity Auto set make it easy and enjoyable to operate. The compactness and simplicity of the receiver and remote control construction lend themselves to quick simple installation on any make of auto. At the bargain price quoted, no car owner, should be without a Knight 5 Auto Set.

SIMPLE OPERATION

With Tubes, Less Batteries

The Knight 5 Auto set, including control, set, speaker and 2—58, 1—57, 1—37 and 1—41 Eveready tubes

No. E9771. Retail Value. \$42.25. YOUR

Complete With Accessories

The Knight 5 Auto set complete with tubes. 3—45 v. "B" batteries, aerial, suppressors, condenser, and all necessary hardware.

No. E9773. Retail Value \$53.75. YOUR





The Standard of Quality

Cunningham and RCA tubes are world famous for their fine standards of quality and dependable performance. The product tremendous resources, they represent the ultimate in scientific engineering, excellence in materials and precision of manufacture. Of rugged construction, they will stand up splendidly under continued usage. We list the complete line down to the latest developments. Each tube carefully tested before shipment.

THE NEW SUPER-

FREE NEW TUBE

We send free, with each purchase of twenty or more assorted Radlotron or Cuaningham tubes, the new Cunningham-Radlotron 83 page manual, prepared especially to supply technical information regarding the characteristics and operation of all vacuum tubes including the very latest superphonics. Over 130 graphs, charts, tables and Illustrations of tremendous value to all who have an interest in the technical aspect of radio tubes. A splendid

A C C C D F AMPLIANCE
A.C. S.G. R.F. AMPLIFIER
A.C. S.G. R.F. AMPLIFIER 224A E185. R.C.A. E135. Cunn. 97C
List, \$1.65. NET
MULTI-MU S.G. 5 PRONG 235 E180. R.C.A. 97C
225 E180, R.C.A.
=35 E130. Cunn.
List, \$1.65. NET
DETAMP. A.C. TUBE 227 E163. R.C.A. 62C
20 E 63. R.C.A.
227 E113. Cum. 62C
List, \$1.05. NET
POWER TUBE
24F E165. R.C.A.
445 E115, Cunu.
List. \$1.15. NET
DENTODE DOUBLE AND LETER
FENTURE PUWER AMPLIFIER
247 F134 Cum 7001
PENTODE POWER AMPLIFIER 247 E184. R.C.A. List, \$1.60. NET
Dist, \$4.00. [12]
FULL WAVE RECTIFIER
280 E167. R.C.A. 62C
The staff North
Entry Charles at East and a control of
A.C. OR D.C. AMPLIFIER
226 E162. R.C.A
E112. Cunn.
A.C. OR D.C. AMPLIFIER 226 E162. R.C.A. List. 85c. NET
DETAMP. 2 V. TUBE 230 E175. R.C.A. 97C
220 E175. R.C.A.
43 E125, Cunn.
List, \$1.65. NET
2 VOLT LAST AUDIO TURE
604 E176. R.C.A.
454 E126, Cunn.
2 VOLT LAST AUDIO TUBE 231 E176. R.C.A. E126. Cunn. 976
S.C. AMP AND DET D.C.
FIZZ RCA
8.G. AMP. AND DET. D.C. 232 E177, R.C.A. \$138
List, \$2.35. NET
D. C. P. POWER PRINCIPAL
D.C. 2 V. POWER PENTODE 233 E179. R.C.A. \$165
233 F120 Cum S1651
List, \$2.80. NET
List, PA.GO. MAZ
8.G. AMP. FOR AUTO SETS 236 E181. R.C.A. \$165
236 E181. K.U.A. S4651
The so so NET
List, \$2.80. NET
D.C. AUTO POWER PENTODE 238 E183. R.C.A. \$165
220 E183, B.C.A.
238 E133. Cunn. \$165
List, \$2.80. NET
D.C. AUTO DETAMP. 237 E182, R.C.A. 5106
237 F132 Cupp S4 06 1
List, \$1.80. NET.
LIBL CAOU. NEIL

Type Cunn. No 201A E108 112A E103 171A E104 200A E107

Cunn. No.

RCA No.

E158

E153 E154 E157

List

\$0.80

1.55 .95 NET

\$0.47 X199 .91 V199 .56 WX12 2.35 WD11

PHONIC TUBES
These tubes reproduce complete musical range, including 266 hererofore relationes missins on ordinary set. Enjoy superior, rich, full-bodled tone with the new Super-Phonic tubes. Not inter-change-
tones' missing on ordinary set. Enjoy
new Super Phonic tubes. Not Inter-change-
able with any previous types. CLASS "B" AMPLIFIER
16 E190. R.C.A.
46 E140. Cunn. List, \$1.55. NET. 91C
48 E150. R.C.A. \$720
POWER AMPLIFIER TETRODE 48 E150. R.C.A. \$2.20 List. \$3.75. NET.
DUPLEX-DIODE TRIODE
DUPLEX-DIODE TRIODE 55 E187. R.C.A. List, \$1.60. NET
GENERAL PURPOSE TRIODE 56 E192. R.C.A. 76C
56 E142. Cunn. 76C
List. \$1.39. NEI
TRIPLE-GRID AMP. DET. 57 E193. R.C.A. 97C
5/ E143. Cunn. 97C
3-GRID SUPER CONTROL 58 E194. R.C.A. 97C
List, \$1.65. NET
FULL WAVE MERCURY VAPOR RECTIFIER
RECTIFIER E191, R.C.A.
82 E141. Cunn. List, \$1.30. NET
F-W. M-V RECTIFIER. 5 V.
83 E196. R.C.A. 91C List, \$1.55. NET
DENI PY DIODE TRIODE POP & TOLT
AUTO SETS 85 E197. R.C.A. 85 E147. Cunn. 94C
55 E147. Cunn. 94C
List, \$1.60. NET
AUTO SETS
89 E148. Cunn. List, \$1.80. NET.
VOLTAGE AMPLIFIER
VOLTAGE AMPLIFIER 841 E188. R.C.A. E138. Cunn. \$823
E 138, Cunn.

RCA No.

E156 E155 E152 E151

Cunn. No.

E106 E105 E102 E101

List

\$2.55 2.75 3.00

NET

\$1.50 1.62 1.76 1.76

Cunn. No.

Type

250 281 210 E116 E118 E109 E128 RCA No.

E166 E168 E159

List

\$6.20 5.20 7.25

th	e technical aspect of radio tubes. A splendid idition to your radio library.
al nt	A.F. Amplifier-Modulator. Same as 210 but has low amplification factor. 842 E161. R.C.A. \$23 List. \$10.40. NET
ny he le-	SUPER CONTROL R.F. AMP. PENTODE FOR AIR CELL SETS 234 E186. R.C.A. List, \$3.80. NET
C	PENTODE AMP. FOR AUTO SETS 239 E189. R.C.A. \$165 List. \$2.80. NET. \$165
C	868 E199. R.C.A. \$588 List. \$7.50. NET
C	100 WATT. S.W. TRANS. TUBE 852 E169. R.C.A. \$2,520
C	1.5 WATT SCREEN GRID R.F. AMP. 08C. E170. R.C.A. \$1250
C	CURRENT BALLAST. MOGUL SCREW BASE 866 E171. R.C.A. \$608
C	List. \$6.75. NET
C	CUBRENT REGULATOR (BALLAST TUBE) 876 E173, B.C.A. List. 86.70. NET. \$394
C	CURRENT REGULATOR (BALLAST TUBE) 886 E174. R.C.A. List, 86.75. NET.
6	SCREEN GRID R.F. AMPLIFIER 222 E160. R.C.A. E110. Cunn. List, \$3.15. NET
3	HI-MU DETAMP. 240 E164. R.C.A. E114. Cunu. List, \$3.00. NET. \$176

NET

\$3.65 3.06 4.26 1.76

BIGGER VALUES

No higher quality tubes could be offered at such low prices. The ability to stand up under the severest usage reflects the care and precise methods used in their construction. Each tube is put through a rigid test before being released assuring the ultimate in performance. Popular types at popular prices.

AMPLIFIERS DECTIFIEDS

MECIAL MINS					
No.	Type	List	NET		
E315	245	\$1.15	\$0.45		
E334	247	1.60	.63		
E309	210	7.25	2.84		
E316	250	6.20	2.43		
E317	280	1.05	.41		
E318	281	5.20	2.04		
E341	82	1.30	.51		
E321	866	7.50	2.94		

TYPE

A.C. TYPES

75.0.	LILLIG
	24A
Screen	Grld Amp.
No. E335.	NET \$0.65
List, \$1.65.	NET GOOD
40 2	26
No. E312.	inplifier
List, \$0.85.	NET •33
1.181, 40.00.	27
Detector	Amplifier
No. E313.	44
List, \$1.05.	NET .41
2	35
	ble Mu.
No. E330.	NET .65
	51
	ble Mu.
No. E337. List, \$1.65.	NET .65
17181, 27.00.	16
	rid Amp.
No. E340.	
List, \$1.55.	NET .61
	56
Super-Tr	lode Amp.
No. E342.	C4
List, \$1.30.	
	57
Triple-G	rid Amp.
No. E343.	NET .65
List, \$1.65.	MAN
. Triple Grid	Super Amp
No EZAA	L =
No. E344.	NET .05

LIST NET

.65

D.C. TYPES

201A
Detector Amplifier
No. E308.
List, \$0.80. NET \$0.31
Power Amplifier Power No. E303. List, \$1.55. NET 17 | Ampli .61 Power Ampilifier
No. E304. NET 222
D.C. Shield Grid
No. E310. NET 1.23
List, \$5.15. NET 1.23
No. E325. List, \$1.65. NET 231
No. E326. Shield Grid
No. E326. List, \$1.65. NET 231
No. E326. List, \$1.65. NET 231
No. E326. 2 Voit Power Amp.
No. E3326.
List, \$1.65. NET
2 Voit S.G. Amp.
No. E3327.
List, \$2.35. NET
2.33
2 Voit Pentode Amp. No. E329. List, \$2.80. \$2.80. NET 1.10 V 199 Detector Amplifier No. E305. List, \$2.75.

NET



D.C. TYPES

D.C. TYPES

X 199
Dry Cell Det. Amp.
No. E306.
List, \$2.25. NET \$1.00
Dry Cell Amp.
No. E328.
List, \$2.26. NET 1.18
Super R.F. Pentode
No. E336.
List, \$2.80. NET 1.10
S.G.R.F. Amp.
No. E331.
List, \$2.80. NET 1.10
Power Amp. Pentode
No. E332.
List, \$2.80. NET 1.10

NET 1.10



The Profitable Long Life Tube

We are giving FREE, a choice of 227 or 280 Triad
tubes. in the following quantities:

7 tubes free with each purchase of 25 Triad Tubes
7 tubes free with each purchase of 50 Triad Tubes
Take advantage of this attractive offer. Many leading
receiver manufacturers use Triad tubes as standard equipment. That proves their excellence.

DESCRIPTION

ATU.	LALE	DESCRIPTION	AJAC) A	
E435.	T 24 AC	Screen Grid R.F. Amp	\$1.65	\$0.73
E412.	T 26	Amplifier	.85	.37
E413.	T 27	Detector Amp	.105	.46
E430.	T 35	Super Control R.F. Amp		.73
E437.	T 51	Screen Grid Variable Mu		.73
E440.	T 46	Dual Grid Power Amp	1.55	.68
E442.	T 56	Super Triode Amp		.57
E443.	T 57	Triple Grid Amp		.73
E444.	T 58	Triple Grid Super Control		
	. 00	Amp.	1.65	.73
E408.	T 01A	Detector Amplifier	.80	.35
E403.	T. 12A	Amplifier Detector	1.55	.68
E404.	T 71A	Power Amplifier	.95	.42
E410.	T 22 DC	Screen Grid R.F. Amp	3.15	1.39
E425.	T 30	Detector Amplifier	1.65	.73
E426.	T 31	Power Amplifier	1.65	.73
E427.	T 32	Screen Grid R.F. Amp	2.35	1.03
	T 33	Power Amplifier Pentode.		1.23
E429.	T 34			1.23
E436.	1 04	Super Control R.F. Amp. Pentode	2.80	1.23
E421	Т 36	Screen Grid R.F. Amp	2.80	1.23
E431.	T 36			.79
E432.		Detector Amplifier	2.80	
E433.	T 38	Power Amp. Pentode		1.23
E439.	T 39	Super Control R.F. Amp.		1 22
	m 00	Pentode	2.80	1.23
E417.	T 80	Full Wave Rectifier	1.05	.46
E418.	T 81	Half Wave Rectifier	5.20	2.29
E441.	T 82	Full Wave Mercury rect.	1.30	.57
E421.	T 866	Half Wave Mercury rect	7.50	3.30
E415.	T 45	Power Amplifier	1.15	.51
E434.	T 47	Power Amp. Pentode	1.60	.70
E409.	T 10	Power Amp. Oscillator	7.25	3.19
E402			9 00	

E423. T 108 Special R.F. Power Amp. . 8.00 TELEVISION-Sound Movie-Photo Cells

E449.		Crater Neon	
E445.		Television Tube 1 1/2 " Plate	
E450.		Sound Movie Power Amp	
E420.		Amp. Detector and Osc	
E446.		Photo Cell 31/16"	
E447.		Photo Cell 41/4"	
E448.		Photo Cell 3%6"	
E422.	T-868	Photo Electric Cell	6.61

List, \$2.80.

1.08

EVEREADY RAYTHEON TUBES have four pillars embedded in solid glass base and braced at top with a mica plate, thus providing 8 points of support for the elements instead of two as in ordinary tubes. This feature enables EVEREADY RAYTHEON TUBES to withstand greater

EVERE	ADY B	YTHEON TUBES to with	stand	greater
		in shipment and to offer last		
NO.	TYPE	DESCRIPTION	LIST	NET
E669	ER 46	Dual Power Amp	1.55	\$0.82
E670	ER 49	Dual Power Air Cell		
		Amp	2.80	1.48
E671	ER 52	Dual Power Auto Amp	2.80	1.48
E672	ER 55	A. V. C. Det	1.60	.84
E673	ER 56	Triode Detector	1.30	.69
E693	ER 57	Pentode Det. or Amp	1.65	.87
E694	ER 58 ER 82	Variable Mu Pentode Full Wave Mer. Rect	1.65	.87
E695 E696	ER 83		1.30	.69
E697	ER 85	A. V. C. Auto Det	1.60	.84
E698	ER 89	Universal Power Auto	1.00	.04
E090	L-+ 00	Amp.	1.80	.95
E689	BA	Full Wave Rect.	7.50	3.97
E688	BH	Full Wave Rect. for "B"	4.65	2.46
E690	BR	Half Wave Gas. Rect.	2.00	
		for Auto "B" Ellm	2.75	1.46
E699	LA	Pentode Auto Amp	2.80	1.48
E653	EB 112A	Triode Det. or Amp	1.55	.82
E678	ER 120	Amp. for Dry Battery	3.00	1.59
E654	ER 171A		.95	.50
E655	ER V199		2.75	1.46
E658	ER 2014			
		Battery Sets	.80	.42
E659	ER 210	Triode Power Amp	7.25	3.84
E685	ER 224A		1.65	.87
E662 E663	ER 226 ER 227	Triode Amplifier	.85	.45
E675	ER 230	Triode Det. or Amp	1.65 1.65	.56
E676	ER 231	Power Amp. for Air Cell	1.65	.87
E677	ER 232		2.35	1.24
E679	ER 233		2.80	1.48
E686	ER 234	Vari. Mu Pentode Amp.	2.80	1.48
E680	ER 235		1.65	.87
E681	ER 236	Screen Grid Det. or Amp.	2.80	1.48
E682	ER 237		1.80	.95
E683	ER 238	Pentode Power Amp	2.80	1.48
E674	ER 239	Variable Mu Pentode	2.80	1.48
E665	ER 245	Triode Power Amplifier	1.15	.61
E684	ER 247	Pentode Power Amplifler		.84
E666	ER 250	Triode Power Amplifier	6.20	3.28
E667	EB 280		1.05	.56
E668	ER 281	Hall Wave Rectifier	5.20	2.75
E687	ER 551	Vari. Mu S. G. Amp	1.65	.87

Y-224A SCREEN GRID AMPLIFIER No. E235. List, \$1.65. YOUR 49c ¥-227 DET. AMP. No. E213. List. \$1.05. YOUR 31c PRICE X-226 AMPLIFIER No. E212. List, \$0.85. YOUR 25c X-280 FULL WAVE RECTIFIER E217. No. E217. List, \$1.05. YOUR PRICE 31c

X-201A

24c

DET.-AMP. No. E208. List, \$0.80. YOUR

X-200A DETECTOR No. E207. List, \$1.00.

YOUR \$1.18

X-112A POWER AMP. No. E203. List, \$1.55.

YOUR PRICE 46c V-199

Detector Amplifier for dry cell. No. E205. List, \$2.75. YOUR81c PRICE

X-120

DRY CELL AMP. No. E228. List, \$3.00. YOUR PRICE88c

Power A No. E209. List, \$7.25. YOUR Amplifier. \$2.14 PRICE

X-250

AMPLIFIER
No. E216.
List, \$6.20.
YOUR \$1.82 X-281

Half-Wave Rect. No. E218. List, \$5.20. YOUR PRICE . \$1.53

X-240 Hi-Mu Voltage Amplifier. No. E214. List, \$3.00. YOUR 88c

PRICE X-12 DET.-AMP.

For dry cell. No. E202. List, \$1.55. 46c NET

SENSATIONAL LOW PRICES

Hylon tubes represent quality at a rare low price. They are built to rigid modare yet built to rigid mod-ern requirements, under the latest methods of economical manufacture. The extremely low price is no measure of the unusually fine service given by these tubes. Will adequately fill the require-ments of set owners, dealers, and service men with whenand service men with splen-did results in performance and in savings and profits.

TYPE X-245 POWER AMPLIFIER

Power output tube for last udio stage. 1.6 watts outaudio stage. 1.6 watts ou put at plate voltage of 250. No. E215. List. \$1.15 34C YOUR PRICE ...



THE QUALITY TUBE



PRICE

Famous Quick Heaters

The famous Arcturus tube is noted for its quick action, its noiseless operation, and its ability to withstand current surges. Try the Arcturus in your receiver and enjoy clear, humless tone, increased volume, and exceptionally long life. This area of the company of the compan super-quality has established the wide reputation of Arcturus A.C. tubes.

		ALOU TUDEN		WY STREET
No.	Туре		List	NET
E508	101 A	Detector Amplifier	E0.80	\$0.42
E509	110	Power Amplifier	7.25	3.84
E503	012A	Detector Amplifier		.82
E510	122	S.G. Amplifier		1.67
E535	124A	S.G. Detector Amplifier		.87
E512	126	Amplifier	.85	.45
E513	127	Detector Amplifier	1.05	.56
E525	130	Detector Amplifier		.87
E526	131	Power Amplifier		.87
E527	132	S.G. Detector Amplifier		1.25
E529	133	Power Pentode	2.80	1.48
E538	134	Var. Mu R.F. Pentode		1.48
E531	136A	S.G. Detector Amblifler.		1.48
E532	137A	Detector Amplifier		.95
E533	138A	Power Pentode		1.48
E524	139A	Var Mu D F Pantode		1.48
E539	44	Var. Mu R.F. Pentode Var. Mu R.F. Pentode	2.85	1.51
E515	145	Power Amplifier	1.15	.61
E519	46	Class "B" Amplifier		.82
E516	150	Power Amplifier		3.29
				.87
E537	551	Var. Mu R.F. Amplifier	1.60	.85
E522	55	Duplex-Diode Triode		.69
E523	56	Det., Amp., Oscil		.87
E543	57	S.G. Detector Amplifier		
E544	58	Var. Mu R.F. Pentode		.87
E520	59	Gen. Pur. Power Amp		1.17
E504	071A	Power Amplifier		.50
E517	180	Full-Wave Rectifier		.56
E518	181	Half-Wave Rectifier		2.76
E545	82	F-W Mer. Vapor Rec	1.30	.69
E546	83	F-W Mer. Vapor Rec		.82
E547	65	Duplex-Diode Triode		.85
E548	89	Gen. Pur. Power Amp		.95
E505	099T			
E606	099U			1.35
E540	G.A.	Power Pentode	2.75	1.46
E534	P.Z.	Power Pentode		.85
E541	Wund	lerlich A Detector	3.00	
E542		ler. A Automotive Detector.		1.76

THE LATEST DEVELOPMENTS TELEVISION—SOUND MOVIE TUBES AND PHOTO-ELECTRIC CELLS

The intest scientific developments in tube manufacture in the famous Triad products. Triad tubes have established a world-wide reputation for exhave established a world-wide reputation for ex-cellence in performance and durability. Here are newly-designed tubes for the latest needs. Highest quality equipment for the experimenter and amateur broadcaster, for sound film work, public ad-

dress systems, and television.
All tubes listed helow are subjected to rigid tests before release and are in perfect condition when shipped. They are offered on a final sales basis, not subject to return.

CRATER NEON TYPE

New Triad product used in reproduction of television pictures, in conjunction with lense type Scanning Discs. Produces intense light source and can be applied for any type of optical system. Approx. striking voltage 180.0. Max. Current 40 M.A. Approx. Crater light source. 030 in. No. E449. YOUR PRICE.... \$8.82



T-TEL.

Triad television tube designed for use with usual conner. Maximum brilliancy with low current consumption. 1½ in. plate; approx. striking voltage 190.0. Max. current 25 M.A.

No. E445. YOUR PRICE. \$5.51 Blate Floatste Calls

		I moto-knectife bells	
No.	E446	Type PEC-2 NET	\$13.28
No.	E447	Type PEC-3NET	17.64
	E448	Type PEC-7NET	13.28
No.	E422	Type 868NET	6.61
		Sound-Movle Types	
No.	E400	Type 211NET	\$15.75
	E401	Type 845 NET	
No.	E450	Type 205DNET	4.41

ARCTURUS PHOTOLYTIC CELL

Type P4A, Photolytic Cell for improved operation of every photo-electric device. No. E536. List, \$31.50. \$15.75 YOUR PRICE

VOLTAGE REGULATORS-INTERFERENCE DEVICES



AMPERITE SELF ADJUSTING LINE VOLTAGE CONTROLS

The Voltage "Watchman" in your radio. Keep voltage constant with AMPERITE for best and uniform radio reception. Eliminate all noises caused by overloaded resistances and condensers; avoid tube and power pack burnouts, maintain even volume, perfect tone-install AMPERITE. Service men. Increase your profits, stock AMPERITES. Service men. Increase your profits, stock AMPERITES. The power pack installation. Shope, w. 1 b.

FOR YOUR CONVENIENCE

THIS AMPERITE CHART

Catalog No.	Tubes in A.C. Set	Use Amperite
E1072.	 6	6-A-5
E1074.	 8	7-A-5
	 9	9.A-5
	11-12	II-A-5

SPECIAL AMPERITE CONTROLS

No: E1064:	20.A-5.	For 7 to 11 tube sets using 2-50 tubes and for 110 Volt D.C. Sets.	
No. E 065. No. E 066. No. E 067. No. E 068.	9-20. 11-20. 90. 70.	For Brunswick 14, 21, and 31. For Hi Q-30, Kriectron K71, K72, Peerless 21 to 25. For Majestic 90, 91 and 92. For Majestic 70, 71 and 72. For Majestic 70, 71 and 72.	Each Amperite List, \$3.00. YOUR PRICE

For Star Raider.
For Victor R35 and 39.
For 5 to 6 tube auto sets.
For 7 to 8 tube auto sets. 9-V-10. 16-A. 22-A. Adapter Socket. List, 35c. YOUR PRICE... 15c Special Mounting Adapter for 9-V-10. List. 50c.

CLAROSTAT A.C. LINE VOLTAGE REGULATOR

A perfect line voltagez control that automatically adjusts line voltages. It is safe, compact and churable, and is ideal for safe operation on fluctuating voltages. Easy to 'install. For 110 Volt A.C. sets consuming waits as specified. 1 lb. each. Watts E2241 O. Up to 50 E2230 B. List. \$1.75. YOUR PRICE

Clarostat Line

Replacement Ballasts

Coffers compensation for line voltage changes for sets designed for use with ballast. These line ballasts will minimate the normal voltage across the primary of the power transformers within the allowable limits for emfent operation in spite of from 95 to 125 Volts. We can supply replacement line ballasts for sets not mentioned below. Order with deposit, olving make, model and year of set and number of tubes.

Set
Bremer-Tully
Brunswick Hi-Q-30, Scott.
Silver, Sonora
Majestic 70
Clarlon, Hi-Q-31
Majesta 72
Majesta 80

Majestic 80
Majestic 80
Majestic 90
Majest

Stewart Warner 950-62152 970-62152 Warner Model

Voltage Regulator

Readrite A.C. Metered



An. C. Voltnieter and power rheestat which was a working range between 130 and 100 volts. Perfect visual control. Voltnieter has red scale, and a black line maximum voltase division marked 115. With cord and plus. 1½ lb. No. E6340. \$368. YOUR PRICE

Aerovox Interference Eliminator

The Arrovox Interference Eliminator furnishes a real noise-free background upon which the tone of your receiver stands forth with greater brilliance. It eliminates power line noises or disturbances from niotors

and other household devices. No tools needed-just plug in. With cord and plug. Shpg. wt., 3 No. E850. List. \$5.00. 3 lhs. YOUR PRICE

\$294

FALCK CLAROCEPTOR



Faick Claroceptor banishes annoying electrical disturbances caused by telephone-motors, street cars, etc. It provides a freedom from extraneous noise that makes reception that per selectivity. Easily installed, 2 bs.

No. E805. \$ 294 VOUR PRICE

Protex-Tube Voltage Regulator



1508

1012

2518 2516 5001

5002 E2243

E2244 5003

YOUR PRICE

An air cooled, voltage regu-lator. Fits any standard set socket or out-let and will deliver correct

E2933. Each. 33c. of 10. Each...

her of tubes.

\$ 1 35

Bud Interference Filter

A highly serviceable fil-ter that does away with "man made static" caused by motors, elevators, bells, refrigerators and other elec-trical appliances.

Capacity Type

As a capacity fifter, there is no danger of burnouts. Built into a nearly finished, all bakelite box. I lb. No. E | 60 | . List. \$2.85. List. \$2.85. YOUR PRICE

GEM INTERFERENCE FILTER



Install a Gem Line Filter Ellmi-nator to help elim-inate any A.C. or D.C. line interfer-D.C. line interfer-ence from your set. Disturbances caused by genercaused by gener-ators, vacuum cleaners, elevators, etc., are readily reduced. Can be placed near or in-side of radio. Place plug of eliminator

into wall socket and radio plus into eliminator nator socket. Maximum 110 Volts A.C. or D.C. Current. Shpg. wt., 1½

No. E3223. List. \$2.50. YOUR PRICE

ESSENBEE CLARATONE

Combines three func-tions in one instrument, serving as an interference eliminator, tone clarifier, serving as an interference eliminator, tone clarifor, and volume control. The Claratione enhances tone onsilty, and permits tuning out of interfering stations. Reduces crackling and popping sounds. Mahogany crystalline fulsi case. 1 lb.

No. E3215. List, \$3,00.

CLARATONE

LC.A. FILTERVOLT

JUNIOR Banishes interferences caused by common house-hold devices. Compact, and easy to install. No tools necessary. Trim black ennecessary, ameled case 1 lb.

No. E4213. List, \$3.00. YOUR PRICE



POPULAR MODEL



This model has more than twice the capacity of the Junior model. Designed for use with motors on refriser-chines, etc., and can be used either at the radio set or at the apparatus causing the disturbance. Sing. w., 4 lbs. No. E4206.

\$276 List. \$5.00. YOUR PRICE ...

SENIOR MODEL



The famous Filtervoit noise eliminator. Quickly subdues those disturbing cracks and hisses caused by washing machines, electric signs, refrigerators and similar apperatus. Compact and may be

of special tools. Operates on A.C. and D.C. current, 25 to 60 cycle 110, 200 V. and 32 V. farm systems. Shus. Wt. 3 lbs. No. E4211.

Universal Resistovolt

An automatic volt-An automatic voitage regulator that
maintains a constant
voits, and thus prevents A.C. tubes from
hurning out. Operates automaticalls and requires no attention. Shaze wt. I D. each
No. 24215. Lizht Duty for sets up to 8

tubes.
No. E4207. Heavy duty
for sets over 6 tubes.
List, each. \$1.25. Your Price

REPLACEMENT CELLS—RECTIFIERS

ELKON REPLACEMENT DRY RECTIFIERS



TYPE XP-12 FOR PHILCO

The Elkon all-dry metallic rectifier replacing Phileotron A and AA wet iars used in Phileo trickle chargers, A power, and A and B combinations. Easily

wires to connect Shipping attached, only two wires No liquids—no attention.

weight 1 lb. No. E3 180. List Price, \$4.00. YOUR PRICE.

TYPE X-B-16

The Elkon rectifier for the followunits: M Majestic Elkon Knapp, Green Brown, Fada, Tobe, Brach, Webster, Bernard, Mayolian, Sentinel, napp Sentinel Phileo. and General Instrument.

ping weight 2 lbs. No. E3182. List Price, \$7.0 YOUR PRICE

TYPE BJ and BNK for BALKITE and PHILCO CHARGERS

Solld, dry, noiseless rec-tifiers for replacing wet acid jars. Simply in-stalled. Increase charging rate of Balkite N charger model K to .8 amp., and on 0% higher on all charging

ates. lo. E3184. Type B4 for Balkite J No. E3181. Ty No. E3181. Ty N & K chargers. List Each, \$5.00. NET EACH. Type BNK for Balkite

TYPE XB-4

Elkon dry rectifiers for trickle and tapering chargers. Rectifiers should be replaced on these chargers every 5.000 hours. Type XB-4 (3 units to a set) should be used in the following: Elkon. Acme. Bernard. Cleveland. National

and Precision. Shpg. wt. No. E3187. List. \$4.00. \$2.35 YOUR PRICE

BL DRY-DISC RECTIFIERS



BL rectifiers are absolutely dry, compact, noiseless, of long life, and insure steady cur-rent delivery. The rectifytype "B" rec adaptable to a variety of uses, in-

cluding such devices as dynamic speakers. "A" Power battery chargers. electric time clocks, etc.

For use on Valley A Power—Type DMA. Websier A Power. Green Brown A Power. Tobe, etc. Shpg. wt., 2 lbs. Ust Price, \$5.00.

TYPE B-12

For use on following "A" units and chargers: Sterling R-108 M. Trans. Corp. of Am. No. 646. Valley MB. Galvin. Acme. Arco. Braun. Consolidated. D. C. Battery, France. Gen. Inst. Triple Specialty. Universal, Green-Brown. Stewart Duo-rate. Sterling R-92. Valley Automatic, Knight 2-Rate, and King. Shps. tomatic, h wt.. 2 lbs. No. E1405. List Price, \$4.50. YOUR PRICE...

HANDY METALLIC REPLACEMENT RECTIFIER



Replaces the old type fragile glass bulb. For all 2 amp. trickle chargers. Sturdily constructed assuring quiet recti-fication. Delivers 2 1/2 amps, or trickle

16 No. E4260. List Price, \$4.00. YOUR PRICE...

Replacement Fluid for

WILLARD B ABOX A

WILLARD

Replacement fluids with chemically correct formulas chemically correct formulas for the purpose intended. Di-rections printed on each con-tainer. Shpg. wt., 5 lbs. No. E7500. No. E7502. No. E7503. WILLARD B. EXIDE B. No. E7503. ABUL A & BALKITE A No. E7501. PHILCO B. No. E7504. BALKITE B AND TRICKLE CHARGERS List Euch, \$1.50.
Anst. Per doz, \$7.50.
NET BACH

K&N. 68c

NOTICE-NOT MAILABLE

Eveready Raytheon Rectifiers



TYPE BH A full wave rectifier, standard for most "B" elim-inators, 350 V. R.M.S. per anode, 125 M.A. maximum. Shpg. wt., 1 lb.

No. E688. List, \$4.65. YOUR PRICE.

TYPE BA

A high current rectifier used in power supply units for sets having 201 A tubes wired in series. 350 M.A. Maximum. Shpg. wt. 1 lb. No. E689. NET EACH List, \$7.50.

Type BR for Auto Eliminators A half wave gaseous type rectifier for automobile set "B" eliminators. A new purpose tube with Eveready Raytheon customary high quality. Shpg. wt.. 1 lb. No. E690. List, \$2.75. YOUR PRICE

Dumont High Capacity Replacement Condensers



Accurately constructed of high grade materials, these Dumont replacement condensers are exact reproduc-tions of the originals employed in the popular makes of "A" eliminators.

FOR STANDARD

"A" ELIMINATORS Exact repliess both physically and in capacity of the original condensers employed d in such standard standard Knapp, Elkon, etc.

No. E2740. Elkon Replacement Condenser.
No. E2741. Kuprox A.
No. E2742. 2.000 Mfd.

List Each, \$4.50. NET EACH

REPLACEMENT CELLS FOR WET "A" AND "B" ELIMINATORS



Standard replace-ment cells for wet eliminators. Provide trouble free service. No attention necessary other than to add distilled water occasionally. The large electrodes permit high power out-

Not mailable. heating of the solution. TYPE (AA)

This is a flat rectifier jar for replacement in 6 Volt "A" power units which make use of electrolytic rectifiers. Careful construction assures full charging rates in units properly designed for their use. Shog. wt. 7 lbs. No. E4412. List, \$4.00. \$25 VOUR PRICE.

TYPE (A)

A round rectifier jar designed for re-placement in 4 voit "A" power units making use of electrolytic rectifiers. Gives excellent results. Shpg. wt. 4 lbs. No. E4411. List, \$3.00. YOUR PRICE. 47

TYPE (B) Bound replacement cell to supply the demand for a long life rectifier for electrolytic "B" eliminators. Suitable for "B" eliminators, such as Willard. Exide. Vesta, Balkite and Ferbend. Cover can be unscrewed to permit change of solutions. Only chemically pure aluminum is used for the positive electrode, while a chromium alloy serves as negative post. Very economical. Shpg. wt., I bb.

No. E4410. List, \$1.00. YOUR PRICE, EACH

GENUINE G. E. TUNGAR BULBS



The well known, highly efficient G. E. Tungar Bulbs. Used in all standard chargers. Made by General Electric Shpg. wt., 2 lbs. No. E3761. 5 amp. List. \$8.00. \$5.49 YOU'R PRICE...

No. E3763. .6 an No. E3762. 2 am No. E3764. 2 am Each. \$4.00. .6 amp. 2 amp. 2 amp. with tip. List, Each. NET EACH.

LONG LIFE FULL WAVE RECTIFIER

For "B" Power Units

A popular priced long vice rectifying tube for "B" power units requiring the gaseous type of tube rated at 125 mils. 300 Offered at a new ce. Shpg. wt., 1 lb. low price. YOUR PRICE ..



GENUINE KELLOGG A.C. TUBES



The high quality, popular Kellogg A.C. tubes, released only after rigid laboratory tests. Shpg. wt., 1 lb. each. No. E691. Type 401 Detector Amplifier.

Amplifier. List, \$4.00. YOUR PRICE..... \$2.35

No. E692. Type 103. \$2.94 YOUR PRICE

TUBE TESTERS EW READRITE

Witch Readrite Developments. The brilliant engineering which has characterized the present Readrite line, is now perfecting startling new developments that promise to actound the radio industry. Allied is proud to be a direct Readrite factory distributor. We carry every instrument We carry every instrument that Readrite produces. We list or can promptly furnish any Readrite product. Write us for Readrite information and literature. Any Readrite tester, meter or adapter can be supplied promptly. More complete information on anything in the Readrite line is your for the asking.



New Readrite Model 406

A new and complete counter tube tester that can also be used as a portable type for the service man or for testing tubes at home. An instruction chart is fastened to the tester panel and even the most inexperienced can test tubes without difficulty. A push button provides two plate courts readings for determining the court. current readings for determining the con-ductance and worth of a tube. The simplified single scale meter is made possi-ble by the wide change in readings. The meter is placed on pin jacks and is easily removable. A fuse is con-nected with the meter, insuring against burning out at any time because of a shorted tube.

New Type Illuminated Dial

When the tester is in operation a pilot bulb, directly underneath the meter, illuminates the dial, making it very easy to read. Both the lamp and the fuse are easily renewed by detaching the meter. This compact unit is mounted in a very strongly built case with reinforced corners. The case is covered with neat strong leatherette. Rubber feet insure against seventhing. The core is detachable and a leather handle is provided for portable use.

Tests All Tubes Without Adapters

It plugs into the A.C. line and gives a very complete test on all old and new type tubes, including tubes having 4.5, 6, and 7 prongs, without the use of adapters. The type 80 tubes are tested in the same manner as the other types, which is a new feature.

No. E6415. List. \$25.00. YOUR PRICE



New 407 Tube and Short Checker

The 407 Tube Tester has all the character-istics of the 406, described 406, described on the left, but in addition

provides a complete short test of the tube. All shorts, see and leakage tests are made with the tube heated under operating conditions. Tube is tube heated under operating conditions. Tube is tube to the tube of tu provides a complete short test of

leakage condit No. E6419. List, \$30.00. YOUR PRICE

No. 450 Tube Short Tester

A real trouble saver.
Three lights instantly show shorts. Position of lever switch indicates parts shorted.
Requires 4½ volt C battery and comes complete with lampand com and

No. E6343. List, \$3.50. YOUR PRICE.



Customer Tube Tester Display Case No. 430

Display Case No. 450

dition to any store that values customer appreciation. With this tester, which is to be considered to the construction of th

No. E6416. List. \$40.00. YOUR PRICE



Readrite 444 Tube

Tester Carrying Case
The 444 is a complete portable type tube
tester in carrying case using a direct reading 445 persons to specific the second of the sec

0



No. 900 Utility **Appliance Tester**



No. E6418. \$ List. \$22.50. YOUR PRICE

READRITE TEST ADAPTERS



\$1470

The adapters listed below are for use in testing the many new tubes which have recently appeared on the market. For testing with set testers and tube testers. The same adapter may be used with similar testers of other manufacture. Other special adapters may be had other manufacture. When ordering specify model of tester or manuer in which it will be used.

E63 tO. 45-R for 2 volt tubes. E6355. P.T. for 46 and 47 tubes.

E6311, 36 for 36, 38, 39, and

E6312, 61 for Wunderlich and Majestic GS 2 tubes.

E6313, 62 for 65, 85, 69, and 29 tubes.

E6314. 92 for 292 tubes. E6315. 37 for 37 tubes.

E6352, 54 for 4 to 5 adapter. E6316. 57 for 57, 58, 89, 41 and 42 tubes.

E6317. 174 for 59 tubes. E6318, 64 for 4 to 6 adapter.

E6319. 63 for 5 to 6 adapter. YOUR PRICE..... 44C

E6326. 56 2½" bakelite handle plus, for use with Readrite testers. 5 prons.

E6327. 6 prong plug. List, 75c complete, NET EACH44c E6320, 82 for testing 82 and 83 tubes.

YOUR PRICE...........73C E6321. 58 Double Adapter to test 6 prong tubes.

E6322. 176 Double Adapter to test 7 prong tubes.

List. \$1.50. YOUR PRICE...... 88C E6323. 175 Double Adapter to test type 59 rube, 7 prong.

List, \$2.00. YOUR PRICE...... \$1.18

E6324, 167 6 - Hole Socket with one center prong on 7 pronz plug.

E6325. 4 for adding speaker or headphone to radio set. Use 2 if push pull.

E6353, 45 4 Prong Socket on 5 prong plug.

Readrite Direct Reading Ohmmeters



These ohmmeters are complete with small 8 cell fishlife battery. Model 500 tests resistance by direct reading up to 10,000 ohms. Model 502 tests low resistance up to 400 ohms in addition to the higher resistance of 19,000 ohms.

No. E6367. Type 500. List. \$6.00. \$3.53

No. E6358 Type 502. List, \$7.60.

No. E6397. Type 503 Resistor to increase reading of type 88C 500 to 80,000 ohms. List, \$1,50. YOUR PRICE. No. E6359. Type 504 Resistor to increase reading of 500 \$1.18 and 502 to 100,000 ohms. List. \$2,00. YOUR PRICE.....\$1.18



READRITE NEW TEST EQUIPMENT

Readrite is first with the latest, showing the Newest. Up To The Minute test equipment at prices that are low for quality instruments. These New Meters and set analyzers are complete in every detail, testing all new Circuits as well as old.

Readrite Meters are so constructed that they can be safely used by any one. Detailed, simple instructions accompany each instrument. The long experience and careful engineering for which Readrite has long been famous, have served to make these instruments among the most popular in the radio field. Readrite is a ploneer in the radio field and is known by service men all over the country for quality and price.

NO. 710 ANALYZER & TUBE TESTER

The Readrite 710 is universal in its application. Provision is made to check all types of tubes. The new type 46-55-56-57-58 and 82 are accurately and rapidly tested. All of the older tubes can be checked just as efficiently. For the serviceman who wants to handle his calls properly and rapidly the Readrite 710 is a wonderful help.

TESTS 4-5-6 AND 7 PRONG SOCKET SETS

Very easy to operate, equipped with a practical selector switch for checking all parts of tube circuit by connecting to set socket. Selection for testing voltages of plate, grid, cathode, suppressor grid and screen grid is done quickly and accurately. Plate current, filament volts, also line and power supply volts are measured. The battery is used for the continuity testing of transformers, chokes, etc. Capacity and resistance charts are furnished showing use of instruments for testing condenser, also measuring resistances up to 100,000 ohms.

TESTS ALL TYPES OF TUBES

The Nine Scale readings of the Meters may be used separately with the Jack terminals provided. Scale readings are 0-20-60-300-600 D.C. Volts, 0-10-140-700 A.C. Volt, and 0-15-150 M.A. Both A.C. D.C. fill the separately measured on one Meter. Contains new wiring with added 7 socket. Housed in a strong, attractive leatherette covered casevery compact size 10\% x 3\% x 8, with detachable cover. A utility tester that every well equipped service man should have. Will pay for itself in rapid testing and customer satisfaction. Operation so simple that anyone can use it efficiently.

READRITE COMBINATION TEST SETS SET TESTER—TUBE TESTER—OSCILLATOR



90

NEW ADD-A-UNIT PLAN

what you need or can afford later. now. Get the balance later. And when you have the complete assembly, you have the complete assembly, it is mounted in one convenient case. The entire assembly provides you with a tester that will serve every need, either in the shop or on your calls. The complete unit contains the No. 7nd Analyzer with 407 Tube Tester No. 7nd No. 550 No. Call at Or. Tube Tester No. 100 built on a panel which is easi slipped into place as it is purchased

The 710 Analyzer—407 Tube Tester and the 550 Oscillator in one carrying case.

The complete unit of 3 instruments already mounted in the sturdy, Leatherette covered case, provides an unique testing laboratory to serve your every need. All units are readily accessible; the meters can be easily read, while the plug in cords and adapters are conveniently placed adjacent to the meters. Every service man needs this compact efficient unit. It is complete and serves every radio need.

No. 577 Combination

1 . C ...

Combines No. 407 and No. 710 Testers with the No. 550 Oscillator.
Tests tubes, set circuit and aligns tuning condensers. The oscillator and tube tester are on one panel, with the set tester in a drawer undermeath. Case size 22%x8½x3½ in.

No. E6407. List Price, \$90.00 YOUR NET PRICE

No. 576 Combination

Combines the 406 and 710 testers with the 550 Oscillator. Same as above except that 406 tube tester is used instead of 407.

No. E6409. List Price, \$85.00. YOUR NET PRICE

No. 710 Analyzer Less Case

This section of the Add-A-Unit plan has same meters and equipment that are listed under the 110 set analyzer. Built on a panel to be stipped into the Add-A-Unit case. to be slipped No. E6412.

List Price, \$20.00. YOUR NET PRICE

550 Oscillator Less Case

This section of the Add-A-Unit Tester is the same in performance and construction as the 550 Oscillator described on Page 17 of our catalog. Mounted on the slide on manel for easy mounting in the Add-A-Unit case.

No. E6423. List Price, \$30.00. YOUR NET PRICE

\$1470

407 Tube Tester Less Case

Another part of the Add-A-Unit Tester that when completed makes up the perfect assembly. The multiple functions of the 407 Tester are described on page 14. Provided with the are described slide panel. No. E6413.

List Price, \$25.00. YOUR NET PRICE

406 Tube Tester Less Case You have the option of using the 106 Tube Tester in the Add-A-Unit Case if you prefer The complete description is on Fage 14. This unit is also mounted on a panel to be e.sly slipped in the case.

No. E6414. List Price, \$20.00. YOUR NET PRICE

577 ADD-A-UNIT CASE ONLY

This sturdy case is built to house your selection of the three units listed above.

Leatherette covered with a removable top. The stiding drawer locks automatically when the lid is closed.

No. E6421. List Price, \$15.00. YOUR NET PRICE.

Readrite No. 610 Set & Tube Tester



The No. 610 Tester contains same equipment as No. 710 but has added features. Room is provided for carrying tubes, tools, and supplies. The test Equipment and panel is in a removable tray in the top of the case. The tray equipment may be used

The tray equipment may be used separately as a complete test panel for shop purposes. Size 14 ½ x 7 x 7 ½.

No. E6411. List, \$30.00. YOUR PRICE.....

Readrite 406-710 Combination



Has combined features of the 710
Analyzer and the 406 described on
page 14. With this combination tubes
are tested without necessity of comnection to a radio, as the 406 plugs
directly into the AC light socket.
Tests all the new and old type tubes
including the 4, 5, 6 and 7 prons
types. A protecting fuse prevents
shorts or other difficulties. Dial is
illuminated for easy reading in dark
places. Leatherette case measures Has combined features of the 710

21 x 14 x 7 ½. No. E6408. List, \$50.00.

NEW Readrite No. 1000 Radio Analyzer



A COMPLETE RESISTANCE, CONTINUITY AND CAPACITY TEST INSTRUMENT

A super ultra-modern tester—complete—minutely precise, for testing resistances, continuity and capacity of radio receiving sets, without removing chassis from cubinet. The 3½ in D.C. precision meter, 0.1 M.A., has the lower scale readings available for resistance measurements are 0.500, 1.50,000 doms of the control of t

Two plug-in cables and two separate cords are provided for testing through the set socket of resistance of voltage dividers, series resistors, transformer primaries and secondaries, filter chokes, speaker fields, capacities of paper and mica type condensers of the different tube circuits. Jacks are provided for individual tests separate from plug connections for the above, and in addition 0-30-300 M.A. A perfect all-around test instrument.

For Set Analyzing-Testing Voltages-Milliamperes-Resistance and Capacity No. E6420. List Price, \$55.00.

YOUR PRICE



Improved Readrite 245 A Set and Tube Analyzer

An extremely popular set analyzer. Portable and cashly handled. Fills every servicing need in the field. Plugs into the set socket. A unique feature of this tester is the accessibility to every part of the circuit and simplicity of using. The ideal. compact and complete tester for precise measurement of old and new tubes.

Tests New Circuits with 57 & 58 Tubes,

Also Resistance & Capacity

The Improved Readylin Analyze is unsalled with 188

Also Resistance & Capacity

The Improved Resistance & Capacity

The Improved Resistance & Capacity

Assort for testing circuits using the new '5' and '5's tubes,

Meter may be used separately for continuity and reneral

testing. The three double reading meters are: Filament

and line voltage. A.C.-D. volt meter 0-10-140 plate and

grid volt meter 0-80-300 (resistance 300 ohms per cell).

mai. plate current, grid test change, and line voltage. Both plates of full ware reculier use

tested without use of adapter.

All cables, cords, plus and adapter are securely held in the seamless metal cover. Comes

in handsome enamel finished case with leather handle. Complete illus
trated instructions and charts show analysis of receiving set circuits, the

measurement of resistances up to 100,000 ohms, and capacity tests.

YOUR PRICE.

Readrite Portable Meters



Offered in variety of ranges for particular purposes. A.C. meters are repulsion type, suitable for accurate A.C. or D.C. testing. Precision in construction make these meters extremely accurate and durable. Nickel finished buss cases, 3" diameter. brass cases, 3" diame diameter

with cord tips.
PORTABLE D. C. VOLTMETER

TOTAL BEE D. C. TOBILITIES					
	300 o	hms per	voit.		
NO.	Code	Volts	List	NET	
E6425.	346	0-300	\$4.50	\$2.65	
E6394.	347	0-500	5.50	3.23	
E6426.	446	0-60-300	4.50	2.65	
E6427.	750	0-750	6.00	3.53	
DODE	A TOW WA	S O WOL	THE RESIDENCE	DE TO C	

100 ohms per Code Volts 348 0-150 349 0-300 Volt. NO. E6395. E6428. E6396. E6429. List NET \$4.00 \$2.35 5.00 2.94 348 0-150 \$4.00 349 0-300 5.00 247 0-800 6.00 248 0-150-750 8.00

PORTABLE MILLIAMETERS

NO. Code M.A. NO. Code M.A. E6430. 225 0-25 E6434. 470 0-25 E6431. 290 0-100 E6436. 471 0-50 E6433. 294 0-400 E6436. 472 0-100 E6433. 294 0-400 E6436. 473 0-260 List, Each, \$3.00. \$1.76

PORTABLE AMMETERS DC

NO. Code Amps. E6438. 280 0-1 E6439. 281 0-5 E6440. 238 0-10 E6444. 201 0-50 List. Each. \$3.00. YOUR PRICE

A.C. NO. Code Amps. E6442. 460 0-1 E6443. 462 0-5 E6444. 463 0-10 \$1.76

TUNING METERS



Readrite meters, ex-tensively used with vistensively used with vis-ual tuning. Circuit brought to resonance when needle swings to its furthest position. Two popular styles in four ranges. Escut-cheous priced sepa-rately.

TM-108. Light coming from case opening casts a shadow from meter needle on disl.
TM-108
TM-102

TM-102 NO. E6475. E6476. E6477. E6478. NO. E6479. E6480. E6481. E6482. Milla 10 List, Each, \$1.50. NET PRICE 88c

TM-182. A popu-lar style suited to special escutcheons in combination with the regular tuning dial. Furnished for rear or side lighting

TM-102 No. E6331. Esc. TM 102. No. E6330. Esc. TM 108. List, 30c. NET EACH

705 Set Test Adapter



For testing tubes where A.C. is not available. Batteries, or other current supply connected to adapter to furnish voltage. The selector switch provides for testing all A.C. and D.C. tubes. No. E6334. \$3

New 850 Capacity Tester



meet a long-felt want. Readrite in stru-ment with two voit me-ters for test-ing electro-lytic and pa-

per type con-densers.

A practical
and conveni-use. Makes ent tester. For shop or portable use. Makes it easy to test all types of condensers, which are often the cause of radio faults, under

.008 to 10 MFD.

The double scale reading is 100 to 10 mfd. for paper type condensers. Tipped leads are provided for connecting to the condenser to be tested. The D.C. Volt-Milliammeter is for testing and forming electrolytic condensers. A rheostat makes possible adjustment to the proper voltage. For A.C. 110-135 volts, 60 cycles. Full instructions for testing from 10 to 400 henries and 40 to 100,000 ohms.

No. E6400. Without Cover.

List, 315.00. NET.

No. E6422. With Cover.

List, \$15.00. NET No. E6422. W. List Price, \$17.00. YOUR PRICE...

No. 800 Capacity Tester

Readrite meter for testing paper condensers only. The A.C. meter reads of orecity in nierofarads. .08 to recity in nierofarads. .08 to recity for the condense of the condense

READRITE SELECTOR **SWITCHES**

Rotating with sliding contact terminals. No moving wires. Knob included in combinations below.

No. E6339. Type I7 bi-polar. 14 terminals. Rix double pole continues who continues who continues who continues the continues and continues and continues are continues.

No. E6339. Type in memory in the interest of t

Type 29. Triple pole. E6336. double throw. No. E6337. triple throw. Type 33. Double pole. Type 34. Bi-polar switch

with 12 double pole positions List, \$1.50.

READRITE 550 SERVICE TEST OSCILLATOR

The testing of new circuits which are mostly superheterodyne, make it necessary that an oscillator be used. The new Readrite No. 550 Readrite oscillator, a quality instrument, is priced very low. A completely shielded oscillator, self modu-lated. Furnished with batteries and one '30 type tube.

DIRECT READING 120-185 K.C. AND 550-1500 K.C.

The tuning dial is direct reading for intermediates 120-185 K.C. and 550-1500 K.C. broadcast range. Sharp 2nd and 3rd harmonics cover intermediates 260-262 and 475 K.C. Shielded antenna lead wire is furnished. Used to align R.F. gang condensers, locate defective R.F. transformers, addust I.F. transformer, check oscillator stage, compare gain in tubes and determine sensitivity of receiver. Test lead wires and break-in adapter are supplied when equipped with output meter. A service man's most important instrument. Indispensable for servicing all superheterodynes.

LICENSED BY A. T. & T. CO.

The heavy metal panel contains the tuning control, direct reading dial which has a large swing, giving widely spaced scale divisions easy to read. Two switches control the circuit. The rotating switch has two positions for Broadcast and Intermediate. The toggle switch connects the batteries and prevents undue drain when not in use. Cover cannot be closed when battery switch is on. The attenuator control, like the tube and battery compartments, is separately shielded—calibration is controlled by the trimmer condenser, accessible through the panel. Carefully calibrated at the factory. Full operatine instructions with the connecting wires are carried in cover. Compact in strong, leatherette covered case with removable cover, leather handle, size \$8.125.5 in.



Completely Shielded, Self Modulated

No. E6404. 550 Oscillator complete with output meter in

panel. List Price, \$35.00. YOUR NET PRICE..

No. E6405. 551 Oscillator complete but less output meter. List Price. \$30.00. YOUR NET PRICE.



NEW READRITE METERS

The progressive Readrite meter line The progressive Readrite meter line is now made either flush mounting as in illustration Model 55, or by the use of flange type H, pictured below, it is readily adapted to outside flange mounting as illustrated. Readrite meters are recognized for their sturdy accuracy coupled with low price. Easily installed. Require 296s, in hole for mounting.



D.C. Type

Madel CE D C Voltmatons

WOC	IEI 33	D. C.	AOITHE	LUTE
No.	Type	Volts	List	NET
E6250	601	0-1	\$1.00	
E6251	603	0-3		
E6252	605	0-5		
E6253	335	.0-8		
E6254	310			
E6255	316			90
E6256		.3-0-3		
E6257		.0-25		
E6258	608	0-25	2.50	1.47
E6259	337	.0-50	1.00	.59
E6260	337H.	.0-50	3.00	176
E6261	339	.0.100	1.25	.73
E6262	339 H	.0-100	3.00	1.76
E6263	342	0-150		.88
E6284		0 - 150		1.76
E6265		0-300		1.76
E6266		0-500		2.35
E6267		0-60-30		2.35
E6268		0-750		2.94
E6269		0-8-160		1.18
E6270	746	0-20-60		
		600		0 0 4

Types 608, 337H, 339H and 342H are high

LEMINITATICE.	meters.			
	D.C	. Amm	eter	
No.	Туре	Range	List	NET
E6271	380		\$1.00	
E6272 E6273	381			
E6274	338			
E6274 E6275 E6276 E6277	101			3 C
E6276	303			
E 6277	606	10-0-10		_
E6278		20-0-20		
		dittion.		

	D. C.	TAR FF P T T T T T T T T T T T T T T T T T	Herer:	,
No.		M.A.		NET
E6280		0-5		\$1.18
E6281	311.	0-10		1.03
E6282		0-25		.59
E6283		0-50		.59
E6284		0-100		.69
E6285 E6286		0-150	. 1.00	.59
E6286		0-300		.59
E6287		0-20-0-100		1.03
E6288	402.	0-15-150 .	. 1.75	1.03

READRITE No. 525 EXPLORING COIL

For localizing r. f. trouble. Preferred use is with oscillator for supplying slanal to coil. Both coil and connecting wire are completely shielded.

No. E6403.

1st. 33.50. OUR PRICE



A.C. VOLTMETER List No. Type Volts | E6289 3144 NET

E6291	351	0.15	2.50	1.47
E6292		0-150	. 4.00	2.35
E6293			. 5.00	2.94
E6294		0-600		3.53
E6295		0-750		4.12
E6296	355P	0-10-140.	. 4.00	2.35
	2 24		A STATE OF THE PARTY OF	D-62

A.C. MILLIAMMETERS

No.	Туре	M.A.	List Price	NET
6344	370	0-25	\$2.50	
6344	371	0-50		- 45
6346	372	0-100	51	74
6346	373	0-250		
6348	374	0-500		

TYPE H FLANCE



Plug In AC Line Meter

A meter which plugs directly into A.C. light socket and indicates the supply voltage. Prolongs tube life by showing excess voltage. Needed with all A.C. sets. Wt. 1 lb.

No. E6389. Type 148. 0-150 V. A.C.-D.C. Retail, \$3.00. NET..... 5176

We carry a complete line of Read-rite Meters for all purposes. Write us about any special meter require-ment. We have it or can get it for you. At your request we shall be pleased to send you free, complete literature on the Residrite line of meters and test equipment, and we shall keep you posted from time to time on the latest developments in the READRITE equipment.

575 OUTPUT METER

A reliable instru-ment for indicating output voltage of output voltage of radio set. Practical D.C. Voltmeter with Copper Oxide rectified of full wave type. The assembly includes voltmeter, rectifier, lacks and continer, lacks and continer to the continer of the continer lacks and continer to the continer lacks and continer to the continer of the continer

No. 555 Exactly same assembly as de-scribed above with exception that it is mounted on panel. This instrument is the same output meter as used with 550 Oscillator. No test leads in-

cluded. No. E6460. List. \$6.50. NET



Model 501 Resistance Meter

Used for testing resistances in radio receiving sets and circuits senerally. Can also be used for continuity tests and substitution of the seneral strice small flashitath cells which, with resistance to be measured, are connected in series with meter. A relate of the series with meter. A relate of the series with meter. A relate of the series of the No. E6368. List. \$2.50. NET.....



503 RESISTOR

Resistor, 1150 ohms without tip lacks, to increase reading of No. 501 Resistance Meter to 50,000 ohms. No. E6356. List. \$1.00. NET



Readrite Plug-In Socket Test Meters

For reading plate or filament voltage by plugging directly into tube socket. 4 prong socket.

No. E6390. Type 146. Plate voltmeter 0-300 V. D.C.

Retall, \$3.00. \$1.76 Grid voltmeter Type 150. No. E6391, 0-50 V. D.C. NET. \$1.76
Type 452. Filament volt-Retail. \$3.00. No. E6392. \$1.47 Retait. \$2.50.

NET

WESTON AND JEWELL RADIO INSTRUMENTS

Jewell Transmitting Meters

Jewell meters set the standard for quality and precision. They are extensively used for building special test panels and service in-struments: for use on experimental labora-tory apparatus and in amateur transmitting. Case diameter 3 in, with flange 3% in.



Pa	Pattern 54 D. C.				
No.	Range	List	NET		
E443	7 0-8 volts 9 0-50	\$7.50	\$5.51		
443	9 0-50 "	7.50	5.51		
E4441	0-150	9.50	6.98 8.82		
	3 0-1 amp.	14.00	0.04		
E448:	3 0-20 "				
E444	6 0-25	1	551		
444	7 0-50	7.50	5		

E4450 0-500 "

Pattern 74 A. C.

Fi	lament M	leters
No.	Range	
E4512	2 0-1 amp	List
E4513	0-15 M.A.	\$7.5
E448	0.150 ···	NET
E4486	0.3 volts	
E4487	7 0-20 " 3 0-150 "	\$5.51
List, \$	9.50	A4 -5
NET		\$6.98

WESTON MODEL 677 TUBE CHECKER

The newest and latest tube checker. Checks all new tubes, old type tubes, and new tubes as developed. Condition of plainly indicated to buyer as "Sat-isfactory," "Doubtful," or "Un-satisfactory," isfactory.



Jewell 675

Tube Checker

Equipped with 0 50 milliameter. sockets provided

Precise Dependable Precise—Dependent — Accurate. Operates directly from 110-115 volt 60 cycle A.C. line. Founded with 0-10-16

Provided with Spare Sockets

Never obsolete. Spare sockets for four, five, six, and seven prong tubes are provided with color coded wires, ready to connect whenever new tubes appear. Large tube worth meter has colored multi-arc scale showing clearly limits of each type of tube. A.C. Voltmeter insures use of proper tube voltages. Neon short lamps indicate all possible tube shorts. Size 18 x14 x6 8 m hgh. No. E7730. List. \$85.00. NET

Jewell Pattern 68 R. F. Thermo-Galvanometer

An extremely accurate instrument, Reading is 115 M.A. Full scale. Vacuum couple type construction. instrument has an o has an overload Diameter of case Jewell Bist and Capacity of 50%. Diameter of case 2%". 4.5 ohms. No. E4507. List, \$15.00. \$11.03 YOUR PRICE.

JEWEL DOUBLE RANGE 0-10-100 VOLTMETER

With Switch. Nat.
No. 140. A two inch
panel mounting meter
with double reading
switch mounted through
lower edge of ¼ in.
fange. Double range
0-10 v. and 0-100 v. 0-10 v. and 0-100 v. ered. Has zero adjustment. \$9.50 NET. No. E5495.



\$5.88

Jewell Pattern 88 D. C. Millimeter

Permanent magnet moving coil type. Accurate within 2%. Flush type bake-lite cases with 3½" flange.
No. E4491. 0-1 M.A. \$6.61 \$6.61 List, \$9.00. No. E4492. No. E4493. No. E4494. NET 0-5 M.A. 0-10 M.A. 0-30 M.A. List, \$7.50 NET \$5.51 No. E4495. 0-50 M.A

Weston 301 D. C. Millimeter

Flush type meters. Permanent mag-net. Moving coil type. Accurate with-in 3%. Rectifier type listed below is a very sensitive A.C. instrument using full wave copper oxide rectifier. Range 0-1 M.A. List \$10.00 E7750 \$7.35

0-5 8.00 E7751 E7752 5.88 0-500 " 8.00

Rectifier Type 0-1 M.A. \ 12.50 \$9.19 0-5 M.A. \} E7755 E7756

Useful in sets, sound and public address systems. Copper-oxide rectifier type voltmeter. Range 0-1.5-6-15-60-150 volt. Self-con-

Weston 571

Output Meter



JEWELL PAT. 190 A. C.



2-in. flush type A.C. meter for panel mountins. Accurately calibrated, Saves tubes by indicating whether proper A.C. voltages are being used. A precision instrument of the finest type.

No. E4476. 0-3 volts. No. E4478. 0-20 volts. List, \$7.50. YOUR PRICE. \$5.50

iron type for Precision con-Degree of ac-

Weston 517 A. C.

Voltmeter

curacy within two per cent.

No. E7740. 0-3 v.

No. E7741. 0-10 v.

No. E7742. 0-25 v.

List, \$8.00. NET... No. E7743. 0-150 v. NET

Movable iron

A.C. only. Precis

Weston Model 489 Portable Meters

Miniature portable D.C. in struments, small, compact, of sterling quality and depend-able accuracy. Black bake-lite cases. Silver-gray etched scales with black markings. Voltmeters with pair of 30-inch flexible

cables D. C. VOLTMETERS

E7763 0-8-200 V. \$13.5 (125 ohms per volt) E7764 0-8-200 V. 22.5 (1000 ohms per volt) \$13.50 \$9.93 22.50 16.54

VOLT MILLIAMMETER

E7765 0-8-200 V., 2 M.A. 21.00 | 5.44 (125 ohms per volt) Especially suited for servicing auto

MILLIAMMETER

E7766 0-15-150 M.A. \$13.50 \$9.93 RECTIFIER TYPE VOLT METERS

NET. BACH E7767 0-1 V. \$16.50 \$12.13 Lint E7768 0-15 V.

permit test of present type tubes with-out adapters. Complete instructions etched on rear cover plate. Tube limits on etched plate on front. A self-con-

on etened plate on front. A self-contained transformer provides the proper voltage for all testing purposes. No. E4525. Ligt. \$35.00.

*2573

*YOUR PRICE.

Copper-oxide rectiner type voltmeter. Ranse 0.1.5-6-15-60-150 volt. Self-contained condenser for blocking any D.C. component available when required. Size 5 ½ x 3% x2 ½ . Scale length: 2.3°.

No. E7732.
List. \$30.09.

Jewell 563 Test Oscillator

A new standard service instrument value. All necessary features for servicing modern radio receivers combined in this instrument. A self-modulated oscillator with frequency



tor with frequency ranges covering from 125 to 1500 K.C. Single control adjusts output to any frequency in broadcast and intermediate bands to cover modern superheterodyne sets. Three-position switch for change to three frequency bands. Operates from self-contained batteries. Completely shielded. Handsomely finished metal carrying case with space for an output meter. Completely equipped with shielded output lead. calibration curves, instruction chart. 30 type tube. and all necessary batteries.

No. E4527.

List, \$47.50.

List, \$47.50. YOUR PRICE

Weston 506 D. C. Veltmeters

Permanent magnet, moving coil type. Degree of accuracy within two per cent. \$7.00 \$4.46 9.00 5.73 0-8 v. 0-8-200 v.

No. E7745. No. E7746.

T lat. \$10.00.

NEW AC Pattern 78
New rugged instruments of the type.



No. E4489. No. E4490. Retail, \$7.50. volts.

Weston 528 Voltmeters

A.C. minia-ture, portable Instruments. same as Model 489 D.C. but supplied in a mottled red and black n a and black bakelite case. Diam. of case 2% in.



No. Range E7735 0-150 V. E7736 0-150-300 V List \$ 9.00 \$ 6.62 15.50 11.40 18.50 13.60 E7737 0-300-600 V. E7738 0-3-15-150 V.

JEWELL 444 SET ANALYZER

2-meter radio set analyzer for testing 2-meter radio set analyzer for testing every type, of radio receiver. Tests all tubes without adapters, under actual operating conditions. Measuring ranges: A.C. Meter 0-4-8 amps, 0-20-100 M.A. and 0-4-8-160-800 volts: D.C. Meter, 0-12-60-120 M.A. 0-6-12-30-60-120-300-600 volts: 0-1,000-10,000-100,000 ohms and low-medium-high output. Complete with all necessary test leads, plugs, clipe, adapter and instructions.

No. E4528. List, \$112.00. NET



ADAPTERS, PLUGS, CONNECTORS, ETC.

TUBE ADAPTERS



965 KS

Na-ald adapter for testing types 57 and 58 tubes in tube testers not provided these tubes. Six hole top, five pin base. Holes No. 5 and 6 con

nected to Pin No. 5. Corresponds to Jewell No. 57. Weston D 70157, Supreme 965 KS.

For testing 41 and 42 tubes in testers not provided for the pin based Control of the pin based Control of Holor of Holor of this adapter. All other connections are through. No. E961.

For testing second plate of 80 rectifier tubes in Jewell 209 testers. Four hole top, four pin buse. No. 1 hole to No. 2 pin, and No. 2 hole to No. 1 pin. Same as Jewell J-16547.

No. E962. List. \$1.25. NET

For testing new seven pin power amplifler tube in tube tester. 7 hules, 5 pins. Holes 2 and 3 are connected to pin 2; holes 6 and 7 are connected to pin 5; other connections are through 8. ESS3. List. 590

955 GGKL

For testing Wunderlich tubes in tube
testors, and with 955
GGKC adapter for test
GGKC adapter for test
of the set testers
and analyzers. 5 holes
5 pins. The two grid
holes are connected to settler
and brought down to the
sether and brought down to the
for feable lead which fits cap of
rabe. Other connections are Other connections throu

No. E964. List Price. \$1.25 73C

944 BRR
Used to test Raytheon Rit Half-Wave Rectifier Tube in any tube tester 4 holes, 4 pins No. E965. List Price, \$2.50. YOUR PRICE....

SET ADAPTERS ANALYZER PLUG



No. E967. Wi

NET... \$5.00. E968. 954 DS. Five to

four adapter. List Price, \$1.25, NET



No. E | 608. Five prong socket on a 4 prong plus. For testing 5 prong A.C. tubes in D.C.

A.C. tug 5 prons
A.C. tubes in D.C.
lesters.
No. E1609.
prong socket on a
5 prong plue. For
blate in 5 prong A.C. sockets.
NET

ANALYZER PLUG

Used in later types of set test-is and analyzers. Six pin base, for those wishing to rearrange heir testers to fit this plug. their No. E969. List Price. \$3.50. NET

NET
No. E970. With 5 ft. cable.
Cable consists of six wires; four
wires go to the prongs, the fifth
to the latch, and the sixth to the
streen experience.

No. E971. 985 D.S. This is the Na-ald six to five adapter. Permits new tube measurement without change in wiring. No. E972. 964 D.S. The Na-ald six to four adapter. without change in wring.
No. E972, 864 D.S. The Naald six to four adapter. Simply
insert in proper socket to moderalze your testing equipment.
List Price, \$1.25.
73c

965 DSW TWIN **ADAPTERS**

Naequip adamere Jewell

0

West on 566 Analyzers. Weston
566 Analyzers. One has five holes
and six pins; the other six holes
and five pins. A wire connects
the suppressor grid circuit and the suppressor grid circuit and can be opened for measurements. The five hole, six pin adapter is titted with a pin for snap-on fastening to the analyzer plus. No. E973.
Lint. \$2.50.

965 DW

Used with Jewell 199 and Wes-ton 565 Analyzers. Corresponds to Jewell-Weston D-70162. Same as 965 DSW except that the an-elyzer plug adapter is fastened SCIEW. with No. E974. List Price, \$2.50. YOUR PRICE...

975 DW

Na-ald twin adapters used for set analysis of the 7 pin power amplifier tubes. One has 7 holes and 5 pins, the other 5 holes and 7 pins. pins. One fits on the analyzer set tester plug; the other fits the tester. in the tester.
No. E975.
List Price. \$3.00.
YOUR PRICE....

> Extra Speaker Adapters Type 116 Designed so

that additional speaker can be connected to any radio set using push-hall amplification without requiring disconnection of any of the wiring or additional solder-

No. E1600. List Price, \$1.00. 480

Type 117 Designed so that both grid and plate connections can be taken from tube permitting connection of additional speakers and use of a Tone Control or Radio Stlencer.

No. E 1 6 1 0
List Price. 31.35.

Designed to permit additional speaker connections to any set using two pentode output tubes. No. E1611.

MAKE YOUR OWN ADAPTERS

The interchangeable features of these Eby adapter The interchangeable features of these Eby adapter sockets and pluss make them suitable to every adapter requirement. A ½ in hole is provided in the side of the unwired standard plus severious entire. The many combinations in which there adapters may be connected, permit use of receivers and test sets which would otherwise be rendered obsolete unless rewired. Also ideally suited for connecting accessory equipment such as phothograph or short units. Indisputable for modernizing test equipment.



frs. Indispensable for Holes NET Plug (Bottom Section) NET 9c 12c 12c No. E2978 5 15c No. E2979 8 18c No. E2980 WIRED ADAPTERS

Wired units, without hole at side. A highly convenient combina-tion type unit. Combinations of 4, 5 and 6 as listed below. No. Socket Plug | No. Socket Plu E2981 E2982 E2983 NET EACH... E2984 E2985 E2986 E2987 E2988 E2989 NET 35c ...41c

FACH.

29c MODERNIZE ANY RADIO RECEIVER

Enjoy the efficency of the new type tubes in your old receiver. These adapters enable you to make the change quickly and eco-nomically and without wiring changes or soldering.

24 to 57 Adapter



Permits use of '57 tube in place of a '24 in any set without charge in wirels. Six prong receptacle connected to a five mong base

No. E1660. List. 75c. List. 35 or 51 to 58 Adapter

Permits use of a '58 tube ace of a '35 or 551 tube. S rong receptable connected to *58 tube in five prong base. No. E1661. List. 75c. NET....

38 to 41 Adapter For using a '41 tube in place f a '38 tube. Six prong re-eptacle on top and five prong ase plug. For automobile sets ceptacle Only.
No. E1662.
List, \$1.00. NET... 53C

45 to 46 Adapter For inserting new '46 tube in place of '45 tube acting as a Class A amplifier. Five prong receptacle on top connected to a four prong base. four prong base.
No. E 1663
List. \$1.00. NET. 53C

80 to 82 Adapter

For inserting '82 mercury vapor rectifier in place of 280. Four prong receptacle on top connected to four prong plug. Suitable resistance connected with filament leads to drop. Filament voltage to 215 V. to 212 V. No. E 1 664. List, \$1.25. NET. 61C

45 to 47 Adapter

Permits the use of the new 247 pentode power tube in place of the 245. with no wiring changes necessary. No. E 1629 List. 75c. NET. ... 38C

EARPHONE ADAPTERS

57c

al for DX re ception and for persons who are hard of hearing. Also suitable for connecting addi-tional speaker to sets with one No. E1630. 5 Prong. No. E1631 4 Prong. List. Each, \$1.00. NET EACH.

NEW TEST ADAPTERS



Latest adapters to permit testing of new tubes in all testers without re-wiring. Easily in-stalled. Properly constructed for long service.

For testing new 57 and tubes in all types of tube and o. E1632. List. 42C

EACH.

To permit testing of No. 46 tube in testers equipped for testing type 45 tube. Simply insert ndapter into 45 socket No. E1633. List. 4200

Supplied with lead to permit testing l'hilco 41 and 42 tubes in 24 socket of tube checker. Also used for testing the new 6 profits Wunderlich tube.

No. E 1634, List 56C

No. 55
For testing No. 55 tubes. Place adapter in tube checker socker used for testing 27 type tubes. No. E1635 List. \$2.50. NET

No. 85 Analyzer Plug



No. E | 636. List. 75c. 42c NET No. 82 Adapter

For testing new 82 rectifier tube in any 4 prong sockets which furnished 24 volts to disher the same of the same o

\$1.09 No. 83 Duo-Diode

Bud adapter same as No. socket and a 5 prong base, for testing Duo-Diode tubes used in Majestic radio sets. No. E1638. List Price. \$2.50. NET

No. 83T Adapter

To be placed in 280 socket for testing new 83 mercury Vapor rectiner. Both plates can be measured by flipping the switch up and down.
No. E 1632.00.

ELIMINATORS—CHARGERS—BATTERIES

KNIGHT SUPER-POWER 66B ?? [**ELIMINATOR**



A high quality "B" eliminator at a price that defles comparison. Scientifically engineered design, rigid Scientifically engineered design, right standards of construction under care-ful supervision, and use of the fineat materials, were combined to produce a unit to give long-life, satisfactory service. Made to sell for \$25.00. Now offered at a fraction of its real value.

LESS THAN COST OF B BATTERIES

The Knight Super-Power "B" iminator truly represents perma-

YOUR PRICE \$25.00.

STORAGE "A" BATTERIES



for long enduring service.

A heavy duty solidly constructed battery that will deliver plenty of power. Plenty of 'kiek' to this staunch, leaky proof battery, which delivers its maximum power under the most under the most trying conditions. The thick plates and carefully sealed cells built ice. Shpg. wt., 45

S

E8969

75 YOUR SPECIAL A 6 volt, 140 amp. extra heavy duty, leak-proof storage battery. Delivers constant flow of energy. Shpg. wt. 55 lbs.

Sturdy, leak proof, well-constructed Absturdy, leak proof, well-constructed Absturdy, leak proof, leak proof, 31,32, and 32, 2 voit tubes. To be used only with standard receivers destined to operate with the tubes specified. No. E8970. YOUR PRICE.

Janette Rotary Converter



Used to convert D.C. to A.C., making possible use of A.C. receivers, amplifiers and other A.C. equipment from 32 volt house plants, 110 volt D.C. power lines, portable automobile plants and portable automobile plants and numerous other sources. Janette Rotary Converters are standard wherever converters of highest quality are necessary. Extremely quiet and compact. Expertly engineered and constructed of finest material for long life.

We can supply Immediately Janette Concepts of Sylventian and for extra purpose.

Note verters of every description and for every purpose.
Write us for information and prices.
115 Volts D.C. to 110 Volts, 60 Cycle A.C.
No. Type Watts Output List NET

Type V CA-25-F CA-20-F CA-18-F C-13-F NET \$27.44 33.96 37.39 E8276 \$40.00 80 49.50 110 E8278 150 54.50 70.00 48.02 Volts, 60 Cycle A.C. 80 840.00 32 Volta D.C. to 110 7 CA-25-F E8277 \$27.44 E8280 CA-20-F 110 49.50 33.96 37.39 CA-18-F C-13-F E8283 75.00 51.45

EVEREADY AIR CELL



The Ereredy Air Cell Battery is developed to supply filament current to the new type '30, '31, '32 and '33 two-rolt tubes. Should be used only with standard receivers designed for these tubes. Extremely compact and carefully constructed to deliver maximum power for the purpose intended. Cell contained to suitable for use the standard of the case. Not as suitable for use the standard of the case. See the suitable for use the standard of the case. See the suitable for use the standard of the case. See the suitable for use the standard of the case. See the suitable for use The Eveready Air Cell Battery ping wt., 28 lbs. No. E8500. List, \$8.50. NET. \$5.95, less 2%... 83

Quality Storage Battery Charge Tester

No. E1440. Pocket size meter quickly shows condition of storage battery. Does away with a hydrometer. 8 oz.

No. E5480, DRY CELL TEST.
ER. Tests all types dry cells.
Reads 0-35 amps. Cannot short battery. List, \$1.00.

B BATTERY TESTER
No. E | 44 | . Tells condition of
"B" batteries at a glance. 0-50 volts.....

No. E | 442. COMBINATION volts-ammeter 0-40 amps. and 0-50 volts. 68c

G. E. TUNGAR **CHARGERS**



A practical, unit for ch arging all radio and automobile
"A" and
"B" stor age bat .

teries. No adjust ments necessary. The prices quoted include bulbs. Quiet operation from Genuine Tungar Bulb

No. E8200. ation. operation. 15 lbs. List, \$24.00. NET NET 201. 2 AI No. E8201. 2 AI 110 v., 60 cycle 110 v., 60 cycle WL. \$(2 Ampere. For operation. 92 10 lbs. List. \$14.00. NET

BATTERY BOOSTER



then shuts off automatically. For Radio or Auto Very economical. Results in longer battery life. A necessity where auto has radio, heater, etc.; causing heavy battery drain. Shpg. wt., 7 lbs. No. E1408. List. \$9.75. NET.

Valley Charger **Contact Points**

Standard replacement points for the Valley vibrator type charger. the Valley vibrator type char. No. E7600. List. \$1.00. NET

King Cole Resistance Coils



amp. tubes. amp. tubes. amp. tubes. amp. tubes. No. Elli3. No. Elli0. No. Elli4. No. Elli1. For 5 For 7-

NET EACH....

Make possible 6 volt
"A" current supply directly from 32 volt D.C.
systems. For all types of battery sets.

No. E1112. Resistance Coil for charging 6 Volt Batteries from 32 volt systems. List, \$1.47 NET.

King Cole Super "A" Eliminator For 32 Volt Systems



A new ellminator designed to adapt 22-volt farm lighting plants for supplying energy for the new 2- and 4-volt tubes, also storage battery sets using 6-volt tubes, carefully engineered for dependable efficient service.

This unit will furnish the "A" current for sets using two or lour volt tubes, ranging from five tubes requiring \(\frac{1}{2} \) ample. to ones requiring i amp. Equipped with a voltmeter and regulating dial for exact adjustment of voltage. Once adjusted, unit will tuke care of line voltage variation. Available also for operation of interer sets using 6 volt tubes.

A new ellminator designed to adapt of supplying energy for the mew 2- and 4-volt tubes, and 4-volt with tubes, and 4-volt and 4-volt.

A new ellminator designed to adapt of supplying energy for the new 2- and 4-volt tubes, and 4-volt and 4-volt and 4-volt.

A new ellminator designed to adapt of supplying energy for the new 2- and 4-volt tubes, also for supplying energy for the new 2- and 4-volt tubes, also for supplying energy for the new 2- and 4-volt tubes, also for supplying energy for the new 2- and 4-volt tubes, and 4-volt tubes

No. E1115. F No. E1116. F List. \$6.50. YOUR PRICE.

SNIGHT QUALITY

THE 45 VOLT SUPER "B"

KNIGHT STANDARD 45 VOLT "B" Standard, upright fine quality "B" battery. Will serve well with receivers using up to six tubes. Accurately cell spaced to offer remarkable recuperative power. Tapped at 22 ½ volts. Dependable and funform giving good battery service at a new low price. A very popular seller and profitable, too.

Size 8x7x3 in. Shpr. wt., 10 lbs. with receivers

No. E701. List, \$2.00.

BATTERES

O'I'm ore the little that the little 41/2 VOLT "C"

A fast selling, well made "C" bat-tery. Will maintain rated voltage with continuous use and amplify without distortion. Reduces "B" without distortion. R battery drain. Size 1 1/2 x2 3/x4. Shpg. wt., 1 lb. No. E703. List, 50c.

11/2 VOLT DRY CELL

Made under rigid specifications of best materials. High amperage, 1½ volts constant. For dry cell receivers and many other radio needs. Fresh stocks needs. Fresh only. Shpg. wt. 3 l F704. List, 50c. 3 lbs.

NG LIFE BATTERES

YOUR PRICE .

YOUR PRICE ..



Standard Line

Burgess Batteries meet
the rigid specifications of
the U. S. Army, the
U. S. Navy, and the U. S.
Bureau of
Standards.
Known the
world over
for quality.
Of famous
"Chrome"
construction,
water-proof
and moistareproof. Rug-

proof. Rug-ged honey-comb con-struction, Always fresh rigid bracing and seamless cans of pure zinc. Always fresh stocks. Prices lower in unit packages. Write for quotations.

Catalog No.	Factory No.	Volts	Wt. Lbs.	List Price	Net	
SUPER "B" BATTERIES						
E720.	21308	45	16	\$3.25	\$2.46	
E719.	22308	45	10 1/4	2.35	1.78	
	STAND	ARD "B	" BATTE	RIES		
E721.	10308	4.5	13 1/2	\$2.60	\$1.96	
E722.	2308	45	9 1/2	1.75	1.32	
E713.	2306	45	101/2	2.00	1.51	
E712.	2158	22 1/2	5	1.50	1.14	
E711.	2156	22 1/2	5 1/2	1.50	1.14	
	MAJ	OR "B"	BATTERI	ES -		
E714.	F 308	45	13 1/2	\$2.95	\$2.25	
E715.	D 308	45	91/2	1.95	1.48	
	SPECIAL AU	TOMOBI	LE "B" B	ATTERIES		
E716.	2305	45	10	\$2.25	\$1.71	
E717.	21305	1 45	16	3.75	2.75	
		"C" BAT	TERIES			
E718.	4156	22 %	1 1 1/4	\$1.25	\$0.95	
E727.	5156	22 1/4	2	1.25	.95	
E724.	2370	4 1/2	1 1/2	.40	.30	
E728.	5540	7 1/4	1	.75	.57	
PORTABLE BATTERIES						
E723.	5308	1 45	4	\$2.00	\$1.51	
E726.	5360	4 1/2	1/2	.40	.30	
		DRY CE	LL "A"			
E725.	1 6A	1 1%	2 1/2	.50	.39	

"Eveready" or "B" hat-"Eveready" or "B" batteries is associated with iong life and dependable service. A complete popular line of always fresh and tested genuine Eveready "B" batteries is presented below. Fast moving and long shelf life. Stock up. Write for special prices in unit packages. unit packages.

Catalog No.	Factory No.	Volts	Wt. Lbs.	Price	Net	
		LAYERI	BUILT			
E730.	486	45 Large	16	\$2.95	\$2.25	
E738.	485	45 Medium	11	1.95	1.48	
	ROUND CELL					
E741.	870	45 Large	15	\$2.60	\$1.96	
E742.	872	45 Medium	10	1.75	1.32	
		MEDI				
E743.	767	45 Flat	10	\$2.75	\$2.08	
E736.	766	22 1/2 Flat	6	1.50	1.14	
E744.	779	22 1/2 Vertical	6	1.50	1.14	
	Al	TOMOBILE "	B" BATTE	RIES		
E745.	794	45 Heavy	16	\$3.75	\$2.83	
E739.	796	45 Medium	10	2.25	1.71	
E740.	798	22 1/2	2	1.50	1.14	
		"C" BAT	TERIES			
E737.	768	22 1/2	2	\$1.25	\$0.95	
E746.	773	71/2	8 oz.	.75	.57	
E747.	781	4 1/2	6 oz.	.40	.30	
E734.	771	4 1/2	l oz.	.40	.30	
-		POBTABLE !	BATTERII	82		
E733.	762	45	3	32.00	\$1.51	
E748.	763	22 1/2	1 1/2	1.50	1.14	
E749.	764	22 1/2 Vertical		1.50	1.14	
		DRY CE				
E735.	7111	1 1/4	2 1/2	.50	\$0.39	
		AIR CELL "A				
E8500.	A600	2	28	38.50	\$5.83	
	-			7 / TOR 0.0 TO 0.	AND DESIGNATION OF THE PARTY OF	

SPECIAL STANDARD 45 VOLT "B" BATTERY A standard full-size 45 volt 'B' Battery at a price which will help you smash competition. Of good quality, well built tested cells, packed full of battery pep. A special value only possibe through economies in purchase. Stock up—sales are certain to be heavy. Shpg. wt., 10 lbs. be heavy. YOUR SPECIAL PRICE.....

Crystal Sets - Headphones - Accessories

PHILMORE CRYSTAL SETS

BLACKBIRD

The "Blackbird" is a first quality crystal set presented at the lowest possible price. It requires no tubes or batteries and delivers programs loud and and delivers programs loud and clear without distortion. Housed in a compact black leatherstie case with crystalline front panel. It employs a dust-proof glass-enclosed supersensities that the control of the control

YOUR PRICE ...




THE SUPERTONE



THE LITTLE WONDER

Compact in size but big in results. This set will receive broadcasting within 25 miles of a station. The open type detector permits adjustments to be made to the finest degree. Set includes a supersensitive crystal assuring quick results when looking for a station because the entire surface of the crystal is sensitive. Ships, wt., 2 lbs. station because wt., 2 is sensitive. Shpg. wt., 2 No. E5931. List, \$1.00. No. E5931. YOUR PRICE



PHILMORE SELECTIVE



Designed to give most efficient results and possessing unusual selectivity. Built with a tapped coil matched with a .00035 Mfd. variable condenser. The reception on this set is loud and clear and will bring in one station after another. tuning out all other stations. It has double connection posts making possible time. The pair of headphones at one time. The pair of headphones at the lowest possible price. Contained in a bright colored cabinet with a panel of headphone at 5.5.00. No. E5932, List, \$5.00. YOUR PRICE

HEADPHONES AND AERIAL

Complete equipment for operating any of the above crystal sets. Consists of a set of good quality headphones, aerial and ground wire, lead-in strip. lightning arrester, insulators and all necessary parts for a perfect aerial installation. \$133.

No. E5946. YOUR PRICE

PHILMORE--1-2-3 TUBE SETS



Efficiently designed buttery operated sets using the new X 230 and X 231 Tubes. Economical to operate, batteries last twice as long. These new circuits embody the use of a fixed condenser and spider web coil assuring easy tuning easietivity. aeastivity and night of and spider weo con assuring casy tuning, selectivity, sensitivity and plenty of volume, Shpg. wt., 10 lbs.
No. E5935. 1 Tube Set.

\$4.25

VOLUME, Shpg. wt., 10 lbs. No. E5935. 1 Tube Set. List, \$7.50. YOUR PRICE. \$4.25 No. E5936. 2 Tube Set. List, \$9.00. YOUR PRICE. \$5.25 No. E5937. 3 Tube Set. List, \$13.50. YOUR PRICE. \$7.45

Sets listed above are priced less tubes and batteries TUBE AND BATTERY EQUIPMENT

No. E5943.

Tube Kit. Consists of one type 230 tube, one 22½ Volt B" Battery and one 11/2 Volt Dry Cell. Show, wt., 6 lbs. No. E5942.

PRICE. \$1.75

2 Tube Kit. Consists of two type 230 tubes, one 45 Volt

3 Tube Kit. Con-sists of two type 230 sists of two type 236 tubes, one type 231 tube, one 22½ Voit and two 45 Voit "B" Batteries, and two 1½ Voit Dry Cells. Shog, wt., 32 lbs. No. E5944. B" Battery and two 1½ Volt Dry Cells. Shog wt., 16 lbs, YOUR \$2.85

PRICE. \$4.95

AMERICAN BELL SENSITIVE **HEADPHONES**

These unusually sensitive and efficient headphones are the product of one of Amer-ica's foremost manufacturers, and are noted for fiand are noted for fidelity and clarity of
tone. Their aluminum
shells and bakelite
moulded caps make
them light in weight. The
ent magnet gives added
retentivity. D.X. fana will be
delighted with the fine reception made possible with these
ton made possible with these
3000 Ohma.

YOUR PRICE. No. E1915. 2000 Ohms. YOUR PRICE.

CLASS ENCLOSED

CRYSTAL DETECTOR

PRICE

Open Type Detector

quiek, accurate adjustment on any point of crystal. Hand some polished metal finish. Complete with erystal. Shpg. wt., 8 oz. No. E548 |

These crystals are tested in laboratory on very sensitive me-ters. Genuine Galena

SensitiveMountedCrystal

No. E5255. Per 10, 55c. NET PRICE.

Set of three. and made of t

No. E5257. 9C

Cat-Whiskers Crystals

Carefully tested mount-ed crystal. Galena and Silicon with carborun-dum.

composition.

No. E5256. YOUR PRICE

Universal arm provides

A dust-proof glass enclosed detector complete with super-sensitive crystal. Standard in 90% of the crystal sets made. A fast selling item.

27c

Shpg. wt.. 8 oz. No. E5945 YOUR

PRICE, EACH.

No. E1919. DIAPHRAGMS No. E 192 PRICE, EACH

FROST PHONES

Many supe-or features rior features are incorporated in Frost phones which add greatly to their efficiency and quality of reproduction. Very sensitive, light in weight, comfortable to

wear and easily adjustable.
The high quality of these phones assures efficient and long lived service. Shpg. wt.

2 lbs. No. E3360. No. 174. 2000 Ohm. YOUR PRICE. S. No. E3361. No. 175. 3000 Ohm. YOUR PRICE

BRANDES PHONES Meter Tested Crystals

The excellent construc tion of these recog-nized by nized by adio buyer.

ly sensitive to reproduce the faintest signal. Light in weight and adjustable. 2400 Ohms. Shpg. wt. 2 lbs. No. E1917.

YOUR PRICE ... \$1.48

No. E 1920. DIAPHRAGMS. 8c

PANDORA CRYSTAL SET



Extremely efficient crystal set, distinctively designed and well built of high quality materials. Used for operation at locations not far from broadcasting stations. Surprisingly clear from the station of the station modestly priced

COMPLETE

Complete with one pair of quality head-phones and aerial kit. Shpg. wt., 6 lbs.
No. E | 1584. PRICE. \$2.29

SET ONLY

A great little set, smart in appearance, easy to operate and at a bar-gain price. Shpg. wt. 2

No. E1583.

TRANSMITTING KEYS - TELEPHONES - PRACTICE SETS

Signal Practice Sets

Junior Key Modeled after professional types. Very useful for Coin silver con Lever nickel plated.

E6653. YOUR PRICE

ODE PRACTICE SET

Well-built, key and buzzer as-sembled on polished wood base. Reproduces high pitched dot and dash sounds of code stations. E6650.



List, \$3.40. YOUR PRICE

SENDING KEY standard ra-



A standard dio sending k constructed withstand rou usage. Heavy east brass arm. base

and supporting posts: \$\frac{1}{36}\$ inch contact points, assisting in heat dissipation.

No. E6651. List Price, \$3.50. YOUR PRICE



SIGNAL SOUNDER

For code receive s r a de materials throughout, Black e n a m e l e d bar frame. aluminum brass ridge. Polished



JUNIOR LEARNER SET



A set for the beginner. Includes all salient details set. Black enam-eled ker eled key base brass brid

274

sounding bar, and nickeled ohn. 54. List, \$4.50. No. E6654. YOUR PRICE

TEST BUZZER

Nickel finished watch case buzzer, diameter 2% in. For all signalling and test No. E5265.



SIGNAL TWIN WIRELESS PRACTICE SET

New, practical, and scientifically designed. A wireless set that is sure to sell fast on sight. Two complete designed. A wireless set that is sure to self fast on sight. Two complete transmitting and receiving units. Equipped with key, buzzer and code plate. A real workable set that every boy is certain to want, and grownups too. Practical and yet of tremendous entertainment value.

OPERATES UP TO 1000 FEET

Sets operate up to 1.000 feet, designed to work with standard drycell batteries. These are listed elsewhere in this catalox. Full instructions and 75 feet of wire are supplied with each set.

PRACTICAL AND INSTRUCTIVE

A splendid and useful gift item that any boy will welcome. Sets in attractive Marcon and Gold, contained in beautiful display boxes. Maroon and

French Type Duplex Cradle Phones

Talks and Rings Thou-sands of Feet Away New two-way French style telephones teries; compact, attractive modern. Furnished in pairs—all ready for use. Only 2 standard ready for standard use. Only 2 standa need to be added



Real Electric Talking

Phones Practical at home or Practical at home or at work, especially con-venient as room-to-room or house-to-garage tele-phones. Equally useful in offices, factories, public garages, restu-rants, stores, etc. Full instructions for rapid

-USEFUL PRACTICAL CONVENIENT

No. E704. Dry Cells for use with Realphones NET, EACH.

No. E2516. 100 feet 3 nector cable for outdoor 100 feet 3 conductor con-\$1.03 ине

No. E2517. 100 feet cable \$0.88 for indoor use


Complete set consists of 2 Real-phones with buzzers and 35 feet of wir-now. Additional wiring may be added as required. Available in four colors. No. E1010. Black YOUR NET PRICE, \$0.21 phones with ing. Additional reduced. No. E1010. No. E1011. No. E1012. No. E1013.

> Headsets Weigh only 5 nees. So light ounces. So light and so comfort-able you scarcely know you have them on. For

amateurs, aircraft, hard of hearing, short wave fans, or anyone wishing

Green. Ivory. Lots of 3, NET \$3.28 Each. New Featherweight

SPEED-X HI-SPEED PROFESSIONAL KEY



the finest automatic keys made. Balanced

Balanced to perfection and give plenty of "pep" and "life." Can be slowed down to 8 words per minute or seared to as high rate of speed as desired. Standard, heavy construction throughout—will hold adustment at all speeds. Carefully designed to afford precision adjustment at all points. Solid inch pure silver contacts. Base of bright black enamel. All nickel parts highly polished. An exceptional value.

No. E6605. List, \$12.50. YOUR PRICE....

Connecticut Duplex Cradle Phones

Adequate ly meets an inexportable type tele-



for permanent installation. Has many uses—two, three or four phones may be connected together utilizing a code of rings for the different locations. For temporary service, two standard flashlight batteries may be inserted in base of each phone. For permanent installation, standard dry cells are required. tion, standard dry cells are required. Will operate efficiently up to 1,000 feet. Foreign type French hand phones with 4½ foot cord. Beautiful two-tone effect. Complete with twenty-five feet of parallel silk-covered wire. No. E | 575. YOUR PRICE, EACH

electrical Has many anv

SPECIAL, NET. **SUPERSENSITIVE** TRANSMITTING

or anyone wishing light-weight precisions built headphones. May be worn for hours without the slightest discomfort. Each phone laboratory built with extreme precision. Extremely sensitive—widely recommended for DX and weak alteral reception.

witely recommended for DX and weak signal reception. Substantial, flexible steel, lightweight headband. Shpg. wt., 1 bb. A sensational value.
No. E795.

138
No. E796.

BUTTON

Has hundreds of applications in radio and electrical cir-Carbon granule, readily applicable to vibrating surface or dia-phragm. A con-



stant source of delight to the experi-menter. Offered at an unusual low price. 12 Page Booklet

Describes Many Uses A 12 page booklet is furnished with each transmitting button, describing a myriad of uses. For broadcast modula-tion, telephone work, detectaphones.

the control of the co

Over 50 Circuits Illustrated

BUTTON


The booklet supplied gives over 50 circuits and illustrations describing interesting and fascinating applications. Physical differences among buttons, electrical characteristics identical. Allied is pleased to be in a position to offer this unique transmitter but-ton at this exceptionally low No. E5440. NET, EACH

No. E6656: \$ SPECIAL

Public Address and Amplifying

ystems KNIGHT **PUBLIC ADDRESS** AUDITORIUM

The ideal installation where completely adequate facilities are desired for public address or reproduction to as many as 3,000 persons. For Theaters, Churches, Concert Halls, Auditoriums, Conventions and similar locations. Brings the voice of the softest speaker to furthest distances elearly and with ample volume. In ball parks, stadiums, dance pavilions, skating rinks, park concerts and other installations, this system meets a long felt need.



A COMPLETE POWERFUL SYSTEM

The Knight Class B 26 Watt Amplifier is ultra-modern in design using 3-46, 1-57 and 1-83 mercury vapor rectifier tubes. The famous push-push circuit power output is tremendous and supplies more than enough power for complete coverage. So flexible that a large variety of changes can be adapted, additional microphones attached, and a greater number of speakers connected at will.

POWERFUL DYNAMICS

The powerful Dynamic speakers rank among the very finest for public address installation. produce with a mazing fidelity over the entire audible scale with volume and clarity. Amplifier furnishes field current for Amplifier 2-4.000 ohm Giant Oxford dynamics.

Complete Installation Incindes

-Class B-26 Watt Amplifier 2-Glant Dynamic Speakers 1-Microphone Control Box

- -Webster 14 in. Microphone Stand -Universal Model X Microphone
- -Set Suspension Springs.
 -Set Suspension Springs.
 -25 ft. Microphone Cable
 -20 ft. Speaker Cords
 -1/2 r. "C" Battery
- 1-4½ v. "C" Batter Complete Instructions. List, \$265.00.

No. E9010. YOUR \$8595

Provides mixing and switching controls.
Contains volume control, enabling perfect modulation of reproduction as desired. Per mits the gradual fading and increase so de-sirable with music background and breaking in for announcements

DELUXE PORTABLE ADDRESS SYSTEM

A complete and phonograph in a single case the size of an overnight bag. overnight bag. Weighs less than



COMPLETE AND COMPACT

An ultra-modern amplifier of exceptional power and tone range, using latest design tubes, two 47's, one 57 and one 82. High grade 2 speed electric motor turntable. Pickup of utmost sensitivity. Universal microphone, dynamic speaker, microphone cable and speaker cord. Mixing centrol provided for phone and microphone input to supply music background for voice. Provision made for plusging in one additional speaker

INCLUDES

Case. 13x14x15 1/2 in.. containing all items in one single grip—powerful electric amplifier and tubes—two speed electric turn table and pickup — microphone — dy-namic speaker—15 ft, micro-phone cable and 30 ft. for speaker cord. A complete system ready for instant opNo. E9012. Complete system, 110 v. 50-60 cycle. Net wt., 39 lbs. Shpg. wt., 50 lbs. Entire system fitted in a small small sturdy carrying case ready for instant operation.

\$165.00. YOUR PRICE, COMPLETE with tubes

\$8675

PORTABLE ADDRESS SYSTEM

For public gatherings, political meetings, window meetings, window rations, Kentals positions in the state of the s phone and phonograph, A combination of exceptional utility. Tubes required: 1-57, 1-47 and 1-82.

Weighs Only 2e lbs.
Can be put into operation instantly. Case acts as perfect speaker baffle. When closed back snaps on Entire unit weighs only 20 pounds. Smaller than a traveling bag. Measures traveling bag. 18 ½ x11x10 in.



Complete Unit Includes:

Little Giant amplifier in sturdy portable case, powerful dynamic speaker, Kellog Hand Mike, complete with 30 foot speaker and 10 foot A.C. ex-tension cord

tension cord.
No. E9014.
List, \$68.50.
YOUR PRICE,


PORTABLE 2-SPEED ELECTRIC TURNTABLE

Offers a world of convenience for countless purposes. May be used for connection to the annihifers and Public Address Systems pictured on pages 24 and 25, for use in the home, mortles, meetings, etc.

ard records.

FOR PUBLIC ADDRESS

The assembly includes the high standard Diehl 2 Speed Motor and Webster Balanced Pickup for reproducing new long playing and stand. Sturdy reinforced case 17½ x 13½ x 8½. Complete A.C. and pickup connection Weight. 22 lbs. Complete with cord.



etc. De livers maximum power.

Window Demonstrating and Inter-Office System Very popular for centralized spot coverage. Especially

or spot coverage. Especially valuable for inter-office a n-nouncements, call systems, window demonstrations, etc. De-

dynamic speaker is housed in an attractive wainut finished case. Microphone is the fa-mous Kellog Hand mous Kello

CANY USES

Amplifier is compact and weighs but 9 lbs. Contains direct input and weighs but 9 lbs. Contains direct input and volume control for microphone and phonograph. Speaker cabinet measures 12 ½ in. x 11 ½ in. x 8 in. Uses one 57, one 47 and one 82 tube.


Little Giant No. E9013 includes Ampli fier, Power Dynamic Speaker In cabinet, Kellog Hand Mike

In cabinet, Kellog Hand Mike. 50 ft. Speaker Extension and A.C. Cord. No. E90 13. List, \$75.00. \$2.495 Less Tubes

SOUND EQUIPMENT

We have offered on these pages amplifier equipment that we feel will meet the most Universal needs, ranging from the small 8 watt amplifier to the Gant 26 watt unit. We can furnish promptly all other types of standard amplifier equipment at attractive quotations. Our sound equipment department is supervised by a competent sound engineer to whom we invite you to bring your problems, with the assurance that you will receive correct technical information and recommendations. The apparatus we offer is highest standard and is covered by the RMA guarantee, against any defects of material and workmanship and is conservatively rated.

POWER AMPLIFIERS FOR EVERY PURPOSE



HANDLES 4 TO 5 DYNAMICS AT HIGH POWER LEVELS

The 26 watt Knight Amplifier permits the operation of up to 5 Auditorium Dynamics. Oxford Glant Dynamics handle full power of the amplifier with undistorted output. Amplifier contains built-in field supply for 2-4000 ohm dynamics. For greater distribution as many as 30 speakers may be connected with favorable results.

KNIGHT CLASS "B" 26 WATT **AUDITORIUM AMPLIFIER**

Incorporates the combined engineering skill of a great laboratory and contains features that result in lincomparable performance. Output is tremendous—26 watts—sufficient to operate 5 giant dynamics at peak level. For auditoriums seating up to 3,000 people. Up to 30 speakers may be operated at lower levels. Ideal for Auditoriums, Theatres, Schools, Dance Hails, Conventions, Athletic Fields, Ball Parks, and all other large installations. All ratings bosn-fide laboratory findings,

BUILT-IN MICROPHONE AND PHONOGRAPH INPUT

Knight Class "B" 26 watt Amplifier contains the 2 button inlerophone and phono-input built inconnection is made directly to the amplifier. Handles with equal efficiency all types of reproduction, with startling clarity at every range.

GAIN 95 DECIBLES

Frequency response is extremely flat. Every tous le produced with actual lifelike fidelity. Mechanical cortion is extra strong to withstand hardest usage. All cal units of finest quality. Finished in bandsome crystalline. 110 volts. 60 cycle A.C. Shpg. wt. 27 lbs. Every tone level re-All electri-

No. E8989. Less Tubes. OUR SPECTACULAR NET PRICE

Knight 7 Watt Amplifier

High gain of 69 deci-bels at 1000 cycles with an exceedingly flat frequency charac teristic within from 40 to 10,000 cycles.

Field Supply. Mike Phon Input Built In

Microphone current supplied by amplifier. Field supply for one 1,000 ohm speaker also furnished to make this am-plifier practically a self contained unit. A master volume control is included as an integral part of the design.

A Giant in Performance

For medium size halls, small theaters, chapels and other similar installations it has no peer. Provides field supply for one 1.000 ohm speaker, in addition to which several magnetic and A.C. Dynamics may be operated. Uses the new tubes, additional 2-47s, 1-57 and 1-82 (Mercury Vapor Rectifier). Finished in handsome, two tone green crackle. 110 v. 60 cycle A.C. Ships, wt., 13 lbs. No. E8990. Less tubes. YOUR PRICE

Same as above less microphone input and master volume control. No. E8991. YOUR PRICE.....

\$1675

WEBSTER 3 STAGE P.P.-250 **AMPLIFIER**



A Superpower 3 Stage Amplifier

Uses the 250 tubes in push-pull to deliver mendous gain amounting to 90 decibels at 1,000 cycles. The output impedance works out of standard phono pickup or input transformer. Output impedance is 4,000 ohns. A splendid amplifier with a wide range of operation permitting an immense variety of installations.

Requires 1-58, 1-48, 2-250

Uses the 250

Requires 1-58. 1-46, 2-250 and 2-281 tubes. Performs splendidly with the Oxford Auditorium Dynamic delivering a rich, vibrant tone over the entire scale.

No. E8987. Less Tubes.

Little Giant AC Amplifier **Built-in Volume**

Control, Mike and Phono Input

For small hall systems, window demonstrations, class or lecture room installations, call systems, etc. Input provided for microphone and phonograph. Very low hum Input pro-

level and amazingly high gain. Output of 3 watts using only

BUILTIN DYNAMIC SPEAKER FIELD SUPPLY

Another feature is the built-in dynamic field supply for 2,500 ohm speaker. Will also operate several A.C. dynamic or magnetic speakers. Equipped with Master Volume Control and current supply for microphone operation. Neatly finished in Black Crystalline. Size 12x6 %x6% in. Furnished with 5 ft. A.C. cord. Shpx. wt. 12 lbs. Requires 1-57, 1-47, 1-82 tubes.

No. E3992. Less Tubes.

YOUR SPECIAL PRICE.

Victor 2 Stage 245 Push Pull **Amplifier**

A wonderful value at a knockout price. Tre-mendous volume with un-excelled amplification over the entire audible

ABC POWER SUPPLY

Furnishes a 4 watt output. Ideally suited for auditorium. dance ball, or theater in connection with phonograph pickup or radio tuner. Excellent A-B-C Power supply, and amplifier for conversion of battery sets. Requires one 226, two 243, and one 280. Uses 2500 others.

speaker No. E8707. Less tubes.



RCA VICTOR 250 AMPLIFIER



Designed by R.C.A. engi-neers. Output is fremen-dous. Undistorted delivery for several dynamic speak-

Supplies field of 110 v. D.C. at 110 mils. Output transformer for 1.000 ohm field resistance. Undistorted 5 watt output. 110 v. 60 eyele A.C.

No. E8706. YOUR SPECIAL PRICE.

45

PHONO-MOTORS-PICKUPS ACCESSORIES

NEW WEBSTER PICKUPS FOR 78 R.P.M. AND NEW 331/3 R.P.M. RECORDS

A new, modern pick-up by Webster, constructed to meet the popular deniand created by the advent of the new 'Long Playing' records. Attachment of an ingenious counter-balance permits the pick-up to reproduce either the older type records or the latest long playing recordings with equal tone fidelity and brittiance. Enjoy rich. smooth, full tones, covering the entire highly efficient instrument.

MODEL 15 A-2 WITH VOLUME CONTROL

New Webster pick-up complete with volume control. 17,000 ohms at 1,000 cycles, 8 V. output. Less counterbalance. Shrg. wt., 2 lbs. No. E772 11.00.

MODEL 17 A HIGH **OUTPUT MODEL**

A special high output model for use with Receivers which have a low gain in their autio amplider. Average output is 4 voits giving a mple volume without hooster stage of amplification. Sings, wt., 2 ibs.

Shpg. wt., 2 lbs. No. E7715. List Price, \$15.00. YOUR PRICE



MODEL 15 A-3 LESS VOLUME CONTROL

The new Webster pick-up as described, without volume control. For use with 35% R.P.M. records, attach counter balance listed below 17.000 ohms at 1.000 cycles. S V. output. Shps. No. E7720, List Price, \$10.00.

LOW IMPEDANCE MODEL 15 A-3

Special 200 ohm, low impedance model pick-up. Otherwise as described above. Wt. 2 lbs. No. E 7705. List Price. \$11.00. \$575

WEBSTER COUNTER BALANCE The new, ingeniously-devised Webster counterbalance.
Readily attached to any Webster flat type pick-up to obtain the required needle weight of 3 onness for the new
"Long Playing" (35% kl. M.) records. It must be
remembered, which runs at speed of 33½ R. P. M.
dust no cors listed on this page. Shpg. wt., 1 lb.
No. E7706. List Price. \$2.00.

DIEHL "ARISTOCRAT" 2 SPEED PHONOGRAPH MOTOR

Latest development in phonograph motors for new long playing and standard records. The product of a famous concern associated with the Singer Sewing Machine Company. Combines small size and lightness of weight with a



power output in excess of all normal requirements. Uniform speed—silent operation. Easily installed Consumption 18 watts.

FINEST 2 SPEED MOTOR MADE FOR 33% and 78 R. P. M. RECORDS

Attractively finished in durable black lacquer, with all steel parts heavily nickel-plated, and fittings finished in statuary bronze. Substantial in design and construction, insuring trouble-free persion for a long period of time with only occasional lubrication required.

COMPLETE WITH MOULDED 12 IN. TURNTABLE AUTOMATIC STOP-SPEED REGULATOR

Turntable is of exceptional mechanical strength, covered with heavy weight brown felt. Precision of construction assures the smooth, even rotation essential for accurate reproduction. For 60 cycle A.C. operation. Shpg. wt.. 5

List Price, \$25.00. YOUR PRICE.....

SINGLE SPEED MOTORS

A compact, powerful heavy duty induction motor, reflecting the precision of construction and smoothness of operation of Diehl products. No electrical disturbances possible. Full speed attained instantly without manual assistance. Complete with automatic stop and 12 inch moulded bakelite lurintable. Shpg. wt., 15 lbs.

No. E8139. For 60 cycle, 110 volt A.C. operation. List Price, \$20.00. YOUR PRICE.

Diehl Phono Meters are available in 160 and 220 volts and 25, 40 and 50 cycle, also 110 volts direct current. Write, giving specifications, for prompt quotations. Allied can serve you promptly and economically.

NEW WEBSTER 10-B PICKUP

New design—new principle sensitivity plus. Arranged to permi equally good reproduction of both the older and new

und new
"Long l'laying" records. By turning a knob.
the pick-up is adjusted for either the 3 ounce
needie weisth required for new 33% R.P.M.
records or 5 ounce needie weisth necessary
for other 78 R.P.M. records. Impedance
10 E 7707.
10 E 1707.
10 E 170

PROFESSIONAL 16" PICKUP This model provides a tone arm of proper leagth to play records of 16 inch diameter of older type as well as the new "Long Play-ing" records. Ships. wt., 4 lbs.

of older type solds. Shpk. wt., 4 lbs.
No. E7709.
List Price, \$20.00.
S1176
YOUR PRICE
No. E7710. 200 ohm low impedance model.
List Price, \$22.50.

PHONOGRAPH PICKUP

Transformer

Transformer
Designed for coupling low
impedance phono straith
pick-up to grid of amplifier. Turn ratio 1 to 20.
Black enameled case completely shields windings and
core. Also is suitable for
200 ohm line to tube
service No. E4399.
YOUR NET
PRICE



AUDAK DUO-DISC 331/1-78 R. P. M.

Timely, Convenient The new Audak Duoreproduction of both the new "Lone Play-ing" records as well as the older 78 R.P.M. records on any machine capible of properly playing 78 R.P.M. records.

CONVERTS ANY PHONO MOTOR TO A 2 SPEED MOTOR

The mere turn of a button permits reproduction of new 33% R.P.M. records on any phono-motor. Turn back at will to regular 78 R.P.M. Only one model for all nanchines spring or electric. Can not Jam. Eastly -spring

No. E1100. List Price, \$7.50. YOUR PRICE ...

New Audak No. 33 Poly-chron Pickup For 33 1/2 8 78 R. P. M. Records

Ultra - moderning sensitivity. I long - playing records cannot records cannot be played with ordinary



the ordinary plek-up with the out in jury to the recorded groores. The special Audak Poly-Chron reproduces the new 33% R.P.M. records perfectly the control of the control

33% and 78 R. P. M. Records

Fine performance—Good quality—Low Price.
Adoptable for use with both the new long-playing and older type records. Reflects Audakhigh workmanship and material standards. 3 lbs. 2. List Price. Shpg. wt., 3 lb No. E | | O2. \$12.50. YDUR PRICE

\$735

FAMOUS HAMMOND PHONOGRAPH MOTORS



SYNCHRONOUS-78 R. P. M. This synchronous motor, for use with 78 R.P.M. records, requires only 7 inch circular opening and 3 inches below top of mounting board. A smashing value. Shpg. wt., 10 lbs.

No. E9028. List Price, \$25.00. YOUR NET PRICE

SHURE MICROPHONES



MODEL 22 N-2 BUTTON Large size, high quality, 2-button microphone for public address systems and amateur broad-casting. New, glazed carbon button discs, ad-

carbon button discs, adjustable buttons, o oldjustable buttons, oldjustable buttons, oldplated disphragm. Modernistic design. Modbest at 6 to 8 M.A. per
button. Limit: 12 M.A. per button. Total
internal resistance 460 ohns per button.
Over 21 diameter: Sys. Sips. etc., Jik.

Over all diameter. No. E7000. List Price, \$25.00. YOUR PRICE

Model 5N-2ButtonMicrophone An amazing value in a 2-

An amazing value in a 2-button microphone. Es pecially recommended for public address systems remained for the value of value of the va No. E7001. List Price. \$10.00. YOUR PRICE...

BATTERY OPERATED P. A. AMPLIFIERS AND TRUCK SOUND SYSTEMS

DIRECT BATTERY OPERATION

At last! Mobile high level output amplifiers utilizing for the first time the new full class "B" amplification for direct battery operation. ALLIED here offers a complete line of portable battery operated amplifiers, that are not merely unmatched units, but practical, worksble, easily installed and economical sound equipment systems.

POWER AND ECONOMY

The equipment listed below is conservatively rated and will deliver the full rated capacity with minimum current drain. No longer any need for expensive converters or generators, nor any dependence on wired electrical current

New Class "B" 10 Watt \ **Battery Operated Amplifier**



A new full class "B" ampli-fier especially developed for au-tomubile instal-lation. Fila-ment supply is obtained from either car or external hat-

external bat-tery, plate sup-volts being required tapped at 180 volts with a "C" bias of 27% volts. Capable of handling two Dynamic speak-ers of high volume level and up to 5 at lower volume levels. Measures 5 %x 6x10 in. Utilizes + 112A tubes.

PHONO AND MIKE IMPUT

Has phono and mike input. 10 watt dance NO. E8982. \$1675 YOUR NET PRICE.....

2 BUTTON MIKE

A scientifically damped 2 button Universal Model X microphone with a frequency range from 100 to 4000 cycles. 200 ohms per button. Com-plete with stand, 14 in. high, and oring

ER984 YOU'R PRICE No E8983.

5833 with springs, \$ 245

COMPLETE BATTERY OPERATED TRUCK PUBLIC ADDRESS SYSTEM

KNIGHT



A complete installation including phonograph turnable for reproducing long playing and standard records, with microphone and ampli-fier for announcement and speech. The ideal system for addressing outdoor crowds from autoturntable mobiles. It is the only complete powerful bat-tery operated outfit ever offered at such a price.

SOUND

SYSTEM

CLASS "B" AMPIFLICATION 20 WATT OUT PUT

Conservatively rated at 20 watt output; the new full class "B" amplifier profits continued to the continued of the continued

USES STORAGE AND "B" BATTERIES ELIMINATES COSTLY CONVERTERS







SYSTEM AS ILLUSTRATED

No. E9020. Complete system as illustrated. Ready to Install. Includes a 20 watt full class "B" amplifier in steel cabinet, a 2 speed hand wound motor and turntable capable of playing the new long playing and conventional records (32% t.p.m. and 78 r.p.m.). Pickup control panel has complete built-in microphone and phone control unit—2 powerful 14 in. Oxford Dynamic Speakers with 6 vols, field to rhattery excitation and a 2 button microphone and stand. Less tubes and batteries. YOUR PRICE

MICROPHONE AND PHONO INPUT CONTROL UNIT



Provides adomate mixing and switching facilities for all Public Address Sistems, either mobile or stationary. Output Impedance can be fed into standard high impedance annul-fer. Measures 55x55x6 in. Requires one 4 1/2 v. "t" battery. Milliameter for direct reading of inderophone current.

No. E8994. YOUR PRICE

PORTABLE PUBLIC ADDRESS SELF BAFFLED DYNAMIC SPEAKERS

A complete line of powerful 14 in. Oxford Dynaale Speakers for portable and semi-portable soundsystems. They are offered for use with 6 wilt field
for storage better; excitation, for sound trush and
mobile insullation. Also forth of the semiportable from 110 D.C. line, or where field
entrent is provided by annihifier. Also furnished
in 110 rot 0.4.C. model where wired A.C. current
is available. Measures 15x15x11 in. Specify outtout tubes, so proper speaker input transformer
can be supplied.

No. E8567. 8 volt field. List Price.

No. E8567. No. E8569. No. E8569. No. E8570. No. E8571. 6 volt field. 1000 ohm. 1500 ohm. 2500 ohm. \$65.00. SPECIAL PRICE

List Price.

No. E8572. Hav. A.C. Complete with 25 List, \$90.00.\$ 1954 \$90.00.\$1965

GIANT CLASS "B" 7 TUBE 20 WATT AMPLIFIER FOR BATTERY **OPERATION**

Stands supreme in its field. Conservatively rated at 20 watts. Requires 1-237 and 6-112A tubes. a s volt "A" battery and 300 volts of "B" battery tapped at 180 volts. Measures of 7x9x12 in. Stands supreme in its

LOW DRAIN

The total "B" battery drain is only 20 mils with no signal, ith signal, only 88 mils. Low drain "A" storage battery, ally supplies the demand for a high level output mobile uplifier where wired current is unobtainable.

MICROPHONE AND PHONO INPUT

Input impedance is provided for a 2 button microphone and any shadard phonograph; pickup. Microphone and phonocraph; pickup. Microphone and phonocraph; listed at left are recommended for use with this amplifier. No. E8993. 20 watt Glant Class "B" tube Amplifier less tubes and batteries.

YOUR PRICE

THEATRE-PUBLIC ADDRESS AND RADIO POWER UNITS-HORNS-DYNAMIC SPEAKERS

OXFORD SUPER-POWER DYNAMIC

A giant in size and power, oversized to handle the tremendous volume of heavy duty amplifiers. This 14 inch dynamic reproduces faithfully the finest tonal shadings from low bass to high treble. Built to give long dependable service.

For All Sound Systems

The durable construction and the real dynamic performance, volume without distortion, of the Oxford Super-Power Dynamic makes it ideally adaptable for all acund systems. The metallized one-piece cloth diaphram is puncture resistant and has a controlled edge. Unexcelled to withstand the pressure of heavy duty work. A nox dependable unit for any public address system.

For A.C.-D.C. or Battery Operation

ALLIED offers this speaker in all models, to meet every purpose. Alternating current, 110 volt direct current or battery excitation models are listed below.

A special effort was made to present a complete listing, so that no particular type of demand should be deprived of the use of this really remarkable reproducer.

6-1000-1500-2500-4000 OHM FIELD

The listing below also offers a wide choice in field resistance to meet any need. All models are furnished with impretance naterials transformers to sult output tubes used. In ordering, please specify whether for single or push-pull, syling types of tubes in output stage. ALLIED is anxious to serve you, accurately and promptly. Merely mention your requirements. Shps. wt., 18 lbs. each.

No. E85885. 6 voit field. Battery excitation
No. E85885. 1,500 ohm field. 110 V. D.C.
No. E85887. 1,500 ohm field. 110 V. D.C.
No. E85887. For 110 A.C., 50-80 cycles, less 280 tube.

\$745

YOUR PRICE. Case only

14 Inch

MOUNTING CASE FOR MOBILE INSTALLATIONS

Leatherette-covered ease for mounting Oxford Super-Dynamic or speakers similar in size. Very convenient for mobile public adress systems. Especially suitable for temporary outdoor systems, truck installations and theatre systems. Makes it unnecessary to move open speaker. Case is ruggedly constructed, but light in weight. Dimensions: 15½ in. high, 14¾ in. wide, 11 in. deep. Attractively screened grille. Shpg. wt. 11 ibs. No. E859C. \$ 285

NEW RACON TRUMPETS

lasgreg.
nated an de harden de d'fabric construction. Will withistand the rigors of all climates, seasons, and temperature variations. Light-weigh acoustically perfect. Exclusped with standard threaded mounting collars.

31/2 FOOT TRUMPETS Bell 22 lnches Round
E8664. REGULAR Equipped with
al beaded edge, metal ferrule and sustion ring. Adapted for %-18 in. threaded
For indoor use only. Wt., 17 lbs.

TUUR PRICE S11.75

No. E8665. DE LUXE. Equipped as above. For indoor use or temporary outdoor use. Ships. wt. 17 lbs. List Price. \$25.00. YOUR PRICE.

List Price, \$25.00.

Vour PRICE.

No. E8868, STORMPROOF. Same equipment. For outdoor use in all climates and weathers. Sing. wt., 20 lbs.

\$23.42

6 FOOT TRUMPETS

Bell 30 inches round, Equipped with metal beaded edge, cast aluminum throat, and 4 inch suspension ring. lach suspension ring.

No. E8667. REGULAR. For indoor use only, in all climates. Shpx. wt., 31 lbs. List Price. \$50.00.

YOUR PRICE.

No. E8668. \$10RMPROOF. For outdoor use. Single unit horn, Shpg. wt., 35 lbs. \$38.22

RACON TRIPLE CONNECTOR

A novel combination for using three horns with one unit. Distributes the output of the unit equally through each, without choking or reducing its efficiency. Dispersion and 105 degrees. Shps. wiw, 6 lbs.

No. E6305. SINGLE ADAPTER. Permits use of all Racon power units with any Racon YOUR PRICE.....

DYNAMIC UNIT FIELD EXCITER



Racon field exciter. Supplies proper field excitation for Racon Electrodynamic Horn Units, from 110 volt A.C. Humless. Does not overheat. Shpg. wt., 12 lbs.

No. EB660, ONE UNIT, Provides proper field excitation for one Racon unit.

YOUR PRICE..... No. E8661. TWO UNIT. Provides proper field excitation for two unit operation. \$20.50 YOUR PRICE.....

No. E8662. FOUR UNIT. Provides proper field excitation for four unit operation. List, \$60.00. \$35.25

RACON POWER UNITS

Racon power units have justly earned an enviable reputation in the public ad-dress field. Modern, scientific design and precision of construction are responsible for the ability of these units to handle for mous volume with absolutely faith-ful reproduction of the original rendition.

Super-Giant Dynamic

The Racon Super-GIANT Dynamic unit for heavy duty operation. Has 15 ohm voice coil impedance and requires 6-8 volt field excitation, with 1 ampere consumption at 6 1 ampere consumption at 6 volts. Particularly adapted for theatre and auditorium use where the finest quality reproduction is required.



Peak Load 60 Watts

Handles peak load of 60 watts, or 30 watts ontinuously at 1,000 cycles. Less coupling ansformer. Sheg, wt., 27 lbs. No. E6299, List Price, \$75.00, YOUR PRICE

Master Dynamic Unit



The new Master electrodynamic unit. Peak load capacity 60 watts.
Operating
capacity 30 watts at 1.000
cycles. 15 ohm voice coll
impedance. 6.8 roits at 1.1
anps. held current. Shpg.
wrt. 18 lbs. Less coupling
transformer.

No. E6304. List, \$50.00. YOUR PRICE.

Junior Dynamic Unit

Handles 6 watts continuously with neak load capacity of 20 watts. 15 ohm voice coil impedance, 6-8 voits field excitation, 1.1 amps. Supplied less coupling transformer. Shpg. wt., 14 lbs.

WI. 14 lbs. No. E6301. \$2050 List. \$35.00. YOUR PRICE.



Baby Dynamic Unit



Handles 5 watts contin-uously with peak load ca-pacity of 18 watts. 15 ohm voice coil, impedance. 6 voit field excitation. 14 ampere consumption. Less coupling transformer. Shpg.

No. E6302. List. \$25.00. YOUR PRICE

Power Magnetic Unit

Primarily for public ddress use. Provides address use. Provides continuous operating capacity of 2 watts. Impedance 2,000 ohns. Shps. wt., 7 bs.

E6303.

YOUR PRICE

\$14.70

Coupling Transformers

Racon coupling transformers for Racon power units described above. Listed in two heavy-duty types and a general purpose type. No. E6307, 4,000 ohm primary impedance at 1,000 cycles.

No. E6309. General purpose transformer. 17 245 or 4,000 ohms primary impedance. List, \$7.50.

P.A. HORNS-BAFFLES-SPEAKERS-UNITS

Racon Dynamic Baffles



MILES F	Ife POSTCHIN	W -)1200		
	Beli Size.	Depth.	List	NET.
No.	Inches	Inches	Price	EACH
E867		10	\$12.00	\$ 7.06
E867		24	30.00	17.64
E867		24	40.00	23.52
Egg 7		15	40.00	23.52
E867	HIXH P	24	45.00	26.46
E00/	J MAN		-	Street, or other Designation of the last o

Dynamic Trumpet



For theatres, ball-rooms and auditoriums. Circular bell. Con-venient base for speaker mounting. Natural. combined with sdapta-hility to a wide range of uses. One piece con-

Length, 49 1/2 in. Bell 31 1/2 in. \$17.50

vo. E8303. Length 58 in. Bell 36 in. \$21.00 YOUR PRICE

RCA Photophone Auditorium Speaker

Superb for sound systems and for use with all class "A" and "B" and offer the standard "B" and sistance is 1000 onms. requiring from 80 to 130 voits D.C. to actuate it. from 80 to 130 Mils. Voice coil impetance is 8 ohms at 1000 cycles, with 80 watts input.



Peak Load 15 Watts

Conservatively rated for continuous use at 4 watts, but can safely handle peak load up to 15 watts, It is advisable to employ at least two of these speakers with amplifier system of 12 to 15 watts, and at least four with 20 to 25 wat systems, for life-long service. No. EB709. Less Baffle.

No. E8708. Complete with Baffle Box

Public Address Equipment

We are in a position to supply practically all pes of standard public address horns, units, do other equipment, if the item you need not listed here, please write to us for quotions. ALUED is anxious to serve you.

ELECTRIC MOTOR POWER

Great power and volume are harmoni bined this splen-did repro-ducer. The entire m u sical scale is naturally and faithfully re-produced with clarity and precision, from min-i m u m volume to full res onant



tiones of maximum output. No "tians" sound, no "rain barrely effect. Comparable only with the finest magnetic speakers. The electric speaker motor affords wonderful service and is easy to connect.

TAPPED IMPEDANCE

Speaker Impedance may be carefully matched to the radio receiver with which it is used. In the radio receiver with which it is used. In the matching without the control of the matching without the speaker output transformer. The magnet is oversized for durability and power of performance. The large disphragm responds readily to wibrations impressed upon it by the magnet. Large 10½ in control the magnet. Earge 10½ in control the state of the st

YOUR SPECIAL PRICE.

CABINET MODEL MAGNETIC SPEAKER



Life like reproduction, natural mellow tone, and extreme sensitivity of the magnetic unit, make this cabinet speaker an incomparable value a our low quotation. The grilled cabinet is of pleasing proportion and very attractively designed. **Attractive Cabinet**

The 9 in, chassis is of late design, rugged); built, and reproduces the entire audible scale with true and pleasing intonation. Cabinet dimensions: II in, wide, 12% in, indee, b. in, deen, a wonderful speaker at an unusual price. speaker at an un No. E88 II. YOUR SPECIAL PRICE

STEWART-WARNER DY-PHONIC ELECTRIC SPEAKER



Through a most for-tunate purchase, we are in the position to offer this famous Stewart-Warner mag-netic speaket at a "give-away" price. A "give-away" price. A new discovery in design gives this speaker clear dynamic tone — volume and power. Do not

indge its quality by our low quota-tion. It is sturdy and compactly built, cadmium coaced against rust and you will be surprised at its perform-\$ 195

No. E8810.

WRIGHT DE COSTER DY-NAMIC HORNS



red dy namic cone speaker horn for broadcast purpers. Used where distance is required. Weather proof chassis compartment. Non-resonant. Black weatherproof finish. Horn No. 5—length 48 in., bell 23 in. x 22 ke. E9000. List. \$30.00. Horn only. Horn No. 9, with flare on both sides instead of bottom. Not as directional as No. 5. Length 48 in., bell 30 in. x 21½ in. Shyg. wt. 11 hs. No. E9001. List. \$30.00. \$1764

WRIGHT DE COSTER DYNAMIC SPEAKERS

DYNAMIC SPEAKERS
For the home or small hall.
Equal in every respect except volume to large theatre model.
Extreme sensitivity and tremendous power without distortion. Size: 12 in, wide.
You in in. Requires 11 in.
Come 10 in. Requires 11 in.
Come 10 in. Requires 11 in.
Unity of the company o

ordered.
No. E9002. 217 Jr. 115 V. A.C. 25-50-60 cycles. List, \$50.00.

\$19.99

WRIGHT DE COSTER **VEHICLE SPEAKERS**



The Wight-DeCoster IN-FANT VEHICLE Speaker for automobile sets has the same brilliant none quality and teristic or all Wright-DeCoster crotucts. 9½ in. high. 9½ in. wide, 5 in. deep. Shps. wit, 10 lbs. if required for roul and wind of tubes. specify single or nushroul and without of tubes. She with the control of tubes. She with tubes of tubes of tubes. She with tubes of tubes of tubes. She with tubes of tubes of tubes. She with tubes of tubes of tubes of tubes. She with tubes of tubes of tubes of tubes. She with tubes of tubes of t

WRIGHT DE COSTER No. 255 SPEAKER

Do not judge the quality of this little 415" cone unit by its size. It will surprise you to find that a speaker so small is causable of reproducing with such pleasing tone and splendid such pleasing tone and splendid fidelity. Outside dis. of cone bracket 0% in. Depth 3% in. In ordering please specify field resistance and type of output tube or tubes used. No. E9006. D.C. 2500 ohms List. \$5.00.

No. E9007. Auto Speaker in metal List, \$6.50. NET



\$3.83

AUDITORIUM BEST THEATRE DYNAMIC DYNAMIC

GIANT

OXFORD

For the most powerful Amplifier. Designed to stand tremendous power for theatre or auditorium reproduction. Can be used with large buffle boards for outdoor work, or with large summer of the second projection.

A.C. Operation

A detached power unit is provided which requires two UX-280 tubes. The chassis is of heavy steel, rein-forced. This super speaker will sup-

for a large theatre. For outdoor work with large baffle. Will cover an enormous area in every direction. Baffle opening, 13 in. Wi., 75 lbs. Offered at a startlingly reduced price, OUR PRICE. Less Tubes.....

Tremendous volume without dis-tortion. 4,000 ohm impedance. This speaker has an excellent frequency response from the lowest volume to response from the lowest volume to the extreme power of large ampli-flers. Moving system is specially damped to permit reproduction with unusual clearness and fidelity.

20 Watt Field Power

The 20 wait field power is supplied by two 231 rectifier to be s.
Due to the high airgap flux density
(arg., 15,000 lines per sq.c.m.) and
the specially constructed voice coil.
the speaker officiency is very high. Supplied with impedance coupling
transformer in base. Dimensions: 15% in. wide. 14% in. high. 10%
in. deep. Diameter of baffle opening 12 in. 110 voit A.C., 60 cycles.
Supp. wt., 33 lbs.

No. EBOS5. 4,000 ohm. less tules. List. \$95.00. YOUR PRICE.



DYNAMIC SPEAKERS-AUTO SPEAKERS-UNITS

NEW JENSEN DYNAMIC SPEAKERS

The new Jensen speakers are outstanding for superb tone quality, sensitivity and volume. The 110 v. D.C. speakers listed on this page are all equipped with a 2,500 ohm field coil and will meet the average demand. If the speaker required, however, is not listed, write for quotations, specifying field and voice coil ohmage, diameter of cone and number and type of output tubes employed. NO EXTRA COST. Merely state your requirements.

NEW MODEL K-1

K-1 AUTO SPEAKER

For Sin-

No. E8207. Single or P.P. 245 or 250. No. E8208. For Single 247.

New D-16 Auto Speaker

The D-16 speaker as described above with 6 volt field for automobile sets. Euclosed in atrons case, compactly built for easy installation. Here is realistic, vibrant, true

For P.P. 247



6 In. Cone

Jensen super-quality is built into this ty is built into that convenient 6" cone dynamic speaker. Like all Jensen speakers it is equipped with the durable "Tym-Flex" cone. A powerful speaker, ruggedly constructed. pactly built. For Single or P.P. 171A-

E8202. E8203 YOUR PRICE

netallation

YOUR PRICE

No. 38. E8206.

Jensen K-1 speaker as described above with

as described above to the field for automobile sets. Enclosed in rugged, well-constructed case. Very compact, to facilitate

Jensen D-16

S INCH CONE One of the finest loud speakers in the eight inch class. Highly suitable for current models of

current models of multi-tube superheter-odynes with push-pull a u dio stages. All models have 2.500 ohm field coil. Fa-mous Tym-Flex cone.

YOUR PRICE, EACH.

E8209.

List, \$12.00. YOUR PRICE

For Single 247. For P.P. 247. \$441

For P.P. 38. \$588

Jensen D-9 Concert

12 Inch Cone

The new Model D-9 is designed for opera-tion with all types of amplifier systems and particularly for latest from rew set builders and for replacement purposes. In the 12 inch cone class, and equipped with mounting support and 30 ing support and 30 inch cords. All models have 2,500 ohm

Red Goll 1. Single or P.P. 171-245-250. No. E8224. For Single 247. \$735. No. E8225. For P.P. 247. List, \$12.50. Net, EACH.

MODEL D.9 A.C.

For radio receivers amplifiers or sound systems. Input transformer for push-pull 171, 245, or 250 tubes. 12 in. cone. 110 v. A.C., 60 c. No. E8221. List, \$20.00. \$1176

JENSEN SPEAKERS FOR THEATRE AND P. A.



The new Jensen Auditorium Electro. Dynamic Speakers. Capable of handling ex-treme power inputs. reproducing entire tonal range with amazing fi-delity. Equipped with Jensen "Tym-Flex" Cones. For use with all class "A" and "B" am-

pilfler

14 inch. Widely used for theatre, public address and outdoor announcing. No. E8236. For 110 v. D.C. Shps. Wt. 48 lbs.

Wt., 48 109. List, \$45,00. YOUR PRICE. No. E8237. 110 v. A.C. For 171-245-250 tubes, Including 82 Rectifier Tube. List, \$67.50. NET.... \$3969

AUDITORIUM JUNIOR



One of the finest speakers in its class for theatre and public address work. For 110 v. D.C. and A.C. operation. No. E8238. 110 v. D.C. For P.P. 245 or 250 tubes. \$13.23 List, \$22.50. NET For P.P. E8239. 110 250 tubes. \$19.11 \$32.50. NET

(Can be supplied for other tubes.)

Jensen Permanent **Magnet Dynamic**

tone. For Single 38

For P.P. 38. \$



The permanent magnet which supplies the energy in this speaker is an exclusive development of Jensen engineers. Gives battery sets sets same undistorted volume of A.C. sets.

or P. P. 171-245-250.

YOUR PRICE.

5882

GERMAN 3-COIL UNIT



advanced mechanical science and precise accuracy of the German laboratory are reflected in this remarkably sensitive unit. Finest struction

Powerful
Famous three - coll
construction and extra large dlaphragm tra large dlaphragm produces powerful ac-tion and vivid tone.

No. E5400. SPECIAL LOW PRICE.

NEW UTAH A. C. DYNAMIC SPEAKERS

These Utah new design speakers have surpassed even the height of perfection previ-ously attained by Utah peak stand-ards. The finely developed field design results in tone quality and volume capacity difficult to equal. The new Utah

The new Utah A.C. speaker operates with the efficient 280 rectifier. Supplied with 4.000 ohm transformer for single or push-pull output. 110 volts A.C., 60 eycles.

MODEL 10-A A.C.

No. E8950. 8 in. diam. For 171-245 or 250. single or push-pull. Shps. wt., 13 lbs. Less tube.

13 lbs. Less tube. \$8.82 Lbst. \$15.00. NET. (Available for any output—state tubes—single or push-pull.)

NEW UTAH BIG CHIEF MAGNETIC



A highly developed magnetic console unit for use in battery operated sets in conjunction with the new air cell A bat-tery and for multiple speaker installations. Musical scale reproduced with true magnetic tone

E8954. \$3,53 List, \$6.00. YOUR PRICE.....

UTAH UNITS

Utah Units are precisely constructed of highest quality materials. They offer faithful reproduction offer faithful reproduction over a wide range. Popular and in expensive. 3 in. diam.. % in. thread. TRIPOD UNIT

without E7432. Extreme power distortion. List. \$5.00. NET

NEW BIG CHIEF

Powerful clear reproduction, Preci-No. E7431. List. \$4.25. NET

NATHANIEL BALDWIN CONCERT UNIT



Raldwin The Baldwin Con-cert Unit is used ex-tensively and with great success 101 p. It lie address work. It has a great tonal capacity and is pacity and is ble to handle able to hand vast volume input without distortion. Offered now at an pn-beatable price.

Shielded Type

The Concert Unit shielded, capable of tremendous undistort-

ed tone. YOUR PRICE

Same as above, unshielded No. E1413. List. \$7.50, YOUR PRICE.

MICROPHONES and ACCESSORIES

UNIVERSAL MICROPHONES

Adhering to its progressive policy. Universal offers for 1933 an enlarged and improved line of microphones and accessories. The very latest improvements in design, finish and quality are incorporated in Universal products, which are redesign, finish and quality are incorporated in Universal products, which are re-leased for distribution only after being tested under the most rigid standards. Here is superior equipment to meet the exacting demands of the radio world.

MODEL "X" 2-BUTTON I



A sensational micro-phone at a sensational price. All essential fea-tures necessary to in-sure superior perform-ance and durability are

ance and durability are incorporated in this popular-priced model. Faithful tone. Pure gold contacts. Dura-lumin diaphragm. 200 Scientifically Damped. 100 to 4,000 cycles. button oums per button. Scientineany Damped. Frequency range from 100 to 4,000 cycles. Ruggedly built and finished in non-corrosive. Polished nicket Plate. Can be mounted in any Universal mounting. Diameter, 2½", Over 10 the behavior of the control of t

Universal all thickness, 1".
No. E7400. List Price, \$10 YOUR PRICE.

ohms per

\$E88

88

Model BB--2-Button

Nearly twice as heavy as any other microphone in its class. Built to hair-line

elase. Built to hair-line precision. Constructed especially for voice pickup, public address work and for amateur broadcasters, experimenters, halls, ball-rooms, speaker wagons, etc. Beautifully finished chrome plate. Extra heavy bishib polished chrome plate. Extra heavy bishib polished chrome plate. To take the process of the plate of the p

List Price, \$25.00. YOUR PRICE

Model KK--2-Button



Substantial, solid, double button broadcast microphone. Frequency range 50 to 6,000 double equency range 50 to 8,000 cles. 200 ohms resistance cycles. nest materials, finished in 24 Kt. polished gold, 2½" thick.

No. E7413. List Price, \$50.00. YOUR PRICE... \$29.40

Torpedo Type

New type of micro-phone, fully protected, extremely compact, quick-ly demounted. Connecprotected,

extremely compact and the process of \$17.64 No. E7402. List, \$55.00. \$32.34 NET

BULLET TYPE

Especially recommended for use in public address work where elegance of appearance, beauty of design, and true reproduction of voice and sound are demanded. Consists of a tube with a centre partition, providing space for a standard 1½ volt No. 6 dry cell battery. Adjustment serwe permits microphone adjustment for varying accusate conditions, finished aluminum and chrome plate. No. E7406, Model BB. List Price. \$50.00. \$29.40 NO. E7407. Model KK.

No. E7407. Model KK. List Price, \$75.00. YOUR PRICE.... MICROPHONE SPRINGS

\$44.10

Nickle tempered steel-1 inch long (unextended). No. E7421. Set of eight springs. YOUR PRICE. 47c

Model "Y" Single Button



A midget, single button microphone, very light, very small and
extremely sensitive. Recommended for use where high
sensitivity and extreme complaced in any hidden position, will pick up sounds and
conversation. Diaphragm exposed. Should be placed in tion, will pick up some conversation. Diaphragm ex-posed. Should be placed in protected locations, behind work. 200 ohms with pure

screen or gr gold spot cen No. E7403 grill work. 200 center diaphragm. 18

List Price, \$2.00 YOUR PRICE

MODEL "W"

Smallest completely protect-

Smallest completely protected and workable single-button microphone manufactured. High sensitivity, light welch and compactness adapt this uses. A favorite for use in hidden positions as a detectophone, or on the coat lapel. 200 ohma. 1%" in diameter. Pure gold spot center diaphrasm. No. E7404. List Price, \$3.00. YOUR PRICE

Model "A"-Single Button



New, heavy duty design. Solid 24 Kt. gold faced button. Extremely thin, light weight, gold-faced diaphraym. Frequency range 100 to 3,000 cycles. 200 olim resistance. Beautifully plated in polished chrome. 3 in. in diameter. 1% in. thick.

No. E7410, List Price, \$15.00. YOUR PRICE.

5882


17/

HANDI-MIKE

A hand microphone, intended for voice only. Rugged construc-tion, maximum volume with elear and clean-cut voice reproduction. Length 6 in., head 2½ in. Re-quires 6 volt battery and 8 to 10 mils. current.

No. E7414. Single button with thumb switch and 15 ft. cord. List Price, \$10.00. \$5.88

No. E7405. Two button. . cable. Price, \$15.00. \$8.82 YOUR PRICE.





NEW ADJUSTABLE FLOOR

and BANQUET STAND

Something strikingly new! A combination floor and banquet stand Overall height set up all in one. Overall height set up 62°. Banquet height 274°. Three collapsible telescopic tubes adjustable by convenient tubumb screws. Microphone ring 64° diameter with four eyes. Base 74° diameter. Handsome chromium plated. For Universal microphones models K. BB. KK. and A. as well as many other standard mikes. Complete with eight springs. No. E8920. List Price, \$10.00. \$5.88

Gem Midget Mike

Reproduce your own voice over your radio by means of the Gem Midget Hand Mike. Simply press button and do the broadcasting yourself. Program returns when button is released.

is released. Easily attached to any radio in two minutes—no tools are necessary. Complete instruc-tions. Case of tions. Case of white metal, beau-tifully designed and chromium plated, plied with 25 ft. cord.

No. E3222.
List Price. \$7.50.

YOUR PRICE.

Universal Baby Mike



ohms resistance and circuit switch. 31/2 inches high, beautifully finished.

No. E7422. List Price, \$7.50. YOUR PRICE...

UNIVERSAL "ORO" Single button, 200 ohm car-bon microphone. For amanor merophone. For the teurs and experimenters where a single button mike will serve. Gold faced button, 3½ high, finished in highly polished nickel plate, and furnished with 3 ft. furnished with 3 phone tip cord. Suspension ring attached. Not a toy. but a real micro-phone although llagus No. E7423. List Price, \$5.00. YOUR PRICE...



Mike Connectors



Knife hlade 3 brong connectors used extensively in microphone circuits, etc. 10 amis. 250 voit type. Adjustable clamps for holding cable firmly. Perfect contact. 49c

firmly. Perfect contact. No. E7408. 8 prong Socket. NET. No. E7409. 3 prong Plus

5 Pole Western Electric Cable Connectors

Western Electric five round group armored connector. For nicrophone circuits, etc. All prass shell with knurled circular pok-nut assuring perfect contact and permanent connection. A lock-nut and

and permane real value. No. E5394. Value, \$3.50. NET. EACH.



38c

SHIELDED MICROPHONE TRANSFORMERS



TRANSFORMERS
No. E4395. Single button. A compact inexpensive coupling transformer. Turn ratio 1 to 64. Impedance ratio 1 to 4,000, suitable for single button carbon microphone. Completely shielded.

List Price 32.20.
Vol. E4396. Two button. For all double button carbon microphones. Turn ratio 1 to 45. impedance ratio 1 to 2,000. Has flat response curre from 30 to 1,000 cycles. List Price \$3.75.
VOUR PRICE.
\$2.03 PRICE ...

THE BEST 1933 RADIO BOOKS SERVICE-REPAIRS-SHORT WAVE-ETC.

1933 OFFICIAL RADIO SERVICE MANUAL



NEW VOLUME NO. 3

A completely new OFFICIAL RADIO SERVICE MANUAL containing to a great extent, vital information not to be found in any other book in print today. All new and original material entirely different from the two preceding manuals. In size, shape and general physical makeup, however, the manual will be conveniently the same. Over 700 pages will more than 2000 diagrams, hookups, charts, illustrations and actual photographs of sets.

Free Question and Answer Service

With each copy, absolutely free. 24 Question and Answer Service

With each copy, absolutely free. 24 Question and Answer coupons. Thorough and complete answers by mail on servicing and operating on any sets or circuits. whether mentioned in Volume 3 or notice. The contesting only practical information, compiled efficiently for ready reference. Complete operating notes and hiuts by practical service men: long and short wave receivers, adapters and converters; modern servicing instruments; tube-chart facts; interference elimination; automobile radio installation and service; technical meter data; complete actual, pictorial views of hundreds of commercial receivers with additional schematic diagrams, as well as many other subjects of tremendous value. In a flexible loose-leaf binder 9 x 12 inches in size. Shpr. wt. 5 ibs.

No. E3620. List, \$5.00.

PAKES OCCUPENDA RADIO

ELECTRONICS

RADIO

SERVICING

a of Part has be

1932 Service Manual

Entirely different from the 1933 MANUAL. A complete directory of all 1931-1932 radio receivers. A required item in every service man's kit. Over 1,000 pages. In loose-leaf form, bound in flexible leatherette. Shpg. wt., 5 lbs

List, \$5.00. YOUR PRICE

Drake's Cyclopedia

The standard refer-ce book for radio ence book for radio men. The standard reserves the Edition of the F am ou s Drake's Cyclopedia covering the whole field of radio and electronics in one hand y rolume. Its handy volume. Its contents — Radio transmission and rereception. Sound pic-

tures. Television.
Photocells and Public Address. 1048
pages, 1700 headings, 1178 lilustrations. 130 tables and 105 graphs.
Handsomely bound in durable cloth. Shpg. wt.. 6 lbs. \$22
No. E2732
YOUR PRICE.

Radio and Electronic Dictionary



For every man in-terested in radio and modern uses of the and terms used in electronics with 550 illustrations. pages printed on fine grade paper size 6 x 9 inches. Durable cloth bind-

The only book of its Shpg. wt., 3 ibs. \$ 19 No. E2731. YOUR PRICE.

Radio Craft Library

Form an inexpensive, but up-to-the-minute radio library with the RADIO-CRAFT SERIES. Carefully compiled and completely authentic in substance. Each book consists of 64 pages, 6 x 9 inches with 50 to 120 illustrations. Neatly bound in stiff board covers. Shps. wt. 2 bs. No. E3625. "RADIO 8 E T ANALYZERS AND HOW TO USE THEM."

AUTOMOBILE RADIO

RADIO Form an inexpensive, but up-to-the-

NO. E3626.

YACUUM TUBES
AND HOW THEY
WORK."

NO. E3627.
"THE SUPERHET-ERODYNE BOOK—All about Superheterodynes.

No. E3628. "HOW TO BECOME A RADIO SERVICE MAN." No. E3629. "RADIO KINKS AND WRINKLES—FOR SERVICE MEN AND EXPERIMENTERS."

No. E3630. "RADIO QUESTIONS AND ANSWERS."

No. E3631. "AUTOMOBILE RADIO AND SERVICING."

No. E3632. "HOME RECORDING AND ALL ABOUT IT." No. E3633. "BRINGING ELECTRIC SETS UP-TO-DATE."

YOUR PRICE. \$3.80

RIDER'S PERPETUAL TROUBLE SHOOTERS

MANUAL-VOLUME NO. 2 The New RIDER'S MANUAL NO. 2 picks up where Volume No. 1 left off. No duplication of material. Contains all the service information necessary for commercial radio receivers. Every page is of value and there are 1.000 valuable pages. 2.000 diagrams and photographic layouts offer service facts which absolutely eliminate guess-work. Size 8½ x 11. Attractively bound: loose-leaf style. Carry for rapid and accurate service work. Shpg. wi. 8 lbs. No. 23618. YOUR PRICE.



Supplements Volume 2 for a most complete manual. Service at a profit. Handsomely bound in convenient loose-leaf form. Shps. wt. 8 lbs. No. E3624. YOUR PRICE.

POPULAR MAGAZINES AT REDUCED RATES

By special arrangement with the publishers, we are able to offer the following popular magazines at greatly reduced subscription rates. Only yearly subscriptions

RADIO CRAFT



"Radio's Livest Maga-zine." Published monthly. with each issue containing over 150 important diagrams, hook-up photos and illustrations. 12 is-sues mailed monthly from the publishers. Subscription must be prepaid.
No. E3622.
One Year's Subscription

SHORT WAVE CRAFT

Exclusively a short wave magazine and provides therefore the very latest and most authentic short wave information. Keep up with new developments by subscribing immediately One Year's Sub- \$1 90 No. E3621. One Year's Sub-scription: 12 issues.
TELEVISION NEWS

Grow with Television. Subscribe to Tele-ision News, the criterion of this new industry. No. E3617. One scription: 12 issues.

How to Build and Operate Short

Wave Receivers

Contains a wealth of material on the building and operation of typical short wave receivers as well as short wave converters. 76 pages, over 160 illustrations and receivers as well as supplements wave converters. 76 pages, over 160 illustrations and measures 7½ x 10 inches. Shpg. wt. 2 lbs. No. E3635.



How to Become an Amateur Radio Operator

This book covers everything on the sub-lect. Brand new material. 72 pages— over 150 illustrations. Meas-ures 7 ½ x 10 inches. Spg. 40c. No. E3636. YOUR PRICE

Electrad Resistor and Volume Control Handbook



A perpetual guide to re-sistor and volume control values, kept con-stantly up-to-date, by revised lists four times a year. Shows at a glance, the exact value of resistor or volume control for the job in hand so that replacements can be made with accuracy.

Handy Size-Durable

Handy, only 5 x 8 inches. Genuine Dupont Fabrikold Flexible cover—loose leaf.

An important "tool" in the service man's kit. Shps. wt. 1 lb. 00 No. E3000. YOUR PRICE.

RIDER'S \$1.00 Series

The popular Rider books well to the books well to the books with the books well as the books well as the books well as the books with the books well as the boo The popular Rider to 0 kg keep covering timely topics. Well fillustrated. Shpg. wt., 2 lbs. No. E3610. SERVICING SUPERHETERODYNES.
No. E3611. SERVICING AUTO RADIO RECEIVERS. NO. E36 | 2. SERVICING RE-CEIVERS BY MEANS OF BE-SISTANCE MEASUREMENTS. NET \$1.00



SHORT WAVE ADAPTERS-KITS-COILS-ACCESSORIES

NEW I.C.A. SUPER SHORT WAVE CONVERTER



Get police calls, amateur, airplane and coast guard wave lengths on your A.C. set with this new I. C. A. SHOBT WAVE CONVERTER. Will give excellent re-sults when used with any good standard receiver.

60-200 Meters

An ideal short ware converter for tuning in ware lengths between 60 and 200 meters. Makes use of entire receiver; not to be confused with older types which make use of the audio tubes in the receiver only.

MAKES A SUPERHETERO. DYNE OUT OF ANY T.R.F. SET

This Converter makes a Superheterodyne receiver out of a T.R.F. set and can be connected to any A.C. radio set whether T.R.F. or Superheterodyne. wastner T.R.F. or Superheterodyne. For streater volume and selectivity. util-izes one '27 tube which obtains power from radio set through adapters fur-nished with each unit.

No. E4205. Les List Price, \$8.00. YOUR PRICE Less tube.

Pilot Superwasp Kits



BATTERY MODEL K-110

Original Pilot Super Wasp Kit with all fine features of A.C. set, but using 1—222 tube and 3—201A tubes. Require 6 volts of 'A' current and 135 volts 'B.'' All parts fully prepared, easily assembled and wired. Complete with ten plug-in coils for all wave lengths. from 14 to 500 meters. Front panel 7 % x 18 in. Assembled set 9 % in. deep. Reduced price.

No. E8641.
Less Tubes. Less Tubes.

YOU'R PRICE A.C. MODEL K-115

The advanced Pilot Super Wasp A.C. model kit. The A.C. model uses 1—224 and 3—227 tubes. Same size and plugin coils as in battery model. Complete kit ready for assembly.

No. E8640. Less power \$3398.

YOUR PRICE.

pack and tubes.



A,B,C Power Supply

Power packs that will deliver the ab-solutely constant plate, filament and

solutely constant plate, filament and grid voltages, essential in the operation case. 10 in. long, 7 in. high, 3 ½ in. wide: Uses 280 tube which fits in can, equipped with removable cover.

No. 55970, K-ill. Supplies power for 4-224's or 227's, 4-229's and 2-171's. Max. Plate of 220 V, at 60 MA. Intermediate V. 180-135-90-45. 5 V, at 1 amp. 2½ V, at 4 amps. Requires 230

YOUR PRICE .

No. E597 | K-112 Supplies powe 2-248 s, 6 or 1227 s and 1-248 s or 227 s and 1-248 s or 228 s of 248 s or 248 s of 24 power for -280. I.C.A. CONOUEROR SHORT WAVE RECEIVER



Professionally designed and skillfully engineered for complete A.C. short wave performance. A complete receiver—no booster or amplifier needed for loud-speaker volume. Durably constructed for efficient operation under the most tryins conditions, from the tropics to the arctic circle. Requires 3—227, 1—245, and 1—224A tibbes. Use with power pack below for A.C. operation.

12 to 200 Meters

Supplied with eight coils covering range from 12 to 200 meters. Same type tuning coils as used by practically all steamships in "ship to shore" reception and broadcast.

Power Pack

No. E4220. I. C. A. Power Pack for the "Con-queror." Will also furnish and filament plate and filament current for 2—551, 2—247.
2—224A and 1—280.
Mounted in neat, compact can with removable cover.
Requires 1—280 tube.

ist Price. \$25.00. YOUR PRICE.

Wired Model

No. E8240. I. C. A. "Conqueror" as described above, completely wired and assembled. Less tubes and power pack. with a set of short wave coils covering 12 to 200 meters. Full short wave repution at a new low

List Price, \$54.50. YOUR PRICE.

Semi-Wired

No. E8241. The I. C. A. "Conqueror," partly wired, but so arranged that it can easily and quickly be assembled by anyone without technical knowledge. Less tubes and power

YOUR PRICE.

Adapter

Brings the thrill of short wave recep-tion when used with your present re-ceiver. In walnut cabinet with bake-

lite panel. Bakelite. clear vision vernier dial for hairline tun-ing. Complete with

three coils. (15 to 84 meters.)

detectors. List, \$15.00. SPECIAL NET. EACH.

Flewelling Shortwave

485

THREE CIRCUIT TUNER



Here is a low priced tuner that provides ample distance, selectivity and volume. Tunes 200 to 570 meters with .00035 condenser. Combines unusual selections Combines unusual selectivity at an inviting price.

For .00035 condensers.

R. F. Coil to Match No. E948. Tunes with .00035 con-denser to match above 3 circuit tuner. For broadcast band 200-For broade 570 meters. DUC

New three circuit tuner and R.F. Coil as described above, but tapped for short wave reception. No. E947. Tuner.

No. E948. RI To match S.W. YOUR PRICE. R F. Coil W. Tuner.

A reasonably priced short wave a plug-index short wave in the late of the late

Pilot R.F. Choke Coil

30-Millihenry Pilot No. 131. 30-millihenry radio-frequency choke coil for general use in short wave and regular broadcast receivers.

Its choking effect extends from about 15 meters up to 600, its distributed capacity being very low. Dimensions: 1%

No. E956. For sets with 4 prong detectors such as UX-201A. UX-199. WD-11. or AC 226 tubes.
No. E955. For A.C. sets with 5 prong

Air King Short Wave Plug-in Coils

reasonably

RADIO FREQUENCY CHOKES



For general use in short wave and broadcast receivers up to 2.025 meters. Low distributed capacity of fine impregnated wire winding. 0.D x 1% in. dis. 0.D x 1% in. dia. 3. 80 M.H. 44. 30 M.H. 5. 60 M.H. EACH No. E4253. No. E4254.

E4255. No. E4256. 10 M.H. with sets tuning 600

2,000 meters. No. E4257. No. E4257. 3.5 M.H. For short wave use of 10 to 225

meters 2.5 M.H. For

No. E4258. 2.5 M.I use up to 550 meters.

very low. Din in. high, 1 in. diameter. No. E5954. YOUR PRICE **New Air King Short Wave Converter**



A truly outstanding short wave converter. All of the A truly outstanding short wave converter. All of the fascinating and intriguing qualities of short wave reception are in store for the fan with this excellent unit. Covers short wave band from 20 to 125 meters. Employs 3—227 tubes. Single dial control. No body capacity or squeals. Draws only B voltage of 45 to 180 volts from receiver.

Built-in Filament Supply and Wave Selector Switch

Incorporates a built-in wave selector switch which does away automatically with coil changing, and a built-in filament transformer to heat the tubes used. R.F. Ampilication affords maximum efficiency. Size 7x10x5 in. Shpr. wt. 8 lbs.

An exceptionally remarkable short\$ wave value.
No. E953. Less tubes. List, \$25.00.
YOUR PRICE

NEWEST COILS-CHOKES & ACCESSORIES

High Gain T.R.F. Coils LITZ WOUND



Bank wound with Litz wire, permitting unusual sensitivity and uniform gain over entire wave band. Round shielding car 2% in high. 1% in distance of the control of the cont

mounting reduces efficiency New deign No. E5267. NET

RADIO FREQUENCY COIL Same size and type of mounting as above with R.F. coil winding.

No. E5268. NET.

440

UNDERLICH COIL Same size and mounting as above but with center-tapped inductance for Wunderlich or 55 tube circuit. No. E5269. NET

4 TUBE KIT Contains 1 Ant. Coil and 1 R.F. Coil No. E5272. NET

5 TUBE KIT Contains 1 Ant. Coil and 2 R.F.

No. E5273. NET.

No. E5287. \$1.52 (All kits Include schematic dia-

High Gain Superhet Coil Kits

Complete set of coils for five tube 175 Kilocycle Superheterodyne. Uses the new tubes. This quality set of coils permits construction of a set with sensitivity of about 5 microcoits.

5 TUBE KIT



Consists of one composite coil (detector, oscillator and first L.F.

WUNDERLICH

Contains 1 Ant. Coil and 2 Tapped R.F. Coils.

first I.E. transformer), one band selector, and an output I.F. transformer. Cans sized 2 in. x 2 in. x 3 in. high. Top tuning. For Superheterodyne using screen grid tubes. Complete circuit blue print enclosed with print enclosed with each kit. \$2.49
No. E5274. YOUR PRICE. \$2.49

FOR NEW WUNDERLICH OR 55 DUAL DETECTOR

E5275. Same as above, but with er tapped output I.F. transformer. new Wunderlich or new 55 Dual For new \$2.68 VOUR PRICE



175 K.C. I.F.

High gain shielded output Intermediate frequency transformer. Laboratory peaked at 175 K.C. Included in five and 7 tube superheterodyne kits listed on this page. Inductances are specially wound between layers of paper which gives the exceptionally high gain. Contained in square cans $2^{\nu} \times 2^{\nu}$, 3" high. Top tuning, base mounting, with lead at bottom. For superheterodynes using new screen grid tubes.

No. E5282.

FOR WUNDERLICH OR 55 DUAL DETECTOR TUBES

The 175 K.C. intermediate frequency transformer as described above but center tapped for the new Wunderlich or 55 dual detector tubes.

Note: The Wunderlich and 55 tubes use center tapped colls for both TRF and Super-Het circuits. Other colls are adaptable for Screen Grid Tubes—24, 35, 36, and 58. All Coll Kits Include schematic diagrams

175 K.C. Com-

Posite Oscillator
Composite high gain coil
used as the first detector, oscillator and first LF, transformer. Eliminates the use
of one tube with a large in former. Eliminates the use of one tube with no loss in efficiency. Top tuning. Used

with 5 and 7 tube superheterodyne kits as listed on this page. Laboratory peaked at 175 K.C. No padding con-denser necessary as it is made for the special tracking oscillator section variable condensers. (.00036 Enclosed in square cans. 2"x2"x3"

No. E5276. YOUR PRICE \$ 7 23

Shielded Preselector



High gain shielded band-Utilized in pass preselector. Utilized in five tube superheterodyne as listed on this page. Contained in square can 2"x2"x 3" high. Top tuning, base mounting, with lead at bot-

No. E5277 YOUR PRICE

Midget 175 K.C. I.F. Trans.

The only midget high gain I.F. transformer. Top tuning. Can be used in place of the larger 1.F. transformer illustrated with the 5 and 7 tube kits, or in any set in which space is a factor. 1 ½ 'X1'3' 'N a E5278. For superhets with S.G.

YOUR PRICE. 78C
No. E5279. With secondary center tapped for new Wunderlich and 55 dual detector YOUR PRICE

High Gain 7 Tube Superhet Coil Kits



Complete set of high gain coils for constructing the finest type of 7 tube superheterodyne. The set includes one Antenna coil, one R.F. coil. one oscillator, and two intermediate frequency transformers. Shielded in square metal cans 2".2"x3" high. I.F. transformers peaked at 1.75 K.C. Oscillator for use with new "special section" condenser. Top tuning. For superhets with new \$5. 1528.

No. E5280. NET, COMPLETE KIT.

FOR NEW WUNDERLICH OR 55 DUAL DETECTOR

E5281. Same as above but with transformers center tapped for the specified. \$4.15 YOUR PRICE.

Low-Loss Plug-in Coil Kit

Set of 4 los short wave television.



riring diagrams or building Short Wave receiver for building Short Wave receiver in-cluded with each set. Wound on ribbed low loss forms. 16 to 200 meters range when tuned with .00015 mfd. variable condenser. No. E1490. List, \$3.50. NET.

New Isolantite Low Loss Coil Forms



5, and 6 prongs.

1st, 75c. N 37c

No. E4229. 4 Pro List. 65c. NET.

New Low Loss Bakelite Ribbed Coil Forms



Plug-in coil forms made of Special Low Loss Bakelite. Standard bases to fit either 4. 5 or 6 prong sockets. Winding space on coil form 2 ½" with an extended ridge on top for an extended ridge on top for handling form. Eight ribs on surface for low loss air core windings. Outside diameter windings. Outside diameter 1½". In a variety of colors. Ideal for the amateur.

Prong Color Prong Prong E1475 E1476 E1477 E1478 E 1480 E 1481 E 1482 E | 485 E | 486 E | 487 E | 488 E | 489 Black Brown Red Green Orange E1479 28c **20c** 24c EACH

Lattice Wound R.F. Chokes

High impedance chokes. For use in first or second detector plate circuits of super-het or for any T.R.F. re-ceiver. Can also be used as antenna choke. Diameter 1". antenna choke. Dia Center hole mount.



No. E5284 23c 8 Millibenry. No. E5285. **29c** NET Milliben No. E5286. 16 Millihenry. 31c

MIDGET SOLENOID TRF COILS



The right coils for circuits requiring accurate R.F. coils. Enameled wire used to insure minimum loss. Times 200 to 550 meters with .00035 coudenser. Readily adaptable for conference with multigang or single condensers. 868C Set of 3. NET.

THREADED BAKELITE COIL FORMS



No. E6831. Threaded Coil Forms 1 in. diameter. 1½ in. long: 30 threads per inch. 5C YOUR PBICE. SO. E6832. Unthread-mameter. 2% in.

No. E6832. U long YOUR PRICE ..

BOBBINS FOR R. F. CHOKES

making R.F. Chokes. diameter savings for radio builders. No. E6833. Lots of 10, 45c. EACH



Bakelite Coil Forms

Blank bakelite coil forms r winding short wave coils. for winding short wave colls. A real bargain for amateurs who wish to wind own colls. No. E1619. 4 Prong. No. E1620. 5 Prong. 13c

CONDENSERS-TRIMMERS-ACCESSORIES

De-Jur Amsco Superheterodyne Oscillator "Tracking" Condensers .00036 Mid.



Designed for latest type Superhet circuits, making possible the co-axial mounting of the condensers. tuning the oscillator, preselector and first de-tector stages, with the composite tun-ing arrangement so that the oscillator will track at a given frequency of the 175 kilocycle I-F amplifier.

.00036 CAPACITY

Eliminates padding arrangement, semi-variable condensers and in some cases, resistors. This condenser makes the adjustment of the oscillator section as simple as that of the selector circuits, with a high degree of accuracy. Each section is equipped with individual compensators, and the end rotor plates are slit for more minute adjustments over the entire band. Heavy construction with ball bearing shafts. Trimmers may be mounted on either side for either clock-rise or anticologivities critation.

wise or anti-clockwise rotation.
No. E2723. 2 gang. Size 45
List, \$5.50.
NET EACH. Size 4 1/2 x3 1/2 x2 1/3. No. E2724. List, \$8.25. NET EACH. 3 gang. Size 4 14 x3 % x4 14 . 4 gang, Size 4 1 x3 1 x5 12. No. E2725. List, \$11.00. NET EACH.

DE-JUR TRF MODEL CONDENSER

Frame is of steel to withstand mounting and transporta-on strain, without affecting the tuning curve or electrical tion strain, without affecting the tuning curve or electrical characteristics. Tuning curves are designed to meet present day rigid requirements. Ball bearing—self aligning. Construction as above except that all sections have identical capacity curve which is correct for TEF circuits. No. E2726.

No. E2726.

No. E2727.

You have a correct for TEF circuit.

No. E2728.

You have a correct for TEF circuit.

No. E2728.

You have a correct for TEF circuit.

No. E2728.

You have a correct for TEF circuit.

No. E2728.

You have a correct for TEF circuit.

You have a correct for TEF circuit.

You have a correct for TEF circuit.

KNIGHT **GANG CONDENSERS**

A superior condenser for either orig-inal installation or replacement. Split-end rotor plates for minute adjustment. Equalizers are conveniently mounted for simple adjustment and retain settings without variation. Fully shielded be-tween sections to obstruct any capacity



COMPACT-STURDY

Housing stamped from one piece of heavy gauge steel. Re-inforced to eliminate the slightest variation or torque. Post-tive contact with readily accessible soldering connections make this efficient condenser especially adaptable for eliter midget receivers, auto sets or replacement work. RIGID CONSTRUCTION—SELF ALIGNING

Shaft is turned brass, standard ¼ in. ball bearing mounted, making it self aligning under all conditions, resulting in smooth effortless control. Plates of heavy stamped aluminum. All but end plates coupled at upper end to insure rigidity. Size 2¼ in. deep, 3½ in. wide. Individual sections, 1¼ in. across.

2 GANG No. E2251: \$1 96

3 GANG 4 GANG No. E2252. NET EACH \$1 44

DE-JUR SPECIAL SHORT WAVE 2 GANG .00014 CONDENSER

The precision in construction for which De-Jur is famous makes this condenser one of the most satisfactory for instal-lation where a .00014 two gang is required. For short wave work. Individual sections fully insulated from each other and from the frame, permitting complete universal mounting for any circuit. Compensations permit microfor any circuit. (

No. E2729. YOUR NET PRICE.

New U S L Condensers



A very efficient condenser at low price. All coupling effects eliminated. Ball bearing shaft, phosphor bronze rotor contacts. Uniform tension permits se-Compensators have

ground adjusting control .00036 CAPACITY

No. E7260. Single.	\$0.58
No. E7261. 2 gang.	1.25
No. E7262. 3 gang.	1.75
PRICE	

E7263. Single. \$0.55 1.15 PRICE

Hammerlund Midget Condensers

Hammerlund midgets feature extreme racy of construction. assured by latest type isolantite insulation to reduce dielectric loss to minimum. No screws or nuts. All parts either soldered or riveted. Vibration-proof

Section. List, \$1.80. NET.




2.82

construction. Ideal for Short Wave and

		Min.	Max.		
No.	Plates			List	NET
E392	7 3	3	20	\$1.50	\$0.88
E392	8 5	4	3.5	1.50	.88
E392	9 7	- 5	50	1.80	1.06
E393		6	80	2.00	1.18
E393	1 14	6	100	2.30	1.35
E391		7	140	2.50	1.47
E393		10	200	2.80	1.64
E393		10	260	3.00	1.76
E391		12	320	3.50	2.06
200.		-			
	DU.	AL I	MID	ETS	
No. E	3919.	100	Mmf.	Per C	2 50
	. Liet				2.59
No E	3918.	140	Mmf		
140. E		7.50	ALC 004 1.		2.82

SPECIAL VALUE CONDENSERS

A spectacular assortment consist-ing of such well known makes as General Instru-General Instru-ment. Signal. Bremer-Tully. etc. Built to sell for many times their price. As capacity ranges



No. E5414. 00025 No. E5415. .0003. SPECIAL PRICE, NET EACH 54

2 Gang Special Condensers

Special values in Bremer-Tully and General Instrument condensers a fraction of the original value. No. E5425. Bremer-Tully .00025. No. E5503. General Instrument

YOUR SPECIAL PRICE.


USL MIDGET CONDENSERS



ers ideal for Short wave and Auto receiver in-stallation. Single hole mounting— rügged, and accurate construction. A standard condenser at a popular price.

No. E7250 E7251 E7252 E7253	Plates 3 5 7	Min. Mmf. 3 4 5	Max. Mmf. 15 30 40 65	NET 35 c 39 c 39 c 44 c
E7253 E7254 E7255	15 23	6 7 9	100 140	48c 65c

PILOT FLEXIBLE COUPLING



PILOT CENTRALINE CONDENSERS

Centraline con-densers of the well known Pilot quality. Accurately built or Accurately built or non-corroding brans with highly end plates. Single

shatt extension permits gauging of two or more condensers. Connection to Rotor made by brass pigtall, insuring positive noiseless contact.

\$1.03 YOUR PRICE No. E5973. .00025 1.03 YOUR PRICE No. E5974. .00035. 1.08 YOUR PRICE No. E5975. .0005. 1.23 YOUR PRICE

NEW PILOT SHORT WAVE . 6 CONDENSER



Built with the same

Built with the same precision inherent in all prior products. Plates are extra-spaced to assure accuracy of calibration at the low settinss. Shelds measure 4½ in. x 3¾ in. wide. Capacity 0.0014 per sections for short wave circuits

No. E5976. List. \$5.00. YOUR PRICE.

NEW PILOT MIDGET CONDENSERS

Valuable for neutraliz-ing R.F. amplifiers, an-tenna couplings, tuning tenna cou verniers. regeneration control, short wave tun-ing, etc. ¼ in, shaft, Very rugsed construction. Size 1½ in, wide. 1 to 1¼ in, deep. With knob No. E5980. 000015 Mr. No. F502 in. wide. 1 to eep. With knob. O. .000015 Mfd.

No. E5981. .000025 Mfd. .00005 Mfd

54c E5982. .0001 Mfd. 59C NET EACH

49c

SOCKETS-PLUGS-DIALS-ADAPTERS-ETC.

EBY BAKELITE SOCKETS



Type 13 Staunchly bakelite socket. En-tire shell and tire shell and base moulded

"Universal" type—either for above panel or sub-panel wiring. Im-proved design insures perfect

No. E2865. 4 Prong. No. E2866, 5 Prong. 15C No. E2867, 6 Prong. 20C

No. E2868. 7 Prong-1%, List, 50c. NET.....

TYPE-8 SERIES





No. E2869, 4 Prons. No. E2870. 5 Prong. List, 25c. NET. EACH... No. E2871. 6 Prong. 15C

SUB-PANEL SOCKETS





Standard Size Latest Design

Laminated bakelite sub-panel sockets. Latest design and sturdy construction. Provide a perfect, long-lasting, efficient low-resistance contact between circuit wiring and proms of tube.

No. E2878. 4 Prong. No. E2879. 5 Prong. .6c No. E2881. 100 Lots, \$5.50. 7 prong. FACH

Midget Type

Of same construction but smaller in size than the standard size sockets described above. size sockets described above. Ideally suited for work involving limited space.

No. E2882. No. E2883. 5 Prong. No. E2884. 6 Prong.

PILOT LIGHT BULBS GENUINE G. E. General



quality lamps. EACH No. Volts 2.5 F2316 6.0

LOTS OF 10. 88C

We carry a complete supply of parts and equipment for set builders and service men. If what you want is not listed, write for prompt quotations. ALLIED is anxious to serve you.

UNIVERSAL SOCKET

tory socket for panel or baseboard mounting rugged con-



tinuous experimental work YOUR PRICE. 13c FOOR 16c YOUR PRICE.

SMALL SPACE SOCKET



mounts Occupies space, mounts
above or below
panel. Mounting
holes 111/a." center panel 13/a.".
Affords positive contact.

No. E990. No. E991. No. E992. NET EACH 4 Prong. 5 Prong. 6 Prong. 130 No. E993. NET EACH 7 Prong 18c

PILOT INSULATED SOCKET

For metal a n d base mounting. Sil-

hronze springs. No. E5990. 4 Prong. No. E5991. 5 Prong. YOUR PRICE

15c

D

EBY ISOLANTITE





Eby low loss Isolantite sock-ets. Designed ecially for short wave sets

No. E2885. 4 Prong. 20c No. E2886. 5 Prong

ERY SPEAKER AND CABLE CONNECTOR

Offer a simple convenient way of making and breaking a number of circuits simultaneously.
The male plugs are available with bayonet socket demountable moulded caps. For any standard tube socket or connector.

CONNECTOR

No. E2872. No. E2873. No. E2874.

EACH .. 12C



FEMALE-2 PIECE CABLE CONNECTOR



Consists of a moulded cap and socket assembly. Bayonet arrangement per mits quick and positive assembly. Assembled unit matches moulded. matches moulded

Male Plug de.
This socket ar safest method o hot" wires. scribed above. rangement is connection to No. E2875. No. E2876. NET EACH 4 Prong. 5 Prong.

20c No. E2877. NET EACH 25c

EBY SPEAKER AND CABLE CONNECTOR

Eby laminated bakelite male plug. Offers simplest and low-est cost method tiple circuit con-



into the prongs.
No. E2887. 4 Prong.
No. E2888. 5 Prong.
No. E2889. 6 Prong. 7c

NET EACH PER 100, ASSORTED \$4.50

CHASSIS MOUNTING TYPE



plugs for chas sis mounting Form simple Ehv

of connecting "hot" outside way to chassic circuit. Plug terminals are constructed to prevent any possibility of short circuit with adjacent terminals.

No. E2890. 4 Prong.

No. E2890. 5 Prong.

7c EACH No. E2892. 6 Prong. NET EACH 9c

KURZ KASCH DIAL

Smooth, nositive movement without back lash. Genuine bakelite, highlash. Genuine bakelite. hlghly polished. These dials have universal readings, 0-



No. E4806. in. diam. List, \$2.00. NET 59c No. E4805, 3in. diam. List. \$1.25. NET.....

BAKELITE VERNIER DIAL



Friction drive vernier dial, al-ways smooth in action and assur-ing positive calibration. Razor

edge contact eliminates back-by made of black lash. Attractively made of bl bakelite with nickeled fittings.

in. diameter. No. E3990. 0-100. No. E3991. 100-0. YOUR PRICE

2 TONE BAKELITE KNOB

Two tone effect and well propor-tioned. Appropriate for most receiver designs. Smooth, polished finish.



No. E2320, 1". No. E2319, 1%" NET EACH

7c

WALNUT RADIO KNOBS



Per 100, \$8.25.

High grade solid w o o d. one piece construction. Substantial heavy brass W' bushing. Good, lasting fit is a s-sured. Two desured. Two designs as illustrated. Top Knob No. E7605. 1". No. E7606. 114". Lower Knob 1".

No. E7607. No. E7608. NET. EACH 9C

NEW DIALS Illuminated, with Escutcheons

The latest dial assemblies, reflecting extreme precision in construction. Very smooth-running, giving positive regulation. Built to prevent all possibility of back lash. Supplied with beautiful excurcheon plates in a variety of types. Less builts.

FAN TYPE



Precisely built Fan Type dial with dis-tinctive window escutcheon as illustrated. 0-100 out-side dial diameter, 3%". Pilot light socket.

No. E2257. ESCUTCHEON

FULL VISION DIAL



A 90° full vision dial with built-in socket and standard scale. Beautifully descale. Beautinity de-sign e d escutcheon plate as shown. 0-100 clockwise. Translucent celluloid scale. No. E2256. NET WITH

ESCUTCHEON

SPOT LIGHT FULL VISION



Friction Friction
type 180°
Full Vision
Dial, with
traveling
pointer and
light socket
combination.
With hood,
i escutcheon.

standard scale 0-100 clockwise. No. E2255. NET COMPLETE

DIRECT DRIVE FULL VISION



A smooth-run-ning Direct Drive Full Vision as-sembly with trav-eling light sock-et, standard scale and es-trate calibration is asured. Beau-tifully embosed escutcheon.

No. E2254.

DRUM DIAL

A perfectly constructed high quality drum dial. Translucent calibrated dial strin. reading 0-100 over a 180° arc. Perfect visibility. New type cable drive permits perfectly drive permits smooth, pos-itive regulation. No backlash. Complete with 6 volt bulb and heraldic escutcheon.

No. E2317. YOUR PRICE

PANELS - SWITCHES - JACKS - PLUGS

CARTER OUTLET PLATES AERIAL and GROUND



A heat permanent connection. A con-venience anywhere. Complete with plug tips. Fits standard wall box. No. E2015. Satin

No. E2016. Brown Bakelite. YOUR .44c PRICE

SET OUTLET



No. E2018. Satin Brass.
No. E2019. Brown Bakelite.
YOUR PRICE,
EACH. 79 79c

AERIAL & GROUND RECEPTACLE

Outlet for set, dy-namic speaker, or two sets and aerial and ground etin Brass



No. E2021 Brown Bakelite.

CUTLER HAMMER TOGGLE SWITCHES




Togole type
filament
switch, providing positive
make and
break contect.
Single hole
mount, Wt., 6


No. E2580. Retail, 60c. YOUR PRICE C-HA.C. TOGGLE

SWITCH

A high grade, under-iters' approved toggle witch with nickel
ated mounting plate.
ated 1x2% in. Depth
in. Used as "on-1% in switch for 110 v.




CARTER JACK **SWITCHES**



YOUR PRICE 53C No. E | 95 | No. 6. Double pole, double throw. Six springs. List, \$1.25. 73c YOUR PRICE

SILVER CONTACT JACKS



E5404. Double Circuit-SPECIAL PRICE. NET. PER DOZ .45 c

RUBBER PANELS

Fine grade rubber for radio and instrument panels. Smooth finish. Will not warp. %6 inch.

No.		Size		EACH	
E3644		7x 6	E3661		
E3645		7x 9	E3653		
E3646		7x12	E3654	72	
E3647	64	7x14	E3655		
E3648	79	7x18	E3656		
E3649		7x21	E3657		
E3650	. 1.09	7x24	E3658		
E3651	. 1.18	7x26	E3659		
F3652	1 32	7-30	E3660	1.78	

WALBERT PANELITE




Mounted on panel above the dial, it throws shielded non-diffused light. Complete with rolt miniature bulb. Single hole mount. No. E5410. List. \$1.00.

SWITCH POINTS

AND STOPS Solid brass. Heav-ily nickel plated. No. E5550. Switch Points. Switch Points.
No. E5551.
Switch stops.
YOUR PRICE. PER
DOZEN

5 c NET, PER 35c

Bakelite Knife Switch



All types 2½ in. long. E5374. Single Pole 25C Double Throw. NET. 25C Double E5375. Double Throw. NEV. Double Pole 45C NET... 59C E5377. Five Pole \$1.08

PORCELAIN KNIFE Switch



e d sulated handle. 1 lb E4780.

NET. Single Throw E4781. Single Throw. Single Pole 14C Double Pole 18C E4782. D NET. E4783. Double Pole 22C Throw. NET.

MIDGET SWITCHES



Single Throw. Single Pole 13C E5379. E5380. Dou E5mble Throw. Double Pole 23C NET.

3-OUTLET TABLE TAP An outlet ta-



ble tap t h a t will harmonize with the finest table. Will not mar table top.
Complete with art silk cord and rubber at-

No. E2513. E2514. UR PRICE 10 feet. 49c YOUR

L.C.A. TOGGLE SWITCH Specially structed ball facilitate easy togfacilitate easy tog-gle switch movement. Complete with "ON" and "OFF" plates. Cap. 1 Amp. — 250 volis; 3 Amps. — 125 volis. No. E4235. % in. Shank, Antique Bronze. R.P.S.T. 22C Shank.

No. E4236. % in. 8 Antique Bronze, S.P.S.T. List, 45c. NET 24c E4238. % in. Shank, el. S.P.D.T. Nickel. List, 65c. NET. Double Pole, Double

Throw Toggle Switch



Permits switching from phonograph to radio or from radio to phonograph. Has s. Supplied with hardware. 34 in.

many other uses. Supplinickel plated hardware. ..66c

SWITCH



speakers in hotel rooms, etc. Key can be withdrawn only in locked position. Nickel plated. % in. diameter of body. Switch is not No. E2299. Single pole. two terminal, controlling one cir-

cuit NET.

FLAT TYPE PHONE



Automatic, nothing to take apart; just push in cord tips and plug is ready for use. ready for us YOUR PRICE. 12C

BAKELITE CUBE

Input for 3 plugs combined into a very piece. Ducompact piece. D

No. E2926. PRICE

.8c

BAKELITE PLUGS TWO & THREE WAY



These plugs provide for double and triple socket input having a

No. E2924. 2-Way Plug YOUR PRICE. No. E2925. 3-Way Plug. YOUR PRICE. 3. Way 24c

Bakelite Panels

standard si surfaced bla- tion color wa	zes. Sm	nur Men-
No.	Size	EACH
E2270	7x 6	\$0.54
E2271		
F2272		

F22737x14..... 1.35 E2274.....7x18..... 1.73 E2275.....7x21..... 2.05 E2276.....7x24..... 2.30 E2277.....7x26..... 2.50 E2278.....7x28..... 2.68 E2279. .7x30.... 2.90

CUT TO SIZE

316 inch thick-per square inch

EBY, ENSIGN BINDING POSTS

Eby Insulated posts. Complete with non-re-movable engraved tops. Diameter, 1/2 inch. Size: 1/3/2 screws, 1/2 in. long. No. E2950. Ant. No. E2951. Gnd. No. F2962 Input. No. E2963. Output. No. E2970. +. No. E2971.

List, 15c Each. YOUR PRICE. EACH No. E2954. Speaker +.

Speaker No. E2972. Piain.

SPECIAL PER DOZ 950

BAKELITE TUBING

For winding coils. Genuine bakelite 3 inch lengths-1/16 inch

No. E2280. Inside Dia., 2 in. EACH.... No. E2283. Inside Dia., 31/2 in EACH. 16c

INSULITE BAFFLE



The best possible material for speaker baffle. Checks vibration rebound. Insulities in ow a favorite baffle pecause of its qualities. I3x18 und shortbing qualities. I3x18 und shortbing 94 inch diameter. With speaker mounting bolts and nuts.

No. E8099. YOUR PRICE.....

GEM TONE CONTROL

Brings any power twhe set us to date. Changes the pitch of the reception to suit your individual taste.

By simply
turning a knob
you can stress



the bass or treble. no soldering necessary. No. E3220.

... \$1.23 YOUR PRICE

PANEL MOUNTING TYPE

Adjustable shaft permits mounting on any thickness of panel up to 1 in. With brown bake-lite knob. No. E3221. \$1.03

SWITCHES-JACKS-PLUGS-ACCESSORIES

HEAVY DUTY SERVIC HYDROMETER

large size heavy duty ometer. Beaded float hydrometer. Beaded flo at practically unbreakable. Rubber parts of live resillent rubber. Wt. 1½ lbs.
No. E2940. YOUR PRICE.

Leader Hydrometer

A large, accurate and de-pendable hydrometer. Beaded float. Bulb of live, resilient rubber. Shpg. wt., 1 lb. No. E 2900. Retail Value, \$1 50.

YOUR PRICE

BATTERY CLIPS Sturdy, non-corrosive lead



E5358. 15 a EACH EACH. E5360, 25 amp. YOUR PRICE, EACH 50 amp. E5359. 50 a YOUR PRICE, EACH.....

CONNECTING CLIPS For connecting wires

to "B" batteries, etc.

A super-efficient connecting clip. Wt., 10 Wt., 10 E5362. Nickel YOUR PRICE. 35c PER DOZ

MUELLER BATTERY CLIPS Strong-springed clips f

Strong-springed clips lor testing and battery connec-tion. 10 amp. clip is cad-mium plated, the others are of lead-coated steel. No. E5350. 2" long. 10 amp. capacity. No. 48-B. amp, capacity. Box of 10, No. E5351. 24" long. 25 amp. capacity. No. 24-A. Box of 10. No. E5352. 3 %" long. 50 amp. capacity. No. 21-A. Box of 10. NET E5353. 5%" 100 amp. capacity. No. 11-A. PRICE, EACH.

PIN JACKS

Nickel plated bronze springed for phone and loud speaker tips. Wt No. E2711. List, Each, 15c. Wt., 2 oz. YOUR PRICE ...

IMP PLUG



standard tip jacks. No. E1952. List. 15c. YOUR 5c List. 15c. YO PRICE, EACH

CARTER JACKS

AND SWITCHES Uniformly tempered steel, cadmium plated springs that retain their tension permanently. Positive contacts.

Carter Jack Switch



No. E1986. No. 322. Filament switch. List, 50c. NET. 29C No. E1989. No. 333. 2 po-sition. 3 springs: opens and closes one contact. List, 60c. NET. List, 60c. NET.
No. E1990. No. 344. 2 position. 4 springs; closes two contacts. List, 79c. 41c

No. E1991, No. 355, 2 position, 5 springs; opens one, sition. 5 s closes two closes two.
List, 80c. NET.
No. E1992, No. 366. 2 position. 6 springs; opens two. sition. 6 s 53c List, 90c. NET ...

Carter Short Jacks

Require but small space. No. E1983. Open circuit YOUR YOUR 15C PRICE 15C No. E1984. Single closed Ø. circuit 18c NET ..

Push Button Switches



lite k no bs.
Fully insulated. On
Locking type, contact is m a de
when knob is pulled out. On
Non-locking type, contact is made
when knob is pushed in, and returns to open when knob pressure

is released.
No. E | 993. Carter 422. Locking type. Two springs; closes one contact. No. E1994, Carter 422A. Non-locking, as above.

locking, a No. E E 1996, Carter 444A. Non-ing. as above. 41c NET. EACH.

TIP JACKS



Heavy spring contact for positive action. E1985

Retail, 10c. YOUR 5c PRICE

Western Electric 4 Pole-Double Throw



end. Heavy coppered contacts and blades. Bakelite insulation. 68c SPECIAL PRICE..

Eby Multi-Polar Multi-Position Switches

Adapted for use on any switching prob-lem that requires the opening or closing of a number of circuits at once or in sequence, especially for use in the R.F. circuits of multi-waveband radio receivers.

of rount of multi-waveband radio receivers.

Noted features are negligible capacitance effects between adjacent switch circuits and to ground, and no rainable effects. Use of silver plated, phosphor bronze contact springs results in exceptionally low contact resistance. Compact and of sturdy construction.

Cat.	No. of Poles	No. of Switch Positions		Opened In Any Sequence Up to	List	NET
E3070 E3071 E3072 E3073 E3074 E3075 E3077 E3077 E3078 E3079	1 2 3 4 5 6 7 8 9	2, 3, 4 or 5	1 or 2 2 or 4 3 or 6 4 or 8 5 or 10 6 or 12 7 or 14 8 or 16 9 or 18 10 or 20	2 4 6 8 10 12 14 16 18 20	\$0.65 1.00 1.50 2.00 2.50 3.00 3.50 4.00 4.50 5.00	\$0.41 .888 1.476 22.355 22.94

EBY TWIN BINDING POSTS



Consists of standard Ant. and Gnd. Eby posts mounted of on strips. Form neat

making connections to electrical device. for making laminated or Mounted On moulded bakelite strips, sulated posts. Wt., 4 oz.

No. E3080. Moulded hakelite strip. 15C E3081. Laminated bakelite strip. List, 20c. NET

EBY TWIN JACKS

Ideally suited for quick connections and dis-

connections for use with speakers and phonograph units. Supplied in units of moulded or laminated bake-

Type Moulded Moulded No. E3086 E3087 Speaker Phono Plain Moulded E3089 Speaker Laminated Phono Laminated Plain Laminated Laminated Laminated

CARTER NEW SHORT JACKS



A short jack of exceptionally heavy con-struction that mounts

small space. Springs held by heavy cadmium plated steel frame. assuring good con-tacts. Mounts in single %"

No. E1945. Carter 501. One spring; open circuit. 24C No. E1946, Carter 502, Two springs; closed circuit, breaks one contact. List, 50c. NET

No. E1947. Carter 503. Three springs; open circuit. with one insulated make contact. Single filament control List. 60c. NET.

No. E1948. Carter 503A.
Three springs: makes one and hreaks one contact.
List, 60c. NET

No. E1949. Carter 504. Four springs; breaks two contacts—double circuit. List. 70c.

Rotary Snap Switches
High grade rotary snap switches. Contact has
remarkably perfect, low resistan ce characteriste contact to the contact of the

use on 125 volts. and 250 volts. 1 amps. amp. Wt... No *E3082. Single single throw. 15c NET

List, 25c. NE. No. E3083. double throw. Single pole. 18c List, 30c. NET No. E3084. single throw. Double pole. 24c NET

No. E3085. Double pole. 30c List. 50c. NET.
Standard for power, battery, and local distance switch use.

New A. C. Power Switch



A positive power switch. Controls from panel. Steel encased. Effi-cient. Wt. 4 oz.

No. E2337. List, 50c. NET **20c**

PEDERAL Roll-er cam meh-

anism. Four pole double

tch. Offers unlim-Built to finest of throw switch. uses. standards

No. E5577 \$2.15 YOUR PRICE

KELLOGG CAM



Famous Kellogg Cam Keys. Built on T frames with bushings and rollers made of Kellite, a non-carbonizing material. Springs are of German silver with special contacts. THE 1042

Three TYPE 1042

Three Type 10cking 8 oz. No. E5526.

tacts. Single No. E5578. YOUR PRICE \$1.25

TYPE 1030 Two sets make and break contacts on each side. Dou-

ble locking No. E5579 \$1.65 YOUR PRICE

SERVICE MEN'S TOOLS—SUPPLIES—EQUIPMENT

LENK BLOW TORCHES



NO. 50 MASTER BLOWTORCH

Combination alcoholorch. Built to last a life-me. Fool-proof construc-on. Ne adjustment neces-ary. Full grip handle, altorch. SATS.

ways could 2200° heavy intense flame, or 1700° needle-point flame. A real value. Size, 7 x13′ x2°.

No. £4901.
List, \$5.00.

SPECIAL

NEW MODEL 108

Blows itself. Operates on de-natured or commercial alcohol. A copper heat conductor for quick generation

Leak Proof

Solid base makes it mechanically leak proof. Nozzle cap prevents evaporation. A most unusual bargain. Will give efficient service Size, 5½, 22½ 12. Shpz. w. 1 lb. No. E4902. List. \$1.00. 68c



M

IMP CASOLINE TORCH

Entirely automatic with a per-fect Bunsen flame over 2000° hot fect Bunsen fame over 2000° hot. Features a priming cup for quick action. No pumpling, no blowing required. A handy torch for boxs granted a handy torch for box product. Bise 2½ 71½ 58 bps. wt., 1 bb. A bargain. 590c. Volume 15.00.

NO. 175 DUPLEX BLOWTORCH

A Lenk heavy duty torch fea-turing a Bunsen burner for out-door use and heavy soldering jobs. Bunsen burner can be de-tached if needle point is de-Adjustable Flame

The pressure valve on burner permits adjustment between 1200° and 2000°. Size, 6%"x 235"x114". Shpg. wt. 1 lb. No. E4905. 98c YOUR PRICE

LENK NO. 30 CHAMPION BLOWTORCH

A new Lenk product; ideal for radio and other sol-dering work. Entirely auto-matic. Produces powerful dering work. Entirely matic. Produces p biast; will develop 2000° F. up to

2000° F.
Starts in 20 seconds. Wellbuilt of heavy gauge brass.
nickel finished. Scamless one
piece construction. Compact,
measures only 7 in. by 2 in.
Shpg. wt., 2 lbs.





HACKSAW BLADES



TAP AND DIE SET



A set of taps and dles for standard radio size screws and nuts includ-

6-32, 8-32, 10-24 and 14-20, Includes 614 in. stock and adjustcludes 614 in. s able tap wrench. No. E3790. List, \$9.00. **E40**



Goodell-Pratt automatic drill supplied complete with eight drill points. Cut guickly and makes clean holes ½, to 1½, to 1½, well built spiral driven mechanism is practically indestructible. All exposed parts highly polished nickel plated. Drills contained in bakelite handle—each in separate numbered compartment. Length. 10 in.

A useful tool.
No. E3675,
YOUR
PRICE

HAND DRILL

Highly serviceable with solid steel frame and single speed, cut gears. Equipped with three-jawed chuck holding any size drill up to Large gear, red enameled. Mahogany finished hardwood handle. Length, 10%". Shippins wt., 3 lbs

No. E3676. YOUR PRICE

GOODELL-PRATT BREAST DRILL

A sturdy, dependable two speed drill. Three jawed steel church holds any size drill up to ½ inch. Machine-cut gears, two steel pinions; quick, positive gear shift. Black enameled frame, Large gear red. Mahogany finished hardwood handles. Length, 16½". Shipping weight. 6½ lbs.

No. E3677. \$1 YOUR PRICE

RADIO TOOL CHEST



A practical, inexpensive tool chest. Contains 10 practical tools. Ideally suited for the service man and set man and set

RADIO REAMER

Enlarges boles to desired size. Works well with bakelite or hard rubber. Wt., 6 oz.

STEELTWIST DRILLS

4 Drillis No. E3902,

9 Drills

12 Drills

E3903.

No. E3904.

15c

29c

85c)

H.

Each tool of sturdy construction builder. Each tool of sturdy construction. Comprises those tools which are constantly in need—3 and 5 inch sorew drivers, seriber, reamer, countersink, Pilers, center-punch, socket wrench seets for hexagon and knutled nuts, and 3 wrenches for hexagon and knutled nuts, and 3 wrenches for hexagon unts from ¼ to ½ in. Wt., 2 lbs. 0. 11566.
List 33.0.

No. E1566. YOUR PRICE

NET

RADIO TOOL SET

A very com-plete set of tools to meet the multiple needs of the service man. Each tool pre-cision built and finely finished. Consists
of the following tools:
1 Ratchet Tool Holder.

GOODELL-PRATT RADIO TOOLS



f the following tools:

Ratchet Tool Holdes:

Ratchet Tool Screwittver:

Ratchet Ratchet Ratchet

Ratchet Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratch

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

Ratchet

No. E3678. YOUR PRICE

\$288



GOODELL-PRATT BRACE

A big value in a serviceable, beautifully nickeled brace. Equipped with Barber chuck with malleable alligator jaws and a sturdy semi-boxed ratchet. Mahogany stained hardwood handles and hardwood handles of the serviceable bracket. and a sturdy semi-boxed ratchet. Mahogany stained hardwood handles with in-serted metal rings. Sweep, 10 inches. Shipping weight, 4

RATCHET SCREW DRIVERS



Particularly adapted to radio, electrical, and other lisht work where small screws are used. Ratchets either to right, left or sets solid by turning shifter ring. 7,6 in. dia. start. No. E3665. 4-inch blade. List Price, 85c. YOUR PRICE. 53C. List Price, 95c. YOUR PRICE. 716. List Price, 95c. YOUR PRICE. 716.

SOCKET WRENCH

A set of fire detachable sockets of fine wrought steel. Complete with wrongh handle. In popular sizes, 4. %1s. % is and 4 in. No. E4200, YOUR PRICE. 47c

Non-Skid Serewdriver Small, shockproof screw-driver with ribbed points. Convenient

MON-SKID fountain pen style with clip for pocket use.
No. E | 567. 1½-inch blade.

NET 90 10c

No. E1568. 2-inch blade. E1569. 3-inch blade.

COOLKUTTER TOOL GRINDER

Efficient, in expensive tool grinder. Grey into case, malleable iron, crank handle and clamp screw. All gears and steel pinion are machine cut. enclosed dust proof case. Finished in green lacquer, brass name plate, nickel trimmings. High quality grinding quality grinding



wheels No. E8980. 4"x1"x%e" wheel 5"xl"xl" wheel NET No. E8981.

Miller-Fall Hack Saw Frame

An adjustable hack saw frame. Blade can be faced four ways. Adjustable for 8 to 12 in, blades. Equipped with one 10 in, blade. Shps. wt., 3 lbs. Shpg. wt., 3 l No. E3667. YOUR PRICE

MIDGET HACKSAW

The Tom Thumb frame. The handlest and the most compact saw obtainable. With blade. No. E3668.

SERVICEMENS' SUPPLIES AND EQUIPMENT

HEAVY GAUGE TOOL KITS



No. E7780. YOUR PRICE

No. E7781. YOUR PRICE

Well constructed, durable irons with ex

well consucted, the trade from with ex-ceptionally fine heating elements, insuring long life. Model B. A substantial 75 wat iron for general service. 6 foot asbestos covered cord, and plus. One tip. A very serviceable product, attractively priced.

Heavy Duty Iron

Model C. A heavy duty 100 watt iron
with two interchangeable tips. 8 foot cord
and plug. Heavier construction than Model
B. Extremely durable. For all types of

VAC-U-CUP Floor Levelers

A heavy gauge utility chest with an automatic cantilever tray. This chest is especially adapted for housing the serviceman's tools and supplies, but can also be put to innumerable other uses, such as a thining tackle box, lunch and outing box, for valuable papers, etc. Equipped with cantilever tray, Size 14 and 6½ x 6 inches.

No. E8910. YOUR SPECIAL PRICE With Removable Tray

A utility chest exactly as described above with the exception that it is equipped with a retray has a flush handle and movable partitions.

780

780

KESTER ROSIN CORE SOLDER



The solder made of the highest grade tin and lead obtainable, incorporating pure rosin flux of the greatest efficiency.

No. E4720. 6 oz. tin. 15C

No. E4719. 1-proximately 50 ft. YOUR PRICE... 1- lb. roll, ap-40c

AMERICAN BEAUTY SOLDERING IRONS




No. E985. The ideal soldering iron complete to every detail, with special stand. Wt., 2 lbs. List. Price, \$8.00, YOUR PRICE..... 23

No. E986. E. above. Weight, Extra % in. tip for YOUR PRICE

No. E987. Handy 50 watt iron for light radio and telephone work. Chisel point tip % in. dlam. Shipping wt., 14 lbs.

List Price, \$4.50. \$293

SCREW DRIVER



No. E I 003.

PANEL CUTTER

Conveniently and rapidly cuts circular holes in panels. Adjustable 1½ to 6 in. Shank diam. ½ in.

No. E6785. List. \$3.15. YOUR PRICE.

DE Cum

Neutralizing Wrench and Screw Driver

A new tool that is new tool that is breaking sales records. One end is equipped with proper screw driver for neutralizing, and the other with toothed wrench for tightening all small nuts. Shipping wt.

%32 OVAL HEAD

%"

1/32 OVAL HEAD

1%" wood screws, size 8.
No. E2389, 100 to the 85c

Jefferson

Tubular Fuses

Brass Wood

No. E1617. List. 75c. YOUR PRICE.

E2396 E2376 E2377

E2378

Ova | Head

Screws

Oval

Head

.50

Wellmade Soldering Irons MORRIS COIL WINDER



The Morris improved universal coil winding machine will wind Honey Comb, Spider Web, Solonolds, etc., In different widths and diameters, and will use wire of different gauges. An ideal meter will pay for itself many times. \$435

No. E5250. YOUR PRICE.

Long Nose Side Cutting Pliers



A fine tempered tool steel long needle mose piler for reaching 'out of the way'' places. Wt., 12 oz.

No. E3900 YOUR PRICE

Diagonal Cutting Pliers



Sturdy diagonal cutting pilers made of fine tool steel and with special tempered jaws. Wt., 12

No. E3901 YOUR PRICE.

No. E6760. YOUR SPECIAL PRICE Per set of 4.....

Made of new live rubber. Used with radio sets, washing machines, refrigerators and other motor driven appliances. Frevents radio sets and furniture from rocking, slipping and seratching, and sids in eliminating vibration.



No. E6620.

Less Switch. 68c

SPECIAL SOLDERING IRON quality saldering

iron. Heats up in three minutes and maintains heat while in use. Complete with 6 ft. flexible cord. A real value.

No. E6619. With Switch. YOUR PRICE ST 12

Head

Screw Assortments

grid tubes.



No. E2266

PRICE, EACH

A machine screw assortment prepared to meet the needs of the service man and builder. Includes a total of 85-6/32 screws ranging in

size from %" to 1".
No. | assortment, 85 round No. I as

No. E2390. YOUR PRICE..... 24c No. 2 assortment. flat head

No. E2391 24c PRICE.

Soldering Lugs




soldering.

1. NET.
2. PER
3. BOX of
4. 100 No. E2351. No. E2352. No. E2353. No. E2354. No. E2355. Style 1. Style 2. Style 3.

Serviceman's Hardware Kit

Assembled to meet universal requirements. Consists of 2 gross of assorted machine and wood screws: 2 gross soldering lugs. assorted; lone gross washers; one gross nuts; 2 doz. knurled nuts; 50 ft. annunciator wire; 2 ft. rosin core solder.

No. E2333. YOUR SPECIAL PRICE



Made of nickel plated brass Countersink for quick assembly work

E2380. E2381. ZOG

Flat Washers

200 assorted washf metal and Handy for all uses



MACHINE SCREWS FOR SERVICEMEN Round \$ minimum

Standard thread, good quality, buy in gross lot, and save money. Buy in gross lot, and save m No. Length Gross

No. FLORING TO THE ACT OF THE ACT \$0.20 .40 .42 .55 .65 .90 1 1/2" 1 1/2" 2 % " 1.30

%2 ROUND HEAD E2366 E2367 %5 E2394 %7 E2388 14" 2 .40 .55 2.00

····Busing Head % FLAT HEAD E2369 252.5550

AT HEAD

11/2 E4428. E4416. E4417. E4418. E4419.

For safe-guarding testers, radio

electrical appliances, etc. BOX

> 5 14c

SERVICEMEN'S AND SETBUILDERS' SUPPLIES

SERVICEMEN'S POCKET FLASHLIGHT

A necessary service tool. Lights corners inside cabinet and classis concentrated spot of light. Carrie bocket like a fountain pen. Length Dian. Lights the dark Plant. % in. Shor. Length 37 in. Shor. E2921. Complete with cells and bulb. YOUR PRICE No. E2922. Extra cell. Throws

RMA Color Code Resistor Chart



R. M. A. resistor color code comhination quickly

curately. Re-Conveniently Durable celluloid.

NO. E2330.

37c

BRACKET ASSORTMENT



Contains 28 of the most popular angles and brackets used on the average radio set. Manufactured of solid brass and neatly nickel-plated. Every service man

No. E2359. NET PER SET

Fibre Washer Assortment

An essential assortment for the service kit. Consists of different types of shouldered and plain fibre washers, of great use at all times. Shpg. wt. 8 oz. 100 in box.

No. E2360, Per box




I C A Short-O-Tester



A circuit and continuity tester, of great value to the serviceman, Contains a 2½ told lain and a small sized flashlight batters when the lead with eith is stacked through the pla terminal with the other through the pla terminal with the other end, lamp will indicate whether circuit is open or closed. Will test the continuity of practically all radio circuits. Can also be used as flashlight by connecting clip be used as flashlight by connecting clip to the contained of the contained of the contained contained the contained contained the contained contained to the contained contained

No. E1640. \$1.05

Neutralizing Screw Driver



For all types of neutralizing and aligning work. An essential item of the servinary hashed to the servinary hashed to the servinary hashed types. 8 of the servinary hashed types. 9 of the servinary

EAGLE DETECTOLITE



Detects live and ground wires. Indicates voltage from 110 to 550; tells if current is 4.0 to 70.1. and whether 25 or 86 cycles. At the 15 cycles will be seen to 15 cycles with the 15 cycles of 15 cycles with 15 cycle

SERVICE TEST LEADS SERVICE MODEL



Quickly attached to meter for testing radio aid electrical equipment. Sturdy black and d tubing and black and red wire. For ositive and negative identification. Shps. quickly attached to meter for testing radio and electrical equipment. Sturdy black and red tubing and black and red wire. For positive and negative identification. Show. Wit. 8 oz. 8 oz.

PHONO-NEEDLE MODEL

Needle point test leads for testing circuits without removing wire insulation. Needle point penetrates insulation without it. Length, 60 in. Shpg. wt., 6 oz. No. E1646. Spade tip terminals. No. E1645. Phone tip terminals. VOUR PRICE. EACH

HEAVY DUTY LAB. MODEL

Needle point leads. Over-sized insulated lines. Fitted with cinct to take a resultance of the property of the Over-sized insulated

48e

4-IN-1 NEUTRALIZING AND ALIGNMENT TOOL



A well made 4 in 1 Neutralizing and alignment tool. An alignment tool. An important item in the service man's tool kit. Attachments for Crosley and Majestic 6 oz.

sets are listed below.
No. E1618.
YOUR PRICE
No. E1615. Crosles
No. E1616. Majestic Crosley attachment.

48c

WINDOW LEAD-IN

Fits between sash and sill. end. 7 oz. No. E29 I J. 16 inch. NET EACH. No. E29 I O. 12 inch. Per 100, \$3.85.

4c NET EACH

SPRING AERIAL

Has two to five times canacity of ordinary aerial. Easy to erect. Is non-directional. Stretch of 15 to 30 ft. With two fibre end in-No. E6781.

Transmitting Insulator

A high grade strain insulator. Rust-proof with galvanized eve-lets. Prevents shorts by shedding water and snow. 18 in, long. Shpg. wt., 2½ lbs.

Shpg. Wt. 27 No. E5484. NET EACH... 24c



wires or as binding posts. Wires held firmly in spring grip. 4 oz. No. E3270. Single. NET PER DOZ.
No. E3271. Double. NET PER DOZ.
NET PER DOZ.
NET PER DOZ.

Insulated Staples

Saddle type insulated staples. Sturdy, durable, and very useful. Packed 100 to the box. 4 oz. No. E2934. Per 1000 (10 Bxs.), 95c. Per Box (100)



GROUND CLAMPS

Mueller Clamp Durable and rigid because of channeled construction. C: hardened so Cadmium plated.

No. E5363. LOIS OF 100, NET EACH

STRAP CLAMP

Easily applied to any pipe or rod. Grips tightly. 3 or. No. E2912. Per 100. \$1.95. NET EACH



KNOC-OUT

Ground Clamp An efficient and easily attached clamp which Improves reception.
No. E2518.
Per 100, \$4.65.
NET EACH... 3 02

PORCELAIN NAIL IT KNOBS

Insulated nail. Grooved enter, Extra heavy uncenter. Extra u breakable cap. S per doz. 2½ lbs. No. E4790. YOUR PRICE, PER DOZ. 17c

Wall Insulator

For attaching lead-in or ground wire to posts or side of building. 8 oz. Center of bakelite, mounted in galvanized

e. Per Length 10 E E75 | 0 3 ln. E75 | 1 6 in. 22e 35c

Case

Genuine Stewart Warner aerial and ground receptacle and plug. Made of bakelite with strong tension springs. A very neat assembly for wall mounting. Recommended for dealers' display booths as the use. Used by exfor trying different well as home use. Used by experimenters for trying different length aerials. 4 02.
No. E5447.
Per Doz., 95c.

BAKELITE AERIAL

AND GROUND

CONNECTOR

Genuine Stawart

NET EACH

STRAIN INSULATOR

For insulating long aerials or cuys. White porce-lain. Extra strong. 8 oz. each.



No. E5458. Per Doz., 21c. EACH.

LEAD-IN-WIRE Rubber and Braided Weatherproofed

er covered with High grade tinned copper wire, weather

rubber coproof braid.
No.
No. E2556
No. E2557
No. E2558
No. E2559 50. IR 35 68 1000 6

SHIELDED WIRE

A high grade lead-in wire. No Rubber insulation A high grade rubber covered lead-in wire. No. 18 stranded. Rubber insulation with shielding of tin copper braid.

Feet 50 1000

NET \$0.47 .92 8.90

AERIAL INSULATORS

PORCELAIN

Standard type. insulators atrong. 8 02 No. E5927. NET EACH 4 in 5c E5926 21/2 in.

GLASS INSULATORS

Highly efficient. De signed fo for O

great strain. Length, 4 in Per Do EACH.

WALL INSULATOR



No. E4785. Per Doz., \$1.05. NET EACH

STAND-OFF INSULATOR

Made of porcelain.
in. long. For finest
sterna installations.
hipping weight, 10 antenna Shipping weight.

No. E4784. Per Doz., 93c. NET EACH...



ERIAL AND GROUND EQUIPMENT

IDEAL BALL AERIAL



An efficient antenna for all radio sets. A great improvement over the wired type of antenna. 10 in. weather proof ball with bakelite insulator and condenser. Made of aluminum and highly polished.

LESS STATIC—MORE SELECTIVE

MULTI-DIRECTIONAL

all direc-Radio signals received from tions, increasing range considerably. Static literference is minimized. Makes set more sensitive and selective. Mounts on ½ in. pipe. No pipe included. Wt., 4 lbs.

No. E8141. List, \$5.50. NET

ACCESSORY KIT

Includes 25 ft. lead-in wire. 50 ft. copper guy wire. 8 ft. mast, lead-in. ground clamp, 4 porcelain insulators and Universal mast base. Wt., 18 lbs. No. E8142. YOUR PRICE.... \$1.78

NEW ICA INSULTENNA

A compact filter type aerial climinator. Measures only 5x2½x1 in. May be placed out of sight. Has capacity of

sight. Has capacity of 75 ft. of ordinary aerial. No connection with elec-tric light current. Easily installed inside radio

No. E4223.\$ 1 List. \$2.50. YOUR PRICE

OURPRICE

BELDEN AERIAL CLAMPS



clamps support antenna rigidly. F proof and sturdy. Easily installed easily removed. No nails required. easily removed. No nalls required. No holes to damage roofs or woodwork. Can be installed on window sills, around gutters and eaves, on apartment house parapets and around chimneys. Simply set clamp and tighten. Percei installation is assured. Offered at an amazingly reduced price.

PERMANENT-RIGID

Once installed gives per-manent acrisi service. Cadmium plating on in-sular rod prevents rust. Cadmium plating on in-sular rod prevents rust. Channel iron clamp coated with bake d on black enamel. Kit includes two clamps and three large por-celain insulators firmly at-tached to the metal aerial supports.
Doz. Lots.......\$3.95

\$2.50 Value NO. E8040 SPECIAL

Each a

SPECIAL AERIAL KIT

A committee aerial kit designed for any type of aerial installation. Improved radio reception at a small cost.



50 ft. of 7 strand Copper Aertal Wire, 25 ft. Rubber Insulated Lead-in, one Win-dow Lead-in. two Forcelain Strain Insula-tors, two Porcelain Nail Knobs. one Light-ning Arrester and one Ground Clamp. Conveniently boxed. Shipping weight,

DE LUXE KIT A larger aerial kit. Contains 100 ft. 7 strand wire, 40 ft. rubber covered lead-in, 25 ft. insulated ground wire, one ground clamp, four porcelain strain insulators, two aerew insulators, lightning arrestor and window lead-in. Shipping weight, 6 lbs.

Bud Aerial Eliminator in bakelito case. Entirely

BUT

No. E2526.

List, \$2.50.

NET

YOUR PRICE

YOUR SPECIAL PRICE

BUILT-IN MODEL

Complete aerial and ground installation built into a standard switch box. Equivalent of 75 ft, aerial. Improves reception.

Easy to install in old or new buildings. Erown bakelite plate 2% 24 ½. With ground and it we solderless plugs. Shps. wt. 2 lbs. Shpg. wt., 2 lb. No. E4240. List, \$2.75. YOUR PRICE.

REX WONDER AERIAL Takes place of outside aerial. This compact liex aerial eliminator has the same capacity as a 50 ft, outside

No. E i 613, List, 60c.

Belden Aerial EXTENSION

A 7 ft. combina-tion radio antenna and extension cord. Selective and prac-

10 Lots. \$3.50. No. E1473. NET. EACH.

BUD AERIAL FILTER

An ingenious.
highly efficient
aerial device.
Absorbs and thus
destroys signals destroys signals of interfering stations, increasing set selectivity, and sensitivity. Every set owner will want



No. E 1 605. List. \$1.50. NET



WIZARD AERIAL A self-contained, in gen-iously devised aerial. Quickly installed on midgets, console, portable or automobile sets. No ground necessary on most electric sets. Provision made for ground connection for older

No. E4241 NET 48c WAVE AERIAL



YOUR PRICE

A seven strand triple gold plated aerial. Used on government ships, etc. Will not corrode, 100 ft. coll. Improved reception at a reduced

Price. No. E | 060, List, \$3.00. YOUR PRICE. \$1.35

STA-PUT Acrial

Sticks to anything-any-here. Instantly installed. where, instantly installed. Can be hidden from riew. Very efficient. Brings in stations as clearly as out-side aerial with less interference No. E25 19. List. \$1.00.

Efficient

CLASS LIGHTNING ARRESTER

eliminates outside aerial. Re-

quires two minutes to install.

Gives more selectivity. Has

capacity of 50 ft. aerial.



APPROVED ARRESTER



An efficient new air-gap type arrester of finest porcelain con-

An extremely popular trem and a fast seller. value.

A compact non-corrosive inside serial. Can be easily hidden. easily hidden. Single hole mount-

MASTER FILTERED

AERIAL

Non-Directional ora selective. Reduces Mon-Directive. Reduces static and interferences and improves tone quality. New tow price. No. E5237, List \$2.00. 98C



No. E3330

ICA Filtered AERIAL

New type aerial ire. Enameled ire helically wire, wire helic wound over in sulated straight wire, Filters and wire. Fi amplifies receiver signals, No. E4209, 60 ft. List, \$1.50, NET.....

79c

Dubilier Socket Antenna Improved light socket aerial. Eliminates antenna, 量度 lead-in, lightning arrester. Does away with lightning hazard. Minimizes static.

No. E2745. List. \$1.00. NET 53C Eagle ANTENNA Plug

Reduces static and increases selectivity. Very efficient, Draws No. E2908. List. \$1,00. NET..... 21c



protection against lightning

UNDERWRITER APPROVED
Improves reception by rejecting tatic charges, Sturdy, compact, static charges Approved by underwriters, No. E | 603. YOUR PRICE..... 24c

Under-the-Rug Antenna



Practical and convenient in-door antenna. Easily attached to any radio set. Simply place under rug and connect to set.
An aerial—not an aerial eliminator. Combines best features nator. both including superior ceptivity,
No. E8850.
List. \$1.50.
YOUR PRICE.

AERIAL AND GROUND ACCESSORIES



UNDERGROUND ANTENNA

A highly efficient aerial with distinct advan-tages in convenience and improved reception. Unsightly wires are eliminated. A hole 18 in. deep and 7 in. wide is all that is needed. Fast becoming the standard installation.

FILTERS STATIC

Static reduced tremendously. Delivers filtered kround waves. Improves with time as earth packs askinst it. Greatly improves hot weather recostion as most electrical and static disturbances are filtered out. The Underground Antenna will increase the sensitivity of your receiver. Offered at a greatly reduced price. 14

No. E8140. List. \$3.00.

14 Inches Diameter

For Long and Short Wave

An extremely well-constructed and per-constructed and per-ceted Antenna for all radio sets. Rec-giving better volume reception. Made of pare-copper. Gathers an amasing amount of corers. Neat, dura-ble and compact.

Ideal for Television

Ideal for short wave and television reception, unbeatable r long wave. Actual size 14 in. diameter. Distortion and terference practically eliminated.

ALL DIRECTION ANTENNA

interference Makes possible greater selectivity and clearer reception. Easily and quickly installed on any kind of pole. Shps. wt., 6 lbs. No. E8860

SPECIAL MET EACH ...

NEW DX WINDOW AERIAL

New, 5 wire window aerial. Also suitable for porch, atte or closet use. Ideal for superheterodynes, which require aerial of large capacity in small area. Completely weather-proofed. The DX eliminates interference and tunes sharp and clear.

Non-directional nature increases selectivity. The Discomplete, weather-proofed and easily installed. The improved reception made possible by the use of this aerial is surprising. Supplied with brackets and wood screws.

No. E8865. List. 2.50. YOUR PRICE SEC.

Non-Directional—Powerful

to. E8867. Same as shown, but rithout bracket. A 5-foot cage to be trung anywhere, ideal for porch, strung anywhere, id attic or roof. NET

DX INSIDE OR OUTSIDE AERIAL

A modern inside or outside serial. completeassembled and reads

ly assembled and ready for use. Especially suitable for "Supers" or other "High Gain" radio sets. May be used anywhere—on sill-buck—back of couch—in cetc. Absolutely non-directional. A powerful. extremely selective

Use Anywhere-Mounts Easily

Only 31 inches total length, complete with 10 feet of soldered lead-in for instant connection. Complete with bracket, No. E8868. 3 5 c

BELDENAMEL **AERIAL WIRE**

Non - corrosive.
7 strand No. 22
copper wire of
lowest dielectric properties and high conductivity. In-



paired recep-Individually enameled before twisting. No. Length 1465. 75 ft. 1470. 100 ft. 150 ft.

1466. 150 ft. 1.10 1467, 1000 ft. 7.00 SOLID ENAMEL No. Length No. Li E1469

COPPER AERIAL WIRE

Finest hard rawn copper re. An acwire. An acfor a erials. Best energy collector; minimizes resisttrical currents.

Available in sizes listed below.



7 STRAND BARE

No.	Size	Ft.	NET
E2560	22	50	14c
E2562	22	100	25 c
E2563	26	50	9 c
E2565	26	100	16c
+ are	ND I	ex AME	TED

7 STRA	IND I	ENAMELED			
E2566	22	50	190		
2568	22	100	360		
E2569	26	50	130		
E2571	26	100	240		
SOLU	n EN	AMELI	cD.		

100 E2575 12 14 100 E2576

LIFETIME AERIAL



Fully c a g e antennas. Ideally suited for Tuned Radio Fre-quency. "Supers"

and short waves. Absolutely non-directional. Make possible greatly increased volume and sharper tuning. Static Interference minimized. Ruggedly constructed to last indefinitely. Can be used on roof, attic or porch. 25 ft. of rubber-covered lead-in is soldered to aerial. Three

No. 66

Exceptionally powerful. Length 60 ft.: 8 spacer rings; contains 300 ft. of enameled copper wire. Shipping weight. 8

No. E8869 NET ... \$2.15 Produces great volume. Length 30 ft. 5 spacer rings; contains 150 ft. of enameled wire. Shipping weight. 7 ibs. ping weight. 7 il. Ideal for all sets. No. E8866.

\$1.75

For short roofs; 5 spacer rings; length 20 feet. Contains 100 ft. of wire. Shipping weight, 5 lbs.

No. E8871.

\$1.35

Shielded Lead-In and Cround Wire Stranded conductor



with heavy, easy-strip rubber insula-tion and over-all braid of fine tinned which serves

\$0,41 1.91 .26 1.18

22c

\$1.95

copper wire which serves as shield. Reduces interference. No. Size Length NET E 1450 14 50 ft. Si.Q. No. E | 450 E | 451 E | 452 E | 453 5.14 250 ft. 50 ft. 250 ft.

Belden All-Rubber

Lead-In Wire

Flexible Indoor Aerial Wire

Length 50 ft. 250 ft.

Special high quality, iow - priced indoor aerial wire. Consists of 12 stand No. 34 tinned copper double cottonwire. Ideal for loops.

Stranded wire in-ulated with special ubber compound eas-

lly stripped for quick

licing and easy sol-

Size 14 14

125 ft. per spool.
No. E2581. Brown.
No. E2582. Black.
NET PER SPOOL....
LOTS OF 10.

RUBBER COVERED LEAD-IN WIRE

A high grade rubber covered No. 18 lead-in wire. Perfect insulation; no losses: moisture-proof.

SOLID CONDUCTOR

No Outer Braid

_		-
No.	Ft.	NET
E3980	25	\$0.11
E3981	50	.20
E3982	100	.38
E3983	1000	3.65
STRAN	DED CONT	UCTOR

No Outer Braid E3985 25 50.10 E3986 50 E3987 100 F3988 1000

BELDEN BAKELITE ARRESTER



installation inside or out-ofdoors. Approved by National Board of Fire Underwriters. An unusual value

No. E1460. List, 25c. NET....

ICA Electrostatic Arrester Combina



tion affords maximum protection against fire hazards and reduction of static. Choi against hre reduction of static. Choke con and condenser incorporated in the noises. No. E4224. List. \$1.00.

NET

Combination Aerial and Lead-In Wire



10 strands of No.
30 copper wire, insulated with Gutta
Percha, Free
stripping. Noncorrosive. An allfor aerial, lead-in ose wire fo

No Length NET E4000 1000 ft. \$3.95 E4001 100 ft. .42 .22 F4002 50 ft. .12 F4003 25 ft.

3.30 The All Purpose Wire

Silvatone Filtered Aerial



Extremely compact aerial which completely reduces A.C. hum and noise. Only four Inches in diameter but equivalent to are strung

sixty feet of ordinary strung acrist. Ideal for midget sets. Quickly Installed

Easily attached direct to radio by means of a powerful suction cup furnished. No tools of any kind needed. No visible wires. No. E3216.
YOUR PRICE. 85C

RADIO PARTS and ACCESSORY SPECIALS

TURE SHIRLDS

Finest type aluminum tube ields. Carefully constructed shields. Carefully constructed to meet functions for which they have been designed.

CHIMNEY TOP

FOR NEW TUBES


For new types 56, 57, and 58 tubes. Covers tube entirely. Consists of base, barrel and can barrel discovery. For new types 56, 57, and 58 tubes. Covers tube entirely. Consists of base, barrel and cap. Barrel diam. 1% Height oversil, 4% Sipp. wt. 1 lb. No. E3210. YOUR PRICE, EACH. 125

2 PIECE STANDARD

Mounted by means of screw lugs furnished. 5 %" high, 1%" diam. Shpg. wt., 1 lb.

No. E1420 NET EACH. 10 Lots

NEW SHORT TYPE 3 PIECE



TYPE 82

in Lots.

Two plece aluminum for No. 82 rectifier tube. 2% ' inside diam. by 5''. B a se fits 11½, a'' or 11½, a'' socket. Base fits 137/42" socket. No. E1422. 15c NET EACH. \$1.35

NEW R. F. COIL SHIELD



Modern sensitive circuits require per-fect shielding. This solid copper coil shield and base is ideally suited for shielding R.F. air-cuits. Made of pure

anielding R.F. cir-cuits. Made of pure drawn copper, c ad-mium plated. Diam., 3 in. Height, 3 in. Holes in base for leads. No. E2344. List. \$1.00. YOUR SPE-CIAL PRICE.

SUPERHET COIL SHIRLD

Base locks to c a n, f or m in g connection that will not vibrate or come a p a r t. Inside diam. of can. 215/22". 216" overall with base. No holes in can. Base perforated on bottom and wide for leads and side for leads.

14c

SHIELDING CANS



EACH

Double seamed mium plated shield-ing cans ing cansequipped with mounting flanges. Used for housing filter

nousing filter coils and power transform-ers. Two sizes. No. E6851. 4"x2%,"x5%," NET NET TWO SIZES. 26c 10 Lots \$2.35

LEAD TUBE CAPS



Eliminates howls due to mi-crophonic noises. Indispensable on sensitive

YOUR PRICE

9c

REPLACEMENT AUDIO COIL

push-pull amplifi-cation. C a n be used in first and second stare with 227, 171 or 245 tubes. Ratio +1. 1½a in. long out-side diameter, 12%; in. Core, 15½a in. x No. E6848.

Trimmer Condensers

Balancing con-denser used exten-sively on variable condensers as a trim-mer to balance out circuits. Maximum canacity 00002 mfd circuits. Meximum capacity, .00002 mfd.

No. E5435. PRICE

FROST FILAMENT SWITCH



Very com pact - gives positive con-tact. Simple mount.

No. E3342

SPECIAL VALUE RHEOSTATS



Carter Midget Compact, fine

frame; self-cool-in g. Only 1% inch diameter. Ohms 15c

G. I. 20 Ohm Rheestat Made of solid bakelite. With fixed bakelite panel dial. Adjustable shaft. Chuck grip. Bilent. An unusual bargain No. E5546. 24c NET.

BAKELITE POINTER KNOB



No. E5443. NET.

BAKELITE 4 IN. Genuine molded bake-



lite dial ex-pertly fin-ished with reading scale in contrast-ing white. The large tapered knob

itive action. For standard 1/2 in shaft. Furnished with set screw No. E5431

NEW HAMMARLUND CHOKES

No. E3044. Style
CH-8. Low loss R.F.
choke. B millihentes. For
short ware and especially as
grid choke for multi-stage
of ohms, distributed capacity of 3
mint.
Stributed capacity of 3
mint.
Stributed capacity of 125 M.A. transmitters.

No. E3945. Style RFC-85. Inductance 85 millihenries, capacity 3 mmf.. D.C. resistance 215 ohm. current carrying capacity a capacity at Capacity 6 million. M.A. 81ze 119/a" high, 15/a" diam. Inductance capacity 60 \$1.18

No. E3946. Style RFC-250. Inductance 250 millihenries, capacity 2 mim., D.C. resistance 420 ohm, current carrying capacity 60 M.A. Size 11% 'n' high. 19; n'' diam. \$1.32

SPECIAL VALUE 3 GANG CONDENSERS



A remarkable value in quality 3 gams condensers. A 11 of galvanized metal construction. .00045 capacity. Built to

struction. 20045
capacity. Built to
capacity. Built to
Will give life-tune
service. Heavily
shielded Avetlable in
expensive, rugged and accurately built. Three
trimmers on each unit. Years saitable for replacements and experiental took. Mackete
placements and experiental took. Mackete
Mo. E68|| Large.
Mo. E68

long E6810. Small. 4%' high, protruding shaft. 2" E6812. Bathtub. 8"
3%" wide. 2%" high.
protruding shaft. 1%"

SWITCH LEVERS

Makes perfect contact. A
well constructed high
grade switch lever. Metal
parts are nickeled. Makes perfect contact and is easy to mount. No. E5446. YOU'R PRICE, EACH 55 c


NAGEL 0-35 AMMETER

Precision built meter. Tests all types dry cells up to 35 amps. Cannot short battery. Reads both ways. No. E5480.

NET EACH DIAL CABLE

Strong wire dial cable, suitable for replacement on any receiver. No. E6805. 18c 5 Ft. Length No. E6806. 50 Ft. Coils \$1.47

PRICTION TAPE A high grade rubber tape nec-essary for every serviceman and for use around the house and No. E1015.



MATCHED S. G. COIL KIT



Screen grid coil kit consisting of 3 coils matched for condensers described above. Scientifically wound coils with litz wire. Size 1½" diam, by 2½" long. Very efficient units briced exceptionally low.

No. E6813.

Western Electric—169 Rotary Switch



Used in circuits requiring multiple or parallel connections— from one to forty cir-cuits. For making from one coults. For making bekade capacity boxes or bridges. Takes place of fan switch where multiple capacities switching connective switching ity switching tions are used

YOUR PRICE

WESTERN ELECTRIC SIGNAL CORPS TUBE VT-2

Ruggedly designed tube made by the Western Electric Co. for U. S. Signal Corps. Used for both R.F. and A.F. amplifica-tion, also CW and phone transmitting.

5 Watt Output

Has a power output of 5 watts. Characteristics: Filament 5V., Plate 45-350V., Power Output. 5 watts, standard navy base. Filament of pure platinum.

No. E5456 YOUR SPECIAL PRICE

A.C. Extension Cords and Plug



High quality extension cords with pluss attached. Very low price. (Use them for many appliance purposes.)
No. E4150. 10 Foot Brown
Parallel. NET EACH.
No. E4149. 6 Foot Black

120 Twisted. NET EACH

RADIO AND EXPERIMENTAL SPECIALS

U. S. SIGNAL CORPS

Aeroplane Transmitter and Receiving Set

Genuine U. S. Army equip-ment—offered at a startling low price. Many applications for the amateur and experi-

one V.T. tube for transmitter, one for modulator, and three stages resistance coupled audio. May be used with R.C.A. or Cunningham tubes employing Navy type or old UV base.

BUILT BY WESTERN ELECTRIC

Designed and built by Western Electric for the U. S. Army Signal Corps. Single circuit regenerative tuner used for both transmitting and receiving. Six pole double-throw switch provides rapid change from transmitting to receiving positions. All controls mounted on a heavy bakelite panel. Separate controls for tuning antenna circuit and grid circuit give exceptionally sharp selectivity. Switch permits use of 2 or 3 audio stages. Hardwood case 16% in. high. 5 in. deep, with brass hardware. We are proud to be in a position to present this really remarkable value.

No. E9124. YOUR SPECIAL PRICE.

SIGNAL CORPS INTERPHONE SETS

Slusser

Attachment

Automatic Coin

A Money Maker

Here are offered parts necessary to install inter-phone communication between pilot and observer in airplanes. At but a fraction of the original manufacturing cost,

This is a splendid opportunity for the amateur to secure first quality equipment to carry on his experiment at a fraction of the real worth of the apparatus.

Built by Western Electric

Built to rigid U. S. government specifications by the West-ern Electric Co. This means that highest quality parts are used. Only by reason of a fortunate purchase are we able to pass on to our customers the savings offered here.

No. E9055.



SPECIAL

Navy Communicating Microphone and Headset

A sensational value in U. S. Navy equipment. Utah type headphones with rubber cushlon caps. Extremely sensitive. Easy to adjust. Mouthplece and sensitive single button microphone are mounted on an adjustable metal plate, for strapping conveniently to the chest. Equipped with 25 feet of heavy duty cable and plug.

Built to Navy Standards

Designed to U. S. Navy rigid specifications for communication between range finder and gunner, or pilot and observer in planes. A "quiet" button on breast plate shunts out the microphone for listening. Solid construction throughout to withstand weather and rough use. Apparatus offers innumerable uses. Any of component parts whole outfit. Amateurs of whole outfit. Amateurs will appreciate this unusual \$385.

bargain.

No. E8900. SPECIAL NET PRICE



Master Voltage Control

Standard type voltage control for A.C. sets. constructed. Ver. Well efficient. Sa against burnouts. No. E5235.

List, \$2.00 88C New H&H AC

Switch An approved A.C. torsie switch for radio line and lamp fix-tures. Very compact. Gives posi-tive contact. Sim-ple to mount. For

110 volt current, No. E2267. List, 75c, NET. NET. 24C

New I.C.A. Tone Control

A new effec-tive Tone Con-trol for your njoyment. Vary the tone to your liking. from the resonant deep bass to brilliant.

mellow treble. Makes possible faithful production of both musical instruments and voice tones over entire range of expression, even at a whisper, with-out any loss of volume. Con-veniently formed, simple to operate and easy to install.

List, \$3.50 SPECIAL NET.

· 3 6

New I.C.A. Super Voltage

Automatic. K. constant voltage. Pro-longs tube life, prevents burn-outs and p o we re pack break-downs, and clears up reception. For A.C. or D.C. sets and eliminators on all cycle current. Easy to install cycle current, install.

Regulator

No. E4245. List, \$3.50. SPECIAL NET

I.C.A. Multi-Speaker Relay

This multi-Speaker Relay enables you to Relay enables you to switch from one speaker to another in-stantly for the pur-pose of comparison. Useful also to operate several as peakers in turn in different loca-tions. Covers 4 tions. Covers 4 speakers for compari-son or 2 for multiple operation

\$1.47 No. E4244. LI List, \$2.75.



NEW I.C.A. PORTABLE UNIVERSAL COMPANION

An ultra-modern portable radio that can be used anywhere. A seven tube receiver combining life-like reception, distance range and sensitivity. Single dial control. Equipped with volume control and sensitive built-in speaker. Only a short antenna or ground connection is necessary for reception.

OPERATES ON AC-DC-BATTERIES

Answers demand for single radio usable on A.C. or B.C. (110 or 220) and on battery power (6 v. "A" and 135 v. "B"). Rapid change from electric to battery operation by simple insertion of plug.

NEW 233-236-237 TUBES

Circuit is last word in radio. Uses new 6.3 volt screen grid heater tubes and Pentode tubes in pushpull. Requires 2—33, 2—36 and 3—37 tubes. Measures 12 in, x 11 in, x 8½ in.

Special Automotive Cable

For rapid connection and disconnection of the I.C.A. Universal Companion in an automobile.

No. E4246. List Price. \$1.50. YOUR PRICE



SPECIAL PRICE

TESS TUBES No. E8245



ENTIRELY AUTOMATIC

Electrically operated. Simply plug the radio into it. Bejects slugs, pennies and tokens. Compact. Easily installed. Includes coin slide chute mechanism, coin receptacle and attachment plug. Order \$795

yours now, No. E9077. YOUR SPECIAL PRICE.

Wire - Cables - Connectors - Accessories



MAGNET WIRE

Practical, precision-constructed magnet wire for radio and electrical use. Made from the best grade copper wire and insulated with the tinest materials obtainable. Neatly wound in single lengths on convenient ½ lb. spools. Especially suitable for winding low-loss coils.

1/4 POUND SPOOLS

		/ 2						
E	MAME		DOUB	LE C	OTTON	DOL	BLE	SILK
No.	Size	NET	No.	Size	NET	No.	Size	NET
E2475	16	\$0.20	E2466	16	\$0.24	E2489	18	\$0.49
E2476	18	.21	E2467	18	.27	E2490	20	.55
E2477	20	.22	E2468	20	.30	E2491	20 22	62
E2478	22	.24	E2469	18 20 22 24	.34	E2492	24 26	.78
E2479	24	.25	E2470	24	.38	E2493	26	.90
E2480	26	.28	E2471	26	.50	E2494	28	1.11
E2481	28 30	.33	E2472	28 30	.62	E2495	30	1.55
E2482	30	.38	E2473	30	.79	E2496	32	1.83
E2483	32 34	.42	E2474	32	.90	E2497	34 36	2.60
E2485	34	.51	E2463	34	1.35	E2498	36	3.79
E2484	36	.67	E2464	36	1 85			

ALLIED CAN SUPPLY magnet wire in any other type, size, and quantity. Send in your order with a deposit for prompt service at lowest prevailing prices. Quotations made promptly on request.

3 Conductor Mike Cables

Copper tinued conductors. Three conductor brown braid covering. Finest materials.

UNSHIELDED

No. E5438. 5 ft. 6 in. 3 conductor—lugs both ends. 28c

No. E5439. 10 foot 3 conductor. Lugs both both 45C ends. NET, EACH.

SHIELDED WEATHERPROOF

Rubber covered 3-conduc-tor shielded cable with terminals for outside public address use. Waterproof and weatherproof. Metal braided

outside jacket	nductors and a
No. E3202.	
List, \$3.60.	\$2.12
NET	
No. E3203.	25 foot.
List, \$7.00.	64 16

LEAD COVERED CABLE

NET.

\$4.10

Used when the speaker is located at a remote distance from the set. Lead sheath acts as a shield.

No. E | 495. No. 18 Parallel 2 Cond. \$1.40

No. E | 496. No. 18.

Tinned Copper Shielding



battery speaker leads, lead-ins, and various chassis connections. Easily soldered.

No. E 1497. Diam. 1864 in.	40
Diam. 1864 in. NET, PER FOOT 50 FOOT COIL	\$1.76
No. E 498. Diam. % in.	60
NET. PER FOOT	\$2.65

No. E | 499. Diam. 23: In. NET. PER FOOT. 9c 30 FOOT COIL. \$3.82

LITZ WIRE

Finest quality Litz wire for and higher grade R.F. and superhet coils. 10 strand No. 38 enameled over the corp. copper wire. Double silk cov-



ered.
No. E2341. 100 ft. 20c
spools. NET, EACH. 20c
No. E6849. 1 lb. spool.
Containing approx. \$2.25

Bakelite Speaker Extension Plug



speaker extension plug for operating head phones or loud speaker at dis-

lance	from receiver.	
No. E	4218.	6
NET.	EACH	C
NET.	PER DOZ	8

5 c **BUS BAR WIRE**



Hard drawn copper wire. No. 1 gauge. 2 ft. 1 No. E2536. Square, 10 lengths. lengths. 10 lengtus. YOUR PRICE Round. No. E2537. 10 lengths. 13c YOUR PRICE. er 100 lengths. ... \$1.05


Spaghetti **Covered Bus Bar** Wire

Black Spaghetti covered No. 14 tinned copper wire. 2 ½ ft. lengths. No. E2538. NET, PEB 30" LENGTH. PER 30" LENGTI 10 LENGTHS. 35c

BELL WIRE

quality bell wire for repair shop and garage. Insulation thoroughly impregnated with participated wi with paraffine. NET, EACH ... Coils. No. E1536. 34 lb. Colls Colls. NET No. E1537. 1/2 lb. 14c Colls. NET

Multi Conductor) Cables for Battery, Speaker and Analyzer Connections



Cond. 3 feet long. NET. EACH No. E5553. 4 Cond. 5 feet long. NET, EACH.

41/2 foot cables No Conductors NET E2286 E2284 E2287 E2288 46c

10 foot cables E2289 65 c

Continuous Length Cable 100 Ft. Coils



Made of stranded rubber inwires cov-ered with on braid. cotton Each conduccolor complying with R.M.A. code standards, 100 ft. coils.

No. Conductors NET E2460 E2461 E2462 \$3.53 4.12 4.70

Speaker **Extension Cords**



Standard extension of stranded copper wire, rub-ber covered with rayon outer braid. With connector plugs and phone tips.

NET 270 330 630 E4231 E4232 15 ft. 20 ft. 50 ft.

Headphone and Speaker Cords



No. E5490. 4 foot single. Spades on other end. one end.

No. E5491. 4 foot single. Tips both ends. NET, EACH. 4 foot

DOUBLE PHONE CORDS No. E5492. Spades end. Tips other end. Spades on one No. E5493. Phone tips both ends. NET, EACH 14c

HOOK-UP WIRE



PUSH-BACK Simplifies wiring—a differ-ent color for each circuit. To make connections, simply push-back braid. Core consists of

solid tinned copper wire.
Double cotton covered, chemically treated with paraffine.
Flexible, easy to manipulate.
25 FOOT ROLLS Color

E2528 E2529 Black Yellow Red E2530 E2531 ROLL Green 14c E2532 100 FOOT ROLLS E2590 E2591 E2592 Black Yellow ROLL Red 48c Green

1000 FOOT SPOOLS Solid push-back described above can be plied in 1000 foot roll any color listed. Order type, length and color. in Order type, length

Blue

\$3.95 PER ROLL

STRANDED **PUSH BACK**

E2934

Same uses and insulation as the solid. Core conmulti-tinned strand copper hook-up Supplied wire.



in five colors.
25 FOOT ROLLS Color

E2435 NET PER BOLL Yellow Red Green 16c E2439 Blue FOOT 100 ROLLS

E2440 E2441 E2442 E2443 Black Yellow Red PER BOLL Green E2444 Rlue

1000 FOOT ROLL Stranded push-back wire in 1000 foo ROLLS up wire in 1000 foo in colors listed. Ore type, length and color. NET, foot rolls Order

\$4.45 PER ROLL

COLORED RUBBER HOOKUP WIRE Stranded tinned



copper wire.
Rubber insulation. Available
in five colors to facilitate s e t wiring, Flexible. Easily prepared for connection.

No. Color E2542 E2543 E2544 Red Green Blue F2545

PER ROLL 16c E2546 White Can be supplied in 100 and 1000 foot coils. Write for prices.

Flexible Spaghetti

Fine Cambric tubing impregnated with varnish. E5330 Black Yellow Red E5333 Green

AUTOMOBILE RADIO EQUIPMENT

THE UTAH AUTO "B"POWER UNIT



A new, highly efficient, extremely compact unit for Automobile sets.

Operates from 6

Volt Auto battery. changing current to "B" supply up to 186 voits. Operates

an even flow of current. Intermediate voit-age easily adjusted. 189 voits, 35 M.A. Size: 6'4'' high. 74'' long. 2'4'' deep. Supplied completely housed with tube, butt-in relay, and cables.

in relay, and cables.
No. E8956. List. \$20.00 \$1175
YOUR PRICE

New Electronic Auto Radio "B" Eliminator Kit

Complete auto radio 8" eliminator kit. scientifically designed to give maximum emclency. Compact Size 22%" x 6" x 7%" long. Yo hum, no rotary parts, equipped with automatic relay, no adjustments necessary after installation. The new


justments recessiry a mean "Automatic Load ter installation. The nex "Automatic Load Delay" circuit insures long life of the mercury vapor rectifer tube avel as the interrupter. Shipped "knocked down." Easily terrupter. chart sup Complete assembled. Complete assembly chart pled. Cadmium plated steel container. No. E 81 49.
List. \$13.25.

Janette Auto "B" Power

New constant "B" power unit for every auto radio s et . A compact smooth-run-ming unit driven right off the regular Auto
Battery, transforming
6 or 12 volts D.C.
into "B" current up volts

Measures ures 12x6x5½ inches. Furnished complete wi Shipping weight, 22 lbs. No. E8285. List, \$32.00. YOUR PRICE \$1882

Auto Radio Suppressors



For suppressing noises in Auto radio in-No. E2328. Distributor type. No. E2329. Plug type.

SUPPRESSOR KITS

For 4, 6 and 8 cylinder cars.
No. E2345. 4 cylinder car 4 \$1.06
nluc. 1 distributor type. NET. No. E 2346, 6 cylinder car 6 piug, 1 distributor type. NET. 1.48 No. E2347. 2347. 8 cylinder car 8 1 distributor type. NET 1.88


AUTO "B" BATTERY ELIMINATOR

The Carter Genemotor is one of the most efficient converter type auto "B" eliminators on the market. This unit develops surprising vol-ume and fine, clear-cut re-ception, bringing in more sta-tions with less interference. tions with less interference. Provides a constant flow of "B" power at all times, at low battery drain and great output. Equipped with double filter system, climinating

Generator Motor Combined

Motor Combined
The Genenotor is a conbined generator and motor
complete in one unit, open
of the car, but
requiring the lowest amperage of any eliminator on the market. No parts to wear out or
replace. Install it—forget it. Space required
for mounting only 4½ x 5° x 5°,
No. E8 | 55. 489A. 180 Volts "A" battery
dram 2.2 amis. 30 M.A. Volts "A" battery
dram 2.2 amis. 30 M.A. Volts "A" battery

CARTER GENEMOTOR



In Mounting Case

No. E8156, 4635A. 135 Volts, A battery drain 1.7 amps. 30 M.A. YOUR PRICE EACH...

RETAIL EACH ..

.\$21.00

Note: We can supply immediately, all special Carter Genemotors for any car or motor s rite us for information and prices. Special types available for portable P.A. systems.

MALLORY-ELKON Auto "B" Eliminator

A tested and proved "B" power unit to make an from 6 Volt Auto changing cur



from 6 Volt Autopower, the plant of the compact, no maximum volume to a maximum volume volume

AN ELIMINATOR-FOR EVERY AUTO SET

Set	True	Set	Ty
Atwater Kent 81.	4	Majestic 110	6
Auto-Lite 82	5	Motorola 5-T-71.	6
Bosch 9:20	5-P	Motorola 7-T-38.	8
Colonial 53	5	Motorola 7-T-47A	6
Colonial 54		Motorola 6 tube.	- 6
*Crosley 90	4	*Phileo 3	ß
*Crosley 91		Phileo 7	3.
*Crosley 92		Phileo 7	5-
Delco 3010		Sparton 40	8
Gilfillan	2	Universal 70	
	_	400 11	-

Gilulian		2 01	iiversai 19	
	_	Watts	180 V.	130 %
No.	Type	Output	at Mills.	at Mil
E8460	6	6.3	35	46
E8460	5	6.3 5.4	30	46
E8462	5-1	5.4	30	40
E8463	4	4.5	25	33
E8464	3	3.6	20	27
E8465	3-1'	3.6	20	27
E8466	2	2.7	25 20 20 15 12	46 46 35 27 27 20 16
E8464 E8465 E8467	1	2.2	12	16
	19.95.		64	4 -
NET EAC	Н			1.7

No. E3190. NET \$2.06 (6619)

VIZOR-TENA

A combination auto radio aerial and sun vizor. All the efficiency of an pe aerial, combined

atio top true aerial, combined with complete protection for the road. Fits the road where signal strength is greatest. Made of finest grade Art Leather, with all metal parts nickel plated. For best results use in pairs.

No. E8960. List, \$2.75.

DX AUTO AERIAL RUNNING BOARD TYPE



No. E8870, List, \$1.95.

AU-TENNA-AUTO AERIAL

A highly effective auto aerial with ex-ceptional selectivity ceptional se and volume. Abso-iutely grounding-proof, in sulated against frame. Sedan

against frame. Sedan type—I colors.

E8 | 20. Light Grey.
E8 | 21. Dark Grey.
E8 | 22. Light Brown.
E8 | 23. Dark Brown.
List. \$2.75. NET EACH



GOERLICH AUTO HEATERS LION MODEL HOT WATER HEATER WITH ELECTRIC MOTOR



A high quality hot water, heater to fit all cars, large and small. Large size rudiator provides ample heating surface. Improved electric motor, powerful and efficient, with self-aligning oilless bearings. Consumption less than two ampores. Deflector may be easily adjusted to direct the hot air to any point. The die cast face place and deflecton are of attractive modernistic design. The die cast face place and deflecton are of attractive modernistic design. The die cast face place and deflecton are of attractive modernistic design. The die cast face place and deflecton are of attractive modernistic design. The die cast face place and deflecton are of attractive modernistic design. The die cast face place and deflecton are of attractive modernistic design. The die cast face place and deflecton are of attractive modernistic design. The die cast face place and deflecton are of attractive modernistic design. The die cast face place and deflecton are of attractive modernistic design. The die cast face place and deflecton are of attractive modernistic design. No. E8180. YOUR SPECIAL LOW PRICE.

VICTOR MODEL WITH AIR MOTOR

Hot water heater for smaller cars. Especially low priced to appeal to motorists who could not previously afford to but a heater. Equipped with the new air motor, operated by vacuum from the intake manifold, elminating all drain on the ear battery. Highly durable. No attention necessary. Centrifugal action keeps fan motor operating constantly, with no stop during car acceleration. Speed may be varied by control switch. The "Victor" has a very large heating capacity. Heating units are all brass and copper, Easily installed in all cars.

brass and copper. E Shpg. wt., 14 lbs. No. E8181. YOUR PRICE



Auto aerials for installation underneath car and ample volume assume the control of the control

\$147

AUTO GENERATOR SILENCER

ficient operation of auto radio sets. Eliminates interference due to spark plugs.

No. E2342, 1 mfd. 48c

No. E2343. .5 mfd. 42C

GENUINE PHILCO REPLACEMENT PARTS



All parts listed on this page are genuine Philco products, exactly as used in Philco receivers. Owing to the great number of Phileo Radio Sets in use at the present time, there is a huge demand for these products. In order to obtain the famous, clear Phileo balanced performance, make all necessary resources on Philese penigrounds. placements on Philco receivers with none other than Phileo parts.



ALLIED has made special efforts to make an accurate and dependable listing of genuine Phileo re-placement parts on this page, for the serviceman. If any other Phileo parts are required, send your order in with a deposit, specifying the part required and the set model number; or a free Philco Parts Cats-



Phileo	Volume Cor	ntrols	Power	Filter	
Radio	Part	Net	Transformers	Condense	ra
Modei	No.	Each	Part Net		Net
4			P5785 \$2.06		
11		82c	1010011102100		
15		59c	P6672 3.23		
		73c	P6672 3.23 P4234 3.53	44444 T	2.22
20			P4813 3.53	P4235 S	
		73c			
30	P4093	82c			
35-35B		88c			
36	P5317	88c		P4067 P4067	23 23 250
40	P4056	410		P4067:	2 2 2
41		88c		P4067	5.25
42		88c		P4860	5 50
		88c		- 1000	
		47c			
47			ALLES TO THE STATE	P03459	
50		73 c	P5266 2.50		.73
51		44c	P5266 2.50 P5266 2.50	P03915.	.65
52	P5839	44c	P5266 2.50	P03915.	.65
65	P3528	59c	P3516 4.12	P3515	5.44
70A		88 c	P5117 3.53		
70B		44c	P5117 3.53	P04559	.59
71-121		47 c	P6454 2.20	P04731	.24
71-221		47c	P6454 2.50	P04731.	.24
76		38c	P3868 4.12		3.67
77		73 c	P3868 4.12	P3870.	3.67
			P3271 4.12		3.07
		82c	P3400 4.12		8.82
87		82c		P3401	7.35
90C	P5039	88 c	P4938 4.12		
90D		44c	P5362 3.67		
90E	. P6015	44c	P6072 2.94	P0440 i	.59
91-121 91-221	P6499	47c	P6554 2.79		
91-221		47c	P6557 2.79		
95		910	P3752 3.53	P3754	3.81
96		82c	P3752 3.53	P3754	3.81
		82c	P4446 3.53	P3754	1 8 2
111		82c	P4446. 3.53	P3754	3.81
112C					
112F		82c	P5594 4.12		1.03
211		82c	P4446 3.53	P3754	3.81
511		82c	P3073 4.12	P3108	7.06
No. 3 Trans	. P4463	73c			
No. 7 Trans	.* P6109	88c			

A-Without			
B-With au	tomatic vo	lume con	ntrol.

C—Push-pull—45 tube output.
D—Single 47 tube output.
E—Push-pull pentode output.
F—Push-pull 47 tube output.

WITH SWITCH.

log will be mailed on request.					
PHILC	DREI	PLAC	EMENT	CHO	KES
Set Model	Part	Net Each	Set Model	Part No.	Net Each
15 20 21.70.90	P3422 P4231	\$1.47	87	P3472 P4951	\$2.20
21.70.90 -	P4819	.88	91 (late)	P4819	1.47
30	P3518	1.62	112 (W/45'a)	P3422 P3422	
86 76-95	P3422 P3422 P3269	1.47	112 (W/47's)	P3422	1.47
		2.20			.88
OUTPU			[INTE		AGE
Output			ORMER	•	AGE
Output	TRA	ANSF	ORMER	S In	put
Output Set Model 86-87-65-95.	Part No. P2766	Net Each \$1.18	ORMER Set Model 86-87-30	S In Part No. P3242	put
Output Set Model 86-87-65-95. 76-96-77 20-40-111	Part No. P2766 P2766 P2766	Net Each 51.18 1.18 1.18	ORMER Set Model 86-87-30 65-95-96	S In Part No. P3242 P3242	Net Each \$1.62
Output Set Model 86-87-65-95, 76-96-77 20-40-111 50-51-52 70-90	Part No. P2766 P2766 P2766 P2660 P2673	Net Each \$1.18	ORMER Set Model 86-87-30	S In Part No. P3242	Put Net Each \$1.62
Output Set Model 86-87-65-95. 76-96-77 20-40-111 50-51-52 70-90 90-112-15.	Part No. P2766 P2766 P2766 P2660 P2673 P2635	Net Each \$1.18 1.18 1.18 1.18 1.18 1.18	ORMER Set Model 86-87-20 65-95-96 111-112 76-77-40 20-21	Part No. P3242 P3242 P3537 P3872 P4232	Net Ench \$1.62 1.62 2.06 1.76 1.32
Output Set Model 86-87-65-95, 76-96-77 20-40-111 50-51-52 70-90	Part No. P2766 P2766 P2766 P2673 P2635 P2585 P2585	Net Each 51.18 1.18 1.18 1.18 1.18	Set Model 86-87-20 65-95-96 111-112 76-77-40	Part No. P3242 P3242 P3537 P3872	Net Each \$1.62 1.62 2.06 1.76

		_			
Sman	ker Co		DO:	D	
ahea	WET. COI	IIC2	DC.	Resisto) F S
hileo	Th4.	37-4	Phileo	Parts	Net
	Parts	Net	Model	No.	Each
lodel	No.	Each	20		
5.91	P02807	38c		. P4230	50c
			21	. P4824	26c
5-71-91		26c	65	. P3512	73 c
0-21-46		44c	70 (A) .	P5125	26c
30	P2764-A	24c	70 (B)	P6008	24c
35-50-51	P02887	38c	76	P3865	59c
0-90-111			86	P3232	940
		38c	87	P3399	
0-51-52		35c			73 c
5-87-95.	. P02874	38c		P4953	32c
0	P02861	35c	90 (B)		24c
			111-112.	. P4532	26c
70-90	PO5586	44c	511	. P3088	97c
6.77-96	P02874	38c	(A) W	ithout Au	
6	P2898-A	88 c		Tuout Au	tomane
			Volume C		
12	. P02874	38c	(B) W	ith Auto	matie
11	P2936-A	26c	Volume C	control.	

ELECTROLYTIC CONDENSERS

Philco	Part	Net
Model	No.	Each
21	P4818	\$1.18
4.50-70	P4916	1.03
90-112-51	P4916	1.03
52-71-91	P4916	1.03
71-91	P6453	.91
71	P6457	2.50
15	P6707	.88
	P6706	.88

Tone Controls

70	P03637 \$0	. 1,8
15-91	P04787	.26
11-77-90	P03137	.32
90-112	P03137	.32
SWIT	CHES	

90 10 85

\$U-±U-00	Linas	\$0.29
70-76-77	P4095	.29
90-95-111	P4095	.29
112	P4095	.29
50-51-62	P5382	.24
No. 3 Trans	P4705	.59
71-91	P6498	.24

TUBE SOCKETS

Part No.	Terminals	Net Each
P4956		6c
P6417	6	6c

PH	POLL	AM	P	3
Part No.	Vol	ts		Net Each
P3463 . P4567 .	2.0 2.7 6.0 6.3		:::	100
(A) Sets.	Special	for	Ba	itery

PHILCO KNOBS					
Phileo Model		Part No.	Net Each		
	LAI	RGE			
		P3580A	7 c		
112 te	15X	P03063	Бc		
3 to 7		P03334	3 c		
SMALL					
511 to	111	P3579A	4 c		
112 to	15X	P03064	4 c		

SWITCH 511 to 111. P4290A 112 to 15X. P03437

3 c

If unable to obtain part required from listing given, send for Phileo Parts Catalog. It will be mailed FREE.

PHILCO RESISTOR KIT

11233456777

8 1

Standard Phileo resistor kit at a new low price. Con-sists of 25 resistors on an attractive holder. Standard sists of 25 resistors on attractive holder. Standard R.M.A. color code chart duplicated on every kit. For use in Phileo and all makes of radio receivers, as well as for radio receivers, as experimental work \$367 No. P6566A.

CONDENSER TEST BOX PHILCO MODEL 093

A convenient switch box designed for use in testing by-pass condensers in all receivers by substitution method. Contains 15 condenser values which can quickly be connected by means of a multi-polar switch to obtain desired capacities from .00025 mfd. to 2. mfd. Two binding poets for external leads. Mahograny box.
No. P093.
YOUR PRICE.

PHILCO QUALITY TUBES

Outstanding for high efficiency in long life.

	Phileo		
	No.	Tyme	NET
E285.	P24	Type DetAmp	0 81
E262.	1'26	Anop.	.42
E263.	1'27	DetAmp	.52
E280.	P35	DetAmp	.81
E258.	POLA	DetAmp	.39
E265.	1'45	Power Amp	.57
E284.	P47	Power Pent	.78
E254.	171A	Power Amp	.47
E267.	1.80	Full Wave	
		Rect	.52
F253.	1'12A	l'ower Ann.	.76
E275.	1230	DetAmp	.81
E276.	1,31	l'ower Amp.	.81
E277.	1.35	DetAmp	1.16
E281.	P36	DetAmp	1.37
E282.	P37	DetAmp	.88
E283.	1.38	Power Pent	1.37
E288.	P41	Power Pent	1.40
E261.	P42	Power Pent	1.40
E250.	P44	Super Control	
		DetAmp	1.48
E292.	P56	DetAmp	.64
E293.	1'57	DetAmp	.81
E294.	1'58	Super Control	
L. 201.	1 00	DetAmp	.81
E291.	1'82	Full Wave	.01
E201.	102	Rect.	.64
E299.	P182B		
E298.	P183	l'ower Amp	1.16
		Power Amp	1.03
E296.	P14	DetAmp	1.11
E297.	P17	Det Amp	.73
NO	E: II	50 tubes are litional 10% is	Or-
dered	an ade	litlonal 10% h	10
ne ger	aurara r	rom the above	quo-
earlow.			-

REPLACEMENT VOLUME CONTROLS

Cat. No.

CARTER VOLUME CONTROLS TYPE RC REPLACEMENTS

The Carter quality volume controls listed below are of the most popular ohm values for standard sets. If you do not know resistance of the control required send in your order with the name of the manufacturer and set model, and proper control will be supplied. All controls without the A.C. switch. If switch is needed, it may be ordered separately. Quickly and easily installed by removing cover. Abbreviations in listing: C—Clockwise taper; CC—taper. All the rest have uniform taper.

	Clockwise	taper. Al.	the rest	nave unii	orm taper.
Cat.	Carter		Cat.	Carter	
No.	No.	Ohms	No.	No.	Ohms
E3300	RC-10	10	E3315	RC-6M	6000
E3301	RC-20	20	E3316	RC-10MT	10000C
E3302	RC-30	30	E3317	RC-10M	10000
E3303	RC-50	50	E3318		15000C
		100			20000C
E3304	RC-100		E3319	RC-20M	
E3305	RC-200	200	E3320		25000
E3306	RC-400	400	E3321	RC-25MT	25000C
E3307	RC-600	600	E3322	RC-30M	30000C
E3308	RC-800	800	E3323	RC-50M	50000
E3309	RC-1M	1000	E3324	RC75M	75000CC
E3310	RC-2M	2000	E3325	RC-100M	100000C
E3311	RC-3M	3000	E3326	RC-200M	200000
E3312	RC-4M	4000	E3327	RC-250M	250000C
E3313	RC-5M	5000	E3328	RC-500M	500000C
E33 4	RC-5MT	5000C	E3329	RC-1MG	1000000C
		50000	E3329	RC-IMG	10000000
	h, \$1.00.		1		400
YOUR P	KIUE,				
EACH					48c

No. E3299. A.C. Switch for Above. List, 75c. YOUR PRICE 249

AD-A-SWITCH WIRE WOUND VOLUME CONTROLS CLAROSTAT

A series of Clarostat Wire Wound Controls designed to fill the jobber's, dealer's and serviceman's demand for reliable wire wound single controls which can be used either with or without switches as required. The plain dust-guard coverplate supplied with these controls can be pried off and a switch type dust-guard coverplate can be smapped in its place. Supplied less knob, with insulated shaft and bushing.



Description

	1850	50	250	Standard Pot	1
(E	1851	100	180	Standard Pot.	
E	1852	200	125	Standard Pot	4
E	853	300	100	Standard Pot.	47.
	854	400	85	Standard Pot.	49 /
	1855	500	80	Standard Pot.	
	856	750	65	Standard Pot.	
	1857	1000	55	Standard Pot.	
	858	1000	40	For untuned Ant.	520
	859	2000	40	Standard Pot.	520
	860	2000	25	For untuned Ant	520
I E	1861	2000	25	For "C" bias.	
	862	3000	30	Standard Pot.	550
	1863	3000	20	For ant. and "C" bias.	550
	864	3000	20	For 'C' bias	
	865	5000	25	Standard Dat	550
	1866	5000	17	Standard Pot, For ant. and "C" bias.	520
	867	5000	17	For "C" bias control	550
	868	7500	20	Control Dian Control	550
	869	7500	14	Standard Pot. For ant. and "C" bias.	52c
ы	870	7500	14	For ant. and C bias	-
	871	10000	17	For "O" bias	-
Н	872	10000	12	Standard Pot	
	873	10000		For ant. or R.F. coil	
	874	10000	12	For ant, and "C" bias	600
	1875			For 'C' bias	00
	1876	10000 15000	12	For S.G. voltage	
	877		14	Standard Pot.	55c
		15000	11	For ant. and "C" blas	400
	1878	15000	11	For S.G. voltage	00
	879	20000	12	Standard Pot.	
	1880	20000	10	For 'C' bias	640
	1881	25000	11	Standard Pot.	640
	1882	30000	11	Standard Pot.	690
	1883	40000	10	Standard Pot.	690
	1884	50000	9	Standard Pot	780
	. E 188				
		TA COTA			

CARTER MIDGET RHEOSTATS AND POTENTIOMETERS HIGH RESISTANCE



Wire Wound One piece, cadmium plated steel.
Non - corrosive high
resistance wire used. Very com-pact. Pos.

itive contact. tion. Dissipates 1 watt. Windings uniform and accu-rate. With black pointer

No.			Ohmen
E 506			
E1508.			200
E1509.		::	1000
E1511.	i		.1500

EACH. 28°

CARBON TYPE employing Compact.

compact. employing new resistance material. "Resisto-lite." Dissipates 2 watts. Rugged. cadmium plated steel shell frame. Resisto.

NO.	Onnie	
E1512	2000	
E1513	3000	
E1514	4000	List
E1518	5000	Each.
E1516	10000	\$1.00.
E1517	15000	SPECIAL
E1518	25000	PRICE.
E 15 19	30000	EACH.
E 520	50000	12.1011
E 1521	100000	780
E 522	200000	200
E1523	250000	
E1524	500000	
	1000000	
EIDZD.	10000000	

with or with-out snap switch. Has full wiping con-

switch. Has full wiping con-tact between the movable member and the hard smooth

Resis

composition resistance

CLAROSTAT TONE CONTROLS TYPE TC-1 TC-2 For Panel Mounting



existing receivers without solexisting receivers without soldering connection or mounting on panel. Provided with neat case with felt base, a set of adapters, and flexible leads for easy installation. For set of amplifiers with desirable and convenient accessory. With knob.

No. E 1886. cessory. Wi No. E | 886. List, \$2.35.

Switch Type Cover Plate.

YOUR PRICE

stat tone

mounting on any hole. lite and panel using or Vie" hole
All-bakelite and
metal c as e of
1%" diam. Projects 1" back of
panel. With knob, but without
adapters, or fierlihe leads.
No. E 1887. List Price, \$1.80,
YOUR PRICE.....

Constructed for

\$1.03

EACH

Same as Type TC-2 but has fibre cover instead of bakelite and metal, and projects %" back of panel. Without knob. adapters or flexible leads. No. E1888. List Price. §1.50.

AMPERITE

SELF ADJUSTING RHEOSTAT

Permits efficient operation of vacuum tube filaments. STANDARD FOR SET BUILDERS.

No. E1080. 1A-23 amp. For 301A, 300A, and 340 tubes.

No. E1081. 112-5 amp. For 112 and 171 tubes.

No. E1084. 5 v.-199-06 amp. For 229 behas.

No. E1084. 5 v.-199-06 amp. For 298 tubes.

No. E1085. 120-125 amp. For 220 and 201B tubes.

No. E1086: 3A-75 amp. For 220 and 201B tubes.

No. E1086: 3A-75 amp. For 30 tubes.

No. E1088. 630. For new 231 tubes.

No. E1089. 633. For new 231 tubes.

List. \$1.10. YOUR PRICE. EACH.

FROST VOLUME AND TONE CONTROLS SERIES NO. 70 d. modinty priced. blite case with proof back cover, fur-

SERIES NO. 20
Rugged, moderately priced.
wire wound volume controls.
Tightly covered metal
shell encloses the
unit completely.

Complete positive contact at all times, due to double wiping contact construction sympoth operation.

RELUCTION	. Smooth	operation.
Less	Resis.	with A.C.
Switch	Ohme	Switch
E3553	200	E3561
E3554	400	E3562
E3555	1000	E3563
E3556	2000	E3564
E3587	3000	E3565
E3558	5000	E3566
E3559	10000	E3567
E3560	25000	E3568
- ~		. 60 14-1

Less Switch. NET EACH. NET EACH. **50**0

No. E3591. DUAL 10.000-50.000 ohms—1" shaft. No. E3592. DUAL as above. 2" shaft. \$1.25

No. with A.C. Switch E3580 E3581 E3582 E3583 Ohms 1000 2000 3000 5000 10000 25000 50000 75000 E3572 E3573 1 E3574 2 E3575 5 E3576 7 E3577 10 E3578 25 E3579 50 Less Switch. E3584 E3585 E3586 E3587 100000 250000 500000 (DC With Switch. NET EACH. NET EACH. 42c 62C

cover, fur-nished either

ment.
No.
Less
Switch

E3569 E3570

\$1.25 No. No. No. No. No. No. List. No. E3593. DUAL-10.000-YOUR PRICE.



Volume Centralab Controls



Here is the latest replacement listing of Centralab volume controls, for the convenience of the serviceman. The listing is as accurate as a careful search of available records can make it. The replacement control ordered will do the work of the original with the greatest efficiency, for it will be a duplicate in mechanical and resistance specifications. If the volume control required is not listed, send your order to us with a deposit, giving the name of the set manufacture and the model number. The proper unit will then be obtained and shipped to you at the lowest prevailing price. ALLIED is anxious to serve you.

		~			-
Manufacturer and Model No. PRI	CE	Cat. Manufacturer and Model No. Crosley Radio	YOUR	Manufacturer and Model No. P	YOUR
A. C. Dayton XL-60. SL 61. XL-70. E2455 XL-63. 65. 66. E2457 Navigator E2206	Z 3	AC-7. AC-7C Crostley Radio 408, 418, 428 (Early Mod- els), 828, 71-A, 40-A Special Edward E2453 600, 218 600 Communication E2453 610, 22 Batt E2172 830-8, 31-8, 33-8, 34-8 500, 24, 57 (New Budds) E2172	50.73	General Motors Radio (Day-)	Fan)
Navigator E2200	73	els). 82S. 71-A. 40-A	1.71	5033, 5066, 5065, 6 tube 5057, 6 DC, 32 DC, 110-6 M.G. E2186 S 8 AG, 5017, 5080 E2177 A5005 A502u E2178	0.73
A. C. Dayton	73	"Buddy and Chum" E2453	73	A5005 - A5020	:73
107, 116, 46, 126, 136, 146,	1	21. 22. Batt	73	72 E2170 2 5003 - 5004 5010 5091 -48 2 Special E4819 Delco 3002 Auto "Special" E4849 A. 120A 130 140 E2165 150 160 E2165	./3
80-Auto Receiver "Special" E4848	47	"Special" E4855	1.47	Deleo 3002 Auto "Special" E4849	1:47
54. 56 E2165	96	77. 76DC. 400. 410, 420 E2182	:73	150, 160	1:47
54. D. C. "Special" E4865	73 47 96 47 47	28. 30-S, 31-S, 23-S, 34-S "Special" E1855 53. 54. 57 (New Ruddy) E2177 77. 76DC, 400, 410, 420 E2182 91. 92. "Roamlo" Auto. E2178 Midsget 48 Johnny Smoker, Super Buddy	1.47 .73 .73 .73	Graybar Electric	- 8
American Boach Corp. 107, 116, 46, 126, 136, 136, 136, 176, 98DC, 96AC, E2171 89-Auto Receiver "Special" E4848 4 8 and 49 "Special" E4869 64, 56 E2(55) 58, 82 "Special" E4865 54, D. C. "Special" E4877 5A, 5B, 7A, 73, 133 E2425 60, 61, 64 "Special" E4877 10, 31, 32 E2410 10, 31, 32 E2410	98 47 73	122 E2176	.73	700, 770, 900 E2184 678	1.73
73. 74	00 1	clal Con Character E4859	1.47	678 E2162 Graybarette E2454 8 Midget E2184	.73
Andrea, Inc., F. A. D. (Fada)		408, 418, 428	73	A. H. Grebe & Co., Inc.	1
Andrea, Inc., F. A. D. (Fudn) 7, 480A, SF50, 80-A, CA-475, E2171 30, 30Z, S1, 31Z, 10, 10Z, 11, 11Z, D. E. Special Long Shaft 12, 17, 23, 12, 10, 12, 11, 12, 12, 12, 12, 12, 12, 12, 12	73	Johnny Smoker, Super Buddy 122 120,255. Long Shaft, Spe 120,255. Long Shaft, Special E4859 120,255. Long Shaft, Special E4857 408, 418, 428 E2178 55. Short Shaft E2178 15. 1610 17. Special E4857 15. 1610 17. Special E4858 120 12	773 733 733 1.47	428, Synchrophase A.C. 6:	~~ 1
Shaft	47	77-1 E2188	73	AH-1	.73 .73 1.47 .98
16. 16Z, 17. 32, 32Z, 18DC.	47	58 E2177 59 E2188	.98	SK4 DC	.98
35C. 35B. 40AC. Original Control E4872	96	84	:73	Grigghy-Granew (Majorth	
Control E4872 1. 25, 25Z, 15M, 15MZ, Special		84 E2180 124, 125 Midget Super Sw. Type E2419 605, 615, 625 E4856	1.47	1 76. 60. 70-R F2175	72
20, 20Z. Special Shaft. E4890	47 47 47 47	FD . 1 FD 11		Series 50, Midget Super. E4875	1.96
43. 762. KF. KG E4878	47	21DC, 24, 31, 83DC	1.73	90 Series E2172	1.96
86DC	73 98	21DC. 24, 31, 33DC. E2181 21 and 22 AC. E4812 315, 371, 31-8, 32-8, 33 £2164 271 £483 31 and 32 AC. 41. £2172	73 147 47 47 47 73	eial" E4881	
K. U. 45 51 53 57 Sw		31 and 32 AC. 41	.73	30 31 131 132 233 Spr 106 series 1008 Special E 4861 130 A 230 A 130 A 120 E 2206 130 A 230 A 130 A 230 A 130 A 230 A 130 A	96383776678
122-KE	98 73	P.A.D. No. 4 P.A.D. 41 54818 C-1 C2 C3 R1 R2 \$4818 R-200 \$2172		60 Series 160	.73
Atwater Kent	73	C-1. C2. C3. R1. R2 \ E4818	1.47 .73 1.47	120 Series. "Special". £4873	.96
61, 61C, 72, 66, H1, H2	96	M5, R11, M-6, Special E2172	1.47	15, 150 "Special." 15B. E4823	98
67, 67C. Bart, Set 222 tubes 82Q	73 71	Centrols	1.47		1.47
Series, L-2, P or 75 Q-2		C+1. C2. C3. R1. R2. (£4810 K-200 E2172 M5, R11. M-6. Specia) £4810 Controls. (£4818 C4. R4, R5, R4, R5, Later Model £4871 C1 £2171 E8, 62 £4818 R122 £2173 E2173	1.96	C-WG24 C and CG 9-In-	
Series. "Special"	96	E8, 62 E4818 R122 E2176	73 1.47 .73 .73	9-In-Line (Old) "Special" E4870	1.96
89F E2414	98	R6 and R7. Early Model		82 Arcadis E2164 50. 70 Series E2188	1.47
Bremer-Tully		R122	1.71	80-8 Tube (Old) 'Special' E4889	73
7-70, 7-71 "Special" E4867	73 47 98 98	Abbey 'Special' E4892	1.96 1.47	40, "Special" E4861	1.96
81, 82, 14, 21, 31, 81A	98	E-175 E2175 R6 and R7, Later Model E4871	.73	10. 13 Series. "Special" E4822	1.47
85. 36	98	Freed-Eisemann Radi	1.96	90 Series, "Special" E4876	1.96
8, 6, 40 E2180 7-70, 7-71 "Special" E4867 820-A, 821-A E2412 81, 82, 14, 21, 31, 81A E2207 8-20A E2203 8-5, 26 E2418 8-8, 8-8, 8-8, 8-8 8-8, 8-8, 8-8, 8-8 8-8, 8-8,	73	FE30N and 30-32, 40N and 48N, NR78 and NR79A.C.		Hammarlund-Roberts	.73
34. 36. 38. 69 E2175	73	50, NR80-DC, NR80AC, NR85, 470	.73	HI. OPOTE	.73
34, 36, 38, 60 E2175 MB-30 E2178 54 E2410 70 and 71 E2180	73 73 98	NR5, NR6, NR7, NR8 and 8A, NR9 and 9A, NR10.		HI-Q29 Master E2179 HI-Q30, HI-Q31 E2186	73
	73	86 and 66A, NR77, NR33,		Howard Radlo	
S14 S21 S21 S81 S82 E2417 14. 21 31 E2207 15. 22 Carar Special E435 1 10 Midster Special E435 1 1. 12. 16. 35—C Blas. E2206 11. 12. 16. 35—C Control. E4227 11. 12. 19—Tone Control. E4227 11. 12. 19—Tone Control. E4227	98	R6 and R7, Later Model £4871 Freed-Elizemann Rad1 F230N and 30-32, 40N and 48N, NR78 and NR79A.C. 50, NR85-DC, NR80-DC, NR90-DC, N	.73	135. 395. 445. 495 "Special" E4879 8-Green Diamond E4893 8.G.A. S.G. "C" E2164 35 AC E2200	1.96 1.47 1.47 .73
8-32 Cavac	98 98 98 98 98 97 98 73	NR95 E2172	.73 1.47	8.G.A. S.G. "C" E2164 35 AC E2200	1.47
11. 12. 16. 33—C Blas E2206	98	NR879, 905GA, NR657, "Spe-	1.47	35 AC E2200 S.G.B. Midget H.O. E2402 S.G.B. Midget O.H., A.V.H E2426 A.V.H. E2414	.73 .98
D-Pentode Pot E2180	73	Freshman Radio	1.96		
Colonial Radio	73	Freshman Radio G-60, Q15 and Q16, 605M. "Special" E4843	.73	Kellog Switchboard & Supp 6 tube 507, 520 Series E2180	.73
40, 43, 44, 47, 47E, 48, 48E,	96	3Q-15 and 3Q-16, N12, N17, 2-N, QD-16-S, Series Q-D-		"B," 7 Tube	73
31DC F4832 RG-32AC 33AC "Special" F4832 40 43 44 47 47 8 48 48E F4824 44 47 48 50 E2425	73 98	16. "Special"	.73	6 tube 507, 520 Series. £2180 'B.' 7 Tube. £2401 520 Series, 533, 534, 535, £2178 536, 5 £2178 £34, 25, 27, 28. £2188 Screen Grid Receiver. £2175	73
Columbia Radio (Exact	-	41AC and Earl 41, 31, 32A	.73	Screen Grid Receiver E2175	.73
Columbia Radio (Exact Duplicate) Screen Grid E4888 1. SG-5, SG-7 E2171 SG-9 E2175	47 73 73	"Special" 30-16, N12, N17, 2-N1, 2-N	1.47 1.47 .73	KR 15 and 16	.73
	73	21 DC, 24, 31, 33 DCE2456	.73	KR 15 and 16	:73
Crosley Radio 80-S, 61-S, 62-S, 74 E2178 61, 602 Bandbox, 608 Gem-	73	Garod E-A E2180	.73	cial'	1.96
box. 610, 609 Gembox and		General Electric		26, 526, 826, 36, 38, 40, 26, with remote control, 828, E2165	1.47
704-A Jewel Box, 704-B		T41-RC3 E2162 H31, H51, H71 E2184 S-22, S-22X-S-12 E2184	73	24 Batlery E4834 26. 826 E4825	1.08
11, 602 Handlox, 508 Gem- box, 610, 600 Gembox and Gemchest, 704 Jewel Box, 704-A Jewel Box, 704-B Jewel Box, 705 Showbox, 706 Showbox, "Special", E4842	98	S-22. S-22X-S-42 E2184 T-12 E2454	:73	Will remote control, 828 - £2165 24 Batlery	.73 .73 .98
		برياقها بالسابي ويستان والم	(Lis	ting Continued on Page 51)	
0	-				_

Centralab Junior **Volume Controls**

A small stock of Junior volume controls with the aid of the Control guide will take care of most service work. Each which control service work. Each which mas a 1% sha from the propriate size. Standardized tagers. Bushing ¼ in, Jons. have 2 terminals: all others. 3. If unable to determine type required, order with deposit, giving Jame of set and model number.

giving name	of set and	model numb	er.
Less		Max.	With
Switch	C.R.L.	Resist.	Switch
No.	No.	Ohms	No.
E2170	70-200	5000 ad	
2170	10-200	infinitum	E2201
E2171	70-201	ad infinitum	E2202
E2172	70-202	75000	E2203
E2!73	70-203	500000	E2204
1234095678901234 171709777788888 1717097777788888	70-204 70-205	10000	F3508
E2200 E2199	70-206	25000	F5507
E2 75	72-100	10000	E2410
E2 76	72-101 72-102 72-103	2000	E2411
E2177	72-102	25000	E24[2]
E2178	72-103	50000	E2190
E2 79	72-104 72-105	100000 500000	E24 3
EX 189	72-106	500000	
F5 85	72-107	1000	E24 5
E2 83	72-107 72-108	3000	E24 7
E2 84	72-109	4000	E24 8
E2 85	72-110	5000	E2419
E2186	72-111 72-112	25000	E2420
E3300	72-112	500 10000	E2421
E5784	72-114	10000	E5766
E2403	72-115	15000	F2423
E245T	72-116 72-117	1000000	E2426
E2452	72-117	50000	E2427
E2453	72-118	500	E2428
52454	72-119 72-120	20000	EX429
E2456	79-121	250000	E5437
FOARY	72-121 72-122	100000	F2432
E2458	72-123	75000	E2433
E2188	79-006	15000	E2425
Less Switch	72 1	With Switch	00
NET EACH.	73e	NET EACH	

Centralab Twin Junior



The Centralab Twin Junior Controls consist of two resistances completely insulated from each other and from the control shaft and bushing. Diameter of case. 1%". Depth. %". 1%" shaft.

Type
74-500—Special for 1929-30 Victor
replacements. Both cases L.H.,
Max. 4000 ohms, C. 300 ohms,
74-601—10,000 ohm, pot. controls
antenna. radiolina control "C"
blas. 25-900 ohm, Max.
74-602—10,000 ohm, pot. control
of antenna, and 56,000 ohm pot.
74-693—ileulaces wire wound control in 1930-31 Philos Midzet and
small receivers. E2 | 61. E2164.

E2165. E2168

\$147 \$3.00. YOUR PRICE, EACH.

Centralab Controls Less Knobs

Great values in gonuine Centralab controls, with all the famous C.R.L. features of fine construction. Shaft and bushing fully insulated from all terminals. Single hole mountinge for replacements.

5,000 ohms. 2 tap.
10,000 ohms. 3 tap.
560,000 ohms. 2 tap.

Very adaptable to No. E2196. 10 No. E2197. 500 NET EACH

28c C.R.L. Phono Pickup Fader



For double turntables. Blends the music from the finishing record into the music of the starting one. Has 4 terminals with tapered resistance. Bakelite case 2½ 12½ 1.8 haft 1½ 12½ 10 a. 8 haft and boushing insulated from all terminals. Single hole mounting.

hole mounting.
No. E2/56. List Price, \$4.00. \$196
YOUR PRICE

Centralab Volume **Control Guide**



The serviceman's convenient and essential reference of volume control circuits and replacement controls, 10 pages placement controls. 10 pages of fundamental circuits for vol-ume controls; 3 pages of tone control circuits: 19 pages listpages of tone on the control of the

FREE WITH CENTRALAB

CONTROL PURCHASE

ALLIED offers this indispensable guide absolutely free with every order, for ten or more Centralab Volume Controls.

Centralab Elf **Potentiometers**

The Centralab Elf Potentiometer of Radiohm for tone pickup a nd volume controls, where small size is important. Shart extends 1%" form case, %" bushing. Bakelite case 1½" by ½" deep. All controls have three terminals, in-

		tie thice term	mais, im-
	the shaft	and bushing.	
Less		Max.	With
Switch	C.R.L.	Resist.	Switch
No.	No.	Ohms	No.
E3158	51-200	1000	E3169
E3 59	51-201	2000	E3 70
E3 1 60	51-202	5000	ESITI
E3 6	51-203	10000	F3 70
E3 62	51-204	25000	23 73
E3 63	51-205	50000	E3 74
	51-206	75000	
E3 64	51-207		E3 75
E3 65		100 000 250000	E3!76
E3 66	51-208		E3 144
E3 6/	51-209	500000	E3 78
E3168	51-210	1000000	E3179
Less Switch.	440	With Switch	
NET FACH	444	NET FACE	1046

CENTRALAB VOLUME CONTROLS (Continued from Page 50)

		-
	Cat.	YOUR
Manufacturer and Model	No.	PRICE
25 - 1 4 TO 21 (O-1-	bla F	hono)
K-91 22 25, 27 K-21, 24 28, 23, K30, 32 K-21, 24, 28, 23, K30, 32 B10, B15 and 16. Cl. C2, C3, C4, C5, C6, C7, 980, K2, P4, P4, P4, P4, P4, P4, P4, P4, P4, P4	F2170	\$0.73
F 41 91 99 99 F70 94	E2174	30.73
Trio Trie - 4 10	E21/7	:73
Ol Cle Cr Ct CF CG CG	E21//	
C1. C2. C3. C4. C3, C0, C7.	F2171	.73 1.47 2.20 .73 .73 .98 .98
980. R24	E21/1	.731
861-802-0-11	E4002	/3
M42, M43, M44, M43	E4863	1.47
930 AC "Special"	E4880	2.20
950	E21/3	.73
960	.E21/0	.73
100 Series	E2413	.98
60 Series, 31-33 Columna	. E2419	.98
32-34	E2206	1.47
100 Series 60 Series, 31-33 Columbia 32-34 70 Series, 80, 90, "Special"	E4844	1.47
National Carbon Co.	(Eve	ready) }
1. 2. 3 30. 40 Series	E2179	.73 .73 .73
30, 40 Serles	E2182	.73
31	.E2172	.73
50 Series	E2167	1.47
Phileo		
Pulled	E0400	
65	E2183	.73
511, 512, 513, 514, 515, 521,		
531. 541. 551. 561. 571, 581,		1
Series 5, 82-86, 87	E2175	.73
65 511. 512. 513. 514. 516, 521. 521. 541. 551. 561. 511. 581. Series 5. 82-86. 87. 1, 2, 3, 96. 984. 92. 95. 952. 11 and 11A. 211. 211A. 296. 2984A. 111. 111A. 112. 112A. 78.77. 77. 7. 70 Series 7. 78. 78. 78. 78. 78. 78. 78. 78. 78.		
11 and 11A. 211, 211A. 296,		
296A, 111, 111A, 112, 112A	E2181	.73 (
78, 77, 77A. 70 Series	EZ165	1:47
Transitone No. 3, 30	E2180	.73
Baby Grand 20, 20A, 220, 41.		1 1 1 1
42. 220A	. E2168	1.47
40	E2453	73
41. 42	E4841	.73
R. C. A. Vlet	OF	
1.Circuit DC2 Dig DU17		1
R42 R-32, RE-45, R-52, RE-75, 5-Circuit RE-35, RC-2A, RE- 39, RE-57, RE-73, RE-34,	E2162	1.47
R-32, RE-45, R-52, RE-75.	E2161	1:47
5-Circuit RE-35 RC-2A RE-		
30 RE.57 DE.72 RE-34		
42	F2163	[47]
R5, R5X	F2454	73
D7 74	E2184	73
D7 Shiperhette	F4827	74
74 P.11 RF.18	E 4826	1.47 .73 .73 .73
DS0 DS5	F2178	73
R7 Superhette 7A, R-11, RE-18 R50, R55 R57, 82	E1840	143
15011 02 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 . 40	./3
R.C.A. "Radio	18"	
80, 82, 86. Silver-Marshall	E2184	.73
Silver-Marshall	, Inc.	
48M-730 Around the World	E4833	.73
48M-730 Around the World	E2172	.73 4

Manufacturer and Model Silver-Marshall, Inc. 740AC Coast to Coast	Cat	YOUR
740AC Coast to Coast	No. E2183	SO.73
714 722AC, 30B, 60B, 75B, 95B,	E2200	721
722AC, 30B, 60B, 75B, 95B,	E2401	73
770 Royment Seven SM690 37, 38, 39, 782	E2180	.73
37, 38, 39, 782	. E2189	.98
773, R5	E2185	.73
Sonora Phonograph 2RP-25, 3R & 4R, 5R, A-30.	Co.,	Inc.
A131. A-32. A-36. A-46.		
A131, A-32, A-36, A-46, A-40, 44 DeLuxe, A3D,	E 4000	
A31	E2183	73
B-31 E-AC	.E2180	73
Sparks Withington	(Spar	ton)
62, 63, 110, 110 DeLuxe, 931		
301. Sparks Ensemble, 660, 610, 620	. E2172	.73
AC7	E2175	.73 .73
39 69, 79, 79A, 89, 89A, 109, 55-	. E21/3	
101-103	. E2182	:73
101-103 301, 930, 589, 574, 737 591-593	E2188	.73
235. 235DC	. E2200	.73 .73
5 & 9	F2189	.98
Steinite Rad 30 Super Heterodyne "Special" 40, 50, 102, 40C, 60C, 102C, 70, 80, 90, 15, 16, 412, 420, 210, 230, 420, 450, 261, 282, Series, 902, 200, 601, 902,	io	
Super Heterodyna "Special"	F4839	:73
40. 50, 102, 40C, 80C, 102C.		., .
70. 80. 90, 15. 16, 412. 420.	E2172	72
261, 262, Series	. E2170	73
993. 990. 991. 992	E2173	.73
Midget "Special"	E4811	47
251, 252, Series 993, 990, 991, 992. Midget 21, 23 "Special" Midget "Special" 22, 25 26, 28	E2188	.73 .73 .73 .71 .47 .73
26, 28 421 425 or 21 203 600 605	E2184	.73
421, 425 or 21, 203, 600, 605, 630, 635, 642, 643.		.98
Stewart-Warner	Corp	
FOO BUD FOF DOG	F0492	.73
700 705 710 900 series	. E2171	.73
590, 520, 525, 506, 500, 500, 500, 500, 500, 500, 50	. E4820	.98
715-720. R-100A. R-100B.	115	
Series "Special"	E4821	.98
801 - 802	E2177	.98 .73
811	EZ1/2	.73

Manufacturer and Model Cat. Stewart-Warner Corp. No.	YOUR
Stewart-Warner Corp. No.	PRICE
970AC-980 E2165	\$1.47
305-315, 320 E2453 300, 310, 325 E2188	./3
300, 310, 325E2186	.73
363	./3
"Special" E4821	.98
Stromberg-Carlson Tel.	Ifg.
523. 524. 734B. 744B E2178 635. 636. 601. 602. 633. 634	.73
635, 636, 601, 602, 633, 634	
	1.47
638. 601. 602. 633. 634. 635. 636, Double Shaft	1.47
10. 11	.73
12. 14. Automatic Volume [E2180	.73
Control E2182	.73
641, 652, 654 Long Shaft £4862	1:47
L41A	./3
U. S. Radio & Television	(Apex)
E2174	.73
80 series	.73
	. 43
29 31 Series E2188	:73
Midget 32-32A, 32B, 49 E4838	.73
99 Series	.73
7-A and 7-B	.73
Stidnet 97 Series (Tate) F2425	1.47
Midget 27 Series (Late) E2425 46, 46A. 47, 47A. 48, 48A, E2453	.73
Zorith Dodlo	
11. 12. 14. No. 31, 32, 33, 34, 35, 35A, 342, 352, 352A, 362, 333, 353A, 34P, 35XP, 35APX, 35PX, 352PX, 352APX, 27A, 35P, 352PX, 352APX, 27A, 35P, 352PX, 352APX, 27A, 35P, 352APX, 35	
35. 35A 342 352 352A.	
362, 33X, 362X, 333, 353A,	
34P. 342P. 35XP, 35APX,	
352PX, 352APX, 37A, 35P.	
35AP, 352P, 352AP, 39, 39A, 392, 392A, 40A, 16EP, 17,	
613, 60, 61, 62, 602, 622 E2413	.98
563 E2190	.98
563 E2190 52, 522, 53, 532, 54, 542, 57, 50 50 Series, 70, 102, 112, 212, 10, 11, 12 Spec., 122, 70X, 20	
50 Series, 70, 102, 112, 212,	
80 F1815	1.47
70 Series, 50, 60, 70, 71, 72,	
73. 77. 712. 722. 732. 772	
(Later types) Special	
(Dec. 1)	
(Dual) E4882	2.20
(Dual) E4882 "Zenette" CH. RH. No. 3A. AH. 10 11 12 102 112	2.20
(Dual) "Zenetto" CH. RH. No. 3A. AH. 10. 11. 12. 102. 112. 122. 70. 70X. 80. E4828	2.20
10. 11. 12 Spec. 122. 70X. 80 70 Serlea, 50. 60. 70. 71. 72. 73. 77. 712. 722. 732. 772 (Later types) Special (Dual) "Zenette" CH. RH. No. 3A. AH. 10. 11. 12. 102. 112. 2122. 70. 70X. 80. E4828 2009 E2410	2.20 .73 .98
(Dual) E4882 "Zenette" CH. RH. No. 3A, AH. 10. 11. 12. 102. 112. 122. 70, 70X. 80 E2410 70X. 80 E2178 L. P. E2189	2.20 .73 .98 .73

The Standard Control

Electrad Volume Controls of unusual fine quality, carefully constructed to give efficient service. Units selling for 60c are standard type, with long shafts, for universal All other types listed have been constructed to original

VOLUME CONTROLS

A comprehensive listing of replacement volume controls. 60c units are supplied without A.C. switch. If you are unable to determine which control is required, mail order with de-posit, and we shall, supply.

New "Snap On" Switch

An A.C. switch
assembly for use
with all standard E lee tru d
Volume Controls
selling for 60
cents. Just pry
off metal cap of
volume control
a n d "Snap-on"
switch.
No. E3707.
YOUR PRICE.



mechanical and electrical spe	nicted to	ns.
Manufacturer and Model	Cat.	YOUR
A. C. Dayton Co. XLS. XL10, XL20, XL25, XL30, XL50, XL60, XL61	. E3706	\$0.60
A. C. Dayton Co. XLS, XL10, XL20, XL25 XL30, XL50, XL60, XL61 XL70 AC63, AC65, AC66 Natigator	.E3701 .E3704 .E5050	.60 1.30
All-American Mohawi S-6, S-7, S-8. Model 90, Model "J." Mode	Co. E3694	.60
5 Tube Battery Set	. E3696 . E3701 . E3701	.60
80, 83, 84, 86, 88. Lyric, 'J.' 'H.' '96, 90, C6 70, 73, 75.	E5051 E3696 E3696	.68
All-American Mohawi S-6 S-7, S-8, Model 90, Model J. Mode "I" with Pentode. 5 Tube Battery Set. 6 Tube 1 Dial Battery Set. AC-226, 227, 80, 61, 62, 65, 66 80, 83, 84, 86, 88, Lyric. J. H. 96, 90, C6 70, 73, 75. H. Lyric Model D.A. 6 Mohawi Electric Set. Lyric M. W. Model D.A. 6 Mohawi Electric Set. Lyric W. M.	. E3696 . E3704 . E3704	600080000000000000000000000000000000000
Model B-7 American Bosch Magi	E5052	2.16
Model B-7 American Bosch Magr Model 5, Model 20 Superhet. 48 DC, 27 Ambrola, 16 Am 68 16 16 16 16 16 17 16 16 16 16 16 16 16 17 16 16 16 17 16 16 16 17 16 16 17 16 16 17 16 17 16 17 16 17 17 17 17 17 17 17 17 17 17 17 17 17	E3696	.60
96. DC-98, 146, 166, 176, 48AC, 126, 107, 116, Models 28 and 29	E3704 E5053	.60 .90 .68
58 and 62. 50. 7A. 20. 31, 36, 73, 133,	E5056	1.08
80 and 84 60 and 63 100 Motor Car	E3704 E3704 E5057	.90 .60 .680 .680
Amrad Corporation	E5058	1.48
S-522, DC6, DC6-C, DC7, DC7-C, S733, S733-C, 80., 82-83, 7100 70.	E3706	.60
Amrad Corporation \$-522, DC6, DC6-C, DC7 DC7-C, S733, S733-C, 80, \$2.83, 1100 70, AC-6, AC-6-C AC-7, AC-7-C	E3696 E3700 E3704	.60 .60 .60
Andrea, F. A. D. (Fad	n) E3705 E3693	.60
Model 48, 49 (KW) Model 51, 53, 57 (KOC) SF-50/80, 408B, 160, 192A	E3704 E3693	.60 .60 .60
1928, SF-501, 80A, 192B3, 460A, 480A, 22 472UA, CA, SF, 45/75, 4572, 10Z, 11Z, 31	E3706	.60
262, 265UA, CA, RIP65UA RP62, UACA, 7AC, 475 302, 312, 50, 70, 71, 72	. E5060 . E5059	.68
35. 35Z 41. 42. 44. 46. 47.	E3690 E3705 E3697	.68 .68 .60 .60
84 Andrea, F. A. D. (Fnd 41, 42, 44, 46, 47) Model 48, 49 (KW) Model 48, 49 (KW) Model 51, 53, 57 (KOC) 8F-50/80, 408B 160, 192B, 460A, 489A, 22, 48, 192B, 460A, 489A, 22, 48, 192B, 472UA, CA, SF, 45/75, 4572, 102, 27, 21, 21, 21, 22, 21, 21, 21, 21, 21, 21	E3696	:60
Models 37, 38, 40, 42, 44, 52 (Resistance Strip) Models 55, 60, 66 (Strip)	E5063 E5064	:40
Atwater Kent Models 37, 38, 40, 42, 44, 52 (Resistance Strip) Models 55, 60, 68 (Strip) 80 82 DC 84 86 82Q and 85 Model H	E5066 E5067 E5068	.40 .95 .95 .20 .68
82Q and 85. Model H	E5069 E5070	1.70
Model H Audlein Radio Co. 8T-Super Peniode. 9-T Super Peniode Peniode ST. Super	E3696	.60
8T 30B, 7330 8430 889	E3690 E3701 E3687	.60
31, 31 Super. 4T, 31, RF 6T, 31, Pent, Junior.	E3696 E3696 E3694	.60
61 Junior. No. 1, No. 2. 13-T-5 10-T Super 7-T-Super-Pent	E3696 E3696 E3696	600000000000000000000000000000000000000
9-T-45 Super 3 Type 60C.	E3696 E3696	.60

posit, and we shall,	supply	
Manufacturer and Model Bremer-Tully Mfg. C 6 6-40 7-70 3-11 8-20, 8-21 14 21 31 81, 82 14 21 31 81, 82 Browning Drake Cor 34, 26, 38 60 70, 71 Brunswick Balke-Col	Cat	VOLLE
Manufacturer and Model	No.	PRICE
Bremer-Tully Mfg. C	0.	
6	E3701	\$0.60
6-40	E3704	.60
7-70. 7-71	E3696	760
8-20, 8-21	. E3696	.60
11 91 21 21 20	E3704	.60
Browning Droke Cor	D.	.60
34. 36. 38.	E3696	60
60	E3695	.60
70, 71	E3704	.60
Brunswick Balke-Col	lender	Co.
B-17. P.R. 17-8	.E5071	.80
2KR, SKR, 2KRO, SKRO	FE070	00
SNCS SNCS SNES	E5072	.80
17. 24. 25. 4PA. 4A	E3704	:80
S14, S21, S31, S81, S82	. E5074	.95
10	. E3692	.60
D 11 10 14 02	. E3593	.60
14 21 21	E2701	.80
Models S14, S21, S31 S81	- 23701	.00
882	E5076	1.35
Colonial Radio Corp.		
16-6, 16-5, 17-5, 20-21	. E3706	.60
17, 48	. E3694	.60
Columbia Pedia Care	. £50/7	1.35
Serson Grid 8	F360F	60
Crosley Radio Corn	. E309n	.60
XI 3R3 4-29 6-00 6-95		
RFL90, 401 401A	E3706	60
20, 21, 22	.E3701	.60
602, 608, 609, 111/1 In. Shaft	. E5078	.68
804 (Short Shaft)	. E5079	.68
Buddy Chum	. E3685	.60
46.7	E3686	.60
828 408 418 428 438	F5080	.00
Early 40-S	. E5081	.68
77. 84	. E3704	.60
120	. E3696	.60
53, 54, 57, 58	. £3696	.60
100	. E5082	.68
92 29 121 121-1 Series R	F3704	.80
122	E3693	.60
125. 124	. E3694	.60
610 (Female Shaft)	.E5083	.80
706 (Long Shaft)	. E5084	.80
Models 704 704B 705 708DC	. E3002	.68
706AC	E5085	.95
26 (Long Shaft)	.E3702	.60
Edison Corp., Thomas	A.	
SC, C1, R1, R2, C2	. E5086	.68
R-6, R-7	. E3704	.60
Abbox	E5097	og.
R-200	E3701	.60
E-175	. E5086	.68
Models R1, R2, R3 (Front).	. E5088	.80
Electrical Research L	ah. (E	rla)
R-1	.E3704	.60
224AC	.E3700	.60
295 Super	E3602	.60
250	E3694	.60
Model 271	.E5089	1.62
Emerson Radio & Ph	onogra	ph
F. 100-A	. E5090	.95
Series 85	. E3687	.60
Everendy (National (arbon)
Models 1, 2, 3	. E5053	.95
Federal Radio Corp.		
B, C, D. 59, 102, A-10	. E3706	.60
Q.10.60 G.40.60 Cit 60	. E 5/01	.60
Conservation of the control of the c	i.	
M35-60, M40-60, M41-60		
M45-60, M46-60	.E3704	.60
Freshman		- 3
Masterpiece, Equaphase	. E3706	.60 .60
G-Q-15, Q-16	. E3696	.60
H. K. L. LS	E3704	.60
Models 21 29 22	E5001	.60
Earl Dadle Com	. Edda i	1.49
21 29 41	E2701	
91DC 22DC 24DC 21DC	. E3/01	.60
32. SDC. 21AC. 22AC	E3708	.60
Freshman Masterplece, Equaphase G-Q-15, Q-16 II, K, L, LS 2H, M, 2N Models 31, 32, 33. Enri Radio Corp. 31, 32, 41PC, 24PC, 31PC Models 31, 22, 4C. Freed-Elseman Radio R7, R, 9, 10, 12, 20, 40 FF115, 18, NR800, 77.	. E5092	1.35
Freed-Eiseman Radio	Corp.	
NR7, 8, 9, 10, 12, 20, 40		
FE15, 18, NR800, 77	. E 3706	.60
	THE OWNER OF TAXABLE PARTY.	

YOUR	PRICE.	470	>	
			Cat.	YOUR
Man	ufacturer	and Model	No.	PRICE
NR-60.	57. 70	an Had	O Corp	\$0.60
NR-78.	79. 95.		E3701	.60
NR30D	AC		E3696	.60
Gener	al Elec	an Rad	F2004	
T-12			E5093	.68
K-62			E5094	.68
Day F	an Nos.	527. 50	io Corr).
OEM?	OEM11	6 6B 50	E5095	.80
35			E3706	.60
Day F	In Nos.	527. 50 6, 6B. 50 AC 5003. 50 B 3 0B 219, 250	91.	.60
Chassis	5080 SLA. SI	В	E3696	.60 1.05 .68 1.05 1.05
Chassis	S4A. S41		E5098	.68
Chassis	S10A, 81	0B	E5100	1.05
Galan	an Bros	219, 250.	E3696	.60
10			E3696	.60
33			E3696	.60 .60
Model 1	05 100		E3696	.60
Grayb	ar Ele	etric Co	mpany	.60
311		ctric Co	E5072	.80
700, 77	0. 900		E5095	:80
Grebe	& Con	1 ряпу , /	L H.	
AHI	1. 128		E3696	.60 .60 .60
HS-4	Indets 1	9 2 4	E3696	.60
SK4DC			E3692	:60
Gricel	hw_f2wm	now Co	E3690	.60
70, 70B		www.co.	E3696	.60
180, 90, 130-A	91. 92.	100B	E3701	.60
20, 21,	22, 23		E5102	.95
15. 15B	25. 150		E3694	6669500050 6669500050 669508880
Models	25-B and	35 Chassi	E3702 8 E5103	-60
Models	15. 150 C	hassis	E5104	1.20
Model	30 Chass	s	E5106	.68
Model	96. 96B.	100, 10	E5107	1.20
(Equa	Hzer)	now Co. 190B 35 Chassi hassis. 100, 100	E5108	.80
Early N	ine in fir		F3696	60
7 Tube	Champion	. Jr	E3696	.60 .60
Hamn	arlund	Robert	s. Inc.	.60
Hi-Q. 5	tube & 6	tube	E3706	.60
Hi-Q 2	9 Master	ili-Q	30	.60
Model F	H-Q 31	A.C	E3700 E3694	.60
Howa	rd Radi	Robert tube. A.C. Jii-Q A.C.		.00
Type O			E3696	.60
7 Batter	J'		E3706	.60 .60 .68
H Supe	r Heterod	yne	E3696	.60
Midget	SGB	one chhoari	E3696	:60
6 Wave	Master	CHIVORF	E3706	.60
5 Tube 425, 426	в., & 7 Т	ube A	E3701	.60
533, 534	. 535. 536		E3701	.60
5. 6. T.	15, 16,	20, 30, 25	20.	4 11
281	15, 16.		E3706	.60
80	. 777		E3704	:60
30, 32	t wave U	mit for 82	E3700	.60
Models !	2. 524		E5110	.600 .600 .805 .68
Model 5			E5111	1.25
King	Mfg Co		E5112	.68
E. F. G	62. 71.	80, 81, 2	5. E3706	.60
97. 98. 1	01		E3696	.60
218			E3696	.60 .60 .60
(C	ontinued	20, 30, 21 nit for 82 80, 81, 2	of page	53) .60
Acres de la constitución de la c	Name and Address of the Owner, where the Owner, which is the Own	No. of Concession, Name of Street, or other Designation, or other	ALC: UNKNOWN	-

NEW ELECTRAD RI REPLACEMENT CONTROLS



The Electrad Volume Controls listed here are of the standard type, constructed to be as universally applicable as possible. With the help of the Electrad Volume Control Guide, listed on this page, a unit may be chosen for almost any replacement, job. 15% 'insulated shaft may be cut down to suit. All units are of 3 tap potentiometer type. If rheostat is required, more content and one outside tap are to be used. Diam. of Code 'R' indicates reverse taper; others uniform. With-

case, 1% a". Co out A.C. switch,

		-			
		Resis			Resis.
Cat. No.	Mfg. No.	Ohms	Cat. No.	Mfg. No.	Ohms
E3680	R1-269	20	E3694	RI-240	10000R
E3681	RI-270	30	E3695	RI-283	10000
F3001		50		RI-201	15000R
E3682	BI-271		E3696		
E3683	RI-272	100	E3697	RI-279	25000
E3684	RI-273	200	E3698	RI-280	25000R
E3685	R1-274	400	E3699	RI-241	30000R
E3686	RI-282	600	E3700	RI-205	50000
	RI-275	800	E3701	RI-202	75000
E3687					
E3688	RI-276	1000	E3702	RI - 242	100000R
E3689	RI-232	2000	E3703	R1-281	200000
F3002					
E3690	BI-233	3000	E3708	R1-208	250000R
E3691	RI-277	4000	E3704	RI-203	500000R
E3692	R1-234	5000	E3705	BI-206	1000000R
F3097					
E3693	R1-278	500 0R	E3706	RI - 204	Rheo 10
List. \$1,00.		10-	List. \$1.00.		10-
		60c		CE. EACH.	
YOUR PRI	ICE. EACH.		YOUR PRI	GE. EAGH.	

"SNAP-ON" AC SWITCH ASSEMBLY

For Electrad standard volume controls, as listed above. Easily attached by removing metal cap from volume control.

No. E3707. List, 50c. NET EACH. 296

VOLUME CONTROL

GUIDE

Shows you at a glance exactly the value of resistor or volume control or the jo h involved. in suring according to the volved. in suring according to the job in suring a suring according to the job in suring a suring a

vised lists mailed four times a year. Handy size (5"x8"), with flexible, tough black Fabrikoid

No. E3000 YOUR PRICE......\$1.00

PILOT RESISTOGRAD

Non-inductive variable resistance with range from 40 ohms to 10 meg. Will hand le 20 watts. Z'/a' long overal, l'/a' in diameter. Single hole mounting. No. E5966. YOUR PRICE..... 50C



CARTER 400 OHM POTENTIOMETER WITH SWITCH

Frost Volume Controls



Series 2890 Bakelite shell volume control, roller type, compo-sition element unit. Listed below with and without switch. Straight line re-sistance character-bushing.

istics. 15/18

Resis., Ohnis 5000 10000 25000 25000 500000 E33881 E33882 E33883 E33884

No. with Switch E33386 E333887 E33389 Less Switch With Switch NET EACH 65c

79¢

ET FORD AD WOLLINE CONTROL SerContinued From Page 52

ELECTRAD V	DLU	ME CONTROL	5-9	Continued From Page 52
Cat	YOUR PRICE	Cat.	PRICE	Manufacturer and Model No. PRICE
	PRICE	Silver-Marshall (Cont.)		Stromberg-Carlson Mfg.Co.(Cont.)
Knight Radio	\$0.60	Model 38A E3690	\$0.60	638 D.C. (Short)
8G 8 E3696 Super 7 E3686 Super 9 E3704	.60	DC-2	.60	Transformer Corn of America
Walster Badla Corn		710-740 E3695	.60	Clarion 51, 53, 55. E3700 60 Models 61, 70. E3696 60 Clarion 80 E3701 60 Clarion 90 E3685 60
22, 25, 27, 87, 6J, 6K, 6R, E3706	60	722-30, 30B, 60B, 75B-90BE3695	:60	Alogeis 81, 70 E3701 60 Clarion 80 E3701 60 Clarion 90 E3685 60
22 25 27 87 6J 6K 8R E3706 8A E3706 K 20 22 25 27 37 21 23 E3696 K 42 E3700	.60	710-740 £ 54891 712-3 30B 60B 75B-90B 53895 724-38A £ 53890 Fearcat-Midget £ 53890 726 £ 53890 726 £ 53890 727 £ 53890 728 5390 £ 53890 738 739 £ 53890 738 748 748 748 748 748 748 748 748 748 74	.60	Clarion 90 E3685 60 Model 40 E3692 60 Junior 60 25 E3700 60
	.60	SMD1 Super E3694	.60	Junior 60, 25
B-10, 15, 16	.60	716. J. G. E3691	.60	Model 83
K-80, K-62 E3704	.60	Sparks-Withington (Sparto	.60	Junior 60, 25 Model 94 E3685 80 Model 83 E3701 60 Model 92 E3685 60 Model 40 E3690 60
986, 205, C1, C2, C4, C5, C6 C7	.60	49. 5-26. 5-15. 39. 6-26. 6-15. E3706	.601	
Montgomery Ward		5. 0 E5131 10 E5132	1.05	Series 20
Montgomery Ward 2822 2895 2887 2827 2837 3035 3037, 3065, 3065 1522, 1562 20W 62-520, Model 49, 26P 26PY 26PY 2396 111, 811 111X 811X 2391 135, 5, 1055 2398 6 28 116 Commander 23896 181, 187	.60	10 E5133 25. 26 E5134 110AC. 301. 111A. 101. 103. 109. 589. 600. 610. 620. 930. 931. 79A. 89A. 68. 737. 574. 879. 591. 593. 564. 570. 740.	1.05	United Air Cleaner Corp. 106B, 449, 10B, 660, 666, 53696 Series 20 Series 20 Series K-70 Series Serie
1562	.60	110AC. 301, 111A, 101, 103.		104
20 W, 62-520, Model 49, 26P. 26PX E3696	.60	931, 79A, 89A, 69, 737, 574,		7 Tube Super. E3686 6C Sentinel 114 E3704 6C
111, 811, 111X, 811X, E3701	.60	750 E5135	.68	99
62, 1040	.60	750 E5135 AR-19 (Auto Radio) E5136 410, 420 (Junior Jewell) E5137	.68 1.62	
181, 187 E3693	.60			Case 80. Apex 36, 37 E3696 60 Apex 31, 32 E3694 60 Gloriatone Late 27, 26, 29, 32, Apex 49, Batt. Glorietts 20, E3694 60
	.60	70, 80, 95. E3694 261, 262 E3701 10, 992, 993. E3701 15 E3701	.60	Apex 49. Batt. Gloriette 20. E3694 .6C
MB29 E3695 MB30. Auto Receiver. E3700	.60	261. 262	.60	Apex 50, 60
National Carbon (Eveready 30, 40, 50 Series	2.05	15E3701	.60	Model 99
0		22		Gloriatone 28 E3685 .60
90 E3696 91 E3692 92-A.C. E3695 80-A.C. E3696	.60	28 E3696 Models 412, 420, (15 Chassis), E3701 Models 210, 230, 420, 450 (17 Chassis) E3701 Models 421, 425 (Model 21 Chassis) E3696	:60	dyne
92-A.C. E3695	.60	(Models 210, 230, 420, 450 (17 Chassis)	.60	dyne
		Models 421, 425 (Model 21 Chassis)	.60	Apex 50, 69
82, 5, 86, 87, 511, 521, 531, 541, 551, 541, 551, 561, 571, 581, 511, 5114 Transitione 95, 96, 96-A, 30, 211, 211A, 212, 212A, 2374, 112, 112A, 212, 212A, 2374, 111, 111A, 212, 212A, 23704,	.60	Models 421, 425 (Model 2 E3696 Chassis) 600, 605, 630, 630, 432, 643 (Model 2 Chassis) E3696 Model 423 (Model 2 Chassis) E3696 Models 700, 705, 706, 725, 412-B (Model 2 Chassis) E3691 Models 700, 701 (Model 28 E3691 Chassis) E3691	.60	I linited Kenroducers
Transitone 95, 96, 96-A. 30,	.60	Model 423 (Model 23 Chassis) E3696	.60	Series 20, Peerless. E3704 .60 Series K-70
16 E3684	.60	642-B (Model 26 Chassis) E3691	.60	Courier 65
111. 111A E3704	.60	Chassis)	.60	Wells-Gardner & Co. C. CG
R.C.A. Victor Co.	.95	Stewart-Warner Corp.		Arcadia 72 E3696 60 Model 80A E3696 60 Series Ten Super E3701 60
Radiola 17, 50, 41, 7-25, 7-54, E5071	.95 .80 .80	340, 345, 350, 355, 360, 385,		Series Ten Super
Radiola 44. 46. 47	.80	900-811	.60	Westinghouse Elec. WR-5, WR-6, WR-7, WR-8. E5095 .80
Radiola 64, 67, 9-18, 9-54E5117	.80	Models 102A. B.E., R101A. R101B	.60	WR-5, WR-6, WR-7, WR-8. E5095 WR-10, WR-10A
Radios 16	.80	Models 950, A.C., R100A, R100B, R100E E5138	.68	WR-10, WR-10A E5122 80 WR-14 E5121 66 WR-15 E5123 68 WR-4 E5127 2,00
Radiola 66 E3119 Radiola 80, 82, 86, 35, 39, 51, E5120 Radiola R-5, 115X 55, 55, 51, 21, 21, 22, 23, 24, 24, 25, 25, 25, 25, 25, 25, 25, 25, 25, 25	.80 .80 .80	Stewart-Warner Corp. 300, 305, 310, 315, 320, 325 340, 345, 350, 355, 300, 385, 390, 500, 520, 525. 300, 500, 520, 525. 300, 500, 520, 525. 300, 500, 520, 525. 300, 500, 520, 525. 300, 500, 520, 525. 300, 520, 520, 520, 520, 520, 520, 520, 5	1.35	
Radiola R-5, R5X E5!21	.68	Stromberg-Carlson Mfg. Co	0.	Zenttn Radio Corp. 14, 15, 16, 17, 27, 39,
Radiola R-11 E5123	68	1A. 1B, 501, 502, 601, 602, 633, 634, 523, 524	.60	33, 34, 35, 35A, 342, 352, 352A, 362, 323, 353
Models RAE 50, RAE 79.		(Double Shaft) E5140	.68	34-P. 342P. 40A. 41. 42. 422.E3701 .60 35PX. 35 APX. 852PX. 352-
Radiola Superette, R/A	1.35	846, 848 (Double Shaft) E5142	.68	APX. 37A. 55
R-15, 48 E5127 R-14 E5128	2.05	641. 642. 652, 654 (Long	.00	602-613, 622, 642, 672E3700 .60
R-14 E5128 RE-35, RE-39, 57 E5129 Model 42 E5130	2.05	(Double Shaft) E5143	.68 .60	5 Tube Zenette
C Silver-Marshall		10. 11, 16. 17	.68	6 Tube Zenette
37, 38, 39, 782, 770	.60	Stromberg-Carlaon Mfg. Ct 1A, 1B, 501, 502, 601, 602, 633, 634, 528, 524 E3706 635, 636, 638 (Short Shart) E5144 (Double Shaft) E5144 (Double Shaft) E5142 (Long Shaft) E5142 (Long Shaft) E5143 (41, 642, 652, 654 (Long Shaft) E5143 (10) E5144 (10	.60	5 Tube Zenette with l'entode 53894 6 Tube Zenette with l'entode 53894 6 Tube Zenette (5370) 66 Hyper-Merton, 82, 89, 822, 892, 10, 11, 12, 102, 112, 122 53700 60 70 53551 1,44
"E" E3692	.60	25 and 26 E5145	.95	70 E5151 66
Control of the last of the las	-			Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, whi

CARBON REPLACEMENT RESISTORS



KNIGHT CARBON RESISTORS

Absolutely noiseless resistors with a permanent resistance value. Not affected by temperature changes or moisture. Tinned pigtail leads for easy soldering. Parmoisture. Tinned pigtail leads for easy soldering. Par-ticularly adapted where a non-inductive comparatively high resistance unit of fairly high current carrying

capacity is required.

Kilght carbonized resistors have been designed by skilled engineers to remain constant under the most severe tests. A 100% overload for 2500 hours shows less than 5% variation. Resistance is independent of test voltage and frequency. Variations from less than 1 volt to over 500 volts shows less than 2% variation in resistance readings. Available in the following sizes:

.5 WA1	T	I WA1	T	2 WAS	rT .
	Ohms		Ohms	-	Ohms
No. E1720	200	No. E1744	100	No. E1765	100
No. E1721	300	No. E1745	200	No. E1766	200
No. E1722	500	No. E 1682	400	No. E1830	400
No. E1723	750	No. E 1746	500 750	No. E1767	500 750
No. E1724	1.000	No. E1747	1.000	No. E1768	1,000
No. E1725	1,250	No. E1683	1.250	No. E1831	1,250
No. E1670	1,500	No. E1684	1.500	No. E 1832	1.500
No. E1726	2.000	No. E1685	2.000	No. E1833	2,000
No. E1671	2,500	No. E1749	2.500	No. E1770	2.500
No. E1727		No. E1686	4.000	No. E 1834	4.000 5.000
	3.000	No. E1750	5.000 6.000	No. E1771 No. E1835	6,000
	4.000	No. E1751	7.500	No. E1772	7.500
No. E1728	5.000	No. E1688	8.000	No. E1836	8,000
No. E1673	6.000	No. E1752	10,000	No. E1773	10,000
No. E1729	7,500	No. E1689	12.500	No. E1837	12.500
No. E1674	8,000	No. E1690	15.000	No. E1838 No. E1839	15.000
No. E1730	10.000	No. E1691 No. E1753	17.500 25.000	No. E1839	17.500 25.000
No. E1731	12,000	No. E 692	30,000	No. E 1840	30.000
No. E1732	15.000	No. E 693	40,000	No. E1841	40,000
No. E1675	17.500	No. E1754	50,000	No. E1775	50,000
No. E1733	20.000	No. E1694	60,000	No. E 842	60,000
No. E1676	30,000	No. E1755	75,000	No. E1776	75,000
No. E1677	40.000	No. E1756	100.000	No. E1777	100.000
No. E1734	50,000	No. E 695	150.000	No. E 1843	150,000
No. E1678	60,000	No. E1757	200.000	No. E1778	200.000
No. E1735	75.000	No. E 696	300.000	No. E1844	300.000
No. E1736	100,000	No. E1758	500,000	No. E1779	500.000
No. E1679	150.000	No. E1759	750,000 1 meg.	No. E1780	750,000
No. E1737	200.000	No. E1760	2 meg.	No. E1782	1 meg. 2 meg.
No. E1680	300,000	No. E1762	3 meg.	No. E1783	2 meg. 3 meg.
No. E1738	500.000	No. E1763	5 meg.	No. E1784	5 meg.
No. E1739	750,000	No. E1697	7 meg.	No. E1845	7 meg.
No. E1740	1 meg.	No. E1698	9 meg.	No. E1846	9 meg.
No. E1741	2 meg.	No. E1764	10 meg.	No. E1847	10 meg.
	0-			Per Doz., \$1.70.	
Per Doz., 89c.	75.0	Per Doz., 95c.	ge		150
NET, EACH.		NET, EACH.		NET, EACH.	-34

RCA VICTOR VOLTAGE DIVIDER



Made of best grade resist-

ance wire, wound on a refractory tube and coated with a porcelain enamel which is baked on. Total of 4,325 ohms. Tapped at 300, 700, 1,300, and 2,025 ohms. For Victor 245 amplifier and all sets using

E1540 YOUR PRICE

65c

SPECIAL GRID LEAKS

A glass closed grid closed grid leak of good quality and remarkable and remarkably value at the price A fine accurate. quoted

Meg. NET EACH

.1
.25
.5
1.
2.
3.
5.

RESISTOP MOUNTING

No. E5426.	Single	resistor
mounting.	EACH	

Eagle Plunger Leaks

EAGLE An adjustable grid leak with a range from 0 to 50 megohms. Adaptable to all standard mountings. Screw adjustment.

No. E2906. List, 75c.

AUTO RADIO SPARK SUPPRESSORS



For suppressing noises in AUTO ra-dio installations. 25,000 ohm resistors. Distributor and spark plug types.

No. E2329. Plug type. No. E2328. Distributor 22c YOUR PRICE, EACH

SUPPRESSOR KITS

Complete suppressor kits for 4, 8, and 8 cylinder cars. Greatest possible resistance to R.F. current combined with lowest possible resistance to D.C.

Nc. E2345. 4 cylinder car. 4 plug. 1 distributor type. EACH. \$1.08 No. E2346. 6 cylinder car. 6 plug, 1 distributor 6 plug. 1 distrib EACH..... S1.48 type.

9c No. E2347. 8 cylinder car. 8 plug. 1 distributor \$1.73

28c

POPULAR CARBON RESISTOR KITS

KNIGHT 1 WATT RESISTORS

The kits listed below include an assortment of the most popular capacities used by leading set manufacturers Servicemen and builders will find it highly advantageous to have these kits available

on all jobs. A job serviced with the dependable Knight Carbonized Resistors, is a job well done.

KIT OF 24 RESISTORS

1-200 ohms	1-6,000 ohms	1-66,000 ohms
1-400 ohms	1-1.000 ohms	1-60,000 ohms
1-500 ohms	1-1,250 ohms	1-75,000 ohnis
1-800 ohms	1-15,000 ohms	1-100.000 ohms
1-1.000 ohnis	1-20,000 ohms	1-250.000 ohms
1-2,000 Ohnis	1-25.000 ohms	1-500,000 ohms
1 5,000 onms	1-30,000 ohms	1—I nieg.
**************************************	1-40.000 ohins	1-2 meg.

No. E2261. YOUR PRICE. F PRICE PER KIT \$2.05

	40	REJIS	TORS	
1-200 ohnis	2-5,000	ohms 2-	50,000 ol	hms
2-400 ohms	1-6,000	ohnis 1-	60.000 nl	hms
2-500 ohms	1-8,000	ohms 1-	75.000 ol	hms
1-600 ohnis	210.00	ohms 3-	-100,000	ohma
1-800 ohms	1 - 12.50	ohins 2-	-250.000	ohms
2-1,000 ohms	1-15.000	ohnis 2	500 000	ohms
11.500 ohms	1-17.500	ohms 1-	-750,000	ohme
2-2,000 ohms	1 - 20.000	0 chms 2—	1 meg.	
1 2,500 ohms	2-25,00	ohns 1-	-1% meg	
1-3.000 ohms	1-30,000	ahms 2-	2 meg.	
2-4.000 chms	1-40,000	ohus I-	3 meg	

No. E2262. YOUR PRICE. PER KIT. \$4.05

KNIGHT 2 WATT RESISTOR KITS

KIT OF 24 RESISTORS Same capacities as 24 Resistor Kit above.

No. E2263. YOUR PRICE, PER KIT......\$3.15

KIT OF 48 RESISTORS Same capacities as 48 Resistor Kit above.

No. E2264. YOUR PRICE, PER KIT. \$5.95

New Low Resistance Auto Suppressors

New and radical improvement in suppressors for auto radio; very effective in eliminating motor spark and distributor noises. Fits practically any ear. For Buick, distributor type is used by mounting distrib-



500 OHM WIRE WOUND

Wire wound and non-inductive, retard speed of car. Quickly att two types, very reasonably priced NET EACH
No. E4998, Plug type,
No. E4999, Distributor type. ve. Does not attached. In

SUPER AKRA -OHM

Wire Wound

Resistors

Accurate wire wound resistors. Non-tive. Low distributed capacity. Mo proof. Accuracy 1%. 1 watt rating. Non-induc-

	Ohms	List	NET
No. E6450	5.000	\$1.25	\$0.85
No. E6451	10,000	1.50	1.03
No. E6452	25,000	1.50	1.03
No. E6453	50,000	1.50	1.03
No. E6454	100.000	2.00	1.37
No. E6455	200,000	2.50	1.71
No. E6456	250.000	2.75	1.88
No. E6457	400,000	3.50	2.40
No. E6458	500.000	4.00	2.74
No. E6459	1,009.000	5.00	3.43

STANDARD

New Low **Prices**



Metallized RESISTORS

Radio Purpose



In, wire leads, Noiseless operation. Accu-rately tested. The standard quality re-

Ohms

100

500

1,000 1,500 2,000

2,500

3 500

5,000

8,000 7,000 8,000

3 WATTS

10.000 12,500 15,000 20,000 25,000

Ohms

100 500 1.000 2,000

3.000

4 000 5.000

10.000

15.000

20 000

25.000

50.000

List. 30c.

F4626 E4627 E4628 E4629

E4630 E4631 E4632 E4633 E4634

E4635 E4636

E4637

List. 50c.

NET.

NET,

No

TYPE "F" METALLIZED RESISTORS

I. R. C. Resistors have established a reputation for efficiency and long life. Iteristance unit is a glass rod mutallized with a special resistance material. Contained in a special grade ceramic tube, moisture-groof, of high heat conductivity and high mechanical strength. Engineers, servicemen and set builders have found that I. R. C. resistors not accurate and reliable.

2 WATTS 1 WATT

Ohrus

50,000

100,000 150,000 200,000

250,000

400.000

500 000

I meg. 2 mex

meg. 4 meg. 5 nieg.

meg meg meg 9 meg 10 meg

18c

Ohms

100,000 150,000 200,000 250,000

300.000 400,000

500,000

1 meg. 2 meg.

3 mes

5 mer.

75.000

NO.	Unnis	No.	Ohms
E4589	50	E4608	12.500
E4590	100	E4609	15,000
E4591	250	E4610	20,000
E4592	500	E4611	25.000
F4094		E46 2	50,000
E4593	1,000	54014	
E4594	1,250	E4613	75.000
E4595	1.500	E4614	100,000
E4596	1,750	E4615	150.000
E4597	2,000	E4616	200,000
E4598	2,500	E4617	250,000
E4599	3.000	E4618	300,000
E4600	3,500		
E4601	4,000	E4619	400.000
E4602	5,000	E4620	500.000
E4603	6,000	E4621	1 meg.
		E4622	2 meg.
E4604	7.000	E4623	
E4605	8,000		
E4606	9,000	E4624	4 meg.
E4607	10.000	E4625	5 meg.
List. 40c.			1
NET.			
FACU			

FREE L. R. C. Resistors

Resistor-Replacement Guide

Gives detailed information on resistors used in nearly all leading sets, showing resistance, etc. Given FREE with every moder of 10 or more 1. R. C. Metallized Resistors. Also available at price quoted. No. E2795.



Resistor Color Code Chart

FREE with every order of 3 or more i. R. C. Metallized Resistors. Indicates the value of any resistor in accordance with B M A color code. Reversely, indicates color comcolor code. Beversely, indicate bination of any given resistance. E2794

Precision Resistors



ors. Meet most exacting de-mands of accuracy and durability. High in-sulation qualities, and great mechanical strength, Wound in 6 sections. Dimensions: 25% "8%; a." Ruting: Below 380,000 ohms—1 watt. Above 360,000 ohms—600 volts Max. With binding post screw and nut terminals,

AAIEN OHNER	III DONE BUTTER	and nu	CI HILLIAM IN
No.	Ohms	List	NET
E2833	1	\$1.50]	EACH
E2834	ő	1.50	1.03
E2835	10	1.25	
E2836	50	1.25	
E2837	100	1.25	
E2838	200	1.25	
E2813	500	1.25	85c
E2814	1.000	1.25	
E2855	2,500	1.25	
E2815	5.000	1.25	
E2816	10.000	1.50	
E2821	20,000	1.50	
E2817	25,000		4 44
E2822	30,000	1.50	1.03
E2818	50,000	1.50	
E2823	75.000	1.50	
E2819	100,000	2.00	\$1.36
E2824	150,000	2,25	1.54
E2820	200,000	2.50	1.71
E2790	250,000	2.75	1.88
E2791	300.000	3.00	2.08
E2839	400.000	3.50	2.40
E2792	500.000	4.00	2.74

TYPE WW 2

Wound in 8 sections. Dimensions: 21% in. x % in. Rating: Below 1,000,000 ohms—1 watt; above 1,000,000 ohms—1,000 volts. Max. Bindiag post screw and nut terminals. Tolerance 1% of marked resistance value. Sectional winding permits a non-inductive winding of low distributed causeity.

amaing of	low distributed	capacity.	
No.	Ohms	List	NET
E2774	500.000	\$ 4.00	\$2.74
E2775	750,000	4.50	3.09
E2776	1.000,000	5.00	3.43
E2777	1.500,000	7.50	5.14
E2778	2.000,000	10.00	6.86
E2779	2.500.000	12.50	8.57

POWER WIRE WOUND RESISTORS



I.R.C. power resistor units consist of accurately spaced winding of resistance wire with low temperature coefficient, wound on non-moisture absorbing ceramic core of high mechanical atrength, Close standard recation requiring accuracy. Timed wire leads for easy soldering.

LIFE	PD	-> WAI	113-13/4	TH. FOL	16
No.	Ohnis	No.	Ohms	No.	Ohms
E2600 E2601	5	E2606 E2607	200 300	E26 2 E26 3	3.000 5.000
F2802	10 25 50	E2608 E2609	1,000	E26!4	7,500
E2603 E2604 E2605		E2610	2,000	E26 6	12,500
	100	E2611	2,500	E2617	15,000
List. Each. 500 YOUR PRICE.					29c

TYPE "DC"-10 WATTE-2 IN LONG

		2- 11-21			10
E2618 E2619	1 5	E2625	300 500	E2632 E2633	7,500
E2620	10 25	E2627 E2628	1,000	E2634 E2635	12,500
E2622	50	E2629 E2630	2.500	E2636	15,000 20,000
E2624	200	E2631	3,000	E2637 E2638	25.000 30,000
List, Each, 65 YOUR PRICE.	EACH.				38c

TYPE "PD"-15 WATTS-3 IN. LONG

5567890 65555666 2222222222 2222222222	1	E2663	500	E2671	12,500	and special features of I.R.C.
E2656	5	E2664 E2665	1,000	E2672	15,000	sistors. Designed to fit practica
E2657	10 25 50	E2665	2,000	E2673		of cars. Of long life, moisture
E2658	25	E2666	2,500	E2674	25,000	proof, fire-proof and heat resist
E2659	50	E2667	3.000	E2675	30,000	capacity to eliminate all spark p
E2660	100 200 300	E2668	5,000 7,500	E2676	40.000	No. E2859. M-S Spark Plug. No. E2860. M-D Distributor, No. E2861. M-C Cable Type.
E2662	300	E2669 E2670	10.000	E2677	50.000	No. E2860. M-D Distributor,
List Free To						No. E2861. M-C Cable Type.
LIST, Each, /Ue.	E4011				41c	List. 50c. YOUR PRICE, EACH
TOUR PRICE,	EACH.					YOUR PRICE, EACH

NEW HANDY IR



RESISTOR

KITS

CERTIFIED KIT NO. 1 Contains one each of the following val-ues of 1-watt Metallized Resistors: OHMS: 500: 1,000: 2,000: 50,000: 10,-000: 75,000: 20,000: 25,000: 50,000: 60,-000: 70,000: 75,000: 100,000: 200,000: 250,000: 50,000: 100,000: 200,000:

1.0; 1.5; List, \$6.00. No. E2796. YOUR PRICE \$3.50



One each of the following in 2-watt Metallized Resistors: OHMS: 500; 1.000; 2.000; 5.000; 10.000; 15.000; 20.000; 25.00 50.000; 66.000; 70.000; 75.000; 100.000; 200.000; 250.000; 500.000 MEGOIMS: 1.0: 1.5; 2.0; 3.0.

No. E2797. YOUR PRICE List. \$8.00. 54.65

NEW HANDY GRID BIAS KIT

Designed especially for grid bias resistor replacement work. Also as grid suppressors in B.F. circuits, etc. Values in ohms: 1 WATT: 450; 1.000; 2.000; 10.000; 20.000. 2 WATT: 225; 1.000; 1.500. 5 WATT: 750: 1,450. S2.15 YOUR PRICE ...

L. R. C. Auto Radio Suppressor Kit

1. R.C. Auto Racio Suppressor Ait
1. R.C. Suppressors incorporate all advantages
and special features of I.R.C. Metallized Resistors. Designed to fit practiculty all makes
of cars. Of long life, moisture-proof, shockproof, fite-proof and heat resistant, with low
caucetty to eliminate all spark plug noise.
No. E2860, M-D Distributor.
No. E2861, M-C Cable Type.
List, 50e.

200

29c



Metallized SEALLIFE

ELECTRAD-KNIGHT-OHMITE RESISTORS

ELECTRAD TRUVOLT RESISTORS



Patented air cabled construction, insuring longer life and greater accuracy. Sliding clip permits convenient adjustment. Very adaptable. Ideal for replacement purpose. insuring

	Type	B-2	5 Wa	tts-2	In.	Long	
	Ohms	No.	Ohms	No.	Ohms	List	NET
E3800	2	E3817 E3818	800	E3834	8000	\$0.90	\$0.52
E3802 E3803	2 3 5	E3819 E3820	1000	E3835	9000	.95	.55
E3804	10	E3821	1500	E3836	10000	1.00	.58
E3805 E3806	15 20	E3822 E3823	2000 2250	E3837	12060	1.00	.58
E3807	25	E3824	2500				
E3809	75	E3825 E3826					
	100	E3827	4000				
E3812	250	E3829	5000	E3842	46000	1.30	
				E3843	50000	1.40	.82
E3815	500	E3832	7200	If th	e resis	tor you	require
	ch. 85c.	£3833	7500	Is not	listed.	mail or	der with
NET E	ACH	4	46	we shall	ll suppl	ecincatii	ons, and
E3807 E3808 E3809 E3810 E3811 E3812 E3813 E3814 E3815 E3816 List Ea	25 50 75 100 200 250 300 400 500 750 eh, 85c.	E3824 E3825 E3826 E3827 E3828 E3829 E3830 E3831	2500 3000 3500 4000 4500 5000 6000 7000	If the state of th	50000 e resististed, and sp	1.40 tor you mail or ecification	require

Type C-50 Watts-4 In. Long

E3863 6000 \$1.50 \$0.87

E3864 E3865

E3866 E3867

E3868

E3869 10000

E3879 E3871 E3872 E3873 E3874 12000 15000

Ohms List

7500 8000 9000

20090

60000

80000

Type D.75 Watts 6 In. Long

١	No.	Ohms_	The same
1	E3100	100	List
Į	E3101	200	Price.
į	E3102	300	\$1.60
Ì	E3103	400	YOUR
ł	E3104	500	
ı	E3105 E3106	750 800	PRICE.
Ì	E3107	1000	EACH.
Į	E3108	1250	
١	E3109	1500	040
i	E3110	2000	

50900 1.40 .82	E3112 2500	
the resistor you require	E2112 2000	
listed, mail order with t and specifications, and	E3115 4000 E3116 4500	

NET

1.50 1.50 1.50 1.50

1.65

1.85 1.90 1.95 2.00 2.10

2.25

OF

E1159

888889999

.96 | .05 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 | .08 |

E3106	800	EA	CH.
E3107	1000		
E3108	1250		1e
E3110	1500 2000	44	
E3111	2000		
E3112	2250 2500		
E3113	3000		
E3114	3500		
E3115	4000		
E3116	4500		
E3117	5000		
No.	Ohms	List	NET
E3118	6000	\$1.65	\$0.97
E3119	7000	1.65	.97
E3120	7200	1.65	.97 .97
E3121	7500	1.70	1.00
E3122	8000	1.70	1.00
E3123	9000	1.70	1.00
E3124	10000	1.90	1.12
E3125 E3126	12000	1.90	1.26
E3127	15000 20000	2.15	1.26
E3128	25000	2.15	1.26
E3129	30000	2.25	1.32
E3130	40000	2.25	322
E3131	50000	2.50	1:47
E3132	80000	2.75	62

E3134 100000	2.75	1.62
EXTRA	SLIDER	5
No. E3799.		-
Each, 5c.	-	00
PER DOZ		0c

No. E3888, List. \$4.50. YOUR PRICE TRUVOLT AIR COOLED RESISTOR BANKS Type 250-B 3

ELECTRAD VARIABLE VOLTAGE DIVIDERS

13,000 OHMS-50 WATTS

This universal air cooled voltage divider has I shiding taps, permitting the serviceman to obtain various voltage, depending on circuit in which used.

No. E3885. List, \$2.05.

SOC 25,000 OHMS-50 WATTS Voltage dividers with 4 sliding taps. Same s above, for work requiring higher resistance. 6. E3886. List, \$2.30.

25,000 OHMS-72 WATTS Special heavy duty voltage disider where excessive current is used. 4 sliding taps.

No. E3887. List, \$3.05.

\$1.25 41,000 OHMS-75 WATTS Designed for the power supply of a 10 or 50 type tube receiver or amplifier. Ideal to public address and phonocraph amplifiers Has 6 sliding contacts for all necessary voit



YOUR

Three Truvolt Type C units on an insulated bracket for use as voltage divider with any 250 or 210 amplifier or plate supply device. Total resistance 21000 ohms divided in 8 sections to give all voltages required by means of Truvolt Sliding Con-

tacis. No. E3889. List, \$5.00. YOUR PRICE. C 245-B 2-For 245 or 247

KNIGHT WIRE-WOUND RESISTANCES 20 WATTS

List.

\$1.35

YOUR

PRICE.

EACH.



Ohms 100 200

300

500 750

800

1000

2000

3000 3500 E3859 4000

No. E3845 E3846 E3847 E3859 E3859 E3851 E3852 E3853 E3854 E3855 E3857 E3858

E3861

High-grade wound wire resistances for replace-ment work. ment work. Wound on re-

fractory tubing, cement coated, protecting wire f from moisture Available in following sizes:

			I NO.	Onms_	
Ne.	Ohms		E5718	150	4
E5700	1	WOUR			YOUR
E5701	1	YOUR	E5719	200	
	2	NET	E5720	250	NET
E5702	2 3	NET	E5721	300	PRICE.
E5703		PRICE.			PRICE
	*	PACCE.	E5722	350	EACH.
E5704	5	EACH.	E5723	400	EAUN.
E5705	7.5	LAUII.	E5724		
E5706	10			500	23c
E3700	10		E5725	600	
E5707	12		E5726	750	
E5708	15	23c	E0/20		
E5709	20		E5727	800	
	20		E5728	1000	
E5710	25		E5729	1250	
E5711	30		E. 0123	1200	
E5712					
	35	- 4	E5730	1500	
E5713	40		E5731	1700	
E5714	50				
			E5732	2000	7.50
E5715	75		£5733	2500	25c
E5716	100		E5734	3000	
E5717	125				
E3/1/	1200		E5735	4000	
No			Ohma		

6000 NET EACH
8500 10000 27 c
15000)
20000 32C

E5	744	 	300007
E5	745	 	35000 38C
E5	746	 	40000
F.S	747		ROADO

PER DOZ. WIRE WOUND FIXED RESISTANCES

	and publishments.	- 866	- L		3
flat fi distri	bre bute	strips.	Low	oun induct	
No.	Ohms		I No.	Ohms	NET
E1150	1		E1160	30	EACH
E1151	-2	-	E1161	40	0-
E1152	3	NET	E1162	50	OC
E1153	4	EACH.			
E1154	6	-	E1163	200	
E1155	8	Re	E1165	400	
E1156	10	00	E1166	500	90
E1157	15		E1167	700	7
E1158	20		E1169	800	

CENTER TAPPED RESISTORS

An accurate compact resistor, designed especially for A.C. filament circuits,

No.	Ohms 6	NET			
E1172 E1173	10 15	EACH.	No. E1177	Ohms 100	NET EACH.
E1174 E1175 E1176	20 40 60	12c	E1178	200 400	14c

R.M.A. COLOR CODE CARD



Every serv-iceman should have an R.M. A. color code card. In di-

with no confusion, the resistance value applicable to a given color combination, in accurately, some color combination, in accurate the color combination of the color combination for any given resistance. Is easily operated. e R.M.A. Color Code. Also, he color combination for any E5797...
Is easily operated. 37c List, 75c.
YOUR PRICE No. E2330.

Two Truedt Type C units on an insulated bracket for use with any power supply for 245 type tubes. Total resistance 14.700 ohms divided in 7 sections to give all voltages required, by means of Truvolt sliding contacts. No. E3890. List. \$3.50. \$1.75 PRICE

OHMITE RESISTORS "Red Devils"

10 Watts

manent resistance raine porveillance and covered wound on genuine porveilain core and covered wound on genuine provide the core and covered wound on genuine proof. May be subjected to tremendous overload without injury. Will gire life-long service. Exceptionally well suited for replacement work because constant resistance value is retained eren after subjection to severe abuses. Furnished with 1%" timed wire leads.

-1	No.	Ohms	No.	Ohms
4	E5754			2.000
- 1	55752			1000
а	E5756	10	E5778	1200
×	E5760	25	E5779	1500
١	FF766	40.00	E3//9	100U
- 1	E5762	35	✓ E5780	2000
м	E5765	50	E5781	
3	E5766			
- 1	50/00	75	E5782	3000
- 1	E5767	100	£5783	3500
-1	E5769	150	E = 204	1000
	2222	100	E5784	4000
и	E5770	200	E5785	5000
- 1	E5771	250	E5786	0000
-1	E5772	300	E0100	1000
4	E0112	3011	E5787	7500
ч	E5773	400	E5788	10000
2	E5774	500	25.788	20000
-1	55773	31/1/	E5789	12000
7	E5775	600	E5790	15000
и	E5776	750	E5791	
ı	List. 35c.		E3/9!	25000
				04-
п	YOUR PRIC	F FACE	1	ZIC
а		E. E. 101		

TOOK PRICE	EAUN		
"RED D	EVIL	5"-20	WATT
No. E 5792 E 5793 E 5794	Ohms 30000 40000 50000	E5795	Ohms 60000 70000


"RED DEVILS"-30 WATT E5799 Ohms 100000

F5736

WARD LEONARD VOLTAGE DIVIDERS

GENUINE WARD · LEONARD

This page contains a listing of genuine Ward Leonard Vitrohm Dividers for standard receivers. Each unit is a practical duplicate, in size and electrical characteristics of the divider which it is intended to replace. Ward Leonard Voltage Dividers are of the highest quality. Not to be confused with the number of undependable types of resistances which have been released on the market.



VITROHM DIVIDERS

Ward Leonard Vitrohm Voltage
Dividers are vitrous enameled. This
feature insures rapid conduction of
heat from the resistive element,
greatly increasing watt capacity of
the unit. Vitrohm construction is so
efficient that temperature rise of
humidity and heat conditions, Will serve with maximum efficiency in any receiver.

been released on the ma				ficiency in any receiver.	-	
Mfg. and Model	Total Ohms Resistance	Cat. No.	NET	Mig. and Model Resistance	Cat. No.	NET
R105		E7798	\$2.35	Airline "F"	E7856 E7857	1.26
BOSCH 28, 29 & 825 48 & 49 54 D.C. 58 & 60 & 61 62 & 63 BRANDES (Kolster) 6K, K20, K22, K22 K21 & K23 K44 0H B10 BREMER TULLY 8-20 & 8-21 6-40 CCLEARTONE 110 COLONIAL 28	10000 2000	E7800 E7801 E7802 E7803	.88	PHILCO 76. 77. 77A		
54 D.C.	4400	E7802 E7803	55858 5858 6008 1008	87	E7859 E7860	.97 .88 .79
60 & 61	4790 9000	E7804 E7805 E7799	1.03	96, 96A, 211, 211A 800 20, 20A 5102	E7862 E7863	1.18
BRANDES	4250	E7806		41. 42 (D.C.) 6 Series 5 23965	E7858 E7859 E7860 E78662 E7863 E7864 E7866	2.20
(Kolster) 6K, K20, K22, K25 K21 & K23	5, K27.7120 30000	E7785 E7786 E7787 E7788 E7789 E7790	1.06 2.06 1.32	Electrola 10-70	E7877 E7867 E7878	1.32
K44 6H	2650	E7788 E7789	.82 .85	RI-4" 4920 R2 & B3 (Tapped at 620 ohms) 4000	E7878 E7879	.32 .29 .03
BREMER TULLY	2890			at 2600 ohms)	E7889	1.03
8-20 & 8-21 6-40	13400 16720	E7807 E7808	1.76	Radiola 41 25300 Radiola 44, 46 & 47 8400	E7868 E7869 E7870	1.03 .94 1.91 1.47 1.62 1.47
110	13000	E7794	1.12	Radiola 48 4865 Radiola 64 3040	E7871 E7872 E7873	1.62
28	15500 7200	E7820 E7821 E7822	1.76	Victor 9-54. Victor 9-18 4470 Radiola 67. Radiola 64 4470	E7874	.97
28 31 & 32 D.C. 32 D.C. CROSLEY	34.9	E7822 E7828	1.09	R-32. RE45. RE52 RE75. Radiols	E7875 E1540	1.18
Band Box 602	540	E7832	.65	No. 105 LS Radiola 32 D.C. 4014	E7881	.65
III A VIETA N		E7832 E7833 E7834	:98	Radiola 240 v. D.C. 4½"	E7882 E7883	73
Natigator EDISON RI, RA & CZ.	8350	E7795	1.03	860	E7894 E7892 E7893	1.06
RI, RA & C2	12500 1500	E7796 E7797	1.35	659	E7893 E7890 E7891	1.03
RI	17660	E7809 E7810	1.76	SONORA B-33 7275		
EVEREADY 30-40	175			880	E7884 E7885	1.06
EVEREADY 30.40 (Nat Carbon)	1000 2500	E78 1 E78 2 E78 3 E78 4	.59 .65 .73	153C 11000 Abbey 13200	E7886 E7887	1.32
FANSTEEL (Balkelt) B7 & B9	24000			40	E7904 E7905	1:76
FANSTEEL (Balkelt) B7 & B9. ABC-135 & 180. C A-B-6-135 FEDERAL 70-060 70-070 79-080 FREED-EISEMAN 457	4370	E7815 E7816 E7817	1.91 .03 .73 .88	STEWART-WARNER 950 A.C. 15500	E7848	1.03
FEDERAL	2685	E7818		STROMBERG CARLSON 403AA & 403B		1.10
79-070 79-080	20000	E7823 E7824 E7825	1.41	104 RA 5500 635 & 638	216308-49965727983465 99999999999997 7777777777777777777777	.18 .82 .79 .79
FREED-EISEMAN	2350	E7826	.88	638 D.C. 10 and 240	E7910 E7918	79
470	4000 1750 3500	E7826 E7827 E7829 E7830 E7835 E7835 E7836	.73	638 A.C	E7921 E7914	1.18
NR-80, NR-85	2330	E7831 E7835	1.03	652. 654) 11000 846. 848	E7919 E7916	18
78-8 PRESHMAN	49000	E7837	888 733 1.0803 1.650 2.20	9200 4880 10, 11	E7915 E7917	78-8000000-00
G	10950	E7839 E7840		9860 6570 12, 14	E7907 E7909	1.32
H	9300 20300	E7839 E7840 E7841 E7842 E7843	1.26 2.06 1.32 1.76	750	E7908 E7923	1.32
Equaphase Model 665	11300	E7838	1.03	401	E7916 E7916	5032
470 NBS0. NRS5 411 411 78-S FRESHMAN G N H H K Equaphase Model 565 5057 GENERAL MOTORS 60 LFILLAN 60 GREBE ACC-6	FIOR	g to		TEMPLE 8-60, 8-80, 8-90	E7929 E7930	1:18
GILFILLAN	19000	E7845	1.32	12.3 12.5		
GREBE	5500	E7846 E7847	1:09	Electrostatic } 920 8600	E7931 E7932 E7933	.59 1.18
AC-6 AC-6 Synchrophase 7 Synchrophase 7 SK-4 HOWARD	7090 9450	E7896 E7897 E7898 E7899 E7900 E7901	1.18	AP 736	E7934	.88
Synchrophase 7	12900 2935.5	F7898	.03 .47 .03	WR 4 4865 ZANEY GILL Vitatone 54 18685 ZENITH	E7888	1.18
HOWARD	18500	ĒŻŠŎĬ		Vitatone 54	E7889	1,62
HOWARD 135, 395, 445, 495, 135, 395, 445, 495, 135, 395, 445, 495, KENNEDY	13600	E7849 E7850	1.32	35A, & ZE 10 22700	E7937 E7938	2.20
KENNEDY 10	5250	E7852		52, 53, 54, 60, 61 62, 602, 64, 67, 642.		1.32
KING	5750	E7852 E7853	1:06	672, ZE 70, ZE 702. 613, 622, 642 Res 53,87	E7939	1.18
82 82	1480 16000	E7854 E7855	.85	ZENITH 33. 33X. 34, 35 22700 33A, & ZE 10 10 34P-35P and ZE 11 6750 52. 53. 54, 60, 61 6750 52. 53. 54, 60, 61 6750 52. 612 612 6000 613. 622. 612 612 613 63-98, 33P, 35A 7250 P-37. 35AP, 35AP 35700	E7940 E7941	1.26

BAKELITE CONDENSERS-PARTS-ACCESSORIES

KNIGHT BAKELITE CONDENSERS



ded in gen-bakelite. Knight mica con-densers embody densers highest quality ma-terial and workmanship.



Accurately constructed to precise standards. The "Plgper leads, 1 %" long, securely anchored by a distinctive process. The "Lug" type has metal terminal lugs. In addition,
insulated mounting holes are molded into the Bakelite, for
attachment to metal base without shorting.

distantiante so mount base without Shotsing.								
PIC	TAIL T	YPE	L	UG TY	PE			
No. E7215 E7216 E7217 E7218 E7219 E7220 E7221 E7222	Mfd. .000025 .00004 .00005 .0001 .00015 .0002 .00025 .0004	NET EACH, SC PER DOZ., SSC	No. E723 E7232 E7233 E7234 E7236 E7236 E7237 E7238	Mfd. .00005 .0001 .0002 .00025 .0004 .0005 .0008	NET,			
E7224 E7225	.0008	NET EACH	E7239 E7240 E7241 E7242	.0015 .002 .0025 .003	14c			
E7227 E7228 E7229 E7230	.002 .0025 .003 .004	PEN 002. 1.45	E7243 E7244 E7245 E7246	.005 .006 .008 .01	18c 21c 24c 28c			

INDUCTANCE **SWITCHES**



Compact. Well made. Nickel

plated inductance
switch with point-

	er knob. W		U	12.
No.	Point		Li	
2041	5		44	C
2032	7		47	C
2033	9		53	C
point	without knob.	1	0	•
5442	NET	-	7	
			_	

SERVICE TEST PLUG-

Bakelite four and five prong plugs. Per-fect for making ex-ternal connections of dynamic speakers to dynamic speakers to receiver. Also for use in set analyzers and testing equipment.

No. E 1622. 4 prong plug. No. E1623. 5 prong plug. NET EACH

MICROPHONE AND PHONOGRAPH ADAPTERS



connections. No. E4250. 4 Prong. No. E4251. 5 Prong. List. \$1.00. NET

WAFER ADAPTERS

Four prong adapter with phone cord and plug, and 5 prong adapter with jack terminals for mike or phono.

No. E4266. 4 Prong. No. E4265. 5 Prong. 28C

GENUINE MERSHON CONDENSERS



These quality Mershon electrolytic condensers are standard equipment with radio set manufacturers and standard equipment with radio set manufacturers and service men. For use in all Filter circuits where filter condensers of high capacity, long life and "surge proof" construction are desired. For replacements in power packs, "B" eliminators, etc. and as part of newly con-structed equipment. Assures efficiency and profits in service work.

Replacement in Many Standard



Colonial ...D-8, T-8, D-20 Columbia PhonoS-18, D-8, D-20, T-8 Crosley. D-8, T-8, T-36, S-20, S-25, Q-8, Q-52 D-8, T-8 Temple Wurlitzer T-8

	-		SEP HE	40
High	Freq.	Lab		T-8
Howa	rd			T-8
Kenne	dy		T-8.	D-20
Sparte	DII			D-20
United	1 Air			
	aner .			
Zenit)	1			T-36

Mersh

Single Sections—Inverted Mountings

	Capacity		YOUR		Capacity		YOU
No.	Mfd.	Type	PRICE	No.	Mfd.	Type	PRICI
E1121	6	8 6	40c	E1138	16	816	65
Eiizz	8	8 8	45c	E1133	18	818	70
E1136	10	810		E1135	20	820	65
E1137	12	812	600		(25 vol	ts)	
		-				4.0	

Multiple Sections—Upright Mountings

		(All h	YOUR	voltage of	(430)		YOUR
No.	Capacity	Type	PRICE		Capacity	Туре	PRICE
E1124	8-8-8	D 8	\$0.95	E1126	8-8-8-8	Q 8	\$2.40
E1128	8-18	D26	1.95	E1130	9-9-18	T36	2.40
E1132	5-5-5	T 5	1.25	E1129	55-8	T18	1.60
E1127	5-15	D20	1.10	E1131	8-8-18-18	Q52	2.95

NEW FILTERMATIC Capacity Type Tone Control

A highly perfected condenser type tone control affording smooth, step-less operation. Furnished with and without A.C. switch. Smooth in operation. The perfect tone control.

No. E3390. .006 Cap. with A.C. Switch.
List, \$1.50.

VET

No. E3391 - .006 Cap. Less Switch List, \$1.00. 48c NET.

GEM INTERFERENCE FILTER



Enjoy absolutely clear radio reception. The Gem Filter elimi-nates A.C. or D.C. line interference from your set. Can be installed

inside or near re-ceiver. Plug filter into wall socket and then plug radio in to filter Rejects all line noises and gives wiess entertainment socket. you flawless entertainment.

No. E3223. List Price, \$2.50. NET

Supersensitive **Transmitting Button**

Has hundreds of applications in radio and elec-trical circuits. Carbon granule, readily applicable to any vibrating surface or diaphragm.



For broadcast modwork, detectaphones, stethoscensification, telephone work, detectaphones, stethoscensification, etc. Increases sensitivity and volume on speech amplifier. Illustrated booklet, ofamplifier. Illustrated booklet, of-fers diagrams and circuits. Physical differences among buttons, but all characteristically identical. No. E5440.

YOUR SPECIAL PRICE.

LC.A. SELECTUNER

An effective interfer-ence climinator. Used on any type receiver to separate stations. Cur through local stations and improves reception.



List. \$1.50. YOUR PRICE TWO PIECE PLUG



ALLIED today is situated on the edge of Chicago's famous loop for the convenience of our oustomers. But lines, street railway, roads lead right to our door, We maintain a large display room which allows for Personal Inspection of our line and for over-the-counter sales.

BUD AERIAL FILTER

A new device which absorbs gionale from interfering programs them from cutting in on the station

which you have tuned in. The Bud Filter increases the selectivity of your radio immensely and helps its sensitivity greatly by filtering out the disturbing static and signals from adlacent station channels and preventing their reproduction in the receiver. Every set owner will want one of these highly successful aerial devices.

No. E1605. List. \$1.50. NET

CARTRIDGE-BY-PASS-ELECTROLYTIC CONDENSERS

KNIGHT CARTRIDGE CONDENSERS




Special values in Cartridge Condensers. Sealed in fibre tubes with wire terminal for mounting on sub-panels or directly to binding post terminals. Non-inductively wound and thoroughly impreg-nated. Compact. For D.C. work-ing voltages listed. 200 Volts

No.		Mfd.		
E1700.		1		
E1701.				
E1702.		25		
E1703		9		
E1717.				
		100 Vo		
	4	TAN A C	TER	

	400 YO	ITS .				
E1786	0001		. 9 c			
E1704						
E1705	02		120			
E1706	05					
E1707	1					
E1795	2		15c			
E1787			17c			
E1788	3		18c			
E1708						
E1789	11		22c			
600 Volts						

	A A OICE	
E1709	.0001	
E1710		
E1711		400
E1712		loc
E 7 3		
E1714		Each
E1715	.01	12c
E1790		240
E1790		

KNIGHT RENEWAL FILTER BLOCK CONDENSERS NICHT



		, crase
1 lb. ea	ch.	
Mfd.	Volts	NET
1.0	200	210
2.0	200	38c
.5	400	220
1.0	400	36¢
2.0	400	60c
.5	600	32c
1.0	600	54c
2.0	600	80c
	1 lb. ea Mfd. 1.0 2.0 .5 1.0 2.0 .5 1.0	11b. each. Mfd. Volts 1.0 200 2.0 200 .5 400 1.0 400 2.0 400 .5 600 1.0 600

Temple Replacement Condenser Block



Temple relacement lock 10.15 Mfd., for all Temple sets. Size of block 3 x 4½ x 5% in. Arrangement of ter-minals: Black wire, Mfd.; Red, 2

Black Common; Green, 1 Mfd.; Red, 2 Mfd.; Brown, 15 Mfd.; Black, 4 Mfd.; Blue, 2 Mfd.; Yellow, 4 Mfd. Used in Temple models 8-60, 8-80 and 8-90. Spg. wt., No. E5396. YOUR PRICE

KNIGHT METAL CASED REPLACEMENT CONDENSERS



Conservative. ly rated. Her-metically sealed, Ideal

for all by-pass requirements in R.F. and A.F. circuits.

D	Y-PASS-S	TYLE A	
No.	Mfd.	Volts	NET
E820	.1	200	170
E821	.25	200	210
E822	.5	200	25c
E823	.1	300	180
E824	.25	300	22c
E825	.5	300	290
E826	.05	400	180
E827	.1	400	190
E819	.25	400	240
MULTH	PLE SECTI	ION-ST	LE A
No.	Mfd.	Volta	NET
E828	.111	200	360
E829	.11	200 -	270
E830	.2525	200	310
E831	.11	300	290
E832	.11	400	310

BY-PASS-STYLE B

Non-inductively Non-inductively wound, designed for use in all R.F. and A.F. by-pass eircuits, power amplifier output circuits, etc. Ideal for replacement purposes.



Volts

NET

E833	1.0	200	29 c
E834	2.0	200	54c
E834 E835	1.0	300	42c
E836	1.0	400	54 c
E837	.25	400	26c
E838	.5	4'00	33 c
MULTI	PLE SECT	UN-81	ILE D
No.	Mfd.	Volts	NET
No. E839			
No. E839 E840	Mfd. .2525	Volts 300	NET
No. E839	Mfd.	Volts	NET 390
No. E839 E840	Mfd. .2525 .55	Volts 300 300	NET 390 530
No. E839 E840 E841	Mfd. -2525 .55 .111	Volts 300 300 400	NET 390 530 420

BY-PASS-STYLE C



Of high quality. These Knight replacecondensers ment non-inductively wound and hermetically sealed in metal con-tainers. For all radio by-pass circuits, for resistance and impedance

No.	Mfd.	Volts	NE'
E1810	.1	200	22
E1811	.25	200	26
E1812	.5	200	30
E1813	.1	300	23
E1814	.25	300	22
E1815	.05	400	23
Multi	ple Sectio	a-STYL	EC
No.	Mfd.	Volts	NE:
E1818	.111	200	41
E1819	.2525	400	47
E1820	.55	400	58
E1821	.11	400	36

Victor Condenser Block Victor R-32, R-52, RE-45. For RE-75



Will also efficiently serve with any set or amplifier using 245 or pentode tubes. Cou-servatively rated, total

Oc

Working voltage 600 D.C. Terarrangements: 5 Mfds.; 3 Mfds.; Mfds. Working voltage 600 D.C. Terminal arrangements: 5 Mfds.; 3 Mfds.; 2.5 Mfds.; 5 Mfds., and common. Very sturdy and housed in a durable metal can. A great value for the service-man and builder. Shpg. wt. 4

No. E5397. YOUR NET PRICE.

SPRAGUE FILTER BLOCK REPLACEMENT CON-DENSERS




Sprague

electro-lytic con-with tinned pigtail densers leads for filter replacement work. Makes old methods of replacing shorted filter sections obsolete. Simply cut off the shorted lead and connect a Sprague self-sup-porting dry replacement. With tinned wire leads, 2½ in. long. Indispensable in service work.

Tubular Dry Electrolytics Scientifically designed, reflecting prague high quality standards. Wt.

No. Mfd. Volts NET E6550 2 200 446 E6551 4 200 506	
E6552 8 150 586 E6553 2 450 566 E6554 4 450 646	

Sprague Midget Condensers



replacement, occupying a minimum of space. List No. Mfd. NECT

E0000	.0001	epo-mar	
E6561	.00025	.25	
E6562	.0005	.25	
E6563	.001	.25	15c
E6564	.002	.25	
E6565	.0025	.25	
E6566	.005	.25	
E6567	.006	.30	
E6568	.01	.30	18c
E6569	.02	.30	TOC
E6570	.05	.30	
E6571	.1	.40	24c
E3572	.25	.50	28c
-	-		The state of the last

SPARTON REPLACEMENT TUBULAR CONDENSERS

Sparton 400 volt tubular condensers impregnated with a high melting point compound and enclosed in leakproof metal cytinder. Carefully constructed, compact in size. Size: 2 in. and enclosed in control of cylinder. Carefully co compact in size. Siz long: dia. 1 1/6 in.

For all by-pass

requirements. Wt., No. E1798. .25 mfd. No. E1799. 1. mfd. 12 oz. each.

t Price, each, \$1.65. YOUR PRICE ...



Aerovox "A" Condensers

For use in "A" Eliminators and across field winding of d y na m le speakers for filtering hum. Maximum of 12 volts D.C. must not be volts D.C. must not be exceeded. Of Aerovox exceeded.

Shpg. wt. 2 lbs. quality construction. Cap. Mfd. No. E | 201 NET \$2.06 \$3.50 E1202 2000 4.00 2.35 E1203 4000 4.40



A dual by-pass con-denser with one 1 mfd. and one 2 mfd. section. Common terminal. Screw 200 v.

mounting. 200 Shpg. wt., 12 oz. No. E5825 YOUR PRICE

111

AEROVOX HI-FARAD DRY ELECTROLYTIC CONDENSERS

Aerovox dry electrolytics are highly efficient and universally applicable. Their dry characteristic make it possible to mount them in any position. They are stable in operation, unaffected by moisture, high in filtering efficiency and operate at low temperatures. Self-healing and surge-proof characteristics insure long life. Modern, compact design. Extremely economical. With mounting rings. All types are standard in size, enabling easy change in standard radios to Hi-Farad condensers.



Universal Mounting 500 Volt D. C. Peak Voltage Section Total List VOUR

W. 7	3643	2000	-	*****
No.	Mid.	Mfd.	Price	PRICE
E885	1	1	\$1.00	\$0.59
E886	1 2	9	1.20	.71
	~	~		
E887	4	4	1.40	.82
E890	6	2 4 6	1.60	.94
E891	8	8	1.70	1.00
		* 6		1.00
E892	8-8	16	3.25	1.91
E893	8-8-8	24 32	4.50	2.65
E844	8-8-8-8	3.5	6.00	3.53
		0.4		3.03
E894	2-4-8	14	4.00	2.35
E845	2-8-8	18	4.75	2.79
E846	2-8-16	26	5.00	2.94
				2.54
E847	10	10	2.10	1.23
E848	20	20	3.50	2.06
E849	30	30	5.00	2.94
E049	90	30	0.00	2.94
	- 40	5 Volt	D 0	
	- 4	> 4 OTf 1	U. C.	
E895	10	10	1.00	.59

	7.5	VOIT .	D.C.	
E895	10	10	1.00	.59
E896	25 50	25	1.05	.62
E897	50	50	1.15	.68
	11	Volt !	D.C	
E898		.500	3.50	2.06
E899 ·	2.000 2	.000	4.00	2.35
	Comer	14-		
	3CL6/	A WIO	unting	
	500	Volt	D.C.	
E920	4	4	1.40	.82
E921	6	8	1.60	.94
E922	8	ĕ	1.70	1.00
	10			1.00
E923	10	10	2.10	1.23

SCREW E922 MOUNTING E923 IN CARDROADD CONTAINED

454	CANDBO	AND CON	AIRERS	-000
0	500	Volts Peak		-
No.	Mfd	List	NET	
E924	1	\$0.80	47 c	100
E925	2	.95	56c	1 3
E926	4	1.10	65c	12
E927	5	1.20	71c	Del
E928	6	1.30	76c	200
E929	8	1.45	85c	edi.





where high grade units are required at low cost. Com-pact, non-inductively wound and sealed in insulating tubes with wire lead terminals.

Acrovox

Cartridge Condensers

	200 VOI	TS
No.	Cap.	NET, EACH
E935	.006	1
E935	.01	
F937	.015	12e
E938	.02	
F030	.03	
E940 E941 E942 E943	.05	140
E041	.1	160
E 0.42	.25	210
E 0 4 2	.5	320
E944	.11	290
5944		
	400 VOL	TS

	400 VOLT	S
E1333	.006	
E 1334	.01	14c
E 333 E 334 E 335 E 336 E 337	.02	74.
E 337	.03 J	160
E 1339	.1	19c
E 338 E 339 E 340 E 341	.25	29 c

Condensers



wound and sealed in metal containers. Ideal for use in all radio and audio by-pass circuits,

200	VOLTS	D. C.
No.	Mfd.	NET
E1200	.05	32c
E1204	.1	32c
E 1205	.25	35 c
E 1206	.5	410
E1207	1.0	53c
	2.0	88c
E1199	4.0	\$1.59
	VOLTS	
400 E1198		
400 E1198 E1209	VOLTS	D. C. 38c 38c
400 E1198 E1209 E1210	VOLTS	D. C. 38c 38c 44c
400 E1198 E1209 E1210 E1211	VOLTS .05 .1 .25	D. C. 38c 38c 44c 56c
400 E1198 E1209 E1210 E1211 E1212	.05 .1 .25 .5 1.0	D. C. 38c 38c 44c 56c 79c
400 E1198 E1209 E1210 E1211	VOLTS .05 .1 .25	D. C. 38c 38c 44c 56c

FREE BULLETIN

On request we will put you on mailing list to receive the valuable Aerovox Research Worker. It is full of useful data on the use of condensers and resistors.

AEROVOX METAL CASE BY-PASS CONDENSERS

Non-inductive condensers, hermetically scaled in stamped metal containers. Terminals are brought out through insulating strips, centered in large holes in the case to prevent leakage and short circuits to the can. Ideal for all by-pass circuits and for resistance and impedance coupled amplifiers.

TYPE 60

Very compact: Dimensions 2 1/2 "x15/16" x 1/4" high. Make neat assemblies.

No.	Mfd.	Volts	NET	No.	Mfd.	Volts	NET
E1300	.05	200	25¢	E1342	.05	300	27c
E1301	.1.	200	25c	E1343	.1	300	27c
E1302	.25	200	28c	E1344	.25	300	35 c
E1303	.5	200	34c	E1345	.11	300	410
E1304	.11	200	38c	E1346	.05	400	29¢
E1305	.2525	200	47c	E1348	.25	400	386
E1306	.111	200	53c	E1349	.1.1	400	44c
-	-			THE PARTY OF THE P			



TYPE 61

Flat type, stamped metal case Condensers. Dimensions — 21% ("x113,6"x1", Extensively used. Compact, easy mount-

No.

No. Mfd.	Volts 200	5Oc	No.	Mfd.	Volts	NET
E1308 .55 E1309 .5 E1310 1. E1311 .2525	200 300 300 300	62c 47c 71c 59c	E1312 E1313 E1314 E1315		400 400	79c 50c 65c 71c

AEROVOX MICA FIXED CONDENSERS



Moulded in bakelite which seals and protects condensers against extreme temperature. moisture or chemical action. Plates are tin-foil and the condenser element is thoroughly impregnated. Very

compact.		
No.	Mfd.	NET
E1251	.00005	EACH
E1252	.000075	
E1253	.0001	12c
E1254	.0002	140
E1255	.00025	
E 1250	.00037	4 1
E 256	.0005	15c
E1257	.001	
E 258	.0015	04-
E 1259	.002	21c
E1260	.0025	04.

AEROVOX FIXED HIGH VOLTAGE CONDENSERS

Aerovox type
1450, monided
in bakelite.
Will withstand
retest voltages
of 1000 volts
D.C.



g reu,	Bild.	EAUN
0-2034567890 5555555555555555 555555555555555 555555	.00004]	
E 35	.00005	
E 352	.00007	
E 353	.000075	
E 354	.0001	18c
E 300	.0002	
F 1355	.00025	
E 357	.00037	
E 308	.0005	
E 35%	.001	
E1300		
E 361 E 362 E 363	.0015	940
E 362	.002	21c
	.0025 }	
E1364	.003	26c
E1365	.004	ZDC
E1366	.005	
E1367	.006	32c
E1368	.0075	32 c 38 c
E1369	.01	44c
E 370	.015	53c
E 371	.02	62c
E1372	.025	97c

.035

1.38

AEROVOX "PIG-TAIL" MICA CONDENSERS



A midget mica condenser provided with wire leads. I deal in constructions in which space is an important factor Mfd.

E 1320	.00004	_
E1321	.00005	
E1322	.000075	-
E1323	.0001	12c
E1324	.00015	-
E1325	.0002	
E1326	.00025	
E1327	.00037	150
E1328	.0005	15c
E1329	.001	
E1330	.0015	21c
E1331	.002	410

FLECHTHEIM

Heavy Duty

Filter Condensers

Compact, high voltage condensers for heavy duty ampli-fiers using type '50, '10, '45, '47 and other similar



h eavy duty tubes. All types except for 2 and 4 mfd. are 2" high, the others are 4%" and 2%" wide.

1000 Volts D.C.

Conservatively rated at 1000 volts D.C., 660 volts A.C. High insulaat tion resistance.

No.	MId.	Lint	NET
E3370	.05	\$1.00	\$0.54
E3371	.1	1.10	.60
E3372	.25	1.20	.65
E3373	.ō	1.30	.70
E3374	1.0	1.75	.90
E3375	2.0	2.75	1.50
E3376	4.0	4.50	2.43

KNIGHT ELECTROLYTIC CONDENSERS

CONDENSERS

Cardboard Containers

Knight electrolytic condensers are constructed with careful precision of the finest materials. Capacity constant over a wide frequency range. These quality dry capacitors are supplied in upright cardboard containers measuring 4½ in. high and 1½, in. wide. With mounting straps. Average shop, wt. 1½ lbs. SINGLE SECTIONS

		94	MATH O				
No.	Mfd.		NET	No.	Mfd.	Volts	NET
E7275.	4	500	\$0.35	E7280.	8	350	\$0.40
E7276.	6	500	.42	E7281.	10	350	.55
E7277.	8	500	.43	E7282.	12	350	.65
E7278.	10	500	.65	E7283.	25	50	.35
E7279.	12	500	.75	E7284.	50	50	.45
E7273.	4	350	.32	E7285.	50	25	.35
E7274.	8	350	.38	E7286.		25	.42
		MU	LTIPLE	SECTION			
No.	Mfd.	Volts	NET	No.	Mfd.	Volta	NET
E7287.	4-4	500	\$0.68	E7291.	6-8	500	\$1.00
E7288.	4-6	500	.80	E7292.	8-8	500	1.05
E7289.	4-8	500	.90		4-4-4	500	1.15
E7290.	6-6	500	.90	E7294.		500	1.25
			100000	E7295.	8-8-8	500	1.45

Knight Dry Electrolytics Horizontal Mounting



Cardboard Housing cardboard contain Knight horizontal type containers. Supplied with mounting straps. Dimensions 2 1/8 x straps. Dimensions 2 1/8 x 1/4 x 1/4 in. Average shpg. % x % 1n. 1 1/2 1bs.

No.	Mfd.	Volts	NET
E7296	2	500	32¢
E7297	2	350	31 c
E7298	2	220	30c
E7299	4	220	34c
E7300	5	110	33 c
E7301	10	50	34c
E7302	10	25	29 c
E7303	25	25	35 c
	-		-

Knight Multiple Sections Electrolytics

Rectangular

Knight Electro lytics mounted in

Metal Cans

lyttes mounted in rectangular metal cans. Sections are thoroughly in sulated from each other and from the container. Separate terminal luss from each section. 500 volts D. C. peak voltage. 4% in. high. 1% in. wide. Average shpg. wt. 2 lbs.

No.	Mfd.	NET
E7304.	4-4	\$0.80
E7305.	4-6	.90
E7306.	4.8	.98
E7307.	6-6	1.05
E7308.	6-8	1.10
E7309.	8-8	1.20
E7310.	1-4-4	1.32
E7311.	6-6-6	1.40
F7319	8.8.8	1 66

KNIGHT DRY ELECTROLYTIC | KNIGHT DRY ELECTROLYTICS **Round Inverted Cans**



These Knight electrolytic condensers are furnished in round aluminum cans of one size, fitting any single mounting hole made for % in. studs. The extruded screw base is hol-My in. studs. The extruded screw base is hollow, giving outlet to the terminals of color-coded wire leads. Average shpg. wt., 1½ lbs.

SINGLE SECTIONS Mfd. Volts 2 500 4 500 SO.40 No. E7326. Mfd. Volts 8 500 10 500 NET \$0.54 E7323. E7324. E7325. E7327. E7328. 50 500 DUAL SECTIONS Volts Mfd 500 \$0.85 E7334. E7335. 6-6

M1d. 2-2 2-4 4-4 \$0.68 .73 .75 E7329. E7330. E7331. E7332. 500 500 500 E7336. E7337. 4-8 500 500 (negative common) (negative common) .75 E7338. .95 E7333. 4-4 500 (positive common) (positive common)

Round Upright Cans

May be used in either upright or inverted position. The standard 1%" diameter can is a force fit in earlier types of screw or bayonet bases, for replacement work. When used in 1%" mounting rins, the can may be placed either inverted in 1% and the place of the sand with the sand wit

or upright. 6" color coded leads. Show. Wt., 1	
No. Mfd. Volts NET No. Mfd.	Volts NET
E7339. 2 500 \$0.38 E7345. 4-4	500 .75
E7340. 4 500 .42 E7345. 4-4	.,,
(can negative) E7346. 4-4	500 .75
E7342. 6 500 .50 (negative co	mmon)
E7343. 8 500 .65	500 .75
E7344. 8 500 .55 E7347. 4-4 (positive of	

Knight Cartridge Mounting Dry Electrolytics



Cartridge condensers con-structed in strong round tubes, self-supporting on 2° bare wire leads. Now widely adopted for audio by-passing, name at low cost. Measure

7350. Mfd. Volte NET 7350. 5 25 30.22 7351. 10 25 .24 7352. 25 25 .26 7354. 10 50 .26 7354. 10 50 .27 7355. 25 50 .50	No. Mfd. E7358. 5 E7357. 10 E7358. 1 E7359. 2 E7360. 4	220	NET \$0.50 .60 .24 .28 .35
7351. 10 25 .24 7352. 25 25 .28 7353. 5 50 .26 7354. 10 50 .27	E7357. 10 E7358. 1 E7359. 2	110 220 220	.60 .24 .28

Knight Round Can Electrolytics



Valuable for either original or replacement use. Supplied in round upright cans, in sizes cans, in size. listed below. Sections are thoroughly insulated from each other from the container.

Upright Multiple Sections

Dry type electrolytic sections. full 500 volts peak rating. All negative terminals grounded to can; positive terminals are sturdy lugs. Complete with mounting rings. Average shpg. wt., 2 lbs.

2½ In. Diameter Cans	
No. Mfd.	NET
	1.15
E7314 9-9	1.25
E7315 5-15	1.30
E7316 4-4-4	1.35
E7317 8-8-8	1.60
3 In. Diameter Cans	
E7318 8-8	1.25
E7319 8-8-8	1.60
E7320 9-9-18	2.30
E7321 8-8-8-8	2.10
8½ In. Diameter Cans	
E7200 0-0-19-19	3 25

Mershon Electrolytic Condensers




Particularly suited for use in the filter circuits of B-Eliminators and Power Converters where filter condensers of high capacity, long life, and "Surge-Proof" construction are desired. Recom-mended as replacement units (for damaged fil-

pairing B-Eliminators and Power-Packs, and as part of newly constructed equipment of the above classification ove classification. voltage 430. Single condensers are of the inverted type; multiple sections are upright.

			Total	Your
Our No.	Туре	Capacity		Price
E1121.	S6	6	6	\$0.40
E1122.	88	8	8	.45
E1133.	818	18	18	.70
E1135.	S20	20	25 Vol	
			Type)	
E1124.	D8	8-8	16	.95
E! 125.	T8	8-8-8	24	1.35
E! 26.	Q8	8-8-8-8	32	2.40
E1 28.	D26 Q52	8-18	26	2.95
E1131.	T5	8-8-18-18	15	1.25
E 127.	D20	5-15	20	1.10
E 1 130.	T36	9-9-18	36	2.40
E1120	T18	5.5.8	36	1.60

Knight Inverted Wet Electrolytics



No.	Mfd.	Volts	NET
E7361.	4	500	\$0.80
E7362.	6	500	.87
E7363.	8	500	.95
E7364.	4	450	.75
E7365.	6	450	.82
E7366.	8	450	.87
E7367.	10	450	.95
E7368.	12	450	1.02

Sprague Electrolytic Condensers

tremendous advancement filter condenser construc-n. With round-edged anode in liter condenses tion. With round-edged anode made of a single piece of alu-minum without welding or soldering. Offers high capacity

soldering. Offers high capacity in compact space.

Absolutely puncture-proof; self healing. Screw socket facilitates installation in every type of set. Rated 8 mfd. at 430 vulta D.C. List Price, \$2.50. 68C



STANDARD REPLACEMENT CONDENSERS

ELKON DRY ELECTROLYTIC **HI-VOLT D.C. CONDENSERS**

Mailory-Elkon Dry Electrolytic Condensers. Ideal for replacement purposes because they are dry, compact and easy to install. May be mounted in any position without danger of leakage. Replacements everywhere. Important suggestion: If set uses 1½ mtd. condenser, replace with Elkon 2 mtd, replace 3 mtd. size with 4 mtd.; 5 mtd. with 6 mtd.; 7 mtd. with 8 mtd. In each case the larger capacity condenser will occupy less space than the one which it replaces and will give better performance. If unable to determine size required order with deposit, drifty set manufacturer and model number.

ILTER TYPES

Mallory - Elkon Filter Type Condensers are of a high power factor, dry. stable in operation and not affected by low temperatures. Max. D.C. volt. 475, working volt. 450. Size 1%"x4%".

No. E 2680 E 2681 E 2682	Mfd. 2 4 6 8	List \$0.95 1.10 1.30 1.45	NET 56 c 65 c 76 c
E2683	8	1.45	85 c

Metal Can Types

For replacement of the round electrolytic type condenser. A dry unit in an aluminum container with universal mounting. Can be directly connected to the negative side of condenser. Max. D.C. 525 volt., working volt. 430. All 413/4" high.



No. E2684 E2685	Mfd. 8 (screw)	\$1.70 1.70	\$ 1.00 1.00
E2686	16 (2 anode)	3.25	1.91
E2687	24 (3 anode)	4.50	2.65

BY-PASS TYPES

Elkon Mallory By-Pass Con-



electrolytic condensers. veloped to replace paper condensers gradually failing in service. Used in filter circuits and as audio by-passes. Easily inserted in blocks as replacement units. Contained in specially treated cartons and supplied standard with lugs. Measures 2 % in, x 11/16 in. x 11/18 in.

		Max.		
No. M	Id.	Volts	List	NET
E2688	14	475	\$0.60	35 c
E2689		475	.70	410
E2690	%	475	.80	47c
E2691	1	475	.90	53 c
E2692	2	475	.95	56c
E2693	3	475	1.10	65c
E2694	8	150	1.00	59c
F2895	20	25	1 00	500

SANGAMO MICA! CONDENSERS



Sangamo Sangamo mica di kied condensers are extremely accurate and of unusual mechanmoulded in bakelite. Water and damp proof. Very dependable.

No.	Cap.	List	NET
E6510 E6522 E6511 E6512	.00005 .0001 .00015 .00025	\$0.40	24c
E6517	.001 }	.50	29c
E6518	.003 }	.60	35c
E6514 E6515 E6523 E6524	.005 .006 .008 .01	.70 .85 1.00 1.15 1.25	41 c 50 c 59 c 68 c 73 c

1.15 68c 1.25 73c RESISTOR CLIPS

Resistor elips for above. No. E6516. List. 10c. NET. PER PAIR

TOBE "B" BLOCK CONDENSERS

R210. 2-2-2-4-1-1 mfd. High voltage for power packs using 210

Na. E7126. List, \$18.00.
PRICE \$5.40
R171. 8-2-2-1-1 mfd. for
power packs using 171 A tubes.
No. E7197 List \$15.00

REPLACEMENT FILTER BLOCK

8 MFD.

An efficient filter condenser ideal for all filter and by-pass purposes. Serves in many standard A.C. circuits and sets



Terminal arrangement: Black wire. common; Blue ¼ Mfd.; Red 2 M

PRICE

DUBILIER CONDENSER BLOCKS



Ruggedly constructed, highly effi-cient. For re-placement in standard sets

pliffers as indicated below. Easily installed in place of original.

For 171A Sets E2767, Fo A power tubes. For sets using 17LA NET \$3.65 For Power Amplifiers No. E2769. For 210 tube amplifters. \$6.50 NET

No. E2770. For 345 tube am \$4.70 NET

Original Knight-Columbia Replacement Condensers 7.9 mfd. block

Consists of each of the following condenser values: 5 mfd 200 volts; 1. mfd 300 volts; 2.3 mfd 300 volts; 1.8 mfd 600 volts; 2.3 mfd 3





60

This condenser block will replace the original in Knight-Columbia S.G. 8, S.G. 10, 6-7 and 8-9 receivers. and 8-9 receivers. No. E3444. YOUR PRICE

BY-PASS CONDENSERS No. 212 BIAS

A 3 mfd. bias condenser. Consists of dual 200 volt condenser. 1—2 mfd. sections. Can is common. No. E2220. No. E2220.



No. 213 BIAS

A .3 mfd. bias by-pass condenser. Consists of 1—1 mfd. 300 volt condenser, and 1—2 mfd. 300 volt condenser. No. E2221

No. 214 COIL and CONDENSER

A .102 by-pass choke coll and condenser. Consists of 1—.1 mfd. 300 volt condenser, 2—.001 mfd. 300 volt condenser and 1—400 turn detector filter and choke, No. 38 No. E2222. YOUR PRICE

SPRAGUE soo VOLT

I MFD. CONDENSER

For general replacement purposes. Especially suitable for
Knight-Columbia A.C. 5 receivers.

No. E2223. PRICE



THORDARSON POWER COMPACTS

B.171 For use in plate supply deces and power amplifiers using single or push-pull 171 power tubes and a single Raytheon BH. Wt. 8½ lbs. \$345 No. E7041.

YOUR

PRICE

TYPE R-280

For 280 type rectifier. Operates power am pliffers using one 171 tube in output. Wt.,

TYPE R-210

Serves as power supply for plate supply units and amplifiers using one 281 rectifier and one 210 tube in output stage. Wt., 11 No. E7043.


DUBILIER MICADON, No. 601

.0005 MFD.

Made of best grade india sheet mica insulation and netallic ioii placed between pieces of bakelite. 000 volts D.C. .0005 only.

Mo. E27501

4



GENUINE PHILCO CONDENSER SECTIONS

Here are the senuine Phileo un-cased condenser sections for replace-tion of the condense of the condense of the literated the condense of the condense uum process which eliminates all trace of moisture and allows the condense to be thoroughly impregnated with wax 2,000 volts.



Philco By-Pass Condensers



\$4.50

Genuine Philes m and wax-impregna paper condensers. M Mica condensers are in mould-ed hakelite casings and paper type condensers ed

moisture proof. The paper type condensers are specially treated and enclosed in bakelite

BAKELITE HOUSING

9	Philco		
0	No.	Capacity	NET
1	P3903-F		100
1	P3903-8		12c
۰	P3793-B		10c
-1	P3793-M		150
и	P3793-E		126
1	P3615-E		120
1	P36 5-A		
1	P3615-A		
1	P4989-J		
٦	9/080.B	09	
9	P4089-0		
ı	P6287-B		
ı	P4989-K		
	A SOS K	centerpoint grounded to mor	
ч	hug	centerpoint grounded to mo	MACTING

MICA CONDENSERS

Phileo	4.0	
No.	Capacity	NET
P6897		
P4990		
P3774		5 C
P4519		
P3082		
P5120		
P3910	0005	
P6898		
P5863		LC
P6021		2c
P5215		2 c
P6773	00125	
PZ007		5 c
P7139		6 c
P5877		
P6022	0018	5 C
P6853		8 c
P7006		8c
		18c
P5981		24c

QUALITY CONDENSER REPLACEMENTS



Exact capacities and voltages are reproduced in these replacement condensers for popular receivers. Made of the finest materials and accurately constructed. The finished product is durable and designed to give continuous trouble-free service. Reasonably priced. Invaluable for every service requirement. Condensers duplicate exact capacity of original condenser, resulting in simple accurate installation.

If the condenser needed is not listed, send complete description of the receiver, list tubes used, or send in the hold unit as a sample, and we will make shipment of the proper replacement within five days. Deposit of 25% must accompany all orders for unlisted condensers. Price will be in proportion to any similar unit listed Explanation of symbols used below are as indicated: By Pass (B), Electrolytic (E). Flexible Leads (L), Lug Terminals (T), Filter (F), Coupling (C).



No.	Mfg. Models	Cap. Mfd. 89	Pass (8)	Term. (T) Leadz (L)	NET	No.	Mfg. Models	Cap. Mfd.	By Pass (B) Filture (F)	Torm. (T) Leads (L)	NET
E3400 E3401 E3402 E3403 E3404 E3406 E3407 E3408 E3409 E3410	237	25 25 24-4-4 9.7 25 36 4-4-15-05 6.6 4-4-17-05	173	LT 3722248941LTLT	\$5.29 .67 .681 .61 .93 5.29 4.64 .67	E3473 E3474 E3475 E3477 E3477 E3479 E3479 E3480 E3480 E3481	#70-B #50 Majestic Series 20 Model 21-22-32.	30 MAJEST 34-34 11. 13. 10. 11. 7. 1.5 1.5 6.07 9. 13.	E B F F B B F F F F F	T 2 T 7 T 7 T 6 L 5 L 6 L 3 10-L 6 T 6	.79 6.35 9.02 5.23 5.29 6.35 7.94 6.61
E34 2 E34 3	#11, 12, 16, 33	RUNSWICK .5 3.6255	В	L 1 L 8 T 1 T 1 L 10 T 1	.79 1.18 3.35 1.68 1.91	E3484 E3486 E3486 E3487	#18, 51	.555 - .5 4.	F B B F	T 7 2 5	4.25 1.35 1.59 3.45
	\$17, 24, 25	2.58 8. CROSLEY	Block (E)		1.50	E3491 E3492	60. 62 \$18. 51 Radiola \$105. AP 947 AP 947 R 32. RE 45. B	1/2 -1 -1 21. 22. 7. 16.	B B F F	T T 2 T T T T T T T T T T T T T T T T T	14.50 1.01 4.00 10.24
E3419 E3421 E3422 E3423 E3423 E3424 E3426 E3426	Jewel Box	%-½.55 .5.5 .1 .55 1-1 .11	ванванван	232222443230 TTTTTTTTTTTTT	.48 .53 .480 .545 .79 .57 .53	E3494 E3495 E3496 E3497	AC62,AC7,AC63 AC69A.79A.89. 78A AC 5	7.1 10.	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	L 7. L 8 L 5 L 7 L 5 L 7 L 5	7.14 5.56 5.56 7.14 6.6! 5.56 7.14 .34
E3439 E3432 E3432 E3433 E3434 E3436 E3437 E3438	Jewel Box. 255-56 277 264 254 W21296 W20448	.151 .151 .11 .11 .0606 .55	BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB	323222233333422 TTTTTTTTTTTTT	79 531 79 53 79 53 79 40 67 57 53	E3503 E3504 E3505 E3506 E3507 E3508 E3509 E3510	2637-589-610 2637-589-610 2930 2930 289A JR. 410	1. .25 .1-1 2. 2. 6.1 8.05 16.8 6.	Buffer B B F F F F F	L 3 L 1 L 2 L 5 L 5 L 3 L 3	1.85 5.29 9.26 3.05 6.61
E3449 E3441 E3442 E3443	W21296 W20448	010101 .1 .1 .4 - ½ - ½	B B B B	T 4 T 2 T 2 T 4	.53 .58 .31 .31	E5396		TEMPLE 10.15 ad TELEVI 7.5	Block SION-	L7 APEX L8	2.75 3.51
	SG 8		F BB BF B	T 8 2 4 4 L T 2 3	4.12 .35 .45 .75 1.35	E3512 E3513 E3515 E3516 E3518 E3518 E3520	All late sets U. S. RADIO n. \$38 APEX \$37 APEX \$41 \$43 \$44 \$548 \$41, 46	5.5 4.5 1.3 5.6 6. .5 .1 .2	FEBEERBBBB	LTLTLLTTTT	2.65 3.53 3.53 3.59 4.22 3.42
E3450 E3451	A & B	ELIMINATO 13. 13.	OR F F	L 8 L 8	3.85 3.85	E5397	R-32, R-52, RE-	VICTOR	Cond.	Т5	.90
E3452 E3453 E3454	11 0	RESHMAN 7.4 8. 11.5	FFF	T 8 L 9 L 7	2.95 9.30 6.45	E3521 E3522	A & B. WILLAH	13. 13.	ATOR F F	L 8 L 8	3.85 3.85
E3455 E3456 E3457 E3459 E3460 E3547	AC 5 Super 7 & 9	KNIGHT 7.9 12 12 12 1001 155 8. 2.35	F B B B B F B F B F E	T 2 2 4 4 4 2 2 T 1 1 6 1 T 1 6 1	4.12 .35 .45 .75 1.38 .95 1.76 1.18	E3527 E3528 E3529 E3530 E3531 E3532	ZE- 8 ZE- 8 ZE- 9 ZE- 6 ZE- 5 ZE-11. 12, 14. ZE- 9	16. 16.25 8. 11. 10.5 20.	FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	L1734468956682	4.76 3.51 5.82 6.35 7.94 3.582 3.51 3.97
E3465 E3466	70 (Power Pack 70 (Power Pack 72 72 72 90 90 90 90 90 90 90 90 90 90 90 90 90	7.	FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	557762565663	6.35 4.76 6.35 4.76 6.35 6.35 6.14 4.76 7.99	E3535 E353637 E353538 E35549 E355441 E35544 E35546 E35546 E35546	<u>\$</u> 12 15	.2222 .2222 .03 .05 .5 .26 .1. .15 1.	Tuning BF BBCCCCBBBBBF	LLLLLLLLLTLLTL	29 1.20 846 66 223 .40 .68 .93 .48 .68 .344

POWER TRANSFORMERS



Power Transformers. Exact Duplicates—physically, electrically and mechanically of the original units.

NET

of the original units. No refitting or rebuilding is necessary in their installation; no unsightly re-wiring to detract from their workmanilke appearance in the completed job. Do not confuse these Exact Duplicate transformers with the cheap "hit or miss" units flooding the market. Exact Duplicate transformers are in every way equal to the original and properly balanced with other equipment. Insures renewal of the original performance of the set. Priced at the lowest prevailing quotations. tions.

ALL-AMERICAN MOHAWK Lyric 90 £6106 \$3.82 Lyric D & H £6107 5.00 APEX 36, 37 £6108 4.26 20 £6110 4.36 32 £6111 4.56 ATWATER KENT 37, 38 £6111 5.59 £5, 55C (new) £6113 5.59 £5, 55C (new) £6113 5.59 £6, 55C (new) £6114 5.59 H1. H2, L1, L2 £6116 4.12 84 £6117 4.12 84 £6118 4.12 87, 89, 898 £6119 4.12 87, 89, 898 £6119 4.12 87, 89, 898 £6120 BOSCH 29, 825 £6121 5.00 BOSCH 21, 81, 82, 814 81, 83, 33, 334 £6126 4.12 12, 124, 16, 164 18, 184, 33, 334 £6126 4.12 10 £6127 2.79 COLUMBIA S.G. 5 £6128 2.65 S.G. 9 £6131 5.59 EARL Models using 245's £6132 4.12 EDISON Chassis (JR-JC) E6133 2.88 EVEREADY Series 50 £6134 5.29 Series 50 £6134 5.29	Models	No.	MET
APEX 36, 37	ALL-AMERICAN	MOHAW	K
APEX 36, 37	Lyric 90	.E6106	\$3.82
APEX 36, 37	Lyric D & H	.E6107	5.00
36, 37	APEX		
10	36 37	E6108	5 14
20			
32			4.20
ATWATER KENT 37, 38	20	EGIIO	
37, 38. E6112 2.94 55, 55C (new). E6113 5.59 65, 55C (old). E6114 5.73 60, 60C E6115 5.59 H1. H2, L1, L2. E6116 4.12 82, 85	32	.EGIII	4.56
55, 55C (new) E6113 5.59 55, 55C (old) E6114 5.73 60, 60C E6115 5.59 H1. H2, L1, L2. E6116 4.12 82, 85 E6117 4.12 80, 83 E6118 4.12 80, 83 E6119 4.12 80, 83 E6119 4.12 80, 83 E6119 4.12 80, 83 E6120 5.00 BOSCH 29, 825 E6122 5.14 BRUNSWICK 3-NC-8, 5-NC-8, E6124 3.59 14, 21, 81, 82, 821, 81, 821, 81, 82, 821, 81, 82, 83, 83 33A E6124 4.41 12, 12A, 16, 16A, 18, 18A, 33, 33A E6127 2.79 COLUMBIA S.G. 5 E6129 3.95 S.G. 9 E6130 CROSLEY 40-S, 41-S, 42-S, 82-S E6131 EARL Models using 245's E6132 4.12 EDISON Chassis (JR-JC)E6133 2.88 EVEREADY Series 50 E6134 3.50			1
55, 55C (old) E6 14 5.73 60, 60C E6 15 5.79 H1. H1. H2, L1, L2 E6 16 4.12 82, 85 E6 17 4.12 84 E6 18 80, 83 E6 19 4.12 87, 89, 898 E6 19 4.12 87, 89, 898 E6 12 5.00 BOSCH 29, 825 E6 22 5.14 29, 825 E6 22 5.14 29, 825 E6 24 3.59 KR Series E6 24 3.59 12, 21, 21, 21, 31, 82, 314 21, 31, 32, 314 333 334 36 26 4.12 12, 124, 16, 164, 18, 184, 33, 334 E6 27 2.79 COLUMBIA S.G. 5 E6 29 3.95 S.G. 9 E6 30 5.45 CROSLEY 40-S, 41-S, 42-S, 82-S E6 31 5.59 EARL Models using 245's E6 32 4.12 EDISON Chassis (JR-JC)E6 33 2.88 EVEREADY Series 50 E6 34 4.50 5.45	37. 38	.E6112	2.94
55, 55C (old) E6 14 5.73 60, 60C E6 15 5.79 H1. H1. H2, L1, L2 E6 16 4.12 82, 85 E6 17 4.12 84 E6 18 80, 83 E6 19 4.12 87, 89, 898 E6 19 4.12 87, 89, 898 E6 12 5.00 BOSCH 29, 825 E6 22 5.14 29, 825 E6 22 5.14 29, 825 E6 24 3.59 KR Series E6 24 3.59 12, 21, 21, 21, 31, 82, 314 21, 31, 32, 314 333 334 36 26 4.12 12, 124, 16, 164, 18, 184, 33, 334 E6 27 2.79 COLUMBIA S.G. 5 E6 29 3.95 S.G. 9 E6 30 5.45 CROSLEY 40-S, 41-S, 42-S, 82-S E6 31 5.59 EARL Models using 245's E6 32 4.12 EDISON Chassis (JR-JC)E6 33 2.88 EVEREADY Series 50 E6 34 4.50 5.45	55, 55C (new)	.E6113	5.59
H1. H2, L1, L2. E6116 82, 85	55 55C (old)	ESI14	5.73
H1. H2, L1, L2. E6116 82, 85	60, 600	FALLS	
84	THE TENT TO	Felle	
84	00 05	ECILIZ	
80, 83	04, 00	EOII/	
87. 89. 898. E6120 66 (Plate) E6121 5.00 BOSCH 29. 825 E6122 5.14 BRUNSWICK 3-NC-8, 5-NC-8, E6123 5.79 KR Series E6124 3.59 14. 21. 81, 82, 81. 821, 881, 882. E6125 4.41 12. 12A, 16, 16A, 18. 18A, 33, 18A, 33, 18A, 33, 10 E6127 2.79 COLUMBIA E6127 2.79 COLUMBIA E6129 3.95 S.G. 8 E6129 3.95 S.G. 8 E6129 3.95 CROSLEY 40-S, 41-S, 42-S, 82-S E6131 5.59 EARL Models using 245's E6132 4.12 EDISON Chassis (JR-JC)E6133 2.88 EVEREADY Series 50 E6134 5.50	84	. EGIIS	
66 (Plate) E6121 5.00 BOSCH 29, 825 E6122 5.14 BRUNSWICK 3-NC-8, 5-NC-8. E6123 5.79 KR Series E6124 3.59 14, 21, 81, 82, 814, 821, 831, 832, 16125 4.41 12, 12A, 16, 16A, 18, 18A, 33A E6127 2.79 COLUMBIA E6127 2.79 COLUMBIA E6128 3.95 S.G. 8 E6129 3.95 S.G. 8 E6129 3.95 CROSLEY 40-S, 41-S, 42-S, 82-S E6131 5.59 EARL Models using 245's E6132 4.12 EDISON Chassis (JR-JC)E6133 2.88 EVEREADY Series 50 E6134 3.50	80, 83	.E6119	
66 (Plate) E6121 5.00 BOSCH 29, 825 E6122 5.14 BRUNSWICK 3-NC-8, 5-NC-8. E6123 5.79 KR Series E6124 3.59 14, 21, 81, 82, 814, 821, 831, 832, 16125 4.41 12, 12A, 16, 16A, 18, 18A, 33A E6127 2.79 COLUMBIA E6127 2.79 COLUMBIA E6128 3.95 S.G. 8 E6129 3.95 S.G. 8 E6129 3.95 CROSLEY 40-S, 41-S, 42-S, 82-S E6131 5.59 EARL Models using 245's E6132 4.12 EDISON Chassis (JR-JC)E6133 2.88 EVEREADY Series 50 E6134 3.50	87, 89, 898	.E6120	4.56
BOSCH 29, 825	66 (Plate)	.E6121	5.00
29, 825	ROSCH		
BRUNSWICK 3-NC-8, 5-NC-8, E6123 3-59 KR Series	20 825	E6122	514
3-NC-8, 5-NC-8, E6 23 5.79 KR Series E6 24 3.59 14, 21, 81, 82, 821, 831, 822, E6 25 4.4 12, 124, 16, 164, 18, 18A, 33, 33A		LOISE	0.14
KR Series	BRUNSWICH		
14, 21, 81, 82, S14, S21, S81, S821, S81, S82. E6125 4.41 12, 12A, 16, 16A, 18, 18A, 33, 34, 6126 4.12 10	3-NC-8, 5-NC-1	5. E6123	
S21, S81, S82. E6125 12, 12A, 16, 16A, 18, 18A, 33, 33A . E6126 10 . E6127 COLUMBIA S.G. 5 . E6128 S.G. 9 . E6129 S.G. 9 . E6130 CROSLEY 40-S, 41-S, 42-S, 82-S . E6131 EARL Model8 using 245's . E6132 LDISON Chassis (JR-JC)E6133 EVEREADY Series 50 . E6134 3.50	KR Series	.E6124	3.59
S21, S81, S82. E6125 12, 12A, 16, 16A, 18, 18A, 33, 33A . E6126 10 . E6127 COLUMBIA S.G. 5 . E6128 S.G. 9 . E6129 S.G. 9 . E6130 CROSLEY 40-S, 41-S, 42-S, 82-S . E6131 EARL Model8 using 245's . E6132 LDISON Chassis (JR-JC)E6133 EVEREADY Series 50 . E6134 3.50	14, 21, 81, 82, S1	4.	
12, 12A, 16, 16A, 18, 18A, 33, 33A	S21, S81, S82	E6125	4.41
18, 18A, 33, 33A	12, 12A, 16, 16,	Α.	
33A	18. 18A. 3	3	
10	33 A	E4124	4.12
COLUMBIA S.G. 5	10	E6127	
S.G. 5	CON TIME TO	EOIA/	2.79
S.G. 8			
S.G. 9			
CROSLEY 40-S, 41-S, 42-S, 82-S	S.G. 8	. E6129	3.95
40-S, 41-S, 42-S, 82-S		E6130	5.45
EARL Models using 245's	CROSLEY		
EARL Models using 245's	40-S. 41-S. 42-	S. ·	
EARL Models using 245's	82-8	F6131	5 50
Models using 245's	EARL.		0.09
245'sE6132 4.12 EDISON Chassis (JR-JC)E6133 2.88 EVEREADY Series 50E6134 3.50		~	
EDISON Chassis (JR-JC)E6133 2.88 EVEREADY Series 50	moders disin	5	
Chassis (JR-JC)E6133 2.88 EVEREADY Series 50	245 8	E6132	4.12
EVEREADY Series 50 E6134 3.50	EDISON		
EVEREADY Series 50 E6134 3.50	Chassis (JR-JC)E6133	2.88
Series 50 E6134 3.50	EVEREADY		_,,,,
Series 30-40 E6135 5.29		E6134	3 50
Series 30-10 E8135 5.29	Series 20 40	EC 12E	
	Series 30-10	. 20133	5.29



LXANJA	ZIVY	
Models	No.	NET
FRESHMAN		
Q15. Q16. 3Q1	5,	
3Q16	.E6136	5.00
QD-16S		5.29
S-9-A	EAL38	3.06
KNIGHT	. 20100	5.00
S.G. 5	.E6168	2.65
S.G. 8	.E6169	3.95
S.G. 9	.E6170	5.45
Superhet 7 Superhet 9	E81.71	2.94
Supernet 9	,EOI/2	4.70
	Exact du	
tra	ansformer	sare
Pi	oducts	ortne
	rmer Cor	TTRBM-
CITY CITY	usive spec	cialints
in	the trans	former
fie	ld. One	of the
PI	ilco tran	sform-
	s illustra	ted at
le	E C.	
MAJESTIC		
90, 9-P-6 180, 8-P-6 (plate	.E6139	5.09
180. 8-P-6 (plate)E6140	4.35
70, 7-P-6 (plate 70, 7-P-6 (fila) E0141	2.70
ment)	F8142	2.70
180, 8-P-6	E6143	3.73
50 unmounted.	.EB 44	5.59
15-A unmounte	d.E6145	2.35
21, 22, 23 ur	-	
mounted	E6146	5.29 6.23
130 A 230 A 13	0	0.23
90, 100-B 130A, 230A, 13 131, 132, 233. 25, 25-B ur	E6148	6.17
25, 25 - B ur	1 -	
mounted	.E6149	5.29
PHILCO	EGIEC	3,47
20	ERIEL	3.59
65	E6 52	3.59
82, 86	E6153	3.47
82. 86 87	.E6154	3.59
95, 96, 296. 111, 211, 112, 21	.E6155	4.20
111, 211, 112, 21	2	4 44
(245's) 112, 212 (247's).	E6157	4.44
112, 212 (411 3).	. 20.07	7.04

Still another ALLIED service. Through special connections and close contact with the Standard Transformer Corporation, we can Transformer Corporation, we can supply Exact Duplicate power transformers for practically any set on the market. Send for your copy of the special listing of over 200 power transformer replacement units. Write us about your specific transformer needs.

No.

NET

Models

R C A RADIOLA	
80, 82, 86 E6160	1.95
60, 62E6161 44, 46, 47E6162	5.79
17, 18, 33, 51 E6163	3.88
42 49 FRIOI	1.65
42, 48E6101 64, 67E6164	13.23
66E6165	3.88
RCA VICTOR	
RE-75, R-32,	
R-52, RE-45E6102	4.03
RE-39, RE-34, 35,	
57E6100	1.95
SILVER MARSHALL	3.47
750 Sheridan E6167	3.47
SPARTON	
589 E6173 931 E6174	4.12
89-A E6175	6.47
301 E6176	7.06
930E6177	2.94
410, 420 E6178	3.53
25, 26, 26-AWE6179	6.76
STEINITE	
40 E6180 40-C. 41-C, 60-C,	6.17
102-CE6181	6.03
STEWART WARNER	0.05
801, 801-A. 802. E6182	3.82
STROMBERG CARLSON	0.02
641, 642, 652, 654.E6183	5.59
10, 11 E6184	6.17
TEMPLE	
8-60, 8-80, 8-90 E6185	3.67
UNITED AIR CLEANER	
108, 108-A, 110, E6186	3.82
Sentinel 104 E6187	4.85
ZENITH	
50, 60, 70E6188	4.35
10. 11. 12E6189	4.41
Don't	take
Chances in	ti ans-
formerre	place-
ments. Use	Exact





Universal power replacement transformers for midget model radio sets. Physical and electrical characteristics make the transformers listed below adaptable to almost any kind of replacement job on a midget model set. If the type needed is unknown, please order describing set and tubes used.

These quality transformers are also suitable because of their sturdy construction for general replacement work on all types of sets. Coils are of high grade material, the insula-tion of the best and lamination steel of fine quality



Duplicates to insure renewal of

HORIZONTAL MOUNTING

For 5 or 6 '24s, '27s, '35s, 2 '45s or '47s and 1 '26 or '82 tubes, 700 v. C.T. 110 M.A.; 5 v. 2 amp. for 1 '80 or 2.5 v. C.T. 3 amp. for 1 '82; 2.5 v. C.T. 3 amp. 2.5 v. 10.5 amp. Wt., each. 1bs No. E6192. For '80 Recti-

fler. No. E6193. For '82 Recti-fler.

YOUR PRICE, **S2.45** EACH.

For Sets of the Following Manufacturers

500 70. 270-470

Advance Electric Archison Radio Automatic Radio Nathaniel Baidwin Brown & Mathart Cartest Radio Lab. Champion Radio Crosley Radio Ecopobone Radio Mg. Federated Purchaser Filmt Radio L. French & W. Gray & Danielson Griam-Smith Mfs.

Hyatt Elec, Jackson Bell Jewell Mfg. Keller-Pullet Master Radlo Mission Bell National Transformer Pierre Airo Pierce Airo Plymouth Radio Remler Simplex Radio Steinite Transformer Corp. of Amer. Trav-ler U. S. Radio & Telev. Zaney Gill

VERTICAL MOUNTING

For 4 or 5 '27s, '24s, '35s, 1 to 2 '45s, and '47s and 1'80 or '82. 325.325 v. at 60 M.A.: 5 v. at 2 amp. for 1 '80 or 2.5 v. at 2 amp. for 1 '82, 2.5 v. at 9 amp.

No. E6191. For '80 Recti-YOUR PRICE ... \$1.65 No. E6190. For '82 Reetl-\$2.15 YOUR PRICE ...

UNIVERSAL POWER TRANSFORMERS



There is a Universal Power Transformer adaptable for replacement on practically any receiver on the market. Furnished with adjustable mounting frames that permit an adequate range of mounting adjustments for all practical purposes. High quality of material used, careful laboratory controlled production methods, compactness of design, and remarkable adaptability permitting

use in a large group of standard sets, have made these Universal Power Transformers extremely popular. Adequately meets the growing demand for this type of equipment. Heavy duty, for 110 V.. 50-60 cycle A.C. Listings below only partly indicate the extremely wide range of usefulness of this fine line of transformers. Write us for information on any other type required.

For 6-226's, 1-227, 2-171's, 1-280

For sets or power packs using up to the number of tubes specified above. Secondary voltages: 570 volts C.T.-10 M.A.; 5 volts C.T.-12 amp, for 1—230; 2.5 volts C.T.-1.75 amp, for 1—237; 5 volts C.T.-1.75 amp, for 1—237; 5 volts C.T.-1, 45 amp, for 2—171; 1.5 volts-6.3 amp, for 6—226. Size 3½x33½x34.

MANUFACTURERS AND MODELS

A.C. Dayton Acme A.C. 7 Amrad A.C. 7 Arborphone Atwater-Kent

36, 37, 38, 40, 42, 43, 44, 45, 52 Bremer-Tully BT-6-40, 6-41, 7-70, 7-71 Brinowial 7-70, 7-71
Brunswick
5KR, 5KRO,
2KRO, 3KRO,
5KR6, R-1
Columbia Phono.
Ci. C3, C2, C4, 930
Crosley
7044, 704B

Crosley 608, 704A, 704E 706, 610, 600A.C. 41A, 42AC reshman-G. 704B General Motors 5077, 5080

No. E6201 YOUR PRICE Grebe Syncrophase TAC Howard 8 Green Diamond King J, H

Kolster 6K-AC, 7 AC, K-20, 22, 25, 27, 37. K-42

Pilot K 108 RCA Victor 18, 17, 7026 Radiola 17, 18, 33, 50, 51 Splitdorf

Abbey 171 Standard Steinite 261, 262 U.S. Radio & Telev. Zenith-11E, 14E

\$2.38

For5-227'sor224's, 1-245 or 247, 1-280

MANUFACTURERS AND MODELS

Advance -Falck Atchison-12

Automatic Tom Thumb

Raldwin Baldwinette Crosley-Buddy Echophone Radio

Federated urchase Melorad Cathe-dral tone

Flint-All Hyatt-AC-7 Jackson Bell-62 Jewell-M Master 424

> No F6202 YOUR PRICE

For sets or power packs using up to the number of tubes specified above. Secondary voltages: 700 volts CT.-70 M.A.: 5 volts CT.-2 amp. for 1—280; 2.5 volts CT.-1.5 amp. for 1—245 or 247; 2.5 volts CT.-1.5 amp. for 5—227's or 224's. Size, 3\frac{1}{2}'' \text{X}3\frac{1}{2}'' \text{X}3\frac{1}{2}''

National Trans. Balkite

Patterson 5-69, 7-69 Remler Cameo 14

Simplex Steinite

410 Sterling F-1-60

Trav-ler U.S.Rad & Telev. Apex 27

Waltham Zaney Gill Corp.

And Others. \$1.95

For 7-227's or 224's, 2-245's or 247's, 1-280

For sets or power packs using up to the number of tubes specified above. Secondary voltages: 700 volts CT.-110 MA.: 5 volts CT.-2 amp. for 1—280: 2.5 volt CT.-3 amb. for 2—243's or 247's: 2.5 volt CT.-12.25 amp. for 1—227's or 24's. Size. 4\(\frac{1}{2}\)''\(\times \)^2 \(\frac{1}{2}\)''\(\times \)^2 \(\frac{1}{2}\)''\(\times \)^2 \(\frac{1}{2}\)''\(\times \)^2 \(\frac{1}{2}\)''\(\times \)^3 \(\frac{1}{2}\)''\(\times \)^4 \(\frac{1}{2}\)''\(\times \)^3 \(\frac{1}{2}\)''\(\times \)^4 \(\frac{1}{2}\)'''\(\times \)^4 \(\frac{1}{2}\)'''\(\times \)^4 \(\frac{1}{2}\)'''\(\times \)^4 \(\frac{1}{2}\)'''\(\times \)^4 \(\f

MANUFACTURERS AND MODELS

All American-96 D All American—ve Am. Bosch 48, 58, 60 Amrad—81 Atwater Kent 55, 55C Balkite—C.F. Browning Drake 59, 70, 71

Stowning Drake 59, 70, 71 Brunswick 81-82 (panatrope) S-31, 15, 22, 12-SG, 5-14, 821-B.T. SS1-S82

Colonial Radio

32 A.C. Crosley 308, 318, 338, 348, 408, 418, 428, 828 F.A.D. Andrea (Fada) — 25, 35, 40, 41, 42, 44, 46, 47 Freed Eiseman 908 AC, NR 95 AC Freshman — 41, 318, 328, 338, AC, 31-

No. E6203.

32 AC, 41 AC. General Motors—A Grigsby-Grunow Majestic (80-25V) 100, (80-25V) 90B, (80-25V) 100B, 100. (80-25V) 90B. (80-25V) 100B. 130A. 230A. Howard—B.G.A. Kellogg—523-526 King—King Monarch Kolster—930—, K-43 National Carbon

R.C.A. Victor Radiola 15, 47, 66 Silver-Marshall

Silver-Marshall 33A, 34A, 35A, 36A Stewart-Warner 958 A.C. 999 Stromberg-Carlson 641, 642 Temple 8-81, 8-90, 8-91 United Air Cleaner 660, 665C, 444 Apex-48, 41, 42, 46, 47

\$3.15 YOUR PRICE

STANCOR REPLACEMENTS POWER TRANSFORMERS FOR

4 TUBE MODELS

High grade transformers for midget ets. For 2-224's or 227's. 1-245 or 247 and 1-289 or 282. Primary: 110 V., 50-60 cycles. Secondary: 600 V. C.T.-40 M.A.: 2½ volts 5 amps. C.T. for 2-224's or 227's and 1-245 or 247; 5 volts 2 amps. for 1-280 or 2½ volts 3 amps. for 1-282. Mounting area 3x2½". Shpg. wt., 5 lbs.

No. E6204. P-985. 280 rectifier.
No. E6205. P-1281, 282 rectifier.
List Price, \$2.90. YOUR PRICE, EACH.
For 2--224's or 227's. I--245 or I--247 and I--280 or 282. Same as above except high voltage is 700 voits C.T.-50 M.A. Mounting area 213/4,"333%". Slots. wt. 5 lbs.
No. E6206. P-953, 280 rectifier.
No. E6207. P-1283, 280 rectifier.
No. E6207. P-1283, 282 rectifier.
STO TUBE MODELS

For 3 or 4-224's or 227's. I--245 or 247, and I--280 or 282.

For 3 or 4—224's or 227's. 1—245 or 247, and 1—280 or 282.

Primary: 110 volts. 50-66 cycles. Secondaries: 700 volts. C.T.70 M.A.; 5 volts. 2 smps. for 1—280 or 2.5 volts. 3 amps. for 1—280 or 2.5 volts. 3 amps. for 1—280 or 2.5 volts. 3 amps. for 3 or 4—224's or 227's and 1—245 or 247.

Mounting area 34', "33'," Shop. wt., 6 lbs.
No. E6209. P-1284, 282 rectifier.

List Price. \$5.50. YOUR PRICE. EACH.

For 5 or 6—224's or 227's. 2—245's or 247's, and 1—280 or 282.

Primary: 700 volts C.T.-110 M.A.

Secondaries: 5 volts. 2 amps. for 1—280 or 2.5 volts. 3 amps. for 1—282; 2.5 volts. 2 amps. for 2—245's or 247's; 2.5 volts. 10.5 amps. for 5 or 6—224's or 227's. Mounting area, 34'a''x4'ba''. Shops.

No. E6210. P-951, 280 rectifier.

wt. 7 lbs. No. E6210. P-951, 280 rectifier. No. E6211. P-1285, 282 rectifier. List Price, \$6.75. YOUR PRICE, EACH......

\$295

FILTER CHOKES

30 HENRIES

\$1.06 YOUR PRICE

FOR ATWATER KENT Stancor filter choke for Atwater ent, Models 36, 37, 38, 40, 42,

Kent, Mode 44, and 52 Core. %"x%". Iron, 1%"s 1%". Depth. 1%". Unmounted. Shpg. wt., 2 lbs.

No. E6215. List Price, \$1.25. YOUR PRICE...

JEFFERSON TRANSFORMERS FOR CLASS "B" AMPLIFIERS The new Class "B" amplifiers have the distinct advantage of providing with relatively small tubes

reserve of power for an extended volume range PLATE SUPPLY TRANSFORMER

Type 465-151. Designed primarily for use with 282 rectifier to supply required plate voltage for Class 'B'. Amplifier. When operated with 466-190 choke, will work No. 246 Bush-Bush Amplifier at maximum output. Size. 3% 234% 234% bigh. maximum output. Shpg. wt., 6 lbs.

No. E4385 List Price, \$8.75.

Type 464-191. For use with 465-151 plate supply transformer. Filament windings for 282 rectifier, No. 348 driver and 2 No. 246 push-push amplifiers: also additional winding for 8—134 amp. heater fluences. 34 "x34" x14" high. No. E4386. List Price. 55.95. yOUR PRICE

FILTER CHOKES

FILTER CHOKES

FILTER CHOKES

Figure 466-190 is an input fifter choke for use with plate snpply and filement transformers listed above, in Class "B" Amplifiers. Res. 190 ohms: nominal inductance. Is herries. 50 M.A. Capacity 150 M.A. Type 456-200 is a sereral purpose choke but particularly amplicable as second section. "B" Amplifier choke. Res. 190 ohms; nominal inductance. 1 according to M.A. Shok. Wt., 3 lbs. each.

as second section. "B" Amplifier choke. Res. 190 ohm; nominal inductance. 10 henries. 150 M.A. Shor, wt., 3 lbs. each.

No. E4387. 466-190.

No. E4388. 466-290.

No. E4388. 466-290.

List Price. \$3.20. YOUR PRICE EACH.

List Price. \$3.20. YOUR PRICE EACH.

A coupling sither Natural of the control of the coupling sither and the coupling of the coupling of the coupling sither and the coupling of t

List Price, \$2.20. YOUR PRICE......

Type 467-262 is a coupling transformer for all double button carbon microphones. Then ratio 1 to 15, innerlance ratio 1 to 2.000. 211/6. X 34' X31/2" high. Shps. wt., 3 lbs.
No. E4396

List Price. \$3.75. YOUR PRICE.

POWER REPLACEMENT

You can now replace a defective power transformer in most radio sets with a genuine Thordarson replacement power transformer. Each Thordarson replacement power transformer is carefully designed to be as nearly universal in its application as it is possible to make it. The transformers are all supplied for "Thru Chassis" mounting and have soldering lug terminals. Filament windings are designed to meet the requirements of the average set. Thordarson's manufacturing skill and experience insure lasting service. These products reflect finest quality, precision of construction and accuracy of laboratory tests.



MODEL T-5002

Designed for use with midget type radios employing 3—224 k, 227 s, 235 s, one pentode 247 and 1—280. Specifications: Friancy: 12 V, 46 cyc. CT. 5 V, at 2 amps.: 670 V, CT. at 40 M.A. Measures 3% x2 % in. Shps. wt. 5 lbs.

No. E7061. List Price, \$5.00. YOUR PRICE...

MODEL T-4900

Permits the use of four 224's, 227's or 235's, one pentode tube and 1—280. Specifications—Primary: 115 V. 60 cycle. Secondary: 483 V. each side. center-tapped at 70 M.A.; 5 V. at 2. amps. 2.5 V. at 8.5 amps. C.T. 3 % x4 in. Sbpg. wt. 6 lbs.
No. E7060. List Price, \$6.00.
YOUR PRICE.

MODEL T-5003

Built for use with receivers employing three 224's, 227's 235's, two pentode 247's and 1—280 tube. Specifications Primary 115 V. 60 cycles. Secondary: 2.5 V. at 12 amps. T.; 5 V. at 2 amps.; and 760 V. C.T. at 80 M.A. Shpg. C.T.; 5 V wt., 7 lbs.

List Price, \$7.00. \$2.25 No. E7062. YOUR PRICE

MODEL T-3740

A sub-panel mounting unit for heater type tubes and 245's in pushpull. Primary 115 V., 50-60 cycles. Secondary: 2.5 V. center-tapped at 9 amps. for 5-224's, 235's or 227's: 2.5 V. center-tapped at 3 amps. for 2-36's, 750 V. center-tapped at 110 M.A.; 5 V. at 2 amps. for 290. Size 3%x 3%x5%is. In high. Shpg. wt., 7 10s.

No. E7022. List Price, \$6.00. YOUR PRICE...

MODEL T-3381

For 5—'26's; 1—'27; 1-and 1—'80.

ned 1—'80.

Designed for sets using single 171 output stage. Separate winding for first audio tube so that it can be operated at higher plate and bias voltage if necessary. Frimary: 115 V. 50-60 cycle. Secondary: 5 V. at ¼ amp. for 171. 15 V. at 2 amps. for 226 Audio. 5 V. center-tapped at 2 amps. for 280 fil., 600 V. at 60 MA. C.T. 1½ V. at 3 amps. for 3—226 R.F. 2.5 V. at 2 amps. for 227 detector. Size, 3½ x4x4 in. high. Shps. wt., 4½ lbs.

No. F7064. List Price, \$5.00 No. E7064. List Price. \$5.00. \$294 YOUR PRICE.



MODEL T-2971E

For 5—'26's; 1—'27; 2—'71's and 1—'80.
A unit designed for circuits requiring pushpull 171's
and 226 tubes. Primary: 115 V. 50-80 cycles. Secondary:
5 V. center-tapped at ¼ amp. for 2—171: 2.5 V. at 2
amps. for 1—227; 1.5 V. at 1 amp. for 226 first audio:
1.5 V. at 3 amps. for 3—226 R.F.; 5 V. center-tapped
at 2 amps. for 280; 650 V. center-tapped at 70 MA. Size,
3 % x4x4 in. high. Shop; wt., 4 ½ lbs. No. E7065. List Price, \$5.00. YOUR PRICE.

MODEL T-3624E

For 5—'27's or '24's; 2—'46's and '47's, and 1—'80. A unit for heater type tubes and pushpull 245's. Primary: 115 V., 50-60 cycles. Secondary: 730 V. centertapped at 100 M.A.; 5 V. center-tapped at 2 amps. for 280; 5 V. at 3 amps. for 2—245's or 227's. Size. 3%x4 ½x4 ½ in. high. Shpg. wt. 6 1/2 lbs

No. E7063. List Price, \$7.00. YOUR PRICE

THORDARSON CLASS "B" AMPLIFIER PARTS



The release of the type 46 double grid tube and the type 82 mercury vapor rectifier makes possible the construction of an amplifier to deliver 20 watts of audio power most economically. For maximum efficiency, carefully designed coupling transferred and available transferred and the type 46 double grid tube and the type 82 mercury value and the type 46 double grid tube and the type 82 mercury value and the type 46 double grid tube and the type 82 mercury value and the type 46 double grid tube and the type 82 mercury value and type 46 double grid tube and the type 82 mercury value and type 46 double grid tube and the type 46 double grid tube and type 46 double gr pling transformers and extremely good regulation of power supply unit are essential. The following Thordarson products have been especially designed for this type of amplifier:

T-5303 Plate Transformer-400 V. D.C.-200 M.A.

No. E7023. List Price, \$8.00.

YOUR PRICE.

T-5338 Filament Transformer—2.5 V. 3 amp.; 2.5 V. C.T. 9 amp.; 2.5 V. C.T. 9 vo. E7024. List Price, 56.00. \$3.53

No. E7024. List Price, \$5.00. \$3.53

T-2353-A Swinging Filter Choke.
No. E7025. List Price, \$5.00. \$2.94

YOUR PRICE

T-5339 Output 46's Class 'B' to 8

YOUR PRICE

T-5339 Output 46's Class 'B' to 8

YOUR PRICE

T-5349 Output 46's Class 'B' to 8

T-5356 Output 46's Class "B" to 8 or 4 ohms. Wt., 4½ lbs.
No. E7028. List Price, \$5.00. \$2.94

\$4.70 T-5291 Output 48's Class "B" to 10,000 or 5,000 ohms.
No. E7030. List Price, \$5.00. \$2.94

T-5381 Line transformer, 500 to 8 or 4 ohms. Wt., 4½ ibs.
No. E7031. List Price. \$4.50. \$2.65

T-3020 Double button microphone to grid. Turn ratio 1-22.
No. E7010. List Price. \$5.00. \$2.94

T-2876 Coupling transformer. 210. to 2,000 ohms. Wt., 4 lbs. No. E7032. List Price. \$3.00. \$1.76 YOUR PRICE

R-300 Audio transformer. 3-1 ratio wt., 2½ lbs.
No. E7021. List Price, \$4.00. \$2.35

BRUNSWICK REPLACEMENT



POWER TRANSFORMERS Power transformers for replacement on model "D" chassis for Brunswick set models 11, 12, 16, and 33. Transformer specifications: 2½ V. winding for 5—224-235 or center tap.: 5 V. winding for 1—280. Primary leads 105-130 V. Supplied in 25 cycle and 60 cycle types.

No. E 1547. 6070. 60 eycle power transformer.

AUDIO CHOKE

Brunswick 6025 choke, 8,000 ohms, for models specified above. \$1.23

\$4.12 YOUR PRICE. No. E1548. No. E1548 transformer. 8071, 25 cycle power \$5.88 No. E7035. YOUR PRICE.....

THORDARSON FILTER CHOKE

T-5450, for amateur transmitter filter cir-T-5450, for amateur transmitter filter circuits. Will also serse as a modulation choke.

Conservatively rated at 250 M.A., with an inductance of 15 he n r is a.

Mounted in open type frame
with leads brought out directly from coil. Insulated for
2,000 V. Size 3%x34x4%
in, high Wt. 3 lbs.

No. E7033. YOUR

THORDARSON PLATE SUPPLY TRANSFORMER

T-5448. A popular priced plate supply transformer for amatur rad 10 transmitters. Mounted in an open frame with coded leader on both provided transmitters. 100 transmitters.



THORDARSON HIGH POWER TRANSFORMER



For 2—'50's or '10's and 2—31's
Cased and fully shielded.
Delivers 1100 V. A.C. at 5150 M.Y. at 150 M.Y. at 17 d.Y. at 17 d.Y.

QUALITY REPLACEMENT TRANSFORMERS

TRANSFORMERS



An extra large shielded transformer designed to prevent over-heating. Can be safely overloaded 30 per cent. May be used in all sets using 6-226, 227, 2-245, an -245, and 1 280 tuhe,

FOR VICTOR RE-75, RE-32, RE-52, RE-45

Filament secondaries: 2-1½ V, for 226's, 2-2½ V, for 227's and 245's, 1-5 V, for 280. 1 high voit of 400 at each side of center tap (at 150 mils.) Primary 110 V. A.C. 50.60 cycle. Wt., 10 lbs.

No. E6102.

**Tour **Tour

CARTER POWER FORMERS



Compact power transformers adaptable to almost every kind of set on the market. Us us 11 y mounted by cutting hole in chassis base stufficiently large to permit lower part of unit to extend below surface of chassis. Cadmium plated steel half shell.

FOR 4 TO 5 TUBE SETS

Replacement power transformer for receivers using tubes 224, 227, 235, single 245 or 247 and 280. Primary: 117 volts, 60 evoles. Secondary: 650 volts, center tapped, at 45 M.A.; 5 volts, 2 anu, for 1—260; 25 volts, 6.75 amps. Overall size: 3% x21%, Shur, wt. 5 lbs. 0. E 1890. List Price, 34.75, VOLR PRICE.

FOR 6 TUBE SETS

Replacement power transformer for use in sets employing 224, 227, 235, single 245 or 247 and 280 tubes. Primary: 117 V. 60 cycles. Secondary: 650 V., center tapped at 55 M.A., 5 V., 2 mms, for 1—280; 2.5 V. 8-5 amos. Overall size: 3\%"x3\%". Wt., 6 lbs. io. E1891. list Price, \$5.35. \$1.68

FOR 7 OR 8 TUBE SETS

CARTER FILTER CHOKES



No. E 1893. Small. Ideal for use in "midget" receivers. D.C. resistance 550 ohms. Inductance 22 henries at 40 M.A.

nonus. Inductance 27

Chromium Plated Steel

No. E1895. Large Freistance

No. E1895. Large Freistance

No. E1895. Large Freistance

No. E1895. Large Frei large receivers

Nonus large Freistance

No. E1895. Large Freistance

No. E1895

ACME STEP-DOWN TRANSFORMER

Reduces line voltages from 200-240 volts, 50-60 cycle, to 110-120 volts. Sup-plied complete with plus, 8 foot cord and receptagle.

bust by plugging in. Wt. 3 lbs.
No. E 800. Transformer with capacity of 150 to 200 watts. 150 to 200 watts. List Price, \$10.00, YOUR PRICE ...

ICTOR A. B. C. POWER | RADIOLA POWER TRANSFORMERS

FOR RCA MODELS 50-82-86



Built by R.C.A. Victor for the Radiota and Victor models men-tioned. Also suitable for replacement purposes in all sets using six 227, 224 or pentode tubes, two 245's and one 280. There is also suf-ficient voltage for use with television equipment.

ALSO FOR VICTOR RE-34, 35, 39 AND 57
The secondary delivers a high voltage of 700 volts and is center-tapped, 2.5 volts for the six beater and 245 tubes, and 5 volts for the 280 tube. Frimary: 116-120 volts A.C. 50-60 cycle. Equipped with colored moisture-proof leads.

Our price and R.C.A.-Victor construction makes these power transformers ideal for your replacement needs. Ships. wt., 12 lbs.

No. E6100. List Price. \$12.00. YOUR PRICE.

FOR RADIOLA 42 AND 48

Designed and manufactured by R.C.A. for the Radiola 42 and 48 and is also used for Westinghouse. General Electric, Graybar and Victor 14. 15 and 17 receivers. This transformer is also particularly suitable for replacement purposes on all sets using six 227%, 224%, pentode or 245 tubes. Rugged construction and easily identified colored leads.

Specification: Secondary—5 volts for 280 flument: 24 volts at 10.5 amps. for 294, 227, and 345 tubes; high voltage of 700 volts, center-tapped. Primary 100-120 volts, A.C. 50-60 cycle, center-tapped. Dimensions: 44x No. E6101.



KNIGHT-COLUMBIA POWER TRANSFORMERS



S. G. 8 A power trans-former of high grade construction and low price, es and low price, especially designed for replacement in Knight and Columbia S.G. 8 receiver. Supplies 3—224, 2—227, 2—245 and 1—280. Mounted for We 11 the

in metal shlelding. Wt.. 11 1b No. E2300. 110 Voit A.C. YOUR PRICE No. E230 t. 220 Voit A.C. YOUR PRICE \$3.95 \$3.45

FOR S. G. 9 An extremely durable and efficient transformer designed for the Knight and Columbia S.G. 9 receivers. Supplies 4-224, 2-227, 2-245, and 1-280. Shipping weight, 11 lbs.

No. E2302. 110 Voit A.C. YOUR PRICE No. E2303. 220 Voit A.C. YOUR PRICE \$5.45 \$4.95

FOR A. C.-S. G. 5 Power replacement transformers built for the Knight and Columbia Midget 5 Tube Screen Level 1—245 and 1—24



SPARTON POWER

Replacement transformers of unusual high quality for Sparton receivers. Modern design and precision construc-

MODELS

\$\frac{\frac{\frac{\gamma_2}{239}}{\frac{\frac{\frac{\gamma_2}{239}}{\frac{\frac{\gamma_2}{239}}{\frac{\frac{\gamma_2}{239}}{\frac{\gamma_2}{239}}}\$ Delivers: 300 V. each side of center tap: 1.5 V. winding, C.T., for 6-484 or 485 tubes; 1.5 V. winding, C.T., for 1-290 tube. Primary leads, 100, 130 volta \$4.12

No. E7036, YOUR PRICE MODEL 430 Sparton B-2204. Delivers: 800 volts C.T.;
5 V. at 2 amps. C. T., and 3 V. at 8 amps.
C. T. By use of small resisted; 3 V. windins can be decreased to 25 stor use on 224, 227, 245, 235, 551 and Pentode 247 tubes, no. E. Tapped pumary; 100-130 V., 60 cycle A.C. VOUR PRICE

Sparton B-2352, Delivers: 800 V, each side of center tap: 1-1.5 V, winding for 2-281 tubes, C, T; 1-1.5 V, winding for 2-250 tubes, C, T; 1-1.1 V, winding for 3-84 tubes, C, T; 1-1 V, winding for 3-84 tubes, C, T; 1-1 V, winding for 6-84 or 485 tubes, C, T; 1-1 V, winding for 6-84 or 485 tubes, C, T; 1-1 V, 1-1 V, 60 cycle A, C, W, 1-1 Libes, C, T; 1-1 V, 1-1 V, 60 cycle A, C, W, 1-1 Libes, C, T, 1-1 V, 1-1 V, 60 cycle A, C, W, 1-1 Libes, C, T, 1-1 V, 1-1 V, 60 cycle A, C, W, 1-1 Libes, C, T, 1-1 V, 1-1 V, 60 cycle A, C, W, 1-1 V, 1-1

capacity of No. E7035.
YOUR PRICE
We can aupply all types of Sparton transformers, Prices on request.

For Superhets



Power replacement transformers now available for the Knight 7 tube and Knight 9 tube superheterodynes. Reflect high quality of materials used in tion and careful,

construction and careful, their laboratory controlled production methods. Built to give long serv-ice. Mounted and sealed in metal shielding, ready for wiring to recelver

ALSO FOR UNITED AIR CLEANER MODELS

These power transformers are also suitable for the United Air Cleaner Sentinel Super 7 and 9 models. Constructed to supply 2—224. 2—235. 1—227. 1—245. and 1—280 tubes in the 7 tube superheterotyne, and 2—235. 2—247. 2—247. 3—247. Rubbert Specific the 9 tube superheterodyne. Built right —priced right. Shpg. wt., 11 lbs. each. No. E2305. Knight or United Air Cleaner Super 7.

\$2.94 No. E2306. Knight or United Air Cleaner Super 9.

POWER

TRANSFORMERS FOR 4 AND 5 TUBE SETS



An unusual value in power transformers in power transformers for 4 and 5 tube sets. For 4 tube sets.—De-livers: 800 V. C.T.: V. for 1—280: 2½ V. C.T.: for 2—224 or 235's, and 1—247. For 5 tube sets.—De-For 5 tube sets— livers: 650 V. 2 ½ V. C.T.: for C.T.:

5 V. for 1—280: 24 V. 225 or 235's, and 1—247

SOUND CONSTRUCTION

A carefully constructed transformer of excellent quality, ready for mounting. mounting. Its compact size makes it adaptable for installation on any four or five tube receiver covered by the specifications given. Shops, wt., 4 lbs. each. No. E3227.

Four Tube Type. No. E3228. Five Tube Type, YOUR PRICE

\$1.15

AUDIO TRANSFORMERS AND CHOKES



KNIGHT GIANT **AUDIO TRANSFORMER**

STREL CASE SHIELDING
A glant audio transformer. Cleanut construction. Looks at least twice
he price. So designed as to serve as
straight audio also center-tanged the price. So designed as to serve as a straight audio also center-tapped for push-pull amplification. May be used in first and second stages with 227, 231, 232, 171 or 245 tubes. Large core of high grade silicon. Completely shielded in strong and urable steel case. Idea for quality readers of the second of t the price.

Measures 3 ½ "x2 ½ "x2 ½" No. E4380. YOUR SPECIAL PRICE.

Semi-Open Audios

Jentical in characteristics to the Knight giant audio described above except only partly shelded. An efficient transformer at a low price. Only the finest in materials enters into the construction of Knight audios. Impregnated coils give assurance of long life. Mount easily and conveniently. May be used in all standard circuits. 4 In, wide at base. 2 ½ in. high. 1 & 1. (de.) 1. Observed at an exceptionally low price.

in. deep. Offer Wt., 2 1/4 lbs. No. E4381.

PILOT TRANSFORMERS BAKELITE CASE

AUDIOS For any cirest grade parts are specified. Genuine bakeli te, moisture-proof case. 3¹⁸/₅₂ in, high, 2 % in. square. Shpg. wt. 2 lbs.

SERIES 390 NET, EACH E5959 E5960 E5961 31/2 to I \$1.33 filter E5962 394

transf. P.P. input P.P. E5963 399 \$1.78 E5964 401 output imped.

STEEL CASE AUDIOS AND CHOKES

Expert15 constructed transformers and chokes. 9 3 Steel · cases neatly finished

in black lacquer. For quality Average shpg. 2 1/2 lbs.

NO. 422 SERIES
Type
422 2 to 1
425 30 Henry
output choke NET, EACH E5916 E5917 NO. 381 SERIES

38! 3½ to 1 408 P.P. input \$2.73 P.P. output 3.23

PILOT JUMBO POWER TRANSFORMERS



No. E5994. PILOT 398. For receivers employing 226, 227 and 171 tubes. Secondary windings center tapped. Rated 2½ v. at 8 amp.; 1½ v. at 4 amp.; 5 v. at 2 amp.; 5 v. at 60 M.A. Shogs.

VI., 7 lbs.

YOUR PRICE

No. E5993. PILOT 411. For receivers using 224, 227 and 245 tubes. 3 filament windings and one plate windings. Rated 2½ v. at 12 amp.; 2½ v. at 3.6 amp.; 5 v. at 2 amp.; 600 v. at 90 M. A. Sipg. vt., 9 lbs.

YOUR PRICE

\$4.25

VICTOR AUDIO TRANSFORMERS

Especially designed for Models R32, R52, RE45, RE75

Push Pull Input and Output Victor



P.P. Input and Out-put trans-former. Input prim. 2 , 0 0 0

ohms; sec. 18 000 ohms. 500 ohms; sec. 6 ohms, to match moving voice coll on all Dynamic speakers. Used with 171, 245 and 250 tubes. No. E6103. 69c

First Stage

A genuine shielded Vic-tor Audio Transform-



pickup. Secondary 2, ohms. Shpg. wt., 4 lbs.

No. E6104. 45c YOUR PRICE.....

KNIGHT REPLACEMENT **AUDIOS AND CHOKES**



Carefully constructed of the best materials to precise standards. Standard construction makes these chokes and transformers adaptable ces these choices and transformer type of replacement in practically every type of iver. All coils are vacuum impregnated pact size and high quality. Equipped with for replacement in present in preceiver. All coils are vacuum impregnate Compact size and high quality. Equipped with brackets for convenient mounting. Avera size, 3 4 x 2 4 x 1 % in. Shep. wt., about lbs. each. Average

AUDIOS

No. E7050, 2 to 1. Completely shielded in neat metal case with soldering lugs at bottom. YOUR PRICE. 95C
No. E7051. Push-Pull Input. Completely shielded in metal case as above.

\$1.03 YOUR PRICE \$1.03 No. E3910. Interstage Au-dio Push-Pull. 3:1 ratio.

en frame mounting. 840 YOUR PRICE. . .

CHOKES

No. E7052. Push-Pull Output. In open frame mounting. YOUR PRICE..... No. E7053. 13 Henries, 75 M.A. In open frame mount-YOUR PRICE..... No. E7054. 8 Henries, 115 M.A. In open frame mounting YOUR PRICE.

Primary with insulated push-back leads. Secondary, 8 and 15 ohms. Open frame mounting. E3911. Single 245. 73c | E3913. Single Pent. 76c YOUR PRICE. YOUR PRICE.

YOUR PRICE. E3912. P.P. 245. YOUR PRICE.

RCA-VICTOR CHOKE

30 Henry 125 Mils.



YOUR PRICE Philco Audio

Phileo Replacement audio No. 3241 with characterist. ics and in-

connections
for Phileo
65- 86-87. Ratio 4 to 1.
MADE BY JEFFERSON
Sturdy, skilled construction is typical of Jefferson
workmanship. A most effi-

83c

cient replacement unit. Shpg wt., 2 lbs. wt., 2 10s. No. E4406. Vist, \$3.00. YOUR PRICE

Remler Audio



The Rem-ler 905 Audio is in-tended to replace the first audio in any receiver. Built to Remler high stand-

faithfully and at all frequen-cles. Size, 2x2 % x 4". Shps. cles. No. E3720. Regular Value, \$8.00. YOUR PRICE.

JEFFERSON Stepdown TRANSFORMER HO V TO IS VOLT

heavy duty trans former with a primary 110 - 120 volts, 50-60 cycles A.C. Output output 12 volt A.C. at

volt A.C. at 2½ amps. Suitable for "A" eliminators. dynamic speakers, trickle chargers beli ringing and toy transformers. Shop, wt., 4 lbs. No. E44413. Retall Value, \$5.00. \$5c YOUR PRICE.

Knight Universal Replacement Audio dan

An excellently built purpose audio transformer, suitable for use either as a replacement or in the construction of a new receiver. Tone quality and range meet the most exacting require-ments. Compactly built for easy installation.

UNIVERSAL MOUNTING

Constructed of best grade materials. Coils are vacuu pregnated. Can be used in all standard circuits. Easi ounted. Special brackets allow for universal mounting, eat value. Worth many times our price. are vacuum uts. Easily impregnated. mounted mounted. Special transfer along times our price. Street value. Worth many times our price. Wt., 14 lb. No. E5370. YOUR PRICE.

THORDARSON-JEFFERSON TRANSFORMERS

AUDIOS

placement formers designed es-pecially for service men. Incorporates a novel bracket design which permits mounting in any de-sired position. For sired position. For replacing defective, obsolete or burnt out Audio trans-formers in radio sets or amplifying systems and for building

new systems.



A low priced audio coupling transformer of high quality. Compact size. Measures 2%6"x1 ½"x2". Shpg. wt.. 2 lbs. 15.75. YOUR NET PRICE. \$1.03

R 103 Replacement Audio Responds well into the low and high registers without resonant peaks. Universal mounting. Measures 2%"x 1½"x2". Shps. wt. 2 lbs. No. E7017. Retail Value. \$1.18

R 101 Push Pull Input

Equipped with Universal mounting bracket and convenient soldering lugs. Size 2 % x1 % x2". Wt. 2 lbs. No. E7018. Retail Value. \$1.32

R-260

Audio Interstage. Has exceptional tonal fidelity and greater amplification. Compact size. 21% x2x2% Shpg.

1. 2 lbs. No. E7020. Retail Value. \$1.76 \$3.00. YOUR NET PRICE. \$1.76 R-300

Audio Interstage. Employs a core of the famous Thordarson "DX" metal. 2½x2½x3 in. Wt. 2½ ibs. No. E7021. List. \$4.00. No. E7021. List, Se VOUR NET PRICE.



R-400

HORDARSON

CHOKES R-102 Push Pull

Output

For coupling '71 or '45 tubes in push-pull to high impedance speaker or to transformer of transformer 2 % x dynamie 1 % x2". speaker. Shpg. w No. E7002. List, \$2.00.

YOUR NET PRICE ...

R-105 Filter

For replacing filter or speaker coupling chokes carrying 75 Milliamperes. or less. of current. No. E7003. List, \$1.75. \$103. VOUR PRICE

R-196-30 Henry

For use in filter circuits or as an output choke. Cap., 75 M.A., D.C. Resistance, 360 ohms. Wt., 21/2 lbs. sistance. 360 No. E7004. List, \$3.00. NET

Output Transformers



Output transformers Output transformers for special purposes constructed to Thordarson precision s.t.s.n.d. ards. Completely shielded in neat, durable cases. Will couple various types of tubes with dynamic or high impedance 3 ½x3x3 ½ in. Shog. wt.

speakers each. 4 Purpose 210-245 P.P. to voice Type T 2629 E7006 coll. 250-45-71 to 2.000 E7007 T 2901 ohms. 250 · 45 - 71 to dy-

F7008 T 2902 F7000 T 2903

namic voice coil. dynamic voice coil. List. \$4.00. \$2.35

NET EACH
PENTODE TRANSFORMERS
Designed to couple the new power output pentode tube to the voice coil of a dynamic speaker, Size, 2½x2½x 3 in. Ships. wt. 3 lbs.
No. E7015. T 4813. For single 247 Dentode. \$1.76

List, \$3.00. YOUR PRICE...
No. E7016. T-4831. For 2-todes in push-pull.
List, \$3.50. YOUR PRICE... -247 pen-\$2.06

THORDARSON SPECIAL AUDIO



A special Thordarsin value. May be used as a straight a ud io and also center-tapped for push-pull smplification. Serves in first and second stage with 227, 230, 221, 232, 171 or 245 tubes. All audible frequencies reproduced elity. Coil thoroughly imdemoisture proof. Rattogle and a past durable and

REPLACEMENT

with true fidelity. ith true fidelity. Con thorough Ratio eguated and moisture proof. Ratio 1/4-1. Enclosed in a neat, durable and 1/4-1. Enclosed in a neat, durable and 1/4-1. attractive semi-open case. For mountings. Overall dimensions, 3 2 1/4 x 3 in. high. Shpg. wt., 2 1/4 lbs.

YOUR SPECIAL PRICE.... 84C

Thordarson Push Pull Inputs

T-2408—Designed to couple a stage of straight audio amplification into a stage of power push-pull using any of the existing types of power amplifying tubes.

Parties 2-4 Measures 2-5 x No. E704.5 ths. List. \$4.00. YOUR PRICE.....

T-4304—Same as T-2408, but possesses a ratio of 3-1. For use with 210, 245, 247 and 250 type power tubes. No. E7046.


YOUR NET PRICE.....

Thordarson Plate Supply Transformer

Designed primarily to supply A-B-C current to two 210 type power amplifying tubes and B current to the receiver. To be used with two 281 rectifier tubes Conservatively rated. Cool in operation. Primary—110 volts 60 cycle A.C. Secondary—1,120 v. C.T., 2½ anns. 7½ v. C.T., 2½ anns. Measures 4½,x5½ x 5½, Shpg. wt., 18 lbs. Shpg. v No.

List, \$9.00. YOUR NET PRICE.....

Thordarson



T-2357 SingleButton For single button interophones, Primary i mpedance: 200 ohms at 500 cycles. Turn ratio: 64 to 1. Impedance ratio: 4,000 to Dimensions. 2 ¼ "x2 ¼" x2 ¼" high.

Shpg. wt., 2 lbs. No. E7011. \$176 List, \$3.00. YOUR PRICE.

T-3020-Double Button

For use with 2 button microphones. Primary inipedance: 200 ohm each side. Turn ratio: 45 to 1. Impedance ratio: 2,000 to 1. 2½"x2½"x3" high. Shpg wt. 3 lbs.

T-3180-Double Button

YOUR PRICE....

Microphone coupling transformer fur-use with double button Western Elec-tric. Kellogg or other similar micro-phones. Primary impedance: 200 ohms-each side. Turn ratio: 27 to 1. Im-pedance ratio: 750 to 1. 3% "x3"x3%" high. Shpg. wu. 4 bs.

List, \$8.50. YOUR PRICE

\$500

Jefferson Star Shielded Audio



An outstanding value in a high quality audio transformer for any set, A.C. or D.C. Machine wound D.C. Machine wound coll assures uniform-ity and a cc uracy. Transformer is scaled in its case. Shps. mt 2 lbs. 2% "x2 %" in its case. Sh wt., 2 lbs. 2 % "x2 x2 %".

No. E4420. 3 to 1 No. E4421. 5 to 1 YOUR PRICE, EACH 3 to 1 ratio. \$ 18 No. E4391. Shielded Universal Output Transformer. For 112, 171, 231, 233, 238, 245, 247, or 250 tubes in single or push-pull. Wt. 3 lbs. \$276 your PRICE.

Jefferson Universal

Tapped Audio



Very popular for push-pull replacement work on both AC. or D.C. receivers. May be used as straight a u dio by omitting center tap. Mounta with both lugs and leads. Size, 1% x 2 % x2". Shpg. wt., 2 lbs.

No. E4400. List Price, \$1.95. YOUR PRICE.

No. E4392. Universal Tapped Output. Similar in construction to transformer above but of output \$1.95. YOUR PRICE.

JEFFERSON REPLACEMENT AUDIO

A small compact transformer—just the kind to fit into tight places. Its low height makes it a favorite for sub-base installation. The sturdy skilled construction is typical of Jefferson workmanship. The core is of silicon steel with coil ample for all replacement purposes.



Its small size and recognized hish quality makes this audio a favorite with service men. Interest mounting permits installation in the most convenient position, either horizonia, vertical or on end. Size, 2%x2, %x1% in. Shps. wt. 2 lbs. end. Size. 2%x2%x1% An extraordinary value. No. E4423. VOUR NET PRICE. 68c

SENECA QUALITY APPLIANCES



SENECA 1000 WATT **NEW ADJUSTABLE AUTOMATIC IRON**

Full 1000 watt — yet consumes no ore current than a 660 watt iron. ew type high arc thermostat. Lifemore New type high are thermostat. time unit embedded in vitreous car-borundum. 25 heats. Comfortable in use. Standard 6½ lb. weight. Auto-heat control. The housewife will ap-

HEAT PROOF CHINA

PERCOLATOR SET

matic heat control. preciate this new automatic appliance which makes for much greater ease in ironing and at the same time greater economy.

chromium Reantiful Graceful round hood. For every type of fabric. For 110 volts A.C. 7% in. base length. Shps. wt., 8½ lbs. No E6622. Retail, \$5.95. YOUR PRICE ONLY

BREAD AND ROLL TOAST BAKER Something new!

No. E6638. Retail, \$5.95. YOUR PRICE



AUTO FLIP TOASTER



No. E6639 Retail. \$3.95. YOUR PRICE

Handles two full sized slices of bread. Positive turn-over action. Beautifully panelled. Finished in heat tested enamel and chromium. Quality mice heat unit. 7½ in. high. Exceptional value. Shop, wt.



THERAPEUTIC HAND LAMP



No. E6640. Retail, \$2.45. YOUR PRICE ONLY.....

INDICATOR WAFFLE



IRON

saits i me A beautiful me ta i lowboy gracefully designed metal handles. Heat in-dicator tells when to bake. Nichrome units mounted on high quality refractory plate. Ole came offds. Black front panel and porcelain-like finish. Ships. wi., 649 ibs.

No. E6623 Retail. \$5.95. YOUR PRICE 265

Adjustable Automatic Iron

An adjustable automatic that main-

tomatic that main-tains the heat at which the dial is which the dial is or low. Highest quality mica unit. Beautiful round hood. Beveled base, heavy thermostat. Black and wory Chromium plated. She, wt. 8 lbs. handle

YOUR PRICE



AUTOMATIC EGG COOKER

Cooks eggs exactly to your taste. Thermostat-ically controlled. Cur-rent shuts off automa-tically when eggs are done. Cooks from one to

treamy when years are come. Cooks from one to four. Cooks from one to four egs. Beautiful ite handles. Handy aluminum litter ack and torcelain inside cup. Shipping weight, 43 lite handles.

No. E6633. Retail. \$5.95. YOUR PRICE

YOUR PRICE

\$260

SUPER SAFE WETPROOF

HEAT PAD

Interlined with Samsonite, 3 heats. Chinchilla elder-down cover. Patented "Tie Slip" cover included, Measures 12 in x 15 in. Cel-lophane wrapped. With cord and plug. 110-125 volt A.C.-D.C. 55 watts Shipping weight. lbs. lbs. Extremely neces-sary in every home.

No. E6634. Orchid. No. E6626. Green. Retail, Each, \$6.00.



AUTOMATIC TABLE COOKER

Effectively cooks meals at the table automatically. Thermostatically controlled, Handsone chromium plated, Panelled design, Book of complete recipes packed with each Cooker. No fuss—no bother. Good food cooked right always. A great giff item. Sipe. wt., 7 be.

YOUR PRICE

No. E6636.

Heat Heating Pad

Absolutely safe. Ad-justable to 3 heats. Controlled by two Controlled by two thermostats wired in a series. Fluffy eiderdown cover with cushion constructed blanket interlining. Measures 12 in. x 15 in. Complete with the control with the complete with

No. E6621. Retail, \$3.95. YOUR PRICE.



Green in color.

AUTOMATIC WAFFLE IRON

An automatic Waffle Iron almost human in its operation. Light tells when to pour batter and when waffle is done. Thermostatically controlled. Graceful lowboy design; finished in sparkling chromium. Bakelite han-dles that harmonize. Nichrome units.

oles that harmonize. Nichrome units, Die cast aluminum grids. Helghtover all 4 in.; diameter 11 in.; diameter of grid 8 ½ in. For 110 volt A.C. only. Bakelite connector, attachment plugs and 6 ft. Rayon heater cord supplied. Shpg. wt., 7 lbs. This beautiful waffle iron will make a handsome gift that will be treasured in any home.

E6637. RETAIL, \$9.95. YOUR PRICE



FEATURE VALUES IN ELECTRICAL APPLIANCES



ULTRA-VIOLET SENECA SUN LAMP FLOOR MODEL

Radiates health. Seneca quality and dependability is expressed in this handsome Ultra-Violet Sun Lump using the new mercury vapor bulb. Medical authorities agree that the health giving. ultra-violet rays are essential for well being. Beautifully finished in statuary bronze. Complete with Samson Type 140 Sun Lamp Bulb, 8 ft. Cord and special transformer. Height 67 in. Dlam of reflector 11 in. For 110-120 volts A. C., 50-60 cycle, 100 watts. Shps. A. C., 50-60 cycle, 100 watts. Shps. wt. 25 lbs. No. E8800. TABLE MODEL Ultra-Violet SUN LAMP

Ultra-Violet SUN LAMP
The Seneca Ultra-Violet Sun
Lamp, exactly as described
above, in a table model. Health
giving ultra-violet rays emitted
from a lamp which is at once
convenient and lends distinction to lits surroundings. Can
be tilted to any desired angle.
Moreury Vapor Type Sun
Lamp bulb. Height overall
32 % in. Shpg. wt. 15 lbs.
Featured at a Special Low
Price.

E8801 \$10.50 YOU'R PRICE

ELECTRAHOT QUALITY APPLIANCES

When you buy an Electrahot product you are assured of receiving the best value obtainable in electrical goods. The devices listed below make Ideal gifts. Not only beauty, but also efficiency and economy are reflected in these items.

CHROMIUM PLATED FLIP FLOP TOASTER



Inexpensive-hut speaks quality. Toasts two large quality. Toasts two large slices at once. Automati-cally turns toast with lowering of door. Beau-tiful lustrous finish.

Mica Element

Nichrome element

wound on genuine India
cut mics. Toast holders
ste electrically spot-welded. 110-120 volts,
No. E2700.
YOUR SPECIAL
PRICE

DOUBLE SANDWICH GRILL AND TOASTER



Distinctive design—Beautiful Lustrous fin-ish. Two sandwiches grilled at once, all delicious juices preserved. Toasts two slices of bread. Nichrome wire element. 110-120 volts, 400 watts. Shog. wt. 6 lbs.

HEAT INDICATING CHROME WAFFLE IRON

mium plating. Cast aluminum g r i l l s make full plate make full place size waffes.
Heat indicator tells when to bake. Nichrome wire element. Bakelite handles. wt., 6 lbs No. E2702. \$8.50 Value. \$3.35 NEW AUTOMATIC **TOASTMASTER**

The Hand of Magic has been brought into the electrical appliance field with the intro-duction of the sensationally new "Flexible Clock." Simply put in a slice of bread, press down a single lever, and let the "Flexible Clock" take charge.

Completely Automatic

When the slice of toast is exactly as it should be, up it pops and the current is shut off automatically. Enclosed non-radiating d. heavily chromium plated. Shpg. vt. 6 lbs.

oren, handsomely designed, heavily thromium plated. Shop, wt. 6 lbs. No. E2510. 1 Slice Model.
New List, \$11.50. NET EACH.
No. E2500. 2 Slice Model. Shop, wt. 7 lbs. \$7.89
List, \$16.00. NET EACH.

NEW AUTOMATIC WAFFLEMASTER



Delicious golden waffles can now be made right on the ta-ble. Wafflemasble. Wafflemas-ter makes them automatically.

COMPLETELY AUTOMATIC

No guessing—a light signal and automatic thut of make burnt waffles impossible. Warfsigned, high polish chromium finished. Complete with cord and plug. Shpg. wt. 6 lbs. No. E250!. Refall Price. 314.50.

Automatic Electric Eggster

Automatic timing—
Eggs prepared in ½ the
time. Prepare your eggs
right at the breakfast
table. No fussing—no
Cooks eggs with steam.
Cooks eggs with steam
to egg capacity. The circuit is automatically
broken when done. Beautifully designed. M a d e
of borrelain ennamel with a
of borrelain ennamel with a
of borrelain ennamel with a
for the cooks.
100 watts. Shns. wit., 3 lbs
No. E566.

ouplete with crd. For 110 volts A.C. only No. E5662.

ULTRA-VIOLET SIRIAN LAMPS



New—the ultlmate in home lighting. The Arcturus "Sirian" lamp provides both modern illumination and healthful sun-bathing directly from your electric light socket.

No additional equipment required. The beneficial ultraviolet rays are mild absorbed without dangers. Special glass precludes use of goggles.

Safe as the Sun—Use in Any Socket The closest approach to the sun—and just as safe. Fits into any lighting socket on any lighting line, replacing incandescent bulb. Shpg. wt. each. 1 14 lbs.

BLUE GLASS No. Watts NET E570 60 \$1.03 E571 100 1.37 E572 150 1.88 E572 150 E573 300

WHITE GLASS No. Watts NET E574 60 \$0.62 E575 100 .85 E576 150 1.37 E577 300 2.57

9 CUP COLONIAL PERCOLATOR

Magnificently designed—latest type. Instantaneous circu-Distantaneous circu-lation through a double wall valve-less pump, makes delicious coffee quickly. New V-type design. New non-drip spout, eiched motif, engraved base and highly noish 9-cup capacity. Con plete with standard core thinum fines.

capacity. Complete capacity. Complete with standard cord with standard cord set. Makes a beautiect. A useful and distinctive addisal gift. A useful and distinctive addisal gift. Abone. 110 volts, 400 watts.

No. E5663. SPECIAL PRICE

\$3.68 Rapid Ray Heater

Quick heat—Effi-ciency at a low price. The combination of the deep reflector and the quick heating feature makes this a very effective heater. The wide base pre-vents slipping.

Chromium Plated

Brilliant finish of chromium plate reflector chromium piate reflector will not tarnish. Easy to clean. A most faithful servant for those chilly days, at an astoundingly low price. Height 13". Reflector 11 % diameter. 110 volts, 550 watts, A.C. or D.C. Complete with cord.

\$1.35 SPECIAL LOW PRICE ...

Electrahot 600 Watt **Automatic** Iron

Beautifully ehromium plated. Great heat storage dial button at heat required. / automatic

thermostat keeps it there. Streamline, tapered point. Complete with cord. 110-120 volts A.C. only. Shpg. wt., 7

No. E2703. Retall, \$5.95. An Unbeatable value. Each.

265



8-LIGHT MAZDA XMAS TREE OUTFITS

Eight colored lamps on long cord with plug and extension attachment. Several strings of lights may be combined. For standard 110 volt current. With genuine Mazda bulbs.

No. E2915.

YOUR PRICE.

A full extension set with spring contact sockets—bulbs cannot work loose. With 8 Mazda lamps.

No. E2916.

SOUR PRICE

NO. E2914. Box of 10 Mazda Lamps.

YOUR PRICE.

58c

Latest Model Sets INDEX Class 'B' Amplifiers 1 to 8 and 73 to 80 INDEX Class 'B' Amplifiers 24-25-26-27

1 to 8 and 73
"A" CONDENSERS 59
A ABC Power
Packs 25-33 Adapters, Testing, 14-19-58 Tube 19-58 Aerial Equipment, 19-58 Alignment Tools 41-42-43-47 Alignment Tools 12-40 Alignment Tools 24-25-27-68 Audio Transformers.44-68-60 Autio Aerials 48-60
Tube 19-58
Aerial Equipment.
Alignment Tools 41
Amperites
Amplifiers 24-25-27-66
Auto Aeriale 47
Audio Transformers.42-08-09. Auto Aerials
Eliminators 47
Sets 8
Speakers
Suppressors47-54-55
DAFFLES
D Ballasts 12
Ballasts
Cables
Clips
Sets
Rinding Posts 37-38
Blow Torches 39
Chips 388 Sets 6.7-45 Storage 20 Bindling Posts 37-38 Blow Torches 39 Books 32.51-53-55 Bus Bar Wire 46 Buzzers 23
Bus Bar Wire 40
CABLE, BATTERY 46
Connectors 31-36-41-46
Speaker
Capacity Testers 16
Chokes Filter & Output
Connectors 31.36.41-46 Microphone 46 Speaker 46 Capacity Testers 16 Centralab 50.51 Chokes Filter & Output 48.65 to 69 R. F. 34.44 Clarostat 12.49 Clips Shield Grid 40 Clocks 74.75 Code Practice Set 22 Coils Antenna 33.34.44 Forms 34
R. F
Cline Shield Crid 40
Clocks
Code Practice Set 23
Forms 34
Shields 44
Coin Attachments 45
Winder 40 Coin Attachments 45 Condensers. Automobile. 47 Block 59-62 By Pass 59-60-62 Cartridges 59-60 Electrolytic
Block
Cartridges 59-60
Electrolytic
48-68-60-61-62

Filton 19 49 50 60	80
Fired 14 59 50.80	6.2
Midget 35.	.ãã
Pigtail 58-50-60	.61
Filter 13.48-59-60 Fixed 44-58-59-60 Midget 3.5 Pigtail 58-59-60 Variable 3.5 Connectors 31.36-41 Convenience Outlets Converters, Janette Crystal Sets & Parts	-44
Connectors 31-36-41	46
Convenience Outlets	37
Converters, Janette	20
Crystal Sets & Parts	22
DETECTO-LIGHTS Dials 36 Dial Lights Drum Dial Cables	41
Dials	-44
Dial Lights	37
Drum Dial Cables	44
E ARPHONE ADAPTER. Electrad Parts. 52-53 Electric Appliances. 37-70 Clocks. 74 Pick Up Eliminators A & B. Auto. Refills Extension Cords. 42-44	19
Electrad Parts 52-53	-56
Electric Appliances. 37-70	-71
Clocks	-7ē
Pick Up	26
Eliminators A & B	20
Auto	47
Renils	13
Extension Cords42-44	-#0
CAHENSTOCK CLIPS	41
ARENSTOCK CLIEB	28
Field Exciter	41
Flash Lights	40
Friedrice Tape	
Fuces	44
Friction Tape	40
	40
	40
GRID LEAKS	40 54 41
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware 37-39-40-41 Hook Up Wire Horns, P. A. 28 Hydrometer	40 54 41 22 46 -44 46 -29 38
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware 37-39-40-41 Hook Up Wire Horns, P. A. 28 Hydrometer	40 54 41 22 46 -44 46 -29 38
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware 37-39-40-41 Hook Up Wire Horns, P. A. 28 Hydrometer	40 54 41 22 46 -44 46 -29 38
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware 37-39-40-41 Hook Up Wire Horns, P. A. 28 Hydrometer	40 54 41 22 46 -44 46 -29 38
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware	40 54 41 22 46 44 46 29 38 41 -58 55
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware .37-39-40-41 Hook Up Wire Horns, P. A28 Hydrometer INSULATORS Interference Filters. 12 IR.C. Resistors & Kits ACKS37	40 54 41 22 46 46 29 38 41 -58 55
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware 37-39-40-41 Hook Up Wire Horns, P. A. 28 Hydrometer	40 54 41 22 46 46 29 38 41 -58 55
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware .37-39-40-41 Hook Up Wire Horns, P. A	40 54 41 22 46 44 46 29 38 41 -58 55
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware .37-39-40-41 Hook Up Wire Horns, P. A	40 54 41 22 46 44 46 29 38 41 -58 55
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware .37-39-40-41 Hook Up Wire Horns, P. A28 Hydrometer INSULATORS Interference Filters. 12 IR.C. Resistors & Kits ACKS37	40 54 41 22 46 44 46 29 38 41 -58 55
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware 37-39-40-41 Hook Up Wire Horns, P. A. 28 Hydrometer INSULATORS Interference Filters. 12 I.R.C. Resistors & Kits. JACKS 37 Switches 37 KEYS, TRANSMITTING Knobs 36-41-44	40 54 41 22 46 44 46 -29 38 41 -58 55 -38 -38 -38
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware	40 54 41 22 46 44 46 29 38 41 -58 -38 -38 -48 41
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware Hook Up Wire Horns, P. A. 28 Hydrometer INSULATORS Interference Filters, 12 I.R.C. Resistors & Kits. JACKS Switches 37 KEYS, TRANSMITTING Knobs 36-41-44 EAD IN STRIPS.	40 54 41 22 46 44 40 -29 38 41 -58 -38 -38 -38 -48
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware Hook Up Wire Horns, P. A. 28 Hydrometer INSULATORS Interference Filters, 12 I.R.C. Resistors & Kits. JACKS Switches 37 KEYS, TRANSMITTING Knobs 36-41-44 EAD IN STRIPS.	40 54 41 22 46 44 40 -29 38 41 -58 -38 -38 -38 -48
GRID LEAKS Ground Clamps HEAD PHONES Cords Hardware	40 54 41 22 46 44 40 -29 38 41 -58 -38 -38 -38 -48

METERS 16-17-18-20-44
92 96 97 21.45
Adapter
Buttons23-58
Adapter 27-58 Buttons 23-58 Cable 46 Control Unit 27
Plugs and Connectors. 31 Stands 31 Transformers 31-65 Midget Receivers 1-7-22
Stands 31
Midget Receivers
Speakers29-30
NEUTRALIZING TOOL
NECTRALIZE 1002
OHMMETERS 14
Output Meters 17-18
OHMMETERS
Phono Pick Ups. 26
Adapters 58
Adapters 58 Motors 24-26 Photo Electric Cells 11 Pick-up-Fader 51
Pick-up-Fader
Pilot Bulbs 48
Pilot Bulbs 48 Plugs, Analyzer and Phone 14-19-37-38-46 Electric 37-38-58
Electric 37-38-58
Portable Amplifiers 24-27
Sneakers 27-28
Potentiometers49-51-53
Power Amplifiers 24-25-27
Phone .14-19-37-38-46 Electric 37-38-58 Portable Amplifiers .24-27 Phonograph .24 Speakers 27-28 Potentiometers .49-51-53 Power Amplifiers .24-25-27 Packs 33-48-62 to 68 Public Address Systems
DADIO CHASSIS. 4-7-76-78
Sets 1 to 8, 45 73 to 80
Sets. 1 to 8, 45, 73 to 80 Readrite 14-15-16-17
Rectifiers 13 Replacement Condensers 13-48-59-62-63
13-48-59-62-63
Resistors 48
Volume Controls 48 to 33
Resistors 20-48-54-55-56
Resistors 48 Transformers 48.64-65 Volume Controls 48 to 53 Resistors 20-48-54-55-56 Rheostats 44-49
CCREEN GRID CLIPS 40
Screw Drivers 39-40-41
Shielding 46
Short Wave 33

Socket Antenna 36-42 Sockets 36-48 Soldering Irons 40 Spaghetti 46 Speakers 48 Midset 28-29-30 Dynamic 28-29-30
Sockets 38.48
Suckets
Soldering froms 40
Spaghetti 46
Speakers, Magnetic, 28-29-30
Midget 20 30
Demonia 00 00 00
Dynamic20-20-30
Relay 45 Units 30 Portable 27-28 Super Het. and R. F.
Units 30
Portable 27-28
Super Wat and R F
Super Met. and M. F.
Colls
Suppressors 47-54-55
Switches 37-38-44-45-48-58
Coils
Sun Membro
TELEGRAPH KEYS 23 Telephones
Telephones 23-45
Television Tubes 11
Television Tubes AA
Test Buzzers 23
Test Leads 41
Testers and Analyzers
14 to 20 48
The ale
10018
Therapeutic Lamps70-71
Tone Controls
37.45.48.49.58
Transformers Audio
Transformers. Audio
Test Buzzers 23 Test Leads 41 Testers and Analyzers 14 Testers and Analyzers 94 Tools 3940 Therapeutic Lamps 70-71 Tone Controls 37-45-48-49-58 Transformers Audio 44-8-68-69
Coupling
Coupling
Coupling
Coupling
Coupling 28 I. F. 34 Filament 48.65 Microphone 31-65 Output 68.69 Phono 26
Coupling 28 I. F. 34 Filament 48.65 Microphone 31-65 Output 68.69 Phono 26
Coupling 28 I. F. 34 Filament 48.65 Microphone 31-65 Output 68.69 Phono 26
Coupling 28 I F 34 Filament 48-65 Microphone 31-65 Output 68-69 Phono 26 Replacement 44-48-64-67-69
Coupling 28 I F 34 Filament 48-65 Microphone 31-65 Output 68-69 Phono 26 Replacement 44-48-64-67-69
Coupling 28 I F 34 Filament 48-65 Microphone 31-65 Output 68-69 Phono 26 Replacement 44-48-64-67-69
Coupling 28 I F 34 Filament 48-65 Microphone 31-65 Output 68-69 Phono 26 Replacement 44-48-64-67-69
Coupling 28 I F 34 Filament 48-65 Microphone 31-65 Output 68-69 Phono 26 Replacement 44-48-64-67-69
Coupling 28 I F 34 Filament 48-65 Microphone 31-65 Output 68-69 Phono 26 Replacement 44-48-64-67-69
Coupling 28 I F 34 Filament 48-65 Microphone 31-65 Output 68-69 Phono 26 Replacement 44-48-64-67-69
Coupling 28 I F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 48.62 to 68 Step Down 67.68 Transmitting Apparatus. 18-23-41-45-58.66 Trumpets 9-10-11-13-44-48
Coupling 28 I F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 48.62 to 68 Step Down 67.68 Transmitting Apparatus. 18-23-41-45-58.66 Trumpets 9-10-11-13-44-48
Coupling 28 I F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 48.62 to 68 Step Down 67.68 Transmitting Apparatus. 18-23-41-45-58.66 Trumpets 9-10-11-13-44-48
Coupling 28 I. F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 67.69 Power 44.66.465.66.67.69 Power 48.62 to 68 Step Down 77.08 Transmitting Apparatus 18.23.41.45.28.29 Tubes 9-10-11.13.44.48 Shields 9-10-11.13.44.48 Shields 14.15.16.18 Sockets 36.48
Coupling 28 I. F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 67.69 Power 44.66.465.66.67.69 Power 48.62 to 68 Step Down 77.08 Transmitting Apparatus 18.23.41.45.28.29 Tubes 9-10-11.13.44.48 Shields 9-10-11.13.44.48 Shields 14.15.16.18 Sockets 36.48
Coupling 28 I F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 48.62 to 68 Step Down 67.68 Transmitting Apparatus. 18-23-41-45-58.66 Trumpets 9-10-11-13-44-48
Coupling 28 I. F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 44.8.64.65 to 68 Step Down 67.68 Transmitting Apparatus. 18-23-41-45-58-66 Trubes 9-10-11-13-44-48 Shields 50ckets 36.48 Tubing 374 Tubing 344
Coupling 28 I. F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 44.8.64.65 to 68 Step Down 67.68 Transmitting Apparatus. 18-23-41-45-58-66 Trubes 9-10-11-13-44-48 Shields 50ckets 36.48 Tubing 374 Tubing 344
Coupling 28 I. F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 44.8.64.65 to 68 Step Down 67.68 Transmitting Apparatus. 18-23-41-45-58-66 Trubes 9-10-11-13-44-48 Shields 50ckets 36.48 Tubing 374 Tubing 344
Coupling 28 I. F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 44.8.64.65 to 68 Step Down 67.68 Transmitting Apparatus. 18-23-41-45-58-66 Trubes 9-10-11-13-44-48 Shields 50ckets 36.48 Tubing 374 Tubing 344
Coupling 28 I. F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 44.8.64.65 to 68 Step Down 67.68 Transmitting Apparatus. 18-23-41-45-58-66 Trubes 9-10-11-13-44-48 Shields 50ckets 36.48 Tubing 374 Tubing 344
Coupling 28 I. F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 44.8.64.65 to 68 Step Down 67.68 Transmitting Apparatus. 18-23-41-45-58-66 Trubes 9-10-11-13-44-48 Shields 50ckets 36.48 Tubing 374 Tubing 344
Coupling 28 I. F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 44.48.64.65.66.67.69 Power 48.62 to 68 Step Down 67.68 Transmitting Apparatus. 18-23.41.45.58.66 Trubes 9-10.11.13.44.48 Shields 25.60kets 36.48 Tubing 37.48 Trubing 37.48 Trubing 37.48 Trubing 37.48 Tubing 37.48 Tubin
Coupling 28 I. F 34 Filament 48.65 Microphone 31.65 Output 68.69 Phono 26 Replacement 67.69 Power 44.66.465.66.67.69 Power 48.62 to 68 Step Down 77.08 Transmitting Apparatus 18.23.41.45.28.29 Tubes 9-10-11.13.44.48 Shields 9-10-11.13.44.48 Shields 14.15.16.18 Sockets 36.48

WUNDERLICH COILS. Wire41-43-46

HOW TO ORDER FROM THIS CATALOG

Use Our Order Blanks

Send your orders to us on the convenient order blanks found in this book. It will help avoid mistakes and facilitate rapid shipping. Rush orders sent by telephone or telegraph will be given special attention.

Parcel Post Shipments

If shipment by parcel post is desired please send addi-tional remittance to cover Postage; any surplus will be promptly refunded. If insufficient remittance is enclosed it will be necessary to send C.O.D. for the balance.

Express

If you have an express agent at your station it is sent by freight if rapid shipment is not necessary order. If there is no express agent, include transportation charges with your order. All express abilipments are insured. It is preferable to ship radio sets and bulky merchandise by express. All shipments concapters. All shipments concapted the shipped express or freight agent, do not send shipment have been appealed station send advance charges. Any balance will be promptly refunded.

Freight

Foreign Orders

All foreign orders must be accompanied by at least 50% resultiance in U. S. exchange, Grders for less than \$25.00 must be paid for in advance. All quotations net, F. O. B. Chicago.


Foreign orders receive preferred attention and are packed to insure prompt and safe delivery.

Figure Your Parcel Post Charges From This Chart

Parcel Post Rates

Packages Under 8 Ounces, Allow 11/2¢ Each 2 Ounces

	ZONES							
WEIGHT,	First, Up to 50 MILES	Second, 50 to 150 MILES	Third, 160 to 300 MILES	Fourth, 300 to 600 MILES	Fifth, 600 to 1000 MILES	Sixth, 1000 to 1400 MILES	Seventh, 1400 to 1800 MILES	Eighth, Over 1800 MILES
1 2 3 4 5	8¢ 10¢ 11¢ 12¢ 13¢	8¢ 10¢ 11¢ 12¢ 13¢	9¢ 11¢ 13¢ 15¢ 17¢	10¢ 14¢ 17¢ 21¢ 24¢	11¢ 17¢ 22¢ 27¢ 33¢	12¢ 19¢ 26¢ 33¢ 40¢	14¢ 23¢ 32¢ 41¢ 50¢	15¢ 26¢ 37¢ 48¢ 59¢
6 7 8 9 10	14¢ 15¢ 16¢ 17¢ 18¢	14¢ 15¢ 16¢ 17¢ 18¢	19¢ 21¢ 23¢ 25¢ 27¢	28¢ 31¢ 35¢ 38¢ 42¢	38¢ 43¢ 49¢ 54¢ 59¢	47¢ 54¢ 61¢ 68¢ 75¢	59¢ 68¢ 77¢ 86¢ 95¢	70¢ 81¢ 93¢ \$1.03
11 12 13 14 16	19¢ 21¢ 22¢ 23¢ 24¢	19¢ 21¢ 223¢ 223¢	29¢ 31¢ 33¢ 35¢ 37¢	45¢ 49¢ 52¢ 56¢	64¢ 70¢ 75¢ 80¢ 86¢	82¢ 89¢ 96¢ \$1.03	\$1.04 1.13 1.22 1.31 1.40	1.25 1.36 1.47 1.58 1.69
16 17 18 19 20	25¢ 26¢ 278¢ 229¢	25¢ 26¢ 278¢ 2229¢	39¢ 41¢ 43¢ 45¢ 47¢	63¢ 66¢ 70¢ 73¢ 77¢	91¢ 96¢ \$1.02 1.07	1.17 1.24 1.31 1.38 1.45	1.49 1.58 1.67 1.76 1.85	1.80 1.91 2.02 2.13 2.24
For Each Additional Pound Add	1¢	1¢	2¢	31/4	5¢	7¢	9¢	11¢



New Superphonic Tubes POWER PENTODE RECEPTION

The 1933 Knight 10 incorporates the famous new Double Pentode Power Audio Circuit licensed by RCA, Westinghouse, General Electric, and affiliated This new radio development means double companies. This new radio development means adultie power, keener semaitivity, absolute selectivity. Not only does the Double Pentode Audio produce a greater noiseless volume but it spreads over a far wider range of frequencies leading to true tonal reality. Double Pentode power and the mew triple grid Super-phonic tubes make the amazing Knight 10 circuit possible.

SUPERHET AT ITS BEST

Everything that is best and newest in radio today is found in the Knight 10—Seven Super-phonic tubes for quiet, super-sensitive, economical operation; Au-tomatic Uniform Volume Control to prevent blasting and fading and to equalize volume; Inter-station Noise Suppressor to silence static and noise; Full Range Tone Control; unique Spot-light Tuning Visual Dial: and the Bl-acoustically arranged Jensen Dual Dynamic Speakers, for perfect tonal rendition. For detailed chassis description, see pages 76-77.

The new Inter-Station
Noise Suppressor renders
quiet operation between stations; cutting out terference.

BEAUTY

The beautiful cabinet is of the new 6 leg design, with matched walnut of panel, and lacewood over-lays. 42 in, high, 24 1/4 in. wide, and 13 in, deep.



Two Bi-acoustic oversized Jensen speakers especially designed for the Knight 10. effectively master the complete tonal range. One speaker records the high notes, and the other registers the low end of the scale. The result is amazing, because many of the minute overtones lost in most radios are captured clearly and reproduced faithfully.

TRIPLE GRID POWER

The newest thing in radio is the Super-honic triple grid tube. The Knight 10 enphonic triple grid tube. The Knight 10 enploys these tubes with wonderful results. They double sensitivity and selectivity, cover the widest tone range yet possible, create tremendous reserve power, economize in power consumption, and operate more quietly.

WITH R. C. A. TUBES

The Knight 10, complete with the following genuine RCA tubes: 3-56, 1-57, 3-58, 2-47, 1-80. No. E9743.

Retail Price, YOUR PRICE

COMPLETE LESS TUBES

The Knight 10 is offered here complete in cabinet, with speaker, but without tubes. No. E9742.

Retail Price, \$87.50.

YOUR PRICE ..



A SUPER VALUE

This year, more than ever before, it has become apparent that quality must be sustained at the highest level possible. and at the same time at a price that will fit the times. The Knight 10 attains that

LIGHT FULL VISION DIAL ...



We bought 20,000 fine electric clocks for cash. We pass the enormous savings on to you line of real electric clocks built by the house of Lincoln which has already served over two illinon satisfied users. Variety, quality, and price feature this smashing presentation. Clocks million satisfied users. million satisfied users. Variety, quality, and price reature tins smasning presentation. Clouds for every purpose, clocks for every occasion, decorative as well as business-like, and at prices below cost of manufacture, warrant carrying large stocks. Stock up on the complete Lincoln line. Buy in quantities. Better your profits. Write for special quantity quotations today.

FULL 14 INCH TAMBOUR

Mahogany Finish

accurate Lincoln movement contained in a quality case of excellent mahogany finish. Dimensions, 14 in. long, 5 ½ in, high. Dial 3 ½ in. with gift bezel and convex lens. Sweep second indicator hand. Supplied with 6 cord and plug.

A \$6.00 Value

A smart appearing Tambour elec-tric clock. Appropriate for mantel or secretary. Beautifully made and proportioned, and a delightful surprise at the price. Ideal for the holiday trace. Will sell at handsome profits. Shpg. wt. 4 lbs.

No. E3256. RETAIL LIST, \$6.00

SENSATIONAL PRICE. EACH ...

95

at one-half the usual distributor's price. Of bakelite, attractively finished in Walnum us it haluminum 3% in. dial. Sweep

ELECTRIC

A very hand-some easy to operate, electric alarm clock and at one-half the

Second Hand



BAKELITE CASE

ALARM

MOULDED CASE UTILITY MODEL



Great value and beauty. Must be seen to be really appre-ciated. The per-fected Lincoln Electric move-ment in a walnut ment in a walnut Molded Novalite case with clear crystal lens and attractive Sepia attractive Sepia Tone Numerals. Well dimensioned measur-

4 in. high and 4 in. wide. Flasher Flasher type indicator a and plug. A smashing value, certain to sell and with enormous profits. Shpg. wt. 2 lbs. No. E3258.
YOUR SPECIAL PRICE.

Store and Office Clocks Will attract



will attract
attention
everywhere.
Easy to read.
Always accurate electric
time. Of metal
with statuary
bronze finish.
Metal dial and finish. Metal dial and sweep second in dicator. Double Double strength glass

25

lens. In three convenient prices that can't be beat.

No. E3251. 9 Shpg. wt., 6 lbs. LIST NET 9 in. Dial.

No. E3252. 12 in. Dial. Shps. wt., 9 lbs. Shpg. wt.. LIST NET

SQUARE

No. E3253, 15 in. Dial. \$6 Shog. wt., 1 LIST NET

DELUXE TABLE MODEL



Another bean-Another beamtiful Lincoln
Clock. Always
accurate electric
time. Of attractive Walnut
Monided Novalite, with lens
of convex cryslite, with of convex cras-tal and spun silver finish dial. Dimensio ns :

with

5¼ in. high, b Shpg. wt., 3 lbs. base 6 in. No. E3261. YOUR PRICE

ART MODEL

Of unusual design, oblong in shape with moderne lines. Absolutely correct time always — direct from the electric socket. The Lincoln synchronous movement is coln synchronous movement is housed in a rich Walnut Novalite case, set off by a deep set oblons dial and oblons crystal lens with strikingly formed numerals. Height 5 ½ in., base 4 in. Shpg. wt., 3 lbs.

OOK AT THIS PRICE!



Mahogany fin-ish wood case. 15 % in ches square; 14 in.

MODEL Another 10 popular store and office elec-tric clock. The fine Lincoln movement in a

in, strength square metal dial; double strenglass lens and sweep second hand. extraordinary value.


No. E3254. Retail Value, \$15.00. YOUR PRICE ONLY...

A BEAUTY NO. 80-



Exact time from the electric lights socket. Costs but a trific to operate. In Moulded Novalite, walnut finish: spun silver 3% in. dial convex crystal lens. Height 5% base 5% in. Shpg. wt., Slbs. No. E3262. A SMASH-ING VALUE. ONLY.





Genuine Lincoln Electric Clocks at prices way under the manufacturer's costs. We bought 20,000 clocks at once and for cash. Our savings are your savings! This great electric clock presentation consists of beautifully patterned cases containing the famous This great Lincoln synchronous electric clock movements. volt A.C. light sockets, universal practically ev Constant correct time from any 60 cycle, 80 to 135

A.C. light sockets, universal practically everywhere.

bother, no fuss—accurate service day in and day out, once the plug is inserted in the A.C.

socket. Prices are way down. Place a clock in every room. There is one for every purpose

lace. Buy in quantities and save money. Order samples today and ask us for quantity prices. No bother light socket. and place.

SUPER VALUE KITCHEN CLOCKS All Metal

11 12 1 Model @

A fine electric clock suitable for either kitchen or office. Another outstanding Another price value. of metal, dura-bly constructed

for long time service. 8 in. square. Easy to read—embossed numerals. No glass to break. Flasher indicator. Supplied with 6 ft. cord and plus. Shpg. wt. 4 lbs.

No. E3263. Green. No. E3264. Ivory. NET, EACH, ONLY.

DeLuxe Model

A neat, wall model electric clock, ideal for kitchen use. Durable metal case in beautiful finishes. Full 9 inches square. Buff ful

dial and crystal lens. In two attractive colors, complete with 6 ft, cord and plus. Available in two models. Shpg. wt., 4 lbs. each. Sweep Second Hand

No. E3265. Ivory. No. E3266. Green. List, \$3.50. YOUR PRICE, EACH

Flasher Model

No. E3267. Ivory. No. E3268. Green. YOUR PRICE....

DELUXE ALARM CLOCK BAKELITE CASE



Attractive mod-erne design. Effi-cient electric time always. Ideal for bedroom use disturbing tick. Gentle buzzer

08

Walnut Bakelite

Of bakelite, smoothly finished in walnut. 3 1/2 in. silver finish dial 3 1/2 in.

suver finish dial
lens. Sweep second indicator hand. Size
6 % in. high. base 5 % in. Supplied
complete with 6 ft. cord
and plug. Shpg. wt. 3
lbs.

No. E3257. YOUR SPECIAL PRICE

QUANTITY PRICES

Increase your profits. Carry display stocks for rapid sales. These beautiful clocks will sell twice as fast when properly displayed. Suggested as sale builders for other lines or as premiums. We then the date of the control of the

GOTHIC MODEL



A genulne lectric clock at the season's most sensational price. For per-sonal use; sell for large profits; exploit ness. give clocks to your cus-tomers as

The cost is small, Walnut. or prizes. The cost is small. Wainut. 5½ in, high, 4 in, base, 2 in, deep. Shpg. wt., 2 lbs.

\$2.50 VALUE No. E3255. A SUPER VALUE. ONLY



The Aristocrat of electric time pieces. Style and quality at an unequalized pricting and quality at an unequalized pricting and the property of the property o

CLOCK MOVEMENTS

Lincoln synchronous electric clock movements completely assembled ready for case mounting. Furnished with all necessary screws and nuts and six feet of cord and Dlus. Rear start and set, Change to correct and economical electric time at small cost.

To Replace Spring Wound

Mevements: Type CW



A movement extensively used in marble and Tambour clock cases as well as for mirror frames, lamps, etc. Dust proof housing. proof

proof housing.
3% in. diam. 1% in. deep, 4 in. bezel. Couvex crystal lens. Flasher type indicator. Shpg.
Wt. 2 lbs. No. E3277. YOUR PRICE

Type DW

With dial and back plate—for Tambour, wood and marble cases. 4 in, bezel. Overall depth 2% in, back plate diameter 4% in. Convex crystal lens and flasher type indicator, Shpg. wt., 2 lbs.

No. E3278 YOUR PRICE.....

Type J

Large dial and bezel — 5½ in. dia., 2% in. deep with back plate. Diameter of back plate, 4½ in. including flange. Aluminum dial with embossed numerals. Convex crystal lens. Sweep second hand. Shpg. wt., 3 lbs.

95 No. E3279 YOUR PRICE....

Grandfather Clock Movements with Dial

A complete cabinet unit - comprising a handsome bronze etched square dial and movement as sembly ready to install in Pier and Badio Cabinets, Secretaries. Desks, etc. Full a weep second hand. Graceful skel-eton hour and min-ute hands. Rich ap-



pearance.	Wt., 5 lbs.	-	
No. E32	80.		62 25
7x7 in.	dial		\$2.35
No. E32	81.		4 95
8x8 in.	dial		. 4.03
No. E32	82.		2.25
9 x9 in.	dial		3.35

CONVENIENCE AT LOW

KNIGHT 100 tube



FULL RANGE TONE CONTROL

EXTREME **OPERATING EFFICIENCY**

The Supernet circuit of the angint 10 is needed by R.C.A. Westinghouse Electric, and affiliated companies. This means that it embodies every single new radio feature yet developed by the best engineering skill in the world. The new Super-phonic tubes increase efficiency. Automatic Uniform Volume Control prevents blasting and fading. Inter-station noises and static are eliminated by the Inter-station Noise Suppressor. Tuning is made simple by the unique Spot-light Full Vision Dial. Full Runge Tone Control and the Bi-accustic speaker arrangement produce the most collimatic real tone in radio. And all those wonderful results are applied in a solicity of the control of the superney of the control of brilliantly real tone in radio. And all these wonderful results are achieved in a compact shielded chassis measuring 13 in. wide, 9 ½ in. deep and 7 in. high. PENTODE

GRID

TUBES

AUDIO POWER The new Double Pentode type audio circuit is fea-tured in the Knight 10. Its characteristics are a greater undistorted power output, and an ability to reproduce tone as flawlessly and acas at high.

PERFECTED TONE CONTROL

A MATCHLESS SUPERHETERODYNE

The Superhet circuit of the Knight 10 is licensed by R.C.A.. Westinghouse Electric,

You can accentuate the tones you desire to hear by the simple manipulation of a perfected Tone Control which emphasizes treble. bass or intermediate as you prefer them. It gives an individual touch to radio performance.

SPOTLIGHT TUNING DIAL

DYNAMIC

SPEAKERS

Note the ease with which you bring in station after station, and the unerring accuracy of the unique full vision spotlight dial. Each station's number is brightly illuminated as it is reached. Tuning is therefore easy and pleasant.

NEW PENTODE TUBES

The use of the new Super-phonic tubes in the Knight 10 assures kreater selectivity and sensitivity, quieter operation, improved volume control, better tone quality, and real economy in reduced power consumption. 1-58 tube is used in an R.F. stage. 1-57 in the First Detector, 1-58 as Oscillator, 2-58 as I.F. Amplifier, 1-58 as Second Detector and A.V.C., 1-56 as First Audio, 2-47 as Double Pentode Output, and 1-80 Rectifier.

COMPLETE, LESS TUBES

The Knight 10 chassis is offered here with Jensen Dual Dynamic speakers, but without tubes.

No. E9740. Retail Price. \$65.00. YOUR PRICE

COMPLETE WITH RCA TUBES

Here is the Knight 10 chassis with Dual Jensen speakers and 3-56, 1-57, 3-58, 2-47, and 1-80 RCA tubes.
No. E9741.

\$2.718

Retail Price, \$79.75. YOUR PRICE

MATCHED DUAL DYNAMIC SPEAKERS

SUPERHETERODYNE

Flawless Performance

Every ounce of engineering genius available has been concentrated on the new Knight 10. The results are amazing. Consider the quiet Automatic Volume Control which eliminates blasting and fading. Notice Control which eliminates blasting and fading. Notice the new Interstation Noise Suppressor which abolished noise and static between stations, and also the new Super-phonic tubes, operating more quietly and with double the sensitivity and selectivity hitherto possible. All of these features built up masterfully around the RCA Licensed Superhet circuit, assure you long-lived radio pleasure

Exquisite Console

A fine radio receiver deserves a fine console. The cabinet pictured at the right is a veritable mastercabinet pictured at the right is a vertable masterpiece of furniture-making. It features six beautifully
turned legs braced by a graceful curved stretcher.
The front panel is of splendidly matched walnut
fanked by curved pilasters. A shaped stretcher and
a cut-out grille further enhance the rich design. The
cabinet stands 41 in. high and is adapted acoustically
for use with the dual speakers of the Knight 10.

Power to Spare **Sparkling Tone**

The advanced superheterodyne circuit achieves The advanced superheterodyne circuit achieves surging volume and power far in excess of normal demands. It is always under control by means of the Automatic Volume Regulator which prevents blasting and fading. With this flavless background of power, Knight tone is exquisite, real and vital, projected through Dual Dynamic-Speakers arranged to handle the whole range of tonal frequencies. Then, too, perfected Tone Control further completes your radio pleasure. There is a distinguished difference in the broadcast reception of the Knight 10 that you will be quick to perceive and enjoy.

New Super-phonic

Triple Grid Tubes Seven of the new type triple Screen Grid Super-phonic tubes are employed with a mighty effect in the Knight 10. They double the sensitiv-ity, create keen-cutting selectivity, make possible perfect quieter operation, greater economy, vast reserve power, and above all, a purity of tone that aspires and attains to reality. There is an absolutely new quality of tone and power punch in the Knight 10 superhet that is unapproachable in other radio sets not using the new-est super-phonic tubes. You can be proud of the Knight 10.
It is new in every respect and
out in front of the radio field.

Interstation Noise Suppressor

A wonderful new device has been incorporated in the new Knight 10 circuit. It is the Interstation Noise Suppressor regulated from a knob on the front panel. It rejects noises and static between stations and allows you to tune from one program to another with absolutely quiet operation, free from disturbance and hum. This device contributes remarkably toward preserving the wonderfully pure tone which is inherent in Knight performance.

Complete Less Tubes

The Knight 10 is offered in the console pictured above together with dual Jeusen speakers but without tubes.

No. E9744. Retail Price,

Complete with RCA Tubes

Here the Knight 10 is offered complete in console with dual Jensen speakers and 3-56, 1-57, 3-58, 2-47, and 1-80 RCA

tubes. \$124.75. YOUR PRICE....

Supersensitive Dual Speakers

Every new Knight 10 is equipped with two famous Jensen dynamic speakers in dual arrangement, designed to operate bi-acoustically and to handle adequately the tremendous output of the circuit. These speakers equately the tremendous output of the circuit. These speakers are scientifically pitched, one to cover the higher register, the other to include all of the lower frequencies. You will marvel at this intest radio innovation and be impressed with the wonderful manner in which it makes sheer tonal realism of the air waves which it picks up. Knight 10 tone is further enhanced by the Full Range Tone Control which lends an individual touch to the performance, emphasizing subtly high or low notes as you may desire.

COVERS ENTIRE AUDIBLE RANGE.



the minute overtones that other radios cannot get. Class "B" Power makes the Knight 12 a musical instru-ment with true tonal character.

new Knight 12. It sup-presses back-ground noises so that you may tune now from station to station with absolute silence between each. The Suppressor rejects all static and noise,

NEW SUPER-PHONIC TURES

The new type Triple grid tubes make quiet Automatic Volume Control possible in the Knight 12. This wonderful feature prevents blasting and fading. Peaked efficiency and greater power are assured with the new tubes. They afford, in addition to 20 watt output, a wider tonni frequency spread than ever before possible. This means infinitely better tone quality, with every original overtone faithfully retained.

original overtone faithfully retained.

BI-ACOUSTICS

Each Knight 12 is equipped with twin over-sized Jensen speakers in dual arrangement. They are designed to reproduce faithfully both low and high notes at minimum or maximum volume, and they do full remoducing intrifull reproducing justice to the wonderful output of the receiver. You will note the difference the minute you hear the Knight 12.

DUAL OVERSIZE SPEAKERS

Chassis Less Tubes


Here the Knight 12 Chassis is of-fered together with Dual Speakers but less tubes.

Retail Value, \$90.75 YOUR PRICE

With RCA Tuber

The Knight 12 Chassis and Speakers with 5— 56, 1—57, 3—58, 2— 46, and 1—83 RCA tubes. No. E9751.

Retail Value, \$108.50. YOUR PRICE



EW TYPE TUBES · POWER · TONE ·

SUPERHETERODYNE

SUPER POWER RADIO

Nothing has been omitted from the new Knight 12 in the desire to place it at the front in radio. Consider its astounding features—its

12 new type Super-phonic tubes—its true Class

"B" amplification with 20 watts of undistorted

output and the widest tonal sweep yet attained

its quiet Automatic Volume Control, Full Range

Tone Control, three audio stages—its Dual Dynamic Speakers, Mercury Vapor Rectifier. Spot
light Tuning—and its wonderful and Indiana. light Tuning—and its wonderful new Inter-station
Noise Suppressor. These are amazingly new, and
they place the Knight 12 at the top for power and

NEW 6 LEG CONSOLE

An incomparably beautiful cabinet model An incomparably beautiful capine t model has been chosen to house the new Knight 12. The pilasters are of curved matched butt wainut and maple burl, with apron of lacewood and an exquisitely matched butt wainut radio panel. The quarter doors are of matched wainut set off by lacewood arch and frame. The cabinet stands 47½ in. high, 25 in. wide, and 15 in. deep. The reproducer chamber is perfectly baffled for the finest acoustical results in connection with the Dual Dynamic Speakers.

SPECIAL NEW 46 DRIVER AUDIO STAGE

All possibility of power tube overload is overcome by the use of the new 46 Super-phonic tube. It makes available a vast reserve power with greater economy in current consumption, and efficiently prevents blasting, rattling, and distortion. New attainments in tone quality are therefore possible with a much wider fidelity range unparalleled in other sets using other tubes.

1 MICROVOLT SENSITIVITY

The marvelous sensitivity of the Knight 12 is rated at one microvolt per meter, which means an unprecedented ability to reach out over vast dis-tances with great ease. The natural selectivity of the set does away with interference even from high powered local stations.

GIANT DISTANCE RANGE

The new Knight 12 is in every sense of the word, master of the air. It tunes from 175 to 550 meters, and within that range, is capable of bringing in far-distant stations with magic case and power. You will enjoy the thrill of reaching out into space and pulling in the faintest of radio signals. You will be amazed at the ability of the Knight 12 to build these signals faithfully and realistically to powerful clear volume. Thrill to powerful clear volume. Thrill to Knight power

and distance cov-



NEW LOW PRICE

The Knight 12 is the finest Superhet that money and the best engineering skill in the world can build. Nothing has been spared to build. Nothing has been spared to make it today's perfect radio. It is modern in its operating excellence—and it is modern too, in its price. That price is in complete harmony with the times. The Knight 12 is the finest of radios offered at the lowest of prices. Take advantage of this rare value.

BEAUTIFUL SELECTED WALNUT CONSOLE



LESS TUBES

Here the Knight 12 is offered in cabinet, with Dual Speakers but less tubes No. E9754

Retail \$ Value, \$131.45.

COMPLETE WITH

R.C.A. TUBES

The Knight 12, e plete, with 5-56, 1-3-58, 2-46, and 1-RCA tubes No. E9755.

Retail S \$140.50.



BEAUTIFUL MATCHED WALNUT CONSOLE



FOR NEW AND OLD TYPE RECORDS The Knight 10 Superheterodyne, famous for its

np-to-the-minute qualities, has been built into an equally ultramodern Phonograph Combination. The phonograph equipment
of this wonderful instrument incorporates a new type Dual
Speed Phonograph Motor and Turntable which plays either the
ordinary 78 r.p.m. records or the new Long-playing 33½ r.p.m.
records.
This fine equipment, coupled with the flavers power
and perfectly matched Dual Dynamic speakers, provides you
with magnificent record and broadcast recreation.

POWER PENTODE CIRCUIT

Seven of the new type Super-phonic tubes are used in the Knight 10 circuit which is fully licensed by R.C.A. The audio circuit is built after the new double pentede power design which is a supreme attainment in radio power output, keen-cutting selectivity and greater sensitivity. Quiet Automatic Volume Control eliminates blasting on local, and fading on distant stations. Quiet operation, tremendous reserve power, and the tone of lifte itself are Kniight 10 characteristics. A wonderful bl-acoustic arrangement of Bual Speakers handles the vast output of the circuit perfectly for flawless record and broadcast entertalnment.

TRUE TONE

The brilliant tone quality evolved by the Knight 10 circuit and Dual Dynamic Speakers is enhanced by the built-in Tone Control which enables you to emphasize the state of the the notes you wish to

NEW FEATURES

A brand new Intersta-tion Noise Suppressor does away with static and noise in tuning from sta-tion to station, on the Knight 10. The unique Spot-light Tuning Visual dial is also a new feature.



MOTOR SPEEDS 33% & 78 R.P.M

UNUSUAL BEAUTY

The aristocratic cabinet of the Knight 10 Combination illustrated above, features a distinctive 6 leg design with gracefully curved stretchers, shaped apron, curved pilasters of matched wood, and a pleasing front panel of beautifully grained walnut. The cabinet stands 42 in, high and is splendidly proportioned and a perfect acoustic housing for the Dual Dynamic Speakers.

ICED PICK I

There is true art in the way the Knight 10 Combination re-creates

LICENSED BY RCA

There is true art in the way the Kinght 10 Combination re-creates
record entertainment. The new type Dual Speed motor and the perfected
counter-balanced pick-up are perfect complements to the wonderful double
pentode Audio circuit of the receiver. The vast
volume available is a velvet clear background em
phasizing the full beauty of modern recordings
and the year's most realistic radio broadcast

LESS TUBES

The Knight 10 Combination is offered here complete but without tubes. E9746.

List. \$149.50. **\$** YOUR PRICE.

WITH RCA TUBES

The Knight 10 complete with 3-56. 1-57, 3-58, 2-47 and 1-80 RCA tubes. and 1-E9747.

List, \$164.25. YOUR

Two dual arranged Jensen dynamic speakers handle the output of both radio and output of both radio and phonograph with sparkle and vividness.





BIG SET

The new Super-phonic Tubes employed in the T.B.F. Knight 4 midget, not only produce greater volume, but cover a wider range of frequencies, and result in that truer and better tone found only in the larger sets. 1—57 tube and 1—58 tube accomplish

wonders for quiet. snperselective operation, for equal sensitivity over the whole broadcast band and for real power punch and flawless reproduction. Full vision dial makes tuning a pleasure.

VOLUME AND TONE

2-TONE WALNUT FINISH

The compact Knight 4 cabinet, standing 14½ in. high and 12½ in. wide, is attractively designed in a twotone highly finished walnut effect.



THE IDEAL "SPARE" SET

The midget 4 is splendid as an additional radio in the home. It fits anywhere and may be carried to the sun-porch, bed-room or den, and connected to any A.C. outlet with great ease. You can afford this "spare" set at our bargain price.

DYNAMIC SPEAKER

A powerful dynamic speaker, true-toned at both low and high pitch, is furnished with the Knight 4. It is capable of handling full volume without distortion.

LESS TUBES


The splendid Knight 4 Midget is offered here complete in cabinet with speaker, but without tubes.

No. E9700. \$895 YOUR PRICE.

WITH TUBES

Here is the Knight 4 complete with 1—247, 1—280, 1—257, and 1—258 R.C.A. licensed tubes.

No. E9701.\$1185 List, \$29.95.\$1185 YOUR PRICE



AMAZING POWER & EFFICIENCY

There is a tremendous punch in this midget 5 tube set. Three of the new triple grid tubes do the trick, producing amazing volume, powerful sensitivity, keen selectivity, and a richness of tone that is unparalleled in most small radio sets. The dynamic speaker stands the "gaff" at full volume. The Knight 5 is distinctively housed in a gracefully shaped walnut cabinet measuring 15 in. high and 12 ½ in. wide.

3-GANG CONDENSER

The Knight 5 has big set design evidenced in its 3 gang condenser and its thorough shielding of all parts. It is built around the new Super-phonic tubes to give giant radio results.

SET, LESS TUBES

The Knight 5 is offered here complete, less tubes. No. E9705. List, \$32.25. YOUR PRICE.

SET, WITH TUBES
The Knight 5, complete
with 1—247, 1—28, 2—258,
and 1—257 RCA licensed

List, \$39.85. YOUR PRICE. \$1515

SPOTLIGHT DIAL

A unique new feature of the Midget 5 is its Full Vision Disi with the Spotlight effect which makes locating and tuning sta-tions simple, pleasant, and ex-tremely accurate.



DYNAMIC SPEA

DECTAI

HOT-DONUT **Electric Hot Water** Heater



INSTANT HOT WATER

A new invention to solve en ageelé problem. An electric water heatur
to give you boiling hot water in a
jiffy. Just plug into any electrical
outlet—immerse the HOT DONUT in outlet—immerse the HOT DONUT in water, and with magic speed steaming hot water, heated to any temperature, is ready for emergency or regular use. For shaving—bathing—washing dishes and clothes—for baby's bottle—indispensable in sick rooms. Look at the price. Complete with heavy rubber-correred 8 ft. cord.

No. E 8550 SPECIAL, ONLY

White Cross Coffee Vac



An amazing new way to make coffee. Figuer — Health — Beauty — Economy — Conve-Health Beauty
Economy Convenience—all reflected by
this new Coffee Vacuinator. Dees not bring
out disagreeable coffeetansic, and produces
about twice as many
cups per pound as any
other method.

Heat-Proof CLASS

GLASS
Glassware 1s
Glass - Bake,"
heat-proof an d
of clean. Metal
parts chromium plated.
Last contains bettoned
in the upper. Containes
for six cups. Operated
electrically — equipped
with chromium heating
unit and cord and plug.
AUTOMATIC ACTION
population of essential coffee old is

Evaporation of essential coffee oils is automatically restrained. As ideal wift, Offered at a special low price. \$ 07

No. E 8505 List \$5.95 Special Only



New-Automatic and Economical. .1000 watt adjustable electric fron. Consumes no more current than 850 watt fron. Bevel edge, large ironing sur-

face. LIFETIME UNIT Lifetime unit embedded in vitreous carborundum. 25 heats. Stays at exact temperature wanted. New type high are thermostat.

CHROMIUM FINISH Beautiful chromium finish. Graceful round hood. Tip-up rest. For 110 Volt A. C. only. Shipping wt. 7 lbs.

No. E 6622. SPECIAL EACH.....



New 3 Heat Pad

Fluffy Eiderdown Cover

Instant I Heat on Tap

EAGLE Automatic **HotWater** 贫品 Heater

New — Different. Instantaneous hot water right from the cold water fancet. Automatic — Trouble-proof. Simply attach to any faucet to and current outlet and forget it. Consumes current only while water is running. Gives a steady flow of hot water safely, silently and economically. For washing, sharing, hot poulties, hot drinks, etc. No other water heater like this. Attached in less than a minute on any fancet. Complete with 8 ft. rubber cable at a special low price.

No. E 2920 List \$2.75. YOUR LOW PRICE...

Absolutely safe — New lew price—3 heat adjustment. A heat pad constructed with a patented double them. structed with a patented double thermostatic control. Finest nichrome heat units. Bakelite switch offers three degrees of heat. This pad provides continuous and helpful service.



QUALITY CONSTRUCTED

The quality heating pad with a plaid eider-down cover, with cushion constructed blanket interlining. Complete with silk cord. 3 heat bakelite switch and connector ping. As unparalleled bargain at our exceptional low quatation. Green in color. Ship. Wt. 2 lbs.

No. E 6621.

A FEATURE \$4 VALUE ..

REX Electric

a seasity — Precision — Utility at a rate electric mechanism enclosed in a

chaism enclosed in a handsome walnut bakelite case. Equipped with a huzzar type alarm. Convex crystal lena. Gilt dial, 3-5/8 in di-

Sweep Second



Hand

A special feature is the sweep second hand. Equipped with 6 ft. cord and plug. Height 7 in. Base 5½ in. For 110 Volt A. C. 50 cycles.

No. E 3275. \$ A \$3.50 \$ Value.

Seneca Heat-Indicator Waffle Iren

The eststanding value of the season in an Indicator Waffle Ires. Heat indicator tells when to bake. Makes a beautiful gift

New Lewboy Model

Beautifies all metal lowboy medel with gracefully designed metal handles. Nichrone units mounted on high quality refractory piste. Die cast aluminum grids. Black front handle in procelata-like finish. Diameter 10 in. Hight finish. Diameter 10 in. Hight cord and attachment plugs. Shipping Wt. 6½ ibs.

No. E 6623. 265 List \$5.95.

NATIONAL 4 in 1 Waffle Iron-Grill Toaster—Table Stove

Four appliances in one—quickly, easily and economically prepared any meal right on the table, with the same out fuss or bother. Bakes waffes; grills steaks, choes bacon, etc. Crisp, golden toast made citickly. bacon, etc. Crisp, golden toest made quickly.

Useful - Attractive



List \$11.25

NEW \$ 288 PRICE.

Signal Twin Wireless Practice Set

Sure to sell fast on sight! Practical and yet of tremendous enter-talament value.

PRACTICAL-INSTRUCTIVE

A real workable toy that every boy is certain to want, and grownups too. Each instrument a complete sending and receiving unit. Operates up to 1,000 feet, on any standard dry cell batteries. A splendid gift item

DRY CELLS

Quality dry cells recommended for use with the above Signal Practice Set

NET EACH 21c

GEM MIDGET MICROPHONE

De your own broadcasting with the efficient Gem Hand Mike!



Practicali Scientifically constructed single button sistance with circuit switch. May be con-nected to am-plifiers or direct to any set. Easy to install.

THRILLS CALORE
Broadcast at home. Cut in on radio programs with jokes, comments and announcements.

CHROMIUM PLATED Attractive chromium plate.
Complete with prong adapter and 25 ft. cord. Includes instruction sheet. 95 No. E 3222 \$7.50 Value SPECIAL PRICE



Famous

Blackbird Crystal Set


The Aristocrat of crystal
radio receivers. Fine for
local and the
great chain
program.
Economical. Requires
no batteries—
na these no batte

LOUD CLEAR

YOUR SPECIAL

Local programs come in loud and clear, with that purity of tone for which crystal sets are famous. Housed in a compact case in neat black leatherette finish with black crystalline front panel

.



The Blackbird tunes sharply and easily from a single dial. It employs a supersemative crystal detector, enclosed in a dust-proof glass casing. Will give splendid results in locations which are not at a great distance from broadcasting stations. Ertensive chain broadcasts make distant programs available through local stations. Mo. E 5940. Set only, less 58 accessories

NET PRICE..... WITH ACCESSORIES

The Blackbird crystal set complete with pair of first-quality head-phones and a equipment. The finest in crystal set per-formance at a startling low price.

Talk and Ring for Thousands of Fost

SET OF

No. E 5941. NET COM-PLETE....

991 ELECTRIC

TELEPHONES Signal burrers cleverly concealed in base. No difficult installation neceesary. No No complicated Furnished with full Instructions for rapid connection. Com-plete sets include 2 Realphones with buzzers, 35 feet of wiring and instructions. The wiring supplied, is sufficient for

room to room com-munication. Additional wiring may be added as required. Connecting cables for longer distances and dry cells are listed on this page. Two dry cells required per set. Telephones set. Yele

A Complete Transmitting and Receiving Unit

Two complete transmitting and receiving units. Equipped with key, buzer, and code plate. Full instructions for operation. 75 ft. of wire. Sets in attractive Maron and Gold contained in beautiful disclay. display boxes.

No. E 6656. \$7 PRICE.....

New Feather-Weight **Head Phones**



Weigh only 5 ounces So light and so comfortable you scarcely know you have them on. Only the finest materials used in their

Extremely sensitive, widely recommended for DX and weak signal reception. Headband is made of flexible steel. Shipping Wt. 1 lb.
No. E 795—4000 ohm NET PEE SET...

No. E 796-2000 ohm 990c SPECIAL NET...

REAL **PHONES**

Modern — Useful — Economical. Now you can have your own tele-phone system with Real phone system with He shones, the new two-way telephones that operate on standard dry cell batteries. French alyle shones compact, cod-looking, up-to-data furnished in pairs — all ready for use. Only the batteries need to be added.

DRY CELLS

Standard dry cells for

No. E 704 210

Connecting Cables 3-Conductor cables for in-door and outdoor use.

No. E 2516-100 ft. \$1.03 No. E 2517—100 ft. for indoor use.

At Home-At Work

Especially convenient as room-to-room or house-to-garage talephones. Equally useful in offices, factories, public garages, restaurants, stores, etc.

No. E 1010—Black No. E 1011—Green

No. E 1012—Ivory No. E 1013—Chinese



NET PRICE, EACH SET



KNI2NT ROSE AL WAVE PERHET 5 to 550 METERS

NEW DUPLEX DIODE-TRIODE TUBE

Today's radio—The Knight 6 tube Dual Wave Superheterodyne with a range of 75 to 550 meters. This set has distance, power, selectivity, super acute sensitivity and, above all, clarity of tone. Here is a radio that has everyshort wave reception, the new Duplex Diode-Triode tube, tone control, automatic volume control; in short, all up to the minute features known to radio today.

BUILT IN CHANGE-OVER SWITCH

Your reception range today is increased many fold with short wave reception, and is available in the new Knight 6 tube Superheterodyne by a simple turn of the switch. Dual scales on a single dial provide for simplified tuning. The thrill of police calls and foreign country reception is always yours at the eastest manipulation of the Knight simplified, unified, tuning system. No coils to plug in, or trimmers to adjust.

POWERFUL MAGNAVOX DYNAMIC

A powerful Magnavox dynamic speaker adapted use with the advanced Knight 6 circuit, renders h, vibrant performance that makes Knight en-tainment a continual pleasure. Complete overrich, ternainment a continual pleasure. Complete over-tones are captured, building the tonal output of the receiver up to rare beauty.

Single **Dual Tuning**

For simplicity in oper-ation and ease of tuning,

this set has no parallel. Single dial control with built in change-over switch for changing from

short wave to long wave provides for unified con-

Beautiful Walnut Cabinet

A superior receiver deserves superior housing. The Knisht 6 tube Super sets a fitting companion in the beautiful grained walnut cabinet pictured above. The cabinet measures 16½ in. high. 13 in. wide and 8½ in. deep. The Uni-tuning double scale dial simplifies tuning. plifies tuning.

COMPLETE WITH TUBES

The Knight 6 complete with 58, 1-57, 1-55, 1-47 58, 1—57, 1—55, 1—55, 1—80 RCA tubes. -55, 1-47 and 1-No. E9713. Retail

Here is the Knight 6 with cabinet and genuine Magnavox

SET LESS TUBES

speaker, less tubes.
No. E9712.
Retail
Value, \$49.50.\$
YOUR PRICE.

FULLY SHIELDED CHASSI

ADVANCED SUPERHETERODYNE CONSTRUCTION

For those who wish a chassis only for console installation, the Knight 6 tube Dual Wave Superheterodyne is here offered. It attains a selectivity never before reached in a 6 tube set. Makes for pleasurable operation on both long distance as well are local recording. These proof of as local reception. Just another proof o Knight modernity. Chassis measures 11½ long, 7" deep, and 6½" high. of

FULL RANGE TONE CONTROL

Complete selection of tone combasis is at your command with the tone control built in the Knight 6 Super. A turn of the dial will accentuate either high or low notes in accordance with your desire. An advanced automatic volume control provides for smoother tuning and prevents blasting and fading.

CHASSIS AND SPEAKER

The new Knight 6 tube Superheterodyne complete with power-ful Magnavox dynamic speaker, less tithes.

E9710. Retail Value, 14,50. \$1995

COMPLETE WITH

The Knight 6 tube Superheterodyne chassis with speaker and 2—58, 1—57, 1—55, 1—47 and 1—80 RCA tubes.

E9711. Retail Value, \$53.70. YOUR \$2.445





Class "B" Amplification

The latest, greatest development in radio since the advent of screen grid tubes. It is powerful, life-like, advanced Class "B" amplification. Tremendous Class "B" amplification. Tremendous power coupled with startling realism has brought to life notes hithertofore blurred. An absolutely new radio receiver, incorporating full Class "B" Amplification, static control, quiet automatic volume control, full vision dial, Dual speakers, and twelve new tyne tubes new type tubes

20 Watts Undistorted Power Output

The two powerful dynamic speakers are driven by a super-powered chassis delivering 20 watts pure, undistorted power. They are capable of full, rich, vibrant tone equaling in quality the finest radio sets on the worket on the market.

FULL RANGE TONE CONTROL

Brings out the high, sparkling tones of the dance orchestra or the low bass notes of classical music. Controls the tone to of classical music. Controls the tone tsult your taste and mood. Together with the super dynamic dual speakers, it faithfully duplicates life-like

DUAL OVERSIZED SPEAKERS

Spotlight Full Vision Tuning

An attractive full vision dial on the front panel features a traveling spotlight, clearly indicating the dial setting. The Knight 12 tube Super tunes from 175 to 550 meters, which takes in most of the police calls in addition to the regular broadcast range.

EXTREMELY SENSITIVE

The Knight 12 tube Super registers a sensitivity of 1 The Knight 12 tube Super registers a sensitivity of 1 microvoit (one millionth of one voit) per meter. Because of this extreme sensitivity and great power, extreme range has been pulled in with this most modern of radio sets. This sensitivity, coupled with quiet automatic voime control shuts out background noises and extraneous interference and renders the fine life-like tone of a perfect

Complete With Genuine RCA Tubes

The Knight 12 tube Superheterodyne offered complete in console with 5—56, 1—57, 3—58, 2—46, and 1—83 genuine RCA tubes. No. E9753. Retail Value, \$ \$167.25.

YOUR

NET PRICE

Set Less Tubes

Here is the Knight 12 tube Superheterodyne complete with Dual Dynamic speakers, less tubes. sensational value.

No. E9752. Retail Value, \$ \$149.50. YOUR NET PRICE



LICENSED

Distinctive New Type Console

Perfect tone requires perfect acoustic construcchamber of this magnifi-cent organ type Console, with scientifically designed dual battle, reproduces pow-

you have never heard in a radio before. The cabinet follows the popular trend in Console design. The front panel is of console design. The front panel is of beautifully matched butt walnut with overlays of Carputhian Elm. Six sturdy, fluted pillars gracefully enhance the cabinet design. The cabinet stands 44 in. high, 28½ in. wide and 13½ in. deep.

PURE POWERFUL TONE

The new full class "B" amplification Knight 12 tube Super yields a clear tone of remarkable depth, tonal quality and fidelity. One speaker is pitched for the high tones and the second for the low tones, which gives full range reproduction.

QUIETAUTOMATIC VOLUME CONTROL

The new diode-type 56 automatic volume control tube makes easy tuning and eliminates blasting noises when tuning from weak to strong stations. The Knight 12 tube Super will deliver!



improved Superheterodyne t of this remarkable 5 tube Wave radio set makes use Dual the newest developments in radio.

Clear undistorted reception is made possible by use of the new triple grid tubes.

FIVE TUNED CIRCUITS

Five tuned circuits are employed in the chassis which is liceused under RCA patents. The new triple grid and duplex Diode-Triode tubes double the output of the average 5 the set of a year ago. In addition to the added powerful amplification, the tone quality is better because sufficient volume can be obtained without overloading the tubes.

Built · in Antenna

The simplicity with which this set can be placed in operation in places where current is available is amazing. The powerful, selective built-in Antenna pulls in distant stations with amazing ease and regu-larity. Never before has there been so fine a radio at so low a price. No modern refinement has been omit-ted in the design of this set in the endeavor to place it at the front in radio today.

AUTOMATIC VOLUME CONTROL

Full volume and unusual selectivity coupled with extreme sensitivity of one Microvolt per meter! An extreme sensitivity of one Microvolt per meter! An improved automatic volume control prevents blasting on powerful local stations when tuning, and tends to minimize fading by setting a constant volume level. Single control illuminated dial permits easy tuning.

Long and Short Wave Reception

Foreign countries! Ships! Amateurs thousands of miles away! Enjoy complete short wave reception. No coils to plug in, no trimmers to adjust; simply a turn of the switch and short wave stations from all over the country and many parts of the world are at your command. Enjoy beautiful clear tones from 75 to 550 meters at extraordinary volume.

110 AC and DC Models

No. E9721. For 110 volt 60 eyele AC operation, including 1—55, 1—57, 1—58, 1—47 and 1—80 RCA tubes.

No. E9723. For 110 volt DC operation, including 1—36. 2—38, 2—39 RCA tubes.

COMPLETE WITH S RCA TUBES

25 CYCLE MODEL

For those who live in districts served by 25 cycle current, the Knight 5 tube Super is offered complete with 1—55, 1—57, 1—58, 1—47 and 1—80 RCA tubes.

No. E9725. For 25 cycle 110 voit AC current operation.

COMPLETE WITH S **RCA** TUBES

COMPLETE - REA TUBES

STATIC SUPPRESSOR

Now you can enjoy undistorted, trouble-free radio reception. The new automatic Noise Suppressor eliminates static interference and noises from vacuum cleaners, refrigerators, oil heaters and dial phones and all electrical appliances. No longer any need to have reception ruined by "man made" static!

TONE CONTROL

Enjoy full range tone control from the highest treble to the deepest bass. A positive, super sensitive tone control enables you to suit your own taste as to tone qualities. This remarkable fullness of tone reproduction has made the name of KNIGHT synonymous with the finest in radio reception.

BEAUTIFUL CABINET

The cabinet of the Kalght 5 tube Dual Wave Superheterodyne is made of a beautiful two-tone walnut wood in a symmetrical and pleasing design. Measures 9 in. wide, 12 in. high and 6½ in. deep.

Value, performance and economy distinguish the Kalght 5 tube Dual Wave suber which brings a new concept of power, distance and beautiful tone quality to

DEEP FULL TONE

The unusual tone quality of the Knight 5 will captivate you. Every note has its full value and every whisper is duplicated with exact fidelity. A full sized genuine electro-dynamic speaker, scientifically matched to work perfectly with the Knight 5, gives a life-like resonance to its tone, and its clear vitality actually convinces you that you are listening to the original rendition.

Advanced Superheterodyne Circuit

With only 5 tubes, this advanced set develops a tremendous kiek. Comparable to multi-tube receivers costing a good deal more. The new circuit with the new high Rain tubes gives you clear, undistorted volume. It's the type of radio you've been waiting for.

LICENSED BY RCA