

Worth of prerecorded Ampex tape only.... \$3995 With the purchase of Model 1150 or 1161 Recorder. (order form included with recorder)

STEREO TAPE DECK **MODEL 1150**

REGULAR

RA-110

FULL FACTORY WARRANTY

- AUTOMATIC THREADING
- EXCLUSIVE DEEP-GAP HEADS
- DUAL CAPSTAN DRIVE 3-SPEED: 17/8-33/4-71/2 IPS ACCURATE VU METERS
- HYSTERSIS SYNCHRONOUS MOTOR Size: 18%" x 13" x 7½' Shipping weight 27 lbs.

MORE TAPE RECORDERS PG. 5



AMPEX 1100

1501

Olson

Visit Your Convenient OLSON ELECTRONICS STORE For These and Hundreds of Other Outstanding Values!

★ EASY PAY PLAN ★ TRADE-INS ACCEPTED

Olson

FULL LINE ELECTRONICS CENTERS

Akron, Ohio
69 W. State St. 44308
Phone: PO 2-0301/DD: 216
CB Call: KH 1-8846
Mon. & Thurs. . . . 9 to 9
Tues., Wed., Fri., Sat. 9-5:30

Atlanta, Ga. 485 Peachtree St. N.E. 30308 Phone: 873-5656/DD: 404 CB Call: KDD-6398
Mon., Thurs., Fri...... 9 to 9
Tues., Wed., Sat.......9-5:30

Buffalo, N.Y. 711 Main St. 14203 Phone: TL 6-2504/DD: 716 Call: KRP-8589

Mon., Thurs., Frl...... 9 to 9 Tues., Wed., Sat. 9 to 5:30

Buffalo, N.Y. 3259 Sheridan Dr. 14226 Phone: 837-6300/DD: 716 CB Call: KIC-4752 Mon., Thurs., Fri. ___10 to 9
Tues., Wed. ____10 to 6

Cincinnati, Ohio 815 Main \$t. 45202 Phone: 621-9393/DD: 513 Mon., Thurs., Fri.......9 to 9 Tues., Wed., Sat.......9 to 6

Cleveland, Ohio 21850 Center Ridge Rd. 44115 Phone: 331-4600/DD: 216 9:30 to 6

Cleveland, Ohio 2020 Euclid Ave. 44115 Phone: MA 1-6387/DD: 216

Plays complete 4 track tape without

TRADE-INS ACCEPTED

\$37997

Ottos RA-111

Same recorder as above but complete with case and slide-on speakers. Shipping wt. 35 lbs.

changing reels.

\$19 Monthly

AMPEX 1161

CB Call: KIA-0550 Mon. & Thurs. 9 to 9 Tues., Wed., Fri., Sat. 9-5:30

Cleveland, Ohio
6813 Pearl Rd. 44130
Southland Shopping Center
Phone: 845-2424/DD: 216
CB Call: KPM-3883
Mon. thru Fri. 10 to 9
Saturday 10 to 6

Cleveland, Ohio

Columbus, Ohio

142 N. High St. 43215 Phone: CA 8-5337/DD: 614 CB Call: KLM-8568

Chicago, III. 6231 Dempster St. 60053 MORTON GROVE Phone: 966-6700/DD: 312 Mon. thru Fri. . . . 10 to 9 Saturday 9 to 5:30

Chicago, III. 4101 N. Milwaukee Ave. 50641 Phone KI 5-7336/DD: 312 CB Call: 188-0221 9 to 9 Saturday .

Chicago, III. 123 N. Western Ave. 60612 Phone HA 1-3533/DD: 312 CB Call: KLJ-5266 Mon., Thurs., Fri. 10 to 9 Chicago, III.

2641 W. 95th St. 60642 Phone: 239-2414/DD: 312 425-6192 Mon. thru Fri. 10 to Saturday 9 to 5:5 10 to 9 9 to 5:30

Dallas, Texas 6215 Hillcrest Ave. 75205 Phone: LA 8-6420/DD: 214 CB Call: KMV-2691

Mon. thru Fri. Saturday 10 to 9 9 to 6

DETROIT ALLEN PARK

15847 SOUTHFIELD RO. ALLEN PARK, MICH. 48101 Phone 388-9150/DD: 313

10 to 9

Detroit, Mich. 15620 Grand River Ave. 48226 Phone 838-0777/DD: 313 CB Call: KLN-3053 Mon. thru Sat. 9:30 to 9

Detroit, Mich. 14243 Gratiot Ave. 48205 Phone: 372-1317/DD: 313 Mon. thru Sat. 9:30 to 9

Miami, Florida 1644 N.E. 2nd Ave. 33132 Phone: 374-4121/DD: 305 Mon., Fri. 9:30 to 9 Tues., Wed., Thurs., Sat. 9:30 to 5:30

Milwaukee, Wis.

423 W. Michigan 53203 Phone: BR 1-9920/DD: 414 CB Call: KHC-6336 9 to 9 9 to 5:30 Daily ... Saturday

Pittsburgh, Pa.

5918 Penn Ave. 15206 Phone: EM 2-1333/DD: 412 9 to 9 9 to 5:30

Pittsburgh, Pa. 3405. Saw Mill Run Blvd. 15227

Phone: 881-0702/DD: 412 CB Call: KID-6165 Mon. thru Fri. Saturday 10 to 9 10 to 6

St. Louis, Mo. 1517 Olive St. 63103 Phone CH 1-2911/DD: 314

Mon., Thurs., Fri. . . . 9 to 9 Tues., Wed., Sat., . . 9 to 5:30

Santa Clara 2125 El Camino Real 95051 San Francisco

169 Eleventh St. 94103 Santa Ana, Cal.

Inglewood, Cal. 4642 W. Century Blvd. 90304 N. Holly'wd, Cal. 5356 Lankershim Blvd. 91601 Long Beach, Cal.

714 Pine Ave. 90813 Los Angeles, Cal. 3620 W. Pico Blvd. 90019

Lynwood, Cal. 10906 Atlantic Ave. 90262

OLSON ELECTRONICS 260 S. Forge St., Akron, Ohio 44308

Catalog

ADDRESS CORRECTION REQUESTED RETURN POSTAGE GUARANTEED

BULK RATE U.S. POSTAGE PAID Olson Electronics

N E SHERWIN 1131 NE 25TH AVE PONTAND BEACH FL

Genuine

367

TREASURE FREE HUNT!


You May Win

Somewhere throughout this catalog are the names of several lossed customers. Your name may be there! If it is, write us giving the page number and lossed will send you FREE from the catalog. \$5 worth of merchandisc of your choice.

your choice.
THIS OFFER EXPIRES
June 30, 1968

Visit Our Famous TRADE-IN DEPT. Trade-In Your Hi-Fi, CB, Tape Recorder

1



Oison 5-713

★ 27 oz. Magnet ★ 8 Ohm

* Full Range 60 Watt GUITAR SPEAKER SEE PAGE 6 NOW!

260 S. FORGE ST.

AKRON, OHIO 44308

NI-CAD CHARGER With Batteries

★ 2—"D" Size Rechargable Batteries





- Charges 2 'D'' Cells At Once
 Full Charge in 14 To 16 Hours
- Operates On 110 To 120 V. AC
 Only 434" x 31/2" x 13/4"

Shipping weight 2 lbs

Extra "D" Rechargable Batteries
Ea. \$2.10

TV TUBE SAVER

★ For Color or Black & White ★ Prolongs Tube Life \$199 AA-181

The Tube Saver blocks any sudden surge of power and protects tubes against burning out. Size: 2½" x 1½". Shipping weight ½ lb.

Ni-Cad Charger



Charge either 2 or 4 AA size, nickel cadmium type batteries at a time. Pilot light indicates when batteries are charging. Size: 2¾" x 3¾" x¾". Operates on 110 to 120 V AC. 60 cps. Shpg. wt. ½ lb.

ELIMINATOR-CHARGER



No. BA-78 \$349 3 FOR \$10.00

Charge batteries Charge batteries in 1 to 1½ hours. Converts transistor portables to AC. Use with batteries BL-006P, MV-006P, Burgess 2U6. For 110-125 volts. AC. Size, design may vary from picture. Shpg. wt. ½ lb.

Tube Substitution MANUAL

Otson B-302

Contains complete cross reference information on U.S. and European tube types. Shpg. wt. 1/4 lb. \$149

5 PACK TUBE KIT



One each: 35W4, 50C5, 12BA6, 12-AV6, 12BE6. Most common types for AC-DC home radios. Shpg. wt. 3/4 lb.

HOME BATTERY CHARGER



91 R E C H A RGE: Size D, Size C, Penlite, 9V, Transistor, Carb-Zinc, Merc. & Nickel-Cad.

Recharge 1 to 4 batteries at a time. alkaline, carbon-zine, mercury and even nickel-cadmium. Completely safe—charges only when lid is closed. Operates

charges only when lid is closed. Operates on 110 to 120 volts AC, 50/60 cps. Shipping weight 3 lbs.

CHARGATRON Automatic Charger Same as BA-103 but includes Safe-T-Plug. Stops charging when batteries are fully charged.

No. BA-122

Penlight Battery Holders KIT OF * Each Holds 6



Penlight Cells Molded vinyl. Batteries are connected in series, delivering 9 volts to the snap-on terminals. Ideal for walkie-talkies, transistor radios, etc. Shipping weight ¼ lb. No. BA-125, Kit of 2 79c

As above except each holder accepts 4 penlight cells for 6 volt applications. No. BA-124, Kit of 2, 79c



BATTERY ELIMINATOR/CHARGER



Use to replace or charge the following batteries: Burgess 2U6, RCA VS213, Eveready 216, Neda 1604, Olson BA-89, For 110-120 Volts AC, 50/60 cps. Size: 2½" x 1¼" x 1¾". Shpg. wt. 1½ lbs.

PEN-LITE CELLS No. BA-67 8 for **59**c 24 for \$1.50

Replaces Burgess Z, Eveready 915 Ray-O-Vac 7R, etc. 1.5 V. Shpg. wt. 4 lb.

NE 2 NEON LAMP Withstands vibration and shock. Operates on 110 to 120 volts AC with series resistor. Rated at 1/17 watts. Wire terminals. Shpg. weight 1/4 lb. Package of 10 for \$1 7

Westinghouse PILOT LAMP W No. 4/ BOX OF 10

BATTIERIES

• 6-8 Volts • .15 Amps

	Stock No.	Volts	Replates	Each	Lots of 10, ea.	Lots of 100, sa.
A	BA-89	9	Burgess, 2U6, R C A, VS-312, Eveready 216, and NEDA 1604 Shpg. wt. 11/4 lbs.	21 c	20c	19c
		"D" Sixe	Burgess 2R, Eveready 950 or RCA VSO-36 Shipping wt. 1/4 lb.	13c	12c Ea. of 10 o	in lots
B	BA-41	11/2 "C" Size	Eveready 935, RCA VSO35A, Burgess Ilb.	13c	12c Ea. of 10 c	in lots



MALLORY DURAC



THEY LAST A LOT

For Photography, Flashlights, Toys, Games & Tran. sistor Radios

Mercury/Alkaline BATTERIES Mercury batteries last 4 to 5 times as long as carbon/zinc batteries. Alkaline last up to 8 times as long as carbon cells. Mercury batteries give longest life in transistor radios and similar equipment. Alkaline batteries are best for higher current applications such as flashlight & photoflash.

R. Pastorius, 5433 N. Broad, Library, Pa. 15129; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

		STOCK NO. VOLTS	TYPE	SIZE	NEDA TYPE	MALLORY NO.	PRICE
HEARING AID and RADIO	AB	BA-107 8.4 BA-108 1.4	Mercury	9 V.	1604 15A	TR-146 ZM-9	1.44
GO HO	000	BA-109 1.5 BA-137 1.5 BA-110 1.5	Alkaline Alkaline	C	14,814	MN-1400 MN-1300	.56 .76
G H	E	BA-111 1.5 BA-112 1.5	Alkaline Alkaline Alkaline	AA AAA N	15,815 20 910	MN-1500 MN-2400 MN-9100	.36 .34 .27
	G	BA-126 1.4 BA-127 1.4	Mercury Mercury	2%4" x 1%4" 3%" x 1/4"		RM 675 RM 625	6/\$1.92 4/\$1.68
		BA-128 1.4	Mercury	5/11 × 7/11	1104	RM 630	4/\$1.68



Westinghouse

Westinghouse TUBE SALE

SALE

★ 10 Selected Types\$1.02 6CB6\$1.08\$1.41 3A3 6DQ6 6AQ5 6GH8 .90 6AX4 6JE6 . 6BQ7

See Regular Prices Below

TUBES

ONE YEAR GUARANTEE

Brand new. All tubes are guaranteed for a full 12 months from the date of purchase. We will replace any defective tube (exclusive of freight charges) within the GUARANTEE period. This does not apply to broken tubes or burned out filaments.

THE	MFRS.	YOUR	COST		MFRS.	YOUR	COST			YOUR	COST
TUBE TYPE	PRICE	1 - 10 Each	11 - up Each	TUBE	LIST PRICE	1 - 10 Each	11 - up Each	TUBE	MFRS. LIST PRICE	1 - 10 Each	11 - up Each
OZ4 *1B3/1G3GT	\$2.65 2.75	\$1.33 1.39	\$1.20 1.25	*6BQ7A	3.75	1.88	1.69	*6KT8	4.25	2.13	1.92
1 R5	3.25	1.63	1.47	*6BR8A *6BU8	4.00 3.40	2.00 1.70	1.80 1.53	*6KZ8 *6L6GC	3.15 4.55	1.58 2.28	1.42 2.05
1U4 1U5	3.05 2.90	1.53 1.45	1.38 1.30	*6BZ6 *6BZ7	2.10 3.75	1.05 1.88	.95 1.69	*654A/654 65J7	2.35 4.15	1.18	1.06 1.87
*1V2	2.20		.99							2.08	
*1X2B	2.90	1.10 1.45	1.31	*6C4 *6CB6A	1.95 2.10	.98 1.05	.88 .94	6SL7GT *6SN7GTB	3.55 2.70	1.78 1.35	1.60 1.21
2BN4A 2CY5	2.75 3.30	1.38 41.65	1.24 1.48	*6CD6GA/G 6CF6	5.50 2.75	2.75 1.38	2.47 1.24	*6T8A	3.35	1.68	1.51
*3A3	3.20	1.60	1.44	*6CG7	2.35	1.1B	1.06	*6U8A *6V6GTA	3.10 2.40	1.55	1.39
*3AT2	3.05	1,53	1.38	6CG8A	3.25	1.63	1.47				
*3BN6 *3BZ6	3.80 2.15	1.90 1.08	1.71 .97	*6CL6	3.80 3.90	1.90 1.95	1.71 1.76	*6W6GT 6X4	2.95 1.80	1.48	1.33 .81
3CB6	2.15	1.08	.97	6CM7	2.75	1.38	1.24	6X5GT	2.40	1.20	1.08
3CY5	3.90	1.95	1.76	*6CN7	4.20	2.10	1.B9	*6X8A	3.30	1.65	1.48
3GK5 3V4	3.85 3.10	1.93 1.55	1.74 1.39	*6CQ8	3.50	1.75	1.58	*7AU7 8AW8A	2.45	1.23	1.11
3DG4	4.30	2.15	1.94	*6C\$6 6C\$7	2.70 2.80	1.35 1.40	1.21 1.26	*8FQ7	4.00 2.35	2.00 1.18	1.80
*3GK5 *4BQ7A	3.85 4.15	1.93 2.08	1.74 1.88	6CU8	4.50	2.25	2.02	10DE7 12AD6	3.50 2.80	1.75 1.40	1.58 1.26
4BZ6	2.10	1.05	.95	******	1.10	0.00	0.07				
*5AM8	4.05	2.03	1.83	*6CW4 6CX8	4.60 4.25	2.30 2.13	2.07 1.92	12AT6 *12AT7	1.75 2.85	1.43	.79 1.29
*5AQ5 *5AT8	2.40 3.80	1.20 1.90	1.08	6CY5 6CY7	3.60 3.05	1.80 1.53	1.62 1.38	12AU6 *12AU7A	2.00	1.00	.90
5CG8	3.35	1.68	1.51	6DA4	3.05	1.53	1.38	12AV5GA	2.35 5.05	1.18 2.53	1.06 2.28
5CL8A	4.05	2.03	1.83	6DE4	3.20	1.60	1.44	*12AV6	1.80	.90	.81
5T8 *5U4GB	4.45 2.10	2.23 1.05	2.00	*6DE6	2.40	1.20	1.08	*12AV7 12AX4GTB	3.40 2.70	1.70	1.53
5U8 *5Y3GT	3.10 1.75	1.55 .88	1.39	6DE7 *6DK6	3.65 2.35	1.83 1.18	1.65 1.06	12AX7A	2.50	1.25	1.12
	-							*12AZ7A	2.95	1.48	1.33
6AB4 6AF3	2.45 3.10	1.23 1.55	1.11 1.40	*6DQ5	7.85	3.96	2.56	12B4A 12BA6	3.20 1.80	1.60	1.44
*6AF4A	3.75 3.25	-1.88 1.63	1.69	*6DQ6B 6DR7	4.20	2.10 2.15	1.89	12BE6	1.95	.98	.81 .88
*6AH4GT *6AH6	4.40	2.20	1.47 1.98	*6DT6A	2.25	1.13	1.02	*12BH7A 12BL6	2.90 2.95	1.45	1.30
6AK5	4.50	2.25	2.03	6EA7	5.20	2.60	2.34	12BY7A/12BY7		1.60	1.44
6AL3/EY88 *6AL5	2.90 1.90	1.45 .95	1.30	*6EA8 6EB8	3.20 4.40	1.60 2.20	1.44 1.98	12C5/12CU5	2.75	1.38	1.24
6AMRA/6AMR	3.95	1.98	1.78	*6EH7	3.85	1.93	1.74	12CA5 12DQ6B	2.80 4.25	1.40 2.13	1.26 1.92
*6AN8A	3.95	1.98	1.78	*6EJ7	3.55	1.78	1.60	12DT5	3.10	1.55	1.39
*6AQ5A 6AS5	2.55 2.75	1.28	1.15	6EM5 *6EM7	3.35 4.90	1.68	1.51	12SN7GTA	2.80	1.40	1.26
*6AS8 *6AT8A	4.00	2.00	1.80	*6ER5	3.55	2.45 1.78	1.60	12W6GT 13EM7	4.45 5.35	2.23	2.00
*6AU4GTA/GT	3.40	1.70	1.80	6EV5 *6EW6	2.85 2.30	1.43 1.15	1.29	*13GF7	4.65	2.68 2.33	2.41 2.10
*6AU6A	1.95	.98	.88	*6ES8	5.45	2.73	2.46	*15CW5	2.65	1.33	1.20
*6AU8A *6AV6	4.40 1.75	2.20 .88	1.98	*6FG7 *6FH5	3.70 3.15	1.85 1.58	1.67	16AQ3	2.70	1.35	1.21
*6AW8A/6AW8	3.60	1.80	1.62	*6FM7	3.25	1.63	1.47	17AX4GTA 17D4	3.05 3.05	1.53 1.53	1.38
6AX3	2.55	1.28	1,15	*6FQ7	2.35	1.18	1.06	17DQ6B	3,95	1.98	1,78
*6AX4GTB 6AY3	2.50 2.90	1.25 1.45	1.12	6GE5 *6GH8A	3.85	1.93	1.74	17GW6 17JZ8	4.25 3.90	2.13	1.92
*6BA6	2.10	1.05	.95	*6GK5	3.20 3.85	1.60	1,44	*19AU4GTA	3.55	1.95 1.78	1.76 1.60
*6BA8A	4.20	2.10	1.89	*6GM6	2.75	1.38	1.24	19T8 22DE4	4.05 3.40	2.03 1.70	1.83 1.53
*6BC8	3.75	1.88	1,69	6GN8	4.30	2.15	1.94			-	
6BE6 *6BG6GA/G	2.40 6.15	1.20	1.08	*6GU7	3.20	1.60	1.44	25CD6GB/GA 25DN6	5.75 5.95	2.88	2.59 2.68
*6BH6	2.75	1.38	1.24	*6GY6	4.15 2.60	2.08 1.30	1.87 1.17	25L6GT 33GY7	2.95	1.48	1.33
6BJ6	2.75	1.38	1.24	*6HF5	7.30	3.65	3.28		6.05	3.03	2.73
*6BK4B *6BK7B	7.55 3.55	- 3.78 1.78	3.40 1.60	*6HS8 *6HZ6	3.85	1.93 1.38	1.74	35C5 35L6GT	2.10	1.05	.94 1.24
*6BL7GTA *6BL8	4.60 3.75	2.30	2.07	6J5	4.10	2.05	1.85	35W4	2.75 1.25	1.38	.57
6BM8	2.90	1.88	1.69 1.30	*6J6A 6J86	2.90 5.85	1.45 2.93	1.30 2.64	35Z5GT *50C5	2.20 2.20	1.10	.99
*6BN4A	3.40	1.70	1.53	*6JS6A	7.30		3.28	50EHS	2.30	1.15	1.03
*6BN6 6BN8	3.35 3.35	1.68	1.51 1.51	*6JU8	3.50	3.65 1.75	1.58	50L6GT	2.85	1.43	1.29
*6BQ5/EL84	2.65	1.33	1.20	6K6GT *6KA8	2.70 4.25	1.35 2.13	1.21	7025 7591A	3.10 2.80	1.55 1.40	1.39 1. 2 6
*6BQ6GTB/6CU	2	2.05	1.85								
Denotes 10	ne types	Used In	Color T	V as Well as Bla	ck & Whi	te		SEE TUB	E TESTER	S PAGE	29

WADE IN

date of purchase. We will replace any defective tube (exclusive of freight charges) within the

ШШ Guaranteed for a full 12 months from the YEAR GUARANTEE guarantee period. This does not apply to broken tubes or burned out filaments.



CHOICE 50C5 or 35W4


					CUL	Brand Tubes!
TUBE PRICE	TUBE PRICE	TUBE PRICE	TUBE PRICE	TUBE PRICE TYPE EACH	TUBE PRICE TYPE EACH	TUBE PRICE
1B3/1G3 \$1.15 *1J3	4DT685 5AN8 1.18 *5AQ574	*6AW8 1.18 6AX3 1.20 *6AX4 1.06	*6CD6GA 2.30 *6CG7 1.02 6CG8 1.06	*6FM7 1.18 *6FQ797	6X4 .60 6X5GT .84 *6X8	12SN7GT 1.20 12V686 12W6 1.31
1R5 1.20 1U5	*5AT8 1.10 5BK7 1.14 5BQ7 1.60	6AY3 88 *6BA6 68 6BA11 2.30	*6CL8 1.35 6CM7 1.32 *6CN7 1.40	*6GC5 1.40 *6GH8 .90 *6GK5 1.12	*8FQ7 1.02 8JV8 1.23	12X480 13EM7 1.45 *13GF7 1.18
2AF4 1.60 2CY5 .96 2GK5 .95	5CG8 1.08 *5U4GB 87	6BC5 1.02 *6BC8 1.58 6BE676	*6CQ8 1.20 *6C\$6 95 6CU5 97	6GK6 1.05 *6GM6 .92 6GN8 2.08	10DE7 1.12 12AB5 1.00 12AD6 78	17AY395 17AX490 17DQ6 1.38
*3A3 1.38 3AL5	*5Y3 1.48	*6BG6GB 2.14 6BH692 6BH8 1.70	6CY594 6CY7 1.17 6DA492	6GE5 1.36 6GF7 1.17 *6GV5 1.50	12AE670 12AQ51.00 12AT689	17JZ8 1.28 *19AU4 1.114 19T8 1.38
3AV6	6AB4 74 6AC7 1.56 *6AF4 1.32	6BJ6 88 *6BK4 1.92 *6BK7 1.24	6DE4 1.02 *6DE6 84 6DE7 1.28	6GX6 .93 6HA5 .95 *6HS8 .1.13	*12AT7 1.00 12AU666	21GY5 1.58 25BQ6 . 1.85 25C5 .83
3BU8	6AG5 1.00 *6AH4 1.08 *6AH6 1.42	*6BL7 1.40 6BN4 1.19 *6BN6 98	*6DQ5 2.46 *6DQ6 1.83	*6HZ6	*12AV796 *12AV656 *12AV7 . 1.33	25CD6GB 1.92 25DN6 2.22 25L6 78
3CB6 78 3DG4 1.43 3DK6 1.00	6AK5 1.54 6AK6 1.13 *6AL5 72	*6BN8 1.10 *6BQ5 80	6DR7 1.12 *6DT674 *6DW4 1.25	6KD8 .98 *6JE6 2.94	12AX4 1.08 *12AX784 *12AZ7 1.13	35C568 35EH582 35W452
3DT674 3DZ4 1.23 '3GK595	6AM8 1.54 *6AN8 1.16 *6AQ5 1.12	*6BQ6 1.44 *6BQ7 1.58 6BS8 1.83	*6EA8 1.22 *6EH7 1.35	616GC 1.55 *6S4	12B4 .92 12BA6 .56 12BE6 .56	35Z5GT82 *50C592 50EH574
4AU6	6AQ8 .98 6AS5 .1.18 6AU4 1.40	*6BU894 6BX7 1.75 *6BZ6 76	*6EJ795 6EM5 1.12 *6EM7 1.45	*65N7GTB 1.12 6TB 1.38 *6UB 1.10	*12BH7 1.02 12BL6 78 12BQ6 1.80	501682 7025 1.12
4BZ6	*6AU6 1.48 *6AV6 71	*6BZ7 1.59 *6C4 .64 *6CB6 .76	*6EW6 78 6EW7 1.20 *6FG7 1.24	*6V6	12BY7 1.02 12D4 1.13 12DQ6 1.88	7591 1.05 7695 1.05

*Denotes Tube Types Used in Color TV as Well as Black and White

35

E ACCESSORIES





TURNER

Transistorized Microphone

- Increases Signal Strength
- Up To 50 Times More Output
- Tailored Frequency Response
- Ceramic Element
- For Relay or Electronic Switching
- Touch To Talk Or Lock On-Off Switching

Shipping weight 3 lbs.

\$2911





MAKES MOBILE SOUND LIKE BASE STATION

Olson M-296


For "+" Talk Power

- Built-In Volume Control
- Self Contained Battery
- For Relay Switching Circuits
- Includes Mounting Clip

Shipping weight 1 lb.



RG8-U COAX CABLE



100 ft. coil of high quality low loss RG8-U coax cable recommended for use where antenna lead exceeds 50 ft. Shipping weight 10 lbs.



For use in the following transceivers:

OHEOMORE THE TRANSCEIVERS TO THE TRANSCEIVERS TO THE TRANSCEIVERS TH

INTERNATIONAL RECTIFIER

TELESCOPING ANTENNA

No. AA-206 3 for \$2.37


CHROME PLATED

Telescopes from 8½" to 38½" Has insulating sleeve and mount ing hardware. Mounts in 32" hole Perfect replacement in wat talkies and transistor radios walkieReplacement CB Antenna

ONLY 15" HIGH WORKS LIKE 5 FEET

- Base Loaded
- Ideal For Obstructed Areas
- Replaces Broken Antenna
- Works Without Removing Existing Ant.

Shipping weight 1/2 lb.



Size: only 1" long x 11/16" high x 1/16 wide. Length of shaft with knob is 34" Shipping weight 1/4 lb.






A COAXIAL CONNECTOR

PL 259 type, cable mounting plug. Olson CB-46, 2 for \$1

UG-176U Reducer for RG59U Cable, Cabl

B UG-175U Reducer for RG58U Cable, Onson CB-26, 2 for 30c ea. 16c






SO-239 Panel Mtg. RECEPTACLE 60¢



Olson CB ANTENNA



Olson AA-121 2 for \$16.58

Incorporates 3 (dropping) 108" 2 section radials and 108", 2 section radiator (vertical element), all solid aluminum. Mast bracket is steel cadmium plated. Has coaxial cable connector (SO-239). "U" clamp rigidly supports antenna on 114" mast. Shpg. wt. 4 lbs.

Attaches to any handmike with standard hanger button. Hang mike up on any metal surface such as car dash, or transceiver case. No holes to drill. Size: 1¼" x 1¾" x ½" Shpg. wt. ¼ lb.

MIKE HOLDER

ON ANY METAL SURFACE

66°

 Quick — Easy Installation • For Perfect VSWR At 1.1 To 1 · Matches Antenna to Transmitter Standard Co-Ax Connectors

STOPS

POWER

LOSS

• Size: 4" x 21/8" x 13/4" Shipping weight 1/2 lb.

99 WAYS

to improve

CB RADIO

W. N. Palmer, 27 Barney Street, Rumford, R. I. 02916; wins choice of merchandise worth \$5 from Ol-son's "Treasure Hunt". See back cover for instructions.

GOLD LINE CB MATCHER

NEW

99 Ways To Improve

Your CB Radio

PER

SET



Olson 5"

SLIDE RULE ALL PLASTIC SLIDE

★ Engraved Scales

Has A, B, C1, C, D, K, S, L and T scales. Also has a 5-inch ruler on one edge and 0-13 centimeter scale on the other edge. Size: 5\%" x 1\%". Shipping weight \% lb.

Olson 10"

SLIDE RULE





10" Olson SLIDE RULE ★ Engraved Scales ★ All Plastic

TL-467



Each letter and division mark is etched into the surface so that it can't rub off. Has A, B, Cl, C. D, K, S, L. and T scales. Shipping weight 3/4 lb.





34

★ Leather Carrying Case

Case
Made of specially selected, nonhygroscopic
bamboo with
scales machine
engraved on
white plastic.
Scales: E, V, A,
B, K, Cl. C, D,
S, T, LL3, LL2,
LL1 and L.
Shpg. wt. 1½
lbs.



Scales etched into the surface: LL3, LL2, A, B, B1, C1, C, D, D1, K, LLO, T2, T1, L, and S. Has 0 to 25 centi-meter scale. Shipping weight 1 lb,

\$498

F scale enables direct "read ou t" of cosine value. Scales LL01
LL02, LL03, DF, CF, CIF, CI, C, D, LL3, LL2, 1, LL00, L, K, A, B, S, ST, T, C, D, DI, P, and LL0. Includes leather case, 14" Includes leather case, 14" long. Shipping wt. 11/2 lbs.



New! SKILL • FACT

Reference



Library



Home Maintenance Olson B-311

Or your own ELECTRIC
Wiring Modernizing
Care and REPAIR of your
LARGE HOME APPLI-

Know about GARAGE DOOR OPENERS Know about HOME INTERCOM SYSTEMS Getting the most from your
HOME POWER TOOLS
Do your own MINOR HOME
REPAIRS CONCRETE
POURING AND PATCHING for the Homeowner

SET 2 General Interest Electronics Olson B-312

INCLUDES:
Care and REPAIR of your SMALL HOME APPLIANCES
Do your own ELECTRIC Wiring Modernizing
Wiring Modernizing
Care and REPAIR of your How to install your own AUTO
TRANSISTOR IGNITION
SYSTEMS
Know about ELECTRONIC
ORGANS
CARE REPAIR of your ORGANS
CARE REPAIR ORGANS
CARE REPAIR OF YOUR ORGANS
CARE REPAIR ORGANS
CARE

Know about ELECTRONIC ORGANS
Dictionary of ELECTRONIC TERMS
Picture Guide to TV TUBE REPLACEMENT
Know About CITIZENS
BAND RADIO
Useful ELECTRONICS
TABLES AND FORMULAS
It's Easy to READ
ELECTRONIC DIAGRAMS
SIMPLIFY MATH — LEARN
TO READ The SLIDE
RILLE

CAR
FASCINATING easy-to-build ELECTRONIC GAMES
Know about MODEL RADIO
CONTROL
The FUN of SHORT WAVE
RADIO LISTENING
Easy-to-build TRANSISTOR
PROJECTS
Build useful ELECTRONIC
GADGETS FOR YOUR
HOME
Fascinating exy-to-build
ELECTRONIC GAMES
Know about MODEL RADIO
CONTROL
The FUN of SHORT WAVE
RADIO LISTENING
EASY-to-build ELECTRONIC
GAMES
Know about MODEL RADIO
CONTROL
The FUN of SHORT WAVE
RADIO LISTENING
EASY-to-build ELECTRONIC
GAMES
Know about MODEL RADIO
CONTROL
The FUN of SHORT WAVE
RADIO LISTENING
EASY-to-build ELECTRONIC
GAMES
Know about MODEL RADIO
CONTROL
The FUN of SHORT WAVE
RADIO LISTENING
EASY-to-build ELECTRONIC
GAMES
Know about MODEL RADIO
CONTROL
The FUN of SHORT WAVE
RADIO LISTENING
EASY-to-build ELECTRONIC
GAMES
Know about MODEL RADIO
CONTROL
The FUN of SHORT WAVE
RADIO LISTENING
EASY-to-build ELECTRONIC
GAMES
Know about MODEL RADIO
CONTROL
The FUN of SHORT WAVE
RADIO LISTENING
EASY-to-build ELECTRONIC
GAMES
FOR YOUR TO READ The SLIDE RULE

Hobby Project Library Olson B-313

SET 3

HOME
Fascinating EXPERIMENTS
for your CHEMISTS
Know about MODEL
ROADRACING

Custom SHELF ACCESSORIES

6" TO 12" vals. Shipping weight 1/4 lb. BRACKETS Choice of Finishes As Low As

Gold Stk. No.	Silver Stk. No.	Shelf Widths	EACH
HW-17	HW-21	6"	32c
HW-18	HW-22	8"	36c
HW-19	HW-23	10"	40c
HW-20	HW-24	12"	45c

Brackets are adjustable at 1" inter-





00000



Olson Educational EXPERIMENTER KIT

No. KB-203

Olson 2-Pole MOTOR KIT

Electronics hobbyists of all ages will enjoy learning as they construct exciting projects. Just a few of the more interesting kits are: telephone amplifier, three transistor radio, burglar alarm, telegraph transmitter, wireless audio transmitter, acoustic relay, two transistor phono amplifier, signal tracer and many more. Each project can be assembled and disassembled many times. All are battery powered and completely safe. Includes easy to follow, illustrated instructions. Shipping weight 4 the instructions. Shipping weight 4 lbs

3 IN 1 ELECTRONIC KIT KB-187

**Build Guera & Beil

**Build Telegraph Key

Complete kit of parts for building
buzzer, bell and telegraph key. Mechanical parts, wire, hardware and easy
to follow instructions are included.

Shipping weight 1/4 lb.

Build Buzzer & Bell

All mechanical parts are designed to fit together easily. Complete with easy to follow, step - by - step instructions. Shipping weight ¼ lb.



Complete kit of parts and instruc-ions for performing 6 different experi-nents involving resistance and current. Requires 1 standard penlight battery, not included. Shipping weight 1/4 lb.



7 in 1 ELECTRONICS KIT

\$ 10

 Build 7 Different Circuits
 Kits Can Be Many Times KB-188

\$49 Motor, bell and lights. Wires have quick-clip connectors. Operates on flashlight batteries. Size 814" x 77%". Batteries (2 req'd.) No. BA-53 Ea. 13c



CB-AM-FM WHIP ANTENNA Model TCS-27-M

\$ 25

★ Tunable and Weather Proof ★ Stainless Steel Tlp Rod ★ Includes Automotive Mtg. ★ Excellent Results on CB-AM

Shipping weight 11/2 lbs.



Olson AA-232 ★ 2 Trunk Groove Mounts

18 Ft. Matching Harness ♦ Uniform Gain Pattern Shipping weight 3 lbs.

CR BASE STATION ANTENNA Model PRO-27 JR

95 AA-230

★ Best Low Angle Radiation Pattern ★ Telescoping -Tubing

★ Omnidirectional * Highest Quality Construction Shipping weight 9 lbs.

Olson

3 TRANSISTOR WALKIE-TALKIE

Rugged Construction No License Required

Sturdy Molded Case

30" 9-Section Telescoping Antenna

* Shaped to Fit Hand ★ On-Off-Switch

★ Push-to-Talk Switch Size: 5" H.x21/4" W.x11/4" D. Shipping weight 2 lbs.

Battery for above Battery for above (1 req'd.) Olson BA-89 21 C

CAMPING

EA.





2-CHANNEL WALKIE-TALKIE 'Beep'' Call Signal (1300 c/s)

★ 11 Transistors ★ Battery Strength Meter

\$33⁷⁵ **CB-81**

★ Variable Squelch ★ Equipped with Channel 9 Crystals

★ Operates on 8 Penlight Batteries

11 Section, 52" Antenna

* 8" x x31/2" x 11/2" Shipping wt. 2 lbs.



Olson

4-TRANSISTOR

WALKIE-TALKIE ★ Telescoping Antenna

Rugged Construction ★ With Leather Strap

99 Otson CB-42

Lever action switch for easier operating. Plastic case. 9-section antenna telescopes 39¼" from top of case. Operates on popular 9-volt transistor battery (included). Size: 5\%" H. x 2\%" W. x 1\%" D. Leather carrying strap included. Shipping weight 2 lbs.



Automatic Gain
Control
Automatic Noise
Limiting
Double Conversion

-Superheterodyne Squelch Control Input for Mobile

Antenna

Size: 7¾" H.x3¼"
W. x 1¾" D. Shipping weight 3 lbs.

Otson CB-90 \$99⁹⁵

\$10 MONTHLY

NI-CAD Battery Pack and Charger Oison CB-91 \$19.95 Olson CB-92 \$3.95



Standard 2-Watt WALKIE-TALKIE


★13 Silicone Transistors

\$5999 CB-76 \$7 MONTHLY

2 Channel (9 and 14)
Crystals Included
Squelch Control
Can operate from
12-V battery
Includes a built-in
solidly anchored 10
stage, 77.6" whip
antenna
Built-in squelch control
Battery life indicator
Size: 811/6" x 221/2"
x 23/6"

Shipping weight 3 lbs. Batteries, 8 req'd. BA-41 Ea. 13c

CCTV, VTR and ACCESSO



CONCORD

Use Any TV Set For Monitor Video and RF Output (Chan. 6) Lighting Range: 10 to 1,000 Ft. Candles Easy Installation and Operation Built For Continuous Long Term Use 110-120 V. AC, 60 cps. Shpg. wt. 6 lbs.

Olson TV-154

SANDERS TV CAMERA

SIZE: ONLY 3" H. x 41/2" W. x 73/4" D. COMPLETE WITH f 1.4 13mm LENS

Mfr's 1967 list price

\$9 MONTHLY

· SECURITY

MATERIAL HANDLING CONTROL

APPLICATIONS UNLIMITED

TRAFFIC

• TRAINING • EDUCATION

Model VTR-500

Model VIR-500
For Home, Education, Industry, Medicine, Record picture and sound on the same tape. Play back instantly . . no developing or processing. Record and play - back through your TV set.

\$160.00 \$42.50 \$59.50 \$27.50

\$10.00 \$299.50

BABY SITTER ETC.

CAMERA TAPE RECORDER

Olson TV-132

(Less lens) \$13 Monthly



Tape Lectures,

IDEAL FOR BUSINESS, HOME, INSTITUTIONS, SCHOOL, FOR OBSERVATION, SECURITY, JEACHING, HOBBIES, ETC.

Oison RA-961

LOW MONTHLY TERMS AVAILABLE

ACCESSORIES: 9" Monitor and All channel TV receiver. Model MR-500
1/2" Recording tape on 7" reel with storage container. 2400 ft., VT-1
Converter to match output of recorder to TV set. RFC-5
Camera tripod w/pan and tith head, TPR-16 Clip-on view finder for camera, VWF-1
TV, Camera, MTC-12

AUTOMATIC SCANNING ADAPTER

Has built-in viewing window. ASA 6 to ASA 3200, DIN 9 to DIN 36, 4 minutes to 1/2000 sec. F stops from 0.7 to 32. EV from 23 to -2. Case and strap. Size: 3½" x 2" x 1". Shpg. wt. ½ lb.

Panns Camera Left & Right Up to 165°' \$9 MONTHLY

r 3 Ranges: 90°, 120° & 165° r Adjustable Camera Angle r Includes Mounting Bracket Operates on 110-120 V. AC x 5" x 6". Shpg. wt. 6 lbs.

Olson CDS

EXPOSURE METER

\$ 1099 For Movies and Still Photography

TV-142 \$995 PANASONIC \$9 Monthly

All Channel 75 SQ. INCH PORTABLE TV

Only 19% lbs. Has ear, sharply defined picture. Aluminized picture tube. Operates on 110 to 120 V. AC, 50/60 cps. Shpg. wt. 22 lbs.

• 0

CAMERA TO SET ADAPTER WITH AUDIO

**Matches Camera to TV Set Transmits Sound and Picture to Your TV Set ★ Only One Cable from

Camera to TV Set Shipping wt. 2 lbs.

TV CAMERA ACCESSORIES

Olson ® STANDARD LENS: 25mm. Fl.4, F stops from 1.4 to 22. Focus from 2 feet through 50 feet to inf. Standard C type mount. Shpg. wt. 11/2 lbs. TV-117 TELE-PHOTO LENS: 50mm. Fl.4, F stops from 1.4 to 22. Focus from 3.5 \$30 \$59 through 60 feet to inf. Standard C type mount. Shpg. wt. 11/2 lbs.TV-116 \$78

WIDE-ANGLE LENS:
12mm. F1.4, F stops from 1.4 to 22. Focus from 10" through 20 feet to inf. Standard C type mount. Shpg. wt. 1½ lbs. No. TV-115 TELE-PHOTO LENS:

75mm. F1.4. Standard "C" type mount: No. TV-123 REPLACEMENT VIDICON TUBE FOR CAMERA: Tube number 7038. Shipping weight 11/2 lbs. No. TV-118 TV CAMERA-TO-SET ADAPTOR: Adapts TV camera to any standard television set. No. TV-111

55 FEET OF EXTRA RG59 U CABLE: No. W-414 Universal CAMERA MOUNT: Rugged construction.

Mounts on wall. One TV-125. Shpg. wt. 8 lbs.

\$99 \$39.98 \$3.49 \$17.95

\$89

Easy to operate TV camera connects to your present television set to make a complete closed-circuit TV system. [Onco TV-132] is easy to connect too—all cables and plugs are included. Requires no internal connectors to the TV set, internal connectors to the TV set, just connect to antenna terminals. (Note, TV set can still be used for regular reception). CCTV has many applications at home, in business, schools, hospitals. Use wherever you want to observe activities from a remote location, whether you want to keep an eye on the children at the pool or the drama of an operating room. Output level: 1.5 volt peak to peak video. Resolution: H 500 lines. Size: 9½" L. x 5%" H. x 3%" W. Operates on 110 to 120 volts AC, 50/60 cps. Shipping weight 7 lbs. W. E. Glenn, 197 Strawberry Hill W. E. Glenn, 197 Strawberry Hill Avenue, Stamford Ct., 06902; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover for instructions.

Easy to operate TV camera con-

Olson VALUE LINE Your Choice \$ 19

Insulating TAPE



2 rolls of 3/4" wide, self-sticking plastic insulating tape. 2 colors: one roll red, one roll black. Two 33' rolls, 1/4 lb.



Kit of 4 pairs banana plugs and jacks. 2 red pairs and 2 black pairs. With soldering lug. Shipping weight 1/4 lb.


Push-Button BINDING POSTS

900 000 - Pkg. of 2 Accepts tip plug or wire up to 12 gauge. Includes one red and one black plus all hardware. 1/4 lb.

6" Needle Nose Pliers

With side cutters. For Radio and TV repair, 6 inches long. 1/4 lb.

6" Diagonal Cutters



Kit of 3 No. PL-148 Has built-in neon lamp. Jewel front for maximum brightness. Kit contains two red and one yellow light. Includes 3 dropping resistors. For use on 110-120 V. AC. Shpg. wt. 1/4 lb.



Switch Kit

Push Button No. SW-173 INCLUDES: cable connectors, mounting plate. hardware and instructions. For rear seat speaker installations. 1/4 lb.

Push Switches

* Kit of 5 Five S.P.S.T. miniature p u s h switches,



Binding Posts

Kit of 10 No. HW-61 Will take alligator clip. banana plug, tip plug, spade lug, or wire, 1/4 lb.



Kit of 3. All directional radio antenna. Pulls in distant radio stations with remarkable ease. 1/4 lb.



Pilot Lights

Kit of 5 No. PL-64 Jeweled pilot light assemblies with bayonet base sockets. 2 with red jewels, 2 with green and 1 amber. 1/4 lb.



Trimmer Capacitor Kit

No. C-178

Low-loss ceramic base. Convenient screwdriver adjustment, Shpg. wt. 1/4 lb.

Panel Indicators



No. PL-65-Kit of 2

(1 red, 1 green) with 6 volt bulbs. 36' dia.x1" long. 1/4 lb.



Switches & Controls

Kit of 12 No. SW-349 12 assorted selector switches and volume controls. Shipping wt. 2 lbs.




Center-Off Toggle

Kit of 2 No. SW-156 DPDT center off toggle switches. Rated 6 amps @ 125 volts or 3 amps @ 250 volts. Size: 3/4" x 15/6" x 3/4". 1/4 1b

Slide Switches









Toggle Switches

Kit of 3 No. SW-154 (SPST and DPDT). Rated @ 3 amps 125 volts. Size: 11/4 "x 1/4". 1/4 lb.



Tube Sockets

SC-2 Kit of 6. Consists of 3 each miniature 7 pin and 9 pin tube sockets. Shipping weight 14 lb

Pilot Lamp SOCKETS

* Kit of 10 Asst. No. AS-848 For bayonet type bulbs. Perfect for replacement in radio, TV or phono. Shpg. wt. 1/4 lh.



Lua Terminals

Kit of 13 No. HW-60



Size: 3%"x 3%" lengths: - 11/2" 21/4" & 23/4". 1/4 lb.

A.C. Chassis Sockets Kit of 8 No. X-803 Bag of 8. Rated for 117 volts. 10 amps. Mount in 1/2" x 1%" hole. 1/4 lb.



Transistor Sockets

Kit of 10 No. 5C-1 Takes transistors with three contacts in line or triangle (JEDEC) Size: %" x ¼". ¼ lb.

Speaker Control No. SW-133

Reduces volume of one speaker while increasing volume of other speaker. With hardware. 14 lb.



ELECTRICIAN'S TAPE

66-ft. Roll No. TL-268 plastic selfsticking electricians tape. Shpg. wt. 1/4 lb.



ALLIGATOR CLIPS

* Kit of 10 No. HW-62, Kit of 10 insulated Alligator clips, 5 red clips and 5 black clips. Asst. sizes, 1/4 lb.



9V Battery Snaps

Kit of 6

Pkg. of 6 battery snaps to fit popular 9 volt batery in transistor radios, etc. Shipping wt. 1/4 lb.




'Ear-Ease' Earphone Lightweight---Comfortable

★ With 3.5mm Plug Miniture acoustic chamber. Improved low frequency response. Size: 3%" v 134" x 1". Has 4 ft. cable with 3.5mm plug. Shipping weight 1/4 lb.

Dynamic EARPHDNES

* Reversible Ear Hook ★ 5' Cable with Plug * 8 Ohms. Shpg. wt. 1/4 lb.



Same as above but has 25' Cable

15 ohm EARPHONES ★ Kit of 2 ★ Resp. 50-4,000 Cps ★ 3/4x3/4" Dia. Shpg. wt. 1/2 lb.



3 4 for \$3.50 2

Olson Earphone Extension Cord



Omon PH-138 Has 2.5MM Plug 99c 4 for Omon PH-139 Has 3.5MM Plug 99 \$3.50

Extend earphone 25 feet from radio, TV, tape recorder, etc. With plug and jack. Soft flexible 2 cond. cable. Shipping weight ¼ lb.

Olson 2,000 ohm EARPHONE



* Padded Ear Hook

Shpg. Wt. 1/4 lb.

PH-131 FOR \$3.57

Onson DYNAMIC EARPHONES * Pkg. of 2 * 8 Ohm * With Cable & Plug

PH-125 99

15 ohm EARPHONE * With Cable Plug & Jack * Padded Ear-Hook

Shipping Weight 1/4 lb. PH-130 \$129

3 for \$3,57 EA.

NORDMENDE

GLOBETRAVELLER SEA-B



Solid State Circuitry

4 Bands 3 Pre-set Buttons for FM reception

Portable or in the Home. Built in AC.

A truly outstanding creation of exceptional performance and styling. As a car radio as a portable at home Outstanding features include 4 bands tincluding AM-FM) 4 watts output tin car or boat) mesa transistors, AFC control, $5V_1''$ wide band speaker. Jacks for outdoor antenna, earphone, headphone, extension speaker, phono, tape recorder and separate amplifier

NORDMENDE

GLOBETRAVELOR II 15 BAND SOLID STATE PORTABLE HI-FIDELITY SYSTEM



- ★ AM-FM-LW Marine
- * 11 Spread SW Bands
- * Wide Band Switch
- **★** Built-in AC

Now you can tune-in the Whole World. With the most powerful, and most complete radio, you can listen to Russia, Egypt, Israel. Vietnam and any other country you please. Excel-lent quality of tone makes this a true Hi Fidelity System.





Distinctive modern lines complement the smart interior of the executive office or today's most fashionable decor. Has 90° aluminized picture tube for true picture detail. New "dark-tint" screen assures pleasing contrast indoors or out. Eliminates annoying reflections. Receives all channels -- UHF and VHF. Includes earphone for private listening. Size: 71.2" H. x 84 "W. x 10 4" D. Operates on 110-120 volts AC, 50/60 cps, or optional 12 volt battery. Shipping weight 11 lbs.

CROWN 4" Diagonal TELEVISION With FM-AM RADIO



TV-150 MONTHLY **5|39**95

- · Thirty Transistor Circuit
- Operates on Battery or House Current
- · All Channel Tuner-UHF-VHF · Rechargeable Battery (Optional)
- . 9 Sq. Inch Viewing Area
- · Built-In Antennas
- · Earphone Included
- · Weighs Less Than 9 lbs.
- · Size: 33/4" x 93/4" x 81/2" Shipping weight 11 lbs.

Nickel-Cad, Rechargeable Battery Pack,

Olson TV-151 \$26.95



Precision Radiation Instruments RI SCINTILLATOR

ME-145 "AS IS"

60 TIMES The Sensitivity Of A Geiger Counter * Original Factory Cartons



The Model 117B has sixty times the sensitivity of a Geiger counter. The detecting element is a 1" diameter x 1/2" thick Thallium activated Sodium lodide crystal hermetically sealed and optically coupled to an RCA 6199 photomultiplier tube. The tube and crystal assembly is enclosed within the instrument case and is magnetically shielded. Operating ranges of the Model 117B are .025, .05, .25, .5, 2.5 and 5 milliroentgens per hour. Shipping weight 11 lbs.

Complete Set of Batteries No. AS-846

Sonar SENTRY PORTABLE **VHF MONITOR**



- ★ Instant Police-Fire & Marine
- * Crystal controlled 2 channel
- Built-in AM Radio
- ★ Pocket Size
- * Complete with Battery, Earphone & Carrying Strap

LESS CRYSTALS

Crystals


each \$5.00

100 WATT Solid State AM-FM FM STEREO RECEIVER



- * Stereo Indicator Light
- * Tuning Meter
- * Slide Rule Tuning
- * Inputs-Magnetic, Crystal, and Aux
- * Tape output Jack
- * Low Silhouette Design





- ★ F.E.T. Front End
- ★ 0.1 uv Sensitivity
- ★ High Reliability Integrated Ciruits
- ★ Full 5-watt Input
- ★ 100% Modulation
- ★ Speech Compressor
- ★ Provisions for Two Reserve Channels
- ★ Solid State T/R Switching
- ★ Built-in "S" Meter
- ★ Push-to-talk Mike Included
- ★ Operates on 12-volt DC, Neg. Gnd. Size: 6" W. x 2" H. x 7" D. Shipping Weight: 6 lbs.

Tops in Sound, 2400 N. Miami Avenue, Miami, Fla. 33127; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.



LOW, LOW PRICE

Olson CB-88 \$9 MONTHLY

AC Power Supply, Olson CB-77

CRYSTALS [

NOT A

((**(**)) PACE 2300 CITIZEN

RADIOPHONE

- ★ Complete 23 Channel Operation
- ★ All Silicon Transistors ★ Glass Fiber Circuit Board
- Accurately Calibrated "S" ★ Shaped Audio Response ★ PA Facility ★ Wood Grain Finish
- ★ 0.3 uv @ 10DBsn

Olson CB-80



SQUIRES SANDERS Admiral 23 Channel BASE STATION CB TRANSCEIVER



• Large 3" S-Meter Exclusive "Pulse Eliminator" Noise Filter

Built-In Digital Clock

+2 Mike With Transistor Pre-Amp

Dual Conversion Receiver

Sensitivity: 1/2 uv. for 10 db S+N/N

Operates on 105-125 V AC, 60 cps. Size: 51/4" H x 133/4" W x 10"3/8 D.

Shipping wt. 11 lbs.

The World!

No. CB-93

\$17 MONTHLY

Olson COMMUNICATIONS RECEIVER



Dison RA-48 Headphones)

★ Power Transformer ★ Adjustable BFO For SSB & CW

★ Built-in Speaker ★ Continuous Coverage, 550KC to 30 MC ★ 4 Bands, 10 Through 80 Meters & Broadcast ★ 6:1 Ratio Vernier Tuning ★ Headphone Jack ★ Pilot Light ★ Gray Metal Cabinet ★ Size: 9%" W. x 5%" H. 6"D. ★ Operates on 110-120 volts AC 60 cps. Shipping weight 8 lbs.

Dison PH-27, 12 @ \$2 ea.

VINYL CARRYING CASE



Tools, Microphones, Tape Recording Accessories, Etc.

Cameras, Precision

★ Polyfoam Filled

Perfect protection for all sorts of delicate items. This handsome carrying case is filled with uncut polyfoam which you can cut to fit your camera, tape accessories, microphones,

etc. Foam protects and keeps articles neatly in place. Inside dimensions of case are 121/4" W. x 111/4" x 35/8". Overall size: 121/2" W. x 121/4" D. x 41/4" H. Has four 12 1/8" W. x 11 3/4" x 3 5/8". Overall vinyl feet. Shipping weight 3 lbs.



★ Complete with Knife and Template

CASE SIZE CA-335 10"x7"x4" \$6.98

CASE SIZE CA-337 19"x13"x5" \$15.98

Finest protection for precision equipment such as microphones, cameras, test equipment, etc. Everything nests in a cushion of polyfoam, safe from shock and damage. Aluminum closure and hardware. Cases are filied with uncut polyfoam that can be custom cut to fit your fragile equipment.

Instructions for Cutting Out Polyfoam Insert To Fit Equipment



TRANSCEIVER

* Instant On — No Warmup

* PA Function

* Adjustable Squelch

* All Silicon Transistors

Once again (2000) offers the most advanced CB transceiver at the lowest possible price, Rugged, dependable solid state circuitry for real money saving economy. Ultra compact size combined with modern styling result in a transceiver that is both functional and pleasing to the see. Circuit imploys all silicon transistors for maximum efficiency and dependable performance under all operating conditions. Low power requirements maximum efficiency and dependable performance under all operating conditions. Low power requirements make the (2000) CB-12 ideal for all 12 volt card) uses. taxis, or even the compact of the conditions and pleasing to the compact size combined with motorcycles. Other features include: adjustable squelch, 12-channel operation, remote speaker jack, PA motorcycles. Other features include: adjustable squelch, 12-channel operation, remote speaker jack, PA function, automatic noise limiter, illumi is 5 wasta input: Modulation; 100%. Size: 25% x 5½ x 7½° x 1½° x 1

36" x 36" GRILLE FABRIC Walnut BLONDE No. HF-13 No. HF-14 Pattern may vary from illustra-on. An Oison Best Buy! Shipping eight 1% lb.

MATCHED GRILLE FABRIC

2 PIECES 11" x 26" Both 55° Walnut, No. HF-19 For Blonde, No. HF-18 You get two pieces 11" x 26" of the same color and pattern. Patterns may vary from illustra-tion. Shpg. wt. 1/2 lb.

24"x36" Olsontone Grille Fabric \$152 WALNUT HF-16 **BLONDE HF-15**

* Won't Snag, Scuff, Fade Pattern may vary from illustration. An Osson BEST BUY! Shpg. wt. 13/4 lbs.

6 Pc. Grille Cloth Kit HF-20 99°

From 7" x 10" to 12" Mahogany & Blonde Different Patterns Shipping weight ¼ lb.

ACOUSTICAL FIBERGLASS Olson * Easy To Use 12 @ \$1.19 ea

ldeat for lining speaker cabinets Easy to cut, glue or staple. 9 sq. ft package. Shipping weight 2 lbs.

ACOUSTIC FOAM 72" x 18" x 1/2"

No. HF-12, 3 for \$6 Oison

DECORATOR GRILLE FABRIC

Made of finest quality vinyl plastic, woven with proper niesh for passage of high frequencies as well as low. Your choice of latest patterns and heautiful demonstry maken.



A 36" x36" Walnut or Mah., HF-120 \$3.50 B 36" x 36" Blonde, HF-121 \$3.50 A 24"x36" Walnut or Mah., HF-122 \$2.99 B 24" x 36" Blonde, HF-123\$2.99

PKG. OF 2 MATCHED PIECES
© 11"x26" Walnut or Mah., HF-124 \$3.99
© 11" x 26" Blonde, HF-125 \$3.99

35"x12" UNIVERSAL PATTERN

Color and weave are carefully selected to blend with and compliment most of today's popular wood finishes. Mat-ches Blonde. Walnut, Fruitwood, etc. E Oison HF-119

BASKET WEAVE

Bold wood-grain strips run through neutral field of woven vinyl plastic. Will not sag or fade.

F 12" x 14" Olson HF-117 G 20" x 38" Olson HF-118

Olson for \$5 Olson

3-Circuit 1/4" Plugs ---PKG. OF No. PL-146 \$ 39

Adapter Plug Kit

HF-25

Adapts from miniature phone plug o standard phono plug, from standard phono plug, from standard phono plug to miniature phone plug to standard rom miniature phone plug to standard phone plug. Shipping weight ½ lb.

Mini-Plug to 1/4" Plug Adapter

Accepts "tiny" phone plug and converts to standard 1/4" phone plug. All metal, shielded construction. Shipping weight 1/4 lb.

Kii of 3 No. HF-7 Kit of 3 inline adaptors to convert RCA type phono plug to standard 1/4" phono plug. Size: 1/2" dia. x 27/4". 1/4 lb.

1/4" PHONE PLUGS Per Kit \$1.39

Plugs into 1/1" phone jack. 1/4 lb.

Kit of 10 Pair No. HF-24

RCA type. Plugs mount on end of shielded cable and have clamp type strain relief. Round type chassis mounting jacks. Fi lb.

* KIT OF 4

Phono Plugs & Jacks \$1.39

Phono Plug Adapters

Commonly used on push to talk mikes and stereo headphones. Standard 4" dia. barrel. 14 lb. 201010101010101010101010

D.I.N. AUDIO PLUGS * 3 Circuit and 5 Circuit * 1 Plug and 1 Jack Per Pkg. 3 CIRCUIT \$4 39 \$139 No. HF-26 5 CIRCUIT \$139 No. HF-27

Genuine D.I.N. Audio Plugs and jacks are completely shielded and insulated. Insulating sleeves are easily removed to expose the solder connections. Shipping weight 1/4 lb.

3-Circuit Phone Jacks Pkg. of 3 Graan HF-101 Standard 3-circuit 1/4/phone jacks. Accepts 3-circuit phone jacks. Accepts 3-circuit plug commonly used on stereo headphones and microphones. Shpg. wt. 1/2 lb.

1/4" Phone Jacks

\$139

\$1.39

No. X-253

* Kit of 5 No. HF-6

\$1.39

Open and closed circuit are any standard 4/2 phone plug. Shipping weight 4/2 lb.

Barton T. Lyman, 205 Dupont Circle, Wilmington, Del, 19809; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

Dual Inline Jacks \$1.39 Kit of 4 No. HF-9
Dual inline phono
jacks allow connection of two audio cables having
phono pin plug ends. Size: ½" dia. x
1½" long. Shipping weight ½ lb.

Phone Plug Sets \$1.39 2 Pairs No. HF-22
Two pair of male and
female 4 inch phone jacks
and plugs. Color coded black and red identifica-tion. Shpg. wt. ¼ lb.

\$1.39 Phono Plug Adapters Kit of 2 No. HF-8

Convert standard to type phone plug. Size 1" dia. x 214".

Mini-Phone Plugs & Jacks \$1.39 3 PAIRS No. J-2

Kit of 3 pairs of miniature, shielded phone type plugs and shorting jacks. Ideal for remote speaker hookups. Small microphones. 1/4 lb.

Phone Plugs \$1.39

SHIELDED

Kit of 2 No. HF-10

Kit of 2 shielded standard ¼ phone
plugs. Plated all metal barrel. Screw
terminals. ¼ shaft. Barrel 1 % x
½". Shipping weight ¼ lb.

Phono Pin Plugs & Jacks \$1.39 3 Pairs No. HF-4 3 plugs and jacks for making audio connections. Size: *K" diam. x 1½6" long. ½ lb.

TRANSISTOR **AMPLIFIER**



COUPON **VALUE**

Size: 2" x 4" x 1". Power output: 300 mw. Output impedance: 8-11 ohms. Shpg. wt. $\frac{1}{2}$ lb.

9 Volt Battery, BA-89

MINIATURE DYNAMIC MIKE CARTRIDGE

Exact replacement for many slim dynamic mikes. Only $1\frac{1}{4}$ " dia. x $1\frac{5}{6}$ " deep. Impedance matching transformer is mounted on cartridge. Resp.: 50 to 12,000 cps. Sensitivity:—55 db. Impedance: 50K ohms. Shipping wt. 1 lb.

DUAL IMPEDANCE CARTRIDGE

50 and 50K ohms. —52 db. Response 40-13,000 cps. Size 1%'' dia. x 1%'' deep. Shipping weight 1 lb. \$399

DUAL IMPEDANCE CARTRIDGE

600 and 50K ohms. Response: 40 to 14,000 cps. —53 db. 11/4" dia. x 13/4" deep. Shipping weight 1 lb. \$399

Olson M-292

Otson M-291

\$000000000000000\$\$\$\$\$00000000000000 Solid State AMPLIFIER KIT * Modular Construction



Amplifier was originally designed for a tape recorder. It is completely assembled in two parts, amplifier and power supply. Includes speaker, output transformers, low impedance microphone and power cord. Operates on 110 to 120 volts AC, 50/60 cps. Shpg. wt. 4 lbs.

Sekoni- U.S. Shpk. wt. 4 lbs. Sekoni-

Genuine Sekonic light meter. Origin-

\$4

Genuine Sekonic light meter. Originally manufactured for use in the Kodak Motormatic 35 camera. Consists of a selenium cell and 0-54 ua. d'Arsonval meter. Meters are new in individual plastic cases, but are slightly irregular. A scale is not provided but you can easily make and calibrate to suit your application. Size 1" x 2¼". Shipping weight ¼ lb.

SUULULULULULULUR VOSTO Oison 12 VOLT DC POWER SUPPLY

★ Factory Assembled Module
★ Circuit Includes 3 Transistors
★ Just add Speakers and Battery
★ Operates on 6 Volts DC
★ Schematic Diagram Included

Size: $3\frac{1}{2}$ " x 2" x 2". Shipping weight $\frac{1}{2}$ lb.

Mfrs. 1967 list price \$8.95

Otson TR-121

Completely Assembled • Output 150 ma

STOOD TO THE STOOD

INTERNATIONAL RECTIFIER

Transistor

MODULE

BUILD YOUR OWN ELECTRONIC BABY SITTER

\$199

• 117V. AC Input • Silicon Diodes • Well Filtered • Size: 23/4"x25/6"x13/6" Shipping weight 2 lbs.

Heavy Duty Power Supply, 12V. DC at 1 Amp. 117V. AC Input
Obion X-55 \$7

SOLID STATE Operates on Battery

MINI-P.A.

OISON COUPON VALUE

AM-327 3 @ \$1.59 12 @ \$1.29

Consists of a carbon mike connected to a one transistor amplifier which is mounted on the back of a 214" PM speaker. Operates on a 9 volt battery (not included). Shipping weight 1 lb.

ADAPTER PLUG 4 for \$3.50

★3 Ckt. 1/4" Plug to 2 Ckt. 1/4" ★ Metal Construction ★ Adapts Stereo Headphones for Mono Shipping weight 1/4 lh.

Push-Button Terminals 99c

2 Red & 2 Black Otton HF-100 Package of four push-button binding posts. ¾" long x ¾" dia. Insulated caps are color coded, 2 red and 2 hlack. Ship-

Olson JUNCTION BOX



4 for \$3.50 EA. 99c Contains two closed circuit jacks for miniature phone plugs and two piugs. Size: 1½" x 1" x 32". Shpg. wt. ¼ lb.

Olson Audio Patch Cables

* Flexible Shielded YOUR CHOICE

* Tough Vinyl Insulation
For all types of audio equipment.

\$198
PAIR

FOR \$5.50

6 FT. CABLE NO. HF-88 has 90° 1/4" phone plug on one end with tinned leads on the other end.

12 FT. CABLE NO. HF-87 with RCA phone plug on one end and 90° ¼" phone plug on the other.

12 FT. AUDIO PATCH CABLE 6 for \$5.50

6 for \$5.50 No. HF-89, 2 FOR \$189 has mini-phone plug on one end and RCA phono plug on the other.

FLEXIBLE "Y" ADAPTER KIT 99c

Kit of 2, No. HF-53

Both have 1 male and 2 female connections with 3½" flexible leads. Total length 5½". Shipping weight ½ 1b. FLEXIBLE "Y" ADAPTER 99c

Pkg. of 2 No. Hf-91
Each has RCA type μhonoplug on one end with 1-RCA type plug and 1-RCA type jack on the other end. Shipping weight ¹⁴ lb. 9

Audio Cable Kit \$1.19
No. HF-11
Consists of 3' audio lead with pin plug, other end tinned and stripped; 6' audio lead with pin plugs; 1 dual inline jack, Shpg. wt. 1/4 lb.



Retractable 36" Audio Cable



RED No. HF-60 GREEN No. HF-61 YELLOW No. HF-62 GRAY No. HF-63

Four Colors RCA Type Plug Your Choice


Retractable 15' Audio Cables

GREEN ...No. HF-83 YELLOW No. HF-84 GRAY No. HF-85

YOUR CHOICE

\$219° BLACK No. HF-86

AUDIO CABLES For quick connection between phono amplifiers, tuners, etc. Shielded cable with grey plastic outer sheath. Shipping weight 1/4 lb.



4 for \$1 B 2 phono pin plugs, one on each end, 5-ft. cable.
No. HF-49, 3 for 1.79
Kit of 4 36" Cables
No. HF-57

...\$1.29 90° RCA type pin plug on each end. 5-ft. shielded audio cable. No. HF-64, 3 for \$1.99

Phono pin plug, other end phono pin jack. 5-ft. cahle. No. HF-51 69c 3 for \$1.50

D Dual phono cable with pin plugs each end. Color-coded. 6-FT. No. HF-55, 3 for \$3.50 \$135 E 5 ft. shielded Cable No. W-558 with 1/4" phone plug.
3 for \$1.50

Stereo Spkr. Wall Jack \$1.49

3 for \$4 No. HF-23 Two ¼" jacks mounted on a standard wall plate. Two ¼" phone pluss are included. Ivory finish. Size: 2¾" x 4½". Shipping weight ¼ lb.

-17 . 6 Ft. Shielded Cable \$ 99

AUDIO PATCH CABLE

· 3 Pin Din Plug Duai RCA Type Phono

APTERS

* 3 Ckt. D.I.N. To Dual RCA

Plugs 2 for \$3.79 Shipping weight 1/4 lb.

5 CKT PATCH CABLE same as above but has 5 ckt. D.I.N. plug in place of the 3 ckt. Otson HF-135 2 for \$3.79

HF-136

ADAPTER PLUG

Connects standard ¼"
plug to mini phone plug.
2 ¼" long x ¾" dia. Dia.
of tip is 3.5 mm. Shipping weight ¼ lb,
3 Kits for \$3.60

14" to micro-plug. 25 mm dia. tip.
Olice HF-128, 3 for \$3.60 ea. \$1.29



MINI POWER PLUG AND JACK ... MINI POWER PLUG AND JACK 99c.

Pkg. of 2 pr. HF.77

4 for \$3.50

With in verted contacts. Plug size:
1" long x 3%" dia. with 3%" dia. barrel.

Chassis mtg. jack has 15/16 mtg. centers: Shipping weight 1/4 lb.



Includes phono and phone type plugs plus clips. Shipping weight ½ lh.




MICROPHONE ADAPTER PLUG

No. HF-94 50C Ea. Convert Amphenal screw-on connector to 1/4 phone plug. Shpg. wt. 1/4 lb.

PHONU PLUG

* Color Coded, Pkg.

HF-3 PHONO PLUGS













BRAND NEW! PNP TRANSISTORS

YOUR

CHOICE

★ Made by a leading U.S.A. Manufacturer ★ First Quality

AUDIO

ALL FOR


AS-418



12 PNP General Purpose

BAG OF 12 Office TR-25

These first quality audio transistors will audio transistors will work in most audio circuits as replacements or use them for 90% of experimental audio applications. Replaces many popular numbers without circuit changes. With full length wire leads. Slog. wt. 116 lbs.




Frequency AUDIO 8 PNP

Chan TR-24 BAG OF 8

First quality tranistors with full length leads. Ideal for experimental and replacement needs in high frequency audio circuits. Replaces many popular num-bers without circuit changes. Shipping weight 1½ lbs.



GIANT 40-Piece Electrolytic KIT



Assorted

★ Capacities: 10 to 125 MFD ★ Voltages From 6 to 450 V.

F.P. twist lock and tubular electroly-tic capacitors. Kit contains 40 assorted single, double, and triple capacity elec-trolytics. Shipping weight 7 lbs.

ELECTROLYTIC CAPACITORS

F. P. and twist-lock electrolytic capaci-

F. P. and twist-lock electrolytic capaci-tors at an average cost of 9c each. Kit contains 50 assorted single, double and triple capacity electrolytics. Capacities are from 10 to 80 MFD with working volt ratings from 6 to 450 volts. Ship-ping weight 7 lbs.

U. Foster, 507 W. Vandall Street, Broken Arrow, Okla. 74012; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

Electrolytic CAPACITORS KIT OF 20

10 to 80 MFD

★ 6 to 450 Volt Assorted FP and Twist Lock \$999

F. P. and twist-lock electrolytic capacitors. Kit contains 20 assorted single, double and triple capacity electrolytics. Capacities are from 10 to 80 MFD with working volt ratings from lytics. Capacities are from 10 to 80 MFD with working volt ratings from 6 to 450 volts. Shipping weight 3½ lhs.

TUBULAR ELECTROLYTICS



A new high in value, a new low in cost as one of-fers these most popular electrolytic tubulars at rock bottom prices. Full insulation protects against beat and humidity. Shipping weight 1/4 lb. each. Capacitors Size Approx. 214" x 74" Din.

70-30 MFD. @ 150 WVDC No. C-147 EACH

100-150 MFD. @ 150 & 50 WVDC No. C-213. EACH 50-30 MFD. @ 150 WVDC

80-40-20 MFD. @ 150 WVDC No. C-144 EACH





You get 100 — V_2 , and I watt carbon resistors. Also included are 100 disc and tubular ceramic condensers and 100 standard tubular condensers, and 12 popular PNP transistors. Shpc. weight 2 lbs.

Tubular Ceramic Olson CAPACITORS **★ Top Quality**



Most are rated at 600 volts or more Standard color codes used throughout. Order now and save at this low price Shipping weight 1/4 lb.

100 PIECE CAPACITOR KIT



Values range from .001 mfd to .5 mfd at voltages from 100 to 1000 volts. Condensers cost you less than 2c each. Shipping weight 2 lbs.

Olson & ELECTROLYTICS

★ 1/4" dia. x 1/2" long PKG. OF 5 ONLY Shpg. wt. 1/4 lb.
 Stock No.
 MFD.
 WVDC

 C-966
 5
 10

 C-967
 10
 25

 C-968
 50
 10

 C-969
 50
 10

 C-970
 100
 10
 99°

Olson Electronics AKRON, OHIO

Olson Electrolytic

* For Low Voltage Applications



Your Choice \$ 19

64c

39c

64c

64c

100 MFD @ 50 V., Pkg. of 3, No. C-216 500 MFD @ 50 V., Pkg. of 2, No. C-217 1,000 MFD @ 50 V., Pkg. of 1, No. C-218

Highest quality capacitors for extra long service. Sealed in aluminum with vinyl insulation.

600 WV DC CONDENSERS



100-PIECE CERAMIC CAPACITOR KIT



Most rated at 600 volts or more. All top quality. Kit may contain some tubular type ceramics. Shipping wt: 1/4 lh.


Printed Circuit Electrolytic



Only %" in dia, by 21/4" H. Terminals fit directly into printed circuit board. Shipping weight 1/4 lb.

EPOXY REPLACEMENT TRANSISTORS

5 SELECTED TRANSISTORS REPLACE OVER 6,000 FOREIGN & DOMESTIC



PKG. OF 2 5 PKGS. FOR S4.50

Other TR-131 P.N.P. General purpose low noise amplifier. Breakdown—60 volts, gain 100-300 at 150 ma. Frequency—200 mc. Replaces: 2N43, 2N44, 2N59, 2N60, 2N65, 2N104, 2N109, 2N291, 2N303, 2N311. 2N486, 2N563 plus 100's more.

| Other TR-132 P.N.P. High speed switch, amplifier and oscillator. Breakdown—20 volts, galn—30 at 10 ma. Frequency—400 mc. Replaces: 2N63, 2N64, 2N78, 2N106, 2N128, 2N190, 2N146, 2N175, 2N207, 2N217, 2N220, 2N265, 2N344, 2N405, 2N409, 2N482, 2N501 plus 100's more.


©imai TR-133 N.P.N. R.F. and I.F. amplifier. Breakdown—70 volts, gain 50 to 200 at 10 ma. Frequency—250mc. Replaces: 2N103, 2N117, 2N118, 2N194, 2N211, 2N213, 2N216, 2N228, 2N233, 2N263, 2N292, 2N306, 2N433 plus 100's

Note: 1 (No. 1) (No. 1

Common TR-135 N.P.N. General purpose amplifier and switch. Breakdown—60 volts, gain—100-300 at 150 ma. Frequency—250 mc. Replaces: 2N1964, 2N1965, 2N2220,2N2221, 2N2230, 2N2310, 2N2312, 2N2316, 2N2350, 2N2364, 2N2396, 2N3642 plus 100's more.

NEW! NEW! NEW! NEW.

10-Watt Wire Wound Resistors



Kit of 27 Most Popular Values \$ 950

No. R-84 PER KIT

Shipping weight 1 lb 10-25 Watt Wire Wound Resistors

HANDY HOME

with purchase of R-77 RESISTOR KIT BELOW ★ Flexible container with cap ★ Shipping weight 1/4 lb.

100 PC. CARBON Resistor Kit



CARBON RESISTORS

Shpg. wt	. R-63	@ \$1.	49 S	1.69
OHMS	OHMS	OHMS	OHMS	OHMS
10	47	470	10 K	150 K
15	100	1 K	15 K	330 K
22	150	1.5 K	47 K	470 K
33	330	4.7 K	100 K	1 M

SAVE GET BOTH KITS \$298
No. R-62 and R-63
No. R-64, 6 @ \$2.79 ...


30 Most Needed 1/2 - W. CARBON RESISTORS

6 (Kit	R-62 @ \$1.49 of 30	, \$	69	Shpg. wt	
Т	Kit Co	ntains (ne Of I	Each	
MS	OHMS	OHMS	OHMS	OHMS	
0	150	2.2 K	33 K	330 K	
	220	AWN	47 V	ATON	

68 K 1 meg. 330 6.8 K | 68 K | 1 meg. 470 | 10 K | 100 K | 1.5 meg. 22 33 150 K | 2.2 meg. 15 K

OHA

IC INTEGRATED CIRCUIT **EXPERIMENTER**



- ★ Detailed instructions for 5 experiments
- ★ Circuits include: gates, logic, flip-flop, monostable multivibrator, square wave generator, squaring circuit, Schmitt trigger, difference amplifer, DC amplifier and AC pre-amplifier
- ★ Complete description of each circuit supplied Shipping weight 1/4 lb.







- * 8 Transistor Circuit 70-100 MW Output
- ★ Suitable for: Phono Amp., Inter-com, Gen. Purpose Audio Amp., etc.
- * Operates on 4.5 V. DC Shipping weight 1/4 lb.



★ High Wattage Type

A general replacement for high, medium and low wattage types such as 2N234, 2N234A, 2N235, 2N235A, 2N235B, 2N235B, 2N236A, 2-N36B, 2-N342, 2N285, 2N285A, 2N307A, 2-N352, 2N353, 2N399, 2N400, 2N401, 2N669.



B TO-36 Silicon NPN Similar to 2N 1512, 2N 1514, Diffused-A TO-5 Germanium PNP

A pair of 3 amp medium power trans-istors similar to 2N 1038, 2N 1039, 2N Ofson TR-102

A TO-5 PNP Silicon Similar to 2N 1131, 2N 1132 epitnxial planar silicon transistor.
PACKAGE OF TWO \$1.25

A TO-5 NPN Silicon Similar to 2N 334, 2N 335, 2N 336 Grown-junction design.
PACKAGE OF TWO \$1.49

A TO-5 NPN Silicon Similar to 2N 497, 2N 498, 2N 550, 2N 551, 2N 656, 2N 657. Diffused-junction clesign.

A TO-18 Silicon NPN Similar to 2N 930. Minimum of frequency is 30 mc.

20 Pc. POWER Resistor Kit



Wattages range from 5 to 25 watts more. This is a real value for the perlmenter or serviceman. Shipping eight 2 lhs.

STUD RECTIFIER MOUNTING KITS

For DO-5 size studs 1/4" mounting bolts. Includes insulating washers, solder lug and bolt. Shipping wt. 1/4 lb.

HEAT SINK KIT -- 11 Assorted Sizes



FAIRCHILD IC INTEGRATED CIRCUITS



716 Otton TR-137

★ Contains: 11 Transistors - 6 Diodes - 18 Resistors


\$499

★ Includes 10 Circuit Drawings For: Voltage Amplifiers -Audio Amplifiers - Headset Ampliflers - Regulated Pow-er Supply

Shipping weight 1/4 lb.



transistor circuits. with switch and knob. Shpk. wt. 1/2 lb. Size: 54" dia. (less knob).




7/8'' square with short shaft and $1\frac{14}{4}''$ dia. transparent engraved dial. Shipping weight $\frac{14}{4}$ lb.

No. C-861



frequency, high reliability made by Post Alloy diffused technique, Re-places many popular transistors without circuit changes, Shpg. wt. 1/4 lb.





Ideal for Auto Radios, Switching Circuits. Amplifiers, Etc. Shipping weight 1/4 lb.

Semiconductor Heat Sinks



X-951 \$ 76 ★ Size: 4 x 3 x 11/4

Direct mounting of the most common power transistors such as stud type. TO-6 and TO-36 cases, TO-3 case. TO-48 case and 2N1015. Shpg. wt. 3/4 lb.

Olson RESISTOR KIT



Kit of 30 carefully selected resistors to fill most of your servicing requirements in solid state circuits. Contains two each of the following values: 10, 68, 100, 470, 1 K, 3.3 K, 4.7 K, 15 K, 33 K, 47 K, 100 K, 220 K, 370 K, 500 K, 1 meg. ohn. Shpg. wt. 14 lb.

CAPACITANCE SUBSTITUTION BOX

TWO SETS OF TEST LEADS

TE-213

- Independent Resistance and Capacitance Circuits
- Resistance: 15 to 10 meg.
- ohms (24 Steps) Capacitance: .002 MFD to .22 MFD (9 Steps)

Size: 51/8" x 25%" x 21/2" Shipping weight 2 lbs.

Olson TESTER ADAPTER

- Use with any VOM, VTM or OHM Meter
- Polarity Reversing Switch
- Convenient Clip Leads Checks Transistors And Diodes
- Fast-Easy Operation
- ★ Size: 3¼" x 2½" x 1½". Shipping weight 1 lb.

Olion TE-225, 3 for \$14.25 \$4.95



DELUXE TRANSISTOR & DIODE CHECKER

* MEASURES TRANSISTOR PARAMETERS

2 For \$38

- ★ Has Quick-Test Socket
- Test Leads Included ★ Measures Internal Resistance of Diodes
- ★ Large Full-View Meter
- * Battery Included Size: 41/2" x 7" x 31/4". Shpg. wt. 6 lbs.

Mercury TUBE TESTER Model 1100A FACTORY

Nuvistors-Compactrons and 10 Pin

★ Checks Emission, Shorts, Leakage & Gas
★ Bridge Meter Cir. for Greater Accuracy
★ Built-in Pin Straighteners
★ Sturdy Leatherette Covered Case
Size 9" x 8½" x 3½". Operates on
110 to 120 v. AC, 50/60 cps. Shipping
weight 6 lbs.

\$34.95

Olson R.F. Signal GENERATOR



VARIABLE AUDIO OUTPUT

TE-188

2 For \$52

- * Has 41/2" Etched Dial
- ★ 6 Bands: 120 KC to 260 MC
- * 400 Cycle Audio Circuit
- ★ Variable Output Level Size: 7" H. x 10½" W. x 5%" D. 110-120 volts AC, 50/60 cps. Shipping weight 9 lbs.



- Made in U.S.A
- Checks Emission, Shorts, Gas Leakage Tests Novars, Nuvistors, Compactrons
- Has Pin Straightener
- Picture Tube Test Adapter Included
- Test Many Industrial Tubes

Operates on 110-120 volts AC, 50/60 cps. Size: 11½" W. x 8¾" D. x 3½" H. Shipping weight 10 lbs.

\$39.95

Factory Wired, TE-193 \$7 Monthly \$69.95
Deluxe Mutual Conductance Tube Tester
Model 2000. Tests Transistors, Diodes and
Tubes. No. TE-226...\$10 Monthly...\$99.95



Olson COUPON VALUE

20 K Ohms/Volt



Mirrored Scale Meter Protective Circuit

50 ma.

Complete With Test Leads ★ Extra Large Scales ★ DC & AC Volts: 0-1, 2.5, 5, 10, 25, 50, 100, 250, 500 & 1000

★DC Current: 0-5 ua., 2.5 ma.,

★ Resistance: 0-5K, 50K, 500K, 5 Meg. Ohms ★ Output Ranges: -20 to + 22 db.

★ Test Leads Included Size: 7½" x 4" x 1¾". Shipping weight 2 lbs

TE-184

Complete With Test Leads

2 FOR \$39

- ★ AC and DC Volts: 0-15, 150, 1,000
- ◆ DC Current: 0-150 ma.
- Resistance: 0-100K Ohms
- Uses Penlight Battery (Incl.)

Olson & AUDIO GENERATOR SINE AND SQUARE WAVE



- ★ Frequency Range: 20 to 200,000 cps
- 4 Band Scales
- Smooth Vernier Tuning Output Attenuater
- ★ Square Wave: 60 to 30,000 cps ★ Frequency Accuracy: ± 3%
- ★ Distortion: Less Than 2%
- Size: 7½" H. x 10½" W. x 5½" D. Operates on 110-120 volts AC, 50/60 cps. Shipping weight 10 lbs.



DYNAMIC IN-CIRCUIT TRANSISTOR TESTER

Jackson

- ★ Large 200 ua. Meter

- Easy Quality Testing, Matching & Sorting
 Simple Push-Button Operation
 Zener Regulated Power Supply
 Built-in Signal Generator
 Test Leads Included
 Checks AC BETA and Icbo Leakage
 Size: 7½" x 7½" x 45%". Operates
 on 117 volts 50/60 cps. Shpg. wt. 6 lbs.

TE-227 \$9 Monthly

\$89.95





Olson 20K Ohms/Volt MULTIMETER

2 For \$18

- ★ DC Volts: 0-25, 50, 500, 2500 V. AC Volts: 0-10, 50, 500, 1000 V.
- DC Current: 0-50 ua., 2.5 ma., 250 ma.
- ★ Resistance: 0-60K, 6 meg. ★ Capacity: .0001 1 MFD.
- ★ Decibel: -20 to +22

Size: 31/4" x 41/4" x 11/8". Shipping wt. 21/4 lbs.

Capacitance / Resistance ANALYZER



★ Determines Power Factor of Electrolytics

Dison TF-189

Check all Capacitors for, Leakage, Shorts and Power

★ 4 Resistance Ranges: 2 Ohms to 200 Meg. Capacity Range: 20 mmf to 2000 mf Measures Impedance Ratio of Transformer Test Leads Included

* Test Leads included 110-120 volta AC, 50/60 cps.. Size: 101/2" W. x 7" H. x 51/4" D. Shipping weight 12 lbs.




Olson **TACHOMETER** & DWELL ANGLE METER

Electronically Tunes Up Any Car Made

- ★ 3 Ranges: 0-45, 0-60, 0-90 Degrees For 4, 6 or 8 Cylinder Cars
- 2 RPM Ranges: 0-1200, 0-6000 RPM ★ Use as Dlode and Continuity Tester
- Size: $5\frac{1}{4}$ " W. x $6\frac{1}{2}$ " H. x $2\frac{7}{8}$ " D. Shipping weight 5 lbs.

\$29.95





- ★ AC Voltage Ranges: 0- 7.5, 15, 150, 300 Volts
 ★ AC Current: 0- 15 Amps
 ★ Resistance: 0- 1000 Ohms
 ★ Leakage Test-Neon Lamp
 ★ 6-12 Volt Auto Battery Checker Size: 6¼" x 3¾" x 2½". Shipping weight 3 lbs.

Olson TE-201

\$10.95

Olson 30,000 Ohms/Volt Multimeter



WITH TEST LEADS

* Precision Resistors

TE-200

- ★ Large Full View Meter
 ★ Meter Safe/Guard
- ★ DC Volts: 0- 0.6, 6, 30, 120, 1200 V.
- ★ AC Volts: 0- 12, 60, 300, 1200 V.
- ★ DC Current: 0- 60 ua, 12 ma, 300 ma:
- * Resistance: 0- 1K, 1 meg. Uses Two Penlight Batteries, (Incl.)
- Size: 51/2" H. x 31/4" W. x 11/4" D. Shpg. wt. 2 lbs.



★ DC Volts: 0- 600 mv., 3, 12, 60, 300, 600, 1200,

F. E. Byrd, 5532 Knoll Crest Drive, Shreveport, La. 71109: wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

98

Olson

TE-197



Olson

V.T.V.M.

TE-208 2 For \$75

- * Wide Band: 30 cps to 10 Mc.
- Precision Resistors
- ★ AC Volts: 0.1V. to 1500V. (7 Ranges) ★ Peak-To-Peak: 0-4000V. (7 Ranges)
- ★ DC Volts: 0.1V. to 1500V. (7 Ranges) ★ Resistance: 0.2 to 1000 meg. ohms (7 Ranges)
- ★ Output: -20 to +65 db (7 Ranges) Operates on 110-120 volts AC, 0/60 cps. Size: 7¾'" H. x 6½"
 7. x 3¾" D. Shipping weight 7 lbs.







Sharpens color reception through demagnetization of the picture tube. Simply rotate degausser in front of color tube to remove color impurities. Use regularly to keep reception sharp and clear. Includes clip to store on back of set when not in use. Shp. wt. 1 lb.

Precision Audio, 3001 West Coast Hwy., Newport Beach, Calif. 92660; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover for instructions.



Plugs Into AC Outlet Appliance Plugs Into Meter 23/1" W. x

25%" H. x 114" . Built-In Pilot Lamp D. Shipping wt. • Monitors Current

1 lb. Drawn by Appliance



100K OHMS/VOLT TRANSISTORIZED MULTIMETER

- 2 Transistor Circuit
- Meter Protective Circuit
- DC Volts: 0-25, 250, 500 Volts
- AC Volts: 0-50, 250, 500 Volts
- DC Current: 0-10 ua., 25 ma, 250 ma.
- Ohms: 0-10K, 1 Meg., 10 Meg.
- Batt. Included (2 penlight) Size: 5" x 3½" x 1%"

Shipping weight 2 lbs. 2 For \$39 ^{2 For \$39} TE-215 \$19.98

Olson GIANT 20 LB. SURPRISE KIT



Contains All Kinds of Electrical Items Shpg. wt. 20 lbs.

5 LB. SURPRISE KIT Shpg. wt. 7½ lbs. No. AS-137

\$198

Olson MATCHED KNOB SET



Olson

V

No. KN-32

KN-33 KITS FOR 99C \$3.50

★ Polished Aluminum ★ Set Screw Included ★ For 1/4" Shaft Size: 1" Dia. x %6" Shipping weight 1/4 lb.

Assorted KNOBS ★ Kit of 25

25 assorted knobs for radio and TV replacement. Variety of styles and colors. Shipping weight 2 lbs.

No. KN-31

4 Sets \$3.50

4 Sets \$3.50

SET OF 3

Matched KNOB SET

★ Brown Plastic/Metal Trim ★ Brass Insert—Set Screw ★ For 1/4" Dia. Shaft ★ 1/4" D. x 34" L. Shipping weight ½ 1b.

Olson DC POWER SUPPLY



Devices ★ Up to 140 MA 3 for \$22.50

Low ripple DC power supply is perfect for solid-state modules and experimental transistor circuits. Supplies the following voltages and currents: 4.5V at 64 ma., 6V at 100 ma., 9V at 140 ma, and 12V, at 140 ma, Desired voltage is selected by elide switch on front name. Has ed by slide switch on front panel. Has binding posts and pilot light. Size: 5½" x 25½" x 25½". Operates on 110 to 120 volts AC, 50/60 cps. Shpg. wt. 3 lbs.



Consists of two 36" red and black test leads with banana plugs on each end. 2 heavy-duty spade lugs, 2 phone tip plugs, two 5" test probes and insulated clips. Shipping weight 14, 1b.

2 LB. KIT OF HARDWARE



3/4 lb. Kit, No. HW-56 Jumbo 7 lb. Kit, No. HW-57 Giant 15 lb. Kit, No. HW-58

HARDWARE

TV ION TRAP



★ Pkg, of 4 ★ Universal Single Magnet Shpg. wt. 1/4 lb.

IMMERSION HEATER

TECHNICAL BOOKS

HWS THE SUBSTITUTION HAND-BOOK, TUB-10 No. B-271

WESTINGHOUSE TUBE MANUAL

GE TRANSISTOR MANUAL

ABC'S OF ELECTRONICS No. B-307

SPEAKER ENCLOSURES

HOW TO BUILD

No. B-309

ILLUMINATED NUMBER LAMPS



0 Thru 9 0 0 0 0 0 00000

996

99°

11 Interchangeable Lenses 69

PL-135

Bayonet type socket with changeable lenses. Size mtg. length 21/4". Shipping weight 1/4 lb.

Deluxe CLIP LEADS



Oson X-43 Pkg. of 10 \$129

★ Insulated Alligator Clips

3 Pkgs. \$3.75

NEON CIRCUIT TESTER

99°

10 leads 14" long with insulated miniature alligator clips attached one to each end. Shipping weight 1/4 lb.

Circuit tester for voltages from 125 to 280 volts AC or DC. Molded plastic

with insulated leads. Completely safe. Shipping weight 1/4 lb.

★ For Radio-Electrical or Automotive

(Otton) TE-220 KIT OF 2



\$139 Otson X-761

Gives boiling water in minutes 36" line cord with plug. For 110 volts AC only. Shpg. wt. 1/4 lb.

\$1.75

\$2.00

£2,25

\$1.25

\$3.25

Olson Electronics


AKRON, OHIO

NEON PILOT LIGHTS



No. PL-147

HOME CONVENIENCE CENTER



* For Kitchen or Work Bench Bayonet type socket with changeable lenses. Size mtg. length 21/4". Shipping weight 1/4 lb.

TEST LEAD CLIP ADAPTERS



Plugs on to test probe to connect to clips. Fully insulated, 93/4" long. Shipping weight 1/4 lb.

BRIGHTENER * Extends Tube Life Restores Brightness & Contrast to Picture

MADE IN U. S. A. WILL STREET

For series or parallel wired fila-ments. It can be used on electrostatic or electromagnetic focus tubes. Ship-ping weight 1 lb.

Olson T-276

3 for \$5.00

12 at \$1.40 ea.

Olson DELUXE TEST LEADS # 60" Long FOR \$2.70 99C

Long extra flexible test leads with new "flexiprobes." Mold-ed strain relief eliminates wire break-age. Standard tip plugs on end of leads fit most multimeters. Shpg. wt. 14 lb. NEW! Coiled Test Leads with flexiprobes.

Oilion TE-222 \$1.19

Oison 60" TEST LEADS Two 60" flexible test leads equippe

with pin type plugs. Needle point probes pierce plating or corrosion to make good contact. Shipping wt. 1/4 lb.

20K Ohms/Volt Multimeter Olson



★ Mirrored Scale

* Large Full-View Meter

★ DC Volts: 0-3, 12, 60, 120, 300, 600, 1200

★ AC Volts: 0-6, 30, 120, 300, 600, 1200

★ AF Voltage: 0-6, 30, 120, 300 ★ Db: —20 to +17, +15 to +31

★ Resistance: 0-2,000, 200 K, 2 meg., 200 meg. ★ Current: 0-12 ua., 6 ma., 300 ma., 12 amp.

Size: 51/2" W. x 71/2" H. x 23/8" D Shipping weight 51/2 lbs.

Olson Deluxe 100K OHM/VOLT MULTIMETER



Mirrored Scale Full-View Meter Meter Protective Circuit DC Volts: 0-3, 12, 60, 120, 300, 600, 1200 AC Volts: 0-6, 30, 120, 300, 600, 1200

1200
Audio Voltage: 0-6, 30, 120, 300
Db: --20 to +17, +15 to +31
Resistance: 0-2000, 200 K, 2
meg., 200 meg.
DC Current: 0-12 ua, 6 ma., 60
ma., 300 ma., 12 a.

Size: 5¼" W. x 7½" H. x 2½" D Shipping weight 4 lbs.

Deluxe RESISTOR - CAPACITOR Olson




- ★ 684 Combinations
- ★ 5 Ohms to 10 Meg. Ohms
- ★ .00005 Mfd. to 40 Mfd
- * Complete with Test Leads
- ★ 5 Rotary Selector Switches
- Size: 71%" W.x5" D.x31/2"H. Shipping weight 2 lbs.

Olson

For \$2.50 MAY BE ASSORTED

Olson



★ 0-3 Amps D.C. ★ Size: 1¾6" W. x ¾" H. x 176" D.



★ 0-6 DC AMPS ★ SQUARE: 23/8" x 23/8"




★ Ideal for Battery Chargers ★ Suitable for 6 & 12 Volt Systems ★ Shpg. wt. 1/4 lb.

Olson PANEL METERS



A complete line of high quality meters at a "value-plus" price. Each meter is carefully packed complete with mounting and operating instructions. These fine meters can be used wherever a rugged compact meter is required. Order now! Shipping weight 1/4 lb. ea.

TYPE	SITLE	SIZE	RANGE	INT. RES.	STK. NO.	PRICE
DC	Α	15/8×15/8×17/8"	0-50 DC µa	1000 ohms	ME-100	\$4.95
Microammeter	A		0-500 DC //a	200 ohms	ME-101	2.95
	. A	- 14	0-1 DC ma	100 ohms	ME-97	2.95
DC DC	A	"	0-50 DC ma	2 ohms	ME-98	2.95
Milliammeter	Α		0-100 DC ma	1 ohms	ME-99	2.95
DC. Ammeter	A	,,	0-20 DC amp	.005 ohms	ME-96	2.75
200	A	11	0-15 DC V.	15K ohms	ME-102	2.75
DC	Α	"	0-150 DC V.	150K ohms	ME-103	2.75
Voltmeter	Α	17	0-300 DC V.	300K ohms	ME-104	2.75
Voltmeter	A	, n	0-150 AC V.	150K ohms	ME-106	2.75
"S"	Α	"	500 μα	200 ohms	ME-108	2.95
"VU"	Α	15/8×15/8×17/8"	100 μα	3.9K ohms	ME-110	3.95
Meter	В	1 ¹¹ 16×1 ¹ 4×1 ¹ 8	100 μα	3.9K ohms	ME-111	3.95



Olson

POWER-AUDIO-FILAMENT TRANSFORMERS



A POWER TRANSFORMER

Primary: 117 V., 60 cps. Sec. 1: 400 V. CT. @ 350 Sec. 2: 6.3V. @ 1.2 amp

No. T-420

Size: 33/8" x 211/6" x 33/4" Shpg. wt. 6 lbs. A POWER

No. T-432

TRANSFORMER Primary: 110-120 V. AC. Frimary: 110-120 V. Ac, 60 cps Sec. 1: 600 V. CT @ 285 ma. Sec. 2: 6.3 V. @ 3 A. Sec. 3: 5 V. @ 3 A. Size: 334" x 31/8" x 31/2" Shpg. wt. 71/2 lbs.

5000ag No. T-438

Primary: 5000 ohms Secondary: 3.2 ohms Applications: 6V6, 6BQ5, 6AQ5, etc. 79¢ Size: 21/6" x 11/8" Shpg. Wt. 1/4 lb.

B POWER

Primary: 110-125 volts

3 @ \$1.81

B AUDIO OUTPUT

No. T-290

Secondary: 24 v. @ 1 Size: 23/4"x21/4"x21/4" Shpg. wt. 13/4 lbs.

No. T-417

Watt Line Transformer, No. T-421 ... 99c

围 70.7 V. LINE TRANSFORMER

Primary: 500 to 8,000Ω Secondary: 6-8 ohms. Power: 10 Watts. Size: 2" x 11/2" x 15/8" Shpg. wt. 11/2 lbs.

No. T-401

Primary: 117 volts AC Secondary No. 1: 150 volts @ 5 MA. Secondary No. 2: 6.3 volts C-T @ .75 A Size: 134" H.x2" W.x1½" D.

B POWER

Shpg. wt. 2 lbs. 3 @ 59c

B Audio Output Primary: 2,500 ohms; 3 watts Secondary: 3-4 ohms Applications: 50C5, 50L6,

No. T-92 69 Size: 11/2"x13/6"x1" Shpg. wt. 1/4 lb.

TRADE-INS ACCEPTED

B FILAMENT € 12.6V. No. T-304

Primary: 110-125 volts Secondary: 12.6 volts @ 1 amp. Size: 2"x13/8"x11/4" Shpg. wt. 1 lb.

117 V. 3 6.3V

Olson

3 @ \$1.39 B FILAMENT

Primary: 110-125 volts A.C. Secondary: 6.3 v. @ 1 amp. Size: 11/4"x13/4"x13/8" Shpg. wt. 1 lb.

ULTRA-MINIATURE

Audio Transformers

79c

%" square overall. Especially suited for printed cir-

cuit transistor applications. Shipping weight 1/4 lb.

Imp. Ohms

10,000 2,000 CT Drive

VALUE

3 @ \$1.19



* Use with Power Tools and Appliances Simple plug-in installation. Just plug the foot switch into the wall outlet and plug the appliance into the back of the foot switch. Size: 3"x3"XI". Has 514/4 AC cord. Switch is rated at 10A 120 volts AC. Shipping weight 11/2 lbs.



15' of flexible AC cable with push-button switch on one end and AC, plug / receptacle on the other. Shipping weight 1 lb.

6 FT. A.C. LINE CORD



6' AC line cord with molded plug. Rugged vinyl insulation. Shipping weight ½ lb.

4' AC line cord with plug. No. W-553

TV INTERLOCK CORDS



Two standard TV interlock cords 6 ng. Shipping weight 1/4 lb.



AUDIO TRANSFORMERS

99 c T-431

Pair of miniature input and output transformers for transistor circuits. Transformers are only 14" square. Each has color coded wire leads and instructions. Input: 8,000 to 3,000 ohms C-T. Output 600 ohms C-T to 8 ohms Shipping weight 14 lb.

Olson

Transformers ¾" square for miniature circuit Shpg.

AUDIO

e	Primary Imp. Ohms	Secondary Imp. Ohms
iver	10,000	2,000
tput	500	8

HANDY UTILITY BOX * Made of Sturdy Bakelite.

Removable Aluminum Cover Perfect for housing test equipment, experimental circuits, etc. Shpg. wt. 1 lb.



31/4"x21/8"x | 11/8"

4"x21/8"x 15/8" 61/4"x33/4"x 694 \$105

Dison CA-355 Dison CA-356 Dison CA-324



★ 3½" x 6" ★ Kit of 5

Oleon K-130 \$ 49 3 for \$4.17

• Fits CA-324 Above
3-Per-Boards — 1 Aluminum
Panel — 1 Bakelite Panel
Shipping weight 1/4 lb.



Make your printed circuits the easy way, no chemicals — no etching. Just place the copper strips in place on the board drill where required and you're ready to mount components. 15' of 1/4" wide, self-sticking, copper strip is supplied with the kit plus a 4"x6" sheet of copper. Circuit board is 111/4"x6" (may be easily cut to size). Shipping weight 1/2 lb.

weight ½ lb.

DELUXE CIR-KIT. Contains 1-6" x
12" sheet of copper, 25' roll ½" wide
copper strip and 1—25' roll of ½"
wide strip. Shipping weight ½ lb.
\$6.89

Solderless CIRCUIT COMPONENT FOR EXPERIMENT & DESIGN

Oison

DESIGN, CONSTRUCT RAPIDLY - Experimental or Permanent Electronic Circuits, Accepts
Omon Miniature Components (below) for rapid set-up. May be easily cut with saw, to size you desire. Phenolic Boards with $\frac{1}{2}$ holes punched on .265 centers $\frac{1}{6}$ thick.





3²½₂"x6½" .43 1.20 .35 6½"x9¹¾₆" 1.00 2.85 .90 COPPER CLAD (Punched) PERF-BOARD

For Design of Printed Circuits

No. Size Ea. for 100 Ea.


K-120 67/6"x913/6" .59 1.67 .53

K-122 67/6"x913/6" 1.67 4.42 1.33 COPPER CLAD

For Making Your Own (Unpunched) Printed Circuits No. Size Ea. 3 Lots of for 100 Ea. K-124 32½; "x67%" 48 1.33 42 1.00 *K-129 4"x6" 1.50 4.42 1.00 *K-129 4"x6" 1.50 4.42 1.00

*(Copper Clad both sides) TAPE RESIST Use to protect areas of printed circuit board from etchant. 1/16" x .320".

No. TA-16 ETCHANT SOLUTION, 16-oz. Bottle





SPRING TYPE Banana Plugs For quick and easy con-ections. 11/4" long. Shpg. t. 1/4 lb. No. HW-36

SPADE LUGS With Jacks Colored coded 5 red — black, 15/16" long, Shpg. No. HW-33

Banana Plug CORD SETS
13" wire with plug on
each end. 10 different
colors. No. HW-42 TRANSISTOR SOCKET Binding posts premounted. With mounting hardware.

No. HW-43 7-PIN TUBE SOCKET Binding posts pre-mounted. d. With mounting hard-

No. HW-41 9-PIN TUBE SOCKET Binding posts pre-mount-ed. With mounting hard-ware. Shpg. wt. 1/4 lb.

No. HW-39 \$1.29 ALLIGATOR CLIPS With Jacks

Olson

SELENIUM RECTIFIERS

SELENIUM RECTIFIER KIT * KIT OF 7 ASSORTED TYPES



tifiers. Contains the following sizes: 1-300 ma, 2-150 ma, and 4-100 ma. Stock up now on this unusual value. Shipping weight 1 lb.

Edw. J. Cowan, 922 E. Windsor St., Tucson, Ariz. 88719; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for

100 AMP. CHARGER RECTIFIER



6 - 12 Voits Made In U.S.A.

 $\mathbf{Q}93$

Perfect replacement for most 6 and 12 volt battery chargers. Delivers 100 Amps, with forced air cooling. Full wave bridge. For common negative circuits. Size: 4" x 7" x 3½" plus mtg. stud. Shipping weight 3 lbs.

65 MA - 130 VOLT SELENIUM RECTIFIER for \$4 Size: 11/6"x11/6"x11/6" Shipping weight 1/4 lb.

100 MA --- 130 VOLT




RE-117 55c 10 for \$5

Size: 1"x1"x13/8" Shipping weight 1/4 lb.



RE-121 85 c 10 for \$8

Size: 136"x136"x1%6" Shipping weight 1/4 lb





SHOP

MAIL

RE-120 95 c 10 for \$9

Size: 11/2"x11/2"x17/8" Shipping weight 1/4 lb.

Pkg. of 2

CADMIUM

Olson PHOTOCELL

Resistance range from 200 ohms to 1 megohm. Sensitivity 500 to 600 Ang-strom units. Max. voltage 150 v. DC. Max. dissipation 150 mw. Size: ½" dia. x ½" deep. Has 1" leads, Shpg. wt. ½ lb.

SILICON RECTIFIERS

No. RE-29 10 @ 51c

750 MA

Size: 3/16" x 1/8" Shpg. wt. 1/4 lb.

750 MA

No. RE-32 Ea. 69c 3 for \$2

SPECIFICATIONS: SPECIFICATIONS:
Mfgrs. Type: SD500-90; RMS A. C.
Input: 280 Volts;
Peak Inverse Voltage: 400 Volts.
Output: D. C. 500
MA @ 100° C;
Current: 750 MA
@ 50°C. Shpg.
wt. 1/4 lb.

500 MA Silicon Diodes


RMS; 280 Volts

Shpg. wt. 3/4 lb. 99c



No. DI-18 880 Pkg. of 10

Replaces IN34, IN34A, IN60 and IN51. Shpg. wt. 1/4 lb.



MILEAGE - GASOLINE Ferrite Bar Antenna Coils Olson L-82

MONEY


TIME

455 kc IF TRANSFORMERS



Consi s t s on e each input and output transformer. Size: ¾" x ½" x 2". Complete with instructions. Shipping weight ½ lb. of one Dison L-83 99C

Replaces most antenna coils in transistor radios. Sizes: 2¼" x ½", 2½" x ¾", and 1¾" x ¾". Shipping weight ¾ lb.





TV-FM **TUNERS** VHF - UHF

TYPES


A FM TUNER — Made in Denmark, ECC85 tube included. Fully shielded. Tunes 88 to 108 MC. Vernier tuning. 1/4" dia. shaft. Size 31/8" x 21/4" x

VHF TUNER-Includes 3GK5 and 5LJ8 tubes. Size 61/4" L. (incl. shaft) x 21/4" W. x 41/2" H. Shpg. wt. 2 lbs. Oison TV-178 . . 3 for \$19.50, EA. \$6.99


VHF TUNER—Standard Coil **AR-066. Includes 6HQ5 and 6HB7 tubes. Size: 61/4" L. (incl. shaft) × 21/4" W. × 41/2" H. Shipping weight 2 lbs.

TV-177 3 for \$19.50, EA. \$6.99

Protect Your Home While Your Away ELECTRONIC NIGHT WATCHMEN



SKYWATCH AUTOMATIC LIGHT SWITCH



\$098 Olson SW-400 OLSON VALUE

No Wiring Required Turns Light On At Dusk and Off At Dawn

Turns lights on at dusk, off at dawn automatically. Requires no wiring, never needs setting. Screw light bulb into adapter and adapter into outdoor fixture or lantern for all night lighting protection. Operates on 120 volts AC. Shipping weight 1 lb.

Olson PHOTOEYE



SW-203 OLSON VALUE

- ★ 110-120 Volts A.C.
- * Lights On At Dusk * Lights Off At Dawn

Turns lights, signs, appliances and displays on and off at dusk and dawn automatically. Size 3½" x 2½" x 1¾". For 117 volts AC. Capacity 600 watts. Shipping weight ¼ lb.

69

AUTOMATIC TIMER BY INTERMATIC




X-985 OLSON VALUE

* 15 Amp Capacity

Turns lights or appliances on or off automatically. Manual switch on the side of the timer overrides the automatic operation. Switch has four positions. Size: 5" x 4" x 2½". Shipping weight 2½ lbs.

Olson

WIRELESS REMOTE CONTROL



■ Ideal for Sick Room

■ 500 Watt Capacity ■ Easy Plug-in Installaiton

■ Includes Sender and Receiver Size: 51/8"x2"x13/4" 110-120 Volt AC, 50/60 cps. Shipping weight 11/2 1b.

SW-394

\$1495

MO-79 049

Heavy Duty BLOWER

60 cubic ft. per min. For use where continuous circulation of air with minimum noise is required. Two pole. Shaded-pole motor for cool, efficient, continuous duty. Made in U.S.A. Size: 6½" x 6". 110-125 v. AC 60 cps. Shipping weight 5½ lbs.

MINIATURE MOTOR and BLOWER Olson MO-204

Miniature blower can be used to cool electronic components. High speed motor operates on 1.5 to 6 volts DC. Squirrel cage type fan with plastic air duct. Size: 2%" x 3½" x 2". Shipping weight 1 lb.

B HAYDON TIMING MOTOR

Genuine Haydon timing motor. 1/4"
dia. shaft rotates at 1/12 RPM. Shaft is 1/4". Mounting centers: 11/4". Includes 6" wire leads. Operates on 24 volts, AC, 60 cps. Shpr. wt. 1/4 b.

ONE MO-173 FOUR FOR

Otton MO-173 FOUR FOR 117 V. A.C. to 24 V. A.C. TRANSFORMER No. T-290 \$1.89

Allow 1/4 lb. Shpg. wt. per motor

Heavy duty gear box and motor frame. Fully insulated coil. Size: 1 15/16" dia. x %" d. Gear box has a \(\frac{1}{2} \times \text{L} \). For 110-125 v. AC 60 eps. Shp. wt. 1 lh

2-COIL 4-POLE MOTOR

SHADED POLE MOTORS

★ Self Starting

★ Bronze Bearings

★ 110-120 V. AC,
60 CPS

★ Size: 3"x31/2" x41/4"

Shaft: 1/4" Dia.

Shpg. Wt. 4 lbs

.a. 29c

79°

AVE

A TIMING MOTOR

★ 5" Leads

★ Dustproof Gear Housing

★ Self Starting

★ Sizes 2½" × 1½" × 2"

★ All Operate on 125 V. AC.

1/20 RPM One MO-88 . 4 FOR \$1

B Ingraham 1 RPM TIME MOTOR

Oison MO-113. . . . ea.



ORDER BY PHON DAY or NIGHT

FUSE HOLDERS

★ For popular 11/4" x 1/4", 3AG size fuses
★ Two of the holders accept 2 fuses and two holders accept 1 fuse each
★ With snap-on dust covers.

Shipping weight 1/4 lb

Oison FU-8 . 4 for \$3.50 , Ea. 990

MICRO SWITCHES

216 - 535-9191



0

Oison SW-357

Earl C. Hoffer, 517 Poinciana Drive, Birmingham, Ala. 35209: wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover for instructions.

ROCKER SWITCH KIT

★ These give new appearance to your old equipment.

Shipping weight 1/2 lb.

TAB SWITCHES

★ Replaces conventional toggle switches to update equipment.

switches to update equipment Shipping weight 1/4 lb.

Contains: 1—SPST, 2—SPST

momentary 1—DPDT

rated at 20 A. @ 125 V.

\$ 1 69

★ Pkg. of 2

Size: 13/8" x 1/2" x 11/4"

amp. at 117 volts AC.

★ S.P.S.T. Handsome new flip-tab switch

★ Contact



Dels Radio & TV, 526 Gallivan Blvd., Dorchester Mass. 02122; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover for instructions.


Illuminated Rocker Switch



★ Standard SPST rocker switch with a built-in neon builb.
★ SIze: 134" x 5%" x 1".
13% mtg. centers.
★ Switch rating 125 volts at 10 amp.

Shipping weight ¼ lb. ★ Bulb operates on 120 volts, A.C.

Oison SW-356 , 4 for \$4.00 ,




- ★ Heavy Duty AC and AC-DC
- ★ U.L. Listed ★ Made in U.S.A.
- * S.P.D.T. ★ 6 AMPS @ 125V
- ★ 3 AMPS @ 250V

Olson SW-313 Pkg. of 2

99c

12-Pc. Volume Control Kit ARK-LES S.P.D.T. SWITCH



Top Quality
Compact Size
Contacts are normally open and "make" when button is

when button is pushed.
Contact rating 2 amp. at 125 volts AC
Size 1½" W. x 3½" D. x 1" H. (Including lugs)

ONE SW-337, 3 for 99¢, 39¢




★ To amps @ 120 V.A.C. Molded

bakelite with insulated push-buttons. 2" x 13% x 2"

Shipping weight 1/4 lb,

\$1 3 FOR



★ Brand names such as Centralab, Mallory and others others.


Various
shaft lengths
and diameters
Some
include
switches
Carbon
and wirewound type.

Shipping weight 1 lb.

Otson VC-274

49c

GI 4-POLE MOTOR



Ideal for Recorders & Turntables Bronze Bearings Size: 234" x 236" x 31/2" 110-120 Volts AC, 60 cps. Quiet Smooth Running

Shipping weight 5 lbs.

ALLIANCE Squirrel



Heavy duty, 1750 RPM, shaded pole, induction motor. Features permanently lubricated bearings, $3\frac{1}{2}$ dia. squirrel cage fan. Size: $4'' \times 3\frac{1}{2}'' \times 2\frac{3}{4}''$. For 110 to 125 volts AC, 60 cps. Shipping weight 3 lbs.

20 RPM MOTOR #INTERMITENT DUTY

Finclosed Gear Train
Va'' Diameter Shaft
Clock Wise Rotation
Self Starting
Size: 5½'x2¾''x2¾''
110-120 V. AC, 60 CPS
Shipping Weight 3 lbs. \$1.39

Olson MO-171

4-POLE MOTOR

2-POLE PHONO MOTOR

VIBRATOR MOTOR



Olson MO-138

★ Speed: 1500

RPM

★ Size: 27/6"x

21/6"x3"

★ 110 to 120

Volts AC, 60

CDS cps Shpg. Wt. 3 lbs.

Olson MO-183

Chan MO-170

★ Sizes: 21/2" x3"x3" ★ Open Frame Motor Shpg. Wt. 3 lbs.

69c

cps. Shpg. Wt. 4

99c

★ Made for Vibrating Chairs ★ Cooling Fan Included ★ Size: 3"x2½" ★ 110 to 120 Voits AC, 60 cps.

Olson MO-182

Otion MO-165 HEAVY DUTY \$119 Size: 21/2"x25/8"x33/4". Wt. 4 lbs. 4-Coil 4-Pole MOTOR



Shpg. Wt. 3 lbs.

★ Size: 3"x 31/2" x41/4" → Shaft: 1/4"

★ Open Frame Design

99c

pressed. Contact rating 6011 volts AC

Size: 11/8"x5%"x3%". Shpg. wt. 1/4 lb.

3 for 99c Olson SW-365

S.P.S.T. MICRO SWITCH

Kit of 4 MICRO SWITCHES Olson SW-363

★ U.L. Listed
Normally
Closed
Contacts
★ Contacts are

normally closed and

open when button is

Olson SW-347



The system consists of one master and one remote plus 66 ft. lightweight cable with plugs, tape and wire tacks. Master station has switch and volume control. Special tone calling circuit permits remote station to call even when power is off. Size: (each unit) 3" x 1¾" H. x 4" D. Shpg. wt. 2 lbs.

EXTRA BATTERY, No. BA-89 Ea. 21c



Three 60 ft. lengths of cable are included, each cable has a plug at each end. Muster station has volume control and 4-way selector switch. Remote station can call master station even when power is turned off. Master unit operates on a single 9-volt battery (included). Size: Master: 4½"
W. x 3½" D. Remotes: 2" W. x 4" D. Shipping weight 3 lbs. Ea. 21.0

Extra Battery (1 req'd.)

Olson Solid State WIRELESS INTERCOM WIRE LESS Just Plug-In

No installation, no wires. Press-to-talk button has hold down feature so you can talk without holding button and includes built-in call signal. Has built-in pilot light. Must be used on same electrical circuit. Size: each 434" W. 634" D. x 234" H. Operates on 110 to 120 volts AC. 50/60 cps. Shipping weight 4 lbs.



Instant Communications

Around the House ... Office Garage to House . . . Work Shop to House

★ Just Plug them in . . . No Hook-up

* Convenient Push-to Talk Switch

Monitor Switch Switch and Volume Control

110-120 volts AC, 50/60 cps. Size: 21/2" x 41/4" x 11/2". Shipping wt. 4 lbs.

Convenient Push-to Talk Switch

Telephone Olson MONITOR



Excellent aid for hard of hearing. Can be used for locating noise sources, etc. Compact size, only 1\%" x 11\%". Has 8 ft. cable. Operates on one hearing aid type battery (not included). Shipping weight 1/4 lb.

Battery for above, **BA-127**

4 for \$1.68

Jim Sticklew, 416 S. Campbell St., Macomb, Ill. 61455; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for

Photo Electric



Otson SW-364



Infra-Red Filter for "Invisible Light' Operation

Range to 49-Feet ★ Self-Powered

Can signal persons entering a room, count people, merchandise or function as an effective alarm system. Includes light source and receiver. Size of each unit, 6" x 41/2" x 3". Operates on 110 to 120 volts AC, 50/60 cps. Shipping weight 6 lbs.

BOGEN



Model TQ6A. A total of 7 instruments can be used in a system. Any station can call any other station. (6 push-buttons). Less cable and power supply. Shipping weight 4% lbs. 117 V. AC Transformer Power Supply (1 req'd). Shpg. Wt. 53/4 lbs. No. AM-157 \$25.00 Complete System (7-AM-156, 1-AM-157). Shpg. Wt. 40 lbs. AS-657, \$13 monthly \$199 Cable (10 Conductor) No. W-536 Per ft. 11c

PROTECT HOME FANON Optional Fire Detector One Watt

AND FAMILY ...

Adds Convenience and peace of mind



2-STATION INTERCOM

Deluxe solid state intercom featuring advanced styling, full one watt output and simple pushbutton operation. Has volume control and standby switch plus talk/listen switch. Master receives "beep" tone call even when turned off. Size: 9½" x 4" x 3½". Operates on 117 volts AC 50/60 cps. Shipping weight 3 lbs.


FIRE SENSING DEVICE will actuate the warning signal at the master even when power is turned

Olson AM-349 \$7.75

100 FT. SHIELDED WIRE for connecting the fire sensing device to the master station.

| Second W-561 | \$10.50

PRICE HUSK



MINIATURE RELAYS

★ For Hand Wired or P.C. Applications

★ 12 and 24 Volt, DC Coils

★ Contact Capacity to 2A @ Low Voltages

★ Contact Combinations to D.P.D.T.

★ Approx. Size:
5/8" x 5/8" x 5/8" Shpg. wt. 1/4 lb.

SW-403 SPDT contacts. 2000 ohm coil operates on 24 volts DC

DAY or NIGHT 216 - 535-9191

MINIATURE 3 VOLT BULBS For 6 or 12 volts, connect in series. Size: ¼" dia. x ¾6" long. 3 volts @ .120 A. Shpg. wt. ¼ lh. PL-145, Pkg. of 10



117 V. AC SOLENOID * Tremendous Torque Full %" travel. Operates on 110-120 volts A.C. Size 2¼" x 1¼" x 1½". Shipping wt. 1 lb.

Miniature 12 Volt SOLENOID



SW-336, 3 @ \$1.79_\$1.99

½" Travel
 Operates Switches,

Operates Switches,
Levers, Etc.
Size: 134" x 341 x 1"
Threaded Mounting
Holes
Shipping wt. 34 lb.
Sw-373
2 for \$1 59° Telephone

WALL JACK PH-118

For 2, 3, or 4 wire systems. Fits standard wall conduit boxes. Takes Olson PH-121 plug. Shipping weight 1/2 lh.



Just plug the one noise filter into the wall outlet and plug your radio or TV into the filter. Eliminates interference caused by appliances, electric shavers, fluorescent lights, etc., that is transmitted along the electric lines. Size: 2½" L. x 1½" dia. Shpg. wt. ¼ lb.

TELEPHONE With Dial

* Factory Tested

0

★ Bell Included

★ Extension—Patio

Workshop, Outdoors

A complete dial telephone just as it was removed from service. In-cludes complete handset, base, dial, etc. Make your own intercom sys-tem or extension telephone. Ship-ping weight 7 lbs.

PH-61

MORE TELEPHONES

★ Factory Tested ★ Complete with Dial ★ Bell Included

Allow 8 lbs. Shipping weight WESTERN ELECTRIC DIAL PHONE No. PH-61 \$7.91 No. PH-61 DELUXE WESTERN ELECTRIC PHONE No. PH-117






PHONE PLUG. Shpg. wt 1/4 lb Olson PH-121 Each 89c B PHONE JACK. Shpg.

Ofson PH-120 Each 95c Combination plug PH-121 and jack PH-120

© 25' Extension Cable with Plugs No. W-442....



Output



TELEPHONE AMPLIFIER TRANSISTORIZED

Adjustable Volume Control "Hands Free" Conversation

*"Hands Free" Conversation

A desk-type instrument consisting of a receiving and transmitting unit and an extension speaker. It's easy to use, just place the telephone handset in the cradle of the amplifier and the unit is in operation automatically. 4-transistor circuit operates on one 9 volt battery (included). Size: 10½" x 4½" x 3½". Speaker size 3½" x 3¾" x 2". Shipping weight 4 lbs.

Extra Batteries, (1 req'd.) No. BA-89

21c



3-STATION Expandable Intercom

Accommodates Up to 4 Remotes ★ Two Remotes & Master Included

Complete three station inter-com including 100' of wire. Sys-tem expands to five stations with purchase of additional re-notes listed below. Has ultramotes listed below. Has ultra-sensitive three transistor ampli-fier. Housed in a high-impact styrene cabinet. Operates on 110 to 120 volts AC, 50/60 cps. Shipping weight 2 lbs.

Extra indoor remotes, Operate AM-326 \$5.25

50 Ft. Cable with Plugs for extra remotes. No. W-557 \$2

FANON 2-STATION EXPANDABLE INTERCOM



AM-352

AM-325

The ultimate in low cost intercoms. An ultra sensitive, 3 transistor unit with a high gain, push-pull amplifier circuit for fine voice clarity. Remote can "beep" signal the master even with the system "off". Built-in power supply operates the units on low voltage for pennies a week. Rich beige and brown cabinets measure 5" x 4½" x 1¾". Fifty feet of cable is included. Shpg. wt. 2½ lbs.

Operates on 110-120 Volts AC, 50/60 cps.



PRINTED CIRCUIT **SOLDERING AIDS** 18 DRAWER 000

Olson TL-491 Kit of 3

Cleans and Clears Holes Circuit Board

Chrome Plated Steel Holds Components In Place For Soldering

Removes Excess Solder 4" Long x 36" Dia. . Shipping weight 1/4 lb.

PRECISION FILES

★ Set of 4 ★ For Hobbyists, Jeweler, Watchmaker, Toolmaker **\$749** L-498

Includes Triangle, Square, Flat & Round

Types
Handy Carrying Case
51/2" Long
Ideal For Printed Cir-

cuit Repair
Shipping weight 1/4 lb.



TL-420 TL-421 TL-450 TL-451

SELF-ADJUSTING

SOCKET WRENCH

Otson TL-463

00

07m1

★ Chrome Plated Steel

 \bigcirc

0

TL-416 TL-417 TL-418 TL-419 TL-469

Made

U.S.A

 \bigcirc

0

Clear Walnut

Olson

Make your own embossed name plates. Eensy to operate, just dial letters and numerals. Crisp white letters against a colored background. Cut off label with built-in cutter, apply pressure sensitive label anywhere. Tape is supplied in a new quick change throw away cartridge. 10 ft. roll included. Uses both ¼" tapes. Made in U. S. A. Shipping weight 2¼ lbs. 6 Ft. TAPE Cartridges ea. 75c

Instant Labels

For Any

Occasion

PULL UP

TO CUT-OFF

l	10 ft., 3/4"	TAPE	CART	RIDGES	Ea.	\$1.25
ł	5201-9 Black 5201-2 Red					TL-395
ł	5201-2 Red					TL-405
ŀ	5201-5 Green	********			"No.	TL-406
ľ	Walnut					TL-470



HEDGE TRIMMER

★ Fits Any 1/4" Drill

→ Made in U.S.A.



Fits any electric drill. Has powerful shearing action. Hardened tool blade. smooth-running steel gear drive. Light-weight ideal weight, ideal for women gardeners Fully assembled. Shipping weight 3 lbs

Attachment

Mount on Wall Metal Frame Can Be Stacked

Olson

BINOCULAR

MAGNIFIER Precision ground, polished lenses for very close work without eye-

work without eye-strain. Adjustable head-band. Flip-up viewer. 2½" working distance. Shpg. wt. 1 lb.

White the \$549 ★ Blade Stays Sharp for Fast Cutting TL-345

1/4" beveled edge tool steel blade, permanently lubricated gear housing. Shipping weight 5 lbs.

STAINLESS STEEL SHEARS Olson TL-492

0

Cuts: Wire, Plastic Lightweight Metals, Paper, Cloth . . Al-most Anything

. Won't Rust or Tarnish . Stays Sharp • 41/4" Long • Convenient Comfort Grip

For Hobblest, Seamstress or Mechanic (A Must for the Tackle Box) Shipping weight 1/4 lb.

Olson





For intricate work in confined areas. Tweezers grip and hold small parts. Makes an ideal heat sink when soldering transistors, etc. Size 4½" long. Shipping weight ½ lb.

We Want To Continue To Send You DISON CATALOGS . .

to do so. For this reason we must receive an occasional order from you in order to keep you on our mailing list. Just an order or two each year will keep you on our ACTIVE list. . and you will receive the Catalogs with-

merchandise is manufactured around the world, ENGLAND, FRANCE, GERMANY, DENMARK, ITALY, HOLLAND, JAPAN and

We travel all over the world carefully selecting the finest manufacturers to produce quality products at reasonable prices. You can be sure when you select an one product that it is made of the finest material with the best "know-how" in the electronic industry anywhere in the world.

ABOUT OUR PRICES

Your order is shipped at the current price. Prices in this catalog replace prices in all previous (Gase) catalogs and are subject to change without notice. Orders are filled at the price in effect at time of shipment

YOU BENEFIT FROM ANY PRICE REDUCTION. If prices are lowered during the life of this catalog you get the advantage of the lower price. We reduce the cost accordingly and send you a refund at the time we make the shipment.

Olson WANTS TO

BUY!

Other will pay top CASH prices for electronic parts and equipment similar to the items found in this catalog. Merchandise must be first quality. May be complete or incomplete. Large quantities preferred.

Write Giving Quantity

and Description to



Olson' POWER CONVENIENCE CENTER

- 6 Available AC Outlets from one
- Master On/Off Switch
- Indicator Light
- Heavy Duty AC Cable • Size: 7" x 4" x 11/2"
- Shipping Wt. 2 lbs

Otson TL-483 ★ Servicemen ★ Hobbylsts \$ 19 ★ Nickle Plated Steel

Ideal for picking up and holding small parts. Use as heat sink when soldering transistors, etc. Made of nickle plated steel. Tapered to a sharp point. Shipping weight 14 lb.

Olson

Comfort

Grip

Handle

35 watt soldering pistol features sturdy construction and small pyramid type point. Perfect for printed circuits and hard to reach places. Comfort grip handle is molded of break-resistant plastic. For 110 to 120 volts AC, 50/60 cps. Shpg. wt. 1½ lbs.

SOLDERING

Otson TL-477

5769

3 for \$7.77

7-PIECE

DRIVER SET

PISTOL




30 watt soldering iron features sturdy construction and small pyramid type point. The handle is made of break resistant bakelite. Size: 9¼" long overall, 1½" dia. at widest point. For 110-120 volts AC, 50/60 cps. Shipping weight 1 lb.

1 lb. ROSIN CORE SOLDER 60/40 Shipping Weight 11/2 lbs. \$2.49 No. X-27

Willis A. Wolf

260 S. Forge Street Akron, Ohio 44308





DAY or NIGHT 216 - 535-9191

W. H. Atkinson, 121 Mountain Drive, Wapping, Conn. 06087; wins choice of merchandise worth \$5 from Olson's "Treasur Hunt." See back cover for instructions.



TOOL SET



Handles ★ Wire Stripper

TL-474 \$3.00

CRAMER

Elapsed Time

Kit contains miniature Kit contains 2 miniature screw drivers (one with built-in wire strip per), 1 phillips screw driver, 1 dril and 1 awl. Each tool fits into a pocke in the handy carrying case. Length 4" Shipring weight 1/4 lb.



★ Use In Machine Shop or School Lab





Controls Motor Speed

- Dims Lights
- Built-In Photo Cell • Turns On And Off At Dusk
- And Dawn • 300 Watt Capacity
- Convenient Piggy-Back AC
- Plug
- Handy Suction Cup Mounting
- Size: 4" x 2" x 21/2"

Operates on 110-120 volts AC 50/60 cps. Shipping weight 2 lbs.

Olson DRILL SAW SET



Works With Any

- Handy Carrying
- Case 3½" x 4½" x 6"Long
- Cuts Circles, Ovals, Squares, Etc.
- For Wood, Steel, Plastic, Etc. Shpg. wt. 1 lb.



TAPE WITH-A-GRIP

★ Two Faced Pres-sure Sensitive Tape ★ Mounts Medicine Cabinets, Mirrors, Utility Racks, etc.

• Grips Any Clean Surface • Tremendous Holding Power • Pads House-99° TA-520 hold Objects

TL-476 \$169

3 FOR \$4.86

56. Perfect for the serviceman or experimenter. Made of strong tungsten steel. All 7 pieces fit into a sturdy plastic pouch. Shipping weight 1 lb.

HAND TAP SET Olson 7-PIECE

American
Standard Thread

All Metal Tap Wrench

Includes 6 of the most often needed sizes, 8-32, 6-32, 4-36, 4-40, 3-48 and 2-

ALL D

6 PIECE SCREWDRIVER KIT ★ Quality Construction

TL-455 \$329 3 for \$9.57

Kit of 6 high quality jeweler's screwdrivers. Features brass handles and tarbon steel blades. Sizes from ½2" to ½2" wide. Shpg. wt. 1 lb.

TL-174 Insulated color size keyed shafts. In sizes: \(\frac{1}{6}'', \frac{1}{4}'', \frac{1}{6}'', \frac{1}{4}'', \frac{1}{6}'', \fr


ALLIGATOR CLIPS

Plated alligator clips, strong grip jaws for use in all types of test equipment. Screw type connect ions. Shipping wt. 1/2 lb.

69c Ofson AS-88. Pkg. of 10

OISON CLEANER & LUBRICANT Olson \$129 TL-459 Cleans and lubricates contact points on TV tuners, relays, switches, generator armatures, regulators, etc. Also restores carbon controls. Fine spray 2 or 3 seconds will give long lasting results. Despendent of the contain Carbon Tet. Shpg. wt. ½ lb.

CONTACT CLEANER LUMBICANT



Variable auto-transformer of toroidal core design delivers variable AC voltage from 0 to 130 volts. Maximum ratage from to 150 outs. Maximum rating applies over full range of output voltage. Ideal for schools, service shops, laboratories. etc. Comes with line cord and plug. AC input 110-125 volts AC, 50 to 60 cps. Shipping weight 10½ lbs.

500 WATT VARIABLE

Cramer type BH20L - 40 or 110/125 volt AC. 60 cycle elapsed time indicator. Records elapsed time in hours, tenths and hundredths (1/100). Range: 0.9999.99 hrs. and repeats. Front panel mounting plate 3½" wide x 2½" high. Body 2¼" x 2½" x 3½" deep. Shpg. weight 4½ lbs.



Olson 8 PC, WRENCH SET

HANDY

PLASTIC POUCH

STEEL BENCH FRAME All Purpose \$649

Predrilled. Two or more frames may be combined. Size: $22\frac{1}{2}\frac{v}{x} \times 47\frac{1}{2}\frac{v}{x} \times 34^{v}$ high. Pre-finished. May be shipped parcel post to all cities. Shpg. wt. 17¼ lbs.

Olson Electronics AKRON, OHIO





- * Solid State
- * Enjoy Shortwave In Your Car

AU-125

- ★ 6 & 12 Volt, Pos. Or Neg. Gnd ★ Tunes 3.1 To 22 Mg
- Mounting Hardware Included
- Uses Standard AM Antenna Connects To Ant. Jack Of Reg. AM Radio
- ★ Size: 15/8"x 81/8" x 31/2". Shipping weight 31/2 lbs.
- ★ Push Buttons For 90, 60, 49, 41, 31, 29, 19, 16 & 13 Meters

EMERGENCY WARNING SWITCH





Flashes all front and rear lights simul-Flashes all front and rear lights simultaneously. Warns on-coming drivers of stalled vehicle. Mounts anywhere under dash within easy reach—for all 6 and 12 volt systems. Pilot light on emergency switch lights and glows every time brake nedal is applied . . detects defective brake switch, stop lights or wiring. Shipping weight 1/4 lh.

CIGAR LIGHTER PLUGS



Package of 2 No. X-955

Two standard auto lighter plugs, with 32" cable attached. Ideal for CB transceivers, portable lights. Shpg. wt. 1 lb.



Charger

Supplies 117 volt AC 60 cycle voltage at 200 watts continuously from 12 V. DC battery. Highly efficient, no vibrators, uses transistors. Standard electrical female output. Size: 5\%" x 5\%" x 3\%". Shpg. wt. 6\% lbs. Made in U. S. A.

Built-In Battery

Heavy duty 400 watt (continuous) inverter. Supplies up to 450 watts for intermittent duty (5 minutes). Fully transistorized. Shpg. wt. 13 lbs.

Auto BACK-UP

ALARM

With Back

Up Light

* For Cars

* 12V DC to 117V AC

Electronic Magneto



- Reduces Fuel Consumption Doubles Plug & Point Life
- Easy Installation
- Top High-RPM Performance
- Zener Diode Protected
- . For 6 or 12 Volt Systems, Neg. Gnd.
- Minimum Output: 30,000 Volts Shipping weight 31/4 lbs

REAR SEAT Olson **SPEAKER**



★ Car - Wagon-Camper

Full Range 3"x 9" Speaker

Features a full range, acoustic sus-pension speaker and wood baffle. Lined with fiberglass and covered with vinyl. Chrome trim and matching metal grille. Response: 80 to 20,000 cps. Power capacity to 4 watts program material. Impedance: 8 ohms. Size 12" W. x 5½" D. x 4½" E. Shipping weight 4 lbs.



Burglar Alarm

\$095 Reg. \$14.98

★ SIMPLE TO INSTALL
Protection For Cars, Wagons, Trailers, Trucks

Inside car lights flash on and off with activated horn. Includes lock, 2-keys, 6-alarm activator switches, 2-relay switch units, horn flasher, wire terminals and screws. 12 volts, pos. or neg. grd. cars. Shipping weight 3 lbs.

Deluxe alarm with high powered siren alarm. Similar to above but includes a heavy-duty police-type siren. Shipping weight 6 lbs.

Otion AU-116 \$22.98

Scale divided in 1/10 seconds up to 30 seconds on outer dial. Inner dial registers up to 15 minutes. Side and crown push buttons. 1¾" dial. Shpg. wt. ½ lb.

SIDE-GUARD SAFETY LIGHTS



GENERAL INSTRUMENT

UHF CONVERTER

\$598 Oison X.77

 Amber Lenses Amber Lenses
Universal Mounting Kit
12 Volt Pos. /Neg. Gnd.
Heavily Chromed
Includes Wire and
Instructions
Shpg. wt. 2 lbs.

Olson AA-225

095

COAXIAL CABLE COLOR KIT Color Reception



Same Kit as above with 100 Ft. of Cable, No. W-563 \$14.98

Olson 100' 'Prime-Line'

* Balanced 300 ohms SHIELDED

ELIMINATES

Oison W-562

Olson

For best color reception convert your 300 ohm antenna system to 75 ohm system. Designed to improve color and black and white TV and FM stereo reception. Kit contains indoor and outdoor balun transformers for matching antenna and set to coax cable. Also includes coax connectors, mounting hardware, 75 ft. of cable and mast insulator. Shipping weight 2 lbs.

TV WALL JACK

2-Set Coupler 5 Pin Rotor Plug


Otson AA-144

\$769

3 for \$7.77

A loud buzzing sound alerts pelestrians and other motorists when you are about to back up. Quick clip terminal attaches without splicing. Rust-proof brass with chrome finish. 12 volts DC. Shipping weight 1 lb.





Connect 2 TV Sets to One UHF Antenna Ultra Low Loss Excellent Inter-Set Isolation



Shipping weight 1 lb



Olson

72 Ohm to 300 Ohm ANTENNA MATCH Converts 72 ohm converts /2 onm shielded co-ax cable to standard 3 0 0 ohm impedance to match input of TV set. Complete with co-ax connector. Size: 3" x 1" x

TV-FM Plug & Socket * Kit of 3 Pairs



For TV, FM lead-in or speaker wire. No soldering. Plug: 13g" x 7g"; socket: 1" x 7g". Shipping wt. 1/4 lb.

Olson TV-FM Plug & Socket ★ Kit of 3 Pairs

★ Equips Any Set To Receive UHF Size: 9½" W. x 4" D. x 4¾" H. 110 to 120 volts AC, 50/60 cps. Shpg. wt. 5 lbs.

★ For Channels 14 to 83 ★ Easy Hook-Up to Any TV Set




For TV or FM lead-in. No soldering. Plug size: 34" x 115". Socket: 134" x 1" x 112". Shpg. wt. 14 lb.

\$119 AA-170

signal from antenna to-set, efficiently Shipping weight 3 lbs. LEAD-IN * UHF/VHF GOLOA * For 0

Shielded 300 ohm lead-in for TV or

FM. Shielded for outstanding noise-re-sistant performance. Each conductor is foam insulated and coated with abra-sion-proof vinyl. Delivers noise-free



New Onco "Prime-line" lead-in is foam insulated and covered with abrasion resistant black poly jacket. The outer layer of insulation is impregnated with carbon black for super resistance to the deteriorating effects of the sun's ultra violet rays. Shipping weight 2 lbs.



Available in two grade

22 Gauge Copper \$189 100' COIL No. W-73

20 Gauge Copper, 100 Mil Insulation 100' COIL, Shpg. wt. 234 lbs. \$239 666 W-311, 3 for \$5.80

TV-FM LEAD-IN \$ \$298



No AA-112 6 9°

Antenna wall jack and two-set coupler. Connect two TV sets or a TV and FM to one antenna. Shpg. wts ½ lb

 ★ Screw Type Terminals

Efficient balun coil operation matches two TV sets or TV-FM sets to one antenna with a minimum of loss. For standard 300 ohm antenna systems. Size 2½" x 3¼" x 1". Shpg. wt. ¼ lb.

Olson IV NOISE FILTER

Connect in Seconds
Suppress Picture Interference

\$179

Greatly suppresses interference caused by auto ignition oil burners, appliances, neon signs, electric shavers and X-ray. Easy connection, no internal wiring required. Size: 2½" x 1½" x 1½" Shipping weight ½ lb.

T. F. Nolan, Fairview Park RR 1, Clinton, Ind. 47842; wins choice of merchandise worth \$5 from Olson's "I reasure Hunt." See back cover for Instructions.



Olson TV-FM WALL PLATE * Eliminates Unsightly Wire

e: 3" x 1" x Shpg. wt. ½ lh.

4 for \$3.50 AA-51 QQC 7 for \$6 12@ EACH J 65c ea

Allows you to put an outlet for 300 ohm flat TV lead-in wherever you wish. Comes with polarized plog, mounting aurilware and complete instructions. and complete instructions weight 1/1 lb.

Standard TV wall plate with two an tenna jacks and one 5 pin rotor jack Oison AA-179, 3 FOR \$3.70 ...\$1.29

TV ANTENNA WALL JACK 3 for \$7.77 \$7 69



Built in transformer matches noise-free 72 ohm co-ax lead-in to 300 ohm input of TV set. Fits standard wall box or ean be mounted in wall without wall box. Includes coax plug and plug for lead to set. Ivory. Shipping weight 12 lb.



Stand-Off SUPPORT

\$119

★ Sticks To Any Clean Flat Surface ★ Perfect For Aluminum Siding

5 FOR 99°

· Accepts Standard Screw-in Insulators · Break-Resistant Plastic


· Self-Adhesive Back

Shipping weight 1/4 lb.

INDOOR TV ANTENNA ★ Sharper TV Picture



Only one wire to connect—then simply place 2" 'My-Tee Midget' disc anply place 2 iny-lee integer disc tenna where reception is best; on floor, pin to drapes, window, etc. 8' lead-in wire. Shipping weight 1/4 lb.






★ Built-In 3-Set

Coupler Lightning



Mast mounted amplifier receives its

Mast mounted amplifier receives its power from the power supply at back of TV or FM receiver. Boosts weak signal to give perfect reception even in fringe areas. Uses 300 ohm lead-in wire. Operates on 120 volts AC. Shpg. wt. 2 lbs.



VHF-UHF-FM Antenna

93" BOOM "GOLD PROTECTO" FINISH

AA-215 \$ 13 Element Ant. Only (less

★6 VHF ELEMENTS ★ 7 UHF ELEMENTS Hardware kit includes 1—5-ft. mast, 2—mast insulators, 6-screw-in insulators and a UHF/VHF splitter. Shipped Railway Express.

13 Element Ant. Kit (less rotor), No. AA-214 \$29.98 13 Element Ant. Kit with rotor & control, No. AS-210 \$52.00

16 Element Ant. Only (less hard-ware & rotor) No. AA-217 \$29.98

16 Element Ant. Kit (less rotor & control), No. AA-216 \$34.90

36 Element Ant. Only (less hardware & rotor) No. AA-219

36 Element Ant. Kit (less rotor & control), No. AA-218

\$59.98 ACCESSORIES (Not included above) 100' LEAD-IN WIRE

\$2.39 ROTOR THRUST BEARING No. AA-167

100' 5-Cond. Rotor Cable, W-533 \$4.98

VHF-UHF-FM ANTENNA KIT

★ For Use In: Moderate VHF Signal Areas

Olson AA-213 Less Rotor and Control Box

188

* Gold "Protecto" Finish

Only one lead-in wire required. Features "Gold Protecto" finish, nine element high gain and flat response for best color or black and white TV or FM. Kit includes: 1-5' mast, 6-31/2" insulators, 2-71/2" stand-offs, 3 11/4" snap-on insulators and an antenna splitter. Boom length 54 1/8". Shipped railway express only. Shipping weight 9 lbs.

COMBINATION OFFER!

Includes AA-213 Antenna Rotor and Control Box. See below for complete Tenna-Rotor specifica-

AS-209, All 3 Units

O

\$39

UHFANTENNA PARABOLIC

VHF-UHF-FM ANTENNA KIT

Olson AA-220 57 MONTHLY ONLY ...

★ For Use In: Very Weak VHF Signal Areas Very Weak UHF Signal Areas

For deep fringe area reception and really long range . . . The Tokan Co-Ax color antenna has the ability to bring in the signal while keeping out the interference. Rugged construction and gold corodized finish withstand adverse weather to give you many years of trouble free viewing. Kit includes the antenna, 75 feet of foam co-ax with connectors, 5 ft. mast, 2—71½" insulators, 3—1½" mast stand-offs, 6—3½" insulators behind the set matching transformer/splitter. Boom length, 204½". Shipped Railway Express only.

ACCESSORIES: (Not included above) Alliance T-45 rotor, AA-168... \$23.98 100 ft. 5 cond. Cable, No. W-533 4.98 Rotor Thrust Bearing, No. AA-167 2.91

★FM/FM STEREO

★FOR BLACK & WHITE OR COLOR

★SNAP-OUT ELEMENTS

★ For Use In Strong VHF Signal Areas
A rugged 5-element antenna having
all elements driven with constant
spacing for uniform gain and flat
response through TV and FM band.
Full 1" square boom and sleeve reinforced elements. Antenna length 53".
Kit includes: 5 ft. mast, 50 ft. of 300
ohm lead-in, 6-3½" insulators, 27½" insulators, 3-1½" snap-on insulators and complete instructions.
Shipped Railway Express only.

Otson AA-155,

\$14.98

"HI-GAIN"

OISON VHF-FM ANTENNA

★ For Use In: Moderate VHF Signal Areas ★ Perfect For FM Multiplex ★ For Color and Black & White ★ Gold Anodized

\$19.98 No. AA-187

Shipped Railway Express only. Rotor Thrust Bearing, No. AA-167 2.91 100-ft. Lead-in Wire, Otton W-541 4.79 100-ft. 5-Conductor Cable, No. W-533 4.98

Alliance T-45 Tenna-Rotor w/Motor & Control Box, No. AA-168 . . 23.98 Complete kit of above components (less W-541 lead-in wire)
No. AS-115 \$48.00

"Hi Gain" system above with C-225 rotor in place of T-45 rotor. No. AS-117. \$7 MONTHLY \$56.00

TV-FM ANTENNA

★ Gold Anodized Finish
★ Perfect Reception in Fringe Areas
★ Boom Length 145"
Shipping weight 30½ lbs. Shipped Railway Express

▲ AA-186

AA-186

AA-186

AA-186

AA-186

Space Probe System" includes AA-186 antenna plus Alliance T-45 rotor, thrust bearing and 100 ft., 5 cond. wire.

cond. wire.

Space Probe" system above with C-225 rotor -thrust bearing not required with C-225.

AS-116 \$7 Mo. \$64.00

@ Olson ANTENNA ★ For Use in Strong VHF Signal Areas ★ Includes Hardware ★ Mast ★ 50 Ft. Lead-In Wire

TV-FM ATTIC

Factory pre-assembled for fast, easy installation. Employs a new all-channel (VHF) yagi-type antenna. Kit includes: antenna, antenna mast, 50-ft. lead-in Wire, hardware. Shipping weight 6 lbs. Antenna length 45". Shipped Railway Express only.

\$6.98 Oison AA-188

Vogle Sales & Service, Gloyd Vogle, McCracken, Kansas 67556; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

UHF ANTENNA



For color and black-and-white. Size 38½" H. x 18" W. x 3¼" D. Shpg. wt. 5½ lbs.

FINCO UHF-VHF



Use with black and white or color TV. No signal loss. Shipping weight ¼ lb.



WINDOW FEED-THROUGH

TV-FM Antenna re "CONNECTOR"

Olson

★ No Holes Needed

\$ 99





A two transistor antenna mounted amplifier with dual output power sup-ply. For VHF channels. Operates on 110 to 120 volts AC, 60 cps. Shipping weight 2 lbs.

South River Antenna Mount



Channel 2 to 83 coupler, full power signal to two UHF or two VHF sets or a VHF and a UHF set from one antenna. Couples a VHF antenna and UHF antenna, two VHF or two UHF antennas to one down-head. Ideal for FM, too.



LIGHTNING Arrestor * Fuse Protected

\$995 AA-205

Protects TV & Home from Lightning

Protects
Damage
Replaceable Fuses
Rugged Weather-Proof Construction
Screw Type Connectors
Shipping weight 1 lb.

Rembrandt TV COLOR COMPUTER (Not An Antenna)

★ Magic Link Between Outdoor Atenna and Your TV Set


Strengthens and Regulates Color

Helps Eliminate Ghosts and Fading Simplifies Color Tuning ★ Simplifies Color Tuning ★ Improves All Channels, 2-83









A CLASSIC by Rembrandt UHF-VHF All Channel TV Antenna

★ COLOR ★ BLACK & WHITE ★ FM 12 position Selector Switch. Special Looped Rings. 4 Section Telescoping Arms. Separate VHF and UHF Leads, Shpg. wt. 3 lbs. \$5.95 No. AA-209

COLOR KING by Rembrandt ALL CHANNEL TV ANTENNA ★ Color ★ Black & White ★ FM

New Color Phasing Loops. Special Color Control. True-to-Life Color Level. Clears Up Ghosts and Snow. Separate UHF and VHF Leads. Shipping weight 5 lbs. \$12.95

STEREO KING by Rembrandt FM INDOOR ANTENNA

* Multiplex Stereo * High Fidelity Assures Drift-Free Reception, Strengthens Weak Stations. Up to 10 Times More Effective Than Builtin Antenna. Shpg. wt. 4 lbs. \$6.95 No. AA-208



Flexible folded dipole antenna for FM or TV. Has tabs on end of wire for easy attachment to back of cabinet. Shpg. wt. 1/4 lb.

ALLIANCE

\$2398

TENNA-ROTOR ★ With Rotor and Control Box ★ Deluxe Model T-45

Takes up to 20-lb. antenna, 110-120 V. AC. Ship-ping wt. 11% lbs.



00

Covers VHF and UHF as well as FM Stereo. Has 6 position phasing switch built into base. Complete with 300 ohm lead-in for any set. Extends to 34". Shipping wt. 3 lbs.



★ For: Peak, Flat, Sloped Roof-Side Wall or Corner Bracket

* Arc Welded Frame

* Simple Convenient Mast Clamp

* Easily Adjusts to Any Angle

★ Fast and Easy To Install Shipping weight 8 lbs.

AA-168 Alliance C-225 Solid State Tenna-Rotor, No. AA-169 \$35.25





Dual Impedance: 200 and 20K Ohms

Fits 5/8-27 Stand Shock Mounted

Element Size: 6" H. x 2¾" x 2¼". Shipping weight 3 lhs.

M-263, \$7 Monthly





*65

Response from 40-15,000 cps. Can be used with high or low impedance inputs. Output: -55 db. Chrome finish. 17' cable. 7\%" long x 1\%" diameter. Mounts on floor stand listed at left. Shipping weight 5 lbs

Olson

DYNAMIC MIKE



Ideal for public address or recording application. Response: 60-15,000 cps. Output: —55 db. Has four-stage blast filter to reduce "Pop" 16' cable. Size: 6\%2 x 1 25/64". High impedance. Shipping weight 3 lbs.

Olson Cardiod MIKE



J. Craig, 3614 Herbert Avenue, Cincinnati, Oh. 45211; wins choice of merchandise worth \$5 from Ol-son's "Treasure Hunt." See back cov-

★ Dual Impedance: 50K & 600 Ohms

★ Response: 100 to 12,000 cps

For Any 5/8"-27 Stand

* Chrome and Black Finish

* Detachable Cable Included

Shipping weight 3 lbs.

DYNAMIC

MICROPHONE

Olson

Otson M-301

★ Off-On Switch

er for instructions.

★ Distributed Frontal Pickup

★ Output-52 db Frequency Response: 40-13,000 cps

Olson

★ 50K Ohm Impedance

CRYSTAL HAND

MICROPHONE

★ Cardioid Pattern ★ Crystal Cartridge ★ Shielded Cable

* Satin Chrome and Black Finish Shipping weight 3 lbs.





* Desk Stand Included

★ 61/2 Ft. Shielded Cable

★ Dual Impedance: 200 and 50K Ohms

★ Excellent for PA and Recording Size: 11/4" D. x 51/2" L. Shpg. wt. 1 lb.



98 3 FOR \$36 M-272 A rugged wide-range dynamic mike that is perfectly suited for recording and PA applications. Picks up from all sides through wire mesh screen with built-in wind screen. Impedance: 50K ohms. Response: 60-12,000 cps. Complete with detachable shielded cable. Size: 14" dia. at ball x 84" long. Shipping weight 3 lbs.

GENERAL PURPOSE DYNAMIC MIKE ★ 50 K Ohms ★ Cardicid Pattern 0.99

With on-off switch. "Pop-proof" dia-phragm. Size: 7½" H. x 3" W. (at base) x 4½" D. (at base). Frequency response: 60 to 12,000 cps. 6½' cable. Output: —33 db. Shipping wt. 2 lbs.

M-201



High quality dynamic mike designed for PA and recording applications. Cardioid pattern rejects sounds from rear of mike. Dual impedance, 600 and 20K ohm. Has 32 ft. shielded cable. Fits any \$\frac{5}{2}\$-27 thread stand. Size: \$\frac{1}{2}\psi\$ dia. x 6\%" L. Response: 150 to 12,000 cps. Shipping weight 4 lbs.

GENERAL DYNAMIC MIKE

M-229

\$888

Otson RA-626

★ Tie-Clip Mike



A dynamic mike with filter that provides excellent protection from wind and "pop" (explosive breath sounds). Ideal for PA systems and tape recorders. High impedance. Response: 50 to 12,000 eps. Includes 15 ft. cable. Size: 6%" long x 2%" diameter (at ball). Shipping weight 5 lbs.

Olson STEREO

DYNAMIC MIKE

Dual

Impedance

Otson M-169

\$1499





Olson CRYSTAL MIKE ★ HIGH OUTPUT ★ 5' CABLE

\$587

Olson Lavalier Mike

Otson M-244

High impedance mike for recording, P.A., etc. Response 40 to 8,000 cps. Output: -50 db. Size: 21/4" x 63/4". Mounts on floor or desk stand listed below. Shipping weight 21/4 lbs.



Has a rugged hermetically sealed element with polyester diaphragm. Superb directional characteristics reject noise reaching mike from rear. Durable diecast enclosure is finished in satin chrome with mesh grille. Includes desk stand and 20 ft. cable. Response: 100 to 14,000 cps. Impedance: 50 K ohms. Size: 73½" L. x 1½" diameter. Shpg. wt. 3 lbs.



Built-in on-off switch. Tape recording. P.A., etc. Response 50 to 8,500 cps. Output level: -57 db. With lavalier cord and 6 ft. shielded cable. Size 1½" x 5". Shipping weight 1¾ lbs.



GOOD Miniature WIRELESS MIKE Olson

★ Ultra Compact ★ Self-Contained

Battery
Tunable Frequency
Range
Works with any
FM Receiver
Only 21/4" x 1/2" x 1/2"

Shpg. wt. 1/4 lh. SIZE COMPARISON

Olson CONTACT MIKE

High impedance. Can be connected to guitar, pianos, etc. 11/2" x 3/4". Shipping wt. 1/4 lb.

Olson Replacement Dynamic MIKE CARTRIDGE

Oison M-130

0

★ Jransistorized DELUXE ★ No Cable From Mike to P.A. System

Otton wireless mike broadcasts to any FM radio, 88 to 108 mc. Operates on one self contained 9 v. battery. Response: 100-10,000 cps. Size: 7¾" x 1½" x 1. Shipping wt. 2 lbs. Battery (1 req'd.), BA-89 .21c ea.

On-off Switch. Response: 60 to 10,000 cps, output: -57 db., size: 1¾" x 2¾". Shipping weight 2 lbs.

Light weight dynamic mike is complete with lavalier cord or can be used as a hand mike. 7 ft. cable. Size: 2\%" x 1\%". Shipping wt. 1\% 1bs.

DYNAMIC HAND MIKE



MICROPHONE ★ Hi-Impedance

VACO CRYSTAL

66°

Perfect replacement for most portable tape recorders. Size 1\(\frac{1}{8}'' \) W. x 2\(\frac{9}{4}'' \) H. x 1\('' \) D. Includes: 5 ft. shielded cable. Response: 40 to 6,000 cps. Shipping weight \(\frac{1}{2} \) lb.



DYNAMIC MIKE Olson



Five foot cable. Response: 200 to 10,000 cps. Impedance: 10,000 ohms. Sensitivity: -60 db. Size: 15%" x 41%" x 1". Shipping weight 1 lb.

CRYSTAL HAND



Converts any floor stand with \(\frac{5}{8} \)" -27 thread to boom type. Has adjustable counter balance. \(31 \)" long. Shipping wt. \(3 \frac{1}{2} \) lhs. \$688

MIKE 990 High

High output. High impedance. Equipped with a three foot cable which is terminated in two miniature phone plugs. Response: 40 to 6,000



Olson LAPEL MIKE ★ Lapel Clip On Back



M-174

Impedance: 40 ohms. Sensitivity: —90 db. Size 11/16" Dia. x 1/16" D. Shipping weight 1/4 lb. Olson M-211

Miniature Dynamic MIKE CARTRIDGE
Transformer matches to 50K
ohms. Size 3/4" dia x 1/2 (less
trans.). Sensitivity: —55 db.
Resp. 50-11,000 cps. Shipping
weight 1 lb.

One M-267 \$1.29

Olson Heavy Duty MIKE CABLE 30 Ft. Coil W-544 \$3.69

Durable vinyl jacket with wrap-shield and poly insulated center con-ductor. 0.21" O.D. Shpg. wt. 2 lbs.

Olson "Take-Apart" STAND ADAPTER Adapter screws into base of mike and onto top of stand. Snap - apart easily. Shipping weight 1/2 lb. Gison M-226

Olson Crystal Type MIKE CARTRIDGE Response 60 to 7,000 cps. Output —55 db. Size: 2" Dia. x ½". Shipping weight ¼ lb.

Comparison

Oison W-457

Flexible %x27 thread. Shpg. wt. 2 lbs. \$1.79 19" GOOSE NECK, One M-239

Olson 25' MIKE EXTENSION CABLE KIT

Amphenol type connectors on each end. Adaptor plugs convert to ¼" plug or jack. Shipping weight 1¾ lbs.

Olson MICROPHONE CONNECTOR Standard

39c Oison X-317, 3 for \$1 Olson 13" GOOSE NECK

 $\frac{\%}{\%}$ - 27 thread.

\$888 M-9

3 for \$25

DESK STAND 3 for \$5 \$1.97 No. M-95 No. M-95 Shpg. wt. 23/4 lbs.

Shipping wt. 9 lbs.

Olson

Three ft. shielded cable with miniature plug. High impedance crystal. I%'' dia. Output: -50 db. Response: 50-5,000 cps. Shpg. wt. ¼ lb.

21

Olson 25 WATT AM-FM Background Music RECEIVER



\$9 MONTHLY



Has Microphone Input Jack

Professional Offices Use in: Stores Waiting Rooms Homes, Etc.

Ideal for Background Music Systems

★ Inputs Provided for Phono or Tape
★ Output for Single or Multiple Speakers

Output Impedances: 4, 8, 16 and 500 (70.7 volt)

OUTDOOR MUSIC SYSTEM 1-25-W. AM/FM Receiver, Ottoo RA-30 \$84.98 4-8" Trump. Spkrs.. Ottoo S-843, 4 for \$60.00 1-Cardioid Dynamic Mike, Ottoo M-264 \$19.98

ELECTION HEA

1 7

Argos SOUND CADDY

TWO 12" BAFFLES IN ONE CASE

Made of heavy plywood with steel corner angles. Double coated, tough, gray vinyl covering. Has matching saran plastic grille. Amplifier mounting board can slip out when case is opened but holds firmly in place when closed. Convenient carrying handle on each baffle. Size 174" W. x 22" H. x 131%" D. Shipping weight 20 lbs.

12" PM Speaker, Oison S-311 ea.\$11.99 12" Guitar Speaker, Oison S-713 ea. \$24.98

Has adjustable mounting foot. High sensitivity and wide dispersion angle covers large area. Response: 300 to 12,000 cps. Power capacity 5 watts. Impedance 8 ohms. Size: 534" Dia. x 3". Shipping weight 4 lbs.

Otson

AS-179

Page 20

Olson Weatherproof

PAGING SPEAKER

\$895 Onon 5-880 ach 3 for \$24

....

3RD PRECINCT 4THE

JONES DUEND

SMITH DOOD HENRY DODGO

JACKSON DEDDE

- AC Convenience Outlet * Slide Rule Tuning
- * Built-In AM Antenna

Chica X-981

Argos

LARGE

EASY

TO READ

NUMBERS

Size: 11%" x 4%" x 11" 110-120 Volts AC, 60 cps Shipping weight 10 lbs.

INDOOR MUSIC SYSTEM 1-25 W. AM/FM Receiver, Otson RA-30 \$84.98 4-Speakers in Walnut Cab., Otson \$-601 4 for \$40.00

READ-OUT COUNTER

12 VOLTS DC

Large numbers, 0 through 9 are painted on a

painted on a drum which is rotated by a sole-noid. Size: 4\%" x 1\%" x 1\%".

x 1½" x 1½" Used. Operates or 12 volts DC. Ship-ping weight 2 lbs

Sound Column

SPEAKER SYSTEM

\$4450

The sound column

Cut through back-ground noise. Ideal extension speaker for CB transceivers. 8 ohms. Response: 400-8,000 cps. Size: 5½" dia. x 5". Shipping weight 3½ lbs. Olson 8" Trumpet * Bullt-in Driver Olson 5-843 \$15°8 All metal construction with adjustable mounting bracket. Completely weather-proof. Power capacity 15 watts. Impedance: 8 ohms. Response: 180 to 10,000 cps. Size: 8" dia. x 8\\[\frac{1}{4}\]" deep. weather-proof. Somms. Response: 180 to 10,000 cps. Size: 8" dia. x 81/4" deep. Shipping weight 5 lbs. Olson 12" Trumpet, No. 5-844, 3 for \$70 Ea. \$24.98

* 8 Watt

Olson

Extension & Paging SPEAKER ★ High Sensitivity

Hams and CB'ers will find this speaker very useful in their mobile installations. Also ideal for paging systems in restaurants, office buildings, etc. Has adjustable bracket to mount at any angle. Weather-proof. Size: 25%"x3¾"x 2¾". Shipping weight 1½ lbs.



Completely Weather-Proof Molded of a specially formulated plastic. The driver unit is completely enclosed within the speaker. Response 150 to 6.500 cps. 20 watts. 8 ohms. Size: 123'," W. x 6" H. x 13',4" D. Mounting bracket included. Sound distribution 120" x 60". Shipping wt. 5 lbs.

Jensen HORN SPEAKER



HF-105 \$299
3 FOR 58.25

* Individual Volume Controls
1/4" Phone Jacks
Shpg. wt. 1/2 lb. K. 1. Kunath, Box 213, Spencer, Iowa 51301; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover for instructions.

★ Power Capacity: 32 Watts
★ Response: 250 to 14,000 cps.
★ High Impact Weatherproof Construction
★ 70.7 Yolt Line/Taps: 32, 16, 8, 4, 2
and 1 Watt. Size: 11" x 8" x 11%"
★ Neutral Beige Color

5" TRUMPET VOTE 5-453 \$795

* Solid State

20 WATT MOBILE Olson P.A. AMPLIFIER

Universal Polarity

Olson AM-271

2 FOR \$90


Ultra Compact

Mike, tape, phono inputs. Inputs have separate volume controls. Sturdy metal case is trimmed with extruded, polished aluminum. A noise filtering switch eliminates electrical disturbances on the 12 volt input line. Output impedance of

OPER

4, 8 or 16 ohms is selected by a switch in the side of the case. Size: 6½" W. x 2" H. x 6½" D. Complete with all mounting hardware, operating instructions and cables. Operates on 12 volts, pos. or neg. ground. Shpg. wt. 6 lbs.

Olson 12 WATT MOBILE AMPLIFIER





* Hi & Lo Impedance Inputs * Mike, Phono & Aux. Inputs

18 WATT

Olson AM-306 2 FOR \$100 \$7 MONTHLY

\$55

Top quality components are used throughout the results PA Ann. Solid state circuit employs 5 transistors and 2 diodes for cool efficient operation. Has inputs for Hi and Lo impedance of the results of for phono and aux. on rear panel. Mike Shipping weight 13 lbs.



Solid State 35-Wat P.A. AMPLIFIER

* Instant Warm-Up

* Dual Mike Inputs

* Ultra-Cool Operation

2 FOR \$150 \$798 SE MONTHLY

Standard ¼" mike jacks. The solid-state circuit employs 7 transistors, in-cluding 3 power type, plus 2 diodes for long trouble-free service. An AC outlet is provided on the rear panel for a rec-ord changer or tuner. The transformer operated power supply is protected by a fuse accessible from the rear panel. Neg-ative feed-back circuit reduces distortion to a minimum. Specifications: Input impedance, mike Lo. 600 ohms, Hi 100 K ohms. Phone: Hi, Aux.: Hi. Output Impedance: 4, 8, 16, 165 and 330 ohms. Power Output: 35 watts. Controls: Mike I volume, mike 2 volume, master volume, tone. on-off switch. Size: 12" W x 4" H. x 8½" D. Operates on 110 to 120 volts AC, 50/60 cps. Shipping weight 18 lbs.



★ Instant Power-No Warm-Up ★ 4-8-16 Ohm & Line Output

® Solid State 75 Watt

* Monitor Output AM-309

Meets power requirements of large installations such as auditoriums, halls channels at once. Also includes tone conand stadiums, factories, fair grounds, troi, Monitor jack provides signal output airports, hotels, etc. Perfect for both voice and music. Handles up to 15 trumpet for 4, 8 or 16 ohm speakers plus 70.7 type speakers. Has inputs for both high and low inpedance microphones plus 75 watts. Operates on 110 to 120 volts auxiliary input for phono or tuner and a tape input. Each channel has a separate Shipping weight 23 lbs.



03609 \$995 2 For \$19

For stereo or mono applications. Mixes 4 mono channels or two pair of stereo inputs. Individual volume controls. Operates on 9 volt battery. 1/4" inputs, phono jack outputs. Size: 6" x 21/4" x 31/4". Shipping weight 2 lbs. Battery, 1 req'd. (Ossos) BA-89

Transistorized



impedance sources. Operates on single 9 volt battery (less battery). Size: 6" W. x 2½" H. x 3½" D. Shipping weight 1½ lbs. Battery (1 req'd.), BA-E9 21c ea.


BOGEN 35 WATT P.A. AMPLIFIER Model CH3-35A MATERIAL SALES MATERIAL SALES High Impedance Dison AM-248 00 * Dual Mike Inputs * Dual Tone Controls * Power Output: 35 Watts

MODEL CHB 35A. POWER OUTPUT: 35 watts 6t 5% distortion. FREQUENCY RESPONSE: 20-20,000 cps ±2 db. INPUTS: 2 microphones (high-impedance), 1—Magnetic Phono, 2—Aux. (high-impedance). SENSITIVITY: Mic.: 4 mv; Aux.: 2 volts; mag. phono: 12 mv. GAIN: Mic.: 125 db.: Aux.: 100 db.; Mag. phono. 115 db. OUTPUT IMPEDANCE: 4, 8 and 16 ohns. 25 volt line (148 ohms), 70 volt line (143 ohm). CONTROLS: Mike No. 1 and No. 2 volume, fader for 2 aux. inputs. master volume, bass, treble, power switch, mag. phono switch. TUBES: 1 6EU7. 2—7868, 1—12AX7, 1—6CA4, plus silicon rectifier. POWER CGNSUPTION: 125 watts, 105-125 V. AC. 50-60 cps. DIMENSIONS: 6% H. x 153% W. x 10° D. Shipping weight 22 lbs. 2—1868, 1—12AX1, 1—6 watts, 105-125 V. AC. Shipping weight 22 lbs.

20 WATT P.A. AMPLIFIER

100 WATT P.A. AMPLIFIER BOGEN MODEL CHB-100

BOGEN MODEL CHB-20A No Money Down 129 S11 Monthly \$6675 No Money Down S7 Monthly



M Olson 192.18 \$12 173.00 AS-17 1 ELL ELE Olson ** *** 234.86 213.00 \$13 AS-178

\$15

4444

4444

290.00

321.52











O Turn-Over Sapphire Stylus

0 4 Speeds: 16-33-45 and 78 RPM

O Satin Gray Finish

O AMP-Lock AC Connector

O RCA Type Audio Jacks

O Cushioned Mounting Springs

Size: 13¼" W. x 11¼" D. x 3¼"H. (above mtg. board). 110-120 volta AC, 60 cps. Shipping weight 10 lbs.

Olson **RP-369**







COMPLETE SYSTEM, Grown AS-223, \$15 Monthly

\$13 Monthly









120 WATT

STEREO RECEIVER

- Solid State Circuit
- MAM-FM-FM/MPX
- Stereo Tuning Indicator
- Tuning Meter
- Walnut Finish Wood Cabinet
- Stereo Headphone Jack
- Sensitivity: 3 UV.
- Power Output: 60 W. Per Channel
- MPX. Separation: 35 db

Size: 4%6" W. x 81/2" H. x 81%6" D. 110-120 V. AC, 50/60 eps. Shpg. wt. 13 lbs.

TWO-WAY SPEAKER SYSTEM

- Model SR1021K
- 4" Woofer
- 3" Tweeter
- L-C Crossover
- Beautiful Walnut Finish Wood Cabinets
- Beautiful Metal Fretwork Grille
- Response: 50-20,000 CPS.
- Impedance: 8 Ohms Size 4%4" W. x 81/2" H. x 81/4" D.

Shipping weight 9 lbs. \$7 Monthly Ea. \$5995



STANDARE

Olson AM FM Multiplex Tuner

Solid State

* SILICON TRANSISTORS

★ Between-Station Muting Circuit ★ Sensitivity: 1.6 uv. for 30 db Quieting ★ Sensitivity Selector Switch Automatic Multiplex Switching

Specifications: 24 transistors, 16 diodes, 1 zener diode. Sensitivity: 1.6 uv. for 30 db. Mpx separation: better than 28 db. Distortion factor: 0.7%. Operates on 110-120 volts AC, 60 Hz. Size: 16\%" W. x 12\%" D. x 5\%" H. Shipping weight 23 lbs.

\$220 Oison RA-40 \$13 Monthly Olson AM-355 \$13 Monthly

136 WATT STEREO AMPLIFIER

Solid State

* Output Protective Circuit

* Power Supply Transistor Filtered and Regulated

* SILICON TRANSISTORS

★ Selected Low-Noise Transistors in Pre-Amp

★ Tape Monitor and Record Jacks

Specifications: Transistors: 20. Diodes: 4. Thermistors: 4. Output power: 136 W IHF (68w. per channel). Response: 20 to 60,000 Hz. Inputs: tape, phono, tuner, aux. Tone control: Bass ± 11 db. @ 100 Hz. Treble ± 10 db @ 10K Hz. Size 16\%' W. x 12\%' x 5\%' H. Operates on 110-120 volts AC, 60 cps. Shipping weight 24 lbs.



50C5

radios. Shpg. wt. 3/ lb.

ADDITIONAL

SYLVANIA

TUBE VALUES

Compare and

Save at Olson

Electronics

STEAM WHISTLE

One each: 35W4, 50C5, 12BA6, 12AV6, 12-BE6. Most common types for AC-DC home

TYPE

5U4GB

6SN7GT

12AX4

12BA6

35W4

50C5

SOPHISTICATED STEAM

POWERED ENGINES . . .

THAT REALLY WORK!

6AL5

654

* Steam Whistie

Wilesco STEAM ENGINE

Working model of a small steam power plant. Operates model tools. Has manually operated steam whistle. Single cylinder operates a cast metal flywheel and output drive pully. Size 8" W. x 5½" D. x 8½" H. Shipping weight 2 lbs.

EXTRA FUEL TABLETS, No. X-70 2 Packets \$1

Mr. K. Raymond, 730 N.W. 77 Way, Rembroke Pines, Florida 33024; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

PACK TUBE KIT

12 BE6

OSON ORDER NUMBER

Z-340

Z-341

Z-342

Z-343

Z-344

Z-345

Z-346

Z-347

Shipping weight 1/4 lb. each.

\$. 90

.60

.85

1.00

1.00

J2

.48

.79

Executive

Conversation

Piece

Mantel

12AV6

* Water Level Window

★ Fun For Young and Old

Similar to steam engine above but has larger boiler and water level window. Operates tools of your design. Has manually operated steam whistle, Size: 10" W, x 7" D, x 9" H, Shpg, wt. 3 lbs.

EXTRA FUEL TABLETS, No. X-70 . 2 Packets \$1

Wilesco STEAM ENGINE * Pressure Gauge * Adjustable Safety Valve



Fill the boiler with water, fire it . . . when the steam pressure is up, just open the valve to the cylinders, give the flywheel a turn and the engine's running. Two step safety valve has whistle attached, when steam pressure reaches a pre set point, the steam valve opens and the whistle blows. Manometer indicates steam pressure in boiler. Water level may be observed at any time through window in end of boiler. Size 13%" W. x 12" D. x 12½" H. Shipping weight 8 lbs. \$50


Ottom X-62, S7 Monthly

ACCESSORIES FOR ALL MODELS *
Pulley Wire, No. X-69 4 for S1
Extra Fuel Tablets, No. X-70 2 Packets \$1

Solid State Stereo RECEIVER Olson 110 Watt

Olson

- AM-FM-FM Multiplex
- Tape Recorder Jacks on Front Panel
- Silicon Output Transistors
- **Professional Tuning Meter**
- Stereo Headphone Jack
- Sensitivity 2 UV for 20 db Quieting
- Response: 20-20,000 Hz
- Separation: 35 db at 1000 Hz
- 32 Transistors/20 Diodes
- Walnut Finish Wood Cabinet
- Stereo Indicator
- Main/Remote Speaker Terminals



Size 17%" W. x 5¼" H. x 12" D. 110-120 Volts AC, 50/60 CPS. Shipping weight 22 lbs.

Olson

RA-71




- With Sound From Auto Radio
- ★ 5 Transistor Circuit
- * Sensitivity Control With On/Off Switch
- * Operates On 12 Volts DC
- ★ Connect To Auto Radio Speaker
- Size: 12" W. x 111/6" H. x 2%" D. Shpg. wt. 2 lbs.





SYMPHONIC FM-AM-MPX STEREO RECEIVER






★ Solid State Circuitry ★ 40 Watts Output ★ For Custom Lead For Custom Installation ★ Tuning Meter * Stereo Indicator

Olson RA-15

Complete receiver features solid state circuitry and illuminated slide rule dial. Has switch to select main or remote speakers. Controls include volume, balance, treble, bass, function selector and tuning. Has switchable AFC circuit to lock in FM Stations. Inputs are provided for crystal or ceramic phono cartridge and aux. Also has output jack for tape recording. A ferrite bar antenna is provided for AM. Size: 14" W. x 6%" H. x 7½" D. Operates on 110-120 volts AC. 50/60 cps. Shipping weight 13 lbs.

STEREO EQUIPMENT CABINET



Walnut Finish Build Your Own Stereo System Separate compartments for Changer, Receiver, Speakers and Records Sliding Doors

CA-364

Accommodates a complete system including both speakers. Also has a large record storage compartment which is concealed behind sliding doors when not in use. Features quality construction throughout with beautiful oiled walnt finish. Overall size: 70" long x 26" high x 18" deep. Changer compartment is 17½" W. x 14½" D. x 4½". Receiver compartment is 17" W. x 14½" D. x 4½". Speaker sections are cut for 1-10" speaker and 1-3½" tweeter. Shpg. wt. 122 lbs.

POLY-PLANAR WAFER-TYPE SPEAKERS



Model P-5 Wafer-Thin Construction Completely Waterproof Replaces Conventional Cone Speakers

Response: 60 to 20,000 CPS Power Capacity: 5 Watts Impedence: 8 Ohms Size: 1½" x 4½" x 8½" Shipping weight 1 lb.





Model P-20

★ Meets Extremes of Shock and

Vibration

★ Easily Incorporated Into
Present Equipment

★ May Be Baffled or Unbaffled

Response: 40 to 20,000 CPS Power Capacity: 20 Watts Impedence: 8 Ohms Size: 1½" x 11¾" x 14½". Shipping weight 2 lbs.



Olson S-978

★ Walnut Finish Wood Cabinet ★ Matching Cain Grille ★ Push-Button Terminals ★ Only 21/4" Thick ★ 51/2" Full-Range Speaker ★ Response: 50 to 13,000 CPS ★ Power Capacity to 5 Watts ★ Impedance: 4 Ohms Shipping weight 3 lbs.

Olson VOLUME CONTROL **LEVEL** CONTROL Olson HF-44 \$159

3 for \$4.25

For use with any speaker to provide separate and independent control of speaker volume, 30 watts. Shipping

Olson /

STEREO LEVEL CONTROL. Dual 8 ohm controls mounted on one individual knobs.

Olson STEREO MONO SPEAKER SWITCH

Oison HF-43 \$179 0 110

Control up to 3 pairs of stereo speakers or 1 to 6 monaural speakers. Remotes may be switched in or out of circuit without effecting amplifier load. Can be used with 4 or 8 ohm speakers. Gold panel 3%" x 2½". With instructions. Shipping weight ½ 1b.





* Standard Wall Plate

Has standard 3-circuit, ¼" jack for stereo headphones or a stereo-pair of speakers. Volume of each speaker can be adjusted separately. Size 4½" H. x 2¾" W. x 1½" D. Imp.: 8 ohms. Shipping weight 1 lb.

STEREO Olson SPEAKER SWITCH



0

Dual 7 .po-sition switches permit the se-lection of all or 7 different c o m binations

of any 3 pairs of speakers. Ivory knob with gold finish plate. Instructions included. Size: 2¾" x 4½". Shipping weight ½ lb.

Sonora 1

STEREO PHONO

★ SOLID STATE Otson RP-355 3998

4 Speeds, 16-33-45 and 78 RPM

Turnover Ceramic Cartridge

Dual Sapphire Stylus

All Transistor Amplifier Balanced Speaker Systems

Convenient Drop Front Design Walnut Grain Vinyl Finish

Size: 25" W. x 13%" H. x 7¾" D. Operates on 110/120 volts AC, 60 cps. Shipping weight 22 lbs.

Extension Speaker/Timer

Olson

\$898

Turns TV, Phono, Radio Off & On * Earphone Jack

Built-in One Hour Timer

Switch for Main or Remote Speaker

Remote Speaker Volume Control

* 20-Ft. Cable & Speaker Wires

★ Size: 334" x 5" x 134" Shipping weight 31/2 lbs

SHOP BY MAIL ' TIME OLSON MONEY MILEAGE - GASOLINE

Sonora 1

DELUXE STEREO PHONO

★ Diamond LP Needle



MONTHLY

3 Controls—Loudness, Balance, Tone Size: 25½" W. x 15" H. x 9½" D. Operates on 110 volts AC, 60 cps. 45 RPM Adaptor Included Dual 6" Speakers
Detachable Speaker Wings

Shipping weight 30 lbs

Oison Control Remote SPEAKER 5-549



For Radio, Phono, Tape Recorder Main & Remote Volume Controls Neutral Color Plastic Case Place on Table—Hang on Wall

8 ohms Size: 41/2" x 41/2" x 21/2" Shipping weight 3 lbs.

Sonora __ TILT-DOWN PHONO




Solid State Amplifier 10 Watts-5W. Per Channel Dual Sapphire Needles Detachable Speakers Bass/Treble Control

Size: 23" W. x 15" H. x 9" D. Operates on 110 to 120 volts AC, 60 cps. Shipping weight 30 lbs.

45 RPM Adapter, Oscol RP-335

VENTILATION MOTOR



\$269

Olson

Solid State MODULAR STEREO PHONO

Completely Assembled

Garrard 4-Speed Changer

All Transistor Amplifier

Separate Bass and Treble Controls

Response: 40 to 20,000 CPS

■ Beautiful Walnut Finish

■ Matches Any 8 Ohm Speakers

Size: 15" x 13" x 9", 110-120 volts AC, 60 cps. Shipping weight 19 lbs.

RP-365 \$7 Monthly

\$69.98

SPEAKERS FOR ABOVE (SEE PAGE 13)

Otsos 5-931

___2 for \$29

Olson Solid State 100 WATT AM-FM - FM STEREO RECEIVER



Stereo Indicator Light

■ Tuning Meter

■ Slide Rule Tuning

■ Inputs—Magnetic, Crystal, and Aux

■ Tape output Jack Low Silhouette Design

Function Indicator Lights

■ 1.9 uv. Sensitivity

■ Stereo Headphone Jack Size: 15%'" W. x 4" H. x 11" D. Shpg. wt. 19 lbs.

*189.98 \$12 Monthly

FLUSH MOUNTED SURFACE MOUNTED

\$198

2-WAY

SPEAKER CROSSOVER

69

Ideal for bedside radio or TV. Switch turns off speaker in set if desired. Has two earphone jacks. Complete with one carphone and 15 ft. connecting cable. Size 2\%" x 1\%" x \%". Shpg. wt. 1 lb.

3,000 cps. "LC" crossover, channels high frequencies to tweeter and low frequencies to woofer. Impedance 8 ohms. Size 3½" W. x 1½" x 1½". Shipping weight ½ lb.

Olson

SW-346

LISTEN

3 FOR \$5.50

Olson

8" SPEAKER SYSTEM ★ Resp.: 50-10,000 cps ★ Imp.: 8 ohms

3 FOR \$20

12 @ \$6,50 ea. Olson CA-136

A wide range 8" speaker mounted in an attractive wall baffle. Baffle is completely finished and may be surface or flush-mounted. Grille is signtly larger than frame of baffle, permitting baffle to be slipped into an opening in the wall for custom flush mounting. Power capacity 5 watts. Size: 10" x 10" x 3"4". Shipping wt. 3 lbs.

OISON TV-RADIO LISTENER SOUND-OFF Euphonics ★ Easy Hook-Up CONNECT TO RADIO TV OR PHONO



Connect to TV set and turn sound off and on from your easy chair or bed. No wires from remote control to set. 110-120 volts AC, 50/60 cps.

Shipping weight 3 lbs ORDER BY PHONE DAY or NIGHT



Lincoln Easley, Rt. 3 Box 117, Union City, Tn. 38261; wins choice of merchandise worth 55 from Olson's "Treasure Hunt." See page 36. Olson Electronics

AKRON, OHIO



Designed for tracking at less than 1 gram stylus pressure with high compliance, low mass stylus. One HF-104 arm is equipped ith counter-weight balance to give high stability tracking. Overll length 121/2". Finished in chrome and brushed aluminum. Accepts Il cartridges with standard 1/2" mounting. Includes arm rest post.

Shipping weight 2 lbs.



Olson

* MONAURAL PHONO ARM 2 HEADS INCLUDED

This new 12" phono arm is dynamically balanced, and will track at lowest pressure recommended by cartridge manufacturers. May be mounted on any turntable. Shpg. wt. 3 lbs

18" PHONO SLIDES

* 50 lb. Capacity



Drawer slide provides easy, quiet drawer extension for any unit weighing up to 50 lbs. Features large nylon ball bearing wheels that roll effortless. J. Finger tip release allows easy removal of drawer and provides positive stop action. Slide travel is 13%". Closed length 18". Complete with screws. Shipping weight 4 lbs.

Plug changer and amplifier into the changer switch, then plug the switch into any wall outlet. When changer shuts off, the amplifier will be turned off. Operates on 120 V. AC, 60 cps. Shpg. wt. 2 lbs. PHONO AMPLIFIER

ROBINS

CHANGER SWITCH Automatically Turns Off Amplifier After Last Record Plays

Olson \$699 HF-131

Anti-Static


SPRAY &

CLEANER ★ With Free Cleaning Cloth

Eliminates surface noise and groove wear caused by dust. All new records should be treated before using and thereafter as needed. Shog. weight ½ lb.

\$1.19

-- 00000.



AM-332

Dr. So Woodward, 2913 Lone Oak Road, Paducah, Kentucky 42001: wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover for instructions.

° 📦 •

Automatic Changer Switch



Easy Plug-In Installation For Changers With Amp-Look AC Plug Ideal For Use With: Garrard, BSR; VM

★ Has Others

★ Has Manual/Automatic Switch

Size: 4¾" x 2½" x 1¾".

Shipping weight 1 lb.

POBINS

45 RPM SPIDER ADAPTORS


HF-130 BAG OF 50 86°

50 hi-impact reuseable 45 RPM spider adapters. Easy insertion into records, Shipping weight 14 lb.



Olson

Solid State Stereo PREAMP



4 Transistor Circuit

Input for Mag. Phono & Tape Heads

• Response: 30 to 20,000 cps.

• Equalization: Phono; RIAA, Tape; NARTB

Pilot Light


Brushed Aluminum Panel

Gray Metal Cabinet

Size: 6'' W. x $2\frac{1}{9}''$ H. x $3\frac{3}{9}''$ D. 110-120 Volt AC, 50/60 cps. Shipping weight 4 lbs.

AM-297 3 for \$36

PHONO SELECTIONS CARTRIDGE



A ACOS STEREO TURNOVER

Has ½" mounting centers plus center hole. Output: 300 mv. Channel separation: 22 db. Diamond Stylus. Response: 250-18,000 cps. 15° Tracking As-ii ing Angle. No. PC-131

B SHURE M44-7

Separation: 25 Dl3 at 1,000 cps. Response: 20-20,000 cps. Recommended load 47,000 ohms. Tracking: 1½-3 grams. Compliance: 20x10 centimeters per dyne ½" mounting centers. No. PC-143, M44E

C Euphonics U-10 Stereo Cart

- Replaces: Admiral, words, Motorola, VM, Westinghouse, Zenith Turnover Sapphire Stylus 1/2" Mounting Centers Full Range Response Shipping Weight 1/4 lb.

C Euphonics U-8 Stereo Cart

- ★ Turnover Sapphire Stylus
 ★ Used by Admiral, Wards, Motorola, VM,
 Westinghouse, Zenith
 ★ ½" Mounting Center
 ★ Wide Range Response
 ★ Shipping Weight 1/4lb.
 PC-153 \$2.99

ALLOW 14 LB. SHIPPING WEIGHT D Vaco ST-5X Stereo Cartridge

* 2 Sapphire Needles

Replace many popular cartridges
such as EV No. 98 and Ronnette 166.
Has standard ½" mtg. centers. High
output crystal element. Shpk. wt. ½ lb.
3 for 8.37
No. PC-145
\$2.99

E Monaural Turnover Cart.

Made in England with sapphire stylus. 350 mv. output. ½" mounting centers and European inline mounting. Response 30 to well above 9,000 CPS. Shipping weight ¼ tb. No. PC-122, 3 for \$3.87

F SONOTONE 8TA4-SD STERED

With .7 mil diamond, 3 mil sap phire stylus. Response ±2.5 DB. 20 to 15,000 CPS. Compliance 3.0 s 10-6 cm/dyne. 20 DB channel separa-tion. 10 mounting centers. No PC-92 \$7.64 No. PC-92 \$7.64

G RONETTE 106 STEREO

* American Made

Turnover type. Plays stereo or-monaural records. Has standard 1/2" mounting centers. Output 1.5 volts. Response 50 to 11.000 cps. \$2 99

H BSR SXIH Stereo Cartridge

Turnover type. Mounts on ½" centers. Response 40 to 12,000 cps. Output .15 volts. Shappire Stylus. No. PC-132 \$2.15

I EMPIRE 888 STEREO

MAGNETIC mono/stereo cartridge with .7 mil diamond stylus. Response: 10 to 20,000 cps. Channel separation: more than 30 DB. ½" mount. centers. No. PC-130 MSE Eliptical \$29.95 No. PC-151 808E Eliptical \$34.95 No. PC-152 888TE Eliptical \$49.95 No. PC-146 999VE Eliptical \$74.95

J Pickering V-15/AC-3 Stereo

MAGNETIC CARTRIDGE Response

2 DB 20-20,000 cps. Channel separation 30 DB. Track force 3-7 grams.

Output 6.9 MV per channel .7 mil
dia. stylus.

NO. PC-148 V15/ACE-3 Eliptical \$29.95

NO. PC-149 V15/ATE-3 Eliptical \$49.95

K Olson STEREO TURNOVER

UNIVERSAL MTG. Dual Sapphire stylus. Response: 40 to 10,000 cps. Output: 1 volt. Response 12 DR. Tracking force: 6-8 grams.

Since PC-110 \$1.55

1 - 2 & 4 SPEED PHONO MOTORS & TURNTABLES



Olson 3 Volt 33 & 45 rpm Turntable



Mat

A smooth running DC motor drives the turntable at 33 and 45 RPM. Turntable has rubber mat to protect your records. Ideal for transistorized portable p honograph. Table dia. 51/4". Shpg. weight 2 lbs.

Play-fair STYLUS TIMER



FOR DIAMOND STYLUS \$ 66

* ELIMINATE RECORD DAMAGE

Stylus wear must be detected before it becomes noticeable to the ear, to prevent record dam-age. The stylus timer keeps an accurate check to atylus use, tells you when it's time to replace. Shipping weight 1/4 lb.

ALLIANCE 4-Speed MOTOR & TURNTABLE * Plays All 4 Popular Speeds



turntable through large rubber idler wheel to keep noise and vibration to a minimum. Plays all 4 popular speeds. Retractable disc in center of turntable fits large hole in 45 RPM records. Complete with selector arm and index plate for speed change. Operates on 110-125 volts AC, 60 cps. Write for special large quantity prices. Shipping weight 6 lbs.

Olson PHONO PREAMP

★ Ultra Compact 2 Transistor Resp.: 30 to 20,000 CPS



Fits easily into space where tube type preamps will not fit. Adapts magnetic type cartridge to any amplifier with regular phono input. Response: 30 to 20,000 cps. Size: ¾" x 1½" x 2½". Has flexible leads with RCA type plug on one end and RCA type jack on the other. Operates on one standard penlight battery (not included). Shipping weight 1 lb. Battery for AM-287, BA-67, Pkg. of 8 59c

PHONO AMPLIFIER



Easily attached to any phono. Equipped with tone and volume controls. Size: 41/4" x 21/2" x 5". Less output transformer. 110-125 V. AC. Shipping weight 13/4 lbs.

SHIELD TUBES FOR ABOVE 12AV6, .56; 50C5, .75; 35W4, .52. OUTPUT TRANSFORMER.

DIAMOND NEEDLES

Stereo Dual Tip * Diamond LP

(A) N-126 for RCA 108-213. 106-770A, 106771A (B) N-150 for Sonotone 9T 108-213A, 106-960A, \$1.69 C N-130 for Sonotone STA, & ST \$1.19 D N-157 for EV-132, 163 D N-169 for GE C-500 D N-168 for BSR C-1 E N-166 for Astatic 138, 140, 142, 146, 148 E N-167 for Astatic 17, 17D, 17DA, 135DA, 217 F N-158 for Sonotone 161 \$1.69 G N-159 for GE C200, C100A \$1.69 G N-170 for EV117, 131, 131D, 148, 148D, 154, 154D \$1.69

Stereo Single Tip DIAMOND LP

H N-102 for Ronette 105 \$1.19 U N-162 for EV21S, 26ST K N-122 for Ronette

MONAURAL DIAMOND LP 200

I N-71 for Sonotone 2TS ... N N-70 for Ronette \$1.19

ELLIPTICAL SPEAKERS

PERFECT SPEAKERS FOR AUTO REPLACEMENT



- * Alnico V Magnet
- * 8-10 Ohm Voice Coil
- ★ For Radio-TV-Phono-Auto Radio Shipping weight 2 lbs.



5" X 7" PM



- **SPEAKER** • 3.2 OHM
- Round Yoke
- 2½" Deep Alnico V Magnet Oison S-975 3 FOR \$4.17 1.49

3 @ \$2.19, 100 @ \$1.99 \$249 5-113


Voice Coil:

Olson

DELUXE 5" x 7" PM SPEAKER
Has 3.16 oz. Alnico V Magnet. 3.2
OHMS. Shipping weight 3 lbs.
Ottom 5-974 3 for \$6 ... EA. \$2.29

5"x7" PM SPEAKER


6"x9" PM SPEAKER



- \$276 5-224 3 @ \$2.50, 100 @ \$2.16
- Voice Coil:
- 8 ohms
 Magnet weight:
 1.47 oz.
 Power: 8 watts Shpg. wt. 3 lbs.

6"x9" HI-FI PM

SPEAKERS



- \$369 5-280 3 @ \$3.33, 100 @ \$2.73
- Aluminum Voice Coil: 8 ohms High-Frequency


Whizzer

Magnet weight:
2.15 oz.

Power: 8 watts
Shpg. wt. 2¾ lbs.

Olson 2" Olson 8"

FULL COAX SPEAKER



199 Olson S-311 2 FOR \$20

OLSON LOW PRICE

Full Range SPEAKER



OLSON LOW PRICE

★ Made in England

Features a rugged ceramic magnet and double wound voice coil. Response 30 to 16,000 cps. Impedance: 8 ohms. Shipping weight 31/4 lbs.

LOTS OF 100 **EACH**

YOUR CHOICE

Lots of 10, Ea. 49c Single, Each 59c

Lots of 50, Ea. 44c

YOUR CHOICE

Single,

LOTS OF 50 EA. \$1.15 LOTS OF 10 EA. \$1.27 SINGLE EA.

Magnet weight: • Power: 6 watts Shpg. wt. 3 lbs

REPLACEMENT

21/4" PM SPEAKER, 16 Ohms, Round Yoke, Shpg. wt. 1/4 lb. 101500 S-767 21/4" PM SPEAKER, 3-4 Ohms, Round Yoke, Shpg. wt. 1/4 lb. Ohon 5-934 21/4" PM SPEAKER, 8-10 Ohms, Square Yoke, Shpg. wt. 1/4 lb. @iso 5-532

21/2" PM SPEAKER, 8-10 Ohms, Square Yoke, Shpg. wt. 1/4 lb. Otson S-641 21/2" x 4" PM SPEAKER, 8-10 Ohms, Square Yoke, Shpg. wt. 3/4 lb. Onion 5-763 x 4" PM SPEAKER, 40 Ohm, Round Yoke, Shpg. wt. 1/2 lb. Osson S-937 PM SPEAKER, 16 Ohm, Round Yoke, Shpq. wt. 1/4 lb. Oison 5-945

23/4" PM SPEAKER, 16 Ohm, Square Yoke, Shpg. wt. 1/4 lb. Olson 5-644 23/4" PM SPEAKER, 3-4 Ohms, Round Yoke, Shpg. wt. 3/4 lb. Osson 5-891 PM SPEAKER, 8-10 Ohms, Round Yoke, Shpg. wt. 1/2 lb. Otton S-645
PM SPEAKER, 20 Ohms, Round Yoke, Shpg. wt. 3/4 lb. Otton S-869

SPEAKER, 8-10 Ohms, Square Yoke, Shpg. wt. 1/2 lb. Otson S-646 PM SPEAKER, 12 Ohms, Round Yoke, Shpg. wt. 1/4 lb. 10100 5-944 PM SPEAKER, 16 Ohm, Square Yoke, Shpg. wt. 1/4 lb. Osson \$-938 31/2" PM SPEAKER, 8-10 Ohms, Round Yoke, Shpg. wt. 1/2 lb. Oison S-909 2" x 6" PM SPEAKER, 3-4 Ohms, Round Yoke, Shpg. wt. 13/4 lbs. Oison S-904

Lots of 100, Each

Lots of 50, Ea. 70c Lots of 10, Ea. 77c Each 89c

LOTS OF 100 EA. \$1.09

3" x 41/2" PM SPEAKER, 8-10 Ohms, Square Yoke, Shpg. wt. 1/2 lb. 101500 S-881 3" x 5" PM SPEAKER, 8-10 Ohms, Round Yoke, Shpg. wt. 1/2 lb. Olson S-903 3" x 5" PM SPEAKER, 6.4 Ohms, Round Yoke, Shpg. wt. 2 lbs. Otton \$-906 x 5" PM SPEAKER, 3-4 Ohms, Round Yoke, Shpg. wt. 1/2 lb. Osson S-750 3" x 6" PM SPEAKER, 8-10 Ohms, Square Yoke, Shpg. wt. 11/2 lbs. Oison S-719 3" x 6" PM SPEAKER, 8-10 Ohms, Square Yoke, Shpg. wt. 11/2 lbs. @1500 5-820

SPEAKER, 6.4 Ohms, Round Yoke, Shpg. wt. 11/2 lbs. Otson S-905 SPEAKER, 8-10 Ohms, Round Yoke, Shpg. wt. 11/2 lbs. Oison S-650 PM SPEAKER, 3-4 Ohms, Square Yoke, Shpg. wt. 11/2 lbs. Oison S-718 PM SPEAKER, 45 Ohms, Square Yoke, Shpg. wt. 11/2 lbs. Oison 5-875

PM SPEAKER, 8-10 Ohms, Square Yoke, Shpg. wt. 11/2 lbs. Osson S-679 SPEAKER, 45 Ohms, Square Yoke, Shpg. wt. 11/2 lbs. Oison S-874 4" PM SPEAKER, 3-4 Ohms, Round Yoke, Shpg. wt. 11/2 lbs. Oison S-724

4" x 6" PM SPEAKER, 8-10 Ohms, Square Yoke, Shpg. wt, 1 lb. (556) S-656 4" x 6" PM SPEAKER, 8-10 Ohms, Round Yoke, Shpg. wt. 11/2 lbs. Otton \$-684

Full Range SPEAKER



Otson S-517 2 FOR \$6.98 OLSON LOW PRICE

★ Power 15 Watts

A one inch, 8 ohm double wound voice coil, with special felt centering, excellent quality fiber cone, and concentric exponential high frequency whizzer. Heavy duty ticonal magnet. Size: 8" diam. x 3\%" deep. Shipping weight 2\% lbs.

ORDER BY PHONE DAY or NIGHT 216 - 535-9191



ALNICO-V-SPEAKERS

replacements and original equipment applications

High quality PM speaker for


MAY BE ASSORTED FOR QUANTITY PRICES

5 inch PM SPEAKERS



884

Olson 5-336 Watts • 3.2 Ohms • 1.0 oz. Magnet Shpg. wt. ¾ lb. 3 @ \$1.67 100 @ \$ 79 \$1.47 EA. 8 inch PM SPEAKERS



Shpg. wt. 3 lbs. 3 @ \$2.29 100 @ \$2.19 Oison \$-715

10 inch PM SPEAKER

• 3.2 Ohms Shpg. wt. 3½ lbs.

6 inch PM SPEAKERS



3.2 Ohms1.47 oz. MagnetRated 5 Watts Shpg. wt. 2 lbs. 100 @ \$1.73

Olson S-7 3 @ \$239 \$2.09 Each

HEAVY DUTY Olson S-863 Shpg. wt. 2 lbs. 3 @ \$2.49 Each \$269

Olson Electronics AKRON, OHIO



Each \$2.59

45 Ohm PM SPEAKER

INTERNATIONAL RECTIFIER Popular 4" Size Mfr's, 1967 List Price \$2.95 69¢ Ofson S-927 for \$1.77

This 45 ohm speaker is perfect for use with many of the IR modules listed above. Ideal for many multispeaker applications where impedance is critical. Size: 4" square x 1½" D. Shipping weight ¼ lb.


HEAVY DUTY 0000

16 FIVE-INCH SPEAKERS Big Speaker Sound At Small Speaker Price

ALL 16 \$1 599 AS-936

Kit contains 16 heavy duty 5" PM speakers. Each kit contains diagrams on the contains diagrams on the contains of this excellent multiple speaker system. Shpg. wt. 5½ lbs.

KIT OF 5 CROSSOVER CAPACITORS




Ideal for crossovers in two or three speaker systems. Contains 2-2 mfd., 2-4 mfd. and 1-10 mfd. capacitor. Plus dia-gram. Shipping weight 1/4 lb.



An unusual value in PM speakers. Features a heavy-duty Alnico V magnet for extra power handling capacity. Wide range response makes this speaker suitable for replacement in radio, TV, phono or public address systems. Stock up on this fine speaker and save at Olson's special low price. Shipping weight 2 lbs.



surpassed sound quality; 8" speaker features specially treated cone. Alnico V type magnet. Size: 8" dia. x 41/2" D. Impedance 8 ohms.



LEADING U.S. MANUFACTURER

PM SPEAKER

Jensen

INCH

Full Range

Speaker


\$799

★ Power Capacity 12 Watts ★ Ceramic Magnet * Seamless-Ribbed ★ 1" Voice Coil ★ 8 Ohms Impedance

Shpg. wt. 4 lbs.

\$785 \$3.18 EACH

JENSEN 8" **Full Range SPEAKER**



OLSON LOW PRICE

Extended range will greatly improve tone quality. Resp.: 30-13,000 cps. 8 ohms, 12 watts. Features 10 oz. SYN-TOX-6 ceramic magnet and specially formed cone for exceptional transient response and maximum efficiency. Shipping weight 4 lbs.

Robert L. Charping, 2824 S. Main Street, Anderson, S.C. 29621; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.



EXTRA DUTY REPLACEMENT **SPEAKERS** * Powerful Cer-

amic Magnets ★ Full Range

\$2.29

Replace that tired speaker in your car radio, phono, TV, etc. with an Oile "Extra Duty" wide range speaker. Features massive ceramic magnets for maximum power handling capacity. Specially treated cone delivers full range response. Choose from list at right.

5" HEAVY DUTY SPEAKER 2.35 oz. Ceramic Magnet

 Voice Coil: 8 ohms Shipping weight 3/4 lb. Otson 5-757

8" HEAVY DUTY SPEAKER 4.8 oz. Ceramic Magnet Voice Coil: 8 ohms

Shipping weight 4 lbs. \$4.19 Olson \$-759 .

6" HEAVY DUTY SPEAKER 2.35 oz. Ceramic Magnet

 Voice Coil: 8 ohms Shipping weight 3 lbs.

\$3.19 Olson 5-758 5" x 7" HEAVY DUTY

• 10 oz. Ceramic Magnet · Voice Coil: 8 ohms Shipping weight 31/2 lbs.

\$7.98 Olson 5-761

6" x 9" Heavy Duty • 10 oz. Ceramic Magnet · Volce Coil: 8 ohms

Shipping weight 31/2 lbs. Oison 5-760


いれたのかと、大大を見ながれる意をあり、日はない

11 19 12 12 11 1 1 1 1 1

LOTS OF 6, EA.

S-986

\$7.98



OISON SPEAKER SYSTEM

\$119.98

A powerful 12" lo-frequency driver is acoustically matched to the enclosure for deep, resonant bass and L-C coupled to the mid-range and tweeter speakers. Both tweeter and mid-range have separately adjustable level controls. Handsome oiled walnut enclosure. Specifications: Speaker complement: 12" woofer, 8" mid-range, 4" tweeter. Power capacity: Up to 40 watts. Impedance: 8 ohms. Frequency Response: 30 to 20,000 cps. Size: 14" W.x23½" H.x11%" D. Shpg. wt. 40 lbs. \$11 MONTHLY

OISON SPEAKER SYSTEM

Olson "X"-AIR SYSTEM

Finished in Rosewood. The speaker is a genuine (heat) "X"-Air, acoustic suspension type. Speaker cone has a soft pliable cloth annulus. Response: 65 to 18,000 cps. Power capacity: 5 watts RMS., 15 watts program. Impedance: 8 ohms. Size: 6½" W. x 9" H. x 5½" D. Shipping weight 6 lbs.


Continental system with 8" "X"-Air speaker. Re sponse: 30 to 20,000 cps. Power capacity: 12 watt RMS., 35 watts program. Size: 103%" W. x 141/4 H. x 8" D. Impedance: 8 ohms. Shipping wt. 14 lbs

★ 3½" Tweeter ★ Heavy Duty 8" Speaker

\$11 MONTHLY

Olson 5-603 ONLY

Olson 5-853





8" speaker mounted in an enclosure constructed of \(\frac{1}{2} \)" Acoustic Wood. Impedance: 8 ohms. Resp.: 30-13,000 cps. Size 6" x 23\%" x 13\%". Shog. wt. 14 lbs. \$10.98

Otson S-580, 2 FOR \$21

JENSEN

2-Way SPEAKER SYSTEM

D

Jensen 8" woofer and 3½" hard cone tweeter. Cabinet is unfinished and may be painted, varnished, or waxed. Resp. 50 to 16,000 cps. lmp.: 8 ohms. Power Cap.: 15 watts. Size: 12½" W. x 13%" H. x 10½" D. Shipping weight 14 lbs.

\$19.98 O-son 5-738, 2 FOR \$38 Jensen System. Same as above but features beautiful oiled walnut finish. 5-741 \$29.98 ea. 2 for \$56

Response of 50-12,000 cps. Oiled walnut finish. Built-in volume control. Size: 12" x 12" x 4\%". Imp. 8 ohms. Shipping weight 7\%" lbs. FISLIM LINE SPEAKER SYSTEM \$11,99

★ Made in W. Germany ★ Beautiful Walnut Finished Cabinet

An unusually wide range speaker system in a beffle only 2½" deep. Perfect extension for home stereo or hi-fidelity background music system. Walnut finished wood cabinet is accented by horizontal grille bars. Has built-in volume control. Back of cabinet is enclosed and has provisions for wall hangers. Size: 14½ W. x 9½" H. x 2½" D. 8 ohms. Power capacity to 10 watts. Shpg. wt. 6 lbs.

OISON SPEAKER SYSTEM

* Featuring Speakers From W. Germany

Response: 35 to 20,000 CPS
Power Capacity to 20 Watts
8" Heavy Duty Woofer
Tweeter Level Control
3" Wide Dispersion Tweeter
L-C Type Crossover

Size: 18¾" W. x 10¼" H. x 10¼" D. Shipping weight 22 lbs.

10 - S-925 \$8 MONTHLY

\$80

R

\$23.98

SPEAKER SYSTEM

* Genuine RCF Speakers From Italy

★ Heavy Duty 8" Woofer

★ 3" Horn Type Tweeter

★ 5000 Cycle, L-C Crossover

★ Response: 20 to 18,000 CPS

★ Power Capacity to 20 Watts

★ Tweeter Level Control

Size: 18*/" W. x 101/4" H. x 101/4" D. Shipping weight 22 lbs.

Otson 5-924 \$9 MONTHLY

\$90

54.98

Olson Adjust-A-Tilt SPEAKER BASE

Holds at any angle, adjusts at the touch of a finger. Solid walnut construction with nylon glide. Holds almost any size cabinet. Size: 8%" W. x 94". D. x 2" H. Shipping weight 3 lbs.

Oben No. CA-362

Olson

Speaker Cabiner STAND

Hard wood finished in oiled walnut. Legs are \(\frac{\pi}{n} \) aquare, solid wood. Cross braces are \(\frac{\pi}{n} \) x 1". All pieces are notched and glued for strong vibration free support. Size 5" H. x 11" W. x 11" D. Shipping weight 2 lbs. \$3.99 CHION CA-347, 2 FOR \$7.50

OISON SPEAKER SYSTEM

★ Oiled Walnut ★ Convenient Push-On Terminals Specially constructed cone has soft pliable cloth annulus for perfect transient response. Attractive cane grille cloth. Acoustic Suspension. Heavy Duty Magnet. Response: 65 to 18,000 cps. Power capacity: 5 watts. RMS., 15 watts program. Impedance: 8 ohms. Size: 6" x 9" x 5". Shipping weight 6 lbs.

14.98 Otton 5-931

E. D. Maxfield, 214 E. Kenwood Drive, Garland, Texas 75040; wins choice of worth 85 from Olson's "Treasure Hunt". See back cover for instructions.

ALL NEW "Picture Frame" Design

Olson "X" Air Speaker

Systems

Feature

OISON SPEAKER SYSTEM

★ Oiled Walnut ★ Convenient Push-On Terminals Only 7%" W. x 11%" H. x 6½" D. Powerful ceramic magnet develops over 10,000 gauss. The edge of the cone is specially treated cloth. Response: 35 to 16,000 cps. 10 watts RMS., 25 watts program, Impedance: 8 ohms. Shipping weight 11½ lbs.

F

\$29.98

OISON SPEAKER SYSTEM

★ Oiled Walnut ★ Convenient Push-On Terminals

The One S-933 features an 8" full-range speaker incorporating an acoustically suspended double cone. A powerful ceramic magnet insures maximum efficiency. Attractive cane grille cloth. Responses 30 to 20,000 cps. Power capacity to 35 watts program. 15 W. RMS. Impedance: 8 ohms. Size: 141/6" H. x 101/4" W. x 8" D. Shipping weight 14 lbs.

Otton 5-933 2 FOR \$79.96

\$39.98

OLSON SPEAKER SYSTEM

**Acoustic Suspension Woofer **Selected Hardwood Veneer ** Horn Tweeter ** Response 60-20,000 cps. ** Power Capacity: To 20 Watts ** L-C Crossover At 4,000 cps. ** Beautiful Walnut Finish ** Attractive Cane Grill Cloth **8" Woofer ** Size: 1444" H. x 1014" W. x 8" D. ** Impedance: 8 OHMS. Shipping weight 14 lbs.

N Octagonal 3-Way SPEAKER SYSTEM

ORDER BY PHONE **DAY or NIGHT**

216 - 535-9191

★ Blends beautifully with modern Mediterranean or Provincial decor

Three-way system consists of a 12" high-compliance woofer, cellular-horn mid-range plus two 21/2" super tweeters. All speakers are properly matched through a L-C type network. The mid-range and tweeters are equipped with level controls to permit you to adjust response to suit your taste. Cabinet is beautifully finished in oiled walnut and accented with hand-some fretwork grilles. Power capacity: up to 30 watts. Response: 40 to 20,000 cps. Impedance: 8 ohms. Size: 18½" W. x 25½" H. x 18½' D. Shipping weight 60 lbs.

Oison 5-879 \$13 MONTHLY

3-WAY SPEAKER SYSTEM

★ Multi-Cellular Horn ★ 16" Woofer

Designed for the discriminating audiophile. A full 16" woofer with die-cast basket handles the low response to 35 cps., A multicell mid-range is L-C coupled to the woofer, and on to a 2½" super tweeter. Crossover is custom designed to distribute the various tonal ranges to the speaker designed for that range. Cabinet is finished in select hardwood ve-neers and finished in oiled walneers and finished in oiled wal-nut. Fretwork grille is made of matching wood. Response: 35 to 23,000 cps. Power capacity to 50 watts. Impedance: 8 ohms. Has level controls for mid-range and tweeter. Size: 29½" H.x20¾" W. x13¾" D. Shipping weight 65 lbs.

\$13 MONTHLY \$229.95

P Desk Stereo 2-Way SPEAKER SYSTEM

★ 2 Complete 2-Way Speakers High fidelity stereo reproduction with a pair of specially designed 5" high-compliance woofers and 3½" tweeters. The cabinet is finished in oiled walnut. Specifications: Kesponse: 50 to 18,000 cps. Power capacity: up to 20 watts. Impedance: 8 ohms. Size: 42" W. x 27¾6" H. x 16½" D. Shipping weight 50 lbs.

\$150 Oison 5-887 \$9 MONTHLY

3-WAY SPEAKER SYSTEM

★ Multi-Cellular Horn ★ 12" Woofer

Cabinet is custom-crafted of select hardwood, veneers, with handrubbed walnut finish. A 12" woofer is matched to a multicellular midrange horn and a 2½" tweeter by a specially designed L-C type crossover network. The front panel with the multi-cell horn may be turned 90°. Power handling capacity: up to 50 watts. Impedance: 8 ohms. Response: 30-23,000 cps. Size: 25%" W. x. 13½" H. x 11½" D. Shipping weight 47 lbs.

\$12 MONTHLY \$179.98

CUBE SPEAKER SYSTEM

The Cube" system employs two separate speakers to achieve wide range response and superb Hi Fidelity sound — an 8" woofer and 2½" horn type super tweeter. Power capacity: Up to 20 watts. Impedance: 8 ohms. Response: 60 to 20,000 cps. Size: 11½" W. x11½" H. x 11½" D. Shipping wt. 14 lbs.

Mini-Cube

EAKER SYSTEM

The system is composed of a 4" high compliance woofer and 21/2" super tweeter plus crossover. Oiled walnut finish. Crossover frequency is 7500 cps. Power handling capacity to 10 watts. Frequency response: 150 to 15,000 cps. Size: 9" W.x9" H.x91/4" D. Shpg. wt. 9 bs.

No. 5-900 3-WAY

SPEAKER SYSTEM

System may be used in vertical or horizontal position, grille section holding mid-range horn may be turned 90° to maintain proper sound distribution pattern. Speaker complement: 8" woofer, cellular horn mid-range, 2½" super tweeter. L-C type crossover. Power capacity: up to 25 watts. Impedance: 8 ohms. Size 21½" W. x 11½" H. x 11½" D. Has volume level controls for mid-range and tweeter. Shipping weight 29 lbs.

\$11 MONTHLY \$ 129.98





S



13

Olson_®



12" 3-WAY CO-AX SPEAKER

- Compression Horn Tweeter
- Tweeter Level Control
- Response: 30 to 18,000 CPS
- Power Capacity: 25 Watts
- ★ High Compliance Suspension
- ★ Impedance: 8 Ohms Shipping weight 11 lbs.

\$27.99 5-784



ALTEC LANSING

15" CO-AX SPEAKER

SPEAKER PLUS CABINET

AS-157	\$61
5-784	\$27.99 39.98
CA-368	37.70
Reg. Total	\$67.96

AS-157	\$61
S-784	\$27.99
CA-368	39.98
Reg. Total	\$67.96

Olson Super Deluxe



- ★ MODEL 602 D
- RESPONSE: 20 TO 22,000 CPS
- POWER CAPACITY: 25 WATTS * FIBERGLASS TWEETER
- * HIGH COMPLIANCE SUSPENSION
- ★ IMPEDANCE: 8 OHMS

Shipping weight 21 lbs.

\$10 MONTHLY Olson 5-865

SPEAKER Plus CABINET



Olson

* Response 40 to 18,000 cps.


* Impedance: 8 ohms

* Acoustic Suspension

No. AS-154 \$ 126

5-865\$	99.50
CA-323	45.00
Pog Total \$	144 50

3-WAY SPEAKER



- * COMPRESSION SUPER-TWEETER
- * TWEETER VOLUME CONTROL
- ★ POWER CAPACITY: 40 WATTS
- * RESPONSE: 20 TO 20,000 CPS * RESONANCE: 20 CYCLES
- ★ IMPEDANCE: 8 OHMS

Shipping weight 15 lbs.

Olson S-716		ļ		\$7	9	98

SPEAKER Plus CABINET



No. AS-159\$108

	5-716	79.98
	CA-368	39.98
,	Reg. Total 5	119 96

Olson 12" WOOFER



- * HIGH COMPLIANCE SUSPENSION
- * RESONANCE: 20 CPS
- * POWER CAPACITY: 20 WATTS
- ★ MASSIVE CERAMIC MAGNET
- * RESPONSE: 20 TO 3,000 CPS IMPEDANCE: 8 OHMS

Shipping weight 11 lbs.

Olson	 \$1298
S-781	 IJ

SPEAKER Plus CABINET



No. AS-155 __ \$13.98

CA-368 39.98 Reg. Total \$53.96

Olson 8" 2-WAY Olson



- * HI-COMPLIANCE SUSPENSION
- * PRECISION DIE-CAST HOUSING
- * DIRECT RADIATING TWEETER
- ★ POWER CAPACTY: 15 WATTS
- ★ RESPONSE: 40 TO 16,000 CPS ★ IMPEDANCE: 8 OHMS

Shipping weight 5 lbs.

Oison		\$	6 ⁹⁸
S-783	 		U

SPEAKER Plus CABINET



No. AS-160 . \$5

CA-368 ____ 39.98 Reg. Total\$56.96

5.782 CA-368 Reg. Total \$54.96

★ FULL RANGE

Oison

★ HIGH COMPLIANCE SUSPENSION

★ RESPONSE: 30 TO 16,000 CPS

* PRECISION DIE-CAST HOUSING

Shipping weight 11 lbs.

SPEAKER Plus CABINET

No. AS-156

8" SPEAKER

39.98

* POWER CAPACITY 20 WATTS

★ IMPEDANCE: 8 OHMS

S-782



- ★ HIGH FREQUENCY RADIATOR
- * HIGH COMPLIANCE SUSPENSION
- ★ RESPONSE: 45 TO 15,000 CPS.
- ★ POWER CAPACITY 12 WATTS
- * PRECISION DIE-CAST HOUSING
- ★ IMPEDANCE: 8 OHMS

Shipping weight 5 lbs.

Oison	\$098
S-780	J

SPEAKER Plus CABINET



No. AS-161 \$45

5-780 CA+368 39.98 Reg. Total ____\$49.96

Olson 12" SPEAKER Olson Deluxe 12" 3-Way CO-AX SPEAKER



- * High Compliance Suspension
- * Precision Die-Cast Housing
- Massive Ceramic Magnet
- ★ Compression Horn Tweeter ★ Mid-Range Radiator
- ★ Response: 20 to 19,000 CPS
- ★ Power Capacity: 30 Watts


★ Impedance: 8 Ohms Shipping weight 12 lbs.

Oison S-785

SPEAKER Plus CABINET



No. AS-158 571 CA-368 5-785 39.98



SPEAKER CABINET



★ BEAUTIFUL WALNUT FINISH

Constructed of %4" acoustic wood. Has 12" cutout for woofer or full range speaker plus 3" cutout for tweeter. Adapter board is included for mounting an 8" speaker. Cabinet is lined with fiberglass and ported. Size: 141/4" H. x 25" W. x 93/4" D. Shipping weight 24 lbs.

Olson CA-368 2 FOR \$75

\$39⁹⁸

15" Speaker Enclosure

Same construction and finish as above. Has tuning tube, calibrated for most [Shoon] speakers. Baffle is cut for 15" and has adaptors for both 12" and 8" speakers. Size 25" W. x 17½" H. x 11½" D. Shipping weight 27 lbs.

Oison CA-323 2 FOR \$85 ...

"X"-AIR SPEAKER ★ Acoustic Suspension ★ Full Range * Powerful Ceramic Magnet A powerful ceramic magnet develops over 10,000 gauss. High compliance cone. Recommended cabinet size is only 834" x 8" x 634". Response: 40 to 16,000 cps. Impedance: 8 ohms. Power capacity: 15 watts music power. Shipping weight 5 lbs. FREE! Complete Instructions For Building a Cabinet For This Speaker.



"X"-AIR **SPEAKER**

The Other 5" "X"-Air is designed for wide range operation. The cone is attached to the speaker frame by a specially treated cloth ring. Response 40 to 18.000 cps. Power capacity: 20 watts music power. Impedance: 8 ohms. Shipping weight 5 lbs.

J. D. Noah, Star Route Box 345, Azle, Texas 76020; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover for instructions.



5" WOOD WOOFER

Olson 5-845

Mounted

2-WAY CROSSOVER

Olson

* With Level

Completely assembled, ready to install. L
C type crossover at 3,000 cps. Built * Response: 2,000 to 27,00 in volume control for tweeter. * Power Capacity: 20 Watts Impedance 8 ohms. Conventions.

Ultra compact. For use in seconds.

* Response: 2,000 to 27,000 cps.

ns. Conventuation of the terminal co pushbutton termi-als. Size: 4" W. x5½" Hx1" D. Shipping In

Olson 23" TWEETER

Olson

5-846



61/2" 'FLEX-EDGE' SPEAKER Made in England . Super Soft Annulus

Response: 40-16,000 cps. Power Capacity: 10 Watts

> Otson S-736

Super-soft rubber annulus allows greater cone travel without distortion. The result is smoother, more pleasing tone in the low frequency region. High frequencies are enhanced by a specially formed diffuser cone mounted in the center of the larger cone. The driver is a large flat magnet assembly that provides the required flux-density for extended power capacity called for by today's solid state amplifiers. Because of its high sensitivity the common S-736 is also recommended for tube amplifiers, receivers, phonos, TV, etc. Overall size: 61½, dia. x 2½, D. Power capacity 10 watts. Response: 40-16,000 cps. Impedance 8 ohms. Shipping weight 6 lbs.



61/2" 'X-Air' Speaker ★ Response: 35 to 16,000 cps. * Mid-range Diffuser Cone

Larger cone area generates more power in the low frequency range. Cloth annulus surrounds the cone. Recommended cabinet size is $7\frac{1}{2}$ " W. x 11\frac{1}{2}" H. x 6\frac{1}{2}" D. Power capacity 25 watts music power. Shpg. wt. 7 lbs.

8" "X"-Air Speaker

★ Response: 30 to 20,000 cps. ★ Massive Ceramic Magnet

Massive Ceramic Magnet
The Oim S-786 "X-Air" Speaker has an acoustically suspended double cone.
Soft cloth annulus permits freedom of cone movement resulting in excellent response and minimum distortion. Response in the cloth Annulus power. Show the cone movement of the cone of the co

Orson 5-786

\$1398



Olson GARRARD

Solid State

STEREO SYSTEM

1—Otton 20-Watt Solid State Stereo Amplifier, Otton AM-296 (below) 5 3	9,98
Oson Kr-301	9.50
1—Changer Mtg. Base Otson CA-346	4.95
2—X-Air Speaker Systems, Otson S-931 (pg. 13)	9.00
1—Speaker Wiring Harness,	.99
Total Reg. Cat. Price	14.42
Order No. AS-231 S9 Monthly COMPLETE SYSTEM	88
S9 Monthly COMPLETE SYSTEM	



1-110-Watt Solid State Stereo Amplifier,	
Oison AM-323 (below) \$119.98	
Otton RP-322 (pg. 17) 36.00	
2—8" X-Air Speaker Systems.	
Olson S-933 (pg. 13)	ı
I—Speaker Wiring Harness, Olson HF-6599	
Total Reg. Cat. Price	
Above system with RA-940 tuner included (below) i	
Olson AS-172 \$243.88 \$13 MONTHLY	ı



				100					
				Stereo					
on R	A-98	14 (be	low) .	er Syst			\$	230.00	
-3. W	Vay	Cube	Speak	er Syst	em				
S	-838	(pg.	13)			2	for	99.96	
	aker		ng Har	ness				00	

2-

\$330.95 Total Reg. Cat. Price



1—40. Watt Solid State Amplifier,

(Otion AM-310 (below)

2—Mini-Cube Speakers,

(Otion S-900 (pg. 13)

1—Garrard 40 MKII Changer,

(Otion RP-328 (pg. 17)

1—Pickering V15 Stereo Cartridge,

(Otion PC-147 (pg. 16)

1—Changer Mounting Base,

(Otion CA-346 (pg. 17)

1—Speaker Wiring Harness,

(Otion HF-65

Otion HF-65 44.50 .01 4.95 Total Reg. Cat. Price \$200,43

\$19 Monthly ORDER NO. 1—60-Watt Solid State Stereo Receiver,
Otton RA-995 (below) S.
2—Ultima 3-Way Speaker Systems,
Otton S-776 (pg. 13) 2 for 2
1—Garrard S1-65 Changer,
Otton RP-358 (pg. 17)
1—Empire 808 E Stereo Cart.,
Otton PC-151 (pg. 16)
1—Changer Mtg. Base, Otton CA-346 (pg. 17)
1—Speaker Wiring Harness, Otton HF-65
Total Reg. Cat. Price 55 \$200.00 2 for 259.00 **79**.50

\$544.90

Monthly ORDER NO. AS-136 @ 8 HH 5 STEREO SYSTEM

1—55 W. Fisher 220T Receiver (less cabinet)
2—2-Way Speaker Systems Otton 5-741
1—Garrard 40 MKII Changer
1—Changer Mounting Base
1—Pickering V15 Stereo Cartridge Total Price When Components Are Purchased Separately \$414.95



STEREO SYSTEM

—65 W. Scott 342 Receiver (less cabinet) —2-Way Speaker Systems Onion S-741 —Garrard 40MKII Changer —Changer Mounting Base —Pickering V15 Stereo Cartridge

Total Price When Components Are Purchased Separately

\$358.25

"MINI"

Solid State Stereo

- Ideal for the Apartment Dweller Solid State Circuitry
- 2-Way Speaker Systems Oiled Walnut

SAVE \$24.08

from Individual Catalog Prices

HERE'S WHAT YOU GET: Olson 40 Watt Stereo Amplifier AM-310 \$89.98 1-Olson FM-AM-FM/MPX Tuner,

RA-856 (Right) \$89.5 Oson Mini-Cube Speaker Systems \$89.98 S-900 (pg. 13) 2 for \$60.00

Total Reg. Catalog Price \$239.96 588 Olson A5-224 \$13 MONTHLY



See The Complete Line Of Garrard Record Changers

AMPLIFIER

Total Reg. Cat. Price

- **AMPLIFIER** ★ Electric Guitar Input
- ★ Magnetic Phono Input
- * Response: 20 to 20,000 cps

★ Response: 20 to 20,000 cps
★ Stereo Headphone Jack

A superb choice for the cost conscious stereo "buff." The [miss] AM-320 is a deluxe integrated, solid state stereo amplifier incorporating output transformerless circuitry. Inputs are provided for magnetic or ceramic phono cartridges, tape, tuner and auxiliary. Electric guitar may be plugged into mag. phono or aux. inputs. The [miss] AM-320 also has tape output and tape monitor facilities. Response: 20 to 20,000 cps. ±1 dh. Power output: 40 watts IHF (20 watts per channel). Transistor complement: 1-2SB347, 2-2SB345, 8-2SB481. Size: 10¾ "W.x 8½" D.x3½" H. Operates on 110 to 120 volts AC, 60 cps. Shipping weight 10 lbs.

R. A. Obee, La Honda Trailer Ct.

R. A. Obee, La Honda Trailer Ct., 2907 La Honda, Spenmard, Ak. 99503 wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

Olson AM-320

AMPLIFIER

* Stereo Headphone Jack

Special fast-action circuit breakers are incorporated in each output circuit. The solid state circuit features special low noise transistors and resistors in the critical pre-amp circuits. The amplifier is housed in a beautiful walnut finished wood cabinet and has a brushed aluminum front panel. A stereoheadphone jack is conveniently located on the front panel. Specificatioms:

Power Output: 40 watt (20 per channel). Response: 20 to 20,000 cps. Inputs: Mag. phono, Tape head, Tuner, Aux. Outputs: Tape monitor, Tape record, Speakers 8-16 ohms, Controls: Volume, Bass, Treble, Balance, Switches: Selector, Mono/Stereo, Loudness, Tape Monitor, Speaker/Phones, and Power, Size: 9%," H. x 4%," W. x 9" D. Operates on 110 to 120 volts AC, 50/60 cps. Shipping weight 12 lbs.

S9 MONTHLY

\$**89**98

FM-AM-FM/MPX

- * Stereo Indicator Light
- ★ FM-AM Tuning Meter
- * Walnut Finished Wood Cabinet ★ Illuminated Slide Rule Dial

Up-right styling and wood cabinet. Circuit consists of 12 transistors and 18 diodes. Features illuminated slide rule dial and brushed aluminum panel. Stereo indicator light tells you when you are tuned to a multiplex station. Vertical tuning meter assures accurate pin-point tuning then a really effective AFC circuit locks-in perfect tune. Wood cabinet has gracefully contoured from trim and beautiful walnut finish. Specifications: AM tuning 535 to 1605 kC. Sensitivity: 500 uv. Image Ratio: 32 db. FM tuning: 88 to 108 mc. Sensitivity: 3 uv. for 20 db. quieting. Image Ratio: 30 db at 88 mc. Multiplex separation: 25 db at 1kC. Size: 9%6" H. x 4% W. x 9" D. Operates on 110 to 120 volts AC, 50/60 cps. Shipping weight 10 lbs.

Olson RA-856 **59 MONTHLY** \$8998

Solid State Stereo

60 WATT FM-AM-FM/MPX RECEIVER

- * Stereo Headphone Jack
- Stereo Tuning Meter
- Solid State Circuitry
- * Garrard 4-Speed Changer Magnetic Stereo Cartridge
- * Diamond Stylus

Build your stereo entertainment center around the one RA-984. Has complete tape and phono facilities. Solid State circuitry assures economical, trouble-free operation. Specifications: Tuner section, FM sensitivity 1.8uv (HF. MPX, separation, more than 28 db at 1KC. Audio, power output. 60 watts 1HF (30 W. per channel). Electric guitar may be plugged into the mag, phono or aux, input. Also has tape input and tape monitor jacks. Output matches 4-8 or 16 ohm speakers. Size: 15½" W. x 12" D. x 10½" H. Operates on 110 to 120 volts AC. 60 eps. Shipping weight 35 lbs.

Olson RA-984

\$13 MONTHLY

Solid State Stereo

FM-AM **FM STEREO TUNER**

- * Stereo Station Indicator
- Tuning Meter
- * Illuminated Slide-Rule Dial
- Shielded Tuner
- * Oiled Walnut Cabinet

FM multiplex stations can be selected quickly and conveniently with the aid of a built-in indicator. A meter indicates the correct tuning point for all FM and AM signals. A local/DX switch reduces AM signals. A local/DX switch reduces the tuners sensitivity when tuned to a strong signal. Specifications: Tuning range: FM: 88-108 mc. AM: 535 to 1605 kc. Sensitivity: FM: 1.5 vu for 20 db quieting. AM 300 uv. for 20 db quieting. FM Stereo Separation; more than 30 db. (at 1000 cps). Response: 20 to 20,000 cps. Transistors: 16 plus 16 diodes. Operates on 110 to 120 volta AC, 50/60 cps. Size: 14" W, x 10" D, x 4½" H. Shipping weight 11 lbs.

Oison RA-940 SIO MONTHLY

WATT 60

- FM-AM-FM/MPX Receiver * Walnut Finished Wood Cabinet
- * Sloping Front Panel
- * Stereo Tuning Indicator * Solid State Circuitry

New sloping front panel permits easy tuning from any position. Has com-plete tape and phono facilities. Solid State circuitry assures economical, trouble-free operation. Specifications: Tuner section, FM sensitivity 1.8uv 14HF. MPX, separation, more than 28 db at 1KC. Audio, power output, 60 watts, 1HF (30 W. per channel). Total harmonic distortion, 2% or less. Has inputs for mag. or ceramic phono. tape and aux. Electric guitar may be plugged into the mag. or bear may be plugged. ged into the mag, phono or aux. input.
Also has tape input and tape monitor jacks. Output matches 4-8 or 16 ohm speakers. Size 151/2" W. x 12" D. x 51/4" H. Operates on 110 to 120 volts AC, 60 cps. Shipping weight 25 lbs.

- ★ Circuit Breaker Overload Protection
 ★ Walnut Finished Wood Cabinet
 ★ Stereo Headphone Jack

Olson AM-310

WATT **AMPLIFIER**

- ★ Stereo Headphone Jack
 ★ Electric Guitar Input
 ★ Oiled Walnut Cabinet
 ★ Silicon Transistor Preamp

There are no output transformers or blocking capacitors to reduce bass response. 6 pairs of stereo inputs including tape monitoring facilities, offer the utmost in flexibility. Electric guitar may be plugged into mag. phono or aux. input. A special fuse circuit protects the output transistors if speaker wires are shorted. Controls include: Volume, balance, bass, treble—Switches: Selector, Hi-Cut, Lo-Cut, loudness, stereo/mono, phones, tape monitor and power. Response: 20 to 20,000 cps. Power output: 110 watts IHFM (55 W. per channel. Harmonic distortion: 0.8% at rated output. Stereo inputs are provided for magnetic phono, ceramic phono, tuner, tape and aux. Size: 14" W. x 10" D. x 4½" H. Operates on 110-120 volts AC, 50/60 cps. Shipping weight 14 lbs.

\$11998 Olson AM-323 \$11 MONTHLY

AMPLIFIER

★ Instant-On, No Warm Up

* AC Convenience Outlet Walnut Colored Metal Cabinet Mag. Phono Inputs

* Separate Bass and Treble Controls

Phono/Tuner Selector Switch ★ Anodized Aluminum Panel

Power Output: 25 Watts IHFM

* Response: 50 to 20,000 CPS ★ Output Impedance: 4 to 16 Ohms

★ Volume and Balance Controls

110 to 120 volts AC, 50/60 cps. Size: 10¾" W. x 3½" H. x 8½" D. Shipping weight 5 lbs.

|Olan AM-353

\$49⁹⁸

Olson Electronics AKRON, OHIO



Track AUTO STEREO TAPE PLAYER

★ Continuous Play— No Rewinding 35⁹⁸ Otson AU-96

SPEAKERS FOR ABOVE Two heavy duty 5" speakers chrome grilles.
KIT OF 2, No. 5-730 \$7.49

KIT OF 4 - 5" PM Speakers grilles and mounting hardware, No. 5-862 \$8.95

Use existing front and rear speakers or Hi-Fidelity Speakers below. Tape speed 3% IPS. Controls: Loudness Volume, Separation, Track Selector and Starting Lever. Amplifier: 12 transistors. Power Output: 6 watts (3 per channel). Size: 3½" H.x9¾" W. x9½" D. for 12 volts, negative ground. Less speakers. Shipping weight 13 lbs.

Compact Stereo

AU-122

\$7 Monthly

AR-500

Response: 50 to 15,000 cps.
Only: 61/a" x 21/2" x 6" D
Two 5" Insta-Mount Speakers Incl.
Stereo Balance Control
8 Watt Stereo Amplifiers
Easy To Install
Automatic Switching
Operates on 12 Volts DC, Neg. Gnd.

Shipping weight 9 lbs

ORDER BY PHONE

DAY or NIGHT

MUNTZ

Record From: Phono, Tuner,

* Separation and Tone Controls

Plays Pre-recorded 4 Track Tapes

FM-AM Cartridge Tuner

FOR ALL 4 AND 8 TRACK PLAYERS No Complicated Installation Slips In And Out Like A Tape Cart.

★ Size: 14" W. x 14" D. x 4" H. Shipping wt. 40 lbs.

Handsome Metal Cabinet

* Operates on 110-120 Volts

SEE PAGE 13 FOR SPEAKERS

Recorder, Etc.

Dual VU Meters

AC, 50/60 cps.

\$4995

RA-62

Excellent Sensitivity

4 TRACK STEREO

CARTRIDGE

RECORDER and PLAYER

而布布物

216 - 535-9191

RANGER Mini-8 TAPE PLAYER



- * Fine Tuning Adjustment
- ★ Plays All Standard 8 Track Cartridges
- ★ Response: 40-12,000 CPS
- ★ Compact Only 5%" W. x 3" H. x
- * 12 Watt Stereo Amplifier
- ★ For 12 Volts DC, Neg. Gnd.
- ★ Mounting Hardware Included
- * Controls: Volume, Balance, Tone,
- * Fine Tuning and Selector Button Shipping weight 8 lbs.

4- AND 8-TRACK CARTRIDGE



Also Plays Tape Through Your Home Stereo System

Electronic Record Level Indicator. Foil Type Sensing Circuit Stops Recorder at End of Tape. Inputs for Crystal or Ceramic Mike, 4 Inputs + 2 Outputs. Operates on 110-120 volts AC 60 cos. Shinping weight 9 lbs.

GIDGET Adapts 4-Track Cartridge to Play on 8-Track Player, AU-119 \$2.95

ROBERTS

8 Track **AUTO TAPE PLAYER**



★ 10-Watt Stereo Amplifier ★ Automatic Channel

* Electric Motor Speed Control

In black and chrome. Installs easily. Automatic channel change or you may change manually to select a particular part of the tape. Dual 5 watt amplifiers delivers clear full range tone. Has the following controls, tone/on-off and balance. Motor has electronically controlled speed regulation, Response: 30 to 12,000 cps. Operates on 12 volts DC, neg., ground. Size: 7" x 8" x 234". Shipping weight 7 lbs.

CARTRIDGE TAPE PLAYER

• Dual Extension Speakers

• Automatic Program Rotation

• Handle Locks Speakers To Player

Size: 181/2" x 8" x 31/4". Shipping weight 11 lbs.

Separate Volume Controls

Synchrobalance Control

10 Solid State Devices

• Tone Control

TAKE YOUR FAVORITE MUSIC WITH YOU!

MAYFAIR

8-TRACK

PORTABLE

★ Battery or House Current

RA-61

\$8 MONTHLY

CASSETTE

Olson RA-108

AUTO

SONIC

4 & 8 Track

"Portamount"

STEREO RECORDER by MERCURY



1995 S11 MONTHLY

Two Matched Speakers & Grilles

RA-28 lilustrated

 $\mathbf{0}99$

- Uses Popular Cassette Cartridges Stereo Play Mono Record
- Capstan Drive
- Fast Forward And Rewind
- Record Safety Button Includes Mike and Mtg. Bracket Automatic Level Control

Size: $2\frac{1}{2}$ " x $6\frac{1}{4}$ " x $7\frac{1}{2}$ ". Operates on 12 volts DC Pos. or Neg. Gnd. Shipping weight 6 lbs.

4 & 8 TRACK

Auto Stereo Tape Player

★ Positive/Negative Ground

Easily installed in any 12 volt vehicle to play either 4 or 8 track stereo tapes. Insertion of the tape cartridge turns the unit on and removing the cartridge turns it off. Illuminated dial indicates which channel is being played. Response: 40 to 12,000 cps. 14 watts output (7W. per channel). Electrically governed motor with heavy flywhed and capstan drive. Size: 7½" W. x 2¾" H. x 8" D. Shipping weight 13 lbs.

KIT OF 4 - 5" PM SPEAKERS

With Grilles and mounting \$8.95
Hardware. No. 5-862

4 and 6 TRACK PLAYER with built-in FM

Radio Neg. Gnd. Only \$129.95

Multiplex Adapter, Ginen RA-29 ... \$29.98

SPEAKERS FOR TAPE PLAYER

LEAR JET Stereo Auto TAPE PLAYER

\$10 Monthly

TAPE PLAYER

■ Operates on 12 Volts DC or

■ Convenient Carrying Handle

■ Black Simulated Leather/

■ Plugs Into Lighter Plug

■ Manual and Automatic

Channel Selector

Size: 7" x 314, x 71/4". Shipping weight 10 lbs

117 Volts AC

■ Built-in Speakers

■ Tone, Separation and

Loudness Controls

Chrome Trim



8 Track, Endless Cartridge SIO MONTHLY

Inserting the tape cartridge into the front of the player automatically turns the unit on. The press of a button permits program selection and the entire tape plays endlessly. "Flywheel" direct drive motor assures exact and unvarying speed for quality reproduction. Only one moving part for unparalleled reliability and long life. Only one power lead to any 12 volt DC, negative ground system. Shipping weight 18 lbs.

Universal 8 TRACK CARTRIDGE TAPE DECK

* Plays Through Your Home Stereo System * Walnut Wood Cabinet



Monthly

• Channel Indicator Lights • Push-Button Operation • Fast Forward • Automatic Shut-Off • Continuous Play Feature • 9-Transistor Circuit • Includes Connecting Cables • Operates on 110 to 120 volts AC, 60 cps. Size: 104%" W x 104%" D. x 5%" H. Shipping weight 16 lbs.

GIDGET Adapts 4-Track Cartridge to Play on 8-Track Player, AU-119

S 8 Track Tape Player

WITH FM MULTIPLEX RADIO



Has power indicator and FM stereo indicator lights, volume, tone, and separation controls, push button controls for FM, FM/MPX. Tape and channel selection. Automatic start and automatic/manual channel switching. Chrome and black front with walnut inserts. Operates on 12 volts DC, neg. ground. Shipping weight 18 lbs.

GIDGET Adapts 4-Track Cartridge to Play on 8-Track Player, AU-119 ... \$2.95

James J. Routson, 3436 Guilford Drive, Milwaukee, Oregon 97222; wins choice of merchandise worth 85 from Olson's "Treasure Hunt." See back

Olson Electronics

AUTOMATIC 4 & 8 TRACK 4 & 8 TRACK TUNING TAPE PLAYER **AUTO STEREO** TAPE PLAYER

Olson RA-981

SE MONTHLY



Contemporary Low Silouette

- Luxurious Walnut Finish
- Brushed Aluminum Panel
- Twin Solid State Amplifiers
- Pre-Amp Outputs
- Instant Automatic Play
- Automatic Electronic Program
- Response: 50 to 15,000 cps.

Size: 14½" W. x 4½" H. x 10" D. Operates on 110-120 volts AC, 60 cps. Shipping weight 21 lbs.

SEE PAGE 13 FOR SPEAKERS

CARTRIDGE DUST COVERS

32 Min. Blank Tape Cart. TA-219. \$2.50 1 Mr. Blank Tape Cartridge, TA-249 \$4.98 Speakers, See Description Page 13 ORGE 5-931 2 for 29.00. Ea. \$14.98

Otson TA-535

Handy Snap-On Covers Protects Valuable Tapes Keeps Tape Player Heads Clean

Shipping weight 1/4 lb.

8 TRACK TEST CARTRIDGE



Shipping weight 1 lb.

TAPE CARTRIDGE HOLDERS



Installs in Seconds
 Attach To Aany Surface
 Keeps Tapes At Your Fingertips. Shpg. wt. 1 lb.

CLEANER TAPE CARTRIDGES

Oison HF-98



4 TRACK One TA-458
8 TRACK One TA-457
YOUR TA-457
YOUR \$195

Recoton

PROTEK TAPE KIT

★ For Auto Tape Players ★ Cleaner & Lubricant

Head Demagnetizer ★ Protect Tape Cartridges

★ Easy To Use— Just Plug Into Cigarette Lighter 0 9

• 12 Volt Neg. Gnd. • Storage Case Included

Cleans Tape Heads Automatically
Just slip into tape player like a regular recording tape. Can be used over and over.

Olson TA-504 \$5.98

· Solid State Circuit · Shpg. Wt. 1 lb.

KIT O Replace Old Speakers

* Improves Tone Quality OF 2 \$749 Includes special tools to apply head cleaner and lubricant. Special brush removes oxide from tape head with-out damage to head. Shpg. wt. 1/4 lb. With Grilles No. S-730

Two heavy duty 5" speakers with arome grilles, mounting hardware and chrome grilles, mounting nature, chrome grilles, mounts anywhere. ers have powerful ceramic magnets. Shipping weight 5 lbs.



Heavy-Duty 3" x 5" Speaker Rugged Vinyl Cabinets Mount On Kick-Panels, Doors, Etc.

Cable Included Size: 7" W. x 3%" H. x 844" D. Shipping Weight 2 lbs.

AKRON, OHIO

Built-In AFC Molded Antenna Extension Self Contained Battery (Not Incl.) Shipping weight 1/2 lb. • Plays Through All Speakers Battery for above, Ottom BA-89 21c

BULK TAPE ERASER * For Reels & Cartridges



Will erase any magnetic recording tape from 14" to 1" width. Housed in rugged case with Power Switch. Spindle and AC cord. For 110-125 volts AC. Size: 534" x 4" x 234". Shipping weight 10 lbs.



Reel/Cartridge

STEREO RECORDER

★ 4-Track Stereo & Mono Reel to Reel Record & Play

\$17 MONTHLY Record your own 8-track stereo cartridges from reel tapes or any other program source such as radio, TV, phono, etc. Roberts recorder functions as a standard recorder also. Has 2 operating speeds. Records 4-track stereo and monaural reel to reel. Includes two microphones and complete operating instructions. Response: 40-18.00c cps. at 714° ips. Size: 14" W. x 17" H. x 714" D. Operates on 110 to 120 volts AC., 60 cps. Shipping weight 50 lbs.

Roberts Model 778X
Features Cross-Field Heads for Superior

Response Otton RA-106 Blank 8-Track Cartridge Tape

No. TA-248

10 89°

* Professional Method

Check Frequency Response Tracking
 Check Volume

★ 2 Holders— Holds 6 Tapes






Feature soft padded ear cushions.
Response: 20 to 15,000 cps. Use with
4, 8 or 16 ohm outputs. Includes cable
with plug. Shipping weight 3 lbs.

PH-140 \$10.98

A Olson STEREO HEADPHONES

High impedance, 10,000 ohms. Connect to pre-ampoutputs. Resp.: 30-16,000 cps. Shipping weight 3 lbs.

G



B

Individual volume controls on each phone make balance and volume adjustments easy and convenient. Phones are padded for extra comfort and are equipped with a 7 ft. flexible cord and standard three-circuit plug. Response 30 to 15,000 cps. Impedance: 8 ohms. Shipping weight 31/2 lbs.

\$15.98 Olson PH-82, 2 for \$30

C Oison STEREO HEADPHONE **AMPLIFIER**

WALNUT CABINET

C

ENJOY FULL FIDELITY STEREO WITHOUT LOSS

OF SEPARATION

Otson AM-311

. Response: 20 to 30,000 cps

10 Transistor Circuit. Input for Mag. or Chrystal Phono. Response: 20 to 30, 000 cps. Size: 7½" W. x 3¼" H. x 4½" D. Operates on 110-120 volts AC. 50/60 cps. Shipping weight 3 lbs.

\$24.95



D KOSS STEREO HEADPHONES

Response: 30 to 15,000 cps. Impedance: 4 ohms. Equipped with 8-ft. cord and stereo plug. Shipping weight 31/4 lbs.

\$19.45 20 Ft. Extension Cord, HF-56.... 3 for \$7

E Koss Pro-4A Stereo Phones

Fluid-filled cushions seal out noise. Dynamic transducers. Shatterproof con-struction. 20—20,000 cps. 4-16 ohms. 10' retractable cord. Shpg. wt. 2 lbs. \$49

F KOSS STEREO HEADPHONES * Washable Vinyl Ear Cushions

Four filled ear cushions standard 3-circuit plug. Shipping weight 3½ lbs.

\$26.50

G Olson STEREO HEADPHONES

* Standard 3 Circuit Plug

Play your stereo as loud as you like. Perfect for monaural or stereo appli-cations. Impedance 8 ohms. Shipping weight 3 lbs. **\$9**

Oison PH-113

H Olson HEADPHONES

8 ohm. 1/4" phone plug. Shpg. wt. 1/2 lb.

Oison PH-27, 12 @ \$2 ea. Ea. \$2.86

1 20 FT. EXTENSION CORD

For Stereo Headphones. Three conductor cable with gray vinyl jacket, \(\frac{1}{4}'' \) 3-circuit plug on one end. 3-circuit jack on the other end. Shipping weight \(3\frac{1}{2} \) 1bs.

3 FOR \$7

J Stereo Headphone Y Adapter

For Dual hookups, 36" cable has two 3-circuit ½" jacks on one end and one 3-circuit ½" plug on the other. Shipping weight 1 lb.

K Stereo H'dphone Junction Box

With 36" leads. Has selector switch. Connect to any amplifier. Shipping weight $\frac{1}{2}$ lbs.


\$2.49 Otson PH-83



★ 6 Ft. Cable
★ Separate Right & Left
Volume Controls
★ Standard 3 Circuit Plug & Jack

Size: 2¾" x 1¾" x 2". Shipping weight 1 lb.

53.49



SPEAKER ENCLOSURE

- * Bass Reflex Design
- ★ Oiled Walnut Finish
- ★ For 15" or 12" Speakers
- ★ Provisions For Mounting Tweeter

Size: 24" H, x 22%" W, x 18" D. Shipping weight 60 lbs.

CA-382

\$10 MONTHLY

15" ALTEC LANSING SPEAKER (see pg. 12) S-865

\$99,50

Olson 5-797

★ Scuff Re-


★ Metal Cabinet ★ Built-in Volume Control ★ "X" Air Type Speaker

WEATHER-PROOF

SPEAKER

Perfect outdoor hi-fi speaker. Fully weath-erproof with "indoor tone quality." Features a full range "X"-air speaker with powerful ceramic magnet. Specially treated speaker cone is suspended from the frame by a soft cloth annulus. Size 7" x 7" x 34". Impedance: 8 ohms. Response: 50 to 16,000 cps. Power capacity: 3 watts.

Olson 8" EXTENSION SPEAKER



* Power Capacity 4 Watts

* Size: 101/8" x 10" x 41/2"

* Impedance: 8 ohms Shpg. wt. 51/2 lbs

Olson Electronics AKRON, OHIO

N99

3 FOR \$30

Otson S-601

3-WAY Olson Extremely Low Frequency



12" woofers contain phenolic voice coil forms for extreme low frequency. The 6" x 9" speakers provide the all important mid-range while the all important speakers go up to 18,000 cps. 8 ohm, 30 watt music power. System consists of two 12" woofers, two 6x9 super flexedge midrange speakers and two 3 x 5 totally enclosed tweeters, complete crossover networks, and all necessary wire, and hardware. Shpg. wt. 17 lbs.

HORN Olson TWEETER



Extremely low frequency response eliminates the need for a mid-range speaker. New principle provides perfect dispersion of high frequencies through a 120° solid angle, 8 ohms. Size: 4" H. x 10½" W. x 11" L. Shpg. wt. 4 lbs.

K. Zube, 3711 S. 52nd, Milwaukee, Wis. 53219; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover

SPEAKER Olson BAFFLES




BAFFLE (Less Speaker) 10½"x9¾"x6½" Bionde No. CA-216 \$549 Lots of 6, Each \$5,19 No. CA-259 Shipping Wt. 41/4 lbs.

12" BAFFLE (Less Speaker) 14"x135%"x91%" Blonde No. CA-215 \$649 Lots of 6, Walnut No. CA-258 Mahogany No. CA-217 Shipping wt. 21/4 lbs.

8" Speaker, No. S-548, 2 for \$11.50, Ea. \$5.98 12" Co-Ax Speaker, No. S-311. 12" Speaker, No. S-794 Line Trans., No. T-110 Ea. Speaker Cable, No. W-361 (53ft.) 99c

BUILD-IT-YOURSELF SPEAKER CABINET KIT

Each Panel Locks Together With Metal Splines To **Guarantee Professional** Looking Finish



Otson CA-372

You can build your speaker cabinet and still have a professional factory finish. All wood surfaces have beautiful walnut veneer. Matching grille cloth is already mounted. Even the fiberglass is installed. Each precisely cut panel locks together with metal splines to guarantee perfect corner alignment. Baffle board is precut for one 8" speaker and one 3" tweeter. A cover is provided for the 3" opening if you don't use a tweeter. Size: 12½" x 13%" x 10½". Shpg. wt. 14 lbs.

8" "X-AIR" SPEAKER, No. 5-786 \$13.98 8" CASTLE BELL SPEAKER, S-548 \$5.98



2 FOR

With Any Order For \$5 Or More

Separately SL-16 99c

Collets are color-coded for easy identification. Complete with 8 blades. Shipping wt. 1/4 lb.

OFFICE

Russkit

34 Motor

"It's A Bear"

HOBBY TOOL SET 299

A real modeler's set. Everything required for plastic model car work. Includes tweezer, screw-driver set, sidecutter, needle-point oiler, hand-saw, razor knife with 16 assorted replacement blades. Shipping weight 2 lbs.

PRECISION FILES For Hobbyists, Jeweler, Watchmaker, Toolmaker

\$149 TL-498

> Includes Triangle, Square, Flat & Round Types Handy Carrying Case

• 5½" Long
• Ideal For Printed Circuit Repair
• Shipping weight 1/4 lb.

Olson \$

EPOXY GLUE

Bonds iron. steel, china, aluminum, wood, ceramics, most plastics. Shipping weight 1/4 lb.



Replaces
Revelle SP 90
and other
similar size
motors with
slight frame
modifications

5 for 49¢

★ All 3 to 4 Volt DC ★ Reversible ★ Threaded Mtg. Hole. Shpg. wt. 1/4 lb. MO-148 | 11" W. x 136" | 18" W. x 34" | 11.2" L. thaff dia. 3 for 49¢ | 3 for 39¢ | 4 for 29¢

MABUCHI



Designed for split-second control and comfortable use. Features built - in braking action, cool vented Delvin case and sensitive thumb control. Replaceable 12 ohm resistance unit-cable and alligator clips. Shipping weight 1 lb.

3 VOLT HOBBY MOTOR ★ Bronze Bearings ★ Powerful Ceramic Magnet


Overall size: 1¼" dia. x 1½" long (excluding mtg. bracket). Has ½2" dia. shaft extending %4" from front of motor. Operates on 3 V. DC. Shpg. wt. ¼ lb.

Olson MO-169, 4 for \$2 .

CHAMPION

MABUCHI COMMUTATORS Pkg. of 6 99c

Package of 6 replacement commuta-tors for Mabuchi motors. .078 bore for motor number 16D, 26D and Russkit 22 and 23. Shipping weight 14 lb.



REVELL SP-80, Popular Can type. Replaces: Cox TTX 150, Classic CM 160, Monogram X-110. Shipping weight 1/4 lb.

Visual Tech., 7016 Euclid, Cleveland, Ohio 44103; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

BOATMASTER PITTMAN

Hobby Motor MO-207 OC

4 for \$3 Bronze

• Fahnestock Cllp Terminals
• Easy Access To Commutator
And Brushes
• Va" Dia. x ¾6" Shaft
• Over All Size: 21/4" Dia. x 21/4"
Shipping weight ¼ lb.



★ Mag Wheel

* 15%" Dia. x 1/4" W. * Threaded Hubs Shipping wt. 1/4 lb. 88^{c}

"TURNMASTER" FRONTS

Olson COUPON VALUE

SLOT CAR SURPRISE KIT

★ Components By Leading Mfgr's.

Wheels, Motors, Axels, Spinners, Motor Components, Bearings, Etc.

REPLACEMENT MAGNETS Oison SL-69 PKG. OF 5 PAIR

A generous supply of the most

often needed parts for the slot-

includes three hobby motors.

Shipping weight 2 lbs.

Package of 5 replacement magnets for Matuchi 16D motors. Restores full power to tired motors. Shipping weight ½ lb.

10 VOLT POWER SUPPLY 110 to 120 V, AC Size: 4½" x 2½" x 2". Shpg. wt. 3 lbs.

Noble F. Teal, 2937 Currie Street, Biloxi, Miss. 39531; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover.

3-CIRCUIT 1/4" PLUGS
Commonly used on slot
car controllers. Standard 3/4"
dia. barrel. Shipping weight

STEEL TABLE FRAME * All Purpose

OLSON LOW PRICE

Predrilled. Table top not included. Two or more frames may be combined. Size: 22½" x 47½" x 34" high. Pre-finished. May be shipped parcel post. Shipping weight 17¼ lbs.



11.1

★ 0-50 Laps

3 for \$5.37 Solenoid operated counter operates on 8-24 volts DC. Counts 0-50 laps without slowing cars. Size: 3\%" x 4\%" x 1\%". Shipping weight 1 lb.



Granding used on slot car controllers. Standard 1/4" dia. barrel. Shipping weight 1/4 lb.

Olison PL-146, 4 for S5, \$1.39

PICCISION MUTUR WIRE

*Rewind Motor for Improved Performance 1/4 lb. spool. Shpg. wt. 1/2 lb.

27 gauge, W-554; 28 gauge, W-555; 30 gauge, W-556; your choice.....\$1.39 each



YOUR CHOICE

- * Completely Assembled
- * Your Choice Mustang or Jaguar ★ High Torque Motors
- * Perfectly Detailed Bodies
- * Soft Rubber Tires
- Shipping weight 1/4 lb.

SLOT CAR OILER * Flexible Container Ideal for lubricating slot car wheels and bearings. acetate container. Weight 1/4 lb.

Olson SL-20 ONLY 59c



Total Weight of Iron-3 oz Unlimited Heat to 700° Continuously Weight at Point of Solder only 13/4 oz.

For Advanced Hobbyist and Experimenters World's Finest Soldering Instrument Make Solder Joints Like The Astro

Scientists

* Forget Wattage Concept—Maintains
Heat Even when Applied to Cold Metal
Operates on 110-120 volts AC. 50/60
cps. Shipping weight 4 lbs.







Olson



RELAY SYSTEM

SW-364



This easy to install system protects your home or business against fire and theft. Operates-24 hours a day on its own power supply. (No power is used unless alarm is activated.) Kit includes motor type siren, 1 fire sensing switch, 1 door or window witch. I master switch, 1 door over or 1 door ove. 1 batter switch, 1 master switch, 1 door over-ride switch, terminal block, battery holder and 100' of wire. Complete with instructions. Shpg. wt. 6 lbs.

Extra Fire Sensing Switch, No. SW-392 Extra Door/Window Switch, No. SW-393

★ Infra-Red Filter for "Invisible Light"
Operation
★ Range to 49 Feet ★ Self-Powered

Can signal persons entering a room, count people, merchandise or function as an effective alarm system. Includes light source and receiver. Size of each unit, $6'' \times 4^{1/2}' \times 3''$. Operates on 110 to 120 volts AC, 50/60 cps. Shipping weight 6 lbs.

Olson BURGLAR and FIRE ALARM



★ Protects Family and Home Against Fire and Theft.

No. SW-401

★ Battery Operated ★ 115 Degree Heat Sensor ★ Motor Type Siren
★ Hangs on Wall Mount or Desk
Shipping weight 2 lbs.

Olson BURGLAR ALARM




easily to hinge edge of door, When door is opened the alarm sounds. Off-on switch deactivates alarm when desired. Size 21/4" 21/2" x 1/4". Shipping weight 1 lb.

Up to 1.7 Milli - Seconds Delay



BUILD YOUR OWN REVERB SYSTEM



* Complete Delay Line

* For Home or Auto

★ Schematic included for Balance of Circuit

Size 5%" L. x 11/2" H .x 1/8" D. Shipping weight 1/4 lb.

★ Can Be Used for Echo Chamber

* 8 Ohm Input, Hi-Impedance Out





Olson GUITAR MIKE

Mounts under strings. High impedance. Has tone and volume controls: Fits f hole opening. With 8 ft. plug-in cable. Shpg. wt. 21/4 lbs.

56.95

Oison 12 FT. GUITAR CABLE

Has a 90° 14" phone plug on each end. Shpg. wt. 1 lb. 20' STRETCH CABLE with 1/4" phone plugs.



Olson MAGNETIC GUITAR MIKE

Tone and Volume Controls

Four guitars with steel strings and round hole opening. Chrome plated 9½ cable with plugs. Size 15/16" x 5½" x 7/16". Shipping weight 1½ lbs.

\$5.50 Olson M-222



Six foot cable with phone plug on each end. Shipping weight 11/2

Od

• 2 · 8" PM Speakers
• 35 Watt Amplifier
• 3 Guitar Inputs
• Tremolo & Reverb • Volume, Bass, Treble, Depth and Speed Controls • Amp. Size: 16½" x 6½" x 7½" • Speaker Size: 25" x 16" x 8".

Operates on 110 Volts AC 50/60 cps. Shipping weight 30 lbs.

Olson GUITAR-AMPLIFIER

CONTINUE.

OPERATES ON BATTERY OR HOUSE CURRENT

15 WATT

★ Solid State

Circuitry

AM-324

444

\$2.99 Otson M-186



Complete Transmitter in A 1/4" Plug
Solid State Circuitry
Transmitts To Any FM Radio
Ideal For Cordless Electric Guitar
Shipping weight 1/4 lb.
Battery For Above (1 Req'd),
BA-126, Pkg. 6 \$1.

\$1.92 DYNAMIC 40-13,000 cps ★ 50K Ohm MIKE Impedance ★ ON-OFF SWITCH ★ Output— 52 db **SQ**98 M-295



GUITAR PITCH PIPE

Tones are E-A-D-G-B-E. Size: 2¼" x 1¾" x ¾". Shipping weight ¼ lb.

No. X-42 3 for \$4.20 . \$1.50 Set Guitar Picks, 6 flat-2 thumb. X-59 . 69c

Olson JENSEN **GUITAR SPEAKERS**

★ Unprecedented Ruggedness ★ Correct Musical "Voicing" ★ FOR FULL BASS



offerates on an order of the control Voice Coil Magnet Wt. Imp. A Bass Guitar 27 oz. 60 5-96 11/2 * A Guitar full range B Bass Guitar 15" 27 oz. 5-711 12" 16 oz. 50 11/2" 5-712 B Guitar full range 12" 50 5-713 16 oz.

Electronic musical instrument loud speakers are highly special devices de-signed to give (1) exactly the correct musical quality or "voicing" required for the instrument: (2) the power ca-pacity to reproduce the characteristic

C Guitar full range 10" 10 oz.

Tremolo * Adjust. Bridge * Vol. & Tone Controls Shpg. wt. 23 lbs. SAVE \$14.95 Complete Set of Strings for Electric Guitar, No. X-41

Olson

6

•

6

INCLUDES CASE

OLSON LOW PRICE

Olson AS-119

ST MONTHLY

\$69⁹⁸

Otson X-53

From Individual Catalog Prices

HOLLOW BODY

COMPLETE ELECTRIC

★ 2 Pick-up ★ Tone & Volume Controls ★ Plays With or Without Amplifier ★ Plastic Pickguard. Shpg. wt. 10 lbs.

ELECTRIC GUITAR

E ST

GUITAR

SYSTEM

★ Three Pick-up Guitar ★ 3 Tube Amplifier ★ Torsion Bar

\$2.98 Amplifier separately, wt. AM-293, 3 @ \$27, Ea. \$29.95 Guitar Separately, X-71 \$54.98 Vinyl Case for Guitar, Oison CA-321, \$9.95

Electric BASS GUITAR SYSTEM * Dual Speakers

With torsion bar tremolo. 3 magnetic pick ups. Completely adjustable 2-way bridge. Volume and tone control. Size 42!½" L. x 14" W.—21" neck, 21 frets. Shipping weight 11 lbs.

STRING SETS STEEL STRINGS No. X-57, Set \$1.50

ELECTRIC GUITAR No. X-41, Set \$2.98

SOLID BODY

ELECTRIC GUITAR

\$5498

* 3 Guitar Inputs

* Adjust. Pickup

* Adjust. Bridge ★ Steel Reinforced Neck

Olson AS-180 \$86 \$9 MONTHLY

\$7 MONTHLY

★ Plastic Pick Guard Shpg. wt. 26 lbs.

SAVE \$12.96 From Individual Catalog Prices

wt. 14 lbs., AM-338	. \$44.98
Guitar separately, wt. 12 lbs. X-26, 3 @ \$46, Ea.	. \$54.98
Vinyl Case for Guitar, Olson CA-321	
2 Pick-up Bass Guitar, Otson X-72	\$79.98

110 Watt FM-AM-FM MPX Solid State Steres RECEIVER



Unique is the key-note of the One RA-22. From the newest styling appointments to the outstanding performance. The "Side-By-Side" offers you the greatest value available at any price. Stereo indicator aids in selecting multiplex stations. Has tuning meter. Indicator aids in selecting multiplex stations. Has tuning meter. Sensitivity 1.5UV, for 20 db quieting. Separation more than 30db. Power output 110 watts (55 per channel) IHF. Has six pairs of stereo inputs. Quick-trip circuit breakers protect output circuit. Response: 20 to 20,000 cps. Size: 27" W. x 4\4" H. x 10" D, Operates on 110 to 120 volts AC. 50/60 cps. Shipping weight 25 lbs. \$13 MONTHLY

'MAX-CUBE' 55 WATT FM-AM-FM/MPX RECEIVER Beautiful Walnut Finished Wood

Circuit Breakers Mag. Phono Input

Functional design lends itself well to any kind of custom installation. Features illuminated slide rule dial and tuning meter. AFC locks in FM stations to eliminate drift. Sens: 3uv. for 20 db quieting. Multiplex separation: 25 db. Amplifier is circuit breaker protected and includes inputs for magnetic as well as ceramic phono plus tape head and aux. Has outputs for tape recorder. Response: 20 to 20,000 cps. Power output 55 watts (27.5 W. per channel). Size 9\% x 9\% x 9\% y \sigma y

Olson

50 Warr Solid State Stereo FM-AM-FM MPX RECEIVER

Quick Trip Circuit

Handsome Walnut Cabinet Illuminated Slide Rule

Stereo Indicator Light

Breakers



\$9 Monthly RA-20

Circuit Breaker Overload Protection
 New Tab Type Switches
 Stereo Indicator Light
 Tuning Meter
 Illuminated Slide Rule Dial
 Olled Walnut Wood Cabinet

Cabinet
24 Transistors - 16
Diodes—1 Zener

Diodes—I Zener
Diode
Tape Monitor Jacks
Tape Output Jacks
Mag. and Crystal
Phone Input

Specifications: Sensitivity (FM): 2 uv. for 20 db quieting. Image Ratio: 50 db (at 98 M Hz). Mpx. Separation: more than 25 db. at 1 KHz. Power Output: 50 W. IHF (25 per channel). Tone Controls: Bass, ± 12 db @ 50 Hz. Treble, ± 10 db @ 10 KHz. Channel Separation: 45 db. Includes Hi and Lo Noise Filter and loudness switch. Operates on 117 volts AC. 60 Hz. Size: 14" W. x 5" H. x 11%" D. Shpg. wt. 17 lbs.

Olson Solid State Stereo FM-AM-FM Stereo Tuner



★ Stereo Station Indicator ★ Oiled Walnut Finished

\$34.98

\$24.98

\$24.98

RA-997

85

Output Transistors

★ Oiled Walnut

Wood Cabinet

Cabinet is made to stack on top of amplifier cabinet. Has brushed aluminum panel and knobs. Vertical tuning meter assures accurate tuning. Stereo indicator light locates multiplex signals with ease. Tuning range: FM: 88 to 108 MC. AM: 535 to 1600 KC. Sensitivity: 2 UV. for 20 db. quieting. Mpx. separation 30 db. Size: 11½" W. x 4" H. x 8¾" D. Operates on 1:10 to 120 volts AC, 60 cps. Shipping weight 10 lbs.

Oison Solid State Stereo 40 WATT AMPLIFIER ★ Module Construction ★ Silicon



The new AM-342 features module construction throughout. Has high performance, reliable silicon transistors in the output circuits. Has gold anodized aluminum front panel with matching knobs. Specifications: IHFM power, 40 watts, 20w per channel. Frequency response: 50-20,000 cps. ± 2 db. Hum and noise: —40 db. Output Impedance: 4 to 16 ohms. Operates on 110-120 volts AC. 50/60. Size: 10%" W. x 4¼"H. x 8¼"D. Shipping weight 6 lbs.





STEREO PAIR \$38 RA-844 incorporates a transistorized amplifier and reverberation unit. Two controls are provided to control the amount of reverberation and volume. Just plug microphone, phono pick-up, guitar, etc. into the Good RA-844 and the output of the reverberator into your amplifier. No wiring or complicated hook-up necessary. Operates on a self-contained 9 volt battery. Size: 7½ W. x 3" x 4½" D. Shpg. wt. 2 lbs.

Olson RA-844

Fuzz Sound"

Battery for above, (1 reg'd.) BA-89 .. 21c

Olson GUITAR-AMPLIFIER ★ Built-in Tremolo AM-299

12 watt solid state amplifier. Has separate depth and speed controls. Has inputs for two guitars. 110 to 120 volts AC, 50/60 cps, or 8 "D" size batterjes (not included). Size: 13½" H. x 11½" W. x 5¾" D. Shipping wt. 12 lbs.

E. M. Hellman, Custer Radio & TV. Rt. 1 Box 38, Custer, S. Dak. 57730: wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See from Olson's "Treasure back cover for instructions.

No

Price

30 \$17.56 wave shapes of the instrumental notes without distortion at loud volumes, and (3) unprecedented ruggedness for unusually long life under the severe peak load conditions imposed in these demanding applications. Shpg. wt. 6 lbs.











Perfect

Graduation

TP-714



BUSINESS MEETINGS

LECTURES

TAPE RECORDER



AIWA TP-719 TAPE RECORDER



- ★ 3 Speeds
- 7" Reel Capacity
- **Automatic Volume Control**
- Operates on 8 Self-Contained Flashlight Batteries 12 Volt Auto Battery or 117 Volt AC Current
- Built-in Start-Stop Switch in Mike
- ★ VU Meter
- ★ Digital Tape Counter

Includes: mike, batteries, earphone, tape, reel, 12 volt cable. Size: 35/8" x 161/2" x 13". Shipping wt. 17 lbs.

\$119.00

Graduation Gift

TP-1013 STEREO TAPE RECORDER



- * Stereo Record/Stereo Play
- Battery or House Current 5" Reel Capacity
- Push-Button Controls
- VU Meter
- Fast Forward Tone Control
- Detachable Speaker
- 2 Dynamic Mikes
 Includes: Batteries, Earphones, AC Cord and Tape
- Size: 15" x 111/8" x 3"

Shipping weight 13 lbs.

\$8 MONTHLY

* Push Button Controls

- Constant Speed Capstan Drive
- 2-Speed
- Dynamic Microphone
- * Extension Jacks for Recording
- 6" x 2" Oval Speaker **★** Earphone
- Operates on 4 "C" size flashlight batteries (included). Size: 9" x 9" x 25%". Shipping weight 6 lbs.

MODEL F-90 RADIOCORDER

Olton RA.962

\$79.95

CONCORD STEREO TAPE DECK 510-D



- Vertical or Horizontal Operation
- Three Speeds, 1%, 3¾ & 7½ IPS Dual VU Meters Solid State Electronics 7" Reel Capacity

AIWA

* Pigital Tape Counter

Size: 13¾" W. x 11½" H. x 5½" D. Shipping weight 20 lbs.

\$9 MONTHLY

\$139 50

TAPE RECORDER

\$139.50

TP-32A

CONCORD



- ★ 2 Speeds ★ Automatic
- Remote Start/Stop and Play
- Earphone Included and Battery Meter * Record Level
- Size: 4" x 111/2" Shipping weight 16 lbs.

\$99.50

"MEMORY AIWA



- ★ With Mike, Earphone & Batteries ★ 4 Transistors

Features carrying case with strap. Rugged precision motor assures top performance. Size: 9" x 7" x 2\%". Shipping weight 5\% lbs.

Olson RA-716


\$13.95

Extra Batteries: Olson BA-41, (2 req'd) Olson BA-89, (1 req'd.)

Ea. 13d

\$69.95 Olson AS-211

CROWN RECORDER



- ★ Built-in AM/FM Radio
 ★ 5" Reel Capacity
 ★ 2 Speeds, 1% and 334 IPS
 ★ Automatic Volume Control (recording)
 ★ Size: 3%6" x 16%6" x 12"

Includes dynamic mike, tape, empty eel, telephone pick-up, patch cord and arphone. Shipping weight 12 lbs.

Olson RA-35

\$11 MONTHLY \$169.95

MODEL 350 "VOICE OPERATED" TAPE RECORDER



- 2 Speeds ★ With Mike Automatic Reverse, Record and Play
- Record 6 Hours Continuously
 334 and 178 IPS

 Uses 5" Reels

\$9 MONTHLY

MASTER"



- Attache Case with Secret Recorder Record up to 60' Away Handle Up—Recorder "Off" Handle Down—Recorder "On"
- A complete recording, transcribing, dictating unit with playback records 44 minutes. All-transistor, self-powered and complete with a telephone adapter. Size: 17" W. x 12½" D. x 4¼" H. Shipping weight 9 lbs.

Extra Batteries (4 req d.) BA-41 Ea. 13c

AIWA TP - 1012 STEREO TAPE RECORDER



- ★ Solid State Circuit

 ★ Records 4 Track Stereo or Mono

 + Full 7" Reel Capacity

 ★ 3 Speeds: 7½, 3¾, 1½ IPS

 ★ Operates On Battery or House Current

 + Includes: 2 Mikes, Empty Reel, Full

 Reel and Batteries

 Servorotral Motor Jesuso Bresies Servocontrol Motor Insures Precise
- Speeds
 Built-in Speakers Tape Counter
 Response: 50 16,000 CPS.
- Size: 13½" H. x 12¾" W. x 7¼" D. Shipping weight 19 lbs.

\$9 MONTHLY

\$149.98



- ★ Record and listen to your favorite AM radio program simultaneously

★ It's a Radio ★ It's a Tape Recorder
Built-in AM Radio, 3¼" Reel, Remote Control Dynamic Mike, AC or DC
Operation, 2 speed 1½, 3¾ IPS, Record
level indicator, external speaker jack,
Size: 4" x 8½" x 9", Shpg. wt. 7 lbs.

\$7 MONTHLY

\$69,50 Extra Batteries (5 req'd.) BA-41 Ea. 13c

TP-1009 STEREO CASSETTE TAPE DECK



- Full panel of push-button controls; forward, rewind, fast forward, stop/ cassette pop-up Pause lever, power on-off, and record switch

- rause lever, power on orr, and record switch Two volume knobs 3-digit counter with quick re-set button 2 VU meters, 2 mike jacks, 2 aux. input jacks, 2 pre-amp output jacks.
- ★ One high impedance stereo Headphone Jack ★ Size: 11" W. x 10" D. x 31/4" H.
- ★ 117 volts, 60 cycle AC Shipping weight 10 lbs
- \$10 MONTHLY

\$99.95 Olson RA-88 AIWA TP-716

TAPE RECORDER



- Capstan Drive

 2 Speeds 1% and 3%

 Record/Battery Meter
 Operates on Battery or House Current
 Remote Control Dynamic Mike
 Volume and Tone Controls
 Includes: Mike, Earphone, Tape & Reel
 Has Fast Forward
 Size: 9½" W. x 9½" D. x 3" H.

Shipping weight 7 lbs.

\$42.95 Olson RA-929

Extra Batteries (6 req'd.) BA-41 ... Ea. 13c

Extra Batteries (4 req'd.) BA-41 .. Ea. 13c Automatically Starts & Stops Recorder on Sound Impulse CONCORD ★ Use With Battery Operated Recorders

Olson

Tape Your Vacation



9 Volt Battery for above Ossan BA-89 Ea. 21c

Voice Activated MICROPHONE SOUND 9 Volt Battery for above Ea. 21c

MMMCOUPON VALUE MMMMM

U. S. A.

1200 FT. RECORDING TAPE. Package of 3, 3" Reels - 400' per reel.

1800 FT. MYLAR RECORDING TAPE. Package of 3 - 31/4" Reels - 600 ft. per reel. Extra recording time ideal for classroom.

COUPON VALUE 000000

750 FT.

RECORDING TAPE

PKG. OF 3 REELS

Oison TA-107

3—Standard 3" Reels 1 Mil. Acetate Ideal for Voice Letters 250' of Tape Per Reel Fits Most Recorders

Shipping weight 1/4 lh.

RECORDERS & PLAYERS

CASSETTE

Deluxe

Olson RA-685



\$**59**⁵⁰ \$7 MONTHLY

Mike with Remote Switch

★ Up to 11/2 Hour Play/Record Time ★ Records on 2 Tracks ★ Fully Transistorized Uses 5 "C" size batteries, with mike, patch cord, vinyl case, 1 tape cartridge. Size: $7\frac{4}{2}$ " x $2\frac{1}{4}$ ". Shipping weight 4 lbs.

Extra Batteries (5 reg'd.) BA-41 Ea. 13c TAPE CARTRIDGE, TA-159\$1.33

Norelco MODEL 2500 CASSETTE Stereo Tape Deck Player



- * Solid State Circuit
- + Plays Through Your Stereo System
- * Fast Forward/Rewind
- Cassette Ejector
- ★ Response: 60-10,000 Hz ★ 4 Track Stereo ★ Speed 17/8 IPS ★ Signal to Noise Radio: -43 db
- Size: 8" x 4½" x 2¼". 110-120 V. AC, 60 cps. Shipping wt. 4 lbs.

TP-707 CARTRIDGE RECORDER

Magazine

Constant Speed Capstan Drive

Fully Transistorized Circuitry

Dual Purpose VU Meter
Checks Battery & Record Volume

Push Button Operation
Complete with 4 "C" flashlight
batteries, mike, earphone, tape
cartridge and carrying case.
Size: 2½ "x8" x5½". Shog. wt. 4 lbs.
Extra Tape Cartridge. TA-159 Ea. \$1.33
Extra Batteries (4 req'd.) BA-41 Ea. 13c



STANDARD CASSETTE RECORDER

★ Pocket Size * Record Level Meter

★ Capstan Drive ★ Solid State Components

★ Fast Forward Includes: shoulder strap, dynamic mike, mike stand, case for mike and cassette cartridge. Size: 8\%" x 5" x 2\%". Shipping weight 2\\\2\%" lbs.

Phillip M. Magenheimer, 2615 N. 21st Street, Kansas City, Kansas 66104: wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover for instructions.



back cover for instructions.

FISHER 700-T 120 WATT FM STEREO RECEIVER



Save \$74.63

- * Exclusive Super Synchrode Front End
- * Field Effect Transistors
- * Automatic Stereo Switching
- ★ Direct Tape Monitor
- ★ 24-Carat Gold-Plated Front Panel
- * Stereo Head Phone Jack


harman kardon TOTAL MUSIC SYSTEM



EASY PAY PLAN

- ★ FM-FM Stereo
- ★ 4-Speed Stereo Changer
- * 4-Track Cassette Stereo Record and
- * Matching Stereo Speakers
- * 30 Watt Stereo Amplifier
- * The Most Versatile Compact Ever





Cf Up To 20 Popular Stereo Records Value \$4.95 ea.

with the Purchase of Any

Electro-Voice PREMIUM-QUALITY

DIAMOND PHONO NEEDLE OR PHONO CARTRIDGE

Inspection at your local Change Store, Complete Selection of Needles Also Available.

SYLVANIA AND Westinghouse



List Price

\$3.15

2.60

2.25

2.15

2.10

1.75

2.50

2.10

2.75 2.45

2.35

2.70

1.55

2.30

2.55

1.80

STOCK UP NOW & SAVE

Special Purchase

our	Tube	MFG. 1968	Your
Cost	Туре	List Price	Cost
.90	12EL6	2.05	1.50
.99	12DV7	4.40	1.95
.90	12DV8	5.85	1.00
.85	12K6	2.60	.85
.90	13DE7	3.50	1.30
.60	17AV5	4.70	1.60
1.00	17AX3	2.60	.99
.85	17AX4	3.05	1.10
1.05	17DE4	3.20	1.10
.90	19BG6G	6.50	2.20
.85	19CL8A	3.70	1.30
1.00	19HS6	2.40	.90
.60	1918	4.05	1.40
.85 1.00	35W4	1.25	.48
1.00	50C5	2.20	.79
.72	8142	2.75	1.05

CONCORD | 776

Solid State Stereo RECORDER



- * Automatic Reverse -- Plays **Both Directions**
- * 4 Track Record and Play Response: 30 to 20,000 cps
- Two Dynamic Mikes
- Four Flux-Field Heads

EASY PAY PLAN

Worth of Pre-Recorded Tapes For Only \$1 ... with purchase of 776D or F105

CONCORD 776D STEREO TAPE DECK



- * Automatic Reverse-Plays Both Directions
- * Built-in Solid State Pre-Amps
- * Vertical or Horizontal Operation
- ★ Two Speeds 7½ and 3¾ IPS

CONCORD F-105

Stereo Cassetté TAPE DECK



- * Solid State Pre-Amplifiers
- # Flux Field Heads
- * Cue Device for Professional Editing
- ★ Response 40-18,000 cps.
- * Black Screen Plastic Dust Cover



BOTH \$4195 FOR

With the purchase of Concord F-105 \$99.50. SAVE \$15.95 CONCORD F-100

CASSETTE TAPE RECORDER

Type 2FH5

3V4 3BE6

6AL5

6AX4

6CB6

6H56

654

6SN7

6V4

6W4

12AX4

128A6

- * Snap-in-Snap-out Cassette Cartridge
- + Flux Field Heads
- * Records and Plays Voice or Music
- VU Meter



ACCESSORY PACK INCLUDES: . AC Adaptor . Telephone Pick-up . Carrying Case

PRICE ONLY EASY PAY PLAN

BARGAIN LIST


Demonstrators; Trade Ins; Close Outs: on Hi-Fi Equipment, Auto Accessories, Test Equipment, and Experimenter

LIMITED QUANTITIES

New Bargain List Available with each new Catalog at your Local Olson Electronics Store. Many Specials available which are not on Bargain List.

PANASONIC

MARINER RF-1006MD Portable Radio



- ★ FM/AM/Marine band portable car radio
- * Built-in Antennas

OLSON LOW PRICE

\$54.95

PANASONIC

MEMORY MASTER AM

Portable

RADIO

Electronic

Memory

Tuning

Control

*39.95

MODEL

Tone

* World's

First

PANASONIC

AM

K Wrist



Micro



Strap

R-1077

AMPEX

Push Button

Operation

STEREO PLAYER/RECORDER CASSETTE TAPE DECK

An Instant Tape Library,

\$29.95 Worth of Stereo

Tapes FREE with the Purchase

of a Micro 585.

CASSETTE

★ Matched Walnut

Speaker Systems

2 Omni-Directional

Microphones with

Micro

4 Track Stereo

Record and

Playback

Stands

SOUND SYSTEM * With Big Stereo Performance

AMPEX



Push Button Operation

- * Plugs into Stereo Console or
- Components
- * Includes Two Omni Directional Dynamic Microphones and Auxiliary Connecting Cables

* Now Ampex Quality in Cassette Recorder

* Solid State Electronics

PANASONIC GADABOUT R-1326

Portable Radio

* Camera styled miniature portable

- **★** Smart leatherette cabinet
- ★ Full range speaker
- * With Earphone

OLSON LOW PRICE

\$14.95

Camera Style PORTABLE RADIO

* Earphone

Operation

* Omni-Directional

Remote Control-

led Microphone

Controls are Po-

Use While Car-

rying

sitioned for Easy

\$9.88

AMPEX PORTABLE CASSETTE



* 4-Track Stereo Portable Tape Recorder

★ Detachable Speaker * Accurate VU

R-1500

AMPEX

Meters ★ 2 Microphones with Stands

* Exclusive Dual Capstan Drive

Olson TUBES ALUMINIZED PICTURE

AVAILABLE ONLY AT YOUR Olson STORE

Look At The Neck Of Your TV Picture **Tube For** TYPE NUMBER

TYPE

HAI

12A

1200 13AI 14A5

14CF 140 14W

16AI

16A5

160

17BF 17BJ

17BV

17D/

1705 17D) 17H 17LP 17Q

19A

1941

19AJ

194

19A

19BE

OLSON'S 1-YEAR GUARANTEE

All picture tubes carry a full 12-month guarantee against shorts, low emission, gas, implosion, ion burns, or electronic defects. Tubes will be replaced at no charge within the guarantee period. This does not apply to broken necks or burned-out-filaments. Prices are exchange prices.

			*	ALUN	AINIZED	*			
E	SELLING	TUBE	SELLING	TUBE	SELLING	TUBE	SELLING	TUBE SELLIN	
E	PRICE	TYPE	PRICE	TYPE	PRICE	TYPE	PRICE	TYPE PRIC	E
					****	23FNP4	\$41.00	COLOR	
P4 .		19CEP4	\$31.00	21FDP4	\$25.50 15.50	23FSP4		COLOR	
YP4			23.90	21FLP4	33.50		39.40	PICTURE	
DP4		19CMP4	23.90	21FZP4			35.60	TUBES	-
P4 .	28.80	19CXP4	23.90	217274	33.50	ZJEAF4	33.60	TUBES	
SP4	24.00	19CZP4	31.00		22.00		33.50	COLOR	
P4 .	21.50	19DHP4	31.00		22.00		35.60	TC-19EXP22 84.	00
P4 -	23.00	19DRP4	28.80		15.50	23GNP4		TC 19EYP22 95	
rP4	23.00	19DWP4	28.80	21ZP4	15.50	23JP4 _	35.60	TC-21AXP22 _ 71.	
	28.80	19EBP4	31.00	22 A MD4	24.50	23KP4	28.50	TC-21CYP22 _ 63.	
	30.20	19ECP4	31.00		24.50	23RP4			
		19EDP4			24.50	23TP4		TC-21FJP22 71.	
	30.20	19ENP4			35.40	23UP4	35.60	TC-21FBP22 63.	
P4 .	14.30	17CINE 4	31.00	230014	33.40	-		TC-25ALXP22 95. TC-25BP22 84.	
P4 :	17.50	19ETP4	31.00	23BJP4	24.50		23.40	IC-236F22 84.1	30
JP4	17.50	19EZP4		23BTP4			28.50	AACTAI	
WP4	20.60	19FHP4	31.00	23CP4	35.60	24AJP4		METAL	
AP4	23.90	19XP4	23,00	23CAP4	35.60	24AQP4	28.50	Non-Aluminized.	
SP4	19.00			23CGP4	24.50	24AUP4	28.50	21AP4 \$30.	
XP4		20CP4	22.00		35,60	24BAP4		ZIMP4	20
P4	17.50	20HP4	22.00		35.60	24BEP4		The second library	7
P4	17.50	21AMP4	15.50	23DBP4		24CP4	23.40	OTHER	1
	17.50							OTHER	1
					95.40	OCHD4	68.00	TUBE	1
P4	17.50	21AUP4	20.50	23DKP4		25HP4 25NP4		IUDE	
BP4		21AWP4	. 20.50	23DLP4		27ABP4		TVDCC	
FP4		21CQP4	22,00	23DVP4		27EP4		TYPES	
JP4	23.90	2TCXP4	19.00	23EP4	35.60	2/2/4	44.50	4100	
LP4	23.90	21DLP4	19.00	23EKP4	35.60	27LP4	44.50	ALSO	1
XP4		21EP4	22.00	23EWP4	33.50	27XP4	51.50	AVAILABLE	
DP4	23.00	21EMP4	20.50	23EYP4	41.00	27YP4		I AVAILABLE	1
TP4	23.90	21FP4	22.00	23EZP4	39.40	27ZP4	60.00		
								d as at a sin	1-

ALLIMINITED A

These tubes are made only from new parts and materials except for the envelope, which prior to reuse is inspected and tested to the same standards as a new envelope. 4B



CASSETTE "INSTANT-LOAD" CARTRIDGE

BLANK FOR MONO OR STEREO



Designed for use with Wollensak 4100, Mercury TR-800, Concord F-100, AIWA TP-707. Noreleo 150, Standard SR-100, and all other cartridge recorders using "Cassette" type cartridges. Plays 20 minutes. Cartridge size 4" W. x 2½" D. x ½" H.



\$2.59 60 Minute Cassette No. TA-540 90 Minute Cassette \$3.98 .No. TA-506

120 Minute Cassette \$4.99 No. TA-541

Highest Quality Available For Mono or Stereo

Fits All Popular Cassette Recorders Shipping weight 1/4 lb.



CASSETTE HEAD CLEANER ★ For All Standard Cassette Recorders

\$ 69 TA-533

* Keeps Heads and Guides Clean

Prolongs the Life of Tape Heads Protects Tapes From Excessive Wear

Made in USA

Acetate & Mylar Types 3", 5" and 7" Reels

Shipping weight 1/4 lb.



★ Made By U.S.A. Manufacturer ★ Made Exclusively for Officen * Permanently Lubricated

* Not 2nds or Rejects **★** Highest Quality * NAME BRANO

Olson TA-160 LOTS OF 3, EACH

Single, Each \$1.79

MYLAR TAPE MO

DUPONT MYLAR

900' MYLAR TAPE 1200' MYLAR TAPE 1800' MYLAR TAPE 1200' MYLAR TAPE

TA-519

neld

\$142 TA-110 99° TA-222

RECORDING

\$125 Lots of 12 Ea. 99°


96 or



Soundcraft Uni-Level Coating Process assures that a uniform oxide ribbon is bonded to the base material for complete frequency uniformity. Soundcraft's exclumicropolishing process insures inti-e head contact required for perfect frequency response. Shpg. wt. 1 lb. roll.

REEVES SOUNDCRAFT RECORDING TAPE

Stock No.	Mfg.	No. L	ength	*Play Time	Size	Base Mat.	Lots of 1-11	12 or more
TA-136	PL-2	2	25'	23	3"	Mylar	.67	.60
TA-137	PL-9	9	00'	90	5"	Mylar	2.27	2.04
TA-134	5-12	1:	2001	120	7"	Acetate	2.33	2.10
TA-135	\$5-18	1:	800'	180	7"	Acetate	3.45	3.10
TA-139	TP-18	1	800'	180	-5"	Mylar	3.40	3,06
★TA-453	PL-18	CLM 1	B00'	180	7"	Mylar	4.29	3.89
TA-138	PL-18	1	800	180	7"	Mylar	3.87	3.48
TA-198	GTM-24T	2	400'	240	7"	+Mylar	7.60	6.84
TA-197	TP-36	3	600'	360	7"	Mylar	6.67	6.40
	Time In red Mylar						ader Tap Reversing	



A "Micro-Media 25" Long Play Tape ★ Plays Four Times Longer Than Ordinary Tape
★ 1200 ft.
★ 314." Reel
★ Tensilized Mylar Base

Extends recording time of compact recorders to 4 hrs. (at 1½ Ips.) (Not for rim drive recorders. Shpg. wt. ½ lb.

©See TA-274 \$425
2,300 FT. MICRO-MEDIA EXTRA LONG PLAY TAPE. On a standard 5" reel.
5795

Tape Recorder HEADS

★ Instructions and Hardware Included
A two-piece set containing one record/playback and erase head. Mounting centers: ¾" to 1" with bracket.
Has ¼" mtg. centers on bottom of head. Specifications: Record/play: ½ track. DC Res. 660 ahms. Impedance 3500 ohms. Bias Current 0.2 ma. Erase: 320 ohms. Erase cur. 4 ma. Shipping weight ¾ lb.

Oison TA-111 * Set of Two

2400 Computer TAPE

★ 1/2" Wide ★ 11/2"mil Mylar 2,400 ft. of high quality computer tape on 10½" plastic reel. Can be used on most home video recorders when rewound onto correct reels. ½" tape can be split to ¼" width for use on standard home tape recorders. Made to exacting specifications required for computer use. Shipping wt. 2 lbs. Used.

Olice TA-491 ... 10 For \$25

Dennis Vickers, 25 Heather Road, Portland, Maine 04103; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover for instructions.

TAPE RECORDING AND DICTATING **Recording Tape**

* Packed In Self Mailer Cartons

Ideal for voice letters. Costs only pennies to mail. Shipping wt. 1/4 lb.

Stk. No.	Ft.	Reel Size	1 - 9 Each	10 or more Each
TA-10	225'	3"	63c	55c
TA-18	300'	3"	69c	64c
TA-49	600'	31/4"	1.35	1.20

RDBINS®

"TAPE CLEAN"

* Standard 3" Reel

3" reel of reusable chemically treated cloth tape. Threads like recording tape, cleans and lubricates recorder heads and guides. Shipping weight ¼ 1b.

Otson	HF-133		1.24
F	RETRACTABLE	PATCH	CORD

* Extends to 6 ft.

U

ROBINS

Recorder patch cord with clips on one end and RCA type phono plug on other. Includes plug adapter to $\frac{14''}{phone}$ plug. Shipping weight $\frac{14}{4}$ lb.

\$159

One HF-115, 3 For \$4.50

G 2 & 4 TRACK TAPE SPLICER

★ Finest Mirror Polished Red Oxide
Bonded to Strong Base
★ Resp.: 50-15,000 CPS
★ High Signal to Noise Ratio, Low
Distortion and Uniform Output
★ Standard 1/4" Width on 7" Reel for/
All Recorders Shpg. wt. 3/4 lb.

1200

1200

1800

3600

1800

2400 Ft

Racking

Acetate

Mylar

Mylar

Mylar

* Accurately Cuts & Trims

* Splicing Tape Included

TA-190

TA-132

TA-195

TA-140

★ Splicing Tape Included

Cutter arm has two blades, one cuts ends of tape to proper angle, the other blade trims edge of tape to remove excess splicing tape. Cutting block has special vinyl cushion to keep blades sharp. Will not remove program material from outside tracks of 4-track tape. Size: 3"x2"x1½". Shpg. wt. 1 lb. \$269

TA 505		2,7
TA-505		

Metallic Sensing Tape. 90" Roll x 1/32" W. No. TA-539 \$1.33

DELUXE STEREO TAPE SPLICER Splices 4 track stereo tapes. Has built-in supply of splicing tape. Shipping weight 2 lbs. Otson HF-134 \$9.56

Olson FOOT SWITCH * For Battery Operated Recorders

The recorder can he started and stopped without the use of hands, perfect for dictation, etc. A 4½ ft. cable is attached to the switch and terminated in a miniature phone plug. An adapter is included for those recorders which do not have a remote control jack. Size: 2½" x 2½" x 1". Complete with instructions. Shipping wt. 1 lb.

Olson SW-334,

RECORDING TAPE CHEST

\$379

\$329

\$1250

Holds 12-7" reels or cans. All steel, grey enamel. Double safety catch, folding handle. Shipping weight 6 lhs.

Ottom TA-194

L Tape Head DEMAGNETIZER

★ Prevents Noisy Tapes
Just connect to 117 volts AC and
move tip against tape head. Removes
head magnetism and protects tapes
from partial erasures or noise insertions. Will demagnetize many small
parts. Shipping weight 1 lb. \$369 Otson HF-38

BULK TAPE ERASER

★ For 3", 5", 7" or 101/2" Reels

Will erase any magnetic recording tape from ½" to 1" width. Housed in rugged case with Power Switch. Spindle and AC cord. For 110-125 volts AC. Size: 5¾" x 4" x 2¾". Shipping weight 10 lbs.

Owen TA-147, 3 @ \$12 ea.

TAPE CARTRIDGE KIT

★ Easy To Assemble

RCA type tape cartridge kit. All mechanical parts and materials to make a standard tape cartridge. Cartridge fits all standard cartridge recorders. With instructions. Size: 7½"x5"x½". Not for auto tape players. Shipping weight ½ lb.

Per Kit \$139 (Less Tape) Olega TA-48

Write for special large quantity prices. 4 TAPE CARTRIDGE KITS plus 2400 FT. MYLAR TAPE. Shipping weight 3 lbs.

Oison AS-734

O Olson 7" TAPE Storage Can Finished in blue enamel. Shipping weight ½ lb.

* MADE IN U.S.A.

1.5 6.11 12.95 more
1.59 Ea. 1.49 Ea. 1.35 Ea. 1.19 Ea.
1.75 Ea. 1.58 Ea. 1.42 Ea. 1.24 Ea.
2.49 Ea. 2.25 Ea. 2.13 Ea. 1.86 Ea.
3.10 Ea. 2.79 Eo. 2.69 Eo. 2.50 Eo.
4.75 Ea. 4.30 Ea. 4.03 Ea. 3.52 Ea.

3.65 Ea. 3.38 Ea. 3.18 Ea. 2.79 Ea.

3 for \$1.00, 12 @ 30c ea. 39° Otson TA-193

5 POWER

FLASHLIGHT MAGNIFIER Polished chrome with ivory plastic trim. Uses two "C" cells (not included). Size: 6%" long, Shipping. wt. % lb.

3 for \$4.50, 12 @ \$1.25 No. X-900,ea. \$199

Batteries (2 req'd.), No. BA-41 .. ea. 13c

Similar to above but much smaller. Uses only one standard penlight cell. Size: 5" L. x 2" H. x 1¾" W. Shipping weight ½ lb.

SALE \$171

Olson X-979 Batteries: (1 req'd.), No. BA-67, 8 for 59c

7" Empty Reel and Box

Standard 7" clear plastic reel with storage box. Reel is molded of sturdy break-resistant plastic. Shpg. wt. 14 lb.

Each 50°

7" Empty Plastic, Tape Reels Ots of 10-99 @ 20c ea. 25¢
Lots of 100 @ 15c ea.

ea Lots of 100 @ 15c ea. No. Reel 1-9 10-99 MORE
TA-191 5" 29c Ea. 25c Ea. 20c Ea.

Shipping weight 1/4 lb. AUTOMATIC THREADING REELS

Kit of 5—3" Reels, No. AS-39 \$1.19 5" Plastic Tape Reel, No. TA-150, Ea. 79c 7" Plastic Tape Reel, No. TA-151, Ea. 89c

TELEPHONE PICKUP

* With Plug

Record or amplify both sides of a telephone conversation. No connection to telephone necessary. Has 3 ft. shielded lead. 1/8" dia. x 1". Shpg. wt. 1/4 lb.

\$4 39 Oiscn M-185

S Oison Telephone Pick-Up Coil

★ Eliminates Hum Pick-Up

For recording telephone conversations without annoying hum. Specially designed to effectively eliminate high stray hum pick up. Ruggedly constructed. Size 2½" x ½" x ½". Has two rubber suction cups to attach to back of telephone receiver. Cable plugs into mike input of tape recorder. Shipping weight ½ lb.

3 for \$11.50

Olson M-208

Flat Telephone PICKUP

Place under phone to hear both sides of telephone conversation. Connects to magnetic input of any amplifier or tape recorder. Size: 3½" x 1½" x ½". Shipping weight ¼ lb. \$499

One M-143 3 @ \$1.89 \$1.89 I ROBINS "SWABBIES"

★ Pkg. of 150
Soft cotton tips wound on 6" long applicators. Ideal for cleaning and oiling. Shipping weight ¼ lb.

Olson HF-132



Operates on battery or house current (AC adapter included). "C" size flashlight type batteries. Telescoping monopole antenna delivers crisp-clear picture. Has all channel UHF-VHF tuner and local distant switch. Size: 6¾" H. x 6" D. x 3½" W. 110-120 volts AC, 50/60 cps. plus battery. Shipping weight 6 lbs.

Batteries for above, (9 req'd.) Ea. 13c

SOLID Sonora 1 STATE

PORTABLE STEREO



6999

Has off-on volume control and separate tone control. Turnover cartridge has two sapphire needles. Automatic changer plays all speeds 16½, 33½, 45 and 78 RPM. Stylish luggage type carrying case has scuff-resistant washable covering. For 110-125 volts AC, 60 cps. Size 8½" H. x 13" W. x 17½" D. Shipping weight 18 lbs.

Olson VHF BAND CONVERTER

* 108 to 136 MC Tunable

* Pick up Airplane Communications over any Portable Radio



RA-26

★ Operates on Popular 9 V. Battery
★ No Wiring Connections To Radio
Battery for above (1 req'd.)
No. BA-89

* Solid State

45 RPM

Adaptor

Mounted Speaker

\$1998

* Plays All Standard Records

★ Built-In

* Front



Sonora Deluxe 4-SPEED PORTABLE PHONO

Solid State


Receives regular FM Telescoping Antena Earphone Included

11 Transistor Circuit Slide Rule Tuning

Use as Tuner Through HI-Fi

PORTABLE RECEIVER

Oison



* Also Plays FM



RA-23 198

Listen to TV

Anywhere

Connect To Your Tape Recorder Olson Olzona Sold State 11 TRANSISTOR TV-FM RECEIVER

AIWA AR-136 FM-AM RADIO



RA-37

★ 9 Transistors
★ Earphone Jack
★ Telescoping Antenna
★ Earphone & Batteries Included
★ Full Range Tone
★ Band Selector Switch
Size: 6¾″ x 4¼″ x 1½″, Shipping weight 2 lbs.

AIWA AR-121 FM-AMRADIO

Solid state amplifier eliminates warm up. Flip-over cartridge is equipped with sapphire needles. Features a front mounted speaker for clear hi-fidelity reproduction. Turn-table has foam rubber pad. Operates on 110-120 volts AC, 60 cps. Size: 12¼" W. x 11" D. x 5" H. Shipping weight 8 lbs.



* Portable ★ Slide Rule Dial AFC Circuits ★ Drift-Free FM Ottom RA-38

★ Push Button Controls

Earphone Jack

★ 10 Transistor Circuit ★ 9 Section Antenna ★ Includes Earphone & Batteries ★ Size: 8" H. x 4%" W. x 2½" D.

STANDARD FM-AM Radio

Convenient Carrying Handle Size: 8" x 5" x 2". Shipping weight 2 lbs.



★ Beautiful Styling

★ 11 Transistors

Vernier Tuning

weight 1 lb. ★ AFC Switch

★ Only 31/6" x 23/8" x 1 1/3" ★ Earphone and Batteries Included

STANDARD

★ Telescoping FM Antenna ★ Excellent Craftsmanship.

Shipping

3-Bands

. Uses 4 "D" Size Batteries Highly Stable AFC

Powerful AGC

Size: 10\%" x 7\%" x 3\%".

Aiwa AR-141 FM-AM-PORTABLE RADIO

• 14 Transistors

• Leather Case

· Tone Control

Shipping weight 7 lbs.

AM-FM-SW-VHF RECEIVER



- 5 Bands 4-12 MC short wave
- control
- ★ Size: 9" W. x 7" H. x 3" D.
- Operates on battery or house current
- Genuine leather case Telescoping antenna
- Shipping weight 3 lbs.

SYNCHRO NOISE FILTER

FOR RADIO-TV & STEREO

3 for \$8.25 \$329 Common X-40

External Grounding Terminal

★ Easy Plug-In Installation Shpg. wt. 1/4 lb.

* Fuse Protected

★ 5 BANDS

AM-FM-SW-VHF RECEIVER

★ Operates On Battery Or House Courrent



\$59⁹⁵ \$7,MONTHLY

• 110-136 MC Aircraft
• 148-174 MC Police
• 1.6-12 MC Short Wave
• Tone Control
• Push-Button Band Selector
• Telescoping Antenna
• Earphone Included
• Size: 11" W. x 71/6" H. x 31/6" D.
Shipping weight 3 lbs.

6 TRANSISTOR RADIO

\$399

4-Band Radio \$69⁹⁵ Dison RA-86 ST MONTHLY

AM-FM-Marine-Short Wave

Marine: 1.6 to 4.5 MC Short Wave: 4 MC to 12 MC

Battery or House Current Two Speakers

★ Earphone & Batteries Included
Size: 105%"x6%"x2%". Shpg. wt. 5 lbs

8 TRANSISTOR RADIO



* Sensitive Ferrite Antenna

Sensitivity

\$599

Olson **RA-748**

Tremendous sensitivity with powerful 8 transistor chassis and built-in ferrite bar antenna. Rugged 2" PM speaker and push-pull audio output deliver big set tone. Eye-appealing case is trimmed in chrome and has magnifier window for station selector. An earphone jack is provided on the side of the case. Size: 4½" M. x 2½ " W. x 1¼" D. Includes: earphone with case, case, and battery. Shipping weight 2 lbs.

ORDER BY PHONE
DAY or NIGHT 216 - 535-9191

Juliatte

AM-FM-Police Band



★ Police Band *2 148-174 MC

RA-64 \$**CQ**95 MONTHLY

★ 18 TRANSISTOR CIRCUIT

4" Dynamic Speaker Chrome Die-Cast Front Panel Shoulder Strap Operates on Battery or House Current Illuminated Dial

Size: $9\frac{1}{4}$ " x $5\frac{3}{4}$ " x $3\frac{1}{2}$ ". Shipping weight 2 lbs.

9 Transistor FM-AM Portable RADIO



★ Telescoping Antenna

With Battery, Earphone and Carrying Case

RA-723 51199

Super sensitive 9 transistor circuit. 21" telescoping antenna disappears into top of case when not in use. 2\fomale*" PM speaker plus powerful amplifier deliver room-filling volume. Size 3" W. x 4\fomale*" H. x 1\fomale*" D. Shipping weight 2\fomale* lbs. Style may vary from illustration.

4 BAND AM/FM Police / Aircraft Receiver



Oison RA-107

★ Solid State Circuitry ★ Police: 148 to 174 MC

* Aircraft: 107 to 136 MC * Squelch Control

★ 13 to 1 Vernier Tuning

* Battery or House Current Size: 7"x101/4"x33/4". Shipping weight 7 lbs

FM-AM TABLE RADIO



00

Chrome Plated **ROD ANTENNA**

6 Section rod antenna telescopes to 27". Collapsed length is $5\frac{1}{2}$ ". Mounts in $\frac{1}{2}$ " dia. hole. Hardware included. Perfect replacement for many FM radios. Shpg. wt. 1/4 lb.

3 · @ \$1.79 ea.

Obsor AA-196

EACH \$1.99



CRYSTAL RADIO KIT ★ Geranium Diode Detector

RA-636 Complete crystal radio kit

★ Superheterodyne Circuit * Push-pull Audlo * Built-in Speaker Size: 25%" W. x 41/2" H. x 13/4" D. Style may vary slightly. Shpg. wt. 2 lbs.

including earphone. Has variable tuning condenser with dial. Antenna lead is equipped with clip. Size: 31/8" x 2" x 1". Shipping wt. 1/4 lb.



AUTO RADAR SENTRY Audible Signal Warns of Radar Zones ★ Transistorized ★ "S" and "X" Bands ★ Transistorized No External Wires * Built-in Antenna

For A Happy Safe Vacation

095



Solid State Reverberation SOUND SYSTEM



SURROUND YOURSELF WITH MUSIC

AUTO REVERB

Your AM or FM car radio or tape

player will take on new dimension

with this reverberation system. In-

stalls easily under dash. Handsomely

styled with brushed aluminum and

woodgrain panel. Operates rear speak-

er with or without reverb. Bongo ef-

fect is completely eliminated. Com-

plete with instructions and hardware.

Size: 6½" W. x 3¾" D. x 1¾" H. Operates on 12 volts DC neg ground.

★ 6"x9" Speaker and Grille Included

Shipping weight 5 lbs.

★ 12 Volts, Neg. Ground

** Convenient Under Dash Mounting

** Operates Rear Speaker with or without Reverb
Installs in minutes with no drilling. Handsomely styled with brushed aluminum control plate. Only two wires to rear of carno complicated hook-up. Combination control/switch turns reverberator on and off and also adjusts balance between front and rear speaker. Connect to your existing rear speaker or select a speaker from those listed below. Complete with instructions and all cable and connectors. Size: 6½" W. x 3¾" D. x 1¾" H. Operates on 12 volts, neg. ground system. Shipping weight 3 lbs. 6" x 9" PM Speaker Disco 5-224 \$2.76

Heavy Duty 6" x 9" Disco 5-280 \$3.69

Heavy Duty 6" x 9" Outon \$-280 6" x 9" Speaker Grille Olice CA-327

AU-129

Deluxe All Transistor Radio

Designed For Volkswagen Auto * AUTOMATIC VOLUME * 6 & 12 Volt Easy installation. Automatic volume control provides constant, even, comfort-level listening. free from drifting and fading. Includes all mounting hardware. Size: 7½" W. x 4½" D. x 1½" H. Uses 4 or 8 ohm speakers. Shipping weight 7½ lbs.

★ Side Cowl Antenna for VW, No. AA-160 Deluxe PUSH BUTTON, All Transistor Radio For VW, No. RA-732 \$39.95

AMP/OIL GAUGE

CUSTOM FIT, AM-FM Push-Button Radio For 1967 VW (less speaker) 12 volt. No. AS-150

Illuminated

★ Modern

Styling

60-0-60 Amps

0-80 Oil Pressure

White On Black Dial Face



All Transistor

A FM AUTO RADIO TUNER

* For 12 Volt Negative Ground Autos

Simply plug into your present radio, no complicated hook up. Full automatic gain control eliminates over-loading in strong signal areas. Advanced designed automatic frequency control. Has output jack for multiplex. Tuning range 88 to 108 megacycle FM band. Size: 6%" x 1¾" x 4¾". Shipping wt. 5 lbs.

\$73

\$ 1 98

ME-154

Mounting Instructions & Hardware Included

Protect Auto Engine From Damage Operates on 12 Volts DC. Shpg. wt. 2 lbs.

12-VOLT AUTO RADIO

\$39°8

RA-679

B DELUXE AM RADIO

★ 6 or 12 V., Pos. or Neg. Ground

All transistor circuit requires no warm up. Radio is complete with built-in speaker. Has continuous variable tone control. Slide rule dial is easy to read. Adjustable mounting brackets permit custom fit to the dash panel. Size: 1\%" x 4\%" x 9". Shipping weight 5 lbs. Oison

RA-974

C UNDER-DASH FM-AM RADIO 12 Voit Neg. Ground

A complete solid state FM-AM radio in a compact package to fit into any 12 volt neg. gnd. car. Has jack for multiplex adapter. Features continuously variable tone control. Complete with external 5" x 7" PM speaker. Size: 11/8" x 4" x 9". For 12 volt negative ground systems. Shipping weight 6 lbs.

Olson **RA-972** \$59°8

D FM Multiplex Adapter

- * Red & Green Indicator Lamps
- * Easy Installation

★ For 1.2 V. Neg. Ground Autos

Connects to Ranger FM auto radio to receive FM multiplex broadcasts. Solid state circuitry for instant operation. Balance control permits adjustment of channel separation. High fidelity audio circuit. Red light indicates when unit is on, green light indicates stations broadcasting in stereo. Easy installation. For 12 volt neg. ground systems. Size: 1½: x 4" x 9". Shipping weight 4 lbs.

Olson RA-973

\$8 Monthly \$7998

E MARINE-SHORT WAVE CONVERTER

★ 1.94 TO 6.34 MC BAND

Converts any AM radio to receive marine and short wave band. All transistor circuitry requires no warm up. Built in RF stage for distant reception. 4 MV, sensitivity. Easy installation. Size: 11/8" x 4" x 9". For 12 volt neg. ground systems. Shipping weight 4 lbs.

Olson RA-971

Take It With You On Your Vacation

J. T. Griffin, 3020 Craigbaum Rd., Beltsville, Md. 20705; wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

SOUND **SYSTEM**



6"x9" PM Speaker, Otson S-224

Concert Master 'REVERB' SYSTEM TUNABLE Olson AU-94 ★ Wide Range 6"x9" Speaker Works In 12 Volt Cars * Transistorized * For Neg. Ground System

Concert-Master compensates for the absence of reflected waves in a car by reproducing a second set of waves from a rear speaker and acoustically mixing both. This unit can be added to any 12-volt negative ground radio—AM or FM. Includes 6" x 9" speaker with grille plus wiring harness. Rear speaker may be operated with or without reverberation. Made in U.S.A. Shipping weight 7½ lbs.

ink mounted "Reverb" system. Same features as system above but reverb mounts in trunk of car. Includes speaker grille and wire. Shpg. wt. $7\frac{1}{2}$ lbs.



Low silhouette lends itself well to any installation. Excellent sensitivity and stability plus effective AVC assure steady clear reception in any area. Transistor powered for greatest economy. Compact size: 6½" x 2¾" x 8¾". With hardware and instructions For use on 12-volt negative ground system. Shipping weight 6½ lbs.

TOP COWL MOUNTING ANTENNA WITH CABLE AND PLUG

Olson AA-134 \$1.59 ea



Transistor Auto Radio SPEAKER KIT

* With Grille, ★ 6"x9" Speak-

★ 10-20 40 ohm 6"x9" Multi-Ohm SPEAKER (10-20-

40 ohm)
One S-661 \$3.98
4"x10" MultiOhm SPEAKER
(10-20-40 ohm)
One S-662 \$4.19

31/4 lbs. Shipping weight

Olson AUTO SPEAKER **FADER**



Complete With Wire & Instructions Fader control adjusts balance between front and rear speakers. Has miniature phone jack on control panel for connecting an extension speaker. When speaker is plugged in, front and rear speakers are turned off automatically. Ideal for moving speaker to picnic table, beach, etc. Shipping weight 1/4 lb.



Hangs on wall — sits on desk. Can also be used as a nite light. High and Lo intensity, chrome telescoping shaft. 110-120 V. AC 50/60 cps. Shipping weight 3 lbs.



Large 5" diameter, four power magnification lens surrounded by a 22 watt circline fluorescent tube provides cool shadowless lighting. Can be raised or lowered; to 45". Mounts to desk. etc. For to 45". Mounts to desk. etc. For 110-125 volts. Made in U.S.A. Shpg. wt. 81/4 lbs.



Clamps to desk or horizontal surface. For 110-125 volts AC. Shpg. wt. 4½ lbs.

\$19.99

OISON EXCLUSIVE PURCHASE!




AMERICAN The Chairside MEDITERRANEAN Martinsville STEREO CONSOLE TABLES

Tables, When **Completely Stereo** Equipped, Sold For

CHANGER COMPARTMENT: 185%" W X 1234" D X 5%" H RECEIVER COMPARTMENT:

50

Each Table Cut For 12" Speaker



Suggested Receiver: Symphonic AM-FM-MPX with 40 watts output (see RA-15 on page 15)

Mounting template

Suggested Changer: Garrard Model 30

Complete with ceramic turnover cartridge and mounting template. (See RP-361 on page 17)

SUGGESTED SPEAKERS-SALE PRICED When purchased with CA-387 or CA-386 Cabinet. (SEE COMPLETE DESCRIPTION PG. 12)


GOOD No. S-784 Reg. \$27.99

BETTER No. S-785

No. S-716 Reg. \$79.98 BEST

CABINET


Reg. \$39.98 CABINET ...











Otson CA-387 **BOTH FOR**

(Less Stereo Components) \$11 MONTHLY WEST COAST PRICE: \$144 PAIR, LESS COMPONENTS

Sit "between" the music and experience the unique sound of earphone listening. Arrange your room with highly styled furniture that doubles as end tables. Change records while sitting - from glide-out changer.

- Beautiful sculptured styling
- The finest solid woods
- Large record storage compartment
- Use as end tables and/or stereo cabinets
- Warm walnut with distressed finish
- Factory sealed cartons
- Manufactured by "American of Martinsville"
- Compatible with almost any style furniture
- Selected hardware adds decorator touch
- Group with other furniture or stand alone

Shipping weight 130 lbs. pair

AMERICAN Martinsville

Chairside TRADITIONAL STEREO CONSOLE TABLES

- Beautiful walnut finish
- Functional modern styling
- Professional craftsmanship
- Blends with any decor Stain and mar resistant
- Solid woods

Shipping weight 130 lbs. pair



(less stereo components)

Tables, when

· Both Tables Cut For 12" Speakers

\$11 MONTHLY

260 S. Forge St.

Each Table Cut For 12" Speaker

WEST Coast Price: \$144 pair, less components

OLSON ELECTRO

Akron, Ohio

Catalog 568, Copyrighted 1968, OLSON ELECTRONICS