

# Lafayette Camera Corporation

DIVISION OF WHOLESALE RADIO SERVICE COMPANY, INC.

HEN LOSKY IN CHICAGO STORY OF STORY OF

World Radio History

# All American 35 m.m. Cameras

# PERFEX









#### PERFEX Forty Four-An AMERICAN Leader

- ★ Fast Anastigmat Lenses Focal Plane Shutter
- \* Coupled Range Finder

Now at last you can buy a truly fine 35 mm. candid camera that is entirely American made. And what is more it is priced unusually low for so splendid an instrument.

Every worthwhile feature is incorporated in this fine camera including a coupled range finder, an exposure meter, a focal-plane shutter, a flash synchronizer, etc. The lens employed is the world famed Graf Anastigmat available in both f:3.5 and f:2.8. These lenses are interchangeable with telephoto and other special lenses as desired. An auto-matic film transport advances the film exactly one exposure at a time and automatically cocks the shutter for the next exposure. The focal plane shutter provides speeds from 1 second to 1/1250 second and has provision for bulb operation. Both the correct shutter speed and diaphragm setting are easily determined for any lighting condition by means of a built-in step-wedge exposure meter. \* Built-in Synchronizer Built-in Exposure Meter \* Automatic Film Transport

The case is of die-cast aluminum cov-The case is of die-cast aluminum covered with leather and trimmed with attractive chrome plate. The camera body measures 5 9/16 x 1 9/16 x 2 23/32 inches and weighs approximately 22 ounces. The camera uses standard 35mm film in either 18 or 36 exposure rolls for black and white or full color. This is a truly universal camera and can be used for reactifically any type of

acan be used for practically any type of work including flash work for which the built-in synchronizer assures split-second timing. Shpg. wt. 3 lbs. PH1775-Perfex 44 with Graf f:3.5 lens.

YOUR COST \$37.50 PH9482-Port. attach. for either above. YOUR \$1.39

PH9688—Eveready case for above .\$5.00 ABOVE CAMERAS POSTPAID IN U.S.A.

#### **EASTMAN'S New Moderately Priced Cameras**

#### \* Finger Tip Focusing Automatic Exposure Counter

The most famous maker of photographic equipment now offers new low prices on these popular miniature cameras. Built to the high precision standards that have made the name Eastman Kodak famous, these new 35mm models are capable of producing excellent results in black and white and in full color. Three models are available offering a

choice of three lens speeds; each lens is mounted in its companion shutter. All models are covered with fine pin seal grain leather. Top and bottom plates are in satin finish chrome. All models in-clude folding optical eye-level view finder, finger tip focusing (from four feet to infinity, by revolving lens mount), automatic exposure counter, film centering and locking device.

★ Kodak Anastigmat Lenses ★ Precision Workmanship

F:3.5 and f:4.5 models have double ex-

1/100 sec. shutter. \$13.05 List \$18.50, YOUR COST.. \$15.6 PH9465—Portrait attachment for 1:5.6 model (7A) PH9610—Eveready case for above.\$5.95

#### ARGUS—The Pioneer American Candid Cameras

#### ARGUS Model C-2 🖈 Coupled Range Finder

Micromatic Shutter 🛊 Interchangeable Lenses

Perfect focusing is assured in the Argus model C-2 by a coupled range-finder having a range of from 3 feet to infinity. The lens is a sharp cutting 1:3.5 anas-The lens is a sharp cutting f:3.5 anastigmat capable of making negatives that can be enlarged beautifully. Either black and white or color film can be used. The shutter has a maximum speed of 1/300 sec. and has provision for "buib" exposures. The case of the camera is of die-cast aluminum covered with pincarl legitles and tribund in black procedured.

seal leather and trimmed in chrome.

The Argus C-2 is sturdily constructed and each part assembled with great precision assuring long and satisfactory life. Any make of standard 35mm film can be used in either the 18 or 36 ex-

posure rolls. PH1542—Model C-2. rH1542-Model C-2. \$25.00
PH9614-Eveready case for the above.
YOUR COST 

PH9487—Portrait attachment for C-2.

ARGUS Models A2 & A2F

★ Built-in Exposure Meter ★ Fast f:4.5 Lens \* Moulded Bakelite Cases

New and improved models of the famous pioneer American candid camera. New lens mountings, improved shutters and a new built-in exposure meter make these cameras more than ever the best camera buy. Cases are of moulded plastic that is tough and durable as well as highly afficient.

PH1741—Model A2F similar to the above but including a focusing mount that permits accurate focusing to 1½ feet, f:4.5 lens and built-in meter. \$15.00

BOTH MODELS POSTPAID IN U.S.A.

Portrait attachment for either model.
PH9488—YOUR COST ......90c PH9457—Med. Yellow Filter. PH9458—Green Filter.

PH9691-Eveready cowhide case for above models ......\$2.98

World Radio History



**World Radio History** 

Be Undersold.

#### AGFA "Shur-Shot" Special

Deluxe models of the Shur-Shot take exceptional pictures and are beautiful and rugged. They take 8 full-size or 15 to 16 half-size pictures on the same roll of film. Complete with built-in portrait lens and Built-in Yellow Filter. Have two brilliant

### 1465 - Model B2. Takes 8 pictures 2:4x 314" or 16 15 x2:4" on B2 (120) rol! film. SHIPPED POSTPAID IN U.S.A. \$2.51 YOUR COST. PH1666-Model D6. Takes 8 pictures 2½x 4¼ or 15 2°8x2°2" on D6 (116) roll film. SHIPPED POSTPAID IN U.S.A. ONLY.

KODAK Bullet Camera

A most intriguing little picture maker. Built A most introducing the picture interest and ingenious spiral mount instead of a bellows. Lens comes out to picture-taking position with a single turn. Picture size: 15 gx21 2 inches. (Uses No. 127 film.) Meniscus lens. Shutter has snapshot and bulb actions. Moulded construction, raised ribbing, glossy black finish. Has eyelevel finder and removable back for Quick Loading.

PHIS50 — SHIPPED POSTPAID IN U.S.A.

ONLY. YOUR COST ..... \$1.70 PH9665—Eveready type case for above with

strap.
YOUR COST ..... ..79°

#### **KODAK Brownies**

The widely known, easy to use box cameras that produce 8 excellent pictures. eras that produce 8 excellent pictures.

PH1560-Six-16. Jr. Meniscus lens. Picture size 2-2x41/2". [No. 616 film].

List \$2.35. YOUR COST.

PH1558-Six-16. Regular Diway lens. Picture 21 2 x 41/4". Porfrait lens.

List \$3.25. YOUR COST.

PH1559-Six-20. Jr. Meniscus lens. Picture size 2-4x31/4" (No. 620 film).


List \$2.00. YOUR COST.


PH1557-Six-20. Regular Diway lens. Picture 2-1/4x31/4". Porfrait lens.

List \$2.85. YOUR COST.

ALL SHIPPED POSTFAID IN U.S.A. ONLY ALL SHIPPED POSTPAID IN U.S.A. ONLY

# NEW STYLING ST NEW FEATURES ST







#### EVEN FINER PICTURES ST AND







# YOU ALWAYS SAVE AT Latayette

#### E.K. Six-20 Bull's Eye

A new, modern style compact camera that can be used by anyone. Capable of producing fine pictures and is unusually easy to operate. Has glossy black molded tapered body with raised ribbing. Features include: fine Meniscus lens; tubular "spydisce" view finds at too; fixed focus with include: fine Meniscus lens; tubular "spy-glass" view finder at top; fixed focus, with range from 8 feet to infinity; easy loading— top is removable; braided carrying strap. Takes 8 pictures 2½x3½" on standard No. 620 roll film. Instantaneous and time action shutter. You just aim and snap. SHIPPED POSTPAID IN U.S.A. ONLY. PH1527—List \$2.75. YOUR COST.

KODAK Baby Brownie

A special Eastman Kodak camera that's a "Baby" in size and price only. Takes 8 pictures 1x215" on No. 127 roll film. Meniscus lens, rotary shutter, snapshot action. Bakelite case. List Price \$1.00.

PH1552-YOUR COST.

#### LARK Candid Camera

- All-Metal Body
- Spevar F.7.7 Achromatic Lens
- Fixed Focus-No Guesswork

This All Metal Case Candid Camera is of-This All Metal Case Candid Camera is offered at a price that has never before been equalited! Just examine these costly features, and you'll know why we rate the Lark so highly! Spevar F.7.7 Achromatic 2-element lens; four diaphragm openings at f.7.7. 11. 16 and 22; time and snapshots; fixed focus—no guessing of distances; telescopic eye-level finder; steel body finished in black crackle; takes 16 pictures 1\(^1/4\times1^5\varepsilon^2\varepsilon^2\varepsilon finished in black crackle; takes 16 pictures 1\(^1/4\times1^5\varepsilon^2\varepsilon finished in black crackle; takes 1

PH1725\_ YOUR COST .....

PH9660 - Eveready case complete with shoulder strap. YOUR COST......79°

#### KODAK Six-16 and Six-20 **Brownie Specials**

Latest and finest in box-type cameras. Latest and finest in box-type cameras. Strikingly new in looks, compactness and convenience. In steel, durable cases with tapered from. Features include: fine Kodak Meniscus lens; brilliant "spy-glass" finder frames subject from eye level; plunger shutter release within easy finger reach and a safety latch to prevent accidental exposure; smooth working rolary shutter providing time and instantaneous exposure. Focusing range 3 feet to infinity.

PH1561 - Six-16 Brownie Special. Takes 8 pictures 2½x4½" on 616 roll \$3.62 film. YOUR COST. 

PH9465-7A Portrait Attachment for either of above. YOUR COST......95c

# POPULAR EDITIONS of AMERICAN FAVORITES

#### NEW! IRWIN "Reflex" Cameras ★ Twin-Lens Full-Size Ground Glass Focusing

All-American made reflex cameras that are sensational in per formance and price. Modernly styled and attractively finished you will be proud to own and use these cameras. Full size ground you will be proud to own and use these cameras. Full size ground glass focusing permits composing the picture exactly as it will appear in the finished print. "Taking" and "finder" lenses are carefully matched so that you will always get exactly what you see in the finder. In addition an optical type cirect view finder is furnished for "sport" use in following fast moving objects. Three models are available each an exceptional value at its price. The first (Model R513) is fixed tocus, the others adjustable focus. ALL IRWIN CAMERAS SHIPPED POSTPAID IN U.S.A. Model R513—Two matched fir.7 achromatic lenses—4 stops—16 prictures on 127 film.

PH1760— \$6.75
YOUR COST.....

Eveready case for above. PH9697-YOUR COST....\$1.39

Model R514-Two matched f:4.5 anastigmat lenses — focusing from 3 feet to infinity—shutter speeds 1/25 to 1/200th second plus time and bulb-16 pictures on 127 film. PH1761-PH1761-YOUR COST.... \$17.95

Model R515—Two matched f:3.5 anastigmat lenses — focusing from 3 feet to infinity—shutter speeds 1.25 to 1.200th second, T. & B.—16 pictures on 127 film. PH1762—YOUR COST....\$22.50

Eveready cowhide case complete with shoulder strap.
PH9698—YOUR COST....\$2.89

#### AGFA Clipper

These remarkable cameras have already established an enviable reputation for themselves. Employing the well known "candid" principles of compactness and ease of operation they make fine pictures. Each picture is 21-2x2-1/16" and 15 of them can be made on a standard PD-16 (616) roll of film. Camera features include: optical view tures include: optical view finder, hinged back for easy finder, hinged back for easy loading, tripod socket, leather-ette covered steel body, etc. PM1543 – Agta PD16 Clipper with f:6.3 lens and speeds from 1/25 to 1/100 sec. T. & B List \$15.50. \$13.95 YOUR COST... \$13.95 PH9469-No. 26 port. attach for PH1543. YOUR COST... 89c PH9468-No. 22 portrait attachment for PH1667. EACH ... 89c Filters For PH1667 PH9457-Yellow. PH9458-Green. PH9459-Red. \$1.19

FALCON "Press Flash"

\* The Most Sensational Small Camera Development in Years! \* Simple to Use!

No need to worry about the sun or any artificial light for illumination—you have your own light source with you at all times with this remarkable camera. You do just as professional "news" photographers do—"flash" every picture you take and always have a successful picture. No need to worry about lens settings or shutter settings—since your light is always the same these can be fixed. There are no extra "gadgets" of any type—the "synchronizer" is built right into the camera as is the reflector and the battery case. No delicate adjustments—synchronization is always perfect. And best of all it takes a real album size picture 2½x3½". Uses No. 120 (B2) roll film. Sturdily built of moulded plastic, beautifully finished.
PH1780-Falcon "Press Flash" Camera with 4 Superflash bulbs and "Penlite" battery. SHIPPED POSTPAID IN U.S.A. \$5.95

YOUR COST. 14c
PH8050—Superflash "0" Bulbs. (6 for 75c) EACH. 14c
PH8051—Superflash "1" Bulbs. (6 for 94c) EACH. 17c

**EASTMAN** "Jiffy Kodaks" ★ Compact Cameras for Large Size Pictures

Compact Cameras for Large Size Pictures
Famous Eastman precision construction makes these new Jiffy
Kodaks outstanding in value and performance. Unusual in design
these cameras are very compact when closed yet make large size
pictures that can be mounted in your album without enlargement. Excellent lens equipment provides wire sharp negatives
that can be enlarged several fold, without loss of detail, for
framing. Models Six-16 and Six-20 are equipped with the "near
and far" Twindar lens. All have vertical and horizontal view
finders giving brilliant right-side-up images. Bellows are selfextending at the touch of a button-press one button to open the
camera and another to make your picture. A beautiful camera
to own-a simple one to use.
PH1545 - Jiffy Kodak Six-16.
Series II with Twindar lens.
Takes 8 pictures 21/2x11/x
Takes 8 pictures 21/2x11/x
Takes 8 pictures 21/2x11/x
Takes 8 pictures 21/2x11/x
PH9628 - Cowhide case with

YOUR COST....
PH9619 – Cowhide case with shoulder strap for Vest Pocket model. YOUR COST....\$1.89
PH9462 – Portrait attachment for Jiffy Vest Pocket model. 74c
KODAKS POSTPAID IN U.S.A.

AGFA "Readysets"

These two new Agra Ready-set cameras combine unusually low cost with the ultimate in operating simplicity. Picture taking is merely a matter of "Open – Aim – Shoot." Yet this simplicity of operation does not detract from certainty of excellent results. Features include: hinged back with safety catch; grasshopper opening and easy closing devices; sturdy steel construction; bril-liant reversible finder; tripod liant reversible finder; tripod socket inserts; special stop for time exposures; good αch tomatic lens; PB20 takes 8 exposures 2½αΧ½, ατα PB20 (620) film; PD16 takes 8 exposures 2½αΧ½, ατα PD16 (616) film. PH1668—PB20. YOUR COST.....

PH1669-PD16. \$7.88
YOUR COST. ABOVE POSTPAID IN U.S.A. PH9629—Cowhide carrying Agfa Readyset ........33c

Falcon-Flex

Falcon-Flex

Full Size View Finder

New reflex-type cameras taking the popular 2½ x 2½ taken to a camera to fit a horizontal or vertical subject. The large brilliant view finder gives you the full size image exactly as you will see it in your finished print enabling you to watch every expression of your subject so that you can "snap" the picture at exactly the right moment. Two types of lenses are available—the Faltar 75 mm. lens and the 1:7.7, Achromatic lens. Both are equipped with 3 stop openings and a shutter for both instantaneous and time exposures. You get 12 pictures on a regular sexposure roll of No. 120 (B-2) film, Like all Falcon cameras these too are All-American made and are fully guaranteed.

PH1781-With Faltar 75 mm, lens.

PH1782-Falcon-Flex with f:7.7 lens. 

# AGFA MEMO



A remarkable new candid camera at a remarkably low price. Furnished with a Memor f.3.5,50 mm. corrected enastigmat lens that focuses from 3½ ft. to infinity; in shutter giving speeds from 1/20 to 1/200 second, time and bulb. Other features: automatic exposure counter; built-in depth of field scale; brilliant direct view finder; triped scales; exclusive sliding lever for advancing the tripod socket; exclusive sliding lever for advancing the film; quick positioning front. Takes 24 double frame exposures 1 7/16x15/16" on the special Memo cartridges. Extremely compact and sturdy. Complete with neck cord. PH1670-Lens diam. 21 mm.

\$22.50 

Memo 35 MM. Cartridges

ALL ABOVE SHIPPED POSTPAID IN U.S.A.

MERCURY MIVEX

★ Fine TRICOR F:3.5 Lens ★ Speeds to 1/1000 Second ★ Photoflash Synchronizer ★ Focal Plane Shutter ★ Automatic Film Transport ★ Built-in Exposure Calculator

The latest American made super-speed candid camera at a price within the reach of everyone. Incorporates features usually found only in the most expensive foreign made cameras, including; shutter speeds from 1/20 to 1/1000 second; built-in photoflash synchronizer; automatic film transport coupled with the film winding knob to prevent double exposures; automatic exposure counter; brilliant parallax corrections view finder; focusing hy 17 graduations from 18 inches to postres; automatic exposure counter; british patient correcting view finder; focusing by 17 graduations from 18 inches to infinity. Uses quick loading, economical 35 mm. film (36 exposure rolls). Weighs 18 ounces and measures 5 7/16x2½x1¾°. Polished aluminum case with genuine leather covering. Furnished with fine TRICOR f:3.5, 35 mm. focus lens. \$25.00 PH1832—YOUR COST, POSTPAID.

PH9687—Eveready cowhide carrying case for above....\$5.00 

Film for Univex Mercury SHIPPED POSTPAID IN U.S.A.

PH3400-- Ultrachrome 36 exp. EACH......40c PH3401-Microtomic 36 exp. EACH..... . .45€ PH3402-Ultrapan S.S. 35 exp. EACH.... ...50c

#### SUPER SPORT DOLLY

A beautifully constructed and perfectly functioning folding camera that is now available with a built-in range finder of the split image type. All models feature: self-erecting front; optical eye-level finder; genuine leather bellows and mask; etched hyperfocal distance table on back of camera. All take 16 exposures 1½x2½" or 12 exposures 2½x2½" or No. 120 film.

PH1528 - Super-Sport Dolly with Range Finder. Schneider Xenar f.2.8 lens in Com-pur shutter, I sec. to 1/250 sec., time and bulb and Delayed Action. Lens diameter .... 67.50 YOUR COST.....

PH1529 — As above, with Compur-Rapid shutter. Speeds to 1/400 sec. \$72.45

PH1530-Same as PH1528 but with Zeiss 

#### THE FOTH DERBY

Fine lightweight precision cameras weighing less than 12 ounces and measuring only 434x234x136". These fine mini-cameras use the latest type delayed action focal plane shutter with speeds up to 1/500 second. Rapid lenses make possible excellent finished results. Large tube sight view finder thilliters findings which finely revend ished results. Large tube sight view finder facilitates finding of subject. Finely ground lenses produce negatives that will permit enlargements of contact print quality. The Foth Derby takes 16 exposures on standard vest pocket (No. 127) film, 15%212". Shutter speeds provided are: from 1/25 to 1/500 second, time and bulb. All have hinged backs for easy loading; all have accurate exposure counter that indicates the number of "shots" taken. Furnished with cable release and full instructions. of "shots" taken. Furnished with cable re-lease and full instructions.



#### FOLDING CAMERA

PH9615 — Eveready case for PH1528, PH1529 or PH1530. Wt. 2 lbs. \$6.95 YOUR COST .....

#### VEST POCKET DOLLY

Ultra-compact folding camera that takes 12 exposures  $1\frac{1}{9}$  x2½" or 16 exposures  $1\frac{1}{9}$  x2½" or 16 exposures  $1\frac{1}{9}$  x1½%" on No. 127 (V.P.) film. Has fine Corygon f.3.5 lens in Compur shutter; speeds to  $1\frac{1}{9}$ 00 sec., T. and B. Other features same as Super-Sport Dolly. Lens diam, 29 mm. List \$25.00 \$26.55 PH 735-YOUR COST.....\$2.55 PH 7616-Plush lined leather case for above, YOUR COST.....\$1.95 ALL DOLLY CAMERAS SHIPPED POSTPAID IN U.S.A. ONLY.

#### CANDID CAMERA

PH1730—Foth Derby Mini-Camera with 1.3.5 Foth Anastigmat lens. Lens diameter 29 mm. \$19.35 29 mm. YOUR COST.....

PH1731—Foth Derby Mini-Camera with f.2.5 Foth Anastigmat lens. Lens diam. 

PH9690—Eveready case of top-grain cowhide with flat front. "Supersewn". Has carrying and shoulder straps. For either of the above models. Shpg. Wt. 11/2 lbs. YOUR

..... \$3.49

Reflex-Korelle—An extremely compact single lens reflex camera employing a focal plane shutter. Critical, accurate ground glass focusing. You focus the actual taking lens—thus eliminating any chance of error in focusing, or composition due to parallax. You see the picture full size (214,"x214,") and right side up just as it will appear in the finished print. A built-in magnifier enlarges a portion of the ground glass image for critical focusing. The focal plane shutter provides speeds up to 1/500th second. Coupled lim advance automatically moves film forward exactly one exposure and rewinds shutter resetting it at the same setting as the last picture taken. Exposure counter shows at a glance how many it at the same setting as the last picture taken. Exposure counter shows at a glance how many pictures have been taken. Takes 12 pictures 21½"x21½" on a standard No. 120 roll. Hinged camera back makes loading simple and quick. Lenses are easily interchanged. Precision construction makes for unusual compactness. Measures 53½"x31½"x33¾". Body is of aluminum alloy covered in leather.

All parts are made fitted with great accuracy. Complete with wire frame type direct-view finder for use in shooting fast moving objects.

PH1691 — Reflex-Karelle with f.3.5 Victar lens. Lens diam. 37 mm. Shpg. wt. 4 lbs. \$56.25 List \$62.50 YOUR COST.........

REFLEX-KORELLEA

REFLEX CAMERAS

ORITES



ROLLEICORD

• Reflex-Korelle •

VOICTIANDER BAILLIANT of the famous Voightlander Brilliant cameras. Operates on a necial optical principle. A milled ring around the outside sdge the finder lens is adjusted until the image seen on a matter ished disc in the center of the large view finder suddenly rings into sharpness. Features: magnifying glass for view ander, separate direct-view optical linder, depth of focus table, automatic film locking and counting device. Camera fernished complete with a compartment containing a light yellow filter and a Brilliant Exposure Meter.

PH1701—Focusing Brilliant with Voigtar 1:45 long in Containing a light yellow filter and a series of the containing and counting device.

a Brilliant Exposure Meter.
PH1701—Focusing Brilliant with Voigtar f:4.5 lens in Compur Regular shutter. Speeds 1 sec. to 1/300th second.
YOUR COST POSTPAID IN U.S.A. ONLY.
PH1702—Same as above with Voigtar f:3.5 lens.
YOUR COST POSTPAID IN U.S.A. ONLY.
PH1703—Focusing Brilliant with Skopar f:3.5 lens in Compur Rapid shutter. Speeds 1 sec. to 1/500th second.
YOUR COST POSTPAID IN U.S.A. ONLY.
PH1704—Focusing Brilliant with Heliar f:3.5 lens in Compur Rapid shutter. Speeds 1 sec. to 1/500th second.
YOUR COST POSTPAID IN U.S.A. ONLY.
PH1704—Focusing Brilliant with Heliar f:3.5 lens in Compur Rapid shutter. Speeds 1 sec. to 1/500th second.
YOUR COST POSTPAID IN U.S.A. ONLY.
PH9531—Bedium Yellow Filter with case.
PH9531—Green Filter with case. EITHER TYPE, EACH.
3.89
PH9531—Wavilland Sinches, with case. YOUR COST.
Sinches, with case. YOUR COST.
PH9564—Eveready Cowhide Case with strap.

SA402

PH9696—Eveready Cowhide Case with strap.

SA402

SA4

ROLLEICORD—The camera that has made many of the winning pictures in salons throughout the world. The camera with which you see what you take before, during and after the exposure. Ground glass, focusing full picture size—always a sharp picture. Focusing control knob is on the side of the camera. Diaphragm and shutter values visible from above. Compur shutter. Shutter cocked automatically with one lever. Self-erecting hood with built-in magnifying glass. May also be used as direct view finder. Automatic film transport—no need to watch the window when turning from one exposure to another. Precision construction throughout. Case covered with pin seal leather.

Rolleicord Model 1A—With Zeiss Triotar 1:4.5 lens in one lever Compur shutter. Speeds: 1 sec. to 1/300th sec. 12 exposures 21/4x21/4" on 120 film. 1:3.2 finder lens.

PH1800—YOUR COST POSTPAID IN U.S.A. ONLY.

Solved 11—As above but with Zeiss Triotar 1:3.5 lens. PH1801—List \$77.50.

YOUR COST POSTPAID IN U.S.A. ONLY.

Solved 12 (A8) film. Zeiss Tessar 1:2.8 lens in one lever Compur shutter. Speeds: 1 sec. to 1/500th sec. Finder lens 1:2.8.

Complete with Evereddy Case. List \$125.00.

Solved 12 (A8) film. Zeiss Tessar 1:2.8 lens in one lever Compur shutter. Speeds: 1 sec. to 1/500th sec. Finder lens 1:2.8.

Complete with Evereddy Case. List \$125.00.

Solved 120 film. Compur Rapid shutter. Speeds: 1 sec. to 1/500th sec. Complete with Evereddy Case. List \$152.00.

PH1804—YOUR COST PREPAID IN U.S.A. ONLY

Beyonet Type Proxar Lenses—For PH1801 and PH1805

PH463—Set 1. Focusing range 31½" to 20". Shpg. wt. 1 lb. PH9463—Set 2. Focusing range 20" to 13". Shpg. wt. 1 lb. PH9463—Set 2. Focusing range 20" to 13". Shpg. wt. 1 lb. PH9464—Set 2. Focusing range 20" to 13". Shpg. wt. 1 lb. PH9464—Set 2. Focusing range 20" to 13". Shpg. wt. 1 lb. PH9464—Set 2. Focusing range 20" to 13". Shpg. wt. 1 lb. PH9464—Set 2. Focusing range 20" to 13". Shpg. wt. 1 lb. PH9464—Set 2. Focusing range 20" to 13". Shpg. wt. 1 lb. PH9464—Set 2. Focusing range 20" to 13". Shpg. wt. 1 lb. PH9





# JUNIOR 6-16 8 620

Series No. 2

The Kodak Juniors, Series No. 2, are The Kodak Juniors, Series No. 2, are among America's most popular favorites. Opening to picture-taking position with a single pull on the bed support, they get into action quickly and easily. Equipped with both reflecting and direct view finders, giving a choice of sighting from waist or the level. For less equipment ing a choice of sighting from waist or eye level. For lens equipment, you can have either the readily focused Kodak Bimat or a single lens that requires no focusing whatever. Both are mounted in reliable shutters and are fully capable within their intended picture-making ranges. And when your picture has been taken, your camera closes at the touch of a one-finger bar release. The Six-16 models take 8 pictures 2½ x4½" on 616 film; the Six-20 models take 8 pictures 2¼ x3¼" on 620 film. Two tripod sockets. Black pin-grain covering with bright x314" on 620 film. Two tripod sockets. Black pin-grain covering with bright nickel trimmings.

PH1520 — Kodak Junior Six-20 with Kodak Bimat lens; speeds to 1/100 second. List \$10.00.

PH1521 — Kodak Junior Six-16 with Kodak Bimat lens; speeds to 1/100 second. List \$11.50. \$10.35 PH1555 - Kodak Junior Six-20 with sirgle lens; snap and time adjustments. List 57.75. \$6.98

PH1556 - Kodak Junior Six-16 with single lens; snap and time adjustments. List \$9.25. YOUR COST .....

PH9629—Cowhide case with shoulder strap for Six-20 series. \$1.95

#### PORTRAIT ATTACHMENTS

No.	For Use With	Each
PH9466	PH1520	95c
PH9465	PH1521	95c
PH9452	PH1555	64c
PH9462	PH1556	74c

# JUNION SEITEN IIIS JUNIOR 616 AND 620

Series No. 3

SENIOR

This Kodak Junior series feature advanced styling, pronounced ability, big pictures and moderate cost. With their smooth contours, sturdy erecting arms and natural metal front the are undeniably modern in appearance. They all incorporate Anastigmat lenses, precise shutters, body shutter releases, optical eye-level finders and finger-tip focusing. All models listed at right come with excellent Kodex shutters, providing three speeds up to 1/100 of a second. The Six-16 models take 8 pictures 2½x3½" on No. 616 film; the Six-20 models take 8 pictures 2½x3½" on No. 620 film. Focusing, by revolving lens mount, from 3½ or 4 ft. to infinity. Have knurled film-winding knobs, folding optical eye-level finders, one-finger bed releases. Swing type metal cover over the film leases. Swing type metal cover over the film window. Covered in black morocco-grain.

PH1546-Kodak Junior Six-20 with Anastigmat PORTRAIT ATTACHMENTS
For Use With
PH1546
PH1547 Stock No. PH9466 PH9450 PH9465 EACH

PH1518 & PH1519

SPECIAL

# SENIOR 6-16 AND 620

Touch a button—your Senior pulls open, the lens ready for the picture. Touch a bar inside the bed and the mechanism folds back out of sight. bed and the mechanism folds back out of sight. Hold the open camera up to your eye with both hands and pick out your subject through the optical view-finder. Right at your finger tips-on the camera body—is a plunger button that trips the shutter at the instant when the picture is "right". Danger of camera movement is minized. The Six-16 Seniors take 8 pictures 2½ x4¼" on No. 116 film; the Six-20 Seniors take 8 pictures 2½ x4¼" on No. 120 film. Kodex shutters provide three speeds up to 1/100 second, time and bulb; Kodamatic shutter provides five speeds up to 1/200 second, time and bulb and delayed action self-timer. Focusing from 3½ or 4 ft. to infinity. Black pig-grain covering.

PH1549—Kodak Senior Six-16 with Anastigmat

PORTRAIT ATTACHMENTS
For Use With
PH1549
PH1548 PH1548
PH1553 Stock No. PH9465 PH9450 PH9466 EACH

# SPECIAL 6-16 AND 620

Nothing so delights the serious picture taker as Nothing so delights the serious picture taker as an instrument exactly suited to his discriminating taste. The Kodak Specials listed at the right present just that opportunity. Made for two picture sizes, the Specials have these advanced refinements: a folding optical view finder that catches the scene as you see it, from eye level; a finger-tip body shutter release that minimizes of movement; a built-in self-timer chances of movement; a built-in self-timer which enables the user to take his own picwhich enables, the user to take his own picture; a one-finger bed release for quick closing; a special aluminum case covered with pin-seal grain leather and trimmed with chromium and black lacquer. No term except "deluxe" adequately describes these cameras. Both models listed are provided with fast, finely corrected Kodck Anastigmat f.4.5 lens mounted in Compur-Bapid shutter providing 9 speeds to 1/400 second, time, bulb and delayed action.

Focusing range from 312 or 4 feet to infinity. Six-16 takes 8 pictures 214x414" on No. 116 film: Six-20 takes 8 pictures 214x314" on No. 120 film. Average shipping weight, each. 6 lbs. PM1523—Kodak Special Six-16 with Anc

PH1523 - Kodak Special Six-16 with Anastigmat 1.4.5 lens in Compur-Rapid shutter.
List \$43.00.
YOUR COST
PH9628-Cowhide case with shoulder strap for above. Shpg. wt. 2 lbs.
YOUR COST
PH1522-Kodak Special Six-20 with Anastigmat 1.4.5 lens in Compur. Rapid shutter.

1.4.5 lens in Compur-Rapid shutter.

1.4.5 lens in Compur-Hapid shutter.
List 539.50.
YOUR COST
PH9629 - Cowhide case with shoulder strap for above. Shpg. wt. 2 lbs.
YOUR COST
YOUR COST
\$1.95

pg. wt. 2 lbs.
ST.
PORTRAIT ATTACHMENTS
YOUR COST
For Use With EACH
95c For Use With PH1523 PH1522

ALL KODAK CAMERAS SHIPPED POST PAID IN U.S.A. ONLY

# KODAK BANTAM CAMERAS

Bantam Special

★ Super-Speed Super-Corrected Extra f:2.0 Lens
★ Coupled Range Finder—Compur Rapid Shutter
This beautiful Kodak Bantam Special has everything to be desired in a miniature camera. It is compact, sturdy and easy to use. Its Kodak Anastigmat Extra f:2.0 lens has the super-speed and correction you need for perfect pictures indoors and outdoors use. Its Kodak Anastigmat Ektar 1:2.0 lens has the super-speed and correction you need for perfect pictures indoors and outdoors in black and white or full natural color. An accurate military type range-finder is precision-coupled to this brilliant lens eliminating all guess work in focusing and providing pictures that are razor shorp.

inating all quess work in focusing and providing pictures that are razor sharp.

The famous Compur Rapid shutter is a fitting companion for the lens providing nine shutter speeds from one full second to 1/500th of a second plus time and bulb positions. The camera takes eight pictures on the standard 828 series of black and takes eight pictures on the standard 828 series of black and white and Kodachrome color films. The case is streamlined and is finished in extra hard enamel with contrasting bright metal stripes.

## Kodak BANTAM f:4.5

\* Kodak Special Anostigmof Lens

\* 1/200th Second Precision Shutter

\* 1/200th Second Precision Made throughout with a Kodak Special f:4.5

\* 1/200th Second Precision made throughout with beautifully sharp and canstigmat lens it is capable of taking beautifully sharp and clear pictures. With the new super-speed films it will make excellent pictures even in seemingly impossible light conditions. The lens is in a focusing mount and fitted with the well known. The lens is in a focusing mount and fitted with the well known of Kodak shutter having speeds from 1/25th to 1/200th second and Kodak shutter having speeds from 1/25th to 1/25th to 1/25th to 1/25th to

## Kodak BANTAM f:5.6

\* Kodak Anastigmat Lens in Focusing Mount

Folding Optical Direct View Finder
A fine Kodak anastigmat lens plus the precision workmanship for which Kodak has long been known makes this one of the outstanding values in a popularly priced camera. Employe the same standing values in a popularly priced camera. which Kodak has long been known makes this one of the outstanding values in a popularly priced camera. Employs the same Bantam film used in all of the cameras described on this page. Including the full color Kodachrome. Modern professional finituding the full color Kodachrome. Modern professional finituding the full color kodachrome desired size. Kodachrome film is returned to the factory for processing into beautiful chrome film is returned to the factory for processing into beautiful chrome film is returned to the factory for processing into beautiful chrometim is returned to the factory for processing into beautiful chrometim is returned to the factory for processing into beautiful chrometim in the factory for processing into beautiful projector. The Kodak anastigmat lens is fitted into a focus ing mount with a three speed shutter providing speeds up to 1/100th second plus time and bulb actions. Camera body is of 1/100th second plus time and bulb actions. Camera body is sturdy molded plastic with die cast aluminum lens board. Lens demand the family of the famil

sturdy molded plastic with the cust distillated of the

## Kodak BANTAM f:8.0

This is undoubtedly one of the most convenient cameras ever designed. Overall measurement is little more than four inches, small enough to fit the palm of the hand, yet photography with this convenient Bantam model has all the interest and verve that convenient Bantam model has all the interest and verve that you want. Modern photo finishing gives you album size enlarge you want. Modern photo finishing gives you album size enlarge the ments 23/4 x 4 inches. Because of a special device that centers the film as you wind from exposure to exposure you do not have to watch the window while winding. Lens is of the fixed focus type. Body is of sturdy molded plastic. Weighs only 8 ounces. Lens diameter 23mm.

# FILM FOR ALL BANTAM TYPE CAMERAS

All are 8 expos PH3000 FX-828 PH3001 - PX-828	Panatomic X Plus X		Each 23°	2 For 45°
РН3001—РХ-828 РН3002—XX-828	PH3020—K-828 PH3021—K-828/ (artificial light)	Kodachrom	me r	1.22





# SPEED GRAPHIC

NEW 21/4x31/4 SPEED

GRAPHIC ★ Versatile, Light, Compact-Easy to Handle

\* For All-Round Work ★ Interchangeable Lenses

\* Double Ext. Bellows ★ Speeds 1/10-1/1000

Here's that new edition of the famous Speed Graphic, one-third smaller than any other—but with all the versatility any other—but with all the smade and superline features that has made and superline features that has made and superfine features that has made Speed Graphic the chosen camera of Professionals and amateurs alike. An Interest of the Compact of the C

PH1925-21/4x31/4 Speed Graphic with 1438" 1.4.5 Bausch & Lomb Tessar 1ens, with 1 cut film holder, of 1 plate holder. S104.40 plate holder. PH1826-Same as Anastigmat 14.5" 1.4.5 Kodak Anastigmat YOUR

YOUR

Adapter. YOUR COST ... leather carrying case PH9661—Grain leather carrying dase PH9661—Grain leather carrying dase flor camera and 12 film holders).

America's Finest Miniature Reflex ★ F.3.5 Bausch &

Lomb Tessar Lens \* Speeds to 1/500 \* Focal Plane

★ 21/4×21/2" Picture

★ Has Built-In Micro-Focuser \* Exposure Guide

Just a Handful of big-perform-ance camera features that add up to one of America's camera values from every camera values from every viewpoint. F.3.5 B. & L. Tessar viewpoint. F.3.5 b. & L. Tessar for the first for a plane shut-lens; Graflex focal plane shut-ters followision ground glass lens; Graflex focal plane shutter; full-vision ground glass ter; full-vision ground top focusing; self-erecting top focusing; self-erecting country and stop. A true precision in and stop. It is one of the strument. It is one constructed and designed entirely by Americans.



PH9702-Sportsman's Carrying PH9702—Sportsman's Carrying
Case (plush lined).
YOUR COST
Direct View Finder for Eye
Level Photography.
FH9338—EACH. Copying Attachment (working distance 18").
PH9491-YOUR COST... \$2.49 PH9491-YOUR COST... \$2.49
Copying Attachment (working distance 12").
PH9492-YOUR COST... \$3.29
PH9492-X-1 (Lt. Yellow)
PH9493-X-1 (Lt. Yellow)
PH9494-X-2 (Md. Green)
PH9495-X-2 (Md. Green)
PH9497-Sky Filler
PH9497-Sky Filler
PH9497-S (Red)
PH9499-G (Orange)
\$3.59

# B & GRAFLEX SERIES

★ Choice of Prize-Winning

\* F.4.5 Kodak Anastig. Lens **Photographers** ₹ 25 Speeds-1/5 to 1/1000

Light-Tight Revolving

Because of their ability to produce unsurpassed results under all conditions these series B GRAFLEX cameras have long held first place with amateur and these series B GRAFLEX cameras have these series B GRAFLEX cameras have long held first place with amateur and long held first place with amateur in grafter tull vision ground glass focusing and the dependable Graflex for line and the dependable of the plane shutter, this combination of the linest American workmanship and American workmanship and American workmanship and American lenses will give you vivid prints can lenses will give you vivid prints can lenses will give you reliable the prize-winning pictures. The light-tude prize-winning back permits instantaneous change to accommodate horizontal or vertical subjects with equal facility.

PH1828-21/4×31/4" Series B GRAFLEX. revolving back type, with 51/2" 1.4.5 Kodak Natisimat lens and film pack adapter. SB 1.90 Lens diam 39.5 mm. YOUR COST. Series B GRAFLEX. revolving back type, with 53/8" 1.4.5 Kodak PH1829-31/4×41/4" Series B GRAFLEX. revolving back type, with 53/8" 1.4.5 Kodak Your Anastigmat lens and film pack 30.30 YOUR COST.

COST. 21/4x31/4" Cut Film Magazine (12

Graflex 21/4x31/4" Cut Film Magazine (12
Septums)
PH9363-YOUR COST
PH9365-31/4x41/4" Graflex Cut Film Magazine (12 Septums)
YOUR COST
YOUR COST
PH9364-YOUR COST
PH9364-YOUR COST
Graflex 21/4x31/4" Graflex Cut Film
PH9364-YOUR COST
Graflex 21/4x31/4" Graflex Cut Film
Holder.

Holder. YOUR COST.... For prices and other intermetion regarding all other metion regarding SPEED GRAFLEX and GRAPHIC models kindly address our New York offices.





- ★ For Plates, Cut Film or Film Pack
- ★ 9x12 cm ond 6.5x9cm Sizes
- ★ Zeiss Tessar f:4.5 Lens
- \* Double Extension Bellows

Has rising, falling and shiding front. Zeiss Tessar f:4.5 lens in Compur shutter with delayed action and speeds from 1 sec. to 1/200th second. Double extension bellows. Reflecting and wire frame finders. Spirit level. All metal body covered with pin seal leather. Hinged sliding carriage. A beautifully made camera for the serious amateur who wants the best results.

PM1541-6.5.99cm Ladayette Foldex Camera. Zeiss Tessar f:4.5 lens (dis. 23 m.) With ground class heat. 3 plate holders and film

FM1941—6.5x9cm Lodayette Foldex Camera. Zeiss Tessar f:4.5 lens (dia. 32 mm.). With ground glass back, 3 plate holders and film pack adapter. Shpg. wt. 4 lhs. Lens diam. 32 mm. \$45.95. PH9603—Heavy cowhide, velour lined case with strap. \$3.95. PH96046—Focar supplementary lens for portraiture and telephoto work with double extension cameras. With leather case. YOUR COST. \$1.47.

PH1785-9x12cm Lafayette Foldex Camera. Zeiss Tessar f:4.5 lens (dia. 42mm). With ground glass back, 3 plate holders and film pack adapter. Wt. 4 lbs. Lens diam. 42mm.

\*\*YOUR COST.\*\*

\*48.95

Cut Film Sheaths for Plate Holders

★ Double Extension Bellows

\* Anastigmat f:4.5 Lens

\* For Plates, Cut Film or Film Pack

\* Compur Delayed Action Shutter We obtained the complete stocks of several famous manufacturers

We obtained the complete stocks of several famous manufacturers of this type of camera in order to bring you these sensational values. All have the delayed action Compus shutter with speeds from 1 full second to 1/200th second plus time and bulb. 1:4.5 mastigmat lens. Double extension bellows that permit working at very short distances. Spirit level. Reflecting and wire frame view finders. Ground glass back. Three plate holders. Film pack adapter. Cable release. All exposed metal plated and highly polished. Body covered with grained black leather. Here is an excellent opportunity to buy an all around camera for really serious work indoors and out. It has all of the adjustments you want such as rising, falling and sliding front, etc.

serious work indoors and out, it has all of the adjustments you want such as rising, falling and sliding front, etc.

PH1509-6.5x9 cm. Special Plate Camera with ground glass back, 3 plate holders and film pack adapter. Wt. 5 lbs.

\*31.95

YOUR COST

OUR COST.....

Fit most Plate Cameras including those listed on this page.
PH9375-6.5x9cm. YOUR COST.
PH9376-9x12cm. YOUR COST.

EXTINCTION



#### PIERCE

No calculations are required with this meter since it can be pre-set to the type of film you are using to the type of film you them as and left there until such time as you change to another film or you change to another still and cine filter. Two models – still and cine both complete with neck strap. PH2719-For Still Cameras. PH2719-Cine.

INSTOSCOPE

INSTOSCOPE
Instoscope is instantaneous in action. You look through it for 5 section. You look through it for 5 section. You look through it for 5 sections on the read DIRECTLY for any onds, the place speed from 16 to 30 sill or 5 sections. In the section of the read of

SAYMON-BROWN

The first accurate direct-reading without separate scales or meter without separate scales or charts of any kind. Lens openings and correct shutter speeds are and correct shutter speeds are to be made either before or after to be made either before or after reading. Can be slipped into the reading. Can be slipped into the reading finder clip. Beautifully finances. SHIPPED PPAID. \$2.00

### IMPERIAL

All bakelite construction. American Scheiner film speed calibrations (16 to 30°). For daylight actificial light. Diaphragm read-catificial light. Diaphragm readings from £2.8 to £22. Exposure lings from 6 seconds to 1/100th times from 6 seconds to read consecond. Simple, easy to read consecond. Simple, easy to read consecond chart on rear. For consecond chart on rear. venient. PH2722-YOUR COST...

#### UNIVEX

Dependable extinction type meters for either still or cine shots. Operating range covers all conditions encountered in photography. Ecovers all film speeds and aperature settings. Housed in durable mon-breakable molded cases, Furnished complete with dust and non-breakable molded cases. Furnished complete with dust and mished complete with dust and protective cases on the protective cases of the protective

EITHER TYPE

Reads directly for film speeds up to 31 Scheiner and has a wide light range. One hand operation. With plastic case. PH2715-For Still Cameras. PH2716-For Cine Cameras. PH2716-For S2.15.

List Price \$2.15.
YOUR COST, EACH.... LEUDI

EXPOSURE **METERS** 





World Radio History

# PHOTO CELL METERS Photo Cell Meters Perfect Exposures



A sensitive, compact photocell type meter for stills or movies. Calculating scale need be set only once to the speed of the film being used. Thereafter all readings are taken direct from the meter scale and compared with the calculator. Scheiner system of film rating reads as high as 35°. Shutter speeds from 1/1000 to 4 seconds. Overall dimensions 1-15/16x2-5/16x %. List Price \$10.00. Shpg. wt. 1 lb.

ELECTROPHOT

#### **WESTON Senior**

Original and still among the finest available. Has the most complete calculator scale of all giving under and over-exposure values, filter values, etc. Unusually wide range of film and shutter speeds. Long life photronic cell, jewelled meter movement. Black molded case with neck ribbon. Sturdy and compact SHIPPED POSTPAID IN U.S.A.
PH2704-Model 650-Still and

PH2704—Model 650—Still and Cine. PH2705— Model 819— Cine

only.
COST EACH \$17.96
EITHER TYPE. 21pper case for above.
PH9907—YOUR COST...\$1.09

#### DeJur Amsco

Shaped to fit the hand for one hand operation. Easy to read and use. Weston system of film speed ratings. Only one dial to set. Extremely sensitive photo-cell. Provides 20 F stops from f:1 to f:32 and 19 film speeds and reads from 1/1000 second to 1 minute. Supphire jewelled movement. For movies as well as stills. Compact – sturdy. Weighs only 234 ounces. Fully guaranteed for 3 months. Comes complete with pigskin leather case fitted with zipper and neck cord. SHIPPED POSTPAID IN U.S.A. PH2708—Complete with case. YOUR

#### General Electric

This unusual meter provides a choice of two degrees of sensitivity by means of an ingenious hood which also acts as a protective cover when carrying the meter. The front cover of the hood is slotted and acts as a screen in extremely bright light. The famous General Electric meter movement is extra sensitive for widespread lighting conditions. Sturdy molded case measures 23gx21/4x11/4". SHIPPED POSTPAID IN U.S.A. PH2707—YOUR COST... \$19.50 Leather carrying case with zipper.

#### Photrix S.S.

Extremely sensitive photoelectric cell meter for both
still and movie cameras. Suitoble for artificial as well as
daylight. Calibrated for
American Scheiner film
speeds from 14 to 32 degrees,
diaphragm openings in half
stops from fil to f:32 and exposure times from 60 seconds
to 1/2000 second. Unusually
simple zone type scale permits quick accurate readings.
Recessed photo-cell shaded
from "sky light." SHIPPED
POSTPAID IN U.S.A.
PH2718—
YOUR COST...
Leather zipper case.
PH9915-YOUR COST..\$1.19

#### **ARGUS Photar**

YOUR COST.... 8.75
Zipper carrying case for above.
PH9904-YOUR COST...89c





Weston, the acknowledged leader in the field of exposure meters, where this new, more compact model, at a price well within your new offers this new, more compact model, at a price well within of new offers the new, more compact model, at a price well within of the meter of the moter of the new offers and a condition of the new offers over the "emulsion speed" value and a perture of the "light reading" over the "emulsion speed" value and a perture of the "light reading" over the "emulsion speed" value and to seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen shutter speeds run from 1/1000 second of seventeen shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen different shutter speeds run from 1/1000 second of seventeen shutter speeds run from 1/



# ripods & Camera Accessories

#### STANRITE Wood Tripods

Extremely rigid yet unusually light are these beautifully finished walnut tripods especially designed for use with the heavier still and motion picture cameras. They can be re-lied upon to hold your camera absolutely steady for time exposteady for time expo-sures with still cameras and "pan" shots with motion picture cameras. Three models are avail-able. Two of these are all wood, and the third combines the third combines a wood body and upper sections, with lower sec-tions of chrome plated tubing. The lower sections can be reversed, hav-

> other Three Section Tripod

ing rubber feet at one end and metal points at the

This is the model illustrated above. 

DeLuxe Two Section Tripod Wood top with reversible chromium plated metal legs. A truly fine tripod for use indoors or outdoors. Folded 28½"; opens to 55". Shpg. wt. 4½ lbs. List Price \$10.00. \$6.69 YOUR COST.....

#### KODAK Range Finder



A truly remarkable engineering achievement is the Kodak Range Finder. Accurate —easy to operate—and able to withstand hard use. The Kodak range finder is of the split-image type and is very easy to use—merely line up the lower half of the object sighted with the upper half and read the distance directly on the scale. Then set your lens to that position and you'll have a perfect picture every time. The finder is fitted with a clip and can be carried in the vest pocket like a pen or pencil. A foot at one end permits attaching it to the camera. attaching it to the camera.

YOUR COST.....

ROYAL Tilt-Top



Precision construction and perfect design make this one of the finest of

of the finest of till-tops. Insures steady pictures of any desired camera angle with either still or movie camera. Velvety smooth in operation with positive locking at all positions. Graduated scale at base is very valuable in taking "pan" shots in sequence. ing "pan" shots in sequence, Adjustable to any tripod. Shpg, wt. 3 lbs. PH8617—

PH8617— YOUR COST.... \$6.69



YOUR COST

Optipod



Tilt-top for use with any camera and tripod. All metal heavily

ROYAL Tripod Tubular Metal Contruction Extends from 30 to 56 inches

This beautifully finished and sturdily constructed tripod is undoubtedly one of the best metal tripods available. Despite its pre-cision construction and unavailable. Despite its precision construction and unquestionable quality it is extremely low in price. The legs are fully adjustable and can be set to any desired height from 30 to 56 inches and locked there by means of friction type clutches. Tripod screw extends below head and is fitted with a handle eliminating the need for turning the camera or picking up the tripod. Legs are fitted with special non-slip cushioned feet. The Royal tilt-top listed above is especially recommended for use with this tripod. Together they represent all that could be desired in a first quality combination for use with any camera.

PM8553—Tripod only as described above. Suitable for use with any standard camera. SHIPPED POSTPAID IN U.S.A. List Price \$7.50.

Price \$7.50. YOUR COST. \$6.75

Carrying Case 

Combination Offer PH8550—For perfect results the Royal Tripod should be used with the Royal Tiltop described at top of page. These two when purchased together are offered at this special price for the combination. POSTPAID IN U.S.A. Regularly \$12.60.

\$11.25 YOUR COST SPECIAL.....

**All-Metal Tripods** 

Specially designed for portable use, these allmetal tripods are extremely compact yet very sturdy. Head is machine turned to precision standards and finished in bright chrome. Upper leg sections are in black enamel, lower are polished brass. Each section fitted with retractible pins to tractible pins to lock sections into position. Made in U.S.A.

5 Section Tripod

This popular model is reasonable in el is reasonable in price. Extends from 16 1/4" to 58 1/2". Reversible head has both American and European studs. Shpg. wt. 5 lbs.

PH8551 YOUR COST. 7 Section Tripod

Saymon-Brown Combined Range Finder and



Exposure Meter

This new combined in-

Photo Cleaning Brush

A soft camel hair brush dusting lenses, film, PH9372-YOUR COST.....89°

# STILL CAMERA FILM



KODAK Roll Film

Kodak Film enjoyed a reputation for affording an ex-

tremely high percentage of successful snaps. Verichrome is an excellent orthochromatic film with a double coating to guard against over and under-exposure. Super XX is a new panchromatic film that is extremely sensitive making possible successful pictures under poor lighting conditions. Fonotomic X provides extremely fine grain for perfect enlargements.

SHIPPED POSTPAID IN U.S.A. ONLY.

	Verichro		Panoto		Super XX	Pan.
Size	No.	Eoch	No.	Eoch	No.	Each
127	PH3114	23 c	PH3123	27c	PH3100	27c
620	PH3115	27c	PH3124	32c	PH3102	32c
616	PH3116	32c	PH3125	36c	PH3104	36c
120	PH3117	27c	PH3126	32c	PH3101	32c
116	PH3118	32c	PH3127	36c	PH3103	36c
124	PH3119	41c				
130	PH3120	41c				
118	PH3121	41c				
122	PH3122	50c				
	KODAK	Film	Pack (12	Exposu	res)	

 
 KODAK Film Pack (12 Exposures)

 520 is 2½xx¾x²; 518 is 3½x4¼²; 541 is 9x12 cm.; 523 is 4x5'

 520 is 2½xx¾x²; 518 is 3½xx¼x¾²; 541 is 9x12 cm.; 523 is 4x5'

 Verichrome
 Super XX Pan.

 No.
 Each
 No.

 Each
 No.
 Each

 PH2912 54c
 PH2900 63c
 PH2903 6.

 18
 PH2913 90c
 PH2901 \$1.08
 PH2904 \$1.

 41
 PH2914 99c
 PH2902 \$1.17
 PH2905 \$1.2

 23
 PH2915 \$1.04
 PH2911 \$1.26
 PH2906 \$1.2
 Panotomic X No. Each PH2903 63c PH2904 \$1.08 PH2905 \$1.17 PH2906 \$1.26

#### **AGFA** Roll Film

Agfa is acknowledged as a leader in the manu-



facture of fine film emulsions. Its uniform quality has made it the favorite of many.

SHIPPED POSTPAID IN U.S.A. ONLY.

Pleno- Your
Size chrome Cost
127 PH3300 25c PH3309 27c PH3318 27c PH32
120 PH3301 30c PH3310 32c PH3318 27c PH32
120 PH3302 30c PH3310 32c PH3319 32c PH33
160 PH3303 35c PH3311 32c PH3320 32c PH33
1616 PH3304 35c PH3312 36c PH3221 36c PH33
162 PH3305 55c PH3313 36c PH3321 36c PH33
16306 PH3306 35c PH3313 36c PH3320 36c PH33
172 PH3306 55c PH3314 59c

AGFA "Finopan" Roll Film
127 (A8) PH3336-27c 120 (B2) PH3337-32c
620 (PB20) PH3338-32c Press Cost PH3327 27c PH3328 32c PH3329 32c PH3331 36c PH3330 36c

		620 (F	820)-PH3	338-32c		
	AGF	A Film	Pack (1	2 Exposure	s)	
	SU	PER PAR	N .	SUPER	PAN	<b>PRESS</b>
Size	No.	Eoch	6 For	No.	Each	6 F
520	PH2930	\$0.68	\$3.83	PH2942	\$0.68	\$3.1
518	PH 2931	1.13	6.38	PH2943	1.13	6.3
541	PH2932	1.26	7.14	PH2944	1.26	7.1
523	PH2933	1.35	7.65	PH 2945	1.35	7.0
	SUPER PLEN.	ACHROA	AE			
520	PH2936	\$0.63	\$3.57	520 i	s 21/4x3	1/4
518	PH2937	1.04	5.87	518 i	s 31/4×4	1/4
541	PH2938	1.13	6.38	541 i	s 9x12	cm.
523	PH2939	1.17	6.63	523 i	s 4x5"	
523	PH2939	1.17	6.63	523 i	s 4x5"	

KODAK FILM FOR BANTAM CAL	MERAS
H3000—FX-828. Panatomic X. 8 exposures.	
PH3002-XX-828. Super XX. 8 exposures.	

PH3003-FX-135. Panatomic X. 36 exposures. PH3004-PX-135. Plus X. 36 exposures. PH3005-XX-135. Super XX. 36 exposures. PH3014-FX-135. Panatomic X. 18 exposures. PH3015-PX-135. Plus X. 18 exposures. PH3016-XX-135. Super XX. 18 exposures. DUPONT 35 MM. FILM PH3035-Superior Pan for Leiga Argus. etc. 36 86c ea. 2 for \$1.71 54c ea.

PH3035—Superior Pan for Leica, Argus, etc. 36 exp.... 77c
PH3034—Superior Pan for Leica, Argus, etc. 18 exp.... 50c
PH3034—Superior Pan for Contax. 36 exposures.... 77c
PH3041—Fine Grain Parpan for Leica, Argus, etc. 36 exposures.... 77c
77c 

PH3022—Kodachrome K-135. 18 exposures. PH3023—Kodachrome K-135A. 18 exposures.

KODACHROME FILM FOR BANTAM CAMERAS PH3020—Kodachrome K-828. 8 exposures. PH3021—Kodachrome K-828A. 8 exposures. \$1.22 ea.

ALL ABOVE FILMS SHIPPED POSTPAID IN U.S.A.





#### AGFA 35 MM. FILM (POSTPAID IN U.S.A.)

PH3050-Ultra Speed Panchromatic. For Contax)	
PH3051—Ultra Speed Panchromatic, For Leica (	D.
PH3053—Superpan, Supreme Leica cart. (	J.
PH3054-Finopan, Contax cartridge )	
PH3055—Finopan, Leica cartridae	J
	81 c
PH3057—18 exposures, Superpan Supreme.	-0
For Argus. Your Cost Each	Ď

#### AGFA BULK 35 MM. FILM

EASIMAN BULK 33 MM, FILM
PH3024-271/2 foot length. Panatomic X.
Notched. In container, Your Cost
Notched. In container, Your Cost

#### GEVAERT 35 MM. FILM CARTRIDGES For Leica, Contax, Argus, Reting, Exakta, etc. 36 exp.

PH3007-Ex	press Superchrom	e. Each	68c
PH3006-18	nchromosa, Eoch Exposure Panchro	mosa. Each	39c
	Refills Only (3		



#### GEVAERT **Roll and Pack Film**

Supplied in two types: Express Superchrome and Panchromosa. Both types are double coated to insure the widest latitude in conjunctions. speed. Express Superchrome is orthochromatic; Panchromosa is sensitive to all colors of the visible spectrum. Average shpg. wt. 1 lb.
(8 exposures)

	OLV.	TEN NOIL	Limi to exhan	91 69 1	
Express	Superchr	om <b>e</b>		Panchro	mosa
No.	Each	Type	Size	No.	Each
PH3275	17c	G27	15/8x21/2"	PH3280	22c
PH3276	19c	G20	21/4×31/4"	PH3281	24c
PH3277	24c	G16	· 21/2×41/4"	PH3282	27c
PH3278	24c	G616	21/2×41/4"	PH3283	27c
PH3279	19c	G620	21/4×31/4"	PH3284	24c
	GEVA	ERT Pock	Film (12 expo	sures)	
PH2955	40c	P20	21/4×31/4"	PH2960	50c
PH2956	70c	P18	31/4×41/4"	PH2961	8Sc
PH2957	80c	P41	9x12 cm.	PH2962	9Sc
PH2958	89c	P23	4x5"	PH2963	\$1.05

GEVAERT ROLL FILM

#### **DUFAYCOLOR Film**

In order to spread its popularity, we offer to develop any roll (not pack) purchased from us at the special price of 25c each. Rolls must be returned in original cartons, with our stock number on it. ALL DUFAY-COLOR SHIPPED POSTPAID IN U.S.A.


Film	Pack	(8	Exp	0	su	r	•	)		
Stock No		Siz	e .							
PH2950	21	4x3	1/4"							

Type	Stock No.	Size		Each
Type FP20	PH2950	21/4×31/4"		2.75
FP18	PH2951	31/4×41/4"		
FP41	PH2952	9x12 cm.		
Roll	Film (6 Exp	osures)	Dufaycolor D	evel

| Size | Each | Processyour Dufaycolor athome. | 15/8x21/2" | \$0.90 | 21/4x31/4" | 1.25 | 21/2x41/4" | 1.25 | 21/2x41/4" | 1.75 | 64 oz. reverser. | 21/2x41/4" | 1.75 | 64 oz. reverser. | 65 oz. reverser Type No. 27 PH3250 20 PH3251 M20 PH3252 16 PH3253 M16 PH3254 PH5060-Dufaycolor Manual. YOUR COST EACH......25c

Dufaycolor Film for Miniature Cameras
35 millimeter Daylight Loading Dufaycolor film. Excellent results with all types of miniature cameras. 18 exposures. Each PH3070-For Leica, Argus, Marvel, Kodak Retina. \$1.40
PH3071-For Contax and Super-Nettel.

# MOVIE FILM-FILTERS-CUT FILM



#### EASTMAN KODAK MOVIE FILM



For the quality pictures you require, Eastman film will satisfy your most exacting needs. ALL OF THE BELOW LISTED FILM IS PROCESSED FREE OF CHARGE AT THE EASTMAN LABORATORIES NEAREST YOU. Wide emulsion latitude coupled with precision processing by Eastman technicians is the basis for Eastman film popularity. Both black and white and full color Kodachrome film is processed free.

For a new thrill in movies try a roll of beautiful natural color Kodachrome—available in both 8 mm. and 16 mm. sizes.

14 Millimoton Ell.

OT ROLLS
Each
1 \$2.93
3 3.60
5 4.28
7 4.28
ot 16 MM.
azine Film
Your
Cost
6 \$3.15
7 3.83
8 4.50
9 4.50
ot azi 4 7

ALL ABOVE FILM SHIPPED POSTPAID IN U.S.A. ONLY

#### KIN-O-LUX 16 Millimeter Movie Film

No. 1 for general outdoor use; No. 2 is fine grain, semi-chromatic, faster than No. 1; No. 3 is S.S. Pan., full color range.

No. 1-Green Box
PH2830-50-Foot Roll YOUR COST
YOUR COST
PH2831-100-Foot Roll\$2.70
No. 2-Red Box
PH2832-50-Foot Roll \$2.25
VOLD COST

No. 3-Lavender Box PH2834-50-Foot Roll

PM2834-30-F001 NO...
YOUR COST
PH2835-100 Foot Roll
PRICES INCLUDE PROCESSING ALL KIN-O-LUX FILM
POSTPAID IN U.S.A. ONLY

## AGFA Cut Film



Isopan for greater speed, finer grain. Superpan Press for speed.

Triple S	Pan fast	portrai	t film.
ison	oan Film (	New Ty	(pe)
Stock		Carto	n 6 Ctns.
No.	5ize	of 12	For
	-21/4x31-4"		
	-6.5x9 cm		2.49
PH4034	-31/4×41/4"	.68	3.69
	-9x12 cm.		4.79
	Super Pa	n Press	
	-214x314"		
	-6.5x9 cm.		
	-31/4×41/4"		4.19
	-9x12 cm.		4.89
	Triple S		
PH4036	-214x314"	\$ .49	
	-6.5x9 cm		

#### DEFENDER



XF Panchromatic is an excellent ranchromatic is an excellent "pan" portrait film. XF Ortho Press is designed for use by the news photographer. XF Pan Press is fully panchromatic.

Film

	XF Ponchi	romatic	
Ctns. For	Stock Size		6 Ctns.
2.49	PH4050-21/4x31/4"	\$ .45	\$2.39
3.69	PH4053-6.5x9 cm. PH4051-31/4x41/4"		3.69
4./7	PH4052-9x12 cm.	.81	4.79
2.49	PH4058-21/4x31/4"	\$ .41	\$2.19
3.19 4.19	PH4059-6.5x9 cm. PH4060-31/4x41/4"		2.39 3.19
4.89	PH4061-9x12 cm.	.72	4.29
2.49	XF Pan PH4062-21/4×31/4"		\$2.39
3.19	PH4065-6,5x9 cm.	49	2.49 3.69
4.19	PH4063-31 4x41.4" PH4064-9x12 cm.	.81	4.79

Cut Film Portrait Pan for fine gradation, Pana-tomic X for fine grain, Super XX for speed with color sensitivity.

EASTMAN KODAK

	Portrait	Pan	
No.	Size	of 1	2 For
	-21/4×31/4"	\$ .4	
PH4001	-6.5x9 cm  -3 <sup>1</sup> 4x4 <sup>1</sup> /4"  -9x12 cm.		8 3.49
	Panator	nic X	
PH4008	-21/4×31/4"		5 \$2.39
	-6.5x9 cm		19 2.49
	-31,4×41/4"		
PH4011	-9x12 cm.	8	4./7
	Super		
	-21/4×31/4"		15 \$2.39
	-6.5x9 cm		9 2.49 8 3.69
	-31/4×41/4"		
PH4014	I-9x12 cm.	. 8	4.79

#### **GEVAERT 8mm Movie Film**



Now, for the first time, you can obtain this popular film for your 8mm camera. Three types of emulsion are available. For maxitypes of emulsion are available. For maximum speed use the panchromatic Panchro Super Reversal. For unbelievably fine grain use Panchro Micrograin, which is fully panchromatic. For a good orthochromatic "outdoor" emulsion use "Ortho". These films are 25 ft. long, 16mm wide and "prescored", enabling the user to separate the film into two 8mm lengths. Each roll equivalent to 100 ft. of 16mm film. Spools will fit 8mm cameras, such as E-K, Keystone, Bell & Howell, Excel, etc. FREE PROCESSING IS INCLUDED. Type Weston Retting EACH PH2897 Panchro Sup. Rev. 24-Day 16-Tungsten \$1.79 PH2899 Ortho Micrograin 12-Day 8-Tungsten 1.79 PH2899 Ortho

#### **DUPONT 16mm Regular Film**

A very popular full panchromatic film that sees all colors in their true relationship. It has great latitude-errors of as much as one or two stops are corrected in processing. Non-halation base assures sharp definition of bright objects. It is an excellent all-around film and is especially good for indoor work by artificial light.

PRICE INCLUDES FREE PROCESSING.

POSTPAID ANYWHERE IN U.S.A. ONLY.

4.05

AGFA 30 Foot Roll Single Width 8mm Film

Fine Grain Panchromatic for Keystone 8mm
PH2822-YOUR COST POSTPAID IN U.S.A. ONLY...

1.31



# E. K. Movie Camera Filters

Deptically perfect filters especially designed for use with movie cameras. Cases. "Z." type are for Cine-Kodak lens and Cine-Kodak lens and Cine-Kodak 'g." models 20 and he adjusted to lenses from by to 21/32" with f:1.3 lenses as used in "Magazine" K", etc.

COST \$ .89 1.95



#### Kodachrome Full Color Film

Now you can use full color Koda-chrome film in your large cameras. Available in regular for outdoor use and type "A" for artificial light. Prices include processing when 3 or more films are sent at one time to Eastman. POSTPAID IN U.S.A.

Kodachrome Cut Fi	ilm	, ,	Fe	91	٠	D	a	ylig	gh	٠
Stock							C	art	to	n
No Size								of		
PH4078-21/4×31/4"								\$3.	.9	0
PH4079-6.5x9 cm.								. 4.	.2	5
PH4080-31/4×41/4"								5	.2	5
PH4081-9x12 cm.								6.	.4	0
Kodachrome "B"	fo							Lie		
PH4082-21/4×31/4"								.\$3	.9	0
PH4083-6.5x9 cm.	Ċ	ì						. 4	.2	5
PH4084-31/4×41/4"		i			ì			. 5	.2	5
PH4085-9x12 cm.									.4	0

# Get the Best out of Your Camera!



#### LAFAYETTE Mounts and Filters for Still Cameras

New precision made mounts, with outer knurled ring, greatly simplify changing of filters and portrait lenses. Snap securely into position yet easily removed. Adjustable to compensate for slight variations of lens mountings from standard sizes.

Filter Mounts Only

Type A will take 25 mm filters; type B will take 32 mm filters; type C will take 39 mm filters. Stock No. Type

SIUCK NO.	1 Y De	Diam.	Stock Mo.	LYDE	Diam.
PH9575	Ā	23 mm	PH9581	В	29.1 mm
PH9576	A	24 mm	PH9582	В	30 mm
PH9577	A	25 mm	PH 9583	В	32 mm
PH9578	Ā	25.5 mm	PH9584	В	33 mm
PH9579	В	27 mm	PH9585	Ċ	37 mm
PH9580	В	28.5 mm	PH9586	č	42 mm
Type A List	ted Above	е.			4.00
YOUR COS	T EACH.				04
Type B an	d C Liste	d Above.			900
YOUR COS	T EACH.				94.

25 Millimeter Optical Glass Filters
Yellow (K-1)
pH9506—Medium Green (X-2)
PH9507—Red (A) PH9504—Light Yellow (K-1) PH9506—M
PH9505—Medium Yellow (K-2) PH9507—R
PH9512—Light Green (X-1)
Any Type Above, YOUR COST EACH.......

32 Millimeter Optical Glass Filters

PH9515—Light Yellow (K-1)
PH9516—Medium Yellow (K-2)
PH9517—Light Green (X-1) Any Type Above. YOUR COST EACH

75

39 Millimeter Optical Glass Filters
PH9508—Light Yellow (K-1) PH9510—Medium Green (X-2)
PH9509—Medium Yellow (K-2) PH9511—Red (A)
PH9514—Light Green (X-1) Any Type Above. YOUR COST EACH... 95°

PORTRAIT LENSES (For Use in Above Filter Mounts) Finely ground lenses for close-up photography.
PH9472-25 mm...45c PH9473-32 mm...49c PH9474-39 mm...65c



Lenses 24-28 mm 281/2-31 mm EACH \$0.79 .89

Correctle LENS TISSUES
THE STREET THE FOR CLARACE
THE DEBURT WATER OF CLARACE
THE STREET COLD CORRALITION
TO CHARACE THE COLD CORRALITION
THE COLD CORRALITION
THE COLD CORRALITION
THE COLD CORRALITION
THE COLD CORRECTION
THE CORRECTION
THE COLD C

**ROLYN-ARC Metal Lens Shades** 

Scientifically designed for working with or against the light. Unique tapered shape eliminates cut corners. Can easily be attached to all standard lens mounts. MADE IN ENGLAND

No.	Type	Lenses	EACH
H9561	32	32-35 mm	\$0.78
H9562	36	36-39 mm	1.15
PH9563	37	40-42 mm	1.25
H9564	42	42-45 mm	1.35

Astrono Cancas (cappasion and

6 Inch and millimeter rule on one side 

#### **KODAK Lens Cleaner**

Does your lens look cloudy? Finger marked? Use this specially prepared neutral solution containing no soap or alkali. Occasional use prevents fungus growth. Fine for eyeglasses 

Lafayette Lens Tissues Optical glass is softer than ordinary window glass. Use these soft tis-

sues especially made for cleaning lenses. Book of 50 sheets 4"x6".

for

FREE with orders for \$5.00 or more (specify).

#### Lafayette Safety Straps



PH9226-Neck Strap

## Lafayette 6"mm Rule

#### **KODAK Guide Books**

These very reasonably priced guides are of inestimable value in obtaining are of inestimable value in obtaining the most from your hobby.
PH5061—Kodachrome Exposure Guide
PH5062—Kodachrome "A" Exp. Guide.
PH5063—Kodak Outdoor Exposure Guide
PH5064—Kodak Indoor Exposure Guide B
PH5065—Kodak Outd. Filter Guide.
YOUR COST EACH.

#### DRAUCKER **Daylight Calculator**

very simple and reliable calculator rery simple and reliable calculator for evaluating lighting conditions. Tells you the best shutter speed and diaphragm opening for every lighting condition and time of day. Complete with 12 page instruction book.

PH5068—YOUR COST EACH.....54

## LENS SHADES



**PHOTOGRAPHIC** VIEWING FILTERS




Many an otherwise perfect picture has been spoiled due picture has been spoiled due to an unnoticed reflection of light into the camera lens. Experienced professionals always use a good lens shade. These new all-rubber shades are easily carried in the pocket due to their flexible construction. Ridges inside the shade permit the insertion of filter glasses which can be snapped in or out. Shades fit camera lenses perfectly.

ectly.		•
No.	For Lenses	Each
PH9553	22-24 mm	34c
PH9554	24-27 mm	44c
PH9555	27-31 mm	54c
PH9556	31-36 mm	58c
H9557	36-42 mm	68c
PH9558	40-46 mm	68c



Only after years of practice is it possible to correctly judge relative values of light and shade as seen by various neg-ative materials. But even exative materials. But even experienced photographers prefer to use a viewing glass rather than rely upon their own judgment. And for the amateur a viewing glass is a practical necessity. The 'Ortho' viewing filter is for use with orthochromatic film, the "Monotone" for panchromatic film. Each comes complete with instructions, neck cord and leather case.

neck cord and leather case.
PH9540—"Ortho" Filter
PH9541—"Monotone"
YOUR COST



#### (A) Optical Direct View Finder

To follow fast moving objects a direct view finder is an absolute necessity. This one is of the optical type providing a sharp clear image in its proper proportions. For use on 

#### (B) Kodak Self Timer

This Kodak self timer allows you to take your own picture, and to include yourself in pic-tures of groups. Absolutely quiet and vibra-tionless. Attaches to cable release of any camera. Can be set for wide number of time intervals.
PH9207-YOUR COST EACH.....\$1.19

#### (C) E. K. Flexafinder

A waist level view finder for use on folding Kodaks and similar cameras. Type 16 for 2½x4¼" pictures, type 20 for 2½x3¼".
PH9333—Type 16 PH9334—Type 20 89°
YOUR COST, EITHER TYPE......

#### (D) Cable Releases

6½"

PH9230-For Compur
PH92331-For Kodak
Ilex, etc.
EACH
PH9238-6" special for Afga Plenax


BY 10"

PH9233-For Compur
PH9234-For Kodak
Ilex, etc.
EACH
29°
EACH
23°
EACH
27°
E

#### "WELLCOME" Calculator

1939 handbook, diary and exposure calculator. Formulas, film factors, processing information. SHIPPED POSTPAID IN U.S.A. PH5066—Book complete with pencil. 75° YOUR COST.


# Kodak 16 M.M. CAMERAS & PROJECTORS



Here's a low cost, high quality Cine-Kodak that gives you the increased range of 16mm movies. It's inexpensive to own and operate. Peatures include: Kodak Anastigmat 1:3.5 lens; fixed focus to insure clear, sharp pictures from a few feet to infinity; three speeds normal intermediate and slider median; proceedings. sharp pictures from a few feet to infinity; three speeds—normal, intermediate and s-1-6·w motion; Dual footage indicator; eye-level optical view finder; extremely simple to load and thread. Can be used for both black and white or full color film. Powerful spring motor. With carrying handle. List Price \$39.50. \$35.55

PH2008—YOUR COST.

ABOVE SHIPPED POSTPAID IN U.S.A. ONLY
PH9617—Carrying case for above. Your Cost....\$6.95



The model K 16mm Cine Kodak camera loads with 100-ft or 50-ft. rolls of black and white or full color Kodachrome, loaded and ready to operate in a jiffy. As simple to operate as it is dependable and efficient. Has ultra fast interchangeable Anastigmat f:1.9 lens which insures splendid shots under wide lighting conditions. Can be operated at half speed as well as normal speed. Footage indicator shows the number of feet of unexposed film remaining to be taken. A handy exposure guide shows the proper lens opening for

#### 16mm Magazine Cine-Kodak

Here is the 16mm camera that takes all the work out of home movie making. You can load it with your eyes shut. Film is supplied in 50-ft. magazines which slip right into the camera when you unlock the cover. Footage indicator on magazine shows amount of unexposed film remaining. You can take magazines out of camera partly or totally exposed—no film wasted. Three shutter speeds—Normal, Intermediate and Slow Motion at 16, 32 or 64 frames per second permit you to take professional movies. Has Kodak interchangeable Anastigmat f:1.9 lens which insures good "takes" under all light conditions. "Pulse" button under your finger posts you on length of your shots. 



#### KODASCOPE Model EE

A remarkable projector at a very low price. Throws 16mm picture up to 8 feet wide. Supplied with the finest Kodak f:1.6 lens. Easy to thread, frame, and focus. Extremely quiet in operation. Powerful a.c.d.c. motor. Provided with 30° tilt device. No belse to adjust when rewinding motor. Provided with 30° tilt device. No belts to adjust when rewinding. Six major bearings require no oiling. Other features: tandem pull-down for steady projection; handy rewind clutch; power fan cooler. PH2215—Model EE projector, with fil.6 lens. less lamp. \$54.00 YOUR COST.

#### Model G (Illustrated)

A deluxe model with all the fea-tures of the model EE, plus: "still" adjustment; REVERSE projection; sin-

# KEYSTONE 16 M.M. CAMERAS AND PROJECTORS



#### Model A-3 (3-Speeds)

You'll be able to keep a precious living record of your friends and loved ones, in black and white or full color, with this splendid 16mm camera. Features include: high power fully corrected f:3.5 lens with universal focus and iris displaces. f:3.5 lens with universal focus and iris diaphragm; built-in Monocular view finder; powerful spring motor with convenient winding key. THREE SPEEDS—Normal, half and s-l-o-w motion; locking knob to permit operator to enter the picture. Easy to load — can be loaded in full daylight. Film register shows number of feet of unexposed film left to take. Audible footage signal determines footage as taken.

PH2020—Keystone Model A-3.
List \$35.00.

\*31.50 YOUR COST.....

#### Model A-7 (Illustrated)

A deluxe model that incorporates all the features of the above, plus: fine states were motion. List \$44.50.

PH2021-YOUR COST.

ABOVE CAMERAS SHIPPED POSTPAID IN U.S.A. ONLY Cowhide carrying case for either of the above.
PH9627-YOUR COST.

\$4.25


#### Model A-75 Projector

A sturdy projector for flaw-less, flicker-free results. Throws pictures up to 40x52". Features include: 500-watt concentrated pre-focus lamp; ventilating fan; universal a.c.-d.c. motor; rheo-stat speed control; fine f:2.5 ach speed control; line 1:2.5 achromatic projection lens; manual framer; 400-ft. capacity (one empty reel furnished). Complete with film splicing Complete with film splicing kit and instructions. List \$55.00. PH2204-A-75. YOUR COST.... \$49.50

#### Model A-81 (Shown)

A super deluxe model that throws a picture up to 14-ft. wide. Furnished with a 750wide, rurnished with a 750-watt pre-focus lamp and an f:1.65 auditorium 2" lens fully achromatic. Other features: forward and REVERSE projec-tion; STILL picture framer; worm gear tilt device; rapid

\*62.55





#### EASTMAN CINE-KODAK EIGHTS

The fast, sharp, f:1.9 Kodak Anastigmat lens employed in the model 60 Cine-Kodak Eight makes possible perfect movies even under very poor lighting conditions. This ultra-fast lens can be focused accurately on all subjects from two feet to infinity. Sturdily built, and compact for convenient handling. Its precision-built mechanism with inter-changeable lens assures wide ver-satility. A bright optical view finder is built into the folding handle. The cam-era is covered in attractive durable two tone grey leather and trimmed with bright chrome. The interior mechanism is engine turned and finished like a fine watch. A heavy leather carrying case with shoulder strap is included. PH2000 Cine-Kodak "60" \$70.65 Cine-Kodak models 20 and 25 are similar to the model 60 but have fixed focus lenses of slower speed. Each has a powerful spring motor, automatic footage indicator, full vision view finder and locking motor release button that permits taking your own picture. Covered in attractive pin seal black leather. PH2010—Model 20 with f:3.5 lens.

Models 20 and 25

YOUR \$26.55 PH2011-Model 25 with f:2.7 lens. YOUR

COST

#### FILMO DOUBLE 8 CAMERAS "For

Professional

Results" Since 1907 Bell and Howell have been famous as manutacturers of manufacturers of quality motion pic-ture equipment used in profes-sional studios in

used in protes.
sional studios in
Holly wood and
other film producing centers. All of the knowledge gained in producing this equipment has
edge gained in the design of the famous Filmo
been utilized in the design of the lamous Filmo
possible 8 Cameras. Smallest and lightest of
personal movie cameras they be loaded in
gersonal movie cameras they be loaded in
simplest to operate. Film can
advight in a moment. No sprockets to thread
daylight in a moment. A rotary shutter gives
and no loops to form. A rotary shutter gives
accurate, uniform exposure. Four speeds are
accurate, uniform exposure, model selected.
available depending upon model selected.
available depending upon model selected.
available including color film. In addition
Lenses are f.3.5 or film. Service permits maknormal work including color film. In addition
a single trame exposure device permits making cartoons or trick titles. Case is of made to
ing cartoons or trick titles. Case is of made to
adminum alloy. Provisions have been made to
adminum alloy. Provisions have been made to
tached to the view finder for use with 1 inch
tached to the view finder for use with 1 inch
tached to the lenses.

PH2065-Filmo (Companion) (134-G) f.3.5 lens,
four speeds a 12-12-12-12

PH2065-Filmo "Companion" (134-G) f:3.5 lens, four speeds 8/16/24/32 trames per second.

SHIPPED POSTPAID IN U.S.A. ONLY. \$49.50

PH2066 - Model "Sportster" (134-F) f:2.5 lens, 4 speeds 16/32/48/64 frames per second. YOUR COST SHIPPED POSTPAID IN U.S.A. ONLY.

YOUR

PH9710-Eveready carrying case for any of the 



YOUR COST.....

#### 8 MM. PROJECTORS

Theater-quality pictures and complete film protection are two of the outstanding features of these excellent projectors. Brilliant illumination is obtained by a direct lighting system employing a 400 or 500 watt (depending upon model chosen) lamp and an extra fast fil.6 lens. An 11 to 1 shuttle and shutter movement eliminates flicker.

The Filmo 8 Projector cannot scratch or mar The Filmo 8 Projector cannot scratch or mar your film because the picture area of the film never contacts the mechanism. All film guidance is by the edges of the film and a specially designed shuttle tooth minimizes perforation wear. Fully enclosed gears drive the feed and take-up reels and there are no chains or belts exposed or used. Capacity of the projector is 200 feet of film, enough for a 17 minute show. Complete with lamp, lens, take-up reel and sturdy carrying case

Same as above but with 500 watt lamp.

\$118.00 YOUR C BOTH OF ABOVE PROJECTORS SHIPPED POSTPAID IN U.S.A.

#### KODASCOPE 8 MM. PROJECTOR



This, the most popular Eastman 8 mm. projector, is a fitting companion for the Cine-Kodak's listed above. Despite its extremely reasonable price it is a very efficient machine and will give unusually good results. A forced draft ventilation system, actuated by a powerful lens, prolongs the life of the projection bulb and keeps the film and mechanism cool. anism cool.

The bulb employed is a 300 watt projection lamp which together with the fast lens system provides perfect pictures up to 40 inches

PH9826—Sturdy carrying case for above. YOUR COST..... 



#### NEW UNIVEX 500 watt 8 MM. PROJECTOR

NEW UNIVEX 500 wath 8 MM. PROJECTOR

Truly an achievement in 8 mm. home movie projection! Think of it—a large brilliant picture on a screen 5 by 7 feet in size! A powerful 500 watl lamp together with a highly polished reflector and a condensing lens provide the intense light required for such a feat. The projection lens is an ultra fast f:1.6 of 1" focus. Despite this high power lighting system the projector is very cool in operation because of a powerful double inlet fan running in oilless bearings.

The entire frame is of die cast metal assuring perfect alignment and long life. Forced draft cooling permitting still picture projection. The controls provided include a speed control for the motor, a safety master switch, a separate lamp switch, and a pilot lamp socket. The projector is for operation on 105 to 120 volts a.c. or d.c.
PH2252-Univex 500 watt Projector, with lamp and one reel.

YOUR COST

PH9803-A De Luxe carrying case for above.
YOUR COST

PH98127-500 Watt G.E. lamp for above.
YOUR COST EACH

ALL ABOVE ITEMS SHIPPED POSTPAID IN U.S.A.

CH \$3.75
ALL ABOVE ITEMS SHIPPED POSTPAID IN U.S.A.

**NEW!** Irwin Automatic Magazine Looders

Incorporate features found only in cameras selling at far higher prices. Automatic magazine loading permits Automatic magazine loading permits changing from one film, either black-and-white or colored, to another instantly — in daylight. You can expose part of a magazine of color film—then change to black and white—and again to color film. Footage indicator tells you how such film has been used. Sturdy, solproof motor assures professionally permovies. 190° flag type shufter for clear pictures. 6 diaphragm stops. Anastiemat lenses—two types avail-

Irwin 16 MM. Magazine Film Price includes processing and reel. "Ortho" is for daylight use. "Pan" is supersensitive for universal use. "Pan" is supersensitive for universal use. Feet "Ortho" EACH "Pan" EACH 30 PH2810 \$1.09 PH2812 \$1.69 40 PH2811 1.39 PH2613 1.98

Irwin Dufaycolor Film
Full color film for Irwin and Century

cameras. Price includes processing.
PH2800-30 ft. YOUR COST....\$3.79
PH2801-40 ft. YOUR COST....\$4.69
SHIPPED POSTPAID IN U.S.A.


# Univer CAMERA

"World's Fair" Model ★ New Faster F:4.5 Lens ★ Built-in Optical View Finder

★ Snaplock Hinged Cover Now a new and vastly improved model of this famous camera, with a faster f:4.5 lens with sun shade in interchangeable lens mount. The a taster 1:4.5 lens with sun stude in interchangeable lens mount. The motor is newer, more powerful, and quiet running. Excellent for use indoors with photofloods. New built-in optical view finder insures accurate alignment of subjects. Special shutter automatically compensates for sky glare and always stops in closed position. New powerful quiet-running motor. Interchangeable lens mount. Hinged cover with self-locking catch. Attractively finished in antique bronze with chromium trim. Uses low priced Univex film. PH2002—Univex Camera with f:4.5 lens. POSTPAID IN U.S.A. ONLY.

·15.00 COST





UNIVEX 8 MM. MOVIE FILM

Standard (orthochromatic) and Ultra-Pan (panehromatic) film is put up in spools of 30 feet for daylight loading. PRICES INCLUDE FREE PROCESSING AT ANY UNIVEX LABORATORY. LABORATORY. PH2825—Standard....63° PH2826—Ultra-Pan... 86°

Century 16 MM.

Magazine Movie Camera
This excellent, low-priced, 16 min.
movie camera (not illustrated) uses
the stendard Irwin Aim. Has a fine
achromatic lens, built-in view finder,
powerful motor, footage indicator.
Guaranteed.
PH2053-YOUR COST.
PH9601-Carrying case only..\$1.90

New Zephyr 16 MM. Projector

New Zephyr 16 MM. Projector

Have 250 watt lamp; condenser
lens; precision projection lens;
forced draft vent; concedled ACDC motor; variable speed control.

With cord, 250 watt bulb and 1 reel.

PH2241-POSTPAID \$18.95

PH1973-F: 2.5 2" lens for more brilliant projection. EACH.......\$5.49

PH1973-F: 2.1" lens for large picture
projection. EACH.........\$6.95

PH8131-250 watt bulb only .51.49

PH9801-Carrying case .....\$5.79

8 MM. Irwin Zephyr

An 8 mm. projector similar to PH2241 but for 8 mm. film. 250 watt lamp. For 110 volts A.C. or D.C. PH2240-POSTPAID. \$18.95 

#### and PROJECTOR

NEW! Improved 8 mm. Motion Picture Projectors

AC Model P-8

This exceptional Univex Cine "8" projector is a worthy companion to the Univex Cine camera at left. Will project ALL 8 mm. film, includ-ing color film and professionally made movies which may be bought or rented. Among its features are: f:3, 1" focus lens; forced draft cool-ing: automatic rewind; seconds ing; automatic rewind; separate switch for motor and lamp; manual framer; tilt device; easy to thread; quiet in operation; fully guaranteed. Steady, flickerless movies. PH2250-Model P-8 (A.C.). Shpg. wt. \$14.59 14 lbs. YOUR COST.....

AC-DC Model PU-8

PH9802 - Sturdy carrying case for either model above, with compartment for reels and accessories for projection. Shpg. wt. 4 lbs.
YOUR COST \$2.60

.....\$2.69 EACH. .



Univex Projection Lenses

Especially recommended for extra brilliance, large images and the showing of color film.

1" f:3 Standard Lens

PH1967—For normal use.
POSTPAID IN U.S.A. ONLY
1" f:2 Hi-Lux Lens

PH1968-For maximum brilliance and large images in a large room.
YOUR COST
POSTPAID IN U.S.A. ONLY...
PH1969-For large brilliant images in a small room. Especially fine for color film.
YOUR COST
POSTPAID IN U.S.A. ONLY...

\$5.95

Univex Projection Lamps

High quality projection lamps for re-placement purposes. Have pre-focused ilament with special base. PH8135—Standard Lamp for Model P.8 50° Projector.
YOUR COST Lamp for P-8
PH8136—High Intensity Lamp 60° PH8138-ING
YOUR COST.
YOUR COST.
YOUR PH8137-Standard 125 watt Lamp for PH8137-Standard 125 watt Lamp for PU-8 Projector.
YOUR COST.


Projector.
YOUR COST
ALL SHIPPED POSTPAID IN U.S.A.



No film is in proper shape to be shown to your friends until it has been edited. This unique viewer and editor is used in conjunction with your projector and provides a bright or power. Compact and easy to operate. Can be attached to or detached from your projector in a moment. PH2441-YOUR COST POSTPAID IN U.S.A. ONLY...... \$1.95

**World Radio History** 

# KEYSTONE JUNIOR PROJECTORS



#### Model E=848 16mm Projector

Has a capacity of 200-feet of film and will present a 15-minute show. Provided with a universal motor that operates on 110 volts a.c. or d.c. Features include: ventilating system from motor through to lamphouse; furnished with two 200-ft. reels; advance take-up sprockets; three-color attachment; 135-watt concentrated filament bulb supplied; provision for angle 

#### Model E-8 8mm Projector

This efficient model will please the most critical home movie devotee. It provides brilliant, sharp pictures It provides brilliant, snarp pictures and incorporates the following features: universal a.c.-d.c. 110 volt motor with built-in speed control rheostat; two 200-ft. reels furnished; will provide a 15-minute show; advance speed take-up sprockets; three color attachment; bell-shaped flare lens, color corrected; with 135-watt concentrated filament bulb; motor rewird to ten 





#### **CRAIG Editing Outfit**

Combination Craig 8 and 16 millimeter splicer and rewind outlit, consists of the newest type splicer adapted for use of both sizes of home movie film. Pins are accurately set at factory, so that there is no light or dark line between the frames. Adequate bonding area insures a strong splice. Sturdy geared high speed rewinds. Mounted on 21-inch board, with bottle of cement and water bottle. Shpg. wt. 6 lbs.

PH2440—List S7.50. YOUR COST.

#### **CRAIG Splicing Kit**



**Crystal Beaded** Movie Screen

A practical, easy to handle crystal beaded screen. Absolutely no halation in front or at the sides. Reflects four times the light of a diffusive screen within an angle of 25 degrees. Roller type, in a sturdy wood base. Has metal post support. Crystal beaded surface is 30"x40". Shpg. wt. 8 lbs. \$4.49

#### Special Silver Screen

Well suited for showing both black and white or full color films. Dimensions: 24" x36". Sets up instantly. Held taut by a spring wire easel. Shpg. wt. 5 lbs. PH2754— YOUR COST.....

> GENERAL ELECTRIC 115 V. Projection Lamps



#### **KEYSTONE Editing Outfit**

Provides sharply focused brilliant image in viewer. Viewer mounted on swivel for movviewer. Viewer mounted on swivel for moving out of position for splicing. For use with both 8 and 16 millimeter film. Has two geared rewinders mounted on hardwood base. Comes complete with bottle of film cement and water bottle. Complete with cord and plug for use on 110 volts, a.c. or d.c. 215g" wide, 51/2" deep, 8" high. Shpg. wt. 8 lbs.

PH2442—YOUR COST.


#### **KEYSTONE Splicing Kit**

#### Film Cement



#### **CRAIG Senior Combination**

Comprised of the Senior rewinds and Senior Splicer mounted on a 32" laminated board. Makes professional splices; provides for cutting, scraping and splicing. Once film is inserted, it is not touched until after the splice is finished. Metal parts beautifully finished in nickel plate. Full instructions furnished. For both 8 and 16 millimeter films. YOUR COST.....



H8130-200 Watt Prefocus. For Ampro. Keystone A, A72, A-74, B-63, D59.

PH8125-300 Watt Prefocus. For Kodascope 50, EE, L, K; Keystone L-8, A-74, A-72, B-63 and A-81.

YOUR COST EACH.

\$2.90

PH8126-300 Watt. For Keystone M-8.

YOUR COST EACH.

\$2.90 YOUR COST EACH.

PH8127-500 Watt. Medium Prefocus. For Keystone R.8, A-78, A-81; Kodak E. EE. G. L. K-50.

YOUR COST EACH.

PH8128-750 Watt Prefocus. For Keystone A-81; Kodascope EE. E. G. L. K-50. YOUR COST EACH.



#### SEEMANN "Splicemaster" For 8 and 16mm Reels

The popular Seemann splicer and pair of geared rewinds assembled, ready for use, on attractive cushioned baseboard, elevated for "drawing board" comfort. Splicer makes clean, efficient splices easily, and accommodates both 8 and 16 millimeter films. Pina accurately set so that there is no light or dark line between the frames. Complete with bottle of film cement and instructions. 

#### SEEMANN Rewind

For all 8 and 16 millimeter reels. Sturdy all-metal construction, attractive bright nickel finish. Have Tenite knobs and accu-rately machined gears. Shpg. wt. 3 lbs. PH2424— YOUR COST, Per Pair.....



#### **EXCEL Rewind**

Steel, geared type rewinds with black wrinkle finish. Holds 8 or 16mm reels up to 400 ft. cap. Wt. 3 lbs.

PH2425-\$1.20

# Home Movie Subjects

W E ofter here an outstanding list of film favorites that deserve an honorable place in every library of worthwhile films.

#### POPULAR CARTOONS

	Popeye the Sailor	
16 mm. 100 Ft. PH4201 PH4203 PH4205 PH4207 PH4209	Title King of the Jungle Popeye the Champ The Lumberjack Indian Fighter Hunting a Wife	8 mm. 50 Ft. PH4200 PH4202 PH4204 PH4206 PH4208

#### WALT DISNEY CARTOONS

	Dollard Dock	
PH4231	Ham Actor	PH4230
PH4233	Getting the Hook	PH4232
PH4235	The Auto Mechanic	PH4234
	Mickey Mouse in	
PH4257	Mickey's Olympic Games	PH4256
PH4259	Mickey Goes Hunting	PH4258
	The Dog Catcher	PH4260
PH4263	Mickey Goes Courting	PH4262
Any 16	mm. 100-Ft. Roll.	2.69
Listed A	bove. YOUR COST	4.07
Any 8 n	nm. 50-Ft. Roll.	1.19
V . 4 - 3 8	L VOIID COST	

#### Listed Above, YOUR COST....

Charite Chap	SIIU WOAIES
16 mm.	8 mm.
100 Ft. Title	
PH4281 The Knockout	PH4280
PH4283 In Society	PH4282
PH4285 Leads the Bar	
Any 16 mm. 100-Ft. Rol	II. S1.59
Listed Above, YOUR C	OST
Any 8 mm. 50-Ft. Roll. Listed Above. YOUR C	209
Listed Above, YOUR C	OST
Alore a real real real real real real real	

NOTE: Films cannot be returned for credit or exchange.

#### Popular CASTLE Films **Terry-Toon Cartoons**

BEANSTALK JACK: Jack climbs the magic stalk and wins the battle with the giant. PH4141—8 mm. 50-ft. PH4140—16 mm. 100-ft. GRAND UPROAR: What happens when the audience at the opera takes a hand.
PH4143—8 mm. 50-ft. PH4142—16 mm. 100-ft.
HOLLAND DAYS: Farmer Al has a load of
trouble with pesky mice on a boatload of

PH4145 8 mm. 50-ft. PH4144—16 mm. 100-ft. JUST A CLOWN: Laugh at the funny folk in

the circus. PH4147-8 mm. 50-ft. PH4146—16 mm. 100-ft. PANDORA: What happens when a naughty child opens the magic box. PH4149-8 mm. 50-ft. PH4148-16 mm. 100-ft. RIP VAN WINKLE: Sleepy Rip and his adventures with the mountain boys. PH4151-8 mm. 50-ft. PH4150-16 mm. 100-ft.

#### SEE (Authentic News)

Issue No. 3: Looping the Loop; Embryo Pavlowas; Amphibian Boat, etc. PH4123—8 mm. 50-ft. PH4122—16 mm. 100-ft. Issue No. 4: Super Tanks in Action; Barrel Issue No. 4: Super Tanks in Action: Barrel of Monkeys; Motorless Flying, etc. PH4125-8 mm. 50-ft. PH4124-16-mm. 100-ft. Issue No. 5: Lions in the Jungle; Motorcycle Daredevils; Fury of the Sea. etc. PH4127-8 mm. 50-ft. PH4126-16 mm. 100-ft. Special-San Francisco World's Fair. PH4159-8 mm. 50-ft. PH4158-16 mm. 100-ft. Special-Pope Pius XII Coronation. PH4161-8 mm. 50-ft. PH4160-16 mm. 100-ft. All 8 mm. 50-ft. PH4160-16 mm. 100-ft. All 8 mm. 50-ft. Reels Above. \$1.59 All 16 mm. 100-ft. Reels Above. \$1.59 All 16 mm. 100-ft. Reels Above. \$70UR COST EACH.

#### Thrilling Sport Subjects

	Intitud about acalegis	
16 mm.		8 mm.
100-Ft.	Title	50 Ft.
PH4138	Sport Parade	PH4139
PH4128	Water Sports	PH4129
PH4130	Horses	PH4131
PH4132	Snow Thrills	PH4133
PH4134	Big Fish	PH4135
PH4136		
	Africa	PH4137

#### World Parade (Geographic)

.,,		
PH4154	New York	PH4155
PH4102	Venice the Magnificent	PH4103
PH4104	Exotic Egypt	PH4105
PH4106	Paris the Beautiful	PH4107
PH4108	London	PH4109
PH4110	America's High Spots	PH4111
PH4112	Canada's High Spots	PH4113
PH4114	Rome (Italy)	PH4115
PH4116	Hawaii	PH4117
PH4118	Sahara	PH4119
PH4120	A Day at the Zoo	PH4121
PH4100	News Parade, 1938	PH4101
		4
	OST EACH	1.59
	OST EACH	3.35
100K	ODI BIIOII	

#### Special Full Length Shows

Special Foll Length Ches
All 8 mm. 50-ft. reels listed above are
available in 180-ft, lengths.
PER REEL. YOUR COST
VOUR COST
All 16 mm. reels listed above are available
in 360-ft. lengths.
PER REEL.
PER REEL. YOUR COST

#### Full Length Shows WITH SOUND

All 16 mm. reels above are available in 350-ft. lengths with SOUND \$16.95





Designed for use with the UniveX "8" (8 millimeter) camera. Sturdy all-metal construction – practically indestructible. Furnished complete with a silver penal for writing titles and 12 black cards. Cards fit into easel; use bright daylight or photoflood lamps. SHIPPED POSTPAID IN U.S.A. PH2410 SQL SCOTT.

#### "How To Make Movies"



A well made titler at a very reasonable price that will make good sharp titles of professional quality. All required equip-ment is included with each model, includ-

ment is included with each model, including title cards and alignment mask. Any type of lighting may be employed such as mazda, photoflood or bright daylight. Allmetal construction, crystalline finish. With instructions. Shpg. wt. 4 lbs.

PH2408 For 16 mm. Keystone Cameras

PH2407-For 8 mm. Keystone

PH2416-For B6 H dble. 8 mm.

PH2415-For Bell & Howell 16 mm.

PH2413 For Kodak 16 mm.

PH2413-For Kodak 18 mm. PH2414- For Kodak 8 mm. YOUR COST EACH.....

#### EASTMAN KODAK 16 MM. Movie Film Enlarger

\* Makes Large Negatives of 16 mm. Movie Frames



Large negatives (2½ x4¼") from any single frame of 16 mm. black and white or black and white or Kodachrome movie film. These enlarged negatives can then be used to make prints at snapshot cost. Uses No. 616 film. With instruct'ns. PH2510—List \$15.00. YOUR \$13.50. Postpaid in U.S.A.

#### Title Board Sets



A simple, inexpensive means for producing clean, sharp titles for home movies. Enables you to make easy reading titles with a minimum of effort. Set contains a 9x12" board with parallel grooves covered with black felt and 100 double wing ½" cellustration. black felt and 100 double wing ½" celluloid letters that fit into the grooves. Also contains alphabet compartment box and directions. Shpg. wt. 3 lbs. \$2.98

Similar to above sets, but contains: 100 1 1%" wood letters in two boxes and directions. Shpg. wt. 3 lbs. \$1.95

#### IRIS CONTROL

For fade-in and fade-out effects. Fits over diaphragm adjustment ring of almost all 8 mm. and 16 mm. cameras. 

**World Radio History** 

# EFENDER Welour Black

Defender "Velour Black" has been, and is, a top ranking favorite with Salon exhibitors throughout the world. The distinction between varieties is necessarily delicate. Difference between Semi-Matt and Platinum Luster is that the paper grain shows through the sheen of the latter. In Velvet Grain Luster the sheen is softer and

the paper grain less in evidence. Next is Matt (and Smooth Matt) and last, Rough Matt. Veltex is like fine bank bond paper. "Silk" is a special surface obtained by embossing the paper with dies. Defender Velour Black papers are widely known for their quality and uniformity. They all have wide exposure and processing latitude.

	UBLE WEIGHT	PAPERS					
Surface and Color	Grade	5 x 7"		8 x 10"		11 x 14"	
		1 Dozen	1/2 Gross	1 Dozen	1 1/2 Gross	1 Dozen	
White Glossy White Glossy White Glossy White Glossy	Soft Normal Medium Hard Contrast	PH5320 PH5321 PH5323 PH5322	PH5325 PH5326 PH5328 PH5327	PH5390 PH5391 PH5393 PH5392	PH5395 PH5396 PH5398 PH5397	PH6141 PH6142	
Semi-Matte White. Semi-Matte White. Semi-Matte White. Semi-Matte White.	Soft Normal Medium Hard Contrast	PH5340 PH5341 PH5343 PH5342	PH5345 PH5346 PH5348 PH5347	PH5410 PH5411 PH5413 PH5412	PH5415 PH5416 PH5418 PH5417	PH6151 PH6152	
Platinum Luster White	Normal Normal	PH6300 PH6302	PH6301 PH6303	PH5440 PH5450	PH5445 PH5453	PH6210 PH6212	
Velvet Grain Luster White. Velvet Grain Luster White. Velvet Grain Luster White. Velvet Grain Luster White.	Soft Normal Medium Hard Contrast	PH5350 PH5351 PH5353 PH5352	PH5355 PH5356 PH5358 PH5357	PH 5420 PH 5421 PH 5423 PH 5422	PH5425 PH5426 PH5428 PH5427	PH6161 PH6162	
Velvet Grain Luster Buff Velvet Grain Luster Buff Velvet Grain Luster Buff Velvet Grain Luster Buff	Soft Normal Medium Hard Contrast	PH5360 PH5361 PH5363 PH5362	PH5365 PH5366 PH5368 PH5367	PH5430 PH5431 PH5433 PH5432	PH5435 PH5436 PH5438 PH5437	PH6171 PH6172	
Velvet Grain Matt White. Rough Luster White. Rough Luster Light Buff. Smooth Matt Buff.	Normal Normal Normal Normal	PH6304 PH6306 PH6308 PH6310	PH6305 PH6307 PH6309 PH6311	PH 5456 PH 5462 PH 5468 PH 5474	PH5459 PH5465 PH5471 PH5477	PH6214 PH6216 PH6218 PH6220	
Matt White. Matt White. Matt White. Matt White.	Soft Normal Medium Hard Contrast	PH5330 PH5331 PH5333 PH5332	PH5335 PH5336 PH5338 PH5337	PH5400 PH5401 PH5403 PH5402	PH5405 PH5406 PH5408 PH5407	PH6181 PH6182	
Platinum Matt White. Platinum Matt Buff.	Normal Normal	PH6312 PH6314	PH6313 PH6315	PH5480 PH5486	PH5483 PH5489	PH6224 PH6222	
Rough Matt White	Normal	PH6316	PH6321	PH5492	PH5495	PH6190	
Rough Matt Light Buff	Normal	PH6326	PH6327	PH5500	PH5503	PH6226	
Silk, White Silk, White Silk, White Silk, White	Soft Normal Medium Hard Contrast	PH6328 PH6329 PH6330 PH6331	PH6333 PH6334 PH6335 PH6336	PH5506 PH5507 PH5508 PH5509	PH5511 PH5512 PH5513 PH5514	PH6201 PH6202	
YOUR COST EACH PACKAGE		38°	*1.76	81°	*3.96	\$1.49	

#### AGFA CONVIRA Contact Paper (Single Wt.)

Equally famous as a contract paper, as Brovita is as an enlarging paper. Convira provides exceptional results with wide exposure and developing latitude. It is available in 4 degrees of contrast; No. 1 for contrasty negatives, No. 2 for average negatives, No. 3 and No. 4 for flat negatives. tives.

Gio	SSY	21/2x	3 1/2	Vel	vet
2 Doz.	Gross	Gra	de 2 D	oz.	Gross
PH7301	PH 730	7 1			PH7319
PH7302	PH730	8 2			PH7320
PH7303	PH730	9 3			PH7321
PH7304	PH731				PH7322
2 Dozen. YOUR CO		18°	Gross.		620
		- 1	41/2"		1., T

	,	474X472	7.0	VET
2 Doz.		Grade	2 Doz.	Gross
PH7325	PH733	1 1	PH7337	PH7343
PH7326	PH733	2 2	PH7338	PH7344
PH7327	PH733	3 3	PH7339	PH7345
PH7328	PH733		PH7340	PH7346
2 Dozen. YOUR CO		noc   G	ross.	
YOUR CO	)ST !	ZZ Y	OUR COST	<b>81</b> °
Glo	ssy	3 1/2 x 4 1/2	" Vel	vet

2 Doz.	Gross (	rade	2 Doz.	Gross
PH7349	PH7355	1	PH7361	PH7367
PH7350	PH7356	2	PH7362	PH7348
PH7351	PH7357	3	PH7343	PH7369
PH 7352	PH7358	4	PH7364	PH7370
2 Dozen.		e G	TOSS.	
YOUR CO	OST 22	V	OUR COS	. 99°
			JUN COS	

				OU1
Glo	ssy 3	14x5	1/2 ' '	Velvet
2 Doz.	Gross	Grad	e 2 Dos	. Gross
PH7373	PH7379	1	PH738	5 PH7391
PH7374	PH7380	2	PH738	6 PH7392
PH7375	PH7381	3	PH738	7 PH7393
PH7376	PH7382	4	PH738	8 PH7394
2 Dozen.	9	Oc 1	Gross.	
2 Dozen. YOUR CO	ST	4	YOUR C	

GI	ossy	5×7''	Vel	vet
1 Doz.	1/2 Gross	Grade	1 Doz.	1/2 Gross
PH7397	PH7403	1	PH7409	PH7415
PH7398	PH7404	2	PH7410	PH7414
PH7399	PH7405	3	PH7411	PH7417
PH7400	PH7406	4	PH7412	PH7418
Any Doz	en Packa	ge Abo	Ve.	
YOUR C	OST EAC	Ĥ		. 22°
Any 1/2	Gross Pac	kage /	bove.	
YOUR C	OST EAC Gross Pac OST EAC	H		1.17

#### 5x7" Single Weight

1 Doz. PH5300 PH5301 PH5303 PH5302	V2 Gross PH5305 PH5306 PH5308 PH5307	Surface Glossy	Grade Soft Normal Med. Hard Contrast
PH5310 PH5311 PH5313 PH5312	PH5315 PH5316 PH5318 PH5317	Semi-Matt	Soft Normal Med. Hard Contrast
PH6296	PH6297	White Veltex	Normal
PH6298	PH6299	White Matt	Normal
8 Da.	na Dante		

Any Dozen Package Above. YOUR COST EACH..... .30° Any ½ Gross Package Above. \$1.39

#### 8x10" Single Weight

1 Doz. PH5370 PH5371 PH5373 PH5372	V <sub>2</sub> Gross PH5375 PH5376 PH5378 PH5377	Surface Glossy 	Grade Soft Normal Med. Hard Contrast
PH5380 PH5381 PH5383 PH5382	PH5385 PH5386 PH5388 PH5387	Semi-Matt	Soft Normal Med. Hard Contrast
PH5516	PH5519	White Veltex	Normal
PH5522	PH5527	White Matt	Normal
YOUR C	OST EAC Gross Pac	ge Above. Hkage Above.	64°

#### 11x14" Single Weight

1 Doz. PH6101 PH6102	Surface Glossy	Grade Normal Medium Hard
PH6111 PH6112	Semi-Matt	Normal Medium Hard
PH6120	White Veltex	Normal
PH6130	White Matt	Normal
Any Dozen YOUR COS	Package Above.	*1.26

#### E-K VELOX Contact Paper

Eastman-Kodak Velox paper has been acknowledged the finest contact printing paper by all who know fine printing papers. Available in four grades. No. 1 for "hard" negatives. No. 2 for average. No. 3 for thin negatives and No. 4 for extremely flat negatives. Superior results on all grades. All below SHIPPED POSTPAID.

	sy 21/	2x31/2"	Velv	ret
2 Doz.	Gross (	Grade 2	Doz.	Gross
PH7014	PH7021	1 P	H7024	PH7031
PH7015	PH7018	2 PI	H7025	PH7028
PH7016	PH7019	3 P	H7C26	PH7029
PH7017	PH7020	4 PI	H7027	PH7030
2 Dozen.	. 17	c   Gros	8.	57°
YOUR CO	DST.	UOY	R COST	. 31

Glos	sy 2	3/4×41/	2" Vel	vet
2 Doz.	Gross			Gross
PH7034	PH7041	. 1	PH7044	PH7051
PH7035	PH7038		PH7045	PH7048
PH7036	PH7039	3	PH7046	PH7049
PH7037	PH7040	4	PH7047	PH7050
2 Dozen.	ST 21	c	Gross.	760
YOUR CO	ST 4		YOUR CO	ST. 76°

Glas	3	1/ 41/-		J1
GIOS			" Vel	vet
2 Doz.	Gross	Grade	2 Dog.	Gross
PH7054	PH7061	1	PH7064	PH7071
PH 7055	PH7058	2	PH7045	PH7048
PH7056	PH7059	3	PH7046	PH7049
PH7057	PH7060		PH7067	PH7070
2 Dozen.	9	1c   G	088.	
2 Dozen. YOUR CO	OST	Y	OUR COST	05

Glos	sy 31	/4×51/2	" Vel	vet
2 Doz.	Gross		2 Dox.	Gross
PH7074	PH7081		PH7084	PH7091
PH7075	PH7078		PH7085	PH7088
PH7076	PH7079	3	PH7084	PH7089
PH7077	PH 7080	4	PH7087	PH7090
2 Dozen.			053.	AEC
YOUR C	OST <b>≛</b>	YC	OUR COST	T

	Glossy		5x7"	Velvet		
	1 Dox.	1/2 Gross	Grade	1 Dez.	1/2 Gross	
	PH7094	PH7101	1	PH7104	PH7111	
	PH7095	PH7098	2	PH7105	PH7108	
	H7096	PH7099	3	PH7106	PH7109	
	PH7097	PH7100		PH7107	PH7110	
1	Any Doz	en Packa	ge Abo	ve.	210	
1	OUR C	OST EAC	H		.21°	

Any 1/2 Gross Package Above. YOUR COST EACH.

MAIL TO OUR NEAREST WAREHOUSE

BRINT OF EARLY IN INK-TO AVOID ERROR ORDERED BY RFD P. O BOX STREET ADDRESS TOWN OR CITY STATE DATE FILL IN AMOUNT ENCLOSED INCLUDE SUFFICIENT MONEY FOR POSTAGE. WE REFUND Please give here shipping point if different from above; or other additional shipping instructions. UNUSED AMOUNTS SHIP TO MONEY ORDER. CASH CHECK. PLEASE SEND CASH BY REGISTERED MAIL ONLY P. P. Exp. Freight Best Way HAVE YOU BOUGHT FROM US BEFORE? IMPORTANT: Please use a separate SHIP VIA  $\Box$ YES [ sheet for all inquiries and correspondence. NO [ **IMPORTANT** Quantity DO NOT OUR STOCK DESCRIPTION PRICE PER TOTALS USE Required NO SEE OTHER SIDE FOR TERMS AND SHIPPING INFORMATION Shall we make partial shipment if we are temporarily YES short of any items. Amount Buyer's for Goods Signature NO. ITEMS FILLED T-FILLED COMPLETED CHECKED PACKED ZONE POSTAGE Postage or Express Charges VALUE INSURANCE BOXES CRATES CARTONS PKGES. TOTAL MARKED TOTAL NO DATE C.O.D. FEE BILLED RECHECKED PASSED FOR FILING WEIGHT RATE EXP,-L'C'L-F'T-P.P. VIA DATE SHIPPED REC'T YR NO. MO. DAY

DO NOT USE

# Lafayette Camera Lorporation

Mail Your Orders to Warehouses at:

NEW YORK, N. Y.

100 Sixth Ave.

Phone: WAlker 5-8883

CHICAGO, ILL.

901 W. Jackson Blvd.

Phone: HAYmarket 0422

ATLANTA, GA.

265 Peachtree St.

Phone: WALnut 5140

Local Sales and Display Rooms at:

NEWARK, N. J.

219 Central Ave.

110 Federal St.

Phone: MArket 2-1661

BRONX, N. Y. 542 E. Fordham Road

Phone: RAymond 9-8813 JAMAICA, L. I.

90-08 166th St. (Merrick Rd.) Phone: REpublic 9-4242

**BOSTON, MASS.** 

Phone: HUBbard 0474

#### HOW TO ORDER

Use our convenient order blank (additional blanks sent on request). Please write in ink, legibly, and not more than ONE item to a line. Make sure you write the exact stock number and that the price is the one quoted for the item you want. Specify how we shall make shipment by checking the preferred square "Parcel Post", "Express", etc. We shall follow your instructions, but will change item wherever we are sure that such a change is to your better interest. Please keep all correspondence or remarks relative to your order on a separate sheet of paper. Make sure you include sufficient postage; all overpayments promptly refunded (if overpayment is under 10¢, we will credit your account).

#### DOMESTIC ORDERS

We buy for cash and sell for cash; this explains our low price policy. We do not carry credit accounts, and we pass on to our customers all savings affected by the elimination of costly bookkeeping. We will ship C.O.D. if desired, providing a deposit of at least 20% accompanies your order. C.O.D. parcels may be shipped ONLY to places in the 48 states of the U.S. and to U.S. territories. On small orders, remittance in full saves you extra collection costs.

#### 2% TRANSPORTATION ALLOWANCE

On all orders for \$25.00 or more, we allow you to deduct 2% from the total as transportation allowance. Do not split your orders; take advantage of this allowance and save money.

## RETURNING

#### FINAL PRICES

Prices shown in this catalog are net, and except where marked POSTPAID, do not include post-age. All discounts have been deducted, includ-ing 2% discounts for cash. Prices are subject to change without notice; we give customers the benefit of all reductions taking place after the catalog is published

#### POSTPAID ITEMS

Items marked "Shipped Postpaid" do not require postage. Please note that Postpaid items refer only to shipments made within the 48 states of the U. S. only (does not include U. S.

#### SENDING MONEY

The safest and best way to send money is by: postal express; telegraph money order; bank drafts; firm checks; stamps. Do not send cash. I absolutely necessary to remit cash, send by registered mail only. Do not hesitate to include sufficient postage; over-payments are promptly refunded.

#### PARCEL POST RATES FOR ALL ZONES

Parcels up to 8 ounces may be shipped anywhere in the United States for 64. Parcel post shipments to any zone must not exceed 70 pounds. In the limit of size on all parcel post packages is twice 10 in. width, plus twice 5 in. height, equals 100 inches in length and girth combined, at 65 in.)

	ZONES							
Weight	First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth
In .	Up to	50 to	150 to	300 to	600 to	1000 to	1400 to	Over
Pounds	50 Mi.	150 Mi.	300 Mi.	600 Mi.	1000 Mi.	1400 Mi.	1800 Mi.	1800 Mi.
1	\$.08	\$.08	\$.09	\$0.10	\$0.11	\$0.12	\$0.14	\$0.15
2	. 10	.10	.11	.14	.17	. 19	.23	.26
3	. 11	. 11	. 13	.17	. 22	. 26	.32	.37
4	. 12	. 12	.15	.21	.27	. 33	.41	. 48
5	. 13	.13	.17	. 24	. 33	.40	. 50	. 59
6	. 14	.14	. 19	. 28	. 38	.47	. 59	.70
7	. 15	.15	.21	. 31	. 43	. 54	. 68	.81
8	. 16	.16	. 23	. 35	. 49	.61	.77	.92
9	.17	.17	. 25	. 38	. 54	. 68	.86	1.03
10	. 18	. 18	.27	. 42	. 59	.75	.95	1.14
11	. 19	. 19	. 29	.45	. 64	. 82	1.04	1.25
12	. 21	.21	.31	. 49	.70	.89	1.13	1.36
13	. 22	. 22	. 33	. 52	. 75	.96	1.22	1.47
14	. 23	. 23	. 35	. 56	.80	1.03	1.31	1.58
15	.24	. 24	. 37	. 59	. 86	1.10	1.40	1.69
16	.25	.25	. 39	.63	.91	1.17	1.49	1.80
17	. 26	. 26	.41	. 66	.96	1.24	1.58	1.91
18	. 27	. 27	. 43	.70	1.02	1.31	1.67	2.02
19	. 28	. 28	. 45	. 73	1.07	1.38	1.76	2.13
20	.29	. 29	.47	.77	1.12	1.45	1.85	2.24
For Each Added lb. Add	1¢	1 €	2¢	31/2 €	5¢	7¢	9 ¢	11¢

REIURRING		
MERCHANDISE	EXPRESS CHARGES	
If you find it necessary to return any merchan- dise for adjustments, please write in advance	e weight of the shipment and distance of the con- ables you to estimate charges.	t en-
stating the following: reason for return—when and where purchased—number of sales slip (if purchased over the counter). If your shipment	Maximum Distance in miles 50 Mi. 150 Mi. 300 Mi. 500 Mi. 750 Mi. 1000 Mi. 1500 Mi. 2000	Mi.
is received damaged, obtain a report from	n cost up to 5 lb.   \$0.39   \$0.41   \$0.45   \$0.48   \$0.52   \$0.56   \$0.66   \$0	. 76
the postmaster or express agent and mail it to us. Use a separate sheet of paper for all	10 .00 .00 .00 .00 .00 .00 .00 .00 .00 .	.16
adjustment matter; do not add remarks to a	a   15 ibs.   .47   .54   .66   .75   .86   .97   1.29   1	. 57
new order for parts. Do not include money in the package you return. When returning	# # 05 Ha   55   05   1.00   1.10   1.51   1	. 98
merchandise, pack carefully, insure, and write	e 4 4 95 lb   CO   CO   1.02   1.20   1.33   1.93   2	. 39
your name and address on all packages and letters before returning to us.	" " 45 N- 1 The 1 Col 1 Col 1 Col 1 Col 1 Col 3	. 02
	# # 55 16- 1 500 1 4 50	. 83
FINAL PRICES	" " 75 lbs.   .95   1.32   1.92   2.37   2.90   3.44   5.08   6	. 46
Prices shown in this catalog are net, and except	" " 95 lbs.   1.11   1.58   2.34   2.91   3.58   4.26   6.33   8	. 09
where marked POSTPAID, do not include post-	For Ea. 100 lbs.   1.15   1.65   2.45   3.05   3.75   4.47   6.65   8	. 50

#### INSURANCE

Parcel post insurance rates are: 5¢ for parcels up to \$5.00; 10¢ for parcels from \$5.00 to \$25.00; 15¢ for parcels from \$25.00 to \$50.00; 25¢ for parcels from \$50.00. After \$100.00 the charge for each additional \$50.00 is 5¢ extra. All parcels that we ship are insured.

Express insurance rates are: for shipments under \$50.00, no extra insurance charge; for shipments valued from \$5.00 to \$150.00 charge is 10¢. For each additional \$100.00 value or portion thereof, charge is 10¢.

#### **EXPRESS & FREIGHT** SHIPMENTS

Express and freight shipments are sent transportation charges collect. If your station has no agent, please send sufficient money to cover transportation. Charges are the same either way. All over-payments are promptly refunded. by us.


#### C. O. D. SHIPMENTS

Transportation charges on C.O.D. parcels are slightly higher than those sent prepaid. C.O.D. charges in addition to the regular postage costs outlined above are as follows (including insurance): When value of parcel is up to \$5.00 the extra charge is 12¢; \$5.00 to \$25.00 the extra charge is 17¢; \$25.00 to \$50.00 the extra charge is 22¢; \$50.00 to \$100.00 the extra charge is 40¢; \$100.00 to \$150.00 the extra charge is 40¢; \$150.00 to \$200.00 the extra charge is 40¢; \$150.00 to \$200.00 the charge is 5¢ more (including insurance). The Post Office also charges an extra small money order fee on each C.O.D. parcel. Save these fees by remitting in full.

NOTE: Equipment built or ordered especially to meet customers requirements not subject to exchange, credit or refund, as such merchandise cannot be re-sold

# The LATEST SENSATION IN MODERN RADIO/






The new Lafayette AEROSCOPE (built-in loop) actually pulls the stations out of the air.





# COMPLETELY

#### SELF-POWERED · NO WIRES TO ATTACH!



Here's the set you've always hoped for-one that can be your constant companion no matter where you go or what you do. Take your entertainment with you; no matter whether you travel on land or sea this mar-velous new Ladayette is ready for instant operation—without fuss or bother. There are no messy wires to clutter up the room, no aerial or ground wires to attach. You just turn it on and tune it in.

#### A Swell Vacation "Pal"

Just think of the fun you can have with this "Pal" on your vacation. It works wonderfully in a hotel room—at the beach—In the cance—at the picnic grounds—on the train or boat—in fact wherever you are, the "Pal" is ready in an instant to entertain.

With the New AEROSCOPE

The new Lafayette Aeroscope (built-in loop aerial) just pulls the stations out of the air. You don't have to connect any wires at all—just turn the set on and tune it in and your favorite stations come in with ample volume and excellent tone quality.

Versatility is the chief characteristic of the "Pal." In addition to its self-powered battery operation, there are provisions for using this set on either a.c. or d.c. A line cord contained inside the back cover can be plugged into any electric outlet. In this manner, when at home you can use standard electric current and use the battery operation when you travel.

you travel.
The entire unit is as easy to carry as an overnight bag or briefcase. It weighs only 17 pounds, complete ready to operate.

#### \* Works on A.C. or D.C. Too! \* Weighs only 17 lbs. complete

The tuning range of the "Pal" covers an extended band from 550 to 1700 kilocycles, bringing in all standard American broadcast programs, including several of the high fidelity stations.

Powerful Superhet—Latest Tubes
The powerful superhet circuit makes use of
the very latest low drain tubes to afford
ample volume for all conditions of use.
Tubes are: 1A7G, 1N5G, 1H5G, 1Q5G and a
25Z5. One 1½ voit heavy duty "A" and two
45 volt "B" batteries supply the required
power, and these batteries will last for
approximately 200 working hours.

Permanent Magnet Speaker

A matched PM speaker handles the power output with excellent fidelity. Tone quality is natural and pleasant.

Drop Front Case
The smartly styled airplane luggage case, measuring only 11¾" high, 9" wide and 81½" deep, has a handy drop front. When this front plece is closed (carrying position) the receiver is fully protected.

#### **MODEL BS-85**

Latayette 5-Tube "3-in-1" Portable Super-het complete with tubes. less batteries, Shpg. wt. 20 lbs. Code CATON.
List \$39.90.

\$1995

YOUR COST less batteries...

Kit of batteries for above: one heavy duty type 1½ volt "A" and two 45 volt "B" batteries. Shpg. wt. 7 lbs. \$2.65 K20148—YOUR COST. \$2.65



As easily portable as a brief case or overnight bag, and you'll like its smart styling.





Five tubes, including the latest type "beam power" output tube for distortionless high power, are used in the superheterodyne circuit. These are: 1-12A8, 1-12K7, 1-12Q7, 1-35L6 "beam power tube" and 1-3524. Tuning range covers from 550 to 1700 kilocycles, bringing in all American broadcasts.

Matched Dynamic Speaker
An efficient dynamic speaker, set behind
a louvred speaker grill for best acoustic
results, handles the entire set output with

THE latest in a long line of Lafayette lead-ers! This receiver incorporates new oper-ating conveniences and new styling that you want—and it's priced to fit your budget. You'll be pleasantly surprised at the tone quality, the more than ample volume and the ease of operation it affords. Why not try one in your home today? You get fully 30-days to decide it's the best value you ever received.

No Aeriol or Ground Wires

No need to string messy wires around the room with this set. The magic AEROSCOPE, the latest Lafayette advancement, takes care of bringing in all the stations with plenty of power. You don't have to adjust it—yet it is at work the moment you turn the set on.

Works On A.C. or D.C.
You need only plug the line cord into the nearest electric outlet, either alternating or direct current, and the set is ready to entertain you


"Beam Power" Superhet

the Lafayette Aeroscope (built-in loop) seems to "pull stations out of the air." No need to connect aerial or ground wires with this set—you just plug it in and tune in your favorite sations. You'll be pleased at the excellent tone and volume it provides. results, nancies the entire set output with fine fidelity. Other features are dual calibrated full-vision dial, fully illuminated; durable plas-tic cabinets (washable) in Walnut or Ivory.

# PLAY ANYWH The LAST WORD IN "Personal" RADIOS!

Mogic AEROSCOPE

The latest radio innovation, the Lafayette Aeroscope



Model BS-20-Walnut Case

Lafayette 5-Tube A.C.-D.C. Superhet in Walnut plastic case measuring 3½" wide, 53¼" deep and 6" high. Complete with all tubes and built-in Aeroscope (loop-aerial). For operation on 110 volts a.c. or d.c. Shpg. wt. 14 lbs.

Model BS-37-Ivory Case

Same as above, but in Ivory plastic case. Code CAROL.

List \$18.00. YOUR COST.....

#### A World of Fun and Music in a Handful of Radio **MODEL W-45 IN WALNUT CASE**

Latayette Ultra-Compact A.C.-D.C. Superhet complete with tubes and factory attached aerial. For 110 volts a.c. or d.c. In walnut finished metal case 636" wide, 514" high and 456" deep. Stpg. wt. 8 lbs. Code AMOUR. List \$10.90.

#### MODEL W-46 IN IVORY CASE

Same as above, in Ivory finished case. Code ADORE.
List \$11.50. YOUR COST EACH.....

# YOU THIS AN UNBELIEVABLY LOW

This little fellow compares with the average radio set like This little fellow compares with the average radio set like a tiny wrist watch with the old fashioned grandfather's clock it's no taller than milady's perfume bottle yet it provides a quality of reception that will amaze you. Just as much power as the average full size four or five tube set—gets all the American broadcast stations—sounds real and natural—yet it costs no more than a pair of shoes! No reason now for not having that extra set in the bedroom, den, kitchen or library.

Unique A.C.-D.C. Superhet

The wizardry of modern radio tube design in the form of
two special multi-element "bantam" tubes, is entirely responsible for the unusually good results obtainable in this
"mighty mite." A 25B8GT coupled to a 70L7GT provides
efficiency heretofore obtainable only by the use of four or more tubes. And the power consumption is only 25-watts; the set costs no more to operate than the ordinary small electric light bulb. Just plug it into the nearest electric light total, either a.c. or d.c., stretch the factory attached antenna around the room, and it's ready to operate.

Motched Electro-Dynamic Speaker

Excellent tone quality is due, in a great measure, to the efficient matched dynamic speaker. This unit is placed behind a louvred speaker grill for best acoustic effects; reception is entirely clear and natural. The tuning range is from 540 to 1700 kilocycles, covering all domestic broadcast reception. Two knobs govern all operations (tuning and combined volume control and switch)

switch).

#### AGFA "ISrovira" Printing

	5x7" Sing	le Wei	aht
1 Doz.	1/2 Gross	Surface	Grade
PH5750		Glossy	Soft
PH5751	PH5757	,, -	Medium
PH5752	PH5758	••	Hard
PH5753	PH5759	••	Ex. Hard
PH5762	PH5768	Velvet	Soft
PH5763	PH5769	7, -1	Medium
PH5764	PH5770	••	Hard
PH5765	PH5771	"	Ex. Hard
Any Do	zen package,	above.	
YOUR (	COST EACH.		<b>5</b> Z
Any 1/5	Gross packag		
YOUR	COST EACH.	,	\$1.58

#### 5x7" Double Weight

1 Doz.	1/2 Gross	Surface	Grade
PH5774	PH5779	Glossy	Soft
PH5775	PH5780	410,007	Medium
PH5776	PH5781	**	Hard
PH5784	PH5790	37-1	
PH5785	PH5791	Velvet	Soft
			Medium
PH5786	PH5792		Hard
PH5787	PH5793		Ex. Hard
PH5796	PH5800	Matte	Soft
PH5797	PH5801	**	Medium
PH5798	PH5802	**	Hard
PH5799	PH5803	••	Ex. Hard
PH5806	PH5810	Silk	Soft
PH5807	PH5811	-,,-	Medium
PH5814	PH5820	Royal	Soft
PH5815	PH5821	,	Medium
PH5816	PH5822	••	Hard
PH5817	PH5823	**	Ex. Hard
PH5826	PH5831	Kashmir	Soft
PH5827	PH5832		Medium
PH5828	PH5833		Hard
PH5836	PH5841	Ivory*	Soft
PH5837	PH5842	***	Medium
PH5838	PH5843	**	Hard
Any Doz	en 41°	1/2 Gross	
EACH		ÉACH	\$1.98
	Kashmir no		finiah 811

\*This is Kashmir paper, Ivory finish. All other papers are white,

5x7" Si	ngle Weigh	
	•	
1 Doz. 1/2 Gross	Surface	Grade
PH5553 PH5558	Glossy	1
PH5550 PH5555		2
PH5551 PH5556	**	3
PH5552 PH5557		4
PH5563 PH5568	Luster	
PH5560 PH5565	Luster	
PH5561 PH5566		1 2 3
PH5562 PH5567	••	4
	16 C	
YOUR COST 29	1/2 Gross.	31.49
TOUR COST	EACH	
5x7" Dou	ble Weight	
1 Doz. 1/2 Gross	Surface	Grade
PH5573 PH5578	Glossy	i
PH5570 PH5575	010,517	2
PH5571 PH5576	"	3
PH5572 PH5577	**	4
		-
PH5583 PH5588	Luster	1
PH5580 PH5585		3
PH5581 PH5586		3
PH5582 PH5587		4
PH5593 PH5598	Semi-Matte	1
PH5590 PH5595		2
PH5591 PH5596	**	3
PH5592 PH5597		4
PH5603 PH5608	F.G.L.*	1
PH5600 PH5605	,;	2
PH5601 PH5606	**	2
PH5602 PH5607	**	4
PH5740 PH5746	F.G.L.O.I.**	1
PH5741 PH5747	F.G.L.O.I.**	2
PH5742 PH5748		3
PH5743 PH5749		
*Fine Grain Luste	_	•
**Fine Grain Luste		
Doz. Package 300	1/2 Gross	<sup>5</sup> 1.89
EACH	EACH	1.03
8x10" Si	ngle Weigh	t I
1 Doz. 1/2 Gross	Surface	Grade
PH5613 PH5618	Glossy	1
PH5610 PH5615	Giossy	2
PH5611 PH5616	>,	3
PH5612 PH5617	,,	3
FRISTIA FRISTI		4

Luster

\$3.19

PH5628

PH5625 PH5626

PH 5427

Doz. Package 59: 1/2 Gross EACH.... EACH...

PH5623

PH5620

PH5622

Agra Brovira is unquestionably one of the tinest fast enlarging papers on the market today. It is exceptionally uniform in quality and in results. Exposure and development and in results. Exposure and development latitude is remarkable and permits unusual control over a wide range. In addition to the usual Glossy, Velvet and Matt surfaces, we are listing below 3 distinctly different types which have exceptional beauty. "Silk" is an embossed surface which has been impressed by steel calendars and is striking in appearance. It is excellent for been impressed by steel calendars and is striking in appearance. It is excellent for pictorial subjects. "Royel" is a smooth surface with a silk-like sheen. "Roshmir" has a pebbled surface that provides remarkable depth, especially to portraits of men and character studies. It is available in two colors—white and ivory.



NOTE: We can supply Agia "Bovira" paper in 11x14" sheets, either single or double weight. and in any surface and contrast made. Available on special order only; at standard prices.

ALL BROVIRA PAPER SHIPPED POSTPAID



#### GEVAERT Novabrom **Projection Postcards**

PH6050-2 Dozen Normal Contrast.			
Normal Contrast. YOUR COST PH6051-1/2 Gross	AA TITLE	Smooth	Semi-Mat,
Normal Contrast. YOUR COST			1.05

#### Contact Postcards

Normal Contrast. YOUR COST.....

8x10" Single Weight

_	~ ~ ~ ~	400 1101	The state of the s
1 Doz.	1/2 Gross	Surface	Grade
PH5846	PH5852	Glossy	Soft
PH5847	PH5853		Medium
PH5848	PH5854	**	Hard
PH5849	PH 5855	••	Ex. Hard
PH5858	PH5864	Velvet	Soft
PH 5859	PH5865	"	Medium
PH5860	PH5866	**	Hard
PH5861	PH 5867	••	Ex. Hard
Any Doz	en package,	above.	4.00
TOUR C	OST EACH		68,
Any 12 (	ross packag		
YOUR C	OST ÉACH.	T TLOTO,	*3.56
			3.30

8x10" Double Weight

•	AIO DOU	nie Me	IGNT
1 Doz. PH5870 PH5871 PH5872	1/2 Gross PH5875 PH5876 PH5877	Surface Glossy	Grade Soft Medium Hard
PH5880 PH5881 PH5882 PH5883	PH5886 PH5887 PH5888 PH5889	Velvet	Soft Medium Hard Ex. Hard
PH5892 PH5893 PH5894 PH5904 PH5905 PH5912 PH5913 PH5914 PH5915	PH5898 PH5899 PH5900 PH5901 PH5908 PH5909 PH5918 PH5919 PH5920 PH5921	Matte "." Silk Royal	Soft Medium Hard Ex. Hard Soft Medium Soft Medium Hard Ex. Hard
PH5924 PH5925 PH5926 PH5934 PH5935	PH5929 PH5930 PH5931 PH5939	Kashmir " Ivory*	Soft Medium Hard Soft
PH5936	PH5940 PH5941		Medium Hard

Eastman Kodak Kodabrom is an entirely new type of enlarging paper with a high-speed, full-scale emulsion, and eshigh-speed, full-scale emulsion, and especially desirable processing advantages. As easy to handle as Velox, it develops in from 45 seconds to 1½ minutes depending upon exposure. Its exposure latitude corresponds to its developing latitude, with no variation in the richness and half with the second to the first the block tones. The and brilliance of its fine black tones. The four grades of contrast available include: No. 1 Soft: No. 2 Average; No. 3 Contrast: No. 4 Extra Contrast.

	8x10" Dou	ble Weight	
1 Dox.	1/2 Gross	Surface	Grade
PH5633	PH5638	Glossy .	
PH5630	PH5635	<b>.</b>	2
PH5631	PH5636	**	3
PH5632	PH5637	**	4
PH5643	PH5648	Luster	1
PH5640	PH5645		
PH5641	PH5646	"	3
PH5642	PH5647	"	4
PH5653	PH5658	Semi-Matt	1
PH5650	PH5455	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
PH5651	PH5656		3
PH5652	PH5657		4
PH5663	PH5668	F.G.L.*	1
PH5660	PH5665	**	
PH5661	PH5666	**	3
PH5662	PH5667	"	2 3 4
PH5670	PH5676	F.G.L.O.I.**	1
PH5671	PH5677	•	1 2 3 4
PH5672	PH5678	••	3 _
PH 5673	PH5679	"	4
	rain Luster.		
	rain Luster		
Doz. Pac EACH	kage 77°	1/2 Gross. EACH	\$3.95
EACH	******	EACH	100

NOTE: We can supply other surfaces than those listed above, such as Kodalure, PMC, Vitava, Opal, etc., on special order. In all cases, prices will be the same as those shown for the corresponding size and weight in the listing above.

We can also supply Eastman Kodak "Kodabrom" printing paper in 11x14" sheets, both single and double weights. Prices on request. Shipments can be made promptly.

made promptly.

World Radio History

#### **ARGUS Speed Printer**



This machine simplifies the enlargement of 35 mm. negatives and the cost is very low. Entire unit is housed in a portable, all-metal cabinet 734x534x10<sup>1</sup>/<sub>2</sub>°. Comes complete with a pre-focused lamp, ready to use. You place the film strip in the glass negative slide, place the printing paper in the holder and press the cover down. No adjustments to make. Operates on 110-120 volts, 50-60 cycles a.c.

SHIPPED POSTPAID IN U.S.A.

SHIPPED POSTPAID IN U.S.A. 

#### **ARGUS** Electromotic

Fixed Focus Printer
New model makes 234x444" enlargements from 35 mm. negatives almost all automatically.
Contains two photo electric cells contains two photo electric cells for automatically timing the exposure. New density control switch. Easy to use, eliminates all guesswork. PH2540—
YOUR COST......\$35.00

PH2540— YOUR COST.....\$35.00 SHIPPED POSTPAID IN U.S.A.

#### **FEDERAL Variable Projection Printer**

New Model 636. Combines all the advantages and accuracy of the expensive fixed focus enlargers with the best advantages of the adjustable focus enlarger. When used for enlarging, copying, reducing or microfilming, it is always automatically in focus. Accurate, fast ANASTIGMAT lenses, of various focal lengths adapt it to cover any size film up to 21/4x314" for enlargement up to 5x7". Model 101 lens is furnished. It will make 5x7" prints from full vest pocket (13/4x21/2") negatives; 31/2x5" prints from 1/2 vest pocket and Bantam New Model 636., Combines all negatives; 30/230 prints from 1/2 vest pocket and Bantam sizes; 21/2x3/1/2" prints from double frame 35 mm. nega-tives. Prints 5x7" can be made from 21/4x21/4" and 21/4 x31/4" negatives with a slight cropping. Open view negative holder. With model 101 lens, 120-watt lamp and cord with built-in switch.

PH2514—
YOUR COST

\$27.95

MODEL 835: Similar to above, but smaller size. Makes enlargements up to 31/2x5". With 120 watt lamp. \$11.75

ARGUS Bromex Paper

Supplied in the most popular surfaces, contrasts and weights, ready cut to standard 29/4x41/x size.

No. Grade Finish Weight No. Osth Semi-Matte Dbl. Sin. PH6000 Soft Glossy Sin. PH601 Med. Semi-Matte Dbl. PH6001 Hard Glossy Sin. PH6012 Hard Glossy Sin. PH6015 Soft Semi-Matte Dbl. PH6005 Soft Semi-Matte Dbl. PH6005 Soft Semi-Matte Dbl. PH6006 Med. Semi-Matte Sin. PH6016 Med. Semi-Matte Sin. PH6016 Med. Silk Dbl. PH6017 Hard Semi-Matte Sin. PH6017 Hard Semi-Matte Sin. PH6017 Hard Semi-Matte Sin. PH6017 Med. Silk Dbl. PH6018 Med. Silk Dbl. PH6018 Med. Silk Dbl. PH6019 Med. Silk Dbl. PH6019 Med. Silk Dbl. PH6019 Med. Semi-Matte Dbl. Ph6019 M



#### ARGUSLIDE **Projector Model CP**

 Color Carrected 4-Inch Lens With 100-Watt Bulb

With Slide Carrier

The Argus slide projector has a high quality color corrected 4-inch focal length lens of the S.V.E. type. Also furnished with a special powerful 100-wait bulb, slide carrier, extension cord and plug. Projects brilliant, sharp pictures of 35 mm. slides in black and white or full color. For 110 volts a.c. or d.c. 5HIPPED POSTPAID IN U.S.A. d.c. SH U.S.A. PH2255

PH2255-YOUR COST.... \$15.00

Carrying Case
Combination carrying case for the above. PH9806—YOUR COST., \$5.00

NOTE: On all items marked "Postpaid", do not include postage. We will prepay postage on all such items anywhere in the U. S. (not including U. S. possessions).



#### KAIKO All-Metal Slide File

All-Metal Slide File

A new, all metal slide file in which
you can keep 150 2x2" slides ready
for projection. Each slide is numerically indexed in an individual slot,
and the subject of the slide is noted
and the subject of the slide is noted
in the space provided inside the lid.
Slides are fully protected against rattling and breaking. Easily inserted or
removed without damage to the bindremoved with carrying handle and two
vided with carrying handle and two
class for truly safe and economical way to carry and store your
valuable slides. Shpg wt. 4 lbs.

PH9420—
YOUR COST



#### KAIKO Masterslides

Masterslides

Efficient metalslides that eliminate the need for tape, paste or binding. You just take the glass slide and snap it into the holder; it stays in firmly. Made of steel finished in cadmium plate. Springs hold the slides rigidly. It is Springs hold the slides rigidly. It is easy to remove slides and replace easy to remove slides and replace them with others whenever desired. Will last indefinitely. Sold in handy packages containing twelve slides. Shpg. wt. perdoz. 11b.

PH8692 YOUR COST, PER DOZEN.

KODASLIDE Model 2 Projector
Throws brilliant-


ly clear screen images from No. 828 or 35 mm. Kodachrome transparencies or black and or black and white film posi-tives. Incorpo-rates a high quality 5-inch f:3.7 lens in a telescopic mount. Three

mount. Three condensing lenses and a 100-watt filament lamp complete the optical system. The projection lamp is enclosed by a special shell containing glass wool, and is amply ventilated. Steel slide carrier, sliding type, is smooth in action. Tilt knob permits 10 degree tilt above normal. Light switch on back. Die-cast aluminum body finished in black crinkle lacquer. Base is 4x6%", height 5½. For 110 volts a.c. or d.c.
PH2214—YOUR COST, COMPLETE.

ABOVE MODEL SHIPPED
POSTPAID IN U.S.A. ONLY.



A handsomely fin-ished METAL VIEWER for Kodachrome stills. Supplied complete with a magnifying or enlarging glass, lamp, automatic switch and dutomatic switch and 6-feet of rubberized cord with a bakelite plug. It measures 6" wide, 5" high. The unit is lightweight and easy to use. Just place the slide on the



#### MARSHALL Slide Binder

An accurately machined heavy metal An accurately maximed neary metals slide binder with sponge rubber base to prevent sliding. Glasses remain in exact position as slide is turned, assurexact position as slide is turned, assuring neatly turned binding. Tape holder adjustable from side to side laterally. When adjusted, tape automatically enters itself. Shpg. wt. 2 lbs. YOUR COST....

Glass Slides

2x2" glass slides. Pure white glass. PH9391-36 for ..... 200 for .

.\$1.79

Scotch Tape

Waterproof, pliable masking tape that will not wrinkle or curl.

Black Tape
PH9211 - 1/2 x360" ... 30c
PH9212 - 1 x360" ... 40c

Red Scotch Cellulose Tape
PH9215-38x792" - ideal for slides and masking.

## FEDERAL


#### NEW! Model 230

★ Condenser and Diffused Lighting + Micro-Lever Focusing Control

★ Counter-Balanced Head

\* Counter-Balanced Head

A precision designed enlarger for negatives up to 2½43½′′ at a price that is sensationally low for such fine quality. Offers a choice of either a condenser system using a ½′′ condenser or a diffusion system by means of opal glass or a combination of both at will. An opal lamp mounted on an adjustable rod together with a parabolic reflector provides an intense light source that reduces exposure time. The entire head of the enlarger is counterbalanced on a steel tape providing simple and quick one-hand adjustment. Focusing is by means of a balanced micro-lever permitting extremely accurate focusing. The lens employed is a highly corrected f:6.3 anastigmat (f:4.5 also available as noted below) mounted in a barrel with iris diaphragm. Lens is mounted on a lens board that is easily interchangeable with others. The upright post is of heavy steel, plated and highly polished, 1½″ diameter and 36″ high permitting linear enlargements of from 2 to 8 times directly on the baseboard. Lamp housing can be swung on post over edge of table for enlargements on floor up Lamp housing can be swung on post over edge of table for enlargements on floor up to 20 diameters. A very convenient book-




Simmons Omega Enlargers consistently produce better, cleaner enlargements. Painstaking workmanship and superb finish make these quality instruments deluxe in every respect. Model A (24x36 mm. size) and Model B (24x36 mm. to 6x6 cm.) both have dust-proof negative holders. The film is held firm and in an absolutely flat plane with no glass on either side. Both models employ special cool lamphouse for efficient, even lighting. Model A uses special low-voltage lamp, operated through a transformer in the base on 110 volts AC only, Model B operates from 110 volts AC on DC. Both have laminated hardwood base and swinging lamphouse. Ruby safety filter. PM2501—Model A Simmons "Omega" Enlarger, with lamp, less lens. \$48.00 PM2502—As above, complete with 2" f:3.5 lens (as listed at right).

\*\*51.95\*\*
PM2503—Model B Simmons "Omega" Enlarger, with lamp, less lens. \$65.00

PH2504—As above, complete with 3" 1:3.5

YOUR COST.
PH2504—As above, complete with 3" 1:3.5
lens (as listed at right).
YOUR COST.
SHIPPED POSTPAID IN U.S.A. ONLY





# **ENLARGERS**

type negative carrier is supplied. Either dustless metal plates or glass pressure plates may be employed. Carrier has 

Model 120
This very popularly priced model has earned an excellent reputation for itself. For negatives up to 21/4x314" in size. Has a fine Fedar 1:6.3 lens and will provide up to 7 linear magnification on baseboard. Well ventilated lamphouse with double

Model No. 505A


Will take all negatives from 35mm to  $21/4 \times 21/4$ " square. Equipped with 31/2" f:8 fully achromatic lens in interchangeable mount. Enlarges to 5 linear magnifications on hardwood 12x14" baseboard. Built-in



An unusual feature of this excellent enlarger is the adjustable condensing lens system. Remarkably sturdy and efficient. 35mm models are for this size film only—21,4x31,4" model is for all sizes up to 6.5x9cm. Lens furnished is f:4.5 anastigmat 6.5x3cm. Lens furnished is 1:4.3 andistignation barrel with iris diaphragm. Provided with a ruby lens mask to permit focusing directly on paper. Complete with heavy 5 ply baseboard, size 16x20". Dust-free film carrier for any single film size from 35mm to 21/4x31/4" (specify size wanted when

to 2/4x3/4 (specify size withed when ordering). PH2530-35mm Model complete with 2 inch 1:4.5 lens. SHIPPED POSTPAID IN U.S.A. PH2531 - 21/4x31/4" (6.5x9cm) model with 3" f:4.5 anastigmat lens. SHIPPED POSTPAID IN U.S.A. YOUR COST, either model...\$44.55

#### **Enlarging Lenses**



# Brighten up your Darkroom Life

#### ALBERT ALL-METAL CONTACT PRINTERS

Constructed of brass and steel throughout and beautifully finished in black crackle enamel with polished chrome and nickel trimmings. Well ventilated and practically indestructible. All parts accurately machined, with permanent welds and bolts for lifetime service. Both models feature: film guides which permit uncut 35 mm. film to be printed with ease; four masking bands which give sharp, clean margins to all prints and are held in perfect alignment by pressure springs; bands are black spring steel, etched in \$\frac{1}{2}\$ graduations; special hinged metal slide door permits easy access to ground glass for dodging; has sockets for one red and two white lights, any

Easy Print" Contact Printer

size up to 60 watts; red light on continuously white light automatically controlled by opening and closing the cover; uniform pressure over entire surface. Operates on a.c. or d.c. Complete with ruby bulb, cord and plug and instructions. instructions.

PH8651—Albert Printer for negatives from 35 mm. to 4x5". Size: 11x8x6".

YOUR STATE STATE STATE OF THE S

#### JACKSON Contact Printer

A highly efficient all-metal contact printer at an amazingly low price. Features include: double hinged pressure plate with sponge rubber pads; adjustable masking device takes any size negative up to 4x5 inches; holders for 35 mm, roll film for strip printing are marked. ing; spring pressure negative clasp; ground glass diffusion; built-in safe-light window at side for illuminating work table; toggle switch for printing light. Complete with lamps ready to use. Overall dimensions: 634x634x8". Shpg. wt. 9 lbs.

PH8664—Jackson Contact Printer. complete.



24

Brownie Safelight Lamp
This efficient lamp screws into any electric socket. Designed for use with a standard 10 watt bulb. Two safelight glasses, a circular one at the end and a rectangular one at the side, are interchangeable. Series 2 (for use with rapid orthochromatic film) glasses are furnished as standard equipment. Shpg. wt. 3 lbs.

Less 10 watt bulb. 

as Velox, Azo, etc.
PH8745—Series 3—for panchromatic films and plates such as Panatomic, "SS", etc.
YOUR COST, ANY TYPE

#### **EASTMAN Safelight Lamp**

To be hung directly over work table. Has 5x7" safelight glass which is interchangeable. Series 2 (for rapid orthochromatic film such as Verichrome) furnished as standard equipment. All metal body gray lacquer finish. Wt. 3 lbs. 10 watt bulb not included. PH8701— 

Dark Room Bulbs



#### Auto Mask Print Frame

This versatile frame is adjust-This versatile frame is adjustable to any size negative from the smallest up to 4x5" in size. The adjustable masking strips are calibrated in fractions of an inch. A tension clamp is provided to hold the negative in place. Back is hinged and covered with felt. Both frame and back are made of hardwood. Metal is nickeled (except masking bands).

masking bands).
PH8462—Wt. 2 lbs. \$1.39
YOUR COST.....

#### Special Print Frame

Low priced sturdy frame with hinged back. Hardwood frame. Crystal clear glass. Shpg. wt. 2 lbs. 31½ "x51½".


PH8450—YOUR COST.. 32°

#### Eastman Kodak Frames

All have two section hinged back. Crystal clear glass.

No. Size
PH8460-214" x314"
PH8461-212" x414"
PH8458-5"x7"

74c



Lafayette "Maskit"

Set of 5 masks. For 17/16" x15/16"; 15/8" x21/2"; 21/4" x21/4"; 21/4" x21/4"; 21/4" x31/4"; and 21/2" x 41/4" films. Made of hydrolated board for long life.

PH8667—YOUR COST. 19°

Miniature Printing Frame
For 35mm film strips. Will print
single frame up to six frames
at a time. Felt lined slits at
both ends.
PH8451 EACH.
Single Frame—For printing one
frame at a time.
PH8452—EACH.
S9°

KODALOID PRINTING MASKS

Transparent masks for printing frames or enlargers.

LAFAVETTE TAMERA COPPORATION

#### F-R Interval Timer

Provides accurate check on enlarge-Provides accurate check on enlargement or development time. Range from one minute to 55 minutes; bell rings when time is up. Dependable spring wound motor made by a famous clock maker. Large white numerals. Sturdy metal case with black lacquer finish. SMIPPED POSTPAID IN U.S.A. ONLY.

PH2480-YOUR COST.....

#### **LUXOR Photo Timer**

Double duty timer. Has large, full vision sweep second hand. Clicks off seconds,

#### New HANKSCRAFT

A new, all electric timer that's automatic in operation. Makes for better enlargements, more uniform prints – takes the quesswork out of printing. You dial the time on your enlarger light just as you dial a phone number. The Hankscraft Automatic Timer permits you to instantly set the number of set the number of seconds exposure wanted (range up to 60 seconds). Light turns on and off automatically as you set the dial.





#### **KODAK Timer**

Assures accurate timing of printing exposures. Convenient tilting base. Can be attached to wall or other surface. Powerful spring wound motor. Range 1 to 60 minutes. Full sweep second hand, smaller minute hand. Glass bezel, all metal case. SHIPPED POSTPAID IN U.S.A. List \$5.00 PH2483—YOUR COST.... 4.49

#### "Quick-Set" Timer


#### A.C.-D.C. Timer

Improved prints result from the use of this timer because your hands are left free for "dodging" and other controls. Attractively housed in black bakelite case with attached 6-ft. cord and plug. Operates on 110 volts a.c. (6 amps.) or d.c. (2 amps.). "On-off" switch on side of case. Fully guaranteed. With complete instructions, SHIPPED POSTPAID IN U.S.A.

\$10.00 YOUR COST.....



#### "LOCK-SHARP"



The new enlarging exposure meter that "works like a charm." It eliminates all guess-work in enlargement timing. The quess-work in enlargement timing. The exact exposure for each enlargement can be found in less than 30 seconds. Simple and fool proof in operation. It uses the time tested "grease spot" method of light intensity measurement. In operation, the control knob is turned until the "spot" seems to disappear, and the reading is taken from the dial directly in SECONDS.

#### **MAXIM** Enlarging

An efficient optical type meter that has no moving parts and will consequently last indefinitely. It is a DIRECT reading type—no conversion charts or compensation required. There is no bulb to burn out—no current to be consumed—no cord to plug in. You just place the MAXIM on the baseboard, and the amount of light is registered through the magnifier and indicated directly on the built-in meter. Use





#### M.P.A. Paper Safe DeLuxe Model, For protecting enlarg-ing paper. Sturdy wood cabinet cov-ered with fine black leatherette. Perfectly light-tight. Gravity op-erated sliding

door. Four shelves for paper up to 8x10"; two shelves may be converted to four compartments for 5x7" size. Holds about ½ gross of paper on each shelf. Shpg. wt. 4 lbs.

smaller.
PH8718—YOUR COST.....



#### PHOTOMETER

No conversion tables or compensation necessary. Unit is housed in a compact metal case with black crackle lacquer finish, and supplied with attached cord and plug and full instructions. Operates on 110-120 volts a.c. or d.c. Bulb included. Determines correct exposure time for any type enlarging paper. enlarging paper.
PH2717—
YOUR COST EACH.
SHIPPED POSTPAID IN U.S.A. ONLY.

#### **Exposure Meter**

of this unit will insure accurate exposure or this unit will insure accurate exposure time when making enlargements and will pay for itself in a short time in paper saved. Eliminates entirely the need for test strips. Housed in a compact black molded case and furnished with detailed instructions for its use. Shpg. wt. 2 lbs. YOUR COST EACH .



#### **Printing Vignetter**

#### **Projection Print Dodger**


Provides a means for accurately contining spot or local printing, vignetting or dodging to pre-selected areas when making projection prints. With this positive control of the actinic light, portions of a picture can be accentuated and undesirable details can be eliminated, controlled or emphasized. It actually permits "painting with light". Made of heavy red transparent material with 6 different shapes on the selector ring.


PH8688—YOUR COST EACH.


\$1.89



# Fine Prints Come from Well Equipped Dark Rooms







## 11 x 14" Lafayette **Enlarging Easel**

\* All-Metal Construction White Focusing Surface

white Focusing Surface
Rigidly constructed in its entirety of metal -no wood to
warp or split. Adjustable metal
arms are 2 inches wide and
lock securely into position. Adjustable paper stop controls
and provides clean white margins, Surface of baseboard is
finished in dull white for use
in focusing. Rules for setting
of arms calibrated in fractions
of an inch. Suitable for prints
up to 11" by 14" in size. An
outstanding value! Shpg. wt. 6 lbs. PH9300-

YOUR COST...... \*3.79

#### G-E Opal White **Enlarging Bulbs**

Natural opal white glass bulbs that diffuse the light excellently. Designed for use in enlargers. Operate on 110-120 volts, a.c. or d.c. NOTE: 33-1/3% Discount on lots of 6 or more (may be assorted). PHE120—No. 211. 75 watts. 100 hours normal life

hours normal life.

PH8121—No. 212. 150 watts. 100 hours normal life.

PH8122-No. 213. 250 watts. 2 hours normal life. Any type YOUR COST, EACH......35°

PH8123—No. 301, 300 watts, 100 hours normal life,

PH8124-No. 302, 500 watts, 100 hours normal life. Either type YOUR COST, EACH ... \$1.00

# FINE QUALITY Opal and Ground Glass

Ground glass for focusing and diffusing. Opal glass for diffusing.

No. Size-Type EACH PH9342 4x5" Ground 15c PH9345 5x7" Opal 22c PH9343 5x7" Ground 20c PH9346 8x10" Opal 36c PH9344 8x10" Grd. 30c

Condensing Lens Mounts

For best results condensing lenses should be set in these sturdy mount holders for proper alignment and easy utilization.

Stock No. Lens Size PH9570 3" PH9571 4½" PH9572 6"

# **ALBERT Automatic Enlarging Easel**

★ For Those Who Want Only the Best ★ Perfect Design—Beautiful Workmanship ★ For Studia or Amateur Use

The enlarging easel that does everything but think for you Automatic centering for various standard paper sizes eliminates the need for shifting the easel—set it once under the center of the enlarger and you can keep it there no matter what size of paper you use—5x", 8x10" or 11x14". It has an automatic border measuring scale that gives you the right what size borders for any size print you set it for. Automatic spring setting of the masking bands eliminates the need for set setting of the masking bands eliminates the need for set series. Automatic frame support holds the frame locked in series. Automatic frame support holds the frame locked in stantly when lowered. Positive contact of masking bands all points prevents fuzzy borders and assures sharp clean and points prevents fuzzy borders and assures sharp clean margins. Non-warping easel board of mortised construction amargins. Metal frame work finished in chrome. Easel surface finished in non-reflecting metallic lacquer preventing surface finished in non-reflecting metallic lacquer preventing surface sepecially when using single weight paper.

SHIPPED POSTPAID IN U.S.A.

PH9303—YOUR COST.

### KAIKO All-Metal **Enlarging Frames**

Curate. Light in weight and easily shifted to any angle on the baseboard of the shifted to any angle of the baseboard of the shifted to any angle of the baseboard of the shifted to any angle of the baseboard of the shifted to any angle of the baseboard of the shifted to any angle of the baseboard of the shifted to any angle of the baseboard of the shifted to any angle of the baseboard of the shifted to any angle of the baseboard of the shifted to any angle of the shif

Size 5x7" 8x10" 11x14" Stock No. PH8710 PH8711 PH8712

# Latayette For Enlargers

Eliminate any possibility of enlarger vibration, by substituting this foot switch for the line cord switch normally furnished. It also leaves both hands free for dadg. It also leaves both hands free for dadg. It see that the line cord switch provided for enlarger plug. Socket will handle 3 amperes. Socket with handle 3 amperes. Socket for light switch for convenient indoor photography light handling door photography light handling furnished with 6 ft. all-rubber cord and plug. Shpg. \$2.95

# French Condensing Lenses

French make condensing lenses guaranteed free from imperfections and optically teed free from imperfections and optically work such as enlargers, lantern slide work such as enlargers, lantern sprojectors, etc. Covers 3" size up to half projectors, etc. Covers 3" size up to px12 v.p., 4½" up to 2½x3½", 6" up to 9x12 cm. Shpg. wt. 1 lb.

Focal Length 4½" 6½" 9" Diameter 41/2"

**World Radio History** 

#### PATTERN 11 x 14" **Enlarging Easel**

★ Genuine Plywood Base

This new enlarging easel represents an unusually fine resents an unusually fine value. The frame is of heavy steel welded accurately in po-sition and finished in durable black crystal. Etched metal scales for the two sliding arms scales for the two sliding arms are accurately calibrated in fractions of an inch. Paper is held flat by the frame and the two blued-steel clock-spring arms. Easily adjusted to take paper as small as 2x2" or as large as 11"x14". Arms can be locked in any desired position. Baseboard is finished in white and can be used for focusing the enlarger. Shpg. wt. 6 lbs. PH9302—
YOUR COST

#### "SEE-SHARP"

handy device that does away with any loss of definition due to definition due to inaccuracy in focusing by brightening and magnifying the image that is projected on the sensitized paper.

sensitized paper.
You just place
the See Sharp
directly on the paper, and the
brightened, enlarged image can
be accurately focused. Monelmetal stand, ground glass, mirror and magnifier. Extremely compact. A definite asset toward better enlarging technique. PH9246— YOUR COST,

EACH....

\$1.89

MAGNIFIER


MAGNIFIER
A handy little
pocket magnifier
with ground and
polished lens. Exnegatives, prints, etc. 134" in diameter and folds into a convenient
leather case. Magnification 12
diopters, Reg. 75c value.
PH9243-YOUR COST.....44°

Visible Enlarging "Spot Dodger




Hold back those deep shadows — lighten those dark spots in your prints with this handy dodger. Made of transparent ruby material so you can see exactly what you are doing every moment. Handle is thin and flexible.

YOUR COST EACH......23°









## Porcelain Enameled Photo Trays

These genuine porcelain-enam-eled trays are preferred by most eled trays are preferred by most professional and amateur photographers. The hard glossy enamel is practically impervious to chemical action. Baked upon one piece drawn steel it forms a fully protective covering inside and out. All corners are rounded for easy cleaning. Large pouring lip in one corner of tray permits pouring contents into small necked bottles. Sizes given are print sizes—trays are someare print sizes-trays are somewhat larger,

Drint Shpg. YOUR

SIUCK	Fillit	Supq.	100
No.	Size	Wt.	COS
PH8200	5x7"	1 lb.	39
PH8201	8x10"	2 lbs.	65
PH8202	10x12"	2 lbs.	89
PH8203	11x14"	3 lbs.	\$1.1

#### **ACE Hard Rubber Photo Trays**

Ace genuine hard rubber trays are non-porous, non-corrosive are non-porous, non-corrosive and chip-proof. They are made with specially re-inforced rims and bottoms for strength. These trays are easily kept clean and can therefor be used interchangeably for all processes including developing, fixing and washing without affecting prints or negatives. Block finish makes it impossible to forget prints that have accidentally turned upside down. Bottom ridges (in some sizes) facilitate picking up prints with tongs.

No. Size Wt EACH

	No.	Size	Wt.	EACH
111111111111111111111111111111111111111	PH8235	4x6"	1 lb.	23c
PHR737 Av10" 215 #1-		5x7''	1 lb.	54c
	PH8237	3x10"	2 lb.	81c
PH8238 11x14" 31b. \$1.67	PH8238	11x14"	3 lb.	\$1.67

# Black Enamel Ferrotype Plates These highly polished, baked-enamel terrotype plates will produce lustrous, glossy prints with a minimum of effort.

No.	Size	Shpq. Wt.	EACH
PH8501	10x14"	1 lb.	15c
PH8500	10x14"	2 lbs. Ex. Heavy	24c
PH8502	12×17"	2 lbs. Ex. Heavy	39c
PH8503	14×20"	2 lbs. Ex. Heavy	

Chromium Ferrotype Plates Metal plates heavily plated with hard chromium and buffed to a mirrorlike surface. Long lasting quality. Can be heated

to shorten dry	ing time. Wt. 2 If	95.
No.	Size	EACH
PH8514	10×14"	59c
PH8515	14x20"	\$1.29
		-

#### Eastman Kodak Blotter Roll

Many prefer this method of drying their

These sturdy clips are guaranteed not to rust or tarnish. Will retain their springiness for years to come. Wide jaws provide ample gripping surface to hold roll and cut films securely. Prongs fit into recessed holes. Clips have provision for

#### KEMP Roll Film Devel-O-Tray

A newly designed, unbreakable developing tray that is economical to use and that will take many different sizes of film. It is constructed of acid-proof and chemical proof semi-flexible material—will last indefinitely. Needs only 4 ounces of solution to cover the film. Ideal for processing color negatives. Handles to cover the film. Ideal for processing color negatives. Handles all film up to 31/4" wide, and has an acid-resistant scratch-proot roller that holds the film down into the solution. At the low price quoted every photo-finisher should have one. Its extreme compactness, its sparing use of chemicals and its unserviced by the statement of the second that it a "must". Wt. 2 lbs.

PH8230—YOUR COST.... 66°

KEMP Print Washer

Now you can make a highly eifticient print and negative washer out of any ardinary sink or tub. Just place the Kemp washer over the sink drain, turn on the faucet—and there you are! It will drain the heavy hypo-laden water from the bottom of the sink and the large overflow tube will keep the level of the water constant at all times. You can let it run indefinitely without attention the prints will never clog the drain and the prints will be in constant motion—ridding them in practically no time at all of hypo. The base is made of acid-resistant flexible material and the tube of acid-resistant hard material. Wt. 2 lbs.

PH823 —YOUR COST.... 55°



#### RAPIDRY Electric **Print Dryer**

Print Dryer

A low priced unit that
has all the features
found in higher priced
dryers. Features: AUTOMATIC thermostat
control – cannot overheat or scorch prints;
dries prints in a few
minutes; prints dry
flat and without
wrinkles; uniform
heat over entire agea: heat over entire area;

extra large 11 x 14" drying area; for smooth, semi-matte or matte finishes; best nichrome heating element; durable die-cast streamline construction with two-toned baked crystal finish. Operates on 110 volts a.c. or d.c. Shpg. wt. 7 lbs. With 10x14" highly polished chromium plate for use with glossy prints. \$5.89

### Metal Frame Print Rollers

These high grade rollers have wire frame handles which are sturdier, cleaner and better. Unaffected by wet hands. Finest grade live rubber rolls with reinforced cores. Wt. 1 lb.

Stock	Y	OUR COST
No.	Size	EACH
PH8670	4''	27c
PH8671	6"	34c
PH8672	8''	49c

#### Tenite Print Tongs

The greatest improvement in print tongs in years. Absolutely stain-proof and non-absorbent. Made of molded Tenite — practically indestructible. Have "duck bill" ends that make print gripping easy. One red and one black tong to each set.

PH8686—YOUR COST
PER PAIR

Allegheny Steel Tongs
Guaranteed acid, chemical and rustproof. Light in weight. Grip securely,
easy to handle. Easy to keep cleanwill not discolor and can be used interchangeably.
PH8685-EACH.
25c
25c
25c
25c 

CATALIN Stirring Rods

A new type of stirring rod. Made of the durable catalin. Known widely for its practical shape. The broad end of this 10½" stirring rod is ideal for crushing chemicals. Indispensable when used with "Tabloid" chemicals.

YOUR COST EACH. 16°



# LIGHTS to help you get those difficult "shots"



"Micromatic" Speed Flash

This excellent device enables you to get those "hard to get" night shots "hard to get" night shots and action shots every time. It is adjustable for time delay by one thousandth part of a second, and can be used with practically any modern camera. Can be accurately adjusted for all types of flash bulbs and shutters. Requires no special mounting; attaches to

## ABBEY M/M Flash Gun




The ideal flash gun for amateur and professional alike. Built like a fine camera, highly accurate and beautifully finished. The battery container is especially machined and has a satin chrome plate finish to match the smartness and style of the finest cameras. Small, compact and easy to use. The electric finger, like a human finger, presses on the camera rehuman finger, presses on the camera re-lease button; a magnetically controlled latch causes it to respond at the precise thousandth of a second when light and shutter

opening are at maximum. It does not vary from one shot to the next, for it is fully au-tomatic. The entire mechanism consists of the battery container, reflector and electric finger with cable at-tachment. The reflector takes all standard flash

bulbs. Every shutter speed can be synchronized, including 1/1250 second. The M/M 

#### Photoflash Holder






#### **EASTMAN** Kodaflector

An easy to use, demountable twin reflector. Stand extends to a height of 6 feet 4 inches, telescopes down to a minimum of 2 feet 10 inches. Reflectors can be removed and hand held by their supporting bars. The aluminum reflectors lie flat when not in use, and can be mounted on the sockets in a jiffy. Comes complete with reflectors, lamp sockets, telescoping stand and two long connecting cords. Reflectors designed for use with No. 1 photoflood bulbs. Shpg. wt 6 lbs. 4.39 An easy to use, demountable twin

#### E. K. Cardboard Reflectors

Handy folding cardboard reflec-tors for all around use. Fit snugly on any light socket. PH8000— Per Pair, YOUR COST..... 14°

#### The DRAUCKER **Photoflood Calculator**



tures.". PH5085— YOUR COST EACH..... Photo-Flash Calculator

A handy calculator that tells you the right aperture values for difterent numbers and sizes of lamps. PH5086-EACH......45°



#### GENERAL ELECTRIC **Photoflood Bulbs**


Efficient photoflood bulbs for Efficient photoflood bulbs for professional, commercial and amateur photography. No. 1 (size of a 60 watt lamp) and No. 2 (size of a 150 watt bulb) available in standard and Daylight types. The Daylight bulbs (blue glass) are specially designed for use with Kodachrome full color film. Ratings shown are for 115 volts. POSTPAID IN U.S.A.

Stock No.	Model No.	Light Output	Current Drain	Rated Life	NET EACH	FOR
PH8080	1	750 watts	250 watts	2 Hrs.	\$0.20	\$0.80
PH8082	1 Day.	750 watts	250 watts	2 Hrs.	.50	2.00
PH8081	2	1500 watts	500 watts	6 Hrs.	.40	1.60
PH8083	2 Day.	1500 watts	500 watts	6 Hrs.	1.00	4.00
PH8084	2R*	1500 watts	500 watts	6 Hrs.	1.10	4.40
* Special	l "mushre	oom" type bu	alb that is a	combine	d lamp a	nd re-
flector. I	las insid	e frost and in	side coating	of mirro	or alumin	um.

#### GENERAL ELECTRIC Photoflash Bulbs

No. 7 is	4" long	. All for 3 to	125 volts a.c. or	d.c. except	No. 11
and No.	16 which	h are for low	voltage operation	on only.	
No.	Model	Lumen Sec.	Flash	Each	4 FOR
PH8056	7	25 to 30,000	1/50 Sec.	\$0.18	50.72
PH8059	11	18 to 22,000	1/60 Sec.	.15	.60
PH8057	15	32 to 40,000	1/55 Sec.	.18	.72
PH8060	16	40 to 45,000	1/40 Sec.	.20	.80
PH8058	21	50 to 60,000	1/50 Sec.	.20	.80
PMROAT	75	180 000	1/15 Sec.	.75	3.00

#### WABASH Superflash Bulbs



No. 0: "Peanut" size, 22,500 lumen second, for general work. PH8050—

Press 40,000: Light output 40,000 lumen seconds, flash duration 1/22 second. For press work. 17°
PH8076—YOUR COST EACH......17°

No. 2A: Light output 75,000 lumen seconds, flash duration 1/12 6 for..... \$1.29 second. For synchronizers.
PH8053-YOUR COST EACH...... 27°

No. 3A: Light output 100,000 lumen sec., flash duration 1/14 sec. For color work, large areas, etc. 32° 6 for..... \$1.59

No. 3: Light output 140,000 lumen seconds, flash duration 1/14 second. For large areas; distance. 54° 6 for ...... \$2.69





6 for . . . . . . . . .




Highly efficient instruments for use in the home or in the studio. Constructed of heavy spun aluminum with parabolic, corrected reflecting surfaces which provide maximum concentration and exceptionally uniform distribution of light in the "camera area". Rubber covered grips hold tightly anywhere without damage to anything. Strong nickeled ball and socket swivel. Push switch socket and 6 ft. cord and plug. PH8002-Lafayette Reflector, 12" size for No. 2 Photoflood. Shpg. wt. 3 lbs. \$1.39

PH8001-Lafayette Reflector, 10" size. For No. 1 Photoflood. Shpg. wt. 3 lbs.

YOUR COST
SPOT-LITE Model. Similar in construction to above, but with a narrowed reflector for casting a specific glow. 5" dia. reflector. The most portable and convenient of all photographic lights. Shpg. wt. 3 lbs.

\*1.09



#### **BRITE LIGHT Twin Reflectors**

The reflectors can be placed at will to throw light from many different angles. Rethrow light from many different angles. Re-flector arms are attached to a solid steel tripod having adjustable height up to 6 ft.; adjustable arms add 2½ feet to height. Arm spread is 4½ feet; reflectors may also be placed close together. Two 11" diameter silvered reflectors accommodate No. 1 or No. 2 photoflood bulbs and are attached to push-through sockets mounted on ball-swivel joints. With two 8-foot approved cord sets. Wt. 12 lbs.

PH8007—Twin Reflectors, less bulbs.

List Price \$7.50. YOUR \$6.69 COST.

**New "Floating" Reflector Lamps** 

"Floating" is most descriptive of the action, flexibility and ease of operation afforded by these new type reflector lamps. The reflector is "floated" through the

air to any desired position, and light directed at any angle with the tips of the fingers. Both arms of the lamp are scientifically balanced in all positions by a spring (not by friction), Double arms permit any horizontal or vertical position adjustments; double swivel at the lamp socket permits angular distributions and the lamp socket permits angular.

adjustments and pivoling; the entire lamp can be rotated in a full circle. Both models have: horizontal arm extension of 34"; vertical extension 34" above and 26" below base, and rotates 360 degrees and rotates 360 degrees on turns 220 degrees and rotates 360 degrees on tube arm.

Clamp-On Lamp

Shown at left. Has malleable iron screw clamp

PH8033-Spotlight type Reflector

A professional type spot light that serves innumerable purposes in photo taking. The lens system consists of three lenses, including two condenser and one focusing lens. Light is concentrated on the desired spot; there is no dispersion. The well venticated lamp house can take either photoflood or standard spot light lamp in an adjustable mount; screw adjustment on the back of the housing permits moving the lamp forward or back. Size of the spot is fully variable; adjustment control on the telescoping lens tube. A sure grip handle is provided so that the operator can easily direct the spot to any desired location, using only one hand. The entire unit is mounted on a three section telescoping tube with collapsible stand base. Will extend over 6 ft. in height. Stand is cadmium plated; lamp house and lens tube of highly polished aluminum. With cord and plug having built-in feed through switch. For 105-125 volts a.c. or d.c. Shyg. wt. 12 lbs.

Trio-Tap Extension Cord

Trio-Tap Extension Cord



Permanent, transparent oil paints for color-ing photographs. Spread evenly and smoothly. Easy to apply, no mixing or brushes necessary.

Complete Set No. 2

Complete Set No. 2

For advanced color work. Contains twenty \( \frac{1}{2}\times 2\times 2\) tubes of colors to take care of every requirement. Also contains one tube of Medium, bottle of turpentine, bottle of varnish, cotton, skewers, drier, extender, glasspalette, tin cup and instructions. Shpg. wt. 6 lbs. Reg. Price \$4.90.

Students Set

Contains eigut \( \frac{1}{2}\times 2\times 2\times 2\)

Contains eigut \( \frac{1}{2}\times 2\times 2

#### Retouching Outfit



Improve your best negatives – or produce excellent prints from seemingly hopeless negatives. The outlit in a metal case with built-in mixing palette, contains 22 different materials, plus a 32-page booklet "Retouching for the Amateur". Includes 12 oz. each of: spirits of turpentine, ammonia, pumice. alcohol, varnish and opaque; 1 dram each of india ink, white, sepia, red. Also 1 art gum. 1 pencil eraser, 1 paper stump, 3 drawing pencils, 2 camel's hair brushes, 1 6" metal edged ruler, 1 etching pen, 1 sand-paper block, 1 eye-dropper and the 32 page booklet. Professional results can be obtained. Wt. 6 lbs. \$3.49 Improve your best negatives - or produce

### **VICTOR Spotting Colors**

For spotting or retouching prints. Dissolve ing prints. Dissolve readily and adhere per-fectly. Colors are on fibreloid sheets, swiveling between cardboard covers. Covers protect colors from dust. Use a moistened spotting brush to pick up color directly from the card. No. 0 Set: 11/4" heavy circles of black, photo brown and sepia on 1 card. PH8726—YOUR COST. fectly. Colors are on fibreloid sheets, swivel-

PH8738—Extra Blades, Each......9c



OPAQUE: For outlining or blocking on negatives.
PH8750-3/4 oz. Tube. ... 2 TC
Large Tube. 13/4 oz. 35
PH8751-EACH. ... 35

34 Ounce Jar. PH8752-EACH....21

# Improve your prints with the proper mounting



#### Leather Photograph Albums

Provide an excellent method for keeping your valuable photos in proper sequence and in the proper setting. Genuine leather with 50 pages. Additional pages can be added at any time. Rich silk tasseled cord binding. "Photographs" on cover in gold.

Refils—1 Dor.

No.	Size	EACH	No.	EACH
PH9425	7x11	\$0.95	PH9426	19c
PH9400	10x12	1.95	PH9401	39c
PH9402	11x14	2.95	PH9403	49c
Nu-Ace	Mountine	Corner	s: Black or	ıly
Approx.	100 to p	ackage.		
PH9404	-YOUR	COST	8c 4 for	. <b>Z9c</b>

#### Spiral Bound Albums

New type photo albums that open FLAT because of the unique spiral binding. Consist of 50 blank black pages of heavy paper between durable Fabricoid covers. The binding is entirely covered; books are neat and attractive. Provide an excellent means for keeping your favorite prints in proper sequence and in a truly artistic setting. Offered at a real "money saving" price. PH9438—Horizontal type. 7" high by 11<sup>24</sup> wide. Shpg. wt. 2 lbs.

PH9439 Upright type. 10" high by B" wide. Shpq. wt. 2 lbs.
YOUR COST EACH, Either Type

YOUR COST

#### **FOTOFOLIO Albums**

The new streamlined method of mounting and preserving snapshots. Convenient library volume size. POSTPAID IN U.S.A. PH9405—Heavy Levant grain "Range Finder" model. Capacity 224 pictures. Gummed hinges fastened to leaves. \$2.95

PH9406-"Tourist" model, "Kivar" cover. Holds 192 prints. YOUR COST EACH..... \$1.69

PH9407—"Projector" Model.
192 prints. With 25 tabs. YOUR COST. 95° PH9408-Pkge, of 25 tabs....8c 4 for 29c



#### "ULTRA" Mat Inslip Mounts

These mounts dress up any enlargement and give it real salon quality. Actual sizes and proportions of your negatives have been precisely figured so that all of the finished print will show in the "Ultra" mount. No trimming—no cutting—no cropping. The design is simple and artistic. Mounts are made of choice antique stock; inserts feather deckled on all sides.

#### VERTICAL MOUNTS

Outside

Size

Stock	Film	Size	Outside	100	n COSI
No.	Size	Opening	Dimens,	Each	Per Doz.
PH5152	Half 120	31 8x 33/4	51/8x 61/2	9c	89c
PH5153	35 MM	3 x 41/2	51/4× 71/2	10c	94c
PHS154	35 MM, 120	41/2x 61/2	7 x10 2	10c	98c
PH5155	116	41/2× 71/2	7 x11	11c	\$1.09
		51/4× 61/2	71/2× 93/4	10c	98c
PH5156	Half 120	6 x 8	91/2×13	15c	1.49
PH\$157	118				1.59
PH\$158	35 MM, 120	61/2× 91/2	1014x141/13		
PH5159	116, 122	612x1012	101/2×153/4	17c	1.64
PH5160	Half 120, 118	71/2× 91/2	1112x15	17c	1.64
PH5161	116, 122	81/2×14/2	12 <sup>1</sup> 2x20	28c	2.69
PH5162	120, 118	101/2×131/2	16 x20	28c	2.69
	HADI	ZONTAL	MOUNTS		- 4
	HOKI	ZUNIAL	WOOKIS	,	
					89c
DME143	Half 120	33/4x 31/6	53.3X 5/16	9e	876
PH5163	Half 120	33/4x 31/8	534x 578	9e	
PH5164	35 MM	41,2x 3	63/4× 6	10c	94c
PH5164 PH5165	35 MM 35 MM, 120	41/2x 3 61/2x 41/2	63/4× 6 9 × 8	10c	94c 98c
PM5164 PM5165 PM5166	35 MM 35 MM, 120 116	41/2x 3 61/2x 41/2 71/2x 41/2	63/4× 6 9 × 8 10 × 8	10c 10c 11c	94c 98c \$1.09
PH5164 PH5165 PH5166 PH5167	35 MM 35 MM, 120 116 Half 120	41/2x 3 61/2x 41/2 71/2x 41/2 61/2x 51/4	63/4× 6 9 × 8 10 × 8 83/4× 87/16	10c 10c 11c 10c	94c 98c \$1.09 98c
PH5164 PH5165 PH5166 PH5167 PH5168	35 MM 35 MM, 120 116 Half 120 118	41/2× 3 61/2× 41/2 71/2× 41/2 61/2× 51/4 8 × 6	63/4x 6 9 x 8 10 x 8 83/4x 87/16 111/2x11	10c 10c 11c 10c 15c	94c 98c \$1.09 98c 1.49
PH5164 PH5165 PH5166 PH5167 PH5168 PH5169	35 MM 35 MM, 120 116 Half 120 118 35 MM, 120	41.2x 3 61.2x 41/2 71.2x 41/2 61.2x 51/4 8 x 6 91/2x 61.2	63/4x 6 9 x 8 10 x 8 83/4x 87/16 111/2x11 131/4x1112	10c 10c 11c 10c 15c 16c	94c 98c \$1.09 98c 1.49 1.59
PH5164 PH5165 PH5166 PH5167 PH5168	35 MM 35 MM, 120 116 Half 120 118 35 MM, 120 116, 122	4½x 3 6½x 4½ 7½x 4½ 6½x 5¼ 8 x 6 9½x 6½ 10½x 6½	63/4x 6 9 x 8 10 x 8 83/4x 87/16 111/2x11 131/4x111 <sub>2</sub> 141/2x115/8	10c 10c 11c 10c 15c 16c 17c	94c 98c \$1.09 98c 1.49 1.59
PH5164 PH5165 PH5166 PH5167 PH5168 PH5169	35 MM 35 MM, 120 116 Half 120 118 35 MM, 120	41/2x 3 61/2x 41/2 71/2x 41/2 61/2x 51/4 8 x 6 91/2x 61/2 101/2x 61/2 91/2x 71/2	634x 6 9 x 8 10 x 8 834x 87/16 111/2x11 131/4x111 <sub>2</sub> 141/2x115/8 131/2x13	10c 10c 11c 10c 15c 16c 17c	94c 98c \$1.09 98c 1.49 1.59 1.64
PH5164 PH5165 PH5166 PH5167 PH5168 PH5169 PH5170	35 MM 35 MM, 120 116 Half 120 118 35 MM, 120 116, 122	41/2x 3 61/2x 41/2 71/2x 41/2 61/2x 51/4 8 x 6 91/2x 61/2 101/2x 61/2 91/2x 71/2 14/2x 81/2	63/4x 6 9 x 8 10 x 8 81/4x 87/16 111/2x11 131/4x111/2 141/2x115/8 131/2x13 181/2x14	10c 11c 11c 10c 15c 16c 17c 17c 28c	94c 98c \$1,09 98c 1,49 1,59 1,64 1,64 2,69
PM5164 PM5165 PM5166 PM5167 PM5168 PM5169 PM5170 PM5171	35 MM 35 MM, 120 116 Half 120 118 35 MM, 120 116, 122 Half 120, 118	41/2x 3 61/2x 41/2 71/2x 41/2 61/2x 51/4 8 x 6 91/2x 61/2 101/2x 61/2 91/2x 71/2	634x 6 9 x 8 10 x 8 834x 87/16 111/2x11 131/4x111 <sub>2</sub> 141/2x115/8 131/2x13	10c 10c 11c 10c 15c 16c 17c	94c 98c \$1.09 98c 1.49 1.59 1.64

#### **Mounting Boards**

Heavyweight Exhibition boards, white on one side and buff on the other. Have pebble-grained surfaces that add greatly to the appearance. Available in two standard sizes. Shpg. wt. 1 lb. Stock No. Size Each 6 For Stock No. PH5174 PH5175 6 For 16x20" 10c 8c 42c

#### "BRAQUETTE"

The beautiful, modern, convenient way to mount your fine prints. Fully adjustable, hangs or stands on its easel mount, and it lasts forever. Ideal for the gallery or studio. All metal.

#### SHIPPED POSTPAID IN U.S.A

No. Height Finish	Each
PH8760 9-14" Chrom	er sonn
PH8758 9-14" Brass	
PH8761 14-24" Chrom	e 6 For
PH8759 14-24" Brass	\$10.20

#### 16x20" "Exhibit" Mounts

Made of deluxe antique surface material with neat beveled open-ing. Outside diam. 16x20". Vertical Horizontal Stock No. Opening Stock No.

PH5180	8x10"	PH5181
PH5182	11x14"	PH5183
YOUR COST, ANY TYPE	29°	12 \$2.89 FOR

# Lafayette

#### **Negative Files**

Beautiful levant grain cases made of one piece and sturdy enough to withstand years of service. Snap-on hinged tops. In three sizes: No. 1 for 35 millimeter and Bantam negatives; No. 2 for vest pocket (127) negatives; No. 3 for No. 116 and No. 120 negatives. All provided with 100 superfine glassine envelopes and index cards. Shpg. wt. 3 lbs.

PH9409—Size 1 PH9410—Size 2 PH9411—Size 3 Extra packets of 100 glassine en-

velopes plus index cards. PH9412—For size No. 1. PH9413 For size No. 2. PH9414—For size No. 3. YOUR COST,

49°

## Lafavette FOTO-STIK

Lafayette offers the newest and finest liquid Ladayette offers the newest and finest liquid mounting adhesive ever developed for photographic use. Superior to rubber cement in every way. Applied like thin mucilage, it flows freely; yet, when dry, surplus can be erased by rubbing with the finger tips or a dry cloth. FOTO-STIK is Non-Inflammable, Non-Warping, Non-Yoining and Non-Curling. In small bottle or cans.

PH9415-4 Ounce bottle. Shpg. wt. lib. YOUR COST...... PH9416-1-Pint can. Shpg. wt. 2 lbs. YOUR COST...... PH9417 | Quart can. Shpg wt 3 bs. YOUR COST.....



Stock

# LM TANKS AND Sccessories

ELKAY Adjustable Tank



The Elkay adjustable rapid-loading tank develops, washes and fixes in daylight. Solution without sorm of the evenly, but holders will not form at base without tilting or turning tank. Loads a divented the evenly of the evenly



FEDCO Adjustable Tank

Made of chemical resistant bakelite. Has the new "red top" Snap Lock cover Has the new "red top" Snap Lock cover that can't come off accidentally and fog the film. Simple to load. Has wide funnel for filling and side vent for pouring. The spiral feed reel is adjustable for all sizes from 35mm (36 exposures) to No. 

Fedco 35 Mm. Tank As above, but reel is for 35mm (36 exposures) film only. \$1.89



Here is the answer to the widespread demands of photographers everywhere. Adjustable, sturdy moulded Bakelite, 4x5" or 10x12.5 cm. Simple to operate film evenly (log and bottom), Processes the entire about the student of the state of the s

SHIPPED POSTPAID IN U.S.A. ONLY

# Glass Graduates



Made of strong laboratory glassware these highly accu-rate graduates will withstand considerable abuse and give able abuse and give many years of relicible service in your darkroom. The sparklingly clear glass is very plainly marked for the accurate measurement of chemi-

Cap.	Wt.	EACH
4 oz.	1 lb.	9c
8 oz.	2 lbs.	16c
16 oz.	3 lbs.	24c
32 oz.	4 lbs.	44c
	4 oz. 8 oz. 16 oz.	4 oz. 1 lb. 8 oz. 2 lbs. 16 oz. 3 lbs.





Extra strong fluted glass funnels. ribs inside the funnel Heavy for extra strength and solution guide in filtration. Fit easily into narrow necked bottles.

C
Ī
e
C
C
Ī

#### Dark Brown Bottles With Screw Caps



All of your chemi-cals should be kept in dark bottles. PH9380—1 Pint. Wt. 3 lbs. EACH.....PH9382—1/2 Gallon.

18° Wt. 4 lbs. 22° H9383 1 Gallon. Wt 5 lbs. 41°



# F-R Adjustable Tanks Model C-"Double Header"

Latest model. Will process two rolls of 35 mm. film (36 exposures) at the same time, and is adjustable to take single rolls of all film up to and including No. 116. All parts of the tank and reel are constructed of Bakelite—unaffected by photo chemicals, acids or alkalis, and easily cleaned. The lid is completely light tight, and all operations except
loading the film may be carried out in
Ine molded bakelite spiral reel has tension

bright light. snaps. Complete with agitator rod and instructions.
PH9254—Mcdel C Tank. YOUR COST. \*4.28
PH9253—As above, but with reel for single film, 35 mm. to
116 size (takes PH9256).
YOUR COST. \*3.38 **\*3.38** 

PH9257—F-R tank for single 35 mm. (36 exposures) film \$2.25 YOUR COST. PH9256—Double reel flange only, for use with PH9253.
YOUR COST

90c PH9255—Double reel spiral only. YOUR COST..... ABOVE SHIPPED POSTPAID IN U.S.A. ONLY.



# F-R Roll Film Developing Kits



DUPONT Sponges
Unbeatable for drying negatives. Easily cleaned. No. 4 size.
PH8673— 

#### **Photo Chamois**

100% oil tanned. Specially prepared to remove dust and clean film without scratching the rinest emulsion.
PH8721—8"x10". EACH...23°
PH8722—10"x16".
YOUR COST EACH.....46°

## Thermometers PH8697—Tank type, at



left for tank or tray use. Curved graduate 30 to 

# YOUR \$1.25 **Hype Drain**



PH8696-EACH.....





# Ury Chemicals

# AGFA Chemicals

# Chemicals



Size

EACH

AGFA photographic chemicals are noted for their excellent quality. Absolutely pure and clean-granular chemicals are notably free from dust. Prepared formulas are accurately compounded and give consistent results without variation from batch to batch. All chemicals are properly packed in suitable containers to keep them free of containers to keep them free of containers. AGFA photographic chemicals tamination.

tones.

cellent for reducing dense overdeveloped negatives.
PH9168-10 gram bottle.....23c
Retouching fluid-used on nega-tives to provide a surface that
will "take" pencil marks. Easily will "take" pencil marks. Easily removed when necessary. PH9167—2 oz. bottle......41c

Fink-Roselieve chemicals and formulas are well known for their stability and purity. All are packed in convenient amounts for amateur and professional use in properly designed containers. Diotol — A modern developing agent especially designed for fine grain negatives. Used in combination with Monotol and Glycin to make the famous X-33 developer. Hydroquinone — Absolutely uniform in quality and purity. Excellent keeping qualities. Easily Monotol—(Metol)—a universally used developing agent used alone or in combination with other types. Pure white in color and easily soluble in cold water. May be substituted in place of Metol in equal quantities in any formula

Potassium Bromide - Granular Potassium Bromide — Granular U.S.P. Exceptionally uniform quality and physical appearance. Use it to compound your own formula or add it to other suitable prepared formulas to prevent fog, to clear highlights or to add warmth of tone.

No. Size EACH Potassium Alum - absolutely pure, stable and easily soluble Sodium Carbonate-(Monohydrat-| Sodium Carbonare-| Finding Pare | Annual Pare | Face | F Sodium Sulphite Anhydrous-will not cake even through prolonged exposure to moist atmosphere. 



Chromium Intensifier—makes thin weak negatives printable. Bottle of 25 tablets.

PH9198—per bottle........35c
Mercuric todide and Sodium Sulphite Intensifier—preferred by many amateurs and professionals. Tube of 15 tablets.

PH9199—per tube.........50c
Potassium Bromide—30 one gr. tablets. PH9047—per carton...35c
Sodium Carbonate—22 forty-four gr. tablets per bottle.

## TABLOID Chemicals and **Photo Toners**

Thoto Ioners
Tabloid products are unique in that they eliminate the need for measurement or weighing because all are put up in tablet form. Just add one or more tablets as directed to water and you have the correct formula accurately compounded—no waste—no bother. All Tabloid chemicals SHIPPED POSTPAID IN U.S.A. IN U.S.A

BUIDAND Blue Tenen	
PH9038—Blue Toner.	
Tube of 12 prs	. 70c
PH9039-Green Toner.	
7,17037-076611 101161.	70-
PH9039—Green Toner. Tube of 12 prs	. / 00
PH9040—Sepia Toner.	
Tube of 12 prs	70c
Tube of the profit	
PH9041 - Copper Ferrocy	31104
Toning Compound.	
Per tube of 15 tablets	75c
	.,,
PH9042—Yellow Toner.	
Per tube of 12 pairs	\$1.00
Universal Developer - for	films
and papers. 25 tablets ead	
"Rytol" and "Rytol Accelera	itor."
PH9194-Carton	
PHYTY4-Culton	

# EASTMAN KODAK Chemicals

formula.

The name Eastman Kodak alone is sufficient guarantee of the high quality of these chemicals. Unsurpassed for purity and stability. Tested formulas that give consistently fine results. Expertly packed in contamination-proof containers. containers.

D-72 Developer

The accepted standard for both contact and enlarging papers. It is also used for some types of

film development, particularly in press work. Results on paper can be varied from soft to hard



D-52 Developer

A paper developer especially suited for chloro-bromide and suited for cnioro-bromine under chloride papers. Gives warm tones. Quantities given are for stock solution. Wt. 1 lb. PH9150-1 quart. YOUR COST 20c PH9151-12 gallon. Wt. 2 lbs. YOUR COST. New! DK-20

Fine Grain Developer Fine Grain Developer
Eastman's latest development in
an ultra fine grain film develaper. Temperature tolerance
from 60° to 90° F. Soft working
good shadow detail. Wt. 1 lb.
PH9142-1 pint. YOUR COST 32c
PH9143-1 quart.
Wt. 1 lb. YOUR COST......45c
PH9144-1 gallon.
Wt. 2 lbs. YOUR COST.....90c
D-76 Developer

\* standard fine grain developer

# can be varied from soft to hard by varying proportions of stock solution to water. Normally used 1:4. Quantities given below for stock solution. In double can. PH9138-1 quart. Wt. 1 lb. YOUR COST......23c PH9139-1/2 gallon. Wt. 2 lbs. YOUR COST.....32c **EASTMAN KODAK Studio Scales**

★ Highly Accurate
★ Two Models ★ Two Models ★ Beautiful Finish

The formulas for practi-



The formulas for practically all commercially produced developers are available for compounding from pure chemicals such as listed on this page. All that you need is an accurate scale such as the Kodak Studio Scale pictured here. It is made of the finest nickeled steel with a managany base. Beam is calibrated in both metric and avoirdupois systems for minor weights. Pan weights supplied in either system. PH8740-Kodak Scale with Metric pan wts.

PH8741-Kodak Scale with Avoirdupois wts.

YOUR COST, EITHER TYPE.

# Pure Acid Fixing Powder

In Lafayette Acid Fixing Powder you get the finest, freshest "hypo" ever prepared. Not only have the purest chemicals been used in its preparation, but Lafayette Acid Fixing Powder is packaged so that it will retain its freshness, in its original carton, for a greater length of time than any other. A "lacquer-lined" container with metal top seals in the full strength so that your film and prints receive the full "fix" qualities. Rice-grain size crystals prevent clumping, dissolve more readily. The acid hardener is contained in a separate sealed carton within.

PH9116 - 5-Pint (80 oz.) Size.
YOUR COST...
PH9117-5-Quart (160 oz.) Size.
YOUR COST... 18° Lafayette M-Q Tubes

Highest grade photo-chemicals for use with all types of film and contact or projection paper.

PH9148-YOUR COST,

PACH

CC

Pack of 6.....24c 24 for ..... 84c



# Latavette MINIGRAIN Super-Fine Grain Developer For Amateur and Professional Use

For Amateur and Professional Use
Thousands of photographers who have used this really exceptional fine-grain developer have confirmed our belief that in Ladayette Minigrain we are offering one of the world's greatest developers. Capable of providing negatives producing tremendous enlargements with no trace of grain. Contrast can be controlled. Superior to other fine-grain developers because of the unique method of preparation in which the chemicals are placed in absolute solution without the aid of any heat whatsoever, thereby giving a 100% working efficiency of each component. Try a quart of Minigrain—the developer experts use. Complete, easy to follow instructions are included with each bottle. Shipping weight 5 lbs. PH9136-32-Ounce Bottle (1-Qt.)

# **DEFENDER Photographic Chemicals**



H. Harvey "777" Panthermic—Can be used at temperatures up to 90° F. without danger of frilling or softening of the emulsion. Fine grain. Full speed (no increase in exposure time). Develops Fine grain. Full speed (no increase in exposure time). Develops 21 rolls of 35 mm film. or equivalent. Wt. 2 lbs 22.39 Ph9108—Panthermic "777" List \$3.00. YOUR COST Ph9109—No. 1 Size 6-D (1 quart). 56c Ph9110—No. 2 Size 6-D (1 gallon). 1.39 Ph9111—No. 2 Size 6-D (3½ gallon—tank size). 1.39 Ph9111—No. 3 Size 6-D (3½ gallon—tank size). 1.39 Ph91112—No. 1 Size 55-D (40 oz.). 23c Ph9112—No. 1 Size 55-D (40 oz.). 42c Ph9113—No. 2 Size 55-D (64 oz.). 59c Ph9113—No. 2 Size 55-D (128 oz.). 59c Ph9115—Tubes 55-D. Each 9c 6 for 47c Ph9109 in 50,000 parts of water. Far more sensitive than permandance test. Kit includes reagent sufficient for 500 tests, two graduated tubes and a handy tube support. 95 c

MARSHALL Photographic Chemicals



X-33 Thermolecular Fine Grain Developer

Here is the all-temperature, fine grain developer that is the answer to every photographer's prayer. Will produce extremely fine grain for enlargements of practically any magnification. Has a developing range from 65° to 85° Fahrenheit—log-free long scale gradation—no loss in emulsion speed—non-staining and absolutely stable in all climates and temperature variations.

\$1.67

X-33 in Powder Form -Makes 32 ozs. YOUR COST ....

GDX

An exposure compensating developer for all fine grain work. Produces negatives that are rich in tonal quality, fog-free, amazing detail in shadows. Develops all types of film through the entire exposure range with no loss of emulsion speed. Extremely economical 32 oz. bottles develops 15-17 rolls of 35mm film or equivalent. Full directions included. Wt. 6 lbs.

PH9145—32 oz. Bottle.

YOUR COST.....



**World Radio History** 

Fixol

A highly concentrated liquid acid fixing and hardening solution for all photographic work. Saves the muss and bother of mixing dry chem-icals. Ideally suited for fine grain work, as well 

Hardenol

Can be used as an auxiliary or intermediate short stop and hardener for all films and papers. An ounce in a quart of hypo makes the equivalent of a FIXOL solution. Diluted in water can be used as hardener wash between developer and hypo to prevent frilling, reticulation, etc., in negatives. Saves the nuisance of mixing fresh hardening solution and lasts indefinitely. PH9102—6 oz. size.

276

PH9102-6 oz. size.
Wt. 2 lbs...
PH9103-16 oz. size. Wt. 4 lbs...
PH9104-32 oz. size. Wt. 6 lbs...
Quinolin

A universal developer for all prints and negatives (other than fine grain). Develops a brilliant print of pure-black and blue-black with chloride and bromide papers. Concentrated solution, must be diluted with water. Full directions with

# JUST LIKE PRIVATE INSTRUCTION

Save yourself many hours of useless labor and many dollars worth of wasted material by learning the "how" and "why" from these valuable books, each written by an expert in his particular field.

## PORTRAITURE

By far the greatest number of pictures you make are of people your family, relatives and friends. These books show you how to make flattering portraits. How to light them. process the negative and make the print.

Modern Portraiture (Jordan)

An advanced text on portraiture for both amateur and professional. Presents the methods of Hollywood Motion Picture Industry as applied to still portraits. Panchromatic makeup clearly explained. 125 illustrations \$3.00

# 

(Natkin)

A complete system of portraiture for the amateur. Complete in every detail, including final retouching.
PH5013 YOUR COST.... \$2.00

Your Child's Portrait (DeLardi) 

Let's Make a Portrait (DeLardi)
99 pages, 51/x71/2", in which the reader is taken through the problems of portraiture. PH5015 YOUR COST ...

Pictorial Lighting (Mortensen)
excellent text on lighting problems.
Id in every-day terms. 111 pages, 38
strations. 7x10''.
5017-YOUR COST..................\$2.00 illustrations. 7x10".
PH5017 YOUR COST......

Photographic Makeup (Meltmar)
A 218 page text on the art of makeup that covers the subject in exacting detail.
PH5018 YOUR COST. 3.50

The Story of a Face (Bailey)
A brilliant 128 page book by a competent author. Exceptional illustrations
PH5019 \$2.50

YOUR COST ..... Selecting and Posing the Model Approximately 96 pages, well illustrated, covering all phases of this intriguing subject. An authoritative treatise that is clearly presented.
PH5016 YOUR COST......

# PHOTO FUNDAMENTALS

Books for the beginner in photography

Secret of Exposure (Fraprie) 

Helps for Beginners (Fraprie) Mighty helpful too. 5x7½".
PH5024 YOUR COST..... 

Better Photography AGFA's helpful handbook. PH5029 YOUR COST.....

How to Make Good Pictures STMAN'S popular photo handbook. PH5054 YOUR COST.

Better Picture Taking
One of the "How and Why" series. 75c
PH5072 YOUR COST Elementary Photo Chemistry
EASTMAN'S chemical.
PH5055 YOUR COST.

Photography of Colored Objects
EASTMAN'S book on how to use filters, obtain good contrast, etc. PH5056 YOUR COST....

Photographic Darkroom (Wall) How to equip it, heat it, etc. \$1.50 PH5030 -YOUR COST.......



### ENLARGING

Good enlarging is not difficult to do at least not when you know the right methods to pursue. Let the books written by authorities in this field tell you how to do it simply and easily.

Projection Control (Mortensen) Describes the author's methods in achieving the various effects he produces in his famous pictures. 95 pages, 51 illustrations. 7×10'

PH5042 -YOUR COST .... Photographic Enlarging (Jordan) 

How to Make Enlargements (Fraprie)

**Enlarging and Darkroom Technique** No. 8 in the popular "How and Why" Written by John V. Neiberger. PH5073 YOUR COST.....

Perfect Print Control (Dutton) 

### DEVELOPING & PRINTING

Fine grain developers, fast developers slow developers, soft developers, hard developers it sounds so confusing when you don't know what it is all about. Learn all about it from these easy-to-understand books by experts.

Modern Development (Fraprie) 

#### Practical Printing Processes (Fraprie)

AGFA's worth-while handbook. PH5010 YOUR COST......

# About Developers (Lowe)

Covers this interesting subject in great detail. Written by Dr. Edmund W. Lowe. Many illustrations. 128 pages. \$2.00

All Books Listed on this Page Shipped Postpaid in U.S.A.

## PHOTO PRACTICES

Outside of the field of straight developing and printing there are many practices that have been used for years either to improve the results obtained with the camera or to adapt its use to fields other than the mere recording of scenes and objects.

Intensification and Reduction The judicious application of either or both 

50°

Art of Coloring Prints (Tobias)
Covers the theory of color and methods of
the artist in applying it. Pastels, crayons,
oils, etc., 120 pages; 5½x8". \$1.50
PH5031 YOUR COST...

How to Make Lantern Slides (Fraprie)

Slides in black and white, color, toned or dyed, on glass plates or film. 80 pages. 5x71/2". PH5027 YOUR COST.....

How to Tone Prints (Fraprie) 

Practical Infra-Red Photography (Helwich) Gives a complete explanation of all that is known of the subject. 94 pages. 61/2x81/2". Numerous illustrations. PH5049 YOUR COST. \$2.00

Lighting Ideas In Photography

(By Deschin & Herrschaft)
A new book for those who want to do something "different". Gives new type tested lighting chart, explains photo-montage, shadow effects, color lighting, \$2.75
The Art of Table Top Photography (Gleed)

Tells you how to create miniature scenes that give the illusion of reality. Directions for making backgrounds, etc. Illustrated

Making a Photograph (Adams) A modern photographer gives his ideas of what to take and why, the equipment to use and how to use it. Points out new fields to look into. Well illustrated. 96 pages, 712 \$3.50

122 pages on this interesting and important subject. 100 illustrations. \$1.00

How to Take Pictures at Night interesting subject interestingly plained.
PH5067 YOUR COST.....

# REFERENCE BOOKS

Photo-Lab-Index

Every conceivable type of information for the photographer in handy looseleaf, indexed form.
PH5081 YOUR COST.....

Dictionary of Photography
The book every photographer should own.
Defines all of the terms used in the field.
PH5050 \$2.50 YOUR COST.....

# BY THE GREATEST AUTHORITIES!

# PROFITS IN PHOTOGRAPHY

Why not make your hobby pay for itself?
These helpful books tell you how.
Photo Markets (Lyons)

(Exicksen)

How and where to sell photos. 132 pages. 5½x9" with illustrations. \$1.00
Free Lance Journalism With a

Camera (Mallinson)

Third edition. Tells how author has sold photos of all types in the most varied markets. Reproductions of every type. 85 pages. 6x8". \$1.50 pages. 6x8". PH5041-YOUR COST....

News Pictures (Jack Price) An authoritative book by a man who is justly famous for his work in news photography. PH5069-YOUR COST..... \$2.00

# Fun With A Camera

Fun of Photography (Scacheri)
One of the most brilliantly prepared books
on the subject. Excellent for amateur and Photographic Amusements
(Fraprie and O'Connor)

lustrations.
PH5045-YOUR COST......

Photographic Hints and Gadgets

(Fraprie and Jordan) 332 pages, 61/8×91/4", nearly 500 332 pages, 61/6x91/4", nearly 500 illustra-tions. Full of practical ideas—labor saving devices.
PH5046—YOUR COST.....\$3.50
New Ways in Photography

(Deschin)

All the latest information on methods, technique and raphy, camera angles, color, retouching, etc., fully described. 293 pages. 5x7". \$2.75 YOUR COST.....

#### COLOR PHOTOGRAPHY

Photography in natural full color opens an entirely new field for you and your camera. Your pictures taken in full color have a new interest, impossible to capture in ordinary black and white photography. Color photography demands a new tech-nique. But read all about this interesting

subject in any of the following books.

Color Photography for the

Amateur (Kieth Henney)

(Robert Fanstone)

A splendid text on the transparency processes. 114 pages. Illustrated in color. PH5020— \$1.50

Color Photography in Practice

(D. A. Spencer)

Complete book, designed for the commercial photographer but of immense interest to the amateur. 287 pages. With many color plates. 7½x10". plates. 7½x10". PH5021—YOUR COST.....



# HOME MOVIE BOOKS

Even though you can't put "A.S.C." after your name, you'll find it possible to make swell movies after absorping the facts in these selected books.

Ideas for Short Films (Strasser) Shows the wealth of cine material available within the neighborhood. 80 pages. PH5032— YOUR COST..... °1.00

Trick Effects With the Cine

YOUR COST.....

Cine Titling Simplified (Abbott)
An authoritative book replete with practical data on the subject. 80 pages. PM5034 YOUR COST.....

How to Make Good Movies (Eastman Kodak)

200 page Eastman Kodak publication 600 illustrations, many in color. Also val-uable exposure guides. PH5002-

YOUR COST. Making Home Movies (Ottley) Complete guide to amateur cinemaphotography. Covers all phases. 295 pages, well

PHS035-YOUR COST.....

Make Your Own Movies
By King Pessels and Arthur Gale. 320 pages
of information answering amateur cinetan
problems. Profusely illustrated. \$3.50
PH5070—YOUR COST...

Movie Making Made Easy (W. J. Shannon)

Second edition. Shows the movie maker how to make the most of his camera and 

**Home Movie Gadgets** 

(W. J. Shannon)
Interesting devices and gadgets which go far in increased movie making enjoyment. PH5083— YOUR COST.....

**Amateur Movie Production** (W. J. Shannon)

Second edition of this valuable guide on photoplay production from script to screen. PH5084— 

NOTE: For obvious reasons books and magazines cannot be returned for exchange or refund. Please select carefully from the listings.

# MAGAZINES & ANNUALS

The only way you can keep right up to the minute in this rapidly advancing field is to read one or more of these popular magazines and annuals.

American Photography
One of the older ones in the field—and a
mighty fine one too. Issued monthly.

15°C

15

Camera Also an old timer—and especially well liked by old timers in the game. Issued monthly. PH5101— 

Movie Makers
As its name implies—especially written for the home movie maker. Issued monthly, PH5102—

YOUR COST PER COPY.....25° Minicam

An excellent pocket-size magazine just chock full of information—a special favorite with the how to make it and do it fan. Issued monthly.
PH5103-YOUR COST PER COPY... 25°

Popular Photography The most popular magazine in the field. Beautiful reproductions of salon pictures in each issue – including color pictures. Many how-to-make-it articles. PH5104—YOUR COST PER COPY....25

U. S. Camera Annual-1939 Latest edition. Edited by Steichen. 200 beautiful pictures with complete information as to how they were made and by whom. Valuable data on cameras, lenses.

1939 edition of this famous almanac. Chock full of formulas, tables, and other informa-tion. Complete directory of where to sell 

# MINI-CAMERA BOOKS

Due to its size the miniature camera requires a somewhat different technique than that used with larger cameras. For complete information as to what to avoid, and what to strive for, we especially recommend the following.

Making Pictures With the Miniature

Miniature Camera Work

(Morgan and Lester)

A new book of new facts. Will show you how to improve and give you a clearer understanding of pictures. \$4.00

Commercial Photography With the Miniature Camera (Goldner)

Book tells how a successful commercial photographer operates a business with a \$1.00 miniature camera.
PH5038-YOUR COST.....

The Miniature Camera in Professional Hands

Remie Lohse, one of the most successful professionals, tells how he made a success in advertising using a miniature camera. 48 full page illustrations. \$1.50

All books listed on this page SHIPPED POSTPAID IN U.S.A.

# MINUTE SPECIALS



# New Latayette Voltage "Jogger"

# Lafayette (Hi-Low) Switch

A new, extra neavy duty multiple switch designed for photographic lighting control. Consists of a heavy duty double-pole double throw switch mounted in a metal case having four receptacles; furnished with a 6-foot live-rubber covered No. 14 gauge parallel line cord. Can be used with four No. 1 photoflood lamps connected at once, or two No. 2 photofloods. In operation, with the switch in one position, full voltage is applied to the lamps; when the switch is thrown to the opposite direction, the voltage to the lamps is reduced 50%. Thus, when setting up your "shots" or when focusing, you can cut the illumination down, until you are ready to "shoot". It saves your eyes from excessive glare, makes it easier for your models to pose and cuts down the amount of heat generated. Current carrying capacity is 10 amperes at 125 volts a.c. Measures only 4x4x2/g".
PH9395-Lafayette Photoflood Switch.

# "Believe-It-Or-Not" Scrap Books

Innumerable people have the collecting hobby, whether it be stamps, coins, clippings, etc., etc. If your hobby is the collection of photographs or newspaper clippings you'll want one of these beautiful "Believe-It-Or-Not" Scrap Books. Each has a coverpiece by the world famous Ripley countersunk in the center of the heavy brown stock cover; titles are stamped and printed in red. Each book contains 50 Kraft sheets of good grade, and additional sheets can be added at any time. Binding edges of the covers are re-enforced and eyeleted; red silk tasseled cord.

tasseled cord.
PH9440-9x11". Shpg. wt. 2 lbs.
YOUR COST..... PH9441-10x12". Shpg. wt. 2 lbs. YOUR COST..... PH9442-11x15". Shpg. wt. 3 lbs. YOUR COST.....



\* It Rocks Automatically ★ Requires Space Only 11x14" \* Acid and Chip-Proof Finish

A new, highly useful print washer that works automatically. It will save you loads of time—it washes a batch of prints in 15 minutes. In operation, you place the rocker-rinser under the faucet, turn on the water and let 'er rock-automatically. Gives a complete change of water every 10 seconds. Has two compartments, for 8x10" and 4x5" or smaller prints; also perfect for washing cut film or plates. Convenient and simple: requires no attention and there is no need to worry that tub or sink will overflow. All metal construction, with acid-proof and chip-proof enamel finish and rubber bumpers. Can be used in a space of only 11" by 14". Use it in the sink or wash tub; it does its work while you're attending other darkroom chores. Shpg. wt. 2 lbs. PM8735—"Rocker-Rinser".









# VISIT THE Late LECTURE

As an aid to our many custamers and friends who are interested in the various phases of photography, the Lafayette Camera Corp. has instituted the policy of arranging a series of highly informative and interesting lectures at its several branches. In the photo at the left is shown part of the group that assembled to hear the well known Mr. Gibbs, A.R.P.S., who gave a most entertaining talk on "Paper Negatives". Other well known authorities who have appeared at the Lafayette Lecture Halls include: Mr. Haynes, Mr. Hutchins, Mr. Kenney, Mr. Ivan Dimitri.

In the near future, the series of Lafayette lectures

Ivan Dimitri.

In the near future, the series of Lafayette lectures will be continued with the aid of other photographic experts in the role of speaker. Announcements will be sent to all who are on our mailing lists, and in addition, notice will be given in the various newspapers and publication in the locality. All our friends are most cordially invited to attend. There is never any charge, and there is absclutely no "commercial". We strive only to further "good photography" and to widen our ever growing circle of friends.





# ntormation

The information given on this page is by courtesy of Mr. Joseph M. Bing, F.R.P.S., of the Photo Utilities Company, Mr. Bing is and we are thankful for his aid.

# Comparison of Film Speed Ratings

The following tables of comparison of speed rating systems are presented only as a gen-eral guide. Mathematical conversion is, of course, impossible because the systems have no common basis and vary too widely in application. Practically, however, the various systems of speed rating can be loosely compared with each other to provide a general indication as to where a film's place is in any of the systems.

#### Ratings Shown Are Those Used in U. S. A.

Amer. Scheiner	Weston	Din.	H&D	Rel. Exp.
8	0.75	1/10	35	32
9	1 1	2/10	45	27
10	1.3	3/10	56	21
11	1.5	4/10	72	16
12	2	5/10	91	13
13	2.5 3 4	6/10	117	11
14	3	7/10	150	8
15	4	8/10	190	7 5
16	5	9/10	240	5
17	6	10/10	308	4
18	8	11/10	390	31/3
19	10	12/10	500	22/3
20	12	13/10	636	2 123
21	16	14/10	800	123
22	20	15/10	1050	11/3
23	24	16/10	1300	1
24	32	17/10	1700	4/5
- 25	40	18/10	2100	24
26	50	19/10	2700	1/2
27	64	20/10	3500	24 1/2 2/5
28	80	21/10	4400	1/3
29	100	22/10	5600	1/4
30	125	23/10	7200	1/5
31	160	24/10	9100	16
32	200	25/10	11600	1/8

Responsibility for the speed numbers cannot be assumed. Any speed table is substantially correct only for the date of compilation. Changes in the manufacture and characteristics of sensitized products occur quite frequently; age and storage are of uncontrollable influence. The speed numbers are consecutive. They are the ratings for ANY exposure meter designed for use in the Histod States of America. Any film the United States of America. Any film listed in the table three units higher any other is, for practical use, considered twice as fast. Products not listed, altered or issued after compilation of this table, are easily compared with any known and listed film. If the new film is twice as fast as the known emulsion, add three units to the known number. For new film of half the speed, decrease the speed number by three

Note: European Scheiner ratings are six numbers higher than American Scheiner,

#### EXPOSURE DATA

Certain factors arise either before or after "pressing the button" which have an adverse effect on the negative quality. Be-

verse effect on the negative quality. Before exposure:
Veiling Fog over the negative produces the effect of less contrast by shortening the tone range and the negative might appear to many to be incorrectly exposed. Veiling is frequently caused by some scattering of the light. Remedies are:
LENS SHADE. Use it to avert scattered light, especially with highly convex lenses of great light power.
AGAINST THE LIGHT. Internal reflections in the lens cause the light to scatter.

in the lens cause the light to scatter.

DIRTY LENS, Finger prints, dust on front or rear lens, or condensation on a lens taken directly from zero weather into a warm

LIGHT LEAKS, in camera or in film cham-

FILTERS of poor quality cause bad expos-ure. Improper storage of filters causes a bloom on the glass surface which scatters the light. Filters should be kept clean.

FILTER FACTORS must be applied correctly to the meter readings. One filter may look the same to the eye as another, but due to slight differences in their color transmis-sion will have a different factor for different films

IMPROPER FOCUS sometimes gives a simulated appearance of poor exposure. The tones lack crispness when the image is

mushy.

SHUTTER timing must be correct at least within reason. Shutters may be out considerably, mostly slow. They need periodic overhauling. A constant shutter deficiency can be ascertained and allowed for on the motor reading.

can be ascertained and allowed for on the meter reading.

LENSES may differ as to photographic transmission which is dependent on the number of glass-air surfaces, cementing, etc. The "f" markings may be incorrect. Supplementary lenses have a factor to apply to the meter reading. Near-distance, Proxar-type lenses shorten the normal exposure. Distant View, Distar-type lenses

posure. Distant View, Distar-type lenses prolong the time. EXPOSURE METER. Always study carefully the instructions on the proper use of your meter. Reliable readings will then be obtained. Remember, your meter can measure light but it cannot think for you.

AFTER EXPOSURE

AFTER EXPOSURE

DEVELOPER will cause differences in the effective speed of the film.

FORMULA. Always use the manufacturers formula whenever possible; speeds are computed on the basis of that formula.

TIME-TEMPERATURE. Be extremely careful to develop for the right time at the right temperature. Developing to another contrast will also change the speed. Often, when a warm film is immersed in the minimum

will also change the speed. Often, when a warm film is immersed in the minimum quantity of developer, it will raise the temperature appreciably. Keep all solutions at an even temperature.

AGITATION causes an increase in the rate of development, and if the photographer agitates one time and not the next, different results will be obtained.

CHEMICAL FOG will usually appear when working with an old or contaminated solution, or from excessive exposure to the dir during development, causing oxidation fog.

fog.

LIGHT FOG will result from improper handling of the film under the safelight or the use of the wrong or makeshift safelight.

DELATED PROCESSING. Too long a time between exposure and development may cause serious differences through "continuous action" in the latent image, mostly over-exposure effects. Kodachrome particularly should be processed with as little delay as possible.

# Use of Exposure Meters

The angle of light acceptance varies with different meter types, but can generally be assumed to be about the same, or even less, than the inclusion angle of the usual still camera lens.

Spread the index and middle finger, and use this aiming "fork" to judge the approximate area, or angle covered by the meter. When the meter is aimed from the position of the camera it will average the scene "brightness" over the entire picture posit.
scene "bi.
ld. This field. This integrated brightness reading will be about right for "general" subjects of moderate contrast.

Scenes including important dark objects in the shade and equally important light objects in brilliant illumination are "exponetered" by bringing the meter close pometered" by bringing the meter close to the dark portions, then to the bright, and applying the average of both readings to the camera. For instance: suppose the electric indicator points to "2" for the dark and "10" for the bright sections of the picture. The average would, therefore, be "6". If confronted by a scene where the deep shadows of importance cannot be approached, then it will do quite well to measure the shadow cast by ones self for the "darks"

As the emulsion has certain limitations in rendering extreme contrast and since, more over, it is followed by a paper emulsion decidedly more limited in this regard, it is by all means the most advisable and sim-plest of all rules to measure the brightness of the most important and desired portion of the subject.

Approach with the meter sufficiently close

to include only the light from the impor-tant area. It will be satisfactory for prac tant area tical purposes to hold the meter at a distance approximately equalling the shortest tance approximately equaling the shortest dimension of the area to be expometered. The angle covered within the spread of the index and middle fingers puts the meter angle in the apex of a triangle the sides of which are the theoretical prolongations of the fingers and the base the wanted victure section.

picture section.

To expometer a portrait, hold the meter about 12 inches from the face, but avoid

about 12 inches from the face, but avoid casting a shadow; for a fashion shot about three feet from the chest.

For cloud pictures, aim at the darker clouds and understand that whatever foreground appears in the picture will necessarily be much under-exposed.

For inapproachable subjects, or telephote shots salv on substitution & reading

lens shots, rely on substitution. A reading of something nearby that is of the same tone as the subject will give a satisfactory result. Your own hand, turned approximately to give the same tonal impression as the distant object, may be measured

as the distant object, may be measured close-up as a substitute.

Always avoid getting the light sources in the field covered by the meter. It is always advisable to shade the "eye" of the meter with one hand on the side where the principal source of illumination is situated, but guard carefully against covering up any part of the meter measuring angle. To expometer an illumination which is too

low to give a readable needle indication on the meter, place a large white card into the scene or on the subject, vertical upon the camera axis and read this card from a distance equal to its shortest side; from a distance equal to its shortest side; be careful not to cast a shadow upon the reading field. Such a card should be of matte surface, because a glazed one will doubtlessly cause misleading reflections upon the cell. Multiply the card reading by 16, which means, open up 4 stops beyond the meter indication. For dark interiors lit by diffused light, it may be helpful to read from the point of principal interest directly into the light entrance and to multiply by 30 to 32; open up either 5 stops or give 30 times the expometered time.

#### **FILTERS**

It is not advisable to take a reading with the filter over the meter or in connection with it, for the meter does not always respond to filtered light as does the emulsion

There are three methods of accommodating filter factors:

(1) By multiplying the exposure time by the filter factor.

filter factor.

(2) By increasing the lens aperture (whereby each full lens stop will compensate for a 2x filter factor, two full lens stops will compensate for a 4x filter factor, etc.).

(3) By applying a lower speed rating (whereby three Scheiner degress will compensate for a 2x filter factor, six Scheiner degrees will compensate for a 4x filter factor, etc.). factor, etc.).

# Comparative Values of Stops

<i>f</i> :	Rel. Speed			f: Rel. Speed			
1	1 1.25	2.9	8.5	11.3	50 128		
1.2	2	3.2	10	12.5	160		
1.5	2.25	3.5	12	16	256		
1.6	2.6 2.75	4.5	<b>16</b>	22.6	820 512		
1.9 <b>2</b>	4	5.5	30	25	640		
2.5 2.5	5 6	5.6 6.3	<b>32</b> 40	32 86	1280		
2.7	7.5	6.9	48	45	2048		
2.8	8	8	64				

Figures in bold face are English-American series of Stop Numbers.

Figures in italics are the Continental series of Stop Numbers.

or Stop Numbers. Example: How much more exposure time is required if changing from lens aperture f:4 to smaller aperture f:16? Answer: 16/256 = 1/16, therefore 16 times

Example: How much faster is 1:2.9 than 1:4.5? Rel. speed 1:2.9 is 8.5; relative speed

f:4.5 is 20. Answer: 20/8.5 = 2.35, therefore about 21/2 times faster.



# EMULSION SPEEDS AND FILTER FACTORS OF POPULAR FILMS

been assembled to assist the photographer in quickly finding information relative to various types of film he may use. Space limitations have made it necessary for us

The handy film chart shown below has to confine the tabulation only to those manufacturers types of film listed in this catalog. The listing is not intended as a comparison between the products of any one manufacturer with those of another.

	Weston Speed			FILTER FACTORS								
Film	Day.	Tung.	D.	-1 T.	D.	-2 T.	D.	A T.	D.	T.	D.	-2 T
FGA			-						-			
35 MM. Itra-Speed Pan	125	64	1.4	1.2	2	1.4	5	2.5	4	4	6	8
uperpan Supreme	64	40	1.4	1.2 1.2 1.2	1.6	1.4	5 8 6	3.4	3.5	2.5	4	4
`inopan 'ine-Grain Plena	24 24	16 12	2	2	2	1.5	6	3	6	3	6 8	5 5
nfra-Red	2	<u> </u>	_		-		1 —	-		_		
Rolls and Packs uperpan Press	100	64	1.5	1.2	1.7	1.4	3	3.	4	4	6	6
uperpan	24	16	1.3	1.2	2	1.4	6	3	3	4 3	4	4
inopanuper Plenachrome	32	16	1.4	1.2 1.7	2.5	1.5 2.2	6	3	3	3	6	5 3
lenachrome	24	16	2	2	4	3	_		6	4	8	5
Cut Film riple S. Pan	80	64	1.5	1.0	1.7	1.4	3	3	4	4	6	6
uperpan Press	125	80	1.5	1.2 1.2 1.2	1.7	1.4	3	3	4	4	6	6
uperpan Portrait	32 24	24	1.3	1.2		1.4	3 6 4	3 3 2.5	3	3	6	7
S. Pan. uper Plena. Press	80	16 40	1.5	1.4	3	1.5	1	2.5	4	6 3	4	3.
.S. Plenachrome	40	24	1.6	1.3	2	1.5	-		3	3	4	3
ortrait	32	16	3	3	9	8			10	16		
EFENDER												
Cut Film		20										
-F Pan Press	50 50	32 32				_						Ξ
ine Grain Pan	24	16					-			_		-
an Process	40	16	1.7	1.5	4	1.7						
-F Ortho	40	20	1.7	1.5	4	1.7	_					
ortrait HGS	40	20	1.7	1.5	10	1.7	-				_	_
ortrait	40	12	."	2.5	10	0						
UFAYCOLOR												
All Types	8	3					-	****				-
UPONT												
35 MM.			_		_							
L Panuperior Pan	64 40	40	2 2 2 2		2 2 2 2		8 8 8					_
ine Grain Parpan	10	24	2		2					—		
licropan	6	4	2		2		11		-	1.0		_
ASTMAN KOD.	1											
35 MM. and No. 828		00										
uper XXlus X	100 40	80	1.5	1.5	2 2 2	1.5 1.5	7 7 7	4	4	3 3		5 5
anatomic-X	32	24 20	1.5	1.5	2	1.5	7	4	4	3		5
odachrome Reg	8 8	12					_	_				_
Rolls and Packs												
uper-XXanatomic-X	100	80	1.5	1.5	2 2	1.5	7	_	. 5	_		5
erichrome	32 32	12	1.5 2	1.5	2.5	1.5	-				_	-
Cut Film	125	00	, .								6	
uper Panchro-Press	100	80 80	1.5	1.5	2	1.5	4	2	5	4		5
ortrait Pan	20	12	1.5	1.5	2	1.5	10	5	5	3	5	4 5
afety Panatomic ommercial Pan	12 16	8 8	1.5 2.5	1.5	2 2 2 3	1.5 2.5 2.5	10	2	6	4	5 6 7	5
uper Ortho Press	100	50	2.5	1.5	3.5	2.5			-			
ar Speed Portrait odachrome B	16	6	4	3	8	5						_
odachrome Outdoor	5	_ 1										
EVAEDT												
EVAERT 35 MM.									1	٠		
anchromosa	32	20	1.4	1.3	2.3 2.3	1.5	9	6	4	2.2	6.5	-
anchromosa Microgran xp. Superchrome	12 16	8 12	1.4	1.3	2.3	1.5 2.2	9	6	4	2.2	6.5	
							1					
Rolls and Packs	32	20	1.4	1.3	2.3	1.5 2.2	9	6	4	2.2	6.5	
Rolls and Packs											-	
Rolls and Packs anchromosa  xp. Superchrome  Cut Film	16	12	1.8	1.7		2.2						
Rolls and Packs		12 16 12	1.4 1.4	1.7 1.3 1.3	2.3 2.3 7.9	1.5	10 10	6	4	2.2	6.5	***

Filters listed above are Type K-1 Light Yellow; Type K-2 Medium Yellow; Type A Red; Type X-1 Light Green; Type X-2 Dark Green, All ratings of full color film apply

only where proper filters, recommended by the manufacturer, are used. Under filter factors, D. means Daylight, T. means Tungsten (artificial light).

information contained on this and the preceding page is, to the best of our knowledge, up to date and authentic. We cannot, however, assume any responsibility for the results of its use.

# Developing the Negative

Proper development of the exposed nega-Proper development of the exposed negative entails four distinct operations, each of which is highly important with regards to finished results. These steps are first, the developing bath; second, the short stop bath; third, the fixing bath; fourth, the wash in running water.

DEVELOPING BATH: There are many different ways in a continuous of developments of the property adultions with

DEVELOPING BATH: There are many different types of developing solutions available, all designed to produce definite results of one kind or another. Some are universal solutions for general work, some especially designed for fine grain development. It is unnecessary to go into detail about the merits of each of these chemicals, since information regarding their use is easily obtainable. In all cases, however, it is essential, if good results are to be obtained, that the manufacturers instructions be followed explicitly. Time and temperature are the two factors that have greatest affect upon the results achieved. Always maintain the solution temperature are one level throughout the entire period Atways maintain the solution temperature at one level throughout the entire period of development; use a tank or tray thermometer for this purpose. Develop for the full rated period recommended. **Agitation** of the solution during the development development

development. SHORT-STOP SATH: If best results are to SHORT-STOP 8ATH: If best results are to be obtained, a short-stop bath must be used between the developing and fixing solutions. The purpose of this bath is to prevent stains, to toughen the emulsion and to prevent scratching and reticulation. It also prevents the fixing solution from becoming partly neutralized by the introduction of the alkali developing solution, thereby helping to increase the life and usefulness of the fixer. A popular short-stop bath consists of: 1/4 ounce each of chrome alum and sodium bisulphite dissolved in 16 ounces (1 pint) of water. This mixture must be made up fresh each time it is used and discarded after each time it is used and discarded after

HYPO FIXING: The fixing bath is highly important. All standard acid fixer solutions contain a hardener that prevents "blisters". scratches and other imperfections which are always troublesome. The fixing solution are always troublesome. The fixing solution should never be contaminated by alkaline solutions (see short-stop bath). After continued use, the fixing solution will become cloudy or foamy; when this condition exists, the solution should be discarded. In fact, the fixing ability of the solution becomes exhausted long before these symptoms are manifested. Use fresh solutions at

WASHING: Processing the negative is completed by washing the film in running water for about 20 minutes with frequent complete changes of water. This procedure will completely remove all traces of hypo.

After the above operations have been completed it is only necessary to day the

After the above operations have been completed, it is only necessary to dry the film. Drying should take place in a dust-proof location. The use of viscose sponges to remove surplus water speeds up drying time considerably.

# Storage of Film

In the interval between exposure and developing, proper storage is essential, particularly during sea travel or trips in tropical countries. Films may be kept in tropical packing and all precautions taken to keep them in air-tight containers away from heat and dampness. Kodachrome should be kept in the refrigerator when on shipboard. (Refer to "Delayed Processing" on previous pages! on previous page).

# Fine Grain Developing

The amateur will find it relatively easy The amateur will find it relatively easy to produce excellent results when using any of the popular fine grain developers. It is only necessary to adhere strictly to developing and fixing procedure outlined above and to remember that temperature of the solution must be kept at a constant level (between 65 and 73° F.).

# DOLLINA III 35 Mm. Camera ★ Carl Zeiss Tessar F:2.8 Lens

Compur Rapid Shutter

An unusually fine value if there ever was one! Even at its regular price of \$92.50 this fine miniature is an excellent buy—and at our special price of \$9.50—it is unbeatable, especially with an fiz.8 Zeiss Tessar excellent buy—and at our special price of \$9.50—it is unbeatable, especially with an fiz.8 Zeiss Tessar 1/500th second plus "time and other factures in-1/500th second plus "time and other features in-1/500th second plus "time and other features in-1/500th second plus "time and other features in-1/500th second plus to guide food food food finder focusing! other features in-1/500th second plus transport, exposure counter, cupled range finder focusing! other features in-1/500th second plus finder and other features in-1/500th second plus finder and other foods guide, clude: automatic film transport, exposure counter, exposure of focus guide, clude: automatic film transport, exposure for genuine leather hyperfocal distance table, depth of focus guide, clude: automatic film transport, exposure for genuine leather hyperfocus of genuine leather hyperfocus of genuine leather hyperfocus for genuine leather fo



Was \$92.50 OUR PRICE NOW CO 95

# SAVE ON Lafayette BARGAINS

# VOIGTLANDER Brilliant Camera

★ Full Size View Finder
★ Yoigtar F:6.3 Anastigmot Lens
★ Delayed Action Type Shutter
★ Delayed Action Type Shutter

Here is your opportunity to purchase this world famous camera at a discount of almost 50% from list. Takes wonderfully clear pictures and is very easy to use. The lens, which is the heart of any camera, is the famous Voigter which is the heart of any camera, is the famous Voigter which is a no clean mount calibrated for "portraits," "groups," it is in a focusing mount calibrated for "portraits," "groups, and "landscapes" as well as leet. The shutter is of the and "landscapes" as well as leet. The shutter is of the larged of the second as well as "ime" and "bulb". The large 1/100th second as well as "ime" and "bulb". The large 1/20th second as well as "leet. Short of the with neck strap and cable with neck strap and cable volcage.

on No. 120 roll tilm. Complete with neck strap and cable release. Shpp. wt. 4 lbs.
PH1510-\$10.95
YOUR COST ...

YOUR COST ..

ALMOST 50% DISCOUNT FROM THE LIST PRICE. A TYPICAL LAFAYETTE VALUE! QUANTITIES LIMITED.

Was \$20.00

OUR PRICE NOW ...



# FAG Developing Tank For 35 MM. 828 and 127 Films

For 35 MM. 828 and 127 Films
Think of it—a genuine daylight film
developing tank for the ridiculously
dite. a cellulose-acetate product noted
ite. a cellulose-acetate product noted
ite



**Enameled Trays** 

enamel. Full rated print size—actual measured sizes are larger and one for the fixing bath early not for processing. It is also an advantage to have says washed size you are larger for processing. It is also an advantage to have says washed to price some for depositions of the prints and one for the fixing bath. An extra \$\text{87.0 Mexico}\$ you use for print washing after fixing—no matter which size you are for processing. It is also an advantage to have extra \$\text{97.0 Mexico}\$ you should be supported to prints. The prints are supported by the prints and the fixing bath extra \$\text{87.0 Mexico}\$ you use for processing. It is also an advantage to have extra \$\text{97.0 Mexico}\$ you should be supported by the prints \$\text{87.0 Mexico}\$ you should be supported by \$\text{97.0 Mexico}\$ you have a way and the price. It is also an advantage to have extra \$\text{97.0 Mexico}\$ you should be supported by \$\text{97.0 Mexico}\$ you should be supported by \$\text{97.0 Mexico}\$ you have any supported b

PH8204-5x7" Tray. YOUR COST SPECIAL... .....29°

Special Purchase!

PHOTO ALBUMS

This is not a buy of some manufacturers discontinued merchandise—we actually scoured the discontinued which was a scoured the discontinued with sparticular album. We knew what we lar album. We knew what we lar album that well made, sturdy album that well made, sturdy album that you would be proud to your your prints into to show to your your prints into to show to your flexible stock covered with material embossed to resemble fine that the stock covers of the stock



# NOVABROM Projection Paper

An unsual opportunity to buy this famous paper at unhead of low prices! Will make fine sclon-quality prints. Available in Sur popular surfaces and several degrees of contrast. Some surfaces obtainable in both single weight and double wonderful others in double weight only orders in double weight only are advantage of this material of the proportunity to purchase fine opportunity may never be available ridiculously low prices. This opportunity may never be available again. The half-gross lots particularly present an excellent chance to keep an adequate stock of paper on hand at all times the chance to keep an adequate stock of paper on hands when shown.

Szr" Singleweight

Grade Normal Vigorous Ex. Vigor 5x7" Singleweight
Normal Vigorous Ex. Vig.
PH250 PH251 PH252
PH253 PH254 PH258
PH256 PH257 PH258 Double Weight.
YOUR COST, Pkg. of 12. 29c
1/2 Gross For.

Single Weight.
YOUR COST, Pkg. of 12. 23°
Single Weight.
YOUR COST, Pkg. of 12. 12. 11.

# Make your Vacation last all year THEATRE QUALITY HOME MOVIES

AT LESS THAN SNAPSHOT COST.



#### **KEYSTONE Model K-8 8mm CAMERAS**

Clear, bright, "professional-type" pictures are easy to take with this fine new Keystone camera. It uses standard low cost 8mm film—either black and white or color. Decide now to start an album of "living" pictures of your family and friends. Never before has it been so simple and economical to keep a day by day record of all the important "events" happening in the history of your own little family.

The model K-8 camera has been especially designed for your needs. It has all of the features necessary to make sharp, clear pictures yet is simple to operate. Its f:3.5 lens is of the universal type with a fixed focus that is correct for both close-ups and distant shots. An exposure chart is fastened to the

face of the camera where it is always handy and provides a ready means for determining the correct setting for various lighting condithe correct setting for various lighting conditions. A powerful spring motor has sufficient reserve power to take several long scenes with a single winding. Three speeds are available in order to take fast, normal or s-1-o-w motion shots. An automatic footage indicator keeps track of the amount of film exposed and lets you know at all times how much unexposed film is left in the camera.

An unusual feature of the Keystone K-8

cameras is the fact that either the standard 25 foot double length of film or the new 30 foot single length can be used at will. When only

a few scenes are to be taken and you are anxious to see the pictures as soon as possible use the shorter 30 foot single length—for all other purposes use the standard 25 foot double length which makes up 50 feet of film. The rength which makes up 50 feet of film. The camera is very compact measuring 6 5/16" x234"X134". It weighs only 1 lb. 12 oz. PH2026-Model K-8 f:3.5 lens. \$23.85

PH2027—Model K-8 f:2.7 lens. \$30.60

BOTH MODELS SHIPPED POSTPAID IN US.A. PH9642—Leather carrying case for above \$2.95

## KEYSTONE Model M-8 PROJECTOR

In order to obtain the utmost from the model K-8 cameras, or with any 8mm cameras for that matter, use the model M-8 projector. It has a powerful 300 watt lamp and a fast, fully achromatic lens that assures bright, clear pictures. Improved ventilation.

The motor is for both ac and dc operation and a speed control is incorporated in the projector. This control can be advanced when rewinding the film in order to shorten the length of time required.

The entire projector is mounted on a heavy cast iron base equipped with an adjustable tilt device and soft padded feet.

Film capacity is 400 feet of either black and


white or color film. Excellent results are obtained with color film because of the powerful illumination and the fine lens employed. The highly polished reflector greatly adds to the efficiency of the lamp by concentrating light ordinarily wasted onto the film.

FH2210—Model M-8.
List Price \$39.50. YOUR COST... \$35.55

PH2211-Model R-8 is similar to the above but with f:1.85 lens and 500 watt lamp.

List \$55.00. YOUR COST .....

BOTH MODELS SHIPPED POSTPAID IN U.S.A. PH9816-Carrying case for either model.\$3.95



# SPECIAL COMBINATION OFFER!

When you purchase your projector you will want a first quality projection screen, some spare reels with humidor cans and a steel film chest for your films. This equipment will complete your outfit and assure your obtaining the utmost in enjoyment from it. The screen is the popular DeLuxe Special Beaded Model with the highly efficient "beaded" reflecting surface that increases the brightness of your pictures without increasing the size of your projection lamp. It measures 30"x40" and rolls up into a sturdy case that makes an excellent carrying case and fully protects the fine screen surface. The chest is of steel and has a capacity for 6 films. FOUR REELS AND FOUR HUMIDORS are included.

Phy210—Special Comb. for 8mm—regularly \$13.19.

PH9220—Special Comb. for 8mm-regularly \$13.19.
YOUR SPECIAL COST...
PH9221—Special Comb. for 16mm-regularly \$14.30.
YOUR SPECIAL COST... \$10.95 Shipping weight of either of the above 12 lbs.

# Chests

Grev enameled steel. Lock and kev. Index and reel compartments. 8mm Chests

PH9900-6 Reel Capacity. Wt. 3 lbs. YOUR COST.... PH9901-12 Reel Capacity, Wt. 5 lbs. YOUR COST.....

16mm Chests PH9902-6 Reel Capacity Wi 10 lbs.

#### Screens

Popular DeLuxe Beaded Screen as 

# **Humidors and Reels**

Reels Aluminum construction. Reels fit any machine, 8mm-200 ft. capacity. 16mm-300 ft. capacity.
PH2463-8mm Reel.
PH2465-8mm Hum. 29C each PH2466-16mm Hum. 39c each

