2 FA ECTRO NICS

Holiday Catalog No. 691

Index: Facing Pg. 44 Easy Pay: Pg. 44A Store Addresses: Pg. 52A





Hi-Fi Amplifier Kits

See Page 61

SALE

Of Walkie-Talkies

See Pages 50-51

CLEARANCE!

Enter Lafayette's Holiday Sweepstakes TO SEE IF YOUR NUMBER IS A WINNER SEE CENTER INSERT FOR DETAILS-

NO PURCHASE REQUIRED!

Mail Order And Sales Center

7.891

WORTH

100

1st PRIZE

\$10,00000

IN CASH

111 Jericho Turnpike, Syosset, N.Y. 11791

The Most Complete Integrated FM Stereo Hi-Fi Music System We Have Eve Designed For Home Use!



249⁹⁵

with 60 minute Cassette No Money Down AAM Guarantee See Page 16



RK-570 With Optional Tinted Plastic Dust Cover

Play monaural and stereo records. Listen to stereo and monaural FM radio broadcasts. Play and record stereo and monaural cassette tapes. Record live. Record your records while they play on the Mini changer. Tape FM stereo and monaural broadcasts directly off the air— THERE IS NOTHING ELSE TO BUY (but optional microphones) because you also get two deluxe matching 2-way speaker systems each containing a high compliance 5" woofer and a wide dispersion 3" tweeter which provide the listener with superb full range Hi-Fidelity sound reproduction. Outstanding features: 12-Watt (IHF) Lafayette solid state FM stereo receiver with powerful 28-transistor, 1-FET, and 20-diode solid-state circuitry; FET front-end FM stereo tuner for superb sensitivity and selectivity; stereo Indicator light; precision silde rule logging scale; stereo headphones jack; separate balance, volume, treble, and bass controls. Direct recording from FM stereo tuner or stereo record changer to cassette recorder. Includes two auxiliary input jacks and two external speaker output jacks. Compact Lafayette cassette stereo recorder has six pushbutton controls (Record, Rewind, Stop, Play, Fast Forward, and Pause for editing), Tape speed 1% ips., 2 microphone input jacks with stereo/mono input selector switch. record/playback VU meter. 4 speed stereo

CTION: FM Tuning Range: 88-108 MHz; Sensitivity; (IHF) Channel Separate Network Streep

TUNER SECTION: FM Tuning Range: 88-108 MHz; Sensitivity: (IHF) 2.5 µV; Signal-to-Noise Ratio: 60 db @ 100% Modulation; Antenna Input: 300-Ohm balanced line; Image Rejection: -50 db; Capture Ratio: 2.5 db; Harmonic Distortion: .8%; MPX (Stereo) Channel Separation: 30 db @ 400 Hz. AMPLIFIER SECTION: Frequency Response: 20-30.000 Hz +2 db;

AMPLIFIER SECTION: Frequency Response: 20-30,000 Hz \pm 2 db; Power Output: (IHF) 12 Watts (6 Watts per channel) @ 8 Ohms;

LAFAYETTE MODEL RK-570 SOLID STATE STEREO INTEGRATED HI-FI MUSIC SYSTEM

Complete Stereo Music System Consists Of:

- 12-Watt Lafayette FM Stereo Receiver
- Lafayette Cassette Stereo Tape Recorder
- 4-Speed Mini-Automatic Stereo Record Changer
- Handsomely Styled Oiled Walnut Wood Cabinet
- Two Detached Matching Oiled Walnut Wood Bookshelf-Type Speaker Systems

ACCESSORIES FOR THE MODEL RK-570

Stock No.	Description	Shpg. wt.	Net
24 U 0906W	Tinted Plastic Dust Cover	1 lb.	7.95
99 U 4630	Dynamic Mike	6 oz.	5.95
99 U 1540	60 Minute Blank Cassette Tape	2 oz.	1.35

Channel Separation: —55 db; Total HD: (@ 5 Watts) .9%; Hum and Noise: —50 db; Power Bandwith: 20-20,000 Hz. Speaker Output Impedance: 4-16 Ohms. TAPE CASSETTE RECORDER SECTION: Frequency Response: 50-12,000

TAPE CASSETTE RECORDER SECTION: Frequency Response: 50-12,000 Hz; Channel Separation: 35 db; Signal-to-Noise Ratio: Better than 45 db; Bias Frequency: 96 KHz; Sensitiv ty: Microphone Input 0.2mv @ 200 Ohms; Wow and Flutter: (RMS) Less than 0.3%.

PRINTED IN U.S.A. . ENTIRE CONTENTS COPYRIGHTED 1968 BY LAFAYETTE RADIO ELECTRONICS CORPORATION . SYOSSET, L.I., N.Y. 11791

R & B 14 14

ΩÂ.

GIANT PRICE CUTS on Hi-Fi Components

LAFAYETTE RK-880 3-HEAD SOLID-STATE 4-TRACK STEREO TAPE DECK



- Complete Stereo/Mono Record And Playback Facilities
- Sound-on-Sound Sound-with-Sound
- 4 Playback Tape Equalizations for All 3 Speeds
- 4 Recording Tape Equalizations for All 3 Speeds

Suitable for use with the very best in hi-fi components. Features professional variable blas and equalization controls. 3 Heads for 4-Track stereo and mono record and playback. Separate record and monitor volume controls for left and right channels. Dual record-playback VU meters; digital tape counter with zero-reset button; front panel stereo headphone output jack. Response: \pm 3 db, 30-22,000 Hz, at 742 ips. Wow and Flutter: less than 0.15% at 742 ips. Blas & Erase Frequency: 96 KHz. Inputs: (both channels) mike



<complex-block>LAFAYETTE LSC-10 SOLID-STATE STEREO MODULAR HI-FI PHONO SYSTEM THIN THE ASPEEd Automatic Stereo Amplifier LAFAYETTE LSC-10 SOLID-STATE STEREO MODULAR HI-FI PHONO SYSTEM Features Oiled Walnut Wood Cabinetry, and a Tinted Plastic Dust Cover (and a Tinted Plastic Dust Cover) (brand Styles) (brand Styles) Diamond Styles Diamon

Thrill to breathtaking hi-fi sound. Solid state stereo amplifier for instant play, cool operation, and longer life. Delivers a big 10-watts of power. Has 3 controls—Volume Left, Volume Right, Continuous Tone (Base/Treble). Stereo Headphone Jack for private listening. BSR 4-speed stereo automatic "Mini-changer" features automatic shut-off after last record has been played. Plays all size records— $7^{\prime\prime}$, 10°, 12° and all speeds— $162^{\prime\prime}$, 33%, 45 and 78 RPM. Intermixes 12° and 10° records of the same speed. Tone arm is equipped with

a stereo turnover cartridge with diamond LP needle. Each matched speaker system contains a powerful 4" speaker and includes a 6-ft. cable for outstanding stereo separation. Size—Amplifier/Changer Section—I7½Lx1D0X7"H (dust cover). Speaker systems each: 8"Lx 6"Dx10½"H. For 117 VAC, 60 Hz. Shpg. wt., 23 lbs.

24 U 0268WX \$5 Monthly		et !	59.95	
24 U 0238 Replacement needle for		et	1.89	
oney Down	Lafayette Cat. No. 6	691	3	

Hi-Fi Components Are Available on Easy Pay Plan-No Money Down



(A) 30-WATT AM/FM SOLIO-STATE STEREO RECEIVER LR-99

- 30-Watt Stereo Amplifier at 8-Ohms
- Tone type Stereo Search Indicates Stereo Broadcasts
- Speaker Switch for Main or Remote Speaker Switching
- Illuminated Signal Strength Tuning Meter for Fine Tuning of AM & FM Stations
- Positive Action Rocker Switches
- Fused Output Circuits • 5 IF and Limiting Stages
- Loudness Switch for Full Tone at Low Volume

Famous Lafayette quality at an astonishing low price. Just place the LR-99 in a convenient place in your home, add two speakers and enjoy top-notch AM standard broadcasts plus FM and FM Stereo enjoy top-notch AM standard broadcasts plus FM and FM Stereo reception. The versatile control panel allows personal sound quality adjustment to suit taste. Tuner section features a dependable "Stereo Search" circuit to audibly signal the presence of FM stereo broadcasts, Uses five FM IF stages for excellent selectivity, stereo separation and rejection of interference. A total of 53 high quality semiconductors assure cool, instant play operation. Protective cir-cuit guards against accidental shorts or overloads. Additional fea-tures include illuminated slide rule dial, front panel stereo head-phone jack for private listening of your favorite stereo broadcasts or records, and a 2-position rocker action switch to allow choice of output to either main or remote speakers. Controls: Individual Bass and Treble, concentric Volume/Balance, Stereo Filter, AC Power, Loudness, Mode (stereo/mono), and Stereo Search. Beautifully styled gold finis extruded aluminum panel with attractive two-tone knobs and simulated walnut grain metal case. For 117 VAC, 50/60 Hz. Imported. Size: 13¹% W x 4¹% H x 10"D. Shpg. wt., 21 lbs.

99 U 0191WX \$6.50 Monthly

Net 119.95

SEE PAGES 7 TO 11

(B) 60-WATT SOLID-STATE AM/FM STEREO RECEIVER LR-500T

- With Revolutionary IC's for Outstanding Performance
- Automatic FM Stereo Switching and Indicator Light
- Illuminated Tuning Meter for Accurate FM/AM Tuning
- Fused Output Transistors-Protects Transistors Against Shorts and Overloads
- Exclusive Front and Rear Panel Tape Output Jacks
- Speaker Mode Switch Activates Main and/or Remote Speakers
- Front Panel Stereo Phone Jack

The LR-500T incorporates 4 revolutionary Integrated Circuits and 2 high-performance Field-Effect Transistors to provide magnificent FM/ high-performance Field-Effect Transistors to provide magnificent FM/ Stereo reception. Advanced solid-state engineering of its AM broad-cast stages lets you hear your favorite AM stations with maximum possible fidelity. There are built-in AM and FM antennas for local stations, plus provision for an external antenna for those distant, hard-to get stations. 4 rugged, silicon output transistors delivering 60 watts of stereo music power with full fidelity assure you of complete flexibility of operation, plus a full range of stereo inputs to accomodate virtually any external program source. You get outputs for stereo tape recording (both front and rear of unit for conveni-ence), provision for 4, 8, and 16 ohm main and remote speakers, plus a stereo headphone receptacle. There's a handsome, brushed gold anodized extruded aluminum front panel with matching knobs plus a stereo headphone receptacle. Inere's a handsome, brushed gold anodized extruded aluminum front panel with matching knobs and, at no extra cost, you get a vlnyl clad, heavy gauge metal enclosure with the simulated look of rich walnut wood-grain. Im-ported. 15W x 12D x 5"H. For 117 VAC, 50 /60 Hz. 99 U 0182WX \$9 Monthly. Shgs. wt., 27 lbs. Net 179.95 Optional Attractive Oiled Walnut Cabinet for LR-500T 21 U 0156WX Shgs. wt., 6 lbs. Net 19.95

Lafayette Cat. No. 691

Catalog 690 For Full Specifications on Receivers **On These Two Pages**

STEREO HI-FI RECEIVERS

(C) 175-WATT Deluxe SOLID-STATE AM/FM STEREO RECEIVER LR-1500T



- IHF FM Sensitivity 1.5 #v. 175-Watts (IHF) Output Power
- Adjustable Automatic Interstation Muting
- Center Channel Monaural Output
- Built-in AM and FM Antennas
- Illuminated Selector Function Indicator Jewels
- Automatic Stereo FM Switching
- Exclusive Front and Rear Tape Output Jacks
- Massive, Regulated Power Transformer

Lafayette's finest deluxe solid-state AM/FM stereo receiver! In addi-

• SEE PAGE 8

- .
- IHF FM Sensitivity 1.65 µV
- Automatic FM Stereo Switching
- Interstation Muting Control .
- Built-in FM Antenna Plus AM Antenna •
- High/Low Phono Sensitivity Switch .
- **Exclusive Front and Rear Tape Output Jacks** .
- Illuminated Selector Function Indicator Jewels

Every performance feature that you'd expect to find along with many extras to obtain the superb character of brilliant sound pre-viously found only in expensive components! The LR-1000T features the new space age miracle, Integrated Circuits (IC's) plus FET's in the new space age miracle, integrated Circuits (IC's) plus FEI's in the tuner front end to assure outstanding selectivity, stability, and superior capture ratio. Ingenious computer-type circuitry (patent pending) provides protection of audio driver and power output tran-sistors. Advanced circuitry is complemented by all the controls you need to adjust the sound to your particular taste. Fine features include special high frequency noise filter, front panel headphone output jack, switchable tape output jack for direct tape recording, tape monitor and loudness switches, signal strength tuning meter, colored-function lights, and automatic FM stereo indicator light. Complete input and output facilities designed for easy installation and connection to any program source or external component. LR-1000T's professional styling is enhanced by a brushed gold anodized extruded aluminum front panel and simulated walnut grain metal case. For 105-120 VAC 50/60 Hz. Size: 157/ax43/ax11¹%."D. Imported. Shpg. wt., 35 lbs. 99 U 0183WX \$11.50 Monthly Net 239.95

For Special Record Album Offer with Purchase Of Any Receiver On These 2-Pages



IIi-Fi Components Are Available on Easy Pay Plan-No Money Down

Lafavette SOLID STATE AM/FM STEREO TUNERS





(A) Lafayette Deluxe SOLID STATE AM/FM STEREO TUNER LT-425T

- Static Noise Filter
- Built-in AM/FM Antennas
- Front and Rear Tape Output Jacks
- Fully Automatic Stereo Indication
- Muting Control For Elimination of Tuning Noise Between Stations
- Front Panel Zero Center Meter For Accurate Tuning of Stations

Tune more stations than you ever thought possible before! Unprecedented clear reproduction of weak as well as strong stations with least outside noise interference! 2 FET's used in the separately shleided front end section provide a high degree of overload capability, minimum cross-modulation, and stronger image rejection. 4 IC's are used in the IF amplifier section for hard limiting, excellent temperature stability, and increased reliability. Each of these Lafayette type IC's contains 5 transistors, and 2 resistors. Its handsome brushed aluminum gold anodized extruded front panel and simulated wainut wood grain case makes it ideal for any decor. Size: 13x37/s49%;2". For 110 V., 50/60 Hz. AC. Imported. Shpg. wt., 16 lbs. Net 109.95

SPECIFICATIONS. FM SECTION: 4 Gang Tuning Condenser. FM Sensitivity, IHF: 1.6 μ V; Harmonic Distortion @ 100% Modulation: 0.4%; Image Rejection: 85 db; Selectivity: 40 db; Capture Ration: 1.5 db; MPX Channel Separation: 38 db. at 400 cycles; Cross Modulation index: 90 db; External Antenna Impedance: 300 ohms (balanced); AM SECTION: 3 Gang Tuning Condenser.

DELUXE Lafayette R-777 SOLID STATE HOME REVERBERATION AMPLIFIER



Ideal with Lafayette LR-500T, LR-1000T and LR-1500T, and Receivers and Amplifiers with 3-way speaker Selector Switches

Add a dramatic 3-dimensional audio effect by the addition of a 3rd channel of listening pleasure to your present hi-fl system. This 3rd channel originates from the remote out-put speaker terminals of your receiver or amplifier—and is fed to the REVERB AMPLI-FIER with sound delay to a 3rd speaker.⁵ Specifications: Power Output: 10-waits RMS at 8-ohms, Output Impedance: 8-ohms; 4-transistors, 4-diodes. Handsome wainut want panel. Size: 19 x 8½ x 43%"H. Shpg. wt., 9 lbs. "3rd speaker not included with Reverb Amplifier. Amplifier 21 U 8100WX \$5 Monthly _____ Net 59.95

Licensed by Hammond Organ

See Page 8 For Special Record Offer With Purchase of Any Item On This Page

(B) SOLID STATE AM/FM STEREO TUNER LT-225T

- Distinctive Styling 3 µv IHF Sensitivity
- 3 Gang FM and AM Tuning
- Built-in FM and AM Antennas
- Automatic Mono-Stereo Switching. plus Stereo Indicator Light
- Illuminated Signal Strength Type Tuning Meter Fine Tunes FM and AM

Experience superb FM that's virtually free of outside electrical interference! Discover more AM stations across the tuning dia!! Has an FET front-end for high across the tuning dial! Has an FET front-end for high sensitivity and minimum nolse plckup, plus high qua-ity semi-conductors (16-transitors and 14-diodes) of-fering all the advantages expected from solid-state circuitry—instant operation, low current consump-tion, cool operation, and minimum distortion. An ad-vanced feature is the fully automatic FM stereo-mono switching system for automatic reception and identi-fication of stereo programs. Other features are: Built-In AM and FM antenna systems for reception of local stations: Illuminated slide rule dial; and stereo indicator light. Handsomely styled die-cast aluminum front panel with black metal case. Size: IIW x 41/2H X 81%, "D. For 117 V., 50/6D HZ. AC. Imported. 99 U197WX Shpg. wt., 12 lbs. \$5 Monthly Net 79.95

SPECIAL RECORD ALBUM OFFER



SAVE 50%

On superb 10 record stereo collection "Great Moments from the World of Great Classics." A Columbia record musical treasury regularly 21.95 - yours for only 10.95 with purchase of any Lafavette stereo system. receiver, amplifier or tuner shown on pages 4 thru 11. (For full description of record album see page 30).

"Criterion 25" Speaker Systems **30 WATT STEREO FM/AM PHONO SYSTEM** With Model LR-99

LR-99

Above 30 watt stereo system with *choice of Pickering V-15/AC-3, Shure M75-6, or Empire 888 stereo cartridge with diamond stylus. Complete with 30 ft. speaker cable. Shpg. wt., 53 lbs. 21 U 9444WXM \$10 Monthly Net 199.95

Model 40 MKII

See Pages 4 and 12 thru 16 for full description of above components.



• Two Lafayette "Criterion 25" Wide Range 2-Way Bookshelf Speaker Sys-tems (Olled Walnut) 39.90 Total 234.25







Model 40 MKII

"Criterion 50"

Atternate Speaker Systems "Criterion 150"

Lafayette 60 WATT STEREO SYSTEMS with LR-500T Solid State AM/FM Stereo Receiver

SYSTEM PRICE

SAVE

48.30

From Individual

Catalog Prices

*Choice of Stereo Cartridge

- Lafayette Model LR-500T 60-Watt Solid State AM/ FM Stereo Receiver
- Garrard Model 40MKII 4-Speed Record Changer ____ 44.50 Garrard Base for Automatic Record Changer _____ 4.95
- *Pickering V-15/AC-3 Stereo Cartridge with Diamond Stylus and Stylus Brush 24.95
- 2-Famous Lafayette "Criterion 50" Wide-Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) 59.90

Total 314.25

179.95

Complete stereo system above with "choice of Pickering V-15// Empire 888, or Shure M75-6 stereo cartridge with diamond stylus." plete with 30 ft. clear polarized speaker cable. Stopg. wt., 97 lbs. 21 U 9448WXM 13.50 Monthly	Com-
Same system as above except with 2-Lafayette "Criterion 150's" pletely sealed and damped acoustic suspension speaker systems ins of "Criterion 50" speaker systems. Shog. Wt., 75 lbs. 21 U 9447WXM \$17 Monthly Net 30	tead
You SAVE 52.30 From Individual Catalog Prices See Pages 4 and 12 thru 16 for full description of above component	

SPECIAL HI-FI System Quotation

Name

Select Your Own System and SAVE

MAIL THE Card TODAY

No Charge

No Obligation

Address		
City	State	Zip

please print

Select Your Own Hi-Fi System and Get Lafayette's Special Low Price

A component hi-fi music system must consist of, at least, all of the following:

Receiver or Amplifier plus Music Source (changer, turntable, tuner or tape deck) and Hi-Fi Speakers.

HOW MANY	COMPONENT	MFR'S NAME AND MODEL					
	RECEIVER or AMPLIFIER						
	Case for Above	🗌 Walnut 📋 Metal 🗌 No Case					
	TUNER						
	Case for Above	🗌 Walnut 📋 Metai 📋 No Case					
	CHANGER or TURNTABLE						
1	Cartridge						
	Base for Above	🗆 No Base					
	Oust Cover for Above						
	45-rpm Spindle for Above	🗋 Yes 🔄 🗋 No					
	SPEAKER						
	Wood finish, if in enclosures						





LAFAYETTE RADIO ELECTRONICS DEPT. 691, BOX 600, SYOSSET, L.I., N.Y. 11791



RUSH --- Special Hi-Fi System Price Requested

Please Fill Dut Other Side Before Mailing



Extra Value 120 WATT STEREO SYSTEMS with LR-1000T Solid State AM/FM Stereo Receiver



AM/FM Stereo Receiver	239.95
Garrard SL-55 4-Speed Synchro-Lab® Automa	
*Pickering V-15/ACE-3 Stereo Cartridge with Hi Compliance Elliptical Diamond Stylus	gh 29.95
Garrard Base for Automatic Turntable	

Port Bookshelf and/or Floor Speaker Systems (Olled Walnut)

Complete stereo system with *choice of Pickering V-15/ACE-3, Empire
808E or Shure M32E stereo cartridge with high compliance elliptical
diamond stylus. Complete system is designed to blend with any room
decor. Supplied with 30 ft. clear polarized speaker cable. Shpg. wt.,
109 lbs.
21 U 9449WXM \$19 Monthly Net 361.95

- Same System as above except with 2-Lafayette "Criterion 200A" 3speaker, 3-way acoustically tuned speaker systems instead of 2-"Cri-terion 100A's." Shpg. wt., 119 lbs. 21 U 9450WXM \$22 Monthly . Net 406.95 89.90

Total 424.25 You SAVE 67.30 From Individual Catalog Prices



Magnificently Matched 175 WATT Stereo Hi-Fi Systems Featuring AWARD WINNING LR-1500T



Lafayette

Cat.

No

691

- Lafayette Model LR-1500T Deluxe 175 Watt Solid State AM/FM Stereo Receiver 299.95
- Garrard Model SL-55 4-Speed Synchro-Lab® Automatic Turntable \$9.50
- *Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond Stylus _ 29.95
- 4.95 Garrard Base for Automatic Turntable
- 2-Lafayette "Criterion 100A" Wide-Range Ducted-Port Bookshelf and/or Floor Speaker Systems (Oiled 89.90 Walnut)

Total 484.25

Complete 175-watt stereo system above with *choice of V-15/ACE-3, Empire 808E, or Shure M32E stereo cartridge with high compliance elliptical diamond stylus. Complete with 30-ft. clear polarized speaker cable. Shpg. wt., 117 lbs. 21 U 9452WXM \$22 Monthly Net 415.95

Same system as 21-9452WXM except with two Lafayette famous super deluxe "Criterion 3X" 3-speaker 3-way completely sealed and damped acoustic suspension speaker systems, instead of 2-Lafayette "Criterion 100A's". Shpg. wt., 121 lbs. 21 U 9454WXM \$24 Monthly

Net 496.95

You SAVE 77.3D From Individual Catalog Prices!

SEE PAGE 8 FOR OUR SPECIAL RECORD OFFER WITH PURCHASE **OF ANY SYSTEM ON THIS PAGE!**

See Pages 5 and 12 thru 16 for full description of above components

GIVE Lafayette STEREO HI-FI SYSTEMS for Family Pleasure SAVE UP TO 51.30 From Individual Catalog Prices!

Garrard Model 40MKII



30 WATT STEREO SYSTEMS With LA-224T Stereo Amplifier

SAVE 32.90 From Individual System Catalog Prices



- Lafayette LA-224T 30-Watt Solid State Stereo

- Lafayette LA:2241 30-Watt Solid State Stere Amplifier 59.95
 Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50
 'Pickering V-15/AC-3 Diamond Needle Stereo Cartridge with Stylus Brush 24.95
 Garrard Base for Changer 4.95
 '2 Lafayette "Criterion 25" 2-Way Compact Shelf Speaker Systems (Oiled Walnut) 38.50
 TITAL 172.85 TOTAL 172.85

Above stereo system with *choice of Pickering V-15/AC-3, Shure M75-6, or Empire 888 dia-mond needle stereo cartridge. Complete with 30 ft. polarized speaker cable. Shpg. wt., 41 Ibs

21 U 9458WXM \$7.50 Monthly ____ Net 139.95 Same system as above except with 2-Lafayette "Criterion 50" 2-way ducted port bookshelf and/or floor speaker systems (Diled Walnut). Shgg. wt., 79 lbs. 21 U 9459WXM \$8 Monthly Net 157.95 You SAVE 36.30 From Individual Catalog Prices!



85 WATT STEREO SYSTEM With LA-85T Stereo Amplifier

SAVE 40.30 From Individual Price Only

193⁹⁵ System

*Choice of Magnetic Stereo Cartridge

- · Lafayette LA-85T 85 Watt Solid State Stereo

- Lafayette LA-BST 85 Watt Sond State Stereo Amplifier 99.95 Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50 Pickering V-15/AC-3 Diamond Needie Stereo Cartridge with Stylus Brush 24.95 Garrard Base for Changer 4.95 J-Lafayette Famous "Criterion 50" Wide- Range 2-Way Bookshelf and/or Floor Speaker Systems (Oiled Walnut) 59.90 TOTAL 234.25 TOTAL 234.25

Complete 85-watt stereo phono system with "choice of Pickering V-15/AC-3, Empire 888, or Shure M75-6 diamond needle stereo cart-ridge. Complete with 30 ft. clear polarized speaker cable. Shgg. wt., 86 lbs. 21 U 9451WXM \$10 Monthly _____ Net 193.95

See Page 6 and Pages 12 Through 16 For **Detailed Information On Above Components**





Choice of Stereo Cartridge	
	With LA-450 Stereo Amplifier
The second s	SAVE 32.90 4 F # 05
	From Individual System
A LOUGH AND A REAL PROPERTY OF	Catalog Prices Price Only IUT
	• Lafayette LA-450 50 Watt Solid State Stereo
	Amplifier 74.05
	Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50 Pickering V-15/AC-3 Diamond Needle Stereo Cartridge with Stylus Brush 24.95
"Criterion 25"	Carlridge with Stylus Brush 24.95
Alternate Speaker Systems	Garrard Base for Changer 4.95 2-Lafayette "Criterion 25" 2-Way Compact
No. of Concession, Name	Shelf Speaker Systems (Oiled Walnut) 38.50
	TOTAL 187.85
The second se	Complete 50-watt stereo system with *choice of Pickering V-15/AC-3, Shure M75-6, or Empire
	asa diamono needle stereo cartridge. with
Part of the second s	30 ft. polarized speaker cable. Shpg. wt., 45 lbs.
	21 U 9467WXM \$8 Monthly Net 154.95 Same as above except with 2-Lafayette "Cri-
	terion 50" 2-way ducted port bookshelf and/or
"Criterion 50"	floor speaker systems (Oiled Walnut). Shpg. wt., 83 lbs. 21 U 9468WXM \$9 Monthly Net 172.95
911	21 U 9468WXM \$9 Monthly Net 172.95 You SAVE 36.30 From Individual Catalog Prices!
	0000000
V	
Garrard Model 40MKII	LA-125T
A CONTRACTOR OF THE OWNER OWNER OF THE OWNER OWNE OWNER OWNE	125 WATT STEREO SYSTEM
- MANAGERSON SERVER	With LA-125T Stereo Amplifier
	SAVE 51.30 System 9/795
A SA MANAGER AND A SALE	Catalog Prices Price Only
The state of the second	*Choice of Elliptical Stereo Cartridge
A REAL PROPERTY AND A REAL PROPERTY AND	Lafayette LA-125T 125 Watt Solid State Stereo
	Amplifier 129.95
	Garrard Model 40MKII 4-Speed Automatic Record Changer 44.50
"Criterion 50"	Record Changer 44.50 • *Pickering V-15/ACE-3 Stereo Cartridge with High Compliance Elliptical Diamond
Contraction of the second seco	STAIR? 13.33
A REAL PROPERTY AND A REAL	• Garrard Base for Changer 4.95 • 2-Lafayette "Criterion 100A" 2-Way Book-
The supervised in the local division of the	shelf and/or Floor Speaker Systems (Oiled
A CONTRACTOR OF A CONTRACTOR O	Walnut) 89.90
A BAR BRANNER	
TET the	Walnut) 89.90 TOTAL 299.25 Above 125 watt stereo system with "choice of
	Walnut) 89.90 TOTAL 299.25 Above 125 watt stereo system with "choice of Pickering V-15/ACE-3, Shure M32E, or Empire 808E stereo cartridge with hich compliance
	Walnut) 89.90 TOTAL 299.25 Above 125 watt stereo system with °choice of Pickering V-15/ACE-3, Shure M32E, or Empire 808E stereo cartridge with high compliance elliptical diamond needle. Complete with 30 ft. clear polarized speaker cable. Shog. wt.,
"Criterion 100A"	Walnut) 89.90 TOTAL 299.25 Above 125 watt stereo system with "choice of Pickering V-15/ACE-3, Shure M32E, or Empire 808E stereo cartridge with high compliance elliptical diamond needle. Complete with 30 ft. clear polarized speaker cable. Shpg. wt.,
	Walnut) 89.90 TOTAL 299.25 Above 125 watt stereo system with °choice of Pickering V-15/ACE-3, Shure M32E, or Empire 808E stereo cartridge with high compliance elliptical diamond needle. Complete with 30 ft. clear polarized speaker cable. Shog. wt.,

SEE PAGE 8 For Our Special Stereo Record Offer With Purchase Of Any System On This Page!

Save Money with Lafayette's Storeo Components

10 Lafayette Cat. No. 691

Lafayette "STEREO 20" 20-Watt Solid-State Stereo Amplifier

Deluxe Styling **High Quality Sound!**



- 20 Watts of Power at 8 Ohms
- 30-40,000 Hz. Freq. Response
- 10 Transistors, 2 Diodes, 2 Thermistors



The Complete

System No Money Down



With 20 watts of power (10 each channel), the Stereo 20 offers full, wide-range response for outstanding music reproduction. Transformerless solid-state com-

response for outstanding music reproduction. Transformerless solid-state com-plementary symmetry output circuitry ensures extended response and lowest distortion, plus long life for the power transformerless solid-state com-or stereo operation, and a speaker mode switch for selection of main speak-ers, remote speakers, or headphones. There's a master volume control for both stereo channels, plus a separate balance control that lets you adjust individual speaker levels for best stereo effect. Separate Bass and Treble con-trols let you "tailor" the sound to suit your tastel Stereo outputs include pro-vision for main and remote speakers rated from 4 to 16 ohms Impedance plus a front panel jack for stereo headphone listening. Also features a tape recorder output that lets you record your favorite stereo music. You'll like the attractive, modern styling too...the satingold front panel with handsome walnut grain plastic legs. Stereo Inputs: Phono (Ceramic/Crystal), Tuner, Power Supply: AC Transformer operated with full-wave rectification, 105/120 VAC., 50/60 Hz input. Size: 12W x 7½D x 4½"H. Shpg. wt., 8 lbs. 21 U 0902WX \$5 monthly

20-Watt Stereo Hi-Fi Phono System Featuring the "Stereo 20"

Lafayette Stereo 20 Solid State Stereo Amplifier

Lafayette Model 200 4-Speed Automatic Stereo Record Changer with Turn-over Stereo Cartridge, and Balanced Featherweight Tone arm

- Oiled Walnut Changer Base
- Two Lafayette Minuette® II Oiled Walnut, Decorator Styled, Ducted Port, Bass Reflex 2-Way Speaker Systems
- Complete system above. Shpg. wt., 41 lbs. 21 U 9441WXM \$5 Monthly

89.95



STEREO/10 HI-FI STEREO PHONO MUSIC SYSTEM

 Lafayette Model 200 4-Speed Automatic Stereo Record Changer with Balanced Featherweight Tone Arm and Stereo **Turnover Cartridge**

095

- Lafayette Stereo/10 Solid State Stereo Amplifier
 Two Lafayette Minuette® II 2-Way Speaker Systems.
- · Oiled Walnut Base for Record Changer
- Complete Stereo/10 stereo system above with speaker connecting cable. Shpg. wt., 33 lbs. 21 U 9440WXM \$5 Monthly Net 69.95

LAFAYETTE STEREO/10 SOLID STATE STEREO AMPLIFIER

99 U 0161

COMPACT SIZE, BIG PERFORMANCE! Ideal amplifier for HI-Fi begin-ners, or use it in a second system for the living room, den, bedroom or business. Perfect for ilmited-space installation; bookshelf or end table. For use with record players, AM, FM and FM MPX tuners. Completely transistorized to provide clean, cool operation. Output stages couple directly to the speakers for smooth frequency response and low distortion. Input stages are designed to present a high impedance, resulting in an excellent low frequency response when used with high immedance crystal or ceramic phono cartridges Front Impedance, resulting in an excellent low frequency response when used with high impedance crystal or ceramic phono cartridges. Front

panel features: Separate volume controls for Left/Right channels; tone control for Bass and Treble; Individual slide switches for mode input (1-Stereo/Mono operation), (1-Phono/Tuner input); power On/ Off slide switch. Rear panel features: Right/Left channel inputs for phono and tuner; Right/Left channel taps for 8-ohm speakers. Beautifully finished in neutral gray and aluminum. Size: 742*W x 21% H x 5% "D. For 105-125V 50/60 Hz AC. Imported. Wt., 4 lbs.

Hi-Fi Systems Are Ready to Play-Include Cables, Instructions

Lafayette Cat. No. 691 11

Net 22.95



Model SL-95 with choice of Stereo Elliptical Cartridge

Garrard's finest 3-speed Automatic Stereo Transcription Turntable for flawless reproduction of 33½, 45, and 78 RPM records. Advanced ultra-low mass one piece tonearm of lightweight aluminum with gyro-scopic gimballed pivots for minimal firction. Stylus force adjustment dial with 1/4 gram settings from 0-5 grams. Anti-skating control calibrated in 1/2 grams. Full 12* turntable. Combined manual and cueing control. Auto-Rise record safety platform for automatic play. Automatic spindle and manual rotating spindle. All connecting cables. For 110-130V, 60 Hz AC. Dim.: 15⁺%,"W x 14%"(t, above Motor board 4%", below 3". Shpg. wt., 13 lbs. Less base. Imported from England. from England.

21 U 3788WX SL-95 only	Net	129.50
21 U 4001WXM SL-95 plus Pickering V15/ATE-3		129.51
21 U 4029WXM SL-95 plus Pickering XV-15/AME	Net	134.50

Model SL-65 with choice of Stereo Elliptical Cartridge

Exciting automatic turntable with tubular, dynamically balanced, counterweight-adjusted tonearm. Stylus pressure set with precision knurled optical type knob. Cast, balanced oversized turntable. Cue-ing and pause lever control. Automatic anti-skating assembly. Plays 163/9, 33/5, 45, and 78 RPM records. Intermix operation. Automatic and manual spindles. Connecting cables. For 110-130V 60 Hz AC. Dim.: 153/6W x 13/2°L, above motor board 43/4°, below 27/8°. Shpg. wt, 13 lbs. less base. Imported from England. 21 U 3790WX SL-65 only _______ Net 79.50

21 U 4007WXM SL-65 plus Pickering V15/ACE-3	et
	~ *
21 U 4035WXM SL-65 plus Pickering V15/ATE-3	
ZI U 4UJJWAM SLOJ DIUS FICKEFHIP VIJ/ATE-3	et

Model SL-75 with choice of Stereo Elliptical Cartridge

From Individual Catalog Prices On Garrard Turntable and Pickering Elliptical Cartridge Combinations

Pickering Elliptical Stereo Cartridges V15/ACE-3

V15/ATE-3

XV15/AME-3

29.95

39.95

49 95

Brilliant 3-speed automatic stereo transcription turntable with professional features: low mass twin-braced extruded aluminum tone arm for freedom from resonance. Stylus pressure set with precision "optical" knob, clearly marked 0 to 5 grams in 1/4 gram increments. "optical" knob, clearly marked 0 to 5 grams in 1/4 gram increments. Adjustable counterweight. Interchangeable cartridge clips. Anti-skating control calibrated in 1/2 grams. Patented automatic spindle. Anti-static mat with safety grooves. Combined manual and cueing controls. Auto-Rise retractable record safety platform. Automatic and rotating manual spindle. Connecting cables. For 110-130V 60 Hz AC. Dim.: 15¹%₄"W x 14%⁺L, above motor board 4%⁺, below 3". Shpg. wt. 13 lbs. less base. Imported from England. 21 U 3789WX SL-75 only Net 109.50

	-				a make a drawing of a mar-	· · · · · · · · · · · · · · · · · · ·	COURS COOLINE COURSES		100.00
21	U	4004WXM	\$1.75	nlus	Pickering	V15/ATE-3		Net	109.51
								HICL	103.91
21		4032WXM	SL.75	ohue	Pickering	XV-15/AME		Not	114.50
	•	1002 11 1111	31.13	prus	TRUNCTING	ATTAJ/ MITE	· · · · · · · · · · · · · · · · · · ·	INCL	114.30

Model SL-55 with choice of Stereo Elliptical Cartridge

Excellent compact model, featuring lightweight tubular tone-arm, with fixed counter balance weight, stylus pressure indicator with gram markings. Cuelng lever control. Oversized turntable with decor-ative mat. Four accurate speeds: 163/4, 33/4, 45, and 78 RPM. Auto-matic intermix operation when desired. Handsomely styled unitized control panel. Connecting cables. For 110-130V 60 Hz AC. Dim.: 14%W X 134/4", baove motor board 43/4", below 2%". Shpg. wt., 11 Ibs. less base. Imported from England. 21 U 3791WX SL-55 only Net 59.50 21 U 4010WXM SL-55 plus Pickering V15/ACE-3 21 U 4038WXM SL-55 plus Pickering V15/ATE-3 Net 59.51 Net 64.50

OTHER GARRARD AUTOMATIC TURNTABLES



Complete with Ceramic Cartridge And Diamond Stylus 50 Less Base

MODEL 30


79.51

84.50

Designed especially for use in low priced hi-fi systems and for replace-ment in consoles and phonographs. Plays 1623, 3343, 45, and 78 RPM records. Automatic intermix operation when desired. With connecting cables, Size: 14% x 1234". Above motor board 434", below 24". For 110-130 VAC, 60 Hz. Less base. Imported from England. Shpg. wt., 11 lbs 21 U 3792W \$5 Monthly Net 39.50

ACCESSORIES FOR GARRARD TURNTABLES

Description	For	Shpg. wt.	Net ea.
Base	SL-55, SL-65, 30, 40	2 lbs.	4.95
Base	SL-75, SL-95	2 lbs.	5.95
Dust Cover		11/2 lbs.	4.95
			5.95
			3.80
45 RPM Spindles	SL-75, SL-95	10 oz.	3.80
	Base Base Dust Cover Dust Cover 45 RPM Spindles	Base SL-55, SL-65, 30, 40 Base SL-75, SL-95 Dust Cover SL-55, SL-65, 30, 40 Dust Cover SL-75, SL-95 45 RPM Spindles SL-55, SL-65, 30, 40	Base SL 55, SL 65, 30, 40 2 lbs. Base SL 75, SL 95 2 lbs. Dust Cover SL 55, SL 65, 30, 40 1½ lbs. Dust Cover SL 75, SL 95 1½ lbs. A5 RPM Spindles SL 55, SL 65, 30, 40 1½ lbs.



1. 1. L
L
Ľ
h
1
0
1

21 U 4013WN 21 U 4014WN	Model 40 plus Model 40 plus	Pickering V15/AC	-3 Net 49.50
Garrard	Turntables	Are Available	on Easy Pay Plan

12 Lafayette Cat. No. 691 **FABULOUS VALUES IN AUTOMATIC TURNTABLES & CARTRIDGES**

united audio Dual

7

30.00

PRICE CUT

Was 89.50 catalog 680

NOW

Model 1015 4-SPEED STEREO AUTOMATIC TURNTABLE

Model WB-93 Oiled Walnut Base. Wt. 6 lbs.		
	Net	11.95
Model DC-3 Plastic Dust Cover. Wt., 2 lbs.		
21 U 6549W	Net	8.95



Lafayette Model 200 4-Speed Automatic Stereo Turntable





Quality 4-speed automatic changer providing outstanding performance at a low, low price. Heavy duty 10" turntable platter delivers no noticeable hum, rumble, or wow. Plays 162/5, 33/5, 45, 78 RPM records automatically or manually. An extra added feature is a 7", 10" or 12" record selector unob. Manual intermix of up to seven 7", 10", or 12" records of the same speed. Automatic shutoff after last record has been played. Balanced featherweight tone arm is equipped with a turnover stereo cartridge with dual

synthetic sappine stylus, Dimensions, 1342
x 12", 4% above, 21/2" below mounting
surface. For 117 VAC 60 Hz, Brown with gold
trim, Shpg. wt., 10 lbs.
21 U 0154W Net 19.95
ACCESSORIES FOR MODEL 200
Oiled Walnut Recessed Base.
21 U 0201W Shpg. wt., 2 lbs Net 4.50
Tinted Plastic Dust Cover
21 U 0904W Shpg. wt., 1 lb Net 3.95
45 RPM Spindle
21 U 0202 Shpg. wt., 6 oz Net .99

Lafayette Automatic Turntables Are Custom-Made in U.S.A.

Lafayette Cat. No. 691 13

NEW Lafayette Criterion® 3XA 75 Watt 12-Inch 3-Way Shelf or Floor-Standing Speaker System With Acoustic Suspension

- 12" Heavy-Duty Woofer-Acoustically Isolated 61/2" Midrange Speaker-4" Super Tweeter
- Individually Variable Acoustic Controls For **Treble and Midrange**
- Overall Response: 18 to 25,000 Hz
- Maximum Input Power: 75 Watts (IHF)
- Elegant Oiled Walnut Enclosure With Snap-Out **Front Panel**

A truly superior speaker system that provides astonishing range and clarity, with a deep, solid bass response that creates a stunning impact on the listener, and offers an unbellevable degree of realism. Employing the acoustic suspension principle, the 3XA uses 3 outstanding speakers to cover the full spectrum of sound. Each is carefully designed for optimum response, so that in conjunction with the full 12 db/octave crossover network, the system yields a carefully tailored, linear response. A 12" acoustic suspension woofer, with a uniquely constructed voice coil, has an exceptionally compliant, long throw suspension and provides remarkably low bass response—undistorted even at high power levels. An acoustically isolated 64/2" midrange speaker offers flawless reproduction and adds true "presence" to the system. A 4" super tweeter, with a specially designed aluminum cone, provides brilliant high frequency response without yariable mid and treble range controls enable you to adjust the system to suit the acoustics of your listening area. Olled walnut enclosure, with a decorator-styled front framed in ebony and gold, and a snap-out panel with a nubby, light beige grille cloth. Imported.

SPECIFICATIONS System Response: 18 to 25,000 Hz. Woofer: 12" heavy-duty, acoustic suspension, high compliance type with edge-wound, ribbon-type voice coil. Free air resonance, 18 Hz. Response, 18-800 Hz. Midrange: 6¼" acoustically isolated speaker. Response, 800-4,500 Hz. Tweeter: 4" with die-cast housing, aluminum cone and acoustic screen. Response, 4,500-25,000 Hz. Crossover: L-C net-work at 800 and 4,500 Hz. Power Capacity: 75 watts IHF. Impedance: 8 ohms. Dimensions: 23x13½x11¼"D.



LAFAYETTE "Criterion® 50" **TRUE 2-WAY BOOKSHELF SYSTEM**

- 20-Watts Power Handling Capacity
- **29**⁹⁵
 - 8" Woofer Plus 4" Tweeter
 - . Highly Efficient-Perfect for Low **Power Amplifiers**

A true 2-way bookshelf-type speaker system that offers impressive hi-fi sound, yet measures only 19W&45bX104"H. Contains two separate speakers — you get an 8-inch woofer and a 4-inch tweeter to provide realistic wide-range reproduction. An acoustically "tuned" enclosure, fully lined, assures smooth, resonant-free sound output with extended bass response. The enclosure is finished on all four sides in a rich, hand-rubbed oiled walnut veneer and tastefully framed in an ebony and gold picture frame molding with white and gold acoustic grill material. Truty, an outstanding buy at this low price. For use with low-power stereo amplifiers — but rated at 20 watts program material for use with larger amplifiers. Designed for vertical or horizontal placement. Overall response: 35-18,000 cycles, 3000 cps electrical crossover. Nominal Impedance: 8 ohms, Imported, Shgs, wt., 28 lbs. 99 U 0128WX "Criterion 50" 99 U 0128WX "Criterion 50" Net 29,95

12" Heavy-Duty Acoustic Suspension Woofer With Unique Voice Coil Construction

Fully Air Tight 34" Enclosure, Internally Braced and Fiber Glass Filled.

61/2" Acous tically Isolated Midrange Speaker. 4" Super Tweeter With Aluminum Cone.



Only

LAFAYETTE "CRITERION®100A" **DELUXE 2-SPEAKER 2-WAY SYSTEM**

- · Power Handling Capacity-30 Watts
- · Powerful 10" Woofer with 1 lb. Magnet Plus 4" Tweeter

No Money Down

Overall Response 30-19,000 Hz.

All speakers on this page are covered by the Lafayette AAA 5 year Guarantee. See page 16 for details.

14 Lafayette Cat. No. 691 Hi-Fi Speaker Systems Are Available On Easy Pay Plan-No Money Down

1 95 2 for

No Money

Down

88.88

BEST SELLING Lafayette Criterion® SPEAKER SYSTEMS



"Criterion® 25" 2-SPEAKER 2-WAY AIR SUSPENSION 8" SYSTEM

- 25 Watts Power Handling Capacity
- .
- 8" Woofer, 2½ Tweeter Frequency Response: 55-19,500 Hz. Rich, Hand Rubbed Oiled Walnut Finish

FULL SIZE PERFORMANCE ... achieves a purity of sound and music quality that is astounding for a speaker system measuring only 12Wx7Dx10''H. Perfect for use anywhere in your home or office. System consists of a powerful 8" woofer which provides smooth bass sound reproduction down to 55 Hz, and a 24" cone tweeter that gives you sparkling clean high frequency response. Built-in 8,000 Hz. electrical crossover network. Power handling capacity of 25 watts makes it compatible for use with most amplifiers and receivers. Interior of cabinet is designed to damp out standing waves and other spurious vibrations. Yolec Coll impedance: 8 ohms. Woofer: 8" high compliance with 8.6 oz. anico Y magnet. Size: 12Wx7Dx10''H. Imported. Wt., 9 lbs. 99 U 0201WX. 99 U 0201WX Net 19 95

Set of 2 for Stereo SAVE 1.40 \$5 monthly



DELUXE LAFAYETTE "Criterion * 200A" **3-Speaker 3-WAY SYSTEM**



- Power Handling Capacity-40 Watts 12" Woofer With 1 LB Magnet 3" Dome-Type "Super" Tweeter . 8" Closed Back Midrange Unit
- Response 25-25,000 Hz. .
- 2 Controls-Brilliance Presence

One of our finest speaker systems—manufactured to rigid specifications and designed to provide full, wide-range response... from a low 25 Hz all the way up to 25,000 Hz : The Criterion 200 employs 3 separate speakers to provide performance that will satisfy even the more critical listener. 12" woofer with a 1 b. magnet and $2V_{z}$ " diameter voice coil provides deep, solid bass... reproduces low-frequency instruments with thrilling realism! A superb 8" mid-range speaker and a back-loaded 3" metallic dometry bype" 'tweeter provide flawless reproduction of the midrange and high frequencles. Features high frequency brilliance range presence control at rear of cabinet. Enclosure is finished on all four sides in a rich, hand-rubbed oiled wainut veneer, attractively framed in an ebony and gold picture-frame molding with white and gold acoustic material. Dimensions 24Wx14Hx12"D. Overall frequency Response: 25 to 25,000 Hz. Crossover Frequencies: 700 and 5,000 Hz. Impedance: 8 ohms. Power Handling: 40 watts program material. imported. Shpg. wt., 35 lbs. One of our finest speaker systems-manufactured to rigid specifi-99 U 0149WX \$5 Monthly Net 68.95



LAFAYETTE "Criterion® 150" 10" ACOUSTIC SUSPENSION SPEAKER SYSTEM

1095 Money • Power Handling Capacity-40 Watts Down • Overall Response-20-20,000 Hz.

> Professional Quality 2-Way System Mounted in a Completely Seoled and Damped Enclosure

High quality, excellent performance, and handsome decorator styling keynote the exciting Lafayete "Criterion 150" Speaker System. It utilizes the famous acoustic suspension design principle to develop extended bass with velvet smooth high frequency response in a cabinet of compact proportions. The system's main working element is a special 10" high compliance woofer with a massive magnet structure for powerful deep bass response down to 20 cps. 3½ inch tweeter extends high frequency response to beyond audi-bility for thrilling clarity and wide angle dispersion. Built-in (LC) Electrical Crossover Network is adjusted for 2000 Hz. Features High Frequency brillance control on rear of cabinet. Power Handling Capacity: 40 watts. Impedance: 8-ohms. Luxurious oiled wainut veneer enclosure with gold frame molding and beige grille. Shelf size: 19 W x 11 H x 9" D. Imported. Shpg. wt., 17 lbs. 99 U 0181WX \$5 Monthly



SUPER LAFAYETTE Criterion® 3X 3-WAY **12" ACOUSTIC SUSPENSION SYSTEM**

Only **89**⁹⁵ No Money Down

- Power Handling Capacity 50 Watts Designed For Use with The Highest Quality Components
- Overall Response 20-25,000 Hz.
- · Separate Midrange and High Fre-

quency Controls

Superb 3-way speaker system for the critical listener seeking greater realism in reproduced sound. Uses the reknowned acoustic suspension principle to extend low frequency response down to a low 20 Hz, ... gives you the deep, powerful bass that is so necessary to proper musical enjoyment. Heart of the system is a special 12" high compliance woofer with long-throw voice coil. Midrange frequencies are flawlessly reproduced by a 642" cone driver which employs a sealed back to avoid interaction with the woofer and to prevent air leakage from the enclosure. 3" metallic, dome-type super tweeter provides brilliant, peak-free reproduction of the highs. Electrical 1200 and 6000 Hz. L-C network ensures smooth crossover between all speaker units. Separate midrange and high frequency level controls. Fully air-tight enclosure is solid 34" construction filled with fiber glass to prevent resonance. Rich, hand-rubbed oiled walnut veneer. Attractive frame of ebony and gold with new snap-off nubby grille cicth panel. Impedance: 8 ohms, Size: 23x134'x1134" deep. Imported. Shog. wt., 32 lbs.

All speakers on this page are covered by the Lafayette AAA 5 year Guarantee. See page 16 for details.



TAPE RECORDER PRICES SLASHED!!!

CROWN Solid State Portable FM Wireless Radio/Tape Recorder

- FM Wireless Tape Recording
- 4 Hours of Recording and Hi-Fi Sound on Batteries or AC

GIGANTIC PRICE CUT!

 Direct Listening/Recording From Built-in FM Radio

Advanced solid state, 15-transistor, 2-speed capstan drive portable tape recorder. Features "built-in FM radio receiver", "wireless control and recording" and "automatic record level control". 3-transistor FM wireless mike remotely operates recorder. Starts and stops recorder and allows you to record from a distance of up to 100 ft. without a microphone cord or extension line. The exact program material received on the FM radio can be recorded and monitored at the same time. Controls for Forward (record/piay), Rewind, Fast Forward, Record Safety and AC/Battery power source, radio Off/On, Volume, Monitor/Tone, and Vernier Tuning Dial for selecting FM stations or tuning into the transmitter frequency of the wireless mike. Unit also has Auxiliary jack, Remote microphone jack, Earphone jack, Record Level Indicator, AC-on light and a telescoping FM antenna. Specifications: Six "D" batteries or built-in 17V., 60 Hz AC adapter; 5" reels, up to 4 hours 16 minutes recording time; 88-108 MHz FM tuning range; 1% and 3% ips tape speeds; and built-in 3 x 5" wide-range speaker. With wireless mike, start-stop remote mike, earphone, 5" reel tape, batteries and telephone pickup. 4'%, x 11%, x 10/34". Imported. Wt., 11 lbs.

7	10 U	7202	Imported. Wt., 11 lbs. 2WX \$6.00 Monthly Net 109.95	-
9	U	6256	Extra "D" batteries (6-reg.) Net .15 ea.	
			(2 req.) for FM mike Net .10 ea.	
			And the second	

WAS 159.95 10995 NOW ONLY

SAVE

5000





Lightweight, compact, portable reel-to-reel recorder takes reels up to 344". Capstan drive assures constant speed recording at 34 or 17% ips. Mike has remote stop/start switch, prevents tape waste. Easy-to-use plano key controls for rewind, stop, play plus pushbutton safety record switch. Built-in automatic record level. Self-contained dynamic speaker plus jack for external speaker. Operates on built-in 117 VAC, 60 Hz power supply or four "C" cells. Handsome case with metal carrying handle. With remote control mike, patch cord, batteries, 3" take-up reel and 3" reel of tape. Size: 934 x 234 x 944". Imported. Shge. wt., 7 lbs. 99 U 15326 155 Monthly 99 U 6257 Extra "C" cells (4 required) Net ea. 16



Dual track recorder operates from batteries or 117 VAC with optional adapter. Microphone has its own remote control on/off switch. Jam-proof plano style pushbuttons simplify operation. Convenient earphone for monitoring recordings, or for private listening. Uses two 1½ V and one 9 V. battery (included). Reel size: 3¼ ". Size: 8¼ x 3¼ x 6½"D. With dynamic mike, 3" reel of tape, take-up reel, and earphone. Imported. Shog. wt., 2¼ lbs. 99 U 1556L

23	U	12205		Net	12.95
99	U	3537	117 VAC adapter 6 oz.	Net	3.95
99	U	6021	Extra 9 V. Bat. (1 reg.) 2 oz	Net	.21
99	U	6257	Extra "C" cell (2 req.) 2 oz.	Net	.14

Tape Recorders Are Available On Easy Pay Plan-No Money Down

SALE PRICES CUT on Famous

A LAFAVETTE

10.00 Was 89.95 NOW

PRICE ONLY

0

5.00

CUT

. (000 .)

With Dynamic Mike, 7" Take-up Reel, 2 Rubber Reel Caps. All Connecting Cables.

1968 Catalog 684

0 0 0


C

Was 64.95

Now

Only

Q



Featuring 4 -Track Stereo Playback* Track Monaural Record/ Playback

- 3-Speeds: 1%, 3% and 71/2 IPS
- Record/Playback VU Level Meter
- 3-Digit Tape Counter with Reset Button

A Super Value—SAVE \$10.00 on this Magnificent Recorder. Compact, lightweight, and easy to oper-ate, the RK-810 features: 5 position Selector Control for Rewind, Stop, Run, Fast Forward, Includes "Pause" and instant reset digital counter for edit 10) newning, 3002, newnin, rast roward, includes "Pause" and instant reset digital counter for editing, cuing and tape indexing; safety record button to insure against accidental tape erasure; pushbutton channel selector, and master volume and tone control. "Playsback stereo tapes when used with a second channel external amplifier containing a tape head input. Built-in 5"X3" speaker. Also includes external speaker jack, stereo tape head output jack, inputs for mike and auxiliary. Frequency Response: 40-15,000 Hz at 742 ips. Wow and Flutter: Less than 0.25% ms at 742 ips. Wow and Flutter: Static 42 db or better. Blas and Erase: 60 kHz; Sensitivity: Mike, 0.6 my; Aux., 200 my; External speaker, 16 ohms. Front panel stereo headphone output jacks. Takes 7" reels. Textured solid vinyi case with built-in accessory compartment. For 110-120 v., 60 Hz AC, 115% w124/4Hx63/5"D. Imported. Shipping weight, 18 lbs.

33	0 152/1	AY 22 N	ionthia			Met 13.35
		f 1800'	Lafayette	Mylar	Base	Recording
	De. U 0106	Shpg. w	rt., 14 lbs			Net 2.49

Lafayette RK-710 SOLID-STATE 7" **3-SPEED TAPE RECORDER**

- 2 Track Monaural Record/Playback
- Vertical or Horizontal Operation
- Record Safety Button
- Single Tape Function Control: Rewind. Stop, Run, Pause For Editing,

Fast Forward

Fast Forward Professionally styled, three speed, two track mon-aural tape recorder. Takes reels up to 7 inches. Solid-state circuitry lets you start recording the instant you turn it on. Records and plays back two track monaural at three speeds—7½, 3¼ and 1½ ips, Easy to operate, offers the convenience of a single tape function control knob for five modes of operation: Rewind, Stop, Run, Pause for editing and cuing, and Fast-Forward. Records direct from FM tuner, phono, TY, plus "live" performances using the dynamic mike. Built-in 3X5" full range dynamic speaker provides outstanding sound repro-duction. Also includes output for connecting an ex-ternal speaker system. Vertical or horizontal opera-tion; illuminated VU meter for record/playback level; individual volume and tone controls; and a 4-pote induction motor. SPECIFICATIONS: Response: 60.12,000 Hz @ 742 ips; Signal-to-Noise Ratio: Better than 42 db; Bias and Erase Frequency: 60 kHz; 2 in-nuts: Microphone and Auxillary; 1 output: External speaker. For 110-120 v., 50/60 Hz AC. Housed in solid vinyi case with built-in accessory compartment and carrying handle. Size: 113%124xa63/5"D. Imported. Spig. wt., 16 fbs. Shpg. wt., 16 lbs.

With Dynamic Mike, 7" Empty Reel, 2 Rubber Reel Caps. Tape Recorders Are Available On Easy Pay Plan-No Money Down

Lafayette Recorders!!

6 6 = = 30 0 Was 169.95 1968 Catalog 684 95 30.00 Now With Dynamic Mikes, 4 Connect-ing Cables, 2 Rubber Reel Caps, 77 Take-up Reel. Only PRIC



Get The Tape Recorder You Want Now! No Money Down

SALE

Deluxe Lafayette RK-840 4-TRACK SOLID-STATE 3-SPEED STEREO PUSHBUTTON RECORDER

- Sound-with-Sound
- Sound-on-Sound
- Direct Record/Playback from Record **Player with Magnetic Pickup**

Precision, quality engineered 4-track stereo high fidelity tape recorder offering you the breath-taking realism of full-range stereophonic sound, Records fidelity tape recorder offering you the breath-taking realism of full-range stereophonic sound. Records and plays back stereo and monophonic tapes at three speeds: 742, 344 and 1% ips. Features: two 14-track heads: lamination-type record/playback and a double gapped high efficiency erase head; front panel jack for stereo headphone monitoring. 5-position single lever function control with "pause," instant reset 3-digit tape counter for precise editing, cuing and tape indexing; volume controls for each channel, master tone control, and separate safety inter-locking record buttons. Frequency Response: ±3 db, 40-18,000 Hz at 742 ips; +3 db, 40-12,000 Hz at 374 ips; less than 0.3% rms at 334 ips. Signal-to-Noise: 48 db or better. Blas & Erase Frequency: 96 HHz. Sensitivity: 2-Mike phono, 0.2 mv, 0.7 mv; 2-external speaker: stereo headphones. Solid-State Circuitry: 12 transistors, 4 diodes. Two Illuminated VU meters assure accurate indication of record/ playback levels, Hi-Fi sound is provided by 2 full-range 5" speakers and 6-watt output. Takes up to 7" reels. In black leatherette covered wood case, 1534Wx14Hz74,"0. For 105-125 v, 60 Hz AC. Im-corted 5the with the stere indication for the covered wood case, 153/4Wx14Hx7%,"D. For 105-125 v, 60 Hz AC. Imported, Shpg. wt., 27 lbs.

99 U 1529WX \$9 Monthly Net 139.95 7" reel of 1800' Lafayette Mylar Base Recording Tane

28 U 0106 Shpg. wt., 14 lbs. Net 2.49

Lafayette RK-77 SOLID-STATE **BATTERY/ELECTRIC 4-TRACK** PORTABLE STEREO RECORDER

- Takes Reels Up-To 7"
- 3-Speeds
- 4-Track Stereo or Monaural Record and Playback
- 2 Large Studio Type VU Meters
- **Pushbutton** Operation
- **3-Digit Tape Counter**
 - with Pushbutton Reset

with Pushbutton Reset Exciting, push-button operated, stereophonic tape recorder . . plays and records anywhere. Operates on self-contained batteries or from standard 117V., 60 cycles AC. Records and plays 2 and 4-track mono, and 4-track stereo tapes at three speeds: 742, 334 and 176 ips. Records and plays up to 6 hrs, and 24 minutes on 7" reel of 1800' tape at 176 ips. Separate color-coded "record" and "lock" buttons prevent accidental erasure of tapes. Fea-tures individual tone and volume controls for each tures individual tone and volume controls for each channel. Two built-in 6x3" dynamic speakers give you true stereo hi-fidelity sound. Specifications: S/N Ratio: More than 38 db at 742 ips. Rewind Time: 3 min, for 7" reel. Power.Output: 2 watts. Inputs: (Each Channel) microphone 50K ohms; auxillary 470K ohms. Outputs: (Each Channel)-extension

99 U 6256 "D" batt. for above-8 req. Net ea. .15 7" reel of 1800' Lafayette Mylar base recording tape. 28 U 0106 Net ea. 2.49

SAVE \$10.00 ON Lafayette's BEST SELLING TAPE DECK




Lafayette RK-820 SOLID-STATE 4-TRACK STEREO REEL-TO-REEL TAPE DECK

- 4-Track Stereo and Monaural Record/Playback
- 3-Speeds: 71/2, 31/4 and 11/6 IPS.
- Built-in Solid-State Record/Playback Stereo Preamplifiers
- Records 4-Track Stereo or Mono from FM, AM, FM Stereo Radio or Phono Sources, Live from Mikes
- · Sound-with-Sound, Sound-on-Sound

ACCESSORIES FOR RK-820 Deluxe Oiled Walnut Wood Base for RK-820. Shpg. wt., 4 lbs. 24 U 1214W Net 9.95 Dynamic Mike. Imported. Shpg. wt., 8 ozs. 99 U 4630 Net 5.95

7" Reel of 1800 ft. Lafayette Mylar Base Recording Tape. 28 U 0106 Net 2.49

DELUXE Lafayette PROFESSIONAL RK-550 SOLID-STATE STEREOPHONIC PUSHBUTTON CASSETTE TAPE DECK



- Records: 4 Track Stereo and 2 Track Monaural
- Plays back 4 and 2 Track Stereo and Monaural
- All Silicon Transistor Record/Playback Preamps
- Full Compliment of Pushbutton Controls For All Tape Functions Including Pause

Professional styled and engineered to provide superb stereo and monaural cassette recording facilities. Create your own private music library. Magnificently plays stereo and monaural pre-recorded tapes thru your existing hi-fi system. Makes amazingly clear voice and music recordings due to a unique jam-proof tape drive system tape speed is constant at 1% ips. Exceptional features are a full set of pushbutton controls for all tape modes; record, play, fast-forward, rewind, pause, stop, cassette ejector; 3-digit pushbutton-reset tape counter and 2 supersensitive liluminated VU meters; independent power on/off switch, stereo/mono input selector switch, record safety button. Specifications: 1/4 Track Lamination Tape Stereo Cassette Record/Play Head, 1/2 Track double gapped high efficiency erase head. Response 40-12,000 Hz, S/N ratio: Better than 45 db.

- 2 Large Illuminated VU Meters
- Automatic Shut-Off Switch, Record Safety Button
- 3 Digit Tape Counter with Reset Button
- 2 Mic. and 4 Aux. Input Jacks
- Function Indicator Light for Play and Record

Dynamic Mike for RK-550, Imported, Shpg. wt., 8 ozs. 99 U 4630 Net ea. 5.95

See Page 23 for Lafayette's Complete Line of Cassette Recording Tape



3-BAND CASSETTE BATTERY/ELECTRIC PORTABLE AM/FM/MB RADIO-RECORDER

With: Cardioid Mike, Earphone, 60 Min. Cassette Tape, AC Line Cord and Batteries.

Exciting 3-band solid state radio recorder. Tunes "standard AM band (52.5 to 165 kHz), standard FM band (88 to 108 MHz), and Marine band (1.6 to 4.0 MHz)". Monitor switch enables you to make direct recordings from the radio. Operates on 4 "0" cell batterles, or on 117v., 60 Hz. AC. with its own built-in AC adapter. Records up to two hours on one Philips cassette at 1% ips. Recorder features AC bias and AC erase. Simplified pushbutton controls including cassette eject. Also features separate volume and tone control knobs, built-in 5x3" speaker, record level/battery indicator, auxiliary input and output jacks, and telescoping antenna. Size: 11/4x9x3/4". Imported. Shog. wt. 7 lbs.

27 U 1021WX \$5	Monthly	Net 89.95
	"D" Batteries (4-required)	Net ea15



HITACHI BATTERY/ELECTRIC PORTABLE 4-TRACK STEREO CASSETTE RECORDER

Only



Get The Tape Recorder You Want Now! No Money Down

Compact, lightweight traveling companion, for the music lover. Easy-to-carry cassette stereo tape recorder. Plays anywhere, any-place. Operates on 117 V., 60 Hz. AC. house current, or on standard "D" type flashlight batteries. Two swing-out extension cabinets each contain a 5" speaker. Provides ex-cellent stereo sound reproduction and full dimensional stereo separation. Features "Levelmatic" (automatic record level con-trol). Also has pushbutton control; level and tone controls for each channel; two record level VU meters and remote control jack. Frequency Response: 100 to 10,000 Hz. Speed: 1% lps. Circuitry: 16 transistors, 10 diodes, 4 thermistors. Size: 11x614x834"." Imported. Shpg. wt., 7 lbs.


27 U 2301WX \$6.50 Monthly ____ Net 119.95 "D" Batteries for above (6 reg.) 99 U 6256 Net ea. .15

> 21 Lafayette Cat. No. 691



	_							
n n	-	-		-				
22	1 2	1 av	ette	- C -	at	NO.	691	

Buy Now! Pay Later ... Use Lafayette's Easy Pay Plan. No Money Down.



120 MINUTE CASSETTE. Records and plays up to two hours (2 tracks) at 1% ips. Imported. Shpg. wt., 4 oz. 28 U 0121 ______ Not 2 98

Prices and Specifications are Subject to Change Without Notice

23 Lafayette Cat. No. 691

LAFAYETTE RECORDING TAPES LAFAYETTE'S GUARANTEE - YOU BE THE JUDGE!

Lafayette's tape is made by outstanding na-tionally known manufacturers. It is first quality, splice free, red oxide coated, with full frequency response, uniform output and no "drop-outs." Resistant to moisture, heat,

cold and abrasion. If for any reason you are dissatisfied return the tape within 30 days and we will refund your money less only transportation charges. You are the sole judge.



					Net Pe.' Reel		
Stock No.	Feet	Reel	Mils	Wt. Lbs.	1-4	5-24	25 Up
28 U 0102	600	5"	11/2	1/2	.99	.90	.85
28 U 0103	900	5"	1	3/4	1.20	1.10	.99
28 U 0101	1200	7"	11/2	1	1.59	1.49	1.35
28 U 0104	1800	7″	1	11/4	1.98	1.88	1,79

LAFAYETTE MYLAR®* RECORDING TAPE

1.					Net Per Reel		
Stock No.	Feet	Reel	Mils	Wt. Lbs.	1-4	5.24	25 Up
28 U 0105	1200	5*	1/2	3/4	1.75	1.58	1.42
28 U 0106	1800	7"	1	14	2.49	2.25	2.13
28 U 0107	2400	7"	1/2	. 11/4	3.10	2.79	2.51

• Mylar is the registered DuPont trademark for its polyester film

LAFAYETTE BULK TAPE ERASERS

75

Standard Model

24⁹⁵

Model



PROFESSIONAL MODEL For complete erasing of 3", 5", 7" or 10½" reels of tape, Erases ¼" tapes in one operation without requiring reversing of reel. Will erase up to 1" wide tapes. An extra-powerful unit draws over 9 amperes. Can be used to demagnetize tape, Professional

STANDARD MDDEL

Similar to professional model for all size reels but handles only standard size $1/4^{\prime\prime}$ tapes or smaller and reel must be turned over once. Has separate spindle positions for $1042^{\prime\prime}$ and 3, 5, and 7'' reels; non-magnetic bakelite plate for reel rest. One powerful coll consumes 5-amps. Metal case 744 x $342^{\prime\prime}$. Imported. Shog. wt., 9 lbs. 99 U 1518 Net 11.75

LAFAYETTE TAPE HEAD DEMAGNETIZER WITH SWITCH

Pencil shaped head demagnetizer with one extending probe. Styling allows you to reach all heads in all positions. Features switch control...no need to leave unit on constantly. Turn on when needed and off to conserve unit's life. Operates on standard 110-120v 60 cycle AC. Imported. Shpg. wt., 1 lb. 99 U 1533

Net 2.49

Mak





LAFAYETTE ACETATE RECORDING TAPE | LAFAYETTE TENSILIZED MYLAR®* TAPES

Grand Street,				Net Per Reel			
Stock No.	Feet	Reel	Mils	1-4	5-24	25 up	
28 U 0109	300	3"	1/2	.69	.63	.59	
28 U 0110	600	31/4"	1/2	.99	.90	.81	
28 U 0111	1200	5"	1/2	2.25	2.03	1.83	
28 U 0108	2400	7"	1/2	3.69	3.39	3.05	

LAFAYETTE TAPE FOR AUTOMATIC **REVERSING TAPE RECORDERS**

				Net Per Keel			
Stock No.	Feet	Reel	Description	1-4	5-24	25 up	
28 U 0116	1200	5*	1/2 mil mylar	1.99	1.84	1.67	
28 U 0117	1200	7"	11/2 mil acetate	1.84	1.73	1.62	
28 U 0118	1800	7"	1 mil mylar	2.69	2.54	2.39	
28 U 0119	2400	7-	1/2 mil tens mylar	3.84	3.62	3,25	



- Two Operations—Cuts & Trims
- Clean Splices in Seconds
- . For Monaural or 2 and 4-Track Stereo
- Splicing Tape Supplied

A sturdy precision instrument for profession-A sturdy precision instrument for profession-at use in all splicing and editing applica-tions. Gives clean, quick cuts on all tapes without losing a significant portion of the sound track. Splicing tape fed from below will not foul and waste tape. Sharp long last-ing blades provide trouble-free operation. A must for professionals and demanding audio hobbyists. Imported. Shpg. wt., 3/4 lb.

28 U 0905 Net 2.39 Replacement splicing tape for above, 28 U 0906 Shpg. wt., 2 oz. Ne Net .30

HEAD-KLEEN SPRAY



3 INCH RECORDING TAPES



High quality recording tape made in U.S.A. available in either acetate or mylar base. On 3" reets. Ideal for correspondence. In

.99

.99

	28 U 7158 Shpg. wt., 6 oz Net .75	
e Lafayette Your One Depe	endable Source for Everything in Electronics	

CASSETTE STEREO PLAYERS AND RECORDERS for the Car "AUTOMATIC" Model ACS-6000 CAR CASSETTE STEREO TAPE PLAYER



Enjoy the beautiful sound of stereo prerecorded cassette tapes wherever you go in your car. Custom designed for easy mount-ing under the dash. Features ultramodern, automatic front loading mechanism for sim-ple, safe insertion and removal of cassette cartridges while driving. Tape player auto-matically shuts off and pushes cassette out for easy removal at end of tape. Also fea-tures fast forward or fast reverse operation. Speaker output is muted during rewind thereby eliminating garbied sound effects. Speci-fications: Plays all Phillips-type monaural or stereo prerecorded cassettes. Tape speed: 17% ips; 15 transistors, 1 diode; Output 8 watts; Freq. Response: 80-10,000 Hz. Con-trols: Tone, Volume, Balance, Fast/Forward Rewind, Complete with mounting bracket and hardware. Size: 634'Wx7"Dx256"H. Imported. Shop wt. 10 lbs Shpg. wt., 10 lbs.

Only

17 U 2618WX \$5 Monthly .. Net 6.95

Net 79.95



 Fast Foward And Fast Reverse Push-In Front Loading Cassette

 Automatic Shut-Off For 12 Volt Negative Ground Systems

Deluxe SOLID STATE CASSETTE AUTOMOBILE STEREO TAPE RECORDER



Plays 4-Track Stereo **Records 2-Track Monaural**

For 12-Volt Negative Ground Systems **Push-in Front-Loading Cassette**

Deluxe automobile tape recorder for playback of stereo cassette tapes as well as facilities for record-ing monaurally. Easy front loading insertion and re-moval of tapes. Push-button controls for record, fast forward, rewind, stop (reject). Power output: 1.5 watts per channel. Uses AC bias, AC erase recording system. Capstan drive at 1% ips. Advanced solid state circuitry. Separate tone and volume controls. With dynamic mike and under dash mounting bracket. Im-ported. Size: 7x9x31%". Less speakers. Shpg. vt., 12 lbs. 12 lbs 17 U 5600WX \$6.50 Monthly __ Net 119.95

99 U 1540 Lafayette 60 min. tape cassette Net 1.35 of Two 3 x 5" Matching Speakers 6.95 99 U 6299 Shpg. wt., 3 lbs. Net

Lafayette DUAL CHANNEL TUNEABLE SOLID STATE REVERBERATION SOUND SYSTEM FOR STEREO TAPE PLAYERS AND FM STEREO RADIOS

Convenient Under Dash Mounting

Exciting concept in a reverberation sound sys-tem to greatly enhance car stereo tape and FM stereo radio performance. You can now add a third channel 3-Dimensional reverberation output stereo radio performance. You can how add a third channel 3-Dimensional reverberation output to your car stereo tape player or car FM stereo radio. The Lafayette solid state dual input tune-able reverb amplifier creates this magnificent 3rd dimension in sound by adding a 3rd channel output. This 3rd channel is electrically delayed (echo effect) thru the reverb amplifier to a sep-arate rear seat speaker output provides the ulti-mate in car sound reproduction. Multiple con-trols are provided for volume, balance, and amount of reverberation. Completely compatible —includes switch which permits use of reverb amplifier with car stereo equipment or car mon-aural AM and FM Radios. Complete system in-cludes tuneable dual input reverberation am-plifier, 6 x 9" dynamic speaker and chrome grill for rear seat mounting — and all connecting cables. Amplifier mounts easily under dash. For 12 volt negative ground systems. Size: 71/4W x 13/6H x 51/2"D. 17 U 0170 Shpg. wt., 51/2 lbs. _____ Net 29.95

ANCE TE STEREW VERD AFAYL MONO 95 Made in U.S.A. Only Speaker, Grill and All Connecting Cables Add 3-Dimensional Reverberation Sound to your Car Stereo Tape Player or Car FM Stereo Radio Reverberation is a thrilling approach to True Concert Hall Listening Compatible-can also be used on Monaural Car Radios

Enjoy A Stereo Car Tape Player Now-Take Up to 2 Years to Pay



8-TRACK STEREO TAPE PLAYERS for the Home

Deluxe 3-BAND SOLID STATE AM/SW/FM STEREO MODULAR RADIO with BUILT-IN 8-TRACK STEREO CARTRIDGE PLAYER

169⁹⁵Handsome 3-Piece Walnut Wood Cabinetry

Quality home entertainment center. Play magnificent prerecorded 8-track stereo tape cartridges through the tape player. Listen to standard AM, FM and FM stereo radio broadcasts on the 4-12 MHz band. Includes many deluxe component features: Stereo indicator beacon; lighted slide-rule dial; tuning meter; lighted tape cartridge channel indicator; front panel stereo headphone jack; stereo output jacks for external tape recorder; built-in AM and FM/SW antennas with provisions for external SW antenna. Each speaker enclosure contains a 6" woofer and a $3\frac{1}{2}$ " tweeter. Power output: 10 watts per channel. UL listed. Olled walnut wood cabinetry. Slze: Control Unit-19 $\frac{1}{2}$ x 10 $\frac{1}{2}$ ". Imported. Shpg. wt., 20 lbs.



"AUTOMATIC" SOLID STATE 8-TRACK STEREO HOME PLAYER SYSTEM



With 2-Separate Matching Olled Walnut Wood Speaker Systems

Now with just one complete unit you have full facilities to play 8-track stereo tape cartridges in your home. Will also play 4-track cartridges with dapter. Two matching speaker systems, each contains a 5" woofer and a 3" tweeter. Solid state circuitry provides instant-on operation. Power outputs 10 watts. Separate tone and balance controls; lighted channel indicators; channel selection button. Completely automatic – switches to next channel without interruption. Accepts automatic AM and FM tuner cartridges. Size: Player-15½ x 4¼ x 8½", each speaker system--6¼ x 10½ x 7½". Imported. Shpg. vt., 30 lbs. 17 U 2622WX \$5 Monthly. Af Uner Cartridge. Shpg. vt., 1 lb. Net 24.95

17 U 2609L Net 24.95 FM Tuner Cartridge. Shpg. wt., 1 lb. 17 U 2617L Net 39.95

PANASONIC Model RS800US SOLID STATE 8-TRACK STEREO CARTRIDGE TAPE DECK

8-TRACK CARTRIDGE SYSTEM MAINTENANCE KIT



An all-in-one maintenance kit for your 8track cartridge tape system...keeps heads in top operating condition. Contains clean-

95

er, lubricant, applicators, brush and convenient storage case. Simple operation with descriptive instructions. Brushes fit together to reach depths of player system. Ideal for all 4 and 8 track systems. Shog. wt., 1/2 lb. 28 U 7801 Net 1.95

4-TRACK CARTRIDGE ADAPTER




Universal adapter that turns any 4track cartridge into an 8-track cartridge. Simply insert adapter into your 4-track cartridge—can easily be moved from cartridge to cartridge. 17 U 2613 Shpg. wt. 6 cz. Net 3.95




Depend on Lafayette For Everything in Electronics

Lafayette SOLID-STATE PHONOGRAPHS ..



Includes Stereo Headphone Jack



Includes Stereo Headphone Jack







B Model T33C

99⁹⁵


Diamond Needle Made in U.S.A.

0

(D) Model MS24B

49⁹⁵

Diamond Needle Made in U.S.A.



MAGNIFICENT SOUND... AND ELEGANT STYLING

MODEL S-44C AM/FM/FM STEREO 4-SPEED AUTOMATIC PHONOGRAPH

• 35 Solid-State Devices-20 Transistors, 15 Diodes

- 12-Watt Solid-State Stereo Amplifier . Solid-State AM/FM/FM Stereo Tuner
- Garrard 1025 4-Speed Automatic Intermix Stereo Changer
- . Four Speakers-Two 6" Woofers, Two 31/2" Tweeters

Stereo Tape Dut-Input
 Elegantly Styled With Molded Speaker Cabinets

• Stereo Tape Dut-Input • Elegantly Styled With Molded Speaker Cabinets Handsomely designed, deluxe solid-state stereo hi-fl Music Center featuring an all-transistor, dual 12-watt, stereo amplifier with instant-on performance, AM/FM/FM. Stereo tuner and new Garrard 1025 4-speed intermix record changer. Plays 16, 33¼, 45, and 78 RPM records. Intermixes all size records of the same speed, Shuts off automatically after last record has been played. Tunes in FM stereo broadcasts—for thrilling full-dimensional realism as welt as static-free FM broadcasts and standard AM broadcasts. Features AFC (Automatic Frequency Control) to prevent drift on FM. Each detachable speaker wing contains one 6" woofer and one 3½" tweeter for rich, clean sound reproduction. Also includes a stereo headphone jack for private listening. Attractively styled case with hideaway changer Is finished in simulated walnut trim. Speakers are mounted in a beige molded enclosure. Includes stereo turnover cartridge with diamond LP stylus. Size: 21Wx14½Hx13½"D. For 110-120 VAC, 60 Hz. UL listed Shoe, wt. 38 lbs. Listed. Shpg. wt., 38 lbs.

24	III.	0270WX	\$8.00) Monthly	/			Net	159.95
						phonograph	segure exclusion group which is a low-log detailed from all the first first and the second second second second	Net	3.80

B DELUXE MODEL T33C 4-SPEED AUTOMATIC STEREO PHONOGRAPH

Garrard 4 Speed Automatic Intermix Changer With Diamond LP Needle

- 10 Watt Solid State Stereo Amplifier With 8 Transistors, 2 Diodes, and 2 Sillcon Rectifiers
- 4 Speakers: Two 8" Heavy Duty Woofers-Two 31/2" Tweeters
- Detachable Speaker Enclosures For True Stereo Separation

Deluxe, solid state self-contained 4-speed automatic stereo phonograph in stylish "Swing-Down" design. Equipped with detachable speaker enclosures with built-in, 6-ft. extension cords for wall-to-wall full dimensional sound realism. Each enclosure contains a heavy-duty 8" woofer and a 34/2" tweeter for magnificent hi-fi sound reproduction. Powerful 10 watt solid state stereo amplifier has 12 semiconductor devices and features a stereo headphone jack for private listening plus 4 controls: Loudness, Balance, Bass, Treble. Quality Garrard 1000 4-speed automatic record changer plays all record sizes and speeds, - 7", 10" and 12" records at 16, 33%, 45, and 78 RPM. Intermixes all record sizes and speeds, -7", 10" and 12" records at 16, 33%, 45, and 78 RPM. Intermixes all size records of the same speed. Changer automatically shuts off after last record has been played and is equipped with a stereo turnover cartridge with diamond LP needle. Decorator designed wood cabinet is covered with simulated walnut and black washable vinyl material. Size: $21^3/x12^3/x14^3/x^2$. For 110-120 VAC 60 Hz. Shpg. wt., 35 lbs.

24 U 0274WX \$5.00 Monthly ______

Net 99.95 Net 3.80

1.49

C MODEL M29 4-SPEED AUTOMATIC STEREO PHONOGRAPH WITH TWO DETACHABLE SPEAKER ENCLOSURES

- 4 Speed Automatic BSR Mini Record Changer 4 Speakers: Two 4" Wide Range Speakers In Each Detachable Speaker Enclosure
- Solid State Stereo Amplifier With 3 Controls

Component styled portable stereo phonograph with detachable wing-type 2-speaker systems which can be spaced apart to achieve magnificent full dimensional stereo realism. Features stereo headphone jack for private listening. Powerful space-age solid-state circuitry provides instant-on operation—no warm-up time required. BSR mini 4-speed stereo automatic record changer handles all size records and will intermix 12" and 10" records of the same speed. Plays 16, 33%, 45, and 78 RPM records. Automatically shuts off after last record has been played. Tone arm is equipped with stereo turnover cartridge with diamond LP needle. Each speaker system contains two 4" wide range speakers. 3 Controls: Volume Left, Volume Right, and Tone. Beautiful wood case is covered with washable vinyl material. Size: 23Lx11½Hx 7¼". Shpg. wt., 20 lbs. for 110-120 VAC 60 Hz. 59.95

	U 0273WX	\$5.00 Monthly	Net
24	U 0256 45	RPM Spindle for M29	_ Net

"MINI" MODEL MS24B 4-SPEED AUTOMATIC STEREO PHONOGRAPH

Exciting BSR 4-Speed Automatic "Mini" Stereo Changer Space Age Solid State Circuitry • Two 4" Wide Ran Two 4" Wide Range Speakers

Bold modern styling ... a truly outstanding performing stereo phono in a sleek cabinet of compact proportions. Beautifully styled with drop-down compartment which folds away for maximum space saving efficiency. Features BSR 4-speed stereo automatic "Mini changer", with automatic shut-off. Plays all size records at 16, 33½, 45 and 78 RPM. Intermixes 12" and 10" records of the same speed. Two separate 4" wide range speakers are acoustically balanced and spaced for true stereophonic full-dimensional sound. Powerful solid-state stereo amplifier provides instant-on operation---no warm up. 3 controls: volume left, volume right, and tone. Equipped with stereo turnover cartridge with diamond LP needle. Attractive, washable bright textured blue covering. For 110-120 VAC, 60 Hz. Measures 27½±x10¾4Hx 614°D. Shop wt. 18Hs. 61/2"D. Shpg. wt., 18lbs.

Net 49.95 24 U 0271WX \$5 Monthly _____ Net 1.49

Prices and Specifications are Subject to Change Without Notice



DELUXE MODEL S-10C 4-SPEED MANUAL PHONOGRAPH

n95 Only

Our Best Manual Phono

 Speaker Front Mounted for Full **Tone Sound Dispersion**

Plays monaural records of all speeds--3344. Plays monaural records of all speeds—3349, 45, 1624, and 78 RPM—all sizes 12", 7", and 10". Solid state circuitry provides in-stant on operation. 2 controls—on/off Vol., Tone. Turntable has foam rubber mat, Tone arm is equipped with VACO dual turnover entideewidth 0 entitable provides and durnover arm is equipped with VACU dual turnover cartridge with 2 synthetic sapphire needles. Bulit-in 45 RPM adapter disc. Attractive gold washable pyroxin coated fabric with black and gold grill cloth. Size: 124/4L x 10D x 5"H. For 110-120 VAC 60 Hz. UL Listed. 24 U 0269 Shpg. wt., 9 lbs. _____ Net 19.95



MODEL M5B 4-SPEED MANUAL PHONO

Only

Large 4" Speaker

Ideal phono for the youngster in your family. Ideal phono for the youngster in your family. Plays up to 12" monaural and stereo records at 1624, 3344, 45 or 78 RPM. A single lever selects any speed. "Feather-light" retract-able tone arm is equipped with a single crystal cartridge. Volume control with on-off switch. Built-in 45 RPM record adapter. Fine quality 4" speaker. Attractive blue and white leatherette covered case. for 110-120 Volts. GO Hz, Size: 12W x 934D x 5"H. Wt., 8 lbs. 24 U 0272W Net 14.95

ABULOUS GIFTS for the Holiday Season

COLUMBIA "MUSICAL TREASURY" STEREO RECORD ALBUMS

Listening Trial



BONUS RECORD PLUS 10 DAY LISTEN-ING TRIAL With your purchase of the deluxe 10-record set you also get a bonus 12" stereo LP record, "Festival of Orchestras." If the 10-record album set doesn't meet or surpass your expectations, you may keep the bonus record, return the 10 record album within 10 days, and we'll refund 21.95.



10 STEREO RECORD ALBUM-Magic Moments From The World of Great Classics

Here is a magnificent new stereo record album that brings together the BEST of the world's great classical music in a unique ten 12" Record Library. Selected performances are by internationally ac-

istening Trial claimed symphony orchestras, edited from the huge Columbia Master Library, packaged in an elegantly styled record-case with complete instant index. The following is a listing of some of the memorable highlights from this album.

OVERTURES: Mozart: Marriage Of Figaro; Berlioz: Roman Carnival: Smetana: Bartered Bride; Mendelsohn: Ruybias, SPLENOOR OF THE SYMPHONY; Beethoven: Symphony No.9 2nd Movement; Tchaikovsky: Symphony No.4 4th Movement; Mendelsohn: Symphony No.4 4th Move-ment; Mozart: Symphony No.40 -1st Movement, CONCERTO HIGHLIGHTS: Beethoven: "Emperor" Piano Concerto-3rd Movement; Brahms: Violin Concerto-3rd Movement; Chopin: Piano Concerto No.2 -2nd Movement; Rachmaninoff: Rhapsody On A Theme By Paganini-18th Variation; Men-delsohn: Violin Concerto-1st Movement, ORCHESTRAL-OPERA and BALLET FAVORITES: Borodin: Polosytian Dance No. 2: Verdi Celeste Aida: Rimsky deisonn: Violin Concerto-1st Movement, ORCHESTRAL-OPERA and BALLET FAVORITES: Borodin: Polovstian Dance No. 2; Verdi: Celesta Aida; Rimsky Korsakov: Tale Of The Prince and Princess from "Scheherazade"; Puccini: Butterfly's Entrance from Madame Butterfly; Bizet: Excerpts from Carmen; Wagner: Prelude to Act 3 from "Lohengrin"; Ovorak: Largo from New World Symphony; Brahms: Hungarian Dances No. 17 and 18; Respight: Excerpt from Pines Of Rome; Prokoflev: March from "Love Of Three Oranges"; Tchaikovsky: Excerpts from Nutcracker Suite, March Slave; Delibes: Waltz from Coppelia; Strauss: Waltz from "The Rosenkavalier," Jus many more

plus many more. DROPPEO SHIPPED PREPAID FROM TERRA HAUTE, INDIANA 28 U 2803Y NO COD ORDERS Net 21.95







BONUS RECORD PLUS 10 DAY LISTENING TRIAL - With your purchase of the 7-record album col-Lection you also get a bonus 12" LP record, "Music For The Late Show." If the 7-record set doesn't meet or surpass your expectations, you may keep the bonus record return the 7 record album in 10 days and we will refund 16.95.

A TREASURY OF CHRISTMAS -Only **4 LP STEREO RECORD ALBUM**

10 98 10 DAY LISTENING TRIAL If the Treasury of Christmas Stereo Album doesn't meet or surpass your expectations, you Beautifully may return this album in 10 days, and we will Gift Boxed refund 10.98.

A magnificent new 4-LP stereo record album filled with the Christmas music you know and love, performed by the world's great musicians - 56 wonderful Yuletide selections. Listen to Eugene Ormandy lead his Philadelphia Orchestra and the Mormon Tabernacle Chorus in the inspiring Halle!ujah Chorus from Handel's Messiah. Great artists and orchestras performing in this set are: Andy Williams; Johnny Mathis; Doris Day; Patty Page; Mitch Miller; Ray Conniff Singers; Brother's Four; Jack Jones; Leonard Bernstein and the N.Y. Philharmonic Orchestra; Mahaila Jackson; Eileen Farrell; Norman Luboff Choir; Temple University Concert Choir; Isaac Stern; Nelson Eddy; E. Power Biggs, and many more

DROPPED SHIPPED PREPAID FROM TERRA HAUTE, INDIANA 28 U 2802Y NO COO OROERS Net 10.98

30 Lafayette Cat. No. 691

7 STEREO RECORD ALBUM COLLECTION LIGHTS! CAMERA! MUSIC! Only

78 of the greatest musical selections from hit movies

Bonus Record and 10 Oay Listening Trial


Here is new kind of record album that brings together the best in music from the biggest smash hit movies of Hollybest in music from the biggest smash hit movies of Holly-wood and Europe — now yours to enjoy again and again. Just look at the partial listing: there are themes from, Gone With The Wind; Exodus; Dr. Zhivago; Tom Jones; Spellbound; Brldge Over The River Kwai; Born Free; Laura; Three Coins In A Fountaln; Love Is a Many Splendored Thing; Never On Sunday A Man And A Woman; Goldfinger; La Strada, High Noon; Days Of Wine and Roses. "More" from Mondo Cane; "Moon River" from Breakfast At Tiffany; "Tonight" from West Side Story; "Terry Theme" from Limelight, Hit songs from Gigi; My Fair Lady; Mary POPPins; Hard Days Night; Lilf, and many more. DROPPED SHIPPED PREPAID FROM TERRA HAUTE, INDIANA & U 2801Y NO COO ORDERS. Net 16.95

28 U 2801Y NO COO ORDERS. Net 16.95

To Speed Your Mail Order-Please Give Your Zip Code Number



SOLID STATE TELEPHONE AMPLIFIER



 4-Transistors ⁴ 95 • No Warm-up, Instant Operation No Pick-ups To Connect with Amplifies Telephone To Room Volume **batteries**

The Easy-Phone amplifier is Ideal for group conversation with one telephone in the room. Easy to operate: simply place the telephone on the amplifier, adjust the volume and everyone can listen through the separate matching speaker system, leaving both hands free for writing or typing. The Easy-phone utilizes a 4-transistor battery powered amplifier and inductive pick-up, in an attractive plastic case. Features separate 3" speaker, volume control, on/off switch activated by toleader for the scheduler. BML 2018 WY by telephone's weight, sturdy chrome plated runners. 8¼Lx3¹¾₆₩x 2¾₆"H. Supplied with miniature plug and jack for recorder input. Imported, Oimenslons—Amplifier Section: 8₩x3½₆Hx3½₆"D. Speaker Section: 31/2Wx21/2Hx41/8"D. Supplied with batteries. Shpg. wt., 3 lbs. 99 U 9206 Net 12.95 99 U 6258 Replacement "AA" Type Batteries (4 reg.) _____ Net .10

MINIATURE "SNAP-ON" SOLID STATE TELEPHONE AMPLIFIER And TELEPHONE HEARING AID

No Money Down

Ideal For Hard Of Hearing

Complete system includes "Telephone Valet" and the Lafayette RK-85 battery operated solid

- Portable Carry It In Your Pocket
- 4 Transistor Circuitry

Miniature, portable, snap-on telephone amp-Miniature, portable, snap-on telephone amp-lifier because of its compact size can be carried in a pocket or purse. Designed to fit any modern telephone. Just insert battery (supplied) into battery holder. Attach ampli-fier to the receiver of the telephone you are using—and turn up the volume control of the amplifier. IDEAL FOR HARD-OF-HERRING. Specifications: 4 transistors, 2" dynamic speaker. Size 25%" round, 1" depth. With battery and rubber snaparound band. 94 U 9208 Shop, wt. 1 lb. Net 7.95 99 U 9208 Shpg. wt., 1 lb. Net 7 95 **Replacement Alkaline Battery** 32 U 4892

Net .27

From Individual **Catalog Prices**



Only


Add flexibility to your telephone intercom. Now be able to move your Add flexibility to your telephone intercont, now be able to more your telephone intercom from room to room. 30 feet of telephone exten-sion cord with standard 4-pin plug and jack. Color coded cord to match screw terminals on plug and socket. Imported. Wt., $1\frac{1}{2}$ lbs. 94 T 4539 ket 2,49

-	TELEPHONE PLUGS AND JACKS	
44 U 44 U	6003 Phone Plug (Imported) 2 oz.	Net .59 Net .59

Make Lafayette Your One Dependable Source for Everything in Electronics

31 Lafayette Cat. No. 691

Lafayette INTERCOMS For Home Or Business



2-STATION SOLID STATE INTERCOM SYSTEM

2-Stations 295

Inter-Unit Tone Calling Push-Button Operation .

Solid-state miniature 2-station Intercom, Op-Solid-state miniature 2-station intercom. Op-erates from one inexpensive 9-volt battery. System consists of one master and one remote with 66 feet of lightweight cable. Plug at each end speeds up connection—no tools needed! Master unit has power on/off/ volume control and listen-talk switch—you can listen or talk to the master without operating any buttons. Master and remote can call each other even when master is switched off. Housed in a high impact plastic case with cable and 9-volt battery. Dimen-slon: 3W x 13/4H x 4~D. Imported. Shpg. wt., 1½ lbs. 11/2 lbs.

99 U 4578	Net 8.95
99 U 6021 Extra 9-volt batt	ery Net .21
AC power supply and bal	tery charger for
above. Shpg. wt., 2 lbs. 33 U 7702	Net 2.99



PROTECTO-COM SOLID STATE DOOR ANSWERING **INTERCOM SYSTEM** Complete System

Includes: **1** Master Amplifier Control Station Door Station 16 Volt Transformer 50 ft. of 2 Conductor Cable All Hardware Necessary For Installation

 Provides Protection—Identify **Callers Without Opening Doors**

A complete door answering intercom system designed for installation in new or existing homes. Easy-to-use "talk-listen" switch on master. Protects residents from unwanted callers. Inexpensive and easily installed. Comes complete with master station, door station, transformer, 50 ft. of 2-conductor cable, and all the hardware necessary for installation. Shgs. wt., 1434 lbs. Net 24.95 44 U 3705 Net 24.95

32 U 3052 100 ft. coll of wire Net 1.09



SOLID-STATE WIRELESS 2-STATION INTERCOM SYSTEM



 Instant On Operation— No Warm-up

Solid-State 2-station intercom system at an amazingly low, low price, load for use in the home, office, factory, etc.—will con-nect any two places that are serviced by the same electric company 117V power line transformer. No wiring required, simply plug each unit into the AC outlet and start talking -4-transistor circuit. Each unit is a "Masr" can use as many as you need. Features Volume/On-Off control, Push-to-Talk Bar th a "lock-bar" for continuous talking, ter' with a "lock-bar" for continuous talking, and a pilot light. 2-tone gray-colored plastic case has rubber-tipped base that will not scratch furniture. Overall 64/2"x5"x22/2"H. For 110-120V 60 cycle AC. Imported. Shpg. wt., 2 lbs. 00 11 4579M

33 0 43/3		The subscription of the local day		net	21.33
Additional	Intercom	Stations			
99 U 4572			Net	ea.	14.95

-Deluxe Multi-Channel Solid State Wireless Intercom Systems-

For Up to 3 Simultaneous But Independent Communications Using Separate Channels

Each Station A "Master"-Use As Many As Needed

Our finest and most versatlle wireless in-tercom systems, Your choice of either deluxe 2 or 3 station systems. No wiring to install, plug into AC outlets on the same electric line between offices, rooms, and even be-tween buildings. 3 channel design permits using up to 3 simultaneous but independent communications using separate channels. Units operating on channel 1 will not inter-fere with units operating on channel 2 or 3. Since each unit is a master, any number of stations can be set up to form a super-deluxe wireless intercom system. Controis: Press-to-talk bar with "lock-talk" feature for continuous monitoring, channel 1-23 se-tector. Powerful solid-state circuit provides instant-on operation and includes squelch for nois free operation, transformer power supply and pilot light. Handsome high im-pact plastic case. 5 Transistors, 3 diodes, 1 silicon rectifier, 1 thermistor. Size each station: 5x61/4x3". For 117 VAC 60 Hz. Imported. using up to 3 simultaneous but Independent

Stock No. Type of System Wt. Net 99 U 4623M 2 Station System 8 lbs. 39.95 99 U 4615M 3 Station System 12 lbs. 57.95 ANDITIONAL SINGLE STATIONS. Wt., 4 lbs. 99 U 4610 Net 22.95 YOUR CHOICE OF EITHER 2 OR 3 STATION SYSTEMS




Depend on Lafagette For Everything in Electronic:



Depend on Lafayette For Complete Stocks, Lowest Prices, Fastest Service

Net 7.95



750X ZOOM MICRO-LABORATORY

- Any Magnification from 100X to 750X
- Complete Assortment of Accessories
- Molded Attaché Type Storage/Carrying Case

Open the way to the exciting world of microscopic research and observation with "Micro-laboratory," a complete re-Open the way to the exciting world of microscopic research and observation with "Micro-laboratory," a complete re-search lab featuring a powerful illuminated "zoom" micro-scope and an assortment of specially selected chemicals and accessories. Versatile 8½" high "Zoom" microscope with built-in Illuminating light provides clear, sharp Images on a wide, undistorted field of view — magnifies from 100X to 750X! Sturdy slide stand construction prevents slide movement and allows for steady, detailed viewing. Set In-cludes a 6-picce dissecting kit, eleven blank slides, 2 test tubes, a glass beaker, an alcohol burner, a package of cover slips, and, to start you off on some really exciting experiments, you will receive one prepared slide, 2 dry micro-specimens, a frog, brine shrimp eggs complete with hatchery, sea saits, 7-assorted stains and fixatives plus a comprehensive 19-page instruction booklet. Complete outfit cormes in a handsome molded attache type carrying case. comes in a handsome molded attache type carrying case.

99 U 7214 Imported. Shpg. wt., 7 lbs. Net 12.95 Net ea. .10

1200X "RESEARCHER" MICROSCOPE

- 25X to 1200X in 12 Ranges
- Full Range Fine Focus Adjustment
- Integral Mechanical Stage
- Rotating Diaphragm

Closely parallels the "Society" grade microscope. Four Huygenian eyepieces: 5X, 10X, 15X P20X combine with four achromatic objectives: 5X, 10X, 40X, 60X to yield 12 combinations: 5X, 50X, 75X, 100X, 150X, 200X, 300X, 400X, 600X, 800X, 900X, 1200X. Dual knob rack and pinion coarse focusing with tension adjustment for slow motion. Micro-motion fine focusing adjustment. Spring loaded to prevent objective from driving through slide. 85mm x 85mm stage can be moved in any direction, with slide, by 2 knurled screws while tooking through the eyepiece. Sub-stage has rotating, 5-position diaphragm and 35mm plano/concave reflecting mirror. Stable horseshoe base. Complete with set of 5 basic dissecting instruments. 10 slides, pack of cover slips, tube of mounting fluid. All in a dovetailed wooden carrying case with handle and four rubber feet. Imported. Sng. wt., 10 bls. 10 lbs 99 U 7041 \$5 monthly ____ Net 39.95



80X TO 1200X ZOOM MICROSCOPE

80X-1200X Magnification 3-Way Substage Mirror **4 Anchromatic Objectives**

Only 2195

Constantly variable magnification of 80, 100, 160, 200, 400, 600, 800 and 1200 times. Zoom eyepiece for less specimen adjustment and controlled detail magni-fication. Excellent dual knob coarse and fine focus control. Stage includes opti-cal condenser and aperture diaphram. Spring loaded rack prevents damaging objective. Substage Illuminator-mirror combination for direct, Incandescent, or reflected Illumination. Includes 2 prepared sides. 4 blank sides. soatula. or reflected illumination. Includes 2 prepared Sildes, 4 blank sildes, spatula, scalpel, probe, scissors, tweezers, and magnifying glass. Wooden case with carrying handle. Illuminator operates on penlight cells or house current, by means of a transformer. Less batteries. Imported. Shpg. wt., 6 lbs.

99 U 7140 Zoom Microscope Net 21.95 Net ea. 99 U 6256 Battery (2 required) Net ea TRANSFORMER—Permits use of house current for Illumination .10 99 U 7110 Shpg. wt., 8 oz. Net 1.80

1395



600X MICROSCOPE 695

- With Sub-Stage Light
- 75X 300X 600X
- **Triple Revolving Turret**

For the student—hobbyists—or bud-ding scientist! Features built-in sub-stage light and three achromatic objective lenses giving magnification of 75X, 300X and 600X. Complete with 3-glass slides, 5-plece dissect-ing set and hardwood cabinet. All metal. Shpg. wt., 4½ lbs. 15 U 6402 Net 6.95 Battery (2 required) 99 U 6258 Net ea. .10

- 900X "ZOOM" MICROSCOPE
 - 100X to 900X with Zoom Action
 - **Built-in Substage Illuminator** .
 - 4 Coated Objectives

Features advanced zoom type micro-optics. Four hard coated objectives set in a revolving "click stop" tur-ret give magnifications of 100X, 150X, 200X, 300X, 450X, 600X, and 900X. Zoom action permits choosing multiple magnifications without changing eyeplece or objective. The eyeplece zooms smoothly from 10X to the turner to be a stored to be a stor 15X. Illuminator, operates with batteries or house current, by means of transformer listed below. Round hole disc dlaphragm controls illumination. Includes instructions, sample slides, 6 plece dissecting kit and wooden carrying case. Less batteries. Imported. and wooden carrying case, was 5 lbs...... Net 99 U 7139 900X Microscope wt., 5 lbs...... Net ea. Net 13.95 illumination. 99 U 7110 Shpg. wt., 8 oz. Net 1.80

34 Lafayette Cat. No. 691 Prices and Specifications are Subject to Change Without Notice

The Micro-Standard Mark II

1500X SOCIETY STANDARD MICROSCOPE

• 25X to 1500X in 12 Ranges • 4 Achromatic objectives in rotating turret • Variable substage condenser with iris diaphragm • Standard society optics, both objectives and eyepieces · Par focal within 0.1mm

An unusually fine optical instrument designed especially for precision viewing requiring high magnification with an oil immersion lens. The outstanding features of great range and engineered versatility, optimum clarity and great magnifica-tion are usually found in microscopes costing much more.

tion are usually found in microscopes costing much more. OPTICAL SPECIFICATIONS: Three Huygenian eyepieces—5x, 10x, 15x, Four achro-matic objectives—5x, 10x, 40x, 100x (oil immersion), FOCAL LENGTH: 170 mm, Monocular, FOCUSING: Coarse focus with adjustable tension, Fine focus vernier adjustment, Par-focal within ¼ rotation of fine focus control (0.1 mm.). Spring loaded safety device prevents objective going through slide. STAGE: Square stage: 95 mm x 95mm. Integral mechanical stage, adjustable in any direction. Stage chps. SUBSTAGE: Focusing condenser with variable Iris, diaphragm, 41 mm plano/concave mirror. Titting Base. Overall 12" high, 6½" deep, 4½" wide. 99 U 7134WX \$5 Monthly____________Net 89.95

SALE!

CUT 5.00

Lafayette WIDE ANGLE TRU-ZOOM

Lafayette

Doubles The Field Of Ordinary Binoculars
580 Ft. Field Of View at 1000 Yards

- Oversize Oculars Exceptional Quality .

SALE ENDS AN. 1, 1969

CLINICAL AND ADVANCED ACROEMIC MODEL

95

> NO MONEY DOWN

Lafayette VERSATILE BINOCULARS

> As Low As **16**95

Precise design—quality material—and expert workmanship. All lenses are hard coated—prisms clamped in lightweight alloy frame and body—sealed against dust and moisture property collimated and aligned. All are center focus with adjustable right eyepiece. Hard lined case and neckstraps included.

7x33 POPULAR, VERSATILE, ALL PURPOSE BINOCULARS. For the sportsmen—hunter—bird watcher—vacationer. High luminosity. Com-pact design. Imported. Shpg. wt., 3 lbs. Net 16.95

99 U 7018 7x50 NAVY STYLE NIGHT GLASSES. Favored for marine use. The choice of professionals because of exceptionally high light gathering power. Superior image brightness. Imported. Shpg. wt., 31/2 lbs. Net 19.95

99 U 7016 20x50 KING OF THE LONG RANGE. Hunters, mountain climbers, plane spotters, forest rangers—any long distance viewing and observation reoutrement. Imported. Shpg. wt., 4½ lbs. 99 U 7020

Net 26.95



Lafayette WIDE ANGLE TRU-ZOOM TM.

4495 •7X to 12X—or any Power in Between Center Focus - Right Eye Adjust -Plus Single Synchronous' Zoom Control!

Sensational Zoom action holds even fast-moving subjects in perfect view. Sight in any subject at 7-power—then Zoom up to 12-power (or any power in between) for closeup viewing. Full 40mm, objective lenses, hard coated achromats. Field of view is 323 feet at 1000 yds., at 7 power. Prisms clamped in shock-resistant mounts. Light-weight alloy frame and body. Sealed against dust and moisture. In-cludes plush-lined, hard case and straps. Imported 99 U7108 \$5 Monthly. Shpg. wt., 5 lbs. _____ Net 44.95

Prices and Specifications are Subject to Change Without Notice



ARCTURUS 4½" D. EQUATORIAL REFLECTOR • 450X with

Barlow Lens

79⁵⁰ No Money Down

> • 320x with Barlow Lens

89⁹⁵

Arcturus

• Eyepieces and Barlow Lens For 450X, 300X, 225X, 150X, 90X and 45X • 900mm Focal Length • Micromotion Controls For Horizontal, Polar, Declination • 4½" (114mm) F/8 Spherical Aluminized Quartz Mirror • Barlow Lens Included

4½" spherical, aluminized quartz mirror gives wide, flat field of view and outstanding color definition. Three coated eyepieces provide magnifications of 45X, 150X, 225X; (with Barlow lens 90X, 300X and 450X). Fast resolving power of 1.5 seconds and 900mm focal length permits detailed viewing up to twelfth magnitude, 5X24mm right-angle, prismatic finder scope with cross hairs easily locates objects to be viewed. Micro-motion controls and equatorial mount with hour and declination circles provides complete control for tracking. Heavy-duty hardwood tripod with accessory tray adjusts from 33 to 60". Complete with lenses, Sun glass, Moon glass, Barlow lens. Scope size: 44/2" Dia., 36" long. Imported. Shpr. vt., 32 lbs. 99 U 7218WX \$5 Monthy Net 89.95



Polaris

• Eyepleces for 160x, 88x, 40x, Barlow Lens gives 320x, 176x, 80x • 800-mm, focal length • 62-mm objective • Micromotion adjustments on both axes • Coated optics throughout • Equatorial mount Objective: Fraunhofer-type achromat, hard coated, 62.5-mm, 800-mm. focal length. Collects about 75 times as much light as the naked eye, resolving power 2 seconds, faintest discernible star 10.7 magnitude. Eyepleces are hard-coated Huygenians. 160x (5-mm), 88x (9-mm), 40x (20-mm). Barlow Lens included give ranges of 320x, 176x and 80x. Finder scope is 6x, 30-mm. Tripod head with latitude adjustment. Clamp lever for declination and inclination. Accessories include sunglass, star dlagonal, erecting prism, sun projection screen, field tripod, wooden case. Rack-and-plnion focusing. Heavy plating to prevent rusting. Imported. Shge, wt., 30 lbs. 99 U 7032WX \$5 Monthly (400x with Barlow Lens) _____ Net 78.50 4-mm, orthoscopic eyeplece for 200x



Buy Nowl Pay Later ... Use Lafayette's Easy Pay Plan. No Money Down.



Tools Are Available On Easy Pay Plan-No Money Down

50 Piece Power Workshop and fur

WITH 3/8" VARIABLE TRIGGER SPEED CONTROL DRILL



Powerful! Efficient! Flexible! Rugged 36" variable speed power drill with 36 HP 2.6 Amp universal motor is capable of performing most any job around workshop and home. Squeeze the trigger for any speed you desire from 0 to 1,000 RPM. Complete assortment of attachments includes: Jacobs geared chuck and key, tilting top saw attachment, crosscut and ripsaw blade, horizontal bench stand, lampswool polishing bonnet, 13 pc. drill kt, rubber backing pad, steel paint mixer, grinding wheel, 6 pc. adapter set, steel saw table with protractor and mounting post, drill press with mounting post and stand, and 15 pc. sanding disc set (5 fine, 5 med, 5 coarse). Drill features multiple thrust bearings and locking button on handle for constant speed without holding trigger. Bright mirror finish with pistol grip handle for easy handling. With instruction book. Drill UL listed. For 115 volts AC 60 cycles. Shpg. wt., 12 lbs. 13 U 7129W Net 29.95 13 U 7129W

13 U 7124 Drill Only. Shpg. wt., 31/2 lbs.

Net 29.95 Net 16.95



HUSKY 3/8" DRILL

- **3** AMP UL Listed
- Auxiliary Left or Right Handle
- **Double Reduction Gears** .

A rugged, powerful 3%" drill for tough drilling jobs around the house and shop. Features double reduction gears for maximum torque. No load speed 1000 rpm. Capacity 3%" in steel, 1" in wood. Ball thrust bearing takes the full drilling load. Welded commutator leads prevent motor burnout. Geared key chuck, 3-conduc-tor power cord. Bright finish. For 120 VAC, 50/60 Hz. 13 U 3655 Shpg. wt., 4 lbs.

Net 10 95

"JIFFY" VARIABLE MOTOR SPEED CONTROL

895

- Varies Speed on AC-DC Motors From 0 RPM To Full Speed
- Ideal For Electric Drills, Saws, Polishers

Dependable motor speed control ideal for workshop power tools using universal AC-DC and series DC motors. Assures constant speed variation from zero rpm to maximum speed. Has built-in circuit breaker. 5 amps no-load rating. Input: 120 volts 50-60 cycles AC. 3-wire recep-tacle and line cord. 3x2½x1½″D. 13 U 2700 Wt., 1 lb. _____ Net 8.95



SALE ENDS JAN. 1, 1969

1/4" DRILL

Jacobs Geared Chuck & Key

 Multiple Thrust Bearings Model F-11 popular drill for all-around home and hobby use. Rated at a full 2.0 amps. UL listed. 1/4" capacity in steel, 1/2" in hard-wood. 1200 RPM speed under full load; 2000 RPM no-load speed. Automatic trigger switch. For 115 volts. AC. Shpg. wt., 3 lbs. 13 U 7101 Net 7.44

2-Amp UL Listed Motor

Model R-120: A heavy-duty electric sander with 3/16" stroke in orbital or straight line. Features 2.4 amp. universal series wound motor. Heavy-duty ball bearing and self-lubricating sleeve bearings. Pad size: 3%,x74%"; sandpaper size: 33/5x9". Industrial mirror finish. 6-ft. UL Listed cord. 115V, 60 cycles, AC-DC. Shpg. wt., 5 lbs. 13 U 7102 Net 18.50

38 Lafayette Cat. No. 691 You Can Depend On Lafayette For Quality Tools-Low Prices





FKF


As Low As

6 PIECE SOCKET SET ORDERS RECEIVED **BY JAN. 1st 1969**

STURDY CASE AND

Pre-Set The Speed You Desire in Forward or Reverse Lock Drill at Any Speed Burn-Out Protected Motor

• Lock Drill at Any Speed • built-Out Protected motor Now! a variable speed control drill that can be locked at any speed —in either forward or reverse! Just squeeze the trigger for any speed from 0 to maximum rpm. Unique all purpose drill can tackle most any job with precision and accuracy. Using a driver bit or socket, you can drive or remove screws or nuts. Tap holes in metal! Features: a powerful, burn-out protected motor; high torque helical gears; geared key chuck; lock button for sustained operation, and a sturdy, lightweight aluminum housing. Comes complete with: 6 ft. 3-wire cord and plug far 115 v, 60 Hz AC operation plus Free 6-plece socket set and a sturdy carrying case. UL listed.



MODEL F-8: A rugged, multi-purpose sabre saw. Can be used as a rip, crosscut, jig saw, hack saw, band, coping, keyhole and scroll saw. Easily cuts 2 x 4s, plywood, plastic, composition board, aluminum and a host of other materials. Powerful 1/4 H.P. motor with a built-in cooling system, produces 3500 $11/16^{\circ}$ long strokes per minute. Adjustable base, rip guide and mitre gauge. Bevel cuts from 0° to 45° . "On/Off" silde-switch. With 3-assorted blades. For 115V., 60 Hz AC/DC. UL listed. Has mirror finish. 13 U 7116 Shpg. wt., 4 lbs. ______ Net 12.95

B HEAVY-DUTY VARIABLE SPEED SABRE-JIG SAW

"Dial Control" Any Speed From 0-4800 S.P.M.

Dial Control Any Speed Profit 0-4800 S.P.M.
 Electronic dial variable speed control lets you use this one tool for any cutting job. Cuts through 6" logs, 6 x 6" lumber, metal pipe, masonite—practically any material. Makes its own starting hole. Low speed for steel and plastics, medium for non-ferrous metals, high for rip or cross-cut. Bevel cuts to 45°. Features a 5 amp. 1/3 HP General Electric motor. With 6' 3-cond. cord, 5 assorted blades and rip gauge. For 115 VAC, 25-60 HZ. UL listed. 14 U 4805 Shpg. wt., 44⁄2 hbs. Heavy-Duty Sabre lig-Saw. Similiar to above less variable dial speed control, 3.5 amp. motor. Shpg. wt., 44⁄4 hbs. Net 20.95

14 U 4806 Net 20.95

Tools Are Available On Easy Pay Plan No Money Down

1/4" ADJUSTABLE DRIVE-R-DRILL

Model 596 rated at 2.5 amps. 0-2000 rpm Forward/Reverse. Capacity 1/4" in steel, 1/2" in wood. Shpg. wt., 5 lbs. 13 U 6934 Net 29.88

3/8" ADJUSTABLE DRIVE-R-DRILL Model 597 drill has extra capacity chuck; 0.1000 rpm, forward/ reverse 3-amp motor. Double reduction gears. capacity: 3/8" in steel, 3/4" in wood. Removable handle. Shgs. wt, 5 lbs. In Net 36.88 13 U 6935 \$5 monthly





Combination Outfit 34.88 Down

- 1½ HP Burnout Protected Motor 5200 RPM No Load Speed 10 Amp Motor
- .

Tackle the "big" jobs, with this 74%" builders' saw. Reinforced die-cast housing that really stands up. Cuts 2 x 4's with ease, at 45° angle. Easy set bevel and depth adjustments. Safe non-binding blade guard with vari-torque safety clutch. Sawdust ejector keeps your work clean. 74%" combination blade and blade wrench. Powerful 142 HP motor. Cutting depth: 90° 23%", 45° 17%", 10 amps. UL listed. 115 voits AC, 3 wire cord. Saw kit includes handy case, blade and rip fence. Shog. wt. 15 lbs. 13 U 6936 Combination Outfit 55 Monthly. Net 34.88

13 U 6936 Combination Outfit \$5 Monthly	Net	34.88
13 U 6926 Saw Only. Shpg. wt., 121/2 lbs.	Net	29.88
13 U 6912 Rip Fence	Net	1.79
13 U 6937 Carrying Case. Shpg. wt., 4 lbs.	Net	8.98



MARK VI LABEL MAKER KIT Embosses Both 3/8" and 1/4" Tape

3.00

SALE EXPIRES JAN. 1st, 1969

95

NOT A KIT

Completely

Wired

CIII

You Get - Tool - 2 Wheels For Large and Small Characters, Case and 5-12' Rolls of Tape

SALE! 688

Convenient Tape Cut-off Lever

Low-Cost tapewriter kit for home, office, store or workshop. Makes raised-letter labels that are self-adhesive, permanent and waterproof. Set dial to letter, number, or symbol and squeeze the handle. When label is completed, squeeze trigger to snip off tabe. Klt includes: High-impact plastic embossing tool, two wheels, three 36'' and two 44'' rolls of tape plus carrying case. Shpg. wt., 14_2 lbs. 14 U 41 48

Net 6.88

LAFAYETTE CdS EXPOSURE METER

 Professional Quality Ultra Sensitive—Measures Moonlight, Candlelight, Bouncelight

Now you can achieve correctly exposed photographs from the light of a single candle with this versatile, low cost Lafayette meter. Ultra-sensitive CdS photocell meter utilizes dual light ranges to accurately measure light intensity including extremely low light levels for night or available light photography. Operates comfortably with one hand. A single silde switch controls light range and automatically moves the proper scale into position for easier readings. Measures reflected and incident light with built-in hemispheric diffuser. The meter can be adjusted with a click stop switch to three angles of light acceptance; 15° telephoto, 45° standard and 75° wide angle matching your readings to the camera lens and scene being photographed. Reflex viewfinder with frame markers provide precise area readings for 15° and 45°. Has battery test and "off" position to prolong battery life. External zero adjustment and two mercury batteries (included) assure accuracy over long continuous use. Cushioned jewel mechanism and high impact case, 436 x 242 x 136'D. continuous use. Cushioned Imported. Shpg. wt., 13 oz.

99 U 7197L	Net	15.9
15 U 1609 Hard leather eveready case strap. Wt., 6 oz.	Net	3.95
SPECIFICATIONS	-	
Sensitivity: Low Range, 0.44 to 110 footcandles: High Range, 110 to 28,00	0 fo	oot-
candles. ASA Film Speed Range: 6 to 12,000 (1° to 12°). Diaphragm Stops: 1 f/64 Shutter Speeds: 1/4000 second to 30 minutes. Maxia Scale, 4 to 128 fra	/0.5	to

Angle. Color Response: 5,600 Angstroms (peak). Photocell Type: Cadmium Sulphide. Batteries: 2 Mercury.

ULTRABLITZ CORNET "100" ELECTRONIC FLASH




Featuring compact design and quality transistorized circuitry. Uses two "C" type batteries or AC. Solid state circuit for low battery drain and constant high intensity output. F-stop computer, retractable pc cord and "hot center contact" for cameras with "hot shoe." Guide No's: Kodachrome II (ASA 25) 44; (ASA 64) 63; Trl-X (ASA 400) 176. Color temp: 5600° K. Angle of illumination. Vertical; 50°, Horizon-tal; 58° Ready light indicator. Imported. Shpg. wt., 2½ lbs. 15 U 3715 Net 24.95

99 U 6293 Alkaline Batteries for above (2 req.) _ Net ea

Prices and Specifications are Subject to Change Without Notice

39





Now you can have a high-powered transistorized electronic flash that operates from standard AC house current or 4 economical "AA" cell batteries. Compact and feather-weight—no power pack is required. Flash duration is 1/2000th of a second for "stop-action" pictures. Recycling time: 6 to 8 seconds; color temperature: balanced for all daylight B&W and color films. Guide number dial for F stop on back. Mounts either vertically or horizontally. Fits any camera shoe. Complete with AC cord, camera cord and batteries. Imported. 99 U 7184 Shpg. wt., 2 lbs. Net 18.95 99 U 6294 Alkaline batteries for above (4 req.) ____ Net ea. .29

> 41 Lafayette Cat. No. 691









99 U 6258 Extra Batteries for above (4 req.) ______ Net ea. 10 COMPLETE ZOOM MOVIE CAMERA OUTFIT Consists of Lafayette Zoom f1.8 automatic thru-the-lens CdS Reflex camera—fully automatic 500W brilliance projector with f:1.4 lens, automatic Reel-th-Reel threading, single knob control for Forward and automatic Rapid Rewind. 400 ft. capacity. Projector includes self-contained case—outfit also includes: L-camera case; 1-roll Koda-chrome II film with free processing; 1-extra 400 ft. reel and can; one cartoon; 1-30x40 inch folding tripod screen; 4-batteries for camera; 1-650W Sealed Beam movie light. Shge. wt., 23 lbs. 15 U 9018WXM \$7 Monthly (Complete Outfit) _____ Net 119.95

15 U 1610 Camera Case for above 99 U 6258 Extra Batteries for above (4 req.)

Net 8.95

THESE New Super 8 Cameras Use KODAK Instant Load Film Cartridges — Shoot 50 Feet Without Touching Film

DELUXE SUPER 8 REFLEX AUTO POWER 20

MOVIE CAMERA

- Thru-The-Lens CdS Electric Eye
- 3.5 To 1 Power Zoom
- **Two-Speed Operation**
- Fast f/1.8 Lens

15	U 7	78071	\$5 Monthly	Ne	t 79.95
			Camera Case	for Above Net	t 3.95
				Above (4 req.) Net ea	10

COMPLETE POWER ZOOM MOVIE CAMERA OUTFIT

Everything you need for movie making and showing fun. Matched components consists of Power Zoom Super 8 f.1.8 camera—fully automatic 500W brilliance projector with F/1.5 Zoom Lens, automatic Reel-to-Reel threading thru gate, single knob control for Forward, Reverse, Still and Automatic Rapid Rewind, 400 ft. capacity. Pro-jector includes self contained case—outfit also includes: 1-camera case, 1-roll Kodachrome film with free processing; extra 400 ft. reel and can; "Mr. Magoo" cartoon; 1-30x40 inch folding tripod screen; 4-batteries for camera; 1 Light Bar, 2 Bulbs. Shpg. wt., 23 lbs. ISU 9017WXM \$8 Monthly Net 159.95 15 U 9017WXM \$8 Monthly Net 159.95

42 Lafayette Cat. No. 691






Get Your Movie Outfit Now! No Money Down



Cameras Are Available On Easy Pay Plan-No Money Down



MIRANDA "SENSOREX" 35 MM SLR

Behind-The-Lens CdS Spot Meter

Variable Delay Self-Timer

Fully automated SLR camera utilizes cross-coupled behind-the-lens CdS spot-meter (ASA range 25-1600 and EV 3-18) and ultrasharp Auto Miranda lens. Illumination is measured with the lens wide open and exposure is set by adjusting f-stop and/or shutter speeds. open and exposure is set by adjusting 1-Stop and/or snutter speeds. Multi-split-grid resolves into perfect clarity when pin point focus is achieved. Features interchangeable lens mount, built-in self timer, instant return mirror, interchangeable viewfinder, and rapid advance 150° cocking lever. Complete with built-in variable delay self-timer. Includes case and strap. Specifications: 50mm f/1.9 lens. Speeds: B, 1-1/1000th sec. FP & X synch. Imported. 15 U 3711L \$11 Monthly. Shpg. wt., 3 lbs. _______ Net 209.95



Down Fast f/1.8 **50MM Lens**

35MM SLR

with case

No Money

095

Behind-The-Lens CdS Meter



Modern easy to use camera with CdS exposure system that uses "space-age" electronic circuitry for accurate exposure every time. "Over" or "under" signal appears in the viewfinder indicating which way to adjust the speed or aperture. Lamp turns off when cor-rect exposure is set. Other features include shutter speeds from 1-1/1000th plus B, convenient speed aperature coupling. M & X synch., automatic parallax correction, rangefinder focusing, self-tim-er, single stroke film advance with double exposure prevention, au-to-reset film couner, rapid rewind and an accessory shoe. ASA range is 10 to 800. Includes 45mm f1.8 color corrected lens, case and strap. Imported. Shpg. wt., 3 lbs. 15 U 3246L \$5 Monthly _______ Net 79.95



MIRANDA "SENSOMAT" 35MM SLR

Shutter Speeds to 1/1000th

 Thru-The-Lens CdS Meter
 Sharp 50 MM F/1.8 Lens "Sensomat" is a truly versatile 35 mm SLR featuring a thru-the-lens CdS metering system with a narrow angle of acceptance for easier, more perfect picture taking. Match needle in the viewfinder can more perfect picture taking. Match needle in the Viewlinder can be centered for proper exposure by rotating the diaphragm and/or the shutter speed dial. ASA range: 25-1600, Other features include fully interchangeable finder and lens systems, shutter speeds of 1-1/1000th plus B, FP & X synch, automatic reset film counter with a magnifying lens, and a front and top shutter release for greater convenience. Focus from 17". Camera includes 50 mm f/1.8 auto lens, case and strap. Imported. Shpg. wt., 3 lbs. 15 U 3722L \$8 Monthly _______ Net 159.95



15 U 3634L \$10 Monthly Net 184.95



- Quiet Fan Cooled Operation
- Designed for simplicity of operation and ease of maintenance. 500 watt lamp assures sharp brilliant pictures. Projects any 35 mm, Ban-tam, 127, or Instamatic slides. Does not require slide trays. Loads up to 40 slides and allows intermix of different size slides. Uses standard projection lamp. Compact—53/4Hx14Lx81/2"W. For 105/120 volts 50/60 Hz Shpg. wt., 71/2 lbs. 15 U 8401 Net 23.95

44 Lafayette Cat. No. 691 Cameras Are Available On Easy Pay Plan-No Money Down



NO MONEY Up To 2 Years To Pay LOW MONTHLY PAYMENTS

TO SUIT YOUR INDIVIDUAL NEEDS

EASY PAY

CREDIT



*Pay balance in 30 days, save entire service charge. Start Now To Take FULL ADVANTAGE LAFAYETTE'S Easy Pay Plans

- No down payment.
- Take up to 2 years to pay.
- One low Monthly Payment buys all your electronic and hi-fi requirements
- Add-On any time you like. No money down and usually no change monthly payment.
- No hidden charges. Small service charge included in fixed monthly payment.
- Choose the plan that suits you best Budget or Extended.



LAFAYETTE'S BONANZA SPECIALS

Please Read Before Ordering

Place a \$10 order for additional merchandise from this catalog (or our big catalog 690) and you're entitled to purchase one of these Bonanza Items, A \$15 order entitles you to buy 2 items or two of 1 item. A \$20 order entitles you to buy 3. Bonanza items are not sold separately and are available only with orders received by 1/1/69.






For Polaroid Models 100, 101, 103, 230, 240, 250.	Net 29.9
	Net 24.9
For New Big Swinger Camera	_ Net 18.9
For Model 20 "Swinger" 15 U 4931	_ Net 17.5

Cameras Are Available On Easy Pay Plan-No Money Down

Lafayette Cat. No. 691 45



DELUXE DAY DATE MODEL

- - Accurate Swiss Movement Automatic Day-N-Date Calendar Stainless Steel Band
 - .

Designed for the active sportsman! Tell the Designed for the active sportsman! Tell the time,day and the date at a glance. Revolving bezel lets you know the time in 26 cities around the world, and also operates as a 60 min. elapsed timer. Features a telemeter scale, a sweep second hand and luminous hands and dial markers. Rugged, precision timeplece is waterproof, shock resistant, antimagnetic and has an unbreakable main-spring. Case is finished in bright chrome with a stainless steel back and a matching staina stainless steel back and a matching stain-less steel band. Shpg. wt., 8 oz. 13 U 3127L Net 17.95

B CALENDAR WATCH

- Pressurized Waterproof Case Automatic Daily Calendar Parking Meter Timer .
- .
- .
- Luminous Marker and Hands .

Handsome wristwatch especially designed for Handsome wristwatch especially designed for the sportsman who is apt to get his watch wet—fishermen, hunters, or skin divers. Hermetically sealed pressurized waterproof case provides maximum protection for pre-cision timing under adverse conditions. Mov-able outer bezel permits easy timing of events, parking meter time, or elapsed sub-merged time. Swiss crafted anti-magnetic shock protected movement features automat-ic daily calendar, unbreakable mainspring. ic daily calendar, unbreakable mainspring, and sweep second hand. Luminous hour markers and hands for high visibility. Pollshed chrome case, stainless back, and comfortable waterproof strap. Imported. Shpg. wt., 8 oz. 13 U 3118L Men's Net 11.95 Ladies Model-Similar to above

13 U 3126L Net 12.95 Same as above men's watch but with 17 Jewel movement 13 U 3119I Net 21 95



C SELF WINDING 17 JEWEI DAY AND DATE CALENDAR WATCH

Just set it and forget It. Deluxe Swiss watch is self-winding and automatically changes the as self-winding and automatically changes the day and the date. Shock and water resistant, antimagnetic, and has an unbreakable main-spring. Case is handsomely styled gold tone with a stalnless steel back and a matching expansion band. Easy-to-read dial features the date in red and the day of the week in black

13 U 3128L Shpg. wt., 8 oz. Net 32.95

F FREE FORM LADIES PENDANT WATCH

Exquisite pendant watch is boldly beautiful. Gold tone case comes with an attractive matching chain. Swiss movement. The watch is water and shock resistant, antimagnetic and features an unbreakable mainspring for dependable operation over the years. Elegant white dial tone the traction over the years. dial face with raised gilt "dots." 13 U 3134L Shpg. wt., 8 oz. Net 9.95

D 17 JEWEL WRIST ALARM WATCH

Swiss made wrist alarm serves as automatic reminder, Movement is shock and water resistant, antimagnetic and has an unbreakable mainspring and a radium dlal. With genuine lizard band. Shpg. wt., 8 oz. Stainless Steel Case Net 32.95

13 U 3114L

Gold Tone Case 13 U 3115L

Net 32.95

E HANDSOME 17 JEWEL CALENDAR WATCH

Luxuriously styled calendar watch for any man, Accurate dependable timepiece features a 17 jewel Swiss movement with an unbreaka ly level swiss movement with an unbreak-able main spring. Water and shock resistant, antimagnetic. Housed in a polished gold tone case with a stainless steel back and a match-ing expansion band. White dial face with raised gilt numerals and an easy-to-read date window. Shpg. wt., 8 oz. 13 U 3129L


Net 19.95

G ELEGANT 17 JEWEL LADIES WATCH

Luxuriously styled 17 jewel watch. Case is polished gold tone with a matching tapered bracelet, Precision Swiss movement is shock absorbent, antimagnetic, and has an unbreakable mainspring for years of accurate, dependable service. Ivory colored dial face with raised gilt numerals. 13 U 3132L Shpg. wt., 8 oz. Net 25.95

46 Lafayette Cat. No. 691

Prices and Specifications are Subject to Change Without Notice




A CORDLESS ELECTRIC PENDULUM CLOCK

Handsome pendulum clock in walnut finished hardwood with contrasting ebony line design. Features unique two piece construction with smart, trim hands on a white dial face. Steek golden pendulum is an integral part of the precision time keeping mechanism. No cord, no plug, never needs winding. Operates a year or more on one "D" cell. Dimen-slons: 21½x10". Wt., 6 lbs. 13 U 3051W Net 18.95 Battery for above

99 U 6256 B CORDLESS ELECTRIC PENDULUM CLOCK

Fresh new approach to an old favorite—Bat-tery operated with a swinging pendulum. Accent any room with a thoroughly modern Pendulum is both decorative and an in-tegral part of the time keeping mechanism. Spokes and narrow spears on a polished brass Wood case is birch finished with ebony frame extend out in a dramatic sunburst pat-roman numerals, ornate hands and decora-tern. Brass dial is enhanced by a star-studded tion on white track for easy readability. No cord, plug, or winding key. Operates for a year or more on one "D" cell. 1334Hx Wx14/2 "D. 13 U 3050W Wt. 3 lbs. Net 13.95

99 U 6256 Battery for above Net



C "GRANDFATHER" CORDLESS ELECTRIC PENDULUM CLOCK

Warm walnut American styling for a charming blend of accuracy and handsome traditional design. Beautifully accented handsome spun gold and ivory dial with smoked antique Federal mirror complements the graceful motion of the golden swinging pendulum. Carved walnut raised trim is crowned with an earle to complete this elegant timepiece eagle to complete this elegant timepiece. Runs up to one year on a single "D" cell. Size: 52Hx11"W. Shpg. wt., 5 lbs. 13 U 3052W Net 29.95

Net .15 99 U 6256 Battery for above Net .15 CORDLESS ELECTRIC D DECORATOR CLOCK

frame extend out in a dramatic sumpurst pat-tern. Brass dial is enhanced by a star-studded black center. Polished brass hands. De-pendable, American-made transistor move-ment runs silently. Operates on one "C" 13 U 4475W Shpg. wt., 7 lbs. Net 16.95

99 U 6257 Battery for above Net .14

Weather Instruments

A HOME WEATHER STATION

Three accurate dial-type instruments report barometric pressure, temperature, and humidity. Finely etched precision calibrated aluminum dials for easy reading. Heavy metalized finish has the warm glow 13 U 4001 Shpg. wt., 2 lbs.

BDELUXE WEATHER STATION

Strikingly handsome collection of three fine instru-Strikingly handsome collection of three time instru-ments skillfully carteted into a central weather re-porting station. Utilizes a precise and shapely cali-brated thermometer, barometer, and humidity me-ter. Each instrument reflects the warm glow of polished brass. Richly grained lustrous panel. 20" tall case may be vertically or horizontally mounted. 13 U 4002 Shgs. wt., 5 lbs. Net 14.95

C INDOOR OUTDOOR THERMOMETER

Richly appointed precise instrument reports Indoor as well as outdoor temperature plus indoor humid-ity. Richly grained 14" tall case enhanced by deep luster finish. Metal scale and dials. Supplied with 48" outdoor cable and humidity guide. 13 U 4003 Shpg. wt., 2 lbs. Net 7.50



For radios, refrigerators, electric blank-ets, fans . . . turns your lights On and Off while you're away. Repeats cycle every 24 hours without resetting. Mini-mum On time 15 minutes; maximum On time 23 hours; minimum Off time 1 hour; maximum Off time 23 hours 45 minutes. Can be set to "skip-a-day" operation, or manually controlled. No special wiring—just plug into 117V., 60 Hz AC line. Includes 6 ft. cord with plug and receptacle for equipment to plug and receptacle for equipment to be controlled. Capacity 1875 watts. UL/. CSA listed. 1-year guarantee. Size: 5x 4x21/2"D. Shpg. wt., 2 lbs. 13 U 0140 Net 7.95



Ideal for use on a TV cabinet, in the kitchen or baby's room, Provides soft illumination and precise time, Attractive sturdy plastic case with gold trim. Size: 4x7x37%" Deep. Shgg. wt., 3½ lbs. UL listed. 110 V. 60 Hz. 14 U 6001 Walnut Net 9.95 14 U 6002 White Net 9.95

Depend on Lafauette For Complete Stocks, Lowest Prices, Fastest Service

.15

COPYMAT DRY COPIER Completely Dry

Easy To Use

Easy to use dry copier for home and office. Anyone can make per-manent, black-on-white copies of documents, recipes etc. in less than one minute, regardless of color or thickness up to size 8x10. No messy chemicals, inks, powders or sprays; uses two ordinary 150 watt frosted bulbs and "Copymate" paper. Features a bullt-in automatic timer that determines proper exposure, and also indi-cates when copies are ready. Handsome brown and gold case with built-in carrying handle. For 110-120 VAC, 60 Hz. UL listed. Size: 221/ax17/4x61/4". Shpg. wt., 9 lbs. 15 U 4601W. Net 29.95 Net 29.95 15 U 4601W

[&]quot;Copymate" Paper. 33 sheets per pkg. shpg. wt., 11/2 lbs Net 2.99



Model 660—Ideal for student, artist, draftsman, business firms ... anyone who needs sharp writing or drawing points. Powerful sharpener gives a needle point instantly. Unit even sharpens charcoal and pastel pencils. Sensitive micro switch automatically stops motor when pencil is sharpened. Carefully machined precision warded bidden bidden bidden active near nearing is achieved ground cutters last indefinitely. Neat, easy cleaning is achieved with convenient push out receptacle drawer. Simple and safe for even a child to use. Constructed of sturdy die cast metal with heavy duty 115 volt AC motor. UL Listed. Imported. Shpg. wt., 342 lbs. Net 13.95 15 U 1705

PENCIL SHARPENER AND LETTER OPENER

 Does Not Use Messy Chemicals - Inks-Powders-Sprays Makes Crisp Black-On-White Copies

-Even Pages Bound In Books

· Copy Letters-Photographs

Model 770-Similar to above pencil sharpener with built-in automatic letter opener. Opens any size envelope quickly and accurately. Shpg. wt., 61/2 lbs. 15 U 1710

24 9

Plated Brass

99 U 7003 Shpg. wt., 11/2 lbs.

Contains 61/8" self-centering compass, one leg knuckle joint with divider, pencil, pen parts and lengthening bar; 61/8" self-center-ing divider; spring bow divided 41/8", center wheel adjustment with interchangeable needle points; spring bow pencil and spring bow pen, both 41/8" with center wheel ad-justment and interchangeable needle point; two 53/8" ruling pens; extra handle for pen and pencil parts; adjustment tool; lead case and leads; and spare parts kit, all in velvet lined snap closing case.



TACROGRAPH SET



Drawing pen for all lettering and drawing work. Uses both India and drawing Inks. Precision point for constant flow lines. Silm, easy to hold pen comes with 3 color coded nbs. Fine (Size 0, Grey nib), Light Medium (Size 1, Yellow nib), Very Broad (Size 3, Blue nib). Shgg. wt., 8 oz. 15 U 8002 Net 4.95

To 08002 International Content of the set of



Precision Instrument

DRAFTETTE® 9-B—sketch draft, design, draw diagrams and schematics like a professional. A new DRAFTETTE which gives you all the advantages of a T-square, triangle and proadvantages of a T-square, triangle and pro-tractor in a compact, easy to operate port-able drafting machine. Constructed of ano-dized aluminum, features tubular arms, 360° protractor, one-piece 6°%9° scale calibrated in 16ths-1/8-1/4. Mounted on a lightweight 16°%21° drawing board, completely assem-bled ready to use. Shpg. wt., 4 lbs. ... Net 15.95 15 U 7401

48 Lafayette Cat. No. 691 Depend on Lafayette For Complete Stocks, Lowest Prices, Fastest Service

7.95

THOUSANDS OF OUR CUSTOMERS have been Winners in our other Sweepstakes Contests. Why not You?

They have won such glamour prizes as an Automobile so unique there were only 5 like it in the world...Cash prizes as high as \$2000.00 and hundreds of attractive prizes such as Polaroid Cameras, tape recorders, radios, T.V. sets and Gift Certificates.

YOU MAY ALREADY HAVE A WINNING NUMBER IN YOUR HAND RIGHT NOW FOR ONE OF THE 7891 PRIZES DESCRIBED ON THE FOLLOWING PAGES. THE NUMBER ON YOUR ORDER BLANK (enclosed) MAY BE ONE OF THE WINNERS PRESELECTED AT RANDOM BY COMPUTER.

NOTHING TO BUY. NO STRINGS ATTACHED.

HERE'S HOW TO ENTER LAFAYETTE'S SWEEPSTAKES IT'S SIMPLE-DO IT NOW.

Simply print your name and address on the Lucky Number Order Blank enclosed. Your merchandise order from any of our catalogs goes on the same Order Blank, but you can enter Lafayette's \$125,000 Holiday Sweepstakes whether you order or not. Mail your Order Blank in the reply envelope provided. Entries must be mailed as above. Do not submit them to our stores. Entries must be postmarked no later than December 9, 1968. Entries received after December 16, 1968 will be disqualified. Prize-winning numbers have been computer-selected by an independent computer service organization whose programmed decisions will be final. Winners will be notified by mail. No substitutions will be made for any prize offered. Employees of Lafayette Radio Electronics Corporation, its subsidiaries, associate stores, dealers, advertising agencies, the computer service organization, printers and their families are not eligible. This offer is subject to all federal, state and local regulations, and is void wherever prohibited by law.



A College Education Fund?



A Super Deluxe Vacation Trip Around the World?



Sock It In The Bank For A Rainy Day?




A New Car — And A Vacation – And A Hi-Fi System — And ... And ...??

what would YOU do with \$10,000,000 THAT'S THE FIRST PRIZE: \$10,000.00 in cash dream your own dream -

IF YOUR NUMBER IS THE FIRST PRIZE WINNER, WE WILL GIVE YOU \$10,000.00

2nd PRIZES The Fisher "President"





THIS MAGNIFICENT INSTRUMENT FEATURES:

- 5 Bands Covers FM Stereo, AM Standard, LW Weather and SW For Foreign Reception
- 100 Watts (IHF) Music Power
- Quality Dual 4-Speed Automatic Turntable
- Built-In Ampex 2 and 4 Track Stereo Tape Recorder
- 6 Loud Speakers: 2 Systems, Each Containing a 15" Bas Speaker, 8" Mid-Range and a Soft Dome Hemispherical Tweeter
- Exquisite Cabinetry: Mediterranean Motif In Distressed Pecan — Size: 79^{1/2}W x 19^{3/2}D x 32"H

3rd PRIZES Select your own \$1,500 worth of merchandise from LAFAYETTE'S CATS. 690 or 691







TYPEWRITERS



T.V. SETS

A A

WATCHES

TAPE RECORDER

000

BINOCULARS





Created by over 100 educational experts. Over 10,000 illustrations. Beautifully bound.





LAFAYETTE AM/FM CLOCK RADIO

- Fully Automatic Telechron Clock Turns Set On and Off
- 60 Minute Sleep Switch
- 10 Minute Snooze Button



MAGIC MOMENTS FROM THE WORLD OF GREAT CLASSICS

Worth \$2195

A Stereo LP Album of 10 — 12" Records See Page 30 For Full Description





2000

8th PRIZES \$10.00 GIFT CERTIFICATES

4250

9th PRIZES \$5.00 CERTIFICATES

SMITH-CORONA "Figurematic" **Portable Electric Adding Machine**

Only 6695

- Totals up to \$999,999.99 "Hand-Span" Keyboard
- .

Lightweight and Compact

A fast-figuring electric portable that adds, subtracts and multiplies. Full-featured construction with 10 keys, Add-Subtotal, Subtract-Total, and Repeat. "Clear" and digital indicator are combined. Lists 7 columns of figures. New, easy-load ribbon cartridge gives thousands of extra prints. Easy to carry—the cord tucks in, stylish dust cover snaps on, built-in retractable carrying handle comes out, and away it goes. Ideal for everyohe who figures—at work, home, in-between. Overall 7x9x13". For 110-115 volts, 60 cycles, AC. Shpg. wt., 104/2 lbs. Ibs.

15 U 4007WX \$5 Monthly Adding tape for above 21/2" wide. 15 U 4006

Net 66.95 Net ea. .39

SMITH-CORONA **OELUXE ALL-ELECTRIC ADDING MACHINE**

 With Direct Credit Balance

 Lists 8 Columns **Totals 9 Columns** \$9,999,999,99



Model 890-N precision-engineered add, subtract, and multiply. Credit balance provides ability to total negatives while adding up positive sales profits. Features "Hand-Span" keyboard — king size add bar — keyboard correction key — visible column indicator — electrified total, sub-total, subtract and repeat keys. Easy-feed paper chute for quick loading. Charcoal grey. Size: 8x12x534". For 115V. AC. UL Listed. Shpg. wt., 14 lbs. — Net 110.95

15 U 4010WX \$6.50 Monthly . Net 110.95 Model 890—Similar to above. Less credit balance feature, with deluxe vinyl-clad steel carrying case. Shpg. wt., 16 lbs. 15 U 4005WX \$6.00 Monthly ______ Net 103.95

ther Portable Typewriters

(A) PORTABLE TYPEWRITER

All Steel/With Case

Echelon 44 typewriter contains a full 88 character office keyboard -4 characters more than standard typewriters (+=11). Features two-color plus stencil position, variable line spacer, erasure table and paper support arm, half-space ratchet, touch adjustment, hand set margins, paper bale scale, jam release key, measuring scale holder, line drawing aperture and comfort sloped keyboard. Pop-ular pica type. Size: 14/3x15x634". With case. Shpg. wt., 15 lbs. Net 42.95

15 U 1706WX \$5 Monthly Echelon 66—Same as above but with tabulator key. 15 U 1707WX \$5 Monthly Net 47.50

(B) DELUXE PORTABLE TYPEWRITER

Full Featured / With Case

Echelon 88 full featured deluxe compact portable typewriter with key set tabulator and full 88 character keyboard. Features include convenient "touch" control, variable line spacer, two-color ribbon plus stencil position, automatic and manual ribbon reverse, erasure table and paper support arm, jam release key, synchronized meas-uring scale and card holder provide additional typing comfort. All steel with carrying case. Pica type. Size 1634x18x74z". Shgg. wt., 19 lbs. 19 lbs. 15 U 1708WX \$5 Monthly _

(C) OELUXE HOME/OFFICE TYPEWRITER

Echelon 99 full 88 character home/office typewriter features push-button key set tabulator, pushbutton 2 color ribbon selector, jam release key, rapid paper advance lever, synchronizèd measuring scale and card holder. Has automatic and manual ribbon reverse, line finder, line drawing aperature, and segment shift. 88 pica type characters. With deluxe carrying case. 88 Pica characters. Size: 1634x18x1734", Shgs. wt., 23 lbs. 15 U 1709WX \$5 Monthly Net 73.95

Net 57.95 Deluxe Molded Case All Steel

X at End of Stock No. Indicates Truck or Express Shipment

No Money Down

SMITH-CORONA CORONET ELECTRIC 12[™] Typewriter

With Luggage Type Carrying Case

54⁹⁵

No Money Down

Type Easier Electrically! 12" carriage provides the versatility re-quired for oversized typing jobs. Makes up to 10 carbons ... repeats dots, dashes, spacing, the letter X and underlines. Full-sized 88 character keyboard features impression control dial and touch selector. Amazing accelerator action gives faster type-bar actions for a snappler touch. Includes effort saving page gage, quick set margins, exclusive forward-glide top deck, push-variable line spac-ing. Strong steel frame. Trimiline luggage type carrying case. Shpg. wt. 29 lbs. U.L. listed. 110-120 Volts AC.

15 U 4011WX Mist blue \$8.00 Monthly	Net 154.95
15 U 4012WX Tan \$8.00 Monthly	Net 154.95
Same as above with 10" carriage	
15 U 4004WX Pica-Star Mist Blue \$7.50 Monthly	. Net 134.95
15 U 4003WX Pica-Tan \$7.50 Monthly	Net 134.95





50 Lafayette Cat. No. 691

Make Lafayette Your Headquarters For Citizens Band Equipment

Watts of Power—You **J** Can Hold in Your Hand! 3 Channels

Lafayette DYNA-COM 5®



- With Power Equal to the Most Powerful CB Transceivers!
- 13 Transistors, 6 Diodes
- 7-Stage Transmitter for Extra Transmit Sock!
- Operate Mobile in Your Car with Optional Cigarette Lighter Plug-in Adapter
- Superheterodyne Receiver with Less Than 1 Microvolt Sensitivity for 10 db S+N/N Ratio
- Mechanical Filter for Superior Selectivity
- Automatic Range Boost for High Talk Power
- Variable Squelch and Automatic Noise Limiting
- Battery Condition and RF Power Output Indicator
- External Mobile and Base Antenna Jack
- Provision for External Battery Pack, Mobile Battery, Charger and Eliminator
- Pi-Network Antenna Matching for Maximum Output!
- Push-Pull Audio Modulator Circuit

The Dyna-Com 5 is small in size-BIG in performance and versatility. A Lafayette exclusive, this amazing 2-way radio has every fea-ture you have ever wanted in a compact walkle-talkie. The unique, Ture you have ever wanted in a compact Walkie-takke. Ine Unique, removable battery pack facilitates charging nicad batteries on or off the walkie-taikie. You always have a fresh supply of batteries on hand. In addition, an optional portable dry cell power pack keeps reserve power on tap when you need it. The unit may be connected to your auto, boat or tractor battery and external antenna for the ultimate in portable convenience. Attractive die-cast brushed alum-inum case with shoulder carrying strap. Measures only 31/4/W10/4x 21/4/D. Supplied with transmit and receive crystals for channel 10, references whin antenna and ECC license application form per regtelescoping whip antenna and FCC license application form per reg-ulation 95, Imported. Shpg. wt., 5 lbs. 99 U 3087L \$5 Monthly (Less Batteries) Net 79.95

Net 2.25 46 U 15 Extra Transmit Crystal, Specify Channel... 46 U 10 Extra Receive Crystal Specify Channel Net 2.25 Battery Eliminator/Charger for 117 VAC operation of Dynacom 5. Also charges Dynacom 5 nicad batteries internally and externally. Imported.

99 U 3147	Shpg.	wt., 5 lbs				Net	22.95
32 U 4740	Nicad	Rechargeable Batte	eries (12	req.)	Net	ea.	1.40
99 11 6294	Altern	te Alkaline Batter	ies (12	reg.)	Net	ea.	.29



ONLY **SALE! SAVE 10.00** Each 2 WATT 3 CHANNEL CB WALKIE TALKIE HA-303 No Money Down

- 2-Watt Input for Greater Range
- 3 Transmit and Receive Channels
- Range Boost Modulating Circuitry

• Range Boost Modulating Circuity Powerful walkie talkie features 3 channel operation and 2 walt transmitter input for flexible, dependable communications. Super-het receiver utilizes a tuned RF amplifier to pull in weak signals. Built-in alert system sends or receives a pleasant alerting tone for convenient calling. 117 volts AC opera-tion with optional battery eliminator. 13 transistor 4 diode circuit features built-in battery meter, push-pull audio, jacks for external antenna and earphone, and attract-ive metal case with die cast front panel. Sup-

Built-in Call Alert

- Superhet Receiver Plus RF Amplifier
- Variable Squeich, ANL, AVC

plied with telescoping antenna, battery holder (less batteries), set of crystals for channel 11, and FCC License Form 505, Size: 344W x 844H x 134"D. Imported. Wt., 342 ibs

99 U 3091L HA-303 \$5 Monthly Net ea. 44.95 99 U 3109 Eliminator Charger ... Net 13.95 99 U 3105 Spare Battery Holder ... Net ... 69 32 U 4740 Nicad Batt. (10 req.) Ea. 1.40 99 U 6294 Alkaline Batt. (10 req.) Ea. 99 U 2541 Earphone for above.... Net 42 U 0920 Ext. Antenna Cable.... Net 29 1.29 Net Net 2.95



OPTIONAL ACCESSORIES

batteries. Shpg. wt., 2 lbs. 99 U 3099 Net 22.50 42 U 2802 Genuine Leather Case, Shpg. wt., 12 oz. Net 5.95

Dyna-Charge, Ch	arges Dyna-Com	5 Nicad Bat	teries internally and	
externally,				
99 U 3100			Net 9.95	
42 U 0920 Exteri	nal Antenna Ada	oter Cable	Net 2.95	
99 U 4605 Mobil	e Cigarette Ligh	ter Cable	Net 2.95	
99 U 3143 Minia	ture Top Loaded	Antenna	Net 4.50	



- 9 Crystal Controlled Transmit and Receive Channels
- Convenient Front Panel Crystal Socket
- Modulation Monitor
- Phone Jack for Private Listening or External Speaker

Advanced electronic circuitry utilizes 7 tubes and 3 diodes to achieve 13 stages of dynamic performance. Sensitive superheterodyne receiver permits reception of weak distant stations even in problem areas. Effective series gate limiter minimizes ignition and other noise pick-up. Receiver can be manually tuned or crystal controlled. Variable squelch control permits quiet automatic stand-by operation. Powerful audio stage delivers up to 100% AM plate modulation for real talk power. Monitor allows visual indication of modulation. Built-in 117 VAC power supply and optional 12 VDC power supply (at right) permit virtually unlimited applications. Front panel receive and transmit crystal sockets plus 8 sets of internal sockets combine with 9 switched crystal positions to provide the flexibility of full 23 channel crystal coverage. Front panel phone

- Push-To-Talk Ceramic Mike with Coiled Cord and Positive Lock Plug
- Pi Network Antenna Matching
- Convenient Variable Squelch Control
- Sensitive 23 Channel Tuneable Receiver

jack for private listening or external speaker. Intermediate frequency: 455kHz. Receiver sensitivity: $\mu\nu$ @ 10 db signal to noise ratio. Output impedance. 50 ohms. Supplied complete with push to talk ceramic microphone with colled cord and positive lock plug, bracket for mobile or shelf mounting. 117 VAC power cord, and a pair of crystals for channel 11. Size: 1244Wx844Dx5"H. Shpg. wt., 15 lbs.

99 U 3067WX \$5 monthly	Net 64.95
46 U 61 Extra Transmit Crystal (Specify Channel)	Net 2.25
46 U 62 Extra Receive Crystal (Specify Channel)	Net 2.25
HA-19 POWER SUPPLY Adapts Comstat 19 for 12 volt mol	oile opera-
tion. On Negative or Positive Battery. Size: 6W x 4H x 41	/2"D.
42 U 4704W Shpg. wt., 4 lbs.	Net 13.95

MOBILE SYSTEMS

Lafayette Comstat 19 CB Transceiver 64.95 Mobile Power Supply (Neg. or Pos. Gd.) 13.95 Stainless Steel Body Mount Antenna ... 6.95 20 Ft. RG-58/U Coaxial Cable Assy..... 2.75



LAFAYETTE Comstat 19 ECONOMY 2-WAY RADIO SYSTEMS

Package Price

BASE SYSTEMS

Lafayette Comstat 19 CB Transceiver 64.95 Heavy Duty Ground Plane Antenna 10.95 50 Ft. RG-8/U Low-Loss Coaxial Cable 8.50 TOTAL 84.40

42 U 9057WXM Wt., 221/2 lbs. Net 79.95

Same package as above except with Lafayette "Range Boost II" ½ wave length high-gain base station antenna instead of Ground Plane antenna. Shpg. wt., 28½ lbs. 42 U 9077WXM Net 88.50

YOU SAVE 4.90 from individual catalog prices!



Package Price

Make Lafayette Your Headquarters For Citizens Band Equipment

Mail Order and Sales Center 111 Jericho Turnpike (west of So. Oyster Bay Rd.) Syosset, L. I., N. Y. 11791 All Departments 516 921-7700 COD. Orders Only 516 921-7500 Open Mon., Thurs., Fri. 'til 9:30 P.M. MAIL ORDERS

Our modern Mail Órder Headquarters, located on over 8 acres of land, includes expanded warehouse facilities plus the most modern handling equipment to give you quicker service. Within 24 hours after receipt, most orders are processed, picked, wrapped and shipped.

STORES

24 Convenient Locations

Visit the Lafayette Store nearest you for fast personalized service. See the catalog "come to life" and many other exciting displays of the latest products just released. Watch for New Grand Openings.

NEW YORK	NEW JERSEY	MASSACHUSETTS		
BROOKLYN 11226 2265 Bedford Ave, (cor. Snyder Ave.) Phone: 212 469-8900 Open Mon., Thurs., Fri. 'til 9:30 PM	NEWARK 07102 24 Central Ave. (west of Broad St.) Phone: 201 622-1661 Open Wed. 'til 8:45 PM	BOSTON 02215 584 Commonwealth Ave. (1/, block above Kenmore Sq.) Phone: 617 267-8900 Open Daily 9:30 AM - 9:00 PM Sat. 9 AM to 6 PM		
JAMAICA 11433 165-08 Liberty Ave. (Off Merrick Rd.) Phone: 212 291-7000 Open Mon., Thurs., Frl. 'iil 8:45 PM	PARAMUS 07652 182 Route 17 (1 mile north of Garden State Plaza) Phone: 201 261-8800 Open Daily 9:30 AM - 9:30 PM Sat. 9 AM to 5:30 PM	NATICK 01760 1400 Worcester St. (Rt. 9 opp. Shopper's World) Phone: 617 875-6146 Open Mon., Wed., Thurs., Fri. 'ril 9:30 PM		
N.Y.C45th STREET 10036 71 West 45 St. (between 5th-6th Aves.) Phone: 212 757-3121 Open Thurs. 'til 9:00 PM	PLAINFIELD 07060 139 W. 2nd St. (1 block east of Front St.) Phone: 201 756-5100 Open Mon., Thurs. 'til 8:45 PM	SAUGUS 01906 Saugus Plaza Shopping Center (Rt. 1 & Wolnut St.) Phone: 617 233.6710 Open Daily 9:30 AM - 9:00 PM Sar. 9 AM to 6 PM		
N.Y.CUNION SQUARE 10003	PENNSYLVANIA	CONNECTICUT		
17 Union Square West (corner 15th St.) Phone: 212 924.4433 Open Thurs., Fri. 'til 8:00 PM SCARSDALE 10583 691 Central Ave. (1/2, mile north of Ardsley Rd.) Phone: 914 472-2700 Open Daily 9:30 AM - 9:30 PM Sat. 9 AM to 5:30 PM	PITTSBURGH 15237 North Hills Village Shopping Ctr. 4801 McKnight Road Phone: 412 366-0810 Open Daily 10 AM - 9 PM Sat. 9 AM to 9 PM MONROEVILLE 15146 Monroe Plaza Shopping Center 4045 William Penn Highway Phone: 412 373-0060 Open Mon. through Sat. 10 AM - 9 PM	WEST HARTFORD 06117 Bishop's Corner Shapping Center (357 North Main St. cor. Albany Ave.) Phone: 203 236-0693 Open Mon., Thurs., Fri. 'til 9:30 PM HAMDEN 06514 Hamden Plaza (2100 Bixwell Ave., adjoining Pegnataro's Phone: 203 248-2182 Open Daily 10 AM - 9 PM Sat. 9 AM to 6 PM		
111 Jericho Turnpike (West of So. Oyster Bay Rd.)	and a second second	WASHINGTON, D.C. (AREA)		
Phone: 516 921-7700 Open Mon., Thurs., Frl. 'til 9:30 PM LYNBROOK, L. I., N. Y. 11563 381 Sunrise Highway (2 miles East of Green Acres) Phone: 516 887-9800	KING OF PRUSSIA 19406 King of Prussia Shopping Center (Routes 202 and 23) Phone: 215 265-3300 Open Mon. through Sat. 10 AM - 10 PM PHILADELPHIA 19095	VIRGINIA FALLS CHURCH 22044 Plaza 7 Shopping Center (across from 7 corners) Phone: 703 534-5772 Open Mon., Thurs., Fri. '111 9:30 PM		
Open Mon., Thurs., Fri. 'til 9:30 PM	Wyncote (Cheltenham Township) 8156 Ogontz Ave. Phone: 215 885-2140	MARYLAND		
Opening Fall 1968 Hempstead, L.I., N.Y. Lake Grove, L.I., N.Y.	Open Daily 10 AM - 9:30 PM Sat. 9 AM to 6 PM LANCASTER 17602	MT. RAINIER/HYATTSVILLE 3191 Queens Chapel Rd. (Rt. 500) (Queenstown Shopping Center) Rhope, 201, 278, 2000		

Lake Grove, L.I., N.Y.

2153 Lincoln Highway Phone: 717 397-3681

Phone: 301 779-7020 Open Mon., Thurs., Fri. 'til 9:30 PM

it's easy to shop at LAFAYETTE

BY MAIL

Fill in any Lafayette order blank, enclose check and mail. Your order will be shipped direct to your home. See parcel post and express charts below to figure shipping charges.

Dial 516 921-7500 and a trained personal service shopper will help you. BY PHONE Your order will soon be on its way to your home.

Visit any of our conveniently located stores. Specially trained sales per-IN PERSON sonnel will assist you. See opposite page for store nearest you.

See page 453 in our catalog No. 690 for special kit guarantee.

NO MATTER HOW YOU SHOP You Can Take Advantage of Lafayette's EASY-PAY PLAN MONEY DOWN - UP TO 2 YEARS TO PAY

SHIPPING AND DELIVERY INFORMAT

HOW TO ESTIMATE PARCEL POST CHARGES

Up to 16 oz., all zones allow 6¢ for first 2 oz., 2¢ for each additional oz. Find the weight of your merchandise in the extreme left-hand column of the chart at left. Pay the amount listed for Parcel Post shipment to your zone. A forection of a pound is charged as a full b For fraction of a pound is charged as a full lb. For example, if the weight is 6 lbs. and 1 oz. to Zone 3, postage would be for 7 lbs. (90c). Over 30 lbs. shpd. truck or exp. See below.

PARCEL POST RATES FOR ALL ZONES

Hawaji and Alaska are in the 8th zone. Puerto Rico and the Virgin Islands in the 7th zone. All other U.S. possessions and territories in the 8th zone.

WEIGHT	Local	1st & 2nd	3rd Zone	4th Zone	5th Zone	6th Zone	7th Zene	Sth Zone
1 Lb. & Not		Zone up	150 to	300 to	600 te	1000 te	1400 te	Over
Exceeding		to 150 mi.	300 mi.	600 mi.	1000 mi.	1400 mi.	1800 mi.	1800 mi.
3 4 5	\$0.50 .50 .55 .55		\$0.60 .70 .75 .80	\$0.65 .75 .85 .90	\$0.70 .85 .95 1.05	\$0.80 .95 1.10 1.25	\$0.85 1.05 1.20 1.40	\$0.90 1.15 1.35 1.60
6	.55	.80	.90	1.00	1.15	1,40	1.55	1.75
7	.60	.90	.95	1.10	1.30	1.50	1.75	1.95
8	.60	.95	1.00	1.15	1.40	1.65	1.90	2.15
9	.65	1.00	1.05	1.25	1.50	1.80	2.05	2.35
10	.65	1.05	1.15	1.35	1.65	1.90	2.25	2.55
11	.65	1.10	1.20	1.40	1.75	2.00	2.40	2.75
12	.70	1.15	1.25	1.50	1.85	2.15	2.55	2.90
13	.70	1.20	1.35	1.55	1.95	2.25	2.70	3.10
14	.75	1.25	1.40	1.65	2.05	2.40	2.85	3.25
15	.75	1.30	1.45	1.75	2.15	2.50	3.00	3.45
16	.75	1.35	1.55	1.80	2.25	2.60	3.15	3.60
17	.80	1.40	1.60	1.90	2.35	2.75	3.30	3.80
18	.80	1.45	1.65	1.95	2.45	2.85	3.45	4.00
19	.85	1.50	1.75	2.05	2.55	2.95	3.60	4.15
20	.85	1.55	1.80	2.10	2.65	3.10	3.75	4.35
For Each Extra Lb.	Add 5c	Add 5c RATE	Add 5c	Add 5c	Add 10c Chan	Add 10c	Add 15c	Add 15c

REA EXPRESS INFORMATION

Large, bulky or delicate articles are shipped by Rail-way Express, the fastest and most economical way to ship merchandise which is unmailable, (If you desire other shipping methods, please specify). The letter "X" after our stock number (i.e., 21 T 44-17WX) identifies the item exceeding parcel post limits

DO NOT SENO MONEY for express charges with your order, Express charges are collected upon delivery at no extra cost to you, insurance is included in your express rates, Be sure to specify your nearest Express Office if there is no agent in your town.

AIR PARCEL POST SHIPMENTS

We will ship your order via Air Parcel Post upon your request. Rates are given in the table below. Size and weight limits: 70 lbs. and 100 in. (length plus girth). 7¢ per ounce, up to 8 ounces

	ZONES 1, 2 & 3	4	5	6	7	8
1st LB.	.80	.80	.80	.80	.80	.80
For Each Extra Lb.	Add 48c	Add 50c	Add 56c	Add 64c	Add 72c	Add 80c
I S Territoria		and	APO & FPO	Addres	sses 800	ner lb

SHIPMENTS OUTSIDE OF U.S.A.

We ship all over the free world. Allow up to 60 days for delivery. Write to our International Sales Division for details.

PARCEL POST	HANU	LING	i Çi	<u>1AR</u>	GE
Up to \$15.00					20¢
\$ 15.01 to \$ 50	.00				30¢
\$ 50.01 to \$100	.00				40¢
\$100.01 to \$150					50¢
\$150.01 and Up					60¢

ABOUT C.O.D. ORDERS

If you order C.O.D., the post office collects a handling charge, plus a money order fee, in addition to the regular parcel post charge. (We cannot accept COD's for APO's, FPO's or for special order merchandise), Here are the extra C.O.D. fees:

Amount of Order	Money Order Fee	COD Fee
Minimum order \$5.00	25c	60c
\$5.01 to 10.00	25c	60c
10.01 to 25.00	35c	70c
25.01 to 50.00	35c	80c
50.01 to 100.00	40c	90c

UNITED PARCEL DELIVERY

If your area is serviced by UPS and the service or rates are to your benefit, we will route your order via United Parcel Service. This fast, economical service is available from New York to most of the eastern states for parcels up to 50 lbs, and 108 inches in length and circh length and girth,

APPROXIMATE REA EXPRESS CHARGES 100 150 300 500 1000 2000 2400

Weight	Miles						
20 lbs.	5.50	5.65	5.75	6.10	6.80	8.15	8.80
30 lbs.	5.85	6.05	6.25	6.80	7.80	10.00	10.95
40 lbs.	6.20	6.50	6.70	7.45	8.80	11.85	13.15
50 lbs.	6.60	6.90	7.20	8.15	9.85	13.70	15.30
60 lbs,	6.95	7.35	7.70	8.80	10.85	15.55	17.45
70 lbs.	7.35	7.75	8.20	9.50	11.90	17.40	19.60
80 lbs.	7.70	8.15	8.65	10.15	12.90	19.25	21.80
90 lbs.	8.05	8.60	9.15	10.80	13.90	21.10	23.95
100 lbs.	8.40	9.00	9.60	11,40	14.85	22,75	25.90



LAFAYETTE COMSTAT 23 MARK V

- Dual Conversion Receiver Features 8/10 μv Sensitivity
- Pi-Network and Low Pass Filter for Maximum **Power Output**
- Internal Range Boost Circuitry for Greater Average Talk Power
- Built-in 117 VAC Power Supply, Operates Mobile with Optional 12 VDC Power Supply

Never before so much for so little! Lafayette offers a truly great CB value, the Comstat 23 Mark V deluxe CB Transceiver with 23 active Crystal-Controlled channels, at an amazing low price. Crystal synthesizer circuit includes all crystals necessary for active coverage of all 23 CB Channels. Each channel is clearly identified on the illuminated channel se-lector dial. Features a sensitive and selective dual conver-sion superheterodyne receiver. Variable Squelch control for quieting receiver during "no-signal" conditions, and tape recorder output jack on rear panel. RF output is coupled through a highly effective Pi-Network and Low Pass Filter for maximum energy transfer to antenna with low harmonic radiation. Range Boost circuitry is incorporated for greater

14 Tube Performance with 9 Tubes, and 9 Diodes

- Variable Squelch Control with Standby Switch for Low Drain Instant Operation
- Illuminated "S"/"PRF" Meter
- Tape Record Output Jack (Rear)
- CB/Public Address Switch
- Headphone/External Speaker Jack

Н

S 2 M

Package Price

SAVE 5.60

from individual

catalog prices!

average talk power. Includes a Standby switch for low cur-

OPTIONAL ACCESSORIES

HA-19 DC POWER SUPPLY. Permits 12-volt mobile operation with Negative or Positive Battery Ground. 6W x 4H x 4½°D. 42 H 4704W Shog. wt. 4 lbs. Net 13.95



LAFAYETTE Comstat 23 MARK V ECONOMY 2-WAY SYSTEMS

Package Price

SAVE 4.45

from individual

catalog prices!

BASE SYSTEMS

Lafayette Comstat 23 Mark V CB Transcelver 99.95
Heavy Duty Ground Plane Antenna 10.95
50 Ft. RG-8/U Low-Loss Cable Assembly 8.50
TOTAL 119.40
42 U 9136WXM Shpg. wt., 23 lbs. Net 114.95
Above system with "Range Boost 11" Deluxe
1/2 wave end fed antenna instead of ground
plane antenna, Shpg. wt., 29 lbs.
42 U 9137WXM Net 122.95
SAVE 5.45 from individual catalog prices!

Get Your Two-Way Radio Station Now-No Money Down

MOBILE SYSTEMS Lafayette Comstat 23 Mark V **CB** Transceiver

A-19 Mobile Power Supply	13.95
tainless Steel Body Mount Antenna	6.95
0 Ft. RG-58/U Coaxial Cable	2.75
lobile Mounting Bracket	2.95
TOTAL 1	26.55

99.95

42 U 9149WXM Shpg. wt., 17 lbs. Net 120.95 Same system as above except with bumper mount antenna instead of body mount 42 U 9150WXM Shpg. wt., 16 lbs. Net 122.95 SAVE 5.60 from individual catalog prices! Same system as 42 T 9149WXM except with CB/AM combination Broadcast and CB cowl mount antenna

42 U 9151WXM Shpg, wt., 18 lbs. Net 119.95 SAVE 4.85 from individual catalog prices!



54 Lafayette Cat. No. 691

Make Lafayette Your Headquarters For Citizens Band Equipment



NOW with New RF Overload Protection (Pat. Pend.)

- Accepts Priva-Com[®] Plug-In Private Tone Caller
- 23 Transistors, Including Integrated Circuitry, 9 Diodes, 1 Thermistor
- Dual Conversion For High Selectivity
- 3-Position Crystal Delta Tune
- **Transmit Mode Indicator Light**
- Pi-Network for Optimum RF Output
- Mechanical 455 KC Filter
- Automatic S/Prf Illuminated Meter
- Variable Squelch Plus Series Gate Automatic **Noise Limiting**
- Range BoostTM Circuitry for Added Talk Power
- A P.A. Amplifier with External Speaker
- Auxiliary Audio Input Jack

SAVE 6.90 from Individual catalog prices!

12 Volt DC Operation (Neg. and Pos. Ground)

Lafayette's latest member of the famous HB-525 Series CB Trans-ceivers. Now with all the great features plus new revolutionary Inte-grated Circuit. Crystal controlled synthesizer provides 23 channel transmit and receive operation...all crystals supplied. Dual conver-sion receiver incorporates 455 KC mechanical filter and revolution-ary Integrated Circuit for high selectivity, superior adjacent channel rejection, and extra long life. Variable squelch quiets receiver when no signal is being received. 3-position delta tune permits easy copy of off frequency stations. Powerful 5 watt transmitter features range boost modulation circuit for greater effective range. Illuminated S/Prf meter Indicates signal strength on receive and RF output in transmit. Full public address provisions include audio input jack for tape recorder, tuner, etc. Supplied with PTT dynamic mike, mobile mounting bracket. DC cable, and FCC license Form 505. Size: 23% x 6¼ x 8"D. Imported. Shpg. wt., 7 lbs. 94 U 3156WX \$8 Monthiy _______ Net 149.95 99 U 3156WX \$8 Monthly Net 149.95

MODEL HB-502A AC POWER SUPPLY/CHARGER 99 U 3153W Shpg. wt., 5 lbs Ne	t 16.95
MODEL HB-506 PORTABLE DC POWER PACK attaches to HB- convenient portable operation. Shpg. wt., 2 lbs.	525C for
99 U 3154 Less Batteries Ne 99 U 6257 "C" Dry Cell (8 reg.) for HB-506 ea14; 10	t 19.95
99 U 6293 "C" Alkaline, Alt. HB-506 Battery (8 req.) _ ea. Ne 32 U 4888 "C" Nicad, Alt. HB-506 Battery (10 req.) ea. Ne	et .39
99 U 4608 CB Dynamic Desk Mike	t 11.95
*D.O.T. Permits Legal Operation On 19 Channels Only in 27 Thru 27.30 MHz Range.	.00 MHz

SOLID STATE CB SYSTEMS With HB-525C ECONOMY



tion antenna, Shpg. wt., 35 lbs. 42 U 9139WXM Net 188.95 SAVE 8.40 from individual catalog prices!



Citizens Band Equipment Is Available On Easy Pay Plan-No Money Down

catalog prices!

TOP QUALITY CITIZEN BAND ACCESSORIES



Designed to fit any standard coaxial cable. 3/4" 0.D. brass 214" long. Employs one PL-259 plug and one DKCB connector. 42 U 2001 Shpg. wt. 1 lb........... Net 3.95



- Prevent Theft of Your Transceiver
- Solid State Integrated Circuit
- For 12 V. Neg. or Pos. Ground

Protect your CB equipment. Burgiar alarm connects to your horn and CB Transceiver. Horn automatically blows when someone trys to steal your CB unit. Two-way switch permits you to remove your transceiver without sounding alarm. Features reliable, solidstate IC circuitry. Complete with instructions, wire and mounting hardware. Snpg. wt. 3 oz. 42 U 7101______Net 4.95



Deluxe LAFAYETTE 4 ELEMENT GROUND PLANE ANTENNA

Solid aluminum 4 heavy duty 108" heattreated radials and radiator. Elements supplied in two 54" lengths joined by threaded coupling nuts. Radial droop for 50 ohm match. Accepts 1¼" tubing, RG-58/U cable and PL-259 connector. Less mast and coax. Imported, Wt. 4 lbs. 99 U 3031W Net 10.95

RG8/U POLYFOAM COAX CABLE ASSEMBLIES



Complete transmission line packages designed for better CB operating efficiency. The polyfoam dielectric insures low line loss Important in getting the most from your base station. Ready to use. PL-259 connectors on both ends.

Stock No.	Length	Wt.	Net
42 U 0910	50 ft.	7 lbs.	8.50
42 U 0911	100 ft.	11 lbs.	14.95

95

Only

with mike.

headphone, and batteries (No FCC License Required)

.

BEST SELLING LAFAYETTE MOBILE CB ANTENNA

- 102" Stainless Steel Whip For Optimum 11-Meter Performance
- Heavy-Duty Cadmium
 Plated Steel Spring
- Aluminum Swivel Ball Jointed Mount Base



Aluminum swivel mount base designed to be mounted on any surface. Plated steel spring holds rod in properly adjusted position and prevents rod damage from shocks and blows. Stalnless steel whip for resiliency and strength. Less cable. Imported. Shpg. wt., 4 lbs.

 99 U 3034WX
 Net 6.95

 20 ft.
 RG58/U Cable Assembly—

 Terminates in PL259 and universal lugs.
 Shgs. wt., 1 lbs.

 42 U 7002
 Net 2.75

LAFAYETTE CERAMIC C.B. PUSH-TO-TALK MIKE



Lightweight, rugged, high-impact plastic case. High output. 3-conductor plus shield coiled cord. Wired for electronic switching. With instructions for conversion to relay switching. For use with tube-type CB equipment. Imported. Shpg. wt., 8 oz. 99 U 2533 Net 3.95

SOLID STATE CB TRANSCEIVER/AM RADIO BASE STATION



- Tuneable On All 23 Citizen Band Channels
 - Crystal Control Transmit Up To 1 Mile on Channel 9
 - Built-in Quality AM Radio . Built-in Practice Code Key

Excitement for every member of the family. Actually a 100 milliwatt CB base station transcelver, quality AM radio and practice code oscillator in a compact, attractive, professional styled cabinet, CB transcelver section has tuneable superheterodyne receive for all 23 channels, and is crystal-controlled to transmit on channel 9. Built-in telescoping antenna.

Specifications: 10 transistors, 1 diode, 1 thermistor; Max. Audio Output: 200MW; RF Power Input: 100MW; AM Radio tunes 54 to 1600 kHz. Operates on 6 "D" type batteries. Includes microphone, headphone, and batteries. Imported. Size: 12½x5¼x5¼x6"D. Shpg. wt. 5 lbs. 17 U 7833W Net 29.95 99 U 6256 Extra "D" Batteries Net ea. 15

Make Lafayette Your Headquarters For Citizens Band Equipment



Lafayette EXPLOR-AIR MARK VI Professional FM, AM, SW & Weather Receiver

- Thrill To Live Broadcasts of World-Shaking Events!
- **Relax With The Magnificent Sound of FM Hi-Fi Music!**
- Hear Latest Weather & Marine Reports!
- Enjoy Popular AM Local News, Sports and Weather

Hear exciting International news from: Praha, Berne, Berlin, BBC, London, Havana, Vatican, Moscow, Rio, Canada, Japan, Bucharest, Mexico, France, Athens, etc.

The Lafayeite Explor-Air Mark VI is a professionally designed FM, AM, Shortwave and Weather receiver with such advanced features as individu-ally tuned circuits for each band, automatic volume control, 455kHz ceramic filter for superior selectivity, tuned RF stage for outstanding sensitivity, and a "Shock-free" high voltage transformer-operated power supply. Seven full dial bands offer extra-wide station separation; illuminated wide-view slide rule dial is labeled with clearly visible names of primary citles and countries. The back panel has terminals for external AM and EM antengas: tane recorder outur liack. Some extension separate of primary cities and countries. The back panel has terminals for external AM and FM antennas; tape recorder output jack; 8-ohm extension speaker jack; speaker fuse and 24 volt DC input connection. Attractive styling includes brushed aluminum trim and control panel, and olled walnut wood sides. Two bullt-in 4" PM speakers. FM Sensitivity: 2µv or less. Size: 144x6f/4x97@"D. Imported. Shpg. wt., 17 lbs. 99 U 2601WX \$5 Monthly Net 99.95 Net 99.95

7 BANDS: Hi-Fi FM-AM Broadcast Shortwove—Weather—Marine				
Band 1 Weather/Marine	150-400kHz			
Band 2 AM Broadcast	550-1600kHz			
Band 3 FM Broadcast	88-108MHz			
Band 4 Shortwave	5.9-6.25MHz			
Band 5 Shortwave	9.45-9.85MHz			
Band 6 Shortwave	11.85-12.05MHz			
Band 7 Shortwave	15.05-15.55MHz			

- .
- 17 Transistors, 6 Diodes, 2 Thermistors Attractive Front Panel with Large Illuminated . Slide-Rule Dial

6 Meters 50-54 MC

- **Illuminated Jewel Band Indicators**
- **Private Listening Headphone Jack** .

15 Meters

21.0-21.45 MC

10 Meters

28.0-29.7 MC

- **Built-in FM and AM Antennas** .
- . Tape Record Output Jack

20 Meters

14.0-14.35 MC

40 Meters

7.0-7.3 MC

80 Meters

3.5-4.0 MC


105-125VAC/50-60 Hz; 24VDC .

6-80 Meter SSB/AM/CW Receiver. . . 6 HAM BANDS INCLUDING 6 METERS

10 Tube Superhet Circuit

- Dual Conversion On All Bands
- Illuminated Calibrated S-Meter
- Built-In 100 k Hz Crystal Calibrator
- "Always-On" Oscillator Filament
- Product Detector for CW/SSB—Diode Detector for AM
- Two 455 kHz Mechanical Filters for Sharp Selectivity

Outstanding Lafayette Model HA-500 receiver features tuned RF and first mixer stages which provide maximum sensitivity and front end selectivity for high signal to noise ratio with superb image rejection. Dual intermediate frequency circuits utilize two ceramic 455 KG mechanical filters for additional wave shaping. Product detector and BFO combine for crisp and clear CW and SSB. OB2 voltage regulator supplies oscillator with regulated B plus voltage for virtually driftless operation. Full time automatic volume control is automatically set to provide standard operation on AM and fast attack-slow decay on CW and SSB. Illuminated silde rule dial is calibrated for easy reading. Accurate built-in 100 kHz calibrator assures precise calibration. "Always On" oscil-lator filament increases stability and reduces warm-up time. Controls: Tuning, Calibration off/on. Automatic Noise Limiter off/ on, Antenna Trim, RF Gain, AF Gain (volume control), Bandswitch, BFO Frequency, and Function Switch. Sensitivity: Less than 1µv for 10 db signal to noise ratio on all bands. IF Rejection:—40 db. Image Rejection: —40 db. Output Impedance, 8 and 500 ohms. Power Requirements: 117 VAC. Imported, Size: ISWX7/4XHA10'D. 99 U 2574WX Shipping weight, 25 lbs. \$7 Monthly ______ Net 114.95 Model HE-48 8 35 Speaker Mate for HA-500. 40 U 0905 Shpg. wt, 4 lbs. ________ Net 8.95 100 Kc Calibrator Crystal for HA-500. 40 U 0901L _________ Net 3.95 Do One-Stop Shopping At Lafayette For Ham Gear Outstanding Lafayette Model HA-500 receiver features tuned RF







- Covers 20-54 MHz . . 6, 10, 11 and 15 Meters (not Per-mitted on 11 Meters Class D (CB) in U.S.A.)
- No External Switching Required
- Will Work On Any Signal of 1 to 10 Watts AM, FM, SSB or DSB and CW

Depend On Lafayette For Quality Communications Equipment

40 U 0106WX 12 Voit DC Neg. Ground Only _____ Net 79.95

LAFAYETTE CB and Short Wave Kits LAFAYETTE COMSTAT 9 5-WATT CITIZENS BAND TRANSCEIVER KIT


- 9-Crystal-Controlled Transmit and **Receive Channels**
- Front Panel Transmit and Receive **Crystal Socket**
- 23-Channel Tuneable Receiver
- High-Efficiency 7- Tube Circuit
- 115 VAC and 12 VDC Power Supply
- Pi-Network Antenna Matching

SALE 44⁹⁵ SAVE 10.00

Efficient 7-tube circuitry, top quality parts, plus Lafayette's famous easy-to-follow direc-tions give you a CB transceiver with excellent performance. Incorporates 9 crystal con-trolled receive and transmit channels with an integrated tuneable 23-Channel receiver section for exceptional operating flexibility. Sensitive superheterodyne receiver features series floating gate noise limiter and a tuned RF amplifier for high gain and low noise reception. Sensitivity .8 µv for 10 db. S/N ratio. Selectivity: —26 db at 8 KC. Adjacent Channel Rejection. —31 db. Adjustable squelch circuit insures quiet stand-by operation. Transmitter provides full 5-watt input with up to 100% plate modulation. Front panel light indicates modulation. Short range operation for use as intercom at CB jambores, phone features plug-in push-to-talk operation and colled cord. External crystal sockets mounted on front panel for added flexibility. Built-in power supply operates on 117 VAC or 12 voits DC. or 12 volts DC.

Kit comes complete with parts: wire, solder, easy-to-follow manual, microphone, and sturdy attractive metal cabinet. Less crystals and vibrator. Shpg. wt., 20 lbs.


42 U USISWA SS MONTHY	net	44.33
46 U 61 Transmit Crystal (Specify Channel)	Net	2.25
46 U 17 Receive Crystal (Specify Channel)		2.25
	Her	6.40
OPTIONAL DC ACCESSORIES		
	Mat	
42 U 0916 Mobile Mounting Bracket	net	2.50
42 U 0917 DC Cable Assembly for 12V DC	Net	1.95
32 U 5603 Standard 12V Vibrator		1.99
42 U 0121 Solid-State ALTERNATE Vibrator, Shpg. wt., 1 lb.	Net	6.95
the start botte start the start start start start and a start sta		



1.	Front	t Panel	Crystal
		chate	

- 2. Illuminated Vernier
- Tuning Dial 3. Tuneable Receive Dial Control
- 4. Modulation Indicator 5. Phone Jack for Earphone
- Listening 6. Plug-In Push-to-Talk Ceramic Mike
- 7. Front Panel Speaker 8. Volume Control/Power Switch
- Switch 9. Variable Squeich 10. 9-Channel Crystal Trans-mit-Receive Selector Switch 11. Xtal-Tune Receiver 14. Atal-Change Switch
- Mode Switch

LAFAYETTE "EXPLOR-AIR" 4-BAND RECEIVER KIT



Made in U.S.A.

Lafayette's sensational shortwave receiver kit is a complete short-wave and standard broadcast set which covers the entire region from 550 kHz to 30 MHz. Four whole bands of fascinating pro-gramming. Perfect for language students and shortwave listeners. Only a regenerative circuit can offer such amazing performance and yet be so simple to build. Building this fine kit is an absolute pleasure — it's so well designed, you can't go wrong. Kit includes all the parts you need, and the detailed step-by-step instruction book with its giant picchial drawings shows you just how to put them together. One front panel knob does all the bandswitching, Imme-diately taking you from band to band. All colls are prewound for

- Covers 10, 15, 20, 40, 80, 160 Meter Amateur Bands
- Tunes International Broadcast, Citizens Band, Mari-time, Aeronautical and WWV Time Signals
- Covers Standard AM Broadcast Band
- Complete Band Switching from Front Panel
- Bandspread Tuning



greater accuracy. Complete 4 band coverage of broadcast stations, greater accuracy. Complete 4 band coverage of broadcast stations, international broadcast bands, amateur, maritime, and WWV time signals. Big 4" speaker and sensitive circuit with 50C5 output stage and 12AT7 regenerative detector and amplifier stages give you all the volume you want. Phone jack for privacy automatically dis-connects speaker. Ali controls are on the front panel: On-Off Volume, Main Tuning, Band Spread, Bandswitch, Antenna Tuning, and Regen-eration. 110 volt 50-60 Hz AC-DC power supply. Size: 10x7x5". 19 U 0905 (Less Cabinet) wt., 5 lbs. ______ Net 22.95 19 U 0906 ______ Net 2.85

Citizens Band Equipment Is Available On Easy Pay Plan-No Money Down

59 Lafayette Cat. No. 691

FLY THE BIG SKYHAWK BY REMOTE CONTROL

COMPLETE OUTFIT: Plane, Receiver, Transmitter, Batteries and Charger



Completely assembled ready to fly radio controlled plane which incorporates true (pulse) proportional control for smoother, more realistic flight control. This plane is so easy to fly that it is recom-mended for beginners—no electronic or mechanical skill is required. Aircraft fuselage constructed of virtually indestructable super-impact styrene. Wings and horizontal stabilizer are of super light styrofoam. Tricycle landing gear assures simple landings. High torque .049 cubic inch internal combustion engine has gas tank attached for 4 minutes of powered Hight. Super sensitive 9 transistor superhet receiver combines with a powerful dual coil. twin magnet actuator for superior reliability. 8 transistor 250 milliwatt transmitter pro-vides up to one mile range control. Simple guidance controls include finger tip trim for basic in-flight stabilization. Heavy duty recharge-

TESTOR'S R/C SKYHAWK

- Easy To Fly-Ideal For Beginners
- **One Mile Range of Control**
- **Rechargeable Batteries with Charger**
- Big 44" Wingspan-Length 27"
- Internal Combustion .049 Engine

able batteries are easily charged with convenient charger (included). Complete with R/C plane, transmitter, battery charger, and illustrated flying instruction book. Shpg. wt., 9 lbs.

42 U 7301WX for 27.145 MHz, \$5 Monthly Net 79.95 MAIL DRDER CUSTOMERS USE THE FOLLOWING STOCK NUMBERS FOR THE SPECIFIED DESIRED FREQUENCIES. *See Note Below

Stock No.	Frequency	Net
42 U 7305WXY	26,995 MHz	79.95
42 U 7306WXY	27.045 MHz	79.95
42 U 7307WXY	27.095 MHz	79.95
42 U 7308WXY	27.145 MHz	79.95
42 U 7309WXY	27.195 MHz	79.95

SKYHAWK SPECIFICATIONS

Length: Fuselage 27", Wing 44". Flying Weight: 23 ounces (approx-imately). Speed: 30 MPH True. Fuel Capacity: 4 Minutes powered

*Mail orders on above Skyhawk, except Easy-Pay, must be accompanied by full remittance.

Flight. Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.

Shipments made direct from Addison, Illinois: transportation charges collect.





60

Depend on Lafayette For Complete Stocks, Lowest Prices, Fastest Service

less batteries. Imported. Shpg. wt., 31/2 lbs. 42 U 1801 R/C Van (less batteries) 99 U 6257 1.5V "C" Battery (2 required) 99 U 6021 9V Transistor Battery (2 required)

Net 16.95 Net ea. Net ea.

21

Clearance! SALE! Quantities Limited! LAFAYETTE MODEL KT-630 30-WATT STEREO AMPLIFIER KIT



Slide Switch 8 AC Indicator Light

Enjoy exciting, wide-range stereo reproduction anywhere in your home or office. The KT-630 features built-in equalized preamplifiers, home or office. The KT-630 features built-in equalized preamplifiers, DC on the filaments in the preamp stage to minimize hum and noise, and 4 pairs of stereo inputs—magnetic and ceramic cartridge, tuner, and auxiliary. Also, the full 30-watt output may be switched for monaural reproduction to either speaker by means of slide switches on the front panel. An attractively styled brushed aluminum gold anodized extruded front panel with matching gold knobs complements the superior electrical specifications. For 110 to 125 Volts, 50-60 Hz, AC; Size: 123/WX113/DX514~H, overall. Less cabinet. Shge. wt., 20 lbs. 21 U 0930WX \$5 Monthly Net 27.95 Brown metal case for KT-630. Shpg. wt., 4 lbs. 21 U 0931W Net 3.95

SPECIFICATIONS

Input Jacks: Magnetic phono, Ceramic phono, Auxiliary, and Tuner; AC Convenience outlet on rear; Rated Power Output: 12½ watts RMS per channel; 15 watts per channel; Sensitivity: Phono (magnetic); 2 my; Phono (ceramic) 70 my; Tuner and Aux. 0.65v; Frequency Response: 20-60,000 Hz. \pm 1.5 db at 1 watt; Harmonic Distortion: 1% at 12½ watts RMS per channel; Hum and Noise: Aux, and Tuner -72 db below rated output; Phono—50 db below rated output: Output Impedance: 4, 8, 16 ohms; Tube Complement: 2—ECC83/ 12AV7, 4—ECL82/6BM8, 1—EZ81/6CA4. Power Requirements: 110-125V So H z AC. 125V. 60 Hz AC.

LAFAYETTE MODEL KT-645 45-WATT STEREO AMPLIFIER KIT





- Made in U.S.A. Easy-to-Build—All Parts, Wire, Solder, and Instructions Included
- Inputs for Magnetic or Ceramic Phono, AM/FM Tuner, and Auxiliary Equipment
- Attractive Two-Tone Gray Panel with Silver Trim

Save Money with Lafayette's Stereo Components

Forty-five watts of beautiful stereo for only a few evenings of pleasurable, interesting, and educational kit building! And the K1-645 is so flexible—it offers virtually every control needed in the modern stereo system. Feadires instant selection of any one of 3 program sources, dual preamps for low level phono inputs—RIAA equalized for flat response, handy front panel Speaker phase/AC off switch for proper phase selection without disconnecting speaker cables, concentric volume control for independent or simultaneous level adjust. Attractive brushed aluminum gold anodized extruded front panel with matching gold knobs. Size: 143%Wx123%Dx514"H, overall. Less cablnet. Shgg. wt, 24 lbs. 21 U 0945WX \$5 Monthly ______ Net 39.95 Brown metal case for K1565

Brown metal case for KT-645

21 U 0946W

SPECIFICATIONS

Rated Power Output: IHFM 45 watts, 221/2 watts per channel; Inputs Aux, Tuner, Ceramic Phono, Magnetic Phono, and Tape out; Sensi-tivity: Phono (magnetic): 3 mv. for rated output per channel, high Uvity: Phono (magnetic): 3 mv. for rated output per channel, high level inputs: 4v. for rated output per channel. Frequency Response: 10-25,000 \pm ½ db at 1 watt; Harmonic Distortion: Less than .15% at normal listening level at 1 kHz; IM Distortion: Less than .3% Hum and Noise, high level inputs: 70 db below rated output per channel, Phono—50 db below rated output per channel; Output Impedance: 8 and 16 ohns; Tube Complement: 4-EL84, 2-7199, 3-12AX7, 2 sillcon diodes; Power Requirements: 110-125V, 50-60 Hz AC HZ AC.

LAFAYETTE MODEL KT-615 15 WATT MONO AMPLIFIER KIT



SALE!

Net 4.95

Shown in Optional Case

QUANTITIES LIMITED

KT-615 offers versatility and flexibility. Three separate inputs for a

KT-615 offers versatility and riexionity. The separate controls pro-fully integrated hi-fi system. Separate bass and treble controls pro-vide full tonal quality. Push-pull ECL82 output stage for clean, wide and 16 ohm output. Less case listed below. Size 111/sWx71/2Dx41/2"H. Shpg. wt., 9 lbs.

19 0 091% KI-0	To less	case		rret	14.50
Attractive Gray	Case for	KT-61	15		
19 U 0913 Shp	g. wt., 2	2 lbs.		Net	3.95

SPECIFICATIONS

Power Output: 15 Watts IHFM, 12.5 watts RMS; Frequency Response: 15-60,000 Hz ± 2 db at 1 watt (average listening level), 35-25,000 Hz ± 2 db at full 15 watt output; Harmonic Distortion: 1.1% at full output: Hum and Noise: Phono —45 db. Aux/Tuner —75 db; Input Sensitivity: Aux/Tuner .5 volts, Mag Phono 1.5 mv, Ceramic 25 mv; Tubes: 2—ECL82/6BM8, EZ81/6CA4, ECC83/12AX7.



62 Lafayette Cat. No. 691

Prices and Specifications are Subject to Change Without Notice

___ Net 14.50

19 U 5801 MODEL 7001CR.


Easy To Build Educational Kits the fun way to learn Electronics



U.S.A

LAFAYETTE WIRELESS **BROADCAST/AMPLIFIER KIT**

Use it either as a Wireless Broadcaster or AM Audio Amplifier!




- Clean, Modern Styling

 Powerful Signal .
- Works With All Crystal and Magnetic . Mikes and Phono Cartridges
- Plays Through All AM Radios

Treat yourself and your family to hours of fun with this Lafayette Treat yourself and your family to hours of fun with this Lafayette Kit. Make your own radio programs, announcements, etc., through AM radios anywhere in the house, without wires or extra gadgets. Designed for easy construction by youngsters. It combines in one compact unit a powerful 3-tube wireless broadcaster and an audio amplifier. Clearly written instruction manual makes it a cinch to build. Operates on any frequency between 900 and 1600 kHz on your radio dial. It will accept any crystal or magnetic microphone. In addition, it may be used directly as a phono or microphone amplifier. No external preamp is required. Simple silde switch permits either form of operation. Just connect it to a PM speaker (-16 ohms) Conforms to ECC requiations, and is designed to pro-(4-16 ohms). Conforms to FCC regulations and is designed to pro-vide voice or record broadcasts. No license or permit is necessary. Complete with crystal clear instruction manual. Less Mike, For 105-125V AC or DC. Attractively styled metal cabinet, Size 4H x 8W x 43m D. Shog. wt., 3 ibs.

19 U 0903 Net 15.95 Same as above, but factory wired & tested. 19 U 0908 Net 19.95 Crystal microphone for above. Desk or hand held. 5 ft. cable, Shpg.

1 lb. Imported. 99 U 4543 Net 1.95



A LAFAYETTE SUPER-SENSITIVE PHOTOCELL ELECTRONIC RELAY KIT

Adjustable Super Sensitivity -- Works with Just A Flashlight At 250 Feet!


Ideal for sustained operation required for burglar alarms, door buzzers and for Instantaneous on-off operation required for counters. packaging, door opening, motor activation plus countless industrial packaging, door opening, motor activation plus countiess industrial applications. Switch converts unit from instantaneous "on-off" to sustained "on" operation. "RESET" switch opens the external circuit and turns off the alarm. The unit operates on 110 volts AC and incorporates the efficient 5823 cold cathode tube. A simple change in wiring (in instructions), as well as convenient input ter-minals, enables you to supply the external circuit with any desired voltage. Relay contacts rated at 3 amps permitting up to 300 watts external load on 110 Volts AC. Complete with all parts, photocell, tube chassis, cilkcerened metal cabinet ad earts to follow illustrated tube chassis, silkscreened metal cabinet and easy-to-follow illustrated instructions. Size: 3x4x5". Shpg. wt., 3 lbs.

19 U 0904 Complete Kit	Net	16.95
ACCESSORIES FOR ABOVE		
Electric Bell, 110V AC. Imported, Shpg. wt., 2 oz.		
99 U 9023	Net	1,99
Electric buzzer, 110V AC. Imported. Shpg. wt., 10 oz.		
99 U 9024	Net	1.79
6 Digit Electric Counter, Imported, Shpg. wt., 11/2 lbs.		
99 U 9011	Net	10.95
99 U 9011 LAFAYETTE LIGHT SOURCE	KI	1

Used to actuate electronic relay. Unlike units using sealed beam, this light source is carefully designed to throw a narrow beam of light so relatively small objects and people will "break" the beam. Unit includes adjustable focus and infra-red filter to make beam practically invisible. Range: white light—70°, infra-red 45°, with instructions, Size: $6Lx5Hx4^{\circ}W$. Shpg. wt., 5 lbs. Net 9.95 19 U 0911

Replacement bulb for above, GE No. 1700,

Net .69



Make Lafayette Your One Dependable Source for Everything in Electronics

32 U 4723 221/2 Volt Battery for Kit projects

Lafayette Cat. No. 691 63

Educational Computer and Kits

GENIAC[®] COMPUTER KITS



For Schools. For Science Fairs. For **Advanced Experimenters**

- Over 800 Parts
- · Computes, Reasons, **Plays Games**
- Composes Music, Forecasts Weather
- Design Your Own Computers

DDUBLE GENIAC

The newest kit in famous Geniac series! The "Double" Geniac contains over 800 parts. Two of everything in the Standard model, Offers the advanced experimenter a far wider range of activities. Perfect for school demonstration, Multiple setup is ideal for Science Fair projects—submit one or more designs, Build "electric brains" that test intelligence—code and decode—add, subtract, multiply and divide—solve puzzles

You build up to 125 exciting "electric brain" machines. Has special circuits for forecast-ing weather. No soldering required. Comes complete with extra pamphlets including 64-page "Simple Electronic Brains and How To Make Them." "Symbolic Analysis of Relay


-play games-forecast weather-reason in syllogisms-information and logic circuits. No soldering required. Easily assembled and operated, 64 page guide and reference book, beginners manual, wiring diagrams and many extra pamphlets outlining projects and methods. Complete with mounting rack and batteries. Shpg. wt., 12 lbs.

19 U 3803 Net 18.95

STANDARD GENIAC

and Switching Circuits," "Beginner's Man-ual," "Machine to Compose Music," wiring diagrams, etc. Complete with battery. 161/2x 1134". Shpg. wt., 6 lbs. 19 U 3804

Net 11.95



Here in kit form is an AC-DC hi-fi amplifier that presents deluxe features despite its amazingly low price. The separate bass and trebie controls permit adjustment of both low and high frequency response and bal-ance. Works equally well with both crystal or ceramic cartridges. Tube lineup consists of a 12AX7 amplifier and phase inverter, a pair of 35C5's in push-pull, having a power-packed

low-distortion output plus a 35W4 rectifier. The circuit utilizes an inverse feedback loop to reduce the level of hum and dis-tortion. Kit is complete containing all essen-tial parts, tubes and detailed instruction manual showing pictorial and schematic dia-grams. Shpg. wt., 4 lbs.

Net 12.95



LAFAYETTE CONVERTER MODULES

19 U 0101

VHF POLICE AND FIRE CONVERTER MODULE Convert your AM radio to receive police and fire calls in the 30 to 50 MHz band. Requires 9-volt battery. 19 U 5528 Net 5.00

AIRCRAFT CONVERTER MODULE

Same as above but for reception of 118 to 128 MHz. Band. Requires 9 volt battery. Net 5.00 19 U 5529

SHORTWAVE CONVERTER MODULE Same as above but tunes 25, 31, and 41 meter bands (7-12 MHz.). Requires 9 volt battery and wire. 19 U 5530 Net 5.00

GENIAC[®] PORTABLE MEMORY CARD FILE



How to file a card in 25 places simultaneously.

For the busy scientist, engineer, teacher, businessman or student who must keep basic information on file. NOW the Geniac Port-able Memory Unit, (PMU), a low cost Infor-mation retrieval system can conservatively sort 400 cards per minute—using no electri-cal parts or gadgets. Sorting is by rods. In-formation is coded into the cards by match-ing prepunched holes around the edge of the card. No previous knowledge is neces-cary. Once coded the card is filed at random cary. Once coded the card is filed at random and will automatically appear during sorts. Includes a single hand punch, sorting rods and 200 cards. Shpg. wt., 6 lbs.

13 0 39	01			net.	14.95
				more exte	
		s punct	ning of	double	
19 U 65					9.00
Additio	nal Card	is, Pkg.	of 100		
19 U 38	02			Net	3.92

MASTER FILE

includes same components as above filing cabinet and 1200 cards. Shpg.	
19 lbs. 19 U 3806 \$5 Monthly	9.95
Filing cabinet only. Shpg. wt., 7 lbs. 19 U 3807 Net	8.95

ANALOG COMPUTER KIT



- Ideal Introduction to Basic **Elements of Analog** Computers
- Work Over 50 Experiments
- Easy-to-Assemble with
- Screwdriver and Pliers Learn the Way to Sound Scientific Knowledge

Analog Computer Kit offering a basic intro-duction to computer theory-gives accurate answers to practical problems. Perform over answers to practical problems. Perform over 50 experiments — multiplication, division, powers, square roots, rocketry, Interest, radio-active decay, light, kinetic energy, etc. Level of accuracy better than 5%. The com-puter consists of a masonite, solid instru-ment panel, kits, potentiometers, meter spe-cially calibrated scales, guide and operating booklet. Easy-to-assemble. 19 U 3805 Shpg. wt., 6 lbs. _____ Net 14.95

FIRE, AIRCRAFT, AND SHORTWAVE ON YOUR PRESENT AM SET

Now you can have the thrill of listening to the exciting police broadcasts, the fire de-partment calls, communications between planes and ground stations as well as inter-national shortwave bands. Simple to connect to your present AM broadcast radio. Size: $134 \times 3/4 \times 1^{\circ}$. Control extends 142° . Shpg. wt., 1 ib.

64 Lafayette Cat. No. 691 Make Lafagette Your One Dependable Source for Everything in Electronics

Science Specialties

IC TRANSISTOR 12-in-1 EXPERIMENTAL ELECTRONIC KIT 12 Exciting Experiments, Using Integrated Circuits

This kit is the last word for young experi-menters wanting to learn about electronics. Employs integrated circuits, the elec-tronic miracle of the space age, built and housed in a transistor case no larger than a pea. Contains enough parts and detailed

instructions to build: BURGLAR ALARM RADIO RECEIVER **VOICE TRANSMITTER** CODE PRACTICE OSCILLATOR VOICE ACTIVATED SWITCH

ELECTRONIC TIMER AUDIO AMPLIFIER AUDIO OSCILLATOR LIGHT BLINKER METRONOME RAIN ALARM **VOICE TRANSMITTER**

98

Safe to use, no soldering or high voltage. Spring clips simplify assembly of parts which are used over and over. Uses one inexpensive 9-volt transistor battery, not supplied. Detailed instruction booklet. Shg. 21/4 lbs.

19 U 3103 Kit, less battery 99 U 6021 9V battery for above Net 7.98 Net .21



WEATHER STATION KIT

WEATHER STATUM KIT Fun to erect and fascinating to use, this weather station kit operates with flashing neon lights to show wind speed and direc-tion on indoor indicator board. Includes a sensitive air tank barometer with 4-ft, in-dicator column, a sling psychrometer to measure relative humidity, rain gauge with scale calibrated to measure 1/100th of an inch rainfall, cloud chart, weather map and forecasting manual. 150 ft. wire supplied, enough for a 2-story house. Safety power cord. All connections safe to touch. Shpg. wt. 3 lbs. wt., 3 lbs. 19 U 3002 Net 7.95




Easy to assemble, brings in loud, clear re-ception. Precision wound tuning coil, super-sensitive crystal, bakelite cabinet. No bat-teries or electricity required. Complete teries or electricity required. Complete with earphone with plastic ear-holder, an-tenna lead-in wire, and hardware. Requires external antenna (not supplied). Shpg. wt.,

IDS.						
9 U 5802				Net	2.75	
2 U 3098	Antenna	kit		Net	1.50	



NOVATRON A SCIENTIFIC INSTRUMENT FOR THE EXPERIMENTER



A scientific instrument capable of producing 75,000 volts—makes sparks up to 2" long— yet it is absolutely safe because the current is infinitesimal. The science-teacher-science lover—or hobbyist can perform experiments to astound students—friends—family. Makes smoke disappear-defy gravity-turns pro-pellers at a distance-transforms atomic energy into light-makes artificial lightning -smashes atoms- demonstrates ionic space ship drive-and many other experiments. Includes an experimental kit and illustrated experiment manual. A fine research tool that give years of beneficial service to the will institution or individual who owns one. 110 VAC. Imported.

Assembled-Shpg. wt., 4 lbs. 99 U 9008



TELEPHONE AMPLIFIER KIT

Transistorized circuit

Amplifies incoming -voice and projects it through built-in speaker so many people can listen in on conversation and participate si-Fits any standard phone-just place receiver on the amplifier. Easy-to-assemble, requires on cementing or soldering. Modern high-im-pact plastic cabinet, Shop, wt., 2 ibs. Net 5.38 19 U 3102 (less battery) 99 U 6021 Battery for above Net .21

THE SCIENCE 6



- Electric motor Chemistry Jet Propulsion Magnetism .

A set of 6 kits for the young budding scien-tist, each of which contains material for conducting experiments that teach basic principles in a scientific field. Six subjects covered are electric motor, chemistry, elec-tro-chemistry, jet propulsion, electro-magne-tism and mechanical physics. Shpg wt., 3 set of 6 kits for the young budding scien-Ibs. 19 U 3101

Net 4.98

99 U 6256 Net 12.95



- Weighs only 21/2 lbs.
- Range up to 400 feet
- For Hunting, Camping, Boating, Sports

A fully transistorized directional megaphone A fully transistorized directional megaphone at Lafagette's low price. Lightweight, it car-ries your voice over 100 yards or above noise. Just press the trigger and talk, Fea-tures variable volume control and carrying strap. Uses 4-standard "D" cells (not sup-plied with unit). 11" long. Shpg wt., 3 lbs. 44 U 1509 Net 7.95

11/2-volt D batteries, 4 required. Imported. Net ea. .15



UNTIL JAN. 1, 1969

Atomic cloud chamber with . projector illuminator

Ingenious kit for studying some basic nu-clear physics by experimentation. See the vapor trials of alpha and beta particles, and of cosmic rays. Shows exploding, atoms, in-struction book covers such experiments as detecting radioactivity with a cloud cham-ber, with a spinthariscope, and with raber, with a spinthariscope, and with ra-dio autographs; checking radioactivity with an electroscope, detecting ionization and others. Kit includes radioactive materials. Shpg. vd., 3 lbs. 19 U 3001

Net 6:95



Contains 48 specimens of ore, organics, common and uncommon minerals. Each specimen is tagged with name and clas-sification. An excellent introduction to contend mineral interference rock and mineral identification. Imported. Shpg. wt., 1 lb. 99 U 7155

Net 2.50 VOL. 11 Includes additional specimens of some of above plus carbonates, tantaline, phosphates, and gemstones. 48 speci-mens, Imported. Shpg. wt., 1 lb. 99 U 7156 Net 2.50 Net 2.50

Special Combination. Buy both volumes and save. You get all 96 specimens. Shpg. wt. 2 lbs. 99 U 7157M Net 3.95

Make Lafayette Your One Dependable Source for Everything in Electronics



Introduction to painting by Norman Rockwell. Four famous artists show how they would paint the same scene. Step by step instruc-tions in full color lead beginner from first line to finished painting. Woodgrained, hinged cardboard case with metal latch and handle contains 8 tubes oil colors, permaiba white, palette, brushes, can-vas panel and canvas sheets, easel etc. Shpg. wt., 7 lbs. 15 U 5902 Net 6.75



· Grinds and Polishes Rocks, and Gem stones A fascinating hobby-craft, You can polish all rocks to a sleek, gleam-A fascinating hobby-Craft, You can poilsh all rocks to a sieek, gleam-ing gem-like finish. Use them for decoration, put in settings, etc. Tumbling machine has two side by side barrels with a total capacity of approx. 6 lbs. of stones. This is not a knock-down kit, but a completely assembled unit ready to run with powerful continuous duty motor that operates on standard 110 VAC current. Size: 7" x 9" 11". Complete with cans, but less grit and can liner. Shpg. wt. 7 lbs. 15 U 4401 Net 16.95

Accessory pack. Asst	of coarse	and fine	grits,	pre-polish	and	polish,
and liners. Shpg. wt. 15 U 4402	, Z 105.				Net	2 95

Stones. 1 lb. pkg. of Oregon Beach Agate and Jasper. 15 U 4403 Net 1.69

SCULPTURE STUDIO

Featuring the unique "Sure + Sculpthead" in a Complete Creative

Anyone can sculpt with this new unique method. The "Sure + Sculpt Head" is a preformed armature that locates the main features of the head so even beginners can model the clay and fill in the de-tails. This is a complete creative outfit which includes 4 lbs, each of modeling clay, clay stone, wood stone and bronze stone, 9 tools, revolving model stand, tube of Patina coloring, a sculptors armature and the unique "Sure + Sculpt Head." Instruction booklet with detailed instructions. Shpg. wt., 28 lbs. Net 19.95

Basic kit for the beginner. Contains the "Sure + Sculpt Head" preformed armature which locates the main features of the head; pre-formed armature which locates the main features of the head; enough clay for an average head, sculptools, patina and instruc-tions. Shpr. wt. 5 lbs.

Net 3.95

CUT

JON GNAGY'S TV MASTER ART STUDIO featuring the MATCHSTICK MANNIKIN



This 14" x 20" box is jammed full of art materials and instructions. Includes 5 separate instruction books: The 64-page "Learn to Draw" book with over 200 illustrations to make it easy for beginning artists of all ages; 48-page full color "Learn to Draw Landscapes"; 48-page in color "Learn to Draw Human Figures" and two 16-page full color books on "How to Paint in Watercolors and Pastels." Includes the ftexible 3-dimensional "Matchstick Mannikin" to be used as a model for drawing figures in action, two 8 color watercolor pai-lettes in trays, 24-colored pastels, brushes, paints, sketching paper and other materials. Shpg. wt., 4 lbs. 15 U 5001 15 U 5901 ---- Net 3.95

No Money Down

THE "GRAPHICA" ART PRESS

Graphic art expression is one of the most rewarding of all the crafts. besigning and then reproducing one's own creation, card, wood or linoleum block print is both a thrilling and a truly satisfying ex-perience. The "Graphica" is a fine art press for the fine reproduc-tion of wood and linoleum block prints, type and photo-engraving proofs and lithos from metal plates. Has a removable steel chase, 8" x 10"; two 2" x 10" rubber rollers set in bronze bearings with the unper driving roller balor education to control the article line. the upper driving roller being adjustable to control the printing im-pression. Overall size: 2014" x 13" x 10" including handle, Beauti-ful gray hammertone body finish. Complete with steel bed and chase. Shpg. wt., 24 lbs 13 U 3560WX \$5 Monthly Net 54.95

66 Lafayette Cat. No. 691


Depend on Lafayette For Complete Stocks, Lowest Prices, Fastest Service

Lafayette's BEST SELLING TEST EQUIPMENT



OUALITY TUBE & TRANSISTOR CHECKER KIT

Easy To Build Step By Step Instructions



38 U 0101W \$5 Monthly

ctory

Wired

A high quality, accurate VTVM employing a giant 64%" easy reading 400μ A meter. 11 megohm input resistance. AC RMS voltages may be read directly up to 1500 volts and resistance from 0 to 1,000 megohms in 5 overlapping ranges. Has zero-center scale for alignment of FM and TV detector circuits. Push-pull amplifier electrically iso-

of FM and TV detector circuits. Push-pull amplifier electrically iso-lates the meter movement — meter is virtually impossible to burn out. Precision 1% multiplier resistors. SPECIFICATIONS: DC VOLT-METER RANGES: 0 to 3, 30, 150, 300, 1500 volts. Input resistance: 11 megohms (1 megohm in probe) on all ranges. A.C. VOLTMETER RMS RANGES: 0 to 3, 30, 150, 300, 1500 volts. PEAK-TO-PEAK RANGES: 0 to 3, 30, 150, 300, 1500 volts. PEAK-TO-PEAK RANGES: 0 to 8, 80, 400, 800 volts. DECIBEL RANGES: —10 to -45, +6 to +25, +26 to 1-45 db. Response: 30 cps to above 5 Mc. OHM-METER RANGES: 0 to 1000 megohms in 5 overlapping ranges. ZERO CENTER VOLTMETER RANGES: 0-1.5, 15, 75, 150, 750 volts. Com-plete with 1½ V battery, instructions, and 3 probes: Common, AC volts/ohms and DC volts probe. Size 7½2Hx6½2WX5″D. For 110-120 V 60 cycle AC. Shge, wt., 7 lbs. 38 U 0101W 55 Monthly. Net 24 95

 38
 U
 0103
 Accessory RF
 Probe Shpg. wt., 1
 1b.
 .

 38
 U
 0106
 H.V.
 Probe. Extends range to 30,000
 V, Wt. 1
 1b.

 38
 U
 1501
 Leather
 Case For VTVM, Shpg. wt., 1
 1b.

Only actory Wired

Net 34,95

Net 3.95 Net 5.85 Net 2.95





and Tested

Enjoy big dollar savings when you build this fine tube and transis-tors tester kit. Tube section features testing of compactrons, nuvis-tors, novars, and 10-pin tubes in addition to 7- and 9-pin miniatures, octals and loctal types. Short leakage and intermittant tests avail-able. Quality is indicated directly on an easily read, 3-coior meter scale. Each section of multi-purpose tubes is checked separately. Hi-Fi, Magic-Eye, and voltage regulator tubes can also be tested. Checks transistors: PNP and NPN, high or low power, for AC amplifi-cation. Tells immediately whether or not transistor is operable. Supplied with batteries, full instructions, and ring bound manual of tube charts. For 110 VAC 60 Hz. Size: 84/2 x 74/2 x 4". Wt. 5 lbs. 38 U D112W

As above, wired and tested. 38 U 0113W \$5 Monthly

volt ranges.

Net 42.95

SUPER Deluxe 50,000 OHMS PER VOLT MULTITESTER

SPECIFICATIONS

 Ranges
 DC
 Volts:
 0-0.25-2.5-10-50-250-1000
 @ 25K
 ohm/V;
 0-0.125-1.25-5.0-25-125-500
 @ 5K
 ohm/V;
 0-1.15-5.0-25-125-500
 @ 5K
 ohm/V;
 0-1.15-5.0-250-250
 @ 250
 mV;
 DC
 mA:
 0-2.5-25-250
 @ 250
 mV;
 DC
 mA:
 MA:
 M:
 0-2.5-25-250
 @ 250
 mV;
 DC
 mA:
 M:
 M:

- 50K Ohms Per Volt DC 5K Ohms Per Volt AC
- Giant 5¹/₄" Meter
 Built-in Overload Protection
- Low Voltage Ranges For Transistor Circuitry

Super-sensitive, self-contained, portable Multi-Tester! Employs 1% precision resistors and high quality components for an accuracy of better than 2% on DC; 3% on AC. Useable at frequencies up to 100Kc, Meter movement is self-shielded with spring-backed jewels.

Also has polarity reversal switch and easy-to-read range indicator. Built-in meter overload protection. Size: 5½ x 234 x 642°. With bat-teries and test leads. Imported. Shpg. wt., 4 lbs. 99 U 5076 Net 24.95



Test Equipment Is Available On Easy Pay Plan-No Money Down

Listen to I.S. Weather Forecasts and Disaster Warnings! with LAFAYETTE **VHF RECEIVERS**

MONITOR

STATE, COUNTY AND MUNICIPAL POLICE-FIRE OEPARTMENT-CIVIL DEFENSE - RAILROADS - TRUCKING - HIGHWAY MAINTEN-ANCE - FORESTRY - AVIATION - CONSERVATION - PETROLEUM and INDUSTRIAL ACTIVITIES.

POLICE AND FIRE DUAL BAND SOLID STATE FM RECEIVER

2 Receivers In 1! 2 Bands: 30-50 MHz + 152-174 MHz

+17 Transistors = Super Sensitivity, Selectivity



NTEGRATED

IRCUIT

Model PF-175

An advanced FM receiver that is outstanding in performance and features. Covers two VHF communications bands with super-sensi-tivity—fully tuneable or can be crystal-controlled for reception on a sincle frequency in either band. Also tunes to 162.55 MHz and 163.275 MHz U.S. Weather Bureau reports and disaster alarms in many parts of the country. Superheterodyne circuit includes tuned FF and mixer stages. Four IF stages, each using an advanced space-age integrated Circuit (IC). No larger than a tiny transistor, each IC is actually a complete circuit with 5 transistors and 2 resistors—you get the equivalent of 20 transistors in the IF stages alone! 100% solid state design offers top reliability too! "Instant-on" transistor circuit permits immediate response to emergencies! Built-in universal power supply assures continuous monitoring under any conditions—the unit also operates from a 12VOC battery supply for field use or as an emergency portable If AC power fails. Front panel controls include a 4-position selector for choice of Xtal or

95 No Money Only C Down Operates on 117VAC and 12VDC Sensitivity 0.7µV for 20 db Quieting

CRYSTAL CONTROL PLUS TUNEABLE RECEPTION

- Tuned RF and Mixer Stages
- 4 IF Stages with IC's
- Tape Recorder Output Jack

Tuneable reception on either of the two VHF bands. Variable squeich Tuneable reception on either of the two VHF bands. Variable squelch control lets you slience the receiver during no-signal conditions to reduce monitoring fatigue, Also equipped with illuminated slide-rule dial, plus handy on-off volume control. Has a handsomely styled vinyi-clad steel cabinet in a simulated walnut wood-grain finish, and equipped with built-14" (front-mounted speaker and external phone jack. Size: 1314W x 7142D x 6"H. Imported. Shpg. wt., 17 lbs. 99 U 2583WX Model PF-175 (less Crystals) Net 99.95 CRYSTALS FOR CRYSTAL RECEIVE — Specify Exact Operating Fre-quency, subject to 4 weeks delivery.

40 U 8207Y 30-50 MHz	Net 5.95
40 U 8208Y 152-174 MHz	Net 5.95
"Range Boost" Ground Plane Antenna for 30-50 MHz &	130-174 MHz.
40 U 0105WX Shpg. wt., 6 lbs.	Net 19.95
2 Band Center Loaded Indoor Antenna for 30-50 MHz an	Net 8.95
99 U 2610 Shog, wt. 2 lbs.	

POLICE AND FIRE SINGLE BAND SOLID STATE FM RECEIVERS


CRYSTAL CONTROL plus TUNEABLE RECEPTION	4 HIS Transistors
F = 30 34 31 42 46 50 m	Only Model PF-30 30-50 MHz Model PF-60 152-174 MHz
00000	• 4 IC's Plus 12 Transistors for PF 30 • Crystal Control Plus Tunable Reception • 117 VAC and 12 VDC Operation • Tape Recorder Output Jack
Same super-sensitive solid-state FM receivers as Model PF-1 except that these are single band models covering the high or it bands. Advanced IC's included in the IF stages, plus tuned RF at Mixer stages. Also feature same rugged design for troubleft	99 U 2590WX Model PF-60 152-174 MHz, \$5 monthly Net 79.95 nd 99 U 2591WX Model PF-30 30-50 MHz, \$5 monthly Net 79.95
operation and have universal power supply for either normal 1 VAC operation or 12 VOC battery operation for field use or duri emergencies. Model PF-60 can tune to 162.55 MHz and 163.275 M U.S. Weather Bureau reports and disaster alarms in many parts the country. Controls: Variable Squeich, On-Off Volume, Tuning a Selector (Tune-Xtal) Less Crystal. Size: 134/4W x 74/2D x 6-H. In	17 CRYSTALS—Specify Exact Operating Frequency, 4 weeks delivery. ng 40 U 8208Y 152-174 MHz Net 5.95 240 U 8207Y 30-50 MHz Net 5.95 40 U 0116W Ground Plane Antenna for 130-174 MHz. 2 lbs. Net 7.50 Net 7.50 40 U 0101Window Antenna for 30-50 MHz. Wt. 3 lbs. Net 7.50

68 Lafayette Cat. No. 691 Depend On Lafayette For Quality Communications Equipment



Depend On Lafayette For Quality Communications Equipment

Lafayette Cat. No. 691 69



Solid-State Engine Analyzer Will Test:

Dwell or Cam Angle Measure Engine Speed **Adjust Carburetors Adjust Points Check Condensers Check Coil Resistance** Measure Carbon Suppressor Spark Plug Cables **Check Batteries Test Alternators, Generators & Regulators Check Shorts & Opens In Wiring** Checks All Lamps, Fuses, Relays & Switches **Checks Diodes**





- Tunes up Electronically, Any **Car Ever Made**
- Three Dwell
- Easy-to-Read
- Use to Adjust Carburetors -

Made in U.S.A.

Net 5.75

Tests cam Dwell angle and engine RPM on 4, 6 or 8 cylinder cars, 6 or 12 volt right on the engine. Giant $6\lambda_2$ easy-to-read meter makes it simple for anyone to adjust points and carburetors to insure maximum gas economy and quiet engine running. RPM read-ings are also essential to properly service automatic transmissions. Three dwell angle scales are provided: 0 to 45 degrees, 0-60 de-grees, and 0 to 90 degrees. This instrument is suitable for dwell angle adjustment on all foreign and domestic cars. Dual range tachometer 0 to 1000 rpm for precise carburetor adjustments. 0 to 5000 rpm, suitable for making all other tests at high engine speeds. Complete with instruction manual. Shgs. wt., 4 lbs. Net 28.50 11 U 0101W

TIMING LIGHT WITH REMOTE STARTER



COMPLETE SOLID-STATE ENGINE ANALYZER

For All Electrical Systems 6, 12, 24 or 32 Volt —Regular, Transistorized or Magneto Ignition, 8, 6 or 4 Cylinder 4 or 2 Cycle Engines.

- Large 6" D'Arsonval **Double Jeweled Meter**
- Do-It-Yourself Instruction Book



No Money Down


Performs "FIFTEEN" authoritative tests under actual operating conditions! Tests output voltages in three separate ranges: 0-3.2, 0-16, 0-32 VDC. Determines the condition of batteries, battery cables, spark 0-32 VDC. Determines the condition of batteries, battery cables, spark plug wires, coil wire, solenoids and starter motors. Permits precise setting of distributor points (cam-dwell angle) and test centrifugal advance mechanism on three scales: 0.45° for 8-cylinder, 0.60° for 6-cylinder, and 0.90° for 4 cylinder, RPM scales allow precise set-ting of carburetor air/fuel mixture and engine RPM in four sep-arate scales: 8 or 6-cylinder (low) 0.1,200, (high) 0.6000; 4-cylinder (low) 0.2400, (high) 0.12,000. Measures amps from -5 to +90. Re-sistance scale from 0.100,000 ohms. High voltage coil and spark test scale from 0.30,000 volts. Operates on single "D" cell battery. Complete simple operating instructions allows anyone to use this instrument to its full capabilities. Detailed information supplied by make and model. Ruyged steel case finished in baked ename! Rear make and model. Rugged steel case finished in baked enamel. Rear storage compartment holds 51/2' leads, clamps, plug Jacks and con-nectors, Size: 12x61/2x6", Shpg. wt., 10 lbs. Net 49.95 Net .15

11 U 2450 \$5 Monthly 99 U 6256 Battery For Above





Tune up the important systems of your car, truck or marine engine. Kit includes 24/2" dial compression tester, vacuum fuel pump tester and timing light with remote starter switch. Compression tester locates valve, ring, piston and cylinder troubles. Checks pressure and suction of fuel pump and vacuum system. Comes with rubber tubing for easy connections. Brilliant prefocused timing light fea-tures remote starting switch. For 6, 12 or 24 volt systems. 11 U 4209 Shpg. wt. 5 lbs. Net 10.95





- Loud, Police-type Siren Gives 3- Way Protection-All Ooors. Trunk and Hood
- Pick-Proof On-Off Key Lock Mounts on Outside of Auto
- Complete—Easy To Install

Get 24-hour protection on your car, station wagon or truck with this Get 24-hour protection on your car, station wagon or truck with this complete burgiar alarm system. The sharp penetration sound of the police-type siren will scare thieves away. The siren blasts off when anyone opens a door, the hood or trunk. The alarm can be shut off only with the alarm key. Complete system includes siren with trum-pet, 4 door switches, hood switch, trunk switch, 2 brackets, electri-cal lock with 2 keys, wire, mounting hardware, instructions and 2 warning decals. For 12-volt cars only. Shpg. wt., 3 lbs. Not 27 88 11 U 6201 Not 27 RR

Make Lafayette Your One Dependable Source for Everything in Electronics

Exciting Holiday Gifts For Your Favorite Driver -

DELUXE 31/4" OIL-AMMETER WATER PRESSURE GAUGE

As 95 Low AS

All Electric—No Tubing

End End guess work and space problems with this beautiful three-in-one gauge. Illuminated dial face gives accurate indi-vidual readings of oil pressure, amperage, and water tempera-ture. Amp. gauge reads ____0 guess work and space

amperage, and water tempera-ture. Amp. gauge reads -60 to +60, oil pressure registers 0 to 80 lbs., and water tem-perature is indicated from 100° to 220°. Fits all 12 volt negative or positive ground alternator or generator electrical systems. Hand of the order and the phenerator alor die order age. Sure 360° universal mount and durable chrome zinc due cast case. Sup plied with wire, adjustable mounting ring, and senders. 11 U 4203 Shpg. wt., 242 lbs. Net 19.90 Net 19.95

OL AND AMMETER GAUGE—Similar to above, less water temp, gauge 11 // 4204 Shng. wt. 2 lbs. Net 15,95



1595

31/4" ELECTRONIC TACHOMETER

- Heavy Chrome Die Cast Case
- Shift Set Needle
- 0-8.000 RPM
 6 or 12 Volts

An attractive 31/4" illuminated black and white face tachometer with precision 0-8000 RPM scale with precision 0-8000 RPM scale and adjustable shift indicator, Factory calibrated solid-state cir-cuitry and durable, vibration-proof chrome zinc die cast construction assure steady, accurate readings throughout the entire range. Can be used with transistor ignition bettore that 2000 meluscal count systems. Has 360° universal mount slim line case for easy dash mountshin hine case to easy dash mount-ing on compacts or on steering wheel column. Comes complete with installation klt. For 6 or 12 volt positive or negative ground. Shgg, wt., 2 lbs. 11 U 4233 For 8 Cyls. ... Net 15.95





31/4" 270° "WIDE-SWEEP" TRANSISTORIZED TACH

Precision 0-10,000

or 8 Cylinder Our finest tachometer features a wide sweep 31/4" illuminated black and

RPM Scale For 6

illuminated black and white scale, precision D'arsonval movement cal-ibrated to 2% accuracy, and a shift set needle with 270° swing, Equal divi-sions between graduated markings for pin-point ac-curacy over the entire range. This handsomely studed instrument is vice.

vir-

range. This handso styled instrument is

95

(A)

GAS SAVER VACUUM GAUGES



(A) DELUXE 31/4" TWIN VACUUM GAUGE. Automatically shows miles per gallon. Instrumented driving saves up to 40% of your gasoline dollars by showing you how to drive for the best economy or power. Also checks your engine constantly by measuring its mani-fold pressure on a clear, four color illuminated dial. 360° universal mounting, zinc die cast case, T connector, 6 ft. vacuum tubing, steering column mount ring and instructions. Fits any car. 11 T 4205 Wt., 242 lbs. Net 12.50 (B) "BULLET" VACUUM GAUGE. Shows most efficient engine speed. 2" meter in chrome bullet housing. Illuminated dial indicates maxi-mum engine efficiency. Warns of leaky Intake and exhaust systems or improper adjustment of valves. (A) DELUXE 31/4" TWIN VACUUM tappets, and timing. Fits any car. 11 U 4222 Wt., 1 lb. Net 6.95



tion. Has deluxe 3" long chromed zinc die cast housing and 360° universal mounting for dash, console, or steering column mounting. For transistor or regular ignition systems at 6 or 12 volt positive or negative ground. Shpg. wt., 21/2 lbs.



Depend on Lafayette For Everything in Electronics

$\pi_1 + f_{\infty}$ Automotive Accessories & Specialties

DRIVER ALERT Warns of Traffic Zones!



- Gives Advance Warning Miniature and Com-
- pletely Transistorized
- Complete w/Long Life **Mercury Batteries**
- **Clips Easily on Sunvisor**

Miniature electronic detector gives an audible warning whenever it Miniature electronic detector gives an audible warning whenever it intercepts a radar beam. Dual-Band circuit detects all commonly used police radar speed meters and traffic control devices, both vertically and horizontally polarized, to promote safer driving, finiaturized and completely transistorized. Top quality components; printed wiring; 8 transistors; two 1,000 hour mercury cell, self-testing batteries (equivalent to 35,000 miles of driving at 35 M.P.H) Magnesium case eliminates radio. TV and other Interference. Weighs only 13 ozs., measures 3%W x 2¼ x 3¼ °D; clips to survisor. Com-plete with batteries, survisor clip. Instructions included. Shpg. wt., 1½ lbs. 11 U 4201 Net 29.95

This item not intended for resale in States where its use is for-bidden in motor vehicles by public regulation.



15

Plugs Into Cigarette /1 **Lighter Outlet**


Portable and powerful! Designed to give trouble free service. Cleans up-holstery, carpeting, ash trays, under mouldings. Sucks up dust, dirt and lint into a removable container. Top handle for easy handling. Complete with 13 ft. power cord, on/off switch and two attachments, utility pick-up and two attachments; utility pick-up and a long nozzle to reach hard to get at piaces. Power source: 12 volts DC, imported. Shpg. wt., 2 lbs. 11 U 3350 Net 4.95

Heavily chrome plated socket set. Con-tains 6 Pt. socket; 34,", 32,", 34,", 34,", 34,", 36,", 34,", 14,". 8 Pt. socket sizes: 14,", 34,", Plus 2" extension, 6" extension, 514," flex handle, 414," crossbar, 514," reversible ratch-et. Each set packed in heavy gauge lacquered metal box. Imported. Shpg. wt., 2 lbs.

CHROME PLATED



"FIAMM" ELECTRO COMPRESSOR AIR HORNS



Model 32. Custom quality chromed trumpets with loud clear, pierc-ing, continental tone. Range up to ½ mile. Ideal for use on trucks, sports cars, emergency vehicles, buses, boats, etc. Compressor pumps air to trumpets instantly when horn is pressed—there's no waiting for pressure to build up. Supplied with Town and Country Selector Switch which enables use of original horns for city driving. Complete with: 2 horns (7" & 9"), compressor, fittings, horn relay, and all necessary hardware. For 12 volts only. From Italy. 11 U 8250 Shpg. wt., 6 lbs. Net 19,95 Model 22. Same as above but trumpets are enameled die-cast metal. Net 15,95

11 U 8251 Net 15.95



A real joy for the sports car enthusiast. An authentic motor oven horn approved as an exact reproduction in sound and appearance by members of antique car, hot rod, and horseless carriage clubs the world over. Chrome plated bell with black wrinkle painted housing. With horn button, wire, bracket and instructions. Shpg. wt., 1 lb.


11 U 3001 6-volt 11 U 3002 12-volt		10.95
For Compacts and		
11 U 3007 12-volt		10.95
11 U 3008 6-volt	 Net	10.95

HIGH QUALITY DROP-FORGED SOCKET SETS



Prices and Specifications are Subject to Change Without Notice

Capacitive Discharge Ignition System



With Silicon Controlled Rectifier 95

No Money Down

 Quick, Easy Installation
 Constant Spark to 10,000 RPM Extremely Low Input Power-Less Load On The Engine

Combines all the advantages of capacitive discharge with those of solid state circuitry. discharge with those of solid state circuitry. Patented circuitry eliminates point bounce problems and positively fires plugs regard-less of point condition. Fast rise time spark prevents fouling from three to ten times. Point contacts last indefinitely, Eliminates mis-firing, reduces oil contaminants, pro-longs engine life. Provides smoother and more efficient operation at all speeds; con-stant spark up to 10,000 RPM; with dra-matically improved acceleration and econ-matically improved acceleration at all speeds; distance of the starting in all provides faster. easier starting in all omy. Provides faster, easier starting in all weather. Reliability and performance proven

on thousands of military, commercial and private vehicles from Alaska to Cape Town, Unit operates with all commercial and orig-Inal equipment tachometers. Installs im-mediately with two simple connections to the existing coll, leaving the standard sys-tem intact. No temperature limitations mounts anywhere. Requires only a very small amount of input power - reduces load on engine and electrical load. For 12 volt negative ground system only. Shpg. wt., 21/2 lbs.

11 U 8450 \$5 Monthly

Net 39.95

DEFROSTER/DEFOGGER KIT FOR REAR WINDOW



- Enjoy The Convenience and Safety of Clear Rear Vision
- Adjustable Louvers Direct Air Where Needed .

• Adjustable Louvers Direct Air Where Needed Rear window defrosting klt with giant defrosting capacity — 50 cu. feet of warm air per minute quickly defrosts and defogs rear window regardless of weather. Unit is easylly installed in trunk; does not interfere with spare the or luggage space. Adjustable louvers to direct flow of air are recessed; will not interfere with vision or rear deck space. Dash switch controls defroster operation. Improves heating and air conditioning operation of car by increasing air cir-culation. Kit includes heavy duty motor, defroster hoses, adjustable louvers, switch, wiring, templates, and installation instructions. Fits all cars, (except station wagons. convertibles, and rear engine cars) for 12 volt electrical system. Shpr., wt., 5 ubs. Net 14 95



hardware and instructions.

11 U 2750 Set	of 2	Amber for front. Wt., 1/2 lb.	Net	3.95
11 U 2751 Set	of 2		Net	3,95

Depend on Lafayette For Everything in Electronics

LAFAYETTE BOOSTER CHARGER CUT 2.00 Sale Ends Jan. 1st, 1969 50 Amp. Battery Boost

Power

10 Amp. Battery Charger .

Starts cars fast in the coldest weather with automatic 50 amp, boost. Perfect for 6, 8 or 12 volt batteries, Operates as a booster and as a 10 amp, charger. Color coded meter indicates battery condition, charging and booster rate, and correct polarity. Full wave charging circuit, triple density selenium rectifiers, and auto-reset circuit breaker; heavy duty 8' input cord, and heavy duty 6' cables with clamps. Chrome plated front panel and baked enamel back and sides. UL listed. Size 8H5 3/4 Wx6"D. Shpg. wt., 13 lbs. 11 U 0106 Net 24.95



- For Both 6 & 12 Volts **Built-in Meter**
 - Automatic Reset Circuit Breaker

Full 3-amp battery charger for quick starts in all weather. Edge view colored meter shows actual rate of charge and indicates battery condition. Reset cir-cuit breaker gives automatic overload protection. Has 6 and 12 volt selector switch. Delivers tapering charge. Vented steel case; may be wall mounted. 6 ft. battery leads with 50 amp clips. Size: 6x4/2x534". For operation from 105-125 Volt. 60 Hz AC. 11 U 7604 Net 8.75

SCHAUER "KAR-START"

Generates Five Times The • Normal Amount of Spark

Helps start wet or cold, 6 or 12-volt car enstart wet of cold, b of 12-volt car en-gines instantly. At instant of starting KAR-START sends five times the normal amount of spark from plugs for sure-fire starts. Used for starting only—disconnects when engine is running. Won't damage plugs or distributor. Easy to Install. Shpg. wt., 8 oz.

11 U 5520



Lafayette Cat. No. 691 73

Net 3.95



DELUXE SOLID STATE CAR RADIOS DELUXE SOLID STATE FM STEREOPHONIC CAR RADIO The Ultimate in FM Car **Radio Entertainment** Was 99.95 Now **QQ**95 Only FM 88 92 96 100 104 108 STERED Until 1/1/69 With 2 Instant-Mount Speakers For 12 Volt Negative Ground Systems

Enjoy rich, vibrant FM stereophonic programming in your car with this magnificent performing FM stereo radio. Simple to install under the dash with adjustable brackets—only 2 screws are required to mount the radio. Features powerful Hi-Fi audio circuit for true stereo sound reproduction on both channels. Stereo Indicator Lamp illuminates when station 1s receiving stereophonic sound. Dual channel tone and volume controls. Balance control permits adjust-

ment of channel separation for perfect sound balance. Illuminated slide rule dial. Specifications: 23 Transistor, 11 Diodes, Output 5 watts per channel. Sensitivity: 5 μ v. For 12V negative ground systems. Includes 2 Instant-mount speakers in plastic housings. Size: 9"W x 142"H x 644"D. Shpg. wt., 6 lbs. Imported.

17 U 7437 \$5 Monthly Net 89.95

SLIM DECORATOR STYLED UNDERDASH CAR RADIOS AND CONVERTERS



DELUXE SOLID STATE AM CAR RADIO—Superb quality in a completely self-contained universal AM radio. Features all-transistor clrcuitry for Instant action, continuously variable tone control, built-in speaker, and slide rule dial for fast accurate tuning. AVC assures stable, fade-free reception of distant stations. Sensitivity: 10 μ v: peak audio output: 2 watts; speaker: 342" round; 6 transistors, 2 diodes. Size: 176x44/2x9". For 6 or 12 Volt Negative or Positive ground. Imported. Shpg. wt., 5 lbs. 17 U 7417

Net 29.95





SOLID STATE FM CAR RADID CONVERTER-Converts your existing 12 volt negative ground AM radio to the FM band. All solid state circuit Volt negative ground Am fails to the rm band, An sond state click (6 transistors, 8 diodes) gives instant operation. Built-in AFC permits drift-free reception of distant FM stations. AM/FM switch allows instant selection of AM or FM stations. Sensitivity: 4 μv . Size: $176 * x 4 * x 9^{-}$. Imported. Shpg. wt., 4 lbs. 17 U 7420 \$5 Monthly ________ Net 39.95

SHARP SOLID STATE FM-AM CAR/PORTABLE RADIO

- Install In Any 6 or 12 Volt Car or Boat System
- Use As A Portable, or On 117VAC 60 cps With Built-In AC Line Cord

Versatile "multi-purpose" AM/FM 12 Transistor Radio designed to provide outstanding reception anywhere. Used as an AM/FM car radio, it locks into its specially designed under-the-dash bracket and operates thru the car's electrical system (6 or 12 volts pos./ and operates thu the car's electrical system (6 or 12 volts pos.) neg. ground). Slips easily out of bracket for use outdoors—and plays on 4 "C" Batteries (included). For indoor use, it operates on regular 117VAC household current with the AC line cord provided. Pushbutton band selector controls. AFC for drift free FM reception. Ferrite Bar AM antenna, telescoping FM antenna. large 4" speaker, and wood grain finished front panel. 9W x 636H x 212"D. Imported. 17 U 5301 \$5 Monthly Shpg. wt., 5 lbs. 99 U 6257 Extra "C" batteries (4 req.) Net 39.95 Net ea.



Designed For All Standard Models Up To 1969



SDLID STATE PUSH-BUTTON AM-FM RADIO-Matches decor of car's Sucho State Push-Burlon Am-Fm RADIO—Matches decor of car's interior. All solid state circuitry with hi-If features. 11-transistors, 2-diodes. AFC on FM for drift-free performance. Push-pull output, high sensitivity for long distance reception on both AM and FM. 4-IF stages on FM. Continuous variable tone control. Large 6" external speaker. Shpg. wt., 6 lbs. Imported.

17 U 7429 For up to and including 1967 Volkswagens Net 69.95 17 U 7440 For 1968-9 Volkswagens Net 69.95

SOLID STATE PUSHBUTTON AM RADIO-Rich, radiant styling. Custom



Complete With Car Bracket With Lock and Key, Batteries, AC Line Cord, Earphone Radios Are Available On Easy Pay Plan-No Money Down



LAFAYETTE SOLID STATE CAR **REVERBERATION AMPLIFIER**

JUNIO

Recreates Concert Hall Listening In Your Car

DELUXE LAFAYETTE SOLID STATE CAR REVERBERATION SOUND SYSTEM

For 12 Volt Negative Ground AM and FM Auto Radios-Convenient Under Dash Mounting • Tuneable ... Electronic Tuning Control. "Custom Fits" the Sound to your Car, to your Ear.

Deluxe solid state tuneable reverberation unit converts your present

Deluxe solid state tuneable reverberation unit converts your present car radio into a magnificent sound system offering concert hall realism. Beautifully styled to enhance the decor of your car. Con-sists of the tuneable amplifier control unit which easily mounts under the dash panel of your car by means of adjustable brackets. 6 x 9" dynamic speaker and chrome grill for rear seat mounting, and all connecting cables. Includes simple instructions for con-necting the reverb unit to your regular car radio system and for separate rear seat speaker. Reverberation is an entirely different approach to sound reproduction. Normal sound reproduction from a single source has a flat, one dimensional effect; with proper sound delay thru "REVERBERATION," tones are created with a truly third dimension for concert hall originality. The LRE unit features complete sound control—simplified controls permit balance of sound between front and rear seat speaker. Verb-A-Tone control adjusts the amount of reverberation to your taste. Specifications for 12 volt negative ground cars, peak audio output—4 watts, 2 transistors. Size: 1% x 4 x 9" imported. Shog. wt. 5 tos. **17 U 0109**

Auto Reverb

Only

Complete with

6"x9" Speaker Chrome Grill, and All

Connecting Cables

Net 22,95

Only

Including **Mounting Bracket** Less Speaker

Can Be Used With

Any 12-Volt Negative Ground Car Radio—AM or FM

NOW—listen to the most dramatic sound of music you have ever heard in a car with the Lafayette solid state Automobile Reverbera-tion amplifier. When used with your present 12-volt negative ground AM or FM car radio, the Lafayette Reverb amplifier creates a second set of reflected sound waves reproduced through a rear seat speaker (not included—See our annual 1969 catalog 690' for a complete listing of rear seat speakers). These reflected sound waves provide this exciting new dimension in sound reproduction. Features a push-pull Fader/Balance control. Balances regular car radio speaker and reverb speaker. Also controls amount of reverberation—from 0 to maximum. Separate isolation transformer for ultimate matching conditions. For underdash mounting. Dim: 71/2"D x 31/2"W x 13/4"H. includes mounting bracket. Imported. Shpg. wt. 4 lbs. 99 U 8519W Net 11.95

LAFAYETTE "VARY-MOUNT" SPEAKER FOR CAR RADIOS AND TAPE PLAYERS

2 for 7.99

Deluxe flush-mounting speaker with beautiful chrome grill. Ideal for use as an auto speaker or anywhere shallow depth is respeaker of anywhere shallow depun is re-quired. Full range speaker has heavy magnet and offers outstanding sound quality. Can also be used as a ceiling or wall mount speaker in your home. Imp., 8 ohms. Overall dia.: 6¼«". Imported. Wb, 3 lbs. Nat 4.44 99 U 0179 Net 4.44



SHARP SOLID-STATE 3 BAND AM-FM-FM VHF CAR/PORTABLE POLICE RADIO

Net .14

17 U 0109

Only No Money Down

Complete with Car Bracket, Lock and Key, Batteries, AC Line Cord, and Earphone

Deluxe, multi-purpose 3-way solid state radio specially designed for use in car, as a portable, or in the home. Features dramatic FM-VHF High Band (150-176 MHz) reception of police, fire, civil defense, and U.S. Weather Bureau forecasts. Also tunes the standard AM and FM broadcast bands. As a car radio, it locks into its specially designed, under-the-dash bracket (supplied) and operates thru the car's 6 or 12-voit electrical system. Outdoors it plays on 4 "C" size flashlight cells. Indoors it plays on 117 VAC with an AC line cord (supplied). Features: dynamic oval speaker and 2-watt output for excellent sound quality; precision vernier side-rule tuning dial; dial light (when operated on car battery); pushbutton tone control; earphone jack and earphone for personal listening; telescoping FM and FM-VHF antenna; ferrite core AM antenna. Dimensions: 7½ x 5½ a 2 "D. U.L. listed. Imported. Shpr. wt., 5 lbs. 17 U 5306 \$5 Monthly Net 49.95 99 U 6257 Extra "C" cells, 3 Required



Install in any 6 or 12 volt car system, use as a portable or on 117VAC with self-storing AC line cord.

Depend on Lafayette For Everything in Electronics

75 Lafayette Cat. No. 691

SUPER Deluxe LAFAYETTE "GUARDIAN 5000" 5 BAND SOLID STATE AC And BATTERY OPERATED AM/FM/SW/FM-VHF PUBLIC SERVICE RADIO

A New Concept In Providing Dramatic Live Radio Coverage



- The Guardian 5000 Keeps You Informed Of Emergency Situations-Where it Happens, While It's Happening
- Listen To Police, Fire, Civil Defense, 2-Way Business And U.S. Weather Bureau Forecasts*
- You Become An Informed And Helpful Citizen In Your Community With The "Guardian 5000"



OUTSTANDING FEATURES

- Two Separate Front End RF Tuning Sections For Both High And Low FM-VHF Bancs
- Variable Squelch Contro While Tuning FM-VHF Bands
- Also Serves As Interstation Muting on Standard FM Band 28 Semi-Conductor Devices . . . 17 Transistors, 9 Diodes, 2 Thermistors
- · Battery Tester And Tuning Meter

Endless hours of dramatic and informative radio listening. Monitor the airwaves of the world! Listen to Police, Fire, Civil Defense, 2-way Business and U.S. Weather Bureau forecasts on BOTH THE HIGH (147-174MHz) and LOW (30-50 MHz) FM-VHF band. World Wide Radio listening pleasures and excitement is at your fingertips when you tune the 4-12 MHz International Shortwave Band. Enjoy outstanding music by world famous symphonic orchestras and soloits on the standard FM band (88:108MHz), as well as news, weather and sports on the standard AM band (550:1600KHz).Advanced space age solid-state circuitry permits instant operation—no loss of precious time state circuitry permits instant operation—no loss or precious time due to warmup—permits immediate response to emergency situa-tions. Two separate front end RF Tuning sections for both high and low FM-VHF Police bands for greater sensitivity and more dependable selectivity—weak stations can be heard clearly—while outside noise and interference are drastically reduced. Variable squelch control achieves truly quiet operation while tuning the high and low FM-VHF bands. Operates on 4 "C" batteries or 117 VAC household current with AC adapter (included). Excellent quality of tone from large 3½" speaker makes this a truly hi-fidelity portable radio. Telescoping antenna for FM, FM-VHF, and SW bands. Built-in ferrite core antenna for AM band. Accessory jack for use of separate external antenna. Slide rule logging scale for precise tuning. AFC circuitry prevents drift on FM. Beautiful wainut wood grain molded case with metal gill, gold trim, and handle. Includes 4 "C" bat-terles, earphone, and AC adapter. Dim.: 83%"H x 6"W x 23%"D. (Metal handle 34"). Imported. Shgg, wt., 6 lbs. 99 U 6357 Extra "C" batterles—4 req._____Net 59.95 99 U 6355 MHz, or, consult your local weather bureau concerning reception in your area.

Radios Are Available On Easy Pay Plan-No Money Down

BECOME AN INFORMED CITIZEN IN YOUR COMMUNITY WITH LAFAYETTE FM/VHF PUBLIC SERVICE POLICE RADIOS


- Listen To Police and Fire Calls
- **Monitor Civil Defense and Public Services**
 - Receive Regional U.S. Weather Bureau Forecasts

Lafavette HAND HELD FM/VHF POLICE & FIRE RECEIVERS

Only an alert and informed citizen can keep up with the electrifying happenings of our everyday life. Two superb Lafayette FM/VHF receivers bring you live coverage of your city or town's daily drama on either 146-175 MHz or 27-50 MHz police and fire bands. 146-175 MHz receiver tunes to 162.55 and 163.275 MHz U.S. Weather Bureau weather reports and disaster alarms in many parts of the country. Has a built-in 21/2" speaker plus an external earphone jack for convenient private listening: Rugged construction and sleek styling combine to give a clean professional type appearance. Operates on 4 penlight batteries (included with set). This ultra-compact unit also features a built-in swivel telescoping antenna and provision for an external antenna. With batteries and carrying strap. Size: 6 x 2 x 15/6". Imported. Shpg. wt., 2 lbs.

	146-175 MHz FM VHF Receiver 27-50 MHz FM VHF Receiver		et 17.95 et 17.95
AC	CESSORIES FOR HAND HELO FM VHF	RECEIVERS	
Stock No.	Description	Shpg. Wt.	Net Ea.
99 U 3536 99 U 6258 40 U 7901	117 VAC Adapter. Extra "AA" Batteries (4 required) Earphone for Private Listening	10 oz. 1 oz. 5 oz.	3.95 .10 .59

GUARDIAN 300 3 BAND BATTERY/ELECTRIC SOLID STATE FM-VHF/FM/AM POLICE RADIOS






HIGH BAND FM-VHF POLICE AND AM/FM RADIO. Listen to Police and

9

LOW BAND FM-VHF POLICE AND AM/FM RADIO. Same deluxe features and specifications as above but tunes low Band FM-VHF 30-50MHz Instead of High Band, Imported, Wt. 6 lbs. 99 U 3547L \$5 Monthly ______ Net 34.95

99 U 6257 Extra "C" bat. for above radios-4 req. __ Net ea. .14





GUARDIAN II 2-BAND SOLID STATE FM-VHF AND AM POLICE RADIOS





HIGH BAND FM-VHF POLICE AND AM RADIOS. Listen to the drama of

specifications as above Police radio but tunes low band 30-50 MHz Instead of High Band. Imported. 99 U 3534L Shpg. wt., 4 lbs. ______ Net 21.95

	ACCESSORIES for GUARDIAN	II POLICE RADIOS	
tock No.	Description	Shpg. Wt.	Net Ea.

Stock No.	Description	Shpg. Wt.	Net Ea.
99 u 3536 99 U 6258	AC Adapter Extra "AA" Batteries (4 requir	10 ož. ed) 1 oz.	3.95 .10
A. S. A.	Lafayett	e Cat. No. 6	91 77



Featuring Deluxe LAFAYETTE Star-Fire "VI 18 TRANSISTOR AM/FM/SW/VHF POLICE RADIO



Save 8.94 From Individual Catalog Prices

Oeluxe Starfire VI speaks all the languages of the world. Powerful 18 Transistor and 7 diode solid state circuitry provides extremely high sensitivity. Two 4" wide range HI FI speakers offer magnifi-cent sound reproduction. Cover has worldwide shortwave time zone chart. Booklet with listings of shortwave stations throughout the world included. Monitor police and fire radio calls as well as U.S. Weather Bureau Forecasts on the 147-176MHz VHF band — other outstanding fearures: AFC to eliminate drift on FM, eight ivory pushbutton combrols, tore control, pushbutton pilot lamp to illum-inate dial at night, luxurioux genuine black leather cabinet with inate dial at night, luxurious genuine black leather cabinet with

and VHF recep	and earphone jack, telescoping antenna for FM, SW, biton. Supplied with earphone and 4 "D" type bat- ix4 $\frac{1}{2}$ D. Imported, Shpg. wt., 18 lbs.
99 U 3526WX	Star-Fire VI only Net 79.95 Star-Fire VI Plus World Clock, Wt. 22 lbs. Net 79.96
13 U 2602 99 U 6256	World Clock Only. Shpg. Wt., 4 lbs. Net 8,95 Extra "D" Batteries, 4 Required Net ea. 15

Tuning/Battery Strength Meter

13	v	2002	
99	U	6256	
	-		
33	υ	3541	

ck Only. Shpg	. Wt., 4 lbs	Net	8.95
Batteries. 4	Required	Net ea.	.15
er for Star-Fir	e VI, 1/2 lb	Net	4,95

Electronic Bandspread Fine Tuning Control

LAFAYETTE SOLID STATE BATTERY/ELECTRIC TWIN SPEAKER AM/FM/POLICE/AIRCRAFT RADIO


AC Adapte

147-174MHz FM/VHF High Band Police and Fire 108-136 MHz AM/VHF Aircraft Band

Powerful 23 semiconductor, 4-band, battery/ electric portable radio. Listen to dramatic police-fire calis, U.S. Weather Bureau reports, on the FM-VHF high band (147-174 MH2). Tune in on pilots in filight availing instructions from the control tower, on the fascinating AM-VHF aircraft band (108-136MH2). Enjoy beautiful music on the standard FM band (88-108 MH2). Keep informed of the latest news and sports results on the standard AM band (54-1600 KH2). Two large 3" dynamic speakers. Self-storing AC line cord enables you to play on 117 VAC. Also operates on 4 "C" cell batterles. Rotary, tele-scoping antenna for FM. Police. and Alcraft

99 U 6257 Extra "C" batteries, 4 reg. Net .14





Prices and Specifications are Subject to Change Without Notice

Portable Radios Make Exciting Holiday Gifts





Tunes the standard AM broadcast band (540-1600kHz), FM Band (88-108MHz) and the 4-12MC International Shortwave Band for exciting world wide listening pleasure, Provides magnificent tone from large 3½" speaker powered by 15 transistors and 5 diodes, Built-in AFC circuitry to prevent drift on FM. Slide rule dial for precision tuning. Built-in ferrite antenna for AM reception, telescopic antenna for FM and SW. Texon leatherette finished case in black, with chrome trim, With batteries and earphone for private listen-ing. Operates on 117V AC 60 Hz with self storing AC line Net 26.95

99 U 6257 Extra C Batteries-4 reg. Net ea.

Lafayette STAR-FIRE®II SOLID STATE 2 BAND FM-AM PORTABLE with TELEPHONE AMPLIFIER

- Large 4" Speaker Offers Life-Like Hi-Fi Sound Reproduction
- AFC Lock Prevents Drift on FM
- 1 RF and 3 IF Stages for extremely High Sensitivity

with Earphone, Batteries, and Telephone Amplifier Jack

Plug-in 117 VAC Adapter. Shpg. wt., 6 oz. 99 U 3516 Net 3.95

	Pick-up with plug. wt., 4 oz. Net	.99
	Batteries (4 required)	
39 0 6237	Net ea.	.14

BATTERY/ELECTRIC FM-AM-SW-MARINE PORTABLE SUPERB Lafayette 4 BAND

4 BANDS FM: .88-108MHz AM: 540-1600kHz MB: 1.6 - 4MHz SW: 4-12MHz




- 12 Transistors, 7 Diodes, 1 Thermistor Continuous Tone Control Ferrite Core And Telescoping Antenna Dn Swivel Slide Rule Dial For Precision Tuning

A superb performing radio for all around use on land or sea. Listen to A superb performing radio for all around use on land or sea. Listen to exciting and informative international shortwave programs, the Marine Band as well as standard AM and FM broadcast bands. Big easy-to-read slide rule tuning dial. Built-in ferrite core antenna for AM, and telescoping antenna for FM. Marine, and SW bands. Feature large 3½^{or} full toned dynamic speaker, built-in AFC lock to prevent drift on FM, continuous tone control, self-storing AC line cord for 117 VAC operation. Also plays on 4 economical "C" batteries. Padded, black leatherette cabinet measures 10¼x63¼x3¼". With earphone and batteries. Imported Shore wt 6. Ibs. orted. Shog. wt., 6 lbs. 17 U 0166L \$5 monthly 99 U 6257 Extra "C" batteries (4 req.) Net 34.95

Net ea. .14

Make Lafayette Your One Dependable Source for Everything in Electronics









Our Best Performing Solid State Clock Radios DELUXE LAFAYETTE 2-SPEAKER FULL FEATURE AM/FM CLOCK RADIO Only



50 No Money Down

Exquisitely Styled In Genuine Walnut Wood Cabinet with Chrome Trim and Charcoal Grill Cloth

- 17 Solid State Devices
- Full Feature Telechron Clock with Snooze Button and **Lighted** Dial
- Two Rich Sounding Speakers with Full Range Tone Control
- AFC Lock Prevents Drift On FM

No Money

Down

B LAFAYETTE LOW PROFILE FULL FEATURE AM/FM CLOCK RADIO



(A) Deluxe Lafayette 2-Speaker full-feature AM/FM Clock Radio... matched it to a wide-range hi-fi type two-speaker system with built-in crossover network... and added a fully automatic full feature telechron clock... RESULTING IN — A Deluxe Performing Radio that lulis you to sleep at night and awakens you at a pre-set time with vibrant, rich FM/AM sound. Wish to catch an extra few winks of sleep? Just press the snooze button and the radio will turn off automatically for 10 minutes. AFC control prevents drift on FM. Specifications: 2 speakers — 6 x 4" oval and 2½" round; 4 con-trols: Volume; Selector (AM, FM, AFC); Tone; and Tuning, Fully auto-matic clock features: 60 minute sleep switch, and 10 minute snooze button, automatic alarm. For 117 VAC, 60 Hz. Size: 11 x 63/4 x 3½". Imported. Shpg. wt., 6 lbs.

17 U u165W \$5 Monthly ...

Net 47.50

(B) Lafayette Low Profile Full Feature AM/FM Clock Radio, Quality Shpg. wt., 4

Net 27.95

LAFAYETTE AM CLOCK RADIO


OUTSTANDING LOW, LOW PRICE

- 195
- Telechron Clock Movement
- 8 Solid State Devices

Our lowest price ever for a quality AM solidstate clock radio. Attractively styled—per-fect for the kitchen, den, or bedroom. Fea-tures an 8-semiconductor circuit for staticfree, clear AM recepction. Reliable Tele-chron clock movement. Wakes you gently to speaker provides fine tonal quality. Beauti-ful white plastic finish. Size 7½"H x 6½"W x 22%"D. For 117 VAC, 60 Hz. Imported. Shpg. wt., 3 lbs. 17 U 0171 Net 14.95

Radios Are Available On Easy Pay Plan-No Money Down





OUR BEST BUYS IN

Deluxe Lafayette SOLID-STATE STEREOPHONIC FM/AM CLOCK RADIO ure Telechron With Matching Wide Range Speaker System

- Full Feature Telechron Clock with Soft Glow Electro-Luminescent Night Light
- Two 4 x 6" Wide Range Speakers For True Full Dimensional Stereophonic Hi-Fi Scund



With Beautiful Oiled Walnut Wood Cabinetry

A magnificent performing 2-piece modular sterepohonic FM-AM clock radio styled in elegant wainut wood cabinetry. Includes many features normally found in more expensive stereo Hi-Fi receivers such as: inputs for stereo or monaural phonograph, output jack for stereo headphone, separate tone and balance controls, automatic FM stereo indicator light and switchable AFC. Full feature Telechron clock has

NEW SOLID-STATE STEREO FM/AM TABLE RADIO with MODULAR SPEAKERS



Unique 3-piece solld state design featuring high styling and quality electronics. Each separate speaker enclosure contains a 4 x 6" wide range Hi-Fi speaker. Convenient stereo eye assures pinpoint FM stereo reception. Large silde rule dial for precision tuning. Other fine features include AFC for drift free FM, accurate tuning meter,

separate Bass, Treble, Balance and Loudness controls. Stereo phono input jack, tape input and output provisions, and front panel stereo headphone jack. Handsome plastic walnut wood grain cabinets. Size: Radio, 15½ x 8½ x 5″. Speakers 9¼ x 7¼ x 4¼~". Imported. 17 U 6938WX \$5 Monthly Shpg. wt., 18 lbs.______ Net 59.95

NEW PANASONIC RE-6250 FM/AM TABLE RADIO with PUSHBUTTON AUTOMATIC PRE-SET TUNING



Only



No Money Down

Solid State Circuitry


• Full Range 4" Dynamic Speaker

Buy Nowl Pay Later ... Use Lafayette's Easy Pay Plan. No Money Down.

Solid State Table Radios

Lafavette SOLID-STATE TWIN SPEAKER FM/AM TABLE RADIO







 Twin 4" Full-Range Speakers AFC for Drift Free FM

Superb Lafayette twin-speaker FM-AM table radio offers magnificent performance and handsome skyling. Two large 4" speakers provide room filling high-lidelity sound with exceptional clarity. Powerful 16-semiconduc-tor circuit has output of 1 watt—provides instant-on operation. No warm-up time. Automatic Frequency Con-trol (AFC) lock prevents drift on FM. Has big slide rule dial for precision tuning. Four controls: Selector (AM-FM-FM/AFC), On/Off Volume, Tone, and Tuning. Oiled wainut veneer wood cabinet and rich grill cloth. Size: 6% x 14/4x x 47%". For 105-120 V AC, 50/60 Hz or 105-120 V DC. Imported. Shpg. wt. 7 lbs. 17 U 0110W \$5 monthly ______ Net 34.95 Superb Lafayette twin-speaker FM-AM table radio offers

Below Cost Sale! SAVE 3.00 WAS \$11.95 Lafayette SOLID-STATE 1968 Catalog 684 BATTERY/ELECTRIC AM-WEATHER RADIO

Only

99

New Only

Twin Dynamic Speakers For Rich, Full Sound

Truly a unique radio...besides providing quality AM recep-tion through twin dynamic speakers, this handsome radio serves as a weather information center. Accurately made thermometer measures temperature and hygrometer mea-sures percentage of moisture in the air (humidity). Radio also features superheterodyne circuitry and Automatic Gain Control. Operates on a single 9-volt battery or 117 VAC household current with accessory UL listed AC line cord. Earphone jack for private listening. Size: 34s x 114 x 5'-Imported. Shgs. wt., 4 lbs. 99 U 7503W Net 8.95

99 U 6021 Extra 9 volt battery for above ____ Net .21

SOLID-STATE FM/AM RADIO



 Instant-On Operation — No Warm-Up Time Precision Slide Rule Dial with Logging Scale

Handsomely styled solid state AM radio with attractive, sculptured speaker grill and powerful superheterodyne circuit. Large 4" speaker provides fine tonal quality. Bullt-in ferrite core antenne. High impact, black plastic cabinet with off-white and silver color trim. Size: 104/2L x 5%H x 34/2"D. For 105-120 VAC, 60 Hz. Imported. Shog. wt., 34/3 lbs. 9 U 3548W Net 8.59

Only 95 In Wood Cabinet with Teak Finish

Compact, space saving AM/FM radio in beautiful wood cabinet is ideal for a night table or bookshelf. Space-age solid state superheterodyne circuitry features 9-transis-tors and instant On operation. Large, easy-to-tume cy-lindrical dial. Built-in AFC circuit prevents drift on FM. Sensitive Ferrite core AM antenna with FM line cord antenna. Big 3" dynamic speaker. Size: 64/2 x 64/2 x 24/2". For 117V., 60 Hz AC. Imported. Shpg. wt, 3 lbs. Net 15.95 17 U 7839 Net 15.95

Radios Are Available On Easy Pay Plan-No Money Down

PERSONAL PORTABLE TELEVISION SETS *Portable VHF/UHF Television Set 19 inc



*Viewable Picture-Measured Diagonally

82 Channel UHF/VHF Reception

Lightweight "personal" television for true portability! 110° aluminized 12-inch⁺ pic-ture tube produces brilliant black and white pictures. VHF fine tuning control, telescop-ing unipole antenna, rear mounted UHF loop antenna, 4" dynamic speaker, and earphone for private listening. For 117V., 60 Hz AC. UL Listed. Size: 13% x 13% x 10% "D. Im-ported. Shge. wt., 19½ lbs. 17 U 5304WX \$5 Monthly _____ Net 77.95

95

With Earphone for Private Listening • Viewable Picture-Measured Diagonally

82 Channel UHF/VHF Reception

Lightweight "personal" television for true

No Money Down

12 INCH* PORTABLE

UHF/VHF TV SET

SONY Model TV-720U PERSONAL SOLID STATE PORTABLE TV



Only

with earphone. loop antenna for UHF and built-in battery charger

No Money Down

Deluxe SONY Model TV-900U COMPACT SOLID STATE PORTABLE TV



• 7" Picture Measured Diagonally Channel Coverage: UHF 2-13, VHF 14-83

Rich, contemporary styling in ebony and gleaming chrome. Operates on 117V., 60 Hz AC; optional rechargeable 12-volt battery, or, 12VDC car/boat battery. Black 7-inch diagonal screen gives superb contrast. All solid-state circuitry that includes new passivated mesa transistors and a forward AGC system for sensitive reception. Built-in VHF telescoping antenna and front mounted speaker. With earphone, VHF loop antenna, built-in battery charger. Size 9%, Hx 9WX114/2°D. For 117V., 60 Hz AV. imported. Shpg. wt., 11 Hbs. 17 U 3265WX \$6 Monthly . Net 109.95

Model BP/7 564. Shoulder rechargeable battery pack. 17 U 3229 Shpg. wt., 3 ibs. Model DCC-2AW. Car Battery cord. 12V. Wt., ½ ib. Net 22.95 17 U 3230 _Net 14.95 Aodel VCA-14. Car window antenna. Shpg. wt., 1 lb. 17 U 3260 ... Net 22.95

- 8" Picture Measured Diagonally
- Channel Coverage: UHF 2-13, VHF 14-83

Weighs only 10 lbs.! Features 8" sunglass picture tube (measured diagonally) for perfect outdoor and indoor viewing. Revolutionary 25-transistor circultry plus 13 diodes assures sensitive reception even in fringe areas. Operates on all power sources: optional rechargeable 12 volt battery; 12VDC car/boat battery, or 117V., 60 Hz AC. Bullt-in VHF telescoping antenna and front mounted speaker. With earphone, VHF telescoping antenna, built-in battery charger. Size: 10Hx9Wx834"D. Imported. Shpg. wt., 12 lbs. 17 U 3253WX \$7 Monthly. Net 129.95

Model BP/7 564. Shoulder rechargeable battery pack. 17 U 3229 Shpg. wt., 3 lbs.	Net	22.95
Model DCC-2AW. Car battery cord. For 12V/neg. ground 17 U 3230 Shpg. wt., 1/2 ib.	syster Net	ms. 14.95
Model VCA-14. Car window antenna. Shpg. wt., 1 lb. 17 U 3260	Net	22.95

84 Lafayette Cat. No. 691 Get Your Portable TV Now! ... No Money Down

SOUND EFFECTS NEW AUTOMATIC RHYTHMER

Net 12.95

ONLY

No Money Down

 A Versatile Electronic Instrument Producing a Wide Variety of Rhythms For Accompaniment

Compact, fully transistorized, portable rhythmer! Ideal for teachers to produce a variety of rhythms and a steady beat for the student to follow; for students a complete rhythm section to play along with; for single performers you can bring along your own rhythm section. Works with any amplifier to produce 12 distinctive rhythm selections plus an infinite variety of accompaniments by mixing two or more rhythms. Variable tempo control (95 to 280 beats per minute) can be set for accompaniment to a Waltz, Fox Trot, Rhumba, Samba, Mambo, Slow Rock, Fast Rock, Swing, Bossa Nova, Cha-Cha, Twist, or a March:



Add more instruments: Add more instruments to your small combo with the "Fuzz" Sound! Create a wide variety of synthesized tones such as those produced by a baritone, or bass saxophone. Battery powered, it easily con-nects between your guitar, or bass and the amplifier and is operated by an On/Off foot switch. Has two variable control knobs; one for regulating the "fuzz" effect and one for volume and intensity. A supplementary On/Off switch is combined with the volume control to conserve battery life, Fully transistorized, the unit is built for heavy duty use and operates on a single penlight battery. A rugged metal case protects inside circuitry. Overall size: 542 k 3248 w 246° over. H. Imported. Shpg. wt. 134 lbs. Net 12 95 99 U 9199



each rhythm is made up of a variety of percussion sounds: Bass Drum, Snare Drum, High Hat, Cow Bell, Bass Conga, Tenor Conga, and Cymbal. Additional features include Volume control, On/Off switch, pilot light, foot switch for Start/Stop, and 12-pushbutton rhythm selectors. Gircuitry: 32-transisors, 161-diodes. For 100-117V., 50/60 Hz AC. Size: 1734 x 414 x 11"D. Handsomely styled vinyl covered metal chassis with mahogany top and bottom. Wt., 10 lbs.

RHYTHMER

AUTOMATE



Unit for any Musical instrument Amplifier of r.A. System Simulates the full sound top artists get! Compact, lightweight, transistorized reverberation unit creates a new dimension in audi-bility to overcome dull, flat ordinary sound. Can be used with any instrument amplifier, or P.A. system. Minutes to connect, the "Echo-Verb" may be used for sound effects. Has inputs for mike and/or instrument—plus a foot switch input to cut reverberation in or out from a remote location, pliot light and a reverb mix control that lets you select whatever intensity of reverberation, you desire. With neverb mix control in the "Off" position, standard sound will be heard from the amplifier. With on/off switch. For 117v., 50/60 Hz 4C Size 33/Hz 11/6/W s6/B-D Imported Hz. AC. Size: 3¼H x 111/2W x 61/2"D. Imported.

99 U 9202W Shpg. wt., 5 lbs. Net 19.95 Foot Switch for Remote Control of "Echo-Verb" 13 U 0151 Shpg. wt., 142 lbs. Net 2.99





Net 29.95

Net ea.

Deluxe, Powerful Musical



80 Watt "Piggy Back" Bass Amplifier

- Powerful 15" Special Design Jensen Speaker with 27 oz. Magnet
- Projects "Big Bass Sound"
- Excellent For Use With Electric Bass, Regular Guitar, Accordian and Combo-Organ
- "Easy Reach" Extruded Brushed Aluminum Control Panel will handle up to 3 instruments

Fabulous, full base sound with a minimum of distortion. Specially designed durable 15" Jensen speaker has a wide range response. Has 3 inputs: bass, high and low. Two slide switches for "deep" or "sharp" reproduction. Treble, bass, and volume controls: Neon pilot iamps. Fuse and 3-position switch for power off/standby/on. Super 80-watt peak power chassis uses 5 tubes, 2 dual purpose tubes for 7 tube performance, and all solid state rectifier circuit. Heavy duty transformers provide greater output. Two units; 3/4" wood amplifier 'speaker cabinet, and "piggy back" amplifier which sits neatly on top of speaker cabinet. Cabinets have attractive gray and sliver acoustical cloth. Ribbed winyl carrying handle. Speaker cabinet size: 23/2H x 21_x 11_3/2" O. Amplifier: 74/H x 181/2L x 101/2"D. For 117V AC 50/60 Hz. Shpg. wt., 58 tbs. 13 U 0148WX \$7.50 Monthly _________ Net 144.95

13 U 0149W Dolly for above amplifier



10-Watt Tremolo/"Reverb" Amplifier A complete 10 Watt Peak Tremolo/Reverb Amplifier. Smart, sturdy vinyl covered wood cabinet, with carry handle and attrac-tive grille cloth. Top mounted controls. Off/On/Volume control with indicator lamp, tone controls, reverb control; tremolo with intensity and speed controls. Inputs for 2 instruments plus spe-claily Lesigned 8" speakers. Powerful 10 watt amplifier has AC isolation through a heavy-duty power transformer. Size: 18½W x 15½H x 6"D. Imported. Shpg. wt., 14 lbs. 99 U 9141WX \$5 Monthly ______ Net 39.95

Net 11.95



50 Watt Solid State "Piggy Back" **Bass Amplifier**

- Heavy Duty 15" Special Design Speaker
- For Use With Electric Bass, Regular Guitar, Accordian and Combo-Organ
- 2-Instrument Inputs

Gives full bass and vibrant sound with a minimum of distortion. Powerful 50 watt peak amplifier is ideal for use with electric bass or standard guitars, and combo organs. All solid state circuitry (5-transistors and 4-silicon rectifiers) provides excellent sound. Fea-tures a special designed 15" Jensen speaker with a wide range response. High and low gain inputs plus separate volume and tone controls allow complete operating flexibility. Has 0n-Off switch plus pilot light and fuse. Two units; speaker and amplifier in match-ing black, vinyl covered wood enclosures with handles. Size: Amp., 434H x 14W x 8"0; Speaker, 22%H x 18W x 11"D. For 117V 50/60 Hz AC. Shpg. wt., 35 lbs. 13 U 0154WX \$5 Monthly



86 Lafayette Cat. No. 691 Musical Instruments Are Available On Easy Pay Plan-No Money Down

Instrument Amplifiers

:



- Hammond "Reverb" Unit For Echo-Like Effect
- Pulsating "Tremolo" For "Go-Go" Effect

159⁹⁵

Money Dow

- 2-12" Heavy Duty Special Design Jensen Speakers plus High-Frequency Horn
- Extruded Aluminum "Slanted Front Panel"

Remarkable reproduction, finest craftsmanship, make up this 2channel 70 watt peak amplifier. Produce "Tremolo" "Reverb" effects separately or simultaneously. Exceptionally good for guitar, organ and vocal use. Feabures 13 silicon transistors pius silicon rectifiers and heavy-duty output transformers. Has 4-instrument inputs (2-per channel), plus separate volume and tone controls for each channel. Two superb 12" Jensen musician instrument speakers plus a high frequency horn. Includes tremolo with speed and intensity controls and Hammend reverb unit with depth control plus foot switch jacks for reverb and tremolo activation; pilot light; fuse; and black textured, scuff-resistant vinyl. For 117V., 50/60 Hz AC. Size: 32H x 23W x 10-D. Shog. wt., 50 ibs.

13 U 0157WX \$8 Monthly	Net	159.95
Dual Foot Switch for remote control of tremelo/reverb.		
13 U 0150 Shpg. wt., 1 lb.	Net	4.95
13 U 0149W Dolly for above amplifier	Net	11.95

50 Watt "Reverb"—"Tremolo" Twin-Speaker 2 Channel Amplifier

- 2-12" Heavy Duty Special Design Jensen Speakers
- Pulsating "Tremolo" For "Go-Go" Effect
- Hammond "Reverb" Unit For Echo-Like Effect

Get faithful reproduction of every note. Excellent for guitar, organ and vocal use. Has special heavy-duty Jensen speakers. AC chassis utilizes 6 tubes, 4 dual purpose tubes provide 10 tube performance. 4 instrument inputs provide outstanding versatility. Two channel 50 watt peak amplifier. Has 2 volume and 2 tone controls. Features remote control foot switch jacks for colorful tremolo and reverb operation, plus 2 tremolo controls — speed and intensity; reverb 'depth'' control; on/off/standby switch; pilot light and carrying handle. Sturdy wood case covered in shimmering black vinyl. "T' nut provision for doily. Size: 32H x 23L x 10"D. For 117V., 50/60 Hz AC. Shpg. wt., 45 lbs.

13 U 0156WX \$7 Monthly	Net '	129.95
Dual Foot Switch for remote control of tremolo and revert).	
	Net	4.95
13 U 0150 Shpg. wt., 1½ lbs.	Net	11.95

Depend on Lafayette For Everything in Electronics

30 Watt "Reverb"—"Tremolo" Twin-Speaker Amplifier

Only 5795 No Money Down

......

30

No Money Down

29

Dow

la fayette

- "Reverb" For Echo-Like Effect
- Tremolo For Pulsating Sound
 3-Instrument Inputs
- 2-10" Special Design Jensen Speakers

Features two bullt-in heavy duty 10" Jensen speakers for clean reproduction of every musical note. Excellent for guitar, microphone and accordion use. Three instrument inputs. Five controls: two for volume and tone; two for speed and intensity of tremolo and one for "reverb" depth control. Footswitch jacks for remote control of tremolo and reverb. 30 watt peak AC amplifier chassis utilizes 5 dual tubes equivalent to an 8 tube circuit, plus solidstate rectifilers for reliable operation. Also has pilot light, on/off switch and fuse. Sturdy wood cabinet covered in luxurious black vinyl. Has "T" nut provision for dolly, Size: 31½H x 20W x 10"D. For 117V. 50/60 Hz AC. Shpg. wt., 37 lbs. 13 U 0155WX \$5 Monthly Net 99.95

IJ U UIJSWA \$5 Monthly	Net 89.95
Dual Foot Switch for remote control of tremolo and rev	erb.
13 U 0150 Shpg. wt., 11/2 lbs.	Net 4.95
13 U 0149W Dolly for above amplifier	Not 11 95

15 Watt Tremolo Amplifier

Big 12" Jensen Speaker
 • 3-Instrument Inputs

• Extruded Aluminum "Slanted" Control Panel

An efficient 15-watt peak tremoio amplifier with big 12" specially designed speaker by Jensen. Provision for three instrument inputs. Jack provided for tremolo foot switch. Handy carrying handle. Controls: volume, tremolo speed, tone. AC chassis utilizing 4-tube circuitry. 4 dual purpose tubes used to provide 7 tube design. Handsome brushed aluminum slope mounted control panet for "easy reach". Sturdy wood cabinet covered in luxurious black vinyl. On-Off switch activates pilot light. Size: 1734H x 164/2L x 10"D. For 117 volts. 50/60 cycles AC. Shpg. wt., 29 lbs. 13 U 0147WX \$5 Monthly _______ Net 57.95

Foot Switch for remote control of Tremolo. Shpg. wt., 1½ lbs. 13 U 0151 ______ Net 2.99

PROTECTIVE VINYL COVERS

Dustproof, water repellant, and stain resistant. Made of black, heavy gauge, leather grain embossed virgin vinyl bonded to heavy duty twill. Shpg. wt., 3 lbs.

VINYL C	OVERS	
Stock No	. For Amplifier	Net
13 U 661	9 13 U 0148WX	11.25
13 U 662	0 13 U 0154WX	8.50
13 U 662	1 13 U 0157WX	9.95
13 U 662	1 13 U 0156WX	9.95
13 U 662	2 13 U 0155WX	9.25
13 U 662	3 13 U 0147WX	5.95

TRANSISTORIZED FULLY

No I

55 BUL

ALC: NO DE LE CONTRACTO DE LE C

95

nev Down

Portable Electronic Organ With BUILT-IN AMPLIFIER


- Fully Transistorized—With Two Speakers
- Easy to Carry—Packs Like a Suitcase
- Perfect for Combo or Home Use

Portable organ has a built-in fully transistorized 10-watt amplifier and two oval speakers. Ready to play anywhere... Suitable for any entertainer, at home or school. 49-key keyboard spans 4 full octaves entertainer, at nome or school. 49 key keyooard spans 4 tuli octaves and produces a wide range of tonal variations. Three 16' voice tabs —bass bourdon; bourdon; and strings. Four 8' voice tabs—flute; diapason; strings; and trumpet. Trumpet tab simulates 4' effects to give an even wider variety of sounds. On-Off tab vibrato with rotary speed and intensity controls. Volume/On-Off switch with pilot light and separate volume control for bass octave. Photo-cell type expres-tion codel. Can also be played through a extensit. sion pedal. Can also be played through an external amplifier. Comes in red and black trim. Size: 31" keyboard; height 32"; 18" deep. Operate on 117 VAC. Imported from Italy. Shpg. wt., 68 lbs. 13 U 6634W (Mail order customers see note below) ______ Net 299.95

MAIL ORDER CUSTOMERS

Mail order customers please use stock number below. All orders will be shipped transportation charges collect. All orders (except Easy-Pay) must include full remittance. No C.O.O. 13 U 6635WXY Net 299.95

ESTEY ELECTRIC CHORD ORGANS



- Easy-to-Play as A.B.C.
- Exclusive Estey Sound Chamber
- Permanently Tuned Stainless Steel Reeds

24 Chord Electric Organ features 37 ivory white keys; 24 bass/chords. The other sector of the statutes of viola with the sector of a solution of the statute of the s

12 U 5851W Mail order customers see note below . Net 99.95 Deluxe 40 Chord Electric Organ-Similar to above with 37 lvory white keys; 40 bass/chords buttons, bass, major, sevenths, dimin-ished. Operates on 117 VAC. Shpg. wt., 69 lbs.

12 U 5852W (Mail order customers see note below) Net 129.95 Matching bench for above organs 12 U 5853W (Mail order customers see note below) _

Net 12.95

Mail order customers see note below) Net 12.85 Mail order customers please use stock numbers below. All orders will be shipped from Harmony, Pa. collect for shipping charges. All orders (except Easy-Pay) must include full remittance. No C.O.O. 12 U 5856WXY 24 Chord Organ \$5 Monthly Net 99.95 12 U 5855WXY 40 Chord Organ \$7 Monthly Net 129.95 12 U 5855WXY 40 Chord Organ \$7 Monthly Net 129.95 12 U 5855WXY 40 Chord Organ \$7 Monthly Net 129.95 12 U 5855WXY 40 Chord Organ \$7 Monthly Net 129.95 12 U 5855WY Matching Bench Net 12.95 Net 12.95

MAGNUS CHORD ORGAN ENSEMBLE 95

No Money Down

 Anyone Can Learn to Play in 60 Seconds without lessons

- Handsome Polystyrene Construction
- 12 Chord Buttons-37 Treble **Key Organ**
- Deep Cushion Hassock Bench
- 5 Magnus Music Books

Features handy knee volume control for playing with expression. Cabinet is handsome walnut polystyrene with gold slik screened designs, matching music rack and electric Magna Lite. Olmensions: 10"H x 281/4"W x 11"O. Matching has-12 U 5802WX



MAGNUS CHORD ORGANS


Play In 60 Seconds Without Lessons

Model 322 Chord Organ with 25 Treble keys, 6 chord buttons, on off switch and a hand volume control. White polystyrene cabinet with gold flecked music rack. Music book included. Size: 834°H x 1956°W x 10°D. Operates on 117 VAC. Shpg. wt., 17 lbs. 12 U 5803W Net 19.95

10"H x 28%" w x 11"U. matching nas-sock bench, is deep cushioned textured Model 481 Chord Organ similar to above with 37 vinyl covered, with tapered hardwood Model 481 Chord Organ similar to above with 37 legs. Play Real Music in 60 Seconds! treble keys and 12 chord buttons. Walnut Polysty-Size: 18H" x 17"L x 13% "W. For opera-tion on 117 V&C/50 Hz. Shog. wt., 38 lbs. Lite. Size: 10Hx28% Wx11"D. Operates on 117 V&C. Not 40 at 21 U 5604WX Shog. wt. 24 lbs. Net 29.95 Net 49.95 12 U 5804WX Shpg. wt., 24 lbs.

ti ti ti ti ti ti ti ti ti

Musical Instruments Are Available On Easy Pay Plan-No Money Down



Do A Friend a	LAFAYETTE
If you have a friend who would be in a copy of the new 1969 Lafayette just give him this card or fill address and mail this card to us. He absolutely FREE, no charge or obli	e Catalog No. 690, I in his name and e will get a catalog
691	é - 1
Name	Date
Address	
	ateZip Code e Give Your Z1p Code Number
100	
Do A Friend a	Favor
Do A Friend a If you have a friend who would be in a copy of the new 1969 Lafayette just give him this card or fill address and mail this card to us. He absclutely FREE, no charge or obli	nterested in getting Catalog No. 690, I in his name and e will get a catalog
If you have a friend who would be in a copy of the new 1969 Lafayette just give him this card or fill address and mail this card to us. He	nterested in getting Catalog No. 690, I in his name and e will get a catalog
If you have a friend who would be in a copy of the new 1969 Lafayette just give him this card or fill address and mail this card to us. Hi absolutely FREE, no charge or obli	nterested in getting Catalog No. 690, I in his name and e will get a catalog
If you have a friend who would be in a copy of the new 1969 Lafayette just give him this card or fill address and mail this card to us. Hi absolutely FREE, no charge or obli	nterested in getting a Catalog No. 690, b in his name and e will get a catalog gation.

PLACE STAMP HERE

LAFAYETTE RADIO ELECTRONICS P.O. BOX 10 SYOSSET, L.I., N.Y. 11791

DEPT. 691,



LAFAYETTE RADIO ELECTRONICS P.O. BOX 10 SYOSSET, L.I., N.Y. 11791

DEPT. 691,

9-PC, "COMBO" DRUM OUTFIT

- 6-Ply Construction Thru-Out
- Double Lug—Separate Tension Rods
- With 14" Cymbal—Cow Bell— Toneblock-Sticks-Brushes
- Double Spring "Fast-Action" Bass Drum Pedal

A quality 9 plece drum outfit for the begin-ner or advanced musician. Outfit contains an 8" x 12" Tom Tom, a 14" x 20" bass drum, Net to absent on the second model in the other second and second in the second and se 3-piece vinyl drum cover case. 13 U 6624W Shpg. wt., 7 lbs. Net 21.95





PROFESSIONAL 15-PC. DRUM OUTFIT Solid 6-Ply Construction Thru-Out

Drums

Double Lug—Double Tension

Deluxe, professional quality drum outfit with all the most wanted accessories. Meets the demand for quality and sound in every way. Each drum has completely adjustable tension rods for quick and easy tuning. Set consists of 14" x 20" Bass Drum with 8-separate beaver-tail tension lugs. Drum with 8-separate beaver-tail tension lugs, spurs, cymbal holder, consolette tom tom mount, internal-muffler and inlaid chromec hoops. 54/2" x 14" Snare Drum—8-tension, speedy throw-off, and internal muffler. 16" x 16" Floor Tom Tom— 8-tension with internal muffler. One 8" x 12" and one 9" x 13" Tom Tom—6-tension with muffler. Drums have coated plastic heads, celluoid cov-ered for bright finish, Includes deluxe, flat-base snare stand, floor cymbal stand, and a super deluxe, direct-action Hi-Hat stand with fast ac-tion pedal. Set also contains a 16" Ride Cymbal, a pair of 14" Hi-Hat Cymbals, and deluxe bass drum pedal, drum sticks and brushes, cowbell, woodblock and holder. Imported. Shpg. wt., 85 lbs. 85 lbs.

3	U	6625WX	Bright	Red	\$10	Mo.		Net	199.95	
3	U	6626WX	Bright	Blue	\$10	Mo.		Net	199.95	
-P	le	ce Vinyl	Drum C	over	Casi	е				
3	U	6627W S	hpg. w	t., 10) Ibs		and a started start	Net	34.95	

udio-Litesz

Panorama of Living Music **In Colored Lights**



Add a new dimension to your musical enjoyment the modern way! Offers more than listening pleasure from where the listening pleasure from your favorite mus c, you can actually visualize a brilliantly moving pano-rama of colored, cancing images with each note, tone, and pitch produced by the music. Will not affect am-plifier operation. Easily connects to speaker leads. In attractive simu-lated wainut grained cabinet with shatter-proof plastic front. Size: 24 x 12 x 1134"D. Shgg. vt., 10 lbs. 13 U 7550WX \$5 Monthly_ Net 44.95



SNARE DRUM SET Complete With Stand, 10" Cymbal, Brushes, Sticks

An exciting 14 x 5½" separate tension, 6 ply snare drum with metal snares, tone modulator, speedy throw-off, flanged hoops, rolled chrome plated rims, plastic head, and nickel plated hardware, Attractive cellu-loid sparkle finish. Complete with deluxe flat base chrome stand, 10" cymbal, sticks, brushes, and instruction book. Imported. Shog. wt., 9 lbs. 13 U 8705W Net 29.95

Musical Instruments Are Available On Easy Pay Plan-No Money Down

SOLID BODY **ELECTRIC GUITARS**

SEE PAGE 93 FOR MONEY SAVING OUTFITS A 2 PICK-UP SOLID BODY ELECTRIC GUITAR

True Vibrato Tailpiece

Steel Reinforced Adjustable Neck

Volume and Tone Controls

Solid-body, double cutaway, electric gultar. Has friction free adjustable chrome bridge; compression tremolo; dual adjustable pick-ups with individual Off/On switches; and rugged chrome plated machines. Thin, fast action, steel reinforced neck is laminated and features a 21 fret rosewood fingerboard with 8 distinctive, white iniaid position markers. Beautiful lacquered body has iniaid highly polished chrome plate. Beveled con-tour body is finished in a gittering sunburst shade. Complete with cord. Size: 3812/H x 12W x 11/4"D. Imported. Shgs. wt., 10 lbs. 13 U 2451WX

Sturdy Lined Case for Above Guitar. 13 U 1326WX Shog. wt., 3 lbs. Net 7.95

BLAFAYETTE 4 PICK-UP LARGE BODY ELECTRIC WITH "VIBRATO"

 Genuine Mahogany Body-Contour **Cut Back**

4 Controls, 6 Switches, 4 Pick-ups

Adjustable Steel Reinforced Neck

Silck1 Solid! Professional sounding 4-pickup guitar with fast, silm neck, 6 machine heads, plus adjusting screws for each string. 7-inlald "pearl" markers and 20 frets, on rose-wood fingerboard. Adjustable bridge, 2 Vol-ume controls, 2 tone controls, plus silde switches for channel 1 and 2 with selection of mic 1 or 2, solo or rhythm positions. Heavy duty tremolo bar and chrome pick guard plus input jack. Hand rubbed, shaded finish on select mahogany. Complete with cord. Size: 41H x 14½W x 11½"D. Imported. Shog, wt. 13 lbs. 99 U 9140WX \$5 Monthly. Net 44.95 Shpg. wt., 13 lbs. 99 U 9140WX \$5 Monthly ____

Net 44.95 Sturdy Lined Case for Above Guitar. 13 U 1325WX Shpg. wt., 3 lbs. ____ Net 8.95

C DOUBLE PICK-UP VIOLIN SHAPE HOLLOW BODY ELECTRIC GUITAR

Fully Adjustable, Steel Reinforced Neck

Adjustable Magnetic Pickups

• Adjustable magnetic Pickups "Custom" styling, and professional quality —G-precision machine heads, separate vol-ume and tone controls, plus individual string adjustment pickup posts. 3-position toggle switch selects dual or single pickup. Cellu-ioid-bound, yellow sunburst body has pick-guard, and unique F-holes. White celluioid-bound, oval fingerboard has nickel-silver frets, and 7-inland pearl position markers. Also has fully adjustable neck, tremolo, compensating bridge, pickup and control mounts, All metal parts are chrome plated, and highly polished. Body size: 12W x 18% L x 2"D. Full tength: 40". Shpg. wt., 12 lbs. 12 lbs. 13 U 8754WX \$5 Monthly _____ Net 59.95 Sturdy Case for Above. 13 U 8755WX Shpg. wt., 4 lbs. Net 8.95 90 Lafayette Cat. No. 691

2.Pick-Up A ONLY 795



Musical Instruments Are Available On Easy Pay Plan-No Money Down



D95

NO MONEY

DOWN

F

ONLY

NO MONEY DOWN



D"ULTRA-SLIM" 2 PICK UP HOLLOW BODY ELECTRIC GUITAR

- "Hi-Response" True Vibrato Tailpiece
- Adjustable Bridge—Adjustable Pick-Ups

Handsomely styled double cut away electric guitar with dual pickups for solo or rhythm work. Narrow celluloid bound high-speed adjustable neck is steel reinforced for extra adjustable neck is steel reinforced for extra strength and features a 21 fret rosewood fingerboard with white inlaid position mark-ers. Also has sturdy tremolo tallpiece, lami-nated arched top and back, volume and tone controls plus 3-position selector switch for choice of pickup. Individual precision ma-chine heads. Hand-rubbed shaded red finish. 16W x 41¼H x 134"O. Imported. Wt., 14 lbs. 13 U 6618WX \$5 Monthly _____ Net 49.95 Sturdy Case For Above Gultar. Shpg. wt., 4 lbs. 13 U 6601WX

Net 8.95

(E) DELUXE 2 PICK-UP "SLIMLINE" HOLLOW BODY ELECTRIC GUITAR

- Steel Reinforced, Adjustable Neck
- Individual Volume and Tone Controls
- Custom Designed Tremolo Tailpiece

Custom crafted, professional quality instru-ment? Features a 21 fret, oval rosewood fingerboard with mother-of-pearl inlaid posi-tion blocks, plus side position markers and triple bound edges. Has two ultra-sensitive, hum-free pick-ups with individual pole ad-justments, height adjustments, and indivi-dual volume and tone controls. 3-position lever switch selects bridge pickup for solo, and forward pickup for rhythm work; or, permits use of both pickups simultaneously. Large handsome celluioid bound body is shaped and contoured for optimum sound re-Shaped and concourse delution body is shaped and concoursed for opfimum sound re-sponse. Beautifully flamed high-gloss poly-estic finish. 16W x 44H x 2°D. Imported. Shg. wt. 16 lbs. 13 U 6602WX \$5 Monthly _____ Net 79.95

Sturdy Case With Plush Lining for Above. 13 U 6603WX Shpg. wt., 4 lbs. ____ Net 10.95

F DELUXE 12-STRING 2 PICK-UP HOLLOW BODY ELECTRIC GUITAR

- Steel Reinforced Adjustable Neck
- 4-Controls plus Switch For Exciting **Musical Sounds and Effects**

Wisical Sounds and Effects Ultra sleek, double cutaway, thin-line instru-ment for the professional guitarist. Two ultra-sensitive hum-free pick-ups with indi-vidual pole and height adjustment. Separate volume and tone controls for individual pickups; 3-position selector switch for Solo/ Rhythm and Super Bass sounds. The body is of selected flame grained woods and con-toured both front and back for perfect body comfort. Silm fast-action neck is steel rein-forced and features a 21 fret oval rosewood fingerboard with mother-of-pear Inlaid posi-tion blocks plus side position markers and triple bound edges. Also has Universally adjustable bridge; custom designed tail-piece. Beautifully flamed high-gloss poly-estic finish. Imported. With cord. Shog. wt. 18 lb

13 U 6604WX \$5 Monthly __ Net 89.95 Sturdy Case With Plush Lining for Above. 13 U 6605WX Shpg. wt., 4 lbs. ____ Net 12.50

```
Hi-Fi Components Are Available on Easy Pay Plan-No Money Down
```

91 Lafayette Cat. No. 691



Long Slim-Adjustable Steel Reinforced Neck Only 95

No Money Down

A

NEW!

B

. .

.....

OUR LOWEST

PRICE EVER ON A VIOLIN

SHAPED BASS

 Steel Reinforced **Adjustable Neck**

No Money Down

LAFAYETTE 2-PICK-UP SOLID BODY ELECTRIC BASS

Deluxe, slimline electric bass guitar con-structed of select mahogany woods with hand-rubbed, shaded red sunburst body and ornate pearl plate to protect working sur-faces. Four sturdy chrome machines permit fact accurate hundre. Calluidd bound core fast, accurate tuning. Celluloid bound rose-wood fingerboard with 20 frets is beautifully styled with 8 distinctive, mother-of-pearl styled with 8 distinctive, mother-on-pearing position markers. 2-powerful magnetic pickups have individual off/on switches. Other features include separate volume and tone controls, adjustable bridge, and steel reinforced adjustable neck. Complete with cord. Size: 46L x 13W x 13% "D. Shpg. wt.,

15 lbs. 99 U 9204WX \$5 Monthly ____ __ Net 49.95 Sturdy case for above. Shpg. wt., 4 lbs. 13 U 1327WX Net 9.95

VIOLIN SHAPED B 2-PICK-UP ELECTRIC BASS

Classic violin shape with Italian styled head-piece, combines with two magnetic pick-ups for a pure, rich, bass sound. Three posi-tion switch accentuates the highs, lows, and midrange. Delicately arched hollow body bound in decorative celluloid trim, features: a 4-piece laminated, fully adjustable, steel reinforced neck; bound rosewood fingerboard with 22 frets and 10 inlayed position mark-ers; chrome plated trapeze talipiece; ad-justable bridge; fully enclosed tuning ma-chines; sparkling sunburst finish with a cell-uloid plck guard, and mahogany finger rest, cord. Size: 444/2*x13*x214". Imported. 13 u 2453WX Shog, wt. 12 lbs... Net 49.95 Classic violin shape with Italian styled head-. Imported. 13 U 2453WX Shpg. wt., 12 lbs. ___ Net 49.95 Sturdy case for above. Shpg. wt., 4 lbs. 13 U 2454WX ______ Net 8.95

DELUXE 2-PICK-UP HOLLOW BODY ELECTRIC GUITAR

HULLOW BUDT ELECTRIC GUTIAK Produces deep bass tones with brilliant cadence! Features adjustable mute control; 2-perfectly balanced adjustable "hum-free" plck-ups; Individual tone and volume con-trols for each pick-up; 3-position toggle switch for solo/rhythm work; fully adjustable compensating bridge; individual cast-chrome covered precision machines; and custom designed tailpiece. A 20 fret fingerboard made of oval rosewood features 7-mother-of-pearl inlaid position blocks, side position markers and triple bound edges. The beauti-ful fiame-grained hardwood body is celluloid bound and protected by a pick guard, cord. Size: 46°H x 16°W x 2°D. Wt., 18 lbs. Imp 13 U 6608WX \$5 Monthly _____ Net 89.95 13 U 6608WX \$5 Monthly Net 89.95 Sturdy case with "plush lining" for above. 13 U 6609WX Shpg. wt., 4 lbs. ____ Net 12.50

COMPLETE ELECTRIC BASS OUTFITS-SAVE UP TO \$25.19 from Individual Catalog Prices

Each Electric Bass Guitar Outfit consists of a Electric Bass, Amplifier, Case, Neck Strap, Pick-up Cord plus "Modern Electric Bass Guitar Method" book.

See Pages 86 to 87 for Amplifiers

92 Lafayette Cat. No. 691 Musical Instruments Are Available On Easy Pay Plan-No Money Down

Outfit No.	Elect. Bass	Amplifier	Watts	Shpg, wt.	Net
13 U 9071WXM	99 U 9204WX	13 U 0148WX	80	75 lbs.	186,95
13 U 9072WXM	99 U 9204WX	13 U 0154WX	50	52 lbs.	145,95
13 U 9112WXM	13 U 2453WX	13 U 0148WX	80	75 lbs.	186,95
13 U 9113WXM	13 U 2453WX	13 U 0154WX	50	52 lbs	145.95
13 U 9032WXM	13 U 6608WX	13 U 0148WX	80	79 lbs.	224.95
13 U 9074WXM	13 U 6608WX	13 U 0154WX	50	56 ibs.	184.95

Hard Maple, Steel Reinforced

Double Cutaway Thin-line Body

Only 095

No Money Down

Adjustable Neck



Net 17.95

13 U 6612WX

When You Buy a **Complete Outfit** YOU SAVE το ζη

from Individual Catalog Prices

Each electric guitar outfit consists of a guitar, amplifier, case plus-neck strap, pick-up cord, extra set of 5 flat-wound steel strings, guitar pitch pipe, 8 assorted picks, 16 page instruction book with chords, illustrated fingering positions, and "strum-along" favorite songs, plus instruction record. Each outfit includes foot switch, except those marked with *

Get Your Guitar Outfit Now-Take Up To 2 Years To Pay

SOLID-BODY ELECTRIC GUITAR OUTFITS See Page 90 for Guitars-Pages 86 and 87 for Amplifiers

Outfit No. Guitar	Pick-	Amplifier	Watts	Shpg. Wt. Lbs.	Net
* 13 U 9077WXM 13 U 2451W	X 2	13 U 0163W	5	22	59.95
13 U 9080WXM 13 U 2451W)	(2	13 U 0147WX	15	37	94.95
13 U 9081WXM 13 U 2451W)	2	13 U 0155WX	30	50	134.50
13 U 9088WXM 99 U 9140W)	4	13 U 0147WX	15	30	108.95
13 U 9089WXM 99 U 9140WX		13 U 0155WX	30	40	148.50
13 U 9990WXM 99 U 9140WX	4	13 U 0156WX	50	71	175.95
13 U 9091WXM 99 U 9140WX		13 U 0157WX	70	76	202.95

DELUXE HOLLOW-BODY ELECTRIC GUITAR OUTFITS See Page 91 for Guitars—Pages 86 and 87 For Amplifiers

Outfit No.	Guitar	Pick	Amplifier	Watts	Shpg. Wt. Lbs.	Net
13 U 9093WXM 13 U 9094WXM 13 U 9095WXM 13 U 9095WXM 13 U 9096WXM	13 U 6618WX 13 U 6618WX 13 U 6618WX 13 U 6618WX 13 U 6618WX	2222	13 U 0147WX 13 U 0155WX 13 U 0156WX 13 U 0156WX 13 U 0157WX	15 30 50 70	51 65 80 85	113.50 152.95 179.95 206.95
13 U 9097WXM 13 U 9098WXM 13 U 9099WXM 13 U 9099WXM 13 U 9105WXM	13 U 8754WX 13 U 8754WX 13 U 8754WX 13 U 8754WX 13 U 8754WX	2222	13 U 0147WX 13 U 0155WX 13 U 0156WX 13 U 0156WX 13 U 0157WX	15 30 50 70	49 63 78 83	123.50 162.95 189.95 216.95
13 U 9106WXM 13 U 9107WXM 13 U 9108WXM	13 U 6602WX 13 U 6602WX 13 U 6602WX 13 U 6602WX	2222	13 U 0155WX 13 U 0156WX 13 U 0156WX 13 U 0157WX	30 50 70	67 82 87	181.95 208.95 235.95
13 U 9109WXM 13 U 9110WXM 13 U 9111WXM		222	13 U 0155WX 13 U 0156WX 13 U 0157WX	30 50 70	69 84 89	191.95 219.50 245.95

Lafayette Cat. No. 691 93

SUPER VALUES! PRICES SLASHED UP TO 26%



CRITERION IV FM RADIO. Engineered to reproduce the full-range brilli-ance of FM broadcasting in your home. Handsomely styled and compact, the Criterion IV measures only 144/2W x 90 x 84/2"H, yet its sound quality is astonishing. Solid-state circuitry with 17-transistors and 5-diodes provides FM performance equal to that of expensive FM receivers. Tuned RF and 4 IF stages assure superb sensitivity and selectivity—bringing in the most distant stations, without distortion, noise or drift. Superb sound quality is provided by a powerful 5" full range, high-compliance speaker mounted in a completely sealed and damped enclosure, utilizing the acoustic suspension principle. Includes Inputs for external program sources such as a record changer (with ceramic/crystal cartridge) or tape recorder. Output jacks for tape, external 8-okm speaker, and external antenna. SPECIFICATIONS: Output: 6-waits music power. Sensitivity: 2.5 w.v. Controls: Tuning. Yolume, Bass. CRITERION IV FM RADIO, Engineered to reproduce the full-range brilli-6-watts music power. Sensitivity: 2.5 µv. Controls: Tuning, Volume, Bass, Treble, FM-AUX Selector Switch, Main Remote Speaker Selector. Protec-tive output fuse. Built-in FM antenna. For 110-120 VAC 50/60 Hz. Imported

99 U 3525W \$5 Monthly. Shpg. wt., 121/2 lbs. _____ Net 69.95 CRITERION 50 EXTERNAL SPEAKER SYSTEM-Imported. See page 14 for complete description. 99 U 0128W Shpg. wt., 28 lbs. Net 29.95

SAVE \$10.00. CRITERION IV RADIO PLUS CRITERION 50 EXTERNAL SPEAKER. Shpg. wt., 40 lbs. 99 U 9941 WXM Net 89.90 Net .69

AMMENTE le transister LLOYD'S

99 U 0088 12 ft. External Speaker Cable. Wt. 1/2 lb.

SAVE 10.00 From Individual Catalog Prices Prices in Effect Thru Jan. 1, 1969 CRITERION 50 SPEAKER SYSTEM ALONE

CRITERION IV

CRITERION IV RADIO plus CRITERION 50 SPEAKER SYSTEM

2995

10-TRANSISTOR 3-BAND AM/VHF-AIRCRAFT/MARINE PORTABLE





COVERS:

Tape Recorder Inputs and Outputs

AM Broadcast Band: 540-1600 kHz Marine Band: 2-6 MHz VHF-Aircraft: 108-135 MHz

Advanced Solid-State Circuitry With 17-Transistors, 5-Diodes

Magnificent Sound Quality From a Special Self Contained 5" High Compliance Acoustic Suspension Speaker System

Tuned RF FM Stage and 4 IFs for Superb Sensitivity and Selectivity

Listen to aviation control towers, monitor aircraft Listen to aviation control towers, monitor antrant frequencies, hear marine weather reports as well as standard AM broadcasts. Large 3½" full-range speak-er offers fine sound reproduction. Precision slide rule tuning dial. Operates on 4 penilight batteries as well as 110 VAC house current with optional AC adapter. Beautiful leather-like plastic cabinet. Dimensions: 63/4 x 45% x 21/2". Shpg. wt., 5 lbs. With batteries and earphone. Imported.

Net 18.95 17 U 7816L . 99 U 6258 Extra batteries, 4 required ___ Net ea. .10 17 U 7817L AC Adapter. Shpg. wt., 1/2 lb. _ Net 3.95

CUT 7.00 WAS 25.95 NOW ONLY Order Now-Quantities Limited





PRICE

CUT

WAS 149.95

NOW ONLY

with dynamic mike, blank tape cartridge and carrying case

95

00

1034145000 B BARTLETT 1108 HAROLD DR SE CEDAR RAPIDS IA 52403

BULK RATE U.S. Postage PAID LAFAYETTE Radio Electronics

POSTMASTER: If Undeliverable Handle In Accordance To Sec. 158.5 Of Postal Manual.

Deluxe NORELCO 4-BAND SOLID STATE CASSETTE RADIO/RECORDER

- It's A Superb Performing 4-Band AM/FM/SW/LW Radio
- It's A Quality Cassette Tape Recorder And Player

AM PADIO CANASTIS RELEADES

- It's Portable, Operates On 6 "D" Batteries, Or, Is AC Adaptable
- You Can Record Directly From The Radio Or Live With A Mike

Accessories For Model 962						
99 U 6256 "D" Type Batteries (6 required)	Net ea. 15					
17 U 2903 110V. AC Adapter. Shpg. wt., 6 oz.	Net 7.95					
99 U 1540 60 Minute Blank Tape Cassette. Shpg. wt., 3 oz.	Net 1.35					
the second						