

RADIOTRONICS

CUMULATIVE INDEX

1946-1959 INCLUSIVE

Supplement to "Radiotronics", December, 1959

RADIOTRONICS

CUMULATIVE

INDEX

1946-1959

INCLUSIVE

In compiling this index, only articles and data thought to be of service or interest today have been included. New release data, book reviews and similar material have been excluded.

To read the index it must first be remembered that "Radiotronics" issues were consecutively numbered up to the end of 1950, and were issued bi-monthly. Starting in January 1951, the issues were numbered by Volume and Issue number, commencing at Volume 16, No. 1, and were published monthly. The index code is therefore made up of the issue number (if before 1951) or the volume and issue numbers (if after 1950), followed by a hyphen and the page number. By way of example, 21/2-53 would mean Volume 21, No. 2, page 53; 136-25 would mean No. 136, page 25.

The issue and volume numbers are related to year of issue as follows:

1946	Nos. 117-122	1953	Volume 18
1947	Nos. 123-128	1954	Volume 19
1948	Nos. 129-134	1955	Volume 20
1949	Nos. 135-140	1956	Volume 21
1950	Nos. 141-146	1957	Volume 22
1951	Volume 16	1958	Volume 23
1952	Volume 17	1959	Volume 24

Adapting 115 Volt AC/DC Receivers for 240 Volt Operation, 125-55.
Adjustment of Filament Voltage of 1B3GT, 135-10.
See also 21/9-116.
Adjustment Procedure for Ion-Trap Magnets, 22/5-71.
AFC of Horizontal Sweep Generators, 18/11-143.
Alternative GT and Metal Valves, 118-39.
Amateur Transmitters, Reducing Harmonic Power Output of, 137-31.
Amplifier A515, Intermodulation Measurements, 130-34.
Amplifier, 30-Watt, A513, 124-19.
Amplifier, 45 Watt, A514, 124-23.
Amplifier, 4.5 Watt Single-Ended, 20/3-29.
Amplifier, Hearing-Aid, 117-14.
Amplifier, High Fidelity, Design of, 124-25, 125-53, 128-99.
Amplifier, High Quality L-P, 17/2-23.
Amplifier, Leak TL10, Report on, 20/12-137.
Amplifier, Leak TL12, Report on, 20/9-101, 20/11-136.
Amplifier, Leak TL12, Square-Wave Testing, 21/6-69.
Amplifier, Low Distortion 25 Watt, 143-51.
Amplifier, P.A., 6V6GT, Vibrator-Operated, 17/5-79.
Amplifier, Speech, Restricted Range, 16/5-99.
Amplifier Test Form, 20/9-106.
Amplifier, Transistorized, for Record Players, 23/6-100.
Amplifiers, Audio, KT88 in, 24/5-107, 24/6-143.
Amplifiers, Audio, Note on Noise in, 19/10-118.
Amplifiers, Cascode, Equivalent Characteristics of, 21/4-40.

Amplifiers, Modern Methods of Testing, 20/7-81, 20/8-85, 21/3-27, 21/5-62, 21/9-103, 21/11-145.
Amplifiers, Parametric, 24/12-311.
Amplifiers, Power and Voltage, 17/12-197.
Amplifiers, Ultra-Linear, 20/5-53, 20/6-70, 20/7-77, 21/2-23.
Amplitude Modulation Today, 24/2-31.
Analysis of Two Generators Feeding A Load, 20/10-115.
Application of Negative Current Feedback, 16/7-135.
Application of Transistors to AF Amplifiers, 22/11-167.
Applications Laboratory, 21/10-130.
Art of Baffling, The, 22/4-52.
Audible Hum and Buzz, 22/7-91.
Audio Amplifiers, Induced Hum in, 17/4-63.
Audio-Frequency Applications of 6BE6, 16/2-41.
Audio Systems, Intermodulation Analyser for, 16/4-74.
Australian Guided Weapons Analogue Computer, 19/12-135.
AVC Characteristics, 16/3-52.
AV36B Tungsten Filament Control Diode, 24/10-281.
AV43 Demonstration Cathode Ray Tube, 24/11-296.
Balanced Phase Shift Discriminators, 120-83.
Basic Circuit Description of a Television Receiver, 16/10-211, 16/11-228.
Bass Reflex Cabinet Design, 17/2-28.
B.B.C. Scheme for VHF Broadcasting, 17/5-83.
Beam Power Amplifiers, Triodes versus, 118-35.
Blocking Oscillator Sweep Generators, 23/10-163.

- Blower Requirements for Forced-Air-Cooled Valves, 136-20.
- Brief Analysis of the Television System, 17/10-165.
- Broadcast Audio Wiring Practice, 17/8-131.
- Calculation of Impedance with Reactance and Resistance in Series, 18/6-80.
- Calculation of Transmitting Triode Performance, 139-85.
- Calculation of Second Harmonic Distortion, 122-118, 131-60.
- Calculation of Valve Characteristics, 122-119.
- Calculations Involving Decibels per Octave, 137-42.
- Capacitance, Heater-Grid, Hum, 119-57.
- Characteristics of Pentodes and Triodes in Mixer Service, 137-46.
- Class B Amplifiers, Currents in, 123-6.
- Class B Amplifiers, Some Notes on, 20/7-84.
- Clickless Keying Using VR Tubes, 17/9-149.
- Coils, Air-Core, Low-Loss, 17/2-25.
- Column Loudspeakers, 20/10-113.
- Comments on Tests Used in the Radiotronics Laboratory on Main Amplifiers, 20/9-103.
- Communications Receiver Design, 145-99.
- Computers, Drift Transistors in, 24/2-36.
- Compact 2-Metre Transmitter, 16/12-257.
- Compact Back-Loading Folded-Horn Cabinet for 12in. and 15in. Loudspeakers, 17/10-172.
- Compensation of Frequency Drift, 130-36.
- Complementary Symmetry, 24/8-213, 24/9-250.
- Components for Pi-coupled Amplifiers, 19/12-139.
- Construction of Inductors for TVI Filters, 22/8-112.
- Control-Grid Currents in Radio Receiving Valves, 20/11-125.
- Conversion Factors, Valve, 122-115.
- Conversion Factors for Valve Characteristics, 21/9-106.
- Converter Operation, 1R5, 119-55.
- Counters, 16/9-199.
- Coupling the Speaker to the Output Stage, 17/6-100.
- Crystal Triodes, 17/12-201.
- Currents in Class "B" Amplifiers, 123-6.
- CW Ratings for Receiving Valves, 136-28.
- Damping Factor — A New Approach, 20/7-82.
- Damping for Loudspeaker, Acoustical and Electro-Magnetic, 20/4-37.
- Dangers of Exceeding 6V6GT Maximum Ratings, 21/9-104.
- Darkroom Timer, 139-78.
- Design and Adjustment of Picture Tube Centring and Ion-Trap Magnets, 21/11-144.
- Design, Bass Reflex Cabinet, 17/2-28.
- Design, Communication Receiver, 145-99.
- Design of a High Fidelity Amplifier, 124-25, 125-53, 128-99.
- Design of a Push-Pull Amplifier and Driver Stage, 146-127.
- Design of IF Transformers, 131-43, 133-87.
- Design of Loudspeaker Grilles, 17/2-31.
- Design-Maximum System for Rating Valves, 24/4-102, 24/5-115.
- Design Precaution for Oscillators Employing Filament Type Tubes, 123-8.
- Design, Radio Receiver, 117-12, 118-30, 121-101.
- Design, Single-Ended Class C Amplifier, 21/2-15, 21/3-31.
- Designing Audio Modulators, Simplified Procedure for, 140-102.
- Determining Maximum Values of Grid-Circuit Resistance, 17/11-193.
- Dethronement of Queen Anne, 16/6-130.
- Development of Radio Transmitting Valves, 16/6-117.
- Diamond and Sapphire Stylus Wear, 20/2-18.
- Direct Reading of Phase on an Oscilloscope, 20/4-52.
- Discriminators, Balanced Phase-Shift, 120-83.
- Discussion of Noise in Portable Receivers, 123-9.
- Display Storage Tubes, 24/12-325.
- Distortion, Second Harmonic, Calculation, 122-118.
- Double Conversion Ten- and Eleven-Metre Superhet, 143-63.
- Drift Transistors, 23/12-217.
- Drift Transistors in Computers, 24/2-36.
- Dual Wave Receivers RC43 and RC54, 135-3.
- Dynamic Noise Suppressor, 132-73.
- Early Foundations of our Art, 21/10-123.
- Effect of A Negative Impedance Source on Loudspeaker Performance, 23/11-193.
- Effect of Damping in Reducing Loudspeaker Distortion, 20/6-69.
- Electro-Terminal Connections for Pencil-Type UHF Triodes, 18/3-3.
- Electronic Devices, Integrated, 24/5-136.
- Electronic Keying Systems, 145-113, 146-132.
- Electronic Timers, 16-2.
- Electronic Timers Employing 2D21 or 2050, 132-70.
- Electronic Vacuum-Tube Voltmeter, 138-67.
- Elements of a TV System, 141-3, 142-36, 143-56.
- Elimination of Reflections on Video Lines, 140-121.
- Equivalent Characteristics of Cascode Amplifiers, 21/4-40.
- Establishment of Quality Standards by Subjective Assessment, 19/9-97.
- Extension Loudspeakers, 120-75.
- Extra-Terrestrial Relays, 117-18.
- Fail-Safe Operation of Electronics Control Circuits, 138-68.
- Feedback Resistors for Different VC Impedances, Calculating, 20/6-76.
- Field Mesh Image Orthicons, 23/12-218.
- Fluorescent Screens, Features of, 24/7-174.
- FM Antenna Choice and Installation, 19/11-125.
- FM Broadcast Receivers, Proposed Test Procedure for, 18/3-39.
- FM in Australia, Survey of, 119-51.
- FM Receiver, The, 19/9-101.
- FM Receiver, 88-108 Mc Band, 125-39, 127-79, 132-75.
- FM Service Problems, 19/10-122.
- Four-Valve Dual-Wave Battery Receiver, 16/5-91.
- Generator, Square-Wave, 17/8-133.

Glass Technology in Valve Manufacture, 21/11-139.
 Graphical Method for Calculating The Resultant of Two Resistances in Parallel, 21/3-34, 21/8-98.
 Grid Blocking, 123-4.
 Grounded-Plate 6AU6 Pre-Amplifier Use, 142/142.
 Hearing-Aid Amplifier, 117-14.
 Heater-Induced Hum in Audio Amplifiers, 17/4-63.
 High Fidelity, 23/5-71, 23/6-87, 23/7-115, 23/8-133, 23/9-148.
 High Fidelity Amplifiers Using 6973, 24/1-15.
 High Frequency RF Chokes, 16/7-149.
 High-Quality L-P Amplifier, 17/2-23.
 High Quality LP Reproduction, 16/12-247.
 High-Quality Sound System for the Home, 17/6-95.
 High-Speed Electronic Fault Protection for Power Tubes, 21/4-43.
 Hi-Ho Fidelity, 18/10-171.
 History of the Receiving Valve, 22/12-183.
 Horn-Loaded Loudspeakers, 17/6-102.
 How Much Will A Resistor Take? 21/7-77.
 How The Image Orthicon Works, 141-9.
 Hum, Heater-Grid Capacitance, 119-57.
 IF Amplifiers, Transistor, Neutralizing, 24/11-304.
 Imitation of Natural Sounds, 17/4-75.
 Impedance Calculations on the Slide Rule, 20/1-13.
 Importance of Vidicon Dark Current, 23/10-170.
 Improving SW Performance of Converters, 16/6-115.
 Increasing Tube Reliability in Industrial Circuits, 18/1-14.
 Inexpensive Square-Wave Generator, 17/8-133.
 Input Admittance of Receiving Tube, 126-62, 131-60.
 Input Circuit Noise Calculations, FM and TV Receivers, 128-104.
 Insulated Mounting Washers for Power Transistors, 24/2-40.
 Intercommunication Unit, Switchless, 146-149.
 Intermodulation Analyzer for Audio Systems, 16/4-74.
 Intermodulation Measurements on Amplifier A515, 130-34.
 Introduction to FM, 19/8-90.
 Introduction to UHF Television, 17/7-111.
 Intrusion Alarms, 16/3-64.
 Ionization Gauge Controller, 22/1-3.
 Ionization Tubes Gauge Vacuum Pressure, 146-150.
 Keying the Beam — Power Phone Final, 16/10-208.
 K Measurements, 128-103.
 KT66 Power Tetrode, 142-28.
 Laboratory Report on Leak TL12 Main Amplifiers, 20/9-101.
 Levels Used in Standard Frequency Test Records, 21/8-99.
 Limiting Class A Operation, 18/10-177.
 Linear RF Power Amplifiers, 23/7-107.
 Links in the Audio Chain, 20/7-83.
 Listeners, Broadcast, Preferences, 117-17.
 Logarithmic Compressor, 17/2-33.
 Looking at Amplifiers from the Loudspeaker Point of View, 19/3-27.
 Loudspeaker Divider Networks, 19/7-75, 20/2-25.
 Loudspeaker Enclosures, Resume of, 20/10-116.
 Loudspeaker Enclosures, 20/10-116.
 Loudspeaker, Extension, 120-75.
 Loudspeaker Frequency Response Curves, 18/7-103.
 Loudspeaker Grilles, Design of, 17/2-31.
 Loudspeakers, Horn-Loaded, 17/6-102.
 Loudspeaker, Vented Baffle, 127-94.
 Loudspeaker Impedance, 19/4-44.
 Low Distortion 25 Watt Amplifier Using 807; 143-51.
 Low-Distortion AM Detector, 18/6-79.
 Low-Noise Broad-Band Preamplifier for 2-Metre Receivers, 137-43.
 Low-Distortion Diode Detector Circuits, 21/1-3.
 Low Distortion Laboratory Amplifier, 23/1-14.
 Low-Loss Air-Core Coils, 17/2-25.
 Low-Noise Miniature Pentode for Audio Amplifier Service, 17/3-57.
 Low Voltage Oscillator Operation, 19/3-29.
 Magnetron, The, 24/11-301.
 Matching by Means of T and H Pads, 123-3.
 Measurement of Conversion Sensitivity, 16/11-227.
 Measurement of Microphony, 19/3-25.
 Measurement of Plate Power Dissipation 6BQ6GTB/6CU6, 21/4-39.
 Measurement of the Filament Voltage of the 1B3GT, 21/9-116, see also 135-10.
 Measuring Second Harmonic Distortion with Milliammeter, 20/6-75.
 Measuring the Self-Capacitance of Coils, 23/3-40.
 Mental Calculations, 16/7-137.
 Method of Determining Tracking Capabilities of a Pickup, 17/3-45.
 MHE Transmitter, 16/7-139.
 Microphonics Caused by Heater-Cathode Capacitance Variations, 130-38.
 Miniature 10-Metre Transmitter, 146-141.
 Miniature Modulator, 17/2-127.
 Miniature Tubes in Stagger-Tuned Video IF Systems, 134-109.
 Miniature Valves in War and Peace, 139-81.
 Minimum Audible Change in Power Output, 21/3-35.
 Mixed-Bass Stereo, 24/11-293.
 Mixer-Oscillator Circuit for FM and AM, 139-92.
 Modern Assembly Methods, 22/1-8.
 Modern Methods of Testing Amplifiers, 20/7-81, 20/8-85, 21/3-27, 21/5-62, 21/9-103, 21/11-145.
 Modern Modulation Monitor, 16/4-81.
 Modern Straight Receiver, 17/9-143.
 Modulator Circuit, 807's, Class B, Zero Bias, 138-64.
 Modulator, 300 Watt, 16/7-146.
 Mood Music, 16/5-111.
 Multiplier Phototube, The, 24/8-201.
 Music and Stereophony, 24/8-199.

NBFM Mobile Transmitter, 16/5-104.
 Neck Shadow Problems in Picture Tubes, 23/2-19.
 Neutralization, Intermediate Frequency, 118-33.
 Neutralizing Transistor IF Amplifiers, 24/11-304.
 New AC/DC Series, 134-95.
 New Principle for Electronic Volume Control, 17/8-136.
 New Scale of Loudness, 19/9-99.
 New Standard Playback Curve, 19/10-113.
 Noise Calculations, Input Circuit, 128-104.
 Noise Chart for Resistors and Valves, 19/2-14.
 Noise in Portable Receivers, 123-9.
 Noise Performance of VHF Receivers, 19/1-5.
 Note on Noise in Audio Amplifiers, 19/10-118.
 Notes on Sound Reinforcement Systems, 19-137.
 Novice Transmitter Using 6146, 23/6-90.
 Nuvistor—The New Look in Electron Valves, 24/8-216.
 One-Tube Keying Monitor, 17/5-92.
 Operating Conditions for RC-Coupled Pentodes, 132-63.
 Operation of Phototubes, 16/5-95.
 Oscillator, Wide-Range RC, 16/5-112.
 Oscilloscope, Radiotron S115, 127-96.
 Oscillograph, Radiotron S114, 121-107.
 Output Transformers—A Useful Device, 20/7-82.
 Overall Performance of Commercial Radio Receivers, 17/11-177.
 Oxide Coated Cathode, The, 22/5-59.
 P. A. Systems in Generating Plants, 17/10-159.
 Panoramic Adaptor with Circular Time Base, 16/2-31.
 Parametric Amplifiers, 24/12-311.
 Peaked Audio Amplifier for Communication Receivers, 17/8-129.
 Pentode/Triode Characteristics, 119-59.
 Perveance, 123-16.
 Phase Shift in Cathode Bias Circuits, Control of, 123-6.
 Photoelectric Phenomena, 16/3-55.
 Phototube Characteristics, 16/3-60.
 Phototubes and Lamps, 118-36.
 Phototubes and Their Applications, 17/1-3.
 Phototubes, Operation of, 16/5-95.
 Pickup Input Circuits, 16/12-249.
 Pickup Output Ratings, 21/10-125.
 Pickup Output Ratings and Recording Levels, Note on, 20/11-135.
 Pickup Output Ratings and Recording Levels, 21/2-17.
 Picture Tube, 17AVP4A, 22/12-190.
 Picture Tube, 17BJP4, 23/4-62.
 Picture Tube, 17BZP4, 24/4-95.
 Picture Tube, 17HP4B, 21/5-53.
 Picture Tube, 21ALP4A, 22/5-63.
 Picture Tube, 21CBP4A, 23/4-65.
 Picture Tube, 21CEP4, 24/4-98.
 Picture Tube Mounting, 21/6-67.
 Picture Tube or Kinescope, 17/11-182.
 Picture Tubes, Colour, 23/1-15.
 Picture Tubes, Neck Shadow Problems in, 23/2-19.
 Planar Electrode Valves for VHF, 145-108.
 Plotting of Valve Characteristics, 120-88.
 Power and Voltage Amplifiers, 17/12-197.
 Power-Valve Installation, 22/3-36.
 Power Valve Section, The, 23/3-35.
 Practical TV Antenna and Transmission Line Considerations, 16/8-155.
 Pre-Amplifiers for Use with Williamson Amplifiers, 20/6-75.
 Pre-Amplifiers—What Sensitivity is Required? 21/6-70.
 Precautions to Prevent Internal Arcs from Damaging Kinescopes, 135-2.
 Precision "Slick Whistle" for 3.5 to 4 Mc., 19/4-33.
 Presentation and Application of the Characteristics of the Pentagrid Converter Valve, 21/8-87.
 Proper Plate Tank Padding, 16/9-183.
 Properties of Untuned RF Amplifier Stages, 124-29.
 Proposed Test Procedure for FM Broadcast Receivers, 18/3-39.
 Public Address Horns, 17/3-53.
 Pulse Emission Test for Field Testing Hot-Cathode Gas Tubes, 18/8-127.
 Pulse Emission Testing of Gas Valves, 23/12-212.
 Purpose of the Post-Equalizing Pulses in the Television Composite Video Signal, 22/6-75.
 Push-Pull Amplifier Circuits, KT88, 23/2-23.
 Radial Beam Duo-Speaker, 23/4-51.
 Radio-Frequency High-Voltage Sources, 117-10.
 Radio Propagation and the Use of Antennas, 144-82.
 Radio Receiver Design, 117-12, 118-30, 121-101.
 Radiotron AV25 Demonstration Triode, 24/1-12.
 Radiotron 2D21 Thyatron, 143-66.
 Radiotron 30 Watt Amplifier A513, 124-19.
 Radiotron 45 Watt Amplifier, A514, 124-23.
 Radiotron 50 Watt Transmitter T202, 120-78.
 Radiotron 5786 Power Triode, 137-37.
 Radiotron 6198 Vidicon, 18/2-29.
 Radiotron KT61, 138-51.
 Radiotron X61M, 135-15, 137-42, 138-56.
 Radiotron Oscillograph S114, 121-107.
 Radiotron Oscilloscope S115, 127-96.
 Radiotron Receiver RB53, 126-59.
 Radiotron Receivers RC41 and RC42, 118-27.
 Radiotron Receiver RC44, 139-75.
 Radiotron Receiver RC52, 117-3.
 Radiotron Receiver RC53, 118-26.
 Radiotron Receiver RC55, 142-23.
 Radiotron Receiver RD31, 120-71.
 Radiotron Receiver RD32, 125-51.
 Radiotron Receiver RD33, 140-99.
 Radiotron Receiver RD45, 121-99.
 Radiotron Reflex Receiver RD34, 144-75.
 Ratio Detector, 120-79.
 Ratio Detector for FM Broadcast Receivers, 23/5-79.
 Receiver, 4 Valve, D-W, Battery, 16/5-91.
 Receiver, 6-Metre, 17/4-69.
 Receiver, Modern Straight, 17/9-143.
 Receiver Noise Figures, 17/5-82.
 Receiver, Radiotron, RB53, 126-59.
 Receiver, Radiotron RC44, 139-75.

Receiver, Radiotron, RC52, 117-3, 118-32.
 Receiver, Radiotron, RC53, 118-26.
 Receiver, Radiotron, RC55, 142-23.
 Receiver, Radiotron, RD31, 120-71.
 Receiver, Radiotron, RD32, 125-51.
 Receiver, Radiotron, RD33, 140-99.
 Receiver, Radiotron Reflex, RD34, 144-75.
 Receiver, Radiotron, RD45, 121-99.
 Receiver Sensitivity and Gain Measurements at HF, 133-89.
 Receivers, Dual-Wave, RC43, RC54, 135-3.
 Receivers, Radiotron, RC41, RC42, 118-27.
 Receivers, VHF, Noise Performance of, 19/1-5.
 Record-Playing Facilities for the Small Receiver, 16/10-207.
 Rectifier Valves and Circuits, 24/9-246.
 Reducing Harmonic Power Output of Amateur Transmitters, 137-31, 138-56.
 Reducing Hum in Amplifiers, 21/11-151.
 Reducing Voltage Output of Crystal Pickups, 20/7-84.
 Reduction in Total Harmonic Distortion by Feedback, 20/6-76.
 Reduction of Playthrough, 145-106.
 Regulator Tubes 0C3, 0D3, Notes on, 21/8-97.
 Relays, Extra-Terrestrial, 117-18.
 Residual Volume Effect, 123-5.
 Restricted Range Speech Amplifier, 16/5-99.
 Restricting Frequency Range in Speech Amplifiers, 16/12-254.
 Resume of Loudspeaker Enclosures, 20/10-116.
 RF Amplifiers Using 2N544, 24/7-179.
 RF Performance of Receiving Valves in TV Circuits, 138-58.
 RMA Type Designation System, 118-38, 121-106.
 Ruling Engine, 750-Mesh, 23/1-9.
 Selecting a Loudspeaker, 17/2-37.
 Selection of Valves for use as Cathode Followers, 124-33.
 Semiconductor Diodes, Radiotron, 23/8-126.
 Sensitivity of Microphones to Stray Magnetic Fields, 19/11-131.
 Servicing Transistorized Radios, 23/12-204.
 Silicon Power Rectifiers, 24/9-227.
 Silicon Rectifiers, Installation and Cooling of, 24/10-260.
 Simple Code-Practice Unit, 144-93.
 Single Section Filament Operation of 3S4 and 3V4, 135-9.
 Simplified Procedure for Designing Audio Modulators, 140-102.
 Single-Ended Class C Amplifier Design, 21/2-15, 21/3-31.
 Single-Ended Push Pull Audio Amplifier, 16/2-261.
 Sound Reproducing Systems, 24/7-171.
 Some Effects of Negative Feedback on Output Resistance, 20/7-79.
 Some Notes on Feedback, 19/6-61.
 Sound Section for a TV Receiver, 22/6-79.
 Sources of Information, 16/7-151.
 Speaker Phasing, 23/10-173.
 Special-Quality Valves, 24/8-204.
 Square Wave Testing, 20/6-65, 21/3-35.
 SSB Service, For, 24/12-321.
 Stable 807 RF Amplifiers, 16/5-107.
 Stable Self-Contained All-Band VFO, 16/4-71.
 Stereo in the Home, 24/3-47, 24/4-88.
 Stroboscope Design, 16/1-27.
 Sub-Harmonics, 21/2-23.
 Survey of FM in Australia, 119-51.
 Switchless Intercommunication Unit, 146-149.
 Sync Clipper-Amplifier using 12AU7, 22/3-31.
 Synchronization in TV Receivers, Some Aspects of, 24/3-52, 24/4-79, 24/5-119.
 Tape Recorders, 23/3-41, 23/4-56.
 Technical Educational Requirements of the Modern Radio Industry, 20/3-35.
 Television Economics, 16/2-35.
 Television, Introduction to UHF, 17/7-111.
 Television Receiver, The, 18/2-23.
 Television Signal, The, 18/1-3.
 Television Trouble Shooting and Alignment, 16/1-4.
 Television Tuner Type STT1, 21/11-146.
 Testing Audio Amplifiers with Square Waves, 144-94.
 TV Antennas and Transmission Lines, 141-15, 142-41 and 42, 143-60.
 TV Camera Tubes, 24/9-233.
 TV Deflection Circuits, 18/7-111.
 TV Power Supplies, 18/10-179.
 TV Receiver Alignment, 22/7-99, 23/1-3.
 TV Receiver and Installation Techniques, 16/9-184.
 TV Receivers, Some Aspects of Synchronization in, 24/3-52, 24/4-79, 24/4-119.
 TV Receiving Antennas and their Installation, 18/12-217.
 TV RF Oscillator and Converter Circuits, 18/4-51.
 TV Sweep Generators, 18/6-91.
 TV Synchronization, 18/8-131.
 TV System, Brief Analysis of, 17/10-165.
 TV Test Equipment and Alignment, 18/11-191.
 TV Tuners, Uses of Low-Noise Twin Triode in, 20/8-87.
 TV Video and Audio Circuits, 18/5-63.
 TV Video Detector and Amplifier, 18/6-81.
 The Transistor, 20/1-14.
 Towards a more Realistic Audio, 17/12-207.
 Transistor Applications, 24/4-71, 24/4-125, 24/6-154.
 Transistor Dissipation Ratings for Pulse and Switching Service, 24/11-287.
 Transistor Fundamentals, 24/2-23, 24/3-58, 24/6-154.
 Transistor Glossary, 24/6-158.
 Transistor Interchangeability Guide, 24/10-271.
 Transistor Operating Considerations, 22/9-123.
 Transistor Parameters, 24/9-241.
 Transistor Radio Circuitry, 23/11-183.
 Transistor Radio Service Techniques, 24/1-3.
 Transistor Trends and Developments, 23/9-143.
 Transistorized Amplifier for Record Players, 23/6-100.
 Transistors and Their Parameters, 22/10-139, 24/7-185.

Transistors in the Converter Stage, 24/7-184.
 Transistors, Power, Insulated Mounting Washers for, 24/2-40.
 Transistors, Special Issues, 22/9,10,11.
 Transmitter, 50 Watt, T202, 120-78.
 Transmitter, 144-Megacycle, 20/11-130, 21/1-10.
 Transmitter Aerial and Site Selection, 140-111.
 Transmitter, Compact 2-Metre, 16/12-257.
 Transmitter, MHE, 16/7-139.
 Transmitter, Miniature 10-Metre, 146-141.
 Transmitter, NBFM Mobile, 16/5-104.
 Transmitter, Novice, Using 6146, 23/6-90.
 Transmitting Valves, Frequency and Power Output Chart, 24/10-267.
 Travelling-Wave Tubes, 23/8-123, 23/9-156, 23/10-174, 23/11-190.
 Triode Operation of 807, 138-66, 142-41.
 Triodes versus Beam Power Amplifiers, 118-35.
 Triodes versus Pentodes in High-Fidelity Output Stages, 19/7-73.
 Trouble Shooting "Tough" sets or "Dogs", 20/1-1.
 Tube Envelope Temperature, 21/4-42, 21/5-56.
 Tube Ratings as Applied to Industrial Equipment Design, 16/4-84.
 Two Ears in Three Dimensions, 19/4-38.
 Two Impedances in Parallel, 20/11-124.
 UHF Transmission Lines, 129-3, 130-23.
 UHF Valves, 24/10-263.
 UK Standard Frequency Transmission, 23/6-103.
 Ultra Linear Amplifiers, 20/5-53, 20/6-70, 20/7-77, 21/2-23.
 Universal Coil Winding, 146-133.
 Untuned RF Amplifier Stages, Properties of, 124-29.
 Use of 5763 as Frequency Multiplier up to 175 Mc, 141-11.
 Use of Cracked Carbon Resistors in Amplifiers, 19/7-84.
 Use of Multiple Small Loudspeakers, 19/8-85.
 Use of New Low-Noise Twin Triode in Television Tuners, 20/8-87.
 Use of UHF Miniature Tube Socket for UHF Television Applications, 19/2-24.
 Useful Volt-Ohmmeter, 16/4-79.
 Vacuum Measurement, 24/10-275.
 Valve Characteristics, Calculation of, 122-119.
 Valve Characteristics, Plotting of, 120-88.
 Valve Conversion Factors, 122-115.
 Valve Ratings, Interpretation of, 117-22.
 Valve Types for Audio Use, 22/8-107.
 Variable Bandwidth Crystal Filters, 133-78.
 Vented Baffle Loudspeaker, 127-94.
 Versatile Grid Controlled Power Supply, 143-70.
 Vertical-Deflection Circuits, Valve Requirements in, 24/7-186.
 Vibrator-Operated 6V6GT P.A. Amplifier, 17/5-79.
 Vibrators, 23/5-76.
 Video IF Amplifier, 21/12-155, 22/1-12.
 Video Amplifier Using 12BY7, 22/4-44.
 Visualizing SWR, 23/7-112.
 Voltage Regulator Tubes, 21/6-71.
 Voltmeter Loading, 123-12.
 Wave Guide Application, 19/6-62.
 Weekend Special, The, 24/7-175.
 Why Electrostatic Loudspeakers? 20/9-109.
 Wide Range RC Oscillator, 16/5-112.
 Wiring Techniques, 16/7-144.
 Zener Diodes, 24/10-255.
 144-Megacycle Transmitter, 20/11-130, 21/1-10.
 1R5 Converter Operation, 119-55.
 2E24 and 2E26 at 162 Mc., 127-90.
 30 Watt Universal Plate Modulation Transformer, 126-74.
 3V4 Replaces 3Q4, 118-39.
 4.5 Watt Single-Ended Amplifier, 20/3-29.
 6 Metre Receiver, 17/4-69.
 6BA6 and 6BE6 in FM Receivers, 129-15.
 6BK8/Z729 Low-Noise AF Pre-amplifier Pentode, 20/5-61, 22/5-68.
 6CB6 in TV Receiver, 145-116.
 6V6GT in RF Service, 117-22.

