

# HAM RADIO MAGAZINE INDEX 1968 TO 1990

## Results for Year - 1968

Article	CatID	Author	Page	Issue
Rf generator clip	<a href="#">13</a>	<a href="#">W1DTY</a>	58	<a href="#">Mar 68</a>
Curve master, the	<a href="#">25</a>	<a href="#">K8ERV</a>	40	<a href="#">Mar 68</a>
Curve master, the	<a href="#">13</a>	<a href="#">K8ERV</a>	40	<a href="#">Mar 68</a>
Ssb exciter, 5-band	<a href="#">26</a>	<a href="#">K1UKX</a>	10	<a href="#">Mar 68</a>
James Research oscillator/monitor	<a href="#">3</a>	<a href="#">W1DTY</a>	91	<a href="#">Mar 68</a>
3-500Z in amateur service, the	<a href="#">26</a>	<a href="#">W6SAI</a>	56	<a href="#">Mar 68</a>
Precision capacitor	<a href="#">13</a>	<a href="#">W4BRS</a>	61	<a href="#">Mar 68</a>
IC-regulated power supply for ICs	<a href="#">20</a>	<a href="#">W6GXN</a>	28	<a href="#">Mar 68</a>
IC-regulated power supply for ICs	<a href="#">11</a>	<a href="#">W6GXN</a>	28	<a href="#">Mar 68</a>
Double-balanced mixers	<a href="#">26</a>	<a href="#">W1DTY</a>	48	<a href="#">Mar 68</a>
Ssb exciter, 5-band	<a href="#">29.2</a>	<a href="#">K1UKX</a>	10	<a href="#">Mar 68</a>
Guide to single sideband, a beginner's	<a href="#">26</a>	<a href="#">Belt</a>	66	<a href="#">Mar 68</a>
3-500Z in amateur service, the	<a href="#">29.2</a>	<a href="#">W6SAI</a>	56	<a href="#">Mar 68</a>
Drake W-4 directional wattmeter	<a href="#">3</a>	<a href="#">W1DTY</a>	86	<a href="#">Mar 68</a>
Fet converters for 50, 144, 220 and 432 MHz	<a href="#">31.3</a>	<a href="#">W6AJF</a>	20	<a href="#">Mar 68</a>
Big beam for 10 meters	<a href="#">1.2</a>	<a href="#">K6KA</a>	32	<a href="#">Mar 68</a>
Fet converters for 50, 144, 220 and 432 MHz	<a href="#">22.3</a>	<a href="#">W6AJF</a>	20	<a href="#">Mar 68</a>
Whips and loops as apartment antennas	<a href="#">1.2</a>	<a href="#">W2EEY</a>	80	<a href="#">Mar 68</a>
Double-balanced mixers	<a href="#">15</a>	<a href="#">W1DTY</a>	48	<a href="#">Mar 68</a>
Professional look, for that	<a href="#">5</a>	<a href="#">VE3GFN</a>	74	<a href="#">Mar 68</a>
Low-voltage supply with short-circuit protection	<a href="#">20</a>	<a href="#">WB2EGZ</a>	22	<a href="#">Apr 68</a>
Voltmeter, improved transistor, part I	<a href="#">13</a>	<a href="#">Maddever</a>	74	<a href="#">Apr 68</a>
Solenoid rotary switches	<a href="#">12</a>	<a href="#">W2EEY</a>	36	<a href="#">Apr 68</a>
Signal tracing in ham receivers	<a href="#">13</a>	<a href="#">Allen</a>	52	<a href="#">Apr 68</a>
Dynistor, the	<a href="#">6</a>	<a href="#">W6GXN</a>	49	<a href="#">Apr 68</a>
Tiltover tower base, low-cost	<a href="#">1.5</a>	<a href="#">WA1ABP</a>	86	<a href="#">Apr 68</a>
Solenoid rotary switches	<a href="#">1.6</a>	<a href="#">W2EEY</a>	36	<a href="#">Apr 68</a>
Long-tail transistor biasing	<a href="#">25</a>	<a href="#">W2DXH</a>	64	<a href="#">Apr 68</a>
TV sweep tubes in linear service, full-blast operation of	<a href="#">26</a>	<a href="#">W6SAI, W6UOV</a>	9	<a href="#">Apr 68</a>
Station control center	<a href="#">12</a>	<a href="#">W7OE</a>	26	<a href="#">Apr 68</a>
Impedance bridge, simple	<a href="#">13</a>	<a href="#">WA9QJP</a>	40	<a href="#">Apr 68</a>
Moonbounce to Australia	<a href="#">31.1</a>	<a href="#">W1DTY</a>	85	<a href="#">Apr 68</a>
CW monitor and code-practice oscillator	<a href="#">17</a>	<a href="#">K6RIL</a>	46	<a href="#">Apr 68</a>
Motorola MPS transistors (HN)	<a href="#">25</a>	<a href="#">W2DXH</a>	42	<a href="#">Apr 68</a>
Signal tracing in ham receivers	<a href="#">22.4</a>	<a href="#">Allen</a>	52	<a href="#">Apr 68</a>
Linear power amplifiers	<a href="#">26</a>	<a href="#">Belt</a>	16	<a href="#">Apr 68</a>
Quement circular slide rule	<a href="#">3</a>	<a href="#">W2DXH</a>	62	<a href="#">Apr 68</a>
TV sweep tubes in linear service, full-blast operation of	<a href="#">15</a>	<a href="#">W6SAI, W6UOV</a>	9	<a href="#">Apr 68</a>
Linear power amplifiers	<a href="#">29.1</a>	<a href="#">Belt</a>	16	<a href="#">Apr 68</a>
Replace the unijunction transistor	<a href="#">25</a>	<a href="#">K9VXL</a>	58	<a href="#">Apr 68</a>
TV sweep tubes in linear service, full-blast operation of	<a href="#">29.1</a>	<a href="#">W6SAI, W6UOV</a>	9	<a href="#">Apr 68</a>
APX-6 transponder, notes on	<a href="#">31.1</a>	<a href="#">W6OSA</a>	32	<a href="#">Apr 68</a>

EX crystal and oscillator	<a href="#">3 WB2EGZ</a>	60	<a href="#">Apr 68</a>
Folded mini-monopole antenna	<a href="#">1.2 W6SAI</a>	32	<a href="#">May 68</a>
Generating ssb signals with suppressed carriers	<a href="#">26 Belt</a>	24	<a href="#">May 68</a>
Mini-spotter frequency checker	<a href="#">13 W7OE</a>	48	<a href="#">May 68</a>
Dipper without plug-in coils	<a href="#">13 W6BLZ</a>	64	<a href="#">May 68</a>
Signal injection in ham receivers	<a href="#">22.4 Allen</a>	72	<a href="#">May 68</a>
432-MHz fet converter, low-noise	<a href="#">31.3 WA6SXC</a>	18	<a href="#">May 68</a>
Aluminum's new face	<a href="#">5 W4BRS</a>	60	<a href="#">May 68</a>
Motorola MC1530 IC, amateur uses for	<a href="#">11 W2EEY</a>	42	<a href="#">May 68</a>
432-MHz fet converter, low noise	<a href="#">22.3 WA6SXC</a>	18	<a href="#">May 68</a>
Secret society, the	<a href="#">7 W4NXD</a>	82	<a href="#">May 68</a>
BC-603 tank receiver, updating the	<a href="#">22.2 WA6IAK</a>	52	<a href="#">May 68</a>
Converting the Swan 120 to two meters	<a href="#">31.4 K6RIL</a>	8	<a href="#">May 68</a>
Signal injection in ham receivers	<a href="#">13 Allen</a>	72	<a href="#">May 68</a>
Two-meter mobile antennas	<a href="#">31.2 W6BLZ</a>	76	<a href="#">May 68</a>
Converting the Swan 120 to two meters	<a href="#">29.3 K6RIL</a>	8	<a href="#">May 68</a>
Converting the Swan 120 to two meters	<a href="#">26 K6RIL</a>	8	<a href="#">May 68</a>
Transistor tester for leakage and gain	<a href="#">25 W4BRS</a>	68	<a href="#">May 68</a>
Two-meter mobile antennas	<a href="#">1.3 W6BLZ</a>	76	<a href="#">May 68</a>
What is it?	<a href="#">7 WA1ABP</a>	84	<a href="#">May 68</a>
ESSA weather receiver	<a href="#">22.2 W6GXN</a>	36	<a href="#">May 68</a>
IC regulated power supply for ICs	<a href="#">20 Short circuit</a>	80	<a href="#">May 68</a>
Swan 120, converting to two meters	<a href="#">3 K6RIL</a>	8	<a href="#">May 68</a>
Transistor tester for leakage and gain	<a href="#">13 W4BRS</a>	68	<a href="#">May 68</a>
Amateur uses of the MC1530 IC	<a href="#">11 W2EEY</a>	42	<a href="#">May 68</a>
Transistor-tube talk (HN)	<a href="#">25 WA4NED</a>	25	<a href="#">Jun 68</a>
Six-meter mosfet converter	<a href="#">31.3 WB2EGZ</a>	22	<a href="#">Jun 68</a>
Small parts tray (HN)	<a href="#">5 W2GA</a>	58	<a href="#">Jun 68</a>
Receiver alignment	<a href="#">22.4 Allen</a>	64	<a href="#">Jun 68</a>
Six-meter mosfet converter	<a href="#">22.3 WB2EGZ</a>	22	<a href="#">Jun 68</a>
Amateur vhf fm operation	<a href="#">9 W6AYZ</a>	36	<a href="#">Jun 68</a>
Transistor storage (HN)	<a href="#">25 K8ERV</a>	58	<a href="#">Jun 68</a>
Punching aluminum panels (HN)	<a href="#">5 W7DIM</a>	57	<a href="#">Jun 68</a>
Crystal mount, untuned	<a href="#">31.1 W1DTY</a>	68	<a href="#">Jun 68</a>
Oscillators, ssb	<a href="#">18 Belt</a>	26	<a href="#">Jun 68</a>
S-meter readings (HN)	<a href="#">13 W1DTY</a>	56	<a href="#">Jun 68</a>
Converting wavelength to inches (HN)	<a href="#">15 WA6SXC</a>	56	<a href="#">Jun 68</a>
Speech processing	<a href="#">2 W1DTY</a>	60	<a href="#">Jun 68</a>
Coaxial cable supports (HN)	<a href="#">1.6 W2GA</a>	56	<a href="#">Jun 68</a>
Receiver alignment	<a href="#">13 Allen</a>	64	<a href="#">Jun 68</a>
Rack and panel construction	<a href="#">5 W7OE</a>	48	<a href="#">Jun 68</a>
Soldering fluxes (HN)	<a href="#">5 K3HNP</a>	57	<a href="#">Jun 68</a>
Broadband Antenna Baluns	<a href="#">1.4 W6SAI</a>	6	<a href="#">Jun 68</a>
Transmitter switching, solid-state	<a href="#">29.1 W2EEY</a>	44	<a href="#">Jun 68</a>
Amateur anemometer	<a href="#">15 W6GXN</a>	52	<a href="#">Jun 68</a>
Amateur vhf fm operation	<a href="#">31.1 W6AYZ</a>	36	<a href="#">Jun 68</a>
Transmitter switching, solid-state	<a href="#">12 W2EEY</a>	44	<a href="#">Jun 68</a>

Electronic bugging	<a href="#">7 K2ZSQ</a>	70	<a href="#">Jun 68</a>
S-meter readings (HN)	<a href="#">22.1 W1DTY</a>	56	<a href="#">Jun 68</a>
Low-voltage supply (HN)	<a href="#">20 WB2EGZ</a>	57	<a href="#">Jun 68</a>
Speech processing	<a href="#">26 W1DTY</a>	60	<a href="#">Jun 68</a>
Vfo, stable transistor	<a href="#">18 W1DTY</a>	14	<a href="#">Jun 68</a>
Tilt your rig (HN)	<a href="#">5 WA4NED</a>	58	<a href="#">Jun 68</a>
Solar activity, aspects of	<a href="#">15 K3CHP</a>	21	<a href="#">Jun 68</a>
Oscillators, ssb	<a href="#">26 Belt</a>	26	<a href="#">Jun 68</a>
Fet converter, bandswitching, for 40, 20, 15 and 10	<a href="#">22.2 VE3GFN</a>	6	<a href="#">Jul 68</a>
28-MHz transmitter, solid-state	<a href="#">29.2 K2ZSQ</a>	10	<a href="#">Jul 68</a>
Vhf converter performance, optimizing (HN)	<a href="#">31.3 K2ZSQ</a>	18	<a href="#">Jul 68</a>
RTTY with the SB-300	<a href="#">23 W2ARZ</a>	76	<a href="#">Jul 68</a>
Long-distance high frequency communications	<a href="#">21 WB6KAP</a>	80	<a href="#">Jul 68</a>
Phase-shift ssb generators	<a href="#">26 Belt</a>	20	<a href="#">Jul 68</a>
Heath CA1, ten-minute timer from (HN)	<a href="#">3 K8HZ</a>	74	<a href="#">Jul 68</a>
455-kHz bfo, transistorized	<a href="#">22.2 W6BLZ, K5GXR</a>	12	<a href="#">Jul 68</a>
Simple 1-, 2- and 3-band antennas	<a href="#">1.2 W9EGQ</a>	54	<a href="#">Jul 68</a>
Diodes for power supplies, choosing	<a href="#">20 W6BLZ</a>	38	<a href="#">Jul 68</a>
Voltmeter, transistor, part II	<a href="#">13 Maddever</a>	60	<a href="#">Jul 68</a>
Transformer shorts	<a href="#">13 W6BLZ</a>	36	<a href="#">Jul 68</a>
455-kHz bfo, transistorized	<a href="#">18 W6BLZ, K5GXR</a>	12	<a href="#">Jul 68</a>
Six-meter tunnel diode phone rig (HN)	<a href="#">31.4 K2ZSQ</a>	74	<a href="#">Jul 68</a>
Transistor tester	<a href="#">25 WA6NIL</a>	48	<a href="#">Jul 68</a>
Line transient protection (HN)	<a href="#">20 W1DTY</a>	75	<a href="#">Jul 68</a>
Tunnel diode phone rig, 6-meter (HN)	<a href="#">29.3 K2ZSQ</a>	74	<a href="#">Jul 68</a>
Troubleshooting transistor ham gear	<a href="#">25 Allen</a>	64	<a href="#">Jul 68</a>
Two-meter converter, 1.5-dB NF	<a href="#">31.3 WA6SXC</a>	14	<a href="#">Jul 68</a>
Transformer shorts	<a href="#">20 W6BLZ</a>	36	<a href="#">Jul 68</a>
Current flow?, which way does	<a href="#">15 W2DXH</a>	34	<a href="#">Jul 68</a>
Two-meter converter, 1.5 dB NF	<a href="#">22.3 WA6SXC</a>	14	<a href="#">Jul 68</a>
Transistor tester	<a href="#">13 WA6NIL</a>	48	<a href="#">Jul 68</a>
RTTY with SB-300	<a href="#">22.2 W2ARZ</a>	76	<a href="#">Jul 68</a>
40-meters, transistor rig for	<a href="#">29.2 W6BLZ, K5GXR</a>	44	<a href="#">Jul 68</a>
Instrumentation and the ham	<a href="#">13 VE3GFN</a>	28	<a href="#">Jul 68</a>
Deburring holes (HN)	<a href="#">5 W2DXH</a>	75	<a href="#">Jul 68</a>
Vhf converter performance, optimizing (HN)	<a href="#">22.3 K2FSQ</a>	18	<a href="#">Jul 68</a>
Troubleshooting transistor ham gear	<a href="#">13 Allen</a>	64	<a href="#">Jul 68</a>
Heath SB-300, RTTY with	<a href="#">3 W2ARZ</a>	76	<a href="#">Jul 68</a>
Transverter, high-level hf	<a href="#">29.2 K4ERO</a>	68	<a href="#">Jul 68</a>
Compressor, dual channel	<a href="#">2 W2EEY</a>	40	<a href="#">Jul 68</a>
How to be DX	<a href="#">7 W4NXD</a>	58	<a href="#">Aug 68</a>
Converting vacuum tube equipment to solid-state	<a href="#">15 W2EEY</a>	30	<a href="#">Aug 68</a>
Six-meter J-pole antenna	<a href="#">31.2 K4SDY</a>	48	<a href="#">Aug 68</a>
Vfo, stable transistor	<a href="#">18 Short circuit</a>	34	<a href="#">Aug 68</a>
J-pole antenna for 6-meters	<a href="#">1.3 K4SDY</a>	48	<a href="#">Aug 68</a>
Grid current measurement in grounded-grid amplifiers	<a href="#">13 W6SAI</a>	64	<a href="#">Aug 68</a>
Amateur Radio in Space - a bibliography	<a href="#">15 W6OLO</a>	60	<a href="#">Aug 68</a>

A dab of paint, a drop of wax (HN)	<a href="#">5 VE3BUE</a>	78	<a href="#">Aug 68</a>
Code practice - the rf way	<a href="#">17 WA4NED</a>	65	<a href="#">Aug 68</a>
Audio amplifier and squelch circuit	<a href="#">22.1 W6AJF</a>	36	<a href="#">Aug 68</a>
Six-meter mosfet converter	<a href="#">31.3 Short circuit</a>	34	<a href="#">Aug 68</a>
Two-meter antenna, simple (HN)	<a href="#">31.2 W6BLZ</a>	78	<a href="#">Aug 68</a>
Six-meter mosfet converter	<a href="#">22.3 Short circuit</a>	34	<a href="#">Aug 68</a>
Audio-amplifier and squelch unit	<a href="#">9 W6AJF</a>	36	<a href="#">Aug 68</a>
Receiver impedance matching (HN)	<a href="#">22.1 W0ZFN</a>	79	<a href="#">Aug 68</a>
Three-phase motors (HN)	<a href="#">15 W6HPH</a>	79	<a href="#">Aug 68</a>
1296-MHz linear, high-power	<a href="#">31.4 WB6IOM</a>	6	<a href="#">Aug 68</a>
Beta master, the	<a href="#">25 K8ERV</a>	18	<a href="#">Aug 68</a>
Two-meter antenna, simple (HN)	<a href="#">1.3 W6BLZ</a>	78	<a href="#">Aug 68</a>
Grid-current measurement in grounded-grid amplifiers	<a href="#">29.1 W6SAI</a>	64	<a href="#">Aug 68</a>
Beta master, the	<a href="#">13 K8ERV</a>	18	<a href="#">Aug 68</a>
Filters, single-sideband	<a href="#">26 Belt</a>	40	<a href="#">Aug 68</a>
Audio amplifier and squelch circuit	<a href="#">2 W6AJF</a>	36	<a href="#">Aug 68</a>
Noise generators, using (HN)	<a href="#">13 K2ZSQ</a>	79	<a href="#">Aug 68</a>
High-power trouble shooting	<a href="#">20 Allen</a>	52	<a href="#">Aug 68</a>
Converting vacuum tube equipment to solid-state	<a href="#">25 W2EEY</a>	30	<a href="#">Aug 68</a>
Noise figure measurements, vhf noise generators, using (HN)	<a href="#">31.1 K2ZSQ</a>	79	<a href="#">Aug 68</a>
Zener diodes (HN)	<a href="#">25 K3DPJ</a>	79	<a href="#">Aug 68</a>
How to be DX	<a href="#">17 W4NXD</a>	58	<a href="#">Aug 68</a>
Keeping your beam, tips for	<a href="#">1.5 W6BLZ</a>	50	<a href="#">Aug 68</a>
Zener diodes (HN)	<a href="#">20 K3DPJ</a>	79	<a href="#">Aug 68</a>
Amateur anemometer	<a href="#">15 Short circuit</a>	34	<a href="#">Aug 68</a>
Two-meter mosfet converter	<a href="#">22.3 WB2EGZ</a>	22	<a href="#">Aug 68</a>
Linear for 1296 MHz, high-power	<a href="#">29.3 WB6IOM</a>	8	<a href="#">Aug 68</a>
Two-band novice superhet	<a href="#">22.2 Thorpe</a>	66	<a href="#">Aug 68</a>
Coaxial cable, what you need to know about	<a href="#">1.6 W9ISB</a>	30	<a href="#">Sep 68</a>
Wind direction indicator, digital	<a href="#">15 W6GXN</a>	14	<a href="#">Sep 68</a>
432-MHz amplifier, 2-kW	<a href="#">31.4 W6SAI, W6NLZ</a>	6	<a href="#">Sep 68</a>
Vhf antenna switching without relays (HN)	<a href="#">1.3 K2ZSQ</a>	76	<a href="#">Sep 68</a>
Makeshift test equipment (HN)	<a href="#">13 W7FS</a>	77	<a href="#">Sep 68</a>
432-MHz amplifier, 2-kW	<a href="#">29.3 W6DAI, W6NLZ</a>	6	<a href="#">Sep 68</a>
Headphones, lightweight	<a href="#">2 K6KA</a>	34	<a href="#">Sep 68</a>
Thermoelectric power supplies	<a href="#">15 K1AJE</a>	48	<a href="#">Sep 68</a>
432- and 1296-MHz signal source	<a href="#">31.3 K6RIL</a>	20	<a href="#">Sep 68</a>
Frequency translation in ssb transmitters	<a href="#">29.1 Belt</a>	22	<a href="#">Sep 68</a>
Hook, line 'n sinker (HN)	<a href="#">1.1 WA4NED</a>	76	<a href="#">Sep 68</a>
Aligning vhf transmitters	<a href="#">31.4 Allen</a>	58	<a href="#">Sep 68</a>
Solder dispenser, simple (HN)	<a href="#">5 W2KID</a>	76	<a href="#">Sep 68</a>
Screen clamp, solid-state	<a href="#">29.1 W0LRW</a>	44	<a href="#">Sep 68</a>
Thermoelectric power supplies	<a href="#">20 K1AJE</a>	48	<a href="#">Sep 68</a>
Converting a-m power amplifiers to ssb service	<a href="#">26 WA4GNW</a>	55	<a href="#">Sep 68</a>
Outboard receiver with a transceiver	<a href="#">22.2 W1DTY</a>	12	<a href="#">Sep 68</a>
Maximum usable frequency, predicting	<a href="#">21 WB6KAP</a>	70	<a href="#">Sep 68</a>
Heath HW-100, the new	<a href="#">3 W1NLB</a>	64	<a href="#">Sep 68</a>

Dummy loads, experimental	<a href="#">13 W8YFB</a>	36	<a href="#">Sep 68</a>
Industrial cartridge fuses, using (HN)	<a href="#">5 VE3BUE</a>	76	<a href="#">Sep 68</a>
Dummy loads, experimental	<a href="#">1.1 W8YFB</a>	36	<a href="#">Sep 68</a>
Coaxial cable, what you know about	<a href="#">1.6 W9ISB</a>	30	<a href="#">Sep 68</a>
Aligning vhf transmitters	<a href="#">29.4 Allen</a>	58	<a href="#">Sep 68</a>
Frequency translation in ssb transmitters	<a href="#">26 Belt</a>	22	<a href="#">Sep 68</a>
Signal source for 432 and 1296 MHz	<a href="#">13 K6RIL</a>	20	<a href="#">Sep 68</a>
I.f cathode jack	<a href="#">22.1 W6HPH</a>	28	<a href="#">Sep 68</a>
Panoramic reception, simple	<a href="#">13 W2EEY</a>	14	<a href="#">Sep 68</a>
Vhf antenna switching without relays (HN)	<a href="#">31.2 K2ZSQ</a>	77	<a href="#">Sep 68</a>
Converting a-m power amplifiers to ssb service	<a href="#">29.1 WA4GNW</a>	55	<a href="#">Sep 68</a>
Panoramic reception, simple	<a href="#">22.1 W2EEY</a>	14	<a href="#">Oct 68</a>
Amateur frequency measurements	<a href="#">13 K6KA</a>	53	<a href="#">Oct 68</a>
Two-meter mosfet converter	<a href="#">22.3 neutralizing</a>	77	<a href="#">Oct 68</a>
Troubleshooting around fets	<a href="#">13 Allen</a>	42	<a href="#">Oct 68</a>
Weather receiver, low-frequency	<a href="#">22.2 W6GXN</a>	36	<a href="#">Oct 68</a>
Troubleshooting around fets	<a href="#">25 Allen</a>	42	<a href="#">Oct 68</a>
Grommet shock mount (HN)	<a href="#">5 VE3BUE</a>	77	<a href="#">Oct 68</a>
50-MHz transmitter, solid-state	<a href="#">29.3 WB2EGZ</a>	6	<a href="#">Oct 68</a>
Early wireless stations	<a href="#">7 W6BLZ</a>	64	<a href="#">Oct 68</a>
Amateur Radio in Space - a bibliography	<a href="#">15 Addenda</a>	77	<a href="#">Oct 68</a>
Two-meter preamp, MM5000	<a href="#">22.3 W4KAE</a>	49	<a href="#">Oct 68</a>
Rf current probe (HN)	<a href="#">1.1 W6HPH</a>	76	<a href="#">Oct 68</a>
Overtone oscillator (HN)	<a href="#">18 WSUQS</a>	77	<a href="#">Oct 68</a>
Single-tuned interstage networks, designing	<a href="#">15 K6ZGQ</a>	59	<a href="#">Oct 68</a>
Three-band ground plane	<a href="#">1.2 W6HPH</a>	32	<a href="#">Oct 68</a>
Vox and mox systems for ssb	<a href="#">26 Belt</a>	24	<a href="#">Oct 68</a>
Narrow-band fm system. using ICs in	<a href="#">9 W6AJF</a>	30	<a href="#">Oct 68</a>
AFSK oscillator, solid-state	<a href="#">18 WA4FGY</a>	28	<a href="#">Oct 68</a>
Rf current probe (HN)	<a href="#">13 W6HPH</a>	76	<a href="#">Oct 68</a>
Basic electronic units	<a href="#">15 W2DXH</a>	18	<a href="#">Oct 68</a>
Using ICs in a nbfm system	<a href="#">11 W6AJF</a>	30	<a href="#">Oct 68</a>
Six-meter transmitter, solid-state	<a href="#">31.4 WB2EGZ</a>	6	<a href="#">Oct 68</a>
Two-meter preamp, MM5000	<a href="#">31.3 W4KAE</a>	49	<a href="#">Oct 68</a>
AFSK oscillators, solid-state	<a href="#">23 WA4FGY</a>	28	<a href="#">Oct 68</a>
Vox and mox systems for ssb	<a href="#">12 Belt</a>	24	<a href="#">Oct 68</a>
Low-frequency transmitter, solid-state	<a href="#">29.2 W4KAE</a>	16	<a href="#">Nov 68</a>
28-MHz superregen receiver	<a href="#">22.2 K2ZSQ</a>	70	<a href="#">Nov 68</a>
Sunspot numbers, smoothed	<a href="#">21 WB6KAP</a>	72	<a href="#">Nov 68</a>
Pi and pi-L networks	<a href="#">29.1 W6SAI</a>	36	<a href="#">Nov 68</a>
Filter chokes, unmarked	<a href="#">5 W0KMF</a>	60	<a href="#">Nov 68</a>
More electronic units	<a href="#">15 W1EZT</a>	56	<a href="#">Nov 68</a>
Satellite picture transmission, recording	<a href="#">15 W6CCN</a>	6	<a href="#">Nov 68</a>
Antenna switching, solid state	<a href="#">1.1 W2EEY</a>	30	<a href="#">Nov 68</a>
Pi and pi-L networks	<a href="#">15 W6SAI</a>	36	<a href="#">Nov 68</a>
Troubleshooting by resistance measurement	<a href="#">13 Allen</a>	62	<a href="#">Nov 68</a>
Detectors, ssb	<a href="#">22.1 Belt</a>	22	<a href="#">Nov 68</a>

1296-MHz linear, high-power	<a href="#">31.4 Short circuit</a>	54	<a href="#">Nov 68</a>
Calibrators and counters	<a href="#">13 K6KA</a>	41	<a href="#">Nov 68</a>
Detectors, ssb	<a href="#">26 Belt</a>	22	<a href="#">Nov 68</a>
Ramp generators	<a href="#">15 W6GXN</a>	56	<a href="#">Dec 68</a>
Six-meter transverter	<a href="#">29.4 K8DOC, K8TVP</a>	44	<a href="#">Dec 68</a>
QSL return, statistics on	<a href="#">17 WB6IUH</a>	60	<a href="#">Dec 68</a>
Six-meter transverter	<a href="#">31.4 K8DOC, K8TVP</a>	44	<a href="#">Dec 68</a>
Transmitter, flea power	<a href="#">29.3 K2ZSQ</a>	80	<a href="#">Dec 68</a>
QSL return, statistics on	<a href="#">7 WB6IUH</a>	50	<a href="#">Dec 68</a>
Baluns, wideband bridge	<a href="#">1.4 W6SAI, WA6BAN</a>	28	<a href="#">Dec 68</a>
40-GHz record	<a href="#">31.1 K7PMY</a>	70	<a href="#">Dec 68</a>
James Research permafex key	<a href="#">3 W1DTY</a>	73	<a href="#">Dec 68</a>
Six-meter transverter	<a href="#">26 K8DOC, K8TVP</a>	44	<a href="#">Dec 68</a>
Transmitters, QRP	<a href="#">29.2 W7OE</a>	36	<a href="#">Dec 68</a>
Quiet sun, the	<a href="#">21 WB6KAP</a>	76	<a href="#">Dec 68</a>
QRP operation	<a href="#">15 W7OE</a>	36	<a href="#">Dec 68</a>
Silver plating for the amateur	<a href="#">5 W4KAE</a>	62	<a href="#">Dec 68</a>
Gdo, new uses for	<a href="#">13 K2ZSQ</a>	48	<a href="#">Dec 68</a>
Gdo, new uses for	<a href="#">1.1 K2ZSQ</a>	48	<a href="#">Dec 68</a>
Crystal oscillator, miniature	<a href="#">18 W6DOR</a>	68	<a href="#">Dec 68</a>

## Results for Year - 1969

Article	CatID	Author	Page	Issue
Tuning, Current-controlled	<a href="#">15 K2ZSQ</a>		38	<a href="#">Jan 69</a>
Sunspots and solar activity	<a href="#">21 WB6KAP</a>		60	<a href="#">Jan 69</a>
Antenna and rotator preventive maintenance	<a href="#">1.5 WA1ABP</a>		66	<a href="#">Jan 69</a>
Linear for 2 meters	<a href="#">29.3 W4KAE</a>		47	<a href="#">Jan 69</a>
Solid-state circuits for ssb	<a href="#">26 Belt</a>		18	<a href="#">Jan 69</a>
144-MHz linear	<a href="#">31.4 W4KAE</a>		47	<a href="#">Jan 69</a>
220-MHz mosfet converter	<a href="#">31.3 WB2EGZ</a>		28	<a href="#">Jan 69</a>
Cubical quad measurements	<a href="#">13 W4YM</a>		42	<a href="#">Jan 69</a>
220-MHz mosfet converter	<a href="#">22.3 WB2EGZ</a>		28	<a href="#">Jan 69</a>
Gridded tubes, vhf/uhf effects in	<a href="#">31.1 W6UOV</a>		8	<a href="#">Jan 69</a>
Ohmmeter troubleshooting	<a href="#">30 Allen</a>		52	<a href="#">Jan 69</a>
Cubical quad measurements	<a href="#">1.1 W4YM</a>		42	<a href="#">Jan 69</a>
Stub-switched, stub-matched antennas	<a href="#">1.4 W2EEY</a>		34	<a href="#">Jan 69</a>
Gridded tubes, vhf-uhf effects in	<a href="#">15 W6UOV</a>		8	<a href="#">Jan 69</a>
Preamplifier, low-noise high-gain transistor	<a href="#">22.2 W2EEY</a>		66	<a href="#">Feb 69</a>
Power supplies for single sideband	<a href="#">26 Belt</a>		38	<a href="#">Feb 69</a>
Dipole sloping inverted-vee	<a href="#">1.2 W6NIF</a>		48	<a href="#">Feb 69</a>
Signal detection and communication in the presence of white noise	<a href="#">31.3 WB6IOM</a>		16	<a href="#">Feb 69</a>
Grounded-grid 2 kW PEP amplifier, high frequency	<a href="#">29.2 W6SAI</a>		6	<a href="#">Feb 69</a>
Power supplies for single sideband	<a href="#">20 Belt</a>		38	<a href="#">Feb 69</a>
Signal detection and communication in the presence of white noise	<a href="#">15 WB6IOM</a>		16	<a href="#">Feb 69</a>
Analyzing wrong dc voltages	<a href="#">30 Allen</a>		54	<a href="#">Feb 69</a>
Converting a vacuum-tube receiver to solid-state	<a href="#">22.1 W1OOP</a>		26	<a href="#">Feb 69</a>
Converting a vacuum-tube receiver to solid-state	<a href="#">25 W1OOP</a>		26	<a href="#">Feb 69</a>



Mini-paddle	<a href="#">12 K6RIL</a>	46	<a href="#">Feb 69</a>
Vtvm modification	<a href="#">13 W6HPH</a>	51	<a href="#">Feb 69</a>
Coaxial cable connectors (HN)	<a href="#">5 WA1ABP</a>	71	<a href="#">Mar 69</a>
144-MHz ground plane antenna, 0.7 wavelength	<a href="#">31.2 W3WZA</a>	40	<a href="#">Mar 69</a>
Monitorscope, miniature	<a href="#">13 WA3FIY</a>	34	<a href="#">Mar 69</a>
Safety in the ham shack	<a href="#">15 Darr, James</a>	44	<a href="#">Mar 69</a>
Computers and ham radio	<a href="#">17 W5TOM</a>	60	<a href="#">Mar 69</a>
Noise figure, meaning of	<a href="#">31.1 K6MIO</a>	26	<a href="#">Mar 69</a>
Calibrator, plug-in IC	<a href="#">13 K6KA</a>	22	<a href="#">Mar 69</a>
Noise figure, meaning of	<a href="#">15 K6MIO</a>	26	<a href="#">Mar 69</a>
Crystal switching (HN)	<a href="#">18 K6LZM</a>	70	<a href="#">Mar 69</a>
Transformers, repairing	<a href="#">5 W6NIF</a>	66	<a href="#">Mar 69</a>
Tuner, receiver (HN)	<a href="#">1.6 WA7KRE</a>	72	<a href="#">Mar 69</a>
Vfo, high stability	<a href="#">18 W8YFB</a>	14	<a href="#">Mar 69</a>
Noise figure, the real meaning of	<a href="#">22.1 K6MIO</a>	26	<a href="#">Mar 69</a>
144-MHz linear, 2kW, design data for	<a href="#">31.4 W6UOV</a>	7	<a href="#">Mar 69</a>
Vhf linear, 2kW, design data for	<a href="#">29.3 W6UOV</a>	6	<a href="#">Mar 69</a>
Antenna tuner, miniature receiver (HN)	<a href="#">22.1 WA7KRE</a>	72	<a href="#">Mar 69</a>
Transformers, high-voltage, repairing	<a href="#">20 W6NIF</a>	66	<a href="#">Mar 69</a>
Safety in the ham shack	<a href="#">16 Darr</a>	44	<a href="#">Mar 69</a>
Vox, IC	<a href="#">12 W2EEY</a>	50	<a href="#">Mar 69</a>
SBE linear amplifier tips (HN)	<a href="#">3 WA6DCW</a>	71	<a href="#">Mar 69</a>
Dipole antennas on non-harmonic frequencies (HN)	<a href="#">1.2 W2CTK</a>	72	<a href="#">Mar 69</a>
Vhf linear, 2 kW, design data for	<a href="#">31.4 W6UOV</a>	7	<a href="#">Mar 69</a>
Ground plane, 2-meter, 0.7 wavelength	<a href="#">1.3 W3WZA</a>	40	<a href="#">Mar 69</a>
Calibrator, plug-in frequency	<a href="#">22.1 K6KA</a>	22	<a href="#">Mar 69</a>
Coaxial cable connectors (HN)	<a href="#">1.6 WA1ABP</a>	71	<a href="#">Mar 69</a>
144-MHz heterodyne transmitting mixers	<a href="#">31.4 K2ISP</a>	8	<a href="#">Apr 69</a>
Transmitting mixers for 6 and 2 meters	<a href="#">29.3 K2ISP</a>	8	<a href="#">Apr 69</a>
Transmitter, universal flea-power	<a href="#">29.2 K2ZSQ</a>	58	<a href="#">Apr 69</a>
Wireless Point Loma	<a href="#">7 W6BLZ</a>	54	<a href="#">Apr 69</a>
Knight-kit inverter/charger review	<a href="#">3 W1DTY</a>	64	<a href="#">Apr 69</a>
Coaxial feedthrough panel (HN)	<a href="#">1.6 W3URE</a>	70	<a href="#">Apr 69</a>
Identifier, programmable repeater	<a href="#">9 W6AYZ</a>	18	<a href="#">Apr 69</a>
Camera and monitor, sstv	<a href="#">28 VE3EGO, Watson</a>	38	<a href="#">Apr 69</a>
High-frequency amateur antennas	<a href="#">1.2 W2WLR</a>	28	<a href="#">Apr 69</a>
Transmitting mixers, 6 and 2 meters	<a href="#">26 K2ISP</a>	8	<a href="#">Apr 69</a>
50-MHz heterodyne transmitting mixer	<a href="#">31.4 K2ISP</a>	8	<a href="#">Apr 69</a>
Speech clipping	<a href="#">26 K6KA</a>	24	<a href="#">Apr 69</a>
Cubical quad, economy six-meter	<a href="#">1.3 W6DOR</a>	50	<a href="#">Apr 69</a>
50-MHz cubical quad, economy	<a href="#">31.2 W6DOR</a>	50	<a href="#">Apr 69</a>
Transmitter, flea power	<a href="#">29.3 K2ZSQ</a>	58	<a href="#">Apr 69</a>
Dual-voltage power supply (HN)	<a href="#">20 W1OOP</a>	71	<a href="#">Apr 69</a>
Blocking oscillators	<a href="#">18 W6GXN</a>	45	<a href="#">Apr 69</a>
T150A frequency stability (HN)	<a href="#">3 WB2MCP</a>	70	<a href="#">Apr 69</a>
T-R switch	<a href="#">1.1 K3KMO</a>	61	<a href="#">Apr 69</a>
Underwriter's knot (HN)	<a href="#">5 W1DTY</a>	69	<a href="#">May 69</a>

Switch, antenna for 2 meters, solid-state	<a href="#">1.3 K2ZSQ</a>	48	<a href="#">May 69</a>
Using integrated circuits (HN)	<a href="#">11 W9KXJ</a>	69	<a href="#">May 69</a>
Signal One review	<a href="#">3 W1NLB</a>	56	<a href="#">May 69</a>
RTTY converter, miniature IC	<a href="#">23 K9MRL</a>	40	<a href="#">May 69</a>
Dipole center insulator (HN)	<a href="#">1.1 WA1ABP</a>	69	<a href="#">May 69</a>
Antenna switch for meters, solid-state	<a href="#">25 K2ZSQ</a>	48	<a href="#">May 69</a>
Noise blanker, IC	<a href="#">22.1 W2EEY</a>	52	<a href="#">May 69</a>
Repeater, receiving system degradation	<a href="#">9 K5ZBA</a>	36	<a href="#">May 69</a>
Fet converter, bandswitching, for 40, 20, 15 and 10	<a href="#">22.2 postscript</a>	68	<a href="#">May 69</a>
Center insulator, dipole	<a href="#">5 WA1ABP</a>	69	<a href="#">May 69</a>
Fm repeaters, receiving system degradation in	<a href="#">22.3 K5ZBA</a>	36	<a href="#">May 69</a>
144-MHz antenna switch, solid-state	<a href="#">31.2 K2ZSQ</a>	48	<a href="#">May 69</a>
Paddle, homebrew keyer	<a href="#">12 W3NK</a>	43	<a href="#">May 69</a>
Applications, potpourri of IC	<a href="#">11 W1DTY, Thorpe</a>	8	<a href="#">May 69</a>
Echoes, long delay	<a href="#">21 WB6KAP</a>	61	<a href="#">May 69</a>
Wiring and grounding	<a href="#">16 W1EZT</a>	44	<a href="#">Jun 69</a>
External anode tetrodes	<a href="#">31.4 W6SAI</a>	23	<a href="#">Jun 69</a>
Vertical, top-loaded 80 meter	<a href="#">1.2 VE1TG</a>	48	<a href="#">Jun 69</a>
Antenna, top-loaded 80-meter vertical	<a href="#">16 VE1TG</a>	48	<a href="#">Jun 69</a>
Grounding and wiring	<a href="#">15 W1EZT</a>	44	<a href="#">Jun 69</a>
Watercooling the 2C39	<a href="#">5 K6MYC</a>	30	<a href="#">Jun 69</a>
Lighthouse tubes for uhf	<a href="#">31.4 W6UOV</a>	27	<a href="#">Jun 69</a>
Grounding (HN)	<a href="#">5 W9KXJ</a>	67	<a href="#">Jun 69</a>
Lighthouse tubes for uhf	<a href="#">15 W6UOV</a>	27	<a href="#">Jun 69</a>
Fm communications receiver, modular	<a href="#">22.3 K8AUH</a>	32	<a href="#">Jun 69</a>
Wiring and grounding	<a href="#">5 W1EZT</a>	44	<a href="#">Jun 69</a>
Homebrew art	<a href="#">5 W0PEM</a>	56	<a href="#">Jun 69</a>
Tone encoder and secondary frequency oscillator (HN)	<a href="#">9 K8AUH</a>	66	<a href="#">Jun 69</a>
Heath HW-100 incremental tuning (HN)	<a href="#">3 K1GUU</a>	67	<a href="#">Jun 69</a>
RTTY, introduction to	<a href="#">23 K6JFP</a>	38	<a href="#">Jun 69</a>
Tetrodes, external-anode	<a href="#">15 W6SAI</a>	23	<a href="#">Jun 69</a>
CW selectivity with crystal bandpassing	<a href="#">22.1 W2EEY</a>	52	<a href="#">Jun 69</a>
Transceiver, single-band ssb	<a href="#">29.2 W1DTY</a>	8	<a href="#">Jun 69</a>
Receiver, modular fm communications	<a href="#">9 K8AUH</a>	32	<a href="#">Jun 69</a>
Transceiver, single-band ssb	<a href="#">26 W1DTY</a>	8	<a href="#">Jun 69</a>
2C39, water cooling	<a href="#">31.4 K6MYC</a>	30	<a href="#">Jun 69</a>
Antenna gain, measuring	<a href="#">13 K6JYO</a>	26	<a href="#">Jul 69</a>
Glass semiconductors	<a href="#">25 W1EZT</a>	54	<a href="#">Jul 69</a>
Crystal oscillators	<a href="#">18 W6GXN</a>	33	<a href="#">Jul 69</a>
Log-periodic, yagi beam	<a href="#">1.3 K6RIL, W6SAI</a>	8	<a href="#">Jul 69</a>
APC trimmer, adding shaft to (HN)	<a href="#">5 W1ETT</a>	68	<a href="#">Jul 69</a>
Bobtail curtain array, forty-meter	<a href="#">1.2 VE1TG</a>	58	<a href="#">Jul 69</a>
Antenna gain, measuring	<a href="#">1.1 K6JYO</a>	26	<a href="#">Jul 69</a>
Antenna, bobtail curtain for 40 meters	<a href="#">16 VE1TG</a>	58	<a href="#">Jul 69</a>
Transverter for 6 meters	<a href="#">29.3 WA9IGU</a>	44	<a href="#">Jul 69</a>
Measuring antenna gain	<a href="#">1.1 K6JYO</a>	26	<a href="#">Jul 69</a>
Glass semiconductors	<a href="#">15 W1EZT</a>	54	<a href="#">Jul 69</a>



Multi-box (HN)	<a href="#">13 W3KBM</a>	68	<a href="#">Jul 69</a>
Identifier, programmable repeater	<a href="#">9 Short circuit</a>	76	<a href="#">Jul 69</a>
220-MHz mosfet converter	<a href="#">31.3 Short circuit</a>	76	<a href="#">Jul 69</a>
CW transceiver for 40 and 80 meters	<a href="#">29.2 W3NNL, K3OIO</a>	14	<a href="#">Jul 69</a>
Oscilloscope calibrator (HN)	<a href="#">13 K4EEU</a>	69	<a href="#">Jul 69</a>
50-MHz transverter	<a href="#">31.4 WA9IGU</a>	44	<a href="#">Jul 69</a>
Stub bandswitched antennas	<a href="#">1.2 W2EEY</a>	50	<a href="#">Jul 69</a>
Converting a vacuum-tube receiver to solid-state	<a href="#">25 Short circuit</a>	76	<a href="#">Jul 69</a>
Sunspot numbers	<a href="#">21 WB6KAP</a>	63	<a href="#">Jul 69</a>
220-MHz mosfet converter	<a href="#">22.3 Short circuit</a>	76	<a href="#">Jul 69</a>
Log-periodic yagi beam antenna	<a href="#">31.2 K6RIL, W6SAI</a>	8	<a href="#">Jul 69</a>
Dual-voltage power supply (HN)	<a href="#">20 Short circuit</a>	80	<a href="#">Aug 69</a>
144-MHz converters, choosing fets for (HN)	<a href="#">22.3 K6JYO</a>	70	<a href="#">Aug 69</a>
Mobile installation, putting together	<a href="#">5 W0FCH</a>	36	<a href="#">Aug 69</a>
Calibrator, simple frequency-divider using mos ICs	<a href="#">22.1 W6GXN</a>	30	<a href="#">Aug 69</a>
Ionospheric E-layer	<a href="#">21 WB6KAP</a>	58	<a href="#">Aug 69</a>
432 MHz preamp (HN)	<a href="#">22.3 W1DTY</a>	66	<a href="#">Aug 69</a>
Q5er, solid-state	<a href="#">22.2 W5TKP</a>	20	<a href="#">Aug 69</a>
Oscilloscope, troubleshooting amateur gear with	<a href="#">13 Allen</a>	52	<a href="#">Aug 69</a>
Oscilloscope, troubleshooting amateur gear with	<a href="#">30 Allen</a>	52	<a href="#">Aug 69</a>
RTTY converter, miniature IC	<a href="#">23 Short circuit</a>	80	<a href="#">Aug 69</a>
Distortion in fm systems	<a href="#">9 W5JJ</a>	26	<a href="#">Aug 69</a>
ART-13, Modifying for noiseless CW (HN)	<a href="#">29.2 K5GKN</a>	68	<a href="#">Aug 69</a>
Quad antenna, multiband	<a href="#">1.2 DJ4VM</a>	41	<a href="#">Aug 69</a>
Ionospheric science, short history of	<a href="#">21 WB6KAP</a>	58	<a href="#">Aug 69</a>
Parabolic reflector, 16-foot homebrew	<a href="#">31.2 WB6IOM</a>	8	<a href="#">Aug 69</a>
CW monitor	<a href="#">17 W2EEY</a>	46	<a href="#">Aug 69</a>
Swan 350 and 400, RTTY operation (HN)	<a href="#">3 WB2MIC</a>	67	<a href="#">Aug 69</a>
Mosfet transistors (HN)	<a href="#">25 WB2EGZ</a>	72	<a href="#">Aug 69</a>
Encoder, combined digital and burst	<a href="#">9 K8AUH</a>	48	<a href="#">Aug 69</a>
Parabolic reflector, 16-foot homebrew	<a href="#">1.3 WB6IOM</a>	8	<a href="#">Aug 69</a>
Coax relay coils, another use (HN)	<a href="#">5 K0VQY</a>	72	<a href="#">Aug 69</a>
144-MHz converters, choosing fats (HN)	<a href="#">31.3 K6JYO</a>	70	<a href="#">Aug 69</a>
Swan 350 and 400 equipment on RTTY (HN)	<a href="#">23 WB2MIC</a>	67	<a href="#">Aug 69</a>
432-MHz fet preamp (HN)	<a href="#">31.3 W1DTY</a>	66	<a href="#">Aug 69</a>
Oscilloscope, putting it to work	<a href="#">13 Allen</a>	64	<a href="#">Sep 69</a>
Microwave communications, amateur standards for	<a href="#">31.1 K6HIJ</a>	54	<a href="#">Sep 69</a>
Oscilloscope, putting to work	<a href="#">30 Allen</a>	64	<a href="#">Sep 69</a>
Bandpass filters, 25 to 2500 MHz	<a href="#">31.1 K6RIL</a>	46	<a href="#">Sep 69</a>
Mono-loop antenna (HN)	<a href="#">1.2 W8BW</a>	70	<a href="#">Sep 69</a>
Mobile converter, solid-state modification of	<a href="#">25 Schuler</a>	58	<a href="#">Sep 69</a>
1296-MHz frequency tripler	<a href="#">29.3 K4SUM, W4API</a>	40	<a href="#">Sep 69</a>
Uhf tuner tester for tv sets (HN)	<a href="#">13 Schuler</a>	73	<a href="#">Sep 69</a>
Bandpass filters, single-pole	<a href="#">31.1 W6HPH</a>	51	<a href="#">Sep 69</a>
Transistors for vhf transmitters (HN)	<a href="#">29.3 W1OOP</a>	74	<a href="#">Sep 69</a>
Bandpass filters, single-pole	<a href="#">15 W6HPH</a>	51	<a href="#">Sep 69</a>
Loads, affect of mismatched transmitter	<a href="#">1.4 W5JJ</a>	60	<a href="#">Sep 69</a>

Transistors for vhf transmitters (HN)	<a href="#">31.4 W1OOP</a>	74	<a href="#">Sep 69</a>
Gonset converter, solid-state modification of 1296-MHz frequency tripler	<a href="#">22.2 Schuler</a> <a href="#">31.4 K4SUM, W4API</a>	58 40	<a href="#">Sep 69</a> <a href="#">Sep 69</a>
Using ICs with single-polarity power supplies	<a href="#">11 W2EEY</a>	35	<a href="#">Sep 69</a>
Mismatched transmitter loads, affect of	<a href="#">15 W5JJ</a>	60	<a href="#">Sep 69</a>
Fm techniques	<a href="#">15 W6SAI</a>	8	<a href="#">Sep 69</a>
Frequency meter, crystal controlled (HN)	<a href="#">13 W5JSN</a>	71	<a href="#">Sep 69</a>
Transistors for vhf transmitters (HN)	<a href="#">25 W1OOP</a>	74	<a href="#">Sep 69</a>
Fm techniques and practices for vhf amateurs	<a href="#">9 W6SAI</a>	8	<a href="#">Sep 69</a>
Noise blanker, hot-carrier diode	<a href="#">22.1 W4KAE</a>	16	<a href="#">Oct 69</a>
144-MHz preamp, super (HN)	<a href="#">31.3 K6HCP</a>	72	<a href="#">Oct 69</a>
Repeater transmitter, improving	<a href="#">9 W6GDO</a>	24	<a href="#">Oct 69</a>
Transmitter, remote keying (HN)	<a href="#">29.1 WA3HDU</a>	74	<a href="#">Oct 69</a>
Transmitter alignment	<a href="#">26 Allen</a>	62	<a href="#">Oct 69</a>
432-MHz exciter, solid-state	<a href="#">31.4 W1OOP</a>	38	<a href="#">Oct 69</a>
Remote keying your transmitter (HN)	<a href="#">12 WA3HOU</a>	74	<a href="#">Oct 69</a>
Low-cost linear ICs	<a href="#">11 WA7KRE</a>	20	<a href="#">Oct 69</a>
Balun, simplified (HN)	<a href="#">1.4 WA0KKC</a>	73	<a href="#">Oct 69</a>
Tropospheric-duct vhf communications	<a href="#">21 WB6KAP</a>	68	<a href="#">Oct 69</a>
Tower, wind-protected crank-up	<a href="#">1.5 HN</a>	74	<a href="#">Oct 69</a>
144-MHz preamp, super (HN)	<a href="#">22.3 K6HCP</a>	72	<a href="#">Oct 69</a>
Radio communications links, basics of	<a href="#">16 W1EZT</a>	44	<a href="#">Oct 69</a>
SB301/401, Improved sidetone operation	<a href="#">3 W1WLZ</a>	73	<a href="#">Oct 69</a>
Vhf beacons	<a href="#">31.1 K6EDX</a>	52	<a href="#">Oct 69</a>
Ssb transmitter alignment	<a href="#">30 Allen</a>	62	<a href="#">Oct 69</a>
High-frequency diversity antennas	<a href="#">1.2 W2WLR</a>	28	<a href="#">Oct 69</a>
432-MHz exciter, solid-state	<a href="#">29.3 W1OOP</a>	38	<a href="#">Oct 69</a>
Coax, Low-cost (HN)	<a href="#">1.6 K6BIJ</a>	74	<a href="#">Oct 69</a>
144-MHz converter, hot-carrier diode	<a href="#">22.3 K8CJU</a>	6	<a href="#">Oct 69</a>
Product detector, hot-carrier diode	<a href="#">22.1 VE3GFN</a>	12	<a href="#">Oct 69</a>
Radio communications links	<a href="#">15 W1EZT</a>	44	<a href="#">Oct 69</a>
Ssb transmitter alignment	<a href="#">29.4 Allen</a>	62	<a href="#">Oct 69</a>
Fm repeater transmitter, improving	<a href="#">29.3 W6GDO</a>	24	<a href="#">Oct 69</a>
Vco, crystal-controlled	<a href="#">18 WB6IOM</a>	58	<a href="#">Oct 69</a>
Tuning up ssb transmitters	<a href="#">26 Allen</a>	62	<a href="#">Nov 69</a>
Tuning up ssb transmitters	<a href="#">29.4 Allen</a>	62	<a href="#">Nov 69</a>
Vfo transistors (HN)	<a href="#">25 W1OOP</a>	74	<a href="#">Nov 69</a>
Vfo transistors (HN)	<a href="#">18 W1OOP</a>	74	<a href="#">Nov 69</a>
Antennas and capture area	<a href="#">15 K6MIO</a>	42	<a href="#">Nov 69</a>
Microwave antenna, low-cost	<a href="#">31.2 K6HIJ</a>	52	<a href="#">Nov 69</a>
Collinear, six meter	<a href="#">1.3 K4ERO</a>	59	<a href="#">Nov 69</a>
Electronic keyer, IC	<a href="#">12 VE7BFK</a>	32	<a href="#">Nov 69</a>
Hallicrafters HT-37, increased sideband suppression	<a href="#">3 W3CM</a>	48	<a href="#">Nov 69</a>
50-MHz collinear beam	<a href="#">31.2 K4ERO</a>	59	<a href="#">Nov 69</a>
Microwave antenna, Low-cost	<a href="#">1.3 K6HIJ</a>	52	<a href="#">Nov 69</a>
Zener tester, low voltage (HN)	<a href="#">25 K3DPJ</a>	72	<a href="#">Nov 69</a>
Signal generator for two and six meters	<a href="#">31.3 WA8OIK</a>	54	<a href="#">Nov 69</a>

Operational amplifiers	<a href="#">11 WB2EGZ</a>	6	<a href="#">Nov 69</a>
Linears, three bands with two (HN)	<a href="#">29.2 W4NJF</a>	70	<a href="#">Nov 69</a>
Antennas and capture area	<a href="#">1.1 K6MIO</a>	42	<a href="#">Nov 69</a>
WWV receiver, fixed-tuned	<a href="#">22.2 W6GXX</a>	24	<a href="#">Nov 69</a>
Operational amplifiers	<a href="#">15 WB2EGZ</a>	6	<a href="#">Nov 69</a>
Oscillators (HN)	<a href="#">18 W1DTY</a>	68	<a href="#">Nov 69</a>
Trimmers (HN)	<a href="#">5 W5LHG</a>	76	<a href="#">Nov 69</a>
Linears, three bands with two (HN)	<a href="#">26 W4NJF</a>	70	<a href="#">Nov 69</a>
Signal generator, tone modulated for two and six meters	<a href="#">13 WA8OIK</a>	54	<a href="#">Nov 69</a>
Antenna, long wire, multiband	<a href="#">16 W3FQJ</a>	28	<a href="#">Nov 69</a>
Tuning up ssb transmitters	<a href="#">30 Allen</a>	62	<a href="#">Nov 69</a>
Longwire multiband antenna	<a href="#">1.2 W3FQJ</a>	28	<a href="#">Nov 69</a>
CW transmitter, half-watt	<a href="#">29.2 K0VQY</a>	69	<a href="#">Nov 69</a>
Zener tester, low-voltage (HN)	<a href="#">13 K3DPJ</a>	72	<a href="#">Nov 69</a>
Mnemonics	<a href="#">15 W6NIF</a>	69	<a href="#">Dec 69</a>
Collins 51J PTO restoration	<a href="#">3 W6SAI</a>	36	<a href="#">Dec 69</a>
Frequency synthesis	<a href="#">15 WA5SKM</a>	42	<a href="#">Dec 69</a>
Trapezoidal monitor scope	<a href="#">13 VE3CUS</a>	22	<a href="#">Dec 69</a>
1.9MHz receiver	<a href="#">22.2 W3TNO</a>	6	<a href="#">Dec 69</a>
Swan 250, update your (HN)	<a href="#">3 K8ZHZ</a>	84	<a href="#">Dec 69</a>
Vox keying (HN)	<a href="#">12 VE7IG</a>	83	<a href="#">Dec 69</a>
Converted-vee, 80 and 40 meter	<a href="#">1.2 W6JKR</a>	18	<a href="#">Dec 69</a>
Reflectometers	<a href="#">13 K1YZW</a>	65	<a href="#">Dec 69</a>
Color tv, slow-scan	<a href="#">28 W4UMF, WB8DQT</a>	59	<a href="#">Dec 69</a>
Antenna, converted vee for 80 and 40	<a href="#">16 W6JKR</a>	18	<a href="#">Dec 69</a>
Reflectometers	<a href="#">1.1 K1YZW</a>	65	<a href="#">Dec 69</a>
Graphical network solutions	<a href="#">15 W1NCK, W2CTK</a>	26	<a href="#">Dec 69</a>
Trapezoidal monitor scope	<a href="#">26 VE3CUS</a>	22	<a href="#">Dec 69</a>
Collins 32S-1 CW modification (HN)	<a href="#">3 W1DTY</a>	82	<a href="#">Dec 69</a>
Photographic illustrations	<a href="#">7 WA4GNW</a>	72	<a href="#">Dec 69</a>
Slow-scan television	<a href="#">28 WA2EMC</a>	52	<a href="#">Dec 69</a>
Miniature sockets (HN)	<a href="#">5 Lawyer</a>	84	<a href="#">Dec 69</a>
Heathkit Sixer, spot switch (HN)	<a href="#">3 WA6FNR</a>	84	<a href="#">Dec 69</a>

## Results for Year - 1970

Article	CatID	Author	Page	Issue
Couplers, random-length antenna	<a href="#">1.4 W2EEY</a>		32	<a href="#">Jan 70</a>
432-MHz ssb converter	<a href="#">29.3 K6JC</a>		48	<a href="#">Jan 70</a>
Unidirectional antenna for the low-frequency bands	<a href="#">1.2 GW3NJY</a>		61	<a href="#">Jan 70</a>
Antenna couplers, simple	<a href="#">16 W2EEY</a>		32	<a href="#">Jan 70</a>
Relay, transistor replaces (HN)	<a href="#">12 W3NK</a>		72	<a href="#">Jan 70</a>
Fm communications receiver, modular	<a href="#">22.3 Correction</a>		71	<a href="#">Jan 70</a>
Antenna, unidirectional for 40 meters	<a href="#">16 GW3NJY</a>		61	<a href="#">Jan 70</a>
Receiver, modular fm communications	<a href="#">9 Correction</a>		71	<a href="#">Jan 70</a>
Rf power transistors, how to use	<a href="#">25 WA7KRE</a>		8	<a href="#">Jan 70</a>
Rf power transistors, how to use	<a href="#">15 WA7KRE</a>		8	<a href="#">Jan 70</a>
Rf power transistors, how to use	<a href="#">29.1 WA7KRE</a>		8	<a href="#">Jan 70</a>

Speech processor, logarithmic	<a href="#">2 WA3FIY</a>	38	<a href="#">Jan 70</a>
Magazines, use your old	<a href="#">17 Foster</a>	52	<a href="#">Jan 70</a>
Antenna impedance transformer for receivers (HN)	<a href="#">1.4 W6NIF</a>	70	<a href="#">Jan 70</a>
Proportional temperature control for crystal ovens	<a href="#">15 VE5FP</a>	44	<a href="#">Jan 70</a>
Antenna impedance transformer for receivers (HN)	<a href="#">22.1 W6NIF</a>	70	<a href="#">Jan 70</a>
432-MHz ssb converter	<a href="#">26 K6JC</a>	48	<a href="#">Jan 70</a>
Proportional temperature control for crystal ovens	<a href="#">31.1 VE5FP</a>	44	<a href="#">Jan 70</a>
Fet converter for 10 to 40 meters, second-generation	<a href="#">22.2 VE3GFN</a>	28	<a href="#">Jan 70</a>
Counters: a solution to the readout problem	<a href="#">13 WA0GOZ</a>	66	<a href="#">Jan 70</a>
BNC connectors, mounting (HN)	<a href="#">5 W9KXJ</a>	70	<a href="#">Jan 70</a>
Relay, transistor replaces (HN)	<a href="#">25 W3NK</a>	72	<a href="#">Jan 70</a>
Galaxy feedback (HN)	<a href="#">3 WA5TFK</a>	71	<a href="#">Jan 70</a>
Speech process, logarithmic	<a href="#">26 WA3FIY</a>	38	<a href="#">Jan 70</a>
432-MHz ssb converter	<a href="#">31.4 K6JC</a>	48	<a href="#">Jan 70</a>
Heath SB-400 and SB-401, improving alc response in (HN)	<a href="#">3 WA9FDQ</a>	71	<a href="#">Jan 70</a>
Power supply protection for your solid-state circuits	<a href="#">20 W5JJ</a>	36	<a href="#">Jan 70</a>
Use your old magazines	<a href="#">7 Foster</a>	52	<a href="#">Jan 70</a>
144-MHz phase-modulated transmitter	<a href="#">31.4 W6AJF</a>	18	<a href="#">Feb 70</a>
144-MHz phase-modulated transmitter	<a href="#">29.3 W6AJF</a>	18	<a href="#">Feb 70</a>
Outboard receiver with the SB-100, using an (HN)	<a href="#">22.2 K4GMR</a>	68	<a href="#">Feb 70</a>
Power supplies, survey of solid-state	<a href="#">15 W6GXN</a>	25	<a href="#">Feb 70</a>
Amplitude modulation, a different approach	<a href="#">29.1 WA5SNZ</a>	50	<a href="#">Feb 70</a>
Log-periodic yagi beam antenna	<a href="#">31.2 Correction</a>	68	<a href="#">Feb 70</a>
144-and 432- stripling amplifier/tripler	<a href="#">29.3 K2RIW</a>	6	<a href="#">Feb 70</a>
Impedance bridge (HN)	<a href="#">13 W6KZK</a>	67	<a href="#">Feb 70</a>
432-MHz stripline tripler	<a href="#">31.4 K2RIW</a>	6	<a href="#">Feb 70</a>
Band change from six to two meters, quick	<a href="#">31.1 K0YQY</a>	64	<a href="#">Feb 70</a>
Antenna mast, build your own tilt-over	<a href="#">1.5 W6KRT</a>	42	<a href="#">Feb 70</a>
Pentode replacement (HN)	<a href="#">25 W1DTY</a>	70	<a href="#">Feb 70</a>
Transmitter for two meters, phase-modulated	<a href="#">9 W6AJF</a>	18	<a href="#">Feb 70</a>
Impedance bridge (HN)	<a href="#">31.1 W6KZK</a>	67	<a href="#">Feb 70</a>
Heath SB-100, using an outboard receiver with (HN)	<a href="#">3 K4GMR</a>	68	<a href="#">Feb 70</a>
Log-periodic, yagi beam	<a href="#">1.3 Correction</a>	68	<a href="#">Feb 70</a>
Antenna systems for 40 and 80 meters	<a href="#">16 K6KA</a>	55	<a href="#">Feb 70</a>
Survey of solid-state power supplies	<a href="#">20 W6GXN</a>	25	<a href="#">Feb 70</a>
Warning lights, increasing reliability of	<a href="#">15 W3NK</a>	40	<a href="#">Feb 70</a>
Antenna systems for 80 and 40 meters	<a href="#">1.2 K6KA</a>	55	<a href="#">Feb 70</a>
Soldering tip (HN)	<a href="#">5 Lawyer</a>	68	<a href="#">Feb 70</a>
Mobile mount bracket (HN)	<a href="#">5 W4NJF</a>	70	<a href="#">Feb 70</a>
144-and 432-MHz stripline amplifier/tripler	<a href="#">31.4 K2RIW</a>	6	<a href="#">Feb 70</a>
Replays, instant (HN)	<a href="#">17 W6DNS</a>	67	<a href="#">Feb 70</a>
Oscillators, repairing	<a href="#">30 Allen</a>	69	<a href="#">Mar 70</a>
Double-balanced modulator, broadband	<a href="#">15 WA6NCT</a>	8	<a href="#">Mar 70</a>
1296-MHz power amplifier	<a href="#">29.3 W2COH, W2CCY, W2OJ, W1MU</a>	43	<a href="#">Mar 70</a>
Filter, tunable for audio selectivity	<a href="#">16 W2EEY</a>	22	<a href="#">Mar 70</a>
Dual-band antennas, compact	<a href="#">1.2 W6SAI</a>	18	<a href="#">Mar 70</a>
Linear amplifier, five-band	<a href="#">29.2 W7IV</a>	30	<a href="#">Mar 70</a>

Rack construction, a new approach	<a href="#">5 K1EUJ</a>	36	<a href="#">Mar 70</a>
Weak-signal source, 144 and 432 MHz	<a href="#">31.3 K6JC</a>	58	<a href="#">Mar 70</a>
Detectors, regenerative	<a href="#">16 W8YFB</a>	61	<a href="#">Mar 70</a>
Beam for ten meters, economical	<a href="#">1.2 W1FPF</a>	54	<a href="#">Mar 70</a>
Oscillators, repairing	<a href="#">18 Allen</a>	69	<a href="#">Mar 70</a>
Audio filter, tunable peak-notch	<a href="#">22.1 W2EEY</a>	22	<a href="#">Mar 70</a>
Double-balanced modulator, broadband	<a href="#">26 WA6NCT</a>	8	<a href="#">Mar 70</a>
Antennas, simple dual-band	<a href="#">16 W6SAI</a>	18	<a href="#">Mar 70</a>
Radio-direction finder	<a href="#">22.1 W6JTT</a>	38	<a href="#">Mar 70</a>
1296-MHz power amplifier	<a href="#">31.4 W2COH, W2CCY, W2OJ, W1IMU</a>	43	<a href="#">Mar 70</a>
Regenerative detectors and a wideband amplifier for experimenters	<a href="#">22.2 W8YFB</a>	61	<a href="#">Mar 70</a>
Regenerative detectors and a wideband amplifier for experimenters	<a href="#">13 W8YFB</a>	61	<a href="#">Mar 70</a>
Filter, tunable peak-notch audio	<a href="#">2 W2EEY</a>	22	<a href="#">Mar 70</a>
Typewriter-type electronic keys, further automation for	<a href="#">12 W6PRO</a>	26	<a href="#">Mar 70</a>
Linear amplifier, homebrew five-band	<a href="#">26 W7IV</a>	30	<a href="#">Mar 70</a>
Weak-signal source, 144 and 432 MHz	<a href="#">22.4 K6JC</a>	58	<a href="#">Mar 70</a>
144-MHz low-power solid-state transmitter	<a href="#">29.3 K0VQY</a>	52	<a href="#">Mar 70</a>
Weak-signal source, 144 and 432 MHz	<a href="#">13 K6JC</a>	58	<a href="#">Mar 70</a>
Contest keyer (HN)	<a href="#">12 K2UBC</a>	79	<a href="#">Apr 70</a>
Mobile power supply (HN)	<a href="#">20 WN8DJV</a>	79	<a href="#">Apr 70</a>
Power attenuator, all-band 10-dB	<a href="#">29.1 K1CCL</a>	68	<a href="#">Apr 70</a>
Speech processor for ssb, simple	<a href="#">2 K6PHT</a>	22	<a href="#">Apr 70</a>
Speech processor for ssb	<a href="#">26 K6PHT</a>	22	<a href="#">Apr 70</a>
Dummy load and rf wattmeter, low-power	<a href="#">1.1 W2OLU</a>	56	<a href="#">Apr 70</a>
Clock, 24-hour digital	<a href="#">15 K4ALS</a>	51	<a href="#">Apr 70</a>
Thermometer, electronic	<a href="#">15 VK3ZNV</a>	30	<a href="#">Apr 70</a>
144-MHz two-kilowatt linear	<a href="#">31.4 W6UOV, W6ZO, K6DC</a>	26	<a href="#">Apr 70</a>
Earth currents (HN)	<a href="#">15 W7OUI</a>	80	<a href="#">Apr 70</a>
432 MHz rf power amplifier	<a href="#">26 K6JC</a>	40	<a href="#">Apr 70</a>
Grid-block keying, simple (HN)	<a href="#">12 WA4DHU</a>	78	<a href="#">Apr 70</a>
Parasitic suppressor (HN)	<a href="#">5 WA9JMY</a>	80	<a href="#">Apr 70</a>
144-MHz two-kilowatt linear	<a href="#">29.3 W6OUV, W6ZO, K6DC</a>	26	<a href="#">Apr 70</a>
Sweep generator, how to use	<a href="#">13 Allen</a>	60	<a href="#">Apr 70</a>
Overload response in the Collins 75A-4 receiver, improving	<a href="#">22.2 W6ZO</a>	42	<a href="#">Apr 70</a>
Capacitance meter, direct-reading	<a href="#">13 ZL2AUE</a>	46	<a href="#">Apr 70</a>
Rectifier terminal strip (HN)	<a href="#">5 W5PKK</a>	80	<a href="#">Apr 70</a>
432-MHz rf power amplifier	<a href="#">31.4 K6JC</a>	40	<a href="#">Apr 70</a>
Swr alarm circuits	<a href="#">1.4 W2EEY</a>	73	<a href="#">Apr 70</a>
Operational power supply	<a href="#">20 WA2IKL</a>	8	<a href="#">Apr 70</a>
Swr alarm circuits	<a href="#">29.1 W2EEY</a>	73	<a href="#">Apr 70</a>
Catalina wireless, 1902	<a href="#">7 W6BLZ</a>	32	<a href="#">Apr 70</a>
Coaxial-line resonators (HN)	<a href="#">31.1 WA7KRE</a>	82	<a href="#">Apr 70</a>
Audio filter, variable bandpass	<a href="#">22.1 W3AEX</a>	36	<a href="#">Apr 70</a>
432-MHz rf power amplifier	<a href="#">29.3 K6JC</a>	40	<a href="#">Apr 70</a>
144-MHz linear, 2 kW	<a href="#">26 W6UOV, W6ZO, K6DC</a>	26	<a href="#">Apr 70</a>
Parasitic suppressor (HN)	<a href="#">29.1 WA9JMY</a>	80	<a href="#">Apr 70</a>
Sweep generator, how to use	<a href="#">30 Allen</a>	60	<a href="#">Apr 70</a>

Dummy load and rf wattmeter	<a href="#">16 W2OLU</a>	56	<a href="#">Apr 70</a>
Collins 75A-4 receiver, improving overload response in	<a href="#">3 W6ZO</a>	42	<a href="#">Apr 70</a>
Dummy load and rf wattmeter, low-power	<a href="#">13 W2OLU</a>	56	<a href="#">Apr 70</a>
Filter, variable bandpass audio	<a href="#">2 W3AEX</a>	36	<a href="#">Apr 70</a>
Beam antenna, improved triangular shaped	<a href="#">1.2 W6DL</a>	20	<a href="#">May 70</a>
Moonbounce antenna, practical 144-MHz	<a href="#">1.3 K6HCP</a>	52	<a href="#">May 70</a>
Coaxial transmission lines, underground	<a href="#">1.6 W0FCH</a>	38	<a href="#">May 70</a>
Underground coaxial transmission line, how to install	<a href="#">16 W0FCH</a>	38	<a href="#">May 70</a>
Vertical beam antenna, 80 meter	<a href="#">1.2 VE1TG</a>	26	<a href="#">May 70</a>
Antenna ground system Installation	<a href="#">16 W1EZT</a>	64	<a href="#">May 70</a>
Isotropic source and practical antennas	<a href="#">1.1 K6FD</a>	32	<a href="#">May 70</a>
Ground plow	<a href="#">15 W1EZT</a>	64	<a href="#">May 70</a>
Multiband dipoles for portable use	<a href="#">1.2 W6SAI</a>	12	<a href="#">May 70</a>
Isotropic source and practical antennas	<a href="#">15 K6FD</a>	32	<a href="#">May 70</a>
Dipoles, multiband for portable use	<a href="#">16 W6SAI</a>	12	<a href="#">May 70</a>
Reflected power, some reflections on	<a href="#">1.1 VE3AAZ</a>	44	<a href="#">May 70</a>
Antenna tuner for optimum power transfer	<a href="#">1.4 W2WLR</a>	28	<a href="#">May 70</a>
Receiving antennas	<a href="#">1.2 K6ZGQ</a>	56	<a href="#">May 70</a>
144-MHz moonbounce antenna	<a href="#">31.2 K6HCP</a>	52	<a href="#">May 70</a>
Swr bridge and power meter, integrated	<a href="#">13 W6DOB</a>	40	<a href="#">May 70</a>
Swr bridge and power meter, integrated	<a href="#">1.4 W6DOB</a>	40	<a href="#">May 70</a>
Antenna, 80-meter vertical	<a href="#">16 VE1TG</a>	26	<a href="#">May 70</a>
Cubical-quad antennas, unusual	<a href="#">1.2 W1DTY</a>	6	<a href="#">May 70</a>
Audio filter-frequency translator for CW reception	<a href="#">22.1 W2EEY</a>	24	<a href="#">Jun 70</a>
Coax connectors, repairing broken (HN)	<a href="#">1.6 W0HKF</a>	66	<a href="#">Jun 70</a>
Coax connectors, repairing broken (HN)	<a href="#">5 W0HKF</a>	66	<a href="#">Jun 70</a>
Rf power detecting devices	<a href="#">25 K6JYO</a>	28	<a href="#">Jun 70</a>
Modulation standards for vhf fm	<a href="#">9 W6TEE</a>	16	<a href="#">Jun 70</a>
Frequency-shift meter, RTTY	<a href="#">23 VK3ZNV</a>	53	<a href="#">Jun 70</a>
432-MHz ssb converter	<a href="#">31.4 Short circuit</a>	79	<a href="#">Jun 70</a>
LED experiments	<a href="#">15 W4KAE</a>	6	<a href="#">Jun 70</a>
Frequency multipliers, transistor	<a href="#">15 W6AJF</a>	49	<a href="#">Jun 70</a>
Knight-kit two-meter transceiver	<a href="#">3 W1DTY</a>	62	<a href="#">Jun 70</a>
Phase-shift networks, design criteria	<a href="#">22.1 G3NRW</a>	34	<a href="#">Jun 70</a>
Filter-frequency translator for CW reception, Integrated audio	<a href="#">2 W2EEY</a>	24	<a href="#">Jun 70</a>
Phase-shift networks, design criteria for	<a href="#">26 G3NRW</a>	34	<a href="#">Jun 70</a>
432-MHz ssb converter	<a href="#">29.3 Short circuit</a>	79	<a href="#">Jun 70</a>
Frequency multipliers, transistor	<a href="#">25 W6AJF</a>	49	<a href="#">Jun 70</a>
Dc-dc converters, curing trouble in	<a href="#">30 Allen</a>	56	<a href="#">Jun 70</a>
Eimac chirp and drift (HN)	<a href="#">3 W5OZF</a>	68	<a href="#">Jun 70</a>
Frequency-shift meter, RTTY	<a href="#">13 VK3ZNV</a>	33	<a href="#">Jun 70</a>
Oscillator, electronic keyer	<a href="#">18 WA6JNJ</a>	44	<a href="#">Jun 70</a>
All band antenna portable (HN)	<a href="#">1.2 W2INS</a>	68	<a href="#">Jun 70</a>
Antenna dimension (HN)	<a href="#">1.1 WA9JMY</a>	66	<a href="#">Jun 70</a>
Rf power-detecting devices	<a href="#">15 K6JYO</a>	28	<a href="#">Jun 70</a>
Grid-dip oscillator, solid-state conversion of	<a href="#">25 W6AJZ</a>	20	<a href="#">Jun 70</a>
Mobile power supplies, troubleshooting	<a href="#">30 Allen</a>	56	<a href="#">Jun 70</a>



Mobile power supplies, troubleshooting	<a href="#">20 Allen</a>	56	<a href="#">Jun 70</a>
Grid-dip oscillator, solid-state conversion of	<a href="#">13 W6AJZ</a>	20	<a href="#">Jun 70</a>
Fm techniques and practices for vhf amateurs	<a href="#">9 Short circuit</a>	79	<a href="#">Jun 70</a>
Fm techniques	<a href="#">15 Short circuit</a>	79	<a href="#">Jun 70</a>
432-MHz ssb converter	<a href="#">26 Short circuit</a>	79	<a href="#">Jun 70</a>
Oscillators, electronic keyer	<a href="#">12 WA6JNJ</a>	44	<a href="#">Jun 70</a>
Rf power-detecting devices	<a href="#">31.1 K6JYO</a>	28	<a href="#">Jun 70</a>
Fet converter for 10 to 40 meters, second-generation	<a href="#">22.2 Short circuit</a>	79	<a href="#">Jun 70</a>
Phase-shift networks, design criteria for	<a href="#">15 G3NRW</a>	34	<a href="#">Jun 70</a>
Noise blanker, IC	<a href="#">22.1 Short circuit</a>	79	<a href="#">Jun 70</a>
Frequency multipliers, transistor	<a href="#">31.1 W6AJF</a>	49	<a href="#">Jun 70</a>
144-MHz low-drive kilowatt linear	<a href="#">26 W6HHN</a>	26	<a href="#">Jul 70</a>
Microwave hybrids and couplers for amateur use	<a href="#">31.1 W2CTK</a>	57	<a href="#">Jul 70</a>
Counter, compact frequency	<a href="#">13 K4EEU</a>	16	<a href="#">Jul 70</a>
Transistor testing	<a href="#">30 Allen</a>	62	<a href="#">Jul 70</a>
Surplus ICs (HN)	<a href="#">11 W4AYV</a>	68	<a href="#">Jul 70</a>
WWV receiver, simple (HN)	<a href="#">22.2 WA3JBN</a>	68	<a href="#">Jul 70</a>
Inductively-tuned tank circuit	<a href="#">31.4 W6SAI</a>	6	<a href="#">Jul 70</a>
Mobile supply, low-cost (HN)	<a href="#">20 W4GEG</a>	69	<a href="#">Jul 70</a>
Receiver, versatile solid-state	<a href="#">22.2 W1PLJ</a>	10	<a href="#">Jul 70</a>
Relays, surplus (HN)	<a href="#">12 W2OLU</a>	70	<a href="#">Jul 70</a>
144-MHz low-drive kilowatt linear	<a href="#">31.4 W6HHN</a>	26	<a href="#">Jul 70</a>
SCR-regulated power supplies	<a href="#">20 W4GOC</a>	52	<a href="#">Jul 70</a>
Transistor testing	<a href="#">25 Allen</a>	62	<a href="#">Jul 70</a>
Tank circuit, inductively-tuned high-frequency	<a href="#">29.2 W6SAI</a>	6	<a href="#">Jul 70</a>
50-MHz linear, inductively tuned	<a href="#">29.3 W6SAI</a>	6	<a href="#">Jul 70</a>
144-MHz low-drive kilowatt linear	<a href="#">29.3 W6HHN</a>	26	<a href="#">Jul 70</a>
Hybrids and couplers, hf	<a href="#">15 W2CTK</a>	57	<a href="#">Jul 70</a>
Teleprinters, new look in	<a href="#">23 W6JTT</a>	38	<a href="#">Jul 70</a>
Temperature alarms for high-power amplifiers	<a href="#">29.1 W2EEY</a>	48	<a href="#">Jul 70</a>
Rf signal generator, solid-state	<a href="#">13 VE5FP</a>	42	<a href="#">Jul 70</a>
Computer, processing, sstv pictures	<a href="#">28 W4UMF</a>	30	<a href="#">Jul 70</a>
Six-meter converter, improved	<a href="#">22.3 K1BQT</a>	50	<a href="#">Aug 70</a>
Speaker intelligibility, improving	<a href="#">16 WA5RAQ</a>	53	<a href="#">Aug 70</a>
Interdigital preamplifier and comb-line bandpass filter for vhf and uhf	<a href="#">31.3 W6KHT</a>	6	<a href="#">Aug 70</a>
Intelligibility of communications receivers, improving	<a href="#">22.1 WA5RAQ</a>	53	<a href="#">Aug 70</a>
Filter for CW, tunable audio	<a href="#">2 WA1JSM</a>	34	<a href="#">Aug 70</a>
Audio distortion, curing in speech amplifiers	<a href="#">30 Allen</a>	42	<a href="#">Aug 70</a>
144-MHz converter (HN)	<a href="#">31.3 K0VQY</a>	71	<a href="#">Aug 70</a>
Frequency scaler, divide-by-ten	<a href="#">13 K4EEU</a>	26	<a href="#">Aug 70</a>
144-MHz converter (HN)	<a href="#">22.3 K0VQY</a>	71	<a href="#">Aug 70</a>
Heath HW-17A, perking up (HN)	<a href="#">3 HN</a>	70	<a href="#">Aug 70</a>
HW-17A, perking up (HN)	<a href="#">22.3 WB2EGZ</a>	70	<a href="#">Aug 70</a>
Vfo for 40 and 80 meters	<a href="#">16 W3QBO</a>	36	<a href="#">Aug 70</a>
Speech amplifiers, curing distortion	<a href="#">30 Allen</a>	42	<a href="#">Aug 70</a>
Modular modulos	<a href="#">11 W9SEK</a>	63	<a href="#">Aug 70</a>
Cubical-quad antenna design parameters	<a href="#">1.2 K6OPZ</a>	55	<a href="#">Aug 70</a>

Vfo for solid-state transmitters	<a href="#">18 W3QBO</a>	36	<a href="#">Aug 70</a>
Interdigital preamplifier and comb-line bandpass filter for vhf and uhf	<a href="#">22.3 W5KHT</a>	6	<a href="#">Aug 70</a>
Audio filter, tunable	<a href="#">16 WA1JSM</a>	34	<a href="#">Aug 70</a>
Computer-aided circuit analysis	<a href="#">15 K1ORV</a>	30	<a href="#">Aug 70</a>
Speech amplifiers, curing distortion	<a href="#">2 Allen</a>	42	<a href="#">Aug 70</a>
Audio filter for CW, tunable	<a href="#">22.1 WA1JSM</a>	34	<a href="#">Aug 70</a>
Removing ICs (HN)	<a href="#">11 W6NIF</a>	71	<a href="#">Aug 70</a>
Vxo design, practical	<a href="#">18 K6BIJ</a>	22	<a href="#">Aug 70</a>
Bridge for antenna measurements, simple	<a href="#">13 W2CTK</a>	34	<a href="#">Sep 70</a>
Survey of solid-state power supplies	<a href="#">20 Short circuit</a>	76	<a href="#">Sep 70</a>
Heath HG-10B vfo, independent keying of (HN)	<a href="#">3 K4BRR</a>	67	<a href="#">Sep 70</a>
CW transceiver operation with transmit-receive offset	<a href="#">17 W1DAX</a>	56	<a href="#">Sep 70</a>
144-MHz heterodyne transmitting mixers	<a href="#">31.4 Correction</a>	76	<a href="#">Sep 70</a>
Balanced modulator, integrated-circuit	<a href="#">26 K7QWR</a>	6	<a href="#">Sep 70</a>
Protection for solid-state power supplies (HN)	<a href="#">20 W3NK</a>	66	<a href="#">Sep 70</a>
RX impedance bridge	<a href="#">13 W2CTK</a>	34	<a href="#">Sep 70</a>
Parasitic oscillations in high-power transistor rf amplifiers	<a href="#">25 W0KGI</a>	54	<a href="#">Sep 70</a>
Collins 75A-4 receiver, improving overload response in	<a href="#">3 Short circuit</a>	76	<a href="#">Sep 70</a>
Counter dials, electronic	<a href="#">22.1 K6KA</a>	44	<a href="#">Sep 70</a>
Rf and i-f amplifiers, troubleshooting	<a href="#">30 Allen</a>	60	<a href="#">Sep 70</a>
Electronic counter dials, IC	<a href="#">11 K6KA</a>	44	<a href="#">Sep 70</a>
Mainline ST-5 RTTY demodulator	<a href="#">23 W6FFC</a>	14	<a href="#">Sep 70</a>
144-MHz fm receiver	<a href="#">31.3 W9SEK</a>	22	<a href="#">Sep 70</a>
Clock, 24-hour digital	<a href="#">15 Short circuit</a>	76	<a href="#">Sep 70</a>
Parasitic oscillations in high-power transistor rf amplifiers	<a href="#">29.1 W0KGI</a>	54	<a href="#">Sep 70</a>
Oscillator-monitor, solid-state audio	<a href="#">2 WA1JSM</a>	48	<a href="#">Sep 70</a>
Ssb input source for vhf, uhf transverters (HN)	<a href="#">31.4 F8MK</a>	69	<a href="#">Sep 70</a>
Rf and i-f amplifiers, troubleshooting	<a href="#">22.4 Allen</a>	60	<a href="#">Sep 70</a>
CW transceiver operation with transmit-receive offset	<a href="#">22.1 W1DAX</a>	56	<a href="#">Sep 70</a>
Heat sinks, homemade (HN)	<a href="#">5 WA0WOZ</a>	69	<a href="#">Sep 70</a>
Keying the Heath HG-10B vfo (HN)	<a href="#">12 K4BRR</a>	67	<a href="#">Sep 70</a>
Receiver for two meter, fm	<a href="#">9 W9SEK</a>	22	<a href="#">Sep 70</a>
Collins 32S-1 CW modification (HN)	<a href="#">3 Correction</a>	76	<a href="#">Sep 70</a>
Neutralizing small-signal amplifiers	<a href="#">15 WA4WDK</a>	40	<a href="#">Sep 70</a>
Vhf, uhf transverter, input source for (HN)	<a href="#">26 F8MK</a>	69	<a href="#">Sep 70</a>
Noise blanker, hot-carrier diode	<a href="#">22.1 Short circuit</a>	76	<a href="#">Sep 70</a>
50-MHz heterodyne transmitting mixer	<a href="#">31.4 Correction</a>	76	<a href="#">Sep 70</a>
Antenna mast, build your own tilt-over	<a href="#">1.5 Correction</a>	76	<a href="#">Sep 70</a>
144-MHz multimode transmitter	<a href="#">31.4 K2ISP</a>	28	<a href="#">Sep 70</a>
Break-in control system, IC (HN)	<a href="#">12 W9ZTK</a>	68	<a href="#">Sep 70</a>
Balanced modulator, an integrated-circuit	<a href="#">11 K7QWR</a>	6	<a href="#">Sep 70</a>
Overload response in the Collins 75A-4 receiver, improving	<a href="#">22.2 Short circuit</a>	76	<a href="#">Sep 70</a>
Reactance problems, nomograph for	<a href="#">15 W6NIF</a>	51	<a href="#">Sep 70</a>
Oscillator-monitor, audio	<a href="#">18 WA1JSM</a>	48	<a href="#">Sep 70</a>
Bridge for antenna measurements, simple	<a href="#">1.1 W2CTK</a>	34	<a href="#">Sep 70</a>
50/144-MHz multimode transmitter	<a href="#">29.3 K2ISP</a>	28	<a href="#">Sep 70</a>
Neutralizing small-signal amplifiers	<a href="#">25 WA4WDK</a>	40	<a href="#">Sep 70</a>

50-MHz multimode transmitter	<a href="#">31.4 K2ISP</a>	28	<a href="#">Sep 70</a>
Minituner, ssb	<a href="#">26 K1BQT</a>	16	<a href="#">Oct 70</a>
Printed-circuit labels (HN)	<a href="#">5 WA4WDK</a>	76	<a href="#">Oct 70</a>
CW audio filter, simplest	<a href="#">16 W4VNK</a>	44	<a href="#">Oct 70</a>
50-MHz mobile antenna (HN)	<a href="#">31.2 W4PSJ</a>	77	<a href="#">Oct 70</a>
Swr meter	<a href="#">13 W6VSV</a>	6	<a href="#">Oct 70</a>
Preselector, general-coverage (HN)	<a href="#">22.2 W5OZF</a>	75	<a href="#">Oct 70</a>
Harmonic generator (HN)	<a href="#">13 W5GDQ</a>	76	<a href="#">Oct 70</a>
Uhf hardware (HN)	<a href="#">5 W6CMQ</a>	76	<a href="#">Oct 70</a>
Modular converter, 144-MHz	<a href="#">5 W6UOV</a>	64	<a href="#">Oct 70</a>
Audio filter, simple	<a href="#">22.1 W4NVK</a>	44	<a href="#">Oct 70</a>
Swr meter	<a href="#">1.4 W6VSV</a>	6	<a href="#">Oct 70</a>
Harmonic generator (HN)	<a href="#">31.1 W5GDQ</a>	76	<a href="#">Oct 70</a>
Tuning with ssb gear	<a href="#">17 W0KD</a>	40	<a href="#">Oct 70</a>
Voltage-probe antenna	<a href="#">1.1 W1DTY</a>	20	<a href="#">Oct 70</a>
Ssb mini-tuner	<a href="#">22.3 K1BQT</a>	16	<a href="#">Oct 70</a>
Ferrite beads	<a href="#">5 W5JJ</a>	48	<a href="#">Oct 70</a>
Voltage regulators, IC	<a href="#">20 W7FLC</a>	22	<a href="#">Oct 70</a>
Motorola voice commander, improving	<a href="#">9 W0DKU</a>	70	<a href="#">Oct 70</a>
BC-1206 for 7 MHz, converted	<a href="#">22.2 W4FIN</a>	30	<a href="#">Oct 70</a>
Lunar-path nomograph	<a href="#">15 WA6NCT</a>	28	<a href="#">Oct 70</a>
Workbench, electronic	<a href="#">5 W1EZT</a>	50	<a href="#">Oct 70</a>
Filter, simple audio	<a href="#">2 W4NVK</a>	44	<a href="#">Oct 70</a>
Motorola voice commander, improving	<a href="#">3 W0DKU</a>	70	<a href="#">Oct 70</a>
Voltage regulators, IC	<a href="#">11 W7FLC</a>	22	<a href="#">Oct 70</a>
Uhf hardware (HN)	<a href="#">31.1 W6CMQ</a>	76	<a href="#">Oct 70</a>
Thyristors, introduction to	<a href="#">15 WA7KRE</a>	54	<a href="#">Oct 70</a>
Precise tuning with ssb gear	<a href="#">26 W0KD</a>	40	<a href="#">Oct 70</a>
144-MHz converter, modular	<a href="#">22.3 W6UOV</a>	64	<a href="#">Oct 70</a>
Ferrite beads	<a href="#">15 W5JJ</a>	48	<a href="#">Oct 70</a>
Swr meter	<a href="#">31.2 W6VSV</a>	6	<a href="#">Oct 70</a>
432-MHz converter, low-noise	<a href="#">31.3 K6JC</a>	34	<a href="#">Oct 70</a>
Lunar-path nomograph	<a href="#">31.1 WA6NCT</a>	28	<a href="#">Oct 70</a>
Workbench, electronics	<a href="#">16 W1EZT</a>	50	<a href="#">Oct 70</a>
432-MHz converter, low-noise	<a href="#">22.3 K6JC</a>	34	<a href="#">Oct 70</a>
Mobile antenna, six-meter (HN)	<a href="#">1.3 W4PSJ</a>	77	<a href="#">Oct 70</a>
Thyristors, introduction to	<a href="#">25 WA7KRE</a>	54	<a href="#">Oct 70</a>
Transceiver selectivity improved (HN)	<a href="#">22.2 VE3BWD</a>	74	<a href="#">Oct 70</a>
Precise tuning with ssb gear	<a href="#">23 W0KD</a>	40	<a href="#">Oct 70</a>
1296-MHz converter, solid-state	<a href="#">22.3 VK4ZT</a>	6	<a href="#">Nov 70</a>
Counter gating sources	<a href="#">11 K6KA</a>	48	<a href="#">Nov 70</a>
160-meter receiver, simple	<a href="#">22.2 W6FPO</a>	44	<a href="#">Nov 70</a>
Transistor and diode tester	<a href="#">25 ZL2AMJ</a>	65	<a href="#">Nov 70</a>
IC regulated power supply	<a href="#">20 W2FBW</a>	50	<a href="#">Nov 70</a>
Tank circuits, design of vhf	<a href="#">31.1 K7UNL</a>	56	<a href="#">Nov 70</a>
Transistor and diode tester	<a href="#">13 ZL2AMJ</a>	65	<a href="#">Nov 70</a>
Frequency spotter, crystal controlled	<a href="#">16 W5JJ</a>	36	<a href="#">Nov 70</a>

Synchrophase RTTY reception	<a href="#">23 W6FOO</a>	38	<a href="#">Nov 70</a>
Printed circuits without printing	<a href="#">5 W4ZG</a>	62	<a href="#">Nov 70</a>
Counter gating sources	<a href="#">13 K6KA</a>	48	<a href="#">Nov 70</a>
Frequency spotter, general coverage	<a href="#">22.1 W5JJ</a>	36	<a href="#">Nov 70</a>
Laser communications	<a href="#">15 W4KAE</a>	28	<a href="#">Nov 70</a>
1296-MHz converter, solid state	<a href="#">31.3 VK4ZT</a>	6	<a href="#">Nov 70</a>
Smith chart, how to use	<a href="#">15 W1DTY</a>	16	<a href="#">Nov 70</a>
Smith chart, how to use	<a href="#">1.1 W1DTY</a>	16	<a href="#">Nov 70</a>
Hybrids and couplers, hf	<a href="#">15 Short circuit</a>	72	<a href="#">Dec 70</a>
Resistors, frequency sensitive (HN)	<a href="#">15 W8YFB</a>	54	<a href="#">Dec 70</a>
Avalanche transistor circuits	<a href="#">25 W4NVK</a>	22	<a href="#">Dec 70</a>
Oscillators, cure for cranky (HN)	<a href="#">18 W8YFB</a>	55	<a href="#">Dec 70</a>
Synchrophase afsk oscillator	<a href="#">23 W6FOO</a>	30	<a href="#">Dec 70</a>
Continuous tuning for fm converters (HN)	<a href="#">9 W1DHZ</a>	54	<a href="#">Dec 70</a>
Bridge, rf noise	<a href="#">13 WB2EGZ</a>	18	<a href="#">Dec 70</a>
Interference, rf	<a href="#">15 W1DTY</a>	12	<a href="#">Dec 70</a>
Noise bridge, antenna	<a href="#">1.4 WB2EGZ</a>	18	<a href="#">Dec 70</a>
Microwave hybrids and couplers for amateur use	<a href="#">31.1 Short circuit</a>	72	<a href="#">Dec 70</a>
Ssb generator, 9-MHz	<a href="#">26 W9KIT</a>	6	<a href="#">Dec 70</a>
Counter, compact frequency	<a href="#">13 Short circuit</a>	72	<a href="#">Dec 70</a>
Interference, rf	<a href="#">22.1 W1DTY</a>	12	<a href="#">Dec 70</a>
WWV receiver, simple (HN)	<a href="#">22.2 Short circuit</a>	72	<a href="#">Dec 70</a>
IC regulated power supply	<a href="#">20 W9SEK</a>	51	<a href="#">Dec 70</a>
Deviation meter (HN)	<a href="#">9 VE7ABK</a>	58	<a href="#">Dec 70</a>
Tuner, wall-to-wall antenna (HN)	<a href="#">1.6 W2OUX</a>	56	<a href="#">Dec 70</a>
Wavemeter, indicating	<a href="#">13 W6NIF</a>	26	<a href="#">Dec 70</a>
Surplus transistors, identifying	<a href="#">25 W2FPP</a>	38	<a href="#">Dec 70</a>
Mainline ST-5 RTTY demodulator	<a href="#">23 Short circuit</a>	72	<a href="#">Dec 70</a>
Protective material, plastic (HN)	<a href="#">17 W6BKX</a>	58	<a href="#">Dec 70</a>
Man-made interference, how to find	<a href="#">16 W1DTY</a>	12	<a href="#">Dec 70</a>
WWV receiver, simple (HN)	<a href="#">22.2 WA3JBN</a>	55	<a href="#">Dec 70</a>
Transmitter, low-power	<a href="#">29.2 W6NIF</a>	26	<a href="#">Dec 70</a>
Superregenerative receiver, improved	<a href="#">22.1 JA1BHG</a>	48	<a href="#">Dec 70</a>
Distortion and splatter	<a href="#">2 K5LLI</a>	44	<a href="#">Dec 70</a>
Receiver isolation, fm repeater (HN)	<a href="#">9 W1DTY</a>	54	<a href="#">Dec 70</a>

## Results for Year - 1971

Article	CatID	Author	Page	Issue
Intermittent voice operation of power tubes	<a href="#">29.1 W6SAI</a>		24	<a href="#">Jan 71</a>
Heath SB-200 amplifier modifying for the 8873 zero-bias triode	<a href="#">3 W6UOV</a>		32	<a href="#">Jan 71</a>
Fm frequency meter, two-meter	<a href="#">13 W4JAZ</a>		40	<a href="#">Jan 71</a>
Intermittent voice operation of power tubes	<a href="#">26 W6SAI</a>		24	<a href="#">Jan 71</a>
Fire protection in the ham shack	<a href="#">7 Darr</a>		54	<a href="#">Jan 71</a>
Intermittent voice operation of power tubes	<a href="#">15 W6SAI</a>		24	<a href="#">Jan 71</a>
220-MHz rf power amplifier	<a href="#">31.4 WB6DJV</a>		44	<a href="#">Jan 71</a>
Modifying the Heath SB-200 amplifier for the new 8873 zero-bias triode	<a href="#">26 W6UOV</a>		32	<a href="#">Jan 71</a>
Modifying the Heath SB-200 amplifier for the new 8873 zero-bias triode	<a href="#">29.2 W6UOV</a>		32	<a href="#">Jan 71</a>

CW monitor, simple	<a href="#">17 WA9OHR</a>	65	<a href="#">Jan 71</a>
CW monitor, simple	<a href="#">16 WA9OHR</a>	65	<a href="#">Jan 71</a>
CW monitor, simple	<a href="#">22.1 WA9OHR</a>	65	<a href="#">Jan 71</a>
220-MHz, rf power amplifier for	<a href="#">29.3 WB6DJV</a>	44	<a href="#">Jan 71</a>
Screwdriver, adjustment (HN)	<a href="#">5 WA0KGS</a>	66	<a href="#">Jan 71</a>
Collins 75A-4 modifications (HN)	<a href="#">22.2 W4SD</a>	67	<a href="#">Jan 71</a>
Fire protection in the ham shack	<a href="#">16 Darr</a>	54	<a href="#">Jan 71</a>
Fire protection	<a href="#">15 Darr</a>	54	<a href="#">Jan 71</a>
144-MHz fm frequency meter	<a href="#">31.1 W4JAZ</a>	40	<a href="#">Jan 71</a>
Mainline ST-6 RTTY demodulator	<a href="#">23 W6FFC</a>	6	<a href="#">Jan 71</a>
Collins 75A-4 modifications (HN)	<a href="#">3 W4SD</a>	67	<a href="#">Jan 71</a>
Meters, testing unknown (HN)	<a href="#">13 W1ONC</a>	66	<a href="#">Jan 71</a>
Converter, mosfet, for receiver instrumentation	<a href="#">13 WA9ZMT</a>	62	<a href="#">Jan 71</a>
Frequency meter, two-meter fm	<a href="#">9 W4JAZ</a>	40	<a href="#">Jan 71</a>
50-MHz 2 kW linear afnpplier	<a href="#">31.4 W6UOV</a>	16	<a href="#">Feb 71</a>
Converters for six and two meters, mosfet	<a href="#">22.3 WB2EGZ</a>	41	<a href="#">Feb 71</a>
Binding 1970 issues of ham radio (HN)	<a href="#">7 W1DHZ</a>	72	<a href="#">Feb 71</a>
Motorola P-33 series, improving the	<a href="#">9 WB2AEB</a>	34	<a href="#">Feb 71</a>
50-MHz etched-inductance bandpass filters and filter-preamplifiers	<a href="#">31.3 W5KHT</a>	6	<a href="#">Feb 71</a>
Filter preamplifiers for 50 and 144 MHz, etched	<a href="#">15 W5KHT</a>	6	<a href="#">Feb 71</a>
Blower maintenance (HN)	<a href="#">29.1 W6NIF</a>	71	<a href="#">Feb 71</a>
50-MHz linear amplifier, 2-kW	<a href="#">29.3 W6UOV</a>	16	<a href="#">Feb 71</a>
Field-effect transistor transmitters	<a href="#">29.2 K2BLA</a>	30	<a href="#">Feb 71</a>
Repairs, thinking your way through	<a href="#">13 Allen</a>	58	<a href="#">Feb 71</a>
Speech clipping in single-sideband equipment	<a href="#">2 K1YZW</a>	22	<a href="#">Feb 71</a>
Blower-to-chassis adapter (HN)	<a href="#">29.1 K6JYO</a>	73	<a href="#">Feb 71</a>
Speech clipping in single-sideband equipment	<a href="#">26 K1YZW</a>	22	<a href="#">Feb 71</a>
Filter-preamplifiers for 50 and 144 MHz, etched	<a href="#">22.3 W5KNT</a>	6	<a href="#">Feb 71</a>
Incremental tuning to your transceiver, adding	<a href="#">22.2 VE3GFN</a>	66	<a href="#">Feb 71</a>
Troubleshooting, thinking your way through	<a href="#">16 Allen</a>	58	<a href="#">Feb 71</a>
144-MHz etched-inductance bandpass filters and filter-preamplifiers	<a href="#">31.3 W5KHT</a>	6	<a href="#">Feb 71</a>
Electrolytic capacitors, measurement of (HN)	<a href="#">13 W2NA</a>	70	<a href="#">Feb 71</a>
Bandpass filters for 50 and 144 MHz, etched	<a href="#">15 W5KHT</a>	6	<a href="#">Feb 71</a>
Mainline ST-6 RTTY demodulator, troubleshooting	<a href="#">23 W6FFC</a>	50	<a href="#">Feb 71</a>
Blower-to-chassis adapter (HN)	<a href="#">5 K6JYO</a>	73	<a href="#">Feb 71</a>
144-MHz deluxe mosfet converter	<a href="#">31.3 WB2EGZ</a>	41	<a href="#">Feb 71</a>
Motorola P-33 series, improving	<a href="#">3 WB2AEB</a>	34	<a href="#">Feb 71</a>
50-MHz deluxe mosfet converter	<a href="#">31.3 WB2EGZ</a>	41	<a href="#">Feb 71</a>
Transmission lines, grid dipping (HN)	<a href="#">1.4 W2OLU</a>	72	<a href="#">Feb 71</a>
Audio-oscillator module, Cordover	<a href="#">2 WB2GQY</a>	44	<a href="#">Mar 71</a>
Safer suicide cord (HN)	<a href="#">13 K6JYO</a>	64	<a href="#">Mar 71</a>
Transistor amplifiers, tabulated characteristics of	<a href="#">25 W5JJ</a>	30	<a href="#">Mar 71</a>
50-MHz customized transverter	<a href="#">31.4 K1RAK</a>	12	<a href="#">Mar 71</a>
Oscillator, phase-locked	<a href="#">18 VE5FP</a>	6	<a href="#">Mar 71</a>
Local oscillator, phase-locked	<a href="#">22.1 VE5FP</a>	6	<a href="#">Mar 71</a>
Amplifiers, tube and transistor, tabulated characteristics of	<a href="#">16 W5JJ</a>	30	<a href="#">Mar 71</a>
Sweep response curves for low-frequency l-f's	<a href="#">13 Allen</a>	56	<a href="#">Mar 71</a>

Relays, undervoltage (HN)	<a href="#">12 W2OLU</a>	64	<a href="#">Mar 71</a>
Repeater problems	<a href="#">9 VE7ABK</a>	38	<a href="#">Mar 71</a>
Signal Generator, RTTY	<a href="#">23 W7ZTC</a>	23	<a href="#">Mar 71</a>
Heath HW-17 modifications (HN)	<a href="#">3 WA5PWX</a>	66	<a href="#">Mar 71</a>
Transistor amplifiers, tabulated characteristics of	<a href="#">15 W5JJ</a>	30	<a href="#">Mar 71</a>
50-MHz transverter	<a href="#">29.3 K1RAK</a>	12	<a href="#">Mar 71</a>
RTTY signal generator	<a href="#">13 W7ZTC</a>	23	<a href="#">Mar 71</a>
Rating tubes for linear amplifier service	<a href="#">26 W6UOV, W6SAI</a>	50	<a href="#">Mar 71</a>
Comdel speech processor, increasing the versatility of (HN)	<a href="#">3 W6SAI</a>	67	<a href="#">Mar 71</a>
Resistance standard, simple (HN)	<a href="#">13 W2OLU</a>	65	<a href="#">Mar 71</a>
Local oscillator, phase locked	<a href="#">18 VE5FP</a>	6	<a href="#">Mar 71</a>
Vacuum-tube amplifiers, tabulated characteristics of	<a href="#">15 W5JJ</a>	30	<a href="#">Mar 71</a>
Rating tubes for linear amplifier service	<a href="#">15 W6UOV, W6SAI</a>	50	<a href="#">Mar 71</a>
Printed-circuit boards, cleaning (HN)	<a href="#">5 W5BVF</a>	66	<a href="#">Mar 71</a>
Heathkit, noise limiter for (HN)	<a href="#">3 W7CKH</a>	67	<a href="#">Mar 71</a>
Power, voltage and impedance nomograph	<a href="#">15 W2TQK</a>	32	<a href="#">Apr 71</a>
Motorola fets (letter)	<a href="#">25 W1CER</a>	64	<a href="#">Apr 71</a>
Charge flow In semiconductors	<a href="#">25 WB6BIH</a>	50	<a href="#">Apr 71</a>
144-MHz fm frequency meter	<a href="#">31.1 Short circuit</a>	72	<a href="#">Apr 71</a>
Wavemeter, indicating	<a href="#">13 Short circuit</a>	72	<a href="#">Apr 71</a>
Mainline ST-6 RTTY demodulator	<a href="#">23 Short circuit</a>	72	<a href="#">Apr 71</a>
Fm receiver frequency control (letter)	<a href="#">22.3 W3AFN</a>	65	<a href="#">Apr 71</a>
Beam antenna headings	<a href="#">17 W6FFC</a>	64	<a href="#">Apr 71</a>
Injection lasers (letter)	<a href="#">25 Mims</a>	64	<a href="#">Apr 71</a>
Coil-winding data, practical vhf and uhf	<a href="#">31.1 K3SVC</a>	6	<a href="#">Apr 71</a>
Frequency meter, two-meter fm	<a href="#">9 Short circuit</a>	72	<a href="#">Apr 71</a>
Control head, customizing	<a href="#">9 VE7ABK</a>	28	<a href="#">Apr 71</a>
Frequency scaler, divide-by-ten	<a href="#">13 Short circuit</a>	72	<a href="#">Apr 71</a>
Transmitter power levels	<a href="#">16 WA5SNZ</a>	62	<a href="#">Apr 71</a>
BC-1206 for 7 MHz, converted	<a href="#">22.2 Short circuit</a>	72	<a href="#">Apr 71</a>
Semiconductors, charge flow in	<a href="#">16 WB6BIH</a>	50	<a href="#">Apr 71</a>
Fm frequency meter, two-meter	<a href="#">13 Short circuit</a>	72	<a href="#">Apr 71</a>
Reminisces of old-time radio	<a href="#">7 K4NW</a>	40	<a href="#">Apr 71</a>
Power fets	<a href="#">25 W3FQJ</a>	34	<a href="#">Apr 71</a>
Inductors, how to use ferrite and powdered-iron for	<a href="#">15 W6GXN</a>	15	<a href="#">Apr 71</a>
Swan television interference: an effective remedy	<a href="#">3 W2OUX</a>	46	<a href="#">Apr 71</a>
Headings, beam antenna	<a href="#">1.1 W6FFC</a>	64	<a href="#">Apr 71</a>
Transmitter power levels, some observations regarding	<a href="#">29.1 WA5SNZ</a>	62	<a href="#">Apr 71</a>
Fm receiver frequency control (letter)	<a href="#">9 W3AFN</a>	65	<a href="#">Apr 71</a>
Linear for 80-10 meters, high-power	<a href="#">26 W6HHN</a>	56	<a href="#">Apr 71</a>
Linear for 80-10 meters, high-power	<a href="#">29.2 W6HHN</a>	56	<a href="#">Apr 71</a>
Receiver for two meter, fm	<a href="#">9 Short circuit</a>	72	<a href="#">Apr 71</a>
Injection lasers (letter)	<a href="#">15 Mims</a>	64	<a href="#">Apr 71</a>
Power fets	<a href="#">29.1 W3FQJ</a>	34	<a href="#">Apr 71</a>
Coil-winding data, vhf and uhf	<a href="#">15 K3SVC</a>	6	<a href="#">Apr 71</a>
Collinear array for two meters, 4-element	<a href="#">9 W86KGF</a>	6	<a href="#">May 71</a>
Power-supply hum (HN)	<a href="#">20 W8YFB</a>	64	<a href="#">May 71</a>



Ground-plane, multiband (HN)	<a href="#">1.2 JA1QIY</a>	62	<a href="#">May 71</a>
Multitester (HN)	<a href="#">13 W1DTY</a>	63	<a href="#">May 71</a>
Single feedline for multiple antennas	<a href="#">1.6 K2ISP</a>	58	<a href="#">May 71</a>
Transmission lines, uhf	<a href="#">31.2 WA2VTR</a>	36	<a href="#">May 71</a>
Transmission lines, uhf	<a href="#">1.4 WA2VTR</a>	36	<a href="#">May 71</a>
Collinear array for two meters, 4-element	<a href="#">1.3 WB6KGF</a>	8	<a href="#">May 71</a>
Time-domain reflectometry, experimenter's approach to	<a href="#">13 WA0PIA</a>	22	<a href="#">May 71</a>
Inverted-vee antenna (letter)	<a href="#">1.2 WB6AQF</a>	66	<a href="#">May 71</a>
Tower, homemade tilt-over	<a href="#">1.5 WA3EWH</a>	28	<a href="#">May 71</a>
144-MHz four-element collinear array	<a href="#">31.2 WB6KGF</a>	6	<a href="#">May 71</a>
Balun, adjustable for yagi antennas	<a href="#">1.4 W6SAI</a>	14	<a href="#">May 71</a>
Compact antennas for 20 meters	<a href="#">1.2 W4ROS</a>	38	<a href="#">May 71</a>
Ground rods (letter)	<a href="#">1.1 W7FS</a>	66	<a href="#">May 71</a>
Deviation measurement (letter)	<a href="#">9 K5ZBA</a>	68	<a href="#">May 71</a>
Time-domain reflectometry, practical experimenter's approach	<a href="#">1.1 WA0PIA</a>	22	<a href="#">May 71</a>
Coaxial cable, checking (letter)	<a href="#">1.6 W2OLU</a>	68	<a href="#">May 71</a>
Antennas, QRM reducing receiving types	<a href="#">16 W3FQJ</a>	54	<a href="#">May 71</a>
Coaxial cable, checking (letter)	<a href="#">13 W2OLU</a>	68	<a href="#">May 71</a>
Silver/silicone grease (HN)	<a href="#">15 W6DDB</a>	63	<a href="#">May 71</a>
Double bi-square array	<a href="#">1.2 W6FFF</a>	32	<a href="#">May 71</a>
Anti-QRM methods	<a href="#">22.1 W3FQJ</a>	50	<a href="#">May 71</a>
Two-meter fm antenna (HN)	<a href="#">1.3 WB6KYE</a>	64	<a href="#">May 71</a>
Antenna, two-meter fm (HN)	<a href="#">9 WB6KYE</a>	64	<a href="#">May 71</a>
Coaxial-cable fittings, type-F	<a href="#">1.6 K2MDO</a>	44	<a href="#">May 71</a>
Anti-QRM methods	<a href="#">1.1 W3FQJ</a>	50	<a href="#">May 71</a>
Fm deviation measurement (letter)	<a href="#">13 K5ZBA</a>	68	<a href="#">May 71</a>
Heath HW-100 tuning knob, loose (HN)	<a href="#">3 VE3EPY</a>	68	<a href="#">Jun 71</a>
Electronic hand keyer	<a href="#">12 K5TCK</a>	36	<a href="#">Jun 71</a>
Sequential switching for Touch-Tone repeater control	<a href="#">9 W8GRG</a>	22	<a href="#">Jun 71</a>
Transistor power dissipation, how to determine	<a href="#">16 WN9CGW</a>	56	<a href="#">Jun 71</a>
Transmitter-tuning unit for the blind	<a href="#">29.1 W9NTP</a>	60	<a href="#">Jun 71</a>
ICs, basics of	<a href="#">16 W3FQJ</a>	40	<a href="#">Jun 71</a>
Decade standards, economical (HN)	<a href="#">13 W4ATE</a>	66	<a href="#">Jun 71</a>
Audio agc principles and practice	<a href="#">22.1 WA5SNZ</a>	28	<a href="#">Jun 71</a>
Antenna matcher, one-man	<a href="#">1.4 W4SD</a>	24	<a href="#">Jun 71</a>
Antenna matcher	<a href="#">13 W4SD</a>	24	<a href="#">Jun 71</a>
Carrier-operated relay and call monitor	<a href="#">9 VE4RE</a>	22	<a href="#">Jun 71</a>
Counter readouts, switching (HN)	<a href="#">13 K6KA</a>	66	<a href="#">Jun 71</a>
CDR AR-22 rotator, fixing a sticky	<a href="#">3 WA1ABP</a>	34	<a href="#">Jun 71</a>
Power dissipation ratings of transistors	<a href="#">25 WN9CGW</a>	56	<a href="#">Jun 71</a>
432-MHz ssb, practical approach to	<a href="#">31.1 WA2FSQ</a>	6	<a href="#">Jun 71</a>
432-MHz ssb, practical approach to	<a href="#">26 WA2FSQ</a>	6	<a href="#">Jun 71</a>
1296-MHz preamplifier, low-noise	<a href="#">22.3 WA2VTR</a>	50	<a href="#">Jun 71</a>
Audio agc principles and practice	<a href="#">2 WA5SNZ</a>	28	<a href="#">Jun 71</a>
1296-MHz preamplifier, low-noise transistor	<a href="#">31.3 WA2VTR</a>	50	<a href="#">Jun 71</a>
Integrated circuits, part I	<a href="#">15 W3FQJ</a>	40	<a href="#">Jun 71</a>
Rotator, AR-22, fixing a sticky	<a href="#">1.5 WA1ABP</a>	34	<a href="#">Jun 71</a>

Integrated circuits, part I	<a href="#">11 W3FQJ</a>	40	<a href="#">Jun 71</a>
432-MHz ssb, practical approach	<a href="#">31.4 WA2FSQ</a>	6	<a href="#">Jun 71</a>
Channels, three from two (HN)	<a href="#">9 VE7ABK</a>	68	<a href="#">Jun 71</a>
Transmitter tuning unit for the blind	<a href="#">13 W9NTP</a>	60	<a href="#">Jun 71</a>
Ten-Tec RX10 communicators receiver	<a href="#">3 W1NLB</a>	63	<a href="#">Jun 71</a>
Audio agc principles and practice	<a href="#">16 WA5SNZ</a>	28	<a href="#">Jun 71</a>
Vox, versatile	<a href="#">12 W9KIT</a>	50	<a href="#">Jul 71</a>
Resistor decades, versatile	<a href="#">13 W4ATE</a>	66	<a href="#">Jul 71</a>
Multivibrator, crystal-controlled	<a href="#">18 WN2MQY</a>	65	<a href="#">Jul 71</a>
Frequency calibrator, how to design	<a href="#">13 W3AEX</a>	54	<a href="#">Jul 71</a>
Communications receiver for 80 meters, IC	<a href="#">22.2 VE3ELP</a>	6	<a href="#">Jul 71</a>
Motrac Receivers (letter)	<a href="#">3 K5ZBA</a>	69	<a href="#">Jul 71</a>
Fm transmitter, solid-state two-meter	<a href="#">9 W6AJF</a>	14	<a href="#">Jul 71</a>
CRT intensifier for RTTY	<a href="#">23 K4VFA</a>	18	<a href="#">Jul 71</a>
Motrac receivers (letter)	<a href="#">9 K5ZBA</a>	69	<a href="#">Jul 71</a>
Swan 350, receiver incremental tuning (HN)	<a href="#">3 K1KXA</a>	64	<a href="#">Jul 71</a>
ICs, basics of	<a href="#">16 W3FQJ</a>	58	<a href="#">Jul 71</a>
Vox, versatile	<a href="#">26 W9KIT</a>	50	<a href="#">Jul 71</a>
Mainline ST-6 RTTY demodulator, more uses for (letter)	<a href="#">23 W6FFC</a>	69	<a href="#">Jul 71</a>
Resistors, frequency sensitive (letter)	<a href="#">15 W5UHV</a>	68	<a href="#">Jul 71</a>
Frequency calibrator, how to design	<a href="#">22.1 W3AEX</a>	54	<a href="#">Jul 71</a>
Fire extinguishers (letter)	<a href="#">15 W5PGG</a>	68	<a href="#">Jul 71</a>
CRT intensifier for RTTY	<a href="#">13 K4VFA</a>	18	<a href="#">Jul 71</a>
A-m modulation monitor, vhf (HN)	<a href="#">13 K7UNL</a>	67	<a href="#">Jul 71</a>
Vfo buffer amplifier (HN)	<a href="#">18 W3QBO</a>	66	<a href="#">Jul 71</a>
A-m modulation monitor (HN)	<a href="#">31.1 K7UNL</a>	67	<a href="#">Jul 71</a>
Switch-off flasher (HN)	<a href="#">13 Thomas</a>	64	<a href="#">Jul 71</a>
Power supply, precision	<a href="#">20 W7SK</a>	26	<a href="#">Jul 71</a>
144-MHz fm transmitter, solid-state	<a href="#">29.3 W6AJF</a>	14	<a href="#">Jul 71</a>
144-MHz fm transmitter	<a href="#">31.4 W6AJF</a>	14	<a href="#">Jul 71</a>
Integrated circuits, part II	<a href="#">15 W3FQJ</a>	58	<a href="#">Jul 71</a>
Integrated circuits, part II	<a href="#">11 W3FQJ</a>	58	<a href="#">Jul 71</a>
Receiver incremental tuning for the Swan 350 (HN)	<a href="#">22.2 K1KXA</a>	64	<a href="#">Jul 71</a>
Phone patch	<a href="#">2 W8GRG</a>	20	<a href="#">Jul 71</a>
50-MHz antenna coupler	<a href="#">31.2 K1RAK</a>	44	<a href="#">Jul 71</a>
Fast- to slow-scan conversion, tv	<a href="#">28 W3EFG, W3YZC</a>	32	<a href="#">Jul 71</a>
Rf clipper for the Collins S-line	<a href="#">26 K6JYO</a>	18	<a href="#">Aug 71</a>
Integrated circuits, part III	<a href="#">15 W3FQJ</a>	50	<a href="#">Aug 71</a>
Fire protection (letter)	<a href="#">15 K7QCM</a>	62	<a href="#">Aug 71</a>
Ac power line monitor	<a href="#">16 W2OLU</a>	46	<a href="#">Aug 71</a>
Collins S-line, rf clipper for	<a href="#">3 K6JYO</a>	18	<a href="#">Aug 71</a>
Integrated circuits, part III	<a href="#">11 W3FQJ</a>	50	<a href="#">Aug 71</a>
Printed-circuit boards, low-cost	<a href="#">5 W6CMQ</a>	44	<a href="#">Aug 71</a>
Rf clipper for the Collins S-line	<a href="#">2 K6JYO</a>	18	<a href="#">Aug 71</a>
144-MHz power amplifier, high performance	<a href="#">31.4 W6UOV</a>	22	<a href="#">Aug 71</a>
Function generator, IC	<a href="#">11 W1DTY</a>	40	<a href="#">Aug 71</a>
Frequency multipliers	<a href="#">15 W6GXN</a>	6	<a href="#">Aug 71</a>

Multiple tubes in parallel grounding grid (HN)	<a href="#">29.1 W7CSD</a>	60	<a href="#">Aug 71</a>
Channel scanner	<a href="#">9 W2FPP</a>	29	<a href="#">Aug 71</a>
Motorola fm receiver mods (HN)	<a href="#">3 VE4RE</a>	60	<a href="#">Aug 71</a>
Frequency multipliers	<a href="#">31.1 W6GXN</a>	6	<a href="#">Aug 71</a>
144-MHz power amplifier, high-performance	<a href="#">29.3 W6UOV</a>	22	<a href="#">Aug 71</a>
Function generator, IC	<a href="#">13 W1DTY</a>	40	<a href="#">Aug 71</a>
Motorola fm receiver mods (HN)	<a href="#">9 VE4RE</a>	60	<a href="#">Aug 71</a>
Frequency multipliers	<a href="#">29.1 W6GXN</a>	6	<a href="#">Aug 71</a>
AC power-line monitor	<a href="#">13 W2OLU</a>	46	<a href="#">Aug 71</a>
Triangle antennas	<a href="#">1.2 W3FQJ</a>	56	<a href="#">Aug 71</a>
Fm channel scanner	<a href="#">22.3 W2FPP</a>	29	<a href="#">Aug 71</a>
Mini-mobile	<a href="#">15 K9UQN</a>	58	<a href="#">Aug 71</a>
Frequency multipliers	<a href="#">25 W6GXN</a>	6	<a href="#">Aug 71</a>
Coaxial filter, vhf	<a href="#">31.1 W6SAI</a>	36	<a href="#">Aug 71</a>
Automatic frequency control for receiving RTTY	<a href="#">23 W5NPO</a>	50	<a href="#">Sep 71</a>
Alliance T-45 rotator Improvement (HN)	<a href="#">3 WA0VAM</a>	64	<a href="#">Sep 71</a>
I-f system, multimode	<a href="#">22.1 WA2IKL</a>	39	<a href="#">Sep 71</a>
Relay activator (HN)	<a href="#">12 K6KA</a>	62	<a href="#">Sep 71</a>
Phase-locked loops, IC	<a href="#">15 W3FQJ</a>	54	<a href="#">Sep 71</a>
Injection lasers, high power	<a href="#">15 Mims</a>	28	<a href="#">Sep 71</a>
Relay activator (HN)	<a href="#">29.1 K6KA</a>	62	<a href="#">Sep 71</a>
Heath HW-12 on MARS (HN)	<a href="#">3 K8AUH</a>	63	<a href="#">Sep 71</a>
Step-start circuit, high-voltage (HN)	<a href="#">20 W6VFR</a>	63	<a href="#">Sep 71</a>
Printed-circuit boards, photofabrication of	<a href="#">15 Hutchinson</a>	6	<a href="#">Sep 71</a>
Weak-signal source, stable, variable-output	<a href="#">13 K6JYO</a>	36	<a href="#">Sep 71</a>
Phase-locked loops, IC	<a href="#">11 W3FQJ</a>	54	<a href="#">Sep 71</a>
Printed-circuit boards, practical phototabrication of	<a href="#">5 Hutchinson</a>	6	<a href="#">Sep 71</a>
Weak-signal source, stable, variable output	<a href="#">31.3 K6JYO</a>	36	<a href="#">Sep 71</a>
Injection lasers, high power	<a href="#">25 Mims</a>	28	<a href="#">Sep 71</a>
Step-start circuit, high-voltage (HN)	<a href="#">29.1 W6VFR</a>	64	<a href="#">Sep 71</a>
I-f system, multimode	<a href="#">9 WA2IKL</a>	39	<a href="#">Sep 71</a>
Transconductance tester for fets	<a href="#">13 W6NBI</a>	44	<a href="#">Sep 71</a>
Scatter-mode propagation, frequency synchronization for	<a href="#">21 K2OVS</a>	26	<a href="#">Sep 71</a>
Frequency synchronization for scatter-mode propagation	<a href="#">15 K2OVS</a>	26	<a href="#">Sep 71</a>
Vertical for 80 meters, top-loaded	<a href="#">1.2 W2MB</a>	20	<a href="#">Sep 71</a>
Step-start circuit, high-voltage (HN)	<a href="#">12 W6VFR</a>	64	<a href="#">Sep 71</a>
Weak-signal source, variable-output	<a href="#">22.4 K6JYO</a>	36	<a href="#">Sep 71</a>
Linear transistor amplifier	<a href="#">25 W3FQJ</a>	59	<a href="#">Sep 71</a>
Sequential encoder, mobile fm	<a href="#">9 W3JJU</a>	34	<a href="#">Sep 71</a>
Rotator, T-45, Improvement (HN)	<a href="#">1.5 WA0VAM</a>	64	<a href="#">Sep 71</a>
Frequency synchronization for scatter-mode propagation	<a href="#">31.1 K2OVS</a>	26	<a href="#">Sep 71</a>
Crystal-controlled frequency markers (HN)	<a href="#">13 WA4WDK</a>	64	<a href="#">Sep 71</a>
Transconductance tester for field-effect transistors	<a href="#">25 W6NBI</a>	44	<a href="#">Sep 71</a>
Army loop antenna - revisited	<a href="#">1.2 W3FQJ</a>	59	<a href="#">Sep 71</a>
Receiving RTTY, automatic frequency control for	<a href="#">22.1 W5NPO</a>	50	<a href="#">Sep 71</a>
Collinear antenna (letter)	<a href="#">1.3 W6SAI</a>	70	<a href="#">Oct 71</a>
Swr bridge	<a href="#">13 WB2ZSH</a>	55	<a href="#">Oct 71</a>

144-MHz fm transmitter, Sonobaby	<a href="#">29.3 WA0UZO</a>	8	<a href="#">Oct 71</a>
144-MHz fm transmitter, Sonobaby	<a href="#">31.4 WA0UZO</a>	8	<a href="#">Oct 71</a>
144-MHz deluxe mosfet converter	<a href="#">31.3 Letter, W0LER</a>	71	<a href="#">Oct 71</a>
Power in reflected waves	<a href="#">1.1 Woods</a>	49	<a href="#">Oct 71</a>
Stress analysis of antenna systems	<a href="#">1.5 W2FZJ</a>	23	<a href="#">Oct 71</a>
Switching and linear amplification	<a href="#">26 W3FQJ</a>	61	<a href="#">Oct 71</a>
Resistor performance at high frequencies	<a href="#">15 K1ORV</a>	36	<a href="#">Oct 71</a>
Receiving RTTY with Heath SB receivers (HN)	<a href="#">22.2 K9HVW</a>	64	<a href="#">Oct 71</a>
RTTY reception with Heath SB receivers (HN)	<a href="#">23 K9HVW</a>	64	<a href="#">Oct 71</a>
Stress analysis of antenna systems	<a href="#">15 W2FZJ</a>	23	<a href="#">Oct 71</a>
RTTY monitor scope, solid-state	<a href="#">13 WB2MPZ</a>	33	<a href="#">Oct 71</a>
Drill guide (HN)	<a href="#">5 W5BVF</a>	68	<a href="#">Oct 71</a>
Dynamic transistor tester (HN)	<a href="#">13 VE7ABK</a>	65	<a href="#">Oct 71</a>
Capacitance meter, direct reading, for electrolytics	<a href="#">13 W9DJZ</a>	14	<a href="#">Oct 71</a>
Fm transmitter, Sonobaby, 2 meter	<a href="#">9 WA0UZO</a>	8	<a href="#">Oct 71</a>
Phase-locked loops, IC, experiments with	<a href="#">15 W3FQJ</a>	58	<a href="#">Oct 71</a>
Inverted-vee antenna, modified	<a href="#">1.2 W2KTW</a>	40	<a href="#">Oct 71</a>
Linear amplifier performance, improving	<a href="#">26 W4PSJ</a>	68	<a href="#">Oct 71</a>
Morse sounder, radio controlled (HN)	<a href="#">12 K6QEQ</a>	66	<a href="#">Oct 71</a>
Collins 32S-3 audio (HN)	<a href="#">3 K6KA</a>	64	<a href="#">Oct 71</a>
Linear amplifier performance, improving	<a href="#">29.2 W4PSJ</a>	68	<a href="#">Oct 71</a>
Dynamic transistor tester (HN)	<a href="#">25 VE7ABK</a>	65	<a href="#">Oct 71</a>
Pi networks, series tuned	<a href="#">29.1 W2EGH</a>	42	<a href="#">Oct 71</a>
Swr bridge	<a href="#">1.4 WB2ZSH</a>	55	<a href="#">Oct 71</a>
Balanced modulators, dual fet	<a href="#">26 W3FQJ</a>	63	<a href="#">Oct 71</a>
Phase-locked loops, IC, experiments with	<a href="#">11 W3FQJ</a>	58	<a href="#">Oct 71</a>
144-MHz converter (letter)	<a href="#">22.3 W0LER</a>	71	<a href="#">Oct 71</a>
Pi networks, series-tuned	<a href="#">15 W2EGH</a>	42	<a href="#">Oct 71</a>
Swr bridge	<a href="#">16 WB2ZSH</a>	55	<a href="#">Oct 71</a>
Heath SB receivers, RTTY reception with (HN)	<a href="#">3 K9HVW</a>	64	<a href="#">Oct 71</a>
Pi networks, series-tuned	<a href="#">31.4 W2EGH</a>	42	<a href="#">Oct 71</a>
CW processor for communications receivers	<a href="#">22.1 W6NRW</a>	17	<a href="#">Oct 71</a>
Monitor scope, RTTY, solid-state	<a href="#">23 WB2MPZ</a>	33	<a href="#">Oct 71</a>
50-MHz linear amplifier	<a href="#">29.3 K1RAK</a>	38	<a href="#">Nov 71</a>
Component marking (HN)	<a href="#">5 W1JE</a>	66	<a href="#">Nov 71</a>
Triangle antennas (letter)	<a href="#">1.2 K4ZZV</a>	72	<a href="#">Nov 71</a>
220-MHz exciter	<a href="#">29.3 WB6DJV</a>	50	<a href="#">Nov 71</a>
Dual-voltage power supply (HN)	<a href="#">20 W5JJ</a>	68	<a href="#">Nov 71</a>
Receiver, tunable vhf fm	<a href="#">9 K8AUH</a>	34	<a href="#">Nov 71</a>
Weak signal reception in CW receivers	<a href="#">22.1 ZS6BT</a>	44	<a href="#">Nov 71</a>
CW audio filter, simple	<a href="#">16 W7DI</a>	54	<a href="#">Nov 71</a>
Direct-conversion receivers	<a href="#">22.2 W3FQJ</a>	59	<a href="#">Nov 71</a>
Calibrator crystals (HN)	<a href="#">22.1 K6KA</a>	66	<a href="#">Nov 71</a>
Heath SB-200 amplifier, six-meter conversion	<a href="#">3 K1RAK</a>	38	<a href="#">Nov 71</a>
Fm receiver, tunable vhf	<a href="#">22.3 K8AUH</a>	34	<a href="#">Nov 71</a>
Low-value voltage source (HN)	<a href="#">20 WA5EKA</a>	66	<a href="#">Nov 71</a>
50-MHz linear amplifier	<a href="#">31.4 K1RAK</a>	38	<a href="#">Nov 71</a>

Corner reflector antenna, 432 M Hz	<a href="#">1.3 WA2FSQ</a>	24	<a href="#">Nov 71</a>
Radiotelegraph translator and transcriber	<a href="#">15 W7CUU, K7KFA</a>	8	<a href="#">Nov 71</a>
Hot wire stripper (HN)	<a href="#">5 W8DWT</a>	67	<a href="#">Nov 71</a>
Microphone preamplifier with agc	<a href="#">2 Bryant</a>	28	<a href="#">Nov 71</a>
Radiotelegraph translator and transcriber	<a href="#">22.1 W7CUU, K7KFA</a>	8	<a href="#">Nov 71</a>
432-MHz corner reflector antenna	<a href="#">31.2 WA2FSQ</a>	24	<a href="#">Nov 71</a>
Audio CW filter	<a href="#">2 W7D1</a>	54	<a href="#">Nov 71</a>
220-MHz exciter	<a href="#">31.4 WB6DJV</a>	50	<a href="#">Nov 71</a>
Receivers, direct-conversion	<a href="#">16 W3FQJ</a>	59	<a href="#">Nov 71</a>
Smith chart, how to use	<a href="#">15 Correction</a>	76	<a href="#">Dec 71</a>
Frequency dividers for ssb	<a href="#">26 W7BZ</a>	24	<a href="#">Dec 71</a>
Vhf beacons	<a href="#">31.1 W3FQJ</a>	66	<a href="#">Dec 71</a>
220-MHz power amplifier	<a href="#">31.4 W6UOV</a>	44	<a href="#">Dec 71</a>
Linear for 80-10 meters, high-power	<a href="#">26 Short circuit</a>	96	<a href="#">Dec 71</a>
Linear for 80-10 meters, high-power	<a href="#">29.2 Short circuit</a>	96	<a href="#">Dec 71</a>
Beverage antenna	<a href="#">1.2 W3FQJ</a>	67	<a href="#">Dec 71</a>
Yaesu spurious signals (HN)	<a href="#">3 K6KA</a>	69	<a href="#">Dec 71</a>
Semiconductor diodes, evaluating	<a href="#">16 W5JJ</a>	52	<a href="#">Dec 71</a>
Diversity receiving system	<a href="#">1.1 W2EEY</a>	12	<a href="#">Dec 71</a>
Diversity receiving system	<a href="#">22.1 W2EEY</a>	12	<a href="#">Dec 71</a>
Mini-mitter II	<a href="#">3 W6SLO</a>	72	<a href="#">Dec 71</a>
Rf clipper for the Collins S-line	<a href="#">26 Letter</a>	68	<a href="#">Dec 71</a>
Vox, versatile	<a href="#">12 Short circuit</a>	96	<a href="#">Dec 71</a>
144-MHz fm transmitter, Sonobaby	<a href="#">29.3 Short circuit</a>	96	<a href="#">Dec 71</a>
Electronic keyer notes (HN)	<a href="#">12 ZL1BN</a>	74	<a href="#">Dec 71</a>
Converters for six and two meters, mosfet	<a href="#">22.3 Short circuit</a>	96	<a href="#">Dec 71</a>
Audio-oscillator module, Cordover	<a href="#">2 Correction</a>	80	<a href="#">Dec 71</a>
144-MHz deluxe mosfet converter	<a href="#">31.3 Short circuit</a>	96	<a href="#">Dec 71</a>
Smith chart, how to use	<a href="#">1.1 Correction</a>	76	<a href="#">Dec 71</a>
Diodes, evaluating	<a href="#">25 W5JJ</a>	52	<a href="#">Dec 71</a>
Triangle beams	<a href="#">1.2 W3FQJ</a>	70	<a href="#">Dec 71</a>
220-MHz power amplifier	<a href="#">29.3 W6UOV</a>	44	<a href="#">Dec 71</a>
Collins S-line, rf clipper for	<a href="#">3 Correction</a>	80	<a href="#">Dec 71</a>
AC line cords (letter)	<a href="#">5 W6EG</a>	80	<a href="#">Dec 71</a>
Electronic speed conversion for RTTY teleprinters	<a href="#">23 WA6JYJ</a>	36	<a href="#">Dec 71</a>
144-MHz transceiver, a-m	<a href="#">31.4 K1AOB</a>	55	<a href="#">Dec 71</a>
Push-to-talk for Styleline telephones	<a href="#">9 W1DRP</a>	18	<a href="#">Dec 71</a>
Receiver frequency calibrator	<a href="#">16 W5UQS</a>	28	<a href="#">Dec 71</a>
Heath ten-minute timer	<a href="#">3 K6KA</a>	75	<a href="#">Dec 71</a>
Vox, versatile	<a href="#">26 Short circuit</a>	96	<a href="#">Dec 71</a>
Fm transmitter, Sonobaby, 2 meter	<a href="#">9 Short circuit</a>	96	<a href="#">Dec 71</a>
Speech processor, IC	<a href="#">2 VK9GN</a>	31	<a href="#">Dec 71</a>
Frequency calibrator, general coverage	<a href="#">13 W5UQS</a>	28	<a href="#">Dec 71</a>
Frequency calibrator, receiver	<a href="#">22.1 W5UQS</a>	28	<a href="#">Dec 71</a>
Signal Generator, RTTY	<a href="#">23 Short circuit</a>	96	<a href="#">Dec 71</a>
Speech Processor, ssb	<a href="#">26 VK9GN</a>	31	<a href="#">Dec 71</a>
144-MHz transceiver, a-m	<a href="#">29.3 K1AOB</a>	55	<a href="#">Dec 71</a>

RTTY signal generator	<a href="#">13 Short circuit</a>	96	<a href="#">Dec 71</a>
Push-to-talk for Styleline telephones	<a href="#">12 W1DRP</a>	18	<a href="#">Dec 71</a>
Vfo, stable	<a href="#">18 K4BGF</a>	8	<a href="#">Dec 71</a>
Vfo, stable solid-state	<a href="#">16 K4BGF</a>	8	<a href="#">Dec 71</a>

## Results for Year - 1972

Article	CatID	Author	Page	Issue
WWV-WVH, amateur applications for	<a href="#">22.2 W3FQJ</a>		53	<a href="#">Jan 72</a>
Vfo, high-stability vhf	<a href="#">31.1 OH2CD</a>		27	<a href="#">Jan 72</a>
Bypassing, rf, at vhf	<a href="#">31.1 WB6BHI</a>		50	<a href="#">Jan 72</a>
Oscillator, Franklin (HN)	<a href="#">18 W5JJ</a>		61	<a href="#">Jan 72</a>
Audio filter mod (HN)	<a href="#">22.1 K6HIU</a>		60	<a href="#">Jan 72</a>
1296-MHz preamplifier, low-noise transistor	<a href="#">31.3 Added note (letter)</a>		65	<a href="#">Jan 72</a>
Audio fitter mod (HN)	<a href="#">2 K6HIL</a>		60	<a href="#">Jan 72</a>
1296-MHz preamplifier, low-noise	<a href="#">22.3 Added note (letter)</a>		65	<a href="#">Jan 72</a>
Toroids, plug-in (HN)	<a href="#">15 K8EEG</a>		60	<a href="#">Jan 72</a>
Filters, low-pass for 10 and 15 meters	<a href="#">29.2 W2EEY</a>		42	<a href="#">Jan 72</a>
WWV-WVH, amateur applications for	<a href="#">13 W3FQJ</a>		53	<a href="#">Jan 72</a>
Automatic frequency control for receiving RTTY	<a href="#">23 Added note (letter)</a>		66	<a href="#">Jan 72</a>
Power transistors, parallelling (HN)	<a href="#">25 WA5EKA</a>		62	<a href="#">Jan 72</a>
Microwaves, Introduction	<a href="#">15 W1CBY</a>		20	<a href="#">Jan 72</a>
Terminal unit, phase-locked loop	<a href="#">23 W4FQM</a>		8	<a href="#">Jan 72</a>
Toroids, plug-in (HN)	<a href="#">5 K8EEG</a>		60	<a href="#">Jan 72</a>
Microwaves, introduction to	<a href="#">31.1 W1CBY</a>		20	<a href="#">Jan 72</a>
Infrared communications (letter)	<a href="#">15 K2OAW</a>		65	<a href="#">Jan 72</a>
Army loop antenna - revisited	<a href="#">1.2 Added notes</a>		64	<a href="#">Jan 72</a>
Filters, low-pass, for 10 and 15	<a href="#">1.1 W2EEY</a>		42	<a href="#">Jan 72</a>
Vfo, high-stability, vhf	<a href="#">18 OH2CD</a>		27	<a href="#">Jan 72</a>
Tone-burst keyer for fm repeaters	<a href="#">9 W8GRG</a>		36	<a href="#">Jan 72</a>
Hammarlund HQ215, adding 160-meter coverage	<a href="#">22.2 W2GHK</a>		32	<a href="#">Jan 72</a>
Hammarlund HQ215, adding 160-meter coverage	<a href="#">3 W2GHK</a>		32	<a href="#">Jan 72</a>
Phase-locked loop RTTY terminal unit	<a href="#">23 W4FQM</a>		8	<a href="#">Jan 72</a>
Threshold-gate/limiter for CW reception	<a href="#">22.1 W2ELV</a>		46	<a href="#">Jan 72</a>
Break-in circuit, CW	<a href="#">12 W8SYK</a>		40	<a href="#">Jan 72</a>
Bypassing, rf, at uhf	<a href="#">15 WB6BHI</a>		50	<a href="#">Jan 72</a>
Power supply, improved (HN)	<a href="#">20 W4ATE</a>		72	<a href="#">Feb 72</a>
Toroids, calculating inductance of	<a href="#">15 WB9FHC</a>		50	<a href="#">Feb 72</a>
Driver and final for 40 and 80 meters, solid-state	<a href="#">29.2 W3QBO</a>		20	<a href="#">Feb 72</a>
Pre-emphasis for asb transmitters	<a href="#">2 OH2CD</a>		38	<a href="#">Feb 72</a>
Flop-flip, using (HN)	<a href="#">11 W3KBM</a>		60	<a href="#">Feb 72</a>
Rf amplifiers, selective	<a href="#">22.2 K6BIJ</a>		58	<a href="#">Feb 72</a>
Crystal checker	<a href="#">13 W6GXN</a>		46	<a href="#">Feb 72</a>
Receiver, modular, for two-meter fm	<a href="#">9 WA2GBF</a>		42	<a href="#">Feb 72</a>
144-MHz fm receiver	<a href="#">31.3 WA2GBF</a>		42	<a href="#">Feb 72</a>
Color coding parts (HN)	<a href="#">5 WA7BPO</a>		58	<a href="#">Feb 72</a>
Fm deviation measurements	<a href="#">13 W3FQJ</a>		52	<a href="#">Feb 72</a>
Pre-emphasis for ssb transmitters	<a href="#">29.1 OH2CD</a>		38	<a href="#">Feb 72</a>



Deviation measurements	<a href="#">9 W3FQJ</a>	52	<a href="#">Feb 72</a>
144-MHz transverter, the TR-144	<a href="#">26 K1RAK</a>	24	<a href="#">Feb 72</a>
Digital readout station accessory, part I	<a href="#">13 K6KA</a>	6	<a href="#">Feb 72</a>
Digital readout station accessory, part I	<a href="#">11 K6KA</a>	6	<a href="#">Feb 72</a>
Receiver, modular two-meter fm	<a href="#">22.3 WA2GFB</a>	42	<a href="#">Feb 72</a>
Converter, hf, solid-state	<a href="#">22.2 VE3GFN</a>	32	<a href="#">Feb 72</a>
144-MHz transverter	<a href="#">31.4 K1RAK</a>	24	<a href="#">Feb 72</a>
Pre-emphasis for asb transmitters	<a href="#">26 OH2CD</a>	38	<a href="#">Feb 72</a>
Digital station accessory, part II	<a href="#">11 K6KA</a>	50	<a href="#">Mar 72</a>
Vacuum tubes, testing high-power (HN)	<a href="#">13 W2OLU</a>	64	<a href="#">Mar 72</a>
2304-MHz converter, solid-state	<a href="#">22.3 K2JNG, WA2LTM, WA2VTR</a>	16	<a href="#">Mar 72</a>
Linear, five-band hf	<a href="#">29.2 W7DI</a>	6	<a href="#">Mar 72</a>
Ssb signals, monitoring	<a href="#">22.1 W6VFR</a>	36	<a href="#">Mar 72</a>
144-MHz preamplifier, improved	<a href="#">31.3 WA2GCF</a>	25	<a href="#">Mar 72</a>
Digital ICs, part I	<a href="#">11 W3FQJ</a>	41	<a href="#">Mar 72</a>
ICs, digital, basics	<a href="#">16 W3FQJ</a>	41	<a href="#">Mar 72</a>
2304-MHz converter, solid-state	<a href="#">31.3 K2JNG, WA2LTM, WA2VTR</a>	16	<a href="#">Mar 72</a>
144-MHz preamplifier, improved	<a href="#">22.3 WA2GCF</a>	25	<a href="#">Mar 72</a>
Diode surge protection (HN)	<a href="#">20 WA7LUJ</a>	65	<a href="#">Mar 72</a>
Detector, reciprocating	<a href="#">22.1 W1SNN</a>	32	<a href="#">Mar 72</a>
Linear, five-band hf	<a href="#">26 W7DI</a>	6	<a href="#">Mar 72</a>
Preamplifier, two meter	<a href="#">9 WA2GCF</a>	25	<a href="#">Mar 72</a>
Filter, 455-kHz for fm	<a href="#">9 WA0JYK</a>	22	<a href="#">Mar 72</a>
Digital station accessory, part II	<a href="#">13 K6KA</a>	50	<a href="#">Mar 72</a>
Ssb, signals, monitoring	<a href="#">13 W6VFR</a>	35	<a href="#">Mar 72</a>
Trapatt diodes (letter)	<a href="#">25 WA7NLA</a>	72	<a href="#">Apr 72</a>
Transmitter, two-meter fm	<a href="#">9 W9SEK</a>	6	<a href="#">Apr 72</a>
Vectorboard toot (HN)	<a href="#">5 WA1KWJ</a>	70	<a href="#">Apr 72</a>
IC power (HN)	<a href="#">20 W3KBM</a>	68	<a href="#">Apr 72</a>
Logic monitor (HN)	<a href="#">13 WA5SAF</a>	70	<a href="#">Apr 72</a>
Digital station accessory, part III	<a href="#">13 K6KA</a>	36	<a href="#">Apr 72</a>
Direct-conversion receivers, improved selectivity	<a href="#">22.2 K6BIJ</a>	32	<a href="#">Apr 72</a>
Oscillator, frequency measuring	<a href="#">13 W6IEL</a>	16	<a href="#">Apr 72</a>
Digital station accessory, part III	<a href="#">11 K6KA</a>	36	<a href="#">Apr 72</a>
Preamplifier, emitter-tuned, 21 MHz	<a href="#">22.2 WA5SNZ</a>	20	<a href="#">Apr 72</a>
Collins 75A-4 hints (HN)	<a href="#">22.2 W6VFR</a>	68	<a href="#">Apr 72</a>
Oscillator, frequency measuring	<a href="#">18 W6IEL</a>	16	<a href="#">Apr 72</a>
Preamplifier, 21 MHz	<a href="#">16 WA5SNZ</a>	20	<a href="#">Apr 72</a>
144-MHz fm transmitter	<a href="#">31.4 W9SEK</a>	6	<a href="#">Apr 72</a>
IC power (HN)	<a href="#">11 W3KBM</a>	68	<a href="#">Apr 72</a>
144-MHz fm transmitter	<a href="#">29.3 W9SEK</a>	6	<a href="#">Apr 72</a>
Squelch, audio-actuated	<a href="#">2 K4MOG</a>	52	<a href="#">Apr 72</a>
Digital ICs, part II	<a href="#">11 W3FQJ</a>	58	<a href="#">Apr 72</a>
Collins 75A4 hints (HN)	<a href="#">3 W6VFR</a>	68	<a href="#">Apr 72</a>
Alarm, wet basement (HN)	<a href="#">15 W2EMF</a>	68	<a href="#">Apr 72</a>
Logic monitor (HN)	<a href="#">11 WA5SAF</a>	70	<a href="#">Apr 72</a>
Nostalgia with a vengeance	<a href="#">7 W6HDM</a>	28	<a href="#">Apr 72</a>

Two-tone oscillator for ssb testing	<a href="#">26 W6GXN</a>	11	<a href="#">Apr 72</a>
ICs, digital, basics	<a href="#">16 W3FQJ</a>	58	<a href="#">Apr 72</a>
Oscillator, two-tone, for ssb testing	<a href="#">13 W6GXN</a>	11	<a href="#">Apr 72</a>
Oscillator, two-tone, for ssb testing	<a href="#">18 W6GXN</a>	11	<a href="#">Apr 72</a>
Collins S-line spinner knob (HN)	<a href="#">3 W6VFR</a>	69	<a href="#">Apr 72</a>
Squelch, audio-actuated	<a href="#">22.1 K4MOG</a>	52	<a href="#">Apr 72</a>
Small-loop antennas	<a href="#">1.2 W4YOT</a>	36	<a href="#">May 72</a>
Ground plane, three-band	<a href="#">1.2 LA1EI</a>	6	<a href="#">May 72</a>
Freon danger (letter)	<a href="#">15 WA5RTB</a>	63	<a href="#">May 72</a>
Coaxial-line loss, measuring with a reflectometer	<a href="#">13 W2VCI</a>	50	<a href="#">May 72</a>
Phase-locked loop RTTY terminal unit	<a href="#">23 Correction</a>	60	<a href="#">May 72</a>
Threshold-gate/limiter for CW reception	<a href="#">22.1 Added notes (letter) W2ELV</a>	59	<a href="#">May 72</a>
All-band phased-vertical	<a href="#">1.2 WA7GXO</a>	32	<a href="#">May 72</a>
Coaxial-line loss, measuring with reflectometer	<a href="#">1.6 W2VCI</a>	50	<a href="#">May 72</a>
Antenna, multiband phased vertical	<a href="#">16 WA7GXO</a>	33	<a href="#">May 72</a>
Collinear antenna for two meters, nine-element	<a href="#">1.3 W6RJO</a>	12	<a href="#">May 72</a>
Collinear antenna for two meters, nine-element	<a href="#">9 W6RJO</a>	12	<a href="#">May 72</a>
Swr bridge (HN)	<a href="#">13 WA5TFK</a>	66	<a href="#">May 72</a>
Soldering aluminum (HN)	<a href="#">5 ZE6JP</a>	67	<a href="#">May 72</a>
1296-MHz Yagi	<a href="#">31.2 W2CQH</a>	24	<a href="#">May 72</a>
Triangle antennas	<a href="#">1.2 W6KIW</a>	58	<a href="#">May 72</a>
Alliance rotator improvement (HN)	<a href="#">3 K6JVE</a>	68	<a href="#">May 72</a>
Radiotelegraph translator and transcriber	<a href="#">22.1 Eliminating the matrix KH6AP</a>	60	<a href="#">May 72</a>
Antenna potpourri	<a href="#">1.2 W3FQJ</a>	54	<a href="#">May 72</a>
Yagi, 1296-MHz	<a href="#">1.3 W2CQH</a>	24	<a href="#">May 72</a>
Eliminating the matrix	<a href="#">15 KH6AP</a>	60	<a href="#">May 72</a>
Swr meters, direct reading and expanded scale	<a href="#">13 WA4WDK</a>	28	<a href="#">May 72</a>
Mobile transmitter, loading	<a href="#">1.4 W4YB</a>	46	<a href="#">May 72</a>
144-MHz collinear antenna	<a href="#">31.2 W6RJO</a>	12	<a href="#">May 72</a>
Antenna coupler for three-band beams	<a href="#">1.4 ZS6BT</a>	42	<a href="#">May 72</a>
Terminal unit, phase-locked loop	<a href="#">23 Correction</a>	60	<a href="#">May 72</a>
Tape head cleaners (letter)	<a href="#">2 K4MSG</a>	62	<a href="#">May 72</a>
Vertical dipole, gamma-loop-fed	<a href="#">1.2 W6SAI</a>	19	<a href="#">May 72</a>
Inductors, how to use ferrite and powdered-iron for	<a href="#">15 Correction</a>	63	<a href="#">May 72</a>
Curtain antenna (HN)	<a href="#">1.2 W4ATE</a>	66	<a href="#">May 72</a>
Grounding, safer (letter)	<a href="#">1.1 WA5KTC</a>	59	<a href="#">May 72</a>
Noise-figure measurements for vhf	<a href="#">13 WB6NMT</a>	36	<a href="#">Jun 72</a>
Digital multivibrators	<a href="#">11 W3FQJ</a>	42	<a href="#">Jun 72</a>
Microwaves, getting started in	<a href="#">15 Roubal</a>	53	<a href="#">Jun 72</a>
ICs, digital multivibrators	<a href="#">16 W3FQJ</a>	42	<a href="#">Jun 72</a>
Horizontal or vertical (HN)	<a href="#">1.1 W7IV</a>	62	<a href="#">Jun 72</a>
Microwaves, getting started in	<a href="#">31.1 Roubal</a>	53	<a href="#">Jun 72</a>
Swan 350 CW monitor (HN)	<a href="#">3 K1KXA</a>	63	<a href="#">Jun 72</a>
Ribbon re-inkers	<a href="#">23 W6FFC</a>	30	<a href="#">Jun 72</a>
Communications receiver, five band	<a href="#">22.2 K6SDX</a>	6	<a href="#">Jun 72</a>
Memo-key	<a href="#">12 WA7SCB</a>	58	<a href="#">Jun 72</a>
Swan 350 CW monitor (HN)	<a href="#">22.2 K1KXA</a>	63	<a href="#">Jun 72</a>

Noise figure measurements, vhf	<a href="#">31.1 WB6NMT</a>	36	<a href="#">Jun 72</a>
Vfo, multiband fet	<a href="#">18 K8EEG</a>	39	<a href="#">Jul 72</a>
AFSK generator, crystal-controlled	<a href="#">23 K7BVT</a>	13	<a href="#">Jul 72</a>
Interference, electric fence	<a href="#">22.1 K6KA</a>	68	<a href="#">Jul 72</a>
Cooled preamplifier for vhf-uhf reception	<a href="#">31.3 WA0RDX</a>	36	<a href="#">Jul 72</a>
Oscillators, resistance-capacitance	<a href="#">18 W6GXN</a>	18	<a href="#">Jul 72</a>
Speech clipping (letter)	<a href="#">2 W3EJD</a>	72	<a href="#">Jul 72</a>
Transformers, miniature (HN)	<a href="#">20 W4ATE</a>	67	<a href="#">Jul 72</a>
Y parameters in rf design, using	<a href="#">25 WA0TCU</a>	46	<a href="#">Jul 72</a>
Motorola Dispatcher, converting to 12 volts	<a href="#">3 WB6HXU</a>	26	<a href="#">Jul 72</a>
Ham Radio sweepstakes winners, 1972	<a href="#">7 W1NLB</a>	58	<a href="#">Jul 72</a>
Linear amplifier, five-band conduction-cooled	<a href="#">26 W9KIT</a>	6	<a href="#">Jul 72</a>
AFSK generator, crystal-controlled	<a href="#">13 K7BVT</a>	13	<a href="#">Jul 72</a>
Superregenerative detector, optimizing	<a href="#">22.1 Ring</a>	32	<a href="#">Jul 72</a>
Y parameters, using in rf amplifier design	<a href="#">15 WA0TCU</a>	46	<a href="#">Jul 72</a>
Vertical antenna, low-band	<a href="#">1.2 W4IYB</a>	70	<a href="#">Jul 72</a>
Receiver, modular, for two-meter fm	<a href="#">9 Added notes</a>	73	<a href="#">Jul 72</a>
Transmitter, multiband low power with vfo	<a href="#">16 K8EEG</a>	39	<a href="#">Jul 72</a>
Cooled preamplifier for vhf-uhf	<a href="#">22.3 WA0RDX</a>	36	<a href="#">Jul 72</a>
144-MHz fm receiver	<a href="#">31.3 Added notes</a>	73	<a href="#">Jul 72</a>
Motorola Dispatcher, converting to 12 volts	<a href="#">20 WB6HXU</a>	26	<a href="#">Jul 72</a>
Intercom, simple (HN)	<a href="#">2 W4AYV</a>	66	<a href="#">Jul 72</a>
144-MHz preamplifier, improved	<a href="#">22.3 Added notes</a>	73	<a href="#">Jul 72</a>
Flip-flops	<a href="#">11 W3FQJ</a>	60	<a href="#">Jul 72</a>
Linear amplifier, five-band conduction-cooled	<a href="#">29.2 W9KIT</a>	6	<a href="#">Jul 72</a>
Detector, superregenerative, optimizing	<a href="#">22.1 Ring</a>	32	<a href="#">Jul 72</a>
ICs, digital flip-flops	<a href="#">16 W3FQJ</a>	60	<a href="#">Jul 72</a>
Receiver performance, comparison of	<a href="#">9 VE7ABK</a>	68	<a href="#">Aug 72</a>
ICs, digital, oscillators and dividers	<a href="#">16 W3FQJ</a>	62	<a href="#">Aug 72</a>
Oscilloscope voltage calibrator	<a href="#">13 W6PBC</a>	54	<a href="#">Aug 72</a>
Power dividers and hybrids	<a href="#">31.1 W1DAX</a>	30	<a href="#">Aug 72</a>
RTTY for the blind (letter)	<a href="#">23 VE7BRK</a>	76	<a href="#">Aug 72</a>
Crystal oscillator, frequency adjustment of	<a href="#">18 W9ZTK</a>	42	<a href="#">Aug 72</a>
Key and vox clicks (HN)	<a href="#">29.1 K6KA</a>	74	<a href="#">Aug 72</a>
Key and vox clicks (HN)	<a href="#">12 K6KA</a>	74	<a href="#">Aug 72</a>
2304-MHz preamplifier, solid-state	<a href="#">22.3 WA2VTR</a>	20	<a href="#">Aug 72</a>
Audio-filters, inexpensive	<a href="#">22.1 W8YFB</a>	24	<a href="#">Aug 72</a>
Digital oscillators and dividers	<a href="#">11 W3FQJ</a>	62	<a href="#">Aug 72</a>
Frequency synthesizer for the Drake R-4	<a href="#">22.2 W6NBI</a>	6	<a href="#">Aug 72</a>
Drake R-4 receiver frequency synthesizer for	<a href="#">3 W6NBI</a>	6	<a href="#">Aug 72</a>
Monitor scope, phase-shift	<a href="#">23 W3CIX</a>	36	<a href="#">Aug 72</a>
Crystals, overtone (HN)	<a href="#">18 G8ABR</a>	72	<a href="#">Aug 72</a>
Vibrator replacement, solid-state (HN)	<a href="#">20 K8RAY</a>	70	<a href="#">Aug 72</a>
Power dividers and hybrids	<a href="#">15 W1DAX</a>	30	<a href="#">Aug 72</a>
Audio filters, aligning (HN)	<a href="#">2 W4ATE</a>	72	<a href="#">Aug 72</a>
Audio filters, inexpensive	<a href="#">16 W8YFB</a>	24	<a href="#">Aug 72</a>
Monitorscope, RTTY	<a href="#">13 W3CIX</a>	36	<a href="#">Aug 72</a>

Capacitance meter, direct-reading	<a href="#">13 W6MUR</a>	48	<a href="#">Aug 72</a>
2304-MHz preamplifier, solid-state	<a href="#">31.3 WA2VTR</a>	20	<a href="#">Aug 72</a>
Diode surge protection (HN)	<a href="#">20 Added note</a>	77	<a href="#">Aug 72</a>
Fetrons, solid-state replacements for tubes	<a href="#">25 W1DTY</a>	4	<a href="#">Aug 72</a>
Mobile operation with the Touch-Tone pad	<a href="#">9 W0LPQ</a>	58	<a href="#">Aug 72</a>
Fm receiver performance, comparison of	<a href="#">22.3 VE7ABK</a>	68	<a href="#">Aug 72</a>
Audio filters, inexpensive	<a href="#">2 W8YFB</a>	24	<a href="#">Aug 72</a>
Pi network design	<a href="#">15 W6FFC</a>	6	<a href="#">Sep 72</a>
Vacuum tubes, using odd-ball types in linear amplifier service	<a href="#">26 W5JJ</a>	58	<a href="#">Sep 72</a>
Hang agc circuit for sob and CW	<a href="#">26 W1ERJ</a>	50	<a href="#">Sep 72</a>
Cold galvanizing compound (HN)	<a href="#">5 W5UNF</a>	70	<a href="#">Sep 72</a>
Repeater control with simple timers	<a href="#">9 W2FPP</a>	46	<a href="#">Sep 72</a>
Frequency standard (HN)	<a href="#">22.1 WA7JIK</a>	69	<a href="#">Sep 72</a>
Frequency standard (HN)	<a href="#">13 WA7JIK</a>	69	<a href="#">Sep 72</a>
Speaker-driver module, IC	<a href="#">2 WA2GCF</a>	24	<a href="#">Sep 72</a>
Interference, scanning receiver (HN)	<a href="#">22.3 K2YAH</a>	70	<a href="#">Sep 72</a>
Hang agc circuit for ssb and CW	<a href="#">22.1 W1ERJ</a>	50	<a href="#">Sep 72</a>
Hang agc circuit for ssb and CW	<a href="#">2 W1ERJ</a>	50	<a href="#">Sep 72</a>
Emitter-coupled logic	<a href="#">11 W3FQJ</a>	62	<a href="#">Sep 72</a>
Interference, scanning receiver (HN)	<a href="#">9 K2YAH</a>	70	<a href="#">Sep 72</a>
Frequency scaler, divide-by-ten	<a href="#">13 W6PBC</a>	41	<a href="#">Sep 72</a>
Vacuum tubes, using odd-ball types in linear amplifiers	<a href="#">29.1 W5JJ</a>	58	<a href="#">Sep 72</a>
Uhf coax connectors (HN)	<a href="#">5 W0LCP</a>	70	<a href="#">Sep 72</a>
Uhf coax connectors (HN)	<a href="#">1.4 W0LCP</a>	70	<a href="#">Sep 72</a>
Log-periodic, three-band	<a href="#">1.2 W4AEO</a>	28	<a href="#">Sep 72</a>
RTTY distortion: causes and cures	<a href="#">23 WB6IMP</a>	36	<a href="#">Sep 72</a>
Pi-network design, high-frequency power amplifier	<a href="#">29.1 W6FFC</a>	6	<a href="#">Sep 72</a>
Paddle, electronic keyer (HN)	<a href="#">12 KL7EVD</a>	68	<a href="#">Sep 72</a>
Tape head cleaning (letter)	<a href="#">2 Buchanan</a>	67	<a href="#">Oct 72</a>
Impulse generator, snap diode	<a href="#">25 Siegal, Turner</a>	29	<a href="#">Oct 72</a>
Sequential switching (HN)	<a href="#">12 W5OSF</a>	63	<a href="#">Oct 72</a>
Dipole pairs, low SWR	<a href="#">1.2 W6FPO</a>	42	<a href="#">Oct 72</a>
Multi-function integrated circuits	<a href="#">11 W3FQJ</a>	46	<a href="#">Oct 72</a>
Current limiting (HN)	<a href="#">20 W0LPQ</a>	70	<a href="#">Oct 72</a>
Ground plane, three-band	<a href="#">1.2 Footnote: letter</a>	65	<a href="#">Oct 72</a>
Frequency synthesizer, high-frequency	<a href="#">15 K2BLA</a>	16	<a href="#">Oct 72</a>
Printed circuit for RTTY speed converter	<a href="#">23 W7POG</a>	54	<a href="#">Oct 72</a>
Fm transmitter, Sonobaby, 2 meter	<a href="#">9 Crystal deck for Sonobaby</a>	26	<a href="#">Oct 72</a>
Rf power meter, low-level	<a href="#">13 W5WGF</a>	58	<a href="#">Oct 72</a>
Load protection, scr (HN)	<a href="#">20 W5OZF</a>	62	<a href="#">Oct 72</a>
Dipole, all-band tuned	<a href="#">1.2 ZS6BT</a>	22	<a href="#">Oct 72</a>
RF power meter, low-level	<a href="#">1.1 W5WGF</a>	58	<a href="#">Oct 72</a>
Frequency synthesizer, high-frequency	<a href="#">13 K2BLA</a>	16	<a href="#">Oct 72</a>
Frequency synthesizer, high frequency	<a href="#">29.2 K2BLA</a>	16	<a href="#">Oct 72</a>
Spectrum analyzer, four channel	<a href="#">22.1 W9IA</a>	6	<a href="#">Oct 72</a>
144-MHz fm transmitter, Sonobaby	<a href="#">31.4 Crystal deck for Sonobaby</a>	26	<a href="#">Oct 72</a>
Spectrum analyzer, four channel	<a href="#">13 W9IA</a>	6	<a href="#">Oct 72</a>

Snap diode impulse generator	<a href="#">25 Siegal, Turner</a>	29	<a href="#">Oct 72</a>
Multi-function integrated circuits	<a href="#">15 W3FQJ</a>	46	<a href="#">Oct 72</a>
144-MHz fm transmitter, Sonobaby	<a href="#">29.3 Crystal deck for</a>	26	<a href="#">Oct 72</a>
160 meters with 40-meter vertical	<a href="#">1.2 W2IMB</a>	34	<a href="#">Oct 72</a>
6-meter sporadic-E openings, predicting	<a href="#">21 WA9RAQ</a>	38	<a href="#">Oct 72</a>
Impulse generator, pulse-snap diode	<a href="#">13 Siegal, Turner</a>	29	<a href="#">Oct 72</a>
Electronic speed conversion for RTTY teleprinters	<a href="#">23 Printed circuit for</a>	54	<a href="#">Oct 72</a>
Noisy fans (HN)	<a href="#">5 W8IUF</a>	70	<a href="#">Nov 72</a>
Antenna tuner, automatic	<a href="#">1.4 WA0AQC</a>	36	<a href="#">Nov 72</a>
Communications, first step to satellite	<a href="#">24 K1MTA</a>	52	<a href="#">Nov 72</a>
Carrier-operated relay	<a href="#">12 K0PHF, WA0UZO</a>	58	<a href="#">Nov 72</a>
Fm demodulator, TTL	<a href="#">9 W3FQJ</a>	66	<a href="#">Nov 72</a>
Satellite communications, first step to	<a href="#">15 K1MTA</a>	52	<a href="#">Nov 72</a>
Collins S-line transceiver mod (HN)	<a href="#">3 W6VFR</a>	71	<a href="#">Nov 72</a>
Fm receiver, uhf	<a href="#">22.3 WA2GCF</a>	6	<a href="#">Nov 72</a>
Satellite communications	<a href="#">31.1 K1TMA</a>	52	<a href="#">Nov 72</a>
Speech clippers, rf, performance of	<a href="#">26 G6XN</a>	26	<a href="#">Nov 72</a>
Fet biasing	<a href="#">25 W3FQJ</a>	61	<a href="#">Nov 72</a>
Receiver, reciprocating detector	<a href="#">22.2 W1SNN</a>	44	<a href="#">Nov 72</a>
Speech clippers, rf	<a href="#">2 G6XN</a>	26	<a href="#">Nov 72</a>
Speech clippers, rf, performance of	<a href="#">15 G6XN</a>	26	<a href="#">Nov 72</a>
Fet biasing	<a href="#">15 W3FQJ</a>	61	<a href="#">Nov 72</a>
Pulse-duration modulation	<a href="#">15 W3FQJ</a>	65	<a href="#">Nov 72</a>
Digital ICs, part II	<a href="#">11 Correction</a>	66	<a href="#">Nov 72</a>
Receiver, vhf fm	<a href="#">9 WA2GCF</a>	6	<a href="#">Nov 72</a>
Carrier-operated relay	<a href="#">9 K0PHF, WA0UZO</a>	58	<a href="#">Nov 72</a>
144-MHz fm receiver	<a href="#">31.3 WA2GCF</a>	6	<a href="#">Nov 72</a>
Frequency scaler, divide-by-ten	<a href="#">13 Correction</a>	90	<a href="#">Dec 72</a>
Monitoring oscillator	<a href="#">22.2 W2JIO</a>	36	<a href="#">Dec 72</a>
Motorola channel elements	<a href="#">3 WB4NEX</a>	32	<a href="#">Dec 72</a>
Mobile antenna, helically wound	<a href="#">1.2 ZE6JP</a>	40	<a href="#">Dec 72</a>
Capacitors, oil-filled (HN)	<a href="#">15 W2OLU</a>	66	<a href="#">Dec 72</a>
Pi-network inductors (letter)	<a href="#">29.1 W7IV</a>	78	<a href="#">Dec 72</a>
Mainline ST-5 autostart and antispace	<a href="#">23 K2YAH</a>	46	<a href="#">Dec 72</a>
Mobile operation with the Touch-Tone pad	<a href="#">9 Correction</a>	90	<a href="#">Dec 72</a>
Speech clipper, rf, construction	<a href="#">26 G6XN</a>	12	<a href="#">Dec 72</a>
Antenna tuners	<a href="#">1.4 W3FQJ</a>	58	<a href="#">Dec 72</a>
Pi network inductors (letter)	<a href="#">15 W7IV</a>	78	<a href="#">Dec 72</a>
Signal polarization, satellite	<a href="#">24 KH6IJ</a>	6	<a href="#">Dec 72</a>
Uhf microstrip swr bridge	<a href="#">1.6 W4CGC</a>	22	<a href="#">Dec 72</a>
Antennas, simple for 80 and 40 meters	<a href="#">16 W5RUB</a>	16	<a href="#">Dec 72</a>
RTTY monitor receiver	<a href="#">22.2 K4EEU</a>	27	<a href="#">Dec 72</a>
Satellite signal polarization	<a href="#">15 KH6IJ</a>	6	<a href="#">Dec 72</a>
Logic monitor (HN)	<a href="#">13 Correction</a>	91	<a href="#">Dec 72</a>
Quartz crystals (letter)	<a href="#">18 WB2EGZ</a>	74	<a href="#">Dec 72</a>
Simple antennas for 40 and 80	<a href="#">1.2 W5RUB</a>	16	<a href="#">Dec 72</a>
Repeater control with simple timers	<a href="#">9 Correction</a>	91	<a href="#">Dec 72</a>

Motorola channel elements	<a href="#">9 WB4NEX</a>	32	<a href="#">Dec 72</a>
Ssb detector, IC (HN)	<a href="#">11 K4ODS</a>	67	<a href="#">Dec 72</a>
Oscillator, frequency measuring	<a href="#">13 Added notes</a>	90	<a href="#">Dec 72</a>
Ground plane, three-band	<a href="#">1.2 Correction</a>	91	<a href="#">Dec 72</a>
Oscillator, frequency measuring	<a href="#">18 Added notes</a>	90	<a href="#">Dec 72</a>
Neutralizing tip (HN)	<a href="#">29.1 ZE6JP</a>	69	<a href="#">Dec 72</a>
Autostart monitor receiver	<a href="#">23 K4EEU</a>	37	<a href="#">Dec 72</a>
Neutralizing tip (HN)	<a href="#">5 ZE6JP</a>	69	<a href="#">Dec 72</a>
Satellite signal polarization	<a href="#">31.1 KH6IJ</a>	6	<a href="#">Dec 72</a>
Sloping dipoles	<a href="#">1.2 W5RUB</a>	19	<a href="#">Dec 72</a>
Monitoring oscillator	<a href="#">18 W2JIO</a>	36	<a href="#">Dec 72</a>
DX antenna, single-element	<a href="#">1.2 W6FHM</a>	52	<a href="#">Dec 72</a>
Image suppression (HN)	<a href="#">22.1 W6NIF</a>	68	<a href="#">Dec 72</a>
Swr meters, direct reading and expanded scale	<a href="#">13 Correction</a>	90	<a href="#">Dec 72</a>
Antenna tuning units	<a href="#">16 W3FQJ</a>	58	<a href="#">Dec 72</a>
Microstrip swr bridge, vhf and uhf	<a href="#">31.2 W4CGC</a>	22	<a href="#">Dec 72</a>
Detector, ssb, IC (HN)	<a href="#">26 K4ODS</a>	67	<a href="#">Dec 72</a>
Capacitors, oil-filled (HN)	<a href="#">5 W2OLU</a>	66	<a href="#">Dec 72</a>
Receiver, reciprocating detector	<a href="#">22.2 Correction (letter)</a>	77	<a href="#">Dec 72</a>
Speech clippers, rf	<a href="#">2 G6XN</a>	12	<a href="#">Dec 72</a>
Code practice stations (letter)	<a href="#">17 WB4LXJ</a>	75	<a href="#">Dec 72</a>
Logic monitor (HN)	<a href="#">11 Correction</a>	91	<a href="#">Dec 72</a>

## Results for Year - 1973

Article	CatID	Author	Page	Issue
Tuner overload, eliminating (HN)	<a href="#">22.2 VE3GFN</a>		66	<a href="#">Jan 73</a>
Vom/vtvm, added uses for (HN)	<a href="#">13 W7DI</a>		67	<a href="#">Jan 73</a>
Phase-locked loop, 28 MHz	<a href="#">29.2 W1KNI</a>		40	<a href="#">Jan 73</a>
RTTY test generator (HN)	<a href="#">13 W3EAG</a>		67	<a href="#">Jan 73</a>
Hot etching (HN)	<a href="#">5 K8EKG</a>		66	<a href="#">Jan 73</a>
50-MHz preamplifier, Improved	<a href="#">31.3 WA2GCF</a>		46	<a href="#">Jan 73</a>
Noise bridge for impedance measurements	<a href="#">15 YA1GJM</a>		62	<a href="#">Jan 73</a>
Vfo, digital readout	<a href="#">18 WB8IFM</a>		14	<a href="#">Jan 73</a>
Phase-locked loop, 50 MHz	<a href="#">29.3 W1KNI</a>		40	<a href="#">Jan 73</a>
Networks, transmitter matching	<a href="#">29.1 W6FFC</a>		6	<a href="#">Jan 73</a>
Antenna tuning units	<a href="#">16 W3FQJ</a>		58	<a href="#">Jan 73</a>
Counter reset generator (HN)	<a href="#">13 W3KBM</a>		68	<a href="#">Jan 73</a>
Counter reset generator (HN)	<a href="#">11 W3KBM</a>		68	<a href="#">Jan 73</a>
Overload problems with vhf converters, solving	<a href="#">31.3 W1OOP</a>		53	<a href="#">Jan 73</a>
Vfo, digital readout	<a href="#">29.1 WB8IFM</a>		14	<a href="#">Jan 73</a>
Antenna tuning units	<a href="#">1.4 W3FQJ</a>		58	<a href="#">Jan 73</a>
Repeater decoder, multi-function	<a href="#">9 WA6TBC</a>		24	<a href="#">Jan 73</a>
Phase-locked loop, tunable 50 MHz	<a href="#">31.1 W1KNI</a>		40	<a href="#">Jan 73</a>
Regulated 5-volt supply (HN)	<a href="#">20 W6UNF</a>		67	<a href="#">Jan 73</a>
50-MHz preamplifier, improved	<a href="#">22.3 WA2GCF</a>		46	<a href="#">Jan 73</a>
Mobile mount, rigid (HN)	<a href="#">1.1 VE7ABK</a>		69	<a href="#">Jan 73</a>
Test generator, RTTY (HN)	<a href="#">23 W3EAG</a>		67	<a href="#">Jan 73</a>



Restoring panel lettering (HN)	<a href="#">5 W8CL</a>	69	<a href="#">Jan 73</a>
Phase-locked loop, tunable, 28 and 50 MHz	<a href="#">9 W1KNI</a>	40	<a href="#">Jan 73</a>
Line feed, automatic for RTTY	<a href="#">23 K4EEU</a>	20	<a href="#">Jan 73</a>
Transients, reducing	<a href="#">20 W5JJ</a>	50	<a href="#">Jan 73</a>
Networks, transmitter matching	<a href="#">15 W6FFC</a>	6	<a href="#">Jan 73</a>
Overload problems with vhf converters, solving	<a href="#">22.3 W1OOP</a>	53	<a href="#">Jan 73</a>
Sampling network, rf - the milli-tap	<a href="#">1.1 W6QJW</a>	34	<a href="#">Jan 73</a>
Noise bridge for impedance measurements	<a href="#">1.4 YA1GJM</a>	62	<a href="#">Jan 73</a>
Sampling network, rf - the milli-tap	<a href="#">13 W6QJW</a>	34	<a href="#">Jan 73</a>
Bridge, noise, for impedance measurements	<a href="#">13 YA1GJM</a>	62	<a href="#">Jan 73</a>
Plessey SL600-series ICs, how to use	<a href="#">11 G8FNT</a>	26	<a href="#">Feb 73</a>
Scanner, vhf receiver	<a href="#">9 K2LZG</a>	22	<a href="#">Feb 73</a>
Heath HW-100, HW-101, grid-current monitor for	<a href="#">3 K4MFR</a>	46	<a href="#">Feb 73</a>
Oscillator, audio, IC	<a href="#">2 W6GXN</a>	50	<a href="#">Feb 73</a>
Communications receivers, designing for strong-signal performance	<a href="#">15 Moors</a>	6	<a href="#">Feb 73</a>
Pre-scaler, vhf (HN)	<a href="#">13 W6MGI</a>	57	<a href="#">Feb 73</a>
Communications receivers, designing for strong-signal performance	<a href="#">22.1 Moors</a>	6	<a href="#">Feb 73</a>
Oscillator, audio	<a href="#">13 W6GXN</a>	50	<a href="#">Feb 73</a>
Receiver-demodulator for RTTY net operation	<a href="#">23 VE7BRK</a>	42	<a href="#">Feb 73</a>
Vhf receiver scanner	<a href="#">22.3 K2LZG</a>	22	<a href="#">Feb 73</a>
Logic test probe (HN)	<a href="#">11 Rossman</a>	56	<a href="#">Feb 73</a>
Logic test probe (HN)	<a href="#">13 Rossman</a>	56	<a href="#">Feb 73</a>
Receiver scanner, vhf	<a href="#">31.3 K2LZG</a>	22	<a href="#">Feb 73</a>
Speech clipper, IC	<a href="#">2 K6HTM</a>	18	<a href="#">Feb 73</a>
RTTY receiver-demodulator for net operation	<a href="#">22.2 VE7BRK</a>	42	<a href="#">Feb 73</a>
Telescoping tv masts (HN)	<a href="#">1.5 WA0KKC</a>	57	<a href="#">Feb 73</a>
Oscillator, audio, IC	<a href="#">18 W6GXN</a>	50	<a href="#">Feb 73</a>
Speech clipper, IC	<a href="#">26 K6HTM</a>	18	<a href="#">Feb 73</a>
Noise blanker	<a href="#">22.1 K4DHC</a>	38	<a href="#">Feb 73</a>
Zulu time (HN)	<a href="#">17 K6KA</a>	58	<a href="#">Mar 73</a>
Transceiver, 3.5-MHz ssb	<a href="#">26 VE6ABX</a>	6	<a href="#">Mar 73</a>
Phase-locked loop AFSK generator	<a href="#">23 K7ZOF</a>	27	<a href="#">Mar 73</a>
Touch-tone circuit, mobile	<a href="#">9 K7QWR</a>	50	<a href="#">Mar 73</a>
Radio-frequency interference	<a href="#">22.1 WA3NFW</a>	30	<a href="#">Mar 73</a>
Transceiver, 3.5-MHz ssb	<a href="#">29.2 VE6ABX</a>	6	<a href="#">Mar 73</a>
RTTY test generator (HN)	<a href="#">13 W3EAG</a>	59	<a href="#">Mar 73</a>
Radio-frequency interference	<a href="#">15 WA3NFW</a>	30	<a href="#">Mar 73</a>
Electronic keyers, simple IC	<a href="#">12 WA5TRS</a>	38	<a href="#">Mar 73</a>
Reciprocating detector as fm discriminator	<a href="#">22.1 W1SNN</a>	18	<a href="#">Mar 73</a>
Crystal test oscillator and signal generator	<a href="#">23 K4EEU</a>	46	<a href="#">Mar 73</a>
Interference, rf	<a href="#">15 WA3NFW</a>	30	<a href="#">Mar 73</a>
Crystal test oscillator and signal generator	<a href="#">13 K4EEU</a>	46	<a href="#">Mar 73</a>
Crystal test oscillator and signal generator	<a href="#">18 K4EEU</a>	46	<a href="#">Mar 73</a>
Companion receiver, all-mode	<a href="#">22.2 W1SNN</a>	18	<a href="#">Mar 73</a>
Timer, simple (HN)	<a href="#">9 W3CIX</a>	58	<a href="#">Mar 73</a>
Interference, rf	<a href="#">22.1 WA3NFW</a>	30	<a href="#">Mar 73</a>
AFSK generator, phase-locked loop	<a href="#">13 K7ZOF</a>	27	<a href="#">Mar 73</a>

Ferrite beads, how to use	<a href="#">5 K1ORV</a>	34	<a href="#">Mar 73</a>
Interference, radio frequency	<a href="#">16 WA3NFW</a>	30	<a href="#">Mar 73</a>
Tone-burst generator (HN)	<a href="#">9 K4COF</a>	58	<a href="#">Mar 73</a>
Test generator, RTTY (HN)	<a href="#">23 W3EAG</a>	59	<a href="#">Mar 73</a>
Heath HW-16, vfo operations for	<a href="#">3 WB6MZN</a>	54	<a href="#">Mar 73</a>
Ferrite beads, how to use	<a href="#">15 K1ORV</a>	34	<a href="#">Mar 73</a>
First wireless in Alaska	<a href="#">7 W6BLZ</a>	48	<a href="#">Apr 73</a>
Detector, ssb, IC (HN)	<a href="#">26 Correction</a>	72	<a href="#">Apr 73</a>
Phase meter, rf	<a href="#">1.4 VE2AYU, Korth</a>	28	<a href="#">Apr 73</a>
Printed-circuit boards, how to make	<a href="#">5 K4EEU</a>	58	<a href="#">Apr 73</a>
Morse code, speed standards for	<a href="#">16 VE2ZK</a>	58	<a href="#">Apr 73</a>
144-MHz power amplifiers, fm	<a href="#">31.4 W4CGC</a>	6	<a href="#">Apr 73</a>
Whip, 5/8-wave, 144-MHz (HN)	<a href="#">1.3 VE3DDD</a>	70	<a href="#">Apr 73</a>
Communications, first step to satellite	<a href="#">24 Added notes (letter)</a>	73	<a href="#">Apr 73</a>
Indicator, sensitive rf	<a href="#">31.1 WB9DNI</a>	38	<a href="#">Apr 73</a>
WWV receiver, regenerative	<a href="#">22.2 WA5SNZ</a>	42	<a href="#">Apr 73</a>
WWV receiver, simple regenerative	<a href="#">13 WA5SNZ</a>	42	<a href="#">Apr 73</a>
Ssb detector, IC (HN)	<a href="#">11 Correction (letter)</a>	72	<a href="#">Apr 73</a>
Sync generator, sstv (letter)	<a href="#">28 W1IA</a>	73	<a href="#">Apr 73</a>
144-MHz whip, 5/8-wave (HN)	<a href="#">31.2 VE3DDD</a>	70	<a href="#">Apr 73</a>
Morse code, speed standards for	<a href="#">17 VE2ZK</a>	68	<a href="#">Apr 73</a>
Printed-circuit boards, how to make your own	<a href="#">16 K4EEU</a>	58	<a href="#">Apr 73</a>
Mobile operation with the Touch-Tone pad	<a href="#">9 Modification (letter)</a>	72	<a href="#">Apr 73</a>
144-MHz power amplifiers, solid state	<a href="#">29.3 W4CGC</a>	6	<a href="#">Apr 73</a>
Phase meter, rf	<a href="#">13 VE2AYU, Korth</a>	28	<a href="#">Apr 73</a>
Power amplifier, rf, 144-MHz fm	<a href="#">9 W4CGC</a>	6	<a href="#">Apr 73</a>
Satellite communications, first step to	<a href="#">15 Added notes (letter)</a>	73	<a href="#">Apr 73</a>
Receiver, regenerative for WWV	<a href="#">16 WA5SNZ</a>	42	<a href="#">Apr 73</a>
Rf detector, sensitive	<a href="#">13 WB9DNI</a>	38	<a href="#">Apr 73</a>
Whip, 5/8-wave, 144 MHz (HN)	<a href="#">9 VE3DDD</a>	70	<a href="#">Apr 73</a>
Ssb generator, phasing-type	<a href="#">26 W7CMJ</a>	22	<a href="#">Apr 73</a>
Satellite communications	<a href="#">31.1 Added notes (letter)</a>	73	<a href="#">Apr 73</a>
Vertical radiators	<a href="#">1.2 W4OQ</a>	16	<a href="#">Apr 73</a>
Indicator, sensitive rf	<a href="#">9 WB9DNI</a>	38	<a href="#">Apr 73</a>
Impedance bridge, low-cost RX	<a href="#">1.4 W8YFB</a>	6	<a href="#">May 73</a>
Ground plane, portable vhf (HN)	<a href="#">1.3 K9DHD</a>	71	<a href="#">May 73</a>
144-MHz antennas, simple	<a href="#">31.2 WA3NFW</a>	30	<a href="#">May 73</a>
Sloping dipoles	<a href="#">1.2 Performance: letter</a>	76	<a href="#">May 73</a>
Vhf fm receiver (letter)	<a href="#">22.3 W8IHQ</a>	76	<a href="#">May 73</a>
Antenna, 3.5 MHz, for a small lot	<a href="#">1.2 W6AGX</a>	28	<a href="#">May 73</a>
Antenna and feedline facts and fallacies	<a href="#">1.1 W5JJ</a>	24	<a href="#">May 73</a>
Antenna insulators, homemade (HN)	<a href="#">5 W7ZC</a>	70	<a href="#">May 73</a>
440-MHz collinear antenna, four-element	<a href="#">31.2 WA6HTP</a>	38	<a href="#">May 73</a>
Receiver, vhf fm (letter)	<a href="#">9 K8IHO</a>	76	<a href="#">May 73</a>
Vertical-tower antenna system	<a href="#">1.2 W4OQ</a>	56	<a href="#">May 73</a>
Log-periodic antennas, 7-MHz	<a href="#">1.2 W4AEO</a>	16	<a href="#">May 73</a>
Gamma-matching networks, how to design	<a href="#">15 W7ITB</a>	46	<a href="#">May 73</a>

Insulators, homemade antenna (HN)	<a href="#">1.1 W7ZC</a>	70	<a href="#">May 73</a>
Code practice (HN)	<a href="#">17 W2OUX</a>	74	<a href="#">May 73</a>
Swan 350 CW monitor (HN)	<a href="#">3 Correction: letter</a>	77	<a href="#">May 73</a>
Quad-yagi arrays, 432- and 1296-MHz	<a href="#">1.3 W3AED</a>	20	<a href="#">May 73</a>
Suitcase antenna, high-frequency	<a href="#">1.2 VK5BI</a>	61	<a href="#">May 73</a>
Coaxial dipole, multiband (HN)	<a href="#">1.2 W4BDK</a>	71	<a href="#">May 73</a>
Printed-circuit tool (HN)	<a href="#">5 W2GZ</a>	74	<a href="#">May 73</a>
Ground plane, portable vhf (HN)	<a href="#">31.2 K9DHD</a>	71	<a href="#">May 73</a>
Antenna, 80 meters, for small lot	<a href="#">16 W6AGX</a>	28	<a href="#">May 73</a>
Antennas, simple, for two-meter fm	<a href="#">9 WA3NFW</a>	30	<a href="#">May 73</a>
RX impedance bridge, low-cost	<a href="#">13 W8YFB</a>	6	<a href="#">May 73</a>
Digital counters (letter)	<a href="#">11 W1GGN</a>	76	<a href="#">May 73</a>
Impedance bridge, low-cost RX	<a href="#">13 W8YFB</a>	6	<a href="#">May 73</a>
432- and 1296-MHz quad-yagi arrays	<a href="#">31.2 W3AED</a>	20	<a href="#">May 73</a>
Tailoring your antenna, how to	<a href="#">1.2 KH6HDM</a>	34	<a href="#">May 73</a>
Effective radiated power (HN)	<a href="#">15 VE7CB</a>	72	<a href="#">May 73</a>
Effective radiated power (HN)	<a href="#">1.1 VE7CB</a>	72	<a href="#">May 73</a>
Gamma-matching networks, how to design	<a href="#">1.4 W7ITB</a>	46	<a href="#">May 73</a>
Collinear antenna, four element 440-MHz	<a href="#">1.3 WA6HTP</a>	38	<a href="#">May 73</a>
Antennas, low elevation	<a href="#">16 W3FQJ</a>	66	<a href="#">May 73</a>
Low-mounted antennas	<a href="#">1.2 W3FQJ</a>	66	<a href="#">May 73</a>
Digital counters (letter)	<a href="#">13 W1GGN</a>	76	<a href="#">May 73</a>
Simple antennas, 144-MHz	<a href="#">1.3 WA3NFW</a>	30	<a href="#">May 73</a>
Effective radiated power (HN)	<a href="#">31.1 VE7CB</a>	72	<a href="#">May 73</a>
Amplifiers, broadband IC	<a href="#">11 W6GXN</a>	36	<a href="#">Jun 73</a>
Communications receiver, micropower	<a href="#">22.2 WB9FHC</a>	30	<a href="#">Jun 73</a>
Audio module, solid-state receiver	<a href="#">16 K4DHC</a>	18	<a href="#">Jun 73</a>
Logic oscillator for multi-channel crystal control	<a href="#">9 W1SNN</a>	46	<a href="#">Jun 73</a>
Autostart, digital RTTY	<a href="#">23 K4EEU</a>	6	<a href="#">Jun 73</a>
Audio module, a complete	<a href="#">2 K4DHC</a>	18	<a href="#">Jun 73</a>
AC power supply, regulated, for mobile fm equipment	<a href="#">20 WA8TMP</a>	28	<a href="#">Jun 73</a>
Heath SB-650 using with other receivers	<a href="#">3 K2BYM</a>	40	<a href="#">Jun 73</a>
DXCC check list, simple	<a href="#">17 W2CNQ</a>	55	<a href="#">Jun 73</a>
Audio module, complete	<a href="#">22.1 K4DHC</a>	18	<a href="#">Jun 73</a>
Repeater installation	<a href="#">9 W2FPP</a>	24	<a href="#">Jun 73</a>
Heath SB-series crystal control and narrow shift RTTY with (HN)	<a href="#">3 WA4VYL</a>	54	<a href="#">Jun 73</a>
Bug, solid-state	<a href="#">12 K2FV</a>	50	<a href="#">Jun 73</a>
Heath SB-650 frequency display, using with other receivers	<a href="#">22.2 K2BYM</a>	40	<a href="#">Jun 73</a>
Power supply, regulated ac for mobile fm equipment	<a href="#">9 WA8TMP</a>	28	<a href="#">Jun 73</a>
144-MHz frequency synthesizer	<a href="#">31.1 WB4FPK</a>	34	<a href="#">Jul 73</a>
Standing-wave ratios, importance of	<a href="#">15 W2HB</a>	26	<a href="#">Jul 73</a>
Ham Radio sweepstakes winners, 1973	<a href="#">7 W1NLB</a>	68	<a href="#">Jul 73</a>
Vhf superregenerative receiver, low-voltage	<a href="#">22.3 WA5SNZ</a>	22	<a href="#">Jul 73</a>
Slow-scan tv test generator	<a href="#">13 K4EEU</a>	6	<a href="#">Jul 73</a>
Standing-wave ratios, importance of	<a href="#">1.1 W2HB</a>	26	<a href="#">Jul 73</a>
Reflex klystrons, pogo stick for (HN)	<a href="#">31.1 W6BPK</a>	71	<a href="#">Jul 73</a>
Arc suppression networks (HN)	<a href="#">20 WA5EKA</a>	70	<a href="#">Jul 73</a>

Frequency synthesizer, for two-meter fm	<a href="#">9 WB4FPK</a>	34	<a href="#">Jul 73</a>
Test generator, sstv	<a href="#">28 K4EEU</a>	6	<a href="#">Jul 73</a>
Transistor curve tracer	<a href="#">13 WA9LCX</a>	52	<a href="#">Jul 73</a>
Impedance-matching systems, designing	<a href="#">1.4 W7CSD</a>	58	<a href="#">Jul 73</a>
Receiver, superregenerative, for vhf	<a href="#">31.3 WA5SNZ</a>	22	<a href="#">Jul 73</a>
Klystrons, reflex power for (HN)	<a href="#">20 W6BPK</a>	71	<a href="#">Jul 73</a>
Relay, operational-amplifier, for Motorola receivers	<a href="#">9 W6GDO</a>	16	<a href="#">Jul 73</a>
Efficiency of linear power amplifiers, how to compare	<a href="#">29.1 W5JJ</a>	64	<a href="#">Jul 73</a>
Impedance-matching systems, designing	<a href="#">15 W7CSD</a>	58	<a href="#">Jul 73</a>
Motorola receivers, op-amp relay for	<a href="#">3 W6GDO</a>	16	<a href="#">Jul 73</a>
Pilot-lamp life (HN)	<a href="#">20 W2OLU</a>	71	<a href="#">Jul 73</a>
Suppression networks, arc (HN)	<a href="#">12 WA5EKA</a>	70	<a href="#">Jul 73</a>
Noise generator, 1296-MHz	<a href="#">13 W3BSV</a>	46	<a href="#">Aug 73</a>
Phasing-type ssb receiver	<a href="#">22.2 WA0JYK</a>	6	<a href="#">Aug 73</a>
Speech clippers, rf	<a href="#">2 Added notes</a>	58	<a href="#">Aug 73</a>
Batteries, selecting for portable equipment	<a href="#">16 WB0AIK</a>	40	<a href="#">Aug 73</a>
Frequency synthesizer, inexpensive all-channel, for two-meter fm	<a href="#">9 W0OA</a>	50	<a href="#">Aug 73</a>
Swr bridge readings (HN)	<a href="#">1.4 W6FPO</a>	63	<a href="#">Aug 73</a>
Swr bridge readings (HN)	<a href="#">13 W6FPO</a>	63	<a href="#">Aug 73</a>
Speech clippers, rf, performance of	<a href="#">26 Added notes</a>	58	<a href="#">Aug 73</a>
Television DX	<a href="#">28 WA9RAQ</a>	30	<a href="#">Aug 73</a>
Sideband location (HN)	<a href="#">26 K6KA</a>	62	<a href="#">Aug 73</a>
Batteries, selecting for portable equipment	<a href="#">20 WA0AIK</a>	40	<a href="#">Aug 73</a>
Sideband location (HN)	<a href="#">17 K6KA</a>	62	<a href="#">Aug 73</a>
1296-MHz noise generator	<a href="#">31.3 W3BSV</a>	46	<a href="#">Aug 73</a>
Communications receiver, phasing-type	<a href="#">26 WA0JYK</a>	6	<a href="#">Aug 73</a>
Base station, two-meter fm	<a href="#">9 W9JTQ</a>	22	<a href="#">Aug 73</a>
Batteries, selecting for portable equipment	<a href="#">15 WB0AIK</a>	40	<a href="#">Aug 73</a>
Batteries, how to select for portable equipment	<a href="#">29.1 WA0AIK</a>	40	<a href="#">Aug 73</a>
Batteries, how to select for portable equipment	<a href="#">22.1 WA0AIK</a>	40	<a href="#">Aug 73</a>
Log-periodic antenna, 14, 21 and 28 MHz	<a href="#">1.2 W4AEO</a>	18	<a href="#">Aug 73</a>
Coax cable dehumidifier	<a href="#">1.6 K4RJ</a>	26	<a href="#">Sep 73</a>
Filter, vari-Q	<a href="#">22.1 W1SNN</a>	62	<a href="#">Sep 73</a>
Power amplifier, rf 220-MHz fm	<a href="#">9 K7JUE</a>	6	<a href="#">Sep 73</a>
Dummy load low-power vhf	<a href="#">13 WB9DNI</a>	40	<a href="#">Sep 73</a>
Matching system, two-capacitor	<a href="#">1.4 W6MUR</a>	58	<a href="#">Sep 73</a>
Magnetic fields and the 7360 (HN)	<a href="#">5 W7DI</a>	66	<a href="#">Sep 73</a>
Rf speech Processor, sob	<a href="#">26 W2MB</a>	18	<a href="#">Sep 73</a>
Rf speech processor, ssb	<a href="#">2 W2MB</a>	18	<a href="#">Sep 73</a>
144-MHz frequency-synthesizer, one-crystal	<a href="#">31.1 W0KMV</a>	30	<a href="#">Sep 73</a>
Dummy load, low-power vhf	<a href="#">1.1 WB9DNI</a>	40	<a href="#">Sep 73</a>
220-MHz rf power amplifier, fm	<a href="#">31.4 K7JUE</a>	6	<a href="#">Sep 73</a>
CW filter, adding (HN)	<a href="#">22.1 W2OUX</a>	66	<a href="#">Sep 73</a>
Log-periodic antennas, vertical monopole, 3.5 and 7.0 MHz	<a href="#">1.2 W4AEO</a>	44	<a href="#">Sep 73</a>
Impedance match, microphone (HN)	<a href="#">2 W5JJ</a>	67	<a href="#">Sep 73</a>
Frequency-synthesizer, one-crystal for two-meter fm	<a href="#">9 W0MV</a>	30	<a href="#">Sep 73</a>
CW reception, noise reduction for	<a href="#">22.1 W2ELV</a>	52	<a href="#">Sep 73</a>

Drake TR-4, using the Shure 401A microphone with (HN)	<a href="#">3 G3XOM</a>	68	<a href="#">Sep 73</a>
Microphone, using Shure 401A with Drake TR.4 (HN)	<a href="#">2 G3XOM</a>	68	<a href="#">Sep 73</a>
220-MHz rf power amplifier, vhf fm	<a href="#">29.3 K7JUE</a>	6	<a href="#">Sep 73</a>
l-f sweep generator	<a href="#">13 K4DHC</a>	10	<a href="#">Sep 73</a>
Square roots, finding (HN)	<a href="#">15 K9DHD</a>	67	<a href="#">Sep 73</a>
Rectifiers, improved half-wave	<a href="#">16 Bailey</a>	34	<a href="#">Oct 73</a>
Electronic keyer with random-access memory	<a href="#">12 WB9FHC</a>	6	<a href="#">Oct 73</a>
Great-circle charts (HN)	<a href="#">17 K6KA</a>	62	<a href="#">Oct 73</a>
Speech clipper, IC	<a href="#">26 Added notes (letter)</a>	64	<a href="#">Oct 73</a>
Rectifier, half-wave, improved	<a href="#">20 Bailey</a>	34	<a href="#">Oct 73</a>
Frequency measurement of received signals	<a href="#">22.1 W4AAD</a>	38	<a href="#">Oct 73</a>
Frequency measurement of received signals	<a href="#">13 W4AAD</a>	38	<a href="#">Oct 73</a>
Heath HW-101, using with a separate receiver (HN)	<a href="#">3 WA1MKP</a>	63	<a href="#">Oct 73</a>
Prescaler, Improvements for	<a href="#">13 W6PBC</a>	30	<a href="#">Oct 73</a>
Touch-tone decoder, multi-function	<a href="#">9 K0PHF, WA0UZO</a>	14	<a href="#">Oct 73</a>
Fetrons, solid-state replacements for tubes	<a href="#">25 Added notes</a>	66	<a href="#">Oct 73</a>
Drake R-4C, electronic bandpass tuning in	<a href="#">3 Horner</a>	58	<a href="#">Oct 73</a>
Matching, antenna, two-band with stubs	<a href="#">1.4 W6MUR</a>	18	<a href="#">Oct 73</a>
Noisy fans (HN)	<a href="#">5 Correction (letter)</a>	67	<a href="#">Oct 73</a>
DX antenna, single-element	<a href="#">1.2 Performance: letter</a>	65	<a href="#">Oct 73</a>
Vhf pre-scaler, improvements for	<a href="#">13 W6PBC</a>	30	<a href="#">Oct 73</a>
Heath HW-101 transceiver, using with a separate receiver (HN)	<a href="#">29.2 WA1MKP</a>	63	<a href="#">Oct 73</a>
Bandpass tuning, electronic, in the Drake R-4C	<a href="#">22.2 Horner</a>	58	<a href="#">Oct 73</a>
Fluorescent light, portable (HN)	<a href="#">17 K8BYO</a>	62	<a href="#">Oct 73</a>
Power meter, rf	<a href="#">13 K8EEG</a>	26	<a href="#">Oct 73</a>
Yaesu spurious signals (HN)	<a href="#">3 Units affected (letter)</a>	67	<a href="#">Oct 73</a>
Audio-shift keyer, continuous-phase	<a href="#">23 VE3CTP</a>	10	<a href="#">Oct 73</a>
Speech clipper, IC	<a href="#">2 Added notes (letter)</a>	64	<a href="#">Oct 73</a>
Current limiting (letter)	<a href="#">20 K5MKO</a>	66	<a href="#">Oct 73</a>
RTTY line-length indicator (HN)	<a href="#">23 W2UVF</a>	62	<a href="#">Nov 73</a>
Antenna and control-link calculations for repeater licensing	<a href="#">9 W7PUG</a>	58	<a href="#">Nov 73</a>
Transceiver, ssb, using LM373 IC	<a href="#">26 W5BAA</a>	32	<a href="#">Nov 73</a>
Electronic keyer package, compact	<a href="#">12 W4ATE</a>	50	<a href="#">Nov 73</a>
Antenna and control-link calculations for repeater licensing	<a href="#">1.1 W7PUG</a>	58	<a href="#">Nov 73</a>
Terminal unit, variable-shift RTTY	<a href="#">23 W3VF</a>	16	<a href="#">Nov 73</a>
Repeaters, single-frequency fm	<a href="#">9 W2FPP</a>	40	<a href="#">Nov 73</a>
Filters, ssb (HN)	<a href="#">29.1 K6KA</a>	63	<a href="#">Nov 73</a>
Frequency scaler, divide-by-ten	<a href="#">13 Added comments (letter)</a>	64	<a href="#">Nov 73</a>
Gain vs antenna height, calculating	<a href="#">1.1 WB8IFM</a>	54	<a href="#">Nov 73</a>
Filters, ssb (HN)	<a href="#">26 K6KA</a>	63	<a href="#">Nov 73</a>
Test set for Motorola radios	<a href="#">9 K0BKD</a>	12	<a href="#">Nov 73</a>
14-MHz vfo transmitter, solid-state	<a href="#">29.2 W3QBO</a>	6	<a href="#">Nov 73</a>
Polarity inverter, medium current	<a href="#">20 Laughlin</a>	26	<a href="#">Nov 73</a>
Impedance-matching baluns, open-wire	<a href="#">1.4 W6MUR</a>	46	<a href="#">Nov 73</a>
Ssb generator, phasing-type	<a href="#">26 Added comments (letter)</a>	65	<a href="#">Nov 73</a>
National LM373, using in ssb transceiver	<a href="#">11 W5BAA</a>	32	<a href="#">Nov 73</a>
Ssb transceiver using LM373 IC	<a href="#">29.2 W5BAA</a>	32	<a href="#">Nov 73</a>

Feedpoint impedance characteristics of practical antennas	<a href="#">1.1 W5JJ</a>	50	<a href="#">Dec 73</a>
Regency HR-2, narrowbanding	<a href="#">3 WA8TMP</a>	44	<a href="#">Dec 73</a>
Voltage-regulator ICs, three-terminal	<a href="#">20 WB5EMI</a>	26	<a href="#">Dec 73</a>
Cavity filter, 144-MHz	<a href="#">9 W1SNN</a>	22	<a href="#">Dec 73</a>
Signal generator, wide range	<a href="#">13 W6GXN</a>	18	<a href="#">Dec 73</a>
Logic test probe	<a href="#">11 VE6RF</a>	53	<a href="#">Dec 73</a>
Logic test probe	<a href="#">13 VE6RF</a>	53	<a href="#">Dec 73</a>
Heath HW-16, vfo operations for	<a href="#">3 Short circuit</a>	58	<a href="#">Dec 73</a>
Clock oscillator, TTL (HN)	<a href="#">18 W9ZTK</a>	56	<a href="#">Dec 73</a>
Antenna and control-link calculations for repeater licensing	<a href="#">9 Short circuit</a>	59	<a href="#">Dec 73</a>
Communications receiver, micropower	<a href="#">22.2 Short circuit</a>	58	<a href="#">Dec 73</a>
Test set for Motorola radios	<a href="#">9 Short circuit</a>	58	<a href="#">Dec 73</a>
Power amplifier, rf, 144 MHz	<a href="#">9 Hatchett</a>	6	<a href="#">Dec 73</a>
Audio agc amplifier	<a href="#">22.1 WA5SNZ</a>	32	<a href="#">Dec 73</a>
Digital mixer, introduction	<a href="#">15 WB8IFM</a>	42	<a href="#">Dec 73</a>
Phasing-type ssb receiver	<a href="#">22.2 Short circuit</a>	58	<a href="#">Dec 73</a>
Exploding diodes (HN)	<a href="#">5 VE3FEZ</a>	57	<a href="#">Dec 73</a>
Zepp antenna, extended	<a href="#">1.2 W6QVI</a>	48	<a href="#">Dec 73</a>
Bandpass filter design	<a href="#">15 K4KJ</a>	36	<a href="#">Dec 73</a>
Voltage-regulator ICs, three-terminal	<a href="#">11 WB5EMI</a>	26	<a href="#">Dec 73</a>
Yaesu sideband switching (HN)	<a href="#">3 W2MUU</a>	56	<a href="#">Dec 73</a>
Quad-yagi arrays, 432- and 1296-MHz	<a href="#">1.3 Short circuit</a>	58	<a href="#">Dec 73</a>
Feedpoint impedance characteristics of practical antennas	<a href="#">16 W5JJ</a>	50	<a href="#">Dec 73</a>
Heath HW-16 keying (HN)	<a href="#">3 W7DI</a>	57	<a href="#">Dec 73</a>
Cavity filter, 144-MHz	<a href="#">31.1 W1SNN</a>	22	<a href="#">Dec 73</a>
AFSK generator, crystal-controlled	<a href="#">23 W6LLO</a>	14	<a href="#">Dec 73</a>
Logic test probe (HN)	<a href="#">11 Short circuit</a>	58	<a href="#">Dec 73</a>
Logic test probe (HN)	<a href="#">13 Short circuit</a>	58	<a href="#">Dec 73</a>
Antenna and control-link calculations for repeater licensing	<a href="#">1.1 Short circuit</a>	59	<a href="#">Dec 73</a>
Digital mixers	<a href="#">11 WB8IFM</a>	42	<a href="#">Dec 73</a>
Nuvistor heat sinks (HN)	<a href="#">5 WA0KKC</a>	57	<a href="#">Dec 73</a>
144-MHz power amplifier, 80-watt, solid-state	<a href="#">31.4 Hatchett</a>	6	<a href="#">Dec 73</a>
432- and 1296-MHz quad-yagi arrays	<a href="#">31.2 Short circuit</a>	58	<a href="#">Dec 73</a>

## Results for Year - 1974

Article	CatID	Author	Page	Issue
Heatsink problems, how to solve	<a href="#">15 WA5SNZ</a>		46	<a href="#">Jan 74</a>
Windom antenna, four-band	<a href="#">1.2 W4VUO</a>		62	<a href="#">Jan 74</a>
Line-voltage monitor (HN)	<a href="#">13 WA8VFK</a>		66	<a href="#">Jan 74</a>
Line-voltage monitor (HN)	<a href="#">20 WA8VFK</a>		66	<a href="#">Jan 74</a>
CW memory for RTTY identification	<a href="#">23 W6LLO</a>		6	<a href="#">Jan 74</a>
144-MHz fm transceiver, compact	<a href="#">31.4 W6AOI</a>		36	<a href="#">Jan 74</a>
Linear amplifier, five-band kilowatt	<a href="#">26 W4OQ</a>		14	<a href="#">Jan 74</a>
6-meter sporadic-E openings, predicting	<a href="#">21 Added note (letter)</a>		69	<a href="#">Jan 74</a>
Morse code, speed standards for	<a href="#">17 Added note (letter)</a>		68	<a href="#">Jan 74</a>
Transceiver for two-meter fm, compact	<a href="#">9 W6AOI</a>		36	<a href="#">Jan 74</a>
144-MHz power amplifier, 10-watt solid-state	<a href="#">29.3 W1DITY</a>		67	<a href="#">Jan 74</a>



Heatsink problems, how to solve transistor	<a href="#">25 WA5SNZ</a>	46	<a href="#">Jan 74</a>
Logic families, IC	<a href="#">11 W6GXN</a>	26	<a href="#">Jan 74</a>
Selectivity, receiver (letter)	<a href="#">22.1 K4ZZV</a>	68	<a href="#">Jan 74</a>
144-MHz power amplifier, 10-watt solid-state (HN)	<a href="#">31.4 W1DTY</a>	67	<a href="#">Jan 74</a>
Filter, lowpass audio, simple	<a href="#">2 OD5CG</a>	54	<a href="#">Jan 74</a>
Meter interface, high-impedance	<a href="#">13 Laughlin</a>	20	<a href="#">Jan 74</a>
Antenna tuner, medium-power toroidal	<a href="#">1.4 WB2ZSH</a>	58	<a href="#">Jan 74</a>
Power amplifier, two-meter fm, 10-watt	<a href="#">9 W1DTY</a>	67	<a href="#">Jan 74</a>
IC lead former (HN)	<a href="#">5 W5ICV</a>	67	<a href="#">Jan 74</a>
Attenuation pads, receiving (letter)	<a href="#">22.1 K0HNO</a>	69	<a href="#">Jan 74</a>
Linear, five-band kilowatt	<a href="#">29.2 W4OQ</a>	14	<a href="#">Jan 74</a>
Tuner overload, eliminating (HN)	<a href="#">22.2 Attenuators for (letter)</a>	69	<a href="#">Jan 74</a>
Spurious causes (HN)	<a href="#">3 K6KA</a>	66	<a href="#">Jan 74</a>
Solid-state transmitting converter for 144-MHz ssb	<a href="#">26 W6NBI</a>	6	<a href="#">Feb 74</a>
Fm receiver, multichannel for six and two	<a href="#">22.3 W1SNN</a>	54	<a href="#">Feb 74</a>
Frequency standard, universal	<a href="#">13 K4EEU</a>	40	<a href="#">Feb 74</a>
L-networks, how to design	<a href="#">15 W7LR</a>	26	<a href="#">Feb 74</a>
Frequency standard, universal	<a href="#">22.1 K4EEU</a>	40	<a href="#">Feb 74</a>
Heath SB-303, 10-MHz coverage for (HN)	<a href="#">3 W1JE</a>	61	<a href="#">Feb 74</a>
Message generator, RTTY	<a href="#">23 W6OXP,W8KCO</a>	30	<a href="#">Feb 74</a>
Scanning receiver modifications, vhf fm (HN)	<a href="#">22.3 WA5WOU</a>	60	<a href="#">Feb 74</a>
144-MHz transmitting converter, solid-state ssb	<a href="#">29.3 W6NBI</a>	6	<a href="#">Feb 74</a>
Receiver for six and two meters, multichannel fm	<a href="#">9 W1SNN</a>	54	<a href="#">Feb 74</a>
Capacitance meter, digital	<a href="#">13 K4DHC</a>	20	<a href="#">Feb 74</a>
144-MHz transmitting converter, solid-state ssb	<a href="#">31.4 W6NBI</a>	6	<a href="#">Feb 74</a>
I-f alignment generator 455-kHz	<a href="#">13 WA5SNZ</a>	50	<a href="#">Feb 74</a>
Scanning receiver modifications, vhf fm	<a href="#">9 WA5WOU</a>	60	<a href="#">Feb 74</a>
Square roots, finding (HN)	<a href="#">15 Increased accuracy (letter)</a>	55	<a href="#">Mar 74</a>
Motorola Dispatcher, converting to 12 volts	<a href="#">3 Short circuit</a>	64	<a href="#">Mar 74</a>
Parabolic reflectors, finding focal length of (HN)	<a href="#">31.2 WA4WDL</a>	57	<a href="#">Mar 74</a>
Audio-shift keyer, continuous-phase	<a href="#">23 Short circuit</a>	64	<a href="#">Mar 74</a>
Capacitance meter, direct-reading	<a href="#">13 Short circuit</a>	64	<a href="#">Mar 74</a>
Ssb transmitter and receiver, 40 meters	<a href="#">29.2 VE3GSD</a>	6	<a href="#">Mar 74</a>
Detector, reciprocating	<a href="#">22.1 Added notes</a>	54	<a href="#">Mar 74</a>
Minibox, cutting down to size (HN)	<a href="#">5 W2OUX</a>	57	<a href="#">Mar 74</a>
Fet bias problems simplified	<a href="#">25 WA5SNZ</a>	50	<a href="#">Mar 74</a>
Digital readout system, simplified	<a href="#">15 W6OIS</a>	42	<a href="#">Mar 74</a>
Vertical antennas, performance characteristics	<a href="#">1.2 W7LR</a>	34	<a href="#">Mar 74</a>
50-MHz frequency synthesizer	<a href="#">31.1 W1KNI</a>	26	<a href="#">Mar 74</a>
7-MHz ssb receiver and transmitter, simple	<a href="#">22.2 VE3GSD</a>	6	<a href="#">Mar 74</a>
Thumbwheel switch modification(HN)	<a href="#">5 VE3GDX</a>	56	<a href="#">Mar 74</a>
Transmitter and receiver for 40 meters, ssb	<a href="#">26 VE3GSD</a>	6	<a href="#">Mar 74</a>
Lowpass filters for solid-state linear amplifiers	<a href="#">15 WA0JYK</a>	38	<a href="#">Mar 74</a>
Parabolic reflectors, finding the focal length (HN)	<a href="#">1.3 WA4WDL</a>	57	<a href="#">Mar 74</a>
Cavity filter, 144-MHz	<a href="#">31.1 Short circuit</a>	64	<a href="#">Mar 74</a>
Vhf superregenerative receiver, low-voltage	<a href="#">22.3 Short circuit</a>	64	<a href="#">Mar 74</a>
Automatically controlled access to open repeaters	<a href="#">9 W8GRG</a>	22	<a href="#">Mar 74</a>

Lowpass filters for solid-state linear amplifiers	<a href="#">29.1 WA0JYK</a>	38	<a href="#">Mar 74</a>
Filters, active for direct-conversion receivers	<a href="#">15 W7ZOI</a>	12	<a href="#">Apr 74</a>
Telefax transceiver conversion	<a href="#">3 K0QMR</a>	16	<a href="#">Apr 74</a>
Oscar 7, communications techniques for	<a href="#">24 G3ZCZ</a>	6	<a href="#">Apr 74</a>
CW regenerator for interference-free communications	<a href="#">12 Leward, WB2EAX</a>	54	<a href="#">Apr 74</a>
CW regenerator for interference-free communications	<a href="#">22.1 Leward, Libenschek</a>	54	<a href="#">Apr 74</a>
Ten-Tec Argonaut, accessory package for	<a href="#">3 W7BBX</a>	26	<a href="#">Apr 74</a>
Transistor curve tracer	<a href="#">13 Short circuit</a>	63	<a href="#">Apr 74</a>
Impedance measurements, nonresonant antenna	<a href="#">1.1 W7CSD</a>	46	<a href="#">Apr 74</a>
Direct-conversion receivers, simple active filters for	<a href="#">22.2 W7ZOI</a>	12	<a href="#">Apr 74</a>
Printed-circuit standards (HN)	<a href="#">5 W6JVE</a>	58	<a href="#">Apr 74</a>
Broadband amplifier, wide-range	<a href="#">15 W6GXN</a>	40	<a href="#">Apr 74</a>
Vertical antenna radiation patterns	<a href="#">1.2 W7LR</a>	50	<a href="#">Apr 74</a>
Monitor receivers, two-meter fm	<a href="#">22.3 WB5EMI</a>	34	<a href="#">Apr 74</a>
Monitor receivers, two-meter fm	<a href="#">9 WB5EMI</a>	34	<a href="#">Apr 74</a>
Frequency standard, universal	<a href="#">13 Short circuit</a>	72	<a href="#">May 74</a>
Vertical antennas, truth about 5/8-wavelength	<a href="#">1.3 K0DOK</a>	48	<a href="#">May 74</a>
160-meter loop, receiving	<a href="#">1.2 K6HTM</a>	46	<a href="#">May 74</a>
Frequency standard, universal	<a href="#">22.1 Short circuit</a>	72	<a href="#">May 74</a>
Vertical antennas, truth about 5/8-wavelength	<a href="#">9 K0DOK</a>	48	<a href="#">May 74</a>
Vertical antenna, three-band	<a href="#">1.2 W9BQE</a>	44	<a href="#">May 74</a>
Ground systems, vertical antenna	<a href="#">1.1 W7LR</a>	30	<a href="#">May 74</a>
Parabolic reflector antennas	<a href="#">31.2 VK3ATN</a>	12	<a href="#">May 74</a>
Noise bridge, antenna (HN)	<a href="#">13 K8EEG</a>	71	<a href="#">May 74</a>
Noise bridge for impedance measurements	<a href="#">1.4 Added notes</a>	66	<a href="#">May 74</a>
Horizontal antennas, vertical radiation patterns	<a href="#">1.2 WA9RQY</a>	58	<a href="#">May 74</a>
ST-5 keys polar relay (HN)	<a href="#">23 W0LPD</a>	72	<a href="#">May 74</a>
Antenna and transmission line measurement techniques	<a href="#">13 W4OQ</a>	36	<a href="#">May 74</a>
Antennas for satellite communications, simple	<a href="#">1.3 K4GSX</a>	24	<a href="#">May 74</a>
Measurement techniques for antennas and transmission lines	<a href="#">1.1 W4OQ</a>	36	<a href="#">May 74</a>
Programmable calculator simplifies antenna design (HN)	<a href="#">15 W3DVO</a>	70	<a href="#">May 74</a>
Noise bridge, antenna (HN)	<a href="#">1.4 K8EEG</a>	71	<a href="#">May 74</a>
Log-periodic beam, 15 and 20 meters	<a href="#">1.2 W4AEO</a>	6	<a href="#">May 74</a>
Antennas, simple, for satellite communications	<a href="#">24 K4GSX</a>	24	<a href="#">May 74</a>
Bridge, noise, for impedance measurements	<a href="#">13 Added notes</a>	66	<a href="#">May 74</a>
Parabolic reflector antennas	<a href="#">1.3 VK3ATN</a>	12	<a href="#">May 74</a>
Standing-wave ratios, importance of	<a href="#">1.1 Correction: letter</a>	67	<a href="#">May 74</a>
Standing-wave ratios, importance of	<a href="#">15 Correction (letter)</a>	67	<a href="#">May 74</a>
Transmatch, five-to-one	<a href="#">1.4 W7IV</a>	54	<a href="#">May 74</a>
Log-periodic feeds (letter)	<a href="#">1.2 W4AEO</a>	66	<a href="#">May 74</a>
Antenna design, programmable calculator simplifies (HN)	<a href="#">1.1 W3DVO</a>	70	<a href="#">May 74</a>
Pi network design aid	<a href="#">29.1 W6NIF</a>	62	<a href="#">May 74</a>
Preamplifier, two meter	<a href="#">9 W8BBB</a>	36	<a href="#">Jun 74</a>
Communications receivers, design ideas for	<a href="#">22.1 Moors</a>	12	<a href="#">Jun 74</a>
Fetrons, solid-state replacements for tubes	<a href="#">25 Added notes</a>	62	<a href="#">Jun 74</a>
Function generator, IC	<a href="#">11 K4DHC</a>	22	<a href="#">Jun 74</a>
Spectrum analysers, understanding	<a href="#">13 WA5SNZ</a>	50	<a href="#">Jun 74</a>

Dipole beam	<a href="#">1.2 W3FQJ</a>	56	<a href="#">Jun 74</a>
Private-line, adding to Heath HW-202	<a href="#">9 WA8AWJ</a>	53	<a href="#">Jun 74</a>
144-MHz preamplifier, low noise	<a href="#">31.3 W8BBB</a>	36	<a href="#">Jun 74</a>
Transistor switching for electronic keyers (HN)	<a href="#">12 W3QBO</a>	66	<a href="#">Jun 74</a>
Frequency synthesizer, inexpensive all-channel, for two-meter fm	<a href="#">9 Correction (letter)</a>	65	<a href="#">Jun 74</a>
Horizontal antennas, optimum height for	<a href="#">1.2 W7LR</a>	40	<a href="#">Jun 74</a>
Files, cleaning (HN)	<a href="#">5 Walton</a>	66	<a href="#">Jun 74</a>
Function generator, IC	<a href="#">13 K4DHC</a>	22	<a href="#">Jun 74</a>
144-MHz antenna, 5/8-wave vertical, build from CB mobile whips	<a href="#">31.2 WB4WSU</a>	67	<a href="#">Jun 74</a>
Heath HW-202, adding private-line	<a href="#">3 WA8AWJ</a>	53	<a href="#">Jun 74</a>
Electronic keyer, cosmos IC	<a href="#">11 WB2DFA</a>	6	<a href="#">Jun 74</a>
144-MHz antenna, 5/8-wavelength built from CB mobile whip (HN)	<a href="#">1.3 WB4WSU</a>	67	<a href="#">Jun 74</a>
Phasing-type ssb receiver	<a href="#">22.2 Added note (letter)</a>	63	<a href="#">Jun 74</a>
Antenna, 5/8 wavelength two-meter, build from CB mobile whips (HN)	<a href="#">9 WB4WSU</a>	67	<a href="#">Jun 74</a>
Local-oscillator waveform effects on spurious mixer responses	<a href="#">22.1 Robinson, Smith</a>	44	<a href="#">Jun 74</a>
Test set for Motorola radios	<a href="#">9 Added note (letter)</a>	64	<a href="#">Jun 74</a>
Electronic keyer, cosmos IC	<a href="#">12 WB2DFA</a>	6	<a href="#">Jun 74</a>
Coherent frequency-shift keying, need for	<a href="#">23 K3WJQ</a>	30	<a href="#">Jun 74</a>
Local-oscillator waveform effects on spurious mixer responses	<a href="#">15 Robinson, Smith</a>	44	<a href="#">Jun 74</a>
Autopatch system for vhf fm repeaters	<a href="#">9 W8GRG</a>	32	<a href="#">Jul 74</a>
Enclosures, homebrew custom	<a href="#">5 W4YUU</a>	50	<a href="#">Jul 74</a>
144-MHz antenna, 5/8 wave vertical	<a href="#">31.2 K6KLO</a>	40	<a href="#">Jul 74</a>
Radio observatory, vhf	<a href="#">15 Ham</a>	44	<a href="#">Jul 74</a>
Precision voltage supply for phase-locked terminal unit (HN)	<a href="#">20 WA6TLA</a>	60	<a href="#">Jul 74</a>
CW transceiver, low-power for 40 meters	<a href="#">16 W7BBX</a>	16	<a href="#">Jul 74</a>
Collins R390A, improving the product detector	<a href="#">3 W7DI</a>	12	<a href="#">Jul 74</a>
Antenna coupler, six-meter	<a href="#">1.4 K1RAK</a>	44	<a href="#">Jul 74</a>
Voltage supply, precision for phase-locked terminal unit (HN)	<a href="#">23 WA6TLA</a>	60	<a href="#">Jul 74</a>
Solar energy	<a href="#">15 W3FQJ</a>	54	<a href="#">Jul 74</a>
2304-MHz preamplifiers, narrow-band solid-state	<a href="#">31.3 WA9HUV</a>	6	<a href="#">Jul 74</a>
Solar energy	<a href="#">20 W3FQJ</a>	54	<a href="#">Jul 74</a>
Radio observatory, vhf	<a href="#">31.1 Ham</a>	44	<a href="#">Jul 74</a>
Collins S-line power supply mod (HN)	<a href="#">3 W6IL</a>	61	<a href="#">Jul 74</a>
Ssb transceiver, miniature 7-MHz	<a href="#">29.2 W7BBX</a>	16	<a href="#">Jul 74</a>
Fast-scan camera converter for sstv	<a href="#">28 WA9UHV</a>	22	<a href="#">Jul 74</a>
144-MHz vertical, 5/8-wavelength	<a href="#">1.3 K6KLO</a>	40	<a href="#">Jul 74</a>
Antenna, 5/8-wavelength, two-meter	<a href="#">9 K6KLO</a>	40	<a href="#">Jul 74</a>
Transceiver, miniature 7-MHz	<a href="#">26 W7BBX</a>	16	<a href="#">Jul 74</a>
Phase-locked loop RTTY terminal unit	<a href="#">23 Power supply for</a>	60	<a href="#">Jul 74</a>
Volume controls, noisy, temporary fix (HN)	<a href="#">5 W9JUV</a>	62	<a href="#">Aug 74</a>
Battery power	<a href="#">16 W3FQJ</a>	56	<a href="#">Aug 74</a>
Scanning receivers for two-meter fm	<a href="#">9 K4IPV</a>	28	<a href="#">Aug 74</a>
Transceiver, ssb, IC	<a href="#">26 G3ZVC</a>	34	<a href="#">Aug 74</a>
Speed control, electronic, for RTTY	<a href="#">23 W3VF</a>	50	<a href="#">Aug 74</a>
Wind loading on towers and antenna structures, how to calculate	<a href="#">1.5 K4KJ</a>	16	<a href="#">Aug 74</a>
Marine installations, amateur, on small boats	<a href="#">15 W3MR</a>	44	<a href="#">Aug 74</a>
Ssb transceiver, 9-MHz, IC	<a href="#">29.2 G3ZVC</a>	34	<a href="#">Aug 74</a>

Battery power	<a href="#">20 W3FQJ</a>	56	<a href="#">Aug 74</a>
Linear power amplifier, high-power solid-state	<a href="#">29.2 Chambers</a>	6	<a href="#">Aug 74</a>
Linear power amplifier, high power solid-state	<a href="#">25 Chambers</a>	6	<a href="#">Aug 74</a>
Transceiver, 9-MHz ssb, IC	<a href="#">11 G3ZVC</a>	34	<a href="#">Aug 74</a>
Scanning receivers for two-meter fm	<a href="#">22.3 K4IPV</a>	28	<a href="#">Aug 74</a>
Phase detector, harmonic	<a href="#">15 W5TRS</a>	40	<a href="#">Aug 74</a>
Wind loading on towers and antenna structures, how to calculate	<a href="#">15 K4KJ</a>	16	<a href="#">Aug 74</a>
Frequencies, counted (HN)	<a href="#">13 K6KA</a>	62	<a href="#">Aug 74</a>
Communications receiver, miniaturized	<a href="#">22.2 K4DHC</a>	24	<a href="#">Sep 74</a>
1296-MHz ssb transceiver	<a href="#">31.3 WA6UAM</a>	8	<a href="#">Sep 74</a>
Rf amplifiers for communications receivers	<a href="#">22.1 Moors</a>	42	<a href="#">Sep 74</a>
Heath HO-10 as RTTY monitor scope (HN)	<a href="#">3 K9HVV</a>	70	<a href="#">Sep 74</a>
Windom antenna, four-band	<a href="#">1.2 Correction: letter</a>	74	<a href="#">Sep 74</a>
Frequency synthesizer for the Drake R-4	<a href="#">22.2 Modification (letter)</a>	74	<a href="#">Sep 74</a>
Intermodulation-distortion measurements on ssb transmitters	<a href="#">13 W6VFR</a>	34	<a href="#">Sep 74</a>
Squelch-audio amplifier for fm receivers	<a href="#">9 WB4WSU</a>	68	<a href="#">Sep 74</a>
Carriage return, adding to the automatic line-feed generator (HN)	<a href="#">23 K4EEU</a>	71	<a href="#">Sep 74</a>
Speech clippers, rf, performance of	<a href="#">26 Added notes</a>	72	<a href="#">Sep 74</a>
Heath SB-610 as RTTY monitor scope (HN)	<a href="#">3 K9HVV</a>	70	<a href="#">Sep 74</a>
Monitor scope, RTTY, Heath HO-10 and SB-610 as (HN)	<a href="#">23 K9HVV</a>	70	<a href="#">Sep 74</a>
Antenna masts, design for pipe	<a href="#">15 W3MR</a>	52	<a href="#">Sep 74</a>
Intermodulation-distortion measurements on ssb transmitters	<a href="#">26 W6VFR</a>	34	<a href="#">Sep 74</a>
Filament transformers, miniature	<a href="#">20 Bailey</a>	66	<a href="#">Sep 74</a>
Speech clippers, rf	<a href="#">2 Added notes</a>	72	<a href="#">Sep 74</a>
Reciprocating-detector converter	<a href="#">22.1 W1SNN</a>	58	<a href="#">Sep 74</a>
1296-MHz ssb transceiver	<a href="#">31.4 WA6UAM</a>	8	<a href="#">Sep 74</a>
1296-MHz ssb transceiver	<a href="#">26 WA6UAM</a>	8	<a href="#">Sep 74</a>
Voltage-regulator ICs, three-terminal	<a href="#">20 Added note (letter)</a>	73	<a href="#">Sep 74</a>
Voltage-regulator ICs, three-terminal	<a href="#">11 Added note (letter)</a>	73	<a href="#">Sep 74</a>
Drake R-4 receiver frequency synthesizer for	<a href="#">3 Modification: letter</a>	74	<a href="#">Sep 74</a>
Squelch-audio amplifier for fm receivers	<a href="#">22.3 WB4WSU</a>	68	<a href="#">Sep 74</a>
Pipe antenna masts, design data for	<a href="#">1.5 W3MR</a>	52	<a href="#">Sep 74</a>
Reset timer, automatic	<a href="#">9 W5ZHV</a>	54	<a href="#">Oct 74</a>
Fail-safe timer, transmitter (HN)	<a href="#">29.1 K9HVV</a>	72	<a href="#">Oct 74</a>
Power amplifiers, high-efficiency rf	<a href="#">15 WB8LQK</a>	8	<a href="#">Oct 74</a>
Battery drain, auxiliary, guard for (HN)	<a href="#">20 W1DTY</a>	74	<a href="#">Oct 74</a>
Tunable receiver modification for vhf fm	<a href="#">9 WB6VKY</a>	40	<a href="#">Oct 74</a>
Rf power amplifiers, high-efficiency	<a href="#">29.1 WB8LQK</a>	8	<a href="#">Oct 74</a>
Battery power	<a href="#">16 W3FQJ</a>	57	<a href="#">Oct 74</a>
Cubical-quad antennas, mechanical design of	<a href="#">1.2 VE3II</a>	44	<a href="#">Oct 74</a>
Storage-battery QRP power	<a href="#">20 W3FQJ</a>	64	<a href="#">Oct 74</a>
CW reception, enhancing through a simulated-stereo technique	<a href="#">12 WA1MKP</a>	61	<a href="#">Oct 74</a>
Klystron cooler, waveguide (HN)	<a href="#">31.1 WA4WDL</a>	74	<a href="#">Oct 74</a>
CW reception, improved through simulated stereo	<a href="#">16 WA1MKP</a>	53	<a href="#">Oct 74</a>
Log-periodic antennas, feed system for	<a href="#">1.2 W4AEO</a>	30	<a href="#">Oct 74</a>
CW reception, enhancing through a simulated-stereo technique	<a href="#">22.1 WA1MKP</a>	61	<a href="#">Oct 74</a>
Reset timer, automatic	<a href="#">12 W5ZHV</a>	54	<a href="#">Oct 74</a>

Crystal oscillator, high stability	<a href="#">18 W6TNS</a>	36	<a href="#">Oct 74</a>
Coherent frequency-shift keying, need for	<a href="#">23 Added notes (letter)</a>	58	<a href="#">Nov 74</a>
Harmonic output, how to predict	<a href="#">15 Utne</a>	34	<a href="#">Nov 74</a>
Artificial radio aurora, scattering characteristics of	<a href="#">21 WB6KAP</a>	18	<a href="#">Nov 74</a>
Telephone controller, automatic for your repeater	<a href="#">9 K0PHF, WA0UZO</a>	44	<a href="#">Nov 74</a>
Peak envelope power, how to measure	<a href="#">26 W5JJ</a>	32	<a href="#">Nov 74</a>
Identification timer (HN)	<a href="#">17 K9UQN</a>	60	<a href="#">Nov 74</a>
Clegg 27B, S-meter for (HN)	<a href="#">3 WA2YUD</a>	61	<a href="#">Nov 74</a>
Converter, tuned very low-frequency	<a href="#">22.2 OH2KT</a>	49	<a href="#">Nov 74</a>
Keyboard electronic keyer, the code mill	<a href="#">12 W6CAB</a>	38	<a href="#">Nov 74</a>
CW transceiver, low-power 20-meter	<a href="#">29.2 W7ZOI</a>	8	<a href="#">Nov 74</a>
Spurious signals (HN)	<a href="#">17 K6KA</a>	61	<a href="#">Nov 74</a>
S-meter for Clegg 27B (HN)	<a href="#">9 WA2YUD</a>	61	<a href="#">Nov 74</a>
Scanning receiver for vhf fm, improved	<a href="#">22.3 WA2GCF</a>	26	<a href="#">Nov 74</a>
Peak envelope power, how to measure	<a href="#">13 W5JJ</a>	32	<a href="#">Nov 74</a>
Artificial radio aurora, vhf scattering characteristics	<a href="#">31.1 WB6KAP</a>	18	<a href="#">Nov 74</a>
Solar power	<a href="#">20 W3FQJ</a>	52	<a href="#">Nov 74</a>
Scanning receiver, improved for vhf fm	<a href="#">9 WA2GCF</a>	26	<a href="#">Nov 74</a>
Lowpass filters for solid-state linear amplifiers	<a href="#">29.1 Short circuit</a>	62	<a href="#">Dec 74</a>
144-MHz transmitting converter, solid-state ssb	<a href="#">31.4 Short circuit</a>	62	<a href="#">Dec 74</a>
Electronic keyer, cosmos IC	<a href="#">12 Short circuit</a>	62	<a href="#">Dec 74</a>
Heath IM-11 vtm, convert to IC voltmeter	<a href="#">3 K6VCI</a>	42	<a href="#">Dec 74</a>
Collins 75A4 PTO, making it perform like new	<a href="#">3 W3AFM</a>	24	<a href="#">Dec 74</a>
220-MHz frequency synthesizer	<a href="#">31.1 W6GXN</a>	8	<a href="#">Dec 74</a>
Lowpass filters for solid-state linear amplifiers	<a href="#">15 Short circuit</a>	62	<a href="#">Dec 74</a>
Circularly-polarized ground-plane antenna for satellite communications	<a href="#">1.3 K4GSX</a>	28	<a href="#">Dec 74</a>
Linear, five-band kilowatt	<a href="#">29.2 Improved operation (letter)</a>	59	<a href="#">Dec 74</a>
Vtm, convert to an IC voltmeter	<a href="#">11 K6VCI</a>	42	<a href="#">Dec 74</a>
AFSK generator, crystal-controlled	<a href="#">23 Sluggish oscillator (letter)</a>	59	<a href="#">Dec 74</a>
Pi network design aid	<a href="#">29.1 Correction (letter)</a>	58	<a href="#">Dec 74</a>
220 MHz frequency synthesizer	<a href="#">9 W6GXN</a>	8	<a href="#">Dec 74</a>
Solid-state transmitting converter for 144-MHz ssb	<a href="#">26 Short circuit</a>	62	<a href="#">Dec 74</a>
Frequency synthesizer, 220 MHz	<a href="#">31.1 W6GXN</a>	8	<a href="#">Dec 74</a>
Vtm, convert to an IC voltmeter	<a href="#">13 K6VCI</a>	42	<a href="#">Dec 74</a>
Transmitter and receiver for 40 meters, ssb	<a href="#">26 Short circuit</a>	62	<a href="#">Dec 74</a>
Linear amplifier, five-band kilowatt	<a href="#">26 Improved operation (letter)</a>	59	<a href="#">Dec 74</a>
Solar cycle 20, vhf'er's view of	<a href="#">21 WA5IYX</a>	46	<a href="#">Dec 74</a>
Electronic keyer with random-access memory	<a href="#">12 Corrections (letter)</a>	58	<a href="#">Dec 74</a>
L-networks, how to design	<a href="#">15 Short circuit</a>	62	<a href="#">Dec 74</a>
Q factor, understanding	<a href="#">16 W5JJ</a>	16	<a href="#">Dec 74</a>
Vertical antennas, improving performance of	<a href="#">1.2 K6FD</a>	54	<a href="#">Dec 74</a>
7-MHz ssb receiver and transmitter, simple	<a href="#">22.2 Short circuit</a>	62	<a href="#">Dec 74</a>
Circularly-polarized ground-plane antenna for satellite communications	<a href="#">31.2 K4GSX</a>	28	<a href="#">Dec 74</a>
Circularly-polarized ground-plane antenna for satellite communications	<a href="#">24 K4GSX</a>	28	<a href="#">Dec 74</a>
Heath HW-7 mods, keying and receiver blanking (HN)	<a href="#">3 WA5KPG</a>	60	<a href="#">Dec 74</a>
Electronic keyer, cosmos IC	<a href="#">11 Short circuit</a>	62	<a href="#">Dec 74</a>
144-MHz transmitting converter, solid-state ssb	<a href="#">29.3 Short circuit</a>	62	<a href="#">Dec 74</a>



Probe, sensitive rf (HN)	<a href="#">13 W5JJ</a>	61	<a href="#">Dec 74</a>
Solar cycle 20, vhf'er's view of	<a href="#">31.1 WA5IYX</a>	46	<a href="#">Dec 74</a>
Vertical antennas, improving efficiency	<a href="#">16 K6FD</a>	54	<a href="#">Dec 74</a>
Q factor, understanding	<a href="#">15 W5JJ</a>	16	<a href="#">Dec 74</a>
Touch-tone decoder, three-digit	<a href="#">9 W6AYZ</a>	37	<a href="#">Dec 74</a>
Ssb transmitter and receiver, 40 meters	<a href="#">29.2 Short circuit</a>	62	<a href="#">Dec 74</a>

## Results for Year - 1975

Article	CatID	Author	Page	Issue
Printed-circuit boards, low cost	<a href="#">16 W8YFB</a>		16	<a href="#">Jan 75</a>
Vertical antennas, truth about 5/8-wavelength	<a href="#">1.3 Added note (letter)</a>		54	<a href="#">Jan 75</a>
Message generator, random access memory RTTY	<a href="#">23 K4EEU</a>		8	<a href="#">Jan 75</a>
Weather monitor receiver, retune to two-meter fm (HN)	<a href="#">9 W3WTO</a>		56	<a href="#">Jan 75</a>
Audio oscillator, NE566 IC	<a href="#">18 W1EZT</a>		36	<a href="#">Jan 75</a>
Heath HM-2102 wattmeter, better balancing (HN)	<a href="#">3 VE6RF</a>		56	<a href="#">Jan 75</a>
Antenna control, automatic azimuth/elevation for satellite communications	<a href="#">24 WA3HLT</a>		26	<a href="#">Jan 75</a>
Cmos keying circuits (HN)	<a href="#">12 WB2DFA</a>		57	<a href="#">Jan 75</a>
Regulated solid-state high-voltage power supply	<a href="#">20 W6GXN</a>		40	<a href="#">Jan 75</a>
Printed-circuit boards, low-cost	<a href="#">5 W8YFB</a>		16	<a href="#">Jan 75</a>
Keying, paddle, Siamese	<a href="#">12 WA5KPG</a>		45	<a href="#">Jan 75</a>
Antenna control, automatic azimuth/elevation for satellite communications	<a href="#">1.1 WA3HLT</a>		26	<a href="#">Jan 75</a>
Wind generators	<a href="#">20 W3FQJ</a>		50	<a href="#">Jan 75</a>
Vertical antennas, truth about 5/8-wavelength	<a href="#">9 Added note (letter)</a>		54	<a href="#">Jan 75</a>
Mosfet circuits	<a href="#">25 W3FQJ</a>		50	<a href="#">Feb 75</a>
Collins 70K-2 PTO, correcting mechanical backlash (HN)	<a href="#">3 K9WEH</a>		58	<a href="#">Feb 75</a>
Frequency scalers, 1200-MHz	<a href="#">31.1 WB9KEY</a>		38	<a href="#">Feb 75</a>
Bandpass filters for receiver preselectors	<a href="#">22.2 W7ZOI</a>		18	<a href="#">Feb 75</a>
Transistor breakdown voltages	<a href="#">25 WA5EKA</a>		44	<a href="#">Feb 75</a>
Heathkit HW-202, fm channel scanner for 2304-MHz power amplifier	<a href="#">3 W7BZ</a>		41	<a href="#">Feb 75</a>
Terminal unit, phase-locked loop	<a href="#">31.4 WA9HUV</a>		8	<a href="#">Feb 75</a>
Satellite antenna, simple (HN)	<a href="#">23 W4AYV</a>		36	<a href="#">Feb 75</a>
Speech processing, principles of	<a href="#">1.2 WA6PXY</a>		59	<a href="#">Feb 75</a>
Frequency scalers, 1200-MHz	<a href="#">26 ZL1BN</a>		28	<a href="#">Feb 75</a>
Antenna, simple satellite (HN)	<a href="#">13 WB9KEY</a>		38	<a href="#">Feb 75</a>
Speech processing, principles of	<a href="#">24 WA6PXY</a>		59	<a href="#">Feb 75</a>
2304-MHz power amplifier	<a href="#">2 ZL1BN</a>		28	<a href="#">Feb 75</a>
Mosfet circuits	<a href="#">29.3 WA9HUV</a>		8	<a href="#">Feb 75</a>
Dc-dc converter, low-power	<a href="#">16 W3FQJ</a>		50	<a href="#">Feb 75</a>
Ac current monitor (letter)	<a href="#">20 W5MLY</a>		54	<a href="#">Mar 75</a>
Az-el antenna mount for satellite communications	<a href="#">13 WB5MAP</a>		61	<a href="#">Mar 75</a>
Programmable calculators, using	<a href="#">24 W2LX</a>		34	<a href="#">Mar 75</a>
Brass pounding on wheels	<a href="#">15 W3DVO</a>		40	<a href="#">Mar 75</a>
432-MHz preamplifier, ultra low-noise	<a href="#">7 K6QD</a>		58	<a href="#">Mar 75</a>
Line-voltage monitor (HN)	<a href="#">31.3 W1JAA</a>		8	<a href="#">Mar 75</a>
Bridge, noise, for impedance measurements	<a href="#">20 Current monitor mod (letter)</a>		61	<a href="#">Mar 75</a>
Noise bridge for impedance measurements	<a href="#">13 Added notes</a>		60	<a href="#">Mar 75</a>
	<a href="#">1.4 Added notes</a>		60	<a href="#">Mar 75</a>



Electronic bias switching for linear amplifiers	<a href="#">26 W6VFR</a>	50	<a href="#">Mar 75</a>
S-meters, circuits for	<a href="#">16 K6SDX</a>	20	<a href="#">Mar 75</a>
C L logic circuit	<a href="#">11 W1DTY</a>	4	<a href="#">Mar 75</a>
Interference, hi-fi (HN)	<a href="#">22.1 K6KA</a>	63	<a href="#">Mar 75</a>
Current monitor mod	<a href="#">13 Letter</a>	61	<a href="#">Mar 75</a>
Az-el antenna mount for satellite communications	<a href="#">1.5 W2LX</a>	34	<a href="#">Mar 75</a>
Electronic bias switching for linear amplifiers	<a href="#">29.1 W6VFR</a>	50	<a href="#">Mar 75</a>
AC current monitor (letter)	<a href="#">20 WB5MAP</a>	61	<a href="#">Mar 75</a>
Electronic keyer with random-access memory	<a href="#">12 Increased flexibility (HN)</a>	62	<a href="#">Mar 75</a>
S-meters, solid-state	<a href="#">22.1 K6SDX</a>	20	<a href="#">Mar 75</a>
Interference, hi-fi (HN)	<a href="#">15 K6KA</a>	63	<a href="#">Mar 75</a>
Regency HR-212, channel scanner for	<a href="#">3 WA0SJK</a>	28	<a href="#">Mar 75</a>
Lowpass filter, high-frequency	<a href="#">29.2 W2OLU</a>	24	<a href="#">Mar 75</a>
Single-frequency conversion, vhf/uhf	<a href="#">31.3 W3FQJ</a>	62	<a href="#">Apr 75</a>
Broadband amplifier, bipolar	<a href="#">15 WB4KSS</a>	58	<a href="#">Apr 75</a>
Rf amplifier, wideband	<a href="#">22.1 WB4KSS</a>	58	<a href="#">Apr 75</a>
Electronic keyer, 8043 IC	<a href="#">12 W6GXN</a>	8	<a href="#">Apr 75</a>
Rf amplifier, wideband	<a href="#">15 WB4KSS</a>	58	<a href="#">Apr 75</a>
Standard 826M, more power from (HN)	<a href="#">3 WB6KVF</a>	68	<a href="#">Apr 75</a>
Power tube open filament pins (HN)	<a href="#">29.1 W9KNI</a>	69	<a href="#">Apr 75</a>
Morse generator, keyboard	<a href="#">12 W7CUU</a>	36	<a href="#">Apr 75</a>
Hex inverter vxo circuit	<a href="#">18 W2LTJ</a>	50	<a href="#">Apr 75</a>
Digital touch-tone encoder for vhf fm	<a href="#">9 W7FBB</a>	28	<a href="#">Apr 75</a>
1296-MHz preamplifiers, microstripline	<a href="#">31.3 WA6UAM</a>	12	<a href="#">Apr 75</a>
Capacitance meter, direct-reading	<a href="#">13 WA5SNZ</a>	32	<a href="#">Apr 75</a>
Regulated solid-state high-voltage power supply	<a href="#">20 Short circuit</a>	69	<a href="#">Apr 75</a>
Single-frequency conversion, vhf/uhf	<a href="#">9 W3FQJ</a>	62	<a href="#">Apr 75</a>
Detector, reciprocating	<a href="#">22.1 Added notes</a>	76	<a href="#">May 75</a>
Open-wire feedthrough insulator (HN)	<a href="#">1.6 W4RNL</a>	79	<a href="#">May 75</a>
1296-MHz Yagi array	<a href="#">1.3 W3AED</a>	70	<a href="#">May 75</a>
Log-periodic antennas, graphical design method for	<a href="#">1.2 W4AEO</a>	14	<a href="#">May 75</a>
Parabolic reflector element spacing	<a href="#">31.2 WA9HUV</a>	28	<a href="#">May 75</a>
Impedance, measuring with swr bridge	<a href="#">13 WB4KSS</a>	46	<a href="#">May 75</a>
Cornell-Dubilier rotators (HN)	<a href="#">1.5 K6KA</a>	82	<a href="#">May 75</a>
Phased vertical array, four-element	<a href="#">1.2 W8HXR</a>	24	<a href="#">May 75</a>
Speech processing, principles of	<a href="#">26 Added notes</a>	75	<a href="#">May 75</a>
Speech processing, principles of	<a href="#">2 Added notes</a>	75	<a href="#">May 75</a>
Parabolic reflector element spacing	<a href="#">1.3 WA9HUV</a>	28	<a href="#">May 75</a>
Log-periodic beams, improved (letter)	<a href="#">1.2 W4AEO</a>	74	<a href="#">May 75</a>
Antenna masts, design for pipe	<a href="#">15 Added design notes (letter)</a>	75	<a href="#">May 75</a>
Pipe antenna masts, design data for	<a href="#">1.5 Added design notes (letter)</a>	75	<a href="#">May 75</a>
Shunt-feed systems for grounded vertical radiators, how to design	<a href="#">1.2 W4OQ</a>	34	<a href="#">May 75</a>
10 GHz dielectric antenna (HN)	<a href="#">31.2 WA4WDL</a>	80	<a href="#">May 75</a>
Cornell-Dubilier rotators (HN)	<a href="#">3 K6KA</a>	82	<a href="#">May 75</a>
Gamma-match capacitor, remotely controlled	<a href="#">1.4 K2BT</a>	74	<a href="#">May 75</a>
Loop receiving antenna	<a href="#">1.2 W2IMB</a>	66	<a href="#">May 75</a>
Antenna, bow tie for 80 meters	<a href="#">16 W9VMQ</a>	56	<a href="#">May 75</a>

Tilt-over tower uses extension ladder	<a href="#">1.5 W5TRS</a>	71	<a href="#">May 75</a>
10-GHz dielectric antenna (HN)	<a href="#">1.3 WA4WDL</a>	80	<a href="#">May 75</a>
Large vertical, 160 and 180 meters	<a href="#">1.2 W7IV</a>	8	<a href="#">May 75</a>
1296-MHz Yagi array	<a href="#">31.2 W3AED</a>	40	<a href="#">May 75</a>
Aluminum tubing, clamping (HN)	<a href="#">5 WA9HUV</a>	78	<a href="#">May 75</a>
Measuring complex impedance with swr bridge	<a href="#">1.4 WB4KSS</a>	46	<a href="#">May 75</a>
Phased array, electrically-controlled	<a href="#">1.2 W5TRS</a>	52	<a href="#">May 75</a>
Interference, hi-fi	<a href="#">16 G3LLL</a>	26	<a href="#">Jun 75</a>
Touch-tone handset, converting slim-line	<a href="#">9 K2YAH</a>	23	<a href="#">Jun 75</a>
Noise, zener-diode (HN)	<a href="#">25 VE7ABK</a>	59	<a href="#">Jun 75</a>
Noise figure, vhf, estimating	<a href="#">13 WA9HUV</a>	42	<a href="#">Jun 75</a>
Heath SB-102 modifications (HN)	<a href="#">3 W2CNQ</a>	58	<a href="#">Jun 75</a>
Frequency scaler, 500-MHz	<a href="#">31.1 W6URH</a>	32	<a href="#">Jun 75</a>
Crystal oscillators, stable	<a href="#">18 DJ2LR</a>	34	<a href="#">Jun 75</a>
Cmos logic circuits	<a href="#">11 W3FQJ</a>	50	<a href="#">Jun 75</a>
Transmitter, phasing-type ssb	<a href="#">26 WA0JYK</a>	8	<a href="#">Jun 75</a>
Interference, rf, its cause and cure	<a href="#">15 G3LLL</a>	26	<a href="#">Jun 75</a>
Heath SB-102, rf speech processor for	<a href="#">3 W6IVI</a>	38	<a href="#">Jun 75</a>
Noise figure, vhf, estimating	<a href="#">31.3 WA9HUV</a>	42	<a href="#">Jun 75</a>
Audio filters, CW (letter)	<a href="#">22.1 6Y5SR</a>	56	<a href="#">Jun 75</a>
Electronic keyer with random-access memory	<a href="#">12 Corrections (letter)</a>	57	<a href="#">Jun 75</a>
Lowpass filter, high-frequency	<a href="#">29.2 Short circuit</a>	59	<a href="#">Jun 75</a>
COSMOS integrated circuits	<a href="#">16 W3FQJ</a>	50	<a href="#">Jun 75</a>
Interface problems, fm equipment (HN)	<a href="#">9 W9DPY</a>	58	<a href="#">Jun 75</a>
Interference, rf, its cause and cure	<a href="#">22.1 G3LLL</a>	26	<a href="#">Jun 75</a>
Frequency scaler, 500-MHz	<a href="#">13 W6URH</a>	32	<a href="#">Jun 75</a>
Collins S-line, reducing warm-up drift	<a href="#">3 W6VFR</a>	46	<a href="#">Jun 75</a>
Ssb transmitter, phasing type	<a href="#">29.2 WA0JYK</a>	8	<a href="#">Jun 75</a>
1296 MHz, double-balanced mixers for	<a href="#">31.3 WA6UAM</a>	8	<a href="#">Jul 75</a>
Oscillator, gated (HN)	<a href="#">18 WB9KEY</a>	59	<a href="#">Jul 75</a>
Ham Radio sweepstakes winners, 1975	<a href="#">7 W1NLB</a>	54	<a href="#">Jul 75</a>
Sync generator, IC, for ATV	<a href="#">28 W0KGI</a>	34	<a href="#">Jul 75</a>
Seven-segment readouts, multiplexed	<a href="#">11 W5NPD</a>	37	<a href="#">Jul 75</a>
Parabolic reflector gain	<a href="#">1.3 W2TQK</a>	50	<a href="#">Jul 75</a>
432 MHz preamplifier and converter	<a href="#">31.3 WA2GCF</a>	40	<a href="#">Jul 75</a>
1296-MHz, double-balanced mixers for	<a href="#">22.3 WA6UAM</a>	8	<a href="#">Jul 75</a>
450-MHz preamplifier and converter	<a href="#">9 WA2GCF</a>	40	<a href="#">Jul 75</a>
432-MHz OSCAR antenna (HN)	<a href="#">31.2 W1JAA</a>	58	<a href="#">Jul 75</a>
Sync generator, IC, for ATV	<a href="#">11 W0KGI</a>	34	<a href="#">Jul 75</a>
Wind loading on towers and antenna structures, how to calculate	<a href="#">1.5 Added note</a>	56	<a href="#">Jul 75</a>
432 MHz preamplifier and converter	<a href="#">22.3 WA2GCF</a>	40	<a href="#">Jul 75</a>
Phase modulation principles and techniques	<a href="#">9 VE2BEN</a>	28	<a href="#">Jul 75</a>
Cubical quad, three-band	<a href="#">1.2 W1HXU</a>	22	<a href="#">Jul 75</a>
Parabolic reflector gain	<a href="#">31.2 W2TQK</a>	50	<a href="#">Jul 75</a>
Wind loading on towers and antenna structures, how to calculate	<a href="#">15 Added note</a>	56	<a href="#">Jul 75</a>
Audio transducer (HN)	<a href="#">2 WA1OPN</a>	59	<a href="#">Jul 75</a>
432-MHz OSCAR antenna (HN)	<a href="#">24 W1JAA</a>	58	<a href="#">Jul 75</a>

Tone encoder, universal for vhf fm	<a href="#">9 W6FUB</a>	17	<a href="#">Jul 75</a>
432-MHz OSCAR antenna (HN)	<a href="#">1.3 W1JAA</a>	58	<a href="#">Jul 75</a>
432-MHz solid-state linear amplifier	<a href="#">29.3 WB6QXF</a>	30	<a href="#">Aug 75</a>
Charger, fet-controlled, for nicad batteries	<a href="#">20 WA0JYK</a>	46	<a href="#">Aug 75</a>
Receiver alignment techniques, vhf fm	<a href="#">9 K4IPV</a>	14	<a href="#">Aug 75</a>
Audio-frequency keyer, simple	<a href="#">23 W2LTJ</a>	56	<a href="#">Aug 75</a>
Time base, calibrated electronic keyer	<a href="#">12 W1PLJ</a>	39	<a href="#">Aug 75</a>
Receiver alignment techniques, vhf fm	<a href="#">30 K4IPV</a>	14	<a href="#">Aug 75</a>
Voltage-regulator ICs, adjustable	<a href="#">20 WB9KEY</a>	36	<a href="#">Aug 75</a>
Voltage-regulator ICs, adjustable	<a href="#">11 WB9KEY</a>	36	<a href="#">Aug 75</a>
160-meters, 500-watt power amplifier	<a href="#">29.2 W2BP</a>	8	<a href="#">Aug 75</a>
Transmitter, low-power, 80-meter	<a href="#">16 W3FQJ</a>	50	<a href="#">Aug 75</a>
Four-band wire antenna	<a href="#">1.2 W3FQJ</a>	53	<a href="#">Aug 75</a>
432-MHz solid-state linear amplifier	<a href="#">31.4 WB6QXF</a>	30	<a href="#">Aug 75</a>
Filter alignment	<a href="#">22.1 W7UC</a>	61	<a href="#">Aug 75</a>
Latch circuit, dc	<a href="#">12 W0LPQ</a>	42	<a href="#">Aug 75</a>
QRP fet transmitter, 80-meter	<a href="#">29.2 W3FQJ</a>	50	<a href="#">Aug 75</a>
TTL crystal oscillators (HN)	<a href="#">18 W0JVA</a>	60	<a href="#">Aug 75</a>
Charger, fet-controlled for nicad batteries	<a href="#">9 WA0UYK</a>	46	<a href="#">Aug 75</a>
Receiver alignment techniques, vhf fm	<a href="#">22.3 K4IPV</a>	14	<a href="#">Aug 75</a>
Memory accessory, programmable for electronic keyers	<a href="#">12 WA9LUD</a>	24	<a href="#">Aug 75</a>
432-MHz 100-watt solid-state power amplifier	<a href="#">31.4 WA7CNP</a>	36	<a href="#">Sep 75</a>
Collins receivers, 300-Hz crystal filter for	<a href="#">22.2 W1DTY</a>	58	<a href="#">Sep 75</a>
Transceiver, 9-MHz ssb, IC	<a href="#">11 Circuit change (letter)</a>	62	<a href="#">Sep 75</a>
Heath HM-2102 wattmeter mode (letter)	<a href="#">3 K3VNR</a>	64	<a href="#">Sep 75</a>
Ssb transceiver, 9-MHz, IC	<a href="#">29.2 Circuit change (letter)</a>	62	<a href="#">Sep 75</a>
Meters, how to use	<a href="#">16 W4PSJ</a>	48	<a href="#">Sep 75</a>
Mobile antenna, magnet-mount	<a href="#">9 W1HCI</a>	54	<a href="#">Sep 75</a>
300-Hz crystal filter for Collins receivers	<a href="#">3 W1DTY</a>	58	<a href="#">Sep 75</a>
50-MHz kilowatt, inductively-tuned	<a href="#">31.4 K1DPP</a>	8	<a href="#">Sep 75</a>
Phase-locked loop RTTY terminal unit	<a href="#">23 Optimization</a>	22	<a href="#">Sep 75</a>
Milliammeters, how to use	<a href="#">13 W4PSJ</a>	48	<a href="#">Sep 75</a>
Drilling aluminum (HN)	<a href="#">5 W6IL</a>	67	<a href="#">Sep 75</a>
Mobile antenna, magnet-mount	<a href="#">1.3 W1HCI</a>	54	<a href="#">Sep 75</a>
432-MHz 100-watt solid-state power amplifier	<a href="#">29.3 WA7CNP</a>	36	<a href="#">Sep 75</a>
Crystal oscillators, stable	<a href="#">18 Correction</a>	67	<a href="#">Sep 75</a>
Touch-tone decoder, three-digit	<a href="#">9 Circuit board for</a>	62	<a href="#">Sep 75</a>
Collins 75A4 avc mod (letter)	<a href="#">3 W9KNI</a>	63	<a href="#">Sep 75</a>
Speech splatter on single sideband	<a href="#">26 W4MB</a>	28	<a href="#">Sep 75</a>
Radiation hazard, rf	<a href="#">15 W1DTY</a>	4	<a href="#">Sep 75</a>
Inductance, toroidal coil (HN)	<a href="#">5 W3WLX</a>	26	<a href="#">Sep 75</a>
Impedance transformer, non-synchronous (HN)	<a href="#">1.6 W5TRS</a>	66	<a href="#">Sep 75</a>
50-MHz kilowatt, inductively tuned	<a href="#">29.3 K1DPP</a>	8	<a href="#">Sep 75</a>
Quadrature-phased local oscillator ([after)	<a href="#">18 K6ZX</a>	62	<a href="#">Sep 75</a>
Touch-tone hand-held	<a href="#">9 K7YAM</a>	44	<a href="#">Sep 75</a>
Collins receivers, 300-Hz crystal filter for	<a href="#">3 W1DTY</a>	58	<a href="#">Sep 75</a>
Transceiver, ssb, IC	<a href="#">26 Circuit change (letter)</a>	62	<a href="#">Sep 75</a>

Toroidal coil inductance (HN)	<a href="#">15 W3WLX</a>	26	<a href="#">Sep 75</a>
Metric conversions for screw and wiresizes	<a href="#">5 W1DTY</a>	67	<a href="#">Sep 75</a>
Notch filter, tunable RC	<a href="#">2 WA5SNZ</a>	16	<a href="#">Sep 75</a>
28-30 MHz preamplifier for satellite reception	<a href="#">24 W1JAA</a>	48	<a href="#">Oct 75</a>
Capacitance meter, direct-reading	<a href="#">13 Added note</a>	31	<a href="#">Oct 75</a>
Noise figure, sensitivity and dynamic range	<a href="#">31.3 W1DTY</a>	8	<a href="#">Oct 75</a>
High dynamic range receiver input stages	<a href="#">22.2 DJ2LR</a>	26	<a href="#">Oct 75</a>
1296-MHz preamplifier	<a href="#">31.3 WA6UAM</a>	42	<a href="#">Oct 75</a>
Bfo multiplexer for a multimode detector	<a href="#">22.1 WA3YGJ</a>	52	<a href="#">Oct 75</a>
1296-MHz preamplifier	<a href="#">22.3 WA6UAM</a>	42	<a href="#">Oct 75</a>
Discriminator, quartz crystal	<a href="#">9 WA0JYK</a>	67	<a href="#">Oct 75</a>
2304-MHz balanced mixer	<a href="#">31.3 WA2ZZF</a>	58	<a href="#">Oct 75</a>
Sensitivity, noise figure and dynamic range	<a href="#">22.1 W1DTY</a>	8	<a href="#">Oct 75</a>
28-30 MHz preamplifier for satellite reception	<a href="#">22.3 W1JAA</a>	48	<a href="#">Oct 75</a>
Satellite receivers for repeaters	<a href="#">9 WA4YAK</a>	64	<a href="#">Oct 75</a>
28-30 MHz low-noise preamp	<a href="#">31.3 W1JAA</a>	48	<a href="#">Oct 75</a>
Communications receiver, solid-state	<a href="#">22.2 I5TDJ</a>	32	<a href="#">Oct 75</a>
Headphone cords (HN)	<a href="#">2 W2OLU</a>	62	<a href="#">Nov 75</a>
Line-end Indicator, IC	<a href="#">23 W2OKO</a>	22	<a href="#">Nov 75</a>
Interference, rf (letter)	<a href="#">15 G3LLL</a>	65	<a href="#">Nov 75</a>
Collins R390A modifications	<a href="#">3 WA2SUT</a>	58	<a href="#">Nov 75</a>
Audio filter, tunable, for weak-signal communications	<a href="#">31.3 K6HCP</a>	28	<a href="#">Nov 75</a>
Headphone cords (HN)	<a href="#">22.1 W2OLU</a>	62	<a href="#">Nov 75</a>
Receiver, vhf fm	<a href="#">9 WA2GCF</a>	8	<a href="#">Nov 75</a>
Microphones, muting (HN)	<a href="#">2 W6IL</a>	63	<a href="#">Nov 75</a>
Speech processing, principles of	<a href="#">26 Added notes</a>	64	<a href="#">Nov 75</a>
Trig functions on a pocket calculator (HN)	<a href="#">15 W9ZTK</a>	60	<a href="#">Nov 75</a>
Kenwood TS-520 CW filter modification(HN)	<a href="#">3 W7ZZ</a>	21	<a href="#">Nov 75</a>
Audio filter, tunable, for weak-signal communications	<a href="#">2 K6HCP</a>	28	<a href="#">Nov 75</a>
Mixer, crystal	<a href="#">22.1 W2LTJ</a>	38	<a href="#">Nov 75</a>
I L logic circuits	<a href="#">11 W1DTY</a>	4	<a href="#">Nov 75</a>
Speech processing, principles of	<a href="#">2 Added notes</a>	64	<a href="#">Nov 75</a>
TTL ICs, using in ssb equipment	<a href="#">26 G4ADJ</a>	18	<a href="#">Nov 75</a>
Antennas, dipole	<a href="#">16 KH6HDM</a>	60	<a href="#">Nov 75</a>
Yaesu FT101 clarifier (letter)	<a href="#">3 K1NUN</a>	55	<a href="#">Nov 75</a>
Binaural CW reception, synthesizer for	<a href="#">2 W6NRW</a>	46	<a href="#">Nov 75</a>
Receiver, vhf fm	<a href="#">22.3 WA2GCF</a>	8	<a href="#">Nov 75</a>
Ssb equipment, using TTL ICs in	<a href="#">11 G4ADJ</a>	18	<a href="#">Nov 75</a>
Collins 75A4, increased selectivity for (HN)	<a href="#">3 W1DTY</a>	62	<a href="#">Nov 75</a>
Frequency-selective and sensitivity-controlled sstv preamp	<a href="#">28 DK1BF</a>	36	<a href="#">Nov 75</a>
Multiple band master-frequency oscillator	<a href="#">18 K6SDX</a>	50	<a href="#">Nov 75</a>
Circuit boards with terminal inserts (HN)	<a href="#">5 W3K8M</a>	61	<a href="#">Nov 75</a>
Antenna control, automatic azimuth/elevation for satellite communications	<a href="#">24 Correction</a>	58	<a href="#">Dec 75</a>
Tone encoder, universal for vhf fm	<a href="#">9 Correction</a>	58	<a href="#">Dec 75</a>
Loop receiving antenna	<a href="#">1.2 Correction</a>	58	<a href="#">Dec 75</a>
1152- to 2304-MHz power doubler	<a href="#">31.4 WA9HUV</a>	40	<a href="#">Dec 75</a>
Microprocessors, introduction to	<a href="#">15 WB4HYJ, Rony, Titus</a>	32	<a href="#">Dec 75</a>

Alarm, burglar-proof (HN)	<a href="#">7 Eisenbrandt</a>	56	<a href="#">Dec 75</a>
Linear amplifier, 100-watt	<a href="#">26 W6WR</a>	28	<a href="#">Dec 75</a>
Latch circuit, dc	<a href="#">12 Correction</a>	58	<a href="#">Dec 75</a>
Antenna tuner adjustment (HN)	<a href="#">1.4 WA4MTH</a>	53	<a href="#">Dec 75</a>
Radiation hazard, rf	<a href="#">15 Correction</a>	59	<a href="#">Dec 75</a>
Phase modulation principles and techniques	<a href="#">9 Correction</a>	59	<a href="#">Dec 75</a>
Linear amplifier, 100-watt	<a href="#">29.2 W6WR</a>	28	<a href="#">Dec 75</a>
Frequency scaler, uhf (11C90)	<a href="#">13 WB9KEY</a>	50	<a href="#">Dec 75</a>
Quadrifilar toroid (HN)	<a href="#">1.4 W9LL</a>	52	<a href="#">Dec 75</a>
Communications receiver, solid-state	<a href="#">22.2 Correction</a>	59	<a href="#">Dec 75</a>
Squelch circuits for transistor radios	<a href="#">9 WB4WSU</a>	36	<a href="#">Dec 75</a>
Antenna control, automatic azimuth/elevation for satellite communications	<a href="#">1.1 Correction</a>	58	<a href="#">Dec 75</a>
1296-MHz microstripline bandpass filters	<a href="#">31.1 WA6UAM</a>	46	<a href="#">Dec 75</a>
Introduction to microprocessors	<a href="#">14 WB4HYJ, Rony, Titus</a>	32	<a href="#">Dec 75</a>
Collins 75S frequency synthesizer	<a href="#">3 W6NBI</a>	8	<a href="#">Dec 75</a>

### Results for Year - 1976

Article	CatID	Author	Page	Issue
Diode detectors	<a href="#">22.1 W6GXN</a>		28	<a href="#">Jan 76</a>
Audio-power ICs	<a href="#">11 W3FQJ</a>		64	<a href="#">Jan 76</a>
432-MHz high-gain Yagi	<a href="#">31.2 K6HCP</a>		46	<a href="#">Jan 76</a>
Diode detectors	<a href="#">16 W6GXN</a>		28	<a href="#">Jan 76</a>
Audio-power integrated circuits	<a href="#">2 W3FQJ</a>		64	<a href="#">Jan 76</a>
Oscar tracking program, HP-65 calculator (letters)	<a href="#">24 WA3THD</a>		71	<a href="#">Jan 76</a>
RAM keyer update	<a href="#">12 K3NEZ</a>		60	<a href="#">Jan 76</a>
1296-MHz preamplifiers, microstripline	<a href="#">31.3 Comments, W2DU</a>		68	<a href="#">Jan 76</a>
Troubleshooting, basic	<a href="#">16 James</a>		54	<a href="#">Jan 76</a>
Synthesized two-meter fm transceiver	<a href="#">9 W1CMR, K1IJZ</a>		10	<a href="#">Jan 76</a>
Wideband linear amplifier, 4 watt	<a href="#">29.2 VE5FP</a>		42	<a href="#">Jan 76</a>
Frequency counter, 50 MHz, 6 digit	<a href="#">13 WB2DFA</a>		18	<a href="#">Jan 76</a>
432-MHz high-gain Yagi	<a href="#">1.3 K6HCP</a>		46	<a href="#">Jan 76</a>
Versatile audio oscillator (HN)	<a href="#">18 W7BBX</a>		72	<a href="#">Jan 76</a>
Telephone controller for remote repeater operation	<a href="#">9 K0PHF, WA0UZO</a>		50	<a href="#">Jan 76</a>
Basic troubleshooting	<a href="#">30 James</a>		54	<a href="#">Jan 76</a>
How microprocessors fit into scheme of computers and controllers	<a href="#">14 WB4HYJ, Rony, Titus</a>		36	<a href="#">Jan 76</a>
Antenna and tower restrictions	<a href="#">1.5 W7IV</a>		24	<a href="#">Jan 76</a>
Bipolar-fet amplifiers	<a href="#">15 W6HDM</a>		16	<a href="#">Feb 76</a>
Speech compressor (HN)	<a href="#">2 Novotny</a>		70	<a href="#">Feb 76</a>
Monitor receiver modification (HN)	<a href="#">22.1 W2CNQ</a>		72	<a href="#">Feb 76</a>
Prescaler, vhf, for digital frequency counters	<a href="#">13 K4GOK</a>		32	<a href="#">Feb 76</a>
Voltage troubleshooting	<a href="#">30 James</a>		64	<a href="#">Feb 76</a>
Digital clock, low-cost	<a href="#">15 WA6DYW</a>		26	<a href="#">Feb 76</a>
Heath HM-2102 vhf wattmeter, high power calibration for (HN)	<a href="#">3 W9TKR</a>		70	<a href="#">Feb 76</a>
DT-600 demodulator	<a href="#">23 K9HVW, K4OAH, WB4KUR</a>		8	<a href="#">Feb 76</a>
Input/output device, what is a?	<a href="#">14 WB4HYJ, Rony, Titus</a>		50	<a href="#">Feb 76</a>
Troubleshooting by voltage measurements	<a href="#">16 James</a>		64	<a href="#">Feb 76</a>
1979 world administrative radio conference	<a href="#">7 W6APW</a>		48	<a href="#">Feb 76</a>

50 years of television	<a href="#">28 W1DTY, K4TWJ</a>	36	<a href="#">Feb 76</a>
UAR/T, how it works	<a href="#">14 Titus</a>	58	<a href="#">Feb 76</a>
Horizontal-antenna gain at selected vertical radiation angles	<a href="#">1.2 W7LR</a>	54	<a href="#">Feb 76</a>
Nicad battery care (HN)	<a href="#">20 W1DHZ</a>	71	<a href="#">Feb 76</a>
U/ART, how it works	<a href="#">11 Titus</a>	58	<a href="#">Feb 76</a>
Vestigial sideband microtransmitter for amateur television	<a href="#">28 WA6UAM</a>	20	<a href="#">Feb 76</a>
Tuneup, off-the-air	<a href="#">16 W4MB</a>	40	<a href="#">Mar 76</a>
Microwave frequency doubler	<a href="#">31.1 WA4WDL</a>	69	<a href="#">Mar 76</a>
Dummy loads	<a href="#">13 W4MB</a>	40	<a href="#">Mar 76</a>
Improving vhf/uhf receivers	<a href="#">22.3 W1JAA</a>	44	<a href="#">Mar 76</a>
Heath HW-202, another look at the fm channel scanner for	<a href="#">3 K7PYS</a>	68	<a href="#">Mar 76</a>
WWVB signal processor	<a href="#">13 W9BTI</a>	28	<a href="#">Mar 76</a>
Crystal oscillators, survey of	<a href="#">18 VK2ZTB</a>	10	<a href="#">Mar 76</a>
Variable power supply for transistor work	<a href="#">20 WA4MTH</a>	68	<a href="#">Mar 76</a>
8080 microcomputer output instructions	<a href="#">14 WB4HYJ, Rony, Titus</a>	54	<a href="#">Mar 76</a>
144-MHZ, 5/8-wavelength vertical	<a href="#">1.3 W1RHN</a>	50	<a href="#">Mar 76</a>
IC crystal controlled oscillators	<a href="#">18 VK2ZTB</a>	10	<a href="#">Mar 76</a>
DT-500 demodulator	<a href="#">23 K9HVV, K4OAH, WB4KUR</a>	24	<a href="#">Mar 76</a>
Divide-by-n counters, high-speed	<a href="#">11 W1OOP</a>	36	<a href="#">Mar 76</a>
Dummy loads	<a href="#">1.4 W4MB</a>	40	<a href="#">Mar 76</a>
Improving vhf/uhf receivers	<a href="#">31.1 W1JAA</a>	44	<a href="#">Mar 76</a>
144-MHz, 5/8-wavelength vertical antenna	<a href="#">9 W1RHN</a>	50	<a href="#">Mar 76</a>
Low voltage, variable bench power supply (weekender)	<a href="#">20 W6NBI</a>	58	<a href="#">Mar 76</a>
European semiconductor numbering system (C&T)	<a href="#">25 W1DTY</a>	42	<a href="#">Apr 76</a>
Dry-cell life	<a href="#">20 W1DTY</a>	41	<a href="#">Apr 76</a>
L, C, R bridge, universal	<a href="#">13 W6AOI</a>	54	<a href="#">Apr 76</a>
Mini-mitter II modifications (HN)	<a href="#">3 K1ETU</a>	64	<a href="#">Apr 76</a>
144-MHz preamp, low-noise	<a href="#">31.3 W1DTY</a>	40	<a href="#">Apr 76</a>
144-MHz preamp, low-noise	<a href="#">22.3 W1DTY</a>	40	<a href="#">Apr 76</a>
Crystal oven, simple (HN)	<a href="#">18 Mathieson</a>	66	<a href="#">Apr 76</a>
Missent ID	<a href="#">11 K6KA</a>	25	<a href="#">Apr 76</a>
Ssb transceiver, IC, for 80 meters	<a href="#">26 VE3GSD</a>	48	<a href="#">Apr 76</a>
Overvoltage protection (HN)	<a href="#">20 W1AAZ</a>	64	<a href="#">Apr 76</a>
Device-select pulses, generating input/output	<a href="#">14 WB4HYJ, Titus, Rony</a>	44	<a href="#">Apr 76</a>
R-392 receiver mods (HN)	<a href="#">3 KH6FOX</a>	65	<a href="#">Apr 76</a>
Audio-frequency shift keyer, simple (C&T)	<a href="#">23 W1DTY</a>	43	<a href="#">Apr 76</a>
Goral oscillator notes (HN)	<a href="#">18 K5QIN</a>	66	<a href="#">Apr 76</a>
Op amp (741) circuit design	<a href="#">11 WA5SNZ</a>	26	<a href="#">Apr 76</a>
Corner-fed loop, low frequency	<a href="#">1.2 ZL1BN</a>	30	<a href="#">Apr 76</a>
3-400Z, 3-500Z filament circuits, notes on	<a href="#">29.2 K9WEH</a>	66	<a href="#">Apr 76</a>
Selenium rectifiers, replacing	<a href="#">20 W1DTY</a>	41	<a href="#">Apr 76</a>
White noise diodes, selecting (HN)	<a href="#">15 W6DOB</a>	65	<a href="#">Apr 76</a>
1929-1941, the Golden years of amateur radio	<a href="#">7 W6SAI</a>	34	<a href="#">Apr 76</a>
Simple circuit replaces jack patch panel	<a href="#">23 K4STE</a>	25	<a href="#">Apr 76</a>
Converter, 12 to 6 volt (C&T)	<a href="#">20 W1DTY</a>	42	<a href="#">Apr 76</a>
Contest keyer, programmable	<a href="#">12 W7BBX</a>	10	<a href="#">Apr 76</a>
Collins 75A4 noise limiter	<a href="#">3 W1DTY</a>	43	<a href="#">Apr 76</a>



Resistance measurement, troubleshooting by	<a href="#">30 James</a>	58	<a href="#">Apr 76</a>
Communications receivers, miniature design ideas for	<a href="#">22.2 K4DHC</a>	18	<a href="#">Apr 76</a>
Troubleshooting, resistance measurements	<a href="#">16 James</a>	58	<a href="#">Apr 76</a>
Mobile rig, protecting from theft (C&T)	<a href="#">9 W1DTY</a>	42	<a href="#">Apr 76</a>
Magnet-mount antenna, portable (HN)	<a href="#">1.3 WB2YYU</a>	67	<a href="#">May 76</a>
Feed horn, cylindrical, for parabolic reflectors	<a href="#">31.2 WA9HUV</a>	16	<a href="#">May 76</a>
144-MHz collinear uses PVC pipe mast (HN)	<a href="#">1.3 K8LLZ</a>	66	<a href="#">May 76</a>
144-MHz 5/8-wavelength, vertical antenna for mobile	<a href="#">9 K4LPQ</a>	42	<a href="#">May 76</a>
Cubical quad, improved low-profile, three band	<a href="#">1.2 W1HXU</a>	25	<a href="#">May 76</a>
Feeding and matching techniques for vhf/uhf antennas	<a href="#">1.4 W1JAA</a>	54	<a href="#">May 76</a>
432-MHz high-gain Yagi	<a href="#">1.3 Comments, W0PW</a>	63	<a href="#">May 76</a>
Magnet mount antenna, portable (HN)	<a href="#">9 WB2YYU</a>	67	<a href="#">May 76</a>
Selective antenna system minimizes unwanted signals	<a href="#">1.2 W5TRS</a>	28	<a href="#">May 76</a>
Rotator for medium-sized beams	<a href="#">1.5 K2BT</a>	48	<a href="#">May 76</a>
Feeding and matching techniques for vhf/uhf antennas	<a href="#">31.2 W1JAA</a>	54	<a href="#">May 76</a>
Oscar antenna, mobile (HN)	<a href="#">24 W6OAL</a>	67	<a href="#">May 76</a>
144-MHz vertical mobile antennas, 1/4 and 5/8 wavelength, test data on	<a href="#">1.3 W2LTJ, W2CQH</a>	46	<a href="#">May 76</a>
Swr indicator, aural, for the visually handicapped	<a href="#">1.4 K6HTM</a>	52	<a href="#">May 76</a>
7-MHz attic antenna (HN)	<a href="#">1.3 W2ISL</a>	68	<a href="#">May 76</a>
144-MHz collinear uses PVC pipe mast (HN)	<a href="#">31.2 K8LLZ</a>	66	<a href="#">May 76</a>
Swr indicator, aural, for the visually handicapped	<a href="#">13 K6HTM</a>	52	<a href="#">May 76</a>
Telephone-wire antenna (HN)	<a href="#">1.2 K9TBD</a>	70	<a href="#">May 76</a>
160-meter vertical, shortened (HN)	<a href="#">1.2 W6VX</a>	72	<a href="#">May 76</a>
Towers and rotators	<a href="#">1.5 K6KA</a>	34	<a href="#">May 76</a>
Oscar antenna, mobile (HN)	<a href="#">1.3 W6OAL</a>	67	<a href="#">May 76</a>
Transmit/receive switch PIN diode	<a href="#">12 W9KHC</a>	10	<a href="#">May 76</a>
144-MHz vertical mobile antennas, 1/4 and 5/8 wavelength, test data on	<a href="#">9 W2LTJ, W2CQH</a>	46	<a href="#">May 76</a>
Inverted-vee Installation, Improved low-band (HN)	<a href="#">1.2 W9KNI</a>	68	<a href="#">May 76</a>
Swr meter, improving (HN)	<a href="#">1.4 W5NPD</a>	68	<a href="#">May 76</a>
Feed horn, cylindrical, for parabolic reflectors	<a href="#">1.3 WA9HUV</a>	16	<a href="#">May 76</a>
432-MHz high-gain Yagi	<a href="#">31.2 Comments, W0PW</a>	63	<a href="#">May 76</a>
Swr meter, improving (HN)	<a href="#">13 W5NPD</a>	68	<a href="#">May 76</a>
ZL special antenna, understanding the	<a href="#">1.2 WA6TKT</a>	38	<a href="#">May 76</a>
Soldering tips	<a href="#">5 WA4MTH</a>	15	<a href="#">May 76</a>
Collinear, six-element for	<a href="#">1.2 W0YBF</a>	22	<a href="#">May 76</a>
Towers and rotators	<a href="#">16 K6KA</a>	34	<a href="#">May 76</a>
Impedance transformer, non-synchronous (HN)	<a href="#">1.6 Comments, W3DVO</a>	63	<a href="#">May 76</a>
Introduction to microprocessors	<a href="#">14 Comments, WB4FAR</a>	63	<a href="#">May 76</a>
144-MHz, 5/8-wavelength, vertical antenna for mobile	<a href="#">1.3 K4LPQ</a>	42	<a href="#">May 76</a>
Loop-yagi antennas	<a href="#">1.2 VK2ZTB</a>	30	<a href="#">May 76</a>
Ham-M modification (HN)	<a href="#">3 W2TQK</a>	72	<a href="#">May 76</a>
Antenna gain (letter)	<a href="#">1.1 W3AFM</a>	62	<a href="#">May 76</a>
Ham-M modifications (HN)	<a href="#">1.5 W2TQK</a>	72	<a href="#">May 76</a>
Linearity meter for ssb amplifiers	<a href="#">26 W4MB</a>	40	<a href="#">Jun 76</a>
Vfo design, stable	<a href="#">18 W1CER</a>	10	<a href="#">Jun 76</a>
Microwave marker generator, 3cm band (HN)	<a href="#">13 WA4WDL</a>	69	<a href="#">Jun 76</a>
Collins S-line, improved frequency readout for the	<a href="#">3 W1GFC</a>	53	<a href="#">Jun 76</a>

Troubleshooting the dead receiver	<a href="#">22.1 K4IPV</a>	56	<a href="#">Jun 76</a>
Toroid coils, 88-mH (HN)	<a href="#">15 WA1NJG</a>	70	<a href="#">Jun 76</a>
CW sidetone (C&T)	<a href="#">12 W1DTY</a>	51	<a href="#">Jun 76</a>
Dynamic microphones (C&T)	<a href="#">2 W1DTY</a>	46	<a href="#">Jun 76</a>
Receivers, troubleshooting the dead	<a href="#">30 K4IPV</a>	56	<a href="#">Jun 76</a>
Dc power supply, regulated (C&T)	<a href="#">20 W1DTY</a>	51	<a href="#">Jun 76</a>
Accumulator I/O versus memory I/O	<a href="#">14 WB4HYJ, Rony, Titus</a>	64	<a href="#">Jun 76</a>
Regency HA transceivers, signal-peaking indicator and generator for (HN)	<a href="#">3 W8HVG</a>	68	<a href="#">Jun 76</a>
Lightning protection (C&T)	<a href="#">1.1 W1DTY</a>	50	<a href="#">Jun 76</a>
Time/date printout	<a href="#">23 W0LZT</a>	18	<a href="#">Jun 76</a>
Transmitter keying, improving	<a href="#">16 K6KA</a>	44	<a href="#">Jun 76</a>
Improving transmitter keying	<a href="#">12 K6KA</a>	44	<a href="#">Jun 76</a>
Speech processing technique, split audio band	<a href="#">2 W1DTY</a>	30	<a href="#">Jun 76</a>
Microwave marker generator, 3cm band (HN)	<a href="#">31.1 WA4WDL</a>	69	<a href="#">Jun 76</a>
Transient eliminator (C&T)	<a href="#">20 W1DTY</a>	52	<a href="#">Jun 76</a>
Interference, rf, coaxial connectors can generate	<a href="#">15 W1DTY</a>	48	<a href="#">Jun 76</a>
Detectors, fm, survey of	<a href="#">9 W6GXN</a>	22	<a href="#">Jun 76</a>
Coaxial cable (C&T)	<a href="#">1.6 W1DTY</a>	50	<a href="#">Jun 76</a>
Oscar antenna (C&T)	<a href="#">24 W1DTY</a>	50	<a href="#">Jun 76</a>
Stable vfo (C&T)	<a href="#">18 W1DTY</a>	51	<a href="#">Jun 76</a>
Linearity meter for ssb amplifiers	<a href="#">13 W4MB</a>	40	<a href="#">Jun 76</a>
Collins S-line receivers, improved selectivity	<a href="#">3 W6FR</a>	36	<a href="#">Jun 76</a>
Detectors, fm, survey of	<a href="#">22.1 W6GXN</a>	22	<a href="#">Jun 76</a>
Staircase generator (C&T)	<a href="#">15 W1DTY</a>	52	<a href="#">Jun 76</a>
Time-out warning indicator for fm repeater users	<a href="#">9 K3NEZ</a>	62	<a href="#">Jun 76</a>
Coaxial connectors can generate rfi	<a href="#">1.6 W1DTY</a>	48	<a href="#">Jun 76</a>
Transistor tester, shirt pocket	<a href="#">13 W0MAY</a>	40	<a href="#">Jul 76</a>
Keyer mods, micro-TO	<a href="#">12 DJ9RP</a>	68	<a href="#">Jul 76</a>
Tube shields (HN)	<a href="#">15 W9KNI</a>	69	<a href="#">Jul 76</a>
Matching techniques for vhf/uhf antennas	<a href="#">1.3 W1JAA</a>	50	<a href="#">Jul 76</a>
Vlf converter (HN)	<a href="#">22.1 W3CPU</a>	69	<a href="#">Jul 76</a>
144-MHz digital synthesizers, readout display	<a href="#">9 WB4TZE</a>	47	<a href="#">Jul 76</a>
Inverted V or delta loop, how to add to tower	<a href="#">1.2 K4DJC</a>	32	<a href="#">Jul 76</a>
Substitution of software for hardware	<a href="#">14 WB4HYJ, Rony, Titus</a>	62	<a href="#">Jul 76</a>
AFSK generator (HN)	<a href="#">23 F8KI</a>	69	<a href="#">Jul 76</a>
Repeater linking, carrier-operated relay for	<a href="#">9 K0PHF</a>	57	<a href="#">Jul 76</a>
Ten-Tec KR-20 keyer, stabilization of (HN)	<a href="#">3 W3CRG</a>	69	<a href="#">Jul 76</a>
Wind generators	<a href="#">15 W3FQJ</a>	24	<a href="#">Jul 76</a>
Matching techniques for vhf/uhf antennas	<a href="#">31.2 W1JAA</a>	50	<a href="#">Jul 76</a>
WWV receiver, five-frequency	<a href="#">22.1 W6GXN</a>	36	<a href="#">Jul 76</a>
Frequency synthesizers, how to design	<a href="#">15 DJ2LR</a>	10	<a href="#">Jul 76</a>
Base step generator	<a href="#">13 WB4YDZ</a>	44	<a href="#">Jul 76</a>
Syllabic vox system for Drake equipment	<a href="#">26 W6RM</a>	24	<a href="#">Aug 76</a>
Differential keying circuit	<a href="#">12 W4IYB</a>	60	<a href="#">Aug 76</a>
Collins KWM-2/KWM-2A modifications (HN)	<a href="#">3 W6SAI</a>	80	<a href="#">Aug 76</a>
Electrical units: their derivation and history	<a href="#">15 WB6EYV</a>	30	<a href="#">Aug 76</a>
144-MHz fm exciter, high performance	<a href="#">9 WA2GCF</a>	10	<a href="#">Aug 76</a>

Slow-to-fast-scan television converters, an introduction	<a href="#">28 K4TWJ</a>	44	<a href="#">Aug 76</a>
Keyer modification (HN)	<a href="#">12 W9KNI</a>	80	<a href="#">Aug 76</a>
Collins R390 rf transformers, repairing (HN)	<a href="#">3 WA2SUT</a>	81	<a href="#">Aug 76</a>
I-f detector receiver module	<a href="#">22.1 K6SDX</a>	34	<a href="#">Aug 76</a>
High performance vhf fm transmitter	<a href="#">9 WA2GCF</a>	10	<a href="#">Aug 76</a>
50-MHz bandpass filter	<a href="#">31.1 W4EKO</a>	70	<a href="#">Aug 76</a>
Decision, how does a microcomputer make a	<a href="#">14 WB4HYJ, Titus, Rony</a>	74	<a href="#">Aug 76</a>
Heath SB-102, receiver incremental tuning for (HN)	<a href="#">3 K1KXA</a>	81	<a href="#">Aug 76</a>
Phase-locked loop RTTY terminal unit	<a href="#">23 Update, W4AYV</a>	16	<a href="#">Aug 76</a>
IC tester, TTL	<a href="#">11 WA4LCO</a>	66	<a href="#">Aug 76</a>
Coaxial dipole antenna, analysis of	<a href="#">1.2 W2DU</a>	46	<a href="#">Aug 76</a>
Calculator, hand-held electronic, its function and use	<a href="#">15 W4MB</a>	18	<a href="#">Aug 76</a>
IC holders (HN)	<a href="#">5 W3HUC</a>	80	<a href="#">Aug 76</a>
Bipolar-fet amplifiers	<a href="#">15 Comments, Worcester</a>	76	<a href="#">Sep 76</a>
European vhf-fm repeaters	<a href="#">9 SM4GL</a>	80	<a href="#">Sep 76</a>
Audio-frequency shift keyer	<a href="#">23 KH6FMT</a>	45	<a href="#">Sep 76</a>
Calibrating ac scales on the vtvm, icvm and fet voltmeter	<a href="#">13 W7KQ</a>	48	<a href="#">Sep 76</a>
Heath HW-202 lamp replacement (HN)	<a href="#">3 W5UNF</a>	83	<a href="#">Sep 76</a>
Transistor circuits, troubleshooting	<a href="#">30 K4IPV</a>	60	<a href="#">Sep 76</a>
Calculator, hand-held electronic, solving problems with it	<a href="#">15 W4MB</a>	34	<a href="#">Sep 76</a>
Synthesized two-meter fm transceiver	<a href="#">9 Letter, W5GOV</a>	78	<a href="#">Sep 76</a>
DT-600 demodulator	<a href="#">23 Letter, K5GZR</a>	78	<a href="#">Sep 76</a>
Turn-off timer for portable equipment	<a href="#">13 W5OXD</a>	42	<a href="#">Sep 76</a>
ICOM IC-230, adding splinter channels (HN)	<a href="#">3 WA1OJX</a>	82	<a href="#">Sep 76</a>
Uhf dummy load, 150-watt	<a href="#">31.1 WB6QXF</a>	30	<a href="#">Sep 76</a>
Super regulator, the MPC1000	<a href="#">20 W3HUC</a>	52	<a href="#">Sep 76</a>
Accu-Mill, keyboard interface for the Accu-Keyer	<a href="#">12 WN9OVY</a>	26	<a href="#">Sep 76</a>
50 years of television	<a href="#">28 Letter, WA6JFP</a>	77	<a href="#">Sep 76</a>
Interfacing a digital multimeter with an 8080-based microcomputer	<a href="#">14 WB4HYJ, Rony, Titus</a>	66	<a href="#">Sep 76</a>
Printed-circuit boards, how to clean	<a href="#">5 K2PMA</a>	56	<a href="#">Sep 76</a>
144-MHz transverter using power fets	<a href="#">31.3 WB0BPI</a>	10	<a href="#">Sep 76</a>
Digital frequency display	<a href="#">22.1 WB2NYK</a>	26	<a href="#">Sep 76</a>
Automatic beeper for station control	<a href="#">12 WA6URN</a>	38	<a href="#">Sep 76</a>
Tuning aid for the sightless (HN)	<a href="#">1.2 W6VX</a>	83	<a href="#">Sep 76</a>
Sstv reporting system	<a href="#">29.1 WB6ZYE</a>	78	<a href="#">Sep 76</a>
Microwave amplifier design, solid state	<a href="#">25 WA6UAM</a>	40	<a href="#">Oct 76</a>
Preamplifier, wideband	<a href="#">22.1 W1AAZ</a>	60	<a href="#">Oct 76</a>
Scanner, two-channel, for repeater monitoring	<a href="#">9 W8GRG</a>	48	<a href="#">Oct 76</a>
RC active filters using op amps	<a href="#">2 W4IYB</a>	54	<a href="#">Oct 76</a>
Receiving converter, vhf four-band	<a href="#">22.3 W3TQM</a>	64	<a href="#">Oct 76</a>
RC active filters using op amps	<a href="#">15 W4YIB</a>	54	<a href="#">Oct 76</a>
Transfer letters (HN)	<a href="#">5 WA2TGL</a>	78	<a href="#">Oct 76</a>
Microwave solid-state amplifier design	<a href="#">31.1 WA6UAM</a>	40	<a href="#">Oct 76</a>
Communications receiver, optimum design for	<a href="#">22.2 DJ2LR</a>	10	<a href="#">Oct 76</a>
Squelch circuit, another (HN)	<a href="#">9 WB4WSU</a>	78	<a href="#">Oct 76</a>
Collins 75S frequency synthesizer	<a href="#">3 Short circuit</a>	85	<a href="#">Oct 76</a>
DT-500 demodulator	<a href="#">23 Short circuit</a>	85	<a href="#">Oct 76</a>

Voltage safety valve	<a href="#">20 W2UVF</a>	78	<a href="#">Oct 76</a>
Ten commandments for technicians	<a href="#">7 feature</a>	58	<a href="#">Oct 76</a>
Microwave amplifier design, solid state	<a href="#">31.3 WA6UAM</a>	40	<a href="#">Oct 76</a>
Double-conversion hf receiver with mechanical frequency readout	<a href="#">22.2 Perolo</a>	26	<a href="#">Oct 76</a>
Absorption measurements, using your signal generator for	<a href="#">13 W2OUX</a>	79	<a href="#">Oct 76</a>
Swan 250 Carrier suppression (HN)	<a href="#">3 WB8LGA</a>	79	<a href="#">Oct 76</a>
DT-600 demodulator	<a href="#">23 Short circuit</a>	85	<a href="#">Oct 76</a>
Detector, single-signal phasing type	<a href="#">22.1 WB9CYY</a>	71	<a href="#">Oct 76</a>
Receiver performance of vacuum-tube vhf-fm equipment, how to improve	<a href="#">9 W0GGV</a>	52	<a href="#">Oct 76</a>
Multiband high-frequency converter	<a href="#">22.2 K6SDX</a>	32	<a href="#">Oct 76</a>
Frequency synthesizers, how to design	<a href="#">15 Short circuit</a>	85	<a href="#">Oct 76</a>
Soldering tip cleaner (HN)	<a href="#">5 W3HUC</a>	79	<a href="#">Oct 76</a>
Test-message generator, RTTY	<a href="#">23 K9GSC, K9PKQ</a>	30	<a href="#">Nov 76</a>
Crystal-filter design, practical	<a href="#">22.1 PY2PEC</a>	34	<a href="#">Nov 76</a>
Transmission line calculations using your pocket calculator for	<a href="#">1.6 W5TRS</a>	40	<a href="#">Nov 76</a>
Software UAR/T, interfacing a	<a href="#">14 WB4HYJ, Rony, Titus</a>	60	<a href="#">Nov 76</a>
Servicing power supplies	<a href="#">20 W6GXN</a>	44	<a href="#">Nov 76</a>
Line-of-sight distance, calculating	<a href="#">1.1 WB5CBC</a>	56	<a href="#">Nov 76</a>
Timer, ten-minute (HN)	<a href="#">12 DJ9RP</a>	66	<a href="#">Nov 76</a>
Audio mixer (HN)	<a href="#">2 W6KNE</a>	66	<a href="#">Nov 76</a>
Electronic bias switch for negatively-biased power amplifiers	<a href="#">29.2 WA5KPG</a>	27	<a href="#">Nov 76</a>
Synthesizer-filter, binaural	<a href="#">2 W6NRW</a>	52	<a href="#">Nov 76</a>
Audio filters for ssb and CW reception	<a href="#">22.1 K6SDX</a>	18	<a href="#">Nov 76</a>
Converter, very low frequency receiving	<a href="#">22.2 W2IMB</a>	24	<a href="#">Nov 76</a>
Rf autotransformers, wideband	<a href="#">15 K4KJ</a>	10	<a href="#">Nov 76</a>
High-frequency DX receiver	<a href="#">22.2 WB2ZVU</a>	10	<a href="#">Dec 76</a>
Increased flexibility for the MFJ Enterprises CW filters	<a href="#">2 K3NEZ</a>	58	<a href="#">Dec 76</a>
Broadband amplifier uses mospower fet	<a href="#">15 Oxner</a>	32	<a href="#">Dec 76</a>
Performance and signal-to-noise ratio of low-frequency shift RTTY	<a href="#">23 K8SR</a>	62	<a href="#">Dec 76</a>
ASCII-to-Morse code translator	<a href="#">12 Morley, Sharon</a>	41	<a href="#">Dec 76</a>
Network, the ladder	<a href="#">15 W2CHO</a>	48	<a href="#">Dec 76</a>
7-MHz QRP CW transmitter	<a href="#">29.2 WA4MTH</a>	26	<a href="#">Dec 76</a>
Meter amplifier, electronic	<a href="#">13 WA9HUV</a>	38	<a href="#">Dec 76</a>
Resurrecting old receivers	<a href="#">22.1 K4IPV</a>	52	<a href="#">Dec 76</a>
Loop antennas	<a href="#">1.2 W4OQ</a>	18	<a href="#">Dec 76</a>
Interrupts, microcomputer	<a href="#">14 WB4HYJ, Rony, Titus</a>	66	<a href="#">Dec 76</a>

## Results for Year - 1977

Article	CatID	Author	Page	Issue
Solar power source, 36-volt	<a href="#">20 W3FQJ</a>		54	<a href="#">Jan 77</a>
Ground-plane antenna: history and development	<a href="#">1.2 K2FF</a>		26	<a href="#">Jan 77</a>
7-MHz direct-conversion receiver	<a href="#">22.2 W0YBF</a>		16	<a href="#">Jan 77</a>
Vectored interrupts	<a href="#">14 WB4HYJ, Rony, Titus</a>		74	<a href="#">Jan 77</a>
Etch tank (HN)	<a href="#">5 W3HUC</a>		79	<a href="#">Jan 77</a>
Matching techniques, broadband, for transistor rf amplifiers	<a href="#">25 WA7WHZ</a>		30	<a href="#">Jan 77</a>
Diode tester	<a href="#">13 W6DOB</a>		46	<a href="#">Jan 77</a>
Kenwood TS-520, TVI cure for (HN)	<a href="#">3 W3FUN</a>		78	<a href="#">Jan 77</a>

Q measurement	<a href="#">13 G3SBA</a>	49	<a href="#">Jan 77</a>
Transmitter, five-band, CW and ssb	<a href="#">29.2 WN3WTG</a>	34	<a href="#">Jan 77</a>
Up/down repeater-mode circuit for two-meter synthesizers, 600 kHz	<a href="#">9 WB4PHO</a>	40	<a href="#">Jan 77</a>
VSWR indicator, computing	<a href="#">1.6 WB9CYY</a>	58	<a href="#">Jan 77</a>
VSWR indicator, computing	<a href="#">13 WB9CYY</a>	58	<a href="#">Jan 77</a>
Heath SB-102, WWV on (HN)	<a href="#">3 K1KXA</a>	78	<a href="#">Jan 77</a>
Single-sideband fm, introduction to	<a href="#">9 W3EJD</a>	10	<a href="#">Jan 77</a>
Swr indicator, how to use (repair bench)	<a href="#">13 W6NBI</a>	66	<a href="#">Jan 77</a>
Matching techniques, broadband, for transistor rf amplifiers	<a href="#">29.1 WA7WHZ</a>	30	<a href="#">Jan 77</a>
Drake gear, simple tune-up (HN)	<a href="#">3 W7DIM</a>	79	<a href="#">Jan 77</a>
Matching techniques, broadband, for transistor rf amplifiers	<a href="#">15 WA7WHZ</a>	30	<a href="#">Jan 77</a>
Logic circuits, troubleshooting	<a href="#">30 W8GRG</a>	56	<a href="#">Feb 77</a>
ICOM-22A wiring change (HN)	<a href="#">3 K1KXA</a>	73	<a href="#">Feb 77</a>
Tone generator, IC	<a href="#">9 Ahrens</a>	70	<a href="#">Feb 77</a>
Diode detectors	<a href="#">22.1 Comments</a>	77	<a href="#">Feb 77</a>
Bandspreading techniques for resonant circuits	<a href="#">15 Anderson</a>	46	<a href="#">Feb 77</a>
Antenna wire, low-cost copper (HN)	<a href="#">1.1 W2EUQ</a>	73	<a href="#">Feb 77</a>
Rf amplifiers, isolating parallel currents in	<a href="#">22.1 G3IPV</a>	40	<a href="#">Feb 77</a>
Internal registers, 8080	<a href="#">14 Rony, Titus, WB4HYJ</a>	63	<a href="#">Feb 77</a>
Bandspreading techniques for resonant circuits	<a href="#">22.1 Anderson, Leonard H.</a>	46	<a href="#">Feb 77</a>
Temperature sensor, remote (HN)	<a href="#">15 WA1NJG</a>	72	<a href="#">Feb 77</a>
Electronic keyer with random-access memory	<a href="#">12 Improvements (letter)</a>	76	<a href="#">Feb 77</a>
Silver plating made easy	<a href="#">5 WA9HUV</a>	42	<a href="#">Feb 77</a>
RX noise bridge, improvements to	<a href="#">13 W6BXL, W6NKU</a>	10	<a href="#">Feb 77</a>
Callsign generator	<a href="#">28 WB2CPA</a>	34	<a href="#">Feb 77</a>
Frequency counter, CMOS	<a href="#">13 W2OKO</a>	22	<a href="#">Feb 77</a>
Collins 70E12 PTO repair (HN)	<a href="#">3 W6BIH</a>	72	<a href="#">Feb 77</a>
Capacitors, custom, how to make	<a href="#">5 WB0ESV</a>	36	<a href="#">Feb 77</a>
LC circuit calculations	<a href="#">15 W2OUX</a>	68	<a href="#">Feb 77</a>
Keyer paddle, portable	<a href="#">12 WA5KPG</a>	52	<a href="#">Feb 77</a>
WWV receiver	<a href="#">22.2 Hudor, Jr.</a>	28	<a href="#">Feb 77</a>
Safety circuit, pushbutton switch (HN)	<a href="#">15 K3AFF, WA1FHB</a>	73	<a href="#">Feb 77</a>
Collins 75S-series crystal adapter (HN)	<a href="#">3 K1KXA</a>	72	<a href="#">Feb 77</a>
Binaural CW reception, synthesizer for	<a href="#">2 Comment</a>	77	<a href="#">Feb 77</a>
Corner-fed loop, low frequency	<a href="#">1.2 installation modified</a>	41	<a href="#">Feb 77</a>
RX noise bridge, improvements to	<a href="#">1.4 W6BXL, W6NKU</a>	10	<a href="#">Feb 77</a>
Terminator, 50-ohm for vhf converters	<a href="#">22.3 WA6UAM</a>	26	<a href="#">Feb 77</a>
24-hour clock, digital	<a href="#">15 WB6AFT</a>	44	<a href="#">Mar 77</a>
IC-230 modification (HN)	<a href="#">9 W8PEY</a>	80	<a href="#">Mar 77</a>
Genave transceivers, S-meter for (HN)	<a href="#">3 K9OXX</a>	80	<a href="#">Mar 77</a>
Intermodulation distortion, reducing in high-frequency receivers	<a href="#">22.1 WB4ZNV</a>	26	<a href="#">Mar 77</a>
Function/units indicator using LED displays	<a href="#">13 K0FOP</a>	58	<a href="#">Mar 77</a>
ICs, drilling template for (HN)	<a href="#">3 WA4WDL, WB4LJM</a>	78	<a href="#">Mar 77</a>
Rf interference, suppression in telephones	<a href="#">15 K6LDZ</a>	79	<a href="#">Mar 77</a>
S-meter, audible, for repeaters	<a href="#">9 ZL2AMJ</a>	49	<a href="#">Mar 77</a>
Heath SB-102 modifications (HN)	<a href="#">3 W2CNQ</a>	78	<a href="#">Mar 77</a>
AFSK, digital	<a href="#">23 WA4VOS</a>	22	<a href="#">Mar 77</a>



Time-base oscillators, improved calibration	<a href="#">13 WA7LUJ, WA7KMR</a>	70	<a href="#">Mar 77</a>
144-MHz mobile antenna (HN)	<a href="#">9 W2EUQ</a>	80	<a href="#">Mar 77</a>
Voltage regulators, IC	<a href="#">20 W6GXX</a>	31	<a href="#">Mar 77</a>
Synthesized channel scanning	<a href="#">9 WA0UZO</a>	68	<a href="#">Mar 77</a>
Heath SB-102 modifications (HN)	<a href="#">3 W2CNQ</a>	79	<a href="#">Mar 77</a>
Oscillator troubleshooting (repair bench)	<a href="#">30 K4IPV</a>	54	<a href="#">Mar 77</a>
MOV and MVI 8080 instructions	<a href="#">14 Titus, WB4HYJ, Rony</a>	74	<a href="#">Mar 77</a>
Decoder, control function	<a href="#">9 WA9FTH</a>	66	<a href="#">Mar 77</a>
144-MHz mobile antenna (HN)	<a href="#">1.3 W2EUQ</a>	80	<a href="#">Mar 77</a>
I-f amplifier design	<a href="#">22.1 DJ2LR</a>	10	<a href="#">Mar 77</a>
Voltage regulators	<a href="#">11 W6GXX</a>	31	<a href="#">Mar 77</a>
Heathkit SB-series equipment, heterodyne crystal switching (HN)	<a href="#">3 K1KXA</a>	78	<a href="#">Mar 77</a>
Polaplexer design	<a href="#">31.1 K6MBL</a>	40	<a href="#">Mar 77</a>
Microwave rf generators, solid-state	<a href="#">15 W1HR</a>	10	<a href="#">Apr 77</a>
Receivers, better audio for	<a href="#">2 K7GCO</a>	74	<a href="#">Apr 77</a>
2304-MHz stripline bandpass filter	<a href="#">31.1 WA4WDL, WB4LJM</a>	50	<a href="#">Apr 77</a>
Telephone controller for remote repeater operation	<a href="#">9 Precautions (letter)</a>	79	<a href="#">Apr 77</a>
Audio, improved for receivers	<a href="#">22.1 K7GCO</a>	74	<a href="#">Apr 77</a>
Indicator circuit, LED	<a href="#">5 WB6AFT</a>	60	<a href="#">Apr 77</a>
Microwave rf generators, solid-state	<a href="#">31.1 W1HR</a>	10	<a href="#">Apr 77</a>
Frequency counter, 50 MHz, 6 digit	<a href="#">13 Comment</a>	79	<a href="#">Apr 77</a>
Antenna-transmission line analog, part 1	<a href="#">1.6 W6UYH</a>	52	<a href="#">Apr 77</a>
Medical data relay via Oscar	<a href="#">24 K7RGE</a>	67	<a href="#">Apr 77</a>
Inductors, graphical aid for winding	<a href="#">5 W7POG</a>	41	<a href="#">Apr 77</a>
Power meter, rf, how to use (repair bench)	<a href="#">13 W6NBI</a>	44	<a href="#">Apr 77</a>
Notch filter, tunable RC	<a href="#">2 Comment</a>	78	<a href="#">Apr 77</a>
Five-band transmitter, hf, solid-state	<a href="#">29.2 I5TDJ</a>	24	<a href="#">Apr 77</a>
Remote base, an alternative to repeaters	<a href="#">9 WA6LBV, WA6FVC</a>	32	<a href="#">Apr 77</a>
Vhf circuits, eliminating parallel currents (HN)	<a href="#">31.1 G3IPV</a>	91	<a href="#">May 77</a>
Frequency measurement, vhf, with hf receiver and scaler (HN)	<a href="#">13 W3LB</a>	90	<a href="#">May 77</a>
Remote switching multiband antennas	<a href="#">1.6 G3LTZ</a>	68	<a href="#">May 77</a>
Phased array, design your own	<a href="#">1.2 K1AON</a>	78	<a href="#">May 77</a>
I-f amplifier design	<a href="#">22.1 Short circuit</a>	94	<a href="#">May 77</a>
Mobile antennas, vhf, comparison of	<a href="#">9 W4MNV</a>	52	<a href="#">May 77</a>
Ham-M rotator automatic position control	<a href="#">1.5 WB6GNM</a>	42	<a href="#">May 77</a>
3.5-MHz phased horizontal array	<a href="#">1.2 K4JC</a>	56	<a href="#">May 77</a>
10 GHz, broadband antenna	<a href="#">31.2 WA4WDL, WB4LJM</a>	40	<a href="#">May 77</a>
Slotted line, how to use (repair bench)	<a href="#">13 W6NBI</a>	58	<a href="#">May 77</a>
VSWR indicator, computing	<a href="#">1.6 Short circuit</a>	94	<a href="#">May 77</a>
Phased vertical array, fine tuning	<a href="#">1.2 W4FXE</a>	46	<a href="#">May 77</a>
AFSK, digital	<a href="#">23 Short circuit</a>	94	<a href="#">May 77</a>
Up/down repeater-mode circuit for two-meter synthesizers, 600 kHz	<a href="#">9 Short circuit</a>	94	<a href="#">May 77</a>
Antenna-transmission line analog, part 2	<a href="#">1.6 W6UYH</a>	29	<a href="#">May 77</a>
Bobtail curtain array	<a href="#">1.2 W8YFB</a>	81	<a href="#">May 77</a>
VSWR indicator, computing	<a href="#">13 Short circuit</a>	94	<a href="#">May 77</a>
Ham-M rotator automatic position control	<a href="#">3 WB6GNM</a>	42	<a href="#">May 77</a>
Converting low-band mobile antenna to 144-MHz (HN)	<a href="#">1.3 K7ARR</a>	90	<a href="#">May 77</a>



Gin pole, simple lever for raising masts	<a href="#">1.1 WA2ANU</a>	72	<a href="#">May 77</a>
Vestigial sideband microtransmitter for amateur television	<a href="#">28 Short circuit</a>	94	<a href="#">May 77</a>
Frequency counter, CMOS	<a href="#">13 Short circuit</a>	94	<a href="#">May 77</a>
Balun, coaxial	<a href="#">1.6 WA0RDX</a>	26	<a href="#">May 77</a>
Longwire antenna. new design	<a href="#">1.2 K4EF</a>	10	<a href="#">May 77</a>
Voltage regulators, boosting bargain (HN)	<a href="#">20 WA7VVC</a>	90	<a href="#">May 77</a>
Converting low-band mobile antenna to 144 MHz (HN)	<a href="#">9 K7ARR</a>	90	<a href="#">May 77</a>
Mobile antennas, vhf, comparison of	<a href="#">1.3 W4MNV</a>	52	<a href="#">May 77</a>
Ground screen, alternative to radials	<a href="#">1.1 WB0JGP</a>	22	<a href="#">May 77</a>
Gate-dip meter	<a href="#">13 W3WLX</a>	42	<a href="#">Jun 77</a>
Collins KWM2 transceivers, improved reliability (HN)	<a href="#">3 W6SAI</a>	81	<a href="#">Jun 77</a>
Frequency synthesizer sidebands, filter reduces (HN)	<a href="#">15 K1PCT</a>	80	<a href="#">Jun 77</a>
Tape editor	<a href="#">23 W3EAG</a>	32	<a href="#">Jun 77</a>
1270-MHz video-modulated power amplifier	<a href="#">31.4 W9ZIH</a>	67	<a href="#">Jun 77</a>
Spectrum analyzer, dc-100 MHz	<a href="#">13 W6URH</a>	16	<a href="#">Jun 77</a>
Toroid permeability meter	<a href="#">13 W6RJO</a>	46	<a href="#">Jun 77</a>
Heath intrusion alarm (HN)	<a href="#">3 Rossman</a>	81	<a href="#">Jun 77</a>
7-MHz short vertical antenna	<a href="#">1.2 W8TYX</a>	60	<a href="#">Jun 77</a>
Signals, how many does a receiver see?	<a href="#">22.1 DJ2LR</a>	58	<a href="#">Jun 77</a>
432-MHz power amplifier using stripline techniques	<a href="#">31.4 W3HMU</a>	10	<a href="#">Jun 77</a>
Register pair instruction	<a href="#">14 Rony, Titus, WB4HYJ</a>	76	<a href="#">Jun 77</a>
Bandpass filters, top-coupled	<a href="#">15 Anderson</a>	34	<a href="#">Jun 77</a>
Frequency synthesizer sidebands, filter reduces (HN)	<a href="#">9 K1PCT</a>	80	<a href="#">Jun 77</a>
Spectrum analyzer for ssb	<a href="#">13 W3JW</a>	24	<a href="#">Jul 77</a>
Gain control IC for audio signal processing	<a href="#">2 Jung</a>	47	<a href="#">Jul 77</a>
Test probe accessory (HN)	<a href="#">13 W2IMB</a>	89	<a href="#">Jul 77</a>
CW transceiver for 40 and 80 meters, improved	<a href="#">29.2 W3NNL</a>	18	<a href="#">Jul 77</a>
Heath HW-16, low-impedance headphones for (HN)	<a href="#">3 WN8WJR</a>	88	<a href="#">Jul 77</a>
Sync generator for black-and-white 525-line TV	<a href="#">28 K4EEU</a>	79	<a href="#">Jul 77</a>
1296-MHz rat-race balanced mixer	<a href="#">31.3 WA6UAM</a>	33	<a href="#">Jul 77</a>
1296-MHz transverter	<a href="#">31.4 K6ZMW</a>	10	<a href="#">Jul 77</a>
Logical instructions	<a href="#">14 Titus, WB4HYJ, Rony</a>	83	<a href="#">Jul 77</a>
Collins R392, improved ssb reception with (HN)	<a href="#">3 VE3LF</a>	88	<a href="#">Jul 77</a>
Antenna instrumentation, simple, (repair bench)	<a href="#">1.4 K4IPV</a>	71	<a href="#">Jul 77</a>
144-MHz converter, high dynamic range	<a href="#">31.3 DJ2LR</a>	55	<a href="#">Jul 77</a>
1296-MHz transverter	<a href="#">29.3 K6ZMW</a>	10	<a href="#">Jul 77</a>
Caption device for SSTV	<a href="#">28 G3LTZ</a>	61	<a href="#">Jul 77</a>
Gain control IC for audio signal processing	<a href="#">11 Jung</a>	47	<a href="#">Jul 77</a>
Coils, self-supporting	<a href="#">5 Anderson</a>	42	<a href="#">Jul 77</a>
Continuity bleeper for circuit tracing	<a href="#">13 G3SBA</a>	67	<a href="#">Jul 77</a>
Spectrum analyzer, microwave	<a href="#">31.1 WA6UAM</a>	54	<a href="#">Aug 77</a>
Speech processor, audio-frequency	<a href="#">2 K3PDW</a>	48	<a href="#">Aug 77</a>
Yagi antennas, how to design	<a href="#">1.3 W1JR</a>	22	<a href="#">Aug 77</a>
Frequency-marker standard using cmos	<a href="#">22.1 W4IYB</a>	44	<a href="#">Aug 77</a>
Serial converter for 8-level teleprinters	<a href="#">23 VE3CTP</a>	67	<a href="#">Aug 77</a>
Future of the amateur satellite service	<a href="#">24 K2UBC</a>	32	<a href="#">Aug 77</a>
Admittance, impedance and circuit analysis	<a href="#">15 Anderson</a>	76	<a href="#">Aug 77</a>

Touch-tone encoder	<a href="#">9 W3HB</a>	41	<a href="#">Aug 77</a>
144-MHz synthesizer, direct output	<a href="#">9 WB2CPA</a>	10	<a href="#">Aug 77</a>
Frequency-marker standard using cmos	<a href="#">13 W4IYB</a>	44	<a href="#">Aug 77</a>
Two-meter synthesizer, direct output	<a href="#">9 WB2CPA</a>	10	<a href="#">Aug 77</a>
Interlaced sync generator for ATV camera control	<a href="#">28 WA8RMC</a>	10	<a href="#">Sep 77</a>
Water-cooled 2C39 (HN)	<a href="#">31.4 WA9RPB</a>	94	<a href="#">Sep 77</a>
Power supply troubleshooting (repair bench)	<a href="#">20 K4IPV</a>	78	<a href="#">Sep 77</a>
Pi network design and analysis	<a href="#">15 W2HB</a>	30	<a href="#">Sep 77</a>
RX noise bridge, improvements to	<a href="#">1.4 Comments</a>	100	<a href="#">Sep 77</a>
AFSK generator and demodulator	<a href="#">23 WB9ATW</a>	26	<a href="#">Sep 77</a>
Private call system for vhf fm	<a href="#">9 WA6TTY</a>	62	<a href="#">Sep 77</a>
Power supply, troubleshooting	<a href="#">30 K4IPV</a>	78	<a href="#">Sep 77</a>
Collins R-388(51J), inter-band calibration stability (HN)	<a href="#">3 W5OZF</a>	95	<a href="#">Sep 77</a>
Hydroelectric station, amateur	<a href="#">15 K6WX</a>	50	<a href="#">Sep 77</a>
Tone-burst generator for repeater accessing	<a href="#">9 WA5KPG</a>	68	<a href="#">Sep 77</a>
Regulated power supplies, how to design	<a href="#">20 K5VKQ</a>	58	<a href="#">Sep 77</a>
Repeater shack temperature, remote checking	<a href="#">9 ZL2AMJ</a>	84	<a href="#">Sep 77</a>
Resistance values below 1 ohm, measuring	<a href="#">13 W4OHT</a>	66	<a href="#">Sep 77</a>
RX noise bridge, improvements to	<a href="#">13 Comments</a>	100	<a href="#">Sep 77</a>
Frequency counter as a synthesizer	<a href="#">15 DJ2LR</a>	44	<a href="#">Sep 77</a>
Signals, how many does a receiver see?	<a href="#">22.1 Comments</a>	101	<a href="#">Sep 77</a>
Microwave solid-state amplifier design	<a href="#">31.1 Comment, VK3TK, WA6UAM</a>	98	<a href="#">Sep 77</a>
Regulated power supplies, designing	<a href="#">18 K5VKO</a>	58	<a href="#">Sep 77</a>
Resistance values, measuring below 1 ohm	<a href="#">13 W4OHT</a>	66	<a href="#">Sep 77</a>
Tracking the OSCAR satellites	<a href="#">24 Harmon, WA6UAP</a>	18	<a href="#">Sep 77</a>
Double-balanced mixers, circuit packaging for	<a href="#">31.3 WA6UAM</a>	41	<a href="#">Sep 77</a>
8080 logical instructions	<a href="#">14 WB4HYJ, Rony, Titus</a>	89	<a href="#">Sep 77</a>
All-mode-protected power supply	<a href="#">20 K2PMA</a>	74	<a href="#">Oct 77</a>
10 GHz hybrid-tee mixer	<a href="#">31.3 G3NRT</a>	34	<a href="#">Oct 77</a>
Frequency counter, how to improve the accuracy of	<a href="#">13 W1RF</a>	26	<a href="#">Oct 77</a>
20-meter receiver with digital readout, part 1	<a href="#">22.2 K6SDX</a>	48	<a href="#">Oct 77</a>
Collins S-line, syllabic vox system for	<a href="#">3 W0IP</a>	29	<a href="#">Oct 77</a>
144-MHz stripline kilowatt	<a href="#">31.4 W2GN</a>	10	<a href="#">Oct 77</a>
Data converters	<a href="#">14 WA1MOP</a>	79	<a href="#">Oct 77</a>
RAM RTTY message generator, increasing capacity of (HN)	<a href="#">23 F2ES</a>	86	<a href="#">Oct 77</a>
Heath SB-102 headphone operation (HN)	<a href="#">3 K1KXA</a>	87	<a href="#">Oct 77</a>
Calculator-aided circuit analysis	<a href="#">15 Anderson</a>	38	<a href="#">Oct 77</a>
National NCX-500 modification for 15 meters (HN)	<a href="#">29.1 WA1KYO</a>	87	<a href="#">Oct 77</a>
Repeater kerchunk eliminator	<a href="#">9 WB6GTM</a>	70	<a href="#">Oct 77</a>
Calculating preamplifier gain from noise figure measurements	<a href="#">31.3 N6TX</a>	30	<a href="#">Nov 77</a>
Noise blanker design	<a href="#">22.1 K7CVT</a>	26	<a href="#">Nov 77</a>
Keyer modification (HN)	<a href="#">12 Comments</a>	94	<a href="#">Nov 77</a>
20-meter receiver with digital readout, part 2	<a href="#">22.2 K6SDX</a>	56	<a href="#">Nov 77</a>
Synthesizer design (letters)	<a href="#">15 WB2CPA</a>	94	<a href="#">Nov 77</a>
Heath SB-200 CW modification	<a href="#">3 K6YB</a>	99	<a href="#">Nov 77</a>
Noise effects in receiving systems	<a href="#">22.1 DJ2LR</a>	34	<a href="#">Nov 77</a>
Radio Shack meters, internal resistance	<a href="#">13 Katzenberger</a>	94	<a href="#">Nov 77</a>

Direct-conversion receivers	<a href="#">22.2 PA0SE</a>	44	<a href="#">Nov 77</a>
Crystal oscillator, simple (HN)	<a href="#">18 W2OUX</a>	98	<a href="#">Nov 77</a>
Silver plating (letters)	<a href="#">5 WA0AGD</a>	94	<a href="#">Nov 77</a>
Receiver spurious response	<a href="#">22.1 Anderson</a>	82	<a href="#">Nov 77</a>
Contact bounce eliminators (letters)	<a href="#">15 W7IV</a>	94	<a href="#">Nov 77</a>
Tower guying (HN)	<a href="#">1.5 K9MM</a>	98	<a href="#">Nov 77</a>
General coverage communications receiver	<a href="#">22.2 W6URH</a>	10	<a href="#">Nov 77</a>
Double-balanced mixer, active, high-dynamic range	<a href="#">22.1 DJ2LR</a>	90	<a href="#">Nov 77</a>
Multimode transceivers, fm-ing on uhf (HN)	<a href="#">9 W6SAI</a>	98	<a href="#">Nov 77</a>
Selectivity and gain control, improved	<a href="#">22.1 VE3GFN</a>	71	<a href="#">Nov 77</a>
Harmonic generator, crystal-controlled	<a href="#">15 W1KNI</a>	66	<a href="#">Nov 77</a>
Collins 32S-series ALC meter improvement (HN)	<a href="#">3 W8FR</a>	100	<a href="#">Nov 77</a>
Simple formula for microstrip impedance (HN)	<a href="#">15 W1HR</a>	72	<a href="#">Dec 77</a>
TTL sub-series ICs, how to select	<a href="#">11 WA1SNG</a>	26	<a href="#">Dec 77</a>
Rf wattmeter, accurate low power	<a href="#">13 WA4ZRP</a>	38	<a href="#">Dec 77</a>
Atlas 180, improved vfo stability (HN)	<a href="#">3 K6KLO</a>	73	<a href="#">Dec 77</a>
Two-meter synthesizer, direct output	<a href="#">9 Short circuit</a>	68	<a href="#">Dec 77</a>
Time/date printout	<a href="#">23 Short circuit</a>	68	<a href="#">Dec 77</a>
Crystal-controlled phase-locked converter	<a href="#">22.2 W3VF</a>	58	<a href="#">Dec 77</a>
Active bandpass filters	<a href="#">15 WB6GRZ</a>	49	<a href="#">Dec 77</a>
Pi network design and analysis	<a href="#">15 Short circuit</a>	68	<a href="#">Dec 77</a>
Bandspreading techniques for resonant circuits	<a href="#">15 Short circuit</a>	69	<a href="#">Dec 77</a>
Microstrip impedance, simple formula for	<a href="#">31.1 W1HR</a>	72	<a href="#">Dec 77</a>
Bandspreading techniques for resonant circuits	<a href="#">22.1 Short circuit</a>	69	<a href="#">Dec 77</a>
Spectrum analyzer, dc-100 MHz	<a href="#">13 Short circuit</a>	69	<a href="#">Dec 77</a>
Filter converter, an up/down	<a href="#">29.1 W5DA</a>	20	<a href="#">Dec 77</a>
Drift-correction circuit for free running oscillators	<a href="#">18 PA0KSB</a>	45	<a href="#">Dec 77</a>
Speech processor, audio-frequency	<a href="#">2 Short circuit</a>	68	<a href="#">Dec 77</a>
Intermodulation distortion, reducing in high-frequency receivers	<a href="#">22.1 Short circuit</a>	69	<a href="#">Dec 77</a>
Regulated power supply, 500-watt	<a href="#">20 WA6PEC</a>	30	<a href="#">Dec 77</a>
Serial converter for 8-level teleprinters	<a href="#">23 Short circuit</a>	68	<a href="#">Dec 77</a>
Detector, single-signal phasing type	<a href="#">22.1 Short circuit</a>	68	<a href="#">Dec 77</a>
Voice-operated gate for carbon microphones	<a href="#">2 W6GXN</a>	35	<a href="#">Dec 77</a>
Receivers - some problems and cures	<a href="#">22.1 WB0JGP, K8RAH</a>	10	<a href="#">Dec 77</a>

## Results for Year - 1978

Article	CatID	Author	Page	Issue
IC power supply, adjustable (HN)	<a href="#">20 W3HB</a>		95	<a href="#">Jan 78</a>
CMOS programmable divide-by-N counter (HN)	<a href="#">11 W7BZ</a>		94	<a href="#">Jan 78</a>
Ssb phasing techniques, review	<a href="#">26 VK2ZTB</a>		52	<a href="#">Jan 78</a>
RTTY test generator	<a href="#">13 WB9ATW</a>		64	<a href="#">Jan 78</a>
National NCL-2000, using the Drake T-4XC (HN)	<a href="#">3 K5ER</a>		94	<a href="#">Jan 78</a>
Microwave bibliography	<a href="#">31.1 W6HDO</a>		68	<a href="#">Jan 78</a>
Collins receivers (letter)	<a href="#">22.2 G3UFZ</a>		90	<a href="#">Jan 78</a>
Op amp challenges the 741	<a href="#">11 WA5SNZ</a>		76	<a href="#">Jan 78</a>
Low-band antenna problem, solution to	<a href="#">1.2 W8YFB</a>		46	<a href="#">Jan 78</a>
Broadcast quality television camera	<a href="#">28 WA8RMC</a>		10	<a href="#">Jan 78</a>

CW keyboard, Microprocessor controlled	<a href="#">14 WB2DFA</a>	81	<a href="#">Jan 78</a>
144-MHz synthesizer, direct output (letter)	<a href="#">9 WB6JPI</a>	90	<a href="#">Jan 78</a>
Microwave path evaluation	<a href="#">31.1 N7DH</a>	40	<a href="#">Jan 78</a>
Test generator, RTTY	<a href="#">23 WB9ATW</a>	64	<a href="#">Jan 78</a>
Socket label for ICs (HN)	<a href="#">11 WA4WDL, WB4LJM</a>	94	<a href="#">Jan 78</a>
Mobile color code (letter)	<a href="#">1.2 WB6JFD</a>	90	<a href="#">Jan 78</a>
GaAs field-effect transistors, introduction	<a href="#">31.1 WA2ZZF</a>	74	<a href="#">Jan 78</a>
IC crystal controlled oscillators (letter)	<a href="#">18 W7EKC</a>	91	<a href="#">Jan 78</a>
Repeater channel spacing (letter)	<a href="#">9 WB6JPI</a>	90	<a href="#">Jan 78</a>
GaAs field-effect transistors, introduction	<a href="#">25 WA2ZZF</a>	74	<a href="#">Jan 78</a>
Resistance values below 1 ohm, measuring (letter)	<a href="#">13 W1PT</a>	91	<a href="#">Jan 78</a>
300-Hz crystal filter for Collins receivers (letter)	<a href="#">3 G3UFZ</a>	90	<a href="#">Jan 78</a>
Microstrip transmission line	<a href="#">31.1 W1HR</a>	28	<a href="#">Jan 78</a>
Transmit/receive switch, solid-state vhf-uhf	<a href="#">1.6 W4NHH</a>	54	<a href="#">Feb 78</a>
High-voltage fuses in linear amplifiers (HN)	<a href="#">29.1 K9MM</a>	76	<a href="#">Feb 78</a>
Frequency counter, modify for direct counting to 100 MHz	<a href="#">13 WA1SNG</a>	26	<a href="#">Feb 78</a>
Digital scanner for 2-meter synthesizers	<a href="#">9 K4GOK</a>	56	<a href="#">Feb 78</a>
Crystal ovens, precision temperature control	<a href="#">18 K4VA</a>	34	<a href="#">Feb 78</a>
Capacitance meter	<a href="#">13 Mathieson, P. H.</a>	51	<a href="#">Feb 78</a>
Active filters	<a href="#">2 K6JM</a>	70	<a href="#">Feb 78</a>
Frequency counter, simplifying	<a href="#">13 W1WP</a>	22	<a href="#">Feb 78</a>
Private call system for vhf fm (HN)	<a href="#">9 W9ZTK</a>	77	<a href="#">Feb 78</a>
TTL oscillator (HN)	<a href="#">18 WB6VZW</a>	77	<a href="#">Feb 78</a>
Frequency counter, front-ends for a 500-MHz	<a href="#">13 K4JIU</a>	30	<a href="#">Feb 78</a>
Collins 51J, modifying for ssb reception	<a href="#">3 W6SAI</a>	66	<a href="#">Feb 78</a>
Frequency counters, understanding and using	<a href="#">13 W6NBI</a>	10	<a href="#">Feb 78</a>
Active filters	<a href="#">11 K6JM</a>	70	<a href="#">Feb 78</a>
Satellite tracking - pointing and range with a pocket calculator	<a href="#">24 Ball, John A.</a>	40	<a href="#">Feb 78</a>
Frequency counter, high-impedance preamp and pulse shaper for	<a href="#">13 I4YAF</a>	47	<a href="#">Feb 78</a>
Wire-wound potentiometer repair (HN)	<a href="#">5 W4ATE</a>	77	<a href="#">Feb 78</a>
Grid-dip meter, no-cost	<a href="#">13 W8YFB</a>	87	<a href="#">Feb 78</a>
TTL oscillator (HN)	<a href="#">11 WB6VZM</a>	77	<a href="#">Feb 78</a>
Pi network design	<a href="#">15 Anderson, Leonard H.</a>	36	<a href="#">Mar 78</a>
Pi network design	<a href="#">29.1 Anderson, Leonard H.</a>	36	<a href="#">Mar 78</a>
Smith chart, numerical	<a href="#">1.1 W8MQW</a>	104	<a href="#">Mar 78</a>
Regulated power supplies, designing (letter)	<a href="#">20 W9HFR</a>	110	<a href="#">Mar 78</a>
Transceiver, high-frequency with digital readout	<a href="#">29.2 DJ2LR</a>	12	<a href="#">Mar 78</a>
Heath SB-102 modifications (letter)	<a href="#">3 W1JE</a>	110	<a href="#">Mar 78</a>
Mospower fet (letter)	<a href="#">25 W3QQM</a>	110	<a href="#">Mar 78</a>
Weak-signal communications	<a href="#">31.1 W4LTU</a>	26	<a href="#">Mar 78</a>
IC op amp update	<a href="#">11 Jung, Waiter</a>	62	<a href="#">Mar 78</a>
Transceiver, high-frequency with digital readout	<a href="#">26 DJ2LR</a>	12	<a href="#">Mar 78</a>
Constant-current battery charger for portable operation	<a href="#">20 K5PA</a>	34	<a href="#">Apr 78</a>
Electronic keyer	<a href="#">12 OK3IA</a>	10	<a href="#">Apr 78</a>
Interfacing a 10-bit DAC (Microprocessors)	<a href="#">14 Rony, Titus, WB4HYJ</a>	66	<a href="#">Apr 78</a>
Speech systems, improving	<a href="#">2 K2PMA</a>	72	<a href="#">Apr 78</a>
Amsat-Oscar D	<a href="#">24 W3PK, G3ZCZ</a>	16	<a href="#">Apr 78</a>

Paddle for electronic keyers	<a href="#">12 ZS6AL</a>	28	<a href="#">Apr 78</a>
Matching networks, how to design	<a href="#">15 Anderson, Leonard H.</a>	44	<a href="#">Apr 78</a>
Printed-circuits, simple method for (HN)	<a href="#">5 W4MTD</a>	51	<a href="#">Apr 78</a>
Linear amplifiers, modifying for full break-in operation	<a href="#">29.2 K4XU</a>	38	<a href="#">Apr 78</a>
Spectrum analyzer tracking generator	<a href="#">13 W6URH</a>	30	<a href="#">Apr 78</a>
Overtone crystal oscillators without inductors	<a href="#">18 WA5SNZ</a>	50	<a href="#">Apr 78</a>
Repeater Interference: some corrective actions	<a href="#">9 W4MB</a>	54	<a href="#">Apr 78</a>
432-MHz GaAs preamp	<a href="#">31.3 JH1BRY</a>	22	<a href="#">Apr 78</a>
Testing power tubes	<a href="#">13 K4IPV</a>	60	<a href="#">Apr 78</a>
Zip-cord feedlines (HN)	<a href="#">1.6 W7RXV</a>	32	<a href="#">Apr 78</a>
Noise bridge calculations with TI 58/59 calculators	<a href="#">13 WD4GA1</a>	45	<a href="#">May 78</a>
Noise bridge calculations with TI 58/59 calculators	<a href="#">1.4 WD4GRI</a>	45	<a href="#">May 78</a>
Multiband vertical antenna system	<a href="#">1.2 W0NCU</a>	28	<a href="#">May 78</a>
Antenna bearings for geostationary satellites, calculating	<a href="#">25 N6TX</a>	67	<a href="#">May 78</a>
Antenna bridge calculations	<a href="#">13 Anderson, Leonard H.</a>	34	<a href="#">May 78</a>
1296-MHz antenna, high-gain	<a href="#">1.3 W3AED</a>	74	<a href="#">May 78</a>
Rf current readout, remote (HN)	<a href="#">13 W4ATE</a>	87	<a href="#">May 78</a>
Omega-matching networks, design of	<a href="#">1.4 W7ITB</a>	54	<a href="#">May 78</a>
Quad antenna, repairs (HN)	<a href="#">1.2 K9MM</a>	87	<a href="#">May 78</a>
1296-MHZ antenna, high-gain	<a href="#">31.2 W3AED</a>	74	<a href="#">May 78</a>
Antenna bridge calculations (letter)	<a href="#">13 W5QJR</a>	6	<a href="#">May 78</a>
Oscar az-el antenna system	<a href="#">1.3 WA1NXP</a>	70	<a href="#">May 78</a>
Gain calculations, simplified	<a href="#">1.1 W1DTV</a>	78	<a href="#">May 78</a>
Cleaning teleprinters (HN)	<a href="#">23 W8CD</a>	86	<a href="#">May 78</a>
Heath HD-1982 Micoder for low-impedance operation	<a href="#">3 Johnson, Wesley</a>	86	<a href="#">May 78</a>
Selective receiving antennas	<a href="#">1.2 W5TRS</a>	20	<a href="#">May 78</a>
Oscar az-el antenna system	<a href="#">31.2 WA1NXP</a>	70	<a href="#">May 78</a>
Multiplexed counter displays (HN)	<a href="#">13 K1XX</a>	87	<a href="#">May 78</a>
Antenna bridge calculations	<a href="#">1.4 Anderson, Leonard H.</a>	34	<a href="#">May 78</a>
3.5-MHz tree-mounted ground-plane	<a href="#">1.2 K2INA</a>	48	<a href="#">May 78</a>
Oscar az-el antenna system	<a href="#">24 WA1NXP</a>	70	<a href="#">May 78</a>
Hy-Gain 400 rotator, improved indicator system for	<a href="#">3 W4PSJ</a>	60	<a href="#">May 78</a>
Windom antennas	<a href="#">1.2 K4KJ</a>	10	<a href="#">May 78</a>
Micro Mart RM terminal modification (HN)	<a href="#">3 WA5VQK</a>	99	<a href="#">Jun 78</a>
Receiving preamplifier for OSCAR 8 Mode J	<a href="#">24 K1RX and Puglia</a>	20	<a href="#">Jun 78</a>
Gyrator: a synthetic inductor	<a href="#">15 WB9ATW</a>	96	<a href="#">Jun 78</a>
RC active filters (letter)	<a href="#">2 W6NRM</a>	102	<a href="#">Jun 78</a>
Rf leakage from your transmitter, preventing	<a href="#">29.1 K9MM</a>	44	<a href="#">Jun 78</a>
Instantaneous-shutdown high-current regulated supply	<a href="#">20 W6GB</a>	81	<a href="#">Jun 78</a>
Command function debugging circuit	<a href="#">9 WA7HFY</a>	84	<a href="#">Jun 78</a>
Protecting solid-state devices from voltage transients	<a href="#">25 WB5DEP</a>	74	<a href="#">Jun 78</a>
RC active filters using op amps	<a href="#">15 Comments, W6NRM</a>	102	<a href="#">Jun 78</a>
Cleanup tips for amateur equipment (HN)	<a href="#">3 Fisher</a>	49	<a href="#">Jun 78</a>
Selcom	<a href="#">23 K9HVW, WB4KUR, K4EID</a>	10	<a href="#">Jun 78</a>
Vhf prescaler	<a href="#">13 W8CHK</a>	92	<a href="#">Jun 78</a>
Vertical antenna, portable	<a href="#">1.2 WA8NWL</a>	48	<a href="#">Jun 78</a>
Switching Inductive loads with solid-state devices (HN)	<a href="#">25 WA6ROC</a>	99	<a href="#">Jun 78</a>



Rf chokes, performance above and below resonance	<a href="#">15 WA5SNZ</a>	40	<a href="#">Jun 78</a>
Feedline loss, calculating with a single measurement at the transmitter (HN)	<a href="#">3 K9MM</a>	96	<a href="#">Jun 78</a>
Programming for automated satellite communication	<a href="#">24 KP4MD</a>	68	<a href="#">Jun 78</a>
Voltmeter calibrator, precision	<a href="#">13 Woods, Hubert</a>	94	<a href="#">Jun 78</a>
Antenna guys and structural solutions	<a href="#">1.5 W6RTK</a>	33	<a href="#">Jun 78</a>
Pi-network rf choke (HN)	<a href="#">29.1 W6KNE</a>	98	<a href="#">Jun 78</a>
Vfo design using characteristic curves	<a href="#">18 I2BVZ</a>	36	<a href="#">Jun 78</a>
Spectrum analyzer microwave	<a href="#">31.1 N6TX</a>	34	<a href="#">Jul 78</a>
Voltage calibrator for digital voltmeters	<a href="#">13 W6NBI</a>	66	<a href="#">Jul 78</a>
Heath HW-2036, outboard LED frequency display	<a href="#">3 WB8TJL</a>	50	<a href="#">Jul 78</a>
Radio sounding system	<a href="#">15 KL7GLK</a>	42	<a href="#">Jul 78</a>
Subaudible tone encoders and decoders	<a href="#">9 W8GRG</a>	26	<a href="#">Jul 78</a>
Vhf receiver, general-purpose	<a href="#">31.3 K1ZJH</a>	16	<a href="#">Jul 78</a>
Electrolytic capacitors, re-forming the oxide layer (HN)	<a href="#">15 K9MM</a>	99	<a href="#">Jul 78</a>
HP-35 calculator, keyboard cleaning (HN)	<a href="#">3 Anderson, Leonard H.</a>	40	<a href="#">Jul 78</a>
Colpitts oscillator design technique	<a href="#">18 WB6BPI</a>	78	<a href="#">Jul 78</a>
Touch-tone decoder, IC	<a href="#">9 W3OG</a>	26	<a href="#">Jul 78</a>
Multiband J antenna	<a href="#">1.3 WB6JPI</a>	74	<a href="#">Jul 78</a>
Interference problems, how to solve	<a href="#">15 ON4UN</a>	93	<a href="#">Jul 78</a>
Microcircuits, visual aids for working on	<a href="#">5 K9SRL</a>	90	<a href="#">Jul 78</a>
Variable-voltage power supply, 1.2 amps	<a href="#">20 WB6AFT</a>	36	<a href="#">Jul 78</a>
Spectrum analyzer, microwave	<a href="#">13 N6TX</a>	34	<a href="#">Jul 78</a>
Heath HW-2036, Lever action switch illumination (HN)	<a href="#">3 W2IFR</a>	99	<a href="#">Jul 78</a>
Phase-locked loops	<a href="#">15 WB6FOC</a>	54	<a href="#">Jul 78</a>
Frequency synthesizers, 600 kHz offset for (HN)	<a href="#">9 K6KLO</a>	96	<a href="#">Jul 78</a>
Frequency-lock loop	<a href="#">15 WA3ZKZ</a>	17	<a href="#">Aug 78</a>
Programmable accessory for electronic keys (HN)	<a href="#">12 K9WGN/W0USL</a>	81	<a href="#">Aug 78</a>
Bandspreading techniques for resonant circuits (letter)	<a href="#">22.1 W0EJO</a>	6	<a href="#">Aug 78</a>
Noise figure measurements	<a href="#">13 W6NBI</a>	40	<a href="#">Aug 78</a>
Simple scope monitor for vhf fm	<a href="#">9 W1RHN</a>	66	<a href="#">Aug 78</a>
10-GHz transceiver for amateur microwave communications	<a href="#">29.3 DJ7OO</a>	10	<a href="#">Aug 78</a>
Hf synthesizer, higher resolution for	<a href="#">15 N4ES</a>	34	<a href="#">Aug 78</a>
Automatic noise-figure measurements (Repair Bench)	<a href="#">13 W6NBI</a>	40	<a href="#">Aug 78</a>
Electronic teleprinter keyboard	<a href="#">23 W0PHY</a>	56	<a href="#">Aug 78</a>
Antenna bridge calculations (letter)	<a href="#">1.4 W5QJR</a>	6	<a href="#">Aug 78</a>
Tester for 6146 tubes (HN)	<a href="#">13 W6KNE</a>	81	<a href="#">Aug 78</a>
Single-tone decoder	<a href="#">9 WA2UMY</a>	70	<a href="#">Aug 78</a>
TVI locator	<a href="#">15 W6BD</a>	23	<a href="#">Aug 78</a>
Frequency counter, simple (HN)	<a href="#">13 W2QBR</a>	81	<a href="#">Aug 78</a>
Rejuvenating transmitting tubes with thoriated-tungsten filaments (HN)	<a href="#">5 W6NIF</a>	80	<a href="#">Aug 78</a>
Ssb phasing techniques, review (letter)	<a href="#">26 WB9YEM</a>	82	<a href="#">Aug 78</a>
TVI locator	<a href="#">13 W6BD</a>	24	<a href="#">Aug 78</a>
Henry 2K4 and 3KA linears, electronic bias switching	<a href="#">3 W1CBY</a>	75	<a href="#">Aug 78</a>
1296-MHz microstrip filter, improved grounding for	<a href="#">31.1 N6TX</a>	60	<a href="#">Aug 78</a>
7-MHz antenna array	<a href="#">1.2 K7CW</a>	30	<a href="#">Aug 78</a>
IC arrays	<a href="#">11 K6JM</a>	42	<a href="#">Sep 78</a>
T-Network impedance matching to coaxial feedlines	<a href="#">1.4 W6EBY</a>	22	<a href="#">Sep 78</a>



Prescaler, 1-GHz, for frequency counters	<a href="#">13 W6NBI</a>	84	<a href="#">Sep 78</a>
Heath Micoder matching (letter)	<a href="#">3 WB8VUN</a>	8	<a href="#">Sep 78</a>
Stressed quad (HN)	<a href="#">1.2 W5TIU</a>	40	<a href="#">Sep 78</a>
Modulator-demodulator for vhf operation	<a href="#">23 W6LLO</a>	34	<a href="#">Sep 78</a>
Constant pitch monitor for cathode or grid-block keyed transmitters (HN)	<a href="#">12 K4GMR</a>	100	<a href="#">Sep 78</a>
75-ohm CATV cable in amateur installations	<a href="#">1.6 W7VK</a>	28	<a href="#">Sep 78</a>
Digital keyboard entry system	<a href="#">14 N2YK/N2GW</a>	92	<a href="#">Sep 78</a>
Fm demodulator using the phase-locked-loop	<a href="#">9 KL7IPS</a>	74	<a href="#">Sep 78</a>
Broadband balun, simple and efficient	<a href="#">1.4 W1JR</a>	12	<a href="#">Sep 78</a>
Meter amplifiers, calibrating	<a href="#">13 W4OHT</a>	80	<a href="#">Sep 78</a>
75-ohm CATV hardline matching to 50-ohm systems	<a href="#">1.6 K1XX</a>	31	<a href="#">Sep 78</a>
14-MHz delta-loop array	<a href="#">1.2 N2GW</a>	16	<a href="#">Sep 78</a>
Direct-conversion receivers (HN)	<a href="#">22.1 YU2HL</a>	100	<a href="#">Sep 78</a>
Repeater jammers, tracking down	<a href="#">9 W4MB</a>	56	<a href="#">Sep 78</a>
Noise bridge construction (letter)	<a href="#">1.4 OH2ZAZ</a>	8	<a href="#">Sep 78</a>
Noise bridge construction (letter)	<a href="#">13 OH2ZAZ</a>	8	<a href="#">Sep 78</a>
Matching 75-ohm CATV hardline to 50-ohm system	<a href="#">1.6 K1XX</a>	31	<a href="#">Sep 78</a>
Quad antenna, modified	<a href="#">1.2 ZF1MA</a>	68	<a href="#">Sep 78</a>
Rf-agc amplifier, high-performance	<a href="#">22.1 WA1FRJ</a>	64	<a href="#">Sep 78</a>
Kenwood TR7500, preprogrammed (HN)	<a href="#">3 W9KNI</a>	95	<a href="#">Oct 78</a>
1296-MHz local-oscillator chain	<a href="#">31.3 WA2ZZF</a>	42	<a href="#">Oct 78</a>
Dual demodulator terminal unit	<a href="#">23 KB9AT</a>	74	<a href="#">Oct 78</a>
Phased antenna (letter)	<a href="#">1.2 Thacker, Jerry</a>	6	<a href="#">Oct 78</a>
Collins 75S receiver, (HN)	<a href="#">3 N1FB</a>	94	<a href="#">Oct 78</a>
Frequency synthesized local-oscillator system	<a href="#">22.2 W7GHM</a>	60	<a href="#">Oct 78</a>
Swan 160X birdie suppression (HN)	<a href="#">3 W6SAI</a>	36	<a href="#">Oct 78</a>
30-MHz preamplifier, low-noise	<a href="#">31.3 W1HR</a>	38	<a href="#">Oct 78</a>
Receivers - some problems and cures	<a href="#">22.1 Ham notebook</a>	94	<a href="#">Oct 78</a>
Drake R-4C, new product detector for (HN)	<a href="#">3 WB0JGP</a>	94	<a href="#">Oct 78</a>
30-MHz preamplifier, low-noise	<a href="#">29.3 W1HR</a>	38	<a href="#">Oct 78</a>
Low-noise 30-MHz preamplifier	<a href="#">22.2 W1HR</a>	38	<a href="#">Oct 78</a>
432-MHz preamplifier, low-noise	<a href="#">31.3 WB5LUA</a>	26	<a href="#">Oct 78</a>
Zip-cord feedlines (letter)	<a href="#">1.6 WB6BHI</a>	6	<a href="#">Oct 78</a>
Superhet tracking calculations	<a href="#">22.1 WA5SNZ</a>	30	<a href="#">Oct 78</a>
CW signal processor	<a href="#">12 W7KGZ</a>	34	<a href="#">Oct 78</a>
Reciprocating detector	<a href="#">22.2 W1SNN</a>	68	<a href="#">Oct 78</a>
Noise sideband performance in oscillators, evaluating	<a href="#">18 DJ2LR</a>	51	<a href="#">Oct 78</a>
Frequency counters, high-sensitivity preamplifier for	<a href="#">13 W1CFI</a>	80	<a href="#">Oct 78</a>
Preamplifier for handi-talkies	<a href="#">9 WB2IFV</a>	89	<a href="#">Oct 78</a>
Microwave mixer, new	<a href="#">31.3 WA0RDX</a>	84	<a href="#">Oct 78</a>
Collins 51J product detector (letter)	<a href="#">3 K5CE</a>	6	<a href="#">Oct 78</a>
Pi networks (letter)	<a href="#">29.1 W6NIF</a>	6	<a href="#">Oct 78</a>
Digitally programmable high-frequency communications receiver	<a href="#">22.2 WA9HUV</a>	10	<a href="#">Oct 78</a>
Heath HD-10 keyer, positive lead keying (HN)	<a href="#">3 W4VAF</a>	88	<a href="#">Nov 78</a>
7-MHz rotary beam	<a href="#">1.2 W7DI</a>	34	<a href="#">Nov 78</a>
Mosfet power amplifier, for 160 - 6 meters	<a href="#">29.2 WA1WLW</a>	12	<a href="#">Nov 78</a>
Crystal filters, monolithic	<a href="#">15 DK1AG</a>	28	<a href="#">Nov 78</a>

Measurements Corporation 59 grid-dip oscillator improvements	<a href="#">3 W6GXN</a>	82	<a href="#">Nov 78</a>
Swr meter	<a href="#">1.4 WB6AFT</a>	68	<a href="#">Nov 78</a>
Mosfet power amplifier, 160 - 6 meters	<a href="#">25 WA1WLW</a>	12	<a href="#">Nov 78</a>
Capacitance meter, simplified	<a href="#">13 WA5SNZ</a>	78	<a href="#">Nov 78</a>
Heath HR-2B external speaker and tonepad (HN)	<a href="#">3 N1FB</a>	89	<a href="#">Nov 78</a>
Windom antenna (letter)	<a href="#">1.2 K6KA</a>	6	<a href="#">Nov 78</a>
Vhf/uhf preamplifier burnout (HN)	<a href="#">31.3 W1JR</a>	43	<a href="#">Nov 78</a>
Digital vfo basics	<a href="#">22.1 Earnshaw</a>	18	<a href="#">Nov 78</a>
PC layout using longhand	<a href="#">5 WB9QZE</a>	26	<a href="#">Nov 78</a>
Matching transformers, multiple quarter-wave	<a href="#">1.6 K3BY</a>	44	<a href="#">Nov 78</a>
Phasing networks (letter)	<a href="#">26 W2ESH</a>	6	<a href="#">Nov 78</a>
Swr meter	<a href="#">13 WB6AFT</a>	68	<a href="#">Nov 78</a>
Heath HWA-2036-3 crowbar circuit (HN)	<a href="#">3 W3HCE</a>	88	<a href="#">Nov 78</a>
Magnetic mount for mobile antennas	<a href="#">1.3 W0HK</a>	52	<a href="#">Nov 78</a>
Phase-locked 9-MHZ bfo	<a href="#">22.1 W7GHM</a>	49	<a href="#">Nov 78</a>
Receivers, setup using hf harmonics (HN)	<a href="#">9 K9MM</a>	89	<a href="#">Nov 78</a>
Drake R-4C, cleaner audio for (HN)	<a href="#">3 K1FO</a>	88	<a href="#">Nov 78</a>
Digital vfo basics	<a href="#">29.1 Earnshaw</a>	18	<a href="#">Nov 78</a>
IC tester using the KIM-1	<a href="#">14 W3GUL</a>	74	<a href="#">Nov 78</a>
Heath Micoder improvements	<a href="#">3 W1OLP</a>	42	<a href="#">Nov 78</a>
Matching transformers, multiple quarter-wave	<a href="#">1.4 K3BY</a>	44	<a href="#">Nov 78</a>
Digital reperf/TD	<a href="#">23 WB9ATW</a>	58	<a href="#">Nov 78</a>
Tone-alert decoder	<a href="#">9 W8ZXH</a>	64	<a href="#">Nov 78</a>
Digital readout, universal	<a href="#">22.1 WB8IFM</a>	34	<a href="#">Dec 78</a>
Delta loop, top-loaded	<a href="#">1.2 W1DTY</a>	57	<a href="#">Dec 78</a>
Digital readout, universal	<a href="#">29.1 WB8IFM</a>	34	<a href="#">Dec 78</a>
Video display, simple	<a href="#">14 VK3AOH</a>	46	<a href="#">Dec 78</a>
Vacuum-tube receivers, updating	<a href="#">22.1 W6HPH</a>	62	<a href="#">Dec 78</a>
Collins 32S-1, updating	<a href="#">3 N1FB</a>	76	<a href="#">Dec 78</a>
Transverter, low-power, high-frequency	<a href="#">29.2 WA0RBR</a>	12	<a href="#">Dec 78</a>
Lightning protection for the amateur station	<a href="#">15 K9MM</a>	18	<a href="#">Dec 78</a>
Calcu-puter, OSCAR	<a href="#">24 W9CGI</a>	34	<a href="#">Dec 78</a>
Solar powered repeater design	<a href="#">9 WB5REA/WB5RSN</a>	28	<a href="#">Dec 78</a>
1296-MHz double-stub tuner	<a href="#">31.1 K6LK</a>	70	<a href="#">Dec 78</a>
5-ampere power supply, adjustable	<a href="#">18 N1JR</a>	50	<a href="#">Dec 78</a>
Lightning protection	<a href="#">1.1 K9MM</a>	18	<a href="#">Dec 78</a>
Transverter, low-power, high-frequency	<a href="#">26 W0RBR</a>	12	<a href="#">Dec 78</a>
1.5GHz prescaler, divide by 4	<a href="#">13 N6JH</a>	88	<a href="#">Dec 78</a>

## Results for Year - 1979

Article	CatID	Author	Page	Issue
Adjustable 5-ampere supply	<a href="#">20 N1JR</a>		50	<a href="#">Jan 79</a>
Anodizing aluminum	<a href="#">5 VE7DKR</a>		62	<a href="#">Jan 79</a>
CMOS keyer, simple	<a href="#">12 HB9ABO</a>		70	<a href="#">Jan 79</a>
Drake T-4X transmitters, improved tuning on 160 meters (HN)	<a href="#">3 W1IBI, W1HZH</a>		81	<a href="#">Jan 79</a>
Bandspreading techniques (letter)	<a href="#">22.1 Anderson, Leonard H.</a>		6	<a href="#">Jan 79</a>
Basic rules and gates	<a href="#">6 Anderson, Leonard H.</a>		76	<a href="#">Jan 79</a>

CW break-in, quieting amplifiers for	<a href="#">12 W1DB</a>	46	<a href="#">Jan 79</a>
Ham-3 rotator, digital readout for	<a href="#">3 K1DG</a>	56	<a href="#">Jan 79</a>
Synthesizer, high resolution hf (letter)	<a href="#">22.2 DJ2LR</a>	6	<a href="#">Jan 79</a>
Deviation, measuring	<a href="#">9 N6UE</a>	20	<a href="#">Jan 79</a>
Deviation, measuring	<a href="#">13 N6UE</a>	20	<a href="#">Jan 79</a>
Heath HW-2036 antenna socket (HN)	<a href="#">3 W3HCE</a>	80	<a href="#">Jan 79</a>
10-GHz Gunnplexer transceivers, construction and practice	<a href="#">31.1 Feature</a>	26	<a href="#">Jan 79</a>
Synthesizer, 144 MHz, 800-channel	<a href="#">9 K4VB, WA4GJT</a>	10	<a href="#">Jan 79</a>
Headphones, dual-impedance (HN)	<a href="#">2 AB9Q</a>	80	<a href="#">Jan 79</a>
Crystal switching, remote (HN)	<a href="#">5 WA8YBT</a>	91	<a href="#">Feb 79</a>
30-MHz preamplifier, low-noise	<a href="#">31.3 Short circuit</a>	94	<a href="#">Feb 79</a>
Noise Blanker	<a href="#">22.1 W5QJR</a>	54	<a href="#">Feb 79</a>
Four-quadrant curve tracer/analyzer	<a href="#">15 W1QXS</a>	46	<a href="#">Feb 79</a>
Frequency counter, simplifying	<a href="#">13 Short circuit</a>	94	<a href="#">Feb 79</a>
Antenna position display	<a href="#">1.5 AE4A</a>	18	<a href="#">Feb 79</a>
Phase-coherent RTTY modulator	<a href="#">23 K5PA</a>	26	<a href="#">Feb 79</a>
Colpitts oscillator design technique	<a href="#">18 Short circuit</a>	94	<a href="#">Feb 79</a>
Active bandpass filters	<a href="#">15 Short circuit</a>	94	<a href="#">Feb 79</a>
Gate structure and logic families	<a href="#">6 Anderson, Leonard H.</a>	66	<a href="#">Feb 79</a>
144-MHz 10/80-watt amplifier	<a href="#">31.4 WB9RMA</a>	12	<a href="#">Feb 79</a>
Power-line noise	<a href="#">22.1 K4TWJ</a>	60	<a href="#">Feb 79</a>
Quartz crystals	<a href="#">15 WB2EGZ</a>	37	<a href="#">Feb 79</a>
Logic probe	<a href="#">13 K9CW</a>	83	<a href="#">Feb 79</a>
Collins 516F-2 solid-state rectifiers (HN)	<a href="#">3 N1FB</a>	91	<a href="#">Feb 79</a>
Ssb phasing techniques, review	<a href="#">26 Short circuit</a>	94	<a href="#">Feb 79</a>
Nickel-cadmium batteries, time-current charging	<a href="#">20 W1OLP</a>	32	<a href="#">Feb 79</a>
Admittance, impedance and circuit analysis	<a href="#">15 Short circuit</a>	94	<a href="#">Feb 79</a>
Tone-burst generator for repeater accessing	<a href="#">9 Short circuit</a>	94	<a href="#">Feb 79</a>
Receivers - some problems and cures	<a href="#">22.1 Short circuit</a>	94	<a href="#">Feb 79</a>
RC active filters using op amps	<a href="#">15 Short circuit</a>	94	<a href="#">Feb 79</a>
Spectrum analyzer, dc-100 MHz	<a href="#">13 Short circuit</a>	94	<a href="#">Feb 79</a>
Hallicrafters HT-37, improving	<a href="#">3 W8NIF</a>	78	<a href="#">Feb 79</a>
10 GHz, broadband antenna	<a href="#">31.2 Short circuit</a>	94	<a href="#">Feb 79</a>
Regulated power supply, 500-watt	<a href="#">20 Short circuit</a>	94	<a href="#">Feb 79</a>
Field-strength meter and volt-ohmmeter	<a href="#">15 WB6AFT</a>	70	<a href="#">Feb 79</a>
Code speed counter	<a href="#">12 K8TT</a>	86	<a href="#">Feb 79</a>
Low-noise 30-MHz preamplifier	<a href="#">22.2 Short circuit</a>	94	<a href="#">Feb 79</a>
Great-circle maps	<a href="#">17 N5KR</a>	24	<a href="#">Feb 79</a>
Voltage calibrator for digital voltmeters	<a href="#">13 Short circuit</a>	94	<a href="#">Feb 79</a>
555 timer operational characteristics	<a href="#">11 WB6FOC</a>	32	<a href="#">Mar 79</a>
1-MHz oscillator, new approach	<a href="#">18 WA2SPI</a>	46	<a href="#">Mar 79</a>
Cabinet construction techniques	<a href="#">5 W7KDM</a>	76	<a href="#">Mar 79</a>
I-f transformers, problems and cures - Weekender	<a href="#">30 K4IPV</a>	56	<a href="#">Mar 79</a>
Dasher	<a href="#">12 KH6JF</a>	68	<a href="#">Mar 79</a>
Voltage-tuned mosfet oscillator	<a href="#">18 WA9HUV</a>	26	<a href="#">Mar 79</a>
Propagation delay and flip-flops	<a href="#">6 Anderson, Leonard H.</a>	82	<a href="#">Mar 79</a>
Key toggle	<a href="#">12 W6NRW</a>	50	<a href="#">Mar 79</a>

Small beams, high performance	<a href="#">1.2 G6XN</a>	12	<a href="#">Mar 79</a>
Digital display	<a href="#">22.1 N3FG</a>	40	<a href="#">Mar 79</a>
Tone generator, IC (HN)	<a href="#">9 W6IPB</a>	88	<a href="#">Mar 79</a>
Passive lumped constant 90-degree phase-difference networks	<a href="#">15 K6ZV</a>	70	<a href="#">Mar 79</a>
Heath HW-2036, updating to the HW-2036A	<a href="#">3 WB6TMH, WA6ODR</a>	62	<a href="#">Mar 79</a>
I-f transformers, problems and cures - Weekender	<a href="#">22.1 K4IPV</a>	56	<a href="#">Mar 79</a>
432-MHz converter	<a href="#">22.2 N9KD</a>	74	<a href="#">Apr 79</a>
Fm demodulator using the phase-locked-loop	<a href="#">9 Comments Anderson, Leonard H.</a>	6	<a href="#">Apr 79</a>
Collins 75S CW sidetone (HN)	<a href="#">3 N1FB</a>	93	<a href="#">Apr 79</a>
Pi network design	<a href="#">29.1 Comments</a>	6	<a href="#">Apr 79</a>
Impedance measurements using an SWR meter	<a href="#">15 K4QF</a>	80	<a href="#">Apr 79</a>
Flip-flop internal structure	<a href="#">6 Anderson, Leonard H.</a>	86	<a href="#">Apr 79</a>
7-MHz receiver	<a href="#">22.2 K6SDX</a>	12	<a href="#">Apr 79</a>
Folded whip antenna for vhf mobile - Weekender	<a href="#">9 WB2IFV</a>	50	<a href="#">Apr 79</a>
Drake R-4B and TR-4, split-frequency operation	<a href="#">3 WB8JCQ</a>	66	<a href="#">Apr 79</a>
432-MHz converter	<a href="#">31.3 N9KD</a>	74	<a href="#">Apr 79</a>
Pi network design	<a href="#">15 Comments Anderson, Leonard H.</a>	6	<a href="#">Apr 79</a>
Jammer problem, solutions for	<a href="#">7 UX3PU</a>	56	<a href="#">Apr 79</a>
Folded whip antenna for vhf mobile - Weekender	<a href="#">1.3 WB2IFV</a>	50	<a href="#">Apr 79</a>
Digitally programmable high-frequency communications receiver	<a href="#">22.2 Comments Foot, WA9HUV</a>	6	<a href="#">Apr 79</a>
CW operator's PAL	<a href="#">12 W2YE</a>	23	<a href="#">Apr 79</a>
Drake R-4C, new audio amplifier for	<a href="#">3 WB0JGP, K8RRH</a>	48	<a href="#">Apr 79</a>
Calculator-aided propagation predictions	<a href="#">21 N4UH</a>	26	<a href="#">Apr 79</a>
External frequency programmer (HN)	<a href="#">9 WB9VWM</a>	92	<a href="#">Apr 79</a>
Variable-frequency audio filter	<a href="#">2 W4VRV</a>	62	<a href="#">Apr 79</a>
Active bandpass filter for RTTY	<a href="#">23 W4AYV</a>	46	<a href="#">Apr 79</a>
Deluxe memory keyer with 3072-bit capacity	<a href="#">12 W3VT</a>	32	<a href="#">Apr 79</a>
ICOM IC-22S, using below 146 MHz (HN)	<a href="#">3 W1IBI</a>	92	<a href="#">Apr 79</a>
3.5-MHz sloping antenna array	<a href="#">1.2 W2LU</a>	70	<a href="#">May 79</a>
Noise bridge for impedance measurements	<a href="#">15 Comments, W6BXI</a>	6	<a href="#">May 79</a>
Drake R4C backlash, cure for (HN)	<a href="#">3 W3CVS</a>	82	<a href="#">May 79</a>
144-MHz mobile antenna	<a href="#">1.3 WD8QIB</a>	68	<a href="#">May 79</a>
Impedance bridge measurement errors and corrections	<a href="#">13 K4KJ</a>	22	<a href="#">May 79</a>
Noise bridge for impedance measurements	<a href="#">1.4 Comments, W6BXI</a>	6	<a href="#">May 79</a>
Folded umbrella antenna	<a href="#">1.2 WB5IIR</a>	38	<a href="#">May 79</a>
Antenna-performance measurements using celestial sources	<a href="#">31.2 W5CQ/W4RXY</a>	75	<a href="#">May 79</a>
Metalized capacitors (HN)	<a href="#">5 W8YFB</a>	82	<a href="#">May 79</a>
Antenna-performance measurements using celestial sources	<a href="#">1.3 W5CC/W4RXY</a>	75	<a href="#">May 79</a>
Swr measuring at high frequencies	<a href="#">13 DJ2LR</a>	34	<a href="#">May 79</a>
Autek filter (HN)	<a href="#">3 K6EVO, WA6WZQ</a>	83	<a href="#">May 79</a>
Multiband antenna system	<a href="#">1.2 VK2AOU</a>	62	<a href="#">May 79</a>
Self-gating the 82S90/74S196 decade counter (HN)	<a href="#">6 W9LL</a>	82	<a href="#">May 79</a>
Broadband reflectometer and power meter	<a href="#">1.4 VK2ZTB, VK2ZZQ</a>	28	<a href="#">May 79</a>
3.5-MHz broadband antennas	<a href="#">1.2 N6RY</a>	44	<a href="#">May 79</a>
Impedance bridge measurement errors and corrections	<a href="#">15 K4KJ</a>	22	<a href="#">May 79</a>
Collins 32S, improved stability for (HN)	<a href="#">3 N1FB</a>	83	<a href="#">May 79</a>
Quads vs Yagis revisited	<a href="#">1.2 N6NB</a>	12	<a href="#">May 79</a>

Broadband reflectometer and power meter	<a href="#">13 VK2ZTB, WB2ZZO</a>	28	<a href="#">May 79</a>
Matching complex antenna loads to coaxial transmission lines	<a href="#">1.4 WB7AUL</a>	52	<a href="#">May 79</a>
Gallon-size dummy load	<a href="#">13 W4MB</a>	74	<a href="#">Jun 79</a>
Phone plug wiring (HN)	<a href="#">5 N1FB</a>	85	<a href="#">Jun 79</a>
Linear amplifier design: Part 1	<a href="#">26 W6SAI</a>	12	<a href="#">Jun 79</a>
Biquad bandpass filter for CW	<a href="#">12 N0DE</a>	70	<a href="#">Jun 79</a>
Ham-M rotator torque loss (HN)	<a href="#">3 W1JR</a>	85	<a href="#">Jun 79</a>
Talking digital readout for amateur transceivers	<a href="#">15 N9KV</a>	58	<a href="#">Jun 79</a>
Digiscope	<a href="#">6 WB0CLH</a>	50	<a href="#">Jun 79</a>
Linear amplifier design: Part 1	<a href="#">29.2 W6SAI</a>	12	<a href="#">Jun 79</a>
CW signal processor	<a href="#">12 Comments, VE3CBJ</a>	6	<a href="#">Jun 79</a>
Heathkit HW-8, increased break-in delay (HN)	<a href="#">3 K6YB</a>	84	<a href="#">Jun 79</a>
AFC circuit for VFOs	<a href="#">18 K6EHV</a>	19	<a href="#">Jun 79</a>
Multivibrators and analog input interfacing	<a href="#">6 Anderson, Leonard H.</a>	78	<a href="#">Jun 79</a>
Ground current measuring on 160-meters	<a href="#">1.1 W0KUS</a>	46	<a href="#">Jun 79</a>
Diode noise source for receiver noise measurements	<a href="#">13 W6NBI</a>	32	<a href="#">Jun 79</a>
PC layout using longhand	<a href="#">5 Comments, W5TKP</a>	6	<a href="#">Jun 79</a>
Antenna accuracy in satellite tracking systems	<a href="#">24 N5KR</a>	24	<a href="#">Jun 79</a>
Packet radio, introduction to	<a href="#">6 VE2BEN</a>	64	<a href="#">Jun 79</a>
Collins 516F-2 high-voltage regulation (HN)	<a href="#">3 N1FB</a>	85	<a href="#">Jun 79</a>
Digital display	<a href="#">22.1 Comments</a>	6	<a href="#">Jul 79</a>
Heath HW-101 sidetone control (HN)	<a href="#">3 AD9M</a>	79	<a href="#">Jul 79</a>
Linear amplifier design: Part 2	<a href="#">29.2 W6SAI</a>	34	<a href="#">Jul 79</a>
Lightning protection for the amateur station	<a href="#">15 Comments, W6RTK, WB2FBL</a>	6	<a href="#">Jul 79</a>
Scaling antenna elements	<a href="#">1.1 W7ITB</a>	58	<a href="#">Jul 79</a>
Predicting close encounters: OSCAR 7 and OSCAR 8	<a href="#">25 K2UBC</a>	62	<a href="#">Jul 79</a>
Johnson Matchbox, improved	<a href="#">3 K4IHV</a>	45	<a href="#">Jul 79</a>
UHF local-oscillator chain	<a href="#">31.3 N6TX</a>	27	<a href="#">Jul 79</a>
Synthesizer system, simple (HN)	<a href="#">15 AA7M</a>	78	<a href="#">Jul 79</a>
Beverage antenna for 40 meters	<a href="#">1.2 KG6RT</a>	40	<a href="#">Jul 79</a>
Linear amplifier design: Part 2	<a href="#">26 W6SAI</a>	34	<a href="#">Jul 79</a>
Exar XR-205 waveform generator as capacitance meter (HN)	<a href="#">11 W6WR</a>	79	<a href="#">Jul 79</a>
Lightning protection	<a href="#">1.1 Comments, W2FBL</a>	6	<a href="#">Jul 79</a>
UHF local-oscillator chain	<a href="#">18 N6TX</a>	27	<a href="#">Jul 79</a>
Johnson Matchbox, improved	<a href="#">1.4 K4IHV</a>	45	<a href="#">Jul 79</a>
Display SSTV pictures on a fast-scan TV	<a href="#">28 K6AEP</a>	12	<a href="#">Jul 79</a>
Test-equipment mainframe	<a href="#">13 W4MB</a>	52	<a href="#">Jul 79</a>
Lightning protection	<a href="#">1.1 Comments, W6RTK</a>	6	<a href="#">Jul 79</a>
Antenna gain and directivity	<a href="#">1.1 W2PV</a>	12	<a href="#">Aug 79</a>
VSWR bridge, broadband power-tracking	<a href="#">13 K1ZDI</a>	72	<a href="#">Aug 79</a>
Heathkit Micoder adapted to low-impedance input (HN)	<a href="#">3 WB2GXF</a>	78	<a href="#">Aug 79</a>
Linear amplifier design: Part 3	<a href="#">29.2 W6SAI</a>	58	<a href="#">Aug 79</a>
Amateur fm, close look at	<a href="#">9 W2YE</a>	46	<a href="#">Aug 79</a>
Ground systems for vertical antennas	<a href="#">1.2 WD8CBJ</a>	31	<a href="#">Aug 79</a>
CW trainer/keyer using a single-chip microcomputer	<a href="#">14 N6TY</a>	16	<a href="#">Aug 79</a>
Swan 350, curing frequency drift	<a href="#">3 WA6IPH</a>	42	<a href="#">Aug 79</a>
Dip-meter converter for VLF	<a href="#">13 W4YOT</a>	26	<a href="#">Aug 79</a>

Traps and trap antennas	<a href="#">1.2 W8FX</a>	34	<a href="#">Aug 79</a>
High-current regulated dc supply	<a href="#">20 N8AKS</a>	50	<a href="#">Aug 79</a>
Yaesu FT-227R memorizer, improved memory (HN)	<a href="#">3 WA2DHF</a>	79	<a href="#">Aug 79</a>
Noise figure measurements	<a href="#">13 Comments, WB5LHV, W6NBI</a>	6	<a href="#">Aug 79</a>
Collins S-line monitoring (HN)	<a href="#">3 N1FB</a>	78	<a href="#">Aug 79</a>
Linear amplifier design: Part 3	<a href="#">26 W6SAI</a>	58	<a href="#">Aug 79</a>
Counters and weights	<a href="#">6 Anderson, Leonard H.</a>	66	<a href="#">Aug 79</a>
Down counters	<a href="#">6 Anderson, Leonard H.</a>	72	<a href="#">Sep 79</a>
Johnson Matchbox, improved	<a href="#">1.4 Short circuit</a>	92	<a href="#">Sep 79</a>
Speech processor, split-band	<a href="#">26 N7WS</a>	12	<a href="#">Sep 79</a>
Biquad bandpass filter for CW	<a href="#">12 Short circuit</a>	92	<a href="#">Sep 79</a>
Ham-M rotator torque loss (HN)	<a href="#">3 Short circuit</a>	92	<a href="#">Sep 79</a>
Rf exposure	<a href="#">15 WA2UMY</a>	26	<a href="#">Sep 79</a>
Jammer problem, solutions for	<a href="#">7 Comments</a>	6	<a href="#">Sep 79</a>
Rotator starting capacitors (letter)	<a href="#">1.5 W6WX</a>	92	<a href="#">Sep 79</a>
10-GHz Gunnplexer transceivers, construction and practice	<a href="#">31.1 Comments, W6OAL</a>	6	<a href="#">Sep 79</a>
Deluxe memory keyer with 3072-bit capacity	<a href="#">12 Short circuit</a>	92	<a href="#">Sep 79</a>
Johnson Matchbox, improved	<a href="#">3 Short circuit</a>	92	<a href="#">Sep 79</a>
Calculator-aided propagation predictions	<a href="#">21 Comments</a>	6	<a href="#">Sep 79</a>
Antenna design for omnidirectional repeater coverage	<a href="#">9 N9SN</a>	20	<a href="#">Sep 79</a>
Duplex audio-frequency generator with AFSK features	<a href="#">2 WB6AFT</a>	66	<a href="#">Sep 79</a>
Frequency counters, uhf and microwave	<a href="#">13 W6NBI</a>	34	<a href="#">Sep 79</a>
Anodize dyes (letter)	<a href="#">5 W4MB</a>	6	<a href="#">Sep 79</a>
Vertical antenna for 40 and 75 meters	<a href="#">1.2 W6PYK</a>	44	<a href="#">Sep 79</a>
Duplex audio-frequency generator with AFSK features	<a href="#">23 WB6AFT</a>	66	<a href="#">Sep 79</a>
Accu-keyer speed readout	<a href="#">12 K5MAT</a>	60	<a href="#">Sep 79</a>
Collins KWM-2, updating	<a href="#">3 W6SAI</a>	48	<a href="#">Sep 79</a>
Commutating filters	<a href="#">15 W6GXN</a>	54	<a href="#">Sep 79</a>
Frequency counter, miniature	<a href="#">13 K5WKQ</a>	34	<a href="#">Oct 79</a>
Drake TR-22C sensitivity improvement (HN)	<a href="#">3 K7OR</a>	78	<a href="#">Oct 79</a>
50-MHz SSB exciter	<a href="#">31.4 K1LOG</a>	12	<a href="#">Oct 79</a>
Talking digital clock	<a href="#">6 K9KV</a>	30	<a href="#">Oct 79</a>
Active antenna coupler for VLF	<a href="#">1.4 Burhans, Ralph W.</a>	46	<a href="#">Oct 79</a>
Low-voltage dc power supplies - Repair Bench	<a href="#">20 K4IPV</a>	38	<a href="#">Oct 79</a>
Ten-Tec Horizon/2 audio modification (HN)	<a href="#">3 WB9RKN</a>	79	<a href="#">Oct 79</a>
End-of-transmission K generator	<a href="#">12 G8KGV</a>	58	<a href="#">Oct 79</a>
Connectors for CATV coax cable	<a href="#">1.6 W1IIM</a>	52	<a href="#">Oct 79</a>
Dual demodulator terminal unit	<a href="#">23 Comments WB6PMV, KB9AT</a>	6	<a href="#">Oct 79</a>
Cliplead carousel (HN)	<a href="#">5 WB1AQM</a>	79	<a href="#">Oct 79</a>
Compact loop antenna for 80 and 40 meters	<a href="#">1.2 W6TC</a>	24	<a href="#">Oct 79</a>
Capacitance measurements with a frequency counter - Weekender	<a href="#">13 Moran, John</a>	62	<a href="#">Oct 79</a>
Collins S-line backup power supply (HN)	<a href="#">3 N1FB</a>	78	<a href="#">Oct 79</a>
10-GHz cross-guide coupler	<a href="#">31.1 WB2ZKW</a>	66	<a href="#">Oct 79</a>
Gate arrays for pattern generation	<a href="#">6 Anderson, Leonard H.</a>	72	<a href="#">Oct 79</a>
Quads vs Yagis revisited	<a href="#">1.2 Comments, WB6MMV, N6NB</a>	80	<a href="#">Oct 79</a>
Swr, what is your?	<a href="#">1.4 N4OE</a>	68	<a href="#">Nov 79</a>
144-432 MHz GaAs fet preamp	<a href="#">22.3 JH1BRY</a>	38	<a href="#">Nov 79</a>



Biquad bandpass filter for CW	<a href="#">12 Comments</a>	6	<a href="#">Nov 79</a>
Dynamic range, measuring	<a href="#">22.1 WB6CTW</a>	56	<a href="#">Nov 79</a>
Collins 32S cooling (HN)	<a href="#">3 N1FB</a>	74	<a href="#">Nov 79</a>
440-MHz bandpass filter	<a href="#">31.1 WA8YBT</a>	62	<a href="#">Nov 79</a>
Wideband amplifier summary	<a href="#">15 DJ2LR</a>	34	<a href="#">Nov 79</a>
Shunt-fed tower (HN)	<a href="#">1.2 N6HZ</a>	74	<a href="#">Nov 79</a>
Phaselocked up-converter	<a href="#">22.1 W7GHM</a>	26	<a href="#">Nov 79</a>
Anodizing aluminum	<a href="#">5 Comments, WA9UXK</a>	6	<a href="#">Nov 79</a>
144-432 MHz GaAs fet preamp	<a href="#">31.3 JH1BRY</a>	38	<a href="#">Nov 79</a>
Broadband jfet amplifiers	<a href="#">22.1 N6DX</a>	12	<a href="#">Nov 79</a>
Yagi uhf antenna simplified (HN)	<a href="#">1.3 WA3CPH</a>	74	<a href="#">Nov 79</a>
Wideband amplifier summary	<a href="#">22.1 DJ2LR</a>	34	<a href="#">Nov 79</a>
Hallicrafters history	<a href="#">7 W6SAI</a>	20	<a href="#">Nov 79</a>
Diversity reception	<a href="#">22.1 K4KJ</a>	48	<a href="#">Nov 79</a>
Variable high-voltage supply	<a href="#">20 W1OLP</a>	62	<a href="#">Dec 79</a>
Lightning protection (letter)	<a href="#">5 K9MM</a>	12	<a href="#">Dec 79</a>
Quartz crystals (letter)	<a href="#">29.1 WB2EGV</a>	12	<a href="#">Dec 79</a>
Keyer with memory (letter)	<a href="#">12 Hansen, William</a>	6	<a href="#">Dec 79</a>
Log periodic design	<a href="#">1.2 W6PYK, W4AEO</a>	34	<a href="#">Dec 79</a>
Vacuum-tube receivers, updating	<a href="#">22.1 Short circuit</a>	73	<a href="#">Dec 79</a>
Hellschreiber, a rediscovery	<a href="#">7 PA0CX</a>	28	<a href="#">Dec 79</a>
L-band local oscillators	<a href="#">31.1 N6TX</a>	40	<a href="#">Dec 79</a>
Rf radiation, environmental aspects of	<a href="#">15 K6YB</a>	24	<a href="#">Dec 79</a>
Coax cable, repairing water damage (HN)	<a href="#">1.6 W5XW</a>	73	<a href="#">Dec 79</a>
Satellite communications on 10 meters (letter)	<a href="#">24 G3IOR</a>	12	<a href="#">Dec 79</a>
Ni-cad charger, any-state	<a href="#">9 WA6TBC</a>	66	<a href="#">Dec 79</a>
Preamplifiers, vhf low-noise	<a href="#">31.3 WA2GFP</a>	50	<a href="#">Dec 79</a>
Ni-cad charger, any-state	<a href="#">20 WA6TBC</a>	66	<a href="#">Dec 79</a>
Speech processor, split-band (letter)	<a href="#">2 WA2SSO</a>	6	<a href="#">Dec 79</a>
Linear power amplifiers (letter)	<a href="#">29.1 KB5EY, W6SAI</a>	6	<a href="#">Dec 79</a>
Synthesizer, 144-MHz CMOS	<a href="#">9 K9LHA</a>	14	<a href="#">Dec 79</a>
Lightning protection	<a href="#">1.1 Letter, K9MM</a>	12	<a href="#">Dec 79</a>

## Results for Year - 1980

Article	CatID	Author	Page	Issue
Shortwave receiver, portable monoband, with electronic digital frequency readout	<a href="#">22.2 PY2PE1C</a>		42	<a href="#">Jan 80</a>
Digital techniques: gate arrays for control	<a href="#">6</a>	<a href="#">Anderson, Leonard H.</a>	82	<a href="#">Jan 80</a>
Coax cable, salvaging water-damaged (HN)	<a href="#">1.6 W5XW</a>		88	<a href="#">Jan 80</a>
Fm transceiver, remote synthesized for 2 meters	<a href="#">31.3 WB4UPC</a>		28	<a href="#">Jan 80</a>
Air pressure, measuring across transmitting tubes (HN)	<a href="#">15 W4PSJ</a>		89	<a href="#">Jan 80</a>
TS-820/TS-820S, reducing interference in (HN)	<a href="#">3 W4MB</a>		88	<a href="#">Jan 80</a>
Log-periodic antennas for high-frequency Amateur bands	<a href="#">1.2 W4AEO, W6PYK</a>		67	<a href="#">Jan 80</a>
Ten-Tec Omni-D, improved CW agc for (HN)	<a href="#">22.2 W6OA</a>		88	<a href="#">Jan 80</a>
Memory keyer, W7BBX (letter)	<a href="#">12 SP2DX</a>		6	<a href="#">Jan 80</a>
Audio processor, communications for reception	<a href="#">2 W6NRW</a>		71	<a href="#">Jan 80</a>
Fm transceiver, remote synthesized for 2 meters	<a href="#">31.4 WB4UPC</a>		28	<a href="#">Jan 80</a>

Speed of light, observations on, through the metric system	<a href="#">15 W7ITB</a>	62	<a href="#">Jan 80</a>
Wilson Mark II and IV, modifications to (HN)	<a href="#">3 W9EPT</a>	89	<a href="#">Jan 80</a>
Pt. I Yagi antenna design: performance calculations	<a href="#">1.2 W2PV</a>	23	<a href="#">Jan 80</a>
Console, video, for ATV	<a href="#">28 WB8LGA</a>	12	<a href="#">Jan 80</a>
Programmable keyer, Autek MK-1, expanded memory for	<a href="#">12 N9AKT</a>	58	<a href="#">Jan 80</a>
Amateur Radio equipment survey number two	<a href="#">3 W1SL</a>	52	<a href="#">Jan 80</a>
Linear amplifiers, solid-state vhf	<a href="#">31.4 AF8Z</a>	48	<a href="#">Jan 80</a>
Audio processor, communications, for reception	<a href="#">22.1 W6NRW</a>	71	<a href="#">Jan 80</a>
Coax cable, salvaging water-damaged (HN)	<a href="#">5 W5XW</a>	88	<a href="#">Jan 80</a>
Wilson Mark II and IV, modifications to (HN)	<a href="#">1.2 W9EPT</a>	89	<a href="#">Jan 80</a>
Air pressure, measuring across transmitting tubes (HN)	<a href="#">29.2 W4PSJ</a>	89	<a href="#">Jan 80</a>
Wattmeter, low power (letter)	<a href="#">13 W0DLQ</a>	6	<a href="#">Jan 80</a>
Ten-Tec Omni-D, improved CW agc for (HN)	<a href="#">3 W6OA</a>	88	<a href="#">Jan 80</a>
Wattmeter, low power (letter)	<a href="#">1.1 W0DLQ</a>	6	<a href="#">Jan 80</a>
Talking clock (letter)	<a href="#">15 N9KV</a>	75	<a href="#">Feb 80</a>
Speech processing, split-band (letter)	<a href="#">2 Schreuer, N7WS</a>	74	<a href="#">Feb 80</a>
Cavity filters, surplus, how to modify for 144 MHz	<a href="#">31.1 W4FXE</a>	42	<a href="#">Feb 80</a>
Wien Bridge oscillators, voltage-controlled resistance for	<a href="#">13 WA5SNZ</a>	56	<a href="#">Feb 80</a>
Broadband balun, high performance	<a href="#">1.4 K4KJ</a>	28	<a href="#">Feb 80</a>
Bench power supply - Weekender	<a href="#">20 WB6AFT</a>	50	<a href="#">Feb 80</a>
Heath HW-2036, carrier-operated relay for	<a href="#">3 WD5HYO</a>	58	<a href="#">Feb 80</a>
Plasma-diode experiments	<a href="#">31.1 Stockman, Harry</a>	62	<a href="#">Feb 80</a>
Phase-shift network, 90-degree, offers 2:1 bandwidth	<a href="#">15 K6ZV</a>	66	<a href="#">Feb 80</a>
Coaxial-line transformers, a new class of	<a href="#">1.4 W6TC</a>	12	<a href="#">Feb 80</a>
Talking clock (letter)	<a href="#">22.1 N9KV</a>	75	<a href="#">Feb 80</a>
Touch-tone decoder, third generation	<a href="#">9 WA7DPX</a>	36	<a href="#">Feb 80</a>
Loop antenna, compact (letter)	<a href="#">1.2 W6WR</a>	6	<a href="#">Feb 80</a>
Cavity filters, surplus, how to modify for 144 MHz	<a href="#">31.3 W4FXE</a>	42	<a href="#">Feb 80</a>
Plasma-diode experiments	<a href="#">15 Stockman, Harry</a>	62	<a href="#">Feb 80</a>
Coaxial-line transformers, a new class of	<a href="#">1.6 W6TC</a>	12	<a href="#">Feb 80</a>
Talking clock (letter)	<a href="#">29.1 N9KV</a>	75	<a href="#">Feb 80</a>
Memory keyer, (letter)	<a href="#">12 W3VT</a>	6	<a href="#">Feb 80</a>
Pt. II Yagi antenna design: experiments confirm computer analysis	<a href="#">1.2 W2PV</a>	19	<a href="#">Feb 80</a>
Capacitance meter, (simplified), improvements to	<a href="#">13 WA3CPH</a>	54	<a href="#">Mar 80</a>
Drake R-4C product detector, improving (HN)	<a href="#">3 W3CVS</a>	64	<a href="#">Mar 80</a>
Cavity bandpass filters	<a href="#">22.3 W4FXE</a>	46	<a href="#">Mar 80</a>
Rotator starting capacitors (letter)	<a href="#">1.5 Short circuit</a>	70	<a href="#">Mar 80</a>
Transformers, coaxial-line	<a href="#">1.6 W6TC</a>	18	<a href="#">Mar 80</a>
LED tuning indicator for RTTY	<a href="#">23 WA0ELA</a>	50	<a href="#">Mar 80</a>
Drake R-4C product detector, improving (HN)	<a href="#">22.2 W3CVS</a>	84	<a href="#">Mar 80</a>
Coaxial-line transformers, a new class of	<a href="#">1.4 Short circuit</a>	70	<a href="#">Mar 80</a>
Coaxial connections, sealing (HN)	<a href="#">1.1 W5XW</a>	64	<a href="#">Mar 80</a>
Log-periodic fixed-wire beams for 75-meter DX	<a href="#">1.2 W4AEO, W6PYK</a>	40	<a href="#">Mar 80</a>
Computer, satellite, for under \$150	<a href="#">14 WB6POU</a>	12	<a href="#">Mar 80</a>
Microphones and simple speech processing	<a href="#">2 W1OLP</a>	30	<a href="#">Mar 80</a>
Auto-product detection of double-sideband	<a href="#">22.1 K4UD</a>	58	<a href="#">Mar 80</a>
Hellschreiber (letter)	<a href="#">23 K6KA</a>	6	<a href="#">Mar 80</a>

Coaxial connectors, sealing, (HN)	<a href="#">1.6 W5WX</a>	64	<a href="#">Mar 80</a>
Collins 32S PA disable jacks	<a href="#">3 N1FB</a>	65	<a href="#">Mar 80</a>
Transformers, coaxial-line	<a href="#">1.4 W6TC</a>	18	<a href="#">Mar 80</a>
Detector, logarithmic with post-injection marker generator	<a href="#">22.1 W1ERW</a>	36	<a href="#">Mar 80</a>
Frequency counter, K4JIU, modifications for (HN)	<a href="#">13 K4JIU</a>	65	<a href="#">Mar 80</a>
Coaxial-line transformers, a new class of	<a href="#">1.6 Short circuit</a>	70	<a href="#">Mar 80</a>
Hellschreiber (letter)	<a href="#">23 W6DKZ</a>	6	<a href="#">Mar 80</a>
FCC actions (letter)	<a href="#">17 N8ADA</a>	6	<a href="#">Apr 80</a>
Log-periodic fixed-wire beams for 40 meters	<a href="#">1.2 W4AEO, W6PYK</a>	26	<a href="#">Apr 80</a>
Prescaler, 600-Hz, for use with electronic counters	<a href="#">13 WA1SPI</a>	50	<a href="#">Apr 80</a>
FCC actions (letter)	<a href="#">17 W1ZI</a>	6	<a href="#">Apr 80</a>
Counter control pulses (HN)	<a href="#">13 W9LL</a>	70	<a href="#">Apr 80</a>
144-MHz frequency synthesizer, CMOS	<a href="#">31.1 Short circuit</a>	81	<a href="#">Apr 80</a>
Coaxial cable connectors, homebrew hardline-to-uhf	<a href="#">1.6 K2YOF</a>	32	<a href="#">Apr 80</a>
Noise figure relationships (HN)	<a href="#">22.1 W6WX</a>	70	<a href="#">Apr 80</a>
Transceiver, 40-meter, for low-power operation	<a href="#">22.2 WB5DJE</a>	12	<a href="#">Apr 80</a>
Frequency counter, capacitance-measurement accuracy for	<a href="#">13 W1ZUC</a>	44	<a href="#">Apr 80</a>
Coaxial cable connectors, homebrew hardline-to-uhf	<a href="#">5 K2YOF</a>	32	<a href="#">Apr 80</a>
Communications receivers, high frequency, recent developments in circuits and techniques f	<a href="#">22.2 DJ2LR</a>	20	<a href="#">Apr 80</a>
Speed of light (letter)	<a href="#">15 WB2AOT</a>	6	<a href="#">Apr 80</a>
Converter, dc-dc, increases Gunnplexer frequency swing (HN)	<a href="#">29.3 W1XZ</a>	70	<a href="#">Apr 80</a>
Diversity receiver, high-frequency, from the 1930s	<a href="#">22.2 K4KJ</a>	34	<a href="#">Apr 80</a>
Talking digital readout (letter)	<a href="#">22.1 N5AF</a>	6	<a href="#">May 80</a>
Dual quad array for two meters	<a href="#">1.3 W7SLO</a>	30	<a href="#">May 80</a>
Earth anchors for guyed towers	<a href="#">1.1 W5QJR</a>	60	<a href="#">May 80</a>
Earth anchors for guyed towers	<a href="#">15 W5QJR</a>	60	<a href="#">May 80</a>
Pt. III Yagi antenna design: performance of multi-element simplistic beams	<a href="#">1.2 W2PV</a>	18	<a href="#">May 80</a>
Talking digital readout (letter)	<a href="#">29.1 N5AF</a>	6	<a href="#">May 80</a>
Hallicrafters story (letter)	<a href="#">7 K0ADM</a>	6	<a href="#">May 80</a>
VSWR and power meter, automatic	<a href="#">1.1 W0INK</a>	34	<a href="#">May 80</a>
Ground systems, notes on	<a href="#">15 K6WX</a>	26	<a href="#">May 80</a>
Quad, three-element, for 15-20 meters using circular elements	<a href="#">1.2 W4OVO</a>	12	<a href="#">May 80</a>
Hallicrafters story (letter)	<a href="#">7 W1TVN</a>	6	<a href="#">May 80</a>
Big quad - small yard	<a href="#">1.2 W6SUN</a>	56	<a href="#">May 80</a>
Talking digital readout (letter)	<a href="#">15 N5AF</a>	6	<a href="#">May 80</a>
ZL special antenna, 10-meter, for indoor use	<a href="#">1.2 K5AN</a>	50	<a href="#">May</a>

VSWR and power meter, automatic	<a href="#">13 W0INK</a>	34	<a href="#">80</a> <a href="#">May 80</a>
High-gain phased array, experimental	<a href="#">1.2 KL7IEH</a>	44	<a href="#">May 80</a>
Antenna restrictions: another solution	<a href="#">1.1 N4AOD</a>	46	<a href="#">Jun 80</a>
Synthesized 2-meter mobile stations, automation for	<a href="#">29.3 W9CGI</a>	20	<a href="#">Jun 80</a>
Multiple receivers on one antenna (Two for one) (HN)	<a href="#">22.1 W2OZY</a>	72	<a href="#">Jun 80</a>
James R. Fisk, W1HR - some reflections	<a href="#">7 W6NIF</a>	6	<a href="#">Jun 80</a>
TS-820 filter switching modification (HN)	<a href="#">3 K7OAK</a>	72	<a href="#">Jun 80</a>
Synthesized 2-meter mobile stations, automation for	<a href="#">22.3 W9CGI</a>	20	<a href="#">Jun 80</a>
Jim Fisk, tribute to, publisher's log	<a href="#">7 W1NLB</a>	8	<a href="#">Jun 80</a>
220-MHz kilowatt linear	<a href="#">29.3 W6PO</a>	12	<a href="#">Jun 80</a>
Macromatcher: increasing versatility	<a href="#">1.4 K9DCJ</a>	68	<a href="#">Jun 80</a>
Solid-state T-R switch for tube transmitters	<a href="#">1.1 K1MC</a>	58	<a href="#">Jun 80</a>
Two-meter autopatches, tone-encoder for	<a href="#">31.1 WB0VSZ</a>	51	<a href="#">Jun 80</a>
Phased vertical antenna for 21 MHz	<a href="#">1.2 W6XM</a>	42	<a href="#">Jun 80</a>
Memory keyer, 2048-bit (HN)	<a href="#">12 GW4CQT</a>	73	<a href="#">Jun 80</a>
Woodpecker noise blanker	<a href="#">22.2 DJ2LR</a>	18	<a href="#">Jun 80</a>
High-frequency Yagi antennas, understacking	<a href="#">1.2 W1XT</a>	62	<a href="#">Jun 80</a>
James R. Fisk memorial	<a href="#">7 W1XU</a>	2	<a href="#">Jun 80</a>
Pt. IV Yagi antenna design: multi-element simplistic beams	<a href="#">1.2 W2PV</a>	33	<a href="#">Jun 80</a>
Frequency synthesizer (letter)	<a href="#">31.1 WA3AXS</a>	12	<a href="#">Jul 80</a>
Ni-cad battery charging (letter)	<a href="#">15 W6NRM</a>	6	<a href="#">Jul 80</a>
Time-domain reflectometry, checking transmission lines with	<a href="#">1.6 K7CG</a>	32	<a href="#">Jul 80</a>
E12W six-meter report (letter)	<a href="#">17 EI2W</a>	12	<a href="#">Jul 80</a>
DSB generators, audio-driven (HN)	<a href="#">15 W5TRS</a>	68	<a href="#">Jul 80</a>
Microwave-frequency converter for vhf counters	<a href="#">31.1 KA9BYI</a>	40	<a href="#">Jul 80</a>
Rotary-dial mechanism for digitally tuned transceivers	<a href="#">15 K3CU</a>	14	<a href="#">Jul 80</a>
Factory service (letter)	<a href="#">3 W6HK</a>	6	<a href="#">Jul 80</a>
Linear-amplifier cost efficiency	<a href="#">29.2 W8MFL</a>	60	<a href="#">Jul 80</a>
Inductance or capacitance, a method for measuring (HN)	<a href="#">15 W2CHO</a>	68	<a href="#">Jul 80</a>
Open quad antenna	<a href="#">1.2 I2RR</a>	36	<a href="#">Jul 80</a>
VHF techniques	<a href="#">31.1 W6NBI</a>	62	<a href="#">Jul 80</a>
Variable-inductance variable frequency oscillators	<a href="#">15 W0YBF</a>	50	<a href="#">Jul 80</a>
Ni-cad battery charging (letter)	<a href="#">3 W6NRM</a>	6	<a href="#">Jul 80</a>
EI2W six-meter report (letter)	<a href="#">31.1 EI2W</a>	12	<a href="#">Jul 80</a>
Linear-amplifier cost efficiency	<a href="#">15 W8MFL</a>	60	<a href="#">Jul 80</a>
Pt. V Yagi antenna design: optimizing performance	<a href="#">1.2 W2PV</a>	18	<a href="#">Jul 80</a>
Crystal-controlled vhf receivers, tuning aid for (HN)	<a href="#">31.3 WA1FHB</a>	69	<a href="#">Jul 80</a>
VLF dip meter, no-adjust bias for (HN)	<a href="#">15 WB3IDJ</a>	69	<a href="#">Jul 80</a>
VLF dip meter, no-adjust bias for (HN)	<a href="#">13 WB3IDJ</a>	69	<a href="#">Jul 80</a>
Eimac 5CX1500A power pentode, notes on	<a href="#">15 K9XI</a>	60	<a href="#">Aug 80</a>
Base-loaded vertical antenna for 160 meters	<a href="#">1.2 W6XM</a>	64	<a href="#">Aug 80</a>
Receiver dynamic range (letter)	<a href="#">22.1 AA6PZ</a>	7	<a href="#">Aug 80</a>

Semiconductor curve tracing simplified	<a href="#">15 W6HPH</a>	34	<a href="#">Aug 80</a>
Digital capacitance meter	<a href="#">13 K4GOK</a>	66	<a href="#">Aug 80</a>
Monitor, tone alert	<a href="#">31.1 W4KRT</a>	24	<a href="#">Aug 80</a>
Tubes, surplus (letter)	<a href="#">15 W2JTP</a>	6	<a href="#">Aug 80</a>
Frequency divider, diode	<a href="#">15 W5TRS</a>	54	<a href="#">Aug 80</a>
De-icing the quad (HN)	<a href="#">1.2 W5TRS</a>	75	<a href="#">Aug 80</a>
Signal-strength, measuring	<a href="#">22.1 W2YE</a>	20	<a href="#">Aug 80</a>
Signal-strength, measuring	<a href="#">15 W2YE</a>	20	<a href="#">Aug 80</a>
Function generator, integrated circuit	<a href="#">13 N3FG</a>	30	<a href="#">Aug 80</a>
Monitor, tone alert	<a href="#">17 W4KRT</a>	24	<a href="#">Aug 80</a>
Light-emitting diodes: theory and application	<a href="#">15 WB6AFT</a>	12	<a href="#">Aug 80</a>
Microwave-antenna designers, challenge for	<a href="#">1.3 W6FOO</a>	44	<a href="#">Aug 80</a>
AFSK generator, an accurate and practical	<a href="#">23 K0SFU</a>	56	<a href="#">Aug 80</a>
Solid-state amplifier switching (HN)	<a href="#">15 WB2HTH</a>	75	<a href="#">Aug 80</a>
Logic probe, digital	<a href="#">13 N6UE</a>	38	<a href="#">Aug 80</a>
De-icing the quad (HN)	<a href="#">1.1 W5TRS</a>	75	<a href="#">Aug 80</a>
Communications receivers, calculating the cascade intercept point of	<a href="#">22.1 WA7TDB</a>	50	<a href="#">Aug 80</a>
Linear tuning, a fresh look at (HN)	<a href="#">15 W2OLU</a>	74	<a href="#">Aug 80</a>
Speech processors (letter)	<a href="#">2 K3ND</a>	6	<a href="#">Aug 80</a>
Eimac 5CX1500A power pentode, notes on	<a href="#">29.1 K9XI</a>	60	<a href="#">Aug 80</a>
Speed of light (letter)	<a href="#">15 W4MLM</a>	6	<a href="#">Aug 80</a>
High-gain phased array, experimental	<a href="#">1.2 Short circuit</a>	67	<a href="#">Sep 80</a>
Tubes, surplus (letter)	<a href="#">15 Sellati</a>	66	<a href="#">Sep 80</a>
Touch-tone decoder, third generation	<a href="#">9 Short circuit</a>	67	<a href="#">Sep 80</a>
Half-wave balun: theory and application	<a href="#">1.4 K4KJ</a>	32	<a href="#">Sep 80</a>
Gunn oscillator design for the 10-GHz band	<a href="#">31.1 WB2ZKW</a>	6	<a href="#">Sep 80</a>
Optimum pi-network design	<a href="#">15 DL9LX</a>	50	<a href="#">Sep 80</a>
Microphones and simple speech processing	<a href="#">2 Letter, W5VWR</a>	6	<a href="#">Sep 80</a>
Pt. I Yagi antenna design: performance calculations	<a href="#">1.2 Short circuit</a>	66	<a href="#">Sep 80</a>
VHF transceivers, regulated power supply for	<a href="#">20 WA8RXU</a>	58	<a href="#">Sep 80</a>

Electrolytic capacitors, measuring capacitance of	<a href="#">13 KP4DIF</a>	24	<a href="#">Sep 80</a>
L-Matching network, appreciating the	<a href="#">1.4 WA2EWT</a>	27	<a href="#">Sep 80</a>
VHF transceivers, regulated power supply for	<a href="#">31.1 WA8RXU</a>	58	<a href="#">Sep 80</a>
PCB "threat" (letter)	<a href="#">15 VE5UK</a>	66	<a href="#">Sep 80</a>
Kenwood TS-520-SE transceiver, counter mixer for	<a href="#">3 W5NPD</a>	60	<a href="#">Sep 80</a>
Pt. VI Yagi antenna design: quads and quagis	<a href="#">1.2 W2PV</a>	37	<a href="#">Sep 80</a>
Simple 40-meter receiver - Weekender	<a href="#">22.2 W6XM</a>	64	<a href="#">Sep 80</a>
Frequency counter, capacitance-measurement accuracy for	<a href="#">13 Short circuit</a>	67	<a href="#">Sep 80</a>
Optimum pi-network design	<a href="#">1.4 DL9LX</a>	50	<a href="#">Sep 80</a>
Speed of light (letter)	<a href="#">15 KL6WU</a>	67	<a href="#">Sep 80</a>
Hallicrafters story (letter)	<a href="#">7 WA2JVD</a>	6	<a href="#">Sep 80</a>
Coaxial-line transformers, a new class of	<a href="#">1.4 Short circuit</a>	67	<a href="#">Sep 80</a>
Hellschreiber (letter)	<a href="#">23 Comment, G5XB</a>	6	<a href="#">Sep 80</a>
Navigational aid for small-boat operators	<a href="#">15 W5TRS</a>	46	<a href="#">Sep 80</a>
Coaxial-line transformers, a new class of	<a href="#">1.6 Short circuit</a>	67	<a href="#">Sep 80</a>
CW identifier, versatile	<a href="#">15 WB2BWJ</a>	22	<a href="#">Oct 80</a>
Phone patch using junk-box parts	<a href="#">2 K7NM</a>	40	<a href="#">Oct 80</a>
Folded end-fire radiator	<a href="#">1.2 N7WD</a>	44	<a href="#">Oct 80</a>
CW regenerator for Amateur receivers	<a href="#">22.2 W3BYM</a>	64	<a href="#">Oct 80</a>
Radio Shack ASCII keyboard encoder for micro-processor-controlled CW keyboard, using (HN)	<a href="#">12 VE7ZV</a>	72	<a href="#">Oct 80</a>
True north, how to determine for antenna orientation	<a href="#">1.3 K4DE</a>	38	<a href="#">Oct 80</a>
Amateur band Intruders (letter)	<a href="#">17 W5SAD</a>	8	<a href="#">Oct 80</a>
Voice-band equalizer	<a href="#">2 WB2GCR</a>	50	<a href="#">Oct 80</a>
Pt. VII Yagi antenna design: ground or earth effects	<a href="#">1.2 W2PV</a>	29	<a href="#">Oct 80</a>
Phase III spacecraft orbits, geometry of	<a href="#">24 W8MQW</a>	68	<a href="#">Oct 80</a>
CW keyboard using the APPLE II computer	<a href="#">14 W6WR</a>	60	<a href="#">Oct 80</a>
Coaxial connectors, sealing, (HN)	<a href="#">1.6 Letter, K7ZFG</a>	6	<a href="#">Oct 80</a>
Coaxial connections, sealing (HN)	<a href="#">1.1 Letter, K7ZFG</a>	6	<a href="#">Oct 80</a>
True north for antenna orientation, how to determine	<a href="#">17 K4DE</a>	38	<a href="#">Oct 80</a>
CW Identifier, versatile	<a href="#">12 WB2BWJ</a>	22	<a href="#">Oct 80</a>
Quad variations, more (HN)	<a href="#">1.2 W5TRS</a>	72	<a href="#">Oct 80</a>
True north, how to determine for antenna orientation	<a href="#">31.2 K4DE</a>	38	<a href="#">Oct 80</a>
Radio Shack ASCII keyboard encoder for microprocessor-controlled CW keyboard using the (HN)	<a href="#">14 VE7ZV</a>	72	<a href="#">Oct 80</a>
Transmission lines, long, for optimum antenna location	<a href="#">1.6 N4UH</a>	12	<a href="#">Oct 80</a>
Radials, installing, for vertical antennas	<a href="#">1.1 K3ZAP</a>	56	<a href="#">Oct 80</a>
Auto-product detection of double-sideband	<a href="#">22.1 Letter G3JIP</a>	6	<a href="#">Oct 80</a>
CW keyboard using the APPLE II computer	<a href="#">12 W6WR</a>	60	<a href="#">Oct 80</a>
Quad, three-element switchable, for 40 meters	<a href="#">1.2 N8ET</a>	26	<a href="#">Oct 80</a>
Crystal use locator	<a href="#">15 WA6SWR</a>	36	<a href="#">Nov 80</a>
Quad for 7-28 MHz	<a href="#">1.2 W3NZ</a>	12	<a href="#">Nov 80</a>
Selfish attitudes (letter)	<a href="#">17 K2OZ</a>	6	<a href="#">Nov 80</a>
Ham-M rotator control box, modifications of (HN)	<a href="#">3 K4DLA/W1RDR</a>	68	<a href="#">Nov 80</a>
Ground systems (letter)	<a href="#">1.1 ZL2BJR</a>	6	<a href="#">Nov</a>



XK2C AFSK generator, the	<a href="#">29.1 W3HVK</a>	58	<a href="#">80</a> <a href="#">Nov 80</a>
Q systems	<a href="#">15 W1IUZ</a>	6	<a href="#">Nov 80</a>
Ham-M rotator control box, modification of (HN)	<a href="#">1.5 K4DLA/W1RDR</a>	68	<a href="#">Nov 80</a>
Battery charging (letter)	<a href="#">20 Carlson</a>	6	<a href="#">Nov 80</a>
Heathkit HW-2036, updating the	<a href="#">3 WA4BZP</a>	50	<a href="#">Nov 80</a>
Ground-mounted vertical for the lowerbands, improved (HN)	<a href="#">1.2 W5NPD</a>	68	<a href="#">Nov 80</a>
T coupler, the (HN)	<a href="#">15 K3NXU</a>	78	<a href="#">Nov 80</a>
T coupler, the (HN)	<a href="#">1.6 K3NXU</a>	68	<a href="#">Nov 80</a>
XK2C AFSK generator, the	<a href="#">23 W3HVK</a>	58	<a href="#">Nov 80</a>
Battery charging (letter)	<a href="#">15 Carlson</a>	6	<a href="#">Nov 80</a>
Pt. VIII Yagi antenna design: stacking	<a href="#">1.2 W2PV</a>	22	<a href="#">Nov 80</a>
CW memory, simple - Weekender	<a href="#">17 K4DHC</a>	46	<a href="#">Nov 80</a>
Transmission-line circuit design for 50 MHz and above	<a href="#">1.6 W6GGV</a>	38	<a href="#">Nov 80</a>
CQer, automatic, for RTTY	<a href="#">29.1 W4AYV</a>	18	<a href="#">Nov 80</a>
F-237/GRC surplus cavity filter, conversion versatility using the	<a href="#">31.1 W4FXE</a>	22	<a href="#">Dec 80</a>
SB-220 transceiver, inrush current protection for - Weekender	<a href="#">3 W3GYM</a>	66	<a href="#">Dec 80</a>
RST feedback (letter)	<a href="#">17 V4OVO</a>	6	<a href="#">Dec 80</a>
Microwave systems, first building blocks for	<a href="#">31.1 WA2GFP</a>	52	<a href="#">Dec 80</a>
Transceiver diplexer: an alternative to relays	<a href="#">12 N6RY</a>	71	<a href="#">Dec 80</a>
RST feedback (letter)	<a href="#">17 W0NN</a>	6	<a href="#">Dec 80</a>
Varactor tuning tips (HN)	<a href="#">31.1 N3GN</a>	69	<a href="#">Dec 80</a>
Amplitude compandored sideband	<a href="#">15 WB6JNN</a>	48	<a href="#">Dec 80</a>
Kilowatt mobile for DX	<a href="#">29.2 K5DUT</a>	43	<a href="#">Dec 80</a>
Pt. IX Yagi antennas: practical designs	<a href="#">1.2 W2PV</a>	30	<a href="#">Dec 80</a>
Voltage-tuned UHF oscillator, multipurpose	<a href="#">31.1 WA9HUV</a>	12	<a href="#">Dec 80</a>
Circuit figure of merit (letter)	<a href="#">15 W2JTP</a>	6	<a href="#">Dec 80</a>

### Results for Year - 1981

Article	CatID	Author	Page	Issue
Lowpass filters, elliptic, for transistor amplifiers	<a href="#">29.1 W3NQN</a>		20	<a href="#">Jan 81</a>
Kenwood TR-7400A, scanner for (the Kenscan 74)	<a href="#">3 WB7QYB</a>		50	<a href="#">Jan 81</a>
Antenna match, quick and simple	<a href="#">1.4 Anderson, Leonard H.</a>		58	<a href="#">Jan 81</a>
Analog-to-digital display converter for the visually handicapped	<a href="#">15 KB7JW</a>		44	<a href="#">Jan 81</a>
CDE tailtwister rotor, pulse-position control of	<a href="#">3 WE4EXW</a>		30	<a href="#">Jan 81</a>

Linear amplifier, modular, for the high-frequency Amateur bands	<a href="#">29.2 K8RA</a>	12	<a href="#">Jan 81</a>
Ham radio techniques: triband Yagi beam for 20, 15, and 10 meters	<a href="#">7 W6SAI</a>	68	<a href="#">Jan 81</a>
Swr meter, how accurate? (HN)	<a href="#">1.4 WB9TQG</a>	78	<a href="#">Jan 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	76	<a href="#">Jan 81</a>
Collins 75S-3 alignment (HN)	<a href="#">3 N1FB</a>	79	<a href="#">Jan 81</a>
Triband Yagi beam (ham radio techniques)	<a href="#">1.2 W6SAI</a>	68	<a href="#">Jan 81</a>
Lowpass filters, elliptic, for transistor amplifiers	<a href="#">29.2 W3NQN</a>	20	<a href="#">Jan 81</a>
Microcomputer-based contest keyer	<a href="#">12 K9CW</a>	36	<a href="#">Jan 81</a>
CDE tailtwister rotor, pulse-position control of	<a href="#">1.5 WB4EXW</a>	30	<a href="#">Jan 81</a>
Linear amplifier, modular, for the high-frequency Amateur bands	<a href="#">26 K8RA</a>	12	<a href="#">Jan 81</a>
Drake R-4C receiver audio Improvements (HN)	<a href="#">3 W3CVS</a>	79	<a href="#">Jan 81</a>
Yagi beam elements, aligning (HN)	<a href="#">1.2 WA2SON</a>	79	<a href="#">Jan 81</a>
Kenscan 74	<a href="#">31.3 WB7QYB</a>	50	<a href="#">Jan 81</a>
Microcomputer-based contest keyer	<a href="#">14 K9CW</a>	36	<a href="#">Jan 81</a>
Transmission-line design, Pt. 2: distributed resonant circuits in uhf/vhf lines	<a href="#">1.6 W6GGV</a>	62	<a href="#">Jan 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	92	<a href="#">Feb 81</a>
Drake TR-7 transceiver, Woodpecker noise blanker for (HN)	<a href="#">3 K1KSY</a>	67	<a href="#">Feb 81</a>
Solid-state power for 1296 MHz	<a href="#">31.4 N6JH</a>	30	<a href="#">Feb 81</a>
Hyperbolic navigation (letter)	<a href="#">15 Burhans, Ralph W.</a>	6	<a href="#">Feb 81</a>
KLM antenna rotor, computer control for (HN)	<a href="#">1.5 W8MQW</a>	66	<a href="#">Feb 81</a>
80-meter receiver for the experimenter	<a href="#">22.2 W6XM</a>	24	<a href="#">Feb 81</a>
KLM antenna rotor, computer control for (HN)	<a href="#">3 W8MQW</a>	66	<a href="#">Feb 81</a>
Varactor tuning tips (HN)	<a href="#">15 N3GN</a>	67	<a href="#">Feb 81</a>
Transmission-line design, Pt. 3: distributed resonant circuits in vhf/uhf lines	<a href="#">1.6 W6GGV</a>	56	<a href="#">Feb 81</a>
Earth-moon-earth (ham radio techniques)	<a href="#">31.1 W6SAI</a>	40	<a href="#">Feb 81</a>
Ham radio techniques: earth-moon-earth	<a href="#">7 W6SAI</a>	40	<a href="#">Feb 81</a>
RST (letter)	<a href="#">17 W0UCK</a>	6	<a href="#">Feb 81</a>
Better audio for mobile operation	<a href="#">2 K6GCO</a>	48	<a href="#">Feb 81</a>
Repeater security	<a href="#">31.1 WA5FRF</a>	52	<a href="#">Feb 81</a>
Noise-figure meter, automatic, for preamplifiers and converters	<a href="#">13 K9IMM</a>	12	<a href="#">Feb 81</a>
Synthesizer, genesis of a	<a href="#">31.4 VE3FIT</a>	38	<a href="#">Mar 81</a>
Linear amplifier, modular, for the high-frequency Amateur bands	<a href="#">29.2 Comments K1THP</a>	6	<a href="#">Mar 81</a>
CW anyone?	<a href="#">17 W7JWJ</a>	44	<a href="#">Mar 81</a>
Antenna bridge calculations	<a href="#">1.4 K6GK</a>	85	<a href="#">Mar 81</a>
Add fm to your receiver (weekender)	<a href="#">31.3 K3NXU</a>	74	<a href="#">Mar 81</a>
Tracking satellites in elliptical orbits	<a href="#">24 WA6VJR</a>	46	<a href="#">Mar 81</a>
DXer's Diary	<a href="#">7 W9KNI</a>	18	<a href="#">Mar 81</a>
Best way to get an antenna into a tree (HN)	<a href="#">1.1 WA5VLX</a>	84	<a href="#">Mar 81</a>
More about moonbounce (ham radio techniques)	<a href="#">31.1 W6SAI</a>	34	<a href="#">Mar</a>

DXer's diary	<a href="#">17 W9KNI</a>	18	<a href="#">81</a> <a href="#">Mar 81</a>
Transmission-line design, Pt. 4: distributed resonant circuits In vhf/uhf lines	<a href="#">1.6 W6GGV</a>	64	<a href="#">Mar 81</a>
Synthesizer, genesis of a	<a href="#">31.3 VE3FIT</a>	38	<a href="#">Mar 81</a>
Linear amplifier, modular, for the high-frequency Amateur bands	<a href="#">26 Comments K1THP</a>	6	<a href="#">Mar 81</a>
Ham radio techniques: more about moonbounce	<a href="#">7 W6SAI</a>	34	<a href="#">Mar 81</a>
Inexpensive five-eighth wave groundplane (HN)	<a href="#">1.3 W7CD</a>	84	<a href="#">Mar 81</a>
Inexpensive five-eighth wave groundplane (HN)	<a href="#">31.2 W7CSD</a>	84	<a href="#">Mar 81</a>
Protection for your solid-state devices	<a href="#">20 W1OOP</a>	52	<a href="#">Mar 81</a>
Collins KWM-2 KWM-2A, owners' reports	<a href="#">3 WB1CHQ</a>	22	<a href="#">Mar 81</a>
AN/UPX-6 cavities, converting surplus	<a href="#">31.4 W6NBI</a>	12	<a href="#">Mar 81</a>
Single-conversion transceivers, digital frequency display for	<a href="#">29.1 K6YHK</a>	28	<a href="#">Mar 81</a>
Add fm to your receiver (weekender)	<a href="#">9 K3NXU</a>	74	<a href="#">Mar 81</a>
True north, how to determine for antenna orientation	<a href="#">1.3 Comments, N6XQ, K4DE</a>	7	<a href="#">Mar 81</a>
True north, how to determine for antenna orientation	<a href="#">31.2 Comments, N6QX, K4DE</a>	7	<a href="#">Mar 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	78	<a href="#">Mar 81</a>
AN/UPX-6 cavities, converting surplus	<a href="#">5 W6NBI</a>	12	<a href="#">Mar 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	52	<a href="#">Apr 81</a>
Collins 516F-2 power supply, transient protection for	<a href="#">3 W6AD</a>	31	<a href="#">Apr 81</a>
Geostationary satellite bearings with the TI-58/59 programmable calculator (HN)	<a href="#">24 WA6BKC</a>	87	<a href="#">Apr 81</a>
Ham radio techniques: ten-meter band	<a href="#">7 W6SAI</a>	38	<a href="#">Apr 81</a>
CW filter, high performance	<a href="#">22.1 W3NON</a>	18	<a href="#">Apr 81</a>
Collins S-line, owners' report	<a href="#">3 WB1CHQ</a>	12	<a href="#">Apr 81</a>
X-band calibrator	<a href="#">31.1 WA6EJO</a>	44	<a href="#">Apr 81</a>
DXer's diary	<a href="#">17 W9KNI</a>	26	<a href="#">Apr 81</a>
Measuring receiver dynamic range: an addendum (HN)	<a href="#">22.1 WB6CTW</a>	86	<a href="#">Apr 81</a>
Heathkit SB-104A, Improved receiver performance for	<a href="#">3 N2EO</a>	78	<a href="#">Apr 81</a>
2-meter synthesizer, frequency modulator for	<a href="#">31.3 K9LHA</a>	68	<a href="#">Apr 81</a>
Ten-meter band (ham radio techniques)	<a href="#">17 W6SAI</a>	38	<a href="#">Apr 81</a>
Transmission-line design, Pt. 5: 50 MHz and above	<a href="#">1.6 W6GGV</a>	72	<a href="#">Apr 81</a>
Shortwave converter, portable	<a href="#">22.2 PY2PE1C</a>	64	<a href="#">Apr 81</a>
DXer's Diary	<a href="#">7 W9KNI</a>	26	<a href="#">Apr 81</a>
2-meter synthesizer, frequency modulator for	<a href="#">31.4 K9LHA</a>	68	<a href="#">Apr 81</a>
Using a 2-meter quarter-wave whip on 450 MHz (HN)	<a href="#">1.3 K1ZJH</a>	92	<a href="#">May</a>

Using a 2-meter quarter-wave whip on 450 MHz (HN)	<a href="#">31.2 K1ZJH</a>	92	<a href="#">81</a> <a href="#">May 81</a>
Ham radio techniques: 160-meter band	<a href="#">7 W6SAI</a>	46	<a href="#">81</a> <a href="#">May 81</a>
Phased vertical arrays, pattern calculations for	<a href="#">1.2 WB5HGR</a>	40	<a href="#">81</a> <a href="#">May 81</a>
160-meter band (ham radio techniques)	<a href="#">17 W6SAI</a>	46	<a href="#">81</a> <a href="#">May 81</a>
Balun, coreless	<a href="#">1.4 WA2SON</a>	62	<a href="#">81</a> <a href="#">May 81</a>
10-60MHz preamp, low-noise, low-cost	<a href="#">31.3 WA2GFP</a>	65	<a href="#">81</a> <a href="#">May 81</a>
Jim, a tug at your memory	<a href="#">7 W4VT</a>	28	<a href="#">81</a> <a href="#">May 81</a>
The K2GNC Giza beam	<a href="#">1.2 K2GNC</a>	52	<a href="#">81</a> <a href="#">May 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	76	<a href="#">81</a> <a href="#">May 81</a>
Measuring coax cable loss with an swr meter	<a href="#">1.6 W89TOG</a>	35	<a href="#">81</a> <a href="#">May 81</a>
Aligning Yagi beam elements (HN)	<a href="#">1.2 WA2SON</a>	92	<a href="#">81</a> <a href="#">May 81</a>
Modification of K9LHA 2-meter synthesizer for 144-148 MHz coverage (HN)	<a href="#">31.3 K9LHA</a>	93	<a href="#">81</a> <a href="#">May 81</a>
CW memory modification (HN)	<a href="#">12 W0DLQ</a>	93	<a href="#">81</a> <a href="#">May 81</a>
Re-entrant cavity antenna for the VHF bands	<a href="#">1.3 W4FXE</a>	12	<a href="#">81</a> <a href="#">May 81</a>
Re-entrant cavity antenna for the vhf bands	<a href="#">31.2 W4FXE</a>	12	<a href="#">81</a> <a href="#">May 81</a>
Plumber's delight coax connector (weekender)	<a href="#">1.6 N4LI</a>	50	<a href="#">81</a> <a href="#">May 81</a>
Butterfly beam	<a href="#">1.2 W1XU</a>	30	<a href="#">81</a> <a href="#">May 81</a>
Modification of K9LHA 2-meter synthesizer for 144-148 MHz coverage (HN)	<a href="#">31.4 K9LHA</a>	93	<a href="#">81</a> <a href="#">May 81</a>
Rf power meter, part 1: instrument description and construction	<a href="#">13 N6YC</a>	70	<a href="#">81</a> <a href="#">May 81</a>
Amateur radio, 1933 (ham radio techniques)	<a href="#">17 W6SAI</a>	41	<a href="#">81</a> <a href="#">Jun 81</a>
Tune in on the world	<a href="#">7 WA4PYQ</a>	12	<a href="#">81</a> <a href="#">Jun 81</a>
Mobile high-frequency antenna, refinements to	<a href="#">1.2 W3NZ</a>	34	<a href="#">81</a> <a href="#">Jun 81</a>
80-meter receiver for the experimenter	<a href="#">22.2 Comments</a>	6	<a href="#">81</a> <a href="#">Jun 81</a>
Electrolytic capacitors (letter)	<a href="#">15 WB8MKU</a>	6	<a href="#">81</a> <a href="#">Jun 81</a>
Heath SE-400/SB-401, simple speech amplifier for (HN)	<a href="#">3 W8LMH</a>	72	<a href="#">81</a> <a href="#">Jun 81</a>
DXer's diary	<a href="#">17 W9KNI</a>	22	<a href="#">81</a> <a href="#">Jun 81</a>
Rf power meter, part 2: measurements and measurement accessories	<a href="#">13 N6YC</a>	55	<a href="#">81</a> <a href="#">Jun 81</a>
High-frequency mobile antenna matcher, simple	<a href="#">1.4 W6BCX</a>	28	<a href="#">81</a> <a href="#">Jun 81</a>
Slow ASCII	<a href="#">23 W3FVC</a>	6	<a href="#">81</a> <a href="#">Jun 81</a>
Sorting and inventory of standard resistor values, computer program for	<a href="#">15 WA6SWR</a>	66	<a href="#">81</a> <a href="#">Jun 81</a>

DXer's Diary	<a href="#">7 W9KNI</a>	22	<a href="#">Jun 81</a>
Electrolytic capacitors (letter)	<a href="#">20 WB8MKU</a>	6	<a href="#">Jun 81</a>
Sweep generator, stable wideband	<a href="#">13 W7BAR</a>	18	<a href="#">Jun 81</a>
Heath HW-2036 mods (letter)	<a href="#">2 Mosher, E.A.</a>	8	<a href="#">Jun 81</a>
Novice roundup (letter)	<a href="#">16 KA9AZY</a>	8	<a href="#">Jun 81</a>
Ham radio techniques: amateur radio, 1933	<a href="#">7 W6SAI</a>	41	<a href="#">Jun 81</a>
Beam antenna mast lock	<a href="#">1.1 W4KV</a>	68	<a href="#">Jun 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	52	<a href="#">Jun 81</a>
Computer rfi (letter)	<a href="#">14 KA5HJI</a>	8	<a href="#">Jun 81</a>
DenTron 160XV transverter, stabilizing the (Weekender)	<a href="#">3 WB2QLL</a>	46	<a href="#">Jun 81</a>
SSB transmitters, FSK adapter for	<a href="#">23 WA3PLC</a>	12	<a href="#">Jul 81</a>
Ac-line switching precautions (HN)	<a href="#">15 W5PGG</a>	69	<a href="#">Jul 81</a>
Collins 516F-2 low-voltage and bias modification (HN)	<a href="#">3 N1FB</a>	68	<a href="#">Jul 81</a>
Wearing cans (letter)	<a href="#">17 WB9FRV</a>	8	<a href="#">Jul 81</a>
Shopping for parts by mail	<a href="#">7 W8FX</a>	16	<a href="#">Jul 81</a>
WBJK antenna, a new look at	<a href="#">1.2 OD5CG</a>	60	<a href="#">Jul 81</a>
Handheld transceiver mount (a 2-way ashtray for your car) (weekender)	<a href="#">31.1 KB2XM</a>	64	<a href="#">Jul 81</a>
Super beep circuit for repeaters	<a href="#">15 KP4AQI</a>	48	<a href="#">Jul 81</a>
FT-101E, 10-meter preamp for	<a href="#">3 K1NYK</a>	26	<a href="#">Jul 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	56	<a href="#">Jul 81</a>
Field-strength meter for the high-frequency Amateur bands	<a href="#">13 WB6AFT</a>	42	<a href="#">Jul 81</a>
Antenna tuners (ham radio techniques)	<a href="#">1.4 W6SAI</a>	30	<a href="#">Jul 81</a>
Super beep circuit for repeaters	<a href="#">31.1 KP4AQI</a>	48	<a href="#">Jul 81</a>
County awards (totter)	<a href="#">17 KB7SB</a>	8	<a href="#">Jul 81</a>
Ham radio techniques: antenna tuners	<a href="#">7 W6SAI</a>	30	<a href="#">Jul 81</a>
Radio Interference to shortwave receivers (HN)	<a href="#">22.2 W6XM</a>	88	<a href="#">Jul 81</a>
K4EEU frequency standard, battery backup for (HN)	<a href="#">13 N4BA</a>	68	<a href="#">Jul 81</a>
Handheld transceiver, audio amplifier for	<a href="#">2 N1RM</a>	38	<a href="#">Jul 81</a>
Protecting amateur radio (letter)	<a href="#">17 K2JIY</a>	8	<a href="#">Jul 81</a>
Observation and opinion	<a href="#">7 W9KNI</a>	6	<a href="#">Jul 81</a>
Dipole antenna, trimming the (HN)	<a href="#">1.2 W5NPD</a>	69	<a href="#">Jul 81</a>
ALC circuits, an analysis of	<a href="#">29.2 K4JW</a>	19	<a href="#">Aug 81</a>
Instant balun (letter)	<a href="#">15 W8MQW</a>	6	<a href="#">Aug 81</a>
Two delta loops fed in phase	<a href="#">1.2 W8HXR</a>	60	<a href="#">Aug 81</a>
Dual voltage surge-protection for high-voltage power supplies (weekender)	<a href="#">20 K8VIR</a>	42	<a href="#">Aug 81</a>
Ham radio techniques: amateur radio 1941	<a href="#">7 W6SAI</a>	30	<a href="#">Aug 81</a>
Instant balun (letter)	<a href="#">31.1 W8MQW</a>	6	<a href="#">Aug 81</a>
Amateur radio, 1941 (ham radio techniques)	<a href="#">17 W6SAI</a>	30	<a href="#">Aug 81</a>
Low swr, how important?	<a href="#">1.4 W1GV/4</a>	33	<a href="#">Aug 81</a>
Squirrel-cage motors make field-day power supplies (HN)	<a href="#">20 K6DZY</a>	74	<a href="#">Aug</a>

			<a href="#">81</a>
Reinartz, John L., father of shortwave radio	<a href="#">7 WA6CBQ</a>	10	<a href="#">Aug 81</a>
Intruder watch (letter)	<a href="#">17 ZL6IW/ZL1BAD</a>	6	<a href="#">Aug 81</a>
DXer's Diary	<a href="#">7 W9KNI</a>	60	<a href="#">Aug 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	46	<a href="#">Aug 81</a>
Dip meters, a new look at	<a href="#">13 W6GXN</a>	25	<a href="#">Aug 81</a>
Ten-second call swaps (letter)	<a href="#">17 WB1FJE</a>	6	<a href="#">Aug 81</a>
From Amateur to professional	<a href="#">7 KI2U</a>	54	<a href="#">Aug 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	48	<a href="#">Sep 81</a>
DXer's Diary	<a href="#">7 Comments</a>	6	<a href="#">Sep 81</a>
Rfi cures: avoiding side effects	<a href="#">15 WB9TQG</a>	52	<a href="#">Sep 81</a>
Ham radio techniques	<a href="#">1.3 W6SAI</a>	32	<a href="#">Sep 81</a>
Multipurpose uhf oscillator, simplifying the	<a href="#">31.1 WA9HYV</a>	28	<a href="#">Sep 81</a>
Ham radio techniques	<a href="#">7 W6SAI</a>	32	<a href="#">Sep 81</a>
Operation upgrade: part 1	<a href="#">16 W6BNB</a>	12	<a href="#">Sep 81</a>
Measuring coax cable loss with an swr meter	<a href="#">1.6 Comments, WD4KMP, WB9TQG</a>	6	<a href="#">Sep 81</a>
Multiplexing, the how and why of	<a href="#">15 KH6N</a>	60	<a href="#">Sep 81</a>
Half-wave vertical	<a href="#">1.2 VE2CV</a>	36	<a href="#">Sep 81</a>
DXer's diary	<a href="#">17 Comments</a>	6	<a href="#">Sep 81</a>
Digital-circuit problems, avoiding built-in, part one	<a href="#">6 W1BG</a>	43	<a href="#">Sep 81</a>
Operation upgrade: part 1	<a href="#">15 W6BNB</a>	12	<a href="#">Sep 81</a>
Ham radio techniques	<a href="#">1.2 W6SAI</a>	32	<a href="#">Sep 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	46	<a href="#">Oct 81</a>
Ham radio techniques	<a href="#">7 W6SAI</a>	42	<a href="#">Oct 81</a>
Junk-box portable antenna	<a href="#">1.2 W3SMT</a>	24	<a href="#">Oct 81</a>
Data retrieval program using the APPLE II computer (HN)	<a href="#">14 WB6YHS</a>	75	<a href="#">Oct 81</a>
Simulated carbon microphones, using with Amateur transmitters	<a href="#">2 W9MKV</a>	18	<a href="#">Oct 81</a>
RTTY tuning indicator, a free (HN)	<a href="#">23 N1AW</a>	74	<a href="#">Oct 81</a>
Light-bulb dummy loads (HN)	<a href="#">13 W6HPH</a>	74	<a href="#">Oct 81</a>
Trapped antenna, trapping the mysteries of	<a href="#">1.2 N3GO</a>	10	<a href="#">Oct 81</a>
Operation upgrade: part 2	<a href="#">15 W6BNB</a>	28	<a href="#">Oct 81</a>
ICOM 701 owners' report	<a href="#">3 WB1CHQ</a>	56	<a href="#">Oct 81</a>
Dipole antenna length reference chart (HN)	<a href="#">1.1 W6XM</a>	75	<a href="#">Oct 81</a>
Geostationary satellites, locating	<a href="#">24 W2TQK</a>	66	<a href="#">Oct 81</a>
Rf power meter, part 2: measurements and measurement accessories	<a href="#">13 Comments, W3NQN</a>	6	<a href="#">Oct 81</a>
Ham radio techniques	<a href="#">1.4 W6SAI</a>	42	<a href="#">Oct 81</a>
Operation upgrade: part 2	<a href="#">16 W6BNB</a>	28	<a href="#">Oct 81</a>
Digital-circuit problems, avoiding built-in, part two	<a href="#">6 W1BG</a>	50	<a href="#">Oct 81</a>
Light-bulb dummy loads (HN)	<a href="#">1.1 W6HPH</a>	74	<a href="#">Oct 81</a>
Swr meter for the high-frequency bands	<a href="#">13 WB6AFT</a>	62	<a href="#">Oct 81</a>
Swr meter for the high-frequency bands	<a href="#">1.4 WB6AFT</a>	62	<a href="#">Oct 81</a>
CW filter, high performance	<a href="#">22.1 Comments W3NQN</a>	6	<a href="#">Nov</a>



Owners' survey, TR7	<a href="#">3 WB1CHQ</a>	66	<a href="#">Nov 81</a>
Communications receivers for the year 2000: part 1	<a href="#">22.3 DJ2LR</a>	12	<a href="#">Nov 81</a>
Ham radio techniques: radio-frequency interference	<a href="#">15 W6SAI</a>	34	<a href="#">Nov 81</a>
Suspended long Yagi (ham radio techniques)	<a href="#">1.2 W6SAI</a>	34	<a href="#">Nov 81</a>
Communications receivers for the year 2000: part 1	<a href="#">22.2 DJ2LR</a>	12	<a href="#">Nov 81</a>
Ham radio techniques: radio-frequency Interference	<a href="#">7 W6SAI</a>	34	<a href="#">Nov 81</a>
Interesting preamplifier for 144 MHz (HN)	<a href="#">22.3 WA2GFP</a>	50	<a href="#">Nov 81</a>
DX Forecaster	<a href="#">17 K0RYW</a>	76	<a href="#">Nov 81</a>
Antenna bridge calculations	<a href="#">1.4 Short circuit</a>	84	<a href="#">Nov 81</a>
Understanding performance data of high-frequency receivers	<a href="#">22.2 K6FM</a>	30	<a href="#">Nov 81</a>
Ham radio techniques: triband Yagi beam for 20, 15, and 10 meters	<a href="#">7 Short circuit</a>	84	<a href="#">Nov 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	76	<a href="#">Nov 81</a>
Add-on selectivity for communications receivers	<a href="#">2 G4GMO</a>	41	<a href="#">Nov 81</a>
Up-conversion receiver for the high-frequency bands: part 1	<a href="#">22.2 W2VJN</a>	54	<a href="#">Nov 81</a>
Sweep generator, stable wideband	<a href="#">13 Short circuit</a>	84	<a href="#">Nov 81</a>
Antenna restrictions (letter)	<a href="#">1.1 K3SRO</a>	6	<a href="#">Nov 81</a>
A-M/fm converter for facsimile transmission, an	<a href="#">29.1 SM6FJB</a>	12	<a href="#">Dec 81</a>
DX forecaster	<a href="#">21 K0RYW</a>	78	<a href="#">Dec 81</a>
DXer's Diary	<a href="#">7 W9KNI</a>	70	<a href="#">Dec 81</a>
K9LHA 2-meter synthesizer, extending the range of (HN)	<a href="#">22.3 K9LHA</a>	52	<a href="#">Dec 81</a>
Rf power distributor, the	<a href="#">15 W3BYM</a>	48	<a href="#">Dec 81</a>
Low swr, how important?	<a href="#">1.4 Comments, K1KSY, W1GV/4</a>	6	<a href="#">Dec 81</a>
K9LHA 2-meter synthesizer, extending the range of (HN)	<a href="#">31.1 K9LHA</a>	52	<a href="#">Dec 81</a>
Communications receivers for the year 2000: part 2	<a href="#">22.2 DJ2LR</a>	36	<a href="#">Dec 81</a>
Ham radio techniques: radio-frequency interference	<a href="#">7 W6SAI</a>	30	<a href="#">Dec 81</a>
Early single-sideband transmitter (ham radio techniques)	<a href="#">26 W6SAI</a>	30	<a href="#">Dec 81</a>
Rfi cures: avoiding side effects	<a href="#">15 Comments WB7SYB, WB9TQG, VE2QO</a>	6	<a href="#">Dec 81</a>
Digital-circuit problems, avoiding built-in, part one	<a href="#">6 Comments VE2QO</a>	6	<a href="#">Dec 81</a>
Up-conversion receiver for the high-frequency bands: part 2	<a href="#">22.2 W2VJN</a>	20	<a href="#">Dec 81</a>
Shopping for parts by mail	<a href="#">7 Comments K1THP</a>	6	<a href="#">Dec 81</a>
Half-square antenna, the	<a href="#">1.2 N0AN</a>	48	<a href="#">Dec 81</a>
Medium-scan television	<a href="#">28 W9NTP</a>	54	<a href="#">Dec 81</a>
DX Forecaster	<a href="#">17 K0RYW</a>	78	<a href="#">Dec 81</a>

Digital-circuit problems, avoiding built-in, part two	<a href="#">6 Comments VE2QO</a>	6	<a href="#">Dec 81</a>
Communications receivers for the year 2000: part 2	<a href="#">22.3 DJ2LR</a>	36	<a href="#">Dec 81</a>
Ham radio techniques: radio-frequency interference	<a href="#">15 W6SAI</a>	30	<a href="#">Dec 81</a>
Six-element wide-beam for 10 (ham radio techniques)	<a href="#">1.2 W6SAI</a>	30	<a href="#">Dec 81</a>

## Results for Year - 1982

Article	CatID	Author	Page	Issue
Blanking the Woodpecker: part 1	<a href="#">22.2 VK1DN</a>		20	<a href="#">Jan 82</a>
Best best regards regards (letter)	<a href="#">17 W6BQD</a>		8	<a href="#">Jan 82</a>
Neglected antenna for 40 and 80 meters	<a href="#">1.1 W0WL</a>		44	<a href="#">Jan 82</a>
Wireless 220-MHz to 2-meter converter (weekender)	<a href="#">31.1 W3RW</a>		36	<a href="#">Jan 82</a>
Phantom-coil VXO	<a href="#">18 W3MT</a>		66	<a href="#">Jan 82</a>
Deluxe memory keyer with 3072-bit capacity	<a href="#">12 Short circuit</a>		89	<a href="#">Jan 82</a>
Inexpensive CW filter (HN)	<a href="#">22.2 WB1AFQ</a>		80	<a href="#">Jan 82</a>
Ham radio techniques	<a href="#">17 W6SAI</a>		53	<a href="#">Jan 82</a>
PL-259 connectors, attaching to RG-58/U cable (HN)	<a href="#">1.6 W5BVF</a>		81	<a href="#">Jan 82</a>
2-meter transverter	<a href="#">31.3 W6HPH</a>		24	<a href="#">Jan 82</a>
DX forecaster	<a href="#">21 K0RYW</a>		74	<a href="#">Jan 82</a>
Wilkinson hybrids	<a href="#">15 WA2EWT</a>		12	<a href="#">Jan 82</a>
Geostationary satellites, locating	<a href="#">24 Comments W1DHX</a>		8	<a href="#">Jan 82</a>
Hamvention slide show (letter)	<a href="#">17 N8ADA</a>		8	<a href="#">Jan 82</a>
Metal cleaning with dip-type cleaners (HN)	<a href="#">5 W5XW</a>		82	<a href="#">Jan 82</a>
Kenscan 74	<a href="#">31.3 Short circuit</a>		89	<a href="#">Jan 82</a>
Automatic repeater/receiver sensitivity (HN)	<a href="#">22.1 VE7ABK</a>		81	<a href="#">Jan 82</a>
Novice playground (letter)	<a href="#">16 WA5MUF</a>		8	<a href="#">Jan 82</a>
Geostationary satellites, locating	<a href="#">24 Short circuit</a>		89	<a href="#">Jan 82</a>
Listening in on 10 fm	<a href="#">17 W8FX</a>		62	<a href="#">Jan 82</a>
Cathode key with the Heath HD-1410 (HN)	<a href="#">12 K9XM, N9MX</a>		80	<a href="#">Jan 82</a>
CMOS 2-meter synthesizer	<a href="#">31.4 Short circuit</a>		89	<a href="#">Jan 82</a>
Blanking the Woodpecker, part 2: a practical circuit	<a href="#">22.2 VK1DN</a>		18	<a href="#">Feb 82</a>
Horn radio techniques	<a href="#">17 W6SAI</a>		60	<a href="#">Feb 82</a>
Armstrong beam rotator	<a href="#">1.5 KP4DM</a>		68	<a href="#">Feb 82</a>
Two-way power for the IC2AT 2-meter handheld	<a href="#">20 WB3JF</a>		57	<a href="#">Feb 82</a>
CW Identifier, versatile	<a href="#">12 Short circuit</a>		70	<a href="#">Feb 82</a>
Quad variations, more (HN)	<a href="#">1.2 Short circuit</a>		70	<a href="#">Feb 82</a>
Geostationary satellites, locating	<a href="#">24 Comments W2TI</a>		8	<a href="#">Feb 82</a>
Operation upgrade: part 4	<a href="#">17 W8BNB</a>		32	<a href="#">Feb 82</a>
Measuring coax cable loss with an swr meter	<a href="#">1.6 Comments, W4PPB</a>		8	<a href="#">Feb 82</a>
DX forecaster	<a href="#">21 K0RYW</a>		74	<a href="#">Feb 82</a>
CW identifier, versatile	<a href="#">15 Short circuit</a>		70	<a href="#">Feb 82</a>
Trapped antenna, trapping the mysteries of	<a href="#">1.2 Comments, K9CZB</a>		8	<a href="#">Feb 82</a>
CW BFO crystal for the 7SS-3 (HN)	<a href="#">18 N1FB</a>		80	<a href="#">Feb 82</a>
Pi, pi-L, and tandem quarter-wave line matching networks, response of	<a href="#">1.6 W6MUR</a>		12	<a href="#">Feb 82</a>
Crystal ladder filters, systematic design of	<a href="#">22.1 N7WD</a>		40	<a href="#">Feb 82</a>
CW identifier, versatile, an improved memory for	<a href="#">15 WB2BWJ</a>		24	<a href="#">Feb 82</a>
Antenna match, quick and simple	<a href="#">1.4 Short circuit</a>		70	<a href="#">Feb 82</a>
Drake R-4C receiver improved power supply	<a href="#">20 W3RJ</a>		28	<a href="#">Feb 82</a>

Rf power divider (HN)	<a href="#">1.6 W5TRS</a>	80	<a href="#">Feb 82</a>
Set screws, taming (HN)	<a href="#">5 W5PGG</a>	64	<a href="#">Mar 82</a>
Crystal oscillator, low-frequency (HN)	<a href="#">18 W6XM</a>	86	<a href="#">Mar 82</a>
Swr meter for the high-frequency bands	<a href="#">13 Comments, WA4UPN, WB6AFT</a>	36	<a href="#">Mar 82</a>
TR-2400, external microphone for (HN)	<a href="#">2 WB2IFV</a>	64	<a href="#">Mar 82</a>
Baudot, a vote for (letter)	<a href="#">23 W6NRM</a>	8	<a href="#">Mar 82</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	28	<a href="#">Mar 82</a>
Making waves	<a href="#">6 W6HDM</a>	44	<a href="#">Mar 82</a>
DX forecaster	<a href="#">21 K0RYW</a>	82	<a href="#">Mar 82</a>
Repeater controller, microprocessor-band	<a href="#">15 KB0CY</a>	12	<a href="#">Mar 82</a>
Atlas 210 transceiver, sldetone (HN)	<a href="#">3 ZL2RP</a>	67	<a href="#">Mar 82</a>
SSB transmitters, FSK adapter for	<a href="#">23 Comments N1AL, WA3PLC</a>	8	<a href="#">Mar 82</a>
On-air tune-up (letter)	<a href="#">17 K3EQ</a>	36	<a href="#">Mar 82</a>
Speech processor for fm transmitters	<a href="#">9 G4CLF, G3RZP</a>	76	<a href="#">Mar 82</a>
Antenna parameters, equations for determining	<a href="#">1.1 KG6B</a>	40	<a href="#">Mar 82</a>
Active mixers, performance capability: part 1	<a href="#">22.1 DJ2LR</a>	30	<a href="#">Mar 82</a>
Timer, electronic (HN)	<a href="#">15 W9EBT</a>	65	<a href="#">Mar 82</a>
S-line, QSK noise (HN)	<a href="#">3 N1FB</a>	66	<a href="#">Mar 82</a>
T158/TI59 (HN)	<a href="#">27 K3VGX</a>	65	<a href="#">Mar 82</a>
Operation upgrade: part 5	<a href="#">17 W6BNB</a>	56	<a href="#">Mar 82</a>
TTL ICs, simple tests for	<a href="#">11 W6ALF</a>	37	<a href="#">Mar 82</a>
Matching sections	<a href="#">1.4 KL7HIT</a>	68	<a href="#">Mar 82</a>
Blanking the Woodpecker, part 3: an audio blanker	<a href="#">22.2 VK1DN</a>	22	<a href="#">Mar 82</a>
Burglar alarm RFI (letter)	<a href="#">17 WB2YVY</a>	8	<a href="#">Mar 82</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	26	<a href="#">Apr 82</a>
2716 EPROM programmer	<a href="#">11 N3CA</a>	32	<a href="#">Apr 82</a>
Active mixers, performance capability: part 2	<a href="#">22.1 DJ2LR</a>	38	<a href="#">Apr 82</a>
Amplifier for 220 MHz, stripline kilowatt	<a href="#">15 W2GN</a>	12	<a href="#">Apr 82</a>
Lifeline SAR (letter)	<a href="#">17 WB9PFZ</a>	8	<a href="#">Apr 82</a>
Binary coded decimal addition (HN)	<a href="#">11 WA9HUV</a>	66	<a href="#">Apr 82</a>
Best best regards regards (letter)	<a href="#">17 Comments, N4AGS</a>	8	<a href="#">Apr 82</a>
Operation upgrade: part 6	<a href="#">17 W6BNB</a>	56	<a href="#">Apr 82</a>
WPM readout for deluxe memory keyer (weekender)	<a href="#">12 WA1OEH</a>	50	<a href="#">Apr 82</a>
Card from Frenchy (letter)	<a href="#">17 W2LPV</a>	8	<a href="#">Apr 82</a>
DX forecaster	<a href="#">21 K0RYW</a>	70	<a href="#">Apr 82</a>
Inductance meter, easy-to-build	<a href="#">13 W6XM</a>	76	<a href="#">Apr 82</a>
Neglected antenna for 40 and 80 meters	<a href="#">1.1 Comments, W0WL</a>	8	<a href="#">May 82</a>
Ham radio techniques: the crystal ball	<a href="#">17 W6SAI</a>	68	<a href="#">May 82</a>
Lowpass antenna matching unit, inductance-tuned	<a href="#">1.4 W0YBF</a>	24	<a href="#">May 82</a>
Fresnel-zone plate for 10.4 GHz	<a href="#">31.2 WB6YVK</a>	44	<a href="#">May 82</a>
Atlas 350 AGC circuit, modifications (HN)	<a href="#">3 K0RL</a>	42	<a href="#">May 82</a>
Dipole antenna over sloping ground	<a href="#">1.2 N4HI</a>	18	<a href="#">May 82</a>
Other guy (letter)	<a href="#">17 KA2GXS</a>	8	<a href="#">May 82</a>
Antiflex coaxial cable connection (HN)	<a href="#">1.6 W4KV</a>	42	<a href="#">May 82</a>
Antenna geometry for optimum performance	<a href="#">1.1 N4HI</a>	60	<a href="#">May 82</a>
Relay, inexpensive automatic send/receive	<a href="#">15 W0PBV</a>	40	<a href="#">May 82</a>
Quad owner switches	<a href="#">1.2 N6NB, W6AQ</a>	12	<a href="#">May 82</a>

DX forecaster	<a href="#">21 K0RYW</a>	50	<a href="#">May 82</a>
Cheapie coax (letter)	<a href="#">1.6 WB4AHZ</a>	8	<a href="#">May 82</a>
Half-delta loop	<a href="#">1.1 VE2CV</a>	37	<a href="#">May 82</a>
Best best regards regards (letter)	<a href="#">17 Comments, KA6NFD</a>	8	<a href="#">May 82</a>
Balun design, another	<a href="#">1.4 W6HPH</a>	54	<a href="#">May 82</a>
Cylindrical feedhorns, second-generation	<a href="#">31.2 WA9HUV</a>	31	<a href="#">May 82</a>
Audio response, tailoring (HN)	<a href="#">2 N1FB</a>	42	<a href="#">May 82</a>
Transceiver tuning (letter)	<a href="#">17 N6TO</a>	8	<a href="#">Jun 82</a>
Metal cleaning with dip-type cleaners (HN)	<a href="#">5 Comment, K6YPD</a>	8	<a href="#">Jun 82</a>
SSTV, applying microcomputers to	<a href="#">28 G3ZCZ/4X</a>	20	<a href="#">Jun 82</a>
EME, 70-CM, requirements and recommendations	<a href="#">17 W1JR</a>	12	<a href="#">Jun 82</a>
Power supply for the big amplifier	<a href="#">20 W6YUY</a>	64	<a href="#">Jun 82</a>
Two-tone generator	<a href="#">13 N1RM</a>	32	<a href="#">Jun 82</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	76	<a href="#">Jun 82</a>
Hybrid coupler	<a href="#">1.6 W1OOP</a>	36	<a href="#">Jun 82</a>
DX forecaster	<a href="#">21 K0RYW</a>	42	<a href="#">Jun 82</a>
Computer for the blind (HN)	<a href="#">15 W8MQW</a>	69	<a href="#">Jun 82</a>
Operation upgrade: part 7	<a href="#">17 W6BNB</a>	54	<a href="#">Jun 82</a>
SB-303 receiver, noise reduction (HN)	<a href="#">3 Suzuki</a>	70	<a href="#">Jun 82</a>
Radio signals, radiation of	<a href="#">21 W1GV/4</a>	26	<a href="#">Jun 82</a>
CW nets (letter)	<a href="#">17 N4EVS</a>	8	<a href="#">Jun 82</a>
Owners survey: 2-meter handhelds	<a href="#">3 KA1ZM</a>	35	<a href="#">Jul 82</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	42	<a href="#">Jul 82</a>
DX forecaster	<a href="#">21 K0RYW</a>	78	<a href="#">Jul 82</a>
Printed circuit layout and drilling template	<a href="#">5 WA4WDL</a>	73	<a href="#">Jul 82</a>
Operation upgrade: part 8	<a href="#">17 W6BNB</a>	56	<a href="#">Jul 82</a>
Tandem pi networks	<a href="#">1.4 W6MUR</a>	32	<a href="#">Jul 82</a>
Communications receiver	<a href="#">22.1 K2BLA</a>	12	<a href="#">Jul 82</a>
Synthesizers, VHF and UHF, design of digital components	<a href="#">6 G4CLF</a>	26	<a href="#">Jul 82</a>
Phantom-coil VXO	<a href="#">18 Comments, W3MT</a>	8	<a href="#">Jul 82</a>
ICOM IC-2A(T), odd splits	<a href="#">3 N7AAD</a>	65	<a href="#">Jul 82</a>
Blanking the Woodpecker, part 2: a practical circuit	<a href="#">22.2 Comments, NP4B</a>	8	<a href="#">Jul 82</a>
Frequency counters, CMOS timing circuit for (HN)	<a href="#">14 Bevel, David H.</a>	72	<a href="#">Jul 82</a>
Two-way power for the IC2AT 2-meter handheld	<a href="#">20 Comments WB4MNW, WB3JJF</a>	8	<a href="#">Jul 82</a>
Weathering the elements at 10.4 GHz	<a href="#">31.2 WB6YVK</a>	74	<a href="#">Aug 82</a>
Propagation of radio waves	<a href="#">17 W1GV/4</a>	26	<a href="#">Aug 82</a>
The Zepp (letter)	<a href="#">1.1 W2RHQ</a>	63	<a href="#">Aug 82</a>
CRT character enhancer	<a href="#">28 W9CGI</a>	66	<a href="#">Aug 82</a>
Sony ICF-2001, eight-channel memory scanner for	<a href="#">3 W3CSW</a>	54	<a href="#">Aug 82</a>
DX forecaster	<a href="#">21 K0RYW</a>	80	<a href="#">Aug 82</a>
Heath HW-8, improved keying for (HN)	<a href="#">3 W3HVK</a>	60	<a href="#">Aug 82</a>
Microwave network for multimode communications	<a href="#">31.1 K4TWJ</a>	36	<a href="#">Aug 82</a>
2 meters outlawed (letter)	<a href="#">17 AA6C</a>	8	<a href="#">Aug 82</a>
Understanding performance data of high-frequency receivers	<a href="#">22.2 Comments KL7HT, K6FM</a>	8	<a href="#">Aug 82</a>
Heath Model IO-4530 oscilloscope, modifications	<a href="#">3 Bailey</a>	20	<a href="#">Aug 82</a>
Touchtone auto-dialer, portable	<a href="#">31.1 K2MWU</a>	12	<a href="#">Aug 82</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	42	<a href="#">Aug 82</a>

Amplifiers, biasing Class-A bipolar transistor	<a href="#">25 KQ7B</a>	32	<a href="#">Aug 82</a>
R-1000 mod (HN)	<a href="#">3 W6XM</a>	60	<a href="#">Aug 82</a>
Dust buildup, decreasing (HN)	<a href="#">5 K4KI</a>	77	<a href="#">Sep 82</a>
Tone decoder, the ultimate	<a href="#">31.1 WD9EIA, WB9HGZ</a>	32	<a href="#">Sep 82</a>
Two-tone signal generator (HN)	<a href="#">13 K4KI</a>	77	<a href="#">Sep 82</a>
Short antennas, efficiency of	<a href="#">1.2 W1GV/4</a>	18	<a href="#">Sep 82</a>
Operation upgrade: part 9	<a href="#">17 W6BNB</a>	58	<a href="#">Sep 82</a>
Fan, speed control (HN)	<a href="#">5 K4KI</a>	77	<a href="#">Sep 82</a>
Vertical antenna, folded umbrella, top-loaded	<a href="#">1.1 VE2CV</a>	12	<a href="#">Sep 82</a>
Best best regards regards (letter)	<a href="#">17 Comments, KA2AGZ</a>	8	<a href="#">Sep 82</a>
Microwave antenna, homebrew	<a href="#">1.3 WB0VGL, Johnson</a>	68	<a href="#">Sep 82</a>
DX forecaster	<a href="#">21 K0RYW</a>	82	<a href="#">Sep 82</a>
Digital techniques: inside a phase-frequency detector	<a href="#">6 Anderson, Leonard H.</a>	28	<a href="#">Sep 82</a>
Vertical-vee, converting (letter)	<a href="#">1.1 KA5KWW</a>	8	<a href="#">Sep 82</a>
Blind ham (letter)	<a href="#">17 Gerrey, Bill</a>	8	<a href="#">Sep 82</a>
Cheap dots (HN)	<a href="#">5 W6XM</a>	77	<a href="#">Sep 82</a>
Battery-voltage monitor for HTs (weekender)	<a href="#">31.1 K2MWU</a>	78	<a href="#">Sep 82</a>
Inductance meter, easy-to-build	<a href="#">13 Comments, WB2LAO</a>	8	<a href="#">Sep 82</a>
K7CW quad	<a href="#">1.2 K7CW</a>	36	<a href="#">Sep 82</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	40	<a href="#">Sep 82</a>
EME, 70-CM, requirements and recommendations	<a href="#">17 Short circuit</a>	79	<a href="#">Oct 82</a>
Digital techniques: shocking truths about semiconductors	<a href="#">6 Anderson, Leonard H.</a>	36	<a href="#">Oct 82</a>
DX forecaster	<a href="#">21 K0RYW</a>	82	<a href="#">Oct 82</a>
CW station, updating (HN)	<a href="#">15 KM5T</a>	77	<a href="#">Oct 82</a>
3-500Z tube failure (HN)	<a href="#">3 AG6K</a>	78	<a href="#">Oct 82</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	20	<a href="#">Oct 82</a>
Keyer, single-chip, for QRP (weekender)	<a href="#">12 W3HVK</a>	70	<a href="#">Oct 82</a>
Half-square antenna, the	<a href="#">1.2 Short circuit</a>	79	<a href="#">Oct 82</a>
SSB transmitters, FSK adapter for	<a href="#">23 Comments WB5DPZ, N1AL</a>	8	<a href="#">Oct 82</a>
Filters, bridged	<a href="#">15 W6MUR</a>	51	<a href="#">Oct 82</a>
5CX1500A power pentode (HN)	<a href="#">3 K9XI</a>	77	<a href="#">Oct 82</a>
Operation upgrade: part 10	<a href="#">17 W6BNB</a>	60	<a href="#">Oct 82</a>
Inductance meter, easy-to-build	<a href="#">13 Short circuit</a>	79	<a href="#">Oct 82</a>
Coax, measuring with an RCL bridge (HN)	<a href="#">1.6 WB9TQG</a>	78	<a href="#">Oct 82</a>
Preamplifier design, UHF, computer-aided	<a href="#">31.3 KB0O</a>	28	<a href="#">Oct 82</a>
DX and QRP (letter)	<a href="#">17 W6QJI</a>	8	<a href="#">Oct 82</a>
Atlas 210 transceiver, sldetone (HN)	<a href="#">3 Short circuit</a>	79	<a href="#">Oct 82</a>
Who pays the jammer (letter)	<a href="#">17 W3MEO</a>	8	<a href="#">Oct 82</a>
Ham gear controller: part 1	<a href="#">14 N3CA</a>	12	<a href="#">Oct 82</a>
Hardline, matching 75 to 50-ohm	<a href="#">1.6 W4VRV</a>	43	<a href="#">Oct 82</a>
Heath's new all-band transceiver, the SS-MW	<a href="#">3 W9JUV</a>	12	<a href="#">Nov 82</a>
Low-noise preamplifiers with good impedance match	<a href="#">22.1 W1OOP</a>	36	<a href="#">Nov 82</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	46	<a href="#">Nov 82</a>
Safe power for your low-noise GaAa FET amplifier	<a href="#">20 WA9HUV</a>	18	<a href="#">Nov 82</a>
An RS-232 to TTL interface	<a href="#">14 WD4KGI</a>	70	<a href="#">Nov 82</a>
Synthesized time identifier for your repeater	<a href="#">31.1 WA4GUA</a>	42	<a href="#">Nov 82</a>
Homebrew linears: treat or trap? (HN)	<a href="#">17 VK4LR</a>	77	<a href="#">Nov 82</a>

Trans-global power supply (HN)	<a href="#">20 W9CGI</a>	76	<a href="#">Nov 82</a>
Calculator or computer - which to buy?	<a href="#">14 W4MB</a>	86	<a href="#">Nov 82</a>
Fresnel-zone plate for 10.4 GHz	<a href="#">31.2 Comments, KB9O, WB6YVK</a>	8	<a href="#">Nov 82</a>
Operation upgrade: part 11	<a href="#">17 W6BNB</a>	58	<a href="#">Nov 82</a>
DX forecaster	<a href="#">21 K0RYW</a>	84	<a href="#">Nov 82</a>
Ham gear controller: part 2	<a href="#">14 N3CA</a>	25	<a href="#">Nov 82</a>
QRP (letter)	<a href="#">17 W5QJM</a>	8	<a href="#">Nov 82</a>
Rotary dial and encoder for digital tuning	<a href="#">22.1 N3CA</a>	30	<a href="#">Dec 82</a>
Battery charger sensor	<a href="#">13 W3BYM</a>	54	<a href="#">Dec 82</a>
Is it stolen?	<a href="#">17 W8AP</a>	84	<a href="#">Dec 82</a>
Binary coded decimal addition (HN)	<a href="#">11 Comment, Schiffler, Jeffrey L.</a>	8	<a href="#">Dec 82</a>
40-meter transmitter-receiver	<a href="#">29.1 W6XM</a>	43	<a href="#">Dec 82</a>
Data bandwidths compared	<a href="#">15 W9JD/2</a>	50	<a href="#">Dec 82</a>
DX forecaster	<a href="#">21 K0RYW</a>	80	<a href="#">Dec 82</a>
TouchTone decoder, an Improved	<a href="#">11 N6JH</a>	24	<a href="#">Dec 82</a>
40-meter transmitter-receiver	<a href="#">31.1 W6XM</a>	43	<a href="#">Dec 82</a>
Low cost linear design and construction	<a href="#">15 W4MB</a>	12	<a href="#">Dec 82</a>
Receiver dynamic range	<a href="#">22.1 W3JZO</a>	77	<a href="#">Dec 82</a>
Ten-Tec 645 ultramatic keyer mods (HN)	<a href="#">12 K4JST</a>	70	<a href="#">Dec 82</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	58	<a href="#">Dec 82</a>
Quad owner switches	<a href="#">1.2 Comments, W6BQD</a>	8	<a href="#">Dec 82</a>

### Results for Year - 1983

Article	CatID	Author	Page	Issue
Forget memory (Ni-Cd discussion)	<a href="#">20 K0OV</a>		62	<a href="#">Jan 83</a>
IC-255A switching circuit (HN)	<a href="#">9 WB6IQV</a>		70	<a href="#">Jan 83</a>
IC-255A switching circuit (HN)	<a href="#">17 WB6IQV</a>		70	<a href="#">Jan 83</a>
DX forecaster	<a href="#">21 K0RYW</a>		74	<a href="#">Jan 83</a>
No-code licence (letters)	<a href="#">17 WB4SKP, W9ZMR, W2LX, etal</a>		8	<a href="#">Jan 83</a>
Graphic azimuth and elevation calculator	<a href="#">24 WB0VGI</a>		25	<a href="#">Jan 83</a>
New band propagation	<a href="#">21 KK2XJM (W4MB)</a>		12	<a href="#">Jan 83</a>
Autopatch, simplex	<a href="#">9 WB6GTM</a>		42	<a href="#">Jan 83</a>
CW acoustical filter	<a href="#">2 W7BI</a>		22	<a href="#">Jan 83</a>
Remote-site receivers and repeater operation	<a href="#">22.1 K9EID</a>		36	<a href="#">Jan 83</a>
Logic mate	<a href="#">13 N9CZK</a>		57	<a href="#">Jan 83</a>
Forget memory (Ni-Cd discussion)	<a href="#">9 K0OV</a>		62	<a href="#">Jan 83</a>
Ham radio techniques (01/83)	<a href="#">7 W6SAI</a>		66	<a href="#">Jan 83</a>
X-band mixer, low noise	<a href="#">31.1 N5AX</a>		22	<a href="#">Jan 83</a>
Ham radio techniques	<a href="#">17 W6SAI</a>		66	<a href="#">Jan 83</a>
BC221, unusual	<a href="#">13 VK2ZH</a>		22	<a href="#">Jan 83</a>
Interview with Dr. Kenneth Davies	<a href="#">7 K2RR</a>		28	<a href="#">Jan 83</a>
LF converter, fixed-tuned	<a href="#">22.1 K1RGO</a>		19	<a href="#">Jan 83</a>
Ham radio techniques (02/83)	<a href="#">7 W6SAI</a>		77	<a href="#">Feb 83</a>
CB to 10 fm transceiver conversion	<a href="#">29.2 VE3FIT, VE3AQN</a>		16	<a href="#">Feb 83</a>
Wide range inductance meter	<a href="#">13 K9EBA</a>		52	<a href="#">Feb 83</a>
CB to 10 fm transceiver conversion	<a href="#">22.2 VE3FIT, VE3AQN</a>		16	<a href="#">Feb 83</a>
Q signals (letter)	<a href="#">7 W4MB</a>		8	<a href="#">Feb 83</a>



The Guerri report: fiber optics	<a href="#">31.1 Comment, WD9EIA</a>	8	<a href="#">Feb 83</a>
Panoramic adaptor spectrum analyzer design notes	<a href="#">22.1 WA6NCX/1</a>	26	<a href="#">Feb 83</a>
2304-MHz preamplifier, low-noise	<a href="#">31.3 WA2GFP</a>	12	<a href="#">Feb 83</a>
Wien Bridge oscillators, voltage-controlled Zener diode test circuit	<a href="#">13 W3PHK</a>	52	<a href="#">Feb 83</a>
Low-power keyer and interface	<a href="#">12 K1HOP</a>	68	<a href="#">Feb 83</a>
The Guerri report: fiber optics	<a href="#">31.1 Comments, K2MWU</a>	8	<a href="#">Feb 83</a>
Bobtail curtain and inverted ground plane: part1	<a href="#">1.2 Comments, WA7BPO</a>	82	<a href="#">Feb 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	56	<a href="#">Feb 83</a>
Tone burst generator for European repeaters	<a href="#">9 Comments, K2MWU</a>	8	<a href="#">Feb 83</a>
Bragg-cell receiver	<a href="#">22.1 WB3JZO</a>	42	<a href="#">Feb 83</a>
Bobtail curtain and inverted ground plane: part1	<a href="#">1.2 W6BCX</a>	82	<a href="#">Feb 83</a>
VFOs tuned by cylinder and disc	<a href="#">18 W0YBF</a>	58	<a href="#">Feb 83</a>
Filters (letter)	<a href="#">15 W6XM</a>	8	<a href="#">Feb 83</a>
Matching 432-MHz helical antennas	<a href="#">31.2 W8NWU</a>	44	<a href="#">Mar 83</a>
Bobtail curtain and inverted ground plane: part2	<a href="#">1.2 W6BCX</a>	28	<a href="#">Mar 83</a>
AC converter, DC to 400-Hz (HN)	<a href="#">20 WB2YVY</a>	58	<a href="#">Mar 83</a>
Matching 432-MHz helical antennas	<a href="#">1.4 W8NWU</a>	44	<a href="#">Mar 83</a>
5CX1500 screen protection (HN)	<a href="#">29.1 VE3AIA</a>	58	<a href="#">Mar 83</a>
Noise bridge, precision	<a href="#">13 K2ST</a>	51	<a href="#">Mar 83</a>
Ham radio techniques (03/83)	<a href="#">7 W6SAI</a>	47	<a href="#">Mar 83</a>
Debunking myths (letter)	<a href="#">1.2 WB9VWA</a>	8	<a href="#">Mar 83</a>
CW zero-beat indicator for transceivers	<a href="#">17 W6KVD</a>	88	<a href="#">Mar 83</a>
Solid-state CW T-R system	<a href="#">12 W4RNL</a>	62	<a href="#">Mar 83</a>
GaAs FET performance and preamplifier application	<a href="#">31.3 K8UR</a>	38	<a href="#">Mar 83</a>
Matching 432-MHz helical antennas	<a href="#">1.3 W8NWU</a>	44	<a href="#">Mar 83</a>
GaAs FET performance and preamplifier application	<a href="#">25 K8UR</a>	38	<a href="#">Mar 83</a>
Dual voltage power supply	<a href="#">20 WD4SKH</a>	32	<a href="#">Mar 83</a>
15-meter sideband transceiver	<a href="#">29.2 WA4ZXF</a>	12	<a href="#">Mar 83</a>
15-meter sideband transceiver	<a href="#">22.2 WA4ZXF</a>	12	<a href="#">Mar 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	84	<a href="#">Mar 83</a>
Capacitively coupled hybrids	<a href="#">1.4 WA2EWT</a>	70	<a href="#">Mar 83</a>
Radio telescope antenna requirement	<a href="#">31.1 Landecker, Tom</a>	44	<a href="#">Mar 83</a>
Capacitive-reactance meter multiplier (HN)	<a href="#">13 K4KI</a>	89	<a href="#">Apr 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	94	<a href="#">Apr 83</a>
FSK tone generator using an IC tone dialer (HN)	<a href="#">11 Nagel, David</a>	88	<a href="#">Apr 83</a>
Filters (letter)	<a href="#">15 Comments, W3NQW</a>	8	<a href="#">Apr 83</a>
Remote control hf operation	<a href="#">12 K5QY</a>	32	<a href="#">Apr 83</a>
Microprocessor repeater controller	<a href="#">9 KB5F</a>	56	<a href="#">Apr 83</a>
Remote control hf operation	<a href="#">29.2 K5QY</a>	32	<a href="#">Apr 83</a>
Diode tester (HN)	<a href="#">13 W2OLU</a>	90	<a href="#">Apr 83</a>
Diesel generator repair	<a href="#">20 Richardson, Wayne</a>	46	<a href="#">Apr 83</a>
6-meter amplifier	<a href="#">29.1 W2GN</a>	72	<a href="#">Apr 83</a>
Solid-state replacements	<a href="#">13 AK7N</a>	46	<a href="#">Apr 83</a>
Ten-meter beacon	<a href="#">17 WA1IOB</a>	46	<a href="#">Apr 83</a>
Ham radio techniques (04/83)	<a href="#">7 W6SAI</a>	52	<a href="#">Apr 83</a>
Diplexer mods (HN)	<a href="#">31.1 K5PFE</a>	89	<a href="#">Apr 83</a>
Microprocessor repeater controller	<a href="#">14 KB5F</a>	56	<a href="#">Apr 83</a>

Microprocessor repeater controller	<a href="#">12 KB5F</a>	56	<a href="#">Apr 83</a>
Video monitor, inexpensive	<a href="#">13 K8CG</a>	12	<a href="#">Apr 83</a>
Touch-tone decoder	<a href="#">9 KC9C</a>	27	<a href="#">Apr 83</a>
6-meter amplifier	<a href="#">31.4 W2GN</a>	72	<a href="#">Apr 83</a>
Solid-state replacements	<a href="#">25 AK7N</a>	46	<a href="#">Apr 83</a>
Logic probe (HN)	<a href="#">13 Rozenthal, J.</a>	91	<a href="#">Apr 83</a>
Morse time synthesis	<a href="#">12 N3SE</a>	17	<a href="#">Apr 83</a>
Mysterious spur on 160	<a href="#">15 N3BEK</a>	73	<a href="#">May 83</a>
VHF antenna null, achieving the perfect	<a href="#">1.3 K3ED</a>	48	<a href="#">May 83</a>
Log-Yagis simplified	<a href="#">1.2 W3EB</a>	78	<a href="#">May 83</a>
Ham radio techniques (05/83)	<a href="#">7 W6SAI</a>	52	<a href="#">May 83</a>
Vertical phased arrays: part1	<a href="#">1.2 K2BT</a>	18	<a href="#">May 83</a>
Bobtail curtain and inverted ground plane: part2	<a href="#">1.2 Short circuit</a>	16	<a href="#">May 83</a>
Mysterious spur on 160	<a href="#">17 N3BEK</a>	73	<a href="#">May 83</a>
Antenna tuner (HN)	<a href="#">1.4 W6XM</a>	94	<a href="#">May 83</a>
Mobile vertical, 20-meter	<a href="#">1.2 K9CZB</a>	26	<a href="#">May 83</a>
Repeater antenna beam tilting	<a href="#">9 K7NM</a>	29	<a href="#">May 83</a>
Handi-antennas	<a href="#">1.3 AA6PZ</a>	42	<a href="#">May 83</a>
Four-vertical collinear element 20-meter array	<a href="#">1.2 WA8DXB</a>	57	<a href="#">May 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	74	<a href="#">May 83</a>
Helical antenna matching	<a href="#">1.4 Belliveau, John</a>	73	<a href="#">May 83</a>
Short vertical antennas for low bands: part1	<a href="#">1.2 W7DHD</a>	36	<a href="#">May 83</a>
Latching relay control (HN)	<a href="#">12 K6HTM</a>	94	<a href="#">May 83</a>
Repeater antenna beam tilting	<a href="#">1.3 K7NM</a>	29	<a href="#">May 83</a>
Grounded monopole with elevated feed	<a href="#">1.2 VE2CV</a>	87	<a href="#">May 83</a>
Helical antenna matching	<a href="#">31.1 Belliveau, John</a>	73	<a href="#">May 83</a>
Hardline connectors, inexpensive	<a href="#">1.6 WB4GCS</a>	62	<a href="#">May 83</a>
Stagger-tuned dipoles increase band-width	<a href="#">1.2 K4MT</a>	22	<a href="#">May 83</a>
Yagis, designing with the Commodore 64	<a href="#">1.2 WA3EKL</a>	59	<a href="#">Jun 83</a>
10-GHz oscillator, ultra stable	<a href="#">31.1 K8UR</a>	57	<a href="#">Jun 83</a>
Harmonic product detector for QRP transceivers	<a href="#">15 W5FG</a>	44	<a href="#">Jun 83</a>
IC-255A switching circuit (HN)	<a href="#">9 Comments, WA4MZZ</a>	8	<a href="#">Jun 83</a>
Making verticals quieter	<a href="#">1.2 WA6RYZ</a>	98	<a href="#">Jun 83</a>
10-GHz oscillator, ultra stable	<a href="#">18 K8UR</a>	57	<a href="#">Jun 83</a>
PEP output power measurement	<a href="#">13 VK3AFO</a>	10	<a href="#">Jun 83</a>
Triton IV, 30-meter operation (HN)	<a href="#">3 AA4LL</a>	68	<a href="#">Jun 83</a>
Battlefield, the (letter)	<a href="#">17 W0WL</a>	8	<a href="#">Jun 83</a>
Squelch, smart	<a href="#">9 W6NRW</a>	37	<a href="#">Jun 83</a>
Short vertical antennas for low bands: part2	<a href="#">1.2 W7DHD</a>	17	<a href="#">Jun 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	65	<a href="#">Jun 83</a>
Using the Astro 103 as a frequency counter (HN)	<a href="#">13 W4ATE</a>	69	<a href="#">Jun 83</a>
Custom resistors, nomogram design	<a href="#">5 WA5EKA</a>	68	<a href="#">Jun 83</a>
IC-255A switching circuit (HN)	<a href="#">17 Comments, WA4MZZ</a>	8	<a href="#">Jun 83</a>
Sending CW	<a href="#">12 KA4QVK</a>	75	<a href="#">Jun 83</a>
Vertical phased arrays: part2	<a href="#">1.2 K2BT</a>	25	<a href="#">Jun 83</a>
TRS-80 color computer for RTTY	<a href="#">23 W1OER</a>	62	<a href="#">Jun 83</a>
Communicating on 474,083 GHz (light wave communications)	<a href="#">15 Comments, W6JTH</a>	8	<a href="#">Jun 83</a>

Ham radio techniques (06/83)	<a href="#">7 W6SAI</a>	46	<a href="#">Jun 83</a>
Pacemakers and RFI	<a href="#">17 K4CN</a>	98	<a href="#">Jun 83</a>
Noise bridge, precision	<a href="#">13 Comments</a>	8	<a href="#">Jun 83</a>
Measuring inductances	<a href="#">13 K6HIK</a>	85	<a href="#">Jul 83</a>
Audio filter building blocks	<a href="#">2 KB0CY</a>	74	<a href="#">Jul 83</a>
15-meter sideband transceiver	<a href="#">22.2 Short circuit</a>	80	<a href="#">Jul 83</a>
Ham radio techniques (07/83)	<a href="#">7 W6SAI</a>	42	<a href="#">Jul 83</a>
Vertical phased arrays: part3	<a href="#">1.2 K2BT</a>	26	<a href="#">Jul 83</a>
15-meter sideband transceiver	<a href="#">29.2 Short circuit</a>	80	<a href="#">Jul 83</a>
Dual voltage power supply	<a href="#">20 Comments, WB2UAQ</a>	12	<a href="#">Jul 83</a>
Audio filter building blocks	<a href="#">5 KB0CY</a>	74	<a href="#">Jul 83</a>
Static mystery	<a href="#">1.1 HB9FU</a>	85	<a href="#">Jul 83</a>
Two-band receiver, modular	<a href="#">22.2 WA3TFS</a>	53	<a href="#">Jul 83</a>
Repeater antenna beam tilting	<a href="#">9 Short circuit</a>	80	<a href="#">Jul 83</a>
Repeater antenna beam tilting	<a href="#">1.3 Short circuit</a>	80	<a href="#">Jul 83</a>
GaAs FET performance and preamplifier application	<a href="#">31.3 Comments, KC0W</a>	12	<a href="#">Jul 83</a>
Dual voltage power supply	<a href="#">20 Short circuit</a>	80	<a href="#">Jul 83</a>
Heatsink cooling fan (HN)	<a href="#">5 W6XM</a>	22	<a href="#">Jul 83</a>
Bobtail curtain and inverted ground plane: part2	<a href="#">1.2 Comments, WA7BPO</a>	12	<a href="#">Jul 83</a>
RTTY and AtariTM computer	<a href="#">23 K5VUV</a>	36	<a href="#">Jul 83</a>
Impedance matching	<a href="#">13 WB2NTQ</a>	85	<a href="#">Jul 83</a>
Impedance matching	<a href="#">1.4 WB2NTQ</a>	85	<a href="#">Jul 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	82	<a href="#">Jul 83</a>
Packet radio: part1	<a href="#">6 KV7D, KV7B</a>	14	<a href="#">Jul 83</a>
HF antenna (HN)	<a href="#">1.2 W2GQK</a>	22	<a href="#">Jul 83</a>
GaAs FET performance and preamplifier application	<a href="#">25 Comments, KC0W</a>	12	<a href="#">Jul 83</a>
RF synthesizers for hf communications, part1	<a href="#">18 WA6OAA</a>	12	<a href="#">Aug 83</a>
Noise bridge, precision	<a href="#">13 Short circuit</a>	97	<a href="#">Aug 83</a>
IC2AT, carrying case for (HN)	<a href="#">5 W6XM</a>	62	<a href="#">Aug 83</a>
Testing baluns	<a href="#">1.4 K4KJ</a>	30	<a href="#">Aug 83</a>
Remote control hf operation	<a href="#">29.2 Short circuit</a>	97	<a href="#">Aug 83</a>
CATVI (letter)	<a href="#">17 WB4NMA</a>	10	<a href="#">Aug 83</a>
Remote control hf operation	<a href="#">12 Short circuit</a>	97	<a href="#">Aug 83</a>
IC2AT, carrying case for (HN)	<a href="#">3 W6XM</a>	62	<a href="#">Aug 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	66	<a href="#">Aug 83</a>
Tune-up method, low duty-cycle for transmitters (HN)	<a href="#">13 K4KI</a>	62	<a href="#">Aug 83</a>
Packet radio: part2	<a href="#">6 KV7D, KV7B, WA7GXD</a>	18	<a href="#">Aug 83</a>
Antenna carriage and track pole mount	<a href="#">1.5 KB3K</a>	46	<a href="#">Aug 83</a>
6-meter amplifier	<a href="#">31.4 Short circuit</a>	97	<a href="#">Aug 83</a>
No code (letter)	<a href="#">17 W6SN</a>	10	<a href="#">Aug 83</a>
Testing baluns	<a href="#">12 K4KJ</a>	30	<a href="#">Aug 83</a>
Antenna carriage and track pole mount	<a href="#">5 K83K</a>	46	<a href="#">Aug 83</a>
CW and RTTY, digital audio filter for	<a href="#">23 W1OER</a>	60	<a href="#">Aug 83</a>
Video monitor, inexpensive	<a href="#">13 Comments, K9TA</a>	10	<a href="#">Aug 83</a>
Ham radio techniques (08/83)	<a href="#">7 W6SAI</a>	40	<a href="#">Aug 83</a>
Antenna hinge	<a href="#">1.5 N4LI</a>	70	<a href="#">Aug 83</a>
Tune-up method, low duty-cycle for transmitters (HN)	<a href="#">17 K4KI</a>	62	<a href="#">Aug 83</a>

Measuring small values	<a href="#">13 W6SDM</a>	74	<a href="#">Aug 83</a>
Antenna hinge	<a href="#">5 N4LI</a>	70	<a href="#">Aug 83</a>
Hybrid ring	<a href="#">1.4 WA2EWT</a>	50	<a href="#">Aug 83</a>
6-meter amplifier	<a href="#">29.1 Short circuit</a>	97	<a href="#">Aug 83</a>
CATVI (letter)	<a href="#">15 WB4NMA</a>	10	<a href="#">Aug 83</a>
Low-power keyer and interface	<a href="#">12 Short circuit</a>	97	<a href="#">Aug 83</a>
CW and RTTY, digital audio filter for	<a href="#">2 W1OER</a>	60	<a href="#">Aug 83</a>
Power supply, amplifier	<a href="#">31.1 WA2GFP</a>	32	<a href="#">Sep 83</a>
Working W5LFL from space	<a href="#">17 K6DUE</a>	81	<a href="#">Sep 83</a>
Ham radio techniques (09/83)	<a href="#">7 W6SAI</a>	41	<a href="#">Sep 83</a>
Panoramic adaptor spectrum analyzer design notes	<a href="#">22.1 Comments, K2CBY</a>	12	<a href="#">Sep 83</a>
PEP output power measurement	<a href="#">13 Comments, K4KYV</a>	12	<a href="#">Sep 83</a>
Efficient matching	<a href="#">1.3 VE7BS</a>	83	<a href="#">Sep 83</a>
Weather radar, 10-GHz	<a href="#">31.1 K4TWJ</a>	61	<a href="#">Sep 83</a>
RF synthesizers for hf communications, part2	<a href="#">18 WA6OAA</a>	48	<a href="#">Sep 83</a>
Linear translators	<a href="#">9 WB6JNN</a>	14	<a href="#">Sep 83</a>
Locate orbiting satellites	<a href="#">24 W0ZWW</a>	72	<a href="#">Sep 83</a>
Weather radar, 10-GHZ	<a href="#">13 K4TWJ</a>	61	<a href="#">Sep 83</a>
Efficient matching	<a href="#">1.4 VE7BS</a>	83	<a href="#">Sep 83</a>
Power supply, amplifier	<a href="#">20 WA2GFP</a>	32	<a href="#">Sep 83</a>
Panoramic adaptor spectrum analyzer design notes	<a href="#">13 Comments, K2CBY</a>	12	<a href="#">Sep 83</a>
Ground systems, installing effective	<a href="#">1.1 KR7L</a>	67	<a href="#">Sep 83</a>
Efficient matching	<a href="#">31.1 VE7BS</a>	83	<a href="#">Sep 83</a>
Ten-meter beacons (letter)	<a href="#">17 KA1YE</a>	13	<a href="#">Sep 83</a>
Heath HX-1681	<a href="#">3 W2UWO</a>	83	<a href="#">Sep 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	84	<a href="#">Sep 83</a>
Panoramic adaptor spectrum analyzer design notes	<a href="#">13 WA6NCX/1</a>	26	<a href="#">Sep 83</a>
Rain static resolved	<a href="#">1.1 W1FYX</a>	83	<a href="#">Sep 83</a>
Repeater etiquette (letter)	<a href="#">9 W1OLP</a>	8	<a href="#">Oct 83</a>
RTTY zero-beat indicator (HN)	<a href="#">23 W2QLI</a>	78	<a href="#">Oct 83</a>
Pacemakers and RFI	<a href="#">17 Comments, K1RGO</a>	76	<a href="#">Oct 83</a>
HF hybrid descriptions	<a href="#">1.4 W5TRS</a>	80	<a href="#">Oct 83</a>
RF synthesizers for hf communications, part3	<a href="#">18 WA6OAA</a>	17	<a href="#">Oct 83</a>
Electrical calibration standards	<a href="#">13 Martin, Vaughn D.</a>	10	<a href="#">Oct 83</a>
VMOS on 1750 meters	<a href="#">29.1 K1RGO</a>	71	<a href="#">Oct 83</a>
Pacemakers and RFI	<a href="#">17 Comments, K4CN</a>	77	<a href="#">Oct 83</a>
Heatsink cooling fan (HN)	<a href="#">5 Comments, W2GH</a>	8	<a href="#">Oct 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	87	<a href="#">Oct 83</a>
Panoramic adaptor spectrum analyzer design notes	<a href="#">13 Short circuit</a>	70	<a href="#">Oct 83</a>
Vertical phased arrays: part3	<a href="#">1.2 Short circuit</a>	70	<a href="#">Oct 83</a>
Amplifier, 2 meter, 40 watt	<a href="#">31.4 WB4GCS</a>	50	<a href="#">Oct 83</a>
Pacemakers and RFI: safety first	<a href="#">17 K3EAS, K3FOW</a>	76	<a href="#">Oct 83</a>
Ham radio techniques (10/83)	<a href="#">7 W6SAI</a>	64	<a href="#">Oct 83</a>
Panoramic adaptor spectrum analyzer design notes	<a href="#">22.1 Short circuit</a>	70	<a href="#">Oct 83</a>
VMOS on 1750 meters	<a href="#">15 K1RGO</a>	71	<a href="#">Oct 83</a>
Vertical phased arrays: part4	<a href="#">1.2 K2BT</a>	34	<a href="#">Oct 83</a>
Repeater etiquette (letter)	<a href="#">17 W1OLP</a>	8	<a href="#">Oct 83</a>

Compact SSB receiver	<a href="#">22.2 K1BQT</a>	10	<a href="#">Nov 83</a>
Audio filter building blocks	<a href="#">5 Short circuit</a>	92	<a href="#">Nov 83</a>
Optical fm receiver	<a href="#">22.3 Poon and Pieper</a>	53	<a href="#">Nov 83</a>
Mysterious spur on 160	<a href="#">15 Comments, K0KL, N3BEJ</a>	95	<a href="#">Nov 83</a>
Impedance matching	<a href="#">1.4 Comment, K0CQ</a>	95	<a href="#">Nov 83</a>
Designing a modern receiver	<a href="#">22.2 WB3JZO</a>	23	<a href="#">Nov 83</a>
Required dynamic range and design guides for EMI/RFI test receivers	<a href="#">13 DJ2LR</a>	70	<a href="#">Nov 83</a>
Improved stability and dial calibration for the Heathkit HW-8 (HN)	<a href="#">29.2 W3HVK</a>	103	<a href="#">Nov 83</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	65	<a href="#">Nov 83</a>
Hardline connectors, inexpensive	<a href="#">1.6 Comments, KM1H</a>	8	<a href="#">Nov 83</a>
Improved stability and dial calibration for the Heathkit HW-8 (HN)	<a href="#">22.2 W3HVK</a>	103	<a href="#">Nov 83</a>
Standing wave indicator	<a href="#">13 GW8FKB</a>	97	<a href="#">Nov 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	90	<a href="#">Nov 83</a>
Time domain reflectometer	<a href="#">1.6 VE3EFC</a>	49	<a href="#">Nov 83</a>
Simple shortwave broadcast receiver	<a href="#">22.2 W6XM</a>	83	<a href="#">Nov 83</a>
Time and frequency standards: part1	<a href="#">13 Martin, Vaughn D.</a>	36	<a href="#">Nov 83</a>
Bobtail curtain and inverted ground plane: part1	<a href="#">1.2 Short circuit</a>	92	<a href="#">Nov 83</a>
Vertical phased arrays: part5	<a href="#">1.2 K2BT</a>	59	<a href="#">Dec 83</a>
Tune-up method, low duty-cycle for transmitters (HN)	<a href="#">17 Comments, W5XW</a>	11	<a href="#">Dec 83</a>
Lightning and electrical transient protection	<a href="#">10 KR7L</a>	73	<a href="#">Dec 83</a>
2-meter weather converter	<a href="#">31.3 WA3EEC</a>	87	<a href="#">Dec 83</a>
KWM 380 external control circuit (HN)	<a href="#">15 WA2RUD</a>	96	<a href="#">Dec 83</a>
Turns per inch from wire size (HN)	<a href="#">5 K8UR</a>	97	<a href="#">Dec 83</a>
Regulator problem solved (HN)	<a href="#">20 W6XM</a>	97	<a href="#">Dec 83</a>
When hazardous waste comes home: PCBs in the ham shack	<a href="#">10 KALLBO</a>	42	<a href="#">Dec 83</a>
Photovoltaic cells: a progress report	<a href="#">15 WD8AHO</a>	52	<a href="#">Dec 83</a>
Ham radio techniques (04/83)	<a href="#">7 Comments, W6DKZ</a>	8	<a href="#">Dec 83</a>
Digital ionosondes	<a href="#">21 K2RR</a>	14	<a href="#">Dec 83</a>
Time and frequency standards: part2	<a href="#">13 Martin, Vaughn D.</a>	31	<a href="#">Dec 83</a>
Vertical phased arrays: part4	<a href="#">1.2 Short circuit</a>	11	<a href="#">Dec 83</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	81	<a href="#">Dec 83</a>
State-of-the-art auto dialer	<a href="#">9 K2MWU</a>	21	<a href="#">Dec 83</a>
DX forecaster	<a href="#">21 K0RYW</a>	92	<a href="#">Dec 83</a>
Tune-up method, low duty-cycle for transmitters (HN)	<a href="#">13 Comments, W5XW</a>	11	<a href="#">Dec 83</a>

## Results for Year - 1984

Article	CatID	Author	Page	Issue
Power FETS: trend for VHF amplifiers	<a href="#">15</a>	<a href="#">Peters, Daniel and W7PUA</a>	12	<a href="#">Jan 84</a>
EMI/RFI shielding: new techniques part1	<a href="#">15</a>	<a href="#">Martin, Vaughn D.</a>	72	<a href="#">Jan 84</a>
Measuring noise figure	<a href="#">13</a>	<a href="#">K2BLA</a>	26	<a href="#">Jan 84</a>
2-meter V-antenna	<a href="#">1.3</a>	<a href="#">AD1B</a>	86	<a href="#">Jan 84</a>
Repeaters, three circuits for (HN)	<a href="#">9</a>	<a href="#">N9EE</a>	91	<a href="#">Jan 84</a>
Power FETS: trend for VHF amplifiers	<a href="#">31.1</a>	<a href="#">W7PUA and Peters, D.</a>	12	<a href="#">Jan 84</a>
Ten-meter beacons (letter)	<a href="#">17</a>	<a href="#">Comments, KA1YE</a>	11	<a href="#">Jan 84</a>
Tune-up method, low duty-cycle for transmitters (HN)	<a href="#">13</a>	<a href="#">Comments, K4KI</a>	11	<a href="#">Jan 84</a>
EMI/RFI shielding: new techniques part1	<a href="#">13</a>	<a href="#">Martin, Vaughn D.</a>	72	<a href="#">Jan 84</a>
G.O.E.S. reception: a simple approach	<a href="#">31.1</a>	<a href="#">WA4WDL</a>	46	<a href="#">Jan 84</a>

Optical fm receiver	<a href="#">22.3 Short circuit</a>	85	<a href="#">Jan 84</a>
TOM remembered (letter)	<a href="#">17 W1ESN</a>	11	<a href="#">Jan 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	83	<a href="#">Jan 84</a>
VHF/UHF world: the VHF/UHF challenge	<a href="#">31.1 W1JR</a>	42	<a href="#">Jan 84</a>
Measuring noise figure	<a href="#">31.1 K2BLA</a>	26	<a href="#">Jan 84</a>
Ohmmeter, wide-range	<a href="#">13 Bailey, John T.</a>	53	<a href="#">Jan 84</a>
Tune-up method, low duty-cycle for transmitters (HN)	<a href="#">17 Comments, K4KI</a>	11	<a href="#">Jan 84</a>
Power FETS: trend for VHF amplifiers	<a href="#">5 Peters, Daniel and W7PUA</a>	12	<a href="#">Jan 84</a>
Verticals over REAL ground	<a href="#">1.2 WB9VWA</a>	35	<a href="#">Jan 84</a>
Ham radio techniques (01/84)	<a href="#">1.2 W6SAI</a>	65	<a href="#">Jan 84</a>
G.O.E.S. reception: a simple approach	<a href="#">5 WA4WDL</a>	46	<a href="#">Jan 84</a>
G.O.E.S. reception: a simple approach	<a href="#">24 WA4WDL</a>	46	<a href="#">Jan 84</a>
Ham radio techniques	<a href="#">1.4 W6SAI</a>	65	<a href="#">Jan 84</a>
RTTY and AtariTM computer	<a href="#">23 Short circuit</a>	10	<a href="#">Feb 84</a>
Transmitter tuning aid: buffer your load with this resistive network (weekender)	<a href="#">13 K4KI</a>	52	<a href="#">Feb 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	79	<a href="#">Feb 84</a>
Audio filter design, elliptic lowpass	<a href="#">2 W3NQN</a>	20	<a href="#">Feb 84</a>
Better sounding SSB	<a href="#">26 AG6K</a>	58	<a href="#">Feb 84</a>
EMI/RFI shielding: new techniques part2	<a href="#">15 Martin, Vaughn D.</a>	84	<a href="#">Feb 84</a>
VHF meteor scatter communications	<a href="#">21 AI7J</a>	69	<a href="#">Feb 84</a>
State-of-the-art auto dialer	<a href="#">9 Short circuit</a>	10	<a href="#">Feb 84</a>
VHF meteor scatter communications	<a href="#">31.1 AI7J</a>	69	<a href="#">Feb 84</a>
Photovoltaic cells: a progress report	<a href="#">15 Comments: K6KVX, WD8AHO, etal</a>	10	<a href="#">Feb 84</a>
Ham radio techniques (02/84)	<a href="#">1.2 W6SAI</a>	63	<a href="#">Feb 84</a>
High-frequency receiver performance	<a href="#">22.2 G4OBU</a>	33	<a href="#">Feb 84</a>
EMI/RFI shielding: new techniques part2	<a href="#">13 Martin, Vaughn D.</a>	85	<a href="#">Feb 84</a>
VHF/UHF world: VHF/UHF antennas and antenna systems	<a href="#">31.2 W1JR</a>	46	<a href="#">Feb 84</a>
Frequency synthesis by VXO harmonic selection	<a href="#">18 W3MT</a>	12	<a href="#">Feb 84</a>
Ham radio techniques	<a href="#">1.4 W6SAI</a>	63	<a href="#">Feb 84</a>
Vertical phased arrays: part2	<a href="#">1.2 Comments, W9OAM</a>	10	<a href="#">Mar 84</a>
Moon-tracking by computer	<a href="#">31.1 K6WX</a>	38	<a href="#">Mar 84</a>
Noise cancellation circuit	<a href="#">15 K1RGO</a>	75	<a href="#">Mar 84</a>
Audio to microwave amplifier, build your own	<a href="#">2 Gruchalla, Michael</a>	12	<a href="#">Mar 84</a>
3-element Yagi design, key to	<a href="#">1.2 K3OQF</a>	48	<a href="#">Mar 84</a>
VHF/UHF world: VHF/UHF receivers	<a href="#">22.3 W1JR</a>	42	<a href="#">Mar 84</a>
Electric shock, the effects and treatment of	<a href="#">10 NY6U</a>	85	<a href="#">Mar 84</a>
Vertical phased arrays: part3	<a href="#">1.2 Comments, W9OAM</a>	10	<a href="#">Mar 84</a>
VHF/UHF world: VHF/UHF receivers	<a href="#">31.3 W1JR</a>	42	<a href="#">Mar 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	93	<a href="#">Mar 84</a>
Repeaters, speech synthesis for	<a href="#">2 N9EE</a>	79	<a href="#">Mar 84</a>
Ham radio techniques (03/84)	<a href="#">1.2 W6SAI</a>	53	<a href="#">Mar 84</a>
Moon-tracking by computer	<a href="#">24 K6WX</a>	38	<a href="#">Mar 84</a>
Static electricity and modern integrated circuits	<a href="#">11 K4KEF</a>	33	<a href="#">Mar 84</a>
Vertical phased arrays: part4	<a href="#">1.2 Comments, W9OAM</a>	10	<a href="#">Mar 84</a>
Moon-tracking by computer	<a href="#">21 K6WX</a>	38	<a href="#">Mar 84</a>
Repeaters, speech synthesis for	<a href="#">9 N9EE</a>	79	<a href="#">Mar 84</a>



Vertical phased arrays: part1	<a href="#">1.2 Comments, W9OAM</a>	10	<a href="#">Mar 84</a>
Audio to microwave amplifier, build your own	<a href="#">31.1 Gruchalla, Michael</a>	12	<a href="#">Mar 84</a>
Audio to microwave amplifier, build your own	<a href="#">15 Gruchalla, Michael</a>	12	<a href="#">Mar 84</a>
Vertical phased arrays: part5	<a href="#">1.2 Comments, W9OAM</a>	10	<a href="#">Mar 84</a>
Compact SSB receiver	<a href="#">22.2 Comments KAOGPE</a>	10	<a href="#">Mar 84</a>
State-of-the-art auto dialer	<a href="#">9 Short circuit</a>	10	<a href="#">Mar 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	93	<a href="#">Apr 84</a>
PL tone generator, a programmable	<a href="#">6 WB0VSZ</a>	51	<a href="#">Apr 84</a>
Resonant circuits	<a href="#">15 WD4C</a>	12	<a href="#">Apr 84</a>
Ten-Tec Corsair modification (HN)	<a href="#">3 N3BEK</a>	62	<a href="#">Apr 84</a>
Spectrum analyzer, a handheld optical	<a href="#">22.1 WA4WDL</a>	23	<a href="#">Apr 84</a>
Morse keyboard, an easier approach to mastering the	<a href="#">12 W1KZ</a>	80	<a href="#">Apr 84</a>
PL tone generator, a programmable	<a href="#">18 WB0VSZ</a>	51	<a href="#">Apr 84</a>
Quick fix for soldering irons (HN)	<a href="#">5 W2YW</a>	62	<a href="#">Apr 84</a>
Shortwave receiver, portable	<a href="#">22.2 PY2PE1C</a>	67	<a href="#">Apr 84</a>
Branch-line hybrid: part1	<a href="#">15 WA2EWT</a>	107	<a href="#">Apr 84</a>
Ham radio techniques (04/84)	<a href="#">1.2 W6SAI</a>	76	<a href="#">Apr 84</a>
Power supply, switching high-voltage	<a href="#">20 W5FG</a>	48	<a href="#">Apr 84</a>
HP-11 serial loop	<a href="#">6 Martin, Vaughn D.</a>	101	<a href="#">Apr 84</a>
VHF/UHF world: VHF/UHF exciter	<a href="#">31.4 W1JR</a>	84	<a href="#">Apr 84</a>
Filter design, graphic	<a href="#">15 W6NRW</a>	37	<a href="#">Apr 84</a>
Telephone ring indicator, visual (HN)	<a href="#">2 W2QLI</a>	62	<a href="#">Apr 84</a>
Matching dipole antennas	<a href="#">1.4 W1OLP</a>	129	<a href="#">May 84</a>
Ham radio techniques (02/84)	<a href="#">1.2 Comments, K4KYV</a>	12	<a href="#">May 84</a>
RF synthesizers for hf communications, part3	<a href="#">18 Short circuit</a>	125	<a href="#">May 84</a>
PL tone generator, a programmable	<a href="#">6 Short circuit</a>	125	<a href="#">May 84</a>
VHF/UHF world	<a href="#">1.3 W1JR</a>	110	<a href="#">May 84</a>
Wire plow, build a simple	<a href="#">1.1 W7IV</a>	107	<a href="#">May 84</a>
PL tone generator, a programmable	<a href="#">18 Short circuit</a>	125	<a href="#">May 84</a>
Ham radio techniques	<a href="#">3 W6SAI</a>	63	<a href="#">May 84</a>
Multiband 8JK, an end-fed	<a href="#">1.2 G3SBA</a>	81	<a href="#">May 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	119	<a href="#">May 84</a>
Branch-line hybrid: part2	<a href="#">15 WA2EWT</a>	93	<a href="#">May 84</a>
Antenna matching, easy	<a href="#">1.4 WB4GCS</a>	67	<a href="#">May 84</a>
40, 80, and 160-meter vertical, remote controlled	<a href="#">1.2 W7LR</a>	38	<a href="#">May 84</a>
RF synthesizers for hf communications, part1	<a href="#">18 Short circuit</a>	125	<a href="#">May 84</a>

TS-430S IF filter mod (HN)	<a href="#">3 KB0CY</a>	125	<a href="#">May 84</a>
Vertical phased arrays: part6	<a href="#">1.2 K2BT</a>	45	<a href="#">May 84</a>
Ham radio techniques	<a href="#">15 W6SAI</a>	63	<a href="#">May 84</a>
Ham radio techniques	<a href="#">1.4 Comments, K4KYV (Feb 84)</a>	12	<a href="#">May 84</a>
Capacitively loaded dipole, high-performance	<a href="#">1.2 W6VX</a>	33	<a href="#">May 84</a>
RF synthesizers for hf communications, part2	<a href="#">18 Short circuit</a>	125	<a href="#">May 84</a>
Heatsink cooling fan (HN)	<a href="#">5 Comments, DJ4BZ</a>	12	<a href="#">May 84</a>
Applied Yagi antenna design, part 1: a 2-meter classic revisited	<a href="#">1.3 WB3BGU</a>	14	<a href="#">May 84</a>
VHF/UHF world	<a href="#">1.1 W1JR</a>	110	<a href="#">May 84</a>
Volunteer examiners: keep standards high (letter)	<a href="#">17 W0WX</a>	12	<a href="#">May 84</a>
High-frequency dummy load (HN)	<a href="#">5 W1KWE</a>	64	<a href="#">Jun 84</a>
Antenna support (HN)	<a href="#">1.1 W6XM</a>	64	<a href="#">Jun 84</a>
Keep your tower up	<a href="#">1.5 KB9IW</a>	26	<a href="#">Jun 84</a>
VHF/UHF world: improving meteor scatter communications	<a href="#">31.1 W1JR</a>	82	<a href="#">Jun 84</a>
Microphone calibration	<a href="#">13 NY6U</a>	73	<a href="#">Jun 84</a>
Applied Yagi antenna design, part 2: 220 MHz and the Greenblum design data	<a href="#">1.3 WB3BGU</a>	33	<a href="#">Jun 84</a>
Applied Yagi antenna design, part 2: 220 MHz and the Greenblum design data	<a href="#">1.1 WB3BGU</a>	33	<a href="#">Jun 84</a>
Neutralizing 572B final at 1500 watts output (HN)	<a href="#">15 W2YW</a>	63	<a href="#">Jun 84</a>
Match your antenna to your tower	<a href="#">1.5 WD0DGF</a>	14	<a href="#">Jun 84</a>
Optical fm receiver	<a href="#">22.3 Comment, W6OAL</a>	13	<a href="#">Jun 84</a>
Ham radio techniques, fifty years ago	<a href="#">15 W6SAI</a>	58	<a href="#">Jun 84</a>
Ham radio techniques, fifty years ago	<a href="#">1.6 W6SAI</a>	58	<a href="#">Jun 84</a>
Ham radio techniques, fifty years ago	<a href="#">1.2 W6SAI</a>	58	<a href="#">Jun 84</a>
Ham radio techniques, fifty years ago	<a href="#">3 W6SAI</a>	58	<a href="#">Jun 84</a>
Better sounding SSB	<a href="#">26 Comments W2OZH</a>	13	<a href="#">Jun 84</a>
Peaked lowpass: a look at the ultraspherical filter	<a href="#">15 W7ZOI</a>	96	<a href="#">Jun 84</a>
Tower installation: make it sturdy, make it safe	<a href="#">1.5 WB5IIR</a>	22	<a href="#">Jun 84</a>
VHF/UHF world: improving meteor scatter communications	<a href="#">21 W1JR</a>	82	<a href="#">Jun 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	109	<a href="#">Jun 84</a>
Impedance matching: a brief review	<a href="#">15 WD4C</a>	49	<a href="#">Jun 84</a>
Inverted 'L' limited space (HN)	<a href="#">1.2 W8FR</a>	63	<a href="#">Jun 84</a>
Timex/Sinclair newsletter (letter)	<a href="#">23 AD1B</a>	12	<a href="#">Jul 84</a>
QRP wattmeter (HN)	<a href="#">13 W6XM</a>	110	<a href="#">Jul 84</a>
Ham radio techniques (07/84), 160 redux	<a href="#">1.2 W6SAI</a>	89	<a href="#">Jul 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	103	<a href="#">Jul 84</a>
Cooling semiconductors part 1: designing and using heatsinks	<a href="#">5 Martin, Vaughn D.</a>	33	<a href="#">Jul 84</a>
Cooling semiconductors part 1: designing and using heatsinks	<a href="#">25 Martin, Vaughn D.</a>	33	<a href="#">Jul 84</a>
Filter design, graphic	<a href="#">15 Short circuit</a>	13	<a href="#">Jul 84</a>

2-meter J-pole antenna, all-metal	<a href="#">1.3 KD8JB</a>	42	<a href="#">Jul 84</a>
VHF/UHF world: the VHF/UHF primer, an introduction to propagation	<a href="#">21 W1JR</a>	14	<a href="#">Jul 84</a>
Reflected power limiter	<a href="#">5 K4KI</a>	63	<a href="#">Jul 84</a>
VHF/UHF world: the VHF/UHF primer, an introduction to propagation	<a href="#">31.1 W1JR</a>	14	<a href="#">Jul 84</a>
Operating etiquette (letter)	<a href="#">17 W9MKV</a>	12	<a href="#">Jul 84</a>
Applied Yagi antenna design, part 3: 432 MHz with Knadle and Tillon	<a href="#">1.3 WB3BGU</a>	73	<a href="#">Jul 84</a>
New MSO for RTTY (letter)	<a href="#">23 N2EO</a>	12	<a href="#">Jul 84</a>
Ground rod resistance	<a href="#">13 K4MT</a>	95	<a href="#">Jul 84</a>
Ground rod resistance	<a href="#">1.1 K4MT</a>	95	<a href="#">Jul 84</a>
Wideband VCO design	<a href="#">18 WA4MGX</a>	49	<a href="#">Jul 84</a>
KWM2, RIT for the (HN)	<a href="#">3 KH6JF</a>	109	<a href="#">Jul 84</a>
Air-wound coils, constructing	<a href="#">5 W7BKE</a>	37	<a href="#">Aug 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	63	<a href="#">Aug 84</a>
Ham radio techniques (08/84)	<a href="#">1.2 W6SAI</a>	96	<a href="#">Aug 84</a>
CW and RTTY, digital audio filter for	<a href="#">2 Short circuit</a>	199	<a href="#">Aug 84</a>
Linear amplifier, 3CX800A7	<a href="#">15 K8RA</a>	17	<a href="#">Aug 84</a>
Grayline propagation, fundamentals of	<a href="#">21 KR7L</a>	77	<a href="#">Aug 84</a>
Build a better box	<a href="#">5 Gruchalla, Michael</a>	45	<a href="#">Aug 84</a>
Junk-box ingenuity; how to buy, use, and recycle surplus electronic parts	<a href="#">5 WB4EHS</a>	32	<a href="#">Aug 84</a>
Cooling semiconductors part 2: blowers and fans	<a href="#">25 Martin, Vaughn D.</a>	52	<a href="#">Aug 84</a>
Cooling semiconductors part 2: blowers and fans	<a href="#">5 Martin, Vaughn D.</a>	52	<a href="#">Aug 84</a>
Applied Yagi antenna design, part 4: a 50-MHz Tilton/Greenblum design	<a href="#">1.3 WB3BGU</a>	103	<a href="#">Aug 84</a>
ALC circuits, improving amplifier: part1	<a href="#">15 WA8AJN</a>	40	<a href="#">Aug 84</a>
VHF/UHF world: the VHF/UHF primer, an introduction to filters	<a href="#">31.1 W1JR</a>	112	<a href="#">Aug 84</a>
VHF/UHF world: the VHF/UHF primer, an introduction to filters	<a href="#">15 W1JR</a>	112	<a href="#">Aug 84</a>
Dxing by computer	<a href="#">21 NS6N and Buchanan, Waiter</a>	81	<a href="#">Aug 84</a>
Work OSCAR 10 with your HT	<a href="#">24 WA2LQQ</a>	29	<a href="#">Sep 84</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	58	<a href="#">Sep 84</a>
VIC-20 printer (HN)	<a href="#">6 W2QLI</a>	88	<a href="#">Sep 84</a>
Fastening Trigon reflectors to VHF antennas (HN)	<a href="#">1.3 W5JTL</a>	88	<a href="#">Sep 84</a>
RTTY oscilloscope input using line transformers (HN)	<a href="#">23 W6XM</a>	87	<a href="#">Sep 84</a>
Electromagnetic interference and the digital era	<a href="#">15 K3PUR</a>	114	<a href="#">Sep 84</a>
Packet radio: the software approach	<a href="#">6 W4UCH</a>	63	<a href="#">Sep 84</a>
Modified Bobtail (HN)	<a href="#">1.2 W0MBP</a>	87	<a href="#">Sep 84</a>
Development of Amateur SSB: a brief history	<a href="#">26 K4KJ</a>	12	<a href="#">Sep 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	79	<a href="#">Sep 84</a>
FM advantage	<a href="#">9 WA9GDZ6</a>	38	<a href="#">Sep 84</a>
Ham radio techniques	<a href="#">1.4 Comments, WA2DRL (Jan 84)</a>	8	<a href="#">Sep 84</a>
Ground rod resistance	<a href="#">1.1 Comments</a>	8	<a href="#">Sep 84</a>
VIC-20 printer (HN)	<a href="#">23 W2QLI</a>	88	<a href="#">Sep 84</a>
Prerecorded messages help the hearing impaired (HN)	<a href="#">15 W2QLI</a>	87	<a href="#">Sep 84</a>
RTTY reader, interrupt-driven	<a href="#">6 KN4L</a>	72	<a href="#">Sep 84</a>
SEED antenna: a short, efficient end-fed dipole	<a href="#">1.2 W4JAZ</a>	103	<a href="#">Sep 84</a>
VHF/UHF world	<a href="#">31.1 W1JR</a>	45	<a href="#">Sep 84</a>
VHF/UHF world	<a href="#">21 W1JR</a>	45	<a href="#">Sep 84</a>
Ground rod resistance	<a href="#">13 Comments</a>	8	<a href="#">Sep 84</a>

Ham radio techniques	<a href="#">1.4 Comments, WD6DUD (Feb 84)</a>	8	<a href="#">Sep 84</a>
Ham radio techniques (01/84)	<a href="#">1.2 Comments, WA2DRL</a>	8	<a href="#">Sep 84</a>
First HT-to-HT QSO via OSCAR 10	<a href="#">24 WA2LQQ</a>	32	<a href="#">Sep 84</a>
RFI, solving the problems of	<a href="#">15 W2YW</a>	124	<a href="#">Sep 84</a>
Software piracy (letter)	<a href="#">6 Forsyth, Mike</a>	8	<a href="#">Sep 84</a>
Applied Yagi antenna design, part 5: additional optimization techniques	<a href="#">1.3 WB3BGU</a>	93	<a href="#">Sep 84</a>
Two-band receiver, modular	<a href="#">22.2 Comments, WA3TFS</a>	8	<a href="#">Sep 84</a>
ALC circuits, improving amplifier: part2	<a href="#">15 WA8AJN</a>	38	<a href="#">Sep 84</a>
Automatic gain control, an audio	<a href="#">2 K7NM</a>	24	<a href="#">Sep 84</a>
Ham radio techniques (02/84)	<a href="#">1.2 Comments, WD6DUD</a>	8	<a href="#">Sep 84</a>
Ham radio techniques	<a href="#">26 W6SAI</a>	106	<a href="#">Oct 84</a>
UHF antenna tower, low-cost	<a href="#">1.5 KA6GVY</a>	30	<a href="#">Oct 84</a>
VHF/UHF world: VHF/UHF excitors	<a href="#">31.4 Short circuit</a>	60	<a href="#">Oct 84</a>
Top-loaded vertical, a high-efficiency	<a href="#">1.2 W6US</a>	65	<a href="#">Oct 84</a>
Power supply, six-output	<a href="#">20 Martin, Vaughn D.</a>	12	<a href="#">Oct 84</a>
80-meter half-wave sloper uses reflector (HN)	<a href="#">1.2 KO1F</a>	48	<a href="#">Oct 84</a>
Ham radio techniques	<a href="#">15 W6SAI</a>	106	<a href="#">Oct 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	100	<a href="#">Oct 84</a>
Ham radio techniques (10/84)	<a href="#">12 W6SAI</a>	106	<a href="#">Oct 84</a>
Ham radio techniques (10/84)	<a href="#">1.2 W6SAI</a>	106	<a href="#">Oct 84</a>
Argonaut 509 conversion for 30 meters (HN)	<a href="#">3 AA4LL</a>	49	<a href="#">Oct 84</a>
VHF/UHF world	<a href="#">13 W1JR</a>	55	<a href="#">Oct 84</a>
Frequency counter, "smart"	<a href="#">13 WA5VQ</a>	41	<a href="#">Oct 84</a>
Trap antenna, design your own	<a href="#">1.2 W4MB</a>	37	<a href="#">Oct 84</a>
Smith Chart impedance matching on your Commodore 64	<a href="#">6 WA9GFR</a>	120	<a href="#">Oct 84</a>
Applied Yagi antenna design, part 6: the model and a special teaching tool	<a href="#">1.2 WB3BGU</a>	89	<a href="#">Oct 84</a>
Keyer, simple, compact QRP (weekender)	<a href="#">12 W5FG</a>	82	<a href="#">Oct 84</a>
UHF antenna tower, low-cost	<a href="#">31.1 KA6GVY</a>	30	<a href="#">Oct 84</a>
L and C measurements	<a href="#">13 WB6ZLN</a>	117	<a href="#">Oct 84</a>
Power dividers, extended/expanded	<a href="#">31.1 W5JTL</a>	73	<a href="#">Oct 84</a>
Audio oscillator to pulse generator conversion (HN)	<a href="#">2 W0DLO</a>	50	<a href="#">Oct 84</a>
Audio oscillator to pulse generator conversion (HN)	<a href="#">18 W0DLO</a>	50	<a href="#">Oct 84</a>
Leyden's magic jar: the derivation of the Hertzian and Marconi antennas	<a href="#">1.1 KR6A</a>	24	<a href="#">Oct 84</a>
VHF/UHF world	<a href="#">31.1 W1JR</a>	55	<a href="#">Oct 84</a>
Two-band receiver, extending the modular	<a href="#">22.2 WA3TFS</a>	57	<a href="#">Nov 84</a>
Cascaded stages, IMD and intercept points of	<a href="#">22.1 W3IMG</a>	28	<a href="#">Nov 84</a>
Signals from space, receiving	<a href="#">24 K8UR</a>	67	<a href="#">Nov 84</a>
Receiver sweep alignment system	<a href="#">22.2 WB6BIH</a>	124	<a href="#">Nov 84</a>
Superhet coilset, design with a microcomputer	<a href="#">5 Sterrenburg, F.A.S.</a>	113	<a href="#">Nov 84</a>
Russian Woodpecker, the: a continuing nuisance	<a href="#">15 KR7L</a>	37	<a href="#">Nov 84</a>
Bridge measurements, the half-wave transmission line in (HN)	<a href="#">1.6 K4KI</a>	108	<a href="#">Nov 84</a>
Noise discriminator, a pulsewidth	<a href="#">22.1 W6NRW</a>	23	<a href="#">Nov 84</a>
Preamp at work, Quiet!	<a href="#">31.1 N6TX</a>	14	<a href="#">Nov 84</a>
Superhet coilset, design with a microcomputer	<a href="#">22.2 Sterrenburg, F.A.S.</a>	113	<a href="#">Nov 84</a>
Russian Woodpecker, the: a continuing nuisance	<a href="#">21 KR7L</a>	37	<a href="#">Nov 84</a>
The Guerri report: computer technology	<a href="#">15 W6MGI</a>	54	<a href="#">Nov 84</a>
Preamp at work, Quiet!	<a href="#">22.1 N6TX</a>	14	<a href="#">Nov 84</a>

DX forecaster	<a href="#">21 K0RYW</a>	92	<a href="#">Nov 84</a>
Ham radio techniques	<a href="#">1.1 W6SAI</a>	75	<a href="#">Nov 84</a>
SW receiver, a double conversion portable	<a href="#">22.2 PY2PE1C</a>	48	<a href="#">Nov 84</a>
The Guerri report: computer technology	<a href="#">6 W6MGI</a>	54	<a href="#">Nov 84</a>
VHF/UHF world: high dynamic range receivers	<a href="#">22.1 W1JR</a>	97	<a href="#">Nov 84</a>
Receiver sweep alignment system	<a href="#">13 WB6BIH</a>	124	<a href="#">Nov 84</a>
Bridge measurements, the half-wave transmission line in (HN)	<a href="#">13 K4KI</a>	108	<a href="#">Nov 84</a>
Silk screen techniques, make your own board using	<a href="#">5 W3QOM</a>	83	<a href="#">Nov 84</a>
Development of Amateur SSB: a brief history	<a href="#">26 Comments, AG4R</a>	8	<a href="#">Dec 84</a>
Bicycle-powered station	<a href="#">15 W1BG</a>	25	<a href="#">Dec 84</a>
Solar power for your ham station	<a href="#">5 NH6N</a>	14	<a href="#">Dec 84</a>
VHF/UHF world: low-noise GaAs FET technology	<a href="#">31.3 W1JR</a>	99	<a href="#">Dec 84</a>
DX forecaster	<a href="#">21 K0RYW</a>	63	<a href="#">Dec 84</a>
Filter tester, simple (HN)	<a href="#">13 W6XM</a>	116	<a href="#">Dec 84</a>
Inductance equation, a different approach (HN)	<a href="#">5 K4KI</a>	116	<a href="#">Dec 84</a>
Microstrip impedance program	<a href="#">31.1 K8UR</a>	84	<a href="#">Dec 84</a>
Polymer film transforms mechanical energy to electrical energy	<a href="#">15 WA4KFZ</a>	55	<a href="#">Dec 84</a>
Packet radio and area networking	<a href="#">6 WB3JZO</a>	38	<a href="#">Dec 84</a>
Ham radio techniques	<a href="#">1.1 W6SAI</a>	67	<a href="#">Dec 84</a>
Transceivers, quasi-bilateral if for	<a href="#">22.2 K1ZJH</a>	75	<a href="#">Dec 84</a>
The Guerri report: signal processing	<a href="#">13 W6MGI</a>	156	<a href="#">Dec 84</a>
Microstrip impedance program	<a href="#">5 K8UR</a>	84	<a href="#">Dec 84</a>
The Guerri report: signal processing	<a href="#">31.1 W6MGI</a>	156	<a href="#">Dec 84</a>
Solar power for your ham station	<a href="#">15 NH6N</a>	14	<a href="#">Dec 84</a>
The Guerri report: computer technology	<a href="#">6 Short circuit</a>	8	<a href="#">Dec 84</a>
Ham radio techniques (02/84)	<a href="#">1.2 Comments, AD1G</a>	8	<a href="#">Dec 84</a>
Transistor biasing, back to basics	<a href="#">25 WD4C</a>	91	<a href="#">Dec 84</a>
Tuneup, safe, silent	<a href="#">13 K4KI</a>	123	<a href="#">Dec 84</a>
Polymer film transforms mechanical energy to electrical energy	<a href="#">5 WA4KFZ</a>	55	<a href="#">Dec 84</a>
VHF/UHF world: low-noise GaAs FET technology	<a href="#">31.1 W1JR</a>	99	<a href="#">Dec 84</a>
The Guerri report: computer technology	<a href="#">15 Short circuit</a>	8	<a href="#">Dec 84</a>
The Guerri report: signal processing	<a href="#">6 W6MGI</a>	156	<a href="#">Dec 84</a>
Ham radio techniques	<a href="#">1.4 Comments, AD1G (Feb 84)</a>	8	<a href="#">Dec 84</a>

## Results for Year - 1985

Article	CatID	Author	Page	Issue
Ham radio techniques	<a href="#">15 W6SAI</a>		75	<a href="#">Jan 85</a>
DX forecaster: Ionosphere Matching	<a href="#">21 K0RYW</a>		92	<a href="#">Jan 85</a>
Low-pass filter, integrated circuit	<a href="#">11 WB2KTG</a>		59	<a href="#">Jan 85</a>
Bandpass filter design, interdigital, computer-aided	<a href="#">4 N6JH, Monemzadeh</a>		12	<a href="#">Jan 85</a>
The Guerri report	<a href="#">15 W6MGI</a>		124	<a href="#">Jan 85</a>
RF switching, high power with pin diodes	<a href="#">29.1 KN8Z</a>		82	<a href="#">Jan 85</a>
VHF/UHF world: high power amplifiers: part1	<a href="#">31.1 W1JR</a>		97	<a href="#">Jan 85</a>
Field strength meter, sensitive	<a href="#">13 K4KI</a>		51	<a href="#">Jan 85</a>
VHF/UHF world: high dynamic range receivers	<a href="#">22.1 Short circuit</a>		103	<a href="#">Jan 85</a>
Bandpass filter design, interdigital, computer-aided	<a href="#">31.1 N6JH, Monemzadeh</a>		12	<a href="#">Jan 85</a>
Low-pass filter, integrated circuit	<a href="#">15 WB2KTG</a>		59	<a href="#">Jan 85</a>

Moon coordinates, determining basic	<a href="#">21 W2WD</a>	38	<a href="#">Jan 85</a>
Gamma matching, basic	<a href="#">1.4 WB0IKN</a>	29	<a href="#">Jan 85</a>
Delta loop, the reduced-size, full-performance, corner-fed	<a href="#">1.2 G3TKN</a>	67	<a href="#">Jan 85</a>
Moon coordinates, determining basic	<a href="#">31.1 W2WD</a>	38	<a href="#">Jan 85</a>
Duplexer, six cavity, home-brewed	<a href="#">31.1 K9EYY</a>	12	<a href="#">Feb 85</a>
Silverplating, safe, sensible	<a href="#">31.1 K9EYY</a>	29	<a href="#">Feb 85</a>
Ham radio techniques	<a href="#">15 W6SAI</a>	59	<a href="#">Feb 85</a>
DX Forecaster: More on Ionosphere Matching	<a href="#">21 K0RYW</a>	75	<a href="#">Feb 85</a>
The Guerri report: superchips come of age	<a href="#">11 W6MGJ</a>	126	<a href="#">Feb 85</a>
80-meter half-wave sloper uses reflector (HN)	<a href="#">1.2 Short circuit</a>	8	<a href="#">Feb 85</a>
The Guerri report: superchips come of age	<a href="#">15 W6MGI</a>	126	<a href="#">Feb 85</a>
Call sign identifier: programmable	<a href="#">12 WB3CEH</a>	33	<a href="#">Feb 85</a>
2-meter J-pole antenna, all-metal	<a href="#">1.3 <u>Comments, K2WWT, KD8JB</u></a>	8	<a href="#">Feb 85</a>
Silverplating, safe, sensible	<a href="#">5 K9EYY</a>	29	<a href="#">Feb 85</a>
Linear amplifier, HF solid-state kilowatt, mobile	<a href="#">26 WA7SPR</a>	67	<a href="#">Feb 85</a>
VHF/UHF world: high power amplifiers: part2	<a href="#">31.1 W1JR</a>	38	<a href="#">Feb 85</a>
Repeater, high-tech: designing and building an FM translator	<a href="#">9 WA6CAY</a>	82	<a href="#">Feb 85</a>
Linear amplifier, HF solid-state kilowatt, mobile	<a href="#">29.2 WA7SPR</a>	67	<a href="#">Feb 85</a>
VIC-20 printer (HN)	<a href="#">23 Short circuit</a>	145	<a href="#">Mar 85</a>
Solar power for your ham station	<a href="#">15 Short circuit</a>	145	<a href="#">Mar 85</a>
VHF/UHF world: keeping VHF/UHFers up-to-date	<a href="#">31.1 W1JR</a>	126	<a href="#">Mar 85</a>
Radio astronomy and the search for extra terrestrial intelligence	<a href="#">21 WB3JZO</a>	10	<a href="#">Mar 85</a>
DX Forecaster: Vernal Equinox DX	<a href="#">21 K0RYW</a>	120	<a href="#">Mar 85</a>
Low-voltage power supplies, designing	<a href="#">20 W4MLE</a>	46	<a href="#">Mar 85</a>
Get on 6 meters the inexpensive way	<a href="#">31.1 KB1KJ</a>	91	<a href="#">Mar 85</a>
Solar outages, predicting	<a href="#">21 VE7ABK</a>	75	<a href="#">Mar 85</a>
Rhombics, controlled vertical radiation, part 1: designing for high performance	<a href="#">1.2 N4UH</a>	100	<a href="#">Mar 85</a>
VHF signal generation, harmonic mixer	<a href="#">31.1 K1ZJH</a>	40	<a href="#">Mar 85</a>
ATV power amplifier, fast-scan	<a href="#">31.1 WB0ZJP</a>	67	<a href="#">Mar 85</a>
The Guerri report	<a href="#">15 W6MGI</a>	158	<a href="#">Mar 85</a>
Ham radio techniques	<a href="#">15 W6SAI</a>	83	<a href="#">Mar 85</a>
MC1496, improved carrier suppression (HN)	<a href="#">29.1 K1ZJH</a>	78	<a href="#">Apr 85</a>
The Guerri report	<a href="#">15 W6MGI</a>	157	<a href="#">Apr 85</a>
Dummy load, DC	<a href="#">5 W4MLE</a>	91	<a href="#">Apr 85</a>
Run RTTY on your Timex	<a href="#">23 NU4V</a>	110	<a href="#">Apr 85</a>
Electromagnetic jargon generator, state-of-the-art	<a href="#">7 N6TX</a>	75	<a href="#">Apr 85</a>
VHF/UHF world: stacking antennas, part1	<a href="#">1.3 W1JR</a>	129	<a href="#">Apr 85</a>
VHF amplifiers, carrier-operated relay	<a href="#">31.1 WB3JCC, KD8KZ</a>	45	<a href="#">Apr 85</a>
DX Forecaster: Sunspot cycle views	<a href="#">21 K0RYW</a>	84	<a href="#">Apr 85</a>
Digital HF radio: a sampling of techniques	<a href="#">6 KA2WEU/DJ2LR</a>	19	<a href="#">Apr 85</a>
Run RTTY on your VIC-20	<a href="#">23 W5TRS</a>	120	<a href="#">Apr 85</a>
Frequency counter, "smart"	<a href="#">13 Short</a>	126	<a href="#">Apr 85</a>
Matching dipole antennas	<a href="#">1.4 <u>Comments, W5XW</u></a>	12	<a href="#">Apr 85</a>
VHF/UHF world: stacking antennas, part1	<a href="#">31.2 W1JR</a>	129	<a href="#">Apr 85</a>
Receiver input temperature (letter)	<a href="#">22.1 WA6JTD</a>	13	<a href="#">Apr 85</a>
Run RTTY on your Timex	<a href="#">6 NU4V</a>	110	<a href="#">Apr 85</a>



Bulkhead connector (HN)	<a href="#">1.1 K9CZB</a>	78	<a href="#">Apr 85</a>
Demodulator, telemetry, PSK, for OSCAR 10	<a href="#">24 G3RUH</a>	50	<a href="#">Apr 85</a>
Ham radio techniques: electron-hole theory exposed as fraud	<a href="#">15 W6SAI</a>	67	<a href="#">Apr 85</a>
Bulkhead connector (HN)	<a href="#">5 K9CZB</a>	78	<a href="#">Apr 85</a>
Digital HF radio: a sampling of techniques	<a href="#">22.2 KA2WEU/DJ2LR</a>	19	<a href="#">Apr 85</a>
Run RTTY on your VIC-20	<a href="#">6 W5TRS</a>	120	<a href="#">Apr 85</a>
Rhombics, controlled vertical radiation, part 2: antenna erection and performance	<a href="#">1.2 N4UH</a>	99	<a href="#">Apr 85</a>
Phased arrays, feeding: an alternative method	<a href="#">1.2 KB8I</a>	58	<a href="#">May 85</a>
The Guerri report: a busy signal from space	<a href="#">15 W6MGI</a>	165	<a href="#">May 85</a>
VHF/UHF world: stacking antennas, part2	<a href="#">1.3 W1JR</a>	95	<a href="#">May 85</a>
Active antenna, 0.5-30 MHz	<a href="#">1.2 K1ZJH</a>	37	<a href="#">May 85</a>
AF transmission cable, microwave applications	<a href="#">31.1 K3HW</a>	106	<a href="#">May 85</a>
RF transmission cable, microwave applications	<a href="#">1.6 K3HW</a>	106	<a href="#">May 85</a>
Terminated vee beam, sloping	<a href="#">1.2 Ross, Robert</a>	71	<a href="#">May 85</a>
Low-voltage power supplies, designing	<a href="#">20 Short circuit</a>	121	<a href="#">May 85</a>
Yagis, stacking is a science	<a href="#">1.3 K1FO</a>	18	<a href="#">May 85</a>
End-fed 8JK; switchable vertical array	<a href="#">1.2 W1JF</a>	53	<a href="#">May 85</a>
VHF signal generation, harmonic mixer	<a href="#">31.1 Short circuit</a>	121	<a href="#">May 85</a>
Digital HF radio: a sampling of techniques	<a href="#">6 Short circuit</a>	121	<a href="#">May 85</a>
Transmission line antenna, 160-meter	<a href="#">1.2 N9NB</a>	87	<a href="#">May 85</a>
DX Forecaster: What's this Sporadic E?	<a href="#">21 K0RYW</a>	79	<a href="#">May 85</a>
Phased arrays, feeding: an alternative method	<a href="#">1.4 KB8I</a>	58	<a href="#">May 85</a>
JR vari-lobe antenna, control your take-off angle	<a href="#">1.2 W1JF</a>	46	<a href="#">May 85</a>
VHF/UHF world: stacking antennas, part2	<a href="#">31.2 W1JR</a>	95	<a href="#">May 85</a>
Ham radio techniques	<a href="#">15 W6SAI</a>	66	<a href="#">May 85</a>
Yagis, stacking is a science	<a href="#">1.2 K1FO</a>	18	<a href="#">May 85</a>
Balun chop suey	<a href="#">1.1 K4KJ</a>	113	<a href="#">May 85</a>
Digital HF radio: a sampling of techniques	<a href="#">22.2 Short circuit</a>	121	<a href="#">May 85</a>
Antenna tower, fixed, tilt-over conversion	<a href="#">1.5 PA0SE</a>	125	<a href="#">May 85</a>

High-stability BFO for receiver applications	<a href="#">22.1 K1ZJH</a>	28	<a href="#">Jun 85</a>
The Guerri report: predicting equipment failure	<a href="#">15 W6MGI</a>	125	<a href="#">Jun 85</a>
Bandpass filter design, interdigital, computer-aided	<a href="#">4 Short circuit</a>	117	<a href="#">Jun 85</a>
VHF/UHF world: protecting equipment	<a href="#">31.1 W1JR</a>	83	<a href="#">Jun 85</a>
Temperature control, automatic	<a href="#">20 WB5IRI</a>	75	<a href="#">Jun 85</a>
IF sweep generator, compact	<a href="#">13 PA0CX, DJ0SA</a>	35	<a href="#">Jun 85</a>
Elevation indicator, inexpensive	<a href="#">24 W5JTL</a>	67	<a href="#">Jun 85</a>
Morse code computer tutor	<a href="#">16 N3SE</a>	45	<a href="#">Jun 85</a>
Yagis, designing with the Commodore 64	<a href="#">4 WA3EKL</a>	59	<a href="#">Jun 85</a>
Temperature control, automatic	<a href="#">31.4 WB5IRI</a>	75	<a href="#">Jun 85</a>
Transformers, wind your own inexpensively	<a href="#">20 W4GDW</a>	96	<a href="#">Jun 85</a>
Ham radio techniques	<a href="#">15 W6SAI</a>	51	<a href="#">Jun 85</a>
Bandpass filter design, interdigital, computer-aided	<a href="#">31.1 Short circuit</a>	117	<a href="#">Jun 85</a>
High-stability BFO for receiver applications	<a href="#">18 K1ZJH</a>	28	<a href="#">Jun 85</a>
Elevation indicator, inexpensive	<a href="#">5 W5JTL</a>	67	<a href="#">Jun 85</a>
DX Forecaster: Sporadic E Propagation	<a href="#">21 K0RYW</a>	102	<a href="#">Jun 85</a>
Phase modulator, PLL (HN)	<a href="#">15 VE3FHM</a>	117	<a href="#">Jun 85</a>
Elevation indicator, inexpensive	<a href="#">31.1 W5JTL</a>	67	<a href="#">Jun 85</a>
Oscillator, voltage controlled, uses ceramic resonators	<a href="#">18 K2BLA</a>	18	<a href="#">Jun 85</a>
Morse Code tutor	<a href="#">12 N3SE</a>	45	<a href="#">Jun 85</a>
Amplifier, 432-MHz, 1500-watt	<a href="#">31.4 W2GN</a>	40	<a href="#">Jul 85</a>
VHF/UHF world: propagation update	<a href="#">21 W1JR</a>	86	<a href="#">Jul 85</a>
Micros and VHF beacons transmit messages automatically	<a href="#">12 K9EI</a>	51	<a href="#">Jul 85</a>
Micros and VHF beacons transmit messages automatically	<a href="#">31.1 K9EI</a>	51	<a href="#">Jul 85</a>
The Guerri report	<a href="#">15 W6MGI</a>	124	<a href="#">Jul 85</a>
Phased arrays, feeding: an alternative method	<a href="#">1.2 Short circuit</a>	74	<a href="#">Jul 85</a>
VCO, 1800-2600 MHz	<a href="#">31.4 W0DTV</a>	21	<a href="#">Jul 85</a>
Weaver modulation, 2-meter transmitter	<a href="#">26 N1COX</a>	12	<a href="#">Jul 85</a>
Detector, logarithmic, wideband	<a href="#">13 PA0CX, DJ0SA</a>	75	<a href="#">Jul 85</a>
Trade off power for antenna gain at VHF?	<a href="#">31.1 WA9GFR, Hennel</a>	32	<a href="#">Jul 85</a>
VCO, 1800-2600 MHz	<a href="#">18 W0DTV</a>	21	<a href="#">Jul 85</a>
Phased arrays, feeding: an alternative method	<a href="#">1.4 Short circuit</a>	74	<a href="#">Jul 85</a>
Weaver modulation, 2-meter transmitter	<a href="#">31.4 N1COX</a>	12	<a href="#">Jul 85</a>
MC1496, improved carrier suppression (HN)	<a href="#">29.1 Short circuit</a>	74	<a href="#">Jul 85</a>
Dual wattmeter, 50-500 MHz	<a href="#">13 WB4EHS</a>	67	<a href="#">Jul 85</a>
Bulkhead connector (HN)	<a href="#">1.1 Short circuit</a>	74	<a href="#">Jul 85</a>
VHF/UHF world: propagation update	<a href="#">31.1 W1JR</a>	86	<a href="#">Jul 85</a>
DX Forecaster: Summertime DX	<a href="#">21 K0RYW</a>	100	<a href="#">Jul 85</a>
Bulkhead connector (HN)	<a href="#">5 Short circuit</a>	74	<a href="#">Jul 85</a>
Dual wattmeter, 50-500 MHz	<a href="#">31.1 WB4EHS</a>	67	<a href="#">Jul 85</a>
Ham radio techniques	<a href="#">15 W6SAI</a>	59	<a href="#">Jul 85</a>
Active antenna, 0.5-30 MHz	<a href="#">1.2 Comment, Hansen, R.C.</a>	10	<a href="#">Jul 85</a>
FM repeater separation : 20 kHz, Yes, 15 kHz, No	<a href="#">9 WD5IBS</a>	12	<a href="#">Aug 85</a>
Oscillator, voltage controlled, uses ceramic resonators	<a href="#">18 Short circuit</a>	27	<a href="#">Aug 85</a>
Tapered vertical, calculating the input impedance of	<a href="#">1.2 K3OQF</a>	24	<a href="#">Aug 85</a>
Vacuum tube amplifier, design a toroidal tank circuit for	<a href="#">29.2 W6YUY</a>	29	<a href="#">Aug 85</a>
Ham radio techniques	<a href="#">15 W6SAI</a>	90	<a href="#">Aug 85</a>

Battery charger, NiCd, constant current, a pulsed	<a href="#">20 K2MWU</a>	67	<a href="#">Aug 85</a>
Battery charger, NiCd, constant current, a pulsed	<a href="#">5 K2MWU</a>	67	<a href="#">Aug 85</a>
GLA-1000 amplifier, stop blowing finals	<a href="#">30 G4CFY, G3ROG</a>	59	<a href="#">Aug 85</a>
The Guerri report	<a href="#">15 W6MGI</a>	124	<a href="#">Aug 85</a>
DX Forecaster: Signal Levels During Summer Months	<a href="#">21 K0RYW</a>	100	<a href="#">Aug 85</a>
Commodore 64, \$100 printer (HN)	<a href="#">6 W2QLI</a>	86	<a href="#">Aug 85</a>
VHF/UHF world: medium power amplifiers	<a href="#">31.4 W1JR</a>	39	<a href="#">Aug 85</a>
Service not hobby (letter)	<a href="#">17 W5VSR</a>	8	<a href="#">Aug 85</a>
Matching dipoles (letter)	<a href="#">1.2 W5XW</a>	8	<a href="#">Aug 85</a>
Amplifier, 3CX1200A7 10 to 80 meter	<a href="#">29.2 K8RA</a>	75	<a href="#">Aug 85</a>
Continuity tester, simple	<a href="#">13 WD6GMB</a>	130	<a href="#">Sep 85</a>
Satellite tracker, digitally-controlled	<a href="#">6 KA8OBL</a>	102	<a href="#">Sep 85</a>
Adjusting SSB amplifiers	<a href="#">29.1 AG6K</a>	33	<a href="#">Sep 85</a>
Practically speaking: now that the warranty has expired	<a href="#">3 K4IPV</a>	67	<a href="#">Sep 85</a>
DTMF controller for repeaters	<a href="#">6 WB4FXD</a>	47	<a href="#">Sep 85</a>
TVI problem, solving a difficult (HN)	<a href="#">30 W2YW</a>	152	<a href="#">Sep 85</a>
Satellite tracker, digitally-controlled	<a href="#">24 KA8OBL</a>	102	<a href="#">Sep 85</a>
VHF/UHF world: designing and building loop Yagis	<a href="#">31.1 W1JR</a>	56	<a href="#">Sep 85</a>
Detailed look at probes	<a href="#">13 Martin, and Davis</a>	75	<a href="#">Sep 85</a>
The Guerri report: RF power supplies achieve high efficiency	<a href="#">15 W6MGI</a>	157	<a href="#">Sep 85</a>
Passive audio filter design, part 1: development and analysis	<a href="#">5 Niewiadomski, S.</a>	17	<a href="#">Sep 85</a>
Adjusting SSB amplifiers	<a href="#">26 AG6K</a>	33	<a href="#">Sep 85</a>
Ham radio techniques: I have seen the future and it works	<a href="#">15 W6SAI</a>	91	<a href="#">Sep 85</a>
The Guerri report: RF power supplies achieve high efficiency	<a href="#">20 W6MGI</a>	157	<a href="#">Sep 85</a>
DTMF controller for repeaters	<a href="#">9 WB4FXD</a>	47	<a href="#">Sep 85</a>
Carrier-operated CW reception limiter	<a href="#">17 W6NRW</a>	113	<a href="#">Sep 85</a>
Understanding telephones	<a href="#">2 N6ARE</a>	39	<a href="#">Sep 85</a>
DX Forecaster: Equinoctial DX Propagation Brings Change	<a href="#">21 K0RYW</a>	122	<a href="#">Sep 85</a>
New band privileges for Novice operators (letter)	<a href="#">16 KA0DOE</a>	15	<a href="#">Sep 85</a>
TS-930S headset audio, increased undistorted (HN)	<a href="#">3 W6FR</a>	128	<a href="#">Oct 85</a>
TR-2500/2600 2-channel programming (HN)	<a href="#">31.4 K9MLD</a>	128	<a href="#">Oct 85</a>
Antenna insulators, PTFE VHF	<a href="#">31.2 W5JTL</a>	98	<a href="#">Oct 85</a>
Ham radio techniques	<a href="#">15 W6SAI</a>	75	<a href="#">Oct 85</a>
Passive audio filter design, part 2: highpass and bandpass filters	<a href="#">2 Niewiadomski, S.</a>	41	<a href="#">Oct 85</a>
DX Forecaster: Sunspot Cycle Update	<a href="#">21 K0RYW</a>	105	<a href="#">Oct 85</a>
Antenna insulators, PTFE VHF	<a href="#">1.1 W5JTL</a>	98	<a href="#">Oct 85</a>
The Guerri report: RF effects the good and the bad	<a href="#">15 W6MGI</a>	142	<a href="#">Oct 85</a>
TR-2500/2600 2-channel programming (HN)	<a href="#">31.3 K9MLD</a>	128	<a href="#">Oct 85</a>
Novice privileges (letter)	<a href="#">16 WB9IVR</a>	9	<a href="#">Oct 85</a>
Direction-finding tool, the fox box	<a href="#">31.2 K1ZJH</a>	25	<a href="#">Oct 85</a>
Antenna insulators, PTFE VHF	<a href="#">1.3 W5JTL</a>	98	<a href="#">Oct 85</a>
Direction-finding tool, the fox box	<a href="#">1.1 K1ZJH</a>	25	<a href="#">Oct 85</a>
Audio filter design, computer-aided	<a href="#">6 KE2J</a>	15	<a href="#">Oct 85</a>
TS-930S headset audio, increased undistorted (HN)	<a href="#">22.1 W6FR</a>	128	<a href="#">Oct 85</a>
VHF/UHF world: transmission lines	<a href="#">31.1 W1JR</a>	83	<a href="#">Oct 85</a>
VHF/UHF world: transmission lines	<a href="#">1.6 W1JR</a>	83	<a href="#">Oct 85</a>
Phone patches, building and using	<a href="#">2 N6ARE</a>	34	<a href="#">Oct 85</a>

Digital clock, build a fail-safe	<a href="#">6 K1MC</a>	54	<a href="#">Oct 85</a>
TR-2500/2600 2-channel programming (HN)	<a href="#">3 K9MLD</a>	128	<a href="#">Oct 85</a>
Yaesu's latest VHF/UHF receiver, add general coverage	<a href="#">31.3 W6MGI</a>	67	<a href="#">Oct 85</a>
Practically speaking: repairing flood damage	<a href="#">15 K4IPV</a>	95	<a href="#">Oct 85</a>
2-meter beam, portable	<a href="#">31.2 KB5QJ</a>	113	<a href="#">Oct 85</a>
Audio filter design, computer-aided	<a href="#">2 KE2J</a>	15	<a href="#">Oct 85</a>
CB to 10-meter conversions, scanner	<a href="#">22.1 W2FMY, KB2GA</a>	98	<a href="#">Nov 85</a>
2-meter J-pole antenna, all-metal	<a href="#">1.3 Comments, DJ0TR/OE8AK</a>	8	<a href="#">Nov 85</a>
Local oscillators, high stability for microwave receivers and other applications	<a href="#">18 WB3JZO</a>	29	<a href="#">Nov 85</a>
Receiver, 10 through 80-meter homebrew	<a href="#">22.1 N1BFV</a>	40	<a href="#">Nov 85</a>
Practically speaking: intermittents, pt.1	<a href="#">15 K4IPV</a>	75	<a href="#">Nov 85</a>
Compact 75-meter monoband transceiver	<a href="#">22.1 K1BQT</a>	13	<a href="#">Nov 85</a>
Ham radio techniques	<a href="#">15 W6SAI</a>	67	<a href="#">Nov 85</a>
Passive audio filter design, part 2: highpass and bandpass filters	<a href="#">2 Comments, W3NQN</a>	8	<a href="#">Nov 85</a>
VHF/UHF world	<a href="#">31.3 W1JA</a>	54	<a href="#">Nov 85</a>
Practically speaking: now that the warranty has expired	<a href="#">3 Comments, W5QJM</a>	8	<a href="#">Nov 85</a>
Digital frequency readout using the Commodore 64	<a href="#">22.1 W3NNL</a>	83	<a href="#">Nov 85</a>
DX Forecaster: Winter DX Season	<a href="#">21 K0RYW</a>	92	<a href="#">Nov 85</a>
Local oscillators, high stability for microwave receivers and other applications	<a href="#">31.1 WB3JZO</a>	29	<a href="#">Nov 85</a>
Compact 75-meter monoband transceiver	<a href="#">29.2 K1BQT</a>	13	<a href="#">Nov 85</a>
VHF/UHF world	<a href="#">31.1 W1JR</a>	54	<a href="#">Nov 85</a>
The Guerri report	<a href="#">15 W6MGI</a>	140	<a href="#">Nov 85</a>
Local oscillators, high stability for microwave receivers and other applications	<a href="#">31.3 WB3JZO</a>	29	<a href="#">Nov 85</a>
External product detector improves receiver performance	<a href="#">22.1 W6GB</a>	107	<a href="#">Nov 85</a>
Digital frequency readout using the Commodore 64	<a href="#">6 W3NNL</a>	83	<a href="#">Nov 85</a>
VHF/UHF world	<a href="#">31.1 W1JR</a>	85	<a href="#">Dec 85</a>
AMTOR, AX.25, and HERMES: a performance analysis of three systems	<a href="#">6 W9JD</a>	63	<a href="#">Dec 85</a>
VHF/UHF world	<a href="#">1.6 W1JR</a>	85	<a href="#">Dec 85</a>
Ham radio techniques (12/85)	<a href="#">1.2 W6SAI</a>	55	<a href="#">Dec 85</a>
Spread spectrum and digital communication techniques: a primer	<a href="#">6 N9NB</a>	13	<a href="#">Dec 85</a>
Practically speaking: intermittents, pt.2	<a href="#">15 K4IPV</a>	79	<a href="#">Dec 85</a>
Practically speaking	<a href="#">16 K4IPV</a>	79	<a href="#">Dec 85</a>
Packet radio primer	<a href="#">6 WA1FHB</a>	30	<a href="#">Dec 85</a>
VHF/UHF world	<a href="#">31.2 W1JR</a>	85	<a href="#">Dec 85</a>
VHF/UHF world	<a href="#">1.3 W1JR</a>	85	<a href="#">Dec 85</a>
VHF/UHF world	<a href="#">21 W1JR</a>	85	<a href="#">Dec 85</a>
DX Forecaster: MUF Forecasting	<a href="#">21 K0RYW</a>	98	<a href="#">Dec 85</a>
Packet radio, automatic frequency and deviation tester	<a href="#">6 WB2OSZ</a>	41	<a href="#">Dec 85</a>
Practically speaking	<a href="#">13 K4IPV</a>	79	<a href="#">Dec 85</a>

## Results for Year - 1986

Article	CatID	Author	Page	Issue
Ham Radio Techniques: Phasing SSB SYSTEM.. Born Again!	<a href="#">17 W6SAI</a>		67	<a href="#">Jan 86</a>
The Guerri report	<a href="#">6 W6MGI</a>		124	<a href="#">Jan 86</a>

Designing Yagis with the Commodore 64	<a href="#">1.2 N0CAO</a>	107	<a href="#">Jan 86</a>
Yagi trigon reflector, Optimizing	<a href="#">31.2 WB3BGU</a>	84	<a href="#">Jan 86</a>
S-meter, a calibrated	<a href="#">22.1 W7SX</a>	23	<a href="#">Jan 86</a>
New band privileges for Novice operators (letter)	<a href="#">16 Comments, KD0EV</a>	9	<a href="#">Jan 86</a>
Passive audio filter design, part 3	<a href="#">2 Stefan Niewiadomski</a>	29	<a href="#">Jan 86</a>
L-band ground wave propagation program	<a href="#">31.1 WA9GFR and Joseph R. Hennel</a>	103	<a href="#">Jan 86</a>
DX Forecaster: MUF Patterns and Trends	<a href="#">21 K0RYW</a>	112	<a href="#">Jan 86</a>
The Guerri report	<a href="#">11 W6MGI</a>	124	<a href="#">Jan 86</a>
VHF/UHF world: Designing and building loop Yagis	<a href="#">1.3 Short circuit</a>	54	<a href="#">Jan 86</a>
L-band ground wave propagation program	<a href="#">27 WA9GRF and Joseph R. Hennel</a>	103	<a href="#">Jan 86</a>
New band privileges for Novice operators (letter)	<a href="#">16 Comments, W3Y6F</a>	9	<a href="#">Jan 86</a>
Improving the audio on the ICOM IC-27	<a href="#">3 KD8KZ</a>	29	<a href="#">Jan 86</a>
VHF/UHF world: microwave bands	<a href="#">31.1 W1JR</a>	44	<a href="#">Jan 86</a>
L-band ground wave propagation program	<a href="#">21 WA9GFR and Joseph R. Hennel</a>	103	<a href="#">Jan 86</a>
Frequency and level standard	<a href="#">13 PA0CX</a>	10	<a href="#">Jan 86</a>
Yagi trigon reflector, Optimizing	<a href="#">1.3 WB3BGU</a>	84	<a href="#">Jan 86</a>
15-meter sideband transceiver	<a href="#">29.2 Short circuit</a>	66	<a href="#">Jan 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	67	<a href="#">Jan 86</a>
Designing Yagis with the Commodore 64	<a href="#">4 N0CAO</a>	107	<a href="#">Jan 86</a>
VHF/UHF world: VHF/UHF antennas and antenna systems	<a href="#">31.2 Short circuit</a>	54	<a href="#">Jan 86</a>
Compact 75-meter monoband transceiver	<a href="#">22.1 Short circuit</a>	66	<a href="#">Jan 86</a>
Harmonics, Trapping stubborn	<a href="#">15 N1RC</a>	99	<a href="#">Jan 86</a>
Broadband RF transformers	<a href="#">1.4 K2LB</a>	75	<a href="#">Jan 86</a>
Practically speaking	<a href="#">30 K4IPV</a>	59	<a href="#">Jan 86</a>
Offset drooper: an improved ground plane	<a href="#">1.2 W6BCX</a>	43	<a href="#">Feb 86</a>
EME link calculator program	<a href="#">21 KE6ZE</a>	9	<a href="#">Feb 86</a>
Two-tone signal generator	<a href="#">13 YB9ATA/WA7AQN</a>	25	<a href="#">Feb 86</a>
The Guerri report: mm waves, part1	<a href="#">31.1 W6MGI</a>	109	<a href="#">Feb 86</a>
Ham Radio Techniques: Quad falling apart?	<a href="#">17 W6SAI</a>	65	<a href="#">Feb 86</a>
Old antennas, comments	<a href="#">1.2 W0MBP</a>	9	<a href="#">Feb 86</a>
EME link calculator program	<a href="#">27 KE6ZE</a>	70	<a href="#">Feb 86</a>
Quartz crystal resonators	<a href="#">15 Boddaert, Peter</a>	85	<a href="#">Feb 86</a>
Cylindrical feedhorns revisited	<a href="#">31.2 WA9HUV</a>	20	<a href="#">Feb 86</a>
Achieve polarization, diversity through variable power splitting	<a href="#">21 W3NGJ</a>	10	<a href="#">Feb 86</a>
Cylindrical feedhorns revisited	<a href="#">1.3 WA9HUV</a>	29	<a href="#">Feb 86</a>
Practically speaking	<a href="#">30 K4IPV</a>	35	<a href="#">Feb 86</a>
Two-tone signal generator	<a href="#">15 YB9ATA/WA7AQN</a>	25	<a href="#">Feb 86</a>
VHF/UHF world: reflector antennas, part1	<a href="#">31.2 W1JR</a>	51	<a href="#">Feb 86</a>
DX Forecaster: Sunspots and MUFs	<a href="#">21 K0RYW</a>	78	<a href="#">Feb 86</a>
Improving the audio on the ICOM IC-27	<a href="#">2 KD8KZ</a>	61	<a href="#">Feb 86</a>
EME link calculator program	<a href="#">31.1 KE6ZE</a>	70	<a href="#">Feb 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	65	<a href="#">Feb 86</a>
Ham Radio Techniques: More on the G5RV Antenna	<a href="#">17 W6SAI</a>	63	<a href="#">Mar 86</a>
Digital can do more, Comments	<a href="#">6 KA4JFO</a>	9	<a href="#">Mar 86</a>
Monolithic RF amplifiers	<a href="#">31.1 N6JH</a>	22	<a href="#">Mar 86</a>

RF filters, Build narrowband	<a href="#">15 WB4EHS</a>	10	<a href="#">Mar 86</a>
Remote repeater programming using a computer and a telephone	<a href="#">4 KD9BC</a>	89	<a href="#">Mar 86</a>
Practically speaking: bench power supply	<a href="#">20 K4IPV</a>	55	<a href="#">Mar 86</a>
Remote repeater programming using a computer and a telephone	<a href="#">9 KD9BC</a>	89	<a href="#">Mar 86</a>
The Guerri report: mm waves, part2	<a href="#">31.1 W6MGI</a>	117	<a href="#">Mar 86</a>
VSWR bridges	<a href="#">15 K2LB</a>	37	<a href="#">Mar 86</a>
RF filters, Build narrowband	<a href="#">4 WB4EHS</a>	10	<a href="#">Mar 86</a>
DX Forecaster: Springtime QRN	<a href="#">21 K0RYW</a>	97	<a href="#">Mar 86</a>
SWR bridges	<a href="#">13 K2LB</a>	37	<a href="#">Mar 86</a>
Converting mobile microphones for handheld VHF transceivers	<a href="#">2 KD8KZ, WB3JCC</a>	79	<a href="#">Mar 86</a>
VHF/UHF world: reflector antennas, part2	<a href="#">31.2 W1JR</a>	68	<a href="#">Mar 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	63	<a href="#">Mar 86</a>
RF filters, Build narrowband	<a href="#">5 WB4EHS</a>	10	<a href="#">Mar 86</a>
Converting mobile microphones for handheld VHF transceivers	<a href="#">31.1 KD8KZ and WB3JCC</a>	79	<a href="#">Mar 86</a>
Monolithic RF amplifiers	<a href="#">15 N6JH</a>	22	<a href="#">Mar 86</a>
Modifying the Yaesu FT-301 for 30-meter coverage	<a href="#">3 AF9Q</a>	42	<a href="#">Mar 86</a>
Universal oscillator circuit	<a href="#">18 VE6RF</a>	38	<a href="#">Apr 86</a>
Two-tone signal generator	<a href="#">13 Short circuit</a>	45	<a href="#">Apr 86</a>
Computer control of ICOM R-71, 271, 471, and 751 radios	<a href="#">3 NG6Q</a>	47	<a href="#">Apr 86</a>
VHF/UHF world: transmission lines	<a href="#">31.1 Comment, W9ICZ</a>	9	<a href="#">Apr 86</a>
S-meter, a calibrated	<a href="#">22.1 Short circuit</a>	45	<a href="#">Apr 86</a>
Wide-range RF power meter	<a href="#">15 KA8OBL</a>	24	<a href="#">Apr 86</a>
The Guerri report	<a href="#">6 W6MGI</a>	125	<a href="#">Apr 86</a>
New class of directive antennas	<a href="#">1.2 W4MB</a>	107	<a href="#">Apr 86</a>
Grounded-grid amplifier parasitics	<a href="#">30 AG6K</a>	31	<a href="#">Apr 86</a>
DX Forecaster: 1985 Review	<a href="#">21 K0RYW</a>	99	<a href="#">Apr 86</a>
Wide-range RF power meter	<a href="#">13 KA8OBL</a>	24	<a href="#">Apr 86</a>
Modifying the Trio-Kenwood TS930S	<a href="#">3 WB9BXT</a>	67	<a href="#">Apr 86</a>
VHF/UHF world: reflector antennas, part1	<a href="#">31.2 Short circuit</a>	45	<a href="#">Apr 86</a>
Introducing satellite communications	<a href="#">24 G3ZCZ</a>	10	<a href="#">Apr 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	42	<a href="#">Apr 86</a>
Improved repeater/transmitter noise performance (HN)	<a href="#">9 K1ZJH</a>	104	<a href="#">Apr 86</a>
VHF/UHF world: transmission lines	<a href="#">1.6 Comments W9ICZ</a>	9	<a href="#">Apr 86</a>
Trade off power for antenna gain at VHF?	<a href="#">31.1 Comment, WA9GFR</a>	9	<a href="#">Apr 86</a>
EME link calculator program	<a href="#">21 Comments, KC8OH</a>	70	<a href="#">Apr 86</a>
Modifying the Trio-Kenwood TS930S	<a href="#">15 WB9BXT</a>	67	<a href="#">Apr 86</a>
Practically speaking: Keep it cool	<a href="#">5 K4IPV</a>	75	<a href="#">Apr 86</a>
EME link calculator program	<a href="#">27 Comments, KC8OH</a>	9	<a href="#">Apr 86</a>
Ham Radio Techniques: Surface-wave OTH Radar More QRM	<a href="#">17 W6SAI</a>	42	<a href="#">Apr 86</a>
AC line transient protection	<a href="#">10 N6JH</a>	59	<a href="#">Apr 86</a>
Understanding telephones	<a href="#">2 Comments, KD7WL</a>	9	<a href="#">Apr 86</a>
VHF/UHF world: 33 cm - our newest band	<a href="#">31.1 W1JR</a>	83	<a href="#">Apr 86</a>
L-band ground wave propagation program	<a href="#">21 Comment, WA9GFR</a>	9	<a href="#">Apr 86</a>
Two-tone signal generator	<a href="#">15 Short circuit</a>	45	<a href="#">Apr 86</a>
Computer control of ICOM R-71, 271, 471, and 751 radios	<a href="#">6 NG6Q</a>	47	<a href="#">Apr 86</a>
Grounded-grid amplifier parasitics	<a href="#">29.1 AG6K</a>	31	<a href="#">Apr 86</a>
Solving transmission line problems on your Commodore 64	<a href="#">1.6 K9CZB</a>	74	<a href="#">May 86</a>



How high should your HF antenna be?	<a href="#">1.2 W5QJR</a>	89	<a href="#">May 86</a>
Colagi antenna, The	<a href="#">31.2 VE3BFM</a>	61	<a href="#">May 86</a>
AMTOR, AX.25, and HERMES: a performance analysis of three systems	<a href="#">6 Comments, G3PLX</a>	9	<a href="#">May 86</a>
Computer-aided design of long VHF Yagi antennas	<a href="#">1.3 VK4ZF</a>	28	<a href="#">May 86</a>
Practically speaking: using antenna noise bridge	<a href="#">1.1 K4IPV</a>	69	<a href="#">May 86</a>
DX Forecaster: Sporadic-E Propagation	<a href="#">21 K0RYW</a>	118	<a href="#">May 86</a>
Computer-aided design of long VHF Yagi antennas	<a href="#">4 VK4ZF</a>	28	<a href="#">May 86</a>
Secrets of successful low-band operation: part1	<a href="#">1.2 K2RR</a>	16	<a href="#">May 86</a>
Computer-aided design of long VHF Yagi antennas	<a href="#">31.2 VK4ZF</a>	28	<a href="#">May 86</a>
Practically speaking: using antenna noise bridge	<a href="#">13 K4IPV</a>	69	<a href="#">May 86</a>
Long 2-meter collinears - a simple way to achieve gain (HN)	<a href="#">1.3 WB3AYW</a>	95	<a href="#">May 86</a>
Preamplifiers, Active antenna	<a href="#">1.1 R W. Burhans</a>	47	<a href="#">May 86</a>
HF ground wave propagation	<a href="#">21 WA9GFR</a>	81	<a href="#">May 86</a>
Solving transmission line problems on your Commodore 64	<a href="#">4 K9CZB</a>	74	<a href="#">May 86</a>
W2PV 80-meter quad	<a href="#">1.2 K1GQ</a>	56	<a href="#">May 86</a>
Long 2-meter collinears - a simple way to achieve gain (HN)	<a href="#">31.2 WB3AYW</a>	95	<a href="#">May 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	39	<a href="#">May 86</a>
VHF/UHF world: Yagi facts and fallacies	<a href="#">1.3 W1JR</a>	103	<a href="#">May 86</a>
Secrets of successful low-band operation: part1	<a href="#">1.1 K2RR</a>	16	<a href="#">May 86</a>
The Guerri report: fiber optics	<a href="#">31.1 W6MGI</a>	141	<a href="#">May 86</a>
VHF Yagi CAD on the C-64	<a href="#">4 W4PFZ</a>	74	<a href="#">May 86</a>
Colagi antenna, The	<a href="#">1.3 VE3BFM</a>	61	<a href="#">May 86</a>
VHF/UHF world: Yagi facts and fallacies	<a href="#">31.2 W1JR</a>	103	<a href="#">May 86</a>
Ham Radio Techniques: The Greatest Contest Ever Staged	<a href="#">17 W6SAI</a>	39	<a href="#">May 86</a>
VHF/UHF world: meteor scatter communications	<a href="#">31.1 W1JR</a>	68	<a href="#">Jun 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	30	<a href="#">Jun 86</a>
Universal analog breadboard	<a href="#">5 Gruchalla, Michael</a>	85	<a href="#">Jun 86</a>
VHF/UHF world: meteor scatter communications	<a href="#">21 W1JR</a>	68	<a href="#">Jun 86</a>

RF filters, Build narrowband	<a href="#">15 Short circuit</a>	36	<a href="#">Jun 86</a>
RF filters, Build narrowband	<a href="#">4 Short circuit</a>	36	<a href="#">Jun 86</a>
Ham Radio Techniques: Wrangle Over Wrengell (Island)	<a href="#">17 W6SAI</a>	30	<a href="#">Jun 86</a>
Frequency and level standard	<a href="#">13 Comments, WA8LLY</a>	9	<a href="#">Jun 86</a>
Secrets of successful low-band operation: part2	<a href="#">1.1 K2RR</a>	17	<a href="#">Jun 86</a>
The Guerri report: communication satellites	<a href="#">24 W6MGI</a>	108	<a href="#">Jun 86</a>
Two-tone signal generator	<a href="#">15 Short circuit</a>	36	<a href="#">Jun 86</a>
Make a homebrew sheet metal brake for chassis construction projects	<a href="#">5 WB6BIH</a>	43	<a href="#">Jun 86</a>
Regulated screen grid power supply	<a href="#">20 AG6K</a>	51	<a href="#">Jun 86</a>
Practically speaking: using the right multimeter	<a href="#">13 K4IPV</a>	95	<a href="#">Jun 86</a>
Secrets of successful low-band operation: part2	<a href="#">1.2 K2RR</a>	17	<a href="#">Jun 86</a>
Practically speaking: using the right multimeter	<a href="#">30 K4IPV</a>	95	<a href="#">Jun 86</a>
New band privileges for Novice operators (letter)	<a href="#">16 Comments, WD5H</a>	9	<a href="#">Jun 86</a>
RF filters, Build narrowband	<a href="#">5 Short circuit</a>	36	<a href="#">Jun 86</a>
DX Forecaster: Sporadic-E DX	<a href="#">21 K0RYW</a>	101	<a href="#">Jun 86</a>
Two-tone signal generator	<a href="#">13 Short circuit</a>	36	<a href="#">Jun 86</a>
Turning that big array	<a href="#">1.5 VE3AIA</a>	10	<a href="#">Jun 86</a>
VHF noise bridge	<a href="#">31.1 OE2APM/AA3K</a>	10	<a href="#">Jul 86</a>
Extending receive coverage for the IC-02 and IC-04	<a href="#">22.1 WB6GTM</a>	77	<a href="#">Jul 86</a>
Broadband amplifier-attenuator	<a href="#">15 W7SX</a>	59	<a href="#">Jul 86</a>
Extending receive coverage for the IC-02 and IC-04	<a href="#">3 WB6GTM</a>	77	<a href="#">Jul 86</a>
Grounded-grid amplifier parasitics	<a href="#">30 Comment, NJOG</a>	9	<a href="#">Jul 86</a>
Low-noise phase-locked UHF VFO part 1: the noise problem	<a href="#">18 WA9HUV</a>	33	<a href="#">Jul 86</a>
The Guerri report: microchips	<a href="#">11 W6MGI</a>	109	<a href="#">Jul 86</a>
New class of directive antennas	<a href="#">1.2 Comment, AG4R</a>	9	<a href="#">Jul 86</a>
VHF/UHF world: meteor scatter communications	<a href="#">31.1 Short circuit</a>	87	<a href="#">Jul 86</a>
Extending receive coverage for the IC-02 and IC-04	<a href="#">22.3 WB6GTM</a>	77	<a href="#">Jul 86</a>
VHF noise bridge	<a href="#">15 OE2APM/AA3K</a>	10	<a href="#">Jul 86</a>
Direct currents reduce core permeability	<a href="#">4 K5BVM</a>	58	<a href="#">Jul 86</a>
Grounded-grid amplifier parasitics	<a href="#">30 Comment, W2YW</a>	6	<a href="#">Jul 86</a>
DX Forecaster: A Geomagnetic Ionosphere Disturbance	<a href="#">21 K0RYW</a>	91	<a href="#">Jul 86</a>
Practically speaking: using the multimeter	<a href="#">13 K4IPV</a>	43	<a href="#">Jul 86</a>
Artificial Transmission lines	<a href="#">1.6 KA8OBL</a>	21	<a href="#">Jul 86</a>
Low-noise phase-locked UHF VCO part 1: the noise problem	<a href="#">31.4 WA9HUV</a>	33	<a href="#">Jul 86</a>
Grounded-grid amplifier parasitics	<a href="#">29.1 Comment, NJOG</a>	9	<a href="#">Jul 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	66	<a href="#">Jul 86</a>
Direct currents reduce core permeability	<a href="#">4 Short circuit</a>	87	<a href="#">Jul 86</a>
Practically speaking: using the multimeter	<a href="#">30 K4IPV</a>	43	<a href="#">Jul 86</a>
VHF/UHF world: meteor scatter communications	<a href="#">21 Short circuit</a>	87	<a href="#">Jul 86</a>
VHF noise bridge	<a href="#">13 OE2APM/AA3K</a>	10	<a href="#">Jul 86</a>
Solving transmission line problems on your Commodore 64	<a href="#">1.6 Short circuit</a>	87	<a href="#">Jul 86</a>
Grounded-grid amplifier parasitics	<a href="#">29.1 Comment, W2YW</a>	6	<a href="#">Jul 86</a>
Ham Radio Techniques: Summer Miscellany (Antennas)	<a href="#">17 W6SAI</a>	66	<a href="#">Jul 86</a>
Tone burst generator for European repeaters	<a href="#">9 WA3EEC</a>	88	<a href="#">Jul 86</a>
Annunciator bell for the Kantronics KPC2	<a href="#">6 K1ZJH</a>	22	<a href="#">Aug 86</a>
VHF/UHF world: uW and mm-wave propagation, part2	<a href="#">31.1 W1JR</a>	69	<a href="#">Aug 86</a>
Ham Radio Techniques: 50th Anniversary of Tube that Changed Everything	<a href="#">17 W6SAI</a>	43	<a href="#">Aug 86</a>

General purpose line transformers	<a href="#">1.6 W6IOJ</a>	94	<a href="#">Aug 86</a>
VHF/UHF world: uW and mm-wave propagation, part2	<a href="#">21 W1JR</a>	69	<a href="#">Aug 86</a>
Packet radio TNC for the IBM PC	<a href="#">6 VE3LNY</a>	10	<a href="#">Aug 86</a>
Low-noise phase-locked UHF VCO part 2: construction and testing	<a href="#">31.4 WA9HUV</a>	25	<a href="#">Aug 86</a>
Low-noise phase-locked UHF VCO part 2: construction and testing	<a href="#">18 WA9HUV</a>	25	<a href="#">Aug 86</a>
Annunciator bell for the Kantronics KPC2	<a href="#">3 K1ZJH</a>	22	<a href="#">Aug 86</a>
Practically speaking: solid state rectifiers	<a href="#">25 K4IPV</a>	51	<a href="#">Aug 86</a>
Using an RTTY terminal unit with the Heathkit HD4040 TNC	<a href="#">6 AA8V</a>	59	<a href="#">Aug 86</a>
DX Forecaster: Summer Propagation	<a href="#">21 KORYW</a>	90	<a href="#">Aug 86</a>
Using an RTTY terminal unit with the Heathkit HD4040 TNC	<a href="#">3 AA8V</a>	59	<a href="#">Aug 86</a>
VHF/UHF world: 33 cm - our newest band	<a href="#">31.1 Short circuit (p. 87, July 86)</a>	9	<a href="#">Aug 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	43	<a href="#">Aug 86</a>
Odd antennas, comments	<a href="#">1.2 W9RXC</a>	9	<a href="#">Aug 86</a>
How to plot great circles on your favorite map	<a href="#">21 W4BW</a>	81	<a href="#">Aug 86</a>
VHF Yagi CAD on the C-64	<a href="#">31.2 W4PFZ</a>	70	<a href="#">Sep 86</a>
NE5205 wideband RF amplifier	<a href="#">15 Gruchalla, Michael</a>	30	<a href="#">Sep 86</a>
Build narrowband RF filters, Comments	<a href="#">5 WB4EHS</a>	9	<a href="#">Sep 86</a>
DX Forecaster: Equinox Season DX	<a href="#">21 KORYW</a>	98	<a href="#">Sep 86</a>
Extended-range VU meter	<a href="#">13 WB6JNN</a>	59	<a href="#">Sep 86</a>
VHF Yagi CAD on the C-64	<a href="#">1.3 W4PFZ</a>	70	<a href="#">Sep 86</a>
Very sensitive LF or HF field-strength meter	<a href="#">15 K1RGO</a>	67	<a href="#">Sep 86</a>
NE5205 wideband RF amplifier	<a href="#">5 Gruchalla, Michael</a>	30	<a href="#">Sep 86</a>
Practically speaking: substituting transistors - part1	<a href="#">25 K4IPV</a>	92	<a href="#">Sep 86</a>
Low-cost spectrum analyzer with kilo-buck features	<a href="#">13 W4UCH</a>	82	<a href="#">Sep 86</a>
VHF/UHF world: Designing and building loop Yagis	<a href="#">1.3 W1JR</a>	56	<a href="#">Sep 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	42	<a href="#">Sep 86</a>
The Guerri report: pc boards	<a href="#">5 W6MGI</a>	109	<a href="#">Sep 86</a>
VHF/UHF world	<a href="#">1.1 W1JR</a>	77	<a href="#">Sep 86</a>
VHF/UHF world: rf connectors, part1	<a href="#">31.1 W1JR</a>	77	<a href="#">Sep 86</a>
Sensitive LF or HF field-strength meter	<a href="#">13 K1RGO</a>	67	<a href="#">Sep 86</a>
Extended-range VU meter	<a href="#">2 WB6JNN</a>	59	<a href="#">Sep 86</a>
Ham Radio Techniques: Grounded-grid Amplifier	<a href="#">17 W6SAI</a>	42	<a href="#">Sep 86</a>
Remotely controlled stations: a look at a successful remote base	<a href="#">12 WA6EJO</a>	48	<a href="#">Sep 86</a>
Analyzing 80-meter delta loop arrays	<a href="#">1.2 K1GQ</a>	10	<a href="#">Sep 86</a>
Get on SSTV - with the C-64	<a href="#">28 K9EI</a>	43	<a href="#">Oct 86</a>
Ham Radio Techniques: Grounded-grid Amplifier- pt 2	<a href="#">17 W6SAI</a>	38	<a href="#">Oct 86</a>
The Guerri report: super speed semiconductors	<a href="#">25 W6MGI</a>	109	<a href="#">Oct 86</a>
Get on SSTV - with the C-64	<a href="#">6 I2CAB, I2AED, ed. K9EI</a>	43	<a href="#">Oct 86</a>
VHF/UHF world: rf connectors, part2	<a href="#">31.1 W1JR</a>	59	<a href="#">Oct 86</a>
DX Forecaster: Antenna-to-Ionosphere Path Match	<a href="#">21 KORYW</a>	92	<a href="#">Oct 86</a>
ACSSB: a level-one adapter	<a href="#">26 WB6JNN</a>	10	<a href="#">Oct 86</a>
ZIA connection: a multi-state 2-meter repeater link	<a href="#">9 K5XY</a>	30	<a href="#">Oct 86</a>
Convert an inexpensive CB mag-mount antenna into a superb 2-meter whip	<a href="#">31.2 K7DBA</a>	52	<a href="#">Oct 86</a>
The Guerri report: super speed semiconductors	<a href="#">24 W6MGI</a>	109	<a href="#">Oct 86</a>
Get on SSTV - with the C-64	<a href="#">27 I2CAB, I2AED, ed. K9EI</a>	43	<a href="#">Oct 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	38	<a href="#">Oct 86</a>
Practically speaking: substituting transistors - part2	<a href="#">25 K4IPV</a>	66	<a href="#">Oct 86</a>

80-meter receiver, simple	<a href="#">22.2 WB2EAV</a>	25	<a href="#">Nov 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	73	<a href="#">Nov 86</a>
Ham radio techniques: super cathode driven amplifier	<a href="#">29.1 W6SAI</a>	73	<a href="#">Nov 86</a>
Receiver tuning mechanism selection	<a href="#">22.1 PY2PE1C</a>	31	<a href="#">Nov 86</a>
Ham notes: Waterproofing fittings	<a href="#">5 W4MLE</a>	101	<a href="#">Nov 86</a>
HF superhet, 20-meter	<a href="#">22.2 N3ECZ</a>	65	<a href="#">Nov 86</a>
Ham Radio Techniques: Super-cathode Driven Amplifier	<a href="#">17 W6SAI</a>	73	<a href="#">Nov 86</a>
Practically speaking: coax velocity factor	<a href="#">30 K4IPV</a>	78	<a href="#">Nov 86</a>
Ten-Tec Argosy, Upgrade	<a href="#">22.1 WB3JZO</a>	38	<a href="#">Nov 86</a>
Practically speaking: parts sources	<a href="#">5 K4IPV</a>	78	<a href="#">Nov 86</a>
Receiver, Pocket, portable SSB	<a href="#">22.2 WB6BIH</a>	55	<a href="#">Nov 86</a>
DX Forecaster: Sunspot Minimum	<a href="#">21 K0RYW</a>	84	<a href="#">Nov 86</a>
VHF/UHF world: broadband amplifiers in receiver design	<a href="#">22.1 W1JR</a>	91	<a href="#">Nov 86</a>
Using the Spectrum Monitor	<a href="#">15 Comments: KI6DW</a>	9	<a href="#">Nov 86</a>
Update on ACSSB level-one adapter, project OSCAR (Oct. 86)	<a href="#">24 Comments: WB6JNN</a>	9	<a href="#">Nov 86</a>
Noise, understanding and handling	<a href="#">22.1 DJ2LR</a>	10	<a href="#">Nov 86</a>
Practically speaking: amplifier tuning problem	<a href="#">1.6 K4IPV</a>	78	<a href="#">Nov 86</a>
Advanced CW processor	<a href="#">2 W6NRW</a>	25	<a href="#">Dec 86</a>
Using spreadsheet programs for amateur radio projects	<a href="#">27 AD1B</a>	95	<a href="#">Dec 86</a>
Ham radio techniques	<a href="#">16 W6SAI</a>	59	<a href="#">Dec 86</a>
Amateur FSK: A spectral analysis	<a href="#">15 WA6NCX</a>	42	<a href="#">Dec 86</a>
Low-noise phase-locked UHF VFO part 1: the noise problem	<a href="#">18 Short circuit</a>	9	<a href="#">Dec 86</a>
Using CAD to rewind transformers	<a href="#">15 W6WTU</a>	83	<a href="#">Dec 86</a>
Advanced CW processor	<a href="#">5 W6NRW</a>	25	<a href="#">Dec 86</a>
Yagi, a high-gain 70-cm	<a href="#">31.2 W1JR</a>	75	<a href="#">Dec 86</a>
Buying topo maps	<a href="#">17 Comments: K3SKE</a>	9	<a href="#">Dec 86</a>
Buying topo maps	<a href="#">15 Comments: K3SKE</a>	9	<a href="#">Dec 86</a>
DX forecaster	<a href="#">21 K0RYW</a>	84	<a href="#">Dec 86</a>
Using spreadsheet programs for amateur radio projects	<a href="#">15 AD1B</a>	95	<a href="#">Dec 86</a>
ZX-81/TS1000 controller: new use for old computers	<a href="#">5 N9NB</a>	31	<a href="#">Dec 86</a>
Low-noise phase-locked UHF VCO part 1: the noise problem	<a href="#">31.4 Short circuit</a>	9	<a href="#">Dec 86</a>
Ham radio techniques	<a href="#">17 W6SAI</a>	59	<a href="#">Dec 86</a>
Communicating on 474,083 GHz (light wave communications)	<a href="#">15 WA6EJO</a>	10	<a href="#">Dec 86</a>
Yagi, a high-gain 70-cm	<a href="#">1.3 W1JR</a>	75	<a href="#">Dec 86</a>
DX forecaster: Winter anomalous absorption	<a href="#">21 K0RYW</a>	101	<a href="#">Dec 86</a>
Cheers from down under	<a href="#">16 Comments: VK4OA</a>	9	<a href="#">Dec 86</a>
Amateur FSK: A spectral analysis	<a href="#">6 WA6NCX</a>	42	<a href="#">Dec 86</a>
Ham Radio Techniques: MacGyver of the 30s	<a href="#">17 W6SAI</a>	59	<a href="#">Dec 86</a>
Function Generator: circuits from your signal generator - part 1	<a href="#">15 K4IPV</a>	67	<a href="#">Dec 86</a>

## Results for Year - 1987

Article	CatID	Author	Page	Issue
Ham radio techniques: "white noise" technology bites back	<a href="#">22.1 W6SAI</a>		55	<a href="#">Jan 87</a>
2.3GHz prescaler	<a href="#">13 N6JH</a>		21	<a href="#">Jan 87</a>
Modifying microphones	<a href="#">2 VE7CB/W6</a>		81	<a href="#">Jan 87</a>
True frequency digital readout for the HW-101	<a href="#">29.1 NU4F</a>		8	<a href="#">Jan 87</a>
NE5205 wideband RF amplifier	<a href="#">15 Short circuit</a>		72	<a href="#">Jan 87</a>

Packet board update	<a href="#">6 Comments: VE3LNY</a>	6	<a href="#">Jan 87</a>
X-band beacons	<a href="#">31.4 WA6EJO</a>	29	<a href="#">Jan 87</a>
True frequency digital readout for the HW-101	<a href="#">22.1 NU4F</a>	8	<a href="#">Jan 87</a>
An i-f sweep generator	<a href="#">13 W2ZUC</a>	101	<a href="#">Jan 87</a>
Top-down filter design	<a href="#">4 VE5FP</a>	41	<a href="#">Jan 87</a>
2.3GHz prescaler	<a href="#">31.1 N6JH</a>	21	<a href="#">Jan 87</a>
C-64 and GLB PK-1 interface circuit	<a href="#">19 Comments: packet board update</a>	6	<a href="#">Jan 87</a>
True frequency digital readout for the HW-101	<a href="#">6 NU4F</a>	8	<a href="#">Jan 87</a>
Open-wire line for 2 meters	<a href="#">1.6 N4UH</a>	94	<a href="#">Jan 87</a>
Aural vco provides relative metering	<a href="#">29.1 K1ZJH</a>	97	<a href="#">Jan 87</a>
Deluxe logic probe	<a href="#">13 M. Wilde</a>	74	<a href="#">Jan 87</a>
NE5205 wideband RF amplifier	<a href="#">5 Short circuit</a>	72	<a href="#">Jan 87</a>
VHF/UHF world: microwave and millimeter-wave update	<a href="#">31.1 W1JR</a>	63	<a href="#">Jan 87</a>
DX forecaster: DX propagation	<a href="#">21 K0RYW</a>	108	<a href="#">Jan 87</a>
Top-down filter design	<a href="#">8 VE5FP</a>	41	<a href="#">Jan 87</a>
Aural vco provides relative metering	<a href="#">2 K1ZJH</a>	97	<a href="#">Jan 87</a>
Ham radio techniques: "white noise" technology bites back	<a href="#">29.1 W6SAI</a>	55	<a href="#">Jan 87</a>
Practically speaking: function generator circuits - part2	<a href="#">13 K4IPV</a>	89	<a href="#">Jan 87</a>
Deluxe logic probe	<a href="#">6 M. Wilde</a>	74	<a href="#">Jan 87</a>
Open-wire line for 2-meters	<a href="#">31.2 N4UH</a>	94	<a href="#">Jan 87</a>
DX forecaster: DX propagation	<a href="#">21 Comment: HORANT for CPM</a>	6	<a href="#">Feb 87</a>
Packet radio PSK modem for JAS-1/FO-12	<a href="#">19 G3RUH</a>	8	<a href="#">Feb 87</a>
DX forecaster: more DX propagation tips	<a href="#">21 K0RYW</a>	88	<a href="#">Feb 87</a>
Yagi, a high-gain 70-cm	<a href="#">31.2 Short circuit</a>	68	<a href="#">Feb 87</a>
Mobile theft deterrent: The Weekender	<a href="#">15 W6WTU</a>	81	<a href="#">Feb 87</a>
Ham radio techniques: Ever work a W10?	<a href="#">7 W6SAI</a>	43	<a href="#">Feb 87</a>
MMIC multiplier chains for the 902 MHz band	<a href="#">31.1 N6JH</a>	72	<a href="#">Feb 87</a>
Linear design by computer	<a href="#">4 W4MB</a>	37	<a href="#">Feb 87</a>
Yagi, a high-gain 70-cm	<a href="#">1.3 Short circuit</a>	68	<a href="#">Feb 87</a>
MMIC multiplier chains for the 902 MHz band	<a href="#">29.1 N6JH</a>	72	<a href="#">Feb 87</a>
Packet radio PSK modem for JAS-1/FO-12	<a href="#">24 G3RUH</a>	8	<a href="#">Feb 87</a>
360-degree MINIMUF propagation prediction	<a href="#">21 N4UH</a>	25	<a href="#">Feb 87</a>
Practically speaking: testing diodes	<a href="#">13 K4IPV</a>	65	<a href="#">Feb 87</a>
VHF/UHF world: the ubiquitous diode	<a href="#">25 W1JR</a>	51	<a href="#">Feb 87</a>
Simple IC-735 to C-64 interface	<a href="#">3 N7ICW</a>	39	<a href="#">Mar 87</a>
VHF/UHF world: the ubiquitous diode, part 2	<a href="#">25 W1JR</a>	55	<a href="#">Mar 87</a>
Packetimer for the PK-1	<a href="#">19 W2EHD/exW8KGN</a>	93	<a href="#">Mar 87</a>
Modular transmit and receive converters for 902 MHz	<a href="#">22.3 N6JH</a>	17	<a href="#">Mar 87</a>
C-64 and GLB PK-1 interface circuit	<a href="#">19 W2EHD</a>	87	<a href="#">Mar 87</a>
DX forecaster: equinox problems	<a href="#">21 K0RYW</a>	106	<a href="#">Mar 87</a>
Practically speaking: building 'the poor man's spectrum analyzer'	<a href="#">13 K4IPV</a>	99	<a href="#">Mar 87</a>
Rewinding transformers with CAD	<a href="#">5 W6WTU</a>	74	<a href="#">Mar 87</a>
Modular transmit and receive converters for 902 MHz	<a href="#">31.1 N6JH</a>	17	<a href="#">Mar 87</a>
TEXNET packet-switching network - pt. 1 system definition and design	<a href="#">19 WB5PUC &amp; N5EG</a>	29	<a href="#">Mar 87</a>
Can I patent it?	<a href="#">15 K2LZ</a>	8	<a href="#">Mar 87</a>
Ham radio techniques: 160-meter equipment	<a href="#">29.2 W6SAI</a>	77	<a href="#">Mar 87</a>
DX forecaster	<a href="#">21 Comments:low band DXing, W0SII</a>	6	<a href="#">Apr 87</a>

Practically speaking: grounding and shielding, pt.1	<a href="#">5 K4IPV</a>	47	<a href="#">Apr 87</a>
VHF/UHF world: 33 cm update	<a href="#">31.1 W1JR</a>	74	<a href="#">Apr 87</a>
Reflections: Novice enhancement and the 220 MHz band	<a href="#">16 W9JUV</a>	4	<a href="#">Apr 87</a>
DX forecaster: a spring DX solution	<a href="#">21 K0RYW</a>	97	<a href="#">Apr 87</a>
Ham radio techniques: Ever work a W10?	<a href="#">7 Short circuit</a>	50	<a href="#">Apr 87</a>
Packet radio conference bridge	<a href="#">19 WD5HJP</a>	24	<a href="#">Apr 87</a>
Real coax: impedance and phase relationships	<a href="#">1.6 K2BT</a>	8	<a href="#">Apr 87</a>
Three-tube 4CX250B linear amplifier	<a href="#">29.1 YU1AW</a>	63	<a href="#">Apr 87</a>
Ham radio techniques: Xingiang Province, the last frontier	<a href="#">7 W6SAI</a>	55	<a href="#">Apr 87</a>
TEXNET packet-switching network - pt. 2 hardware design	<a href="#">19 WB5PUC &amp; N5EG</a>	29	<a href="#">Apr 87</a>
Simple modifications and adjustments for the TS-930S	<a href="#">3 W6FR</a>	19	<a href="#">Apr 87</a>
Novice enhancement and the 220 MHz band, Reflections:	<a href="#">31.1 W9JUV</a>	4	<a href="#">Apr 87</a>
Understanding noise figure	<a href="#">13 Gruchalla, Michael</a>	89	<a href="#">Apr 87</a>
Ham notebook: a 2-meter halo antenna	<a href="#">31.2 NR5A</a>	63	<a href="#">May 87</a>
Extending receive coverage for the IC-02 and IC-04	<a href="#">3 Comments: WB6GTM</a>	6	<a href="#">May 87</a>
No-compromise, multiband, low VSWR dipole	<a href="#">1.2 GM3HAT</a>	69	<a href="#">May 87</a>
DX forecaster: 1986 propagation review	<a href="#">21 K0RYW</a>	105	<a href="#">May 87</a>
Yagi triangular array	<a href="#">1.3 W2IKP</a>	42	<a href="#">May 87</a>
Ham radio techniques: antenna systems	<a href="#">1.1 W6SAI</a>	55	<a href="#">May 87</a>
VHF/UHF world: optimized 2- and 6-meter Yagis	<a href="#">31.2 W1JR</a>	92	<a href="#">May 87</a>
Gamma matching programs for the C-64/128	<a href="#">4 N0CAO</a>	87	<a href="#">May 87</a>
Two-element hf beams	<a href="#">1.2 G6XN</a>	8	<a href="#">May 87</a>
MMIC multiplier chains for the 902 MHz band	<a href="#">29.1 Short circuit</a>	64	<a href="#">May 87</a>
Gamma matching programs for the C-64/128	<a href="#">1.4 N0CAO</a>	87	<a href="#">May 87</a>
Homebrew antenna mount	<a href="#">1.1 W6QIR</a>	35	<a href="#">May 87</a>
Yagi design program	<a href="#">4 Comments: W6NBI</a>	6	<a href="#">May 87</a>
Ham notebook: a 2-meter halo antenna	<a href="#">1.3 NR5A</a>	63	<a href="#">May 87</a>
MMIC multiplier chains for the 902 MHz band	<a href="#">31.1 Short circuit</a>	64	<a href="#">May 87</a>
C-64 and GLB PK-1 interface circuit	<a href="#">3 W2EHD</a>	87	<a href="#">May 87</a>
Yagi design program	<a href="#">1.1 W6NBI</a>	6	<a href="#">May 87</a>
Practically speaking: grounding and shielding, pt.2	<a href="#">5 K4IPV</a>	81	<a href="#">May 87</a>
VHF/UHF world: optimized 2- and 6-meter Yagis	<a href="#">1.3 W1JR</a>	92	<a href="#">May 87</a>



DX forecaster: sporadic-E season	<a href="#">21 K0RYW</a>	66	<a href="#">Jun 87</a>
Ham radio techniques: time and frequency station WWVS, minibeam design, etc	<a href="#">1.2 W6SAI</a>	37	<a href="#">Jun 87</a>
Test DBMs for diode leakage	<a href="#">13 WB6BIH</a>	86	<a href="#">Jun 87</a>
Compact 20-meter CW receiver, A	<a href="#">22.2 K1BQT</a>	8	<a href="#">Jun 87</a>
Kudos for Kantronics	<a href="#">3 Comments: WB3EXR</a>	6	<a href="#">Jun 87</a>
Elmer's notebook: novice enhancement	<a href="#">16 W1SL</a>	95	<a href="#">Jun 87</a>
Compact travel antenna	<a href="#">1.1 K1BQT</a>	29	<a href="#">Jun 87</a>
VHF/UHF world: microwave portable operation	<a href="#">31.1 W1JR</a>	75	<a href="#">Jun 87</a>
NBS time and frequency survey	<a href="#">13 NBS</a>	45	<a href="#">Jun 87</a>
TEXNET packet-switching network - pt. 3 software overview	<a href="#">19 WB5PUC &amp; N5EG</a>	53	<a href="#">Jun 87</a>
Groundplane antenna	<a href="#">1.1 Comments: DJ0TR/OE8AK</a>	6	<a href="#">Jun 87</a>
VHF/UHF world: optimized 2- and 6-meter Yagis	<a href="#">31.2 Short circuit</a>	26	<a href="#">Jun 87</a>
Practically speaking: build your own time-domain reflectometer	<a href="#">13 K4IPV</a>	69	<a href="#">Jun 87</a>
High-performance Yagis for 432 MHz	<a href="#">31.2 K1FO</a>	8	<a href="#">Jul 87</a>
Locator field list	<a href="#">17 SM5AGM</a>	74	<a href="#">Jul 87</a>
Real coax: impedance and phase relationships	<a href="#">1.6 Short circuit</a>	91	<a href="#">Jul 87</a>
Compact 20-meter CW receiver, A	<a href="#">22.2 Short circuit</a>	6	<a href="#">Jul 87</a>
High-performance Yagis for 432 MHz	<a href="#">1.3 K1FO</a>	8	<a href="#">Jul 87</a>
Elmer's notebook: an introduction to digital communications	<a href="#">6 W1SL</a>	92	<a href="#">Jul 87</a>
DX forecaster: summer thunderstorm noise	<a href="#">21 K0RYW</a>	78	<a href="#">Jul 87</a>
Build a 1-1000 MHz amplifier using MAR-4 MMICS	<a href="#">15 WB6BIH</a>	33	<a href="#">Jul 87</a>
VHF/UHF world: operating a VHF/UHF microwave station	<a href="#">31.1 W1JR</a>	38	<a href="#">Jul 87</a>
Practically speaking: battery problems, pt1	<a href="#">15 K4IPV</a>	62	<a href="#">Jul 87</a>
VHF/UHF world: optimized 2- and 6-meter Yagis	<a href="#">31.2 Short circuit</a>	49	<a href="#">Jul 87</a>
Improved gain distribution for the Yaesu FT-726R	<a href="#">3 K1ZJH</a>	53	<a href="#">Jul 87</a>
VHF/UHF world: operating a VHF/UHF microwave station	<a href="#">17 W1JR</a>	38	<a href="#">Jul 87</a>
DARC awards information	<a href="#">17 Comments: K1RH</a>	6	<a href="#">Jul 87</a>
Ham radio techniques (07/87): 80-meter antenna, 160-meter discone antenna	<a href="#">1.2 W6SAI</a>	57	<a href="#">Jul 87</a>
Practically speaking: battery problems, pt1	<a href="#">20 K4IPV</a>	62	<a href="#">Jul 87</a>
RDF, An improved	<a href="#">3 K0OV</a>	67	<a href="#">Jul 87</a>
VHF/UHF world: optimized 2- and 6-meter Yagis	<a href="#">1.3 Short circuit</a>	49	<a href="#">Jul 87</a>
True frequency digital readout for the HW-101	<a href="#">6 Short circuit</a>	41	<a href="#">Aug 87</a>
Elmer's notebook: 220 MHz	<a href="#">31.1 W1SL</a>	91	<a href="#">Aug 87</a>
Elmer's notebook: novice enhancement	<a href="#">16 Short circuit</a>	95	<a href="#">Aug 87</a>
Practically speaking: battery problems, pt2	<a href="#">20 K4IPV</a>	73	<a href="#">Aug 87</a>
VHF/UHF world: minimum requirements for 2-meter EME - part1	<a href="#">31.1 W1JR</a>	39	<a href="#">Aug 87</a>
Better frequency stability for the Drake TR7	<a href="#">29.2 HB9ABO</a>	21	<a href="#">Aug 87</a>
Better frequency stability for the Drake TR7	<a href="#">18 HB9ABO</a>	21	<a href="#">Aug 87</a>
Elmer's notebook: 220 MHz	<a href="#">17 W1SL</a>	91	<a href="#">Aug 87</a>
VHF/UHF world: optimized 2- and 6-meter Yagis	<a href="#">1.3 Short circuit</a>	41	<a href="#">Aug 87</a>
Solar activity and the earth's magnetosphere	<a href="#">21 KR7L</a>	8	<a href="#">Aug 87</a>
Practically speaking: grounding and shielding, pt.2	<a href="#">5 Comments: KA8DKT</a>	6	<a href="#">Aug 87</a>
Convert a \$25 CB HT for 6 meters	<a href="#">29.2 K1ZJH</a>	79	<a href="#">Aug 87</a>
BASIC program analyzes simple ladder networks	<a href="#">27 W3NQN</a>	32	<a href="#">Aug 87</a>
Designing trap antennas: a new approach	<a href="#">1.2 W0JF</a>	60	<a href="#">Aug 87</a>
VHF/UHF world: minimum requirements for 2-meter EME - part1	<a href="#">1.3 W1JR</a>	39	<a href="#">Aug 87</a>

DX forecaster: summertime DX	<a href="#">21 K0RYW</a>	82	<a href="#">Aug 87</a>
Ham radio techniques: BYCAA revisited	<a href="#">17 W6SAI</a>	53	<a href="#">Aug 87</a>
Designing trap antennas: a new approach	<a href="#">1.4 W0JF</a>	60	<a href="#">Aug 87</a>
Better frequency stability for the Drake TR7	<a href="#">22.2 HB9ABO</a>	21	<a href="#">Aug 87</a>
Elmer's notebook: 220 MHz	<a href="#">16 W1SL</a>	91	<a href="#">Aug 87</a>
VHF/UHF world: optimized 2- and 6-meter Yagis	<a href="#">31.2 Short circuit</a>	41	<a href="#">Aug 87</a>
Continuous phase tones	<a href="#">6 Comments: G3VMR</a>	6	<a href="#">Aug 87</a>
True frequency digital readout for the HW-101	<a href="#">29.1 Short circuit</a>	41	<a href="#">Aug 87</a>
Elmer's notebook: 220 MHz	<a href="#">17 Short circuit</a>	95	<a href="#">Aug 87</a>
VHF/UHF world: optimized 2- and 6-meter Yagis	<a href="#">31.2 Short circuit</a>	81	<a href="#">Sep 87</a>
Designing a microwave amplifier	<a href="#">31.1 Domanski, S.</a>	30	<a href="#">Sep 87</a>
Lightning location and detection	<a href="#">15 VY1CW</a>	25	<a href="#">Sep 87</a>
Design a no-tune amplifier with your personal computer	<a href="#">4 W7DHD</a>	8	<a href="#">Sep 87</a>
VHF/UHF world: minimum requirements for 2-meter EME - part2	<a href="#">31.1 W1JR</a>	65	<a href="#">Sep 87</a>
Compact 20-meter CW receiver, A	<a href="#">22.2 Short circuit</a>	81	<a href="#">Sep 87</a>
Simple VHF/UHF multiple quarter-wave filters	<a href="#">8 WA3EWT</a>	37	<a href="#">Sep 87</a>
Simple VHF/UHF multiple quarter-wave filters	<a href="#">31.1 WA3EWT</a>	37	<a href="#">Sep 87</a>
Elmer's notebook: an introduction to AMTOR	<a href="#">16 W1SL</a>	101	<a href="#">Sep 87</a>
Carpet samples in the ham shack	<a href="#">5 K1ZJH</a>	82	<a href="#">Sep 87</a>
VHF/UHF world: operating a VHF/UHF microwave station	<a href="#">31.1 Short circuit</a>	81	<a href="#">Sep 87</a>
Design a no-tune amplifier with your personal computer	<a href="#">27 W7DHD</a>	8	<a href="#">Sep 87</a>
Improving the WB3CEH programmable callsign identifier (HN)	<a href="#">12 KL7XO</a>	82	<a href="#">Sep 87</a>
Ham radio techniques (09/87): antennas	<a href="#">1.2 W6SAI</a>	57	<a href="#">Sep 87</a>
VHF/UHF world: 33 cm update	<a href="#">31.1 Short circuit</a>	81	<a href="#">Sep 87</a>
Elmer's notebook: an introduction to AMTOR	<a href="#">17 W1SL</a>	101	<a href="#">Sep 87</a>
Elmer's notebook: an introduction to AMTOR	<a href="#">6 W1SL</a>	101	<a href="#">Sep 87</a>
High-performance Yagis for 432 MHZ	<a href="#">31.2 Comments: KLM balun, Scott, W.</a>	6	<a href="#">Sep 87</a>
Design a no-tune amplifier with your personal computer	<a href="#">29.1 W7DHD</a>	8	<a href="#">Sep 87</a>
Practically speaking: revisiting 'the poor man's spectrum analyzer'	<a href="#">13 K4IPV</a>	49	<a href="#">Sep 87</a>
High-performance Yagis for 432 MHZ	<a href="#">1.3 Comments, KLM balun</a>	6	<a href="#">Sep 87</a>
VHF/UHF world: microwave portable operation	<a href="#">31.1 Short circuit</a>	81	<a href="#">Sep 87</a>
DX forecaster: more sporadic-E	<a href="#">21 K0RYW</a>	85	<a href="#">Sep 87</a>
Improving the WB3CEH programmable callsign identifier (HN)	<a href="#">6 KL7XO</a>	82	<a href="#">Sep 87</a>
Return to the 360-degree propagation prediction	<a href="#">21 N4UH</a>	41	<a href="#">Oct 87</a>
Changing fundamental constants of science	<a href="#">15 Comments: W4SXX</a>	6	<a href="#">Oct 87</a>
Antenna relay sequencing	<a href="#">1.1 KN5S</a>	17	<a href="#">Oct 87</a>
Low-cost pc board layout software	<a href="#">5 Freeman, Eve</a>	8	<a href="#">Oct 87</a>
Get on SSTV - with the C-64	<a href="#">28 Short circuit</a>	97	<a href="#">Oct 87</a>
Practically speaking: troubleshooting DC power supplies with an oscilloscope	<a href="#">13 K4IPV</a>	57	<a href="#">Oct 87</a>
Groundplane antenna	<a href="#">1.1 Comments: W6BCX</a>	6	<a href="#">Oct 87</a>
DX forecaster: dxing via the winter anomaly	<a href="#">21 K0RYW</a>	91	<a href="#">Oct 87</a>
High-performance Yagis for 432 MHZ	<a href="#">31.2 Short circuit</a>	97	<a href="#">Oct 87</a>
Ham radio techniques: "white noise" revisited	<a href="#">29.1 W6SAI</a>	79	<a href="#">Oct 87</a>
Locator field list	<a href="#">17 SM5AGM</a>	89	<a href="#">Oct 87</a>
Ham Radio Techniques: "white noise" revisited	<a href="#">3 W6SAI</a>	79	<a href="#">Oct 87</a>
Elmer's notebook: packet radio	<a href="#">16 W1SL</a>	100	<a href="#">Oct 87</a>

High-performance Yagis for 432 MHz	<a href="#">1.3 Short circuit</a>	97	<a href="#">Oct 87</a>
Yaesu's latest VHF/UHF receiver, add general coverage	<a href="#">31.3 Short circuit</a>	97	<a href="#">Oct 87</a>
Pulse width modulated dc-to-dc converters	<a href="#">20 W3CZ</a>	65	<a href="#">Oct 87</a>
Elmer's notebook: packet radio	<a href="#">6 W1SL</a>	100	<a href="#">Oct 87</a>
Elmer's notebook: packet radio	<a href="#">17 W1SL</a>	100	<a href="#">Oct 87</a>
Ham radio techniques: "white noise" revisited	<a href="#">22.1 W6SAI</a>	79	<a href="#">Oct 87</a>
Get on SSTV - with the C-64	<a href="#">6 Short circuit</a>	97	<a href="#">Oct 87</a>
VHF/UHF world: operating a VHF/UHF microwave station	<a href="#">31.1 Short circuit</a>	97	<a href="#">Oct 87</a>
Low-cost pc board layout software	<a href="#">4 Freeman, Eve</a>	8	<a href="#">Oct 87</a>
Elmer's notebook: packet radio	<a href="#">19 W1SL</a>	100	<a href="#">Oct 87</a>
BASIC program analyzes simple ladder networks	<a href="#">27 Short circuit</a>	97	<a href="#">Oct 87</a>
DX forecaster: equinox season DX	<a href="#">21 K0RYW</a>	85	<a href="#">Oct 87</a>
VHF/UHF world: impedance matching techniques	<a href="#">31.1 W1JR</a>	27	<a href="#">Oct 87</a>
VHF/UHF world: operating a VHF/UHF microwave station	<a href="#">17 Short circuit</a>	97	<a href="#">Oct 87</a>
CAT control system for the Yaesu FT-757GX	<a href="#">22.2 SM6CPI</a>	26	<a href="#">Nov 87</a>
Thumbwheel frequency selector for the Yaesu FT-757GX	<a href="#">6 KA9SNF</a>	33	<a href="#">Nov 87</a>
VHF/UHF world: low noise receiver update - part1	<a href="#">22.3 W1JR</a>	77	<a href="#">Nov 87</a>
DX forecaster: winter DX	<a href="#">21 K0RYW</a>	57	<a href="#">Nov 87</a>
CAT control system for the Yaesu FT-757GX	<a href="#">3 SM6CPI</a>	26	<a href="#">Nov 87</a>
Designing a state-of-the-art receiver	<a href="#">22.2 KA2WEU/DJ2LR</a>	17	<a href="#">Nov 87</a>
An rf voltmeter	<a href="#">13 G4COL</a>	65	<a href="#">Nov 87</a>
CAT control system for the Yaesu FT-757GX	<a href="#">29.2 SM6CPI</a>	26	<a href="#">Nov 87</a>
Elmer's notebook: receiver buzzwords	<a href="#">22.1 W1SL</a>	100	<a href="#">Nov 87</a>
Thumbwheel frequency selector for the Yaesu FT-757GX	<a href="#">3 KA9SNF</a>	33	<a href="#">Nov 87</a>
Thumbwheel frequency selector for the Yaesu FT-757GX	<a href="#">22.2 KA9SNF</a>	33	<a href="#">Nov 87</a>
Practically speaking: using voltage comparators	<a href="#">13 K4IPV</a>	49	<a href="#">Nov 87</a>
Thumbwheel frequency selector for the Yaesu FT-757GX	<a href="#">29.2 KA9SNF</a>	33	<a href="#">Nov 87</a>
VHF/UHF world: low noise receiver update - part1	<a href="#">22.1 W1JR</a>	77	<a href="#">Nov 87</a>
CAT control system for the Yaesu FT-757GX	<a href="#">6 SM6CPI</a>	26	<a href="#">Nov 87</a>
Tomorrow's receivers: what will the next 20 years bring?	<a href="#">22.2 W7SX</a>	8	<a href="#">Nov 87</a>
Ham radio techniques: a new country for you?	<a href="#">17 W6SAI</a>	41	<a href="#">Nov 87</a>
RAM drive for packet radio	<a href="#">19 AD1B</a>	44	<a href="#">Dec 87</a>
AUTOTRAK, A simple rotor interface board for the C-64, VIC-20, etc	<a href="#">1.5 K7NH</a>	10	<a href="#">Dec 87</a>
Elmer's notebook: 1200 MHz band	<a href="#">31.1 W1SL</a>	113	<a href="#">Dec 87</a>
The arduous realization	<a href="#">7 W7SX</a>	29	<a href="#">Dec 87</a>
VHF/UHF world: low noise receiver update - part2	<a href="#">22.3 W1JR</a>	72	<a href="#">Dec 87</a>
Design an amplifier around the 3CX1200A7	<a href="#">5 W7DHD</a>	33	<a href="#">Dec 87</a>
VHF/UHF world: minimum requirements for 2-meter EME - part1	<a href="#">31.1 Comments, W7WRO</a>	9	<a href="#">Dec 87</a>
Practically speaking: generating low i-f frequencies	<a href="#">13 K4IPV</a>	49	<a href="#">Dec 87</a>
A tour through an NTSC TV station - part 1 (historical aspects)	<a href="#">28 KL7AJ</a>	57	<a href="#">Dec 87</a>
AUTOTRAK, A simple rotor interface board for the C-64, VIC-20, etc	<a href="#">6 K7NH</a>	10	<a href="#">Dec 87</a>
VHF/UHF world: low noise receiver update - part2	<a href="#">31.3 W1JR</a>	72	<a href="#">Dec 87</a>
Ham radio techniques: 9CXX revisited	<a href="#">15 W6SAI</a>	83	<a href="#">Dec 87</a>
Design an amplifier around the 3CX1200A7	<a href="#">29.2 W7DHD</a>	33	<a href="#">Dec 87</a>
RAM drive for packet radio	<a href="#">6 AD1B</a>	44	<a href="#">Dec 87</a>

## Results for Year - 1988

Article	CatID	Author	Page	Issue
INUS system (comment)	<a href="#">17 XE1MD</a>		9	<a href="#">Jan 88</a>
Ham Radio techniques: the year was 1923...	<a href="#">7 W6SAI</a>		89	<a href="#">Jan 88</a>
Build a QSO "beeper"	<a href="#">2 KF6CU</a>		38	<a href="#">Jan 88</a>
Elmer's notebook: power measurements	<a href="#">26 W1SL</a>		100	<a href="#">Jan 88</a>
Build a QSO "beeper"	<a href="#">15 KF6CU</a>		38	<a href="#">Jan 88</a>
New uses for old tuners	<a href="#">5 W6WTU</a>		25	<a href="#">Jan 88</a>
Practically speaking: drift and shift	<a href="#">18 K4IPV</a>		75	<a href="#">Jan 88</a>
Radio addiction: case history of an enthusiast	<a href="#">7 W7SX</a>		52	<a href="#">Jan 88</a>
Power speaker enhances mobile operation	<a href="#">2 K1ZJH</a>		83	<a href="#">Jan 88</a>
Morse code teaching tools for the C-64 and 128	<a href="#">27 KB8CS</a>		35	<a href="#">Jan 88</a>
New uses for old tuners	<a href="#">15 W6WTU</a>		25	<a href="#">Jan 88</a>
Practically speaking: drift and shift	<a href="#">5 K4IPV</a>		75	<a href="#">Jan 88</a>
Battery-backed master power system	<a href="#">20 K9ES</a>		17	<a href="#">Jan 88</a>
Elmer's notebook: power measurements	<a href="#">13 W1SL</a>		100	<a href="#">Jan 88</a>
Sight and sound CW	<a href="#">2 W6NRW</a>		10	<a href="#">Jan 88</a>
Technology of commercial television- part 2: hardware	<a href="#">28 KL7AJ</a>		54	<a href="#">Jan 88</a>
Power speaker enhances mobile operation (weekender)	<a href="#">15 K1ZJH</a>		83	<a href="#">Jan 88</a>
Build a QSO "beeper"	<a href="#">6 KF6CU</a>		38	<a href="#">Jan 88</a>
DX forecaster: Solar cycle update	<a href="#">21 K0RYW</a>		96	<a href="#">Jan 88</a>
Ode to older oscilloscopes	<a href="#">13 KR6A</a>		69	<a href="#">Jan 88</a>
Technology of commercial television part 2: hardware	<a href="#">3 KL7AJ</a>		54	<a href="#">Jan 88</a>
Elmer's notebook: Standing wave ratio - what does it mean?	<a href="#">1.1 W1SL</a>		98	<a href="#">Feb 88</a>
Designing a station for the microwave bands: part 1	<a href="#">31.5 N6GN</a>		41	<a href="#">Feb 88</a>
High-frequency receiver performance	<a href="#">13 G4OBU</a>		33	<a href="#">Feb 88</a>
Elmer's notebook: standing wave ratio- what does it mean?	<a href="#">13 W1SL</a>		98	<a href="#">Feb 88</a>
Amateur packet radio networking and protocols, part 1	<a href="#">19 KR3T</a>		33	<a href="#">Feb 88</a>
VHF/UHF world: loose ends	<a href="#">31.1 W1JR</a>		82	<a href="#">Feb 88</a>
DX forecaster: transequatorial DX update	<a href="#">21 K0RYW</a>		90	<a href="#">Feb 88</a>
State-of-the-art auto dialer	<a href="#">9 Comments, WD9EIA</a>		8	<a href="#">Feb 88</a>
Practically speaking: noise, signals and amplifiers	<a href="#">29.1 K4IPV</a>		77	<a href="#">Feb 88</a>
Decibel, defining the	<a href="#">15 Gruchalla, Michael</a>		51	<a href="#">Feb 88</a>
Reflections: Returning the spectrum to chaos courtesy of the FCC (GD 87-389)	<a href="#">7 W9JUV</a>		6	<a href="#">Feb 88</a>
Practically speaking: noise, signals and amplifiers	<a href="#">5 K4IPV</a>		77	<a href="#">Feb 88</a>
Radial line stub design	<a href="#">31.5 N1BEP</a>		65	<a href="#">Feb 88</a>
Ham notebook: rebuild your C-64 keyboard with C-16 parts	<a href="#">4 AF8B</a>		74	<a href="#">Feb 88</a>
Ham notebook: curing FT-1012D key clicks	<a href="#">29.2 N5RM</a>		74	<a href="#">Feb 88</a>
Ham Radio techniques: "the greatest little magazine in the world"	<a href="#">7 W6SAI</a>		68	<a href="#">Feb 88</a>
Automatically switched half-octave filters: part 1	<a href="#">8 WB3JZO and Watkins, Lee R.</a>		10	<a href="#">Feb 88</a>
VHF/UHF world: microwave components and terminology- part 1	<a href="#">31.5 W1JR</a>		71	<a href="#">Mar 88</a>
High dynamic range mixing with the Si8901	<a href="#">22.1 KB6QJ</a>		11	<a href="#">Mar 88</a>
High dynamic range mixing with the Si8901	<a href="#">29.2 KB7QJ</a>		11	<a href="#">Mar 88</a>
High dynamic range mixing with the Si8901	<a href="#">22.2 KB6QJ</a>		11	<a href="#">Mar 88</a>

Elmer's notebook: transmission lines	<a href="#">1.6 W1SL</a>	90	<a href="#">Mar 88</a>
DX forecaster: the ultimate antipode DX K0RYW	<a href="#">21 K0RYW</a>	78	<a href="#">Mar 88</a>
Automatically switched half-octave filters: part 2	<a href="#">8 WB3JZO and Watkins, Lee R.</a>	29	<a href="#">Mar 88</a>
Optimizing gain on Yagi antennas	<a href="#">1.2 K2SS</a>	21	<a href="#">Mar 88</a>
Ham Radio techniques: "radio ground" on 160 meters	<a href="#">1.4 W6SAI</a>	53	<a href="#">Mar 88</a>
Ham Radio techniques: "radio ground" on 160 meters	<a href="#">1.2 W6SAI</a>	53	<a href="#">Mar 88</a>
HP-IB greatly simplified	<a href="#">13 Martin, Vaughn D.</a>	65	<a href="#">Mar 88</a>
ICOM's newest transceiver	<a href="#">3 N1ACH</a>	17	<a href="#">Mar 88</a>
High dynamic range mixing with the Si8901	<a href="#">25 KB6QJ</a>	11	<a href="#">Mar 88</a>
Frequency calibration using 60 kHz WWVB	<a href="#">13 W4ZPS</a>	45	<a href="#">Mar 88</a>
Practically speaking: parametric amplifiers	<a href="#">31.1 K4IPV</a>	65	<a href="#">Mar 88</a>
Amateur packet radio networking and protocols, part 2	<a href="#">19 KR3T</a>	56	<a href="#">Mar 88</a>
Frequency calibration using 60 kHz WWVB	<a href="#">22.1 W4ZPS</a>	45	<a href="#">Mar 88</a>
Frequency calibration using 60 kHz WWVB	<a href="#">22.2 W4ZPS</a>	45	<a href="#">Mar 88</a>
Homebrewing equipment from parts to metal work	<a href="#">5 W7KBE</a>	26	<a href="#">Mar 88</a>
Multi-featured function generator	<a href="#">13 WA7IRY</a>	9	<a href="#">Apr 88</a>
DX forecaster: DX signal quality	<a href="#">21 K0RYW</a>	80	<a href="#">Apr 88</a>
Diagnostic serial data latch	<a href="#">4 KA9SNF</a>	56	<a href="#">Apr 88</a>
Practically speaking: using the digital frequency counter- some pitfalls	<a href="#">13 K4IPV</a>	47	<a href="#">Apr 88</a>
Ham Radio techniques: Dx is getting better and better! Here's why!	<a href="#">21 W6SAI</a>	28	<a href="#">Apr 88</a>
Frequency synthesis up to 2 GHz	<a href="#">6 WA6DYW</a>	22	<a href="#">Apr 88</a>
Frequency synthesis up to 2 GHz	<a href="#">18 WA6DYW</a>	33	<a href="#">Apr 88</a>
Elmer's notebook: antenna tuner	<a href="#">1.4 W1SL</a>	83	<a href="#">Apr 88</a>
VHF/UHF world: microwave components and terminology- part 2	<a href="#">31.5 W1JR</a>	67	<a href="#">Apr 88</a>
Practically speaking: using the digital frequency counter- some pitfalls	<a href="#">6 K4IPV</a>	47	<a href="#">Apr 88</a>
Amateur packet radio networking and protocols, part 3	<a href="#">19 KR3T</a>	41	<a href="#">Apr 88</a>
More optional notes on the TS-930S	<a href="#">3 W6FR</a>	23	<a href="#">Apr 88</a>
Ham Radio techniques: why not a two-element Yagi	<a href="#">1.2 W6SAI</a>	36	<a href="#">May 88</a>
Elmer's notebook: antenna tuner	<a href="#">1.4 W1SL</a>	102	<a href="#">May 88</a>
DX forecaster: 1987 propagation summary	<a href="#">21 K0RYW</a>	92	<a href="#">May 88</a>
Remarks on television series (comment)	<a href="#">28 KB9F0</a>	6	<a href="#">May</a>

			<a href="#">88</a>
Battery storage (comment)	<a href="#">20 W5JHJ</a>	6	<a href="#">May 88</a>
Yagi vs Quad-part 1	<a href="#">1.1 K2SS</a>	68	<a href="#">May 88</a>
Shortened 40-meter four-element sloping dipole array	<a href="#">1.2 OE5CWL</a>	74	<a href="#">May 88</a>
Practically speaking: feedback	<a href="#">15 K4IPV</a>	60	<a href="#">May 88</a>
Practically speaking: feedback	<a href="#">5 K4IPV</a>	60	<a href="#">May 88</a>
WBJK antenna for 40, 30 and 20 meters	<a href="#">1.2 N6YC</a>	9	<a href="#">May 88</a>
Quad antenna: part 1-general concepts	<a href="#">1.2 W4MB</a>	43	<a href="#">May 88</a>
VHF/UHF world: power splitters and summers	<a href="#">31.1 W1JR</a>	80	<a href="#">May 88</a>
Helical antenna matching	<a href="#">1.3 Belliveau, John</a>	73	<a href="#">May 88</a>
Yagis, stacking is a science	<a href="#">1.1 K1FO</a>	18	<a href="#">May 88</a>
Three-band sloper for 7, 18 and 24 MHz (HN)	<a href="#">1.2 W5FG</a>	58	<a href="#">May 88</a>
Pathfinder: improved MINIMUM program	<a href="#">27 K3FR</a>	26	<a href="#">May 88</a>
VHF/UHF world: propagation update- part 2	<a href="#">21 W1JR</a>	39	<a href="#">Jun 88</a>
Practically speaking: "ferriting" out the problem	<a href="#">5 K4IPV</a>	72	<a href="#">Jun 88</a>
Mixer frequencies, graphical selection	<a href="#">22.1 W2HVN</a>	41	<a href="#">Jun 88</a>
DX forecaster: Sporadic E season - 1988	<a href="#">21 K0RYW</a>	88	<a href="#">Jun 88</a>
Reflections: Novice enhancement and the future of amateur radio	<a href="#">7 W9JUV</a>	6	<a href="#">Jun 88</a>
Designing a station for the microwave bands: part 2	<a href="#">31.5 N6GN</a>	19	<a href="#">Jun 88</a>
Yagi vs Quad-part 2	<a href="#">1.1 K2SS</a>	78	<a href="#">Jun 88</a>
Design program for the grounded-grid 3-500Z	<a href="#">27 W7DHD</a>	8	<a href="#">Jun 88</a>
Ham Radio techniques: a nifty bi-square a beam for 10 or 12 meters	<a href="#">1.2 W6SAI</a>	68	<a href="#">Jun 88</a>
Quad antenna: part 2-circular and octagonal loops	<a href="#">1.2 W4MB</a>	54	<a href="#">Jun 88</a>
Elmer's notebook: "Q" signals	<a href="#">17 W1SL</a>	95	<a href="#">Jun 88</a>
Ham radio techniques: time and frequency station WWVS, minibeam design, etc	<a href="#">13 W6SAI</a>	37	<a href="#">Jun 88</a>
Practically speaking: non-ideal linear IC amplifiers typical problems	<a href="#">5 K4IPV</a>	72	<a href="#">Jul 88</a>
Simple low-cost comb generator frequency calibrator	<a href="#">13 Martin, Larry</a>	78	<a href="#">Jul 88</a>
2-meter monitor	<a href="#">5 WA3ENK</a>	64	<a href="#">Jul 88</a>
6-meter kilowatt amplifier	<a href="#">31.2 KX0O</a>	50	<a href="#">Jul 88</a>
Elmer's notebook: ten-meter skyware	<a href="#">1.2 W1SL</a>	90	<a href="#">Jul 88</a>
Sporadic E and 50-MHz transatlantic propagation during 1987	<a href="#">31.1 G3NAQ</a>	10	<a href="#">Jul 88</a>
Remedy for RFI (comment)	<a href="#">15 K6WX</a>	9	<a href="#">Jul 88</a>
Cheap and dirty 6-meter beam	<a href="#">31.2 W5UOJ</a>	56	<a href="#">Jul 88</a>
Simple low-cost comb generator frequency calibrator	<a href="#">5 Martin, Lorry</a>	78	<a href="#">Jul 88</a>
VHF/UHF world: propagation update- part 3	<a href="#">21 W1JR</a>	38	<a href="#">Jul 88</a>



Carrier complaint (comment)	<a href="#">17 WD0P</a>	9	<a href="#">Jul 88</a>
Reflected power limiter	<a href="#">13 K4KI</a>	63	<a href="#">Jul 88</a>
Practically speaking: non-ideal linear IC amplifiers typical problems	<a href="#">25 K4IPV</a>	72	<a href="#">Jul 88</a>
Sporadic E and 50-MHz transatlantic propagation during 1987	<a href="#">21 G3NAQ</a>	10	<a href="#">Jul 88</a>
Ham Radio techniques: line voltage and power tube life	<a href="#">15 W6SAI</a>	60	<a href="#">Jul 88</a>
2-meter monitor	<a href="#">31.3 WA3ENK</a>	64	<a href="#">Jul 88</a>
DX forecaster: Summer thunderstorm noise	<a href="#">21 K0RYW</a>	83	<a href="#">Jul 88</a>
Legal usefulness of Amateur Radio (comment)	<a href="#">17 WA7AQN</a>	9	<a href="#">Aug 88</a>
Quad antenna: part 3-circular loop and octagonal arrays	<a href="#">1.2 W4MB</a>	34	<a href="#">Aug 88</a>
4800 baud modem for VHF/UHF packet radio	<a href="#">19 <u>VE3DNL,VE3DNM,VE3DW &amp; VE3LNY</u></a>	10	<a href="#">Aug 88</a>
One hundred years of electric waves	<a href="#">7 KR6A</a>	22	<a href="#">Aug 88</a>
Generation gap in Amateur Radio (comment)	<a href="#">17 N3CCW</a>	94	<a href="#">Aug 88</a>
Remote basel-simplex phone patch controller	<a href="#">5 AA4NX and KK4LA</a>	54	<a href="#">Aug 88</a>
Ham Radio techniques: the joys of TVI or, were you on the air last night?	<a href="#">15 W6SAI</a>	70	<a href="#">Aug 88</a>
Market survey of amateurs a good idea (comment)	<a href="#">17 W1FB</a>	9	<a href="#">Aug 88</a>
Elmer's notebook: propagation basics	<a href="#">21 W1SL</a>	81	<a href="#">Aug 88</a>
Ham Radio Techniques: the joys of TVI or, were you on the air last night?	<a href="#">17 W6SAI</a>	70	<a href="#">Aug 88</a>
True frequency digital readout for the HW-101	<a href="#">22.1 Short circuit</a>	41	<a href="#">Aug 88</a>
DX forecaster: summer signal levels	<a href="#">21 K0RYW</a>	88	<a href="#">Aug 88</a>
Precision high-voltage dc regulator	<a href="#">20 AG6K</a>	75	<a href="#">Aug 88</a>
Re-discovering ham radio (comment)	<a href="#">17 KC1JG</a>	9	<a href="#">Aug 88</a>
Precision high-voltage dc regulator	<a href="#">5 AG6K</a>	75	<a href="#">Aug 88</a>
Practically speaking: impedance matching	<a href="#">1.4 K4IPV</a>	27	<a href="#">Aug 88</a>
Remote base/simplex phone patch controller	<a href="#">31.1 AA4NX &amp; KK4LA</a>	54	<a href="#">Aug 88</a>
Processor for code tapes	<a href="#">2 W4ULD</a>	61	<a href="#">Sep 88</a>
7/8-inch hardline coax connectors- construct at your own low cost	<a href="#">1.1 WA5FAC</a>	95	<a href="#">Sep 88</a>
Storing lead-acid batteries (comment)	<a href="#">20 N5OP</a>	9	<a href="#">Sep 88</a>
Radiotelegraph codes: there's not just one	<a href="#">16 KR6A</a>	82	<a href="#">Sep 88</a>
Tuning indicator for RTTY and packet radio	<a href="#">5 W0HZR</a>	65	<a href="#">Sep 88</a>
Ham notebook: simple tower guards	<a href="#">1.5 K1ZJH</a>	39	<a href="#">Sep 88</a>
Great circle computations using LOTUS 1-2-3	<a href="#">27 AD1B</a>	31	<a href="#">Sep 88</a>
Direct synthesis VFO	<a href="#">18 W7SX</a>	10	<a href="#">Sep 88</a>
Add a digital readout to the "poor man's spectrum analyzer"	<a href="#">13 WA2PZ</a>	84	<a href="#">Sep 88</a>

Construction techniques using PVC pipe to make antennas	<a href="#">5 W2OQI</a>	98	<a href="#">Sep 88</a>
Construction techniques using PVC pipe to make antennas	<a href="#">1.1 W2OQI</a>	98	<a href="#">Sep 88</a>
DX forecaster: high sunspot propagation problems-part 1	<a href="#">21 K0RYW</a>	104	<a href="#">Sep 88</a>
Field Day- preparedness or party time? (Backscatter)	<a href="#">17 W9JUV and N1ACH</a>	6	<a href="#">Sep 88</a>
Add a digital readout to the "poor man's spectrum analyzer"	<a href="#">6 WA2PZ</a>	84	<a href="#">Sep 88</a>
Measuring transmission line parameters	<a href="#">1.6 OE2APM/AA3K</a>	22	<a href="#">Sep 88</a>
Bicycle mobile	<a href="#">31.1 NH6N</a>	38	<a href="#">Sep 88</a>
An easy-to-build NiCd pulse charger (weekender)	<a href="#">20 AG6K</a>	18	<a href="#">Sep 88</a>
Elmer's notebook: The mysterious "Q"	<a href="#">15 W1SL</a>	110	<a href="#">Sep 88</a>
DTMF tone signaling circuit	<a href="#">5 WV6A</a>	42	<a href="#">Sep 88</a>
Easy measurement of antenna currents (HN)	<a href="#">1.1 KO1F</a>	39	<a href="#">Sep 88</a>
Ham Radio techniques: On our way up!	<a href="#">21 W6SAI</a>	26	<a href="#">Sep 88</a>
More information needed (comment)	<a href="#">17 W3QQM</a>	9	<a href="#">Sep 88</a>
Direct synthesis VFO	<a href="#">6 W7SX</a>	10	<a href="#">Sep 88</a>
Practically speaking: transmission lines and their typical AC responses	<a href="#">1.6 K4IPV</a>	34	<a href="#">Sep 88</a>
Batteries on concrete (comment)	<a href="#">20 N5OP</a>	101	<a href="#">Sep 88</a>
Intermittent reception due to lightning (HN)	<a href="#">15 W2YW</a>	39	<a href="#">Sep 88</a>
Elmer's notebook: the mysterious "Q"	<a href="#">5 W1SL</a>	110	<a href="#">Sep 88</a>
Five-band dipole	<a href="#">1.2 W6HPH</a>	76	<a href="#">Sep 88</a>
Tuning indicator for RTTY and packet radio	<a href="#">23 W0HZR</a>	65	<a href="#">Sep 88</a>
VHF/UHF World: Loose ends	<a href="#">17 W1JR</a>	53	<a href="#">Sep 88</a>
DTMF tone signaling circuit	<a href="#">6 WV6A</a>	42	<a href="#">Sep 88</a>
Elmer's notebook: modems and RS-232	<a href="#">4 W1SL</a>	113	<a href="#">Oct 88</a>
Tapered vertical, calculating the input impedance of	<a href="#">1.2 Short circuit</a>	78	<a href="#">Oct 88</a>
Designing a station for the microwave bands: part 2	<a href="#">31.5 Short circuit:</a>	35	<a href="#">Oct 88</a>
Using macros with packet (HN)	<a href="#">19 AD1B</a>	82	<a href="#">Oct 88</a>
Practically speaking: standing waves- a review	<a href="#">1.6 K4IPV</a>	85	<a href="#">Oct 88</a>
Pathfinder-part 2	<a href="#">27 K3FR</a>	47	<a href="#">Oct 88</a>
Code practice oscillator (weekender)	<a href="#">5 N2DCH</a>	65	<a href="#">Oct 88</a>
Efficiently launch-VHF/UHF wave	<a href="#">1.3 W3HWC</a>	63	<a href="#">Oct 88</a>
Designing a station for the microwave bands: part 3	<a href="#">31.5 N6GN</a>	17	<a href="#">Oct 88</a>
Vacuum tube substitution	<a href="#">20 W2YE</a>	58	<a href="#">Oct 88</a>
Code practice oscillator (weekender)	<a href="#">2 N2DCH</a>	65	<a href="#">Oct 88</a>
Using macros with packet	<a href="#">27 AD1B</a>	82	<a href="#">Oct 88</a>
Ham bands under siege (Backscatter)	<a href="#">17 N1ACH</a>	4	<a href="#">Oct 88</a>
Pi network equations	<a href="#">1.4 K4MT</a>	109	<a href="#">Oct 88</a>
DX forecaster: high sunspot propagation problems-part 2	<a href="#">21 K0RYW</a>	96	<a href="#">Oct 88</a>
More fixes for the IC22S VHF radio	<a href="#">3 VE6ZS</a>	91	<a href="#">Oct 88</a>
Ham Radio techniques: A look at the groundplane antenna	<a href="#">1.1 W6SAI</a>	38	<a href="#">Oct 88</a>
VHF/UHF world: IMD and splatter	<a href="#">31.1 W1JR</a>	71	<a href="#">Oct 88</a>
Exploring packet radio with KISS	<a href="#">19 WA8BXN</a>	9	<a href="#">Oct 88</a>
Remote tuner for 75-meter mobiles (weekender)	<a href="#">1.4 K9MLD</a>	36	<a href="#">Oct 88</a>
Pathfinder- part two	<a href="#">21 K3FR</a>	47	<a href="#">Oct 88</a>
Simple receivers from complex ICs	<a href="#">22.2 W6VEH</a>	10	<a href="#">Nov 88</a>
DX forecaster: Winter DX season	<a href="#">21 K0RYW</a>	108	<a href="#">Nov 88</a>

Elmer's notebook: SSB basics- generating the signal	<a href="#">26 W1SL</a>	117	<a href="#">Nov 88</a>
Two single 80-meter radiators for short and long skip (HN)	<a href="#">1.2 YO4WU</a>	98	<a href="#">Nov 88</a>
Solid-state 75A-4 receiver	<a href="#">22.2 KF7M</a>	67	<a href="#">Nov 88</a>
Practically speaking: Overview of op amps- part 1	<a href="#">5 K4IPV</a>	100	<a href="#">Nov 88</a>
TS-440 interface for keying linears with high voltage biasing (HN)	<a href="#">29.2 W6VVTU</a>	98	<a href="#">Nov 88</a>
Pepperdyne receiver	<a href="#">22.2 W6QIF</a>	33	<a href="#">Nov 88</a>
Potential danger (Backscatter)	<a href="#">17 N1ACH</a>	4	<a href="#">Nov 88</a>
1296-MHz low noise amplifier (Weekender)	<a href="#">31.3 WA9HUV</a>	60	<a href="#">Nov 88</a>
Improving operation with the MFJ 989 transmatch (Weekender)	<a href="#">1.4 W4RNL</a>	24	<a href="#">Nov 88</a>
Ham Radio Techniques: The radio boys in the Pacific, or, working DX for Uncle Sam	<a href="#">17 W6SAI</a>	26	<a href="#">Nov 88</a>
Simple receivers from complex ICs	<a href="#">5 W6VEH</a>	10	<a href="#">Nov 88</a>
Practically speaking: Overview of op amps- part 1	<a href="#">15 K4IPV</a>	100	<a href="#">Nov 88</a>
Structural evaluation of Yagi elements	<a href="#">5 K5IU</a>	29	<a href="#">Dec 88</a>
Practically speaking: overview of op amps- part 2	<a href="#">15 K4IPV</a>	83	<a href="#">Dec 88</a>
Calibrating series-resistance capacitance bridges (HN)	<a href="#">13 Caron</a>	27	<a href="#">Dec 88</a>
Two in one: trace doubler for CRO, and square wave and pulse generator (HN)	<a href="#">5 Tseng Liao</a>	26	<a href="#">Dec 88</a>
Two in one: Trace doubler for CRO, and square wave and pulse generator (HN)	<a href="#">13 Tseng Liao</a>	26	<a href="#">Dec 88</a>
Get the most from your NiCds (Weekender)	<a href="#">5 K3OF</a>	88	<a href="#">Dec 88</a>
Elmer's notebook: SSB basics- receiving the signal	<a href="#">26 W1SL</a>	117	<a href="#">Dec 88</a>
Get the most from your NiCds (Weekender)	<a href="#">20 K3OF</a>	88	<a href="#">Dec 88</a>
Decoding data signals	<a href="#">6 WB4GCS</a>	60	<a href="#">Dec 88</a>
Practically speaking: overview of op amps- part 2	<a href="#">5 K4IPV</a>	83	<a href="#">Dec 88</a>
Ham Radio techniques: New Zealand, Maui, and the solar cycle	<a href="#">21 W6SAI</a>	22	<a href="#">Dec 88</a>
Homebrew tuning dial	<a href="#">5 N2DCH</a>	75	<a href="#">Dec 88</a>
Structural evaluation of Yagi elements	<a href="#">1.2 K5IU</a>	29	<a href="#">Dec 88</a>
Simple direct conversion receiver	<a href="#">22.2 WA3ENK</a>	9	<a href="#">Dec 88</a>

DX forecaster: Winter DX anomalies	<a href="#">21 K0RYW</a>	110	<a href="#">Dec 88</a>
Build this simple L-C checker	<a href="#">13 W5FG</a>	19	<a href="#">Dec 88</a>
Formatted display of packet using KISS	<a href="#">19 WA8BXN</a>	51	<a href="#">Dec 88</a>

## Results for Year - 1989

Article	CatID	Author	Page	Issue
3456-MHz Linear Transverter	<a href="#">31.3</a>	<a href="#">WA3JUF</a>	68	<a href="#">Jan 89</a>
Ham Radio Techniques: A Balun for 10 Meters	<a href="#">1.6</a>	<a href="#">W6SAI</a>	103	<a href="#">Jan 89</a>
Clean ATV the Modern Way	<a href="#">28</a>	<a href="#">WA1IAO</a>	32	<a href="#">Jan 89</a>
Signal Source for 903 MHz, The weekender:	<a href="#">31.4</a>	<a href="#">N6JH</a>	88	<a href="#">Jan 89</a>
Practically Speaking: Parts for Antenna Tuners and Linears .. Plus a Correction	<a href="#">1.4</a>	<a href="#">K4IPV</a>	83	<a href="#">Jan 89</a>
Two-Loop 10-Hz Step 40-70 MHz Synthesizer	<a href="#">29.1</a>	<a href="#">PY1LL &amp; C Mathias</a>	24	<a href="#">Jan 89</a>
DX Forecaster: Better DXing in 1989	<a href="#">21</a>	<a href="#">K0RYW</a>	96	<a href="#">Jan 89</a>
Collector Matching Networks	<a href="#">29.1</a>	<a href="#">KZJ</a>	34	<a href="#">Jan 89</a>
Collector Matching Networks	<a href="#">5</a>	<a href="#">KZ9J</a>	34	<a href="#">Jan 89</a>
An NE602-based QRP Transceiver for 20-meter CW	<a href="#">29.2</a>	<a href="#">K1BQT</a>	9	<a href="#">Jan 89</a>
Writing the Technical Article	<a href="#">7</a>	<a href="#">K4IPV</a>	43	<a href="#">Jan 89</a>
Elmer's Notebook: Transistors and How They Work	<a href="#">5</a>	<a href="#">W1SL</a>	62	<a href="#">Jan 89</a>
An NE602-based QRP Transceiver for 20-meter CW	<a href="#">5</a>	<a href="#">K1BQT</a>	9	<a href="#">Jan 89</a>
Going Digital	<a href="#">6</a>	<a href="#">NH6N</a>	20	<a href="#">Jan 89</a>
Practically Speaking: Parts for Antenna Tuners and Linears Plus a Correction	<a href="#">29.1</a>	<a href="#">K4IPV</a>	83	<a href="#">Jan 89</a>
Two-Loop 10-Hz Step 40-70 MHz Synthesizer	<a href="#">22.1</a>	<a href="#">PY1LL &amp; C Mathias</a>	24	<a href="#">Jan 89</a>
Two-Loop 10-Hz Step 40-70 MHz Synthesizer	<a href="#">6</a>	<a href="#">PY1LL &amp; C Mathias</a>	24	<a href="#">Jan 89</a>
Collector Matching Networks	<a href="#">25</a>	<a href="#">KZ9J</a>	34	<a href="#">Jan 89</a>
VHF/UHF World: DX Records on 50 MHz and Above	<a href="#">31.1</a>	<a href="#">W1JR</a>	48	<a href="#">Jan 89</a>
Elmer's Notebook: FETS-The Other Transistors	<a href="#">5</a>	<a href="#">W1SL</a>	104	<a href="#">Feb 89</a>
Practically Speaking: Antenna System Instruments	<a href="#">1.1</a>	<a href="#">K4IPV</a>	82	<a href="#">Feb 89</a>
Antenna Array Patterns with a Personal Computer	<a href="#">1.1</a>	<a href="#">KC7MT</a>	59	<a href="#">Feb 89</a>
High-impedance Rotary Step Attenuator	<a href="#">13</a>	<a href="#">N2DCH</a>	24	<a href="#">Feb 89</a>
\$40 Digital Voice Storage ID'er	<a href="#">6</a>	<a href="#">WA4ADG</a>	10	<a href="#">Feb 89</a>
Ham Radio Techniques: "Son of Woodpecker"	<a href="#">8</a>	<a href="#">W6SAI</a>	18	<a href="#">Feb 89</a>
Elmer's Notebook: FETS-The Other Transistors	<a href="#">25</a>	<a href="#">W1SL</a>	104	<a href="#">Feb 89</a>
VHF/UHF World: DX Records on 50 MHz and Above- pt 2	<a href="#">31.1</a>	<a href="#">W1JR</a>	42	<a href="#">Feb 89</a>
220-MHz 9600-Baud Data Radio System for Packet	<a href="#">6</a>	<a href="#">W2DUC</a>	67	<a href="#">Feb 89</a>
220-MHz 9600-Baud Data Radio System for Packet	<a href="#">19</a>	<a href="#">W2DUC</a>	67	<a href="#">Feb 89</a>
Practically Speaking: Antenna System Instruments	<a href="#">13</a>	<a href="#">K4IPV</a>	82	<a href="#">Feb 89</a>
220-MHz 9600-Baud Data Radio System for Packet	<a href="#">31.3</a>	<a href="#">W2DUC</a>	67	<a href="#">Feb 89</a>
DX Forecaster: More New Cycle 22 DX	<a href="#">21</a>	<a href="#">K0RYW</a>	91	<a href="#">Feb 89</a>
Transmit Timer for the KPC-2, The Weekender	<a href="#">19</a>	<a href="#">K1ZJH</a>	94	<a href="#">Feb 89</a>
Ham Notebook: Crank-up Tower Cable Guides	<a href="#">1.5</a>	<a href="#">A Bachelor</a>	54	<a href="#">Feb 89</a>
Backscatter: Glasnost and Amateur Radio	<a href="#">7</a>	<a href="#">N1ACH</a>	4	<a href="#">Feb 89</a>
L-Match, A Useful Tool for Improving Your SWR	<a href="#">1.4</a>	<a href="#">W3VT</a>	29	<a href="#">Feb 89</a>
Understanding and Using 723 Voltage Regulators	<a href="#">25</a>	<a href="#">K3OF</a>	42	<a href="#">Mar 89</a>
Electro-Braille Transducers and their Application	<a href="#">6</a>	<a href="#">I4MK</a>	59	<a href="#">Mar 89</a>

Understanding and Using 723 Voltage Regulators	<a href="#">20 K3OF</a>	42	<a href="#">Mar 89</a>
12-Meter "Garage Plane" Antenna	<a href="#">1.2 W8PDV</a>	32	<a href="#">Mar 89</a>
Simple PROM Programmer, A	<a href="#">6 V4V6A</a>	81	<a href="#">Mar 89</a>
DX Forecaster: Equinox DX Conditions	<a href="#">21 K0RYW</a>	102	<a href="#">Mar 89</a>
Solo-16 Acoustic CW Speaker: The Weekender,	<a href="#">2 K1BQT</a>	12	<a href="#">Mar 89</a>
Elmer's Notebook: Packet Radio for the First Timer	<a href="#">19 WISL</a>	96	<a href="#">Mar 89</a>
Understanding and using 723 Voltage Regulators	<a href="#">5 K3OF</a>	42	<a href="#">Mar 89</a>
Ham Radio Techniques: The "Invention of Radio"	<a href="#">7 W6SAI</a>	17	<a href="#">Mar 89</a>
Practically Speaking: RF Wattmeters and Antenna VSWR Meters	<a href="#">1.1 K4IPV</a>	75	<a href="#">Mar 89</a>
Station Control Node Expand Your Versatility with SCN	<a href="#">6 WAQRJT</a>	23	<a href="#">Mar 89</a>
Station Control Node Expand Your Versatility with SCN	<a href="#">19 WA0RJT</a>	23	<a href="#">Mar 89</a>
Backscatter: No-Code Revisited	<a href="#">7 NIACH</a>	4	<a href="#">Mar 89</a>
Practically Speaking: RF Wattmeters and Antenna VSWR Meters	<a href="#">13 K4IPV</a>	75	<a href="#">Mar 89</a>
DTMF Group Call Decoder	<a href="#">6 AA4NX</a>	53	<a href="#">Mar 89</a>
Heathkit Seneca As A 2-meter FM Amplifier	<a href="#">31.4 W3NNL</a>	8	<a href="#">Mar 89</a>
QSK Modification for the Trio-Kenwood TL-922 Amplifier	<a href="#">29.1 AG6K</a>	35	<a href="#">Mar 89</a>
Easy Antenna Access for Urban Apartment Dwellers, The Weekender:	<a href="#">1.2 NU1N</a>	18	<a href="#">Apr 89</a>
Elmer's Notebook: Voltage-variable Capacitors	<a href="#">5 W1SL</a>	100	<a href="#">Apr 89</a>
Building a Digital Filter	<a href="#">6 NB9K</a>	9	<a href="#">Apr 89</a>
Easy Monitor Receiver for 2 Meters	<a href="#">31.3 WASSNZ</a>	28	<a href="#">Apr 89</a>
DX Forecaster: Spring Thunderstorm	<a href="#">21 K0RYW</a>	110	<a href="#">Apr 89</a>
Remote Driver/Controller for a Two-antenna System	<a href="#">5 NH6N</a>	79	<a href="#">Apr 89</a>
Ferrite Beads as Antenna and Tower Guy Isolators(HN)	<a href="#">1.1 W4MB</a>	72	<a href="#">Apr 89</a>
Practically Speaking: Light Metal and Other Topics	<a href="#">5 K4IPV</a>	23	<a href="#">Apr 89</a>
UHF GaAsFET Doubler, The Weekender:	<a href="#">31.3 WA9HUV</a>	65	<a href="#">Apr 89</a>
Convuluted Loop, The	<a href="#">1.2 W5QJR</a>	89	<a href="#">Apr 89</a>
Ham Radio Techniques: Antenna Projects for Spring	<a href="#">1.1 W6SAI</a>	55	<a href="#">Apr 89</a>
Building A Digital Station	<a href="#">8 NB9K</a>	9	<a href="#">Apr 89</a>
Analog Panel Meters	<a href="#">5 W6WTU</a>	39	<a href="#">Apr 89</a>
Remote Driver/Controller for a Two-antenna System	<a href="#">1.1 NH6N</a>	79	<a href="#">Apr 89</a>
Multiband Speech Processor	<a href="#">2 KL7ISA</a>	32	<a href="#">Apr 89</a>
Improved High-Performance Yagis for 432 MHz	<a href="#">1.3 K1FO</a>	9	<a href="#">May 89</a>
Homebrew Neutralizing Capacitor	<a href="#">5 N4LC</a>	38	<a href="#">May 89</a>
Fold wire Fed Top-Loaded Grounded Vertical	<a href="#">1.2 K3OOF</a>	32	<a href="#">May 89</a>
DX Forecaster: 1988 Propagation Summary	<a href="#">21 K0RYW</a>	109	<a href="#">May 89</a>
Impedance Matching Transformers and Ladder Line	<a href="#">1.4 KZ3K</a>	49	<a href="#">May 89</a>
Ham Radio Techniques: Antenna Time	<a href="#">1.1 W6SAI</a>	74	<a href="#">May 89</a>
Microfarad Counter, The	<a href="#">13 PA0CX</a>	85	<a href="#">May 89</a>
N5NBU "Nice But Ugly \$1.29 Antenna"	<a href="#">1.2 N5NBU</a>	39	<a href="#">May 89</a>
Converter Tunes 4 to 18 MHz with No Bandswitch	<a href="#">22.2 W5FG</a>	26	<a href="#">May 89</a>
Impedance Matching Transformers and Ladder Line	<a href="#">1.6 KZ3K</a>	49	<a href="#">May 89</a>
Mobile Antenna Anti-rotate Device	<a href="#">1.1 W1OLP</a>	40	<a href="#">May 89</a>
Novel Methods for Measuring Cable Attenuation	<a href="#">13 OE2APM</a>	65	<a href="#">May 89</a>
Practically Speaking: High Frequency Dipole Antenna-pt 1	<a href="#">1.2 K4IPV</a>	92	<a href="#">May 89</a>
Homebrew Neutralizing Capacitor	<a href="#">29.1 N4LC</a>	38	<a href="#">May 89</a>
Novel Method for Measuring Cable Attenuation	<a href="#">1.6 OE2APM</a>	65	<a href="#">May 89</a>
Adding 10 MHz to the HyGain HyTower	<a href="#">1.2 W5UOJ</a>	38	<a href="#">May 89</a>

Elmer's Notebook: Oscillators	<a href="#">18 W1SL</a>	44	<a href="#">May 89</a>
Solid-state Switching The Midland 13-509, The Weekender	<a href="#">31.1 VE2HOT</a>	17	<a href="#">Jun 89</a>
DX Forecaster: Sporadic-E Basics for 1989	<a href="#">21 K0RYW</a>	88	<a href="#">Jun 89</a>
Motorized Agitator for Your Printed Circuit Boards	<a href="#">5 K3OF</a>	68	<a href="#">Jun 89</a>
Battle of the Beams-pt 1	<a href="#">1.1 G4GVO</a>	29	<a href="#">Jun 89</a>
Solid-state Switching The Midland 13-509, The Weekender:	<a href="#">25 VE2HOT</a>	17	<a href="#">Jun 89</a>
Elmer's Notebook: Visual Aids- Oscilloscopes	<a href="#">13 W1SL</a>	92	<a href="#">Jun 89</a>
Ham Radio Techniques: Coax Revisited	<a href="#">1.6 W6SAI</a>	21	<a href="#">Jun 89</a>
Linear Tuning with a War Surplus Capacitor	<a href="#">22.1 N2DCH</a>	40	<a href="#">Jun 89</a>
Simple DC Amplifier for Your Meter	<a href="#">5 W0JF</a>	10	<a href="#">Jun 89</a>
NO5H All-Band Dipole	<a href="#">1.2 NO5H</a>	82	<a href="#">Jun 89</a>
Helium Balloon ATV Launched Over Indiana	<a href="#">28 WB8ELK</a>	72	<a href="#">Jun 89</a>
Simple DC Amplifier for Your Meter	<a href="#">13 W0JF</a>	10	<a href="#">Jun 89</a>
An RTTY Converter	<a href="#">5 W1VO</a>	76	<a href="#">Jun 89</a>
An RTTY Converter	<a href="#">23 W1UO</a>	76	<a href="#">Jun 89</a>
Simple Infrared Detector, A (HN)	<a href="#">5 K1ZJH</a>	27	<a href="#">Jun 89</a>
Practically Speaking: High-Frequency Dipole Antenna-pt 2	<a href="#">1.2 K4IPV</a>	53	<a href="#">Jun 89</a>
Linear Tuning with a War Surplus Capacitor	<a href="#">29.1 N2DCH</a>	40	<a href="#">Jun 89</a>
Video Monitor for Packet Demonstrations, A Big	<a href="#">19 WALFHB</a>	27	<a href="#">Jun 89</a>
Linear Tuning with a War Surplus Capacitor	<a href="#">5 N2DCH</a>	40	<a href="#">Jun 89</a>
Simple Infrared Detector, A (HN)	<a href="#">25 K1ZJH</a>	27	<a href="#">Jun 89</a>
Backscatter: No-Code Survey Results	<a href="#">7 N1ACH</a>	4	<a href="#">Jun 89</a>
Simple 75-ohm Hardline to 50-ohm Match	<a href="#">1.4 K9EYY</a>	63	<a href="#">Jun 89</a>
50-MHz RF Bridge	<a href="#">31.1 G8CJM</a>	53	<a href="#">Jul 89</a>
Practically Speaking: More Digitally Generated Sawtooth Plus Triangle Waves	<a href="#">13 K4IPV</a>	78	<a href="#">Jul 89</a>
Common-point Grounding: Lightning Protection for Repeaters	<a href="#">1.1 K1ZJH</a>	24	<a href="#">Jul 89</a>
DX Forecaster: Know Sporadic-E Skip	<a href="#">21 K0RYW</a>	96	<a href="#">Jul 89</a>
Common-point Grounding: Lightning Protection for Repeaters	<a href="#">5 K1ZJH</a>	24	<a href="#">Jul 89</a>
435-MHz Low-noise GaAsFET Preamplifier	<a href="#">31.3 WA2FTK and K1JUL</a>	9	<a href="#">Jul 89</a>
Sensitive RF Voltmeter, The Weekender:	<a href="#">13 N2DCH</a>	62	<a href="#">Jul 89</a>
Design Data for Pipe Masts	<a href="#">1.1 W4MB</a>	38	<a href="#">Jul 89</a>
Ham Radio Techniques: Have You Met SID?	<a href="#">21 W6SAI</a>	31	<a href="#">Jul 89</a>
Backscatter: The More Things Change..	<a href="#">7 N1ACH</a>	4	<a href="#">Jul 89</a>
High Performance 2-Meter Transverter	<a href="#">31.3 W84EHS</a>	68	<a href="#">Jul 89</a>
Practically Speaking: More Digitally Generated Sawtooth Plus Triangle Waves	<a href="#">18 K4IPV</a>	78	<a href="#">Jul 89</a>
VHF/UHF Antennas	<a href="#">1.3 NH6N</a>	84	<a href="#">Jul 89</a>
Elmer's Notebook: Visual Aids- Light Emitting Diodes	<a href="#">25 W1SL</a>	56	<a href="#">Jul 89</a>
Common-point Grounding: Lightning Protection for Repeaters	<a href="#">10 K17JH</a>	24	<a href="#">Jul 89</a>
Waveguide Flange Drilling Guide	<a href="#">31.5 WA4WDL</a>	53	<a href="#">Jul 89</a>
Variable Voltage Regulator, The Weekender	<a href="#">20 K3HW</a>	20	<a href="#">Jul 89</a>
VHF/UHF Antennas	<a href="#">1.4 NH6N</a>	84	<a href="#">Jul 89</a>
Backscatter: Ode to the Death of PRB-3	<a href="#">7 N1ACH</a>	4	<a href="#">Aug 89</a>
Automatic Rotor Brake Delay	<a href="#">5 WA1SPI</a>	89	<a href="#">Aug 89</a>
Versatile Transistor/Diode Tester	<a href="#">25 W5JE and W2YM</a>	30	<a href="#">Aug 89</a>
Automatic Packet Beacon Tracker and Monitor	<a href="#">7 W4GBB</a>	66	<a href="#">Aug 89</a>
Practically Speaking: Vertically Polarized HF Antennas-pt 1	<a href="#">1.2 K4IPV</a>	71	<a href="#">Aug 89</a>
Elmer's Notebook: Visual Aids- Liquid Crystal Displays	<a href="#">25 W1SL</a>	81	<a href="#">Aug 89</a>



Automatic Rotor Brake Delay, The Weekender:	<a href="#">1.5 WA1SPI</a>	89	<a href="#">Aug 89</a>
Battle of the Beams-pt 2	<a href="#">1.1 G4GVO</a>	20	<a href="#">Aug 89</a>
DX Forecaster: DXing During the Summer QRN Season	<a href="#">21 K0RYW</a>	96	<a href="#">Aug 89</a>
Ham Notebook: Mobile HT Audio, The Near Ultimate Solution	<a href="#">2 W9PXP</a>	68	<a href="#">Aug 89</a>
Ham Radio Techniques: The Gamma Match An Update	<a href="#">1.4 W6SAI</a>	56	<a href="#">Aug 89</a>
Vibration Induced Yagi Fatigue Failures	<a href="#">1.2 K5IU</a>	9	<a href="#">Aug 89</a>
Elmer's Notebook: Visual Aids- Liquid Crystal Displays	<a href="#">5 W1SL</a>	81	<a href="#">Aug 89</a>
High Performance Duoband Yagi for 15 and 20 meters	<a href="#">1.2 KN2M</a>	41	<a href="#">Aug 89</a>
Versatile Transistor/Diode Tester	<a href="#">13 W5JOE &amp; W2YM</a>	30	<a href="#">Aug 89</a>
Automatic Packet Beacon Tracker and Monitor (HN)	<a href="#">19 W4GBB</a>	66	<a href="#">Aug 89</a>
Keeping an Eye on Your Sideband PEP	<a href="#">5 GW4NAH</a>	17	<a href="#">Sep 89</a>
Card File station for 40 Meters, The Weekender	<a href="#">22.2 W6XM</a>	56	<a href="#">Sep 89</a>
Introduction to Waveform Generators- pt 1	<a href="#">18 K4IPV</a>	62	<a href="#">Sep 89</a>
K4EF Long Wire Antenna Designs	<a href="#">1.2 K4EF</a>	32	<a href="#">Sep 89</a>
HAM Radio Techniques: The Log Periodic Antenna Family	<a href="#">1.2 W6SAI</a>	20	<a href="#">Sep 89</a>
Finding the Source of Computer-generated interference	<a href="#">6 KBTM</a>	30	<a href="#">Sep 89</a>
Introduction to Waveform Generators- pt 1	<a href="#">13 K4IPV</a>	62	<a href="#">Sep 89</a>
An improved AGC Circuit	<a href="#">2 W8WFH</a>	72	<a href="#">Sep 89</a>
Homebrew Diplexer (HN)	<a href="#">31.1 G8MWR</a>	30	<a href="#">Sep 89</a>
Backscatter: More cause for Thought	<a href="#">7 NXIG</a>	4	<a href="#">Sep 89</a>
DX Forecaster: Equinox Season DXing	<a href="#">21 K0RYW</a>	96	<a href="#">Sep 89</a>
HF Mobile Antenna	<a href="#">1.2 NC0B</a>	9	<a href="#">Sep 89</a>
Protect Your Amateur Station from Lightning	<a href="#">10 KY9L</a>	25	<a href="#">Sep 89</a>
Practically Speaking: Vertically Polarized HF Antennas-pt 2	<a href="#">1.2 K4IPV</a>	45	<a href="#">Sep 89</a>
An improved AGC Circuit	<a href="#">3 W8WFH</a>	72	<a href="#">Sep 89</a>
Card File Station for 40 Meters, The Weekender	<a href="#">29.2 W6XM</a>	56	<a href="#">Sep 89</a>
Protect Your Amateur Station from Lightning	<a href="#">5 KY9L</a>	25	<a href="#">Sep 89</a>
Keeping an Eye on Your Sideband PEP-The Weekender	<a href="#">13 GW4NAH</a>	17	<a href="#">Sep 89</a>
Practically Speaking: Vertically Polarized HF Antennas-pt 3	<a href="#">1.2 K4IPV</a>	81	<a href="#">Oct 89</a>
DX Forecaster: More on Equinox Propagation	<a href="#">21 K0RYW</a>	96	<a href="#">Oct 89</a>
Remote Control Switching System	<a href="#">5 VK2WD</a>	62	<a href="#">Oct 89</a>
Computerizing Smith Chart Network Analysis	<a href="#">1.1 N1AYW</a>	10	<a href="#">Oct 89</a>
PEP Wattmeter	<a href="#">13 WA1SPI</a>	76	<a href="#">Oct 89</a>
PEP Wattmeter	<a href="#">5 WA1SPI</a>	76	<a href="#">Oct 89</a>
PV-4 on Your Commodore	<a href="#">1.2 WA3EKL</a>	64	<a href="#">Oct 89</a>
Variable Gain 160-meter Preamp	<a href="#">22.2 KD9SV</a>	46	<a href="#">Oct 89</a>
Ham Radio Techniques: Interesting Antenna Fed Systems	<a href="#">1.4 W6SAI</a>	39	<a href="#">Oct 89</a>
Extend Your DVM's Measurement Capabilities	<a href="#">5 N6YC</a>	72	<a href="#">Oct 89</a>
Digi-Keyer	<a href="#">6 AB4DP</a>	68	<a href="#">Oct 89</a>
An Exclusive Look At Kenwood's TS-950S	<a href="#">3 NXIG</a>	28	<a href="#">Oct 89</a>
Elmer's Notebook: Test Equipment-Easy and Useful	<a href="#">13 W1SL</a>	86	<a href="#">Oct 89</a>
Variable Gain 160-Meter Preamp	<a href="#">5 KD9SV</a>	46	<a href="#">Oct 89</a>
Three Element Vertical Driven Array For 10 Meters	<a href="#">1.2 WB5IRI</a>	22	<a href="#">Oct 89</a>
Artificial Intelligence Application in Amateur Radio	<a href="#">27 NULN</a>	30	<a href="#">Oct 89</a>
Backscatter: Amateur Radio Licensing Fees	<a href="#">7 NXIG</a>	6	<a href="#">Oct 89</a>
Remote Control Switching System	<a href="#">1.1 VK2WD</a>	62	<a href="#">Oct 89</a>
Transistor Lead Identification with a DVM	<a href="#">13 K0GSS</a>	62	<a href="#">Oct 89</a>

Transistor lead identification With a DVM	<a href="#">25 K0GSS</a>	62	<a href="#">Oct 89</a>
Digi-Keyer	<a href="#">5 AB4DP</a>	68	<a href="#">Oct 89</a>
Extend Your DVM's Measurement Capabilities	<a href="#">13 N6YC</a>	72	<a href="#">Oct 89</a>
PV-4 on Your Commodore	<a href="#">27 WA3EKL</a>	64	<a href="#">Oct 89</a>
Battle of the Beams-pt 3	<a href="#">1.1 G4GVO</a>	53	<a href="#">Oct 89</a>
Artificial Intelligence Applications In Amateur Radio	<a href="#">6 NULN</a>	30	<a href="#">Oct 89</a>
Control By Tones	<a href="#">15 ZL2SX</a>	42	<a href="#">Nov 89</a>
Practically Speaking: Test Equipment for Digital Electronics	<a href="#">13 K4IPV</a>	76	<a href="#">Nov 89</a>
Ham radio techniques: Antenna Matching Systems	<a href="#">1.4 W6SAI</a>	54	<a href="#">Nov 89</a>
Backscatter: Juxtaposition of Technologies	<a href="#">7 NXIG</a>	4	<a href="#">Nov 89</a>
Low-noise Design Primer	<a href="#">22.1 WB4EHS</a>	80	<a href="#">Nov 89</a>
Wideband Frequency Analyzer	<a href="#">13 AA4FB</a>	9	<a href="#">Nov 89</a>
Elmer's Notebook: Simple Instruments RF Output Monitor	<a href="#">13 W1SL</a>	91	<a href="#">Nov 89</a>
Elmer's Notebook: Simple Instruments RF Output Monitor	<a href="#">5 W1SL</a>	91	<a href="#">Nov 89</a>
Elmer's Notebook: Simple Instruments RF Output Monitor	<a href="#">16 W1SL</a>	91	<a href="#">Nov 89</a>
Collapsible Quad for 10-Meter Hilltopping	<a href="#">1.2 W4RNL</a>	70	<a href="#">Nov 89</a>
2-Meter Converter with Q Multiplier	<a href="#">31.3 WA9HUV</a>	33	<a href="#">Nov 89</a>
2-Meter Converter with Q Multiplier	<a href="#">22.3 WA9HUV</a>	33	<a href="#">Nov 89</a>
DX Forecaster: Winter DX Season	<a href="#">21 K0RYW</a>	96	<a href="#">Nov 89</a>
Low Cost Battery Pack for Your Kenwood TH-25AT Handheld	<a href="#">31.1 KE6WF</a>	40	<a href="#">Nov 89</a>
Transmit Control for Mobile Operation	<a href="#">5 G4CLF</a>	24	<a href="#">Nov 89</a>
An Inexpensive VFO for the Yaesu FT-102	<a href="#">15 VE3RF</a>	62	<a href="#">Nov 89</a>
Wideband Frequency Analyzer	<a href="#">5 AA4FB</a>	9	<a href="#">Nov 89</a>
Practically Speaking: Test Equipment for Digital Electronics	<a href="#">16 K4IPV</a>	76	<a href="#">Nov 89</a>
Famous Equipment of Yesteryear	<a href="#">22.1 K4KJ</a>	43	<a href="#">Nov 89</a>
Ham Radio Techniques: Antennas, GFI, Capacitors and Fundamentals	<a href="#">16 W6SAI</a>	57	<a href="#">Dec 89</a>
Ultra Low Power Four-digit Sequence Touch Tone Decoder	<a href="#">6 WA4ADG</a>	30	<a href="#">Dec 89</a>
A New Addition for Your TNC	<a href="#">5 K9MLD</a>	72	<a href="#">Dec 89</a>
Five-band Junkbox Transmitter	<a href="#">29.2 W3RMD</a>	42	<a href="#">Dec 89</a>
Using ICOM IC-32AT As a Crossband Mini-Repeater	<a href="#">15 KW5O</a>	41	<a href="#">Dec 89</a>
Introduction to Waveform Generators- pt 2	<a href="#">16 K4IPV</a>	82	<a href="#">Dec 89</a>
Ham Radio Techniques: Antennas, GFI, Capacitors and Fundamentals	<a href="#">15 W6SAI</a>	57	<a href="#">Dec 89</a>
Q Meters	<a href="#">13 W3QOM</a>	49	<a href="#">Dec 89</a>
An Audio Patch Panel for the Multimode Station	<a href="#">5 KB6IC</a>	65	<a href="#">Dec 89</a>
Antennas, GFI, Capacitors, and Fundamentals	<a href="#">1.1 W6SAI</a>	57	<a href="#">Dec 89</a>
Optimizing the OF-1A Audio Filter	<a href="#">8 VE7BS</a>	38	<a href="#">Dec 89</a>
Inexpensive Multi-megabaud Microwave Data Link	<a href="#">31.5 N6GN</a>	9	<a href="#">Dec 89</a>
Optimizing the QF-1A Audio Filter	<a href="#">22.1 VE7BS</a>	38	<a href="#">Dec 89</a>
An Audio Patch Panel for The Multimode Station	<a href="#">15 KB6IC</a>	65	<a href="#">Dec 89</a>
Practically Speaking: Getting to Know the Logic Families- pt 1: TTL	<a href="#">16 K4IPV</a>	34	<a href="#">Dec 89</a>
Identifying Kerchunkers and Other Interference	<a href="#">15 K9GDF</a>	74	<a href="#">Dec 89</a>
Introduction to Waveform Generators- pt 2	<a href="#">13 K4IPV</a>	82	<a href="#">Dec 89</a>
A New Addition for your TNC	<a href="#">6 K9MLD</a>	72	<a href="#">Dec 89</a>
A New Addition for Your TNC	<a href="#">19 K9MLD</a>	72	<a href="#">Dec 89</a>
Five-band Junkbox Transmitter	<a href="#">5 W3RMD</a>	42	<a href="#">Dec 89</a>
Five-band Junkbox Transmitter	<a href="#">16 W3RMD</a>	42	<a href="#">Dec 89</a>
Introduction to Waveform Generators- pt 2	<a href="#">15 K4IPV</a>	82	<a href="#">Dec 89</a>

Practically Speaking: Getting to know the Logic Families- pt 1: TTL	<a href="#">6 K4IPV</a>	34	<a href="#">Dec 89</a>
DX Forecaster: DXing From Winter Anomalies	<a href="#">21 K0RYW</a>	78	<a href="#">Dec 89</a>
Practically Speaking: Getting to Know the Logic Families- pt 1: TTL	<a href="#">11 K4IPV</a>	34	<a href="#">Dec 89</a>
Ultra Low Power Four-digit Sequence Touch Tone Decoder	<a href="#">5 WA4ADG</a>	30	<a href="#">Dec 89</a>

## Results for Year - 1990

Article	CatID	Author	Page	Issue
Near linear tuning with dual eccentric pulleys	<a href="#">5 N2DCH</a>		53	<a href="#">Jan 90</a>
Computer-aided design of printed circuit boards	<a href="#">4 NU1N</a>		10	<a href="#">Jan 90</a>
Simple eeprom programmer	<a href="#">11 WA2IHE</a>		40	<a href="#">Jan 90</a>
Ham Radio Techniques: antenna gain	<a href="#">1.1 W6SAI</a>		30	<a href="#">Jan 90</a>
Introduction to waveform generators - part 3	<a href="#">13 K4IPV</a>		63	<a href="#">Jan 90</a>
Simple eeprom programmer	<a href="#">15 WA2IHE</a>		40	<a href="#">Jan 90</a>
Two in one: trace doubler for CRO, and square wave and pulse generator (HN)	<a href="#">5 Short circuit</a>		26	<a href="#">Jan 90</a>
QRP TLC-keyer (Weekender)	<a href="#">12 K1BQT</a>		72	<a href="#">Jan 90</a>
Backscatter: The FCC and 20-Meter Third Party Traffic	<a href="#">7 NX1G</a>		4	<a href="#">Jan 90</a>
PV-4 on Your Commodore	<a href="#">27 Short circuit</a>		64	<a href="#">Jan 90</a>
DX Forecaster: the DX beacon game	<a href="#">21 K0RYW</a>		82	<a href="#">Jan 90</a>
Copper pipe transmission lines	<a href="#">1.6 WA2EWT, WA4BUS</a>		34	<a href="#">Jan 90</a>
Making printed circuit boards	<a href="#">5 WA3JUF</a>		27	<a href="#">Jan 90</a>
Practically Speaking: getting to know the logic families, part 2: CMOS	<a href="#">11 K4IPV</a>		77	<a href="#">Jan 90</a>
80/40-meter junkbox rig revisited (HN)	<a href="#">29.2 W3RMD</a>		70	<a href="#">Jan 90</a>
Ezy tune, HW-5400 (HN)	<a href="#">15 AB4DP</a>		70	<a href="#">Jan 90</a>
Two in one: trace doubler for CRO, and square wave and pulse generator (HN)	<a href="#">13 Short circuit</a>		26	<a href="#">Jan 90</a>
Elmer's Notebook: elementary electronics- exploring resistance	<a href="#">5 W1SL</a>		92	<a href="#">Jan 90</a>
Computerizing Smith Chart Network Analysis	<a href="#">1.1 Short circuit</a>		10	<a href="#">Jan 90</a>
75-Hz wide audio filter	<a href="#">2 W2OBJ</a>		14	<a href="#">Jan 90</a>
TV to 2-meter antenna conversion (Weekender)	<a href="#">1.3 N4FQO</a>		23	<a href="#">Jan 90</a>
PV-4 on Your Commodore	<a href="#">1.2 Short circuit</a>		64	<a href="#">Jan 90</a>
Practically Speaking: review of a low cost commercial spectrum analyzer	<a href="#">13 K4IPV</a>		64	<a href="#">Feb 90</a>
Understanding over-the-horizon radar	<a href="#">15 NU1N</a>		9	<a href="#">Feb 90</a>
Backscatter: somewhere over the horizon (radar, that is)	<a href="#">7 NX1G</a>		4	<a href="#">Feb 90</a>
Handy ante switch (Weekender)	<a href="#">15 W4E1N</a>		18	<a href="#">Feb 90</a>
A deep notch resonant filter	<a href="#">2 W0THM</a>		63	<a href="#">Feb 90</a>
Switchable bandwidth crystal filter	<a href="#">8 N2DCH</a>		22	<a href="#">Feb 90</a>
Ham Radio Techniques: The MN analysis program, (that was then, this is now)	<a href="#">27 W6SAI</a>		34	<a href="#">Feb 90</a>
Effective noise temperature, part 1: introduction and background	<a href="#">15 Michael Gruchalla</a>		58	<a href="#">Feb 90</a>
Personal message center	<a href="#">15 AA4NX</a>		44	<a href="#">Feb 90</a>
Ham Radio Techniques: The MN analysis program, (that was then, this is now)	<a href="#">1.1 W6SAI</a>		34	<a href="#">Feb 90</a>
Junkbox variable crystal oscillator (Weekender)	<a href="#">18 W3RMD</a>		72	<a href="#">Feb 90</a>
Switchable bandwidth crystal filter	<a href="#">15 N2DCH</a>		22	<a href="#">Feb 90</a>
TH3 junior drooping, stop your (HN)	<a href="#">1.2 VK6SY</a>		30	<a href="#">Feb 90</a>
Elmer's Notebook: elementary electronics- capacitors	<a href="#">5 W1SL</a>		90	<a href="#">Feb 90</a>
Inexpensive half-wave 2-meter mobile antenna	<a href="#">1.3 WE7C</a>		32	<a href="#">Feb 90</a>
Microwaves	<a href="#">31.5 KA1GT</a>		20	<a href="#">Feb 90</a>
DX Forecaster: receiving DX beacons	<a href="#">21 K0RYW</a>		96	<a href="#">Feb 90</a>
HT mobile companion	<a href="#">17 K6JM</a>		74	<a href="#">Feb 90</a>

Simple circuit prevents amplifier control relay failure (HN)	<a href="#">15 NO7G</a>	30	<a href="#">Feb 90</a>
DX Forecaster: spring frequency changes	<a href="#">21 K0RYW</a>	85	<a href="#">Mar 90</a>
Build your own supercharger	<a href="#">20 K3OF</a>	22	<a href="#">Mar 90</a>
Digital voice storage in the ham shack	<a href="#">6 WA4ADG</a>	56	<a href="#">Mar 90</a>
HF mobile antennas, another look at (Weekender)	<a href="#">1.2 W5FG</a>	12	<a href="#">Mar 90</a>
Build your own supercharger	<a href="#">15 K3OF</a>	22	<a href="#">Mar 90</a>
Microwaves: laser communication systems	<a href="#">31.5 KA1GT</a>	18	<a href="#">Mar 90</a>
Updating the Viking MB-VA antenna tuner (HN)	<a href="#">1.4 VE7GWO</a>	43	<a href="#">Mar 90</a>
LED millivoltmeter (Weekender)	<a href="#">13 W0JF</a>	82	<a href="#">Mar 90</a>
Effective noise temperature, part 2: equivalent noise temperature and NF	<a href="#">15 Michael Gruchalla</a>	33	<a href="#">Mar 90</a>
Ultra Low Power Four-digit Sequence Touch Tone Decoder	<a href="#">5 Short circuit</a>	87	<a href="#">Mar 90</a>
Ham Radio Techniques: 160-meter antenna problems and solutions	<a href="#">1.2 W6SAI</a>	49	<a href="#">Mar 90</a>
Ultra Low Power Four-digit Sequence Touch Tone Decoder	<a href="#">6 Short circuit</a>	87	<a href="#">Mar 90</a>
Practically Speaking: analog meter movements: how to use them	<a href="#">13 K4IPV</a>	68	<a href="#">Mar 90</a>
Updating the Viking MB-VA antenna tuner (HN)	<a href="#">3 VE7GWO</a>	43	<a href="#">Mar 90</a>
RF current loop (HN)	<a href="#">1.4 K9PIQ</a>	42	<a href="#">Mar 90</a>
Understanding computer-generated RFI	<a href="#">15 NU1N</a>	75	<a href="#">Mar 90</a>
Skywave communications	<a href="#">21 WB3JZO</a>	9	<a href="#">Mar 90</a>
Backscatter: amateur radio growth?	<a href="#">7 W6SAI</a>	4	<a href="#">Mar 90</a>
Outstanding 144-MHz EME achievement	<a href="#">31.1 K8BZW</a>	79	<a href="#">Apr 90</a>
Elmer's Notebook: elementary electronics- inductors and AC	<a href="#">5 W1SL</a>	84	<a href="#">Apr 90</a>
Skywave communications, part 2	<a href="#">21 WB3JZO</a>	60	<a href="#">Apr 90</a>
Maritime mobiles need simple rigs and good installations	<a href="#">17 WB6VPX</a>	9	<a href="#">Apr 90</a>
Practically Speaking: some analog meter applications	<a href="#">13 K4IPV</a>	36	<a href="#">Apr 90</a>
Understanding over-the-horizon radar	<a href="#">15 Comments, AG4R</a>	6	<a href="#">Apr 90</a>
Ham Radio Techniques: the Yagi optimizer	<a href="#">1.3 W6SAI</a>	68	<a href="#">Apr 90</a>
220-mhz receiving adapter (Weekender)	<a href="#">31.3 K1ZJH</a>	20	<a href="#">Apr 90</a>
Kenwood TS-530S, more RIT/XIT for the (HN)	<a href="#">3 WB4EHS</a>	58	<a href="#">Apr 90</a>
DX Forecaster: DX propagation software	<a href="#">21 K0RYW</a>	88	<a href="#">Apr 90</a>
Backscatter: life, liberty, and the right to privacy	<a href="#">7 NX1G</a>	4	<a href="#">Apr 90</a>
Superdischarger (Weekender)	<a href="#">20 K3OF</a>	73	<a href="#">Apr 90</a>
Microwaves: optical receiver	<a href="#">31.5 KA1GT</a>	14	<a href="#">Apr 90</a>
Digital signal processing, part 1: the fundamentals	<a href="#">6 NU1N</a>	24	<a href="#">Apr 90</a>
Instrumentation series: oscilloscopes	<a href="#">13 K7OWJ</a>	49	<a href="#">Apr 90</a>
Design curves for loudness-compensated volume controls	<a href="#">15 Tseng Liao</a>	30	<a href="#">May 90</a>
The bi-square array	<a href="#">1.1 N4LBJ</a>	42	<a href="#">May 90</a>
The Gottingen heart antenna	<a href="#">1.2 K3OQF</a>	11	<a href="#">May 90</a>
DX Forecaster: 1989 DX propagation conditions	<a href="#">21 K0RYW</a>	82	<a href="#">May 90</a>
Backscatter: for sale: the 20-meter amateur band ...	<a href="#">7 NX1G</a>	4	<a href="#">May 90</a>
Rotatable trap dipole for 12 and 17 meters	<a href="#">1.2 KD9SV</a>	22	<a href="#">May 90</a>
Elmer's Notebook: elementary electronics- alternating current and capacitors	<a href="#">5 W1SL</a>	67	<a href="#">May 90</a>
Build your own supercharger	<a href="#">20 Short circuit</a>	78	<a href="#">May 90</a>
Digital voice storage in the ham shack	<a href="#">6 Short circuit</a>	81	<a href="#">May 90</a>
Inexpensive triband mobile antenna (Weekender)	<a href="#">1.2 AD5X</a>	62	<a href="#">May 90</a>
Build your own supercharger	<a href="#">15 Short circuit</a>	78	<a href="#">May 90</a>
Skywave communications, part 3	<a href="#">21 WB3JZO</a>	34	<a href="#">May 90</a>
Digital field strength meter	<a href="#">13 N4TMI</a>	30	<a href="#">May 90</a>

Understanding over-the-horizon radar	<a href="#">15 Comments, AD1G</a>	9	<a href="#">May 90</a>
Ham Radio Techniques: May perambulation	<a href="#">7 W6SAI</a>	56	<a href="#">May 90</a>
Practically Speaking: potpourri	<a href="#">15 K4IPV</a>	71	<a href="#">May 90</a>
Nonresonant delta and V beam antennas	<a href="#">1.2 KL7ISA</a>	49	<a href="#">May 90</a>
The bi-square array	<a href="#">1.2 N4LBJ</a>	42	<a href="#">May 90</a>
Helical whip for RV and mobile use (Weekender)	<a href="#">1.2 W0BHG</a>	24	<a href="#">May 90</a>
Microwaves: feedback	<a href="#">31.5 KA1GT</a>	18	<a href="#">May 90</a>
Inexpensive SSB for 10 meters	<a href="#">26 AD5X</a>	30	<a href="#">Jun 90</a>
The series section transformer	<a href="#">1.4 W7XC</a>	55	<a href="#">Jun 90</a>
Antenna tuner with a new twist (Weekender)	<a href="#">1.4 W7CSD</a>	59	<a href="#">Jun 90</a>
Ground-mounted vertical antennas	<a href="#">1.2 W7DHD, K3BN</a>	11	<a href="#">Jun 90</a>
DX Forecaster: summer short skip signals	<a href="#">21 K0RYW</a>	73	<a href="#">Jun 90</a>
Elmer's Notebook: elementary electronics- wrapping up AC theory	<a href="#">5 W1SL</a>	63	<a href="#">Jun 90</a>
Phasometer (Weekender)	<a href="#">1.4 K9MLD, K9PIQ</a>	28	<a href="#">Jun 90</a>
Practically Speaking: safety standdown for those who service ham gear	<a href="#">10 K4IPV</a>	48	<a href="#">Jun 90</a>
Microwaves: microwave basics	<a href="#">31.5 KA1GT</a>	22	<a href="#">Jun 90</a>
Precision crystal frequency checker (Weekender)	<a href="#">13 N4TMI</a>	44	<a href="#">Jun 90</a>
Varactor diodes from rectifiers	<a href="#">25 W6WTU</a>	40	<a href="#">Jun 90</a>
Cleaning electronic hardware (HN)	<a href="#">15 WA1FHB</a>	57	<a href="#">Jun 90</a>
More on elevated radials: HH Beverage's 1921 Counterpoise System (HN)	<a href="#">1.1 W6VX</a>	57	<a href="#">Jun 90</a>
Precision crystal frequency checker (Weekender)	<a href="#">18 N4TMI</a>	44	<a href="#">Jun 90</a>
Backscatter: no new novices? no way!	<a href="#">7 W9JUV</a>	9	<a href="#">Jun 90</a>
Diversity reception of HF digital communication	<a href="#">21 WM6P</a>	67	<a href="#">Jun 90</a>
Ham Radio Techniques: WARC 1992	<a href="#">7 W6SAI</a>	35	<a href="#">Jun 90</a>