

January, 1962

50 Cents


65c in Canada

QST

devoted entirely to

amateur

radio




AMATEUR SATELLITE "OSCAR" ON 145 MC.



PIONEERS IN
MINIATURIZATION

"S" SERIES

AUDIO & POWER TRANSFORMERS & REACTORS For Complete Ham Systems



Power Transformer
Miniature Components

Power Reactors
Miniature Components

Power Transformer
Miniature Components

These transformers and reactors are designed for use in ham radio systems. They are available in a variety of sizes and power ratings. The transformers are available in both air-core and iron-core designs. The reactors are available in both air-core and iron-core designs. All components are built to meet the highest standards of reliability and performance.

Write for literature today—
Circle 111 on Reader Service




UNITED TRANSFORMER CORP.

100 West 11th Street, New York 7, N.Y.

AMERICAN ELECTRIC COMPANY, INC. - HARRIS ELECTRONIC INDUSTRIES - GIBSON ELECTRIC - GIBSON ELECTRIC - GIBSON ELECTRIC

R-47 Speaker HA-4 Keyer
HT-32B Transmitter SX-115 Receiver HT-33B Linear Amplifier




The new ideas
in communications
are born at

hallicrafters

Chicago 24, Illinois

Export Sales: International Division, Raytheon Mfg. Co., Waltham
Mass. Canada: Gould Sales Co., Montreal, P.Q.

AUTHORIZED DISTRIBUTOR



Look for this trademark . . . as modern as the amateur equipment it signifies. Look for the authorized Collins distributors displaying it. They are hand-picked as the finest in the land.

ALABAMA

Birmingham—Ack Radio Supply Co.

ALASKA

Anchorage—Yukon Radio Supply, Inc.

ARIZONA

Phoenix—Southwest Electronic Devices
Tucson—Elliott Electronics, Inc.

ARKANSAS

DeWitt—Ed Moory's Radio & Appliance Co.
Texarkana—Lavender Supply Co.

CALIFORNIA

Burbank—Valley Electronic Supply Co.
Burlingame—Amrad Supply, Inc.
Long Beach—Scott Radio Supply, Inc.
Los Angeles—Henry Radio, Inc.
Radio Product Sales, Inc.

Oakland—Elmar Electronics

Riverside—Mission Ham Supplies
San Diego—Western Radio & TV Supply Co.
San Francisco—Amrad Supply, Inc.
San Jose—Quement Industrial Electronics

COLORADO

Denver—Radio Products Sales Co.

CONNECTICUT

Hartford—Corky's Division-Hatry Electronics
New Haven—Radio Shack Corp. of Connecticut

DELAWARE

Wilmington—Willard S. Wilson, Inc.

DISTRICT OF COLUMBIA

Washington—Electronic Wholesalers, Inc.

FLORIDA

Miami—Amateur Radio Center, Inc.
Electronic Wholesalers, Inc.
Pensacola—Grice Electronics, Inc.
Tampa—Kinkade Radio Supply, Inc.

GEORGIA

Atlanta—Ack Radio Supply Co.
Specialty Distributing Co., Inc.

HAWAII

Honolulu—Honolulu Electronics

IDAHO

Boise—Robbie's Radio & TV, Inc.

ILLINOIS

Chicago—Allied Radio Corp.
Newark Electronics Corporation
Peoria—Klaus Radio & Electric Company

INDIANA

Fort Wayne—Brown Electronics, Inc.
Indianapolis—Graham Electronics Supply, Inc.
South Bend—Radio Distributing Co., Inc.

IOWA

Council Bluffs—World Radio Laboratories, Inc.
Des Moines—Bob and Jack's, Inc.
Radio Trade Supply Co.

LOUISIANA

New Orleans—Radio Parts, Inc.

MARYLAND

Wheaton—Uncle George's Radio Ham Shack
Division, Electronics Distributors, Inc.

MASSACHUSETTS

Boston—DeMambo Radio Supply, Inc.
Radio Shack Corp.
Reading—Granham Radio, Inc.

MICHIGAN

Ann Arbor—Purchase Radio Supply
Detroit—M. N. Duffy & Co.
Radio Supply & Engineering
Kalamazoo—Warren Radio Company

MINNESOTA

Minneapolis—Electronic Center, Inc.
Lew Bonn Company

MISSOURI

Butler—Henry Radio Company
Kansas City—Burststein-Applebee Co.
St. Louis—Walter Ashe Radio Company

NEW HAMPSHIRE

Concord—Evans Radio

NEW JERSEY

Mountainside—Federated Purchaser, Inc.
Newark—Hudson Radio & Television Corp.
of New Jersey

NEW YORK

Albany—Ft. Orange Radio Distributing Co., Inc.
Amsterdam—Adirondack Radio Supply
Buffalo—Genessee Radio & Parts Co., Inc.
New York—Harrison Radio Corporation
Harvey Radio, Inc.

NORTH CAROLINA

Asheville—Frack Radio & Supply Co.
Winston-Salem—Dalton-Hege Radio Supply Co., Inc.

OHIO

Cincinnati—Steinberg's Inc.
Cleveland—Pioneer Electronic Supply Co.
Columbus—Universal Service
Dayton—Custom Electronics, Inc.
Toledo—Selectronic Supplies, Inc.

OKLAHOMA

Tulsa—Radio, Inc.

OREGON

Portland—Portland Radio Supply Co.

PENNSYLVANIA

Philadelphia—Radio Electric Service
Company of Pa., Inc.
Pittsburgh—Cameradio Company

RHODE ISLAND

Providence—W. H. Edwards Company

SOUTH CAROLINA

Charleston—Wholesale Radio Supply Co.
Columbia—Dixie Radio Supply

SOUTH DAKOTA

Watertown—Burghardt Radio Supply

TENNESSEE

Memphis—W. & W. Distributing Company
Nashville—Electra Distributing Company

TEXAS

Abilene—Howard Radio Company
Austin—Hargis-Austin, Inc.
Corpus Christi—Electronic Equipment &
Engineering Co.
Dallas—All State Electronics, Inc.
Amateur Electronics, Inc.
Grabtree's Wholesale Radio
El Paso—McNicol, Inc.
Houston—Busacker Electronic Equipment Co., Inc.
San Antonio—Radio & Television Parts Co.

WASHINGTON

Everett—Frimole Radio Wholesale Company
Seattle—C & G Radio Electronics Co.
Spokane—Northwest Electronics Distributors
Tacoma—C & G Radio Electronics Co.

WISCONSIN

Fond du Lac—Harris Radio Corporation
Madison—Salterfield Electronics, Inc.
Milwaukee—Amateur Electronic Supply

PUBLISHED, MONTHLY, AS ITS OFFICIAL ORGAN, BY THE AMERICAN RADIO RELAY LEAGUE, INC., WEST HARTFORD, CONN., U. S. A.; OFFICIAL ORGAN OF THE INTERNATIONAL AMATEUR RADIO UNION

STAFF

JOHN HUNTOON, W1LVO
Editor

RICHARD L. BALDWIN, W1IKE
Managing Editor

GEORGE GRAMMER, W1DF
Technical Editor

DONALD H. MIX, W1TS
BYRON GOODMAN, W1DX
Assistant Technical Editors

EDWARD P. TILTON, W1HDQ
V.H.F. Editor

LEWIS G. McCOY, W1ICP
E. LAIRD CAMPBELL, W1CUT
Technical Assistants

ROD NEWKIRK, W9BRD
Contributing Editor, DX

ELEANOR WILSON, W1QON
Contributing Editor, YLs

SAM HARRIS, W1FZJ
HELEN HARRIS, W1HOY
Contributing Editors, V.H.F.

LORENTZ A. MORROW, W1VVG
Advertising Manager

EDGAR D. COLLINS
Advertising Assistant

DAVID H. HOUGHTON
Circulation Manager

J. A. MOSKEY, W1JMY
Assistant Circulation Manager

OFFICES

38 La Salle Road
West Hartford 7, Connecticut
TEL.: ADams 6-2535

Subscription rate in United States and Possessions, \$5.00 per year, postpaid; \$5.25 in the Dominion of Canada, \$6.00 in all other countries. Single copies, 50 cents. Foreign remittances should be by international postal or express money order or bank draft negotiable in the U. S. and for an equivalent amount in U. S. funds.

Second-class postage paid at Hartford, Conn. and at additional mailing offices.

Copyright 1961 by the American Radio Relay League, Inc. Title registered at U. S. Patent Office. International copyright secured. All rights reserved. Quedan reservados todos los derechos. Printed in U. S. A.

INDEXED BY
Applied Science and Technology
Index
Library of Congress Catalog
Card No.: 21-9421

—CONTENTS—

TECHNICAL —

Six-Meter S.S.B., the Simple Way <i>Roger P. Ries, K0IAX/9</i>	11
The OCO Audio Filter... <i>Harry J. Gensler, jr., K8OCO</i>	16
A High-Performance Tuner for V.H.F. Converters <i>Alan T. Margot, W6FZA</i>	30
Close-Spacing the W3QEF Quad <i>Irvin D. Kridler, W7BTB</i>	35
The Feasibility of Amateur Space Communication <i>Raphael Soifer, K2QBW</i>	42
More on the Electromonimeter <i>Ernest H. Adolph, K8WYU</i>	47
Recent Equipment: Heath Pawnee 2-Meter Transceiver Kit Model HW-20	50
A 160-Meter Converter for 80-Meter Receiver <i>Philip E. Hatfield, W9GFS</i>	55
New Apparatus: Jackson Brothers Ball Drive Dial.....	37
Twirl-Con—An Aid to Neater Wiring.....	54
RCA Power-Line Monitor.....	57
New Baseless Tube Design.....	65

BEGINNER & NOVICE —

Choosing An Antenna..... <i>L. G. McCoy, W1ICP</i>	25
--	----


OPERATING —

1962 ARRL International DX Competition.....	20
1962 ARRL Countries List.....	22
Annual ARRL Novice Roundup Competition.....	24

GENERAL —

Paul M. Segal — A Tribute.....	40
Protect That Invention..... <i>Karl B. Keller, K3QVT</i>	63

"It Seems to Us . . .".....	9	Happenings of the Month....	60
Our Cover.....	10	World Above 50 Mc.....	66
Coming Conventions.....	10	How's DX?.....	70
Hamfest Calendar.....	10	Correspondence from Members	76
Twenty-five Years Ago in QST	19	Operating News.....	78
Hints and Kinks.....	38	With the AREC.....	81
Silent Keys.....	46	Station Activities.....	90
YL News and Views.....	58	Index to Advertisers.....	166



NEW EIMAC TWT COVERS THREE BANDS!

Eimac's new EM-1060 TWT will operate in X-band. And C-band. *And* S-band. In fact, it's the only TWT available today with such a wide frequency range—2.5 to 11 Gc! And in all three bands, it provides a nominal output power of one watt and a gain of over 30db. It's just one of the many new advanced TWT's coming your way from Eimac. For more information write: Microwave Marketing, Eitel-McCullough, Inc., San Carlos, California.




Use



and know where you are!!


No matter where you use them...in SSB exciters... receivers...AM or CW transmitters...in CB transceivers ... wherever circuits call for crystals...PRs are **OUTSTANDING!**



Z-2

With PR Crystals you are **ALWAYS SURE** of—


- Accuracy
- Dependability
- High Activity
- Low Drift
- Unconditional Guarantee



Z-9A

Since 1934, PR Crystals have been the Standard of Quality for Amateurs and Commercials alike. PR Crystals are used in many fields where split-second timing, precision and dependability are vital. They are used in tracking stations of the satellite and missile program, and in many other high precision types of equipment.

And of course PRs are in the rigs of thousands of proud Amateurs. If you are not already using PR Crystals, get them now from your jobber. PRs will give you the finest precision frequency control that money can buy!



Z-9R

FUNDAMENTAL, PR TYPE Z-2 — Frequency Ranges in Kcs.: 3,500 to 4,000 (80M); 7,000 to 7,425 (40M); 8,000 to 8,222 (2M); 8,334 to 9,000 (6M). ± 500 Cycles.....\$2.95 Net
(All Z-2 Crystals calibrated with a load capacity of 32 mmfd.)

Third Overtone, PR Type Z-9A, 24,000 ± 3 Kc.\$3.95 Net
6 Meters, Fifth Overtone, PR Type Z-9A, 50 to 54 Mc., ± 15 Kc., ...\$4.95 Net

Citizens Band, PR Type Z-9R, .005%\$2.95 Net

Standard of Quality since 1934
PETERSEN RADIO COMPANY, INC.
 2800 W. BROADWAY • COUNCIL BLUFFS, IOWA

EXPORT SALES: Royal National Corporation, 250 W. 57th Street, New York 19, N. Y., U. S. A.

Section Communications Managers of the ARRL Communications Department

Reports Invited. All amateurs, especially League members, are invited to report station activities on the first of each month (for preceding month) direct to the SCM, the administrative ARRL official elected by members in each Section. Radio club reports are also desired by SCMs for inclusion in *QST*. **ARRL Field Organization station appointments** are available in areas shown to qualified League members holding Canadian or FCC amateur license, General or Conditional Class or above. These include QRS, QES, OPS, OO and OBS. SCMs desire applications for SEC, EC, RM and PAM where vacancies exist. QES, v.h.f. bands appointment, is available to Technicians and Novice, as well as to full-privilege amateur licensees.


ATLANTIC DIVISION				
Eastern Pennsylvania Maryland-Delaware-D. C. Southern New Jersey Western New York Western Pennsylvania	W3ZRQ W3JZY K2BG K2HUK W3UIN	Allen R. Breiner Andrew H. Abraham Herbert C. Brooks Charles T. Hansen Anthony J. Mroczka	212 Race St. RFD 1 500 Lincoln Ave. 211 Rosemont Drive 475-5th St.	Tamaqua Smithsburg, Md. Palmyra Buffalo 26 Donora
CENTRAL DIVISION				
Illinois Indiana Wisconsin	W9PRN W9FVH K9GSC	Edmond A. Metzger Donald L. Holt Kenneth A. Ebnetter	1520 South 4th St. 1312 East 28th St. 822 Watouna Trail	Springfield Anderson Portage
DAKOTA DIVISION				
North Dakota South Dakota Minnesota	W0HYA W0RAN W0KJZ	Harold A. Wengel J. W. Sikorski Mrs. Lydia S. Johnson	146-6th Ave. 1900 S. Meida Ave. 1258 Van Buren St.	Williston Sioux Falls St. Paul 4
DELTA DIVISION				
Arkansas Louisiana Mississippi Tennessee	K5CIR W5FMO W5MUG W4TUG	Odia L. Musgrove Thomas J. Morgavi Floyd C. Teetson R. W. Ingraham	1321 W. Baraque Ave. 3409 Beaulieu St. 2469 Paden 105 West Park Drive	Pine Bluff Metairie Jackson 4 Kingsport
GREAT LAKES DIVISION				
Kentucky Michigan Ohio	W4BEW W8PN W8AL	Elmer G. Leachman Ralph P. Therreau Wilson E. Weckel	P. O. Box 406 27209 W. Six Mile Road 2118 Tuscarawas St., W.	Ashland Detroit Canton 8
HUDSON DIVISION				
Eastern New York N. Y. C. & Long Island Northern New Jersey*	W2EFU W2OBU W2APY	George W. Tracy George V. Cooke, Jr. Daniel H. Barley	1138 North Country Club Drive 3 Daisy Lane 216 Grove Ave.	Schenectady Commack Metuchen
MIDWEST DIVISION				
Iowa Kansas Missouri Nebraska	W0NTB W0PNS W0BUL W0EXP	Dennis Burke Raymond E. Baker C. O. Gosh Charles E. McNeel	1418 Douglas Ave. 1014 Lincoln St. 711 E. Oakland St. Route 3, RFD	Ames Neodesha Webb City North Platte
NEW ENGLAND DIVISION				
Connecticut Maine Eastern Massachusetts Western Massachusetts New Hampshire Rhode Island Vermont	W1CHR W1BK B W1ALP W1BVR W1HQ K1AAV W1EIB	Henry B. Sprague, jr. Albert C. Hedges Frank L. Baker, jr. Percy C. Noble Ellis P. Miller John E. Johnson Miss Harriet Proctor	Cartbridge Rd. 370 Capitol St. 91 Atlantic St. 8 St. Dennis St. Box 395 30 Fruit St. P. O. Box 9	Weston Portland North Quincy 71 Westfield Wolfeboro Pawtucket East Middlebury
NORTHWESTERN DIVISION				
Alaska Idaho Montana Oregon Washington	KL7DG W7CGV W7SPK W7AJN W7PGY	John P. Trent Mrs. Helen M. Mallett Ray Woods Everett H. France Robert B. Thurston	P. O. Box 82 Route 1, South 3335 S.E. 116th Ave. 7700-31st Ave., N.E.	Kollak Pocatello Brady Portland Seattle 15
PACIFIC DIVISION				
Hawaii Nevada Santa Clara Valley East Bay San Francisco Sacramento Valley San Joaquin Valley	KH6DVG W7VIU K6DJX W6OJW W6BIP W6BTY W6JPT	John E. Montague Charles A. Rhines W. Conley Smith B. W. Southwell Wilbur E. Bachman George R. Hudson Ralph Saroyan	1108 Kukula Place 40X 1025 67 Cuesta Vista Drive 200 North Seventh St. 880 Dartmouth St. 2200 Meer Way 6204 E. Townsend Ave.	Honolulu Elko Monterey Dixon San Francisco 2 Sacramento Fresno
ROANOKE DIVISION				
North Carolina South Carolina Virginia West Virginia	W4RRH W4GGV W4QDY W8JM	R. Riley Bowler Dr. J. O. Dunlap Robert L. Follmar Donald B. Morris	Box 143 P. O. Box 447 1057 Dune St. 1111 Alexander Place	Morganton Rock Hill Norfolk 3 Fairmont
ROCKY MOUNTAIN DIVISION				
Colorado Utah New Mexico Wyoming	W0NIT W7QWH K5IQL W7AMU	Donald S. Middleton Thomas H. Miller Newell F. Greene L. D. Branson	920 West Adams St. 1255 East 17th St. P.O. Box 406 342 South Elk	Pueblo Salt Lake City 5 Dexter Casper
SOUTHEASTERN DIVISION				
Alabama Eastern Florida Western Florida Georgia West Indies (P.R.-V.L.)	K4PEH K48JH W4RKH W4CFB KP4DJ	Harvell V. Tilley Albert L. Hamei Frank M. Butler, jr. William E. Kennedy William Werner	RFD 1, Box 10 1300 N. E. 42nd St. 494 Elliott Rd. 1893 Gateway Hill Drive, S.E. 563 Ramon Lovot	Fithelsville Pompano Beach Fort Walton Beach Atlantic 17 Orl. Truman Rio Piedras, P. R. Balboa
SOUTHWESTERN DIVISION				
Los Angeles Arizona San Diego Santa Barbara	W6JGB W7QZH W6LRU K6CVR	Albert F. Hill, jr. Kenneth P. Cole Don Stansifer Robert A. Hemke	861 No. Millard Ave. 1132 North 18th Ave. 4427 Pescadero 728 W. Mission	Rialto Phoenix San Diego 7 Santa Barbara
WEST GULF DIVISION				
Northern Texas Oklahoma Southern Texas	W5BNG W5DRZ W5QEM	L. L. Harbin Adrian V. Rea Roy K. Eggleston	4515 Culmont Box 33 1109 Vernon Drive	Fort Worth 7 Ketchum Corpus Christi
CANADIAN DIVISION				
Maritime Ontario Quebec	VE1WB VE3NG VE2DR	D. E. Weeks Richard W. Roberts C. W. Skarstedt	170 Norton Ave. 62 St. Johns Rd.	Harvey Station, N. B. Willowdale, Toronto, Ont. Pointe Claire Montreal 33, P. Q. N. Lethbridge, Alta. Vancouver 8, B. C. Winnipeg Regina
Alberta British Columbia Manitoba Saskatchewan	VE8TG VE7FB VE4JY VE5H1	Harry Harrold H. E. Savage M. S. Watson Jack Robinson	1834-5th Ave. 4533 West 12th Ave. 249 Larnak St. 4327 Elgin Rd.	

* Official appointed to act temporarily in the absence of a regular official

BROADBAND TRANSMITTING COUPLING TRANSFORMERS


TMC MODELS

TRC-20K TRC-5K




REQUEST
BULLETIN
8015

TRC-5K



TRC-20K



TMC's Model TRC-20K and TRC-5K are recent additions to a family of broadband RF transformers that provide coupling of RF energy from 250 watts average to 40 kw peak power with insertion loss of less than 1 db, and VSWR not exceeding 2:1.

Models TRC-5K and TRC-20K provide efficient impedance match over the frequency range of 2 to 28 megacycles between 50 and 600 ohms or 70 and 600 ohms, and are housed in fiberglass reinforced cases for operation in any ambient environment from -50°C to $+75^{\circ}\text{C}$.

Spark gaps provide protection against static electricity on the antenna as well as against lightning discharge. These units are provided with either wall or pole mount and may be mounted in isolated places, such as an antenna field, since they require no maintenance. A wide variety of RF fittings can be provided to match any standard transmission system.

THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

and Subsidiaries

OTTAWA, CANADA • ALEXANDRIA, VIRGINIA • GARLAND, TEXAS • LA MESA, CALIFORNIA • POMPANO BEACH, FLORIDA

THE AMERICAN RADIO RELAY LEAGUE, INC.,

is a noncommercial association of radio amateurs, bonded for the promotion of interest in amateur radio communication and experimentation, for the relaying of messages by radio, for the advancement of the radio art and of the public welfare, for the representation of the radio amateur in legislative matters, and for the maintenance of fraternalism and a high standard of conduct.

It is an incorporated association without capital stock, chartered under the laws of Connecticut. Its affairs are governed by a Board of Directors, elected every two years by the general membership. The officers are elected or appointed by the Directors. The League is noncommercial and no one commercially engaged in the manufacture, sale or rental of radio apparatus is eligible to membership on its board.

"Of, by and for the amateur," it numbers within its ranks practically every worth-while amateur in the nation and has a history of glorious achievement as the standard-bearer in amateur affairs.

Inquiries regarding membership are solicited. A bona fide interest in amateur radio is the only essential qualification; ownership of a transmitting station and knowledge of the code are not prerequisite, although full voting membership is granted only to licensed amateurs.

All general correspondence should be addressed to the administrative headquarters at West Hartford, Connecticut.



Past Presidents

HIRAM PERCY MAXIM, WIAW, 1914-1936
EUGENE C. WOODRUFF, W8CMP, 1936-1940
GEORGE W. BAILEY, W2KH, 1940-1952

Officers

President GOODWIN L. DOSLAND, W0TSN
Moorhead, Minnesota

First Vice-President WAYLAND M. GROVES, W5NW
P.O. Box 586, Odessa, Texas

Vice-President FRANCIS E. HANDY, W1BDI
38 La Salle Road, West Hartford, Connecticut

Vice-President ALEX REID, VE2BE
240 Logan Ave., St. Lambert, P. Q., Canada

Secretary JOHN HUNTOON, W1LVQ

Treasurer DAVID H. HOUGHTON
38 La Salle Road, West Hartford, Connecticut

• • • • •

Secretary & General Manager Emeritus . A. L. BUDLONG, W1BUD

• • • • •

General Manager JOHN HUNTOON, W1LVQ

Communications Manager FRANCIS E. HANDY, W1BDI

Technical Director GEORGE GRAMMER, W1DF

Assistant Secretaries PERRY F. WILLIAMS, W1UED
GEORGE STEVANS, JR., K1LW RAYMOND HIGGS, W6OGI/1
38 La Salle Road, West Hartford, Connecticut

• • • • •

General Council ROBERT M. BOOTH, JR., W3PS
1735 DeSales Str., N. W., Washington 6, D. C.

DIRECTORS

Canada

NOEL B. EATON VE3CJ
R. R. 3, Burlington, Ontario
Vice-Director: Colin C. Dumbrie VE2BK
116 Oak Ridge Drive, Baie d'Urfee, Quebec

Atlantic Division

GILBERT L. CROSSLEY W3YA
Dept. of E. E., Penna State University
State College, Pa.
Vice-Director: Edwin S. Van Deusen W3ECP
3711 McKinley St., N.W., Washington 15, D. C.

Central Division

JOHN G. DOYLE W9GPI
4331 N. Wildwood Ave., Milwaukee 11, Wis.
Vice-Director: Phillip E. Haller W9HPG
6000 S. Tripp Ave., Chicago 29, Ill.

Dakota Division

CHARLES G. COMITON W0BUO
1011 Fairmount Ave., St. Paul 5, Minn.
Vice-Director: Martha J. Shirley W0ZWL
Box 78, Black Hawk, S. D.

Delta Division

FLOYD C. TRIFTS, N. W5MUG
2469 Paden, Jackson 4, Miss.
Vice-Director: Graham H. Hicks W5HPD
100 Magnolia Place, Natchez, Miss.

Great Lakes Division

DANA E. CARTWRIGHT W8UPB
2979 Observatory Ave., Cincinnati 8, Ohio
Vice-Director: Robert B. Cooper W8AQA
132 Guild St., N.E., Grand Rapids 5, Mich.

Hudson Division

MORTON B. KAHN W2KR
22 Birch Hill Rd., Great Neck, N. Y.
Vice-Director: Harry J. Dannals W2TUK
RF 1, Arbor Lane, Dix Hills, Huntington, L. I.,
N. Y.

Midwest Division

ROBERT W. DENNISTON W0NWX
Box 631, Newton, Iowa
Vice-Director: Sumner H. Foster W0GQ
2315 Linden Dr., S.E., Cedar Rapids, Iowa

New England Division

MILTON E. CHAFFEE W1EFW
28 Reussner Rd., Southington, Conn.
Vice-Director: Bigelow Green W1EAL
12 Gloucester St., Boston 15, Mass.

Northwestern Division

R. REX ROBERTS W7CPY
837 Park Hill Drive, Billings, Mont.
Vice-Director: Robert B. Thurston W7PGY
7700 31st Ave. N.E., Seattle 15, Wash.

Pacific Division

HARRY M. ENGWICHT W6HC
770 Chapman, San Jose 26, Calif.
Vice-Director: Ronald G. Martin W6ZF
1573 Baywood Lane, Napa, Calif.

Roanoke Division

P. LANIER ANDERSON, JR. W4MWH
425 Maple Lane, Danville, Va.
Vice-Director: Joseph F. Abernethy W4AKC
768 Colonial Drive, Rock Hill, S. C.

Rocky Mountain Division

CARL L. SMITH W0BWJ
1070 Locust St., Denver 20, Colo.
Vice-Director: John H. Sampson, Jr. W7OCX
3618 Mount Ogden Drive, Ogden, Utah

Southeastern Division

JAMES P. BORN, JR. W4ZD
25 First Ave., N.E., Atlanta 17, Ga.
Vice-Director: Thomas M. Moss W4HYW
P.O. Box 20644, Municipal Airport Branch,
Atlanta 20, Ga.


Southwestern Division

RAYMOND E. MEYERS W6MLZ
Box E, San Gabriel, Calif.
Vice-Director: Howard F. Shepherd, Jr. W6QJW
127 South Citrus, Los Angeles 36, Calif.

West Gulf Division

ROEMER O. BEST W5QKF
P.O. Box 1656, Corpus Christi, Texas
Vice-Director: Ray K. Bryan W5UYQ
2117 S.W. 61st Terrace, Oklahoma City 19, Okla.

"It Seems to Us..."



THE YEAR IN REVIEW

LIKE many another year, 1961 had its ups and downs: its fast-paced drama — and its share of slow, drawn-out, hard work. All in all it was a good year — a year that amateurs can remember with pride.

To begin with, amateur radio entered the space age in '61 with well-laid plans, and the necessary hardware, for an amateur satellite complete with two-meter transmitter. The project, called OSCAR for Orbital Satellite Carrying Amateur Radio, will give amateurs throughout the world the opportunity to participate directly in space communications experimentation. The OSCAR package has been designed and built entirely by amateurs, and the project approved by Government authorities; at press time, all it required was a piggy-back ride on a U. S. satellite launch.

With efficiency born of necessity, and long hours of practice, radio amateurs in Texas, Louisiana and nearby states girded themselves against Hurricane Carla and provided, in many cases, the only communication available to some of the hardest-hit areas. Less spectacular, but just as important, were the hundreds of incidents, duly documented in *QST*, involving tornados, floods, sleet and snow storms, fires (particularly the California holocaust), accidents, and medical assistance for individuals in remote areas of this and foreign countries.

The Federal Communications Commission amended the amateur regulations, effective in August, to permit amateurs operating on or over the high seas to use the 14-Mc. band in addition to the 21- and 28-Mc. bands. Previously, the 14-Mc. band could be used by such stations only when they were within ITU Region II (roughly, the western hemisphere extended to include Hawaii). FCC also changed its rules to permit American citizens overseas to take the Conditional Class license examination, regardless of their lack of residence eligibility under other sections of the rules. On file with the FCC and awaiting decision are League petitions involving: slow-scan TV, RTTY dual-signing procedures, easier mobile logging, expansion of privileges in 1800-2000 kc., and a power increase for the 420-Mc. amateur band. New amateur license application forms 610 and 610-A were adopted, and the headaches of discontinued renewal

form 405A gradually disappeared. There was considerable talk of a license fee for all radio stations, but no specific proposal was made.

The U. S. ratified the 1959 Geneva Radio Regulations, the only change for amateurs involving an eventual shift of the 3500 *Mega-cycles* (3,500,000 kc.) band to its old location at 3300-3500 Mc. A bill was introduced by Senator Barry Goldwater, ex-6BPI, providing for U. S. reciprocal licensing privileges for amateurs, with action awaiting the 1962 session of Congress. Bolivia and the U. S. signed a third-party message traffic agreement. Canada consummated its first such agreement, with Venezuela, and we hope it is but the forerunner of many to come. Laos was removed from the list of "banned" countries for U. S. amateurs. For morale and recreation purposes, amateur radio was installed on the *S.S. Hope* (WSOLJ/MM and /PK) and was used to pass messages between the crew of that mercy vessel and their families as the hospital ship made its way around the world.

Back on the home front, there was steady growth both in the number of amateurs and members of the League. The ARRL Board of Directors held its annual meeting in Anaheim, California, the first away from Hartford since the Denver meeting in 1954. John Huntoon, W1LVQ, became the League's General Manager, upon the retirement of A. L. Budlong, WIBUD, after 37 years of service. In another administrative change, Paul M. Segal, General Counsel of the League since 1928, turned over his office to Robert M. Booth, jr., W3PS (see story page 40 of this issue). Slow but definite progress was made toward the eventual construction of a new Hq. office building.

John Chambers, W6NLZ, and Ralph E. Thomas, KH6UK, were jointly presented both the 1961 Edison award and the 1960 ARRL Merit Award for their California-Hawaii experiments with tropospheric propagation on the 141- and 220-Mc. amateur bands. A new "Cover Plaque" award was created for the author of the best article appearing in each issue of *QST*.

Activity increased in virtually every phase of amateur operation with the most dramatic growth in the v.h.f. region and less spectacu-

(Please turn the page)

lar but steady increases in the h.f. bands.

Rather than an expected drop in 50-Mc. activity resulting from the waning solar cycle, it appears that more stations than ever before are using this band. The 144- and 220-Mc. records seem to have kindled new interest in those frequencies, with a number of stations building and experimenting with 144-Mc. moonbounce. There is a good indication that u.h.f. and microwave experimentation is being taken up by an increasing number of technically qualified amateurs, and equipment for this work is gradually getting out of the entirely-surplus phase.

Two good indications of activity were the V.h.f. Sweepstakes, in which 1550 logs were returned (nearly as many as in the h.f. version of the same contest), and the June V.h.f. Party,

which broke all previous records for number of entries, geographical coverage, scores, section multiplier totals, and number of portable stations in the field.

On the h.f. bands participation was strong in all of the contests, with Field Day the most popular. Last year saw well over two million message handlings by the amateur fraternity. Nine new countries were added to the DXCC list and applications for the DXCC award and the WAS award remain at a high level. Nine states held Amateur Radio Week observances. Maine became the forty-sixth state and Newfoundland the seventh Canadian Province to issue amateur call letter license plates.

These are but a few of the highlights of 1961, a year of definite progress. May the record be even better in 1962! **QST**

OUR COVER

We sent our staff photographer aloft to get an asteroid's view of the first OSCAR (Orbital Satellite Carrying Amateur Radio) — signifying a new era in amateur radio: space communication. A year ago OSCAR was little more than a dream, but through the imagination and drive of a group of enthusiastic amateurs, and with ARRL backing, Government approval has made it a reality. We hope by now you'll be listening to the amateur satellite saying "HI" on 145 Mc., and that you'll send intercept reports (as outlined in previous QST articles — see index on page 190 of December) to Project OSCAR, Box 183, Sunnyvale, Calif.



California — All DXers are invited to attend the annual joint meeting of the Northern and Southern California DX Clubs, to be held at the Hacienda Hotel in Fresno on January 20 and 21. The program includes a cocktail party, a banquet, and a special DX breakfast. Present will be some of the country's greatest. For further info and for reservations, contact Frank Cuevas, W6AOA, 1030 West 93rd St., Los Angeles 44.

Don't forget to write. Who? Your Senators. Why? To support Senate Bill 2361. See pages 9 and 73 of October QST. This is the reciprocal licensing bill, gang.

COMING A.R.R.L. CONVENTIONS

- April 7-8 — New England Division, Swampscott, Massachusetts.
- April 13-14 — Michigan State, Grand Rapids, Michigan.
- May 19-20 — Roanoke Division, Roanoke, Virginia.
- June 1-3 — Southwestern Division, Anaheim, California.
- August 31-September 3 — ARRL National, Portland, Oregon.
- September 1-3 — Delta Division, New Orleans, Louisiana.
- October 13 — Hudson Division, New York, N. Y.

Strays




In the center, the new Chief MARS, Air Force—Capt. A. N. Cole, W4IYR. He is flanked by Major Sid Rexford, W2TBZ, Chief MARS Army, and Commander Al Kunz, K4NAA, Chief Amateur Liaison Branch, USN.

Anyone interested in a 40-meter Novice training net in the Texas-Arkansas-Oklahoma area please contact WN5AID, Box 65, Route 1, Hartford, Arkansas.

Here's the January schedule for the Air Force MARS Eastern Technical Net, meeting at 1900 GMT Sundays on 3295, 7540, and 15,715 kc.

- Jan. 7 — New Electron Tubes for the Modern Era.
- Jan. 14 — Thermionic Integrated Micro-Module Circuits for High Temperature Environments.
- Jan. 21 — Applications of Transistors.
- Jan. 28 — General Discussion of Semiconductor Devices.



The panel arrangement is based on a good r.f. layout rather than symmetry. The two knobs alongside the meter are for the final tank tuning (top) and loading. The control that looks like a toggle switch, below these knobs, is the tuning-slug screw for the amplifier grid tank. The knob at bottom center is the converter tuning control. The shaft bearing alongside it merely fills a hole representing a discarded idea. At the far left is the on-off switch in the power-supply circuit.

Six-Meter S.S.B., the Simple Way

The converter circuit discussed in this article is quite straightforward, and its output will drive a Class AB₁ amplifier of considerable size. Included also is a Class AB₂ amplifier of some 20 watts output, making a 6-meter setup suitable for practical communication. Any 14-Mc. s.s.b. exciter can be used to drive it.

Converting 14-Mc. S.S.B. to 50 Mc.

BY ROGER P. RIES,* KØIAX 9

IT is very easy to get on 6-meter s.s.b. without having to sacrifice performance, or too much cash. Shown in Fig. 1 is a circuit of a small converter which puts a solid 20 watts on the air. By suitable alterations to the output amplifier, power outputs ranging from 2 to over 100 watts may be had. The converter is easily driven by nearly any existing exciter.

The converter section proper consists of a 5763 mixer followed by a 12AX7 grounded-grid amplifier. Enough 50-Mc. energy is available at this point for local work, or to drive a pair of 6146s or even a 4-65A, if close attention is paid to efficiency. In the unit pictured, a 2E26 is used as a Class AB₂ amplifier. With this arrangement, ample power is available for local contacts and openings, and there is plenty of drive for a high-powered linear amplifier for scatter work. With the 2E26 tied to a simple three-element beam, I

*77 Lakeside Terrace, Urbana, Illinois.


have been able to work up to 150 miles quite consistently.

The input frequency of 14 Mc. was chosen for a number of reasons. It is high enough so that separating the desired 50-Mc. s.s.b. energy from the spurious mixer products is not too difficult a task. At the same time, 14 Mc. is one of the most clean and stable operating frequencies of the popular 9-Mc. phasing exciters. Last, but not least, nearly any commercial or home-brew s.s.b. exciter will be capable of operating on 14 Mc. with the necessary watt or two of output required to drive the converter.

The Circuit

The only unusual element in the circuit is the 12AX7 amplifier. It would probably be possible to drive the 2E26 directly from the 5763 mixer, eliminating the 12AX7 completely. However, the 12AX7 allows the mixer to operate at a low signal

The rear half of the chassis, which is 9 by 9 by 3 inches, is occupied by the power supply and voltage regulator. The r.f. wiring occupies the lower half of the chassis in this view. The dual-section variable capacitor is C_1 . The crystal-oscillator section is at the right; L_4 can be seen end on about half-way up the chassis. The mixer socket is near the lower edge, with L_1 (also end on) between it and C_1 . L_2 is to the left of the upper section of C_1 .



ting the output tank above the chassis and then arranging the other tanks under the chassis for adequate isolation. C_1 , if thoroughly grounded at both ends, will serve to separate L_1 and L_2 . Be sure to select a capacitor for C_1 which has a shield between the two sections.

A 6-Mc. crystal is recommended in this circuit because of its ruggedness. Although overtone crystals can be used, they seem to be more prone to drift in frequency as they become warm, especially when the amount of feedback is large. A normal 6-Mc. crystal will oscillate readily in this circuit and will be quite stable. The major disadvantage of using a 6-Mc. crystal seems to be loss of exact calibration. The writer tried about a dozen surplus crystals marked 6050 kc. and the mean output frequency was 36.100 Mc.; individual crystals varied within plus or minus 15 kc. of this frequency. A 5975-ke. crystal should cause the injection frequency to be reasonably close to 36.000 Mc., which would make the 14-Mc. calibration come out fairly close to the corresponding 50-Mc. points. Aside from this, either frequency will give coverage of the sideband frequencies normally used on 6 meters — 50.1 to 50.2 Mc.

Power Supply

The plate and screen power requirements for the converter section can easily be met by a supply delivering 200 to 250 volts at 75 ma. or so. The regulated 150 volts can be from a VR

tube which is part of the same supply. The 2E26 amplifier screen supply can be taken from the same source. The plate supplies should have good regulation from resting plate current to the full-input value.

Aside from these points no special design features are involved. The power supply used by the author was built around a salvaged TV transformer and powers both the converter and 2E26 amplifier. An electronic voltage regulator was incorporated to insure the stability of the lower B+ voltages, but this is an unnecessary refinement.

Bias is obtained from two 9-volt transistor batteries in series; this is slightly over the 15-volt bias recommended for AB₂ operation of the 2E26, but the bias is not highly critical. Other types of small batteries could be used. The principal point is that the bias voltage should not change when grid current flows; that is, a bias source of low internal resistance is needed.

Alignment

Once the unit is wired, it should be aligned using the following procedure: First, grid-dip all coils to the frequencies shown. Do this with all tubes in their sockets, shields in place, and power off. Resonate L_1 and L_2 with C_1 approximately half open.

The next step is to get the 36-Mc. injection circuit going. Remove all tubes except the 12AT7 and apply the power. Adjust the slug in L_4 until




Fig. 2—Alternative input circuits for use with s.s.b. exciters of various power outputs.

- A—For exciters of very low power output:
 L_7 —Same as in Fig. 1.
 C_6 —100- μmf . variable.
 RFC_5 —1-mh. r.f. choke.
 Vary C_6 and L_7 for maximum drive; increase or decrease the number of turns on L_7 , if necessary. C_6 may be replaced with a fixed mica capacitor after the optimum value has been determined.
- B—For exciters of medium power output (10–35 watts):
 C_6 and L_7 —Same as above (30 μmf . is about optimum for the 20A exciter).
 R_4 —See text. App. 1000 ohms, 4 watts for 10A or 10B (two 470-ohm, 2-watt resistors in series). App. 450 ohms, 6 watts for 20A (three 150-ohm, 2-watt resistors in series).
- C—For higher-powered exciters:
 R_5 —50-ohm dummy antenna of appropriate power rating.
 R_6 —As needed for adequate attenuation. May be omitted with most "100-watt" exciters.
 RFC_5 —1 mh.

For further details on r.f. attenuators, see Hubbell, "A Step-Type R.F. Attenuator", QST, December, 1959.

the circuit oscillates. Check to make sure that the oscillation is crystal controlled, and on 18 Mc. If you have trouble here, it will probably be caused by either too much or too little crystal feedback. Capacitor C_2 controls the amount of feedback. The value listed for C_2 is approximately correct for the average 6-Mc. surplus crystal. Other types of crystals may require a different value. If C_2 is changed appreciably, it may be necessary to alter the value of L_4 to maintain resonance. Too much feedback will cause the oscillator to become unstable (and possibly ruin a delicate overtone crystal if one is used) while too little feedback will result in no oscillation at all. To increase the amount of feedback, decrease the size of C_2 . If you use a surplus crystal and have trouble making it oscillate properly, try substituting an-

other crystal — some surplus rocks are just not too active on the third overtone.

When you have the oscillator working properly, plug the 5763 into its socket and peak up L_3 for maximum 36-Mc. drive to the 5763.

Connect a source of 14-Mc. energy to J_1 and peak L_1 for maximum 50-Mc. output from the 5763 with C_1 approximately half open. Insert the 12AX7 in its socket and peak L_2 for maximum output. A No. 47 pilot bulb connected to a couple of turns of wire and loosely coupled to L_2 makes a good output indicator. Go back and re-touch L_3 , L_1 , and L_2 for maximum output. The converter is now finished and can be coupled to an antenna or amplifier.

The next step, in the circuit shown, is to get the amplifier going. Plug in the 2E26 but do not apply power to it. Leave the heater circuit open until the amplifier is neutralized. Peak up L_5 and the output pi network for maximum output as shown by a sensitive wavemeter coupled to L_6 . Neutralize the 2E26 by adjusting C_3 for minimum feed-through. Be sure to resonate the plate circuit after each adjustment of C_3 . When the amplifier has been neutralized, connect a dummy load to

Measurement	Indication
12AT7 Osc. Plate Current	5 ma.
12AT7 Dblr. Plate Current	5 ma.
5763 Plate Current	10 ma.
5763 Screen Current	2.5 ma.
12AX7 Plate Current	12 to 30 ma.
2E26 Plate Current	10 to 100 ma.
2E26 Power Input	45 w. peak
2E26 Screen Current	0 to 8.5 ma.
2E26 Grid Current	0 to 7 ma.
2E26 Power Output	25 w. peak


J_2 and apply all voltages to the 2E26. Adjust L_5 and the output tank for maximum output.

After getting the amplifier adjusted, remove the 14-Mc. input and check thoroughly through the unit for instability of any kind. The rig shown was thoroughly stable, but minor variations in layout could possibly change this, although it is not at all likely. Two types of oscillations have shown up in similar units. One was caused by improper grounding of C_1 , and the other was a low-frequency parasitic in the 2E26 caused by the arrangement of the grid and plate r.f. chokes. This was easily cured by shunting the grid choke with R_2 . Use as large a value a resistor as will suppress the oscillation.

R.F. Input Circuits

When you are sure the rig is perfectly stable, you are ready to adjust the 14-Mc. input to the proper value. If your exciter is very low powered, use the alternate input circuit shown in Fig. 2A and simply peak L_7 for maximum drive to the

The final tank coil is supported between the stators of the tuning and loading capacitors, at the left in this view. The tube in the black shield alongside the panel is the 5763 mixer. The 12AT7 oscillator-multiplier is beyond it at the edge of the chassis. The third tube in this group is the 12AX7 amplifier.



unit. If you have a surplus of drive, you must swamp down the input, as in Fig. 2B. To match my 20A exciter, I used three 150-ohm 2-watt resistors in series for R_4 . (R_4 corresponds to R_1 in Fig. 1.) These resistors match the 20A and absorb the extra drive at the same time. For other exciters, simply swamp the input until full exciter power is required to give full output from the converter. If a high-powered exciter is used, it will be necessary to add series resistance as shown in Fig. 2C to prevent a serious mismatch to the exciter.

After these adjustments have been completed, it is a good idea to check all plate currents to see

that they approximate those listed in Table I. The actual values will vary somewhat according to the plate voltage used. The values shown were measured with 200 volts (regulated) on the plates of the 12AT7 doubler, 5763 mixer, and 12AX7 amplifier, 150 volts on the 12AT7 oscillator and the screens of both the 5763 and 2E26, and 450 volts on the plate of the 2E26. Note the input power to the 2E26 at maximum output for your log. (In the unit shown the tube is operating AB₂ at 45 watts input peak-envelope value.) Finally, adjust the sensitivity of the output indicator, and the converter is ready to be put into service.

Hope to see you on six!

QST

Strays

John DiBlasi, W2FX (left) and Ralph Barber, W2ZM (right), have been re-elected president and executive secretary, respectively, of the Quarter Century Wireless Association. They are shown here with the Association's new gold-and-blue banner, adopted to celebrate its founding fifteen years ago. Membership in the QCWA is open to hams who have held licenses continuously for twenty-five years or more. Many members can boast of forty or more years of activity, and a few have reached the half-century mark. Present enrollment is about 3000 and is growing steadily.





The cigarette is king size, but the filter is not. The switch provides four degrees of selectivity, and a position for cutting the filter out of the circuit. A non-metallic box top should be substituted for the original steel cover.

The OCO Audio Filter

A good c. w. operator soon develops an automatic power of mental concentration to a point where interfering signals removed 1000 cycles or more from the desired signal go virtually unnoticed. To be of any significant assistance, the receiver selectivity must be effective within a few hundred cycles and in this region the attenuation must be good — not just a few db. down. The audio filter described here should do that kind of job.

High Skirt Selectivity for C. W. Reception

BY HARRY J. GENSLER, JR.,* K8OCO

FOR the past few years most of the commercial receiver manufacturers have set a limit of about 500 cycles for the maximum code selectivity position. However, because of the present crowded band conditions, a greater degree of selectivity is often desirable. Even the old crystal-filter receivers of the '30s could go down to about 100 cycles bandwidth. Have we been slipping?

With these thoughts in my mind, I decided to develop a means of obtaining a greater degree of selectivity. Like most amateurs, I trembled at the thought of tearing into a high-priced commercial receiver to try to improve its selectivity. An r.f. filter in front of the receiver, or an a.f. filter in the output seemed to be the only methods of approach. Since, of course, the former was impractical, an audio filter was decided upon.

The initial attempt produced a circuit hardly more complex than a tuned circuit in series with the headphones. The selectivity of this was measured at about 100 cycles. Still this did not seem to help the QRM any. In fact, I could hardly

tell the difference between this and the normal bandwidth. Slowly I came to the realization that there is such a thing as skirt selectivity. Sure, the tuned circuit was about 100 cycles wide at 6 db. However, it was about 100 kilocycles wide at 60 db.! It became apparent that a single tuned circuit could not give the desired results. The single-crystal filters suffered from this same problem. According to the *Handbook*, the ability to reject adjacent-channel signals is determined by the band width at high attenuation. Looking at it this way, the 60-db. band width is a very important consideration. In this respect our present receivers are easily superior to the old crystal-filter receivers.

Skirt selectivity is largely dependent on the total number of tuned circuits (or crystals) used and the frequency to which they are tuned. This is why single-crystal filters, regenerative amplifiers, *Q* multipliers, and the like, can't compare with multistage crystal or mechanical filters or a large number of tuned circuits in a low-frequency i.f. or a.f. system.

The OCO filter was designed to have the

* 15335 St. Marys, Detroit 27, Michigan.




Fig. 1—Response curves comparing the selectivity of (A) typical "500-cycle" i.f., (B) crystal filter, and (C) sharpest condition of the OCO audio filter.

greatest practical selectivity at high attenuation in keeping with cost, ease of tuning, and distortion of the signal. The basic filter is about 100 cycles wide at 6 db. and 360 cycles wide at 60 db. Fig. 1 compares this with crystal-filter (notch on audio image frequency) and conventional 500-cycle selectivity. Other degrees of selectivity—140, 300, and 1000 cycles—are provided for varying QRM conditions. The switching arrangement gives approximately the same output level in all positions. The first place on the switch turns off battery power and connects the headphones directly to the receiver.

The OCO filter is a completely self-contained audio filter and battery-powered transistor audio amplifier. It requires only one connection to the receiver—at the 3.2-ohm secondary of the output transformer. The total cost for new parts for the filter should run about fifty dollars, most of which goes for the inductors.

The Circuit

The complete circuit is shown in Fig. 2. The six 750-cycle tuned circuits are direct resistive-coupled. This system has proved just as effective as the more common capacitive coupling, but at a

great saving in cost and space. The only unusual parts in the filter are the inductors L_1 through L_6 . They are television-receiver replacement parts used in transistor remote-control units to modulate the carrier at about 400 cycles. Their small size, adjustability, stability and complete shielding make them ideal for a filter of this type.¹


A transistor amplifier is used to compensate for the losses in the tuned circuits. Here an effort was made to provide the greatest simplicity and least battery drain. The 0.001- μ f. capacitor limits the small amount of static-type noise generated within the amplifier by cutting the highs. This capacitor, together with the coupling capacitors, limits the selectivity to 1000 cycles when the tuned circuits are bypassed. When used with a 500-cycle receiver, of course, the bandwidth is 500 cycles. Incidentally, for the benefit of those who might be tempted to "simplify" the wiring, I might say that an attempt to use chassis ground as the common point for the tuned circuits resulted in a noticeable loss in skirt selectivity.

Construction

The unit described was built in a 3 \times 4 \times 5-inch steel utility box. The inductors were mounted on an L-shaped piece of aluminum, as shown in Fig. 3, with all connections and adjustments made underneath. Two 4-36 screws were used for mounting each inductor, using them as you would use wood screws, no tapping being necessary for the soft plastic form. The only precaution in wiring the inductors is to leave enough room for a plastic alignment tool to adjust the tuned circuits to resonance.

The audio amplifier was constructed on the bottom plate of the box. The connecting leads

¹ Obtainable from any G.E. television distributor. Ask for replacement part Et35x42. (The tap is not used.)




DECIMAL VALUES OF CAPACITANCE ARE IN μ f.; OTHERS ARE IN μ mf. EXCEPT AS INDICATED.

Fig. 2—Circuit of the OCO audio filter. S_1 provides four degrees of selectivity, the selectivity increasing with the switch-position numbers. Capacitor marked with polarity is electrolytic. Capacitors having values less than 0.001- μ f. should be mica; others may be paper or ceramic. Except where minimum capacitor voltage rating is indicated, minimum rating should be 9 volts. Resistances are in ohms and resistors are $\frac{1}{2}$ watt unless indicated otherwise.

- BT1—8.4-volt mercury battery.
- J_1, J_2 —Open-circuit headphone jack.
- L_1-L_6 —Iron-slug variable inductor, nominal value 650 mh., d.c. resistance 280 ohms (see text).
- Q_1-Q_3 —2N107 or similar p-n-p transistor.
- R_1 —Nominal value 47,000 ohms (see text for adjustment).

S_1 —2-section 4-pole 5-position rotary switch (Centralab PA-1012).

T_1 —Standard output transformer; primary 1000 to 10,000 ohms, secondary 3.2 ohms, 1-watt minimum (J_1 connects to voice coil).



Bottom cover removed, showing the transistor amplifier. Input and output jacks are mounted at the rear end of the box.

were then made long enough so that the amplifier might be tested with the plate resting alongside the box. Shielded wire was used for all of the longer audio leads.

A 4 × 5-inch piece of paper can be placed between the bottom plate and the rest of the filter to prevent the connection lugs of the amplifier from accidentally shorting out to the shielded wire.

Adjustment

The value of R_1 is best determined by experimentation. Temporarily connect in a variable control of about 1 megohm and adjust for a drop of 1 to 4 volts across the headphones. The larger readings will give slightly greater output at the expense of increased battery drain. When the optimum value is determined, substitute a fixed resistor of equivalent value.

The filter may be used as shown for magnetic headphones having a d.c. resistance between 500

and 5000 ohms. For other values, or for crystal headphones, a transformer from about 10K to the required impedance will be needed. In this case, adjust R_1 for 2 ma. of collector current. An additional power amplifier will be required to drive a speaker.

Resonating the tuned circuits can best be done with the aid of the station receiver and an a.c. voltmeter. First, adjust the slugs of the inductors until they are two turns from fully in, using a plastic alignment tool. Then connect the receiver and the headphones. Put the voltmeter on its lowest-voltage a.c. scale and connect it across the headphones. Throw the switch on the filter to the 100-cycle position. Beat the receiver with a harmonic of your 100-ke. oscillator, or the signal from a low-power stage of your transmitter. Vary the receiver tuning until a peak is obtained on the meter; then adjust the first five inductors for maximum reading and the last inductor for minimum, being careful not to overload the filter! Then tune across the band and note the difference.

Using the Filter

Of course, it is very much easier to copy stations in a crowded band with the filter. It also gives weak stations a boost over the noise (theoretically a five-times power increase). There is some ringing noise and a very little "softening" of the code characters, but this does not hinder copy.

More care should be taken in tuning in a signal with the filter than with standard selectivity. It is important not to overload the filter, for this reduces the skirt selectivity. When tuning across the band, it will be found helpful to turn up the gain. However, once a station is found, the gain





Fig. 3—The inductor mounting bracket consists of an aluminum sheet bent as indicated. The large holes are $\frac{1}{4}$ inch in diameter, and the small holes are $\frac{1}{8}$ inch. The six coils should be positioned as shown.

Top view of the OCO filter, showing the mounting of the inductors and selectivity switch.



should be reduced to provide a comfortable listening level.

Signals can be tuned in easily with a receiver having good bandsread — 20 or 30 kc. per dial revolution. The filter is usable with receivers having less bandsread, but only with difficulty. The stability of the receiver should be good or excellent. This does not necessarily mean that the receiver has to be expensive. A good test for your receiver is to give it a five- or ten-minute warm-up, and then beat it against a harmonic of your 100-ke. oscillator. The frequency should remain steady over a considerable amount of time, even with some jarring of the receiver.

Most present-day transmitters have enough stability to remain in the 100-cycle pass band

without too much retuning. With selectivity of the order provided by the filter, it goes without saying that you can't very well copy those who still use a.c. on their t.g.t.p. transmitters. Some of the less stable signals can't even be held in an 8-ke. pass band.

This filter was designed for the h.f. bands. The amount of skirt selectivity could prove to be a disadvantage on v.h.f., using some of the newer narrow band-pass techniques to cut noise. In this case, a single tuned circuit or a regenerative audio stage might be used so that a signal could still be heard with a little detuning. Still the filter can show a great noise improvement over standard selectivity if suitable stability precautions are taken.

QST

25 Years Ago
this month

January 1937

... A "second" Field Day was held during 1937, and this January issue reported the scores. Highest club score was made with 136 contacts and an 18-watt transmitter. Highest individual score resulted from 54 QSOs.

... Technical articles included dope on a T55 amplifier for a previously described rig, using an 807 as a crystal oscillator, an inexpensive oscilloscope, audio inverse feedback circuits, a complete 50-watt phone transmitter occupying a 3½-foot rack, some precision wavemeters, a low-power 160-meter phone rig for local QSOs, an optical pyrometer for measuring plate dissipation, how to test transmitting tubes, a tuning fork, and notes on autotransformer design.

... In the IARU section was proposed a "standard" list of countries, inviting comment from the gang. Some 250 countries were on this list.

... Twenty-five years ago you could buy 2-color QSLs for a dollar a hundred, and \$5 was offered for a copy of the first issue of QST.

QST

Strays

Have you written your Senators supporting Senate Bill 2361? See pages 9 and 73 of October QST — then do it!

W6MLZ, ARRL's Southwestern Division Director, checked into a net on 7209 during the west coast fires to see if he could be of help in handling emergency traffic. The traffic situation was under control, but a ham radio demonstration was being presented to 250 Fresno Rotarians, and W6MLZ was able to work the ham station set up there and give them some first-hand info on what public service amateurs were rendering right at that very time.

MEMBERSHIPS ANYONE? ??? See page 136 for details.

1962 ARRL International DX Competition

Phone: Feb. 2-4 and Mar. 2-4
C. W.: Feb. 16-18 and Mar. 16-18

CONTEST PERIODS

Phone Section:

Starts	Ends
Feb. 2, 2400 GMT.....	Feb. 4, 2400 GMT
Mar. 2, 2400 GMT.....	Mar. 4, 2400 GMT

C.W. Section:

Starts	Ends
Feb. 16, 2400 GMT.....	Feb. 18, 2400 GMT
Mar. 16, 2400 GMT.....	Mar. 18, 2400 GMT

ANNOUNCING the 1962 ARRL DX Contest . . . your opportunity to show your DX prowess, bag a few "new ones" for DXCC, and to have a lot of fun working the world . . . also for the DX stations to complete those difficult states for their WAS certificate, and provinces for WAVE. This contest is nothing new by any means, the 1962 version being the 28th running with the usual two week ends for c.w., and two week ends for phone . . . phone being all modes of phone work like s.s.b., a.m., etc. See above for dates and times.

The object is for DX stations to work as many W-K-WA-VE-VO-KH6-KL7 stations as possible per band, and for the U.S.-Canadian stations to work the DX.

Certificates are awarded to the top single-operator phone and c.w. scorer in each country and ARRL section. A special certificate goes to the highest scoring multioperator from countries and sections of at least three such entries. You may also credit your score to your ARRL-affiliated club for separate club aggregate listing (total of all club members' scores) . . . with an engraved cocobolo gavel to the club with the highest total, and a certificate to each club's top phone and c.w. scorer. For club credit make sure your logs are clearly marked: "Participating for club award in the . . . (club)."

The award and scoring system is designed to encourage widest use of our bands with flexibility of operation rewarded. Repeat QSOs on additional bands are permitted. For example, W3GRF works F8VJ on 10, 15, 20, and 40 meters; both stations have added to their contact-point total, multiplier, and score. For the DX the multiplier is the total of the U.S.A.-Canada call areas (not states) worked *per band*. For U.S.A.-Canada stations the multiplier is the total of different countries (see ARRL Countries List, p. 22) contacted *per band*. No credit for W/VE-to-W/VE QSOs is allowed.

Here is a list of the 21 call areas and state/province abbreviations used by U.S.A.-Canada stations in those areas:

W1, K1 — CONN MAINE MASS NH RI VT
W2, K2, WA2 — NJ NY
W3, K3 — DEL MD PA DC
W4, K4, WA4 — ALA FLA GA KY NC SC TENN VA
W5, K5, WA5 — ARK LA MISS NMEX OKLA TEXAS
W6, K6, WA6 — CAL
KH6 — HAWAII
W7, K7 — ARIZ IDAHO MONT NEV ORE UTAH WASH WYO
KL7 — ALASKA
W8, K8, WA8 — MICH OHIO WVA
W9, K9, WA9 — ILL IND WIS
W0, K0, WA0 — COLO IOWA KANS MINN MO NEBR NDAK SDAK
VE1 — NB NS PEI
VE2 — QUE
VE3 — ONT
VE4 — MAN
VE5 — SASK
VE6 — ALTA
VE7 — BC
VE8 — NWT YUKON
VO — NFLD LAB

U.S.-Canadian amateurs have quotas on c.w. (see rule 10) but none on phone. DX amateurs have no quotas; they will QSO as many stations as they can in the 21 call areas on each band.

Check the rules which follow below. Keep a neat and accurate log like the sample shown in this announcement. Send a copy of your log at the conclusion of the contest to: ARRL Communications Dept., 38 LaSalle Road, West Hartford 7, Conn., U.S.A. You can obtain log forms free for the asking at that address. Logs must be postmarked by April 28, 1962, to be eligible for awards and QST listing. All reports, big and small, are welcome.

Rules

- 1) *Eligibility:* Amateurs operating fixed amateur stations in any and all parts of the world are invited to participate.
- 2) *Object:* Amateurs in the United States and Canada will try to work as many amateur stations in other parts of the world as possible under the rules and during the contest periods.
- 3) *Conditions of Entry:* Each entrant agrees to be bound by the provisions of this announcement, the regulations of his licensing authority, and the decisions of the ARRL Award Committee.
- 4) *Entry Classifications:* Entry may be made in either or both the phone or c.w. sections: c.w. scores are independent of phone scores. Entries will be further classified as single- or multiple-operator stations. Single-operator stations are those at which one person performs all the operating functions. Multiple-operator stations are those obtaining assistance, such as from "spotting" or relief operators, or in keeping the station log and records.
- 5) *Contest Periods:* There are four week ends, each 48 hours long: two for phone work and two for c.w. The phone section starts at 2400 GMT, Friday, February 2 and Friday, March 2, ends 2400 GMT, Sunday, February 4 and Sunday, March 4. The c.w. section starts at 2400 GMT, Friday, February 16 and Friday, March 16, ends 2400 GMT, Sunday, February 18 and Sunday, March 18.
- 6) *Valid Contacts:* In the phone section, all claimed credits must be made voice-to-voice. In the telegraph section,

Sheet...1... of J6.. CALL **KV4AQ** ARRL Section.....or Country

DATE & TIME (GMT)	STATION WORKED	COUNTRY	RECORD OF NEW COUNTRIES FOR EACH BAND						EXCHANGE		POINTS
			1.8	3.5	7	14	21	27	28	SENT	
2/17											
0010	W1BIH	W1					1		579100	589CONN	3
0012	K2GXI	K2					2		579100	589NY	3
0013	W2GGE						2		589100	589NJ	3
0015	W8UCI	W8					3		569100	599MICH	3
0021	W1JYH	W1					1		579100	589MASS	3
0022	K1MLI						1		579100	579CONN	3
0023	K6CQM	K6					2		579100	599CAL	3
0024	W6WB						2		579100	579CAL	3
0024	W5KC	W5					3		589100	599LA	3
0025	W0RMM	W0					4		579100	589MA	3
0101	K2DCA						3		579100	579NJ	3
0102	WA2BLV						3		579100	589NJ	3
0104	K2GHM						3		579100	599NJ	3
Total points:											

¹This report form to be used by all phone entrants and by those c.w. participants outside W/K and VE/VO.

Sample log form that must be used by W/VE phone entrants and all participants outside U. S. and Canada, phone and c.w. This example is a DX c.w. log. U. S.-Canadian phone logs would reverse information in the "Sent" and "Received" columns; their "Sent" column would show exchanges like "59CAL," "57ONT." All DX stations, both phone and c.w., use this type log report.

only c.w.-c.w. contacts count. Crossband contacts may not be counted.

7) Exchanges:

a) *Amateurs in U. S. and Canada* will transmit a three-figure number, representing the RST report, plus their state or province. (The latter may consist of an appropriate abbreviation.) Phone participants will transmit a two-figure number consisting of the readability-strength report plus the state or province. *Example:* W6YJ might transmit "579CAL" on c.w., "57 California" on phone.

b) *Amateurs outside W (K) and VE/VO* will transmit six-figure numbers, each consisting of the RST report plus three "power" numbers: the power indicator will represent the approximate transmitter power input. Phone contestants will transmit five-figure numbers, each consisting of a readability-strength report and the three "power" numbers. *Example:* VK2GW, with 100 watts input, might transmit "569100" on c.w., "56100" on phone. If the input power varies considerably on different bands, the "power" number should be changed accordingly.

8) Scoring:

a) *Points:* One point is earned by a W (K) or VE/VO station upon receiving acknowledgment of a contest exchange sent, and two points upon acknowledging an exchange received. Two points are earned by any other station upon receiving acknowledgment of a contest exchange sent, and one point upon acknowledging an exchange received.

b) *Final Score:* W (K) and VE/VO stations multiply total points earned under Rule 8(a) by the number of countries worked on one band plus the number of countries worked on each other band. All other stations multiply total points earned under Rule 8(a) by the sum of the number of W (K) and VE/VO licensing areas worked on one band plus the number of W (K) and VE/VO licensing areas worked on each other band.

Countries will be those on the ARRL Countries List. There are 21 licensing areas: 12 in the United States (W1-0, KH6, KL7), 9 in Canada (VO, VE1-VE8). [See Countries List on p. 22 - Ed.]

9) *Repeat Contacts:* The same station may be worked again for additional points if the contact is made on a different frequency band. The same station may be worked again on the same band if the complete exchange for a total of three points was not made during the original contact on that band.

10) *Quotas:* The maximum number of points per country per band which may be earned by W, K, KL7, KH6 stations in the c.w. section is 18, and contacts made on the same band with the same country after the quota is filled will not count. Thus complete exchanges with 6 stations in one country on one band fill the band quota for that country. The maximum number of points per country per band which may be earned by VE/VO stations in the c.w. section is 24, and contacts made on the same band with the same country after the quota is filled will not count. Exchanges with 8 stations in one country on one band are thus permitted Canadian participants. There is no quota for stations in the c.w. section outside of the U. S. and Canada. There is no quota for any stations in the phone section.

11) *Reporting:* Contest work must be reported as shown in the sample forms. Each entry must include the signed statement. Contest reports must be mailed no later than April 28, 1962, to be eligible for QST listings and awards. All DX Contest logs become the property of the American Radio Relay League and none can be returned.

12) *Awards:* To document the performance of participants in the 28th ARRL International DX Competition.

EXPLANATION OF DX CONTEST EXCHANGES

Stations in U. S. and Canada Send:

	RS or RST Report of Station Worked	Your State or Province (or Abbreviation)
Sample (c.w.)	579	ORE
Sample (phone)	57	Oregon

Stations Outside U. S. and Canada Send:

	RS or RST Report of Station Worked	Three-Digit Number Representing Your Power Input
Sample (c.w.)	579	075
Sample (phone)	57	500

a full report will be carried in *QST*. In addition, special recognition will be made as follows:

a) A certificate will be awarded to the high-scoring single-operator phone and to the high-scoring single-operator c.w. entrant in each country (as shown in the ARRL Countries List) and in each of the mainland U. S. (plus Alaska and Hawaii) and Canadian ARRL sections (see page 6 of any *QST*) from which valid entries are received. In addition, a certificate will be awarded to the high-scoring multiple-operator station in each section or country from which three or more valid multiple-operator entries are received.

b) A suitable certificate will be awarded to the operator making the highest single-operator phone score in each ARRL-affiliated club, provided the club secretary submits a listing of a minimum of three phone entries by members of the club and that these scores are confirmed by receipt at ARRL of the individual contest logs from such members. The highest single-operator c.w. scorer in each club will be awarded a certificate under the same conditions. Only a bona fide resident member, operating a station in local club territory, may compete for club certificates.

c) ARRL will award a gavel to the affiliated club submitting the greatest aggregate phone and c.w. score by its members, whether single- or multiple-operator entries, provided such scores are confirmed by receipt at ARRL of the individual contest logs from such members. Only scores of bona fide resident members, operating stations in local club territory, may be included in club totals.

13) *Judges*: All entries will be passed upon by the ARRL Award Committee, whose decisions will be final. The Committee will void or adjust entries as its interpretation of these rules may require.

14) *Disqualifications*: Each participant agrees to observe the contest rules as well as all regulations established for amateur radio in his country. Violation of any regulation, as confirmed by a single FCC citation or advisory notice or two ARRL accredited Official Observer reports, may constitute grounds for disqualification. Some examples of practices which can result in disqualification: off-frequency (out-of-band) operation, harmonics, spurious emissions, low tone reports in logs, key clicks, splatter, excessive sidebands, W (K) stations working banned countries. **QST**

1962, ARRL INTERNATIONAL DX COMPETITION

Call: **WIAW** Affl. Sect. No. **CQNN**
 Band: **14** Sheet: **1** **15**

Country	Station Worked	Date	Time (GMT)	Exchange Cont.	Exchange Received
FRANCE	FBY	2-17	1300	549 CQNN	474085
	FBY				
ENGLAND	G2GT	2-17	1706	538 CQNN	469150
	G3EYB	2-18	1723	363 CQNN	474180
	G3EYB	3-17	1430	468 CQNN	584194
	G6BQ	3-18	1831	479 CQNN	459075
	UR2BU	2-17	1245	599 CQNN	599200
NEW ZEALAND	ZLNG	2-17	1003	569 CQNN	569040
	ZL2PM		1101	569 CQNN	559060

*Small entrants should allow two "blocks" for each country, but may record no more than eight contacts therein.
 *This report form to be used by W/K and VE/VO c.w. participants.

Sample of log form that must be used by W/VE c.w. participants. When a station is worked for less than the maximum number of points allowed, the additional contact to make up the points not earned in the first contact should be entered at the bottom of the sheet. Canadian entrants should allow two blocks for each country, but may record no more than eight contacts therein. A separate set of sheets should be used for each band.

SUMMARY, ARRL INTERNATIONAL DX COMPETITION

Entry..... Call..... ARRL Section..... or Country.....
 (CW or Phone)

Name..... Address.....

Transmitting Equipment.....
 Power Input.....

Receiver..... Antenna(s).....

(Non-W/K/VE/VO entrants show number of U.S.A. and Canadian call areas worked, instead of number of countries QSOd.)

Bands	1.8 Mc.	3.5 Mc.	7 Mc.	14 Mc.	21 Mc.	27 Mc.	28 Mc.	Totals
Number of Countries QSOd								*
Number of Contacts								

Number of Different Countries Worked..... Number of Hours of Station Operation.....

Assisting person(s): name(s) and call(s).....

**
 (Points) x (Multiplier) = Claimed Score

Participating for club award in the.....
 (name of club)

I certify, on my honor, that I have observed all competition rules as well as all regulations established for amateur radio in my country, and that my report is correct and true to the best of my belief. I agree to be bound by the decisions of the ARRL Award Committee.

.....
 Operator's Signature and Call

*Figure in this box is the multiplier.
 **Count 3 points per completed QSO; see contest rule 8a in January *QST*.

Sample summary sheet that must accompany all reports.

1962 ARRL DX Contest Countries List

AC3.....Sikkim
 AC4.....Tibet
 AC5.....Bhutan
 AP.....East Pakistan
 AP.....West Pakistan
 BV.....Formosa
 BY.....China
 C9.....Manchuria

CF.....Chile
 CE9AA-AAI, KC4, LU-Z, VK0
 VP8, ZL5, etc.....Antarctica
 CE9.....(See VP8)
 CE9A.....Easter Island
 CE9Z.....Juan Fernandez Archipelago
 CM, CO.....Cuba

CN2, CN8, CN9.....Morocco
 CP.....Bolivia
 CR4.....Cape Verde Islands
 CR5.....Portuguese Guinea
 CR5.....Principe, Sao Thome
 CR6.....Angola
 CR7.....Mozambique
 CR8.....Damao, Diu

CR8	Goa	LU	Argentina	VP8, LU-Z	South Sandwich Islands
CR9	Macau	LU-Z	(See CE9, VP8)	VP8, LU-Z, CE9AN-AZ	South Shetland Islands
CR10	Portuguese Timor	LX	Luxembourg		Bermuda Islands
CT1	Portugal	LZ	Bulgaria	VP9	Zanzibar
CT2	Azores	M1	San Marino	VQ1	Northern Rhodesia
CT3	Madeira Islands	MP4	Bahrain Island	VQ2	Tanganyika Territory
CX	Uruguay	MP4	Qatar	VQ3	Kenya
DJ, DL, DM	Germany	MP4	Trucial Oman	VQ4	Uganda
DU	Philippine Islands	OA	Peru	VQ5	Cargados Carajos
EA	Spain	OD5	Lebanon	VQ8	Chagos Islands
EA6	Balearic Islands	OE	Austria	VQ8	Mauritius
EA8	Canary Islands	OH	Finland	VQ8	Rodriguez Island
EA9	Ihni	OH0	Aland Islands	VQ8	Seychelles
EA9	Rio de Oro	OK	Czechoslovakia	VR1	British Phoenix Islands
EA9	Spanish Morocco	ON4	Belgium	VR1	Gilbert & Ellice Islands
EA0	Spanish Guinea	OX, KG1	Greenland		& Ocean Island
EI	Republic of Ireland	OY	Faeroes	VR2	Fiji Islands
EL	Liberia	OZ	Denmark	VR3	Fanning & Christmas Islands
EP, EQ	Iran	PA0, P11	Netherlands	VR4	Solomon Islands
ET2	Eritrea	PJ	Netherlands West Indies	VR5	Tonga Islands
ET3	Ethiopia	PJ2M	Sint Maarten	VR6	Pitcairn Island
F	France	PX	Andorra	VS1	Singapore
F	Algeria	PY	Brazil	VS4	Sarawak
FB8	Amsterdam & St. Paul Islands	PY0	Fernando de Noronha	VS5	Brunei
FB8	Comoro Islands	PY0	Trinidad & Martin Vaz Is.	VS6	Hong Kong
FB8	Kerguelen Islands	PZ1	Netherlands Guiana	VS9	Aden & Socotra
FB8	Tronelin Island	SL, SM	Sweden	VS9	Kamazan Is.
FC (unofficial)	Corsica	SP	Poland	VS9	Maldivive Islands
FG7	Guadeloupe	ST2	Sudan	VS9	Sultanate of Oman
FK8	New Caledonia	SU	Egypt	VU	Andaman and Nicobar Islands
FL8	French Somaliland	SV	Crete	VU	India
FM7	Martinique	SV	Dodecanese	VU	Laccadive Islands
FO8	Chipperton Island	TA	Greece	XE, XF	Mexico
FO8	French Oceania	TF	Turkey	XE4	Revilla Gigeo
FP8	St. Pierre & Miquelon Islands	TG	Iceland	XT2	Voltaic Rep.
FR7	Reunion Island	TI	Guatemala	XW8	Laos
FS7	Saint Martin	TI	Costa Rica	XZ2	Burma
FUS, YJ1	New Hebrides	TI9	Cocos Island	YA	Afghanistan
PW8	Wallis & Futuna Islands	TJ	Cameroons	YI	Iraq
PY7	French Guiana & Inini	TL	Central African Rep.	YJ	(See F08)
G	England	TN	Congo Rep.	YK	Syria
GC	Channel Islands	TR	Gabon Rep.	YN, YN0	Nicaragua
GD	Isle of Man	TT	Chad Rep.	YO	Roumania
GI	Northern Ireland	TU	Ivory Coast	YS	Salvador
GAL	Scotland	TY	Dahomey Rep.	YU	Yugoslavia
GW	Wales	TZ	Mali Rep.	YV	Venezuela
HA	Hungary	UA1-6, UN1	European Russian	YV0	Aves Island
HB	Switzerland		Socialist Federated Soviet Republic	ZA	Albania
HC	Ecuador	UA1	Franz Josef Land	ZB1	Malta
HC8	Galapagos Islands	UA2	Kaliningrad	ZB2	Gibraltar
HD	Liechtenstein	UA9, 0	Asiatic Russian S.F.S.R.	ZC4	Cyprus
HE	Haiti	UB5	Ukraine	ZC5	British North Borneo
HE	Dominican Republic	UC2	White Russian S.S.R.	ZC6	Palestine
HE	Colombia	UD6	Azerbaijan	ZD1	Sierra Leone
HE0	Bajo Nuevo	UF6	Georgia	ZD2	Nigeria
HE0	Malpelo	UG6	Armenia	ZD3	Gambia
HE0	San Andres and Providencia	UH8	Turkoman	ZD6	Nyasaland
HE0	Korea	UI8	Uzbek	ZD7	St. Helena
HE0, HE1	Panama	UJ8	Tadzhik	ZD8	Ascension Island
HP	Honduras	UL7	Kazakh	ZD9	Tristan da Cunha & Gough Islands
HR	Thailand	UM8	Kirghiz	ZE	Southern Rhodesia
HS	Vatican City	UO5	Moldavia	ZK1	Cook Islands
HTV	Saudi Arabia	UP2	Lithuania	ZK1	Manihiki Islands
HZ	Italy	UQ2	Latvia	ZK2	Nine
I, IT1	Sardinia	UR2	Estonia	ZL	Auckland Is. & Campbell Is.
IS1	Japan	VK	Australia (Including Tasmania)	ZL	Chatham Islands
JA, KA	Mongolia	VK	Lord Howe Island	ZL	Kermadec Islands
JT1	Jordan	VK9	Christmas Is.	ZL	New Zealand
JY	Netherlands New Guinea	VK9	Cocos Island	ZL5	(See CE9, VP8)
KA	(See JA)	VK9	Nauru Island	ZM6	British Samoa
KA0, KG0	Bonin & Volcano Islands	VK9	Norfolk Island	ZM7	Tokelau (Union) Islands
KB0	Baker, Howland & American Phoenix Islands	VK9	Papua Territory	ZP	Paraguay
KB0	(See CE9, VP8)	VK0	Territory of New Guinea	ZS1, 2, 4, 5, 6	Union of South Africa
KC4	Navassa Island	VK0	Heard Island	ZS2	Prince Edward & Marion Islands
KC4	Eastern Caroline Islands	VK0	Macquarie Island	ZS3	Southwest Africa
KC6	Western Caroline Islands	VP1	British Honduras	ZS7	Swaziland
KG1	(See OX)	VP2	Anguilla	ZS8	Basutoland
KG4	Guantanamo Bay	VP2	Antigua, Barbuda	ZS9	Beechuanaland
KG6	Marcus Is.	VP2	British Virgin Islands	3A	Monaco
KG6	Mariana Islands	VP2	Dominica	3V8	Tunisia
KG6	(See KA0)	VP2	Granada & Dependencies	4S7	Ceylon
KH6	Kure Is.	VP2	Montserrat	4W1	Yemen
KJ6	Johnston Island	VP2	St. Kitts, Nevis	4X4	Israel
KM6	Midway Islands	VP2	St. Lucia	5A	Libya
KP4	Puerto Rico	VP2	St. Vincent & Dependencies	5N2	Nigeria
KP6	Palmira Group, Jarvis Island	VP3	British Guiana	5R8	Malagasy Rep.
KR0	Ryukyuu Islands	VP4	Trinidad & Tobago	5T	Mauritania
KS4	Serrana Bank & Roncador Cay	VP5	Cayman Is.	5U7	Niger Rep.
KS4	Swan Islands	VP5	Jamaica	6W8	Senegal Rep.
KS6	American Samoa	VP5	Turks & Caicos Islands	6O2	Somali Rep.
KV4	Virgin Islands	VP6	Barbados	9K3	Kuwait/Saudi Arabia
KW6	Wake Island	VP7	Bahama Islands		Neutral Zone
KX6	Marshall Islands	VP8	(See CE9, VP8)	9M2	Malaya
KZ5	Canal Zone	VP8	Falkland Islands	9N1	Nepal
LA	Jan Mayen	VP8, LU-Z	South Georgia Islands	9Q5	Rep. of the Congo
LA	Norway	VP8, LU-Z	South Orkney Islands	9U5	Ruanda-Urundi
LA	Svalbard				Aldabra Islands

Annual ARRL Novice Roundup Competition

NOVICES, this is your one and only opportunity to participate as a Novice in your own operating activity, the Eleventh ARRL Novice Roundup Competition. You're only a Novice once, you know, so don't miss this chance to operate in this contest for Novices. The Novice Roundup begins on Saturday, Feb. 3, 1962, at 1800 local time, and runs through Feb. 18, Sunday 1800 local time. Operating, listening, and logging time must not exceed 40 hours.

How to Participate

Just get on the air any time during the two week period and contact as many Novices and non-Novices as possible, exchanging QSO number, and ARRL section. Non-Novices work only Novices, of course. "CQ NR" means CQ Novice Roundup and you can either answer such a call or call "CQ NR" yourself to get contacts. Here's an example. KNØBPO in Minnesota hears KNIQFC in the Western Massachusetts section calling CQ NR.

CQ NR CQ NR CQ NR DE KNIQFC
 KNIQFC KNIQFC K
 KNIQFC KNIQFC DE KNØBPO KNØBPO
 KNØBPO AR
 KNØBPO DE KNIQFC R HR NR 3 WMASS
 BK
 KNIQFC DE KNØBPO R HR NR 1 MINN
 BK

ROUNDUP PERIOD	
Starts	Ends
Feb. 3	Feb. 18
6:00 P.M.	9:00 P.M.
Local Time	Local Time

KNØBPO DE KNIQFC R TNX ES 73 SK
 DE KNIQFC

On his next contact KNØBPO would send NR 2 (meaning contact number 2) then NR 3, NR 4, etc.

Scoring

A certificate is awarded to the highest Novice scorer in each ARRL section. Complete results will be in *QST* including the scores of those non-Novices that enter as well. To obtain your final score simply add the total of your NR QSOs to the highest w.p.m. from your Code Proficiency certificate. Multiply the sum by the number of different ARRL sections (see page 6, this *QST*) worked during the contest. That CP certificate really helps out your score, and you still have time to qualify, so don't miss out. Full details on the Code Proficiency Program are on page 85, this *QST*.

Novices should keep a look out just above and below the Novice frequencies (3700-3750 kc.; 7150-7200 kc.; 21,100-21,250 kc.; 145-147 Mc.) for the higher-power Generals.

Log forms like the one in the sample are yours for the asking simply by writing to: ARRL Communications Dept., 38 LaSalle Road, West Hartford 7, Conn. Study the rules below carefully, and then stand by for the fun of your Novice career, the ARRL Novice Roundup Competition! But don't forget to send in a copy of your log to make your entry official; logs must be postmarked by March 3.

(Continued on page 142)

This is a sample log form that must be used by all contestants and also shows how to score. You can obtain these forms free by writing to ARRL.

SUMMARY OF EXCHANGES ARRL NOVICE ROUNDUP							
Call. KNØBPO..				Section... MINN.....			
(See page 6 <i>QST</i>)							
B N D A I R	F I M E S	D A T E O F C O N T A C T	M Y N R S E N T	M Y S E C T I O N	H I S N R R C V D	H I S C A L L	N U M B E R E A C H N E W S E C T I O N A S W O R K E D
80	1800	FEB. 3	1	MINN.	1	KNØAKM	1
			2		3	KN9WRX	2
			3		2	KN9ZDL	1
15	1400	FEB. 6	4		15	KN7MNL	3
			5		7	KNIQFC	4

Summary: (Enter below on last sheet used)

Bands used.....**80,15**..... Nr. diff. stns. wkd.....**5**.....; Nr. diff. sections.....**4**.....
 Total hours operation.....**1:00**.....; Code Proficiency award credit.....**10**.....w.p.m.
 Type transmitter (tube line-up if home-built).....
 Receiver.....; Antenna.....

SCORING:
**5**.....QSOs plus.....**10**.....c.p. points times.....**4**.....sections equals **60**

I have observed all competition rules as well as all regulations established for amateur radio in my country. My report is true and correct to the best of my knowledge.

Signature and call.....
 Address.....

Choosing An Antenna

BY LEWIS G. McCOY,* WIICP

As the title indicates, this article is written to help the newcomer decide on the kind of antenna to select for his station. Naturally, it would be impossible in a short article to discuss all the different antennas that could be used, as the number is large. However, several types are more common than others, and these are the ones that will be treated. Constructionally, antennas can be divided into two categories, horizontal and vertical. Let's talk about horizontal antennas first.

As the name implies, a horizontal antenna is one that is more or less parallel to the ground. The commonest form of antenna is a dipole. In amateur radio we usually think of a dipole as being a half wavelength long and fed in the center. Such an antenna is shown at Fig. 1A. It is not planned to overwhelm the reader with math, but there is one simple formula, for the length of a half-wave antenna, that every beginner should know. This is:

$$L \text{ (feet)} = \frac{468}{f \text{ (Mc.)}}$$

In words, the length of a half-wave antenna in feet is equal to 468 divided by the frequency in megacycles. This formula is used for wire antennas at frequencies up to 30 Mc. For v.h.f. work, the factor generally used is 5540, which gives the answer in inches. That is,

$$L \text{ (inches)} = \frac{5540}{f \text{ (Mc.)}}$$

The radiation pattern of a half-wave antenna is similar to a figure 8, as shown in Fig. 1B. The maximum radiation is broadside to the axis of the wire, with minimum radiation off the ends of the wire.

Antenna Impedance

There is one more point of importance about a half-wave antenna and that is what the impedance of the antenna is at the feed point. Before going further, let's explain the term "impedance" as it applies to antennas. The feed point of an antenna is where you attach the feeder. This point has certain properties which we have to take into consideration when we wish to put power into the antenna. These properties consist of the following:

1) *Ohmic resistance.* When r.f. energy is fed to an antenna, a certain amount is lost as heat in the wire itself and in any dielectric material in the antenna, such as insulators. This heat loss is due to the ohmic resistance.

2) *Radiation resistance.* This resistance accounts for the r.f. energy that is radiated from the antenna.

3) *Reactance.* Reactance can be expressed as an opposition to the flow of r.f. currents, but without loss of power. It is expressed in ohms, even though you cannot dissipate power in reactance as you can in resistance. These are the properties that go together to make up the impedance of an antenna. In a half-wave antenna the proportion of ohmic resistance to radiation




Fig. 1—(A) Diagram of a half-wave antenna. At (B) is the pattern of radiation from a half-wave antenna. The two lobes of radiation are broadside to the antenna axis.

resistance is usually very small, and any losses from ohmic resistance are negligible. If the antenna is resonant or "tuned" to the operating frequency, there will be no reactance present. If an antenna is too long or too short for the frequency, then it will have reactance.

The impedance of a half-wave dipole is approximately 70 ohms. This figure will vary, depending on the height of the antenna above ground. For single-band operation the antenna can be fed with either 50- or 70-ohm coaxial cable or 70-ohm Twin-Lead. Such an antenna is shown in Fig. 2A.

Note the statement above — "for single-band

* Technical Assistant, QST.




Fig. 2—(A) This drawing shows a coax-fed half-wave antenna. The lengths given are for typical Novice installations. The same lengths apply to (B), the folded dipole antenna. As explained in the text, the folded dipole can be made from 300-ohm Twin-Lead.

operation." When a half-wave antenna is fed with coax, the antenna impedance matches the impedance of the coax fairly well. However, let's see what happens to this antenna when it is operated at twice the frequency. Suppose for a moment that we have a half-wave antenna cut for the 80-meter band. The impedance of the antenna is about 70 ohms. Instead of using the antenna on 80, what happens when we feed a 40-meter signal to it? The antenna is not a half-wave on 40; it is "two half-waves in phase," and the feed-point impedance becomes several thousand ohms. This means that we will have a very bad mismatch between the coax cable and the antenna, which also means that it may prove very difficult to load the amplifier in the transmitter and get power into the antenna.

Standing-Wave Ratio

There is one more point here that should be covered before we can actually discuss different types of antenna — the point is "standing-wave ratio."

The standing-wave ratio on a feed line is determined by the ratio of maximum r.f. voltage on the line to minimum voltage, or maximum to minimum current ratios. If a feed line is terminated in a load matching its characteristic impedance, the standing-wave ratio will be 1 to 1. For example, if we feed a 70-ohm half-wave antenna with 70-ohm coax, the s.w.r. will be 1 to 1 because the antenna impedance matches the line impedance.

However, suppose we use the coax to feed our half-wave antenna at twice the frequency, as in the example of an 80-meter dipole used on 40. Here the impedance is several thousand ohms and the mismatch becomes very large; consequently, a very high s.w.r. results.

Depending on the type of feed line used, a high s.w.r. can or cannot be important. If that statement appears confusing, you'll soon see why. Coaxial cable is a type of feed line that should not be used with a high s.w.r. because a considerable amount of your transmitted power can be lost in the line. When coaxial feed line is used in an installation where the s.w.r. is no more than 2 or 3 to 1 it is usually an excellent line to use, at least for frequencies below 30 Mc. For v.h.f. installations, a low-loss line should be used. However, when the s.w.r. is large, coax should not be used simply because coax is not classed as a low-loss line.

On the other hand, there are very-low-loss lines that can be operated with a large s.w.r. with only a negligible amount of power lost in the line. Open-wire feed line is such a line.


You can make your own open-wire line or use one of the commercial types that are available. You'll find that open-wire line is usually listed along with television antenna accessories in the parts catalogs. The line used for TV work is very satisfactory for amateur use.

If you want to build your own, there are a couple of methods for getting job done. E. F. Johnson Co. lists feeder insulators in their catalog. These are available for 2-, 4- or 6-inch separation of the feed-line conductors. Either No. 12 or 14 solid copper wire can be used for the conductors. A good choice is a line with 4- or 6-inch separation. The cost of the line goes up if you use 2-inch insulators, as they have to be installed every couple of feet to keep the conductors from twisting together. The 4- or 6-inch insulators can be used every four or five feet, thereby reducing the cost of the line. Another method is to make your own separators from polystyrene or plastic rod. This material is easy to drill and cut and makes good insulators. (Some hams use plastic hair curlers for insulators; so if your XYL isn't watching, you know what to do!)

Another low-loss line which can be used with a moderately-high s.w.r. is transmitting-type tubular 300-ohm Twin-Lead, such as Amphenol 214-076. This line is also available from most parts distributors. Another type (Amphenol 214-022) has two No. 16 conductors imbedded in a solid polyethylene dielectric with greater width than ordinary TV line. Receiving-type Twin-Lead can be used in low-power installations (75 watts or less). However, be sure when you buy your Twin-Lead that you get a "brand" name. There is some line available at bargain prices, but it is often really no bargain because the dielectric material is made from scrap plastic.

If you do a little thinking about our half-wave antenna you can see that it can be used as a multi-band system if you choose the correct type of line. If you are interested in a one-band system with a half-wave antenna, then coax is a good choice. There is one exception where a single coax-fed antenna will work on two bands: A 40-meter half-wave operated on 15 meters will have an impedance close enough to 70 ohms so that the s.w.r. will not be large enough to cause high losses.

Fig. 3—This drawing shows the complete setup for a multiband antenna installation. The antenna relay or changeover switch should be installed as shown in the drawing, not in the open-wire side of the feeders.



However, for general multiband operation you should use a low-loss line such as the open-wire type.

You can also see that if an open-wire feeder — or any low-loss line — is used to feed a dipole antenna, the impedance of the antenna is no longer of great concern. If we don't have to worry about s.w.r. or matching, then we no longer have to be concerned about having our antenna an exact half-wavelength long. This in turn provides us with a method of making an all-band antenna fit the space available in our location.

A Multiband Antenna

A very simple method for making a multiband antenna is to first measure off the distance between your antenna supports and cut a wire that long. Fold the wire in two, cut it at the center and insert an insulator. Attach open-wire feeders, long enough to reach your shack, at the center. Put insulators on the ends of the antenna and raise it into place.

In order to use the antenna on all bands, you'll need a transmatch¹ at the transmitter. The transmatch is connected to the transmitter via a length of coax line. Such an installation is shown in Fig. 3. With this arrangement, any value of impedance at the transmitter end of the open-wire line can be transformed to 50 or 70 ohms.

Naturally, the reader will ask how short the antenna can be and still be effective on 80 meters, which is the lowest-frequency Novice band and would normally require the longest antenna. The answer is that while the antenna can easily be tuned to 80 meters even if it is very short, the efficiency will be low if the length is much below 60 feet. An antenna approximately 60 feet long will give a good account of itself on 80, and will work even better on the higher bands. Keep in mind, of course, that this is true only if the antenna is fed with open-wire line.

Multiple-Dipole Antenna

For those amateurs that prefer coax feed with multiband operation, a simple antenna is the multiple-dipole type. An antenna of this type is shown in Fig. 4. It consists of two half-wavelength dipoles, one for 80 meters and another for 40.

¹ McCoy, "A Wide-Range Transmatch," *QST*, November, 1961.

length of either 50- or 70-ohm coaxial cable. The system will work on 80, 40, 15 and 10 meters, and no matching network is required. However, it should be pointed out that a Novice should incorporate protection in such a system against radiation of harmonics, particularly the second harmonic, from 80 meters. For details on such protection, see the October, 1961, issue of *QST*.²

Folded Dipole

A popular antenna is the "folded dipole." This type is shown in Fig. 2B. There are two basic differences between a folded dipole and an ordinary dipole. First, the feed-point impedance of a half-wave folded dipole is approximately 300 ohms. Second, it has a slightly broader frequency response than a dipole. The folded dipole is a one-band antenna and separate ones are needed for each band.

It is quite easy to make a folded dipole using 300-ohm Twin-Lead for both the antenna and feeders. The antenna length formula is the same as for a dipole. To make one, simply cut a length of Twin-Lead to the antenna length and solder the wires together at both ends. At the center, cut one of the conductors (you must, of course, remove some of the polyethylene insulation) and "skin" back leads for about one inch. Connect your feed line to the two leads, solder, and then tape the joint. You'll need either a transmatch or balun coils to couple the antenna to the transmitter. Balun coils are designed with a 4 to 1 ratio, so using 300-ohm feed line, you would use 70-ohm coax to couple the transmitter to the

² McCoy, "A Novice Three-Band Antenna System," *QST*, October, 1961.




Fig. 4—This sketch shows a coax-fed multiband antenna system. A simple way to make the antenna is to use open-wire feed line of the TV variety. The insulators will keep the two antennas separated so they don't short to each other.





Fig. 5—Here are the constructional details for the 15-meter rotatable dipole, fed with coaxial cable. As shown in the drawing, the coax can be fed either down through the mast pipe, or, if preferred, outside the pipe.



balun. Baluns can be purchased "ready-made." Typical Novice-band antenna lengths are given in Fig. 2.

End-Fed Random Wire

Another popular antenna system is the end-fed wire, which is quite commonly — and often mistakenly — called a "long" wire. This antenna is usually connected directly to the output terminal of the transmitter and no feed line is used. The length of the wire will, of course, depend on the space the user has available. It is difficult to say what the impedance of a random wire is at the end, and in many cases loading of the amplifier in the transmitter may be difficult. If a random-length wire is to be used, it is a good idea also to use a transmatch to provide both matching at the transmitter and reduction of harmonic radiation. With a transmatch, this antenna can usually be made to work on any band, although if the antenna is very short, say, under 30 feet, it may prove difficult to operate on 80 meters. Also, a good earth ground should be connected to the transmitter.

Rotatable Dipole

On the higher bands — 20, 15, and 10 — a dipole is short enough so that it can be made from metal tubing. The tubing can be mounted on a mast and the assembly rotated. This gives you the opportunity to make use of the directivity in such an antenna and you can "beam" your signal in the direction you want. Because

the antenna is bidirectional, you only need to rotate it 180 degrees in order to obtain full coverage.

An excellent 15-meter dipole is shown in Fig. 5. Two pieces of electrician's thin-wall steel tubing are used for the elements. The tubing is $\frac{1}{2}$ inch in diameter, 10 feet long, and is available from any electrical parts house. While a total length of 20 feet is slightly short for 15 meters, the antenna will have an impedance of approximately 50 ohms when tuned to resonance by means of a small loading coil in the center. This antenna offers a good match for 50-ohm coaxial cable, either RG-58/U or RG-8/U.

Fig. 5 is self-explanatory, but just a word about mounting the coax fitting on the antenna. Flatten the element in a vise or with a hammer and this will provide you with a mounting space for the coax fitting. One end of the coil is soldered to inner conductor pin on the coax fitting and the other end of the coil is held in place with a screw and nut. The height of the standoff insulators that support the elements above the 2×2 can be 2 to 4 inches, as the dimension is not critical. One convenient method of mounting the antenna is to use TV hardware. Wall stand-offs are available at low cost which will support the mast pipe and antenna. Also, a TV rotator can be used to rotate the antenna.

A Three-Band Rotatable Dipole

If desired, the same element material used in the antenna described above can be used for a





Fig. 6—A rotatable dipole for 20, 15, and 10. Construction details are similar to Fig. 5 with the exception of the feed line and coil at the center of the antenna.

Fig. 7—At (A) is the simplest form of vertical. The ground connection shown at the outer braid should be made to a good earth ground. Shown at (B) is a ground-plane antenna. The four radials are each $\frac{1}{4}$ wavelength long and connect at the center.



three-band — 20, 15, and 10 meters — rotatable dipole. The entire assembly is the same as Fig. 5 except that the coax feed and coil at the center of the antenna are not used. Open-wire feeders are attached to the dipole as in Fig. 6. The feeders are connected to a transmatch which is used to tune the system to the band in use. Because only 180 degrees rotation is needed for full coverage, there is no problem in keeping the open-wire feeders from shorting to the mast. TV mast stand-offs can be used to hold the open-wire line away from the mast. Leave an extra few feet of feeder length where the line enters the shack. This extra length can be dressed away from the mast so that the line can swing around when the antenna rotates, but doesn't short to the mast.

Incidentally, the feed line can be any length, since all tuning and adjusting is done at the transmatch or antenna coupler. This antenna and its adjustment is essentially the same as the odd-length, center-fed, multiband antenna described earlier (Fig. 3). The main difference here is that you can rotate the dipole, taking advantage of its directivity.

Vertical Antennas

Some amateurs prefer vertical antennas because they take up less space. They have both advantages and disadvantages. On the credit side is the small amount of space required. Also, they are omnidirectional, radiating equally well in all directions. However, a vertical should be mounted in a spot where there are no nearby objects, particularly rain gutters or house wiring, which will detract from their performance. In other words, if you don't have an open field, the antenna should be mounted high, so as to clear nearby objects. Also, a horizontal antenna in its best directions will be better than the omnidirectional radiation from a vertical. A rotatable dipole, for example, can be expected to out-perform a vertical at nearly all times.

The simplest vertical antenna, a radiator $\frac{1}{4}$ wavelength long, is shown at Fig. 7A. The formula for length in feet is 234 divided by the frequency in megacycles. The impedance at the feed point is somewhere near 30 ohms so the vertical can be fed with 50-ohm coaxial cable and a fairly good match will result.

The antenna can be made from wire and suspended from above, but a better system would be to make the radiator from tubing. This can be either guyed or self-supporting, depending on its height. Mount the mast on a base insulator

(a coke bottle makes a good insulator), and connect the inner conductor of the coax to the bottom of the antenna. The outer braid of the coax should be connected to a metal stake or ground rod driven into the ground at the base of the antenna. Like a coax-fed horizontal, such a vertical is essentially a one-band system. The exception is a 40-meter vertical, which can also be used on 15 meters.

Ground-Plane Vertical

One of the troubles with a vertical such as just described is that it may not operate very well with poor ground conditions. A way to get around this problem is to install your own ground system under the vertical. Such an antenna is called a "ground plane" and is shown at Fig. 7B. In this antenna the radiator is supported above at least four "radials." The antenna and each of the radials are $\frac{1}{4}$ wavelength long. The outer shield of the coax is connected to the junction of the radials. A fairly good antenna will result if the entire system is mounted high above the ground and in the clear. One method of doing the job is to mount the vertical on top of a tower or mast and then use four or more guy wires at the top of the mast. The guys can be of wire and should be $\frac{1}{4}$ wavelength long. Insulators should be used to separate the radial length from the rest of the guy. Even though the radials will slope downwards, the antenna will still work as a ground plane.

(Continued on page 140)





Fig. 8—Drawing of the coax-fed multiband ground plane. As explained in the text the radials are made from four-conductor TV rotator cable. A total of four radials are required for each band. Lengths of the antenna and radials can be determined from the formula given for vertical antennas.

A High-Performance Tuner for V.H.F. Converters



The intermediate converter is housed in a 7 × 14 × 8-inch cabinet. The tuning-capacitor knob is to the left of the 5-hole speaker opening. Lined up along the bottom from left to right are the crystal, r.f. gain control, panel lamp, audio gain control and headphone jack.

Improved Stability and Slower Tuning Rate for the Higher Frequencies

BY ALAN T. MARGOT,* W6FZA

IN recent years, serious-minded v.h.f. operators have been giving more attention to the lower-frequency portions of their receivers as well as to the front ends. For weak-signal work the qualities of rock-like stability, slow tuning rate, narrow pass band and accurate calibration have come to be just about as important as a low noise figure. These are also desirable features for s.s.b. reception. Several manufacturers have come out with receivers having these qualities, usually achieving them by breaking the bands into segments, each segment covering a few hundred kilocycles. Unfortunately, most of the receivers operating in this fashion have price tags in the \$500.00 neighborhood.

For the benefit of those less familiar with v.h.f. DXing, the above receiver qualities pay off in these ways:

1) *Slow Tuning Rate.* It takes more signal strength for the signal to be discovered in the noise than for it to be "held on to," once it has been spotted. Weak signals are subject to various kinds of fading and bursting. The slower the tuning rate, the more likelihood of discovering a weak signal on the up-fades or bursts.

2) *Stability.* In dealing with signals that fade in and out of the noise, it is reassuring when a signal comes out of the noise at the same spot on the dial at which it disappeared. Constant re-touching of tuning on weak signals leaves less concentration available for reading the signals, and promotes losing the signal in the noise.

3) *Narrow Bandwidth.* The narrower the bandwidth, the less the receiver noise. Decreasing the receiver pass band from 10 kc. to 2.5 kc. improves the signal-to-noise ratio by 6 db., or one S unit. Of course, the narrower bandwidth requires a slower tuning rate for the same "discovery" ability.

4) *Good Calibration* pays off in two ways. For skeds, it greatly simplifies finding the other station. Secondly, accurate frequency logging of DX stations makes identification easier in the future. For this reason, many stations hoping to be

*Communications Engineering Co., 907 Third St., Porterville, Calif.

In this system, the popular BC-453 surplus receiver is used as the main tuning element. The article is devoted to the construction of an intermediate converter which bridges the gap between the 14-Mc. output of many v.h.f. converters and the 190- to 550-ke. input range of the Command receiver. Complete adjustment procedure for the total system is included.

heard in far-off places pick one crystal frequency and stick to it.

The lowly BC-453 (surplus for around \$15.00) possesses the above qualities to a high degree. With a suitable crystal-controlled converter to bridge the gap between v.h.f.-converter outputs and the 200-to-500-ke. range of the BC-453, these attributes can be put to work on 50 Mc., 144 Mc., and on up. Such an intermediate converter is the subject of this article.

Circuit

The converter shown here is designed for use with crystal-controlled v.h.f. converters having output in the 14-to-18-Mc. range. The circuit is shown in Fig. 1. The input and output circuits of the 6BH6 r.f. amplifier are continuously tunable over the 14-18-Mc. range. A signal in this range at the output of the r.f. amplifier is fed into two successive mixers through which the signal is converted to a frequency within the tuning range of the BC-453 (200 to 500 kc.). The same injection frequency is fed to both mixers from a single Pierce crystal oscillator using a 6AU6. Crystal frequencies are changed every 300 kc. to keep the converter output frequency within the tuning range of the BC-453. As an example, a 50-Mc. signal in the v.h.f. converter produces a 14-Mc. signal at the input to this intermediate converter. A 6900-ke. crystal in the oscillator produces a beat at 7100 kc. in the output of the first mixer. The same injection frequency of 6900 kc. beating with the 7100-ke. signal in the second mixer pro-




Fig. 1—Circuit of the intermediate converter. Capacitors not listed below are disk ceramic, except those marked with polarity, which are electrolytic. Resistances are in ohms and resistors are ½-watt composition unless indicated otherwise.

C_1 —Three-gang variable capacitor, 150 μmf . or more per section (see text).

C_2, C_3, C_4, C_5 —Mica or stable ceramic.

L_1 —6.3-volt panel lamp.

J_1 —Phono jack.

J_2 —Open-circuit jack.

L_1 —8 turns No. 22 enam., ½-inch diam., shunted by 45- μmf . mica or ceramic trimmer, on air-core form, or unshunted on ½-inch iron-slug form; 2-turn link over ground end.

L_2 —Same as L_1 , no link.

L_3 —20 turns, same as L_2 .

L_4 —8-h. 75-ma. filter choke (Stancor C-1355 or similar).

LS_1 —5-inch loudspeaker.

R_1 —10,000-ohm control.

R_2 —0.1-megohm control, audio taper.

S_1 —S.p.s.t. on R_2 .

T_1 —Power transformer: 500 volts, r.m.s., c.t., 70 ma.; 5 volts, 2 amp. (not used); 6.3 volts, 2.5 amp. (Stancor PC-8403 or similar).

T_2 —Filament transformer: 25 volts, 1 amp. (Stancor P-6469 or similar).

T_3 —Output transformer: 10,000 ohms to voice coil.


Y_1 —See chart.

duces a 200-ke. signal at the input to the BC-453. Similarly, a v.h.f. signal at 50.3 Mc. will produce a signal at 500 ke. at the input of the BC-453. A 50.4-Mc. signal would, of course, produce a 600-ke. signal, which is outside the tuning range of the BC-453. Therefore, the conversion oscillator frequency is changed by substituting a 7050-ke. crystal which, for a 50.3-Mc. signal, results in a signal of 200 ke. at the input to the BC-453. By changing the oscillator frequency according to the accompanying chart, the entire 4-Mc. range is covered in steps of 300 ke. Although a total of 14 crystals is required to cover the entire 4-Mc. input range, the cost will not be exorbitant if surplus crystals, available at 50 cents each, are used. Also, many operators will not feel that complete coverage is necessary.

In this system, a range of 14 to 18 Mc. at the input to the converter results in a frequency range of 7.1 to 9.25 Mc. in the output of the second mixer. Since the ratio of minimum to maximum frequencies is essentially the same in both circuits, tuning of the circuits will track if the tuning capacitors are identical.

The second mixer stage is in the form of a cathode follower to provide low-impedance output to match the low-impedance input of the BC-453. The gain control in the r.f. stage permits the input signal from the v.h.f. converter to be adjusted to the proper level.

The chassis also includes a supply providing power for both this converter and the BC-453, and an audio output stage. The latter is necessary to provide enough amplification so that the r.f.



Chassis view of the intermediate converter unit. A 7 × 13 × 2-inch aluminum base provides plenty of room for components. The r.f. tubes, triple-section tuning capacitor and shielded coils are grouped to the right. Power-supply components and the 6AK6 audio stage are to the left. The output transformer is mounted on the speaker.

gain control of the BC-453 can be run about halfway open. In this region there is enough b.f.o. injection for good c.w. and s.s.b. sensitivity.

Construction

The construction of the converter is not critical as to detail. Most of the essentials will be evident from the photographs. The tuning capacitor C_1 may be any triple-gang capacitor having a maximum capacitance of 150 $\mu\text{mf.}$ per section or more, so long as the sections are identical. I used a broadcast-receiver replacement unit having about 365 $\mu\text{mf.}$ per section. In any case, only a small portion of the total capacitance range will be used.

The only critical point in regard to the coils is that L_3 should have four times the inductance of L_1 and L_2 for accurate tracking. If air-core forms are used, the coils should be shunted by 0–45- $\mu\text{mf.}$ ceramic or mica trimmers. Trimmers are unnecessary if iron-slug forms are used. With either type of form, the coils should be individually shielded.

BC-453 Conversion

This matter has been dealt with many times in print, and the procedure is the same as applied to other receivers in the ARC-5 line, with only a couple of exceptions. The subject was covered quite well in the November 1960 issue of *QST*.¹ The wires carrying B+, ground, and 24 volts a.c. can be soldered to the corresponding dynamotor terminals at the rear of the chassis, and the

¹ McCoy, "50- and 144-Mc. Reception at Low Cost," page 39.




Fig. 2—A—Sketch showing top view of BC-453 dynamotor connections. B—Rear view of audio connections.

audio pair can be connected as shown in Fig. 2. A little better match, and consequently a little more audio, can be obtained by cutting the wire off the audio terminal in Fig. 2, and connecting a 0.01- $\mu\text{f.}$ capacitor from it to the plate contact of the BC-453 output transformer. In this case, the little front panel was removed from the BC-453, and both extruded aluminum cups that mount the control plug and socket were drilled off and pulled out. It was necessary to clip the wires off the back of the socket first, saving the green one for the r.f. gain control. The rest of the wires were taped and tucked away.

The r.f. gain control, mode switch and padder were mounted on the little panel before it was bolted back on the front. Mount the padder as rigidly as possible, with stiff wire.


The mode switch (see Fig. 3) is a d.p.d.t. toggle switch with a neutral "off" position, which can be obtained in hardware stores. When making the connections shown, check the switch with an ohmmeter and orient the switch so that the handle is up for u.s.b. and down for l.s.b. If the trimmer C_6 appears to be connected for the wrong sideband, it is because the local oscillator in the BC-453 operates on the high-frequency side of the signal.

The dial of the BC-453 was remarked with a scale running from 0 to 350, in steps of 50. Then, each of the converter crystals was marked for the low-frequency end of the frequency range on which it is used. As examples, the 6900-ke. crystal is marked "14,000 ke.," and with this crystal in place, the BC-453 will respond to signals in the range of 14,000 to 14,350. The next crystal, 7050 ke., is marked "14,300 ke.," and the BC-453 then covers the range of 14,300 to 14,650 ke.

Tuning Up

Check out the BC-453 first by cranking up the audio and r.f. gain controls and listening for noise. The noise should increase with the b.f.o. switch in the up and down positions. By connecting a short length of wire to the "A" terminal on the panel of the BC-453, it should be possible to hear broadcast stations at the high-frequency end of the dial.

Fig. 3—Diagram showing alterations in the b.f.o. circuit of the BC-453. C_6 is a 7-45- μ f. mica or ceramic trimmer. R_3 is a 20,000-ohm control. S_2 is a d.p.d.f. toggle switch with center off position.



Next, change the switch on the front of the BC-453 from "A" to "L" and connect the leads from the output of the converter to the "L" terminals, with the ground wire on the lower terminal.¹ Plug in the 6900-ke. crystal, turn up the converter gain and tune in a strong 14,000-ke. signal. A 14,000-ke. signal from a v.f.o. or crystal stage will show up at 0 ke. on the revised BC-453 dial, or at 200 ke. with the original calibration. Rotate the three-gang capacitor in the converter for maximum signal. If a peak is found (about midway on the capacitor), arrange for a fairly weak 14-Mc. signal. Now try to peak up the slugs (or trimmers). If all the slugs peak the signal in their normal travel, alignment is complete. If one slug starts to peak with the slug completely out (or the trimmer completely open), adjust C_1 to a slightly lower capacitance and start over. If one circuit starts to peak with the slug completely in (or the trimmer at maximum), adjust C_1 to a slightly higher capacitance and repeat the pro-

cedure on the other side of zero beat. Double check to make sure that zero beat appears about a ke. lower on the dial than zero beat when switched to l.s.b. It will be necessary to go through this procedure several times, till you can tune in a signal on a.m., and then hear about the same pitch on both u.s.b. and l.s.b. Don't be disturbed if the noise sounds a little different on u.s.b. and l.s.b. when no signal is being received; this is caused by an unsymmetrical band pass. Notice that the beat note is many times stronger on one side of zero beat than on the other.

Operation

The BC-453 unit used here can be badly overloaded (as evidenced by obvious distortion) if its gain control is set for more than 50 per cent of maximum gain. So, in the earlier stages of operation, it will be well to stay below this limit. With the intermediate converter gain turned well up (R_1 advanced), and with a v.h.f. converter plugged in, two noise peaks should be heard fairly close together as C_1 is turned through its range. Always use the peak on the low-capacitance side. This is easy enough to do if the operator makes a habit of swishing through both peaks and stopping on the low- C one (the other is the undesired image). If the gain control on the intermediate converter is set too low, the system noise figure will deteriorate, so it should be set as high as possible without overloading the BC-453, and may need resetting with each signal. When tuning across a segment it will be necessary to retune the intermediate converter every 50 ke. or so. If there is any question as to whether things are functioning normally, disconnect the input to the intermediate converter temporarily. The noise in the speaker should drop by 80 per cent or more. This means the v.h.f. converter noise figure is dominating, as it should. Using the above procedure, no birdies have been noticed here. However, if the intermediate converter is detuned, or if it is mistuned to a beat with a harmonic of the converter oscillator, numerous birdies can appear.

With the tubes and coils shielded, no i.f. feed-through has been noticed in several weeks of

CRYSTAL CHART


Tuning Range Freq. (Mc.)	Crystal Freq. (ke.)
14.0-14.35	6900
14.3-14.65	7050
14.6-14.95	7200
14.9-15.25	7350
15.2-15.55	7500
15.5-15.85	7650
15.8-16.15	7800
16.1-16.45	7950
16.4-16.75	8100
16.7-17.05	8250
17.0-17.35	8400
17.3-17.65	8550
17.6-17.95	8700
17.9-18.25	8850

cedure. If a position on the capacitor cannot be found where all three slugs will peak, it will be necessary to prune the coils until this is so. Remember that the absolute inductance is not important, so long as $L_1 = L_2 = \frac{1}{4} L_3$.

B.F.O. Alignment

The b.f.o. can be lined up with any signal that is about an S unit stronger than the noise. Tune in the signal "on the nose" with the mode switch in the neutral or a.m. position. The correct point can be found by rocking C_1 back and forth across the signal and stopping when the noise is at its lowest pitch. With S_2 turned up to

¹ If the receiver does not have this dual-input arrangement, simply use the existing antenna terminal and chassis ground.



Bottom view of a portion of the BC-453 chassis showing the installation of the mode switch and associated components.

operation. Image rejection has been satisfactory. In that time, no images have been found with v.h.f. converters connected, and only a few strong commercials have come through as images while tuning the 14-Mc. band. Images can easily be recognized because the signal appears on the wrong side of zero beat, as compared to desired signals.

Many refinements could be added to this basic unit, such as crystal switching, audio filters, noise silencers, and a.v.c. They will allow avenues of experimentation for the builder, while he has the use of this tuner.

Calibration

With the circuitry shown, the 14-Mc. calibration will be within a kc. or so, provided your BC-453 has not had rough treatment. However, along with the owners of 75A-1s and 75S-1s, you are now at the mercy of the overtone crystals in your v.h.f. converters. There is no easy way to compensate for the 5-kc. error, or greater, found in many v.h.f. converters. We tried changing the BC-453 oscillator padder and trimmer, but with little success. The 6AU6 oscillator could be rebuilt into a VXO type of oscillator, but this would destroy the simplicity. Changing the loca-

tion of the calibration marker would correct only one end of the dial, since the calibration is not linear. It appears that operating on the v.h.f. converter oscillators is a possible approach. We have a friend who has bought three crystals for his two-meter converter, and still has an error. Until we get time, however, we are making a mental correction of -1 kc. on 50 Mc., and $+5$ kc. on 144 Mc.

For weak-signal work, this unit stands up to the \$500.00 receivers, and is out in front of the less-expensive ones. So it is ideal for the v.h.f.-minded ham who, like me, has "Collins" tastes and a "Command Set" pocketbook. The prospective builder should be warned, however, that this is a specialist's receiver, and large tuning excursions become tedious. It is definitely not for the casual v.h.f.-er who likes to swish across 3 or 4 megacycles looking for S7 or better a.m. signals.

With a little care in buying, the parts for this unit can be purchased for less than \$50.00, the BC-453 included. Since many of the parts are of junk-box type, and most of the values are not critical, it could probably be built for much less. So if you build it, would you do us a favor? Take the \$150 or so you've saved, and put a kw. on c.w. and s.s.b. on 6, 2, and 220, and emit some respectable signals!

QST

Strays

The following items of gear were stolen from the station of WA2JPJ on the night of Nov. 3. A Gonset Mobile receiver G-66B, a Gonset mobile mike, a transistorized power supply, and a crystal marker-calibrator. The serial number of the receiver is not known, but it can be identified by the fact that its power connector has been modified from the original to an 82al male connector mounted on stand-offs.

(Hint — why doesn't everyone reading this rush right out and make a list of the serial numbers of his gear — you never can tell when this info might be handy.)

— . . . —

Most hams don't have to be led, but K6LED is president of the Antelope Valley ARC and W6LED is president of the United Radio Amateurs of San Pedro. — W6MLZ.

Close-Spacing the W3QEF Quad

The boomless "spider" type of support for multiband quad elements, originated a few years ago by W4NNQ, and used later by W3QEF in his single-feed version, has solved constructional problems for many a booster for the cubical. Reducing the element spacing in the design described here by W7BTB results in increased ruggedness and a smaller turning radius without sacrificing gain.

Reduced Dimensions for a Popular Three-Band Design

BY IRVIN D. KRIDLER, * W7BTB

IN common with many others, the author was attracted by the low cost of the quad antenna, and the excellent results that are invariably reported by those who use them. In reviewing the many designs that have been published, the three-band arrangement described by W4NNQ¹ seemed particularly attractive from the construction viewpoint, since no boom is required. The spreaders are mounted in a central welded "spider" at the top of a rotating mast. An electrical feature of the design is that it provides constant element spacing (in terms of wavelength) on all three bands which, in theory at least, should result in a more constant feed-point impedance in going from band to band. Later, W3QEF successfully used a similar design with a single common transmission line feeding the three driven elements in parallel.²

In both of these arrays, an element spacing of about 0.2 wavelength was used. However, further search of published material revealed several designs using a spacing of 0.125 wavelength or less,^{3,4,5} and Orr⁶ shows curves indicating that maximum gain is obtained at this spacing, with a feed-point impedance of about 70 ohms.⁷ Structurally, this reduction in spacing is worth considering because it results in slightly shorter spreaders (where every inch of additional length reduces the mechanical stability), and less tendency for the spreaders to bend under the tension of the element wires because of the more nearly vertical aspect of the spreaders. In addition, the resulting "turning radius" is considerably smaller. The design adopted subsequently is the single-feed-line arrangement of W3QEF but with closer element spacing. The completed

dimensions are 18 feet 4 inches wide, by 18 feet 4 inches high, by 8 feet 7 inches deep.

The Spider

The closer element spacing requires an alteration in the angles used by either W4NNQ or W3QEF in constructing the spider. The jig shown in Fig. 1 was made up to facilitate accurate orientation of the component pieces during the welding process. First, the base (Fig. 1A) was cut from a piece of $\frac{3}{4}$ -inch plywood. A hole to clear $1\frac{1}{4}$ -inch I.P.S. iron pipe was drilled to a depth of $\frac{3}{8}$ inch at the exact center of the base. Then the diagonal slots were cut to the same depth. Next, four triangular pieces of $\frac{1}{8}$ -inch hardboard were cut, as shown in Fig. 1B, and these pieces were glued in the slots, with their vertical edges $\frac{7}{8}$ inch from the center of the hole to provide a loose fit to the $1\frac{1}{4}$ -inch pipe. Additionally, right-angle blocks were glued to the base in the 133-degree spaces to maintain the pipe in a vertical position in respect to the base.




Fig. 1—A—Dimensions of the jig base. B—Jig Assembly. C—Angle-iron spreader supports.

* 4128 Kitsap Way, Bremerton, Wash.

¹ Leach, "A Three-Band Quad Antenna System," *QST*, April, 1957.

² Hess, "Single-Line Feed for Tri-Band Quads," *QST*, August, 1959.

³ Pomeroy, "A Tri-Band Quad," *QST*, September, 1956.

⁴ Fehrenbach, "All-Metal Quad for 15 Meters," *QST*, March, 1961.

⁵ Adolph, "Three-Band Quad for Field Day," *QST*, April, 1961.

⁶ Orr, *All About Cubical Quad Antennas*.

⁷ As with other types of arrays, the feed-point impedance will be influenced by such factors as height above ground and tuning of the parasitic element as well as the element spacing. — *Ed*




Fig. 2—Sketch showing a combination view of the top and bottom construction. The upper half of the sketch is a view looking down on the lower spreaders, while the lower half is a view looking down on the upper spreaders. The missing half in each case is a reflection of the half shown. Stranded antenna wire (Belden No. 8000) was used for the elements. After stringing the element wires, all spreaders were given a coat of weatherproofing varnish.

Eight 12-inch lengths of $1\frac{1}{4} \times 1\frac{1}{4} \times \frac{1}{8}$ -inch iron angle stock were cut and trimmed (one face only), four right-hand and four left-hand, as shown in Fig. 1C. (The face not visible in the sketch falls in either of the two 133-degree spaces, so no trimming is required.)

With an 18-inch length of the $1\frac{1}{4}$ -inch pipe placed upright in the jig, one of the angle pieces was placed with the valley balanced over the diagonal edge of one of the triangular jig members, and with the trimmed end tight against the pipe. A right- or left-hand angle piece should be chosen, depending on which will bring the untrimmed face in one of the 133-degree spaces. When the angle piece was accurately placed, it was spot-welded to the pipe. The three remaining angle pieces were added in a similar manner. Then the pipe was inverted in the jig, and the other set of four angles was spot-welded. With all eight angle pieces in place, the various angles were checked for accuracy and, when found satisfactory, the permanent welding was completed. The $1\frac{1}{4}$ -inch pipe will fit perfectly over a 1-inch I.P.S. iron-pipe mast.

Assembling the Antenna

To assemble the beam, an area of at least 20 feet square, clear of all obstructions, is required. The spider was placed on the ground with the pipe parallel to the ground and with one of the 133-degree sides facing ground, the other 133-degree side facing upward. Four 14-foot bamboo poles were secured to the upper four angles, with shimming between the poles and the angle irons as necessary to correct any deflection from the proper angles. Galvanized iron strap, perforated the entire length with holes to clear $\frac{1}{4}$ -inch bolts, was used to secure the bamboo poles to the spider.

This strap is inexpensive and is found in most hardware stores.

All element wires were measured to the total lengths which may be determined by inspection of Figs. 2 and 3, adding three inches for each tie point (six tie points for each element — the four corners plus two at the feed or reflector-stub points). It will be noted that the lower strands of the 10- and 20-meter driven elements have total wire lengths greater than the lengths of wire in the top and side strands. On the other hand, the total length of wire in the 15-meter driven element is the same on all four sides. The top and sides of the 10- and 20-meter elements were shortened equally to allow for the extra length required to bring the open ends of the lower strands of these elements to the common insulator which is placed at the center of the 15-meter driven element. Egg insulators were placed at the corner points, tying them on with nylon cord. When the job is finished, there will be approximately 10 inches of line between the spreaders and the insulators of the 20-meter elements, 6 inches at the 15-meter elements and 5 inches at the 10-meter elements. Additional allowance should be made for tying and final squaring up.

The reflector elements were strung first, terminating each of them in a three-inch insulator at the center of what will be the bottom strand where the tuning stub is to be attached. At the four corners, the wire was run through the eye of the egg insulator and then the insulator was given two twists and the wire then soldered to prevent any possible slippage. Fig. 3 shows how the elements (driven or parasitic) are spaced along the spreaders.

With the reflector elements in place, an 18-foot length of 1-inch I.P.S. iron-pipe mast was at-

tached to the spider by drilling and tapping for three $\frac{1}{4}$ -20 machine screws. The open ends of the mast and spider were sealed with plastic tape. Then the assembly was propped up 5 or 6 feet off the ground while the second set of spreaders was attached, and the radiator elements were strung from underneath. The tie points for the driven elements require about 12 inches of nylon line for the 20-meter element, 6 inches for the 15-meter element and 10 inches for the 10-meter element. The open ends of the three elements were bunched together on each side and the two bunches joined with a 3-inch insulator. The 70-ohm line (Belden No. 8222) was then anchored to the insulator and the ends connected to the radiator terminals. This line is very light in weight and has proved to be entirely adequate for the 150-watt power level in use. A 1-to-1 balun is used between the line and the DX-100.

The dimensions used are the same as tabulated by Orr,⁵ except that the length of each reflector was increased by 3 per cent, and the tuning stub shortened correspondingly. The stubs should be adjusted for either maximum forward gain or, preferably, for minimum backward radiation as indicated by a field-strength meter. The latter point is sharper and therefore more easily recognized.

Results obtained with this antenna have been most gratifying. Comparative reports indicate that the performance is on a par with that of most of the 3-element Yagis in the area.

In conclusion, I want to acknowledge the in-




Fig. 3—Side view showing the spacing between elements. Opposing elements, not shown, are similarly spaced.

valuable assistance given by W7AMC, W7HMA, K7HZW, W7LKB, and W7UUO in various phases of the project, and by KL7AF in supplying the bamboo poles. QST

• New Apparatus

Jackson Brothers


Ball Drive Dial

ACTIVITY in the development of dials and drives as separate components seems to be confined to Great Britain nowadays. The dial shown in the photograph, a smooth-acting and inexpensive (about four dollars in the U. S.) ball-bearing planetary-drive device, is made by Jackson Brothers Ltd. of London, England. It is distributed in this country by Arrow Electronics, Inc., 64 Cortlandt St., New York 7, N. Y.

The dial knob measures about $2\frac{1}{4}$ inches in diameter and the dial skirt is 4 inches in diameter. The skirt is marked from 0 to 100 (reading counterclockwise) over 180 degrees of the dial. The planetary drive mechanism has a ratio of about 6 to 1 and is designed to mate with $\frac{1}{4}$ -inch shafts.

In the photograph is a partially disassembled dial which shows the major parts. The circular skirt plate mounts to the three spacers projecting out from the planetary. The black plastic knob is held fast to the assembly by a single screw.

Two holes are required to mount the dial, one for the shaft of the component to which the drive is to be fitted and the other for an anchor pin



shown at the bottom right of the photograph. The holes are located $\frac{5}{8}$ inch apart. The anchor pin is attached to the panel and the drive assembly is slid over the component's shaft. At the same time, the anchor lug (either one of the two "ears" protruding out from the planetary) is placed over the anchor pin which is projecting from the panel. The drive unit is fixed in the desired position and then locked to the shaft by two set screws. The entire dial is supported by the component's shaft and, when the dial is manipulated, the planetary works against the anchor pin which floats in the anchor lug slot. The anchor pin makes a tight fit with the anchor lug slot, and no backlash was noticed in the drive, but it probably would provide more mechanical stability if two anchor pins were furnished — one for each anchor lug. Only one anchor pin is furnished with the dial.

— E. L. C.



Hints and Kinks

For the Experimenter



G.D.O. MODULATOR

THE circuit in Fig. 1 shows a compact, audio tone generator for modulating a vacuum-tube grid-dip oscillator. It features low current drain and in most cases, can be constructed small enough to be installed right into the g.d.o. box.




Fig. 1—W1BHD's g.d.o. modulator.

S₁—D.p.d.t. toggle or slide switch.

Tone range will vary with different values of C₁ and C₂; the ones shown give about a 600-cycle tone. Most g.d.o. indicating meters are in the grid circuit of the tube with the plus side of the meter grounded. The plus lead is lifted from ground and connected as shown in Fig. 1. The d.p.d.t. switch, S₁, controls the B plus to the modulator and, when in the off position, returns the g.d.o. to normal operation

— Melvin H. Dunbrack, W1BHD

SIMPLE CODE-PRACTICE OSCILLATOR

A CARBON microphone, 4½-volt battery and a speaker can be connected as shown in Fig. 2 and used as a code-practice oscillator. Place the microphone near the speaker so that when the




Fig. 2—A simple code-practice oscillator. The battery can be several flashlight cells connected in series.

key is closed the system will "feed back" and give an audio tone. The pitch of the tone can be changed somewhat by changing the distance between the speaker and microphone.

— Ted Gisske, KN9LMM

AUDIO AND HI-FI INTERFERENCE ELIMINATION

THE schematic in Fig. 3 of an audio amplifier input stage should be familiar to amateurs and TV technicians, except for the suggested revisions shown in heavy lines.

Most a.c.-d.c. or series string filament type receivers use a 0.05-μf. bypass capacitor across the power line to prevent hum or power frequency

modulation of received signals. When negative is above chassis ground, an additional 0.1-μf. capacitor is used between negative and chassis. These should be checked and replaced if necessary to make certain the power line is properly bypassed.

Remove all leads connected to the control grid of the first audio tube. Insert an 82,000-ohm resistor, R₂, between these leads and the tube grid terminal. Replace R₁, which is usually a 5-10-megohm unit, with a 2-megohm resistor. Connect a 500-μf. mica or ceramic r.f. bypass capacitor, C₁, at the junction of the resistors, and a 1000-μf. capacitor, C₂, across the heater circuit as shown. Keep leads short and shield any long grid lead. The resistor does not affect the normal operation of an audio-frequency amplifier.




Fig. 3—Audio input stage with revisions shown in heavy lines.

Bypassing either side of the power line with a 0.01-μf. disk ceramic capacitor to the point where the power cord enters each piece of equipment is considered a necessity. Many hi-fi amplifiers lack such protection, in addition to being susceptible to reception of undesired radio signals through speaker leads and input wiring. Occasionally, it may be necessary to bridge cathode or plate lead electrolytic capacitors with a disk ceramic capacitor to act as an r.f. bypass.

In the case of hi-fi amplifiers, some care should be exercised so as not to reduce desirable high audio frequencies, while eliminating radio frequencies.

— Arthur L. Cavar, K8JHZ

DIPLOE TIE POINT

FACED with the necessity for using the top of a rotary beam mast as one tie point for a dipole antenna, I made use of an empty tin can and a TV strap stand-off insulator. The tin can, which measured about 6 inches high and 2½ inches in diameter, had one end removed. The stand-off insulator strap was tightened around the can, the dipole tied to the stand-off screw-eye and the can slipped over the top of the rotating mast. The can acts as a bearing and keeps the dipole from shifting position when the beam is rotated.

— Nat Capon, WA2PHF

FILAMENT PROTECTOR CIRCUIT

A MAJOR limitation on the life of a vacuum-tube is the mechanical strain in the filament during warmup. When the filament wire is cold, it has about one fifth its operating temperature resistance and the application of full filament voltage results in undesirably high current and rate of heating.




Fig. 4—Filament protector circuit.

R_1 —See text.

S_1 —Amperite type 115NO10T thermal delay relay.

The diagram in Fig. 4 shows a simple device to protect the filament from current surges — an Amperite 10-second-delay relay S_1 connected in the primary circuit of the filament supply. Resistor R_1 is in series with the transformer and limits the current to the filament. After a delay of a few seconds (time enough for the temperature and resistance of the filaments to rise) the relay shorts out R_1 and full voltage is applied to the filaments.

The value for R_1 is found by

$$R_1 = \frac{10,000}{P_f}$$

where P_f is the rated filament power. The power rating of R_1 should be about $\frac{P_f}{20}$.

This system will give the filament about 10 per cent rated voltage initially, rising to about 50 per cent at 10 seconds and full voltage when the relay closes.

— John Sankey, VE2ARH

PUSH-BUTTON SEND-RECEIVE

THIS circuit shown in Fig. 5 was originally developed for use by the handicapped. However, it is a convenient method of going from transmit to receive and can be used with almost




Fig. 5—W6PIV's push-button send-receive circuit.

K_1 —Surplus 24-volt relay.

S_1 —Normally-open push-button switch.

S_2 —Normally-closed push-button switch.

any phone transmitter-receiver operating from a common power supply. The relay, K_1 , is a surplus 24-volt unit with a resistance of about 300 ohms. The relay coil doubles as the cathode resistor in the modulator circuit, in my case, a pair of 6V6s. When the send switch, S_1 , is pressed, modulator cathode current will flow and close the relay. When the receiver switch, S_2 , is pressed (and opens the B-plus circuit), the relay drops out and switches back to the receive condition.

— Ken Blaney, W6PIV


LOG PROTECTION

IF you write your log in pencil or ball-point ink, spray each finished log sheet with clear lacquer spray to keep the writing from smearing.

— Robert Tidd, WY2TMM

MORE ON THE "ULTRA-LINEAR" MODULATOR

W2HTN gave some excellent ideas for improving the quality of modulation equipment in his *QST* article.¹ He also mentioned that "The problem, however, is finding a suitable modulation transformer. . . ." A circuit by I. F. Barditch, in *Radio Electronics*, June, 1959, does away with the transformer problem and, with some experimentation, can be adapted for modulator service. The diagram in Fig. 6 shows



Experimental circuit for an ultra-linear modulator.

The 12AU7s are used in a feedback circuit so that transformer taps are not needed.

a typical circuit using the Barditch scheme. Conventional circuitry is used up to the 6AQ5 power-amplifier stage. The voltage at B-plus prime should be about 150 volts, more than that at B plus. However, I found that about 100 additional volts seems to work all right. The circuit lends itself to experimentation since the power-amplifier tubes can be operated as straight pentodes, as triodes, or as something in between, merely by varying the 10,000-ohm potentiometers. Somewhere in this region, ultra-linear operation will be achieved without having to resort to a special transformer.

— Morris Bealle, K3JNF

¹ Yoss, "An Ultra-Linear Modulator," *QST*, October, 1961, p. 57.

Paul M. Segal — A Tribute

It is impossible to do full justice in recording 37 years of Paul Segal's devoted service to the cause of the American Radio Relay League, as he leaves the post of General Counsel.

Long-time readers of QST will, especially from the depths of their experiences in the earlier, more critical times of amateur radio's development, realize the inadequacy of these words. We only hope that, despite this handicap, newer amateurs will gather some measure of understanding of PMS' leadership and contributions to our League; more, to the very existence of ham radio as we know it today.

IN 1924 a young attorney from Denver became the first director of the Rocky Mountain Division under the League's then-new representative constitution. Though his earliest radio experiments were in 1911 the new director had been licensed as 9EEA less than two years and he had been a member of the League only for a similar period.¹ Yet almost immediately, the young amateur, Paul M. Segal, began to demonstrate the genius which was to serve the League in such grand measure and was also to carry him to the top echelon in the ranks of attorneys specializing in communications law.

Only a month after Paul attended his first board meeting, he presented his first legal opinion for the League, a learned brief analyzing the duties and powers of the Secretary of Commerce to regulate amateur radio under the Radio Act of 1912 which, though made hopelessly obsolescent by the development of radio during and after the first World War, was still in 1924 the only law of the land concerning radio. Possession of this brief must have greatly improved the bargaining power of the League's representatives during that period when the only real control of radio was exercised by "gentlemen's agreements" formulated in the Hoover conferences.

Soon, Segal was being called upon by the board and officers of the ARRL to answer other questions: Could the League invest money in common stocks? Could a director name a proxy to represent him at a board meeting? (His answers: "Yes, but . . ." to the first one, recommending municipal bonds as a better investment for an organization like ours in the market of the late twenties; in the second, "No," the members had specified an individual to represent them, and he cannot delegate his powers to a proxy except on a specified issue known in advance.)

In the middle twenties, a number of communities all over the country passed ordinances restricting, licensing, taxing or prohibiting operation of amateur radio stations. The board grew concerned about this harassment and asked Segal to pick out a test case to defeat these ordinances once and for all. The first case he picked, involving Portland, Oregon, collapsed after Segal had

filed suit in Federal Court, when the town fathers amended their ordinance so that it would not apply to any stations licensed by the federal government. Segal then brought suit against the city of Wilmore, Kentucky, and its chief of police, J. W. Grimes, on behalf of R. B. Whitehurst, 9ALM, seeking to overturn the city's ordinance requiring a license costing \$100 a year for the operation of an amateur radio station within the city. After several weeks of intensive on-the-scene effort in Kentucky, Segal had the case blocked out to his own satisfaction and went back home to Denver, leaving a local attorney to mop it up. In September, 1927, Judge A. M. J. Cochran of the U. S. District Court for Eastern Kentucky handed down the decision: amateur radio is interstate commerce, even though no compensation is involved and even within a single state because of its effect on other communications between states, and as such must be regulated only by the federal government. The case, known as *Whitehurst vs. Grimes*, is today a cornerstone of amateur defense against local attacks on our right to operate.

In 1928 the Board recognized in name what had been true in fact, appointing Paul M. Segal as General Counsel of the League. A year later, Segal was called to become Assistant General Counsel of the old Federal Radio Commission, and resigned as the League's counsel. But after nine months in Washington, Paul felt cramped and stifled by his work as a civil servant, finding his sympathies with the applicants for licenses more often than with the regulators. He left the commission in 1930 and went into the private practice of communications law in Washington. Naturally, he was promptly re-appointed as General Counsel of the League. He had been consistently re-elected every two years by the members of the Rocky Mountain Division to serve as their director, even during his time with FRC. But in 1931, having established himself permanently in Washington, he did not run for re-election.²

There is scarcely a phase of amateur radio where Segal's influence has not been felt. He participated actively in the Madrid Radio Conference, 1932, and to a lesser degree in other international radio conferences. He has given

¹ While Paul was studying law in Denver, he worked for one of the local broadcasting stations. Late at night, after the station went off the air, in its broadcasting capacity, Paul put it back on the air as a ham station!

² Paul became W3EEA in Washington, and operated his station remotely — controlling it with a 3½-mile private landline!

rulings on the internal structure of the League which have stood the test of time. He was largely responsible for the 1951 Articles of Association, which are the present constitution of the ARRL. He successfully defended the U. S. amateurs' right to handle message traffic, notably during the early 1930s, securing the broad interpretation of permissible messages under which we still operate: that any message not otherwise in violation of the Communications Act may be handled by amateurs so long as none of the amateurs handling it have any pecuniary interest in the message. He has established through cases which reached the Supreme Courts of New Jersey and Pennsylvania that the erection and maintenance of an amateur radio tower is a use customarily incidental to residential use of property and therefore should be permitted under even the

tightest zoning codes. Segal has even reached into the area of operating ethics: his work, "The Amateur's Code," is today the accepted standard and it has appeared in every edition of *The Radio Amateur's Handbook* since 1927.

Paul Segal's official service to the League has come to its end. But in offering this brief tribute to his 37 years of brilliant effort on behalf of us amateurs and our League, we are sure that from time to time we will hear his sometimes pungent, occasionally irascible, often witty and always valid comments on the right way to do things. We wish him well as he dismounts from the warrior's saddle.

QST

[EDITOR'S NOTE: A subsequent issue of *QST* will introduce to members the League's new General Counsel, Robert M. Booth, jr., W3PS.]

THE AMATEUR'S CODE

• ONE •


The Amateur is Gentlemanly . . . He never knowingly uses the air for his own amusement in such a way as to lessen the pleasure of others. He abides by the pledges given by the ARRL in his behalf to the public and the Government.

• FOUR •

The Amateur is Friendly . . . Slow and patient sending when requested, friendly advice and counsel to the beginner, kindly assistance and cooperation for the broadcast listener; these are marks of the amateur spirit.

• TWO •

The Amateur is Loyal . . . He owes his amateur radio to the American Radio Relay League, and he offers it his unswerving loyalty.



• FIVE •

The Amateur is Balanced . . . Radio is his hobby. He never allows it to interfere with any of the duties he owes to his home, his job, his school, or his community.

• THREE •

The Amateur is Progressive . . . He keeps his station abreast of science. It is built well and efficiently. His operating practice is clean and regular.

• SIX •

The Amateur is Patriotic . . . His knowledge and his station are always ready for the service of his country and his community.

— Paul M. Segal

Aside from experimental attempts at using Earth satellites for ham contacts, how practicable is it to set up a "spacecom" system that will be useful for everyday amateur communication? In this, the third and final article of a series begun in November QST, the author attempts to arrive at some answers based on present-day technology.

The Feasibility of Amateur Space Communication

The Problem—and Some Crystal-Ball Solutions


BY RAPHAEL SOIFER,* K2QBW

FROM our discussion of the signal-to-noise ratio (s.n.r.) as the key to amateur space communication, we found that variables can and do compensate — e.g., if economic or other factors prevent us from exploiting one parameter to the fullest, we could then improve another somewhere else in the system so as to make up the difference.¹ Of course, the end result will not be as good as if we had improved both factors, but then we beggars can't be choosers.

We went on from there to take a closer look at these parameters individually: first the noise components affecting the receiver, then the various factors involved in the "master signal equation" discussed in the second article. Except for satellite scatter, in which a frequency-dependent effective scattering cross-section sometimes compensates for the losses incurred by using lower frequencies, our analysis has shown that amateur space communication would work best in the bands from 1.215 to 10.5 Gc. But since satellite scatter is a sporadic phenomenon with a low duty cycle, we will be safe in leaving our optimum range stand as is.

The various mechanisms which have been proposed to perform the relay function in space have already been treated, although somewhat sketchily. At this time, it might be helpful to consider a specific example of amateur communication in a microwave band and compare each of these systems to see which, if any, could be of use to us.

In order to make this a reasonably true example, let's try to pick our band somewhere in the middle of our optimum range. Well, let's see. There are three bands in the current allocations table falling into this mid-range category, viz., 2300–2450 Mc., 3500–3700 Mc., and 5650–5925 Mc. But wait! What's the footnote say? Ohhh. It says that the frequencies 2450 Mc. and 5850 Mc. have been allocated for use as industrial, scientific, and medical channels. That means that over a goodly portion of those two bands, we amateurs have to accept whatever inter-



ference we get from radar speed traps, microwave heating and cooking equipment, and other motley devices. Of course, that situation, while current law, is not necessarily permanent. But, in any event, let's play safe and pick 3500 to 3700 Mc. as the band we want to play with hypothetically.

The systems we will be considering typically cost fair-sized chunks of our national space budget. It would not be realistic to suggest the expenditure of such sums for anything less than a global, broad-band communications system which could be used by individual amateurs in their normal pattern of operating — in a phrase, an artificial ionosphere, one which would always work and never break down.

Commercial vs. Amateur

This simple-sounding requirement actually puts the amateur at a great disadvantage when compared with the point-to-point communication services. Let's look at their position: They do not have 300,000 potential independent base stations, but rather a mere score or so, which happen to be under their direct control. This means that they can employ high-gain directivity at the satellite antenna (assuming active repeater operation) to beam signals directly at the receiving point. Or, if passive reflection is used, the flat-plate approach might work well, since they are only interested in a circuit between two specified points, rather than the global illumination which would be required were we to keep our amateur DX hounds happy.

*3 Ames St., M.I.T., Cambridge 39, Mass.

¹Soifer, "Space Communication and the Amateur," *QST*, November, 1961.

Soifer, "The Mechanisms of Space Communication" *QST*, December, 1961.

They have other advantages as well. Since they can concentrate their funds into a small number of stations, each station can be equipped with the utmost in technical sophistication. Sixty-foot horn antennas would be the rule, followed by maser amplifiers. Of course, no need to keep under 1 kw.; this is commercial radio. *By our compensation-of-variables principle*, this all means that so much technical improvement can go into the ground-support equipment, because of the point-to-point nature of the service, that the designer can well afford to keep the equipment in orbit to an absolute minimum. If he is using active repeaters, he probably would not need more than a few dozen watts of power for the entire satellite. This cuts down enormously on launch weight, and would thus keep the booster men happy. Similarly, if he were using orbital scatter, he could drastically reduce the number of dipoles, and so bring cheer to the hearts of radio astronomers as well as rocketeers, for dipoles by the billion are not lightweight.

Enough of the happy side of life. Now for our side. . . .


We are looking for a system which, essentially, would provide a foolproof artificial ionosphere for the 3500-Mc. band, one which would be accessible for use by what we would consider as the amateur station of the near future. This station might employ, say, an eight- or ten-foot dish, a parametric (but not maser) amplifier for reception, and maybe 100 watts of power output. (Gain, to this man (call him WB2XYZ), is precious; he has too little already, so he dare not lose any more by poor aim. He therefore would not like any system requiring him to track moving satellites, since there is no foreseeable method of giving him the reliable electronic tracking he would need at anywhere near what he would be prepared to pay. Of course, breakthroughs can and possibly will occur, but since we are 1962 amateurs trying to project present technology, we will assume that none have occurred and therefore restrict ourselves to systems not requiring tracking methods any more complex than those used for moonbounce.

What Are the Possibilities?

This rules out all the low-orbit schemes which have been put forward for commercial radio, such as the fifty-random-orbits approach of Bell Laboratories. From their position, the system would be sound enough — there would be a satellite somewhere in the sky at all stations and at all times. However, it would not appear stationary, so to make use of it the antenna would have to track automatically. Looking at it from our point of view, the best performance we could hope for, using our 1962 rotary-beam (or dish) approach, would be the sort of short, fleeting contact experienced in a good meteor shower. The satellite would pass through the major lobe of our antenna so fast that ratchewing would be impossible. This is clearly unsatisfactory. In fact, the best approach would involve a relay point which seems motionless from the

ground. This would require no tracking at all, and has the added advantage of permitting us to construct fixed antennas somewhat higher in gain than if we had to move them about.

In comparing systems within the above framework, we can conveniently ignore noise effects, since these do not change with the nature of the



relay point. Of course, in evaluating performance on an absolute basis (will it work?) noise must be considered as before. In our relative comparison, we can also ignore transmitter power and ground gains, since these obviously remain fixed. The remaining parameters, those relating to what happens between the time the signal leaves the transmitting antenna and arrives at the receiving antenna, are commonly lumped together under the general name, "path loss."

Let's look at the cheapest system, moonbounce. It has the obvious advantage that the moon is free, and no launchings would be required. When the various factors discussed in the second article are plugged into the equation, we come out with a 3700-Mc. path loss of 269 db. for two stations on earth. Actually, the figure might be a bit greater than that, because of random local factors, but our estimate cannot be too far wrong. When noise and the other factors are added in, we find that this path loss gives us even more marginal communication with our WB2XYZ-type stations than W1BU and W6HB had on 1296 Mc., when, with monumental effort, they succeeded in pulling out enough signal to tell if it were on or off. Of course, the amateur moonbounce art has progressed to the point that s.s.b. is now being attempted, but this involves kilowatt klystrons with dishes much larger than the one we have in mind. So we conclude that although, for the stations with substantially better than typical equipment, moonbounce will be useful to some degree, it simply cannot provide strong enough signals (or, more accurately, high enough values of s.n.r.) with our typical stations to be the complete answer to our problem.

If we now accept our "best-approach" thesis about the desirability of "stay-put" synchronous orbits (i.e., orbits at about 22,000 miles altitude above the equator), it quickly becomes apparent that passive reflectors will never do. Such a

reflector would have to be hundreds of miles in diameter to produce usable s.n.r.'s.

Satellite scatter will be of no help either. At 3500 Mc., the effective area C_s reduces to simply that of the satellite itself, so the problem reduces to one of passive reflection.

Let's now take a look, for a change, at something which has a chance of working. Consider a belt of half-wave dipoles, 3000 miles above the equator, cut for 3700 Mc. At vertical incidence, we would require about 2.1 billion dipoles, or about 950 pounds, in this belt to equal the 269-db. path-loss figure for moonbounce. This figure is obtained from the approximate formula


$$C_s = 0.22 n \lambda^2 \frac{360^\circ}{\theta}$$

where C_s = Effective scattering cross-section

n = Number of dipoles in the belt

θ = Angular fraction of the complete belt illuminated.

If we assume non-vertical incidence — say, a New York-to-London path — it might require 2500 pounds. Unfortunately, the altitude cannot be reduced much below the 3000-mile figure, in order to permit long-range work. Remember, both stations have to see it. The possibilities of this system arise from the fact that increasing the signal returns is simply a matter of putting up more dipoles. Keeping in mind the requirements we set forth previously, we can calculate that an amateur dipole belt, to be useful, would have to consist of at least 100 tons of dipoles. By 1962 rocketry standards, this is out of the question. By 1970 standards, who knows?



"--- AT LEAST 100 TONS OF DIPOLES"

We recall from the discussion in the second article that an equatorial dipole belt, by virtue of its continuity, appears motionless in space to a ground observer, regardless of altitude. So, we would not have to track it. All we have to do is figure out how to launch enough of it, without causing harmful interference to other services.

So far, we have the following: Moonbounce works now, but not very well, and natural limitations prevent improvements. Passive reflection cannot work at all, because of our inability to track low-flying satellites with large dishes. Orbital scatter has possibilities, but is a thing of the future. We have yet to consider active repeaters.

Active Repeaters

Our lack of tracking capability restricts us to the so-called "syncom" approach, in which three repeaters are spaced at equal distances along a synchronous equatorial orbit. The fact that the earth does not look very large from 22,000 miles out allows us to employ some directivity (21-db. gain, to be exact) in the satellite antenna without sacrificing coverage.

One way of approaching the problem of satellite design is shown in Fig. 1. An 18-inch dish (yielding 21-db. gain) receives signals from the lower half of the band. These signals are then heterodyned down to 20-110 Mc., and amplified. Now, we would like these signals to be retransmitted in the upper part of the band. When we realize that 110 Mc. looks like audio to a 3.7-Gc. carrier, the method suggests itself: s.s.b. The 3605-3695-Mc. output is then amplified and retransmitted to earth, picking up another 21 db. of antenna gain.

This looks simple, until we realize that the 90-megacycle bandwidth we are playing with may ultimately contain 50,000 to 100,000 amateur signals, each of which must come out stronger than the noise in the receiver. The power output of our satellite final must be enough to get all these signals home, plus some received noise. Actually, one good test of the system's effectiveness will be whether the satellite's retransmitted noise from the lower half of the band can overshadow the noise picked up in the ground receiver. If, when the satellite is turned on, the noise level in your receiver goes up by 6 db. or more, you have won the game, because you know that any signal reaching the satellite intact (i.e., copiable) will be copiable at your QTH. To do this, the satellite should be capable of running at least ten kilowatts power output. Remember, that 10 kw. may be divided 100,000 ways!

With present technology, such a satellite will have to incorporate a power source capable of supplying a minimum of 30 kw., c.e.s. If a satellite-to-satellite relay subsystem is added, make that 40 kw.² Such power consumption requirements would drive a present-day engineer into a severe state of shock. We can't do it yet. Commercials, as we have noted, get around the problem by using larger antennas, higher ground power, low-temperature receivers, and point-to-point directivity, all of which are impossible insofar as we are concerned. They will, therefore, get their lower-powered synchronous satellites up first. Eventually, perhaps with the aid of nuclear power, we, too, will be able to join them.

Relaying

We have thus far been talking largely about "ultimate" systems. These are systems that will enable the main stream of amateur radio to move

² One such subsystem would require an additional transmitter of about one kilowatt output on 35 Gc. to be installed in each satellite. Since efficiencies are much lower in this part of the spectrum, the 10-kw. boost in satellite power is needed. Note that 35 Gc. is chosen because of the high antenna gains available at this frequency.




Fig. 1—Broad-band synchronous repeater, 3500-3700 Mc.

confidently into the microwaves, away from 40-meter QRM, QSB, blackouts, s.w.b.c., and what-else-have-you which disrupts today's activity. The band will be open, not just at certain times, but *all the time*. We have noted, with regret, that no system available today represents this ultimate goal. However, the goal is there, spurring us on to the day when we will indeed make DXCC, without strain or pain, on 3500 Mc.

This wonderful future is, of course, dependent on the development of space relays. Only by this means is it possible to utilize these frequencies effectively over long distances. We have seen that space communication is a Siamese twin, as it were, of microwave technology. You simply cannot have one without the other. Developments in microwave technology will hasten the day of space communication, which, in turn, will hasten the day of substantial use of our microwave bands. This, in turn, will quicken the pace of microwave development, which will make possible still better space communications systems, which will lead to still more use of our microwave bands. It's like a chain reaction. It takes a good hard push to get it started, but once it gets going, there's no stopping it!

Our present efforts along these lines are aimed at providing that push. For example, we have been reading for some time now about amateur radio's project to construct and launch experimental beacons leading to our first active repeater. OSCAR would not be in a 24-hour orbit; meaning that it requires a tracking system. In addition, we have seen that the frequency, 145 Mc., cannot be considered optimum from either a noise or a propagational standpoint. By the technology and amateur practice of 1962, it is a reasonable frequency, but it is generally recognized that repeaters of the future will be using much higher frequencies. Project OSCAR's value is that, as a first step, it will establish in principle that an amateur-band satellite can be launched, thus paving the way for the more sophisticated microwave repeaters or dipole belts to follow and carry the load of amateur radio's future.

Here at M.I.T., the Office for Satellite Scatter Coordination is busily making use of the existing

operational system of reflection by satellite ionization phenomena. Through amateur experimentation, we are trying to learn more about its causation. Just as important as this goal is the fact that satellite scatter is *here now*, the equipment for it is *here now* in perhaps 50,000 American ham shacks, and it thus represents an excellent medium for building interest and enthusiasm for space communications among the amateurs of today. The dividend will be twofold: We will gain, through satellite scatter, an effective weak-signal communications system useful in the 1-, 21-, 28-, 50-, and possibly 144-Mc. bands for medium- to long-range communication, and we will also build up a pool of experienced amateurs trained in satellite techniques, invaluable when the time comes for the move to the microwaves. We might also make some breakthroughs in the tracking problem. Again, who knows?

Likewise, the Rhododendron Swamp V.H.F. Society and its counterparts using 1296-Mc. moonbounce are contributing greatly to this push. At the present time, responsibility for adapting microwave technology to amateur practice rests largely in the hands of the moonbounce boys. It is through this combined effort, pushing satellites and space on the one hand, microwaves on the other, that the chain reaction will be got going.

The Amateur of the Future?

The chain reaction toward space will not be without its effects on the individual amateur. Throughout our history, every technological change has brought with it an increase in level of the technical understanding required. We have come a long way from the days (no doubt within the memory of many readers) when a four-tube superhet was considered a project for experts, to be attempted only by the brave and the foolish. Luckily, enough "fools" did build them, so that we now are confronted by triple conversion and mechanical filters. It will be another giant step from the s.s.b. transceivers of today to the microwave stations of the future, but we will get there. Some already have.

Not that s.s.b. won't survive. As you remem-

ber, we used it in our hypothetical satellite. With very few exceptions, concepts in radio are not discarded. They are exploited to evolve new concepts and new systems. S.s.b. will still be with us, but you won't recognize the package.

Something else will remain with us, too. Inasmuch as it has the narrowest bandwidth and the lowest s.n.r. requirements, the first contact using each new space communication system that comes along will probably be made on c.w., as was the case with satellite scatter and moonbounce. The skill of the receiving operator at weak-signal reception; i.e., the art of "digging stations out of the mud," can have a great effect on the minimum required s.n.r. for any specified degree of reliability. This is where effectiveness can be bought most cheaply, for it does not cost a cent to train a good amateur operator. In general, the higher one's receiving speed, the more instantaneous his character recognition is likely to be, and the better he will prove to be as a weak-signal operator. In fact, the best such men are those able to think directly in code, without the necessity for mentally translating into English. It is no accident that the great achievements in amateur communication have as a rule been made by "old c.w. hands who ragehew easily at 40 w.p.m." This quote, incidentally, was taken from the *QST* description of W6NLZ and KH6-UK. Enough said.

If asked to gaze into my fogged crystal ball and predict the course of events, it would probably go something like this: Moonbounce, already achieved at 1296 Mc., will be attempted higher and higher in the spectrum, at least until the 10-Gc. DX record has been set via the moon. Satellite scatter will continue, with a possible new emphasis on 50 and 144 Mc., as more v.h.f. men become familiar with it. Some fragmentary QSOs will probably also be made using low-flying passive reflectors, such as ECHO II to be launched late this spring. The better-equipped 2-meter stations will probably be able to use this for fast new states. In addition, it will undoubtedly expose many of them to satellite scatter as it passes through regions of high ionization density, and they begin to wonder why the signals got stronger. ECHO II, by the way, is slated as a one-shot, designed to test the effect of drag on a large balloon. Other passive reflectors are to be high-altitude.

Experience of amateurs with "partial" space communications, such as ECHO II and OSCAR, will undoubtedly whet their appetites for the real thing. And, if my guess is right, the moonbounce men will be right there, with the microwave gear all developed and ready to go. From then on, we will gradually increase in complexity and sophistication, until the day finally arrives when we are in possession of a chain of synchronous microwave repeaters, and perhaps some scattering dipole bands, too, capable of virtually 100 per cent reliability, and able to support the full use of our microwave bands for long-distance communication.

So much for communication between two

points on earth. What about beyond? Will there be no amateurs on the expeditions we will be sending to the moon and the planets? We all know better than that. There waits in West Hartford an imposing piece of modern sculpture, reserved before World War II for the first amateurs to make two-way contact on our hands between Earth and Mars.³ The chain reaction we spoke of earlier will most assuredly make such a contact possible. And when the time for the trophy's award comes, most likely well after 1980, you can bet that I will be in there trying. Will you?

QST

³ See page 17, *QST*, December, 1957.

Silent Keys

It is with deep regret that we record the passing of these amateurs:

W10E, Harold W. Bean, Penacook, N. H.
 W1RFN, Fred E. Carey, Burlington, Mass.
 W1RUI, Paul H. Jordan, Beverly, Mass.
 W2ALB, Gerald M. Sellar, Queens Village, N. Y.
 W2BBI, George D. Campbell, Pelham, N. Y.
 K2BFB, Fredric W. Wright, Cayuga, N. Y.
 W2BFD, John E. Williams, Woodside, N. Y.
 K2KRE, William P. Black, jr., Jersey City, N. J.
 W2LST, Dominick H. Ferrari, Oakland, N. J.
 K2MFF, John S. Remecky, Bayonne, N. J.
 K2PTG, William G. Norton, Minotola, N. J.
 K2QYN, Aldo M. Moirano, North Bergen, N. J.
 K2RGS, Robert O. Truman, Upper Montclair, N. J.
 K2RI, ex-W7RM, Don Harris, Staten Island, N. Y.
 W3SPN, Lewis T. Dunbar, Bristol, Penn.
 W4AHK, Harvey K. Glass, Eustis, Fla.
 W4ANH, Ward F. Curley, Penellas Park, Fla.
 W4CAC, Alfred A. Stuart, Orlando, Fla.
 W4DNA, Joseph Dawson, Prichard, Ala.
 W4DV, William M. Harrison, Augusta, Ga.
 W4EQN, Vernon S. Parks, Winter Haven, Fla.
 K4MEQ, Douglass L. Zeigler, Birmingham, Ala.
 K4QMM, Shirley L. Hutcherson, Alexander City, Ala.
 W4RFN, Glenn H. Kelley, Whitesville, Ky.
 K5ZPA, Robert G. Hitley, Albuquerque, N. Mex.
 ex-K6BT, John O. Oldaker, Kailua, Calif.
 W6BZF, Benjamin C. Brown, Bonsall, Calif.
 W6JH, Leigh H. Slocum, San Diego, Calif.
 K6MWT, Dr. Joe L. Campbell, Downey, Calif.
 K7CZY, George W. Walker, Pocatello, Idaho
 W7DSO, William P. Riley, Scottsdale, Ariz.
 K7ERB, P. R. Nicholes, Salt Lake City, Utah
 W7EEH, Finlay G. Carruthers, Missoula, Mont.
 W7FMT, Francis W. Rice, Everett, Wash.
 W7JFB, Miriam F. Brown, Mukilteo, Wash.
 W7NTE, Phillips A. Channell, Longview, Wash.
 K8WDY, Virgil C. Verner, Youngstown, Ohio
 ex-W9CXJ, Milo E. Miller, LuVerne, Iowa
 W9ESP, Frank Taylor, McLeansboro, Ill.
 K9HBU, Robert G. Edsall, Bloomington, Ind.
 W9JBI, Harry J. Quandt, Waukegan, Ill.
 W9TWO, Ernest A. Rufing, Peoria, Ill.
 W8IDO, Donald E. Wood, North Platte, Neb.
 W8NYP, William S. Clarke, St. Charles, Mo.
 G12FDL, J. Wallace, Bangor, Co. Down, Northern Ireland
 G15ZY, Tommy Smith, Whitehead, Northern Ireland
 VE3WI, William R. Story, North Colbalt, Ont., Canada
 VE7QE, William T. Rogers, Sidney, B.C., Canada
 VE7ZI, M. Clair Watts, Sidney, B.C., Canada
 VP2MB, John E. Burke, Montserrat, B. W. I.
 ZL4AK, William L. Shield, Dunedin, New Zealand

resistances should make them as ideal in keyers as they are in other switching devices. The only problem left is to find some way of fitting them into the circuitry of the Electromonimuter. The modification worked out is shown in Fig. 1. Q_1 functions as a polarity-inverter to provide Q_2 , the keyer, with an actuating voltage of the correct polarity. When V_{3B} is cut off (key closed), the base and emitter of Q_1 are at ground potential, and the collector-emitter resistance is high. The base of Q_2 , connected to the voltage divider R_1R_2 through the series resistor R_3 , is positive in respect to its emitter. Therefore, the collector-emitter resistance of Q_2 is low, and the oscillator is keyed. When the key is opened, V_{3B} draws plate current through R_4 , causing the emitter of Q_1 to go negative in respect to the base. The collector-emitter resistance of Q_1 is reduced, essentially grounding the base of Q_2 . The collector-emitter resistance of Q_2 is then high, and the v.f.o. is "unkeyed." The 6AS7 keys the transmitter amplifier and the auxiliary side-tone and muter circuits as in the original model.

This modification requires a separate connection to the v.f.o. cathode. With an external v.f.o., this connection is available at the key jack with which most external v.f.o. units are equipped. In the case of the built-in v.f.o., it will be necessary to trace down the v.f.o. cathode lead, separate it from the normal common keying lead, and bring it out to a new terminal or jack. In most cases, this will be a simple job compared to changing the grid-leak return as suggested earlier. Starting at the "hot" terminal of the key jack, follow the lead back to the point where the v.f.o. cathode lead joins the keying lead (if this connection is not right at the jack), disconnect it, and extend the v.f.o. cathode lead to a terminal or jack.

Differential Effect

When this combination was first tried out, an unanticipated bonus was noticed. With the particular values used, there is a time differential between operation of the v.f.o. and actuation of the remainder of the transmitter that results in proper sequencing to produce differential keying. The action may be explained by referring to the circuit of Fig. 1 and the chart of Fig. 2.

When the key is open, V_{3B} conducts, causing a voltage drop across the voltage divider R_4R_5 such that the 6AS7 is biased toward cutoff, and Q_1 is biased to conduct, in turn causing Q_2 to be cut off.




Fig. 2—Graph illustrating the manner in which differential keying is obtained. The oscillator turns on at time t_{1A} and off at t_{1B} , while the amplifier turns on at the later time t_{2A} and off at the earlier time t_{2B} .




Fig. 3—The 1N91 diode is used to suppress transients caused by the keying filter C_1L_1 . The resistor in this instance is the one supplied as standard in the Viking Challenger.

When the key is closed, V_{3B} is cut off, but the voltage drop across R_4R_5 cannot disappear immediately because of the charge on C_1 . This charge is represented by E_2 in Fig. 2. At the same time, the bias on Q_1 is at some lower value E_1 , because the emitter is tapped down on the voltage divider. As the charge on C_1 is dissipated, the two voltages will fall approximately as indicated by the two curves of Fig. 2. The resistances of the voltage divider are so proportioned (relative to respective cutoff characteristics) that E_1 will fall to a value of E_{1A} (the voltage at which Q_1 cuts off, in turn causing Q_2 to conduct) before E_2 falls to E_{2A} (the voltage at which the 6AS7 starts to conduct. This turns the v.f.o. on ahead of the amplifier.

When the key is opened again, V_{3B} conducts, causing a voltage drop across R_4R_5 , but the two voltages cannot immediately rise again to E_1 and E_2 because of the shunting effect of C_1 as it charges. As the two voltages rise, E_2 will reach E_{2B} and turn off the amplifier before E_1 reaches E_{1B} to turn off the oscillator.

V.F.O. — Exciter Keying

In one system of keying that has been popular in manufactured transmitters in the past and that is still maintained in some current models and many home-built rigs, a built-in v.f.o. and one or two low-power exciter stages are keyed simultaneously in the common cathode circuit. The final is usually not keyed but is protected with a screen clamper tube. A transistor may be used to key systems of this type provided that the transistor has a collector voltage rating exceeding the open-cathode voltage as read on a high-resistance voltmeter connected across the key jack,² and a collector current rating above the cathode current that flows with key closed. In this case, C_1 , R_1 and the 6AS7 of Fig. 1 will be omitted, and Q_2 will key all stages. The keying lead of the Electromonimuter is connected to the collector of Q_2 in parallel with the transmitter key plug.

Transients

Most transistor ratings are absolute maximums for even instantaneous intervals. Semiconductors as a rule do not have the ability that vacuum tubes possess to withstand brief excesses of voltage or current. Therefore it is important to

² See "Technical Topics," *QST*, December, 1961.

• Recent Equipment —

Heath Pawnee 2-Meter Transceiver Kit Model HW-20



ONE of the joys in amateur radio is the feeling of accomplishment when a constructional project is finished and working. The fun is not restricted to the technician who builds strictly home-built gear; it can also be enjoyed by the beginner and nontechnical ham in the form of a well-engineered kit. The HW-20 certainly falls into this category, and although a challenging letter accompanies the kit, reminding the purchaser that the kit is recommended for the "experienced kit builder," the Pawnee is really no more difficult than any other kit. It just contains more parts, more steps, requires more time, and, of course, infinitely more patience!

The HW-20 (Pawnee) is one of two v.h.f. transceiver kits, the other being the HW-10 (Shawnee). The HW-10 covers the frequency range of 49.8 to 54 Mc., and the HW-20 covers from 143.8 to 148.2 Mc. Except for the frequency coverage, both models are more or less the same in circuit features, power requirements, and panel layout.

Designed for either mobile or fixed-station use, the Pawnee is a complete 2-meter station which can be operated on a.m. phone and — much to the delight of our v.h.f. editor — has a b.f.o. and provision for c.w. keying.

Receiver Section

A block diagram of the receiver section of the HW-20 is shown in Fig. 1. The receiver starts off with a broad-band cascode r.f. amplifier, V_{1A} , a 6BS8. A parallel-tuned trap in the input circuit is tuned to reject i.f. images and the amplifier output is transformer-coupled to the first mixer,

giving the receiver's front end a high order of i.f. signal and image rejection. An r.f. gain control is located in the cathode of V_{1A} to control the sensitivity of the r.f. amplifier. The broad-band characteristics of the r.f. amplifier make tuning controls unnecessary in this stage.

A 6EAB triode mixer, V_{2A} , combines the r.f. signal and oscillator voltage. The oscillator, V_{2B} , which is voltage regulated and crystal controlled, operates at 61 Mc. in an overtone circuit. The 61-Mc. tank circuit is in the screen grid, and a second tuned circuit at 122 Mc. is in the plate circuit. Through electron coupling in the oscillator tube, the second harmonic of the crystal frequency is picked off in the plate circuit, and this energy is capacity-coupled to the grid circuit of the first mixer, V_{2A} . The resulting first i.f. signal is between 22 and 26 Mc. To insure low-impedance r.f. paths, the r.f. amplifier, first mixer, and crystal oscillator are all mounted on a silver-plated subchassis (see photographs) which is completely enclosed by shielding.

The 22- to 26-Mc. output of the first mixer is heterodyned to the second i.f., 2 Mc. in the pentode section of the 6EAB second mixer, V_{3A} . The tunable oscillator, the triode section of the same 6EAB, operates 2 Mc. lower than the first i.f. A temperature-compensated Clapp oscillator circuit is used, along with voltage regulation, to insure stable operation. The oscillator tuning capacitor is part of a three-gang RCVR TUNE variable capacitor which also simultaneously tunes the first-mixer plate circuit and the second-mixer grid circuit. The tuning capacitor is mounted on the chassis with its shaft at right angles to the front




Fig. 1—Block diagram of the receiver section of the HW-20.

panel and is driven, along with the dial pointer, by a system of strings and pulleys. The dial pointer moves laterally along an illuminated slide-rule dial which is calibrated for receiver frequency at the bottom and v.f.o. frequency at the top.

Two 6BJ6s, V_4 and V_5 , amplify the 2-Mc. output from the second mixer. Six tuned circuits give an i.f. selectivity of 15 kc. at 6 db. down. The cathode of the first i.f. amplifier is in the r.f. gain-control circuit. A relative signal-strength meter is in the plate circuit of the second i.f. amplifier.

A diode section of V_6 , a 6AQ6, is used for detection and for developing a.g.c. voltage. A.g.c. is applied to the r.f. amplifier, first i.f. amplifier and a squelch tube, V_7 . The a.g.c. line can be grounded by a panel slide switch. A silicon diode, CR_1 , connected across the detector load, is used as a noise limiter. It can be turned on or off from the panel by a push-pull switch.

As mentioned earlier, provisions are included in the Pawnee for c.w. operation. The b.f.o. circuit is shown in Fig. 2. The Hartley oscillator, which can be tuned through the passband of the 2 Mc. second i.f., is controlled by varying the back bias on a silicon diode, CR_2 , which exhibits a capacitance change with a bias change. This scheme has been used before in Heathkits¹ but only in all-semiconductor circuits. The b.f.o. pitch control, R_1 , located on the front panel, varies the bias on the diode and sets the oscillator frequency. This control also has a push-pull switch which turns the b.f.o. on or off. Output from the b.f.o. is capacity-coupled to the diode detector. The diode, CR_2 , comes already wired inside the b.f.o. transformer can.

Audio in the HW-20 receiver is first amplified in the triode section of the 6AQ6, which drives another triode stage, V_{10B} . A 6DZ7 dual pentode (the 6DZ7 is a tube commonly used in stereo amplifiers) in Class AB₁ push-pull furnishes about 3 watts of audio for the built-in speaker. The audio circuits incorporating V_{10B} and the 6DZ7 are common to both the receiver and transmitter sections of the Pawnee. Most of the switching between the two sections is done by a relay which is controlled by the push-to-talk switch on the microphone. The squelch tube, V_7 ,

¹ "Recent Equipment," *QST*, December, 1960, p. 32.





Fig. 2.—Back bias on a silicon diode, CR_2 , is used to tune the b.f.o. in the HW-20. Unless otherwise indicated, capacitances are in $\mu\text{mf.}$, resistances are in ohms, resistors are $\frac{1}{2}$ watt.



Getting a complete 2-meter transmitter-receiver on a 10×12 chassis requires compact arrangement of the components, as demonstrated in this top view of the HW-20. The shielded box at the upper left of the photograph is the v.f.o. assembly. Transmitter-exciter stages are gang-tuned along with the v.f.o. through a system of gears visible at the bottom of the v.f.o. box. V.f.o. output is fed through the coaxial cable coming out from the top of the v.f.o. box, and is terminated with a phono plug which goes into a jack adjacent to the crystal sockets at the rear edge of the chassis. Power-supply components are in the center foreground, and the receiver section is at the right.

The main tuning capacitor can be identified by the large pulley at the right edge of the chassis. It is string-driven from the front panel through a system of smaller pulleys. The object mounted on top of the tuning capacitor is a screwdriver-adjusted potentiometer which is used to "zero" the S meter.

is also part of the audio system. It operates from the a.g.c. line and quiets the receiver by biasing off audio amplifier V_{10B} in the absence of a signal. The squelch threshold is adjusted by a panel SQUELCH control. This control is also a push-pull switch that turns the noise limiter on or off.

Transmitter Section

Nine tube sections are used in the r.f. and speech portion of the HW-20. The block diagram in Fig. 3 shows the lineup and job performed by each tube. The Pawnee's transmitter frequency can be controlled either by a built-in v.f.o. or by any one of four crystals (crystals are not furnished). A four-place crystal socket is accessible at the rear of the chassis and requires crystals in the 8-Mc. range. The desired crystal (or v.f.o.) can be switched into the circuit by a 5-position front-panel rotary switch.

The 8- to 8.22-Mc. v.f.o., V_{12} in Fig. 3, is a Clapp circuit which has been isolated both mechanically and electrically from the rest of the transmitter. All of the v.f.o. components are bottled up in a shielded compartment (see photographs) and all leads except for the r.f. output leave the compartment by way of feed-through capacitors. The frequency-determining components are mounted on a heavy subpanel heat-sink plate. One interesting thing Heath has done to




Fig. 3—Block diagram of the transmitter section of the HW-20.

stabilize the oscillator is to put the v.f.o. tube, V_{12} , inside the v.f.o. compartment. The idea is that the tube will bring the compartment up to temperature quickly and hold the temperature more or less constant. Included in the v.f.o. tuned circuit is a variable differential capacitor with fixed temperature-compensating capacitors connected to each stator. This differential capacitor can be set for various amounts of temperature compensation, depending upon the environment.

The v.f.o. tuning capacitor is a double-bearing variable, coupled to the panel *XMTT TUNE* control and dial pointer by strings and pulleys. The capacitor's shaft extends out the back of the v.f.o. compartment, where a combination of gears connects it to a three-gang variable capacitor which tunes several following stages. This feature allows for single-knob tuning of all the transmitter stages up to the final r.f. amplifier.

When crystal control is desired, the v.f.o. is switched out of the circuit and V_{13A} , the pentode section of a 6AN8, operates as an 8-Mc. Pierce oscillator. The plate circuit of this stage resonates at three times the crystal frequency (24 to 24.666 Mc.) and is tuned by one section of the three-gang capacitor. In the v.f.o. position, this stage operates as a tripler. A panel slide switch, labeled *SPOT*, applies voltage to V_{12} and V_{13A} for zero beating.

The triode (B) section of V_{13} triples the 24-Mc. signal to the 72-Mc. range. Its plate circuit is tuned by the second section of the three-gang *XMTT TUNE* capacitor. This stage is cathode-keyed along with the doubler, V_{14} , and the final r.f. amplifier. The doubler brings the signal up to the operating frequency in the 144- to 148-Mc. range. Its plate circuit is tuned by the third section of the *XMTT TUNE* capacitor.

A 6360 operates Class C push-pull in the final r.f. amplifier. It, too, has its own shielded compartment for isolation, and extensive filtering and bypassing is used on all of the d.c. leads entering the compartment. The final amplifier stage is cathode-keyed. A 100-ohm cathode resistance

protects the tube in case of loss of drive. Aside from the already-mentioned single-control *XMTT TUNE* knob, the final-amplifier plate-circuit tuning control, *FINAL TUNE*, is the only other control used in tuning the transmitter. Once it is adjusted for maximum transmitter output, it isn't necessary to change it for frequency excursions of up to about 500 kc.

The same meter used for relative signal strength in receiving is used for indicating relative transmitter output when transmitting. A semiconductor diode rectifies a sample of r.f. from the final-amplifier tank circuit and applies it to the panel meter.

Output from the final amplifier is link-coupled to the antenna circuit, and it is possible to vary the coupling by means of an adjustable link and a capacitor between the link and ground. Adjustments are made through panel holes behind the *XMTT TUNE* knob, which must be removed for this purpose. Once these controls have been set for a particular load (50 to 70 ohms) they usually do not need further adjustment.

Power input to the 6360 final amplifier is about 18 watts. Efficiencies of 50 per cent or better are obtainable on both phone and c.w. Our model measured about 10 watts output on c.w. and 9 watts on phone, using a Bird wattmeter and a non-reactive 50-ohm load.

A low-pass filter in the r.f. output circuit suppresses harmonics and other spurious radiations. Its cutoff frequency is about 152 Mc.

Speech Section

Tubes V_{10B} and V_{11} , the audio stages of the receiver, are also part of the speech section in the transmitter. In addition, V_{10A} , a triode section of a 12AX7, operates as a microphone speech amplifier for the high-impedance ceramic microphone furnished with the kit. Output from the speech amplifier drives V_{10B} , which is followed by the 6DZ7 push-pull modulator, operating Class AB₁. A combination output and modulation transformer matches the amplifier either to the

Class C r.f. load (transmit) or to the low-impedance built-in speaker (receive).

The audio section can also be used with an external speaker as a public-address system. This change is made by a combination push-pull switch/potentiometer located on the rear of the chassis. The switch gives a choice between either p.a. or modulator output, and the potentiometer, located in the circuit between the speech amplifier V_{10A} and the audio driver, V_{10B} , is an audio gain control for the speech section. About 10 watts of audio is available as a modulator, and about 15 watts as a public-address system. The various output levels are determined by the value of B-plus voltage applied to the 6DZ7 stage.

All of the switching between transmit and receive is done by the built-in relay, which is controlled by the microphone push-to-talk switch.

Power Supply


The Pawnee can be operated either from the 117-volt a.c. line, or from 6 or 12 volts d.c. In the case of d.c. operation, either positive or negative may be grounded. The three-way vibrator power supply is well filtered for hash elimination. The stepped-up voltage is rectified in a bridge circuit with semiconductor diodes. Two output voltages are developed in the supply, 125 volts d.c. for the receiver and audio sections and 250 volts d.c. for the transmitter and modulator. There is also 105 volts regulated for use on all the oscillators.

Two power cables plug in a socket at the rear of the Pawnee. One cable is wired for a.c. operation and the other is wired for either 6- or 12-volt d.c. operation. Heath furnishes an external heavy-duty relay that mounts close to the car battery and remotely controls the high current to the unit. The relay will work on both 6 or 12 volts since a dropping resistor is used in series with the relay coil on 12 volts.

Adjustment — Calibration — Operation

The Pawnee is housed in the familiar Heathkit two-tone green cabinet. There is a yoke-type mounting for mobile operation so that the unit can be hung from the dash or supported from below on the transmission hump. The microphone clip can be attached to either side of the cabinet for the operator's convenience. The built-in speaker faces out through the perforated side of the cabinet.

Arranged along the rear of the cabinet are the r.f. output connector (SO-239 type), key jack, a ground stud, power cable connector, modulator level and push-pull modulator/public address switch, phones jack (automatically disconnects the speaker when the phones are inserted), modulation monitor slide switch (provides for monitoring on-the-air modulation through the phones), and phono jack (for connecting an external speaker for the p.a. feature). A Fahnestock clip on the back of the cabinet makes a convenient holder for an Allen wrench (furnished) which fits the Allen screws in all the panel knobs.



The HW-20 chassis is divided into six compartments which are visible in this bottom view. The compartment at the lower right houses the receiver's front-end circuits, which are mounted on a silver-plated subchassis; at the top right is the remainder of the receiver except for its audio stages. The two center sections of the chassis contain the power supply, receiver audio, transmitter audio, and relay switching circuits. At the upper left is the transmitter's oscillator, multiplier and driver stages, and at the lower left is the final r.f. amplifier stage. The chassis bottom plate has been removed for this photograph.

Total time spent on the Pawnee kit, including the alignment time, ran well into 70 to 80 hours. Of course, this includes a good many hours spent in just going over the instruction manual *before* starting the kit. Except for a couple of minor errors in the manual (in the pictorial drawings), the kit went together without any real difficulties. If it were necessary to pick out the most difficult part of the project, our choice would probably be the operations related to stringing the dial cord on the various pulleys and then attaching the front panel to the chassis. Any other complaints about the constructional side of the kit would hold true for all kits in general. Such items as hardware, gears, shafts, bushings, clamps, etc., are difficult to identify since they are usually all dumped into one sack — the machine screws, nuts and washers alone are divided into half a dozen types!

Some interesting time savers are included in this kit. Screw holes on the chassis bottom plate are used as a jig for making up the correct dial cord lengths. Several long screws are temporarily placed in specific holes in the bottom plate. The dial cord is then strung between the projecting screws and the ends tied together. This results in a dial cord loop of the proper length. Another cute gimmick furnished with the kit is a plastic nut starter which, when a small metal insert is attached, doubles as an alignment tool!

Alignment of the receiver and transmitter is a simple operation even with modest test equipment. The instruction manual outlines several alignment procedures to suit the ability and test equipment of the owner. Receiver-alignment

methods include one where a v.t.v.m., sweep generator, wide-band oscilloscope and a signal generator are used. An alternate method is one that requires only a v.t.v.m. and involves using the transmitter section of the Pawnee for the signal generator. Transmitter alignment is straightforward and, if the instructions are followed to the letter, does not present any difficulty.

Probably the most tedious operation is the v.f.o. calibration and temperature-compensating adjustments. It may take several hours over a period of days or weeks to get the desired temperature stability. Our unit could be adjusted for stable operation during the first 30 to 45 minutes after a cold start, but would then begin to drift considerably. On the other hand, it could be set for long-term stability, but would drift for the first hour or so.

This writer was somewhat disappointed with the performance of the rather primitive noise limiter. Although a shunt diode limiter of this type does give some effective limiting, it does not measure up to the other outstanding features of the unit. In our unit, the various sections of the transceiver are so well shielded that in the spot position there was not enough oscillator signal

getting back to the receiver, so that it was difficult to hear the "spot" signal for zero beating.

The c.w. keying of the transmitter — even with v.f.o. control — is surprisingly stable. That there are provisions for keying and c.w. reception at all is enough reason for congratulating the manufacturer.

On the air reports concerning the "sound" of the Pawnee almost invariably laud the excellent speech quality of the unit. —E. L. C.

Heath HW-20 2-Meter Transceiver

Height: 6 inches.
 Width: 12 inches.
 Depth: 10 inches.
 Weight: 30 pounds.
 Power requirements:
 Input voltage
 6.3 v.d.c., 12.6 v.d.c., 117 v.a.c.
 Transmit 11.5 amp. 7.5 amp. 120 watts.
 Receive 8.5 amp. 4.5 amp. 60 watts.
 Price class: \$200.
 Manufacturer: Heath Company, Benton Harbor, Mich.

• New Apparatus

Twirl-Con—An Aid to Neater Wiring

It's not what it looks like, but it is a handy device for use in wiring and servicing radio equipment. Its name, *Twirl-Con*, is descriptive of the tool's purpose. You hold the knurled portion of the handle between your thumb and first fingers, feed a wire through the slot in the hardened-steel end, and then twirl the handle while keeping tension on the wire in the other hand. This coils up the wire so that it can be slipped over another similar wire, or over the remaining stub of the lead of a defective component that has been clipped out of the equipment being serviced.

A simple idea, but it can speed up wiring and servicing of equipment, and make a neater job of it. Particularly in the latter work, removing a component for test or replacement is often a messy job. Where several wires are soldered to a single terminal, damage may result from an attempt to unwrap soldered leads. Parts soldered to terminal boards often have only about $\frac{1}{8}$ inch of lead exposed. Once this is cut, reconnecting is all but impossible, yet parts often must be lifted

at one end to check for continuity or shorts. The *Twirl-Con* provides a simple and quick method of replacing such connections, or installing a new part. You merely twirl yourself a little sleeve of wire, slip it over the ends of the leads to be connected, and solder. Surplus wire can be left on the twirl for holding during the soldering, and then slipped off.

Twirl-Con is made by Henry N. Dittrich, W5IVU, 1101 N. East St., Edna, Texas, in two sizes, for No. 18 or No. 20 wire.


— E. P. T.

Strays

Not convinced yet that GMT is what you should use for your operating schedules? Then answer this quickly, without looking it up. If a ham in Hawaii told a ham in Anchorage that he'd work him again at 1000 local standard time, what would the schedule time be in Anchorage? (Standard Time.)

(Both Anchorage and Hawaii are on Hawaiian

— . . . —
 Several members of a radio club at the University of Illinois spent all one afternoon putting up a new antenna. Just after making the final connection to the transmitter, it was discovered that not a single one of them had a valid license. Better check the expiration date on *your* license, OMI!



A 160-Meter Converter for 80-Meter Receivers

Several current manufactured receivers as well as a good share of home-brew jobs do not include the 160-meter band. This easily-built converter unit puts a much-neglected part of the ham spectrum within the tuning range of any receiver covering the 80-meter band.

Compact Fixed-Tuned Unit Covering the Lowest-Frequency Amateur Band

BY PHILIP E. HATFIELD,* W9GFS

INSPECTION of the frequency range of some amateur-band receivers might indicate that there is no band lower in frequency than the 3.5- to 4-Mc. band. While it is true that there isn't much space at the lower frequencies, still there is considerable activity in the tiny segments of the 160-meter band shared by amateurs and Loran.

"Up" Converter

A converter can be constructed to make these receivers operate in the 160-meter band by converting the 160-meter signals *up* in frequency to the 3.5-Mc. band instead of down in frequency as is done in most converters. Normally, the i.f. output frequency of a converter is lower than the input frequency. This is done to utilize some of


the advantages of a low i.f. frequency. However, a converter can be designed to produce beat notes higher in frequency than the input signal just as well as lower. An example is the BC-348 receiver which has an i.f. frequency of 915 kc., but includes the range of 200 to 500 kc.

The principle of converting up in frequency was used in the converter to be described. This converter was constructed to extend the frequency range of the receiver described in an earlier issue,¹ but it can be used with any receiver covering the 3.5- to 4-Mc. band.

A second departure from convention in this converter is to use fixed-tuned circuits in the r.f. amplifier and mixer at the rather low frequencies involved. This would not be practical if the old 160-meter band were to be covered, but a 25-ke.

* Receiving Tube Dept., General Electric Co., Owensboro, Ky.

¹ Hatfield, "Unit-Type Receiver Construction," *QST*, December, 1961.



The 160-meter "up" converter. The particular physical arrangement shown here is designed to fit into a previously described unit-section type receiver. The "loopstick" used in the input circuit is mounted in the small can between the trimmer capacitor and the i.f. transformer which couples the r.f. stage to the mixer. Mixer and oscillator tubes, slug-tuned oscillator coil and crystal are to the right. The foundation is an $8\frac{1}{2} \times 2\frac{1}{4} \times 1\frac{1}{8}$ -inch interlocking-type box (LMB 850).




Fig. 1—Circuit of the 160-meter converter. Resistances are in ohms and resistors are 1/2 watt unless indicated otherwise. Fixed capacitors of less than 0.001 μ f. are mica; others are ceramic. Decimal values of capacitance are in μ f; others are in μ mfd. except as indicated.

C₁—250-1000- μ mfd. (approx.) compression-type trimmer.
 J₁—Chassis-mounting coax receptacle.
 L₁—Approx. 200 μ h. (broadcast-band "loopstick").
 L₂—Approx. 8 μ h. (CTC LS-3 10-Mc. coil).

P₁—Octal chassis-mounting plug.
 R₁—1000-ohm control (in receiver).
 T₁—1500-kc. mica-tuned i.f. transformer, 10 turns removed from secondary (Merit BC313).
 Y₁—See text.

band segment can be very satisfactorily covered in this manner.

The physical layout of the converter illustrated was dictated by the necessity for matching it with other plug-in converters for the receiver mentioned previously. In this arrangement the converter obtains filament and plate voltages through an octal plug mounted on the bottom of the converter. However, almost any chassis or box can be used for the converter, and a small power supply may be built in if no means of taking power from the receiver is available.

Tubes

The circuit of the converter consists of an r.f. amplifier, a mixer, and a crystal-controlled oscillator. Both the r.f. amplifier and mixer tubes are 6FG5s. This relatively new General Electric tube is a "shadow-grid" beam pentode and has several advantages in amateur usage that merit a short discussion here.

The 6FG5, unlike other pentodes, has an additional grid, placed between the control grid and the screen, and connected to the cathode. This additional grid reduces the ratio of screen to plate current and makes it practical to operate both the plate and screen at +250 volts. Use of the same voltage on plate and screen reduces the number of dropping resistors and bypass capacitors required. In addition, the transconductance of 9500 micromhos makes the tube a better performer than many commonly used pentodes. While not of importance at 160 meters, the low

screen-to-plate-current ratio reduces partition noise and makes the 6FG5 attractive also at v.h.f.


Circuit

The input circuit of the converter, patterned after the one used in the once popular R-9'er,² was designed to match the 50-ohm link used between the receiver and an antenna tuner; a conventional inductively coupled input circuit could just as well be used. This could be done by winding a few turns of wire as a primary on the broadcast band "loopstick" used as the input-circuit inductance. Interstage coupling between the r.f. amplifier and the mixer is through a 1500-kc. i.f. transformer. A compression-trimmer-tuned transformer was used and no difficulty was encountered in tuning the primary to 160 meters, although turns had to be removed from the secondary coil. An r.f. choke was used in the plate circuit of the mixer for simplicity. The crystal oscillator is conventional and uses a slug-tuned coil for the tuned circuit.

Crystals

Since it is very difficult to prevent signals at 3.5 to 4 Mc. from leaking through with such a converter arrangement, some assistance may be had from proper selection of the crystal frequency. For example, if you are interested in c.w. only, pick a crystal that will make use of the phone portion of the 3.5- to 4-Mc. band for the tunable i.f. system. In this way you will avoid calling

² "The R-9'er," *GE Ham News*, Nov.-Dec., 1946.



Converter with bottom cover removed. The input-circuit trimmer capacitor is in the upper left-hand corner. L_2 is to the right of the tie-point strip, upper center. The power connector is set in the bottom cover.

those very weak signals that may turn out to be operating in another band. Of course, if you are interested in phone, pick a crystal frequency that puts you in the c.w. portion of the 3.5- to 4-Mc. range. In addition, a simple low-pass filter may be placed between the antenna and the converter.

Two-Segment Coverage

If you wish to cover both segments of the 160-meter band presently available, several modifications of the converter are possible. One method would be to use replacement broadcast coils for the input and mixer circuits with a two-gang capacitor to tune both coils to the


desired segment of the band. Here it might be necessary to remove a few turns from the secondaries of the coils, although if slug-tuned coils were used, sufficient range might be available. Coverage of the two segments could also be obtained by switching trimmer capacitors across the broadcast coils. In either case, it would not be necessary to switch the crystal.

The idea of converting up in frequency may be extended to even lower frequencies than was done in this 160-meter converter. For example, a converter could be designed to cover the frequencies in the vicinity of 500 kc. to allow reception of the ship and coastal c.w. traffic. Coverage of still lower frequencies is undoubtedly possible. QST

• New Apparatus

RCA Power-Line Monitor

THE RCA Power-Line Monitor (Model WV-120A) should make a handy instrument around the shack and be especially useful for field days or wherever emergency power is being used. Its purpose is to monitor line voltage and it is accurate to plus or minus 2 per cent at 120 volts.



This one instrument can be used on circuits of 100 to 140 volts with frequencies ranging from 25 to 400 cycles per second.


The meter movement is a moving-vane type which indicates r.m.s. values (unlike the peak readings of a v.t.v.m.). Even distorted waveforms, such as those from transistor power supplies and inverters, will read true r.m.s. values. The meter is slightly damped but not enough to cover up quick line-voltage fluctuations.

The instrument measures 3 by 4 by 5 inches and has an expanded scale with 120 volts at center scale. This value is printed in red as a sort of reference standard. Mounting holes are provided on the rear of the case so the meter can be hung in a location that gives the best visibility. The clear plastic face of the meter has been treated with antistatic solution to prevent static charges from forming on the meter case and causing the pointer to stick.

— E. L. C.

Strays

Any U. S. or Canadian amateur who was born in the United Kingdom — please contact Will Schuman, WA6GLF, 111 W. Hillcrest Blvd., Monrovia, Calif.



YL NEWS AND VIEWS

CONDUCTED BY ELEANOR WILSON,* W1QON

OUR TENTH ANNIVERSARY

YL NEWS AND VIEWS became a feature of *QST* ten years ago this month! It was the January 1952 column that marked the introduction of a section in *QST* each month sacred to YLs only. If we might be pardoned for indulging in a bit of self-praise on this auspicious occasion, we would let out a boisterous, immodest, unladylike cheer "Hurrah for the YLs of amateur radio!" But quickly retreating to the more immutable facts of a ten year history, let's ponder what has been "The YL Story" for the past decade.

It all began in May 1951 at the annual meeting of the ARRL Board of Directors, when it was "VOTED that the Editor of *QST* be instructed to have prepared (by a qualified licensed female amateur) a monthly column devoted to YL amateurs and their interests, said column to be included in *QST* not later than January, 1952." And with the launching of the YL column as prescribed, through the media of the printed word on an international scale, more and more women were to discover ham radio and choose it as their own.

There are probably at least ten times as many women amateurs today as there were ten years ago. While exact figures are hard to come by, in 1952 there were probably only several hundred YLs — today there are several thousand. The January 1952 column listed a total of six nets for YLs only — our Nov. 1961 column carried a listing of 40 different nets. Ten years ago there were only four YL clubs, including the YLRL. Today

there are 30 YL clubs, with membership in the YLRL skirting one thousand.

The YL activity level has been high — in contests, certificates, get-togethers and conventions, in participation in Field Day, in special events such as the All Woman Transcontinental Air Race, Olympic operations at Squaw Valley, etc., as well as, of course, in nets and clubs, both YL and YL-QAL.

The amount of traffic handled during the past decade by some of our YLs has been almost too staggering to comprehend. Month after month since 1949 Mae Burke, W3CUL, has repeated the highest of BPI honors among all amateurs. Several other YLs including W2KEB, W0KJZ, W6QMO, W0EGG, W0KQD, and W2RUF have handled enormous loads of traffic year after year.

Special awards and citations of many kinds have been issued to various YLs, from the Edison Award in 1956 to W3CUL to plaques and certificates issued by the military for years of schedules with servicemen. Additional special Edison Award citations, public service awards, club awards, magazine awards — many have been tendered to many YLs for outstanding service. All of these are within the periphery of ham radio, and we say nothing of the accomplishments of our YLs outside of the hobby — as authors, artists, engineers, teachers, nurses, pilots, yes — even as beauty queens and astronauts. (We have officially one of each in the last two categories!)

Let's we seem to be back to horn-blowing again, we'll cease and desist right now and look only ahead to another ten years that could be ten times greater than the past ten years if we do our part to help make it that way.

*YL Editor, *QST*: Please send all news notes to W1QON's home address: 318 Fisher St., Walpole Mass.



Over the past ten years approximately 650 photographs of YLs have appeared in this column. Some of these were group photos featuring anywhere from 3 to 4 to as many as 91 YLs. Lots of YLs — no matter how you look at them!

Here's How

Attention all YL clubs interested in a good idea for the program of a club meeting! An October meeting of the Los Angeles YLRC proved so interesting and worthwhile to all who attended that a report of the event was passed along for the possible benefit of other YL clubs.

In celebration of its fifteenth anniversary on Oct. 26 (the Los Angeles YLRC was one of the first two or three YL clubs organized) at a luncheon at Schaber's Cafeteria in downtown Los Angeles, the program committee featured a double-barrelled "Here's How" theme. Designed not only to interest new and would-be hams, the program was also planned to show already-licensed members new ways to enjoy the hobby.

At two parallel tables were seated the club officers and a panel of "experts." Guests and club members sat at small



Visiting DX YLs Denise, VK1YL, and Susan, VQ2WZ, were guests of honor at a special luncheon of the N. Y. C. YLRL, arranged by Ruth, W2OWL, and Dot, K2DPN. The trips to the U. S. which coincided were pleasure for Susan and her OM, VQ2WX, and business for Denise and OM, VK1ATR/VK5RN. (Photos courtesy W2EEO)

tables to the rear. Each panel member presented a "Here's How" talk on the subject closest to her main interest in ham radio.

WGDXI led off with "Here's How the YLRL was organized." W6CEE exhibited YL certificates and told "Here's How to get them." Veteran contest operator W6QGX suggested to newcomers "Here's How to enter a contest and how to keep a log." W6JZA recommended nets and how to participate in them. Leading YL DXer W6HUA was enlightening with her "How of DX." S.s.b. enthusiast K6KCI rhapsodized on the joys of sideband operation and key-twitcher K6BUS extolled the virtues of c.w. The "Here's How" of traffic handling was discussed by WA6CKR right down to a message word count. Would-be hams were briefed on "Here's How to become a ham," with helpful suggestions for getting started.


Clubs casting about for a program with some real meat in it would do well to consider arranging a similar production.

The Los Angeles YLRC program was arranged by K6-OAI — the information was via Publicity Chairman W6-GVK.

COMING EVENTS

YL-OM Contest — The thirteenth annual, conducted by the YLRL. Phone section — 1800 GMT, Sat. Feb. 24 through 0500 GMT, Monday, Feb. 26, 1962. C.w. — 1800 GMT, Sat. March 10 through 0500 GMT, Mon. March 12, 1962. 35 hours total operating time. Rules will appear in the February column.

Annual California YL Get-Together — March 30-31, and April 1, 1962. Only the date has been set at this writing — details given later.



Newcomer Faith Wedge, K1OYM, of Bristol, Conn., finds DX her main ham interest. Licensed just a few months, Faith already has 40 countries confirmed.

12th Midwest YL Convention — May 18-19, Flint, Michigan. Esther Stuewe, W8ATB, G-4098 E. Atherton Rd., Flint, Chairman. Registration \$2.00 in advance to W8ATB.

Ladies Day — The second Monday of each month is reserved for just plain YL ragchewing on all the bands. Let the laundry go in favor of a fun day of YL QSOing.

Those Popular YL Certificates


The following information concerning the various certificates offered by the Young Ladies Radio League is given according to the rules printed in the new YLRL Directory, revised to Sept. 1961.

Worked All States YL — Issued for a contact with a duly licensed YL in each state of the 50 United States of America. District of Columbia may be substituted for Maryland. ARRL "Single Community" rule applies. No time or band limitations. Send QSLs and alphabetically-by-state list showing call, date, band and whether A1 or A3. Include postage for return of cards by 1st-class mail. Custodian, Grace Ryden, W9GME, 2054 N. Lincoln Ave., Chicago 14, Ill.

Worked All Continents YL — Issued for contact with a duly licensed YL on each of the six continents. All contacts must be made from within a 25 mile radius of original location. Send QSLs and list to Barbara Houston, K5YIB, P.O. Box 652, Richardson, Texas.

YL Century Certificate — Issued for contact with 100 different YLs. All contacts must be made within 25 mile radius of the original location. Send list in alphabetical order by operator's last name, showing operator's full name, call letters and date of contact. Enclose postage for return

(Continued on page 146)



Maxine Andrews, K10GU, (left) and Mary Goulart, K1NZK, (right) are "the first and only YL radio operators in the history of Plymouth, New Hampshire." Both licensed as conditional class in March '61, Maxine and Mary have been obliging with many a N. H. YL contact on 15 and 75, phone and c.w.

Happenings of the Month

Election Results

VE Third-Party Traffic

160 Expansion Requested

Examination Schedule

ELECTION RESULTS

The contested portion of the ARRL autumn elections has resulted in re-election of five directors and three vice-directors who faced the ballot box.

In the Atlantic Division, **Gilbert L. Crossley, W3YA/W3DKN**, received 3368 votes to 1292 votes for Robert C. Stewart, K2PKL, to continue as director. **Noel B. Eaton, VE3CJ**, rang up 1466 votes against the 262 cast for Donald M. McVicar, VE2WW, in the Canadian Director contest. **Dana E. Cartwright, W8UPB**, was re-elected as director of the Great Lakes Division, garnering 2903 votes to 734 for Michael Atlas, jr., W4MDB. In the Midwest Division, 1675 ballots were cast for director **Robert W. Deniston, W0NWX**, as against the 682 cast for Charles O. Gosch, W0BUL. Pacific Division voters kept **Harry M. Engwicht, W6HC**, as director; the tally was 1819 for him, 637 for Larry M. Reed, W6CTH.

The League's only woman vice director, **Mrs. Martha J. A. Shirley, W0ZWL**, was re-elected in the Dakota Division by 438 votes to 313 for John W. Sikorski, W0RRN. **Robert B. Cooper, W8AQA**, continues as vice director of the Great Lakes Division, edging out John E. Siringier, W8AJW by 1919 to 1707. In the Midwest Division, **Sumner H. Foster, W0GO**, continues as vice director, having received 1468 votes to 886 for Raymond E. Baker, W0FNS.

The office of vice director in the Canadian Division, vacant since Noel Eaton became director in May, 1960, will be filled by **Colin C. Dumbrille, VE2BK**. Mr. Dumbrille received 981 votes to 384 for Rowland C. E. Beardow and 362 for C. V. Waters, VE7ALR. The new vice director was first licensed in 1934, when he was fourteen. He's a past president of the Montreal Amateur Radio Club and has served as an emer-

gency coordinator. He also holds a supplementary reserve commission as a major in the Royal Canadian Signal Corps. Mr. Dumbrille lives in Baie d'Urfee, Quebec, and is controller of DuPont of Canada, Ltd.

These officers, as well as those who were previously declared elected as the only eligible candidates (see page 76, November *QST*), begin their new two-year terms at noon on January 1, 1962. Sharp-eyed readers may note a difference between the figures shown here and those transmitted from W1AW and other bulletin stations: the figures in the bulletin were incomplete, through an unfortunate error on the part of headquarters.

THIRD-PARTY TRAFFIC VE/VO TO YV

Canada signed a third-party agreement with Venezuela on Wednesday, November 22, in Caracas, and promptly put it to work with an exchange of greetings through YV5AJ and VE3ATU, with YV5GW and VE3ANL as standbys and QRM-chasers. The Canadian Secretary of State for External Affairs, the Honourable Howard Green, read the following message to Dr. Marcos Falcon Briceno, Foreign Minister of Venezuela:

"It is with great pleasure, Mr. Foreign Minister, that I take this opportunity of extending to you, to the Government you represent, and to the Venezuelan people, the friendly greetings of the Government and people of Canada. For me, it is a novel experience to exchange greetings of this kind over an amateur radio hook-up. This exchange of greetings will draw attention to the need for the people of the world to converse with each other, to get to know each other better, and will draw particular attention to the valuable exchanges of ideas which take place daily among those international ambassadors of goodwill, the radio amateurs, or "ham" operators, of the world.

"It is because of the useful, interesting and constructive work they are doing that the Canadian Government takes particular pleasure in the conclusion of the Agreement between our two Governments signed in Caracas today, which will permit the radio amateurs of our two countries to extend the scope of their operations by passing third-party communications of a technical and personal nature. The Agreement will be particularly welcomed by the radio amateur operators of our two countries, many of whom will be listening in on this frequency today. May I express the hope that the Agreement signed today in Caracas will permit them to assist in broadening the base of the already excellent relations which exist between our two countries. Lastly, I wish to take this opportunity to extend my own personal greetings to you."

At the signing: Mr. Green and Dr. Egana.

QST for



Dr. Falcon Briceno responded in kind from Caracas:

"It is with great satisfaction that I make use of this means of communication with Your Excellency, as it not only signifies the coming into force of the arrangement for the transmission of messages to third persons through radio amateurs, which Mr. Ross and I have just signed, but is, as well, another demonstration of the tradition ties of friendship that unite the peoples of Venezuela and Canada.

"This arrangement offers to thousands of radio amateurs of both countries the opportunity of obtaining something which the whole world seeks; a better understanding among men, based on mutual respect and the desire to share their happiness as well as their misfortunes.

"I wish to take this opportunity to express my very best wishes for the happiness and prosperity of the Government and of the people of Canada, and for the personal well-being of Your Excellency."

The Venezuelan Ambassador to Ottawa, His Excellency Dr. Manuel R. Egana, then came on the mike at VE3ATU with an informal greeting to the Canadian Charge d'Affairs in Venezuela, Mr. A. D. Ross.

The ceremonies took place on 20-meter a.m. and received full coverage from the Canadian Broadcasting Corporation and the press. Director Eaton was present, representing ARRL.

The agreement with Venezuela, which will allow Canadian and Venezuelan amateurs to exchange third-party messages provided that the amateurs receive no direct or indirect compensation, and that messages are of a technical or personal nature such that recourse to the public telecommunications service is not justified, is the second such agreement Canada has signed, the only previous one being that with the United States. The Canadian government is negotiating similar agreements with a number of other countries at present.

THE AMBASSADOR TO LEBANON

Hams have often been called "Ambassadors of Goodwill" but now we are proud to announce that a long-time League member is an ambassador. On October 27, 1961, the President announced the appointment of Armin H. Meyer, W3ACE, as Ambassador to Lebanon. Mr. Meyer, a career diplomat with 18 years experience in Middle Eastern affairs, has most recently been Deputy Assistant Secretary of State for Near Eastern and South Asian Affairs. Prior to that, at various times he has been stationed in Cairo, Baghdad, Beirut and Kabul, Afghanistan.



Mr. Ambassador, W3ACE.

Mr. Meyer was first licensed as W9ACE about 30 years ago in Lincoln, Illinois, and since then has held the calls W8QXM, W8WVP, W3ACE and a few DXotic calls such as OD5AX, which we understand is still available for re-assignment to Mr. Meyer. He holds a Master's Degree from Ohio State and an honorary LLD degree from Capital University of Columbus, Ohio, where he did a part of his undergraduate work and later served as Dean of Men. He has also received the Commendable Service and Meritorious Service awards from the Department of State. He will be accompanied to Lebanon by his NYL, Alice, and 11-year-old harmonic Kathleen. We wish him all the best in this important assignment.

SSB POWER IN CANADA

At the request of Canadian Director Eaton, the Department of Transport has released its definition of plate power input as it applies to single-sideband transmitters. Except for specification of 750 watts as the top instead of 1000, the definition is practically word-for-word with that of the FCC (page 14, *Single Sideband for the Radio Amateur*). The text follows:

"Section 44 of the General Radio Regulations, Part II, contains a tabulation of the frequency bands and types of emission which may be used by stations in the Amateur Experimental Service. It should be noted that the emission designator A3 is construed to include all forms of amplitude modulated radiotelephone emissions, including double sideband emission, e.g., full carrier (A3H), reduced carrier (A3A), suppressed carrier (A3J), also independent sideband (A3B). With regard to bandwidth, amateur stations using amplitude modulated double sideband (or independent sideband) emissions are permitted a bandwidth of 6000 cycles (plus-minus 3000 cycles), whereas with single sideband the equivalent bandwidth is only 3000 cycles.

"Section 46 of the General Radio Regulations, Part II, provides that the d.c. power input to the plate circuit of the final amplifier stage shall not exceed 750 watts (unless further restricted by Section 45) and Section 60 thereof requires that meters of "standard accuracy" shall be permanently installed where the d.c. power input of an amateur transmitter exceeds 400 watts. Noting that these restrictions relate to the basic types of emission designated in Section 44, it has been decided to interpret the limitation of Section 46 with respect to single sideband suppressed carrier emissions in the following manner —

"The d.c. power input to the anode circuit of the radio frequency stage supplying power to the antenna system of a single sideband, suppressed carrier transmitter, as indicated by the plate voltmeter and plate milliammeter, shall not exceed 750 watts on voice peaks, provided the plate meters used have a time constant not in excess of approximately 0.25 second (readily obtainable) and the linearity of the transmitters has been adjusted to prevent the generation of excessive sidebands.

"Note: The foregoing principle, of course, applies equally to the power limitations contained in Section 45 of the subject Radio Regulations."

LEAGUE REQUESTS EXPANDED 160-METER PRIVILEGES

During World War II a new radionavigation device was developed which would, more accurately than any previous navigational aid, show the true location of a ship or aircraft on the high seas. The system was, of course, very hush-hush at the time, and space in the medium-wave bands had to be found for it as quietly as possible. Since amateurs were off the air for the duration,

160 meters was the logical place for Loran, as it was called.

The device proved so useful that plans were made for it to be used by civilian ships and planes as well as by the military. Therefore, Loran was given priority in the frequencies 1.8-2.0 Mc. at the Atlantic City ITU Conference in 1947; however, at the urging of the League, the U. S. delegation successfully proposed that provision should be made for sharing of the band by the amateur service on a non-interference basis. In 1949, FCC made the band available to us, with stations in the east using 1800-1825 and 1875-1900 kc., and those in the west using 1800-1925 and 1975-2000. But starting in 1956, the continuing expansion of Loran made necessary certain restrictions in the amateur sharing arrangement. The two inner segments were withdrawn, and amateurs in the southeast lost their 160 privileges.

At the direction of the Board, the headquarters has kept in regular and frequent touch with government agencies involved in the operation of Loran, looking toward reinstatement of earlier privileges. It now appears that the need of the Loran service for protection from interference has changed in some degree. Consequently, the Executive Committee of the League has ordered that a petition for a formal restudy of the relative needs of the Loran and amateur service be filed with the Federal Communications Commission.

The text of the League filing is on page 144.

EXAMINATION SCHEDULE

THE Federal Communications Commission will give Extra and General Class amateur examinations during the first half of 1962 on the following schedule. Remember this list when you need to know when and where examinations will occur. Where exact dates or places are not shown below, information may be obtained, as the date approaches, from the Engineer-in-Charge of the district. *Even stated dates are tentative and should be verified with the Engineer as the date approaches.* No examinations are given on legal holidays. All examinations begin promptly at 9 A.M. except as noted.

Albuquerque, N. M.: April 7, at 11:00 A.M.
Anchorage, Alaska, 53 U. S. Post Office Bldg.: By appointment.
Atlanta, Georgia, 718 Atlanta National Bldg., 50 Whitehall St., S.W.: Tuesday and Friday at 8:30 A.M.
Bakersfield, Calif.: Sometime in May.
Baltimore 2, Md., 415 U. S. Custom House, Gay and Water Streets: Monday and Friday, 8:30-10:00 A.M. and by appointment.
Bangor, Me.: May 9.
Beaumont, Texas, 301 P. O. Bldg.: By appointment only.
Billings, Montana: Sometime in May.
Birmingham, Ala.: March 7, June 6, 1:00 P.M.
Boise, Idaho: Sometime in April.
Boston, Mass., 1600 Customhouse: Wednesday through Friday, 8:30 A.M. to 10 A.M.
Buffalo, N. Y., 328 P. O. Bldg.: 1st and 3rd Fridays.
Charleston, W. Va.: Sometime in March and June.
Chicago, Ill., 826 U. S. Courthouse: Friday.
Cincinnati, Ohio: Sometime in February and May.
Cleveland, Ohio: Sometime in March and June.
Columbus, Ohio: Sometime in January and April.
Corpus Christi, Texas: March 8, June 7.

Dallas, Texas, 401 States General Life Insurance Bldg.: Tuesday.
Davenport, Iowa: Sometime in January and April.
Denver, Colo., 521 New Customhouse: 1st and 2nd Thursdays, 8 A.M.
Des Moines, Iowa: Sometime in March and June.
Detroit, Mich., 1029 Federal Bldg.: Wednesday and Friday.
El Paso, Texas: June 14.
Fairbanks, Alaska: Sometime in May.
Fort Wayne, Ind.: Sometime in February and May.
Fresno, Calif.: Sometime in March and June.
Grand Rapids, Mich.: Sometime in January and April.
Hartford, Conn.: March 14.
Honolulu, Hawaii, 502 Federal Bldg.: Monday through Friday.
Houston, Texas, 326 U. S. Appraisers Bldg.: Tuesday.
Indianapolis, Ind.: Sometime in February and May.
Jackson, Miss.: June 6.
Jacksonville, Fla.: April 20.
Juneau, Alaska, 6 Shattuck Bldg.: By appointment.
Kansas City, Mo., 3100 Federal Office Bldg.: Thursday and Friday, 8:30 A.M. to 1:00 P.M.
Klamath Falls, Ore.: Sometime in May.
Knoxville, Tenn.: March 21 and June 20, 1:00 P.M.
Little Rock, Ark.: February 7, May 2, 1:00 P.M.
Los Angeles, Calif., 849 So. Broadway: Wednesday, 9:00 A.M. and 1:00 P.M.
Louisville, Kentucky: Sometime in February and May.
Marquette, Mich.: May 9, 10:00 A.M.
Memphis, Tenn.: January 11, April 5, 8:30 A.M.
Miami, Fla., 312 Federal Bldg.: Thursday.
Milwaukee, Wis.: Sometime in January and April.
Mobile, Ala., 419 U. S. Courthouse and Customhouse: Wednesday by appointment.
Nashville, Tenn.: February 7, May 2, 1:00 P.M.
New Orleans, La., 608 Federal Bldg., 600 South St.: Monday through Wednesday; code tests Monday at 8:30 A.M.
New York, N. Y., 748 Federal Bldg., 641 Washington St.: Tuesday through Friday.
Norfolk, Va., 402 Federal Bldg.: Monday through Friday except Friday only when code test required.
Oklahoma City, Okla.: January 18, April 12.
Omaha, Nebr.: Sometime in January and April.
Philadelphia, Pa., 1005 New U. S. Customhouse: Monday through Wednesday, code tests 8:30-10:00 A.M.
Phoenix, Ariz.: Sometime in January and April.
Pittsburgh, Pa.: Sometime in February and May.
Portland, Maine: April 10.
Portland, Ore., 201 U. S. Courthouse: Friday, 8:45 A.M.
Rapid City, S. D.: May 12, 8:00 A.M.
Roanoke, Va.: April 7.
St. Louis, Mo.: Sometime in February and May.
St. Paul, Minn., 208 Federal Courts Bldg.: Friday, 8:45 A.M.
Salt Lake City, Utah: March 9, June 8, 1:00 P.M.
San Antonio, Texas: February 8-9, May 3-4.
San Diego, Calif., Fox Theater Bldg.: Wednesday, by appointment.
San Francisco, Calif., 323-A Customhouse: Friday.
San Juan, P. R., 323 Federal Bldg.: Friday.
San Pedro, Calif., 356 W. 5th St.: Wednesday, 8:00 A.M.
Savannah, Ga., 214 P. O. Bldg.: By appointment.
Schenectady, N. Y.: March 14-15, June 13-14, 9 A.M. and 1:00 P.M.
Seattle, Wash., 806 Federal Office Bldg.: Friday.
Sioux Falls, S. D.: March 20, June 19, 10:00 A.M.
Spokane, Wash.: Sometime in April.
Syracuse, N. Y.: Sometime in January and April.
Tampa, Fla., Room 201, 221 N. Howard Ave.: By appointment.
Tucson, Ariz.: Sometime in April.
Tulsa, Okla.: February 15, May 17.
Washington, D. C., 718 Jackson Place, N.W.: Tuesday and Friday; code tests 9:30 A.M. and 1:00 P.M.
Wichita, Kansas: Sometime in March.
Williamsport, Pa.: Sometime in March and June.
Wilmington, N. C.: June 2.
Winston-Salem, N. C.: February 3, May 5.

NOTE: Only General Class and Amateur Extra Class license examinations are given at FCC offices and examining points listed above. All examinations for Novice, Technician and Conditional Class licenses are conducted by volunteer supervisors.

(Continued on page 144)

DEVICE FOR AMPLIFYING WEAK ELECTRICAL CURRENTS.

APPLICATION FILED OCT. 22, 1904.

PATENTS—SHEET 1.

Protect That Invention

Basic Information About the U. S. Patent System

BY KARL B. KELLER, * K3QVT (ex-W9JAI)

THE history of amateur radio has been one of invention. Through accident and through individual research, members of the amateur fraternity have been responsible for many important innovations in the electronics arts. But it is probable that many amateurs are not aware of the nature of the Patent System in the United States as a means of protection for invention.

Do you have a new or novel circuit on the drawing board, a new component design, or a brainstorm that has not reached the practical stage? Would you like to have that invention make money for you? Of course, you can immediately hunt around for someone who will buy the invention, but why not protect yourself? You can by government-issued "Letters Patent," commonly called a patent.

By a provision in the Constitution, the United States government will issue a patent to a first inventor, giving him the right to the sole use and benefit of the invention for 17 years from the date of issue of the patent. This protection from "infringement," or use by others, has been very valuable to inventors such as Edison, Bell and DeForest, in addition to countless John Does. Perhaps it can be valuable to you.

Patentable Inventions

You may ask, "What sort of discovery can I patent?" This article is too short for a detailed description of patentable subject matter; many court decisions are devoted to that issue. Probably the best way to outline the areas of patentability is to list some types of inventions which are not patentable.

Patents are not issued for inventions which are not useful, such as devices which are inoperative, which are useful only for immoral purposes, or which are useful only for deceiving the public. Patents are not issued for mental processes, for methods of doing business, or for methods of solving mathematical problems.

The most common criterion of patentability rests in the law that the invention must be new, and not previously in public use or on sale more than one year before the date of application. Further, the invention must not have been previously patented or described in a printed publica-

tion more than one year before application. The applicant must swear that he is the true inventor—in other words, that he is not trying to obtain a patent for another's discovery. If, after invention by the applicant and true inventor, he finds that the invention is described in a magazine article or other publication, he must file an application within one year, or there will be a presumption of dedication to the public. For these and other reasons, it is wise to make application for a patent as soon as possible after the invention reaches the practical stage.

Another limitation upon patentability is that a patent cannot be issued for an improvement, modification or change in a previous invention which would have been obvious to "one skilled in the art," that is, a person familiar with the subject matter involved.

These negative rules are used by patent examiners in the U. S. Patent Office to decide whether invention is in fact present in an application. It would be obviously unjust to allow patent rights to an applicant for a matter of common knowledge or for a development disclosed by another in a magazine article or in a previous patent.

Patents are also available for some types of plant improvements and for ornamental designs. Information about these types can be found in the references listed at the end of this article.


The Application

It is necessary for the inventor to make application for a patent to the U. S. Patent Office. The application must include a specification, drawings if the invention can be illustrated, and claims pointing out and distinctly claiming the invention. In addition, an oath, a petition and a filing fee of \$30 (plus \$1 for each claim in excess of 20) must be included.

The claims are the heart of the application and subsequent patent. They identify the invention and define the limits of the applicant's protection by the patent. Thus, they are of commercial significance to the inventor. The claims should be drawn to cover the invention disclosed in the specification and drawings, but should not be so broad as to define or "read upon" another's invention.

Applications are kept secret by the Patent Office, and the invention is not made public until a patent is issued.

* 3445 34th Street, N.W., Benning 316, Washington 16, D. C.



A portion of the Search Room in the Commerce Building in Washington, where copies of all issued patents are available to the public. Bound copies of foreign patents and a vast collection of scientific literature are also housed in the building.

How to Apply for a Patent

Let's assume that you have an idea which you think might be patentable. There are two methods of approach. Probably the best and most successful prosecution can be had by retaining a registered patent attorney. He will know how to take care of the necessary formalities, and can probably draw claims to the invention which will give the best protection obtainable.

It is also perfectly possible for you to prosecute your own application. To follow this method of attack, you should obtain copies of the government references mentioned at the end of this article. Careful study of them will indicate the proper procedure to follow in drafting the application.

The specification and drawings should be drafted carefully, so that the examiner and others who will later be interested in the invention can readily understand the disclosure. In doing this, it is important for the applicant to know the exact area of his invention, and to know how the invention is patentably different from similar inventions. A search of prior patents in the field, as mentioned in the references, is necessary to this end. And a study of the recent patents turned up in the search will give a better idea of successful form and style in the specification and claims.

Examination of Applications

The completed application is submitted to the U. S. Patent Office, where it will be sent to an examiner. About 1600 applications are received each week, and the work load of each examiner is quite heavy. It takes about six to twelve months before the application comes up for action.

The examiner's job is to investigate the "prior art," as previous literature in the applicant's field of invention is called, to check over the technicalities of the application to see that it meets required standards, and to write an official re-

sponse to the inventor or to his attorney.

The claims may be allowed, or they may be rejected for reasons given by the examiner. The inventor or his attorney then has six months to respond to the examiner's comments, offering arguments to his decision if it is adverse, and amending the specification or claims to overcome possible objections. The examiner receives the applicant's answer and reconsiders the case.

This process continues until it is clear that the invention is patentable, in which case the applicant is notified that a patent can be issued. If the examiner considers that the invention is not new and is therefore unpatentable, the applicant is given a final rejection, from which an appeal can be taken.

The average time from the date of application to the date of issue is about 3 to 3½ years, and upon the allowance of all pending claims, the inventor must pay a final fee of \$30 (plus \$1 for each allowed claim in excess of 20). The patent is then issued.

Patents are issued every Tuesday, and one figure of the drawing and one claim of each issued patent is published in a volume called the *Official Gazette*. From that time on, the patent is a matter of public record, and copies can be obtained by anyone. But the inventor still has the right to protect his "monopoly" on the use of his invention.

Protection

From the date of issue, the patentee is protected against infringement for 17 years. The patent cannot be renewed. The government does not undertake to protect the inventor; in cases of infringement the inventor must bring a civil suit to protect his rights. But a valid patent will be evidence that the inventor has this right to exclusive use.

The patent may only be of prestige value, or it may be financially rewarding. That depends upon the subject matter and the ability of the inventor to find a market for his idea. Patent rights are similar to property rights, and are legally assignable. The terms of an assignment are, of course, a matter to be settled between the parties involved. The government places no special restrictions upon the assignment of patent rights, though records of assignments are kept by the Patent Office and are mentioned in copies of the patents.

So if you have an idea which seems to lend itself to a patent, go to it! More than three million patents have been granted, and the results have been good, both for the inventor and for the country.

QST


References

Publications obtainable from the U. S. Patent Office, Washington 25, D. C., by remittance payable to the Commissioner of Patents:

Patents, as issued. Order by patent number or inventor's name and date of issue. 25¢ each.

Publications obtainable from the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C., or the nearest field office of the U. S. Department of Commerce.

General Information Concerning Patents, for the layman. 15¢ each.



An original copy of a patent is being given the official seal, as one of the steps leading to the issue of the patent.

Guide for Patent Draftsmen, giving office requirements for drawings. 15¢ each.

Patent Attorneys and Agents Available to Represent Inventors Before the United States Patent Office. 35¢ each.

Patent Laws, governing the issuance of patents. 30¢ each.

Patents and Inventions—An Information Aid for Inventors basic information. 15¢ each.

Rules of Practice of the United States Patent Office in Patent Cases, rules of the Commissioner of Patent, enacted under statutory authority.

• New Apparatus


New Baseless Tube Design

A NEW tube base, called "Novar," announced by RCA should be of special interest to amateurs. Initially, the Novar line will feature TV tubes that previously had octal bases, and will include several horizontal output tubes which have found application in amateur transmitters and modulators. Instead of the octal bases formerly used for these types, the Novar has a low-loss glass button stem base similar to the miniature tube base variety. Not only does this new

base result in a less expensive tube, but lead length is reduced so that the tubes should have much better r.f. characteristics than their octal counterparts. The 9-pin Novar base tube shown in the photograph has been designated a 6GJ5 and is electrically similar to the 6GW6 horizontal output tube. Other types to be announced will include one that has characteristics similar to the popular 6DQ5.

It is a little difficult to get an idea of the physical size of the Novar base from the photograph, so here are a few statistics: The nine pins, which are spaced 0.216 inch apart, are arranged on a 0.687-inch diameter circle and will require a special Novar socket (Cinch 149-19-00-037). The sockets should be available from dealers at almost the same time the tubes are. Envelopes used with the Novar base include the T9 and T12 types. The over-all height of the tube shown in the photograph from the bottom of the pins to the top of the plate cap is about 4½ inches and measures about 1½ inches in diameter.

— E. L. C.



Strays

Let's all get behind Senate Bill 2361 and push! See pages 9 and 73 of October QST.

The World Above 50 Mc.

1215-1300

2300-2450

3300-3350

5650-5925

10,000-10,500

21,000-22,000

30,000-2

CONDUCTED BY SAM HARRIS,* W1FZJ


SIX-METER SUNSPOTS AND SPORADIC E

NOT long after the sunspot count started to decline someone suggested an article entitled "The Rise and Fall of Six Meters." Somehow, somewhere, somebody got the idea that six meters would never again be open for any kind of DX except ground wave after the sunspots declined to the point where the F_2 -layer m.u.f. no longer reached 50 Mc. Suffice it to say that notions like this were not entertained by anyone who had any experience with 50 Mc. However, we must face the fact that there are licensed radio amateurs who don't have a background in radio propagation nor the experience as amateur operators to be able to evaluate the meaning of sunspot count decline. To many of these more-or-less newcomers to the v.h.f. ranks, the startling sporadic-E openings exhibited by the 50-Mc. band during the last spring and summer seasons proved that the prophets were not only without honor but didn't know what they were talking about. To the extent that they question the ability of anyone to predict the amount or intensity of the sporadic-E openings on 50 Mc. they are certainly correct.

All the so-called "old-timers" have various rules of thumb to predict the probable behavior of 50 Mc. in the coming years. Few of them, however, have any feeling of security in their predictions. For while it is safe to predict the probable F_2 -layer maximum usable frequencies, as a result of sunspot activity, such predictions are not intended in any way to reflect on the likelihood of sporadic-E openings.

I am not about to enter a discourse on the vari-

* P. O. Box 334, Medfield, Mass.



Can you pick 'em out? W6TZJ can—he sent us the photograph. Two objects on the left: 3700 polaplexers. Coax tank in center for 220-Mc. TVI. 220-Mc. converter toward top. Object on right is experimental 2-meter converter.

Those aren't objects, they're beer cans—I can tell!

ous methods of wave propagation. If you are not in possession of the ARRL *Antenna Book*, you should be. If you are, and you have not read the first chapter on wave propagation, you should have. If you did, a discussion of the matter is not required. If you didn't, do. In any event, suffice it to say that propagation which is directly affected by sunspot activity is to a considerable extent entirely predictable. Propagation by the means of sporadic E is by definition "unpredictable."

If you are a real experimenter and keep records for many years (as, for instance, W1DEI), you can quite probably readily prove that sporadic E occurs most often when the sunspots are low, or occurs most often when the sunspots are high, or occurs most often in the in-between periods. Or to put it another way, you can prove almost anything about sporadic-E propagation except how good will it be next spring. One thing is certain, there have been years when sporadic-E propagation has been relatively poor. And then there have been years like last year. Also, we must face the fact that sporadic E is the principal type of propagation which will allow relatively long distance communication on 50 Mc. until the next sunspot peak comes around.

Now as long as we're stuck with sporadic E as our prime long-distance propagation medium, it would seem that a small amount of familiarization would be in order. In the first place if you wish to make the most of sporadic-E propagation you must be prepared to use it to its maximum when it does occur. Sporadic-E ionization is present much of the time. It accounts for many of the good contacts which are enjoyed on the lower frequency bands. Ten-meter enthusiasts are inclined to call this type of propagation "short skip." Seventy-five-meter enthusiasts are wont to say "Gosh, the band was good last night, wasn't it!" Unfortunately, on 50 Mc. the intensity of ionization required to provide good solid contacts with relatively low-power equipment is such that only rarely do the right conditions present themselves, except during the May-June-July period. Now if you're a W1LUN type you put up a bigger antenna and run a little more power, and keep right on talking to Florida. (This is known as "do-it-yourself" type sporadic E.)

Now you don't have to run a kilowatt, put up a 6-1-element beam and go over to e.w. in order to maintain communications on six meters. On the other hand, optimum results on 50-Mc. sporadic-E propagation cannot be obtained with 10 watts into a halo. In fact, the maximum use of sporadic E requires the best antenna you


can possibly put up. Despite some ill-founded rumors to the contrary, a low-angle of radiation is very desirable for long-haul sporadic-E propagation. This would tend to favor some type of stacked antenna. I do not wish to enter into the pros and cons of so-called long yagis versus so-called short yagis. However it is pretty easy to stack two four- or five-element beams, and a boom long enough to do justice to eight or ten elements is a pretty unwieldy affair.

In any event, whatever your choice, the sporadic-E season is the time to have your best antenna up. And don't forget the minor *E_s* season is just around the corner. Just to prove that sporadic *E* is always with us, pay close attention to the propagation conditions during the coming v.h.f. Sweepstakes. (January 6 and 7 — see page 20, December *QST*). The unusually high activity which always occurs during this annual event guarantees that even the slightest patch of sporadic *E* will be taken advantage of. Incidentally, if anyone is interested in getting a multiplier from eastern Massachusetts by way of six or two meters, W1HOY is open for schedules. If you are interested please drop a card as soon as possible, as time is short.

50 Mc.

A short note from Carl Milner, W1FVY, informs us that he has now taken over Bob's place as six-meter operator at KL7FLC, ice island "Arlis II." Carl included a digest of the stations worked by KL7FLC from August 31, 1961 until October 28, 1961. This included one or more contacts with the following stations: KL7AUV, KL7CUH/m, VE8BY, VE6IP, VE8CM and W6VTE/KL7. Pete, VE8BY, at Yellowknife, holds the record with thirteen contacts with KL7FLC out of their total contacts of twenty-four. Seems that they are having trouble with the automatic keyer on "Arlis II" and VE8BY heard them several times when he could not make sense of the transmissions being sent. VE4TX has also heard KL7FLC but no contact as yet. Cliff sez that on the morning of October 29 at 0450-0453 and 0502-0504 GMT he heard the code wheel with highest signal peaking about S3. Cliff's log of October 1 makes interesting reading? 0250-VE8BY's code wheel, 5-9-9; 0258-CQ de K21NS? and unidentified Michigan station; 0302-CQ de K3HNP; 0318-0339-QSO VE8BY, his 220 watts 5-9-9, my 20 watts 5-3-9; 0542-0603-QSO VE8BY his 200 watts 5-9-9, my 20 watts 5-8-9; 0612-VE6IP de W7EGN (EGN heard VE8BY); 0615-CQ de K0UDZ2-1-9; 0622-0641-QSO VE8BY, 5-9-9 and 2-1-9/5-9-9. During these QSOs Pete passed along the information that both he and KL7FLC got into VE6 during the contest and that they had been having regular contacts between Yellowknife and Arliss II.

W8OWE, Lonnie Hawkins, is another station to be looking toward the north for on 50 Mc. Lonnie is now working in Adak, Alaska, and will be there for about one year, according to W8MBH. He expected to be set up on 50 Mc. by the first week of November and will be running 400 watts on cw. From Spenard, Alaska, Jack Reich, KL7AUV, reports his contacts with KL7FLC and has the following information concerning the contacts: "One unusual factor in these reports is that all are subject to QSB and most of the c.w. contacts were unusual in that there appeared to be a multiple-path signal with some frequency shift on one path. In other words, two distinct signals were present, about 500 cycles apart. These signals appear to be approximately the same strength and were keyed identically in time — at least as far as the ear could determine." Jack also corrects information printed in this column when we said that he had had several contacts in the southeastern states earlier this summer. Seems that these must have been bogus contacts as Jack's last stateside contact was into California during an *E_s* opening in 1959. He's almost as sorry about it as those stations who thought they finally had an Alaskan contact.



Assembling a 28-foot dish at the R.S.V.H.F.S.

A number of aurora reports also received from the 50 Mc. portion of the v.h.f.s; for instance K1LPL in Rhode Island says that he noticed several weak openings during the auroral sessions of October 2 and October 28. K1LPL is one of many working on converters and is finding out that his navistor converter for six and two meters is now finding signals which previously were too weak to read or just not there. K1JQT, Westminster, Massachusetts, reports a very good auroral opening on September 30 when he heard W0TTI and K3HRM. Phil sez he heard many ones and twos calling stations in Pennsylvania, West Virginia, Virginia, Missouri, Illinois, Indiana, Ohio, Maryland and Delaware, but he was unable to work any of 'em. Phil is also interested in starting a teen-age net on 50 Mc. Anyone interested get in touch with him. Walt McUmbert, W8BAN, mentions that while there isn't much to report concerning 50 Mc., he did catch a nice auroral opening on October 19 and a brief *E* opening on October 28. Walt is trying to get a lot of operating done while the band has calmed down, as he doesn't get much chance at the rig when the band is open. His NYL, Euna, K8YKW and the jr. op, Bill, W8AKL, are both DX hounds, so when the band is open . . . !

K0RWC, Pittsburg, Kansas sez that the auroral visual display of October 2 and 3 was tremendous 25 miles northwest of Pittsburg; on 50 apparently that's where Dave was during the aurora 'cause he doesn't mention hearing or working any of it on 50 Mc. The aurora of October 11 was caught by W8MBH in Detroit, Michigan, when ones, twos, and threes were getting into that area via aurora. Reg also reports that s.s.b. activity on 50 Mc. in the Detroit area has picked up considerably, and that a number of stations are on RTTY on 50 Mc. Ten stations on s.s.b.; six on RTTY. (Things are picking up all over.)

WA2BPE reports hearing aurora on October 1, 11, 19, 26, and 28; with the one of the 28th classed as "excellent". Tom said that the aurora peaked (for him in Corning, New York), at about 40 degrees west of North. He got into a six way at about 1530 with K3MKB, W8ZRL, W8PKL, K8KPD, K1PYI and himself — all on sideband. A 4 tried to break in to the QSO but was too weak to read. Tom also noted two short openings during October, on the 20th and the 25th. On the 20th a very weak opening to W0 land — no luck; on the 25th a good but short opening during which he worked K0PXL, 0, K0LFI and K0FUT, all in Missouri. Heard one 5 but was unable to identify. W1DDV of Hanson, Massachusetts, reports contacts with VE3CUA and W2JKI during the auroral session of September 30. W5SFV, Phil (better known all over the country as Slew Foot Willie) confirms the rumor we heard of aurora being heard in Texas. "Twas at 1930 GMT October 28 that the 8's were getting into Texas via aurora. Phil's post card was filled with news from edge to edge, mostly concerning 50 Mc. in Texas on October 27 and 28. Seems that "the band was open from Amarillo to 4, 5, 6, 7, 8, 9, 0, VE4 and VE6 lands on the evening of October 27 from 2230 GMT until 0630 GMT the next a.m. Next at 1930 GMT the 8's were in via aurora, followed from 2130 to 2230 GMT an *F₂* opening to South America with terrific commercial signals coming in from 49 to 50 Mc." Phil worked K5BTC, Anderson, Texas on backscatter and heard K5ZTH Chocktaw, Oklahoma and W5ZTE, Hurst, Texas — both on backscatter. At 0200 GMT *E* skip came through to 4 land.

W4BCL mentioned hearing an HK in the *F₂* opening earlier in the afternoon. Phil also mentioned that he has received his QSL from KP4CL/KV4 who he worked on

2-METER STANDINGS

WIREZ...	32	8	1300	W5YYO...	7	4	1330
WIAZK...	35	8	1205	W5UNH...	6	3	1200
WIKCS...	24	7	1150				
WIRFU...	24	7	1120	W6WSQ...	15	5	1390
WIAJR...	23	7	1130	W6NLC...	12	5	2540
WIFDQ...	22	6	1050	W6DNG...	9	5	1040
WIMNF...	21	7	1090	W6JCS...	8	3	800
WIIZY...	20	7	1180	W6ZL...	5	3	1400
K1CRQ...	19	6	800	W6HMS...	4	3	850
WIAFO...	18	6	920	K6GTG...	4	2	800
KIAFR...	17	5	450	W6MMU...	3	2	950
W9NLY...	37	8	1390	K7HKD...	13	5	1130
W2CKY...	37	8	1360	W7JRG...	12	4	1040
W2ORI...	37	8	1320	W7LHL...	5	3	1050
W2GQL...	33	8	1200	W7CJM...	5	2	670
W3BLV...	30	8	1020	W7JJP...	4	2	900
W2AZL...	29	8	1050	W7UJ...	4	2	235
K2LMD...	27	8	1160				
K2LEJ...	27	8	1060	W8KAY...	38	8	1245
W2AMJ...	25	6	960	W8PT...	38	9	1260
K2CEH...	24	8	1200	W8SDJ...	37	8	1220
W2ALH...	24	8	1100	W8IFX...	35	8	950
K2IDWJ...	23	6	860	W8SFB...	34	8	1040
K2HOD...	23	7	950	W8LOF...	33	8	1060
W2PAU...	23	6	753	W8MHJ...	32	6	910
W2RKG...	23	8	1200	W8GCH...	32	8	1180
W2SMX...	23	7	1090	W8BAX...	32	8	960
W2LWI...	21	6	700	W8NOH...	31	8	1030
K2KIF...	21	5	900	W8AJC...	30	8	1060
W2BSX...	21	6	750	W8EHW...	30	8	860
W2TTH...	20	7	880	K8AXU...	29	8	1050
W2WZR...	19	7	1040	W8LPD...	29	8	850
W2RQV...	19	8	720	W8WRN...	28	8	680
K2RLG...	17	6	980	W8LPC...	26	8	720
W2AGCH...	3	3	140	W8LFC...	26	8	800
				W8JWV...	26	8	940
				W8WNN...	25	8	900
W3RUE...	33	8	1100	W8GFN...	23	8	540
W3EPH...	32	8	1000	W8LCY...	22	7	680
W3GKP...	31	8	1180	W8LBN...	21	7	610
W3SGA...	31	8	1070	W8TFC...	17	7	550
W3TDF...	30	8	1125	W8NRM...	17	7	550
W3KCA...	28	8	1110				
W3BYF...	28	8	1070	W9KJR...	41	9	1160
W3LNA...	21	7	720	W9YOK...	40	9	1170
W3NKM...	20	7	730	W9LJ...	39	9	1075
W3LZD...	20	7	650	W9AAG...	33	8	1050
W3LST...	20	6	800	K9AAJ...	31	8	1070
				W9REM...	31	8	850
W4HIQ...	38	8	1150	W9ZIH...	30	8	830
W4HHK...	37	9	1280	W9PFB...	28	8	820
W4ZXL...	34	8	950	W9LVC...	27	8	950
W4LTU...	34	8	1160	W9BQC...	27	8	820
W4MKJ...	33	8	1149	W9OJI...	27	8	910
W4AO...	30	8	1120	W9ZHL...	25	8	700
W4VLA...	26	8	1000	W9HPV...	25	7	1030
K4EUS...	26	7	1130	K9AQF...	24	7	900
W4EQM...	25	8	1040	W9LFC...	23	7	825
W8AIB...	25	8	900	W9KPS...	22	7	690
W4WNE...	24	8	850	K9SGD...	21	7	1100
W4JCC...	23	6	725	W9CUX...	21	7	800
W4VVE...	23	6	720	W9ALU...	18	7	800
W4RMM...	21	7	1080				
W4TIV...	20	7	1000	W9FBF...	37	9	1350
W4IKV...	20	6	720	W9HHD...	31	8	1030
W4OLK...	20	6	720	W9SMJ...	29	9	1075
W4RFF...	18	9	820	W9LFE...	28	7	1050
K4YUK...	18	8	830	W9QDH...	27	9	1300
W4LNG...	18	7	1080	W9RUF...	23	7	900
W4CPZ...	18	6	650	W9MOX...	22	6	1150
K4VWH...	18	6	590	W9INI...	21	6	830
W4MCA...	17	6	757	W9TGC...	21	7	870
				W9RYG...	20	8	925
W8RCI...	37	9	1215	W9IC...	19	7	1245
W8AJC...	29	9	1360	W9AZT...	18	7	1100
W8FYZ...	29	9	1275	W9JAS...	18	6	1130
W8JWL...	29	7	1150	K9AQJ...	16	6	1120
W8DFU...	28	9	1300	W9IFS...	16	6	1100
W8PZ...	27	8	1300				
W8LPG...	25	7	1000	VE3DIR...	30	8	1330
W8KTD...	23	8	1200	VE3LB...	29	8	1340
W8ML...	16	5	700	VE3BQN...	19	7	790
W8FSC...	12	5	1390	VE3AQG...	18	8	1300
W8HEZ...	12	5	1250	VE3DER...	17	8	1340
W8KFU...	12	4	1300	VE3HW...	17	7	1350
W8SVW...	12	4	745	VE3BPB...	14	6	715
W8CVW...	11	5	1180	VE3AIF...	10	4	580
W8NDE...	11	5	620	VE3FJ...	1	1	365
W8VY...	10	3	1200				
W8EDZ...	8	5		K86UK...	1	22	2540

The figures after each call refer to states, call areas and mileage of best DX.

July 25 on 50 Mc. She was using a G-50 and a 3-element beam. More news contributed by Phil sez that K3LFW/5 is now operating from Clovis, New Mexico, with a Seneca and beam for those who need that state. And a final bit from Phil sez that XE1GE mentioned openings to South America from Mexico during the early part of October. W6CDQ heard a short opening to Texas on October 8 but that was it.

W9HPS, Minnesota is looking for schedules (c.w., that is); he operates 50.1 and will be there nightly from 2200 to 2300. Pinky is erecting a 120-foot tower, 48 inches on a side, and galvanized, too; as Pinky sez "Gee!". Atop the tower

will be arrays for 50, 114, and 220 Mc. K3KPA and K3PXA both write to tell us a small amount of activity in the upper 2 Mc of the 50 Mc band. K3MPW is also working up there with John and Russ and the three of them are trying to stir up more interest in that portion of the band. These boys also agree that ground wave has been very good during October in the early and late evening. Too much QRM during the shank of the evening. Wyoming is becoming 50-Mc. conscious with the aid and assistance of W7UFB, W7VTB and a few others.

Bob, W7UFB noticed a trace of aurora on September 30 and worked K8TUD in Omaha at that time. He also heard K9QYA and W8CCD that same evening. On October 27, the sporadic E brought forth Missouri, Arkansas, Tennessee, and the 7's to the northwest of him. In Ames, Iowa, Jim McMechan, W0TTP, noted the opening of October 28 hearing Alabama, Texas, Louisiana, Oklahoma, Montana, Colorado, Wyoming and Utah during the period from 0030 until 0250 Z. Jim has been keeping skeds with W9HGE in Beloit, Wisconsin (about 250 miles) each morning with results being quite good.

K4KYL, Jim Rule, noted the auroral opening of October 1 when he heard six states coming in via that method. He also noted the sporadic-E openings of October 28 (Texas and Nebraska) and October 29 (Texas). Jim sez six-meter activity has slowed down considerably in his area with many nights hardly a station to be found on the air. (In New England the band is quite quiet during the daytime but at night there's so much activity you'd never know there was any decrease in activity.) W0ENC from Rapid City, South Dakota, sent in a report noting that he noticed the aurora of October 19 and heard K7CMU working W9UDZ on 50 Mc. Also on October 20 a short E opening at 2000 when K8UDZ worked VE3CKE, K8MMM and K8KOB. October 25 K8UDZ once again worked the opening contacting K8NZW and W8CCB. K2JRP reported an opening to Nebraska (and a new state for Fred) on October 24; while K2PQY reports hearing K1FTC in Maine on October 27, but had no luck with a contact.

K6GIC, Dot, comes through once again with the following "No skip openings here until October 26—0305 to 0325 GMT, Vermont, New Hampshire, Pennsylvania and New York were in. October 28—0023 to 0118, Indiana, Illinois, Michigan, Wisconsin, Texas, New York and VE4 were in. The band closed down and opened up again to South Dakota, Montana, and VE6IP. W7EGN heard on cw long after phone signals were gone. After an hour and a quarter the band opened up again to Arizona for about twenty minutes. October 29—0320 to 0402, Florida and Alabama were in."

Clubs and Nets

The newly organized Casper VHF Society meets the first Monday night of each month unless members are otherwise notified. Officers elected at the first election were Armond Noble, K7MFA, President; Robert Lane, W7UFB, Vice President; James Masterson, W7PSO, Sec./Treas.; Robert Downs, W7VTB, Activities Manager. Armond was forced to resign soon after he moved to Billings, Montana and Bob Lane, Vice Pres., was voted in as President with the office of V.P. left open for the remainder of the term. The club was organized to promote v.h.f. activity and experimentation in the Casper, Wyoming, area. All active v.h.f. amateurs in the area are urged to apply for membership.

The Casper VHF Net meets Monday nights at 2100 MST on 50.105 Mc. This net recently organized will soon hold drills on 50.350; members of net are K7GLL, W7PSO, W7UFB, W7UDZ and W7UTB.

The Massachusetts VHF Society recently held its election meeting with the following results: W1QXX, President; W1KCO, V.P.; K1AAA, Secretary; K1SL and K1EJW elected as members on the Board of Directors.

The Evergreen 50 & Up Society Inc. is the active group in the Seattle, Washington, area. Among many activities sponsored locally by this group is their Fall Round-Up, an on-the-air contest held in December; the Puget Sound Emergency Net, which meets every Monday at 2000 local time on 50.850 Mc., with K7LQJ acting as Net Control; and, of course, their very fine and informative VHF News giving any and all information concerning the club, its activities and its members.

A new traffic net called the Seven-Eleven Traffic Net has recently been started on 144 Mc. Net meets each day of the

week at 0000 Z and 0400 Z on 145.350. Traffic passed on the net during October-1560. Five regular members check in plus six or seven other occasional check-ins, ranging from southwest Miami to Cocoa Beach to Auburndale, with three daily contacts from Stuart to Lake Worth.

220 Mc. and Up

Now that the winter season is with us we are happy to note that W8PT has gone back to work on his push-pull 4X250B final for 220 Mc. Jack has been having a little TVI problem on 144 Mc. because of image interference with Channel-2 receivers. So far no trouble on 220, hence the high-power final. (Or, how to get acquainted with your neighbors.) Schedules on 220 Mc. from W8PT to W8GOV, W8CVQ, W9REM and W9SEN continue. Jack also maintains 432-Mc. schedules with W8JLQ, W9GDP and W9OIL. If you want to join in or listen in I would suggest a postcard to W8PT for times and dates. Incidentally, Jack just worked his 6 state on 432. A real good showing from Michigan. The 220-Mc. converter that W8PT is presently using a nuvistor preamplifier in front of the 417A. Jack claims a better noise figure and less burned out 417As.

W8IFC in Jennings, Missouri, has just completed a nuvistor converter for 220 Mc. also. Of interest to Missouri-ites is the Monday evening at 10:00 P.M. 220-Mc. get-together. K8ABK, K8HZW, and W8IFC are in regular attendance. These boys, also joined occasionally by W8QIL, are increasing the weekly Monday meetings to three nights a week. Note that they also monitor the 50-Mc. band for any crossband contacts. 50 Mc. to 220. W7IST, who operates 220 Mc. only, is still looking for schedules in his area. Lack of contacts have prompted Allan to rebuild his converter in the hope of improving his reception. The best probable solution to Allan's problem would be another Auburn, Washington, 220-Mc. enthusiast, any takers?

W6IEY is launched on a program of building W6AJF converters for 220, 50, 144, and 1296 Mc. Louis hopes that the new converter series will improve activity in the La Mesa, California area. Speaking of California and 220 Mc., at least one active group in the eastern end of the country is looking for moonbounce activity on 220 Mc. Bill Clark, K2IWS, of the Niagara Radio Club in Niagara Falls, New York, is hoping to hear from any 220 Mc. activity in the moonbounce area.

This is a good time to call for a show of hands on the 220-Mc. band. W1BU is presently erecting a new parabol-reflector which will be of sufficient size to allow communication by way of the moon on 220 Mc. We will be ready to accept schedules in the early spring. The antenna will consist of a forty-eight foot parabolic reflector on a polar mount. Transmitter has an RCA 6181 running 1000 watts input. Receiver will be using a parametric amplifier into a very narrow-band i.f. system. We are open to suggestion on the frequency to be used, polarization with respect to the hour angle arm, and low frequency bands for liaison use. While on the subject of moonbounce, we are pleased to note that the W6 end of the 1296 Mc. moonbounce contact is being reactivated. The Eimac Radio Club has appointed Ray Rinaudo as chief engineer of the project. A great move! Operating under the call of W6AY, the Eimac gang hopes to be on before the end of the year. Meanwhile, the sudden availability of the UPX-4 1296-Mc. transmitter receiver combinations has put a number of other groups within striking distance of being on the air. K2TKN has completed a modification of the ring amplifier which uses six 2C39s. Bill is preparing an article on this modification which should appear soon. Suffice it to say that the modification, which requires less than an hour's work, results in between two and three hundred watts output from the amplifier.

As of this writing there are no more UPX-4's available in the Boston area. Of the ten which we were able to acquire through the good offices of W1QXX, two were shipped to California, three to Canada, three to New Jersey, one to Ohio, and two to the Boston area. A letter from VK3ZGG requesting a reservation of one of the UPX-4's came too late. Jim reports that the two Michaels, VK3ZEO and VK3ZEE, are progressing apace with their 20-foot parabolic reflector. They have chosen a location which provides a good horizon slot to the northeast. One of the biggest deterrents to their operation is going to be the transmitter. If anyone is in possession of an extra UPX-4, please communicate with W1FZJ for particulars.

WA6GHW of Manhattan Beach, California, reports a modest amount of activity on 1215 Mc. Among others

Strange Happenings on 50 Mc.

Some 50-Mc. DX heard and worked in November fits no known propagation pattern. Between 2150 and 2200 EST Nov. 5, K1KTK, Brookline, and K1OHU, Reading, Mass., worked a station signing YV5EKM. Another station, believed to be YV5UVR, was heard. Now, it's a long time since any South American stations have been heard in the northern parts of this country on 50 Mc., and never before have there been any Venezuelan contacts. To make the picture even stranger, this is the latest in the evening that north-south DX of this extent has ever been reported in the Northeast.

At 1110 EST the same day, K1DIT, Chelmsford, Mass., heard an s.s.b. station, thought to be W7RT, calling W8LVE on 50.3 Mc. W7RT has already stated that it could not have been he, yet K1DIT reports that the signal had every evidence of being DX.

W1FZJ dwells on the vagaries of 50-Mc. propagation elsewhere in this department. The band has a great reputation for springing surprises, but these two surpass anything reported of late. If any reader can shed further light on these events, we'd be glad to hear from him. — W1HDQ

WA6DII/6 in Gardena, California, is on. Glen is making mobile in motion experiments using a $\frac{3}{4}$ wave slotted pylon taped to the roof of his car. Best distance so far was about two miles to W6YFK. Any challengers for best mobile 1215-Mc. DX? Glen also points out a considerable amount of experimentation on his part on the 10,000-Mc. band. If anyone is interested in obtaining his present line of experiment, we would be happy to send a duplicate of his activities. Drop a card to Sam Harris, W1FZJ, 99 Elm Street, West Newton, Massachusetts, for this information. Please note that this is only a copy of his past experiments and his proposed future experiments. If information on his present activity is desired, please address your inquiries to Glen Johnson, WA6GHW, 1544 Deeds Avenue, Manhattan Beach, California.

W3ZAC notes that 432 Mc. activity in his area (Feasterville, Pennsylvania) encompasses six states. Represented are Virginia, Connecticut, Pennsylvania, Maryland, Delaware and New Jersey. (Please note no New York.) As this activity encompasses some twenty different stations, it would seem that the Philadelphia area at least is well represented on 432. Anyone interested in schedules with this area should address inquiries to W3ZAC. While we're in the 432 category I take leave to point out that K3OGA of Baltimore, Maryland, has completed the conversion of the BC645 for 432-Mc. use. Anyone interested in modulated oscillator type experiments on this band should get in touch with James Cullen, K3OGA. A new star in the Indiana area on 432 Mc. is K9UIF in Hobart. He is operating on 432-005 Mc. So far he has been in contact with W8JLQ, Ohio; W8TYY, Ohio; W9AAG, Illinois; W8PT, Michigan — providing a new state for all. I understand that schedules are cheerfully accepted.

W1QWJ, Springfield, Massachusetts, reports 432-Mc. activity on the low side. However, one good opening allowed contacts with W3ZFW, W3CLK, W2BLV and K2DZM. (For the benefit of Westerners these distances are in the vicinity of 150 to 220 miles.) Dick has also been working on a 1296-Mc. crystal controlled amplifier/transmitter using a 2C39 flat-plate amplifier. So far he has obtained six watts output and is feeding it into a 32-element colinear. **QST**



How's DX?



CONDUCTED BY ROD NEWKIRK, * W9BRD

How—so?

It's not a bad idea to start off the new year with a cheery chuckle, so we poked about in the "How's" mailbag for something appropriate. Reliable K3CUI zero-beats the theme with a clipping from a recent edition of the Washington Post:

Postman Calls U. S. Stamps Chinese, Bounces Letter Back to Sender

Marie de Pingre, cashier at the Statler, is having so much trouble trying to mail a birthday card to Luxembourg that she's going to lug it over herself.


Her troubles began eight days ago when she left her home at 1431 Crittenden St., NW, and mailed an envelope containing the card to her brother, Francois, in Luxembourg.

She got it back last Monday because it had insufficient postage — 16 cents instead of 30 cents. So she put on 14 cents worth of stamps including a U. S. 4-center featuring the face of Sun Yat-Sen and commemorating the 50th anniversary of the Chinese Republic.

Well, she just got the envelope back again. The postman told her the Sun Yat-Sen thing was a Chinese stamp and no good. "Did you ever hear of such a thing?" exclaimed Mrs. De Pingre. "I couldn't convince him, so I gave up trying."

Anyway, it's too late now. Francois' birthday was last Tuesday, and his sister is going to keep the card and the envelope as a souvenir of confusion.

"I'll keep it and take it to Luxembourg myself next year," she said. "Francois is a big stamp collector, and he will like these stamps — and this story."



Moral? Take your pick. Of direct and vital concern to DXers, who sometimes plaster QSL shipments with commemoratives just in case rare recipients happen to be collectors, it would appear prudent to use U.S. postage recognizable as U.S. postage. Our P.O. has enough to do without its job being unnecessarily complicated by jokers who paste perplexing artpieces on mailings. The confusion is further compounded by the fact that it's often not easy to tell whether you've got the things stuck on upside down, sideways or inside out.

What:

The new year certainly promises to be an interesting one for the DX crowd. Operational emphasis is shifting toward lower frequencies as the sunspot count declines toward a minimum which should occur in 1964-65. Longer and higher skywires, optimum receiver selectivity, more patience and longer operating periods will be required to keep those DX QSLs rolling in. Brushing up on c.w. capabilities also will help keep one's DX log well fed as propagation openings grow more marginal. But the phone gang can expect to hit DX pay dirt on

75 phone where W1s BU FOS FRR FZJ HKK, K1s HTV IDR, W5KNE and VE3PV are hobnobbing with DJ5ID, HR3III, HZ1AB*, KG4AP, PJ2AA*, TG-

* 7862-B West Lawrence Ave., Chicago 31, Ill.

5HC, UC2AA*, VP7BP, ZL1AIX and ZS6AJH*, plus some KH6s and KL7s, the asterisks indicating single-sideband specialists. Downband on 80 the dit-dahs of K1-HTV, WA2KWB, K5JVF, WA6IVM, W7DJU and K0JPL flag down seeds of DJ/DLs and Cs, EL4s A and YL, HG1-AGL, HK3AH, JAs ION 2BCT (14 hours GMT), 7LK SAWG, KH6EGL, KL7AUG, ON4s HC HK, W4VAK/KH6, some VKs and ZLs.

40 phone interest increases inversely as 20's dependability wanes. KI1TV, K5YAA, W0PAM, EL4s A YL and KG1BX get through to ELs 6F 6N 8B 8E, HHS 2JK* 8BV*, HK2WO, HZ1AB* (7296 kc.), HR3III*, KG1s AA* BX (204) 8-9, KH6DG*, TU2s AC AL, XE1-CV, 9G1s DP and YL despite the raucous BC and jammer deprecations.

40 c.w. satisfies K1s HTV JFF JKS, K2JUA, WA2s LDC KSD KWB SLB, K5YAA, W6RCV, K6CJF, WA6s IQM IVM, W7s DJU LZF POU, W9NN (162 continued on 40), K0s JPL TZH UCR, KN9FLJ, W0PAM, EL4s A YL and VE7BBB with quite an assortment of imports: CE5 2GS 3OE, CN8s BP MB, CO2CT (7017 kc., 0400 GMT), DM3LK, DU7SV, EA8CP, EL4s A YL, ET3Q, FA8RJ, GC2FMV, HKs 1AAF 0A1 0QO, HPIIE, three dozen JA1s, seven JA2s seventeen JA3s, JA4s BCN YZ, JA5s ADR FQ NG, eight JA6s, seven JA7s six JA8s, JA9NA, JA6s ACX PF, K4JQV/VP9 (80) 8, KG1s AA (20) 3, FD, KR6NW 13, KW6DAM, KX6AJ, KZ5NIQ, LU1s YC ZL, LZ1s KAA (40) 3, KED, many LAJs, OA4FM, ODSAB a batch of OE-OH-OKs, SP3KBO, TU2AL, UA5 9CZ 0KZA 0LJ 0LL 14, UB5VU, VKs 6WT 7ZL, VO1BD, VP5 5BH 5BL 7PZ 7NC (28), 7NQ 94P, VRs 2DK 6TC, VS1KQ 14, VU2R, XE5s 1HO 2FJ 2OK 2UA, numerous YVs and YUs, YN1OC, ZC2CT, ZE3JJ (10) 3, ZK1BS, many Z8s, 4X4DF, 9K2AK and 9M2FK.

15 phone holds up well for W1BPM, K1HTV, W2-VMIG, K2TDI, WA2s FQG KWB SLB, W4LJV, K4FRM, K5YAA, K6MQG, WA6s DNM IVM ORS, W7MII, K8s GJD RDE, K9s TZH UTM, EL4s A and YL, providing good shots at CE5 1AG1 3CQ 3H7, CN8IK* (440), CRs 6JL 18, ZBN 7CK 9AN 0, UTs IOR 2A1, CX-9BA*, EA5 6AZ* 8BA* 8CF 8CV, EL2Q 18, EG7XL, GD3UB, HCF1M, HIERD, H18s DGH* GA* (420) 13, HK6LJ, HPIAP, HZ1GB*, JA5 1BDP 1CYG 1DDB 2BEK 3BOA 3WU 4AW1 4C1 6AFO 7RB 7UJ 7V1 (200) 1, 7W1 8WQ 23, 9UU 23-0, KAs 2LL 5AS, K36BS, KC3s 1AA* (427) 17, 4AL (510) 16, KR6s 1G 2, ME 0, OC 23, OA1K, OE2HW, OX3KM, SL6BA, SP9KJ, TF2WGF* (410) 17 TGs GRM 9ED (260) 0, TT8AD, UR2KAE, VE3BQ/SU 16, VP 2AR 28Y (17), 3FM 5BL* (410) 23, 81W of the Falklands, VQs 2MS 4WZ 4RF 51E, VSs 16P (25) 0-1, 9AAC* (405) 1, 9ALB, XEs 1RY 1ZC 2FV 3BL 17-18, XW8AL (250) 0-1, YVs 2DW 3EJ 4DU, YN5AV (250) 0, ZBs 1HC 17, 2AD, ZD7SE, ZE7JV, ZK1AR, ZS7L, ZX4s HC* LC* ME OC, 5A2TC, 5N2AMS and 9U5VS, the asterisks for s.s.b. users.

15 c.w. boosters K1s HTV JKS NST SGV, W2VMIG, WA2s FQG (118/101 countries claimed worked/confirmed), KSD SLB (25/6), K3s CUF MNJ, K4s FRM KSY, K5s PPU YAA, W6RCV, K6s CJI MQG, WA6s DNM (47/38), FGX IVM ORS, W7s MH POU, W8KX, K8OKM, W9CLH, K9s BHR TZH UTM YOH (40/12), W0BEB, K1JPL, DL9LI, EL4s A YL, VE5 3PV 7BBB and ZS2U recommend the logging of CN8ED, CO2PY, CRs 7IZ (35) 17, 9AH, CT2AI (95) 20, CX2BT, DM3s BNO (00), JBM RD, EA6s AM (25) 17, AZ (87) 19, EL6E 13, GD3FXN, HA5 5PQ (35), 8WH 10, HCF1AG, HKs 7BE 7YB 7YC 0A1, HZ1AB, oodles of JA5s led by 4DZ 4IO 5CB 5FQ 9NB 0HC 0KA, Ks 6E5D/KM6 7LRK/VO1, KG4s AO AQ, KM6BU, KR6s IN Ks LD, KW6DF, LA9XG (00), LU5 1ZL 4ZM, LZ1KPZ, OA1s FM JH, OE5s 3AT (30), 6PN (50), PJ2AE, PZ1AR, a quantity of 8Ps, TI2DL, TT8AE, UA5 2AK 2KAA (64) 13, 9NN, 0FG 0GF 0KJA, UB5JK, UC2AR, UO5BN 13, UP2s AP NS 15, VE8s NR RX, VK9GP (35), VP5 5BH (30) 7BAN, VQs 2WR (70) 20, 4DW 51B 51G (75) 19, VS9MB 15, VU2JA (40) 16, WL7DSI, WP4s AYP BBW, XEs 1PJ (70), 2BM, YN3KM, Y06XI (40), lots of YVs, ZB2AD 17, ZC4SS, ZE4JS, ZP5HK, 5As 1TW 13, 3TQ 18, 5N2JKO (8) 19-22, 5U7AC 8, 6W8DF, 7G1A, 9M2FK (30) 1, 9Q5PV and 9U5DS.


15 Novice news this month features a remarkable solo by W6SBO (45/33) who defies the sunspot scarcity to work such stuff as DM2BTO, HK7XL, H1SICR, *thirty* JA5s including 5NG 9TS 0KA 0MO, KA2s CM DL, KR6s AF IN LD NG, KW6DM, OE3WB, UA3GF, VKs 3XB 4DO, VP8EE, WP4s AYI AYP, YU2OB, YVs 1FI/4BH, ZL1NG and ZP5OG. A couple of years ago during the sun-

spot peak we would have predicted a fast DXCC membership for this fellow!

20 phone continues to tease us with sudden spectacular openings — now you hear 'em, now you don't — that entertain KH1TV, W2WVG, K2TDD, W4IUO, K5YAA, K8s CJD RDE, K9TZZH, EL4s A YL, KG1BX, VE3PV and ZS2U. Most of these are single-sidebanders: CE2s 2AK (263) 4, 3UV (340), CN8s FU (302), IK 12, CP5EA (330), CR6CA (345) 0, EA6AZ (325) 20, ET3RS (283) 18, one FR7ZG 13, HC1AGI (315) 12, HH2s AD JT (280) 22, H18GA, HM1AX 16, HV1CN (340) 20, K4PGL/VP9, KA2s JL (300) 7, VO (300) 7, KGs IBO 22, 4AO (330), 5 KX6BU (287) 4, LU1ZL (273) 1-2, MP4MAH 18, OA4EY, OE1DH (265) 20, OD5-CT (290) 23, PJs 2AF (329), 3AB (300) 3-4, PZ1AX (340), SV0WN, TF2WGF (300), T12EB, TN8AZ 6, UAs 1KAE (210), 3AT (303), 3CR (342) 20, VE8MC (325), VPs 1RT (190) 12, 5BL 23 5CH (335), 7BP 7NP (276) 0, VO4RF 22, VR2BJ, XEs 1ZE 22, 2FC, YO3ZA (326) 14, YS1MS (328), ZD6HK (276) 23, ZSs 3BC (305) 20, 3E7P (345) 22, 6W8AD and 9G1BF (346).

20 c.w.'s daylight hours fascinate W1AGS, K1s HTV JFF (95/86), JKS (100/74), NST (33/29), W2WVG (198/182), K2s JUA TDI UYG, WA2s KSD (101/79), KWB LDC, K3s CNN CUI JIQ MNJ, W4IUO, K4FXT, K5YAA (81/48), W6RCV, W6s CJF MGK (112/70), WA6s FGX IVM, W7s DJU LZF MH (147/128), POU (86/72), W8XV (217/204), K8s GDH OKM RDE, W9CLH, K9s TZH (120/102), UCR UHH UTM, W0EBE, K0JPL, DL9LI, EL4s A YL, VE7BBB, ZS2U and s.w.l. A. Rugg because of such items as APs 2RP 5CP (78) 13, BV1USB 12, CE9AS (60), CPs 3CD (15) 0, 61J 2, CRs 6CA 7CI (28), 7IZ 9AH (52), CTs 1LZ (86), ITT (10), 2AI (30) 21, a dozen DMs, DU1FM, EA6s AM (48) 20, AZ (56), EL2AG 1, FA3CT, FK8s AU (32), AZ, FO8s AC 6, AK (80), FR7ZD 13, GC2FZC (36) 17, GD3GMH (56), HAs 3KMF (90), 0HC (86) 21, Switzerland's HB4FD, HCs 1JU 1LE 2CS, HH2OT, HK0QQ, HM1AS, HP1IE 20, HZ1AB 0, many JAs led by JA0PX, JZs ML PH (80), K3KRRK/VP9, KA2s JM (15) 1, KS, KC4USN, KGs 1AA (50) 22, 1BB 1RO, 6AJS, KH6-EDY 3-7, KR6s GP (50) 15, KS 12, LJ 13, KV4AA (81) 20-22, far-south LUs 1ZL 1ZN 0-11, 3ZO (49) 22, LZs 1AW (80), 1KPZ 2FN 2KSL (90), MP4s BDO (36), QAQ 0, OX3UD, PI1STC of Holland, PJ2ME, SM5ARQ/9Q5, SV0s WC (16) 18-22, WI, TA2s AR BK, TFs 2WFX (60) 21, 2WGB 3AB, plenty of TTs, TN8AT 5, TT8s AE (40) 21, AG 17, TU2AL 14-23, UAs 1KED (30) 10 of Franz Josef Land, 2AK 2AW 2BD 2KAA (75), 9DN 9FJ 9FW (40), 9TH (49) 3, 9KPW (47), 9NN 9XG 0AH 0AL (58), 0DN 0FG 0IW (32) 1, 0KIB (61) 23, 0KZA 0RK 0VV, ample UB5s, UC2s AR (20) 15, BW CS (35) 14, KAO, UD6BE (81) 2-3, UF6DD (84) 11, UH8BI (81) 15, UI8s AQ 3, BU 3, UJ8s AH 15, KAA (80) 13, UL7s CH 20, HV 3, KAA (72) 14, KBK (106), KKD 4, UM8s CM (75), KAB 2-3, UN1BE (20) 16, UO5s AA KAA, UP2s KBA KNP, UO2s AX (85) 19, KAE 18, KAT KBA, UR2s BV KAN, UT5s CC 14, CO GL (24) 13, UWs 3ME (70) 16, 9AG (30) 3, VE8s LG RX TU, VKs 9GP (25), 0FZ (90), 0TC 5, 0VK (73), VPs 5MJ 9EP, VRs 2DK 4CV 6TC, VSs 1KQ 9MB (35) 20, VU2s AD AJ (67) 2, AZ (41), XZ2HT, YS10, ZB1s FA HC FQ 23, ZC4s CT 23, SS (96) 20, TX, ZDs 7SE 23, 8JP, ZEs 1JU 4JS, ZK1s AK 5, AR (55), ZS7s M 13-15, R 14, 3A2CD, 4X4s JU LR MZ (95) 0, 5As 3CA (1) 20, 3CD 5TA 0, 5N2s IND 0, JKO 15, LKZ (30) 20, RDG (53) 2, SMW, 5U7AC, 601MT 20, 6W8AD, 9G1DE (25) 21-23, 9M2FR, 9Q5s EI and US 17.

10 phone fools the critics with some impressive DX results although the U.S.A.-Europe path is conspicuous



by its usual absence, K1s JSH HTV NJE (45/32), NST, K3JIQ, W4LJV, K6MIQ, WA6s DNM IVM, W7MH, K8s CJD OKM RDE, K9TZZH, EL4s A and YL do right well with CE1AGI (551), CN8AC, CRs 6CA 7CF 7CI 7CK, CTIs AP (400) 17-18, EY* (610), HF JH KF, CXs 2CO (680), 3AM, EAs 5GK 8CF 8CK, F2FC, FS7RT* (623), HH2s OP V, H18s DGC DGH (480), HK0AI, HR2s HA (800), RH (500), IS1ZDT, JA1FKY, KG4BC, KR6LY, KW6DG, OAs 1W JRP 4GP (58) 15, PJ3AR, PZ1s AX* (630), BW, TG9BJ, TL2s OE WA* (585) 17, UA0LBQ (450) 0, VKs 2ADE 2FU 2TG 3ANQ 4RH (480), 6RG (300), VPs 2GHU 2LA 5GT 17, 5LG 19, 0RT of Anguilla, VOs 2MS 4AX, VR2BC, XEs 1Q RY, YV1FV (700), ZEs 3JU (548), 7JV 8JA, ZL1s AMO CA RI, ZSs 3HT 13, 7L, a stack of other South Africans, 4X4FR and 5N2LKZ. Not bad for a "dead" band, eh?

10 c.w. similarly holds its position against increasing ionospheric odds, K1s HTV JKS, WA2KSD, K3CUI, K6CJF, WA6DNI, W9CLH, EL4s A and YL clixed with GX2BT, DJs 3XK (7) 16, 41N (55) 15, 6OR (7) 16, Cs 3EUJ (7) 15, 5BZ 8TD (7) 16, HC1DD, H18s DGC DGH, HK0AI (77) 21, KP4AXN, KZ5MIQ (151) 16, PJ3AD, VK2s ADE (80), APK (40), VP5GT* (100), XE1AX, ZEs 1Z, ZSs 2NG 6AUY and 7G1A (53) 16. Stay with it!

160 c.w. is crackling with DX opportunity right now. W1BB's 1961-62 160-Meter DX Bulletin No. 1 informs us that festivities really began October 10th when K2DGT kicked off the transoceanic season by working G6BQ, W2FY grabbed G3PU around the same time. This month's World-Wide and Transatlantic Tests dates are the 7th and 21st. See you on low band!

Winter's chill besets W/K/VE/VO DXers right now but things could be worse. Here's the back yard of KC4USN at Amundsen-Scott Pole Station, Antarctica, where temperatures occasionally drop as low as -102° . W8KX relayed this photo from wandering meteorologist Wes Morris who, it turns out, normally resides only a half mile from Walt's QTH in Grand Rapids. It's a small world, especially when ham radio gets into the act!



Where:

Oceania — Ex-KC6UZ observes, "Due to my travels last February and March many QSLs sent to me have remained unanswered. All that mail is stored with personal effects which should reach my Stateside home in December or January. Also, cards mailed to me since the first of May may have gone astray, so I recommend that new QSLs be sent to my Washington address [which follows]. Vagaries of forwarding out in the Pacific are sometimes responsible for mail being 'opened by mistake' or laid aside for future handling. Word reaches me that the Trust Territory communications officer will not be operating a QSL bureau. Can't blame him because most ex-KCs and ex-KXs fail to file forwarding addresses and essential self-addressed stamped envelopes. Also, the heavy flow of U.S.S.R. and Japan s.w.l. cards creates quite a problem when it comes to financing the forwarding. . . . "QSLing by air would put VK9GP in bankruptcy, so Ray requests Stateside QSLs each be accompanied by two IRCs if airmail reply is desired. This from W4GDMN. . . . W8KX reports WIAGS (ex-K2QXC) still ham pressed to keep current with log transcripts from Steve of K4AAC-VK0VK, QSB and QJZ — PSE QSP. . . . "All QSLs for VRIM accompanied by s.a.s.e. have been answered," confirms W1HGT via WGDXC. "Others will receive cards via the bureau." . . . W4E2FN, concerning 1957-58 VK0TC operation, recommends consultation with T. Cordwell, 277 Hardey Rd., Croydley, W.A., Australia. . . . W3VKD advises, "VK3CX now has logs and QSLs from VK9AD, Norfolk, and will supply QSL upon receipt of s.a.s.e. or IRCs. There are approximately 6000 QSOs to confirm."

Asia — From G3GJQ regarding the October Kamaran triumph of RAFARS personnel: "Assure all who sent cards with IRCs, etc., that all is well. I will personally guarantee direct reply. . . . "I have XW8AL's world-wide logs for 1961 QSOs dating through October 19th. W/Ks will be QSLD on the usual self-addressed stamped envelope basis." This from K1KTR of the Hampton Roads Radio Club. . . . R5GB *Bulletin* DX Editor G2BVN writes in behalf of ex-VS9AZ-ZDSSC. "Stan Crow has been inundated in the past with QSLs for contacts when he was not even on Ascension Island but actually in Aden. I do not mean the odd card or two but actually dozens of QSLs all relating to contacts that did not happen. A lot of these cards were forwarded with excessive numbers of International Reply Coupons and also dollars, all of which were returned to the senders. When he returned from Aden, where he operated as VS9AZ, Stan moved to a QTH not far away from myself, and I persuaded him to dig out his old logs and check for any cards that might come in following a note in the *Bulletin*. This he did, and one of the contacts that could not be found in his log was one with W3EAT." G2BVN testifies that Stan does QSL 100 per cent and will replace strayed confirmations of genuine contacts. . . . W8KX commends International Short Wave League's fast attention to VS9MB QSLs and stresses the importance of including the name of the Maldives operator on duty at the time of QSO. . . . In addition to the regular HL9KLT QSL route, staffer K2LSX says cards can be sent via the KARL bureau. . . . West Gulf DX Club items: P2AG advises another try if your APO-addressed card to him was returned. Use no name on the envelope next time. . . . AP5CP's QSL policy is reputable, so readily if Mohd's card is truly overdue. . . . "Some twelve KR8 calls have been issued to Okinawa nationals," notes PEARL *News*. "QSLs may be sent through the KR6 bureau or via JARL. We hear that KR8A is ex-JA1CWX." KA2CM, FEARL's QSL chief, laments, "I receive cards that look as though they came by way of Outer Mongolia with a stopover in Honeybucket Hollow. Some are bent double, and a recent batch of incoming QSLs had been twisted like a wrung-out dish cloth." Package your QSL shipments carefully and sturdily, OMs. . . . W3KVQ informs, "487WP was named QSL manager for RSC (Ceylon) at a recent meeting. Cards for 487 stations now may be routed via Shanti, Wijaya Rd., Kolonnawa, Colombo, Ceylon. I will continue as 487WP's Stateside QSL manager." . . . HB9PL, according to VERON's *DXpress*, hopes to have concluded JY2NZK QSL disseminations by the time this *QST* gets around. Bottleneck at the printer

KR6LF's K8YUW promises dependable QSL response. . . . **Africa** — K5MDX apprises, "7C1A told me that two weeks after his Mali trip he sent all logs and QSLs to OK1-ACO. Apparently all QSLs for Josef will be answered more quickly if sent to OK1ACO via the Czech bureau." . . . W2JXH is busy with W3ZA's ET3RS logs, and WGDXC's *DX Bulletin* lists K4TWF as QSL manager for XT3Z (9G1DP), s.a.s.e. or s.a.e.-plus-IRCs desired. . . . The Gulfers also learn that ZP1JA shipped a thousand QSL blanks to ZD8JF, who evidently will attend to his own QSL chores. . . . Ex-XT2A vows 100-per-cent QSL response via REF, according to CE3AG. . . . ZS2U is beginning to doubt that KX6s QSL. AI gets good response from the EP gang, though.


Europe — "As of August 24, 1961, I'm the legal holder of the call SV0WU," declares Dick Bales whose QTH follows. "Apparently the previous licensee rotated back to the States. I'll attempt to forward cards received for him." Those pesky lend-lease suffixes again. . . . OK1FF tells W2GT he has no connection with ZA QSL matters. . . . HB1EO/M1 (HB9EO) vows 100-per-cent QSL from his home location. . . . ham call, not a club) has taken care of UA1KED P.J.L. QSLs for QSOs through July 12, 1961. . . . For a fee, Polar Bears Radio Club, SL3ZO, c/o Sotgardsgatan 15, Ornskoldsvik, Sweden, makes available a listing of all nearby local U.S.S.R. QSL bureau branches. . . . The WGDXC organ suggests Hallicrafters, Inc., of Chicago as a source of QSLs for HVICN's autumnal contest-type operation.


South America — "I'm now QSL manager for PY4-AXN," confirms K3JUG, requesting W/K s.a.s.e., or non-W/K s.a.e.-plus-IRCs. Self-styled VP3EFG now signs PZ1CG, according to WA2FQG and others. . . . YV3BS points out that only the calls YV6s AA and AB have so far represented Aves Island. . . . "I still handle all mail for HK0AL," affirms W9WHM. . . . VERON hints that G3BVN SKS and/or W4OPM may be of assistance concerning FM1WVQ QSLs.

Hereabouts — Regarding his upcoming Middle East, etc., DX swing, W4BPD urges, "Send all QSLs to W4FCI except those for QSOs originating within the Rome area; these should go via W2BIB." . . . If you can keep track of the wandering HB9TL-9K3RTL s.a.s.b. rig now being passed around in the Caribbean, amateurs in the western hemisphere should QSL through Virginia Century Club, Route 1, Box 152, Bayside, Va.; all others via G8KS. Include the appropriate necessary s.a.s.e. or s.a.e.-with-IRCs. . . . K9BHR's statistics indicate that random use of International Reply Coupons does not necessarily guarantee a super QSL-returns percentage, for many overseas stations disregard them. Still, they *might* make the difference between reply and no reply. . . . Florida *DX Report* has W3AYD aiming for complete January clearance of QSLs for that recent Caymans kick. . . . "From March 1 to December 31, 1958, I operated as K6ICK at Thule," states S/Sgt Bud Lafferty, W0UBT/1, Box 117, 18th Comm. Sqdn., Westover AFB, Mass. "Friend Jose helped man the station and we contacted some 1500 amateurs, mostly on 21-Mc. e.w. During that period I QSLD 100 per cent to all stations informing me that they needed my cards. I've kept my Greenland logs and still have a quantity of K6ICK QSLs left in case there are strayed QSLs to be replaced." Full QSO data requisite, of course. . . . "All QSLs not bearing GMT will be held until there is time to make the necessary time conversions," warns XE1CV of the XF4 Socorro team. . . . M. Godwin, W4WFL/2, Apt. 12A, 210 Riverside Dr., New York 25, N.Y., is game to act as QSL manager for some worthy overseas DXer. . . . Help! W1TQS pleads for a lead on VP2FD, presumably back in England; W6SBO yearns for word on HS1CR; K8s GJD and RDE need news of VQ4HY; and W0BEB wants UA1DI's direct address. . . . Our "QSLers of the Month" are CN8CJ, EA5 6AM 8EA, E19J, F08AC, FP8s AS BU, JA5FQ, MP40AQ, OH6NS, SV8s WI WZ, UA1-KED, VK0FZ, VP5 2S1 7BP, VQ5AU, VR2DK, VS9MB, ZP5BC, 4X4ME and 9U5DS — plus honorable mentions for QSL managers Ws 2CTN 2EQS 2JXH 4KWC 5WW and RAEM — on petitions signed by Ws 1BPM 2WMG 5KNE, Ks 1JKS 3M1J 4KSY 9TZH 9UHH 9YOH and DL9LI. Nice roing, OMs! . . . This column's substantial spread of QTH data comes courtesy W1s AGS BPM QON, K1s JFF JKS, W2WMM, K2s TDI UYG, WA2s EFN FQG, W3VKD, K2s CUI MINJ, W4UO, K4KSY, W5KNE, K5s FPU MDX, K6s CYG MQG, WA6DNAL, W6SBO, W7s DJU LZP, W8KX, W9s BUD CLH VE, K9s TZII UCR UHH UTM YOJ, K0JPL, CE3AG, DL9LI, EL4s A and YL, VE5 3BQL/SU 7BBB, ZS2U, listener A. Rugg, FDXC (W4CKB), PEARL (KA2LL), HARC (K9HLV), ISWL (address in the following), JDXRC (JA1DM), NCDXC


LZ1BZ operated DXtensively at LZ1KBD and other Sofia co-op stations before obtaining his own call last year. Mitko's hamming interests go back to 1952. (Photo via Bill Smith, Bay State DXer, and K3CU)

QST for





Venezuela, as previously noted in these pages, has an impressive amateur radio boom under way. Two typical DX installations among our neighbors to the south are those of YV5AIP, upper left, and YV5AB (YV5ANQ shown operating). Assembled at the YV5AIP hamshack, right, are (l. to r.) YV5s AKP AQS ANQ AB AIP and AJK.
(Photos via W1WPO and EL4A)



- (K6CQM), NNRC (L. Waite, 39 Hannum St., Ballston Spa, N.Y.), OVARA (W8JIN), PBRC (SL3ZO), VERON (PA0FX), WGDXC (W5ABY), WVDXC (W7HKT) and WWDXA (W7JPC):
- ACs 3NRM 5NRM (via W7PHO)
- CE2OF (via CE2AA)
- CE9AS, R. Lagos, Calle Franklin No. 660, Santiago, Chile
- CE0AD (via CE3HL)
- CN2AO (ex-PK7AQ; to PA0AQ)
- CN8JO, P.O. Box 1234, APO 113, New York, N.Y.
- CR4AH, N. Pinheiro, Sal Airport, Cape Verde Islands
- CR6JL, P.O. Box 71, Ganda, Angola
- CR9AH (via W1DWH)
- DL5BV, APO 123, New York, N.Y.
- EA6AW, P.O. Box 313, Palma de Mallorca, Balearic Islands
- EA9AP, A. Real, Box 213, Melilla, Sp. Morocco
- EI4BBW (to MP4BBW)
- EL2V, P.O. Box 37, Monrovia, Liberia
- EP2AF (via ISWL, 12 Gladwell Rd., London N.8, England)
- ex-ET2TO, 821 26th Avenue, NE, Minneapolis 18, Minn.
- FK8AI (via W2CTN)
- FK8AZ, L. Chaumont, P.O. Box 40, Noumea, New Caledonia
- FM7WT, A Meunier, P.O. Box 7, Au Lamentin, Martinique
- FO8AC (via W4KWC)
- ex-FO8AI-KP6AL (to KC6BD)
- FP8BS (to K2SQM)
- FP8BT (to WA2HSM)
- HA9OZ, P.O. Box 12, Miskolc, Hungary
- HB1EO/M1 (to HB9EO)
- HC5WE, Box 779, Cuenca, Ecuador
- HE9LAC, R. Mader, Oschenstrafze 425, Schaan FL, Liechtenstein
- HH2P (via K0RDP)
- HH2RD, Box 963, Port-au-Prince, Haiti
- HI8WPC, H. Pons, Box 157, Ciudad Trujillo, D.R.
- HK3JF (via LCRA)
- HP1BR, A. Rowley, Apartado 883, Panama, R.P.
- JZ0DA (ex-PK1AD-PK4DM) H. Diemont, Sentani Air-strip, Hollandia, N.N.G.
- JZ0ML, M. Leahy, c/o Decca Navigations, Merauke, N.N.G.
- JZ0PN, W. Nooten, c/o PTT, Sorong, N.N.G.
- KA5AS (via FEARL)
- KC6BD, J. Wheeler (W7FNK), Weather Bureau, Truk, E. Carolines
- ex-KC6UZ-KX6UZ, C. Kunz, 4730 East Av., Washington 28, D.C.
- ex-KG1CK (see preceding text)
- KH6FGO/KJ6, 517 Langley Loop, APO 915, San Francisco, Calif.
- KL7FLC, Arctic Research Labs., ARLIS No. 2, Pt. Barrow, Alaska
- KP4BEA, R. Roach (W1EXY), USCG, Box 2029, San Juan, P.R.
- LZ1CW, Postbox 76, Plovdiv, Bulgaria
- MP4BDN (via RSGE)
- MP4BDO (via G3KDE)
- MP4TAO (via DJ1BZ)
- PJ2AF (via K4OGT)
- PJ3AR, Box 328, Lago, Aruba
- PY4AXN (via K3JJG)
- RB5KDT, B. Shiyahn, Lenina 1/13, Brody nr. Lvov, Ukrainian S.S.R., U.S.S.R.

- SM2COL/mm (via SSA)
- ST2AR (to G4AR)
- SV1SMX/mm, Box 495, Baton Rouge, La.
- SV6WU, R. Bales, USASG, APO 223, New York, N.Y.
- ex-TF2WCD (to W2LIT)
- TF2WGF (via WA6SAA)
- TG5HG (ex-YN4CB; via K5GOT)
- TG8CW, C. Castillo, P.O. Box 1397, Guatemala City Guatemala
- TI2WA (via K9TZH)
- TU2AC, A. Grollmond, Box 5, Korhogo, I.C.R.
- TY2AA, Dahomey (to 5N2AMS)
- UA3FG, G. Zhomov, P.O. Box 570, Moscow, U.S.S.R.
- UA9s DA, DN, Tonya and Vladimir Semenov, Malysheva St. 107/1, Apt. 58, Sverdlovsk #2, U.S.S.R.
- UL7JA, G. Shmeling, 15-107 Lenin St., Leninogorsk, Kazakh S.S.R., U.S.S.R.
- UR2AR, E. Laku, Lai 1, Radio Club, Tallinn, Estonian S.S.R., U.S.S.R.
- UR2BU, K. Kallemaa, Vaika-Tahe 14-1, Tartu, Estonian S.S.R., U.S.S.R.
- UR2CK, E. Paaksi, Kehra, Estonian S.S.R., U.S.S.R.
- UR2KAW, Tallina Pioneiride Maja, Tallinn, Estonian S.S.R., U.S.S.R.
- VE8NR (via VE8AI)
- ex-VK9AD (via VK3CX)
- VP2MX (via KV4AA)
- VP2SY, P.O. Box 80, St. Vincent, W.I
- VP9DB (via W1EOL)
- VS9AAT (via G13MUS)
- VU2BK, R. Kabraji, 2 Middlesex Rd., Mhow (MP), Central India
- W6QMV/KH6, Tern Island (via K6HAU)
- XE1CV/XF4 and XE1FB/XE4, P.O. Box 31129, Mexico 19, D.F., Mexico
- XE1YJ/XE4, P.O. Box 31541, Mexico 20, D.F., Mexico
- XE2UA, Box 460, Obregon City, Sonora, Mexico
- ex-XT2A, M. Doulier, 9 rue du Transvaal, St. Armand les Baux (Nord), France
- XT2Z (to 0C1DP or via K4TWF)
- XW8AL (see preceding text)
- XW8AS, M.A.G., Box 179, APO 152, San Francisco, Calif.
- XZ2SY (via W4ANE)
- YV2DW, Box 32, Barinas, Venezuela
- YV5AER, Box 2299, Caracas, Venezuela
- ZB1BL (via G8ITR)
- ZC4FB (via G3ATL)
- ZC4SS (via RSGE)
- ZD1S, Box 548, Freetown, Sierra Leone
- ZL4JF, Campbell Island (via ZL2GX)
- ZSs 1AB 3AB (via WA2FQG)
- 3V8CA (via W4YWX)
- 4S2WF (via W3KVG)
- 5N2JKO (via W4MCM)
- 5N2RDG (direct or via RSGE)



UA2BD of Kaliningrad has scored about 5000 QSOs with 130 countries with a 200-watt 813 rig, HRO-50T and Windom skywire. Stasik is perturbed by a measly 20-percent QSL return from W/Ks, and anticipates increased phone operation when he completes his English studies. (Photo via K2UYG)

- 5N2SMW (via RSGB)
- 6W8AN, P.O. Box 971, Dakar, Senegal
- 6W8DD, Box 19, Dakar, Senegal
- 6W8DF, Box 3033, Dakar, Senegal
- 7G1A (see preceding text)
- 9G1DE (via K8IQQ)
- 9K2AQ (via G3FJU)
- 9M2FR (via MARTS)

Note: Nothing necessarily "official" and accurate about the information preceding; employ the suggestions at your own postal risk. So good luck already. . . .

Whence:


Asia — From the Palace, Gangtok, AC3PT gives us the DX picture out his way: AC3NC (ex-AC4NC) is on the air only occasionally because of a heavy work schedule. Tibet's two stations are QRT due to governmental restrictions. AC58 PN and SQ (ex-AC3SQ-AC4SQ) operate fairly regularly in Bhutan. AC3PT, that is myself, unfortunately has been QRT for the last four years but I hope to be on the air again this winter. In view of the political events in these parts it is unlikely that any new amateur stations will go on the air for the time being. Via the grapevine we hear that VT2NR now holds the calls AC3NRM and AC5NRM which may be used this month or next. . . . K4FXT writes from Istanbul: "I hear 7A2BK on 14 Mc. almost every night calling W/Ks without result. 7A2AR works 15 and 20 phone but I haven't heard 7A2EE's 14-Mc. c.w. for several months." Pat and his dad, KAUDS, expect to stay in Turkey another year. . . . K1KPR & Co. are trying to serenade up an 84-40 to supplement XWSAL's DX-100. . . . HL9KT staffman K2LSX comments, "Hope to hit single-sideband hard here with 8-line gear as soon as Korean authorities give us the green light for s.s.b. transmissions. We're also converting two BC-610s for increased power on a.m. and c.w., 7 through 28 Mc. Conditions have been quite poor lately. W6EYZ is new here and spends a lot of time on 30 meters. We expect new authorized spot frequencies but right now we stick mainly to 14,150 and 21,225 kc. HL9KS joins us in occasional DX activity." . . . G3GJQ reports about 5000 QSOs with 135 countries for the autumn RAFARS DXpedition to Kamaran isle in the Red Sea. The party of seven had three separate stations perking simultaneously on c.w., a.m. and s.s.b., 10 through 80 meters.

Notes from Japan via WA6IVM, W7DJU and JA2AEV: JA6AFO lost his grandfather in a typhoon-inspired landslide that buried an entire bus. . . . JA3AIS's kw. was demolished in the same storm, and other JAs suffered severe losses. . . . JA1BAR studies at our Lehigh U. now, and JA1DCY may soon visit these shores for educational purposes. . . . WA6IVM will ship 100 QSLs to JARL for JCC certification with fingers crossed. . . . ZS6Z dropped in on JA2AEV in late November. . . . YL JA9NB hops the Pacific to W7DJU neatly with only 16 watts of c.w. . . . Ks ZJOZ and 3PAG throw switches at KA2MA with a KWS-1 and 75A-4 on 14-Mc. sideband plus an occasional visit to the 21-Mc. Novice range. . . . K8YTUW (KR6NN) is chief op at KR6LF where 11,265-14,335 kc. is the rule except for 15-meter action around 2200 and 0300 GMT. . . . WGDXC understands that ZC4CT may get a chance to warm up his MIP4 BDK ALAL QAU and TOP suffixes in February or March.

Africa — XT2A worked over fifty countries and only one CE — me," chortles CE3AG. Maurice left Upper Volta for France around November 1st. . . . ZS2MI tells ZS2U a steep mountain between him and the U.S.A. "I hear him battling for W/K contacts now and then with scant success." How does one rotate an island, Jeeves? . . . 9G1DS tells me he's now ZD1S and will soon be cruising the c.w. bands," cheers K6MQG. . . . That new Nigeria award is all set, according to K8MINJ. It calls for contacts with five 5N2s on any two bands (3 on one band, 2 on another, for example) dating since January 1, 1961. Check with 5N24KO for complete specs. . . . VE3BQL/SU finds 40-meter phone time

business between 2000 and 0400 GMT. "W/Ks with beams put line signals in here. I have to dodge around the BC sidebands and jammers between 7100 and 7300 kc. My neighbor HZ1AB also has been working into the States well on 7 Mc." Elvin is particularly peeved at heavy east-central European QRAI caused by stations indiscriminately calling him. "Twenty meters has been opening earlier into W/K/VFE, usually around 2000 GMT and folding at about 2300. Fifteen is occasionally good between 1400 and 1600 GMT, but 10 is just about out. I'll be hitting 160 meters when things start popping on that band." They're popping, OMI. . . . EL1A writes, "Hope to move into our new home soon. At present we must hike a half mile to the hamshack. The start of our dry season tempts us to leave the air for swimming, fishing and boating. EL1YL now has over 100 countries on c.w. and is patiently awaiting the cards. Our s.s.b. is almost ready to go — a.m. doesn't seem compatible with present erratic band conditions." . . . African tidbits via K2UYG: 9G1DE should be good for a few more months in Ghana. . . . 5U7AC likes 14,012, 14,022 and 11,086 kc. around 1900-2200 GMT, while TL8AU prefers 14,012 kc. around 2300 GMT. . . . JDXRC, NCDXC, PBRC, VERON and WGDXC Africa observations: VQ9IB seeks a transistorized power supply for his TC8-12 outfit. Excessive dynamotor drain hampers Harvey's DX action. . . . FB8WW activity from the Crozets is DXPected momentarily. . . . TR8AA should be back from Paris by now. . . . 5N2AIS hopes for an early Dahomey encore as TY2AA, and also retains Gabon and Upper Volta DXpeditionary interest. . . . A leg amputation nullified ZEB3O's intentions to accompany the ZF3JJ/ZS9 safari. . . . TU2AL's splendid 7-Mc. signals cause some W/Ks to slander him as phony. . . . YL Z67JY pops up around 21,060 kc., 1800-1900 GMT, with occasional c.w. emanations.

Oceania — Ex-KC6UZ, who will be touring our western states for the Department of Interior, says KC6BH has taken up the Eastern Carolines DX workload. KC6s AQ and KR are the Western Carolines mainstays. Carl will be on the air himself soon from his Washington headquarters with a large sideband signal. He hopes to visit with many of the gang he QSO'd from the Trust Territory. . . . WA6JNM finds VK9GP having a ball with 40 watts, a quad and 75A-3, all powered by batteries and generators. Ray is an engineer at Norfolk's submarine cable relay station. . . . More Oceaniangrams courtesy FDXC, NCDXC, VERON and WGDXC: There are VK9s AM and DJ on Nauru; VK9s BB HC, Coos-Keeling; VK9RO, Papua; VK9MY, Christmas; VK9s FZ RF, Macquarie; and two dozen VK9s in Antarctica. . . . ZK1BS's QRP c.w. may put Mambiki on the 7-Mc. DX menu. . . . Sarawak's VS8RM is said to try 7-Mc. almost daily, 1230 GMT. **Europe** — DARC (Germany) invites amateur radiotelegraphers throughout the world to participate in the Seventh WAE DX Contest scheduled for 0600 GMT, January 13th, to 2400 on the 14th. Non-European stations will



VP4NC, manned here by VP4IQ, performs valuable hurricane-watch communications service in addition to more casual DX and rag-chewing activities. The Antilles Emergency Weather Net, KP4AEB NCS, is monitored by W/Ks on 40 and 80 meters with more than academic interest when Caribbean storms swing our way.

swap RST001, RST002, etc., serials with Europeans once per band at one point per contact (two points per 3.5-Mc. QSO). Additional points are yours by sending "QSO reports" (QTC) to European stations at one point per QTC. Each QTC consists of (1) time in GMT, (2) station call, and (3) QSO number of any previous WAE Text contact. For example, W9XYZ raises DJ7JJ and earns a contact point thereby; W9XYZ previously worked G3BS at 1207 GMT for G3BS's 96th Test QSO. So, besides the QSO point for his serial trade with DJ7JJ, another point accrues to W9XYZ if he sends "1207/G3BS/096" to DJ7JJ. W9XYZ can work DJ7JJ again later on the same band, but only for QTC purposes. During the entire Test period each QTC can be transmitted to Europe by W9XYZ but once, and DJ7JJ can accept no more than 10 QTC per band from W9XYZ. (It figures that the more Test QSOs accumulated, the more QTC are available to parlay into additional points). Scoring: Multiply combined QSO and QTC points collected on all bands by the combined numbers of multipliers collected on all bands, the latter deriving from DARC's Worked-All-Europe Countries List — CTT C22 DJ/DL/DM EA 9A6 EI F GC GD GI GM GW GJ IIB HE HV I IS IT LA LX LZ MI OE OH OJ OK ON OY OZ PA PX SM SP SV TF UA1-6 UB UC UN UO UP UQ YU YU ZA ZB1 ZB2 3A2, GM Shetland, LA/p Jan Mayen, LA/p Spitzbergen, SV Athos Republic, SV Crete, SV Rhodes, TA Europe and UA Franz Josefland. (DARC stresses that UD UF and UG are Asia, not Europe.) Entries go to the DARC DX Bureau, Berlin-Rodow, Germany, postmarked no later than March 31, 1962. The highest scorer in each continent and country (or call area) will earn a certificate of merit; second- and third-place awards also will be considered. By the way, a large self-addressed envelope sent to DARC together with a pair of IRCs (for airmail reply, 5 IRCs) will bring back convenient score sheets for transcript and summary. See you on the North Atlantic path! The 1961 Helvetia-22 Contest sponsored by USKA of Switzerland saw W1ADM, WA2DG, W1FZ, W8UAMR, W1WY, K0IKL, W5W2Q, W3MGP, W5ARJ and W5KC finish in that order for U.S.A. honors. VE8 3BWY 1AE and 3JZ ran 1-2-3 in Canada. Other continental highs were turned in by O15LX, OA4FM and VQ4KRL. Best European scores were recorded by OH2LX, G3EYN, YU3-CDE, DL1CF and PA0VO in that order HB9EO switched his DXpeditionary attention from Liechtenstein to San Marino last November for c.w. and phone fun. A Valiant and HQ-180 went along WA2KXH and W2UWQ report DJ1HM recovering from heart difficulties but it may be two or three months before Luwo is well enough to rejoin the gang on 14 and 21 Mc. GM3IAA strongly protests the operating discourtesy and irresponsibility displayed by certain W/ks on DX bands. Uncle Sam has no corner on the DX hog market, to be sure, but some of those 20-meter pile-ups on XT2A, for example, disported a sad lapse in the state of the art. (GM3IAA recommends reference to The Amateur's Code (see p. 8, ARRL Handbook) PA0FLX, whose eyesight is minimal, credits K2PRN, PA0s CL and PO with getting him back on 14 Mc. through installation of a station of fool-proof simplicity. "Please announce that PA0FLX is on the air again. I hope that I shall be able to work a great many of my old DX friends." LA5FG tells W1BDI of the activity of Hurstad club station LA1H north of the Arctic Circle. Members there will be glad to help your WALA pursuit and are regularly active on Mondays, 1800-2000 and 2200-0000 GMT, 14 or 21 Mc., c.w. or a.m. W8KX ran across Boy Scout Jamboreestation GB3ICH with G3KGW at the 21-Mc. key D19PF tells W7DJU he needs only Okanogan, San Juan and Skagit counties for a sweep of Washington state Continental commentary thanks to FDXC, NCDXC, PBRC, VERON and WGDXC: HE9LAA brandishes a new HT-37 on 14,296 kc. LA8 1DF 2DE radiate from Spitzbergen, LA8 1LG 1LP 2NG 7IF and 8YB from Jan Mayen. D19PF evidences FC PX MI and TA DXpeditionary inclinations.

South America — Direct from RCV: "Radio Club Venezolano, with the assistance of the Venezuelan Navy, is planning a DXpedition to Aves Island. It is expected that YV0AA will be on the air January 7th, 40, 20 and 15 meters, c.w.-sideband-a.m., for seven days." HC1JU reports newly married HC1KA and bride setting up house-keeping in Washington, D. C. Larry of VPINC commends the ham spirit of our Caribbean brethren: "Most of these fellows, with top-notch business and trade qualifications, earn but a fraction of the U. S. and Canadian income for similar work. How some of them manage to stay in amateur radio with their limited resources and almost non-existent supply of components is a wonder to behold. Most are not very interested in QSOs limited to 'How about a QSL card, old buddy?' — 73." W9WHM says HK8AI is now armed for the DX wars with a brand new TA-33 spinner and Heathkit lineup From W4OPM: "PJ2AA is arranging to have HB9TTL's s.s.b. transmitter on the air at existing stations in various Caribbean spots — possibly most VP2 areas, FM7 FG7 PJ2M VP1 VP0, etc. — using 14,274, 14,281, 14,294, 14,304 and 14,314 kc." Check with PJ2AA or W4OPM if you'd like to pitch in and

help this undertaking along For those interested in the WBII diploma, K3JJG directs attention to PY4AXN's steady c.w. availability on the low edges of 7 and 14 Mc. He's the son of PY1AO NCDXC, VERON and WGDXC mention ILK0QQ's mention of February Baja Nuevo intimations, also that G8KS attributes South Sandwich silence to the islands' treacherous volcanic activity and sulphurous atmosphere.

Hereabouts — W0AEE, through W1DGL of ARRL Hq., favors us with a peek at preliminary returns from the 1st World-wide RTTY Sweepstakes held October 21st-23rd. Merrill's consultations with W6s CG and TPJ reveal heavy high-scoring rivalry among Ws 2JAV 2RUI 6TPJ 7ESN 9EWC, H1RIF, K116LJ, TG9AD and several Gs. Some radiotelephony active: DL6EQ, G3s BXI CQE, GMs 3IQL 8FMI, KH6s ANR DWZ, K17s FA MZ, KM6BU, KR6MIF, KZ5BR, LA6J, PA0FB, VE8 4BJ 7KX, VK3KF, XE1BI, YV1EM, ZK1BS, ZLs 1WB 3HJ and ZL1FD "KG1BX operates on 7204, 14,275 and 21,430 kc., appearing regularly between 2200 and 0100 on the 20-meter spot," specifies staffer K3LYO. "Antennas for the lower frequencies present a problem. No trees at Thule. Then, too, we have those two- to five-day arctic radio blackouts to contend with." Wis BDI QON and CO2ZQ tell of Cuban exiles forming a radio club in Miami. CO2ZQ estimates that some 100 CAL-COs have left the homeland since the present regime moved in Among the hundreds of habitations destroyed in those late-'61 California brush fires were those of W6s BMC FHR GVV GY LGU UOII, K6RDP, WY6s QGL and TWM. WA6FGX, who assembled this list, escaped such grief by only two city blocks. W7MH's DX enthusiasm goes back to 200-meter spark sheds between Seattle and Los Angeles, real DX back in 1921 K5CDA/mm is back at sea again looking for world-wide friends on 14,038 kc. When the skip is right you'll hear Q8T's W1QQN scheduling her brother-in-law, KP4BEA (W1EXY), on 21,380 kc. Eleanor says Bob really guns for DX from the Coast Guard's KP4CGB layout as well as from his own station, concentrating on 14,040-ke. c.w. XE1s CV FB and YJ, signing X4F4, activated the Revillagigedo on a.m., c.w. and s.s.b. in November. An Invader and 100-B served ably on 40 through 10X meters W4BPD, preparing his juicy year-long DXpeditionary endeavor to commence next month, emphasizes the necessity of off-frequency calling and brief contacts to give all DXers maximum opportunity for QSOs. Watch for Gus's c.w. 35 or 65 kc. up from the lower 14-, 21- and 28-Mc. band edges, and close to 7000 and 3500 kc. when the higher bands are poor. His single-sideband will be heard off the low edges of U. S. phone suballocations; 14,120-14,130 kc. on 20 meters, for instance. W4BPD/DX's public relations committee — Ws 2AGW 2B1B 2JT 4ECC 5AZB 5IGJ 5UX and 8PQQ — will be hanging around near 14,050 kc. with late word on the undertaking's progress Ws 2Q1IH 6KG 8AJW 8JIN 8WT, SALSWI and UR2BU are star members of K6BX's Certificate Hunters' Club. OH2YV's Award Hunters' Club is resuming publication of regular bulletins. Any other certificate-certifying outfits out there? Florida DX Club, W4CKB prime mover, stirs up DX interest with its Florida DX Report and a 7210-ke. Sunday-morning net. Bev's research reveals W4s LVV FVR AZK, K4PDV and W4YPD leading the peninsular DXCC parade in that order. W4ANE, K4HEF, W4s CWV EEO and BWP pace the phone flock. RST



9G1DE, who dredges for gold and DX near Dunkwa, is a 14-Mc. c.w. fan who started up in March of last year and expects to continue active till May. Bill wants to complete WAS with his 100-watter, still needing Ariz., Ark., Del., the Dakotas, Me., Nebr., N. Mex. and Utah. He's usually active daily except Wednesdays and Saturdays until about 2300 GMT. (Photo via W8KX)



Correspondence From Members -

The publishers of *QST* assume no responsibility for statements made herein by correspondents.

HURRICANE TRAFFIC

☐ I want you to know that we in Tropical Radio very much appreciate the assistance VPIAB, W5KSI, K5USO rendered the Government and people of British Honduras and their correspondents world-wide in enabling us to restore our public-service radiotelegraph communication between our stations in Fort Lauderdale, Florida, in Guatemala City, Guatemala, and the Government Station in Belize, British Honduras.

This is but another of many instances on record where radio amateurs, or "hams," have performed outstanding service in times of emergency or distress, in the restoration of public-service communication. . . . *R. V. Howley, President, Tropical Radio Telegraph Company, Boston, Massachusetts.*

DX TEST TIPS

☐ I have just received the October issue and am pleased to note the results of the International DX Competition. Am looking forward to the next one and hope to better my previous score.

There are just one or two points I would like to mention in connection with the competition. These of course will not be new, but may bear repeating.

1. Keep your log straight and check for repeats before calling. We were the only "HI" operating yet we had numerous repeats on both week ends. This not only slowed up our participation but kept others waiting who were after us.

2. Please use GMT when filling out QSL cards. Also make sure your times, dates and bands are correct. This helps greatly when checking logs.

3. Do not forget to check with your QSL bureau. Unless IRC's were included we answered via the bureaus. We are still receiving second and third requests for cards that we acknowledged three or four months ago. — *Douglas G. Crowe, H18DGC, Dominican Republic.*

DISASTER COURTESY

☐ I'm sorry to say that I'm thoroughly disgusted with the operating techniques of a few amateurs. My technique may be lousy when it comes to calling a DX station but at least I know when to stay clear of a disaster frequency. The other night RACES could hardly get off of the ground, so to speak, because of some unthoughtful operators. Fellows, such frequencies are not toys to be played with — they are vital lifelines in disaster communications (whether you think so or not). The recent Topanga Canyon and Sierra Madre fires were no exception. Wake up before it's too late! — *R. H. Boal, K6SLM, San Marino, Calif.*

CD PREPAREDNESS

☐ One of the weaknesses of the civil defense organization in Dutchess County is the lack of sufficient radiation detection monitors and further, the lack of means for any such monitors to communicate to county defense headquarters or to local conelrad stations. It is believed that amateur radio operators with stations who are not already in the civil defense communication network might solve this major problem. . . .

. . . I am pleased to report that the amateur radio volunteers are among the very few volunteer groups in Dutchess County which are in a state of relatively complete preparedness at this time. You and your organization have reason to be proud of the selfless efforts of your members. — *Melvin P. Williams, Dutchess County Civil Defense, Hyde Park, New York.*

. . . And QRM

☐ I always enjoy reading the interesting articles appearing in *QST* and I feel ARRL has done for the amateurs what "hams" have done for the electronic industry — either one would be hard to do without.

Every amateur has experienced difficult QRM conditions from time to time and of course many of these situations could be prevented if a greater percentage of operators would observe routine courtesy. This brings me up to the point of this letter.

The extract of regulations appearing in October issue of *QST* was welcomed indeed — it offers a quick reference to pertinent operating information. I would suggest that you issue a similar extract showing each amateur band with recommended use such as s.s.b. — a.m. — c.w., etc., at various segments within each band.

The great majority of operators want to observe all good practices; however, when working all bands occasionally it is very easy to forget a lot of the helpful suggestions — and a handy reference would go a long way toward correcting this situation — and eventually I think it would completely cure many of these QRM problems. — *Roy E. Alexander, W4GLP, Pikeville, Kentucky.*

BOY SCOUT THANKS

☐ Allow me to express my grateful thanks to those of your members who so very generously loaned their time and equipment to Boy Scout groups during the 4th Jamboree-on-the-Air over the week end of 21st-22nd October, 1961.

While the main object of the event is to enable Boy Scouts in various parts of the world to talk to each other and to learn something of each other's activities, a secondary purpose which is being achieved is that of interesting them in amateur radio, and I know of quite a few who have obtained licences as a direct result of the first three Jamborees-on-the-Air.

None of this would have been possible without the willing cooperation of amateurs throughout the world and we in Scouting fully realize how much we owe the "ham" fraternity for their so willing cooperation. — *Maj. Gen. D. C. Spry, Director, Boy Scouts International Bureau, Ottawa, Canada.*

TECHNICAL HELP

☐ Congratulations on your November editorial, "Roll Your Own." We have too many amateurs who are afraid to experiment a little — or do their own "bug shooting."

When I was new to ham radio I built an amplifier which was quite unstable. After a night of wrestling with it, I went to a friend, W8CJM, for help. He not only didn't fix it, but gave me quite a ribbing about it. I ended up taming the beast myself, and had a good rig. Probably he could have spotted it quickly, where it took me many hours. By tossing me out on my own he did me a real service, because from then on, I "rolled my own" unaided, and acquired a thorough background by myself. I think we need more of his kind, instead of "wet nursing" a lot of people who could go it alone if they only had the guts. — *Bill Wildenhein, W5YFB, Elyria, Ohio.*

THE STONE AGE . . . ?

☐ I am renewing my membership in the League after a period during which it has not been convenient to free the dues money from the family budget.

I would like to use this occasion to tell you that I appreciate the work you people in West Hartford did at the last frequency allocation session.

However, I must admit that I was quite shaken — almost appalled — when in the latest issue of *QST* I came across a full article on "How to Build a Modulator" (Voss, 57). (Good grief! Modulators came in in 1931 and departed in 1951. Must I remind you that we need s.s.b. for survival?)

I also fear that if Ed Tilton continues to do such a good job of selling v.h.f. we will find more pressure to banish us to these frequencies above 50 Mc., on the pretext that we are so happy there. — *James M. Fisher, W3KNG, Williamsport, Pennsylvania.*

W2ZX CHART

¶ I wish to express my disagreement with the suggestion outlined on page 96, November, 1961 *QST*, under paragraphs "More on 20 Meters" and "Planned Use of 14 Mc. Charted."

The suggestions are greatly biased against those who prefer a.m. to s.s.b., operations. The chart submitted by W2ZX (and apparently with the blessing of *QST*, since it advocates its use on a trial basis) does nothing toward alleviation of QRM except to create an additional 25 kc., to the now used 75 kc., of the upper segment on 14 Mc., with resultant build-up of QRM to the 50 kc., W2ZX so graciously leaves to a.m.

QST advocated the splitting of the 14 Mc., phone segment half and half in your October, 1960 (correct) issue of *QST* under "It Seems to Us." I am afraid now that you advocate a trial of W2ZX's suggestion will place us right back where we were a year and a half ago with resultant ill-feeling and bickering being renewed. WIAPA's suggestion regarding DX on the s.s.b. section doesn't help any, for it seems he would have DX stations listen in the a.m. section 14,250 up, and apparently he expects contacts in those 25 kc., which ordinarily is now used by a.m. . . . — *Frank L. Parsons, W4KQI, Assistant Director, Great Lakes Division, Louisville, Kentucky.*

¶ It is with concern I noted the 14-Mc., chart as listed in the Operating News of the November, *QST*, along with WIAPA's comments in the same section. Both seem to lose sight of two important facts. The chart fails to show the active s.s.b., band at 14,100 to 14,150 kc. That is a fact that will not disappear because the DX gangs' spokesmen ignore it. (According to *QST*'s recent survey s.s.b. now accounts for 75% of the phone operation on 20, so how come it rates only slightly more than 1/3rd of the spectrum?) The DX s.s.b. band is here to stay. Secondly, the type of operation suggested by WIAPA ignores the right of others to use the band for other than DX. A review of the happenings during the recent DX Contest, surely, gives one cause to pause before espousing his suggestion. When XT2Z said he was tuning below 14,335 for replies, all heck broke loose. . . . *Ted Wilds, KZ5SW, W4GVD, Balboa, Canal Zone.*

BCI GENERATORS

¶ I am somewhat disturbed by the attitude expressed by W4KVH in November *QST*. If he says to someone who has a case of BCI, "Go to . . . I've paid for my license . . ." he will not be doing amateur radio any good. He will be making enemies for us among the listeners, who will think that we are just a group of BCI generators. Paying \$5, \$20, or even \$100 does not give us the right to cause interference to another radio service. — *Bram A. Darrow, WA2PWG, Bayside, New York.*

SINPO CODE

¶ Concerning WHDQ's article in *QST* (November, 1961, page 44) about the variety of S-meter readings, may I add a comment or so?

In the international shortwave listening fraternity a signal report is almost universally made in the SINPO code. These letters, in case there are some unfamiliar with them, stand for Strength, Interference, Noise, Propagation, and Over-all average. Following each letter is a number, from one through five. It has been found that the use of this SINPO code is highly appreciated by most international broadcasters, and many of them request their permanent area monitors to use this form in submitting their monthly reports.

For instance, a signal of highest quality over-all would receive a SINPO rating of 55555. But a signal which was relatively weak, but not bothered by QRM or noise, that was having some difficulty with propagational disturbances, would receive a report of 35534. As you can see, the first four numbers are averaged together for the final figure.

Those of us who have become accustomed to using this SINPO code find that it is much more expressive of the true nature of reception than is the RS(T) reporting system. Granted it takes longer, but it does give a station a true report of all conditions affecting his signal. It also eliminates the utterly incredible reports we hams sometimes encounter; a good example of one was this one which I got recently from a fellow evidently just turned General: "Dave, you're really booming in here . . . 70 dbs. over S-9." Well, this

sounded good, so I listened even more intently to this benevolent young chap. When he got around to telling me about his rig, though, I had to laugh in his face: "The rig here is Bandblaster, and we're receiving you on a Hellcrafters S-38."

Yes sir, some code, SINPO or another, would surely do away with these 70 over nine reports from an S-38. Maybe the code of honesty would help? — *Drayton Cooper, K4KSY, Southport, North Carolina.*

TEXAN'S COMMENDATION

¶ I recently enlisted in the Marine Corps. I think that one of the things I have missed most during Basic Training was not being able to read your wonderful magazine. But, you can't always have the comforts of home in boot camp. I am looking forward once again to perusing *QST*, and renewing my membership in ARRL.

I would like to commend the members of the base ham club here at Marine Corps Recruit Depot (W6YDK) for their contributions of time and effort in relaying messages from new recruits to relatives. Needless to say, on my first base liberty after graduation the first place I headed for was Building 143, located under the all-land beam.

Thanks for such an interesting and informative magazine from a Texas ham who's temporarily /6-QRT. — *Pat. Ray L. Mote, jr., K6FKT, San Diego, Calif.*

EPT SCORES AGAIN!

¶ I have read with much interest and enthusiasm the articles by VHF Editor Ed Tilton, regarding construction of a complete v.h.f. station for the beginner. At the present time for reasons not necessary to mention, my activity will be limited to low-power operation, and to that end I believe that much space can be devoted to antenna design and proper matching systems. It will be in this field that I shall devote considerable time in the coming winter months. . . .

The League and the staff of ARRL are to be commended for making this template service available to members without charge. Many thanks, and continue the good work. — *Walter R. Hoyles, K8NPB, Wilmington, Ohio.*

¶ . . . Would you please send me the free drilling templates for the units in the four-part series in July-October 1961 *QST*, titled "A Complete Two-Band Station for the V.H.F. Beginner," by Edward P. Tilton, WHDQ. I would like to see more of this type of article in *QST*, for the main reason that it is complete, even to the s.w.r. bridge. Because it is for the beginner, almost anyone can understand it thoroughly. It gives you something specific to look forward to from month to month in your fine magazine. — *Gene M. Moore, WA6HCO, Stockton, Calif.*

¶ Contrary to the opinion of some others who write to you, I think the staff of *QST* does a commendable job presenting articles which concern the various phases of our hobby. Keep up the good work . . . — *Thomas H. Clark, K4SHY, Kingsport, Tenn.*

¶ . . . Your work in v.h.f. is greatly appreciated by us newcomers. I sincerely hope that ARRL does publish a v.h.f. handbook.

None of the currently available books show the accuracy and reliability of ARRL equipment . . . — *Clem Woest, K9SET, Brownsburg, Indiana.*

¶ . . . Mr. Tilton, I've been a subscriber to *QST* for almost a year now, but I've read many previous issues of *QST*, plus a host of other literature pertaining to amateur radio. Your six- and two-meter transmitters are by far the most sensible and practical low cost "clean" looking transmitters I've read about yet. Thank you for bringing them to the attention of the sensible ham . . . — *Frank Gensiak, K3NOE, Hyattsville, Maryland.*

Strays

VU2SL Dale Sikligar, Madanwad, Bulsar (Western Railway), India, a high school science teacher, would like to hear from high school radio clubs in the States.



Operating News



F. E. HANDY, WIBDI, Communications Mgr.
GEORGE HART, WINJM, Natl. Emerg. Coordinator
JOHN F. LINDHOLM, WIDGL, Ass't. Comm. Mgr., C.W.

ROBERT L. WHITE, WIWPO, DXCC Awards
LILLIAN M. SALTER, WIZJE, Administrative Aide
ELLEN WHITE, WIYYM, Ass't. Comm. Mgr., Phone

Operating Challenges for 1962. The first three months of the new year will offer a variety of juicy operating activities sponsored by ARRL and announced in *QST*. In January we have activities like the V.H.F. Sweepstakes and the CD Parties, the latter for SCM appointees only. There's the **NOVICE ROUNDUP**, a challenge for newcomers, with points to be accumulated for fifteen days of on-the-air progress in early February. ARRL's DX Competition takes place February and March. Open to all, likewise, don't overlook the Frequency Measuring Test with W1AW runs on February 16th. All amateurs and prospective amateurs not yet certified or endorsed (10 through 35 w.p.m.) are invited to try monthly qualifying runs for Code Proficiency certificates. See W1AW and WGOWP schedules each month in *QST* in connection with this continuing program. Around 40,000 different amateurs will have been ARRL-certified in CP as of January 1, 1962. Why not you?

Of course, the top challenge to Novices and Technicians is to keep right on to the point of acquiring FCC's reward in terms of full class amateur privileges, such as with the General Class Amateur License. The doors then swing open to the more attractive world-wide and coast-to-coast DX, and membership in section nets. Technicians have widely accepted the opportunities in the SCM-proffered v.h.f. OES appointment. With the help of v.h.f. operators, OES will doubtless attain new highs in 1962.

Our most sought-after awards appeal to everyone and call for versatile use of the whole amateur spectrum. It is a challenge to work all states (50) for WAS or to contact 100 countries for DXCC, if you have not yet earned such laurels. Post-war we now have 8,000 DXCC members. Some 13,000 amateurs hold WAS and we issue but one certificate to a customer! WAS is a mark of advanced accomplishment and the RSGB has referred to DXCC as "the most widely known of all operating awards." Will you have one of these awards coming to you in 1962?

The Greater Challenges. These incentive awards and all purely hobby activities can be taken as stepping stones that lead to improved station efficiency and high individual proficiency in operating. Casual hobbyists may be content working for little beyond some wallpaper. But to be identified with useful results from practical operating has caused many amateurs to subscribe to extended objectives that are instruments of service to the public. For example, some 35,000

amateurs are registered in the Amateur Radio Emergency Corps; 6,477 station and leadership posts were outstanding as of the latest Annual Report.

Amateur radio itself may be faced with the greatest challenge of all to further extend and perfect its practical communications capability for traffic and emergency work in 1962. The National Traffic System and the AREC are means to meet the challenge of having tangible, useful communication results. Both invite your support to meet the tests of the future. Some questions point this up. Which SCM-appointment is most along the lines of your natural interest? Are you in a section net? Basic posts are those for OES, OPS, or ORS, as detailed on page 79, September 1961 *QST* . . . or see a copy of *Operating an Amateur Radio Station*. Unless active on the air you can hardly qualify for one of these or a net certificate. But we think every member who is active should aspire to recognition through one of these appointments, and also aspire to participation in nets, AREC-RACES, or NTS. It is important to be a part of organized communications and to have procedure experience, if you have to take responsibility for accurate handling of traffic or emergency communications.

About AREC and Citizen's Band. Are you in the Amateur Radio Emergency Corps? Do you have an ARRL Emergency Coordinator, or have you recommended one to your SCM or SEC? Does your community have a RACES plan in which you're active? You no doubt have heard it said that amateur radio exists as a hobby because it qualifies as a service. As an amateur one can be proud in being part of that service. But are any of the things *you* do identifiable in terms of public service? Every active operator, we believe, should be AREC-registered; this doesn't even require ARRL membership. All League leadership posts under SCMs are challenging to the holders to produce practical organizational results, none more so than the Emergency Coordinator, whose duties are clearly set forth in the operating booklet. The SECs of East and West Florida, W4IYT and W4MLE, as an example, have made great strides in 1961 in blueprinting state-wide emergency plans, assigning functions on emergency responsibilities to all the different state nets, and running an outstanding state-wide simulated emergency test (SET) so amateurs are prepared and ready. These leaders and others point to recruiting and planned AREC

activities by their ECs, as needed to keep us ahead in 1962.

The sense of challenge in this field is accentuated in that *another service*, Citizen's Radio Service, while intended and regulated for personal and business communications of the licensee, has members who aspire to get into local defense and emergency planning. The answer by amateurs everywhere is to get on the ball by constantly implementing active organization in AREC and RACES, developing realistic stand-by radio facilities that are beyond challenge! It is not enough to rely on the fact that CB installations lack power capability, coverage, and are subject to the expectation of impossible interference levels; it is not enough to rely on the fact that CB installations are to be off the air under Conelrad, and do not have emergency power sources or a set-up like RACES to permit wartime continuance on the "reasonable dependability" for coverage that the Office of Civil Defense, Dept. of Defense (OCD-DOD) wants. We amateurs are looked upon to use the provisions in our regulations to work with local-government on this. OCD-DOD cautions civil defense directors to carefully evaluate any proposed CB supplements that would for their purpose have to be licensed *only* for defense, *not* personal business. It can be correctly stated that the work of other services is hardly any of our business. But it is our business to see that we implement our AREC and RACES plans as a first-AREC-responsibility right up to the hilt in 1962.

What is your part as an individual amateur? Just this; get lined up within the AREC and RACES plans. Build a fire under your section officials to get an EC appointed and an AREC group started, if now without active emergency-dedicated coordination. Likewise, help implement RACES fully. Complete your own emergency and mobile equipment. Make sure you are AREC enlisted. Get from your EC just as soon as you can rate some, both the Official Mobile Unit and Emergency Radio Unit placards and the decal for the rig and car. Continue to do practical communicating in the tradition of amateurs-for-their-community. You'll have fun in the process. Use matching decals to advertise ARRL and AREC.

Code Proficiency Skeds Requested. There is need for more on-the-air practice stations, judging from the requests for such information. ARRL's circular, "Suggested Methods for Code Practice by Radio," telling the best way to go about transmitting practice and mentioning the FCC regulations that cover such special work, is free on request. Volunteers are needed! It takes continuing schedules to be of use to those following such transmissions. A schedule good for only four or six weeks is not useful for our "Current on the Air Code Practice Stations" listing, since it takes almost that long to get this into print. But if you can plan beyond that, we would like to know your schedule. Let us send you a "Code Practice Schedule Card" on which to note your frequency, days, times, speeds, and how long

you will observe the schedule. V.h.f. bands are excellent for scheduling practice runs to help those in your club working for the General Class License. We suggest using the earlier evening hours before peak band occupancy for evening practice sessions. Interested? Then write for a card to give us your code practice schedule.

R Means ALL OK. "Have been back on about three months after eight years inactivity. It's been a ball. I'm gratified to find QRP will work about anything and that some Novices show signs of becoming excellent c.w. operators. Things have not degenerated as much as some *QST* letters made me fear. . . . Some contrasts are evident to one who has been away. Suggest operators see point 5, page 567, in the current *Handbook*. What you said in the *October '60 Bulletin* about "R" prompts me to quote from recent QSOs. Some may find them amusing, others we hope instructive" — *Jim, W8BXZ/4*.

"DE K8 — R Got most of that. . . ."

"DE K9 — R R BT I didn't get too much. . . . QRM. . . ."


"DE VE7 — R R. . . . didn't get any of last part. . . ."

"DE WA6 — BT OK on part, Joe. . . ."

"DE WØ — R R R BT Sorry lost you for a while. . . ."

Local Clubs Invited to Affiliate. Each passing year for ten years has shown increases in the number of active local clubs that are ARRL-affiliated. Only affiliated clubs can book training aids films on a loan basis. There's prestige of national recognition that comes through affiliation with the League. Affiliated clubs get weekly mailings of bulletin releases; there's mutual strength for amateur radio through this bond of affiliation. And it costs a club not one red cent. The present roster carries over 1200 clubs.

Our invitation is taken directly from the ARRL Board of Director's policy that ". . . local non-commercial amateur radio societies of kindred aims and purposes" may be affiliated. In affiliating, a society expresses its sympathy with and allegiance to the common aims of amateur radio and ARRL. A statement of a club's purposes is required, so the League may have assurance that a group is not chiefly devoted to short-wave listening, broadcasting or other services. Also the Board requires that 51% or more of the voting members of an affiliated group must be full members of ARRL and licensed radio amateurs. However, if a *high school* club meets the latter test, it may affiliate if the club has just *one* ARRL member, providing "high school" is part of the club name. A League director recently had to scotch a rumor that one club had heard that it cost \$100 to affiliate. This is simply not true. We suppose a club could reason that it would be worth this. At any rate, the large number of clubs accepted for affiliation throughout the year (see "Happenings of the Month," Sept. and Nov. 1961 *QST*) speaks for itself. In conclusion, remember that (1) ARRL believes in furthering the work of local amateur radio clubs such as have frequent meetings for technical, operating, and fraternal objectives; (2) new clubs getting started are invited to write for a specimen club constitution and pointers on organizing; (3)



If you have operated in the CD Party, the chances are 11 out of 17, that you have QSOed W9YZ, according to the calculations of W9SZR, left, and K9ELT, right, who regularly fire up the Badger Amateur Radio Society club station for CD Parties. Fred and Phil nearly collected all the marbles in the October Party, by placing second nationally in the c.w. and phone parties.

RESULTS, OCTOBER CD PARTIES

to consolidate the strength of all local organized groups for amateur radio, as well as to better serve and assist such groups, ARRL renews its invitation to all amateur clubs not presently affiliated to get from ARRL the forms for initiating application for affiliation.

Dishonest Tone Reports. Official Observer W3NNC suggests that every serious amateur padlock his transmitter and spend just one hour carefully tuning any band, listening for the poor notes and sick signals. This can hardly fail, he says, to bring to light instances of very poor signals, calling for critical and honest reports. We think all amateurs may be interested in W3NNC's remarks and suggestions.

"Right while I was making out a card for a KNI with a T4 signal, he was answered by a WA2 in New York who proceeded to give him RST 599!" All amateurs who hear such things might well be encouraged to send a direct criticism to any operators giving such inaccurate and misleading reports! Give honest and accurate T-reports . . . any other type report is a disservice. W3NNC recalls that he once got an FCC notice himself for a poor note after getting T8 and T9 reports. He concludes: "Fully forty percent of the signals listened to could not, in all honesty, even be called T8." Let's remedy this by posting those RST definitions (ARRL Op. Aid No. 3) in each station operating position, and following the tone definitions accurately.

In V.H.F. Calling, Specify Where You Will Listen. Many sections have v.h.f. traffic nets coming into operation. Lots of stations are rock-bound and each NCS must comb the band well to pick up stations. For the v.h.f. man looking for DX, it is even more valuable to specify where you will listen. You will never or infrequently find stations if you follow operating practices that encourage continued pileups at the low edge of bands! Tune to the Novice segment of two meters and you will often run into a signal coming through from the state you are looking for. Call specifying that you are tuning 146-145, 145 down to 144, etc. In this way you are more likely to accomplish your individual operating desire as well as cure the bad habit of overdoing the use of the low end. A) continuous-carrier operation below 51 Mc. in the 6-meter band is *citabile* by FCC. Technician Class operators should be duly advised never to engage in such duplex practice.

— F. E. H.

More and more the October CD Party is becoming a proving ground for Sweepstakes, with CDers loosening the kinks out of their fists and vocal chords for the November grind. As he did in the last October Party, ORS W1EOB paved the way with 703 contacts in 68 sections for 211,400 points. Somewhat discouraging to Vic was that he missed Ariz., Miss., and VE5 . . . all of which were QSOed in the July Party. Which all leads to speculation that someday somebody's bound to snag 'em all. K9ELT, magnificently keying W9YT, scampered close behind with a like number of contacts, but shy by one section at 67. Others over 200K were ORS/OPS K2EIU, OO, OBS K4PUZ/4, and multi-operator W1MX, W6ISQ, K7CHH, K7CTI, W6NKR, and WA6ECF all proved that you can score big from the West Coast.

On phone K2EIU lead the field by what is fast becoming the "hard way" — that is without s.s.b. Ken seems to be coming adept at leading the phone gang, but two others were right at his heels. The University of Wisconsin station W9YT had hardly cooled off from the blistering c.w. week end of K9ELT, before W9SZR took over the controls and put it through the microphone paces with high QSO total of 182 and second-high phone score of 41,580. OPS W1ECH, 1, tied with K2EIU in section high of 46, scored 39,790 points. ORS W6UGA and W6JVA both made the phone list with W6UGA racking up a tremendous 20,475 points, a record W6 phone score. A phone score like this from the West Coast was unheard of a few years ago.

The following are the high *claimed* scores. Figures show the score *claimed*, number of QSOs, and the number of different sections worked. Final and complete *official* standings will appear in the *January CD Bulletin*.

— W1DGL

C.W.		PHONE	
W1EOB	211,400-703-68	W0ETT	112,455-353-63
W9YT ¹	237,515-703-67	K4GBS	112,220-358-62
K2EIU	219,760-650-67	K8RMK	107,700-354-60
K4PUZ/4	207,570-625-66	W2MTA/4	107,260-341-62
W9BQM	192,150-603-63	K9OQC	105,600-305-64
W9KLD	187,525-573-65	K3JCT	104,440-363-56
W4DQS	176,000-543-64	WA2EBR	102,370-348-58
W6ISQ	164,800-518-64	K2SSX	102,300-360-56
W3EIV	162,560-508-64	W1LYH	101,440-310-64
K1JDN	161,920-506-64	W9MAK	101,440-306-64
W0NYU	159,705-500-63	K4UJS	100,800-332-60
K4RIN	153,720-484-63	W1MX ³	204,350-604-67
K5OXC	151,280-490-61		
K7CHH	149,440-462-64		
K7CTI	145,600-452-64		
K2KTK	143,220-427-66		
W9QQG	142,080-439-64		
W1TS	141,750-413-63		
W1FJJ	140,120-446-62		
K5BSZ	135,630-406-66		
W4KFC	134,505-420-63		
K0AZJ	132,600-438-60		
K4HBR	131,985-412-63		
W1AW ²	131,760-425-61		
K1AIL	129,150-408-63		
K4BVD	128,985-378-67		
K0IVQ	127,410-405-62		
K4YEP	126,790-404-62		
W6NKR	126,720-389-64		
W1WCG	125,050-406-61		
W2PFB	124,425-391-63		
W0PHR	123,830-420-58		
W4MLE	121,520-388-62		
WA6ECF	119,600-362-65		
W8VPC	119,255-384-61		
K1MBM	117,490-375-62		
W2GKZ	113,150-358-62		
		K2EIU	41,860-176-46
		W9YT ¹	11,580-182-44
		W1ECH/1	39,790-166-46
		K2PHF	21,935-100-11
		W6UGA	20,475-105-39
		K4BAI	17,835-80-11
		K5MDX	16,150-85-38
		K2QDT	13,330-86-31
		W4KFC	11,160-65-31
		K8RMK	10,075-60-31
		W1GKJ	10,005-64-29
		K4PQV	8,450-62-26
		K2KNV	8,400-54-28
		W9PNE	8,120-49-29
		K4XG	5,875-58-25
		K4YEP	7,695-52-27
		W9KLD	7,420-49-28
		W1YK ⁵	7,245-69-21
		W2EEN	6,900-56-23
		K2PBU	6,820-62-22
		K1LPL	6,000-55-20
		K2SSX	5,760-43-24
		W6JVA	5,635-43-23
		K0YRQ	5,100-43-24

¹ K9ELT, opr.; ² W1WPR, opr.; ³ K2KTR, W1WAW opr.; ⁴ W9SZR, opr.; ⁵ W1DXS, opr.

A.R.R.L. ACTIVITIES CALENDAR


(Dates shown are per GMT)

Jan. 5: CP Qualifying Run — W6OWP
Jan. 6-7: V.H.F. Sweepstakes
Jan. 13-15: CD Party (c.w.)
Jan. 20: CP Qualifying Run — W1AW
Jan. 20-22: CD Party (phone)
Feb. 2-4: DX Competition (phone)
Feb. 3-18: Novice Roundup
Feb. 8: CP Qualifying Run — W6OWP
Feb. 16 — Frequency Measuring Test
Feb. 16-18: DX Competition (c.w.)
Feb. 20: CP Qualifying Run — W1AW
Mar. 2-4: DX Competition (phone)
Mar. 16-18: DX Competition (c.w.)
June 9-10: V.H.F. QSO Party
June 23-24: Field Day

OTHER ACTIVITIES

The following lists date, name, sponsor, and page reference of *QST* issue in which more details appear.

Jan. 13-14: WAE DX Contest (c.w.), DARC (p. 74, this issue).
Jan. 20-22: Third New Mexico QSO Party, CHC Chapter #1, of Albuquerque (p. 126, this issue).
Jan. 20-22: Fifth Pennsylvania QSO Party, Harrisburg Radio Amateur Club (p. 90, this issue).
Jan. 20-21: Eighth Annual VEI Contest (c.w.), New Brunswick Amateur Radio Assn. (p. 136, this issue).
Jan. 27-28: Eighth Annual VEI Contest (phone).
Jan. 27-28: New Hampshire QSO Party, Concord Brasspounders (p. 112, this issue).
Feb. 9-11: QCWA QSO Party, Quarter Century Wireless Assn. (next issue).
Feb. 10-12: NYC-LI QSO Party, South Shore Amateur Wireless Assn. (next issue).
Feb. 24-26: First Rhode Island QSO Party (next issue).



The Big "K" Amateur Radio Assn. of Pa. gathered these AREC members together at their Open House and Anniversary Party held at the club house near Towanda, Pa., Sept. 24. Left to right are K2DNN (EC Chemung County, N. Y.), W2YLM (EC Broome County, N. Y.), WA2HFL and W3MUR.

get at. For example, 29,640 kc. is outside the range of many commercial converters. Also, 14,225 kc. is not the part of the band in which s.s.b. is generally used, so there ought to be separate calling frequencies for s.s.b. stations. All we can say to these arguments is that of the twelve NCE frequencies, every amateur ought to be able to put a signal on at least one of them. We cannot and do not expect that each amateur can or should operate on each NCEF.

Some critics say that there is too much QRM on the NCEFs, while others say they are too isolated and ought to be in those parts of the bands that are most crowded, so more listening will be done there. So, what do we want, lots of QRM and lots of listening, or a minimum of QRM and less casual listening?

It has been often pointed out to us that marine stations have specific designated frequencies which are used only for calling purposes, and that these frequencies are monitored at certain intervals each hour to minimize the possibility that any distress call will go unobserved, and that we amateurs should emulate this technique, which works very well. We could try this, but in order to make it effective we would have to have the cooperation of all amateurs to observe the silent periods on the frequency or frequencies designated. Such voluntary cooperation is mighty hard to come by. Even FCC would have a hard time enforcing such provisions, as was pointed out some years ago when they proposed rulemaking to put such into effect—proposals which they subsequently withdrew. As a matter of fact, the present recommendation (by ARRL) is that amateurs avoid the use of the NCEFs except for calling purposes.

Then there are requests from various special interest groups that specific frequencies in the bands be set aside for their use. These groups would have us designate special frequencies for novices, for RTTY, for s.s.b., for f.m., for RACES and for technicians in addition to those frequencies already set aside for general use.

Arguments pro and con various proposals can go on endlessly, and show every evidence of doing just that. Our present list of NCEFs have at least one frequency on which every amateur can operate, if he deems it worth while to equip himself so to do. Far from being insufficient, the list is more likely so extensive as to cause a dilution of its effectiveness. Instead of extending the list to accommodate special interest groups, maybe what we should do is to eliminate some of the NCEFs that are seldom or never used.

Anyway, after all is said and nothing is done, it seems that there is little wrong with our present NCEFs that some avid support from the amateur fraternity wouldn't alleviate. — WINJ.M.

Iowa SEC KØEXN tells us of some errors in the account of the Washita, Iowa, hood on p. 99, Nov. *QST*. KØEIC should have been KØSIC; KØDON should have been KØDOM. Other calls that should have appeared as participants are KØs LCI UUA JNK GXP POI BXN and WØFLM.



Let's talk about the National Calling and Emergency frequencies. This subject has been kicked around so much that it must be groggy, but all the discussion has been most inconclusive. Certainly the present setup is not perfect, but something can also be found wrong with every suggestion made so far, and we can see no hope that anyone will come up with the perfect solution. Most likely there is none. As a result, we are sticking with the present NCEFs until or unless an alternative can be arrived at which will alleviate all the present disadvantages without presenting any of their own.

What are some of the present disadvantages? Well, for one thing, novices can't use any of the NCEFs, except on two meters. The solution to this is to put the NCEFs in the novice segments. This is a solution? For another, they are too far inside the bands and in the midst of QRM, therefore hard to find; they ought to be on the band edges. If we put them there, we'll have more out-of-band operation, because if an amateur can't find a frequency in the middle of the band, why should he hit it any closer at the band edges?

The NCEFs are not widely-enough known, is another complaint. We put them prominently in each issue of *QST*, and have conducted campaigns to popularize them.

They are in parts of the band that some amateurs can't



A view inside the Owensboro-Daviess County (Ky.) mobile unit, a converted school bus. The bus was contributed by the county school board, equipment purchased by Owensboro C.D. and conversion and installation performed by the Owensboro Amateur Radio Club under EC W4VJV. Shown at the various operating positions, left to right, are W4ITC, K4UDZ, K4UCS, W4EWL and W4VJV (EC).

On July 29, Alabama Emergency Net "P" conducted a surprise simulated emergency session on 3955 kc. to ascertain (1) how many stations monitor the net frequency, and (2) how many stations monitor the National Calling & Emergency Frequencies. In response to the call, ten of the 90 stations on the roster checked in, plus two stations not on the roster, somewhat better than the 10% that had been expected. Procedure and discipline were of the highest order. More such drills are planned to bring this unit of Alabama's statewide amateur emergency plan into the highest possible state of readiness. — *K4KDE*.

On Oct. 7 the SOCAL Six Net provided communications for the unique tournament of the Pioneer Pass Golf Challenge. Not the usual type of golf tournament, this one covered 28 miles of winding, rugged terrain in the San Bernardino Mountains. Communications were a real problem and a real challenge to the SOCAL Six boys.

Because the area is some 125 miles from Los Angeles, the mobilecade left on the evening of Oct. 6 and deployed to prearranged locations the next morning. WA6GAG set up at radio station KDHI. Three mobiles went to Tip Top Mountain to act as relays. K6UZI was at the finish at Moonridge and WA6JON established himself at the Tee Off point at the Yucca Valley Country Club. The rest of the stations were mobile along the route. Progress and scores were relayed to WA6GAG at Twenty-nine Palms and put on the air over KDHI. The following day the same procedure was repeated, but it snowed on Tip Top Mountain and the mobiles couldn't get up, so they established themselves on Butler Peak instead.

It was a lot of hard work, but the tournament officials were greatly pleased and a lot of good publicity for the amateurs resulted. — *K6PZM, PAM Los Angeles*.

We have three reports of ARRL Hallowe'en "Goblin Patrols."

The Clinton County, N. Y., AREC established a base station command post at the Sheriff's office in Plattsburgh. K2VXR in Dannemora was net control. Mobile units were instructed to patrol and report all acts of vandalism, but not to investigate or apprehend. Five fixed stations, one portable and fourteen mobiles participated. — *WA2GCH, EC Clinton County, N. Y.*

In Pickway County, Ohio, it was the RACES group that did the job. K8GOY, radio officer, reports that three mobiles patrolled the county and two the city of Circleville. A dispatching station was set up at c.d. headquarters. Operators reported all unusual events, which were then screened and passed along to patrolmen and deputies.

Cuyahoga County AREC did its usual excellent job of assisting police to minimize Hallowe'en vandalism and protect the young "trick or treat" set. The boys were on the job Oct. 28, using ten meters, on Oct. 30 using two meters and on Oct. 31 using six meters. Portable equipment was set up at the police station and six mobiles, each carrying an officer, off-duty patrolman or auxiliary policeman in addition to the AREC member, were sent out each night. Because "the word was out," little in the way of vandalism was attempted; thus, the AREC activity served as a preventive. Twenty amateurs took part. — *W8VFU, EC Cuyahoga County, Ohio*.

Better late than never, and we seldom omit an item on a real emergency, no matter how old it is. On Oct. 18, 1960, while W6CVG and W0MYX were on a hunting expedition in the Saguache, Colo., area, they participated in a search for a lost hunter. Communications were conducted from their own camp, using a portable station and the call W6CVG 9. W6CVG also spent seven hours on horse back with a search party using a hand-carried unit with which he kept in contact with W0MYX at the camp station. Skeds were kept with W0KYD and W0TV to keep the family of the lost man in touch with reports. However, the missing hunter walked into a ranchstead about 40 hours after being reported missing. — *W0KQD*.

On October 22, members of the Bloomington Amateur Radio Club and the Indiana Memorial Union Radio Club provided communications for the Indiana Powder Puff Derby, an all-women air race. Stations were established at the starting and finishing points and at points along the route so that progress and other information could be relayed back to the starting point. Excellent cooperation was experienced and traffic was often delivered the same minute it was originated. Sixteen amateurs took part. — *W9NZK, EC Monroe County, Ind.*

Approximately 1500 people were stranded when an unexpected snowstorm blocked the roads about 25 miles east of Rock Springs, Wyo. Among them was W6IW who, when it appeared that no immediate aid was forthcoming, fired up his mobile rig and called for help. He was answered by K7KLE and W7SFK, but conditions were so poor that good contact could not be maintained. Later, contact was made with W6MRO, who relayed to K7KLE and W7SFK and assisted in keeping the frequency clear. Assistance was obtained from the Red Cross, the National Guard and the Wyoming Highway Patrol. Hardly any of the stranded motorists knew that succor came as a result of the efforts of the amateurs. — *W6IWSW*.

On the morning of June 24, when amateurs far and wide were getting ready for Field Day, the AREC of Tarrant County, Florida, under the leadership of EC K5MZW, took part in an exercise sponsored by the Civil Air Patrol and the District Area Rescue-Emergency Corps. Two flyers were spotted at remote areas to simulate airmen who had bailed out of their planes. At 0830, K5MZW mobile put out a bulletin on the frequency of the Tarrant County Disaster Net announcing the situation and asking for assistance from stations in the field. CAP was notified to commence the search by air, and DARE to dispatch their trucks. Some 15 amateurs also responded and their mobiles were put to use observing the location of CAP search planes.

At approximately 25 minutes after the search was started, a CAP plane spotted one of the "missing" airmen. The plane reported to temporary CAP headquarters, which relayed to W5YUO to W5RIR at DARE headquarters whereupon a rescue truck was dispatched and guided by CAP planes circling overhead and communicating through amateur liaison. The second man was located and zeroed in on in much the same manner. W5VEZ being the first rescuer on the scene. As ambulances and other vehicles arrived, K5MQA was stationed at the nearest intersection to direct them. Full coverage was made by TV cameraman, unbeknownst to the participants, and shown to the public that evening. It was, all in all, an excellent demonstration of amateur versatility in providing liaison communications which might not otherwise be available. — *K5MZW, EC Tarrant Co., Texas*.

Members of the Denver AREC assisted in two of the largest events held during the American Legion Convention on Sept. 10-11. The first was communications assistance to the Red Cross during the drum-and-bugle-corps competition held at the huge, mile-high Denver University stadium. Hand-carried units were used in the stand and on the parade grounds. A base station on each band was set up in the first aid room under the stands and a mobile capable of operating both bands simultaneously was stationed on the field with a group of ambulances. A ten-meter station in another part of the city stood by to handle any outside calls. Several persons were stricken during the event and some had to be evacuated to hospitals. All patients received quick assistance, thanks to AREC communications. Thirteen amateurs were involved in this phase.

In the big parade in downtown Denver the following day, a mobile AREC station was assigned to each ambulance, with a base station set up at temporary police and Red Cross headquarters. The club station in the main Red Cross building acted as net control. Amateurs with hand-carried units patrolled the areas between ambulances. This provided smooth coverage. The AREC summoned ambulances, arranged police escorts for ambulances with patients, moved in other ambulances to replace those in use, and kept a running watch on the ambulance oxygen supply so that more could be called for when the supply ran low. The AREC was very much in evidence during this granddaddy of all parades. Seventeen amateurs took part.

— K00VQ, EC Denver Area, Colo.

— * * * —

The Hillsborough Amateur Radio Society, Inc., of Tampa, Fla., participated in six public service events from February through October, 1961, as follows: Feb., '61, Mothers March of Dimes; Feb., '61, assisted Tampa Police during annual Gasparilla Day; Apr., '61, OPAL '61, national c.d. drill; June, '61, c.d. drill and field operations on emergency power; Sept., '61, standby alert for Hurricane Carla; Oct., '61, annual ARRL Simulated Emergency Test. Their performance in most of these activities was the subject of special citations.

— * * * —

September reports were received from 26 SEC's representing 12,543 AREC members. This is two reports more than Sept. of 1960 and over 3,000 more AREC members. Illinois submits its first report for 1961, bringing to 45 the number of different sections reported in 1961. Sections reporting: Tenn., Utah, E. Pa., Mich., Maine, Ala., Wash., Ind., S. Texas, Nevada, S. Dak., Ore., Colo., E. Fla., Ill., Iowa, Alberta, NYC-LI, E. Mass., Okla., Ohio, Md.-Del.-D.C., SCV, Sac. V. Va., N. Texas.

RACES News


The Office of Civil and Defense Mobilization (OCDM) is no more, and so these initials will disappear from the pages of *QST* and the annuals of amateur radio, as did FCDA and WERS before them. What was formerly OCDM has been split in two, part of it going to Washington as the Office of Emergency Planning (OEP), the rest staying in Battle Creek as a part of the Department of Defense. The Warning and Communications Service, which has RACES under its wing, remains with the latter. We don't know for sure just what initials will be adopted or the

new DOD function (neither do they, apparently), but the letterhead says "Department of Defense, Office of Civil Defense," so until we know better we'll refer to it as OCD-DOD, or just as OCD.

Leo Haiszman, W8KA, remains in charge of all RACES matters at OCD national level.

— * * * —

St. Petersburg, Fla., RACES had a test alert on Aug. 26, under the leadership of W4WPF. Headquarters was at St. Petersburg City Hall, using the call W4GAC 4. The six and ten meter bands were used. The ten meter RACES group was notified ahead of time of the alert, but to the six meter group it was a real surprise. Some of the latter were thus notified, but all went well. About 25 amateurs took part.



October net reports. Reports are invited for this tabulation from nets not a part of the ARRL National Traffic System encompassing a coverage area greater than a single state or ARRL section. Just the information in the tabulation below will suffice for a listing.

BRASS POUNDERS LEAGUE

Winners of BPL Certificate for October Traffic:

Call	Org.	Recd.	Rel.	Del.	Total
W3CUL	226	1391	1121	256	2994
W0LGG	173	1043	949	90	2255
W3IVS	12	786	1316	27	2171
K6BPL	87	884	798	86	1855
K4AKE	94	858	825	30	1807
K2UAF	410	309	448	8	1375
W0SCA	45	616	607	29	1327
K4SJK	140	662	497	7	1306
K0ONK	148	562	547	34	1291
K2GAO	243	303	463	43	1252
W3FML	15	554	466	84	1118
W7BA	10	261	457	44	1012
W7DZX	6	509	475	21	1011
W6GYH	193	398	388	10	989
W8UPH	11	486	409	77	983
W9JOZ	7	450	443	3	903
W8DAE	33	429	326	74	802
W9SVL	55	400	400	0	855
W4N4BMC	182	260	281	73	746
W3WRE	54	333	328	9	724
K5KTW	53	436	421	61	671
K4KGB	91	319	229	17	656
K3MIP	12	326	300	17	655
W9WVJ	5	317	303	14	639
W9DYG	47	316	222	52	637
W9MM	5	341	277	7	628
K3GSU	0	581	21	0	602
W3VR	31	289	263	12	595
W9OHJ	1	289	278	11	582
K2URC	10	305	244	15	574
K9OZAL	55	261	149	103	568
K6EPT	10	272	167	105	554
K6KCB	16	279	233	23	551
W2GKZ	6	272	33	238	549
K4HWR	11	263	231	14	549
W4TUB	25	264	243	15	547
W0BDS	33	248	207	11	529
W5CY	44	244	180	57	525
W0ANT	27	247	139	108	521
W42GPT	22	253	222	19	516
W4PL	7	352	226	19	594
W0DPA	48	249	205	1	503
K9UGY	33	218	209	22	502
W1SMU	19	257	220	5	501
W0ZWL	2	329	1	169	501

Late Reports:

VE2AZL/W1					
Aug.*	24	1656	1667	39	3386
W4G6JB (Sept.)	6	374	362	12	754

More-Than-One-Operator Stations

Call	Org.	Recd.	Rel.	Del.	Total
W6LAB	119	1509	1502	7	3137
W6YDK	2033	101	53	40	2220
W4LEV	1532	100	75	25	1732
W4PFC	4	407	391	10	812

BPL for 100 or more originations-plus-deliveries

W8FN1/8	370	K8QLL	134	W3UHN	107
W9RTH	268	K8KSN	128	W4BWR	106
K9VY/9	233	W3KUN	126	W6BUQ	106
K3LTY	199	W4CGE	124	W3BHM	106
W2FW	174	W8BZX	121	W4ZEFN	105
K6GZ	169	W3NEM	120	W5ZHN	100
K4FSS	161	W1BDI	117	Late Report:	
K3JXZ	149	K4HWT	113	K0HGI (Sept.)	116
W1TFL	143	K4RDN	109		
W4PIM	135	KP4WT	108		

More-Than-One-Operator Stations

W1AW 184

BPL medallions (see Aug. 1954 *QST*, p. 64) have been awarded to the following amateurs since last month's listing: W42GLU, W4PED, K7LEY, W9QQG, K9UOV, W0BES.

The BPL is open to all amateurs in the United States, Canada, and U. S. Possessions who report to their SCM a message total of 500 or more or 100 or more originations plus deliveries for any calendar month. All messages must be handled on amateur frequencies within 48 hours of receipt, in standard ARRL form.

* Correction to November listing.

Net	Sessions	Check-ins	Traffic
Early Bird Transcon.....	—	—	335
Fourth Region Day.....	31	226	447
Eastern Area Slow.....	31	77	22
Northeast Area Barnyard.....	26	709	4
Mike Farad E & T.....	51	524	1207
Interstate Side Band.....	31	1320	371
20 Meter Interstate S.S.B.....	22	713	1206
7290 Traffic.....	44	1475	655

National Traffic System. The only thing about NTS personnel that requires headquarters attention now is the turnover of leadership officials. This has been quite rapid of late. When an NTS net manager at region, area or TCC level resigns, it is necessary to solicit recommendations for replacement, obtain the approval of the resident SCM, then write the new appointee a long letter of indoctrination. NTS manager appointments are for no specific term, but are good until the appointee resigns. (On one or two instances, we had to request a resignation, but this is rare.) This they do a little too often to suit us, but we realize that leadership jobs in the top echelons are pretty demanding, as a general rule, and can wear one down. You might think that a pretty good overall picture of how demanding managership can be gleaned by observing the turnover of net managers. Using this as a yardstick, it looks as though 2RN and RN6 are the roughest region nets to handle; each has had eleven different managers. By the same standard, 1RN has been the easiest, because ole W1BVR has been at the helm ever since NTS started, twelve years ago. This is probably exceptional (i.e., some of us are iron men in handling traffic and some are iron men in managing nets), because the next-lowest turnover is five (3RN and ECN). The average is seven, which means that the average region net manager stays on the job for nearly two years. Of course stalwarts like W1BVR, W8DSX and W3UE who stay on the job year after year are responsible for this seemingly-long average.

We don't know just that we're trying to prove with all this. So many factors can affect the average tenure of any net manager that it really isn't conclusive, except that we have a handful of qualified leaders among traffic men (look how many of them become SCMs and ARRL Directors) and we're pretty proud of them.

October reports:

Net	Sessions	Traffic	Rate	Average	Representation (%)
1RN	58	752	.421	13.0	65.5
2RN	57	459	.361	8.1	92.4
3RN	62	687	.310	11.1	100.0
4RN	61	663	.336	10.9	88.9
RN5	59	685	.369	11.6	76.3
RN6	56	980	.459	17.2	78.2
RN7	59	406	.242	6.9	56.6
8RN	62	463	.211	7.5	93.5
9RN	60	664	.435	11.1	62.1
TEN	89	767	.359	8.6	60.1
ECN	22	67	.150	3.0	65.2
TWN	31	288	.303	9.3	81.5
EAN	31	1441	.878	46.5	96.2
CAN	31	1168	.800	37.6	100.0
PAN	31	1211	.675	38.4	98.9
Sections ²	1059	7638		7.2	
TCC Eastern	124 ³	603			
TCC Central	93 ³	1063			
TCC Pacific	119 ³	754			

Summary	1778	20759	EAN	10.3	3RN/CAN
Record	1777	24452	.928	12.3	100.0

¹ Region net representation based on one session per night. Others are based on two or more sessions per night.

² Section nets reporting: NEB (Nebr.); SCN & NCN (Calif.); BUN (Utah); WSSB & WIN (Wis.); MDDS (Md.-Del.-D.C.); Ohio Fone; RISPAN (R.I.); CPN & CN (Conn.); GBN (Ont.); QKS (Kans.); OSN (Ore.); WSSN & WSN (Wash.); VFN & VN (Va.); SCN (S.C.); MSN, MSPN Eve, MSPN Noon, MJN (Minn.); Tenn. CW; AENB, AENM, AENO, AENP Morn, AENP Eve, AENT (Ala.); NJQ, S. Dak. CW, S. Dak. 75 Phone; SOCAL 6 (Calif.); NJN (N.J.); GSN (Ga.).

³ TCC functions reported, not counted as net sessions. Only one record broken this month — the total number of sessions exceeded last year's record for October by one session. In total traffic we were well below the record

set in 1959. The record rate was set in 1957, the record average 1959.

We are having to eliminate quite a number of section net reports because they do not contain the required data: number of sessions, traffic handlings and NTS connection. If these could be validated by proper execution, it would help our traffic total each month.

W2EZB is trying to fill in the blank spots in the NCS-liaison roster on 2RN. W4SHJ has issued 4RN certificates to K4s BWS FJD KIT and WJR. W5GY invites all and sundry to route XE traffic via him, on RN5; Miss. and W. Fla. need bolstering in representation. Attendance is now holding up fine on 8RN, sez W8DAE. W0FEO is back from vacation and ready to carry on with TWN; he promises to be more active. EAN Manager W8SCW is QRL but willing to keep on as manager unless someone else wants a crack at it. CAN misses W9DO, W0KJZ, and W0BDR; certificates have been issued to W1WFF, W42APY, W5TFB, W8ELW, W9JOZ and W9VAY. PAN is suffering from poor conditions (aren't we all?). WA6ROF says conditions are either very good or very poor.

Transcontinental Corps. Erratic conditions are causing those TCC percentages to go down, down, and giving the TCC managers fits in trying to keep personnel in good morale. The best solution is to have at least one alternative to the regular schedule, and possibly two. Of course, you can't do much if all bands are dead, but most of the time during this part of the cycle it is simply a case of a fast-changing m.u.f. If you set your schedule for lower frequency bands as an alternative to the regular frequency, oft-times you can get through. If 20 is dead, 40 may be open for the path you want. If 40 also is *kaput*, try 80. In years to come, we may even have to use 160 for TCC!

By the way, we want everybody to notice that W0BDR has justified our faith in him; he's back in the saddle again! October reports:

Area	Functions	% Successful	Traffic	Out-of-Net Traffic
Eastern.....	124	70.2	1919	603
Central.....	93	82.8	2138	1063
Pacific.....	119	86.3	1484	754
Summary...	336	79.5	5541	2420

The TCC roster: Eastern Area (W1SMU, Dir.); W1s AW EMG* NJM OBR SMU WEF, K4s SSX UFT*, WA2APY, K3IMP*, W3s EML* FAF* WG WRE*, W4DVT*, W3s ELW* CHT UPH*, VE2AZI. Central Area (W0BDR, Dir.): K4AKP, W9s JOZ DYG CXY ZYK, W3s DUA SCA. Pacific Area (W7DZX, Dir.): W5ZHN, K6s DYX LKD HD WAE, W6s EOT HC, W46s ROF JDB, K7s IEY NWP, W7s GMC DZX, K6s EDH DTK EDK, W0s BES WME KQD WHE.

* Awarded TCC certificates.

RESULTS, SEPTEMBER FREQUENCY MEASURING TEST

The September 13, 1961 FMT, open to all amateurs, brought entries from 223 participants who made a total of 786 measurements. Of these, 120 ARRL Official Observers submitted 427, and 103 Non-OOs made 359 readings. All taking part have received individual reports of their readings. The standings accredited to the more precise in each group appear below; all listed show ability of the highest order in Frequency Measurement. February QST will announce details on the next ARRL FMT.

Observers	Parts/ Million	Non-Observers	Parts/ Million
W1BGW.....	.0	W6KT.....	.1
W5NKH.....	.0	W8DSX.....	.1
W8CUJ.....	.03	W8GQ.....	.2
W4JUL.....	.1	KH6EGQ.....	.6
W4CVO.....	.1	M. Hogen.....	1.0
W1VW.....	.2	W3DTH.....	2.4
W8YCP.....	.4	W8TBZ.....	2.6
W8GBF.....	.5	K6HL.....	3.0
VE6HAM.....	.5	W7NPL.....	4.1
K6MZN.....	.7	W4SHL.....	4.7
K5VXN.....	1.5	W2BHJ.....	5.4
W6GQA.....	1.5	K1DIT.....	5.9
K1IZM.....	1.8	W4EGY.....	5.9
W6YCF.....	1.9	KH6EGL.....	7.0
W3BFF.....	2.3	W8LAG.....	7.4

NATIONAL CALLING AND EMERGENCY FREQUENCIES (KC.)

3550	3875	7100	7250
14,050	14,225	21,050	21,400
28,100	29,640	50,550	145,350

During periods of communications emergency these channels will be monitored for emergency traffic. At other times, these frequencies can be used as general calling frequencies to expedite general traffic movement between amateur stations. Emergency traffic has precedence. After contact has been made the frequency should be vacated immediately to accommodate other callers.

The following are the National Calling and Emergency Frequencies for Canada: *c.w.* — 3535, 7050, 14,060; *phone* — 3765, 14,160, 28,250 kc.

SUGGESTED RTTY OPERATING FREQUENCIES

3620, 7040, 14,090, 21,090 kc.

GMT CONVERSION

To convert to local times subtract the following hours:

ADST -3, AST -4, EDST -4, EST -5, CDST -5, CST -6, MDST -6, MST -7, PDST -7, PST -8, Honolulu -10, Central Alaska -10.

CODE PROFICIENCY PROGRAM

Twice each month special transmissions are made to enable you to qualify for the ARRL Code Proficiency Certificate. The next qualifying run from WIAW will be made Jan. 20 at 0230 GMT. Identical tests will be sent simultaneously by automatic transmitters on 3555, 7080, 14,100, 21,075, 28,080, 50,703, and 145,800 kc. The next qualifying run from W6WV only will be transmitted Jan. 5 at 0500 Greenwich Mean Time on 3590 and 7129 kc. **CAUTION:** Note that since the dates are given per Greenwich Mean Time, Code Proficiency Qualifying Runs in the United States and Canada actually fall on the evening previous to the date given. *Example:* In converting, 0230 GMT Jan. 20 becomes 2130 EST Jan. 19.

Any person can apply. Neither ARRL membership nor an amateur license is required. Send copies of all qualifying runs to ARRL for grading, stating the call of the station you copied. If you qualify at one of the six speeds transmitted, 10 through 35 w.p.m., you will receive a certificate. If your initial qualification is for a speed below 35 w.p.m. you may try later for endorsement stickers.

WIAW conducts code practice daily at 0230 GMT on all frequencies listed above with speeds of 15, 20, 25, 30, and 35 w.p.m. on Tuesday, Thursday, and Saturday, and at 5, 7½, 10, and 13 w.p.m. other days. Approximately 10 minutes' practice is given at each speed. To check your copy, the texts used on several transmissions are listed below. The order of words in each line of QST text is sometimes reversed. To improve your fist, try to send in step with WIAW.

Date Subject of Practice Text from Nov. QST

- Jan. 3: *Sweepstakes Comes First*, p. 17
- Jan. 9: *Four Bands on Split Level*, p. 11
- Jan. 12: *Single-Switch RTTY Control*, p. 18
- Jan. 17: *A Rack-Mounted Operating Table*, p. 62
- Jan. 23: *The S Meter — False Idol*, p. 44
- Jan. 26: *Space Communications and the Amateur*, p. 26
- Jan. 31: *A Novel Idea for Radio Clubs*, p. 74

WIAW SCHEDULES

(January 1962)

Operating-Visiting Hours

Monday through Friday: 3 P.M.-3 A.M. EST.
Saturday: 7 P.M.-2.30 A.M. EST.
Sunday: 3 P.M.-10.30 P.M. EST.

The ARRL Maxim Memorial Station welcomes visitors. The station address is 225 Main St., Newington, Conn. about 4 miles south of West Hartford. A map showing local street detail will be sent on request. The station will be closed Jan. 1, New Year's Day.

Operating Frequencies

C.w.: 1820, 3555, 7080, 14,100, 21,075, 28,080, 50,700, 145,800 kc.

Voice: 1820, 3945, 7255, 14,280 (s.s.b.), 21,330, 29,000, 50,700, 145,800 kc.

Frequencies may vary slightly from round figures given; they are to assist in finding the WIAW signal, not for exact calibrating purposes.

Official Bulletins

Bulletins containing latest information on matters of general amateur interest are transmitted on the above frequencies according to the following schedule in Greenwich Mean Time.

C.w.: Monday through Saturday, 0100; Tuesday through Sunday, 0500.

Voice: Monday through Saturday, 0200; Tuesday through Sunday, 0430.

Caution: Note that in the U. S. and Canada, because times are GMT, bulletin hours actually fall on the evening of the previous day.

WIAW CONTACT SCHEDULE

Would you like to work WIAW? WIAW welcomes calls from *any* amateur station in accordance with the following schedule:

GMT	<i>Sunday</i>	<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>
0030-0100	7255	7080	7255
0120-0200 ¹	7080	7080 ²	3555 ²	7080
0210-0230 ¹	3945	50.7 Mc.	145.8 Mc.	3945	3945
0330-0430	3555	3945	7080	1820	3555
0440-0500 ¹	3945	14,280	3945	14,280	3945
0520-0600 ¹	3555 ²	7255	3555	7080 ²	3945
0600-0700	14,280	14,100	3555	14,100
0700-0800	7255	3945	7080	3945	7255
2000-2100	14,280	21.28 Mc. ³	14,100
2100-2200	14,280	21.28 Mc. ³	14,100	21.28 Mc. ³	21,330
2200-2300	14,100	14,280	21,075 ²	14,280	14,100

¹ General-contact period on stated frequency begins immediately following transmission of Official Bulletin which begins at 0200 and 0430 on phone and at 0100 and 0500 on c.w. Starting time is approximate.

² WIAW will first listen for Novices before checking the rest of the band for other contacts.

³ Operation will be conducted on either 21,075, 21,330, 28,080 or 29,000 kc.

DX CENTURY CLUB AWARDS

W8JNN...315 W2AGW...315 W2CCK...315 W8JLN...315 KV4AA...315 W9RRI...314 W1GKK...314 W4DGR...314 W8C7G...314 W8HRA...313 W2HUQ...313 W8WAT...312 W9NDA...312 W3KPT...312	HONOR ROLL W1ME...312 W7GU...311 W8FD...311 W9YFV...311 W8BF...311 W8MDM...311 W8EBG...311 W5ADZ...311 W7EJO...308 W7GBW...309 W5ASG...309 W5UAS...309 W8BKP...308 C83AG...308 K44DK...308	W9LNM...308 W2SKA...307 W6WY...307 W0QVZ...307 W8KML...307 W1CLX...307 W1JYH...307 W4EAM...306 W7EJO...306 W3BR8...306 ZL1HY...306 W8KLA...306 W0BLA...306 W1BIH...306
--	--	---

Radiotelephone

PY2CK...314 W8GZ...311 W8RF...310 W9RRI...309 W8JNN...308	VQ4RR...307 W8KML...305 K44DK...305 W7PHO...304	W8PQQ...304 W4DQH...304 C82CO...302 W6YV...300 W6AM...300
---	--	---

From October 1, to November 1, 1961 DXCC Certificates and endorsements based on postcard contacts with 100 or more countries have been issued by the ARRL Communications Department to the amateurs listed below.

NEW MEMBERS

W6PUY...288 DL1FK...209 K4TML...195 FT1AQ...120 CT1JY...118 I44JE...114 KR6GR...110 W7IYW...110 W2RQE...109 PA0VBR...106 W1LMO...106 JA1GV...105	O82EW...105 K8SCT...104 DJ5AL...104 G8FTQ...104 W8MVB...103 W8QNB...103 K3EIL...102 K4ICA...102 DJ2GL...102 W44QL...102 W2RLW...101 W4EUV...101	K4YSK...101 W8APN...101 DJ4YQ...101 Z82KX...101 W2LHB/L...100 W2CUE...100 W42PQ...100 K2SRO...100 K4AMC...100 W8WGO...100 VE3AF...100 VE4SC...100
---	--	--

Radiotelephone

DL1FK...194 YV5AJK...172 W2YTH...146 Z84MG...143 W4RS...106 K4ASU...142 GM3NPR...124	W81PF...119 IICAO...109 K8ONV...108 G8NFV...108 W2RQE...107 F8DB...107	I1HL...106 KR6GR...106 N8BRS...104 V76TN...102 K4CJ...101 W2ELW...101 K4PSR...101
--	---	---

ENDORSEMENTS

W3JTC...300 W8GHT...285 W2ESQ...280 W8RBN...280 W8H...280 W6LRU...271 W9KKN...271 W2HO...268 W4ADZ...267 W8YK...262 G3FNN...261 W2RQS...260 W1LFB...256 W9QYW...255 DL7AB...254	W9MQK...252 W8VKD...251 W7GHR...250 W6RTD...250 F4YR...250 W7AQB...249 W8AJW...245 W1ZL...243 K8BW...241 Z81RM...241 Z81OU...234 W9UZ8...232 K1JDN...231 Z13GU...231 F43CV...230	DL7EN...228 W4NT...227 W8CBT...227 G6VQ...227 W2NOY...225 W4AUL...225 W88CO...225 K4ASU...224 W6CG...224 W3LPP...220 Z82JH...219 W0CDP...213 K8IKB...212 W4JLJ...211 W9AEH...211
---	--	--

W2PDB...210 K2QHL...210 W9HLY...210 W8THN...210 G6LX...209 Z84MG...208 W9TKD...201 W1AW...200 W2CDP...200 K4TWK...200 OZ7GC...199 W1M1J...195 W9QPC...190 W0AUF...190 O83TH...190 W3MSL...188 K5KET...187 W3ZG...186 W9QPC...190 KH6DLF...183 UC2AR...183 K7GCM...181 W1KXP...180 DJ4DN...179 Z83J...178 VE8TP...176 F8MS...176 K4JEY...174	W0FLK...173 K2IXP...171 W5PWW...171 W9DSO...171 E45BD...171 W1ALD...170 K2JQC...170 K2JXY...170 W0Y2D...170 W4NPT...168 W4HTE...163 Z82U...162 W6NTQ...161 G8KU...161 ON4LX...161 T92AL...161 DL8TPG...158 V8TFZ...153 W1DBM...152 K8A1P...152 G8FPM...152 K5A1W...150 W7YOA...150 W1WXX...150 Z1LNG...150 S1MBS...148 O44HK...144 K4TKM...143 E1GZ...142 K8QJH...142 K8YDY...141 S1SRE...141 Z85KU...141	K2UVV...140 W4AVY...140 W8CFX...140 DL07H...140 KP4AQ...139 J43BB...135 S83BN...135 K1DTR...132 K4HAM...132 SM3BHT...132 I1ZYM...131 W7ALB...130 W7CNT...130 W9PFR...130 VR2DK...130 W1ZJL...128 DL1TA...125 W1TP...122 DJ2XP...121 W1JPH...121 W2HVA...121 K1MOD...120 K5GOF...120 K5UXP...119 O42FS...116 W8TW...114 W7BSP...113 PJ3CJ...113 Z87M...113 W42HXC...112 W5FJV...112 W4G8R...111 K8JWC...110 K90XD...110
--	---	---

Radiotelephone

PY4CB...270 DL3IR...260 G3FNN...257 W8AJW...225 W8WGO...220 IIRLE...211 W0M1Y...210 S1S1WJ...210 W4CWW...203 W1H...202 W2TP...200 G6LX...200 DL7AB...188 W3V8U...181 W8KXN...181 W2EQL...180 W4EFS...178 W1YDO...176	G2BXP...174 W0TJ...171 W2HXG...170 K9LUL...170 S1MBS...170 W91LW...167 T92AL...161 E43CY...157 W1DBM...151 W1DGJ...150 W78K...150 DL8OV...150 G3M1V...150 Z81DC...150 W5LBI...148 CT1HF...146 I1ZLW...146	W8CUO...143 S1M5S...143 W0GAA...142 DL3NE...141 DL07H...140 DL7HU...134 W38FK...131 Y3YZL...131 O44HK...131 KH6DLF...127 K1DTR...126 K4HAM...126 G3NRZ...120 T12RFT...120 W92DA...119 W4DRU...115 YG8R...111 K5GOF...110
---	---	---

U.S.-Canada Call Area and Continental Leaders

KH6CD...261 K4LPI...261 V81Q...261 VO1DX...255	VE2WV...290 VE3DIF...284 VE3CO...280 VE5RU...290 VE6NX...256	VE7ZM...305 VE8AW...195 Z861W...294 G2PL...305
---	--	---

Radiotelephone

W1FH...289 W2ZX...293 W5BGP...270 KH6OR...261 K4LPI...190	W0AIW...291 VE1PQ...172 VE2WV...240 VE3QA...260 VE4RP...102	VE5RU...203 VE7TF...190 VE8ZM...287 F42CQ...282 ZL1HY...296
---	---	---

SUPPLEMENT TO NET DIRECTORY

The following listing will supplement and correct the listing on pages 101-104, Nov. QST. This brings the record up to date as far as Nov. 21, 1961. Registrations received after that date will appear in the March QST list. Nets listed in Nov. QST are not relisted unless a change has been made, in which case they are indicated by footnote.

Important note: All net listings are made under the conditions specified on page 101, Nov. QST.

Name of Net	Freq.	GMT	Days
Addison Co. Emerg. Service Net (Vt.) (ACES)	144,900	2330	M-S
Ala. Emerg. Net "P" (Evening) (AENP) ^{1,2}	3955	2400	Dy
Ala. Emerg. Net "P" (Morning) (AENP) ^{1,2}	3955	1230	M-S
Ala. Emerg. Net T (AENT) ^{1,2}	3970	2230	Dy
Ala. Post Office Net	3875	0030	W
Ala. Sideband Net (AENM) ^{1,2}	3965	0030	Dy
Alberta Phone Net	3770	0230	TThS
AREC Civil Defense Net (Calif.)	28,720	0315	M
AREC-Red Cross Disaster Services Network (Ohio)	29,460	0300	T
AREC Slow Speed Net (Iowa)	3708	0100	W
Argonne Net (Ill.)	145,800	0415	W

Arizona Post Office Net Arkansas Emerg. Phone Net ¹ Arrowhead Radio Amateurs CD Net Baltimore Co. Emerg. Net (BCEN) ¹ BAR 50 Net (Mich.) Beehive Utah Net (BUN) ² Beeville Amateur Radio Klub Net (BARK) (Tex.) Berks Co. C.D. Radio Net (Pa.) Betsie Bay Fish Net (BFIN) (Mich.) ¹ Bingham Co. C.D. Net (Idaho) Blackstone Valley Radio Net Blair Co. AREC-CD 6 Meter Net (Pa.) Blair Co. AREC-CD 10 Meter Net (Pa.) Boonton AREC Net (N.J.) Boston Region Post Office Net "Breakfast Club" Net Bridgeton Area Radio Klub Net B.C. Amateur Radio Emerg. Net Broome Co. (N.Y.) AREC Regional Net	3855 0045 29,600 28,680 50,550 7272 3840 145,400 3880 3900 29,000 50,675 50,500 29,510 50,700 3893 3873 50,735 3755 50,400	T-S M-S WF T T Dy 2 3 4Su T T MWF M Th W Sn Th M-F Dy M M-S F
--	---	--

Broward Six Meter Net (Fla.)	50,445	0100	M	Eastern Mass. Phone Net ¹	3842	2230	Dy
Brown Co. Emerg. Net (Wis.) (BCFN)	3950	1930	Sn	Eric Co. Emerg. Net (Ohio)	3918	1300	Sn
Buzzards Bay Cape Cod & Islands Emergency Net (Mass.)	145,260	2400	M	Evergreen State Net (ESN)	3920	2100	M-S
Calif C.D. Net (CCDN)	3501	0300	M	Five City AREC Net	146,500	1900	T
Calif. Post Office Emerg. Net	3395	0400	T-S	Fla. Midday Traffic Net (FMTN)	7230	1700	M-S
Calvert Co. AREC Net (Md.) (CCAREC)	29,500	0200	S	Fla. Post Office Net	3785	0030	T-F
Cambria Co. C.D. & Emerg. Net (Pa.)	29,470	0100	T	Fla. RTTY Emerg. Net (FREN)	3820	1230	Sn
The Capital City Net (Ont.)	3540	0200	M	FMN-2 Net (Ill.)	7135	1900	Sn
Caravan Club of La. Net	3825	1900	Sn	Fort Wayne and Area AREC Net (Ind.)	146,940	0330	F
Casper VHF Net (Wyo.)	50,160	2000	Sn	Fulton Co. Emerg. Net (Ill.)	50,580	0001	Dy
Cedar Valley Six Meter C.D. Net (CVCD6M) (Iowa)	50,105	0100	T	Fulton Co. (Ohio) Net	3810	0730	Sn
Central Area Penna. C.D. Net	3987.5	1300	Sn	Gen State Traffic Net (GEM) (Oidaho) ²	1821	0100	Th
Central Fla. Operational Area Net C.D. (CFOACD)	145,200	2200	M-Th	Georgia S.S.B. Net	3580	0300	Dy
Central Ill. Net (CIN)	1815	1430	Sn	Grandpappy Net (Calif.)	3975	1100	Dy
Central Ky. Emerg. Six Meter Phone Net	50,300	0330	MTh	Granite State Phone Net (GSPN) ²	3825	2100	Dy
Central New England Net (CNEN)	3842	1045	M-S	Graveyard Net Work (GYN)	3842	2400	Sn-F
Champlain Valley 6 Meter Net	50,250	2330	M	Greater Atlanta VHF (6 Meter) Society Net	3885	0900	Dy
Chicago Area RACES Net	145,200	0200	F	Greater Pittsburgh VHF Society, Inc. Net	50,170	0130	S
Chicago 6 Meter RACES Net	50,540	0400	F	Grey Bruce Net (GBN) (Ont.) ²	3645	2330	M-S
The Chicago Windy City Emerg. Net	50,540	0400	F	Gulf Coast Sideband Net ¹	3925	2330	Dy
Civil Defense of N.J. Net (CDNJ)	3334.5	1515	Sn	Gulfoa Net (Fla.)	50,400	1800	S
C.D. of Washtenaw Co., Mich., Net	145,680	0100	W	Hamilton Co. Emerg. 160 Meter Network (Iowa)	1815	0030	Dy
Clark Co. CD Net (Ohio)	3860	1300	1 3Sn	Hancock Co. AREC Net (Ill.)	3990	1530	S
Clermont Co. Emerg. Net (CCEN) (O.)	29,600	0100	Sn	Hastings Slow Speed Net	21,150	0200	Sn
Colorado CW Net (CCW) ^{1,2}	50,700	0200	Sn	Hawkeye Emerg. Net. (Des Moines, Iowa)	29,600	0130	TF
Colo. High Noon Net ²	3852	0200	T-S	Hawkeye 75 Meter Phone Net	3930	1400	Sn
Colo. Weather Net (CWXX)	7240	1900	M-S	Hi-Plains Net	1815	1400	Sn
Columbia Basin Net (CBN)	3947	1335	M-S	Hit and Bounce Net (HBN) ¹	7125	2230	M-S
Comanche Co. AREC Net	3960	0330	Dy	Holland Area FM Net	7140	1330	Dy
Communications Club of New Rochelle Net (N.Y.)	3885	1900	Sn	Hoot Owl 6 Meter Net	146,940	0200	Dy
Confederate Signal Corps Two Meter Net (CSC2M)	145,380	0030	W	The Huntington Weather Net (HWN) (W.Va.)	50,300	0200	MF
Conn. Mobilers Net	145,350	0100	Dy	Illinois Post Office Net	50,550	2400	M
Conn. 6 Meter Phone Net (CGMPN)	50,580	0045	T	Illinois Weather Net, Inc.	3880	1450	Sn
Cross Valley Emerg. Net (CVEN)	3950	1830	Sn	Interstate S.S.B. Net	7106	2100	Sn
Copper State Net ²	3880	0230	T-S	Intra-County Net (Miami, Fla.)	3873	1335	Sn
CQ Radio Club Net of Torrington (Conn.)	146,700	2300	T	Iowa 75 Meter Phone Net	145,350	0200	W
Crawford Co. Emerg. Net (Ind.)	50,400	1800	Sn	Iowa Single Sideband Net ²	3985	0100	Dy
Cumberland Co. AREC Net (Md.)	50,460	0130	T	Iowa Tall Corn Net (TLCN) ²	29,600	0100	3 M
Cumberland Co. Emerg. Comms. Net (Maine)	3960	1730	Sn	Jasper County Emerg. Net (AREC & RACES) (JCEN) (Iowa)	3806	2000	Sn
Cuyahoga Falls Radio Club Net (O.)	29,000	1730	W	Jayhawk Amateur Radio Society Net	3970	1830	M-S
CYN (Conn VHF Tfe & Emerg.) Net	53,520	1815	M	Kansas City Area Post Office Net	3970	0100	T-Sn
Dallas Ten Meter Net	145,980	0130	TThS	Kansas Post Office Net	3500	0030	T-Sn
Danvers Emerg. Net (DEN) Mass.	23,950	0200	T	Kentucky CW Net (KYN) ²	1810	0130	T
Delaware 6 Meter Net	29,465	0400	T	Kings County AREC-RACES- C'D Net (N. Y.)	29,600	0200	Th
Denver Area RACES Net	29,455	2400	M	Kings County AREC/RACES Net (N.Y.) ¹	29,640	0200	T
Denver Area Training Net (DATN)	50,400	1800	Sn	Kings Co. Traffic & Emerg. Net ¹ (N.Y.)	50,400	0030	Th
"Dixie Early Bird" Net	29,455	2400	M	Knox Co. Emerg. Net (KEN) (Conn.)	50,400	0000	M-F
Dover AREC Net (N.J.)	50,400	0200	T	The Knucklehead Net (KN) (Ohio)	28,845	0200	TThS
Dover Delaware Six Meter Net	29,624	1600	Sn	KW 6 Meter Emerg. Net (KWN) (Ill.)	50,550	0300	T
Dover Delaware 2 Meter Net	29,640	0400	MWS	Lakeland AREC Net (N.J.)	29,000	0000	W
Dutchess County AREC Net (N.Y.)	7235	1230	M-S	Lancaster Co. 6 Meter AREC Net ¹ (Pa.)	50,700	0215	T
Early Bird Transcontinental Net (EBTN)	50,450	0100	W	Lansing Sunday Net (LSN) (Mich.)	3885	1600	Sn
East Coast VHF Society Net	50,300	0100	Th	Lawrence Co. Emerg. Net. (Ohio)	3860	0030	W
East Penna. CW Net (EPA) ²	145,200	0100	W	Lee Co. RACES Net (Fla.)	50,100		
Eastern Area Penna. C.D. Net	145,800	0200	S	Linn Co. Emerg. Net (LCEEN) (Iowa)	50,580	2400	Th
Eastern Mass. Net ²	145,800	0200	S	Lorain County Net (Ohio)	3915	1900	Sn

Los Angeles Amateur Radio Emerg. Council Net (LAAREC)	29,500	2015	M	N. Texas Emerg. Net (NTEN)	3930	1330	Sn
Louisiana Post Office Net	3870	1300	Sn	Northeast Area Barnyard Net (NABN)	3960	1200	M-S
Lynchburg 2 Mtr FM Net (Va.)	145,260	2345	Dy	Northern Net B.C.	3780	0330	Dy
Madison Mobile Net (AMMN) (Wis.)	29,620	0100	W	Northern Slow Speed Net	3700	0300	M-S
Manitoba ARRL Phone Net	3760	0100	Dy	Northwest Texas Emerg. Net ¹	3950	1400	Sn
Maryland Emerg. Phone Net (MEPN)	3820	2200	MWF	Novice Hurricane Net	3725	1200	Sn
Mason Co. Red Cross Disaster Net (Mich.)	29,610	0200	M	Nutley CD Net (N. J.)	3725	1200	Sn
Mass. Post Office Net	3700	1445	Sn	Nutley CD Net (N. J.)	146,100	0000	M
McPherson-City-County C.D. Net (Kans.)	145,080	0330	T	Oak Ridge AREC Net (N. J.)	50,500	0100	W
Md., D.C., Del. AREC Net	3521	0100	W	Oakland Co. AREC Emerg. Net (No. 2) (Mich.)	50,250	0200	T
	7042			Oakland Co. AREC Emerg. Net (No. 3) (Mich.)	29,000	0200	T
	50,700			Oakland Co. AREC Emerg. Net (No. 4) (Mich.)	1807	1930	Sn
	145,660			Oakland Co. AREC Novice Net (Mich.)	3730	1700	W
Medina County Net (Ohio)	1805	1800	Sn	Oakland Co. AREC 2 Meter Net (Mich.)	145,350	0330	Sn
Memphis Emerg. Six Meter Net (Tenn.)	50,500	0200	MF	O'Brien Co. Six Meter Emerg. Net (Iowa)	50,400	0030	F
Memphis Ten Meter Mobile Emerg. Net (Tenn.)	29,627	0100	TS	Ohio Emergency Net (OEN) ²	3580	0001	Sn
Merrimack Co. AREC Net (N.H.)	50,820	0200	T	The Ohio Phone Net (OPN) ^{1,2}	3860	2200	M-F
Mich. Emerg. (Sun.) Buzzards	3930	2230	M-F	Ohio Post Office Net	3675	2300	Th
Roost (Week) Net (MEN/BR)		1400	Sn		3870	1300	Sn
Michigan Post Office Net	3645	0030	F			2300	T
	3855	2330	T	Okaloosa Co. 10m Emerg. Net (HAIR) (Fla.)	29,564	0100	T
Michigan Six Meter Net	50,250	2200	Sn	Okaloosa Co. 2m Emerg. Net (Fla.)	145,200	0100	T
Michigan Thumb Net (MTN)	3850	1300	Sn	Oklahoma Post Office Net	3695	0200	T
Middle Tenn. 6 Meter Emerg. Net	50,600	0130	M	Oklahoma Slow Speed Net (SSZ) ²	3682.5	0330	M-S
Mike Farad Emerg. & Traffic Net	7238	1700	M-F	Oklahoma Traffic Net (OLZ) ²	3682.5	0100	M-S
	3610	0500	Dy	Orange Co. 6 Meter Emerg. Net (Texas)	50,800	0030	Dy
Military Civilian Affiliated Net 7 Mc. (MCAN7)	7252	2130	M-F	Oregon AREC Net	3875	0300	M-F
Minn. Evening Phone Net	3820	0001	M-S	Oregon Post Office Net ¹	3820	0300	Th
		1500	SnH	Oxnard Emerg. Net (Calif.)	3930	1630	Sn
Minn. Junior Net (MJN) ²	3595	0030	Dy			0030	TTh
Minn. Section Phone Net (Noon Session) ²	3820	1805	Dy	Pacific Area Net (PAN) ²	3675	0430	Dy
Missoula Area Emerg. Net (Mont.)	3890	1600	Sn	Paterson CD-DC RACES & Emerg. Group Net (N.J.)	145,188	0115	T
Mohawk Hudson Training Net (N.Y.)	3716	1800	S	Peninsula Emerg. Net (PEN) (Wash.)	3940	2100	1/3S
Montana Phone Net	3910	0100	TThS	Penna. C.D. (CW) Net (PACD)	3538.5	1400	Sn
Morning Ky. Phone Net (MKPN) ¹	3960	1330	M-S	Pennsylvania Post Office Net	3610	0130	T
		1400	Sn		3955	0030	T
Muskingum Emerg. Net ¹	29,616	0300	S	Penna. State C.D. Net	3987.5	1330	Sn
Muskogee Co. Emerg. Net (MCEN) (Okla.)	50,140	0500	F	Pensacola 10 Meter Emerg. Phone Net (Fla.)	29,560	0100	T
Muskogee Co. Net (C.W.) (MCN) (Okla.)	3742	1400	S	PICONET (Minn.)	3840	2000	Alt/Sn
Muskogee Mobile Net (MIMN) (Okla.)	3850	1340	M-F	Pierce Co. RACES-AREC Forum Net (Wash.)	29,510	0400	Sn
National Post Office Net (PON)	7040	0300	T-S		50,600		
	14,080	0001	T-S		145,650		
Nebraska Post Office Net ¹	3890	0015	T-Sn	Pine Ridge Amateur Radio Club Emerg. Net (Nebr.)	3850	1700	Sn
New England Weather Net (N.E. Wx)	3900	1045	M-S	POI Net (Hawaii) ²	7140	0500	TTh
New Mexico Post Office Net	3850	0430	Dy	Post Office Net (Missouri) (PON)	3810	2100	M-F
New Orleans Emerg. Net (La.)	3825	1400	Sn	Post Road Emergency Net (Mass.)	28,890	0000	M
N.Y. C.-L.I. CW Net (NLI) ^{1,2}	3630	0015	Dy	Potomac-Rappahannock Valley Net (PRVN)	3935	1400	1/3Sn
		0245		Poweshiek Co. AREC Net	3775	1500	1/3Sn
		0245			28,950		
New York Post Office Net	3600	2330	Th	Putnam County-AREC-Putnam County C.D. Net (N.Y.)	145,590	0100	TW
	7090	1800	Sn	The Queen City Emerg. Net (QCEN) (Ohio)	29,600	0100	T
N.Y. State C.D. Command Net (Phone) (YCD)	3993	1400	Sn	Queens 6 Meter AREC Net (N. Y.)	50,700	0100	Th
N.Y. State C.D. CW Net (YCD)	3510.5	1400	Sn	Red Cross Disaster Services Net (Ohio)	50,250	2359	Th
N.Y. State CW Net (NYS) ^{1,2}	3615	2400	M-S	Red River Amateur Assn. Net (La.)	29,460	0300	M
Nishna Valley 2 Meter Net (Iowa)	145,250	1900	Sn	Red Rocks Amateur Radio Club Net (TRARCN)	3902	2030	Sn
Nite Owl Net (Ill.)	29,640	0400	Th	Regional Net Five (RN5) ²	3980	2100	S
North Bay Amateur VHF Net (Calif.)	50,400	0400	S	Regional Net Seven (RN7) ²	3645	0145	Dy
N. C. RACES Phone Net	3987.5	2400	Th			0330	
North Central Phone Net (NCPN)	3915	1245	M-S	Rhode Island Net (RIN) ²	3540	0000	T-S
North Country Radio Club Net	3926	1800	Sn	R. I. State Phone Net (RISPN) ²	50,600	2330	Dy
No. Dak. CW Net	3670	0030	TThS	River Forecast Net (RFN)	3656	1300	Sn
No. Dak. Post Office Net (NDPON)	3845	0030	M				
North Lake VHF Net	51,000	0200	M				

Roane Co. Emerg. Net (Tenn.)	50,300	2330	M-F	Tri State Net	50,500	1400	S
Rock Island Co. RACES Net (Ill.)	50,580	0300	M	Tri-State 6 Meter Net	50,520	2035	Sn
Rockford Emerg. Net (REN) (Ill.)	28,700	0300	T	Tri-State Traffic Net	3855	2400	TThS
San Diego AREC Net (Calif.)	3825	1700	Sn	Tropical Phone Traffic Net (TPTN) ² (Fla.)	3945	2230	Dy
San Joaquin Valley-ARRL Sectional Net (Calif.)	3915	0230	T-Sn	Tucson 2 Meter Net (AAREC) (T.E.N.) (Ariz.)	3880	0200	Th
San Jose C.D. Net (Calif.) ¹	146,920	1930	T-Th	Tucson Two-Meter Net (T.T.M.N.) (Ariz.)	145,350	0300	Th
Scioto Co. Emerg. Net (SCEN) (Ohio)	3845	1330	Sn	The Tulare Co. Net (T.C.N.) (Calif.)	3895	1800	Sn
Scott County C.D. Net (Iowa)	50,460	1600	Sn	Twelfth Region Net (TWN) ²	3570	0300	Dy
S. Dak. Wx Net	3870	1400	M-S	Two Meter Broward Emerg. Net (2BEN) (Fla.)	145,230	0100	W
Sector 2D 6 Meter Sector 2D 2 Meter Net (Mass.)	50,440	0030	M	Union Co. 6M AREC Net ¹ (N. J.)	50,550	1530	S
Seven Eleyen Traffic Net (SETN) (Fla.)	145,325	2400	Dy	United Trunk Lines (Central) (UTL)	3590	0330	Dy
75 Meter Mobile Net AREC 7290 Traffic Net	3988	1945	Th	United Trunk Lines East West 7 Mc	3550	0315	Dy
Short Skip Radio Club Net	28,800	0400	Sn	United Trunk Lines (Eastern) (UTL)	7123	0200	Dy
Sioux Falls Emerg. Net (SFEN) ¹ (S. Dak.)	144,900	0300	WS	Upper Level Hillbilly Net (N. C.)	29,560	1400	Sn
6 Meter Cross-Band Traffic Net ¹ (Texas)	50,875	1930	M-F	U.P.Y.L. Net	3920	1400	M
Six Meter West Gulf Emerg. Net (Texas)	50,400	1500	Sn	Utah Co. Emerg. Net (UCEN) (Utah)	7290	0330	Th
Sixth Regional Net (RN6) ²	3615	0345	Dy	Valley 6 Meter Emerg. Net (Ill.)	50,220	1500	Sn
Sketo Net (Calif.)	3910	0400	TThS	Valley 2 Meter Emerg. Net (Ill.)	145,290	0330	Th
Skokie Six Meter Indians Net	50,298	0300	T	Vanderburgh County AREC & RACES Net (Ind.)	29,600	0130	MTh
Socal 6 Net ^{1,2}	50,400	0230	Dy	Vigilante Net (Mont.)	3525	0400	M
Sooner-Nooner Net	7235	1820	M-S	Virginia Phone Net (VFN) ^{2,1}	3835	2400	Dy
Sooner Traffic Net	3850	2345	M-S	Virginia Post Office Net	3855	1830	Sn
South Bend 6 Meter Net	50,300	2330	M-F	Va. SW Region CD Emerg. Net	3835	1300	Sn
South Carolina CW Net (SCN) ^{1,2}	3795	2400	Dy	Waltham CD Net (Mass.)	146,800	0030	M
South Carolina Post Office Net	3845	2300	T	Wash. Amateur Radio Traffic System (WARTS) ²	3970	0200	M-S
South Dakota CW Net (SDNET) ^{1,2}	3645	0100	TThS	Wash. County AREC Net (Ore.)	50,550	0400	T
So. San Diego Co. Amateur Radio Emerg. Net (Calif.)	3825	0300	M	Wash. County Emerg. Net (Ohio)	3825	1700	Sn
South Texas Emerg. Net	3780	0130	M	Washington Post Office Net	3960	0230	T-S
S. Texas Emerg. Net (STEN Zone 2)	3855	0015	Th	"Weatherbird" Net, 6 Mtr Section	50,540	0400	Th
Southern Los Angeles AREC Net (Calif.)	21,396	2100	Sn	"Weatherbird" Net, 10 Mtr. Section	29,640	0300	1/3Th
	50,400	0400	T	"Weatherbird" Net, 2 Mtr Section	145,500	0200	S
	145,800	0300	W	W. Fla. Phone Net (Evening) (WFPN) ²	3836	2300	Dy
Southern Maryland Net (SMN) ²	28,747	0300	W	W. Fla. Phone Net (Morning) ²	3830	1200	Dy
Southern Michigan Net	50,700	0100	Th	West Gulf Emerg. Net (Texas)	3995	1400	Sn
Southern Wis. Relay Net	50,400	0300	M-S	W. Phila. Radio Assn. Net	29,360	1500	Sn
Southtown AREC & RACES Net (Chicago)	29,640	0130	T	West Va. Post Office Net	3905	2230	MWF
Southwestern Mich. Two Meter Net	145,260	0100	T	Western Area Penna. C.D. Net	3987.5	1400	Sn
St. Clair Co. Emerg. Net (SCEN) (Mich.)	29,610	0100	T	Western Mass. Phone Net ²	3870	2300	MWF
St. Louis Monday 6 Meter RACES Net (Mo.)	50,550	0200	M	Western Nebr. Net	3850	1400	M-S
St. Louis Tuesday 10 Meter RACES Net (Mo.)	29,640	0200	T	Westmoreland Co. CD Net (Pa.)	29,500	0200	W
Suburban Amateur Radio Assn. 6 Meter Net (Minn.)	51,000	0300	WSn	Westmoreland Co. Sector 1 C.D. Net (Pa.)	29,360	0100	W
Sunnyvale RACES Net (SRN) (Calif.)	50,440	0300	T	Weymouth C.D. Net (Mass.)	147,186	1600	Sn
Susquehanna Emerg. Net (SEN)	3910	1300	Sn	Whiteside Co. C.D. Net (WCCD) (Ill.)	50,520	0100	W
Tar Heel Emergency Net (THEN) ² (N. C.)	3865	0030	T-S	Whittier Emerg. Net (Calif.)	3885	0415	T
Tarrant Co. Disaster Control Net (TDCDN) (Texas)	3970	1900	Sn	Wichita Radio Emerg. Net (WREN) (Kans.)	29,600	2400	Sn
Tennessee Post Office Net	7045	2000	Sn	Winston-Salem CD 2-Meter Net (N. C.)	146,700	0100	WF
Tenth Regional Net (TEN) ²	3545	0145	Dy	Winter Park Amateur Radio Club Net (Fla.)	147,150	0100	Th
Texas CW Traffic Net (TEX) ^{1,2}	3770	0100	Dy	Wisconsin Post Office Net	3630	0100	Th
		0400			3860	1830	Sn
		1130	M		3985	2400	Dy
		0230			28,610	0100	W
Texas Post Office Net	3935	1130	M	Wyoming Co. CD & Emerg. Net (N. Y.)			
Third Region Net (3RN) ²	3590	0045	Dy	Wyo. Pony Express Net ²	3920	1530	Sn
Toiga Civil Defense Net (N. Y.)	50,640	2330	M	YL Welcome Net	3900	1330	W
Towaco-Montville-Pinebrook AREC Net (N. J.)	146,820	0000	M				
Traffic Hounds' Morning Watch (AIW)	3540	1200	M-S				
Transcontinental Relay Net (TCRH2)	7080	1230	SH				
(TCRN3)	7042	0615	Dy				
(TCRN4)		0215					
		1600					
		3521	2200				

¹ Correction to Nov. QST listing.

² Part of ARRL National Traffic System.

BRIEF

Now is the time to push for passage of Senate Bill 2361.

Station Activities

• All operating amateurs are invited to report to the SCAM on the first of each month, covering station activities for the preceding month. Radio Club news is also desired by SCMs for inclusion in these columns. The addresses of all SCMs will be found on page 6.

ATLANTIC DIVISION

EASTERN PENNSYLVANIA—SCM, Allen R. Breiner, W3ZRQ—SEC: DUL PAM: 1VS, RM: EML. The EPA C.W. Net meets nightly at 2330 on 3610 kc. The Pennsylvania Phone Net meets Mon. through Fri. at 2300 on 3850 kc. The new frequency of the Pa. C.W. C.D. Net is 3585.5 kc. at 1400 Sun. WRE is NCS. Six marks a new high for BPL in this section with CUL, 1VS, EML, K3IMP, GSU and VR the honored stations. JKX is added to the ORS list. Aside from the usual traffic routine UIU and K3HTZ found time to do a bit of small-game hunting. K3JJG added WBH to his list of 40 awards. DEJ is retiring as Lt. Col. in the U.S. Army. K3GAU is now running 120 watts on 6 meters. K3CNN graded the A75 award to his stack of wallpaper. GJA has filled a spot in the PFN as NCS. October activities brought forth the SET. A number of stations were in operation but ID's was the only report received. FEY is adding RTTY on 146.8 Mc. The CD Party brought a few new states in for ELL. Emergency-wise, JYL is ready with the newly-installed 7½-kw. generator. 2UZN/3 has completed his converter in preparation for "Project OSCAR." K3PXA installed a muvistor preamplifier on his G-50. K3ADS reports good results with 6-meter RTTY. The section of Eastern Pennsylvania consists of 34 counties. Our SEC, DUL, reports there is no Emergency Coordinator in the following counties: Berks, Bradford, Chester, Columbia, Dauphin, Montour, Perry, Pike, Snyder, Sullivan, Tioga, Union, Wayne, Wyoming and York. Anyone interested in an EC appointment in

these counties should write your desires and inquiries to Emmet Kuehner, W3DUI, 242 East Broad St., Hazleton. K3PIY, IUZ, NBS, JHC, OVI and OVJ are now General Class operators. The Susquehanna Valley ARC held its first annual banquet which was highly successful. AIW is a Silent Key. He was secretary of the Carbon ARC since its formation after World War II. Within a few short days we will greet 1962. One resolution we all hope and pray for is "peace." Peace and prosperity to all. Happy New Year, gang. Traffic: W3CUL 2994, 1VS 2171, EML 1118, K3IMP 655, GSU 602, W3VR 595, W4DVT 201, W3FAF 107, UIU 105, K3BEU 56, MVO 56, W3NNL 49, J3X 38, K3HTZ 37, W3ZRQ 33, HNK 29, K3JSX 26, CAH 21, J3G 17, W3PDJ 16, K3KTC 14, NLW 14, W3OY 14, BEF 13, BUR 8, DUI 5, GJA 5, ALAI 5, K3ADS 4, W3ID 3, ADE 1, EEN 1, ELI 1, IWO 1.

MARYLAND-DELAWARE-DISTRICT OF COLUMBIA—SCM, Thomas B. Hedges, W3BKE—Asst. SCM Del: M. F. Nelson K3GKF. SEC: CVE, MDD Traffic Net meets on 3650 kc. at 0105Z daily; MDD (slow) net on 3650 kc. at 0130Z daily; MLEPN on 3820 kc. at 2300Z work days, 1800Z Sat.-Sun. DEL Emer. Net on 3905 kc. at 2330Z Sat. Check in one of these active nets and help keep MDDC on top. Out. appointments: EJU and IYE as OOs; K3AMC, K3AZH and CFA as OPSs; K3AZH as OES; EIV as ORS. K3AMC is NCS for the new DEL Emer. Net and welcomes all Delaware stations, especially from the southern counties. John also is the new caretaker for the WDEL Award and all inquiries should be addressed to him. New officers of the Friendship ARC are K3IYJ, pres.; K3LFD, vice-pres.; K3CBW, secy.; QA, treas. K3AXW is now a member of the Certificate Hunter's Club. K3AZH worked 6 call areas on 50 Mc. Oct. 28. BUD reports the St. Marys County boys had 4 emergency-powered stations in the SET. John is working hard for expansion of the AREC group. K3BYJ is busy with AREC activities in New Castle County. The Rock Creek ARA had Lt. Shinn, of the Office of Chief Naval Operations, as speaker at its Oct. 13 meeting. CFA divides time between 7.2 and 3.9 Mc. K3CRF is attending military school in Georgia. Vice-Director ECP operated portable from Maine during his recent vacation trip. CVE is awarding emblems for outstanding AREC work in Prince George County. EEB is busy working DX and handling traffic in MDD. EOY is getting set for RTTY on 3.5 Mc. EQK keeps up his OO activity. Glad to hear from K3EWK a new General Class licensee in Delaware. 4EXM/3 still is on Okinawa. The Foundation has set Sept. 30 for the big Annual Gaithersburg Hamfest. K3GZK likes his new extended double zepp on 20 meters. HKS is providing a good Delaware outlet on MDD. K3HPG now has 97 confirmed. IVC is helping as NCS for MDD. K3IZM liked the 6-meter aurora opening in late October. K3JIG reports he has a new "Sixer" and needs 4 more for DXCC. K3JYZ makes BPL again to lead the section. KIA checks in from Baltimore. K3KHN is building a new 220-Mc. converter. K3KPZ has all his equipment in working order for the first time! K3LFD has a new emergency a.c. generator. K3LJB acted as NCS during the recent AREC drill. K3LLR is working hard for his General Class ticket. LQY is a new YL in Baltimore from Louisiana. K3LWD likes his new 50-Mc. turnstile antenna. MCG had a big time in the VK/ZL Contest. GRF now has the new 80-meter quad working. The Washington TVI Committee meets every 2nd Tue. at Broadcast House and invites visitors. K3MIDL says the SET was a big success in Baltimore County. AREC. K3MIQP is a new reporter. K3MZY is rebuilding his rig for contests. K3OGA has his HC-645 working on 432 Mc. OHI moved his shack to a new location. KN3OZA was thrilled to work an EA as his first DX. KN3PEJ is studying for General Class. K3QOL is another new Baltimore refugee from Louisiana. TMZ is waiting for the DX Contest. TN maintains his steady pace in the traffic nets. UCR reports that AM and K3IIDQ received 20-year awards from Naval Research Lab. UE reports in by radio. K3WBJ picks up plenty of traffic at Walter Reed Hospital. WV received PG AREC Award No. 1. YZI is now the section antenna expert after his big QST article. ZAQ continues to lead the MDDC OOs. ZNW reports he has a job making Generals out of 3 Notices. Traffic: K3JYZ 371, LFD 208, W3UVE 118, TN 104, IVC 93, MCG 87, ZNW 85, LQY 74, K3WBJ 73, MZY 70, KPZ 62, MDD 58, W3EOV 51, K3GZK 30, W3BUD 21, ECP 19, K3EWK 18, MIQP 18, W3EEB 17, K3AZH 10,

FIFTH PENNSYLVANIA QSO PARTY

January 20-22, 1962

The Harrisburg Radio Amateur Club announces the Fifth Pennsylvania QSO Party, in which all radio amateurs of the world are invited to participate.

Rules: (1) **Time:** The contest begins at 2300 GMT Saturday, Jan. 20, and ends at 0500 GMT Monday, Jan. 22. (2) Suggested congregating frequencies will be 60 kc. above the low end for each band and sub-band, i.e., 3560 for c.w., 3860 for phone. This party is being conducted for the purpose of aiding stations obtain their *Keystone Award* and endorsements, and to work counties for WAPC; therefore, each Pennsylvania station will be worked once during the party. (4) **General call:** "CO PA." Pennsylvania stations sign "DE PA." (5) **Exchange:** Penna. stations send QSO number, RS(T), and county; outside stations send QSO number, RS(T), and state, VE province, or country. (6) **Awards:** Every station working 100 different Penna. stations during this party will receive a **KEYSTONE AWARD** or an endorsement if they already have the award. (7) **Entry:** A copy of the log, showing station, date, time, band, mode, and station worked QSO number, should be submitted to the contest manager, Charles I. Vogelsong, W3BQA, R-3, Dillsburg, Penna., postmarked not later than Feb. 15, 1962. All logs become the property of the Harrisburg Radio Amateur Club. No charge for Keystone Awards issued on this basis. Complete information and revised rules for Keystone Awards can be obtained by sending a self-addressed stamped envelope to the above address.

AMC 5, JIQ 8, W30HI 8, BKE 6, K3AXW 3, OGA 3, HPG 2, LJB 2, KN3PEJ 2.

SOUTHERN NEW JERSEY—SCM, Herbert C. Brooks, K2BC—SEC: K2ARY, RMs: W2BZL, W2ZY and W2HDW. New appointment: WA2NDK, Levittown, as OES. K2EFCY, Riverton, arrived safely in KX6-Land, N.J. Phone & Tfc. Net totals for Oct.: 31 sessions, QNI 599, traffic 260. A very fine net roster has been prepared by W2ZI, net mgr. Fifty-nine members are listed. WA2NPD is doing an FB job teaching Gloucester Co. ARC classes. The club will hold its Annual Birthday Party in January. K2UY and W2CKX have new tri-banders. W2BZJ, Pennington, took a three-week vacation. W2ZI, Trenton, is back from a vacation trip to Niagara and visited many friends en route. WA2VAT, Audubon, top traffic-handler this month, is active on EAN, 2RN, N3N and NHN. WA2KWB, Yardville, is working lots of DX with his 600-watt rig. WA2MEQ, Moorestown, has 23 award credits toward his CFC certificate. With regret we report the passing of K2PTG, Minotola. K2SUN, K2HNP and K2UDA are heard regularly working mobile. The Cumberland Radio Club, W2BX, holds a club drill each Mon. night. W2BLV, writer of "News and Label" in SARA's *Harmonics*, reports many FB DX signals during the recent Autumn. Look for SARA's 10-meter net Sun. at 1500 GMT. The Levittown (N.J.) ARC lost its regular meeting place in a recent fire. Meetings now are being held in members' homes. RTTY is on the increase in the section. Two-meter RTTY nets are active on Mon. nights. Contact W2IAV for a skull. The Southern Counties Radio Club has selected a new EC. Clubs electing new officers are asked to please supply information for *Station Activities*. No reports were received from a number of areas this month. Club secretaries, please note. Traffic: WA2VAT 389, W2RG 159, K2RXB 59, W2ZI 44, K2SQX 16, WA2KWB 14, WA2LBL 4, WA2ARJ 3, WA2MEQ 2.

WESTERN NEW YORK—SCM, Charles T. Hansen, K2HUK—SEC: W2LXB, RMs: W2RUF, W2EZZ and W2FEB. PAAL: W2PVL, NYS C.V. meets on 3615 kc. at 1900. ESS on 3590 kc. at 1800. NYSPTEN on 3925 kc. at 1800. NYS C.D. on 3310.5 and 3995 kc. (s.s.b.) at 0900 Sun.. TCPN 2nd Call Area on 3970 kc. at 1900. IPN on 3980 kc. at 1600. 2RN at 2345 and 0230 GMT on 3690 kc. Happy New Year, everyone. I hope the New Year brings better operating, cleaner rigs and courtesy on the bands to all. Congratulations to K2GAO on making the BPL. K2BPU was appointed OES and K2QDT and W2RQF were renewed as OPS. K2KWK contemplates going on 3500 Mc. and is looking for parabolic dishes. K2EQB now is using an SX-111. WA2GCH reports the AREC initiated a Goblin Patrol in conjunction with the sheriff's office, which was a great success. K2BPU has a new Ranger II. WA2LHG has a new harmonic. WA2SNA, in Glensville, is now General Class. He is 13 years old. WA2DAC has a stacked "Big Wheel" for 2 meters. K2DNN reports the Chemung AREC supplied communications for a sports car rally. W2RQF has acquired a BC-21. WA2LSJ has built a transistor 6-meter walkie-talkie in a 3X3X6 box with 1/2-watt output. Batteries are on-board. W2TCU reports that the Auburn ARC has its club station. WA2QRL, just about ready to go. WA2QKM and WA2RNA are new Generals in the Syracuse Area. KBT has been reactivated in the Buffalo Area. Your SCM would like to compile a list of active clubs and then reproduce it so it would be available to anyone interested. Your cooperation is requested. Monthly reports are invited from all groups and individuals for inclusion in this column. Materials must reach me by the 4th of each month. Traffic: K2GAO 1252, W2EZZ 386, W2OE 381, W2FEB 275, K2RTQ 136, K2QDT 101, K2OFY 65, W2RUF 59, WA2KQG 54, W2FCG 51, K2EQB 33, K2BPU 29, WA2KZQ 25, K2KWK 19, W2QDK 17, K2RYH 17, W2PVI 16, W2ZRC 16, WA2HFG 11, W2RQF 9, WA2DAC 6, K2TDG 6, K2HOH 5, W2PGA 5.

WESTERN PENNSYLVANIA—SCM, Anthony J. Mroczka, W3UHN—SEC: OMA, RMs: KUN and NUG. The WPA Traffic Net meets Tue. through Sat. at 0000 GMT on 3585 kc. The Keystone Slow Speed Net (KSSN) meets at 2300 GMT on 3585 kc. Mon. through Fri. The Penna. C.D. (Pa. C.D.) State Level RACES Net meets on a new frequency of 3538.5 kc. every Sun. at 1400 GMT. KUN and WRE share NCS chores and are eager for representation from as many counties as possible. *The Radio Log of the Greater Pittsburgh V.H.F. Society* reports: New officers for the coming year are K3DMT, pres.; EWV, net mgr.; K3QBI, secy.; K3AZY, treas.; K3BAK and RTV, trustees. K3HID built himself a keyer. The Western Penna. Mobilers, at their Annual Roundup, elected the following officers: SEIT, pres.; K3COU, vice-pres.; UHP, secy.; PDR, treas.; LEN, net mgr.; PUX, RSB, DAW and VVG, directors. KPJ is sporting new antennas. The Quarter Century Wireless Assn. (QCWA), Pittsburgh Chapter, is functioning under

AVY, pres.; and UGV, secy. The Nittany ARC reports via QST de K3HKK: MGP has a new HQ-110; SLX has a four-element beam on 6 meters; NEM is sprouting an antenna farm; SAY, for Centre County, reported a *line turnout for the SET*. K3AKR will be on 220 Mc. shortly. RUE and 8TTY made two-way contact on 432 Mc. a distance of 160 miles outline. The Cumberland Valley ARC reports via *Valley QRM*: K3MUF now is General Class; R1H is working some DX. The Steel City ARC reports via *Kilowatt Harmonics*: New officers of the club are SVJ, pres.; OKU, vice-pres.; ZDW, treas.; SDV, rec. secy.; MPK, corr. secy.; SVJ has been recalled to active duty. K31QU is coordinating efforts on 15, 10 and 6 meters locally for satellite scatter. Coke Center RC reports: K3NOU has her General Class license. KN3s PLZ and PMA are attending Waynesburg College; NCE has a new Drake 2B. The Juniata Valley ARC reports via *Static Blast*: The Annual Millin-Muniata County Club Joint Picnic was held with great success; K3GZQ has a Heath "Sixer" for mobile work; a new Novice is KN3RCB; PVZ is getting his share of DX. K3NQH has his General Class license through the efforts of ARJ. At the Radio Assn. of Erie Annual Hamfest, VNC was selected the local Ham of the Year. Traffic: (Oct.) W3WRE 724, NEM 356, KUN 263, UHN 184, K3KMO 143, W3MFB 124, K3DKE 63, W3SMV 63, NFF 16, K3GQA 13, W3OIO 10, K3HID 9, W3GJO 8, K3AKR 3, W3IDO 3, K3VO 2. (Sept.) K3HSE 23, GAO 10, AKR 1.

CENTRAL DIVISION

ILLINOIS—SCM, Edmond A. Metzger, W9DRN—Asst. SCM: Grace V. Ryden, 9GME, SEC: PSP, RM: USR, PAAL: RYU, EC of Cook County: HPG. Section net: ILN, 3515 kc. Mon. through Sat. at 1900 CST. With this column, I am completing four years as your SCM. I wish to thank all the section appointees and my many other friends for their contributions to make monthly news column successful. OAR is recuperating from a recent surgery siege and hopes to be back on the bands soon. The Rockford Amateur Radio Association now has completed club rooms in Winnebago. K9KGV and K9TKT are recent converts to s.s.b. J1Z was included among 52 Illinois surgeons to be inducted as fellows of the American College of Surgeons. After 20 years KPC is replacing his Homebrew beam with a new tri-bander. WN9AIT is DXing with a new DX-60. WN9AFC, WN9ADR, WN9AGC, WN9ADF, WN9ADO, WN9AEJ and WN9AEN are new calls in the Canton Area. GFF, UA/FGN, ZIV, K9KRW, K9KZV, PBI, DRY, REC, KCR, K9QMJ/WOCSO, IMN and K9JTD were participants in the September ARRL Frequency Measuring Test. CLH received certificate No. 343 in the Certificate Hunters Club. K9CUB has a new DX-60 working FB QSOs and bringing in the hard ones with his new antenna setup. K9SRW is experimenting with 6-meter s.s.b. rigs, with all semi-conductor design. K9YLX's new QTH will be the United States Navy. K9WTS made DXCC. K9VJE has a new T-33 jr. KZ is now using the 2000 amplifier with his Invader. KN9HIQ has a new Drake 2B. K9QYW, newly-elected net manager of the North Central Phone Net, reports the net total for September was 233 messages. The Traffic count for the same period of the Chicago Area Emergency Net was 89. In the November issue of QST, the Chicago Area Radio Club Council Trade Show station call was erroneously listed as K9TEM instead of W9TEM. Many of the clubs have reported that their code and theory classes have been very well attended and many more new calls will be heard very soon. Recipients of the BPL award this month: K9OZM and K9UGY. Traffic: (Oct.) K9OZM 568, UGY 502, W9JXV 343, IDA 205, K9UOV 205, W9PAW 178, IMN 143, K9BTE 89, SCP 82, OAD 67, QYW 42, OCU 38, QAE 30, TYA 30, W9QQQ 28, HPG 23, K9ZQT 21, CRT 20, W9KQL 19, K9LXG 15, W9PRN 14, K9ZTV 13, RHU 1, SRW 1. (Sept.) K9QAE 29, W9KQL 27.

INDIANA—SCM, Donald L. Holt, W9FWH—Asst. SCM: Clifford M. Singer, 9SWD, SEC: SNQ, PAMs: K9GLL, MM and RVMI, RMs: DGA, TT and VAY. Net skeds: IFN, 0800 daily and 1800 M-F on 3910 kc. ISN (s.s.b.), 1930 daily on 3920 kc. QIN (training), 1800 M-W-F on 3745 kc. QIN, daily at 1900 and RFN, 0700 Sun. on 3656 kc. Contact K9GLL for member net of the Hoosier V.H.F. Net in your locality. New appointments: JSV as ORS on 3910 kc., SVL as EC, Henry County and K9RLM as EC Dearborn County. The Indiana Radio Club Council met at Butler U. in Indianapolis with twenty member clubs represented. New officers elected for a two-year term: DKR, chairman; IMU, vice-chairman; K9IXD, secy.; LYU, treas. TQC and IHO, four-year directors; SWD and BDG, two-year directors. Steps have been taken to amend the Council's Field Day Rules for the highest scoring transmitter. Copies of the revised rules will be available at the April Council meeting. The Indiana "500" Award is a new council activity. The Hoosier Amateur Women's

Club is custodian of this certificate. Complete details and rules in the *BISON*, or make request to K9MZV, 3311 South Tacoma St., Indianapolis, Ind. Include self-addressed stamped envelope. Host to the council for the April '62 meeting is the Indianapolis Radio Club. New officers of the Goshen Amateur Radio Club are K9PNV, pres.; K9FSA, vice-pres.; WDO, secy.-treas.; CJJ, act. mgr. *Amateur radio exists as a hobby because of the service it renders.* Those making HPL were JOZ, MM, SVL, BUQ, RTH, K9OET and K9IVG/9. Oct. net reports: TT reports 117 for RFN, QIN not reported. K9WET reports 21 for QIN (training). K9GLL reports 209 for the Hoosier V.H.F. Net. MM reports 611 for ISN. RVM reports 515 (Oct. 312) for IFN. Traffic: (Oct.) W9JQZ 903, SVL 855, MM 628, RTH 318, K9IVG/9 288, W9BUQ 263, K9OET 250, W9TT 210, NZZ 124, QYQ 99, K9SGZ 80, WET 80, W9SNCQ 72, SWD 72, K9GLL 61, W9JFF 49, GJS 48, K9HMC 44, W9FWH 43, K9ILK 40, W9IAMU 36, TQC 36, DOK 35, OG 34, EJW 31, K9JYV 28, W9CC 24, YXZ 22, K9CRS 21, W9CLF 18, DZC 18, K9LJB 13, W9HUF 12, DKR 11, K9FEB 10, RCZ 10, W9WDQ 10, BF 8, BDP 8, K9IXD 8, JCD 8, SPH 8, KOW 7, W9DCA 6, CKW 4, YEW 4, YVS 4, BSV 3, YDP 3, K9FVL 2, IZL 2, MAN 2, K9N9FOZ 1, W9GUY 1, K9N9IGK 1, K9JCE 1, TFJ 1, ZQJ 1. (Sept.) K9CRS 11.

WISCONSIN—SCM, George Woida, W9KQB—SEC: BCC. PAMs: NGT, NRP and SAA. RMs: VHP and VIK. New appointees: SAA as PAM, YQH as OBS. Milwaukee AREC members BCK, BTM, KQD, UPM, VCC, PYM, K9s CAG and MJZ furnished communications for the Boy Scouts 20-mile hike called Operation Big Foot. SEC BCC reports reception of 23 messages during the recent Simulated Emergency Tests. Over 100 AREC members took part. There is a new Invader 2000 and antenna at K9BSC, who does the OBS duties for the Wisconsin Side Band Net. VZP and CCO are working schedules with HP3CR for a Whitewater student to his family in Panama. YQH, our ex-SEC, has been appointed as assistant to N. H. Blume, co-director of Wisconsin c.d. warning and communications, and will handle the formation of the RACES RTTY system. A new homemade three-element full-size 20-meter beam 60 feet high at SCZ is reported by YSZ. The Wausau Club station, NUW, moved to a new location in the county jail. New at Waupaca are WN9AU and WN9AUZ. With the writing of this report my 4½ years as your SCM come to a conclusion. My sincere thanks to all of you for your efforts and cooperation with the progress of all activity in the section, and for making my duties a pleasure. Future reports and correspondence should now be sent to K9GSC, the new SCM, who will appreciate your continued full cooperation. Our best wishes to Mr. Ken Ebneter. Happy Holidays and 73. Traffic: (Oct.) W9DYG 637, CXY 341, SAA 123, VHP 109, K9VSO 101, W9VIK 35, K9WIE 31, GSC 29, W9KQB 29, APB 28, OTL 22, K9BSC 20, DTK 18, ORR 16, DOL 10, WIG 10, W9MWQ 9, K9HXJ 5, W9RQM 4. (Sept.) K9VSO 78, W9VHP 23, VIK 4.

DAKOTA DIVISION

NORTH DAKOTA—SCM, Harold A. Wengel, W9HVA—SEC: CAQ. PAM: KÖTYV. There is very little news this month and no reports on the 75-meter phone net. The North Dakota Post Office Net reports 5 sessions for Oct. total check-ins 57, maximum check-ins 14, minimum 8; 1 formal message, 7 informal messages sent with 2 relays. A new Novice in Jamestown is W9OAPJ. He will be on the air soon with a borrowed transmitter and a Hallicrafters SX-99 receiver. Traffic: W9CAQ 12.

SOUTH DAKOTA—SCM, J. W. Sikorski, W9RRN. SEC: SACT. ZWL made BPL this month, and received the Traffickers certificate for 10,000 messages. Bill Martinek, ex-GWS of Mitchell, now is K7EFB, 55 Sunny Slope Homes, Kennecook, Wash. New calls in Sturgis: KOALN, Vernon Merritt, and KÖYBX, Robert Merritt, father and son. YQR participated in the Sept. FAIT with an error of only 19 parts per million. KÖYNR and KÖYVC have gone to work as dispatchers in the Sioux Falls Police Department. A new call at Howard is KNÖAND. He's on the air with a Globe Chief and an S-85. KÖDIH has reentered the Air Force. KÖSZJ is working as an engineer for KMNS, Sioux City. Traffic: (Oct.) WOZWL 501, SCT 309, KÖBMQ 175, WÖDVB 130, KÖALE 72, YNR 34, WÖOFF 32, KÖVY 25, WÖDIY 20, KÖYVC 20, WÖGWW 16, KÖZBJ 15, TNM 8, TAM 7, WJT 7, BSW 6, WÖPMA 6, KÖRQY 5, WÖYVF 5, KÖJGM 3, WÖNNX 3, KÖTVJ 3, WÖZMA 3, KÖDIH 2, WÖDJZ 2, DYR 2, EQV 2, KÖEYJ 2, WÖEKA 2, KÖNHPS 2, HQD 2, KÖMHF 2, WÖPDW 2, QAM 2, TVJ 2, TWT 2, TXW 2, ZEW 2, ACG 1, KÖACJ 1, WÖAGD 1, WÖAPL 1, BJV 1, BLZ 1, FKL 1, KÖGKX 1, WÖGWL 1, KÖOIBX 1, JHJ 1, JMW 1, KÖLKH 1, KÖOKVS 1, WÖNIW 1, OOU 1, KÖORH 1, WÖRWE 1, TLK 1, KÖTVJ 1, WÖURD 1, KÖZKJ 1. (Sept.) KÖYVC 39.

MINNESOTA—SCM, Mrs. Lydia S. Johnson, W9KJZ—Asst. SCM: Charles M. Marsh, QALW. SEC: KÖYJ. RMs: KLG and KÖAKM. PAMs: OPX and KÖEPT. OES: HPS is putting up a galvanized 120-ft. tower with 6- and 2-meter arrays on top. He is on 50.1 Mc. nightly from 0200-0300 GMT. KÖWYV is building a v.f.o. and a plate modulator for his Viking transmitter. KÖUKU is serving as Alternate RO for MSA No. 1. New ORS KÖOTH has a 32 S-1 transmitter and a three-element beam for 20 meters. Jim has received his CP-35 and the Armed Forces Day Award. W9ÖADX, a new Novice in Atwater, has an IT-40 transmitter and an S-38E receiver. The New Ulm Radio Club held an AREC test Oct. 15. W9ÖBHV is newly-licensed in New Ulm. KÖIYK has a Morrow mobile transmitter on the air. Laura, KÖOSR, was hospitalized for a month with a slipped disc. OO WMA won a Collins dummy load at the MRC meeting. New ECs are KÖRDP for Itasca County; and KÖDZE for Wabasha County. KTKBO resides in New Ulm. KÖEUB's XYL passed the General Class test. Their two sons are KÖRTX and KÖNÖKN. Visually-handicapped KÖGIR and XYL KNÖGA can be heard on 40-meter c.w. KÖVTG received a "Confederate States Award." A newly-licensed Novice in Glencoe is W9ÖALJ. OES appointees KÖs VLD and PSE operated a Gonset Communicator on the Electronics Club float during their high school "home-coming" parade. KÖIKL now qualifies for her 10th award. MDL reports that RTTY editor KÖWMR plans to return to W2-Land and will be associated with IT&T. The "RATS," the Twin Cities RTTY Club, meets the 2nd Mon. of each month at the Kenwood telephone exchange, 22nd and Emerson, Minneapolis. WET soon will be heard from Eritrea with the call ET2TO. KÖSBB and his charming XYL visited KJZ. Traffic: (Oct.) KÖOTH 195, AKM 172, WÖKJZ 148, YC 144, HEN 90, RIQ 83, OPX 80, KLG 67, LST 66, KÖQBI 62, WÖUMX 61, THY 43, OEZ 42, BUO 39, KÖYJ 37, EPT 35, ZKK 34, PML 31, WÖDQL 30, ALW 22, KÖAYU 22, WÖKYG 21, KÖLWK 20, WÖGCR 18, YHR 18, MXC 15, KÖICG 14, VPJ 13, SNG 12, WÖATO 11, RQD 11, WMA 11, W9ÖABU 10, KÖMIZ 10, MGT 6, ZJZ 5, HLT 3. (Sept.) WÖKYG 46, KÖSBB 12. (Aug.) KÖSBB 6. (July) KÖSBB 11.

DELTA DIVISION

ARKANSAS—SCM, Odia L. Musgrove, K5CIR—SEC: K5IPS. PAM: DYL. RM: K5TYV. Activity on the nets slowed up a bit during September, but lots of traffic was passed. Several of the early risers have been working some DX on 75 meters from four to six in the morning. The single sideband stations of Arkansas hope to have a net going in the near future. We will try to give the time and frequency next month. Anyone interested should see RIT. K5IPS is our new SEC. RACES had an emergency weather drill with 48 stations checking in. K5YTR was net control. Jefferson County has a 250-watt base station operating on 50.50 Mc. The SEARK Club has organized a TVI committee and has made plans to install the mobile equipment in the school bus. It will operate as K5DAK. KRO has a home-brewed kw. linear. ARRL has training films and slides available for affiliated clubs. Traffic: W5RIT 93, SZJ 35, K5IPS 28, UEK 9, ABE 8, CIR 8, YMU 6, CIX 4, W5DYL 4, HPL 4, K5YCM 4.

LOUISIANA—SCM, Thomas J. Morgavi, W5FMO—Director De Hart held a meeting the week end of Oct. 21 in New Orleans with our new director-elect MUG, Arkansas SCM K5CIR, Louisiana SCM FMO, SEC MXQ and Tennessee SEC K4OUK. Participating in the meeting also was IUED, ARRL Asst. Secy., who addressed the Metropolitan New Orleans clubs the following Mon. JMB is the new call of ex-BGL, who left the 8th Naval District Radio Control Station a few years ago and has returned for another tour of duty. The Lafayette Amateur Radio Club placed first in the one-transmitter group on Field Day. The club scored 6777 on 738 contacts. Those participating were CKZ, K5VJT, UYL, YTK, VJZ, TFG and SGX. K5ARH got a model 15 teletype going. His OPS certificate recently was renewed. K5CZY also was endorsed as OPS and Harry should be out of the hospital by the time this report is out. K5ESW, who has been doing some fine Official Observer work, headed for Georgia Tech. for some serious studying. While visiting in Shreveport recently your SCM met AF's, who was on the citizen band as well as on the ham bands. The recent hurricane that hit Belize caused a few hams in the New Orleans Area to burn the midnight oil, handling traffic pertaining to relief for the area. Water purification materials, food, medicines, bedding, etc., were dispatched from the area by HHT, K5USO, LJY, MIXQ and FMO. Cards have been mailed out to holders of official appointments throughout the area and returns have been very poor. Your SCM suggests that if you are

(Continued on page 100)

**START THE NEW YEAR RIGHT!****JOIN THE ARRL
AND ATTEND YOUR LOCAL CLUB MEETINGS**

OPERATING an amateur radio station, be it for SSB, CW, RTTY, or some other mode of transmission in this hobby of ours, is only a part of the fun and vast activities that ham radio can bring to a licensee. Of equal importance, but least thought of, is the local radio club. The bi-weekly or monthly meeting of "the gang" seems to tie in all amateurs of the community a little stronger. It also provides a means of engaging in a personal eye-to-eye chitchat. The meeting helps solve the everyday problems that exist in the operation of one's station.

THE HAM who is just starting out in the hobby is, in most cases, a lost sheep among the thousands of stations that occupy each of our bands daily. The local radio club is a means for him to find help and encouragement in getting off the ground toward being a first-class operator. The local club is generally the focal point of radio activities in the community. The staging of communications for parades, fund collections, emergency work, TVI committees, public demonstrations of ham radio to acquaint the public with the hobby, and social events for the amateur fraternity are all parts of the activities that give you, as a ham, a broader outlook on this wonderful hobby of ours.

DUE to the rapid technical advances in the field of electronics, the old time ham — the fellow who knew all there was to know about ham radio — is a thing of the past. Now, as in the Chicago area, clubs are formed to cater to the likes of the VHF man, the RTTY man, the DX enthusiast, the traffic man, the microwave experimenter, mobile operator, and many others. Of course, the old time general social type of radio club is still in operation. It is catering to the wants of the all-around ham who is interested in each facet of his hobby. If you are not now a member of a local club, check the hams in your town and find out when and where the next meeting is to be held. Stop in and start enjoying even more this wonderful hobby of amateur radio.

JORDAN KAPLAN, W9QKE
President
Chicago Area Radio Club Council, Inc.

Buell Baller Jr.

W. J. Halligan W9AC

for **hallicrafters**

Choose your next transmitter

3 of the hottest and newest!

INVADER—More exclusive features than any other Transmitter/Exciter on the market today! Specially developed high frequency, symmetrical, multi-section band-pass crystal filter for more than 60 db sideband suppression—more than 55 db carrier suppression! Instant bandswitching 80 through 10 meters—no extra crystals to buy—no realigning necessary. Delivers solid 200 watts CW and P.E.P. SSB input; 90 watts input AM. Built-in VFO—exclusive RF controlled audio A6C and ALC (limiter type) provide greater average speech power. Wide range pi-network output circuit—extremely smooth VOX and anti-trip circuits. Fully TVI suppressed. Self-contained heavy-duty power supply. Wired and tested with tubes and crystals.

Cat. No. 240-302-2—Amateur Net \$619.50

HIGH POWER CONVERSION—Take the features and performance of your "Invader" . . . add the power and flexibility of this unique Viking "Hi-Power Conversion" system . . . and you're "on the air" with the "Invader 2000". Completely wired and tested, includes everything you need—no soldering necessary—complete the entire conversion in one evening.

Cat. No. 240-303-2—Amateur Net \$619.50

INVADER 2000—Here are all of the fine features of the "Invader", plus the added power and flexibility of an integral linear amplifier and remote controlled power supply. Rated a solid 2000 watts P.E.P. (twice average DC) input on SSB; 1000 watts CW; and 800 watts input AM! Wide range output circuit (40 to 600 ohms adjustable). Final amplifier provides exceptionally uniform "Q". Exclusive "push-pull" cooling system. Heavy-duty multi-section power supply. Wired and tested with power supply, tubes and crystals.

Cat. No. 240-304-2—Amateur Net \$1229.00


RANGER II—Now — a new version of the popular 75 watt CW or 65 watt AM "Ranger". The "Ranger II" transmitter also serves as an RF/audio exciter for high power equipment. Completely self-contained instant band-switching 160 through 6 meters! Operates by built-in VFO or crystal control. High gain audio-timed sequence keying, TVI suppressed. Pi-network antenna load matching from 50 to 500 ohms. With tubes, less crystals.

Cat. No. 240-162-1

Viking "Ranger II" Kit—Amateur Net . . . \$249.50

Cat. No. 240-162-2—Viking "Ranger II"

Wired and tested—Amateur Net \$359.50



FREE
New Catalog

Write today for our newest amateur Catalog! Available now . . . contains photos, schematics and detailed specifications!

FIRST
CHOICE AMONG
THE NATION'S
AMATEURS




Viking

E. F. JOHNSON COMPANY • WASECA, MINNESOTA

from the VIKING line . . .

6 popular feature-packed transmitters!



FACTORY AUTHORIZED SERVICE

Instead of shipping to our factory, equipment to be serviced may also be sent to:

Empire State Elect. Service
139-140 Hillside Ave.
Jamaica, New York

Park-Armature Co.
1218 Columbus Ave.
Boston 20, Mass.

ADVENTURER—Self-contained . . . 50 watts CW input . . . rugged 807 transmitting tube . . . instant band-switching 80 through 10 meters. Crystal or external VFO control—wide range pi-network output—timed sequence keying. With tubes, less crystals.

Cat. No. 240-181-1 Kit—Amateur Net . . . \$54.95

NAVIGATOR—40 watts CW input . . . also serves as a flexible VFO exciter. 6146 final amplifier tube—band-switching 160 through 10 meters. Built-in VFO or crystal control. With tubes, less crystals.

Cat. No. 240-126-1 Kit—Amateur Net . . . \$149.50

Cat. No. 240-126-2

Wired and tested—Amateur Net . . . \$199.50

CHALLENGER—70 watts phone input 80 through 6; 120 watts CW input 80 through 10 . . . 85 watts CW on 6 meters. Two 6DQ6A final amplifier tubes. Crystal or external VFO control—TVI suppressed—wide range pi-network output. With tubes, less crystals.

Cat. No. 240-182-1 Kit—Amateur Net . . . \$114.75

Cat. No. 240-182-2

Wired and tested—Amateur Net . . . \$154.75

6N2—Rated 150 watts CW and 100 watts phone—offers instant bandswitching coverage of both 6 and 2 meters. Fully TVI suppressed—may be used with "Viking I, II", "Ranger I, II", "Valiant" or similar power supply/modulator combinations. Operates by crystal control or external VFO with 8-9 mc. output. With tubes, less crystals.

Cat. No. 240-201-1 Kit—Amateur Net . . . \$129.50

Cat. No. 240-201-2

Wired and tested—Amateur Net . . . \$169.50

VALIANT—275 watts input CW and SSB (P.E.P. with auxiliary SSB exciter) 200 watts phone. Instant band-switching 160 through 10 meters—built-in VFO or crystal control. Pi-network output matches antenna loads from 50 to 600 ohms. TVI suppressed—timed sequence keying—built-in low pass audio filter—self-contained power supplies. With tubes, less crystals.

Cat. No. 240-104-1 Kit—Amateur Net . . . \$349.50

Cat. No. 240-104-2

Wired and tested—Amateur Net . . . \$439.50


FIVE HUNDRED—Full 600 watts CW—500 watts phone and SSB (P.E.P. with auxiliary SSB exciter). Compact RF unit designed for desk-top operation. All exciter stages ganged to VFO tuning—may also be operated by crystal control. Instant band-switching 80 through 10 meters—TVI suppressed—high gain push-to-talk audio system. Wide range pi-network output. With tubes, less crystals.

Cat. No. 240-500-1 Kit—Amateur Net . . . \$749.50

Cat. No. 240-500-2

Wired and tested—Amateur Net . . . \$949.50

COUNT EM! 33 GREAT FEATURES ON



Presenting the "Marauder" . . . performance and features that cannot be duplicated for less than twice the price!


Over two years were spent in the development of this new Heathkit Single Sideband transmitter to bring you performance, quality and dependability unheard of in this price range! The outstanding array of features listed, plus its beautifully styled exterior all add up to an unprecedented amateur radio value!

The attractive front panel layout with edge-lighted meter and slide-rule tuning dial is accented by chrome-plated die-cast zinc knobs. All controls are located in front, where you want them, for maximum ease of operation . . . no doors or hatches to open or equipment to move! Here is a transmitter that was designed with "you" in mind, a transmitter to fill the requirements of the most demanding amateur radio operator, a transmitter you will be proud to own and operate for years to come! Order your Heathkit HX-10 SSB transmitter today! Send for free schematic. 92 lbs.

Heathkit HX-10 . . . no money dn., as low as \$22 mo. . . . (Available after Feb. 25th) **\$334.95**


SPECIFICATIONS—Emission: SSB (upper or lower sideband), CW, AM and FSK. **Power input:** 180 watts PEP—SSB and CW, 75 watts AM. **Output impedance:** 50 to 75 ohms with not more than approximately 2:1 SWR. **Frequency range (MC):** 3.5 to 4.1; 6.9 to 7.5; 13.9 to 14.5; 20.9 to 21.5; 27.9 to 28.5; 28.5 to 29.1; 29.1 to 29.7. **Frequency stability:** within 100 cps, overall. **Carrier suppression:** 50 db below peak output. **Unwanted sideband suppression:** 55 db below peak output. **Keying characteristics:** Break-in CW provided by operating VOX from a keyed tone using grid-block keying. **Audio input:** High impedance microphone **Audio frequency response:** 400 to 3000 cps at ±3 db. **Power requirements:** OFF 14 watts; STANDBY—200 watts; KEY DOWN—400 watts at 117 volts, 50/60 cycles AC. **Cabinet size:** 19" W x 11½" H x 16" D.

MICROPHONE ACCESSORY—Ideal for use with the HX-10, this Electro Voice dynamic microphone has been modified to our specifications especially for SSB operation. Frequency response is limited from 300 to 3,000 cps with sharp cutoff above 3,000 cps. Chrome-plated mike stand has grip-to-talk switch with lock. Hi-Z output. Complete with 6' single and 6' multiple conductor shielded cable and instructions to accommodate any installation, 2 lbs. **HDP-21 . . . No money dn., \$5 mo. . . . \$29.40**




HEATHKIT'S NEW HX-10 SSB TRANSMITTER

1. FIRST FILTER-TYPE SSB TRANSMITTER IN KIT FORM!
2. COMPLETE, NOTHING EXTRA TO BUY!
3. ALL POWER SUPPLIES ARE BUILT-IN.
4. ALL CRYSTALS FURNISHED FOR FULL 80 THROUGH 10 METER COVERAGE
5. BEAUTIFULLY DESIGNED & RUGGEDLY BUILT—OVER TWO YEARS IN DEVELOPMENT
6. OPERATES SSB (upper or lower sideband), CW, AM, & FSK
7. 180 WATTS PEP—SSB & CW . . . 80 THROUGH 10 METERS
8. CARRIER SUPPRESSION 50 DB; UNWANTED SIDEBAND SUPPRESSION 55 DB
9. MULTI-SECTION, HERMETICALLY SEALED CRYSTAL BAND-PASS FILTER
10. DUAL CONVERSION; CRYSTAL CONTROLLED HETERODYNE OSCILLATOR
11. PREHEATED, TEMPERATURE COMPENSATED VFO FOR HIGH STABILITY
12. AUTOMATIC LEVEL CONTROL FOR HIGHER TALK POWER WITHOUT DISTORTION
13. BREAK-IN CW OPERATION (VOX CONTROLLED)
14. STRAIGHTFORWARD CIRCUIT LAYOUT AND WIRING HARNESS FOR EASY ASSEMBLY
15. UNIQUE ALIGNMENT PROCEDURE, REQUIRES ONLY A CALIBRATED GENERAL COVERAGE RECEIVER AND VTVM WITH RF PROBE
16. 165 to 1 WORM GEAR, SPRING-LOADED TUNING ASSEMBLY FOR SMOOTH ANTI-BACKLASH TUNING
17. APPROXIMATELY 10 KC PER TURN FOR SHARP, EASY FREQUENCY SELECTION
18. SPINNER KNOB FOR RAPID FREQUENCY EXCURSIONS
19. LOGGING SCALE FOR EXCELLENT RESETABILITY
20. AIR COOLED, SHIELDED FINAL AMPLIFIER—NOISE-FREE FAN
21. SPOT CONTROL ALLOWS "ZERO BEAT" OR "TALK-ON" FREQUENCY SPOTTING
22. FRONT PANEL CONTROLLED VOICE CONTROL (VOX) & PUSH-TO-TALK (PTT)
23. MONITORING OSCILLOSCOPE JACK WITH BUILT-IN VARIABLE AMPLITUDE CONTROL
24. SEPARATE HIGH AUDIO INPUT ON REAR CHASSIS APRON
25. METERED GRID, PLATE, ALC, RELATIVE POWER & HIGH VOLTAGE CIRCUITS
26. FSK JACK FOR DIRECT RTTY POLAR RELAY KEYING
27. FULL FUNCTION ACCESSORY OCTAL SOCKET FOR RECEIVER MUTING, AMPLIFIER CUTOFF BIAS, 117 VAC ANTENNA RELAY POWER, RECEIVER SPEAKER MUTING.
28. SWITCHED 117 VAC OUTLET FOR ACCESSORY EQUIPMENT SUCH AS MONITOR SCOPE.
29. PARALLELED 6146's IN FINAL OPERATING CLASS AB1
30. HEAVY-DUTY 16 GAUGE STEEL CHASSIS AND CABINET CONSTRUCTION
31. COPPER-FLASHED CABINET INTERIOR FOR EXCELLENT SHIELDING
32. ALL ADJUSTMENTS, CONNECTIONS AND TUBE NUMBERS ARE CLEARLY SCREENED ON THE CHASSIS FOR EASY IDENTIFICATION
33. ALL CONTROL FUNCTIONS ARE LOCATED ON THE FRONT PANEL—NO DOORS OR HATCHES TO OPEN—CONVENIENT TO OPERATE



TOP VIEW—Quality components used throughout assure years of dependable, trouble-free performance. Shielded final amplifier is forced-air cooled by a noise-free fan. Chassis screening clearly identifies all tubes, adjustments, etc. for future reference.



BOTTOM VIEW—Compartmental construction provides necessary isolation and shielding of transmitter sections for top performance. . . adds rigidity to the chassis for rugged, dependable service and long life. Neat circuit layout through careful design and a precut, cabled wiring harness permit easy assembly.

HEATH COMPANY

Benton Harbor 9, Michigan

FREE 1962 CATALOG

—Full description of over 250 different Heathkit products in Amateur Radio, HiFi, Test, Marine, and General consumer items. The world's largest selection of easy to build kits. Send for your free copy today!



Please send me my copy of the 1962 Heathkit Catalog.

NAME _____

ADDRESS _____

CITY _____ STATE _____

GOTHAM VERTICALS DELIVER THE CONTACTS

IS K6INI THE WORLD'S CHAMPION DX OPERATOR?

Judge for yourself! Read his letter and count the DX he has worked— with only 65 watts and a \$16.95 Gotham V-80 Vertical Antenna.

2405 Bowditch, Berkeley 4, California
January 31, 1959

GOTHAM
1805 Purdy Avenue
Miami Beach 39, Florida

Gentlemen:

I just thought I would drop you a line and let you know how pleased I am with your V-80 vertical antenna. I have been using it for almost two years now, and am positively amazed at its performance with my QRP 65 watts input! Let me show you what I mean:

I have worked over 100 countries and have received very fine reports from many DX stations, including 599 reports from every continent except Europe (589)! I have also worked enough stations for my WAC, WAS, WAJAD and ADXC awards, and I am in the process of working for several other awards. And all this with your GOTHAM V-80 vertical antenna!

Frankly, I fail to see how anyone could ask for better performance with such low power, limited space and a limited budget. In my opinion, the V-80 beats them all in its class.

I am enclosing a list of DX countries I have worked to give you an idea of what I have been talking about.

Wishing you the best for 1959, I am

Sincerely yours,
Thomas G. Gabbert, K6INI (Ex-T12TG)

**OR IS K4ZRA THE NEW
CHAMP?** Read his letter, and see his diagram of a typical installation and what it achieved:

2539 Christie Place
Owensboro, Kentucky

GOTHAM
Miami Beach, Florida


Gentlemen:

During the time I used this antenna, I worked well over 100 DX stations in 44 different countries, earned a WAS certificate, and worked the necessary stations for WAVE, receiving very fine signal reports from all. My rig ran from 75 to 100 watts plate input and the receiver was an old military ARR-7 (Hallcrafters reboxed SX-28.)

The above mentioned contacts were made with the vertical mounted several inches off the ground, without radials, with only a simple ground connection to the coaxial shield.

Daniel F. Onley, K4ZRA

K4ZRA'S INSTALLATION THAT WORKED WONDERS WITH A GOTHAM V-40 VERTICAL



FREE

Send a card for our valuable catalog of 50 different antennas with specifications and characteristics. Gives bands and frequencies covered, element information, size of tubing used, boom length, shipping weight, feed line used, polarization, and other data.

WHY

THE GOTHAM V-80 IS THE BEST ALL-BAND ANTENNA

- If K6INI can do it, so can you.
- Absolutely no guying needed.
- Radials not required.
- Only a few square inches of space needed.
- Four metal mounting straps furnished.
- Special B & W loading coil furnished.
- Every vertical is complete, ready for use.
- Mount it at any convenient height.
- No relays, traps, or gadgets used.
- Accepted design—in use for many years.
- Many thousands in use the world over.
- Simple assembly, quick installation.
- Non-corrosive aluminum used exclusively.
- Multi-band, V80 works 80, 40, 20, 15, 10, 6.
- Ideal for novices, but will handle a Kw.
- Will work with any receiver and xmitter.
- Overall height 23 feet.
- Uses one 52 ohm coax line.
- An effective modern antenna, with amazing performance. Your best bet for a lifetime antenna at an economical price. **ONLY \$16.95.**

73.
GOTHAM

DO YOU KNOW

1. YOU WILL HAVE NO DIFFICULTY INSTALLING YOUR GOTHAM VERTICAL ANTENNA IN JUST A FEW MOMENTS, REGARDLESS OF YOUR PARTICULAR PROBLEM, SO ORDER WITH CONFIDENCE EVEN IF YOU HAVE RESTRICTED SPACE OR A DIFFICULT SITUATION.
2. LOADING COIL NOT REQUIRED ON 6, 10, 15 AND 20 METERS. FOR 40, 80, AND 160 METERS, LOADING COIL TAPS ARE CHANGED MANUALLY EXCEPT IF A WIDE-RANGE PI-NETWORK OUTPUT OR AN ANTENNA TUNER IS USED; IN THIS CASE BAND CHANGING CAN BE DONE FROM THE SHACK.
3. EVERY GOTHAM ANTENNA IS SOLD ON A TEN DAY TRIAL BASIS. IF YOU ARE NOT FULLY SATISFIED, YOU MAY RETURN THE ANTENNA PREPAID FOR FULL REFUND OF THE PURCHASE PRICE. THIS IS YOUR GUARANTEE OF FULL SATISFACTION.



FILL IN AND SEND TODAY!

Airmail Order Today — We Ship Tomorrow

GOTHAM Dept. QST

1805 PURDY AVE., MIAMI BEACH, FLA.

Enclosed find check or money-order for:

- V40 VERTICAL ANTENNA FOR 40, 20, 15, 10 AND 6 METER BANDS. ESPECIALLY SUITED FOR THE NOVICE WHO OPERATES 40 AND 15..... \$14.95
- V80 VERTICAL ANTENNA FOR 80, 40, 20, 15, 10 AND 6 METER BANDS. MOST POPULAR OF THE VERTICALS. USED BY THOUSANDS OF NOVICES, TECHNICIANS, AND GENERAL LICENSE HAMS... \$16.95
- V160 VERTICAL ANTENNA FOR 160, 80, 40, 20, 15, 10 AND 6 METER BANDS. SAME AS THE OTHER VERTICAL ANTENNAS, EXCEPT THAT A LARGER LOADING COIL PERMITS OPERATION ON THE 160 METER BAND ALSO..... \$18.95

HOW TO ORDER. Send check or money order directly to Gotham. Immediate shipment by Railway Express, charges collect. Foreign orders accepted.

Name.....

Address.....

City.....Zone.....State.....

Station Activities

(Continued from page 92)

not active, please notify him. Check the expiration date of your appointment. Traffic: W5CEZ 431, MXQ 118, K5QXV 90, CZV 38.

MISSISSIPPI—SCM, Floyd C. Tectson, W5MUG—K5YPV reports he is getting a new beam on the air. He also says that KN5KLR is on with an R-100 and a scout 65B and that K5DGL is on with an S-85 and a DX-40. The Jackson Club was visited recently by IUED, from ARRL Headquarters. Perry gave a fine talk on "how we get our frequencies." The local gang, plus the boys from Vicksburg, enjoyed the get-together very much. I recently attended a meeting in New Orleans with Director 4RRV and the SCMs of the division. It was a fine meeting and I'm sure will be of benefit to all. K5MDX reports a fine showing in the DX Phone Contest. Just received a fine news letter published by the Jones County Club. It seems that a good many of the gang from Laurel are getting on 6 meters. The Jackson Club has a fine project going to promote club interest. At present they have about ten 6-meter transceivers going. Keep it up, gang. Traffic: K5MDX 2.

TENNESSEE—SCM, R. W. Ingraham, W4UIO—SEC: K4OUK, RAM: K4AKP, PAMs: W4UVP and W4PQP. The Mid-South Club received a certificate from the Heart Fund. K4KTC is on 2 meters and is planning on trying 6-meter s.s.b. K4TTA reports that K4TED is Asst. EC in Henderson County and new hams in Lexington are WN4ATB, WN4BUN and WN4CNL. W4ZJY says he is on 6 meters with a transceiver. W4OQG is working toward 432 Mc. W4WBK reports from Memphis that new officers of the V.H.F. Club are K4ETG, K4RKU, K4UCA, K4PKX and K4VJL. The Nashville Club reports high interest in its operating contest. New appointments: K4BYJ as OES. Renewed: W4ZJY as QRS. W4UVP is resigning as PAM because of a change in work. Thanks, Bill, for your fine service. Reports received: Clubs—Oak Ridge, Nashville, Chattanooga and Delta and Mid-South in Memphis. Nets—W4UVP, W4PQP and K4AKP. OO—K4RIN, W4TDW, W4ZBQ and W4TDZ. OES—K4KYL and W4TDZ. OBS—K4AKP, W4VJ and W4TDW. Traffic: K4AKP 1807, W4PL 504, W4FX 373, W4OGG 217, W4VJ 150, K4OUK 109, W4PQP 90, W4VJM 88, W4OQG 75, W4ZJY 68, W4UVP 58, W4TZG 29, K4AMC 28, K4TTA 27, W4UIO 12, K4VOP 12, K4CNU 11, K4RIN 3, W4TDZ 2.

GREAT LAKES DIVISION

KENTUCKY—SCM, Elmer G. Leachman, W4BEW—SEC: W4BAZ, PAM: W4SZB, RAM: K4KWQ, V.H.F. PAM: K4LOA. Ky. Novice Net, WN4AGH. The ARRL State Convention, sponsored by the Blue Grass Radio Club of Lexington, was a great success. *Kentucky Ether Clippings* editor, W4CDA, has resigned after nearly twelve years of untiring service. The Central Ky. Emergency Six-Meter Phone Net is functioning under K4KJQ. The use of 6 meters is growing rapidly in Kentucky. The Novice Net had 143 QNIs with 22 stations and 33 messages. The MKPN held 29 sessions, with 487 QNIs and 77 messages. KYN held 42 sessions and handled 201 messages. K4ZRA, K4TZP, K4DMD and K4DLK are all operating 4 from St. Thomas Seminary, Louisville. All radio clubs in Kentucky are asked to please contact the SCM. We need a complete roster. OO reports were received from K4ZRA, K4ZRQ and K4GSU. K4GSU is a new OO in Lexington. Also new net certificates went to W44AAS, K4NPZ, WN4AGF, WN4AGH, W4TRO and K4TQZ. OES certificates are going to W4RHZ and group, who are doing a fine job on 420 Mc. The Kentucky Novice Net held 26 sessions, traffic 21. Traffic: W4BAZ 182, W4RHZ 103, K4KWQ 83, K4CSD 54, W4ZDB 32, K4KSC/4 30, W4MWX 27, W4KKG 25, W4SZB 23, WN4AGH 21, W4YYI 19, W4BEW 17, K4VJL 17, K4OEK 16, W4RBI 16, W4RNF 16, K4LOA 13, K4TQZ 11, W4CDA 9, K4ZQR 9, W4KJP 8, W4TRO 7, K4ADH 3, K4HSB 2.

MICHIGAN—SCM, Ralph P. Thetreau, W8FX—SEC: ELR, RMs: SCW, EGL, QQQ, FWQ, K8KMQ. PAMs: CQU, JTC, V.H.F. PAM: PT. Appointments: AUD, ELW, NOH, RAE, RTN as ORS; ATB as OPS; DSW as OBS, K8NEY and K8PBA as OES; K8BDR, SLV, UCG as ECs. New officers: Grand Rapids ARA—K8ZVG, pres.; K8DCS, vice-pres.; K8TDV, secy.; ONE, treas. Motor City RC—K8BMC, pres.; STV, vice-pres.; ARH, secy.; NBF, treas. A new club, the Central Mich. V.H.F. Club, elected ZGW, pres.; K8PKW, vice-pres.; "Susan," secy.; K8OIC, treas. MBH reports 6-meter s.s.b. activity is picking up and six RTTY stations are on 6 meters in Detroit. The Michigan Six Meter Club calls its new paper the *Mich Open Mike*. VAN, our former SEC, nearly lost an eye in a buffing accident at Kellogg's, but his sight will be saved. K8PBA is working with transistorized v.f.o. The WVLs have a new son, and

MGQ/MAB have a new daughter. ATB reports the 12th Midwest YL Convention will be held in Flint May 18 and 19, 1962. K8PBA has 17 states on 144 Mc. and PT has 6 states on 432 Mc. NOH was called to San Diego by the USN for radar training. WQH is working with a remotely keyed and controlled transmitter. IXJ had a throat operation but is now recovered. Michigan (QMN) nets now have their own bulletin. DSW got 20-w.p.m. CP. K8GOU changed QTIL. K8IRC and K8QBMM get on QMN. EMD is setting up a new antenna farm. FDO has come back to life. K8LZF has gone to 2 meters. RHD is going s.s.b., but still likes c.w. ISO and K8EWD are both in the hospital. Michigan 6-Meter Club officers are K8QXC, pres.; MBH, vice-pres.; K8JGF, secy.; K8LUY, treas. The Wolverine Award was issued to APN, K8JED, K8LJS, K8MKG, K8OMH and K8RDE. K8QLL made BPL on organizations plus deliveries. K8SHQ and K8QEI also click into QMN. The Oakland County AREC had a nice dinner party with 170 in attendance. All Michigan clubs are urged to get club nets on 50 Mc. Traffic: (Oct.) W8RTN 307, K8QLL 291, W8ELW 263, K8IUZ 178, K8MQ 153, W8VQH 88, P8B 83, LXJ 72, OCC 65, JTC 52, FWQ 49, K8JJD 45, HLR 42, W8FX 41, IBB 40, MPD 34, QOH 34, K8EXE 32, W8HKT 30, DSW 27, K8MEG 22, W8AUD 21, K8NHC 21, W8NOH 21, EGI 18, EU 18, K8PYW 15, GOU 13, W8EOI 12, DSE 11, K8IRC 9, Q8M 9, W8TBP 8, K8LZF 6, SHQ 6, VE3CYG/W8 6, W8EMD 5, (Sept.) W8LXJ 113, TBP 26, RHD 17, IBB 12, SS 4, K8KVM 2.

OHIO—SCM, Wilson E. Weckel, W8AL—Asst. SCM: J. C. Erickson, 8DAE, SEC: HNP, RMs: BZX, DAE, VTP and K8ONQ, PAM: K8KSN, WRP and K8s GAS and LSI have new HT-37s and are active on s.s.b. Officers for 1962 of the 20/9 ARC of Youngstown are K8CNZ, pres.; K8PPC, vice-pres. and act. mgr.; K8YOU, secy.; and K8CFD, treas. W8ABF is a new ORS. Canton ARC's *Feedline* has pictures of K8MIS and K8MZT (a man-and-wife team) on the cover page and states that GNO became a Silent Key. K8DHJ was home on leave from the Navy before leaving for the Philippines; the club held a wiener roast; K8LZB is conducting a class in advanced theory and the club started a code class on the air; G8NR visited FSM; the stork brought a baby boy to OHP; RNL is back in the hospital and K8LVU is recovering from an illness at home; GAB has a new beam and K8EML is now mobile on 10 meters. K8EIO sends news of the Cuyahoga Falls RC and reports that K8WLK received his General Class license and WN8AJQ, K8ZPF, K8ZUD and KN8ZJW are new hams. The Seneca RC held a transmitter hunt. Tusco RC's *The Beam* held an antique exhibit where each member brought the oldest piece of gear they had; the Knucklehead Net has started a new season on 28.845 kc. at 9 p.m.; EUK had HR2SM and K2Z5WZ visit him; new Knuckleheads are BVE, K8MZT and K2RHN/8; BVE, GAC, LVN, NSR, K8s IST, K8N and RUU are now mobile; SBM has a new Thunderbird tri-band. Massillon ARC's *MARC News* states that K8s HTM and LYR left for Naval training and K8TWH left for college. Received the first edition of *Lead & Clear* published by the Cleveland Chapter of Red Cross and the Cuyahoga County ARES, whose officers are K8EXL, chairman; IOT 1st vice-chairman; JBS 2nd vice-chairman; and K8ZFE editor; DIG, FFA, RBI, UBE, K8s HZI, MMM, TID, UBA, UMA, VEL, VYT, WWR and YBH, of Geauga County, have joined their network. Inter-City RC's *IRC News Bulletin* informs us that Mr. V. L. Walker, formerly with Triplett, spoke on meters and their function and use; JYJ and LRR have started teaching the second half of the beginners' class and already KN8s AQW, CMJ, COQ, COY, CPN, CZL, CZM, ZMK and UWW and K8s RHC, TCH and UNG have their licenses; K8RLE received his General Class license. Dayton ARA's *R-F Carrier* tells us WYL spoke on Amateur Teletype, a color movie on the sun, how it affects the earth and its atmosphere; the club's v.h.f. section held a foxhunt; the club held a hidden transmitter hunt. *Fmdlay's RC's The W8FT NEWS* was received. Parma RC's *P.R.C. Bulletin* informs us they heard a talk on the construction and use of tantalum capacitors; K8JHZ spoke on TYI; CZM, K8GBH and K8DHX are instructors in the club's code and theory classes. Greater Cincinnati ARA's *The Mike and Key* tells us its recent hamfest broke all records as to attendance, prizes, food and refreshments; the 1962 stag hamfest was held Sun, Sept. 23. The OH-KY-IN V.H.F. Society's *Q-Fiver* states that K8YVD was in the hospital and K8MAM told of his building a 500-watt rig he refers to as The Monster. Toledo's *Ham Shack Gossip* names RZQ as its Ham of the Month and Ed was awarded a plaque; the club held a family night dinner; K8OAU and K8VDN are the proud parents of a baby boy; K8RGK was in the hospital; K8LCW has a new beam; KN8s WDL and WEH are new YL hams. Your

(Continued on page 102)


AT LAST there's a

Difference in Doublets

HY-GAIN TRAP DOUBLETS TAKE UP TO 500 WATTS AM; 1 KW PEP

New high level of radiation efficiency is made possible for the first time by using a matched set of Slim Line traps for each band. This exclusive feature produces true halfwave resonance at every design frequency. Antennas can be adjusted for phone or CW. Will equal or surpass the performance of any other multiband system, SWR 2:1 or less at resonance on every band. Fed with 52 ohm coax (not supplied). Guaranteed to survive winds up to 100 mph. An ideal system for any ham with multi-band capability.

- Trap Doublet for 10-15-20-40-80M, Model 5BDT\$34.95
- Trap Doublet for 10-15-20M, Model 3BDT\$17.50
- Trap Doublet for 10-15-20-40M, Model 4BDT\$24.50




HY-FAN TRAPLESS DOUBLET TAKES UNLIMITED POWER ON 40 & 80M

Complete antenna system, single 52 ohm coax fed, and constructed of copper clad steel stranded wire, cycloc insulators and coax center insulator assembly. Fan configuration eliminates traps, increase bandwidth and is virtually impervious to all weather conditions. Takes unlimited power. SWR less than 1.5:1.

- Fan Doublet for 10-40-80M, Model 2BDR\$19.95

*Reliability of the Hy-Gain Slim Line traps has been proven by the more than 100,000 in daily use throughout the world operating under every conceivable condition and climate. This enviable record is made possible by the unique triple molding process which completely embeds the trap circuit in tough, ageless polypropylene. In addition to this high degree of weatherability, the Slim Traps are practically indestructible mechanically and will survive even greater strain than will the copper clad steel doublet wire. Fully guaranteed for one year.



- Center Doublet Insulator Coax Feed, Model CI\$3.95
- End Doublet Insulator, Unbreakable, Model EI\$1.00


See Your Favorite Ham Distributor for Full Engineering Data



antenna products

135 NO. 22ND

• LINCOLN NEBRASKA



**THE WORLD
AT YOUR
FINGER TIPS
with "66"**

HERCULES

**66' - THE MAGICAL
HEIGHT**

There is a world of pleasure and peak performance awaiting the amateur at the magical height of 66'.

The Hercules "66" puts you in this area of optimum performance and is designed to keep you on the air in winds up to 60 MPH! Unbelievable but true . . . and best of all, **No Guys!**

This super tower is designed to support the heaviest beams or stacked arrays. See chart below.

LOAD	HEIGHT	WIND
4 el. 20M	66ft.	70
4 el. Duo-band	66ft.	70
6 el. Tri-band	66ft.	70
STACKED ARRAYS		
2 el. 40M	72ft.	60
6 el. Tri-band	63ft.	60
3 el. 10M full	77ft.	60
3 el. 15M full	70ft.	60
3 el. 20m full	63ft.	60

TORBZ 66.3G \$985.00
Price includes Tilt-over post and worm gear drive winches. Mast extra.

2" O.D. MAST

- 1 Beam 8ft. OD x .156 wall \$15.00
- 2 Beams 12ft. OD x .156 wall \$21.00
- 3 Beams 20ft. OD x .250 wall \$55.00

E-Z WAY TOWERS, Inc.

P.O. BOX 5767

TAMPA 5, FLORIDA

Great Lakes Division Director, UPB, and your SCM attended the Great Lakes Convention in Cleveland along with Kentucky's SCM, W4BEW, and Michigan's SCM, FX, where more than 1800 registered. There were 78 at the S.S.B. Banquet with the main speaker GAS, whose subject was What Makes a S.S.B. Man Tick. The Ohio Council of Amateur Radio Clubs held its fall meeting. Speakers at various forums were DL.D, WFH, 401L, IWPO, UPB, K2FF, 9DYV, BF, LY and NGX. There were 364 at the banquet at which Sidney Stading, Chief Engineer of KYW, spoke on Commercial Broadcasting and the Radio Amateur. Cups were awarded to K8MTI, UPB, K8UNP, WRH and AL. The CQ representative presented AJW with a CHC 400 certificate, the fourth to be issued to date. Prizes were won by KNOGPy/8, WSCHE, GEE, KSWON, K8SOW and K3IOL. Traffic: (Oct.) W8UPH 983, DAE 862, BZX 376, FNI 8 373, K8ONQ 290, BDZ 192, SQR 177, RYU 161, W8CMT 160, K8KSN 152, RUC 85, W8AL 52, LZE 35, YGR 29, K8DDG 21, OZG 16, VKK 11, BNL 8, W8HJZ 8, GAC 4, K8NQO 4, W8GQD 2. (Sept.) K8QHII 150, W8ZYU 13, WE 6, K8PBE 3, W8DG 2.

HUDSON DIVISION

EASTERN NEW YORK—SCM, George W. Tracy, W2EFU—SEC; W2KGC, RMs; W2PLX and K2QJL, PAM; W2JG, Section nets; NYS on 3615 kc. at 0000 GMT; NYSPTEN on 3925 kc. at 2300 GMT; ESS on 3590 kc. at 2300 GMT; ALHT (Novice) on 3716 kc. Sat. at 1800 GMT. Endorsements: W2PHX as RM and ORS, W2AWF as EC and W2BAH as OES, October was auction month for the Albany and Schoenectady Clubs. Your SEC, W2LGC, and SCM, W2EUF, were guests of the Communications Club of New Rochelle Oct. 2. Our thanks for a fine evening. K2QJL is a student at Princeton. W2DVC is now living in Texas and signs W5PII. W2LCB reports a new 1st-class commercial phone ticket. K2YDO visited son K2YDD at school in Grand Rapids. Chairman of the Christmas Party for the Albany Club was W2AWF. The SET was very successful according to SEC W2KGC, who was loaded down with traffic from this section. Our apologies from the Nov. Activities Report; W2QEQ is EC for Pellhams while W2QEG is the NYL of K2SSN. W2HFT was speaker on troubleshooting receivers at the Albany Club meeting. W2AAO reports a new approach to obtain call-letter license plates, with success, we hope. It's nice to hear that K2ACB and K2CT have improved after being on the sick list. W2SZ, the R.P.L. Club, has power in the new shack so up goes the antenna farm. The club has classes for Novice, Technician, General and Extra Class. Congratulations to our young engineers in Troy. W2IRK has a new beam on 6 and a vertical on 20, 15 and 10 meters. W2VFW is a new Novice in Earleton. A new station on 6 meters is K2QQH in Clintondale. On 220 Mc., K2BGU is building gear for 432 Mc. Traffic: W2KUS 216, W2HGB 143, W2EFU 120, W2PKY 48, K2HNW 39, W2DRP 25, K2SJM 25, K2EJU 22, W2URP 21, W2PHX 20, W2IRK 2, K2LKI 2.

NEW YORK CITY AND LONG ISLAND—SCM, George V. Cooke, jr., W2OBC—SEC; W2ADO, RM; K2UFT, PAM; W2CGF, V.H.F. PAM; W2EW, Section nets; NLI, 3630 kc. at 0015 GMT nightly; NYC-TIPN, 3968 kc. at 2230 GMT nightly; V.H.F. Traffic Net, 145.8 Mc. at 0100 GMT Tue.-Wed.-Thurs. I wish to thank W2TUK for his cooperation and assistance during my hospitalization and recuperation in writing up this column and visiting with the section's various groups. It's good to be back on the job. BPL cards have gone out to K2UAT, K2TIG, W2GKZ for making it the hard way and to W2EW and W2EEN by origination plus deliveries. Newly elected officers of the Mohawk RC are W2HHT, pres.; K2TAQ, vice-pres.; K2HQR, secy.; and W2MGV, treas. K7LDN is now W2ATVE in Commack using a new Hornet beam and a Valiant squitter. The brand-new call issued the South Shore RC is W2WEA. 1962 officers of the Massapequa HS RC are W2ECP, pres.; W2CZG, vice-pres.; W2OUO, secy. W2EEN added a new HQ-180 to his set-up. W2GAF put up a 12AVS vertical 50 feet high. The Amateur Radio Society of City College is offering a nice certificate for working 5 operators in their station. W2IJ, W2JUG, W2AIKN and W2OIF are brothers in one family in Island Park. GKZ is enjoying a new tri-band quad on a new crank-up tower. W2OBN added a new TH-3 Tribander to the Ranger and worked 32 countries in 8 continents in 3 weeks. W2QJL is looking for additional stations to report in to the Q5 Net meeting daily on 8935 kc. at 2100 GMT to handle N.Y.C. traffic. W2KER requests all Nassau County 6-meter stations to check into the county 6-meter AREC Net, 2000 local time, on 50.25 Mc. Mon. PF now is residing in Manhattan and installed antennas on the roof 14 stories high.

(Continued on page 104)



= 3 ³/₄ WATTS PEP

Get more watts per dollar with



GONSET GSB-201 LINEAR AMPLIFIER!

Here's proof that the powerful 1500 watt† Gonset GSB-201 gives you greater value as well as top performance!

COMPARISON OF GONSET GSB-201 WITH 4 OTHER LEADING LINEAR AMPLIFIERS		
PEP		Watts per \$ of investment
1500 W.	GONSET GSB-201	3³/₄*
2000 W.	A	3 ¹ / ₄
1000 W.	B	3
1000 W.	C	2 ¹ / ₂
2000 W.	D	1 ¹ / ₄

*Even more watts per dollar in terms of output due to high efficiency.


†The Gonset Linear delivers a FULL GALLON of PEP output.

†P.E.P. Input is approximately twice average d.c. input.

This little powerhouse is compact, finished in attractive blending colors. It's powerful in all transmission modes, versatile, with full band-switching with pi network output for five bands.

Compare Gonset GSB-201 with other leading makes for watts per dollar of investment...proof positive it's your best buy!

GONSET
 DIVISION OF YOUNG SPRING & WIRE CORPORATION
 801 SOUTH MAIN STREET, BURBANK, CALIFORNIA




PRICE \$375.00

FOR THE ULTIMATE IN POWER... LPA-1 GROUNDED GRID LINEAR

Ready for a full kilowatt? Here's the power package for you. The B&W LPA-1 is new, skillfully engineered to give you *everything* you need in an amplifier. Two Type 813 beam power tetrodes, connected as high-mu triodes in a grounded grid circuit... flexible Pi-network output circuit with precise adjustment of tuning and loading 80 through 10 meters... smart, functional styling.

The LPA-1 takes no more space than a receiver, but what a difference it makes in your signal.



PRICE \$205.00

The LPS-1, a compact high voltage power supply for the LPA-1. Removable switching control panel lets you use it side by side or remotely. Heavy duty components for continuous operation... full wave single phase bridge rectifier using four Type 816 tubes... R.F. filtering.

Compact LPA-MU impedance matching unit for driver-exciter with fixed output impedance or marginal output. Couples to bandswitching Pi-network of LPA-1 for automatic input matching. Similar unit, LPA-MU-2 for B&W amplifiers L-1000-A and L-1001-A.



LPA-MU \$36.00
LPA-MU-2 \$36.50

See these new units at your
B&W dealer soon, or write
for color brochure.



Barker & Williamson, Inc.

Canal Street & Beaver Dam Road
Bristol, Penna.
P.O. 7530 Ad No. 1.17

After a two-year layoff K2KYS is back on the NLI Net and covering the east end of the island traffic-wise. WA2BJK announces the Town of North Hempstead C.D./AREC Net frequency has been changed to 146.82 Mc. while the RACES group remains at 147.21 Mc. WY2VVI is a new call in Westbury. WA2GJT built a new 4X250B final in a hi-fi cabinet (what else). *Advance news*: Watch out for rules and procedure of a new NYC-LI QSO Contest in the February issue of *QST*. Please start spreading the word around in order that it become a worthwhile endeavor. W2FGD now is located in Long Beach and became faculty advisor to the Lawrence HS RC, using the call K2ZNV. Ex-K2AFX now is known as K1MIA. WA2UGH is looking for MCW 6-meter contacts in the Massapequa Area. K2QVH vacationed in W6-Land and visited ex-K2JNE, now WA6MXR. Clubs in this section seeking information on the Hudson Amateur Radio Council should contact WA2JZH or W2TUK. It's important to join up now with a pending convention in '62 and a World's Fair Convention contemplated in '64. Your help will be needed. To assist in recruiting for the AREC/C.D./RACES groups in our section the following are the EC's in areas of our section: Bronx. W2DUP; Manhattan; K2JVB; Brooklyn; K2OVN; Richmond; W2VKK; Queens; W2LGG; Nassau; W2PT; Suffolk; W2KNA. K2JWT got quite a surprise; a general CQ on 144 Mc. resulted in a contact with VE1QY in Nova Scotia. After five years lay-off, W2HKF, is back on 2 meters and having the time of his life. May all amateurs in our section have the time of their lives by having a very happy hamming New Year in 1962. Traffic: (Oct.) K2UAT 1373, K2UBG 574, W2GKZ 549, WA2GPT 516, W2EW 331, K2UFT 230, WA2EFN 181, WA2BWO 164, WA2NCE 151, K2CMJ 77, WA2QAT 70, WA2NWS 50, K2THY 30, W2EC 21, K2P0 17, WA2OBN 17, K2KYS 12, WA2QJU 10, WA2KER 4, W2OME 4, W2PF 3, WA2RAQ 2. (Sept.) W2OME 6, W2DEQ 5, W2PF 3.

NORTHERN NEW JERSEY—Acting SCM, Daniel Earley, WA2APY—SEC: WA2APY, RM: K2VNL, PAM: K2SLG, V.H.F. PAM: K2KYR. Section nets: NJN daily at 0900 GMT on 3895 kc., NJPN Mon. through Sat. at 2300 GMT and Sun. at 1400 GMT on 3900 kc., N.J. 6 & 2 at 0400 GMT Thurs. and Sun. on 51.15 Mc. and at 0300 GMT Wed. and Sun. on 147.75 Mc. We must dispense with the presentation of routine activities this one month in view of the necessary and unexpected change in our leadership. Routine activity reports will be welcomed by the Acting SCM (address page 6) until the outcome of an election now in progress can be made.

John "Sparks" Remesz, K2MJJ

Our entire ARRL Section as well as his society, the Bayonne Amateur Radio Club, mourns the loss of an enthusiastic leader and fine operator. He died as the result of a motorcycle accident. As our SCM he held Extra Class and commercial tickets. An honor student, he was a senior at Newark College of Engineering specializing in electronics. He set a fine example in our traffic nets, took full part in our NNJ QSO Party and major national activities and at 21 held certificate awards too numerous to recount.

—W2GKE.

MIDWEST DIVISION

IOWA—SCM, Dennis Burke, WONTB. Asst. SCM: Russell B. Marquis, BDR. SEC: KOEXN, PAM: PZO. RM: DUA. Mrs. Russell Marquis (Tina), wife of our former SCM died Oct. 16. She was an inspiration to all who knew her and was my most unforgettable person. New officers of the SUARC are WYG, pres.; KOJJI, vice-pres.; KOJUA, secy.-treas. Project OSCAR is making progress at Luther College at I.S.U. and tracking is operational at the home of KOKPG. Newton hams have tracked down and eliminated a bad case of QRN. The SET was a qualified success in this section but I would like to see greater participation. Iowa 160-meter men are cooperating with all other sections in trying to have the entire segment between 1800 and 2000 kc. restored to amateur service. Why not try for 1750 to 1800 kc. as well. Congratulations to KOs TGT and CKX, and WOs AAE and NCS on the fine records in the Sept. FMT. KOECK was top man. BDR was appointed Asst. SCM Nov. 1, Oct. net reports: 75-Meter Phone, QNI 1428, QTC 156, sessions 26; 160-Meter Phone, QNI 640, QTC 35, sessions 31. Late for Sept.: QNI 271, QTC 10, sessions 15. Traffic: (Oct.) WOLGG 2255, SCA 1327, DUA 503, CZ 285, KOMMS 175, WOPZO 158, NTB 150, KOEXN 105, WOYOZ 43, KOUAB 32.
(Continued on page 106)

How Mosley can help choose the antenna for you


in amateur, commercial and military communications systems

How can you select an antenna that you know is right for you? You can know for sure if you investigate before you invest. Asking other hams or other engineers which antenna they have used or recommend is a very effective way to investigate the relative merits of any antenna or antenna system.


Hams who own one of the famous Mosley line of amateur antennas will tell you that they perform as well, or better, than advertised. But after you have talked with other hams, see your distributor. He will be glad to explain the relative merits of such famous Mosley antennas as those shown on the right.

Electronic engineers, too, who have used one of Mosley's new line of commercial antennas will agree that they are built to the same high standards of engineering, material and workmanship as the world famous Mosley amateur antennas.


We will gladly supply the names of dozens of leading commercial, military and industrial organizations who have installed Mosley point-to-point antennas in standard configurations which are available "off the shelf" and "customized" antennas in HF and VHF ranges. Write our Government and Industrial Division for our new catalog "Antenna / Systems 1961 /62".




Bi-Directional
Vertical Ground
Plane



Yagi Six Element



Model TA-20-40



Model S-402




Look for this black and yellow decal in the windows of nearly 250 amateur and industrial electronic equipment dealers. These signs identify dealers who carry in stock the Mosley antenna for you.

Mosley Electronics, Inc.

4610 N. LINDBERGH BLVD., BRIDGETON, MISSOURI

NOW! TWO ANTENNAS IN ONE*

*another **FIRST** from **FINCO**



Patent RE 24,413
Other patents pending
6 & 2 Meter
Model No. A-62
Amateur Net A-62 \$33.00
Stacking Kit AS-62 \$2.19

The Only Single Feed Line
6 & 2 METER
COMBINATION YAGI ANTENNA

from **FINCO**

- Heavy Duty Square Aluminum Boom, 10 Ft. Long
- All Elements are Sleeve Reinforced and Completely Pre-assembled With "Snap-Out" Lock-Tite Brackets
- Boom Suspension Rods are Supplied Completely Pre-assembled, Ready To Be Snapped Into Upper End Of Mast

ON 2 METERS:

- 18 Elements
- 1—Folded Dipole Plus Special Phasing Stub
- 1—3 Element Collinear Reflector
- 4—3 Element Collinear Directors

ON 6 METERS:

- Full 4 Elements
- 1—Folded Dipole
- 1—Reflector
- 2—Directors



A5-4 6 Meter 4 Element
Amateur Net \$17.16
Stacking Kit AS-6 \$2.19



A2-10 2 Meter 10 Element
Amateur Net \$11.88
Stacking Kit AS-2 \$1.83



A1 1/4-10 1 1/4 Meter 10 Element
Amateur Net \$11.88
Stacking Kit AS-1 1/4 \$1.26

See Your **FINCO** Distributor
or write for Catalog 20-226 to:
THE FINNEY COMPANY

Dept. 21, 34 W. Interstate St., Bedford, Ohio

VHR 31, WOGO 24, KOEVC 23, POI 21, UAA 21, AFG 16, WOJJP 15, YDV 13, BTX 12, KOKAQ 12, GOT 11, VSV 11, WOEFG 9, FDM 8, IO 7, UHO 5, KOEJN 4, WUR 4, WVK 4, QKD 2, WONWX 1, (Sept.) KOMMS 102, JJP 25, VKT 22, UAA 12, WOBTX 10, KOVHR 10, WOHNE 5.

KANSAS—SCM, Raymond E. Baker, W0FNS—Asst. SEC; KOEMB, RM; QGG, PAM; KOEFL, V.H.F./PAM; HAJ, KPN meets on 3920 kc. Mon., Wed., Fri. at 1245Z, Sun. at 1400Z, NCSS KOQKS, FIU, ORB, IFR; QNS 552, high 53, low 18, average 30.6; QTC 111, high 14, low 0, average 6.2 QKS meets daily on 3610 kc. at 0030Z and had 31 sessions, QNS 238, high 11, low 4, average 7.68; QTC 156, high 17, low 0, average 5.0; NCSS KOBXF, BYV, FNS, IFR, QGG, RIF and TOL. The Kansas Jayhawk YL Net meets on 3940 kc. Tue. at 1530Z, Sun. at 2200Z, KOHEU mgr. The KSN Weather Net meets on 3925 kc. at 0017Z Mon. through Sat.; KOEMB Mgr. EMB has been appointed Asst. SEC in charge of the Kansas Weather Net. The Henry Leavenworth ARC elected RFU, pres.; 6RXN, vice-pres.; KOMAC, secy.; KOBLH, treas.; KOYSL, program. The club is KOYGV and the club is located at Fort Leavenworth and has a BC-610-E and Wilcox transmitters. KOHIM advises that the Kansas U. ARC now is active with a pair of 813s 80 through 10 meters, phone and c.w. An ORS appointment has been made to HS and OPS and OBS to ALA. MXG got married. Good luck, Chuck. ICV, former Kansas SCM, stopped by Topeka on his way to warmer climes. QGG has submitted his resignation as Route Manager after five long hard years of mighty excellent work. Jim, we wish to thank you very much for your help. TOL, took over as Route Manager effective Dec. 1. We will appreciate all helping him to make QKS and keep it the best of c.w. nets. Traffic; (Oct.) WOOHJ 582, BXF 172, YRQ 163, FNS 95, ABJ 90, KOLHF 68, WOQGG 68, BFE 50, TOL 38, KOUPH 34, WOIFR 23, KOHVG 18, GQO 13, JWW 13, WOBBO 12, KOEFL 12, TCS 11, WOALA 10, KOJID 10, PSD 9, JAF 6, EMB 5, GIG 5, QKS 5, WOBSS 4, WFD 4, KOYBC 4, LPE 3, ZHO 1. (Sept.) KOHGI 277.

MISSOURI—SCM, C. O. Gosch, W0BUL—Net reports (Oct.) SMN (3550 kc., 2200 GMT 8n) 5 sessions; QNI 30; ATC 34; NCSSs OUD 4, KIK 1, MON (3550 kc., 0100 GMT T-8n) 26 sessions; QNI 141; QTC 176; NCSSs OUD 9, KOVPH 7, KIK 6, RTW 3, WFF 1, MoSB; (3885 kc., 2400 GMT, Tu-Th) 9 sessions; QNI 120; QTC 24; NCSSs OAIM 7, TPK 1, MKJ 1, MSN (3715 kc., 2200 GMT M-F) 21 sessions; QNI 81; QTC 78; NCSSs KN0GFA 7, KN0G0B, KOONK 5, KOVPH 4, MEN (3885 kc., 2400 GMT, MW) 14 sessions; QNI 422; QTC 325; NCSSs KOMMR, KOONK 5, KOVNB, OVV 1, OVV/BUL 2. Note that these reports include special sessions of all nets as activated for SET. The SEC and SCM wish to thank all participants for their excellent cooperation. Endorsements: OVV as PAM/MEN Mgr.; ORF as OPS. Cancellations: KORPH as OG (Cl. III & IV), KORPH as OPS, KIQ as OES, LFE V.H.F. PAM reports about equal activity on the 50-Mc. and 144-Mc. bands with a slight increase on 30 Mc. This activity seems centered as follows: 30 Mc. in Kansas City and the St. Louis Area; 144 Mc. around Springfield, Cape Girardeau, LaPlata and the Bowling-Green/Hannibal Area. Future plans include section wide formation of nets on these v.h.f. frequencies. KOBWQ has reinstated his repaired v.h.f. beam. KCG and GCL report activity in the CD Party. IFS reports activity on 220 Mc. along with KOABK and KOHW and occasionally QHL. KIK has received his 10000 Traffickers Club certificate. KOQCC and KOJC are attending Missouri U. Fellows, thus is your column we can report only those items which you send us! Traffic: KOONK 1291, WOANT 521, KOLTJ 459, VPH 153, WOMKJ 144, OAIM 119, KIK 114, OUD 107, ZLN 106, KORPH 69, IHA 67, AYB 49, RTW 48, BUL 45, KN0GFA 45, BYL 38, OVV 36, KOMMR 32, FPC 24, WOWAP 17, GBJ 9, PXE 9, DCR 7, EPI 4, VFP 4, WOKCG 3, W3ZEY/O 3.

NEBRASKA—SCM, Charles E. McNeel, W0EXP—SEC; KOTSU. Please send your AREC applications to our SEC, John Spahr, KOTSU, 705 West 28th St., Kearney, Nebr. The Nebraska Section C.W. Net, OKO as NC, reports 31 sessions, QNI 146, QTC 84. EQG reports the Nebraska 75-Meter Emergency Phone Net had QNI 833, QTC 40 formal and 101 informal, 100 per cent reporting VZJ. The Nebraska Morning Phone Net, KODGW as NC, reports QNI 662, QTC 96. The Western Nebraska Net, NIK as NC, reports QNI 662, QTC 490, 100 per cent reporting AHB, KOATE, KOBNQ, DVB, FJZ, OCU, OPP, RHH and KOTUH. Five mobile units helped the Alliance Police Patrol on Halloween. We of the Nebraska section wish to thank the Ak-Sar-Ben Radio Club at Omaha for the best Midwest Division Convention that has ever been held in this state.


(Continued on page 108)

just right—

"for your touch"...

NEW

**electronic
keyer**



- All-transistorized. Self-contained battery supply
- Adjustable "personal touch" ratio for dots/dashes
- Instantly adjustable speed range
- Pleasing sidetone signal with adjustable volume for monitoring or code practice


Someone had to do it—so Hammarlund did it! The new Hammarlund HK-1B Electronic Keyer represents the latest advance in electronic sending. Its distinctive "personal touch" control takes the "robot" feel out of your messages. Its wide range of speeds and versatility makes it ideal for expert and novice alike. See it and try it at your Hammarlund dealer now... you'll like what you find... Only **\$39.95** less battery Amateur net

*the returns are in...**

VOTED FIRST IN EACH CLASS...


for general coverage ...

...for amateur coverage



HQ-180

The superb 18-tube superheterodyne that offers professional performance in every mode of reception from .54 to 30 MCS. This is the receiver that is full of features for every operational trick in the book! Voted best by far! Only **\$429.00**



HQ-170

The one and only receiver offering so much for SSB and AM/MCW. Full coverage of 6, 10, 15, 20, 40, 80 and 160 meter bands. Voted most popular, most wanted receiver at any price. Only **\$379.00** Amateur net

*According to the latest independent survey.

WRITE FOR YOUR FREE COPY OF THE BRAND-NEW COMPLETE LINE CATALOG...



Established 1910

HAMMARLUND

MANUFACTURING COMPANY, INC.,
an affiliate of Telechrome

57 WEST 23rd STREET • NEW YORK 10, N. Y.



**INSIDE
TOWER**



**ON TOP
OF TOWER**



ONE POLE!

TALK ABOUT MOUNTABILITY!

Anyway you want to mount your antenna rotor, the HAM-M is the most versatile around! No special parts to buy! (Even the otherwise difficult inside tower mount can be accomplished with some angle iron and a hack saw) . . . Mountability like this is just one more reason why, at \$119.50 amateur net, you just can't top the HAM-M! Ask your local CDE Radiart Distributor for all details.



**CORNELL-
DUBILIER**

CORNELL-DUBILIER ELECTRONICS, DIV. OF FEDERAL
PACIFIC ELECTRIC CO., 50 PARIS ST., NEWARK 1, N. J.

Traffic: (Oct.) WOGGP 370, OKO 158, AHB 120, NYL 78, KOKJP 77, OCU 57, KODGW 54, WONIK 51, SJF 44, RIH 41, KOFBD 36, WOVUV 29, YFR 25, KOUWK 19, WOVZJ 16, KOTWS 14, WBOQ 12, LOD 11, KOMSS 10, SBP 10, WOVEA 10, EQG 8, KLB 8, UOV 8, SWG 7, CIW 6, GAT 6, LFJ 5, KQZEO 5, ELU 3, WOKFY 2, QKW 2, HOP 1, WKP 1. (Sept.) KOSBP 3.

NEW ENGLAND DIVISION

CONNECTICUT—SCM, Henry B. Sprague, jr., WICHR—SEC: EOR, RM: KYQ, H. F. PAM: YBH, V.H.F. PAM: FHP. See Dec. QST for traffic nets and skeds. BDI worked IIRF and GMIQL on RTTY. KIGUD will put his ham talents to work as Navy technician or radioman if he fails to make OCS. QV gave a talk to the Springfield, Mass. RC. KIJXG built a 6-meter rig for the Spiritan ARC. The Conn. Training Net (CTN) needs support. Here is an opportunity for newcomers to traffic to learn the ropes without pressure. Contact RPF, net manager, if interested. Sessions are held Sun. at 1400Z on 3640 kc. KYQ reports CN held 55 sessions handling 514 messages, with 31 early sessions handling 435 for a 14.1 average and a 12.8 attendance average; 24 late sessions handled 79 messages for a 3.3 average with a 3.5 attendance average. High QNI were ROX, RFJ and KIFJ. ZGO and his XYL, KISUZ, moved to Weston and both are active on 6 and 2 meters. IOH is on sea duty. IOH works s.s.b. with a GSB-100. KITSM is very active in Waterford c.d. work and will be on 40 meters soon. KIHNT needs a receiver. Waterford's c.d. drill produced seven mobile units, including visitors TSL, NAC and KIQDS. HHK is using the Command twins for 80 meter mobile. NTH had trouble with his Matchbox. OBR will pack a 500-watt wallon soon. VW had an error of *two tenths* of a part per million in the Sept. PMT. How close can you get? Others participating were QJR, PHT and KIHTV. KURO is back in the traffic swing again. BNB is trying CHR's DX-35 modification. AGS has moved to Weston and is happy to get his old call back. FVV is trying out a 6-meter G-50 for home use. FFW has been busy visiting clubs. PRT reports that the Bloomfield ARC has been assigned the call CWA in memory of the late Donald Clark. The club is dedicated to AREC and RACES. YBH advises that CPN had 31 sessions handling 246 messages for an average of 8. Daily attendance averaged 25 with 80 per cent or higher attendance by K1s DGK, MBA, AQE, PPF, BSB and Wis DAV, YBH, VQH and ETF. FHP vacationed in the South with 10-, 6- and 2-meter mobile with 6 meters most active. The CQRC is working on 220-Mc. gear planned and designed by JLL. Reports received: OES from K1PKQ and FVV; OO from EQV, VW and K1FJ. New appointments: ZGO and K1s TRJ, PTK as OESs; HAX, GEA and K1PFP as RCs; KURO, K1QCR as ORSs; K1s DGK and MVQ as OPSs; ZGO as OO, WPR renewed as ORS. Traffic: W1KYQ 470, AW 365, K1MZM 263, W1BDI 245, RZG 172, K1FJ 152, W1YBY 139, K1JAD 108, GGG 98, W1QBR 72, NTH 67, K1AEG 62, W1ROX 55, K1PQS 53, PPF 43, WICHR 38, FHP 36, RFJ 31, K1DCK 25, W1KUO 20, K1PRW 20, W1QV 19, K1MBA 17, W1BNB 16, K1PUG 14, MVQ 13, W1CUH 10, K1EIC 8, W1LV 6, K1BSB 5.

MAINE—SCM, Albert C. Hodson, W1BCB—Fall activity increased on all bands with more traffic on the nets. Your SEC, GRG, reported good response on the SET and has visited with clubs and other groups to stimulate interest in the AREC. Many more AREC members are needed to fill out some areas of the state so any who are interested should send forms to the EC or SEC. KISCY and K1OPN have mobiles going. K1GAX has gone s.s.b. with a Pacemaker. ISO soon will plate-modulate the DX-60. GRG has a TH3 tri-bander. K1MBM made 117,490 points in the C.W. CD Contest and is 1RN representative for the Eastern Area. K1ADY has gone from Cadillac to Renault and is trying to find space for his mobile rig. Not many news items were sent in this time so if you have any information about new amateurs or activities just drop your SCM a card so he can keep all up to date. The PAWA has been meeting in the Portland Boys Club so come on in you old-timers and look the place over. BRU, IZS, PTL, K1AQO and K1GPP are working into Maine daily from Florida and hope 10 and 15 meters stay open this winter. Season's Greetings from your SCM. Traffic: K1MBM 300, W1GRG 150, K1IMI 62, W1ISO 26, K1BZD 15, MDM 14, W1UY 9, YA 7, K1RQE 6, OJH 5.

EASTERN MASSACHUSETTS—SCM, Frank L. Baker, jr., W1ALP—AOG is our EC. New appointments: FXW Peabody as EC, PZJ and FRR as OOs. Heard on 75 meters: K1PPP. Our Eastern Mass. 75 Phone Net is now on 3842 kc. at 1730 (2230). K1TXX, ex-WOETN, is in North Quincy. K1SKP is ex-11VT on 2 meters in Billerica. Heard on 2 meters: 1ET, HOM,

(Continued on page 110)



EQUATION: $1+1=2$ (or more!)

Why does an RME 6900 receiver in the field seem to consistently outperform the specifications obtained in the laboratory? Because this receiver extends your own abilities beyond their normal limits... limits imposed by other receivers. When you *add* the RME 6900, you actually *multiply* your effectiveness... instantly.

When you first meet the RME 6900, you are immediately aware that this is a new experience in amateur radio reception. Controls are arranged functionally — come naturally to hand. Every control feels solid and "right"... almost seems to come alive under your sensitive touch.

And you know intuitively that behind the panel is the superb engineering and workmanship that only a proud heritage of amateur radio leadership can produce. Leadership not tied to tradition... able to create a new level of performance without the penalty of high price.

Innovations, such as the now-famous Modemaster function selector, free you from the routine mechanics of receiver adjustment... let you fully reach your ultimate operating skill. Witness the all-time high ARRL Sweepstakes CW score (259,424) achieved by W9I0P, with the help of a brand-new RME 6900!

We urge you to read and compare the specifications of the RME 6900... they're good! But don't stop there. Be sure to test the RME 6900 where it really counts... on the air. It'll be the easiest thing you ever did!



RME®

RADIO MANUFACTURING
ENGINEERS

DIVISION OF ELECTRO-VOICE INC. BUCHANAN, MICHIGAN

RME Division, Dept. 128Q
Electro-Voice, Inc., Buchanan, Michigan
Please send me catalog information and list of distributors
featuring the RME 6900.

Name _____

Address _____

City _____ State _____

a word from
Ward, W2FEU



WARD J. HINKLE

“Xilka, Xilka,
Besa, Besa,
75S-3, 75S-3...”



This is an ancient and medieval incantation used by sorcerers, witches and other practitioners of the Black Arts to summon mystical assistance when things went wrong.

Back in the Middle Ages, spells, incantations and magic potions were credited with a great deal of power.

Naturally, in this modern day we kind of snicker at this sort of nonsense.

But you'll actually doubt your senses when you first flip the switch of the new, versatile Collins 75S-3 receiver.

It's almost like Black Magic!

The sharpest selectivity available in any of three modes — SSB, CW and RTTY. AM reception provided and may be sharpened by the installation of an optional 3.1, 4.0 or 6.0 kc Mechanical Filter. Other features? Rejection tuning, AGC control, spinner tuning knob, and more and more.

The 75S-3 combines all Collins' proven qualities in design, engineering and workmanship with unexcelled frequency stability.

Sit down now and write me a post card. Let me tell you all about this remarkable receiver. And you tell me all about the equipment you have outgrown or are just plain tired of. Let's get together and see what we can work out. I'll bet you anything that you'll be tuning in the 75S-3 in your ham shack in short order.

This latest addition to the famous Collins S/Line of amateur equipment is something you can't afford to miss.

Send along that post card today. I'll be looking for it.

Sincerely,

Ward J. Hinkle W2FEU

Before you buy or trade, wire, write, call
or drop in to see WARD, W2FEU

Be Sure to Write for Our Latest Used List

ADIRONDACK RADIO SUPPLY

185-191 W. Main St., Amsterdam, N. Y.
Phone: Victor 2-8350 Ward J. Hinkle, Owner

YHM, AWO, K1s JOC PLU, GCN, KEC, KSP, QWF, KN1s RZL and QLA. UIR is feeling better and is back on our nets on 75 and 2 meters. DDV worked VE3CUA on 6 meters and 2KI on c.w. 15M75PN had 493 check-ins, 252 traffic, 31 sessions. BGW took part in the RTTY World Wide SS Contest. Sorry to report the death of HM. KIJGX has a new operating desk which he designed. WEJ was in the hospital. The 2200 Net, on 50.65 Mc., is going strong with code on 6 meters. KIPSJ is manager while K1LCQ is in Connecticut. NF is busy with OO work. EHT took a trip to San Diego. HJP and MEG are on 3620-ke. RTTY. 1 met WIGA-KIGA in person after 30 years or so; he is on 20-meter s.s.b. BYL has a new vertical antenna. HX spoke at the QRA meeting on D.X. KITQJ, Lexington, has a Ranger 2 and a Gonset 6-63 receiver. K1NTS has a new QTH and will be on 6 meters. The King Philip ARS, K1OOR, was up on Mt. Greylock for the V.H.F. Contest. K1MYN is busy at school. The Framingham Club held a transmitter hunt-cookout and SSN spoke on s.s.b. The Braintree, Weymouth, Dedham and Wayland c.d. groups were out on Halloween duty. Officers of the Wayland Radio Club are EHT, pres.; QQT, vice-pres.; K1AKU, secy.-treas. The club meets the 1st and 3rd Thurs. in the C.D. Room, Town Hall, Wayland. HWE recently had his 71st birthday. Lexington High School RC, K1JMQ, has new officers: K1QBU pres.; Ed Frost, vice-pres.; K1MJS, secy.-treas. NSZ, Groton, is c.d. comm. director and is on all bands. The EM2M Net held 22 sessions, with 315 check-ins and 174 traffic. Ex-K1GVR is now WA6TLY. K1JER is in the A.F. in Germany. MOG is working with OFK. K1SLZ is on 2 and 6 meters. QXX went to the V.H.F. Roundup at Syracuse. The Mass. V.H.F. Society held a meeting in Waltham. DEI gave a talk. K1NGJ is on several bands on Nantucket. K1IZM is doing some building. SS is central control for the Satellite Net, which meets Tue. at 1800 on 3820 kc. It covers the New England states, New York and Canada. K1TJW has a Valiant, an NC-303 and a Hornet beam. BGW, K1LZM, WAJ, K1DIT, AYG, EHT, PXH, K1LJK, JSS and PLJ took part in the Sept. PMT. K1TON is new in Melrose. K3GAD/1 is at Otis AFB. K1KBO is in the Mike Farad Net on 7238 kc. at 1700Z. DBY says the Chelmsford Club will have a new meeting place. EFW presented the affiliation charter to the Nortronics ARC K1TJD, at a banquet. EAE and ALP also were there. The Easetrn Mass. Phone (75) Net held a meeting at KBN's, thanks to K1KED, to talk things over and certificates were given out. Guests were 2OE, IEFW, IIQ and TA. Appointments endorsed: SS as ORS/OPS; SS Lincoln, YYY Randolph, BB Winthrop, VYS Weston, as ECS; BB and GOU as OOs; EUJ and K1MYN as OESs. K1MYN has a new son. The Yankee Radio Club held a meeting and had a telephone co. film. The club now meets at the Moose Hall in Salem. HLP is home again after being away for two years in the Central Pacific and using a KX6 call. VQX is a Silent Key. Traffic: (Oct.) W1EMG 309, DF5 146, EAE 136, UIR 103, PEX 86, K1DIO 66, W1OFK 65, DOM 42, ZSS 36, K1QNG 33, W1AOG 29, K1KBO 29, W1SIV 25, K1GTX 18, QNZ 17, GKA 13, W1VYS 13, K1QOG 9. (Sept.) K1MEM 19, W1DDV 9, K1KBO 5.

WESTERN MASSACHUSETTS—SCM, Percy C. Noble, W1BVR—SEC: BYH/K1APR. RM: K1JVV. PAM: DNS. Apparently the Massachusetts Phone Net problems have finally been solved to the satisfaction of most everyone concerned. We now have our separate nets operating, East, Mass. and West, Mass. FAB has been busy moving his equipment from one room to another. K1MKD and K1OGG are operating mobile 6-meter equipment (mobile by bicycle that is!) K1GCV is an operator at the Clarkson College station. 2TAB, using a DX-100 into a TA-33 beam. The West, Mass. C.W. Net (W1MN on 3500 kc) cleared 81 messages during October in 26 sessions. West, Mass. still is maintaining 100 per cent attendance on the First Region Net. L1W has a new Drake receiver. K1MAL has a new tribander. Ditto QXV. W1AGL is planning a tunnel from his garage to the hamshack so the XYL won't see the new equipment being brought in! Mt. Greylock played host to a number of hill-toppers during the summer and fall. WF, COL, GKK and AZW attended the North East DX Assn. Dinner at Albany. ARX became the proud papa of a new jr. operator Oct. 19. Congrats. AZW worked plenty of DX on 7 Mc. during October still using his 30 watts. K1JGW and CPN are active in organizing the Hinsdale C.D. setup. Berkshire County boasts over 35 hams on 6 meters. Could be more, eh? GKK, manager of the W1-K1 QSL Bureau, told of his experiences at the October meeting of the Berkshire County Amateur Radio Assn. Among points of interest was the fact that one prominent DXer has over 2000 QSLs at the bureau but refuses to claim them. Guess it takes all kinds to make the world. Thanks to Zero Beat and Random Scatter for most of the above news. Traffic: W1LDE

(Continued on page 112)

WINNERS

hy-gain

Operation Skyhook

CONTEST

1ST PRIZE

Complete Antenna System

TH-4 Tribander, 402-B 40 Meter Beam, RBX-1 Rotobrake, 2 BD 40 & 80 Meter Doublet & the 50-500 MC Discone.

Thomas R. Bacon—W60HE, 1167 E. 23rd St., San Bernardino 9, Calif., Mission Ham Supplies, Riverside.

2nd — Hy-Gain 20 & 40 Meter Duobander.

Roger H. Parker—W6JAI, Thousand Oaks, Calif.

3rd — Hy-Gain All Band Hy-Tower Vertical.

Don W. Richards—W7UPF, Tucson, Ariz.

4th — Hy-Gain TH-4 Thunderbird Tribander.

B. M. McVicar—VE6ABB, Calgary, Alberta, Canada.

5th through 30th—W4USQ, K0RIE, W2LFB, KH6AHZ, W0CHV, K0TGM, K3NKD, W4GEF/V01, W4GNZX, K8RKO, K3PRE, WA2DKG, K8DHX, W4NTI, W7MKW, K9QWQ, W9UQR, WA2IKL, HB9EC, YV3BS, W9YEV, K9SHK, K3GBZ, W9BOL, K9WJU, W8MQA.



antenna products

1135 No. 22nd St.

Lincoln, Nebr.

"World's Largest Manufacturer of Amateur Communications Antennas"

**NOW...
A SMOOTH ACTION
40 FT. CRANK-UP TOWER
YOU CAN AFFORD**

**SIMPLE TO INSTALL
NO EXTRAS NEEDED**

**A HEAVY DUTY
QUALITY BUILT TOWER**

Using 1 1/8" O. D. heavy gauge welded steel tubing and 1 1/8" x 1/8" flat bar stock supports.

Electric welded throughout. Double coated aluminum spray painted.

HEADMOUNT

Extra heavy electric welded pipe. Just bolt your rotor and beam to mast.

**WORLD'S
FINEST**

**SUPREME
AMATEUR
TOWERS**

Safety locks tower in desired position on heavy steel pads. Smooth action cranks up, cranks down on heavy steel channel guides.

Heavy duty crank assembly using 3/8" cable.

\$99.50
Model 40 AM-NET F.O.B. PLANT

ONLY

Tilts over on heavy base plate for access to motor and array.

Buy direct from manufacturer
Send check or money order to

**SUPREME
ELECTRONICS
INC.
FRONT & MAIN STREETS
UPLAND, PENNA.**

487, K1IJV 152, LBB 90, W1BVR 73, YXB 41, FAB 6, DVW 4, K1JQT 4.

NEW HAMPSHIRE—SCM, Ellis F. Miller, W1HQ—SEC: K1GQK, PAM: KVG, RM: KIITS, GSPN meets Mon. through Fri. at 2400 and Sun. at 1430 on 3842 kc. CNEN meets Mon. through Sat. at 1145 on 3842 kc. NHN meets Mon. through Sat. at 2330 on 3685 kc. Appointments: KNITGZ as OES and IJB as OI. Endorsements: RMH as OO and OES, K1BCS as OPS and ORS, K1MID as OPS. The SET alert on Oct. 7, ably conducted by our SEC, K1GQK, involved Merrimack, Hillsboro and Rockingham Counties. Howard reports excellent success and a proposed continuation of SET on a periodic basis. The AREC Net meets on 50.820 Mc. Those on 6 meters, please take note. This is a very interesting and instructive activity. Mark Jan. 27, 1962 on your calendar. The Thirteenth N.H. QSO Party will be held on that date. Because of a work schedule KVG has had to resign as PAM. Thanks for a fine job, Tom. Watch for announcement of a new PAM appointee. K1CIG has incorporated his shack into a fallout shelter. It may be the first in New England. Traffic: W1TA 97, K1BCS 66, W1QJG 62, PFU 47, K1CQH 18, HQ 17, KVG 16, YMJ 11, K1JDN 10, EEN 5, W1JNC 5, PBE 2, KNITMD 1.

**THIRTEENTH NEW HAMPSHIRE
QSO PARTY**

January 27-28, 1962

The Concord (N. H.) Brasspounders, W1OC, announce their sponsorship of the Thirteenth New Hampshire QSO Party, and cordially invite all interested radio amateurs to participate. Here are the details:

(1) Contest period: Saturday, January 27, 2300 GMT to Sunday, January 28, 2300 GMT.

(2) No time limit and no power restrictions.

(3) Scoring: N. H. stations count 1 point for each N. H. contact, plus 2 points per outside contact; stations outside the state count 2 points per N. H. contact; both multiply by the number of counties worked (10 maximum).

(4) Engraved certificates will be issued to all participants reporting, with special endorsements for the highest-scoring stations, both in N. H. and outside, in the phone and c.w. categories. Single operator stations only are eligible for the special endorsements.

(5) The same station may be worked for additional credit on more than one band, phone or c. w. suggested frequencies are 3550 3842 7050 7220 14,100 14,250 21,075 21,350 28,100 and 28,800 kc., 50.4 and 145 Mc.

(6) General call: "CQ NH" on c.w.; "CQ NH QSO Party" on phone. N. H. stations are requested to sign *de W1-NH K*.

(7) Contact information required: Report and QTH (including county of N. H. stations) and number of QSO. Those operators participating in both the c.w. and phone categories must submit separate logs for each mode of operation. Each log shall be scored separately based on the number of contacts and counties worked in each mode. Logs and scores must be postmarked not later than Feb. 15, 1962, and should be mailed to the Concord Brasspounders, P.O. Box 339, Concord, N. H.

(8) The WNH (Worked New Hampshire) certificates will be awarded to stations working all ten counties during this QSO Party, participating logs confirming. Detailed requirements for the WNH certificate, a standing award, may be obtained by writing the club.

RHODE ISLAND—SCM, John E. Johnson, K1AAV—SEC: PAZ, RM: SMU, PAM: TXL, RISPEN reports: 30 sessions, 382 QNI, 55 traffic. The AQ Club of Rumford has a change in the rules for the WRI certificate. Contacts now may be mixed-mode instead of only all A-1 or A-3. The remainder of the rules remain the same. Club member K1QE received his General Class ticket. The NCRC of Newport reports member AJR making 400-mile contacts on 220 and 435 Mc. K4OLC was elected a new member. K5FUI/1 is a new member of the Newport County Emergency Net. The Hope H. S. Radio Club of Providence, K1TJO, held its first election with the following results: K1PYO, pres.; KNIQX, vice-pres.; Theodore Grossman, treas.; and David Caswell, secy. Mr. Robert Gurnham is the club's advisor. The club operates presently on 80 and 40 meters but plans for


(Continued on page 114)

your choice of 2 GREAT **EICO**[®] TRANSMITTERS...

designed
by Hams...
for Hams...



to the highest
Ham standards



**90-WATT
CW TRANSMITTER* #720**
Kit \$79.95 Wired \$119.95
*U.S. Pat. #D-184,776
"Top quality"—ELECTRONIC
KITS GUIDE

Ideal for veteran or novice.
"Clean" 90W CW, 65W AM-
phone with EXT plate modu-
lation. 80 through 10 meters.

**60-WATT
CW TRANSMITTER #723**
Kit \$49.95 Wired \$79.95

"Compact; well-planned lay-
out. Clean-sounding, abso-
lutely hum-free carrier;
stable."—ELECTRONICS
WORLD.

Perfect for novice or ad-
vanced ham needing low-
power standby rig. "Clean"
60W CW, 50W AM-phone with
EXT plate modulation. 80
through 10 meters.



TRANSISTOR CODE PRACTICE OSCILLATOR #706



Complete with battery
Select variable
tone, flashing light,
or both together.
Phone jack for private
use. Efficient speaker:
clean loud signals.

Kit \$8.95 Wired \$12.95

New! CITIZENS BAND WALKIE-TALKIE #740



Complete with re-
chargeable battery
and charger. 9 tran-
sistors, 1 diode. Full
superhet. U.S. made.

Kit \$54.95
Wired \$79.95

CITIZENS BAND TRANSCIVERS



Superhet; pre-
aligned xmitter
osc; match dif-
ferent antennas

by variable "pi" network. Single
& multi-channel models.
From Kit \$59.95 Wired \$89.95

HIGH-LEVEL UNIVERSAL MODULATOR- DRIVER #730



Delivers 50W undistorted audio
for phone operation. Can plate-modu-
late transmitters having RF inputs
up to 100W. Unique over-modu-
lation indicator. Cover E-5 \$4.50.

Kit \$49.95 Wired \$79.95

GRID DIP METER #710



Includes complete set of coils
for full band coverage. Continu-
ous coverage 400 kc to 250 mc.
500 ua meter.

Kit \$29.95 Wired \$49.95

PEAK-TO-PEAK VTVM #232 & exclusive *UNI-PROBE[®]



Kit \$29.95
Wired \$49.95

VACUUM TUBE VOLTMETER #221
Kit \$25.95 Wired \$39.95

*U.S. Pat. No. 2,790,051


DC-5MC LAB & TV 5" OSCILSCOPE #460



Kit \$79.95
Wired \$129.50


5" PUSH-PULL OSCILSCOPE #425
Kit \$44.95 Wired \$79.95

DYNAMIC CONDUCTANCE TUBE & TRANSISTOR TESTER #666



Kit \$69.95
TUBE TESTER #625
Kit \$34.95 Wired \$49.95

RF SIGNAL GENERATOR #324



(150kc-435mc)
Kit \$26.95
Wired \$39.95

TV-FM SWEEP GENERATOR
& MARKER #368
Kit \$69.95 Wired \$119.95



ELECTRONIC INSTRUMENT CO., INC.
3300 NO. BLVD., L.I.C. 1, N. Y.

Export Dept., Roburn Agencies, Inc.
431 Greenwich St., N. Y. 13, N. Y.

EICO, 3300 N. Blvd., L.I.C. 1, N. Y.

Send free Catalog & name of
neighborhood distributor.

Send free "Short Course for
Novice License." Send
36-page STEREO HI-FI GUIDE:
25c enclosed for postage
& handling.

Name..... QS-1


Address.....

City..... Zone..... State.....

Add 5% in the West.

ENGINEERS: Excellent career opportunities in creative electronics design. Write to the Chief Engineer.

**BE AMONG
THE FIRST TO
OWN ONE!**



**COLLINS
NEW 75S-3
RECEIVER**

**Superior Performance
for SSB, CW and RTTY**

The 75S-3 combines all COLLINS' proven qualities in design, engineering and workmanship with unexcelled frequency stability and these other features: Rejection Tuning, Choice of Variable or Crystal BFO, 200 CPS Crystal Filter, 2.1 KC Mechanical Filter, AGC Control, Spinner Tuning Knob and Concentric RF/AF Gain Controls.

10% down \$62 (\$620)

Order Today for Scheduled Delivery
from Hamateur Headquarters.

THE Lew & Bonn co.

Distributors of Nationally Known Amateur Equipment

Dept. QS-1 1211 La Salle, Minneapolis 3, Minn.

Call, write or use coupon

Attn: Joe Hotch KØUFE Federal 9-6351

Place my order for scheduled delivery.
Enclosed find \$_____

Send complete specifications on Collins 75S-3.

Name _____ Call letters _____

Address _____

City _____ Zone _____ State _____

the tuture call for a 150-watt transmitter for all bands. TXL has built a new 6-meter converter. K1LPL has completed a 150-watt transmitter for 80-6 meters. K1KDI has worked the Midwest with his "Sixer." K1OGZ passed the Tech. Class exam. K1JYO now has his 6N2 in operation. K1EGH and his roommate, CMII, are operating from the U. of R.I. Traffic: W1SMU 501, TXL 291, K1NEF 110, DZX 33, PZY 23, GRA 21, JOD 10, GRC 7, AAV 5, DUR 5, PNT 5.

VERMONT—SCM, Miss Harriet Proctor, W1EIB—SEC: K1DQB, PAM: HRG, RM: KRV. Officers of Middlebury Mike & Key Club for 1962 are K1DQB, pres.; K1KBL, vice-pres.; K1BDA, secy.; George Harvey, treas.; TFB, act. mgr. The SCM met with a group in the St. Albans Area to discuss public service activities and amateur club activities. K1GXC, formerly of Burlington, has been in West Haven, Conn., since leaving our section. VT. SCM certificate No. 1 goes to K1LJL and No. 2 to K1LEC. EIB is now mobile on 2 meters. Each amateur might well keep his station in top condition in case it should be needed for extraordinary use within the hour. Those whose stations cannot be effective might arrange to be a relay operator at another station.

NORTHWESTERN DIVISION

ALASKA—John P. Trent, KL7DG—Interest in the bunny hunts in the Anchorage Area has risen to new heights. There have been 6 hunts with PJ and AUV two hunts, AQU and DQT one hunt, leaving BZO and CDG three to their credit. There is a very nice trophy awaiting the winner. With all the work those bunnies go to stringing antennas out for miles NLC editor BLL thinks they are the sneakiest bunnies she ever did see. AQU is the talk of the town after looking in every nook and corner of BZO's house, trying to find the bunny. Much to his dismay the bunny was one mile away. Thanks to BPE for the use of his house. The following participated in the six bunny hunts: CQS, DQL, DRJ, CLY, W3YH, JBW, BJW, AQE, PJ, BLL, DQT and AUV. CQS, CLY, CDG, CLA and BZO are attending the FAA Radiological Monitoring School now in session for the purpose of measuring radiation and understanding the problems of fallout in order to pass this information on to other persons. BGH is one of the instructors of this class. BZO sent in the above for the SCM.

IDAHO—SCM, Mrs. Helen M. Maillet, W7GGV—A new net has started in our state. Employees of Uncle Sam's Post Office meet on 3900 kc. at 1830 MST Mon. through Fri. The Gem State Net, 3580 kc., 2000 MST, needs check-ins from Western Idaho. K7HLR solicits news from clubs and groups for the publication *HAM-BONE*, which could appear bi-monthly with your help. Ray also prints QSLs. It was good to hear activity by ECs and the AREC during the NET. A state-sponsored c.d. drill Oct. 10 found DHL, RKT, DWE, DPD, GGV, OA and K7OAL cooperating with communications. K7OAL teaches code to Explorer Scouts. KXJ took the Extra Class exam. HAU, K7MINZ and K7OAL are putting up new beams. OAH has a new transmitter of his own design on the air. Helen, EQQ, had a Foreign Exchange student from Ireland as a house guest. UKH was written up in the company's publication with pictures of ham gear and DX activities. The FARM Net, reports 470 check-ins, 22 sessions and 57 pieces of traffic handled. Traffic: K7HLR 94, KBY 49, W7VQC 18, EQQ 11, GGV 8, UKH 2, IY 1.

MONTANA—SCM, Ray Woods, W7SFK—SEC:BOZ. PAM: YHS, RM: K7AEZ. The MPN meets M-W-T on 3910 kc. at 1800 hours. The MSN meets T-T-S at 1830 hours on 3530 kc. TSN is meeting again at 2400 hours on 7230 kc. UPR is on a trip to California. K7MEG is heard from Havre. Director CPY is in Arizona for the winter. K7KJH has a new receiver, we hear. K7JX and EEO are working on teletype rigs. We regret to report the passing of EEL, of Missoula. New Harlo Radio Club officers are RZY, pres.; SZB, vice-pres.; K7CHA, act. mgr.; TGM, secy.-treas. New appointments: IOA as EC. K7NHV as ORS, K7MFA as OES. EKB is on with a big signal. LBK is working on an RTTY setup. The Laurel Radio Club's officers are K7LSX, pres.; K7JAT, vice-pres.; K7MOW, secy.; LBK, program chairman. The club has 14 members. The Missoula amateurs helped the law with their Goblin Patrol again this year. K7KOK is a new ham in Bozeman, from Arizona. Bob's other calls sound like something out of a DX'er's dream. K7NHV and LGV are both getting new Drake receivers. K7JKZ is the new secretary of the Electric City Radio Club. K7DGV has a new Valiant. Look for the hams at Laurel. There are more of them than I can list and they are real active. Traffic: K7EWZ 90, LDZ 59, NHV 47, W7TVX 37, K7JKZ 6, W7COH 3, FIS 2.

(Continued on page 118)

FREE



INTERNATIONAL 1962 CATALOG

*... your buying
guide for precision
radio crystals
and quality
electronic
equipment ...*

- Amateur Crystals
- Commercial Crystals
- Citizens Band Crystals
- Transmitters
- Oscillators
- Converters
- Transistor Subassemblies
- Power Supplies
- Citizens Band Transceivers
- Citizens Band Antennas/Accessories

AMATEURS • EXPERIMENTERS • CITIZENS LICENSEES


Mail today for your FREE copy of International's 1962 complete catalog.

**INTERNATIONAL
CRYSTAL MFG. CO. INC.**

18 NORTH LEE — OKLA. CITY, OKLA.

.....
 International Crystal Mfg. Co., Inc.
 18 North Lee, Oklahoma City, Okla. T2
 Please rush FREE 1962 International Catalog.
 NAME.....
 Please Print
 ADDRESS.....
 CITY..... ZONE..... STATE.....

NEW FEATURE-PACKED TRANSMITTER



CT-120

combines real operating convenience and dependability with the high performance usually associated with more costly equipment.

Expressly designed for the amateur who wants a complete general-purpose transmitter in a single, easy-to-operate package, the CT-120 provides all the most important features at a truly economical price.

FEATURES

- Completely self-contained, including VFO and power supply (115 vac)
- Single-knob band-switching on 10-15-20-40-80 meter bands
- Plate power input: 120 watts CW; 80 watts Phone (AM)
- Time-proven reliable 807's parallel final amplifier
- High-efficiency screen modulation
- Oscillator cathode keying with clamp-tube key-up protection
- Temperature-compensated VFO accurately calibrated on all five bands. VFO/three-crystal selector switch
- Pi-network output matches 30- to 600-ohm loads
- Built with high-quality, conservatively-rated components
- Functional panel layout provides maximum operating convenience
- Cabinet Dimensions: 15 3/4" W x 8" H x 9 3/4" D.

ORDER DIRECT FROM FACTORY:

Amateur net price: \$189.00 f.o.b. Santa Clara, Calif., completely wired and tested, with tubes, less crystals, key, microphone. Shipping weight: 40 lbs. Complete descriptive literature available on request.

CRAFTRONICS

920 Shulman Ave. • Santa Clara, California

OREGON—SCM, Everett H. France, W7AJN—New appointments: ADR as OES, K7CJB as OBS for the AREC Net on 3875 kc. Certificate endorsements: ZB as ORS. A nice report was sent in by K7CNQ regarding the 6-meter AREC Net in Portland and vicinity. K7BZP now has a Mohawk receiver to match his Apache transmitter; he also raises bob white quail as an extra hobby. GUH, OO for Oregon, reports hearing phone stations in the c.w. portion of the 6-meter band and suggests they better look to what crystal is in the socket. ESJ reports stations on the 3800 and 1900 kc. low-power chain are K7CVX, K7EPH, K7NTS, K7IWD, AAI, DIE, MUS and UZU. MTW, manager of the Oregon State Net, reports sessions 22, attendance 170, traffic 64. HRAT awards went to MTW, ZFH and K7IWD. New Novices in the La Grande Area are KN7RBC, KN7QNS, KN7QVS and KN7RBE, who is the XYL of K7KZP. KN7NXX has dropped the "N," having passed the Conditional Class exam. K7JVN is now active on 6 meters. K7KTP sends in a nice report of his activities as OO for Oregon. The Affiliated Council of Radio Clubs met with CPY, ARRL Northwestern Division Director, regarding the National Convention to be held in Portland in Sept. 1962, and plans are well under way with various committees being formed. K7IMH is active on the 6-, 2- and 1 1/4-meter bands and has a 3CX100A5 on 432 Mc. GUH sends in a good report on the ARRL Frequency Measuring Test. Traffic: (Oct.) K7JVN 143, AXF 94, W7BDU 75, K7IWD 62, W7ZFH 61, K7KBP 57, W7MTW 38, EUG 22, DEM 16, AJN 11, K7EPH 10, CNZ 9, CNQ 3, W7ESJ 3, K7KTP 3. (Sept.) K7KCZ 21, W7GUH 10, ESJ 3.

WASHINGTON—SCM, Robert B. Thurston, W7PGY—SEC: HMQ, RM; AIB, PAM; LFA. Nets in the Washington Section are WSN, 3535 kc. at 0200Z; WARTS, 3970 kc. at 0130Z; CBN, 3960 kc. at 0230Z; and NSN, 3700 kc. at 0400Z. New officers of the Spokane Amateur Radio Club are K7AOZ pres.; LWX, vice-pres.; K7JXG, secy.; UOJ, treas.; H CJ, ZNN, K7s AFE, BEO and EVA, trustees. Meetings are held the 1st and 3rd Tue. of each month. K7PXV, formerly VE3BAR, received his U.S. Citizenship and K7 call in July. Bruce works for Boeing Aircraft and is active on WSN. Winners of the Tacoma Club hidden transmitter hunts for the season were K7NPG first and CZK and K7CZF in a dead heat tied for second place. UYL took home the trophy for the month of October in the pinochle games. The club also participated in the ARRL Sweepstakes as a club project. Officers of the Moses Lake High School Radio Club are K7MYR, pres.; K7MQA, act. mgr.; K7LXC, reporter; and K7OKE, treas. and business manager. KN7QMK passed the General Class exam. FHH is active in AREC and RACES. RGL now transmits Official Bulletins on 50.11 Mc. Mon. at 1930 PST and Wed., Fri., and Sat. at 2030 PST using m.c.w. CWN is QRL overhauling the kitchen. EBU also is QRL with siding on the QTH. PCB is back at Boeing's after a session in school of Tektronics. AWN is on 20-meter phone with a GSB-100. K7HST has a homebrew rig on 40 meters. K7APJ is attending Dartmouth College. IST is the new manager for the Evergreen State Net. ACA is on 160 meters and looking for QSOs. GHP ended the month by being called by LU1ZL near the South Pole and working him. ATB reports net attendance was normal on WSN but traffic was way down. He advises he worked 8 new countries. JEY is active on week ends from Bellingham. AMC is QRL building 6-meter gear. He has the "Sixer" completed. K7CWO is waiting for a new Drake 2B. VPW now is on 80-40-20-meter RTTY with 1 kw. FWX joined the ranks of Silent Keys Oct. 2. K7NLD holds daily skeds with DZX for traffic and also the Treasure State Net with Montana Mon. and Fri. on 230 kc. K7BEX now is a member of the Blue Smoke Net. K7EJN is waiting for a new tower and fancy new beam. IDI is moving to a new QTH. WTG received his General Class license recently. We understand that FAS is building a new 25-tube receiver. UZB has a new homebrew mobile receiver and is working on a transistorized transmitter. QFB is running code practice on 3520 kc. Mon. and Wed. at 1800 PST. Sixty members and friends of the Skagit Club toured Jim Creek Sta. Congratulations again are in order for the Valley Amateur Radio Club. HZ, in taking first place in the nation in 1961 Field Day activities. Traffic: W7BA 1012, DZX 1011, QLEH 304, APS 125, GYF 117, AMC 65, IST 54, ACA 37, K7NLD 37, W7GTP 28, KZ 23, AIB 11, JC 11, JEY 6, K7PXV 6, W7AXT 5, VPW 3, K7CWO 2, W7RGI 1.

PACIFIC DIVISION

HAWAII—SCM, John E. Montague, KH6DVG—SEC: CQV, RM; DVD. The POI Net has changed frequency and added a new session as shown below. We offer a welcome to our first Section Emergency Coordinator, CQV. All inquiries about AREC should be sent to your SEC. DVD is doing a magnificent job with the POI

(Continued on page 118)

Webster
MANUFACTURING

BAND SPANNER

streamlined mobile antenna
for effective 5-band operation

BAND-SPANNER, an exclusive Webster design—distinctive—fine looking on any car—a top performer on 80-40-20-15-10 meter bands (and MARS frequencies)—one of the finest antennas for use with multi-band equipment. Easily handles transceivers with power inputs of 100 watts or more; Collins KWM-2, Gonset G-76 among others.

Loading inductor is wound directly on upper portion of strong, lightweight fiberglass support column. Exact resonance anywhere within any band is obtained by simple, plunger-type adjustment of stainless steel top whip. Winding is contacted internally, is encapsulated in durable epoxy for lasting exterior protection. No exposed joints to corrode, no flimsy plastics involved. **Strong! Durable! Unaffected by moisture.**

TWO MODELS:

Short Band-spanner, 60" telescoped, 93" extended.
Long Band-spanner, 63" telescoped, 117" extended.

Either model:
(less mount)

24⁷⁵

TWO COMPLETE ANTENNA "PACKAGES"

No. 1

Band Spanner (long or short type) complete with universal ball mount and heavy-duty spring.

38.00



No. 2

Band Spanner (long or short type) complete with bumper mount and heavy duty spring.

39.00



TOP WHIP IS MOVABLE, ALLOWS CONTACT WITH WINDING AT POSITION OF DESIRED BAND RESONANCE

CONTACT IS SELF-CLEANING, SELF-CENTERING

INTERNALLY EXPOSED COIL TURNS



FIBERGLASS COLUMN

WEBSTER Manufacturing, 317 Roebling Road, South San Francisco, Calif.

Gentlemen:

Please send free booklet, "Mobile Antennas—Simple Steps to Peak Performance."

Name _____ Call _____

Address _____

NUMBER STREET

City Zone State

WEBSTER MANUFACTURING 317 ROEBLING ROAD, SOUTH SAN FRANCISCO, CALIFORNIA

**DON'T
RETURN
THIS
COUPON**

WALTER ASHE RADIO COMPANY
Dept Q-1-62
1123 Pine Street, St. Louis, Missouri

Ok—Wake me up! I am interested in _____

What is the Ashe "Surprise" allowance on _____

Name _____

Address _____

City _____ Zone _____ State _____

Send New Catalog
 Send Reconditioned Bulletin

Want to lie awake at night? That's what happens to the people who write for our trade in quote before they are ready to go.

Don't let our quotes disturb your sleep! Don't clip the coupon unless you can stand the best trade in offer in the business.

PLEASANT DREAMS!

(Quotes confined to gear made since 1945)

Anxious? Call us at Chestnut 1-1125

WALTER ASHE RADIO CO.

1123 Pine St. Dept. Q-1-62 St. Louis 1, Missouri

Net. ARL has the exclusive record of 100 per cent QNI on the POI Net. EGL-EGQ qualified for 1st-class OO from both of his stations, topping it off with a 0.6 parts-per million error from EGQ. DVG has a new 50-ft.-high TA-33. DLX was host to WA6XYG. DLW worked 13 European countries on 20-meter s.s.b. in one hour. XU has a Novice class of 50 at Waimea High School. HJ follows suit with 20 beginners at Kauai High. The POI Net meets Tue. on 7150 kc., Thur. on 3750 kc., Sat. on 7150 kc. at 1900 HST. The alternate for Tue. and Sat. is 3750 kc. Traffic: KH6DVD 184, EGL 72, DVG 50, ARL 46, EJ 20.

NEVADA—SCM, Charles A. Rhines, W7VTU—SEC: 7JU. ECs: PC, HJ, YKC. OOs: KHU, K7ETN. OPS: K7ETN. ORSs: VIU, K7CJZ, K7ETN. YKC is the new EC for Las Vegas. HQS is finishing up a Heathkit Shawnee. KHU and VR attended the S.S.B. Hamfest at Santa Maria. VR won a Triex tower. KHU turns in another fine FMT score. PBV is constructing a fallout shelter which will house his ham shack. SKP has his 701-A rig debugged. JUN is back in Reno. VJR sold his home. BYR and son are big game hunting in Africa. The Boulder City AREC, under EC HJ, turned in a fine SET report for October with 17 members participating. KN7NMG broke his leg. OHY is attending the University of Nevada. K7DEF has a new KWM-1. AGZ and XYL CUF have opened a department store in Sparks. KOZJR/7 is now in Reno. Traffic: (Oct.) W7PBV 12, VIU 10. (Sept.) W7KHU 220.

SANTA CLARA VALLEY—SCM, W. Conley Smith, K6DYX—The South County ARS and the Palo Alto ARA held their annual Christmas Dinner Dance Dec. 12 at the Gold Platter in San Carlos. Newly-elected officers of the SCARS are WA6AUC, pres.; K6JUU, vice-pres.; WA6GMI, treas.; and K6UDU, secy. The SCCARA and the Monterey Bay RC hold a joint picnic at Mount Madonna Park on Nov. 5. Especially organized for the 2-meter gang, there were upwards of 100 around the barbecue pits at one time or another. WA6EIC, Santa Clara County EC, reports Sunnyvale city officials endorse and support a RACES program. K6YOL will be manager of the net which will meet Mon. at 1900 hours on 50.44 Mc. Eight reports were submitted by S.C.V. amateurs in the Sept. Frequency Measuring Test; four of them by OOs W6CBX, K6MZN, WA6HRS and W6ZKJ. W6ZLO, P.A.M., will be using a longer long wire since his neighbor is cutting down the big elm. WA6HRS reports his antenna was torn down three times recently by the builders of a nearby apartment house. Incidentally, Hil is the 325th member of the Certificate Hunters Club. K6SMH has his Code Proficiency Award for 20 w.p.m. K6ZCR keeps her girlish figure by working out at the gym thrice weekly. W6CQK, Asst. EC for Redwood City, will be moving to Caracas, Venezuela. WA6HRY will take over his job as manager of W6WWJ. Traffic: (Oct.) K6KCB 551, K6GZ 212, WA6OLQ 142, W6AIT 103, K6ZCR 100, W6DEF 98, K6DYX 96, WA6EIC 86, W6FON 54, WA6UC 38, W6LSS 24, K6BBF 20, WA6HRS 17, W6OH 14, K6VQK 9, K6SMH 2. (Sept.) W6ASH 41.

EAST BAY—SCM, B. W. Southwell, W6QJW—SEC: WA6HYU. ECs: K6VXK, W6FAR, W6WAH, K6HTJ and WA6MHH. K6GK has been visiting in W3-, W9- and WO-Land. Diablo Valley College is setting up a school station. K6ZYZ got his antenna back up at his new QTH. W6ZF's new antenna farm is sprouting. WA6LVX reports that 16 hams at Pacific Union College are starting a club. W6NDR has been recalled to active duty on anti-submarine warfare patrol. WA6ECF has been collecting award wallpaper with eight new ones. The ARRL Merits Awards Dinner was a huge success. WA6HYU is now the XYL of K6HYY. Congrats. The QCWA held its dinner party on Nov. 4 at the Charenton Hotel in Berkeley with 156 in attendance. NCN has switched to GMT. K6ZYZ is asst. mgr. of RN6. K6DX gave a talk on his trip to 9M2-, VK- and ZL-Land at the October meeting of the ORC. W6CXP is looking for small part donations for boys of the Byron Rehabilitation Center. K6VLIH is building a new ham shack. W6PIR is the new postmaster of the Alamo Post Office. K6TIP, EBARC pres., moved and K6BJJ, vice-pres., has taken over his duties. The EBARC is reorganizing its AREC network. W6LIF gave a talk on calculations made easy for the amateur at the HARC's October meeting. WA6MXX is moving to the Hayward Area. WA6ONO has a new Mosley trap master vertical, W3WAU, 6 and his XYL have a new jr. operator. Congrats. That's it for this month, gang. Let's get more reports in. Thanks. Traffic: (Oct.) WA6LVX 155, WA6ECF 22. (Sept.) K6GK 135, WA6ECF 60, K6OSO 36, W6ZF 7. (Aug.) WA6ECF 235.

SAN FRANCISCO—SCM, Wilbur E. Bachman, W6BIP—SEC: W6KZF. The San Francisco Radio Club held an election of officers. W6IDL will handle the gavel for the next year. K6IPM, will be vice-pres.; WA6LYA, secy.; and W6FAN will take care of the financial end.

(Continued on page 120)

New Frontiers



FOR YOUR BUSINESS!

- with Cat. No. 200-509

STATIONMASTER Base Station Antenna

Specifications

- FREQUENCY RANGE 144-174 Mc
- OMNIDIRECTIONAL GAIN 5.8 db
- MAXIMUM POWER INPUT 500 watts
- NOMINAL INPUT IMPEDANCE 50 ohms
- BANDWIDTH $\pm 0.3\%$
- VSWR 1.5:1
- RATED WIND VELOCITY 100 MPH
- WEIGHT 30 lbs.
- ELEMENT HOUSING LENGTH 19'



Communication Products Company, Inc.

Communication Antenna Systems for American Business

MARLBORO • NEW JERSEY • U.S.A.

HORNET V-75 ALL BAND VERTICAL ANTENNA


★ **YOUR ANTENNA is the most IMPORTANT LINK between YOU and a SOLID QSO!** Thousands of amateurs prefer and use the **ALL BAND BASE LOADED VERTICAL ANTENNA.**

★ **TIME TESTED performance — Work skip and DX, even with low power transmitter.**

DON'T use a makeshift antenna — you can own this commercially built antenna for less than the cost of parts!

- * Operates on the 80-40-20-15-10-6 meter bands.
- * Single feed line convenience—Uses 52 ohm coax.
- * Omnidirectional Radiation—Best for general coverage.
- * Complete—Ready to install and use.
- * Simple, fast installation—You can be on the air in 20 minutes.
- * Special high efficiency loading coil.
- * All hardware bright cadmium plated.
- * No guying required. No radials necessary.
- * Overall height 23 ft.—Self-supporting.
- * Mounts anywhere—Only a few square inches of space required—May be mounted on the ground, or at any height.
- * Works with any transmitter and receiver.
- * Rated at maximum legal power—AM or SSB.

Low Cost
Only
\$12.95



FAST SERVICE—Rush your order, your antenna will be mailed immediately. ALL HORNET ANTENNAS ARE FULLY GUARANTEED for one year against failure due to faulty construction or material.

HORNET ANTENNA PRODUCTS CO. BOX 808, DUNCAN, OKLA.

Please rush the Hornet Model V-75 All Band Base loaded Vertical antenna. Price f.o.b. factory.

- I prefer shipment to be c.o.d. 25% is inclosed.
- Payment in full is inclosed.

Address _____ Call _____

Address _____

City _____ State _____

**ORDER DIRECT FROM HORNET & SAVE \$\$\$
... MAIL COUPON NOW**

of club duties. New board members are, WA6DEV, W6VYC, W6CTH, K6PBQ, W6FDU and K6BCH, with alternates W6JXX and WA6JVE. W6NCK will be editor of the S.F. paper. Army MARS held its 6-meter luncheon at the Presidio Nov. 5 and the MARS director spoke on the net's assignments and told of how the hams were prepared to handle emergency traffic in times of need. W6MLK, Red Cross station, is a member in this net and has received much help from all the MARS men over at the station! The Century Club held its dinner at the Claremont Hotel on Nov. 4 with many of this section's amateurs attending. The speaker of the evening told about the radio station on the SS *Hope* and mentioned what good relationships were made with the other countries through this radio station. BY5 did a major part of the installation on the ship and kept a daily schedule with the ship when other stations were unable to take copy! W6BIP, as SCM, and W6GGC, as Asst. Dir., attended the ARRL Awards Dinner at San Mateo! W6KZF, our new SEC, gives this bit of advice: "Keep your local net active with regular on-the-air meetings and drills. Keep in mind that you should maintain two channels for use in a disaster or emergency, one for official traffic (Red Cross, e.d. sheriff, police, etc.) and one for welfare traffic. Join the discussions on the AREC Net, 3900 kc. 10:30 a.m. Sun." K6QJB reports no traffic because of a broken finger. The only action is a weekly schedule with KH6IR and a daily schedule with K6UZR, Ft. Bragg. Ralph is mobile on 50,250 Mc. W6OPL now has a station set up at his place of business which he keeps ready for any emergency. K4DGU is custodian of K6NCG at Treasure Island. He says the fellows are looking forward to a world-wide sked with military installations over the Christmas holidays. NCG operates 6-2, 80, 40 and 20 meters. The club meets each Tue. and hopes to get started on experimental work soon. W6OKR is v.h.f. and is NCS on MARS on 49,980 Mc. on Sun. at 9 a.m. W6OFE is now a General with "A" instead of "V". WA6LVX manager of NCN, reports that WA6BXV is handling vital traffic to the northern part of the section, K6JFY is giving NCN lots of help. WA6MDL is liaisoning phone between the NCTN Phone Net. W6DEF is e.d. advisor for the NCN Net. W6QMO is busy with plans for a net dinner. W6RAS is the proud owner of a new KWM-2. WA6ABR (W6EQA's son) has joined the Navy and is stationed at San Francisco. WA6GQA reports this news. W6OHJ reports that many S.F. 40-meter s.s.b. operators meet for breakfast on the 1st Sat. of each month at Mels, Van Ness Ave., in S.F. The Mobilers meets the 3rd Sun. of each month for breakfast and field trails on 3995 kc. at various spots around the Bay Area. Traffic: K6JFY 305, W6QMO 201, K6SAA 58, K6FCT 50, W6JWF 25, K6LGF 24, W6OPL 19, W6GGC 16, W6GHI 6, W6BIP 1.

SACRAMENTO VALLEY—SCM, George R. Hudson, W6BTY—SEC: K6IKV, ECs: K6BNB, K6GOT and K6BYS, OBSs: W6AF, W6WGO and K6EHD, PAM: W6QSS, OOs: W6WLI, W6WGO, K6ER, W6ZJW and K6EIL, ORSs: W6WGO and W6CEI, OES: W6PIV, OPSs: W6WGO, K6EIL, W6PIV, W6QSS, WA6PVT and WA6OXK. Your SCM spoke recently to the live-wire El Dorado ARC in Placerville on ARRL matters and your SEC spoke on emergency operational details. W6ZJW is very active in OO work and is enjoying nice 20-meter contacts with a new vertical. W6AF is busy chasing DX and the elusive four-legged buck with little luck with either. K6EIL was active in the recent CD Party. WA6OXK, our newest OPS had 813 final trouble, but it is now OK and he is working plenty of DX. He is active in reviving the Redding ARC. WA6PVT entered the latest CD Party and did well but wished for more 75-meter activity. At present Bob has 40 states worked and 30 confirmed. Sierra College ARC (WA6OTI), up Placerville way, now is assembling three complete stations; 80 through 2 meters a.m.-s.s.b.-c.w. Heath-equipped. W6LAC is operating portable in Coloma on 75-40 and 6 meters with 300 watts on 6 for c.w. forward scatter on 50,040 Mc. at 0700Z week ends. Your SCM attended the Annual NCN Dinner Party at the New Tivoli in San Francisco. New members of the NCN from Sacramento Valley are W6UUN, K6YZU and K6EE. W6CMA is NCN liaison on Saturdays. K6EIL, W6CMA, W6UUN, W6VIJ and WA6ERC handled much traffic in the SET. WA6RBY is active on the 6th Army MARS Net at Sacramento Signal Depot each Thurs. at 0400Z on 49,900 Mc Interested joiners are welcome! WA6RBY also is truck-mobile on 75 meters on his Sacramento to Los Angeles run. W6LQT has been appointed trustee of the Aerojet Radio Club. Downtown SARC held a nice party with W6WGO as chairman.

SAN JOAQUIN VALLEY—SCM, Ralph Saröyan, W6JPU—The Bakersfield gang is hot on the high frequencies. WA6QZX has converted an APX-6 and is QSO with K6MWW. WA6OZX is experimenting with parabolic antennas and a 4X-300 on 1296 Mc. On the lower bands

(Continued on page 122)

FOR 6 & 2 in '62

get the best in VHF with one of these great ham stations by CLEGG!

BUT DON'T TAKE OUR WORD FOR IT. Any owner of a Clegg Zeus or 99'er will tell you. Ask him about the wonders he's working with DX—the plaudits he's receiving from fellow hams about his signal—and the incomparable design, construction and operating features so unique with his Clegg unit!



CLEGG ZEUS VHF TRANSMITTER for 6 and 2 Meters

- ★ Highly efficient 185 watt AM, high power VHF transmitter for full coverage of amateur 6 and 2 meter bands and associated Mars frequencies.
- ★ Automatic modulation control with up to 18 db of speech clipping. Gives you "talk power" greater than many kilowatt rigs!
- ★ Self-contained stable VFO. Simple band switching and tune-up.

Amateur net price: \$675. Completely wired and tested with all tubes, Modulator, Power Supply, VFO, cables, etc.



99'er 6 Meter TRANSCEIVER

- ★ A true ham station, ideal for both fixed station and mobile operation.
- ★ Double conversion superhet gives you extreme selectivity and freedom from images and cross modulation.
- ★ Transmitter section has an ultra-stable crystal oscillator which also may be controlled by external VFO.
- ★ Efficient, fully modulated 8 watt final works into flexible Pi network tank circuit. Large S meter serves for transmitter tune-up procedure.

Amateur net price: \$139.95.

We're sure you've heard glowing reports like these typical unsolicited comments that we are constantly receiving:

About the Zeus

"... I have been in amateur radio since 1912 and have been active ever since and will say that this transmitter is the finest that meets my opinion of what a transmitter should be..."

George R. Mathias, W9ZHR, Illinois

"... more than exceeds my expectations. I am in QSO with stations I never knew existed before..."

Leo Winter, Jr., D.D.S., WA2TIA, New York

"Have been using this rig for less than a month and all ready have worked twenty or more states on six meters. It is equally good on two meters. Get wonderful reports up and down the coast of California..."

Jay Mahoney, W6YDF, California

"... I am doing very FB with the Clegg, getting more than my share of DX... I have had some remarkable QSO's on your Clegg..."

William T. Shaw, W6BWK, California

ABOUT THE 99'er

"... Like all hams the first thing I did when I got home was to take it apart. We were amazed with the wiring job. Clegg did it better than the wiring in equipment costing \$1,000..."

Ellis B. Hersh, W3IXL, Pennsylvania

Write for complete information today!

Clegg LABORATORIES
502 RT. 53, MT. TABOR, N. J.


OAKwood 7-68000

FOUR WORKING ELEMENTS FOR—

A POWERFUL FOUR ELEMENT PUNCH


- ★ Extra Heavy Duty Commercial Quality Construction
- ★ Handles Maximum Legal Power

**Model TB 1000-4 Cash Price,
Only \$99.75**



Budget Terms
\$9.30 per month

**Model TB 1000 Cash Price,
Only \$79.75**



Budget Terms only \$7.45 per month

★ FAMOUS HORNET QUALITY CONSTRUCTION

- Special Cast Aluminum Fittings
- Heavy-wall 6061-T6 Aluminum Elements

★ TOP PERFORMANCE ON 10 - 15 - 20 METERS

- Excellent Forward Gain & F/B ratio

★ LOW COST — Don't Pay More

- Have Hornet Quality for Less

MAIL YOUR ORDER TODAY - 10 DAYS FREE TRIAL

HORNET ANTENNA PRODUCTS CO.
P. O. BOX 808, DUNCAN, OKLA.

Please rush the HORNET Antenna indicated below for a 10-day Trial. If Not Satisfied, I agree to return the antenna prepaid within 10 days without obligation.

TB 1000-4 • I will pay Cash within 10 days \$9.30 within 10 days and \$9.30 per month for 11 months.

TB 1000 • I will pay Cash within 10 days \$7.45 within 10 days and \$7.45 per month for 11 months.

Please rush the antenna Model #.....

I Prefer Shipment to be c.o.d., 25% is inclosed.

Payment in Full is Inclosed.

All Prices f.o.b. Factory

NAME _____ Call Letters _____

Address _____

City _____ State _____

ABSOLUTELY NO RISK ON YOUR PART

he is using an 8X-111 and a modified ART-13. W6PXP has a 40-meter Swan transceiver. W6XKZ and W6FXV are building 75-meter s.s.b. transceivers. The Six-Meter C.D. Net, which checks in on 50.25 Mc. on Mon. nights, averages 20 members. WV6SIL is operating on 40-meter c.w. W6OIN blew up a pair of 807 modulator tubes in his mobile rig. WA6DAU is heard on 75-meter mobile. K6BGK has a new mechanical filter and is building an s.s.b. exciter. WA6JZP and K6YDU are heard on 75-meter mobile. A MARSFEST was held in Fresno Oct. 28, and over 400 attended. W6ZZZ has a new Tri-band beam up 50 feet. K6EJT is heard on 75-meter s.s.b. on week ends. WA6TLW is on 75 meters with the S-Line. WA6EDQ is on all bands with an HT-32. On Oct. 17, an earthquake was felt in the Ridgecrest-China Lake Area. 3845 kc. was used for reporting and those taking part were K6HLO, K6OZL, W6DUF, WA6MRU, W6LL, K7RAO, W7HQ8, W6AVZ, K7OVB, WA6TU and W6EFB. K6OZL got his big rig on c.w. The SJVN Net had 823 check-ins, 17 traffic and 26 sessions. Traffic: W6EFB 37, K6OZL 14.

ROANOKE DIVISION

NORTH CAROLINA—SCM, R. Riley Fowler. W4RRH—PAM; W4DRC. V.H.F.—PAM: W4ACY. RM: K4CPX. I am delighted to be around again, fellows. I appreciate the letters and cards saying that you missed the activity report each month. As Ed Handy stated in Nov. QST, I had the misfortune to break my left foot on July 31 while building a new home. In the meantime the wife moved the belongings and not being able to do anything most of the certificates, etc., were misplaced. However, we have found them now and at the moment I can get around with a cane. Whatever you do, fellows, don't break a foot—too many small bones to get all squared away and when you get beyond 50 it takes time. I have had a good many reports of activity in RACES. There is much interest in many counties and cities in getting some communications equipment. Fellows, please bear in mind that you are communicating within the county or city and the v.h.f. frequencies will do the job. Your county or city need only to communicate with area stations and the area stations with state headquarters. Please keep this in mind. Will the amateur who had enough traffic to qualify for BPL please send me his two reports again. In all the confusion of moving the two reports were lost and I would like to give him credit and issue the BPL card. W4RX was named net manager of the Tar Heel Net at the last meeting of the directors. Martin will do a good job. Traffic: W4LEV 1732.

SOUTH CAROLINA—SCM, Dr. J. O. Dunlap. W4GQV—The Spartanburg ARC now holds its meetings at the Naval Reserve Armory. The club is to be congratulated on the best FD operation in the state and has been awarded the plaque given by the SCM and SEC. Second honors on FD go to W4TWW, who had an extremely good, outstanding operation. K4HDX has been commended by Club President K4GVE and by the SCM for his outstanding work in amateur radio. Excellent Frequency Measuring Tests have been received on K4AVU, W4TWW, K4JQY and K4YIW. W4TLC is keeping regular schedules on 220 Mc. The Mike & Key Club of Greenville has been having interesting tapes on v.h.f. loaned by ARRL. At Rock Hill on Oct. 7 the first and formative meeting of the SCAR Council was held. Temporary officers were appointed and copies of the articles and by-laws have been sent to the 26 eligible clubs for ratification prior to the next meeting to be called in January. The luncheon at Joslin Park Oct. 8 had a turnout of over 500 amateurs and their families from North and South Carolina. W4MWH was guest speaker. K4AVU and K4GAT hope to maintain contact on 20 meters from EA-Land. Traffic: K4ZHV 183, W4HDR 124, W4AKC 88, K4OCU 58, K4HJK 37, K4UOH 37, K4HDX 35, W4PED 34, K4WJR 18, W4TWW 16, K4RCO 15, W4CHD 14, W4YIW 12, K4WOI 12, W4DAW 2, K4YFK 2, W4YFD 2.

VIRGINIA—SCM, Robert L. Follmar. W4QDY—Asst. SCM: H. J. Hopkins. W4SEJ. SEC: W4VMA. PAMS: W4BGP, K4JQO and K4PQV. RMs: W4LK, W4QDY, K4KNB and K4MXF. Every active amateur in the section is invited to participate in one or more of the existing traffic nets. They are VSN, 3680 kc. at 2330 GMT; VN, 3680 kc. at 0000 GMT; VFN, 3835 kc. at 0000 GMT; and VSBN, 3935 kc. at 0200 GMT. Enjoy fellowship, perform public service and earn recognition through your net affiliations. K4IQY, down at Ga. Tech., asserts that college is really rough. W4SHJ concurs. W4CVO did it again. Out of three frequencies in the last FMT he was zero error on two of them and less than one-half cycle off on the other. The SCM has on file a number of 00 applications and urges that all those now holding 00 appointments and not able to observe and report regularly surrender the appointment so that new

(Continued on page 124)



great response

Naturally. This smart ham is using a University Model 70. It's dynamic! Now his QSO's are more frequent with better quality. You'd be surprised at the compliments he gets. He's also improved his SSB transmissions . . . found the perfect budget-minded way to increase peak power and intelligibility. And he doesn't have to swallow this microphone to be heard. All he does is sit back, relax and speak normally. The Model 70 does the rest. Why not let it do the same for you. Comes complete with integral 15-foot 3-conductor shielded cable, Model SA10 slide-on stand adapter and cloth carrying bag. Check the 'specs'. No other dynamic of its type can match the great Model 70! Only \$29.95*

SPECIFICATIONS

Frequency Response: 50-14,000 cps (which extends to a usable limit in the 18,000 cycle region). *Impedance:* 30/50; 20,000 ohms. *Output Level:* 30/50 ohms: -50 db/1 mw/10 dynes/cm²; -143 db EIA sensitivity rating; 20,000 ohms into high impedance input; 28 mv/10 dynes/cm². *Hum Reference:* -120 db/.001 gauss. *Dimensions:* 1-5/32" maximum diameter, 6" maximum length. *Shipping Weight:* 2 1/4 lbs. *Finish:* Acrylic silver-gray and non-reflecting black.

Write for new 12-page catalog with complete details on the entire University Modular Microphone line. Desk T-1, University Loudspeakers, Inc., 80 South Kenisco Ave., White Plains, New York.



A Division of Ling-Temco-Vought, Inc.

*Model 71 also available with on-off slide switch \$34.95.

MODEL 40 M2

\$59.75



Budget Terms only
\$5.50 per month

Shortened 40 meter 2 element beam

★ **FAMOUS HORNET QUALITY CONSTRUCTION**

- Special Cast Aluminum Fittings
- Heavy-wall 6061-T6 Aluminum Elements

★ **2 Element Rotary Performance**

- Excellent Forward Gain & F/B ratio


★ **LOW COST — Don't Pay More**

- Have Hornet Quality for Less

FAMOUS HORNET TRIBANDERS

TOP PERFORMANCE ON 10 - 15 - 20 METERS


- Custom Fittings of Cast Aluminum
- Single 52 ohm Coax Feed
- Pretuned
- Neat Appearance



MODEL TB 500 Three Element Tribander Handles 500 watts

This popular antenna is actually superior to other antennas selling for twice its low price.

Cash price \$49.95 Budget terms \$4.70 per month



MODEL TB 750 Heavy Duty Tribander • Handles 750 watts

Cash price Only \$59.75 Budget Terms \$5.50 per month

HORNET ANTENNA PRODUCTS CO. • BOX 808, DUNCAN, OKLA.

Please rush the HORNET Antenna indicated below for a 10-day Trial. If Not Satisfied, I agree to return the antenna prepaid within 10 days without obligation.

40M2 • I will pay Cash within 10 days \$5.50 within 10 days and \$5.50 per month for 11 months.

TB 750 • I will pay Cash within 10 days \$5.50 within 10 days and \$5.50 per month for 11 months.

TB 500 • I will pay Cash within 10 days \$4.70 within 10 days and \$4.70 per month for 11 months.

Please rush the antenna Model # _____

I Prefer Shipment to be c.o.d., 25% is inclosed.

Payment in Full is Inclosed.

All Prices f.o.b. Factory

NAME _____ Call Letters _____

Address _____

City _____ State _____

ORDER DIRECT FROM HORNET & SAVE \$\$\$
MAIL COUPON NOW

appointments may be made. The Big Orange Amateur Radio Club held a mobile outing in the Blue Ridge. Those participating were W4HLE, W4VPO, K4CVL, K4DCL, K4DCN, K4DCO and K4JYL. W4BGB and K4DCN find new power helpful on VFN with a kw. and half-kw., respectively. W4BZE ran up over 100 points simply by monitoring the NCFE during the recent SET; he also snagged UA0KYA (Zone 23) while operating in the CD Party. The Virginia Century Club seeks DXCC holders in the Tidewater Area. Contact W4SHJ. There was no Va. QSO Party this past year because of a shortage of help in the SCM office. Clubs or groups interested in sponsoring such an event, please contact the SCM. W4OOL deserves special mention for his liaison between VFN and VN. This is a job no one seems to want. Any volunteers? K4BAV and K4ITY are New ORSs. Traffic: (Oct.) W4PFC 812, W4DLA 377, W4CGE 281, W4LK 256, K4PSS 220, W4NVX 166, K4PQL 150, K4MXP 142, W4BZE 117, K4AL 103, W4OOL 100, W4TE 100, K4PQV 78, K4FMJ 74, W4SHJ 73, W4BGP 29, K4YZT 27, W4IA 23, W4VRG 14, K4DCN 12, W4KFC 10, W4LRN 10, K4IIP 9, W4AAD 7, W4OWV 6, W4WBC 6, K4BAV 2, K4DAL 2, W4KX 2, K4ORQ 2. (Sept.) K4PQV 38, K4QIX 12, K4JQO 11, K4PRQ 11, K4IIP 8.

WEST VIRGINIA—SCM, Donald B. Morris, W4JMI—K8LOU and K8MYU report 177 stations checked in WVN during 26 sessions and handled 93 messages. New officers of the Mountain State Transmitters at Elkins are K8PTP, pres.; K8CHW and K8MSP, vice-pres.; K8VKF, secy.-treas. Others active are JFP, K8LUR, GIU and KN8ZVM. K8BLR reports 46 states worked and confirmed on 6 meters. SNP has renewed his ORS appointment. K8RBP has a new QTH which is excellent for v.h.f. work. Officers for the coming year of the MARA are QR, pres.; GHF, vice-pres.; JM, secy.-treas.; LXG, act. mgr. KN8ZWN is a new station at Grafton. K8UGZ has a new DX-100 and a Gotham beam. V.h.f. activity is on the increase, but because of the terrain no state net seems possible. A V.H.F. PAM is needed and your suggestions will be appreciated. WHQ has a 500-watt mobile a.u. rig and plans to add s.s.b. to his mobile. The West Va. Phone Net meets at 1830 or 2330 GMT and the C.W. Net at 1900 or 0000 GMT on 3570 and 3800 kc. State s.s.b. stations may be found around 3905 kc. at 2000 or 0100 GMT. In traffic-handling West Va. placed 41st this year compared to 38th in 1960. Traffic: K8MYU 312, W8NYH 74, K8HID 31, CNB 26, LOU 21, CSG 10, BLR 2, RPB 1.

ROCKY MOUNTAIN DIVISION

COLORADO—SCM, Donald S. Middleton, W0NT—SEC: SIN, PAMs: CXW and IJR, RM: FEO, OBSs: K0DCC and K0EPD, FEO, back from a three-week vacation, plans a C/W News Bulletin. MOX reported Aurora activity on Oct. 1. He writes, "Conditions were much better than the number of stations heard would indicate—it is a shame that more stations in the Midwest were not on." Ex-K7MFF/O is now licensed as W0ETT. Ken holds ORS appointment. DQN, of Steamboat Springs, set up a gas-driven generator and handled emergency traffic for the community when a 14-inch snow severed power and telephone lines. The Mountain States Telephone Co. and Rural Electric Assn. routed their emergency communications through Rod. The emergency lasted for 72 hours beginning on Sept. 22. SIN reports that AREC members in Pueblo and Grand Junction held an SET. A BPL award went to BES. Traffic: W0BES 529, ETT 86, K0DCW 79, W0CWD 54, K0ZSQ 42, RTI 37, W0FEO 36, ENA 29, MYB 12, K0LCZ 10, WGC 8.

UTAH—SCM, Thomas H. Miller, W7QWH—Asst. SCM: John H. Sampson, 70CX, SEC: K7BLR, RM: OCX, V.H.F. PAM: SP, OES: SP, ORS: OCX, OO: BAJ. Except for ECs all section appointments are listed above. It is interesting to note that with the exception of K7BLR all present appointments are held by ex-SCMs. We could use some more active appointees. OCX earned BRAT Awards on BUN and TWN, qualifying him for the Great Grand Masters Traffic-Handling Certificate (GGMTHC)—the top BRAT award. The award was only the tenth one issued. Congratulations, John! QWH put up the 40-meter beam with the help of DQW and K7BLR. K7AUM has been called to serve a mission for the LDS Church. QWH and K7BGU also earned BRAT Awards on BUN. K7HFV, EC for Salt Lake City, has initiated a membership drive for new active members. Traffic: W7OCX 170, QWH 16, K7AUM 1.

NEW MEXICO—SCM, Newell F. Greene, K5IQL—Asst. SCM: Carl Franz, 5ZHN, SEC: BQC, PAM: ZU, V.H.F. PAM: FPB. The Breakfast Club meets Mon. through Sat. at 0700 MST on 3838 kc. NMEPN meets Sun. at 0730 and Tue. and Thurs. at 1800 on the same frequency. TWN meets daily at 2000 on 3570 kc. The Caravan Club elected K5KWU as caravan master, K5CXN, emergency caravan master; K5SFU, secy.; and

(Continued on page 126)

Now!

for discriminating amateurs
who are satisfied
with nothing less than **THE VERY BEST**

McCoy SINGLE SIDE BAND FILTERS

The GOLDEN GUARDIAN (48B1)

TECHNICAL DATA

Impedance: 640 Ohms in and out (unbalanced to ground)

Unwanted Side Band Rejection: Greater than 55db



Passband Ripple: $\pm .5$ db

Shape factor: 6 to 20db
1.15 to 1



Shape factor: 6 to 50db
1.44 to 1

Package Size: $2\frac{1}{16}$ " x $1\frac{1}{32}$ " x 1"

Price: \$42.95 Each



The SILVER SENTINEL (32B1)



TECHNICAL DATA

Impedance: 560 Ohms in and out

Unwanted Side Band Rejection: Greater than 40db

Passband Ripple: $\pm .5$ db

Shape factor: 6 to 20db
1.21 to 1

Shape factor: 6 to 50db
1.56 to 1

Package Size: $1\frac{1}{4}$ " x $1\frac{1}{4}$ " x 1"

Price: \$32.95 Each

Both the Golden Guardian and the Silver Sentinel contain a precision McCoy filter and two of the famous M-1 McCoy Oscillator crystals. By switching crys-

tals either upper or lower side band operation may be selected. Balanced modulator circuit will be supplied upon request.

Both sets are available through leading distributors. To obtain the name of the distributor nearest you or for additional specific information, write:

McCoy

ELECTRONICS CO.


Dept. Q-1
MT. HOLLY SPRINGS, PA.
Phone: HUnter 6-3411

SUBSIDIARY OF OAK MANUFACTURING CO

HAMS—Insure peak performance from your gear with **SECO**

2-WAY RADIO TEST SET


Combination Crystal Checker, RF Signal and Field Strength meter, 0-50 ma. meter for final amplifier tuning. Use as RF output indicator. Checks activity on third overtone transmitter crystals—checks fundamental and high overtone crystals at fundamental frequency. Powered by two 1.5 V. "C" cells.



Model 500—wired and factory tested \$29.95 Net

TRANSMITTER TESTER


For low power transmitters up to 160 MC. Calibrated for direct percentage reading of amplitude modulation; 0-5 watts RF output; 0-400 ma. RF output. Connection provided for headphones or scope. Optional "T" pad attenuator adapts to transmitters rated up to 50 watts.



Complete with all necessary cables and adaptors Model 510—\$46.95 Net

ANTENNA TESTER

For 50 ohm coaxial line applications. Simplified direct reading scales for SWR Antenna System Efficiency (read in percent and a Good-Poor scale), Forward Power and Reflected Power. Instrument insertion loss is negligible up to 160 mc. Power ranges are 0-10, 0-100 and 0-1000 watts maximum.



Comp. with instructions Model 520—\$42.95 Net

ATTENU-LOAD

Dual purpose 50 ohm-50 watt unit—ten db "T" pad attenuator reduces power levels by 10 to 1 ratio . . . plus fully shielded 50 ohm termination for coaxial cable applications. Noninductance resistance load bank for low frequencies as well as VHF to 160 mc. With SO-239 coaxial jacks for input and output.



Model 511A \$21.50 Net

SECO TUBE TESTERS

GRID CIRCUIT TUBE TESTER—full TV tube coverage—Model GCT-9 \$32.95 net

GRID CIRCUIT AND TUBE MERIT TESTER—full TV tube coverage—Model 78 \$69.50 net

COMPLETE TUBE TESTER—tests Dynamic Mutual Conductance, Cathode Emission and Tube Merit—includes Grid Circuit Test—Model 107 \$139.50 net

DYNAMIC TRANSISTOR CHECKER—tests PNP and NPN types—Model 100 \$19.95 net

BATTERY ELIMINATOR—for transistor equipment—yields 0 to 15 V.DC from 105-125V. 60 cycle AC—Model PS-2 \$13.95 net

See your dealer or send coupon.



SECO ELECTRONICS INC.

5035 Penn Ave. S., Minneapolis 10, Minn.

Please send me full information on Model

500 510 520 511A 107 78
 GCT-9 100 PS-2

FREE Selling and Installing Citizens Band Equipment Bulletin

Name _____

Address _____

City _____

State _____

VLE, program director. The Caravan Club also announces the Duke City Mobile Awards with certificates of various grades given for contacts with five to twenty-five Albuquerque mobiles on any band. K5UYF, of the Certificate Hunters, reports he now has 108 awards. ZIIN, trying to conduct an emergency test on the Calling Frequencies, learns no one monitors those channels! Traffic: W5ZIN 349, K5ZWI 8.

NEW MEXICO QSO PARTY

January 20-22, 1962

All amateurs are invited to participate in the Third New Mexico QSO Party, sponsored by the CHC Chapter #1, of Albuquerque. New Mexico hams are urged to work as many out-of-state stations as possible so that those interested can earn credit toward WAS, the Worked New Mexico Counties Award, and the Sandia Base Friendship Award.

Rules: (1) **Time:** 36-hour period from 1500 GMT Saturday, January 20 to 0300 GMT Monday, Jan. 22. (2) No time limit and power restrictions. All bands can be used and contact credit with the same station on different bands will be given. (3) **Scoring:** New Mexico stations: 1 point per contact and multiply total by the number of states, U.S. possessions, Canadian provinces, and foreign countries worked. **Outside stations:** 3 points per New Mexico station worked and multiply total by the number of New Mexico counties worked. (4) A certificate will be awarded to the highest scoring station in each state, country, Canadian province, and U.S. possession, plus a certificate to the highest scoring station in the U.S.A. outside of New Mexico. There will be awarded to the 1st, 2nd, 3rd, and 4th highest scoring station in New Mexico a gold trimmed certificate. Special certificate for multiplieroperator groups. (5) **Frequencies:** 3600, 3835, 7050, 7250, 14,080, 14,250, 21,050, 21,300, 28,100, 28,600, 29,000 kc., and 50.28 Mc. (6) **Exchange:** New Mexico stations send number of QSO, RS(T), and county. Others send QSO number, RS(T), and state, possession, province, or country. (7) Logs postmarked no later than Feb. 20, should be sent to CHC Chapter #1, of Albuquerque, John C. Kanode, K5UYF, 408½ Cornell Dr., SE, Albuquerque, New Mexico.


WYOMING—SCM, L. D. Branson, W7AMU—The Pony Express Net meets Sun, at 0830 MST on 3920 kc. The YO Net is a c.w. net on Mon., Wed, and Fri, at 1800 MST on 3610 kc. The hams in Torrington, Wyo., are forming a ham club and will hold meetings at the home of ORO. K7CQX is performing OBS duties in fine shape—12 transmissions in October. GZG is the new Route Manager for the YO Net. K7LAW overhauled the rig and is back on the air again. AEC has a new sideband rig with a fine signal. BHH resigned the RACES State Radio Man position effective Nov. 30. Casper Radio Club activities were disrupted because gas, water and lights were temporarily cut for new YMCA building. The Casper Radio Club is running code classes every Tue. night with 26 registered for the course at present. The Casper V.H.F. Club is functioning nicely under its new president, FFB. The Wyoming RACES C.D. Net's time has been changed to 1900 MST every night except Wed. on 3920 kc. and the RACES C.W. Net meets at 1900 MST 2537.5 kc. Wed. Traffic: (Oct.) W7AMU 40, GZG 27, BHH 15, K7PPU 11, W7AEC 10, CQX 5, K7HAW 2. (Sept.) W7GZG 30.

SOUTHEASTERN DIVISION

ALABAMA—SCM, William D. Dotherow, K4AOZ—SEC: K4JDA, RM: K4YUD, PAMS: K4BTO, K4PFM and K4KJD. New appointments: K4KJD as PAM for s.s.b. operations; K4FTC and K4GXS as OPS; W4FFZ 4 as OO. Class IV. K4CFG has moved to Ft. Myers, Fla. W4SWY moved to Orlando, Fla. W4PFP moved to Ft. Payne. K4AVM now is in a new home in Springville. The Birmingham ARC held "Old Timers' Night" Nov. 16. K4ETE has moved to a new home in Newton. K4SRF has a new HQ-150. AENM certificates have been issued to W4NUG, K4TSN, W4VNI, K4WSU, W4WZ and W4SPX. All s.s.b. stations are invited to check into the Alabama Sideband Net (AENM) each night at 1830 CST on 3965 kc. K4UDK has been appointed liaison captain for the AENP. We

(Continued on page 128)

1962 EDITION



BIG . . .
REVISED . . .
COMPLETE . . .

*A*N INVALUABLE reference work and text for everyone—radio amateurs, engineers, lab men, technicians, experimenters, students, purchasing agents.

*A*nnual revision is a feature of the *Handbook*, always with the objective of presenting the soundest and best aspects of current practice. The big, 1962 Edition contains many new descriptions of equipment. Semiconductor and vacuum tube tables are brought up to date. Every important aspect of amateur radio is covered: transmitting, c.w., a.m., sideband, radioteletype; receiving; mobile; v.h.f.; propagation; antennas; construction; theory; charts; diagrams; transistors; vacuum tubes; station assembly and operation. The complete handbook!

\$3.50 USA proper \$4.00 US Possessions and Canada \$5.00 Elsewhere
Clothbound Edition \$6.00 USA, Possessions and Canada, \$6.50 Elsewhere

The AMERICAN RADIO RELAY LEAGUE, Inc.
WEST HARTFORD 7, CONN.



CITIZEN BAND-CLASS "D" CRYSTALS

All 22 Frequencies in Stock

3rd overtone, .005% tolerance—to meet all F C requirements. Hermetically sealed HC6/U holders, 1/2" pin spacing—.060 pins (1,093 pins available, add 15¢ per crystal). **\$2.95 EACH**

The following Class "D" Citizen Band frequencies in stock (frequencies listed in megacycles): 26,965, 26,975, 26,985, 27,005, 27,015, 27,025, 27,035, 27,055, 27,065, 27,075, 27,085, 27,105, 27,115, 27,125, 27,135, 27,155, 27,165, 27,175, 27,185, 27,205, 27,215, 27,225.

Matched crystal sets for all CB units \$5.90 per set
Specialty equipment make and model numbers.

RADIO CONTROL CRYSTALS IN HC6/U HOLDERS

In stock for immediate delivery (frequencies listed in megacycles) sealed crystals 26,995, 27,045, 27,095, 27,145, 27,195, 27,255, tolerance .005%, 1/2" pin spacing . . . pin diameter .05 (1,093 pin diameter, add 15¢) **\$2.95 ea.**

FUNDAMENTAL FREQ. SEALED CRYSTALS

in HC6/U holder:
From 1400 KC to 2000 KC, .005% Tolerance **\$4.95 ea.**
From 2000 KC to 10,000 KC any frequency
.005% Tolerance **\$3.50 ea.**

SEALED OVERTONE CRYSTALS

Supplied in metal HC6/U holders
Pin spacing .485, diameter .050
15 to 30 MC .005 Tolerance **\$3.85 ea.**
30 to 45 MC .005 Tolerance **\$4.10 ea.**
45 to 60 MC .005 Tolerance **\$4.50 ea.**



QUARTZ CRYSTALS FOR EVERY SERVICE

All crystals made from Grade "A" imported quartz—ground and etched to exact frequencies. Unconditionally guaranteed! Supplied in:

FT-243 holders MC-7 holders CRIA/AR holders FT-171 holders
Pin spacing 1/2" Pin spacing 3/4" Pin spacing 1/2" Pin spacing 3/4"
Pin diameter Pin diameter Pin diameter Banana pins
.092 .125 .125

MADE TO ORDER CRYSTALS • Specify holder wanted

1001 KC to 2600 KC: .005% Tolerance **\$4.50 ea.**

2601 KC to 9000 KC: .005% Tolerance **\$2.50 ea.**

9001 KC to 11,000 KC: .005% Tolerance **\$3.00 ea.**

Amateur, Novice, Technician Band Crystals

.01% Tolerance . . . **\$1.50 ea.**—80 meters (3701-3749 KC), 40 meters (7152-7198 KC), 15 meters (7034-7082 KC), 6 meters (8335-8650 KC) within 1 KC

FT-241 lattice Crystals in all frequencies from 370 KC to 540 KC (all except 455 KC and 500 KC) **50¢ ea.**
Pin spacing 1/2" Pin diameter .093

Matched pairs = 1 1/2 cycles **\$2.50** per pair
200 KC Crystals, **\$2.00 ea.**; 455 KC Crystals, **\$1.25 ea.**; 500 KC Crystals, **\$1.25 ea.**; 100 KC Frequency Standard Crystals in HC6/U holders **\$4.50 ea.**; Socket for FT-243 crystal **15¢ ea.**; Dual socket for FT-243 crystals, **15¢ ea.**; Sockets for MC-7 and FT-171 crystals **25¢ ea.**; Ceramic socket for HC6/U crystals **20¢ ea.**

Write for new free catalog #961 complete with oscillator circuits

ASK YOUR PARTS DEALER FOR TEXAS CRYSTALS

See big red display . . . if he doesn't stock them, send us his name and order direct from our Florida factory

NOW! Engineering samples and small quantities for prototypes now made either at Chicago or Ft. Myers Plant. 24 Hour Service! IN CHICAGO, PHONE Gladstone 3-3555

Rush Order—use coupon below for 1st Class shipment!

TEXAS CRYSTALS

Dept. Q-12, 1000 Crystal Drive, Fort Myers, Florida
For extra fast service, Phone WE 6-2100

ATTACH THIS COUPON TO YOUR ORDER FOR SHIPMENT VIA 1ST CLASS MAIL AT NO EXTRA COST

TERMS: All items subject to prior sale and change of price without notice. All crystal orders must be accompanied by check cash or M.O. with PAYMENT IN FULL. Q-12

regret that K4QMM, of Alexander City, has joined Silent Keys, K4ZYX is working 20-meter phone with good results, W4ABDW is a new member of AENP and runs a Globe Scout Deluxe and an HQ-180, W4DS received a Certificate of Performance for his high score in the Feb.-Mar. ARRL DX Contest. The Muscle Shoals ARC is conducting classes for Conditional or Novice Class licensees who want to obtain their General. K4KDE has a new TA-33 beam. K4KJD reports that W4SQV has moved to El Paso, Tex.; new ham W4Z1Y has a DX-100 and an HRO-50; 46 people attended the S.S.B. Supper in Huntsville on Oct. 14. The Alabama Teenage Net (AENT) has moved to 3970 kc., same time, 1630 CST daily. All teenagers are welcome. K4GXS has a new SB-10, K4TRJ built an electronic keyer. K4SFA is building a 20-meter receiver of his own design. K4AWN is now serving in the U. S. Navy. K4PHH reports that K4ASF is teaching a code class at Millport. K4UMID has received his General Class license and is now active on all bands except 2 meters, K4TRJ scored 10,350 points in the August C.W. CD Party. We regret that K4MEQ has joined Silent Keys. K4WSS, EC for Marshall County, reports the AREC of Marshall is going to 6 meters for its local emergency net with W4RTQ in charge; he also reports the 6-meter AREC station is complete at Old City Hall and that the c.w. class for teenagers is going strong Mon. through Fri. Notice: Please mail all reports and correspondence to your new SCM, Harvell Titley, K4PHH, Route 1, Ethelsville, Alabama. Congratulations to Harvell on his election and let's all cooperate with him 100 per cent during the next two years! Traffic: (Oct.) K4PFM 363, K4YUD 107, K4WSH 102, K4AOZ 81, W4MIAM 81, W4RLG 60, W4OKQ 57, K4HJM 36, K4HWH 34, W4MI 30, K4TRJ 30, K4CFD/4 28, K4YTT 27, W4TOI 26, W4CIU 24, K4PBY 22, W4PVG 22, K4PHH 20, K4LNA 16, K4RIL 13, K4UDK 10, K4ZYX 8, K4TJD 7, W4ABDW 5, W4DS 5, K4UMID 5, W4DGH 4, K4FTC 4, K4GNS 4, K4ZBX 4, K4ZNI 4, K4DJR 3, K4KDE 3, K4MIR 3, K4GRA 2, W4YRO 1. (Sept.) K4LNA 37, W4MIAM 32, K4GRA 4, K4AAU 2. (Aug.) K4TRJ 15.

EASTERN FLORIDA—RCM, Albert L. Hamel, K4SJH.—SEC: W4YTT, SM: K4KDN, RM RTTY: W4EHU, PAMs: 40 W4SDR, 75 K4LCF, V.H.F. W4RMU, S.S.B. W4CNZ. The Newly-activated 7-11 2-meter net is doing a bang-up job handling traffic. K4KGB is manager. The Petersburg ARC says that any operator QSO 5 members sending a copy of his log to W4KCG will get a special 8x10 certificate for free. W4AZK, W4CKB and W4QVJ made over 4000 QSOs in 5 days from Grand Cayman. They were part of a six-man crew. So QVJ ends up with a new 20-meter beam and tower. There's something about a DXpedition. WN4BMC is on the BPL list, regularly mostly on 2-meter. K4LWT produced its same very effective performance during this SET. W4PTT is back in St. Cloud from Snowland. W4BKC and K4UIZ have started another 10-week code class. K4KRG is building a twenty-element spiral 2-meter array. K4YBL and K4RHL can now operate on emergency power continuously for 10 days with the present fuel supply. W4SMK and K4ZIF have been elected president and secretary, respectively, of the Ft. Myers RC. W4RMU is now running a kw. S.S.B. on 144.1 Mc. The RTTY Emergency Net is going great guns under the leadership of W4EHU, W4WHK, Clay County EC, could use some help round that county. Welcome to K4EZL, an old trafficker from way back. K4LLI says the DBRC now has a swell meeting place. W4YTT and I wish to express our most sincere thanks for the marvelous response of all during the SET. Traffic: (Oct.) K4SJH 1306, WN4BMC 746, K4KGB 656, W4TUB 547, K4IWT 439, K4KDN 418, WN4AKU 412, K4RDX 361, K4RNG 279, K4COO 258, W4YTT 258, K4BZ 234, W4WHK 230, W4HTH 218, W4FPC 200, W4SDR 200, W4EHW 194, K4LCF 164, K4ILB 158, W4AKB 156, K4NKO 141, W4CNZ 135, K4ENW 135, K4RCV 133, K4GBS 130, K4GUE 128, W4BWR 119, K4LYE 101, K6SXX/4 98, W4TRS 81, K4AX 71, WN4AZZ 66, W4ARV 63, K4JZU 63, K4DAX 60, W4WPD 52, K4DBT 45, W4VCX 44, W4FE 42, K4VSA 42, K4JWA 40, W4LMT 39, W4QVJ 39, K4RHL 39, W4TRU 38, W4ZAK 36, W4BKC 33, K4JJZ 33, W4DKJ 32, K4YBL 31, W4DDW 30, K4JZX 29, K4MTP 29, W4LSA 27, K4AKQ 25, W4SGY 23, K4BOO 22, K4NVD 22, K4AHU 18, K4LLI 18, K4ANR 16, W4UIH 16, WN4COR 11, W4HFR 11, K4VNA 11, W4AYD 10, WN4BSH 10, W4BRZ 9, K4YPN 9, W4AZK 8, K4DAD/4 8, K4ZIF 8, W4DQS 6, W4SIV 6, K4LML 5, W4SMK 4, K4TBG 4, W4CJC 3, W4RMU 3, K4WEJ 2. (Sept.) W4SDR 159, K4FMA 155, W4FPC 106, W4WHK 84, W4EHW 69, W4ZAK 53, W4EHW 35, K4BZ 30, W4HRC 22, K4ZRP 17, K4BMG 16, K4PNY 16, WN4BSH 15, K4PPX 14, K4QQE 12, W4AAI 11, K4ODS 11, WN4COR 9, K4LLI 8, W4UHB 8, W4NLX 7, W4OYE 5, W4QVJ 5, W4SMK 5, KN4NTA 2. (Aug.) K4QQE 13, K4PPX 12.

(Continued on page 130)

Welcome to

HAM HEADQUARTERS, USA

HARRISON TRADE-CENTER



HARRISON DOES IT AGAIN!

As most every Ham knows, "Ham Headquarters, USA" is constantly on the search for ways to give you more value for your money.

No matter what equipment or model you want, it's a safe bet you'll find it here . . . and for less than you would expect to pay for such good condition gear.

Here, in the world's greatest trading center you always get more real value for your money. Here, at Harrison's, you can save with complete safety because every piece is plainly green-tagged, fully covered by our 90 day Warranty of free service in our Lab.

What's more, if you are not delighted with your purchase, you can:

- A** Get full credit toward any new equipment for 90 days.
- B** Get full credit toward other used equipment within 30 days.
- C** Ship it back for full cash refund within 15 days.

You can spread payments up to 18 MONTHS, on our EASIEST TERMS.

Because we have such brisk turnover, we can give you TOP ALLOWANCE for your present gear!

TNX 73

Bil Harrison
W 2 A V A

DEALERS!

Too much capital tied up in trade-ins? Send your list (perfect condition ones only) to our Wholesale Dept., for immediate cash offer.

Now, we have just made a spot cash purchase of a dealer's entire inventory of ham trade-ins at a sacrifice price—so we pass sensational savings along to you.

Here are only a few examples. Come on in and look over all the many other **WHITE TAG** "Special Buys" on display in the internationally famous Harrison Trade-in Center. (Or, write for list.)

Every item is in perfect operating condition, and is fully covered by our guarantee of 100% satisfaction.


MAKE	MODEL	QUANTITY	SALE PRICE
	HT-32	5	\$357
Hollicrafters	HQ-110	6	162
Hammarlund	Viking II	11	111
Johnson	VFO-122	5	23
Johnson	20A	6	146
Central Electronics	AF-67	8	87
Elmac	Ranger	7	166
Johnson	NC-173	3	94
National	680	10	49
Globe Scout	Valiant	4	276
Johnson	NC-183	2	137
National			

Just compare prices—positive proof that Harrison always saves you real money! But you must act quickly or others may beat you to the special **WHITE TAG** super-bargains. While the limited quantity of each item lasts, a \$10.00 deposit will hold your choice for the easy credit terms you want, and the allowance on your present gear that will make you happy. (Or, we can ship immediately, balance COD.)

In all ways it always pays you to visit "Ham Headquarters, USA" every time you want any brand new or like new equipment. Here you can see more, hear more, learn more, receive more friendly assistance, and get more for your money.

**DON'T MISS
THE BOAT!
SEND
DEPOSIT TODAY**

"Ham Headquarters, USA" . . . Since 1925
HARRISON
225 GREENWICH STREET
NEW YORK 7, N. Y.
• PHONE: BARCLAY 7-7777
(LONG ISLAND—144-24 HILLSIDE, JAMAICA)



QST PROTECTOR!



Are your 1961 QST's scattered sloppily around your shack? If so, get a QST Binder and file them away neatly for future reference. While you're at it, start the New Year right by obtaining another Binder in which to preserve those interesting 1962 issues coming up soon.

- Holds 12 issues of QST
- Opens to any page and lies flat
- Protects and preserves your copies
- QSTs always available for reference

QST BINDERS (POSTPAID)
Each—\$3.00

Available only in the United States
and Possessions

AMERICAN RADIO RELAY
LEAGUE

West Hartford 7, Conn.

WESTERN FLORIDA—SCM, Frank M. Butler, Jr., W4RKH—SEC: W4ALLE, PAAM; W4WEB, RM; K4UBR. The A.m. c.w. and s.s.b. nets all functioned very well in the ARRL SET. I urge all stations to check into section nets regularly, not just during drills and emergencies. Partly as a result of the SET, K4YPI has been appointed EC for Leon County and K4SWQ EC for Escambia County. Emergency Coordinators are badly needed for Holmes, Jackson, Franklin, Liberty, Hamilton, Lafayette and Dixie Counties. If you are an active ham in one of these counties, contact your SCM or SEC immediately. Tallahassee: K4YPI has a "Tanner" built and is awaiting a crystal. W4CMG has a coax 10-meter antenna 65 feet up which makes his "Tanner" sound like 100 watts. The club code and theory class had a good attendance. W4CMG is now OBS and OPS. Quincy: K4QDN has a new inverted "V" Antenna. Madison: W4WMA has joined the W. Fla. Phone Net. Ft. Walton: W4ZGS and W4PLK established a two-way QSO on 432 Mc. K4LOL is installing mobile in the new car. WTULJ/a.m., living between Pensacola and Mobile, was worked by several local stations on 145.2 Mc. Pensacola: K4HYL won the W. Fla. V.H.F. QSO Contest. New V.H.F. Club officers are W4EQR, pres.; K4QAC, vice-pres.; K4LAN, secy.; W4IMY, treas. W4SRK, K4VND and K4SWQ spoke on ham radio at recent meeting of the Chamber of Commerce, Traffic: (Oct.) K4UBR 549, W4BYE 272, W4CMG 170, K4CNY 116, W4GAA 91, K4LOL 45, K4VND 42, WA4AGL 13, K4BDF 6, (Sept.) K4CNY 150, W4MLE 140, K4UBR 133, K4BDF 20, (Aug.) K4CNY 128.

GEORGIA—SCM, William F. Kennedy, W4CFJ—SEC: W4PMJ, PAMS; W4LXE and W4ACH, RM; W4DDY, GCEN meets on 3995 kc. at 1830 EST on Tue. and Thurs., 0800 on Sun. GSN meets Mon. through Sun. on 3595 kc. at 1900 EST and 2200 EST with W4DDY as NC. The 75-Meter Mobile Net meets each Sun. on 3995 kc. at 1700 EST with W4LG as NC. The GPYL Net meets each Thurs. on 7260 kc. at 0900 EST with K4KIH as NC. The Atlanta Ten-Meter Phone Net meets each Sun. on 29.6 Mc. at 2200 EST with W4BGE as net mgr. The Ga. S.S.B. Net meets Mon. through Fri. on 3972 kc. at 2000 EST with K4RHB as net mgr. K4MYR and K4LIU are the proud parents of a new girl. Georgia hams were sorry to hear of the passing of W4BQT, of Valdosta. He was well loved by all and long a member of the Old Timers Club. K4UJS made 101,100 points in the Oct. CD Party. Tom also is building an electronic keyer. Congratulations to W4ZD on being reelected as Southeastern Division Director; also to W4HYW on being reelected as Vice-Director. W4HYW was guest speaker at the Birmingham Amateur Radio Club meeting on Oct. 5. K4QPL/4 is operating from Mercer Univ. K4TKM received his CEC No. 294. We are very happy to have K4QIY/4, from Virginia, now at Ga. Tech., checking in to our GSN. Don't forget to renew your ARRL appointments. Traffic: W4DDY 359, W4PIA 338, K4UJS 94, K4BVD 57, W4HYW 87, K4QPL/4 43, K4TKM 19, K4BAI 5, K4QIY/4 1.

WEST INDIES—SCM, William Werner, KP4DJ, CD Radio Officer, MC, KP4 QSL Mgr.; YT, CK has applied for OPS appointment. AWH sold the Heathkit mobile twins and plans to QRP transistor transmitters; receivers for 75 and 40 meters. AWH is DXCC now at 98/62. APY, four-time DXCC from various parts of the world, is up to 140/97 again from KP4-Land. AWW, who got a license at age 11, is on 6 meters from the Condado. K2LZG/KP4 is on 15 and 10 meters from Sabana Seca until he puts up an 80-meter antenna. W4OCZ/KP4 is on 40 and 80 meters from Isabela. KH6CJY/KP4 is on 40 meters from Caguas. W4EXY/KP4 is on 20- and 40-meter c.w. from San Patricio. CH now uses a 140-ft. long-wire antenna on all bands. FCC has authorized the following frequencies for Civil Defense Nets in P.R.: 3501.3 kc. 3990 s.s.b., 28.55, 28.75, 29.45, 29.65 Mc. KV4AA keeps a sked with K1IZY at C.D. Regional Office, Harvard, Mass., on 14,082 kc. on Wed. at 1230 GMT. W2RG skeds K1IZY on 3501.3 kc. at 8:30 p.m. AST Thurs. with c.d. traffic. KV4BY, St. Thomas, joined the Banana Net on 40 meters. BCA has a new 20-meter full-sized beam with a gamma match and is now alternate NCS of MARS on 4025 kc. phone Mon. at 1700 AST and hopes for large attendance. CL received her WPR-25 Award certificate for 50-Mc. operation. 8-meter operators again are enjoying band openings to So. America and Cuba. The KP4 Contest Committee announced that winners of the Sept.-Oct. Contest are AOV, 1st prize c.w.; AXN, 2nd prize c.w.; AXC, 1st prize phone; AKD, 2nd prize phone. WP4: FBI, BBJ, BBN and BAF were fighting it out on 3725 kc. with BAF the winner with 15 contacts. DJ incorporated remote-controlled mechanical switches in the 40-meter dipole to change length for phone or c.w. portions and spends most of his time on 7010 kc. ACF uses a BW-5100 all bands but resurrected the Viking I for permanent use on 40-meter phone. VP3YG plans a vacation in KP4-Land the first

(Continued on page 132)

RADIO SHACK

for the full **HAMMARLUND** line




EASY TERMS: Radio Shack's Revolving Charge Account, no money down, up to 24 months to pay!

FULL LINE: Immediate delivery! The complete line of Hammarlund receivers and transmitters.

TOP TRADES: Call or write for a top trade-in quotation from Radio Shack by return mail.

Send today for your **FREE** Radio Shack 1962 Catalog! 336 exciting jam-packed pages . . . filled with more and better products than ever before! Just check the blank on the mail order coupon. You'll receive our '62 catalog by return mail!



**HQ-145X Dual Conversion
General Coverage
Receiver**

only
\$269⁰⁰ \$15
monthly

Superb general coverage for SWL and hams with built-in provision for single crystal controlled channel. Tunes from 540 KCS to 30 MCS. Electrical hand-spread in all ham bands in frequency range. Dual conversion from 10 MC to 30 MCS. 60 db slot filter and six position crystal filter. 11 tube superheterodyne with auto. noise limiter. Optional 24 hour clock-timer, 100 KC plug-in calibrator. 10½ x 19 x 13".
45DX294, Wt. 42 lbs. \$269.00
45DX293, With clock \$279.00

**HQ-170 Triple Conversion
Amateur Receiver**

only
\$359⁰⁰ \$17
monthly

This fine quality ham receiver provides exceptional SSB performance with 17 tube superheterodyne design — dual and triple conversion. Tunes 6, 10, 15, 20, 40, 80 and 160 meter amateur bands. Separate plus or minus 3 KC vernier tuning. Selectable upper, lower or both side bands. 100 KCS calibrator. Selectable AVC. Optional 24 hour clock-timer. Imp. 3.2 ohms. Excellent rejection of image response. 10½ x 19 x 13".
45DX292, Wt. 45 lbs. \$359.00
45DX298, With clock \$369.00

**HQ-180 General Coverage
SSB Receiver**

only
\$429⁰⁰ \$20
monthly

Famous Hammarlund quality provides professional performance at an amateur price. 18 tube superheterodyne design. 540 KCS to 30 MCS coverage. Has hand spread, H.F. crystal filter, slot-filter and separate product detector. Tuned IF amplifier. Selectable fast attack AVC. Crystal calibrator and automatic noise limiter. 105-125v, 50-60 cps AC. 120 watts. Optional clock-timer for pre-arranged schedules. Size: 10½ x 19 x 13".
45DX273, Wt. 45 lbs. \$429.00
45DX274, With clock \$439.00

VISIT ANY OF OUR 8 BIG STORES

BOSTON, MASS.
730 Commonwealth Ave.
REgent 4-1000

BRAINTREE, MASS.
South Shore Plaza
Victor 3-9200

NEW HAVEN, CONN.
230-234 Crown St.
State 7-7121

PROVIDENCE-CRANSTON, R. I.
1301 Reservoir Ave.
Williams 2-6600

BOSTON, MASS.
167 Washington St.
REgent 4-1000

SAUGUS, MASS.
N. E. Shopping Center
CEnter 3-5350

STAMFORD, CONN.
29 High Ridge Rd.
DAvis 5-4371

WEST HARTFORD, CONN.
39 South Main St.
ADams 6-5441

MAIL COUPON NOW


RADIO SHACK CORP. 730 Comm. Ave., Boston 17, Mass. DEPT. 10

- | | | |
|--|--|---|
| <input type="checkbox"/> 45DX273
HQ-180
less clock | <input type="checkbox"/> 45DX292
HQ-170
less clock | <input type="checkbox"/> 45DX294
HQ-145X
less clock |
| <input type="checkbox"/> 45DX274
HQ-180
with clock | <input type="checkbox"/> 45DX298
HQ-170
with clock | <input type="checkbox"/> 45DX293
HQ-145X
with clock |

Name Check
Address Money Order
City State C.O.D.
 Send FREE '62 Catalog

"PROFESSIONAL" HAMS PREFER TELEX® HEADSETS

... and for good reasons. For fidelity, lightness and comfort, at reasonable cost, there are no headsets to compare with these finer products by TELEX.



MONOSET®—Comfortable, reliable and rugged. Under-chin 1½ oz. model has removable ear tips, optional volume control. Tone arms are fully adjustable for individual fit. Durable aluminum construction. Single detachable 5' non-tangle cord and standard phone plug.



BOOM MIKE HEADSET—Weighs only 3.5 oz. Parallel connected receivers transmit sound directly to ears through adjustable tone arms. Used on Pan American's 707 Jet Clipper and countless ham radio, TV and ship-to-shore operations, ideal for mobile use. Available with double or single receiver, split phones. Choice of reluctance, dynamic, carbon, crystal or ceramic mikes with various impedances.



TWINSET®—F.A.A. approved, the 500 ohm Twinset is standard on many airlines; fits any amateur, experimental or commercial installation. The lightest (1.6 oz.) twin magnetic receiver ever made. Signal is piped through adjustable tone arms directly into the ears; less background noise and less signal loss. Optional volume control cord.



TELE-FI®—Superior fidelity; unique 'TELEX' tone arm delays sound to ear opposite receiver for one millisecond to create greater depth and clarity—ideal for monitoring. Change from headset to accessory Earset® in a second. Standard 5' non-tangle cord and standard phone plug.

See your jobber for superior quality TELEX communications accessories, or write to TELEX today!

YES! Please send me FREE complete information and specifications on the TELEX

- Monoset® Twinset®
 Boom Mike Headset Tele-Fi®

NAME _____

ADDRESS _____

CITY _____ ZONE _____ STATE _____

TELEX/Communications Accessories Division
Telex Park, St. Paul 1, Minnesota, Dept. 1325

part of December. AOD sends greetings from Dayton, Ohio. AAB has a new Solar 6-meter transceiver. The Mango Net meets on 3810 kc. at 2130 GMT Mon., Wed., Fri., the C.D. Net on 3810 kc. at 2130 GMT Tue.; the Antilles Weather Net on 3815/7245 kc. at 1045 GMT daily Traffic: KP4WT 161, BCA 2.

CANAL ZONE—SCM, Thomas B. DeMeis, KZ5TD—At a meeting of the CZARA, the movie "Project Hope" was shown. This was provided to the club by W8OLJ. WZ showed the members a QSL from that voyage. TG and MM are in the U.S. New hams are LV and SS. KZ5KR had his home in a bedlam during the recent RTTY Contest. DS provided his HT-37. TU unit and SP-600. GA brought over a TU unit. KR was running his HT-37 with a BC-794A. When the BC-794A would not copy well on 15 meters I dragged over my HQ-170 to continue operating on that band. One station was located on the patio and was feeding our dipole arrangement for a bark up, which did not do too well. It took quite a bit of paper to make some 50 contest QSOs. JT worked feverishly to get some equipment working for operation during the two-week deep sea fishing contest. TD finished his 20-meter quad. RJ soon will be working with his new Invader transmitter. Traffic: KZ5JW 133, TD 48, OB 42, CD 14, FG 5, OA 3, HF 3.

SOUTHWESTERN DIVISION

LOS ANGELES—SCM, Albert F. Hill, Jr., W6JQB—Asst. SCM: Lyle G. Farrell, W6KGC. SEC: K6YCX. PAMS: W6ORS and K6PZM. RMs: W6BHG, WA6ROF and K6LVR. The following stations made the BPL in October: W6GYH, W6WPF and K6EPT. Congrats, fellows! New officers of the Desert R.A.T.S. are K6EJS, pres.; W6HCL, vice-pres.; Don Kramer, secy.; K6MIQU, treas.; K6ILE, act. mgr. W6EBK sends Official Bulletins on 145.5-Mc. RTTY. WA6GRG is doing some TCC work, school permitting. W6AM's serene conditions are about to be shattered by a new highway! WA6OUK is busy with the AREC in Monrovia. K6AISL reports some r.a.e. notes showing up on c.w. lately! W6VOZ schedules G3BWW on 15 meters daily. WA6ROF is doing a big job on PAN and TCC. K6COP is taking an electronics course through the courtesy of the USNR at Cal. Poly. WA6CKR really is mobile now with switchable G-76 between the camper and station-wagon! K6SUJ reports the Ramona Radio Club assisted in the San Gabriel Community Chest Club Night. W6WAW reports a good SET in Central L.A. and hit a nice CD score. W6GYH reports conditions were bad on 80 meters in October. K6IWW is doing nicely on the SoCal Six Net handling traffic. WA6TYV is looking for some 6-meter c.w. skeds and plans to start with WA6LUF. Support your section nets: On c.w., the Southern California Net (SCN) meeting daily on 3600 kc. at 0300 GMT; on phone the SoCal Six Net meeting daily on 50.4 Mc. at 0300 GMT. Traffic: (Oct.) W6GYH 989, W6WPF 639, K6EPT 554, K6OZJ 431, WA6ROF 384, K6YVN 157, W6USY 132, K6IWW 128, WA6GRG 125, WA6JOC 121, W6BHG 118, K6SIX 108, WA6OUK 105, WA6CKR 97, WA6RCZ 90, WA6JDB 68, WA6KAW 64, K6ATB 61, K6SUJ 60, K6FOV 45, WA6IFF 29, W6WAW 19, K7AGG:6 16, W6CG 12, W6CIS 10, WA6ODF 10, W6FB 4, WA6DWP 2, WA6KVS 2, K6UYK 2. (Sept.) WA6DJB 754, WA6JOX 296, W6MLZ 122, WA6KVS 44.

ARIZONA—SCM, Kenneth P. Cole, W7QZH—Asst. SCM/SEC: George Mezey, K7NIY. PAM: OIF, RMI: LND. The Copper State Net meets at 1930 MST Mon. through Fri., the Grand Canyon Net Sun. at 0800 on 7210 kc., the Tucson AREC Net Wed. at 1900 on 3880 kc. Beginning Jan. 1, 1962, Arizona will celebrate its 50th year of statehood. To commemorate this event, the Arizona Amateur Radio Club of Phoenix and all the amateurs of this state, with the authority and cooperation of the Arizona Development Board, an executive branch of the State of Arizona, will issue a special Arizona Semi-Centennial certificate. This certificate will carry the imprint of the Great Seal of Arizona and will be signed by the Governor of the State, the Honorable Paul Fannin. It will be certified by the SCM of the State of Arizona. This Arizona Semi-Centennial certificate will be issued to any amateur radio station operator who, during the year 1962, completes a two-way contact with a minimum of 35 Arizona radio amateur stations. Please do not send QSL cards. To qualify for this certificate, send a letter giving a list of the Arizona stations worked. This list will include the calls of the Arizona stations, the date, time, location and the mode of operation. This list must be certified by two (2) licensed amateurs other than the applicant, or by an officer of a radio club. There will be no charge for this certificate. All correspondence should be addressed to Arizona Amateur Radio Club, P. O. Box 7155 Phoenix 11, Ariz. The annual softball game between Tucson and Phoenix radio amateurs has been postponed.


(Continued on page 134)

start the new year
with a new **National** receiver
from **HARVEY**




MODEL NC-190 provides superior SSB, AM, CW amateur band performance, plus calibrated foreign broadcast bandspread to offer the equivalent of two receivers in one. This is the "shortwave listeners dream receiver" you've heard about. Incorporates National's exclusive Dial Selector to provide shortwave as well as amateur bandspread. Also ideal as a general coverage receiver for advanced ham-band-only station.

\$219.95



MODEL NC-155 is the new Ham Band Performance Pace-Setter. Price for this NC-155 is amazingly low for all its outstanding features, including: double conversion, variable IF selectivity from 600 cycles to 5 kc and exceptional ease of SSB reception. An 80-through-6 meter ham-band-only equivalent of the NC-190, NC-155 provides superb stability and selectivity.

\$199.95



National's new NC-105 Receiver offers top value for ham, shortwave listeners and audiophile. Continuous coverage from 550 kc to 30 mc in four bands, a large illuminated edge-reading S meter, and a peaking Q multiplier for optimum selectivity. Has built-in 5" speaker and front-panel headphone jack, separate RF and audio gain controls, and separate combination BFO/product detector.

In Steel: \$119.95, Walnut: \$139.95

Trade-in at Harvey
Trade-UP to National



HARVEY RADIO CO., INC.

103 West 43rd Street, New York 36, N. Y./JUdson 2-1500




LEO SAYS:

NO MONEY DOWN

on the EXCLUSIVE
COMET KIT LINE

Leo I. Meyerson
WØGFQ

IMMEDIATE
DELIVERY!



WRL

DesKit \$29.95

Designed especially for the ham, experimenter or for laboratory use. Features sloping top, slide out leaf. Sturdy,

3/4" Nova-Ply with wood mosaic finish. Will hold over 500 lbs. of equipment. 49 1/2" x 29 1/2" x 31". Shpg. wt.: 99 lbs.

SEND FOR DESCRIPTIVE BROCHURE
ON COMPLETE LINE OF COMET KITS!

TechCeiver - 6	\$39.95
SS-3 Signal Slicer	15.95
100 watt Antenna Tuner	10.95
10-80M Vertical	14.95
6-Meter Beam	12.95
Collinear 6M Vertical	29.95
40 & 80M Duo-Doublet	7.95
40 & 20M Duo-Doublet	7.45
'On-The-Air' Box 10 1/2 x 3 1/4 x 3"	4.95
1 3/4 x 2 7/8 x 6 3/8"	2.19

WRL Offers

Over 1000 Clean
Pieces of Recondi-
tioned Equipment!

Save up to 50% on ham gear completely reconditioned with a Factory-New Warranty, plus 2-week free trial. All equipment aligned, tested and cleaned.

WRL Offers

The Most Complete
Line of Amateur
Equipment from
"the house the
hams built!"

Collins, Pico, Globe, Gonset, Hallcrafters, Hammarlund, Hy-Gain, National, RME, and dozens of others.

WRL

WORLD RADIO Q-1
LABORATORIES, INC.

3415 W. BROADWAY • PHONE 32 8-1851
COUNCIL BLUFFS, IOWA

Send: Comet Kit Brochure Free Flyer New Charge-A-Plan Credit Blank Latest Recond. Eqpt. Lists

NAME: _____ CALL: _____

ADDRESS: _____

CITY _____ STATE _____

SAN DIEGO—SCM, Don Stansifer, W6LRU—With regret we report the passing of three amateurs in this section. W6JH died of a sudden heart attack in late October. He was a member of the San Diego DX Club and for the past two years was the intake for the QSL Bureau operations of the club. He had been an amateur for 50 years. W6JZF, of Bonsall, who had been active since the 1920s in Pasadena and Santa Barbara, became a Silent Key after a short illness. He leaves his XYL, W6KAB, WA6AQZ, of the South Bay Amateur Radio Society, died of Hopkins' Disease. W6LIR and W6NSW won Net Certificates in October. W6SBO is up to 45 countries on 21 Mc. The City of Chula Vista celebrated its 50th anniversary in October with 14 amateurs handling communications for the event. K6VNC was net control. WA6PAH retired after 20 years of Navy service and now lives in San Diego. K6BPI, who has made BPL for over three straight years, is now both QRS and OPS. W6EOT, RM for the section, is no longer TCC Director, but still is busy handling traffic. WA6BDW reports a TX-86 and a PMR-8 as new mobile equipment. K6IBY was guest speaker at the Nov. 10 Newport Club meeting, speaking on Satellite Tracking and Communications. W6YDK is looking for a W8 or W9 c.w. sked on 14 Mc. for traffic-handling. Your SCM visited both the Orange County Club and the Newport Club recently. W6IEY continues to be the most active OES in the section. The November meeting of the San Diego DX Club was held at the home of W6NXP in El Cajon. K6TXR, local phone DXer, moved to Sunnyvale near San Jose. WA6BUX is up to 109 countries. W6BKZ has been working into Europe on 80-meter c.w. W6CAE has a new 40- and 20-meter antenna. Seasons Greetings and all the best in 1962. Traffic: W6LAB 3137, W6YDK 2220, K6BPI 1855, W6EOT 468, K6TFT 81, WA6BDW 14.

SANTA BARBARA—SCM, Robert A. Homke, K6CYR—W6JLY, our SEC, has moved to a new QTH in W7-Land. We certainly will miss him. The Ventura County ARC has elected K6ARK, pres.; K6VMN, 1st vice-pres.; WA6JBA, 2nd vice-pres.; WA6JMD, secy.; and K7NDC/6, treas. The Annual Dinner of the Ventura Co. ARC had a staggering crowd of seventy hungry people, thrusting forth empty plates and demanding to be fed by confronting W6KCD and his galley crew at the Oct. meeting. Fortunately Bob, with the able assistance of WA6EUY and W6SNA, was well prepared to cope with the hungry crowd and the situation soon was well in hand. The Santa Barbara ARC had K6RWP as its guest speaker at the Oct. meeting. Curley showed movies of his recent trip to Tahiti. It was an exciting and interesting program. If other clubs are interested in seeing his movie, contact him over the air daily on 3885 kc. at 7 p.m.

WEST GULF DIVISION

NORTHERN TEXAS—SCM, L. L. Harbin, W5BNC—Asst. SCM: E. G. Pool, 5NFM, SEC: K5AEX, PAM: AXX, RM: LR. As usual at this time of the year the West Gulf Division Convention is the topic of conversation. This time it was held at Kerrville, Tex., and I must say if you missed it you really missed a very fine convention. There were 350 registered which, considering the time of the year, was a very good attendance. Will Wilson, Attorney-General of Texas, and the guest speaker at the banquet, paid high tribute to the hams for their participation in the recent emergency caused by Hurricane Carla, Tyler, Tex., was selected as the site for the 1962 convention. As usual THI and YUO won prizes in the transmitter hunts at Kerrville. K5ULC is the new EC for Cooke County. The Dallas ARC had a busy month with Ham Day at the State Fair and the Caravan Club Hamorama Swap-fest Oct. 28. More than 200 attended the Swap-fest at White Rock Lake. K5PXV won a Super 12 converter. YUO won the transmitter hunt. GY made BPL for the third time and also reports he has an outlet for Old Mexico traffic. Doc speaks Spanish, so your traffic-handlers take note. MSG has two new 50-ft. poles for his antenna. A tip to all AREC members: Place operating instructions for your rig in your log book so another operator may operate your rig in case of an emergency. A lapse of membership will disqualify you for appointive and elective offices in the League, so watch that expiration date. Traffic: W5GY 525, BKH 274, K5HTM 63, AVX 61, W5GNT 57, K5VWJ 55, PXV 41, RNM 8, SXX 3.

OKLAHOMA—SCM, Adrian V. Rea, W5DRZ—The new PAM for 40 meters is FKL, Thanks, fellows, for the wonderful showing made during the SET. Oklahoma operators of the month are K5KTW for his fine work as SEC during the SET; also to K5AUX for his good work on the nets as liaison station between the c.w. and phone nets. New officers of the Enid Club are K5CAY, pres.; K5JTW, vice-pres.; MFX, secy.-treas. K5FPV, asst. secy.; QMJ, custodian of property. We also report that PCQ, an active member of this club, is now a
(Continued on page 136)

LET THE TOP AUTHORITIES HELP YOU SUCCEED IN ELECTRONICS ... THROUGH RIDER BOOKS

LATEST RELEASES

BASIC RADIO, M. Tepper, 6 volume 'pictured-text' course enables you to understand the fundamentals of radio communication. No previous knowledge of electricity is required—the course teaches it. Basic Radio will enable you to read schematics, recognize circuits used in radio equipment, understand electricity and magnetism, erect components, vacuum tubes, power supply oscillators and amplifiers and their use in radio receivers. You are made thoroughly familiar with semi-conductors and transistors; transmitters, antenna and transmission lines. 6 vols., soft covers, \$13.85; 6 vols., cloth, \$14.85.

FM STEREO MULTIPLEXING, Norman H. Crowhurst, covers the most timely exciting area of audio. Of great value to the service-technician, student and anyone who intends to buy new FM stereo equipment or convert his present system to FM Stereo. It tells you how FM Stereo works. It shows you and explains the typical receiver circuits in the equipment available on the market. The information on conversion of monaural FM tuners into stereo units is complete. It includes antenna installation, matching different adapters to different tuners; matching adapters or tuner to a stereo system. Several chapters are devoted to servicing, alignment, performance checks and general trouble-shooting procedures. #282, \$1.50.

BASIC MATHEMATICS, Norman H. Crowhurst, 4 volume 'pictured-text' course makes it easier than ever before possible to learn all the math you will need to know to speed your progress in electronics. Here's what the CHARLESTON EVENING POST says about "If the next volumes are anything like the first, then the series as a whole has been needed for much too long a time." Treats all the various branches of mathematics in one continuous development of mathematics. Thus arithmetic, algebra, geometry, trigonometry, calculus—heretofore considered unrelated in specialized areas of mathematics are treated together at progressively rising levels. Available now—Volume I, Arithmetic As An Outgrowth of Learning to Count, \$3.95; Volume II, Developing Algebra, Geometry, Trigonometry As Ways of Thinking in Mathematics, \$3.90; Volume III, Developing Algebra, Geometry, Trigonometry, Calculus as Working Methods in Mathematics, \$3.90; Volume IV, (available April 1962) Developing Algebra, Geometry, Trigonometry, Calculus as Analytical Methods in Mathematics, \$3.90.

FAMOUS 'PICTURE-BOOK' COURSES ON ELECTRICITY, ELECTRONICS, SERVOS

BASIC ELECTRICITY • **BASIC ELECTRONICS** • **BASIC SYNCHROS & SERVO-MECHANISMS**, Van Valkenburgh, Nooger & Neville, Inc.

BASIC ELECTRICITY, 5 volume picture-book course—civilian version of the extremely successful illustrated training course used by the U. S. Navy to turn out trained technicians in record time. "The discussions are so lucid that almost anyone could learn, even by home study..."

NATIONAL SCIENCE TEACHERS ASSOCIATION, 5 vols., soft covers, \$11.25; 5 vols., cloth, \$12.75. **BASIC ELECTRONICS STANDARD 5 VOL. COURSE**. Available as heretofore. The 5-volume civilian version of the U. S. Navy course. "... a better and quicker way to teach and learn..." —ET. GORDON HUBBLER. Set of vols. I to V in soft covers, \$11.25; all 5 vols. in cloth binding, \$12.75.

BASIC ELECTRONICS VOLUME 6 ONLY. For the great many tens of thousands who have completed the 5-volume course, the 6th volume on semi-conductors, transistors and FM is a book which you should own. "... highly recommended; the section on transistors alone is worth the price of admission..."—POPULAR ELECTRONICS. Soft cover, \$2.90; cloth, \$3.95.

BASIC ELECTRONICS EXPANDED COURSE. The integrated expanded course consists of 6 volumes including the 5 volume standard course, plus the 6th volume which expands into the areas of semi-conductors, transistors, and frequency modulation. Set of vols. I to VI, soft covers, \$13.85; 6 vols., cloth, \$14.85.

BASIC SYNCHROS & SERVO-MECHANISMS. "... Lavish use of illustrations and the accompanying text is concise and simply worded." LIBRARY JOURNAL. 2 vols., soft covers, \$5.50; both vols. in one cloth binding, \$6.95.

*All books soft cover unless noted

At your electronic parts distributor, book store, or order direct from publisher.
Free catalog of all Rider titles. Write Dept. Q-1

FREQUENCY MODULATION

PRINCIPLES OF FREQUENCY MODULATION, B. S. James. "The well-rounded expertly presented text."—NEW TECHNICAL BOOKS, \$3.50.
FM LIMITERS AND DETECTORS, A. Schure, Ph.D., \$9.00. **STEREOPHONIC SOUND** (2nd ed.) Norman H. Crowhurst, \$2.90.
FM TRANSMISSION & RECEPTION (2nd ed.) Rider & Usian, cloth, \$7.50.
FREQUENCY MODULATION, A. Schure, Ph.D., \$9.00.

TRANSISTORS

FUNDAMENTALS OF TRANSISTORS (2nd ed. rev. & enlarged), Leonard A. Nagman, J. E. "Who is interested in transistors can afford to be without it."—WIRELESS ENGINEER, \$3.50; hard cover, \$4.50.
BASIC TRANSISTORS "Pictured-Text Course," Alex. Schure, Ph.D. "... readily understandable without an instructor and suitable for individual as well as classroom study."—PRODUCT ENGINEERING. Soft cover, \$3.95; cloth, \$5.50.
PRINCIPLES OF TRANSISTOR CIRCUITS, S. W. Amos, B.Sc., \$3.90.
FUNDAMENTALS OF TRANSISTOR PHYSICS, I. Gottlieb, B.S., \$3.90.

INTERNATIONAL TRANSISTOR SUBSTITUTION GUIDEBOOK (4500 direct substitutions), Heats Pullen, Jr. "Possible substitutions deemed 'doubtful' who are interested in transistors can afford to be without it."—INDUSTRIAL ELECTRONIC ENGINEERING & MAINTENANCE, \$1.50.
TRANSISTOR ENGINEERING REFERENCE HANDBOOK, H. E. Matthews, cloth, \$9.95.
SEMI-CONDUCTORS & TRANSISTORS (Electronic Technology Series), A. Schure, Ph.D., \$2.90.

COMPUTERS

BASICS OF DIGITAL COMPUTERS, John S. Murphy (3 volume 'pictured-text' course). "Provides a quick and thorough insight into the ABC's of digital computers."—OFFICE AUTOMATION NEWS LETTERS. 3 vols. soft covers, \$3.40; cloth, \$9.50.
BASICS OF ANALOG COMPUTERS, T. D. Truitt & A. E. Rogers. (Pictured-Text Course). "First comprehensive work on analog computers capable of explaining to most anyone the basic principles involved, as well as their practical applications."—DESIGN NEWS, CLOTH, \$12.50.
DESIGN OF TRANSISTORIZED CIRCUITS FOR DIGITAL COMPUTERS, Abraham I. Fressman, M.S. "... by far the most comprehensive coverage on this subject to date... useful to circuit designers in the computer field."—REVIEWED FOR THE PROCEEDINGS OF I.R.E. by William B. Cugie, Bell Telephone Labs., Whippany, N. J., Cloth, \$9.95.

SPACE AGE TECHNOLOGY

BASICS OF MISSILE GUIDANCE & SPACE TECHNIQUES, Marvin Hobbs, P.E. (Pictured-Text Course). "Tell the missile guidance story to the electronics man." RADIO ELECTRONICS, 2 vols., soft cover, \$7.80; cloth, \$9.00.
BASICS OF GYROSCOPES, Carl Marchover, E.E. (Pictured-Text Course). "Dramatic and forceful, yet extremely lucid approach... very useful."—INDIAN & EASTERN ENGINEER. 2 vols., soft covers, \$6.60; cloth, \$7.75.

FUNDAMENTALS OF RADIO TELEMETRY, Marvin Tepper. "... will make important telemetry fundamentals crystal clear to the engineer or layman new to the subject."—POPULAR ELECTRONICS, \$2.95.
EFFECTS OF NUCLEAR RADIATION ON MEN & MATERIALS, T. C. Hays, Ph.D. "... a very lucid and right to the point explanation of the effect of nuclear radiation on men and materials."—THE NAVA Y NEWS REVIEW, \$1.80.
FUNDAMENTALS OF NUCLEAR ENERGY AND POWER REACTORS, Henry Jacobowitz. "If you want a basic understanding of the atom reactor principles this is the book for you."—POPULAR ELECTRONICS, \$2.95.
INTRODUCTION TO ATOMIC ENERGY, William Atkinson. "... one of the fundamentals of atomic energy."—SCIENCE REVIEW, \$1.35.

MORE SUCCESSFUL HAM OPERATION

SHORTWAVE PROPAGATION Stanley Leinwoll "... Just the right level for the amateur interested in ionospheric propagation..."—QST, \$3.90

HOW TO USE GRID-DIP OSCILLATORS Rufus P. Turner, P.E., K6AI "... outlines the many, many uses of this versatile instrument, including operating instructions, calculations, etc."—ELECTRONICS WORLD, \$2.50

RIDER GLOBAL TIME CONVERSION SIMPLIFIER J. G. Daiger "Time determination is instantaneous and amazingly easy."—ELECTRONIC WORLD, \$1.00

GETTING STARTED IN AMATEUR RADIO Julius Berens, W2PK "... A style that can be understood by the layman, regardless of his technical background... leads the reader through every step necessary to obtain a ham license..."—SCHOOL SHOP, \$2.40

BUILDING THE AMATEUR RADIO STATION Julius Berens, W2PK "... Presented in the same fine style of his 'Getting Started' book..."—AIR FORCE TIMES, \$2.95

HOW TO LOCATE AND ELIMINATE RADIO & TV INTERFERENCE (2nd edition) Fred R. Rowe. Tells the reader what to look for, what to do, how to do it. Of particular interest to every 'ham.' \$2.90

CITIZENS BAND RADIO by Allan Lytel \$3.90



learn code
faster, easier
than ever
before

SOUND-N-SIGHT CODE COURSE Lewis Robins & Reed H. Harris "The Army at Ft. Monmouth, New Jersey, adopted the radio course. The Coast Guard was impressed with the Army results and gave the method a try... According to the Coast Guard trial runs, the men taught by the new method take a lead immediately in building speed and remain ahead by nearly 100% throughout."—NAVY TIMES.

3 INDIVIDUAL COURSES—THERE'S ONE FOR YOU COMPLETE COURSE (0-30 words per minute)—Six 10" LP records (192 minutes of recording, 28 recordings), 47 ident. cards, book #REC-020, \$15.95.

NOVICE COURSE (0-8 words per minute)—Three 10" LP records (96 minutes of recording, 28 recordings), 47 identification cards, book #REC-08, \$9.50.

ADVANCED COURSE (9-20 words per minute)—Three 10" LP records (96 minutes of recording, 28 recordings), book, #REC-200, \$8.95.

Records prepared in collaboration with the N. Y. Institute of Technology and mtd. by Decca Records.

GET YOUR COMMERCIAL TICKET EASIER WITH...

6th EDITION
with new supplement
—up-to-date to
May 15, 1961

**Kaufman's
RADIO
OPERATOR'S
LICENSE
Q & A
MANUAL**

The BEST book for FCC License Preparation
Covers elements 1 thru 8.
The only book with complete discussion of answers to every technical question in the FCC Study Guide. Makes it very easy to answer multiple choice questions.
Used by leading schools and industry
Only \$7.10

JOHN F. RIDER PUBLISHER INC., 116 West 14th Street, New York 11, N.Y. a division of Hayden Publishing Company, Inc.

Canada: Chas. W. Pointon, Ltd., 66 Racine Rd., Rexdale, Ont.

FOR SALE: MEMBERSHIPS!

Wo, it's not a piece of ham gear, but every ham should have one. Nearly all active hams do, and even some nonhams have at least one in the family. It's not edible but it does give you something to chew on. Part of it is intangible, the other part is black and white, but should be read.

What is it? Shucks, OM—a membership is a combination membership in the American Radio Relay League and a subscription to QST magazine. It's an investment in goods and services that can't be duplicated anywhere for twice the price. It's an investment that pays dividends right from the first day and increases in value over a period of years.

The fellow who already has a membership well knows that his investment helps support an organization that represents his hobby at all international radio conferences, in the Congress, and before domestic regulatory agencies, an organization that publishes over a dozen books and booklets to help the beginner get started and the licensed ham advance himself, an organization that sponsors conventions, contests, and awards such as DXCC, WAS, and the RCC, and an organization that is completely governed and run "By and For the Amateur."

The biggest tangible dividend is QST magazine, packed with the latest of everything, and delivered 12 times during each membership. When saved, back issues of QST make an unsurpassed and invaluable reference library of technical as well as historical data.

Membership: Sign up your friends, enemies, good ops, and bad ops (maybe exposure to QST will help them lose their LIDS). Whatever the motive, every ham should get a membership and join with nearly 100,000 others in working toward making ham radio a hobby we can all continue to enjoy and be proud of.

Memberships only \$5 a year in the U.S.,
\$5.25 in Canada, and \$6 elsewhere

THE AMERICAN RADIO
RELAY LEAGUE, INC.

WEST HARTFORD 7, CONNECTICUT

Silent Key. R. S. is a past-president and his many friends will miss him. K5PGC is running a code class in Bartlesville. A new Novice is WN5AVD, a new General Class licensee K5IFZ. It was a pleasure to have John Huntoon, Secretary and General Manager of ARRL, in Oklahoma during October. This visit was sponsored by the ACARC. The OCARC and the V.H.F. Central Club also officially participated in the meeting at Oklahoma City. The SCM had a very nice meeting with the Clinton-Sherman AFB Club. K5YTH is pres. Two wonderful hosts of Oklahoma are Clara and Oscar McGuire. K5HFW and K5KVR. LTB, EC for Canadian County, is doing a bang-up job there. Traffic: K5KTW 661, MBK/5 196, W5DRZ 194, K5OCX 132, AUX 114, JGZ 67, W5XAM/5 47, K5IBZ 38, ZEP 38, W5ICQ 36, FWW 30, WAF 27, CCK 25, MFV 22, K5DMS 18, ZCJ 13, W5PNG 17, K5OOV 16, W5FKL 14, K5JOA 13, LZP 13, K0TNW/5 10, W5UYQ 10, K5BAT 9, GPU 9, JIJ/5 7, W5VLW 7, K5VNJ 7, CBG 6, W5CCV 4, EHC 4, WDD 4, K5VVD 2.

SOUTHERN TEXAS—SCM. Roy K. Eggleston, W5QEM—SEC: AIR. RM: K5BSZ. The new officers of the Houston Amateur Radio Club are PM, pres.; K5RPD, vice-pres.; K5FJQ, treas.; K5BEQ, secy.; K5OLJ, membership; FEK, program. AQK has returned from Puerto Rico and Guantanamo Bay. The officers of the Lamar Amateur Radio Club are EKO, pres.; K5ETF, vice-pres. The West Gulf Division Convention was a real good convention, and the fellows at Kerrville are due lots of thanks for it. ILVQ, Secretary and General Manager of ARRL, was the speaker at the ARRL meeting. Mr. Will Wilson, Attorney General of Texas, was the principal speaker at the Sunday Banquet. The Executive Committee of the American Radio Relay League, in a letter to Director Best, complimented the amateurs of the West Gulf Division very highly on their operation during Hurricane Carla. Also, K5TRY, Communication Officer for Disaster and Relief for the State C.D., gave praise to the amateurs for their fine work. New officers of the San Antonio Radio Club are IWE, pres.; K5CVR, vice-pres.; EDZ, secy.; and K5UKN, treas. Say, FKE, how about getting to work on the convention for next year, as we are all looking forward to coming to Tyler? Traffic: W5AC 117, K5WQM 14, ZSC 3.

CANADIAN DIVISION

MARITIME—SCM. D. E. Weeks, VE1WB—Asst. SCMs: A. E. W. Street, VE1EK and H. C. Hillyard, (Continued on page 138)

EIGHTH ANNUAL VE1 CONTEST

Jan. 20-21 and 27-28, 1962

All VE1 amateurs are invited to participate in a contest sponsored by the New Brunswick Amateur Radio Association. The contest is divided into two sections, phone and c.w. The highest scoring contestant in each section will be awarded permanent possession of an engraved cup, the NBARA Trophy.

RULES: 1) The c.w. contest will begin at 2400 GMT Saturday, Jan. 20 and end at 2400 GMT Sunday, Jan. 21. 2) The phone contest will begin at 2400 GMT Saturday, Jan. 27 and end at 2400 GMT Sunday, Jan. 28. 3) Any and all amateur bands may be used but only c.w. to c.w., or phone to phone contacts will count. Any contestant may participate and be eligible for awards in both sections. 4) The same station may be counted but once for credit (in each section) regardless of band used. Mobile, portable and home stations covered by the same station license constitute the same station. 5) The general call is "CQ VE1." 6) Exchange signal reports, county, province, and operator's name. Local QTH is not required. 7) Logs should show band, type emission, signal reports, county, province, time, and date. Logs not showing this information IN FULL will be disqualified. 8) Score one point for information received and one for information sent and confirmed. Multiply total points by the number of individual counties worked in the three provinces to determine final score. 9) Decisions of the contest committee will be final. Logs must be postmarked not later than Feb. 8 and should be in committee hands not later than Feb. 15. Forward all entries to: Contest Committee, P. O. Box 366, St. Stephen, N.B.

**"CALL ME
for
Personal Service"**


**"CALL ME
for
Personal Service"**

Bob Henry
WØARA
Butler, Mo.
ORchard 9-3127



ON

Ted Henry
W6UOU
Los Angeles
GRanite 7-6701




OPEN NOW
THE 3rd
HENRY RADIO STORE
931 N. Euclid Ave.,
Anaheim, Calif.

**WORLD'S
BEST TERMS**

*Because we
finance our
own terms . . .*

- Only 6% a year finance cost
- 20 months or longer to pay
- Only 10% down (or your trade-in as down payment)
- No finance charges if paid within 90 days
- Reduced charges if paid off ahead of time
- You get more flexibility of financing in the future (such as re-financing) because we handle our own financing

Collins



**A-1 Reconditioned
Apparatus**

Nearly all makes and models. Big savings!
Ten day trial—90 day warranty. 90 day full
trade back on new apparatus. Write for
bulletin.

75S-3 Receiver	\$ 620.00
30L-1 Linear Amplifier	520.00
KWM-2 Transceiver	1150.00
32S-1 Transmitter	666.00
516F-2 AC Power Supply	115.00
MP1 12V DC Power Supply	198.00
75S-1 Receiver	520.00
30S-1 Linear Amplifier	1556.00

Write, phone or visit either store today!

Inquiries and orders from military men and others outside USA wanted

Butler 1, Missouri
ORchard 9-3127



Henry Radio Stores

11240 West Olympic Blvd.




Los Angeles 64 Ph. GRanite 7-6701

BIG

TRADE-INS

"World's Largest Distributors of Short Wave Receivers"

NOW . . . Pass FCC Amateur and Commercial Exams EASILY



LEARN CODE and Theory

50¢ UP

APPROVED, SIMPLE, FAST, HOME STUDY

78, 45 or 33 1/4 r.p.m. Unbreakable Phonograph Records & Easy-To-Understand Books HAS HELPED THOUSANDS PASS AMATEUR AND COMMERCIAL CODE & THEORY EXAMS, FOR FCC LICENSE!

4 AMECO Courses Available:

No. 1 — NOVICE CODE COURSE. You get and keep 10 recordings (alphabet through 9 W.P.M.). Includes typical FCC type code exams. Free instruction book on learning how to send and receive code the simplest, fastest way; plus charts to check your receiving accuracy; plus an album; all for the low price of only: 45 r.p.m. **\$5.95** 33 1/4 r.p.m. **\$4.95** 78 r.p.m. **\$6.95**

No. 2 — SENIOR CODE COURSE. You get and keep everything given in the Novice Course except that you get 22 recordings (alphabet through 18 W.P.M.) plus typical FCC type code exams for General class and 2nd class commercial telegraph licenses. 45 r.p.m. **\$10.50** 33 1/4 r.p.m. **\$9.50** 78 r.p.m. **\$11.50**

No. 3 — NEW ADVANCED COURSE. Prepares Novice operators for the amateur general class and second class commercial license tests. Contains 12 recordings (8 through 18 W.P.M.) PLUS the complete code book — PLUS typical F.C.C. code examinations for general and commercial tests. ALL for only: 45 r.p.m. **\$4.95** 33 1/4 r.p.m. **\$4.95** 78 r.p.m. **\$5.95**

No. 4 — COMPLETE AMATEUR RADIO THEORY COURSE. A complete, simplified home study theory course in radio covering the Novice, Technician, Conditional and General classes — all under one cover — with nearly four hundred typical FCC type questions to prepare you for license exam. No technical background required. You also get, FREE, a guide to setting up your own Ham station. All for the amazing low, low price of **\$3.95**

No. 5 — RADIO AMATEUR QUESTIONS & ANSWERS LICENSE GUIDE. A "must" if preparing for Novice, Technician or general class exams. Approx. 200 questions & answers (most multiple choice type) similar to ones given on F.C.C. exams. Has 2 typical F.C.C. type exams. Other questions by subjects, easier to study. Low, low price of **50¢**

NEW AMECO LICENSE GUIDES to pass Commercial Theory exams

No. 8-01 — THE COMMERCIAL RADIO OPERATOR'S QUESTION AND ANSWER LICENSE GUIDE — Elements 1 and 2. This book contains the questions and clear, simplified answers for Elements 1 and 2. In addition it contains SAMPLE FCC-TYPE PRACTICE EXAMS USING MULTIPLE CHOICE QUESTIONS. (Elements 1 and 2 75¢ are required for all FCC commercial exams). ONLY


No. 9-01 — THE COMMERCIAL RADIO OPERATOR'S QUESTION AND ANSWER LICENSE GUIDE — Element 3. Contains questions and answers and SAMPLE FCC-TYPE PRACTICE EXAM for element 3. Complete preparation for 2d class Radio Telephone license **\$1.75**

No. 10-01 — THE COMMERCIAL RADIO OPERATOR'S QUESTION AND ANSWER LICENSE GUIDE — Element 4. Contains questions and answers and SAMPLE FCC-TYPE PRACTICE EXAM for element 4. Complete preparation for 1st class Radio Telephone license. **\$1.25**

FREE LITERATURE AVAILABLE
Sold at leading distributors everywhere or write to Dept. Q1

AMERICAN ELECTRONICS CO.

178 Herricks Rd., Mineola, L.I., N.Y.



VACUUM COAXIAL ANTENNA RELAY

End Antenna Relay Problems. A Must For Sideband and Hi Power. Complete with Auxiliary Contacts, \$48. Send for Data Sheet. See page 88, October 1959 QST.

SOUTH BAY ELECTRONICS
848 University Ave., Palo Alto, Calif.

VOICZ. We regret to announce the resignation of BL as SEC. Our sincere thanks, Cy, for your excellent work in a difficult post. A v.h.f. society, comprising the Annapolis Valley and Southern N. B., has been formed. Contact IW for details. QS has been transferred to Montreal. AFP has just received the WRONE certificate. Walter has been informed that he is the first in Canada to receive this award. ABL has been transferred to Saint John. The NSARA is attempting to establish 3750 kc. as a Calling Frequency in the section and requests your cooperation. BC is putting out an outstanding signal on 6 meters with his beam on top of a new 75-ft. tower. New calls include AIH and ALJ. 3BQJ/SU is handling Maritime traffic through TN and IE (daily schedules with Harley). IF has been heard on PEI (VEIADR) on 6 meters. Season's Greetings and top operating in 1962. Traffic: K1NPS/VO1 98. K8EFK/VO1 84. VE10M 21. WB 4.


ONTARIO—SCM, Richard W. Roberts, VE3NG—The fall weather brought out the mobiles in droves. There was many hidden transmitter hunts as well as the SET. Conventions and hamfests also added to the overall activity. HK was a visitor to Toronto. The s.s.b. boys of Ontario held their Annual Dinner in Toronto. They had visitors from VE2-, W2- and W8-Lands. Many of the Ottawa mobilers were surprised to find a Hunter and Fisherman Club holding forth in the same hall. All were good sports and amalgamated for a fine evening. Congrats to the Scarborough ARC on winning the Canadian Trophy for Field Day activity. The runner-up was Toronto's Nortown. CGD was in Toronto for the S.S.B. Dinner. PN is on 2 and CWJ is on 6 meters. DOO is s.s.b., as is DAR. CPB has a new tower and put up the beam himself. Roy is one of our remarkable blind hams. DVG is getting married. ENN has an antenna farm. CNB has WBE and WAC certificates. The London ARC provided communications for the local Yacht Club. London has come up with eleven new hams. We regret to announce VEGAYV as a Silent Key. A word of thanks to EAW for the effort on the S.S.B. Dinner. The Ontario Phone Net, on 75 meters, completed fifteen years of operation on Dec. 9. CP was one of the originals. Heard on the Hunters Net, were BIV, ARF, NG, RG, ELC, VF, BZU, DZA, BD and DIO. DRF is on 75-meter mobile. The Grey Bruce Net now has its own call, VE3GBN. NZ is on from Stroud. PB operates week ends from Caledon Hills. DSAI and CFR, both ECs, held tests in Toronto and London. Our SEC, AML, is cleaning out the deadwood in our Ontario files. If your certificate requires endorsement, send it to the SEC or the SCM as required. Traffic: VE3CYR 146. GI 139. NG 118. BAQ 111. DPO 102. CFR 68. EHL 48. BUR 32. LN 27. RN 23. DWN 10. AMT 12. 1ZA 10. OT 8. CE 4. DH 4.

QUEBEC—SCM, C. W. Skarstedt, VE2DR—The 4th Scout Jamboree-on-the-Air was very successful with excellent cooperation from the VE2-Gang. HK did a fine organizing job. The CJO elected PY/FP8BG, pres.; AVR, 1st vice-pres.; AJV, 2nd vice-pres.; BJY, secy.; AOL, treas.; BJV, Tech. cons. Graduates from '60-'61 classes are BHL, BAZ, BHY, BHI, BIK, BIW, BKE, BJV, BJU, BJY, BLY, BKI and BKY. The club also sponsors a new certificate, "Of the Island of Montreal." Foreign stations require 6 contacts. W and VE 12 contacts. Those interested should contact CJO at 7199 Ave. De Gaspe, Montreal 10. The Simulated Emergency Test, with EC AEW in charge, brought a good turnout with ER, AGM, AQN, GD, PD, AAP, KN, HN, JD, EP, BGO, BFE, SC, HY, AJI, ATT and BI taking part. On another front the EC for St. Maurice Valley, EC, reports an attempt was made to organize hams at Grand Mere, Shawinigan, La Tuque and Cap Madeleine. Interest in the AREC is rising. VE3BQL/SU at Rafah, Egypt, wishes to contact VE2s. An Oyster Party held by the Quebec Radio Club was a real success. VP6YB and his XYL soon will take up permanent residence in Canada. VE6AAG, ex-VE2, keeps his ears open for VE2 QSOs. So does KX6BU (from Rimouski). AFC hopes to leave TVI behind when the new house is ready. ASU moved to Quebec. BEZ/VO1 was awarded a decoration from the RCAF for efficient work during the Newfoundland forest fires. BAW, Sir George Williams University, turns out an interesting bulletin called *The Oscillator*. ARC/2 grabbed the FD honors. Thanks, fellows, for the news and a Very Happy New Year. Traffic: VE2DR 150. AUU 96. AGM 46. EG 28. EC 22. AGQ 14. AEW 5.

ALBERTA—SCM, H. R. Harbold, VE8TG—PAM: PV. All are asked to take note of the time change in the Alberta Phone Net to 1930 hours MST Mon., Wed. and Fri. for the winter months. If you are interested in the Emergency Corps please get in touch with IU, Lethbridge, for the south and SS, Craigmyle, for the central part of the province. Congratulations to CA as the first OPS. There will be more as time goes on so

(Continued on page 140)

BULLSEYE BUYS at ARROW!




AMERICAN GELOSO V.F.O.'s

Wired, tested, calibrated, ready for use. Mod. 4/104 for driving one 807 or 6146 final in AM or CW under Class "C" conditions.

Mod. 4/102 for driving two 807's or 6146's final. Has 5 bands. Supplied with Mod. 1640 dial ass'y.

Mod. 4/103 for 144-148 mc bands. Combines VFO primary freq. of 18 mc with xtal fundamental freq. of 12 mc. Supplied with Mod. 1647 dial ass'y.

Mod. 4/104, 4/102 or 4/103 less tubes and xtal, each \$29.95




AMECO NUVISTOR CONVERTERS

Choice of separate models for 50, 144 or 220 mc bands. Output frequency easily changed for present and future requirements. Three RCA 6CW4 Nuvistors used, two as RF amps, one as mixer with 6J6 oscillator. Noise figure: 2.5 db for 50 mc model, 3.0 db for 144 mc, and 4.0 db for 220 mc model. Image, spurious and IF rejection better than 70 db. Power required: 100-150 V @ 30 ma, 6.3 V @ 1 amp.

Specify desired IF output for converter model selected.

Kit: CN-50K, CN-144K, or CN-220K, each **\$31.95**


Wired & Tested: CN-50W, CN-144W or CN-220W, each **\$44.95**



PRECISION PLANETARY-VERNIER

for exceptionally fine tuning
Superb craftsmanship by Jackson Bros. of England. Ball bearing drive, 1/4" dia. shaft, 1 1/4" long, 6:1 ratio, v.v. FB for fine tuning. Easily adaptable to any shaft. Comparable value — \$5.95.


Amateur Net \$1.50 ea.
10 for \$13.50



Shown approximately actual size

AMERICAN GELOSO PI TUNING COILS


Units have 6 posit. tap switch mounted on ceramic coil form. Mod. 4/111 designed for use with two 807's or 6146's (in parallel). Freq. Range 3.5 to 29.7 mc. Mod. 4/112 is designed for use with single 807 or 6146. Handles up to 60 w. Range: 3.5 to 29.7 mc. Mod. 4/111 or 4/112, each \$4.95



PRECISION BALL DRIVE DIAL

Another superb product of Jackson Bros. of England. 4" dia. dial with 6:1 ball drive ratio. Fits standard 1/4" shaft. For that velvet touch...

Amateur Net \$3.95



AMECO NUVISTOR PREAMPLIFIER

FOR 50, 144 or 220 mc. Over 20 db gain plus a lower noise figure, 2 tuned ckt's. 6CW4 Nuvistor completely neutralized. Noise figure is 2.5 db @ 50 mc, 3.0 db @ 144 mc and 4.0 db @ 220 mc. Power requirements: 100-150 v. @ 8 ma, and 6.3 v. at .13 amps. Specify frequency desired.

Mod. PV, wired and tested **\$13.95**



Versatile Miniature Transformer

Same as used in W2EWL SSB Rig — March 1956 QST. Three sets of CT windings for a combination of impedances: 600 ohms, 5200 ohms, 22000 ohms. (By using center-taps the impedances are quartered.) The ideal transformer for a SSB transmitter. Other uses: interstage, transistor, high impedance choke, line to grid or plate, etc. Size only 2" h. x 3/4" w. x 3/4" d. New and fully shielded.

Amateur Net \$1.39 10 for \$10.75
ARROW Authorized distributor of HEATHKIT equipment



3 for \$3.49

10 for \$10.75

ARROW Authorized distributor of HEATHKIT equipment

MAIL ORDERS PROMPTLY PROCESSED
SAME DAY SHIPMENT FROM STOCK

ARROW ELECTRONICS, INC.

65 Cortlandt Street, New York 7, N. Y. • Dighy 9-4730
525 Jericho Turnpike, Mineola, N. Y. • Pioneer 6-8686

HAPPY NEW YEAR

TO SAVE C.O.D. CHARGES, PLEASE INCLUDE SUFFICIENT POSTAGE WITH YOUR ORDER. ANY EXTRA MONEY WILL BE RETURNED.

ALL PRICES F.O.B. N. Y. C.
Arrow's Export Dept. Ships To All Parts Of The World!
Prices Subject To Change Without Notice.

NEW AMECO NUVISTOR PREAMPLIFIER

for 50, 144 and
220 Mc. bands
Lowest Noise
22 DB Gain

\$13⁹⁵

wired and tested

Add an Ameco Nuvistor Preamplifier to your converter or receiver to improve the noise figure and gain. Image and spurious rejection will also be improved as the Model PV has two tuned circuits. Compact, easily connected, low power requirements. Model PV with nuvistor tube, wired and tested.

State which band\$13.95


For any band, 80, 40, 20, 15 or 10 meters, the Ameco Model PH Preamplifier has a better noise figure than most multiband receivers, 23 db. minimum gain. will improve image and spurious rejection with its two tuned circuits. Especially effective on 10 or 15 meters. Model PH with pentode tube, wired and tested.

State which band\$13.95

Write Dept. Q-1

AMERICAN ELECTRONICS CO.
178 HERRICKS ROAD, MINEOLA, L.I., N.Y.

"SATURN 6" MOBILEER



MODEL S-1

"Saturn 6" Antenna
2pc. adjustable aluminum mast,
bracket, universal bumper hitch.
No hole-to-drill. Co-ax feed line
not inc. Net.\$16.95


- ▶ Horizontally polarized
- ▶ Minimizes flutter and noise
- ▶ Adjusts to your frequency in 6 meter band
- ▶ Feeds with 50-ohm cable
- ▶ Fits standard mounts
- ▶ Ruggedly constructed
- ▶ Weighs under 2 lbs.

HI-PAR PRODUCTS CO. • Fitchburg, Mass.

AUTRONIC KEY AND KEYS

For Perfect, Faster CW

Send QSL or Postcard for full data



Fully transistorized, digital circuitry keyer eliminates erratic sending. Precision-made key will not walk, is fully adjustable.

FREE TRIAL

ELECTROPHYSICS CORP.

2500 West Coast Hwy.
Newport Beach, Calif.

keep up the good work and you may be next. DB and IP have been testing and listening on 6 meters with very few openings. They heard 8BY and KL7FLC for a few minutes one night but could not raise them. DB is trying out 6 meters on mobile. He also heard HQ on 2 meters but not long enough for a contact. I finally heard from a radio club, the NARC of Edmonton, whose officers are FB, pres.; UV, 1st vice-pres.; XQ, 2nd vice-pres.; ZX, secy.; RP, treas. Now lets have some reports once in a while. AFJ, AX and AEN are doing very nicely on c.w. Traffic: VE6HM 170, FS 20, BC 11, AEN 7, TG 7, UH 4, ABB 2, SS 2, ABE 1.

BRITISH COLUMBIA—SCM, H. E. Savage, VE7-FB—Elections are the highlights of this time of the year. Chilliwack ARC's officers are XV, pres.; BFW, vice-pres.; Jim Erskine, secy. Vancouver ARC's officers are AMW, pres.; AA vice-pres.; JD, secy. They say, "Old dogs don't learn new tricks." Well OM did. He stuck his fingers into the revolving fan belt of his car and then shortly after he tried to chop off his fingers with a sharp instrument. AIG, our PAM and AREC Net Control Manager, has been routed by the RCAF to a place 80 miles northeast of Winnipeg. Thanks from all of us for your services and we hope to see you home again soon. George A01 is our new AREC Net Manager. AGC now has Class H QCWA and Port of Stockton certificates. The following are members of the Quinter Century Wireless Assn.: ALY, JF, OM, TF, UP, US and VP. There are 22 in all of Canada. AIK has been appointed communication chief (c.d.) for Nanaimo. TF is on both teletype and is feeling lots better. BBQ still is searching for DX on the higher frequencies. The Boy Scout Jamboree was a great success, according to all who took part. DII, OO and OBS, is busy teaching code to the Air Cadets with the idea of making more VE7s. SJJ is 110 west and 65 north of the North Pole and is looking for VE7s in the Vancouver Area. Traffic: VE7BDP 42, BGE 37, BBB 26, BFR 16, AQD 14, AMW 12.

MANITOBA—SCM, M. S. Watson, VE4JY—The Brandon ARC elected the following officers for the 1961/62 season: DQ, pres.; Les Haddon, vice-pres.; Adele Hall, secy.; KN, editor of *Sparks*. The Dauphin ARC elected the following officers effective Sept. 1, P.A. pres.; XP, vice-pres.; SB, secy.; JQ, correspondence. MN is on the air again with an FB signal from his new transmitter. IW, HS and MN are recent additions to the 6-meter gang. The WARA has a new constitution. Highlight of the ARLM October meeting was a successful auction of ham gear, each entrant being his own auctioneer. 5LD and his XYL were welcome visitors to the ARLM meeting. Steve made many contacts with his mobile rig while in Winnipeg. TJ reports contact with VE3BQI/SU, Rafah, Egypt, who is looking for VE4s. Traffic: VE4EF 11, JY 6, QD 6, HE 4, AN 2, TE 2, XY 1.

SASKATCHEWAN—SCM, H. R. Horn, VE5HR—New officers of the Saskatoon Radio Club are FC, pres.; CU, vice-pres.; HQ, secy.-treas. Plans already are under way for the 1962 Saskatchewan Hamfest to be held in Saskatoon. The Moose Jaw Club has as its new officers EL, pres.; DF, vice-pres.; SY, secy.-treas. It is with regret we record the passing of ex-5GA, who at his death was known all over the world as TQE. Our sympathy to his family. FC is making good use of the hands on s.s.b. now. DB lost his beam and tower in the recent high winds. XX and YY, now in Schefferville, Quebec, hope to be on soon with a VE2 call. They like their new surroundings although they are quite different from the prairies. This is my last report and I wish to thank all those who have worked with me. I have enjoyed being your SCM and hope you will give my successor all your support. All news should now be sent to BL, Jack Robinson at Regina. Congratulations and good luck, Jack.

Choosing an Antenna


(Continued from page 29)

A Coax-Fed Multiband Ground Plane

Another system that has become quite popular is one described in *QST* by W1TS.³ This antenna uses a single coax feed line to feed three vertical antennas for 20, 15, and 10 meters, mounted on the sides of a 17-foot long 2 × 2 wood mast. The three wires are connected together at the bottom

³ Mix, "The Impromptu Ground Plane," *QST*, January, 1959.

(Continued on page 142)



FORT ORANGE


Radio Distributing Co., Inc.

904 BROADWAY ALBANY 4 N. Y. U. S. A.
AMATEUR HEADQUARTERS

Cable Address "Uncledave"

CALL ALBANY HE 6-8411

NITES GR 7-5891



MODEL HT-37

The HT-37 has been carefully engineered to give you the best phasing unit at a moderate price. Complete tabletop high efficiency amateur band transmitter, giving SSB, AM or CW output on 80, 40, 15 and 10 meters, 70-100 watts P.E.P. output c.w. or SSB, 17-25 watts carrier on AM phone. Unwanted sideband down 40 db at 1000 cps; modern styling, instant c.w. CAL signal from any mode; precision V.F.O.; rugged heavy-duty deluxe chassis; 52 ohm pi network output for harmonic suppression; dual range meter for accurate tuning & carrier level adjustment; ideal c.w. keying; full voice control system built-in.

\$450.00



MODEL HT-41

Truly a ham's dream! The HT-41 linear amplifier is an ideal companion for the HT-37 in price, style, and performance. Complete coverage 80 thru 10 meters; adjustable pi-network output; all circuits metered; built-in R.F. output meter to aid tune-up; standby bias supply. High efficiency, grounded-grid circuit; new 7094 beam-power.....**\$395.00**

USED EQUIPMENT

COLLINS

KWM-1 W./N.B. **\$ 795.00**
KWM-1 W./N.B. & DX
Adap. **849.50**
270G3 Speaker **19.95**
75A1 Receiver (as is) **150.00**
KWS-1AM/KW **1195.00**

BARKER-WILLIAMSON

650 **\$49.50**
5100 B. **375.00**
5100 **295.00**

CENTRAL ELECTRONICS

Model A Slicer **\$39.95**
20A Exciter **195.00**
"Q" Multiplier **19.50**

TMC

GSB-1 **\$125.00**
GPR90 **375.00**

HAMMARLUND

HQ160—Receiver **\$295.00**

JOHNSON

Pacemaker **\$325.00**
Thunderbolt **450.00**
122 VFO **39.50**
Ranger **150.00**
Viking Mobile **75.00**
6N2 Converter **69.50**
"500" Xmtr. **749.50**
VIK II CDC Xmtr. **275.00**
VIK II **195.00**
KW Matchbox **95.00**
Audio Amp. 10W. **74.50**

HALLICRAFTERS

S38 E. **\$44.50**
S38 B. **44.50**
S72 **49.50**
SX99 **125.00**
S102 **34.95**
S76 **99.50**
HT33 **495.00**
SX111 **239.50**
HT31 **325.00**
HT32 **450.00**

EICO

720—Xmtr. **\$79.95**
730—Modulator **59.95**

RME

4350 Receiver **\$195.00**
45 Receiver **95.00**
VHF152 Conv. **25.00**

GONSET

G28 **\$225.00**
GSB100 **375.00**


NATIONAL

NC300 **\$325.00**
SOJ3 **15.00**
NC125 **119.50**
NC173 **175.00**
HRO60/W-Coils. **349.50**
HRO 50T. **295.00**
NCT88 **119.50**
NC98 **95.00**
Speakers... **\$10.00 to \$15.00**




MODEL SX-115

This is a new triple-conversion heterodyne type communication receiver. Combines highest accuracy, stability, sensitivity; linear tuning, constant tuning rate, built-in 100 Kc crystal calibrator, sensitivity less than 1 microvolt, selectable side bands, image rejection better than 60 db; band gain equalization, audio inverse feedback, and many other features. Covers nine 500 Kc segments.
\$595.00



MODEL S-120

Covers broadcast band 550-1600 kc. plus three short-wave bands 1600 kc-30 Mc. Slide rule bandspread dial, separate bandspread tuning condenser; band selector, main tuning, bandspread tuning; standby-receive, B.F.O./selectivity, AC on/off. vol.; 50/60 cycle AC/DC.....**\$69.95**



HA-4 "T. O. Keyer"

A transistorized keyer, using digital techniques. Constant ratio of dot-to-space-to-dash over entire speed range. Two speed ranges: 8-18 and 18-50 wpm. Employs 8 transistor and 10 semiconductor diodes. Transformer operated. A high voltage transistor is used to key the transmitter.. **\$59.95**

Write Uncledave
W2APF
with your needs
and problems.

TRADE-INS ACCEPTED AND
FOREIGN TRADE SOLICITED
BANK FINANCING

TIME PAYMENTS

18 Months to pay. Life
insurance at no extra cost

UNCLE DAVE'S
RADIO SHACK

A SUBSIDIARY OF
FORT ORANGE RADIO
DISTRIBUTING CO.

NEW AMECO NUVISTOR CONVERTERS

Wired & Tested **\$49.95**
 Kit **\$34.95**

for 50 MC
 144 MC and
 220 MC Bands
 Low Noise Figure
 High Gain, High Image,
 Spurious & IF Rejection



The new deluxe "Cadillac" line of Ameco VHF Converters uses three RCA Nuvistors—two as RF amplifiers, the third as the mixer. This combination produces an extremely low noise figure, high gain; high image, spurious and IF rejection. These converters do not become obsolete as the output frequency is easily changed when a new receiver is acquired. The CN Converters are built on a compact (2"x2½"x6¾") satin finished copper chassis. A gain control is included. Power requirements: 100 to 300V, at 30 ma. and 6.3V, at 1A. The Ameco PS-1 Power Supply is ideal, available in Kit form (PS-1K) at \$10.50 or Wired and Tested (PS-1W) at \$11.50.


Model CN-50W, CN-144W, CN-220W Nuvistor Converter, wired and tested for any one band (specify IF output). **\$49.95**

Model CN-50K, CN-144K, CN-220K Nuvistor Converter, in kit form, for any one band (specify IF output) . . . **\$34.95**

Write Dept. Q-1

AMERICAN ELECTRONICS CO.
178 HERRICKS ROAD, MINEOLA, L.I., N.Y.

ANTENNA DRI FIT CONNECTOR



Completely moisture proof. For use with coax cables RG-8, RG-58, RG-11, RG-59 and 300 ohm twin tubular. Has eye pull up for inverted V's.

Amateur Net \$2.95

MOBILE GENERATOR FILTERS

Eliminates generator whine in receivers. Tunable for maximum attenuation. Conservatively current rated at 30 amperes.

Models	Frequency
3-30	3 to 30 Mcs.
30-60	30 to 60 Mcs.
2-3 Marine	2 to 3 Mcs.

A MATHEUR NET \$2.95
2-3 MARINE \$5.95

See your Distributor or write

Continental Electronics & Sound Co. 6151 Dayton Liberty Rd., Dayton 18, Ohio

NOW A . . . FIBERGLAS QUAD . . . by CUBEX

MK III w/Fiberglas Arms. only **\$99.50**
 MK III w/Aluminum Arms. only **\$79.50**
 MK III w/Bamboo Arms. only **\$67.50**

All models use the famous CUBEX "Ruggedized" support structure

also the
CUBEX QUAD FOUNDATION KIT

For "Do-It-Yourself" Quad Builders **\$27.50**

Ask for free brochure "FG"

CUBEX CO. 3322 Tonia Avenue
 ALTADENA, CALIFORNIA

and fed with coax. A hook such as used for clotheslines is screwed into the top of the 2 x 2. The 2 x 2 can then be hung up in a tree or from any overhead support.

In order to make a ground plane for this system you would, of course, need at least four radials for each antenna, or a total of twelve. A simple method of doing the job is to use four-conductor TV rotator cable. Cut four lengths of the cable to a ¼ wavelength on 20 meters (about 16½ feet). Then on each of the cables, strip off enough of each of the conductors to make radials for 15 (11 feet) and 10 (about 8 feet). When completed, you should have a length of cable with a ¼ wavelength radial for 15 and 10 and two wires for 20. The two wires for 20 will provide extra support when you string the radials out. Connect all the wires of all the radials together at the base of the vertical support. This is also where you connect the outer conductor of the coax.

The antennas discussed in this article are just a few of the more common simple types. Multi-element beams and some of the other popular antennas require considerably more discussion than is possible in an article of this type. *The A.R.R.L. Antenna Book* and *The Radio Amateur's Handbook* will give you plenty of additional information.

Novice Roundup

(Continued from page 24)


Rules

- 1) **Eligibility:** The contest is open to all radio amateurs in the ARRL sections listed on page 6 of this *QST*.
- 2) **Time:** All contacts must be made during the contest time indicated elsewhere in this announcement. Time may be divided as desired but must not exceed 40 hours total.
- 3) **QSOs:** Contacts must include certain information sent in the form as shown in the example. QSOs must take place on the 80- 40- 15- or 2-meter bands. Crossband contacts are not permitted. C.w. to phone, c.w. to c.w., phone to phone, phone to c.w. contacts are permitted. Novices work any amateur stations eligible; non-Novices work only Novices. Valid points can be scored by contacting stations not working in the contest, upon acceptance of your number and section and receipt of a number and section.
- 4) **Scoring:** Each exchange counts one point. Only one point may be earned by contacting any one station, regardless of the frequency band. The total number of ARRL sections (see page 6 of this *QST*) worked during the contest is the "section multiplier." Yukon-N.W.T. (VE8) also counts as multiplier. A fixed scoring credit may be earned by entrants who hold ARRL Code Proficiency certificates. If an entrant does not hold a CP award he can apply for credit by attaching to his Roundup report a copy of qualifying run from W6OWP, January 5 or February 8, or from W1AW, January 20 or February 20. CP credit equals the w.p.m. speed indicated on the latest certificate or sticker held by the entrant. The final score equals the "total points" plus "Code Proficiency credit" multiplied by the "section multiplier."
- 5) **Reporting:** Contest work must be reported as shown in the sample form. Reporting forms and a map of the United States will be sent gratis upon request. Indicate starting and ending times for each period on the air. All Roundup reports become the property of ARRL and must be post-marked not later than March 3.
- 6) **Awards:** A certificate award will be given to the highest-scoring Novice in each ARRL section.
- 7) **Disqualifications:** Failure to comply with the contest rules or FCC regulations shall constitute grounds for disqualification. ARRL Contest Committee decisions are final.

Your Ham Headquarters — **WASHINGTON to FLORIDA**

**SPECIALIZING IN THE BEST AT EASY TERMS
HIGH TRADES AND LOW DOWN PAYMENTS
WRITE FOR DETAILS OF OUR TIME PAYMENT PLAN**

COLLINS NEW AND VERSATILE



75S-3 RECEIVER

*order it now
for early delivery*



Amateur net price:

\$620⁰⁰

The demand for this unit makes it necessary for you to place your order with Electronic Wholesalers now for early delivery. Stop in soon and see the complete Collins line of fine amateur equipment. Invest in equipment that protects your investment — Collins.

Collins newly-introduced 75S-3 gives you the best reception in any mode — CW, SSB, or RTTY. And the versatile unit has all of the famous Collins quality features: frequency stability, rejection notch tuning, choice of variable or crystal BFO, 200 cycle crystal filter, 2.1 kc Mechanical Filter and control of AVC,

plus a new spinner knob which provides finger-tip tuning and AF-RF gain controls conveniently located on concentric knobs.



ELECTRONIC WHOLESALERS INC.

9390 N.W. 27th AVE. • MIAMI 47, FLA. • Phone OXford 6-1620

ELECTRONIC WHOLESALERS INC.

2345 SHERMAN AVE., N.W. • WASHINGTON 1, D.C. • Phone HUdson 3-5200

ELECTRONIC WHOLESALERS INC.


1301 HIBISCUS BLVD. • MELBOURNE, FLA. • Phone PArkway 3-1441

ELECTRONIC WHOLESALERS'

DALTON-HEGE, INC.

938 BURKE ST., WINSTON-SALEM, N.C. • Phone PArk 5-8711

EDDYSTONE



GEARED SLOW MOTION DRIVE

For Amateur Radio & Communications
RECEIVERS & TRANSMITTERS


A high grade assembly, flywheel loaded, manufactured to fine tolerances, provides a smooth positive drive with a reduction ratio of 110:1. The vernier with its 100 divisions rotates 5 times for one pointer traverse, giving 500 divisions with positive reset readings. A cam adjustment on the vernier assures correct zero setting. A spring loaded jockey arm maintains tension of the pointer drive. Overall dimensions 9 3/4" x 5 3/4".

Manufactured by
Stratton & Co., Ltd. (Eddystone) PRICE \$16.50 NET
Birmingham, England Postpaid

Distributed by
BRITISH RADIO ELECTRONICS, LTD.
1833 Jefferson Place, N.W.
WASHINGTON 6, D. C.

6 Meter Antennas

- 3 ELEMENT BEAM \$13.95
Model #A50-3 Boom 6' x 1 1/4"
- 5 ELEMENT BEAM \$19.50
Model #A50-5 Boom 12' x 1 1/4"
- 6 ELEMENT BEAM \$32.50
Model A50-6 Boom 20' x 1 1/2"
- 10 ELEMENT BEAM \$49.50
Model #A50-10 Boom 24' x 1 1/2"



STACKING
KIT
AVAILABLE

SEE YOUR DISTRIBUTOR
—or write for Free Catalog.

CUSHCRAFT 621 HAYWARD ST.
MANCHESTER N. H.

DOW-KEY PANEL MOUNT



Durable, silver plated, precision made. Only 3/8" hole is needed, no screws.

DK60-P
\$.70 ea.

CONNECTORS



DOW-KEY DOUBLE-MALE
CONNECTOR

DKF-2

Favorite everywhere. Precision made, rugged locking type. Silver plated.

\$1.25 ea.

DOW-KEY CO., Thief River Falls, Minn.

Happenings of the Month

(Continued from page 62)

LICENSE SUSPENSION

The General Class license of Paul A. Eden, K0MWD of Boulder, Colorado, was suspended for two months by the Federal Communications Commission, effective October 28, 1961. The FCC found that Mr. Eden had operated his station away from its fixed location for more than 48 hours without notifying the District FCC Engineer in Charge; had failed to keep an accurate log; and had permitted an unlicensed person to operate his transmitter (without control over the emissions by a licensed operator). [Sections 12.28, 12.93 and 12.136, Rules Governing the Amateur Service.]

TEXT OF 160-METER FILING

(See page 61)

Before the

FEDERAL COMMUNICATIONS COMMISSION

Washington 25, D. C.

In the Matter of

Amendment of Section 12.111(a) of the Commission's Rules Concerning Amateur Radio Operation on Frequencies Between 1800 and 2000 kc.

PETITION FOR INQUIRY AND RULE MAKING

The American Radio Relay League, Inc., by its General Counsel, respectfully requests the Commission to initiate an inquiry to determine if present restrictions upon amateur radio operation on frequencies between 1800 and 2000 kilocycles may be removed or relaxed, and to institute appropriate rulemaking following such inquiry.

In support whereof, the following is respectfully submitted:

1. Prior to World War II, the band from 1750 to 2000 kilocycles was allocated exclusively to amateur radio operation. During World War II, certain Loran navigational services were established in that band. However, at the 1947 Atlantic City Radio Conference, provisions were made for amateur sharing of portions of the 1800 to 2000 kilocycle band subject to no interference to the Loran service. Accordingly, in April, 1949, such a sharing arrangement was first instituted domestically, providing two 25-kilocycle segments in the western portion of the United States and two other 25-kilocycle segments in the eastern portion, for amateur use with power restrictions for day and night operation. In December, 1952, minor modifications were made in this arrangement, principally a modest increase in privileges available to amateur stations in the southeastern section of the country. In July, 1956, due to the expanding requirements of the Loran service, the use of portions of 1800 to 2000 kilocycle band by amateurs in states along the Gulf Coast was cancelled, and geographical boundaries in other areas rearranged, supposedly on a temporary basis while an evaluation and integration of the Loran frequency system was in process. Developments apparently indicated a continuing increase in the frequency requirements, however, for in May, 1958, a further reduction of amateur privileges occurred in the withdrawal of two of the 25-kilocycle segments, one from each geographical area. That arrangement has continued to the present time. Therefore, at present the amateur service has but one half of the frequency space available prior to 1956, and in the southeastern portion of the country no operation at all is permitted.

2. The League is aware that the frequency requirements for the Loran service are undergoing changes. The Loran-C system being developed on 100 kilocycles is one factor, although admittedly of long-term effect on the use of 1800 to 2000 kilocycles. More relevant to our present petition, the 1900 kilocycle channel earlier employed by Loran has now been discontinued. Because it is the League's under-

(Continued on page 146)


LAFAYETTE RADIO

WORLD WIDE STATION FOR AMATEUR EQUIPMENT



THE LAFAYETTE HE-30

Professional Quality
Communications Receiver



Imported

99.50

- TUNES 550 KCS TO 30 MCS IN FOUR BANDS
- BUILT-IN Q-MULTIPLIER FOR CROWDED PHONE OPERATION
- CALIBRATED ELECTRICAL BANDSPREAD ON AMATEUR BANDS 80 THRU 10 METERS • STABLE OSCILLATOR AND BFO FOR CLEAR CW AND SSB RECEPTION • BUILT-IN EDGEWISE S-METER


Sensitivity is 1.0 microvolt for 10 db, Signal to Noise ratio. Selectivity is ± 0.8 KCS at -6 db with Q-MULTIPLIER. TUBES: 6BA6—RF Amp, 6BE6 Mixer, 6BE6 OSC., 6AV6 Q-Multiplier—BFO, 2-6BA6 1F Amp., 6AV6 Det-AF Amp. ANL, 6AQ5—Audio out-put, 5Y3 Rectifier.

NO MONEY DOWN

KT-200WX
in Kit Form

64.50

HE-10 WIRED AND TESTED
79.95



Imported

IN "S" METER WITH ADJUSTMENT CONTROL • FULL COVERAGE 80-10 METERS • COVERS 455KC TO 31 MC • VARIABLE BFO AND RF GAIN CONTROLS • SWITCHABLE AVC AND AUTOMATIC NOISE LIMITER

The Communications Receiver that meets every amateur need—available in easy-to-assemble kit form. Signal to noise ratio is 10 db at 3.5 MC with 1.25 microvolt signal. Selectivity is -60 db at 10 kc, image reflection is -40 db at 3 MC. Tubes: 3—6BD6, 2—6BE6, 2—6AV6, 1—6AR5, 1—5Y3.

- SUPERHET CIRCUIT UTILIZING 8 TUBES AND RECTIFIER TUBE • BUILT-IN Q-MULTIPLIER

New!

LAFAYETTE HE-45 DELUXE 6-METER TRANSCEIVER

- Highly Sensitive Superheterodyne Receiver Section for 50-54 Mc
- Effective Series Gate Noise Limiter
- 3-Stage, 12-Watt Transmitter with 2E26 Final
- Illuminated Panel Meter for Plate Current and "S" Readings
- Pi-Network Transmitter Output
- Built-in 117 VAC and 12 VDC Power Supplies
- Push-To-Talk Ceramic Microphone

Provides maximum convenience and flexibility in either mobile or fixed operation.


LAFAYETTE HE-50 10-METER TRANSCEIVER

Similar to above except for 10 meter operation

109.50

MADE IN U.S.A.

NO
MONEY
DOWN



Imported

LAFAYETTE HE-34 SWR AND FORWARD POWER METER 16.95

- Reads SWR and Relative Power Output up to 1 KW
- For Continuous Use in 52 Ohm Lines
- Switch Selects SWR or Forward Power—No Reversing Necessary
- Highly Compact—Only 2 1/2 x 5 x 2 1/2"

The ideal aid in adjusting beams, trap antennas, matching networks, etc., or for tuning transmitters for maximum output.

LAFAYETTE HE-29A 9-TRANSISTOR C.B.

"WALKIE-TALKIE"™

39.95 2-For-78.88



Imported

NO MONEY
DOWN

- 9 Transistors plus Diode and Thermistor
- Transmits and Receives up to 1.5 Miles
- Crystal Control on Transmit and Receive
- Uses Inexpensive Penlight Batteries
- 46" Telescoping Antenna
- Push-To-Talk Operation
- Complete With Leather Case, Earphone, Batteries and Crystals for Channel 10

SEND FOR LAFAYETTE'S
NEW 1962 CATALOG

FREE!




LAFAYETTE RADIO, DEPT. VA.2
P.O. BOX 10
SYOSSET, L. I., N. Y.

Send FREE 1962 Catalog 620 featuring the full line of Lafayette Amateur Equipment enclosed for Stock No.

Name

Address

City Zone State



3-BAND HELIWHIP[®] MOBILE ANTENNA COVERS 10-15-20 WITHOUT TRAPS!

Self selecting! The HW-3 HELIWHIP[®] operates effectively in the 10, 15 and 20 meter amateur bands *without the use of traps or switching devices*. Only the helical section for the band in operation takes power . . . the others are far removed from resonance so that their radiation effect is negligible. The HW-3 matches 50 ohm line with very low S. W. R. Six feet overall length. Allows for mounting on trunk deck or cowl. Exclusive Mark "Static Sheath"[™] Plastic coating reduces precipitation static; improves signal/noise ratio up to 20 db.



HELIWHIP[®] is a registered trademark U.S. Patent 2,966,678
*U.S. Process Patent 2,938,210

Write for technical data or visit your nearest
amateur equipment supplier.



MARK MOBILE, Inc.

Dept. Q-1 5441, West Fargo Ave.
Skokie, Illinois



QTC? Whether you are a dyed-in-the-wool traffic man or just an occasional trafficker, your sense of good public relations tells you that ARRL Radiogram forms are a must in your station. Attractively printed on a new high grade paper, message blanks add that final touch to this important public service.

OFFICIAL RADIOGRAM FORM

Pad (70 blanks) 35¢

Message Delivery Cards each 2¢ plain, 5¢ stamped

THE AMERICAN RADIO RELAY LEAGUE, INC. **WEST HARTFORD 7 CONNECTICUT**



CITIZENS BAND-SSB

CALL-IDENT TYMETER 10-Minute

Station Call Reminder with 24 Hour Clock

Model 124H **22.50**

plus applicable tax
10-minute repeating timer buzzes warning to sign in your call letters.

Walnut or ebony plastic case, H 4", W 7 3/4", D 4", Wt. 3 lbs. 110V 60 cy. AC. 1-Yr. guarantee.


12 Hour System #112 . . . 17.50

At Your Dealer . . . or WRITE to

PENNWOOD NUMECHRON CO.

7249 FRANKSTOWN AVE.

PITTSBURGH 8, PA.



standing that this 1900 kilocycle operation was the cause for withdrawal of the 1875 to 1900 and 1900 to 1925 kilocycle segments from the amateur service in 1956, it is the League's hope that a study of present requirements will permit a return of these segments to the amateur service.

3. Additional low-frequency space to relieve congestion in the amateur bands is particularly important at the present time because of propagation conditions and resultant restricted ranges on the high-frequency bands. Since 1956, when the segments were withdrawn, the number of licensees in the amateur service has increased 50 per cent.

5. However small the frequency segments presently available to amateurs, heavy use is made of them, particularly in winter months. There are 16 state and regional communications networks which have been registered on League records, and a number more which have not come to the League's official attention, organized by amateur groups for message-traffic and emergency-communications purposes, all operating within these restricted segments. During the evening hours of winter, it is the most suitable portion of amateur frequency allocations for providing reliable state-wide coverage. Additionally, there is considerable use of mobile operation, particularly in the central portion of the country, again because of its local-area reliability.

5. For whatever assistance it may be in consideration of this matter, the general principle is that, from the amateur standpoint, frequencies are more important than power. To illustrate, if an increase in amateur frequency privileges in a certain geographical area is shown by study to be feasible except for the current power levels (e.g., 500 watts day, 200 watts night), the League is prepared to accept a modest reduction in power on such new frequencies. It is the League's understanding, however, that Loran transmitting stations have substantially increased power over the last few years, which supports the possibility of increased amateur use without a serious problem in respect of potential interference to the Loran service.

6. The League requests that consideration be given to an arrangement whereby the continental U. S. could be divided into three geographical areas — east, north central, and west — whereunder east and west could be allocated two each of the 25-kilocycle segments as existed prior to 1956, and the north central portion of the country could be granted privileges on all four 25-kilocycle segments, with power restrictions as necessary to protect the Loran service.

7. The League further requests that consideration be given to a sharing arrangement in Alaska, Hawaii, and the Pacific Island possessions and territories, looking toward the possibility of amateur use there of the 1800 to 2000 band with appropriate power input restrictions.

Wherefore, the premises considered, The American Radio Relay League, Inc. respectfully requests the Commission to initiate an inquiry to determine if present restrictions upon amateur radio operation on frequencies between 1800 and 2000 kilocycles may be removed or relaxed, and to institute appropriate rule making following such inquiry.

Respectfully submitted,

THE AMERICAN RADIO RELAY LEAGUE, INC.
1735 DeSales Street, N.W. ROBERT M. BOOTH, JR.
Washington 6, D. C. Its General Counsel
December 1, 1961

YL News and Views

(Continued from page 69)

of cards by 1st-class mail. Endorsement given for each additional 50 YLs. Application for stickers to be in same form as application for original certificate. This award is for working different YLs — same YL worked under different calls counts only once. Send application and QSLs to Katherine Johnson, W4SGD, Box 666, Fuquay Springs, North Carolina.

DX YL — available to YLs only! Work 25 duly licensed YLs outside your own country as defined in the ARRL DXCC countries list. All contacts must date after April 1, 1958. Send log extracts showing date, time, station, band, mode, RST report and own QTH, name, and call. QSLs not required. No charge but return postage will be appreciated. (Note: work 25 different DX YLs, not necessarily 25 different countries.) Custodian: Maxine Willis, W6HUA, 6502 Wynkoop St., Los Angeles 45, Calif.

(Continued on page 148)

The only electronics home study program that guarantees*... **A Commercial FCC License** **...Or Your Money Back!**

No other electronics home study program can equal that offered by Cleveland Institute. And that's why we make this exclusive guarantee:

*Completion of our Master Course prepares you for a First-Class Commercial Radio Telephone License with a Radar Endorsement. If you fail the FCC examination for this license after successfully completing the Master Course, you will receive a full refund of all tuition payments. This guarantee is valid for the entire duration of your enrollment period.

This Course Is Designed Specifically For Men With Previous Electronics Training or Experience and Provides...

- Advanced electronic theory and math. (You will receive a special 10" Electronic Slide Rule and complete instructions).
- Special training in the practical application of electronics skill in such advanced fields as Computers . . . Servo-Mechanisms . . . Magnetic Amplifiers . . . AC Circuit Analysis . . . Pulse Circuitry . . . Color TV . . . Radar . . . Advanced Measuring Techniques . . . Industrial Electronics . . . Instrumentation . . . Automation . . . Radio Telemetry . . . Semiconductors.



Get This Handy Pocket Electronics Data Guide Free...

Conversion factors, formulas, tables and color codes at your fingertips. Yours without obligation, simply for responding NOW to this opportunity to improve your future.

Send This Coupon Today →


Cleveland Institute of Electronics



1776 E. 17 St., Desk QT-1, Cleveland 14, O.

Accredited by the Accrediting Commission of the National Home Study Council (An Accrediting Commission Approved by the U. S. Office of Education).

Three Free Booklets Tell How CIE Training Opens The Door To Unlimited Opportunities



More Reasons How CIE Will Help You Get Ahead in Electronics

Job Service . . . every month, for three years, CIE will supply you with a listing of hundreds of job opportunities. High paying, interesting jobs . . . with top companies throughout the world. See how CIE training opens a whole new world in electronics opportunity.

Electron Bulletin . . . every month, every student receives a free copy of this informative bulletin. Keeps you up to date on what's going on in electronics.

Cleveland Institute of Electronics
 1776 E. 17th St., Desk QT-1, Cleveland 14, O.

I want to know more about your electronics home study training program. Please send me your free booklets described above plus your handy pocket Electronics Data Guide. I understand there is no obligation. I have had training or experience in electronics as indicated.

- | | |
|---|---|
| <input type="checkbox"/> Military | <input type="checkbox"/> Broadcasting |
| <input type="checkbox"/> Radio-TV Servicing | <input type="checkbox"/> Home Experimenting |
| <input type="checkbox"/> Manufacturing | <input type="checkbox"/> Communications |
| <input type="checkbox"/> Amateur Radio | <input type="checkbox"/> Other |

I'm now working in _____

I want to know about the following area of electronics (please print)

Name _____ Age _____

Address _____


City _____ Zone _____ State _____

QT-1

Shakespeare

loaded antennas with their rugged efficiency built in

Optimum coil efficiency begins with air core (1), reinforced by hollow fiberglass cylinder (2). To lower loss, coil (3) is wound only in lower section of antenna — embedded in thousands of parallel glass fibers (4) — that extend full rod length, for high flexural strength. Tapered wrap of fiberglass (5) produces superior impact strength.



COLUMBIA PRODUCTS COMPANY
Subsidiary
Shakespeare Co.
Columbia, S. C.

RANGE	STYLE
27 MC Citizens Band	73-0
30-35 MC	73-1
35-42 MC	73-2
42-50 MC	73-11
10 Meters	73-3
15 Meters	73-4
4 Ft. antenna	\$11.25

RANGE	STYLE
20 Meters	73-5
40 Meters	73-6
80 Meters	73-7
6 Ft. antenna	\$15.90

RANGE	STYLE
40 Meters	73-8
80 Meters	73-9
Channel 5 4.58 MC	73-10
8 Ft. antenna	\$18.75

LOW-LOSS CO-AX

TIMES CABLE

T4-50 (RG-8/U style) 52 ohm.. 15¢ foot

Freight paid on 100 ft. and over

CORKY'S DIVISION of HATRY ELECTRONICS

100 High Street • HARTFORD 5, CONN.

Jackson 7-1881

DUMMY LOADS

52 OHMS
NON-RADIATING
SWR BELOW 2:1
ALL BANDS
THRU 2 METERS

100 Watts.....	ICAS
200 Watts.....	ICAS
500 Watts.....	ICAS
1000 Watts.....	ICAS

Write for new catalog



\$4.95 Wired
\$7.95 Wired
\$12.95 Kit
\$15.95 Kit
(Wired, Add \$4.00)
Postpaid U.S.A.

HAM KITS SEE YOUR DEALER OR DIRECT
308 EDGAR AVE. CRANFORD, N. J. Box 175

Continuous Membership Certificate — available to YLRL members only. This certificate is issued for 5, 10, 15, 20, 25 etc., years of continuous membership in YLRL. It is issued automatically, but should you fail at any time to receive yours, contact Custodian Bettie Mayer, K7BED, 2015 S.E. Grand Ave., Portland 14, Oregon.

For complete listing of 40 YL nets and roundtables conducted during the winter months see November 1961 column.

HOWDY DAYS RESULTS

Results of the new YLRL activity "Howdy Days" conducted Sept. 26-28 were received from YLRL Vice President Onic Woodward, WIZEN, as below. Barbara Houston, K5YTB, has the highest score as a YLRL member. Frances Desillier, KIRPI, submitted the winning score as a non-YLRLer. WIZEN concluded that many more YLs participated in Howdy Days, but they neglected to turn in logs.

YLRL Member Logs:

Call	YLRL Members		Total Points
	Worked	Non-YLRL Members Worked	
K5YTB	45	19	109
WIZEN	33	7	73
K5OPS	26	6	58
K1KYB	12	24	48
K1ONT	11	21	43
K1EKO	18	4	40
W6AOE	18	2	38
K1I7T	15	2	32
W1HOY	10	11	31
K1SL8	13	3	29
K5TXQ	13	2	28
W6BJB	10	1	21
W6OKG	10	1	21
K1ADY	4	-	8
W3TSC	3	2	8
Non-YLRL Member Logs:			
KIRPI	9	13	31
K9TVN	9	-	18

KEEPING UP WITH THE GIRLS

YLRL — The new YLRL Directory, revised to Sept. 1961, has been sent to all members. Additional copies are available from Directory Editor Jean Kincheloe, K6QD, 6625 N. Brightview Drive, Glendora, California for 50¢ per copy. In addition to a list of all YLRL members (almost 1000) with resume of ham and other activities about each, the Directory contains the full club Constitution, By-Laws, Procedures Policy, YLRL Certificates, and a complete history of YLRL prepared by club Historian Vada Letcher, W6CEE.


Georgia Peaches — New officers are Pres. K4LIU; V.P. K4IFF; Secy. K4FLW; Treas. K4BDZ; NCS K4KIH; Pub. K4DNL; Membership K4ZNK; Historian K4WNH. Clarifying a misunderstood point, K4DNL states that as of March 31, 1961, non-Georgia YLs could be full members and would count as a full point toward the Georgia Peach certificate. QSLs from non-Georgia members worked prior to that date still count as ½ point only.

Rhode Island YL Club — New officers are Pres. K1DWI; V.P. K1SQS; Secy. W1ZOK; Treas. W1CEW.

MISCELLANY:

The headquarters office of the AWTAR, Inc. has been moved from the West to the East coast, Teterboro Airport, Teterboro, N.J. is the new address. An office will also continue to be maintained at Long Beach, Calif. Oakland, Calif. has been selected for the start of the 1962 AWTAR, with Wilmington, Delaware, the terminus. Dates will be July 7-11. Carolyn Currens, W3GTC, will again serve as chairman for the amateur radio race net. . . . Helen, W1HOY, has worked 200 YLs on six meters only. . . . Receipt of the Seldom Heard OM Certificate #2 brings the total of K4RNS' certificates to 51. . . . OM G3LWS writes "Where do the YLs get to out of contest time?" Ted adds he's always QRV for a chat, phone or e.w. on any of the DX bands. . . . Work W1SVN for a cute aeronautical mobile QSL. Really smitten by the flying bug, Millie is about ready for her private pilot's license exam. . . . W1ICV's KB6BT contact brought Jane's DX total to 200 countries worked, 194 confirmed. Other DXing YLs busy upping totals are W2OWL 116 94; W1RLQ 176 confirmed; K1JNE 135 confirmed.

IRE SHOW



presenting

"THE GOLDEN AGE OF ELECTRONICS"

March 26-29, 1962

The New York Coliseum

... part of the

International Convention of the IRE

The Institute of Radio Engineers
1 East 79th Street • New York 21


Members \$1.00. Non-members \$3.00. Age limit: over 18



Who can give you personal service on helping you select better gear per dollar for your operating pleasure. Over 30 years' experience. Big trades, easy terms. Used bargains.
VAN SICKLE RADIO SUPPLY CO.
Gene Van Sickle, W9KJF, Owner
4131 N. Keystone Ave.
On the northeast side of Indianapolis 5, Indiana

+ + + + +
+ **CUBICAL QUADS** +
+ 10 - 15 - 20 Meters.....\$39.95 +
+ Separate parts for complete quads +
+ Fiberglass spreaders +
+ **SKYLANE PRODUCTS - Dept. A** +
+ 406 Bon Air Temple Terrace, Fla. +
+ + + + +

TELEWRITER FREQUENCY SHIFT CONVERTER



NEW MODEL "K"

Designed by M. J. "Don" Wiggins, W4EHU, it includes 1. Linear audio discriminator with high Q toroids for maximum interference rejection. 2. Advanced keying tube circuit to compensate for distortion, with front panel control. 3. Separate magnet current supply with milliammeter. 4. Dual eye indicator. 5. Chassis terminals for polar relay bias, S-R relay, and loop. 6. Front panel jacks for keyboard and printer. 7. Send-Rec. and polarity reversing switches. For further information and reconditioned teletype list, write:
ALLTRONICS-HOWARD CO. BOX 19 BOSTON 1, MASS. (RICHMOND 2-0048)

EASY TO LEARN CODE

It is easy and pleasant to learn or increase speed the modern way — with an **Instructograph Code Teacher**. Excellent for the beginner or advanced student. A quick, practical and dependable method. Available tapes from beginner's alphabet to typical messages on all subjects. Speed range 5 to 40 WPM. Always ready, no QRM, beats having someone send to you.



ENDORSED BY THOUSANDS!

The **Instructograph Code Teacher** literally takes the place of an operator-instructor and enables anyone to learn and master code without further assistance. Thousands of successful operators have "acquired the code" with the **Instructograph System**. Write today for full particulars and convenient rental plans.

INSTRUCTOGRAPH COMPANY

4709 SHERIDAN ROAD, CHICAGO 40, ILLINOIS
4700 S. Crenshaw Blvd., Los Angeles 43, Calif.



Price less tubes
complete with
matched dial assembly

only **\$29⁹⁵** amateur net

VFO model 4/102, 80-40-20-15-10 meters

VFO model 4/103, 144-148 Mc.

VFO model 4/104, 80-40-20-15-11-10 meters

***All Geloso VFO's use standard U.S. tubes**

"... amazing stability... most outstanding dollar for dollar value that I have had the privilege of testing to date."

— B. A. Briskman, Assistant Editor CQ

At your ham distributor, or write,

AMERICAN GELOSO ELECTRONICS, INC.

251 Park Ave. South, New York 10, N.Y.
Dept. 315

Please send technical data sheets on Geloso VFO tuners, and other amateur equipment and components.

NAME _____
ADDRESS _____
CITY _____ ZONE _____ STATE _____

EML TRANSMITTER 60-6



6 METERS — **\$59.50**

POTENT—20 watts with 300 volt supply, up to 60 watts with 600 volt supply.

COMPACT—5¾ wide, 4¼ high, 7½ deep. Perfect for mobile or fixed station.

CONVENIENT—Broadband coupling means you switch to any crystal, tune the final and you're on. Covers entire band. Meter has 2% accuracy. Provision for output and SWR metering. Send for specs on this and matching modulator and power supply.

ELECTRO-MECHANICAL
LABORATORIES, INC.

102 Westport Avenue Norwalk, Connecticut

\$100 MORE!

VESTO STEEL COMMUNICATION

TOWERS COST

*\$100 More Than Other
Towers . . .*

*But LOOK What
YOU GET For That \$100!*

- Hurricane-proof construction*
- Self-supporting—no guy wires
- Hot dip galvanized steel to last a lifetime
- Safe steel ladder from ground to safety platform near top
- Easy and fast to erect
- 10 sizes in stock—22 to 100 feet

*VESTO TOWERS

have withstood hurricanes for many years without a single failure!



MODEL VHP 100
100-FT. SIZE 1

Write for FREE
Literature!


VESTO COMPANY, INC.

2015 and Clay Street
North Kansas City, Missouri

DK60 SERIES COAXIAL RELAYS

4 different models, A.C. or D.C.

(and Types C, TNC,
BNC, N, and UHF
Connectors)



DK60-G2C

2 3/4 x 3 3/4 x 1 1/2
Less than 9 oz.

DK60 SERIES RELAYS PRICED FROM . . . \$12.45

See any one of our 700 Dealers and Distributors in U. S. and Canada for catalog sheets or write:

STANDARD RELAYS INCLUDE:

- DK60 — SPDT r.f. switch.
- DK60-G — SPDT r.f. switch with special "isolation" connector in de-energized position.
- DK60-2C — SPDT r.f. switch with DPDT auxiliary contacts.
- DK60-G2C — SPDT r.f. switch with DPDT auxiliary contacts and special "isolation" connector in de-energized position.

- ★ Relays available in weatherproof boxes for exterior installation.
- ★ Ganged, multiple position switch arrangement available for remote control selection of antennas.
- ★ Unconditional guarantee for period of one year. (We will repair if faulty within one year.)

r.f. SPECIFICATIONS:

Low VSWR: less than 1.15:1 from 0 to 500 mc. Low Losses: Pure silver contacts. Parts in crucial positions plated with fine silver. Low Cross-Talk (greater than 80 db) (in energized position) in DK60-G and DK60-G2C through use of patented "isolation connector". High Power Rating: (a) 1 kw through straight connectors (b) to 10w through "isolation connector"—excellent for video switching. SPDT r.f. Contacts: r.f. leakage extremely low, below typical r.f. connectors.


MECHANICAL SPECIFICATIONS:

High Contact Pressures: Long life expectancy greater than 1 million operations. Continuous Duty: Teflon feed-through terminals used on coil to provide connection ease.

ELECTRICAL SPECIFICATIONS:

Wide Variety of Coil Voltages: 5, 12, 24, 32, 48, 110, 220 D.C. volts at 2.0 watts; 6, 12, 24, 110, 220 A.C. volts at 6 volt-amps, 50-60 cps. (Special voltage or resistance available on request.) Less Than 50°C Temperature Rise Above Ambient: Maximum operating temperature is 100°C except on special order. Auxiliary contacts available for power control—DPDT at 5a, 110 v A.C. on DK60-2C and DK60-G2C.

Manufactured by **DOW-KEY COMPANY**, Thief River Falls, Minnesota



THINK I GOT A TELCO 201 CONVERTER
OR SOMETHIN'?

WHY NOT..

SEND YOUR CHECK TODAY for
this NEW Six Meter Converter.

Price **\$37 40** (inc. F.E.T.)

Delivery from Stock. Postage Prepaid.
Eliminate the Need for Absolute Quiet to
Hear The Weak Signals

TELCO

TAPETONE ELECTRONICS LABORATORIES INC.

99 Elm St., West Newton 65, Mass.


for **BIG**
SAVINGS
on A-1
Reconditioned
Equipment...
call Henry

Our time payments save you money
because we finance ourselves. Write, phone
or visit either Henry store to get better equip-
ment at less cost on better terms.

Henry Radio Stores

Butler 1, Missouri Ph. ORchard 9-3127
11240 West Olympic Blvd.
Los Angeles 64 Ph. GRANite 7-6701
931 No. Euclid Ave., Anaheim, Calif.

USE A
P & H AUDIO COMPRESSOR



**FOR MINIMUM DISTORTION
MAXIMUM TALK POWER**

100% MODULATION—WITHOUT DISTORTION is practically impossible to attain with most ham rigs. NOW—Thanks to P&H—you can have your cake and eat it too!

Simply connect a P&H MODEL AFC-1 or AFC-2 between the mike and the mike input of any SSB, DSB, AM, PM or FM transmitter—Set the transmitter audio gain control for 100% modulation and FORGET IT! From a WHISPER to a SHOUT—the compressor output level NEVER VARIES MORE THAN 6DB. May also be used on PA systems to maintain high audio output without blasting.

NOT A CLIPPING DEVICE! This is an AVC type compressor, like broadcast stations use. Operation is instantaneous, with no pumping effect. Built-in audio filters and SEPARATE HIGH and LOW IMPEDANCE CIRCUITS.

HIGH IMPEDANCE threshold is set at -52 DB and will provide up to 50 DB of compression with negligible distortion. LOW IMPEDANCE threshold is set at -25 DB, and will provide up to 40 DB of compression when used between the speaker and the audio output of a receiver; resulting in excellent AVC action from receivers with poor RF AVC characteristics.

MODEL AFC-1 (3" x 3" x 5") requires an external power source (often available from transmitter or receiver) and contains a 90-3500 cycle bandpass audio filter.


MODEL AFC-2 (5" x 5" x 7") has a built-in power supply and a switch controlled BROAD-MEDIUM-SHARP audio filter.

MODEL AFC-2CW is identical to the AFC-2 except for much sharper audio filters. It is intended for use with filter type exciters and for CW reception when used in the speaker line of receivers.

MODEL AFC-1 With tubes (less power supply).....\$32.95
MODEL AFC-2 or AFC-2CW Complete.....\$54.95

P & H ELECTRONICS INC.
424 Columbia Lafayette, Ind.

**Cush
Craft**



- 2 Meter with mast
Model # AM-2M \$8.70
- 2 Meter stacked
COMPLETE
Model # AM-22
- 6 Meter with mast
Model # AM-6M
\$12.50
- DUAL HALO with
mast. Mod. # AM-26
\$17.45

NEW
PORTABLE 3 EL.
6 meter beam.
(50" x 4" folded)
Model No. A50-3P
\$10.95

CUSHCRAFT

621 HAYWARD ST.
MANCHESTER, N. H.

**NEW EZ-IN
QSL CARD PACKET**



20 CARDS
FRAMED IN
CLEAR
POLYETHYLENE

POCKETS OF
"DOUBLE"
PACKET
OPEN AT
FRONT CENTER
FOR EASY
INSERTION OR
REMOVAL

1 PACKET
35¢

3 PACKETS
\$1.00


POSTPAID and GUARANTEED BY:

TENN. PAPER & BOX CO.

P. O. BOX 198

GALLATIN, TENNESSEE

**6 METER TRANSCEIVER
SOLAR SYSTEM**



\$189.50
Ham
Net

- 12 Watts to 5763
- Front Panel Operation
- Final Plate & Grid Metered
- Push-to-Talk/Any Type Mic.
- Better than 1/2 Microvolt Sens.
- Built-In Noise Limiter
- Double Conversion Superhet
- 6:1 Vernier Tuning
- 6, 12 and 115 VAC

Write for
Literature

SOLAR ELECTRONICS CORP.

12 HINSDALE STREET
BROOKLYN 7, NEW YORK

with the great new **SHURE**


440 SL HAM MICROPHONE

- Sharp Cutoff Below 300 and Above 3000 cps — Minimizes Splatter, Reduces Unwanted Sideband.
- Elimination of resonant peaks permits higher average power — more audio punch.
- Shaped frequency response — Superb Intelligibility — Naturalness of voice.
- Trouble-Free Controlled-Magnetic Design — Hi-Output — 52.5 db — Extraordinarily Rugged — No humidity problems.
- Complete with Grip-to-Talk Switch, Desk Stand, 2-Conductor Shielded Cable. Will operate VOX and Grip-to-Talk.

Complete with stand, grip-to-talk switch, 7 ft. highest quality 2 conductor shielded cable. Cable connector equivalent to Amphenol NIC3M plug.

WRITE FOR LITERATURE: Dept. No. 53-A1

Shure Brothers, Inc., 222 Hartrey Ave., Evanston, Ill.




ONLY
\$285*

*Amateur Net

MICROPHONES, HIGH FIDELITY AND ELECTRONIC COMPONENTS

SPECIALISTS IN COMPACT ANTENNAS



Exclusive!
**MINIATURIZED
4-BAND ANTENNA**
6 • 10 • 15 • 20 METERS

- New end loading principle to maintain effective radiation. No center loading employed.
- Element length, 11'; boom, 60".
- Turning radius, 7'.
- Weight, 11 lbs. Light enough for TV Rotator.
- Feed line, RG58AU or equiv.
- SWR, less than 1.5:1.

Model B-24 Amateur—Net \$54.95

Write for literature and the name of your nearest **MINI-PRODUCTS** distributor. (Patents pending.)

Mini-Products, Inc.

- Model C-4 Multiband Coaxial Antenna—6-10-15-20 Meters. Net \$34.95
- Model M-4 Mobile 4-band—fits all mounts, 5' 3" high. Net \$16.95

1001 West 18th Street • Erie, Pennsylvania

Order direct from the factory or your favorite distributor

"THE NEAREST THING TO A PRIVATE TUTOR"

(ELECTRONICS ILLUSTRATED—JULY 1958)

CODE INSTRUCTION



® ONE OF THE
FINEST CODE
COURSES AVAILABLE

Western Union, Railroad, Navy & Amateur experience provided background for this course

CONSIDERING THE RE-USABILITY OF THE RECORDING TAPE THIS IS THE MOST IN-EXPENSIVE COMPLETE CODE COURSE ON THE MARKET TODAY.

NOVICE TAPE—1 hour of basic instruction using voice and code characters together and 1 hour of practice material to 8 WPM..... **\$6.50**

ADVANCED TAPE—2 hours of practice material 9 to 18 WPM..... **\$5.50**


Practice material includes both plain language and 5-character coded groups, letters and numerals mixed. Top quality Acetate tape, 1200' on 7" reels recorded dual track at 3 1/2 IPS.

A postcard will bring you the name of your nearest distributor handling this fine product.

DISTRIBUTOR INQUIRIES INVITED

TAPEDCODE • BOX 31E, LANGHORNE, PA.

* TWO-WAY * COMMUNICATION CRYSTALS



HC/6-U
Pin optional
for all Sock-
ets except ¼
centers

HC/18-U Subminiature

UNCONDITIONALLY GUARANTEED FAST SERVICE

American specializes in two-way communications. Frequency correlation data for G.E., Motorola, R.C.A., Collins, Globe, Johnson, Lear, Narco, Hallicrafters, Link, Gonset, Heath, Bendix, Aeronut, U.S. Gov't. and many other companies. *Include postage with order.*

FREQUENCY RANGE	CALIBRATION TOLERANCE	PRICE
3000 KC to 9999 KC	.002%	\$3.50
15 MC to 30 MC TM	.0025%	\$3.50
30 MC to 50 MC	.0025%	\$4.00
10 MC to 17 MC Fund	.002%	\$4.00
2001 KC to 2999 KC	.002%	\$4.00
50 MC to 60 MC	.0025%	\$5.00
1000 KC to 2000 KC	.002%	\$7.50

Write for quantity discounts—

AMERICAN CRYSTAL CO.
P.O. Box 2366—Kansas City 42, Mo.
Telephone—Victor 2-5571

Act-WRITE NOW!

Better Yet—WIRE OR CALL TODAY FOR

- Burghardt's "Deal of the Month" For January
- Our January Listing of Reconditioned Equipment Carrying Burghardt's "Seal of Satisfaction"

YOU'LL BE GLAD YOU DID!

- Featuring . . . Central Electronics, Collins, Drake, Gonset, Hallicrafters, Hammarlund, Hy-Gain, Johnson, Mosley, National
- Your Direct Line to Every Manufacturer

Burghardt
RADIO SUPPLY

Phone TU 6-5749

Box 716

Watertown, S. Dak.

THE LEAGUE EMBLEM



With both gold border and lettering, and with black enamel background, is available in either pin (with safety clasp) or screw-back button type. In addition, there are special colors, available in the pin style emblem only, for Communications Dept. appointees.

- ▶ Red enameled background for the SCM.
- ▶ Green enameled background for the RM, PAM or EC.
- ▶ Blue enameled background for the ORS or OPS.

THE EMBLEM CUT: A mounted printing electrotpe, 5/8" high, for use by members on amateur printed matter, letterheads, cards, etc.

Pin, Button or Cut: \$1.00 Each, Postpaid

AMERICAN RADIO RELAY LEAGUE

West Hartford 7, Connecticut

RESTORE THE 'OLD PEP' WITH VIBROPLEX



Will not upset the nerves or tire the arm. All parts precision machined. This key supplies the quality for expert sending. It is adjustable to any speed. The Vibroplex ("BUG") comes in five models, priced at \$17.95 to \$33.95.

VIBRO-KEYER


Supplies the perfect part in building electronic transmitting units. Has finely polished TOP PARTS, BASE 3 1/2" by 4 1/2" and weighing 2 1/4 lbs. Same finely finished parts as the Vibroplex. Standard, at \$17.95; Deluxe, with Chrome Plated Base, priced at \$22.45.

Order today at your dealers or direct

THE VIBROPLEX CO., INC.

833 Broadway New York 3, N. Y.


FREE
Folder



LRL-66 ANTENNA

66' LONG. 80 THRU 10M

Power rating 2 Kw. P.E.P. or over on 80, 40, 15. On 20 and 10 1 Kw. P.E.P. transmitter input.



PRICE
\$30.00
in. Cont.
USA, ppd.

- OPERATES ON 5 BANDS AUTOMATICALLY
- Loading coils for 80 & 40M doublet operation
 - Adjustable ends to set 80 meter resonance
 4. Decoupling stubs for 20 & 10 meters

- Center insulator with female coax connector to take PL-259 plug
- Fittings on insulators to tie on rope


LATTIN RADIO LABORATORIES

Box 44

Owensboro, Kentucky

DOW PRE-AMPLIFIER

BROADBAND * FULLY GUARANTEED



DKC-RFB

Only 1 3/4" x 2"
Less than 6 ozs.

DKC-RFB BROADBAND PRE-AMPLIFIER - \$10.75

Not available with type "N" connectors

See any one of our 700 Dealers and Distributors in U. S. and Canada for catalog sheets or write:

GET SIGNALS YOU DIDN'T HEAR BEFORE!

The DKC-RFB is a highly useful, practical precision-made accessory for the amateur receiver, and an amazing booster for mobile equipment using converters.

A brand new, fully tested and proven booster! It is essentially a 50 to 70 ohm impedance matching "Broadband Pre-amplifier" not a pre-selector. Designed specifically for medium-high to less sensitive receivers in use the world over by amateur operators. It is guaranteed to increase over-all gain by 1 to 6 "S" units of any receiver*, all bands, 1.5 to 30mc. A slight gain is noted through 60 mc, and the booster need not be removed when operating at this frequency. The DKC-RFB is the long-awaited accessory which will enable the amateur, using less costly equipment to improve the sensitivity potential, to work more DX, to bring up weak and unintelligible signals and to enhance the potential of the antenna. The amazing RFB is especially advantageous to mobile equipment where converters are used.

A tuned antenna system, a coax connector at the receiver are necessary for the best results.

(*The RFB is not designed or intended to increase the receiving quality of expensive receivers; however, a gain of 2 or 3 "S" units is noted.)

* BROADBAND COAXIAL PRE-AMPLIFIER

Designed specifically for less sensitive receivers, 1.5 to 30 mc. Receivers needing "front-end" drive.

* NO ADJUSTMENTS REQUIRED

Antenna trimmer will aid in matching RFB to receiver on various bands.

* SIMPLE INSTALLATION

Small, light-weight, compact, simple and easy to install, either fixed station or mobile.

* NOISELESS

The RFB properly installed does not inject additional noise.

Manufactured by **DOW-KEY COMPANY**, Thief River Falls, Minnesota

THE VHF AMATEUR

If you missed our last issue you'd better subscribe now

requesting to start with it! Our December 1961 issue gave complete information on *FREE Hi-Pass FILTERS* to solve your TVI problems, \$29B final for 50 mc, NBFM'ing that VFO, Heath TWOER modifications and more. Subscriptions: \$5.00 three years, \$2.00 one year. Sample copy 35¢. Editor-publisher: Bob Brown, K2ZSQ THE VHF AMATEUR, Dept. 11.1, 67 Russell Avenue, Rahway, N. J.

CANADIANS! We have large stocks of nationally advertised Ham parts. Write for Free Bulletin.

THE CRAWFORD RADIO

P. O. BOX 617

VE3YR 119-121 JOHN ST., N. VE3JU
"Geo" HAMILTON, ONT. "Bill"

THIS QSO WAS SOLID!

One night . . . When the skip was perfect on 20 . . . I happened to mention the problem of saving money to an OM in 7-land . . . how hard it was to save *anything* from the pay check. He said he had licked the problem by banking the *extra money* he earned in *mobile-radio maintenance*.

READING QST LATER, I SAW THE LAMPKIN AD AND SURE AM GLAD I REACHED FOR THE SCISSORS. NOW MY MOBILE-RADIO WORK HAS GROWN TO WHERE . . . EVERY MONTH . . . I PUT A THREE-FIGURE AMOUNT INTO THE SAVINGS ACCOUNT!

HERE IS THE SAME COUPON THAT I USED - BETTER MAIL IT NOW!

Lampkin 105-B Frequency Meter. 0.1 to 175 MC and up. Price \$260.00, net.

Type 205-A FM Modulation Meter. Range 25 to 500 MC. Price \$270.00, net.



LAMPKIN LABORATORIES, INC. BRADENTON FLORIDA

NEW . . . THE PPM METER. AN ACCESSORY FOR THE 105-B. ACCURACY 0.0001% FOR SPLIT-CHANNEL, FREQUENCY CHECKS. PRICE \$147.00, NET.




LAMPKIN LABORATORIES, INC. MFG Division, Bradenton, Fla.

At no obligation to me, please send me free booklet "HOW TO MAKE MONEY IN MOBILE-RADIO MAINTENANCE" - and data on Lampkin meters.

NAME _____
ADDRESS _____
CITY _____ STATE _____

ROHN "fold-over" TOWERS*



Especially
DESIGNED
for
Amateur
use!

first IN DESIGN foremost IN SALES

ROHN "fold-over" towers are ESPECIALLY made for amateur use. They are the most practical tower in design because they allow you to work ON THE GROUND for antenna maintenance and servicing. You'll quickly agree that this is a most wonderful feature for an amateur tower. In addition, these towers are made and designed for true, heavy duty use. They are structurally sturdy for use up to 70 feet and in enough sizes for all types and sizes of amateur antennae. This means that they can easily handle your requirements. They have unexcelled workmanship. They are hot-dipped galvanized after fabrication which means you have no problem of maintenance. They come as a complete package with all materials and accessories included. Add all these wonderful features together and you see why they're the most demanded tower today! Priced from \$186.

FREE literature and near source of supply gladly sent. Be Sure you investigate ROHN towers before buying!

*Patent—2,875,865

ROHN Manufacturing Company

Box 2000 Peoria, Illinois

"World's largest exclusive manufacturer of TV-Communication towers"

GUARANTEED CRYSTALS!

ALL MARINE FREQ.—FT-243, DC-34 Holders. Tol. .005..\$2.00
POLICE, C.A.P., CD, MARS. Tol. .01%.....\$1.89
CITIZENS BAND—11 METERS—.005% Tol.
26.965 to 27.225 MC, 3rd Over, Herm. Seal or FT-243 \$2.50
13.4825 to 13.6125 MC, 2nd Harm. Herm. Seal or FT-243 \$2.50
6741.25 to 6806.25 Kc, 4th Harm. FT-243 only.....\$2.00

SPECIAL STOCK CRYSTALS

FT-243 Holders 5700 KC to 8700 KC in steps of 25 KC's

\$119
ea.

SEND FOR FREE CATALOG

DC-34 Holders 1690 KC to 4400 KC steps of 10 KC ea..\$.79

NOVICE BAND FT-243 Fund.

80 Meter 3701-3748—Steps of 1 KC. FT-243
40 Meter 7150-7198—Steps of 1 KC. FT-243
Dbl. to 40 Meter 3576-3599. Steps of 1 KC. FT-243
15 Meter 5276-5312—7034-7083 Steps of 1 KC. FT-243

FT-243—2 Meters (Steps of 1 KC)\$1.19
FT-243—6 Meters (Steps of 1 KC)\$1.19
FT-243—From 3000-4000\$1.19
FT-243—From 1005-2999 (Steps of 5 KC)\$2.39
FT-241 5SB Low Freq. Xtals 370 to 540 KC
(Steps of 1.852 and 1.388)\$.69
FT-241 5SB Matched Pairs\$2.39
Open Friday Evenings until 9 P.M.

Include 5c per crystal for postage (U. S. Only) Calif. add 4% Tax. No C.O.D.'s. Prices subject to change. Ind. 2nd choice; substitution may be necessary. MIN. ORDER \$2.50

"The House of Crystals"

U. S. CRYSTALS, Inc.

1342 S. La Brea Ave. Los Angeles 19, Calif.




FREE!
FROM BILL BRURING
W7ZSO

64 PAGE AMATEUR CATALOG
NEWEST NAME BRAND GEAR

**Communication
Equipment Co.**

518 STATE ST.
LA CROSSE, WISC.
PHONE 4-7373

SINGLE SIDEBAND TRANSCEIVER MODEL SB-6F



FOR

- OIL EXPLORATION
- MINING
- GOV'T NETWORKS
- CIVIL DEFENSE
- LUMBERING
- PLANTATIONS

WRITE FOR DETAILS

SPECIFICATIONS

SIZE: 9 1/2 X 18 X 17	125 WATTS · P.E.P.
WT.: 50 POUNDS	AM AS WELL AS 5SB
SIX CHANNELS	1.6 TO 16 MC

R F COMMUNICATIONS ASSOC. INC.
13 CANAL STREET • ROCHESTER 8, N. Y.

NEW OPPORTUNITY in ANTENNA ENGINEERING

An attractive new opportunity for personal progress is now available with one of the fastest growing antenna manufacturers in the world, HY-GAIN ANTENNA PRODUCTS Company.

Hy-Gain offers you an opportunity to conceive, design and develop advanced communication antenna systems and supervise them through production.

In addition to an attractive salary, you will be living in one of America's finest cities. The finest educational, medical and recreational facilities are at your door-step.

If you have had design and project experience with communication antenna systems and you are ready to accept this challenging and rewarding new opportunity, send your resume and salary requirements to:

Roger B. Olson, Director of Engineering
HY-GAIN ANTENNA PRODUCTS
 1135 North 22nd Street
 Lincoln, Nebraska

RELOCATION EXPENSES PAID

INQUIRIES HELD IN COMPLETE CONFIDENCE

Franky the Frog
 says:

Ring in the New Year with a visit to the SIX-HAPPY-HAMS at THE AMATEUR HEADQUARTERS of Southern New England. It's the ham haven manned by hams.

A complete stock of name brand equipment which includes COLLINS, CLEGG, GONSET, HALLICRAFTERS, HAMMARLUND, HY-GAIN, E. F. JOHNSON and NATIONAL RADIO is always maintained

W. H. EDWARDS CO., INC.

116 Hartford Ave., Providence 9, R. I. • Tel. GA 1-6158-6159-6614

LEARN CODE!

SPEED UP Your
 RECEIVING
 with G-C

Automatic Sender

Type S

\$32.00 Postpaid in
 U. S. A.




Housed in Aluminum Case. Black Instrument Finished. Small—Compact—Quiet induction type motor. 110 Volts—60 Cycles A.C.

Adjustable speed control, maintains constant speed at any Setting. Completes with ten rolls of double perforated tape. A wide variety of other practice tapes available at 50c per roll.

GARDINER & COMPANY

STRATFORD

NEW JERSEY



MODEL
 No. TG-2-R
 (144-160 mc)
 PAT. PEND.

AVOID CEILING BULGE

Now you can buy a miniaturized gain * antenna for your "ROOF TOP" without ceiling bulge!

* Same db gain as TG-2

- SWR better than 1.5 to 1 with 52 ohm line.
- Hermetically sealed matching transformer.
- Less than 2 1/4" above roof.
- Will stand up to 150 watts RF power.
- Stainless spring steel whip, 1/2 wave long. May be cut to your specific frequency.

EASY TO INSTALL
 no need to remove upholstery!



Mounts from outside by insertion through 1/8" hole.



Mounts flat; only uses 3/8" inside roof.


Special Frequencies Available
 Comes Complete with 12 Foot Cable

SEE YOUR DISTRIBUTOR OR WRITE GAM DIRECT

GAM Electronics inc.

138 Lincoln St., Manchester, N. H.

Space-Raider
ANTENNAS



**foolproof design
provides quick
easy assembly**

— both standard and polarized diversity beams . . . for 6, 10, 15 and 20 meter bands. Space Raider takes the guess-work out of antenna assembly. These exacting units fit perfectly by following simple instructions. Beams are pretuned, and matching sections pre-resonated . . . ready to use.

Rugged, light-weight aluminum construction — reduces torque. Boom and mast materials are rated "A" in standard scale of corrosion resistance. Aluminum hardware is high strength aircraft alloy.

Available in 12 models—order through your distributor, or direct from the manufacturer. Priced from \$11.50

Space-Raider
ANTENNAS

1706 EAST WALNUT STREET
PASADENA, CALIFORNIA
TELEPHONE: SYcamore 2-2526

\$\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
\$ WE BUY \$
\$ HAM \$
\$ EQUIPMENT \$
\$ FOR \$
\$ CASH \$
\$ TRIGGER \$
\$ 7361 W. NORTH AVENUE \$
\$ RIVER FOREST, ILLINOIS \$
\$ (SUBURBAN CHICAGO) \$
\$ HOURS: WEEKDAYS 1-9 PM \$
\$ SATURDAYS 10 AM-9 PM \$
\$ OR BY APPOINTMENT \$
\$ CHICAGO NO. \$
\$ PR 1-8616 TU 9-6429 \$
\$\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

**FACTORY AUTHORIZED SERVICE
ON RECEIVERS AND TRANSMITTERS**

REPAIRS, modernization, calibration and alignment by competent engineers using factory standard instruments. Collins, Globe, Hallicrafters, Hammarlund, Harvey-Wells, National Co. Service representative for Hickok and RCA Test Equipment. Factory parts. All work guaranteed. Our twenty-fifth year.

DOUGLAS INSTRUMENT LABORATORY
176 Norfolk Avenue Boston 19, Mass.

KEY • municator
TRANSISTORIZED

"PRO
STYLE" TELEGRAPH KEY 995


Cast metal, transistorized oscillator, batteries last for months. Mounted on 9"x12" rugged base. At Electronics Dealers.

DOW-KEY COMPANY
Thief River Falls, Minn.

THE NEW MARCH OF DIMES
NF
THE NATIONAL FOUNDATION

POLIO = **BIRTH DEFECTS** = **ARTHRITIS**

YOUR DIMES WILL DO IT AGAIN!
So...Say Yes to The NEW MARCH OF DIMES



YOU ARE THERE!

with **telrex** ANTENNA SYSTEMS

Presently in use in 130 lands providing "Top-man-on-the frequency" results that invite comparison!

You Too . . . can enjoy World renown Telrex performance and value.

Write Telrex Labs. now, for assistance and/or info.

AVAILABLE FREE! PL77 tech data and pricing, 107 popular antenna models. \$6.95 to \$985.00

ANTENNAS Communication and TV Antennas
SINCE 1921 **telrex** LABORATORIES
ASBURY PARK 40, NEW JERSEY, U.S.A.

RADIO CONSULTING ENGINEER
W8FAZ—Joseph Zelle, AB MA (MS) PE

IRE APS
AIBE ARRL AMS

Practice limited to amateur radio

TELETYPEWRITER EQUIPMENT • COLLINS

51J-3 RECEIVERS .50-30.5 MC. R-390A .50-32 Mc. SP-600 Receivers, 540 Kc.-54 Mc. Teletype: #14, 15, 19, 26, 28; Kleinschmidt: TTA, TT76, TT98, etc. Teletypewriter Receiving Converter, etc. Write to TOM, WIAFN, ALLTRONICS-HOWARD CO., Box 19 Boston 1, Mass. Richmond 2-0018

BARRY ELECTRONICS CORP.

IN STOCK *

- 83-1SP (PL-259) Coax Connector..... **25c**
- 831R (SO-239) Coax receptacle..... **25c**
- Eimac SK-710 Socket for 4CX300A tube..... **\$14.95**
- Western Electric Type 255A Polar Relays..... **\$5.95**
- Mallory VHF Inductuner, Tunes from 55 thru 220 Mcs..... **\$2.95**
- Ucinite Sockets for tube types 826, 829B, 3E29, etc..... **\$1.00**

- NC-270 **\$279.95** Free Map
- NC-190 **\$219.95** Free Map
- NC-155 **\$199.95** Free Map
- Hammarlund HQ-105TR **\$219.50** Free Map

Above equipment comes with Free Map—full color, three dimensional, value of **\$9.95**. Units will be prepaid anywhere in Continental USA and Canada. All units brand new factory stock.

COLLINS PLATE TRANSFORMER

C. D. HAM-M ANTENNA ROTOR
(Support 1,000 lbs)
\$119.50

- Pri: 110 V. at 60 CPS.
- Sec: 800 V.C.T. at 270 Ma.
- (Secondary insulated for 2500 V.)
- Size: 4 7/8" H x 3 3/4" W x 4" D.
- Net Wgt: 8 1/2 lbs. (approx. 10 lbs. packed.)
- All terminals have 24" color coded wire leads.
- Order stock No. RAD6625-463.
- NEW, UNUSED..... **\$4.50**

- Sylvania Model 402 Synchroscope. Brand new original factory carton, **\$225.00**
- Stancor P-5002 Filament Transformer (10 VCT @ 12 Amps.) Insul: 7500 V. **\$9.95**
- 12 V. Dynamotor. Puts out 700 VDC @ 260 Ma. "Mint." Brand new, **\$13.95**
- Carter Duovolt Dynamotor: 6 or 12 V. input. Output: 640 VDC @ 275 Ma. new..... **\$19.95**

- UCS Jennings Vacuum Variable Cap. 10 to 300 Mmfd. @ 10 KV., **\$49.00**
- UCSVH Jennings Vac. Var. 8 to 35 Mmfd. @ 25 KV..... **\$59.00**
- UCSVH Jennings Vac. Var. 58 to 302 Mmfd. @ 23 KV... **\$79.00**
- UCSVH Jennings Vac. Var. 9 to 153 Mmfd. @ 23 KV..... **\$79.00**
- Edison #501 Delay Relays. Fits standard Octal socket. 6.3 V./60 Sec/normally open..... **.90c**

PLATE TRANSFORMER

ANTENNA WIRE:

- Pri: 115 VAC at 60 CPS.
- Sec: 3,000-2500-0-2500-3,000 at 350 Ma. insulated for 10 KV.
- Size: 4" x 7" W x 6 1/4" D. Net wt.: 25 lbs. New Production.
- Stock: #X-6000/350..... **\$36.95**
- G. E. Pyranol 14 Mfd. at 2 Kv..... **\$4.50**

- 14 Ga. Formvar (order #ED-14) 100' @ **\$1.89**
- 12 Ga. Formvar (order #ED-12) 100' @ **\$2.75**

BARRY ELECTRONICS CORP.

512 Broadway, New York 12, N. Y. Dept. Q-1

- Enclosed is money order or check with my order.
- Send copy of Winter "Greensheet" Catalog Supplement.

Name.....Title

Company.....

Address.....

City.....State.....

*Prepaid/48 States (50¢ service charge if order under \$2.00)
WRITE FOR YOUR COPY OF THE "GREENSHEET" CATALOG

To QST Readers:

THE state of the nation—pardon us, we mean the state of QST advertising—is about the same as reported on page 168 of the January 1961 issue. The amateur radio business is still being run by amateurs and QST display ads show many ham calls.

We counted 277 different calls* in 1961. How many can you find?

Mail us your list showing each call and the name of the company whose ad it was in. If you find 150 we'll send you an ARRL Log Book. Please arrange your list by call areas and alphabetically within each call area.

73,

ADVERTISING DEPARTMENT of ARRL
L. A. "Pete" Morrow, W1VG

* Not counted because there are so many: The calls in the Gotham ad in the April through June issues, the Hy-Gain ad in April, the Hallicrafters ad in May, the Allied ad in December. DO NOT put any of these on your list and DO NOT include Ham-Ads.

NEWS FOR THE SHACK



GIVE A DISTINGUISHED LOOK TO YOUR SHACK WITH
THIS HANDSOME INLAID MAHOGANY PLAQUE!!!

- Size 8" x 10" x 1/4"—Letters 2 inches high
- Highly polished to a mirror-like finish
- Not a fill in, but real inlay process
- Perfect gift for Ham who has everything
- Handmade to last a lifetime without repair
- Any wording up to 6 letters or figures
- Center of attraction in any shack

Send coupon below with your check (Personal check on any US bank accepted from licensed ham). Do not send cash—Sorry no C.O.D.—Please allow time for international parcel post to reach you. Orders sent air mail reach us faster. Sent POSTPAID for ONLY.....\$4.95 Made in the Caribbean, from solid mahogany, by: HH5LA — Box 30 — Cap-Haitien — Haiti — W.I.

A. R. LAROCHE (HH5LA)
P.O. Box 30, Cap-Haitien, Haiti, (W.I.)
Please send me... inlaid plaque(s) at \$4.95 each.

INLAID LETTERS:.....

Ship to: Name..... Call.....

Address.....

City..... Zone..... State.....



\$16.95 Check or M.O.

LEFOR INDUSTRIES

THE NIKEY

The key especially designed for use with all types of electronic keyers. Through the use of independent dot-and-dash levers the final block in automatic sending is removed, making your fist sound "TRULY AUTOMATIC".

New Canaan, Conn.



FREE

212 PAGE 1962 B-A CATALOG!

BURSTEIN-APPLEBEE CO., 1012 McGEE ST., KANSAS CITY, MO.

Kreco GROUND PLANE ANTENNAS

All Aluminum

LIGHT • STRONG • EFFICIENT

2 METERS	MODEL GP-2A	15.00 net
5 METERS	MODEL GP-6A	36.00 net
10 METERS	MODEL GP-10A	42.00 net

These models are ordered cut to exact frequency

25 to 30 MC	MODEL GP-30A	60.00 net
30 to 50 MC	MODEL GP-30A	42.00 net
50 to 100 MC	MODEL GP-30A	36.00 net
100 to 470 MC	MODEL GP-130A	15.00 net
3/4" ALUMINUM PIPE	PERFECT.	1.00 net

ALL BRASS MODELS AVAILABLE

ASK YOUR DISTRIBUTOR OR WRITE

HERB KRECKMAN CO. • CRESCO, PA.

HAM-ADS

(1) Advertising shall pertain to products and services which are related to amateur radio.

(2) No display of any character will be accepted, nor can any special typographical arrangement, such as all or part capital letters be used which would tend to make one advertisement stand out from the others. No Box Reply Service can be maintained in these columns nor may commercial type copy be signed solely with amateur call letters. Ham-ads signed only with a box number without identifying signature cannot be accepted.

(3) The Ham-Ad rate is 35¢ per word, except as noted in paragraph (6) below.

(4) Remittance in full must accompany copy, since Ham-Ads are not carried on our books. No cash or contract discount or agency commission will be allowed.

(5) Closing date for Ham Ads is the 20th of the second month preceding publication date.

(6) A special rate of 10¢ per word will apply to advertising which, in our judgment, is obviously non-commercial in nature. This advertising of bona fide surplus equipment owned, used and for sale by an individual or apparatus offered for exchange or advertising inquiring for special equipment, takes the 10¢ rate. Address and signatures are charged for. An attempt to deal in apparatus in quantity for profit, even if by an individual, is commercial and all advertising so classified takes the 35¢ rate. Provisions of paragraphs (1), (2) and (5), apply to all advertising in this column regardless of which rate may apply.

(7) Because error is more easily avoided, it is requested copy, signature and address be printed plainly on one side of paper only. Typewritten copy preferred but handwritten signature must accompany all authorized insertions.

(8) No advertiser may use more than 100 words in any one issue nor more than one ad in one issue.

Having made no investigation of the advertisers in the classified columns except those obviously commercial in character, the publishers of QST are unable to vouch for their integrity or for the grade or character of the products or services advertised.

WANTED: Early wireless gear, books, magazines, catalogs before 1922. Send description and prices. W6GH, 1010 Monte Dr., Santa Barbara, Calif.

MOTOROLA used FM communications equipment bought and sold. W5BCO, Ralph Hicks, Box 6097, Tulsa, Okla.

RECEIVERS: Repaired and aligned by competent engineers using factory standard instruments. Factory service at reasonable prices on Collins, Hallcrafters, Hammarlund, Gonset, National, Harvey-Wells. Our 25th year, 90 day guarantee. Douglas Instrument Laboratory, 176 Norfolk Ave., Boston 19, Mass.

DON'T Fail FCC (test) Check yourself with a time-tested "Sure-check Test" Novice, \$1.50; General \$1.75; Extra, \$2.00. We pay the postage. Amateur Radio Specialties, 1013 Seventh Ave., Worthington, Minn.

TRIGGER, Cash paid for ham equipment, 7361 W. North Ave., River Forest, Ill. PR 1-8616. Chicago #TU 9-6429.

TOROHDS: Uncased 88 Mhz. like new. Dollar each. Five/\$4.00 P.P. DaPaul, 309 So. Ashton, Millbrae, Calif.

WANTED: Commercially-built transceivers and QST for any months of 1922, 1923, 1939 and 1940. Al T. O'Neil, Camp Lakeview, Lake City, Minn.

SOUTHERN California: Transmitters and receivers repaired, aligned. Bandwidth, frequency, harmonics measured. Used ham gear bought, sold, traded. Robinson Electronics, 922 W. Chapman, Orange, Calif. Tel. KElloe 8-0500.

WANTED: All types of aircraft or ground radios. 17L, 618S, 388, 390, GRC, 51V, 51X2 units. Especially any item made by Collins Radio whatsoever. Also large type tubes and test equipments. For fast action write Ted Dames, W2KUV, 308 Hickory, Arlington, N.J.

SAN Francisco and vicinity: Receivers repaired and realigned. Factory methods. Special problems invited, any equipment. Associated Electronics, 58 South P Street, Livermore, Calif. Skipper, W6KF.

ATTENTION Mobiles! Leece-Neville 6 volt 100 amp. system, \$50; 12 volt 50 amp system, \$50; 12 volt 60 amp system, \$60; 12 volt 100 amp syst. \$100. Guaranteed no ex-police car units. Herbert A. Zimmermann, Jr., K2PAT, 1907 Coney Island Ave., Brooklyn 30, N.Y. Tel. DEwey 6-7388.

WANTED: Military or Industrial laboratory test equipment. Electronicraft, Box 399, Mt. Kisco, N.Y.

WANT 1925 and earlier ham and broadcast gear for personal collection. W4A, Wayne Nelson, Concord, N.C.

MICHIGAN Hams! Amateur supplies, standard brands. Store hours 0830 to 1730 Monday through Saturday. Roy J. Purchase W8RP. Purchase Radio Supply, 327 E. Hoover St., Ann Arbor, Michigan. Tel. NOrmany 8-8262.

HAM TV Equipment bought, sold, traded. Al Denson, W1BYX, Rockville, Conn.

SELL 2 mf. G-E capacitors, 4000V DC, \$5.00 or 2 for \$9.00. Guaranteed. Dawson, 5740 Woodrow Avenue, Detroit 10, Mich.

TELEPRINTER Converter CV89A/UR8A, audio input, 2" scope indicator, copies any shift from 10 to 1000 cycles, \$245.00; Collins 51J2, 51J3, R-390A receivers, Hammarlund SP-6001X. Teletype and Kleinenschmidt printers. Altronics-Howard Co., Box 19, Boston 1, Mass. Tel. Richmond 2-0048.

WE Buy all types of tubes for cash, especially Eimac, subject to our test. Maritime International Co., 199 Front St., Hempstead, N.Y.

QSLs? WPE? Finest and largest variety samples 25¢. (refunded.) Callbooks: American \$5.00, Foreign \$3.00. QSL samples with bible verses, 25¢. "Rus" Sackers, W8DED, P.O. Box 218, Holland, Mich.

C. FRITZ QSLs guarantee greater returns! Samples, 25¢ deductible. Box 1684, Scottsdale, Arizona (formerly Joliet, Ill.).

QSLs. Twenty exclusive designs in 3 colors. Rush \$3 for 100 or \$5 for 200 and get surprise of your life. 48-hour service. Satisfaction guaranteed. Constantine Press, Bladensburg, Md.

QSLs. Kromekote 2 & 3 colors, attractive, distinctive, different. Ball point pen with order. Samples 10¢. K2VOB Press, 62 Midland Blvd., Maplewood, N. J.

QSL-SWL-WPE. Finest. Since 1946. Largest assortment. Priced right. Send 10¢ for samples to: Glenn Print, 1103 Pine Heights Ave., Baltimore 29, Md.

QSLs "Brownie," W3CJI, 3110 Lehigh, Allentown, Penna. Samples, 10¢; with catalog, 25¢.

QSLs-SWLS. Samples 10¢. Malco Press, Box 375 M.O., Toledo, 1, Ohio.

DELUXE QSLs. Petty, W2HAZ, Box 27, Trenton, N. J. Samples, 10¢.

SUPERIOR QSLs. samples 10¢. Ham Specialties, Box 3023, Bellaire, Texas

QSLs. 3-color glossy, 100—\$4.50. Rutgers VariTyping Service, 7 Fairfield Rd., Somerset, N.J.

QSLs-SWLS. 100 2-color glossy, \$3.00; QSO file cards, \$1.00 per 100. Samples, 10¢. Rusprint, Box 7507, Kansas City 16, Mo.

PICTURE QSLs. Cards of your shack, home, etc. Made from your photograph, 1000, \$13.00. Raum's, 4154 Fifth St., Philadelphia 40, Penna.

QSLs. 300 for \$4.35, Samples 10¢. W9SKR, "George" Vesely, Rte. #1, 100 Wilson Road, Ingleside, Ill.

QSLs. SWLS, NYL-OMS (sample assortment approximately 90¢) covering designing, planning, printing, arranging, mailing; eye-catching, comic, sedate, fantabulous, DX-attracting, protopal, snazzy, unparagoned cards (Wow!), Rogers, K9AAB, 661 Arcade St., St. Paul 6, Minn.

QSLs-SWLS. Samples free. W4BKT Press, 123 No. Main, McKeesport, Penna.

15¢. Call QSLs (2 sides printed) 100, \$2.75; sample free. Garipev, 2624 Kroemer, Ft. Wayne, Ind.

STARTLING 3-D QSL cards. We've new automatic machinery now to give you quick service on these beautiful, world-acclaimed cards! Free sample brochure of 1962 designs in fabulous 3-D Metallic, Neon-Glo, Mirror-Sheen, and Fluorescent colors! Join the swing today to these new-process, completely different cards! 3-D QSL, 5 Wood End Rd., Springfield, Mass.

QSLs. Samples free. Phillips, W7HRG, 1708 Bridge St., The Dalles, Oregon.

QSLs. Samples dime. Rubber stamps; name, call and address \$1.35. Harry Sims, 3227 Missouri Ave., St. Louis 18, Mo.

QSLs: samples 25¢ (refundable). Schuch, W6CMN, Wildcat Press, 6707 Beck Ave., North Hollywood, Calif.

QSLs. \$2.50 and up. Samples 10¢. RBL Print M.R. 12, Phillipsburg, N.J.

QSLs. Free Samples. W7IIZ Press, Box 183, Springfield, Oregon.

QSLs, SWL's that are different, colored, embossed card stock, and "Kromekote", Samples 10¢. Home Print, 2416 Elmo, Hamilton, Ohio.

QSLs-SWLS Free Samples, David Spicer, 4615 Rosedale, Austin 5, Texas.

RUBBER Stamps, \$1.00. Call and Address, C1int's Radio, W2UDQ, 32 Cumberland Ave., Verona, N. J.

QSL's 100 glossy 4 color \$3.70 Postpaid. Samples 10¢, or send 25¢ for large assortment and free "Danger, High Voltage" sign. Dick, W8VXC, Rt. 1, Gladwin, Michigan.

EYEBALL QSO cards. Exquisitely distinctive. Samples, 10¢. 1,000 \$5.00. Call Signs, Box 933, Aurora, Ill.

HUNDRED QSLs: 80¢. Samples, dime. Meininger, Jesup, Iowa.

QUALITY QSLs! New designs, samples 10¢. Giant 25¢. Savory, 172 Roosevelt Rd., Weymouth, Mass.

QSL Stamp and call brings samples. Eddie Scott, W3CSX, Fairplav, Md.

QSLs. New, different. Dime. Filmcrafters, Box 304, Martins Ferry, Ohio.

\$1.00 Frames 60 QSL cards in clear polyethylene. See our ad on page 132 this issue. Tennessee Paper & Box Co., P.O. Box 198, Gallatin, Tenn.

QSLs: Large variety of styles, cartoons, colors. Samples 25¢ (refundable). Paul Levin, K2MTT, 1460 Carroll St., Brooklyn 13, N.Y.

CERTIFIED QSLs-SWLS, unique designs, speedy service. Catalog 25¢ (refundable) Certified Printing, Box 1023, Whittier, Calif.

CANADIANS! QSLs in fluorescent colors, by silk screen process. Free samples. Martin, 314 Delatre St., Woodstock, Ont., P., Canada.

ORIGINAL Cartoon for your QSL. Particulars, 10¢. Sirrah, P.O. Box 1461, Greenwich, Conn.

RUBBER Stamps for hams, sample impressions, Hamm, W9JUNY, 542 North 93, Milwaukee, Wis.

QUALITY QSLs. Attractive, different. Samples 10¢. K8IAI Press, 19470 Derby, Detroit, Mich.

QSLs. Samples, dime. Printer, Corwith, Iowa.

QSLs! We gottem! Dime. Filmcrafters, Box 304, Martins Ferry, Ohio.

QSL-SWLS. 3-colors, 100 \$2.00, samples dime. Bob Garra, Lehighton, Penna.

QSLs At discount prices. Samples free. Discount Card Club, Box 9445, Austin, Texas.

QSLs. \$1.75 per 100 postpaid U.S. only. Glossy, red and green. All orders mailed within 10 days. Free sample. Hobby Print Shop, Umatilla, Fla.

QSLs & SWLS, samples, 25¢. Spicer, 4615 Rosedale, Austin 5, Texas.

QSLs. Large selection styles including photos. Lowest prices. Fast service. Samples dime. Ray, K/HLR, 679 Korah, Twin Falls, Idaho.

QSLs. Kromkote-3 color. Order 200, get 25 each of 8 different styles—many styles. Samples 10¢. Progress Printing, Box 1154, Blox, Miss.

QSLs. Stamp and call bring samples. Eddie Scott, W3CSX, Fairplay, Md.

QSLs: Large variety of styles, cartoons, colors. Samples, 25¢ (deductible). Paul Levin, K2MTT, 1460 Carroll St., Brooklyn 13, N.Y.

CANADIANS: National NC-303. 1961. like-new, only about 50 hrs. operations. VE2BEJ, Box 128, 495 St. Hubert, Jonquiere, Que.P., Canada.

FOR Sale: Complete station. HQ-100 receiver. Johnson Viking II xmitter, with low-pass filter, mike D-104, 10-meter beam, prop-pitch motor, indicator map, selsyn motors, all coax, etc. Quick sale, \$450.00. Moving. A. Hollingsworth, VE3WJ, 93 Queen's Drive, Weston, Ont., Canada.

CANADIANS: Hy-Gain Multiband Doublet, \$46.00; Eico 425 scope, \$50.00; Knight Flyback checker, \$25.00; Geloso VFO in cabinet w/p.s., \$40.00; Polaroid Land camera w/flash, worth \$65. (deal?). D. Poultney, VE3BJJ, RR3, Beaverton, Ont. P., Canada.

HAMS Vicinity Arcadia, Calif. Sold place S.O.S. for trade F.O.B. backyard at 123 Santa Cruz Rd., Arcadia. One new, crosscut and painted fully rigged 70 ft. cedar pole on or before Feb. 1962 for one 60 ft. crank-up tower f.o.b. as is. Clear easy access to pole. Write R. S. Coie at 216 1/2 43rd St., Manhattan Beach, Calif.

SSBers! Keep up with SSB news and views! Join the Single Sideband Amateur Radio Association, dedicated to furthering and disseminating SSB technical information. Read "The Sidebander", official publication of the SSBARA. Dues \$3.00 yearly. Write for membership application sample "Sidebander", to SSBARA Membership, 1385 Richmond Court, East Meadow, N.Y.

CHICAGO/LAND Amateurs! Factory authorized service for Hamcrafters, Hammarlund, Globe, Gonset, Service all amateur equipment to factory standards, Heights Electronics, Inc., 1145 Halstead St., Chicago Heights, Ill. Tel. Skyline 5-4066.

KWS-1, \$900. W2ADD.

SELL: Johnson Thunderbolt \$425.00; HT32, \$423.00; SX101 revr., \$225. All in new condx. Will sell complete station w/accessories. Write for details. K2SJJ/8, 4058 Herman Ave., S.W., Grand Rapids 8, Mich.

TELEW Tri-band TB7E. 20-15-10 beam. Has been assembled but never put up. Moving to new QTH. Will sacrifice. Best offer. W1WCW, 39 Fiorentino Gardens, Springfield 8, Mass.

CASH For your gear! We buy, trade and sell. We stock Hammarlund, Hammarlund, National, Johnson, RME, Hy-Gain, Mosley and many other lines of ham gear. Ask for used equipment list. H & H Electronic Supply Inc., 506-510 Kishwaukee St., Rockford, Ill.

WANTED: QST's for personal collection: January through September, 1916. ARRL Handbooks for personal collection: Editions 1, 2, 4, 5, 8, 13 (1936); 14 (1937), 15 (1938) and 17 (1940). W1CUT, Box 1, West Hartford 7, Conn.

WANTED: Two or more 304TL tubes. Callanan, W9AU, P.O. Box 155, Barrington, Ill.

SELL Highest offer: 455 kc. input, Panoramic adaptor BC-1031-A, in use now. RFTTY Model 15 printer, ten hours use since major overhaul and lubrication. like new, in original shipping case. Heathkit VOX Model VX-1, KOMWM, 4504 W. 36th St., Minneapolis 16, Minn.

SELL: HRO-50T, in top condx. AA, B, C, D coils, \$175.00. W. J. Tancig, K9MYZ, Beecher, Ill.

WANTED: Collins SC-101 station control unit and F455CWX filter for 75A3 serial above 1300. State price and condx. Palmer, K3MTW, Smethport, Penna.

HQ-145 w/clock and calibrator, \$190.00. No shipping, svr. K1MUN, Joe Phillips, 4 Naples Ave., E. Norwalk, Conn.

WANTED: QSTs before 1923 and CO May 1945. Have QST 1931 to 1956 and CO 1946 to 1956 at 25¢ each. W2HO, Rte. 2, Box 156, Monroe, N.Y.

LOWEST Prices. Factory fresh sealed cartons. Central Electronics, CDR, Dow-Key, Drake, Electro-Voice, Gonset, Gotham, Hallicrafters, Hy-Gain, E. F. Johnson, Mosley, P & H Electronics, Telrex. Self-addressed stamped envelope for lowest quotation on your needs. Gonset G-33 brand new factory sealed cartons, \$75.00. Brand new PL-12 and socket, \$125.00. Used, perfect Ranger, \$50.00; Valiant, \$275.00; SX-110, \$125.00; SX-100, \$180.00; BX-40, \$50.00; Sonar-120, \$50.00; Adventurer, \$35.00. H D H Sales Co., P. O. Box 73, Rowayton, Conn.

PROCEEDINGS of the I.R.E. 1918 through 1948. Most volumes complete. Will sell any copy or copies. Excellent price an entire lot. (Mrs. Miriam Knapp, W1ZIM, 191 Beechwood Rd., West Hartford 7, Conn. Tel. Jackson, 3-7560.

SELL: KWS-1, perfect, \$895; 75A3, like new, \$350.00. Will throw in several boxes of usable parts, transformers, tubes, coils, etc. Lamb, 1219 Yardley Road, Morrisville, Penna.

JOHNSON Viking Valiant with manual. Exc. condx. No scratches. \$315.00 pick up. W9UZZ, 146 N. Washington St., Luckport, Ill.

75A4 excellent, \$595. W2JPO, Brooklyn, N.Y. Tel. HY 7-1978.

QST's. Continuous run 1948 through 1958. Also 1927. W9ODG, 610 Carlton, Wheaton, Ill.

WANT: Digital voltmeter, minimum price. Condition not important. All offers considered. Servo unit with balancing motor and amplifier of range 0 to 50 MV input. W1LWW, 99 Water St., Millinocket, Me.

WANTED: Old type Magnetic Horn spkr and Coop Ant. Geo. Leininger, W8OZF, 16412 Marquis Avenue, Cleveland 11, Ohio.

SELL: KWS-1, works like new. Looks like new. Serial 503 for first certified check \$800.00. Will deliver up to 500 miles or meet you in your station wagon that distance. Berry Rozar, Box 654, Hobe Sound, Florida, W4ERT.

HRO-5 or earlier, long wave coils, set of three with case; cover 50 through 400 Kcs; \$18.00. Six meter converter, Frank Jones design, \$30.00. Items postpaid U.S.A. W9JIA, 7916 So. 86th Ave., Justice, Ill.

KWM-1 AC power supply, console speaker, SWR meter, exlnt condx. \$650 or best offer. W9JKC, 634 Vernon, Glencoe, Ill.

OIL Paintings, scenic only, from your picture or kodachrome. 18" x 24" canvas, framed, one hundred dollar value. Satisfaction or no obligation. Exchanged for ham gear. Need two C.B. transceivers 12/17 volts, Ronald Poinsett, W2KVI, Pennsylvania Rd., Trenton, N.J.

LET'S Trade, now in stock, new factory boxed 1962 Hammarlund receivers, with clocks, matching speaker, HQ-100AC, \$213.95; HQ-110C, \$273.95; HQ-145XC, \$298.95; HQ-170, \$288.95; HQ-180C, \$458.95. Trade in your surplus BC-342, BC-348, BC-639, BC-779, BC-794, BC-1004, ARC-2, ARC-34, ARC-38, ARC-44, PRG-6, 8, 9, 10; RT-77/GRC-9, AN/GMD-1, best sets with SG, URM, UPM, USM prefixes, RC-27, ARR-5, ARR-7, ARR-15. Advise what surplus you have and Hammarlund receiver you'd like. Top trades given. Bill Step Co., Drawer 178Q, Ellenton, Florida.

S-85 with S-meter kit and vernier tuning additions, \$90.00. Jeff Sanders, Rt. 5, Box 502C, Tacoma 22, Wash.

NEED Money for college. Selling: HQ-150 in excellent condition, with instruction manual; \$200.00. Dow-Key DK60-G2C, \$10.00. Buyer must pay shipping from Freeport, Long Island, William B. Rubin, W4ZENK, Hill Residence, Box 105, Clarkson College of Technology, Potsdam, N.Y.

TRADE: RCA 27" TV, model 27-D-384. For photo and details see Sams, set 235, folder 10. New warranted CRT. French Provincial cherry-wood cabinet in immaculate condition. Chassis is electronically and mechanically perfect. Will deliver within first 150 miles. Want good amateur band receiver and/or transmitter. All inquiries answered. Jack Fink, K7BJA, Box 443, Parma, Idaho.

KITS Professionally wired and tested. Very low rates. Bill Robinson, W4ZDZB, 31 Franklin Ave., Pompton Plains, N.J.

MUST Clear attic. Many items, test gear, transmitters, receivers, tubes etc. Super Pro ASPSX 2-5 to 40 Mcs mint, \$175.00; BC-779B, \$75.00; TCS xmtr and revr complete, \$75. Complete set Sig 5 and Navy catalogs \$75; 4-125A's, \$15; 250TH's, \$17; 450TH's, \$17. Send stamp for list. W3KA, 10406 Inley St., Silver Spring, Md.

WILL Swap good used 35mm camera equip., Cannon IVS-2, 50 mm f/1.8 Cannon lens, case; for Heath Apache, Viking II B&W 5100B; or Exakta VX, 58mm F/2 Zeiss lens, excellent F&V, 400mm tele. lens plus Cannon for Heath Apache and SB-10. Johnson Valiant, BC-610 or NC-300/calib or gud 75A3, Rodger, K0GBZ, Quinter, Kansas.

WANTED: Gonset Communicator III, 2 mtrs. Peter Goldberger, W2VYK, Peddie School, Hightstown, N.J.

HAMMARLUND HQ-150 stable oscillator. Firm \$150.00. Try it. Berner, K2GS, Tel. E-7-1850, Brooklyn, N.Y.

DAGE Closed circuit television system, still in warranty, unantenned. Acquired in debt settlement. Sell for best offer or will trade for ham gear. Camera and lens separate if desired. W8MYH, 2304 Culver Ave., Dayton, Ohio.

LINEAR Amplifier B&W L-1000-A with built-in B&W LPA-MU-2 matching unit for fixed output exciters, \$220.00. W1ZPG, 187 Garden St., Cranston, R.I.

COLLINS KWM-1 with factory-installed noise blanker, \$495. mobile mount, \$40.00; DC supply, \$100. Bassett Triband antenna, \$25.00. W9ECW, 707 7th West Bend, Wisconsin.

GRAD Student must sell NC-98, 20 meter beam, tower, K200F, 30 1/2 Mellen St., Cambridge 38, Mass.

FOR Sale: Eico 720, \$115; in A-1 condx, Heath DX-20, \$35.00; Mosley 40 mtr. beam, \$75.00; Hy-Gain TBW ant., \$15.00; wanted: CO-OST runs 1945-1960, 2 mtr. revr and xmtr. (can be home built). KN30NY, 23 N. Market, Elizabethtown, Penna.

FOR Sale: Collins KWS-1 xmtr, \$1000; Collins 75A-4 receiver, \$500.00; Jones 263 Micro-Chance, \$50.00. All equipment in mint condx. W4GGA.

HRO "E" and "F" coils. Best offer takes. KP4APR, Box 204, San Juan, P.R.

DUAL Oscilloscope, Waterman Twin tube Pocketscope, two CRT's, four separate amplifiers in one compact case. Not a kit. List \$399, asking \$125, make offer. W2OKO, 39 Canoebrook, Summit, N.J.

HEATH "Legato" \$250.00; K2BIB, 307 Richardson Drive, North Syracuse 12, N.Y.

WILL Trade excellent Globe-King 500C transmitter (540 watts AM) and NC300 receiver with speaker for good used KWM-2 with power supply and speaker. Make offer. Dan Panz, K7NOT, 7126-86th St., Tacoma 99, Washington.

RECEIVER: HQ-110C, like new condx, with matching speaker and calibrator, \$155. Gonset G66B receiver with 3-way power supply, in exlnt cond. K6LJA, 1009 Riverlane, Santa Ana, Calif.

FOR Sale: KE-93 Pierson mobile and fixed station receiver, excellent condition. AC supply with speaker and S-meter, 6 and 12 volt DC supply, with manual, \$250.00 W0CAV, William Tyree, P.O. Box 215, Boulder, Colorado.

NATIONAL HROSOTAI receiver, power supply, speaker, handspread coils, exc. condx, \$140.00 F.o.b. Price low. Need dough. K. A. Eubanks, 601 E. 32nd St., Chicago, Ill.

GOING Gun bus, will sell or swap entire shack from the junk bin of my new Van for gun and/or reloading equipment. Write for list. L. Churchill, 314 N. 7th St., Watska, Ill.

FOR Sale: 2KW P.E.P. GG linear amplifier, pair 4-400A's, completely regulated bias and screen supplies, 4,000 VDC, powerstat, 48 in. rack, 3 Triplett meters, components value over \$750. W/air condx. Write the Rev. Robert E. Pickins, WV3OA, 407 Pine St., Danville, Penna.

CUP-Core inductances, excellent for sharp or hand-pass 50 to 100 K.C. IF or BFO. Very high Q. Unused, cased, adjustable, solder terminals, Type 1: 2.9 Mh. type 17, 3.7 Mh. Dollar each postpaid U.S. Circuit suggestions included. Woods, 2346 Clover Lane, Northfield, Ill.

SELL: Collins Filter F455E-60, \$20; LM frequency meter (with book), \$35.00; tube tester Model TV3-B-U, \$115; two 4CX300 sockets (Eimac SK-700), \$10 each; vacuum variable USL500 (3KV), \$25.00; transformers UTC S-44, \$12.00; S-49, \$18.00; capacitor dual 4 mfd, 2200VDC, \$9.00. R. R. Huff, 106 Talos Ave., White Sands Missile Range, New Mexico.

CLEANING Shack: Heathkit; crystal calibrator, \$9.00; balun coil, \$5.00; O Multiplier, \$6.00; Knight, RFZ bridge, \$4.50; G-30 arid dip meter, \$20.00; code oscillator, \$3.50; 12-1 Electronics Lab \$15.00; Johnson; Speed-X key, \$12.00; T-R switch, \$22.00; G4ZU Birdcage 20/40 antenna in factory carton, \$70.00, all in good condition with manuals prepaid to you. K5UR3/3, 1461 John Clark Road, Dover, Delaware.

WANTED: Heathkit model RC-1 radiation counter. Larry Dodd, 115 West 11th St., Junction City, Kansas.

SALE: Cleaning shack, HP Sig. Gen. 205AG, \$120.00; BC-221 with pwr. supply and cal. chart, \$90.00; Sprague capacitor resistance bridge M-204, \$45.00; H. pwr. trans. chokes, other equipment and parts, W2CZA, 18 west 34th St., Bayonne, N.J.

GOING To college. Must sell Hallcrafters S-85, \$70.00. George R. Berlin, 116 Newport Drive, Youngstown 12, Ohio.

SELL: Collins 7551 noise blander, Brand new in original sealed package, \$60.00, W6UO.

CASH for National HRO-60. State number of coils, accessories, age, condition, and price. All replies will be answered. G. Anderson, 3421 10th place North, Renton, Washington.

COLLINS 75A4 serial 5474 with Collins speaker and KWSI with power supply, serial 156, latest modification Collins factory, \$1,300.00. Will not sell separately. Outfit is in excellent condition. I used it until approximately September 1st. Will deliver by car 175 miles radius of Augusta, Ga., or by private plane 600 miles. You meet plane and pick up at airport. Reason for selling: Have two similar outfits. J. C. Hagler, Jr. W4SS, 2424 McDowell St., Augusta, Ga. Area code 404, PA 2-7781 during business hours. Re 3-4678 before 10:00 PM EST.

SALE: Gonset G-66B and G-77A mobile twins, 6-12 VDC, 117 VAC, \$350.00; DX-100 w/push to talk, \$120.00; HQ-160, \$200; Matchbox, \$35.00. L. Kinney, K6GVM, 766 Ocean Crest Rd., Cardiff, Calif.

FOR SALE, best offer, complete set of issues of QST from April 1923 to May 1930, inclusive; 85 issues in gud condx. Connell H. Miller, Madison St., Silgo, Penna.

FOR Sale: National NC-173 receiver with speaker. In beautiful condx, \$125.00; Stancor kit type xmt, 100 watts with homebrew preamp, and PP 807's modulator, \$100.00; Philco 7" TV with enlarging lens, compact wood cabinet. Needs deflection condensers, \$25.00. New York area only. Will deliver 100 miles. W2LVR.

WANTED: Receiver BR794 or Super Pro. Need parts for KW final, 5V/30, 10V AC transformer, and GP50 coil. E. Shafer, 3479 Kersdale Rd., Cleveland 24, Ohio.

SALE: Beautiful Hallcrafters power supply, 1400 volts, 500 mls; 300 volts, 150 mls; minus 0-14 volts, 75 mls. Ideal for that KW 811A linear, \$125.00. New tubes, 304TL, \$32.00, 872A, \$6.00. Dr. Charles Thompson, 103 West Main, Napoleon, Ohio.

FOR Sale: 3" square meters, \$2.00 ea. 0-50 ma. 0-150 ma. 0-100 Ma. 0-250 Ma. 3" round 0-20 Ma. 0-100, 0-150 Ma., \$3.50, 0-50 microampere, ARCS trans 3-4 Mc., \$5.00; 7-9 Mc. \$6.00. Turn counter and variable inductance for 80-10, \$5.00. Variable capacitors, 100/100 mmf 3000V \$2.50 50/50 mmf. 3000V, \$1.50; 80 mmf 4500V, \$2.50; Varimatch modulation transformers, 10 watt, \$2.00; 75 watt, \$6.00. Chokes, 10H200 Ma., \$1.00; 10H, 250 Ma., \$1.00; 5-20H, 200 Ma., \$1.50; Microphones Shure 51 Sonodney \$15.00; 520SL \$15.00. All plus postage. Toivo Kae, W2JGF, 5 Oakbrook Rd., Ossining, N.Y.

FOR Sale: QST Magazines. Good condition. 1955 through 1961. W6DMY.

NC-183D w/snrk in mint condx, \$190.00. F. Chiorello, 243 Second St., Trenton 10, N.J.

WANTED: RP-6 component unit for RS-6 surplus kit. Joseph T. Beck, K4AOT, 6211 S. MacDill Ave., Tampa 11, Fla.

LATEST DX100B, perf. condx, with Dow relay and extras. NC-98, BC348N receivers, best offer. Ed Pims, 601 E. 80th St., Brooklyn 36, N.Y. RN 3-3975.

FOR Sale: Johnson Viking II with VFO and push-to-talk, \$180.00; Mosley 20M 3 EL vest pocket beam, \$35.00. Leo Foley, K2SGH, 93-01 50th Ave., Elmhurst 73, N.Y. Tel. HA 4-6181.

G-E Progress Line walkie-talkie, 30-50 Mc., NBFM, spkr. fully transistorized revr, \$330 on freq. or \$310 less xtals. Pr. new Johnson citizen band units, 117V and 12V, latest models, coil cords, etc., \$200. Used 1 hr. W9DSV, Box 261, Webster, Wis.

AMATEUR Radio and citizens radio equipment installed and serviced. Mystic Electronics, 119 New London Rd., Mystic, Conn.

THUNDERBOLT F/W f/b condition, \$389. W4GMN, Box 371, Lebanon, Va.

WANTED: DX-100 and Valiant, regardless of condition. List condx and price. R. McLeod, Box 11, Hollins, Va.

FOR Sale: HT-32 excellent, \$400. Paul Svetz, K1BJU, 88 Stanton Ave., Winsted, Conn.

WANTED: 0.5 cycle mechanical filter for Collins 75A4 revr. K4YVL.

SELL: Viking II, and Lyco 600, both good, \$150 and \$50 respectively. McGee, 58 Campus Dr., No. Buffalo 26, N.Y.

FOR Sale: Johnson Viking II transmitter, \$125.00, in A-1 condx. W8AYS, 1564 Maple, Cleveland 21, Ohio.

SELL: Best offer, 432 QSTs, complete run Jan. 1925 thru Dec. 1960. All or minimum blocks of 5 consecutive years. 3 of older issues have cover missing. Also new PE-103A complete, Heath AM-1, GD-1B, B&W BCL turret. Used xtals, freq. std. with International Crystal Co. FO-1L and FMV-1. Lawson, W5ACL, 4010 River Drive, Houston 17, Texas.

COLLINS 75A4 receiver for sale, in mint condition. Joe Michaels, W2MNR, 80 Birch Lane, Woodmere, L.I., N.Y.

CONVERTED CRV Aircraft Receiver (200 kc-9 mc.), \$30.00; new 10-meter Johnson Personal Messenger, \$80.00. WA2QDJ, 525 Beech St., New Hyde Park, L.I., N.Y.

10-B, factory wired, QT-1, 458 VFO, like new, \$140.00; SSB amplifier like "Little Firecracker", \$45.00; 3" scope, \$25.00; CREI Radio Course, complete, \$25.00; VTVM, \$15.00; Johnson low-pass filter, Varjac, 100 Kc calibrator, code practice oscillator/key, 4 1/2" 0-25 microammeter/case, 300 volt power supply, \$7.00 each; 80 meter ARCS revr. xmt, B&W balun coils T17B and TS13F mikes, 11 crystals 40 & 80 meters, 14" high cabinet rack, \$5.00 each; QSTs 1942-1954 inclusive, \$25.00. Want 32S1, KWM1 or similar, A. Marcolis, W2UPN, 196-43 69th Ave., Flushing 65, L.I., N.Y. Tel. OL 8-7419.

LEITZ Focomat enlarger and electric timer. Will trade for small transmitter, VFO and mike. Make offer. Schafer, 6726 Linden Lane, Houston, Texas.

WANTED: Rider Channlyst B&K television analyst; also need laboratory type electronic test equipment. Thos. Condon, 321 Moreland St., Staten Island 6, N.C.

CLEANING House! 32V2, like new, \$235.00; DX-100 Lynnar TRS 100B loading, \$170; NC-300 with calibrator, \$235.00; Heath MR-1, MT-1, MP-1 all-band antenna, \$230.00; Amphenoil Deluxe rotator, \$50; tubes, parts, new or like new, 450Ts, 300Ts, 4-125s, 805s, 872s; Bud relay racks, cabinets, Add-A-Racks, enclosed meter panels, etc. Transformers, plate, bias, filament, Chokes, Variacs, Thordarson, Stancor, UTC special series up to 1 KW, Modulation 600W, 800 Ma, sec. Weston 301 meters, volt, Ma, RF thermo-couple, various ranges, B&W inductors, etc. 150W, 500W, 1000W. Many more items. Card for list. Your satisfaction desired. W8PIC, George, Oden, Michigan.

HALLCRAFTERS Model HA-1, T.O. keyer and Vibro-Key, \$40.00. Also Vibroplex Blue Racer, chrome-plated bug, \$10. WJJD, Daniel F. Kelly, 1406 Mass. Ave., North Adams, Mass.

HAM Tube Specials: 6146, 6159, 6883 ur choice \$2.47 ea. New, boxed, write for bargain sheet. Lou-Tronics, 131 Lawrence Street, Brooklyn 1, N.Y.

REAL Bargains: AF67, \$95; PMR-6A, \$50; PSR-12, \$20; AF-67 mount, \$5.00; PS2V, \$20.00; coaxial relay, \$5.00; PE-103, \$8.00; MM Antenna, \$15; Telrex rotator without control box, \$40.00; KWM-1 mount and cable, \$35.00; Globe-King 500-C, \$500.00; HQ-129X, \$100; B&W LPA-1 with LPAMU and LPS-1 power supply, \$435.00. W3CAV, 29 Wine St., Uniontown, Penna.

WANT: 43-cycle vib. reed relay. W2RJ, West Milford, N.J.

FOR Sale: Johnson Pacemaker, Johnson Courier, Hammarlund HQ-150, all for \$5. Will consider selling separately. Anybody want to trade a Volkswagen automobile for my rig? Call after 7 PM, CL2-3803, WA2DXV, Steve Starker, 1024 E. 12th St., Brooklyn 30, N.Y.

COMPLETE Station only: SX-71, Ranser plus 10-80 meter 380 watt plate modulated band switching pi-net final, antenna tuner, filter, SWR meter, trap doublet, 40 ft. telescoping mast; operating, 1st class condx \$340.00. You pick up. K3KYC, 400 Poplar Road, Hightstown, Penna. (near Philly). Ver 6-4529.

SELL: Signal Corps receiver BC-342. Ham-converted with 9 extra metal tubes, 9000 ohm 40 meters, \$50.00. Arthur Blais, 5 Emerald Ave., Lawrence, Mass.

KWM-1 with AC power supply, in excellent physical and electrical condx, \$575.00. Sol Myers, 1712 Crescent Dr., Pekin, Ill.

MUST Sell: G4ZU 20/40 mtr. Birdcage beam, never used in original cartons. Landlord will not permit. Sacrifice for \$49.00 or your best offer. Howard Shieber, K2JZT, 142-10 Hoover Ave., Jamaica 35, L.I., N.Y. Tel. JA 3-1656.

SELL: Heath DX-40 transmitter and VF-1 VFO, \$65.00. Lyn Nail, K4TFP, 5659 Souchak Drive, West Palm Beach, Florida.

PREMIUM Quality used equipment. Over 1,000 units. Reconditioned with trial plan and full 90-day guarantee. Terms available. Write for free lists and top trade-in offer on your present equipment. World Radio Laboratories, Box 919, Council Bluffs, Iowa.

SELL OR swap. Old radio equipment, magazines, tubes, surplus gear, etc. All inquiries answered. Laverty, 118 N. Wycombe, Lansdowne, Penna.

FOR Sale: Hallcrafters SX-99 w/ gud condx, \$99.00. C. W. Bertschi, K0QVO, 1220 S. 3rd, Atchison, Kans.

LAMPKIN 105B with ppm package, \$225.00 or will trade for 2-way equipment. W4HPI, Lawrence Gooding, Rt. 1, Clarkton, N.C.

TUBES: 304TLs \$20; 304TH \$20; 250TH \$12.50; 100TLs \$6.00 W4WMX, 207 River Rd., Newport News, Va.

FOR Sale or trade: Central Elec. 100V & Hallcrafters SX101A, looking for Collins S/Line or KWM2. Write W4AAB, 27 River Rd., Newport News, Va.

OLD Timer W5PE. Retiring from sea, 59 years old. Would like connection with organization that could use experience. Hold FCC 1st telegraph extra class ham, and U.S. Coast Guard officers license. Shore experience includes 18 years work for largest radio company. Graduate Mulvay (Poor Richard), copy, layout, journalism. Could be assignments from coherers to tunnel diodes. Live on fabulous Gulf Coast, Galveston, Texas, be nice to hear from you. John P. Allen, W5PE, 2006 Avenue P, AR SK.

TRADE Or sell: 38 Mc. through 1000 Mc. receiver APR4 with tuning units, 8 Kc. mechanical filter, RTTY 2 to 3 Kc. Band-pass filters, toroids, W. Wesslund, WØDNW, 2801 Wright Ave., North Platte, Neb.

ALMOST New Gonsset G66B receiver with 3-way power supply, \$185.00. Also 6 meter Communicator III for \$185.00. K5MBZ, Pete Williams, 2130 Hanover Drive, Waco, Texas.

SALE: 6-2-220 Mc. tapetone converters \$42.00 each. Telrex, 19 E.L. 20 Mc. long Yaasi, and new 432 Mc. long Yaasi, 230 Mc. Terafit xmitr, new 432 Mc. Centimeg xmitr; legal limit. Sell reasonable. W. Taylor, K2MLT, Falcon, Hammondsport, N.Y.

SELL: KWS-1, perfect, \$875; Fisher stereo tuner, \$150.00; Bell 3030 stereo amp and preamp, \$100; Roberts 4-track stereo, \$350.00; Concertone custom, professional, 5 heads, 10" reels 7 1/2 and 15, carrying cases, \$750.00. Everything like new. W3VDE.

SELL: Used 200V. Like new, \$639.00. Organs & Electronics, Lockport, Ill.

BEGINNERS: Code bothering you? Now learned in one hour. New Method. Quick approach towards ham ticket. Used in Armed Services, Ham Radio, Scouting, "Ketchum's Hour Code Course", \$1.00 postpaid. Guaranteed, Oaks Ketchum, 10125 Flora Vista, Bellflower, Calif.

SELL: Johnson TR switch Model 250-39 like new, \$20.00. No trades! WA61FM, P.O. Box 244, Inverness, Calif.

WANTED: SP-44 Panadapter. All letters answered, B. A. Thunman, 71 Strawberry Hill Ave., Stamford, Conn.

WANTED To buy Cheyenne transmitter, KØOTM, 1051 Kenmore, Kirkwood, Mo.

FOR Sale: E-Z Way GPRBS-50G crank down, tilt-over tower without ground post, Alco Gonsset 3220 beam, 3-el. triband beam, never fully assembled, tower in very good condition. Make offer. You must pick up. K2TWK, Robert E. Lee, 40 E. Palisade Blvd., Palisades Park, N.J. Tel. WJ 4-8758.

SELL Or swap Berlant concertone 20 20 tape recorder for Central Electronics 600L K9POU, 522 Park St., Batavia, Ill.

FOR Sale: Heathkits, DX-100, \$150; RXL, \$300; reflected power meter, \$10; Q multiplier, \$10; Balun coils, \$5.00; Control alarm, never fully assembled, tower in very good condition. Make offer. You must pick up. K2TWK, Robert E. Lee, 40 E. Palisade Blvd., Palisades Park, N.J. Tel. WJ 4-8758.

SELL: 755 75S1 in mint condx, no mods; PMR6 mobile revr. perf. condx, WØAEP, 2723 B Ave., N.E., Cedar Rapids, Ia.

FOR Sale: Collins 75A4 with 3.1 filter and reduction knob for \$450.00 F.o.b. George P. Rankin, W4BK, 920 Curry Drive, Macon, Ga.

GOING Homebrew, need parts. Therefore, offering for sale a complete 80-10 meter station in top condition. Instruction manuals included. SX-99, \$109.00, R-49B speaker, \$10, DX-40 VF-1 crystal mike, \$88. And on package deal of all for \$199. I will pay shipping in U.S.A. WA6JXH, Ric Hammond, Thacher School, Olai, Calif.

CLEANING House: changed mind on linear. Have new Jennings UCS 375 1600V., new 4-1000A and blower. Pair used 4CX250B (Eimac) and air system sockets. Jennings UCSL 750 at 3000V, 4 used 4E2T, Johnson 275 watt Matchbox, model 2. Micromatch, Model 19 keyboard, W5CNP, 1710 Laurel St., Jackson, Miss.

WANTED: Collins F45J31 filter. W. H. Kibbe, 2130 18th Ave., Monroe, Wis.

SX-140 Factory wired revr. Pref. for Novice. Best offer or \$80. WØDCB, 842 1/2 14th St., S.E., Cedar Rapids, Ia.

WANTED: Collins 75A4 state price. Serial No., filter; pick up 200 miles radius of Philly. Michaels, W3IGR, 241 Country Rd., Berwyn, Penna.

SELL: NC-100 factory aligned calibrated July '61. Two years old. WA2QKH.

TECHNICIANS: Now—a publication for and by Technicians. Send 25¢ for February issue, "The Technician", Box 465, Billings, Mont.

D-104 with G stand, \$20.00; VFO, \$10; milliammeters, RG-59/U, xtals, all \$10.00, WA2OIM, 44 Parkway Road, Bronxville, N.Y. Tel. WO 1-5188.

SALE: Viking I, \$115.00; SX-99, \$90; 6146 60-watt Novice rig, \$28.00; 75-watt Eimac mobile, \$65.00; (w/pwr. supp., \$75.00); 120-watt dual 807 phone rig, \$65.00; 350-watt Mallory Vibrapack, \$14.00; 600-watt Mallory dual Vibrapack, \$22.00. Dave Austin, Box 269, Hamilton, N.Y.

SELL: Tape recorder, Geiger counter, diving equipment, cap VHF mobile, 2-meter FM gear, ARR-5 aircraft receiver, Wilcox crystal controlled VHF tower receivers, meters, old magazines, new recording tape (Audiotape), etc. Preparing to move and must sell out. Send for list or take 10% off list prices. Need BC-639 or other VHF receiver, aircraft radio equipment. Dave Hale, W9RBB, 635 S. 21st Ave., Maywood, Illinois.

SELL: Superior Electric Type F1126 0-135V, 15 amp., 2 KVA auto-transformers. In exc. condx. Best offer, Ralph Moorhouse, W9DCG, Murdock, Illinois.

FOR Sale: Hy-Lite 15-meter beam, \$30.00; TR2 (CDR) rotor, \$15.00; new 1/2KVA autotformer (BC191 supply), \$15.00; RCA modulation xfmr, 550 mil, 80 mil screen winding, best offer. Clarence Crist, 14 Jameson Rd., Newton 58, Mass.

SELL: HO-110, \$170, new April '58, retubed May '61. K3-GZK, 211 Crafton Rd., Bel Air, Md.

SELL: Heath Soneca, 6 & 2 meters, like new, \$150; Globe Hi-Bander 6 & 2 meters, \$20; Trancor transistor pwr. supply, 300/60V 30 watt, \$70; 600/300V 60 watt, \$30.00. Deliver local. Phone HA 6-5331, Marietta, Penna, K3QAX.

FOR Sale: HO-100, Perfect condition, \$125.00, Rev. Sylvester Benack, 72-22 68th St., Brooklyn, Tel. VANDyke 1-2323.

STOP—Read—Write, homebrewers needing parts for power supplies, linears or finals. Send stamp for list. Have like new components, bargain prices. Sell or trade for gear you need. W7-HW, 3113 Rocky Point Road, Fremerton, Washington.

WANTED: Collins 500 cycle filter for 75A-4. W1LCJ, William Pace, 195 Lusterdown Rd., Groton, Conn.

FOR Sale: Heath general purpose 3" scope, 10-21 wired and tested, excellent with manual, \$52.00. W2EPZ, 80-44 259th St., Floral Park, N.Y.

A-1 RECONDITIONED equipment. On approval. Trades. 1999.00. SX-111 \$199.00, SX-101A \$299.00, HT-32, HT-37; Hammarlund HQ-100 \$129.00, HQ-129 \$129.00, HQ-110 \$179.00, HQ-150 \$199.00, HQ-160 \$259.00, HQ-170 \$289.00; National NC-183D \$199.00, HRO-60 \$345.00; Gonsset G-50 \$279.00; Central 20A \$149.00; Viking II \$159.00; Valiant \$279.00; Thunderbolt linear \$299.00. Collins 75S-1, 32V-1, 32V-3, 75A-4, KWM-2; Eimac, Globe, Gonsset, Heath, Johnson, RME, other items. List free. Henry Radio Company, Butler, Missouri.

WANTED: Commercial or surplus aviation and ground transmitters, receivers, test sets, 18S, 17L, 51R, 618S, GRC, PRC, ARN14, MN85, Bendix, Collins, others. RITCO, Box 156, Anandale, Virginia.

SELL: NC-98 receiver, \$78; Superior Model TV-50 genometer, \$23.00; Heathkit T-4 sig. tracer, \$14.00; BC-454 receiver with AC supply, \$15.00; Johnson 250-39 T-R switch, \$14.00; Heathkit AF-1 freq. meter, \$17.00; Century IC-2 tube tester, \$25.00; RB-15-600 Kc. receiver, \$30.00; Heathkit AF-1 transmitter, \$17.00; new TV horiz. transfr. Rogers No. EFR 90, 92, 98, 125, 132, 155, 179, 185, 186, 187. Ram No. 36, 45, 53, 72, 74, 77, 82, 86, X-131 \$3.50 each, cost near \$8.00. Robert Ireland, Pleasant Valley, N.Y.

SURPLUS. Have two new Navy 243 Mc transmitters. May be used directly on 220 Mc, just add xtal and retune or may be converted to 2 meters. Conversion supplied. One \$13.95, both for \$27.00. Postpaid. K2UNY, Richard S. Mead, RD #1, Oswego, N.Y.

NC-98, \$85.00; Viking II and 122 VFO, \$165.00. F. W. K8-10R, Rawson, Ohio.

SALE: 75A1, in excellent condx. \$200.00. W9PIO, Columbia, Ill.

WANTED: Merchant marine type LF receiver 15 to 550 KCS Radiomarine or Mackay, W3KWO, 542 S. Oakland, Sharon, Penna.

MODEL #15 RTTY complete, perfect operating condition. Bob Waters, WN8AXR, 14517 Oxford, Plymouth, Michigan.

SELL: New Telrex 10 meter 309B beam, \$25.00; large new 110 volt selsyns, \$15.00; pair 400 cycle small selsyns Type SNJ, \$10.00; Babcock 1000 cycle xmitr. and receiver with batteries, \$35.00, D-104 mike, \$13.00, Electro-Voice Mod. 950 mike and stand, \$20.00, Electro-Voice Century Model 715 mike with Stand, \$5.00, 2 vacuum condensers, new 20,000 volt \$10.00 each. Complete files QST and CQ 1947 through 1960, \$1.00 per year. K3MVP, 82MVP, 8258 Britanny Place, Pittsburgh 37, Penna.

GOT Collins for Xmas. Selling professionally wired SB10, \$75.00, A-40, \$22.00, W2ICW, Schickler, 1618 163rd St., Whitestone 75, N.Y. Tel. FL 7-7146.

KXV3 excellent condx. electrically and mechanically with 4CX250Bs in final. Complete with cables and antenna relay for \$900.00. Eric Johnson, WIRKA, 45 Maple St., Norwalk, Conn.

COLLINS 70E-8 PTO, on aluminum panel, AOK condition and calibrated, first check over \$35.00 gets it postpaid. Gariepy, K9HHA, 2624 Kroemer, Ft. Wayne, Ind.

SELL: 4-400A, \$15.00 with socket; filament xfmers 5V., 13A, \$3.50. K2EGI, 5 Stratford Pl., Babylon, L.I., N.Y.

Mechanical filters: Used surplus units each containing a 300 Kc. mechanical filter, band-pass about 3 Kc. 6 IF coils; about 75 resistors; lots of silver mica and ceramics. Circuit of filter included, \$12.50 each postpaid. W. R. Selden, 4021 W. Broad St., Richmond, Va.

HO-170C, and matching speaker, like new condx, only \$275.00. Fred Wiedenroth, Madison Lake, Minn.

MORROW SB11 all-band mobile converter, noise limiter, antenna mount, loading coils, 500V 200 Ma. dynamotor, \$35.00; SCR522 xmitr, \$18; Eimac 304TL, \$12.50; Vibronex Deluxe key, \$15; prop pitch motor, \$35.00. E. Pyle, 120 Appleton St., Cambridge, Mass.

FOR Sale: New Eimac 4-1000A with factory warranty, \$65.00; TR-4 rotor, \$20.00; Turner 33-X mike, \$10; Millon Model 90651 grid dip meter, all coils and probe, \$25.00; Cicco Reflectometer Model CM-52, complete, \$22.50. All items like new. Henry Martin, Box 1275, Bluefield, W. Va.

TRADE: Collins 51-J3 revr in excellent condition with 3.1 mech. filter for KWM2, Frank Juns, Jr., KØIE, 2941 Westover Dr., Wichita, Kans.

COLLINS 75A-3, immaculate, \$315. W8WGA, 3451 Ridge Ave., Dayton 14, Ohio.

SALE: Eico 720 transmitter with xtals, six months old, in exlnt condx. Sperber: 186-38 Radnor Rd., Jamaica, L.I., N.Y.C.

SILICON Rectifiers, axial leads, 0.5 amps., 400 PIV 596, 600 PIV 796; 800 PIV 996 plus postage. General Electronic Specialties, Box 1821-Q, Idaho Falls, Idaho.

GONSET Super Twelve. Perfect, used only few hours. Collese, must sell, \$59.00, I'll even pay shipping. KN4NTK, 226 Payne, Auburn, Alabama.

TOROIDs: 88 mhy with mounting hardware. Uncased, like new. Information sheet included. \$1.00, 5/\$4.00 postpaid. KCM, Box 88, Milwaukee 13, Wis.

LICENSE Renewal Reminder service. Don't let your ticket expire. Two reminders plus renewal reminder sixty days before expiration. Register now. Attach twenty-five cents QSL card, print date license expires. Address Automatic Reminder Service, Box 1461, Evanston, Ill.

DX20 in good condition. Almost new. \$20.00. Frank Kolarich, 5757 Jefferson Pl., Gary, Ind.

OFF To school, must sell: HQ-110, \$150.00; Apache, \$175.00, both are in excellent condition. No scratches, no modifications. KOMWI, 206 Aradia, Terre Haute, Ind.

SELL: 500 watt modulation transmitter, \$10.00; want Harvey-Wells TBS-50-C or D, Milten 90881, Teletype Model 19 metal table, 0-5B/FR, 0-5C/FR, Gonset 3-30; swap "Hi-Fi" items. WANZY, 119 North Birchwood Ave., Louisville 6, Kentucky.

SELL: Drake 2B, \$250; HT-40, \$85, both perfect condition and purchased only recently. Cubex Tri-band quad with new speakers. \$38.00. K5LTV, 3516 West Ohio Ave., Midland, Texas.

SX-71, \$95; yd condx, but doesn't work on 6 meters. Will consider trading down for a xmtr. K9YTR, Ben, 110 Hilltop, Columbia City, Ind.

HAM Kits. change x-tal frequency, including plated type. Safe method, ammonium bi-fluoride, containers, holders, instructions, \$1.00. 5 element 2-meter beam, 9db gain coax or twin-lead feed aluminum complete, \$3.00. Shipped postpaid Ham Kits, Box 175, Cranford, N.J.

"HORSE-TRADER"—Ed Moory, will not be undersold; Bargains! Used Equipment & Guarantees—H.A., \$29.00; Drake 2-B, \$219.00; 75A, \$498.00; 200-V, \$639.00; 100-V, \$479.00; KWM-2, \$879.00; 20-A, \$149.00; NC-173, \$89.00 75A-3, Like New \$359.00; 32V-3, \$289.00; 30L-1, \$389.00; Factory Reconditioned Thunderbolt, \$389.00; Johnson Viking Valiant \$279.00; GSB 101 Linear, \$249.00; 30S-1 Linear \$975.00; Wanted Clean 51J-3's & 51J-4's; SX-115 Used 2 Hours \$439.00; HT-32B Demoprotator \$475.00; Immediate Delivery. KA-3's \$3. HT-4's. Terms: Cash; Ed Moory, Wholesale Radio, Box 506, DeWitt, Arkansas. Phone—Whitney 6-2820.

SELL: Hammarlund Super Pro-200, 1250 kc. -40 mc. with pwr. supply, Bud xtal calibrator, and transistor Q-multiplier, Exc. condx. \$125.00. W2CXW, 158 Park Ave., Freeport, N.Y.

KWS1, \$900; serial 479, all mods factory installed. Price includes many spares, Jeannette LaFantasic, K6GFH, 12946 Alexander, Sylmar, Calif. Tel. EM 1-2331.

FOR Sale: SX-111, original carton, manual, guaranteed, \$195.00. Lettine 240, Heath VFO, coils/all bands, \$60.00. R-46 speaker, \$15.00. F.o.b. K1UAR/W0B1B, 3 White Road, Wayland, Mass. ELmwood 8-2036.

75S-2 Collins extended tuning range receiver. Complete, new, never used, \$450.00. S. Wolf, 3 Lawrence Lane, Lexington, Mass.

W9UDD has retired and 40 years of much prized QSTs take up too much room for our new mobile home. In QST binders: 1922, except January and March; 1923 thru 1932. Separate copies: 1933 thru 1946. Some duplicates in run after 1938. Will take \$250.00 or make offer. Or stereo units or kits. Will prepare truck shipping charges within 1000 miles or will pay half anywhere in U.S.A. Fred Haneline, W9UDD, 4811 Forest Ave., Ft. Wayne, Ind.

RECEIVERS for sale: NC-109 in perf. condx., original carton, with Heath Q-multiplier, \$110.00; Hallcrafters S85 with Heath Q-multiplier, in good condx., \$60.00; Heath AR-3, in perf. condx., \$20.00. Robert Widmaier, K3JOP, 1711 Rockvale Rd., Lancaster, Penna.

FOR Sale: Collins 32V2 with manual, and late factory modifications, new 4D32. No scratches, \$250; B&W Single sideband generator w/manual. Recently aligned and in perf. condx., \$150.00. Both for \$375.00. Cashier's check or M.O. Will ship truck prepaid. R. B. Ricketts, W9AMV, 6448 Broadway, Indianapolis, Ind.

VIKING Invader, in mint condx., original packing, \$525.00. SX-101A, like new, \$300. Cush Craft Tri-band vertical, \$145.00. WA0BZ, 3 Pryer Place, New Rochelle, N.Y. Phone NE 2-7480.

WANTED: Crosby Model 67A SST converter. H. T. Cervantes, W2DB, 190 Croton Ave., Mt. Kisco, N.Y.

HQ-170, new in factory-sealed carton. Sacrifice for best cash offer. Durham Ipock, K8VVI, Williamson, W. Va., Tel. BELmont 5-5088.

HALLCRAFTERS SX-101A with R48 speaker, used 20 hours, \$310.00; Heath TX-1 Apache with S-200 mike, \$190. W1UYU, 495 Water St., Framingham, Mass. 877-2755.

QSTs wanted, 1915 to 1922. Sell QSTs 1923 up. Bird 81-B 80 watt load, \$25.00. Eddystone 888A rcvr. \$400. W2DYU, 36 New Lawn Ave., Kearny, N.J.

VIBROPLEX Original key, in gud condx., \$12.00, Ham Kits dummy load 200 watt, \$5.00. W2UYH, 12 Bright Wood Ave., Pearl River, N.Y.

FOR Sale: Heath DX-100B with crystal microphone and Vibroplex Original standard bug. All in gud condx., \$185.00 shipped collect. K5WYF, 5716 Chaparral Cr., N.W., Albuquerque, N.M.

WANTED: Mech. filters 75A4 .5 or .8 & 6 Kc. Vibroplex bug, Super Six or 10-circuit ground plane, LP filter, 811 driver xfrm; sell or swap; Mosley 10, 15, 20 vertical, \$12.00. Turst sig. shifter, \$20.00. Cathode modulator, \$5.00. F.o.b. K1PNS, 24 Rockwood Dr., Waterford, Conn.

TRADE Viking II, NC-300. VFO, extras for 75A4. W2WLZ, COLLEGE Bound! Factory wired; Johnson Challenger, \$100; 6N2 VFO, \$25.00. Tenax 6M converter, \$25.00; HBR-16 receiver (QST, Oct. 1959). Beautiful wiring job, \$125.00. K9RBX/9, 1649 No. Farwell, Milwaukee, Wis.

WANTED: One or more 10 ft. sections Rohn #20 tower. W5LCL, Box 195, Wynne, Ark.

GLOBE Champion, 350A, in gud condx., less than 16 months old, \$310.00. Will deliver within 30 miles, or F.o.b. Jim Russell, WA2OFK, 596 Rutland, W. Englewood, N.J.

APACHE, Clean, \$200. K2CQG, 2514 Crompond Road, Yorktown Heights, N.Y.

WILL Trade 1960 Mercury 700 outboard and 1960 Thompson 17 ft. Sea Lancer with coupe top, side curtains, rear cover, full length cover, rear seat, de luxe cushions, tachometer, speedometer, etc. like new, total 38 hours use since new last July. Will trade for S Line equipment or equivalent. No duty payable on merchandise returning to USA. Write VEZ2O, 36 Birch Hill Road, Baie d'Udfe, Montreal, Que. P., Canada. Phone GLendale 3-6542.

COLLINS 75A-4 receiver, original owner selling with speaker, vernier tuning knob, 3.1 kc. filter. Serial No. 3653. In exlnt condx., \$550.00. Kenneth H. Engstrom, W3CUM, 833 Oak Forest Dr., Dallas 32, Texas.

HRO-60 with matching speaker and coils A, AC, B, C and D. \$300.00. K5AON, 867 Berkinshire, Dallas, Texas. Tel. DAVIS 7-2200.

FOR Sale: 100V transmitter, used by little, gud as new, \$525.00. Best of references. Will ship in original case. Basil McGinty, W4ZS, River View, Alabama.

SELL: HT-32A, like new, with original carton, \$425.00. F.o.b. shipping point. K1MMU, 30 Cranston Lane, Darien, Conn.

CRYSTALS Airmailed: SSB, MARS, Novice, Net, CD, etc. Custom finished FT-243 .01% any kilocycle 350 to 8600 \$1.49. (10 or more, same frequency FT-243, 99¢) 170 to 20,000 \$1.95; 20,001 to 30,000 \$2.25. Overtones above 10 mc. Fundamental 10 to 13 Mc. \$2.95. Add 50¢ each for .0057%. Add 65¢ for HC-6/u hermetics. Special, FT-241-A 500 Kc. standards \$1.50 with circuit. QST; Packaged crystals: "SB Package" June 1958; sectionalized Receiver, October 1961; Either set (Five FT-243) \$9.95, hermetics \$13.95. Matched filter "SB Package" \$7.95.—also other project crystals and sets, write, Airmailing 9¢ per crystal, surface 5¢. Crystals since 1933. C-W Crystals, Box 2065-0, El Monte, Calif.

COLLINS 75A1, in exlnt condx., matching speaker, \$225.00. Apache, only year old, perfect, \$225.00. Ron Adams, K8QJ, 215 Franklin Ave., Cuyahoga Falls, Ohio.

FOR Sale: Heath Sixer used only few hours, \$50.00. Must sell for college expenses. Jim Wilson, 204 Prather Hall, Austin 18, Texas.

WANTED: Modulation xfrm for Meissner 150-B, match 811s to 813, K1TJ, 415 Main St., South Grafton, Mass.

SELL: 75A4 with 3.1 filter, serial 5776 like new, original carton, \$595.00. .5 filter \$45.00; 2.1 filter, \$35.00; Louis Fischman, 1725 Andrews Ave., Bronx 53, N.Y.

COLLINS 75A1, exlnt, \$225; Collins 310B1, \$140.00; CQ Dec. 1942/July 1956, \$6.00; QST 1947-1961, \$7.00; also 250THs, 4-125A's, pwr. supplies, B&W, HD coils, etc. Send for list. Horace Goss, W1AB, RFD 1, Essex, Conn.

WANTED: Central Electronics MM-2 analyzer with 455 Kc adapter, also 500 cycle mechanical filter F 455 J-05 for 75A4. Fair price. Dick Zucker, K2CR, DAVIS 7-2208, Overbrook Rd., Upper Saddle River, N.J.

ELMAC AF-67, \$90.00; Elmac PMR-6, \$50. Gerard Moor, 375 Richmond, Providence, R.I.

HQ-150, \$195. Needs new bandspread dial, otherwise perfect, need money for college. NE 7-9687, K1AJQ, DeWitt, 14 Crescent Rd., Riverside, Conn.

HEATHKIT Mohican, painstakingly assembled. Best offer over \$100. You pay shipping. WV2RRV, 813 Sanders Ave., Scotia 2, N.Y. Tel. DI 6-1067.

KWS-1, \$950.00; 75A4, \$450; HT-33A, new PL-172, \$450.00; SX-111, \$195. Peter Chowka, 10 Mansfield Place, Darien, Conn. Phone OL-5-4570.

APS 10 radar complete with all plugs and tech. manual, this is X-band, 360° scan, B-1 suitable for marine use. Trade for 75A4 or cash. Ray Krause, K8VWK, 1200 Hampton, Grosse Pointe 36, Michigan.

HALLCRAFTERS, Model HT-32A transmitter/exciter: ultimate in design of self-contained transmitting equipment. Like new, one owner only, for sale, going to highest bidder f.o.b. St. Louis, Francis Beckwith, 10104 Niblic Drive, St. Louis 14, Mo.

CLEANING Shack: Preselector, DB-22, \$6.00; GF-11 40-80 meter xmtr, mobile, \$15.00; three 15 Mc. IF strips, \$1.00 each. Webcor wire recorder, \$22.50. Send stamp for list. K6KGB, 1441 65th Ave., Sacramento 22, Calif.

MUST Sell! Owner died, SX-71 receiver, used by little, in excellent condition. Tunes 6 to 80 meters on 5 bands. \$110.00 Wm. Ray, 36 Cortland St., West Hartford, Conn.

SELL: NC-173, \$110.00; 6N2 converter, 26-30 Mc. IF, \$55.00; HRO-M modified, 9 coils, speaker, pwr. supply, \$70.00. Ken Aikin, K3JOD, 7413 Oak Lane, Chevy Chase 15, Md.

COLLINS 30S-1, used by little, \$995.00. Reason for selling: other hobbies need money too. Can be seen or heard by contacting Norman Smith, RR 1, Town Farm Rd., New Milford, Conn. EL 4-5460.

MUST Sacrifice Collins 75S-1, new condx., \$345.00; Gonset Communicator Iv 2 mtrs, perf., \$245.00; B&W L1000A pwr. supp., 3000v., at 500 Ma., \$85.00. W1WNY, John Ashton, 12 Top O'Hill Rd., Darien, Conn. Tel. DAVIS 5-2125.

SALE: HT-37 like new, original cartons, \$360.00. Electro-Voice microphone #636 with Atlas floor stand, \$35.00; Heathkit antenna impedance meter, \$15. J. R. Perciful, W4PDC, Med. Arts Bldg., Louisville 17, Ky.

NC-188, exc., \$75.00; SX-110, \$85; KW Matchbox with built-in Heath reflected power meter, \$85; Heath Q-multiplier \$5.00; Millen antenna matching preamplifier with coils for 10 and 20, \$3.00. Will be collected. K3JHG, 2789 Highland Ave., Broomall, Penna. Tel. EL 6-0822.

FOR Sale: All transformers and filters from a dismantled 1 KW Commercial police transmitter. One 250H included. Power supply for final mounted on panel for rack mounting. Beautiful equipment, \$125.00. You pay freight. Ed Ballentine, 15361 Sprenger, East Detroit, Mich. W8PZD.

SACRIFICE: Beautiful 813 KW, new parts and tubes, 80-10. Pwr. supply available, \$110. Globe Chief 90, good, \$300.00. K8EHD, 712 E. Sandusky, Findlay, Ohio.


SELL: HQ-180C, \$310.00; Panadaptor SP-44, \$45.00; Super Pro 400SX7, \$150.00; HT31 linear, \$125.00; PMR7 wps 6-12V, \$95.00; AF67 wps (transistor), \$135.00; Millen final tubes and coils, \$45.00; Millen Deluxe VFO, \$50.00; cleaning house. Send stamped envelope for list. J. B. Forman, P.O. Box 1032, Grand Central Sta., New York, N.Y.

HALLCRAFTERS SX-101A receiver. Like new and perf. condx., \$295.00 or best offer. K9OYB, Phil, 306 N. Seminole, Ft. Wayne, Ind.

Designed for



Application



**The No. 10000
WORM DRIVE UNIT**

One of our original *Designed For Application* products, tried and proven over the years. Rugged cast aluminum frame may be panel or base mounted. Spring loaded nickel plated cut brass gears work with polished stainless steel worm to provide low back lash. 1/4" diameter stainless steel drive and driven shafts. Available in two ratios, 16:1 and 48:1. Specify ratio in ordering.

**JAMES MILLEN
MFG. CO., INC.**

MAIN OFFICE AND FACTORY
**MALDEN
MASSACHUSETTS**



Index of Advertisers

Adirondack Radio Supply	110
Allied Radio Corp.	168
Alltronics-Howard Co.	149, 159
American Crystal Co.	154
American Electronics Co.	138, 140, 142
American Gelsoso Electronics, Inc.	150
American Radio Relay League	
<i>Binders</i>	130
<i>Call Contest</i>	160
<i>Emblem</i>	154
<i>1962 Handbook</i>	127
<i>Logograms</i>	146
<i>QST</i>	139
Arrow Electronics, Inc.	139
Ashe Radio Co., Walter	118
Barker & Williamson, Inc.	104
Barry Electronics Corp.	159
Bonn Co., Lew	114
British Radio Electronics, Ltd. (Biddystone)	144
Burghardt Radio Supply, Inc.	154
Burstein-Appelbee Co.	160
Clegg Labs.	121
Cleveland Institute of Electronics	147
Collins Radio Co.	12
Columbia Products Co.	15
Communication Products Co., Inc.	119
Communications Equipment Co.	156
Continental Electronics & Sound Co.	142
Corky's Div.	148
Cornell-Dubilier Electric Corp.	108
Craftones	113
Crawford Radio, The	155
Cubex Co.	142
Cush Craft	144, 152
Douglas Instrument	158
Dow-key Co., Inc., The	144, 151, 155, 158
Edwards Co., W. H.	157
Eitel-McCullough, Inc.	4
Electro-Mechanical Labs.	150
Electro-Voice, Inc. (RMEI)	109
Electronic Instrument Co., Inc.	113
Electronic Wholesale, Inc.	143
Electrophysics Corp.	140
E-Z Way Towers	102
Finney Co., The	106
Fort Orange Radio Distributing Co., Inc.	141
G.A.M. Electronics	157
Gardner & Co.	157
Ganset Div.	103
Gotham	98, 99
Hallcrafters Co., The	1, 93
Ham Kits	148
Hammarlund Mfg. Co., Inc.	107
Harrison Radio	129
Harvey Radio Co., Inc.	133
Heath Co., The	96, 97
Henry Radio Stores	137, 151
Hi-Par Products Co.	140
Hornet Antenna Products Co.	120, 122, 124
Hy-Gain Antenna Products Co.	101, 111, 157
Institute of Radio Engineers	149
Instructograph Co., Inc.	150
International Crystal Mfg. Co., Inc.	115
Johnson Co., E. F.	94, 95
Kreckman Co., Herb	160
Lafayette Radio	145
Lampkin Labs, Inc.	135
Laroch, A. R.	160
Lattin Radio Laboratories	154
Lefor Industries	160
McCoy Electronics Co.	125
Mark Mobile, Inc.	146
Millen Mfg. Co., Inc., James	166
Mini-Products, Inc.	153
Mosley Electronics, Inc.	105
National Radio Co., Inc.	Cov. III
New March of Dimes	153
P & H Electronics, Inc.	162
Pearwood Numechron Co.	146
Petersen Radio Co., Inc.	6
Radio Shack Corp.	131
Raytheon Mfg. Co.	167
RCA Electron Tube Div.	Cov. IV
RF Communications Associates, Inc.	156
Rider Publisher, Inc., John F.	135
Rohn Mfg. Co.	156
Seco Electronics, Inc.	126
Shure Bros., Inc.	153
Skylane Products	151
Solar Electronics Corp.	152
South Bay Electronics Co.	138
Space Raider Antennas	158
Supreme Electronics	112
<i>Tapcode</i>	153
<i>Tapstone Electronic Labs., Inc.</i>	151
<i>Technical Materiel Corp.</i>	7
<i>Telex, Inc.</i>	132
<i>Telex, Inc.</i>	159
<i>Tennessee Paper & Box Co.</i>	162
<i>Texas Crystals</i>	125
<i>Trigger</i>	158
<i>U. S. Crystals, Inc.</i>	156
<i>United Transformer Corp.</i>	Cov. II
<i>University Loudspeakers, Inc.</i>	123
<i>Van Sickle Radio Supply Co.</i>	149
<i>Vesto Co., Inc.</i>	150
<i>VHF Amateur, The</i>	155
<i>Vibroplex Co., Inc., The</i>	154
<i>Webster Mfg. Co.</i>	117
<i>World Radio Labs.</i>	134
<i>Zelle, Joseph</i>	159



DOC AULWURM, W6BBC, maintains contact with other Raytheon field engineers and headquarters staff personnel from his Piedmont, California home.

FIELD ENGINEERING WITH A FUTURE

Doc Aulwurm and his "traveling" ham rig

Arthur (Doc) C. Aulwurm, Senior Field Engineer, and his compact ham rig have traveled the world working on a wide variety of challenging assignments for Raytheon. Doc's story is highly typical of the Raytheon Field Engineer.

Since Doc joined Submarine Signal Company (a predecessor of the present Raytheon organization) in 1945, he has tackled specialized tasks in Karachi, Pakistan; Lakehurst, N. J.; and San Diego, California, among other places.

Doc is now working on sonar equipment at Mare Island Naval Shipyard, California. Future assignments may carry him to other

parts of the world or to headquarters in Massachusetts.

Perhaps you too can qualify for a Raytheon field engineering future. Requirements are previous experience plus an E.E. degree or equivalent in practical know-how in guided missiles, fire control, ground and bombing radar or sonar.

Benefits: attractive salary, insurance, educational programs, relocation assistance, opportunity for advancement. For details, forward your resume to Ronald Guittarr, Electronic Services Division, Raytheon, Northwest Industrial Park, Burlington, Massachusetts.

RAYTHEON

RAYTHEON COMPANY

ELECTRONIC SERVICES DIVISION

ALLIED Ham Shack

Reconditioned Equipment Sale!

terrific response to our October 1961
"Swapfest" ad makes available to you a
tremendous selection of Used Gear Values...

All units carry
full 90-day new
equipment warranty

B & W

LPA-1 Linear Amplifier..... \$219.00
5100 B Transmitter..... 269.00
51SB-B SSB Generator..... 99.00

Central Electronics

Model "B" Slicer..... 49.00
GC-1 Gated
Compression Amp..... 39.00

Collins

78S-1 Receiver..... 425.00
75A-2 Receiver..... 299.00
32V-2 Transmitter..... 249.00
312B-4 Console..... 140.00
312B-3 Speaker..... 25.00

Drake

2-A Receiver..... 229.00

Eico

720 Transmitter..... 79.00
730 Modulator..... 42.50
730 Mod. with cover..... 49.00

Elmac

AF-68 Transciter..... 154.50
PMR-7 Receiver..... 109.00

Geloso

G212TR Transmitter
(built-in VFO)..... 149.00

Globe

DSB-100 Transmitter..... 89.00
King (old model w/V70D's)..... 149.00
King 500A..... 315.00
Champ 300 Transmitter..... 219.00

Gonset

G-43 Receiver..... 99.00
Communicator IV 2 Meter..... 299.00
G-76 All Band Transceiver
w/AC Supply..... 425.00

G-76 Transceiver only..... \$325.00
G-28 10 Meter Transceiver..... 169.00
GSB-101 Linear Amplifier..... 225.00

Hallicrafters

HT-18 VFO (w/NBFM Mod.)..... 29.00
HT-31 Linear Amplifier..... 149.00
HT-32 SSB Exciter..... 399.00
HT-32A SSB Exciter..... 449.00
HT-33 Linear Amplifier..... 299.00
HT-40 Transmitter..... 75.00
S-40B Receiver..... 59.00
SX-62A Receiver..... 199.00
SX-71 Receiver..... 139.00
S-85 Receiver..... 79.00
SX-99 Receiver..... 114.00
S-107 Receiver..... 74.50
SX-101A Receiver..... 299.00
S-108 Receiver..... 108.00

Hammarlund

HQ-100 Receiver..... 129.00
HQ-110C Receiver..... 189.00
HQ-140X Receiver..... 159.00
HQ-150 Receiver..... 199.00

Harvey-Wells

APS-90 AC Supply..... 39.00

Heath

Apache Transmitter..... 229.00
VF-1 VFO..... 15.00
DX-35 Transmitter..... 35.00
DX-40 Transmitter..... 48.00
DX-100 Transmitter..... 159.00
SB-10 SSB Adapter..... 79.00

Johnson

Navigator Transmitter..... 149.00
Valiant Transmitter..... 299.00
Viking II Transmitter..... 159.00

Viking "500" Transmitter..... \$449.00
KW Matchbox..... 99.00

Knight

T-50 Transmitter..... 29.00
R-55 Receiver..... 67.00
V-44 VFO..... 19.95
C-11 CB Transceiver..... 25.00

Lakeshore

Phasemaster IIA SSB Exciter
Brand new; closeout price, 229.50
Phasemaster IIB SSB Exciter
Brand new; closeout price, 319.00

Lincoln

6 Meter Transceiver..... 39.00

Morrow

MBR-5 Receiver..... 75.00
Falcon Receiver w/BC Band..... 99.00
MB-560A Transmitter..... 125.00

National

NC-109 Receiver..... 119.00
NC-183D Receiver..... 195.00
NC-183 Receiver..... 159.00
NC-66 3-Way Portable
Receiver..... 49.00
HRO-50T Receiver..... 229.00

Pierson

KE-93 Receiver w/6-12v.
DC Supply..... 159.00

P & H

LA-400C Linear Amplifier.... 169.00

RME

DB-23 Preselector..... 39.00
HF-10/20 (10-15-20 Meter)
Converter..... 39.00

NO MONEY DOWN
on Allied's New Credit Fund
Plan—gives you up to 50% more
buying power—up to 24 months
to pay!

15-DAY FREE TRIAL: Try any of
this equipment under your own
conditions; if in 15 days you're not
completely satisfied, return it for
full refund, less only transporta-
tion costs.

90-DAY WARRANTY: Allied Re-
conditioned equipment is covered
by the same 90-day warranty
against defects in material or
workmanship which covers brand-
new equipment.

SELECT YOUR NEW GEAR

from our complete 1962
444-page value-packed
catalog. If you haven't a
copy, write for it today.




IMPORTANT: Some items above are one of a kind... all items
are subject to prior sale... send deposit to hold any item.

For reconditioned or new equipment, write to Don Koby, W9VHI, or stop in
and meet Joe Huffman, W9BHD; Joe Gizzi, W9HLA; John Chass, K9LOK;
Tasker Day, W9QBB. In Milwaukee: Lowell Warshawsky, W9NGV.

ALLIED RADIO

100 N. Western Ave. Dept. 15-A2 Chicago 80, Ill.

National's new, low-priced NC-105



- 1 Large illuminated edge reading "S" meter operates on all modes
- 2 Exclusive National peaking Q multiplier works on CW as well as AM
- 3 Separate product detector/BFO for CW and SSB reception
- 4 Continuous coverage from 550 KC to 30 MC in four bands
- 5 Automatic gain control operates for all modes of reception including CW and SSB
- 6 Bandspread calibration charts included for all popular amateur and foreign broadcast bands.
- 7 Separate RF and audio gain controls
- 8 Famous distortion-free National noise limiter
- 9 Built-in 5" speaker
- 10 Front panel headphone jack
- 11 Full wave transformer power supply
- 12 Exclusive tuner output

All the Features You Want and Need!

Very few beginners want to invest two or three hundred dollars in a first receiver. The choice has always been to spend either that much, or compromise on second-hand or inadequate equipment. Now, National gives you a new and better choice — a feature-packed, top quality receiver at only \$119.95!

Look over the chart at the right. Have you ever seen so many advanced features at such a remarkable price? These are features the novice wants and needs. For example...exclusive National Q multiplier circuitry operates on CW as well as AM... where it's really needed. There are separate RF and audio gain controls. AGC works in all modes of operation!

Only National, with 47 years experience in the specialized design and manufacture of fine quality receivers could bring you gear like the new NC-105. If you are looking for an exceptional receiver at a modest price, ask your dealer for a demonstration. \$119.95* in functional steel cabinet.

Also available at \$139.95* in hand-rubbed oiled walnut for living room or den.





National Radio Company, Inc.
Melrose 76, Mass.
A Wholly Owned Subsidiary of Q-01
National Company, Inc.
Export: Ad Auriema Inc., 85 Broad St., N. Y. C.
Canada: Tri-Tel Assoc. Ltd., 81 Sheppard Ave. W.,
Willowdale, Ontario
Rush me complete details on your new NC-105

Name.....
Address.....
City.....State.....
*Slightly higher west of Rockies and outside U.S.A.

designed specifically for the novice!

RCA-6146— FOR OUTSTANDING MOBILE OPERATION—
 MEETS THE SAME PERFORMANCE REQUIREMENTS AS THE 6146A



RCA-6146—90 watts CW input
 up to 60 Mc; 67.5 watts AM

Performance of typical RCA-6146 at
 15 Mc and 168 Mc as heater voltage drops

The RCA-6146 Closely Maintains Power Output— When Heater Voltage Drops

The original RCA-6146 design stands out. Here's a beam power tube that closely maintains power output even at maximum capability—when heater voltage drops. Look at the chart. At 5 volts, the drop-off is about 1 watt! The RCA-6146 does this easily—not only at 15 Mc, but also at 168 Mc.

You can be assured of top tube performance in mobile operation with

the world famous RCA-6146. Specify the RCA-6146, or its companion types: the 12.6-volt heater version, RCA-6883; or the 26.5-volt heater version, RCA-6159. Order directly from your RCA Industrial Tube Distributor. A technical bulletin is available by writing Section A-37-M, Commercial Engineering, RCA Electron Tube Division, Harrison, New Jersey.



The Most Trusted Name in Electronics