STATION

1340 KILOCYCLES W-B-R-W 250 WATTS

McDOWELL SERVICE COMPANY

"THE VOICE OF THE NATION'S COAL BIN"

WELCH. WEST VIRGINIA

J, G. HUNT, PRESIDENT

ROB'T O. GREEVER, VICE PRESIDENT

ELLIS LANDRETH, TREASURER

W. R. KEYSER, SECRETARY

J. H. METZ, MANAGER

September 10, 1945

Mr. Norman L. Maguire 83 Prospect Street East Hartford 8, Tenn.

Dear Mr. Maguire:

This is in reply to yours of September 8th, in regards to picking up our frequency on September 8th and wanting a verification of the reception you received.

Your information or report agrees with ours and anytime that you would like to pick up our frequency you may do so by tuning us on the second Saturday of each month from 3:40 to 3:55 a. m.

Thanking you very much for listening to our frequency and hoping that you will again listen in, I wish to remain,

Very sincerely yours,

J. H. Metz Chief Engineer

JHM:md



The Voice of The Nation's Coal Bin 1340 ON YOUR DIAL

WELCH, WEST VIRGINIA

16 Apr. 52

Mr. Norman L. Maguire 434 North Maple Albuquerque, N.M.

Dear Mr. Maguire:

Thanks for your report on reception of our March test program. Under the circumstances, I imagine you heard us under extremely difficult conditions. Apparently you heard our announcements and music even if you couldn't make out much of what was said or played, for the data given by you correspond to our log, except that your clock was one minute fast.

If you wish to try to tune us in again, our test programs are scheduled for the third Monday of each month at 3 AM EST. The next one— 21 Apr.

Thanks again for writing, and happy DXing.

Mutually yours,

Oscar Gildemann-Engr.



WILLIAMSON BROADCASTING CORPORATION

STUDIOS AND OFFICES MOUNTAINERR HOTEL BUILDING
P. O. BOX 261
WILLIAMSON, W. VA.

Dear DX-er:

This will verify your reception of WBTH on February 14. 1941
at 4:35 to 4:41 At Eastern Standard time. Thank you very much for this report. We appreciate your interest in our station and find your report valuable in determining our coverage.

The transmitting equipment at WBTH consists of a Collins 250-A transmitter and a 187 ft. vertical tubular steel guyed Lingo antenna, Speech equipment consists of Collins control console, RCA and Carrier microphone, and RCA transcription tables.

Yours in radio,

WILLIAMSON BROADCASTING CORPORATION

Engineering Department

PHONE 444 - P.O. BOX 71 Buckhannon, West Virginia

December 15, 1962

Norman L. Maguire 1420 Columbia Drive Albuquerque. New Mexico

Dear Mr. Maguire:

Our thanks for your reception report of WBUC on December 10, 1962. Your report is correct, and I am happy to send this letter of verification.

WBUC is three years old this month. We began with 1,000 watts and increased to 5,000 watts on August 4, 1962. The new 5,000 watt transmitter is a Gates model BC-5P2, their latest model. It uses a single triode tube type 3X2500F3 for the carrier power, and a pair in a class B high level modulator circuit. The RF amplifier has a plate voltage of 5,300 volts with 1.25 amperes of plate current.

The transmitting antenna is a 200 foot tower located on flat ground in a small valley. It is 380 feet from the transmitter and is fed with underground co-ax.

Our transmitter and studio sites are the same. We normally use three turntables, four tape players, three microphone, a beep telephone and remote lines as program sources. In addition we have a second control room equipped for recording, and it is primarily used for the recording and production of commercials and programs. It can of course be used on the air if the main control room should fail for some reason.

I was happy to do this test since WBUC has no special testing period. We do not expect to do any further night testing until next summer.

Sincerely

Jesse D. Newman

owner, manager and engineer

esse d. Newman

The Dierney Company operators of

RADIO STATION



March 16, 1953

Mr. Norman L. Maguire 434 Maple Street NE Alburquerque, New Mexico

Dear Sir:

Your report of reception of WCHS at 4:00 to 4:16 am SIST. on March 9, 1953

has been received and is very much appreciated.

We are happy to verify your reception of WCHS, finding your log to be correct.

May we please hear from you again at your convenience.

Very truly yours,

William & Dijon

William E. Dixon Chief Engineer

Ole WCHS must have been really getting out on the 9th. We also got a report that we were heard in Reedley, California S5 to S7 on a 129X also.

Sure appreciate your report and am very glad to be able to verify it.

W8CSF - Bill



"Your Community Station"



317 Ninth Street
Parkersburg, West Virginia

February 2, 1948

Mr.Norman L. Maguire Glastonbury, Connecticut

Dear Sir:

I am very glad to Ferify your recption of WCOM on October 6, 1947, from 1:18AM to 1:30AM. EST.

We are using a Western Electric 451A-1, 250 watts transmitter, with a 154' vertical radiator.

I am very sorry about the delay on this report. We are now checking frequency each Wednesday from 12:10 to 12:30AM. EST.

Very t ruly yours

B. P. Barickman Chief Engineer



Dear Listener:

Thank you for your DX report of May 14, 1952. This is to verify your reception of Station WEIR.

WEIR is licensed to operate on a frequency of 1430 kilocycles with a full time power of 1000 watts, using a three tower directional antenna system both day and night.

Our main studies are located in Weirton, W. Va. with studies in Steubenville, Ohio/

The transmitter is a Western Electric 1 kw.
Type 443A-1, using the Doherty high efficiency linear final.

Thank you again for your interest and here's wishing you lots of DX.

Best regards,

Frank W. Scharfy

CHIEF ENGINEES

THE Richard F. Lewis Jr.

RADIO STATIONS

WELD

WINC

WELD

FISHER, WEST VIRGINIA

WHYL

WAYZ

WSIG WRFL (FM) January 28, 1957

Mr. Norman L. Maguire 1420 Columbia Drive N. E., Albuquerque, New Mexico

Dear Mr. Maguire:

Here is your letter of verification for the reception of WELD.

Thank you very much for your report.

WELD is located in the heart of the Poultry Industry, the South Branch Valley, in W. Va. We serve approximately 150,000 people in this area.

Our studios and transmitter are located in Fisher, W. Va. about $1\frac{1}{2}$ miles from Moorefield, W. Va., and about 12 miles from Petersburg, W. Va.

WELD started regular broadcasting activities on August 1st, 1956.

Again, thank you for your informative report.

Cordially,

Timberley Johnson,

Manager,



Martinsburg Broadcasting Company

P. O. Box 874

Telephone 1146

Martinsburg, W. Va.

This is to acknowledge your report of reception of WEPM	
on <u>May 17, 1952</u> from <u>1.50 A.M.</u> E.S.	Т.
to 2:15 A. M. E.S. and to verify the correctness of your	
reception report.	
Future reports of reception would be appreciated and	
we will be happy to acknowledge them.	
Thank you for submitting the report and lots of good	
DX-ing in the future.	

C. Leslie Golliday, General Manager

WESTON, WEST VIRGINIA

May 20, 1952

Norman L. Maguire 21 Vista Way Port Washington, N. Y.

Dear Sir:

This will serve to acknowledge and confirm your letter of May 13, 1952 reporting reception of WHAW. I am very sorry that we do not have a 45L card to send you.

Thank you very much for a very fine letter which did interest me very much. I am always glad to receive reports such as yours.

It may interest you to know that we have a Gates 250-C-1 transmitter. The temperature here that night was 47 degrees and it was raining.

Again, thank you for your report and good D-X ing to you. 73's

Yours truly,

James E. WcEwuen W8GUL

E. Mc Ewnen

Chief Engineer

5,000 WATTS AT 1600 ON YOUR DIAL



THE
OHIO VALLEY'S
TOP STATION



FOR

MUSIC, NEWS
AND SPORTS

Phone: WHG. 6700

Represented Nationally By HIL F. BEST

Wheeling, West Virginia

January 26, 1952

Mr. Norman L. Maguire 434 North Maple Albuquerque, New Mexico

Dear Sir:

Thank you for your letter concerning reception of WHLL on December 10th. Your report checks with our log for that day and is hereby verified.

We have heard from quite a few DX'ers since beginning our early morning programs. One of them is from Albuquerque. He is Mr P.J. McKenna of 402 North Adams. I thought he might be an acquaintance of yours.

Thanks again for your report.

Sincerely yours,

WHEELING BROADCASTING COMPANY

Stanley Skoff Chief Engineer



Potomac State Broadcasting Company, Inc.

OFFICES - STUDIO RADIO PLAZA

Keyser, West Virginia

MARCH 9, 1954

GLACUS G. MERRILL PRESIDENT

DEAR NORMAN:

THANKS FOR THE LETTER. HAD NO IDEA WE WERE GETTING OUT AS FAR AS NEW MEXICO..I'M SORRY ABOUT THE DELAY IN ANSWERING YOUR LETTER. WE HAVE BEEN TERRIBLE BUSY HERE AT W.K.Y.R. LOTS OF LUCK AND HOPE YOU WILL BE ABLE TO GET US AGAIN IN THE FUTURE:

YOURS TRULY

W.P.BITTNER

(FOR CHIEF ENG.)

 $\overline{\mathbf{W}}$

MONONGAHELA VALLEY BROADCASTING COMPANY

M

MEMBER COLUMBIA BROADCASTING SYSTEM

N

FAIRMONT, WEST VIRGINIA

March 30, 1939

Norman L. Maguire,

Room 211, Sec IIA,

Richards House,

Lehigh University,

Bethlehem, Pa.,

Dear Mr Maguire,

Thanks for writing about our dx program on March 8th. We are glad to verify your reception of our program.

Does everyone in Richards House stay up all night? We got another letter from Rulon Cloud, 213 Richards House. Both six tube sets, but you have him 25 feet on antenna, does that give you more per than he has?

R.Heck, Chr. Engr.

FAYETTE ASSOCIATES, INC., OPERATING

WEST VIRGINIA
MONTGOMERY

AFFILIATE OF MUTUAL BROADCASTING SYSTEM

WMON

WEST VIRGINIA

1340 on Your Dial

January 26, 1954.

Mr. Norman L. Maguire, W5NXF, 1420 Columbia Drive, N.E. Albuquerque, New Mexico.

Dear Mr. Maguire:

Thanks a lot for your report on the reception of WMON on the morning of January 18th during our frequency check transmission. I am glad to say that your report checks with the log of transmission, so therefore we can verify your reception of our "powerful little 250 watter".

The skip or conditions or what have you must have been ideal on this occasion, for we have received reception reports from most every section of the country as a result, far many more than we usually get from one of these tests. We had two reports from California, yours, (which would have been our best DX except for the California reports), from Oklahoma, Iowa, North Caradina, Virginia, Pennsylvania, Quebec, Canada, and several others.

There is nothing unusual about our station. We use a Collins 300G transmitter feeding a quarter wave guyed tower radiator, and the ground system is very poor. The speech console is a Raytheon, we have Presto tape machines, RCA mikes, and General Radio measuring equipment. We are located 25 miles east of Charleston, the state capital.

Thanking you for your report, I am

Very truly yours,

In O. Orones.

J.C. Craver, Chief Engineer.

(Ex-W80BZ)

RADIO STATION

WOAY

OAK HILL, WEST VA.

A. P. NEWS WIRE

May 19, 1947

Norman L. Maguire 185 Williams Street Glastonbury, Connecticut

Dear Mr. McGuire:

This will verify your report of reception of WOAY on February 17, 1947.

I regret the delay in answering your letter, but since it was received in the rush of getting the station on the air, I am sure you'll understand how it happened to be overlooked.

The program you heard was part of our equipment tests before we started daytime operation on February 22.

Very truly yours,

Harold B. Shaw Station Manager

HBE/meb



DAK HILL, WEST VIRGINIA

December 16, 1947

Norman L. Maguire 434 North Maple Albuquerque, New Mexico

Dear Mr. Maguire:

This will verify your report of reception of WOAY's special DX breadcast on Wednesday, December 3d, from 3:00 to 4:00 AM.

I regret that it is out of the question to write a personal letter, but so many reports came in one from as farkaway as Albuqueque, New Mexico that it is obviously impossible to write each person personally.

WOAY operates from sunrise to sunset on a Canadian clear channel, using a Raytheon 1,000 watto transmitter. The antenna is a 250 foot tower on the top of one of the main ridges of the Appalachian range, about 40 airline miles southeast of Charleston, West Virginia.

I wish to thank all the DX ers who took the time to send us reception reports.

Best wishes for the holiday season,

L I

E Wery truly yours

HBS/ps

Harold B. Shaw Station Manager Mr. Norman L. Maguire 1210 E. Grand Albuquerque, New Mexico

Dear Mr. Magurie:

This will acknowledge receipt of your reception report for our station WPDQ.

Your report is correct according to our schedule.

Yours very truly,

James R. Donovan Chief Engineer

HEADQUARTERS AT BUFFALO, NEW YORK NATIONAL RADIO CLUB



PLEASE REPLY TO:

S4 February, 1945 Tpndnerdne' New Mexico ISIO E. Grand

	. 400.01,440						
	Jacksonville,						
Radio Station WPDC							

TW. . 02:3

. mannanmao

I am pleased to report reception of your station heard on February 24, 1945

from 6:30 A. to Bastern War Time on 1270 _kilocycles

Items and announcements heard on this broadcast are as follows:

start with our Mational Anthem. .gariaron boog all good morning. Roy Johnson spealing on behalf of "WPDW, Jacksonville, Florida operating of Lavo kes, by authority of FCC.

"Star Spangled Banner"

the remainder of the program was lost but the amouncement that followed and ementra lanoi tall ent to gaivale exitae WPDG's signals could be heard for the Telz, Forth Worth, Texas signed on,

38:0

.Xtan bnided noitaoteib nt

When you nold your test broadcasts, it any? never heard WPDQ before, the I have tried for over a year. out. Sorry to give you such a short report, but I have KF1Z down in ForthWorth came on and drowned your signals a verification of WPDQ. Your signals were fine until Hope that there may be sufficient data above to warrent

I shall be pleased to hear from you in reply to the above report at your convenience, and to											
	.tdaird noom .uiss			S T	rper	wea	۸ <u>88</u>		Temperature –		
		 	• 41	e əup	HO	ewes	KEIK	Tijur	Nome	93	Interferen
			no emes					HSS-MI	IN 1J	OG	–anneinA Antenna
FIZ	7 2-97	12 g -4.	E dignar is roof	i2 Isngić	ş —	. or	nomrs	પા:પત	02-11	១១៩	-19visos/

receive your verification of my reception for which return postage is enclosed. Sincerely thanking you,

me I

Norman L. Maguire

Very truly yours,

Mr. Norman L. Maguire, 185 Williams Street, Glastonbury, Conn.

Dear Mir:

This will verify your reception of our test program on May 5, 1947, 2:15 AM to 2:30 Am.

We regret the delay in answering your letter, but you may be assured we appreciated the report of our signals up there.

Yours very truly,

L. H. Brauhn, Chief Engr. WRON.

LOGAN BROADCASTING CORPORATION RADIO STATION WYOW LOGAN, WEST VIRGINIA 5-19-52

Norman L Maguire 21 Vista Way Port Washington, New York

This letter is to acknowledge and verify your reception of WVOW's signal on 5-14-52. Your report was naturally of great interest to us inaxwuch as we were conducting equipment tests at that time.

A great many of those writing to us for verification of their reception have expressed a desire for further information about our operation. For the information of those so concerned here is a list of facts pertaining to "West Virginia's Newest and Finest hadio Station".

Owned and operated by The Logan Broadcasting Corporation, 5000/1000 Watts AM = 22,000 Watts FM
1290 Kilocycles AM = 92.3 Mc FM
Directional system employing h towers in parallelogram.
Towers are 205 ft and are located on Stratton Mountain in Logan, West Virginia. Elevation 2,150 feet.
Studios are located on the 2nd Floor of The Consolidated Bus Terminal Building in Logan, West Virginia. The studie plant consists of two complete control rooms which operate independant of one another; studio A, and studio B; plus the auditorium which seats approximately 400 people.
Primary coverage area is 6850 sq mi and reashes a potential audience of 750,000 people.
Broadcasting hours will be from 4:30 AM to 1:00 AM.
Our present plans call for us to begin regular commercial broadcasting activities on or about March 1, 1952.

Thanks again for letting us hear from you, and good listening in the future.

Sincerely yours

LOGAN BROADCASTING CORPORATION

William D. Stone General Hanager

WDS/mp

REPORTED EARLY MORNING ELECTION RETUINS.

GENERAL OFFICES
92 FAIRMONT AVENUE



STUDIO-TRANSMITTER BLDG. RADIO PARK, LEONARD AVE.

= 1490 KILOCYCLES =

FAIRMONT BROADCASTING COMPANY

FAIRMONT, WEST VIRGINIA
TELEPHONE 5000

June 17, 1949

Mr. Norman L. Maguire 21 Vista Way Port Washington, New York

Dear Mr. Maguire:

Thank you for your letter of June 9 giving reception report for WVVW. This is correct.

Sincerely,

FAIRMONT BROADCASTING COMPANY

CJH:JT

Charles J. Hinkle Chief Engineer

A RAHALL STATION

WWNR

FRANK R. KNUTTI General Manager Beckley, West Virginia

September 3, 1946.

Mr. Norman L. Maguire. 185 Williams St. Glastonbury, Conn.

Dear Mr. Maguire;

Thank you for your report of reception of this station of August 30, 1946. at 4:13 AM to 4:30 AM EDST.

A check of our logs for this period shows your report to be correct for this transmission as reported. Our normal frequency check transmission is from 3:45 AM to 4:00 AM EST daily.

Our transmitter is WesternElectric 250 watts. Antenna tower 175 ft. Blaw-Knox. I hope that I shall hear from you again if you hear us during our regular frequency check.

Yours truly,

Harold Kinkerd

Chief Engineer.

WWVA

WEST VIRGINIA BROADCASTING CORP.

HAWLEY BUILDING WHEELING, W. VA.

June 17, 1936.

Mr. Norman McGuire, 101 Hope St., Stamford, Conn.

Dear Mr. McGuire:

This will acknowledge your letter and verify report of reception from Radio Station WWVA, Wheeling, W. Va. on June 6, 1936, at 10:00 PM., EDST.

We thank you for your interest and hope you will continue to be among our listeners.

Very truly yours,

WEST VIRGINIA BROADCASTING CORP'N.

Per

mp

MEMBER
COLUMBIA
BROADCASTING
SYSTEM

