

*Stally*

# Electronic Engineering

Incorporating ... ELECTRONICS, TELEVISION & SHORT WAVE WORLD

VOL. 20 No. 246

AUGUST 1948

PRICE 2/-




*Leland  
for all your  
Test Equipment*

*Write for  
Catalogue  
12*

**LELAND**  
INSTRUMENTS LTD  
*Electronic Engineers & Consultants*

Tel: CHA 8765

21 JOHN STREET, BEDFORD ROW, LONDON W.C.1



## THE THUNDER

A FEATHER floats to the ground, slowly, effortlessly and, apparently, in silence. But, in actual fact, its fall produces a sound capable of immense amplification. Even a small Philips Amplifier develops power at least 10 million million times greater than that produced by the original sound.

To-day, Philips sound reproducing equipment plays an important role in sport, in entertainment and, above all, in industry. In hundreds of factories Philips sound

equipment is helping to speed production and to increase efficiency in the great drive for exports.

The quality and dependability of Philips sound equipment is well known. Yet in this, as in so many other fields of electrical development, Philips scientists and engineers are constantly seeking for further improvements, for new techniques, for new ideas. It is a tradition which has inspired the progress of a great electrical manufacturing organization for over 50 years.



# PHILIPS ELECTRICAL

LIMITED

RADIO & TELEVISION RECEIVERS · TUNGSTEN, FLUORESCENT & DISCHARGE LAMPS & LIGHTING EQUIPMENT

INDUSTRIAL ELECTRONIC APPARATUS · HIGH-FREQUENCY HEATING GENERATORS · X-RAY EQUIPMENT FOR ALL PURPOSES · ELECTRO-MEDICAL APPARATUS  
ARC & RESISTANCE WELDING PLANT & ELECTRODES · MAGNETIC FILTERS · BATTERY CHARGERS & RECTIFIERS · SOUND AMPLIFYING INSTALLATIONS

CENTURY HOUSE, SHAFTESBURY AVENUE, LONDON, W.C.2.

(P.377U)

## CLASSIFIED ANNOUNCEMENTS

The charge for these advertisements is twelve words or less 5/- and 4d. for every additional word. Box number 2/- extra, except in the case of advertisements in "Situations Wanted" when it is added free of charge. A remittance must accompany the advertisement. Replies to box numbers should be addressed to: Morgan Bros. (Publishers) Ltd., 28, Essex Street, Strand, London, W.C.2 and marked "Electronic Engineering." Advertisements must be received before the 10th of the month for insertion in the following issue.

### OFFICIAL APPOINTMENTS

Vacancies advertised are restricted to persons or employments excepted from the provisions of the Control of Engagement Order, 1947.

**THE QUEEN ELIZABETH HOSPITAL BIRMINGHAM.** The Hospital requires immediately the services of a skilled and experienced Laboratory Technician to take charge of the Physics workshop, which designs and prepares apparatus for the Radiotherapy Department and other general physics apparatus for other Hospital purposes.

The workshop equipment consists of lathes and milling machines, including micro-precision lathe and drilling machine. The technician must be a skilled operator of this equipment. Experience in a University or a Hospital Physics workshop is desirable but not essential. The commencing salary is within the range of £375 to £450 per annum, according to experience.

Applications, which should be sent in at once to the undersigned, should be accompanied by two recent testimonials and the names of two independent referees. J. S. Hurford, House Governor, Queen Elizabeth Hospital, Birmingham, 15.

**DERBY TECHNICAL COLLEGE, Normanton Road, Derby.** The Governors invite applications for the post of full-time Lecturer in Mathematics; candidates should be graduates of a British University. Experience in industry would be an added qualification. Salary in accordance with Burnham Scale. Further particulars of the appointment, together with form of application, which should be returned as soon as possible, may be obtained from the undersigned. A. Alfred Richardson, Principal.

### SITUATIONS VACANT

**ELECTRONIC CIRCUIT ENGINEERS** required for research and development work; good academic qualifications and apprenticeship, industrial or research experience essential. Knowledge of any of the following subjects desirable: radar and television pulse techniques, centrimetric components, time-base generators, A.C. and D.C. amplifiers, feed-back amplifiers, servos, especially low power electro-mechanical stabilised power supply units, data transmission systems, cable form layouts. Some mathematical ability is desirable. Write, with full details of qualifications, experience, age and salary required, to Personnel Manager, Sperry Gyroscope Company Ltd., Great West Road, Brentford, Middlesex.

**THE ENGLISH ELECTRIC VALVE COMPANY** invites applications for a Valve Engineer for the research laboratory. This is a senior appointment calling for an essentially practical man with wide experience in the design and manufacture of electronic tubes. A Science Degree together with a knowledge of photo-electric processes would be advantageous. The applicant should be a good organiser and capable of controlling staff. Remuneration will be according to age, qualifications and experience. Apply giving full details of age, qualifications and salary required to, Chief of Research, English Electric Valve Co., Ltd., Waterhouse Lane, Chelmsford.

**ELECTRIC AND MUSICAL INDUSTRIES LTD.,** have vacancies for the following drawing office personnel, on electronic, telecommunication and electro-mechanical engineering: (a) Senior Electro-mechanical Designer-Draftsmen. (b) Senior Mechanical Designer-Draftsmen. (c) Senior Electrical Designer-Draftsmen. (d) Detail Draftsmen. Apply, stating age, fullest details of experience and salary required to Personnel Department, E.M.I. Ltd., Blyth Road, Hayes, Middlesex.

**TECHNICAL SUPERINTENDENT** required to control inspection and test gear sections of progressive company manufacturing radio components in west London area. Degree or equivalent, with several years practical experience essential. Box 309, E.E.

**ENGINEERS REQUIRED** for work overseas on installation of meter wave ground radar equipment and instruction of local staff. Good experience in this type of work essential. Reply, quoting Ref. No. 127, to Box 323, E.E.

**THREE JOBS OPEN.** Applications are invited from suitably qualified men for the positions of Chief Technician, Production Manager and Production Foreman, in a new factory in India, scheduled to commence production in the autumn of 1948. Applicants should have held similar posts in British or U.S.A. factories making domestic radio equipment. Three-year contracts at agreed salaries, plus living allowances will be offered to successful candidates. Box 324, E.E.

**THE UNIVERSITY OF LIVERPOOL.** Glass-blower required in the Department of Physics. Experience in hard and soft glasses and glass-metal seals essential. Salary in accordance with age and experience. Applications, which should include particulars as to age, qualifications and experience, together with copies of testimonials, should be received not later than August 21st, 1948, by the undersigned. Stanley Dumbell, Registrar.

**WANTED, SENIOR AND JUNIOR DESIGNERS** with mechanical, electrical, or tuning coil design experience, for several long-term developments. Positions carry responsibility and applicants should have experience in or specialised knowledge of radio, electrical or communication component design. Write, giving qualifications, experience and salary required, to Messrs. The Plessey Co., Ltd., Vicarage Lane, Ilford, Essex.

**RESEARCH LABORATORIES** of The General Electric Co., Ltd., North Wembley, Middlesex, require an Engineer or Physicist, preferably aged 25-30, with an Honours Degree or equivalent qualifications, and with experience in circuitry and advanced development work, for research in the field of telecommunications. Apply by letter to the Director, stating age, experience and academic record.

**GLASS BLOWER** with technical knowledge and wide experience in working hard and soft glass with special reference to glass-metal seals, particularly copper-clad tungsten and Korar wires up to 1 mm. dia. Applications to Barr and Stroud, Ltd., Anniesland, Glasgow.

**SOUTH WESTERN** Division of a leading company invites applications for the post of Test Foreman. Consideration will be given to applicants who have an intimate knowledge of communications and radar work to Government specifications, are able to assume responsibility and control staff. The salary will be £400-£450, according to experience and ability. Full details, giving age and qualifications to Box 308, E.E.

**PYE LIMITED** have vacancies in their engineering department in Cambridge for Draughtsmen. Applicants should have served an apprenticeship in mechanical or electrical engineering and should have some drawing office experience in the radio or light electrical industry. Salary in accordance with accepted provincial rates.

**PHYSICIST OR ENGINEER,** preferably University Graduate, with some knowledge of radar, required as assistant in the laboratory of a west of Scotland factory engaged in the development of scientific instruments. Applicants should be between 20 and 30 years of age, and should give full details of their technical and practical training. If necessary, a house is available. Address: 1861, Wm. Porteous and Co., Glasgow.

**APPARATUS ENGINEER (TELECOMMUNICATIONS).** Light engineering firm in north London have vacancy for a Telecommunications Apparatus Engineer (B.Sc. or equivalent). Preference will be given to applicants with experience of valve circuits, acoustics, relays, transformers, etc. Graduates direct from any University will be considered. Write, stating age, qualifications, salary required to Box Q 5709, A.K. Advtg., 212a, Shaftesbury Avenue, London, W.C.2.

**FIRM IN N.W. LONDON** area, manufacturing a wide range of industrial instruments and controls, has vacancies in its engineering laboratory for Assistant Development and Design Engineers. Applicants should, preferably, have a Degree, or equivalent, in Electrical Engineering, Mechanical Engineering or Physics, with a good knowledge of the fundamentals of radio technique. Work would include the development of electronic devices and servo mechanisms for industrial application, and practical design experience is desirable. Initial salary will be between £400 and £600 per annum, according to qualifications and experience. Write Box 311, E.E.

**A LARGE VALVE MANUFACTURER** (S.W. London) require graduates in Physics or Electrical Engineering as Senior Assistants for their transmitting valve development department. Must have had experience in either receiving or transmitting valve design, preferably the latter, knowledge of cooled anode valves an advantage, and should be capable of originating and supervising development work. Salary £600 plus, according to age, experience, and qualifications. Reply to Box E.F.586, L.P.E., 110, St. Martin's Lane, W.C.2, and quote reference T 111.

**SENIOR ESTIMATOR** required for communications division by large established company situated in the London area. Experience to cover extensive knowledge of the light electrical engineering industry. Applicants should write, stating age, qualifications, experience, and salary required, to Box 307, E.E.

**ELECTRONIC ENGINEER** required in N.W. London district to undertake development of electronic equipment. Applicants should possess a Degree and have had experience in this class of work. Knowledge of optics will be an advantage. Applications should state age, full particulars of experience and salary required. Write Box 523, c/o 7, Coptic Street, W.C.1.

**TECHNICAL ASSISTANT** required, with experience of transformer and electronic design and manufacture. A knowledge of commercial practice would be an advantage. Excellent prospects. Apply by letter only, giving experience to date, age, and salary required to Savage Transformers, Ltd., 51, Northgate Street, Devizes, Wilts.

**DEVELOPMENT ENGINEER** required for work on experimental types of cathode ray tubes. Applicants should possess a Physics Degree and have had practical experience in the design, development and manufacture of cathode ray tubes. London area. Applications should include details of qualifications, experience, and salary required, and be addressed to Box 315, E.E.

**SOUTH WALES.** The following vacancies exist in the development laboratories of a modern, well-equipped factory in South Wales: Electronics Division—two Senior Engineers required. Must have wide and varied experience of development work for Government contracts, particularly on telecommunication and radio apparatus. Acoustics Division—one Junior Engineer, aged 20-25, required, with sound technical knowledge and practical experience in development of loudspeakers, microphones, etc. Appliance Division—one Senior Engineer required, with experience in the development of domestic electric appliances. Experience in design of fractional h.p. motors an advantage. For all the above positions applicants must have previous experience of factory development work. Engineering Degree an advantage. Write, giving details of education, age, experience, and salary required, to Box 537, Arthur S. Dixon Limited, 229, High Holborn, W.C.1.

**WOOLWICH POLYTECHNIC.** A Laboratory Assistant required in the physics department of Woolwich Polytechnic. Previous experience in a physical laboratory is desirable, but lack of it will not disqualify a suitable applicant. Salary £225-£15-£315 per annum. Permanent appointment (after probationary period) with superannuation scheme. Application, by letter, to the Secretary at the Polytechnic, Woolwich, S.E.18.

**SENIOR AND JUNIOR DRAUGHTSMEN** required in the electronic drawing office of a large manufacturer of radio and allied equipment, situated in the east London area. Suitable applicants should have Higher National Certificate or equivalent qualifications and previous experience. State age, experience and salary required to Box 321, E.E.

**MICROWAVE RADIO DEVELOPMENT.** A Senior Engineer and a Mathematician are required by a company in the east London area engaged on this work. Technical qualifications to Degree standard are necessary and, in the case of the engineer, previous experience would be an advantage. State details of experience and qualifications, together with age and salary required, to Box 320, E.E.

**HIGH FREQUENCY ENGINEER** urgently required. Interesting and new development work involving crystal control on frequencies between 40-60 megacycles. Wide experience and ability to tackle difficult problems associated with load matching, automatic tuning and power measurements. Good prospects, salary according to age and experience, degree standard or equivalent. North London district. Apply giving age, qualifications and experience to Box 322 E.E.

INDEX TO ADVERTISERS

SEE PAGE 32

## CLASSIFIED ANNOUNCEMENTS (Cont'd.)

**RADIO ENGINEER** required as foreman of Service Department. Must have first-class technical qualifications and practical experience of modern radio, television and electronic instruments. Reply, giving particulars of qualifications and salary required to Box Q5800, A.K. Advtg., 212a, Shaftesbury Avenue, W.C.2.

## SITUATIONS WANTED

**CONSULTING PHYSICAL CHEMIST**, own laboratory, high academic qualifications, offers services for research and development on physical or chemical problems. Box 313, E.E.

**EX-R.A.F. TECHNICAL OFFICER**, Higher National Diploma, Electrical Engineering, Radio Group, age 30, seeks interesting vacancy. Box 314, E.E.

**WORKS OR PRODUCTION MANAGER**, age 41, seeks position with firm in London or home counties. Electronics, radar, television, transmitters, light engineering and assembly. Full knowledge all factory services. Planning, processing, layouts, personnel and welfare. Actual experience 700 employees. Box 306, E.E.

**CHIEF ENGINEER, HONOURS GRADUATE**, Ph.D., M.Sc., A.M.I.E.E., A.M.I.Mech.E., seeks change of post. Technical Director, Chief Engineer. Twelve years responsible positions telecommunications, electronics. Eight years engineering training. Box 312, E.E.

**YOUNG ARTIST** with technical experience and ideas on styling desires position in design studio of radio or electrical manufacturer. Box 317, E.E.

## EDUCATIONAL

**COMPLETE CORRESPONDENCE COURSE**, covering Amateur and C. and G.I. Examinations, consisting of 12 lessons. Students trained for Certificates of the City and Guilds of London Institute. Send for particulars. Orthic-Modern Institute, 72, St. Stephen's House, Westminster, S.W.1.

## SERVICE

**LOUDSPEAKER** repairs, British, American, any make, moderate prices.—Sinclair Speakers, 12, Pembroke Street, London, N.1.

**COIL SPECIALISTS**. Tuning and oscillator coils, I.F., L.F. and mains transformers rewound and wound to specification. Wavewinding, L.S. repairs. Armature and field rewinding. Rynford Industries Ltd., 17, Arwenack Street, Falmouth, Cornwall.

**RADIO MANUFACTURERS** can undertake development and assembly of radio or electronic equipment. Winding shop with vacuum impregnation plant. Ample space and labour available. Box 316, E.E.

**REWINDING**. A specialist winding service covering A.F. transformers, relays, solenoids, and to specification. S.T.S., Ltd., 297/299, High Street, Croydon, Surrey. Telephone: CROYdon 4870.

**HAVE YOUR RADIO**, electrical and mechanical problems solved by qualified engineers with years of industrial experience. Designs to your specifications and prototypes built. Estimates on request. Box 318, E.E.

## MISCELLANEOUS

**WE WILL BUY** at your price used radios, amplifiers, converters, test meters, motors, pick-ups, speakers, etc., radio and electrical accessories. Write, phone or call, University Radio Ltd., 22, Lisle Street, London, W.C.2. GERard 4447.

**PHOTOGRAPHY**. We specialise in advertising and catalogue-photography, and in series photographs for instruction sheets. Our pictures tell the story. Behr Photography, 44, Temple Fortune Lane, N.W.11 (SPEedwell 4298).

**COILWINDING**. Layer, wave and progressive wave winding to specification. Prototypes or quantity production of units and assemblies. Design and development. Rynford Industries Ltd., 17, Arwenack Street, Falmouth, Cornwall.

## PATENTS

**PROPRIETOR BRITISH PATENT No. 600,172**, unique design moving coil pickup, wishes contact manufacturer interested in marketing on agreed basis. Box 310, E.E.

## AUCTION

G. R.

## WITCHAMORE

By Order of the MINISTRY OF SUPPLY

**MESSRS. FULLER, HORSEY, SONS & CASSELL** have been instructed to offer for sale by auction in Lots at the Royal Hotel, Cumberland Place, Southampton, on Thursday, 12th August, 1948, at eleven o'clock precisely, surplus stores, electrical, wireless and radar equipment at 65, O.S.D. (Don) Lockerley, Nr. Romsey, Hants., including 30 tons new electric cable; 4 tons cadmium and enamelled copper electric wire; 6,000 headgear receivers; 300 telephonic loud speakers; 9,500 battery hand lamps; flashlight electric bulbs; neon lamps; hand torches; magnet bells, rotary converters; battery chargers; power transformers; armature assemblies; motorised fans; A.A. gun mountings and fittings; canvas predictor covers; cordage and numerous other effects. Catalogues, 6d. each, admitting two persons on view days and one on sale day, may be had, when ready, of Messrs. Fuller, Horsey, Sons & Cassell, Industrial Auctioneers, 10, Billiter Square, London, E.C.3.

## FOR SALE

**WEBB'S** 1948 Radio Map of World, new multi-colour printing with up-to-date call signs and fresh information; on heavy art paper, 4s. 6d., post 6d. On linen on rollers, 11s. 6d. post 9d.

**THE ENOCK PICK-UP** is now available in limited quantities. Moving coil (licensed under Patent No. 538,058) with precision made polished diamond stylus. Weight at needle point,  $\frac{1}{8}$  oz. No resonances within the recorded range. Price, £36 15s. inc. tax. Full particulars from Joseph Enock Ltd., 273a High St., Brentford, Middlesex. EALing 8103.

**THE MORDAUNT DUPLEX REPRODUCER**, as used in the Enock instrument, is now available separately. Folded horn bass unit and new high note reflector of original design, giving exceptionally smooth response from 40/20,000 c.p.s. Even distribution over a wide angle. Reproduction has an "atmosphere" and realism hitherto unattainable. Price (ex works), 98 gns. (in white wood, skeleton form £88). Please send for particulars or better still, let us demonstrate. Joseph Enock Ltd., 273a, High St., Brentford, Middlesex. EALing 8103.

**COPPER WIRES**, enamelled, tinned, litz, cotton, silk covered. All gauges. B.A. screws, nuts, washers, soldering tags, eyelets. Ebonite and laminated Bakelite panels, tubes coil formers. Tufnol rod. Flexes, permanent detectors, earphones, etc. List S.A.E. Trade supplied. Post Radio Supplies, 33, Bourne Gardens, London E.4.

**IN STOCK**. Rectifiers, Accumulator Chargers, Rotary Converters, P.A. Amplifiers, Mikes, Mains Transformers, Speakers of most types, Test Meters, etc. Special Transformers quoted for.—University Radio, Ltd., 22, Lisle Street, London, W.C.2. GERard 4447.

**TELEVISION AERIALS**. Baldwin Instrument Co., Ltd., have for disposal a limited number of sets of duralumin tubes cut to correct length suitable for television aerials. Price, carriage paid, dipole only 15s., dipole and reflector 25s. Cash with order or C.O.D. Baldwin Instrument Co., Ltd., Brooklands Works, Dartford, Kent.

**0 to 350 mA Moving Coil R.F. Meters**, 3s. 0d.; generators, ball bearing for 12, 24 and 200 volts D.C. 4s. 6d.; Neon tubes, 1s; American I.F. chokes, 3s. 6d.; American transformers, 2s.; valves from 1s. 6d.; 230/115 transformers, 21s. Thousands of electronic parts in stock. Stamp for list. Jack Porter Ltd., "Radio," 22/31, College Street, Worcester.

**TELEVISOR KIT**. Complete range of Eric resistors, tolerances and wattage exactly as specified, in stock. T.C.C. condensers and electrolytics, exact, in stock. Belling-Lee components, scanning and focus coils, EHT transformers, etc., in stock. Trade only. Petter Radio Supplies, 203, Forest Road, E.17.

**1948 VADE MECUM** listing 10,000 valves. Universal Services, 13, Newburgh Street, London, W.1.

**ARMOUR PORTABLE WIRE RECORDER**, complete with microphone and wire for four hours' recording, all in new condition. £145. Harris, 93, Wardour Street, W.1.

**"ELECTRONIC ENGINEERING"** July-September, 1940. January-September, 1942. December, 1945. 1946 complete. January-August, October-December, 1947. 30s. od. lot. George, 77, Springfield Park Avenue, Chelmsford.

**1/2 H.P. UNIVERSAL MOTORS**, £1; 1 1/2 KW Alternators D.C. mains in, A.C. mains out, £25; 100 yds. 44,012 heavy rubber, £1; Twin mains padded and braided, 100 ft., 15s.; Loudspeaking intercom sets, new £10; Wavemeters, 160-220 Mc/s., less 6J5 and 0-1 mA meter, 7s. 6d.; Oscilloscope units, less 2 1/2-in. C.R. tube, 10s.; 10SB-5 3-valve battery 55-85 Mc/s. signal generators, complete, 25/-; Rotaries, 12 volts D.C., 300 volts 240 mA, and 6 volts 5 amps. out, £1; Pint tins polystyrene solution, 6s.; Autosyn motors, one fitted with scale calibrated in degrees, pair, £3; Co-axial cable, 45 or 72 ohms per yd., 1s.; 100+100 split stators, 1,400 volt, 2s. 6d.; Bulgin toggles, 1s. 6d.; 180 watt vitreous 12K, 100K, also 130 watt 20K, 50K, 5s. ea.; T.C.C. 4 mF 1,000 volt, 5s.; 400 mH L.F. chokes, 5s.; 40 Amp relay/cut-out 0-14 volt coil, 5s.; Postage Carriage extra. Trade lists available. Amateur Radio Service, Canning Street, Burnley.

**1 MARCONI STANDARD SIGNAL GENERATOR TF144G**, 85 Kc/s.—25 Mc/s. Complete with mains and output leads, £50. 2 Cosmor 339 Double Beam Oscilloscope new C.R.T. Recently overhauled and re-valved by Cosmor. One green, other blue for photography, £45 each. 1 Cosmor 447 V.H.F. Signal Generator. 6.5 Mc/s.—12 Mc/s., and 16 Mc/s.—95 Mc/s., £40. 1 Marconi TF301D.1. 1 Mc/s. Inductance Bridge, 0-50 microhenries, accuracy plus or minus 2 per cent., £30. Tele-Radio (1943), Ltd., 177, Edgware Road, London, W.2. Phone: A.M.B. 5393; PAD. 6116 and 5606.

**BRAND NEW Phase Control units**, design "E," containing: Mains transformer, input 230 volt 50 cps out, 250-0-250 volts, 75-0-75 volts, 4 volts at 3 amps, 4 volts at 1.5 amps. Valves U4U rectifier, Thyatron GTc, condensers, resistances, etc., in super metal cabinet and packed in wooden container. Only £3. New ex-R.A.F. Power Units, containing: 1, 0-1 mA C.M. meter, meter rectifier, 2 by 32 mfd. 600 VDC condensers, 2 by 300 mA 20 henry chokes, 1 heavy duty mains transformer, 230 volts 50 cps. primary, sec. 350-0-350 volts at 300 mA, 2 by 6 3 volts, 5 volts, 20-0-20 volts, 2 by EF50, 1 by EA50, 5U4G condensers, resistances, thermal delay switches, fuses, etc., complete in wooden packing case. Bargain, £6 15s. Brand new ex-R.A.F. Modulator Units, type 76 by ECKO, containing: 9 valves—1 by EF50, 3 by EF39, 1 by EBC33, 2 by EF36, 2 by KT33C, 4 I.F.'s, 5 relays, 4 transformers, approx. 67 resistances and 65 condensers, 1 motor generator 24 volt input, 2 by 250 volts at 200 mA output; many other items, fuses, etc., complete in metal cabinet and packed in wooden packing case, price £4. All the above carried paid. S.A.E. list other interesting items. Cross, Skerries, Newton Lane, West Kirby, Cheshire.

**R1155 COMMUNICATION RECEIVERS**, unused, guaranteed working, £9 10s. 30, Second Avenue, Stafford.

**MAGSLIPS**. 3-in. transmitters, 27s. 6d. each. 2-in. transmitters, 30s. each. See also displayed advertisement, page 32. Hopton Radio, 1 Hopton Parade, Streatham High Road, London, S.W.16. STReatham 6165.

**15-IN. BAIRD C.R. TUBE**. Perfect condition. Has been stored. £12 10s. Box 319, E.E.


**RANGE OF PRECISION BUILT**  
transformers & chokes are specified by engineers who require accuracy and reliability to Tropical Standards.

TYPE APPROVED BY THE ROYAL AIRCRAFT ESTABLISHMENT


Retail stockist: Berry's (Short Wave) Ltd. 25, High Holborn, London, W.1.

**R.T.S. ELECTRONICS, LTD KING STREET, EXETER.**  
Telephone: Exeter 2132. Cables & Grams: "Television," Exeter.

# Introducing *the first* of a new range of Industrial Photocells




**ALL GLASS  
MINIATURE**



**ALL GLASS  
LOCTAL**

These new Mullard photocells have been specifically developed to meet the exacting requirements of industrial electronics. Both the miniature B7G "90" series and the full size B8G "20" series are of all-glass construction which provides the maximum possible cathode area. The calcium (C) type photocells listed below have high sensitivity to infra-red and incandescent light. Other industrial photocells with special cathodes will be announced in the near future.



NOTE: 0.048 lumen sq. in. is the light intensity produced by a 60 watt tungsten filament lamp at a distance of 2 ft. 6 in. (Cathode area of Type 20CV = 1.25 sq. in.)

Characteristics	DATA			
	Caesium 20CV	Vacuum 20V	Caesium 20CG	Gas-filled 90CG
Sensitivity ( $\mu A/l$ )	25	20	150	125
Max. Anode Voltage (V)	250	100	90	90
Max. Cathode Current ( $\mu A$ )	20	10	5	2
Max. Gas Amplification Factor	—	—	10	10

The curves on the left show that even the tube with 0.004 lumens can give a current of 200  $\mu A$  at 250 V. The curves on the right show that the tube with 0.016 lumens can give a current of 150  $\mu A$  at 90 V. The curves on the left show that even the tube with 0.004 lumens can give a current of 200  $\mu A$  at 250 V. The curves on the right show that the tube with 0.016 lumens can give a current of 150  $\mu A$  at 90 V.


For more information, see the Mullard photocell data sheet.

# Mullard

THERMIONIC VALVES  
& ELECTRONIC TUBES




MULLARD ELECTRONIC PRODUCTS LIMITED, Century House, Shaftesbury Avenue, London, W.C.2



## FREQUENCY METER (ELECTRONIC TACHOMETER)

*for Research and Industrial use*



### FREQUENCY METER. TYPE No. 726.

Will provide direct measurement of frequency from 0 to 20 Kc/s. Most suitable instrument for measuring frequency source containing noise components, interference or harmonics. Reading accuracy of better than 1% of full scale and unaffected by mains voltage variations of 10%. Input Signal Voltage of 0.1 V. to 20 V. peak to peak. Wave form may be of any contour provided it does not pass through zero more than once every cycle.

For use on power supply of 50 cycle A.C. mains, 100-130 volts, 200-250 volts.

THE need for measuring frequencies between the range of 0 and 20,000 cps. has become not only very common but also an extremely important problem in Research Laboratories and Industrial testing; in almost every industry whether the application is concerned with mechanical effects (such as in tachometry or vibration studies) or in acoustic and audio work. In electrical and audio work the voltage examined is applied directly to the instrument. In the case of a mechanical effect it will be necessary to convert it into an equivalent voltage change by the use of an electromechanical pick-up device, in particular the Airmec Photocell Unit Type 724 designed for use with this instrument.

Works : High Wycombe, Bucks.

**AIRMEC LABORATORIES LTD.**  
19 CHARTERHOUSE ST., LONDON, E.C.1  
Telephone : Chancery 7843

# MEASURE YOUR COMPONENTS ON THE MUIRHEAD IMPEDANCE BRIDGE

*It gives answers without ambiguity*



TYPE D-197-A

## RANGES:

### D.C. RESISTANCE:

0.001 ohm to 1.11 Megohms.

**CAPACITANCE:** 1  $\mu$ F to 100  $\mu$ F

**DISSIPATION FACTOR:** 0.1-2.

**INDUCTANCE:** 1  $\mu$ H to 1000 H.

**MAGNIFICATION FACTOR:** 0-60.

## FEATURES:

**BUILT-IN** { Resistance and reactance standards.  
1 kc/s oscillator and bridge amplifier for A.C. measurements.  
Rectified A.C. source and sensitive centre-zero galvanometer for D.C. resistance measurements.

PROVISION FOR USE OF EXTERNAL GENERATOR FOR A.C. MEASUREMENTS UP TO 10 KC/S.

PROVISION FOR USE OF EXTERNAL GALVANOMETER.

MECHANICAL INTERLOCK BETWEEN DIALS DISPLAYS ONLY ONE ANSWER.

ELECTRONICALLY OPERATED WAGNER EARTH.

ALL - MAINS OPERATION.

*Full details in publication C-104-A—which will gladly be sent on request*

*Muirhead & Co. Limited, Elmers End, Beckenham, Kent. Tel: Beckenham 0041-2*

FOR OVER 60 YEARS DESIGNERS AND MAKERS OF PRECISION INSTRUMENTS



# Miniature RESISTORS PAINTON

Wherever the engineers of electronics are gathered together, and the subject of miniature resistors crops up, the air is certain to be thick with phrases such as "No Voltage limitation," "Full-rated wattage over the complete range," "No side protuberances," "Axial Copper Leads," "Quality construction and proved reliability," and there is sure to be someone in the know who will sum up neatly by saying: "Precisely, Painton's."

Painton's miniature resistors, of course, have no voltage limitation and will withstand full-rated wattage over the complete resistance range; also they have axial copper leads without side protuberances. In fact, they have all the best features—including Quick Delivery.

PAINTON & CO., LTD.  
KINGSTHORPE · NORTHAMPTON

## Miniature Spot Welding ELECTRODES & HOLDERS

An electrode arrangement using two miniature vertical type holders, showing the method of adjustment by means of socket head screws and keys.


Because of the immense field and intricacy of components to be welded, users of small type spot welders have, in the past, been forced to manufacture their own electrodes. To satisfy an urgent need, Johnson Matthey have added to their well-established range of Mallory electrode holders a similar series in miniature, specially designed for the radio valve and electric lamp manufacturing industries.

Further particulars will be forwarded on application to:—

Specialised products of

**Johnson**   
**MALLORY Matthey**

**ADVANTAGES ARE:—**  
Economy in time and working  
Flexibility of setting  
Wide range of electrode arrangements  
Minimum replacement cost



**JOHNSON, MATTHEY & CO. LIMITED, HATTON GARDEN, LONDON, E.C.1**  
Controlling Mallory Metallurgical Products, Limited.



# EDISON SWAN MAZDA RADIO VALVES



**AN ALL-MINIATURE RANGE  
FOR AC/DC OPERATION**

(V.66)


		Vh.	Ih.
10C1	FREQUENCY CHANGER	28.0	0.1
10F9	VARIABLE MU HF PEN	13.0	0.1
10LD11	DOUBLE DIODE TRIODE	15.0	0.1
10P13	OUTPUT PENTODE	40.0	0.1
U404	HALF WAVE RECTIFIER	40.0	0.1

*Full technical details on request.*

**THE EDISON SWAN ELECTRIC COMPANY LIMITED**

RADIO DIVISION

**155 CHARING CROSS ROAD, LONDON, W.C.2**



**G.E.C.**  
**"Flat End"**  
**CATHODE RAY**  
**TUBE**

The G.E.C. 9" diameter cathode ray tube 6501 is intended for high quality television reception, and is magnetically focused and deflected. The screen fluorescence is white.

The tube end is made by a special moulding technique, which produces a screen face nearly flat, and more constant in production than is normally possible with bulbs made by the usual blowing technique. A picture size of approximately 200x160 mms. is obtainable with slight masking of the edges and corners. The bulb is made of high insulating glass giving a minimum of screen charging effects.

The electrode gun is designed to give a high picture brightness, with excellent definition for a relatively small voltage drive to the modulator.

Detailed technical data sheet available on request.

**Osram**

PHOTO CELLS

**G.E.C.**



CATHODE RAY TUBES

**Osram**

VALVES



# DRY ELECTROLYTIC CONDENSERS for *Chassis Mounting*



CAPACITANCE in Mfds.	PEAK WORKING VOLTS	SURGE VOLTS	DIMENSIONS IN INCHES			TYPE NUMBER	LIST PRICE Each
			A	B	C		
*32	350	400	2 $\frac{7}{8}$	1	$\frac{1}{2}$	312	9/-
4	500	600	2 $\frac{7}{8}$	1	$\frac{1}{2}$	512	7/-
8	500	600	4 $\frac{1}{2}$	1	$\frac{1}{2}$	512	8/-
16	500	600	4 $\frac{1}{2}$	1 $\frac{1}{2}$	$\frac{3}{4}$	512	11/6d.
32	500	600	4 $\frac{1}{2}$	1 $\frac{1}{2}$	$\frac{3}{4}$	512	17/6d.
8	600	700	4 $\frac{1}{2}$	1 $\frac{1}{2}$	$\frac{3}{4}$	922	15/-

IN THE BEST SETS  
YOU'LL SEE



This condenser has a screwed boss for one hole chassis mounting. The can is negative and this connexion is to be made by contact with the chassis. Where it is desired to insulate the condenser from the chassis, an insulating washer and tag can

be supplied for the negative connexion as illustrated. The condenser is of all-aluminium construction with plain foil electrodes except where starred (\*) Send 2 $\frac{1}{2}$ d. stamp for Lists No. 123 and 132 showing full range of Paper, Mica, Ceramic and Electrolytic Condensers.

**THE TELEGRAPH CONDENSER CO. LTD.**

RADIO DIVISION

NORTH ACTON · LONDON · W · 3

Telephone. ACORN 0061



**Made in Three  
Principal Materials**

**FREQUELEX**

An insulating material of Low Dielectric Loss, for Coil Formers, Aerial Insulators, Valve Holders, etc.

**PERMALEX**

A High Permittivity Material. For the construction of Condensers of the smallest possible dimensions.

**TEMPLEX**

A Condenser material of medium permittivity. For the construction of Condensers having a constant capacity at all temperatures.


**Bullers**



**BULLERS LOW LOSS CERAMICS**

BULLERS LTD., 6, LAURENCE POUNTNEY HILL, LONDON, E.C.4

Telephone: Mansion House 9971 (3 lines)      Telegrams: "Bullers, Cannon, London"



*Put it on our plate*

Switch problems — how easy they become when you know how and where! It's the knowing that matters. Because any switch as perfect as the OAK, must have behind it specialist resources of design, tooling and production — plus experience. And at British N.S.F. we have lived switches morning, noon and night for longer than we care to remember. Your switch problems are likely to come easy

to us, and where standard types would not be suitable, we can place unique resources at your disposal for special developments.

All OAK switches embody the OAK equalised pressure, double-contact clips and the OAK floating rotor. These exclusive features are the ultimate in switch design — maintaining a mechanical and electrical efficiency that gives long life and trouble-free operation.

© N.S.F. Oak Switches are genuine only when bearing Pat. Nos. 478391 and 478392 with the "N.S.F. OAK" mark. Manufactured under sole licence of the Oak Manufacturing Co. Ltd., Chicago.

Manufacturers under licence of Cutler-Hammer Appliance Switches. Other N.S.F. Products include Potentiometers, Paper Capacitors, etc., etc.




**OAK**  
**SWITCHES**

● WITH THESE EXCLUSIVE FEATURES

— DOUBLE CONTACT CLIPS

— FLOATING ROTORS



## MINIATURE TIME-DELAY SWITCHES

Reliable, compact, bimetal switches, glass-sealed and evacuated, to operate after a time-delay (such as may be needed to allow valve-filaments to heat-up). The switch operates on 6.3 volts and switches in a maximum of 1 amp. at up to 380 volts AC or 600 volts DC. Time-delay 25 to 100 seconds. Available unmounted (Type 2TQV) or with English miniature 4-pin base (Type 2TQVM). For full specification please write for Publication TV10/16. Other time-delay switches, Publication MS10/16.


**SUNVIC CONTROLS LTD.**

10 ESSEX STREET, STRAND, LONDON, W.C.2.

TAS/SC 192




Switch to



**B 8 A**

**VALVEHOLDERS**



Clix valveholders are protected by British and Foreign Patents.

**Used by all leading set manufacturers**

Designed to B.V.A. Standard Dimensions for the new a-l-glass B8A valves. The valve is easy to insert or withdraw but is held firm in the socket by a special retaining latch exclusive to Clix B8A valveholders.

Plated saddle, screen, and sockets for minimum contact resistance. Moulded body, standard fixing centre  $1\frac{1}{8}$ " , hole diameter  $\frac{1}{8}$ " .

Delivery from stock




**THE GENERAL ACCESSORIES CO. LTD.**

21 BRUTON STREET, LONDON, W.1

**T**his three-dimensional model illustrates the expansion properties, over a wide range of temperatures, of iron containing varying amounts of nickel.

The unique properties of these nickel iron alloys make them of importance to designers of temperature - indicating and control devices. For further information write to —



*Model by courtesy of J. Starkie Gardner Ltd. (after Chevenard)*

**MOND NICKEL COMPANY LIMITED**

GROSVENOR HOUSE · PARK LANE · LONDON W.1

# Only with CO-AX R.F. CABLES

AIR-SPACED ARTICULATED

Patents Regd. Trade Mark

**THE LOWEST EVER CAPACITANCE OR ATTENUATION**

IMMEDIATE DELIVERIES FOR HOME & EXPORT

Write or cable for data sheets or deliveries to the Originators of flexible air spaced R.F. Cables.

LOW ATTEN. TYPES.	IMPED. OHMS	ATTEN. db/100ft at 100 Mc/s.	LOADING	O.D.*
A 1	74	1.7	0.11	0.36
A 2	74	1.3	0.26	0.44
A 34	73	0.6	1.5	0.88

**HIGH POWER FLEXIBLE**

LOW CAPAC. TYPES.	CAPAC. pF/ft	IMPED. OHMS	ATTEN. db/100ft at 100 Mc/s.	O.D.*
C 1	7.3	150	2.5	0.36
P.C.1	10.2	132	3.1	0.36
C 11	6.3	173	3.2	0.36
C 2	6.3	171	2.15	0.44
C 22	5.5	184	2.8	0.44
C 3	5.4	197	1.9	0.64
C 33	4.8	220	2.4	0.64
C 44	4.1	252	2.1	1.03

**PHOTOCELL CABLE**

**VERY LOW CAPACITANCE**

**TRANSRADIO LTD**  
CONTRACTORS TO H.M. GOVERNMENT  
138A CROMWELL ROAD, LONDON, SW7  
Cables: TRANSRAD, LONDON

## AUSTINLITE GOES TO SEA

The Austinlite Rotary Switch is part of the equipment of the new Bridlington lifeboat.



Send for folder giving full particulars of this heavy-duty 30 amp. switch.

A Chance PRODUCT

AUSTINLITE LIMITED (Proprietors Chance Brothers Limited)

Dept. J, Lighthouse Works, Smethwick 40, Nr. Birmingham.

## E.M.I. TRAINING FOR CAREERS IN ELECTRONICS

An E.M.I. correspondence course, brings students into direct contact with scientists of Britain's Largest Electronic organisation.

BASIC RADIO or BASIC TELEVISION } for { City and Guilds Telecommunications Finals. A.M. Brit. I.R.E.

(Ready this Autumn)

Intermediate Mathematics } for { City and Guilds Telecommunications Finals. Higher Mathematics Advanced Radio

Industrial Electronics

Also FULL TIME COURSES

Whatever course is chosen, the E.M.I. staff give first hand up-to-the-minute knowledge of the application of electronics to industry. Write for full details to :




The Principal: PROFESSOR H. F. TREWMAN, M.A. (Cantab), M.I.E.E., M.I.Mech.E., M.Brit.I.R.E.

**E.M.I. INSTITUTES LTD**  
Dept. II, 43 Grove Park Road, London, W.4

E.58a.

You get years of faultless service from . . .



because they are :-

- INDIVIDUALLY DESIGNED
- RIGOROUSLY TESTED
- MECHANICALLY SOUND
- ELECTRICALLY PERFECT


**"PURPOSE-BUILT"**  
**Savage TRANSFORMERS LTD.**  
51, NORTHGATE STREET, DEVIZES. Phone 536



# "Laboratory" INSTRUMENT... but NOT "Laboratory" Price!

The 'Advance' Type E Signal Generator places an instrument of laboratory class within the financial scope of every radio service engineer and experimenter.

The discerning engineer will appreciate its accuracy and stability, its exceptionally wide range which covers all frequencies required for radio and television receivers and its accurate attenuating system which enables sensitivity measurements to be made on highly sensitive receivers up to 60 Mc/s. Send for fully descriptive pamphlet.




- Range: 100 Kc/s—60 Mc/s on fundamentals (up to 120 Mc/s on Second Harmonic).
- Accuracy: Guaranteed within  $\pm 1\%$
- Attenuation: Constant impedance system embodying a matched 75 ohms transmission line.
- Stray Field: Less than 3 microvolts at 60 megacycles.
- Illuminated Dial: Total scale length 30"
- Power Supply: 110-210-230 volts.
- Dimensions: 13" x 10 1/2" x 7 1/4" deep.
- Weight: 15 lbs.

## The Advance TYPE E Signal Generator

ADVANCE COMPONENTS LTD., Back Road, Shernhall Street, Walthamstow, London, E.17. Telephone: LARKSwood 436 617.

### E.H.T. SIMPLICITY




connect a  
**WESTEHT**

to the 350-0-350 volts winding of the normal mains transformer and obtain a 5.5kV DC output without using an E.H.T. transformer and valve rectifier

Write for data sheet No. 52 to Dept. E.8  
**WESTINGHOUSE BRAKE & SIGNAL CO., LTD.**  
82, York Way, King's Cross, London, N.1

## CONSISTENTLY *Accurate*




### PULLIN INDUSTRIAL SWITCHBOARD INSTRUMENTS

PULLIN Type S Industrial Switchboard Instruments are completely new in design. The 4" and 6" Round Projecting Type case is of pressed steel, has a full open dial, and can be converted easily to flush type by using a separate fitment. The 6" dial rectangular pattern has a clean open scale. All

types are available in Moving Iron, Moving Coil or Dynamometer Pattern.

We can give early deliveries—write for details  
Address all enquiries to

**MEASURING INSTRUMENTS (PULLIN) LTD**  
Dept. E, Electrin Works, Winchester Street, London, W.3  
Telephone: ACOrn 465114




### TELCON *Anti-Microphonic* CABLES

materially assist in the successful design of electronic instruments intended for the measurement of minute currents of the order of  $10^{-10}$  amps. Details of this range of 'Gee' cables may be had on application.



THE TELEGRAPH CONSTRUCTION & MAINTENANCE CO. LTD.

Head Office: 22 OLD BROAD ST., LONDON, E.C.2. Tel: LONdon Wall 3131  
Enquiries to TELCON WORKS, GREENWICH, S.E.10. Tel: GREenwich 1020



what...  
no oil?

"Car springs  
interleaved with TUFNOL  
need no oil!"

Tufnol provides a 'dry' bearing surface between each leaf . . . preventing metal corrosion . . . prolonging the life of the springs . . . ensuring a smoother, more comfortable ride.

In many thousands of ways, engineers in every industry are taking advantage of TUFNOL.

*Our Engineers will gladly help you*

Can TUFNOL improve  
your products  
or plant?

TUFNOL LTD · PERRY BARR · BIRMINGHAM 22B

**TUFNOL**

# Electronic Engineering

EDITORIAL, ADVERTISING AND PUBLISHING OFFICES, 28, ESSEX STREET, STRAND, W.C.2.

TELEPHONE: CENTRAL 6565 (10 LINES)

MANAGING EDITOR: G. PARR, M.I.E.E.

TELEGRAMS: LECTRONING, ESTRAND, LONDON

Monthly (published last Friday of preceding month) 2/- net. Subscription Rate: Post Paid 12 months 26/-.

Vol. 20. No. 245

## CONTENTS

August, 1948

Frontispiece—Skilled Hands ... ..	242
The Miller Integrator ... By B. H. Briggs, M.A.	243
The Royal Society Conference on Scientific Information ... ..	248
A 15-inch Glass Betatron Toroid ... ..	249
By L. Rushforth, B.Sc., M.I.E.E., S. J. Morrison, B.Sc., A.M.I.E.E. and J. G. Brett	
An Electronic Shutter Tester By D. T. R. Dighton	251
Distortion Correction in Television Waveforms	252
By H. B. Rantzen, B.Sc.(Eng.), M.I.E.E.	
Ignition Interference Suppression on the "Televisor" ... ..	253

Power Diodes—Part 2 ... ..	254
By E. G. Rowe, M.Sc., M.I.E.E., R. E. B. Wyke, A.M.I.E.E., and W. Macrae, M.Sc., A.M.I.E.E.	
Tolerance Testing Techniques By D. W. Thomason	260
Cabinets for Projection Television Receivers	263
Radio Frequency E.H.T. Supplies By K. C. MacLeod	264
Stabilised Bias Supply ... ..	265
Correspondence ... ..	266
The Atomic Energy Research Establishment	267
Electronic Equipment ... ..	268
Book Reviews ... ..	270
Abstracts of Electronic Literature ... ..	272

## Scientific Information

IT is probable that the Royal Society's Conference on Scientific Information, reported on page 248, would have received less notice from technical workers had it not been for the prominence given by the daily Press to Prof. Bernal's proposal for a central Publications Board which would determine what material was suitable for issue in the form of printed papers.

As this proposal was not finally put to the Conference, no more need be said than has already appeared in *The Times* leader and other commentaries.\* It has been said before, in this and other technical journals, that the scientific worker finds very quickly by experience the type of publication most likely to be useful to him and concentrates on the few that give him the best return for his trouble in reading through them.

It is inevitable that some original published material will be overlooked by even the most exhaustive search. It may appear in one of the more obscure journals (as, for example, Röntgen's announcement of the discovery of X-rays), or its significance may not be apparent for some years after its appearance. These conditions may lead to dupli-

cation of work or neglect to acknowledge a prior claim, but they would not be remedied by restricting the channels of publication. On the contrary, the provision of more specialist publications would tend in the course of time to simplify the task of searching.

One of the difficulties which the present-day worker meets is the restricted circulation of technical journals. One has only to look through the bibliographies of some

technical articles to see how limited is the scope of the author's search. Continental publications are seldom mentioned in either British or American references, and it would be absurd to conclude from this that no original work had been done in Europe since 1939.

Paper shortage is certainly an important factor, but it is not the deciding one, and its effect could be minimised by an increase in publication of short summaries and abstracts. One of the points stressed at Conference was the importance of improving existing abstracting services and making their work more widely known. Lecturers in technical colleges and universities could help materially if they instructed students in the existing sources of information and where to find them. There are still too many entering research establishments who are unfamiliar with the contents of the principal scientific libraries and how to set about finding references, and the knowledge of where to acquire information is often of greater value than the storage of the information itself.

### Self-Binders

for

### ELECTRONIC ENGINEERING

WE are pleased to announce that "Easibind" self-binding covers, which can be used as temporary or permanent binders for ELECTRONIC ENGINEERING, are now available.

Each self-binder will hold 12 copies securely, and is lettered in gold on the back, with space for the year of issue.

Price, in maroon cloth, 12s. 6d.


Post orders for binders should be addressed to the Circulation Dept., 28 Essex St., Strand, W.C.2, and be accompanied by a cheque or P.O. for 13s. to include postage.

\* *The Times*, June 21st., 1948.  
*The Observer*, June 27th. 1948.

# SKILLED HANDS

These photographs, reproduced from a booklet of this title, issued by the National Institute for the Blind, show how blind workers can be usefully employed in various branches of the radio industry.


*Photos taken at Philips Lamps Ltd.*



Drilling radio set piece parts. Three holes are required, and the drill is precentralised in an indexing jig



Glass cane cutting on a serrated cutting wheel



Piercing radio set components on a 25-ton press with pre-closing interlocking guard



Annealing radio valve pins in an open gas flame, shielded from the operator

# The Miller Integrator

By B.<sup>o</sup> H. BRIGGS, M.A.\*

The first of a series of three articles dealing with the basic theory of the Miller Integrator and its application to circuit technique. The properties of this circuit were first investigated by the late A. D. Blumlein, and it has been suggested that the term "Blumlein Integrator" is more appropriate, but the name "Miller Integrator" is now firmly established owing to its derivation from the Miller Effect.

A MILLER Integrator<sup>1,2</sup> is a circuit in which a form of feedback is applied to an amplifier, the effect being to constrain the output voltage to be proportional to the integral of the input voltage with respect to time. Fig. 1 shows the basic feedback circuit. The amplifier must have a high gain, be phase-reversing, and have a high input impedance. The input voltage  $V$  may be an arbitrary function of time, all the voltages in Fig. 1 being instantaneous values. The integrating property of the circuit can be demonstrated at once if two assumptions are made:

- (i) The changes in  $V_g$  required to produce a finite output are negligibly small, owing to the high gain of the amplifier, and so  $V_g$  can be neglected in a comparison with  $V$  and  $V_a$ .
- (ii) The current in  $R$  is equal to the current in  $C$ , i.e., no current flows into the amplifier input terminal (owing to the high input impedance).

From (ii) we have

$$\frac{V - V_{g1}}{R} = C \frac{d}{dt} (V_g - V_a) \dots\dots (1)$$

and, making the approximations in (i), this becomes

$$\frac{V}{R} = -C \frac{dV_a}{dt} \dots\dots (2)$$

$$\text{or } V_a = -\frac{1}{CR} \int_0^t V dt + v_0 \dots\dots (3)$$

where  $v_0$  is the anode potential at time  $t = 0$ .

This type of feedback is often applied to quite complicated amplifiers, containing several valves and possibly also transformers. In such cases there is the possibility of oscillation round the feedback loop, due to phase shifts, stability being determined by the Nyquist criterion for feedback amplifiers.

The rest of this article, however, is concerned only with the most common case, in which the amplifier consists of a single pentode

SYMBOLS USED	
A	D.C. Amplification = $g_m R_L$
C	Value of "Miller" Capacitance from anode to grid
$g_m$	Slope of valve in A/V.
$I_a, I_{g1}, I_k, I_L, I_R, I_{g2}$	: See Fig. 3
R	Value of "Miller" resistance (grid leak)
$R_L$	Anode load resistance
t	Time
$T_1$	Total duration of "run-down," or time base length in secs.
V	Voltage applied to grid leak R
V'	$(V+V_0)$ —the corrected value of V to allow for the fact that the mean grid potential is negative with respect to earth by an amount $V_0$ .
$V_a$	Anode potential, or output voltage
$V_b$	H.T. potential
$V_c$	Cut-off bias
$V_{g1}$	Control-grid potential
$V_{g2}$	Screen-grid potential
$V_{g3}$	Suppressor-grid potential




Fig. 1. Basic "Miller feedback" circuit




Fig. 2. "Miller Valve" circuit, using single pentode

valve. Fig. 2 shows the circuit, which is always stable. The arrangement is often referred to as a "Miller Valve." A resistance  $R_L$  is shown in the anode circuit, but other types of anode load are quite common. In normal operation the grid potential is slightly negative

† The manner by which the correct "biasing" of the valve is obtained varies in different circuits, and is explained in detail later.

with respect to cathode,† so that the effective input voltage is  $V + V_0$ , where  $V_0$  is a small positive constant of the order of a few volts. (We are neglecting here the actual motion of the grid;  $V_0$  is the mean negative grid potential). A better approximation to the output voltage is therefore

$$V_a = -\frac{1}{CR} \int_0^t V' dt + v_0 \dots\dots (4)$$

where  $V' = V + V_0$ .

An important case arises when  $V$  is constant. The anode potential change is then linear with time

$$\frac{dV_a}{dt} = -\frac{V'}{CR} \text{ volts/sec.} \dots\dots (5)$$

$$\text{or } V_a = V_b - \frac{V't}{CR} \dots\dots (6)$$

if  $V$  is positive and the integration is started at  $t = 0$ , when the anode is at H.T. potential  $V_b$ . The anode potential falls linearly from  $V_b$ , an effect referred to as a "Miller run-down" of the anode or simply a "run-down."

Considering now the fact that the gain of the valve is finite, it will be seen that this will cause two modifications to the reasoning used above. In the first place, the current in  $R$  will no longer be constant, owing to the changing grid potential, and so the anode potential variation will no longer be exactly linear. In principle this departure from linearity can be avoided by letting  $V$  and  $R$  tend to infinity, while keeping  $V/R$  constant. This point will be neglected for the time being and taken up again in Part II. The second effect of finite gain is to change the scale of the anode waveform. This is because (6) really represents the total potential variation across  $C$ , and a fraction  $A/(1+A)$  of this appears at the anode, and a fraction  $1/(1+A)$  at the grid.

Thus,

$$V_a = V_b - \left(\frac{A}{1+A}\right) \frac{V't}{CR} \dots\dots (6)$$

In this equation it is legitimate to

\* Cavendish Laboratory, Cambridge

take the gain of the valve,  $A$ , at its D.C. value  $g_m R_L$  in spite of the presence of  $C$ , because the current in  $C$  is constant (or very nearly constant), so that changes in grid potential are reflected as changes in the current in  $R_L$ , exactly as if  $C$  were absent.

Equation (6') is the basis of several time-base circuits, the principle being equally applicable to triggered and self-running time bases. The circuits differ only in the way in which the run-down is started, and the arrangement used to "flash-back" to the starting point at the end of the linear sweep.

It should be noted that the time base speed (rate of change of anode potential during the run-down) depends mainly on the accurately known values of  $V$ ,  $C$ , and  $R$ , and only slightly on the more uncertain and more variable quantities  $A$  and  $V_a$ . This relative independence of valve characteristics, H.T. potential, etc., is one of the main advantages of the circuit and is due fundamentally to the use of negative feedback. The feedback also tends to maintain the linearity, even if the amplifier characteristic is curved.

In a second class of circuit the same linear "run-down" is used, but it is the time taken for the anode to fall through a known potential which is important. The applications of this principle to the production of delayed marker pulses, timing circuits, etc., will be obvious, and again the circuits have advantages similar to those mentioned above, over circuits in which feedback is not used.

For the remainder of Parts I and II only the linear run-down case ( $V_a$  a fixed positive voltage) will be considered.

The problem, then, is to control the Miller valve in such a way that the anode potential falls linearly for a certain length of time and is then returned to its starting point as rapidly as possible. Three methods of achieving this will now be described under the headings "Suppressor Switching," "Grid Switching" and "Grid-leak Switching" (Figs. 3, 5, 6 respectively). It will be assumed for the present that an independently generated square wave is provided, by means of which the time base is to be controlled. It should be understood, however, that these basic methods of switching also occur in more complex self-operating circuits of various types, in which the square wave is

produced internally by the circuit itself.

The currents and voltages at all points in the circuits will be investigated in considerable detail. This assists in obtaining a clear physical picture of the operation. It will be convenient at some points to give numerical values, which will be appropriate to a valve of the EF50 class.

**Suppressor Switching**

The circuit, notation and waveforms are given in Fig. 3. A square wave of about 100 V amplitude is passed to the suppressor via  $C_1$ , and is D.C. restored by the diode so that its upper level is at earth potential. During the negative por-

tion AB, therefore, the suppressor is below cut-off potential, and no anode current can flow, while during the period CD the suppressor is at earth potential. The operation is best described in stages:

**(I) Quiescent Condition**

Immediately before the point marked B the circuit is completely quiescent. The anode is at H.T. potential  $V_b$ , anode current being zero, because the suppressor is below cut-off; the whole cathode current is flowing to the screen grid. Grid current of amount  $V/R$  is flowing, the grid being very nearly at earth potential.<sup>\*</sup> The condenser  $C$  is charged to potential  $V_b$ . The current conditions are

$$I_a = I_i = I_k = 0, \\ I_R = I_{g1} = V/R$$

**(II) Initial Drop (BC)**

At B the suppressor is suddenly brought to earth potential, so that anode current is able to flow. There will be an instantaneous drop in anode potential,  $\Delta V$ , and an equal drop must occur at the grid, owing to the condenser  $C$  connecting anode

\* The grid cannot, of course, rise appreciably above earth potential in spite of the presence of the positive voltage  $V$ , as this would necessitate a large grid current flow through  $R$ , which is a high resistance; The actual grid potential can be found by means of a load line on the characteristic in the usual way. See footnote on previous page.





Fig. 3. Control of Miller valve by suppressor switching. The waveform at the various points in the circuit is shown in the diagram below



and grid.\*  $\Delta V$  cannot, therefore, be large, as might be expected at first sight if the feedback is overlooked, but must be less than the grid base of the valve, and such that the circuit is instantaneously in equilibrium immediately after it has occurred. The anode current at all times is uniquely determined by the grid potential by virtue of the valve characteristic, so that if the anode current immediately after the initial drop is determined the corresponding grid potential can be found. This anode current is made up of two parts. Firstly there will be a current  $\Delta V/R_L$  flowing in  $R_L$ . Secondly, there is now a current flowing in  $C$ . This current must be equal to the current in  $R$ , because there is no longer any grid current; and the current in  $R$  is now  $(V + \Delta V)/R$ . Thus the anode current immediately after the initial drop is

$$\frac{V + \Delta V}{R} + \frac{\Delta V}{R_L} \dots \dots \dots (7)$$

If the valve characteristic is taken to be  $I_a = g_m(V_{g1} + V_c)$  (a linear characteristic with cut-off at  $-V_c$  volts) then

$$\frac{V + \Delta V}{R} + \frac{\Delta V}{R_L} = g_m(-\Delta V + V_c)$$

Solving for  $\Delta V$  gives

$$\Delta V = \left\{ \frac{V_c - V/R_{gm}}{1 + \left(1 + \frac{R}{R_L}\right)/R_{gm}} \right\} \dots (8)$$

$\approx V_c$

In a typical case the product  $Rg_m$  will be of the order of 1,000, and  $R$  and  $R_L$  will be of the same order. Thus the approximation  $\Delta V \approx V_c$  is justified. This simply means that the anode current immediately after the initial drop is very small, so that the grid falls nearly to cut-off.

If  $\Delta V$  is required more accurately, the actual valve characteristic must be used, and successive approximation, or a graphical construction, will be necessary.

**(III) The Run-Down (CD)**

The equilibrium reached after the initial drop is only instantaneous, because the current flowing in  $C$  at once begins to discharge it. The potential across  $C$  therefore decreases.

The change in potential is shared between the two plates, the lower plate (grid) rising and the upper plate (anode) falling. Owing to the

amplification of the valve, however, the motion of the upper plate will be much greater than the motion of the lower plate. If the motion of the lower plate is negligible, the current in  $C$  will be constant at the value.

$$I_K = I_R = \frac{V + \Delta V}{R} = \frac{V'}{R'}$$

The potential across  $C$  therefore decreases at a constant rate  $V'/CR$  volts/sec., and this change all occurs at the anode, which falls linearly in potential at this rate (Equation 6).† The anode current consists of two parts, the initial value given by (7), plus a linearly increasing part equal to the current in  $R_L$ :

$$I_a = \frac{V + \Delta V}{R} + \frac{\Delta V}{R_L} + \frac{V't}{CRR_L} \dots (9)$$

The grid potential must actually rise during the run-down by just the amount required to produce this increasing anode current. If the valve characteristics were perfectly straight ( $g_m$  constant), the rise in grid potential would be linear, but this will not in general be the case. If  $R_L$  is increased, the required change of grid potential will be decreased, the current in  $R$  will be more nearly constant, and the linearity will be improved. Thus values of  $R_L$  much higher than would be used in a normal amplifier are common. In a normal amplifier, increase of  $R_L$  beyond a certain stage gives very little improvement in gain, because the anode current has to be decreased, and  $g_m$  falls almost in proportion to the decrease in anode current. In the present case this does not apply, because there is a constant anode current flowing into  $C$  (first term in Equation (9)) and this enables the slope to be maintained even if the current in  $R_L$  is negligible.

To remove any possibility of confusion, it may be desirable at this point to discuss the relation between  $V_c$ ,  $\Delta V$ , and  $V_0$ . It has just been shown that  $\Delta V$  is in many cases very nearly equal to  $V_c$ , though it may be appreciably smaller, particularly when  $R < R_L$ .  $V_0$  is the mean negative grid potential during the run-down: it is relevant because the mean rate of the run-down is usually more important than the initial rate. The initial rate is  $(V + \Delta V)/CR$ , and if the gain was sufficiently high for grid motion to be negligible, this rate would be maintained

† Here and for the rest of the article, the factor  $A/(1-A)$  of equation (6) is omitted.

throughout the run-down, and we would have  $V_0 = \Delta V$ . As, however, the grid actually rises in potential during the run-down,  $V_0 < \Delta V$ ; with linear valve characteristics  $V_0$  is obtained by subtracting half the grid motion from  $\Delta V$ . The fact that these distinctions have been made should not be taken to suggest that in practice either  $\Delta V$  or  $V_0$  can be precisely calculated in advance, since in any case they depend ultimately on individual valve characteristics.

The run-down continues until it is terminated either by the action of the original square wave, or by the anode falling to cathode potential. The former alternative will be taken first.

**(IV) The Flashback (DF)**

At  $D$  the suppressor is returned to  $-100 V$  by the square wave, and anode current is cut off. The anode tries to shoot positive, and carries the grid with it until grid current flows; the grid is then prevented from rising any further and the anode motion becomes an exponential recovery of time constant  $CR_L$  to  $V_b$ , as  $C$  charges through  $R_L$ . The current conditions are

$$I_L = -I_K = I_{c1} - I_R = I_{c1} - V/R$$

When the recovery is complete, and  $I_L$  and  $I_K$  have decayed to zero, we have  $I_{c1} = V/R$ , and are back at the quiescent condition. Thus one complete cycle of the operation has been described.

We must now consider what happens if the period  $CD$  of the square wave is lengthened to  $D'$ , so that the anode falls to earth potential and remains there for some time, before it is flashed back by the square wave. The situation is then as shown by the dotted wave-forms in Fig. 3. When the anode approaches earth potential the gain begins to fall, owing to the knee in the characteristic being reached. The rate of rise of grid potential therefore increases, and the rate of fall of anode potential decreases. Eventually the gain becomes zero, anode motion ceases, and the grid rises rapidly, owing to the lack of feedback, until grid current begins to flow. As no further current can flow to the anode, the extra cathode current all flows to the screen. There is then a quiescent condition, in which the anode is said to be "bottomed." With usual valves of  $R_L$  (order of 100,000 ohms) bottoming takes place when the anode falls to about 10 volts.

\* The initial drops at grid and anode are no longer equal if there is appreciable capacity from grid to earth. This effect is discussed in the section on the Sanatron circuit, in Part III.




Fig. 4. Demonstration circuit for a suppressor-switched Miller valve




Fig. 5. Control by grid-switching. The waveforms at various points are shown on the right

The bottomed state continues until the point  $D'$ , when anode current is cut off, and the usual exponential recovery takes place. (There is no positive jump in this case, because the grid is already at earth potential, and drawing grid current).

The most important waveform in Fig. 3 is, of course, the anode waveform, which is obviously suitable for use as a time base, the speed of which can be controlled by changing the potential  $V$ , or the value of  $R$ , while  $C$  may be switched in steps.

Suppressor switching is probably the most common method of controlling a Miller valve, and has been described very fully for that reason. From the instructional point of view, it is easy to examine the voltage waveforms with an oscilloscope, but the current waveforms are not readily observable. Fig. 4 shows a very slow running circuit, in which the voltages and currents at all points can be measured with ordinary meters, and plotted as functions of the time with a stop watch. The values are chosen to give a run-down time of 24 secs. and a flashback time constant of 4 secs. Some selection may be necessary in order to find a condenser of sufficiently low leakage.

With this circuit it is possible to reproduce all the waveforms of Fig. 3 experimentally.

**Grid Switching**

Again a square wave is used to control the Miller valve, but this

time it must swing both positively and negatively about earth potential. Only a small amplitude is required, in this case, shown in Fig. 5 as  $\pm 15$  volts (the exact amplitude is unimportant). The waveform at point X will be as shown; during the period AB its negative excursion is limited by the diode  $D_2$  to a value just greater than the cut-off bias of the valve (say  $-10$  volts). The cathode of  $D_1$  will be at  $-10$  volts during this period, and so the grid of the valve will also be held at  $-10$  volts by current flow in  $D_1$  (the diodes are assumed to be low impedance, so that there is negligible voltage drop across them). Such an arrangement is often called a "clamping circuit," and its action can be summarised by saying that during the period AB the grid is clamped at  $-10$  volts, while during CD it is released, and free to take up any potential as determined by the rest of the circuit. With this brief explanation of the grid clamping circuit, the rest of the operation should be obvious from the waveforms in Fig. 5, most of the features being similar to those already explained in Fig. 3. The chief difference is that there is now an upward jump at grid and anode immediately before the run-down, the magnitude being in the present case  $(10 - V_c)$  volts, approximately. Similarly there is a downward jump coinciding with the back edge of the square wave. The object of limiting the negative

excursion of the point X to a potential only slightly greater than  $V_c$  is to keep these jumps as small as possible. Only two current waveforms are shown; grid current, and current in the diode  $D_1$ , the rest of the current waveforms being similar to those in Fig. 3. It will be noted that it is only if the anode is allowed to bottom (dotted curves) that grid current ever flows in this circuit.

An advantage of grid switching is that the cathode current is zero in the period between the linear sweeps, whereas in the suppressor-switched circuit there is a large cathode current, all of which flows to the screen grid. In the latter case the permissible screen grid wattage is often a limiting factor, particularly when the linear sweep occupies only a small fraction of the total repetition period.

**Grid Leak Switching**



This example is different from the two previously considered, in that there is no discontinuous "switching-off" of current in the valve, which operates as an integrator for the whole of the time. The square wave is applied at the end of the grid leak, and the anode waveform is the integral of the square wave, i.e., a saw tooth waveform (Fig. 6). An important condition should be noted here. We can only integrate a waveform continuously if the mean value of its integral is zero, otherwise the excursion of anode potential would in-



crease without limit. Fortunately, it is very easy to satisfy this condition; it is only necessary to pass the waveform through a CR-coupling, of time constant sufficiently long to impose negligible distortion. In Fig. 6, the resistance  $R'$  is returned to a potential  $-V_m$  to provide grid bias for the valve, and the square wave after passing through the coupling  $CR'$ , will swing between potentials  $V_1$  and  $-V_2$  such that the mean departure from  $-V_m$  is zero.  $V_1$  and  $-V_2$  are easily calculated if the total amplitude of the square wave ( $V_1 + V_2$ ), and its mark-to-space ratio,  $T_2/T_1$ , are given. The rates of the two linear portions of the anode waveform will then be  $V_1/CR$  and  $-V_2/CR$  volts per second, (neglecting the grid base correction to  $V_1$  and  $-V_2$ ). A jump of  $\delta V$  in anode potential occurs at each transition, as the current in  $C$  has to change discontinuously from  $V_1/R$  to  $-V_2/R$ , which requires a change of anode current

$$\delta I_a = \frac{V_1}{R} - \left( \frac{-V_2}{R} \right) = \frac{(V_1 + V_2)}{R}$$

Fig. 6. Grid-leak switching, with the waveforms at the various points shown in the diagram below



The jump in grid potential required to produce this will be

$$\delta V = \frac{(V_1 + V_2)}{g_m R} \dots \dots \dots (10)$$

(The small current changes  $\delta V/R$  and  $\delta V/R_L$  in  $R$  and  $R_L$  respectively have here been neglected in comparison with the current change in  $C$ ).

The true integral of the input waveform would not contain the jumps  $\delta V$ , and it may be asked why the integration breaks down at these points. The answer is that the circuit behaves as an integrator only if the gain of the valve is high at all instants in the duration of the input waveform concerned, and for sudden changes of input voltage the gain is zero, owing to the presence of  $C$ .

With this circuit the valve must be biased to the middle of the straight part of its characteristic, and the anode load chosen to allow the required positive and negative excursions from the mean level. This should be contrasted with the two previous circuits, in which no grid bias is necessary, and in which the anode load can be made much larger than for a normal amplifier. The reason for this is simply that the present circuit is required to integrate in both directions, where previously the integration is in one direction only, viz., decreasing anode potential.

(To be continued)

References.

- 1 F. C. Williams. "Introduction to Circuit Techniques for Radiolocation." *J.I.E.E.*, Part IIIA, No. 1.
- 2 F. C. Williams and N. F. Moody. "Ranging Circuits, Linear Time Base Generators, and Associated Circuits." *J.I.E.E.*, Part IIIA, No. 7.

The Work of the N.P.L.

AT a recent "open day," visitors to the National Physical Laboratory at Teddington had an opportunity of seeing the progress made during the past year in various branches of research, as well as inspecting the Laboratory's equipment for precision measurements of all kinds.

The importance of aerodynamical research at speeds approaching the velocity of sound is fully appreciated, and until recently the N.P.L. possessed the only high speed wind tunnels outside Farnborough capable of fundamental research on a reasonable scale. A new small tunnel has been constructed for supersonic investigation and to serve as a scale model for future projects.

In the engineering section, the study of lubrication of machine components has been helped by the use of strain gauges in conjunction with a C.R.O. to obtain continuous records of frictional force. An electronic circuit is arranged to stop the test machine should the increase in friction indicate that seizure of the bearing is imminent. The principle of this device should have a wide application where the approach to an unsafe condition is accompanied by an increase in linear strain in one element of the machine.

Frequency standards for centimetric waves have been devised by multiplication from a quartz frequency standard, and controlled frequencies are now obtained from 350 Mc/s. to 8,000 Mc/s. at intervals of about 1 per cent. One of the applications of this equipment is the study of the r.f. spectra of atoms and molecules. The spectrum of the ammonia molecule, for example, has been found to have lines in the region of 23,000 Mc/s., and the frequencies of these have been measured to an accuracy of 1 part in  $10^6$ . Such lines can be used as standards of frequency and the possibility of obtaining molecular standards of this kind is exciting considerable scientific interest.

The Director of the Laboratory, Sir Charles Darwin, points out that one of its primary functions is to assist industry to solve scientific and technical problems which come within its scope. He would be pleased to receive suggestions for research items of major or immediate importance which would be of help to manufacturing organisations.

# The Royal Society's Conference On Scientific Information

Held at the Royal Society and the Royal Institution, June 21—July 2, 1948

**T**HE Empire Scientific Conference called by the Royal Society in 1946 recommended that a conference should be convened to examine the possibility of improvement in existing methods of collection, indexing and distribution of scientific literature and the extension of existing abstracting services. The recent meeting in London, which was attended by representatives of libraries, societies and institutions responsible for publishing, abstracting and information services, as well as by representatives of Commonwealth scientists and observers from the U.S.A. was the sequel to this recommendation. Some limitation of this enormous field was imposed by considering the subject mainly from the user's point of view.

An immense amount of preparative work had been carried out before the conference began, and some of the papers laid before it will be of permanent interest. The work was divided into four sections, in each of which a number of working parties were set up with specific terms of reference.

Throughout the conference every effort was made to draft recommendations in such a way that action was required by a particular body. To this end it was proposed that where no existing body could appropriately take the required action, the Royal Society be invited to convene a number of standing committees. Of these the most important is a committee, representative of the interests present at the conference, which will have the primary task of initiating operational research into the ways in which scientific literature and information services are used. The preliminary analysis of a pilot questionnaire on the reading habits of some 200 scientists was before the conference, and from the results obtained it was clear that much more could usefully be done on similar lines. Standing consultative committees were proposed on the question of subject classification and indexing and on abstracting. The latter is primarily charged with fostering co-ordination and co-operation between abstracting agencies in order to reduce unne-

necessary duplication and to fill in the gaps in the present abstracts. It was also proposed that standing consultative committees of editors of scientific journals covering related groups of science should be convened to consider common editorial problems, including the allocation of papers to the most appropriate journals.

At the opening session Sir Henry Tizard, chairman of the Government Advisory Council on Scientific Policy, indicated that the Government would listen sympathetically to requests for funds for carrying out the recommendations of the Conference, and during the closing session Dr. D. W. Bronk, of the National Academy of Sciences, U.S.A., said that America would be willing to make a similar contribution.

Section I was concerned with the publication and distribution of original papers. The most important concrete recommendation which it made was the suggestion that "precis journals," such as that issued by the I.E.E., containing extensive summaries of papers which are published in full elsewhere, should be investigated. The purpose of such journals is to enable the scientist to keep in touch with developments in fields outside but related to his own, without having to read all the papers in full. It is claimed that they would be of special value to scientists in the Commonwealth and colonies who have no easy access to comprehensive libraries. Other points discussed in Section I were the need for great improvements in the style of writing and presentation of papers before submission for publication, the desirability of some standardisation of the format and make up of scientific periodicals, and the provision of means for making available copies of scientific documents which are unsuitable for publication in full. The importance of reprints or separates and ways of increasing their distribution and the need for increased support by governments of central scientific libraries such as the Service Library were also considered. It is hoped that all those who are con-

cerned at any stage with the publication of the results of research will read the conclusions and recommendations of this section in full.

Section II dealt with abstracting services. The question which caused most discussion here was whether author's summaries could be used as the basis of abstracts. While it was generally agreed that at present very few authors' summaries were good abstracts, it was pointed out that their use would not only reduce the cost of publication of abstracts, but would also minimise the delay between the appearance of a paper and of its abstract. On the other hand, some of the more specialised abstracting agencies would never be able to rely completely on author's summaries, however much they might be improved. It was recommended that the editors of journals should be invited to co-operate with the abstracting agencies by providing factual summaries of all papers in a form suitable for use as the basis of an abstract. If possible these summaries should be distributed when the paper is sent to the printers. Many minor reforms in the presentation of abstracts were proposed, nearly all of which are already practised by one or other of the abstracting agencies. It will probably surprise many that there are over 100 different journals containing abstracts published in the United Kingdom alone, in spite of which some fields of science and technology are very inadequately covered. This situation will provide the main task of the proposed standing committee.

Section III was concerned with indexing and other library services. In this section it was clear that much more research was needed before useful recommendations could be made. While, for instance, the potential value of the Universal Decimal Classification was recognised strong criticism of certain details of its application and of the inevitable time lag between the development of new subjects and the publication of their decimal classification numbers was voiced. Research into this and other

(Continued on page 267)

# A Fifteen-inch Glass Betatron Toroid

By

L. RUSHFORTH, B.Sc., M.I.E.E.\*

S. J. MORRISON, B.Sc., A.M.I.E.E.\*

and J. G. BRETT\*




Fig. 1. The glass toroid

THE betatron or induction accelerator is one of the lesser-known electronic devices now being used in research by nuclear physicists for the generation of X-rays at extremely high voltages. By employing acceleration of electrons spinning in a circular orbit, a high electron velocity can be attained without the necessity of equipment operating at more than a fraction of the equivalent electron voltage. The construction of a 2.3 Mev betatron has been described by Kerst<sup>1</sup> and the same author has described a 20 Mev unit built for use in the University of Illinois.<sup>2</sup> A concise description of the betatron has also been given by Wilson.<sup>3</sup>

In common with other electronic devices, the betatron requires a high vacuum envelope in which an electron stream produced by thermionic emission can be accelerated and moved about under control. This envelope takes the unusual form of a hollow toroid (popularly called a "doughnut") with a number of side tubes into which electrode and target systems may be fitted. The cross-section of the chamber may be circular, but in the larger betatrons it is more usual to employ an elliptical or rectangular cross-section in order to reduce the magnet gap. The material of which the doughnut is made must be an electrical in-

ulator as it forms a complete turn in a magnetic field and must also be vacuum tight. Low expansion borosilicate glass has been used successfully in built-up toroids and the one-piece all-glass toroid described below was made in B.T.H. C.9 glass. Glazed ceramic has also been proposed as a suitable material and may have certain advantages in the construction of very large toroids which are usually built up from hollow segments.

The all-glass one-piece toroid shown in Fig. 1 is to be used in a 20 Mev betatron similar to that described by Kerst. This toroid is of rectangular cross-section with an unusually thick wall which is necessitated by the vacuum loading on the non-circular section. The principal dimensions are:

Orbit diameter ... ..	15 in.
Dept of section ... ..	2 in.
Radial width of section ...	3 in.
Wall thickness ... ..	3/16 in.

### Method of Construction

The toroid was constructed from glass channel rings which had been blown in a special bulb mould. A pair of channels were sealed together to form a hollow ring and radial side arms were added at a subsequent operation. The same general principle was followed at both stages, namely, to maintain the whole of the glass at a temperature within the annealing range, while carrying out local sealing operations using a

hand torch. In this way the shock of applying an oxy-coal gas flame to a thick-walled vessel is minimised and stresses resulting from the sealing operation are relieved in the surrounding glass.

Specially-constructed equipment was required comprising two ovens both arranged so that a limited amount of the glassware was exposed for hand-sealing operations, the remainder being wholly contained in the oven. The internal arrangements were such that the glassware could be rotated slowly by hand for sealing and then motor-driven continuously for annealing.



The principal difference between the two ovens is in the plane of rotation of the glass, which is horizontal for sealing the channels together and vertical for sealing the side arms in position. The horizontal sealing oven is shown set up for use in Fig. 2.

A simple form of oven construction was employed as the number of doughnuts to be made was small, but the relatively crude nature of the equipment was in itself a great advantage when experimental modifications had to be made.

### Glass-blowing Operations

The sequence of operations is represented diagrammatically in Fig. 3. First the inside edge of the ground surfaces of the channels was rounded off by fire polishing, using the horizontal oven. Earlier

\* The Research Laboratory, British Thomson-Houston Co. Ltd., Rugby, England.



attempts to seal disks together had demonstrated the impossibility of sealing the ground surfaces together with a hand torch to a greater depth than  $3/32$  in. The remaining unsealed portion of the ground surfaces, forming a sharply re-entrant inner surface on the doughnut, was a weakness which led to cracking. By rounding off the inside edge of the ground surfaces it is possible to seal through the reduced thickness of glass to produce an inner surface which is still re-entrant, but which has a small internal radius. It is essential to retain approximately  $1/16$  in. of ground surface, so that the channels will rest one on top of the other during the sealing operation.

The pair of channels was then sealed together by hand torch in the horizontal oven. The seal on the inner circumference was done first and a small diameter tubulation, required for subsequent operation, was put in as part of the outer seal. Each seal had to be initiated by bridging the gap with a small addition of glass rod, but thereafter the edges ran together on heating by the torch.

The side arms were prepared by flanging thick-walled tubing, and grinding the flanged faces. Tubulations for probe wires were sealed on and a special hand chuck assembled on each side arm. The clamping screws were smeared with

Fig. 2. Horizontal oven for sealing channels together

## An Electronic Shutter Tester

By D.T.R. Dighton\*

graphite before assembly so that they would come apart easily after baking.

After cooling, the doughnut was transferred from the horizontal oven to the vertical oven. A blowing tube of glass was passed down the hollow spindle, bent outwards alongside the doughnut, and sealed to the auxiliary tubulation. The outer end of the tube was left projecting just clear of the spindle, which was packed with asbestos paper at each end to support the tube.

When the doughnut had been brought up to temperature and soaked for about 45 minutes, the driving motor was disconnected and the spindle locked in position for the first side arm. A patch of glass on the wall of the doughnut was softened by local heating with the hand torch, and a hole blown and opened out to approximately the diameter of the side arm. The flanged tube was then sealed on, the joint being worked by blowing and paddling until it was well shaped.

The process was repeated for all four side arms, each seal being followed by 15 minutes soaking at the annealing temperature, during which the doughnut was driven round by the motor. After the last side arm had been sealed, the auxiliary blowing tube was constricted close to the doughnut and drawn away. The remaining projection was softened and allowed to sink down into the wall of the doughnut.

The second of the completed doughnuts made in this way was exhibited at the Physical Society's exhibition in April this year.

Throughout the work described, the authors have had the most helpful co-operation of Mr. J. E. Stanworth, glass technologist, of the Research Laboratory, and Mr. A. E. Hill, manager of the Chesterfield Glassworks, and would also record the splendid work done by Mr. F. Pegg and his assistants in making the glass channel sections in the hand bulbs department of the B.T.H. Co., Ltd., glass works, at Chesterfield.

The authors thank Mr. L. J. Davies, Director of Research, the British Thomson-Houston Co., Ltd., for permission to publish this account of their work.

### References.

- \* Kerst, D. W., *Phys. Rev.*, 1941, 60, p. 47.  
 † Kerst, D. W., *R.S.J.*, 1942, 13, p. 387.  
 ‡ Wilson, W., *Journal I.E.E.*, 1947, 94, Part I, p. 150.




Fig. 1. An electronic shutter testing instrument

THE growing use of colour and flash photography requires greater accuracy in the operation of camera shutters, and conformity with the marked speeds.

An instrument intended for research and development on shutters† has recently been modified to make it more suitable for testing performance on the production line where the time taken is important. This modified instrument is shown in Fig. 1.

This instrument gives a characteristic curve of the shutter, i.e., the curve of light transmitted against time. The total time of opening is read from a calibration trace on the base line which has a series of timing marks at predetermined intervals. For production work, the calibration trace is replaced by a glass graticule in front of the C.R.T. screen, on which is marked the testing tolerances for the particular shutter under test. In cameras with built-in flash contacts, the closing of the contact is indicated on the curve. Fig. 2 is an example of the pattern

\* Kodak, Ltd., Harrow.

† D. T. R. Dighton & H. M. Ross. Instrument for Investigating the Operation of Camera Shutters. *Photo Jour.* 86B. 1946, p. 100.

‡ D. T. R. Dighton & H. M. Ross. Cathode Ray Tube Shutter Testing Instrument. *Jour. Sci. Instrum.* 24, 1947, p. 128.

obtained from a Brownie Reflex shutter.

By incorporating a non-linear time base with an exponential decay of voltage, the spot slows down as it approaches the right-hand side of the screen. This results in patterns for the higher shutter speeds being measurable without those for the slower speeds extending beyond the screen. Further, the logarithmic nature of the time base makes the reading accuracy constant for all speeds, and the tolerance rectangles of equal width for all speeds. The composite photograph of Fig. 3 shows the type of pattern obtained with this time base. The degree of the logarithmic action may be seen from the spacing of the 10-millisecond timing marks. Although this figure only shows the traces for three shutter speeds, it is possible to get sufficiently accurate measurements with five or six speeds on a four-inch time base.




Fig. 2. Test on Brownie reflex shutter (speed 1/50th sec.). Units 10 m/sec. each




Fig. 3. Composite photograph of curves of a three speed shutter, using logarithmic time base. (1/25th, 1/50th and 1/100th)

# Distortion Correction in Television Waveforms

By H. B. RANTZEN, B.Sc. (Eng.), M.I.E.E.\*

**I**N all systems where signals are identified by the shape of a received pulse, distortion can occur for a number of reasons during transmission, of which the following are generally the most important.

- (1) Amplitude distortion: absence or incorrect amplitude of one or more of the signal components.
- (2) Phase distortion: difference in the time of propagation of one or more signal components relatively to the other signal components.
- (3) Generation of spurious components.

In television and other picture transmission systems, we are frequently compelled to attempt to transmit pictures which contain signals of a frequency greater than that which can be carried without distortion by the line or other transmitting medium. In such cases distortion of the first two types often becomes particularly serious towards the top end of the frequency band of the transmitting medium.

A familiar remedy is to include in the sending circuit a network which reduces the amplitude of the upper frequencies which might otherwise be transmitted with phase distortion sufficient to introduce marked deterioration of the transmitted signal as a whole. This is

tantamount to introducing distortion of type (1) above to avoid more serious consequences from distortion of type (2) above.


The effect on the received waveform of a pulse transmitted over a line or other circuit which will not very satisfactorily transmit the very high frequency components in the pulse, is often to produce a "die away" ripple just before and after the sharp edge of a pulse, the apparent frequency of this ripple being roughly that of the cut-off frequency of the line. The "up" and "down" slopes of pulses may also be reduced.


The effect of a network which reduces the amplitude of the higher frequencies is to reduce the amplitude of many of the components which contribute markedly to the slope of the nearly vertical sides of pulses, and to reduce the amplitude of the distortion ripples which precede and follow these sharp wave fronts. In the case of television signals such a device reduces the amount of detail all over the picture, regardless of whether the high frequency components do or do not form part of wave fronts, the presence of which is likely to cause this type of distortion (ringing).

In an arrangement devised by the writer, the television signals are passed through a distorting network of a well-known type such that the amplitude of all the upper frequen-

cies is progressively increased over the complete band of frequencies generated in the original signals by an amount which is very approximately 6 db. per octave. Distortion of this type is mathematically equivalent to differentiating, and the instantaneous magnitude of the wave thus produced is directly proportional to the slope of the original signal. This distorting network is followed by a limiter which can be adjusted to cut off any desired amount of the extreme peaks of the "differential" wave: the limiter may be balanced so as to cut off both the extreme positive peaks and extreme negative peaks. If the signal is then passed through a second network which has attenuation and phase characteristics inverse to those of the first distorting (differentiating) network, the original signal will be restored for most of the time, i.e., when the limiter is not in operation: while the limiter is in operation the slope of the signal is limited to a maximum figure set by the limiter. This treatment has the effect of modifying the signal in such a way as to reduce ringing distortion, but affects the high frequency content of the signal only at the moments when serious "ringing" distortion would otherwise have been present. The time during which the limiter operates can be controlled by circuits of adjustable time constant, in any well-known manner.

\* Head of Design Department, The British Broadcasting Corporation.





Essentially the arrangement consists of modifying picture, or other signals, by a first network which emphasises the higher frequency components, approximately according to a particular law (6 db. per octave), then limiting, and then restoring by a second network having a characteristic approximately the inverse of the first network. The first and second networks may be of the usual type connected directly in circuit, or either may be of the type more commonly used to obtain the characteristic of the other, but connected in the negative feed-back path of an amplifier.

Part or all of the second network may be connected after the line or transmission medium which cannot transmit the full unmodified original signals without distortion when part, or all, of the second network characteristics can be obtained from the line or transmission medium itself so that the provision of a complete second network at the receiving end becomes unnecessary.

The two schematics illustrate this arrangement.

### Ignition Interference Suppression on the "Televisor"


IN many areas where the Televisor has been installed, the interference level, particularly of ignition interference from cars, has been sufficiently high to make it necessary to fit suppressors or limiters.

Numerous queries requesting information as to how this could best be done have been received and though details have already been given in a previous article (ELECTRONIC ENGINEERING, October, 1947) the following notes may be of interest since they refer more particularly to the Televisor.


Dealing with the sound receiver first, it may be seen that the output from  $V_{11}$ , which would normally go to the output pentode  $V_{20}$ , is instead taken to the cathode of a diode.

The anode of this diode is biased positively and therefore conducts. Signal potentials appearing on the cathode cause the anode to follow in sympathy and in fact an undistorted audio signal appears at this point, due however, to the 300 pF capacitor which is connected between anode and earth there is a time delay, with the result that if a short pulse is fed to the cathode, the anode is unable to follow it and the signal is practically biased off, what little

does remain being integrated. It should be mentioned that when using a circuit of this type, there is some cutting of the higher audio frequencies, it is usually not very serious and is certainly preferable to the interference.



Above : Sound receiver Below : Vision receiver



Fitting of the diode and its associated components on the sound receiver chassis can be very easily done as there is ample space and no special precautions are necessary.

The diode heater is fed from the normal heater supply to the sound receiver. The vision interference limiter is somewhat simpler in operation since it is a plain amplitude limiter. The diode in this case has its cathode biased positively so that it is non-conducting until the anode exceeds this potential.

If, therefore, the bias is adjusted so that the diode does not conduct on an input voltage equivalent to peak white, but does conduct above this value, then all interference pulses above this value will in effect be short circuited and instead of large white blobs appearing on the C.R.T. screen they will be reduced to a relatively small size with an equivalent reduction in nuisance value.

The best position on the vision chassis where the diode limiter can be fitted is on top of the chassis directly against  $V_8$  the heater leads may then be taken through a hole in the chassis as can also the positive bias supply for the cathode.

# POWER DIODES

## Part 2. The Manufacture of High Vacuum Oxide-coated Rectifiers

E. G. ROWE, M.Sc., M.I.E.E., D.I.C.,\* R. E. B. WYKE, A.M.I.E.E.,\* W. MACRAE, M.Sc., A.M.I.E.E.\*




Fig. 1a (left). Photomicrograph of coating showing fluffy, adherent appearance




Fig. 1b (right). Unsatisfactory coating with hard, close surface

IT is assumed in this article that the reader is generally familiar with the usual methods of valve manufacture and these are dealt with briefly, attention being paid to the special differences existing in the making of rectifying valves. Conventional valve manufacturing principles are that the manufacturing sections receive components ready made by servicing departments. These components are assembled, sealed-in, pumped, aged and tested. It is customary for all valves to be retested prior to despatch and the whole organisation is supplemented by Quality Control and Life Testing units.

### Component Manufacture

Conventional type presses are employed to make the metal components which are suitably designed for high speed production, outputs of the order of 4,000 an hour being obtained for anodes and similar components.

Indirectly heated rectifying valves use cathodes of conventional pattern which are first de-greased and then sprayed with an emissive coating of barium and calcium carbonates in a nitro-cellulose binder together with a solvent. Since the amount and texture of the coating applied is quite critical, the spraying rooms are fully air conditioned and 8 per cent. of the cathodes sprayed are checked

for coating weight. A desirable coating should be very adherent yet fluffy in character, photographs of such coatings together with a hard undesirable surface are shown in Fig. 1.

Directly heated valves use wires and strips, the latter being made by rolling wire down to the required sizes. The quality of the material is controlled by chemically checking each ingot of the raw nickel before the drawing operations commence.

Wires and strips are coated on the plant shown in Fig. 2, the coating material being picked up continuously by a combination of cathodic deposition and surface tension. The strip is passed over pulleys, the lower one of which is immersed in a bath of the coating material. Between the pulleys, and surrounding the strip, is a cage electrode to which a voltage is applied, the strip forming one electrode with the cage electrode negative. The electrolyte is a mixture of strontium and barium carbonates, alcohol, water, nitro-cellulose and solvents and its container is rotated around fixed agitating paddles connected to the electrode system support.

Drying is carried out either by an electric oven or by eddy current heating after which the strip is spooled with paper spacing between layers to avoid damage to the coating.

Subsequently the reels of coated strip have to be cut into the correct lengths and the ends scraped for welding on to the pinches.

### Assembly

It is recognised as good practice for all component preparations to be carried out apart from the assembly operators, these being concerned solely with assembling the finished parts supplied. Two methods of assembly organisation are employed, one being the "group" system and the other the "unit" system.

In the "group" method of assembly the operators are arranged in teams in which each operator carries out one or two operations only and then passes the job on to the next operator and so on. This method is the more efficient theoretically, but is more liable to be disturbed by variations in speed from operator to operator and by absenteeism. An improved development of this scheme is to divide the entire assembly process into sub-assemblies which can be produced at the rate of about thirty per hour.

In modern practice an ordinary "broadcast" rectifier is usually assembled by a team of three assembly operators with an examiner to every four teams. Such operators take from two to three months to become really efficient at their jobs.

\* M.O. Valve Co., Ltd.



In the "unit" system each operator assembles the complete valve from start to finish. This scheme has the advantage of being more flexible than the "group" system and is employed mainly for small quantity or difficult types, but has the disadvantage of being slower because of the time taken to change the welding electrode and welder current settings during the course of the assembly operation, and, of course, it takes appreciably longer for an operator to learn a complete assembly sequence than it does to learn one operation only.

In both methods, jigs are employed in order to obtain accurate location of components with respect to the pinch and to each other, and also to ensure consistency of spring tension on directly heated valves. These jigs, samples of which are shown in Fig. 3, must be of simple construction and designed for easy cleaning. After assembly, each valve is examined for faults and is subsequently stored in a warm dry atmosphere at about 35° C. until required for pumping. The getter cup, complete with getter pellet, is then welded on to the support wire just prior to sealing-in, in order to avoid deterioration on standing. Fig. 4 shows a photograph of an operator at work.

A serious difficulty, particularly on the higher voltage types, is to maintain the seals free from foreign matter such as dust and dirt, because such particles adhere to the electrodes very readily and carbonise during pumping, thereby forming arcing points when the valve is load tested. To remedy this fault the seals are washed in hot distilled water immediately prior to pumping.

### Pumping

The pumping schedules for rectifiers require considerable attention to ensure that a high ultimate emission level is maintained. Particularly with directly-heated cathodes, it is found that unless the cathode is well activated on the pump, the final emission will not be satisfactory. Care has to be taken to control the contamination of the anode surface by barium during pumping as excessive deposits cause severe initial back-emission and in valves having high peak voltages on load test, this can wreck their performance.

Machine pumping is normally car-

ried out on either a 24-head automatic unit or, alternatively, for larger types, on an 8- or 16-head rotating machine.

The 24-head pump shown in Fig. 5 basically consists of 24 exhausting heads indexing around a rotary valve which can be connected in various combinations to sections of a bank of 15 double-stage oil pumps. Five positions are used for the operations of loading, sealing-off and pump stem extraction; eleven positions for "baking," the oven being of the gas-fired type with a temperature gradient adjusted to raise the glass envelope to about 450° C. near the oven exit, and eight positions are then left for treatment purposes. The processes involved consist of "degassing" the anodes with the cathode at full "flashing" temperature and finally gettering and sealing-off. As stated earlier, the possible schedule variations are almost unlimited, the controlling factor being the pressure which is built up at each stage, particularly after the cathode has achieved its maximum temperature. Such schedules are generally determined initially by experimental bench pumping and then by using a travelling Pirani gauge on the machine pump.

Index speeds in general use vary from 9-14 seconds so that the effective treatment time is of the order of 90-100 seconds only.

Electrode heating is accomplished in the usual way with RF heating sets and adequate anode degassing requires careful design of the anode heating coils to achieve a uniform anode temperature of 1120°-1170° K. The maximum cathode temperature attained should be 1320°-1370° K. corresponding to a current density of approximately 8-8½ watts/cm.<sup>2</sup> of cathode surface. The deleterious deposits on the anode surface which must be avoided at all costs (see Part I) are generally caused by incorrect timing of anode degassing and filament lighting. If the gas pressure is too high when the cathode begins to degas, barium and partially decomposed binder migrate on to the anode. Further protection is often sought by raising the anode to 1100° K. subsequent to cathode degassing.

Economics dictate that the pump index shall be as short as possible, the ultimate speed of schedules being limited by the degassing time of the anode, the "flashing" time of the cathode and the pulling speed

of the pumps. It is common practice to achieve higher speeds by reducing the degassing time of components by pre-treatment with hydrogen or vacuum furnace cooking.

The 24-head unit has the limitation that for rectifier work it cannot readily handle large valves both on account of the physical clearance between successive pump positions and the volume of gas the unit can handle. In consequence, for large valves, use is made of an 8-head unit consisting of eight pumping heads mounted on a turntable and each connected to its own oil pump. The electrode treatment services are very similar to those used on 24-head pumps but the pump index time can be varied from 45 seconds to 4 minutes, thus permitting a far more thorough outgassing of the electrodes than is possible on the short-index 24-head pumps.

### Activation and Ageing

After capping and before testing, valves are treated in various ways to improve and to stabilise the degree of cathode activation and to enhance their voltage performance properties. In general, the treatment, or ageing as it is generally known, is basically the same for both directly and indirectly-heated valves. Valves are mounted in 90-position racks and are run for a period with both the filament voltage and the anode dissipation somewhat in excess of the normal operating conditions. Fig. 6 shows a typical unit, two of which are serviced by one operator who unloads and reloads one during the time the other is running.

Directly-heated valves usually come off the pump with their cathodes almost fully activated, so that little more is required other than to stabilise their emission. A typical ageing schedule for a small directly-heated rectifier would be to operate the cathode at 1120°-1170° K. and to draw from it two or two-and-a-half times the normal operating anode current for a period of about twenty minutes.

When dealing with normal "broadcast" rectifiers (those valves whose peak inverse voltage is below 2 KV) it is not necessary to "voltage age" them in any way because these valves have such large factors of safety against flashover that such treatment is quite unnecessary, and the anode/cathode clearances are so

(Continued on page 258)

# The Manufacture of




Fig. 2 (above). Plant for continuous coating of filament wire




Fig. 8. A small load test unit for A.C./D.C. rectifiers




Fig. 10. A valves

Fig. 6 (below). Ageing rack or stabilising cathode emission before testing





Fig. 3. Jig used for rectifier assembly. The two components are shown disassembled in the view above. The filament is assembled and held in jig ready for insertion.

# Power Diodes



protected rack for life testing larger  
having inputs up to 3KV. R.M.S.




Fig. 5. 24-head automatic rotating  
pump with heating oven and H.F.  
heater for degassing electrodes  
during pumping




Fig. 3 (above). Clamp for bending  
electrode supports in correct position

(below). Jig with components  
assembled ready for welding



ts with the com-  
Upper left) Anodes  
tion in anodes




Fig. 4 (below). Operator welding  
filament hooks on a full-wave  
directly heated rectifier



(Continued from page 255)

small that damage may result to the cathode surface.

For valves used for voltages above this figure the usual practice is to connect an ordinary mechanical type spark coil between the anode and cathode and to spark for about one minute with the valve cold using a voltage of about  $2\frac{1}{2}/3$  times the normal maximum peak inverse voltage it will meet in service. Such processes can be very harmful unless carefully watched and are only used when necessary.

#### Testing of Rectifiers

Valves are tested mainly to ensure that they will give good service at their ratings and therefore every effort is made to test under conditions as near to the maximum ratings as possible. There are many factors disturbing the simplicity of this contention, the chief being that it is often necessary to build up an empirical correlation between specific uses of the valve and existing convenient tests although no obvious technical connexion exists between the two. Such a position can arise from the fact that valve making is such a complicated series of technical operations that it has tended to be an art rather than a science and the significance of various processes must often be a matter of opinion because of inadequate precise knowledge. To summarise the above, the main objects in the mind of the valve manufacturer are to produce rectifiers having a satisfactory life with reliability throughout that life, and these requirements have to be interpreted into practical tests which can be made speedy and repetitive.

A testing organisation not only consists of factory testing but also includes quality control and life test sections which are maintained at considerable expense to protect the customers' interests.

#### Factory Testing

All valves are tested in the manufacturing section and those which pass satisfactorily are sent to stock. Before a valve is issued from stock, however, it is held for some days and is then retested by another testing department independent both of the manufacturing sections and the valve stores.

#### Testing Parameters

It is usual to test for filament or heater current at fixed filament or

heater voltage. This not only checks for continuity but by setting limits enables a control to be kept both on the filament or heater material and also on the factory processing operations.

The main test employed is a static one which is primarily intended to check that the cathode emission is adequate, but which imposes a secondary check on valve impedance. A further test sometimes used is "reduced emission test" which consists basically in plotting the anode current filament voltage characteristics of the valve. The valve is set up with the filament operating at its normal temperature and the anode voltage set to give the maximum anode current possible without over-dissipating the valve. This value of anode voltage is then maintained constant and the fall in anode current noted as the temperature of the filament is steadily reduced. In this way, the slope of the filament voltage/emission current curve is obtained and by plotting this slope (actually read as a percentage drop from the initial anode current reading taken at the normal working value of filament volts) against output on load test and life performance, it is possible to set limits for the product (Fig.7).

From such a test the peak emission of the valve can be assessed quite accurately, as may be seen from the curve, and it has an advantage over normal static emission tests in that it is independent of valve impedance variations, but unfortunately it is not readily adaptable to mass production.

On the lower voltage types the basic insulation is very much in excess of that required and practical experience has shown that an operational test is usually unnecessary. The exceptions to this rule on low voltage types are the series-running half-wave and voltage doubler valves which have to withstand high voltage peaks between heater and cathode (e.g., the U31 rated at 250V R.M.S. has a peak of 700 V between heater and cathode).

On higher voltage types it is customary to employ some form of equipment test such as load testing, dissipation testing or flashover testing. The valves are tested singly or in pairs, while in certain cases a reading of D.C. output voltage is called for. During this type of testing valves are rejected for softness

and gassiness, discharge between electrodes, excessive sparking, electrode distortion and filament vibration.

Some form of insulation test is often used and this is done by means of a 250 or 500 volt megger set and is normally carried out with the filament not alight. Conditions of vibration may be simulated by tapping the valve bulb, generally by mechanical means.

#### Test Equipment

Testing apparatus usually consists either of low voltage static equipment or of high voltage dynamic units. The former type is used to check such parameters as heater current, emission and anode impedance while the latter type tests the valve under operating conditions. The low voltage units are constructed in wood and have a desk or "console" shape with no special electrical protection required for the operator because the voltages used seldom exceed 100. The higher voltage equipments are fully protected and are usually made of metal with the electrical circuits conforming to conventional rectification circuit practice. A photograph of such an equipment used for testing a number of A.C./D.C. rectifiers simultaneously, is shown in Fig. 8.

#### Quality Control

An independent check on valve quality is made by a section under technical control and which keeps a running commentary on the characteristics of all valves in manufacture. Valves selected at random by trained collectors are subjected to extensive tests on units specially constructed to give maximum accuracy. In addition to the normal production tests a number of special tests are done and the information obtained is plotted in chart form. By this means, adequate warning is given when the production is straying from its theoretical mean ratings, information is supplied to enable the technical staff to correct the matter, and by statistical methods an estimation is obtained of the total percentage of rejections likely in the bulk product.

#### Life Testing

The tests carried out on production give an assurance that the valves manufactured are satisfactory initially, but it is essential that the valve manufacturer shall be

assured that the product he is selling to his customer will also give a satisfactory life. In order to do this he has to set up an elaborate life testing equipment capable of continuously testing a percentage of manufacture and as no successful method of forced life test has been found it therefore takes a year to obtain 6,000 hours of life. Such runs are not often practicable and it is fortunate that experience enables the technician to assess the probable performance by a careful examination of life curves taken to 500 hours. Samples of such curves are illustrated in Fig. 9.

Generally speaking, it is desirable to life test valves under the most onerous conditions that they are likely to meet in service. In certain cases, static life tests with D.C. voltages are all that are necessary, but with rectifying valves, dynamic setups simulating operating conditions are essential. The circuits must have components with accurately known characteristics and must be supplied with input voltages which are stable and unaffected by mains and load fluctuations.

A photograph of a typical life testing rack is shown in Fig. 10. This gear is capable of testing eight valves under biphasic half-wave conditions at input voltages up to 3 KV R.M.S.

After life tests are completed all valves are returned to the Works where a detailed examination of the actual valves and their performance is made so that improvements may be made both in current production and in future designs.

**Future Indications**

Investigations are in hand to produce multiple pump units which will exhaust larger types of rectifiers on an indexing principle. This involves the provision of greater schedule flexibility together with facilities for "bombardment" of electrodes during exhaust to obtain adequate degassing.

It may be worth a thought that rectifiers offer the greatest hope of the achievement of the valve makers' dream of automatic assembly. Rectifiers are mechanically the simplest of valve structures and are not very subject to redesign while the quantities required can justify the expense involved in setting up such mechanised units.

(To be continued.)




Fig. 7a. Variation of anode current with change of filament voltage for valves of varying emission quality




Fig. 7b. Correlation between emission measurements at reduced filament volts and peak emission




Fig. 9. Life performance curves of typical rectifiers. The tendency for variations in early life is typical of all oxide-coated rectifiers

**Printing Scales and Labels**

AN economical means of producing durable, accurate, and attractive scales and labels has long been a problem for manufacturers of scientific apparatus. Such articles have usually been made by a process of machine engraving in high-class work, or by printing, or hand lettering in lower quality instruments.

In the *Marconi Review* for April-June, R. A. Boeckstens\* describes some of the newer processes for producing labels and scales on any type of material and in a variety of different styles.

Chemical engraving can now be applied to most metals and to many forms of plastic. The method of etching is similar to that employed in block making, but the depth of the etching is only .005-.01 in. where the lettering has to be filled in, against .03 in. of the average line block. For metals, a "resist" of bichromated fish glue or albumin is used, which becomes insoluble under the action of light and can be washed away from the parts of the metal not acted on through the photographic negative. For zinc or steel a suitable mordant is nitric acid, and for aluminium, copper, or copper alloys, ferric chloride.

The etching process is greatly accelerated by using an electrolytic etching bath, which is described in detail in the article.

For plastics and glass, the label is first coated with a solution of bitumen in benzene and over this a coating of bichromated colloid is applied. After exposure under the negative development is carried out in water to remove the unexposed parts of the colloid. The bitumen is then removed by development in benzene and the plate etched by H.F. (for glass) or plastic solvent.

The double coating is not required where the colloidal coating will withstand the action of the solvent.

The use of a "resist" gives attractive finish to anodised aluminium labels, especially if certain areas are left bright and others dyed in the usual way.

\* P. 51, Vol. XI No. 2.




Fig. 1. Limit scale derived from ohms range of multi-range meter, calibrated to  $\pm 20\%$  on preferred values

## Tolerance Testing Techniques

By D. W. THOMASSON\*

IT is common practice in radio and electrical work to express certain values in tolerance form. A resistance, for example, may be quoted as being "470 ohms  $\pm 10$  per cent." meaning that it may be any value between 423 ohms and 517 ohms. The advantages of this are undeniable, and it is unlikely that anyone would be tempted to refer to the resistance as "between 423 and 517 ohms" in practice. The tolerance form expresses the value with adequate precision, and permits the use of a "preferred" series of standard values, which is a great convenience to both manufacturers and designers.

When a check measurement is made, on the other hand, it is almost invariably made in terms of absolute values, the limits implied by the tolerance being worked out first. The resistance quoted above might, for example, be measured as 444 ohms. It would often be more convenient to know that it was 5.5 per cent. below the nominal value.

This may not be important in the laboratory, where the calculation of limits from percentages is regarded as an elementary exercise. In the test-room, on the other hand, it is a serious matter, especially if the calculation has to be performed for a hundred different values each day. Whether they are employed on quality control or goods-in inspection,

the test-room staff have little time or inclination for exercises of this kind.

The main reason why checks are made in terms of absolute values is that most forms of measuring apparatus give readings of this form. There seems to be a widespread impression that measuring instruments capable of giving readings in the tolerance form are either excessively expensive or incapable of giving sufficiently accurate results. This is by no means true if the problem is approached in a sensible manner. The methods which will be described herein are little more costly than the equivalent orthodox methods, while the results are quite as accurate. The saving in time they make possible justifies their use in any test work where speed and convenience are important.

### Limit Scales

A simple, though not fully satisfactory, method of providing tolerance readings is to equip existing instruments with special scales. Fig. 1 shows a scale of this sort drawn for the resistance range of a well-known test instrument, the original scale being shown for comparison. It can be seen that the limit scale is by no means easy to read, in spite of the fact that relatively few limits are marked. The nominal values are in the 10, 15, 22, 33, 47, 68 series of preferred values.

A more satisfactory form of limit scale uses a single set of limit cali-

brations, provision being made for adjusting the indication for the nominal value to the "zero," or "nominal" point of the scale. The control used for this purpose can be calibrated in terms of the nominal value, or the setting made against a standard component.

In an unusual capacitance meter using this form of scale, the capacitor under test was charged through a variable resistance to a predetermined peak voltage, the charging circuit being disconnected when this voltage was reached, and the capacitor discharged for a fixed period. The charging time was proportional to the capacitance for a given value of charging resistance, and the meter deflection was made proportional to the charging time. The meter scale could therefore be calibrated in terms of percentages of the nominal value of the capacitor, while the resistance was calibrated in terms of nominal values. If the actual capacitance was 20 per cent. above the value to which the resistance was set, the meter reading was 20 per cent. above the central "zero" mark on the tolerance scale.

Designed for test-room use, this meter was simple and reliable, but was not capable of a particularly high standard of accuracy. Furthermore, its working range was somewhat restricted. An investigation was therefore made into the possibilities of tolerance reading bridges.

\* Electronic Applications Research Laboratory, Exeter.

### Bridge Methods


The normal bridge apparatus used for measurement purposes gives highly accurate readings in terms of absolute values, but does not lend itself to the direct reading of tolerance. It is also unsuitable for high speed testing, since the bridge has to be set up to a precise balance for each reading, and this operation takes an appreciable time, even with the simplest types of bridge.

A bridge of the ratio-arm type, in which the balance is obtained by simultaneous adjustment of two of the arms, may be arranged for tolerance reading by an adaptation of the ratio scale, as suggested in the case of the multi-range meter. A further improvement may be made by using a form of servo-mechanism to obtain the balance automatically. The null indicator is replaced by a suitable amplifier, which must be able to discriminate between opposite phases of the bridge output if an A.C. supply is being used, and the output of the amplifier is passed to a motor geared to the ratio arm control. The servo circuit is arranged so that the motor turns the ratio control to the position giving balance, the operator's work being reduced to connecting the component under test and observing the reading.

This scheme is of particular interest when automatic sorting is required, the servo-mechanisms being made to operate the sorting apparatus. For ordinary check work, however, it has certain disadvantages. The most important of these is that the operation is still too slow for high speed testing, due partly to the inertia of the mechanical system, and partly to the fact that the ratio control will always turn to the extreme limit position when the test terminals are disconnected. An improvement can be made by arranging that the servo system is only operative when the terminals are connected, but the operation time is still too great to permit really high testing rates to be achieved.

For resistances, a higher testing rate may be obtained by use of the following method. The "standard" arm of the bridge is adjustable, and a wide range of values may be set up with the aid of a second "multiplier" arm. The third arm is always set so that the balance condition corresponds to a value of the unknown which is a selected percentage above or below the nominal

Fig. 2. Limit resistance bridge suitable for quantity testing (Dawe Instruments Ltd.)



value set up on the first two arms. A key-switch is used to select the "high" or "low" balance position, and the test is carried out by connecting the unknown and then throwing the key-switch, observing the meter meanwhile. The meter shows the bridge output, and is only calibrated with a centre mark indicating balance. If the deflections are both on the same side of the centre mark, the resistance is outside the selected limits, while if they are on opposite sides, the resistance is within the limits. An example of this type of bridge is shown in Fig. 2.

This method meets the requirements in respect of operation time and accuracy where resistances are concerned, but the method is not conveniently extended to the measurement of capacity and inductance. For these, it is better to use a method based on the relation of bridge output to the deviation of the unknown from the value giving balance.

#### Off-balance Indicators

It can be shown (see Appendix) that under certain conditions, the output of a bridge is proportional to the product of the percentage deviation of the unknown from the value for balance and the bridge ratio. The conditions are: The deviation must not be greater than about 20-25 per cent.; the bridge ratio must be small, i.e., the im-

pedance of the unknown must be large compared with the impedance of the standard; the output current drawn from the bridge must be negligible.

These requirements can generally be met without difficulty, but where there is likely to be any considerable variation in the power factor, there are particular advantages in the use of a cathode-ray tube indicator. The input to the vertical plates is taken from the input to the bridge, while the horizontal plates are fed by an amplifier connected to the bridge output.

The display is viewed through a calibrated graticule, and takes the general form of a loop trace (see Fig. 3). If the phase angle between the bridge input and the amplifier output is zero, the loop closes to a straight line. Line or loop, however the percentage deviation is read by the point of contact of the curve and the top line of the graticule. The amplitude of the bridge input is adjusted so that the curve just touches this line, and the deviation is read against the vertical lines. To increase the accuracy of reading, the trace may be marked at the point of maximum vertical excursion.

So much for reading deviation. It is also useful to be able to read phase angle. Referring to the vector diagram of Fig. 3, it will be seen that the shape of the loop will depend on the angle  $\psi$ , while the phase angle

of the unknown is  $\theta$ . The relationship between these angles is complex, but an approximate expression may be used when the deviation and  $\theta$  are small. In this case, the angle  $\theta$  is roughly:

$$\phi_m \times \frac{\text{percentage deviation}}{100}$$

Thus, an actual phase angle of  $m$  combined with a 10 per cent deviation will show as  $10^\circ$  on the display. With larger values of  $\theta$  the relation changes to  $\phi = (90 - \theta/2)$  but the expression above will hold for most acceptable values of  $\theta$  in practice.

The value of  $\phi$  may be read by the intersection of the trace with the vertical axis of the graticule, which may be suitably calibrated.




Fig. 3. Display on indicator of percentage reading capacity bridge with corresponding vector diagram (col. 3)

With careful attention to detail design, this method can be used to form the basis of an extremely useful test instrument. The accuracy, even with inexperienced operators, is quite high enough for most purposes, while the display permits continual monitoring of the bridge input, so that the reading is not affected by supply voltage variations. The range of values which can be tested is only limited by the available standards included. A typical example of the coverage is a capacitor test set which uses six decade ranges, covering all capacitances between 10  $\mu\mu\text{F}$  and 10  $\mu\text{F}$ .

**Conclusion**

Several different approaches to the problem of tolerance testing have been suggested, all of which are characterised by their own particular virtues and vices. In a case like this, the final choice of method must be based on many factors, and it would be unwise to say that any one method is universally better

than the others. For many purposes, the provision of limit scales for existing instruments would be adequate, but the more complex methods are well worth their greater cost, which is rapidly repaid by the improved test efficiency.

**APPENDIX**

**Bridge Equations for Unbalance**

In the Wien Bridge, (Fig. 4) if the indicator is assumed to have infinite impedance, the voltages across the arms  $R_a$  and  $X$  will be:

$$E_a = \frac{E_1}{1 + m} \dots \dots \dots (1)$$

$$E_x = \frac{E_1}{1 + \left(\frac{R_s}{R_x} + \frac{C_x}{C_s}\right) + j\left(\omega C_x R_s - \frac{1}{\omega C_s R_x}\right)} \dots \dots \dots (2)$$

The bridge output will be the difference between these two voltages:

$$\frac{E_o}{E_1} = \frac{1}{1 + m} - \frac{1}{1 + \left(\frac{R_s}{R_x} + \frac{C_x}{C_s}\right) + j\left(\omega C_x R_s - \frac{1}{\omega C_s R_x}\right)} \dots \dots \dots (3)$$

If the resistances are the only considerable elements:

$$\frac{E_o}{E_1} = \frac{1}{1 + m} - \frac{1}{1 + R_s/R_x} \dots \dots \dots (4)$$

If  $R_x$  is now changed to  $(1 + d)$  times the value for balance, the following relation may be derived:

$$\frac{E_o}{E_1} = \frac{1}{1 + m} - \frac{1}{1 + \frac{m}{1 + d}} \dots \dots \dots (5)$$

$$= \frac{md}{m^2 + m(d + 2) + (d + 1)} \dots \dots \dots (6)$$

If  $m$  and  $d$  are both small compared with unity, this approximates closely to  $-md$ , so that the bridge output for constant input can be stated to be proportional to the bridge ratio multiplied by the deviation of the unknown from the value for balance.

A similar treatment for the case where the resistance are negligible shows that for a deviation in the capacitance under test to  $(1 + c)$  times the value for balance, the output is given by:

$$\frac{E_o}{E_1} = \frac{mc}{m^2(c + 1) + m(c + 2) + 1} \dots \dots \dots (7)$$

Which reduces to  $mc$  when  $m$  and  $c$  are small.

A similar treatment may be used for inductance bridges.





Fig. 4. Wien bridge circuit



**A Pressure-Sensitive Electronic Guard**

The Protectron, manufactured by the Brinnell Company, of Granby, Connecticut, is an electronic device for use in conjunction with an electric motor-driven machine to "trip" at any preset mechanical load increase above normal. It is instantaneous in action, sensitive to minute overloads and adjustable to any degree of overload within practical limits. It is also compensated for fluctuations in terminal voltage.

When the device trips, a red light is switched on and a relay is energised to initiate any control function.

The equipment successfully combats "jamming" in automatic machinery by "sensing" oversized stock, "pile-ups," dull punches and a multitude of other causes before damage occurs.

By tripping at a preset degree of dullness, this apparatus can enforce the sharpening of tools, thus increasing tool-life up to 600 per cent. In certain applications, such as broaching, this setting for dullness eliminates completely the major cause of damage to tools.

Other uses include the stopping of pumps or signalling when shears or drills are dull.



# Cabinets for Projection Television Receivers




Fig. 1.

The cabinet lid is adapted to be raised by a weight and pulley system (not shown) on the actuation of a release button, so as to bring the screen to a substantially vertical viewing position for receiving an image from the cathode-ray tube housed vertically within the cabinet via the optical system and a mirror mounted on the inner surface of the cabinet lid. When the television switch is moved to the ON position a safety bolt is automatically projected to lie beneath the bottom edge of the screen, so that with the switch in this position, the screen cannot be lowered, and hence it is necessary to switch OFF before it is possible to close the cabinet. The interlock mechanism is clearly shown in Fig. 3, and the movement of the control knob may also be employed to change over the loudspeaker connections from a broadcast receiver to the television sound receiver.

THE majority of post-war television receivers are of the type in which the picture is viewed directly from the cathode-ray tube, but if a comparatively large picture of the order of 20 in. by 16 in. is required, the limitations imposed by the physical dimensions of the cathode-ray tube make it necessary to employ an optical magnifying system in conjunction with a suitably positioned image receiving screen. In designing a cabinet for such a receiver, it is desirable that when not in operation, the screen should be housed within the cabinet and should be capable of being moved to its viewing position with a minimum of manual effort. A problem arising from such an arrangement is that it might be possible to close the cabinet with the television receiver left switched "ON," which is obviously undesirable.

A convenient solution of the problem is to provide a safety interlock between the television ON/OFF switch and the screen lifting and lowering mechanism, as illustrated in the drawings in which Fig. 1 shows the upper portion of the cabinet with the lid open and the screen in its viewing position, and Fig. 2 shows the lid closed and the screen housed within the cabinet. Fig. 3 shows details of the interlock mechanism.




Fig. 3. (above)

The scheme offers a further advantage in that, if the weight and pulley system holding the screen and lid in the raised position, should fail, the safety bolt guards against the collapse of the lid which might result in damage to the screen and the mirror. In such circumstances it could be arranged for the lower edge of the screen to engage a suitable slot in the safety bolt so as to prevent movement of the control knob in either direction. The operator would then be warned automatically of a fault in the screen lifting mechanism.

*Communicated by E.M.I. Engineering & Development, Ltd.*






Fig. 2. (right)

# Radio Frequency E.H.T. Supplies

By K. C. MACLEOD\*

Extracted from a paper read before the Constructors' Group of the Television Society, April 14th, 1948, (to be published in full in the Society's Journal).



View of finished unit (left) and detailed dimensions of former (above)

THE attached diagrams give details of the circuit and transformer construction for a 12 KV R.F. E.H.T. unit. The unit may, by adjustment of the oscillator anode tuning capacity  $C_1$  and of the rectifier heater windings  $L_4$  and  $L_5$ , be made to deliver between 8 and 15 KV. Alternatively, by omission of rectifier  $V_3$ , its heater winding  $L_5$ , and reservoir capacity  $C_3$ , it may be operated as a half-wave unit delivering 6 KV, or by suitable re-adjustment of  $C_1$  and  $L_1$  any voltage in the range 4 to 7.5 KV.

The dimensions and windings of the individual coils in the transformer assembly, also the spacings between the windings, as shown in the diagram, are critical, and must be strictly observed if the correct rectifier heater voltages at 12 or 6 KV E.H.T. output are to be obtained. It is assumed that all coils are wound in the same direction, in which case the phasing will be correct if the arrangement in the

circuit diagram is followed.

The placing of the washers between the individual coil formers lengthens the surface leakage path between windings and the wide cheeks upon the primary former serve as a flash guard.

In order to avoid corona, the leads from  $L_2$  are brought out in 14/40 p.v.c. covered flex. The winding of this coil is commenced at the high potential end at the bottom of slot 2, and the lead-out is subsequently attached and wound for three turns into the vacant top slot before being brought out, thus providing a protection for this end of the coil. At the lower end, the lead is attached and wound for at least one complete turn upon the top of the winding before being brought out. Both leads must be kept well clear of other wiring and firmly anchored, also leads from  $L_3$  must be kept well clear of  $L_2$ . Where required, the heater winding  $L_5$  is wound into the first slot of the  $L_2$  former upon the top of the three turns of the take-off


lead, the leads to  $V_3$  being twisted up with the latter. No metallic parts, screws, etc., may form part of the H.V. coil former assembly, the parts of the octagonal ribbed former being preferably cemented together.

If outputs other than 12 KV or 6 KV are required, or if, for any reason, any alteration is made in the high-frequency transformer design, the heater windings  $L_4$  and  $L_5$  will require modification. The voltage output from  $L_5$  is proportional to that delivered by  $L_2$  and therefore to the E.H.T. output, and adjustment of the number of turns should be made accordingly. The voltage output from  $L_4$ , however, is proportional to that across  $L_1$ . When the E.H.T. output is adjusted by the tuning of  $L_1$  by  $C_1$ , the voltage across  $L_4$  does not change appreciably; slight changes in  $L_4$  output may be corrected by variation of the  $L_4$  to  $L_1$  spacing washer, should an alteration of one turn upon  $L_4$  prove too coarse an adjustment.

\* Cinema Television, Ltd.

COIL WINDING DATA

	L.1	L.2	L.3	L.4	L.5
No. of sections ...	1	8	1	1	1
Inside of dia. winding ...	1 3/4"	1 1/2"	1 1/2"	1 1/2"	1 3/4"*
Width of winding	3/8"	9/16"	1/8"	1/8"	9/16"
Turns per section	125	300	150	8	6
Wire ...	27/42 Litz	38 S.W.G. silk & enam.	32 S.W.G. silk & enam.	20 S.W.G. silk & enam.	22 S.W.G. silk & enam.
Inductance ...	1mH	145mH	* Wound over L.2. End lead in slot 1.		
Q at 100 kc/s. (no load)	150	165			
Coupling ...	20%				



The circuit of the complete E.H.T. unit is shown on the right. Note arrangement of screening compartments, (broken lines).

To check rectifier heater voltages, which should be  $6.3\text{ V} \pm 5\text{ per cent.}$ , a valve voltmeter should be used. To check  $V_2$  heater voltage the unit should temporarily be changed to positive earthed E.H.T. output by transposing the connections to the rectifiers at points A and B on the circuit diagram,  $V_2$  heater now being at earth potential.  $C_1$  is set for desired output voltage, and  $L_1$  then adjusted where necessary.  $V_3$  heater may be checked by visual comparison with  $V_2$ . Actual measurement of the voltage output from  $L_5$  requires the following procedure:

- (a) Remove  $V_2$ , and disconnect one side of  $C_2$
- (b) leaving  $V_3$  anode connected to  $C_1$  disconnect both from earth,

- (c) earth  $V_3$  cathode,
- (d) temporarily readjust  $C_1$  for one-half the final required E.H.T. across  $C_3$ ,
- (e) check and adjust  $V_3$  heater voltage
- (f) restore original connections and re-set  $C_1$ .

The unit must be fully screened to prevent radiation and suitable filters inserted in the oscillator H.T. supply lead and E.H.T. positive output lead. These filters should be accommodated within separate compartments in the copper screening box. All connexions between the unit and the box should be made at one point only.

The oscillator anode and screen input from the 350 V H.T. supply

should be 15-30 mA. over an E.H.T. output of 0-500  $\mu\text{A}$  at 12 KV. The regulation of the voltage doubler is approximately  $4\frac{1}{2}\text{ per cent.}$  for 100  $\mu\text{A}$  load, and that of the half-wave version,  $3\frac{1}{2}\text{ per cent.}$  for the same load.

Should the inductance of the high voltage winding  $L_2$  or its distributed capacitance and/or the associated stray capacitances of an individual model show any appreciable deviation from the original, the frequency of operation will be affected, and the fixed capacity in parallel with  $C_1$  will require slight modification if the correct range of output voltages is to be obtained. Correct phasing of  $L_1$ ,  $L_2$  and  $L_3$  may be checked by noting that an increase of  $C_1$  capacity produces a fall in E.H.T. output voltage.

## A Magnetic Fluid Clutch

A NEW type of electromagnetic clutch, having extensive applications and many unique features, has been developed at the National Bureau of Standards by Jacob Rabinow, Chief of the ordnance mechanics laboratory. The development of this clutch, which is based on his discovery that frictional forces between solid surfaces and certain types of fluid media can be controlled by application of magnetic fields, was part of the work on the mechanical aspects of the high-speed electronic digital computers. The new magnetic fluid clutch is particularly suitable to applications

in servo mechanisms, automatic machinery, and other fields where ease of control and constancy of characteristics are important. Mr. Rabinow has assigned all patent rights for the clutch to the U.S. Government.

The magnetic field clutch operates on the following basic principle: When the space between two parallel magnetic surfaces is filled with finely divided magnetic particles and a magnetic field is established between the two plates, the magnetic particles bind the plates together against movement parallel to their surfaces. The magnetic

particles may be finely divided iron which for most applications, is mixed with a liquid, such as oil, to prevent packing and to afford smoother operation of the clutch. When a portion of this mixture is acted on by a magnetic field, the iron particles are mutually attracted, bind together in the field, and the mixture "solidifies." As the magnetic field can be produced by an electric current, a very simple means is thus obtained for the control of the binding force over a very wide range.

—Technical Bulletin, U.S. Bureau of Standards, May, 1948.

## CORRESPONDENCE

## Voltage Stabilisers

DEAR SIR,—The note by Dr. E. J. Harris on a modified version of Miller's compensated voltage stabiliser is particularly interesting; for relatively little attention has been given to this aspect of voltage stabilisers. Attempts to increase the stabilising action of the simple voltage stabiliser, by increasing the gain of the amplifier, can never be completely successful, since the signal actuating the control circuits is obtained from the output voltage only: this voltage must therefore remain at a value differing slightly from the designed figure, so long as the input voltage or load current differs from the respective designed value. Miller's circuit, together with Dr. Harris's modification, compensates for variations in input voltage; variations in load current will still cause the output voltage to change slightly, to provide a correcting signal.

W. R. Hill<sup>1</sup> has given a very valuable review of valve voltage stabilisers, in which he describes a simple method of compensating for variations in both input voltage and load current; the circuit is shown in the figure. The voltage divider  $R_1$ ,  $R_2$  applies a fraction of the input voltage change to the grid of the control amplifier  $V_2$ , in series with the usual control signal derived from the output voltage change, via  $R_3$ ,  $R_4$ . The potential drop developed across resistor  $R_6$ , which is proportional to the load current, is also applied to the grid of  $V_2$ , in series with the two other control signals.

Hill, following Hunt and Hickman,<sup>2</sup> describes the performance of voltage stabilisers in terms of two performance factors; the regulation factor,  $R = e_o/e_i$ ,  $i_o = 0$ , which is a measure of the effectiveness of the stabilising circuit against input voltage variations; and the internal resistance of the stabiliser,  $r = -e_o/i_o$ ,  $e_i = 0$ , which is a measure of the effectiveness against load current variations: where  $e_i$  and  $e_o$  are the variational components of the input and output voltages, respectively, and  $i_o$  is the variational component of the load current. The derivation of these factors is based on the experimentally observed fact that, within

its useful range, the output voltage of a valve stabiliser is an approximately linear function of the input voltage and of the load current. Then the variational component of the output voltage is:

$$e_o = Re_i - ri_o$$

In the case of the fully compensated stabiliser it is, theoretically, possible to make both regulation factor and internal resistance zero (when  $e_o$  will also be zero), or even negative. Hill's analysis of the circuit shows that  $R = 0$  when:

$$\frac{R_3}{R_1 + R_3} = \frac{(1 + 1/\mu_1)(1 + \mu_2 R_3 / (\rho_2 + R_L))}{(R_1 / (R_1 + R_2)) (\mu_2 R_L / (\rho_2 + R_L))} = \frac{R_1 + R_2}{\mu_2 R_1}$$

$R_3$  is normally much smaller than  $R_1$ , and is conveniently made adjustable and set experimentally for  $R = 0$ , by observing the change in the ripple component of the output.

The internal resistance  $r = 0$  when:

$$R_6 = \frac{(1 + \mu_2 R_3) / (\rho_2 + R_L)}{g_1 \left( \frac{\mu_2 R_L}{\rho_2 + R_L} \right) \left( \frac{R_1}{R_1 - R_2} \right)}$$

$R_6$  does not affect the insulation of the rectifier circuits, since it is normally less than 10 ohms. It should be made variable and adjusted in operation; this is especially important since, in practice,  $r$  may become negative within the operating range of the stabiliser; oscillations may then occur, which can be eliminated by readjustment of  $R_6$ .

The analysis assumes that the circuit behaviour is linear; this is not exact, so that the regulation factor and internal resistance will vary slightly about zero. Hill gives results for a typical circuit in which the output remained within  $\pm 0.1$  volt, over short periods, for an input range of 400 volts to 600 volts, at constant load current; and for a load current range from 0 mA to 100 mA, at constant input voltage. Non-linearity in the amplifier could be reduced by the application of negative feedback.

The long-term stability of this circuit is not so good as that for short periods, owing largely to instability in the voltage regulator tube. The potential performance of the fully compensated stabiliser is such that

the imperfect characteristics of this tube contribute largely to the limitation of its practical performance. The voltage regulator should be selected, and operated, for minimum variational internal resistance and low noise; an ordinary neon lamp should on no account be used.—

Yours faithfully,

A. H. SIMONS

Johannesburg.

<sup>1</sup> Proc. I.R.E., 1945, 33, p. 38

<sup>2</sup> Rec. Sci. Instr., 1939, 10, p. 68

## The Synchronyne

DEAR SIR,—I read with interest the letter from Mr. Langberg in the April issue of ELECTRONIC ENGINEERING, as I have also been experimenting with the Synchronyne in place of the second detector in superhet communication receivers.

This arrangement possesses many advantages over both the synchronyne and the superhet, especially at very high frequencies. The superhet-synchronyne not only gives additional preselection, as pointed out by Mr. Langberg, but it also refers the synchronisation to a lower frequency where it is less subject to phasing difficulties. A further very useful property of the super-synchronyne is its ability to hold signals of poor frequency stability and unintentionally frequency modulated signals. The method is ideal for use in the v.h.f. and microwave parts of the spectrum.

The only real objections to the system are firstly that it is more complicated than a straight synchronyne and therefore more costly to produce. Secondly, it brings back all the old superhet troubles of tracking in the r.f. stages and more especially of second channel reception in the i.f. strip. To overcome the latter, the intermediate frequency should be the highest at which efficient locking can be obtained; the synchronyne will then take care of the selectivity.—Yours faithfully,

R. C. JENNISON

# The Atomic Energy Research Establishment

Address given by Prof. Sir John Cockcroft on the occasion of the first official Press Visit to the A.E.R.E. at Harwell, July 19-21, 1948.

I HAVE to welcome members of the Press to-day and to show them something of the progress which has been made in two years in building up atomic energy research in our country.

We took over the Harwell airfield of the R.A.F. in April, 1946. Since that time we have been building large machines in its hangars, converting its barrack blocks to use as laboratories and building very elaborate new laboratories for the more exacting requirements of atomic energy work.

Our first duty was to equip ourselves for atomic energy research, and, in particular, for research in the development of nuclear reactors. The simplest class of reactors are those built from graphite and natural uranium. We had to develop the production of pure graphite, in Canada and in this country, and also to produce pure uranium metal—which is not at all easy. From these materials we built in 15 months the simplest possible pile, developing about 100 kW of nuclear energy—the pile known as the GLEEP.

For the last 11 months we have been using this to gain experience in the operational characteristics of piles; to produce radioactive isotopes; to make measurements of nuclear properties of materials used in pile technology and to carry out research.

Future developments will depend very much on how materials stand up to the intense bombardment they receive inside piles. To test this behaviour we have built a more powerful pile, which will develop 6,000 kilowatts of energy and bombard 60 times as strongly as the GLEEP. This pile is a little larger than the GLEEP. Its uranium rods are cooled by high speed streams of air which are snaked through the pile and ejected up a high stack.

On July 3 we loaded the last bars of uranium metal into the pile. Electronic instruments recorded the number of neutrons being produced and the amount of heat being developed by the pile. At 3 o'clock, the instruments recorded 3/10 of a watt; a little more metal was loaded and the pile power began to grow, showing that the "divergent

point" had been reached. The power rose more and more rapidly till at 35 watts safety rods driven by compressed air were forced in and shut down the pile as had been arranged. We have now to go through a period of testing at low power before we can start our programme of new work.

Simultaneously with pile building and designing we have been working on the metallurgical problems which are key problems in both existing and future piles. The so-called "hot laboratory," now being built at the far end of the site, provides facilities for chemical work with the intensely radioactive materials which will come from the pile. Very efficient ventilation will sweep away any radioactive dust and prevent its being breathed by the chemists.

We are also building laboratories for chemical engineering and in particular for experimental work on the extraction of uranium from low grade ores.

The immediate objective of the chemists is to provide information for the design of the chemical extraction plant for separating plutonium from irradiated uranium metal. There are also associated problems connected with the separation, concentration and disposal of the highly radioactive fission products and longer term problems.

We are building also at Harwell several particle accelerators; there is a so-called Van de Graaff generator which speeds up atoms by 3 to 5 million volts, and there is a giant cyclotron which will speed particles up to an energy of 200 million volts. These machines are required for the studies of the properties of atomic nuclei.

In view of the possible hazard from radiation and radioactive dusts, very stringent precautions are taken at Harwell. As a result of all these precautions, the actual exposure of staff to radiation is very well below the safe levels which have been recommended by the Medical Research Council, and there has been no single case of harmful effects due to radiation.

A research unit of the Medical Council has been established here which will be the centre of research into the biological effects of radiation in this country.

## The Royal Society Scientific Information Conference


(Continued from page 248)

systems of classification will be the primary function of the standing committee to be set up. The section also considered methods of photographic reproduction of various kinds and made recommendations on the suitability of various processes for different purposes. In this connexion the question of copyright was raised and efforts will be made to enable libraries and other agencies to supply photographic copies of articles to scientists without being hampered by copyright restrictions. Machines for the mechanical tabulation and selection of data were also discussed and considerable interest was shown in the American device known as the Bush Selector which is being developed by the U.S. Department of Agriculture. With this instrument it is hoped that it will be possible to select items from microfilm and simultaneously print enlargements at a rate of about 60,000 items per minute. Other topics considered by Section III included the training of special librarians and of scientists in the use of libraries, the compilation of data tables and the co-ordination of translation services.

Section IV was concerned with reviews and progress reports. It felt that the importance of these was not always recognised, and made general recommendations encouraging their publication.

Perhaps the most striking impression gained from the whole proceedings was the extraordinary ignorance of the working scientist of many of the facilities and services which are already available to him in dealing with the literature. Many suggestions which have been under discussion for years by those concerned with documentation were greeted as revolutionary by some of the delegates. If it has no other immediate result, the conference will have served a useful purpose by making some working scientists aware of some of the possibilities of lightening the more tedious parts of his labours.

C. G. A. HILL



### Oscillograph Recorder

THE "Minirack" Oscillograph Recorder, (Type ME15), of which two views are shown, represents a step forward in the design of C.R. oscillographs for general laboratory work. It is built as a desk-type mobile unit which incorporates the camera, so that photographic records can be instantly taken of the waveform or diagram appearing on the tube screen. The 6-in. dia. C.R. tube and the principal amplifiers and time-base are on an inclined panel, and the auxiliary panels and power supplies are mounted on lower vertical surfaces. The camera panel is mounted at the side of the tube panel, the lens and mirror system being protected by a cover which excludes light when recording. Loading, which can be carried out in daylight, is effected from the back, using black sleeves. The camera takes still, continuous-feed and drum records, the total speed range being from 1 to 1,000 inches per second, and it uses 70-mm. wide photographic film or paper. Time-marking is obtained by an auxiliary 1.5-in. dia. C.R. tube and a valve-maintained fork with frequency-reducing multi-vibrators producing standard frequencies of 10,50, 200 and 1,000 cps. This oscillograph can be supplied with several types of amplifier.

A radio frequency (2 Mc s) pre-amplifier employing frequency modulation enables it to be used with capacitance and inductance gauges and pickups for pressure, vibration, or acceleration measurements. Alternatively, an R.C. coupled pre-amplifier can be supplied for dynamic strain gauge measurements, or, if preferred, a direct coupled pre-amplifier for temperature-compensated strain gauge bridges.

*Southern Instruments Ltd.,  
Fernhill, Hawley, Surrey.*

## Electronic Equipment

A monthly record of British electronic apparatus, components, and accessories, compiled from information supplied by the manufacturers. Enquiries should be sent to the manufacturers at the addresses given, and it would be appreciated if this journal were mentioned as the source of information.

### Switches


SHOWN on the right-hand side of the adjoining photograph is the A.B. push-button switch, which can be manufactured with any number of buttons and to any electrical specification required, and has been specially designed for radio receivers.


Below it is the A.H. type 5 amp. all bakelite toggle switch.

Bottom left illustration is the A.B. LA type lever switch which is used extensively on inter-communication telephone equipment, etc. It is made in two versions, the LA type which is spring loaded to return automatically from either direction to the centre position, or alternatively can be supplied as a lever switch giving the three positions.

Top left is shown a typical example of the A.B. Oak H type multi-wafer rotary switch, a most useful switch for the radio and electronic instrument designer.

*A.B. Metal Products Ltd.,  
Feltham, Middx.*





**The Chronotron**

A self-contained direct reading mains-driven instrument for reading short time intervals. The model 25A has six ranges, controlled by the switch on the right, the lowest being 0.4 milliseconds with an accuracy of  $\pm 2\%$ , and the highest 0-1000 milliseconds with an accuracy of  $\pm 1\%$ . Model 25B is similar but covers a higher range of values: 0-40 mS to 0-10 S. Timing is effected by opening, closing, or pulsing the input circuit according to requirements, and the instrument will operate directly from a photo-cell.

*Electronic Instruments Ltd.  
17 Paradise Rd., Richmond.*

**Windsor Model 55A Wobbulator**

CHECKS receiver alignment by visual tracing of the frequency response curve; used with a signal generator and oscillograph such as the Taylor 65B and 30A.


The triode section of a triode-hexode mixer is used as a 4 Mc/s. oscillator, controlled in frequency by an H.F. pentode as an inductive reactor. Frequency modulation in synchronism with the time base sweep of the oscillograph is obtained by feeding the time base output voltage to the reactor valve, with the amount of frequency sweep controlled by an input potentiometer. Incremental tuning of the 4 Mc/s. oscillator is provided, directly calibrated for 25 Kc/s. on either side of a centre zero for bandwidth measurement. In operation, the signal fed to the receiver under test is frequency difference between the external signal generator and the internal 4 Mc/s. oscillator, and the audio signal produced across the signal diode load is fed to the vertical deflection amplifier of the oscilloscope.

A two pin socket provides input connexion for the external signal generator; a two pin socket gives the R.F. output, and two terminals provide input connexion for the oscillograph time-base input.

The instrument can be operated on either 100/120 or 200/250 volts A.C. 40-100 c/s. A comprehensive instruction book is supplied with each instrument.

Dimensions:  $12\frac{1}{2}$  ins. by  $8\frac{1}{2}$  ins. by 6 ins. Weight approximately 11 lb.

*Taylor Electrical Instruments Ltd.  
Montrose Avenue, Slough, Bucks.*



**Screened Coil Pack**

A compact screened coil pack measuring 3 in. by  $2\frac{1}{2}$  in. by  $1\frac{1}{2}$  in. approximately, with one-hole fixing and a spindle  $1\frac{1}{2}$  in. long.

The unit covers the bands 16-50, 200-550, and 800-2000 metres when tuned with a 365 pF. capacitor. I.F. is 465 kc/s. Price 35s. boxed.

Alternative types are available with modified waveband coverage for export.

*Weymouth Radio Mfg. Co. Ltd.  
Crescent Works, Weymouth.*

**New Capacitors**

THE new T.C.C. "Hikonol" range of capacitors has been designed for flash photography, and has an increased capacitance/volume and weight ratio. The HK28 has a capacitance of 28 uF. and the HK33 a capacitance of 33 uF. Voltage rating 2.5 KV.D.C. Sizes: HK28— $4\frac{3}{4}$  in. by  $4\frac{9}{16}$  in. by  $3\frac{13}{16}$  in.; HK33— $4\frac{3}{4}$  in. by  $5\frac{1}{4}$  in. by  $4\frac{1}{4}$  in. Prices £6 10s. and £7 10s. respectively.

The "Cathodray" range of high voltage capacitors has been improved by the use of specially developed impregnant. The sizes remain unchanged.

*Telegraph Condenser Co. Ltd.  
Wales Farm Rd., Acton, W.3.*

**Rotary Mains Switches**

OF the A.C. slow make and break type, totally enclosed in moulded case. For panel mounting, rated at 10 A. 250 V. Two fixing holes. Type No. R'10, in various combinations.

*Alecro (Mx.) Ltd.  
73 Hanworth Rd., Hounslow.*



## One Story of Radar

A. P. ROWE

A personal account of the work of the Telecommunications Research Establishment by its war-time Chief Superintendent. 7 plates. 8s. 6d. net

## Principles of Radar

DENIS TAYLOR and  
C. H. WESTCOTT

The third monograph in the new Cambridge series on MODERN RADIO TECHNIQUE. 12s. 6d. net

## Velocity-Modulated Thermionic Tubes

A. H. W. BECK

The latest addition to the MODERN RADIO TECHNIQUE SERIES 15s. net

CAMBRIDGE  
UNIVERSITY PRESS

## THESE ARE IN STOCK

- RADIO RECEIVERS AND TRANSMITTERS**, by S. W. Amos and F. W. Kellaway. 25s. Postage 6d.
- RADIO LABORATORY HANDBOOK**, by M. G. Scroggie. 12s. 6d. Postage 4d.
- STANDARD VALVES 1947** (Standard Tele Cables Ltd.). 15s. Postage 4d.
- RADIO ENGINEERING**, by F. E. Terman. 42s. Postage 9d.
- FREQUENCY ANALYSIS MODULATION AND NOISE**, by S. Goldman. 36s. Postage 9d.
- RADIO RECEIVER DESIGN Part 1**, by K. R. Sturley. 28s. Postage 9d.
- TELEVISION RECEIVER CONSTRUCTION** (10 Articles from W.W.). 2s 6d. Postage 2d.
- ULTRAHIGH FREQUENCY TRANSMISSION AND RADIATION**, by N. Marchand. 27s. Postage 9d.
- THE CATHODE-RAY TUBE HANDBOOK**, by S. K. Lewer. 6s. Postage 4d.
- RADIO MAINS SUPPLY EQUIPMENT**, by E. M. Squire. 12s. 6d. Postage 4d.
- THE WIRELESS WORLD VALVE DATA** 2s. Postage 2d.
- TELEVISION**, by V. K. Zworykin and G. A. Morton. 42s. Postage 9d.

We have the finest stock of British and American radio books in the Country.

**THE MODERN BOOK COMPANY**  
(Dept. E.7)  
19-23, Praed Street, LONDON, W.2.

## Valve Technique

D. N. Corfield and P. V. Cundy. (Radio Society of Great Britain. Price 3s. 6d.)

**T**HIS is an excellent publication, filling a vacancy which has long existed despite the flood of valve and electronic textbooks in recent years.

Valves are now used in such growing numbers by engineers, physicists, research workers and similar people that a small handbook giving the salient points of application without the theoretical foundation for the formulae used will be welcomed. For example, a mechanical engineer who wishes to use a thermionic valve in a piece of industrial apparatus is concerned to know how the power output varies if certain constants are changed. Precisely how the formula is derived is wasting his time, and amateur-constructors and others who want to be able to apply valves to circuits correctly without wading through masses of electronic theory will find exactly what they want.

A valve manufacturer cannot possibly include in his catalogue all the variants of application that may arise in practice, and the ability to convert what is given to what is wanted will be welcomed by many overworked valvemakers' technical service departments. It is to be hoped that the booklet will be widely read by those who normally prefer to "write to the makers."

While agreeing with the authors' approach via the cathode follower to the negative feed-back problem, the normal amateur might be expected to prefer to be conducted to the one hundred per cent. feed-back state in easier stages.

The handling of the push-pull variants, classes A, AB, B, etc., together with the curves, is admirably done. The explanation of a method of producing dynamic curves from static curves, as found in catalogues, is very lucid and will solve what has been to many amateurs rather a closed book.

The principle of adopting the B.S.I. and B.R.V.M.A. convention of symbols is an excellent idea tending towards uniformity with the valve catalogues.

C. C. McC.

## Sound Recording by the Direct Disk Method

D. O'C. Roe. (Birmingham Sound Reproducers, Ltd. 34 pp., six figures and photographs. Price 5s.)

**T**HE reviewer understands that one copy of this booklet is supplied to each purchaser of a B.S.R. sound recording equipment. It is, in fact, an instruction manual for operating the B.S.R. disk recorder, type DR.33 and recording amplifier AR.15, but it contains far more than the usual lists of "how to connect this to that" and "do's or don'ts" relating to the

apparatus, or it would not be worth reviewing here.

The reader soon appreciates that the author has practical knowledge and enthusiasm for his subject, which he has managed to convey in the few pages of this booklet. While it may be a platitude to say that "good recordings are not merely the automatic result of good equipment, but depend a great deal upon the skill and experience of the operator," it is nevertheless true, and another wise comment that many private studio recordists should take to heart is the remark that "in all monitoring, the great essential is to learn the characteristics of the microphones and recording equipment, not forgetting, of course, to check that the recordings are satisfactory when played-back on a standard radio-gramophone."

The author does not perpetuate the common misnomer "acetate records" for direct cut lacquer or nitrate records, but a few minor spelling errors should be corrected in future editions. For example, in the Introduction "principal" is written "principle," and either "equaliser" or "equalizer" should be decided on, and not mixed. On p. 34 the common mistake of referring to the Performing Right Society, Ltd., as the Performing Rights Society, Ltd. is made, but these slips do not detract from a text that contains useful information on studio acoustics, properties of different types of microphone, typical recording faults, and practical tips for successful sound recording.

The text and diagrams are well printed on fine quality paper, but the price of 5s. is rather high for this kind of publication.

D. W. ALDOUS

## The Electricity Supply Acts

By J. W. Chant. 262 pp. + xiii. Stevens and Sons, Ltd. 25/- net.

**I**N view of the recent transfer of all authorised undertakings to the British Electricity Authority this is an important and well-timed book.

One third of the book is devoted to the Electricity Act 1947 and this is followed by the various Electric Lighting Acts and Electricity (Supply) Acts dating from 1882 to 1945. The Sections of these earlier Acts are only given in full where not repealed by the Electricity Act 1947, but brief notes of the Clauses so repealed are given for reference purposes.

The author is a solicitor with long experience of municipal affairs and of the workings of a large electric power company.



# REVIEWS

## Micro-Wave Mixers

Robert V. Pound. Edited by C. G. Montgomery and D. D. Montgomery. Vol. 16 of the Radiation Laboratory Series. 381 pp., (McGraw-Hill Book Co. U.S.A.) Price \$5.50 (33s. in U.K.).

**T**HIS book is devoted almost entirely to the crystal mixer used as a frequency-changer in radar receivers of the super-heterodyne type. The importance of this type of mixer lies in its high efficiency (low conversion-loss) and relatively low noise-factor—no other type of mixer has so far proved as satisfactory in the micro-wave range. Although simple from a mechanical point of view the crystal mixer is far from simple electrically and this book of some 380 pages by no means covers all possible aspects of the design; nevertheless the treatment is sufficiently thorough to reveal the remarkable advances in knowledge in this field which took place during the war years.

The behaviour of a crystal as a rectifier is first discussed in terms of the barrier-layer theory of semi-conductors, the use of crystals in frequency-changers is then described. Network equivalences for crystal mixers are given and the use of such networks as a basis for design is explained. A section is included on the testing and specification of crystals (further information on this subject is given in Vol. 15 of the Radiation Laboratory series).

Details are given to the design of simple crystal mixers for the 10, 3 and 1.25 cm. bands; other chapters deal with specialised mixers for air-borne combined radar and beacon equipment, two-channel mixers for A.F.C. systems and balanced mixers for local oscillator noise reduction. One chapter (contributed by E. Durand) deals with the design of A.F.C. systems of various types such as the "difference-frequency," "drift-in hunting," "thermal hunting" and "absolute-frequency" types.

A final chapter covers the specialised techniques involved in the measurement of noise-factor and conversion loss, and in the testing of A.F.C. systems. "Micro-wave Mixers" is primarily a book for the specialist in radar receiver design but should also prove of value to the designer of micro-wave communication systems, particularly when used in conjunction with other volumes in the Radiation Laboratory series.

A minor criticism of the book is the paucity of references to the original sources of information, particularly to British work in this field.

W. J. BRAY

## Crystal Rectifiers

Professors Henry C. Torrey and Charles A. Whitmer. Vol. 15 of the Radiation Lab. Series. (McGraw-Hill Book Co. U.S.A.) 443 pp., 216 figs. Price \$6.00. 36s. in U.K.)

**T**HE introduction to the book briefly traces the development of crystal rectifiers up to the end of the war. By then they have become a stable and compact device, superior in many applications to the thermionic diode and unequalled as frequency changers or detectors for micro-wave receivers.

"Crystal Rectifiers" is divided into three sections; following the introduction. The first of these is an exhaustive treatise in the theory of semi-conductors and point contact rectifiers. The theory of barrier layer rectification, both for acceptor and donor regions, Hall effect, and the general mechanism of point contact rectification phenomena are discussed in detail. The authors do not claim their treatment to be rigorous and complete. Where observed results are not in agreement with expectations the facts are stated, and due prominence is given to gaps in existing knowledge.

The second and third parts are devoted to the design, processing, manufacture and testing of American rectifiers. Part Two deals with the centimetric wave frequency convertor crystal and Part Three with two other applications. In this connexion it is interesting to note that the authors have entitled Part Three "Special Types" but, since the book was written, some of these "Special Types" approach in importance the micro-wave mixers of Part Two. This remark may be taken as implying that parts of the book are "dated," but so, probably, is any work devoted to a rapidly advancing subject.

Naturally, all the examples and almost all the details of manufacturing technique quoted are American. But the authors give some prominence to British pioneering and subsequent development. It is, however, to be regretted that British types are neither specifically mentioned, nor illustrated nor is any reason given for the American decision to reverse the polarity of their standard crystal from the original British design.

But in general, the authors are to be congratulated on presenting a very comprehensive and authoritative treatise. As they say, data has been obtained from numerous sources, and it is, perhaps, inevitable that the information should tend to be somewhat disjointed and overlapped. Even so, this may be attributed as much to unevenness of war time research and development as to unevenness in the authors' presentation. The book is worthy of its place as to the first and, up to the present, the only work on the subject.

J. H. EVANS

## H. K. LEWIS & Co. Ltd.

### LENDING LIBRARY

Scientific and Technical  
Annual Subscription from

**ONE GUINEA**

*Prospectus post free on request*

New Scientific and Technical  
Books and new editions are  
always available

Bi-monthly list of new books  
and new editions sent post free  
to subscribers regularly

### THE LIBRARY CATALOGUE

*Revised to December, 1943*

containing Classified Index of Authors  
and Subjects. Demy 8vo. pp. viii + 928  
To Subscribers - - 12s. 6d. net  
To Non-subscribers - - 25s. net

(Postage 9d.)

*Supplement, 1944 to December, 1946*

To Subscribers - - 2s. 6d. net  
To Non-subscribers - - 5s. net

(Postage 4d.)

**LONDON: H. K. LEWIS & Co. Ltd.**

136 GOWER STREET, W.C.1

Telephone: EUSton 4282

### RECENT BOOKS

## FREQUENCY MODULATION ENGINEERING

By C. E. TIBBS, A.M.I.E.E.,  
A.M.Brit.I.R.E.

Foreword by

L. H. BEDFORD, O.B.E., M.A.

Demy 8vo. 310 pages. 172 figures. 28s. net.

## THE CATHODE RAY OSCILLOGRAPH IN INDUSTRY

By W. WILSON, D.Sc., B.E., M.I.E.E.  
M.Amer.I.E.E., M.Brit.I.R.E.

THIRD EDITION REVISED

Demy 8vo. 264 pages. 197 figures. 18s. net.

**CHAPMAN & HALL, LTD.**

37-39 Essex Street, London, W.C.2

# ABSTRACTS OF ELECTRONIC LITERATURE

## C. R. TUBES

### Stereoscopic Viewing of R.C. Tube Presentation:

(H. A. Iams, R. L. Burtner and C. H. Chandler)

This paper describes two methods of presenting three dimensional information on cathode ray tubes. Possible applications are considered and examples given showing both oscillograms and radar presentations in three dimensions. A discussion of the effect of flicker on stereoscopic viewing is included.

—*RCA Review*, March, 1948, p.149.

### An Oscilloscope Camera

(H. E. Hale and H. P. Mansberg)

Continuous recordings of oscilloscope patterns are made on film or paper at speeds from 1 in. per minute to 5 ft. per second, a range of 3,600 to 1, using electronic motor control. Either film motion or the oscilloscope sweep can be employed as the time base.

—*Electronics*, June, 1948, p.102.

### Iron-Cored Deflecting Coils for Cathode Ray Tubes

(A. Woroncow)

A concise theory of the magnetic circuits of deflecting coils with iron cores is given, and experimental results with various types of single-field and crossed-field coils are described. The properties of sensitivity, inductance, resistance, defocusing and distortions are considered, particular attention being paid to coils with slotted cores.

—*Jour. I.E.E.*, Part 3a, March-May, 1946, p.1,564.

### A Precision Time-Base and Amplifier for Radar Range Measurement

(J. H. Piddington and L. U. Hibbard)

A precision time base for use in a coastal defence fire-control radar set is described. The accuracy is about 1 part in 2,000 and the flexibility and neat method of display make it a useful and versatile time base.

Three variations, derived from this original time base are also described.

The first of these is a simplified precision version for anti-aircraft fire-control radar. The others are for surface-search radar and aircraft-warning radar sets and have accuracies of about 0.3 per cent. and 1 per cent. respectively.

The four time bases described constitute the display units of nearly all the radar sets developed in Australia. Something like five hundred sets have been built around them.

—*Jour. I.E.E.*, Part 3a, March-May, 1946, p.1,602.

## INDUSTRY

### New Technique in Glass-to-Metal Sealing

(J. A. Pask)

The methods of making metal-to-glass seals described in this article apply to "Kovar"-to-glass seals. Data given are for "Kovar" oxidised at a number of controlled temperatures and for varying times. The optimum obtained with a weight gain of .003 to .007 gr./sq. cm. The powder-glassing method of making seals described consists of grinding the glass, suspending the powdered glass in a suitable liquid, applying it to the prepared metal, and fusing to form a thin glass layer. The glass tube or bulb is subsequently joined to this layer as a glass-to-glass seal. Some examples of applications are given.

—*Proc. I.R.E.*, February, 1948, p.286.\*

### Soldering Aluminium Alloys

(F. W. Thomas and E. Simon)

Difficulties encountered in tinning aluminium have been partly overcome by vibrating solder at an ultrasonic rate while applying it to the work. This disrupts the oxide coating and enables alloying to take place before re-oxidation can occur. The operation is carried out by means of a valve-driven magnetostriction unit. Reasons for the selection of such a unit are analysed, and its characteristics discussed. Features of the polarising coil are investigated and operation of the equipment is described. The method has been applied to other metals which are difficult to solder.

—*Electronics*, June, 1948, p.91.\*

### Summarised Proceedings of Conference on Electron Microscopy

A brief account is given of the Seventh Conference on Electron Microscopy held at Leeds, September, 1947. A number of short reports, discussions and abstracts of papers by various scientists are included. On the whole, attention during this occasion was directed particularly to the applications rather than to the construction of the electron-microscope. Two types of microscope were especially dealt with: a new French instrument and the latest M-V. E.M.3 model, a prototype of which was demonstrated. A discussion on the choice of photographic materials showed that films, especially the 35 mm. size, are preferable to plates.

—*Jour. Sci. Inst.*, May, 1948, p.167.\*

## MEASUREMENT

### The Measurement of Delay Distortion in Microwave Repeaters

(D. H. Ring)

Measuring equipment is described which is capable of measuring delay distortion of the order of  $10^{-9}$  seconds in a wide band microwave television relay repeater. Two measuring circuits are discussed. The first is a circuit for measuring the relative phase shift versus frequency from which the delay distortion may be computed. The second circuit gives the delay directly from a single measurement. The measuring equipment is designed to work in the intermediate frequency range from 50 to 80 Mc/s., but by applying suitable conversion equipment measurements can be made at microwave frequencies.

—*Bell. Syst. Tech. Jour.*, April, 1948, p.247.

### The Proficorder—An Instrument for Recording Waviness and Other Surface Profiles

(E. J. Abbot, E. Rupke)

The instrument described, called a Proficorder, is used for measuring surfaces and provides essential data for the study of surfaces and the processes by which they are obtained. By amplifying electrically the output of a stylus tracer element, it reproduces the actual profile of a considerable length of surface, and permits the study of irregularities of size, shape, and relative position with respect to other irregularities. It can also be used for inspection of surface characteristics in production set-ups. Small angles relative to a given plane can also be measured with this instrument. Components of the instrument are enumerated, and principles of operation and functional details are given. Tests for determining accuracy and sensitivity of the Proficorder are described.

—*Amer. Soc. Mech. Engrs. Trans.*, May, 1948, p.263.\*

### Thickness Gauge for Moving Sheets

(J. W. Head)

The device described has been developed to measure glass and non-magnetic sheets having thicknesses of from  $\frac{1}{8}$  in. to 1 in. The material is passed between the primary and secondary windings of a measuring transformer; variations in material thickness change the coupling and are indicated by the out-of-balance reading on a bridge. The transformer is fed at audio frequency. The oscillator, amplifier, indicator, bridge and power supply circuits are described, together with the operation of the instrument.

—*Electronics*, May, 1948, p.90.\*


\* Abstracts supplied by the courtesy of Metropolitan-Vickers Electrical Co. Ltd. Trafford Park, Manchester

DON'T TRY ANY TRICKS  
WITH A PUFF ADDER . . .

and if you don't believe us  
just ask any Indian fakir  
you see walking down the  
street and he'll  
tell you.

In a similar  
vein of thought  
don't try any  
tricks with  
Transformers  
under  
abnormal conditions,  
just make a firm re-  
solve to think of  
the Parmeko Mercury  
series (hermetically  
sealed) when you  
desperately want  
-40c or +100c  
or when you're  
crazed for 50,000  
ft. up or down to  
you know where.

Under such con-  
ditions just you  
try using Trans-  
formers which  
are not quite  
reliable and  
you'll start a  
chain reaction  
or get yourself  
puff addered -  
get what  
we mean ?




PARMEKO OF LEICESTER.

Makers of Transformers for the  
Electronic, Signal, Luminous  
Tube, Oil Ignition Industries,  
etc.

# COSSOR


**MODEL 1035**

## DOUBLE BEAM OSCILLOGRAPH



A general-purpose Oscillograph comprising a Double Beam Tube operating at 2 kV., a Time Base, Y Deflection Amplifiers and Internal Power Supplies. The traces are presented over the full area of a flat screen of 90 mm. internal diameter. Signals are normally fed via the Amplifiers and provision is made for the measurement of the applied voltages upon the calibrated Y-Shift Controls. The Time Base operates repetitively or it can be triggered from an external source for single-stroke operation or for continuous scanning at trigger-pulse repetition frequency. A calibrated X-Shift Control is provided for the measurement of Time.

### Model 1428 CAMERA



Specially developed for use with Cossor Oscillographs, it provides the simplest means of recording stationary or non-recurrent waveform<sup>s</sup> and slow transients by the moving film method on standard perforated 35 mm. film or paper. Of robust construction it has provision for power drive by the Cossor Three-Speed Motor Attachment, Model 1429.

*Further details obtainable on application to*

A. C. COSSOR LTD., INSTRUMENT DEPT., Highbury, London, N.5

# Vortexion

## C.P.20A 15 WATT AMPLIFIER

for 12 volt battery and A.C. Mains operation. This improved version has switch change-over from A.C. to D.C. and "stand by" positions and only consumes 5½ amperes from 12 volt battery. Fitted mu-metal shielded microphone transformer for 15 ohm microphone, and provision for crystal or moving iron pick-up with tone control for bass and top and outputs for 7.5 and 15 ohms. Complete in steel case with valves.

As illustrated. Price £28.0.0


## A.D. 47 10-valve Triode Cathode Follower AMPLIFIER

For this recording and play-back amplifier we claim an overall distortion of only 0.01% as measured on a distortion factor meter at middle frequencies for a 10 watt output. The output transformer can be switched from 15 ohms to 2,000 ohms for recording purposes, the measured damping factor being 40 times in each case. Full details on request.

"SUPER FIFTY WATT" AMPLIFIER complete in case. Price 36½ Gns.

RECORD REPRODUCER AMPLIFIER complete in case. Price 25½ Gns.

"THIRTY WATT" AMPLIFIER complete in case. Price 30½ Gns.



EXPORT  
ENQUIRIES  
INVITED

# VORTEXION LTD.


257 - 261 THE BROADWAY,  
WIMBLEDON, S.W.19

Telephones : LIBerty 2814 and 6242/3

Telegrams : VORTEXION, WIMBLE, LONDON

# MINIRACK

## COMPLETE CATHODE - RAY OSCILLOGRAPH EQUIPMENTS



- Single and Multi-channel
- F.M. amplifiers
- A.C. and D.C. Amplifiers
- Time-Bases
- Time-Markers
- Recording Cameras
- Pressure and Vibration pick-ups

We make a wide range of standard equipments to suit all purposes.

PLEASE WRITE FOR DETAILS

Special equipments made to meet users requirements

**SOUTHERN  
INSTRUMENTS  
LIMITED**

FERNHILL, HAWLEY  
CAMBERLEY, SURREY

Phone : Camberley 1741

# TOROIDAL POTENTIOMETERS 10-1000 WATTS


Ceramic Insulation only—and approved for  
Tropical conditions.  
Complete Ceramic Rings for strength.  
Approved by all Government Departments.  
Reasonable Delivery.

Specialists in ALL TYPES OF TOROIDAL WINDINGS

**P. X. FOX LIMITED**  
HORSFORTH • YORKSHIRE • ENGLAND


Telephone: Horsforth 2831

Telegrams: Toroidal, Leeds



n.o.n

## — ALL-POWER — CONSTANT VOLTAGE POWER SUPPLIES



### SPECIAL LABORATORY UNITS


This forward mounting Rack Unit, illustrated with cover removed, provides a constant output voltage of 300 D.C. at any current up to 600 mA. The output impedance is a fraction of an Ohm, and the residual output ripple is less than 2 mV.

This is only one of the many special Power Supply Units we are making to customers' requirements.

### **ALL-POWER TRANSFORMERS LTD.**

8a, Gladstone Road, Wimbledon, S.W.19

Tel. : LIBerty 3303



Resistors produced by the cracked carbon process remain stable to  $\pm 1\%$  of initial value.

Tolerances  $\pm 1\%$   $\pm 2\%$   $\pm 5\%$   
Low temperature co-efficient.

**Welwyn**  
carbon resistor

**WELWYN ELECTRICAL LABORATORIES LTD., WELWYN GARDEN CITY, HERTS.**  
Telephone: Welwyn Garden 3816-8.

# RM


## Radio Feeder

### 483


Designed to supply radio signals to all classes of amplifiers. Three wavebands. Output, 5 volts across 680 K-ohms. Three valves: 6K8G, 6K7G, 6Q7G. Price: £12 12s., plus £2 14s. 7d. purchase tax.

POWER SUPPLY UNIT AVAILABLE  
WHERE NECESSARY.

*Send for full particulars.*



R. M. ELECTRIC LTD., TEAM VALLEY, GATESHEAD, 11.



**Over to you!** Designed for rapid inter-com and widely used in aircraft. The Type 40/1542 is a simple two-way switch, spring biased so that it automatically returns to one position, normally used for speech. To listen the user rotates and holds in Position 2. This switch will find wide uses in civil aircraft and for inter-office communication on subsidiary stations.

WALTER INSTRUMENTS LIMITED, GARTH ROAD, LOWER MORDEN, SURREY. TELEPHONE: DERWENT 4421-2-3

# WALTER Type 40


1542

made for



ONE OF OVER 2000

ASSEMBLIES



## Joint and trimmings


In the early days of Radio the kind of sleeving then available was facetiously termed coloured macaroni. Certainly, some of the grades had little more insulating power than that commodity. Research and development now bring the perfection of Delaflex sleeveings in a variety of plain and multiple colours to suit the most complex coding system. Diameters from 0.5 mm. In Varnished Cotton, Varnished Art. Silk (Rayon) and Rolled Silk. Optional metal screening.

# Delaflex

insulated sleeveings

DE LA RUE INSULATION LTD., IMPERIAL  
HOUSE, 84/86 REGENT ST., LONDON, W.1  
TELEPHONE: REGENT 2901  
TELEGRAMS: DELINSUL, PICCY, LONDON

## Penny Wise —



## — POUND FOOLISH

The responsibility of a buyer is to buy in the best market. Too often this is interpreted as purchasing from the cheapest source. With resistors this is usually a fatal policy.

Any premature breakdown of equipment can cost more in goodwill than will ever be saved by buying the cheapest resistors. True, the buyer can always change his source of supply but it may be too late to save the good name of his own product.

In the long run it is far cheaper to specify —




## RESISTORS

THE BRITISH ELECTRIC RESISTANCE CO. LTD.  
QUEENSWAY, PONDERS END, MIDDLESEX

Telephone:  
Howard 1492

Telegrams:  
Vitrohm, Enfield





# CRYSTALS

MARCONI QUARTZ CRYSTALS are made to satisfy the highest possible standards because nothing but the highest standards satisfy the designers of Marconi equipment.

Mounted in an evacuated glass envelope, with a Type B7G base, Marconi Crystals can now be supplied to all Manufacturers in the following ranges:—

- 75-150 kc/s
- 200-500 kc/s
- 2-15 Mc/s
- 12-35 Mc/s (overtone plates)

Frequency Tolerance . . .01% normal  
 .005% maximum  
 Temperature Coefficient . . 2 parts in  $10^6$  per degree C.

*Enquiries are also invited for other types to suit specific requirements.*

# Marconi

MARCONI'S WIRELESS TELEGRAPH COMPANY LIMITED  
 (DEPT. E), MARCONI HOUSE, CHELMSFORD, ESSEX



## PHOTO-ELECTRIC RELAYS



THE BTH Company has had many years' experience in the development and manufacture of Photo-electric Relays and their application to industrial processes.


*including :*

- LIQUID LEVEL CONTROL
- TEMPERATURE CONTROL
- LIGHTING CONTROL
- DIMENSIONAL CONTROL
- REGISTER CONTROL
- WEIGHING
- COUNTING
- BURGLAR ALARMS
- ETC. ETC.



*The BTH Company also makes a wide range of Electronic Apparatus associated with power equipment for all purposes*

**BTH RUGBY**  
 THE BRITISH THOMSON-HOUSTON COMPANY LIMITED, RUGBY, ENGLAND  
 A.3749N




## THE MICANITE & INSULATORS CO. LTD.

Empire Works, Blackhorse Lane, Walthamstow, London, E.17

Manufacturers of MICANITE (Built-up Mica Insulation). Fabricated and Processed MICA. PAXOLIN Laminated Materials. EMPIRE Varnished Insulating Cloths and Tapes. HIGH VOLTAGE BUSHINGS and TERMINALS. Distributors of Micoflex-Duratube sleeveings.

# VACUUM EQUIPMENT




**FROM ONE MILLIONTH OF AN ATMOSPHERE DOWN TO ONE THOUSANDTH OF A MILLIONTH.**

We specialise in the design, manufacture and installation of High Vacuum Gauges, Valves, Diffusion Pumps, Furnaces, Coating equipment and dehydration units.

High Vacuum from  $10^{-3}$  to  $10^{-7}$  mm. is our business, and unique experience acquired in a world-wide field is available willingly to all those who plan and engineer in this rapidly developing field of science.



For instance, here are three useful high vacuum testing instruments.



➔ **THE B.A.R. THERMOCOUPLE-IONISATION GAUGE CONTROL.**

The newly developed Thermocouple-Ionisation Gauge Control, complete with Thermocouple and Ionisation Gauges, covers the pressure range from  $2 \times 10^{-7}$  mm. to 1 mm. Hg. Operation is dependable and simple. Ranges are  $10^{-3}$ —1 mm. and 0—5, 0—1.0, 0—0.1, 0—0.01 microns. The unit is removable from its cabinet for incorporation in a central panel.

**THE B.A.R. ALPHATRON** is an ionisation type vacuum gauge, using the ionising power of alpha particles from a radium source to measure total pressure of any gas, vapour, or mixed atmosphere from  $1 \mu$  to 10 mm. Hg. with instantaneous linear response. The B.A.R. Alphatron is quickly available from batches now in production.




➔ **THE B.A.R. THERMOCOUPLE GAUGE CONTROL** is a light portable instrument that may be carried to any part of a plant or system for vacuum testing. It is compact, rugged and built throughout to withstand hard industrial use.

Operated from any 230/250 volt, 50/60 cycle supply. This unit gives pressure indications over a continuous range from 1 to  $1,000 \mu$  Hg. These pressures are read directly on the microammeter, which is calibrated both in microns and microamperes. By means of increased filament current and special calibration, the unit will indicate pressures up to 2 mm. Hg. The gauge is undamaged by operation at atmospheric pressure.

## BRITISH AMERICAN RESEARCH LTD

DESIGNERS AND MANUFACTURERS OF HIGH VACUUM GAUGES · VALVES · SEALS  
DIFFUSION PUMPS · STILLS · FURNACES · COATING EQUIPMENT AND DEHYDRATION PLANT  
BLOCK E2 · HILLINGTON NORTH · GLASGOW S. W.



**18 TOTTENHAM COURT RD.,  
LONDON, W.I. Phone : MUSEum 2453, 4539**

**SHOP HOURS :**

MONDAYS-FRIDAYS 9-5-30.

SATURDAYS 9-1.

**NEW LINES**

**R.S.G.B. PUBLICATIONS**—for the progressive amateur.

The Transmitting Licence 9d. Microwave Technique 2/-  
V.H.F. Technique 3/6 Valve Technique ... 3/6

**I.F. TRANSFORMERS.** Iron-cored high quality  
condenser tuned transformers for 465 Kc/s., 1.6 Mc/s. or  
10.6 Mc/s. operation. Size, 1½ in. square by 3 in. high.  
Price, per pr. 15/-

As above, with centre tapped primary and secondary  
465 Kc/s. only. ... each 8/-

As above, with two additional windings for variable  
selectivity. Circuit enclosed. 465 Kc/s. only, per pr. 18/6

<b>WIRE.</b> All in ½ lb. reels			
Tinned copper	18 S.W.G. ...	1/3	Enam. copper 26 S.W.G. ...
"	" 20 " ...	1/3	" " 28 " ...
"	" 22 " ...	1/6	" " 30 " ...
Enam.	" 16 " ...	1/6	" " 32 " ...
"	" 18 " ...	1/6	" " 34 " ...
"	" 20 " ...	1/6	" " 36 " ...
"	" 22 " ...	1/9	" " 38 " ...
"	" 24 " ...	2/-	" " 40 " ...

**TRANSFORMERS.**

Elstone type MT/7. Primary 200/230/250 v. Sec., 450.0.450 v. 250 mA, 6.3 v. 5A CT; 6.3 v. 3A CT  
5 v. 3A Price £2 17 0

Elstone type MT/9. Primary, 200/230/250 v. Sec., 500.0.500 v. 250 mA, 6.3 v. 6A CT; 6.3 v. 3A CT.;  
5 v. 3A Price £3 7 6

**CHOKES.**

Stewart 5 H 250 mA fully shrouded type with wire ends ... Price £1 3 6

**SPECIAL ANNOUNCEMENT**

We are now able to supply standard  
rack equipment from stock.  
18 S.W.G. Steel Chassis, 17 in. by  
10 in. by 3 in., all corners riveted.  
Black gloss finish ... each 4/6  
16 S.W.G. Steel Panels, 19 in. by 10½ in.  
Black crackle finish ... each 5/9  
Brackets for use with the above. Black  
gloss finish ... per pr. 3/9

**SURPLUS**

**AMERICAN HOMING ADAPTOR**, suitable for  
conversion into 144 Mc/s. preselector. Complete with  
954 acorns. Size approx. 3½" × 3" × 10". Original  
set-up 3 R.F. and anode bend detector normally converted  
to 2 R.F., frequency changer and oscillator.  
Converted model may be seen at our premises.

Price, 35/- each, plus 1/6 carriage, etc.  
**KEYS.** The well-known ex-R.A.F. heavy brass key,  
type D, complete with moulded case.

Now only 3/6, plus 7d. carriage, etc.  
**CHOKES.** Standard type wire-ended U.H.F. choke,  
60 mA. ... Price 10d.  
Standard type wire-ended S.W. choke, 250 mA.  
Price 1/6

**PLUGS AND SOCKETS.** Flex plug, chassis socket  
type. 5-way, 2/- per pr.; 7-way, 2/6 per pr.; and  
10-way, 3/- per pr.

**HIGH VOLTAGE CONDENSERS.** Moulded case  
type. All at each 6d.  
0.1 Mfd., 600 v.; 0.1 Mfd., 1500 v.; 0.01 Mfd., 4 KV;  
0.01 Mfd., 5 KV; 0.03 Mfd., 2.5 KV.

**SWITCHES.** All absolutely new and unused.  
2 wafers, each wafer 1 p., 12-way. Spindle  
length, 1 in. ... Price 3/6  
1 wafer only, 4 p., 3-way. Spindle length  
3 in. ... 3/3  
1 wafer only, 1 p., 12-way. Spindle length,  
1 in. ... 3/-  
Single-pole on/off heavy duty panel mtg.  
toggle type 15A rating ... 3/6  
Double-pole on/off 10A panel mtg., toggle  
switch in black bakelite. Back open ... 2/6

**OUR TELEVISOR LIST IS NOW AVAILABLE**—Send stamped and addressed envelope for copy.  
**STOCKISTS OF VALVES, BATTERIES, TEST EQUIPMENT (H.P. terms available) AND RADIO COMPONENTS OF ALL TYPES.**

**GOODMANS**

INTRODUCE THE  
**'AXIOM TWELVE'**  
Loudspeaker

A *High-Fidelity* INSTRUMENT FOR ALL MUSIC LOVERS  
AND 'QUALITY' ENTHUSIASTS

This outstanding instrument marks a further important stage in  
the development of faithful sound reproduction. The patented  
twin diaphragm assembly\* and high magnetic flux together  
account for the excellent overall frequency and transient  
response. Provided that the electrical input is faultless, every  
inflexion of the human voice is rendered with startling realism,  
and the natural range and contrast of the orchestra are strikingly  
re-created. It is absolutely essential to use this Loudspeaker  
with equipment which has been specifically designed for High  
Fidelity reproduction, as it will reproduce everything fed to it,  
including any distortion that may be present. For all normal  
requirements we recommend our standard 12 in. model T2.

Please send for illustrated folder A.88 giving full technical details;


\* British Patent No. 451,754. Other patents pending.

FIDELITY




EFFICIENCY

NOTE. To obtain the best results from the Axiom Twelve  
Loudspeaker it is important to use a first class output transformer,  
correctly designed to match the equipment. Goodmans type H4  
Transformers fulfil these conditions, being wound to individual  
load requirements. They can be supplied at short notice.



This sectional diagram of the Axiom  
Twelve unit illustrates the twin exponential  
diaphragms with seamless moulded centre  
cone of extreme lightness and rigidity. A  
single speech coil drives the two dia-  
phragms, which are coupled through a  
mechanical compliance. This achieves a  
perfectly smooth cross-over without any  
electrical filter network.




GOODMANS INDUSTRIES LTD., LANCELOT ROAD, WEMBLEY, MIDDX. 'Phone: Wembley 4001. Telegrams: "Goodmans, Wembley 4001"

## Measuring Inductance of choke and transformer windings under working conditions

Windings having inductances between 100 m/Hys. and 5,000 Hys. can be measured when carrying D.C. up to 100 milliamps by using an external source and connecting as shown. The use of a high impedance choke in series with the source is necessary to avoid short circuiting the detector input.



**COMPONENT BRIDGE B101**  
 Capacity: 5 pfd. to 500 mfd. in eight ranges  
 Resistance: 5 ohms to 500 MΩ in eight ranges  
 Inductance: 0.1 Hy. to 5000 Hys. in four ranges  
 Leakage 0 to 1.5 m/a Q: 0 to 30  
 Precision Comparator Price 26 Guineas



THE WAYNE KERR LABORATORIES LIMITED, NEW MALDEN, SURREY. · PHONE MALDEN 2202

**NEW DESIGNS**


in the range of

**U.I.C**

*High Stability*  
**CAPACITORS**

### (3) METALLIZED CERAMIC HERMETIC SEALS

TYPE NUMBER	17055	27075	39105	45130
FLASHOVER KV DC (TOP)	9	12	13	21
MAXIMUM AMPS.	5	12	23	26



The new range of U.I.C Hermetic Seals guarantees air and moisture-tight sealing even with permanent pressure differences of up to 20 lbs. A specially developed metallizing technique ensures excellent adhesion between metal coating and ceramic body and permits soldering at temperatures between 220°C and 310°C. Full particulars of flashover voltages, current carrying capacity and behaviour at reduced pressure are available on request.

We are pleased to announce to the PUBLIC and the TRADE that the following new **T.C.C.** condensers are now in STOCK and available for Immediate delivery.

**33 <sup>10</sup>/<sub>3</sub>% DISCOUNT TO THE TRADE**

**MOULDED MICA**

	Each
CM20N 100pF ... ..	1/2
CM20N 200pF ... ..	1/2
CM20N 300pF ... ..	1/2
CM20N 500pF ... ..	1/6
CM20N 1000pF ... ..	1/9
M2N 2000pF ... ..	2/3
M3N 3000pF ... ..	2/3
M3N 5000pF ... ..	3/-
M3N 10000pF ... ..	4/6
M3GO 0.001mF 1500 v. ... ..	3/8

**DRY ELECTROLYTIC**

	Each
CE34P 4-4mF ... ..	6/-
CE27P 8-8mF ... ..	7/6
CE28P 16-8mF ... ..	9/-
CE37P 16-16mF ... ..	11/-
CE37P 24-16mF ... ..	12/-
CE38P 8-8-8mF ... ..	11/-
CE39P 16-8-8mF ... ..	12/6

**C.R. CAPACITORS**

	Each
CP56QO 0.01mF ... ..	7/6
CP58QO 0.1 mF ... ..	15/-

**DRY ELECTROLYTIC**

	Each
CE26L 16mF 350v. ... ..	4/9
CE29L 30mF 350v. ... ..	6/6
CE37P 32mF 450v. ... ..	10/-
CE37L 30-30mF 350v. ... ..	12/-
CE10P 8mF 500v. ... ..	6/6
CE14P 16mF 500v. ... ..	9/6
922 8mF 600v. ... ..	15/-
512 4mF 500v. ... ..	7/-
512 8mF 500v. ... ..	8/-
CE29P 16mF 450v. ... ..	6/-
V3 Clips ... ..	0/4 <sup>3</sup> / <sub>8</sub>
543 0.0005mF ... ..	0/10
543 0.001mF ... ..	0/10
543 0.002mF ... ..	0/10
543 0.005mF ... ..	0/10
543 0.01mF ... ..	0/11
543 0.02mF ... ..	1/-
543 0.05mF ... ..	1/2
543 0.1mF ... ..	1/3
543 0.25mF ... ..	1/6
343 0.5mF ... ..	2/-
CM30 500pF Mica disc ... ..	2/6
CC30A 2pF Ceramic ... ..	1/4
CC30Y 15pF Ceramic ... ..	1/3
CC30Y 47pF Ceramic ... ..	1/9
CE70B 30mF 15v. Picopack ... ..	2/9
CE30B 20mF 12v. Picopack ... ..	2/6
CE30N 1mF 350v. Picopack ... ..	2/6

**MICROPACKS**

	Each
CE61D 50mF 50v. ... ..	4/-
CE32C 25mF 25v. ... ..	2/9
CE32B 50mF 12v. ... ..	2/9
CE19P 8mF 450v. ... ..	4/6

**METALMITES**

	Each
CP30S 0.001mF 500v. ... ..	1/9
CP30S 0.002mF 500v. ... ..	1/9
CP31N 0.005mF 350v. ... ..	1/8
CP32N 0.01mF 350v. ... ..	1/8
CP32S 0.005mF 500v. ... ..	1/10
CP33S 0.01mF 500v. ... ..	1/10
CP34S 0.02mF 500v. ... ..	1/10
CP35N 0.05mF 350v. ... ..	2/-
CP36S 0.05mF 500v. ... ..	2/1
CP37N 0.1mF 350v. ... ..	2/3
CP33N 0.02mF 350v. ... ..	1/9

**METALPACK**

	Each
CP47N 0.5mF ... ..	3/-
CP45N 0.1mF ... ..	2/1
CP47V 0.1mF ... ..	2/6
CP47S 0.25 mF 500v. ... ..	2/10
CP91N 1mF ... ..	4/-

**TELE-RADIO (1943) LTD.**

**177a & 211, EDGWARE ROAD, LONDON, W.2**

Phone: AMB 5393 PAD 6116 and 5606.

*Once again*  
**CHOSEN for**  
**RELIABILITY**  
 FOR THE  
**"ELECTRONIC ENGINEERING"**  
**TELEVISOR**


In their aim for quality and reliability the designers of this Home Built Televisor chose Gardners chokes and transformers. Here once again, is proof that when only the best is good enough, Gardners components meet every need.

Extensive research, modern design and efficient manufacturing methods all combine to ensure a performance that is unsurpassed.

**GARDNERS**

"SOMERFORD"  
**TRANSFORMERS**  
**AND CHOKES**

full details on request  
 GARDNERS RADIO LIMITED  
 Somerford, Christchurch, Hants.




# TRIX

Quality

**SOUND EQUIPMENT**

*will do the job*



New 60 watt Amplifier T 663 B

**THE TRIX ELECTRICAL CO. LTD.**  
1-5, Maple Place, Tottenham Court Road  
London, W.1. Phone: MUSeum 5817.  
Grams & Cables: "Trixradio, Wesdo, London."

**AMPLIFIERS • MICROPHONES • LOUDSPEAKERS**

## Partridge News REMOVAL

Our offices at Petty France are now closed and we wish to bring to your notice our new address at Brixton, as shown below. Pending the completion of our new modern transformer factory, our offices, stores and works will now be located at this address.

\* \* \* \*

## LONDON SALES OFFICE


For the benefit of our many friends we have made arrangements for the immediate supply from stock of small quantities of our standard components. These can be collected from our address at King's Buildings, Dean Stanley Street, Millbank, Westminster, S.W.1 (250 yards from Big Ben). Hours: 10 a.m. to 1.0 p.m. and 2.0 to 5.30 p.m. (Mondays to Fridays only). Kindly note this address is for stock sales only, and all correspondence and other inquiries should be sent to Peckford Place.

Telephone:  Brixton 6506

# PARTRIDGE

## TRANSFORMERS LTD

PECKFORD PLACE, LONDON, S.W.9




## NEW G.P.12 CRYSTAL PICK-UP

*with permanent sapphire stylus*

—was fully described in *The Wireless World's* recent article "Crystal Pick-ups—Basis of Design for Fidelity Reproduction."

This remarkable pick-up, which represents the ultimate in high-fidelity reproduction, is now available in limited quantities through your rad.o dealer, price 104/- incl. P.T.



**FREE ILLUSTRATED FOLDER** describing this new pick-up may be obtained by returning the coupon below.

TO COSMOCORD LTD  
ENFIELD, MIDDXX.

Please send folder of ACOS Pick-ups.

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

E.E.

## AMBITIOUS ENGINEERS

Have You had Your Copy of  
"Engineering Opportunities"?



Whatever your age or experience—you must read this highly informative guide to the best paid Engineering posts.

The Handbook contains particulars of A.M.I.C.E., A.M.I.Mech.E., A.M.I.E.E., A.M.I.M.I., A.M.Brit.I.R.E. and other important Engineering Examinations, and outlines home-study courses in all branches of Civil, Mechanical, Electrical, Automobile, Radio and Aeronautical Engineering, Government Employment Draughtsmanship, Building and Plastics Matriculation, etc.


**WE GUARANTEE, "NO PASS—NO FEE"**

If you are earning less than £10 a week you cannot afford to miss reading "Engineering Opportunities." It tells you everything you want to know to secure your future. Write for your copy of this enlightening guide to well-paid posts NOW—FREE and without obligation.

**BRITISH INSTITUTE OF  
ENGINEERING TECHNOLOGY**

337E, SHAKESPEARE HOUSE, 17, 18, 19,  
STRATFORD PLACE, LONDON, W.1

## POTENTIOMETERS



by

# RELIANCE

Type T.W. Wire Wound

Rating	Ranges
5 Watts Max. (linear)	5-100,000 Ω Max. (linear)
3 Watts Max. (graded)	50-50,000 Ω Max. (graded)
	100-10,000 Ω Non-ind.

Type S.G. Composition  
1 Watt Max. 2,000 ohms to 5 megohms

CHARACTERISTICS: (both types) linear, log., semi-log., inverse log., non-inductive, etc.

Full details from

**RELIANCE**

Manufacturing Co., (Southwark) Ltd.  
Sutherland Rd. Hingham Hill, Walthamstow E.17  
Telephone: Larkswood 3245

**MELTON**  
**METALLURGICAL**  
**LABORATORIES**  
LTD.


## Liquid Silver

We beg to announce our change of address to larger premises at:

**42, TOWNGATE STREET,  
POOLE, DORSET**

Telephone No. Poole 872-3

# Transformers & Chokes



Typical Vacuum impregnated Transformer of SEM design

SEM transformers and smoothing chokes ranging from 10 VA to 10 KVA incorporating such features as :-

- Silent operation,
- High electrical efficiency and
- Over-load reserve power,
- Robust Construction, etc.



## SMALL ELECTRIC MOTORS LTD.

have specialised for over 30 years in making electrical machinery and equipment and are experienced in the design and manufacture of the above products.

BECKENHAM, KENT, ENGLAND. Phone: BECKENHAM 0066 & 1152 Grams: "SEMOCO," Beckenham

London Office: Terminal House, 52 Grosvenor Gdns. S.W.1. Phone: SLOane 0411

Manufacturers of  
LOUDSPEAKERS  
LAMINATIONS  
IN NICKEL ALLOYS  
AND SILICON IRON  
SCREENS FOR  
ELECTRONIC USES  
IN ALL GRADES OF  
NICKEL

**ELECTRICAL SOUND & TELEVISION PATENTS LTD.**  
12 PEMBROKE STREET, LONDON, N.1. — TERMINUS 4355  
2/4 MANOR WAY, BOREHAM WOOD, HERTS — ELSTREE 2138

# Miniature or Midget

ACTUAL SIZE ACTUAL SIZE

30% 10 1/4 XY 114A

24% 10 1/4 XW 0.75A

## HIVAC

THE SCIENTIFIC VALVE

BRITISH MADE

NEW TYPES FOR  
MIDGET RECEIVERS  
HEARING AIDS  
METEOROLOGICAL  
INSTRUMENTS  
ETC.

**HIVAC LIMITED** Greenhill Crescent, Phone: HARROW Harrow on the Hill, Middx. 0895

## Small Geared MOTOR UNITS

for  
OPERATING VALVES,  
DAMPERS OR RHEOSTATS,  
CINEMA PROJECTORS,  
ROTATING SCREENS,  
ILLUMINATED SIGNS,  
SMALL WORKING MODELS,  
GENEVA MOVEMENTS FOR  
DRUM-TYPE SWITCHES,  
ROCKING BATHS, WORK  
MOVEMENT, SOLDERING  
AND WELDING FIXTURES,  
CONTINUOUS TURNING,  
FEED OF LIGHT STRIP  
UNDER PROCESS, etc.

Drayton "R.Q." Motors are supplied reversing or continuous running, with or without self-switching for 100/110 or 200/250 volts A.C.  
Final Shaft Speeds: 600 r.p.m./27 min. per rev.  
Torque: 60 in. lbs. Consumption: 25 W.

Send for List M 302-1

**The DRAYTON 'R.Q.'**  
Drayton Regulator and Instrument Co. Ltd.,  
West Drayton (West Drayton 261?) Middx




**ENQUIRIES FOR**  
*Dainite*  
**MOULDED RUBBER PARTS ARE INVITED**



From the Engineering, Electrical and Motor Industries for . . .  
 Special Moulded Parts in Natural and Synthetic Compounds.

**THE HARBORO RUBBER CO. LTD. MARKET HARBOROUGH**

**METAL CABINETS & CHASSIS**



**METAL LETTERS**  
**ELECTRIC & DAYLIGHT SIGNS**

**FLUORESCENT**



**FITTINGS**

*Write for our new leaflet*

**CHASE PRODUCTS (ENGINEERING) LTD.**  
 27 PACKINGTON ROAD, LONDON, W.3. AGORN 1153-4

**BRAY CERAMIC INSULATORS**  
 for L.F. and H.F. Components; also capacitor dielectrics




made by

**GEO. BRAY & CO., LTD. LEEDS, 2**  
 Established 1863 Phone Leeds 20981


**THE DARWINS GROUP**

**PERMANENT MAGNETS**



To the user of permanent magnets in the widest possible variety of applications we can offer assistance in selecting the right magnet and type of magnetic material. Our contribution to the development of permanent magnets is most extensive and we conduct continuous research into their improvement.

Write for a copy of Darwins Magnet Book.



**DARWINS LIMITED**  
**TINSLEY SHEFFIELD**




*From every angle, the finest...*

# OSCILLOSCOPE 1684D

### CHECK THESE FEATURES

- ✓ D.C. amplifiers on X and Y axes
- ✓ Symmetrical or Asymmetrical Input
- ✓ Instantaneous Shifts
- ✓ Expansion of Time Base
- ✓ Video Frequency Response
- ✓ Automatic Synch
- ✓ Green, Blue, after-glow Screens
- ✓ Time Base 0.2 c/s—150 Kc/s.



*Furzehill*

**LABORATORIES LTD**



BOREHAM WOOD, HERTS  
TELEPHONE ELSTREE 1137

# GEN for TUBE USERS

## TRIODES

American Type	Description	Standard Type
300A	40 watts directly heated A.F. Amplifier	4300A
304B	50 watts Thoriated Tungsten filament R.F.	4304CA
834	50 watts Thoriated Tungsten filament R.F.	4304CA
242A	85 watts Thoriated Tungsten filament A.F.	4242A
211A	85 watts Thoriated Tungsten filament A.F.	4242A★
212E	275 watts Thoriated Tungsten filament A.F.	4212E
270A	350 watts Thoriated Tungsten filament R.F.	4270A
357A	350 watts Thoriated Tungsten filament R.F.	4357A
228A	5 kW Tungsten Filament. Water-cooled	4228A
RK.34	5 watts Double Triode. Indirectly heated	4074A

**Standard Valve**  
EQUIVALENTS OF AMERICAN TYPE TUBES

## TETRODES

American Type	Description	Standard Type
282A	70 watts Thoriated Tungsten filament	4282A
260A	100 watts Thoriated Tungsten filament	4260A

## BEAM POWER TETRODES

American Type	Description	Standard Type
807	25 watts indirectly heated	5B 250A
813	100 watts Thoriated Tungsten filament R.F.	5C/100A

## PENTODES

American Type	Description	Standard Type
RK.20	60 watts Thoriated Tungsten filament R.F.	4052A
RK.28	100 watts Thoriated Tungsten filament R.F.	4069A
803	100 watts Thoriated Tungsten filament R.F.	4069A★

## RECTIFIERS

American Type	Description	Standard Type
274A	High vacuum full wave Oxide-coated filament	4274A
866/866A	HCMV. P.I.V. 10 kV Average current 0.25A	2V/400A
872/8008	HCMV. P.I.V. 20 kV Average current 1.25A	4064B
869B	HCMV. P.I.V. 20 kV Average current 2.5A	4078A
222B	Water-cooled high vacuum P.I.V. 45 kV	4222B

TYPES MARKED ★  
ARE NOT EXACT  
EQUIVALENTS

## COLD CATHODE TUBES

American Type	Description	Standard Type
313C	Gas-filled relay and stabiliser	4313C
0D3/VR 150	Gas-filled stabiliser, stabilised voltage 150V	G180/2M

For complete data write to:

Department 3707

**Standard Telephones and Cables Limited** RADIO DIVISION  
OAKLEIGH ROAD, NEW SOUTHGATE, LONDON, N.11