AUGUST 1979 🖲 Volume 4, Number 8 🔰 \$2.00 in USA/\$2,40 in Canada

the small systems journal

CONS

TU

DEFINE(((REMBLANK (LANDA (STRING)) (COND ((NAOLL STRING))NAL) (EOL(CAFE STRING) BLANK) (REMBLANK (CDR STRING)) (T (CO))S (CAR STRING) (REMBLANK (CDR STRING))))) DEFINE(((INDT(LAMDA(NSTRING))))))))) DEFINE(((INDT(LAMDA(NSTRING)))))

DEFINE ((ELTCH (LANDA(X))) (PROG (XPOS FRT BAK) (SETQ XPOS (CDR X)) (SETQ FRT(CDAR X)) (SETQ BAK(CAAR X)) TST (* (0N5 (





SYSTEMS - SOLUTIONS

If you have a problem that can be solved by a computer-we have a systems solution.

- Two central processors with maximum RAM capacities of 56K and 384 K bytes
- Three types of disk drives with capacities of 175K, 1.2M and 16M bytes
- Two dot matrix printers with 80 and 132 line capacity
- A Selectric typewriter interface and a daisy wheel printer


Match these to your exact need, add one or more of our intelligent terminals and put together a system from one source with guaranteed compatibility in both software and hardware.

Southwest Technical Products systems give you unmatched power, speed and versatility. They are packaged in custom designed woodgrain finished cabinets. Factory service and support on the entire system and local service is available in many cities.



SOUTHWEST TECHNICAL PRODUCTS CORPORATION 219 W. RHAPSODY SAN ANTONIO, TEXAS 78216 (512) 344-0241

Circle 350 on inquiry card.



The single card computer with the features that help you in real life

COMPLETE COMPUTER

In this advanced card you get a professional quality computer that meets today's engineering needs. And it's one that's complete. It lets you be up and running fast. All you need is a power supply and your ROM software.

The computer itself is super. Fast 4 MHz operation. Capacity for 8K bytes of ROM (uses 2716 PROMs which can be programmed by our new 32K BYTE-SAVER® PROM card). There's also 1K of on-board static RAM. Further, you get straightforward interfacing through an RS-232 serial interface with ultra-fast speed of up to 76,800 baud - software programmable.

Other features include 24 bits of bidirectional parallel I/O and five onboard programmable timers.

Add to that vectored interrupts.

ENORMOUS EXPANDABILITY

Besides all these features the Cromemco single card computer gives you enormous expandability if you ever need it. And it's easy to expand. First, you can expand with the new Cromemco 32K BYTESAVER PROM card mentioned above. Then there's Cromemco's broad line of S100-bus-compatible memory and I/O interface cards. Cards with features such as relay interface, analog interface, graphics interface, optoisolator input, and A/D and D/A conversion. RAM and ROM cards, too.



32K BYTESAVER PROM card

EASY TO USE

Another convenience that makes the Model SCC computer easy to use is our Z-80 monitor and 3K Control BASIC (in two ROMs). With this optional software you're ready to go. The monitor gives you 12 commands. The BASIC, with 36 commands/functions, will directly ac-and call machine language subroutines.


Finally, to simplify things to the ultimate, we even have convenient card cages. Rugged card cages. They hold cards firmly. No jiggling out of sockets.

AVAILABLE NOW/LOW PRICE

The Cromemco Model SCC is available now at a low price of only \$450 factory assembled (\$395 kit).

So act today. Get this high-capability computer working for you right away.





You can do surprising things when you have 64 kilobytes of fast RAM

on one card

4 MHz FAST—AND EXPANDABLE

Here's 64 kilobytes of memory on one RAM card. Yes, we mean 512K bits of read/write memory on this single card.

And, yes, we mean it's fast. With 150-nanosecond chip access times — so the card can operate in fast Z-80 systems with no wait states. Repeat, no wait states.

EXPANDABLE ON TWO LEVELS

Not only does the new Model 64KZ give you a large, fast RAM but it is expandable on two levels.

First, through our Cromemco Bank Select feature, you can expand to 512 kilobytes in eight 64K banks.

Or, with our Extended Bank Select feature, you can expand memory space to as much as 16 megabytes. This expandability we call your

obsolescence insurance.

The legend on the card's heat sink is an easy reference for address and bank selection.

BENCHMARK IT

Obviously, the speed and memory capacity of this new card give you a lot of power.

You can see that for yourself in our new 7-station Multi-User Computer System which uses these Model 64KZ cards. This S100-bus system outperforms the speed of many if not most timesharing systems of up to 10 times the Cromemco price.

And yet where some of these much more expensive and cumbersome systems clearly slow to a snail's pace when timesharing, the Cromemco system using Bank Select switching runs surprisingly fast.

SEE IT NOW

See the new Model 64KZ at your computer dealer now. Study the literature on it. See how for only \$1785 you can get around that ever-present barrier of memory that's too little and too slow.



For high reliability all Cromemco memory cards are burned in at the factory in these temperature-controlled ovens.



Cromemco Multi-User System shown with 7 stations

280 BERNARDO AVE., MOUNTAIN VIEW, CA 94040 • (415) 964-7400 Tomorrow's computers now

Circle 80 on inquiry card.



In the Oveve

EVIE August 1979 Volume 4, Number 8

Graves

Foreground

.

50	ANYONE KNOW THE REAL TIME?, by Steve Ciarcia Simple methods of telling time	
66	MODEL OF THE BRAIN, Part 3: Comparison of Brain and Model, by James Albus Does CMAC accurately represent human brain function?	
94	NATURE OF ROBOTS, Part 3: A Closer Look at Human Behavior, by William T Powers Simulating a 3-muscle system	
132	THE DESIGN OF AN M6800 LISP INTERPRETER, by S Tucker Taft The theory behind one implementation	
	LISP APPLICATIONS IN BOOLEAN LOGIC, by Richard Weyhrauch and Henson Graves Perform Boolean logical operations with LISP	
220	AN OVERVIEW OF LONG DIVISION , by Geoffrey Gass Providing real answers to division problems	
Background		
10	AN OVERVIEW OF LISP, by John Allen Developing a feel for LISP	
18	LISP BASED SYSTEMS FOR EDUCATION, by J Laubsch, G Fischer, and H D Bocker Using computers as learning tools	
26	THE LAMBDINO STORAGE MANAGEMENT SYSTEM, by G Prini and M Rudalics Data storage techniques represent major design considerations	
34	PATTERN-DIRECTED INVOCATION LANGUAGES , by William A Kornfeld A data base development tool	
	EXPLORING TRS-80 GRAPHICS, by George H Yeager Machine language access to graphic display characters	
162	A MATHEMATICIAN'S VIEW OF LISP, by Vaughan R Pratt A look at LISP as a vehicle for expressing ideas	
170	A PREVIEW OF THE MOTOROLA 68000, by A l Halsema A look at another 16-bit processor	
176	LISP BASED SYMBOLIC MATH SYSTEMS , by David R Stoutemyer The computer as an algebraic manipulator	

Nucleus

Letters, 6 Editorial: Returning to the Tower of Babel or ..., 8 LISP Notes, 62 BYTE News, 89 Technical Forum, 126 BYTE's Bugs, 194 Event Queue, 196

Clubs and Newsletters, 200 BYTE's Bits, 204 Programming Quickies, 212 Book Reviews, 218 What's New?, 225 Unclassified Ads, 263 Reader Service, BOMB, 264

Cover Art: New Worlds of LISP, by Ken Lodding



BYTE is published monthly by BYTE Publications Inc, 70 Main St, Peterborough NH 03458. A wholly-owned subsidiary of McGraw-Hill, Inc. Address all mail except subscriptions to above address: phone (603) 924-7217. Address subscriptions, change of address, USPS Form 3579, and fulfillment questions to BYTE Subscriptions, PO Box 590, Martinsville NJ 08836. Second class postage paid at Peterborough NH 03458 and at additional mailing offices-USPS Publication No. 102410 (ISSN 0360-5280). Subscriptions are \$18 for one year, \$32 for two years, and \$46 for three years in the USA and its possessions. In Canada and Mexico, \$20 for one year, \$36 for two years, \$52 for three years. \$32 for one year air delivery to Europe. \$32 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$2 in the USA and its possessions, \$2.40 In Canada and Mexico, \$3.50 in Europe, and \$4 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a US bank. Printed in United States of America.

Address all editorial correspondence to the editor at the above address. Unacceptable manuscripts will be returned if accompanied by sufficient first class postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE. Entire contents copyright © 1979 by BYTE Publications inc. All

rights reserved. BYTE® is available in microform from University Microfilms International, 300 N Zeeb Rd, Dept PR. Ann Arbor MI 48106 USA or 18 Bedford Row, Dept PR, London WC1R 4EJ ENGLAND.

In This BYTF



About the Cover

This month, Ken Lodding has created a fantasy on far-out applications with a LISP theme. The surface of some asteroid has been discovered. A monolith engraved with the S-expression form of a LISP program is gazed upon by some astronauts. We presume some archeology of this monolith will have to be done to uncover the balance of the program. We leave it to readers familiar with LISP to identify the textbook from which these S-expression fragments were taken, and the purpose of the program.

LISP is often described as a special-purpose, listprocessing language. However, there is much more to the language than list manipulation. As an introduction to this language, guest editor John Allen provides An Overview of LISP. Page 10

In LISP Based Systems for Education, J Laubsch, G Fischer, and H D Bocker discuss the evolving computer culture and they argue that the basic concepts and approach to computation that LISP represents offers significant advantages within the contemporary educational framework. Page 18

The management of memory space is very important in any computer language. To the user of a LISP system, memory seems to magically appear out of the "ether" as needed. LISP

Publishers

John E Hayes

Assistant Jill E Callihan

Editor Richard Shuford Assistant Editor

Editorial Director

Carl T Helmers Jr

Assistant Editor Kent Richard Editorial Assistants Gale Britton Faith Ferry New Products Editor Clubs, Newsletters Laura A Hanson

Drafting Jon Swanson

systems contain a storage reclamation package that scavenges new storage from discarded computations. Authors Gianfranco Prini and Martin Rudalics describe the Lambdino Storage Management System. Page 26

William A Kornfeld shows an application of LISP ideas in the artificial intelligence domain. Pattern-Directed Invocation Languages are powerful tools for representing and manipulating facts in data bases. The implementation of these ideas involves 2 facets of LISP: the generalized record structures, called property lists; and the ability to store procedures as data struc-Page 34 tures.

The addition of a realtime clock to your computer system expands the dimensions you can explore. A real-time clock is also the

basis of any multiprogramming system. Steve Ciarcia provides several different real-time clocks in Anyone Know the Real Time? Page 50

In parts 1 and 2 of A Model of the Brain for Robot Control, James Albus described a neurological brain model. Part 3 shows how this structure might be used to produce perceptual and cognitive phenomena. Page 66

The mystery of graphics on the Radio Shack TRS-80 is now dispelled. George H Yeager reveals the details in Exploring TRS-80 Graphics. Page 82

In the third part of The Nature of Robots, William T Powers describes the how and whys of his particular model of human behavior. Mr Powers develops a 2-level control-loop simulation of a 3-muscle system to further the understanding of how our own control system works.

Page 94

Other articles this month discuss many of the applications for LISP. It is only fitting that S Tucker Taft discusses The Design of an M6800 LISP Interpreter. Page 132

Several LISP articles have centered on some of the unique features of LISP to aid solution of nontrivial problems. Mathematician and computer scientist Vaughan Pratt views languages from a more distant perspective. He

> National Advertising Sales Representatives: Hajar Associates Inc East 280 Hillside Av Needham Heights MA 02194 (617) 444-3946 521 Fifth Av New York NY 10017 (212) 682-5844 Midwest 664 N Michigan Av Suite 1010 Chicago Li 60611 East Suite 1010 Chicago IL 60611 (312) 337-8008 West, Southwest 1000 Elwell Ct Suite 227 Palo Alto Ct Suite Suite 227 Paio Alto CA 94303 (415) 964-0706/(714) 540-3554

shows that features found to be attractive in special cases are instances of general principles that a programming language must observe if generality and expressibility are not to be compromised. Vaughan Pratt gives us A Mathematician's View of LISP. Page 162

A I Halsema provides us with a quick description of the M68000 and some possible applications of the new processor in A Preview of the Motorola 68000. Page 170

Are you interested in working with symbolic mathematics? Perhaps you manipulate many algebraic formulae. David Stoutemyer discusses several LISP Based Symbolic Math Systems that help perform these functions. Page 176

The actions of digital circuits may be described by Boolean expressions. These expressions can be manipulated by a program to test for correctness, simplify the equation, and many other logical manipulations. Richard Weyhrauch and Henson Graves discuss some LISP Applications in Boolean Logic. Page 206

Most processors do not have division instructions. Therefore, if you wish to perform division, you will have to write your own. In An Overview of Long Division, Geoffrey Gass provides the background needed to write a division routine. Page 220

Officers of McGraw-Hill Publications Company: Gordon L. Jones, President; Group Vice Presidents: Daniel A. McMillan, James E. Boddorf; Senior Vice Presidents: Russell F. Anderson; Raiph R. Schulz, Editorial; Vice Presidents: James E. Hackett, Controller; Thomas H. King, Manufacturing; Robert L. Leyburn, Circulation; John W. Patten, Sales; Edward E. Schirmer, International,

Officers of the Corporation: Harold W. McGraw Jr., President, Chief Executive Officer and Chairman of the Board; Robert F. Landes, Senior Vice President and Secretary; Raiph J. Webb, Treasurer.

Production Editors Virginia Londoner Gordon R Williamson Associate Publisher David William Hayward Ann Graves Faith Hanson Faith Hanson Warren Williamson Art Director Ellen Bingham Production Art Wal Chlu Li Christine Dixon Executive Editor Christopher P Morgan Holly Carmen LaBossiere Deborah Porter Editor in Chief Raymond G A Cote Senior Editor Blaise W Liffick

Janet Ames Adv/Prod Coordinator Thomas Harvey Advertising Billing Noreen Bardsley Don Bardsley

Circulation Manager Gregory Spitzfaden Assistants Pamela R Heaslip Agnes E Perry Melanie Bertoni Barbara Etils Dealer Salas Dealer Sales Ginnie F Boudrieau Anne M Baldwin ReceptionIst Jacqueline Earnshaw Typographers Cheryl A Hurd Stephen Kruse Debe L Wheeler

Photostat Techniclan

Tully Londne

Kevin Maguire Assistant


Mary E Fluhr

Comptrolier

Advertising Director Patricia E Burgess Assistants Ruth M Walsh Marion Gagnon

Traffic Department Mark Sandagata Thomas Yanni

August 1979 © BYTE Publications Inc 4



S-100 Compatibility. 6809 Computability.

- 1K RAM
- 10K PROM space
- MONBUG II monitor included
- 2400 baud cassette interface
- 20 I/O lines
- RS-232 level shifters
- Real time clock
- DMA
- Parallel keyboard input
- Memory-mapped video firmware
- Fully S-100 compatible (including 8080 type I/O)
- A complete system, ready to use.

MD-690 b Single Board Computer \$299 Assembled **\$239 Kit**

micro

MicroDaSys

P.O. BOX 36051, LOS ANGELES, CA 90036, USA

6809

16 bit internal arithmetic Hardware multiplication Two stack pointers Two index registers Please rush me the following. Joh Niccopasts P.O. Bok 2009, LOS MIGLIES, CA. 900.36, USA 18 addressing modes Fully relocatable code **Five interrupts** Up to three times the CPU Card With CPU Card Inssembled throughput of a 4MHz Z-80

Call . teaching and 60%

STATE

CITY

COMPANY ADDRESS

Look for Shugart drives in personal computer systems made by these companies.

Altos Computer Systems 2378-B Walsh Avenue Santa Clara, CA 95050

Apple Computer 10260 Bandley Dr. Cupertino, CA 95014

Digital Microsystems Inc. (Formerly Digital Systems) 4448 Piedmont Ave Oakland, CA 94611

Imsai Mfg. Corporation 14860 Wicks Blvd San Leandro, CA 94577

Industrial Micro Systems 633 West Katella, Suite L Orange, CA 92667

North Star Computer 2547 9th Street Berkeley, CA 94710

Percom Data 318 Barnes Garland, TX 75042

Polymorphic Systems 460 Ward Dr. Santa Barbara, CA 93111

Problem Solver Systems 20834 Lassen Street Chatsworth, CA 91311

Processor Applications Limited 2801 E. Valley View Avenue West Covina, CA 91792

SD Sales 3401 W. Kingsley Garland, TX 75040

Smoke Signal Broadcasting 6304 Yucca Hollywood, CA 90028

Technico Inc. 9130 Red Branch Road Columbia, MD 21045

Texas Electronic Instruments 5636 Etheridge Houston, TX 77087

Thinker Toys 1201 10th Street Berkeley, CA 94710

Vista Computer Company 2807 Oregon Court Torrance, CA 90503



Editorial

Returning to the Tower of Babel, or... Some Notes About LISP, Languages and Other Topics...

by Carl Helmers

This is the August issue of BYTE. It is also the third consecutive year that we've chosen to have a computer language as an issue content theme—a choice which is reflected in a number of articles, as well as the cover painting by Ken Lodding.

In the past two years, the August issues have had themes of APL (1977) and Pascal (1978). This year, we continue the August emphasis on languages with a special issue devoted to the language LISP. An experiment in editorial policy is also reflected in this issue. John Allen was responsible for the solicitation and technical reviewing of the articles concerning LISP in this issue, truly functioning in the capacity of "Guest Editor" of BYTE. John has been involved with computation research involving LISP for some time, and he is in touch with many of the members of the artificial intelligence community. Some of his comments on LISP appeared in the March 1979 issue of BYTE in the form of a guest editorial. As a result of his earlier writings about LISP as an appropriate tool of expression for personal computing, we asked him to take charge of the LISP oriented technical content of this issue and several issues to follow. Readers will find a wealth of information as a result of John's efforts.

By making LISP a feature of this issue of BYTE, we are emphasizing the history of LISP's utility in artificial intelligence and computation research. The language is derived from the work of John McCarthy in the early 1960's. LISP will have its place in personal computing, alongside a number of other styles of expression. For lack of appropriate systems software, I have not personally used LISP to any extent, but I believe that I have the beginnings of an abstract appreciation of its potential. This perspective comes from personal contact with individuals who use LISP regularly, as well as reading which includes the articles in this issue as collected by John Allen.

In a recent (May 24 1979) conversation with Gary Kildall on the occasion of the fifth IEEE Computer Society Asilomar Conference on Microcomputing, I mentioned the LISP issue. Gary has a background in computer systems software work with special emphasis on small scale computer systems of the kind used by BYTE readers. He is the first implementor of the PL/M compilers for Intel's 8080 microprocessors, and he and his firm, Digital Research, are responsible for one of the most widely used 8080 and Z-80 oriented software products, the CP/M operating system. I learned some interesting points from Gary about LISP and its significance to the use of computers, viewpoints which are worth repeating for readers.

Gary made the statement that LISP is basically his preferred language. He explained that LISP has a certain natural elegance, but that people often tend to write FORTRAN or BASIC-like sequential "PROGs" as opposed to the implicitly parallel and recursive tree structures natural to LISP. He emphasized that this is a mistake. LISP represents a different point of view from which to analyze problems.

"My 8 to 5 minifloppy" now works nights and weekends."



"I own a fast-growing business and before I bought my computer system I put in a lot of late hours keeping up with my accounting and inventory control. Now the computer does my number crunching quickly, so I have time after hours to have some fun with the system. My son and I started out playing Star Trek on the system, and now we're learning to play chess.

"When I was shopping around for my system, the guys in the computer stores demonstrated all the unique features of the minifloppy. I've got to admit that at first I didn't really understand all the technical details. But now that I use the system every day, I really appreciate the minifloppy's fast random access and data transfer. I like the reliability, too. "I'm glad I went with Shugart drives. Look, when you lay out your own money for a system, you want dependable performance and good value. Do what I did. Ask for the system with the minifloppy."

If it isn't Shugart, it isn't minifloppy.



435 Oakmead Parkway, Sunnyvale, California 94086

See opposite page for list of manufacturers featuring Shugart's minifloppy in their systems. TM minifloppy is a registered trademark of Shugart Associates

Letters

Puzzling Rotation Explained

Ken Barbier poses a question in "Puzzling Rotation" (May 1979 BYTE, page 216) which is intimately related to my comments on periodic decimal expansions in that same issue (page 210).

Any number N which has a repeating, periodic decimal expansion of 1/N with maximum period length (N-1) gives rise to a magic number X =INT((1/N)*10(N-1)). As he pointed out, any multiple of X such as $K \times X$ (with K less than N) contains the same digits as does X, but cyclically rotated. N = 7 is the only example in base 10 arithmetic less than 10; larger values of N are, for example, 17 (yielding X = 0588235294117647) and 19 (which gives X = 052631578947368421). In base 8, some interesting numbers are given by N = 5 (X = 1463, base 8) and N = 11 (base 10) (X = 0564272135 base 8); in base 15, a magic X is 124936DCA5B8.

I have not been able to find any *magic* numbers in base 4, base 16, or base 64; perhaps some reader can prove that none exists for bases which are powers of 4.

If the length of the repetition period of 1/N is shorter than the maximum, then the *magic* number X generated by the above algorithm will still re-appear with digits cyclically permuted, but other numbers also appear in the course of the multiplication. Try, for example, N = 13, X = 076923, in base 10.

For some insight into why these numbers are magic, you might want to try calculating by hand, long-divisionstyle, some examples like 1/7, 2/7, 3/7, etc. According to E T Bell's biographical book Men of Mathematics (page 225), one of the greatest mathematicians of all time, Carl Friedrich Gauss, worked out the decimal expansions of 1/N for all N up to 1000 while he was a teen-ager. (And in the 1790's, he didn't have a home computer!) The results of his calculations inspired him to discover and prove one of the most beautiful theorems of number theory, "quadratic reciprocity." Playing games with numbers is still a fine route to inspiration. Good luck!

Mark Zimmermann Caltech 130-33 Pasadena CA 91125 Regarding "An Added Attraction" (Machine Language Puzzler May 1979 BYTE, page 209), I would like to share a twist on the problem of adding two 8 bit values in registers B and C and my solution.

First, let me admit that when I glanced through the puzzle rules, I mistakenly assumed that all subtraction operations, as well as the addition operations, were prohibited in the solution. The reason I made this slip is that the problem now becomes a little harder (something akin to the business of multiplying using addition instructions only).

Anyway, my first brute force attempt at this different problem required 12 bytes:

	XRA	A	
LOOP1	INR	A	
	DCR	В	
	JNZ	LOOP1	
LOOP2	INR	A	
	DCR	A	
	JNZ	LOOP2	
	HLT		

This works by initializing a counter using the byte-saving exclusive-or operation. The counter is then incremented once for each time that register B must be decremented, until the register reaches zero. Repeating this sequence using register C results with the sum in the accumulator. Of course, this approach ignores overflow detection, as did the original solutions published in BYTE,

Being dissatisfied with the above, I noticed a much simpler solution in 7 bytes:

LOOP INR DCR JNZ HLT	A
-------------------------------	---

Interestingly, this is only 2 bytes more than the optimum solution presented in the Puzzler, where subtraction is permitted.

j,

Steve Duerksen Microcomputer Consultant 15 Dearborn St Wellesley MA 02181

Attention: Gamblers

A newsletter is being started for computer enthusiasts interested in analyzing gambling systems, the Stock and Futures Markets, etc. The first issue will be priced at \$1 and those interested should indicate preference for form, content, and subscription rate. Contact Michael R Downing, c/o Joe Computer, 22713 Ventura Blvd, Suite F, Woodland Hills CA 91364.

ComputerLand®

Compos	GIECHIO
Huntsville, AL	(205) 539-1200
Phoenix, AZ	(602) 956-5727
Little Rock, AR	(501) 224-4508
Belmont, CA	(415) 595-4232
Dublin, CA	(415) 828-8090
El Cerrito, CA	(415) 233-5010
Hayward, CA	(415) 538-8080
Lawndale, CA	(213) 371-7144
Los Altos, CA	(415) 941-8154
Los Angeles, CA	(213) 776-8080
Marin, CA	(415) 459-1767
Pasadena, CA	(213) 449-3205
Sacramento, CA	Call Directory Information
Saddleback Valley, CA	(714) 770-0131
San Bernardino, CA	(714) 886-6838
San Diego, CA	(714) 560-9912
San Diego East, CA	(714) 464-5656
San Francisco, CA	(415) 546-1592
San Jose, CA	(408) 253-8080
Santa Maria, CA	(805) 928-1919
Santa Rosa, CA	(707) 528 1775
Thousand Oaks, CA	(805) 495-3554
Tustin, CA	(714) 544-0542
Walnut Creek, CA	(415) 935-6502
Colorado Springs, CO	(303) 574-4150
Denver, CO	(303) 759-4685
Fairfield, CT	(203) 255-9252
Hartford, CT	Call Directory Information
Newark, DE	(302) 738-9656
Boca Raton, FL	(305) 368-1122
Ft. Lauderdale, FL	(305) 566-0776
Jacksonville, FL	(904) 731-2471
Atlanta, GA	(404) 953-0406
Honolulu, HI	(808) 521-8002
Arlington Heights, IL	(312) 255-6488
Downers Grove, IL	(312) 964-7762
Mundelein, IL	(312) 949-1300
Niles, IL	(312) 967-1714
Oak Lawn, IL	(312) 422-8080
Peoria, IL	(309) 688-6252
Indianapolis, IN	Call Directory Information
Overland Park, KS	(913) 492-8882
Louisville, KY	(502) 425-8308
Boston, MA	(617) 235-6252
Rockville, MD	(301) 948-7676
Grand Rapids, MI	(616) 942-2931
Rochester, MI	(313) 652-9000
Southfield, MI	(313) 356-8111
Bloomington, MN	(612) 884-1474
Hopkins, MN	Call Directory Information
Springfield, MO	(417) 883-7085
St. Louis, MO	Call Directory Information
Nashua, NH	(603) 889-5238
Cherry Hill, NJ	(609) 795-5900
Bergen County, NJ	(201) 845-9303
Morristown, NJ	(201) 539-4077
Buffalo, NY	(716) 836-6511
Ithaca, NY	(607) 277-4888
Nassau County, NY	(516) 742-2262
Charlotte, NC -	(704) 536-8500
Cleveland East, OH	(216) 461-1200
Cleveland West, OH	Call Directory Information
Columbus, OH	(614) 888-2215
Oklahoma City, OK	Call Directory Information
Portland, OR	(503) 620-6170
Harrisburg, PA	(717) 763-1116
Paoli, PA	Call Directory Information
Austin, TX	(512) 452-5701
Dallas, TX	(214) 363-2223
South West Houston, TX	(713) 977-0909
Houston Bay Area, TX	(713) 488-8153
Salt Lake City, UT	(801) 364-4416
Tyson's Corners, VA	(703) 893-0424
Bellevue, WA	(206) 746-2070
Federal Way, WA	(206) 838-9363
Tacoma, WA	(206) 581-038B
Madison, WI	(608) 273-2020
Milwaukee, WI	(414) 466-8990
INTERNATIONAL	
Adelaide, Australia	22 35 083
Brisbane, Australia	07 221 9777
Melbourne, Australia	62 55 81
Perth, Australia	Call Directory Information
Sydney, NSW Australia	29-3753
Brussels, Belgium	(02) 511-34-45
Burlington, Canada	. (416) 632-5722
Calgary, Alberta Canada	Call Directory Information
Toronto, Canada	(416) 485-6700
Winnipeg, Canada	(204) 772-9519
Manila, Philippines	58-36-66

BEFORE YOU BUY COMPUTER[#]1, VISIT[#]1 COMPUTERLAND

If the truth is that you want a computer . . . then we want to be your computer store.

We're ComputerLand, the #1 computer store chain in the U.S. What's meaningful about that fact is, that ComputerLand has been chosen by more people as having what they've been looking for. And, since you're looking, let us tell you what you'll find, when you visit a ComputerLand store.

You'll find a product line that's continually evaluated to provide you with the widest and best selection in quality, brand name microcomputers anywhere. You'll find an enthusiastic and knowledgeable staff able to interpret all the equipment specifications, in terms of how they apply to you, and in a way you'll understand. You'll find demonstration areas where you can get a firsthand experience of running a computer yourself.

COMPUTERS FOR BUSINESS



You'll find educational materials to give you a total insight into the world of microcomputers.

You II find a fully equipped service department to provide whatever assistance is required to keep your computer running in top-notch condition. You'll find computer user's clubs to join, where you can share ideas with people os enthusiastic as yourself. And, with each new visit, you'll find excitement—from the people you deol with, the equipment they offer, ond from your own ever-growing personal involvement.

ComputerLand Corp. 14400 Catalina St. San Leandro, CA 94577 (415) 895-9363 Franchise Opportunities Worldwide.



Enough about us. How about what computers do. To attempt to describe all the things your computer might do, would be to describe your imagination. So instead, we'll briefly list some of the many things for which small computers are already being used.

In business, the advent of the versatile and compact microcomputer has put the benefits of computing within reach of small companies. With systems starting at less than \$6000, the businessman can

COMPUTERS FOR THE HOME

ComputerLand®

WE KNOW SMALL COMPUTERS

computerize things like accounting, inventory control, record keeping, word processing and more. The net result is the reduction of administrative overhead and the improvement of efficiency which allows the business to be managed more effectively.

In the horne, a computer can be used for personal budgeting, tracking the stock market, evaluating investment opportunities, controlling heating to conserve energy, running security alarm systems, automating the garden's watering, storing recipes, designing challenging games, tutoring the children . . . and the list goes on.

In industry, the basic applications are in engineering development, process control, and scientific and analytical work. Users of microcomputers in industry have found them to be reliable, costeffective tools which provide computing capability to many who would otherwise have to wait for time on a big computer, or work with no computer at all.

COMPUTERS FOR INDUSTRY



And now we come to you, which leads us right back to where we started: **If you** want a computer, then we want to be your computer store.

Whether you want a computer for the home, business or industry, come to ComputerLond first. We'll make it easy for you to own your first computer. Because, simply put, we really want your business. When you come right down to it, **that's** what makes us **#1**.

> ComputerLand Europe Europa Terrassen 8 Rue Jean Engling Dommeldange, Luxembourg Phone 43 29 05 Telex 2423

An Overview of LISP

John Allen Signetics 811 E Acques Ave Mail Stop 38 Sunnyvale CA 94086

LISP is a higher level machine language.

LISP is simple and difficult, elegant and ad hoc; it is a beautiful blend of foresight and fortuity. LISP is a programming language, often characterized as a special purpose list-processing language. But LISP is no more a special purpose programming language than mathematics is a special purpose language for floating-point computations. Just as there's more to mathematics than the accounting and bookkeeping properties present in "general purpose" programming languages, there's much more to LISP than "just another programming language."

The best description of the LISP programming language is that it is a *high level machine language*. That is, it shares many of the facets of contemporary machine language —the necessity for attention to detail and the freedom to manipulate the machine's data and programs without restriction— yet LISP is high level in that the language contains the expressive power and convenience of traditional high level languages. The *contradiction* is resolvable: a LISP machine is just a higher level machine whose data items are organized differently from the binary bit patterns of most machines, and the LISP programming language is the *assembly language* for this machine.

LISP Data Structures

Before introducing the constructs of the language, we must discuss the data items of the language. In a traditional language we would find numeric constants. In LISP, the analogous constants are called *atoms*. An atom is either a numeral or a *literal atom* —a string of upper case alphanumeric characters such that the first character in the string is an alphabetic character. For example, *ABC123*, *12*, and *NIL* are atoms, but *1A2* and *(A B)* are not.

LISP also has composite constants called *lists*. Lists are built out of atoms and other lists as follows:

- Any atom or list can be an element of a list.
- Given any collection e_1, \ldots, e_n of list elements, then $(e_1 \ \ldots \ e_n)$ is also a list.

So, (A B) is a list; as is (A B C), and (A 1 (ABC 23)). The

About the Author

John Allen, our guest editor for this special LISP theme issue, is the author of the book Anatomy of LISP and currently product engineer at Signetics Corporation. He is also founder of The LISP Company, an organization to produce LISP related products. last example is a list of three elements; its third element is also a list — of two elements: the atom ABC and the numeral 23.

Atoms and lists are the basic LISP data structures. However, a robust production version of LISP includes many more data objects including arrays, arbitrary precision numbers, strings, and representation of functions as data objects. Regardless of the scope of the data representations in a specific LISP implementation, it is a fundamental property that all data objects are "first class objects," constructible, testable and available without restriction. This uniform behavior of data is a property shared by few other languages.

First

We need some operations on these data structures. Just as we should have a subtraction operation in arithmetic machines to decompose numbers, we have LISP instructions to decompose lists. One such operation is *first*; it extracts the first element of a list. For example:

first[(A B C)] gives: A

This example is written in LISP's *external syntax* called meta-LISP or M-LISP; it is an instance of prefix notation. The programming language, the *internal notation*, is called S-expression LISP or S-LISP. Initially, we will present algorithms in M-LISP since it is closer to traditional programming notation. However, since S-LISP is our machine language we will insist on developing facility with that notation.

In a traditional architecture, both instructions and data are stored in memory. The processor usually has complete freedom to manipulate any of these objects as either data or instructions. An object accessed by the instruction counter is interpreted as an instruction; other accesses to items usually imply a data interpretation. One goal is the representation of LISP instructions as data items in the LISP machine such that the processing unit of the LISP machine will have equal flexibility in interpreting the encoded information. An object may sometimes play the role of program, and sometimes of data.

To represent program as data we must specify a translation of each M-LISP instruction into a list representation:

External Notation < operation > / < operand > 1; ... ; < operand > "/

List Notation (< operation > r < operand > $_{1}^{r}$... < operand > $_{n}^{r}$)

DOUBLE DENSITY





Now you can put your S-100 system solidly into a full-size, single/double density, 600K bytes/side disk memory for just \$1149 complete.

DISCUS/2D[™] single/double density disk memory from Thinker Toys[™] is fully equipped, fully assembled, and fully guaranteed to perform perfectly.

DISCUS/2D[™] is a second generation disk memory system that's compatible with the new IBM System 34 format. The disk drive is a full-size Shugart 800R, the standard of reliability and performance in disk drives. It's delivered in a handsome cabinet with built-in power supply.

The S-100 controller utilizes the amazing Western Digital 1791 dual-density controller chip ... plus power-on jump circuitry, 1K of RAM, 1K of ROM with built-in monitor, and a hardware UART to make I/O interfacing a snap.

The DISCUS/2D[™] system is fully integrated with innovations by designer/inventor George Morrow. Software includes BASIC-V[™] virtual disk BASIC,

DOS, and DISK-ATE[™] assembler/editor. Patches for CP/M* are also included. CP/M* MicroSoft Disk BASIC and FORTRAN are also available at extra cost.

DISCUS/2D BOOK BYTES

DISCUS/2D[™] is the really solid single/double density disk system you've been waiting for. We can deliver it now for just \$1149. And for just \$795 apiece, you can add up to 3 additional Shugart drives to your system. Both the hardware and software are ready when you are.

Ask your local computer store to order the DISCUS/2D[™] for you. Or, if unavailable locally, write Thinker Toys,[™] 5221 Central Ave., Richmond, CA 94804. Or call (415) 524-2101 weekdays, 10-5 Pacific Time. (FOB Berkeley. Cal. res. add tax.)

*CP/M is a trademark of Digital Research.



The raised T means perform the translation process recursively.

For this translation to be meaningful, we must also describe how the recursion process is to terminate:

An operation in external notation is something like first or +, whereas an operation^T must be an atom or a list. We translate the operation name to an appropriate atom: first translates to FIRST, and + to PLUS.

The operand of first[(A B C)] is the constant (A B C). We will translate a constant α to the construct (QUOTE α). For example, we represent the constant (A B) as (QUOTE(A B)). This solution is similar to the quoting convention of natural language: Cleveland is a city, but "Cleveland" is a 9-letter word. The QUOTE operator is more than simple pedantry; it will play a critical role in the fetch operation of the LISP machine.

To summarize, our list notation consists of a representation of the operation followed by the representations of the operands. Those operands themselves may specify operations, or they may specify constant operands by using the *quote* operation. For example, we represent first[($A \ B \ C$)] as (FIRST (QUOTE ($A \ B \ C$))) and (FIRST (FIRST (QUOTE (($A \ B) \ C$)))) represents first[first](($A \ B) \ C$)]].

Values are obtained on a LISP machine in much the

computer mart of new jersey computer mart of pennsylvania



the microcomputer people®

Computers don't make a computer store, PEOPLE do. Our people have been involved with microcomputers since day one. We offer experience and expertise unparalleled in the microcomputer industry. Whether you are in the market for a complete system, peripherals, custom software, service, or just some friendly advice; there simply is no other place to go.

501 Route 27 Inelin, 10 08500 12011 285-0600 HOURS Set: 10em - Game Thues, till from 5 MOMDAYS S MOMDAYS S 1253 265-3360 same manner as one obtains values from a pocket calculator. We type in an S-LISP expression, and the calculator displays the result. The evaluation of an expression can be quite involved. If an operand specifies a further operation, then the current instruction must be suspended while that subsidiary computation is performed. So, evaluating (*FIRST* (*PUOTE* ((*A B) C*)))) would involve the following:

The leftmost *FIRST* must wait since its operand requires evaluation; similarly the next *FIRST* must wait to take care of its argument. But its argument is a quoted expression. *QUOTE* is kind, requiring no further computation, but it always returns its argument as value. Here it returns the list ((A B) C). The inner *FIRST* completes now, returning (A B) to the outermost *FIRST*; it is nudged into activity and finally returns A.

Consider (FIRST (QUOTE (FIRST (QUOTE (A B))))). Notice that the embedded expression (FIRST (QUOTE (A B))) has the appearance of a LISP instruction. However, that expression is surrounded by (QUOTE ...), therefore it is simply a list; ie, a constant. The final result of the evaluation will be the atom FIRST (since the computation encodes the M-expression first (FIRST (QUOTE (A B)))]).

Since quoted expressions appear so frequently, we will introduce an abbreviation. We write $(QUOTE \alpha)$ as ' α . So, the previous example (FIRST (QUOTE (FIRST (QUOTE (A B))))) could be expressed as: (FIRST '(FIRST (QUOTE (A B)))); or as (FIRST '(FIRST '(A B))). This abbreviation will appear many times throughout the LISP articles in this and following issues.

Rest

We also have an instruction named *REST*. You may think of the instruction as either a machine operation or as the translation of an M-LISP expression. *REST*, like *FIRST*, expects a list as its argument. However, *REST* returns a value representing the list with the first element removed. The expression:

yields:

(*B C*).

Similarly, the expression:

(REST '(B C))

yields:

(C)

What about (REST '(C))? When we remove the last element from a list we get the empty list. Its representation in LISP is ().

The operations *first* and *rest* are called *selector* functions since they are used to select components from a composite data object.

The Intecolor 8070 business system. At twice the price, it would still be inexpensive.

Because ISC is the world's leading manufacturer of color terminals, we're able to offer unparalleled color performance—at phenomenal prices.

Our 8070 Series I Business System is a perfect example of reliable, yet extremely reasonable products. It's a complete 8080A microcomputer system that includes the following standard features: A dual floppy disk drive with 591K bytes of storage; a 19" color data display with an easily readable 80 characters x 48 line format; and a 60 CPS Impact Matrix printer. All for a remarkable *\$7000, single unit price.

And that price doesn't stop at hardware. Intecolor's 18K Business BASIC in ROM has 16 digit accuracy and a

PRINT USING feature that tailors output to any specifications.

If you need greater storage capabilities, choose the 8071-same system. but with a dual doubleheaded floppy disk drive. Giving you 1182K bytes of storage, for only \$\$800 more. single unit.

Either way, the Intecolor Series I can relieve your business of a considerable amount of paperwork, without costing you a great deal of money.

5 773

(Terms-5% discount for prepayment, or net 20 days.) For more information and a complete demonstration. see your nearest computer store, or contact your ISC sales representative. **Color Communicates Better**

Unretouched photo of screen

Furniture not included

U.S. domestic prices

Outreducted photo of screen
 Outreducted
 Outreduct

An operation which builds new objects is a constructor.

List

Besides decomposing objects, we must be able to build new objects. The general name for an operation which builds new objects is a *constructor*. One LISP constructor is *LIST*. Here are some examples of usage:

yields:

(A B C).

(LIST 2 'B)

yields:


(2 B)

Note that we did not quote the 2. LISP understands that numbers are constants. Also, the *LIST* operation will take an arbitrary number of operands; three in our first example, two in this one, and none in the next:

(LIST)

yields:

().



As with the other instructions, except QUOTE, LIST can handle instructions as operands.

Try to determine the result of:

(

Diligence may have been rewarded and you may have responded (A (B) C). There's an equal probability that you got mired in parenthesis-counting and responded (? f i). One solution is to resort to M-LISP and recast the expression as: list[first[(A)];rest[(A B)];C]

Since we should develop our S-LISP expertise, we might also use our abbreviation: (LIST (FIRST '(A)) (REST '(A B)) 'C).

A more general technique is *pretty-printing*. Prettyprinting exploits additional lines and spaces to highlight the structure in complex expressions. For example:

or:

In a modern LISP implementation we would find further aids for locating matching parentheses, just as an interactive Algol-like language should have aids for locating matching begin-end pairs.

Concat

Another S-LISP operation for building lists is CONCAT. It is a two-operand instruction; its first operand can either be an atom or a list, but its second operand must reference a list. The effect of CONCAT is to build a new list whose first element is the first argument of the CONCAT and the remainder of the new list is the second operand of CONCAT. For example (CONCAT 'A '(B)) would evaluate to (A B).

Note that *LIST* takes an arbitrary number of arguments and builds a list whose elements are those arguments. On the other hand, *CONCAT* takes only two arguments, an element and a list, and adds the element to the front of the list. For example:

gives:

((A) (C))

while:

gives:

((A) C)

What makes the Microtek Printer so different? Nothing!



EXCEPT....

THE PRICE: \$750 (with parallel interface)

THE PERFORMANCE:

 80 or 120 columns (software selectable) Plain paper Pin Feed Double width printing 125 characters per second, 70 lines per minute nominal throughput 9x7 Matrix (80 columns/line), 7x7 Matrix (120 columns/line) 	 Vertical Format Unit 96-character ASCII (upper and lower case) Forms width continuously adjustable between 4.5 inches and 9.5 inches (including sprocket margins) Parallel (Centronics type) interface standard. Serial (RS-232) and IEEE-488 interfaces available 		
To: MICROTEK, Inc., 7844 Convoy Court, San Diego,	California 92111 (714) 278-0633		
 Send me more information. Send me a printer with: Parallel interface @ \$750. Serial interface @ \$835. IEEE-488 interface @ \$895 			
Check or Money Order enclosed.	□ Charge my VISA card. □ Charge my Master Charge card.		
name (please print)	card number		
address	cardholder's signature		
city state zip	exp date		
phone			
Add \$15.00 for packaging & shipping. Dealer inqu	iries invited. California residents add 6% sales tax.		

Why not kill two birds with one stone?

If you have an Apple^{*} and you want to interface it with parallel and serial devices, we have a board for you that will do both. It's the AIO.[™]

Serial Interface.


The RS-232 standard assures maximum compatibility with a variety of serial devices. For example, with the AIO you can connect your Apple[•] to a video terminal to get 80 characters per line instead of 40, a modem to use time-sharing services, or a printer for hard copy. The serial interface is software programmable, features three handshaking lines, and includes a rotary switch to select from 7 standard baud rates. On-board firmware provides a powerful driver routine so you won't need to write any software to utilize the interface.

Parallel Interface.

This interface can be used to connect your Apple[•] to a variety of parallel printers. The programmable I/O ports have enough lines to handle two printers simultaneously with handshaking control. The users manual includes a software listing for controlling parallel printers or, if you prefer, a parallel driver routine is available in firmware as an option. And printing is only one application for this general purpose parallel interface.

Two boards in one.

The AIO is the only board on the market that can interface the Apple to both serial and parallel devices. It can even do both at the same time. That's the kind of innovative design and solid value that's been going into SSM products since the beginning of personal computing. The price, including PROMs and cables, is \$135 in kit form, or \$175 assembled and tested. See the AIO at your local computer store or contact us for more information.



These constructors can be used at anytime to compose new data objects. Now we can decompose lists and make new ones. We can perform evaluation of simple expressions, much like the facilities of a hand calculator. Soon we will show how to add new operations to the LISP calculator.

Recognizers and Predicates

In traditional assembly language programming we find instructions which test for zero or compare two numbers. In LISP we manipulate data objects built from atoms and lists. The "zero" of lists is the empty list, (); and so we include a test for (). Since elements of a list can either be atomic or lists themselves we include a test for "atomness", *atom*. Finally, we must be able to distinguish between two nonidentical atoms using an equality test.

All LISP operations compute values. The values which our previous operations produced were atoms or lists; these new operations called *predicates* produce "truth values" —true or false. In M-LISP, we represent true and false as t and f; however, in S-LISP, these truth values must be represented as data items, so we pick the atoms T and *NIL* as their representations:

- EQ: Compare two atoms. That is, EQ is a two-operand instruction which gives value T just in case those operands represent the same atom.
- ATOM: This single-operand instruction gives T if its operand is an atom, and gives NIL otherwise.
- NULL: This single-operand instruction gives T just in case its operand is the empty list, ().

For example:

S-LISP

(ATOM 'A) gives T (ATOM '(A)) gives NIL (EQ 'A 'B) gives NIL (NULL '(A B)) gives NIL

M-LISP

atom[A] gives t
atom[(A)] gives f
eq[A;B] gives f
null[(A B)] gives f

Since the predicates are value-producing they can be used with the other list-manipulating operations:

(CONCAT (ATOM 'A) (LIST 1 'A)) gives (T 1 A)

Notice that the *atom* predicate is of slightly different character than *eq* and *null*. Namely, *atom* is performing a "type test" on a data structure; such predicates are called *recognizers*.

Text continued on page 118

How to buy a personal computer.

In California, a store owner charts sales on his Apple Computer. On weekends though, he totes Apple home to help plan family finances with his wife. And for the kids to explore

the new world of personal computers. A hobbyist in Michigan starts a local Apple Computer Club, to challenge other members to computer games of skill and to trade programs.

> Innovative folks everywhere have discovered that the era of the personal computer has already begun-with Apple.

Educators and students use Apple in the classroom. Businessmen trust Apple with the books. Parents are

making Apple the newest family pastime. And kids of all ages are learning how much fun computers can be. Circle 9 on inquiry card.

Visit your local computer store

The excitement starts in your local computer store. It's

a friendly place, owned by one of your neighbors. He'll show you exactly what you can use a personal computer for.

What to look for

Your neighborhood computer store has several different brands to show you. Chances are the salesman will recommend an Apple Computer. Apple's the one you can program yourself. So there's no limit to the things you can do. The more you use your Apple the more uses you'll discover. So it's important that Apple is the computer with more expansion capability. You can't outgrow Apple.

It's your move

Grab a piece of the future for yourself-we'll give you the address of the Apple dealer nearest you when you call our toll-free number. Then drop by apple computer and sink your teeth into an Apple.

(800) 538-9696. In California, (800) 662-9238.

LISP Based Systems for Education

J Laubsch, G Fischer, and H D Bocker Institute for Information University of Stuttgart Stuttgart, GERMANY

Future Computer Culture

There is sufficient evidence that personal computer systems will become as powerful as today's computer systems used in artificial intelligence research. Within the artificial intelligence community people are concerned about possible uses of computers in an evolving computer culture. The basic goals of artificial intelligence are to:

- synthesize systems that behave intelligently;
- understand intelligence in terms of computational concepts.

The human needs a personal computer system will one day help to satisfy cover the range of playing, learning, recreation, artistic creation, and personal assistance to expand one's own memory and reasoning power. Using a computer to build an intelligent tutor and an educational environment that stimulates learning by discovery (ie: through simulation, exploratory problem solving) are of central importance to artificial intelligence. Although canned software for educational applications will be widely available there remains a need for programming to tailor the system to the user's individual needs and requirements.

Our notion of what programming is all about will drastically change: it will cover a wide range of possible relationships between man and machine where a person creates and manipulates dynamic information structures according to personal tasks and taste. Program writing, in the historical sense of writing individual statements, is just one aspect of using a computer and will become less relevant, if not obsolete, compared to the understanding and modification of prefabricated software components.

LISP Based Systems

Historically, LISP has been used as the *basic tool of artificial intelligence* since the computational ideas embedded in it, together with the program development system built around the language, lend themselves most naturally to the design of complex systems.

The design of LISP systems has been guided by an em-

phasis on supporting the user to solve complex, illstructured, poorly understood problems at already early stages (eg: problem formulation, approximations to the final solution, support of debugging and program modification), rather than only the final step of coding a well understood problem or an already known algorithm in a given programming language. Program constructs and programming methodology in the LISP culture were particularly concerned with *cognitive efficiency* (ie: to make programs understandable by humans). It was one of the gratifying results of this work that these programs, with the help of program transformation systems, can also be proved correct and run efficiently.

Designing a Personal Information System

Suppose you want to design a personal notebook containing people's names, addresses, interests, programs they use, messages you are sending them, appointments you make with them, etc. Such a system will consist of frequently changing information structures. As a personal information system it should model and extend that information system in our head. By using the system, we will feel the need for new features that should be incorporated (ie: an easy to learn command language or an instructional help facility to introduce a new user). A more advanced version of the system should be able to perform simple deductions. For instance, if we tell the system at some point of time, "My friend Jim has moved to San Francisco" and later ask it to, "List all friends in California," Jim should be included in the set. Eventually this system could "grow up" to become a personal assistant.

We will show that the computational ideas of LISP, as developed in the artificial intelligence community, are particularly well-suited for this kind of application.

Basic Computational Ideas

We list those ideas which are relevant to the design of *complex* programs and transcend the capabilities of other languages and systems. In almost all interesting educational applications of computers, complex programs will be involved:

- Incremental design. E Sandewall feels that interactive middle-out programming (besides top-down and bottom-up approaches) is a natural way to build a complex system in a process of structured growth. We construct a simple version of the system, try it out, identify our misunderstandings and debug it. This knowledge, and our critique, will lead to modified specifications, and a new cycle of exploratory programming begins. Since LISP systems are incremental, old modules may be modified and new building blocks can be added with an immediate effect. The compilation of fully debugged code is available as an optional feature.
- Complex dynamic data-structures. Most information processing models and problems to be solved with the computer will deal with complex dynamic structures like lists, trees, nets, property lists, etc, and will not be based only on numbers and strings. In our above example, the information associated with a person could be represented in a natural way as the linked structure in figure 1. It should be easy to include new attributes or provide for a business as well as a home address.

We define data structures abstractly through functions: constructors to build a datum; selectors to extract an attribute, and predicates to examine the type of a data structure. Including other representations, such as graphics, is easy since most LISP systems contain a higher level assembly language that gives access to the machine level.

• Data-program equivalence. A typical strategy to attack problems in artificial intelligence is to define layers of languages, each suited to a particular level of abstraction (eg: <user interface language>-- <interim language 1>--...-LISP). The definition of LISP itself, as stated by John




Table 1: A typical problem approach may be to take a user command and translate it into program instructions. These program instructions are then executed by the computer. This is an example of taking a high level user language and converting it into efficient machine language.

McCarthy, provides a good model for this approach, since most of a LISP system is itself written in LISP, except for a handful of *primitive functions*. For example, the user's command is translated into a program and then evaluated as in table 1.

LISP facilitates this approach since the function EVAL lets the user evaluate any data as a program! The inverse is also true; it is quite easy to write programs which manipulate other programs as if they were data.

• Pattern matching and data driven programming. The system should respond to situations where the order in which certain actions are to be taken is not specified in advance. Furthermore, in many situations it will be impractical to specify a question literally: we might have to leave slots open which can be filled in by the system, using the knowledge contained in its data base. In our example, many other types of requests are possible. To translate them, patterns to decompose and recompose them can be defined.




Figure 1: An example of a linked list. This form of linked list is called a singly linked list. In a singly linked list, the user can only move in one direction, forward in the direction of the arrow. In a doubly linked list, the user can retrace the steps taken to arrive at the present location.

Pattern languages like these are easy to implement in LISP (see Winston, Bocker and Fischer, and Kornfeld's article in this issue). Constructs consisting of condition action pairs form the basis of production systems as described by Newell and Simon. Procedure calls are triggered (and thus, data structures are manipulated) by the global state of a world (ie: the data/knowledge available) and not according to a predefined calling structure.

• Property lists. Property list-like structures form the basis of an associative memory. They were developed in list processing languages (eg: IPL-V and LISP) and have been generally (ie: in many programming languages) accepted as constructs which are conceptually easy to handle.

They allow procedures to be linked to data items and evaluated depending on the current state of the system. For example, to update the address of Jim we may write:

(APPLY (GET JIM UPDATE/ADDRESS) (READ))


The first argument of APPLY is an address updating function, which is stored on the property list of JIM under the property UPDATE/ADDRESS. The second argument of APPLY is the argument the update function will become applied to. In our example these data will be requested from the user through the function READ. The educational value of these ideas is that they provide *powerful ideas* for the personal computer user who wants to shape a reactive environment to his needs.

LOGO Based Learning Environments

LOGO is, up to surface structure, more or less equivalent to LISP. LOGO as a programming language (developed by W Feurzeig and S Papert) was designed and developed to form the basis for learning environments in which the student taking an active role can learn about computers and use them to investigate issues in education and cognitive psychology. The LOGO system supports two different (by no means disjoint) environments: the Turtle, Graphics and Musicbox world (ie: peripheral devices which are controlled by a command language) and the LISP world. A well-engineered programming environment, based on an LSI-11, is commercially available as a stand alone, personal computing system. It integrates the language processor, editor, tracer, debugger, file management, document facilities and text processing into one system (comparable efforts to build similar systems around Pascal are still in their infancy).

LOGO projects working on computers and education can be found in many places around the world. We briefly summarize the experiences we gathered in our project in Darmstadt (see also Fischer):

• Basic computational ideas like recursion, the con-



Both sides now

North Star Announces — Double Density x 2 Sides = Quad Capacity!

The North Star Horizon now delivers quad capacity by using two-sided recording on our new mini drives! That's 360,000 bytes per diskette! A four drive North Star system accesses over 1.4 megabytes of information on-line! Think of the application flexibility that so much information storage can give you!

North Star has quadrupled the disk capacity of the Horizon computer but prices have increased a modest 15 percent. On a dollar per byte basis, that's=a bargain that is hard to beat!


The proven North Star disk controller was originally designed to accommodate the two-sided drives. North Star DOS and BASIC are upgraded to handle the new capacity, yet still run existing programs with little or no change. Of course, single sided diskettes are compatible with the new disk system.

Get both sides now! Quad capacity is available from your North Star dealer.



North Star Computers 1440 Fourth Street Berkeley, CA 94710 (415) 527-6950 TWX/Telex 910-366-7001








Figure 2: Two different approaches to bridging the gap between natural language and the formal symbols of programming languages are represented. The traditional approach links everything closely with mathematics and uses mathematics as the bridge. In the authors' approach, the LOGO language is used as the bridge since it can be used to develop reasoning powers without having to become involved with the language of mathematics.

cept of an interpreter, list processing and those mentioned above can be naturally integrated into interesting projects, caused no difficulties for students to understand, and can be considered as powerful in the sense that they are widely applicable (even in problem solving situations without the computer).

- Graphic devices, music box, etc, provide strong motivational support, excellent entry points to explore the world of computation because early success is possible and interaction with the machine is based on observable and intuitively understandable events.
- Our experiences, especially with young students, indicate that programming in LOGO may serve as a bridge between natural language communication and reasoning and the formal and abstract symbols and reasoning in mathematics and programming languages. The findings differ greatly from the traditional approaches where computer scientists try to keep things linked as closely as possible to mathematics, assuming that mathematics could serve as a bridge to programming (which we all know is questionable because most people are more alienated by mathematics than attracted). Figure 2 illustrates the two different approaches.

Our findings can at least be partly explained by the cleanliness by which the basic computational ideas are embodied in LISP/LOGO.

• Our programming environment stimulates learning by discovery. New concepts are discovered by solving a problem through incremental writing and debugging of programs. The computer serves as a medium to test one's own understanding of concepts and of poorly understood systems (ie: if we really understand something, we can write a computer program that will do it).

- Group projects are easy to realize since the program development system supports the organization of modules as building blocks. In our example of a personal information system, one person could write the module to translate inputs into an internal representation, another person may write a deductive component and a third person could deal with the problem of how to answer requests or questions from the user.
- Our programming methodology differed in an essential way from other approaches. Procedures, including parameters and recursion as basic control structures, were introduced long before the concept of a variable was mentioned. These two aspects are not independent of each other. They basically introduce the learner to "pure LISP" (ie: a version of LISP without variables) and avoid the problems associated with side-effects and global variables.
- Our empirical evidence indicates that learning other programming languages (eg: BASIC, Pascal) after having learned LOGO was easy because constructs in these languages could be easily mapped into known concepts, whereas this statement does not hold in the other direction.

Intelligent Computer Assisted Instruction

Despite our belief that the most important impact of computers for educational applications will be the active independent use described in the previous section (the

Graphics for small systems were too expensive...



student *teaches* the computer), we do not overlook the rich potential of using intelligent programs to teach the student certain subjects, to involve and tutor him in game playing situations, and to diagnose his difficulties.

The traditional computer aided instruction was modelled on a reduced view of learning: present a stimulus item to the learner, receive a response and give a reinforcement. More advanced programs select the material to be presented according to how well the student is doing, or give him a possibility to select the particular topic he wants to study or practice. From a more comprehensive view of learning, it is essential to diagnose the learner's cognitive development and support him through a tutor who is himself an expert in the problem and can infer the conceptual difficulties this learner may encounter. A prototype is the Buggy program written by artificial intelligence researchers J Brown and R Burton, which goes far beyond traditional computer aided instruction programs by integrating artificial intelligence techniques and cognitive theories about learning, teaching and debugging.

Buggy relies on the basic pedagogical assumption, which was verified through extensive empirical findings, that students give wrong and arbitrary answers in only a few cases but tend, rather, to answer a different question or compute a result according to a different algorithm. They behave, in many cases, with *absolute consistency* with respect to their own theories. To provide real help, the teachers have to deduce the underlying misunderstanding (ie: the deep structure) from scarce observations on the surface. Buggy is a program which does this for simple arithmetic skills. The knowledge to draw an inductive inference is stored in a diagnostic model, which tries to capture possible deviations from the correct way of doing the task.

Another example that uses a diagnostic model is the Wumpus advisor (called Wusor II), which teaches inference strategies in the Wumpus game created by Gregory Yob. The program teaches the knowledge of an expert player by tailoring its advice and explanations to its current estimation of the player's knowledge. These programs may serve as prototypes of intelligent tutoring programs to teach the playing of games.

A different approach in intelligent computer aided instruction does not include an expert tutor, but is guided by the philosophy of creating a simulated environment which the user is free to explore at will. The discovery of this environment leads to the acquisition of new skills and knowledge. Prototypes of such systems are: Scholar, a question answering system to learn about geography in a mixed initiative dialogue (Carbonell); Sophie, a system to teach electronic trouble-shooting (Brown, Burton, Bell); and the Logic program developed at Stanford (Suppes). What makes these programs appear to behave intelligently is the fact that the knowledge they teach is used by these systems in many ways to carry out dialogues (for an overview see Laubsch).

A crucial component of friendly, intelligent, computer aided instruction systems is natural language (eg: the Sophie system). Rapid advances in artificial intelligence make it seem likely that natural language interfaces will be available for many applications of interest to the general public. It is not possible to explain the details of these programs here down to an implementation level, because these systems are large and complex as compared to current standards. The historical evidence may suffice to show that all these systems have been implemented in large sophisticated LISP systems (eg: InterLISP) which have matured over more than a decade to support the development of systems of this size.

Conclusions

LISP remains a tool in artificial intelligence and educational research, even though it has contributed greatly to our understanding of computational issues and their relevance to intelligent behavior.

We do not want to give the impression that all interesting uses of computers are centered around LISP. Some of the most innovative work was done by the Learning Research Group at Xerox Research Center in their development of the Dynabook and the Smalltalk language.

The real issues remain and pose many research problems for the years to come: to create cognitive theories; to create a science of intelligence, and to apply it successfully to the problems of education. \blacksquare

Bibliography

- BOCKER, H D, and FISCHER, G, Interaktives Problemiosen mit Computerhilfe: Problemautgaben, Forschungsgruppe CUU, Darmstadt, 1978.
- BROWN, J S, BURTON, R R, and BELL, A G, "Sophie: A Step Toward Creating a Reactive Learning Environment," *International Journal of Man-Machine Studies*, volume 7, 1975, pages 675 thru 696.
- BROWN, J, and BURTON, R, "Diagnostic Models for Procedural Bugs in Basic Mathematical Skills," *Cognitive Science*, volume 2, 1978, pages 155 thru 191.
- CARBONELL, J R, "Al in CAI: An Artificial Approach to Computer-aided Instruction," *IEEE Transactions on Man-Machine Systems*, volume MMS-II, number 4, 1970.
- CARR, B, WUSOR II: A Computer Aided Instruction Program with Student Modelling Capabilities, Al-Memo 417, MIT Artificial Intelligence Lab, Cambridge MA, 1977.
- FISCHER, G, "Das Losen komplexer Problemaufgaben durch naive Benutzer mit Hilfe des interaktiven Programmierens," Forschungsgruppe CUU, Darmstadt, 1977.
- FEUERZEIG, W (editor), Programming Languages as a Conceptual Framework for Teaching Mathematics, BBN Report Number 2165, Cambridge MA, 1971.
- 8. General Turtle Corporation, 120 Boulevard Industriel, Boucherville Quebec, 34B 2X2 CANADA.
- 9. KAY, A, "Microelectronics and the Personal Computer," Scientific American, September 1977, pages 231 thru 244.
- LAUBSCH, J, "Artificial Intelligence Methoden im CUU," K Brunnstein et al (editors), *Lecture Notes in Computer Science*, volume 17, Springer Verlag, Berlin, 1974, pages 385 thru 393.
- McCARTHY, J, "A Micromanual for LISP—not the Whole Truth," SIGPLAN Notices, volume 13, number 8, August 1978, pages 215 thru 216.
- PAPERT, S, "Uses of Technology to Enhance Education," Logo Memo 8, MIT Artificial Intelligence Lab, Cambridge MA, 1973.
- SANDEWALL, E, "Programming in the Interactive Environment: The LISP Experience," ACM Computing Survey, volume 10, number 1, 1978, pages 35 thru 72.
- SUPPES, P, SMITH, R, and BEARD, M, University Level Computer assisted Instruction at Stanford, TR number 265, IMSS, Stanford University, Stanford CA, 1975.
- WINSTON, P, Artificial Intelligence, Addison Wesley, Reading MA, 1977.
- 16. YOB, G, "Hunt the Wumpus," Creative Computing, September and October, 1975, pages 51 thru 54.

LEADER IN COMPUTER EDUCATION

SYBEX

SYBEX, INC. 2020 Milvia Street Berkeley, California 94704



The Lambdino Storage Management System

Gianfranco Prini Instituto di Scienze dell'Informazione Universita' di Pisa Corsa Italia 40. I-56100 Pisa ITALY

Martin Rudalics Institut fuer Mathematik Johannes Kepler Universitaet Linz A-4045 Linz/Auhof AUSTRIA

Lambdino is a statically scoped dialect of LISP (see glossary for definitions). The name Lambdino is a combination of lambda, Landin, and ino, where lambda stands for itself, Landin refers to a person. and ino is an Italian suffix for small. The reference to Peter Landin is due to the fact that he designed the first statically scoped applicative language based on the interpretive philosophy of LISP (as described in his paper entitled "The Mechanical Evaluation of Expressions"). Other predecessors of Lambdino include the anonymous language used by Reynolds in his work *Definitional Interpreters for Higher-Order Programming Languages* and in *Scheme* as described by G Sussman and G Steele.

A detailed description of Lambdino and the problems posed by its implementation are beyond the scope of this paper. Here we only want to sketch some ideas on which we have based its storage management system. Thus LISP or Scheme may be substituted for Lambdino throughout this paper.

An explicit design goal of Lambdino is its transportability onto a wide class of computers, including microcomputers. Particular care has been put into the development of the Lambdino storage management system in order to fit the space and time constraints of microcomputers. A machine independent version of Lambdino, implemented in MagmaLISP, has been realized and will be bootstrapped in the near future on several machines, including an IBM System/370 Model 168 (IBM 74) and a Zilog Z-80 Development System. The only assumption made in this implementation is that the memory of the host machine is structured into directly addressable bytes.

Storage Management in LISP


Implementors of LISP systems have developed various techniques to make efficient use of free storage (ie: that part of the memory not occupied by the operating system and the LISP kernel including the data structure manipulating primitives and the garbage collector). In all these techniques, objects are manipulated via pointers, and arbitrary run time type checking is possible in both system programs and user defined functions. This is normally achieved by using typed pointers in a more or less explicit way. A typed pointer is a pair $\langle T, A \rangle$ which identifies an object type T located at address A. The length of A usually coincides with the address length of the host machine (eg: 18 bits in the PDP-10, 24 bits in the IBM System/370). In this way, the hardware addressing mechanism may be efficiently used for the implementation of most data structure manipulating primitives. The representation of T usually requires only a few bits (typically 2 or 3 in *small* systems with a limited number of data types, 7 or 8 in large ones).

Although it is possible to implement a typed pointer $\langle T, A \rangle$ as the concatenation of the bit strings representing T and A, in some systems only A is represented explicitly, while T is implied by (ie: is a function of) A.

Acknowledgements

The work reported in this article has been partly supported by CNR during a period of four months spent by Martin Rudalics at the Instituto di Elaborazione dell' Informazione with a scholarship of the Italian Foreign Office.

"Our inventory is our existence. Think we'd trust it to anything less than Scotch Brand Diskettes?"



Don Stone, Vice-President, Mass. Auto Supply Company, Inc., Boston, Mass.

Scotch Diskettes are the diskettes you can depend upon with the information your business depends upon.

Each one is tested and certified error-free before it leaves our factory. Because we know nothing less than perfection is acceptable for your vital business data.

Scotch Diskettes are available in regular or mini sizes, compatible with almost any system.

To find out where you can find Scotch Diskettes, call toll free: 800-328-1300. (In Minnesota, call collect: 612-736-9625.) Ask for the Data Recording Products Division.

If it's worth remembering, it's worth Scotch Data Recording Products.





A one-to-one correspondence between partitions and data types is implicitly established.

There are basically three ways of implementing typed pointers.

Contiguous Partitions

Free storage is divided into a number of areas called partitions which consist of contiguous memory cells (ie: bytes or words). Each partition is allowed to contain only data belonging to the same type (also referred to as the type of the partition, see figure 1). A one-to-one correspondence between partitions and data types is implicitly established by the implementation of the data structure manipulating primitives. The type T of an object is obtained by comparing its address A with the boundaries of the partitions.

This technique has been adopted by the PDP-10 implementation of LISP 1.6 and some early versions of MacLISP. In fact it is particularly suited to those computers in which typed pointers are not allowed to contain an explicit representation of T without a considerable waste of space. As an example, one word in the PDP-10 is 36 bits long and may contain exactly two addresses. If one half word were reserved for representing T, several bits would remain unused.

Contiguous partitions may be disadvantageous when the partition associated with a type T becomes full and the allocation of a new object of type T is requested. The garbage collector may then fail to recover sufficient space for allocating the new object, even though other partitions are nearly empty. This drawback may be eliminated by enlarging the overpopulated partition and contracting the underpopulated ones. A compacting garbage collector with additional phases is required for this purpose. After the compaction phase, the boundaries of the partition are redefined, data is moved to fit the new boun-

P3

(T3)

Pn

(Tn)

daries and all pointers to moved data are updated accordingly.

Paged Partitions

Free storage is divided into pages of equal length (usually a power of 2, eg: 1 or 2 K bytes or 256 or 512 words). A page is referred to as busy or free, according to whether or not it currently contains data. Like contiguous partitions, each busy page may contain only data belonging to the same type, further referred to as the type of the page. The correspondence (usually many-to-one) between busy pages and their respective types is dynamically realized by a type table, which also keeps track of the free pages (see figure 2).


The type T of an object located at address A may be retrieved by accessing the type table using the most significant bits of A as an index (this is possible if the page length is a power of 2). When a object of type T is to be allocated and no more space is available in pages of type T, a new free page is used and its type is set to T. Thus, the partition associated with a given type is distributed over several pages. The garbage collector compacts all data of a given type into as few pages as possible.

This technique, which has been developed as an alternative to contiguous partition for the same class of computer architectures, has been empleyed in the PDP-10 implementation of INTERLISP and recent versions of MacLISP (as described by G Steele in *Data Representation in MacLISP*).

As for the efficiency, paged partitions and contiguous partitions with variable boundaries are comparable: the necessity of accessing the type table may lead to a slower type checking, but the garbage collector need not recompute boundaries and move data accordingly. A nice property of this technique is its compatibility and smooth interaction with timesharing operating systems that have paged virtual memories. In fact, the page table used by the operating system and the type table may be easily combined.

Paged Partitions with Tagged Pointers

This technique is identical to the preceding one, except






Figure 2: Paged partitions: a pointer to an object of type T2.

PI

(TI)

P2

(T2)

Tinker, Tailor, Soldier, Sailor . . . **Doctor, Lawyer** . . . the Chieftain's here.

No matter whether you're a serious hobbyist or a serious businessman, the Chieftain 6800 microcomputer with capabilities that surpass the Z-80 is made for you.

Smoke Signal's quality-packed Chieftain I features two 5.25-inch minifloppy drives and Chieftain II features two 8-inch floppy drives.

Both microcomputers provide 32K static memory, two serial I/O ports, a 2 MHz processor board, a 2K RAM monitor, a nine-slot motherboard with builtin baud rate generator and gold connectors for high reliability. The Chieftain's stylish leather-grained cabinet houses the above with its own cooling fan and regulated power supply. Every Chieftain is complete with system software and is totally burned-in as well as tested to further insure high reliability.

And it's expandable to 64K memory with up to 2 megabytes floppy disk storage.

So see your nearest Smoke Signal dealer, he'll be glad to show you how to get your wampum's worth. Systems start at \$2,595.

	 Send information on your Chieftain microcomputer Send name of nearest dealer
	Name
	Address
	Company
	City
1	State/Zip
	SMOKE SIGNAL
	(MERICA)
1	BROADCASTING
	21226 Vin Colinea Westlake Village

California 91361. (213) 889-9340

Dealer inquiries invited.








Figure 3: Paged partitions with tagged pointers: a pointer to an object of the type T2 and the representation of the integer 347.




Figure 4: Storage representation of an object created by MK-FOO.




Figure 5: Storage representation of an object created by MK = FOO.

for the fact that all pointers to an object also contain an explicit representation of its type T (see figure 3).

Tagged pointers have been adopted in MagmaLISP and the IBM version of InterLISP. They are convenient in computers whose word size exceeds the address length by a few bits, which may comfortably contain the representation of T type. As an example, a typed pointer < T, A >may be represented with a full word in the IBM System/370 by reserving 24 bits for A and the remaining 8 bits for T. It is interesting to note that the LISP machine (described by A Bawden, et al, in the *LISP Machine Progress Report*) implements typed pointers in this way.

Tagged pointers allow for a quick retrieval of the type of an object. Moreover, *short* constants such as characters, *small* integers, etc, may be directly represented in the address part of a typed pointer (see figure 3). The type T identifies them as *immediate* data not to be manipulated as pointers (note that no *private* pages are needed to store immediate data). The main drawback of this technique is that information is somehow duplicated: in fact, a

LISP does not contain primitives for declaring new data types.

type table is still needed by the garbage collector during the compaction phase.

How To Get Rid of Most Terminating NILs

LISP (unlike ALGOL 68 and Pascal) does not contain primitives for declaring new data types. However, S expressions are an effective tool allowing the user to program new data types explicitly.

As an example, consider a record class named FOO whose instances contain the fields FIE, FOE, and FUE. The data type FOO may be programmed in LISP using proper lists (ie: lists ending with NIL) as follows:

(DEFINE MK-FOO	(FIE FOE FUE)
(LIST ' FOO FIE	FOE FUE))
(DEFINE IS-FOO	(X) (EQ (CAR X) ' FOO))
(DEFINE FIE-OF	(X) (CADR X))
(DEFINE FOE-OF	(X) (CADDR X))
(DEFINE FUE-OF	(X) (CADDDR X))

The storage representation of an object of type FOO is shown in figure 4. It is immediately evident that this representation is space consuming: in fact, the last cell may be eliminated, and the pointer turned into a pointer to $\langle FUE \rangle$ (see figure 5). To this purpose, MK-FOO and the other functions may be redefined as follows:

(DEFINE MK = FOO (FIE FOE FUE) (CONS ' FOO (CONS FIE (CONS FOE FUE)))) (DEFINE IS = FOO (X) (EQ (CAR X) ' FOO)) (DEFINE FIE = OF (X) (CADR X)) (DEFINE FOE = OF (X) (CADDR X)) (DEFINE FUE = OF (X) (CDDDR X))

Unfortunately, when the structures created by MK = FOO are printed by the standard output routines of LISP (eg: for debugging purposes), their readability decreases considerably. For instance, (MK-FOO 1 2 (MK-FOO 3 4 5)) is printed as (FOO 1 2 (FOO 3 4 5)), whereas (MK = FOO 1 2 (MK = FOO 3 4 5)) yields (FOO 1 2 FOO 3 4 . 5), thus introducing an irritating extra dot while omitting one pair of significant parentheses.

It is possible to both maintain the clean formalism of proper lists, and represent them efficiently (as indicated in figure 5) by introducing the concept of NULLCDR cells. To this purpose an additional bit, B, is associated with each typed pointer, thus yielding a triple $\langle T,B,A \rangle$. When B is clear, $\langle T,B,A \rangle$ represents a typed pointer as usual. When B is set, $\langle T,B,A \rangle$ represents a LISP cell whose CDR is NIL (ie: a NULLCDR cell) and whose CAR has type T and is located at address A. NIL must be used explicitly in only a very few cases (see figure 6).

With the introduction of NULLCDR cells, only proper

lists are allowed in Lambdino. This fact has several consequences:

- Space is not only saved in the implementation of user defined data structures, but also in the list representation of interpreted functions. Most lists in purely applicative programs contain less than 3 or 4 elements, hence the introduction of NULLCDR cells allows a save of 25 to 33% in space.
- The absence of the LISP *dot notation* slightly simplifies the I/O (input/output) routines.
- The time required by CONS for checking the type of its second argument is largely compensated by the time saved using NULL (or, better, NULLCDR) instead of NLISTP as a predicate for terminating recursions. Also, the functions CAR, CDR and NULLCDR need not make a storage access when their argument is a NULLCDR cell. This may lead to a significant save of time. As an example, the function:

(DEFINE EVLIS (X A) (COND ((NULL X) NIL) (T (CONS (EVAL (CAR X) A) (EVLIS (CDR X) A)))))

may be written more efficiently as:

(DEFINE EVLIS (X A) (COND ((NULL X) NIL) (T (EVLIS1 X A))))

(DEFINE EVLIS1 (X A) (CONS (EVAL (CAR X) A) (COND ((NULLCDR X) NIL) (T (EVLIS1 (CDR X) A)))))

This improved version saves some storage accesses and one recursive call to (and return from) EVLIS.

RPLACA and RPLACD (if they are implemented at all!) generate an error when applied to NULLCDR cells.

Standard garbage collectors (including the Schorr-Waite algorithm) are unaffected by the presence of NULLCDR cells (pointers having the NULLCDR bit set are treated exactly as usual pointers).

Lambdino Design Issues

The Lambdino storage management system is a mixture of contiguous partitions and tagged pointers with NULLCDR bits. More precisely, the free storage is divided into two variable partitions FIXLEN and VARLEN (see figure 7).

FIXLEN may contain only fixed length data (ie: data whose memory occupation depends only on their type). There are three FIXLEN data types in Lambdino, namely atoms, cells and interpreted closures. They are records with two fields with the following characteristics:

• Atoms have a TOPVAL field which may be any datum (eg: a function definition) and a PNAME field, which must be a string (property list lovers will be allowed to use this field for holding property lists in special ver-




Figure 6: Tagged pointers with NULLCDR bit: the example represents (A ((B) C)) and ((A)).




Figure 7: Overall organization of the free storage in the Lambdino storage management system.

Figure 8: Tagged pointers in the Lambdino storage management system.

sions of Lambdino).

- Cells have a CAR field which may be any datum and a CDR field which must be a list, though possibly empty.
- Interpreted closures have a FUN field which must contain a LAMBDA and an ENV field which contains an ALIST (they are similar to FUNARG objects in LISP).

VARLEN is reserved for variable length data, ie: data which must contain explicit information on their memory occupation. There are three variable length data types in Lambdino, namely strings, compiled functions and compiled closures:

- Strings are mainly used for representing atom print-names.
- Compiled functions are binary code produced by the Lambdino compiler.
- Compiled closures contain a pointer to a compiled function (which corresponds to the FUN field of interpreted closures) and pointers to the values of its free variables (they correspond to the ENV field of interpreted closures).

A new datum is allocated by moving FIXALL to the left or VARALL to the right according to whether it is a FIXLEN or a VARLEN datum. When FIXALL and VARALL collide, a standard compacting garbage collector is invoked to contract VARLEN to the left and FIX-LEN to the right. The common length of FIXLEN data



Figure 9: Representation of a cell in the Zilog Z-80 Development System.




Figure 10: Representation of a cell in the IBM System 370.

allows the garbage collector to operate properly during the compaction phase without knowing the type of the objects. This guarantees an optimal use of the limited memory of the host microcomputer.

Data are referenced by a special kind of tagged pointers (see figure 8). The tag consists of four bits:

- b3 is used during the mark phase of the garbage collector.
- b2 is the NULLCDR bit: when it is set, the tagged pointer represents a NULLCDR cell.
- b1 and b0 are used together with A to determine the type of a datum.

The datum type is determined by bits b1 and b0 as follows:

- When either b1 or b0 is set, A is interpreted as the address of a fixed or variable length datum, according to whether A points into FIXLEN or VARLEN. In this case the three possible configurations of b1 and b0 are sufficient to cover the three types of FIXLEN and VARLEN data, respectively.
- When b1 and b0 are both clear, A is to be interpreted as an integer number. Integers constitute the seventh data type of Lambdino and are always represented as immediate data.

Implementation Details

Our inplementation of Lambdino is supported by an abstract stack machine SM which contains the following primitives, in addition to standard arithmetic and control routines (we assume that A is a nonnegative Lambdino integer, V a nonnegative Lambdino integer less than 256, P an arbitrary Lambdino tagged pointer).

(GETBYTE A) returns an integer representing the contents of the byte located at address A.

(PUTBYTE A V) stores V into the byte located at address A.

(GETCHAR) reads the next character from the input

stream and returns its integer representation.

(PUTCHAR V) writes the character represented by V into the output stream.

(GETTYPE P) returns the integer representation of the tag of P.

(PUTTYPE P V) returns a new pointer having tag V and the same address part as P.

The Lambdino storage management system, which is entirely written in terms of these primitives, contains parameters to define the size of addresses and to specify whether or not two tags have to be packed into one byte. When bootstrapping the system on a Zilog Z-80 Development System, 16 bits for the representation of addresses and the packed version of tags are recommended (see figure 9), while 24 bit addresses and unpacked tags should be used on an IBM System/370 (see figure 10).

Concluding Remarks

We have developed an experimental implementation of Lambdino written in Lambdino itself. It includes a Lambdino interpreter, an interpreter for the stack machine SM and a compiler which translates Lambdino functions into SM programs. All these Lambdino functions have been debugged using a simple Lambdino interpreter written in MagmaLISP. As all functions of the system eventually call the previously defined primitives, the system can be (and will be soon) bootstrapped by compiling it to the machine code of SM using it own compiler, and by macroexpanding the resulting code to the machine language of the host computer.

BIBLIOGRAPHY

- 1. Allen, J, Anatomy of LISP, McGraw-Hill, 1978.
- 2. Bawden, A, Greenblatt, R, Holloway, J, Knight, T, Moon, D, Weinreb, D, LISP Machine Progress Report, Memo Number 444, Laboratory for Artificial Intelligence, Massachusetts Institute of Technology, 1977.
- 3. IBM System/370 Model 168 Theory of Operation, Form Numbers SY22-6931/2/3/4/5/6, IBM Corporation, Poughkeepsie NY, 1974.
- 4. Landin, P, "The Mechanical Evaluation of Expressions," Com-
- puter Journal, volume 6, number 4, 1964, pages 308 thru 320.
 5. Montangero, C, Pacini, G, Turini, F, "MAGMA-LISP: a Machine Language, for Artificial Intelligence," Proceedings of the Fourth International Joint Conference on Artificial Intelligence, Tbilisi, 1975, pages 556 thru 561.
- 6. Moon, D, MacLISP Reference Manual, Laboratory for Computer Science, Massachusetts Institute of Technology, 1974.
- 7. Quam, L, Diffie, W, Stanford LISP 1.6 Manual, Artificial Intelligence Laboratory, Stanford University, 1972.
- 8. Reynolds, J, "Definitional Interpreters for Higher-Order Programming Languages," Proceedings of the ACM National Convention, 1972, pages 717 thru 740.
- 9. Steele, G, "Data Representation in MacLISP," Memo Number 420, Laboratory for Artificial Intelligence, Massachusetts Institute of Technology, 1977.
- Sussman, G, Steele, G, "SCHEME: an Interpreter for Extended LAMBDA Calculus," Memo Number 349, Laboratory for Artificial Intelligence, Massachusetts Institute of Technology, 1975.
- 11. Teitelman, W, INTERLISP Reference Manual, Xerox Palo Alto Research Center, 1975.
- 12. Urmi, J, INTERLISP/370 Reference Manual, Department of Mathematics, Linkoeping University, 1976.
- 13. Z-80 Development System Hardware User's Manual, Zilog Incorporated, Cupertino CA, 1977.

no loose ends

All-In-One: computer, floppy, I/O, 16K RAM. \$1595*



New Heathkit® H89 All-In-One Computer

Heath takes the risk out of selecting a balanced computer system. Now, video terminal, floppy, keyboard and 8-bit computer are brought together in one self-contained, compact unit. Nothing hangs out.

Two 780's

The personal computer has never been simpler. Or smarter. Two Z80 microprocessors mean terminal never shares power with computer, as do most desk-top units. So this terminal is capable of a multitude of high-speed functions, all controllable by keyboard or software.

102K bytes storage

Built-in floppy disk system gives you fast access to programs and data. Each 51/4 inch diskette has more than 102K bytes of storage area, enough to hold entire files. The All-In-One comes with 16K RAM, expandable to 48K.

Hundreds of uses at home or work

The All-In-One Computer runs programs written in MICROSOFT™ BASIC and ASSEMBLER Languages. And it accepts all current software written for the popular Heathkit H8 computer. You can choose from scores of practical programs for home and business.

Learn by building

What better way to learn about computers than to build one yourself? The All-In-One is available in easy-to-build kit form, as well as completely assembled. Like all Heath electronic kits, it comes to you with its own easy-to-follow assembly manual and a nationwide network of service centers to assure smooth sailing.

FREE CATALOG



For complete details on the Heathkit H89 All-In-One Computer and nearly 400 other electronic kits for your home, work or pleasure, send today for the latest Heathkit Catalog of values.

*\$1195 without floppy. Mail order kit price, F.O.B. Benton Harbor, Ml. Also available at Heathkit Electronic Centers at slightly higher prices. Prices subject to change without notice CP-165

HEATH COMPANY, DEPT. 334-560, BENTON HARBOR, MI 49022

Pattern-Directed Invocation Languages

William A Kornfeld MIT Artificial Intelligence Laboratory 545 Technology Sq Cambridge MA 02139

LISP was first developed for use in artificial intelligence research, the branch of computer science concerned with understanding the nature of intelligent activity by simulating it on a computer. LISP has proved so successful that it is the only high level language currently supported at the MIT Artificial Intelligence Laboratory. Much of its success is due to its syntax and data structures which make it a convenient base upon which to implement very high level special purpose languages.

One very important class of these high level languages is the so-called pattern-directed invocation languages. They made their first appearance in about 1970 with the Planner system at MIT. Since then, dozens of these languages have been built at sites around the world with different sets of features. The basic concepts involved can be traced back to the work of such logicians and philosophers as Frege, Russell, and Carnap in the earlier part of this century. They were concerned with representing and manipulating *facts* about the world. They began with atomic facts and described methods that could be used to deduce new facts from old. Pattern-directed invocation languages treat facts, represented as LISP lists, as elementary data types and usually collect them together into one or more data bases. Procedures can be written to derive new facts (or to decide if it is possible to derive a given fact) from those already in the data base.

In this article we will be mostly concerned with the basic concepts involved in pattern-directed invocation languages. Toward the end, a brief summary is given of some of the more advanced ideas that have found their way into these languages. Special attention is given to the problem of implementing these languages in a LISP system. Much of this implementation is surprisingly

About the Author:

straightforward, once the basic concepts of LISP are understood. In fact, the task of implementing a system almost identical to the one described here was given to students in a beginning programming course at MIT. The students had had only a few weeks experience with LISP, and a total programming experience of a couple of months, but they had little problem with the assignment.

Retrieval of Information by Pattern

Suppose we wanted to represent the knowledge, inside of our computer, that Lena is the mother of Paul. This sentence contains three important items; the two people, Lena and Paul, and the relationship — one being the mother of the other. This fact can be represented using the data structures of LISP as a list with three elements. We are free to choose any arrangement of the items in the list; placing the relation (mother-of) in the first, second, or third position of the list. I prefer to keep to the LISP (and mathematical) conventions of putting the relationship first, and having the arguments follow. This fact will be represented as:

(MOTHER-OF LENA PAUL)


We could have many such facts similarly represented by list structure inside of our machine. Some examples are:

> (MOTHER-OF LENA FAY) (WIFE-OF LENA SAM) (MOTHER-OF FAY ROBERT) (MOTHER-OF FAY ARLENE) (FEMALE LENA) (FEMALE FAY) (MALE ROBERT) (MALE SAM)

We call each of these facts an *assertion*. Assertions are pieces of arbitrary list structure (as far as the LISP interpreter is concerned). So that they may be used in our pro-

William Kornfeld is a graduate student at the MIT Artificial Intelligence Laboratory. He is currently doing research in the semantics of pattern-directed invocation and extensions of these ideas to parallel processing.

CGS-808



Main Features

- Motorola MC6847 video display generator.
- Eight polors green, yellow, blue, red, buff, cyan, magenta, orange.
- 11 programmable modes
 - I alphanumeric mode with 32 x 16 character and inverse video.
 - 2 semigraphic modes with 8 colors in 64 x 82 and 64 x 48.
 - 8 full gräphic motion with 2 sets of 4 colors emging from 64 x 64 to 28 x 192, and 2 sets of 1 color in 236 x 192.
- On-board 8085 microprocessor. 7%K bytes of on board static RA Up to 4% bytes of APROM. True 5-100 compatibility.

biotographen, mareroached.

CGS-808

Biotech Electronics proudly amonaces the CGS-508, a highly sophisticated color graphics board for the S-100 bus.

The CGS-808 is a single board graphics processor which is incredibly simple to use. It is I/O mapped and requires no memory space. It will operate in any S-100 system or as a stand-alone graphics processor. By changing the firmware pack, the CGS-808 can be upgraded to perform additional complex or custom graphic functions. It also provides a parallel I/O port to interface with digitizers, joysticks, light pens, or directly into a keyboard.

The CGS-808 is designed for a low cost, high quality, professional display for applications in medicine, business, education, science, industry, and video games.

Immediate Avecability

The CGS-808 is available assembled includes the MOS chip set for \$99.00 (Chip set includes the MC6847, MC1872, 8085 and 2701 EPROM with graphics driver subroutines). Color monitors are available for \$495.00. Delivery is from stock.

Dealer inquiries are invited.

For more information, call or write



Biotech Electronics P. O. Box 485 Ben Lomond, CA 95005 (408) 338-2686

Simple Pattern Matcher

A simple pattern matcher can be implemented as a LISP function of two arguments, an assertion and a pattern. Here are some examples of assertions and patterns that match:

(a b c d) matches (a ? ? d) (a (b c) (d e)) matches (a ? (d ?)) (a ((b c) d) (e f g)) matches (? ((b c) ?) ?)

Examples of assertions and patterns that don't match are:

(a b c d) doesn't match (e ? ? d) (a b c d) doesn't match (a ? d) (a b (c d) e) doesn't match (a b (c d) ? ?)

Recursive procedures, such as this pattern matcher, are often thought of as procedures that take complex problems and convert them into simpler problems. Eventually this will reduce the calls to procedures that are sufficiently simple that they can be solved using already existing LISP functions.

The simple cases for this pattern matcher occur when either the pattern or the assertion is an atom. If the pattern is the atom ?, then the match should succeed because ?, by definition, matches anything. If the pattern is some other atom then the match should only succeed if the assertion is an atom, and the *same* atom. If the pattern is not an atom but the assertion is, the match should fail. These rules cover all cases where either the pattern or the assertion is an atom.

Now, suppose that neither is an atom. One way of converting the matching problem into a simpler problem is by decomposing both the pattern and the assertion into substructures and checking corresponding parts for a match. The LISP primitives FIRST and REST provide an easy way of doing this. Suppose we tried matching the pattern:

((a ? b) ? (c d))

against:

((a a b) (x y) (c d))

grams, these assertions should be collected together into a data base. In LISP, the easiest way of making a data base of objects is to make a list of them and let this list be the value of some variable. (There are more efficient ways of collecting assertions into a data base. These are described in the box.) As we discover more assertions that we would like to include in the program, they can be added to the list. Assertions can be just as easily removed if we determine the fact to be no longer valid. Two LISP functions, ADD and REMOVE, can be written to add assertions to and remove assertions from the data base. Any program that wanted to change the contents of the data base would make use of these two functions. A function call of:

(ADD ' (MOTHER-OF LENA HAROLD))

The pattern does match the assertion; we would like the matching function to decompose it correctly. When applied to a list, the function FIRST selects the first element, and the function REST selects everything but the first element. We can think of the subparts of the patterns (and assertions) selected by FIRST and REST as patterns themselves. A pattern matches an assertion if and only if the FIRST of the pattern matches the FIRST of the assertion and the REST of the pattern matches the REST of the assertion. The FIRST of the pattern in the example is (A ? B) and the FIRST of the assertion is (A A B). These match, Similarly, the REST of the pattern is (7(C D)) and the rest of the assertion ((X Y)(C D)). These also match. By successively taking FIRST and REST of patterns and assertions, atomic elements must eventually be reached. We already know how to handle all forms of atomic arguments to the matching function. No other cases can occur. Let us list the various cases discussed:

- If the pattern is the atom ? then the match should succeed.
- If the pattern is another atom and is equal to the assertion, then the match should succeed.
- Otherwise, if the pattern is an atom the match should fail.
- If the pattern is not an atom but the assertion is, the match should fail.
- If neither the pattern nor the assertion is an atom, then the match should succeed if and only if the FIRST of the pattern and assertion match and the REST of the pattern and assertion match.

These conditions can be coded fairly directly into a LISP function to do this. Each of the above conditions becomes one clause in the conditional COND expression:

(DEF MATCH (PATTERN ASSERTION) (COND ((EQUAL PATTERN ') T) ((AND (ATOM PATTERN) (EQUAL PATTERN ASSERTION)) T) ((ATOM PATTERN) NIL) ((ATOM ASSERTION) NIL) (T (AND (MATCH (FIRST PATTERN) (FIRST ASSERTION)) (MATCH (REST PATTERN) (REST ASSERTION))))))

would add that one assertion to the data base. A function call of:

(REMOVE ' (MOTHER-OF LENA ARTHUR))


would remove that assertion from the data base.

Next we will need some way to retrieve information stored in the data base. If we want to know whether or not Fay is the mother of Robert, the data base (really just a list) can be searched for the assertion:

(MOTHER-OF FAY ROBERT)

A function called RETRIEVE can do this easily. RETRIEVE takes one argument, an assertion, and returns T or NIL (*yes* or *no*) depending on whether or not the

2° a byte.



MM16K/\$349 = 2.1c

MM24K/\$499 = 2c

ow you can afford to sink your teeth into some big, feature-packed static memories. Because George Morrow's ultra-efficient designs have brought S-100 memory down to 2¢ a byte.

Introducing Morrow's new "Memory Master" Bank Select Logic memories, the top of the SuperRam[™] line.

The SuperRam[™] MemoryMaster 16K Static may be the most sophisticated S-100 memory at any price. The MM16K is switch-programmable to write-protect any of the four 4K blocks... or to open invisible 1K "windows" to accommodate VDM's or disk controllers. An on-board I/O device and jumper block allow you to use the memory-extending Bank Select Logic features of your software.

Yet, the SuperRam[™] MemoryMaster 16K kit is just 2.1¢ a byte at \$349. Assembled and tested, \$399.

The SuperRam[™] MemoryMaster is also available in 24K configuration: 3 individually write-protectable 8K blocks with Bank Select Logic capability. MM24K Kit, \$499. Assembled and tested, \$549. SR16K/\$299 = 1.8¢

SR32K/\$649 = 2c

Or, get your memory at a rock-bottom 1.8¢ a byte with the SuperRam[™] 16K Static. It gives you 4 individual 4K blocks...plus the ability to switchenable the Phantom Line for power-up sequencing. Kit, \$299. Assembled and tested, \$349.

But if you really need a big helping of memory, the SuperRam[™] 32K Static serves up two individual 16K blocks for 2¢ a byte: \$649 in kit. Assembled and tested, \$699.

Whichever Morrow memory suits your taste, it will run perfectly in 2 MHz 8080, 4 MHz Z-80 or 5 MHz 8085 systems. And meets the Proposed IEEE S-100 Standard.

2¢ a byte! That's food for thought. And they're ready to take out at your local computer shop. Or if not, we deliver. Write Thinker Toys,™ 5221 Central Ave., Richmond CA 94804. Or call 415-524-2101 (10-4 Pacific Time any weekday).



assertion is in the data base. To check for the existence of this particular assertion, we would execute:

(RETRIEVE ' (MOTHER-OF FAY ROBERT))

One of the nice features of LISP is that it is so easily *extensible*. It is possible to build languages on top of the basic LISP system that deal with higher level concepts as if they were primitives. The functions ADD, REMOVE, and RETRIEVE are three operations in a language we are building to manipulate assertions. So far, the language is very simple. The function RETRIEVE, for example, can only ask about *specific* assertions.

There are many more interesting questions that we would like the system to be able to answer, such as "Who is the mother of Robert?" In terms of these assertions this question could be answered by finding an assertion that has three elements, the first and third being the atoms MOTHER-OF and ROBERT, and the second element being anything at all. One way of saying this to the machine is by using a *pattern* such as:

(MOTHER-OF ? ROBERT)

where the 7s represent place holders, meaning that we will take anything in their positions.

One function, RETRIEVE, is modified to go down the list of assertions in our data base and compare the pattern with the individual assertions. If an assertion and a pattern *match*, the assertion will be returned as the value of RETRIEVE. Matching means that atoms in corresponding positions are the same, except for 7s in the pattern that require only that *something* be in the corresponding position in the assertion. Using our data base, the pattern given above will only match one assertion:

(MOTHER-OF FAY ROBERT)

By taking the second element of this list we will have found the mother of Robert. In general, more than one assertion in the data base can match a given pattern; it just happens that a person has only one mother, so we would not expect more than one assertion to tell us the mother of Robert. Suppose our question is "Who are the children of Fay?". We can make a pattern that represents this question by specifying a MOTHER-OF assertion with FAY in the mother position, and a ? in the child position:

(MOTHER-OF FAY ?)

The function RETRIEVE actually returns a *list* of all the assertions that match the given pattern so that it can accomodate the case where there is more than one match. Evaluation of the form:

(RETRIEVE ' (MOTHER-OF FAY ?))

should return:

((MOTHER-OF FAY ROBERT) (MOTHER-OF FAY ARLENE))

and can be further analyzed by a LISP function to extract the names of Fay's children.

The examples of assertions presented thus far have been in the form of a list of atoms. Assertions can be arbitrary pieces of list structure. The use of nested lists is an important tool for representing the structure inherent in the knowledge being represented. For example, we may wish to represent facts about the courses students have taken at a university. There might be one assertion for each student for each term he or she is registered. A possible record would be:

(COURSES BARBARA (SPRING 1978) (PHYSICS-2 ALGEBRAIC-TOPOLOGY AESTHETICS))

The first element of the list designates it as a record of courses taken by a given student for a given term. This assertion expresses the fact that Barbara was registerd for the Spring term of 1978 and took three courses: Physics II, Algebraic Topology, and Aesthetics. With records of this kind and our pattern matcher we can ask various kinds of questions and have RETRIEVE return the list of assertions that pertain to the problem. Here are some examples:

> "Who was registered for courses in 1976?" (RETRIEVE ' (COURSES ? (? 1976) ?))

"What courses did Sam take during his college career?" (RETRIEVE ' (COURSES SAM ? ?))

"What courses did Barbara take in Spring of 1978?" (RETRIEVE ' (COURSES BARBARA (SPRING 1978)?))

There are certain questions that the simple pattern matcher we have described cannot address, such as "Who was registered for Algebraic Topology in the Spring of 1978?". More sophisticated schemes for pattern matching will be described later. A simple pattern matcher that can handle ?'s in patterns is very easy to write using the recursive control structures of LISP. It is described in the "Discrimination Networks" textbox.

Simple Deductions

There are a number of facts that are not explicitly contained in the data base of family relations described above that people can easily deduce. We might want to be able to answer the question "Who is the grandmother of Robert?". This question is posed to the system by the function call:

(RETRIEVE ' (GRANDMOTHER-OF ? ROBERT))

The data base contains no explicit GRANDMOTHER-OF assertions, so the function RETRIEVE, as defined thus far, would fail. The data base does contain enough facts that it is capable of answering this question. Looking at the assertions given earlier it is obvious that the answer is Lena. How do we arrive at this? First we find a *Text continued on page 42*

copy was printed on the new current mouse of suitable for designed to produce quality printed output suith a price tag ness and professional applications. but with a price designed to produce quality printed output suitable for affr ness and professional applications, but with a price tog lrtually everyone including the home/hobby user. topy was printed on the new COMPRIMT model SIZ computer, designed to produce quality printed output suitable for ness and professional applications, but with a print user. Micro and mini computer system printer MARY APPLICATIONS INCLUDE; Message network printer (remote) printer Distributed data processing (ogging Traduetric)/enjentific data Industrial/scientific data logging center Backup printer for data processing Ulstrial/scientific data (remote Industrial/scientific data) CRT hardcopy device Message network printer quantities with paral associated with P COMPRINT top-of-for feature butomatically on far and the second for the second fo Up to 80 character norrow 4 or 5 inch The model price range. fast 225 ch 11" long blocks ou wally noise as and idea small in size of lightweigh The output into f month por and labor wa the co

This exceptional print quality for \$560!

The new Comprint model 912 printer for computers and terminals:


- Fast—225 characters/second (170 lpm)
- 80 character lines on 8½" wide paper
- Quiet, non-impact operation
- 6 month warranty

Available now at computer stores and industrial distributors.





Computer Printers International, Inc. 340 E. Middlefield Rd., Mt. View, CA 94043 • 415 969-6161 Circle 48 on inquiry card.



represented by a tree structure where the nodes of the tree represent locations within an assertion.

Discrimination Networks

Simple data bases can be represented as lists of the assertions contained in them. Each time we want to determine whether or not a pattern matches any of the assertions in the data base, the entire list must be scanned and the pattern matcher applied to each of its elements. For a large data base this may take too long. We would like to represent the data base in such a way that the average search through the data base will take much less time than a linear scan of all the assertions. One way of doing this is to arrange the assertions into groups so that a partial test of the pattern can eliminate a number of the groups from consideration. Let's suppose that we have a data base consisting of the following assertions:

> (MOTHER-OF LENA PAUL) (MOTHER-OF LENA ALVIN) (MOTHER-OF LENA FAY) (MOTHER-OF FAY ROBERT) (MOTHER-OF FAY ARLENE) (LIVES SHIRLEY TUCSON) (LIVES FAY CANARSIE) (LIVES HARVEY MANHATTAN) (MALE ALVIN) (MALE PAUL) (FEMALE SHIRLEY) (FEMALE LENA) (HAS ROBERT GUITAR) (HAS ROBERT BICYCLE) (HAS PAUL STEREO) (HAS PAUL CAR)

One way of grouping these assertions, suggested by the given list, is by the first elements of the assertions. Thus,


all the MOTHER-OF assertions would be together, as would the LIVES, MALE, FEMALE, and HAS assertions. If the first element of the pattern was the atom LIVES, then only one group of three assertions need be examined. Some of these groups can be further subdivided; the MOTHER-OF assertions can be divided into three groups depending upon the second element of the list (the mother). The group of assertions can be represented as a *tree* structure where the nodes of the tree represent locations within the assertion. The above assertions would appear as in figure 1.

This tree can be easily constructed using the pointers of LISP. When an attempt is made to check if the assertion:

(MOTHER-OF LENA FAY)


is in the data base, the root node is searched for a subnode marked with MOTHER-OF. If this is found, the search continues, otherwise a failure is reported. The pointer is followed to the MOTHER-OF node. This is then searched for a LENA subnode. This is found, the pointer followed, and a search is made for a FAY subnode. This also is found, and it contains a NIL subnode indicating that the assertion ends there. Tracing the path leading to this point gives the assertion. By representing the knowledge in this way, much of the data base no longer has to be searched to find what we want.

This can be extended to ? variables in patterns. Whenever we try to compare a ? against a node, all paths must be taken. And this example deals only with *flat* list structure (ie: lists of atoms). The concept can be extended to arbitrary list structure. The result is less intuitive and beyond the scope of this article. It is an interesting problem to think about.



WE'RE ALTOS COMPUTER SYSTEMS. Our SUN-SERIES ACS8000 business/scientific computer creates a new standard in quality and reliability in high technology computers.

HIGH TECHNOLOGY The ACS8000 is a single board, Z80[®]* disk-based computer. It utilizes the ultra-reliable Shugart family of 8 inch, IBM compatible, disk drives. A choice of drives is available: single or double density, single or double sided. Select the disk capacity you need, when you need it: ½M, 1M, 2M, or 4M bytes. The ACS8000 features the ultimate in high technology hardware: a fast 4 MHz Z80 CPU, 64 kilobytes of 16K dynamic RAM, 1 kilobyte of 2708 EPROM, an AMD 9511 floating point processor, a Western Digital floppy disk controller, a Z80 direct memory access, Z80 Parallel and Serial I/O (two serial RS232 ports, 1 parallel port), and a Z80 CTC Programmable Counter/Timer (real time clock). In essence, the best in integrated circuit technology.



The ACS8000 is a true single **BUILT-IN RELIABILITY** board computer. This makes it inherently reliable and maintainable. The board and the two Shugart drives are easily accessible and can be removed in less than five minutes. All electronics are socketed for quick replacement. Altos provides complete diagnostic utility software for drives and memory.

QUALITY SOFTWARE Unlimited versatility. The ACS 8000 supports the widely accepted CP/M®** disk operating system and FOUR high level languages: BASIC, COBOL, PASCAL and FORTRAN IV. All available NOW.

PRICE ACS 8000-1, single density, single-sided [1/2 Mb] \$3,840 ACS 8000-2, double density, single-sided [1 Mb] \$4,500 ACS 8000-3, single density, double-sided [1 Mb] \$4,800 ACS 8000-4, double density, double-sided [2 Mb] \$5,300 Brackets show disk capacity per standard two drive system. All models come standard with 32 Kb RAM and two 8" disk drives as shown above. Expansion to 64 Kb is \$363 per 16 Kb. FPP, DMA, software optional. Dealer/OEM discounts available. Delivery: 30 days ARO, all models.

*Z80 is a trademark of Zilog, Inc. **CP/M is a trademark of Digital Research. Inc.

Circle 6 on inquiry card.

Text continued from page 38:

MOTHER-OF or FATHER-OF assertion that gives a parent for Robert. Here we end up with:

(MOTHER-OF FAY ROBERT)

Then we take that parent (eg: FAY) and find a MOTHER-OF assertion with that parent in the child position, giving:

(MOTHER-OF LENA FAY)

The individual in the mother position of that assertion is the desired grandmother. To incorporate this kind of knowledge in the system, the language is augmented with procedures that explain how to *derive* certain facts if they are not in the data base. There are two GRAND-MOTHER-OF derivation procedures; one that checks for mothers of fathers, and one that checks for mothers of mothers. They might be expressed as:

(TO-DERIVE (GRANDMOTHER-OF 7X ?Y) (FIND (MOTHER-OF 7Z Y)) (FIND (MOTHER-OF X Z)))

(TO-DERIVE (GRANDMOTHER-OF ?X ?Y) (FIND (FATHER-OF ?Z Y)) (FIND (MOTHER-OF X Z)))

The first procedure looks for the mother of the person in the third slot (eg: the grandchild), and then her mother; the second procedure for the father of that person, and then his mother. We have added a little more complexity to the simple patterns described earlier. These patterns have *variables* associated with the question marks. The first pattern in these procedures expresses, in effect, what the procedure can do. It says "If you want to determine if someone is the grandmother of someone else, try the following." In order for the rest of the procedure to know who these people are, it must *bind* the names to variables. RETRIEVE has to be extended again. In addition to checking the data base for already known facts, it checks a library of procedures for those whose patterns match the request, trying them one at a time. When we execute the RETRIEVE function, trying to find the grandmother of Robert, the pattern:

(GRANDMOTHER-OF ? ROBERT)

is matched against the head pattern in the TO-DERIVE construct:

(GRANDMOTHER-OF 7X 7Y)

The match is successful. Y will get the value ROBERT, and X the value 7 (really no value at all, just a place holder). The first line causes the system to find an assertion that has MOTHER-OF in the first position and ROBERT, the value of Y, in the last line. Whatever is found in the second position is assigned to the variable Z. For our particular data base, the assertion:

(MOTHER-OF FAY ROBERT)


will be found and Z will get the value FAY. When the next line is executed, a MOTHER-OF assertion is looked for with FAY in the third position, and anything at all in the middle. (Remember X has the value 7.) The assertion it will find is:

(MOTHER-OF LENA FAY)

What we have just done is *derived* the fact:

(GRANDMOTHER-OF LENA ROBERT)

Here is a procedure to determine whether or not one individual is the uncle of another:



P.O. BOX 1110 DEL MAR, CA 92014 714-756-2687

A Beautiful Way To Interface

IQ 140

andre for the for REPORT of F.

SOROC's first and foremost concern, to design outstanding remote video displays, has resulted in the development of the IQ 140. This unit reflects exquisite appearance and performance capabilities unequaled by others on the market.

With the IQ 140, the operator is given full command over data being processed by means of a wide variety of edit, video, and mode control keys, etc.

The detachable keyboard, with its complement of 117 keys, is logically arranged into 6 sections plus main keyboard to aid in the overall convenience of operation. For example, a group of 8 keys for cursor control / 14 keys accommodate numeric entry / 16 special function keys allow access to 32 pre-programmed commands / 8 keys make up the extensive edit and clear section / 8 keys for video set up and mode control / and 8 keys control message and print.

Two Polling options available: 1) Polling compatible with Lear Siegler's ADM-2. 2) Polling discipline compatible with Burroughs.

The SOROC IQ 120 is the result of an industrywide demand for a capable remote video display terminal which provides a multiple of features at a low affordable price.

The IQ 120 terminal is a simple self-contained, operator / computer unit.

The IQ 120 offers such features as: 1920 character screen memory, lower case. RS232C extension, switch selectable transmission rates from 75 to 19,200 bps, cursor control, addressable cursor, erase functions and protect mode. Expansion options presently available are: block mode and hard copy capability with printer interface. The IQ 120 terminal incorporates a 12-inch, CRT formatted to display 24 lines with 80 characters per line.

Circle 341 on inquiry card.



165 FREEDOM AVE., ANAHEIM, CALIF. 92801 (714) 992-2860 / (800) 854-0147



A major division of a Fortune 50 company has several openings in its Software Department. These openings are a result of expansion within our modern Midwest facility. We are currently seeking professionals in the areas of programming, systems analysis, computer design, software engineering and computer system engineering. A background or knowledge or interest in any of the following areas may qualify you to become a member of our industry-leading team:

Mini Computers Micro Processors Real-time Control Systems Performance Modeling Operating Systems Queuing Theory Structured Software Design Large Systems Development Custom Software Design Software Utilities Hardware/Software Trade-Offs Data Base Management Software Maintenance Distributive Processing Language Development

This is an excellent opportunity for you to join a company using state-of-the-art technology in a total system development environment.

Our benefit package including group insurance, company paid dental plan, tuition aid, liberal vacation and holiday schedules, stock-option plan, relocation plan, etc...is among the best in the industry, and the salary structure we have to offer is an incentive for you to explore our opportunities.

Our working environment is conducive to professional growth and it is geared to the results oriented individual. Candidates interested in any of these exciting areas, please rush a resume to:

> Dept. R W 0801 500 N. Michigan Ave., Suite 544 Chicago IL 60611

Equal Opportunity Employer M/F

The system chains backwards through facts until it finds some simple ones it knows.

(TO-DERIVE (UNCLE-OF ?X ?Y) (FIND (SIBLING ?Z X)) (FIND (CHILD-OF Y Z)))

"To show one person is the uncle of another, find a person that is a sibling of the first and a parent of the second."

This procedure would work if we had SIBLING and CHILD-OF assertions in the data base. Since we don't, we must specify procedures that can determine these things from the information that is in the data base:

> (TO-DERIVE (SIBLING 7X 7Y) (FIND (MOTHER-OF 7Z X)) (FIND (MOTHER-OF Z Y)))

"To determine if one person is the sibling of another, see if they have the same mother."

> (TO-DERIVE (CHILD-OF 7X 7Y) (FIND (MOTHER-OF Y X)))

"To determine if one person is the child of another, see if the second is known to be the mother of the first."

> (TO-DERIVE (CHILD-OF 7X 7Y) (FIND (FATHER-OF Y X)))

"To determine if one person is the child of another, see if the second is known to be the father of the first."

There are now two different procedures for deciding CHILD-OF relations as was the case with the earlier GRANDMOTHER-OF relation. If the system doesn't already have the answer to the question in its data base, it will try one, and if that fails, it will try the other.

Our set of assertions does not happen to contain FATHER-OF assertions, so they too should be specified by procedures. We do have MOTHER-OF and HUSBAND-OF assertions. These are sufficient:


(TO-DERIVE (FATHER-OF 7X 7Y) (FIND (MOTHER-OF 7Z Y)) (FIND (HUSBAND-OF X Z)))

"To determine if one person is the father of another see if the second person's mother is the husband of the first."

The control used by this system is often referred to as *backward chaining*. Determining if someone is the uncle of someone else may result in attempts to determine CHILD-OF relations that may then result in determining FATHER-OF and then HUSBAND-OF relations. The sys-

MOVING DATA AT A SNAIL'S PACE BECAUSE YOU'RE FLOPPY BOUND?

Let Corvus Systems put you back in the race!



CORVUS SYSTEMS, Inc.

- For TRS-80[†], Apple[‡], S-100 Bus^{*}.
- Fully compatible hardware/software.
- 10-million byte disk: IMI-7710.
- Proven Winchester technology.
- Z-80 based Corvus disk controller.
- Comprehensive disk diagnostics.
- Up to 4 disks per system.
- System \$5350, add-on disk \$2990.
- 30 day delivery

Corvus offers a complete systems solution to the mass storage problem of micro computers. In a package smaller than a briefcase, we provide an intelligent controller, disk, and personality module. Call or write today for additional information.

Get up to speed with Corvus.

 TRS-80 is a registered trademark of Radio Shack, a Tandy Co.

 \$Apple is a registered trademark of APPLE Computers, inc.

 *S-100 pricing slightly higher.

900 S. Winchester Boulevard San Jose, California 95128 408/725-0920 tem chains backward through facts until it finds some simple ones that it knows.

The TO-DERIVE procedures are similar in concept to subroutines in many other computer languages. The difference is that subroutines are usually called by name. If I want to compute a cosine I call the subroutine COS. Procedures in these languages are invoked by a pattern that indicates what they can accomplish. The procedure that determines if one person is the uncle of another has no name; it indicates by its pattern (UNCLE-OF ?X ?Y) that it is capable of determining whether or not one person is the uncle of another. This distinction is an important one. As shown, more than one procedure may have the same pattern. This will not disturb the system. It will try one, and if that fails, it will try others until it finds one that works. One TO-DERIVE procedure can serve several purposes. The UNCLE-OF procedure is capable of answering three different kinds of questions:

> "Is Harold the uncle of Robert?" "Who are the nephews of Harold?" "Who are the uncles of Robert?"

Better Pattern Matchers

The ease with which concepts can be expressed in the language depends significantly on the sophistication of the pattern matcher. The pattern matcher described so far is of the simplest kind. Many things we would like to say are difficult or impossible to do with it. There is no such thing as an "ideal pattern matcher." One can always come up with more sophisticated ways to create patterns. This section is devoted to discussing two fairly well known extensions known as *unpack* and *multisets*.

Earlier we were concerned with a data base of assertions representing information about students taking courses at a school. The assertions were of the form:

> (COURSES BARBARA (SPRING 1978) (PHYSICS-2 ALGEBRAIC-TOPOLOGY AESTHETICS))

and it was impossible to phrase questions of the form Who took Algebraic Topology in the Spring of 1978?" The reason that this is impossible to indicate is that the atom ALGEBRAIC-TOPOLOGY can occur as any element of a list with zero or more atoms in this list, before and after it. The problem can be dealt with by the introduction of the *unpack operator*. This operator, represented by an exclamation point !, is placed before the question mark variable. A ? without a ! matches *exactly one* object. A !? combination will match *zero* or *more* objects. Here are some examples of patterns:

(FOO !? BAR) matches any list that begins with the atom FOO and ends with the atom BAR:

(FOO BLATZ BAR) (FOO TOM LARRY BAR) (FOO BAR)

(FOO 1?) matches any list with FOO as the first element:

(FOO) (FOO BAR) (FOO BAR BLATZ)

(? !? FOO !?) matches any list that contains the atom FOO as the second or later member:

(XYZ FOO) (XYZ ABC FOO TOM LARRY)

With the unpack operator the question "Who took Algebraic Topology in the Spring of 1978?" can be phrased:

(RETRIEVE ' (COURSES 7 (SPRING 1978) (17ALGEBRAIC-TOPOLOGY 17)))

Of course, if we were using the unpack operator inside TO DERIVE procedures, the !? would be followed by a variable that gets bound to what it matches, just as the ? variables.

Another question we cannot ask with the simple pattern matcher is "Who took Algebraic Topology and Aesthetics in the Spring of 1978?" We cannot ask this question because whenever we have a list there is an intrinsic order to its elements. To be sure of covering all cases we would need two patterns:

> (COURSES ? (SPRING 1978) (!? ALGEBRAIC-TOPOLOGY !? AESTHETICS !?))

as well as:

(COURSES ? (SPRING 1978) (!? AESTHETICS !? ALGEBRAIC-TOPOLOGY !?))

If there were three courses then six different patterns would be necessary. We need a more general solution. To handle the case where matches should be made regardless of the order of the elements, *multisets* are introduced. A multiset will be denoted by curly brackets { and }. A multiset is said to match a list if each of its elements match a corresponding element of the list (?s and !?s are allowed). Here are some examples of multisets:

{A B C} will match any list containing exactly the three elements A, B, C:


(A	В	C)
(C	Α	B)
(B	С	A)

 $\{A B ?\}$ will match any three element list containing A and B:

(BCA)
(BAR A	B)
(A X B)

{A B !?} will match any list containing A and B:

PROBLEMS GRAPHICALLY



Y=SQR((-2*X^2-3*X)/4+SQR (X^3-X^4+((2*X^2+3*X)^2)/4))

A2FP GIVES YOU EXTENSIVE PLOTTING CAPABILITIES

Whether you're a businessman, engineer, student, researcher or doctor, A2FP can plot for you 2dimensional functions in HIRES graphics. And on Cartesian coordinates.

You tell A2FP the domain of definition and it plots the rest giving complete parameters of plotted curves. You can even superimpose different function graphs. A whole array of disk commands is included in the disk version. Whatever your plot, you utilize the full screen (280 x 192 points).

POWERFUL CODE FULLY TESTED


A2FP is engineered to think human. To ask the questions newcomers, non-mathematicians and non-programmers need. Then every test imaginable is used to make sure the program performs flawlessly.

CLEAR, COMPLETE AND LOGICAL DOCUMENTATION


The Electronic Field Engineer recently wrote: "What was particularly pleasing about the information we received on the A2FP is the documentation. It is attractively pre-



Your cassette (or disk) and manual are protected in this beautiful goldimprinted folder. Circle 317 on inguiry card.



DAMPED FUNCTION; SIN(X)/X E-25,253



Y=(SIN(X))^(1/X) [-10,10]

With A2FP The Apple JE Function Plotter

sented, highly legible, clearly organized, and thorough. The quality of the documentation tends to support the claims PRS makes in other areas."

DISK VERSION (48K REQ.) NOW AVAILABLE

VISIT YOUR NEAREST DEALER

Let your dealer demonstrate the excellence of A2FP. Only \$34.95 per cassette. \$54.95 per disk. Let him show you the new concept in PRS documentation. Use the coupon to obtain the names of dealers in your area.

PRS-THE	PROGRAM OF THE
MONTH	CORPORATION

257 Central Park West, New York, N.Y. 10024	257	Central	Park	West,	New	York,	N.Y.	10024
---	-----	---------	------	-------	-----	-------	------	-------

Send me A2FP The Apple][Function Plotter	Cassettes (\$34.95 ea.) Floppy Disks (\$54.95 ea.) Documentation only (\$10 ea.)
Send me list of dealers in my a	preo
□ Check enclosed (5% discount t	for payment with order)
🗆 Visa 🛛 🗆 Master Charge	U.P.S. COD
Card #	Exp. Date
Bank & #	
Signoture	
Nome	
	Telephone
Address (no P.O. Box)	
City	
Re	eference 8B9

BYTE August 1979

(X B A B) (B W S FOO B BAR)

The question "Who took Algebraic Topology and Aesthestics in the Spring of 1978?" can now be phrased:

(RETRIEVE ' (COURSES ? (SPRING 1978) {ALGEBRAIC-TOPOLOGY AESTHETICS !?})

History

The basic concepts of pattern-directed invocation originated in the PhD thesis of Carl Hewitt at MIT in 1969. The original Planner language that was the subject of his thesis was never implemented. A cut down version of Planner, roughly equivalent to our language with ADD, REMOVE, and RETRIEVE, was implemented in 1970 and called Microplanner.

Microplanner was used as a tool in subsequent research in artificial intelligence at MIT. The best known system to make use of Microplanner was the SHRDLU program of Terry Winograd. SHRDLU was a program about a simulated world consisting of a table, variously colored toy blocks, and a box. A person could type in English language questions and imperatives to which the system would take an appropriate action, such as: "What blocks are in the box?" or "Pick up the big red block." Assertions were used to store knowledge about the current state of the world, such as:



(IN PYRAMID BOX)

Procedures implemented simple reasoning involved with answering questions and constructing plans to carry out commands. Microplanner proved to be quite limited in its capabilities and spawned several immediate successors that embodied sophisticated improvements.

QA4, developed by Rulifson and associates at the Stanford Research Institute, introduced the notion of multiple contexts. Contexts are a way of having more than one data base inside the machine, each representing a different aspect of the problem at hand. One context might model (ie: contain assertions pertaining to) the state of the world at some point of time in the past, while another might model the current state of the world. Another common use of the context mechanism is to reason about *hypothetical worlds*, collections of assertions similar but not identical to the current one. A hypothetical world might represent what would happen *if* the machine took some action.

Conniver, developed by Sussman at MIT, introduced certain notions of control structure that seemed lacking in the original Microplanner. The system has a data base of facts and procedures that are capable of deducing facts that are not explicitly in the data base. When a call is made to RETRIEVE, it is entirely up to the system to choose which procedures to try, and in what order to try them. The simple minded scheme picks one procedure and tries it. If this does not work it picks another. There is no way in Microplanner that a program can have control over the order in which procedures are chosen. Conniver supplies facilities that allow the program to have access to possible choices and then order or otherwise process them.

AMORD, developed by deKleer and associates at MIT, keeps a trace, by means of *justifications*, of how each fact in the data base was derived. If a fact is determined to be no longer valid, all facts that derived from it, as determined from the justifications, are automatically removed by the system. This facility allows a program to conveniently change certain premises and automatically update the rest of the data base to reflect this change.

ETHER, developed by the author, allows the program writer to let many operations in the program be done in parallel. The program can maintain conflicting world models (ie: collections of assertions) that can be reasoned about concurrently.


A General Information Storing Tool

These languages have been developed explicitly as artificial intelligence research tools. We have not discussed in any detail the issues involved in modeling a situation in the world and reasoning about it. The examples given are meant to suggest the possibilities for pattern directed invocation as a more general tool for storing facts. The need to store facts (ie: to create data bases) comes up in all sorts of situations. As computation becomes cheaper, more and more stores of information will move from paper to electronic storage media. There are, of course, more efficient ways to store information than by representing them in list structure in a LISP environment. The disadvantage of some loss of efficiency seems to be far outweighed by the increased flexibility in accessing the information.

Solve Problems By Simulation...

with simulations of many concepts, including

- wave motion
- flying objects
- artificial intelligence
- electronic circuits
- and robot motion!



SIMULATION is a collection of the best articles from BYTE Magazine on this useful computer technique, plus exciting new material on the subject.

SIMULATION is the second volume in the Programming Techniques series on the art and science of computer programming from BYTE BOOKS. Editor Blaise W. Liffick's selection of material furnishes not only background information from which the personal computer user is able to write and maintain simulation programs, but also actual programs for simulating many situations. Theoretical and practical applications of this technique are explored in articles dealing with specific aspects of simulation.

Learn how to find solutions to your problems through SIMULATION.

ISBN 0-931718-13-9

Buy this book at your favorite computer bookstore or order direct from BYTE BOOKS. Add 60° per book for postage and handling



S 6.00

70 Main Street, Peterborough, New Hampshire 03458

Ciarcia's Circuit Cellar

Anyone Know the Real Time?

Steve Ciarcia POB 582 Glastonbury CT 06033

I'm sure you've all heard the term real-time, such as a real-time operating system. But, how many really understand its meaning? A simple definition of a real-time system is: a system that operates in real time, that is, it responds to the need for action in a period of time proportional to the urgency of the need; first things are done first. In control applications the system can be depended on to provide the information necessary to base time-dependent decisions on information that is up to date as of the minute or the hour. Real time describes the processing of

information in a sufficiently rapid manner that the results of the processing are immediately available to influence control of the process being monitored.

While there are particular architectural enhancements in high-speed process monitoring and control systems, basically any computer can be configured to perform some semblance of real-time operations. The essential criterion is that the computer be capable of performing a specific action at a particular time. The extent of real-time operation then becomes dependent upon execution




Photo 1: A prototype board of real-time clock mounted on the back of an existing parallel I/O (input/output) board. Two reed switches on the left side of the board are for manual setting of the clock. The empty sockets are used for the particular application for which this board was designed, a home security system.

Copyright © 1979 by Steven A Ciarcia. All rights reserved.

speed. If a program that takes 1 second to analyze a data input and display it on the video display is to run in real time, it can only be called once per second. For continuous sampling this also means that the computer cannot be tied up doing any other task without provision being made for that program to be interrupted so that the analysis program can run. Most often, computers utilize hardware priority interrupts to provide this capability. A direct benefit of this approach is that all programs can execute asynchronously, since interrupt logic synchronizes the computer's action upon the occurrence of a real-time event. Further discussion of interrupts will continue later in this article.

A second, slightly less complex method of synchronizing computers to real-time events is through a technique of *status scanning* (or device polling). This softwareintensive situation requires that all devices demanding real-time interaction set status flags to indicate ready conditions. The computer scans these flags periodically and performs the appropriate action. The flags are reset when the devices have been serviced. It is important to keep in mind that all the programs that the computer normally executes must be short enough to allow the computer to service every device. Also, care must be taken to design the system so that a second event cannot occur on an individual device before the computer has acknowledged the first event.

Most sophisticated real-time sys-




Figure 1: A simple time-base generator for an interrupt-driven real-time clock.

tems use a combination of these two methods. A clock circuit, such as that in figure 1, provides a time "tick" to the processor's nonmaskable interrupt line. This can be every 60th, 10th, or 1 second, as suggested in this schematic. When the computer acknowledges the interrupt, it first saves all registers from the program it was executing, and then services the realtime interrupt. Frequently the first action is to increment an internal counter which keeps track of elapsed time. Usually it will be a value equivalent to the total number of clock ticks, whether in seconds or milliseconds. Once this regular interval has been established, it is easy for the computer to scan all status flags from real-time devices. The addition of more real-time activities for the processor does not entail multiplying the number of interrupt lines, but rather it simply entails placing another status flag on the list of those to be checked on each clock tick.

The choice of a totally interruptdriven real-time system, a combina tion scan and interrupt type, or a total scanning system is dependent upon the quantity of real-time operations and their frequency. An interrupt-driven system can process information faster than the same system configured for real-time scanning.

Real Time Applications for Personal Computers

So far I have emphasized the system attributes, but nowhere have I discussed applications, particularly personal computing applications. Clock divisions down to milliseconds sound great and make interval timing extremely accurate, but I doubt that the majority of home computerists would want something that complex to integrate into their system. If my mail is any indication of this, they would prefer the design of a real-time clock which can be directly applied in home control applications. Automatically turning on the percolator at 6:45 AM would be far more stimulating than a high-speed data acquisition system which few would need.

Build a Real-Time Clock

Essentially, the kind of real-time system which might appeal to personal computer users is one with a resolution of perhaps 1 minute rather than 1 ms. It should be read directly in hours and minutes like a 4- or 6-digit clock and not just total counts. A direct benefit of low resolution is reduced overhead. The computer does not have to acknowledge the clock update or scan status flags as often. It may not seem like much of a time savings, considering instruction execution speeds of 1 μ s. However,

IEVICE	ACTIVATION	DEACTIVATION	PRESENT STATE
1.Night Light	2000	0130	ON
2. Driveway flood 3. Coffee Perk	1930 0645	2230 0730	OFF OFF
4. Water Softener	0230	0430	OFF
5. Outside Lights 6. Thermostat Dn	2000 2300	2330 0530	OFF
7. Bedroom TV	8768	0900	OFF
8. Dehumidifier	8388	1888	OFF
PRESENT TIME	23 Hours	47 Minutes	
SYSTEM STATUS	****	REEN ######	

Photo 2: A typical application of a real-time clock. This display is from my computer-controlled security system.




Figure 2: The block diagram for a typical clock chip.




Figure 3: A comparison of output codes from 7-segment and BCD (binary coded decimal) clock chips.

the interrupt routine could be 30 bytes and 100 μ s long. If called every millisecond it would eat up 10% of the total cycle time—just to increment a counter! When it comes to real time, be careful not to byte (sic) off more than you can process.

The easiest way to provide an hourly and minute by minute input is to interface the computer to an MOS/LSI (metal oxide semiconductor/large scale integrated) clock device such as that found in most digital clocks or watches. The block diagram of a typical clock chip is shown in figure 2. This LSI device replaces about 22 TTL (transistortransistor logic) chips once necessary to perform the same function, and consumes very little power, allowing battery standby operation. The circuit of figure 1 uses inexpensive TTL rather than CMOS (complementary metal oxide semiconductor) because battery backup is irrelevant if the computer cannot acknowledge interrupts in a powered down state. Figure 3 illustrates the logic of the BCD (binary coded decimal) and 7-segment output lines.

There are two approaches to the design of a clock interface. One approach is to let the clock circuit operate independently from the computer, attached in such a way that the computer is able to monitor this acti-

A New, Easy to Learn Microcomputer Language

ISBN 0-931718-8



BASE

Buy this book at your favorite computer bookstore or order direct from BYTE BOOKS.


Add 60¢ for postage and handling.

PAUL WARME

BASEX is a fast and compact language which improves on some of the best features of both BASIC and the 8080 Assembly language. BASEX programs typically execute five times faster than equivalent BASIC programs, while requiring less than half the memory.

The BASEX compiler is written in the BASEX language and combines the functions of editing, compiling, and initiating the execution of programs to improve memory efficiency. Author Paul Warme has even included a BASEX loader program to relocate programs anywhere in memory.

70 Main Street, Peterborough, New Hampshire 03458



plemented using a typical clock chip.

	TAL LOGIC DESIGN ENGINEERS • MARKETING PRODUCT SPECIALIST	-
IEERS	GET TO KNOW CODEX	SALES
APPLICATIONS ENGINEERS	We're Codex, producers of high speed state-of-the-art data communications equipment, and we're known as the best in the industry. Because we're growing at a phenomenal rate, we need individuals with all kinds of backgrounds, experience, and interests who'd like the challenge and excitement of working with the leader in its field.	REPRESENTATIVES
CATIC	GET TO KNOW CODEX	ENTA
PPLIG	EVEN BETTER	TIVE
STS - A	If Codex sounds good to you, clip out the coupon and send it to me, Gary Davis, Corporate Employment Manager. I'll send you a package of information about Codex so you can get to know us even better. Then if you think we've got what it takes to improve your career, send us the enclosed application.	S - FIE
NALY	YOU WILL NOT BE CALLED unless you indicate interest in Codex by returning an application or resume to us.	LD SE
IER/A	Clip out this coupon and send to: Gary Davis, Corporate Employment Mana- ger, CODEX CORPORATION, 20 Cabot Boulevard, Mansfield, MA 02048.	ERVICE
RAMN	Dear Mr. Davis: Please send me information about career opportunities at Codex Corporation.	ENGI
ROG	Name	NEE
RS- P	Address Street City State Zip Code	RS -
		TEST
ICAL WF	If Codex sounds good to you, clip out the coupon and send it to me, Gary Davis, Corporate Employment Manager. I'll send you a package of information about Codex so you can get to know us even better. Then if you think we've got what it takes to improve your career, send us the enclosed application. YOU WILL NOT BE CALLED unless you indicate interest in Codex by returning an application or resume to us. Clip out this coupon and send to: Gary Davis, Corporate Employment Mana- ger, CODEX CORPORATION, 20 Cabot Boulevard, Mansfield, MA 02048. Dear Mr. Davis: Please send me information about career opportunities at Codex Corporation. Name	FENGINI
TECHN os	A Subsidiary of MOTOROLA INC 20 Cabot Boulevard, Mansfield, MA 02048 An Equal Opportunity Employer M/F FTWARE DESIGN ENGINEERS - MICROPROCESSOR DESIGN ENGINEE	EERS S

vity and extract a time value. The second approach, which I prefer, is to give the computer complete control over the information flow of the clock in a synchronous manner. This design makes the interface speed independent and allows it to be used directly with high-level languages.

Figure 4 shows the typical real-time clock interface. In this design the clock is configured in the usual manner to drive a 6-digit light emitting diode display. The clock runs independently with the display multiplexing rate (about 1 kHz) set by a resistor/capacitor combination attached to the chip. Five of the 7-segment drive lines are level shifted and buffered for TTL through a CD 4050, and the 6 digit lines are priority encoded to produce a 3-bit binary value for transmission to the computer of the energized digit-enable line. The 3-bit digit and 5-bit segment codes are combined to produce a single 8-bit byte interfaced to a parallel input port.

In operation, the computer program first looks at bits bo thru b2 to determine which digit of the display to activate. Then it reads bits b3 thru b_7 and compares them to a table to



BREAKING THE SOUND BARRIER

September 1977



March 1979

Byte Cover Prints --Limited Editions.

The September '77 and March '79 covers of BYTE are now each available as a limited edition art print, personally signed and numbered by the artist, Robert Tinney.

These prints are strictly limited to a quantity of 750 for each cover, and no other editions, of any size, will ever be published. Each print is 18" x 22", printed on quality, coated stock, and signed and numbered in pencil at bottom.

The price of each print is \$25. This includes 1) a signed and numbered print; 2) a Certificate of Authenticity, also signed personally by the artist and witnessed, attesting to the number of the edition (750), and the destruction of the printing plates; and 3) first class shipment in a heavy-duty mailing tube.


To order your limited edition art print, fill out and mail the order form below.

 Send me ''Breaking the Sound Barrier'' prints at \$25 each, and ''Trap Door'' prints at \$25 each. I understand this price includes Certificate of Authenticity and first class shipment. I have enclosed check or money order to Robert Tinney Graphics. 	Ship my print(s) to: Name Address CityStateZip Send order to:
to Robert Tinney Graphics. □ Charge this to my Master Charge or Visa	Send order to: robert tinney graphics

Card #

_ Expires:__

P.O. Box 45047 • Baton Rouge, LA 70895



56 August 1979 © BYTE Publications Inc

determine which character is being displayed. (Only 5 of the 7 segments are necessary to perform this comparison.) This process is repeated 5 more times as the chip sequences through the other digits. The final result is formatted into hours, minutes, and seconds. The entire operation takes about 10 ms and requires that the program be written in machine language.

If you can believe the claims of the manufacturers, there are now more computers in use that run BASIC rather than machine language as their primary mode of interactive communication. While it is still possible to manipulate individual bits and write machine language device control subroutines for these computers, their owners are obviously more familiar with high-level languages and would necessarily feel more comfortable with a clock design which could be controlled in BASIC as well as machine code. Figure 5 demonstrates such a design.

This circuit, which can be man-




Figure 6: Display multiplex timing sequence for the circuit in figure 5.

ually or automatically preset, is fully static and allows the display output lines to be completely under program control. The basic 5-chip interface consists of a 4-digit BCD/7-segment output clock type MM5312, an MM5369 time-base generator, 2 MOS to TTL buffers to send data to the microprocessor, and 1 TTL-to-CMOS converter for processor control over the clock chip. Time is read by the computer as 4 binary coded



Listing 1: Program for the real-time clock.

LIST

100 REM REAL TIME CLOCK 110 REM COPYRIGHT 1979 STEVEN CIARCIA 120 REM THIS SIMPLE PROGRAM ALLOWS A COMPUTER TO TELL TIME BY 130 REM INTERFACING A DIGITAL CLOCK CHIF TO AN I/O FORT. (PORT 8 IN THIS EXAMPLE) 140 REM THE DISPLAY MUX LINE IS CONTROLLED BY THE COMPUTER. FIRST IT IS PULSED UNTIL 150 REM IT IS SET ON THE LEAST SIGNIFICANT DIGIT 160 OUT 8,1 :OUT 8,0 : T=INF(8) :D=T AND 16 170 IF D=16 THEN 200 ELSE 160 180 REM ONCE THE LSD FOSITION IS SET THE 4 SUCESSIVE READINGS ARE TAKEN 190 REM THE INPUT FORT DATA IS ANDED WITH 15 TO OBTAIN THE BCD VALUE (REMEMBER, BASIC USES DECIMAL) 200 M1=T AND 15 :GOSUB 250 :REM MINUTES (UNITS) 210 M2=T AND 15 :GOSUB 250 :REM MINUTES (TENS) HOURS (UNITS) 220 H1=T AND 15 :GOSUB 250 :REM HOURS (TENS) 230 H2=T AND 15 :GOSUB 250 :REM 240 PRINT H2;H1;*:*;M2;M1 :GOTO 160 250 OUT 8,1 :OUT 8,0 :T=INP(8):RETURN :REM ADVANCE DISPLAY MUX

READY

decimal numbers. In a 4-digit clock like the one in figure 5, the data appears as a digit-enable output and an

associated BCD value. The tens of minutes data is available when bit b_s is high (bits b_4 , b_6 , and b_7 are low). It

NOW, FROM MOUNTAIN HARDWARE. THE 100,000 DAY CLOCK.

Put your S-100 Computer on the clock.

A real time clock could double the utility of your computer. Time events in 100μ S increments for up to 100,000 days (over 273 years). Program events for the same period with real time interrupts that permit pre-programmed activities to take place...without derailing on-going programs. Maintain a log of computer usage. Call up lists or appointments. Time and date printouts. Time events. An on-board battery keeps the clock running in the event of power outage.

Mountain Hardware also offers a complete line of peripheral products for many fine computers.



will appear as a BCD quantity in bits b_0 thru b_3 . Unlike the circuit of figure 4, this unit is static and has no display to drive. It will stay on a particular digit until it is instructed to sequence to the next digit. This is accomplished by controlling the display-multiplexer input line of the clock.

Figure 6 shows how the multiplexer line is controlled in this application. Bit 0 of an output port (port 8 in my example) is used to pulse multiplexer input pin 22. At any time, 1 of the 4 digit-enable output lines will be low (at the chip), indicating that the multiplexer is set on that digit. The data on the BCD lines is for that digit. Reading the next digit is simply a case of pulsing bit b₀ again. There is no time constraint either. You can wait 10 minutes between digits if you wish (but the data won't mean much). It is best to read the 4 digits sequentially. The circuit is easily interfaced and exercised in BASIC as demonstrated in listing 1. The flow diagram of this program is shown in figure 7.

The addition of 2 more gates connected to output bits b_1 and b_2 facilitate automatic time preset. Figure 8 follows the logic of how such a program could be written. Two magnetic reed switches shown in photo 1 can be attached between pins 14 and 15, respectively, and ground to allow manual preset as well. I find that it is easier to just turn on the




Figure 7: Flowchart of the program given in listing 1.


clock program in continuous display mode and adjust the clock as I read it. If a battery back-up capability is added, the 2 TTL automatic set gates should be disconnected. When the computer is powered up, random data can appear on bits b_1 and b_2 , accidently causing it to enter the set mode. This is not a problem on the input. While a 4-digit, 24-hour clock is quite enough in my application (an example is shown in photo 2), there are those who need a second designation. Substituting an MM5311, the s_1 Figure 8: Flowchart for the automatic reset routine.

and s_{10} digit-enable line can be added as 2 more parallel input bits and treated exactly as the present circuit, or binary encoded to reduce input bits, as shown in figure 5b. This method will require a slight software change but should be an equally viable approach. The present program in listing 1 executes in approximately 50 ms when used with Micro Com 8 K Zapple BASIC, but it works equally well with a machine language routine.

Whatever your final configuration,

I am sure you will find that accurately timed control outputs are a definite advantage on any system. And there is no reason for the hardware of any interface to constrain the operator's choice of software interaction if it is not dictated by the frequency of events themselves.

Next month the topic of "Ciarcia's Circuit Cellar" will be various joystick interfaces.



Low Cost Add-On Storage for Your TRS-80*. In the Size You Want.

When you're ready for add-on disk storage, we're ready for you. Ready with six mini-disk storage systems — 102K bytes to 591K bytes of additional *on-line* storage for your TRS-80*.

- Choose either 40-track TFD-100™ drives or 77-track TFD-200™ drives.
- One-, two- and three-drive systems immediately available.
- Systems include Percom PATCH PAK #1™, on disk, at no extra charge. PATCH PAK #1™ de-glitches and upgrades TRSDOS* for 40- and 77-track operation.
- TFD-100[™] drives accommodate "flippy disks." Store 205K bytes per mini-disk.
- Low prices. A single-drive TFD-100[™] costs just \$399. Price includes PATCH PAK #1[™] disk.
- Enclosures are finished in systemcompatible "Tandy-silver" enamel.

Whether you need a single, 40track TFD-100[™] add-on or a three-drive add-on with 77-track TFD-200[™]s, you get more data storage for less money from Percom.

Our TFD-100[™] drive, for example, lets you store 102.4K bytes of data on one side of a disk — compared to 80K bytes on a TRS-80* mini-disk drive and 102.4K bytes on the other side, too. Something you can't do with a TRS-80* drive. That's almost 205K bytes per mini-disk.

And the TFD-200[™] drives provide 197K bytes of on-line storage per drive — 197K, 394K and 591K bytes for one-, two and three-drive systems.

PATCH PAK #1[™], our upgrade program for your TRSDOS*, not only extends TRSDOS* to accommodate 40and 77-track drives, it enhances TRSDOS* in other ways as well. PATCH PAK #1[™] is supplied with each drive system at no additional charge.

The reason you get more for less from Percom is simple. Peripherals are not a sideline at Percom. Selling disk systems and other peripherals is our main business — the reason you get more engineering, more reliability and more back up support for less money.

In the Product Development Queue . . . a printer interface for using your TRS-80° with any serial printer, and . . . the Electric CrayonTM to map your computer memory onto your color TV screen — for games, animated shows, business displays, graphs, etc. Coming PDQ!

■ TFD-100, TFD-200. PATCH PAK and Electric Crayon are trademarks of PERCOM DATA COMPANY. *TRS-80 and TRSDOS are trademarks of Tandy Corporation and Radio Shack which have no relationship to PERCOM DATA COMPANY.



To order add-on mini-disk storage for your TRS-80°, or request additional literature, call Percom's toil-free number: 1-800-527-1592. For detailed Technical information call (214) 272-3421.

Orders may be paid by check or money order, or charged to Visa or Master Charge credit accounts. Texas residents must add 5% sales tax.

Percom 'peripherals for personal computing'



Ready to plug in and run the moment you receive it. Nothing else to buy, no extra memory. No "booting" with PerCom MINIDOS-PLUSX™, the remarkable disk operating system on EPROM. Expandable to either two or three drives. Outstanding operating, utility and application programs.



For the low \$599.95 price, you not only get the disk drive, drive power supply, SS-50 bus controller/interface card, and MINIDOS-PLUSX™, you also receive:

SOFTWARE FOR THE LFD-400 SYSTEM

Disk operating and file management systems

BASIC Interpreters and Compilers

Text Editors and Processors

Assemblers

PerCom 6800 SYMBOLIC ASSEMBLER Specify assembly options at time of assembly with this symbolic assembler. Source listing on diskette \$29.95 MACRO-RELOCATING ASSEMBLER Hemenway Associates' assembler for the programming professional. Generates relocatable linking object code. Supports MACROS. Permits conditional assembly \$79.95 LINKAGE EDITOR – for STRUBAL+™ and the MACRO-Relocating assembler \$49.95 CROSS REFERENCE Utility program that produces a crossreference listing of an input source listing file \$29.95

Business Applications

GENERAL LEDGER SYSTEM Accommodates up to 250 accounts. Financial information immediately available — no sorting required. Audit trail information permits tracking from GL record data back to source document. User defines account numbers\$199.95 FULL FUNCTION MAILING LIST 700 addresses per diskette. Powerful search, sort, create and update capability\$99.95 PERCOM FINDER[™] General purpose information retrieval system and data base manager\$99.95

TM trademark of PERCOM Data Company, Inc.

TM trademark of Hemenway Associates Company.


Now! The LFD-800 and LFD-1000. Add one, two or three LFD-800 drives and store 200K bytes per drive on-line. Add one or two (dual-drive) LFD-1000 units and store 800K bytes per unit on-line. Complete with interface/controller, DOS, cable & manuals. Two-drive systems: LFD-800 — \$1549; LFD-1000 — \$2495.

PERCOM 'peripherals for personal computing'

LISP Notes

John Allen Signetics 811 E Acques Ave Mail Stop 38 Sunnyvale CA 94086

• Symbolic Expressions (or S-expressions) are the primitive data items of LISP. The usual interpretation of these expressions is a binary tree where LISP atoms appear at the tips of the tree, and the internal nodes, called *CONS nodes*, have 2 branches. The left branch is called the *CAR branch*; the right branch is called the *CDR branch*. For example:



These CONS nodes are also called dotted

MARK READER

pairs because the linear notation for these trees, called *dot notation*, represents the nodes as dots. For example, the tree above would be written as $(A \cdot (B \cdot C))$ in dot notation. The LISP functions *car* and *cdr* select the CAR and CDR branches respectively. The function *cons* constructs a new binary tree from 2 fragments.

M-Expressions of an external notation for LISP, while a special kind of S-expression, called *list notation*, are used for both the programming notation and the data notation. All articles in this month's BYTE use list notation for their data items. To emphasize the distinction between the idea of a list and its implementation as a dotted pair, the functions *first, rest,* and *concat* will sometimes be used instead of car, cdr, and cons, even though the functions are Identical in traditional implementation.

Within the LISP language are several powerful and distinctive features. One, called lambda notation, gives LISP the ability to describe and manipulate functions as data objects. We use a simplified form of this concept in the LISP operators DEF and DEFINE. Another LISP distinction involves its concept of a scope rule: basically a rule to apply when finding the value of a nonlocal variable from within a function call. The default rule in LISP (and in APL) is called the dynamic scope, meaning "use the latest binding of a variable" (ie: the binding which was available when the function was called). ALGOL and Pascal use a rule called static scope which says, "use the value which was current at the time the function was defined."

"A pencil, a card, and this low-cost reader... it's the new, fast way to enter data into your microcomputer."

Interfaces to TRS-80, Apple II, PET, and others.

Good news! Now, all you need is a standard #2 pencil, a card, and our new MR-500 mark sense card reader to quickly and easily enter data into your favorite microcomputer.

As Easy as One, Two, Three...

Here's all you have to do. One - program the card by marking with the pencil. Two - feed the card into the reader slot. Three - the reader automatically turns on, the card is fed through, and data is instantly entered into memory. It's the simple low-cost alternative to keyboard data entry.

For Educators, Small Businessmen, and...

The applications for our low-cost MR-500 are endless. For small businesses, it's ideal for inventory, time cards, labor distribution (just to name a few). Educators will find that the MR-500 streamlines test scoring, attendance records, and grade reporting. Bet you can find a use already.

The Small Reader for the Small Computer

The MR-500 is lightweight — 4 lbs. Compact a 4½-inch cube. And at \$750, it's the only mark sense card reader that makes sense for the small computer.



Circle 43 on inquiry card.

(213) 367 9



MICRO LORDALOTOLL-FREELOWEST PRICESFAST DELIVERY1-800-528-1418LOWEST PRICESFAST DELIVERYDEPENDABLE SERVICE

(reg. \$1599)

DOUBLE DENSITY HORIZON I KIT

double the storage at the same price!

Today's best buy. 180K bytes per disk. The chosen computer for two MicroWorld systems ... Autoscribe — The Paperwork Manager⁻⁻ and Bookkeeper — The Office Accountant⁻⁻. Single density still runs on your new Horizon, or you can copy and convert all North Star software and programs to double density.

- exclusive application software
- add'l 16K memory (kit), \$349
- add'l disk drive (kit), \$349

Call for low assembled prices. Double density also available on North Star disk sub-system, \$599 kit.

NEW!

	//	sub-system, \$599 kit.
RUNGPOOLIS BASIC	MICROPOLIS DISK DRIVE FOR TRS-80 S499 Introductory Price [reg. 5599]	
	HEATH DATA SYSTEMS PRINT	Vector Graphics MZ \$3225 Exidy 16K Sorcerer \$1035 Data General microNOVA \$CALL Qume Sprint 5 RO
SOROC IQ 12 TI	ERMINAL Shire	TI 59 Calculator \$ 219 Novation CAT Modem \$ 199 TI 820 Terminal \$2199



Bringing information technology to your doorstep 1425 W. 12th Pl. • Tempe, AZ 85281 • 602-894-1193

VISA No extra charge for credit card orders

Circle 233 on inquiry card.

Freight collect, F.O.B. Tempe No other handling charges

Formerly Byte Shop Mail Order

CALL TOLL-FREE 1-800-528-1418

Get big system performance from your small computer

Bigger isn't always better, but large-system experience and a national communications network can help you get more out of your small computer.



Our large-scale computer time sharing system is now available to small computer users during off-peak hours (nights, weekends) via local phone calls. Cost: \$5.00 an hour, billed in one-minute increments of about eight cents each!

MicroNET



What is it?

A remote, on-line computing service available via local phone lines in 25 major metropolitan areas. It is available from 6 p.m. to 5 a.m., local time, daily as well as all day on weekends and most holidays.

Who is it?

MicroNET service is provided by the Personal Computing Division of CompuServe Incorporated, one of the nation's leading time sharing computer service companies. We are a multi-million dollar company serving many Fortune 500 companies and large government agencies for the last ten years.

What services do I get?

- Practical personal programs
- Ability to communicate with other small computer users
- Opportunity to buy and sell software through the network.
- Time-saving business applications
- Educational aids
- Easy-to-use programming languages
- Advanced programming and diagnostic tools
- Games (including many multi-player mind-bogglers)

What do I have to have to access MicroNET?

The minimum requirement is a terminal with communications interface and a telephone. However, the full capabilities of the MicroNET service will be realized by using a microcomputer with modem interface and a modem set for "originate" mode at 300 BAUD.

What does it cost?

By using our equipment during off-peak hours, we can keep our rates extremely reasonable. There is a one-time charge of \$9.00 to sign up. Then you will be billed (via Master Charge or Visa cards only) at the rate of \$5.00 per hour. Minimum charge per access is \$1.00 for up to 12 minutes of computer time.

Can I store data?

Yes, up to 64,000 bytes of on-line file storage for up to seven days between accesses. For your protection, we will disconnect automatically if your personal computer is left unattended for 15 minutes.

I want to know a bit more.

Good. Send in the coupon. You'll receive more detailed information and an application. When you return the application, including your Master Charge or Visa number (because we bill electronically to help keep the price low), we'll send your user identification number and password, user guide, and local phone number so you can put the power of our large system to work for your small computer.

Comp	uServe
	Personal Computing Division 5000 Arlington Centre Blvd. Columbus, Ohio 43220
	Send me information on MicroNET.
Name	
Address	
City/State/Zip	
	MicroNET

Cities with local phone service access: Akron, Atlanta, Chicago, Cincinnati, Cleveland, Columbus, Dallas, Dayton, Denver, Detroit, Houston, Indianapolis, Los Angeles, Louisville, Memphis, West Caldwell (NJ), New York, Philadelphia, Pittsburgh, San Francisco, Stamford (CT), St. Louis, Toledo, Tucson, Washington D.C.

A Model of the Brain for Robot Control

Part 3: A Comparison of the Brain and our Model

In parts 1 and 2 we have shown how a neurological model called the Cerebellar Model Arithmetic Computer (CMAC) can compute functions, recognize patterns, and decompose goals. We have also shown how a crosscoupled hierarchy of CMACs (see figure 1) can memorize trajectories, generate goal directed purposive behavior, and store an internal model of the external world in the form of predicted sensory data. In this third article we will attempt to show how this structure and its capabilities can give rise to perceptual and cognitive phenomena.

The fact that the mathematical details of the CMAC model were derived from the cerebellum, a portion of the brain particularly regular in structure and hence uniquely suitable for detailed neurophysiological analysis, does not mean that the results are inapplicable to other regions of the brain as well. The basic structure of a large output cell (sometimes called a principal, relay, or projection neuron) served by a cluster of local interneurons is quite typical throughout the brain. Such

About the Author:

Dr James S Albus worked for NASA from 1957 to 1972 designing optical and electronic subsystems for over 15 spacecraft, and for one year managed the NASA Artificial Intelligence Program. Since 1973 he has been with the National Bureau of Standards where he has received several awards for his work in advanced computer control systems for industrial robots. He has written a survey article on robot systems for the February 1967 issue of Scientific American and his Cerebellar Model Arithmetic Computer won the Industrial Research Magazine IR-100 award as one of the 100 most significant new products of 1975. James Albus Project Manager United States Dept of Commerce National Bureau of Standards Washington DC 20234

clusters commonly receive input from a large number of nonspecific neural fibers similar to the mossy fibers in the cerebellum. In many instances they also receive specific inputs which are more or less analogous to climbing fibers. As we might expect, there are many differences in size and shape of the corresponding cell types from one region of the brain to another. These reflect differences in types of computations being performed and information being processed, as well as differences in the evolutionary history of various regions in the brain. Nevertheless, there are clear regularities in organization and similarities in function from one region to another. This suggests that, at least to a first approximation, the basic processes are similar.

The implication is that the general model of information processing defined by CMAC (the concept of a set of principal neurons together with their associated interneurons transforming an input vector S into an output vector P in accordance with a mathematically definable relationship H) may be useful in analyzing the properties of many different cortical regions and subcortical nuclei. This is particularly true since the accuracy, resolution, rate of learning, and degree of generalization of the CMAC H function can be chosen to mimic the neuronal characteristics of different areas in the brain.

Hierarchical Control

The idea that the central nervous system, which generates behavior in biological organisms, is hierarchically structured is an old one, dating back considerably more than a century. The analogy is often made to a military command structure, wherein many hundreds of operational units and thousands, even millions of individual soldiers are coordinated in the execution of complex tasks or goals. In this analogy each computing center in the behavior-generating hierarchy is like a military command post, receiving commands from immediate superiors and issuing sequences of subcommands which carry out those commands to subordinates.


Feedback is provided to each level by a sensory-processing hierarchy which ascends parallel to the behavior-generating hierarchy, and which operates on a data stream derived from sensory units which monitor the external environment as well as from lower level command centers which report on the progress being made in carrying out their subcommands. Feedback is processed at many levels in this ascending hierarchy by intelligence analysis centers that extract data relevant to the command and control functions being performed by the behavior-generating module at that level.

Each of these intelligence analysis centers makes predictions based on the results expected (ie: casualties, rewards, sensory data patterns) as a consequence of actions currently being taken. The intelligence centers then interpret the sensory data they receive in the context of these predictions. For example, in military inThe ideas presented in this article represent the views of the author and not those of the Department of Commerce or the National Bureau of Standards.

telligence analysis a loss of 60 men in an operation where losses had been predicted at 600 implies an unexpectedly easy success, and perhaps indicates a weakness in the enemy position which should be further exploited. In the brain, the observation of 60 nerve impulses on an axon where 600 has been anticipated may imply an unexpectedly weak branch in a tree, upon which the placing of any weight will result in a fatal fall from the treetop.

The response of each command post (or data analysis center) in the hierarchy to its input depends on how it has been trained. Basic training teaches each soldier how to do things the "army way" (ie: what each command means and how it should be carried out). Each operational unit in the military has a field manual which defines the proper, or ideal response of that unit to every foreseeable battlefield situation. Each field manual is essentially a set of IF/THEN production rules or case statements, corresponding to a set of CMAC functions, $\mathbf{P} = \mathbf{H}$ (S) or $\mathbf{Q} = \mathbf{G}$ (D). At the lowest level in the military analogy these rules define the proper procedures for maintaining and operating weapons, as well as the proper behavioral patterns for surviving and carrying out assignments under battlefield conditions. At higher levels they define the proper tactics for executing various kinds of maneuvers. At the highest level, they define the proper strategy for deployment of resources and achievement of objectives.

In the case where each unit carries out its assignment "according to the book," the overall operation runs smoothly and the goal is achieved on schedule as expected. To the extent that various units do not follow their ideal trajectories, either because of improper training or because of unforeseen difficulties in the environment, the operation will deviate from the expected or planned schedule. Alternate tactics may be required. If a change in tactics still does not produce success, new strategies may be required. Of course, there is always




the possibility that failure will occur, despite every effort. The goal will not be achieved or, worse yet, the organism may suffer a catastrophic setback.

There is considerable anatomical, neurophysiological, and behavioral evidence that the analogy between the brain and a military hierarchy is quite accurate. However, in saving this, it is important to keep in mind that the highly schematic hierarchy shown in figure 1 is a grossly oversimplified diagram of the vast interconnected hierarchical network which is the brain. Every motor neuron in the nervous system can be thought of as being controlled by its own hierarchy which interleaves and overlaps extensively with the hierarchies of nearby synergistic motor neurons. Each sensory-motor system has its own set of overlapping hierarchies which become increasingly interrelated and interconnected with Figure 1: A crosscoupled, processinggenerating hierarchy. The H modules decompose input goals C into output subgoals P using feedback F. The M modules recall expected sensory data R which is compared with observed sensory experiences E. The G modules recognize sensory patterns Q and compute feedback errors F.

each other at the higher levels. Thus, the entire brain may have the topological shape of an inverted paraboloid as shown in figure 2.

Triune Brain Hypothesis

There is in fact some evidence to suggest that the human brain is topologically similar to three (or more) concentric paraboloid hierarchies as illustrated in figure 3. Paul MacLean and others have hypothesized a triune brain wherein the inner core is a primitive structure (ie: the reptilian brain) which provides vital functions



such as breathing and basic reflexive or instinctive responses such as eating, fighting, fleeing, and reproductive activities. Superimposed on this inner core is a second layer (ie: the mammalian brain) which is capable of more sophisticated sensory analysis and control. This second layer tends to inhibit the simple and direct responses of the first so as to apply them more selectively and to delay responses until opportune moments. This second brain thus provides the patient waiting behavior necessary for effective hunting of prey. On top of this is yet a third layer (ie: the primate brain) which possesses the capacity to manipulate the other two layers in extremely subtle ways; to imagine and plan, to scheme and connive, to generate and recognize signs and symbols, to speak and understand what is spoken.

The outer layers employ much more sophisticated sensory analysis and control algorithms that detect greater subtleties and make more complex decisions than the inner more primitive layers are capable of performing. Under normal conditions the outer layers modify, modulate, and sometimes even reverse the sense of the more primitive responses of the inner layers. However, during periods of stress, the highly sophisticated outer layers may encounter computational overload and

Figure 2. In the brain different processinggenerating hierarchies represent different sensory-motor systems. These become increasingly interrelated at the higher levels and eventually merge into a unified command and control structure. This enables a complex organism to coordinate its actions in pursuit of high level goals.

become confused or panicked. When this happens, the inner core hierarchy may be released from inhibition and execute one of the primitive survival procedures stored in it (ie: fight, flee, or freeze). A similar takeover by the inner hierarchy may occur if the more delicate circuitry of the outer is disrupted by physical injury or other trauma. Thus the brain uses its redundancy to increase reliability in a hostile environment.

Of course, all three layers of the behavior-generating hierarchy come together at the bottom level in the motor neuron — the final common pathway.

Motor-Generating Hierarchies in the Brain

In the military hierarchy analogy, the motor neurons are the foot soldiers. They produce the action. Their firing rates define the output trajectory of the behavior-generating hierarchy. A CMAC representing a spinal motor neuron and its associated interneurons receive feedback F from stretch receptors via the dorsal roots, as well as from other motor neurons reporting ongoing activity in related muscles. The command vector C to this lowest level comes from the vestibular system, which provides inertial reference signals necessary for posture and balance, as well as from the reticular formation and basal ganglia (and in primates, also directly from the motor cortex).

There is nothing analogous to climbing fibers for the motor neurons, but this is not surprising since there is evidence that little or no learning takes place at this first level in the behavior-generating hierarchy.

Evidence for second, third, and fourth levels in the behaviorgenerating hierarchy comes from experiments with animals and observations of injured humans where the spinal cord is severed at different levels. If, as is shown in figure 4, the cord is severed from the brain along the line A-A, most of the basic motor patterns such as the flexor reflex and the reflexes that control the basic rhythm and patterns of locomotion remain intact. However, coordinated activation of these patterns to stand up and support the body against gravity requires that the regions below B-B be intact.

The stringing together of different postures to permit walking and turning movements requires the regions **Color.** VP-590 add-on Color Board allows program control of 8 brilliant colors for graphics, color games. Plus 4 selectable background colors. Includes sockets for 2 auxiliary keypads (VP-580). \$69*

Sound. VP-595 Simple Sound Board provides 256 tone frequencies. Great for supplementing graphics with sound effects or music. Set tone and duration with easy instructions. \$24*

Music. VP-550 Super Sound Board turns your VIP into a music synthesizer. 2 sound channels. Program control of frequency, time and amplitude envelope (voice) independently in each channel. Program directly from sheet music! Sync provision for controlling multiple VIPs, multitrack recording or other synthesizers. \$49.

Memory. VP-570 RAM Expansion Board adds 4K bytes of memory. Jumper locates RAM in any 4K block of up to 32K of memory. On-board memory protect switch. \$95.*

EPROM Programmer. VP-565 EPROM Programmer Board comes complete with software to program, copy and verify 5-volt 2716 EPROMs—comparable to units costing much more than the VP-565 and VIP put together! Programming voltages generated on board. ZIF PROM socket included. \$99.

EPROM Interface. VP-560 EPROM Interface Board locates two 5-volt 2716 EPROMs (4K bytes total) anywhere in 32K of memory. VIP RAM can be re-allocated. \$34.*

ASCII Keyboard^{**} Fully encoded, 128-character ASCII encoded alpha-numeric keyboard. 58 light touch keys including 2 user defined keys! Selectable upper and lower case. Handsomely styled. Under \$50.*



Tiny BASIC:* VP-700 Expanded Tiny BASIC Board puts this high-level language on your VIP. BASIC stored in 4K of ROM. Ready for immediate use—no loading necessary. This expanded BASIC includes the standard Tiny BASIC commands plus 12 additional—including color and sound control! Requires external ASCII encoded alpha-numeric keyboard. \$39.

Auxillary Keypads. Program your VIP for 2-player interaction games! 16-key keypad VP-580 with cable (\$15*) connects to sockets provided on VP-590 Color Board or VP 585 Keyboard Interface Card (\$10*).

COSMAC VIP lets you add computer power a board at a time.

With these new easy-tobuy options, the versatile RCA COSMAC VIP (CDP18S711) means even more excitement. More challenges in graphics, games and control functions. For everyone, from youngster to serious hobbyist. And the basic VIP com-

puter system starts at just \$249* assembled and ready to operate.

Simple but powerful—not just a toy. Built around an RCA COSMAC microprocessor, the VIP includes 2K of RAM. ROM monitor. Audio tone with a built-in speaker. Plus 8-bit input and 8-bit output port to interface relays, sensors or other peripherals. It's



easy to program and operate. Powerful CHIP-8 interpretive language gets you into programming the first evening. Complete documentation provided.

Take the first step now. Check your local computer store or electronics parts house. Or contact

RCA VIP Marketing, New Holland Avenue, Lancaster, PA 17604. Phone (717) 291-5848.

*Suggested retail price. CDP18S711 does not include video monitor or cassette recorder. **Available 1st Quarter, 1979.

See the RCA VIP at the 3rd Annual National Small Computer Show at the New York Coliseum, August 23-26, booth 4211.

The fun way into computers.






Figure 3: The human brain is hypothesized to be a composite structure consisting of at least three layers: (1) a reptilian brain which provides basic reflexes and instinctive responses; (2) a mammalian brain which is more sophisticated and capable of delayed responses; and (3) a primate brain which can imagine, plan and manipulate abstract symbols. The outer layers inhibit and modulate the more primative tendencies of the inner layers.




Figure 4. The hierarchy of motor control that exists in the extrapyramidal motor system. Basic reflexes remain even if the brain stem is cut at A-A. Coordination of these reflexes for standing is possible if the cut is at B-B. The sequential coordination required for walking requires the area below C-C to be operable. Simple tasks can be executed if the region below D-D is intact. Lengthy tasks and complex goals require the cerebral cortex.

below C-C to be undamaged. In particular it is known that the rotational movements of the head and eyes are generated in the interstitial nucleus; raising and lowering of the head in the prestitial nucleus; and flexing movements of the head and body in the nucleus precommissuralis. Stimulation of the subthalamic nuclei can cause rhythmic motions including walking. A cat with its brain sectioned along C-C can walk almost normally. However, it cannot vary its walking patterns to avoid obstacles.

Animals whose brains are cut along the line D-D can walk, avoid obstacles, eat, fight, and carry on normal sexual activities. However, they lack purposiveness. They cannot execute lengthy tasks or goals. Humans with brain disease in the basal ganglia may perform an apparently normal pattern of movements for a few seconds and then abruptly switch to a different pattern, and then another. One form of this disease is called St Vitus' dance.

Higher levels of the behaviorgenerating hierarchy become increasingly difficult to identify and localize, but there is much to indicate that many additional levels exist in the cerebral cortex. For example, the motor cortex appears to be responsible for initiating commands for complex tasks. The ability to organize lengthy sequences of tasks, such as the ability to arrange words into a coherent thought or to recall the memory of a lengthy past experience, seems to reside in the posterior temporal lobe. Interactions between emotions and intentional behavior appear to take place in the mediobasal cortex, and long term plans and goals are believed to derive from activity in the frontal cortex. Hierarchies of different systems (ie: vision, hearing, manipulation, locomotion, etc) merge together in the association areas.

Sensory-Processing Hierarchies in the Brain

It is a well established fact that hierarchies of sensory-processing modules exist in the brain. In a famous series of experiments, Hubel and Wiesel demonstrated four clearly distinguishable hierarchical levels in the visual system. Similar sensoryprocessing hierarchies have been extensively studied in the auditory

The TARBELL Connection

In an effort to offer products that meet the continually changing demands of the microcomputer industry, TARBELL ELECTRONICS is pleased to offer immediate delivery of these quality components and operating software. All TARBELL products are available from computer store dealers everywhere.


Tarbell Floppy Disk Interface

- Plugs directly into your IMSAI or ALTAIR and handles up to 4 standard single drives in daisy-
- chain. Operates at standard 250K per second on normal disk format capacity of 256K bytes.
- Works with modified CP/M Operating Sys-tem and BASIC-E Compiler.
- Hardware includes 4 extra IC slots, built-in phantom bootstrap and onboard crystal clock. Uses WD 1771 LSI chip.
- Full 6-month warranty and extensive documentation.
- Kit \$190 Assembled \$265.


Tarbell 32K RAM Memory

- **32K Static Memory**
- S-100 Bus Connector .
- 9 regulators provide excellent heat distribution. Extended addressing (bank switching.) .
- Phantom line. .
- Low power requirement. ٠
- 20-Page operating manual. Full 1-year warranty
- Assembled and tested full price only \$625
- 16K version also available, assembled and tested only \$390.

Tarbell Cassette Interface



- Plugs directly into your IMSAI or ALTAIR.
- . Fastest transfer rate: 187 (standard) to 540 bytes/second.
- Extremely reliable-Phase encoded (self-clocking).
- . 4 extra status lines, and 4 extra control lines.
- 37-page manual included.
- Device code selectable by DIP-switch. Capable of generating Kansas City tapes. .
- No modification required on audio cassette recorder. Complete kit \$120
- Assembled \$175. Manual may be purchased separately
- Full 6-month warranty on kit and assembled units.
- Circle 360 on inquiry card.



Specify drive for assembled units. Complete disk subsystems with operating software available. Please inquire for details.

Tarbell Disk BASIC

- Runs on 8080, 8085 or Z80
- Searches a file quickly for a string.
- Up to 64 files open at once.
- Random Access. •
- Assignment of I/O. •
- Alphanumeric line labels allowed. . Read and Write string or numeric data.
- Unlimited length of variable names and strings.
- Procedures with independent variables.
- Number system 10 digits BCD integer or floating point.
- Chain to another program.
- Cause programs to be appended onto programs already in memory.
- Cause interpreter to enter edit mode using 15 single character edit commands.

Occupies 24K of RAM. Tarbell BASIC on CP/M Disk\$48. Source on paper or CP/M Disk . . . \$25. CP/M and BASIC-E on disk with manuals....\$100.

China and a state of the state
antinen a fartinen a stimmen & there are a strateging a strang a stimmen a stimmen a biller
anter a feine a terre a terre a terre atter
Anteres & Antere
anter p a faller i f anters a faller i an faller i an far faller i a faller i a faller i a stater i a stater i
a Litters & Alleren & Miller & Alleren & Comment and Alleren & Children & Chi
anter auf dente ffe

Tarbell Cassette BASIC

Includes most features of ALTAIR Extended BASIC, plus these added features:


- Assignment of I/O. •
- Alphanumeric line labels. .
- Unlimited length of variable names and strings.
- Number system 10 digits BCD integer or floating point.
- Procedures with independent variables. .
- Read and Write string data. •
- . Multi-file capability
- Full price with complete documentation\$48.

Prepaid, COD, or cash only. California residents please add 6% sales tax.

ALTAIR is a trademark/tradename of Pertec Computer Corporation CP/M is a trademark/tradename of Digital Research



950 DOVLEN PLACE • SUITE B CARSON, CALIFORNIA 90746 (213) 538-4251 • (213) 538-2254



system and also the proprioceptive and kinesthetic pathways. Crosscoupling from these ascending hierarchies of sensory-processing modules to the motor-generating hierarchies provides the many different levels of sensory feedback information required at the various stages of the task or goal decomposition process. At each level, output vectors from the previous level of the sensoryprocessing hierarchy provide inputs to the next higher level, as well as feedback to the same level of the behavior-generating hierarchy.

In the case of vision, the twodimensional nature of input from the surface of the retina causes the computational modules in the visual processing system to be organized in sheets. This implies that a CMAC model of a typical level in the visual processing hierarchy would resemble

Figure 5: A two-dimensional array of sensory-processing Cerebellar Model Arithmetic Computers such as might exist in the visual system. The observed sensory image E_1 plus the prediction vector R_1 enters and is recognized by the operator G_1 as a pattern. The vector R_1 may select one of many filter functions or provide an expected image or map to be compared against the observed image.

the structure shown in figure 5. In this structure the sensory input D_1 might consist of a pattern of sensory variables E_1 defining light intensity (perhaps in a particular color band) together with predicted variables R_1 which select a particular filter function. The output $Q_1 = G_1$ (D_1) then might define a pattern of edges or line segments. This output forms part of the input E_2 to the second level. Output from the second level, $Q_2 = G_2$ (D₂), might define patterns of connected regions or segments.

Recent work by David Marr at the Massachusetts Insititute of Technology and Jay Tennenbaum at SRI International suggests that the output vectors Q_i at various levels may define more than one type of feature. For example, a single level in the visual processing system might contain a depth image (derived from stereo disparity, light gradients, local edge-interaction cues, etc), a velocity image (derived from motion detectors), and an outline drawing image (derived from edge detectors, line, and corner finders) in addition to brightness, color, and texture images of the visual field. These and many other kinds of information appear to

DOUBLE DENSITY!!



from DELTA

For the last year the Micro industry has been promising double density, and indeed some have been delivered. But if you're still waiting for your order or grown tired of flaky performance, call Delta. After a year of engineering and months of production planning — WE CAN DELIVER!.

And what we deliver is SOLID, RELIABLE DOUBLE DENSITY.

Ask the owners of any of our other fine products: — S-100 Mainframe — Z-80 CPU — 32 and 16K RAM — Video Interface

WE HAVE NEVER HAD A FIELD RETURN!

- Designed for CPM
- On Board Boot
- 2MHz-4MHz Operation
- Switch Selectable Write Precomp.
- "Personality Board" to Modify Drive Configurations (No jumper wires)
- 2 Data separators; one digital, one analog
- Runs without occupying any system RAM
- Complete Documentation
- Transparent Density Select
- Drive Diagnostic Software included

West:


DELTA PRODUCTS

1653 E. 28th Street Long Beach, Calif. 90806 Tel: (213) 595-7505



East: DELTA PRODUCTS

1254 South Cedar Road New Lenox, Illinois 60451 Tel: (815) 485-9072



Diablo invented the Daisy Wheel. Which is why today, more people pick one of over 100 different Diablo Daisy Wheels when they want print quality at its finest.

So, the next time you want to make a good impression, pick our daisy and you're sure to look your best.



Diablo[®] and Xerox are registered trademarks of XEROX CORPORATION.

exist in registration at several different levels of the visual information processing hierarchy so as to make possible the extremely sophisticated visual recognition tasks which our brains routinely perform. These different types of images interact, sometimes reinforcing each other so as to confirm a recognition, and sometimes contradicting each other so as to reject one possible interpretation of the visual input in favor of another.

Crosscoupling

Cross links from the descending hierarchies of motor-generating modules provide the many different levels of contextual and predictive information required at various stages of the pattern recognition or sensory analysis process. In the visual hierarchy, as well as in all other sensoryprocessing hierarchies, context variables R_i may define expected values of the E_i vectors. This implies that the addresses Pi and Xi have stored data from previous experiences when what is currently recalled as R_i was experienced as E_i. In this case the recalled context R_i is essentially a stored image, or map, which is accessed by an associative address created by the behavior-generating hierarchy being in a state more or less similar to that which existed when the remembered experience (ie: the map) was stored.

This implies that the sensory data processing hierarchy is a multilevel map (or template) matching process, and that in order to generate these maps the behavior-generating side of the crosscoupled hierarchy must be put into a state (or pulled along a trajectory) similar to that which existed when the template was recorded.

When this occurs, the interaction around the loop formed by the G_i, H_i, and M_i modules at each level is similar to a phase-lock loop, or a relaxation process. The data E_i enters the module G_i which recognizes it to be in a certain class Q_i with perhaps an error of F_i. The recognition Q_i triggers an appropriate goal decomposition (or subgoal selection) function in the H_{i+1} (or higher) modules which generates a command (or hypothesis) C_i. This command, modified by the error F_i, generates a subcommand (or subhypothesis) P_i and hence a predicted data vector R_i. The prediction $\mathbf{R}_{\mathbf{i}}$ may confirm the preliminary recognition Q_i and pull the context P_i

into a more exact prediction via the feedback loop involving F_i . Alternatively the prediction R_i may cause G_i to alter or abandon the recognition Q_i in favor of another recognition Q'_{i} .

Loops and Rhythms

Obviously such looping interactions involve timing and phase relationships which may themselves have information content. Many sensory data patterns, especially in the auditory, visual, and kinesthetic pathways, are time dependent and involve some form of rhythmic or harmonic temporal patterns as well as spatial relationships. For example, activities such as walking, running, dancing, singing, speaking, and gesturing all have a distinctly rhythmic and sometimes strictly periodic character.

As was discussed in part 1 of this series, temporal patterns at various levels correspond to trajectories with different time rates of change, and hence (assuming approximately the same information content stored as trajectories at each level) different periods or complete rhythmical patterns. For example, at the lowest level of the auditory system, brain cells are excited by mechanical and electrical stimuli with frequencies ranging from about 20 Hz to 20,000 Hz. These sensory inputs thus have periodicities from 0.00005 to 0.05 seconds.

The highest frequency a nerve axon can transmit is about 500 Hz, but the brain handles higher frequencies in a manner somewhat reminiscent of the cerebellum's encoding of precise position. It encodes pieces of information about the phase of a wavefront on a number of different fibers. This means that by knowing which fibers are firing in which combinations at which instants, one can compute not only what is the fundamental pitch of the temporal pattern but what are all of its overtones. Thus, the CMAC G function at the lowest level (or really the loop comprised of the lowest level G, H, and M modules) can compute the Fourier transform, or the autocorrelation function, and presumably even the Bessel function describing the modes of vibration of the cochlear membrane.

Assume for example, that the G, H, and M modules in figure 6 constitute a phase-lock loop such that the input PATTERN is a signal f(t) and the

Technical Systems Consultants, the leader in 6800 software, now presents the first in a full line of 6809 systems software. The superiority of the 6809 microprocessor and TSC software combine to form an amazingly powerful, efficient, and easy to use system. 6809 FLEXTH W/Edit and Asmb \$90. Disk operating system for SWTPc 8" or 5". Uisk operating system for owned to being Equivalent to 6800 FLEX** except for being located at \$C000. Includes editor and \$35.00 assembler listed below. TSC's popular editor now on 6809. Fully Text Editing System line and content oriented with global \$40.00 Resident 6809 assembler also accepts 6800 Mnemonic Assembler commands. and 6801 mnemonics. Supports macros \$65.00 and conditional assembly. Extremely fast and complete, 6-digit math TSC BASIC for 6809 EXITENTIENT LAST AND COMPLEX SUBJECT String BASIC. Powerful, fully dynamic string handling. Random disk file capability. \$75.00 6809 Debug Package The most advanced assembly language debugging aid available. Supports multiple, ucuugging an available. Supports multiple. conditional breakpointing, tracing, memory Except for 6809 FLEX**, all code is fully reprotection, and much more. entrant and position independent. Price includes user's manuals and machine readable object code. Specify 8" disk, 5" readable object code. Specify & disk, S disk, or cassette (FLEX** available on disk only). Source listings not included, but available for some products. Contact TSC for a price quotation. All orders should in a price quotation. All orders should (8% on include 3% for postage and handling (8% on FLEX is a registered trademark of Technical foreign orders). Technical Systems Consultants, Inc. Systems Consultants, Inc. West Latayette, IN 47906 Box 2574 (317) 463-2502




Figure 6. A phase-lock loop consisting of a G, H, and M module. If the H and M modules produce a set of signals with nearly the same periodicity as the incoming signal E, the G function can compute a phase error signal F which pulls the R prediction into lock with the E observation. The G module can then also compute an autocorrelation function which gives a perception of pitch.

PREDICTION is another signal $f(t-\tau)$. If the processing module G computes the product of the PAT-TERN • PREDICTION, then the output NAME is f (t) • f (t $-\tau$). When τ corresponds to 1/4 of the period of the input f(t), a low pass filter applied to the output will produce a phase ERROR signal which, when applied to the H module, can enable the PREDICTION signal $f(t - \tau)$ to track and lock on to the input PATTERN f(t). If the loop consists of a multiplicity of pathways with different delays ($\tau > 0$), the output, when processed through low pass filters, will produce an autocorrelation function:

$$\phi_{ff}(\tau) = \lim_{T \to \infty} \frac{1}{2T} \int_{-T}^{T} f(t) \cdot f(t-\tau) dt$$

such that:

$$\mathbf{q}_{1} = \phi_{ff}(\tau_{1})$$
$$\mathbf{q}_{2} = \phi_{ff}(\tau_{2})$$
$$\mathbf{Q} = \mathbf{q}_{L} = \phi_{ff}(\tau_{L})$$

where:

 $0 < \tau_1 < \tau_2 \ldots < \tau_L$

It has been shown that such an

autocorrelation function produces a perception of pitch which is in good agreement with psychophysical data. In figure 6 the presence of an output on element q_i would correspond to the perception of pitch at a frequency $\frac{1}{\tau_i}$

Music and Language

Figure 7 suggests how a hierarchy of phase-lock loops might interact to recognize the variety of periodicities which provide the information content in spoken language and music. The coefficients that q_i obtained from the lowest level loop form the input (together with other variables) to the second level.

If we assume that the sensory input to the first level consists of a pattern rich in information, such as music or speech, then as time progresses the trajectory of the input vector to the second level will also contain many periodicities. The principal difference from the standpoint of information theory is that the periodicity is now on the order of 0.05 seconds to 0.5 seconds. The trajectory input to the second level can, of course, be subjected to a guite similar mathematical analysis as were the trajectories of hair cell distortions and cochlear electrical stimulation which were input to the first level.

The principal difference is that at the second level and higher, informa-

tion can be encoded for neural transmission by pulse-frequency rather than pulse-phase modulation. Also, some of the mechanisms by which time integrals are computed may be different. Nevertheless, processing by a CMAC G function can transform sections of the input trajectory into output vectors so as, in effect, to give them names. Characteristic patterns, or periodicities, at the second level are named notes, when the sensory stimulus is music. Where the stimulus is spoken language, they may be called phonemes.

The output of the second level forms part of the input to the third. The G function at the third level computes the names of strings of phonemes which it calls words, or strings of notes which it calls tunes. The G function at the fourth level computes names of strings of words which it calls sentences (or ideas), strings of tunes which it calls musical passages, etc. In music, the pattern in which the different periodicities match up as multiples and submultiples (ie: the beat, notes, various voices, melodies, and chord sequences) comprise the inner structure, harmony, or "meaning." The ability of the sensory processinggenerating hierarchy of the listener to lock on to the periodicities and harmonies at many different levels (and hence many different periodic intervals) is the ability to "appreciate" or "understand" the music.

Similarly in speech the ability of the audio-processing hierarchy to lock on to periodicities at each level, and to detect or recognize and pass on to the next level the information bearing modulations or deviations in those periodicities, constitutes the ability to "understand" what is spoken. If the audio system locks on only at the first level, it detects phonetic sounds but not words. If it locks on the first two levels but no higher, it detects words but not meaningful phrases. If, however, the audio hierarchy locks on at the third, fourth, fifth, and higher levels, there is excited in the mind of the listener many of the same trajectories and seguences of interrelated and harmonious patterns (ie: goals, hypotheses, sensory experiences) as exist in the mind of the speaker.

This gives the speaker the ability to transmit messages and, even more important, to manipulate the mind of

the listener to achieve his own goals. He can recruit help, enlist sympathy, give orders, and transmit all forms of sophisticated signals related to dominance, submission, and social interaction. Furthermore, by this mechanism he can induce into the highest levels of the sensory processing hierarchy of the listener recalled memories of his own experience. He can tell tales, relate stories, and thereby provide others with secondhand information as to what strategies and goal decomposition rules he personally has found to be successful.

Origin of Language

One of the most basic features of language is that it is a form of behavior. That seems an obvious thing to say, but evidently it is not. Many experts feel that because language is connected with the intellect (ie: a higher function) it is quite divorced from mere motor behavior. However, there is no such thing as mere motor behavior. All behavior is the final output trajectory in the decomposition of high level goals. The intellect is not something distinct from behavior. It is the deep structure of behavior. It is the set of nonterminal trajectories which generate and coordinate what finally results in the phenomena of purposive or intentional action.

Language is certainly like other behavior in that it results from the coordinated contractions of muscles; in the chest, throat, and mouth. Like any other behavior such as walking, dancing, making a tool, or hunting for prey, language is both learned and goal directed.

The infant is born with only the most basic verbal reflexes. At first primitives are learned (coos, gurgles, cries, and phonetic sounds of various types), then strings of primitives (words), and finally strings of strings (phrases), etc. The sensory processing system stores (ie: records) sounds from the environment as R_i trajectories. Later the behavior-generating system learns to produce verbal outputs which mimic or duplicate these stored trajectories.

As with all behavior, the purpose of language is to obtain reward, to avoid punishment, and to achieve success in the social dominance hierarchy. The unique feature of language behavior is that it allows




Figure 7. A crosscoupled hierarchy in the hearing-speech system. The generating hierarchy decomposes language goals into strings of verbal output. When speech is being generated, the sensory processing hierarchy provides feedback to control intensity and modulation. When listening only, the generating hierarchy provides hypotheses and predictions for use in detecting, recognizing, following, and understanding the sensory input.

communication between individuals to enlist help, to issue commands, to organize group behavior, and to receive feedback information from the sensory experiences of others.

Writing

Certainly written language, at least, had its origins in goal-seeking activities. For example, the earliest writing in China began around 2000 BC as ideograms or symbols, engraved on bones and shells for the purpose of asking questions of heaven. Each stroke or series of strokes asks a certain question or seeks guidance for a particular branch point in the behavioral trajectory of the life of the asker.

The earliest of all known writing is

the Uruk tablets discovered in the Mideast and dated about 3100 BC. This writing appears to be almost exclusively a mechanism for recording business transactions and land sales. These written symbols are now thought to be pictorial lists of tokens used for keeping track of merchandise or livestock. The tokens themselves first appeared 5000 years earlier during the beginning of the Neolithic period in Mesopotamia when human behavior patterns related to hunting and gathering were being replaced by others related to animal husbandry, agriculture, and the village market place.

This token method of accounting apparently served its purpose well, for the system remained virtually unchanged for about 5 millennia until the early Bronze Age when cities and city-states became the most advanced social organizations, and commerce grew into a large scale and complex enterprise. Then the requirements for more efficient accounting procedures led to the pictorial listing of tokens by writing on tablets — an early form of double-entry bookkeeping.

Once skill in this form of writing became widespread and commonly practiced, only a few additional symbols and some rules of syntax were required to express decrees, record dates, and relate accounts of significant events.

Thus, the language skill of writing

evolved in small increments over many generations from the goal directed manipulation of physical objects; first the objects themselves, then token objects, and finally images or symbols representing the tokens. The meaning of the symbols, as well as the rules of syntax, were obvious to anyone having an everyday familiarity with the manipulation rules for tokens. These in turn mimicked the rules for manipulation of the objects of merchandise. The manipulation of symbols in written language is a form of goal-seeking behavior which evolved from, and remains similar to, the manipulation of physical objects.

Skill in writing, as any other com-

64KB MICROPROCESSOR MEMORIES

- S-100 \$750.00
- LSI \$750.00



CI-S100 64K x 8



CI-1103 32K x 16



CI-6800 64K x 8



CI-8080 64K x 8


SBC 80/10 - \$750.00 6800 - \$750.00

CI-S100 — 64K x 8 on a single board. Plugs directly into the IMSAI, MITS, TDL, SOL and most other S-100 Bus computers. No wait states even with Z80 at 4Mhz. Addressable in 4K increments. Power requirement 6 watts. Price \$750.00.

CI-1103 — 8K words to 32K words in a single option slot. Plugs directly into LSI 11, LSI 11/2, H11 & PDP 1103. Addressable in 2K increments up to 128K. 8K x 16 \$390.00. 32K x 16 \$750.00 qty. one.

CI-6800 — 16KB to 64KB on a single board. Plugs directly into Motorola's EXORcisor and compatible with the evaluation modules. Addressable in 4K increments up to 64K. 16KB \$390.00. 64KB \$750.00.

CI-8080 — 16KB to 64KB on single board. Plugs directly into Intel's MDS 800 and SBC 80/10. Addressable in 4K increments up to 64K. 16KB \$390.00. 64KB \$750.00





plex goal-seeking activity, is acquired through painstaking training, endless practice, and numerous corrections of mistakes by a teacher. It is learned in stages, the lowest level primitives first (forming letters), then strings of primitives (words), then strings of strings (sentences), and so on. Only when the rules of spelling, grammar, and composition are more or less mastered can the scribe express or encode a thought (ie: a high level trajectory) into a string of written symbols.

Speech

The origin of speech is much less certain since it dates from an earlier period. In fact, if we include the sounds of whales, animals, birds, and even insects as a form of speech, spoken language predates the origin of humanity itself. Surely any behavior pattern which communicates a threat, signals submission, expresses fear or acceptance, is a form of language whether it be audible speech or sign language, whether it be expressed by a mouse or a human. By this definition, some speech is very simple - a single facial expression, gesture, chirp, growl, or squeak for each emotional state encoded or intent expressed. Throughout the animal kingdom however, there exists a great variety of modes of expression and many different levels of complexity. Clearly sounds such as the growls, whines, barks, and howls of the wolf express an extremely complex variety of social communications. One can easily feel caught up in a primitive community sing-along when listening to a recording of a wolf-pack chorus.

As we ascend the ladder of behavioral complexity, we find a corresponding increase in the ability to communicate complex messages. In most cases this appears to be not so much an increased vocal capacity as an increased complexity of deep structure underlying overt behavior. This implies that the ability to speak derives, first of all, from having something to say (ie: from having internal trajectories of sufficient complexity that to attach facial expressions, gestures, and audible sounds to them results in complex and subtle messages).

Primitive Human Speech

The most ancient forms of human speech that survive today are the tribal dances of the few remaining



stone-age peoples. In such rites, information on vital subjects such as hunting (including the habits, ferocity, and vulnerable areas of the prey), the proper techniques of stalking, using weapons, etc, are conveyed by dance, symbolic gestures, pantomime, songs, and shouts, as the hunters relate (indeed reenact) the exploits of the hunt. The storytellers replay the behavioral trajectories of their own actual hunting experience and attach verbal symbols and gestures to the portions which cannot be literally acted out.

Even in modern cultures, the majority of everyday speech consists of relating experiences ("...he did this, and I said that...," etc). This is simply the straightforward encoding of behavioral trajectories, or the recalled sensory experiences addressed by those behavioral trajectories, into a string of language tokens or symbols such as gestures, vocal cord, tongue, and lip manipulations. Thus, in the final analysis, all language is a form of goal-directed manipulation of tokens and symbols. The ultimate result is a manipulation of the minds,

and hence the actions, of other members of the society. Language is a tool by which a speaker can arouse or implant in the listener a great variety of behavioral goals, hypotheses, and belief structures. By the use of these means, a speaker can command, instruct, threaten, entertain, or chastise other persons in his group to his own benefit and for his own ends.


The implication for research in language understanding is that there is much to be learned from the relationship between language and other forms of behavior. How, for example, can behavioral goals and trajectories be encoded into strings of language symbols for making requests, issuing commands, and relating sensory experiences? How can patterns of trajectories be encoded and transmitted by one processing-generating hierarchy so as to be received and reconstructed by another?


Clearly, language recognition depends on many of the same mechanisms by which the rhythms, periodicities, and harmonic patterns of music, song, and poetry are recog-

nized, tracked, and predicted at many different levels. Consider that children are fascinated by rhythmical sounds, rhymes, and the repetition of familiar stories. Why do adolescents find it so rewarding to hear the same popular song over and over? Is it not the predictability, the lock-on which can be achieved due to a correspondence between the stored internal model and the observed sensory data stream? And why are the rhythmic movements of dancing and marching to music so compelling? Is it not the correlations and harmonic relationships between trajectories in the behavior-generating and sensoryprocessing hierarchies?

Music is a relatively simple domain for the study of the time dependent interactions between stored models and input data, and the study of music recognition by computer in an almost completely unexplored field. Thus, it is a fertile area for computer hobbyists and other researchers with limited resources.

Part 4 will discuss some operations of the highest hierarchical level such as will, emotion, and creativity.■





onComputing Anewquarterlyby the staff of BYTE

This totally new publication is entertaining, informative, and uncomplicated. It is edited for the attorney, accountant, writer and other professional or business person aware of the personal computer as a tool for business, education, home entertainment, laboratory work and other applications.

Compiled and edited by the staff of BYTE, latest developments covered in **onComputing** will include creative uses of the small computer, books for the computer user, how and where to buy your personal computer and numerous features concerning the fascinating world of the microprocessor.

Add on Computing to your library of 'must' publications. Act now, subscribe and receive four (4) issues it \$6,50 for one year (U.S.); Ganada and Mexico \$10,00.



SUBSCRIBE NOW! COMPLETE AND MAIL ATTACHED POSTAGE PAID REPLY CARD onComputing, Inc.

70 Main St.
Peterborough, NH 03458
Dial toll free 800-258-5485 (In NH 924-7217)

Exploring TRS-80 Graphics

George H Yeager 223 Riverside Dr St Albans WV 25177




Figure 1: Cellular division of a graphics cell on the video display screen. The control byte is divided into 2 hexadecimal digits. Individual bits of digit 1 are marked with primes (1'), and bits are designated by their corresponding power of 2 (rather than sequentially). Bit 8' controls the graphics mode. Bit 4' (marked X) is not used.

Radio Shack seems to hide the neat little jewels of information a hobbyist needs to make a treasure of the TRS-80. One jewel is how to use the computer's graphics capability once you squeeze into the world of machine language by use of the T-BUG monitor. Beyond the excellent Level 1 User's Handbook, there has been little information until recently.

Between sessions of disassembling the undocumented control routines for keyboard, video, and cassette, I employed a "crystal ball" to unravel the mystery of machine language graphics control. (TRS-80 owners must be resourceful.) Here is what I found.

First, video display is in main memory address space and resides between hexadecimal locations 3C00 to 3FFF. Address 3C00 corresponds to the upper left corner of the monitor screen and 3FFF to the lower right corner. Anything placed in this block of memory will appear on the display at a specific cell (section of display grid) as a dot-matrix alphanumeric character or as a 6 element graphic character (the TRS-80 hardware does that).

The Radio Shack video display work sheet shows the location of each of the 1024 cells in the video display format. There are 64 cells per line and 16 lines on the page. Figure 1 shows how each cell is divided into six elements for graphics. The bottom two elements are always dark in the alphanumeric mode, providing line spacing.

To activate the graphics mode for a

		Enterprise	
4503 4504 4505 4506 4507 4508 4509	CD OE 45 3D 83 5F 30 01 24 CD	Call show three; we came here with H L pointing to symbol table and D E pointing to graphic cell memory location. Get constant to point to next line start Add it to cell location Save new LSB line start ADR Jump if no carry Increment H if L carried Call show three	*Enterprise*
450C 450D 450E 450F	OE 45 C9 01 03	Return to caller Set B, C to three characters	*show three*
4510 4511 4512	OO ED BO	Transfer three characters	
4513 4514 4515 4516	C9 AO AB A1	Réturn Graphic symbol table For Enterprise For Enterprise	
4517	8A 83 8B	For Enterprise For Enterprise For Enterprise	

Listing 1: Demonstration routine for TRS-80 graphics in Z-80 machine language, for use with T-BUG or other monitor. This displays the starship Enterprise. Call this as a subroutine after preserving necessary registers. In the subroutine, registers H and L hold the output table pointer. Registers D and E contain the upper left corner location of graphic symbol within the display memory. Registers A, B, C, D, E, H, and L will be altered. This is meant only as a demonstration; it may not be general enough for other use.


specific cell on the screen, data with a value of hexadecimal 80 or above must be placed into the memory location with which it corresponds. The most significant bit of the byte sets the graphics mode; placing a value of 7F or lower in a location activates the alphanumeric mode for the related cell.

Looking at figure 1, note that bits 1' and 2' of digit 1 control the bottom two elements in the cell. (These read as "one prime" and "two prime"; primes indicate digit 1.) Note also that bits 1, 2, 4, and 8 of digit 2 control the top four cell elements. In the graphics mode, bit 4' is a "don't care" (ie, it is not used). If the cell element control bit is set to a 1, the element will be lit on the screen. If the element control bit is reset to 0, the element will not be lit.


The element control bits are identified in figure 1 by their decimal weight. The sum of the bits set to 1 in each section of the cell can be converted to hexadecimal to determine the code for each digit in the graphic control byte. Figure 2 (on page 84) shows all graphic characters and the proper generation codes, so that manipulation may be made easier.

The system is simple and flexible, allowing many shapes to be generated with one byte of code. It is unfortunate that the cell shape is unsymmetrical, thus complicating rotation and transformation of graphic displays. However, the mystery is now solved. A whole new world of more finely detailed and faster displays is available for TRS-80 fans.

I have provided a small demonstration program shown as listing 1. Running it under T-BUG will give an idea of the capabilities provided by machine language control of the TRS-80 graphics. Good luck, and let me know what you find out from your crystal ball.



TI TMS 4044's - 10% SUPPLY (Not an "equivalent", but the real thing!) 250 ns \$6.00 each 450 ns \$5.00 each 8K PROM BOARD \$98.34 2708s \$7.90 each SS 50 BUS 80 x 24 VIDEO BOARD



With hardware scrolling, x-y addressable cursor and multiple character generators. It includes a TMS 2716 EPROM that contains a full 128 upper and lower case ASCII character set with true descenders; plus a socket for another TMS 2716 for an optional 128 character set; plus 2K of RAM for user-defined programmable character sets. This gives the user the ability to create his own heiroglyphics, alphabet, graphic elements, etc.. and store them on PROM, disk, or tape. The user can choose and intermix 384 different characters from any or all of the character generators and display up to 256 at one time, normally or inversely, and at full or half intensity, at any location on the screen. Contiguous 8x10 character cells permit solid lines and connecting patterns with user definable

and connecting patterns with user definable lines It is addressable to any 2K boundary. GHOSTable ad-

dressing allows multiple boards at the same address, making it ideal for multi-user applications. The available software includes a GMXBUG video based 3K ROM monitor, stand alone driver routines, and a program to create user defined characters.

DELUXE VERSION \$458.76 Other Video Boards from \$198.71



16K SYSTEMS \$1294.29

Includes: Mainframe cabinet, mother board, power supply, fan, CPU, 16K static RAM, and choice of 1/0 card. Other packages available.

Add \$10, handling charge on orders under \$200.



CHICAGO, ILLINOIS 60609 (312) 927-5510 • TWX 910-221-4055 The Company that delivers. Quality Electronic products since 1975.




Figure 2: Graphic patterns produced by values from hexadecimal 80 to BF. If you wish to use POKE graphics in Level II BASIC, you need to convert the values from hexadecimal to decimal.





More BYTE BOOKS in your future...

... And the future

THE BYTE BOOK OF COMPUTER MUSIC combines the best computer music articles from past issues of BYTE Magazine with exciting new material—all written for the computer experimenter interested in this fascinating field.

You will enjoy Hal Chamberlin's "A Sampling of Techniques for Computer Performance of Music", which shows how you can create four-part melodies on your computer. For the budget minded, "A\$19Music Interface" contains practical tutorial information—and organ fans will enjoy reading "Electronic Organ Chips For Use in Computer Music Synthesis".

New material includes "Polyphony Made Easy" and "A Terrain Reader". The first describes a handy circuit that allows you to enter more than one note at a time into your computer from a musical keyboard. The "Terrain Reader" is a remarkable program that creates random music based on land terrain maps.

Other articles range from flights of fancy about the reproductive systems of pianos to Fast Fourier transform programs written in BASIC and 6800 machine language, multi-computer music systems, Walsh Functions, and much more.

For the first time, material difficult to obtain has been collected into one convenient, easy to read book. An ardent do-it-yourselfer or armchair musicologist will find this book to be a useful addition to the library.



ISBN 0-931718-11-2 Editor: Christopher P. Morgan Pages: approx. 128 Price: **\$10.00**

SUPERWUMPUS is an exciting computer game incorporating the original structure of the WUMPUS game along with added features to make it even more fascinating. The original game was described in the book What To Do After You Hit Return, published by the People's Computer Company. Programmed in both 6800 assembly language and



BASIC, SUPERWUMPUS is not only addictively fun, but also provides a splendid tutorial on setting up unusual data structures (the tunnel and cave system of SUPERWUMPUS forms a dodecahedron). This is a PAPERBYTE[™] book.

> ISBN 0-931718-03-1 Author: Jack Emmerichs Pages: 56 Price: **\$6.00**

TINY ASSEMBLER 6800,

Version 3.1 is an enhancement of Jack Emmerichs' successful Tiny Assembler. The original version (3.0) was described first in the April and May 1977 issues of BYTE magazine, and later in the PAPERBYTE[™] book TINY ASSEMBLER 6800 Version 3.0.



In September 1977, BYTE magazine published an article

entitled, "Expanding The Tiny Assembler". This provided a detailed description of the enhancements incorporated into Version 3.1, such as the addition of a "begin" statement, a "virtual symbol table", and a larger subset of the Motorola 6800 assembly language.

All the above articles, plus an updated version of the user's guide, the source, object and PAPERBYTE[™] bar code formats of both Version 3.0 and 3.1 make this book the most complete documentation possible for Jack Emmerichs' Tiny Assembler.

ISBN 0-931718-08-2
Author: Jack Emmerichs
Pages: 80
Price: \$9.00

A walk through this book brings you into **Ciarcia's Circuit Cellar** for a detailed look at the marvelous projects which let you do useful things with your microcomputer. A collection of more than a year's worth of the popular series in BYTE magazine, **Ciarcia's Circuit Cellar** includes the six winners of BYTE's On-going Monitor Box (BOMB) award, voted by the readers themselves as the best articles of the month: **Control the World** (September 1977), **Memory Mapped IO** (November1977), **Program Your Next EROM in BASIC** (March 1978), **Tune In and Turn On** (April 1978), **Talk To Me** (June 1978), and **Let Your Fingers Do the Talking** (August 1978).

Each article is a complete tutorial giving all the details needed to construct each project. Using amusing anecdotes to introduce the articles and an easy-going style, Steve presents each project so that even a neophyte need not be afraid to try it.



ISBN 0-931718-07-4 Author: Steve Ciarcia Pages: approx. 128 Price: **\$8.00**



BASEX, a new compact, compiled language for microcomputers, has many of the best features of BASIC and the 8080 assembly language—and it can be run on any of the 8080 style microprocessors: 8080, Z-80, or 8085. This is a **PAPERBYTE[™]** book.

Subroutines in the **BASEX** operating system typically execute programs up to five times faster than equivalent programs in a BASIC interpreter—while requiring about half the memory space. In addition, **BASEX** has most of the powerful features of good BASIC interpreters including array variables. text strings, arithmetic operations on signed 16 bit integers, and versatile IO communication functions. And since the two languages, BASEX and BASIC, are so similar, it is possible to easily translate programs using integer arithmetic data from BASIC into BASEX.

The author, Paul Warme, has also included a BASEX Loader program which is capable of relocating programs anywhere in memory.



ISBN 0-931718-05-8 Author: Paul Warme Pages: 88 Price: **\$8.00**

PROGRAMMING TECH-NIQUES is a series of **BYTE BOOKS** concerned with the art and science of computer programming. It is a collection of the best articles from BYTE magazine and new material collected just for this series. Each volume of the series provides the personal computer user with background information to write and maintain programs effectively.



The first volume in the Programming Techniques series is entitled **PROGRAM DESIGN.** It discusses in detail the theory of program design. The purpose of the book is to provide the personal computer user with the techniques needed to design efficient, effective, maintainable programs. Included is information concerning structured program design, modular programming techniques, program logic design, and examples of some of the more common traps the casual as well as the experienced programmer may fall into. In addition, details on various aspects of the actual program functions, such as hashed tables and binary tree processing, are included.

> ISBN 0-931718-12-0 Editor: Blaise W. Liffick Pages: 96 Price: **\$6.00**

SIMULATION is the second volume in the Programming Techniques series. The chapters deal with various aspects of specific types of simulation. Both theoretical and practical applications are included. Particularly stressed is simulation of motion, including wave motion and flying objects. The realm of artificial intelligence is explored, along with simulating robot motion with the microcomputer. Finally, tips on how to simulate electronic circuits on the computer are detailed.

ISBN 0-931718-13-9 Editor: Blaise W. Liffick Pages: approx. 80 Price: **\$6.00** Publication: Winter 1979

RA6800ML: AN M6800 RELOCATABLE MACRO ASSEMBLER is a two pass assembler for the Motorola 6800 microprocessor. It is designed to run on a minimum system of 16 K bytes of memory, a system console (such as a Teletype terminal), a system monitor (such as Motorola MIKBUG read only memory program or the ICOM Floppy Disk Operating System), and some form of mass file storage (dual cassette recorders or a floppy disk).

The Assembler can produce a program listing, a sorted Symbol Table listing and relocatable object code. The object code is loaded and linked with other assembled modules using the Linking Loader LINK68. (Refer to PAPERBYTE[™] publication LINK68: AN M6800 LINKING LOADER for details.)

There is a complete description of the 6800 Assembly language and its components, including outlines of the instruction and address formats, pseudo instructions and macro facilities. Each major routine of the Assembler is described in detail, complete with flow charts and a cross reference showing all calling and called-by routines, pointers, flags, and temporary variables.

In addition, details on interfacing and using the Assembler, error messages generated by the Assembler, the Assembler and sample IO driver source code listings, and **PAPERBYTE[™]** bar code representation of the Assembler's relocatable object file are all included.

This book provides the necessary background for coding programs in the 6800 assembly language, and for understanding the innermost operations of the Assembler.

ISBN 0-931718-10-4 Author: Jack E. Hemenway Pages: 184 Price: **\$25.00**

to order books see next page

LINK68: AN M6800 LINKING LOADER is a one pass linking loader which allows separately translated relocatable object modules to be loaded and linked together to form a single executable load module, and to relocate modules in memory. It produces a load map and a load module in Motorola MIKBUG loader format. The Linking Loader requires 2 K bytes of memory, a system console (such as a Teletype terminal), a system monitor (for instance, Motorola MIKBUG read only memory program or the ICOM Floppy Disk Operating System), and some form of mass file storage (dual cassette recorders or a floppy disk).

It was the express purpose of the authors of this book to provide everything necessary for the user to easily learn about the system. In addition to the source code and PAPERBYTE[™] bar code listings, there is a detailed description of the major routines of the Linking Loader, including flow charts. While implementing the system, the user has an opportunity to learn about the nature of linking loader design as well as simply acquiring a useful software tool.

> ISBN 0-931718-09-0 Authors: Robert D. Grappel & Jack E. Hemenway Pages: 72 Price: \$8.00 Winter 1979

TRACER: A 6800 DEBUGGING PROGRAM is for

the programmer looking for good debugging software. TRACER features single step execution using dynamic break points, register examination and modification, and memory examination and modification. This book includes a reprint of "Jack and the Machine Debug" (from the December 1977 issue of BYTE magazine), TRACER program notes, complete assembly and source listing in 6800 assembly language, object program listing, and machine readable PAPERBYTE™ bar codes of the object code.

> ISBN 0-931718-02-3 Authors: Robert D. Grappel & Jack E. Hemenway Pages: 24 Price: \$6.00

MONDEB: AN ADVANCED M6800 MONITOR-

DEBUGGER has all the general features of Motorola's MIKBUG monitor as well as numerous other capabilities. Ease of use was a prime design consideration. The other goal was to achieve minimum memory requirements while retaining maximum versatility. The result is an extremely versatile program. The size of the entire MONDEB is less than 3 K.

Some of the command capabilities of MONDEB include displaying and setting the contents of registers, setting interrupts for debugging, testing a programmable memory range for bad memory locations, changing the display and input base of numbers, displaying the contents of memory, searching for a specified string, copying a range of bytes from one location in memory to another, and defining the location to which control will transfer upon receipt of an interrupt. This is a **PAPERBYTE[™]** book.

> ISBN 0-931718-06-6 Author: Don Peters Pages: 88 Price: \$5.00

BAR CODE LOADER. The purpose of this pamphlet is to present the decoding algorithm which was designed by Ken Budnick of Micro-Scan Associates at the request of BYTE Publications, Inc., for the PAPER-BYTE[™] bar code representation of executable code. The text of this pamphlet was written by Ken, and contains the general algorithm description in flow chart form plus detailed assemblies of program code for 6800, 6502 and 8080 processors. Individuals with computers based on these processors can use the software directly. Individuals with other processors can use the provided functional specifications and detail examples to create equivalent programs.

> ISBN 0-931718-01-5 Author: Ken Budnick Pages: 32 Price: \$2.00

BYTE BOOKS Division Please send the books I have checke Computer Music \$10.00 SUPERWUMPUS \$6.00 Tiny Assembler (3.1) \$9.00 Circuit Cellar \$8.00 BASEX \$8.00	 Simulation \$6.00 RA6800ML \$25.00 Link68 \$8.00 TRACER \$6.00 Mondeb \$5.00 	\$ Total Books Add 60° pe \$ Postage/Ha	er book andling
Program Design \$6.00 Charles and Rill View Rill	Bar Code Loader \$2.00	\$ Grand Tota	L
□ Check enclosed □ Bill Visa □ Bil			
Card No	Exp. Date	Company	
Street C	ity State/Pro	rovince Code	
2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (2000 (200	الله الله برين بيين الله عن كل جنت ري الله	Circle 36 on i	inquiry card.

BYTE News . . .

<u>BUBBLE MEMORY ARRIVES FOR PERSONAL COMPUTERS.</u> Rockwell International has introduced a bubble memory board for a personal computer system. The board contains 128 K bytes of storage and plugs directly into the expansion bus for the AIM-6502 processor (which is the same as the KIM-1 bus). Rockwell also supplies a controller card which allows the bubble memory to function as a floppy disk replacement. The controller will control up to 16 memory boards for a total of 2 M bytes of bubble memory. However, before you rush out to buy it, be aware that each bubble memory board costs \$2500 and the controller board costs \$1000.

Intel and National will also soon become manufacturers of bubble memory. Texas Instruments and Rockwell are currently supplying bubble memories. Texas Instruments and Rockwell devices contain 256 K bits. The Intel device, which will be in volume production in early 1980, will contain 1 M bits, while the National device will contain 256 K bits. Texas Instruments and Rockwell have been producing limited quantities of the bubble memory devices and they do not expect to begin volume production until 1980. Furthermore, one Japanese manufacturer, Fujitsu, appears to be near bubble memory introduction.

MORE LARGE COMPANIES RUMORED ABOUT TO ENTER PERSONAL COMPUTER MARKET.

Rumors continue that RCA, Hewlett-Packard and Zenith are seriously considering entering the personal computer market. Each is known to have a personal computer system development project in progress. Other companies seriously investigating the market include IBM and Bell Labs, each of which is known to have personal computer projects at the research facilities.

Several Japanese companies also introduced personal computer systems at the June NCC show in New York, Matsushita introduced its JD-700 to sell for \$5,000 to \$6,000. It has a 2 K byte read only memory, two minifloppies, and a printer, and it uses Extended BASIC. Sord introduced the M200 (\$6,000 to \$7,000), which uses a Z-80 with 64 K memory, up to four minifloppy drives, and BASIC, FORTRAN, or COBOL. Ai Electronics showed its APC-20 (\$7,500) which is Z-80 based, has two 5 inch drives and hardware arithmetic, and has software options which include FORTRAN, BASIC, COBOL, PL/3 and CP/M.

<u>DIGITIZED HI-FI ON THE HORIZON</u>. An industry group called the "Digital Audio Disk Council" was formed in late 1978 to establish guidelines and standards for pulse code modulation (PCM) recordings. The council includes 35 companies and is an international group. The standard is expected to be adopted in one to two years.

It is expected that pulse code modulation recordings will be the next generation of super hi-fi disks. The technique provides wider frequency response and greater dynamic range, and virtually eliminates distortion and noise. The record will also include an address code for random access of selections. Applications to published software products may well impact the small computer field.

INTEL RETIRES THE 1103. Intel has finally retired the 1103 dynamic memory which houses 1 K bits. This was Intel's first successful MOS memory product and it was a pioneer in the field of IC-MOS memories. Intel has made 35 million of these units since its introduction in 1971.

TI INTRODUCES SPEAKING TRANSLATOR. At the June Consumer Electronics show, Texas Instruments introduced a hand-held language translator which displays and speaks the translated words through the use of a speech synthesizer circuit. This is a significant advance over the Craig and Lexicon units introduced six months earlier, which only display translated words. The unit will cost \$250, plus \$50 for plug-in language modules. English, Spanish, French and German modules will be available, with Russian, Japanese and Chinese to follow later. The unit displays 1000 words, 500 of which can be spoken. Craig has also increased their module vocabularies to 2,400 words.

<u>UPI NEWS WIRE NOW AVAILABLE TO PERSONAL COMPUTER USERS.</u> United Press International (UPI), one of the prime sources of news used by newspapers throughout the country, has made their service accessible to personal computer users. The UPI wire can be dialed as a local number in most US cities. UPI will charge \$15 per hour during business hours, and \$2.75 during other times.

IBM DEVELOPS ULTRA-HIGH SPEED LOGIC. The IBM Research Center at Yorktown Heights NY has disclosed their development of logic circuits with switching speeds of 13 picoseconds. Based on

Josephson junction technology, the devices are still in an experimental form. The new circuits are called "Current Injection Logic" and they generate thousands of times less heat than previous types of logic. As a result, higher circuit densities will be possible.

MINIATURE FLOPPY DISKS IN DEVELOPMENT. At present we have 8 inch (20.3 cm) and 5.25 inch (13.3 cm) floppy disks. A new, smaller disk is now well into development and has been proposed for international standardization. Commonly referred to as the *Eurodisk*, it is a square package that measures 4.12 inches (10.5 cm), will store 400 K bytes, use 50 tracks per side, and have a 300 K bps data transfer rate. The standard 5.25 inch (13.3 cm) floppy disk holds 125 K bytes on 40 tracks and has a 125 K bps data transfer rate (double these figures for double density). Olivetti is also expected to announce a very low cost 2.55 inch (6.5 cm) disk which will store 8 K bytes. It will take several seconds to read or write, there is no provision for random file access, it will be thicker, and will not use a jacket. It is rumored to be intended for use in a personal computer that is now nearing introduction. Rumors also continue that IBM will use the 3.25 inch (8.3 cm) disks, currently used in their dictating units, in some of their low end computer systems such as the 5110.

FLAT DISPLAY PANELS SHOWN. At the May meeting of the Society for Information Display, several Japanese companies demonstrated prototype flat panel displays that are now in an advanced stage of development. Ise Electronics showed a 240 character (40 characters by 6 lines) vacuum-fluorescent display that was 250 mm wide by 100 mm high and 14.5 mm thick. It operated off of low voltage and was low power. Hitachi exhibited an 80 character LCD panel which was 280 mm by 50 mm by 23 mm, and operated from 5 VDC and dissipated only 100 mw. NEC showed a storage type LCD panel of 120 characters, and Fujitsu demonstrated a 1560 character plasma display panel.

<u>VIEWDATA AND TELETEXT NEWS.</u> Both the Viewdata and Teletext home data-base access systems will be introduced to the US market by the mid 1980s. Viewdata is a system that connects the home to a central computer via telephone lines. The user can call up data to appear on a modified television. General Telephone and Electronics presently has a Viewdata research development project. Trial systems are already in operation in England and West Germany.

Teletext transmits data on a television signal, fitting the data into the blank space between picture frames. Micro-TV, a Philadelphia-based company has been doing this for over two years, while KSL-TV, Salt Lake City, has done the same for one year. Texas Instruments is supplying the decoders for the KSL test.

The Electronic Industries Association is currently evaluating Teletext. Some companies believe that by the late 1980s the home system will include Viewdata, Teletext, video disk, and a personal computer system to control them. In fact, Apple Computer already offers a service, in conjunction with Dow Jones and Co, which permits Apple owners to display stock market information by dialing a phone number.

Viewdata and Teletext are viewed as complementary services to help bring advanced household management, home environmental control, teaching, and entertainment into the home. Some experts feel that it will be realized in as little as three years.

Oak Industries of Crystal Lake IL recently demonstrated their Teletext system. Called "Videotext," it allows cable television operators to pipe data to subscribers via a microprocessor-based decoder. Each decoder has its own address which allows the cable company to monitor all units. This means that they will know immediately if a set is stolen. The cable company will also be able to cut off nonpaying subscribers, thereby rendering stolen units useless.

A Miami-based company, Knight-Ridder Newspapers Inc, has formed a subsidiary named Viewdata Corporation of America, which will undertake a two year, \$1.3M test. The Hong-Kong Telephone Company also expects to implement a Viewdata system next year.

The Canadian government and telephone companies are currently testing systems which transmit data over both telephone lines and television signals. One system, constructed by Bell Canada, presently has 25 units in a network, linking together Toronto, Montreal and Ottawa. The units were built by Bell Northern Research. Bell Canada expects to have 1,500 to 2,000 units installed in homes next year. Several others are conducting tests.


> Sol Libes ACGNJ 1776 Raritan Road Scotch Plains NJ 07076


MAIL: I receive a large number of letters each month as a result of this column. If you wish a response, please include a stamped, self-addressed envelope.

Wordsmith is the video text editing system you've been waiting for Its power, flexibility and simplicity help you carve any text editing task down to size—in a way you can understand. We wanted a system that allows you to think in traditional ways about text layout, yet at the same time makes the traditionally tedious operations such as cut and paste simple and fast. We think we've done it. We want you to decide for yourself

Flexibility

- Logical/Physical Page Distinction. Define your own hardcopy size. Wordsmith remembers the difference between the screen size and the hardcopy page size.
- Modular Hardcopy Driver. Drive a Qume® Sprint-5 or TTY-like device directly now, Diablo, NEC and other hardcopy devices soon.
- Pure Text. Wordsmith files are pure text with no control characters mixed in. This universal format keeps you as compatible with the world as possible. What you see on the screen is what you get as hardcopy.
- Page Templates. Snapshots of the block layout of a page can be saved as named disk files, then later recalled and superimposed on the current page. Use such "templates" for standard multicolumn layouts, common letter formats, and fixed-field forms. A single keystroke dispatches you quickly from block to block as you fill in your page.





File Switching. Moving from document to document to examine, copy, move and change text is like rolling off a log. You're not confined to one disk file at a time anymore.

Simplicity


- Auto Word Break. Forget the right margin. Wordsmith notices when you won't be able to complete the current word and moves it to the next line for you as you continue typing.
- Understandable Commands. The most frequently used commands are single keystrokes. The rest are easily remembered abbreviations.
- Informative Status Lines. The top two screen lines constantly display page number information, document name, cursor position, tab stops and status/error phrases. You're always in touch with your document.

Page 3 of 8	File=ADV1	Cursor row	28, col 43
+ +	ŧ	¥	+


Protection Against Catastrophic Errors. It's nearly impossible to ruin your document with a single bad command. Wordsmith's page oriented design and doublechecking user interface help you do what you mean!

Power

Page Oriented Philosophy. A document is a collection of pages. The screen displays one entire page at a time. Simple random access page flipping commands take you quickly to any page in the document. Equally efficient commands allow you to insert, delete, copy and move pages both within one document and across documents.



Extensive Block Manipulation Capabilities. Using "windows", portions of text, charts, etc., can be quickly and effortlessly moved around on the current page, or across pages. The shape and size of any window can be changed in real time, with the contained text automatically reformatting itself (heeding word and paragraph boundaries) to conform to the new shape.



Instantaneous Formatting. Compacting (extraneous blank deletion) and right justifying are simple commands that tidy up a full page or window's worth of text in the blink of an eye. Random access cursor movement, line and character insert and delete, line and page split and join, and a host of other line and character level commands help you put text in its place quickly and accurately.



Defining the New Generation of Text Editing

from Micro Diversions, Inc. 8455-D Tyco Rd. Vienna, Va. 22180 (703) 827-0888

- Direct CP/M® and North Star DOS compatibility
- Available for 40x86, 24x80 and 16x64 memory-mapped video boards
- Fully reentrant for efficient multi-programming environments (6K program space, 5K data area)
- 8080 and Z80 compatibility

Ordering Information:

\$200 (Screensplitter™ Owners: \$80) Manual only: \$15 Check, VISA, Mastercharge

- 1. CP/M or North Star DDS version?
- 2. TTY or QUME interface?
- 3. Brand and memory address of video display board?
- 4. Ship on single or double density, 5" or 8" diskette?

Inquire about our custom keyboard.

Save these pages. It's our latest, up-to-the-minute list of super software.

Software Manual with Alone Manual/

DIGITAL RESEARCH

- □ CP/M* FDOS Diskette Operating System complete with Text Editor, Assembler, Debugger, File Manager and system utilities. Available for wide variety of disk systems including North Star, Helios II, Micropolis, iCOM (all systems) and Altair. Supports computers such as Sorcerer, Horizon, Sol System III, Versatile. Altair 8800, COMPAL-80, DYNABYTE DB8/2, and iCOM Attache. Specify desired configuration\$145/\$25
- **MAC** 8080 Macro Assembler. Full Intel macro definitions. Pseudo Ops include RPC, IRP, REPT, TITLE, PAGE, and MACLIB. Z-80 library included. Produces Intel absolute hex output plus symbols file for use by SID (see below) **\$100/\$15**
- SID -- 8080 symbolic debugger. Full trace, pass count and
- TEX Text formatter to create paginated, page-numbered and justified copy from source text files, directable to disk or TEX -\$85/\$15 printer
- **DESPOOL** Program to permit simultaneous printing of data from disk while user executes another program from the П console\$50/\$1

MICROSOFT

- Disk Extended BASIC Version 5, ANSI compatible with long variable names, WHILE/WEND, chaining, variable length file records . \$300/\$25
- FORTRAN-80 - ANSI '66 (except for COMPLEX) plus many extensions. Includes relocatable object complier, linking loader, library with manager. Also includes MACRO-80 (see \$400/\$25 below)
- COBOL-80 ANSI '74 Relocatable object output. Format same as FORTRAN-80 and MACRO-80 modules. Complete ISAM, interactive ACCEPT/DISPLAY, COPY, EXTEND \$625/\$25
- MACRO-80 8080/Z80 Macro Assembler. Intel and Zilog mnemonics supported. Relocatable linkable output. Loader Library Manager and Cross Reference List utilities included\$149/\$15

XITAN (software requires Z80** CPU)

- Z-TEL Text editing language. Expression evaluation itera-tion and conditional branching ability. Registers available for text and commands. Macro command strings can be saved on text and commands. Macro command strings can be saved on disk for re-use\$69/\$20
- ASM Macro Assembler Mnemonics per Intel with Z-80 ex-tensions. Macro capabilities with absolute Intel hex or relocat-
- LINKER --- Link-edits and loads ASM modules\$69/\$20
- TOP Text Output Processor Creates page-numbered, jus-

CP/M is a trade name of Digital Research *Z80 is a trademark of Zilog, Inc.

***Good until August 31, 1979

EFFECTIVE JUNE 19, 1979

Systems

Microsoft prices are discounted!!

00.

Prices are iscounted II

Word-Star — Menu driven visual word processing sys-tem for use with standard terminals. Text formatting performed on screen. Facilities for text paginate, page number, justify, center, underscore and PRINT. Edit facilities include global П

SOFTWARE SYSTEMS

CBASIC-2 Disk Extended BASIC - Non-interactive BASIC with pseudo-code compiler and runtime interpreter. Supports full file control, chaining, integer and extended precision var-.\$90/\$15 iables etc. . .

STRUCTURED SYSTEMS GROUP

- Accounts Receivable -- Open item system with output for internal aged reports and customer-oriented statement and bill-ing purposes. On-Line Enquiry permits information for Cus-tomer Service and Credit departments. Interface to General Ledger provided if both systems used. Requires CBASIC \$699/\$25
- NAD Name and Address selection system interactive mail list creation and maintenance program with output as full re-ports with reference data or restricted information for mail labels. Transfer system for extraction and transfer of selected records to create new files. Requires CBASIC\$79/\$20

it is string/integer conversion and string compare. Delivered as a relocatable linkable module in Microsoft format for use with

Software

.....\$299/\$40

with Manual

Manual/ Alone

KBASIC - Microsoft Disk Extended BASIC with all KISS facilities, integrated by implementation of nine additional com-mands in language. Package includes KISS.REL as described above, and a sample mail list program \$995/\$45

A4 package includes Z-TEL, ASM, LINKER, Z-BUG, TOP

KISS — Keyed Index Sequential Search. Offers complete Multi-Keyed Index Sequential and Direct Access file manage-ment. Includes built-in utility functions for 16 or 32 bit arithme-

MICROPRO

EIDOS SYSTEMS

- Super-Sort I Sort, merge, extract utility as absolute executable program or linkable module in Microsoft format. Sorts fixed or variable records with data in binary, BCD, Packed Decimal, EBCDIC, ASCII, floating, fixed point, expo-nential, field justified, etc. etc. Even variable number of fields per record!\$250/\$25
- Super-Sort II Above available as absolute program only \$200/\$25
- Super-Sort III As II without SELECT/EXCLUDE\$150/\$25
- Word-Master Text Editor In one mode has super-set of CP/M's ED commands including global searching and replac-ing, forward and backwards in file. In video mode, provides full screen editor for users with serial addressable-cursor terminal\$150/\$25 Structured

Software for most popular 8080/Z80 computer disk systems including NORTH STAR, MICROPOLIS, ICOM, SD SYSTEMS, DYNABYTE DB8/2. ALTAIR, EXIDY SORCERER, VECTOR MZ, 8" IBM, HEATH H17 & H89. HELIOS, IMSAI VDP42 & 44, REX and OHIO SCIENTIFIC formats.

> Software with Manual Manual/ Alone

QSORT — Fast sort/merge program for files with fixed record length, variable field length information. Up to five ascending or descending keys. Full back-up of input files created. Parameter file created, optionally with interactive program which requires CBASIC. Parameter file may be generated with CP/M assembler utility .\$95/\$20

GRAHAM-DORIAN SOFTWARE SYSTEMS

- PAYROLL SYSTEM Maintains employee master file. Computes payroll withholding for FICA, Federal and State taxes. Prints payroll register, checks, quarterly reports and W-2 forms. Can generate ad hoc reports and employee form letters with mail labels. Requires CBASIC. Supplied in source code. ..\$590/\$35
- □ APARTMENT MANAGEMENT SYSTEM -Financia management system for receipts and security deposits of apartment projects. Captures data on vacancies, revenues, etc. for annual trend analysis. Daily report shows late rents, vacancy notices, vacancies, income lost through vacancies. etc. Requires CBASIC. Supplied in source code. .. \$590/\$35
- □ INVENTORY SYSTEM Captures stock levels, costs, sources, sales, ages, turnover, markup, etc. Transaction in-formation may be entered for reporting by salesman, type of sale, date of sale, etc. Reports available both for accounting and decision making. Requires CBASIC. Supplied in source .\$590/\$35 code.
- CASH REGISTER Maintains files on daily sales. Files data by sales person and item. Tracks sales, overrings, re-funds, payouts and total net deposits. Requires CBASIC Supplied in source code \$590/\$35

MICRO FOCUS

CIS COBOL — Version 3 is ANSI 74 subset with extensions which offer powerful interactive screen formatting and built in cursor control. Version 4 additionally offers full level 1 ANSI for Nucleus. Table Handling, Sequential Relative and Indexed I/O, Inter-Program Communication and Library Version 3, \$650/\$50 Version 4, \$850/\$50

......Version 4, \$850/\$50

OTHER


- tiny C Interactive interpretive system for teaching struc-tured programming techniques. Manual includes full source \$75/\$40 listings
- Compiler Supports most major features of language, in-cluding Structures, Arrays, Pointers, recursive function evalu-ation, linkable with library to 8080 binary output. Lacks data initialization, long & float type and static & register class speci-fiers. Documentation includes "C" Programming Language State by Kornichea & Dichia П .\$110/\$15 book by Kernighan & Ritchie
- Z80 Development Package Consists of: (1) disk file line editor, with global inter and intra-line facilities; (2) Z80 relocating assembler, Zilog/Mostek mnemonics, conditional assembly and cross reference table capabilities; (3) linking
- DISTEL Disk based disassembler to Intel 8080 or TDL/ Xitan Z80 source code, listing and cross reference files. Intel or TDL/Xitan pseudo ops optional. Runs on 8080. Standard CP/M and TRS-80 CP/M versions available \$65/\$10
- DISILOG As DISTEL to Zilog/Mostek mnemonic files. Runs on Z80 only.\$65/\$10

Software Manual with Manual/ Alone

- TEXTWRITER II Text formatter to justify and paginate letters and other documents. Special features include insertion of text during execution from other disk files or console, permit-ting recipe documents to be created from linked fragments on other files. Ideal for contracts. manuals. etc.\$75/\$5
- п WHATSIT? - Interactive data-base system using associative tags to retrieve information by subject. Hashing and ran-dom access used for fast response. Requires CBASIC .\$125/\$25

XYBASIC Interactive Process Control BASIC — Full disk BASIC features plus unique commands to handle bytes, rotate and shift, and to test and set bits. Available in Integer, Ex-

- SMAL/80 Structured Macro Assembled Language -- Pack-
- Selector II Data Base Processor to create and maintain
- Selector III Multi (i.e., up to 24) Key version of Selector II. Comes with applications programs including Sales Activity, In-ventory, Payables, Receivables, Check Register, Expenses, Appointments, and Client/Patient. Requires CBASIC Supplied\$295/\$20 in source code Enhanced version for CBASIC-2 \$345/\$20
- CPM/374X Utility Package has full range of functions to create or re-name an IBM 3741 volume, display directory information and edit the data set contents. Provides full file transfer facilities between 3741 volume data sets and CP/M\$195/\$10 files
- □ Flippy Disk Kit Template and instructions to modify sin-gle sided 5¼" diskettes for use of second side in singled sided .\$975 drives
- BASIC Comparison A comprehensive features and per-formance analysis of five 8080 disk BASIC languages CBASIC, BASIC-E, XYBASIC, Microsoft Disk Extended BASIC, and Xitan's Disk BASIC. Itemizes results of 21 different benchmark tests for speed and accuracy and lists instructions and features of each BASIC (send 20¢ S.A.S.E.) FREE



Orders must specify disk systems and formats: e.g. North Star single or e.g. North Star single or double density, IBM sin-gle or 2D/256, Attain, Helios II, Micropolis Mod I or II, 5¼" soft sector (Micro iCOM/SD Sales) Dynabyte), etc.

Add \$1 litem shipping (\$2 min.). Add \$1 additional for UPS C.O.D.

Manual cost applicable against price of subsequent software purchase

The sale of each proprietary software package conveys a license for use on one system only

Lifeboat Associates, 2248 Broadway, N.Y., N.Y. 10024 Telex: 668-585 (212) 580-0082

1M The Software Supermarket is a trademark of Lifeboat Associates

The Nature of Robots

Part 3: A Closer Look at Human Behavior

In part 1 of this series, I demonstrated that the concept of *behavior* is not as clear as certain people would indicate. The patterns that we call behavior result from the convergence of many influences, only a part of which can be attributed to the organism that we say is behaving. Yet the behaving organism varies its own actions so that when the influence of these actions is added to all that is unpredictable, the result is recognizable as patterns of behavior.

In part 2 we observed that a control system controls its input, not its output. It acts on its environment to make its own sensory or perceptual signal match a reference signal received from elsewhere, and to automatically counteract the effects of disturbances. It does not have to sense the cause of the disturbance: it senses the quantity it is controlling, and reacts to deviations of that quantity (or the signal representing it) from a reference level that is set by the reference signal.

The reference signal acts just as an intention ought to act. It specifies some state of affairs that is to be achieved, and serves as a target toward which action always urges the perception of the controlled variable. Under normal circumstances the control system can make its perceptual signal track a changing reference signal, and still oppose the effects of disturbances.

There are two main rules of thumb:

About the Author

William T Powers 1138 Whitfield Rd Northbrook IL 60062

- The reference signal reaching a good control system controls the perceptual signal in that system.
- The actions of the control system vary so as to oppose the effects of disturbances, even if the reference signal remains constant.

Let's see how this control system model applies to one small human subsystem: a spinal *reflex* arc (reflex just means "turned back on itself"). This will lead to some concepts that will be of use to the designers of robots.

The Tendon Reflex

In the early 19th century, Sir Charles Bell established the fact that sensory nerves are separate from motor nerves, and described the "circle of nerves" found in a spinal reflex. A sensory nerve that is part of a spinal reflex arc (we will talk about one that is stimulated by the stretching of a tendon) sends its signal to the spinal cord, and the same cell that receives this signal emits a motor signal that reaches a muscle. When the muscle contracts, it has physical effects that stimulate the same sensory nerve. These are closed loops; the effects of sensory nerves that are stimulated by muscle action affect the same muscle action.

In all such loops that have been discovered, the sense of the feedback is negative. This is true of the tendon reflex. If signals from cells in the spinal cord cause a muscle to contract, the resulting stretch of the tendon stimulates sensors clustered around the tendon. The signals from these sensors reach the same cells in the spinal cord to *inhibit* their firing.

Apparently the materials are present for a control system, but before we discuss this, a digression is necessary.

All or None or Some

One of the most unfortunate accidents to occur in neurology was the discovery that signals in nerves are carried by impulses. The effect was as if the discoverers of electricity had discovered the electron before they had formulated laws of current flow. and thus developed the whole theory of electricity on the basis of collisions between one electron and another electron. As soon as there were instruments to detect nerve signals it was known that the amplitude of an impulse generated by a nerve cell was independent of the source; there was a trigger effect, so that either an impulse was generated, or it was not.

As a result, almost all neurological research has focused on single impulses. The "all-or-none" principle became so firmly entrenched that by the time digital computers arrived on the scene, most people were led off the track. "Aha," they said, "if a nerve-cell has a threshold that is just high enough, 2 impulses will have to reach it simultaneously to fire it: behold, an AND gate!" Since inhibition (an impulse tending to reduce the sensitivity of a nerve cell to an impulse arriving by a different path) can occur, we clearly have the NOT operator, and with the addition of OR (a nerve cell that can be fired by an impulse from any of several paths), we have all of the ingredients for a generalized logic circuit.

There is no longer sufficient reason to believe that the nervous system works in this way. Those who tried to analyze nerve nets as logic devices had to make a lot of assumptions, such as synchronism or clocking, that are incompatible with experimental facts. This more modern under-


Figure and listing numbering continued from part 2.

William T Powers has been exploring the meaning of control theory for studies of human nature since 1953. He spent a number of years (to 1960) in medical physics, and then another 13 (to 1975) as Chief Systems Engineer for the Department of Astronomy at Northwestern University. His occupation has been designing electronic, optical, and mechanical systems for science.

standing was reflected in Dr Ernest Kent's recent BYTE article series, "The Brains of Men and Machines" (January 1978 BYTE, figure 2, page 16). It now seems that single impulses are not a significant unit of information for most neurons. What counts is frequency of firing. The sum of frequencies of excitatory and inhibitory impulses reaching a given neuron has an effect on the rate of that neuron's firing so that the output frequency is a function of a set of input frequencies. Most neurons, in other words, compute analog, not digital, functions. As we all know, it is perfectly possible to build digital circuitry out of analog components. Digital integrated circuits are all constructed from analog transistors.

Therefore, when I begin to identify components of a control system, as I will do in a moment, the signals will be thought of as continuously variable frequencies, not as on/off binary quantities. The functions that combine some signals will be functions of continuous variables. While any one neuron behaves as a rather nonlinear device, a collection of neurons performing essentially the same function in parallel yield an overall pleasantly linear input/output relationship, especially if we consider the normal, rather than extreme range of frequencies (zero or saturation rates of firing).

The spinal reflex systems we will now examine involve several hundred sometimes several thousand control systems operating in parallel, although they will be drawn as simple control systems. A perceptual signal is really the mean rate of firing in a whole bundle of pathways, all starting from sensors that are measuring the same input(eg: stretch in a tendon). The signal that enters the muscle in this system is a bundle of signals, each exciting 1 or 2 small fibers out of the thousands that make up 1 muscle. Thus, we will be dealing with neural impulses in much the way electronic engineers deal with electrons. In the majority of cases, the number of impulses passing through a cross-section of a bundle of redundant pathways per unit time will be "the signal," just as the number of electrons passing through a crosssection of a conductor per unit time is called "the current."



The way you check line-by-line with an A P Intra-Switch or Intra-Connector.

You plug your Intra-Switch in-line with standard socket connectors, and instantly you've got a separate, independent on-off switch for each and every line in your flat ribbon cable. To switch, you nudge with a pencil point. It's that quick.

Imagine how much time and trouble Intra-Switch will save you in your diagnostic and quality testing, your programming and selective line inhibiting.

Or, plug in your Intra-Connector (see box) the same way, and you have an extra set of male contacts



at right angles. Instant line-by-line probeability—and an easy way to tap your system and daisy chain it into new areas.


Both Intra-Connectors and Intra-Switches come in 20, 26, 34, 40 and 50-contact models.

Where? At your nearby A P dealer. Where's that? Phone (toll-free) 800-321-9668. And ask for the complete A P catalog, The Faster and Easier Book.

A P PRODUCTS INCORPORATED Box 110D • 72 Corwin Drive Painesville, Dhio 44077 Tel. 216/354-2101 TWX: 810-425-2250

Faster and Easier is what we're all about.

Figure 13: Figure 13a is the standard control-system diagram we have been using in this series. Figure 13b is a spinal reflex arc. FNI is the input function; P, the perceptual signal; C, the comparator; R, the reference signal; E, the error signal; FNO, the output function; O, the output quantity; FNF, the feedback function; I, the input quantity; FND, the disturbance function; and D; the disturbing quantity. Roots are bundles of nerve fibers entering or leaving the spinal cord. An actual spinal reflex arc may involve several hundred systems like the one in figure 13b, with as many motor cells all operating in parallel. Thus, a signal is a bundle of signals that carry similar information.




Level-1 Control System

Figure 13b is a schematic diagram of the tendon reflex. Figure 13a is the diagram of a general control system that I have already shown and discussed earlier. Figure 13a has an input function FNI, a perceptual signal P, a comparator C, a reference signal R, an error signal E, an output quantity O, a feedback function FNF and an input quantity I completing a closed loop. Entering this loop at the same point as the input quantity are the effects of a disturbing quantity D, affected by the disturbance function FND.

Figure 13b contains the same components in the same relationships. The input function is a sensor which emits a signal P, the frequency of which depends continuously on the amount of stretch I of the tendon at the end of the muscle. This signal P travels to the spinal cord, and the local branch enters an inverter which is specialized to produce inhibitory effects on any neuron it reaches (these actually exist in the spinal cord as Renshaw cells). This inverted copy of the perceptual signal reaches the cell body of a motor neuron C, which also receives an excitatory input from a pathway descending from centers that are higher in the nervous system (the reference signal R).

The signal emitted by this motor neuron represents the excess of excitation over inhibition, and thus represents the difference between the reference and (inverted) perceptual signal: it is clearly the error signal E. The error signal enters the muscle, where it is converted into an average shortening of the contractile fibers in the muscle FNO. The output quantity O is the net stretch of the connective tissue that links the individual contractile fibers together. The feedback function FNF consists of the mechanical relationships that sum all these individual little forces into one force that will tend to stretch the tendon.

I have shown the disturbance as a string that pulls directly on the tendon. It is rather hard to disturb the tendon control system without dissecting the organism, a procedure that always leaves one wondering whether or not this is the original system. The reflex that is tested with a hammer just under the kneecap is a different one, a muscle-length control



³²K Board Pictured Above

New RAM Prices. From <u>The</u> Dynamic Memory Company.

16K—\$249 32K—\$375 48K—\$500 64K—\$625

Ever since we started making these memory boards over a year ago we have continued to lower our prices to stay competitive. Due to your confidence in us, we are again able to lower our prices! Our reliability has been proven by months of superior performance in thousands of installations. Our low-power boards are being used by quality-minded systems manufacturers across the country and overseas.

4MHz boards now available.

After receiving hundreds of requests, our engineering staff has come up with a new version of our board which runs on 4MHz Z-80 systems. It wasn't easy to come up with a high speed board which would operate as reliably as our 450ns version, but after months of careful design and testing, we did it. The price of the 250ns board is \$10 per 16K additional.

All of our features remain.

Our boards didn't become great sellers only because of the price. We still offer you our deselect feature which allows our RAM to overlap with any fixed memory areas in your system. Also, the RAM area of our board is fully socketed so that you can expand the board yourself.

Other standard features include: plug selectable addressing on 16K boundaries (shorting plugs are placed over wire-wrap pins to address the board — located on the top of the board for easy changes), S-100 and Z-80 compatability and totally invisible refresh — no wait states.

Fully assembled, tested, and guaranteed.

All of our boards go through a rigorous testing procedure. They are then placed on burn-in running a series of memory tests to detect any other possible faults. After you receive the board, you are backed by us with a one year warrantee. Low power consumption keeps your computer from ''losing its cool.''

The total power consumption of our 16K board is typically less than 4 watts (+8V @ 300ma, +16V @ 150ma and -16V @ 20ma). Boards with additional memory typically increase power consumption only 1 watt per 16K!

Standard S-100 Interface.


Our board is designed to interface with any standard S-100 CPU. All of the timing of the board is independent of the processor chip, and the board is set up for different processors by changing two plugs on the board.

Contact your local dealer.

To find out more about our RAM boards, contact your local dealer. If he is unable to help you, call or write us for a fast response. Central Data Corporation, 1207 North Hagan Street, Champaign, IL 61820. (217) 359-8010

BYTE August 1979

97



system. Artificially stretching the tendon will tend to relax the muscle, since the feedback is inhibitory.

In part 2 I described how control systems work. We now immediately know what this spinal reflex loop does. It maintains the perceptual signal P matching the reference signal R. Since P is a measure of tension in the tendon, we can say that this control system controls the sensed tension, and not the degree of contraction of the muscle. It also varies the amount of contraction in the fibers of the muscle to oppose any extraneous effects that tend to alter the tension in the tendon, either increasing or decreasing it.

We know that muscles are attached to bones, generally across a joint, and that when a muscle changes tension it often changes the angle at the joint that it spans. In this way movements are created and forces are applied to objects, or against gravitational and other forces. However, this little control system knows nothing of that. The only behavior it produces is sensed tension. It controls a neural signal which represents the net force being created by the muscle and any active disturbances. The control system does not know this - it has, after all, only the one kind of sensor. It knows only how much signal it is getting from the outside world, and not even what kind of signal this is. It is just an amount. It would need many other sensors and a very intelligent computer in order to know that this amount is measured in units of tension.

First Level of Behavioral Control

Every muscle that is used in voluntary behavior (as opposed to internal or visceral) is involved in a control system like that in figure 13b. There are no exceptions. Thus, there is no way that any higher process in the brain can *directly* produce a muscle tension. The brain can produce a muscle tension only by providing a reference signal which specifies how much tension is to be sensed. This does not even determine how tense the muscle will be, for if there is a steady external disturbance working, the muscle will adjust its degree of contraction to compensate for the disturbance. Pull steadily on the tendon, and the muscle will completely relax, even with the presence of a

nonzero reference signal. Inject Novocain into the perceptual pathway, and the muscle may go into a violent spasm because it is trying to create a perceptual signal. The brain cannot command the muscles to contract. It can only tell level-1 control systems how much tension to sense. It is up to those control systems to do what is necessary to create the demanded signal.

Gray's Anatomy names about 200 muscles, most of which occur in pairs, and many of which consist of numerous subdivisions capable of having different effects. There are perhaps 500 to 800 muscles which can be distinguished on the basis of different directions of effect. Thus, we own 500 to 800 level-1 control systems. Every human action must be performed by adjusting the reference signals for these control systems. The behavior of these control systems need not be simulated for the simple reason that this has been done to a sufficient degree in part 2 of this series.

There are actually more level-1 control systems than muscles. For example, every muscle also contains length sensors, which are involved in level-1 control systems that govern not force, but something related to the stretching of the muscle itself. Length and force can be controlled quite independently under suitable circumstances; however, we won't be getting into such details here. The main point is that we chew, scratch, talk, walk, run, and swim by using level-1 control systems, and by telling them not what to do, but what to sense.

Higher Levels of Control

We have accounted for all outgoing signals from the brain that are concerned with overt actions (in the sense that all will act on level-1 control systems, although there may be, at level 1, control systems we haven't considered here). We have not, however, accounted for all incoming signals. The nervous system has hundreds of millions of sensory endings, most of which are not involved in level-1 control systems.

You'll notice that in figure 13b the perceptual signal branches. This is a real branch; all level-1 perceptual signals involved in these control systems branch, sending one branch




upward. Many of the branches enough to represent what is going on in all the muscles — continue upward to the next level of organization. The perceptual signals from level-1 input functions that are not parts of control systems do likewise. Thus, we can imagine a higher part of the nervous system that is completely surrounded, with regard to input and output, by level-1 systems and input functions.

The signals going downward from this higher part end up in control systems of the general type shown in figure 13b, controlling sensed tension and a few other simple variables. The signals going upward, the level-1 perceptual signals, all reach the next higher level of organization, which happens to be represented in the brain stem, the cerebellum, and one part of the cerebral cortex.

Imagine a second level of control systems. The input functions of this new layer will not be equipped with sensors; instead, they will receive the perceptual signals generated by level-1 input functions (or in the case of signals involved in level-1 control systems, copies of them, courtesy of the bifurcation of the dorsal roots). These signals, in subsets, are the real-time inputs to level-2 input functions, each of which generates one level-2 perceptual signal. We *define* a level-2 input function in terms of the way a single level-2 perceptual signal depends on some set of level-1 perceptual signals.

It is now clearly possible to construct a level-2 comparator, provide it with a reference signal, and make it generate a level-2 error signal. That error signal can then be wired to the input of a level-2 output function, and copies of the output of that FNO can be fanned out to serve as *reference signals for level-1 control systems*.

In fact, we can construct as many level-2 control systems as we like, until we run out of neurons that are located where the level-1 perceptual signals terminate and the level-1 reference signals originate. All outgoing signals that are further inward will be accounted for; they will be



level-2 reference signals. (If you can figure out why they can't be level-1 reference signals, bypassing level 2, you are beginning to understand control theory. Hint: Level-1 reference signals are adjusted by level-2 systems: what happens if an *arbitrary* signal is added to the output of a level-2 system?)

Some level-1 perceptual signals may be combined to produce level-2 perceptual signals, without involving the new perceptual signals in any level-2 control system. Perceptual signals that are involved in level-2 control systems branch, just as their counterparts at level 1 do: one of the branches heads further inward and upward in the brain. We can now repeat the process of going from the first to the second level of control. Clearly, a third level of control systems can be constructed, then a fourth, and so on, until we run out of brain and find ourselves looking at the inside surface of the skull.

This is my model of the brain. It will be discussed in greater detail in the next article of this series. At present we will develop a clearer understanding of the relationship between one level of control and the next higher level of control through the use of BASIC. As you will see, the relationship has some rather amazing and challenging properties.

Two-Level Control Hierarchy

We are going to model a very elementary 2-level control system. I won't attempt to model a *real* human system because it would get too complicated. The imaginary system will consist of 3 level-1 control systems, each controlling sensed force (just as in the tendon reflex system) and 3 level-2 systems, each controlling a separate *aspect* of the forces controlled by level-1 systems.

The 3 muscles will be laid out in a plane, one end of each being joined at a common central point, and the other being anchored to a point in the plane. If the angles between the muscles are equal, they will form a Y. We will assume that the common connection does not move; the muscles will apply a force there but, as in the case of flying a stick-controlled airplane, any movement will be negligible. This allows us to ignore some complex interactions between the muscles. Those interactions would not in-



MINIMAX SERIES COMPUTER

MINIMA

MEET THE THE MINIMAX SERIES COMPUTER WAS DESIGNED BY INDUSTRY PROFESSIONALS. MINIMAX COMPUTER



NEECO PROUDLY

ANNOUNCES THE

COMPUTHINK

MINIMAX I - .8 MEGABYTE ON LINE MINIFLOPPY STORAGE **MINIMAX II - 2.4 MEGABYTE ON LINE 8" FLOPPY STORAGE**

MINIMAX I -	\$4495
MINIMAX II -	\$5995
	T .

COMPARE THE PRICE AND FEATURES TO ANY OTHER COMPUTER IN ITS CLASS!

MINIMAX

"FULLY INTEGRATED COMPUTER SYSTEM"

• THE MINIMAX SERIES COMPUTER IS AN INTEGRATED, COMPACT UNIT CONTAINING THE CPU, DUAL DENSITY DISK STORAGE, 12 INCH CRT, AND FULL STYLE KEYBOARD, WITH SEPARATE NUMERIC ENTRY PAD, ALL KEYS (INCLUDING CURSOR) WITH FULL REPEAT • HYBRID 2 MEGAHERTZ 6502 CPU • 108K SYSTEM RAM (48K USER) • FASTEST FLOPPY DISK ACCESS (24K LOADS IN 4.2 SECONDS) • 16K ROM CONTAINS COMPUTHINK BASIC (AN EXTENDED MICROSOFT BASIC) WITH EXTENDED PRECISION, DOS INCLUDES COMPLETE FILE I/O WITH FULL RANDOM ACCESS, COMPLETE MONITOR WITH DEBUG & TRACE, AND TINY 6502 ASSEMBLER • COMPLETE HIGH RESOLUTION GRAPHICS WITH INDIVIDUAL DOT (240 x512) POINT SCREEN ADDRESSABILITY FULL SCREEN TEXT EDITING WITH OVERWRITE, INSERTION OR DELETION • SPLIT SCREEN/WINDOW MODES • INDIVIDUAL FIELD EDITING WITH FILL PROTECT AND AUTO SKIP TO NEXT FIELD • DISK STORAGE SYSTEM TRANSFERS 6K PER SECOND WITH AUTO VERIFY AND PARITY CHECK • 12 INCH CRT-64 CHARACTERS \$V 30 LINES. UP TO THREE PROGRAMMABLE CHARACTER FONT SOR LANGUAGES OR SPECIAL CHARACTERS • • SWITCH RABLE 110 OR 220V OPERATION • • HYBRID CPU IS MICROPROGRAMMABLE WITH 64 USER DEFINABLE OPCODES. CHOICE OF 800K OR 2.4 MEGABYTE DISK STORAGE • FULL SERIAL RS-232C PORT WITH PROAMMABLE BAUD RATES AND MODEM CONTROL SIGNAL • DEDICATED DISK PORT • PRINTER PORT SUPPORTS PARALLEL COMMERCIAL PRINTERS • 24 PIN I/O USER PORT • DAGEMATE DATABASE AVAILABLE • PLM COMPILER AVAILABLE • BUSINESS PACKAGES AVAILABLE • COMPLETE DIAGNOSTICS & SCHEMATICS INCLUDED • COMPLETE USER MANUAL INCLUDED

SPECIAL DEALER PRICING AVAILABLE ON DEMONSTRATION MINIMAX AND SOFTWARE PACKAGES TO QUALIFIED SELECTED DEALERS. CONTACT NEECO FOR INFO.

THE MINIMAX WAS DESIGNED AND IS MANUFACTURED BY COMPUTHINK COMPUTER CORP. DISTRIBUTED IN EUROPE AND THE EASTERN U.S. BY NEECO.

PRINTER NOT INCLUDED IN PRICE

IN ADDITION TO HARDWARE CAPABILITIES THAT ARE UNMATCHED IN THE INDUSTRY, THE MINIMAX COMPUTER SUPPORTS A COMPLETE DATA BASE SYSTEM (PAGEMATE), CONTAINING FULL STATISTICAL, SORTING, AND EDIT FUNCTIONS. A PLM COMPILER IS AVAILABLE, FULL BUSINESS SUPPORT SOFTWARE IS AVAILABLE AND MORE!-FULL DEALER SUPPORT IS AN IMPORTANT PART OF OUR MARKETING. CONTACT NEECO FOR FURTHER INFORMATION.

THE MINIMAX IS NOW AVAILABLE FOR QUANTITY DELIVERY. DOMESTIC DEALERSHIPS AVAILABLE. EUROPEAN DISTRIBUTORSHIPS/DEALERSHIPS AVAILABLE TO QUALIFYING COMPANIES WITH SUPPORT CAPABILITIES. SOFTWARE HOUSES AND OEM INQUIRIES INVITED. CONTACT NEECO.



NEW ENGLAND ELECTRONICS CO., INC. 679 HIGHLAND AVE., NEEDHAM, MA 02194 MON-FRI, 9:00-5:30, E.S.T.

(617) 449-1760

TELEX 951021, ANSWERBACK "NEECO"

terfere with control, but would make the model very complicated. In simulating a control organization, it is always the simulation of the *environment* that creates complexities. The geometric interactions between the muscles are properties of the world in which these control systems live, not of the control systems proper.


There will be 3 level-1 control systems, 1 for each muscle. Each will sense the force being generated by its own muscle. Each will have a loop gain of 10, and a slowing factor of 0.07 (see part 2 for discussion of these properties).

There will also be 3 level-2 control systems. One will use the 3 muscles to control a force in the X direction (left and right), another will control a force in the Y direction (up and down), and the third will control the sum of the 3 forces, this sum corresponding to what physiologists call "muscle tone." We will see why there is such a thing as muscle tone (the steady mutually cancelling tension that is always there in muscles). Each level-2 control system will have a

loop gain of 50, and a slowing factor of 0.01.

I hope that this arrangement looks a little amazing. Here we have 3 muscles spaced at roughly 120-degree intervals around a common point. No one muscle pulls in either the X or the Y direction. To pull in the X direction, all 3 muscles must alter their tensions. To pull in the Y direction, all 3 must alter their tensions. To vary the muscle tone all 3 must once more alter their tensions. We will be able to set reference values for these 3 variables at the same time, throw in a disturbance of arbitrary size and direction to boot, and there will be no interference among the systems that cannot be easily taken care of. Each level-2 force-controlling system will be able to keep its perceptual signal matched to any reference signal, while the others do the same thing at the same time.

It may add interest to know that the outputs from the level-2 systems to the level-1 systems will not be accurately weighted: the only choice will be whether or not a given level-2



output reaches a given level-1 comparator after multiplication by 1, 0, or -1. All 3 level-2 outputs will reach and be added together in all 3 level-1 comparators. The neat separation of X, Y, and tone control is not accomplished by carefully balancing the amount of output sent to each level-1 system. Only the crudest adjustment has to be made on the output side, essentially the choice between positive and negative feedback, with negative always being chosen.

We now come to what is perhaps the most fundamental concept of this theory of brain function. The organization which determines that an X vector, a Y vector, and a tone or scalar force will be controlled is found in the *input* functions, not in the output functions. The organization of behavior is determined by the *perceptual*, not the motor organization of the brain. By the time we finish this installment you will see exactly how that happens.

Setting Up the Model

Let us start by looking at a typical control system of unspecified level in a hierarchy of control systems. This system will receive multiple input signals from lower-level systems and multiple reference signals from higher-level systems. It will emit just 1 output signal (we will assume that the only need for an explicit output function is to provide error amplification and to smooth; otherwise the error signal could be used directly as the output signal). Figure 14 shows this typical system.

Perceptual Inputs from Lower Levels

where:

The input function will now be a little too complicated to be represented as a BASIC function since we need a set of weighting factors so that each input can be assigned a weight before summing all of the inputs together. The easiest way to deal with weighting factors for a generalized system is to use a matrix that contains all of the factors for all of the levels. For the input function we designate the matrix as S (for sensory) and write it as:

S(L,J,K),
L = level
J = system at that level
K = weight of Kth signal
from level $L-1$.




Figure 14: A typical control system in the middle of a hierarchy of control systems. This system receives multiple reference signals, given a positive or a negative sign by an appropriate entry in the M matrix (no other weighting). The sum of these reference signals is the effective reference signal. The system also receives multiple input signals which are copies of perceptual signals in lower-order systems. These signals are given quantitative weightings by the S matrix and summed in the input function FNI of the system to create this system's perceptual signal P. A duplicate of the perceptual signal travels upward to higher-level systems.

The perceptual signal is subtracted from the effective reference signal (or vice versa), and the remainder is emitted by the comparator C as the error signal. The error signal is amplified and smoothed by the output function FNO with the result being emitted to lower-level systems as the output signal O.

The perceptual signal for this Jth system at the Lth level will be designated P(L,J). The perceptual signal can thus be written as the sum of contributions (weighted) from some set of lower-level systems, a weighting of O in the S matrix meaning absence of a connection:

$$P(L,J) = \sum_{K=0}^{N(L-1)-1} S(L,J,K) \times P(L-1,K)$$

where N(L-1) is the number of systems in the next lower level.

Reference Inputs from Higher Levels

A similar operation is performed to calculate the net reference signal R(L,J). A matrix M(L,J,K) is used to select a connection factor (1, 0, or -1) for each output of a higher-level system; the net reference signal is the sum of all the outputs of the higher-level systems, each multiplied by its appropriate factor. A 0, of course, means no connection.

The M matrix is filled by looking at the sign of the corresponding entry in the S matrix for the *next higher level*.



Looking for multi-purpose PET* expansion? The Betsi S-100 Interface/Motherboard has a new inboard power supply, for the best of both worlds.

Outside the PET, the versatile Betsi interface provides four S-100 slots for instant plug-in expansion. The availability of S-100 boards puts a wide range of applications within easy reach of a PET/Betsi system.

The new Betsi Power Supply mounts inside PET, eliminating excess clutter. It takes only minutes to install, plugs into PET's existing connectors, and even turns on and off with your PET!

Betsi features:

- Dynamic Memory Controller for use of S.D. Systems "Expandoram" board. (Get full 32K PET expansion on a single S-100 card!)
- Direct plug-in connection to PET. No additional cables or backplanes required.
- Accepts nearly, all S-100 boards, including memory I/O, speech processors and more.
- On-board sockets for 8K of PROM firmware (no extra hardware needed).

The new Betsi Power Supply makes a PET/ Betsi system easier than ever to use. With prices worth a second look, you can afford to have multi-purpose PET expansion now!

BETSI INTERFACE/MOTHERBOARD-KIT With all components, one 100 pin connector, and complete assembly and operating instructions \$119

BETSI INTERFACE/MOTHERBOARD ASSEMBLED & TESTED With four 100 pin connectors, complete

assembly and operating instructions, 6-month warranty \$165

BETSI POWER SUPPLY - ASSEMBLED & TESTED \$34

See Betsi and its new power supply at your local dealer or write directly to:

FORETHOUGHT PRODUCTS

> 87070 Dukhobar Road #F Eugene, Oregon 97402 (503) 485-8575

ORDERS NORMALLY SHIPPED WITHIN 24 HOURS/VISA, MASTERCHARGE. ACCEPTED To understand how this correspondence is figured, think of the second index in the matrix as the destination of the signal, and the third index as the source.

Suppose that we wanted to fill in the M matrix for 1 level of systems. An entry will be -1 if the corresponding S matrix entry of the next higher level is negative, 0 if the S matrix entry is 0, and 1 if the S matrix entry is positive. But which is the entry in the S matrix for level L+1 corresponding to M(L,J,K)?

The answer is simple: M(L,J,K)corresponds to S(L+1,K,J). The source and destination indices are simply interchanged. If a higher-level system gives a negative weight (of any amount) to the perceptual signal from a given lower-level system, it sends a copy of its output to the comparator of the same lower-level system with a negative (inhibitory) sign. A negative connection factor means that the output of this higherlevel system will subtract from the contributions of other higher-level systems to the lower-level net reference signal.

Thus, once the S matrix for the next higher level has been filled in, we can calculate the entries in the M matrix:

M(L,J,K) = SGN (S(L+1,K,J))where SGN is the Sign function that generates the appropriate 1, 0, or -1.

You may choose to skip these procedures and simply spell out each connection one at a time. My thought in using a general solution is not merely to save lines of program, but to point the way toward expanding the simulation both horizontally (adding more systems at each level) and vertically (adding more levels).

The reference signal for level L, system J, is found by summing over the outputs of all systems of level L+1, multiplying the output from each higher-level system by the appropriate connection factor from the M matrix:

$$R(L,J) = \sum_{K=0}^{N(L+1)-1} M(L,J,K) \times O(L+1,K)$$

gon minicomputer iware inc.

use. It features straight-forward

2340 SW Canyon Road Portland, Oregon 97201 (503) 226-7760 TWX 910-464-4779

demo library, manuals, and benchmark, ready for your inspection.

Distributors: Australia: Sydney: Network Computer Services. 290.3677 Canada; Vancouver; Valley Software. (604) 574-9741 England: Stafford: Hourds Computing Lto, 0785 44221 Japan: Tokyo: Rikel Corporation, 03-345-1411 PDP-11, LSI-11, PDP-11/70, RSTS/E, RT11, RSX, and IAS are trademarks of Digital Equipment Corporation

To complete this general model we need only calculate the error signal E and the output signal O. The required slowing factor and the error sensitivity are put in the output function.

$$E(L,J) = R(L,J) - P(L,J)$$

$$O(L,J) = O(L,J) + K(L) \times (G(L) \times E(L,J) - O(L,J))$$

where K(L) is the slowing factor for all systems of level L (see part 2), and G(L) is the error sensitivity for all systems of level L.

Top and Bottom of the Model

We do not have a complete control system at the top of this hierarchy where we will be injecting reference signals for the highest complete level. Therefore we designate those signals as (in this case) O(3,I), output signals from 3 imaginary level-3 systems (us) indexed by I = 0 (X force), 1 (Y force), or 2 (tone). The M matrix for level 2 is set up so that M(2,I,I) is 1, I running from 0 to 2; this establishes connections from each level-3 output to 1 corresponding level-2 reference input. All other entries are left at 0 (my North Star BASIC zeros arrays when they are first dimensioned).

At the bottom, the output signals O(1,I) are supposed to create muscle tensions that affect 3 input quantities: the amount of stretch in the tendon attached to each muscle. To avoid treating a special case, we will designate these input quantities as "level 0 perceptual signals," P(0,I). The value of each input quantity is found by adding the magnitude of the corresponding output to the component of a disturbance that acts along the length of the associated muscle. The value of the input quantity P(0,I) represents the net stretch in a tendon created by the muscle contraction and this component of the disturbance as they act together.

The level-1 S matrix simply connects each input quantity, multiplied by 1, to its respective input function. Thus, we set S(0,I,I) = 1, for I = 0, 1, and 2. All other entries in this matrix are 0.

The geometry of the muscles is adjustable. Since setting up this geometry is the opening phase of the BASIC program, we will take a quick run through this program and discuss the muscle setup. See figure 15 to help

TRS-80 BOUTIQUE



"WORDP II"

The TRS-80 Word **Processing System** that really does the job!

If you've been looking for a true word processing capability for your TRS-80 ... STOP! WORDP II is it!

WORDP II allows you to enter, edit, and print various amounts of text (with right margin justification) in one program. The EDIT program permits addition, insertion, and deletion of whole lines and characters within lines. The TYPESET program fills and right justifies paragraphs automatically.

Other features include: indent, center, right justify non-paragraph text, count and label pages by number or without headings, and lots more

SPECIAL INTRODUCTORY PRICE S75.00

Send \$1 for operating manual - see what the system will/will not do before you buy!

DEALER INQUIRIES INVITED



Improve TRS~80 performance with new DOS+

Enjoy the wizardry of your TRS-80 to its fullest: maximize and expand all of its magical capabilities with the new DOS+. Just look at the capabilities you can evoke

Modifications, corrections, and enhancements to Radio Shack's TRS DOS 2.1

- A Basic REFerence command for variables and numbers. A super-fast machine language RENUM program execu-
- table under BASIC.
- A built in keyboard-debounce routine.
- A print screen option under DOS or BASIC to your line printer, Simply press JKL keys
- New copy commands for backup, allows you to copy from drive to drive keeping the same filespec. Execution of DOS commands while in BASIC.
- New BASIC scrolling and invocation commands and more. Apparat's own SUPERZAP, a Hex dump utility to examine or or modify disk or memory locations.
- Modified EDITOR ASSEMBLER with Disk I/O and new cross
- reference feature. A super-fast machine language DISASSEMBLER program.
- A LOAD MODULE for transferring machine tapes to disk
- Faster disk access
- Level I ROM relocated in Level II RAM.
- The capability of storing and retrieving Level I programs on Disk.
 An improved DISKDUMP program.
- A DIRCHECK program to test a directory & list/display the contents in alphabelical order with extensions

You don't have to pull a rabbit out of a hat ... Send \$99 for the Apparat/MTI New DOS+ (on diskette). See all the magic unfold before your eyes.

INTRODUCTORY SPECIAL

NEW DOS+ and the very Best of Apparat's disk utility programs \$99.00 (a \$250.00 value).

To order your diskette of tricks, write or call one of our dealers.

Apparat Inc., 6000 E. Evans Ave., Bldg 2, Denver, CO 80222, 303-758-7275

Microcomputer Technology Inc., 2080 S. Grand Ave., Santa Ana, CA 92705, 714-979-9923



COMPUTER DEALER CO-OP 5082 SHIRLEY DRIVE, LA PALMA, CA 90623 (714) 979-9925

LOOK TO HAYDEN FOR YOUR LANGUAGE NEEDS...

New! **APL: An Introduction** (Peelle) This workbook/textbook offers a problem-solving approach to learning computer programming in APL. #5122-0, 58.50

COBOL WITH STYLE: Programming Proverbs (Chmura & Ledgard) Covers structured COBOL programming, and how to use the top-down approach with COBOL. #5781-4, \$6.95

New! FORTRAN WITH STYLE: Programming Proverbs (Ledgard & Chmura) Programming style guide that conforms to the new FORTRAN 77. #5682-6, 56.95

New! **Z-80 AND 8080 ASSEMBLY LANGUAGE PROGRAMMING** (Spracklen) An extensive introductory look at assembly language programming for the 8080 and Z-80 processors. #5167-0, \$7.95

New! PASCAL WITH STYLE: Programming Proverbs (Ledgard & Nagin) A style guide specially written for PASCAL users and how to use the top- down approach with PASCAL. #5124-7. \$6.95

New! **BASIC FROM THE GROUND UP** (Simon) Explores computers and the BASIC language in a simple direct way, without relying on a heavy mathematical background. #5760-1, 58,95

Available at your local computer store!

Hayden Book Company, Inc. 50 Essex Street.

Rochelle Park, NJ 07662

visualize how everything works. Figure 16 is the same system, more closely representing the organization of the brain.

The Simulator

Muscle angles. After the dimension statements and the statements that set slowing factors and error sensitivities for each level have been called, the program calls a subroutine that asks for the angle at which each of the 3 muscles is to be set (in degrees). You can use 30, 150, and 270 degrees (for equal spacing). There is nothing to prevent the choice of any angles you like, although you should draw a diagram to determine the effect on the system. It is hard to create a force in a direction in which there is no component of force from any muscle.

Sensory weightings. Lines 9 to 15 organize the perceptions of this system, and thus organize its behavior. For values of I from 0 to 2, all 3 levels of sensory matrix are set up. You can now see how X and Y forces are sensed. The weights for level 2, system 0, correspond to the *cosine* of the angle between the positive X axis and the angle of each muscle. Those for level 2, system 1, correspond to the sine of the same angles. Each input function is weighting the perceptual signals from the muscles according to the component of force that is aligned with the direction being sensed. The tone system, level 2, system 2 adds the signals together to yield a totalforce signal.

Motor weightings. Lines 19 to 23 use the already entered values of the S matrices to create the connection matrix M. The sign function selects the sign that will preserve negative feedback.

line 24, the program calls a subroutine that asks for 3 reference signals: one designating the amount of X force, another designating the amount of Y force, and a third designating the sum of forces, or muscle tone. Positive or negative numbers are allowed. A real nervous system cannot handle negative frequencies, but the same effect can be created by suitable use of inverters so that one (positive) frequency means a positive quantity and another (also positive) frequency means a negative quantity. In reality there would be 6 systems of level 2 in this 4-quadrant system.

I have set up level 1 to behave realistically like a muscle control system; neither negative signals nor negative forces can be produced.

Disturbance. At line 25, the program calls a subroutine which asks for the amount and direction of a constant disturbance. A disturbance might be created by seizing the place where the 3 muscles join, moving it, and holding it in the new position. Despite the fact that the control systems are neither detecting nor controlling position, arbitrary movement of this junction in space will stretch or relax the muscles, creating changes of force due to the spring constants of the muscles. Therefore it is reasonable to suppose that a force disturbance can be created, one which projects into the direction of each muscle according to the cosine of the angle between the disturbance vector and the axis of the muscle.

Calculating the behavior. Lines 29 through 37 call a subroutine that actually does the calculation of signals in all 6 control systems. You will notice 3 nested FOR-NEXT loops. The outer 2 loops cause the lower-Text continued on page 111


Highest-level reference signals. In

Figure 15: The 2-level hierarchy simulated in this article. Three level-1 systems each control the amount of tension in 1 muscle, as represented by the 3 level-1 perceptual signals. Copies of these 3 perceptual signals reach all 3 level-2 systems, where they are weighted and summed so as to represent the X component of muscle force (P(2,0)), the Y component of muscle force (P(2,2)), and total muscle force or muscle tone (P(2,2)).

Each second level system sends an amplified and smoothed version of its error signal as an output signal to all 3 lower-level systems. Each output signal splits into 3 identical branches, 1 for each level-1 system. When a branch reaches a level-1 comparator, it may be connected directly or through an inverter before being summed with other reference inputs. There is no other weighting of output signals. If necessary, an inverter is used to preserve negative feedback for a particular path.

Each level-1 system amplifies and smooths its error signal to make an output signal reaching just 1 muscle.

A higher-level system determines the reference signals for X,Y, and total force. These are specified by the operator of the simulator. All systems correct their own errors simultaneously.






Figure 16: Topological transform of figure 15 shows how control systems are arranged in the human nervous system, at least according to some cybernetic theoreticians. The major difference from figure 15 is that all sensory functions are lumped together at each level, and comparison and output functions are also lumped together. The S and M matrices are represented in a nervous system as synaptic connections, the weighting of which is determined by the number of branches (from one to hundreds) that form just as a nerve fiber reaches the next cell body. The sign of a weighting is determined by whether or not a Renshaw cell (specialized to produce inhibition) is interposed. A collection of comparators and output functions is called a motor nucleus. For level 2 and higher, the branches of perceptual signals that cross over and enter a motor nucleus are called collaterals.

Wondering which memory is best for you?

base 2. offers the following products to the S-100 market at the industry's lowest prices:

ANA	TRANSMU TRA				-	
		1	10000		-	
	F Internet Inter			America	-	
and division the	titestat. See	- Andrew	Contrast.	Service.	-	from from
	Anness Anne		-	Melter	Addated -	Concession of Concession
	-	en finenen	Vite N			
	annes ann				-	
manner engines	as st		-1-1-1-		和語	and the second second
	11. 1				210	TTO A COMMENT

8K Static Memory Board


This 8K board is available in two versions. The 8KS-B operates at 450ns for use with 8080 and 8080A microprocessor systems and Z-80 systems operating at 2MHz. The 8KS-Z operates at 250ns and is suitable for use with Z-80 systems operating at 4MHz. Both kits feature factory fresh 2102's (low power on 8KS-B) and includes sockets for all IC's. Support logic is low power Schottky to minimize power consumption. Address and data lines are fully buffered and 4K bank addressing is DIP switch selectable. Memory Protect/Unprotect, selectable wait states and battery backup are also designed into the board. Circuit boards are solder masked and silk-screened for ease of construction. These kits are the best memory value on the market! Available from stock . . . **8KS-B \$125** (assembled and tested add \$25.00)


8KS-Z \$145 (assembled and tested add \$25.00)

16K Static Memory Board

Base 2 can now offer the same price/performance in a 16K static RAM as in its popular 8K RAM. This kit includes 8K bank addressing with 4K boundary address setting on DIP switches. This low power unit provides on-board bank selection for unlimited expansion . . . No MUX board required. Using highest quality boards and components we expect this kit to be one of the most popular units on the market. Available in two speed ranges, the 16KS-B operates at 450ns while the 16KS-Z operates at 250ns.

16KS-B \$275.00 (assembled and tested) 16KS-Z \$300.00 (assembled and tested)






Z-80 CPU Board

Our Z-80 card is also offered in two speed ranges. The CPZ-1 operates at 2MHz and the CPZ-2 operates at 4MHz. These cards offer the maximum in versatility at unbelievably low cost. A socket is included on the board for a 2708 EPROM which is addressable to any 4K boundary above 32K. The power-on jump feature can be selected to address any 4K boundary above 32K or the on-board 2708. An On-board run-stop flip-flop and optional generation of Memory Write allows the board to run with or without a front panel. The board can be selected to run in either the 8080 mode, to take advantage of existing software, or in the Z-80 mode for maximum efficiency. For use in existing systems, a wait state may be added to the M1 cycle, Memory request cycle, on-board ROM cycle, input cycle and output cycle. DMA grant tri-states all signals from the processor board. All this and more on top quality PC boards, fully socketed with fresh IC's. CPZ-1 \$110 CPZ-2 \$125

S-100 for Digital Group Systems

This kit offers, at long last, the ability to take advantage of S-100 products within your existing DigitalGroup mainframe. Once installed, up to four S-100 boards can be used in addition to the existing boards in the D.G. system. The system includes an "intelligent" mother board, ribbon cables to link existing D.G. CPU to the DGS-100 board and a power wiring harness. The DGS-100 is designed to fit in the 5-3/4" x 12" empty area in the standard D.G. cabinet. It may seem expensive but there's a lot here! End your frustration! **DGS-100 \$250.00**





Send for more details on these products. Get on our mailing list for information on more soon to be announced products at factory-direct prices from BASE 2. Why pay more when you can get the best at these prices???

P.O. Box 3548 • Fullerton, Calif. 92634 (714) 992-4344 CA residents add 6% tax MC/BAC accepted • FOB — U.S. destination



Thousands of users know the Ithaca Audio Simple Upgrade[™] as the best memory expansion available -- and with good reason.

Our clear, concise, step-by-step instructions and illustrations make upgrading a snap. Jumpers are packaged just as they appear in the diagrams, no hunting for the correct part.

Fully-tested RAMs and preprogrammed shunts provide a kit that works the "first time." In fact, a Simple Upgrade is the only memory expansion that requires **no** cutting or customizing to install.

Each kit has a 100% guarantee; if a part ever fails we replace it absolutely free. No other manufacturer has the confidence to offer that kind of warranty and support.

Now the best gets even better: the Simple Upgrade is just **\$119.00**.

The full line of Upgrades is available nationwide at Computerlands, Byte Shops and independent computer retailers.

For the name of the dealer nearest you, contact:

ITHACA AUDIO P.O. Box 91 Ithaca, New York 14850 (607) 257-0190

TRS-80 is a registered trademark of Tandy Corp. Apple II is a registered trademark of Apple Computer Inc. Sorcerer is a registered trademark of Exidy Inc. Listing 3: North Star BASIC simulation of a 3-muscle system. The muscles have 3 operations they are to perform: movement in the X direction, movement in the Y direction, and tone control. A sample run of the simulator is shown in listing 4. The exclamation point is used as an abbreviation for the PRINT statement.

```
DIN P(2,2),R(2,2),E(2,2),O(3,2),S(3,2,2),M(2,2,2),A(3),K(2)
 2
   DIM G(2)
  G(1)=10\ K(1)=.07\ G(2)=50\ K(2)=.01
 3
 4
   P=3.1415927/180
 5
   GOSUB 991 REM
                         (SET UP MUSCLE GEOMETRY)
 6
   REM
                  ********
 7
   REM
                 SET UP SENSORY WEIGHTINGS
 8
   REM
                 ******
   FOR I=0 TO 2
 0
 10 S(1,I,I)=1
11 S(2,0,I)=COS(A(I))
    S(2,1,I) = SIN(A(I))
 12
 13 S(2,2,I)=1
 14 S(3,1,1)=1
15 NEXT I
 16 REM
 17
    REM
                   SET UP MOTOR WEIGHTINGS
 18
    REM
                   *******************
 19
    FOR L=1, TO 2
 20 FOR I=0 TO 2
 21
     FOR J=0 TO 2
 22 M(L,I,J)=SGN(S(L+1,J,I))
 23 NEXT J\ NEXT I\ NEXT L
     GOSUB 109\ REM
                        (SET UP REFERENCE SIGNALS)
  24
 25 GOSUB 116\ REM
                        (SET UP DISTURBANCE)
 26 REM
                   *******
 27 REM
                   CALCULATE SYSTEM BEHAVIOR
 28 REM
                   **********************
 29 !\FOR Q=1 TO 5
 30 FOR J3=0 TO 1
 31 L=2\ GOSUB 50\ REM CALCULATE SYSTEMS AT LEVEL L
 32 FOR J2=0 TO 1
 33 L=1\ GOSUB 50
 34 FOR I=0 TO 2
 35 P(0,I)=O(1,I)+D*COS(A(I)-A(3))
 36 NEXT I\ NEXT J2\ NEXT J3
 37 GOSUB 69\ REM
                     (PRINT TABLE OF VALUES)
 38 NEXT Q
    !"(A)NGLE? (R)EFS? (D)IST? (C)ONT? (P)RINT MATRICES? "
 39
 40 INPUT "",A$
41 IF A$<>"A" THEN 42\ GOSUB 102\ GOTO 29
 42 IF AS<>"R" THEN 43\ GOSUB 109\ GOTO 29
 43 IF AS<>"D" THEN 44\ GOSUB 116\ GOTO 29
 44 IF A$<>"C" THEN 45\ GOTO 29
 45 IF AS<>"P" THEN 46\ GOTO 76
 46 !" ???? "\ !\ GOTO 39
 47 REM
 48 REM
                 CALCULATIONS FOR LEVEL L SYSTEMS
 49 RE11
                 ********
 50 FOR J=0 TO 2
 51 V=0
 52 FOR K=0 TO 2
 53 V=V+P(L-1,K)*S(L,J,K)
 54 NEXT K
 55 IF L=1 AND V<0 THEN V=0
 56 P(L,J)=V\ V=0
 57 FOR K=0 TO 2
 58 V=V+O(L+1,K)*M(L,J,K)
 59 NEXT K
 60 R(L,J)=V\ V=0(L,J)
 61 E(L,J)=R(L,J)-P(L,J)
 62 V=V+K(L)*(G(L)*E(L,J)-V)
 63 IF L=1 AND V<O THEN O(L,J)=0 ELSE O(L,J)=V
 64 NEXT J
 65 RETURN
 66 REM
                **********************
 67 REI1
                DATA LISTING SUBROUTINE
 68 REM
                *****
 69 !\!"ITERATION # ",%2I,Q,"
70 FOR J=2 TO 1 STEP -1,
71 !\! "LEVEL ",%2I,J,%#7F2
72 FOR I=0 TO 2\!" ",R(
    FOR I=0 TO 2\!" ",R(J,I)," ",\ NEXT I
!\FOR I=0 TO 2\!" ",P(J,I)," ",O(J,I)," ",\ NEXT I
 73
74 !\ NEXT J
```

HAS IT!

INSTRUMENTS

TEXAS

TI-99/4

Text continued from page 106:

level system to iterate twice for every iteration of the higher-level system. This proves to be an exceedingly useful, easy way to stabilize the 2-level system. (I have also tried this with a 3-level system, and it worked just as well.) I have no formal rationale for why this works; informally, it seems to be a good idea to let the lower-level system correct most of its error before the higher-level systems take their own errors seriously.

The inner loop, line 35, simply calculates the values of the input quantities for the level-1 systems, using the angles of the muscles and of the disturbance. This is, in effect, the simulation of the environment (the muscles are in the environment of a neural control system).

At line 37 a routine is called which prints out the signals for all systems: the reference signal on 1 line, the perceptual signal to the lower left of it, and the output signal to the lower right for each system. Line 38 closes the iteration loop; 5 iterations are called for.

Lines 39 through 46 ask what action is to be taken after 5 iterations.

Calculation subroutine. Lines 50 to 65 calculate the signals for each system. The V that occurs here and there is simply a way to reduce the number of times a subscript has to be calculated. The perceptual signal is calculated first, then the reference signal, the error signal, and the output signal, for each system of level L. The level is set at lines 31 and 33 by the calling program. Line 62 contains the slowing routine which appeared in part 2. Lines 55 and 63 determine whether or not level 1 is being calculated; if it is, the perceptual and output signals are prevented from going negative.

75 !\ RETURN
76 !\!"SENSORY MATRIX"\ !
77 FOR L=1 TO 2
78 !"LEVEL ",%11,L
79 FOR J=0 TO 2
80 !" ",
81 FOR K=0 TO 2
82 1%6F2,S(L,J,K),
83 NEXT K
84 NEXT J
85 !
86 NEXT L
87 !\!"HOTOR HATRIX"\!
85 FOR L=1 TO 2
89 !"LEVEL ",%11,L
90 FOR J=0 TO 2
91 !" ",
92 FOR K=0 TO 2
93 ! %6F2,N(L,J,K),
94 NEXT K
95 NEXT J
96 !
97 NEXT L
98 !\ GOTO 39
99 REM ***********************************
100 REM SET UP MUSCLE GEOMETRY
101 REM ***********************************
102 !\!"huscle Angles:"
103 INPUT1 "#1\ ",A(O)\ INPUT1 " #2\ ",A(1)\ INPUT1 " #3\ ",A(2)
104 $A(0)=A(0)*P\setminus A(1)=A(1)*P\setminus A(2)=A(2)*P$
105 RETURN
106 REM ***********************************
107 REM SET UP REFERENCE SIGNALS
108 REM *****************
109 !\!"REFERENCE SIGNALS:"
110 INPUT1 "X: ",0(3,0)\ INPUT1 " Y: ",0(3,1)
111 INPUT1 " TOHE: ",0(3,2)
112 RETURN
113 REM ***********************************
114 REM SET UP DISTURBANCE & ANGLE 115 REM ***********************************
116 !\! "DISTURBANCE:" 117 INPUT1 "MAGNITUDE: ",D\ INPUT1 " ANGLE: ",A(3)
118 A(3)=A(3)*P
119 RETURN
READY

<image> A K RAM extended TI BASIC. A K RAM extended TI BASIC. S K RAM extended TI BASIC. S K RAM extended TI BASIC. S K RAM extended TI BASIC. B K RAM user memory. T C S DISC OUNT PRICE FOR THE C OMPLETE SYSTEM CONSOLE & 13" COLOR MONITOR S B DOS B T C S DISC OUNT PRICE FOR THE C OMPLETE SYSTEM CONSOLE & 13" COLOR MONITOR S B DOS B T C S DISC D S D S C D

Please ship me the following merchandise.

TI & HP CA	LCULATORS			
TI-Programm	ner Hex-Octal Calculator			
T1-58C	programmable constant memor			_
TI-59	programmable mag cards			
TI-50	stimline scientific	33.95	5	
TI-5025	printing handhald	69.95	, S .	
TI-5225	business desktop	179.95	i \$.	
TI-1025	5 function w/memory	10.95	\$ \$	
TI-1000	5 function			_
Spelling B	electronic spelling aid	25.95	5 \$	
Speak & Sp	ell spelling aid that talks!!	59.95	j \$.	
HP-33E	programmable scientific	76.95	5	_
HP-38E	programmable business	98.95	j \$	_
HP-92	desktop business	399,95	5 \$	
HP-67	programmable w/mag card	361.95	5 5	
HP-97	desktop programmable	597.00) \$	
TINONE	DMPUTER PRODUCTS			
PHC004M	TI-99/4 Home Computer	\$1099.00	\$	_
PHA2000	Dual Cassette Ceble	6.95		
PHP1100	Remote Controls (Pair)	29.95		
PHP1500	Speech Synthesizer	149.95		
PHP1500	Speech Synthesizer	149.90	*	
COMMAN	D MODULES			
PHM3000	Diagnostic	29.95		
PHM3001	Demonstration	69.95	s	
PHM3002	Early Learning Fun	29.95	\$	
PHM3003	Beginning Grammar	29.95		
PHM3004	Number Magic	19.95	\$	
PHM3005	Video-Graphs	19.95	\$	
PHM3006	Home Financial Occisions	29.95	\$	
PHM3007	Household Budget Management	44.95	Ś	
PHM3008	Video Chess	,69.95	\$	
PHM3009	Football	29.95	\$	
PHM3010	Physical Fitness	29.95	\$	
	TOTAL		\$	
	Shipping, add 3%		\$	
	Cal, residents add 6% tax		Ś	
	Amount enclosed		S	
	(check or money order)			
	redit Cards for Sales of \$7		S)	
Charge to m Acct #	y VISA MASTER CHA	ARGE Exp. Date _		
Name				
Street of	P.O		_	_
City	State	Zip.	_	

Г

Listing 4: A sample session with the simulator in listing 3. When the simulator is initialized, the user is allowed to set up several values: the 3 muscle angles, the reference signals, and the disturbance magnitude and angle. For each iteration the values for level 1 and level 2 are output in the following form. First the reference signal for the particular muscle is printed. The perceptual signal is printed on the next line, just to the left of the reference signal, and the output signal is printed to the right. This is repeated for every muscle.

RUN

MUSCLE ANGLES: #1\ 30 #2\ 150 #3\ 270 REFERENCE SIGNALS: X: -30 Y: 40 TONE: 175 DISTURBANCE: MAGNITUDE: O ANGLE: O ITERATION # 1 _____ REFERENCE 2 PERCEPTUAL SIGNAL OUTPUT -30.00 SIGNAL 40.00 SIGNAL LEVEL 175.00 -20.76 38,50 20.55 -18.19 187.25 80,50 LEVEL 1 80.29 121.81 39.19 74.52 73.35 109.52 110.46 37.83 36.14 ITERATION # 2 LEVEL 2 -30.00 40.00 175.00 -19.13 45.65 10.29 163.72 -32.12 61.33 LEVEL 1 52.49 90.75 31.91 82.67 82.54 47.64 27.25 47.36 28.61 ------ITERATION # 3 LEVEL 2 40.00 175.0 37.28 12.56 177.48 -30.00 175.00 -18.68 -29.56 67.63 LEVEL 1 98.87 36.40 89.92 89.89 33.67 33.22 61.51 55.93 55.96 _____ ITERATION # 4 LEVEL 2 -30.00 40.00 175.00 40.19 12.57 172.81 65.13 -29.54 -18.83 LEVEL 1 96.52 87.74 58.87 33.73 87.72 30.57 53.51 53.52 30.64 **DISTURBANCE:** MAGNITUDE: 40 ANGLE: 135 ITERATION # 1 ------LEVEL 2 -30.00 40.00 175.00 82.15 -8.75 173.67 -72.05 2.40 65.75 LEVEL 1 54.60 63.87 16.98 76.90 57.11 59.40 93.27 52.56 63.30

Listing 4 continued on page 114

Data listing subroutine. This subroutine is called after every complete iteration of both levels. It prints only the perceptual signal, reference signal, and output signal from the 3 systems at each level.

Running the Program

After the RUN command is given, the program asks for all adjustable parameters and then does 5 iterations, printing out the values of all signals each time. It then issues a prompting message, the answer to which determines what happens next. The C command means do 5 more iterations. The P command causes the sensory and motor matrices to be printed out. To get an idea of the time scale on which human level-1 and level-2 systems work, imagine that each iteration takes about 1/20 of a second. (If you are looking for mental exercise, you might adapt the plotter from part 2 to show the variables in this simulation.)

What the Simulator Shows

There has always been a problem in conventional models of the brain that have to do with coordinated actions. The standard description is that something high in the brain thinks of a general command like "push!" and sends the equivalent signals downward toward lower systems. Those lower systems receive the general commands, and elaborate on them, turning them into more detailed commands at every step. At the lowest level, all of the detailed commands converge into the final common pathway, the relatively few channels running from the spinal cord to the muscles. There, at last, the neural signals are turned into tensions that create motions that create behavior.

The problem that nobody has ever been able to figure out is how a simple general command gets turned into specific commands that will have effects that satisfy the general command. Unfortunately, neurology is full of sentences that sound like explanations but are really restatements of the effect that is to be explained. When such sentences are uttered, they create the impression that the problem has been solved and needs no further investigation.

The simulator described here shows a different way for commands to get turned into actions. The command that specifies an X force doesn't

it's on the doughnut!

INTRODUCING - LOUMAR MANAGEMENT SYSTEMS SOFTWARE



programs to give you a comprehensive package for business management

The Loumar General Accounting System is a versatile, fully integrated software package designed for small and medium sized businesses. It is also suitable for CPA's and bookkeeping service films.

The complete software system is composed of four main modules: GENERAL LEDGER, ACCOUNTS RECEIVABLE, ACCOUNTS PAYABLE AND PAYROLL. Each module may be used separately or in combination with any other module. Supplied on disk as run-time modules. Source not available.

All software is written in CBASIC II and utilizes the powerful CP / M operating system.

General system features include:

Automatic posting to general journal • Strict error detection • Report production on demand • Consistent operating procedures • User oriented. No previous computer knowledge required • Designed by accounting professionals • Comprehensive, well presented reports and manuals • Single or multiple client capabilities.

HARDWARE SPECIFICATIONS

The end user's microcomputer must satisfy the following requirements: 48k RAM Dual floppy disk system

Printer with tractor. All printing is done in 80 col. format CRT with at least a 64 character by 16 line display CP / M and CBASIC II Write for our brochure — Dealerships still available Contact: Distributor PAYROLL: Up to 500 employees - \$550.

- ACCOUNTS RECEIVABLE: Up to 1000 customers and 1000 monthly transactions $-\ \$550$
- ACCOUNTS PAYABLE: Up to 1000 vendors and 1300 monthly transactions \$400
- GENERAL LEDGER: Up to 200 accounts with 2000 entries \$450


MISSION CONTROL • 2008 WILSHIRE BOULEVARD, SANTA MONICA, CA 90403 • (213) 829-5137

Circle 237 on inquiry card.

isn't

in

the



Listing 4 continued from page 112: ITERATION # 2

_____ LEVEL 2 -30.00 40.00 175.00 -12.87 -16.21 21.01 20.17 180.28 62.52 LEVEL 1 66.48 98.91 26.14 59.89 69.94 90.08 54.02 25.92 50.56 ITERATION # 3 LEVEL 2 -30.00 40.00 175.00 -31.36 -17.12 49.55 10.51 167.41 64.63 LEVEL 1 92.26 37.01 87.97 48.88 29.19 58.92 58.02 62.22 52.07 ITERATION # 4 LEVEL 2 -30.00 0.00 40.00 175.00 -16.26 37.42 11.18 175.04 66.18 -29.97 LEVEL 1 61.10 93.62 38.75 88.54 49.97 32.97 61.01 64.92 54.44 ITERATION # 5 LEVEL 2 -30.00 40.00 175.00 -29.55 -18.39 39.87 11.75 173.88 64.95 LEVEL 1 60.31 93.10 36.81 53.94 64.25 49.52 88.17 30,93 59.18


muscles. It is a request for a perception, not a command to act. The system receiving this request perceives the X force through a convergent, not a divergent network. A divergent network cannot be treated as a function: a convergent network can. When the perceived X force matches the reference X force, the cause of the perception must be in one of the states that will, in fact, create that component of force in the X direction. There is an infinity of different muscle tensions that could create the same component of force. If I were not also specifying 2 other functions of force, there would be no way to predict the exact muscle tensions that would exist when the X control system experienced zero error.

Since we are specifying 3 functions of 3 variables, and setting reference levels for the value of each function,

simply get partitioned among the there is only one state of the muscles that will allow zero error in all 3 systems at once. What we have done. in fact, is set up an analog computer for the simultaneous solution of 3 equations in 3 variables.

> This simulator shows that the reference signals for the lower-level systems do not correspond to any one output from a higher-level system. Nevertheless, the perceptual signal sensed by each higher-level system matches the corresponding reference signal. The higher systems each sense a different function of the set of lower-level perceptual signals. Independent control is possible only because the functions represent independent dimensions of variation of the lower-level world.

> In the environment of this 2-level system, there is no such thing as X force, Y force, or tone. There are simply 3 tendons in various states of tension. I have created the idea of



Designing Digital Systems

Two programmed learning courses: hardware and software; theory and application.

ADVANCED COURSE

DESIGN OF DIGITAL SYSTEMS Six large format volumes — each 11 1/4 x 8 1/4 ".

CONTENTS

The contents of Design of Digital Systems include:

Book 1: Octal, hexadecimal and binary, number systems; representation of negative numbers; complementary systems; binary multiplication and division.

Book 2: OR and AND functions; logic gates; NOT, exclusive-OR, NAND, NOR and exclusive - NOR functions; multiple input gates; truth tables; DeMorgan's Laws; canonical forms; logic conventions; Karnaugh mapping; three-state and wired logic.

Book 3: Half adders and full adders; subtractors; serial and parallel adders; processors and arithmetic logic units (ALUs); multiplication and division systems.

Book 4: Flip-flops; shift registers; asynchronous counters; ring, Johnson and exclusive-OR feedback counter; random access memories (RAMs); read-only memories (ROMs).

Book 5: Structure of calculators; keyboard encoding; decoding display data; register systems; control unit; program ROM; address decoding; instruction sets; instruction decoding; control program structure.

Book 6: Central processing unit (CPU); memory organization; character representation; program storage; address modes; input/output systems; program interrupts; interrupt priorities programming; assemblers; executive programs, operating systems, and time-sharing.

OUR CUSTOMERS

Design of Digital Systems has been bought by more than half the 50 largest corporations in America, and by Motorola, Intel, DEC, National Semiconductor, Fairchild, General Instrument, Hewlett-Packard, Heath Co., M.I.T., NASA, Smithsonian Institute, Bell Telephone Labs. And many, many more, as well as corporations and individuals in over 50 countries.



BASIC COURSE

Digital Computer Logic & Electronics

CONTENTS

Digital Computer Logic and Electronics is designed for the beginner. No mathematical knowledge other than simple arithmetic is assumed, though you should have an aptitude for logical thought. It consists of 4 volumes — each $11\frac{1}{2}$ " x $8\frac{1}{4}$ " — and serves as an introduction to the subject of digital electronics.

Contents include: Binary, octal and decimal number systems; conversion between number systems; AND, OR, NOR and NAND gates and inverters; Boolean algebra and truth tables; DeMorgan's Laws; design of logical circuits using NOR gates; R-S and J-K flip-flops; binary counters, shift registers and half-adders.

NO RISK GUARANTEE

There's absolutely no risk to you. If you're not completely satisfied with your courses, simply return them to GFN within 30 days. We'll send you a full refund, plus return postage.

TAX DEDUCTIBLE

In most cases, the full cost of GFN's courses can be a tax deductible expense.

PHONE ORDERS - FREE

To order by phone, call (603) 224-5580 with your credit card information. It won't cost you a dime, because we'll deduct the cost of your call from the price of the courses you order.

TO ORDER BY MAIL

You may use the order form below if you wish, but you don't need to. Just send your check or money order (payable to GFN Industries, Inc.) to the address below. If you don't use the order form, make sure your address is on your check or the envelope, and write "DDS" (Design of Digital Systems). "DCLE" (Digital Computer Logic & Electronics), or "both" (both courses) on your check.

There are no extras — no sales tax. And we pay all shipping costs.

We also accept company purchase orders.

AIR MAIL

The prices shown include surface mail postage anywhere in the world. Air mail postage costs an extra \$10 for both courses (10 volumes).

DISCOUNTS

Call or write for details of educational and quality discounts, and for dealer costs.

SAVE \$5

If you order both courses, you save \$5. Order at no obligation today.


GFN Industries, Inc. Order free by phone Bidg. 7-20 • Order free by phone 203 Loudon Road • Order free by phone • No sales tax • No sales tax • No shipping charges • No shipping charges • Money-back guarantee • Money-back guarantee III (603) 224-5580 to ber by phone - free. • Tax deductible • Save \$5 • CiTY/STATE/ZIP				To: GFN Industries, Inc., Bidg. 7-20, 203 Loudon Road, Concord, NH 03301
* Money-back guarantee NAME II (603) 224-5580 to * Tax deductible Jer by phone - free. * Save \$5 * Save \$5 CITY/STATE/ZIP	G F	Bldg. 7-20 203 Loudon Road Concord	Order free by phoneNo sales tax	sets of Design of Digital Systems
II (603) 224-5580 to * Tax deductible ADDRESS			* Money-back guarantee	
lays, 24 hours * Save \$5 CITY/STATE/ZIP			* Tax deductible	ADDD500
	days, 24 hou	rs	* Save \$5	CITY/STATE/ZIP

Circle 143 on inquiry card.

Ca or these 3 forces, by designing input functions that will sense them. I could have made one system that would sense force along a set of curved lines representing direction, and another that would sense force along a different set of curved lines crossing the first set: a coordinate system without any straight lines in it. This would result if the sensors were nonlinear, as we know they are. It would have made no difference, except for the fact that there would not have been a simple label like X force to assign as a meaning for the perceptual signals. It would still be possible to specify 3 reference signals and thus set the 3 perceptual signals to specific values, thereby creating a specific state of tension in all 3 tendons that would automatically resist disturbances. The way in which the external situation is represented is almost immaterial, as long as 3 reasonably independent perceptual functions are created. There is no coordinate system in the outside world. The behaving system makes up one of its own.

If there were sensors on each muscle to detect muscle length as well as force, we could add 3 more control systems at level 1, and 3 more independent aspects of the external world to control at level 2. In fact, there *are* muscle-length sensors, and I am working on several models that take them into account.

If you now imagine 500 to 800 muscles involved with at least twice as many level-1 control systems (length and force surely; rate of change highly likely), you will begin to perceive the richness of the world in which level-2 systems exist. Add to this the millions of sensors for heat. cold, vibration, joint angle, light, sound, taste, smell, hunger, pain, illness, angular acceleration, joint compression, and so on, and you might begin to glimpse the complexity of the real system we are modeling. Since perceptions that arise from sources other than direct effects of muscles exist in large numbers, there can clearly be far more level-2 systems than level-1 systems, although the number of level-2 systems that can



act independently at the same time is limited by the total number of comparators available at level 1.

Perhaps you can now see why this approach to a model of a human being (rudimentary is it is at this point) has some powerful implications for the building of robots. I suggest a formal distinction between a robot (an imitation of a living system) and an automaton (a device which automatically produces complex actions). An automaton is designed to create preselected movements; a robot is designed to control preselected perceptions (its own). In order for an automaton to produce precise and repeatable behavior, it must be built so strongly that normal disturbances cannot alter its movements, or it must be protected from disturbances that might interfere with its movements. In order for a robot to create, for itself, precise and repeatable perceptions (and thus precise and repeatable consequences of behavior), it need only perceive precisely, have a sufficiently high error sensitivity, and be capable of producing forces as large as the largest disturbances that might reasonably occur.

There is much more that can be said about the general relationship of one level of control to another, but this installment has raised enough points to ponder. To prepare for part 4, you should run this simulator and observe what happens to all of the variables in it. Try keeping the disturbance constant in magnitude and rotating its angle; try altering the muscle angles; change line 3 to use different error sensitivities (G(x)) and slowing factors (K(x)). Use the C command for longer iterations, and convince yourself that a steady state has really been reached. See what happens if the muscle tone isn't set high enough (there is a very good reason for muscle tone control). Do a series of iterations with slowly changing reference signals, and plot muscle tension against each reference signal. Get the feel of this small extract of the whole human hierarchy because in part 4 we will widen the field of view to include everything, and we will begin to look at some experiments with human subjects. These experiments will be noninvasive, nondestructive - more like video games than science - but far more useful than the games.



TRS-80 AT LAST! HIGH-QUALITY SOFTWARE AT MASS-PRODUCTION PRICES.

WORD PROCESSOR DOS & 16K \$39 Be selective! Avoid 'word processor' converted from another system. It is hard to load (an object program), and the worst is you cannot store your text file in disk. Our WORD-III is the first word processor specifically designed for TRS-80 that uses disk storage for text. Written in BASIC. No special hardware, no text size limit. Use for letters, manuals & reports.

MAILING LISTDOS & 16K\$35It lets you maintain data base and produce reports &
labels sorted in any field. 500 labels/disk. Random
access. 2-digit selection code used.

INVENTORY DOS & 16K \$39 While others use inefficient sequential file, we use 9digit alphanumeric key for fast on-line random access. Record has key, description, level, safety level, order amt., unit cost & price, annual usage, location and vendor code. Reports give order info, performance summary, etc.

KEY RANDOM-ACCESS UTIL DOS & 16K \$19 Lets you access a record by specifying a key. Features hashing, blocking, buffering technique, auto I/O error retry, etc.

DISKETTE DATA BASE DOS & 32K \$49 You can use it to maintain a data base & produce reports without any programming. Define fields, type, screen & report formats on-line. Almost use up all 32K.

ACCOUNT manage client accounts & account receivable. Remark fields for general use. Automatic billing & transaction recording. 32K req. DOS \$59.

SORT & LINKED-LIST ACCESS UTIL Lev. II Unlimited # of sort-keys. All data type. Link & unlink a record in a list. 4K. \$10 each or \$16 both.

CASSETTE WORD PROCESSOR Lev. II & 16K \$29 Level I or II cassette software:

data base manager, inventory 16K \$20 each check balance & stock security 4K \$10 each or \$15 both

Our competitors offer \$99 cassette word processor, \$90 sequential 'on-memory' inventory, inflexible mail system that does not produce report, 16K data base. Compare all these basic features first. If still not convinced, send \$1 and 2 self-addressed stamped envelopes.

> MICRO ARCHITECT 96 Dothan St. Arlington, MA 02174

Text continued from page 16:

Conditional Expressions

Clearly, the meaningful use of predicates and recognizers requires the existence of language constructs to modify the program flow. Such constructs are called *control structures*. One basic control unit in LISP is called the *conditional expression*. In M-LISP it is written:

 $[<p_1> \rightarrow <e_1>; <p_2> \rightarrow <e_2>;...t \rightarrow <e_n>]$

The meaning of such a conditional expression is as follows:

Each $\langle p_i \rangle$ is a predicate; the $\langle e_i \rangle$ s are arbitrary LISP expressions. We evaluate the $\langle p_i \rangle$ s from left to right, finding the first which evaluates to true. The value of the conditional expression is the value of the corresponding $\langle e_i \rangle$. If none of the $\langle p_i \rangle$ s are true, then the value of the conditional is $\langle e_n \rangle$. Notice that this last case is really forced upon us since the last predicate is the constant *t*. It is common to read *t* used in this context as "otherwise."

We extend our M-LISP to S-LISP mapping to include this new construct, mapping it to:

```
(COND \ (< predicate_1 > ^{\tau} < expression_1 > ^{\tau}) 
 (< predicate_2 > ^{\tau} < expression_2 > ^{\tau}) 
 ... 
 (T < expression_n > ^{\tau}))
```

The evaluation of a conditional expression is different from the technique we have used in previous LISP instructions. Previously we have insisted that we evaluate all of the operands in an instruction. In the conditional expression, we evaluate the minimal part of the conditional which gives us a true predicate; then we evaluate the corresponding expression.

For example: (COND ((ATOM 'A) 'FOO) (T 1)) gives value FOO, since (ATOM 'A) gives T. (COND ((ATOM '(A)) 'FOO) (T 1)) gives value 1 since (ATOM '(A)) gives NIL.

We have introduced all the instruments in the LISP orchestra. Now it's time to make some music.

The Factorial Function

Our first example is the venerable LISP program to compute the factorial function:

$$1 \text{ if } n \text{ is } 0$$

$$n! = n \times (n-1)! \text{ if } n \neq 0$$

We want to convert this description into a LISP algorithm. The "if" structure can be converted into a conditional expression, and we can name the new operation *fact*. We assume our LISP machine has such a multiplication operation named *times*; we also assume the existence of a simple subtract-by-one function, *sub1*. Here's the body of a factorial algorithm in M-LISP:

```
[eq[n;0] \rightarrow 1;
t \rightarrow times[n;fact[sub1[n]]]]
```

Notice the occurrence of the function name fact in the

The problem will solve itself before we get tired of reducing.

body; it is the name of the function we are defining, and somehow we must associate that name with the body. We symbolize that association using "< =". For example:

 $fact[n] < = [eq[n;0] \rightarrow 1;$ $t \rightarrow times[n;fact[sub1[n]]]]$

Here is its pretty-printed translation in S-LISP:

```
(DEF FACT (N) (COND ((EQ N 0) 1)
(T (TIMES N (FACT (SUB1 N)))))
```

The new ingredient in these definitions is the use of *recursion*. A typical recursive definition has several characteristics:

- The body of the definition should be a conditional expression. A definition like foo[x] < = baz[foo[bar[x]]] will cause nothing but grief. The conditional expression will contain two basic parts: the termination case and the general case(s).
- The termination case describes what to do when a primitive data structure is recognized. We consider the integers built from zero, using the successor function, *add1*. Therefore, our termination case in *FACT* involves recognition of 0, and terminates with value 1.
- The general cases involve "composite" data structures. We can decompose a positive (composite) integer down to zero by a sequence of subtract-byone operations. The essential idea is that reducing the complexity of the argument in a recursive call will thereby reduce the complexity of the problem. That's an old trick; what recursion says is that we can solve the original problem by reducing it to a simpler case of the same problem. If we persist, the problem will solve itself before we get tired of reducing; it's like dieting.

Recursive definition is similar to inductive description, like those we gave for defining lists or the M-LISP to S-LISP mapping. The techniques involved in finding the right inductive steps are similar to those involved in finding the right decomposition in a recursive definition. Recursive definition is a powerful descriptive technique; fortunately it can also be implemented as a very efficient computational mechanism.

Equal

For a further example, assume that we want to test the equality of two lists, where equality means that each element of two lists is identical and the order in which those elements occur is identical. The identity relation also extends to sub-elements of lists. For example:

> equal (A B C) (A B C) (A(B C)D) (A(B C)D) ()()

nonequal (A B C) (A B D) (A(B C)D) (A D(B C)) (A(B(C)D)) (A B C D)

Let EQUAL be an algorithm to compute this extended equality; it will be recursive. Regardless of the complexity of objects, all we need to do is find the right way to decompose them, and then pounce on the pieces. The decomposition operators we have for lists are *FIRST* and *REST*. We also have to stop the decomposition. In *FACT* we tested for the occurrence of zero; in *EQUAL* we test for the occurrence of an empty list, and since we are assuming that elements of a list may either be sublists or atoms, we need to test for the occurrence of an atom. Let's try the simplest case first, the empty list:

(DEF EQUAL (X Y)(COND ((NULL X) ...?)

What should we do? If x is empty, then we will only have equality if y is also empty, otherwise we will have an inequality:

Note that we embedded a conditional expression within a conditional expression. Note also that the interior conditional returns either *T* or *NIL*; but that's what we wanted



since EQUAL is to encode a predicate and T and NIL are our representations of the truth values t and f. Note too that we depend on the order dependence of the conditional evaluation; we won't test the (NULL Y) expression unless (NULL X) is true. We won't get to the "...?" condition unless (NULL X) is false.

We can still have x non-empty, and y empty; let's take care of that:

Now the "...?" has been reduced to the case that both lists are non-empty, and we can massage the pieces with *FIRST* and *REST*. We look at the *FIRST* pieces; if they're equal, then our decision on the equality of the original lists depends on the equality of the remainders (or *RESTs*) of the lists. If the *FIRSTs* are not equal, then we can stop immediately with a false indication. This analysis yields two cases: if the first elements are atomic, then use *EQ* to check their equality; otherwise use *EQUAL* itself on the first elements. Here we go:

```
(DEF EQUAL (X Y)
(COND ((NULL X)(COND ((NULL Y) T)
(T NIL))
((NULL Y) NIL)
((ATOM (FIRST X))
(COND ((ATOM (FIRST Y))(EQ X Y))
(T NIL)))
((ATOM Y) NIL)
((EQUAL (FIRST X)(FIRST Y))
(EQUAL (REST X)(REST Y)))
(T NIL))))
```

Reverse

So far our examples have been either numerical or

predicates. Predicates only require traversing existing lists; we will certainly want to write algorithms which build new lists. Consider the problem of writing a LISP algorithm to reverse a list x. There is a simple, informal computation: take elements from the front of x and put them onto the front of a new list y. Initially, y should be () and the process should terminate when x is empty.

For example, reversal of the list (A B C) would produce the sequence:

x	у
$(A \ B \ C)$	()
(B C)	(A)
(C)	(B A)
()	(C B A)

The *reverse* function will build the new list by concatenating the elements onto the second argument of *rev*':

$$\begin{aligned} reverse[x] &<= rev'[x;()] \\ rev'[x;y] &<= [null[x] \rightarrow y; \\ t \rightarrow rev'[rest[x]; \\ concat[first[x];y]]] \end{aligned}$$


Since y was initialized to () we are assured that the resulting construct will be a list.

We leave it to the reader to translate this algorithm into S-LISP.


Summary

Those of you who have already heard about LISP programming know that LISP's two major characteristics are: lots of parentheses, and strange function names like *car*, *cdr*, and *cadadr*. By now you should at least understand *why* the parentheses are used, if not totally understand why the representation is a benefit rather than a curse.

LISP's second characteristic is definitely a blemish. More to the point, it's a commentary on the state of LISP







programming, rather than the language. When we examine the very low level representation of LISP operations, we see that the primitive selection operations of LISP data structure can be described as selecting either the left or right branch of a binary graph. Car and cdr are these selection functions, and cadadr is an abbreviation for a composition of these operations. Since all LISP data structures (in our simple subset, remember) must ultimately be representable as combinations of atoms and binary graphs, then all algorithms must ultimately be expressible as manipulations of graph structure involving car, cdr, and a function to construct new graphs, cons.

Most LISP programs are constructed in just such a fashion. The result is unsatisfactory from at least two views. First, the programs become almost totally unreadable. Instead of couching the data structure abstractly in terms of the *concept*, recognizer: $is_dog[x]$; selectors: $left_eye[x]$, tail[x],...; and constructor(s): $make_dog[x_1;...x_n]$ —, the programmer performs the transformation mentally and gives us eq[cadr[x]; DOG], cadaddr[x], and cons[x; cons[z;y]...], which borders on gibberish. Neither the programmer nor a reader has much chance of remembering what is going on.

An equally serious problem is that this style of programming deeply intertwines conception and implementation. Given that a new representation of "dog-ness" is required, the programmer must search out all areas of program which use the arcane encoding and replace them *very carefully*.

Essentially there are two solutions to this problem. One solution is to require the programmer to spell out detailed rules for data structuring *a la* Pascal. Of course there's no reason to suppose that the programmer's ability to remain abstract will survive any better here. Indeed since Pascal really supplies "abstract *storage* structures" rather than "abstract *data* structures," along with the requisite verbiage of a typed language, there are reasons to believe that the programming process will suffer in the long run. The alternative is to supply the programmers with an exceptional programming tool and an understanding of abstraction, modularity and the power of their tool. It may be naive to believe that programmers can be self-disciplined, but the alternatives are not at all attractive.

The other LISP articles in this issue explore detailed examples of LISP applications. Throughout these articles a recurrent theme is the delicate balance between realistic abstraction and overspecification. One of the real wonders of LISP is that it allows you to work with ideas.

Traditionally, all LISP implementation problems have been dealt with in software. An exciting alternative is to build LISP machines in hardware, thereby raising the programming floor to a much more acceptable machine level than previously available. Several very healthy projects exist, from re-microcoded machines, through specially constructed hardware, to experiments with very large scale integration LISP devices. For those readers who are interested in more details, several of these efforts will be documented in an issue of the IEEE Transaction on Computers later in 1979. It is clear to me that LISP is only beginning to have an impact upon the computing community.

5-STAR EDITION for users of Radio Shack's TRS-80*

IRS-80 TRANSFORMED W FESSIONAL SOFTWARE PACKAGES Lifeboat Associates, specialists in microcomputer disk software,

with Manual Manual Alone AND MUCH MORE CP/M-operating system modified for use with TRS-80 computer and disks. In addition to the standard CP/M utilities of Editor. Assembler. Debugger etc...we have added: DCV2 (Util ity to convert system tapes to CP/M files.) DISKAS & CASDISK (Utilities to back up files to tape and recover to disk.) MOVER (Utilities to back up files with single drive systems) \$145/\$25

All items listed below operate in conjunction with the CPM operating system. MAC — 8080 Macro Assembler. Full Intel macro definitions. Pseudo Ops include RPC, IRP, REPT, TITLE. PAGE. and MACLIB. Z-80 library included. Produces Intel absolute hex output plus symbols file for use by SID (see below) \$100/\$15

printer DESPOOL — Program to permit simultaneous printing of Data from disk while user executes another program from the \$50/\$1

console Disk Extended BASIC — Version 5, ANSI compatible with long variable names, WHILE/WEND, chaining, variable length ille records

BASIC Compiler — Language compatible with Version 5 BASIC Compiler — Language compatible with Version 5 Microsoft interpreter and 3-10 times faster execution. Pro-duces standard Microsoft relocatable binary output. Includes Macro-80. Also linkable to FORTRAN-80 or COBOL-80 code machulae

FORTRAN-80 — ANSI '66 (except for COMPLEX) plus many extensions, Includes relocatable object complier, linking loader, fibrary with manager. Also includes MACRO-80 (see particular) \$400/\$25 below) COBOL-80 — ANSI 74 Relocatable object output. Format Same as FORTRAN-80 and MACRO-80 modules. Complete same as FORTRAN-80 and MACRO-80 modules. Complete SAM. interactive ACCEPT/DISPLAY, COPY. EXTEND ISAM. interactive ACCEPT/DISPLAY, COPY.

MACRO-80 — 8080/Z80 Macro Assembler. Intel and Zlog mnemonics supported. Relocatable linkable output. Loader, Library Manager and Cross Reference List utilities included \$149/\$15

POREO. File Compare utility included PAYROLL SYSTEM — Maintains employee master file. Computes payroll withholding for FICA. Federal and State taxes. Prints payroll register, checks, quarterly reports and W-2 forms. Can generate ad hoc reports and employee form letters with mail labels. Requires CBASIC. Supplied in source code. \$505/\$35

5605/\$35 APARTMENT MANAGEMENT SYSTEM — Financial management system for receipts and security deposits of apartment projects. Captures data on vacancies, revenues, let. for annual trend analysis. Daily report shows late rents. vacancy notices, vacancies, income lost through vacancies, etc. Requires CBASIC. Supplied in source code. 5605/\$35 etc. Requires CBASIC. Supplied in source code. 5605/\$35 etc. Requires CBASIC. Supplied in source code. **5003/335** INVENTORY SYSTEM — Captures stock levels, costs. Sources, sales, ages, turnover, markup, etc. Transaction in-sources, sales, date of sale, etc. Reports available both for accounting sale, date of sale, etc. Reports available both for accounting and decision making. Requires CBASIC. Supplied in source **505/335** code.

Code. CASH REGISTER — Maintains files on dally sales. Files data by sales person and item. Tracks sales, overrings, re-funds, payouts and total net deposits. Requires CBASIC Supplied in source code Supplied in source code

CBASIC-2 Disk Extended BASIC — Non-interactive BASIC with pseudo-code compiler and runtime interpreter. Supports full tile control, chaining, integer and extended precision var-tables etc.

Flippy Disk Kit — Template and instructions to modify sin-gle sided 5% diskettes for use of second side in singled sided drives

Q2 Level III BASIC by Microsoft

Powerful extensions to Level II BASIC including 10 machine language user calls, long error messages, keyboard de-bounce, graphics commands and much more. Price includes User Manual, a Quick-Reference Card and a pre programmed cascetie tane

Radio Shack and TRS-80 are trademarks of Tandy Corporation.

is proud to offer the first professional disk-based language and utility package for the Radio Shack TRS-80 computer. Written by Microsoft, creators of Level II BASIC, the package runs on a TRS-80 system with 32K RAM, one or more drives and TRSDOS. The software is supplied on diskettes and consists of: SUBROUTINE LIBRARY a complete library of subroutines existing as relocatable

FORTRAN a true relocatable machine code compiler for ANSI FORTRAN X3.9 (except COMPLEX variables).

MACRO ASSEMBLER a disk-based macro assembler utilizing Zilog mnemonics and producing relocatable code.

LINKING LOADER to link-edit and load FORTRAN and assembler modules for execution.

This high-powered professional software package with full documentation is available at the PER COMPUTER SYSTEM DISCOUNT PRICE OF S

Li 2

The Macro Assembler, Loader, Editor, and Cross **Reference** Utilities alone

\$**8**()

The Fortran Compiler, Loader, Editor, and extensive library of scientific functions alone

linkable modules for FORTRAN or assembler

programs-e.g., double precision square

DISK TEXT EDITOR to create and

modify FORTRAN and assembler programs

as disk files: also can be used as a general purpose text editor for correspondence

root, natural log, transcendentals, etc.

and other documents.

5-STAN CULLION for users of Radio Shack's TRS-80*

Lifeboat Associates	
SOFTWARE	
SOFTWARE SUPER- MARKET	
	1000

2248 Broadway, New York, N.Y. Telex: 668-585 (212) 580-0082

boat Associates 8 Broadway w York, N.Y. 10024	Telex:	668-58
se send the following: Software		Price
	alone	
	alone	
Check UPS C.O.D.	shipping	
Check DUPS C.O.D. Visa MasterCharge	\$1. for C.O.D.	
	Total	
ccount #	Exp.1	Date
Signature		
My computer configuration (specify disk system)		
Name		
Address (No P.O. Box)		Zip
City	State	Zip

MINIMAX. THE COMPUTER TH

No microcomputer in the world can match Minimax incredible feature for incredible feature.


Simply stated. Minimax is the most advanced, least expensive computer ever created.

NEVER BEFORE HAVE THESE FEATURES BEEN AVAILABLE ON A MICROCOMPUTER AT ANY PRICE – LET ALONE \$4495.

More Memory. Minimax comes in two sizes. Both with 108,544 bytes of semiconductor internal memory.

In addition, the Minimax I has an external storage capacity of 800k while the Minimax II features an enormous 2.4 megabytes of on-line disk storage. It's the most memory for the least money.

More Speed. Minimax's speedy 15.000 character per second data transfer rate is substantially faster than any other microcomputer.



Split screen combination of character and graphic information.

More Graphic Resolution. Minimax's screen has the highest resolution graphics of any microcomputer. 122,880 (240x512) individual points, each program addressable.

More Screen Capabilities. Minimax offers the most advanced full screen

data entry and editing capabilities of any microcomputer. They include word or character insertion or deletion, split screen modes, individual field editing and automatic skip to next field.

More Programability. Minimax features exceptionally advanced software development tools. The CPU comes complete with 64 user definable opcodes and ROM resident software. Plus Microsoft BASIC, PLM, DOS operating system, FIFTH language interpreter, a machine language monitor with Tiny Assembler, Disassembler, Dump Facility and Debugging Aid.

More Applications Software.

Minimax's superior software selection allows you to perform most of the common data manipulation, accounts receivable, accounts payable, general ledger, inventory, payroll and software development functions with-




AT OUTCOMPUTERS THEM ALL.

out expensive or time consuming programming.

YOU GET 2.4 MEGABYTES WITHOUT TAKING A BIG BITE OUT OF YOUR BUDGET.

At \$4,495 for the 800k Minimax I and \$5.995 for the 2.4M Minimax II. it is not only incomparable feature for feature, but dollar for dollar as well.

While these prices do not include a printer, a wide range of character, high speed and word processing printers are available.



High resolution graphics for original design development.

THERE'S MORE INSIDE A SINGLE MINIMAX THAN MOST COMPUTERS TWICE ITS SIZE AND FOUR TIMES ITS PRICE.

Minimax's remarkable sophistication also makes it remarkably versatile for business, scientific or engineering applications.

For business, everything from payroll checks to accounting ledgers can be instantly processed, printed and filed.

Engineers, architects and scientists can use the high resolution graphics as a visual research and planning tool.

Because of its comprehensive software capabilities, software engineers can develop finished programs for other microcomputers or the most sophisticated mainframes.

PEOPLE CALL IT INCREDIBLE. WE CALL IT MINIMAX.

There has never been so much capacity, flexibility and sophistication built into a computer so affordable.

To obtain the complete Minimax story – including ordering informa-

A JACKSON 1256 BIN AVE A 1256 BIN AVE A 125	et ez california
12/15/75	
++ SALARY INCREA	SE HISTORY ++
96/21/76 18:80/78 19:00/11/77	12345.00 13445.00 12455.00

Complete business software packages.


tion – please send the reader service card or contact us directly.

The more you know about Minimax, the more incredible it becomes.

WHAT MAKES ONE COMPUTER BETTER THAN ANOTHER MAKES MINIMAX THE BEST.

MINIMAX

Developed and Manufactured by COMPU/THINK[™] 3260 Alpine Road, Menio Park, CA 94025 (415) 854-2577



JOHN D. OWENS ASSOCIATES, INC. 12 SCHUBERT STREET (new address) STATEN ISLAND, NEW YORK 10305

WE ARE KNOWN FOR OUR PROMPT, COURTEOUS SERVICE

TELETYPE MODEL 43

4320 AAA (TTL interface) \$985
4320 AAK (RS232 interface) \$1,085
with transformer to operate on 50Hz, 220v, installed inside cabinet add \$50
We stock paper and ribbon for the Teletype Model 43

DEC LA 34

Low cost, convenient desk-top design. Feels and operates like a typewriter. 128 ASCII character set. Switch selectable 110 and 300 baud rates. 30 cps. Adjustable character widths and line spacing. Attractivé 9 x 7 dot matrix. Includes RS232 interface \$1,159

HAZELTINE

1500 (assembled only) \$945	
1510 \$1,085	
1520 \$1,425	
with 50Hz, 220v current adaptation add \$100	
also available with Danish, German or French character sets add \$60	

INTERTUBE SUPER BRAIN \$2,885

DUAL Z80, dual floppy, double density, 64K RAM 4Mhz., CP/M, FORTRAN, COBOL, BASIC, Assembler Language. Contained in Intertube II.

	\$800
Smart terminal for intelligent users. Switch selectable 50 Hz o	ption at no extra cost. With
220v transformer. Installed	add \$100

MARINCHIP SYSTEMS M9900 CPU - S-100 COMPATIBLE

Network operating system, PASCAL, Extended precision commercial BASIC, FORTH,
META and applications package. Complete kit and DISCEX software \$550
Assembled
We configure systems to meet your budget and your needs. Hard Disk interface (with
software) available.

IMS MEMORY, 16K Fully static, 250 ns	\$346
--------------------------------------	-------

TEI S-100 MAINFRAMES

12 slot — MCS 112 \$4	
22 slot — MCS 122 \$5.	
These mainframes are completely assembled, tested and contain everything require	ed
for plug-in operation.	

KONAN HARD DISK CONTROLLER	\$1,550
S-100 compatible, plugs into S-100 mainframe. Controls 1-4 disk drives.	

FUJITSU HARD DISK	\$5,700
50 megabytes of unformatted data in a single, removable cartridge.	

PER SCI FLOPPY DISK DRIVES

299 DUAL DISK, 2 Sided	\$1,495
277 DUAL DISK, Single Sided	\$1,210
1170 CONTROLLER, Single/Double Density	\$1,015
2142 CABINET & POWER SUPPLY for 277	\$300
2149 CABINET & POWER SUPPLY for 299	

TO ORDER: We ship within 24 hours after receipt of certified check, money order or cashiers check. Credit cards: add 4%. Personal checks: allow ten days. \$12 shipping for terminals. \$3 for memories, and modem. New York residents include sales tax. — WE EXPORT TO ALL COUNTRIES —

- OVERSEAS CALLERS USE (212) 448-6298 ONLY -

JOHN D. OWENS ASSOCIATES, INC. 12 SCHUBERT STREET (new address) STATEN ISLAND, NEW YORK 10305 - DAY, EVENING, WEEKEND, HOLIDAY CALLS WELCOME!---WE HAVE NO READER INQUIRY NUMBER, PLEASE CALL OR WRITE. (212) 448-6283 (212)448-6298

Technical Forum

Permutation Bibliography

Eduardo Kellerman IBM Endicott NY 13760

In the article "Solving the Eight Queens Problem" (October 1978 BYTE, page 122) Terry Smith asked readers for information on algorithms for generating permutations. In April 1975, I compiled the following bibliography on the subject (I have not updated it since then). I think some readers may find it useful.

I Generation of Permutations

Mark B Wells, "Generation of Permutations by Transposition," *Mathematics of Computation*, volume 15, 1961.

Frank Harary, "Permutations with Restricted Position," *Mathematics of Computation*, volume 16, 1962.

J R Howell, "Generation of Permutations by Addition," *Mathematics of Computation*, volume 16, 1962.

Selmer M Johnson, "Generation of Permutations by Adjacent Transposition," *Mathematics of Computation*, volume XVII, number 83, July 1963.

D H Lehmer, "The Machine Tools of Combinatorics" in *Applied Combinatorial Mathematics*, edited by E F Beckenbach, John Wiley and Sons Inc, New York.

G G Langdon Jr, "An Algorithm for Generating Permutations," *Communications of the ACM*, volume 10, number 5, May 1967.

M Renaud and S Regnier, "Programme de Permutations," *Revue Francaise d' Informatique et de Recherche Operationell*, May-June 1967.

D Pager, "A Number System for the Permutations," *Communications of the ACM*, volume 13, number 3, March 1970. E Kellerman, "Method for Generating Permutations," *IBM Technical Disclosure Bulletin*, volume 13, number 8, January 1971.

Kazuaki Harada, "Generation of Rosary Permutations Expressed in Hamiltonian Circuits," *Communications of the ACM*, volume 14, number 6, June 1971.

B R Heap, "Permutations by Interchanges," source unknown.

D J Lorch, "Permutations of N out of M," personal communication, July 18 1972.

Ronald C Read, "A Note on the Generation of Rosary Permutations," *Communications of the ACM*, volume 15, number 8, August 1972.

C T Fike, "A Permutation Generation Method," *IBM Technical Report TR73.002*, Systems Research Institute, New York.

Mohit Kumar Roy, "Reflection-Free Permutations, Rosary Permutations, and Adjacent Transposition Algorithms," *Communications of the ACM*, volume 16, number 5, May 1973.

R A Davis, "Permutation of Bits in a Bit String," *IBM Technical Disclosure Bulletin*, volume 16, number 5, October 1973.

E Kellerman and D J Lorch, "Generation of Permutations and an APL Implementation," *IBM Technical Disclosure Bulletin*, volume 15, number 5, October 1972.

M M Halpern, "Permutations," Proceedings of the Fifth International APL Users Conference, May 15 thru 18 1973 (Canadian Printco Limited).

B M Zlotnik, "An Algorithm of Permutation Enumeration," *Avtomatika i Vychislitel'naya Teknika*, number 2, 62, 1972.

S Even, *Algorithmic Combinatorics*, Macmillan, New York, 1973, pages 2 thru 11.

C K Wong and D Coppersmith, "The Generation of Permutations in Magnetic Bubble Memories," *IBM Technical Report RC5174*, IBM Research, December 1974, Yorktown Heights, New York.

B M Zlotnik and V S Kogan, "A Method of Transforming Permutation n!-Codes," Avtomatika i Telemekhanika, number 1, January 1975, pages 139 thru 142. E W Stacy, "Exact Evaluation of Determinants Via Permutation Arrays," *IBM Technical Disclosure Bulletin*, volume 18, number 9, February 1976.

F M lves, "Permutation Enumeration: Four New Permutation Algorithms," *Communications of the ACM*, volume 19, number 2, February 1976.

Nachum Dershowitz, "A Simplified Loopfree Algorithm for Generating Permutations," *BIT 15* 1975, pages 158 thru 164.

Algorithms in the Communications of the ACM: 71, 86, 87, 102, 115, 202, 235, 242, 250, 306, 307, 308, 317, 323, 362, 383.

Algorithms in the Computer Journal: 6, 27, 28, 30.

Technical Forum is a feature intended as an interactive dialog on the technology of personal computing. The subject matter is open-ended, and the intent is to foster discussion and communication among readers of BYTE. We ask that all correspondents supply their full names and addresses to be printed with their commentaries. We also ask that correspondents supply their telephone numbers.





TI Has Faster Solutions

Marvin A Larson, 345 Birchwood Dr, Moraga CA 94556

Before reading Mr Arp's article, "The Power of the HP-67 Programmable Calculator, Part 2" (April 1979 BYTE, page 176), I was under the impression that the Hewlett-Packard HP-67 and the Texas Instruments TI59 programmable calculators were about equal in function, utility, and calculating power. Both are "top of the line" although the HP-67 costs about 70% more than the TI59.

The procedures used by Mr Arp in writing his simultaneous equations program can be applied, with minor reprogramming, to the TI59. The resulting program would then be capable of solving 29 simultaneous equations in 29 unknowns, as opposed to 9 equations in 9 unknowns with the HP-67.

The TI59 can use up to 100 data storage registers, compared to 26 registers for the HP-67. It can read/write data from/to magnetic cards in banks of 30 values. Each card can thus contain the 29 coefficients and one constant term for one complete row of the solution array.

The Library Module supplied with the TI59 contains a program for solving simultaneous equations which will solve up to 8 equations with 8 unknowns, as compared to 4 equations with 4 unknowns for the HP-67.

Mr Arp did not tell us how much time is required to solve the set of 9 equations given in his listing 4 (page 186), or the resultant accuracy of the solution. It appears to involve one hundred or more read/write operations from/to magnetic cards, a considerable amount of external manual bookkeeping to keep track of the cards, hand copying of coefficients, and the like. My guess is that solution time is about 90 minutes, provided the wrong card does not slip in. With regards to accuracy, Mr Arp gives his solution results with 6 digit values, but does not state the closure error on back substitution in the original equations.

For comparison, I tried the library program in the

TI59. To reduce the problem to eight equations instead of nine, I deleted cell 9 in figure 1 (page 180). This has the effect of deleting the ninth coefficient of the first eight equations and the entire ninth equation of table 1 (page 180).

This was my first experience with using the TI59 to solve simultaneous equations, so I read the instructions carefully. Then I timed the operation. From the beginning at the start of data entry, to the end after all eight unknowns had been copied down, the procedure took just 13 minutes.

All answers came out as 10 digit numbers. On back substitution all equations closed out with a maximum error of 4.6E-9 and a mean absolute error of 2.2E-9. Most of the functions and operations on Mr Arp's "wish list" are already available on the TI59. He would be well advised to check out the TI59.


Incidentally, Texas Instruments software isn't always quite as good as its hardware. The TI59 has sufficient computing capacity to solve 10 simultaneous equations in 10 unknowns with the program entered from magnetic cards, and 11 equations in 11 unknowns with the program resident in a library module. This is with a full set of equations with non-zero values for all coefficients.

6809 Commentaries, Continued... Don't Be So Superficial!

Jim Howell, 5472 Playa Del Rey, San Jose CA 95123

I would like to correct some statements made by David Kemp concerning the 6809 microprocessor in "Compare New Microprocessors Carefully" (Technical Forum, May 1979 BYTE, page 213).

The 6809 has several more 16 bit instructions than those mentioned by Mr Kemp (ADDD, SUBD, and CMPD). The CMPX, CMPY, CMPS, and CMPU instructions compare the X, Y, S, or U register with (up to) 16 bits of data. The ABX instruction adds B (8 bits, unsigned) to X (16 bits) putting the 16 bit result into X.



The major 16 bit arithmetic instruction of the 6809. however, is the Load Effective Address instruction. This instruction is actually four instructions: LEAX, LEAY, LEAS, and LEAU, depending on which register gets the result of the arithmetic. This instruction computes an address in the same way as the indexed addressing mode, but puts the resulting address into a register (X, Y, S, or U). Load Effective Address adds any one of the registers X, Y, S, U, or PC to any of the following: a signed immediate value (5, 8, or 16 bits), the sign-extended A or B register, or the D register (A and B together as a 16 bit register), and puts the result in any of X, Y, S, or U - not necessarily the same as the source register. The PC (program center) can actually be the destination for such a calculation using the branch instruction with the indexed addressing mode. I think Mr Kemp is exaggerating when he states that the user pays "heavily" for the generality of being able to transfer (or exchange) any register with any (like-sized) register. The designers of the 6809 included instructions to transfer and exchange between any pair of the four 8 bit registers A, B, DP (direct page), and CC (condition code), and between any pair of the six 16 bit registers X, Y, S, U, D, and PC. Excluding transfers or exchanges of a register with itself, this gives 42 different transfers and 21 different exchanges. (TFR A, B and TFR B,A are different but EXG A,B and EXG B,A are the same.) Each of these is a 2 byte instruction, the first byte specifying transfer or exchange, and the second byte specifying those registers which are involved. It would have been possible to provide a (small) subset of these transfers and exchanges as 1 byte opcodes at the expense of making some other instructions longer. Transfers and exchanges not provided for in this scheme would take at least two instructions and two bytes (probably three of each for exchange) and would operate more slowly than the 2 byte transfer or exchange. If some transfers and exchanges are allowed and others are not, the assembly language programmer also has to remember which ones these are. Either scheme of register transfers and exchanges would have been possible, but since these instructions are not that common in programs (falling into the "11.3% other" category), I think the designers of the 6809 made the better choice.

I cannot comment much on the 6516 mentioned by Mr Kemp, since my knowledge of that processor is limited to what he wrote in his letter. (Are you sure that's an 8 bit processor?) The comparison of number of cycles, used in the letter, is valid only if the cycle times of the two processors are the same (or are related in a known ratio). In any event, comparing cycle times of some isolated instructions does not necessarily indicate the relative speeds of the two processors on real programs. The 6516 may have 16 bit AND, OR, and XOR instructions, but how often would these be used? As for Mr Kemp's comment that the 6809 "costs more" (more than other 8 bit processors?) because it uses a larger piece of silicon and has more logic gates than other 8 bit processors, how much will a \$20 difference in microprocessor cost make in the final product cost? Besides, doesn't the 6516 "suffer" from this same cost problem?

6809 Commentaries, continued

Richard F Serge, 655 Lewisville-Vienna Road, Lewisville NC 27023


Never, until now, have I been compelled to respond to any magazine article I have read. I refer to David Kemp's commentary "Compare New Processors Carefully" (May 1979 BYTE, page 213).

As a designer of microprocessor systems I have followed the instructions in the title of Mr Kemp's article with great care. In comparing the 6809 with other processors in its performance range, it may take an hour or so of comparing data sheets to get a feel for the typical hardware required, the addressing modes available, the relative execution times, and the number of bytes required for the more common instructions. To stop at this point and decide which is "best" is the equivalent of flipping a coin. At this point several passes through the programming manuals are required, along with a study of any other literature pertaining to the processors in question.

Only after a designer has a thorough understanding of the processors' instruction set and addressing modes, and how to efficiently utilize these features, can the task of careful comparison begin. Recalling past design projects



²⁹⁶⁷ W. Fairmount Avenue • Phoenix, AZ 85017 • (602) 265-7564




and how they could have been implemented on the processors being compared is an excellent way to make a fair comparison (not just one or two projects, but several). The real test is laying out \$30 K for a couple of development systems and actually doing it, but....

The procedure which I have outlined is more of a study than a comparison. It takes a long time, and a concentrated effort to be fair right up to the end.

Although I disagree with most of Mr Kemp's article, I take special issue with the light regard he appears to have concerning the multitude of various addressing modes offered by the '09. The difference between having and not having just one of these modes can very easily alter the entire design of a software package, making the execution times of even most instructions seem like trivia compared to what can be saved. Being able to write recursive, position independent code with the '09 should also weigh heavily in any comparison being attempted with the '09.

There is another point I would like to clarify. Mr Kemp states that "many 6809 instructions require 4 bytes to specify." Many readers may have gone away thinking "most," rather than "a few," since no further explanation followed. Motorola says that they chose these 4 byte instructions as some of the lesser used op codes, and I find that these 4 byte instructions occur about once per page of assembly listing (typically 50 lines of code). The vast majority are 2 bytes.

I have been designing with the 6809 (a real part) since mid-March 1979. The reason: it is the most powerful 8 bit MOS microprocessor. And I do not work for Motorola.



Ready to Make Your Own Magic

inouncement I. The first eight Personal ograms^{ee} from Aladdin Automation are aiting for you now at your neighborhood imputer retailer or direct from Aladdin.

by you can get your full share of Aladdin agic in every one of these Personal ograms^{ee}:

ath-Ter-Mind[®] A delightful. educational learning experience for your pre-school child. Watch e smile on your child's face as a correct iswer makes the mathematician smile on the reen before you. A nursery song also serves a reward for learning elementary addition id subtraction. With Aladdin's Math-Terind[®] your child's pathway to learning will be n-filled . . . for both of you. Math-Ter-Mind[®]. te furst release from the Aladdin Education[®] aries. (nursery song currently available only h Apple II[®] program)

unar Lander In a controlled descent, you're just seconds away from your first landing on the cold. rbidding surface of the moon. As you avigate your delicate spacecraft downward to e safety of Moonbase, you must be ever atchful of the dangers rising to meet you with ich passing moment: a fuel level fast proaching zero; deadly meteor showers that ome from any direction, at any time; sheerced rock cliffs and rough terrain; choosing e correct landing pattern and rate of descent. addin's Lunar Lander. Your chance to reach ut and touch the stars . . . without leaving the fety and comfort of your own chair. The first lease from the Aladdin Simulation® Series.

raps All eyes in the casino are on you. The dice are in your hands. Lady Luck sits at your shoulder, whispering . . . 'Just one more time. Try your luck just one more time.' You throw . . . and watch the dice tumbling on the screen. With Aladdin's Craps you play against the computer, so it's awfully tough to win. But when you do, it's an experience you're likely never to forget. Craps. An exciting, heartpounding Personal Program[®]. The first release from the Aladdin Las Vegas[®] Series.

astermind A challenging game of intrigue, centuries old, that will give you full chance to test your powers of logic, deduction and reason. And test them you will, as you try and solve the computer's puzzle, using clues as they're provided one-by-one. You control the degree of difficulty in this classic Personal Program[®] that offers one simple, yet all-consuming challenge: beat the Mastermind in a direct, one-on-one battle of wits. Aladdin's Mastermind. The first release from the Aladdin Old Favorites[®] Series.

ic-Tac-Toe Five different levels of difficulty allow a person of any age or skill to take part in this relaxing, enjoyable game that can act as a learning tool, as well. Level I, for example, is suitable for children and is excellent also for teaching simple mathematics. The computer plays just about perfectly at Level V. Just about, that is, so go ahead and take your best shot. See if you can beat the computer in this traditional favorite of young and old alike. Tic-Tac-Toe. Another first release from the Aladdin Old Favorites[®] Series. ungle Island[®] Shipwrecked in a raging storm at sea, miraculously you survive only to find yourself stranded on a seemingly deserted jungle island. Without food, water or supplies of any kind, you begin to try and find your way to safety. The computer will be your eyes and ears as you explore your jungle island and all the mysteries and dangers that lie in wait for you. Jungle Island[®]. A captivating first release from the Aladdin Adventure[®] Series.

S tix[©] Aladdin's Stix[®] can be played with 2 to 5 piles of sticks and between 1 and 19 sticks in each pile. The object: to be the one to pick up the last stick. Sounds simple? Yes. but you're playing against the computer. Take heart. though, because you can control the degree of difficulty in this update of the ancient game of Nim. Stix[®]. Another first release from the Aladdin Old Favorites[®] Series.

S uper Pro Football[®] Here's your chance to be more than just an armchair quarterback. With Aladdin's Super Pro Football[®] you can replay any Super Bowl game, from the first, between Green Bay and Oakland, to last year's classic victory by Pittsburgh over Dallas. For once you can turn back the clock and go for that one big play that made the difference between victory and defeat in pro football's biggest game of all. Super Pro Football[®]. The first exciting release from the Aladdin Super Pro[®] Series.

Visit your neighborhood computer retailer or contact Aladdin direct to get your full share of the magic in Announcement 1, the first eight Personal Programs[®] from Aladdin Automation.



ath-Ter-Mind®

Lunar Lander Craps

Mastermind

Tic-Tac-Toe

Jungle Island^e

Stix®

Super Pro Football®

felcome to the All-New World of laddin. And Get Ready to lake Your Own Magic



Design and copy by Campbell Marsh Graphic Communications

pyright 1978 by Aladdin Automation

The Design of an M6800 LISP Interpreter

S Tucker Taft Harvard University Science Center 1 Oxford St Cambridge MA 02138

The primary data structure is the list.

Anyone exposed to small computer systems has used a language interpreter of some sort, and certainly may have thought about implementing their own interpreter. Unhappily, implementing an interpreter for a complete version of most computer languages is a difficult and time-consuming job, unsuitable for a part-time personal computer enthusiast. The language LISP provides a unique opportunity in this respect. The foundation for a very complete interpreter can be programmed by a single person in several months of part-time effort. As a bonus, the resulting interpreter provides the user with a high level language in which to express algorithms.

The Language

From the user's point of view, the primary data structure in LISP is the *list*. Every element of a list is either an *atom* or another list. An atom is a primitive named object, the name being an arbitrary string of characters:

ABC is an atom.

135 is an atom.

(ABC 135) is a list of two elements, both atoms. ((ABC 135) XYZ) is a list of two elements, the first of which is a list, the second is an atom.

(()) is a list of two elements, both being lists of zero elements. A list of zero elements, the *null* list, is identified with the atom NIL.

The feature of the language LISP which makes it at the same time a uniquely interesting language, and relatively

About the Author

easy to implement, is that all program elements are represented using these same kinds of objects: atoms and list. Constants, variables, expressions, conditionals, even function definitions are all represented using only atoms and lists.

A value is associated with each atom, allowing atoms to represent program variables and constants. A symbolic atom, like XYZ, would represent a variable. A numeric atom, like 237, would represent a constant.

Operations on variables and constants, like addition, or a function call, are represented by list expressions:

(ADD 2 5) would represent the expression 2 + 5. (SIN (MUL 2 Y)) would represent the expression sin(2y).

Conditionals, loops, and function definitions are also represented by list expressions, as illustrated by this recursive function implementing Euclid's greatest common divisor algorithm:

```
(DEF GCD (LAMBDA (X Y)
(COND
((GREATER X Y) (GCD (SUB X Y) Y))
((GREATER Y X) (GCD X (SUB Y X)))
(T X)
)
```

This would be equivalent to the Pascal program:

```
function gcd(x, y:integer):integer
begin
if x > y then gcd := gcd(x-y, y)
else
if y > x then gcd := gcd(x, y-x)
else
gcd := x
end.
```


An important difference to note in the above comparison is that no explicit assignment to a function return value is made in LISP, whereas in Pascal one must explicitly say $gcd := \dots$ to specify the return value. In Pascal, and most other *procedural* languages, a distinction is made between program statements and expressions. In such languages some program statement must be

Tucker Taft first programmed a computer in 9th grade. He spent the following summers at various programming jobs until he graduated fromHarvard in 1975 with a degree in chemistry. Since his graduation, Tucker has spent two years as the full-time systems programmer for Harvard's Student Timesharing System, combined with teaching some introductory computer courses at Harvard.

Tucker is now starting a microcomputer software consulting business based on a multilanguage compiler being written in LISP. In what is left of his free time, he is found on a squash or tennis court, in a Cambridge coffee shop, in a bookstore, or in a Chinese restaurant.

ONE PACKAGE DOES IT ALL

Includes these Application Programs Sales Activity, Inventory, Payables, Receivables, Check/Expense Register, Library Functions, Mailing Labels, Appointments, Client/Patient Records



RANDOM, MULTI-KEY RECORD RETRIEVAL under CP/M, CDOS, IMDOS, ADOS ...

SELECTOR III ALLOWS INSTANT RECALL OF ANY RECORD USING ANY IN-FORMATION ITEM IN THE RECORD. That statement deserves re-reading, because that ability makes SELECTOR III the most powerful Date Base Management System in microcomputers today!

With **SELECTOR III** you can...

• define a record format, assign retrieval keys, and begin entering data in minutes.

• create sorted pointers to records matching your specif or range of requirements.

• automatically generate reports with control-break summaries and unlimited variety.

• bring an application online in hours instead of months.

SELECTOR III comes complete with eight application programs that perform the tasks listed at top of page. And, since it's distributed in source code form, you can easily add subroutines to do specific computations or file updates.

SELECTOR III runs under CBASIC Vers. 1 or 2, and is priced at \$295. SELECTOR III-C2 is dedicated to Vers. 2 only, runs about twice as fast, and costs \$345.

Both systems are available in a variety of CP/M, diskette size and density formats including IBM 8"; North Star; Micropolis; TRS-80; Processor Tech Helios II; Altair; iCOM; Dynabyte; Imsai; and others.



Circle 213 on inquiry card.

(A B C) IS BUILT UP OUT OF THREE DOTTED PAIRS




Figure 1: In most LISP systems, lists are built up out of dotted pairs which are two address cells. The left cell points to the first element of a list, and the right cell points to the rest of the list. The letters in the figure stand for atoms. NIL is a special atom used to signify the end of a chain of dotted pairs.

executed to specify the return value, usually either a return statement or an assignment to the function name. In LISP, and other applicative languages, no such distinction is made. A function is simply a single expression, whose value is the return value of the subprogram.

This is made possible by built-in functions like COND used above. COND takes a list of two element lists as argument. It goes down the list of pairs, evaluating the first element of each pair. If the result is true (the atom T), the result of the entire COND is the value of the second element of the pair. If the value of the first element

of the pair is false (the atom NIL), COND proceeds to the next pair. If COND reaches the end of the list, the result of the entire COND is simply NIL. In the above example this would never happen because the first element of the last pair is the atom T (whose value is always guaranteed to be itself, the atom T). This is the normal technique in LISP for using the COND function.

The expression:

(DEF GCD (LAMBDA (X Y)...

defines the atom GCD to be a function (or lambda expression) taking two arguments, to be called X and Y in the body of the definition. Notice that no explicit specification of the type of X or Y is provided. In LISP any arbitrary value, atom, or list may be the value associated with an atom. In this sense LISP is a typeless language. In fact the type of a value (ie: whether it is an atom or a list) is always determinable at execution time. Functions must check the types of the values of atoms if only certain types are legal arguments. In the above example the calls on GREATER and SUB would fail if the values associated with X and Y were not numeric atoms.

CARs and CDRs

Thus far we have only shown how to re-express algorithms written in a more conventional language, in the language LISP. The real power of LISP comes from its ability to directly manipulate lists, a data type not normally accessible in other languages. Three primitives, CAR, CDR (pronounced could-er), and CONS are pro-

Our MacroFlop oes twice the ior \$6

NCROPOLY

Introducing the Micropolis MacroFloppy™:1041 and :1042 disk drive sub-systems. For the S-100/8080/Z-80 bus. Packing 100% more capacity into a 5%-inch floppy disk than anyone else. 143K bytes, to be exact. For as little as \$695

The MacroFloppy:1041 comes with the Micropolis Mod I floppy packaged inside a protective enclosure (without power supply). And includes an S-100 controller. Interconnect cable. Micropolis BASIC User's Manual. A diskette containing Micropolis BASIC, and a compatible DOS with assembler and editor. The :1041 is even designed to be used either on your desk top, or to be integrated right into your S-100 chassis.

The MacroFloppy:1042 comes with everything the :1041 has, and more. Such as d.c. regulators, its own line voltage power supply, and, to top it off, a striking cover. Making it look right at home just about anywhere.

Both MacroFloppy systems are fully assembled, tested, burned-in, and tested again. For zero start-up pain, and long term reliability. They're also backed up by our famous Micropolis factory warranty.

And both systems are priced just right. \$695 for the MacroFloppy:1041 and \$795 for the MacroFloppy:1042

You really couldn't ask for anything more.

At Micropolis, we have more bytes in store for you.

For a descriptive brochure, in the U.S. call or write Micropolis Corporation, 7959 Deering Avenue, Canoga Park, California 91304. Phone 213) 703-1121.

Or better yet, see your local dealer.

More bytes in store for you.

MICROPOLLS

vided for list manipulation. The function CAR takes a list as argument, and returns the first element of the list, which may either be an atom or another list. The function CDR takes a list as argument, and returns the tail of the list, that is, all but the first element of the orginal list. as a new list. The function CONS takes two arguments, a new first element, and the tail of a list, and reconstructs a list, now one element longer. For example:

Assume the atom X is associated with the value: (A B C)

- Assume the atom Y is associated with the value: (THE CAT IN THE HAT)
- (CAR X) would be the atom A.
- (CDR Y) would be the list (CAT IN THE HAT).
- (CONS (CAR X) (CDR Y)) would be the list:
- (A CAT IN THE HAT)
- (CAR (CDR X)) would be the atom B.

In general the CAR of the CDR of a list is its second element, and a function called CADR is frequently defined as a kind of shorthand for CAR of the CDR.

You might wonder what would result if you gave two atoms as arguments to CONS, rather than an atom and a list. In most LISP systems this is in fact legal. The result reveals the underlying representation used for lists in LISP. In virtually all LISP systems, lists are built up out of dotted pairs, two-address cells, the left cell pointing to the first element of a list, and the right cell pointing to the rest of the list. This can be diagrammed schematically as in figure 1.

Because dotted pairs are used this way to build up lists, it is natural to call the left cell of a dotted pair the CAR and the right cell the CDR. (In fact the genealogy of the words CAR and CDR runs the other way. Dotted pairs were used in the initial implementation of LISP, and CAR and CDR referred to the address field and the decrement field of a word on the IBM 704.) Now you can perhaps guess that when you pass two atoms as arguments to CONS, you simply get a dotted pair with an atom in both the CAR and CDR. For example:

A	В
---	---

would be printed as:

The notation (A. B) is used whenever the CDR of the last dotted pair forming a linked list is a non-NIL atom. In general (D E F. NIL) would be equivalent to (D E F), whereas (D E F . G) could not be expressed without the dot notation.

Given the three primitives CAR, CDR, and CONS, and understanding the underlying representation of lists using dotted pairs, it is possible to write powerful listmanipulating programs in LISP. For example, suppose it is desirable to edit a large data structure, and change all occurrences of the symbol APPLE to ORANGE. In LISP we could easily write a routine called REPLACE which, given the data structure (ie: list structure), the original symbol (the atom APPLE), and the replacement symbol

MetaFlo

The Micropolis MetaFloppy™ gives you more than four times the capacity of anyone else's 5½-inch floppy. Because it uses 77 tracks instead of the usual 35.

The field-proven MetaFloppy, with thousands of units delivered, comes in a complete family of models. And, like our MacroFloppy™ family of disk drives, MetaFloppy is designed for the S-100/8080/Z-80 bus.

For maximum capacity, choose our new MetaFloppy: 1054 system. Which actually provides you with more than a million bytes of reliable on-line storage. For less money than you'd believe possible.

The MetaFloppy:1054 comes complete with four drives in dual configuration. A controller. Power supply. Chassis. Enclosure. All cabling. A new BASIC software package. And a DOS with assembler and editor. There's even a builtin Autoload ROM to eliminate tiresome button pushing.

If that's more storage than you need right now, try our MetaFloppy 1053, with 630,000 bytes on-line. Or our Meta-Floppy:1043, with 315,000 bytes on-line. Either way, you can expand to over a million bytes on-line in easy stages, when you need to. Or want to.

In other words, if your application keeps growing, we've got you covered. With MetaFloppy.

The system that goes beyond the floppy. For a descriptive brochure, in the U.S. call or write Micropolis Corporation, 7959 Deering Avenue, Canoga Park, California 91304. Phone (213) 703-1121.

Or better yet, see your local dealer.

More bytes in store for you.



(the atom ORANGE), would go through the structure and do the replacement, using itself recursively to do the replacement in all sublists of the list structure:

```
(DEF REPLACE (LAMBDA (STRUC OLD NEW)
(COND
((EQ STRUC OLD) NEW)
((ATOM STRUC) STRUC)
(T (CONS
(REPLACE (CAR STRUC) OLD NEW)
(REPLACE (CDR STRUC) OLD NEW)
))
)
```

Notice how the first two lines of the COND allow for the possibility that the input data structure is simply an atom (which may or may not be equal to the atom to be replaced). In addition, notice that the entire body of this function definition is a single COND, just as it was in the GCD example given above. This is frequently true in LISP programs. Finally, notice how the function simply *passes the buck* to recursive calls on itself if the STRUC argument is not an atom, CONSing together the results of the two inner calls. The reader is encouraged to go through an example of the execution of this function when the argument OLD is the atom APPLE, the argument NEW is the atom ORANGE, and the argument STRUC is the list structure:

(AN (APPLE A DAY) KEEPS (THE (APPLE MAN) BUSY))

The result should be:

(AN (ORANGE A DAY) KEEPS (THE (ORANGE MAN) BUSY)) If STRUC were: (PEAR BANANA . APPLE) the result should be:

(PEAR BANANA . ORANGE)

Other kinds of list-manipulating programs which are relatively easy to write in LISP, but very difficult in more conventional languages, include formula manipulation programs which might take in the list representation for a function (eg: (SIN (MUL 2 X))), and return the list representation for its derivative according to the rules of the calculus (eg: (MUL 2 (COS (MUL 2 X)))).

The author's system is being used for the development of a compiler/interpreter system which generates the list representation for a program written in a programming language, and then either interprets it directly, or generates the list of machine language statements to implement the program on a particular microcomputer. LISP makes such an undertaking quite straightforward (although not trivial, unfortunately!).

LISP Interpreter

Because programs are data objects (list structures) in LISP, the same routines used to read and print data objects may be used to read and print programs. Furthermore user functions, like a general list editor, can be used also to edit programs. This uniformity vastly simplifies the task of writing an interpreter for LISP. Only three basic modules need be produced: READ, EVAL, and PRINT . READ accepts a LISP list expression from the terminal, in full parenthesized notation, and builds the internal representation of the list, sometimes called a *forum*. EVAL takes a form as its single argument, and evaluates the form according to the LISP convention that the first element of such a list specifies the function, with the rest of the list as arguments.

The result of EVAL is another form. (The term *form* is sometimes reserved for LISP expressions which are legal input to EVAL. The term *S-expression* covers all types of lists, whether or not the first element is a legal function name. Within this paper, form will be used to refer to the internal representation of any type of LISP expression.)

PRINT takes a form as its argument, and types it on the terminal in fully parenthesized form. The top level loop of the LISP interpreter simply prompts the user for input (-> is the LISP prompt), READs in the users input, EVALs the resulting form, and PRINTs the result of EVAL. In a conventional high level language syntax, this would be:

while true do begin
 patom("->");
 form := read();
 form := eval(form);
 print(form)

end.

or in M6800 assembly language:

BIGLUP	LDX	PRMPAT	get prompt atom
	JSR	PATOM	print the atom
	JSR	READ	read the form typed in
* result	now ir	n M6800 x-re	egister
	JSR	EVAL	eval the form
* result	of EV/	AL back in x	-register
	JSR	PRINT	print the form
	BRA	BIGLUP	and loop around

PATOM is a subroutine, also called by PRINT, when a form is known to be an atom. In an assembly language implementation, it would be very convenient to pass forms in the M6800 index (X) register. This register is 16 bits long, so it requires that forms be only 16 bits. Some representation must be chosen for all LISP objects so that a single 16 bit number may uniquely specify any arbitrary object. Dotted pairs are used to represent lists. Dotted pairs hold two forms, a CAR and a CDR, so they must be 32 bit objects. A natural choice is to allocate 4 consecutive M6800 memory bytes for dotted pairs, and specify dotted pairs by the address of their first byte. This means that any two different dotted pairs will be easily differentiated by the forms that specify them.

This still leaves the problem of deciding on an internal representation for atoms, including symbolic atoms, numeric atoms, and NIL. In the author's LISP system only two items of information are needed for each symbolic atom, the string of characters which are the print name of the atom, and the value currently associated with the atom (which is an arbitrary form). Again a 4 byte representation is chosen, with the first two bytes used as a memory address pointing to the first character of the print name, and the third and fourth bytes used to hold the value (a form) of the atom. Now the address of *Text continued on page 140*

Let your LSI-11* break the 28K harrier



With our Bank-Switching family

In LOCAL mode our memory is functionally just like DEC memory. But when you run out of memory space you're not lost. Add an inexpensive Bank-Switch Controller (BSC-256) and you can go to **two megabytes.** Add another and go to **four megabytes.**

So don't get boxed in with other brands of LSI-11* memory. Break free. Join the family:

RMA-032	32K by 16 bit RAM. On-board refresh	\$1200 (Single qty.)
RMS-016	16K by 16 bit ROM. (Intel 2716)	\$300 (Single qty.)
BSC-256	The Bank-Switch Controller	\$300 (Single qty.)


Substantial quantity discounts are available. For a free copy of our Bank-Switching manual, call or write on your company letterhead. Digital Pathways Inc.

Digital Pathways Inc. 4151 Middlefield Road Palo Alto, CA 94306 (415) 493-5544

*Registered trademark of Digital Equipment Corporation



PET / TRS-80 / APPLE: Personal Software brings you the finest!








MICROCHESS is the industry's best selling computer game. And no wonder—because MICROCHESS gives you more than just a chessplaying program: A convenient, foolproof set of commands and error checks ... complete instructions in a 5½" by 8½" booklet ... a cassette that's guaranteed to load, with disk versions coming soon ... and several levels of difficulty to challenge you not just once, but time after time. It's available through well over three hundred computer stores and many mail order sources ... always originating from Personal Software. What's more, *every* Personal Software product is selected to give you these same benefits of easy availability, reliable cassettes, readable documentation, a carefully thought out user interface ... and most important, continuing challenge and enjoyment, not just once but time after time. If you haven't already, order your own gold cassette: MICROCHESS, by **Peter Jennings**, for 8K **PETs**, 16K **APPLEs**, and 4K Level I and II **TRS-80s**......\$19.95

0		Т		•	D	••	0	1	2	3	4	5	6	7		0	Ţ	2		T	1	2
8	<u>0</u> 4	t	30	6	e	ē1	ŀ			•	•		•		0		1	1	J	1		
0	03	T	88	0	0	88].						٠	٠	1		8	Ð	9	Ð	ľ	
Ę	N.	P	g۲		2	12	1.								2		•	0	2	1		
17	Ľ I	N	Ğο	N	5	41	١.								3	١.						
2	φ.	2	۲۲	ĩ	N	Ĵ,									4].						
Ś	Þ	R	Ð		R	1	١.		٠				٠		5	١.						
Sav	Ę	Ť	9P		ĭ	2			٠						6	1.						
R	12	ĥ	ξi	ę.	¥"	6									7	ļ.						


TIME TREK by Brad Templeton for 8K PETs and Joshua Lavinsky for 4K Level I and II TRS-80s adds a dramatic new dimension to the classic Star Trek type strategy game: REAL TIME ACTION! You'll need fast reflexes as well as sharp wits to win in this constantly changing game. Be prepared—the Klingons will fire at you as you move, and will move themselves at the same time, even from quadrant to quadrant—but with practice you can change course and speed, aim and fire in one smooth motion, as fast as you can press the keys. Steer under power around obstacles—evade enemy


TIME TREK A Tour De Force In Real Time Action Strategy Games





BLOCKADE by Ken Anderson for 4K Level I and II TRS-80s is a real time action game for two players, with high speed graphics in machine language. Each player uses four keys to control the direction of a moving wall. Try to force your opponent into a collision without running into a wall yourself! A strategy game at lower speeds, BLOCKADE turns into a tense game of reflexes and coordination at faster rates. Play on a flat or spherical course at any of ten different speeds. You can hear SOUND EFFECTS through a nearby AM radio-expect some





ELECTRIC PAINTBRUSH by Ken Anderson for 4K Level I and II TRS-80s: Create dazzling real time graphics displays at speeds far beyond BASIC, by writing 'programs' consisting of simple graphics commands for a machine language interpreter. Commands let you draw lines, turn corners, change white to black, repeat previous steps, or call other programs. The ELECTRIC PAINTBRUSH manual shows you how to create a variety of fascinating artistic patterns including the one pictured. Show your friends some special effects they've never seen on a TV screen!..... \$14.95

WHERE TO GET IT: Look for the PERSONAL SOFTWARE[™] display rack at your local computer store. If you can't find the product you want, you can order direct with your VISA/Master Charge card by dialing 1-800-325-6400 toll free (24 hours, 7 days; in Missouri, dial 1-800-342-6600). If you have questions, please call 408-745-7841. Or you can mail your order to the address below.

Personal Software[™] 592 Weddell Drive Sunnyvale, Calif. 94086

Look for Personal Software[™] products at the dealer nearest you!

ALABAMA BYTE SHOP Hunisville, AL 35805 COMPUTERLANO Huntsville, AL 35805 COMPUTERLAND Montgomery, AL 35805 CPU, INC. Montgomery, AL 36104 THE LOGIC STORE Opelika, AL 36801 ALASKA ALPHA ELECTRONICS Anchorage, AK 99503 ARTIZONA MILLET'S TV & RADIO Mesa, AZ 85204 PERSONAL COMPUTER PLACE Mesa, AZ 85204 COMPUTERLAND OF PHOENIX Phoenix, AZ 85016 COMPUTER SHOWROOM Tucson, AZ 85710 ARKANSAS COMPUTERLAND LITTERSON Little Rock, AR 72212 DATACOPE Little Rock, AR 72204 Little Rock, AR 72204 CALIFORNIA JAY-KERN ELECTRONICS Bakersfield, CA 93305 BYTE SHOP Burbank. CA 91506 SILVER SPUR Chino, CA 91710 Chino, CA 91710 BYTE SHOP OF SACRAMENTO Citrus Heights, CA 95610 COAST COMPUTER CENTER Costa Mesa, CA 92627 CAPITOL COMPUTER SYSTEMS Davis, CA 95616 COMPUTERLAND SAN DIEGO EAST COMPUTERLAND SAN DIEGO EAS EI Cayon, CA 92020 COMPUTERLAND OF EL CERRITO EI Cerrito, CA 94530 COMPUTERLAND OF EL CERRITO Encontas, CA 92024 BUSINESS ENHANCEMENT COMPUSERVICE Escondido, CA 92027 CHANNEF CATE SYSTEME ESCONDIGO, CA 92027 CHANNEL DATA SYSTEMS Goleia, CA 93017 RAINBOW COMPUTING Granada Hills, CA 91344 JADE COMPUTER PRODUCTS Hawthorne, CA 90250 BYTE SHOP OF HAYWARD Hayward, CA 94541 COMPUTERLAND OF HAYWARD Hayward, CA 94541 COMPUTERLAND OF WEST L.A. Haynalo, C. 9302 COMPUTERIAND OF WEST L.A. Inglewood, CA 90302 PROFESSIONAL COMPUTER STORE La Crescenta, CA 91214 COMPUTER COMPONENTS OF SOUTH BAY Lawndale, CA 90260 COMPUTERIAND OF SOUTH BAY Lawndale, CA 90260 A-V1DD ELECTRONICS Long Beach, CA 90815 COMPUTERIAND Los Altos, CA 94022 BYTE SHOP Mountan View, CA 94040 HOBBY WORLD ELECTRONICS Northindge, CA 91324 COMPUTERS, MADE-EASY COMPUTERS-MADE-EASY Palmdale. CA 93550 Paimdale. CA 93550 BYTE SHOP OF PLACENTIA Phacentia. CA 92670 COMPUTER CENTER Riverside. CA 92503 CAPITOL COMPUTER SYSTEMS Sacramento. CA 95821 COMPUTERLAND San Brenardimo. CA 92404 Sacramento, CA 95821 COMPUTERLAND San Deenardino, CA 92404 COMPUTER AGE INC. San Deejo, CA 92111 COMPUTERLAND OF SAN DIEGO San Diego, CA 92111 COMPUTERLAND OF SAN DIEGO San Dranot, CA 92115 COMPUTERLAND OF SAN FRANCISCO San Francisco, CA 94105 VIDEO GAMES & COMPUTERS San Francisco, CA 94105 VIDEO GAMES & COMPUTERS San Francisco, CA 94105 VIDEO GAMES & COMPUTERS San Francisco, CA 94121 COMPUTERLAND OF SAN JOSE San Jose, CA 95129 COMPUTERLAND OF SAN JOSE San Jose, CA 95570 SYTE SHOP San Lus Obispo, CA 93401 BYTE SHOP San Luis Obispo, CA 93401 MARIN COMPUTER CENTER San Rafael, CA 94903 ADVANCEO COMPUTER PRODUCTS Santa Ana. CA 92705 COMPUTER CITY Santa Ana, CA 92704 BYTE SHOP Santa Clara, CA 95051 COMPUTER FORUM Santa Fe Springs, CA 90670

THE COMPUTER STORE Santa Monica, CA 90401 SANTA ROSA COMPUTER CENTER SANTA ROSA COMPUTER Santa Rosa, CA 95404 BYTE SHOP Suisun, CA 94585 COMPUTERS PLUS Sunnyvale, CA 94087 BYTE SHOP OF TARZANA Tarzana, CA 91356 COMPUTER AND OF COMPLITERIAND OF THOUSAND OAKS Thousand Oaks, CA 91360 SMALL SYSTEM SOFTWARE Thousand Oaks, CA 91360 COMPUTER COMPONENTS COMPUTER COMPONENT: Van Nuys, CA 91411 COMPUTERLAND Walnut Creek, CA 94598 BYTE SHOP Westminster, CA 92683 COMPUTER COMPONENTS OF ORANGE COUNTY Westminster, CA 92683 COLORADO BYTE SHOP Boulder, CD 80301 COMPUTERLAND Colorado Springs, CO 80917 AMPTEC AMPTEC Denver, C0 80216 COMPUTERLAND Oenver, C0 80222 BYTE SHOP Englewood, C0 80110 MICR0 WORLD ELECTRONIX Lakewood, C0 80226 COMPUTERLEVE Lakewood, CO 80226 CONNECTICUT COMPUTERLAND OF FAIRFIELD Fairlield, CT 06430 JRV COMPUTER STORE Hamden, CT 06518 THE COMPUTER STORE Hartiord, CT 06103 COMPUTER STORE COMPUTER LAB New London, CT 06320 THE COMPUTER STORE Windsor Locks, CT 06096 WASHINGTON D.C. COMPUTER CABLEVISION Washington, O.C. 20007 FLORIOA FLORIOA COMPUTERLAND Boca Raton, FL 33432 THE COMPUTER STORE Bradenton, FL 33505 THE COMPUTER STORE Clearwater, FL 33516 TRANS-DATA CORP Coral Gables, FL 32134 UCATAN Deslin, FL 32541 Destin, FL 32541 BYTE SHOP Fort Lauderdale, FL 33334 COMPUTERLAND Fort Lauderdale, FL 3308 CDMPUTERS FOR YOU Fort Lauderdale, FL 3308 Fort Meyers, FL 33901 SOUND IDEAS BYTE SHOPPE Gamesville, FL 32601 FOCUS SCIENTIFIC ENTERPRISES Miami, FL 33132 GRICE ELECTRONICS Pensacola, FL 32589 GRICE ELECTRONICS Pensacola, FL 32589 COMPUTER AGE Pompano Beach, FL 33062 PAPERBACK BOOKSMITH Sarasota, FL 33581 AMF ELECTRONICS Tampa, FL 33612 MICRO COMPUTER SYSTEMS Tampa, FL 33609 COMPUTER CENTER OF PALM BEACHES PALM BEACHES West Palm Beach, FL 33409 GEORGIA AOVANCE COMPUTER TECHNOLOGIES Atlanta, GA 30328 COMPUSHOP Atlanta, GA 30342 DATAMART Atlanta, GA 30305 DATAMART Atlanta, GA 30305 THE LOGIC STORE Columbus, GA 31906 COMPUTERLAND OF ATLANTA Smyrna, GA 30080 HAWAII COMPUTERLAND COMPUTERLAND Desetutus HU SE012 COMPUTERLAND Honelulu, HI 96813 MICROCOMPUTER SYSTEMS Honelulu, HI 96813 RADIO SHACK (Dealer) Lihue, HI 96766 DAHO NORTHWEST COMPUTER CENTER Boise, ID 83704 BOISE, ID 83/04 ILLINOIS COMPUTERLAND OF ARLINGTON HEIGHTS Arlington Heights, IL 03904 FARNSWORTH COMPUTER CENTER Aurora, IL 60505

KAPPEL'S COMPUTER STORE Beleville, IL 62220 DOW-COM Carbondale, IL 62901 BYTE SHOP BYTE SHOP Champaign, IL 61820 THE ELEKTRIK KEYBOARD Chicago, IL 60614 EMMANUEL B. GARCIA JR. AND ASSOCIATES Chicago, IL 60613 PERSONAL COMPUTER Chicago, IL 60611 VIDEO ODYSSEY Deerfield, IL 60015 COMPUTERLAND Downers Grove, IL 60515 COMPUTER STATION COMPUTER STATION Granite City, IL 62040 ORCUTT BUSINESS MACHINES La Salle, IL 61301 ILLINI MICROCOMPUTERS Naperville, IL 60540 COMPUTERLAND OF NILES Niles, IL 60648 COMPUTERLAND COMPUTERLAND Oak Lawn, IL 60453 BIES SYSTEMS Oak Park, IL 60302 COMPUTERLAND OF PEORIA Peoria, IL 61614 WALLACE ELECTRONICS Peoria, IL 61614 DATA DOMAIN Schwitzburg, IL 60105 Schaumburg, IL 60195 INDIANA DATA DOMAIN OF FORT WAYNE Fort Wayne, IN 46805 HOME COMPUTER CENTER HUME COMPUTER CEN Indianapolis. IN 46220 PUBLIC COMPUTING Lalayette, IN 47904 COMPUTER CENTER So. Bend, IN 46637 IOWA SYNCHRONIZED SYSTEMS Des Moines, IA 50310 CDMPUTER SHOP Spencer, IA 51301 THE COMPUTER CENTER Waterloo, IA 50701 KANSAS KANSAS THE COMPUTER ROOM Overland Park, KS 66212 PERSONAL COMPUTER CENTER Overland Park, KS 66206 COMPUTER SYSTEMS DESIGN Wichta, KS 67214 KENTUCKY BARNEY MILLER'S INC. Lexington, KY 40507 LOUISIANA LouisianA COMPUTER SHOPPE Metare, LA 70002 MARYLAND COMPUTERLAND Rockwile, MD 20855 COMPUTER WORKSHOP Rockwile, MD 20855 COMPUTER WORKSHOP Rockwile, MD 20855 COMPUTER STORE COMPUTER STORE Burlington, MA 02139 THE COMPUTER STORE Cambridge MA 02139 Cambridge, MA 02139 CPU SHOP CPU SHOP Charlestown, MA 02129 MAD HATTER SOFTWARE Dracut, MA 01826 NEW ENGLANO ELECTRONICS Needham, MA 02134 MICHIGAN MICHIGAN MICHIGAN NEWMAN COMPUTER EXCHANGE Ann Arbor, MI 48104 NEW DIMENSIONS IN COMPUTING East Lansing, MI 4823 COMPUTER HOUSE DIV. Jackson, MI 49202 COMPUTER HOUSE DIV. Jackson, MI 49202 COMPUTER HOUSE Kentwood, MI 49508 COMPUTER MART Clawson, MI 48640 COMPUTER MART Clawson, MI 48603 COMPUTER MART Sapnaw, MI 48603 COMPUTER MART Southlield, MI 48034 LEVELF FOUR PRODUCTIONS Southlield, MI 48034 LEVEL FOUR PRODUCTIONS Westland, MI 48185 MINNESOTA COMPUTERLAND Bioomington, MN 55431 ZIM COMPUTERS INC. Brooklyn Center, MN 55429 MINN. MICRO SYSTEMS Minnespolis, MN 5' 54 MISSISSIPPI OXFORD SOFTWAR O. Oxford, MS 38655

MISSOURI FORSYTHE COMPUTERS Clayton, MO 63105 COMPUTER COUNTRY Florissant, MO 63031 Florissant, MO 63031 FUTUREWORLD, INC. St. Louis, MO 63131 GREATEST GRAPHICS Springfield, MO 65804 NEBRASKA OMAHA COMPUTER STORE Omaha, NE 68127 NEVADA NEVADA CENTURY 23 Las Vegas, NV 89102 HOME COMPUTERS Las Vegas, NV 89109 NEW HAMPSHIRE TRS-80 SOFTWARE EXCHANGE Milford, NH 03055 Millord, NH 03055 COMPUTERLAND OF NASHUA Nashua, NH 03660 BITS, INC. Peterborough, NH 03458 NEW JERSEY COMPUTER LAB OF NJ Budd Lake, NJ 07828 COMPUTER CMPORIUM COMPUTER CMPORIUM COMPUTER MART OF NJ Sein, NI D8300 selin, NI 08830 MSM ELECTRONICS Medford, NJ 08055 COMPUTERLAND Norristown, NJ 07960 COMPUTERLAND COMPUTERLAND Paramus, NJ 07652 COMPUTER NOOK Pine Brook, NJ 07058 COMPUTER CORNER Pompton Lakes, NJ 07442 Pompton Lakes, NJ 07442 COMPUTER ENCOUNTER Princeton, NJ 08540 TYPTRONIC COMPUTER STORE Ramsey, NJ 07446 STONEHENGE COMPUTER CO. Summit, NJ 07901 NEW YORK COMPUTERLAND Buffalo, NY 14150 COMPUTERLAND COMPUTERLAND Carle Place, NY 11514 COMPUTER SHOP OF SYRACUSE De Witt, NY 13214 THE COMPUTER TREE Endwell, NY 13760 COMPUTERWORLD INC. Great Neck, NY 11021 LONG ISLAND COMPUTER GENERAL CODE LONG ISLAND COMPUTER GENERAL STORE Lynbrook. NY 11563 COMPUTER MICROSYSTEMS Manhasset, NY 11030 COMPUTER SHOPPE Middle Island, NY 11953 ARISTO-CRAFT New York, NY 10001 THE COMPUTER FACTORY New York, NY 10017 COMPUTER MART OF NEW YORK COMPUTER MART OF NEV New York, NY 10016 DATEL SYSTEMS New York, NY 10036 AUTOMATIC SYSTEMS Poughkeepsie, NY 12603 COMPUTER HOUSE Rochester, NY 14609 THE COMPUTER STORE Benetice NY 14619 THE COMPUTER STORE Rochester, NY 14618 HOME COMPUTER CENTER Rochester, NY 14607 THE COMPUTER CORNER White Plains, NY 10601 READOUT COMPUTER STORE Williamsville, NY 14221 NORTH CAROLINA BYTE SUND BYTE SUND NUMERSAILE, ATTACA NORTH CAROLINA BYTE SHOP Charlotte, NC 28212 COMPUTERLAND Charlotte, NC 28205 COMPUTER ROOM Charlotte, NC 28203 FUTURE WORLD Ourham, NC 27707 BYTE SHOP Greensboro, NC 27401 MICROCOMPUTER SERVICES Hickory, NC 28601 BYTE SHOP OF RALEIGH Rateigh, NC 27605 OHIO OHIO BASIC COMPUTER SHOP Akron, OH 44314 Akron, OH 44314 INDUCTIVE COMPONENTS Amelia, OH 45102 CINCINNATI COMPUTER STORE Cincinnati, OH 45246 21ST CENTURY SHOP Cincinnati, OH 45202 DIGITAL DESIGN Cincinnati, OH 45202 CYBER SHOP Columbus, OH 43227

MICRO MINI COMPUTER WORLD Columbus, OH 43213 COMPUTER SOLUTIONS Dayton, OH 45409 DAYTON COMPUTER MART Dayton, OH 45409 ASTRO VIDEO ELECTRONICS ASIRO VIDEO ELECTRONICS Lancaster, OH 43130 COMPUTERLAND OF CLEVELAND Mayfield Heights, OH 44121 RADIO SHACK (Dealer) SI, Claursville, OH 43950 INCLO SHICK (Seale) SI. Carswille, OH 43950 OKLAHOMA HIGH TECHNOLOGY Oklahoma City, OK 73106 MICROLITHICS Oklahoma City, OK 73127 HIGH TECHNOLOGY Tulsa, OK 74129 OREGON THE COMPUTER STORE Corvalits, OR 97330 CAMERA AND COMPUTER EMPORIUM Portland, OR 97205 COMPUTERIAND OF PORTLAND Tigart, OR 97223 PENNSYL VANIA BYTE SHOP PENNISYLVANIA BYTE SHOP Bryn Mawr, PA 19010 PERSONAL COMPUTER CENTER Frazer, PA 19355 COMPUTER AID Latrobe, PA 15650 THE COMPUTER WORKSHOP Murrysville, PA 15668 Inc COMPUTER WORKSHOP Murrysville, PA 15668 A B COMPUTERS Murrysville, PA 15668 MURROTRONIX Philadelphia, PA 15106 COMPUTER HOUSE Philadelphia, PA 15220 SOUTH CAROLINA DATA MART Greenville, SC 25607 TENNESSEE MUCROCOMPUTER STORE Knoxville, TN 37919 COMPUTER LABS OF MEMPHIS Memphis, TN 38117 OOCS COMPUTER SHOP Nashville, TN 37211 TEXAS Nashville, TN 37211 TEXAS COMPUTER POST Arlington, TX 76011 COMPUTERLAND OF AUSTIN Austin, TX 78757 Austin, TX 78757 COMPUTERS 'N THINGS Austin, TX 78731 MICRO COMPUTER SHOPPE Corpus Christin, TX 78411 MICROSYSTEMS SERVICES INC. Corpus Christin, TX 78411 COMPUTEN TX 78411 COMPUTEN TMAGINEERING Oallas, TX 75233 COMPUTER IMAGINEERING Oallas, TX 75234 COMPUTERLAND COMPUTERLAND Dallas, TX 75231 KA ELECTRONICS SALES Dallas, TX 75247 COMPUTER TERMINAL El Paso, TX 79901 RAM MICRO SYSTEMS Fort Worth, TX 76116 COMPUTERCAFT Houston, TX 77053 COMPUTERLAND OF HOUSTON BAY Houston, TX 7058 Houston, TX 77058 INTERACTIVE COMPUTERS Houston, TX 77036 HILLING TREGOTERS Houston, TX 77036 NEIGHBORHOOD COMPUTER Lubbock, TX 79401 COMPUTER PATCH OF SANTA FE Odessa, TX 79762 COMPUTER SAND THE COMPUTER SHOP San Antonio, TX 78216 COMPUTER SOLUTIONS San Antonio, TX 78229 MICRO MART San Antonio, TX 78205 WICHTA COMPUTER SYSTEMS Wichita Falls, TX 7601 UTAH WICHITA CUMPUTER STSTEMS WICHITA BLS. TX 76301 UTAH ADP SYSTEMS Logan, UT 84321 TRI-POWER ELECTRONICS Murray, UT 84017 COMPUTER SPECIALISTS Ogden, UT 8402 COMPUTER CONCEPTS GROUP Salt Lake City, UT 84109 COMPUTERLANO OF SALT LAKE Salt Lake City, UT 84111 THE HI-FI SHOP Salt Lake City, UT 84117 VERMONT COMPUTERMART Essex Junction, VT 05452 VIRGINIA VIRGINIA COMPUTER HARDWARE STORE Alexandria, VA 22314

COMPUTERS PLUS Alexandria, VA 22304 COW. INC. Blacksburg, VA 24060 HOME COMPUTER CENTER Newport News, VA 23606 COMPUTER TECHNIQUES COMPUTER TECHNIQUE: Richmond, VA 23235 THE COMPUTER PLACE Roanoke, VA 24015 COMPUTER WORKSHOP Springfield, VA 22151 COMPUTERLAND Vienna, VA 22180 HOME COMPUTER CENTER Virginia Beach, VA 23452 WASHINGTON COMPUTERLAND Bellevue, WA 98007 OMEGA NORTHWEST Bellevue, WA 98004 COMPUTERLAND OF SOUTH COMPUTERLAND OF SOUTH KING COUNTY Federal Way. WA 98003 YE OLDE COMPUTER SHOPPE Richland, WA 99352 THE COMPUTER SHOPPE Seattle. WA 98115 EMPIRE ELECTRONICS Seattle. WA 98166 PERSIONAL COMPUTERS Sonatana WA 99292 Spokane, WA 99202 COMPUTERLAND Tacoma, WA 98499 Tacoma, WA 98499 WISCONSIN BYTE SHOP OF MILWAUKEE Greenfield, WI 53227 COMPUTERLAND Madison, WI 53711 MADISON COMPUTER STORE Madison, WI 53711 COMPUTERLAND Medicenter WI 53712 Milwaukee, WI 53222 FOX VALLEY COMPUTER STORE COMPUTER STORE Neenha, WI 54956 WYOMING COMPUTER CONCEPTS Cheyenne, WY 82001 AUSTRALIA AUSTRALIA ELECTRONIC CONCEPTS PTY. LTD COMPUTERLAND Sydney, N.S.W. CANADA COMPUSHOP COMPUSIOP Calgary. Alberta 12N 2A4 THE COMPUTER SHOP Calgary. Alberta 12T 419 ORTHON COMPUTERS Edmonton, Alberta 15N 3N3 TJB MICROSYSTEMS Edmonton, Alberta 15M 0H9 CONTI ELECTRONICS Vaccouver BC, VEW 274 Vancouver, B.C. V5W 2Z4 COMPUTER CITY COMPUTER CITY Winnepeg, Manitoba R3P 0H8 COMPUTERLAND Winnepeg, Manitoba R3C 0M8 INTERACTIVE COMPUTER SYSTEMS Frederickton, New Brunswick MINICOMP SYSTEMS Halifas, Nova Scotia B3/2 CG1 KOBETEK SYSTEMS Wolfwile Mana Scotia B4P 100 Wolfville, Nova Scotia BOP 1X0 CDMPUTERLAND Burlington, Ontario Durington, Untario LYNTRONICS Downsview, Ontario M2J 2W6 COMPUTER CIRCUITS London, Ontario N6A 3H2 COMPUMART Dttawa, Ontario K2A 1J2 Dttawa, Ontario K2A 1J2 Ditawa, Ontario K2A 1J2 COMPUTER INNOVATIONS Ottawa, Ontario K18 4A8 RICHVALE TELECOMMUNICATIONS Richmond HIII, Ontario THE COMPUTER CENTRE Sarnia, Ontario N7T 184 COMPUTER MART Toronto, Ontario M3G 3B5 THE COMPUTER PLACE Toronto, Ontario M3W 121 COMPUTER SPECIALIST Toronto, Ontario M3K 1E7 HOME COMPUTER CENTRE HOME COMPUTER CENTRE Saronto, M2M 3W2 Toronto, Ontario M2M 3W2 HOUSE OF COMPUTERS Toronto, Ontario MARKETRON MARKÉTRÖN Toronio, Ontario MICRO-WARE Toronto, Ontario MAE 2L2 COMPUCENTRE Montreal, Quebec: H1J 124 FUTUR BYTE Montreal, Quebec: H3B 3C9 CUSTOM COMPUTING SERVICES Saskatoon, Saskatchewan S7K 285 DIGITAL SERVICE Saskatoon, Saskatchewan S7J 3A9 PLIERTO BICO PUERTO RICO MICROCOMPUTER STORE Rio Piedras, PR 00921

Text continued from page 136

this 4 byte object can specify the atom uniquely from all other atoms and from all other dotted pairs.

Unfortunately this does not provide a simple way of distinguishing atoms from dotted pairs, when just given the form. Several solutions to this problem are possible. One is to restrict dotted pairs to a certain part of memory, then the address would determine whether the form specified an atom or a dotted pair. A second method is to add an additional byte to both dotted pairs and atoms which simply contains a type specifier, say 1 for dotted pairs and 2 for atoms. This method makes future expansion of types simple, but is somewhat wasteful in terms of space. The third method, the one chosen for the author's system, is to align all dotted pairs and atoms on 4 byte boundaries, that is, with addresses which are a multiple of four. This means that the low order two bits of the address are expected to always be zero, and hence may be used to encode type information. In the author's system, dotted pairs are specified by forms with both bits zero, and symbolic atoms by 01 in the lower two bits. One of the bits is still unused, but will become very handy when garbage collection methods are discussed below.

With numeric atoms, their name determines their value, and hence only their name (or their value) need be specified by a form. On the author's M6800 system only hexadecimal memory addresses 0000 thru 7FFF were accessible for storage of dotted pairs and atoms, meaning that the high order bit of forms specifying either of these was always zero. A representation for numeric atoms was chosen to be a form with the high order bit set, 14 bits of numeric value, and one bit left for garbage collection.

A special representation for the NIL atom is used both because the value of NIL is, like numeric atoms, required always to be the atom itself, and because it is used universally to represent the end of a list. The form chosen to specify NIL is simply the value zero. In fact any form with the high order byte zero is treated like NIL to simplify the test for NIL in certain cases. This means that the 256 byte page starting at zero is not usable for storing atoms or dotted pairs, but this restriction causes no problem at all, since both are allocated starting at the highest address available, and the allocator runs into program long before it reaches page zero.

When writing a LISP interpreter, the implementor must decide relatively early on how forms will specify all types of LISP objects. Unfortunately, it may not be until well into the implementation that the implementor discovers that certain choices were inefficient or inconvenient.

One important requirement affecting this decision not yet mentioned is the need to implement the LISP EQ function. This function takes two arbitrary forms, and returns the atom T or the atom NIL depending on whether the forms specify the same dotted pair, or whether the forms specify the same atom. Whenever an atom is input by READ, it must return the form specifying that atom to the caller. Whenever the same symbolic atom name is typed, READ must return the same form, ie: a pointer to the same 4 byte cell. This is accomplished by retaining a linked list of all defined symbolic atoms (called the OBLIST). Before allocating a new 4 byte cell for an atom, READ scans the OBLIST for an atom of the given print name. If found, READ returns a form specifying that pre-exisiting atom. (Otherwise it must copy the name into some area used for storing names, allocate a 4 byte cell, initialize the left cell to point to the name, and the right cell to NIL, and return a form specifying the new atom.) This method guarantees that two forms specify the same symbolic atom if and only if they have the same address.

In some implementations of numeric atoms, this same rule cannot be guaranteed. In such systems, numeric atoms are simply allocated an appropriately large cell to store their numeric value (and hence allowing numeric atoms greater than 14 bits), a new cell being allocated every time a new number is generated (which happens at every ADD, MUL, etc). In these systems it would be impractical to scan a list like the OBLIST every time any arithmetic calculation is done, and so the LISP function EQ may not rely on the rule that unequal forms indicate unequal atoms. In such systems, EQ must look at the contents of the cell specified by a numeric atom form, and make the comparison that way. In systems like the author's, EQ simply compares the forms themselves, no matter what type of atom the form may specify.

The choices made in representing the various types of LISP objects can be summarized in the high level language (Pascal-like) data structure specification in listing 1.


type	lisptype =	=							
	(dtprty	ype, symatmtype	e, numatmtype, n	ilatmtype);					
	dtpr =								
	recor	ď	•						
	ca	ar: form;							
	cd	tr: form							
	end;								
	symatm =	=							
	recor	ď							
	name: tarray [0n] of char;								
	va	lue: form	-						
	end;			•					
	form =								
	packe	ed record							
	gc	bit: boolean;							
	ča	se objtype: lispl	ype of						
		dtprtype:	(dtprform:	1dtpr);					
		symatmtype:	(symatmform:	1symatm);					
		numatmtype:	(numatmform:	- 50004999);					
		nilatmtype:	$\dot{\mathbf{O}}$						
	end.								

Listing 1: A Pascal data structure specification that could be used to represent various types of LISP objects.

READ Function

READ is the basic input routine for the LISP interpreter. READ accepts a fully parenthesized expression from the terminal, and builds up the internal representation, allocating new dotted pairs and atoms as necessary. If the expression is a list, READ returns a form specifying the first dotted pair of the constructed list. If the expression typed in is simply an atom, READ returns a form specifying the atom.

The logic of the READ routine is straightforward because the syntax of LISP expressions is so simple. READ calls a function RATOM to return the next input atom. RATOM actually does the work of allocating new 4 byte cells for symbolic atoms (when necessary) as ex-



The Honor Graduate

There's been a lot of talk lately about intelligent terminals with small systems capability. And, it's always the same. The systems which make the grade in performance usually flunk the test in price. At least that was the case until the SuperBrain graduated with the highest PPR (Price/Performance Ratio) in the history of the industry.

For less than \$3,000*, SuperBrain users get exceptional performance for just a fraction of what they'd expect to pay. Standard features include: two dual-density mini-floppies with 320K bytes of disk storage, 64K of RAM to handle even the most sophisticated programs, a CP/M Disk Operating System with a highpowered text editor, assembler and

*Quantity one. Dealer inquiries invited. Circle 180 on inquiry card. debugger. And, with SuperBrain's S-100 bus adapter, you can even add a 10 megabyte disk!

More than an intelligent terminal, the SuperBrain outperforms many other systems costing three to five times as much. Endowed with a hefty amount of available software (BASIC, FORTRAN, COBOL), the SuperBrain is ready to take on your toughest assignment. You name it! General Ledger, Accounts Receivable, Payroll, Inventory or Word Processing . . . the SuperBrain handles all of them with ease.

Your operators will praise the SuperBrain's good looks. A full ASCII keyboard with a numeric keypad and function keys. A non-glare, dynamically focused, twelve inch screen. All in an attractive desktop unit weighing less than a standard office typewriter. Sophisticated users will acclaim SuperBrain's twin Z-80 processors which transfer data to the screen at 38 kilobaud! Interfacing a printer or modem is no problem using SuperBrain's RS-232C communications port. But best of all, you won't need a PhD in computer repair to maintain the Super-Brain. Its single board design makes servicing a snap!

So don't be fooled by all the freshman students in the small systems business. Insist on this year's honor graduate . . . the SuperBrain.



(803) 798-9100 TWX: 810-666-2115

"Programming." Whether in Arabic or English, can sometimes be as confusing as learning a foreign language.

With this in mind, Structured Analysis Systems developed SP80, an innovative concept providing structured programming capabilities within assembly language.

Designed specifically for the 8080/Z80 systems, SP80 can be used with most macro assemblers; TDL, Cromemco Z80, Microsoft, or Digital Research.

Statements include:

- Iteration; LOOP-EXITIF, REPEAT-UNTIL, WHILE-ENDWHILE, DO
- Conditional; IF-ELSE-ENDIF
- Case analysis: SELECT-CASE-CASE-CASE-ENDCASE

Specific capabilities:

- Conjunction/Disjunction; AND, OR
- Unsigned relations; EQ, NE, LT, LE, GT, GE
 Signed relations; SLE, SLT, SGE, SGT
- Conditions; CARRY, NZ,
- PLUS, Etc. • Z80 or 8080 code generation

SP80's manual includes; functional

source listings of up to two macro

libraries, macro syntax (with examples), and detailed sample SP80 program.

Send \$50 for CPM diskette and manual, or \$25 for manual alone. (add \$5 overseas and \$2 Canadian postage) to: Structured Analysis Systems Post Box 2745 Reston, Va. 22091/703-860-8794

Please specify only up to two assemblers for which to receive documentation. Also available in Macro-11 for the LSI-11 and PDP-11. Laminated SP80 reference cards available at \$5 each.

plained above. RATOM returns a form specifying the atom typed. If this atom is anything but the atom "(" READ simply returns the atom as its result. If the atom returned by RATOM is "(", READ calls itself recursively until it gets the atom ")", meanwhile stringing the forms returned together as the CARs on a linked list of dotted pairs. This could be written as in listing 2.

In the LISP functions we are assuming that the atoms LPAREN and RPAREN were initialized to point to the atoms with print names "(" and ")" respectively. Notice that in the LISP version, READ accomplishes the loop of the machine code version with recursion in READL. The routines LSTINI, LSTADD, and LSTEND used in the assembly language version build up a linked list of dotted pairs, using two pointers on a stack, one to the first dotted pair, one to the dotted pair at the current end of the linked list. The pointers are on a stack so that READ may call itself recursively. The stack is actually a linked list itself. The linked-list stack is manipulated with the routines in listing 3. With these routines it is straightforward to implement LSTINI, LSTADD, and LSTEND for use in READ. These routines are shown in listing 4.

The primitive function RATOM turns out to be the real workhorse of READ. It is stuck with the job of accepting characters one at a time from the terminal, and building them up into an atom. RATOM must distinguish symbolic atoms from numeric atoms, and build up the corresponding forms. Atoms are in general separated by spaces, tabs, or carriage returns. However a few special characters always form single-character atoms Text continued on page 145

PTDOS + **CBSort** = **FAST**!, **FAST**!, **FAST**!

CBSort IS NOW AVAILABLE FOR PTDOS® — HELIOS® SYSTEMS

- SPEED AND COMPATABILITY CBSort is fully compatible with the incredible power of PTDOS. CBSort, written in 8080 Assembler, coupled with the power of PTDOS buffering produces lightning speed sorts.
- FLEXIBLE YET EFFICIENT CBSort can sort any file with a fixed record length of up to 4095 bytes. CBSort sorts up to 5 fields of any length, up to the length of the record. Each field can start on any byte of the record and each field can be ordered in ascending or descending sequence. The file can be fully described in the calling parameters or based on the TYPE parameter standard defaults for that type can be assumed. CBSort is a logical byte sort so that any bit convention, ASCII, EBCDIC, BCD, Packed Decimal or binary can be sorted in ascending or descending order.
- EASE OF INTERFACING CBSort works well either as a stand alone sort or with production and turnkey systems. Special linking programs are included with CBSort to allow insertion into a stream of programs. CBSort is compatible with Extended Disk Basic, FOR-

TRAN, Pascal or any other language available on the **HELIOS** system.

- PRACTICAL CBSort can really sort a full disk because it does not require extra space on your disks for merge and work files as other sorts do. CBSort sorts files so you do not have to contend with the overhead of memory consuming indexed tags in order to get sequential data. CBSort is practical for the micros and not a transplant from the gluttonous dinosaurs.
- EXTRACTION CBSort has the ability to extract from the main file and create a sorted secondary file that contains only the selected fields and a pointer to the main file. This can be extremely useful when using a binary search technique for field verification, for quick file summarization or further field extraction.
- EASY TO USE The User's Manual describes in detail the features and operation of CBSort and contains many examples of its use. CBSort does extensive error checking and produces clear runtime error diagnostics.

CBSort on PTDOS data disk with User's Manual \$75.00

PTDOS and HELIOS are registered trademarks of Processor Technology

Computer Bookkeeping Services, Inc.

1446 Leimert Blvd. • Oakland, CA 94619 • (415) 531-7427

Listing 3: M6800 implementation of linked-list stack manipulation routines.	* PUSHX saves the value of the X-reg on a linked-list stack. PUSHX BSR GETCEL allocate a new dotted pair and fill in the CAP IDAA STKPTR fill in the CDR from STKPTR STAA CDR, X (CAR and CDR ore symbols defined as IDAA STKPTR+1 C and 2 respectively) STAA CDR+1, X STAA CDR+1, X ST	CFRE no more left, so it goes CFR, update the FREE list pointer FRETTH: FRETTH: CDR, X set the CDR to Mile X-rog CDR, X set the CDR to Mile X-rog CDR, X and round the X-rog XTYP fill in the CAR from the X-rog CAR: Anti, X Anti, X Anti, X Anti, X CAR: CAR: CAR: Anti, X Anti, X CAR: Anti, X Anti, X CAR: Anti, X CAR: Anti, X Anti, Anti, X Anti, X	* free up a dotted pair, and iree up the dotted pair used. * free up a dotted pair, and load X-reg from the CAR STAA CFR,X LEN FREPTR+1 STAA CFR,1 LDA FREPTR+1 STAA CAR,1 LDX CAR,X load X-reg from CAR * return value at top of stack in X-reg * (but leave it on stack) TCPX LDX STKPTR return CAR of cell on top of stack. RTS RTS RTS RTS RTS RTS * STAC * TCPX LDX STKPTR return CAR of cell on top of stack.	Listing 4: LSTINI, LSTADD, and LSTEND build up a linked list of dotted pairs using two pointers on a stack, one to the first dotted pair, one to the dotted pair at the current end of the linked list.
Listing 2: LISP (a) and M6800 assembly (b) code for the READ function.	<pre>(a) (DEF FEAD (LAMBDA ()</pre>	 (T (CCNIS F (READL (REAF)))) (b) REAE JSR RATOM pick up the next input atom CPX LPARAT is, is equal to the "(" atom? BNE RDRET no, simply return the atom JSR LCTHUI yes, initialize a linked list DSP REAFT call RFAT recursively to pick up next form CPX RFARAT is it equal to the ")" atom? RDLUP PSP REAFT call RFAT recursively to pick up next form CPX RFARAT is it equal to the ")" atom? * JSR LSTADD no, allocate a new dotted pair, FEC RELDUN yes, frialize the list and return JSR LSTADD no, allocate a new dotted pair, RDLUH JSR LSTEND finalize the list, get a pointer to the first dotted pair of the list RERET RTS and return. 	<pre>* set up the stack for LSTADD. * first stack a NIL, then a pointer to the NIL. JSR PUSHX LCTIFILDX ZERO stack a NIL form JSR PUSHX DEX STKPTR stack a pointer to the NIL DEX STKPTR stack a pointer to the NIL DEX STKPTR stack a pointer to the CDR of a cell. DEX add form in X-reg to list pointed to by value on top of stack * add form in X-reg to list pointed to by value on top of stack * clobbers X-reg, A-reg, and B-reg. ISTADD JSR DETCEL get a dotted pair and fill in the CAR JSR TOPX TELPTR seve address of new cell JSR TOPX TELFTR seve address of new cell JSR TOPX TELFTR link new cell onto list STAA CERTR + STAA CERTR + IDAA CELPTR link new cell onto list DDAA CELPTR update list pointer STAA CAR, X (which is on top of stack) STAA CAR, X (which is on top of stack)</pre>	of list in X-reg list end pointer list begin pointer.

.

CTX YTMF save X-red temporarily LEX XTMPP point at other name CMPA 0, X BHE 0, X first char equal? CMPRET nope, return with Z-bit clear DEC CMPRET yep, return with Z-bit set CMPA 1, X nope, return with Z-bit clear all done now? CMPRET all done now? TTTP CMPRET all done now? TTTP CMPRET all done now? TTTP TTTP CMPRET all done now? TTTP	LEX INX BRA BRA STS Par olo	LDX LUTIN Set ICT Specifying Pre-exist CPX NILATM is this the atom with the pri BNE RETNUM PNE RETNUM STX CAR, save form temporarily IDX TERM STX SPCPTR STX SPCPTR S	re a new atom, allocate a new cell and return new form LDX NAMPTR set up new atom cell with pointer to name JJR GETCEL in CAR of dotted pair INX set low order bit of form to indicate atom STX FORM save in FORM for lader JSR GETCEL link new atom onto ORLIST LDA ORLIST	CPR,X OBLIST+1 CPR+1,X RATRET and return with FORM i	<pre>* here is a stripped down version of CKNUMB. It accepts * only one-digit numeric atoms. Otherwise it * returns with C-bit set. * returns with C-bit set. CKNUM3 LDX MAMPTR look at name LDA 0,X subtract out ASCII code for zero digit ELT # 0 subtract out ASCII code for zero digit ELT # 0 subtract out ASCII code for zero digit CKPA #0 subtract out ASCII code for zero digit ELT # 0 subtract out ASCII code for zero digit CKPA #0 subtract than 3? BGT 1,X more than one digit? FCR more than one digit STAB FCRM shift value around so that bit 1 is left open ROLB ADDA SIAB for garbage collector ADDA</pre>	ROLE bits 1,2,2> 2,3,4; bit 0> bit 0 STAA FCRM+1 store low order byte of form LDX FCRM and return it in X-reg CLC with C-bit clear. RTS bad number, return with C-bit set. RTS
	CMPRET * We hav	OL VALIA RETRUM RATRET	* Ke hav		**************************************	มก พบ พบ พ ย
<pre>isting 5: RATOM accepts characters one at a time from the terminal ito atoms. return form in X-reg for next atom typed in aTON LEX PROFTR save pointer to first open spot in ETX RAMPTR SEEC always contains the next cha EPUUP CMPA PEEC is PEEC always contains the next cha EPUUP CMPA PEEC is PEEC always contains the next cha BGT CMA no, go collect name of atom 3CF REALC yes, get next char PRA REALC yes, get next char PRA REPLUP and loop. CT next char <u>of</u> input, and store in clobal PEEC St next char <u>of</u> input, and store in clobal PEEC</pre>	STAA PEEKC STAA PEEKC RTG PEEKC RTG PEEKC BTG PEEKC BC PAGE SPT SPCLCH	BHERCLUPno, collect multi-character nameCSRREALCyes, update PEEKCCRCAROLand zo scan fillSTREALCget rest character of nameCVPA#2CSEEScan filloneCVPA#2CSEEScan filloneCVPA#2CSEEScan filloneCVPA#2CSCAROLyes, all doneBSRSCAROLSCAROLsecial char?EESCAROLSSRCCPYCRCLUPand loop.SRARCLUPAnd loop.	<pre>* copy char in A-reg to name area, and advance nemt space pointer CCPYC LLX SPCPTR point to empty slot in name space STAA n,X store the char INX increment the pointer STX SPCPTR and return.</pre>	<pre>* check if char is a special char (i.e. "(" or ")") SPCLCH CYPA #'(1. paren? BEQ SPCLY 2.CMPA #') or r. paren? CMPA #') or r. paren? SPCLY RTS return with 2-bit set appropriately.</pre>	<pre>* null-terminate rame, check if rumeric, scan OBLIST if not. BCR COPYC null-terminate the name JCB COPYC SCANUTE COPYC SCAND IC TAPA JCS CONUTE COPYC SCAND FOR TAPA JCS CONUTE COPYC SCAND FOR TAPA BCC COPYC SCAND FOR TAPA IDX COPYC SCAND FOR TAPA IDX COPYC SCAND FOR TAPA SCAND FOR COPTER USING LOT THE SYNDOLIC ADAM IDX COPYC SCAND FOR TAPA IDX COPYC SCAND FOR TAPA DEX CARLY SCAND FOR TAPA IDX COPACIENT SCAND FOR TAPA DEX CARLY SCAND FOR TAPA DEX CARLY SCAND FOR TAPA DEX CARLY SCAND FOR TAPA DEX CARLY SCAND FOR TAPA DEX CARLY SCAND FOR TAPA DEX CARLY SCAND FOR</pre>	<pre>* compare strings pointed to by X-reg and "AMPTR * Z-bit set if equal * clobbers X-reg, A-reg, E-reg CMPHAM CIX XTMP2 save X-reg temporarily EDX WAMPTR point at new atom name CMPLP LDA C,X get next two chars LDA 1,X</pre>

(a)	(DEF PRINT (LAMBDA (F)	(b)	* type	out a f	form, full	y parenthesized, and then go to a new line.
	(PROGN		PRINT	JSR	PUSHX	save X-reg on stack
	(PRING F)			BSR	PRINR	simply pass the buck to recursive PRINE
	(PATCM NEWLINE)			LDX	CRLFAT	type out CR/LF
	F			BSR	PATOM	using PATOM
)			JMP	POPX	restore X-reg and return.
)) (0.11	101 X	rescore x-reg and recurn.
			* type	out a f	form, with	no CR/LF
	(DEF PRINE (LAMBDA (F)		* clob	bers X-	-rea	
	(COND		PRINR	JSR	ISATOM	is the form an atom?
	((ATCM F) (PATOM F))			PCC	PATOM	yes, pass the buck to PATOM
	(T (PRCGN			JSR	PUSHX	nope, stack the X-reg
	(PATOM LPAREN)			LDX	LPARAT	type out a "("
	(PRINR (CAR F))			BSR	PA TO'1	5)F5 040 4 (
	(PRINL (CDR F))		PRINL	JSR	TOPX	restore the X-reg
	(PATCM RPAREN)			LDX	CAR, X	type out the CAR
))			DSR	PRINR	(recursively!)
) //			JSR	POPX	
))			LDX	CER,X	restore pointer to the dotted pair
	· · ·			JSR	ISDTPR	advance to next dotted pair in linked list
	(DEF PRIML (LAMBDA (L)			BCS		is there a next dotted pair?
	(CONF			JSR	PB PA R PUSHX	nope, go type a ")"
	((DTPR L) (PRCGN			LDX		yep, save the new X-reg again
	(PATCH SPACE)			BSR	SPACAT	type out a space
	(PRINR (CAR L))			BRA	PATOM	and loss of
	(PRINE (CAR L))		PRPAR		PRINL	and loop around.
))		FRFAR	L DX BRA	RPARAT	type out a ")"
				DNA	PATCH	and return (through PATOM).
)) '		Linking		1 146000	
	//		LISTING O	: LISP a	na ivi6800 a	assembly code of the PRINT routine.

Listing 6: LISP and M6800 assembly code of the PRINT routine.

Text continued from page 142

when encountered (eg: "(" and ")") without any separator characters necessary.

In the author's LISP system RATOM is relatively sophisticated, allowing for atoms with spaces in their names if they are quoted ("..."). Also the single quote character ("'") is given special significance, as are "[" and "]". However a simpler RATOM is guite enough for an initial implementation. To make this exposition simpler, only single digit numeric atoms will be allowed. Certainly in an eventual implementation, multidigit numeric atoms, optionally preceded by a minus sign would be accepted.

In this RATOM, the characters are copied into an area set aside to hold the names of atoms as they are input. A null character (ASCII code zero) is used to terminate the name, when a separator or special character is encountered. If the name is entirely numeric, then the atom is a numeric atom, and the form is simply the value of the number, with the high order bit set, and one other bit left zero for use in the garbage collector. Otherwise the atom is a symbolic atom, and a scan is made of the OBLIST for a pre-existing atom with the same name. If one is found, the characters just typed in are thrown away and a form specifying the pre-existing atom is returned. If the atom is a new one, a 4 byte cell is allocated (using GETCEL defined in listing 4) and a pointer to the new atom is added to the OBLIST. A form specifying the new atom is returned. The M6800 assembly language code for this is in listing 5.

PRINT Function

PRINT is the second major recursive function comprising the LISP interpreter. It takes a single form as argument, and types the value as a fully parenthesized LISP expression. PRINT simply calls the more primitive function PATOM when it is given an atom to type. Otherwise, PRINT types a left parenthesis, calls itself recursively to type out the elements of the list, and then types a right parenthesis. In any case, PRINT always types out a carriage-return/line-feed at the end. This can be coded as in listing 6.

In the LISP routines, the special function PROGN is used. PROGN simply evaluates all of its arguments in sequence, and then returns the value of the last one as the value of the entire PROGN. The two functions ATOM and DTPR are used to test the type of a LISP object. ATOM returns T if the argument evaluates to an atom symbolic, numeric, or NIL. Otherwise ATOM returns NIL. DTPR is the exact opposite. It returns T if the argument evaluates to a dotted pair, and returns NIL otherwise. Such functions which return either T or NIL are called "predicates" in LISP in analogy with predicates as used in symbolic logic. Such functions in other languages are called Boolean functions.

Nowhere in the routines for PRINT, nor for that matter in the routines given earlier for READ, is the allowance made for the input or output of list structures which require the use of "dot" notation. A structure like (A B C . D) could not be input, and the above PRINT routines would type it out as (A B C), simply assuming that the atom which ended the linked list was NIL. It turns out that the changes necessary to implement dot notation are quite straightforward. For example, to add it to the LISP version of PRINT, only the routine PRINL need be rewritten, as follows:

```
(DEF PRINL (LAMBDA (L)
  (COND
    ((DTPR L) (PROGN
       (PATOM SPACE)
      (PRINR (CAR L))
      (PRINL (CDR L))
    ))
    ((EO L NIL) NIL)
    (T (PROGN
      (PATOM SPACE)
       (PATOM DOT)
      (PATOM SPACE)
      (PATOM L)
    ))
  )
))
```

A corresponding change could be made to the assembly language routines.

As with the primitive function RATOM, the function PATOM turns out to be more difficult to implement than the recursive PRINT. PATOM must distinguish between symbolic atoms, numeric atoms, and NIL, and act accordingly. With symbolic atoms, PATOM simply types the null-terminated name of the atom. With numeric atoms, PATOM must convert back from the internal representation of the numeric value, to the string of ASCII characters which represent the number. With NIL, PATOM simply types 'NIL'. Listing 7 is a simplified version of PATOM with numeric atoms of only a single digit.

EVAL Function

The EVAL function is the *heart* of the LISP interpreter. EVAL accepts one form as an argument, and evaluates it according to the LISP convention: the value of NIL is NIL, the value of a numeric atom is itself, the value of a symbolic atom is the form associated with the atom, and the value of a list is determined by applying the function specified by the CAR of the list to the list of arguments which make up the CDR of the list.

In most LISP systems at least two distinct kinds of functions exist, SUBRs and LAMBDAs. SUBRs are the built-in functions of the LISP system, written in machine code (like CAR, CDR, PATOM). LAMBDAs are the user-defined functions, defined like (DEF GCD (LAMB-DA (X Y) ...)). The effect of such a DEF is simply to define the list (LAMBDA (X Y) ...) as the value associated with the atom GCD.

The type of object used to specify a SUBR function varies among LISP systems. Frequently a new type of object is defined, called CODE, distinct from atoms and dotted pairs. A second alternative is to treat SUBRs like a funny kind of atom. The author's LISP system treats the bytes which make up the machine code of the SUBR like the print name of an atom. The SUBR is then specified by a dotted pair, with the CAR being the atom "SUBR" to identify the type of function, and the CDR being this atom with the funny print name. In fact the print name is prefixed with a special string which is unlikely to occur in a normal atom's print name, and hence PATOM could detect that the print name was not typeable, and simply type, say, "!" instead. In addition EVAL can check for the presence of this special string at the beginning of the print name to avoid treating a normal atom's print name as machine code. This method for specifying SUBRs avoids introducing an additional type, but the added complication in PATOM and EVAL may rule out the method in some implementations.

When EVAL is given a list to evaluate, it first evaluates the CAR of the list (recursively). The evaluation of the CAR should be either a LAMBDA expression, or a SUBR expression. If the evaluation of the CAR is an atom, or a list not headed by LAMBDA or SUBR, then EVAL stops, and indicates an error to the user.

If the CAR of the list gives a LAMBDA expression, the arguments to the function call are evaluated one at a time and saved on a list. The value associated with the "for-

mal" arguments of the LAMBDA expression (eg: X and Y to the GCD routine given earlier) are saved on the stack. These formal arguments are then set one at a time to have the value of the corresponding actual arguments to the function (which were evaluated already). Finally, the "body" of the LAMBDA expression is evaluated, with the formal arguments now holding their new values. The result of evaluating the body is the result of the original function call. As a last step, EVAL restores the original values of the formal arguments.

Following the details of evaluation of such a function call is very difficult at first. The sequence of these steps is critical: evaluate actual arguments, save old values of formal arguments, set new values of formal arguments, evaluate body of LAMBDA, restore old values of formals. With any other sequence there is a chance that changes to the formal arguments of this function might interfere undesirably with the values of atoms in the calling routine's environment. These formal arguments are supposed to be strictly "local," that is, the choice of a name for a formal argument should be a strictly local decision, having no impact on variables with the same name in calling routines. Observing these rules allows LISP functions to be freely recursive. As the above examples of routines demonstrate, this recursion is in fact heavily used in LISP programming.

The steps in applying a SUBR function are simpler, because there are no formal arguments to worry about. EVAL simply evaluates the arguments to the SUBR, and passes them as a list to the machine code subroutine. EVAL expects the result of the SUBR to be left in register X when the subroutine returns.

This much of EVAL can be implemented on the M6800 as in listing 8.


The routines EVLALS, POPFRE, EVLNSV, EVLRSO, and EVLRST have not been included in listing 8 for brevity's sake. They are all relatively straightforward routines, making heavy use of GETCEL, PUSHX, POPX, and FRECEL to build up and then release the lists of saved values.

Two additional types of LISP functions, normally recognized by an EVAL function, are called NLAMBDAs and NSUBRs (or FSUBRs, or FEXPRs if you prefer). These types of functions take their argument lists un-EVALed. NSUBRs are simply passed the CDR of the original function call list, instead of a list of evaluated arguments. Similarly, NLAMBDAs are provided with only a single argument, the list of unevaluated arguments. Without NSUBRs it is necessary for EVAL to recognize functions like COND as special cases, so that their argument list is not immediately evaluated. NSUBRs are specified in the same way as SUBRs, with the atom "NSUBR" replacing "SUBR" in the CAR of the dotted pair. PRINT will type out NSUBRs as "NSUBR .!)"

NLAMBDAs are very useful for creating elaborate user-defined functions which take argument lists that are as or more complicated than COND. NLAMBDAs are necessary anytime the number of arguments is variable, or some of the arguments are wanted unevaluated.

To incorporate NLAMBDAs and NSUBRs in the above Text continued on page 148

STX LDX BSR JSR JSR JSR Sbould n LAMBDA ()	. funny-atom) STX funny-atom) LDX CAP save pointer to function d LDX CBRAT SUBR? CPX SUBRAT SUBR? BEQ EVLSUB yes, go evaluate args, etc CPX LAMBAT LAMBDA? EQX LAMBAT LAMBDA? BEQ EVLLAM yes, go apply the LAMEDA BEQ EVALLAM yes, go report error to u LDX #ERRBK pointed to by X-reg.	normal or error return, restore ALP, FLP, and NLP return with result of evaluation in X-reg and FORM .VLXIT STX FORM save return value JSR POPX restore NLP, FLP, ALP STY NL		t, call the machine c EVAL list of args (point at CDR of fun error if numeric or		CMPA #300 BNE EVLERR JSR EVLERR JSR 2,X SUBR looks CK, call subroutine STX FORM save returned result JSR POPALS free up list of EVALed args LDX FORM restore X-reg BRA EVLXIT and return from EVAL.	<pre>* evaluate call on (LAMBDA (J K)) EVLLAM JSR EVLAIS evaluate list of args JSR EVLNSV save old values of formals on stack JSR EVLRSO store new values for formals on stack LDX EVR, point to body of LAMBDA LDX CAR, x evaluate body (recursively!) JSR EVAL evaluate body (recursively!) JSR EVAL evaluate body (recursively!) JSR EVAL evaluate body (recursively!) JSR EVLRST restore old values of formals LDX FIP save result form temporarily JSR EVLRST restore old values of formals LDX FIP and return from EVAL.</pre>
Listing Y: A simplified version of PAIOM which assumes single digit atoms. * given atomic form in X-reg, type out name on terminal * preserves X-reg PATOM STX FORM save X-reg for later BEQ PNILAT go print "NIL' if form is zero BIT PNUMAT go print numeric atom (high bit set) DEX CAR, X get pointer to print name of atom BRA PNAME and go type it out.	NILMAM FCC 'NIL' String to print for NIL form FCB 0 (the null terminator) PHILAT LDX NILMAM point to a null-terminated string "NIL" PNAME LDA 0,X type out the chars one at a time BEG PATDUN until null chars one at a time JSR PUTC using the ROM monitor put char routine. INX advance to next character of name BRA PNAME and loop around.	ATDUN LDX FORM RTS simplified version of	Junat form alre- LEAA LEAA ADCA ADCA ADCA BCA BCA BCA BCA BCA BCA BCA BCA BCA B	# FUT PAT	Listing 8: A simplified version of EVAL.	* evaluate form p Evaluate form p LEAN LDAA BCCA BCCAE	<pre>An and return with value in X-reg and FCR%. NUMNIL RTS FORM and return with value in X-reg and FCR%. * evaluate a function call (function specified by CAR of dotted pair) SSR PUSHy save value of ALP, FLP, NLP on stack LDX FLP LDX PUSHX (now ALP, FLP, and NLP are "local" variables) LDX FCR point back to original form</pre>



EVAL routines, two additional checks must be added immediately prior to EVLERR:

BEQ EVLLAM CPX NSUBAT BEQ EVLNSU

CPX NLAMAT BEQ EVLNLA

* illegal exp... EVLERR ... NSUBR? yes, go call machine code subroutine NLAMBDA? yes, pass list of args as single argument


and the additional routines EVLNSU and EVLNLA must be included. Both of these routines are simpler than the corresponding routines EVLSUB and EVLLAM.

To make EVAL useful, some number of built-in SUBRs and NSUBRs must be written. The number of such builtin primitives can be kept quite small in LISP if they are chosen carefully. Most routines can be implemented as user functions if a few primitives exist. The primitives will certainly include PATOM, RATOM, EVAL, CAR, CDR, CONS, COND, SET, ADD, SUB, EQ, GREATER, ATOM, and NUMBER. All but SET and NUMBER have been used in the LISP function listings. SET is the primitive LISP assignment function. SET takes an atom and a value, and sets the value associated with the given atom to be the given value. NUMBER is a predicate function like ATOM, and simply returns T when its argument is a numeric atom. Listing 9 is an example of one of these primitives, the SUBR EQ.

Notice that the SUBRs and NSUBRs will start with the preface string (hex 21, 00 is used in this system). The argument list is always pointed to by ALP. Also notice that the SUBR may not assume that the proper number of arguments were supplied. The general rule is to treat

≢ retu EQSBR	FCB FCB	given id \$21 \$00	
₩ ALP p	Doints to LDX BEQ	the lis ALP TRUE	t of evaluated arguments get first arg no args is equivalent to
			(EQ NIL NIL)
*			which should return T.
	L.DX	CAR,X	save first arg temporarily
	STX	XTMP	
	LDX	ALP	pick up second arg
	LDX	CDR.X	prev up accound ang
	BEQ	EQSNIL	(EQ X) is equivalent to (EQ X NIL)
	LDX	CAR,X	
EQSNIL	СРХ	XTMP	are the forms identical?
	BEO	TRUE	yes, return T.
	ĹDX	ZERO	no, return the NIL form
	RTS	2010	hoy recurs the art form
*	010		
TRUE	L DX RTS	TATOM	return T atom

Listing 9: EVAL may have built in primitives to expand the language. This is an example of the primitive SUBR EQ.



The face is (becoming) familiar

No surprise...it stands out in the crowd. The quality and reliability that Industrial Micro Systems' customers have grown accustomed to is now available in our complete system. A system that will grow with your needs.

You can start with a minimum 16K, single disk system. The system shown above can be expanded to 608K-Bytes of fast RAM with three double-sided, double-density drives. And more to come.


The microcomputer industry standard CP/M[™] operating system is delivered with the system. PASCAL is available. Industrial Micro Systems systems users are developing an impressive array of application software. The system is offered in rack mount and table top versions and also in our own desk enclosure.

In addition to gaining in familiarity, the Industrial Micro Systems picture for total system products should be coming into focus for everyone. Advanced, reliable electronics...industry standard software... and functional, high quality enclosures.

Industrial Micro Systems, your source for *complete* systems. And the prices are right.

Ask your dealer to see the full Industrial Micro Systems line of products and be watching for exciting new additions soon to come from Industrial Micro Systems, 628 N. Eckhoff St., Orange, CA 92668. (714) 633-0355.

INDUSTRIAL MICRO SYSTEMS, INC The great unknown.



use **TRcopy**

WITH YOUR LEVEL II TRS-80*

TRcopy is a cassette tape copying system that iets you SEE what your computer is reading.

COPY ANY CASSETTE TAPE*

With the TRcopy system you can copy any TRS-80 Level II cassette tape whether it is coded in Basic or in machine language. You can also copy data created by programs and you can copy assembler listings.

YOU CAN SEE THE DATA

As the tape is being loaded, you can SEE the actual data byte-for-byte from the beginning to the end of the program. Up to 320 bytes are displayed at one time. ASCII characters are displayed on the first line and hexadecimal code is displayed on the following two lines. Data is displayed exactly as it is input including memory locations and check sums.

IDENTIFY PROGRAMS

With TRoopy you can identify programs on cas-sette tapes without written documentation because you can SEE the filename. If you forget to label a tape, you can use TRcopy to display the tape contents and identify the cassette.

VERIFY CASSETTE TAPES

With TRcopy you can verify both the original tape I the tape copies. You can make certain that your and machine reads the original tape correctly and that it makes byte-for-byte copies. TRcopy also counts as it reads giving you the exact length of the data.

MAKE BACKUPS FOR YOUR PROGRAMS

Now you can make backup copies of your valuable programs. Many times a cassette that you make will load better than one that is mass produced. The original can then he kept as a backup in case the is damaged. copy

MAKE COPIES OF YOUR SOFTWARE

If you are in the software business you can use TRopy to make tested copies of your programs for sales distribution. TRopy produces machine lan-guage tapes that are more efficient than those pro-duced by the assembler itself.

RECOVER FAULTY DATA

With TRcopy you can experiment with the volume and level controls and you can SEE what the computer is reading--even if your computer will not read the data through normal read instructions! In this way it is possible to read and copy faulty tapes by adjusting the volume control until you SEE that the data is input properly.

SIMPLE - FASCINATING - FUN

TRcopy is not only a practical utility program. It is also a fascinating graphics program that lets you SEE, for the first time, cassette data as your com-puter is reading it. And it's as simple as 1-2-3, Just load, verify and copy. You will now be able to use cassette tapes with confidence knowing that TRcopy is there when you need it.

The TRcopy system is a machine language program with documentation explaining tape leaders, sync bytes, check sums and other formatting conventions. With the TRcopy system, you can SEE what you are doing







unspecified arguments as though they were NIL. In EQ above, this gives some rather strange behavior, where simply (EQ) will always return T. It still remains for the implementor to initialize the atom EQ to point to a dotted pair, (SUBR . funny-atom), with the print name of the funny atom set to point to the code at EOSBR as shown in listing 9. The final section of this article goes over some of the problems involved with this kind of initialization.

Garbage Collector

A garbage collector eventually becomes essential in any LISP system. It is possible to create dotted pairs that are no longer accessible to a LISP program by any path. This happens, for example, if a function like REPLACE is called and then the value returned simply PRINTed but not saved as a LISP atom. This cannot go on for long before all of the free space is used up with dotted pairs. The garbage collector's job is to find all of the dotted pairs.

The various algorithms for locating such jetsom of the LISP function evaluation process are all quite intricate. The basic idea is always to trace systematically down every list structure to its component atoms, marking every dotted pair encountered along the way. If a dotted pair is encountered which is already marked, then that branch of the list structure is assumed to be already fully traced. The garbage collector then makes a sequential scan of all of memory space occupied by dotted pairs, and links together all unmarked dotted pairs onto a special list, the free list. During the scan, the marked dotted pairs are simply skipped over, because they are assumed to still be a part of some useful list structure. When a marked dotted pair is skipped over, its mark is also cleared in anticipation of future garbage collections, when it might no longer be so lucky.

The difficulty with this trace and collect algorithm is that each dotted pair points to possibly two more dotted pairs, so during the tracing phase the garbage collector must eventually follow both paths. What this means is that a second indication must be made on each dotted pair, indicating that the garbage collector is now busy tracing the CAR of this dotted pair, and will be returning later to trace the CDR of the dotted pair.

During the tracing phase, the garbage collector might very well be thought of as an ant determined to visit every branch of a tree. It goes out to the tip of each branch, but as it returns it must remember whether it has already traversed the other paths going out from each branching point. Even this analogy underrepresents the difficulty of a garbage collector, because the ant can simply turn around when it reaches the tip of a branch, but the garbage collector would normally have no clue as to how to climb back toward the root of a list structure once it gets out on a distant dotted pair.

The solution to the garbage collector's problem is to either reverse all the pointers in the list structure as it forays out to the terminating atoms and then reset the pointers on the way back in, or to keep a list of all dotted pairs which still require that their CDRs be traced. The first solution is like stringing a spool of thread behind you as you venture into an unexplored cave, following the thread back toward the mouth of the cave when you reach a dead end. Of course the same danger exists; that

MEN

The garbage collector may run at any moment.

the delicate thread leading you back to the starting point might get tangled or broken.

The second solution is simpler, but suffers from the grave problem that it requires room to store the list of partially visited dotted pairs, and garbage collectors tend to be called upon at times when there is no more room to spare. In fact, the list of partially visited pairs need get no longer than the maximum "depth" of any list structure in the system, so that by setting aside a small portion of memory reserved for the use of the garbage collector's list, the implementor can get by with coding a much simpler tracing algorithm.

The author's system uses the pointer reversal method, and he will testify to the unlimited number of obscure problems which can appear during the debugging phase of its implementation.

It should be clear now why it was important to leave one bit in each form, and hence two bits per dotted pair, free for the use of the garbage collector. The bit in the CAR form can be used to indicate that the dotted pair has been visited once, and the bit in the CDR can be used to indicate that both paths from the dotted pair have been traced. These bits are only used during garbage collection, but because the garbage collector may be called at any time when GETCEL finds that there are no more 4 byte cells on the free list it may, in fact, run at almost any moment.

Because of this unpredictability, a LISP system with a garbage collector must be coded "defensively," jealously protecting any dotted pair allocated but not yet added to some accessible list structure. The machine code routines given in the listings do not all adhere to this rule. The reason for ignoring the garbage collector in the development thus far was simply to keep the design of the routines simple and relatively intuitive.

If the reader intends to include a garbage collector in an implementation of a LISP interpreter, more care must be taken. For example, two versions of the routine PUSHX would be defined, normal PUSHX and PROPSH (protected push). The PROPSH would be used when the 16 bit value being pushed on the stack pointed to list structure which might not be accessible in any other way, and hence might get collected in the next garbage collection scan. PROPSH avoids this danger by marking the cell used to store the saved value so that the garbage collector will know to trace this form and its descendents.

Initialization

It is ironic, but somehow appropriate, that the section on initialization comes at the end of this article. Frequently it is in fact one of the last things an implementor thinks about. That is probably because initialization is one of the biggest difficulties facing the implementor of any language: assembler, interpreter, or compiler. By initialization is meant the inevitably awkward methods of getting the symbol tables, or the OBLIST in LISP preloaded with the names which are to be built-in to the system. Most of the routines written to enter symbols in-

'TINY' PASCAL

for TRS-80®

& NORTH STAR®

Now you too can have Pascal! The Chung/Yuen 'Tiny' Pascal has been specially designed for TRS-80 & North Star owners. The full power & elegance of 'Tiny' Pascal is at your command. Programs written in 'Tiny' Pascal run at least 4 times faster than the same program in BASIC! 'Tiny' Pascal is also a great way to learn Pascal Programming, & fun too.

The minimum system requirements are: Level II, 16K for TRS-80, & 24K for North Star (specify single or double density).

SOURCE TOO!

But most important, you also get source to 'Tiny' Pascal written in Pascal with each purchase! You can even compile the compiler! You can customize your own version, or just use it the way it is.

'Tiny' Pascal is a subset of Standard Pascal & includes: RECURSIVE PROCEDURE/FUNCTION, IF-THEN-ELSE

REPEAT/UNTIL, 'PEEK & POKE', WHILE, CASE, & MORE! (Plus full graphics for TRS-80 as well)

Also you can save & load programs.

Tiny Pascal supplied on cassette for TRS-80 and Diskette for North Star.

You get all this & more, plus a user's manual for \$40.00.

available from:

P.O. Box 1628

Champaign, IL 61820

(217) 344-7596 All orders pre-paid, Illinois residents add 5% sales tax

HARD DISC FOR S100 MICROS

The XCOMP DCF-10 Disc Controller provides the OEM with a high performance, low cost interface for fixed and removable (2315 or 5440) cartridge disc drives. The DCF-10 is currently supported by two operating systems. For information or manuals, contact XCOMP.






9915-A Businesspark Ave., San Diego, CA 92131 • (714) 271-8730

to symbol tables, or to add new atoms to the OBLIST, are all oriented toward names entered by the *user* of the language processor. The initialization phase of the system becomes quite complicated because of this orientation. The methods finally chosen are, in general, tedious, requiring a lot of special preparation by the writer of the initialization routine.

The best way to avoid these initialization difficulties is to spend a little extra effort in designing a few nice routines for taking information out of tables which are convenient for the *implementor* to set up and modify, and let these routines do the intricate bit-twiddling work necessary to get the objects in shape for the symbol table, or the OBLIST.

In the author's LISP initialization module are routines to build up dotted pairs in the form required for SUBRs and NSUBRs, and routines to allocate 4 byte cells for built-in atoms. The atom initialization routines are given the address of a contiguous table of null-terminated ASCII names, each followed by the address of a memory cell where the form specifying the new atom should be stored. This is where the symbols like TATOM, SUBRAT, LAMBAT, etc came from. They refer to memory locations in the base page of the M6800 (0 thru 255), where the forms specifying the atom T, SUBR, and LAMBDA, etc, are stored. The table to initialize these atoms was simply:



Although writing the special initialization routines was initially time-consuming, it was more than compensated for by the ease of adding more built-in atoms as the system grew.

Conclusion

We have traced through the implementation of a LISP interpreter and looked at a specific example for the M6800 processor. For further information on the garbage collecting routines and a complete listing of the interpreter, order BYTE document number 112.



The Nybbles Library is an inexpensive means for BYTE readers to share some interesting but specialized forms of software. These programs are written by readers with small computers and printer facilities, and are therefore designed for particular systems. The algorithms and programming techniques in these programs can be directly used by readers with similar equipment, or can serve as an inspiration for improvisation on computers of different characteristics.

Potential authors for such programs should send us a self-addressed stamped envelope, with a request for a copy of our "Guideline for Nybbles Authors." Payment for Nybbles items is based on sales and length of the item. Rates are set when author's proofs are returned.

Nybbles Library programs are sent in listing form, printed on 8.5 by 11 inch, three hole punched paper for collection in loose leaf binders.

This month "An M6800 LISP Interpreter" has been added to the Nybbles Library. To order your personal copy at \$10.00 (US and Canada), \$12.00 (foreign airmail) postpaid, fill out the coupon below.

Please send copies o	f BYTE Nybble # at \$	postpaid.
Please remit in US funds only.		
Check Enclose	ed	
Bill my VISA #	Exp Date	·
Bill my MC #	Exp Date	
Name		
Street		
City	State	_ Zip Code
BYTE NV	bbles Library, 70 Main St, Peterborough I	NH 03458
•		

You may photocopy this page if you wish to keep your BYTE intact.

NEW POWER FOR YOUR APPLE II FROM MOUNTAIN HARDWARE.

NEW EXPANDABILITY.

ROMPLUS+ is a peripheral board whose added features can turn the Apple II* into the most powerful personal computer available today.

NEW POWER.

ROMPLUS+ provides six sockets to accept individually addressable 2K ROM's or EPROM's. Keyboard Filter[™], a 2K ROM program, comes installed on the ROMPLUS+ board and adds many useful features to your Apple II, including:

- Upper and lower case letters. The only system that offers keyboard input and standard shift key operation.
- Multiple user-defined character sets.
- · Colored or inverse-colored letters.
- Keyboard macros two key-stroke, automatic typing of multiple, user-defined words or phrases. Including BASIC and DOS commands.

THE FORMATION PROPERTY.

- · Mixed text and graphics.
- Improved cursor control.
- STOP LIST and END LIST.

• Works with Integer BASIC, RAM or ROM Applesoft, and DOS.

ROMPLUS

And more...quick to learn. Easy to use.

• Software support provided on disk includes demonstration programs and two Editors that allow you to define your own characters or keyboard macros.

SOPHISTICATED FIRMWARE.

In addition to the Keyboard Filter ROM, ROMPLUS+ offers five sockets for ROM or EPROM, plus "scratchpad" RAM. And, sophisticated firmware on ROMPLUS+ allows one, two, or more of its chips to be used simultaneously for programs longer than 2K.

EXPANDED UTILITY.

Many software programs really ought to be utilized as firmware. ROMPLUS+ makes that an actuality for the Apple II by providing six additional ROM sockets.

AT YOUR DEALER. NOW.

\$169. Complete and tested. Including the powerful Keyboard Filter ROM and full documentation. Ask your dealer for a demonstration.

$\langle \rangle$	LEADERSHI	P IN COMPUTER PERI ast Blvd., Santa Cruz, CA S	PHERALS
		ne details on ROMPLUS	+ and
Name			
Addres	S		
City		State	Zip
Phone			

* Apple II is a trademark of Apple Computer, Inc.

Text continued from page 8:

Gary also wanted readers to understand that the LISP of the "Lots of Infernal Stupid Parentheses" does not represent the essential beauty of this approach. This relatively awkward notation is the assembly language of a LISP machine. It suffers from all of the disadvantages of assembly languages. Relatively simple to program, this "S-expression" form of LISP notation is one that is most often implemented, and it tends to give a distorted view of the language. Gary wanted readers to understand that the alternative "M-expression" form of LISP, with special characters noting relationships, is perhaps the most elegant and natural form of expression for many problems. Rarely, however, does anyone implement an "M-expression" oriented version of LISP at the user software level.

The problem is similar to that of the language APL, with one notable difference. In APL a special character set was invented and assigned to the language for use in representation of the new abstractions involved. The same could be done for LISP if an "M-set" and an automatic "pretty-printer" were employed at the user's terminal interface, instead of a lot of parentheses and ASCII codes.


One explanation for the reason that LISP has not yet caught on as generally as APL might be the fact that APL was first developed on large IBM computer equipment with an elegant user interface. IBM Selectric printing terminals were available to be adapted to a natural expression APL via the "APL-ball," while LISP was seldom used with IBM equipment during its period of development as a tool. With today's technology of personal computer graphics, the same principle can be adapted to the user interfaces of LISP software. The best LISP packages for personal computers should incorporate an appropriate display philosophy which allows the elegance of the language to shine.

[While on this subject of "today's technology," we have also heard some exciting words about a computer system design from the Laboratory for Computer Science at MIT. This is only an advance hint of what may come. The machine is described as an experimental computer with a very high resolution (1024 point) black and white display, 32 bit internal architecture, an advanced LSI processor such as Z-8000 or 68,000, gobs of memory implemented with 65,536 (64 K) bit parts, and an advanced operating system. As a commercial product it may be available in 12 to 24 months in a price range of about \$5000. The word I have from its designer, Steve Ward, is that the technology has been transferred by license to a commercial firm which has existing interests in personal computing products. MIT's motivation with respect to having a commercially manufactured version is to be able to buy several hundred of the machines for local use in its technological community. We may have thought that the past two years were exciting, but the field has hardly begun its maturation...]

This series of BYTE August issues on languages emphasizes the fact that no one language will optimally satisfy all uses. Just as people continually create new forms of expression in any art, the history of computing has demonstrated a similar tendency toward a variety of forms of expression for algorithmic and data concepts. Our coverage of APL, Pascal, and LISP by no means exhausts the possibilities. In my own biased space of language concepts, I see potential future August issue attention to the concept of threaded interpretive languages such as FORTH, and languages which it inspired, like URTH. Other possible linguistic points of discussion might include string languages such as SNOBOL, and even macro languages like GPM and Calvin Mooers' TRAC. Then there are such concepts as data base languages, and the whole issue of designing language technologies for special applications such as music, architectural concepts, graphics, etc.

The fundamental point of this essay still remains: no one language will optimally satisfy all the needs of all users. Some people care only about quick implementation and debugging, and do not really care about speed. Some people just like one particular style of expression. Some people think literally in tree forms and have to strain to think in sequential processing forms. To the extent that programming concepts are universal, choice of a language is often a matter of personal aesthetics. And where languages go off in one or more partially or wholly orthogonal conceptual directions, then the choice of language is based upon the underlying uses of the tool. (Fuel for a number of heated arguments is present in the determination of just what *is* an orthogonal conceptual direction.)

While on the subject of different languages and choices of tools, I should mention one of the most exciting items seen at the recent West Coast Computer Faire. This item



PRICE: \$129.00 We also carry the SYM-1 Microcomputer with manuals \$269.00

VAK-1 MOTHERBOARD

- Designed specifically for use with the AIM-65, SYM-1, and KIM-1 microcomputers
- Standard KIM-4* Bus
- Fully buffered Address and Data Bus
- Provides 8 expansion board slots
- Complete with rigid card-cage
- All IC's are socketed
- Provides separate jacks for one audio-cassette, TTY, and Power
- Completely assembled (except for card-cage)

We manufacture a complete line of high quality expansion boards. Use reader service card to be added to our mailing list, or U.S. residents send \$1.00 (International send \$3.00 U.S.) for airmail delivery of our complete catalog.

*Product of MOS Technology



2967 W. Fairmount Avenue • Phoenix, AZ 85017 • (602) 265-7564

yourfavoritecomputer bookstore or direct from **BYTE BOOKS.TM** Add 60¢ per book for postage and handling The marvelous computer projects that Steve Ciarcia has constructed in his cellar are explained in detail so that you can make your microcomputer perform the same useful functions. Each article is a complete tutorial. presented in such an easy-going style that even beginners can understand and enjoy. BOOKS OF INTEREST TO COMPUTER PEOPLE 70 Main Street Peterborough, New Hampshire 03458

(from the popular series which appeared in BYTE)

BY STEVE CIARCIA

ISBN 0-931718-07-4

Buy this book at

SQ

is a whole new language for interaction with computers at an intellectual user's level. As a tool for use with computers, this language-like method of structuring an interface is completely orthogonal to any conventional sequential language from BASIC to Pascal, although its conceptual underpinnings are very LISP-like. The product has roots in the artificial intelligence community, and it is a direct result of the programming efforts of two gentlemen with strong ties to the MIT computer science scene, Dan Bricklin and Bob Frankston. It is presently available on the Apple-II computer, and will soon be available on Atari, Pet and TRS-80 computers.

Dan and Bob have formed a firm of their own called Software Arts Inc. Their only customer is Personal Software, a company formed last year by another graduate of the Cambridge computer scene, Dan Fylstra (along with Peter Jennings of Microchess fame). The Personal Software company distributes this new product exclusively, at retail cost and through manufacturers. The product is called "Visi-Calc." The first "public" showing of Visi-Calc occurred last May in the form of a hospitality suite at the Fourth West Coast Computer Faire in the San Francisco Convention Center. The display was oriented to dealers and manufacturers. Advertisements have appeared earlier this year, and we should see more detailed publicity by the time of this issue.

As an interactive screen oriented piece of software, Visi-Calc makes the memory of the computer a logical "blackboard" where data is remembered along with relationships. This last phrase, "along with relationships," is the key element of the concept. When I record some

TRS-80...all business!! ...with CP/M, CBASIC2, & applications software. CP/M Operating System (w/Editor, Assembler, Debugger, Utilities & 6 manual set) Statistications software. CP/M Operating System (w/Editor, Assembler, Debugger, Utilities & 6 manual set) Statistications software. CP/M Operating System (w/Editor, Assembler, Debugger, Utilities & 6 manual set) Statistication Compiler (w/manual) Statistication Compiler (w/manual) Statistication Compiler (w/manual) Statistication Statistication Statistication Compiler (w/manual) Statistication Statistication Compiler (w/manual) Statistication Statistication Statistication Statistication Statistication Statistication Statistication Statistication Compiler (w/manual) Statistication Statistication Statistication Statistication

number, eg: 3.1415927, at an intersection of the blackboard's coordinate grid named [B:32], that number is stored in that location on the blackboard.

Since available memory is much larger than the visible screen, I can use cursor controls to make my display window examine any portion of the total blackboard. I might move to location [A:12] and write the value of some angle, perhaps 0.33 radians. I can refer to other locations in defining a relationship for some location instead of raw data.

Suppose, then, that I put the relationship:

in location [Z:21]. Location [Z:21] now depends upon locations [A:12] and [B:32]. I can then move the cursor back to [A:12] and put in any angle that I like, for example 1.2. On changing any such location, Visi-Calc automatically searches the tree of dependent expressions and evaluates new data for such locations. The dependency can effectively go through many levels of calculation so that we can look at any intermediate stage of a calculation by noting it on the blackboard. When I return to location [Z:21] with the cursor controls, I will find the results of the [Z:21] expression as calculated with the new data. All pointing is done via cursor movements, so for the most part users never even refer to the "[letter:number]" coordinates of places on the blackboard.

The same technique can be applied to many programming tasks of an ad hoc nature; for personal, business, engineering and scientific applications. The software handles strings as well as arithmetic data and includes a full set of engineering and scientific functions such as the transcendentals used in the above example. Visi-Calc has to be one of the neatest software innovations of 1979, if not the most fundamental new concept to date in the personal computing field. It will certainly be used as a practical piece of software by many of our readers with various mass-marketed small computers.

An interesting comment was noted by authors Bricklin and Frankston and relayed in a recent conversation with Dan Fylstra of Personal Software. The comment was that the techniques used in Visi-Calc are possible only when a full processor is totally available to one user as a personal computer. The calculational bandwidth required to support this sort of technique is impossible to find at reasonable cost in a traditional large computer time sharing system. It only works when the concept of "one user, one processor" is employed, ie: when the computer power is "personal." As part of Visi-Calc's authors' experiences at MIT over the past decade, they often had this kind of relationship with traditional main frame computers like PDP-10's and IBM 370's. Such excessively expensive computing power devoted to one user is not possible outside of a research context. With the coming of the current age of microcomputing however, the personal (one user, one processor) approach is possible on a wider and less expensive scale. The products that are now available in this market for under \$3000 are getting very close to the level of power which was restricted to research laboratories. Software products like Visi-Calc take advantage of this.



3½ digit LCD display

Model 938 0.1%, 3% digit LCD display DIGITAL CAPACITANCE METER .. \$149

New Data Precision super-accurate portables. To use 'em is to love 'em.Or your money back."

Both meters feature ½" LCD display, 200 hour battery life (9 volt alkaline), pushbutton ranging, tough construction, good electrical protection, and only one calibration adjustment. These meters boast the best accuracy specs in their class, and represent the best value in portable meters today. In stock now!

(PLEASE CALL US FOR QUANTITY DISCOUNT QUOTE)
Please send meModel(s) 935
Please send meModel(s) 938@ S149 Please add the following options: BE9 Battery Eliminator (120VAC±10% 50-60Hz).@ S15 CC35 Carrying Case@ S5 LC1 Plug-in Lead-Clip Test Fixture@ S7.50 T9 12" Test Leads with Alligator Clips@ S5.50
SUB TOTAL\$ STATE & LOCAL TAX (if any)\$ SHIPPING & HANDLING\$ TOTAL AMOUNT OF ORDER\$



Applications Specialists and Distributors of Computer Terminals, Peripherals, Power Conditioning and Instrumentation 159 Northern Boulevard/Great Neck, New York 11021 516/482-3500, 212/895-7177, Outside N.Y.S.: 800/645-8016

I CAN'T V	VAITT	O GET	MY	HANDS	AROUND	THEM!
Check/M.	D. enclo	osed 🗔	Bill \	∕isa ⊟Bil	American	Express

Card No	Expira	ation Date
Signature		
Name (Please print)		
Title		
Compan <u>y</u>		
Address		
City		
Phone		

*If you are unhappy with these meters for any reason, return them to us within ten days in good working order, and we will refund your money less our costs for shipping and handling.



Belais' Master Index Can Give You Access to \$14,836.14 Worth of Computer Programs for Just \$5.95!

Special Pre-Publication Offer

You paid hundreds or even thousands of dollars for your new microcomputer. By now it may be dawning on you that a \$1.000 computer with no software is just \$1.000 worth of scrap metal!

But computer programs cost money. In a recent survey of 1,984 computer programs offered for sale in the top three home computer magazines, the average price was found to be \$27.94. What a rip-off!

You don't need to spend hundreds of dollars to get a complete library of programs for your computer. That is, you don't if you have Belais' Master Index to Computer Programs in BASIC.

Belais' Master Index gives reviews of 531 programs that have appeared in 10 major home computer magazines—programs that you can type into your computer for free!

This is not just a simple listing of a bunch of article titlles, but a complete reterence work! Each BMI review is complete—it has everything you need to know about a program. A brief index line capsulizes the review for quick reference. Source information shows you where the program can be tound. Any updates or corrections are shown so you know the information is accurate and complete. The text of the review gives you a full description of what the program does. In addition. the review gives you detailed technical information about what hardware and software the program needs. Everything you need to know is right at your fingertips!

You don't have to be a programming wizard to use Belais' Master Index. That's because BMI lists only finished. ready-to-run programs in BASIC. the easy-to-use language enjoyed by millions.

Even il you're a master programmer, you'll appreciate Belais' Master Index. Why slave away hours. days. or even weeks writing a program when someone else has probably already done the work for you? These programs are working. documented, and ready-lo-go.

Programs like: Circuit Design, Psychoanalysis. PASCAL Compiler, Forrester's World Simulation, and Color T.V. Tester. Never again will you have trouble answering that question. "But what are home computers good for?"

Then again. there's always MONEY. Maybe you haven't thought of all the ways your "lun" computer could turn out a little of the green stuff for you. Maybe you haven't —but al of of other people have, and they've written up their ideas for you to use. *Belais' Master Index* lists dozens of programs that you can use to set up your own business.

If you already have a business, *Belais' Master Index* has the programs to turn your home computer into a full-fledged business system. General tedger. billing, payroll, mailing lists, word processing—no matter what type of business you have. *Belais' Master Index* has the programs you need.

All this and save \$4.00. too! The west coast paper mill strike has delayed publication of Belais' Master Index. Because of this, we're making a special pre-publication otfer. Reserve your copy now and you can have it for just \$5.95—\$4 off the \$9.95 cover price. But don't wait; when our presses start rolling again 1T WILL BE TOO LATE!

To order, write the words "Betais' Master Index" on a check. Be sure your name and address are printed on the check. Make out the check tor \$5.95 plus \$1 shipping (Cail. residents add 36¢ sales tax). Send your order to Falcon Publishing, Dept. D-1, 140 Riverside Ave., P.O. Box 688, Ben Lomond, CA 95005.

If you want to use your VISA or Master Charge card, write "Belais' Master Index" on a piece of paper. Give the total for your order, your account number, expiration date, and signature.

We absolutely guarantee you'lt love your copy of *Belais' Master Index*. If you're not completely satisfied, return it to us and we'll retund every cent you paid. You can't lose, so order *NOW*!

Returning to the LISP theme of our current issue, Visi-Calc is an example of a tree-oriented parallel data structuring problem for which LISP is a most appropriate language of expression. Due to a lack of availability of LISP as a software development tool for personal computing hardware, its authors did not use LISP. They also had to make a number of compromises and tradeoffs as a result of the small size (eg: 16 K to 48 K bytes) of the main memory of personal computers. But they did use many of the tree concepts of artificial intelligence research. This provides us with the ultimate example of the relevance of LISP-like languages and approaches to personal computing: one of the most generally useful new user software tools for small machines, Visi-Calc, tackles just the sort of problem for which LISP is an appropriate tool of expression.

Notes on the Appearance of BYTE...

by Carl Helmers

Readers will notice a number of changes in the appearance of the design layout of BYTE, starting with this issue. These changes are the cumulative result of several trends in our organization.

Perhaps the biggest such trend, from our readers' point of view, is the arrival of a form of computerized typesetting for BYTE magazine. I have often felt during the four vears since BYTE started that we have been like the proverbial shoemaker's children who went barefoot. We have been producing a computer magazine without the benefit of any computer technology in the actual operation of our business. My own personal recovery from this situation occurred last fall when I began using a machine capable of running UCSD Pascal for all of my programming and writing. At about the same time, we were able to specify and order a computerized system of typesetting and page layout produced by Compugraphic. With this August 1979 issue, approximately 80% of the copy for the magazine was produced using the Compugraphic system. (Of course this measure is exclusive of advertisements which are generally prepared in final form by advertising agencies.)

The new magazine layout beginning in this issue was designed by Ellen Bingham and Nancy Estle of our production department. One of its major features is the use of symmetrical page layouts employing 2, 3, and 4 column widths on a page, depending upon the demands of subject matter and placement in the magazine. In the old layout, an asymmetrical two and a half column format wasted a lot of blank space. It also greatly complicated the production department's magazine layout design task each month. Since article pages in the old format were committed to either a right or left-hand side of an open magazine, the relative placement of pages became quite involved, sometimes even requiring last minute modification of "final pasted" pages to switch them from left to right-hand asymmetry!

The new format, aside from freeing up placement in the magazine, also allows more information to be placed on each page. It simplifies the problem of embedded equations or examples since the column width is greater in the two or three columns used for articles. When an article includes many long examples and equations, these will often fit on one line in the two column format, making the result easier to read. When an article does not have a large proportion of such embedded illustrations, the three column variant is available for use by our designers.

One question that we are frequently asked is related to magazine layout: Why do certain articles get split into sections, with portions of text continued at the back of the magazine? One reason for this is the use of color in the magazine. Approximately half of each issue is printed in color. Color pages are printed in groups of sixteen, called forms. It is sometimes necessary to begin two color articles in the same form, continuing one of the articles in another location in the issue. The relative length of articles also plays a part in how they are laid out in the magazine. We make every effort to keep each article in one contiguous piece whenever possible.

Speaking of computers for magazine production, we hope eventually to be able to accept articles from authors on floppy disks, using either the CP/M or Pascal format on full-size floppy disks. This means 8 inch single or double density, IBM compatible; for nonstandard information formats, documentation sufficient for conversion would have to be included. We will report on this subject as matters progress.

Changing the format of a magazine requires months of preparation and hard work. We want to reassure our readers that we plan to keep the content of BYTE just as it is. The new typeface, new column layouts, and updated feature pages are designed with you in mind. We would appreciate your comments and suggestions.

Coming Up in BYTE...

With next month's September issue of BYTE, we begin our fifth year of publication. Returning to the genesis of personal computers in the hands of inveterate hackers, the theme of that issue is "homebrewing." In future issues we will see such special interest theme topics as education and computers, "domesticated computers," music, data bases, and a special theme on computer games of the Adventure/Dungeons and Dragons variety. Other topics we are contemplating for the coming year include continued attention to themes of voice input and output, graphics, languages, artificial intelligence and robotics...CH



MICROMAIL • BOX 3297 • SANTA ANA, CA 92703

(714) 731-4338

BITS Books to erase the impossible

LANGUAGE NEW! NEW !

LET'S TALK LISP by Laurent Siklossv

□ This is a discussion of LISP, the most important non-numeric language in use today. All features of the language, including elementary functions, recursive functions, the PROG feature, MAP functions, generators, property lists, and the "cell value" concept, are carefully explained while avoiding the details of any particular LISP implementation. For experienced program-mers a quickie introduction to LISP is included. Good programming is emphasized throughout and a full complement of exercises help to illuminate the material. If AI is your direction, LISP is your language.

235 pp \$16.95



LISP

A PRACTICAL INTRODUCTION TO PASCAL NEW !

D PASCAL will soon supercede BASIC, and for good reason. It is a simple and efficient language, encouraging structured programming. Wilson and Addyman have written an introduction to PASCAL suitable for first time or experienced programmers. Describing PASCAL using syntax diagrams, the book encourages the stepwise refinement technique of structured programming. Over 60 programs are included as examples, and seven of its 14 chapters are devoted to data structures. This book comes highly recommended and complements PASCAL-User Manual and Report by Jensen and Wirth.

\$7.90 148 pp.

PASCAL USER MANUAL AND REPORT (Second Edition) by K Jensen and N Wirth

167 pp. \$7.90

 \bigcirc (R) T (R) (R)

NEW! COMPUTING WITH FORTRAN IV: A PRACTICAL COURSE by Donald M. Monro

□ A book for those who have had some programming experience, expecially BASIC, and who want to learn FORTRAN programming. Monro claims that most experienced programmers are self-taught. In his book you'll find yourself programming immediately and learning through experience. Designed as a learning aid, the book carefully relates all of the components of standard FORTRAN IV plus some essential nonstandard features. Throughout the book all subjects taught are compared with their BASIC counterparts. This book will have you learning FORTRAN first hand, making it interesting and challenging.

242 pp. \$16.95

A FORTRAN COLORING BOOK by Roger E. Kaufman

Who says learning FORTRAN isn't fun? Inside this book are the repetitive doloop bird, your mommy's bureau drawers, and a flowchart for making a rug from bellybottom lint! You'll also find everything you need to know about programming in FORTRAN, in a very clever instructional style. Learn FORTRAN programming painlessly.

285 pp. \$6.95

QUICKTRAN by C. Kevin McCabe

Learning a language can be made easier if one begins by mastering a small part of the language and then adds the remaining features as needed. Kevin McCabe has taken this approach in teaching standard FORTRAN IV. He starts with the basic concepts of computing and Quicktran, a fundamental subset of FORTRAN IV that allows the student early programming experience. Part II expands the readers' proficiency and adds other features of the language and by the end of Part III all of standard FORTRAN IV has been covered. Example programs abound.

\$8.95 220 pp.



STRUCTURED PROGRAMMING IN APL by Dennis Geller and David Freedman

APL is a rich computer language. Most books on APL concentrate on its powerful operators and their use, leaving program design and structure to be learned elsewhere. This book by Dennis P. Geller and David P. Freedman takes a better approach, presenting APD with the structure and programming techniques you need to program successfully in APL. From the preface: "Overall, our approach is to present the fundamentals of programming in APL. Students may go on from here to learn to write faster programs, or more compact programs, or more aesthetic programs: this, we hope, is where they will learn to write working programs.

324 pp. \$10.95

NEW! **APL** — AN INTRODUCTION by Howard A. Peelle

□ This is APL for the self-taught programmer or experimenter. Nine U-Program chapters present the APL functions and expressions through examples followed by exercises designed to assure comprehension. Answers to all problems are included and access to a computer is not required. This method of learning APL won't put you to sleep!

242 pp. \$8.50

ALGORITHMS & DATA STRUCTURES = PROGRAMS by Niklaus Wirth

□ "Programs, after all, are concrete formulations of abstract algorithms based on particular representations and structures of data". Niklaus Wirth here presents the fundamental concepts of algorithms and data structures and their interdependence. In his lucid treatment he covers fundamental data structures, sorting, recursive algorithms, dynamic information structures, language structures and compilers, using PASCAL in the examples and exercises. An important text.

366 pp. Hardcover \$19.95

Working in assembly languages? Good programming deserves good documentation. Protect your efforts using

The Bits Programmer PadTM

See ad on page 117



LEARNING

6502 APPLICATIONS BOOK by Rodnay Zaks

□ 6502 microcomputer board users, here's your book! It is the key to putting your KIM, Sym, or Aim65 to work. The 6500 family I/O chips are covered in depth (6520, 6522, 6532, and 6530) along with the interface techniques needed to use them. Applications examples include displays, computer music, alarms, and A/D conversion. Standard peripheral interfacing is explained. The appendices contain applications programs and a 6502 assembler in BASIC. The only prerequisite is some familiarity with 6502 assembly language programming. This is the definitive 6502 "input/output" book. Get it!

284 pp. \$12.95

PROGRAMMING THE 6502 by Rodnay Zaks

□ Here is the 6502 microprocessor from top to bottom: basic concepts, hardware organization, basic programming techniques, the 6502 instruction set, addressing techniques, input-output techniques, data structures and program development. This book is a systematic course in 6502 assembly language programming, including excercises and application examples. Solid for you KIM and Apple users!

304 pp. \$10.95



NEW!

FUNDAMENTALS OF RECORDKEEPING AND FINANCE FOR THE SMALL BUSINESS by Robert C. Ragan, CPA, And Jack Zwick, Ph.D.

Once you have your organization or business up and running, records must be kept. What should I keep, and how do I record them? This book on fundamentals will give you a helpful start. Section one deals with maintaining records, protecting assets, and providing a basis for planning. Section two provides a starting point for owner-managers who want to sharpen their financial management skills.

196 pp. Hardcover \$10.00

UP YOUR OWN ORGANIZATION! by Donald Dible

□ A great handbook on how to start and finance a new business or get an existing business out of neutral and into high gear. Written for the person willing to work hard at being successful in business, it is intended to save time, money and possible heartache by eliminating false starts and "blind alley" approches where appropriate. All drawn from the author's extensive experience in entrepreneurial business. This is the most comprehensive reference we've seen on the subject. For the programmer-consultant or the basement homebrewerturned-entrepreneur, this is your book. It is recommended in the Bank of America Small Business Reporter and Changing Times magazines.

372 pp. Hardcover \$14.95

Just Arrived !

RUNNING WILD THE NEXT INDUSTRIAL REVOLUTION by Adam Osborne

□ Many of the uses to which computers are being put today could cause profound problems tomorrow. In industry, government, medicine and commerce, the full effects of computer technology -- the next industrial revolution -- have not yet been realized. That is why Running Wild has been written. Dr. Adam Osborne, a well-known writer and consultant in the world of microelectronics, has written this book for the layman. Its purpose is to confront the reader with what is going on today, and what will certainly be happening tomorrow.

> \$3.95 **NEW FROM OSBORNE AND ASSOCIATES**

WHAT EVERYONE SHOULD KNOW ABOUT PATENTS, NEW ! TRADEMARKS AND COPYRIGHTS by Donald M. Dible

□ So you've written a program that's of use to microcomputerists everywhere? Got a circuit the world's waiting for. The next crucial step is to secure rewards for your ideas and work. This book is a distillation of the latest information available covering trademarks, copyrights and patents. Each topic is covered in a simple stand-alone style designed to communicate all of the essential points with a minimum of legalistic jargon. As an entrepreneur you should be familiar with your rights and responsibilities under these laws.

254pp. Hardcover \$10.00

BITSTM DIAL YOUR BANK	CAR	D ORDERS	TOLL F	REE	800-25	8-5477
Books to erase the impossible	QTY.	TITL	E		PRICE	TOTAL
25 Route 101 West, PO Box 428, Peterborough, NH 03458						
Name						
Address						
City State Zip		\$.75 for each	book domest	ic		
Check enclosed Master Charge VISA	HANDL	GE & \$1.00 for eac	h book foreigr	n	P&H	
Card# Expires		(maximum p	ostal charge -	\$3.00)	Total	
Signature	(i	n N.H. dial 924-335	5) MON-FRI 9	9-5		1B1089

You may photocopy this page

Dealer inquiries invited

A Mathematician's View of LISP

Vaughan R Pratt Assoc Prof of Computer Science and Engineering MIT Laboratory for Computer Science 545 Technology Sq Cambridge MA 02139

All higher order languages offer the programmer mechanisms for simplifying and clarifying programs. Viewed from the distance that mathematicians such as myself prefer, away from the distractions of detail, LISP stands out as the first language to pay serious attention to the following issues:

- Mobility of data.
- Modularity of function.
- Declarative programming.
- Metalinguistics (the ability of a language to talk about language).

Since the development of LISP, two other languages (APL and, to a lesser extent, SNOBOL) have joined LISP in dealing with at least some of these issues. As such, one would assume that they would have improved on LISP. I believe that LISP outclasses these languages despite its having been developed earlier. Other languages, such as FORTRAN, BASIC, ALGOL, PL/I, and Pascal (or FBAPP as Professor Alan Perlis of Yale University refers to them collectively) are, in Perlis' opinion and mine, not in the same class as LISP and APL with respect to the issues discussed here. (I do not know Professor Perlis' opinion of SNOBOL.)

Mobility of Data

In a computer, data flows between three major classes of sites: storage, functions, and devices. Storage consists of registers and main memory in assembly language, and variables (simple and subscripted) in higher level languages. Functions (or procedures, or subroutines) are quite alike in all languages, though with minor technical distinctions. Typical devices are printers, keyboards, floppy disks, paper tape readers, and the like.

The corresponding mechanisms available to the programmer for expediting this flow of data are fetch and store instructions, parameter passing and value returning constructs, and read and write commands.

A mobile datum is one which can be moved from one site to another by the program with a minimum of fuss. Here are two tests for mobility of data:

Width test. Must the data be moved piecemeal? For example, on your microprocessor, can you move a 2 byte address around as a unit, or do you have to move each byte separately? In your favorite language, can you read in an array from floppy disk or paper tape using one instruction, or must you write a loop to read the array elements individually?

Length test. Are intermediate sites needed to get data from one site to another? For example, to take the logarithm of a number that the user types in from a keyboard, do you have to store the number in a variable first and then take its logarithm, or can you just say (LOG (READ)) as in LISP?

If the data type fails either test it is not fully mobile. Note that if it fails both, the effect can be multiplicative. For instance, moving three bytes with each requiring two steps, requires six steps altogether.

It is often possible to enhance the mobility of data by writing the appropriate subroutines. For example you might write a routine to read an array from a device. This observation shows that mobility is a concept that is relative both to the available programming language constructs and to the available software.

Promised mobility is the possibility of writing such subroutines. Promised mobility is not as good as real mobility, as it requires the programmer to do the work of supplying the mobility, which may be more effort than it is worth for the particular application the programmer has in mind.

One basis for classifying programming languages is the mobility of their data types in the absence of additional subroutines such as the above mentioned one for reading

About the Author:

Vaughan Pratt joined the MIT faculty in 1972 in the Department of Electrical Engineering and Computer Science and is associated with the Laboratory for Computer Science and Artificial Intelligence Laboratory. He received his PhD under Donald Knuth at Stanford University (Shell Sort and Sorting Networks). He is currently the head of the Theory of Computation Section at the Laboratory for Computer Science. His work includes natural language, algorithms, program semantics, and verification. His hobbies include collecting, repairing, and playing musical instruments and building robots.

RADIO SHACK COMPUTER OWNERS TRS-80[™] MONTHLY NEWSLETTER

• PRACTICAL APPLICATIONS

- BUSINESS
- GAMBLING GAMES
- EDUCATION
- PERSONAL FINANCE
- **BEGINNER'S CORNER**
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS AND ANSWERS
- PROGRAM PRINTOUTS
 - AND MORE

WORD PROCESSING PROGRAM (Cassette or Disk) For Writing Letters, Text, Mailing Lists, Files, Etc. With Each New Subscriptions Or Renewal

Send for FREE Software Catalogue (Including listings of hundreds of TRS-80 programs available on cassette and diskette).

.

	PUTRONICS	mane cha	24	HOUR	VIE
Box 149	New City, New York 10956			LINE	
ONE YEAR	SUBSCRIPTION \$24		(914)	425-1535	
TWO YEAR	SUBSCRIPTION \$48				
SAMPLE OF	LATEST ISSUE \$4				
	SUBSCRIPTION WITH ISSUE 1 - July 1978 • #7 - January 1979)				
NEW SUBS	CRIPTION RENEWAL				
CREDIT C	ARD NUMBER	E	XP. DATE		
SIGNATU	RE				
NAME					
ADDRESS					

-DFF

in arrays. In the machine language of a microcomputer, only bytes (and sometimes words) are mobile, and even then generally not for I/O (input/output). Only numbers and Booleans, and sometimes strings, are truly mobile in BASIC, FORTRAN, and ALGOL.

The major languages developed in the 1950s and 1960s whose structured data types are mobile are (in order of development) LISP, APL, and SNOBOL, the respective types being lists, arrays, and strings. LISP and APL also have mobile strings. In LISP, atoms serve as strings. In APL, a vector of characters is printed without spaces between its characters and so can play the role of a string. LISP and SNOBOL have arrays that are not nearly as mobile as APL's arrays, though some implementations of LISP come close, namely to within the ability to read and write them from and to devices.

Lists are preferable to arrays as a general-purpose data type since anything that an array can represent can be conveniently represented by a list, whereas the converse is far from true. You can't have arrays of differently shaped arrays in APL, for example: LISP, however, permits any data type to be a list element. In this respect, APL data types are not fully mobile with respect to array elements viewed as data sites (which they are).

From the implementation (and hence the efficiency) viewpoint, arrays offer faster random access. However, the modern APL style of programming makes relatively light use of random access. (This is a potential source of endless and quite technical debate between LISP and APL enthusiasts, and is not by any means an easy issue to

WINCHESTER DRIVE CONTROLLER

The XCOMP DC/M Controller provides the OEM with a high performance, low cost interface to the Marksman[®] drive. An eight bit bus permits the DC/M to be used with all popular microcomputers.



dismiss.) Moreover, as compiler optimizers get progressively "smarter," it will become progressively harder to infer properties of the implementation from properties of the language definition.

For example, often the compiler has enough information to infer that a LISP list is being used array-style, and it can then choose to represent the list as an array. Conversely it may spot that an APL array would best be implemented as a LISP-style list (eg: when much concatenation of APL arrays is being performed and no random access is used).

An aspect of APL not shared with LISP is its insistence on homogeneous arrays. In APL you can have arrays of numbers, or arrays of characters, but not arrays of a mixture. An advantage of this is that you don't need to store type information for every array element, leading to efficiency gains. A disadvantage is that it restricts the programmer's options considerably. LISP programmers take full advantage of the ability to mix types in lists.

LISP and APL (and to an extent SNOBOL) have mobile expressions. In LISP you can treat the expression (PLUS X (TIMES Y 5)) as an ordinary datum. It can be bound, that is, assigned to variables, passed as an argument to a function, returned as the value of the function, printed out, and read back a year later, still meaning the same thing. And, of course, it can be evaluated by applying the LISP function EVAL to it.

The mobility of an expression is inherited from that of its representing medium, just as the mobility of an integer in the range -128 to 127 is inherited from that of the 8 bit byte that represents it.

With some restrictions, the same is true of APL. The string (ie: character vector) 'X+Y×5' can be passed around just as freely in APL, and of course it can be executed by applying the APL function Execute to it. One restriction is that Execute cannot handle more than one line at a time, effectively preventing the use of APL's version of Goto in conjunction with Execute. Another restriction is that there is no APL expression whose execution results in an APL function becoming defined; instead one uses a separate function, \Box FX. LISP observes neither of these restrictions.

LISP goes beyond APL by also having mobile functions. From a programmer's viewpoint the main difference between an expression and a function is that functions are objects that explicitly take arguments, whereas the only way to pass information to an expression is to store it in some variables before evaluating the expression.

LISP implements mobile functions by using lambda expressions, a method of representing functions due to the logician Alonzo Church. For example, the function that computes the length of a two-dimensional vector whose coordinates are X and Y could be represented with the list:

(LAMBDA (X Y) (SQRT (PLUS (TIMES X X) (TIMES Y Y))))

Such an object can be read, printed, assigned to variables, passed as an argument to another function, returned as the result of a function, and of course applied to a pair of arguments. To take an unusual example, run-

5 reasons why you should <u>not</u> buy the electric pencil IITM



Check the appropriate box(es):

∠ You love typing the same copy 20 thousand times a day.

☐ Your secretary can type 250 words per minute.

You're dying to spend \$15,000 on a word processing system, just for the tax investment credit.

All your capital assets are tied up in a 10-year supply of correction fluid.

□ You never commit a single thought to paper.

If you have checked one or more boxes, you do not need The Electric Pencil. On the other hand, you may want to join the thousands of people who haven't checked a single box.

The Electric Pencil II is a Character Oriented Word Processing System. This means that text is entered as a string of continuous characters and is manipulated as such. This allows the user enormous freedom and ease in the movement and handling of text. Since line endings are never delineated, any number of characters, words, lines or paragraphs may be inserted or deleted anywhere in the text. The entirety of the text shifts and opens up or closes as needed in full view of the user. The typing of carriage returns or word hyphenations is not required since lines of text are formatted automatically.

As text is typed and the end of a line is reached, a partially completed word is shifted to the beginning of the following line. Whenever text is inserted or deleted, existing text is pushed down or pulled up in a wrap around fashion. Everything appears on the video display as it occurs, which eliminates guesswork. Text may be reviewed at will by variable speed scrolling both in the forward and reverse directions. By using the search or search and replace functions, any string of characters may be located and/or replaced with any other string of characters as desired.

Numerous combinations of line length, page length, line spacing and page spacing permit automatic formatting of any form. Character spacing, bold face, multicolumn and bidirectional printing are included in the Diablo versions. Multiple columns with right and left justified

margins may be printed in a single pass.

Wide screen video

Versions are available for Imsai VIO video users with the huge 80x24 character screen. These versions put almost twice as many characters on the screen!!!

CP/M versions

Digital Research's CP/M, as well as its derivatives, including IMDOS and CDOS, and Helios PTDOS versions are also available. There are several NEC Spinwriter print packages. A utility program that converts The Electric Pencil to CP/M to Pencil files, called **CONVERT**, is only \$35.

Features

- CP/M, IMDOS and HELIOS compatible
- Supports four disk drives
- Dynamic print formatting
- DIABLO and NEC printer packages
- Multi-column formatting in one pass
- Print value chaining
- Page-at-a-time scrolling
- Bidirectional multispeed scrolling controls
- Subsystem with print value scoreboard
- Automatic word and record number tally
- Cassette backup for additional storage
- Full margin control
- End-of-page control
- Non-printing text commenting
- Line and paragraph indentation
- Centering
- Underlining
- Bold face

Upgrading policy

Any version of The Electric Pencil



MICHAEL SHRAYER SOFTWARE, INC. 1253 Vista Superba Drive Glendale, CA. 91205 (213) 956-1593

may be upgraded at any time by simply returning the *original* disk or cassette and the price difference between versions, plus \$15 to Michael Shrayer Software. Only the originally purchased cassette or diskette will be accepted for upgrading under this policy.

Have we got a version for you?

The Electric Pencil II operates with any 8080/Z80 based microcomputer that supports a CP/M disk system and uses an Imsai VIO, Processor Tech. VDM-1, Polymorphic VTI, Solid State Music VB-1B or Vector Graphic video interface. REX versions also available. Specify when using CP/M that has been modified for Micropolis or North Star disk systems as follows: for North star add suffix A to version number; for Micropolis add suffix B, e.g., SS-IIA, DV-IIB.

Vers.	Video	Printer	Price
SS-II	SOL	TTY or similar	\$225.
SP-II	VTI	TTY or similar	225.
SV-II	VDM	TTY or similar	225.
SR-II	REX	TTY or similar	250.
SI-II	VIO	TTY or similar	250.
DS-II	SOL	Diablo 1610/20	275.
DP-II	VTI	Diablo 1610/20	275.
DV-II	VDM	Diablo 1610/20	275.
DR-II	REX	Diablo 1610/20	300.
DI-II	VIO	Diablo 1610/20	300.
NS-II	SOL	NEC Spinwriter	275.
NP-II	VTI	NEC Spinwriter	275.
NV-II	VDM	NEC Spinwriter	275.
NR-II	REX	NEC Spinwriter	300.
NI-11	VIO	NEC Spinwriter	300.
SSH	SOL	Helios/TTY	250.
DSH	SOL	Helios/Diablo	300.

Attention: TRS-80 Users!

The Electric Pencil has been designed to work with both Level I (16K system) and Level II models of the TRS-80, and with virtually any printer you choose. Two versions, one for use with cassette, and one for use with disk, are available on cassette.

The TRS-80 disk version is easily transferred to disk and is fully interactive with the READ, WRITE, DIR, and KILL routines of TRSDOS 2.1.

Base Base	000000	01 11100 00	
	<u>Version</u>	<u>Storage</u>	<u>Price</u>
-	TRC	Cassette	\$100.
-	TRD	Disk	\$150.

Demand a demo from your dealer!



MULTI-TASKING!

The TEMPOS Operating System is quickly becoming the standard in Multi-User, Multi-Tasking operating systems for 8080 and Z80 microcomputers. Multi-Tasking means that, even with only one user at one terminal, more than one job can be running on the system simultaneously! If you have ever had to go get a cup of coffee while you wait for your computer to print listings, you know the advantages of a system that will handle one job while you are working on another. TEMPOS is a true time sharing system, and the maximum number of jobs is limited only by your memory.

MULTI-USER!

Want to share your computer with another user? With TEMPOS all it takes is another terminal ... up to seven interactive terminals are allowed! And with Re-Entrant programs, each user does not need a complete copy in memory. We include three Re-Entrant programs (the OPUS/THREE High-Level Language, the TEXTED Text Editor, and FILES, a disc file directory/manipulator) or write your own! In addition, we include an assembler, a linking loader, over a half-dozen other utility programs and over 60 system subroutines, callable by the programmer!

PROVEN!

With TEMPOS, you get a package that has been tested in our facilities for over two years, and in the field at over 50 different installations. We have used this system ourselves for everything from writing high-level languages to developing applications to text editing to games. TEMPOS is undoubtedly the most flexible software tool on the market... and you can have it for much less than you think!

COMPATIBLE!

TEMPOS is available for many different systems; pre-written drivers may include yours. Or, using our interactive System Generation Routine, you can add your own. Call or write now for our free catalog and the name of a dealer near you. The TEMPOS Operating System is available for \$787.00, the manual set (price may be credited toward the purchase of the TEMPOS package) for \$21.50 (prices include shipping within the U.S.).



1642 S. Parker Road, Suite 300, Denver, Colorado 80231 (303) 755-9694 ning the program (APPLY (READ) (LIST 3 4)) would cause the function typed in response to the Read to be applied to the list of arguments (3 4). If the user typed in the above lambda expression, the result would be 5.

The closest APL can come to this is to have a name of a function, say ZOT, be a datum. To apply the function so named in APL, one would concatenate the name with the argument(s), say 3, then Execute the resulting program "ZOT 3". The catch is that names on their own mean nothing: the technique will not work if the name is not defined, or if somebody changes its definition. Thus if you print the name of an APL function on a device from which you want to read it back in later, the original definition may in the meantime change or disappear from the workspace. This difficulty does not arise with lambda expressions, which contain their own definition. Thus functions have at best limited mobility in APL.

The notion of mobility, perhaps surprisingly, is not a concept that many people are familiar with. In hindsight it is clear that mobility was a concern, whether or not a subconscious one, for the designers of LISP, APL and SNOBOL. The late Christopher Strachey, a British computer scientist, made the distinction between "first and second class citizens" when discussing data, the former being what I have called mobile data. The first published reference to the concept appears to have been made in 1968 by another British computer scientist, Robin Popplestone, in a description of the virtues of his language POP-2. Popplestone did not use the word "mobile" either, talking instead in terms of a "charter of rights" for data.

Modularity of Function

Subroutine libraries have something that programming languages often lack, and that is modularity of function. One does not view a subroutine library as a monolith but rather as a loosely coupled set of subroutines. The term *subset*, often applied in a vague way to programming languages, has an obvious and precise meaning for subroutine libraries.

LISP and APL, in contrast, are each just like a subroutine library, being little more than a set of functions. The user may add to this set by getting more functions from whatever subroutine library is maintained by the local environment. And the user's program itself consists of a set of functions. Any of these functions can be invoked from the user's terminal or from the user's or any other program. All three kinds are invoked with identical syntax (within each language), in LISP:

(Function Arg1 Arg2 ... Argn)

in APL:

- op x for unary functions
- x op y for binary functions, assuming right associativity

The conventions for representing lists, LISP's primary structured data type, are the same for representing programs. Since those conventions are simple, there is little to learn. In this respect LISP differs from APL, which has a convention for representing the structure of its programs (namely the invocation of the right-associativity rule, that x op y op z is read as x op (y op z) that has no analog in the representation of APL data.

I should add that my own preference in programming in LISP is to use an ALGOL-like language, CGOL, which is then automatically translated to LISP. Despite the regular and easily learned syntax of LISP, I do not like having to write x+y as (PLUS X Y). I do too much mathematics to feel comfortable switching representations in order to program. Fortunately it is not necessary to compromise functional modularity in order to use other syntactic conventions. If I were an APL programmer I would want to do the same thing: have a syntactic preprocessor that permitted me to use the syntax I felt most comfortable with.

Declarative Programming

Here is an innocent looking pair of equations:

$$(a+1) \times b = a \times b + b$$

 $0 \times b = 0$

What sets these equations apart from the millions of other equations I could have written is that these permit me to convert any method for adding into a method for multiplying nonnegative integers. Suppose, for example, I want to multiply 3 by 7. Since 3 = 2+1, I can use the equation to express 3×7 as $2 \times 7+7$, reducing the original problem to a smaller one which can be solved by the same method. Eventually I have $(((0 \times 7+7)+7)+7, which the second equation turns into <math>((0+7)+7)+7$. Using the method for adding, three times, I end up with the desired answer.

Turning these equations into a LISP program to give a recursive definition of (TIMES A B) is an essentially mechanical procedure yielding:

(COND ((ZEROP A) 0) (T (PLUS (TIMES (SUB1 A) B) B)))

or in the "syntactically sugared" version of LISP referred to earlier:

if a=0 then 0 else (a-1)*b+b

The significance of this example lies in two observations: first, the facts were so obvious it was hard to make a mistake; and secondly, the procedure for converting those facts into something we could run as a program was so stereotyped and straightforward (match the problem against the lefthand side of an equation, replace it by the corresponding righthand side) that, again, it was hard to make a mistake.

Programming in LISP comes close enough to this *declarative* style to make programming a remarkably error-free process. To those who can read LISP, a well-written LISP program will look like a collection of facts. The subtlety of the program then amounts to the subtlety of the facts are obvious, as with the above, there is little to explain. If the facts are not obvious, then you have a program that needs to be proved correct.



Have you thought about text editing?

Our **ED-80 Text Editor** offers a refreshing new approach for the creation and editing of program and data files conversationally — and it saves money! Its powerful editing capabilities will satisfy the most demanding professional — yet it can still be easily used by the inexperienced beginner.

Look at these outstanding features:

- By far the best text editor available for microcomputerbased systems.
- Repays its initial cost many times over with its unique time-saving editing capabilities.
- FULL SCREEN window displays for viewing and editing data a page-at-a-time, rather than line-by-line.
- Forward and backward scrolling in the FULL SCREEN mode.
- Displays the results of every edit command.
- Commands include forward or backward Locate and Change, Insert, Delete, Replace, Inline, Input, Print, List, Window, Get, Put, Macro, Tabset, Append, Case, Scale, and Dump.
- Simple line-oriented commands with character string manipulation capabilities.
- Text may be located by string value, by line number, or by relative line number.
- Global string search and replace capabilities.
- Commands for moving, copying, and merging edit files on the same or different diskettes.
- Self-explanatory diagnostic messages.
- Single keystrokes for the most commonly used comands.
- Safeguards to prevent catastrophic user errors that result in loss of the edit file.
- Designed for today's high speed CRT's, video monitors, and teletypewriter terminals.
- Thoroughly field tested and documented with a User's Manual of over 60 pages.
- Compatible with existing CP/M edit files and derivative operating systems.

And remember — in today's interactive programming environment — the programmer's most important software development tool is the text editor. Our **ED-80 Text Editor** is working in industry, government, universities, and in personal computing to significantly cut program development time and high labor costs. Why not let **ED-80** begin solving your text editing problems today?

Mail to:	SOFTWARE DEVELOPMENT & TRAINII P. O. Box 4511, Huntsville, AL 35802	NG, INC.	Rastlere (All)
ED-80 is protect	ted by copyright and furnished under a p for use on a single computer system.	aid-up license	174 ×
Please send addi	tional information.		
Send Diskette, Us	er's Manual, and paid-up license agreeme	ont	\$99.00
Specify SINGLE D	ENSITY Diskette size	🔲 5"	8"
Send User's Man	ual (credited on purchase of a paid-up lice	nse)	\$10.00
Check or money o	rder enclosed for	\$	
Please charge to r	my credit card 🔲 VISA 👘	🗌 Master	Charge
Card No	Bank No	_ Exp.Date	
NAME			
ADDRESS			
	STATE	ZIP	
			— C-1
SOFTW	ARE DEVELOPMENT & TRAIN	ING. INC.	

SOFTWARE DEVELOPMENT & TRAINING, INC. Post Office Box 4511 — Huntsville, Alabama 35802 Dealer Inquiries Welcomed © CP/M is a trademark of Digital Research

Table 1: LISP finds applications in many areas dealing with language processing.

Area	Language
Compiling	Parsed programs
Algebraic simplification	Algebraic formulas
Natural language	Parsed sentences
Automatic theorem proving	Logical formulas
Program verification	Parsed programs and logical formulas
Automatic programming	Specifications and resulting programs
Knowledge'based systems	Facts and rules

Though the example above dealt with numbers, the mobility of LISP's structured data types makes it possible to apply the same method to writing programs that operate on lists, functions, programs, and so on.

My own research includes developing and testing new algorithms for a variety of problems. For the sake of ease of implementation and short debugging time, my style is, as far as possible, to set down the facts relevant to the computation and express them as LISP functions. Thanks to the quality of the LISP compiler used at MIT, I can produce reasonably efficient programs, in many cases as efficient as if I had adopted a more traditional style of programming with while loops and assignments. (One thing I miss, however, is the ability to just write down the pure equations and have a preprocessor automatically combine them into a single LISP program.)

My prime testing program referred to in Martin Gardner's "Mathematical Games" column in the August 1978 *Scientific American* is written entirely in this style. Some of the facts it uses are obvious ones concerning such topics as exponentiation modulo n. Some of the facts however are considerably deeper and were first proved by the well-known computer scientist Michael Rabin.

Rewriting this particular program in some other programming style would achieve little, if anything, in the way of efficiency. It would, however, make it harder to see the connection between the collection of facts supporting the method and the program itself. Rewriting the program in another programming language while preserving the declarative style would be possible provided recursion was permitted and numbers were mobile. A problem here is that numbers of the size my program works with, up to 1000 decimal digits, are not merely immobile in most languages, they do not even exist. The implementation at MIT is one of the implementations which takes much effort to protect the programmer from frequent painful encounters with boundaries by not limiting the size of integers.

This principle of executing facts as programs has encouraged people to generalize the idea to other facts besides equations, and a series of programming languages have evolved based on this generalization, two of the more prominent ones being Planner and Prolog.

Metalanguage

Meta is Greek for about. LISP lists can be used, inter alia, to represent expressions in various languages. Thus LISP makes an ideal metalanguage, a language for talking about language. As such, LISP finds applications in a large variety of areas dealing with the processing in language, as shown in table 1.

In all of these areas, the expressions of the language in question are treated as structures rather than as strings.

Structures represent the level of language processing where the real action takes place. Parsing (eg: converting strings to structures) may present more or less of a challenge depending on the area, but the general feeling in most such areas is that it is what takes place after parsing that is more interesting.

What makes LISP particularly well-suited to these applications is that they frequently call for operations on expressions that are best viewed recursively as facts and procedures stated in terms of the immediate constituents of the expressions. This is an instance of the declarative style described earlier, for the case when the data are expressions.

To take an example from algebraic simplification, the derivative of an expression can be defined in terms of the derivatives of its immediate constituents. Thus (DERIV '(PLUS X Y)) would be:

(LIST	PLUS	(DERIV	X)
		(DERIV	Y))

where X and Y themselves may be quite complicated algebraic expressions. Similarly (DERIV '(TIMES X Y)) would be:

(LIST 'PLUS (LIST 'TIMES (DERIV X) Y) (LIST 'TIMES X (DERIV Y)))

and so on for other operators. From such facts it is straightforward to construct a recursive LISP program for differentiating algebraic expressions.

A helpful way to think about the principle illustrated by the above is to view the equations from which the LISP programs are derived as dealing with only a small region of an expression at a time. While algebra tends to supply particularly nice examples of this principle, the principle in one form or another pervades essentially all areas where linguistic structures are encountered.

Conclusion

This discussion of LISP has confined itself to those aspects of LISP directly visible to the user. It has not considered LISP's substantial contributions to language implementation technology, such as garbage collection, the interpreter/compiler dichotomy, and dynamic module linking in place of the usually more static linking loader. It did consider LISP's relation to other languages, finding APL to be as good as LISP in some respects, but lacking in some particularly vital areas.

While it is difficult to consider LISP unique in any single one of its aspects, when looked at as a whole LISP stands out as a quite remarkable and original language that does credit to its inventor, John McCarthy.

CBASIC Business Software for Microcomputers

ON DISK

BOOK FORM

Osborne & Associates is publishing CBASIC editions of its business software books, **Payroll With Cost Accounting, Accounts Payable and Accounts Receiva**ble and General Ledger. The CBASIC programs in these new editions will run on many floppy disk-based microcomputer systems.

PAYROLL WITH COST ACCOUNTING

ACCOUNTS PAYABLE AND ACCOUNTS RECEIVABLE

GENERAL LEDGER

Each book includes complete source listings with remarks, program and system documentation, and an operator's manual. All this for just \$15.00! The softbound Wang BASIC versions of all three books are available now. **CBASIC Payroll With Cost Accounting** is also available now. The remaining books in the CBASIC series will be published in the fall of 1979. The new CBASIC-2 editions are in a convenient, loose-leaf format.

Not a programmer? Don't want to key in thousands of lines of source code from the book? You can buy the programs ready-to-run on floppy disk from one of our 200 dealers. Contact us for the name of your nearest dealer.

CBASIC or Wang BASIC won't work? Here is a partial list of independent consultants who have converted Osborne programs to run on many popular systems using our books as their manuals. Contact us for a complete, up-to-date list of these conversions.

CONSULTANTS • COMPUTER STORES • SOFTWARE HOUSES

You can be a dealer for the magnetic surface of Osborne's CBASIC-2 software. We will sell the programs on 8" floppy disks to dealers, consultants and computer stores only. The disk for each book sells for \$250.00. Once you buy the floppy disk you may copy it as many times as you like, resell it, change the programs, or use it for your own purposes. But the best part is that we have already written your operator's manuals — our books! We grant you the unrestricted right to use, transfer, or otherwise deal in any way with the machine-readable form of our BASIC programs. We copyright only the printed word in our books.

Peter Burke THE BASIC BUSINESS SOFTWARE CO., INC. P.O. Box 2032 Salt Lake City, Utah 74110 (801) 363-1199 APPLE II: Jimmy Walter A.C.E. COMPUTER SYSTEMS 2449 North Westshore Tampa, Florida 33607 (813) 872-2798 COMMODORE PET-**Chuck Stuart** CMS SOFTWARE 5115 Menefee Drive Dallas. Texas 75227 (214) 381-0690 CROMEMCO: **Richard French** THE NETWORK COMPUTER SYSTEMS 495 Third Avenue #8 San Francisco, California 94118 (415) 668-7777 DATAPOINT 1500 Paul Marchetti OCCIDENTAL COMPUTER SYSTEMS, INC. 6666 Valjean Avenue Van Nuys. California 91406 (213) 782-3005 MICROPOLIS, NORTHSTAR (REOUIRES CP/M): James Rountree R&A COMPUTER SERVICES 7700 Edgewater Drive, Suite 723 Oakland, California 94621 (415) 562-3133 MICROSOFT disk BASIC: Dan Kindred **GNAT COMPUTERS** 7895 Convoy Court San Diego, California 92111 (714) 560-0433 NORTHSTAR BASIC: Isaac Bornstein COMPUTER SERVICES OF ENCINITAS 341 Willowspring Drive Encinitas, California 92024 (714) 436-2486 POLYMORPHIC 8813: Bruno Caprez **KEYSTONE SYSTEMS** P.O. Box 767 Spokanc, Washington 99210 (509) 747-5623 TRS-80: Don French APPLIED DATA CORPORATION P.O. Box 16020 Fort Worth, Texas 76133 (817) 738-0251 Irwin Taranto TARANTO & ASSOCIATES P.O. Box 6073 San Rafael, California 94903 (415) 472-1415 WANG BASIC ON FLOPPY DISK: **Richard Armour** ATLANTIC COMPUTING & CONSULTING P.O. Box 7294 Hampton, Virginia 23666 (804) 340-9350

_ _ _ _ _ _ _

orders must be prepaid in U.S. dollars drawn on a U.S. bank.

Order Form Title Price Quantity Amount \$15.00 22-5 Payroll With Cost Accounting - CBASIC Accounts Payable/Receivable - CBASIC 15.00 23-3 Name: _ 15.00 24-1 General Ledger - CBASIC Address: 09-8 Payroll With Cost Accounting - Wang BASIC 15.00 City: 13-6 Accounts Payable/Receivable - Wang BASIC 15.00 State: . _ Zlo: _ 20-9 General Ledger - Wang BASIC 15.00 Phone: California residents tax Shipping (Shipping for large orders to be arranged) □ All foreign orders \$4.00 per book for airmail Shipping □ \$0.45 per book 4th class in the U.S.(allow 3-4 weeks) **OSBORNE & ASSOCIATES Total Amount Enclosed** □ \$0.75 per book UPS in the U.S. (allow 10 days) 630 Bancroft Way, Dept. 123 \$1,50 per book special rush shipment by air in the U.S. Berkeley, CA 94710 USA Calif, residents add 6% sales tax. (415) 548-2805 TWX 910-366-7277 S.F. BART residents add 6-1/2 % sales tax, □ 1 am an end user interested in O I am a dealer interested in Please send the following information: List of foreign distributors running CBASIC programs on disk. purchasing CBASIC programs on Becoming an Osborne dealer D Other Osborne publications Please send me the current conversion list disk for resale Please send descrip-School discounts Please notify me of the closest dealer tion and order information for: for Payment in advance must be enclosed for purchases of up to \$70.00. Invoicing C CBASIC Payroll With Cost Accounting U.S. purchases over \$70.00 available upon approval of your account. All foreign CBASIC Accounts Payable/Receivable

_ _ _ _ _ _ _ _

Circle 292 on inquiry card.

CBASIC General Ledger

A Preview of the Motorola 68000

A I Halsema 4921 Patrae St Los Angeles CA 90066

It is difficult to classify the new Motorola 68000 processor. It seems incongruous to call a machine with 32 bit wide data paths a microcomputer. The 68000 should be available in late 1979. As this is being written, the architecture of the machine has been frozen, and the microcode is nearing completion. A user programmable, on chip, control memory for dynamically changing the machine's instruction set is not planned, but you may be able to specify your own microcode, which is burned into an on chip read only control memory at the factory.




Figure 1: Pin assignments for the Motorola 68000 package. A description of the functions of the different pins is found in table 1. Figure reproduced courtesy of Motorola Semiconductor Products Inc.

Using HMOS (high density metal oxide silicon), the 68000 will come in a 64 pin package (see figure 1). Capable of directly addressing up to 16 M bytes (actually 2^{24} = 16,777,216 bytes) of memory, the 68000 is about 15 times more complex than the 6800 (coincidentally it has about 68,000 transistors on the chip, and has about 10 times greater throughput). External data paths are 16 bits wide and access memory that is organized as bytes. Through the use of a signal called VPA (valid peripheral address), the 68000 will be able to use the slower 6800 peripheral devices.

Internally the 68000 is an orthogonal and consistent machine, with 16 identical 32 bit accumulators, 61 basic mnemonics (shown in table 2), which can be used with any of the 14 addressing modes and any of the six data types. See figure 2 for an illustration of the programming model. The five basic addressing modes are register direct, register indirect, absolute, immediate, and program counter relative. The ability to do postincrementing, predecrementing, offsetting, and indexing is included. Data types recognized by the machine are bits, bytes, BCD (binary coded decimal) digits, ASCII characters, 16

About the Author

Aillil lan Halsema has worked as a programmer since 1971. He is now a senior member of the programming staff at Xerox Corp. His personal computer system includes a Southwest Technical Products Co 6800 and Okidata CP-110 printer. bit words, and 32 bit long words. By combining the instructions, data types, and addressing modes, more than 1000 instructions are available.

Some of the more interesting instructions are PACK (pack ASCII to BCD digit form), UNPK (unpack from BCD digits to ASCII), CHK (check register against bounds), TRAP (provides access to 16 software trap vectors), LINK, and UNLK (linked list operations). With eight levels of priority interrupts, this machine can access 256 interrupt vectors. Hardware traps to catch software errors include word access with odd address, illegal instruction, unimplemented instruction, illegal addressing mode, illegal memory access, overflow on divide, and overflow condition code. Through the use of the unimplemented instruction trap, the user can implement his own operation codes (in a fashion similar to SVC on the IBM 360/370 systems).

Designed with timesharing in mind, the 68000 has supervisory and user states, with the ability to run eight tasks in the user state simultaneously. Supervisory state makes certain instructions legal for operating a separate memory management controller. This controller will provide dynamic management of memory segments that contain read only data, read/write data, program code, or protected data or code. As an aid in debugging, the machine includes a bit in the status register that, when set, puts the machine into single step operation.

The 68000 instruction set was designed by programmers for programmers, and is designed for ease of use in compiler generation and timesharing system implementation. The orthogonality referred to above reduces the number of details the programmer must keep in mind when programming — a register is a register like any other on the machine, with no special conditions restricting register use.

Applications

Computers are useful for processing vast amounts of data, and for performing long repetitive sequences of operations. Since the personal computer enthusiast has neither the facilities nor the time to collect large amounts of data for processing, the computer is more likely to be used in

A1-A23	Address Leads	23 bit address bus; capable of addressing 16,777,216 bytes in conjunction with UDS and LDS.
D0-D15	Data Leads	16 bit data bus; transfers 8 or 16 bits of infor-
AS	Address Strobe	mation. Indicates valid address and provides a bus lock for
R/W	Read/Write	indivisible operations. Defines bus operation as Read or Write and
UDS, LDS	Data Strobes	controls external bus buffers. Identifies the byte(s) to be operated on according to R/W and AS.
DTACK	Data Transfer Acknowledge	Allows the bus cycle to synchronize with slow devices or memories.
BR	Bus Request	Input to the processor from a device requesting
BG	Bus Grant	the bus. Output from the processor granting bus arbitra-
BGACK	Bus Grant	tion. Confirmation signal from BG indicating a valid
IACK	Acknowledge Interrupt	selection from the arbitration process. Identifies that the bus is performing an interrupt
IPLO,	Acknowledge Interrupt Priority	service cycle. Provides the priority level of the interrupting func-
IPL1, IPL2	Level	tion to the processor.
FCO, FC1	Function Code	Provides external devices with information about the current bus cycle.
CLK	Clock	Master TTL (transistor-transistor logic) input clock to the processor.
RES	Reset	Provides reset (initialization) signal to the pro-
HLT	Halt	cessor and peripheral devices. Stops the processor and allows single stepping.
BERR	Bus Error	Provides termination of a bus cycle if no response or an invalid response is received.
E	Enable	Enable clock for M6800 systems. Identifies
VPA	Valid Peripheral Address	addressed area as a 6800 compatible area.
VMA	Valid Memory	Indicates to 6800 family devices that a valid
V	Address + 5 V	address is on the bus.
V GŇD	Ground (two pins)	-


Pin Identification and Definitions

Table 1: Description of pin functions on 68000 processor.

the second mode (number crunching). Today's microprocessors fail miserably as number crunchers due to low speeds and limited amounts of memory space. The 68000 will correct these deficiencies. (Coupled with the new low cost, high density memory devices with 64 K bit capacity and with even greater density coming, the personal computer will attain or exceed the power of an IBM 360 Model 30 within the next decade.) Number crunching applications requiring little external storage (ie: disk or drum) include artificial intelligence, encryption/decryption, simulation, games, and Dynabook type applications. [See the article by Alan Kay on page 230 of the September 1977 Scientific American for a general description of small talk, a software system intended for small portable Dynabook computers....CH]

Artificial intelligence attempts to provide the computer with the ability to learn from past experience (ie: heuristic procedures), and to simulate operations of the human brain in recognizing patterns. Brain simulations are generally performed using arrays in memory as brain cells, with software logic taking the part of the complex interconnections between cells. Array arithmetic requires a fair amount of processing power. Such power is not available on 8 bit machines.

A common array operation in artificial intelligence is finding the inner or dot product of two arrays. If array X represents a set of cell states, and array D represents data upon which the 'brain" is to work, then the inner product of the two arrays is represented by: $z = X_1D_1 + X_2D_2 +$ $\dots + X_n D_n$, where z might be the result of a vote taken by n cells of the "brain" in a committee network. This calculation can be very slow on an 8 bit machine without hardware multiply, and exceedingly slow if the arrays are large or each element is several bytes long. Multidimensional arrays take up large amounts of






Figure 2: Programming model and register organization for the Motorola 68000 processor. Note that the data registers and address registers are functionally identical except for register A7. A7', the supervisory mode stack pointer, is not available to the programmer. Figure reproduced courtesy of Motorola Semiconductor Products Inc.

memory space which today's microprocessors cannot support.

Modern methods of encrypting and decrypting messages can require large amounts of processing power. As an example, the method for obtaining digital signatures and public key cryptosystems developed by R L Rivest (a "trapdoor" system) requires raising the message text to a power and dividing by two large secret prime numbers. Large means anything from 50 to 500 digits, with the larger numbers giving greater security. The mathematical operations of raising to a power, performing lengthy divisions, and finding the large prime numbers (which need be done only once) cannot feasibly be performed on an 8-bit machine, but come within the realm of the possible when using the 68000.

A simple example that the reader can program involves finding the Godel number (named after the mathematician who discovered them) which encrypts a word or message. Each character in the message is represented by the natural order of primes (2, 3, 5, 7, 11, 13, ... etc). The identity of the letter occupying a position in the message is given by an exponent: the exponent 1 meaning that the letter is an A, 2 meaning a B, etc. The message as a whole is then rendered as the product of all the bases and exponents. For example, the word "CAB" can be represented as $2^3 \times 3^1 \times 5^2$ or 600 (8×3×25=600). Decode the message by dividing the product by each prime number until a remainder appears. The number of divisions is the exponent representing a particular character. Regardless of how the problem is ordered, much computation is required to find the prime numbers, exponentiate, and multiply. This gives you an idea of the sort of processing power required for a full public key cryptosystem.

Games and simulations can become more complex. A space war game was programmed nearly a decade ago at Massachusetts Institute of Technology that included realistic simulations of orbital mechanics in the vicinity of a planet or star. A space war game with simulations of relativistic effects at near light speeds could be challenging both for the



Plan Now to attend the best Personal Computing show ever.

Friday, Saturday, Sunday October 5-6-7th Philadelphia Civic Center Philadelphia, Pa.



Don't be confused — Other shows are copying us but they cannot equal us. We are the Original Personal Computing Show. Now in our Fourth Year. PC 79[®] FEATURING:

Major Exhibits from the Leading Companies

Personal Computing College with 80 Hours of Free Seminars by the Industry's Leading Speakers

> Major Emphasis on Software Exhibits

2nd Annual Computer Music Festival Bigger! Better!

> Antique Computing Devices on Display

See All the Latest Hardware

Business Systems and Business Software

For more information and a Free subscription to our "PERSONAL COMPUTING" newspaper, send your name and address to:

PERSONAL COMPUTING 79 Rt. 1, Box 242 • Mays Landing, N.J. 08330 • 609/653-1188 Industry TRADE SHOW on October 4th For exhibiting information please call or write. player and the programmer. Simulations of nonlinear and dynamic processes require the large amounts of computing power made available by the 68000. High resolution graphics require the large address space provided by the 68000, and with sufficient processing speed, true real time animation can be created.

Dynabook is a project headed by

Alan Kay at Xerox Corporation's Palo Alto Research Center. One of the objects is to provide the power of a medium size computer in a package the size of one encyclopedia volume. The 68000 computer, bubble memories, and low cost semiconductor memories bring this target within reach. With 8 simultaneous tasks, the owner of such a system could use one

Mnemonic	Description
ABCD	Add Decimal with Extend
ADD ADDX	Add Add with Extend
AND	Logical And
ASL	Arithmetic Shift Left
ASR BCC	Arithmetic Shift Right
BCHG	Branch Conditionally Bit Test and Change
BCLR	Bit Test and Clear
BRA	Branch Always
BSET BSR	Bit Test and Set Branch to Subroutine
BTST	Bit Test
СНК	Check Register Against Bounds
CLR CMP	Clear Operand Arithmetic Compare
DCNT	Decrement and Branch Nonzero
DIVS	Signed Divide
DIVU EOR	Unsigned Divide
EXG	Exclusive Or Exchange Registers
EXT	Sign Extend
JMP	Jump
JSR LDM	Jump to Subroutine Load Multiple Registers
LDQ	Load Register Quick
LEA	Load Effective Address
LINK LSL	Link Stack Logical Shift Left
LSR	Logical Shift Right
MOVE	Move
MULS MULU	Signed Multiply
NBCD	Unsigned Multiply Negate Decimal with Extend
NEG	Two's Complement
NEGX	Two's Complement with Extend
NOP NOT	No Operation One's Complement
OR	Logical Or
PACK	Pack ASCII to BCD (binary coded decimal)
PEA RESET	Push Effective Address Reset External Devices
ROTL	Rotate Left without Extend
ROTR	Rotate Right without Extend
ROTXL ROTXR	Rotate Left with Extend Rotate Right with Extend
RTR	Return and Restore
RTS	Return from Subroutine
SBCD SCC	Subtract Decimal with Extend
STM	Set Conditional Store Multiple Registers
STOP	Stop
SUB SUBX	Subtract
SWAP	Subtract with Extend Swap Data Register Halves
TAS	Test and Set Operand
TRAP TRAPV	Trap
TST	Trap on Overflow Test
UNLK	Unlink Stack
UNPK	Unpack BCD to ASCII

task as a clock, one for a calculator, one for personal data base processing, another for memos, reminders, and schedules, and vet another for text processing, and still have 3 other tasks available for long-term number crunching, games, or whatever the imagination can visualize. With as much as 16 M bytes of memory, each task could be allotted 2 M bytes. This amount of storage is difficult to comprehend, but for comparison, the text of this article requires about 10,000 bytes of storage. This Dynabook system would be battery powered and portable, with a solid-state display and thin, typewriter keyboard.

There can be no doubt that the inexpensive super computer is coming. IBM estimates that an entire central processing unit with 1 M bytes of memory will fit in a cube 1 inch (2.54 cm) on a side by the end of the 1980s. [This particular device will require cooling to superconductor temperatures.] An example of what is possible with today's technology can be seen in Texas Instruments' "Speak and Spell" toy, which for under \$50 provides a keyboard, alphanumeric display, and microprocessor controlled speech feedback with a vocabulary of about 250 words and numerous messages and phrases. The functions that can be performed by the Motorola 68000 and the new generation of microprocessors it represents are limited only by the imagination.

BIBLIOGRAPHY

 Feucht, Dennis, "Pattern Recognition: Basic Concepts and Implementation," Computer Design, December 1977, pages 57 thru 68.

- Kay, Alan C, "Microelectronics and the Personal Computer," Scientific American, volume 237, number 3, September 1977, page 230.
- Rivest, R L; Shamir, A; Adleman, L, "A Method for Obtaining Digital Signatures and Public-Key Cryptosystems," Communications of the ACM, volume 21, number 2, February 1978, pages 120 thru 126.

Table 2: Instruction set of 68000 processor. Operation of instructions is as consistent as possible.

Here's the LATEST news...

We're expanding again! **CompuKit** is now **CompuPro** to reflect the fact that more and more of our production is being devoted to non-kit products ... not only is there increased demand for our standard assembled & tested models, but the high-reliability **Certified System Component** boards (with 200 hour burn-in and immediate replacement in event of failure within 1 year of invoice date) are really taking off. Kit builders need not fear, however; when economy is paramount, most **CompuPro** products are also available in "unkit" form (sockets, bypass caps presoldered in place). All of this is part of our continuing commitment to provide the best possible products at the lowest possible prices... the same commitment responsible for making us an industry leader in the first place.

THE ECONORAM* MEMORY LINE: LOW POWER AND LOW PRICE MEET HIGH TECHNOLOGY.

Name Econoram IIA Econoram IV Econoram VI Econoram IX Econoram X Econoram X	Storage 8K X 8 16K X 8 12K X 8 24K X 8 32K X 8 32K X 8 32K X 8	Buss S-100 S-100 H8 S-100 Dig Grp S-100 SBC	Speed 4 MHz 4 MHz 2 MHz 4 MHz 4 MHz 4 MHz 4 MHz	Technology static static static static static static static	Configuration 2-4K blocks 1-16K 1-8K, 1-4K 2-4K, 2-8K 2-4K, 1-8K, 1-16K 2-8K, 1-16K 2-8K, 1-16K	Unkit \$149 \$295 \$200 \$445 \$559 \$599 N/A	Assm \$179 \$329 \$270 \$485 \$639 \$649	CSC \$239 \$429 N/A \$605 N/A \$789 \$1050
Econoram XI	32K X 8	SBC	4 MHz	static	2-8K, 1-16K	N/A	N/A	\$1050

BANK SELECT MEMORIES (for Alpha Micro Systems, Marinchip, etc.)

Econoram XII-16	16K X 8	S-100	4 MHz	static	2 indep. banks**	\$369	\$419	\$ 519
Econoram XII-24	24K X 8	S-100	4 MHz	static	2 indep. banks**	\$479		\$ 649
Econoram XIII	32K X 8	S-100	4 MHz	static	2 indep. banks**	\$629	\$699	\$ 849

*Econoram is a trademark of Bill Godbout Electronics

** Econoram XII-16 and -24 have 2 independent banks addressable on 8K boundaries; Econoram XIII has 2 independent banks addressable on 16K boundaries.

SPECIAL SUMMER SALE: 16K MEMORY EXPANSION CHIP SET \$109 \$87.20

20% off one of our all-time best sellers from July 15 to August 31 only. For Radio Shack.80, Exidy Sorcerer, Apple computers. 250 ns access time, low power parts, DIP shunts included, 1 year limited warranty, and easy-to-follow instructions that make memory expansion a snap.

S-100 MOTHERBOARD

18 slot unkit: \$124. Each motherboard includes all edge connectors wave-soldered in place for easy assembly, integral active termination circuitry, extra wide power and ground traces, and much more.

ACTIVE TERMINATOR KIT \$34.50

As written up by Craig Anderton in the April '79 issue of Kilobaud Microcomputing. Our much imitated design plugs into any S-100 motherboard to reduce ringing, crosstalk, noise, and other buss-related problems.

H8 EXTENDER BOARD KIT \$39

New from Mullen Computer Products. Really takes the hassle out of troubleshooting or testing the popular Heath H8 microcomputer; includes jumper links in the power supply lines for insertion of fuses, Ammeters, current limiters, and the like.

S-100 EXTENDER BOARD KIT \$39

From Mullen Computer Products. Includes jumper links in supply lines, on board logic probe, and general purpose "kluge board" area for installing custom testing jigs or other circuits.

DUAL CHANNEL/DUAL FUNCTION S-100 I/O BOARD \$189 unkit, \$249 assm.

This board does things the others only dream about. Features two independently addressable serial ports with full RS232C, current loop (20 mA) and TTL signals on both ports. Includes on board xtal timebase and Baud rate generator for Baud rates up to 19.2 KBaud, EIA 232C receivers and drivers (1488, 1489), hardware LSI UARTs that don't tie up the computer's CPU, operation with 2 or 4 MHz systems, software programmable UART parameters/interupt enables/handshaking lines (handshaking lines are full RS232 — not just a 3 wire system), optically isolated current loop, provision for custom frequency compensation on both receive and transmit sides to accommodate varying speed/noise situations or unusual cable lengths... and even all this isn't the full story of what this board can do for you. See it in person at a computer store near you, or order direct from us.

2708 EROM BOARD "UNKIT" \$85

4 independently addressable 4K blocks, with selective disable for each block. Built to CompuPro/Econoram standards (dipswitch addressing, top quality board, sockets wave-soldered in place), and includes dipswitch selectable jump start built right into the board. Includes all support chips and manual, but does not include EROMs. Special: If you order before August 1st, our introductory price of \$69.95 is still in effect. Orders postmarked August 1st or later are no longer eligible for the introductory price... no exceptions.

POPULAR COMPUTER ICs

Low power 21L02 static 1K RAMs on special: 10/\$9.90 (under 1¢ per byte!) 1791 MOS LSI dual density disc controller from Western Digital: \$59 with pinout and data. 1771 single density controller: \$22.50. All parts are offered on a while-they-last basis.

We realize that it is becoming less and less common for manufacturers to offer their products in kit form, so we'd like to emphasize that we are **not** planning to phase out our kits. The "hackers" who derive enjoyment from building and testing equipment themselves were our very first customers, and we recognize that these experimentally-minded individuals have been responsible for many significant developments in the microcomputer field. As long as people want to put things together with their very own hands, we'll continue to offer kits ... and continue to repair them promptly under the terms of our 1 year limited warranty (almost always without charge), in the rare event that a problem occurs.

TERMS: Cal. res. add tax. Allow 5% shipping, excess refunded. Orders under \$15 add \$1 handling. VISA® /Mastercharge® call our 24 hour order desk at (415) 562-0636. COD OK with street address for UPS. Prices good through cover month of magazine except as noted.





FREE FLYER: We'll be glad to tell you more than the space of this ad permits. Just send your name and address, we'll take care of the rest. If you're in a hurry, enclose 41c in stamps for 1st class delivery.

LISP Based Symbolic Math Systems

David R Stoutemyer The Soft Warehouse POB 11174 Honolulu HI 96828

On an interactive terminal, a user begins by typing the assignment:

$$Q - 6 \times X \frac{13}{9 \times X}$$

where \leftarrow denotes assignment, * denotes multiplication, and 1 denotes raising to a power. Such a command would be erroneous in most languages because the variable X has not previously received a value. However, symbolic math systems accept and even simplify expressions containing such *unbound variables*. Thus, the response of such a system to the above command is the automatic output:

2*X12/3

which is also saved as the *value* of Q. Some of the systems have more elaborate output routines which would display the above output in a two-dimensional format such as the following:

$$\frac{2X^2}{3}$$

It is the ability to accept and transform input-data consisting of expressions which contain unbound variables that most characterizes computer symbolic math. As is also illustrated by this example, virtually all such systems are capable of exact rational arithmetic. In fact, the rational arithmetic is usually *indefinite precision*, wherein each number occupies as much memory as is necessary for exact representation up to some very large maximum, imposed perhaps only by the total amount of remaining space allocated for numbers. Even the small 8080 based muMATH-79 system can compute 99⁹⁹ exactly, in less than three seconds, and the SCRATCHPAD system was once involved in a proof that the incredibly large number $2^{19.937} - 1$ is prime. Virtually all symbolic math systems also support symbolic differentiation. For example, if the user enters an expression after the above assignment to Q such as the trigonometic example:

DIF(A*SIN(Q),X),

the automatic interactive response is:

Later sections will discuss even more sophisticated builtin mathematical capabilities of these systems.

Symbolic math systems are often called *computer-algebra systems* despite their ability to do trigonometric simplification, calculus, and other operations aside from algebra.

Most general-purpose computer-algebra systems are implemented in LISP or in a disguised variant thereof, because LISP is especially suitable for the purpose. This is not to say that the user of a LISP based system must know LISP or use a LISP like syntax for his expressions. Because the syntax of traditional applied math is so different from that of LISP, each of these systems provides a *parser* which translates the traditional external representations of input expressions into corresponding internal representations which are more suitable for performing the various mathematical transformations. Similarly, each of these systems provides an output *deparser* which

About the Author

David R Stoutemyer is a Professor of Electrical Engineering at the University of Hawaii. He has received his doctorate in Computer Science from Stanford University, with specialization in numerical analysis. His current research interests include both numerical and nonnumerical scientific computation. Current educational interests include innovative computer aided math education at the elementary through college level.



This is a thoroughly tested and successfully installed software package. It is very user oriented and simple to use. The package is as comprehensive as available computer tax services. It will calculate taxes, prepare and print all forms.

This package is supported by **American Tax Associates**, an established California accounting firm. In this way you can be assured that the yearly updates will be consistent with the current laws and accounting practices.

This package is a real time saver. It can perform income averaging automatically, and based on the data input, the program can determine whether to itemize or to use the standard deduction.

The client data collection and input procedures were selected based on the experiences of American Tax Associates, and the techniques used by many service companies. A simple form is completed during the client interview. The data from this form is later input into the computer for processing.

When the client data is entered into the computer you may select to have it print an audit trail of all data entered. This will enable you to double check the data entered.

The returns are printed on continuous preprinted IRS approved forms. Those forms not requiring a preprinted form are formulated and printed on blank paper. The data disk will hold up to 120 clients so the software is designed to print all of one page at a time.

The Alpha Micro system was chosen as the base computer system because of its multiuser capability, high throughput, and upward expandability into a hard disk system.

Yearly updates will be supported by American Tax Associates. These updates are available from either your dealer or directly from Mission Control.

SYSTEM REQUIREMENTS:

Language:Alpha Micro Systems Basic (compiled)Media:8° floppy disketteCPU:Alpha Micro AM-100Memory:64K RAMPrinter:132 col with tractor feedFloppy:Dual 8° drives required

Write for our brochure — Dealerships still available Contact: Distributor

2008 WILSHIRE BLVD., SANTA MONICA, CA 90403 • (213) 829-5137

translates the internal representation into a traditional mathematical representation for display.

In addition to using the built-in math facilities in the symbolic calculator fashion illustrated above, many users want to eventually extend the built-in capabilities by means such as entering appropriate function definitions. Since most users of these systems are accustomed to a traditional Von Neumann style of programming language, rather than LISP, the parser is also generally used to provide users with a surface programming language which resembles ALGOL or another widely acceptable syntax. In fact, many of these systems provide an extendable parser-deparser, so that the user can introduce mathematical operators and programming syntax to suit personal needs and tastes. Such functional or parser extensions can be freely intermixed with calculations utilizing built-in facilities and previous extensions so that the interaction is of the full incremental variety, a la LISP and APL, rather than a semi-interactive style, a la BASIC.

I have spent many fascinating hours using the four most actively supported and publicized LISP based systems and it seems likely that increasing numbers of students, scientists, engineers, and mathematicians will want an opportunity to try some of these systems. Consequently, the following four sections briefly describe some of their capabilities and their availability, in order of increasing size. In the interest of brevity, each section emphasizes features not described in previous sections.

As with many other LISP programs, these computer algebra systems seem almost magical when first encountered. Thus, it is especially satisfying and educational to learn how they work. Accordingly, these four sections also briefly indicate some of the underlying techniques, together with the issues that they address.

Interest in computer algebra is growing rapidly, and the final section discusses the impact that this powerful tool can have on education, recreation, and research.

muMath-79

muMATH-79 is a small computer-algebra system implemented by Albert Rich and the author for Intel 8080 based microcomputers using the popular Digital Research CP/M operating system. The system will also run on the upward-compatible Intel 8085 and Zilog Z-80 processors, and upward-compatible operating systems such as the Cromemco CDOS or IMSAI-IMDOS systems. In its entirety, including an allowance of 5.7 K bytes for a resident operating system, the system occupies 28 K bytes, for which an additional minimum of 16 K bytes is recommended to store the control stack, the symbol table, character strings, numbers, expressions, and user-defined functions. The system is modular so that users can save space by omitting unneeded packages. For example, the symbolic integration, differentiation, logarithmic, trigonometric, and inverse trigonometric packages can be omitted when one is interested only in algebra. Similarly, the algebra and rational arithmetic packages can also be omitted when one is interested only in exact integer arithmetic. Here is a brief summary of the built-in facilities:

arithmetic, including integer factorization and simplification of fractional powers. For example, the system can perform the simplification:

$$\frac{\sqrt{18} - \sqrt{8}}{\sqrt{6}} \rightarrow \frac{1}{\sqrt{3}}$$

where \rightarrow denotes is transformed to.

• Unavoidable automatic algebraic simplifications include collection of similar terms, collection of similar factors, reduction of integer powers of the imaginary number i, and exploitation of the identity properties of 0 and 1, such as:

for any expression u.

• Optional, more drastic automatic algebraic transformations include expansion of integer powers of sums, expansion of products of sums, factoring common factors from all the terms of a sum, placing expressions over a common denominator, and distribution of denominators over the terms of corresponding numerators. Optional transformations are controlled by the values of a few option variables so that users can employ or suppress these more drastic transformations to suit their needs and tastes for each specific problem. Unavoidable and optional automatic logarithmic transformations include:

 $\begin{array}{l} e^{\ln(u)} \rightarrow u, \\ \ln(e^u) \rightarrow u, \\ \ln(u^*v) \rightrightarrows \ln(u) + \ln(v), \\ \ln(u^{\dagger}v) \rightrightarrows v^* \ln(u), \end{array}$

for all u and v.

- Unavoidable and optional automatic trigonometric transformations include exploitation of symmetry to remove minus signs from trigonometric arguments, exact computation for angles which are integer multiples of $\pi/12$, multiple angle expansion, angle-sum expansion, conversion of trigonometric powers to multiple angles, and conversion of trigonometric products to angle sums.
- Symbolic differentiation and integration rules are built-in for all of the built-in mathematical operators and functions. Also, there is a mechanism for introducing differentiation and integration rules for other operators and functions defined by the user.

As an example of the speed of muMATH, on an 8080 running at 2 MHz with 48 K bytes the system can expand 298!, $(1+x)^{20}$, $\sin(17x)$, $(x_1+x_2+...+x_{13})^2$, or $\sin(x_1+x_2+...+x_5)$ in one minute. Try doing these by hand!

Because of the incremental expression-oriented style, a knowledge of computer programming is unnecessary for using the built-in capabilities of muMATH in the symbolic-calculator fashion. When a user's needs are not met by the built-in facilities, they can be modified or extended by entering appropriate function definitions, simplification rules, or operator parse rules. The built-in

[•] The system provides indefinite precision rational

Expansive but not expensive

MicroAge introduces for **Horizon** and **Alpha Micro** Systems, the most powerful Hard Disk Units You've Ever Seen.

Welcome to "Hard" Times: a new age of hard disk cartridge drives for Horizon and Alpha Micro ... so powerful, so reliable, so economical, you've never seen anything like it. Fast, easy and versatile: the revolutionary new Fujitsu M2201 with 40 (formatted) megabytes of storage ... and the dynamic CDC Phoenix with 27 (formatted) megabytes. Both are operated with North Star and Alpha Micro commands. Added capacity means the ability to fully utilize the complete range of software and capabilities of North Star Horizon and Alpha Micro mainframes.

But their family interface compatibility is not all that's expansive. Speed and economy are impressive, too. Super-fast access time means no waiting for command execution ... easy handling of **large** files. And the price? Unbelievably low for this much flexibility, power, speed and capacity. And the low price includes the hard disk drive, S-100 controller, software interface, cords and disk pack.



Exclusively from MicroAge

Fujitsu M2201 Cartridge Module Drive

50 megabyte storage (40 formatted)

CDC Phoenix Cartridge Module Drive

32 megabyte storage (27 formatted)

Either.

\$9995.00

Includes drive, S-100 controller, software interface and disk pack.

Ask your dealer about Hard Times — the Fujitsu M2201 and CDC Phoenix drives from MicroAge. Available to qualified dealers and OEM's. If a dealer is not available in your area, call 800-528-1415.



mathematical algorithms are written in the same general environment and high-level syntax provided to the user. Consequently, the user does not need to master a second underlying environment and syntax, such as LISP, in order to understand the system and fully integrate his extensions into the system.

As an example of a functional extension, suppose that we wish to introduce the trigonometric cosecant function named CSC, together with the automatic transformation:

$$CSC(u) \rightarrow 1/SIN(u)$$

for any expression u. To accomplish this, we merely enter the definition:

Thereafter, until the function is redefined, the above transformation will automatically occur for the CSC of any expression.

Now, suppose that as the sole exception to the above transformation, we wish to introduce the transformation:

 $CSC(0) \rightarrow UNDEFINED$

where UNDEFINED is a variable. To accomplish this, we merely enter the new definition:

FUNCTION CSC(U), WHEN U=0, UNDEFINED EXIT, 1/SIN(V) ENDFUN;

As illustrated by these two examples:

- The body of a function definition consists of a sequence of expressions separated by commas.
- The value returned when a function definition is applied to its arguments is the value of the last expression evaluated therein.
- A conditional exit expression consists of the matchfix operator named WHEN, followed by one or more expressions separated by commas, followed by the matching delimiter named EXIT.
- The value of a conditional exit is that of the last expression evaluated therein when the conditional exit is evaluated.
- If the first expression in a conditional exit evaluates to FALSE, then the exit fails and evaluation proceeds to any successive expression following the conditional exit.
- For a successful exit, proceeding sequentially from the nonFALSE expression, when evaluation first reaches an EXIT delimiter it proceeds to the point following the next ENDFUN, ENDLOOP, or END-BLOCK delimiter.

To illustrate the LOOP construct, suppose that we wish to define a function which uses repeated first derivatives to compute the Nth partial derivative of an expression EXPN with respect to a variable VAR, for any specific integer N>0. We could do so as follows:

Circle 331 on inquiry card.

FUNCTION DIFN(EXPN, VAR, N), LOOP EXPN-DIF(EXPN, VAR), WHEN N=1, EXPN EXIT, N-N-1 ENDLOOP ENDFUN;

As illustrated by this example:

- A loop-expression consists of the matchfix operator named LOOP, followed by zero or more expressions separated by commas, followed by the matching delimiter named ENDLOOP.
- Even an assignment is an expression, having as its value the value assigned.
- A loop can contain any number of conditional exits anywhere in the loop, thus providing a single structured generalization of the REPEAT, WHILE, and halfloop constructs of some languages.

Moreover, when a function definition is applied to fewer arguments than there are parameters, the extra parameters are initialized to FALSE and they are available for use as local variables within the definition.

An alternative recursive definition of DIFN is:

FUNCTION DIFN(EXPN, VAR, N), WHEN N=0, EXPN EXIT, DIFN(DIF(EXPN, VAR), VAR, N-1) ENDFUN;

As is frequently the case, the recursive version is more compact, and compactness is important on small computers.


The *block* control-construct consists of the matchfix operator named BLOCK, followed by a conditional exit, then zero or more arbitrary expressions, then the matching delimiter named ENDBLOCK. The value of a block is the value of the last expression evaluated therein. A block can contain any number of conditional exits interspersed among other expressions, thus providing a structured generalization of the case-statement of some other languages, including the IF-THEN-ELSE construct as a special instance.

Some users may want to extend the syntax by introducing additional mathematical operators or additional programming control-constructs. The incrementally-extendable Pratt parser makes it easy to introduce such extensions as they are needed.

Every operator can have a left and a right binding power. For example, the left and right binding powers of / are 120, whereas 1 has a left binding power of 140 and a right binding power of 139. When two operators are competing for an operand between them, the operator with higher binding power toward the operand wins the operand (eg: the expression X/Y12 is parsed the same as X/(Y12) rather than (X/Y)12). When there is a tie, the operator on the left wins the operand (eg: X/Y/2 is parsed the same as (X/Y)/2 rather than X/(Y/2).

Prefix operators precede their operands. For example, to establish COS as a prefix operator so that we can omit parentheses from around suitable arguments of COS, we can enter the command:

16K STATIC RAM



with \$275 450 ns \$300 250 ns memory chips

Assembled, Tested and Guaranteed

Static TMS 4044 or equivalent - Fully Static 4Kx1 Memory Chips for full DMA capability, no tricky timing problems.

- Fully S-100 Bus Compatible All lines fully buffered, Dip Switch Addressable in two 8K block. 4K increments. Write Protectable in 2 blocks, Memory Disable using Phantom, Battery back up capability.
- Bank Select Using output port 40H (Cromemco software compatible)-addressable to 512KB of Ram for time share or Memory Overlap, also has alternate ports 80 H, COH.
- Guaranteed Parts and labor for one year. You may return the undamaged board within 10 days for a full refund.
- Orders You may phone for Visa, MC, COD (\$4 handling charges for COD) orders. Personal checks must clear prior to shipping. Shipping-Stock to 72 hours normally. Will notify expected shipping date for delay beyond this. Illinois residents add 5% tax. Please include phone number with order.

S.C. Digital

P.O. Box 906 Phone: Aurora, IL 60507 (312) 897-7749

NO FRILLS! NO GIMMICKS! JUST GREAT **DISCOUNTS** MAIL ORDER ONLY

1500 995.00 Mod 1 1495.00 CENTRONICS 779-1 779-1 954.00 779-2 1051.00 700-2 1350.00 761 KSR tractor 1595.00 703 tractor 2195.00 NORTHSTAR Horizon I assembled. 1629.00 kit 1339.00 Horizon II assembled. 1999.00 kit 1599.00 Disk System 589.00 TELETYPE Mod 43 995.00 IMS 104.00 159.05	Double Density Dual Drive 2433.00 IMSAI VDP 80/1000 \$5895.00 VDP 40 3795.00 VDP 42 3895.00 VDP 44 4195.00 16K Memory assem 399.00 PCS 80/15 679.00 15% off on all other Imsai products CROMEMCO System III \$1000 off 4990.00 10% off on all other Cromemce products TEXAS INSTRUMENTS 810 Printer 1595.00 CENTRONICS 500
16K Static Memory 459.95	Micro Printer 495.00

135-53 Northem Blvd., Flushing, New York 11354, 212/465-6609 N.Y.S. residents add appropriate Sales Tax. Shipping FOB N.Y. BankAmericard, Master Charge add 3%. COD orders require 25% deposit.

PROPERTY COS PREFIX 170.

Then, COS X/Y parses the same as COS(X)/Y, because 170 exceeds 120. Alternatively, we could enter the command:

PROPERTY COS PREFIX 119 if we wished COS X/Y to parse the same as COS (X/Y).

Postfix operators follow their operand, infix operators lie between their operands, and matchfix operators (such as LOOP) precede an arbitrary number of operands separated by commas and delimited by a matching delimiter (such as ENDLOOP). Numbers and variable names parse as themselves. A functional expression parses into a list containing the function name followed by the parsed representations of its arguments. An operational expression parses into a list containing the name of the operator followed by the parsed representations of its operand. As an example, COS(2/NI) parses into the nested list (COS,(/,2,(!,N))).

In general, this representation is called Cambridge prefix (as opposed to Polish prefix or ordinary functional prefix). We are all so accustomed to infix notation that most people find mathematical Cambridge prefix tiresome to read, and many people also find it tiresome to write. However, the parser prevents us from having to write Cambridge prefix, and the deparser prevents us from having to read it, in order to enjoy its great advantages as an internal representation. These advantages are many.

In order for our programs to determine simply and

quickly which transformations to apply to expressions, the programs must be able to easily determine whether the expressions are numbers, variables, or more general. If the latter, the program must be able to easily determine the outermost operator or function name, and easily access the individual associated operands or arguments. Tc keep the transformation programs fast and compact, the syntactic rules governing the internal representation should be few and simple. Moreover, it is sometimes convenient to regard expressions as data in order to apply transformations to them. At other times it is convenient to regard expressions as programs in order to execute them. Cambridge prefix offers all of these advantages.

For each cycle of interaction, after parsing the input expression, muMATH merely applies the built-in LISP like EVAL function, then deparses the result for output. For computer-algebra it is appropriate for such an EVAL function to at least do the following:

- Evaluate numbers and unbound variables as themselves.
- Evaluate bound variables as the values to which they are bound.
- Evaluate a list for which the first element is the name of a function definition as the value obtained by applying the function definition to the values of the other elements in the list.
- Otherwise, the value of a list is the list of its values.

Unfortunately, most LISP EVAL functions implement only a subset of these rules, leaving undefined the result

PET OWNERS: Creative Software has programs for you!

PAY	£	AROUNT	HETH OF PAY	DESCRIPTION
1	٨	3.33	CASH	PENHZOIL
2	Z	35,90	MCHG	CRITTERS
Э	с	286.11	8 OF A	WOOL SULT
4	2	1.29	CASH	TOOTHBRUSH
5	E	9.95	CHKB181	BOOK
6		68.47	CASH	2 WEEK'S FOOD
7		13,44	HCHG	GIFT FOR WIFE
8	B	316	CHK#181	MORTGAGE
9		2.75	CASH	PAY FOR 1 HOUR
10	Z	5.01	CASH	SUIT CLEANED
îo -	90	an, pr	ess any key	

	AMOUNT	CATEGORY	AMOUNT
NIC	-69.7	INCOME	1000.92
CLOTHES ENTRIALN	-71.98	HEDIČAL	32.1
DUC	201:52	SAVINGS	51.21
	248.35	VACATION HISC	

Household Finance I & II \$15.00

Part E luputs data on each household expenditure; lists, adds, updates, changes or deletes previously input items. Writes data to cassette tape. Part II: Reads data tape. Provides monthly and yearly summaries of financial data, single category summaries, and graphs a spending profile.

Creative Software products are now available at these fine dealers:

РC	Ċc	mp	uler	
101e	hh !	San	Pablo	Ave.
EI ()er	nlo,	Calife	mia

Barney Miller's 232 E. Main St. Lexington, Kentucky San Rafael, California

Computer Shoppe 3225 Danny Pk. Metaine, Louisiana

Memory Bank Inc 4128 Brady St. Davenport, lowa

Computer Forum 14052 E. Firestone Blvd. Sante Fe Springs; Colifornia

Marin Computer Center 70 Skyview Terrace

Olson Electronics Sherwood Plaza Rte. 9 Natick, Massachusetts

Computerland 4546 El Camino Real Los Altos, California Germany Hofacker Verlag Tegenseerstrasse 18 D 8150 Holzkirchen Munchen, West Germany

France S.I.V.E.A. 20 rue de Leningrad 75008 Paris, France

Austria BYTE Computer Shop 1040 Wien Favoritenstrasse 20, Austria



Seawolf \$10.00

Ultra fast real time graphics! Sink the ships with your moveable tor. pedo gun; extended play for high scoring. Uses joystick or keyboard 🥒 input.




Life \$20.00 Implemented in machine language. this version of Life has variable speed pattern generation and numerous other special features.

Many other Creative Software products, including single and dual joysticks, are available for the PET. If your local dealer doesn't carry Creative Software products or program information, write directly to the address below. When placing an order please note:

Add \$1.50 shipping for each program ordered. California residents add 6 % sales tax. VISA MASTERCHARGE accepted. Include card number and expiration date.





Model DMB-6400 Series dynamic 64k byte RAMS incorporate the features which are standard in the DM-6400 Series and adds the following capabilities:

- ALPHA MICRO, CROMEMCO, and NORTH STAR output port bank select compatible.
- Four (4) 16k byte, functionally independent memory banks.
- Memory bank size can be incremented to 64k bytes in 16k increments.
- Eight (8) 64k byte banks of memory per output port.

Model DM-6400 Series dynamic 64k memory boards feature IEEE S-100 compatible timing and on board transparent refresh.

- Memory selectable and deselectable in 4k byte increments.
- 25 MHz on board crystal oscillator for independent timing.

DMB-6400 and DM-6400 Common Features:

- 4 MHz Z80 operation with no wait states.
- Low power- 8 watts maximum.
- Reliable, expandable memories.

- Tested and burned-in.
- **ONE YEAR GUARANTEE**

THE FOLLOWING PRODUCTS ARE AVAILABLE FROM YOUR LOCAL DEALER. DMB-6400/64K RAM

DMB-4800/48K RAM

DMB-3200/32K RAM DMB-1600/16K RAM


DM-6400/64K RAM DM-4800/48K RAM

DM-3200/32K RAM DM-1600/16K RAM

U.K. & EUROPEAN REPRESENTATIVE: ABACUS COMPUTERS LTD 62. NEW CAVENDISH STREET LONDON, W1M 7LD U.K. TEL: 01-580/8841 TELEX: 881-3085 AUSTRALIAN REPRESENTATIVE: COMPUTERLAND OF MELBOURNE 555 COLLINS STREET MELBOURNE, VIC3000 TEL: 625581

MEASUREMENT systems & controls

867 North Main Street
Orange, CA 92668 Telephone: 714/633-4460





A specially designed SF TACTICAL BATTLE GAME for your PET, TRS-80 or APPLE Computer.

The man called Sudden Smith watched the five blips on his screen spread out to meet the enemy. Two freighters converted into something like battlewagons, powerful but slow, and three real cruisers: the most powerful group of warships ever seen near the Promethean system - except for the Stellar Union fleet opposing them. Everyone was calling it Starfleet Orion, though it existed for only this day. It was life or death, and, after the object lesson on the planet Spring, everyone knew it.

STARFLEET ORION is a complete 2 player game system

- rule book ship control sheets
- battle manual
- cassette program listings

Includes 2 programs, 22 space ship types, and 12 playtested scenarios. Game mechanics are extremely simple, but play is exciting, challenging, and rich in detail. Specify PET (8K), TRS-80 (Level II, 16K), or APPLE II (16K & 32K) \$19.95.

Ask your local dealer or send your check to:

Automated Simulations Department Y P.O. Box 4232 Mountain View, CA. 94040

California residents please add 6% sales tax

of applying EVAL to an unbound variable or a list whose first element is not the name of a function definition. In computer algebra, no one would want to quote every instance of every unbound variable. It is often desirable to write subexpressions such as f(x), even though there is no corresponding function definition named f. Accordingly, most LISP based algebra systems begin by defining an algebraic EVAL function in terms of the built-in LISP EVAL function.

Since muMATH is intended for microcomputers, we did not want to waste precious space on two nearduplicate EVAL functions so we included the above upward-compatible generalizations of the usual LISP EVAL in one EVAL. These generalizations are convenient in other LISP applications, so we would like to see LISP evolve in this direction.

The lexical and syntactic rules appropriate for input and output of LISP and computer-algebra expressions also differ. Many LISP implementations do not directly accept special characters such as + as valid names, and LISP scanners do not distinguish between blanks and commas. Again, we did not want to waste precious space on two sets of I/O (input/output) routines, one of which would never be employed by users of the computeralgebra system. Accordingly, using assembly language, two semantically similar but lexically and syntactically different general-purpose list-processing systems were implemented: muLISP-77 which implements the traditional LISP lexical and syntatic rules, and muSIMP-77 which employs the lexical rules and high-level syntax illustrated in the preceding examples. We used muSIMP-77 to implement muMATH-79, but muSIMP-77, being a disguised version of LISP, is applicable wherever LISP is applicable. We think that beginners are more comfortable with muSIMP than with LISP, hence they are more willing to learn the lovely semantics of LISP, and to ultimately appreciate the Spartan syntactic simplicity of LISP, together with its consistency between program and data.

To illustrate the convenience of Cambridge prefix as an internal representation, here is an example of how differentiation could have been implemented in muMATH:

FUNCTION DIF(EXPN, VAR), WHEN EXPN = VAR, 1 EXIT, WHEN ATOM(VAR), 0 EXIT, WHEN FIRST(EXPN = '+, DIF(SECOND(EXPN), VAR) +DIF(THIRD(EXPN), VAR) EXIT WHEN FIRST(EXPN) = $' \star \dots EXIT$.

WHEN FIRST(EXPN) = LN, DIF(SECOND(EXPN), VAR) /SECOND(EXPN) EXIT. LIST(DIF, EXPN, VAR) ENDFUN;

. . .

The built-in function named ATOM returns TRUE if its argument is a number or a name. The built-in functions named FIRST, SECOND, and THIRD, respectively, return the indicated elements of the list which is their argument. The function named LIST takes any number of arguments returning a list of their values. As indicated, a single quote is used in contexts where one wishes to prevent the parser from seeking operands for a name which happens to be an operator.

In simplified results the operators + and * have two or more operands which have been sorted into a lexical order to facilitate collection of similar terms and factors. Consequently the above example would have to use a loop or recursion to march down the list of operands of +.

For modularity and other reasons, differentiation and most other mathematical transformations are implemented with the aid of a sort of *pattern matcher*. The following sections illustrate pattern-matching techniques.


Reduce

REDUCE is a LISP based computer-algebra system implemented by Anthony Hearn and his colleagues for a variety of large computers. Currently there are supported implementations for the PDP-10, PDP-20, IBM360, IBM370, Univac 1108, CDC Cyber, and Cray-1 machines, running under various popular operating systems. In its entirety, the system occupies about 400 K bytes on an IBM370, for which an additional minimum of at least 50 K bytes is recommended as workspace. The system is modular so that users can save space by omitting unneeded packages (eg: 100 K bytes can be saved by omitting the integrator). For those who have access to the ARPA computer network, REDUCE is available at several sites, including USC-ECL and SU-AI, where accounts may be obtainable. REDUCE is also directly available on magnetic tape from Professor Hearn at the University of Utah Computer Science Department in Salt Lake City for \$100. It has been distributed to over 500 sites worldwide. Here is a brief summary of the built-in facilities:

- The system provides single-precision floating-point arithmetic as well as indefinite-precision rational arithmetic.
- Unavoidable algebraic transformations and optional ones controlled by flags are approximately similar to those of muMATH, except that REDUCE provides an important additional optional transformation: cancellation of polynomial greatest divisors from the numerators and denominators of rational expressions. REDUCE can perform such simplifications as the following:

 $\frac{2a^{2}x^{2}-a^{2}bx-a^{2}b^{2}-ax^{3}+axb^{2}-x^{4}+bx^{3}}{a^{2}x^{2}-a^{2}b-ax^{2}-2axb-ab^{2}-bx^{2}+b^{2}x} \rightarrow \frac{2ax+ab+x^{2}}{a+b},$

- which might be overlooked by most people.
 There are some built-in exponential, logarithmic and trigonometric simplifications.
- Matrices having symbolic expressions as elements can be added, subtracted, multiplied, divided and raised to integer powers, including inversion
- There are special facilities for solving the quantumelectrodynamics problems of the high-energy physics.



SOFTWARE AVAILABLE FOR F-8, 8080, 6800, 8085, Z-80, 6502, KIM-1, 1802, 2650.

EPROM type is selected by a personality module which plugs into the front of the programmer. Power requirements are 115 VAC, 50/60 HZ at 15 watts. It is supplied with a 36 inch ribbon cable for connecting to microcomputer. Requires 1½ I/O ports. Priced at \$155 with one set of software. Personality modules are shown below.

Part No.		Programs	Price
PM-0	TMS	2708	\$15.00
PM-1		2704, 2708	15.00
PM-2		2732	30.00
PM-3	TMS	2716	15.00
PM-4	TMS	2532	30.00
PM-5	TMS	2516, 2716, 2758	15.00

Optimal Technology, Inc. Blue Wood 127, Earlysville, VA 22936 Phone (804) 973-5482

	List	Our Price
CROMEMCO 20% DISCOUNT		
System III	5990	4792
System H	3990	3192
System II with 10 Meg Disk	9995	7996
16K Ram	595	480
NORTH STAR 16% DISCOUNT (or more)		
Horizon I – 32K Ram asm	2099	1763
Horizon I – 16K Ram asm	1899	1595
Horizon I – 32K Ram kit	1849	1553
Horizon I to Horizon 2	450	378
32K Ram asm	659	525
VECTOR GRAPHICS 20% DISCOUNT		
Vector MZ-2 (630K disk) 48K Ram	3750	3000
Soroc IQ120	995	790
Perkin Elmer Bantam CRT	996	750
Intertube II	995	750
LA-36	1630	1440
Integral Data IP125	799	699
Escon Selectric Interface	496	422
NEC 5510 RO Word Processor Printer	2900	2450
IMSAI	15	% off
Radio Shack	5	% off

Professional A/R, A/P, Ledger, Payroll, Medical Billing Software Available. We discount TRS 80 Software, Microage Software and Structured Systems Software. Most Hardware items in stock. Send for our catalog – Some prices too low to quote.



- There is a high-level surface programming language, which is essentially ALGOL, sweetened by modern control constructs such as a WHILE loop, REPEAT loop, and CASE statement.
- Symbolic differentiation and integration are builtin, and the latter is significantly more powerful than the muMATH integrator, which merely uses a few elementary rules such as:

$$\begin{split} \int (u+v)dx &\to \int udx + \int vdx, \\ \int c \ u \ dx \to c \int u \ dx \ if \ c = constant, \\ \int v \ f(u)dx \to \frac{v}{du/dx} \int f(u)du \ if \ \frac{v}{du/dx} = constant, \\ \int x^{-1} \to \ln x, \\ \int x^{\alpha} \to \frac{x^{\alpha+1}}{\alpha} \ if \ \alpha = const \ and \ \neq -1, \\ & \cdots \\ \int sin(x)dx \to cos(x). \end{split}$$

In contrast, extensive greatest-common-divisor, factorization, and linear-equation-solving support routines permit REDUCE to use the powerful new Risch-Norman integration algorithm. For a large class of integrands and solution basis functions, this algorithm is guaranteed to determine a closed-form solution if one exists, otherwise terminating with a guarantee that one does not exist.

 REDUCE provides a convenient pattern matcher, which provides a natural means for users to implement many extensions. To have the system automatically replace every subsequent instance of mc² by E, we can merely enter the rule:


LET
$$M \cdot C \cdot \cdot 2 = E;$$

Thereafter, an expression such as 5*M*C**3+8 would be replaced automatically by 5*E*C+8. There is also a mechanism for letting pattern variables represent arbitrary subexpressions. To make logarithms of all powers, products and quotients can be expanded automatically, we can enter the rules:

> FOR ALL X, Y LET LOG $(X \star \star Y) = Y \star LOG(X)$, LOG $(X \star Y) = LOG(X) + LOG(Y)$, LOG(X/Y) = LOG(X) - LOG(Y);

Thereafter an expression such as A+2*LOG(B) - LOG(E**A*B**2*C) would simplify to -LOG(C). Finally, there is a mechanism for imposing extra prerequisites to replacements. To make the above LOG rules dependent upon the value of an option variable, we could change the first line to:

FOR ALL X, Y SUCH THAT LOGEXPAND > 0



Most of REDUCE is written in a modular subset of itself called RLISP. In turn, RLISP is bootstrapped from standard LISP, which is a subset of many LISP implementations. RLISP has the semantics of LISP clothed in the syntax of sweetened ALGOL. RLISP is applicable not only to computer algebra, but also wherever LISP is applicable, and I have found students far more receptive to LISP if they are introduced to it via a surface language such as RLISP.

REDUCE was originally inspired by a desire to perform symbolic high-energy-physics computations which are far too arduous to do manually. Consequently, the internal representations of expressions reflect a major concern with speed and storage efficiency for large expressions:

• In applied math, the most numerous operations in very large expressions are usually addition, subtraction, multiplication, and exponentiation with positive integer exponents. There is frequently, at most, one division operation present, because expressions are often put over a common denominator. If fractional powers, exponentials, logarithms, trigonometric functions or other irrational operations occur, they may usually be reduced to numerous repetitions of a few unnested distinct irrational functions having trivial arguments such as x, x+y or $2\pi x$. Thus, polynomial operations account for most of the time and space. This suggests using a data structure oriented toward polynomials, thereby saving space

and time by making the operators +, \times , and \dagger implicit. This usual nature of large expressions also suggests storing irrational subexpressions uniquely, and treating them as additional *variables* with respect to any polynomial operations involving them.

- As the number of variables and their maximum degrees increase, a multivariate polynomial must have zero as a sharply increasing portion of its possible terms, in order to fit the polynomial into the computer memory. Moreover, the fit is possible only if the internal representation takes advantage of this *sparsity*. In general, we can avoid wasting space on intermediate-degree terms which are zero only if we explicitly store the exponents of the nonzero terms.
- Many multivariate polynomial algorithms are most concisely stated as univariate algorithms, recursively involving coefficients which are polynomials in at least one less variable.
- Classic multivariate polynomial division requires that one variable be distinguished as the leading variable and that the terms be accessible in decreasing order of degree.

REDUCE uses Cambridge prefix for some purposes, but REDUCE internally represents polynomials in a *standard form*. A standard form is defined as an element from the underlying coefficient domain or as a *leading term* dotted with a *reductum*, where the latter is recursively





Handles up to 300 employees per diskette. Automatically calculates FICA, FED. TAX, UNEMPLOYMENT and much more.

ALSO AVAILABLE

ACCOUNTS RECEIVABLE \$*	95
ACCOUNTS PAYABLE \$*	95
INVENTORY CONTROL with	
BILLING & ACCT'S REC \$	50
MANUALS \$29.95/	ea.
CUSTOM PROGRAMS & OTHERS	

CAI

1st Security Bank Bldg. 3306 W. Walnut, Suite 507 Garland, TX 75042 PHONE: (214) 272-3211 With money order or certified check, orders shipped within 24 hours.

defined as a standard form of lower degree in the main variable of the leading term. The underlying coefficient domain can be indefinite-precision integers, indefiniteprecision rational numbers, integers modulo some modulus, or single-precision floating-point numbers. A leading term is defined as a leading power dotted with a leading coefficient, where the latter is recursively defined as a standard form not containing the main variable of the leading power. A leading power is defined as the main variable dotted with the leading degree, where the latter is a positive integer. In Backus-Naur form, we can summarize this definition as follows:

standard form ::= domain element

:: = LT standard form. + RED standard form RED standard form :: = standard form

LT standard form

:: = LPOW standard form .* LC standard form LC standard form :: = standard form

LPOW standard form

:: = MVAR standard form.** LDEG standard form

I have also taken the opportunity to introduce the REDUCE infix constructor macros named .+, .*, .**, which clearly indicate the implied operator, but are all defined as merely the LISP CONS operation. Similarly, I have introduced the mnemonic prefix REDUCE prefix selector macros named LT, RED, LPOW, LC, MVAR, and LDEG, which are respectively defined as the LISP functions CAR, CDR, CAAR, CDAR, CAAR, and CDAAR.

With this representation and macros, the REDUCE multivariate polynomial addition function definition is extraordinarily compact and elegant - an ideal intermediate level example of *reductum recurso*. Listing 1 below shows this reduce function, expressed in RLISP.

SYMBOLIC PROCEDURE ADDF(U,V); IF ADDITIVEIDENTITY U THEN V ELSE IF ADDITIVEIDENTITY V THEN U ELSE IF DOMAINP U THEN ADDD(U,V) ELSE IF DOMAINP V THEN ADDD(V,U) ELSE IF LPOW U = LPOW V THEN ADDFF(ADDF(LC U, LC V), ADDF(RED U, RED V)) ELSE IF ORDPP(LPOW U, LPOW V) THEN LT U .+ ADDF(RED U, V) ELSE LT V .+ ADDF(U, RED V);

SYMBOLIC PROCEDURE ADDD(D,V) IF ADDITIVEIDENTITY V THEN D ELSE IF DOMAINP V THEN ADDDM(D,V) ELSE LT V . + ADDD(D, RED V);

SYMBOLIC PROCEDURE ADDFF(F1, F2): **IF ADDITIVEIDENTITY F1 THEN F2** ELSE IF ADDITIVEIDENTITY F2 THEN F1 ELSE LPOW U .* F1 .+ F2;

In listing 1, use has been made of the ADDITIVE-IDENTITY prefix recognizer macro which tests for a zero, the DOMAINP prefix recognizer macro which tests for the underlying coefficient domain, the ORDPP predicate which tests the relative order of two leading powers, and the ADDDM function which adds domain elements. Since the syntax is essentially ALGOL, for which descriptions are widely available, we leave the serious reader to ponder this example, moving on now to another computer algebra system.

MACSYMA

MACSYMA is a very large computer-algebra system implemented by the Mathlab group at the MIT Laboratory for Computer Science in Cambridge MA. The system will probably be made available for DEC PDP-10 computers in a year or two.

In its entirety, excluding the library of user-submitted routines, MACSYMA occupies 400,000 36 bit words on the PDP-10. The system is modular, starting with a nucleus of 100,000 words. As is perhaps implied by its name, MACSYMA provides more built-in math operations than any other computer-algebra system. Here are some highlights:

- The system provides arbitrary-precision floatingpoint as well as indefinite-precision arithmetic.
- Besides the usual unavoidable algebraic transformations, there are numerous optional automatic ones controlled by flags or which are employed by applying specific functions to expressions. The most sophisticated of these transformations include cancellation of polynomial greatest common divisors, partial-fraction decomposition, nested polynomial decomposition such as completion of powers, and factorization. For example, MAC-SYMA can perform the factorization:

 $3w^2z^6 + 2w^3z^4 + 114xy^2z^3 - 10w^2y^2z^3 + 45w^2x^3z^3 - 3w^2z^3 + 76wxy^2z - 2w^3z - 380xy^4 + 1710x^4y^2 + 10w^2y^2 - 45w^2x^3 \rightarrow (3z^2 + 2wz - 10y^2 + 45x^3)(w^2y^3 + 38xy^2 - w^2).$

- There are numerous built-in transformations for fractional powers, exponentials, logarithms, trigonometric functions, inverse trigonometric functions, hyperbolic functions, and inverse hyperbolic functions. There are also transformations for some higher transcendental functions such as the error, gamma, beta, zeta, and psi functions.
- There is built-in matrix algebra on matrices having unspecified elements and unspecified size.
- There are special facilities for series analysis of periodic phenomena such as orbits.
- There is a high-level surface programming language which resembles ALGOL, with evidence of meta-LISP influence.
- There is a powerful pattern-matching facility and an extendable Pratt parser.
- Symbolic differentiation and integration are builtin. The latter employs a powerful Risch algorithm, among other techniques. There is also a distinct program for definite integrals, which employs contour integration and other techniques besides indefinite integration.

Expand your TRS 80. Save \$100.

Meet the Vista V80 Mini Disk System. The perfect way to upgrade your TRS-80* system. Inexpensively. (Our \$395.00 price is about \$100.00 less than the manufacturer's equivalent.) Here's how it can help you.

23% more storage capacity. Useable storage capacity is increased from 55,000 to 65,000 bytes on drive one.

8 times faster. While electronically equal to the TRS-80 Mini-Disk system, track-to-track access is 5ms versus 40ms for the TRS-80.


Better warranty. The V80 carries a 120 day warranty – longer than any comparable unit warranty available.

The Vista V80 Mini Disk System comes complete with Minifloppy disk drive, power supply, regulator board and case. And it's ready to run – simply take it out of the box, plug it in and you're ready to go.



1320 East St. Andrews Place, Suite I Santa Ana, California 92705 (714) 558-8813 At Vista, we mean business.

*TRS-80 ©Tandy Corp.



Don Lancaster's "Cheap Video" concept allows almost unlimited options, including:

- * Scrolling · Full performance cursor.
- * Line/Character formats of 16/32, 24/80, 32/64.... or almost anything.
- * Graphics-up to 256 X 256 B&W; 96 X 128 COLOR (requires low-cost option modules)
- * Works with 6502, 6800 and other micros.

SPECIAL OFFER: Buy the Kit (upper case alphanumeric option included) & get the Book at 1/2 price.

I'm Sold, PLEASE RUSH	() SEND FREE CATALOG
() TVT-65/8 Kit & Cheap Vid	eo Cookbook - \$42.95 (enclosed)
() TVT-65/8 Kit only (book r	equired for assembly) -\$39.95
name:	-
address:	
city:	e: zip:
	LSHIRE BLVD., OKLAHOMA CITY. OK 73116
ILLEVINUNUS ULFI.0.0, 1020W.W	LONINE DEVD., UNLANUMA UITT, UN /3110

6800 DEVELOPMENT SOFTWARE

An integrated applications development and execution system.

SDOS

All devices **interrupt-driven** including typehead. Provides device independent, byte addressable random files. Supports any mixture of floppy or hard disk drives up to 2.5 **billion** bytes. Sector read-ahead and buffer pool enhance application performance. Flexible: Currently runs on 7 manufacturers' systems, using 10 different drive/controllers, including mini-floppies and hard disk.

BASIC COMPILER

For speedy business applications. 10 digit BCD; random access to variable size records; long variable names; formatted output; **if-then-else**; error trapping. Field proven for over 2 years.

EDIT

A powerful text editor with change, delete, replace commands. Automatic display of modification or context changes; macro facilities for complex or repetitive editing.

ASM

2 pass conditional assembler; 32 character labels; symbol table dump and cross-reference; error cross-reference; extensive arithmetic and listing control.

IDB

Single-step, multiple, real time breakpoints; memory dump; multiple display modes. No special hardware needed.

Over 500 pages of documentation to match this proven software.

Complete package: \$760.00

Also (not including SDOS) available for SWTP, Exorcisor, SSB and MSI DOS.

Write for free catalogue. Sizable distributor discounts.

SOFTWARE DYNAMICS 2111 W. Crescent Avenue, Suite G Anaheim, CA 92804 (714) 635-4760

• PET 2001 • PET 2001

• PET 2001 • PET 2001 • PET 2001 • PET 200 2001 • PET **Programmer's Guides** for the PET™ 200 PE TIS 200 WORKBOOKS FOR THE COMMOOORE PET 2001 PET **Getting Started with Your PET** WB-1 \$4.00 Covers the fundamentals of PET BASIC: calculator and program mode, data input and output, data representation, program storage on the cassette. 200 PET String and Array Handling WB-2 \$3.95 PET 2001 PE Covers string and substring search, concatenation, replacement and manipulation. 2001 **PET Graphics** WB-3 \$4.95 • PET 2001 • PET 2001 • PET 2001 • PET 2001 • Covers use of cursor control and special graphics PE symbols to draw plots, histograms, and sketches. PET Cassette I/O WB-4 \$4.95 2001 Covers OPEN, CLOSE, string and numeric data files. Miscellaneous PET Features WB-5 \$3.95 PET Covers the clock, random number generator, upper and lowercase alphabetic characters, saving memory space, etc. 2001 PET Control and Logic WB-6 \$3.95 I • PET Covers IF, GOSUB, logical operations, and ON X. Add \$1.50 for shipping and handling. 8 TIS Desler • PET P.O. Box 921 Inquirie Alamos, NM 87544 Invited Money back guarantee 200 We also sell PET Software. Write for details I • PET 2001 PET is a trademark of Commodore Business Machines 200 PET • PET 2001 • PET 2001

- There is a powerful function which employs L'Hospital's rule and other techniques to computer limits.
- There are powerful functions for determining infinite and truncated generalized power-series expansions of expressions.
- Laplace transforms and their inverses are built-in.
- There is a function which uses a variety of techniques to seek closed-form solutions to first-order and second-order ordinary differential equations.
- There is a built-in function which uses the powerful new Gosper algorithm to find closed forms for sums with indefinite or infinite summations limits. For example, the function is able to make the transformation:

$$\sum_{j=0}^{n} \frac{j^{4}4^{j}}{\binom{2}{j}} \rightarrow \frac{2(n+1)(63n^{4}+112n^{3}+18n^{2}-22n+3)4^{n}}{693\binom{2n}{n}} - \frac{2}{231}$$

• Equations are legitimate expressions. Two equations or an equation and a nonequation can be added, multiplied, etc, and there is a powerful function named SOLVE which uses a variety of techniques to seek solutions to one or more simultaneous linear or nonlinear equations. SOLVE is able to determine, as exact symbolic expressions involving c, the four values of x which satisfy the quartic equation:

$$x^4 = cx + 1.$$

As another example, SOLVE is able to determine that the exact solutions for the two simultaneous nonlinear equations:

$$z^{4} + x^{2}z^{2} + xz^{2} + y^{2} + x^{3} = 2yz^{2} + x^{2}y + xy,$$

$$yz^{2} + 2xyz + xy = 2xz^{3} + 2x^{2}z + y^{2},$$

are the curve $(x=r, y=s^2, z=r)$ together with the surface $(x=r, y=s^2+r, z=s)$, where r and s are arbitrary parameters.

• There is an extensive user-contributed program library which includes packages for vector and tensor analyses, ordinary and variational optimization, solution of integral equations, higher transcendental functions, and dimensional analysis.

Most of MACSYMA is written in MACLISP, which is a particularly elaborate version of LISP also developed at MIT. MACSYMA uses several internal representations, including Cambridge prefix and a recursive polynomial representation somewhat like that of REDUCE. The major difference from the REDUCE polynomial representation is that in MACSYMA the variables are also implicit and stored separately, only once per complete polynomial. This usually saves additional space in the expressions. Although the resulting algorithms are somewhat faster when combining polynomials having the same variables, there is some awkwardness or overhead involved in a preliminary padding phase when combining polynomials that do not have identical variables.

SCRATCHPAD

SCRATCHPAD is a very large computer-algebra system implemented at the IBM Thomas J Watson Research Center. It is available there on an IBM 370, and it is available from other IBM corporate sites via telephone. Regrettably, this fine system has not yet been released to the public, but it is discussed here because of its novel features.

In its entirety, the system occupies about 1600 K bytes on an IBM 370 with virtual storage, for which an additional minimum of 100 K bytes is recommended for workspace. The variety of built-in transformations currently lies between that of REDUCE and MACSYMA. However, each of the three systems has features that none of the others possess, and one of these features may be a decisive advantage for a particular application. Here are some highlights of the SCRATCHPAD system:

- The system provides single-precision floating-point arithmetic as well as indefinite-precision rational arithmetic.
- The built-in unavoidable and optional algebraic transformations are approximately similar to those of MACSYMA.
- The built-in exponential, logarithmic, and trigonometric transformations are approximately similar to those of REDUCE.
- Besides built-in symbolic matrix algebra, APL like array operations are included, and they are even further generalized to permit symbolic operations

of nonhomogeneous arrays and on arrays of indefinite or infinite size.

- Symbolic differentiation and integration are builtin, with the latter employing the powerful Risch-Norman algorithm.
- There is a particularly elegant built-in facility for determining Taylor series expansions.
- There is a built-in SOLVE function capable of determining the exact solution to a system of linear equations.
- There is a powerful pattern-matching facility which serves as the primary mechanism for user level extensions. The associated syntax is at a very high level, being the closest of all computer-algebra systems to the declarative, nonprocedural notation of mathematics. To implement the trigonometric multiple-angle expansions, we can merely enter the rewrite rules:

$$cos(n*x) = 2*cos(x)*cos((n-1)*x) - cos((n-2)*x), n in (2,3,...), x arbsin(n*x) = 2*cos(x)*sin((n-1)*x) - sin((n-2)*x), n in (2,3,...), x arb$$

Then, whenever we subsequently enter an expression such as $\cos(4*b)$, the response will be a corresponding expanded expression such as:

 $8\cos^4(B) - 8\cos^2(B) + 1$

Omikron transforms TRS-80* into a powerful business system.

STANDARD DRIVES 8" Drives give you 5 times the speed and 3 times the storage of your mini drives! Our system provides a standard Shugart interface so you can use either your 8" drives or ours. Omikron drives are enclosed in an attractive metal cabinet, and include a power supply.

SOFTWARE CP/M* is the most popular operating system for microcomputers. But many high-level languages and advanced business programs cannot run with the special CP/M* designed exclusively for the TRS-80* The Omikron MAPPER with standard CP/M* allows you to expand your software capability to go beyond the few available TRS-80* compatible packages.

TRS-80* with MAPPER out-performs systems costing \$1000 more! The MAPPER I and MAPPER II are plugin modules. They don't require any circuit changes, are easy to install, and they don't interfere with the normal operation of your TRS-80* All your original software, including Level III BASIC will still run properly. Omikron products require 16K L II BASIC and the TRS-80* Expansion Interface.

* *

MAPPER I is a memory management unit which adapts your TRS-80* to run standard CP/M* Versions for both 5" and 8" drives are available. The package includes CP/M* software on 5" or 8" diskette, and documentation. 5" unit, \$169. 8" unit, with adapter cable, \$199. **MAPPER II** includes the MAPPER I package plus a disk adapter module which allows both 5" and 8" drives to run on the same cable. Drive selection is under software control to permit easy file transfer between the drives. With cable, \$249.

CONVERSION —If you purchase MAP-PER I or II and plan to use only minidrives, Omikron will transfer CP/M* files from 8" diskette to a 5." This allows you to run software previously available to only 8" drive owners. \$25 per mini-diskette.

DRIVE — 8" drive, \$849. Additional drive, \$695. **WARRANTY** — 1 year on boards; 90 days on drives. VISA/MasterCharge accepted. Prepaid orders given top priority.

> *CP/M is a TM of Digital Research. TRS-80 is a TM of Tandy Corporation.

OMIKRON Products that set Precedents. 1127 Hearst St Berkeley, CA 94702 (415) 845-8013 Thus, programs resemble a collection of math formulae much as they would appear in a book or article.

• SCRATCHPAD has a particularly powerful yet easily used mechanism for controlling the output format of expressions. For example, the user can specify that an expression be displayed as a power series in x, with coefficients which are factored rational functions in b and c, etc. For large expressions, such fine control over the output may mean the difference between an important new discovery and an incomprehensible mess.

This generalized recursive format idea is so natural and effective that SCRATCHPAD is now absorbing the idea into the internal representation. A study of the polynomial additional algorithm in the previous section reveals that it is written to be applicable to any coefficient domain which has the algebraic properties of a *ring*. The coefficients could be matrices, power-series, etc. That coefficient domain could in turn have yet another coefficient domain, and so on. With a careful modular design, packages to treat each of these domains can be dynamically linked together so that code can be shared and combined in new ways without extensive rewriting and duplication. Then not only the output, but also the internal computations can be selected most suitably for a particular application.

For further information about SCRATCHPAD, contact Richard Jenks at the IBM Thomas J Watson Research Center, Yorktown Heights NY 10598.

The Future

If the preceding sections have whet your appetite for more information about computer algebra, try some of the survey articles, collections of articles, and relevant books listed in the bibliography. Also, annual membership in the ACM Special Interest Group on Symbolic and Algebraic Manipulation costs a mere \$2.50 for students, \$5 for other ACM members, or \$8 otherwise. Membership includes a subscription to the *SIGSAM Bulletin*, which contains the latest information about relevant meetings, reports, and developments.

Computer algebra is increasingly available on a wide variety of processors ranging in size from the Intel 8080 microprocessor to the Cray 1 supercomputer. Within a short while computer algebra should be economically and conveniently accessible to most engineers, scientists, mathematicians, students, and hobbyists. This widespread availablity will have a profound effect on research utilizing applied math, math education, computer education, and recreational math. Consider the following:


• How frequently approximate numerical computations are employed without first checking to see if a more informative analytical solution is obtainable with the help of computer algebra.

- How many mistakes in manual analytical analyses could be caught by checking the derivations with computer algebra.
- How little of elementary-school through university math education is concerned with floating-point arithmetic.
- How much of this education is concerned with the kind of arithmetic and symbolic transformations provided by computer algebra, or concerned with theorem proving, which is especially well supported by other LISP programs.
- How dramatically computer algebra demonstrates the utility of LISP like languages, providing numerous well-motivated examples for teaching such languages.
- How much more students and enthusiasts are intrigued by artificial intelligence and game playing application of computers than by accounting and floating-point scientific applications.

The conclusion is inescapable: computer algebra and LISP like languages provide an ideal first exposure to computer programming, and are an invaluable component of scientific programming skills.

Bibliography

- Aho, A V, Hopcroft, J E, and Ullman, J D, The Design and Analysis of Computer Algorithms, Addison Wesley Publishing Co, 1975.
- Borodin, A, and Munroe, I, The Computational Complexity of Algebraic and Numeric Problems, American Elsevier, 1975.
- 3. Brown, W S, and Hearn, A C, "Applications of Symbolic Algebraic Computation," Comp Phys Comm, (forthcoming).
- 4. Communications of the ACM, August 1966.
- 5. Communications of the ACM, August 1971.
- 6. Jenks, R, (editor), Proceedings of the 1976 ACM Symposium on Symbolic and Algebraic Computation, ACM Inc, 1976.
- 7. Journal of the ACM, October 1971.
- 8. Knuth, D E, *The Art of Computer Programming, Volume 1, Basic Algorithms*, Addison Wesley Publishing Co, 1967.
- Knuth, D E, The Art of Computer Programming, Volume 2, Seminumerical Algorithms, Addison Wesley Publishing Co, 1968.
- 10. Petrick, S R (editor), *Proceedings of the Second Symposium on* Symbolic Manipulation, ACM Inc, 1971.
- 11. Proceedings of 1974 Eurosam Conference, ACM SIGSAM Bulletin 8, August 1974.
- Proceedings of the 1977 MACSYMA Users Conference, NASA CP2012, June 1977.
- Proceedings of the Second MACSYMA Users Conference, MIT Laboratory for Computer Science, June 1979.
- 14. Proceedings of the 1979 Eurosam Conference, Springer-Verlag, (forthcoming).
- 15. SIAM Journal on Computing, June 1979.
- 16. The Soft Warehouse, POB 11174, Honolulu HA 96828, distributes the author's muMATH-79 source code free to those who obtain muSIMP-77. Object listings of the latter or of muLISP-77 cost \$85, and a machine readable version costs an additional \$95. Primers and reference manuals are available separately for each of these systems at a cost of approximately \$0.10 per page.



AVAILABLE FROM THESE FINE MICRO COMPUTER DEALERS

CAPITOL COMPUTER SYSTEMS 33% EL CAMINO AVE. SACRAMENTO CA 95821

TRS-80 SOFTWARE EXCHANGE 17 BRIARCLIFF DR. MILFORD NH 03055

OP AMP TECH BOOKS 1033 N. SYCAMORE AVE. LOS ANGLES CA 90038

2617 42ND ST. NW #2 WASHINGTON DC 20007 KENNELY SYSTEMS 74 BROAD ST. LYNDONVILLE VT 05851 ADVANCED COMPUTER PRODUCTS 13108 & EDINGER SANTA ANA CA 92705

COMPUTER CABLEVISION, INC.

HOBBY WORLD ELECTRONICS 19355 BUSINESS CENTER DR. #6 NORTHRIDGE CA 91324

AUGUST AUTOMATION 28 MILK ST. WESTBORO MA 01581 THE CPU SHOP 19 PLEASANT ST. CHARLESTOWN MA 02129 JAJ ELECTRONICS LTD 28 COLLINGTON AVE. BEXHILL-ON-SEA, E. SUSSEX, ENG.

COMPUTER VILLAGE 931 SW 87TH AVE. MIAMI FL 33174 L. C. SALES 100 HINCHEY AVE. 1705 OTTAWA, ONT., CAN. KIY4L9

BYTE's Bugs

Marsport, Here I Come

Delmer Hinrichs has found several corrections which should be made to "Marsport, Here I Come" (April 1979 BYTE, page 84):

- page 90, step 4 should be " $x \le y$?" Since there is no "x < y?" step available on the HP67/97, users could probably correct this.
- page 90, step 25 should be "ST I." Since there is no "ST 1" (only "STO 1"), this is probably correctable by users.
- page 90, steps 119 and 120 must be reversed. Users might be able to figure this out by noting other similar conversions.
- page 92, step 182 should be "-x-" (print/pause), not "X" (multiply). This

could probably be figured out from the program operating instructions and flow diagram. In any case, if you get here, you're going to crash.

• page 92, step 204 should be "GSB C," not "GSB c". This error is disastrous, as it causes the spaceship to materialize at the center of Mars.

Don't Share Your Soap

An acronym was wrongly interpreted in "History of Computers: The IBM 650" by Keith S Reid-Green (March 1979 BYTE, page 238.) The name of the SOAP assembler program is properly derived from the phrase "symbolic optimal assembly program," not "SHARE optimum assembly program," as was stated. Thanks to Leo Walder of Greenbelt MD for pointing this out.

A Bug on the Beam

There was a bug in the labeling of figure 10 on page 49 of Steve Ciarcia's Circuit Cellar article "Communicate on a Light Beam" (May 1979 BYTE). The center tapped transformer should have been labelled as 24 V instead of 18 V.

Tic Tac Bug

Delmer Hinrichs has discovered a small bug in the program for "Tic-Tac-Toe: A Programming Exercise" (May 1979 BYTE, page 196). Line number 340 should end with 3,2,5,7,9 rather than 2,3,5,8,9. In addition, BASICs other than TDL 8 K might have to write:

230 RANDOM

instead of:


230 F=RND(-1)

to initialize the random number generator. Lines 465 and 570 might have RND(1) replaced with RND(0) to give a random number between 0 and 1.

A Bug in the Field

John P Costas has informed us that several errors crept into listing 1 of "Cryptography in the Field" (April 1979 BYTE, page 145). The locations and the correct code are given below.

Code STO-5
STO-8 STO-9
STO-3



Circle 236 on inquiry card.

Event Queue

AUGUST 1979

August 1-3 Microcomputer Applications, Southern Technical Institute, Marietta GA, The emphasis of this seminar will be on the applications of microcomputers in industry. Software, hardware and interfacing techniques will be discussed. Contact Dr Richard L Castellucis. Southern Technical Institute, Electrical Engineering Technology Dept, 534 Clay St. Marietta GA 30060.

August 6-8 Pattern Recognition and Image Processing, Hyatt Regency Chicago O'Hare, Chicago IL. This conference is sponsored by the Machine Intelligence and Pattern Analysis Committee of the IEEE Computer Society. The program will consist of submitted and invited papers, and a large trade show of graphics and image processing equipment. Contact PRIP 79, POB 639, Silver Spring MD 20901.

August 6-10 SIGGRAPH '79, Chicago IL. This sixth annual conference on computer graphics will feature tutorials, technical sessions and an exposition of state-of-the-art computer graphics and image processing equipment. Contact Maxine D Brown, SIG-GRAPH '79 Exposition, Hewlett-Packard, 19400 Homestead Rd, Cupertino CA 95014.

August 6-10 Modern Communication Systems: Analysis and Design, University of Southern California, Los Angeles CA. This course is devoted to the analysis and design of modern communication systems, with emphasis on the derivation

of practical design equations useful for trade-off studies and overall synthesis. Contact University of Southern California, Continuing Engineering Education, Los Angeles CA 90007.

August 6-10 Advanced Microcomputer System Development: High Level Languages, Technology Trends, and Hands-On Experience, University of Southern California, Los Angeles CA. This course is intended to present the participants with a clear picture of the microcomputer revolution, provide hands-on programming experience using extended BASIC and FOR-TRAN, analyze technology trends in the microcomputer field, and assess the impact of VHSI/VLSI. Contact University of Southern California, Continuing Engineering Education, Los Angeles CA 90007.

August 8-10

SIGPLAN Symposium on Compiler Construction, Boulder CO. This symposium will consider methods of, and experience with, constructing compilers. The emphasis will be less on theoretical methods and more on techniques applied to real compilers. Contact Professor Leon Osterweil, Dept of Computer Science, University of Colorado, Boulder CO 80309.

August 8-10 First Annual Conference on Research and Development in Personal Computing, Hyatt Regency Chicago O'Hare, Chicago IL. This conference is sponsored by the Association for Computing Machinery (ACM) Special Interest Group on Personal Computing (SIGPC). A large trade show



Word Processing and Data Management

TEXTFORM

This text-processing program can be used for the preparation of letters, manuals, and general documentation. It produces output for either the console, line printer. or into a file, with automatic right margin justification, pagination and titling, centering, under-lining, indenting, and multiple line spacing. Formatting commands are interspersed

mining, incenting, and multiple the spacing, romating commands are interspersed with the source textifie for ease of correction. **Textform** will automatically loop for repeated formatting such as form letters. A preprocessing program is able to select a subset of the text data according to a user defined matching pattern.

Here are a few sample commands: • PL n-Set page length to n

- FO-Define footer title
- RM n-Set right margin to n
- JU-Justify right margin
- NJ—Ragged right margin
- SO file Read input source from 'file'
- RD file-Read input data from 'file'

INFORMER

This program is a general purpose data management and retrieval system for inventory control, sales analysis, project scheduling, billing, check writing, and mailing lists. Informer is a collection of commands for creating, updating, manipulating, displaying, and analysing well defined data files.

- Here are a few sample commands:
- NEWFILE-Creates and defines fields for a file · SELECT-Selects data items for processing
- SORT-Quick sort of file by specified field
- · FORMAT-Prepares form letters, bills and checks
- · COMMAND-Defines a new command as a sequence of system commands • TOTAL -Subtotals a field by a specified key.

Each of the software packages runs on 8080/Z80 systems under the CP/M operating system.

Special introductory price of \$350,00 per package

Manual alone: \$25.00 Media: 8" IBM single density Diskette Suggested retail price is \$495.00 Write or call:

DIGITAN, INC.

5001 16th Avenue, Brooklyn, New York 11204, (212) 436-3777

25 START-AT-HOME COMPUTER BUSINESSES

In "Low Capital, Startup Computer Businesses"

CONSULTING • PROGRAMMING • MICRO COMPUTER OPPORTUNITIES • SOFTWARE PACKAGES • FREELANCE WRITING • SEMINARS • TAPE/DISC CLEANING • FIELD SERVICE • SYSTEMS HOUSES • LEASING • SUPPLIES • PUBLISHING • HARDWARE DISTRIBUTORS • SALES AGENCIES • USED COMPUTERS • FINDER'S FEES • SCRAP COMPONENTS • AND MORE ...

Plus — ideas on moonlighting, going full-time, image building, revenue building, bidding, contracts, marketing, professionalism, and more. No career tool like it. Order now — if not completely satisfied, return within 30 days for full immediate refund.



• 8½ x 11 ringbound • 156 pp. • \$20.00

Phone Orders 901-761-9090

DATASEARCH

4954 William Arnold Road, Dept. B, Memphis, TN 38117 Rush my copy of "Low Capital Startup Computer Businesses" at \$20.

NAME/COMPANY			
····			
Check Enclosed		Master Charge	
*	Exp. (ote	



of personal computer and graphics equipment is planned to accompany an assortment of papers, panels, user group meetings, workshops, and person to person poster booths. Contact Bob Gammill, Computer Science Division, Dept of Mathematical Sciences, 300 Minard Hall, North Dakota State University, Fargo ND 58102.

August 13-15 Minicomputers and Distributed Processing, Atlanta GA. This three day seminar will examine the uses, economics, programming, and implementation of minicomputers. Contact the University of Chicago, Center for Continuing Education, 1307 60th St, Chicago IL 60637.

August 13-15 Conference on Simulation, Measurement and Modeling of Computer Systems Boulder CO. This conference will feature performance prediction techniques employed during the design. procurement and maintenance of computer systems. It will provide a forum for both applied and theoretical work in the disciplines of performance monitoring, modeling, and simulation of computer systems. Contact Gary Nutt, Xerox PARC, 3333 Coyote Hill Rd, Palo Alto CA 94304.

August 13-16 Q-GERT Network Modeling and Analysis, Ramada Inn, Lafayette IN 47905. This course will provide the attendee with the information necessary to model complex systems using Q-GERT. Emphasis will be on the procedures for modeling and analysis. Contact Pritsker and Associates Inc, POB 2413, W Lafayette IN 47906.

August 13-17 High Speed Computation: Vector Processing, The University of Michigan, Ann Arbor MI. In this course, the architectural, software, and algorithmic issues of vector architecture are coor-

dinated by discussion of concepts in computer architecture and detailed study of current vector processors and their use. Contact Engineering Summer Conferences, 400 Chrysler Center, North Campus, The University of Michigan, Ann Arbor MI 48109.

August 19-22 International Conference on Computing in the Humanities, Dartmouth College, Hanover NH. This conference is intended to foster computer research and technique in all areas of humanistic study; to promote international cooperation in the development of programs, data banks, and equipment; and to make the results of research available. The program will include a plenary session each evening and shorter sessions during the day. Contact Stephen V F Waite, Kiewit Computation Center, Dartmouth College, Hanover NH 03755.

August 19-24 1979 Symposium for Innovation in Measurement Science, Hobart and William Smith Colleges, Geneva NY. Sponsored by the Scientific Instrumentation and Research Division of the Instrument Society of America, scheduled sessions at this symposium include innovation in computers and electronics, mass flow measurement, chemical analysis, applied analysis in instrument control, physical analysis, medical instrumentation, and advances in industrial measurement. Contact Instrument Society of America, 400 Stanwix St, Pittsburg PA 15222.

August 22-24 Understanding and Using Computer Graphics, San Francisco CA. This course is for people who are using, or are contemplating using computer graphics and would like to understand its role in their organization. It will describe computer graphics, explain the available hardware and software systems, and give cost and performance comparisons. Contact Frost and Sullivan, 106 Fulton St, New York NY 10038.

August 23-26 National Small Computer Show, New York Coliseum, New York NY. Exhibitors will include major manufacturers, distributors, and publications in the small computer field. A lecture series will include topics of interest to business and professional people, hobbyists, and the general public. Contact National Small Computer Show, 74 E 56th St, New York NY 10022.

SEPTEMBER 1979

September 4-6 International Conference and Exhibition on Engineering Software, University of Southampton, England. The aim of this conference is to provide a forum for the presentation and discussion of recent advances in engineering software and to present a state-of-the-art in this field. An exhibition, held in conjunction with the conference, will cover all software products, services, and equipment related to engineering software. Contact Dr R Adev, Engsoft, 6 Cranbury Place, Southampton SO2 OLG, ENGLAND.

September 4-7 Compcon Fall'79, Capital Hilton Hotel, Washington DC. This eighteenth IEEE Computer Society International conference will present the latest developments in microprocessor architecture, support software, operating systems, and peripheral devices. Contact IEEE Computer Society, POB 639, Silver Spring MD 20901.

September 5-8 Info/Asia, Ryutsu Center, Tokyo. This exposition will be devoted to information management, computers, word processing, and advanced business equipment. The exposition will be accompanied by a four day conference. Contact Clapp and Poliak Inc, 245 Park Ave, New York NY 10017.

September 18-20 Wescon/79, St Francis Hotel, San Francisco CA. Contact Electronic Conventions Inc, 999 N'Sepulveda Blvd, El Segundo CA 90245.


September 24-26 Minicomputers and Distributed Processing, New York NY. See August 13-15 for details.

September 25-27 WPOE '79, San Jose Convention Center, San Jose CA. This show will be dedicated to word processing and office/business equipment, services and materials. Complementing the exhibit will be a three day executive conference program that focuses on emerging technologies and their applications in the office. Contact Cartlidge and Associates Inc, 491 Macara Ave, Suite 1014, Sunnvvale CA 94086.

September 26-29 MIMI '79, Oueen Elizabeth Hotel, Montreal, Canada. This symposium is intended as a forum for the presentation and discussion of recent advances in mini and microcomputers and their applications. Special emphasis will be given to the theme of the conference: "The Evolving Role of Minis and Micros Within Distributed Processing." Contact The Secretary, MIMI '79 Montreal, POB 2481. Anaheim CA 92804.

September 28-30 Northeast Personal and **Business Computer Show**, Hynes Auditorium, Boston MA. Displays and exhibits will showcase microcomputers and small computer systems of interest to businesspeople, hobbyists, professionals, etc. Lectures and seminars will be presented for all categories and levels of enthusiasts, including introductory classes for novices. Contact Northeast Exposition, POB 678, Brookline MA 02197. Text continued on page 200

Retro-Graphics



For your Dumb Terminal. The Retro-Graphics PC card mounts easily in the Lear Siegler ADM-3A to provide you with an affordable graphics computer terminal.

Features:

- Z-80 Based
- 512 by 250 Dot Matrix
 Simple Plug-in

Interconnect

- Point Plotting
- Automatic Vector Generation
- Optional TEKTRONIX Software Compatibility

You will be impressed with the packaging, performance and price of the Retro-Graphics card. Write or phone today for complete specifications.

DIGITAL ENGINEERING, INC. 1787 Tribute Road, Suite K Sacramento, CA 95815 (916) 920-5600

Computer Lab of New Jersey

Computer Lab sells the best S-100 Bus products at the best possible prices. Not only are our prices great, so is our delivery. We offer a 10% discount on most major lines, plus a 5% additional discount for a cash purchase.

	LIST PRICE	CASH
Seattle Computer Products 16K Plus		
Memory Board, Assembled & Tested (2Mhz)	\$495.00	\$423.00
Cromemco Single Card Computer –		
Assembled	\$450.00	\$384.00
Ithaca Audio Z-80 CPU Bare Board	\$ 35.00	\$ 29.00
8K Static Ram Bare Board	\$ 25.00	\$ 21.00
Electronic Control Technology R ² I/O Inter-		
face Board, Assembled & Tested	\$295.00	\$252.00
IMC Dual Mini Box for 2 Shugart		
SA-400 Drives	\$ 79.00	\$ 67.00
Oliver Paper Tape Reader Kit	\$ 74.00	\$ 63.00

Subject to available quantities, Prices quoted include cash discount. Shipping and Insurance Extra.

Call for our prices on:

California Computer Systems, Godbout, IMSAI, Integral Data Systems, Michael Shrayer Electric Pencil, Micropolis, Mullen, SOROC, SSM, Tarbell, TEI, Thinker Toys, Vector Graphic

Computer Lab of New Jersey

141 Route 46 ● Budd Lake, N.J. 07828 Phone: (201) 691-1984

HOURS: Monday & Friday: 10 to 6, Tuesday-Thursday: 10 to 9 Saturday: 10 to 5

Call or write for our free catalog & price list



BUSINESS

Appointment log by M. Kelleher. Perfect for the professional. Accepts name and address, meeting start and endings, subject matter, derives elapsed time. For Level II, 16K \$9.95

Payroll by Stephen Hebbler. Comprehensive 24 pg. manual with step-by-step instructions included in the package. Supports W2 and 941 Information. D, \$59,95.

Mail List I by Michael Kelleher is the economy model of disk-based mailing list programs. Uses a single drive and handles up to 1400 names per disk, plus provisions for sorting options. 16K, D \$19.95.

BUS-80

The Business Software People®

Just about everything you need ... within 1 year, participants receive programming for inventory, Accounts Receivable, Accounts Payable and General Ledger systems, plus Sales and Payroll. Complete documentation and software on diskette, \$200.00

Mail List II by BUS-80. Complete mail list system for dual disk. Enter, update, merge, sort, and print mailing labels. D, 32K \$99.95

Small Business Bookkeeping by Roger W. Robitaille, is based on the Dome Bookkeeping Journal, sold for years in stationery and discount outlets. Level II, 4K with (\$22.00) or without (\$15.00) Dome journal.

Small Business Bookkeeping For Disk by Miller Microcomputer Services and Roger W. Robitaille, Sr. Extended version. 32K Disk. With journal \$31.95; without journal \$24.95.

Inventory \$ by Roger W. Robitaille, Sr. 240 stock items can be contained using the full 6 data areas and 2 pieces of alpha information. Level I or II, 16K \$25.00

Inventory II.2 Disk based program allows for creation, maintenance and review of over 2,000 items per clean diskette. Operates under Disk BASIC, DOS 2.1 with minimum memory allocation. D, \$59.95

Electric Pencil by Michael Shrayer. A word processing system. Insertions, additions, deletions and corrections made more easily than with an editor's pencil. Perfect text printouts. Level II, 16K, \$100.00, 32K Disk, \$150.00

Accounts Receivable II by S. Hebbler. Does your billing, provides running balance, tracks overdue accounts, custom message printing option, much MORE. Requires 32K 2-disk system \$79.95

General Ledger I by M. Kelleher. Establishes, defines, deletes and sorts up to 400 accounts. Up to 200 entries per session. For small-to-medium businesses not requiring double entry books. A comprehensive, flexible accounting system. Requires 32K disk. \$79.95.

Inventory System 2.3 by M. Kelleher. One of small business management's most difficult problems brought under control. Keep current on price increases, shrinkage, low stock, profit margins. Program can handle up to 1,000 items per data diskette. Improved version, lower price. With documentation \$99.95, 32K 2-disk. Text-80 by Frank Rowlett. Fully-documented text processing system for disk. Create, edit, move, delete, insert, change, print words or lines. D, 32K \$59.95

KVP Extender by Lance Micklus. Corrects keyboard bounce, upper case lock, permits use as a terminal, screen printing. On tape (\$24.95) or disk (\$29.95)

ST 80 - Smart Terminal Lance Micklus

Turns your TRS-80 into a computer terminal. Features include CONTROL key, REPEAT key, ESC key, RUN key and a functioning BREAK key. Lets you list incoming data on line printer. Reprogram RS-232-C switches from keyboard, making baud rate changes simple. Level II, 16K \$49.94

ST 80D Lance Micklus

The smart terminal made even smarter. Contains extensions for disk systems to exchange filles with a timesharing computer or another TRS-80 miles away. Professional quality, not an amateur program. 32K \$79.95

8080-Z80 Conversion by M. Kelleher. Permits you to enter 8080 codings and returns the Z80 equivalent. L II, 16K \$15.00

Basic Statistics by Steve Reisser. Pearson productmovement correlation coefficient, chi-square, Fisher T-test, sample analysis of variance, Z-scores and standard scores, with a random number generator built in to simulate data. L II, 16K \$20.00

NEWDOS Apparat

DISK ERROR SOLVED! Stop biaming your drive, fix your DOS with NEWDOS: an enhanced disk-operating system capable of correcting over 70 errors in TRSDOS 2.1 to improve reliability, and key bounce, enable DOS commands to be called from BASIC and much morel Available NOW for 16K systems with a minimum of 1 disk drive, \$49.95

NEWDOS+

Includes all the features of the original NEWDOS and adds 7 new utilities, including SUPERZAP, Disk Editor/Assembler, Disassembler, and Level I BASIC for Disk. \$99.95

ACTION GAMES

Sialom by Denslo Hamlin. Choose between Sialom, Giant Sialom and Downhill. Level II, 16K \$7.95

X-Wing Fighter II by Chris Freund. Piloting an X-wing fighter, you're out to destroy the Death Star! A new, improved version of an exciting space favorite. Level II, 16K. \$9.95

Air Raid by Small System Software. High speed machine language program with large and small aircraft flying at different altitudes. Ground-based missile launcher aimed and fired from keyboard. Planes explode when hit, cause damage to nearby alrcraft. Score tallied for hits or misses. Level I or II, 4K \$14.95.

All Star Baseball by David Bohike, Level II, 16K \$7.95

Batter Up by David Bohlke. Level II, 16K \$5.95

Ten PIn by Frank Rowlette. A game of coordination, the scoring is true to the rules of the sport. Level II, 16K \$7.95

Taipan by Art Canfil. Sail the China seas, dodging pirates and cutthroats, to make your fortune trading in arms and oplum. Level II, 16K. \$9.95.

Balloon Race by Dean Powell. High above the Atlantic, your balloon must be cleverly maneuvered with the prevailing winds to reach Paris. Level II, 16K, \$9.95.

ADVENTURES Scott Adams

Feel as if you're manipulating HAL from 2001 when you play these machine language games. Hardly any rules, finding out is part of the fun. Two adventures on 32K disk, \$24.95. Tape - choose from Land Adventure, Pirate's Cove, Mission Impossible, The Count, and Voodoo Castie - \$14.95 each.

> DOG STAR ADVENTURE Lance Micklus

You're trapped aboard an enemy battlestar ... can you find the gold, rescue the princess, discover the plans and safely escape? Level II. 16K \$9.95.

Amazin' Mazes by Robert Wallace. Ever -changing maze situation. Level II, 16K \$7.95

Kamikaze by Russell Starkey. Command your ship against attacking suicide planes. Machine language graphics make this fast and fun! L II, 16K \$7.95

Space Battles by Level IV. Features three levels of play, fast, machine language graphics, real-time input, and ''smart'' enemy ships that move and shoot! Level II, 16K Tape or 32K Disk. Tape \$14.95, Disk \$19.95.

MISCELLANEOUS

Diskettes Dysan 104/1 Box of five, \$24.95 + \$1.00 shipping. Verbatim, box of ten, \$34.95 + \$1.00 shipping/handling.

Z80 Instruction Handbook by Scelbi Publ. \$4.95 + \$1.00 shipping/handling.

The BASIC Handbook by Dr. David A. Lien \$14.95 + \$1.00 shipping/handling.

Percom Disk Drives. Single or dual, for TRS-80's. Reliable, high quality, priced \$100 lower than comparable units! Single drive - \$399.00; Dual Drive -\$799.00; Cable (required) - \$29.95.

Str99.00; Cable (required) - \$29.95.
Floppy ArmourTM Protective envelopes for shipping floppy disks, of high-density, ultra-lightweight polymer. 5-pack, \$4.95 + \$1.00 shipping/handling

16K MEMORY KITS Ithaca Audio 8 tested, guaranteed 16K RAM's, amazing low price - \$99.95

SIMULATIONS

3-D Tic Tac Toe by Scott Adams. Three skill levels -author warns you to practice before tackling computer's third skill level. I or II, 16K \$7.95

Star Trek III.3 by Lance Micklus. One of the most advanced Star Trek games ever written. Level II, 16K \$14.95.

End Zone by Roger W. Robitaille, Sr. Authentic football simulation, right down to the 2-minute warning. Level I or II, 16K \$7.95

Cribbage by Roger W. Robitaille, Sr. You versus the computer cribbage played by standard rules. Level I or II, 16K, \$7.95.

Bridge Challenger by George Duisman. You and the dummy play 4-person contact bridge against the computer. Level II, 16K \$14.95

'Round the Horn by Rev. George Blank. You're the captain of a clipper ship racing from New York to San Francisco. Level II, 16K \$9.95

Concentration by Lance Micklus. One of the most popular television games. Level I or II, 16K \$7.95

Safari by David Bohlke. You're in the running for a film contract at a major Hollywood studio. To qualify, you must photograph the most wild animals in their natural habitat. Level II, 16K \$7.95.

Pork Barrel by Rev. George Blank. Places you in the shoes of an aspiring Congressman. Level II, 16K \$9.95

Backgammon by Scott Adams. Level II, 16K \$7.95

Chess Companion by M. Kelleher. Combines chess clock features with ability to record your moves while action is fast and furious. Level II, 16K \$7.95

Sargon Chess by Dan & Kathe Spracklen. Winner of the 1978 San Jose Microcomputer Chess Tournament. Level II, 16K \$19.95

Mastermind II.2 by Lance Micklus. Lets you and the computer take turns making and breaking codes. Level II, 16K \$7.95

TRS-80 Software Exchange

17 BRIAR CLIEF ORIVE

603-673-5144

MILEORO, NEW HAMPSHIRE, 03055

PERSONAL

RPN Calculator by Russell Starkey. A self-documenting calculator program. Uses Reverse Polish Notation with 4-level stack, 100 memories, scientific functions. Level II, 16K \$9.95

Home Financial Management by M. Kelleher. Turns your computer into a personal financial advisor. Level II, 16K \$9.95

Tarot by Frank B. Rowlett, Jr. Probably the best future-gazing type program ever written. Try it -you'll like it! Level I or II, 16K \$9.95


Ham Radio by M. Kelleher. Amateur Frequency Allocations, ID Timer, Q-signal File, Amateur Log Routine, Propogation Forecasting. L II, 16K \$9.95. Special Disk-enhanced version, 32K \$24.95

Educator Assistant by Steve Reisser. Five programs of value to educators. Compute percentage, individual student averages, class averages, standard test scores, final grades. L II, 16K \$9.95 D, \$14.95

Electronic Assistant by John Adamson. A group of 9 subprograms designed to solve problems such as tuned circuits and active and passive filters. L II, 16K \$9.95

Personal Finance by Lance Micklus. 33 different budgets can be easily adapted by user to fit his individual needs. A 2-part program, entry and search. Level II, 16K \$9.95

Advanced Personal Finance by Lance Micklus. Same as above with advanced analysis routine. Supports Disk Files D, 32K \$24.95



OCTOBER 1979

October 1-3 Second Annual Symposium on Small Systems, Hilton Inn, Dallas TX. The symposium will consist of a blend of paper and panel discussions with major emphasis on microcomputer applications. Both hardware and software topics presenting state-of-the-art and state-ofthe-industry aspects will be included. Contact Gerald Kane, Southern Methodist University, Dallas TX.

October 2-4

NEPCON Central '79, O'Hare Exposition Center, Rosemont IL. This tenth annual exhibition and conference of electronic and microelectronic packaging and production equipment will feature displays of electronic and microelectronic materials, hardware, tools, supplies and test instruments. Contact Industrial and Scientific Conference Management Inc, 222 W Adams St. Chicago IL 60606.

October 14-17 International Data Processing Conference and Business Exposition, Town and Country Hotel, San Diego CA. Contact Data Processing Management Association, 505 Busse Highway, Park Ridge IL 60068.

October 15-18 Sixth Information Management Exposition and Conference, New York Coliseum, New York NY. Contact Clapp and Poliak Inc, 245 Park Ave, New York NY 10017.

October 15-19 CPEUG 79, San Diego CA. This is the fifteenth meeting of the Computer Performance Evaluation Users Group sponsored by the National Bureau of Standards. Contact Judith G Abilock, The Mitre Corp, Metrek Div, 1820 Dolley Madison Blvd, McLean VA 22102. October 16-18 Understanding and Using Computer Graphics, Washington DC. See August 22-24 for details.

October 21-23 New York State Association for Educational Data Systems Annual Conference, Granit Hotel, Kerhonksen NY. The theme of this conference is "Instructional Computing — Hardware/ Software/Courseware." Contact Mary E Heagney, 9201 Shore Rd, Brooklyn NY 11209.

October 22-24 Computers in Aerospace Conference II, Hyatt House Hotel, Los Angeles CA. The conference theme, "Computer Technology for Space and Aeronautical Systems in the Eighties," will be carried out by a series of panels, invited presentations, and contributed papers which will bring computer system technologists together with specialists in the application of embedded computers in space and aeronautics. Contact American Institute of Aeronautics and Astronautics, 1290 Ave of the Americas, New York NY 10019.

October 22-25 ISA/79, O'Hare Exposition Center, Chicago IL. The conference theme, "Instrumentation for Energy Alternatives," will emphasize current practices in instrumentation design and implementation. Contact Instrument Society of America, 400 Stanwix St, Pittsburgh PA 15222.

October 28-30 The Tenth North American Computer Chess Championship, Detroit Plaza, Detroit Michigan. Sponsored by the Association for Computing Machinery, this is a four round, Swiss style tournament, with the first two rounds to be played on October 28th (1 PM and 7:30 PM), the third on October 29th (7:30 PM), and the final round on Tuesday, October 30th (7:30 PM). Contact Monroe Newborn, McGill University, School of Computer Science, 805 Sherbrooke St W, Montreal PQ, CANADA H3A 2K6.

October 29 - November 2 Applied Interactive Computer Graphics, University of Maryland, College Park MD. This course is designed to cover the most important facets of graphics that are necessary to develop general graphic applications. Systems considerations including configuration selection criteria, and the pros and cons of off-the-shelf software are stressed. The most important factors and techniques are described for hardware, software, and geometric modeling. Contact UCLA Extension, 10995 Le Conte Ave, Los Angeles CA 90024.

October 30 - November 1 Interface West, Anaheim Convention Center, Anaheim CA. This third annual West Coast small computer and office automation systems conference and exposition will feature over 100 company exhibits and 60 conference sessions covering a variety of data processing, word processing, data communications, management hardware, software, and service topics. Contact the Interface Group, 160 Speen St, Framingham MA 01701.

Clubs and Newsletters

Sacramento Microcomputer Users Group

According to Push & Pop, the newsletter of the Sacramento Microcomputer Users Group, this organization meets the fourth Tuesday of every month at 7:30 PM at the SMUD Training Facilities on 59th St. Their mailing address is POB 161513, Sacramento CA 95816.

Northwest Computer Society Meets Twice a Month

The Northwest Computer Society meets at Seattle University in the Library Auditorium, Room 115. The University is on 12th Ave between E Madison St and E Cherry St. Meetings are held the first and third Thursday of each month at 7:30 PM. The first meeting of the month usually features a formal presentation by a speaker or speakers. The second meeting is usually more informal with freewheeling discussion and problem solving. Membership in the Northwest Computer Society, which includes the impressive Northwest Computer News, is \$7. For more information, write the club at POB 4193, Seattle WA 98104, or call (206) 284-6109 for recorded information.

> The Computer Hobbyist Group of North Texas

The Printed Circuit is a well organized, informative newsletter published by The Computer Hobbyist Group of North Texas. In a recent issue there were reports from various user groups within the club, a list of coming attractions, a reprint of an article about the Tandy and Texas Instruments' race for the home computer, an S-100 bus article, new products, and more. The Printed Circuit may be obtained by joining the group at a rate of \$7 per year. Dues should be sent to Warren Bean, 2405 Briarwood, Carrollton TX 76006.


> Denver Amateur Computer Society



Circle 65 on inquiry card.

00000000000

If you own an IBM Selectric®



you already have

a high quality output printer.

- Escon printer conversion fits right in
- Installation does not affect: Shape or normal functioning of typewriter nor eligibility for IBM warranty and service
- Available in S-100, Parallel, RS-232 or IEEE-488
- Entire high quality printer system for TRS-80, Apple, PET, Sorcerer, Horizon, etc.
- All systems assembled, tested and burnt-in
- Factory installations available; complete systems with typewriter available

Prices*	S-100	\$496.00	Parallel	\$525.00
	RS-232	\$549.00	IEEE	\$575.00
*Duinon		TICA culu		

*Prices valid in USA only



Escon Products, Inc. 171 Mayhew Way, Suite 204, Pleasant Hill, CA 94523 (415) 935-4590

APPLE II

CENTRONICS 779 and PR-40 PRINTER INTERFAC	E
	\$49.95 64.95
OKIDATA 110 PRINTER INTERFACE Fully assembled with software driver on cassette With OKIDATA connector installed	49.95 64.95
EPROM PROGRAMMER Fully assembled, programs 5 voll EPROMs, e.g., INTEL 2716, 2758 and TI 2516	99.95
Adapts 5 voit EPROM SOCKET ADAPTER	14.95
INTERFACE BRAIN	IICING)
6 CHARACTER LABEL EDITOR/ASSEMBLER Second generation editor/assembler with enhanced editor features and text file compatibility with the 6 Character Disassembler. ON CASSETTE ON DISKETTE	34.95 39.95
6 CHARACTER LABEL DISASSEMBLER/TEXT FILE MANAGER Second generation disassembler which creates a text file that may be reassembled by the 6 Character Assembler above. ON CASSETTE ON DISKETTE	34.95 39.95
SEE YOUR LOCAL DEALER MICROPRODU Dealer inquiries injured Caliform regents add 5°s sales (a) 2107 Artesia Bivd. / Redondo Beach / C/	
	74-1673

Computer Society has recently increased the printing of their newsletter, Interrupt, to 1,000 copies, and has begun over-thecounter distribution at local computer stores. First class mailings of the newsletter will be restricted to paid members only. The club meets the third Wednesday of the month at 7:30 PM at 1380 S Santa Fe, Denver CO. Many user groups within the club meet at different times and locations. For further information, write to Mike Dymtrasz, president of the society, at the above address.

Computers in Psychiatry and Clinical Psychology

Computers in Psychiatry/Psychology (formerly Micro-Psych), a bi-monthly newsletter for professionals interested in the use of computers in psychiatry and clinical psychology, is beginning its second year of publication. It addresses itself in an informal, scientific style to clinical users of the computer. Three pages of each issue are devoted to a description of the computer related activities of subscribers. Each issue of the 13 page newsletter contains summaries and reviews of recently published articles and books as well as an ongoing bibliography and a program catalogue. Recent additions include a clearinghouse for information on training opportunities in the field and a new hardware column. Subscriptions to Volume 2 can be obtained by sending \$15 to Computers in Psychiatry/-Psychology, 26 Trumbull St, New Haven CT 06511. The Best of Micro-Psych -Volume 1, a 52 page compilation of articles and information from Volume 1, is also available for \$12.

> The New England Computer Society

The New England Computer Society meets on the first Wednesday of each month to exchange computer hobbyist information and sponsor activities. The NECS is the oldest and one of the largest clubs in the Boston area, with over 200 members. Within the club are 8080, 6502, TRS-80, 6800, PET, Apple and Digital user groups. The meetings start at 7 PM and are held at the Mitre Corp cafeteria, Route 6, east of Route 3, Bedford MA. For additional information, write to the New England Computer Society, POB 198, Bedford MA 01730.

Heath Company Newsletter

Buss is an independent newsletter of Heath Company computers. It contains Heath product information and user reports. The price for 12 issues is \$8 (\$10 overseas). Contact Charles Floto, 325 Pennsylvania Ave SE, Washington DC 20003.

Publication for the Computer Professional

The Data Processing Digest (DPD) is written for the computer professional and the manager who uses computer technology for planning, control and production. The editors of DPD regularly search through numerous business and industrial periodicals and reports to locate articles on all aspects of computer technology and its application to operations and management. Concise summaries of these articles, reviews of books on data processing, and listings of current professional meetings and seminars appear in each issue. The subscription rates are \$57 for one year; \$108 for two years; and \$153 for three years. Contact Data Processing Digest Inc, 6820 La Tijera Blvd, Los Angeles CA 90045

A Message to our Subscribers

LOCK

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers promotional material about their products. We take great care to screen these companies, choosing only those who are reputable. and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding

information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever aiven).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to **BYTE Publications Inc. Attn: Circulation Department**, 70 Main St, Peterborough NH 03458. Thank you.

Tremendous Savings on Refurbished A.I **Couplers/Modems**

Your chance to buy the best from the world leader in data communications. We have a variety of couplers and modems-formerly on lease to our customers -fully refurbished. This is a rare opportunity for you to have the same models used by the largest companies in the world.

- Some models under \$100!
- 30-day parts/labor warranty
- Nationwide AJ service network
- Fast delivery
- Variety of models-up to 1200 baud
- Limited quantities
- Use your Visa or Master Charge

Act now. First come, first served. Write Anderson Jacobson, Inc., 521 Charcot Ave., San Jose, CA 95131. Or call your nearest AJ office:

San Jose, CA Rosemont, IL (408) 946-2900 (312) 671-7155 Hackensack, NJ (201) 488-2525

COBSON



Compatible with DTL, TTL, CMOS, MOS and Microprocessors using a 4 to 15V power supply. Thresholds au-tomatically programmed. Automatic resetting memory. No adjustment re-quired. Visual indication of logic lev-els, using LED's to show high, low, bad level or open circuit logic and pulses. Highly sophisticated, shirt pocket portable (protective tip cap and removable coil cord).

- DC to > 50 MHZ 10 Nsec. pulse response 120 K Ω impedance

- Automatic pulse stretch-ing to 50 Msec.
- Automatic resetting memory
- **Open circuit detection**
 - Automatic threshold resetting Compatible with all logic
- families 4-15 VDC Range extended to 15-25 VDC with optional PA-1 adapter Supply O.V.P. to \pm 70 VDC

- No switches/no calibration

OK MACHINE & TOOL CORPORATION 3455 Conner St., Bronx, N.Y. 10475 (212) 994-6600 / Telex 125091

* ADD \$2.00 FOR SHIPPING (N. Y. CITY AND STATE RESIDENTS ADD TAX)

Circle 379 on inquiry card.



Australian Tandy Users Club and Software Exchange

8th Bit is the main medium by which Software Exchange members keep informed of what is happening in Australia. This newsletter contains information on what is for sale and the location, contributions from members, and information of general significance. Membership in the Exchange is \$10 per year. Contact Pitt St Microcomputer Centre, Second Floor, 373-375 Pitt St, Sydney 2000 AUSTRALIA.

Detroit Personal Computer Network

Andrew Fellman has written to inform us that the **Detroit Personal Computer** Network will be meeting in August. This organization was formed to help microcomputer users discover and exchange ideas on user projects, to promote business or financial gain, and for enjoyment. More information may be obtained by writing to Andrew at 13043 McNichols, Detroit MI 48219, or calling (313) 865-4374.

> Software of the Month Club

Creative Discount Software has announced the opening of its new Software of the Month Club. The new club will have separate branches for users of the Apple II, TRS-80, Ohio Scientific, Exidy, PET and CP/M based systems. Members will select division memberships such as business applications, education applications, high level languages, games and fun applications, and personal and home management applications. Membership enrollment applications are available from Creative Discount Software, Software of the Month Department,

POB 24-B-67, Los Angeles CA 90024.

The Physicians Microcomputer Report

The Physicians Microcomputer Report is a monthly publication for doctors who wish to become better informed about the computer and its application in the field of medicine. Some of the features include software news, calculator corner, computers in patient health care, microcomputer hardware news, the bargain market, and computer articles of special interest to the physician. Additionally, the report contains articles on nonmedical applications such as linking your computer to a stock portfolio information center. Another intent of this publication is to facilitate the exchange of information between physicians who own computers. For this purpose, the magazine has a listing of user groups.

The Physicians Microcomputer Report is available for \$25 a year, \$12.50 for students. Contact Dr Gerald M Orosz, POB 6483, Lawrenceville NJ 08648.



Call for Papers

The International Society for Mini and Microcomputers (ISMM) will hold an international symposium on microcomputers and their application January 30 to February 1 1980 in Monterey CA. The symposium will highlight technology, hardware, software engineering, languages, systems architecture, design methodology, computer networks, performance evaluations, concurrent processing, real time processing, operating systems, portability for software systems, systems security, digital signal processing, education,

and applications. Send three camera ready copies of 200 word abstracts to Secretary, MIMI-80 (Monterey), POB 2481, Anaheim CA 92804 by September 1 1979. Notification of acceptance will be sent by October 1. Camera ready copies of accepted papers are due December 15 1979. Additionally, proposals for half day and one day tutorials are solicited in the above areas and should be received by September 1 1979.

Exidy to Sponsor Software Contest

Exidy Inc, the makers of the Sorcerer microcomputer, are sponsoring a contest for microcomputer programs this summer. Four Sorcerer computers will be awarded as grand prizes. The purpose of the contest is to encourage people who have written good programs to share their programs with other computer owners. Exidy will publish a book featuring the best programs entered in the contest. The contest is open to all BASIC language computer programs which will run on the Sorcerer. Prizes of free computers will be awarded to the program judged best in each of four categories: business, education, fun and games, and home and personal management. Every entrant will receive a free poster and a professionally written program in exchange for the program they submit. The contest runs from June 1 thru August 31 1979. For further information. contact Paul Terrell, Marketing Communications, Exidy Inc, 969 W Maude Ave, Sunnyvale CA 94086.

Department of Missing Authors

Once again an author of a yet-to-be-published article has moved and neglected to inform us of his new address. We therefore request that James Cherry, whose last known address was 28 The Fenway, Boston MA 02215, please contact us with his current address and telephone number.

> Call for Papers for Fifth International Conference on Computer Communications

Technical papers for the Fifth International Conference on Computer Communications to be held October 27 thru 30 1980 in Atlanta GA are being solicited for presentation at the regular conference sessions and publication in the official proceedings. The conference is held biannually by the International Council for Computer Communications as an interdisciplinary forum for discussing social, economic, political and technological implications of computer communication networks.

Topics for 1980 may include a wide range of subjects and issues relevant to the development and use of computer communications and its effect on human affairs. All papers must be original, written and presented in English, and cannot exceed 5,000 words. Specific suggested subjects are: broad needs and requirements, social implications, applications, and technology. Manuscripts must be typed, double spaced, and on one side of the paper only. A cover page must give the title, the full names of the author(s), the affiliation of each author, and the name, address, and telephone number of the primary author. A 100 to 200 word abstract and a full set of illustrations must accompany the manuscript.

Six copies of all material should be sent by March 1 1980 to Dr J Salz, Program Chairman, ICCC '80, Bell Laboratories 1G-509, Holmdel NJ 07733. The Program Committee would also appreciate advance notice of the intention to submit a paper.

SUPER SOFTWARE!

MICROWARE 6800 SOFTWARE IS INNOVATION AND PERFORMANCE

NEW LISP Interpreter

The programming language LISP offers exciting new possibilities for microcomputer applications. A highly interactive interpreter that uses list-type data structures which are simultaneously data and executable instructions. LISP features an unusual structured, recursive functionoriented syntax. Widely used for processing, artificial intelligence, education, simulation and computer-aided design. 6800 LISP requires a minimum of 12K RAM.

A/BASIC Compiler

The ever-growing A/BASIC family is threatening old-fashioned assembly language programming in a big way. This BASIC compiler generates pure, fast, efficient 6800 machine language from easy to write BASIC source programs. Uses ultra-fast integer math, extended string functions, boolean operators and real-time operations. Output is ROMable and RUNS WITHOUT ANY RUN-TIME PACKAGE. Disk versions have disk I/O statements and requires 12K memory and host DOS. Cassette version runs in 8K and requires RT/68 operating system. Price: Disk Extended Version 2.1 \$150.00 Cassette Version 1.0 \$65.00

NEW A/BASIC Source Generator

An "add-on" option for A/BASIC Compiler disk versions that adds an extra third pass which generates a full assembly-language output listing AND assembly language source file. Uses original BASIC names and inserts BASIC source lines as comments. SSB and SWTPC Miniflex version available. Price: \$50.00

NEW A/BASIC Interpreter

Here it is—a super-fast A/BASIC interpreter that is source-compatible with our A/BASIC compiler! Now you can interactively edit, execute and debug A/BASIC programs with the ease of an interpreter—then compile to super efficient machine language. Also a superb standalone applications and control-oriented Interpreter. Requires 8K RAM. The cassette version is perfect for Motorola D2 Kits. Price: \$75.00

RT/68 Real Time Operating System

MIKBUG—compatible ROM that combines an improved monitor/ debugger with a powerful multitasking real-time operating system. Supports up to 16 concurrent tasks at 8 priority levels plus real time clock and interrupt control. Thousands in use since 1976 handling all types of applications. Available on 6830 (MIKBUG-type) or 2708 (EPROM-type) ROM. Manual is a classic on 6800 real-time applications and contains a full source program listing. Price: RT68MX (6830) \$55.00

RT68MXP (2708) \$55.00

6800 CHESS

A challenging chess program for the 6800. Two selectable difficulty levels. Displays formatted chess board on standard terminals. Requires 8K memory. Machine language with A/BASIC source listing. Price: \$50.00

ELIZA

6800 version of the famous MIT artificial intelligence program. The computer assumes the role of a psychoanalyst and you are the patient. This unusual program is unique because the dialog with the computer is in unstructured plain English. An impressive demonstration program. Price: \$30.00

Our software is available for most popular 6800 systems on cassette or diskette unless otherwise noted. Disk versions available on S.S.B., SWTPC, or Motorola MDOS. Please specify which you require. Phone orders are welcomed. We accept MASTERCHARGE and VISA. We try to ship orders within 24 hours of receipt. Please call or write if you require additional information or our free catalog. Microware software is available for OEM and custom applications.



P.O. BOX 4865 DES MOINES, IA 50304 (515) 265-6121

LISP Applications in Boolean Logic

Richard Weyhrauch Stanford Artificial Intelligence Laboratory Stanford University Stanford CA 94305 and Henson Graves Dept of Mathematics San Jose State University San Jose CA 95192

In LISP, some data structures can be viewed two different ways, either as data or program. This feature makes LISP unique among high level languages. When seen as a program, LISP expressions can be executed and return a value: when seen as data, they may be used as arguments for other programs. This means that if we think about a LISP program as a piece of data we can write programs directly in LISP which transform them into more useful programs.

We use LISP to imitate the manipulations that are done by engineers when designing combinatorial circuits. In this sense LISP can be used as a *calculator* for Boolean logic.

The examples presented here are well known to anyone who has studied a little hardware design. The purpose of this article is to give beginners with LISP some idea of what LISP programs look like and how some interesting symbolic manipulations can be represented in a natural way using LISP. It is written primarily with novices in mind. For this reason there are some elementary remarks about how LISP actually works. The code in this article was written as examples of LISP style programming. What we have tried to do is present some programs as they might be written in existing LISP systems. Of course the style is ours.

We illustrate the use of the recursive data structures, lists and S-expressions, and the use of lambda abstraction as a control structure to facilitate recursive transformations on them.

Combinatorial Circuits as Boolean Logic

One learns in circuit theory that combinatorial circuits, those with no feedback, may be represented as Boolean or propositional expressions. Although these are the simplest circuits that an engineer might use, this article is meant to give simple examples of how LISP can be used. For example the circuit in figure 1 is represented by the Boolean expression:

 $(\overline{X1} \land \overline{X2}).$

We may view this expression as specifying a Boolean function. We may also think of this expression as a Boolean program which may be evaluated using the ordinary rules of logic. There are, of course, many different expressions which have the same behavior.

A circuit's behavior can be described by a Boolean function. The Boolean function for $(\overline{X1} \land \overline{X2})$ may be represented by:


X1	X2	F (X1,X2)
0	0	1
0	1	0
1	0	0
1	1	0

Representing Boolean Expressions

Both the circuit diagrams and Boolean expressions are concrete representations of an abstract data structure, which we refer to as WFFs (*well-formed propositional formulas*). In LISP we use a concrete representation of well-formed propositional formulas as lists. For example, we represent the expression:

 $(P \lor Q) \land R$

Figure 1: A simple digital circuit whose function can be defined by the Boolean expression $(\overline{X1} \land \overline{X2})$



as the list:

(AND (OR P Q) R)

We follow usual programming language practice and describe the lists which represent well-formed propositional formulas using a BNF(Backus Naur form) grammar as in table 1.

We can recognize which lists represent well-formed propositional formulas by writing a LISP program which takes a list as input and whose value is T if the list represents a WFF and NIL otherwise. This program can be viewed as a *parser* for the language generated by this grammar. It has a recursive definition which parallels the grammar:

(DEFINE ISWFF (E) (COND ((ISCONST E) T) ((ISVAR E) T) ((ISUNARY E) (ISWFF (body E))) ((ISBINARY E) (AND (ISWFF (lhs E)) (ISWFF (rhs E))) (T NIL))))

The subfunctions body, lhs, rhs, ISCONST, ISVAR, ISUNARY and ISBINARY must also be defined. Their definition reflects our specific representation of well-formed propositional formulas in LISP. For example:

(DEFINE ISUNARY (E) (EQ (CAR E) (QUOTE NOT)))

Evaluation of these *defining* programs has the side effect of storing the function definition in memory. Subsequently, the name ISWFF may itself be used in a program. LISP represents function application by evaluating the list whose first element is the function and the remaining elements are the arguments. Evaluating the program:

(ISWFF (QUOTE (AND (OR P Q) R)))

returns the value T.

For any expression A the evaluation of (QUOTE A) is simply A. This is how we make LISP treat A as data. Thus in the above program the argument to ISWFF is treated as data.

Representing Boolean Programs

If we consider T as representing true and NIL as false then we can represent the usual Boolean expressions as LISP programs using COND. COND is LISP's version of IF-THEN-ELSE.

(DEFINE NOT (A) (COND (A NIL) (T T))) (DEFINE OR (A B) (COND (A T) (T B))) (DEFINE AND (A B) (COND (A B) (T NIL))) (DEFINE IMPLIES (A B) (OR (NOT A) B))

< wff >	:=	<const> <var> <unary> <binary></binary></unary></var></const>
< const >	:=	TINIL
<var></var>	:=	<identifier></identifier>
		(NOT < wff >)
 binary>	:=	(AND < wff > < wff >) (OR < wff > < wff >)
		(IMPLIES < wff> < wff>) (EQUIV < wff> < wff>)

Table 1: In LISP, list representations for WFFs (well-formed propositional formulas) are described using a Backus Naur form of grammar. In LISP, T and NIL are generally used as the constants for true and false respectively. These correspond to 1 and 0 in digital circuit diagrams.

(w,v)	w	w v v	w A v	w≡v	w⊃v
f,t t,f	t f	1 f +	l f f	l f f	t f
t,t	f	t	ť	t	t

Table 2: Examples of truth tables for Boolean algebra. For two inputs (w and v) Boolean results are shown for the negated value of w, w OR v, w AND v, equality, and implication.

(DEFINE	E EQUIV (A B)								
(OR	(AND	Α	B)	(AND	(NOT	A)	(NOT	B)))

Notice that we have defined IMPLIES, and EQUIV in terms of NOT, AND, and OR. These definitions mean that well-formed propositional formulas like:

(AND (OR T NIL) T)

are valid LISP programs whose evaluation returns a truth value (ie: T or NIL). These values correspond to those determined by the usual truth table evaluation of Boolean expressions as reviewed in table 2.

For example, if in the well-formed propositional formula (AND (OR P Q) R), we replace P by T, Q by NIL, and R by T: by observing that $(t \lor f) \equiv t$ and $(t \land t) \equiv t$, we calculate the value of this well-formed propositional formula as T. Logicians call this kind of assignment of truth values to the atoms an *interpretation* of the well-formed propositional formula.

One question we should ask is what happens if we try to evaluate a well-formed propositional formula which contains variables rather than simply T and NIL. For example:

(AND (OR P Q) R))

will return an error message saying that P is an undefined variable.

One thing we can use to make the substitution of T and NIL to these variables is the lambda construction. Evaluation of:

((LAMBDA (P Q R) (AND (OR P Q) R) (T NIL T))

will result in T.

Viewing Programs as Data

Evaluation of a Boolean program corresponds to a *simulation* of the circuit represented by the program. We

may also want to use LISP to answer questions about our circuits. We will consider two standard questions asked about programs for these circuit programs:

- When do two programs compute the same function? (analysis)
- Given an I/O (input/output) specification construct a program with this behavior. (synthesis)

Analysis

Analysis of a program starts with the question-what is its behavioral description? One may then consider questions of efficiency. The complete input/output description is expressed by the Boolean function. Above we have called this the function computed by the program. In logic this function is just the set of all interpretations of the well-formed propositional formula. The Boolean function for the expression $(X \land \overline{Y}) \lor Z$ expressed as a table is:

(X,Y,Z)	$(X \land \overline{Y}) \lor Z$
0,0,0	0
0,0,1	1
0,1,0	0
0,1,1	1
1,0,0	1
1,0,1	1
1,1,0	0
1,1,1	1



Operating System

Pascal Compiler

Reference Book

with 2 Drives

Available without

Utilities and System

Requires 48K System

Macro Assembler

Linker and Debugger

\$150.00

\$100.00

Z80 Macro Assembler

Screen Editor

Debugger

If a well-formed propositional formula, w, has n variables then there are 2ⁿ interpretations. Thus the I/O table has 2ⁿ entries. Complete behavioral knowledge could be obtained by making the 2ⁿ possible evaluations. Often only partial behavioral knowledge is needed and this may sometimes be obtained without complete simulation.

Two programs are called equivalent when they compute the same function, i.e., they have the same behavior. A well-formed propositional formula which evaluates to T under all interpretations is called a tautology. The well-formed propositional formula (IM-PLIES (AND P O) (OR R P)) is a tautology. Two wellformed propositional formulas w1 and w2 are called equivalent if (EQUIV w1 w2) is a tautology. This means that w1 and w2 have the same I/O behavior. Thus for circuit programs the notion of equivalence coincides with the logic notion of equivalence.

One simple way to determine if a well-formed propositional formula is a tautology is to compute all its interpretations. This brute force technique can be improved upon by using an algorithm introduced by Quine in 1950. Our experience with the FOL project at the Stanford Artificial Intelligence Laboratory indicates that this algorithm represents considerable improvement over the listing of all cases. It is informally described as follows.

Choose one variable p and make two new expressions, one obtained by substituting t for p in the well-formed propositional formula and the other obtained by substituting f for p in the well-formed propositional formula. Take the conjunction of the two expressions, and use the following simplification rules.

CP/M OPERATING
SYSTEM
Editor, Assembler, Debugger and Utilities for 8080 and Z80 Sys-
tems. Up to four floppy disks.
Package includes:

CP/M System Diskette 51/4"

CP/M Features and

Facilities Manual CP/M Editor's Manual CP/M Assembler Manual CP/M Debugger Manual

CP/M Interface Guide \$150.00 (Set of 5 manuals \$25.00)



Listing 1: A program can be written to look for tautologies. Two well-formed propositional formulas are said to be equivalent if they both exhibit the same behavior.

(DE TAUT (WFF) (TAUT1 (SIMP WFF))) (DE TAUT1 (W) (COND ((ISCONST W) W) (T (TAUT ((LAMBDA (X) (MKAND (SUBST T X W) (SUBST NIL X W))) (FIRSTVAR W)))))) (DE SIMP (W) (COND (OR (ISCONST W) (ISVAR W)) W) ((ISNOT W) (SIMPNOT (SIMP (body W)))) ((ISOR W) (SIMPOR (SIMP (ihs W)) (SIMP(rhs W)))) ((ISAND W) (SIMPAND (SIMP (Ihs W)) (SIMP(rhs W)))) ((ISIMPLIES W) (SIMPIMP (SIMP (Ihs W)) ((ISEQUIV W) (SIMPEQUIV (SIMP (Inc W)))) (SIMP (Ihs W) (SIMP(rhs W)))))) (DE SIMPNOT (W) (COND ((ISFALSE W) T) ((ISTRUE W) NIL) (T (MKNOT W)))) (DE SIMPOR (W1 W2) (SIMPANDOR ' OR W1 W2 W1 W2)) (DE SIMPAND (W1 W2) (SIMPANDOR ' AND W1 W2 W2 W1)) (DE SIMPIMP (W1 W2) (SIMPOR (SIMPNOT W1) W2)) (DE SIMPEQUIV (W1 W2) (SIMPAND (SIMPIMP W1 W2)(SIMPIMP W2 W1))) (DE SIMPANDOR (OP W1 W2 V1 V2) (COND ((ISTRUE W1) V1) ((ISTRUE W2) V2) ((ISFALSE W1) V2) ((ISFALSE W2) V1) (T (MKOP OP W1 W2)))) (DE FIRSTVAR (W1) (COND ((ISVAR W1) W1) (UNARY W1) (FIRSTVAR (body W1))) ((FIRSTVAR (lhs W1))) (T (FIRSTVAR (rhs W1)))) (DE ISIMPLIES (X) (EQ X T)) (DE ISFALSE (X) (EQ X NIL)) (DE ISNOT (X) (EQ (CAR X) (QUOTE NOT))) (DE ISOR (X) (EQ (CAR X) (QUOTE OR))) (DE ISAND (X) (EQ (CAR X) (QUOTE AND))) (DE ISIMPLIES (X) (EQ (CAR X) (QUOTE IMPLIES))) (DE ISEQUIV (X) (EQ (CAR X) (QUOTE EQUIV))) (DE ISEQOR (X) (EQ X (QUOTE OR))) (DE Ihs (WFF) (CADR WFF)) (DE rhs (WFF) (CADDR WFF)) (DE body (WFF) (CADR WFF)) (DE MKOP (OP X Y) (LIST OP X Y)) (DE MKAND (X Y) (MKOP (QUOTE AND) X Y)) (DE MKNOT (X) (LIST (QUOTE NOT) X)) (DE ISCONST (W) (OR (EQ W T) (EQ W NIL))) Listing 1 continued on page 210

 $\overline{f} := t$ $t \supset w := w$ $f \supset w := t$ $t \lor w := t$ $t \land w := w$ $\overline{t} := f$ $w \supset t := t$ $w \supset f := \overline{w}$ $f \lor w := w$ $f \land w := f$

Repeat the branching and simplifying until all branches consist of either t or f. If all branches terminate in t, the well-formed propositional formula is a tautology, otherwise it is not. Applying the Quine algorithm to the well-formed propositional formula, $(p \land q) \supset (r \lor p)$ yields:

$$\begin{array}{l} ((t \land q) \supset (r \lor t)) \land ((f \land q) \supset (r \lor f)) \\ (q \supset t) \land (f \supset r) \\ t \land t \\ t \end{array}$$

The LISP program in listing 1 represents the Quine algorithm.

The evaluation of:

(TAUT (QUOTE (IMPLIES (AND P Q) (OR R P))))

returns T. Notice we have used the Boolean functions IMPLIES, AND, and OR in these definitions.

Synthesis

(

Consider the problem of synthesizing a program with its I/O behavior specified by the table:

Х	Y	F(X,Y)
0	0	0
0	1	1
1	0	1
1	1	0

This table may be represented by the list:

(X	Y)		
(0	0	0)	
(0	1	1)	
(1	0	1)	
(1	1	0))

A well-formed propositional formula which has this behavior may be constructed by observing that:

This Boolean function may be realized by the wellformed propositional formula $(\overline{X} \land Y) \lor (X \land \overline{Y})$. This well-formed propositional formula has a very special form. Well-formed propositional formulas which are *Text continued on page 211* Circle 205 on inquiry card.



October, 1978; and January, February, April, May, June and July 1979.

Cover price for each issue thru August '77 is \$1.50 plus 25¢ postage and handling (\$3.50 total foreign). September '77 thru '79 issues are \$2.00 plus 50¢



Listing 1 continued from page 209:

(DE ISVAR (W) (AND (ATOM W) (NOT (NUMBERP W))))

(DE UNARY (W) (EQ (CAR W) (QUOTE NOT)))

(DE BINARY (W) (OR (OR (OR (EQ (CAR W) (QUOTE AND))) (EQ (CAR W) (QUOTE OR))) (EQ (CAR W) (QUOTE IMPLIES))) (EQ (CAR W) (QUOTE EQUIV))))

(DEFINE SYNTHESIS (L) (mkor (REVERSE (CAR L)) (REVERSE (CDR L))))

(MKOR (HE VELL) (DEFINE mkand (V L) (PROG (X) (COND ((EQUAL (CAR L) 0) (RETURN NIL))) (SETO L (CDR L)) (SETO X (COND ((EQUAL (CAR L) 0) (LIST (OUOTE NOT) (CAR V))) (T (CAR V)))) (COR V)))

(SETO L (CDR L)) (COND ((NULL L) (RETURN X))) (SETO X (CONS (QUOTE AND)

(CONS (COND (EQUAL (CAR L) 0) (LIST (QUOTE NOT) (CAR V))) (T (CAR V))) (LIST X))))

(DEFINE mkor (V L)

(GO L1)))

(PROG (X) (SETO X (mkand V (REVERSE (CAR L)))) L1 (SETO L (CDR L)) (COND ((NULL L) (RETURN X))) (SETO X (CONS (QUOTE OR) (CONS (mkand V (REVERSE (CAR L))) (LIST X)))) (GO L1)))

Listing 2: A well-formed propositional formula which is a sum of products with each summand having literal factors is said to be in disjunctive normal form. Any Boolean function F(X1, . Xn) of n variables may be described by a well-formed propositional formula in disjunctive normal form. This program constructs a well-formed propositional formula in disjunctive normal form.

(DE PN (WFF Z) (COND ((ATOM WFF) (COND ((ISEQOR Z) (MKNOT WFF)) (T WFF))) ((ISNOT WFF) (PN (body WFF) (FLIP Z))) ((ISEQUIV WFF) (MKOP 7 (MKOP (FLIP Z) (PN (Ihs WFF) (QUOTE OR)) (PN (rhs WFF) (QUOTE AND))) (MKOP (FLIP Z) (MKOP (FLIP Z) (PN (Ihs WFF) (QUOTE AND)) (PN (rhs WFF) (QUOTE OR))))) ((ISIMPLIES WFF) (MKOP (FLIP Z) (PN (Ihs WFF) (FLIP Z)) (PN (rhs WFF) Z))) ((ISAND WFF) (MKOP Z (ISOR WFF) (MKOP (FLIP Z) (ISOR WFF) (MKOP (FLIP Z) (PN (Ihs WFF) Z) (PN (rhs WFF) Z))))) (DE FLIP (Z) (COND ((EQ Z (QUOTE OR)) (QUOTE AND)) (T (QUOTE OR))))

Listing 3: Any well-formed propositional formula may be transformed into disjunctive normal form. This recursive LISP program uses the rules described in the text to complete the transformation.

Text continued from page 209:

either variables or the negation of variables are called literals. The above well-formed propositional formula is an example of a sum of products where the factors of each summand is a literal. A well-formed propositional formula of this type is said to be in DNF (disjunctive normal form).

The well-formed propositional formula $(\overline{X} \land Y) \lor$ $(X \land \overline{Y})$ was constructed by looking at each row of the above table which has the value 1. For each such row we form a conjunction containing those variables with value 1 and the negation of those with value 0. We finish by taking the disjunction of all these conjunctions. Any Boolean function F(X1, ..., Xn) of n variables may be realized by a well-formed propositional formula in disjunctive normal form in this way. The code in listing 2 uses the list representation of function tables displayed above and constructs a well-formed propositional formula in disjunctive normal form. Every well-formed propositional formula may be put into disjunctive normal form. The following transformation rules applied to a well-formed propositional formula w as long as any simplifications can be made to yield a disjunctive normal form equivalent to w.

 $(w1 \equiv w2) := ((w1 \supset w2) \land (w2 \supset w1))$ $(w1 \supset w2) := ((\overline{w1}) \lor w2)$ $((\overline{w1})) := w1$ $\overline{(w1 \land w2)} := \overline{(w1)} \lor \overline{(w2)}$ $\overline{(w1 \vee w2)} := \overline{(w1)} \wedge \overline{(w2)}$ $(w1 \land (w2 \lor w3)) := ((w1 \land w2) \lor (w1 \land w3))$ $((w1 \lor w2) \land w3) := ((w1 \land w3) \lor (w2 \land w3))$

These rules may also be converted into a recursive LISP program as in listing 3.

The program PN (push negation) removes EQUIV and IMPLIES, pushes all negations into the well-formed propositional formula so that NOTs only appear as part of a literal. PN works by "remembering" how many NOTs it has seen. This is kept track of by a flag which is AND when the number is even and OR if it is odd.

DNF1 then applies the distributive law until the formula is in disjunctive normal form. Thus we compute the disjunctive normal form of a well-formed propositional formula, w, by evaluating:

(DNF (QUOTE w)).

Conclusion

In this short paper we have given some examples of using LISP data structures in several different ways at once with examples from circuit design. These are not the only examples we could have chosen. A natural extension is the set of programs which deal not only with synthesis and analysis but with the optimization of circuits. That is, construct a program with a specified behavior which is by some measure best. For example, we could write code to compute the minimal sum of products representation of a circuit where each product is a *prime* implicant. This is the typical kind of thing studied in courses on combinatorial circuits.

CATCH THE S-100 INC. **BUS!**




Georgia Magnetics 8" Diskettes Soft Sectored per Box of 10	45.00	30.00
DOX OF TO	40.00	50.00
Godbout 8K Static "Unkit"	149.00	118.00
SSM VB-2 Video Board Kit	159.00	125.00
Dynabyte 16K Static Memory Board 250 nanoseconds	555.00	440.00

Call for Our Prices on: Cromemco, IMSAI, Vector Graphic, North Star, Sanyo, Hazeltine, IMC plus Most Other Major Lines.

Subject to Available Quantities . Prices Quoted Include Cash Discounts. Shipping & Insurance Extra.

> Bus....**S-100.inc.** Address. ...7 White Place Clark, N.J. 07066 Interface. .. 201-382-1318



Use CP/M Disk Operating System Using the 1771 LSI controller Price of one.....\$245.00 PC board only.....\$35.00

SEND FOR FREE INFORMATION 6 months warranty on our boards with normal use **ZS SYSTEMS** PO Box 1847, San Diego, CA 92112 (714) 447-3997

(Shugart or compatible) or

Run with 2 or 4 MHz CPU

3 minidrives 5"

Assembly Language Switching

Ira Chayut Bell Laboratories Naperville IL 60540

When programming in assembly language. it is often useful to borrow the tools commonly available to high level language programmers. One such tool is the switch construct, or multi-way jump. A switch steers program execution to one of a number of memory locations, depending on a test value. The switch may be implemented as a series of compares and conditional jumps. An alternate implementation is to create the switch with a subroutine and case tables. A case table can be of variable length; it lists values to be tested for and the associated addresses to which program control may be passed. In addition, a default address is included in the list. If the test value is not equal to any of the values in the list, program execution continues at the default address.

One possible use of the switch is to decode 1-character commands and jump to

Programming Ouickies

Listing 1: SWITCH, a program to perform multi-way jumps. SWITCH is entered via a jump with register A containing the test value and register pair HL containing the starting address of a case table. The format of the case table is any number of 3 byte case entries followed by a 3 byte default entry. Each case entry consists of a 1 byte case value followed by a 2 byte address. The default entry consists of a byte containing hexadecimal FF followed by a 2 byte address. If the test value contained in register A is equal to a case entry, a jump to the associated address is executed. If no match is found, a jump to the address of the default entry is executed. Since the default value is hexadecimal FF a case value of FF is not allowed.

Routine SWITCH does not execute a return itself. If it is entered via a call instruction, the routine indicated in the case table should contain returns to the calling program.

VITCH:	MOV	B,M
	INX	H
	CMP	в
	JZ	SW01
	INR	в
	JZ	SW01
	INX	н
	INX	н
	JMP	SWITCH
V01:	MOV	B,M
	INX	н
	MOV	H,M
	MOV	L,M
	PCHL	

SV

SV

; get case value ; point to case address ; case and test values equal? ; -yes, prepare to jump ; -no, case entry equals FF? ; -yes, prepare to jump ; -no, point to next case entry ; try next case ; get low byte of case address ; get high byte of case address

; jump to case address



[;] put low byte in L

Listing 2: Example use of SWITCH routine. The value to be tested is put in register A by the call to routine GET. In this case we are checking 1-character commands for addition and subtraction. If the character is neither a subtraction nor an addition symbol, the routine exits at the default jump.

the appropriate servicing routine. The default address might be the start of a section of code to print out an error message.

Listing 1 contains the switch procedure for the 8080 processor. A section of code and a case table illustrating the switch's use appear in listing 2.


CALL GET ; get a character LXI H,CTBL JMP SWITCH ; point to case table ; decode command ADD: : add routine SUB: ; subtract routine ; invalid command handler ERR: . . . ; case table follows CTBL:DB '+' : add command DW add DB '-' : subtract command DW sub DB FFH ; default, error DW err

Turn Your KIM into a Metronome

David Kellerman 1047 Schuyler Dr Endicott NY 13760

Using the program described in listing 1 (on page 214) and a tape recorder, readers can transform their KIM-1 computers into metronomes. The main part of the program consists of three nested timing loops used to periodically invert the line going to the tape recorder. The resulting square wave pulse is audible as a click through the tape recorder's speaker when the monitor switch is on and the tape recorder is set as if a tape were being recorded. If your recorder has no monitor switch, simply make a recording of the clicks and play it back.


To use the program, set hexadecimal memory locations 0000 and 0001 equal to the appropriate values for the desired click rate (see figure 1 on page 214). Start the program at location 0002, and have fun accompanying your computer!



Address	Opcode	Label	Instruction	Comments
0002 0004 0007 000A 000C 000F 0011 0013 0015 0017	A0 80 8C 43 17 AD 42 17 49 80 8D 42 17 A5 00 85 E0 A5 01 85 E1 A0 FF	L3 L2	LDY #80 STY 1743 LDA 1742 EOR #80 STA 1742 LDA 00 STA E0 LDA 01 STA E1 LDY #FF	Make line to tape recorder an output line. Produce a click by inverting the line that goes to the tape recorder.
0019 001A 001C 001E 0020 0022 0024	88 D0 FD C6 E1 D0 F7 C6 E0 D0 EF 4C 07 00	L1	DEY BNE L1 DEC E1 BNE L2 DEC E0 BNE L3 JMP 0007	Delay Repeat

Listing 1: Metronome program for the KIM-1 computer. Nested timing loops create audible clicks through a tape recorder hooked up to the computer. The period can be easily altered by the user.

Figure 1: Calculating the metronome's period. First, find the desired number of beats per minute on the Y axis, then read across to the two curves and enter the corresponding values for the program on the X axis into hexadecimal memory locations 0000 and 0001.



Memory Test Program

Frank J Caperello 1806 Kuser Rd Apt 9 Trenton NJ 08690

Did you ever have a program that ran successfully for months, only to have it suddenly bomb? Or are you getting inconsistent results from your data? It could be that your computer is losing its memory. Your problem may be due to memory locations becoming degraded because of a bit failure. With microprocessors having 4 K byte or greater amounts of memory it is almost impossible to check each and every location manually for a bad bit, unless you have a year of free time on your hands.

This wouldn't be a problem if the microprocessor had parity memory. Parity memory is implemented as an extra hardware bit that detects a bit malfunction. Unfortunately, parity memory also has a high cost factor, so it is usually unavailable on microcomputer systems. The memory test program shown here will not replace parity memory, but will assist you and save time in locating bit malfunctions. This program is 8080 compatible and will check up to 64 K bytes of memory. Although the program was written for an IMSAI 8080 system with front panel, it can easily be modified to work on other 8080 based microcomputer systems. The program can also be modified to be placed in read only memory so a check can be run without having to manually load the program.

Basically, this program clears and sets up the internal registers, inputs the amount of memory you want to test, loads the test memory with a pattern and then checks it. If all goes well, it increments the pattern and repeats the entire process. The test pattern starts out at octal 000 and is incremented to octal 377; when it is incremented again, a pass has been completed. A pass counter is incremented and displayed in the control panel output port light emitting diodes (LEDs). On start up, the *Text continued on page 217*



000 001 002 003 004 005 006 007 010 011 012 013 014 015 016 017 020 021 022	START REDO XXA XXB LOAD 1	XRA MOV MOV CMA MOV OUT 377 IN 377 MOV INX MOV LXI (FIRST) MOV INX MOV LXI (FIRST)	A E,A D,A C,A B,C A,C H L M,L,C L	257 137 127 057 117 323 377 333 377 107 003 173 041 133 041 133 041 133 041 133 041 133	Os to register A. Os to pattern register. Os to pass complete register. 377 to output to reflect 0 in light emiting diode (LED). 377 to low order half of maximum address. Output 377 to reflect 0. In output port LEDs. Input from the switches the high half of the maximum address. Move it to the high half of maximum add register. Increment the register. Move the test pattern to register A. Load the first memory location to be tested into the current address register. Go put the test data in. Increment the address. Get low order half of maximum address. Compare it to low order half of current address.
023 024		JC LOAD 2	Z	312 032	It compared now go check the high order half of maximum address.
025 026 027 030 031	LOAD 3	MOV JMP LOAD 1	A,E	000 173 303 017 000	Here there is still more to do. Go get test pattern and jump back and deposit it again.
032 033 034 035 036	LOAD 2	MOV CMP JC LOAD #	A,B H NZ	170 274 302 026 000	Get the high order half of maximum address. Compare it to low order half of current address. Jump if it does not compare. This means that there is still more to do.
037 040 041	XXC	MOV LXI (FIRST)	A,E HL	173 041 133	Here we start to check so you get the test pattern. Reload the current address register with the first memory location to be tested.
042 043 044 045 046 047	XXD CHECK 1	CMP JC ERR INX	M NZ HL	000 276 302 107 000 043	Check the memory location. If they do not compare jump to the error routine.
050 051 052 053		MOV CMP JC CHECK	A,C L Z 2	171 275 312 061	Here if they do compare, increment the current address to the next location. Now get low order half of maximum address. Compare it to low order half of current address. If they are equal go jump to check the high order half.
054 055 056 057	CHECK 3	MOV JMP CHECK 1	A,E	000 173 303 043	Here if still more to check, go get the test data and jump back to recheck it again.
060 061 062 063 064 065	CHECK 2	MOV CMP JC CHECK 3	A,B H NZ	000 170 274 302 055 000	Get the high order half of maximum address. Compare it to low order of current address. Jump if it does not compare. This means that there is still more to do.
066 067 070 071 072		MOV INR MOV CPI 000	A,E A E,A	173 074 137 376 000	Get the test data. Increment it for the next pattern. Save the test data. See if the test data is equal to 0s.
073 074 075		JC REDO	NZ	302 013 000	Jump if it is not — this means that we still have patterns to do before we can complete this pass.
076 077 100 101 102 103 104 105		MOV INR MOV CMA OUT 377 JMP REDO	A,D A D,A	172 074 127 057 323 377 303 013	Pass complete so get the pass counter. Increment register. Put it back to save it. Complement it so it looks correct in the control panel LEDs and output it to the IO port. Go back and redo the test.
106 107 110 111	ERR	SHLD ERR 3		000 042 131 000	Here if we have an error store the current address where the fault occurred.
112 113 114		STA ERR 2		062 130 000	Store the correct data as it should have been read from memory.
115 116 117		MOV STA ERR 1	A,M	176 062 127	Go retrieve the incorrect data. Store it so we can see where the error was.

Circle 78 on inquiry card.


TLX: 7104560052

PET PRINTER ADAPTER

GET HARD COPY FROM YOUR COMMODORE PET USING A **STANDARD RS-232 PRINTER**



The CmC ADA 1200 drives an RS-232 printer from the PET IEEE-488 bus. Now, the PET owner can obtain hard copy 'listings and can type letters, manuscripts, mailing labels, tables of data, pictures, invoices, graphs, checks, needlepoint patterns, etc., using a standard RS-232 printer or terminal.



(203) 775-9659

100				000	
120				000	
121		MOV	A,D	172	
122		STA		062	
123		ERR 0		126	
124				000	
125		HLT		166	
126	ERR 0	000		000	
127	ERR 1	000		000	
130	ERR 2	000		000	
131	ERR 3	000		000	
132		000		000	
133	FIRST	000		000	

Now get the number of completed passes and store this away for future use.

Stop. Pass number. Bad data Good data. Low order half of failed address. High order half of failed address. First tested location.

Text continued from page 215:


program receives the number of the 256 locations of memory to be tested via the control panel input port switches. The test will run until the stop button is depressed or until an error is detected.

Let's look at what happens when an error is detected; the machine comes to a halt the error 0 location contains the number of successfully completed passes.

In the error 1 location is the incorrect data as retrieved from the faulty memory. In the error 2 location is the correct data as it should have been read from memory. In the error 3 location is the low order half of the offending address, while in the error 3+1 location is stored the high order half of the offending address. By comparing the data in error 1 and error 2, we can determine which bit was picked up or dropped - but what if they're the same?

You then have what is known as a "soft error," or an error that is incorrect on the first read out, but correct the second time around. A soft error can be caused by a timing problem, or a refresh problem when using dynamic memory. The program starts checking data from the lowest address to the highest. When an error is detected, the data from error 1, 2 and 3 should be recorded.

Since there is more memory to check, add 1 to the error 3 data and deposit this in locations xxA and xxC. The error 3+1 location should be entered into locations xxB and xxD. Record the next error when it occurs, continuing the same routine until no new errors are detected, or until a pattern of errors is evident.



Book Reviews

Practical Microcomputer Programming: The Z-80 by W J Weller Northern Technology Books Evanston IL 481 pages \$29.95 Practical Microcomputer Programming: The Z-80 is the third volume in a series which also includes works on the 8080 and 6800 microprocessors. My review of the 8080 volume was published in BYTE, January 1978.

The most obvious differences between the Z-80 and the 8080 volumes in this series are the length and the price. The Z-80 version costs \$8 more than its predecessor and it is almost 60 percent longer. There are more than 100 pages of additional text, and much more software is included. The Z-80 volume treats several new topics, among which are floating point arithmetic and graphical output.

This book is intended for two audiences: the first is the beginning assembly level programmer (as all of the textbook basics are included and iden-



tified so that the more advanced reader can skip them), and the second is the programmer who is familiar with the 8080 and wants to become skilled in the use of the Z-80. With this in mind, the mnemonics used are *not* those used by Zilog, but an 8080 compatible set. The new Z-80 instructions use forms based on the 8080 mnemonics. Unfortunately, the two sets of Z-80 mnemonics are not compatible.

The topics which the book treats are fairly standard: moving data, arithmetic (single and multiple precision, fixed and floating point, binary, and decimal), logical operations, use of the stack pointer, tables and arrays, I/O (input/output) programming, and the use of interrupts. I/O programming is divided into sections on polled, interrupt-driven, and graphical output. Explanations are clear, and there are many good examples.

The appendices are a nice feature. These contain documentation and listings for a debugging monitor and a conversational assembler. Both of these are written in the 8080 subset of the Z-80 instructions, so that an 8080 programmer can use them (the assembler flags non-8080 instructions). Typing in the code (either object or source) for programs of this size is very tedious, and for this reason paper tapes of the object code for both the monitor and the assembler are free by returning the coupon at the back of the book to the publisher. The assembler can take its source code either from memory or from a tape or disk. A simple line editor is included. You do not have to load the editor, load the source code, punch the source code, load the assembler and load the source code again, as is necessary with separate editors and assemblers. It looks very convenient.

In conclusion, Practical Microcomputer Programming: The Z-80 has all of the advantages of its 8080 predecessor, while avoiding the major faults. The book is clear and complete (including the index of assembler mnemonics which was missing from the 8080 version), and the appendices are very good. I have been programming the Z-80 for a year and a half, and I wish that I had picked up the knowledge this book offers 18 months ago!

John A Lehman 716 Hutchins #2 Ann Arbor MI 48103



Circle 5 on inquiry card.

Circle 288 on inquiry card.

An Overview of Long Division

Geoffrey Gass 5240 SW Dosch Rd Portland OR 97201

On the very simplest level, a division problem starts with two numbers, a *dividend*, which we want to divide by a *divisor*, to obtain a third number, a *quotient*. In terms of grade school long division:

Quotient + Remainder Divisor)Dividend

The quotient (integer portion) is simply the number of times the divisor can be subtracted from the dividend and still leave a positive remainder.

The simplest computer program for this calculation goes as follows:

- Put the dividend into register N.
- Put the divisor into register D.
- Clear a quotient register Q.
- Assign a remainder register R.
- Subtract D from N and put the result in R.
- Test R.
- If R is positive, increment Q, transfer R into N, and go back to the *subtract* step.
- If R is negative, exit. Q is now the (integer) quotient and N contains the remainder.

There is nothing basically wrong with this procedure, but it's not very useful. If N is 1,000,000 and D is 2, it will take 500,000 operations of the program to get Q. If D is 797,236, the program will quickly tell us the answer is 1, with a remainder.

Let us check off the chief deficiencies. First, if the two numbers are very different, the program will give us an accurate answer, but will take a long time doing it. Second, if the two numbers are very close in value, the program will be very quick, but not very precise. Third, if D is larger than N, zero is the only answer. Fourth, if D happens to be zero, the program will loop forever trying to get Q up to infinity.

What we'd prefer is a quicker program that gives us an answer correct to at least as many places as the significant digits of the numbers we put in, regardless of the magnitude of the numbers. But won't that take a more complicated program and won't a more complicated program take longer to execute? A program 2,000,000 instructions long could be quicker to execute than one which loops through six instructions 500,000 times. And it certainly won't take two million instructions to make a quite thorough, precise, accurate and quick division program.

To get speed and precision, start out just as a previous generation was taught in grade school, by juggling the decimal points around (or binary points if we are working in binary). To put it another way, multiply the divisor and dividend some number of times by the base of the number system (10 or 2, for example) until the




Figure 1: Four registers for division, each with two words for integers and two for fractions, except register Q which is double size. The registers are usually strung out serially in adjacent memory locations, but it is convenient to think of them in block form as shown.

N	0000 nn00 .	0000 0000	0000 0000
D	0000 000d .	0000 0000	
R	0000 0000 .	0000 0000	
Q 0000 0000	0000 0000 .	0000 0000	
a 0000 0000	0000 0000 .	0000 0000	0000 0000

Table 1: Starting arrangement of the registers for division. The dividend and divisor have been loaded; all other registers are cleared.

dividend is only slightly larger than the divisor. Note how many places it is necessary to shift the numbers so they are nearly equal. (In old-fashioned long division, the divisor is shifted until it is an integer, and the dividend is shifted the same number of times. The rest of the necessary shifting is done by relocation of the quotient with respect to a fixed location for the decimal point.)

To start, set up an array of registers large enough to hold the largest numbers we want to deal with. The quotient register is twice as large as the others, since dividing a very small fraction by a very large number produces a yet smaller fraction, and dividing a very large number by a small fraction gives an even larger quotient. Then arbitrarily define some point in each register as the decimal or binary point. A convenient place is between two memory words, as shown in figure 1. Although a more common technique is to use only three registers (no R register), using four is a little easier, and you'll never notice the slightly increased time required for putting R into N after every successful subtraction. However, extra time is only needed for BCD (binary coded decimal) division. In binary arithmetic, the extra time for an addition after every unsuccessful subtraction approximately balances the time wasted in transfers.

The first operation is to load in the numbers, being careful to locate them in the proper position with respect to the decimal point. If the dividend N is nn00, it will go into the word just to the left of the point in N. If the divisor is 000d, it will go in the corresponding word of register D. All other locations must be cleared to 0000, if not already done. Table 1 shows our starting arrangement. Because the program is general purpose, and must be able to operate with any kind of numbers that can be fitted into its registers, it can't "know" how big N and D are. Its first job is to find out their magnitudes so it can set them to be nearly equal.

The easiest way to do this is to start by shifting register D to the left and insert zeros at the least significant digit position of the fraction part of the register until something pops up at the most significant digit position at the left of the integer part of the register. In this operation we must set a limit to the number of shifts allowed, so when we have done 16 shifts and still get nothing at the top of the register, we can stop. Division by zero is not allowed, of course, and the computer has better things to do than spend hours shifting empty registers. Then do the same thing with register

N, shifting it left until its most significant digit shows at the top of the register. We can use the same counter used for D to keep track of how many shifts it takes, starting with the count left over from counting D's shifts and counting in the opposite direction. Our final count will reflect the difference in magnitude between the two numbers. That number is saved for later. Again, with N, it is necessary to set a limit to the count or we'll be shifting forever if N happens to be zero. The limit needn't be exact (it can't be, because we don't know what number we started with in the counter), but that's not critical. All that's needed is something that will get us out if the count starts looking like infinity. A limit of -20 or +20, depending on which way the counting starts, is adequate. In the example of table 1, the saved number is 3 (the difference between the seven shifts it took to get D to the top of the register and the four shifts required for N).

Before starting subtraction, counting and shifting, a certain number of



operations must be set. Since we started with possible 16-position numbers, 16 operations should give 16 position answers, which is what we were looking for. We will be moving quotient digits into the Q register at a point 15 places to the right of the binary/decimal point. If the answer is 1, 16 shifts will put that first and only digit of the answer just to the left of the binary/decimal point in Q.

Now, with a starting count of 16, and the D and N numbers in position, subtract D from N and put the result in R. Is R negative? (If binary coded decimal notation is used D could be larger than N, and R could therefore be negative. If binary notation is used, N must equal D, so R could not in the specific example be negative; but we test for it anyway.) If R is negative, go immediately to the next operation. If R is positive, transfer R to N and increment Q. If working in binary arithmetic, go to the next operation at this point, since another subtraction cannot be done. If working in binary coded decimal, how-

Build The World's Most Powerful 8-Bit Computer Featuring The Famous Intel 8085! Explorer/85™

Starting for just \$129.95 you can now build yourself a sophisticated, state-of-the-art computer that can be expanded to a level suitable for industrial, business and commercial use. You learn as you go...in small, easy-to-understand, inexpensive levels!

ever, N could be 9 and D could be 1, and there are eight operations yet to go. So for binary coded decimal, loop back and keep on subtracting and swapping R back into N until R is finally negative, then stop. Don't transfer R or increment Q, just get on to the next operation.

At this point, the most significant digit of the quotient is in the least significant digit position of register Q. Now shift D one position to the right and shift Q one position left, marking the end of one operation in our operations counter. Keep repeating the above process until all 16 shifts have been done. At this point, the first O digit is one position to the left of the binary or decimal point in O. Now, go back and look at the magnitude difference count obtained at the start of the program. If it is positive, shift Q to the left that many times; if it is negative, shift Q to the right that many times. (We could have checked the magnitude difference count when the operations counter was set: if the magnitude dif-



POPULAR ELECTRONICS EXPLORER/85 shown with Video Monitor and Keyboard/Video Terminal

CALURENCES Shown with view waining and Negopard View Terminal CHOICE OF HEX KEYPAD OR TERMINAL INPUT If you plan to customize EXPLORER to dedicated use, we recommend that you order hez keypad input But, if you are planning to go whole hog and tows RENDORER up bug-ims—you to be better of why system with BK or extended basic (coming soon) up to 64k of memory toppy disks telephone interface printers and all sorts of 5-100 pug-ims—you to be better of whith the Keyboard/Video Terminar input. The 5149 95 EXPLORER Keyboard/Video Terminal includes full ASCII decoding with 128 ASCII upper/lower case set. 96 printible characters, omboard regulators and setclable display formats—32a to for in set or 64 to for wideo monitor (not included)

<text><text>

ference was negative, set that many fewer operations for the program. We would not have added any positive number, however; that would set up a divide by zero for the 17th operation.) Register Q now has the correct quotient.

We neglected the small problem of loading the digits into the registers in their proper positions, and didn't get into fine detail on how a subtract or shift operation might be performed in a multiword register; however, the general outline of the algorithm can now be imagined, and that's half the battle. And there are some details of it that can help us along to the next step.

When the numbers were shifted up to the tops of their registers in the earlier example, we were actually going through the process of converting fixed point to floating point numbers, by normalizing the digits, with a saved exponent indicating how far they'd been shifted. In that specific example, we saved only the difference in exponents, but this gave us the information needed to create a conventional notation number from our floating point answer in Q.

Our next step is to establish a full floating point format in order to avoid the magnitude limitations forced on us by fixed point data. Because most processors are equipped with binary coded decimal arithmetic aids. there is no need to bother with binary coded decimal to binary conversions (and vice versa) when handling numbers input via the keyboard. Also, battling with the attendant conversion problems can be avoided (ie: decimal fractions that can only be approximated by binary fractions and rounding operations which don't come out the same in binary coded decimal and binary).

In floating point format, every number is stored as a string of digits, with the most significant nonzero digit at the top of the register and the decimal point location saved in a separate register. The programmer can arbitrarily say that the imaginary decimal point is anywhere in the normalized string of digits as long as the program is internally consistent. For ease of output in standard scientific notation, however, it's best to say that the 0 position of the decimal point is immediately following the most significant digit in the register. That is, the number stored is 1 or greater and less than 10, and is to be multiplied by 10 to the power indicated to obtain conventional notation.

The number 6045.35 is stored as:

EXP NUMBER 03 604535

with the number in EXP indicating how many places further to the right of the first digit the decimal place must be moved for conventional notation. If EXP is 00, the number is 6.04535; if EXP is FD (-3 in hexadecimal form), the number is .00604535. In addition to the number and the base exponent, we also need something to indicate the sign of the number.

In binary operations, the most significant bit of a number can be considered the sign bit, providing a single byte with the range of values +127 to -128 decimal. Arithmetic performed under this convention gives consistent answers (except under overflow conditions for which most processors have detection circuits and warning flags). For binary coded decimal, the topmost digit position is the sign digit: 0 for a positive number, and 9 for a negative number. Negative numbers are generally handled in tens complement form, obtained by subtracting the absolute value from 999999999....9 and then adding 1 to the least significant digit (this is the way many early adding machines handled subtraction).

Without going into the detail of how it got that way, simply assume that all data in our division problem will be available to us in tens comple-




Figure 2: Register arrangement for floating point binary coded decimal division. Note that it is no longer necessary to provide a double size register for Q. The imaginary decimal point is located immediately following the most significant digit. ment form, in the format shown in figure 2. The exponent could be in binary coded decimal form (maximum values + and - 79, with the most significant bit used as a sign bit), but it's easier to keep it in binary form, allowing a value range of +127to -128, limited by the program to plus and minus 99. The format gives nine significant digits, of which we may elect to hold out two or three as guard digits, and display only six or seven, rounded off according to the value of the guard digits.

There is one more complication in our division routine: *signs*. The operation we want to perform here is repeated subtraction of absolute values, not just the simple signed subtraction for which the tens complement form can give correct answers. When dividing +956 by -3, we do not want the remainder to become larger and larger! So first of all, look at the sign digits of the two numbers (if a number is negative, the 9 at the most significant digit position will set the N bit of a condition code register, just as for binary operations) and determine the proper sign for the quotient. Store this flag away for the moment.

Next, if the dividend is negative, use a tens complement routine to get its absolute value, and put it back in register N. We might also test it for 0 at this point, and do an early exit if the answer is going to be 0. This would be appropriate only if we had already checked D, since D might also be 0, and 0/0 would be an indeterminate value, not 0. So don't bother with the zero check at this point if register N is being processed first.

What we do with register D depends on the processor being used. Some processors have decimal subtract operations, or a binary coded decimal adjust instruction which is effective after a subtraction. In the Motorola 6800, the DAA instruction works properly only after an ADD operation with register A (ADD A, ADC A or ABA). For the 6800, then, the subtraction function requires



register D to be in tens complement negative form, so our subtraction can be performed with an addition instruction. For other processors, D must be in absolute (positive) form if a subtract instruction is to be used, or in complemented form for an add instruction, depending on what is available in the machine.

So we do or don't run the data in register D through a tens complement operation depending on its present form and the form required by our division routine. While checking the sign, we can also note if D is 0; if it is, we set an error flag and exit. If D is not 0, check here to see if N is 0, and exit early if it is (assuming register Q is already cleared), thus saving a little processing time.

Next, look at the exponent data to discover what the final exponent will be. Subtract the D exponent from the N exponent, but before storing it away check for overflow (a carry into the sign bit, effectively reversing the sign from what it should be), or, if we have set limits of + and -99, check for a number exceeding these limits. If the magnitude of the answer is going to be out of limits, we may choose to reject the problem, set a warning flag, or simply set Q to 0 or 999999E99 to indicate that the result is beyond the capacity of the machine if the program is simply a calculator program without programmability or other exotic features. For a scientific program, this sort of thing could lead to serious and probably undetectable errors, and would never do. For an interpreter program, the exponent overflow should spring out to an error message and halt the program. If the exponent is within limits, store

it as the tentative exponent for Q, subject to later adjustment.


Now, we're finally ready to divide. We can skip the procedure done earlier in running data up to the tops of the registers. First, set up a count of nine (the number of digits desired). Subtract D from N, with binary coded decimal adjustment as reguired, and store the difference in R. If R is positive (checking byte 1 in R), increment the least significant bit in register O (no need for binary coded decimal adjustment here - the digit will never exceed nine), transfer R to N and repeat until R is finally negative. Leave R alone this time and do not increment Q. Shift Q one digit (four bits) left, starting at the least significant byte of the register and shifting it one bit left, repeating the process four times. Then shift D one digit (four bits) right, starting at the most significant byte of the register and going through it four times. One more operation must be remembered when working with D in tens complement form and doing additions: the sign digit of D must be extended back to the top of the register. Do this by adding 90 to the most significant byte after we have completed the shifting above. When we get down to the last operation, register D should be all 9s except for the least significant digit.

Before going back to the subtract operation, step the operations counter by one, and exit if the counter indicates completion. When the subtracting is done, check the most significant digit of register Q. If it is 0, the result of the first subtraction was no good and the initially assigned exponent for Q was too large. Under these circumstances we shift Q one more digit to the left and reduce the exponent that was calculated earlier by 1.

Now, everything is taken care of except the sign. If we have a simple calculator program, we can just look at the sign flag stored away and either do or don't output a minus sign, followed by the register Q data in absolute form. However, for most applications, Q will have to be stored away for future use in machine usable form (as previously discussed in figure 2), just as we got the N and D data to start with.

So look at the sign flag. If it says Q is negative, send Q through the tens complement routine, then store the result wherever it belongs. If Q is to be positive, store it as is, with 0 for a sign digit. In either case, "park" the exponent data next door, so it can be retrieved along with Q's digits whenever needed.

Well, we did it. A whole long division program in binary coded decimal, with a constant precision answer. Of course, we haven't actually formatted the digits for output, or converted our binary exponent to signed ASCII, or decided whether to output the number in conventional or scientific notation (there really isn't room on the average printer for 99 zeros). We also haven't figured out how to use the exponent to locate the decimal point in the printout of conventional notation data. But these things are incidental. Once past the conceptual problem of the "engine" in this dividing machine, the design of the transmission, differential, seat cushions and bumpers should be no barrier to rapid progress in any direction that suits the user.





16 K Byte Dynamic Programmable Memory Board



Called SupeRam, this S-100 bus compatible 64 K byte dynamic programmable memory board is available from Alpha Micro, 17881 Skypark N, Irvine CA 92714. It is completely compatible with the 16 bit Alpha AM-100 processor. SupeRam is a high density programmable memory board capable of storing up to 64 K bytes of data on a single board. Completely S-100 bus compatible, it utilizes 16 K byte dynamic programmable memories to achieve maximum bit density, minimum power dissipation, and optimum cost and performance ratio.

Refresh requirements are satisfied on the SupeRam board without support from the processor and are therefore transparent to the user. Exact and reliable internal timings are generated on board using digital delay line techniques. Memory is addressable as independent 16 K byte blocks, providing maximum capability with existing Alpha Micro Systems.

Circle 559 on inquiry card.

New Software for Computalker Speech Synthesizer

Computalker Consultants, designers and developers of the Computalker CT-1 Speech Synthesizer (a device that enables a computer to speak) has announced the availability of the new Software Package II. Designed to expand the range of applications of the Computalker CT-1, Software Package II contains: CTEDIT, a new parameter editor; CSEDIT, an editor for the CSR1 input; CTEST, a CT-1 hardware diagnostic; PLAYDATA, to hear the data files; MEM-VOICE, a vocal memory dumper; KEY-PLAY, a subroutine to play letters and digits; and PIANO, a simple musical keyboard.

Software Package II is written in 8080 assembly language and includes the source code. It is priced at \$45 and is available on CP/M format 8 inch floppy disk; North Star and Micropolis disks; Tarbell, CUTS, MITS ACR cassette formation, COTAC Computalker Consultants, 1730 21st St, Suite A, Santa Monica CA 90404.

Circle 560 on inquiry card.

Z-80 Assembler Package

ZASSEMBL is a package of software designed for development of Z-80 assembly language programs. ZASSEMBL is written in North Star BASIC with critical routines implemented in Z-80 machine code. Zilog suggested mnemonics are used exclusively for all 696 standard Z-80 instructions. The package consists of three BASIC programs:

Editor	enters and edits source
	text
Assembler	one pass file oriented assembler with back- patching of forward re- ferences. Inserts ASCII hexadecimal represen- tation of the op code into the source code
Loader	generates binary exe- cutable code and loads it into either program- mable memory or a file

The minimum hardware requirements include a Z-80 processor, 32 K bytes of programmable memory, one 5 inch floppy disk drive with a controller, interactive terminal, and optional printer as an output device.

The package is priced at \$35 which includes 5 inch floppy disk, a manual with full program listing in BASIC, and Z-80 commented assembler. For further information, contact Nemco Data Processing, 9 Walnut St, Rutherford NJ 07070.

Circle 561 on inquiry card.

Programming the 6502



Programming the 6502 by Rodney Zaks is an educational text designed to teach programming from the ground up. It will show the reader both the advantages and disadvantages of using the 6502. The knowledge of programming gained

with this book may be applied to other microprocessors. Structured from simple to complex, this 310 page text may be used by the person who has never programmed as well as by programmers wishing to familiarize themselves with the 6502. The book is priced at \$10.95 and is available from Sybex, 2020 Milvia St, Berkeley CA 94704.

Circle 562 on inquiry card.

64 K Byte Programmable Memory Card



This 64 K byte programmable memory card will reduce system card count by using only one S-100 card slot. It uses the same power as the standard 16 K byte programmable memory card, thus lowering power requirements. Buffered signal lines mean less loading on buses. Memory is expandable in 16 K byte increments up to 64 K bytes and memory may be disabled in 256 byte blocks for read only memory programs. The fast cycle time of the new 16 by 1 dynamic programmable memory means no wait states are needed for reads, writes or refreshing. The memory card handles refresh. For more information, contact Microcosm Inc, 534 W 9460 S, Sandy UT 84070.

Circle 563 on inquiry card.

Attention Readers and Vendors...

Where Do New Products Items Come From?

The information printed in the new products pages of BYTE is obtained from "new product" or "press release" copy sent by the promoters of new products. If In our judgment the information might be of interest to the personal computing experimenters and homebrewers who read BYTE, we print it in some form. We openly solicit releases and photos from manufacturers and suppliers to this marketplace. The information is printed more or less as a first in first out queue, subject to occasional priority modifications. While we would not knowingly print untrue or inaccurate data, or data from unrellable companies, our capacity to evaluate the products and companies appearing in the "What's New?" feature is necessarily limited. We therefore cannot be responsible for product quality or company performance.

TO ORDER CALL TOLL FREE 800-223-7318 NEW ISINESS SYS BU D ETI

PET 2001 - 16/32K

The PET is now a truly sophisticated Business System with the announcement of the Floppy Disk and Printer. This is an Ideal business system for most professional and specialized fields: medicine, law, dental, research, engineering, toolmaking,

printing, education, energy conservation, etc, ... The PET Business System as a management tool, delivers information to all levels of Business, previously attainable only with equipment many times more expensive. The PET Business System is one of the most cost efficient busines tools today. Here are just a few of the cost-saving uses in the corporation, professional office or small business: stock control, purchasing, forecasting, manufacturing costing, customer records, mailing lists, etc. . . .

PET


\$1295

MODEL 2022

\$995

Features Include:

- 16 or 32K bytes RAM user memory 14K ROM operating system including a machine
- Ianguage monitor Full-sized Business Keyboard Upper/Lower case and 64 graphics characters 9-inch CRT
- · BK ROM expansion sockets File management in operating system



DUAL DRIVE FLOPPY DISK 2040

The Dual Drive Floppy is the latest in Disk technology with extremely large storage capability and excellent file management. As the Commodore disk is an "Intelligent" peripheral, it uses none of the RAM (user) memory of the PET The Floppy Disk operating system used with the PET computer enables a program to read or write data in the background while simultaneously transferring data over the IEEE to the The Floppy Disk is a reliable low cost unit and is convenient for high speed data transfer. Due to the latest technological advances incorporated in this disk, a total of 360K bytes are available in the two standard 51/4-Inch disks, without the problems of double tracking or double density. This is achieved by the use of two microprocessors and fifteen memory IC's built into the disk unit.

Features Include:

 360K bytes storage
 • 4K encoder and decoder in ROM
 • 6504 microprocessor-controlled
 • 4K RAM 8K operating system in ROM · Uses single or double sided floppies

(Next day delivery available.)

PET

Model 2040A Single Disk Unit - \$895


TRACTOR FEED PRINTER 2022

The Tractor Feed Printer is a high specification printer that can print onto paper (multiple copies) all the PET characters – letters (upper and lower csse), numbers and graphics available in the PET. The tractor feed capability has the advantage of accepting mailing labels, using standard preprinted forms (ustor block), obch which has not been accepting mailing labels. (customized), check printing for salaries, payables, etc. The PET is programmable, allowing the printer to format print

for: width, decimal position, leading and trailing zero's, left margin justified, lines per page, etc. It accepts 81/2-Inch paper giving up to four copies.

Features Include:

150 cps
 • 6504 microprocessor-controlled
 • ½K RAM buffer
 Bottom and rear tractor feed
 • 4K operating system In ROM





with software

Tape Drive Unit

here on the page. Up and down screen scrolling makes anywhere on the page. Up and down screen scrolling makes ediling a breezet Commands include end-to-end cursor line SCAN, INDENT, TAB, soft HYPHEN) for splitting syllables at the end of a line, I and four-direction cursor control. Output formatting includes dynamic print control, indentation, right justification, line width and line-to-line spacing and proportional letterspacing. Also Included are programming capabilities for performing such useful tasks as direct-mail form-letter (yping, multiple column printing, and automatic multiple forms entry. You may obtain this system in a cassette or disk drive version. anyv

BUSINESS SOFTWARE FOR PET BUSINESS SYSTEM

The Super Word Processing System Is written In 6502

Assembly Languaget Hallows anyone to use the PET computer for such tasks as typing letters, reports, and manuscripts, for producing mailing lists, and for filling out forms. The software is written to support any inexpensive printer and even high performance printers with incremental and proportional letter spacing. The Supper Word Processor easily creates, edits, rearranges and formatic text. It can merge multine texts. In

rearranges, and formats text. It can merge multiple texts, in addition to search commands, the system has automatic text wrap-around, which eliminates the need for carriage returns. The system uses a holding buller to rearrange blocks

- Super Word Processing Package Small Business Package
- (disk & tape versions)

- Real Estate Statistics Banking & Finance · Mail List Management
- Data Base System
- (A/R, A/P, G/L) General Ledger
 Super Random Access Cash Receipts & Disbursements Inventory Control
- (for manufacturers)
- **Min Credit Card** VISA Order \$75 N.Y. residents add 8% sales tax . Same day shipment on prepaid and credit card orders Add \$5 shipping for computers, \$3 for boards, \$25 each cassette tape.

Open Mon-Fri 10-6 Sat 10-4







AUDIO

SPECTRUM

ANALYZER

Third-Octave audio spective analysis Complete with software

Mounts inside the PET

The COMPUTER FACTORY 485 Lexington Avenue 750 Third Avenue New York, N.Y. 10017 (212) 687-5001 (212) PET-2001 Foreign order desk - Telex 640055



Eventide

Replaces equipment costing \$595 thousands of dollars

READER


MARK SENSE CARD

\$750



What's New?

Video Board Features High Density and Reverse Video




Low Cost Alphanumeric Printers

These two compact, light weight, 5 by 8 dot matrix printers are being offered by



FCC Approved Data Modem and Communications Adapter

This S-100 bus compatible data modem and communications adapter, designated the MM-103, has been approved by the Federal Communications Commission (FCC) for direct con-



A higher density version of the Flashwriter Video Board, featuring optionally controlled reverse video, has been announced by Vector Graphic Inc, 31364 Via Colinas, Westlake Village CA 91361. Displaying 80 characters by 24 lines, the Flashwriter II uses an 8 by 10 dot matrix to produce crisp, sharp resolution for 1920 character positions in a 2048 byte memory block. In addition to normal video, reverse video is optionally controlled by the higher order bit of the character code. As many as 256 characters can be generated by 2708/2716 erasable read only memories which may be user-programmed for special symbols or graphic displays.

The Flashwriter II allows rapid updating of the screen via memory mapped I/O (input/output). Special circuitry prevents flashes on the screen when updating memory, and a keyboard port with latched data provides easy interface to Vector Graphic's Mindless Terminal or other parallel keyboards.

The Flashwriter II is priced at \$320 assembled.

Circle 526 on Inquiry card.

American Micro Products Inc, 6550 Tarnef, Houston TX 77074. The 12 column PL12 at \$59.95 and the 20 column PL20 at \$99.95 provide quiet economical hard copy output. A general specification manual, art work for a printed circuit board (available only with the PL20), parts lists, flow chart, and schematics describing the 8 bit parallel interface (Centronics type) are included with each printer. In addition, the microprocessor control device and the printed circuit board (PL20 only) are available as options. These elements of the interface are priced at \$99.95 and \$29.95, respectively.

Circle 527 on inquiry card.

nection to the public switched telephone network without the use of a DAA (CBS or CBT). Under software control, it can originate and answer calls automatically. It can also dial the telephone automatically.

In addition to normal digital communications capabilities, the MM-103 provides auxiliary inputs and outputs that will interface with computer system power-up control (on telephone ring or external input); voice recorder announcement equipment; and alarm recognition and automatic dial equipment.

The modem is available fully assembled for \$319.95 which includes an unconditional ten day return privilege and a one year limited warranty. For further information contact Potomac _Micro-Magic Inc, POB 11149, Alexandria VA 22312.

Circle 528 on inquiry card.

New Family of RS-232 Switching Units

A new family of low cost miniature switching units has been introduced by Giltronix Inc, 3156 Avalon, Palo Alto CA 94306. The family, called RS232-X, switches serial RS-232 peripherals between several driving sources. Model RS232-X3 allows three driving sources. By turning the three position switch mounted on the RS232-X3, the user can select the driving device that will exchange data with the peripheral unit. A unique arrangement allows the cascading of two or more RS232-X switches, thereby expanding the selection from three devices to five or more. Model RS232-XF is similar to the RS232-X3, but switches additional signals. Both come with 25 pin female connectors. The price of the RS232-X3 is \$64.95 assembled, and \$47.95 in kit form. The RS232-XF is \$78.95 assembled, and \$59.95 in kit form.

Circle 529 on Inquiry card.

TRS-80 Speech Synthesizer from Computalker

Computalker Consultants, developer of the Computalker CT-1 Speech Synthesizer, has announced the availability of the Model CT-1T, a speech synthesizer adapted specifically for the Radio Shack TRS-80 microcomputer equipped with Level II BASIC and a minimum of 16 K bytes of programmable memory (32 K bytes recommended). The Model CT-1T Speech Synthesizer is a completely selfcontained unit with its own AC power supply. The interface circuit board contains an on board 2 W audio amplifier, an S-100 connector for the CT-1 speech synthesizer board, and a Radio Shack compatible edge connector. An interconnect cable (supplied with the Model CT-1T) connects the unit to the TRS-80 bus connector on either the keyboard or expansion interface. Standard phone jacks provide connections for external speakers, headphones or external amplifier (not provided).

The Model CT-1T can be operated in two modes: direct parameter control and phonetic, and it is supported by a growing library of software. Each unit is shipped with a hardware user manual, basic set of software consisting of CTEDIT Parameter Data Editor and speech parameter data files Hello, Letters and Digits, and the Computalker CSR1 Synthesizer-by-Rule Software program. All software is available in a choice of 5 inch disk or standard cassette.

The CT-1T is priced at \$595. A special unit is available for persons who already own a Model CT-1 and is priced at \$225. For further information, contact Computalker Consultants, 1730 21st St, Suite A, Santa Monica CA 90404.

Circle 530 on inquiry card.

'HACA AUDIO THE OEM MARKETPLACE

Assembled and Tested Added at Ithaca Audio **Field-proven**

The leading manufacturer of blank S-100 boards is adding a new wrinkle-now all their boards are available assembled and tested. "This is a natural progression for the company" according to Mr. James Watson, President. "Actually we've been supplying assembled and tested for some time to our volume customers and OEM's, particularly

those overseas. Our production staff is now fully up to speed, so just about everything is available from stock." The company scheduled 6 months to phase in assembled and tested to allow time to build base inventories, before offering the boards to the public. "We feel this is guite important. A lot of companies have earned themselves a bad name in this business by announcing products they can't really deliver. We simply won't do that." Mr. Watson further explained that Ithaca Audio intends to remain leader in blank boards and expects to release a minimum of 6 new designs by August, which will be offered both blank and assembled and tested.

Memory Prices Tumble Ithaca Audio first to break 1¢/Byte Barrier

By cutting prices for 32K of RAM to \$319 Ithaca Audio becomes the first computer vendor ever to offer high speed memory for less than a penny a byte. Commenting on the announcement, Steve Edelman, Director of Engineering said "Just a few years ago people were wishing for a penny a bit, and even now memory for most large computers costs about 2¢/byte and that's only in 1 Megabyte chunks." in fact it's the relative modest capacity of the 32K board that makes it so interesting. Users need not buy the full 64K to take advantage of the low price per bit. Furthermore, the board is available both as a kit and assembled and tested.

Delivery is stock to two weeks. Pricing is:

•	32K	kit	\$319
•	32K	A&T	\$359
•	64K	kit	\$645
•	64K	A&T	\$695

8″ Disk Drives

Shugart compatible Memorex 550's are in stock.

Single and double density compatible, 330K bytes capacity with our controller or use your own. \$456

Either way

Protoboard Universal wire-wrap board for developing custom circuitry. Room for three regulators. Accepts any size DIP socket.

> Blank PC \$ 25.00

Pascal/Z Ready

The first Pascal Compiler for the Z80, and the fastest Z80 Pascal ever is now ready. Over one year in development, Ithaca Audio was obviously pleased with the results. "We really have outperformed them" states Jeff Moskow, Director of Software Engineering, beaming over the recently released benchmarks, in which Pascal/Z averaged better than five times the speed of a recent P-code implementation.

Pseudo-code means a vendor only has to supply one compiler to lots of people using lots of different machines, and that makes his life very easy, but it also means users' programs execute significantly slower. Therefore, we chose to write a native compiler that delivers fast re-entrant ROMable code, with no need for an intermediate language and interpreter. That's where our speed comes from." As a matter of fact, Pascal/Z is often twenty times as fast as UCSD's implementation and may well be faster than dedicated Pascal machines such as the recently announced Western Digital Pascal Microengine.™ Unlike the Microengine, Pascal/Z does not require any new special CPU hardware and has the added benefit of compatibility with existing Z80 software.

Operational requirements of Pascal/Z are the Ithaca Audio K2 Operating system and 48K of memory during compiles. The output is standard Z80 Macrocode which is linked and run through the Ithaca Audio Macroassembler. Binary files may be as small as 2.5K, or even less if the full library is not used. The compiler, including the Macroassembler, is available on an 8" K2 floppy disk. Price including full documentation is \$175.00. The Macroassembler is available separately for \$50.00. Delivery is from stock.

More Software:

For those that don't require the speed of a complier like Pascal/Z, Ithaca Audio also offers the convenience of BASIC. BASIC/Z, an extended version of TDL's Super Basic, runs in slightly over 12K and is supplied on an 8" K2 disk for \$75.00.

SAVE Even More -

When you buy your software as a package K2 and Pascal/Z \$225

SAVE \$25 K2, Pascal/Z and Basic/Z \$275 SAVE \$50

HOW TO ORDER check or money order, include \$2.00 shipping per order. Residents include tax.

For technical assistance call or write to:

P.O. Box 91 Ithaca, New York 14850 Phone: 607/257-0190

2708 EPROMS

Circle 191 on inquiry card.

\$ 75.00 K2 Disk Video Display Board features the full 128 upper/lower case ASCII character set. Easy-to-read 16 line x 64 character format can be displayed on an inexpensive video monitor or modified TV set. Includes TTY software. Add our powerful K2 FDOS to create a versatile operator's console.

reliable engineering

Over 15,000 boards worldwide prove Ithaca

Audio provides the quality and reliability you

Ithaca Audio Boards are fully S-100 com-

patible, featuring gold edge connectors and

plated-through holes. All boards (except the

Protoboard) have fully buffered data and

address lines, DIP switch addressing, solder

Z-80 CPU Board still the most power-

ful 8 bit central processor available. Featuring

power-on-jump, provision for on-board 2708.

A&T 4 mHz A&T 2 mHz

Disk Controller Board controls up

to 4 single or double sided drives. Supported

by a host of reliable software packages:

K2 FDOS, Pascal, Basic and complete diag-

• K2 FDOS Disk software in the DEC

tradition. Includes character oriented text

editor (TED), File Package (PIP), Debugger

(HDT), Assembler (ASMBLE), HEXBIN, 1 COPY, System Generator (SYSGEN) and

more. Command syntax follows Digital's

OS-8/RT-11 format. First in a family of high

level software. Basic and Pascal available

now. Soon-to-be-released Fortran.

Blank PC

A&T

Blank PC

\$205.00

\$175.00

\$ 35.00

\$175.00 \$35.00

demand.

nostics.

mask and parts legend.

Accepts most 8080 software.

\$145.00 \$ 25.00 A&T Blank PC

8K Static RAM Board High speed static memory at a reasonable cost per bit. Includes memory protect/unprotect and selectable wait states.

A&T 250 ns	\$195.00
A&T 450 ns	\$165.00
Blank PC	\$ 25.00

2708/2716 EPROM Board Indispensable for storing dedicated programs and often used software. Accept up to 16K of 2708's o

B's or 32K of 2716's.	
A&T (less EPROMs)	\$ 95.00
Blank PC	\$ 25.00
2708 EPROMs	\$ 11.00



Circle 356 on inquiry card.

Circle 315 on inquiry card.

Circle 333 on inquiry card.





Circle 146 on inquiry card.

Circle 390 on inquiry card.





ADVAN	Apple Zevel or Level 10 - Level 1	THE FIRST TO OFFEI AT FAIR PRICES NOW 1. Proven Qu or fallouts. Guarant 1979 CATA Send S100 for your copy of	R PRIME PRODUCTS TO TH V LOWERS PRICES EVEN FI Bality Factory tested proc eed money back. We stand be LOG NOVEL COMPLETE CALLING OF COMP	E HOBBYIST URTHER! Jucts only, no re-tests hind our products. MLABLE. Uter products. A must
220ns. b99.95 250ns. 299.95 Bare Board w/all parts less mem. 99.95 SSEMBLED 250ns. 279.00 250ns. 375.00 250ns. 299.00 250ns. 189.95 250ns. 129.95 Norder Market States 250ns. 129.95 State Board 49.95 250ns. 129.95 Bare Deard w/Data S21.95 Norder States Norder Cable Add S39.95 39.00 10 to 8 Times Faster 39.00 20 trive Cable Add S39.95 30.00 20 trive Trive t		But is most provide m	1111 233 273 233 2114 230 273 233 2114 230 273 233 2114 230 755 643 2114 230 755 643 2114 230 755 675 755 1114 4300 755 675 755 110 923 1025 923 923 101 925 1025 923 923 101 923 1035 1035 923 101 923 1035 1035 923 101 923 123 123 123 123 103 923 123 123 123 123 103 924 1234 1234 1234 1234 104 1235 1234 1234 1234 1234 1234 1234 1234 1234 1234 1234 1234 1234 1234	
Also AMI EVK System in Stock	Mone Conquiers Vol 1950/1489 1796 895 Hone Conquiers Vol 150/1489 1796 195 Starsho Smulator 150/1489 1796 195	Phone (714) 5	58-8813 Retail S Located	And promy may say from Mat Oder Pricing All promy subject to change without noice tore Open Mon. – Sat, at 1310 "B" E. Edinger, na, CA 92705

What's New?

SOFTWARE

Extended FORTRAN Preprocessor

X4 is an extended FORTRAN preprocessor for use in the Cromemco CDOS environment. X4 translates programs into standard FORTRAN from a readable, well structured language providing modern control structures for conditionals and iteration that virtually eliminate the need for statement numbers and GOTO statements. X4 also provides automatic file inclusion, a macro facility, mixed upper and lower case input, and the expansion of guoted strings into numeric character codes where desired. X4 is available with complete documentation on CDOS (CP/M) format 5 inch floppy disk for \$59.95. Contact Modular Systems Inc, 4005 Seven Mile Ln, Pikesville MD 21208.

Circle 531 on inquiry card.

Word Processor For TRS-80 Disk Operating System

Word-III is a text processor for the TRS-80 disk operating system. Requiring 16 K bytes of memory, it accepts lines of text interspersed with lines of format control information and then formats the text into a displayable document. Word-III features automatic line adjusting, margin right justification, pagenumbering, centering, title, page size, line width, indentation, and vertical spacing control. It is written in TRS-80 Disk BASIC for easy loading and expansion. Word-III is disk based with a size limited by disk storage. It uses the printer interface that already exists in the expansion module. Instructions are given to make software modification to other printers not using 1PRINT command.

The price of Word-III is \$39 complete with source code. For further information contact Micro Architect, 96 Dothan St, Arlington MA 02174. Circle 532 on inquiry card.

Business Software Series in BASIC

The Standard Software Library is a series of books containing listings of programs written in BASIC with complete documentation. Each volume in the series is devoted to a single application. The first three volumes deal with accounting programs for small computers. Volume 1, General Ledger enables a small business to set up a fully automated general ledger system with a complete chart of accounts. Included are programs for editing, sorting, merging and posting of transactions. A trial balance report is available in either summary or detail at the user's option. Income statement and balance sheet reports may be obtained at the close of each accounting period with both current and year to date totals and percentages.

6502 Robot Language

Written in 6502 machine language, Robot is an interactive programming language for the control of robots. The robot may be a Turtle, plotter, or video cursor. The heart of Robot is a command processing module designed to allow the user to design a language of personalized commands and command subroutines to suit a particular application.

The version of Robot that is being offered includes a command set and subroutine package for the control of a video robot. The subroutines are designed specifically for the TVT-6 video interface, but will work with any memory mapped video display and can be adapted by the user for varying formats. Robot takes slightly more than 1 K bytes of programmable memory and comes with a user manual and a completely commented source listing.

Robot is priced at \$5 (add \$3 for KIM-1 Hypertape cassette). For further information contact Michael Allen, 6025 Kimbark, Chicago IL 60637. This vendor also offers a 6502 tiny editor and assembler.

Circle 533 on Inquiry card.

Free Monthly Review of Software Products Available

Users of Northstar BASIC can receive a free subscription to John Dvorak's Software Review. Each month the software review examines and reviews new software packages and reports on the relative merits and value of the product. At the moment the mailing list has focused on users of Northstar BASIC but plans are in the works to introduce a newsletter for users of CP/M oriented systems, TRS-80 and eventually Apple users. For a free subscription, write to J Dvorak, 704 Solano Av, Albany CA 94706.

Circle 534 on inquiry card.

Volume 2, Accounts Receivable provides a fully automated system for dealing with customer accounts. Volume 3, Payroll enables a business to automate all of the normal payroll functions. All of the programs are written in a level of BASIC common to practically all of the current microprocessors and minicomputers. The modular nature of the programs and the accompanying documentation make it easy to revise the program to meet special user requirements.

The documentation includes an overall view of the program, a list of the variables used, a description of the required user inputs and an illustrative example with sample output reports. Annotated comments are contained in all of the programs.

Contact Creative Computer Consultants Inc, POB 2111, Norwalk CT 06852. Circle 535 on inquiry card.

Microcomputer Text Editor

Edit-80 is a random access, line oriented editor for 8080 and Z-80 systems. It provides almost instantaneous access to any record of the file, even if the available memory space is considerably smaller than the file being edited. In addition to the standard line commands to insert, delete, print or replace lines of text, Edit-80 offers many other features such as automatic line renumbering, global find and substitute, multiple page files and ability to read in files without Edit-80 line numbers. Edit-80's alter mode provides a complete set of intraline subcommands to edit portions of individual lines. With Edit-80, the edited file is not written to disk until a write command is given, and the original file is always saved as back-up.

The Edit-80 Text Editing Package includes a file compare utility program called FILCOM which compares source or binary files and outputs differences between them.

Edit-80 runs on any 8080 or Z-80 system with the CP/M operating system. The price for the Edit-80 Text Editing Package is \$120 and the manual is available for \$10. For further information contact Microsoft, 300 San Mateo NE, Suite 819, Albuquerque NM 87108.

Circle 536 on inquiry card.

The Realty Expense Analysis Program

REAP is designed for the property owner or manager and provides complete expense information for each building in payment-by-payment and summary format which includes tax ready totals for IRS filing. The building payee report displays expenses for any building, for all or selected payees. The utility summary report displays yearly, year-todate, or monthly average utility expenses for each building under the categories electric, gas, water, and trash. The tax totals report displays totals for each building under the categories utilities. insurance, repairs and property tax. Special accounts may be set up to track auto, general office management, advertising, telephone or any other expense type. Complete data inputing, editing, and sorting capabilities, all with extensive error recovery, provide easy data file maintanence. Expense data may be added to the file and the latest reports run at any time interval.

REAP is available on cassette with complete documentation for the TRS-80 Level 1 and 11, Apple, and PET computers. Each 16 K bytes of user memory will handle 500 yearly expense payments. Larger data files are possible by using disk data storage. REAP is priced at \$25. Documentation only with sample reports is \$2.50. For further information contact Realty Software Co, 2045 Manhattan Av, Hermosa Beach CA 90254.

Circle 537 on inquiry card.

236 August 1979 © BYTE Publications Inc



What's New?

MISCELLANEOUS


New Fully Implemented Pascal System

The Independent Business System's Betasystem is a complete operating system that features the UCSD implementation of Pascal. The operating system contains a powerful screen oriented text editor, a fast Pascal compiler, file and library handling systems, linker, Z-80 assembler and more. This Z-80 microprocessor comes complete with 48 K byte programmable memory, dual quad density (630 K byte formatted) disk drives, serial and parallel ports, 60 character per second dot matrix printer with tractor feed, and intelligent terminal with addressable cursor. It sells for \$5485. For further information contact Independent Business Systems Inc, 5476 Cleo Ct, Livermore CA 94550.

Circle 635 on inquiry card.

16 K Byte Programmable Read Only Memory Board

Electronic Solutions 16 K byte programmable read only memory board is compatible with the Intel SBC 80 bus and single board computer. The PROM-16 accepts sixteen 2708 erasable



read only memories. The board has a convenient addressing scheme allowing jumper selection of the board base address at the beginning of any 4 K block. Any number of 1 K byte memory blocks may be deselected by jumper removal, thus freeing these 1 K byte memory addresses for the processor, programmable memory, etc. When fully loaded with sixteen 2708 erasable read only memories, the board typically draws 0.31 A (from +5 V), 0.48 A (from -5 V), and 0.80 A (from +12 V). For further information, contact Electronic Solutions Inc, 7969 Engineer Rd, San Diego CA 92111. Circle 558 on inquiry card.

		tr VOC Rep	MIC POWE R S-100 BI	DUR OWN I RO-COMP E R SUF JS, FLOPP		S		
ITEM NO.	USED IN KIT NO.	FORMERS (WI PRI. WINDING TAPS	SECO 2×8 Vac	NDARY WINDIN 2×14 Va		S <24 Vac	SIZE W × D × H	UNIT PRICE
T ₁ T ₂ T ₃ T ₄	23	0V, 110V, 120V 0V, 110V, 120V 0V, 110V, 120V 0V, 110V, 120V 0V, 110V, 120V	2×9A 2×12.5A 2×9A 2×4.5A	2×2.5A 2×3.5A 2×2.5A		×2.5A ×4.5A	3 ³ 4"×3 ⁵ %"×3 ¹ %" 3 ³ 4"×4 ³ %"×3 ¹ %" 3 ³ 4"×4 ³ %"×3 ¹ %" 3 ³ 4"×3 ⁵ %"×3 ¹ %"	19.95 25.95 27.95 19.95
ITEM	USED FO	<u> </u>	RAME WITH BA @-8 Vdc_	@+16 Vdc	@-16 Vdc	ME) @+28 Vdc	SIZE W×D×H	
KIT 1 KIT 2 KIT 3 KIT 4	18 CARDS SOU SYSTEM SOU DISC SYST DISC SOUR	JRCE 25A EM 18A ICE 8A	1A 1A	2.5A 3A 2A	2.5A 3A 2A	4A 8A	12"×6"×47%" 12"×6"×47%" 14"×6"×47%" 10"×6"×47%"	46.95 54.95 62.95 44.95
PLATE,	MOUNTING PA	TRANSFORMER, C. RTS AND INSTRUC OWER SUPPL %, @ 5A, +24V, +1	TIONS. _Y ''R2'' AS	SSY. & TESTED,	OPEN FRA	ME, SIZE: 9" (\	N) x 5" (D) x 5" (H)	\$69.95
R	EMARK: IDEAL FO	OR ROCKWELL AIM-65 FORMER: \$4.75. FOR EAC	MICROCOMPUT	ER. ALSO -5V, (\$5.00 IN CALIF. \$7.0	@ 1A OPTION 00 IN OTHER ST	AL, \$5.00 ADDITI ATES. CALIF. RESI	ONAL. DENTS ADD 6% SALES TA	
VISA	P.O. B	DRDER: OX 4296 E, CA 90510	(TRANSFOF	MERS MAN MERS MAN DNe: (213) 6	JFACTUR	ER) 7245 PAR	STORE: E. ALONDRA BLVE AMOUNT, CA 90723 HOURS: 9 AM-6 I	In and the carge



Shritzen Sintzen <		7400 TTL			TELEPHONE/KEYBOARD CHIPS
		SN7470N .29 SN7472N .20 SN7473N .35	WYYYYYY SW74150N 89	JEGOD HEXADECIMAL	AY-5-9500 CMOS Clock Generator 4.95 AY-5-2376 Keyboard Encoder (88 keys) 14.95
	SN7402N .18 SN7403N .18 BN7404N .18	SN7475N .49 SN7476N .35 SN7479N 5.00	SN74182N 1.95 SN74163N .89	PEATURES:	74C922 Keyboard Encoder (16 keys) 5.95 ICM CHIPS
	SN 7405N .29 SN 7407N .29 SN 7408N .20	SN7483N .59 SN7485N .79	SN74167N 1.95 SN74170N 1.59	3 User Define keys with one being bi- stable operation	ICM7207 Oscillator Controller 7.50 ICM7208 Seven Decade Counter 19.95
	SN7409N .20	SN7486N .35 SN7489N 1.75 SN7490N .45	SN74172N 6.00 SN74173N 1.25 SN74174N .89	Easy interfacing with standard 16 pin 10 connector Oual sensors—switching control for In-	ICM7209 Clock Generator 6.95 NMOS READ ONLY MEMORIES
	SN7413N .40 SN7414N .70 SN7416N .25	SN7492N .43 SN7493N .43 SN7494N .65	SN74176N .79 SN74177N .79 SN74179N 1.95	FULL 8 BIT LATCHED DUTPUT	MCM6575 128 X 9 X 7 Alphanumeric Control 13.50
	SN7420N .20 SN7420N .20 SN7421N .29 SN7422H .39	SN7496N .65 SN7497N 3.00 SN74100N 89	8N74181N 1.95 SN74182N .79 SN74184N 1.95	dgiss produced from sequentizal bayer theirs to ablow of Ed 10°0; = Sat 10 r Fahren heit or Coisius receding amming tor 8 bit micropicoscar 8 bit memory climatis. Intre (3) additional kays am provided for user operation twith one having ∋ biczabie output available. The outputs are latified and monototid	TL074CN Duad Low Noise bi-fet Op Amp 2.49 TL494CN Switching Regulator 4.49
	SN7423N .25 SN7425N .29 SN7426N .29 SN7426N .29 SN7427N .25	SN74109N .59 SN74116N 1.95	SN74186N 9.95 SN74188N 3.95	15000 600.05	TL496CP Single Switching Regulator 1,75 11C90 Divide 10/11 Prescaler 19.95
	SN7429N .39 SN7430N .20 SN7432N .25 SN7432N .25	SN74122N .39 SN74123N .49 SN74125N .49	SN74191N 1,25 SN74192N .79 SN74193N .79	.200" dia. LiQUID CRYSTAL DISPLAY	MK50240. Top Octave Freq. Generalor 17.50 DS0026CH 5Mhz 2-phase MOS clock driver 3.75 TII 308 27 red num display with ten lonic chin 10.50
	SN7439N .25	SN74132N .75 SN74136N .75 SN74141N .79	SN74195N .69 SN74196N .89 SN74197N .89	XC556G green 4/51 XC209R red 5/51 FIELD EFFECT XC556G yellow 4/51 XC209G green 4/51 XC556C Jelar 4/51 XC209G vellow 4/51	LUTIO/TIT 31/2 Digit A/D Converter Set 25.00/se
	SN7442N .49 SN7443N .75 SN7444N .75	SN74143N 2.95 SN74144N 2.95 SN74145N .79	SN74199N 1.49 SN745200 4.95 SN74251N 1.79	XC22R red 5/51 XC5268 red 5/51 XC22R red 4/51 XC5268 green 4/51 XC5269 green 4/51	Photo Transistor Opto-Isolator (Same as MCT 2 or 4N25) SOUND GENERATOR Generates Complex Sounds
	SN7448N .69 SN7447N .59 SN7448N .79	SN74148N 1.29 SN74150N .89 SN74151N .59	\$N74283N 2.25 SN74284N 3.95 SN74285N 3.95	.170" dia. XCS256C clear 4/51 4 DIGIT5" CMARACTERS MV108 red 4/51 190" dia. 200" % 1.20" PACKADE	TV GAME CHIP AND CRYSTAL
	SN7450N .20 SN7451N .20 SN7453N .20 SN7453N .20 SN7454N .20	SN74153N .59 SN74154N .99	SN74366N .69 SN74367N .69 SN74368N .69	MV50 red 6/\$1 KUIH red 3/\$1 INCLUDES CONNECTOR INFRA-RED LED XCI110 green 4/\$1 T1001-Trensmissive \$7,95 1/4%1/4%1/16"tta XCI11C clear 4/\$1 T1001A-Reflective 8.25	includes score display. 6 games and select anoles, etc. 1. 95/SI
	SN7459A .25	SN74156N .79		DISPLAY LEDS	XR210 4.40 EAAN XR2294 4.25 XR215 4.40 EAAN XR256 3.25 XR320 1.55 JE2206KA 14.95 XR2567 2.96 XR-L555 1.50 JE2206KB 19.95 XR3403 1.25
	CD4001 23 CD4002 23	CO4028 .89	CD4071 .23 CD4072 .49	MAN 1 Common Anode-red .270 2.95 MAN 6730 Common Anode-red ± 1 .560 .99 MAN 2 5 tr 7 Dol Matrix-red 300 4.95 MAN 6740 Common Cathode-red -b 0. .560 .99	XR555 .39 XR1600 3.20 XR4136 1.25 XR556 .99 XR2206 4.40 XR4151 2.85 XR567CP .99 XR2207 3.85 XR4154 4.96 XR567CT 1.25 XR2207 3.85 XR4194 4.96
	CD4007 .25 CD4009 .49 CD4010 .49	CD4030 .49 CD4035 .99 CD4040 1.19	CD4081 .23 CD4082 .23 CD4093 .99	MAN 76 Common Anode-green .300 1.25 MAN 6780 Common Cathode-red .560 .99 MAN 77 Common Anode-yrellow .300 .99 DL701 Common Anode-red ± 1 .300 .99 MAN 72 Common Anode-yrellow .300 .90 DL701 Common Anode-red ± .300 .99 MAN 72 Common Anode-red .300 .99 DL704 Common Anode-red .300 .99	XR1310P 1.30 XR2209 1.75 XR4212 2.05 XR1468CN 3.85 XR2211 5.25 XR4558 .75 XR1488 1.39 XR2212 4.35 XR4739 1.15 XR1488 1.39 XR2212 4.35 XR4739 1.14
	CD4013 .39 CD4014 1.39	CD4042 .99 CD4043 .89 CD4044 .89	MC14409 14.95 MC14410 14.95 MC14411 14.95	MAN 82 Common Anode-rysticw 300 .99 DL728 Cemmon Cathode-rad .500 1.49 MAN 84 Common Cathode-rysticw .300 .99 DL741 Common Anode-red .500 1.49 MAN 84 Common Cathode-rysticw .300 .99 DL741 Common Anode-red .500 1.25 MAN 9520 Common Anode-red 1.630 1.49 .500 .149 .500 1.25	DIODES TYPE VOLTS W PRII 114002 100 PIV 1 AMP 12/1. TYPE VOLTS W PRICE 114003 200 PIV 1 AMP 12/1.
	CD4016 .49 CD4017 1.19 CD4018 .99	CD4047 2.50 CD4048 1.35 CD4049 .49	MC14433 19.95 MC14506 .75 MC14507 .99	MAN 3640 Common Cathode orange .300 .99 DL749 Cammon Cathode red ± 1 .530 1.49 MAN 4810 Common Anode-orange .300 .99 DL750 Cammon Cathode red ± 1 .630 1.49 MAN 4810 Common Anode-orange .300 .99 DL750 Cammon Cathode red .600 1.49 MAN 4840 Common Cathode-orange .00 .99 DL750 Cammon Cathode-red .600 1.49	1N751 5.1 400m 4/1.00 1N4005 600 PIV 1 AMP 10/1. 1N752 5.6 400m 4/1.00 1N4005 600 PIV 1 AMP 10/1.
	CD4020 1.19 CD4021 1.39 CD4022 1.19	CD4051 1.19 CD4053 1.19 CD4056 2.95	MC14583 3.50 C04508 3.95 C04510 1.39	MAH 4730 Common Anode-red ± 1 .400 .99 FND358 Common Cathode ± 1 .357 .95 MAH 4740 Common Cathode -red .400 .99 FND359 Common Cathode .357 .75	1N754 6.8 400m 4/1.00 1N3600 50 200m 6/1. 1N757 9.0 400m 4/1.00 1N4143 75 10m 15/1. 1N759 12.0 400m 4/1.00 1N4154 35 10m 12/1.
	CD4024 .79 CD4025 .23	CD4060 1.49 CD4066 .79	CD4515 2.95 CD4518 1.29	MAN 8480 Common Anode-yellow 400 .99 FMD507 Common Anode (FMD510) .500 .99 MAN 6510 Common Anode-orange D.D. .560 .99 5082-7730 Common Anode-red .300 1.30 MAN 6500 Common Anode-orange ± 1 .550 .99 HDSP-3400 Common Anode-red 800 2,10	1N965 15 400m 4/1.00 1N4734 5.8 1w 1N5232 5.6 500m 28 1N4735 6.2 1w
	74C00 .39 74C02 .39	74C00	74C163 2.49 74C164 2.49	MAN 6650 Common Cathode-orange ± 560 99 5082.7300 4 x 7 spl. Digit-RHDP .600 19.95 MAN 6660 Common Annede-orange .560 .99 5082.7302 4 x 7 spl. Digit-RHDP .600 19.95 MAN 6660 Common Annede-orange .560 .99 5082.7302 4 x 7 spl. Digit-RHDP .600 19.95 MAN 6680 Common Cathode-orange .560 .99 5082.7302 Verrange dataster (± 1) .600 15.00	1N5245 7.5 500m 28 1N4742 12 1w 1N5245 12 500m 28 1N4744 15 1w 1N5245 15 500m 28 1N1183 50 Pty 35 AMP 1.
No. 3.9 PAGE 5.0 PAGE 6.0 Control 1.0 Control Control <t< td=""><td>74C08 .49 74C10 .39 74C14 1.95</td><td>74C90 1.95 74C93 1.95 74C95 1.95</td><td>74C192 2.49 74C193 2.49 74C195 2.49</td><td>RCA LINEAR CALCULATOR CLOCK CHIPS MOTOROLA</td><td>1N-58 150 7m 6/1.00 1N1185 150 PW 35 AMP 1, 1N485A 180 10m 5/1.00 1N1186 200 PW 35 AMP 1,</td></t<>	74C08 .49 74C10 .39 74C14 1.95	74C90 1.95 74C93 1.95 74C95 1.95	74C192 2.49 74C193 2.49 74C195 2.49	RCA LINEAR CALCULATOR CLOCK CHIPS MOTOROLA	1N-58 150 7m 6/1.00 1N1185 150 PW 35 AMP 1, 1N485A 180 10m 5/1.00 1N1186 200 PW 35 AMP 1,
	74C30 .39 74C42 1.95 74C48 2.49	74C1512.90 74C1543.00	74C923 6.25 74C925 8.95	Cu20231 2.46 Cu30351 1.60 MMS725 \$2.95 MMS311 4.95 MC140BLB 5.75 Cu30351 2.46 Cu303651 8.5 MMS738 2.65 MMS312 4.95 MC140BLB 5.75 Cu30351 2.46 Cu303661 8.5 MMS738 2.65 MMS312 4.95 MC1419L 2.95 Cu30351 1.55 Cu304864 2.00 MMS314 4.95 MC1422P 2.95	C36D 15A @ 400V SCR(2N1849) \$1.95
Libbor	74C74 .89 78MG 1.75	740161 2.49	80C97 1.50 LM710N .79	CA35554 3.25 CA31607 1.25 DA6367 75 MM5367 8 8.6 MC016(7416) 7.50 CA30504 3.25 CA31607 1.25 DA6369 75 MM5367 2.95 MC002(P 3.95 CA30504 3.25 CA31607 1.25 DA6369 75 0. MM5387/1998A 4.55 MC002(P 3.95	2N2328 1.6A @ 300V SCR .50 MDA 980-1 12A @ 50V PW BRIDGE REC 1.95
Lisses a Lisses a <th< td=""><td>LM300H 80 LM301CN/H .35 LM302H .75</td><td>LM340K-18 1.35 LM340K-24 1.35</td><td>LM723N/H .55 LM733N 1.00 LM739N 1.19</td><td>IC SOLDERTAIL LOW PROFILE (TIN) SOCKETS</td><td>MPSA05 .30 2N3055 .89 2N3905 4/1.0 MPSA06 5/1.00 ALIE3055 1.00 2N3906 4/1.0</td></th<>	LM300H 80 LM301CN/H .35 LM302H .75	LM340K-18 1.35 LM340K-24 1.35	LM723N/H .55 LM733N 1.00 LM739N 1.19	IC SOLDERTAIL LOW PROFILE (TIN) SOCKETS	MPSA05 .30 2N3055 .89 2N3905 4/1.0 MPSA06 5/1.00 ALIE3055 1.00 2N3906 4/1.0
Luster, 1.3 Luster, 1.3 Luster, 1.4 Luster, 1.5 Luster	LM305H .60 LM307CN/H .35 LM308CN/H 1.00	LM340T-8 1.25 LM340T-12 1.25 LM340T-15 1.25	LM741-14N .39 LM747N/H .70 LM748N/H .30	14 pm LP 220 .19 .18 24 pm LP .33 .37 .36 18 pm LP .22 .21 .20 28 pm LP .45 .44 .43 18 pm LP .29 .28 .27 36 pm LP .60 .59 58	TIS98 6/1.00 2N398 5/1.00 2N4123 6/1.0 40409 1.75 PN3567 3/1.00 PN4249 4/1.0 40410 1.75 PN3568 4/1.00 PN4250 4/1.0
Listics 4.8 Listic	LM309K 1.25 LM310CN 1.15 LM311N/h .90	LM3401-24 1.25 LM358N 1.00 LM370N 1.95	LM1458CN/H .59 MC1488N 1.39	14 pin ST \$.27 .25 .24	406/3 1.75 PN3569 4/1.00 2N4400 4/1.0 2N918 4/1.00 MPS3538A 5/1.00 2N4401 4/1.0 2N22194 2/1.00 MPS3702 5/1.00 2N4402 4/1.0 2N2221A 4/1.00 2N3704 5/1 00 2N4402 4/1.0
Luzzer, 12 135 NESTIN 6.00 Luzzer, 13 NESTIN 6.00 22 Processor 22 Processor 22 Processor 23 Processor 130 Processor	LM317K 6 50 LM318CN/H 1.50	LM377N 4.00 LM380N 1.25	LM1556V 1.75 MC17415CP 3.00	24 pin 57 .49 .45 .42 SOLDERTAIL STANDARD (GOLO)	2N2222A 5/1.00 MPS3704 5/1.00 2N4409 5/1.0 PN2222 Plastic 7/1.00 2N3705 5/1.00 2N5086 4/1.0 2N2369 5/1.00 MPS3705 5/1.00 2N5087 4/1.0
Lidzor 13 HISSM	LM320K-5 1.35 LM320K-5.2 1.35 LM320K-12 1.35	LM381N 1.79 LM382N 1.79 NE501N 8.00	LM2901N 2.95 LM3053N 1.50 LM3065N 1.49	18 pin SG .52 .47 .43 WIRE WRAP SOCKETS	MPS2369 5/1.00 MPS3706 5/1.00 2N5089 4/1.0 2N2484 4/1.00 2N3707 5/1.00 2N5129 5/1.0 2N2906 4/1.00 2N3711 5/1.00 PN5134 5/1.0
Listor H154M H154M <t< td=""><td>LM320K-18 1.35 LM320K-24 1.35 LM320T-5 1.25</td><td>NE529A 4.95 NE531H/V 3.95 NE536T 6.00</td><td>LM3905N .89 LM3909N 1.25 MC5558V .59</td><td>10 pin WW 43 41 37 (00 b) cerec w 3 24 pin WW 1.05 .95 .85 14 pin WW 39 .38 .37 15 pin WW 1.40 1.25 1.10 18 pin WW 1.59 1.45 1.30</td><td>PM2907 Plastic 7/1.00 2N3725A 1.00 2N5139 5/1.0 2N2925 5/1.00 2N3772 2.25 2N5210 5/1.0 MJE2955 1.25 2N3823 1.00 2N5449 3/1.0</td></t<>	LM320K-18 1.35 LM320K-24 1.35 LM320T-5 1.25	NE529A 4.95 NE531H/V 3.95 NE536T 6.00	LM3905N .89 LM3909N 1.25 MC5558V .59	10 pin WW 43 41 37 (00 b) cerec w 3 24 pin WW 1.05 .95 .85 14 pin WW 39 .38 .37 15 pin WW 1.40 1.25 1.10 18 pin WW 1.59 1.45 1.30	PM2907 Plastic 7/1.00 2N3725A 1.00 2N5139 5/1.0 2N2925 5/1.00 2N3772 2.25 2N5210 5/1.0 MJE2955 1.25 2N3823 1.00 2N5449 3/1.0
123 123 125 1	LM320T-8 1.25 LM320T-12 1.25 LM320T-15 1.25	NE544N 4.95 NE550N 1.30 NE555V .39	LM75450N .49 75451CN .39 75452CN .39		CAPACITOR 50 VOLT CERAMIC CORNE
Lukakake 6 1.35 NESDY/M 99 PACIBS 1.25 ASST. 3 5 a. 1.04	LM320T-24 1.25 LM323K-5 5.95 LM324N 1.00	NE5608 5.00 NE5618 5.00 NE5628 5.00	75454CN .39 75491CN .79 75492CN .89	10 0HM 12 0HM 15 0HM 15 0HM 22 0HM ASST. 1 5 eb. 27 0HM 33 0HM 39 0HM 47 0HM 56 0HM 50 PC3 \$1.75 66 0HM 82 0HM 100 0HM 120 0HM 150 0HM	10 p1 05 04 03 .001µF 05 04 03 22 p1 .05 .04 .03 .001µF 05 04 03 47 p1 05 .04 .03 .01µF .05 .04 .035 100 01 05 04 00 .0047µF .05 .04 .035
Luston: 1.35 Lutracynn, 59 Rct119 5.96 8.23X 3.3% 4.7% 5.6% 6.8% 0.022 1.2 1.0 0.027 1.2 1.0 0.071 mt 21 1.75 1.75 74L500 29 74L500 74 3.9% 4.7% 3.9% 4.7% 56% 6.8% 60% 1.75 0.047 mt 1.2 1.0 0.7 1.047 mt 2.9 2.7	LM340K-5 1.35 LM340K-6 1.35 LM340K-8 1.35	NE566CN 1.75 NE567V/H .99 NE570N 4.95	75494CN .89 RC4136 1.25	470 DHM 560 DHM 680 DHM 820 DHM 1K	100 VOLT MYLAR FILM CAPACITORS
711530 .28 711531 .29 711536 .29 711536 .29 711536 .29 711536 .29 711536 .29 711536 .29 711536 .29 711536 .29 711536 .29 711536 .29 711536 .29 711536 .29 711536 .29 .711536 .29 .711536 .29 .711536 .29 .711536 .29 .711536 .29 .711536 .29 .711536 .29 .711536 .29 .7117 .27258 .22 .23 .71 .27258 .31 .72 .22 .23 .23 .71 .27258 .31 .71 .27258 .31 .27 .22 .23 .23 .71 .32758 .23 .23 .71 .32789 .32 .23 .71 .56 .31 .66 .27 .33 .39 .39 .39 .21 .77 .22 .23 .23 .71 .65 .50 .63 .31 .65 .23 .77 .23 .71 .65 .50 <td< td=""><td>LM340K-15 1.35 74LS00 _29</td><td>LM709N/H 29</td><td>RC4195 4.49 74LS138 .89</td><td>3.3k 3.9k 4.7k 5.6k 6.8k ASST. 4 8e. 8.2k 10k 12k 15k 18k 50 PCS 1.75</td><td>0022 12 10 07 047mt 21 17 13 0047mt 12 10 07 1mt 27 23 17 01mt 12 10 07 22mt 33 27 22 +20% 0IPPED TANTALUMS (SOLID) CAPACITORS</td></td<>	LM340K-15 1.35 74LS00 _29	LM709N/H 29	RC4195 4.49 74LS138 .89	3.3k 3.9k 4.7k 5.6k 6.8k ASST. 4 8e. 8.2k 10k 12k 15k 18k 50 PCS 1.75	0022 12 10 07 047mt 21 17 13 0047mt 12 10 07 1mt 27 23 17 01mt 12 10 07 22mt 33 27 22 +20% 0IPPED TANTALUMS (SOLID) CAPACITORS
ALSO 3.5 ALST 4.5 7.41510 3.54 $4.7M$ 3.64 5.64 7.157 1.037 7.2576 4.7728 7.41516 7.41516 1.57 7.4576 4.7728 7.41516 7.41516 1.57 7.41516 7.41516 1.57 1.51 1.0028 1.51 1.57 1.51 1.57 1.51 1.57 1.57 1	74LS02 .29 74LS03 .29 74LS04 .35	74LS47 .89 74LS51 .29	74LS151 .89 74LS155 .89 74LS157 .89	ASST. 5 5 ca. 56k 65k 82k 100k 120k 80 PCS 1.75 150k 180k 220k 270k 330k ASST. 6 5 ca. 390k 470k 550k 668k 820k 50 PCS 1.75	.1/35V 28 23 17 1.5/35V .30 26 21 .15/35V 28 23 17 2.2/25V 31 27 22 .22/35V 28 23 17 3.3/25V 31 27 22
741511 75 74250 75 74250 7425	74LS08 .29 74LS09 .35 74LS10 .29	74LS73 .45 74LS74 45 74LS75 .59	74LS161 1.15 74LS162 1.15 74LS163 1.15	ASST. 7 5 08. 2.7M 3.3M 3.9M 4.7M 5.6M 50 PCS 1.75	1.0/35V .28 .23 .17 MINIATUR [®] ALUMINUM ELECTROLYTIC CAPACITORS
74L521 35 74L512 34 74L512 15 74L512 15 15 16 14 12 47/180 15 15 16 14 12 47/180 15 15 16 14 12 47/180 15 15 16 14 12 47/180 15 15 16 14 12 47/180 15 13 10 74L570 35 74L596 97 74L516 15 15 16 14 12 47/180 15 13 10 74L570 35 74L596 97 74L516 15 15 16 14 12 47/180 16 14 11 74L526 35 74L596 97 74L516 15 16 14 11 <td>74LS11 .75 74LS13 .59 74LS14 1.25</td> <td>74LS78 .49 74LS83 .89 74LS85 1.25</td> <td>74L5175 .99 74L5181 2.49 74L5190 1.15</td> <td>\$10.00 Min. Order – U.S. Funds Only Calif. Residents Add 6% Sales Tax 1979 Catalog Available – Send 41¢ stamp</td> <td>47/50V 15 13 10 47/25V 15 13 10 1.0/50V 16 14 11 47/50V 16 14 11 3.3/50V 14 12 09 1.0/16V 15 13 10</td>	74LS11 .75 74LS13 .59 74LS14 1.25	74LS78 .49 74LS83 .89 74LS85 1.25	74L5175 .99 74L5181 2.49 74L5190 1.15	\$10.00 Min. Order – U.S. Funds Only Calif. Residents Add 6% Sales Tax 1979 Catalog Available – Send 41¢ stamp	47/50V 15 13 10 47/25V 15 13 10 1.0/50V 16 14 11 47/50V 16 14 11 3.3/50V 14 12 09 1.0/16V 15 13 10
7/1538 35 7/1536 1.15 7/1523 10 7/1530 11 7/1530 11 7/1530 11 11 10/16/0 14 12 00 7/1530 35 7/15107 45 7/1320 16 10/25V 15 13 10 7/1530 35 7/15107 45 7/1320 16 10/25V 15 13 10 7/1530 35 7/15107 45 7/1320 17 15 13 10 7/1530 35 7/15107 45 7/1320 18 10/25V 14 14 14 14 14 14 14 14 14 14 14 14 16 16 14 14 14 19 10/25V 24 28 47/50V 24 21 18 10/25V 24 20 18 10/25V 24 24 21 18 14/152 7/152 13 17	74LS21 35 74LS22 .35 74LS28 .35	74LS90 .59 74LS92 .75 74LS93 .75	74LS192 1.15 74LS193 1.15 74LS194 1.15	PHONE ORDERS	10/25V 15 13 10 1.0/50V 16 14 11 10/50V 16 14 12 4.7/16V 15 13 10 22/25V 17 15 12 4.7/25V 15 13 10
71540 35 715173 12 71540 75 MAIL ORDER ELECTRONICS - WORLDWIDE 220/57 23 24 25 16 71540 35 715173 12 74/5870 75 1021 HOWARD AVENUE, SAN CARLOS, CA 94070 20/57 32 27 100/58 24 20 30/57 33 28 27 100/58 30 28 30 28 30 28 30 28 30 28 30 28 30 24 10 100/18 <td>74L526 .35 74L530 .29 74L532 .35</td> <td>74LS96 1.15</td> <td>74L5253 .99 74L5257 .89 74L5258 1.75</td> <td>CATALOG WELCOME</td> <td>47/25V .19 .17 .15 10/16V .14 .12 .09 47/50V .25 .21 .19 10/25V .15 .13 10/25V 100/25V .24 .20 .18 10/25V .15 .14 .12 100/50V .35 .30 .28 47/50V .24 .21 .19</td>	74L526 .35 74L530 .29 74L532 .35	74LS96 1.15	74L5253 .99 74L5257 .89 74L5258 1.75	CATALOG WELCOME	47/25V .19 .17 .15 10/16V .14 .12 .09 47/50V .25 .21 .19 10/25V .15 .13 10/25V 100/25V .24 .20 .18 10/25V .15 .14 .12 100/50V .35 .30 .28 47/50V .24 .21 .19
	74LS37 .45 74LS40 .35	74LS112 .45 74LS123 1.25 74LS125 .69 74LS132 .99	74L5260 .89 74L5279 .75 74L5367 .75 74L5368 .75	1021 HOWARD AVENUE, SAN CARLOS. CA 94070	220/25V



COMPUCOLOR II IS HERE!

HERE IS A SURPRISINGLY AFFORDABLE COMPUTER THAT MAKES THE COMPE-TITION LOOK TWICE !!

STANDARD FEATURES

- * 13" COLOR CRT
- * SPECIAL GRAPHICS PKG.
- * EXTENDED DISK BASIC
- * MINI DISK DRIVE
- * 8K RAM MEMORY
- * 72 KEY KEYBOARD

PRICE & OPTIONS

MODEL 3 – 8K USER RAM-1495.00 MODEL 4 – 16K USER RAM-1695.00 MODEL 5 – 32K USER RAM-1995.00 2nd DISK DRIVE -400.00 EXPANDED KEYBOARD -135.00 FORMATTED DISKETTE - 5.00 MANY PROGRAMS AVAILABLE *

TO ORDER-

SEND CHECK OR MONEY ORDER CALIF. RES. add 6% TAX shipping 1% all orders CATALOG — 50¢

	the second second			
	and a state of			
And in case of the local division of the loc				
_		_		-
		and the local division in which the local division in the local di	· · · · ·	_
	_	_		
the second data and the		-		
the second s				-
-				-
		_	_	-
_				-
				-
				-
		-		
				-
		1		
		1		

HOLLY WOOD SYSTEMS

9100 SUNSET BLVD. SUITE 112 L.A. CALIF. 90069

EDGE CARD CONNECTORS: GOLD PLA 80DY: Non brittle, Solvent res., G.E. V CONTACTS: 8lfurcated; Phos/8ronze: G ABBREVIATIONS: S/T Solder Tail; S/E W/W Wire Wrap 3; S	alox. iold over Nicke iold. Eyelet:	el.			RS232 & 'D' TYPE SUBMINIATURE CONNECTORS: QUANTITY 1-4 5-9 10-24 I.C. SOCKETS. GOLD DE9P Male 1.45 1.35 1.25 WIRE WRAP 3 TURN DE9S Female 1.93 1.80 1.70 14 pin \$0.36 ea. DE110963-1 2pc. Grey Hood 1.20 1.10 1.00 16 pin 0.38 ea.
PART # Description 5010 50/100 S/T ALTAIR 5020 50/100 S/T ALTAIR 5030 50/100 S/T ALTAIR 5030 50/100 S/T ALTAIR 5030 50/100 S/T ALTAIR 5040 50/100 S/E ALT/IMSAI 5050 50/100 S/T CROMEMCO 1450 IMSAI CARD GUIDES 100° Contact Center Connectors. 1020 13/26 S/E Imsai MIO: 1040 25/50 S/T 1060 36/72 S/T Vector. 1065 36/72 S/T Vector. 1075 40/80 S/E PET 1085 43/86 S/T Cos. ELF 1090 43/86 S/T Cos. ELF 1093 43/86 S/T Cos. ELF 1095 43/86 S/T Cos. ELF 1095 43/86 S/T Cos. ELF 1095 43/86 S/T PET 1550 6/- S/E PET, Etc 1560 6/1 2 S/T PET 1580 12/24 S/E PET 1580 12/24 S/T PET 1580 12/24 S/T CRIN,VECTOR 1660 21/44 S/T KIM,VECTOR </th <th>Row Sp. 140 250 250 140 250 140 250 140 140 200 200 140 140 200 140 140 140 140 140 140 140 200 200 140 140 140 200 140 140 200 140 140 200 200 140 140 200 200 140 140 200 200 140 140 200 200 140 140 200 200 140 140 140 200 200 140 140 140 140 140 140 140 1</th> <th>$\begin{array}{c} 1-4\\ \overline{3.75}\\ 3.95\\ 0.16\\ 2.10\\ 2.95\\ 3.00\\ 4.800\\ 4.800\\ 4.800\\ 4.900\\ 5.100\\ 4.950\\ 5.100\\ 4.950\\ 0.10\\ 1.35\\ 2.10\\ 2.240\\ 2.200\\ 2.400\\ 2.400\\ 3.500\\ 3.500\\ 3.500\\ 3.400\\ 4.35\\ 0.10\\ \end{array}$</th> <th>$\begin{array}{c} 5-9\\ 3.50\\ 3.75\\ 4.50\\ 6.00\\ 0.14\\ 1.85\\ 2.75\\ 2.80\\ 4.60\\ 4.75\\ 4.85\\ 4.60\\ 4.75\\ 4.85\\ 4.60\\ 4.75\\ 4.85\\ 4.70\\ 0.10\\ 1.15\\ 1.90\\ 2.00\\ 2.00\\ 2.20\\ 2.20\\ 2.20\\ 3.30\\ 3.15\\ 4.12\\ 5.20\\ 0.10\\ \end{array}$</th> <th>$\begin{array}{c} 10-24\\ 3.30\\ 3.50\\ 3.70\\ 4.25\\ 5.75\\ 0.12\\ 1.75\\ 2.50\\ 2.60\\ 4.30\\ 3.50\\ 4.30\\ 4.35\\ 4.25\\ 4.30\\ 4.35\\ 4.25\\ 4.50\\ 4.60\\ 4.45\\ 4.90\\ 0.10\\ 0.90\\ 0.95\\ 1.75\\ 1.70\\ 1.85\\ 2.000\\ 1.80\\ 1.70\\ 2.900\\ 3.50\\ 3.50\\ 3.50\\ 3.90\\ 3.85\\ 4.10\\ 0.10\\ 0.10\\ \end{array}$</th> <th>DA15P Male 1.95 1.80 1.70 DA15P Female 2.80 2.60 2.40 DA15P Male 2.20 1.25 1.15 1.10 DA15P Male 2.20 2.10 1.05 1.17 DB25P Male 2.20 2.10 1.90 DB51212-1 1pc. Grey Hood 1.30 1.20 16 pin 0.17 ea. DB51226-1A 2pc. Grey Hood 1.35 1.25 1.15 16 pin 0.17 ea. DB51226-1A 2pc. Grey Hood 1.35 1.25 1.15 16 pin 0.17 ea. DB51226-1A 2pc. Grey Hood 1.35 1.25 1.55 16 pin 0.17 ea. DB50P Male 3.70 3.50 3.35 2.00 2.00 2080 PRIME DD50P Male 4.90 4.70 4.40 8.00 ea. 9.00</th>	Row Sp. 140 250 250 140 250 140 250 140 140 200 200 140 140 200 140 140 140 140 140 140 140 200 200 140 140 140 200 140 140 200 140 140 200 200 140 140 200 200 140 140 200 200 140 140 200 200 140 140 200 200 140 140 140 200 200 140 140 140 140 140 140 140 1	$\begin{array}{c} 1-4\\ \overline{3.75}\\ 3.95\\ 0.16\\ 2.10\\ 2.95\\ 3.00\\ 4.800\\ 4.800\\ 4.800\\ 4.900\\ 5.100\\ 4.950\\ 5.100\\ 4.950\\ 0.10\\ 1.35\\ 2.10\\ 2.240\\ 2.200\\ 2.400\\ 2.400\\ 3.500\\ 3.500\\ 3.500\\ 3.400\\ 4.35\\ 0.10\\ \end{array}$	$\begin{array}{c} 5-9\\ 3.50\\ 3.75\\ 4.50\\ 6.00\\ 0.14\\ 1.85\\ 2.75\\ 2.80\\ 4.60\\ 4.75\\ 4.85\\ 4.60\\ 4.75\\ 4.85\\ 4.60\\ 4.75\\ 4.85\\ 4.70\\ 0.10\\ 1.15\\ 1.90\\ 2.00\\ 2.00\\ 2.20\\ 2.20\\ 2.20\\ 3.30\\ 3.15\\ 4.12\\ 5.20\\ 0.10\\ \end{array}$	$\begin{array}{c} 10-24\\ 3.30\\ 3.50\\ 3.70\\ 4.25\\ 5.75\\ 0.12\\ 1.75\\ 2.50\\ 2.60\\ 4.30\\ 3.50\\ 4.30\\ 4.35\\ 4.25\\ 4.30\\ 4.35\\ 4.25\\ 4.50\\ 4.60\\ 4.45\\ 4.90\\ 0.10\\ 0.90\\ 0.95\\ 1.75\\ 1.70\\ 1.85\\ 2.000\\ 1.80\\ 1.70\\ 2.900\\ 3.50\\ 3.50\\ 3.50\\ 3.90\\ 3.85\\ 4.10\\ 0.10\\ 0.10\\ \end{array}$	DA15P Male 1.95 1.80 1.70 DA15P Female 2.80 2.60 2.40 DA15P Male 2.20 1.25 1.15 1.10 DA15P Male 2.20 2.10 1.05 1.17 DB25P Male 2.20 2.10 1.90 DB51212-1 1pc. Grey Hood 1.30 1.20 16 pin 0.17 ea. DB51226-1A 2pc. Grey Hood 1.35 1.25 1.15 16 pin 0.17 ea. DB51226-1A 2pc. Grey Hood 1.35 1.25 1.15 16 pin 0.17 ea. DB51226-1A 2pc. Grey Hood 1.35 1.25 1.55 16 pin 0.17 ea. DB50P Male 3.70 3.50 3.35 2.00 2.00 2080 PRIME DD50P Male 4.90 4.70 4.40 8.00 ea. 9.00

	vire	n San Sam		
PRECUT		WIRE WRAP TOOLS		
#30 WIRE KITS		HOBBY WIRE WRAP TOOL		
250 3 ¹ / ₂ " 100 5" 100 4" 100 6"	#2 \$19.95 250 2½" 250 5" 500 3" 100 5½" 500 3½" 250 6" 500 3½" 250 6" 500 4" 100 6½" 250 4½" 100 7"	BW 630 (Back Force) \$34.95 BT 30 Extra Bit 2.95 BT 2628 #26 Bit 7.95 Batteries & Charger 11.00		
#3 \$24.95	#4 \$44.95			
500 3" 500 5" 1 500 3½" 500 5½" 1 500 3½" 500 5½" 1 500 4" 500 6" 1	1000 3" 1000 5" 1000 3 ¹ / ₂ " 1000 5 ¹ / ₂ " BW 928 \$49.95* FREE \$			
Choose One Color or F Red, Blue, Green, Yellow,	White, Orange, Black.	Batteries & Charger 11.00		
100 pin Solder Tail \$3.95 \$35	end. Lengths are overall. by, Black, Orange, White. Add 25e/length for tubes. 1000 5.16/K 5.000 5.16/K 5.06/K 6.14/K 5.46/K 6.62/K 5.87/K 7.12/K 6.25/K 7.61/K 6.62/K 8.10/K 7.03/K 8.59/K 7.43/K 9.84/K 8.48/K 10.37/K 8.91/K 10.91/K 9.33/K 11.44/K 9.79/K 11.97/K 10.19/K 12.51/K 10.62/K 13.04/K 11.05/K 13.57/K 11.48/K 1.20/K 1.00/K	ELECTRICAL INDUSTRIAL WIRE WRAP TOOL EW 7D \$85.00* EW 7D \$85.00* EW 7D BF (Back Force) 92.90* #30 Bit & Sleeve 29.50 #26 Bit & Sleeve 29.50 'Industrial Tools do not include Bit & Sleeve 29.50 'Industrial Tools do not include Bit & Sleeve 29.50 'Industrial Tools do not include Bit & Sleeve 29.50 'Industrial Tools do not include Bit & Sleeve 29.50 'Industrial Tools do not include Bit & Sleeve 20.50 'Industrial Tools do not include Bit & Sleeve 20.50 'Industrial Tools do not include Bit & Sleeve 20.50 'Industrial Tools do not include Bit & Sleeve 20.50 'Industrial Tools do not include Bit & Sleeve 20.50 'Industrial Tools do not include Bit & Sleeve 20.50 'Industrial Tools do not include Bit & Sleeve 30.51 'Industrial Tools do not include Bit & Sleeve 30.51 'Industrial Tools do not include Bit & Sleeve 30.51 'Industrial Tools do not include Bit & Sleeve 30.51 'Industrial Tool 'Insertion To		
SOLDERLESS BREADBOARDS SK 10 \$16.50 2.2" x 6.5" FREE #22 Precut wire over 100 pieces MB10 \$18.95 SK10 mounted on board W74 Binding Posts & Rubber Feet	1-9 10 8 pin* .40 14 pin* 16 pin* 18 pin* .70 20 pin .90 22 pin* .95 24 pin .95 25 pin strip 1.25 28 pin 1.25 40 pin 1.65 Gold 3-Level Closed Entry Design	*End & Side Stackable Ckets Available LECTRONICS A 91016 (213) 357-5005 S Catalog available on request.		

WAMECO THE COMPLETE PC BOARD HOUSE **EVERYTHING FOR THE S-100 BUSS**

 Hex Displays, IMSAI Replaceable\$54.95 * FDC-1 FLOPPY DISC CONTROLLER BOARD Controls up to 8 Discs\$45.00 * MEM-1A 8K BYTE 2102 RAM Board\$31.95 * MEM-2 16K BYTE 2114 RAM Board\$31.95 * CPU-1 8080A CPU Board With Vector Interrupt\$31.95
Controls up to 8 Discs\$45.00 * MEM-1A 8K BYTE 2102 RAM Board\$31.95 * MEM-2 16K BYTE 2114 RAM Board\$31.95 * CPU-1 8080A CPU Board
* MEM-1A 8K BYTE 2102 RAM Board\$31.95 * MEM-2 16K BYTE 2114 RAM Board\$31.95 * CPU-1 8080A CPU Board
* MEM-2 16K BYTE 2114 RAM Board\$31.95 * CPU-1 8080A CPU Board
* CPU-1 8080A CPU Board
With Vector Interrupt\$31.95
* EPM-1 4K BYTE 1702A EPROM\$29.95

* EPM-2 16K or 32K BYTE EPROM 2708 or 2176 interchangeable	\$30.00
* QMB-9 9 SLOT MOTHER BOARD	
Terminated	.\$35.00
* QMB-12 12 SLOT MOTHER BOARD Terminated	.\$40.00
* RTC REALTIME CLOCK Programmable Interrupts	\$27.95

FUTURE PRODUCTS: 80 CHARACTER VIDEO BOARD. IO BOARD WITH CASSETTE INTERFACE.

DEALER INQUIRIES INVITED, UNIVERSITY DISCOUNTS AVAILABLE . AT YOUR LOCAL DEALER

WMC/inc. WAMECO INC. 111 GLENN WAY #8, BELMONT, CA 94002 (415) 592-6141



CALIFORNIA COMPUTER SYSTEMS

16K RAM BOARD. Fully buffered addressable in 4K blocks. IEEE standard for bank addressing 2114's PCBD \$26.95 Kii 450 NSEC \$259.95 PT-1 PROTO BOARD. Over 2,600 holes 4" regu-lators. All S-100 buss functions labeled, gold fingers. PCBD \$26 95 PCBD \$20.95 PT-2 PROTO BOARD. Similar to PT-1 except setup to handle solder tall sockets. PCBD \$26.95



FORMERLY CYBERCOM/SOLID STATE MUSIC. PB-1 2708 & 2716 Programming Board with provisions

 PB-1 2708 & 2716 Programming Board with provisions for 4K or 8K EPROM. No external supplies require textool sockets. Kit

 S124.95

 CB-1 8080 Processor Board. 2K of PROM 256 BYTE RAM power on/rest Vector Jump Parallel port with status Kit

 \$119.00
 PCBD

 \$30.95

 MB-6B Basic 8KX8 ram uses 2102 type rams, S-100 buss. Kit 450 NSEC

 \$139.95
 PCBD

 MB-7 16KX8, Static RAM uses µP410 Protection, fully buffered

 Kit
 \$299.95

 MB-8A 2708 EROM Board, S-100, 8K8X or 16KX8 kit without PROMS \$75.00

 MB-9 4KX8 BAM/PROM Board uses 21212 BAS or

 MB-9 4KX8 RAM/PROM Board uses 2112 RAMS or 82S129 PROM kit without RAMS or PROMS \$72.00 IO-2 S-100 8 bit parallel /IO port, 3/2 of boards is for kludging. Kit\$46.00 PCBD......\$26.95 VB-1B 64 x 16 video board, upper lower case Greek, composite and parallel video with software, \$-100. Klt......\$125.00 PCBD.....\$26.95 Altair Compatible Mother Board, 11 x 11½ x ½". Board only\$39.95. With 15 connectors.....\$94.95 Extended Board full size. Board only\$ 9.49 With connector SP-1 Synthesizer Board S-100 \$13.45 PCBQ...... \$42.95 KIT..... .\$135.95

WMC inc. WAMECO INC.
FDC-1 FLOPPY CONTROLLER BOARD will drive shugart, pertek, remic 5" & 8" drives up to 8 drives, on board PROM with power boot up, will operate with CPM (not included). PCBD \$\$42.95
FPB-1 Front Panel. IMSAI size, hex displays. Byte, or instruction single step.
PCBD \$47.50 MEM-1 8KX8 fully buffered, S-100, uses 2102 type rams. PCBD \$25.95
QM-12 MOTHER BOARD, 13 slot, terminated, S-100 board only \$34.95
CPU-1 8080A Processor board S-100 with 8 level vector interrupt PCBD \$26.95 RTC-1 Realtime clock board. Two independent in-
terrupts. Software programmable. PCBD
EPROM CARD PCBD \$25.95
QM-9 MOTHER BOARD, Short Version of QM-12. 9 Slots PCBD \$30.95 MEM-2 16K × 8 Fully Buffered
2114 Board PCBD \$26.95
8080A \$9.95 5101-8P \$8.40 8212 2.49 2114 (450 NS) low pwr. 7.25 8214 4.49 2114 (250 NS) low pwr. 7.99 8224 3.49 2102A-2L 1.50 2708 9.49 2102A-4L 1.20 5101-1P .6.90 4116 .8/89.95
MIKOS

(415) 592-1800 P. O. Box 424 . San Carlos, California 94070 Please send for IC, Xistor and Computer parts list


ON PREPAID ORDERS (charge cards not included on this offer)	
VB-1B WITH MIKOS #6 KIT\$8	4.95
8KX8 RAM Fully buffered 450 NS	
2.5 amp typical assembled parts	
be unmarked or house numbered	
\$9	9.99
MIKOS PARTS ASSORTMENT	
WITH WAMECO AND CYBERCOM PC	BDS
MEM-2 with MIKOS #7 16K ram with L2114 450 NSEC	140.05
MEM-2 with MIKOS #13 16K ram	
with L2114 250 NSEC \$2	279.95
MEM-1 with MIKOS #1 450 NSEC 8K	19 95
CPU-1 with MIKOS #2 8080A CPU	
MEM-1 with MIKOS #3 250 NSEC 8K	
RAM \$1 QM-12 with MIKOS #4 13 slot mother	144.95
	\$89.95
RTC-1 with MIKOS #5 real time clock	\$54.95
VB-1B with MIKOS #6 video board less	\$99.95
molex connectors	\$99.95
EPROMS	\$49.95
EPM-2 with MIKOS #11 16-32K EPROMS less EPROMS	\$59.95
QM-9 with MIKOS #12 9 slot mother	139.93
	\$79.95

AUG SPECIAL SALE

FPB-1 with MIKOS = 14 all parts for front panel \$134.95 MIKOS PARTS ASSORTMENTS ARE ALL FACTORY PRIME PARTS, KITS INCLUDE ALL PARTS LISTED AS REQUIRED FOR THE COMPLETE KIT LESS PARTS LISTED. ALL SOCKETS INCLUDED.

VISA or MASTERCHARGE. Send account number. Interbank number, expiration data and sign your order. Approx. postage will be added. Check or money order will be sent post paid in U.S. If you are not a regular customer, please use charge, cashier's check or postal money order. Otherwise there will be a two-week delay lor checks to clear. Calif. residents add 6% tax. Money back 30 day guarantee. We cannot accept re-turned IC's that have been soldered to. Prices subject to change without notice. \$10 minimum order. \$1.50 service charge on orders less than \$10.00.





"I want to do a summer sale ad". But, we replied, the ad deadline is tomorrow and we don't have time for typesetting or photos or anything... so he says, "look, with these prices they won't mind. Just freehand it or something". OK, Bill, here it 15...

TERMS OF SALE: Both items While-they last. For VISA® or Masterchame® orders call our 24 hr. order desk at (415) 562-0636. California residents add sales tax. Add 5% for shipping; excess refunded. COD OK with street address for UPS delivery. For more info, see our fullpage, somewhat more formal ad elsewhere in this magazine.



Bill Godbout Electronics, Building 725, Oakland Airport, CA 94614



That's a lot of memory expansion for \$87.20! Our set includes 250 ns low power Chips, dip shunts, and full documentation that makes conversion and memory expansion a snap. At this price, there is no fancy packaging; but we've got real products, at real prices, with all the performance you or your computer will ever need.



No Kidding - \$129! Our brand -new Econoram IIA is out, but we still have some Econoram II unkits around and want to clear them out. Even by today's standards, the old Econoram II is an excellent memory. It offers full 2 MHz operation, low power consumption, high quality electronic + mechanica components, configuration as 2 inde pendent 4K blocks, and one of the

best track records in the industry for reliable and cost-effective. operation. Our unkit has all sockets and bypess caps presoldered in place for easy, oneevening assembly. 1 year limited warranty on all components. Better send in soon if you're interested -- this is a limited offy. item! **P.S. ASSM. \$155**

FREEL UP TO \$170 IN WITH THE PURCHASE OF ONE OF THE FOLLOWING PET-CBM PET 16N 16K fu PET 16B 16K fu PET 32N 32K fu PET 32B 32K fu PET 16S 16K fu	III size graphics keyboard \$1 III size business keyboard \$1 III size graphics keyboard \$1		
ASK ABDUT EDUCATIONAL DISCDUNTS DN PET PET 2040 Dual PET 2040A Sing PET 2022 Tractu PET 2023 Press PET C2N Extern	all keyboard, integral cassette Disk Drive — 343,000 bytes Ie Disk Drive — 171,000 bytes or Feed Printer ure Feed Printer al Cassette Deck	795 \$100 Video Interface with Graphics 295 \$170 Capability Capability 895 \$115 RAM 16 4MHz 16K Static S-100 995 \$130 RAM 849 \$110 2114 L 450 ns 4K Static RAM 95 \$12 2716 EPROM (5 Volt)	\$290 \$309 \$6.95 \$38
BETSI PET to S-100 Interface & Motherboard PET Connectors- Parallel or IEEE - Cassette Port	\$ 79.50 \$119.00 \$ 2.25 \$ 1.60 WRITE FOR 6502 A S-100 PRODUCT LI	ND 6502 Microprocessor Chip 6522 VIA	\$16.20 \$ 9.95 \$9.75 \$10.50
Personal Information Management System— Add S3 for PET program cassette Protect-A-Pet dust cover EXS 100 Floppy Disk Controller For PET MICROCHESS for PET (Peter Jennings) PET 4 Voice Music Board (MTUK-1002-2) Music Software (K-1002-3C) for PET	\$ 8.90 \$ 9.50 \$ 299.00 \$ 17.90 \$ 49.00 \$ 19.00 FREE! UP TO \$170 IN MERCHANDISE	6502 Applications Book <i>(Zaks)</i> 6500 Programming Manual <i>(MOS)</i> Programming a Microcomputer:6502	\$ 9.90 \$11.90 \$ 6.50 \$ 8.90 \$ 5.90
CmC Word Processor program for PET Bridge Challenger program for PET Play and reply bridge hands against the PET Graphics, Utility Package for PET	\$ 25.00 \$ 13.50 \$ 13.50	3M "Scotch" 5" diskettes SALE 1	0/\$31 0/\$35 0/\$28
Stimulating Simulations-Book & PET tape Kite Flight - 2 player action game Write for PET Software List Auto-Repeat Hardware for PET	\$ 13.50 \$ 7.95 \$ 24.50 Minimum Order \$10.00	Cassettes (all tapes guaranteed) Premium quality, high output lownois screw housing with labels: C-10 10/5.95 50/25.00 100/48. C-30 10/7.00 50/30.00 100/57.	00
Word Processor for PET — Machine Langliage version. Auto scroll, insert, delete, form letter append, e 8K Version \$ 24.00 16K or 32K with disk Amount of Free Merchandise with Purchase of PE	^{кс.} \$ 95.00 АВСо п	nputers (215) 699-8386	

246 BYTE August 1979

Circle 1 on inquiry card.

COMPUTER TERMINAL BREAKTHROUGH \$795 BUY A PET[®] AND GET A TERMINAL FREE C commodore

This is not the first terminal built around a microprocessor, but there has never been a terminal at this price, which could also be used as a complete computer system. Now the same unit you use for talking to a large time-sharing system can also be used for many other tasks without requiring outside computer support. With the proper software you can handle small jobs such as complex calculations and animated graphics.

COMPUMART

States and States

Economy through mass production

If an entirely new product was designed specifically to do all the things you can do with the T/C 2001, it would have to cost thousands of dollars. NCE/CompuMart has bypassed a lot of expensive design work by employing a massproduced computer as the heart of the T/C 2001. The Commodore PET has now been in production for nearly two years and more than 50,000 units have been sold worldwide. There is no other computer at this price which has all these built-in features: 9" TV monitor, 73-key keyboard (larger sizes available), cassette tape drive for loading programs and data, high-level BASIC language, four interfaces and a 24-hour clock. And it's expandable! If you find that you need faster data storage, you can plug in a floppy disk. If you want to be able to print forms or listings, you can attach a printer.

Free tape drive

The 8K PET which costs \$795 comes with a built-in tape drive but its keyboard is smaller than the standard typewriter you may be used to. The \$995 16K PET and the \$1295 32K PET have a standard-sized keyboard but they require an external cassette tape drive for operation. Normally \$95, we include it free with each 16K or 32K PET. The T/C 2001 package, worth \$69 if purchased separately, is free with any PET ordered from this ad.



Novation's new 300 baud acoustic modem, the CAT sets a new price standard for units with originate and answer capabilities. It's the perfect T/C 2001 companion, making the final link with your timesharing service. It's RS-232 with full or half duplex using any Bell 103 compatible modem. This amazingly compact unit comes with acoustic self-test, too.

FREE 10 DAY TRIAL

NCE/CompuMart has been selling computers by mail since 1971 and we know our business. We know that you need to have complete confidence in the product and the company behind it so we offer you this unconditional guarantee: Try it for 10 days and if it does not meet all of your expectations, return it for a full refund of your purchase price. In addition, since the PET is one of the most reliable systems we've ever sold, we're doubling the manufacturer's warranty on machines ordered from this ad to protect you for a full 6 months against defects in parts or workmanship. You can't lose; it's our way of assuring satisfaction to those who aren't able to visit our showroom at the NCE/CompuMart store and warehouse in Ann Arbor.

Accessories



Cassette Tape Drive – A second cassette tape drive is required whenever you.need to update long files or perform backup copy operations. It plugs directly into the PET and is accessed through the BASIC language. Note: All PETs ordered through this ad include the first tape drive.


Dual Floppy Disk Drive – Programs which take 3 minutes to load from a tape require only seconds to load from a disk. The PET 2040 Dual Floppy Disk Drive requires no extra memory or expansion box, it plugs right in for fast, reliable program and data storage up to 36K. The 2040 is compatible only with the 16K and 32K PETs.

T/C 2001 Terminal Package – If you already own a PET, you can add this valuable option by simply plugging in our special adapter and loading a program from the included tape. Please specify which model PET you have. The output is TTL in the standard serial format, input is RS-232.

How to order – Simply fill out the order blank below or call (313) 994-3200 to place charge card orders. If you don't already have our all-new 48-page NCE Mini-Micro Computer Catalog, check the box and we'll send you one right away.

NCE/COMPUMART • P.O. Box 8610 • 1250 N. Main St. • Ann Arbor, MI 48107

	PHONE ORDERS /	• • • • •	B) 994-3200 🎬
	plus \$10.07 shipping and handling	PAYMENT	
1	16K T/C 2001 \$995.00 plus \$10.07 shipping and handling	 check # money order charge 	Member: Computer Dealers Association
	32K T/C 2001 \$1,295.00 plus \$10.07 shipping and handling		
1	Dual Floppy Disk Drive \$1,295.00 plus \$7.16 shipping and handling	D MASTERCHARGE Acct. #	
0	plus \$3.99 shipping and handling CAT ACOUSTIC COUPLER \$189.00 plus \$3.35 shipping and handling	Address	
	Send me my FREE catalog	State	Zip





	SOLID STATE	VITCH. S		04 2.76 4.32	1.80 3.60
"diameter 4V at 1 AMP	LATORS 340K - 12, 15 or 24 V S 1.50 340T - 5, 6, 8, 12 15, 18 or 24 V STRAND MTA 106 MTA 106 MTA 206 MTA 206 MTA 206 MTA 206 MTA 206 MTA 206 MTA 206 MTA 206 MTA 206	OPDT S OPDT CENTER OFF S OPDT CENTER OFF	.95 1.70 1.85 400 1	A 10A 25A 1.1 48 .84 1.56 .4 84 1.32 2.10 .2 32 1.92 3.12 1.2	CR'S 5A 6A 35A 88 60 1,44 72 84 1.92 20 1,44 2.64
IGHT ACTIVATED SCR's to 18. 200,V 1A \$.70 CONNECTORS OB 2	16/\$1.00, \$5.00/100 MM5387AA 25P male \$2.95 M7001 25S female \$3.50 MM5369 ODDS \$1.50 No.2000		55.95 NuL5114 7.50 NuL5125 53.75 Aut526 74L5126 74L5126	24LS368 74LS368 74LS385 74LS385 24LS385 24LS390	1456 - 95 1458 - 50 3900 - 40 8038CC - 390 791 - 1.95
-CRVSTALS 53.46 vs. RIBBON CABLE 400 09 25 65 600 HHz 50 600 HJZ -000 MHZ -11 100 COS COS DD 400 WIRE 600 11 30 80 800 HZ 800 15 35 1.00 1000 20 45 1.25 50 cond50/per foot 50 cond50/per foot 50 cond50/per foot 1000 20 45 1.25 -000 MHz -00/per foot 50 cond50/per foot 1000 20 45 1.25 1000 20 45 1.25 100 102 45 1.25	1.50 6.50 9.50 7441 - 10 2.00 8.50 12.50 1447 1 2.50 10.50 16.50 1447 1 3.00 12.50 20.00 1447 1 3.1024 314.05 14.05 1447 1 1024 314.05 14.05 14.05 14.05 16/61.00 14.05 14.05 14.05 14.05	74148 1 55 74279 74150 1 50 74393 74161 91 74365 74153 81 74393 74153 225 74393 76312 225 74325 A CASSETTES 1/2 HR \$. .	87 Hals 72 1.35 Fals 78 93 Hals 78 187 Fals 78 187 Fals 78 7415 78 74	X415107 X415107 X415250 X415250 X415250 X415250 X415250 X415250 X415250 X415270 X415270 Y415270 Y415270 Y415270 Y415300 Y415300	566 -1.10 567 -1.10 701 -'90 J33H 75 709 - 25 711CH - 40 747 - ,30 747 - ,50 LM 1310 - 2,50
11/14.6.17.17.800 12/06	4 of 64 pages, standard 1420 - 3 d with F-8 & KIM 7425 - 4 7426 - 3	7495 - 397 74181 - 74191 - 74191 - 74195 - 774191 - 74195 - 74195 - 74195 - 74192 - 74192 - 74192 - 74192 - 74192 - 60 74193 - 74192 - 74192 - 60 74193 - 74195 - 7419	B? 14L526 2.95 74L527 1.60 24L528 1.21 74L528 1.21 74L537 1.18 74L537 7.10 74L537 7.20 74L539 75 74L540 729 74L542 7.29 74L542 7.29 74L551	ALS172 NLS172 NLS175 NLS175 NLS175 NLS175 NLS175 NLS165 NLS165 NLS165 NLS165 NLS165 NLS165	LM 386 - 80 LM 387 1 25 LM 1800 1.85 CA 3080 .95 LM 553 - 250 LM 555 - 49 LM 556 - 85 560 - 200 565 - 95
1071 II 50 min 09 PROC TELEPVIE BIT AD 1 WATT ZENERS: 1037 II 60 min 105 00 VeVRIT 95 100, 12, 15, 18, or 1037 M 64 min 155 00 VeVRIT 95 100, 12, 15, 18, or 1037 M 64 min 155 00 month 100, 12, 15, 18, or 100, 12, 15, 18, or 101 72, 44 5 min 155 00 month 155 00 month 100, 12, 15, 18, or 101 72, 44 5 min 155 00 month 175 UNIVERSAL 4 X8 M 65 100, 12, 15, 18, or 101 72, 44 5 min 256 110 74, 45 min 255 UNIVERSAL 4 X8 M 65 101 72, 44 5 min 256 127 29 100 12, 12, 12, 12, 12	3.3, 4.7, 5.1, 5.6, 9.1, Ho 2 or 22V	7485 - 1.30 74164 - 7480 - 4.2 74195 - 7480 - 187 74173 - 7480 - 487 74174 - 7491 - 487 74174 - 7491 - 487 74174 - 7491 - 64 74175 - 7492 - 154 74176 - 7493 - 64 74176 - 7493 - 64 74176 -	1.29 MLS10 1.42 MLS11 1.42 74LS13 1.80 24LS14 1.42 24LS15 1.29 74LS20 7.12 74LS21 1.12 74LS22	U ALS160 V ALS161 V ALS161 V ALS162 V ALS163 V ALS164 A ALS164 A ALS164 A ALS164 A ALS164	LM 339 - 1 10 LM 358 - 70 LM 370 - 1 15 LM 377 - 1 60 LM 380 - 95 LM 367 - 1 25 LM 366 - 80
Newsex32 writer Act - 1.35 016 - 855 There is a plad for a TO-3 Syntem TATE facts has - 1.35 8007000 K to DVK AuA 346 22 Plin edge connector with PF 100 PH OTO TRA Syntem Syntem Tate facts - 1.35 8007000 K to DVK AuA 346 22 Plin edge connector with PF 100 PH OTO TRA Syntem Syntem Tate facts - 1.35 8008 K K mou - 895 RED, YELLOW, GRE LED'S, I Syntem Syntem Tate facts - 1.35 8008 K K mou - 895 LARGE LED'S, I Syntem Sy	-220 regulator, There is a 7400 - 71 th 156" spacing. 7401 - 31 ANS	7476 - 40 74161 m 7480 - 45 74182 -	106 74LS S1 105 74LS0 141, 74LS0 87 74	741.5138 741.5139 741.5167 741.5167 741.5165 741.5156 741.5156 741.5157	LINEAA CIRCUI LM 20175 LM 301/748 25 LM 30730 LM 30875 LM 318 - 1.70 LM 318 - 1.70 LM 32495
25 wait Infra Red Pulse Loser Diode (Spec sheet 1 VERIPAX PC BOARD. Our new Prototyping is a single sided 1/15" epoxy 24, 16 (34 units), 14 - 95 three Duisse, 15%, groun	included) \$24,95 \$12,95 a hi density 4%" x 5%" y board. It will hold 40, * 8 pin 10°s. There are	IPN Si TO:220 S NP Si TO:220. S NP Si TO:220. S NP Si TO:5 5'S NPN Si. 4/S ERIES 5'S	.50 .68UF .55 1UF 3 1.00 2.2UF 1.00 3.3UF 4.7UF	35V 5/\$1.00 22UF 5V 5/\$1.00 15UF 20V 5/\$1.00 30UF 20V 4/\$1.00 15UU 15V 5/\$1.00 47UF 68UF	25V \$.40 35V 3/\$1.00 6V 5/\$1.00 F 15V \$.95 20V \$.35 15V \$.50
117 -1.05 1.048 - 1.85 1.242.2 50 VERS02 50 EH SUDO THILGREN UIT 118 - 0.405 - 1.30 1.405 - 1.80 119 - .45 .4051 - 1.80 MINIATURE MULTI- 119 - .45 .4051 - 1.60 1.00 K1, S1, S1, S1, S1, S1, S1, S1, S1, S1, S	\$ 65 2N3767 /r TURN TRIM POTS 2N2227 /r X, 20K, 50K, 2N3055 /r 75 each 3/\$2.00 2N3966 /r	IPN Si TO 66 .S IPN Si TO 18 .5'S IPN Si TO 3 .S IPN Si TO 92 .6/S NP Si TO 92 .6/S	.70 Si 1050 1.00 T .60 T 1.00 .22UF 1.00 .47UF	G 50 WATTS- ANTULUM CAPA 35V 5/\$1.00 6.8U	\$28.50
118 - 45 4078 - 80 4570 - 100 17c155 - 125 117 - 27 4030 - 35 74c072 - 37 74c173 - 130 117 - 27 4030 - 35 74c072 - 37 74c174 - 130 118 - 130 4042 - 85 74c072 - 37 74c174 - 130 118 - 130 4042 - 85 74c72 - 27 74c174 - 130 118 - 45 4042 - 85 74c72 - 27 74c174 - 140 2N 5457 N FFT 2N 545	\$ 45 2N5086 P \$ 45 2N3137 r \$ 45 2N3919 r	NP Si 10 92	1.00 600 1.32 .56 SAN 1.50 Si 1010	1.65 3.30 18 PH 1.92 4.40 KEN AUDIO POV G 10 WATTS. G 20 WATTS.	N .25 VER AMPS \$ 7.80 \$15.70
C/MOS IDIODE CLAMPED) PRINTED CIR 01 - 22 4023 - 22 4059 - 45 34009 - 35 07 - 22 4024 - 75 4071 - 20 340151 - 115 07 - 27 4025 - 22 4072 - 35 340196 - 115 07 - 27 4025 - 22 4072 - 35 340196 - 115 07 - 97 4025 - 22 4072 - 35 340196 - 115 07 - 97 4025 - 22 4072 - 100 340180 - 120 07 - 45 4918 - 100 74108 - 120 74018 - 120	IDED EPOXY 2N6233-N MRF-800 5/\$2.60 2N3772 N 2N3772 N 2N1546 P	PN Si TO 3 S NP GE TO-3 S	1.95 PRV 2A .75 100 .75 200 .82	6A 25A 8 PI 1.43 14 PI 1.37 2.20 16 PI	SOCKETS N .17' 24 PiN .3 N .20 28 PiN .4 N .22 40 PiN .6



m DISK DRIVES NOW IN STOCKI Com

JUINS-80 Complete System	DISK DRIVES NO	DW IN S	тоск!	Comprehensive circuit analysis for your system
Includes: CPU/Keyboard, Power Supply Video Monitor, Cassette Recorder, Manual	ITEM	REG. PRICE	OUR	RAM—tests for Random Access Memory errors
and Game Cassette.	1 no-ou Complete System			ROM—tests for Read Only Memory errors
	Level II - 4K RAM	\$ 698.00	\$ 628.20	CPU-tests for errors in Processor func-
QLine Printer	TRS-80 Complete System			tions
Mini Disk System	Level II 16 K RAM	\$ 988.00	\$ 889.20	• I/O-tests for Input/Output errors in peri-
	Expansion Interface	\$ 299.00	\$ 269.10	pheral equipment
C-10 Cassettes	Pertec FD200 Mini Disk Drive	\$ 495.00	\$ 385.00	The one "necessity" for any
G Verbatim Diskettes	Centronics 779 Printer	\$1599.00	\$1175.00	TRS-80 system—use as pre-
o verbaum Diskettes	Centronics 101 Printer Anadex DP-8000 Printer	\$1595.00	\$1400.00	ventive maintenance for de-
A STREET MARKED	Centronics P1 Printer	\$1295.00	\$ 995.00	tecting circuit malfunctions
	Trendata 1000	\$ 534.00 \$1495.00	\$ 445.00	
	Memory Kit-(16K)	\$ 199.00	\$1295.00 \$ 98.00	and as a diagnostic tool for
	*FREE INSTALLATION	\$ 199.00	\$ 98.00	pinpointing hardware problems. \$34.95
	Verbatim Diskettes ea.	\$ 5.95	\$ 4.95	
	3	\$ 17.89	\$ 12.00	There are new developments every day-
	10	\$ 59.00	\$ 37.00	write or call for the latest information.
E E	Maxell Disketteş ea.	\$ 10.00	\$ 7.50	
	3	\$ 30.00	\$ 21.00	Outlet Hours: MonFri.; 9 am7 pm.
	10	\$ 100.00	\$ 60.00	Sat. 12—5 pm.
	C-10 Cassettes 5 25	\$ 4.95	\$ 4.50	
		\$ 24.75	\$ 18.75	
	C-30 Cassettes 12 Paper (91/2" x 11" fanfold.	\$ 29.95	\$ 23.95	VT. 27DIATA
	3500 sheets)	\$ 35.00	\$ 29.95	CLA Corp.
			ur Price	777 Henderson Boulevard N-6
				Folcroft Industrial Park
B B			\$628.20	Folcroft PA 19032
			\$889.20	(215) 461-5300
5 State	Expansion Interface \$	299.00	\$269.10	VISA
IR AND DESIGNATION		1 - C - C	20140	
Classroor	n Instruction offered in	Level II I	Basic—\$	49.95; and DOS/Disk Basic—\$69.95

250 BYTE August 1979


ATDS ON C

.....

4K - Key 8K - Key 16K - Key 16K - Key 32K - Key 32K - Key 32K - Key 32K - C – calcu	board C board C board C board C board C board N board N board N board N board N business	ET	version with	\$100 I WITH REE T/C SAVE \$69 \$95 \$95 \$1195 \$1195 \$1195 \$1195 \$1195 \$1195	FREE 16K 2001 PET 2001 PET P Commodore I Newl PET Ter Second Casse Commodore I Petunia - Piay Video Buffer Combo - Petu New Serial Pr Integral Data PET - Compai PET - Compai PET - Compai Driginate/Ans Bi-direct/onal	ACCESS or 32k TERMINAL ET ACCES Dual Floppy Disk minal Package Et Service Kit. when tape Is loa r music from PET - Attach another mina and Video B rinter Interace for Printer winew initible Selectric In Screen Printer for werback Modem RS-232 Interace	OPTION	Buy a access for \$15 enjoy 0 1295.00 16K Ap 595.00 324.95 529.95 549.95 549.95 549.95 549.95 549.95 549.95 549.95 549.95 549.95 549.95 549.95 549.95 549.95 549.00 549.00 549.00 549.05	S2000 F S2000 F 48K Apple II, me 0 on 32K and \$100 more of the best f 1906 II — \$1195 (tr 1006 II — \$1195 (tr 11 Accessories nics Printer Intern d Controller d Disk Drive II Printer Card unications Card ed Serial Card are Card Proto Card erter RF Mod.	Send for our FREE Catalog Control of the second sec
779 780 781 All	We had when t to ceili and pr low pri models SPEED (1pm) 70-175 60-150 120 55-145 155-145 165 165 165 165 165 165 13-90 25-120 70-370 60 21-90 43-120 machines	d purchass he semi an ng and fro inters fast ces. Howe s are alrea wiDTH (col's) 80 80-132 80-132 80-132 80-132 132-132 132 132 132 132 132 132 132 132 132	ed an entrived we to mend to . So we'r aver, som dy gone! PRINT MATRIX 5×7 $5 \times$	Character Elo Character Elo Teleprinter 96 Character Elo Character Elo Teleprinter 96 Character Elo Character Elo	D 76 of Centronil Used Centronil Used Centronil ilized that we see reconditi en limited q o get in on t ongation migation S Char. ongation Bidirectional Bidir	59%6 Cos printers and nave to move oned Centroni uantities and this have to move oned Centroni uantities and this great oppo CENTRONICS LIST S2.275 2.055 2.055 2.055 2.360 3.950 3.100 2.700 2.995 3.315 4.110 2.950 1.520 1.520 1.650 1.905 1.980 61 models which nless otherwise I	WORKING' PRICE \$595 695 695 695 750 750 750 750 750 750 750 750 750 75	90-DAY ² WARRANTY PRICE \$695 695 695 795 795 815 650 850 850 850 850 850 850 850 850 850 8	INTERFA	CES AVAILABLE FOR RONICS PRINTERS Serial versions can use the GPA TRS-80 interface (\$69,95 from NCE) or the Radio Shack Expansion unit. Parallel versions use the Radio Shack Expansion unit. Parallel versions use the Radio Shack Expan- sion unit. Serial Versions can use the APA PET interface (\$79,95 from NCE). Serial versions can use the APA PET interface (\$79,95 from NCE). Serial versions can use the Apple Serial Card (\$195,00 from NCE). Paral- lel versions can use the Apple Centronics Card (\$225,00 from NCE). Paral- lel versions a cable (\$24,95 from NCE) is re- quired for parallel ver- sions. Comemco and others make interfaces for both paraltel and serial ver- sions. Comerco and others make interfaces for both paraltel and serial ver- sions of the Centronics Printers. Our Centronics Printers can be connected to a Hazeltine 4510 or 1520 with a cable (\$50 from NCE). Contact us for use
2. Comes NC	Worth Million Bolt	SELI BY N ain Stree	LING C MAIL S t, Depa	90-day Ilmited	warranty. , Inc. RS 71 39 07 Ph 50 me shi sui 11:	All orders must also a need an ad your order 1331 ones open fro op.m. Satur- ited — call f ipment — call opject to chan 00 a.m. to 7	add 4% for sta dditional 10% without these 3) om 9:00 a.m. days • P.O.'s a t upon recell for credit app fill for deliver ige without no	4% shipping te sales tax. for shipping 9994 to 7:00 p.m. ccepted fro lication • My y quotation tice • In the day-Friday,	and handling All foreign ord and handling.	with other terminals.

Cire

INTEGRATED CIRCUITS MICROPROCESSOR LED'S SOCKETS CAPACITORS DIODES TRANSISTORS RESISTORS POTENTIOMETERS



SINKS

HEAT

SWITCHES CRYSTALS CONNECTORS

CABLE ASSEMBLIES

DIP JUMPERS

KITS

BOOKS

CLIPS

FUSEHOLDERS TEST

HEAT SINKS

CONNECTORS


CRYSTALS

SWITCHES

JE600 Hexadecimal Encoder Kit

FULL 8 BIT LATCHED OUTPUT - 19 KEY BOARD

The JE600 Encoder Keyboard provides two separate hexadecimal digits produced from sequential key entries to allow direct programming for 8 bit microprocessor or 8 bit memory circuits. Three (3) additional keys are provided for user operations with one having a bistable output available. The outputs are latched and monitored with 9 LED readouts. Also, included is a key entry strobe.



FEATURES:

One-Stop Component

and Kit Center

- Full 8 bit latched output for microprocessor use
- 3 User Define keys with one being bistable operation

CONNECTORS HEAT SI

CRYSTALS

SWITCHES

ASSEMBLIES

ш

CABL

JUMPERS

DIP

KITS

BOOKS

CLIPS

TEST

FUSEHOLDERS

SINKS

HEAT

CONNECTORS

CRYSTALS

SWITCHES

- Debounce circuit provided for all 19 keys
- 9 LED readouts to verify entries
- Easy interfacing with standard 16 pin IC connector
- Only +5VDC required for operations

NOW!!! OVER 300 AUTHORIZED DISTRIBUTORS ... HERE'S JUST A SAMPLING:

ALABAMA Lefayette Radio Electronic: ALASKA TV Mart ARIZONA Yuma Electronics CALIFORNIA Heathkit Electronic Center Anaheim Antioch Bellflower Berkeley Fullerton Mission Viejo Monterey Reference Canter Radio Mart Earl's Hobby Shop Al Lasher Electronics Orvac Electronics Inc. wer Electronics Corp. ã Tower Electronics Corp. Zeckit Electronic Center Zack Electronic Dow Radio Inc. Heathkit Electronic Center Zackit Monitory Octaonitory Patadema Sacramento San Carlos San Carlos San Cernando San Francisco San Francisco San Jose Santa Ana Santa Mania Santa Maria Cue Cue Carlo Carlo Suisun City Sunnyvale Vallejo CoLORADO J& H Outlet Sore o Shack A.S.C.-Mirs Meas San Ferlando Electronics Zack Electronics Zenith Distributing Corp. Jonted Radio & TV Supply Idid State Electronics Sante Cruz Electronics Sante Cruz Electronics Mission Control Reve Shon enssion Control Byte Shop Sunnyvåle Electronics Zackit MicroSun Computer Center Com Co Electronics The Computer Shop Aurora Durango CONNECTICUT Heathkit Electronic Center Bridgeport Computer Avon Bridgeport DELAWARE New Castle FLORIDA Ft. Lauderd Hisicah Delaware Amsteur Supply Computers For You Heathkit Electronic Center GEORGIA Atlanta Computer Mart Radio Wholesale Coleman's Electronics Atlanta Columbus Stone Mountain HAWAII Integrated Circuit Supply Honolulu IDAHO Idaho Falls Audiotronics ILLINOIS Tri-State Electronic Corp. Moyer Electronics Tri-State Electronic Corp. Evanston Groveland Mount Pro

ILLINOIS (Contin Oak Park Rockford Schaumburg INDIANA East Chicago Evensville Indianola KANSAS Salina Wichita Wichita Amateur Radio Equip KENTUCKY Matarie Annapolis Baltimore Churchville Demascus Le Vale Rockville Rockville Towson Towson Towson Towson MASSACHUSETTS Peabody Pittsfield Waltham Weilesley Worcester Ann Arbor Ann Arbor Centon Canton Clawson Detroit East Detroit East Lansing Flint Ganden City Grand Rapids Lansing Lansing Livonia Livonia Midland Miles Niles Oak Park Sterling Heigh MINNESOTA Duluth Hopkins St, Paul

Computer Store e of Rockford Date Domain Acro Electronics Corp Hutch & Son Inc Electronia Limited Electronics, Inc. Lexington Redio-Electronic Equipment Company Louisvillen Redio-Electronic Equipment Co. Louisvillen A Bucon Rouge Peti-Pelican Electronics Pelican Electronics Pelican Electronics J & M Electronics Harco of Baltimore Churchville Electronics Damascus CB J & M Electronics Computer Workshop Heathkit Electronic Center Baynesville Electronics Inc. Heathkit Electronic Contes Heathkit Electronic Center Pitsfield Radio Co. Inc. Computer Mart Inc. Heathkit Electronic Center RM Electronics Inc. Eric Electronics Wedemeyer Electronic Supply Electronic Cannection Radio Supply & Engineering Hesthkit Electronic Center Hesthkit Electronic Center Heathilt Electronic Center Eric Electronics Hobby Electronics Radio Perts Inc. Futton Redio Supply Co. Vedemoyer Electronic Supply Eric Electronics Radio Supply & Engineering Computania Corp. Nites Radio Supply Eric Electronics Eric Electronics Eric Electronics Northwest Radio of Duluth Heathkit Electronic Supply Heathkit Electronic Supply

MISSOURI El Dorado Sp MONTANA Billings Beckman Electronics Conley Radio Supply Electronic Service & Dist. VEBRASKA Altair Computer Center Scott Electronic Supply Inc. Heathkit Electronic Center Omena Computer Store Lincoin Omaha Omaha NEVADA Las Vegas NEW JERSEY Century 23 Las Vegas NEW JERSEY Bricktown Cherry Hill Ocean Pennsuken Pennsuken Pennsuken Pennsuken Pennsuken Des Cruccs Las Cruccs NEW YORK Endwell Jericho Kingston New York Noch White Plains Rochester Troy Radio Shack Associate Store The Computer Emporium Heathkit Electronic Center Heathkit Electronic Center Lafayette Rad Computer Center of N.J. Typetronic Computer Store NORTH CAROLINA Raleigh NORTH DAKOTA Fargo OHIO Bucyrus Cincinnati Columbus Raynoldsb Youngstown OKLAHOMA Oklahoma Ci Bits, Bytes & Micros Heathkit Electronic Center Oklahoma City OREGON Albany Coos Bay Portland Po Salem PENNSYLVANIA Mr. D's Digital Electronica Gerocomputer Systems Inc. Prins Hershov Philadelphia Pittsburgh York

Mannie's Electronic Supply Computer Tree Inc. Heethkit Electronic Center Greylock Electronics Computer Mart al New York s Heathkit Electronic Center Trajen Electronics Am-Com Electronics Alpha Digital Systems Futureworld Byte Shop Byte Shop of Raleigh The Computer Company

Mead Electronics Heathkit Electronic Center Heathkit Electronic Center Universal Amateur Radio Ross Radio Company

Oregon Ham Sales Hetrick Electronics ortland Radio Supply Computer Pathways

Heathkit Electronic Cente Heathkit Electronic Cente G.Y.C. Company

RHODE ISLAND Jabbour Electronics City Jabbour Electronics City Heathkit Electronic Center wtucket TENNESSEE Witham's Data Comp Div. Masstronics Wagnon's Stereo Center Eastern Micro Electra Distributing Co. Chattenoo Clarksville Cookeville Know TEXAS Computer Encounters Inc. CompuShop Heathkit Electronic Center CompuShop Interactive Computers Appliance & Equipment Co. Irman Electronics Supply Inc. Amarillo Dallas Dallas Houston Houston San Antonio San Antonio UTAH Midvale Provo VIRGINIA Heathkit Electronic Center Alpine Electronic Supply Co. Computer Nardware Store Heathkil Electronic Conter Scotty? Radio & 7V Inc. Graves Electronics Costroad Electronics Lafayrete Radio Avec Electronics Comp. The Computer Place Heathkit Electronic Center Alexandria Alexandria Blacksburg Charlottesvil Falls Church Hampton Norfolk Richmond Roanoke Virginia Beach NASHINGTON Progress Electronics Ron's Electronics Riverview Electronics Ameteur Radio Supply C-Com Longview Moses Lake Pasco Seattle Seattle Seattle Spokan Tacoma C·Com Empire Electronics Personal Computers C & G Electronics WEST VIRGINIA Electro Distributing Co. Lafayette Radio Wheeling **Olson Electronics** West Allis CANADA Alberts (Calgary) Ontario (Toronto) Ontario (Willowdale) Quebec (Montreal) ENGLAND Berkshire GUAM PANAMA Panama City The Computer Store House of Computers Home Computer Centre Wang's Microcenter NewBear Computing Store Marianas Electronics

Sonitel, S.A. Inter-trade (PTE) Ltd.

Panama City SINGAPORE

ASK YOUR ELECTRONICS STORE TO STOCK JIM-PAK® TODAY!! JIM-PAK® 1021 HOWARD AVENUE, SAN CARLOS, CALIFORNIA 94070 • (415) 592-8097 .

Circle 203 on Inquiry card.

Circle 296 on inquiry card.



ProComp/New England

120 Boylston Street/Fourth Floor Boston, MA/02116 Phone 617-482-4450 HOURS: M-F 10-5, S 10-4

Hardware

Seattle 16K Static Ram Measurement Systems 48 64K Dynamic Ram Micromation Doubler Disk Controllers Computalker CT-1 Cromemco Single Card Computer ...AND MORE

Systems

Compucorp 625 MkII & 665 Imsai VDP 42 & VDP 80 Complete Double Density Disk Systems

Software

Graham Dorian Structured Systems Group National Software Exchange Selector III ...AND MORE

Supplies

Diskettes Storage Binders Printer Ribbons

SPECIAL BARGAINS ON USED EQUIPMENT !!!

Special prices on these and other in-stock items during our Grand Opening Sale now through September 30th.

DWrite, call or stop in for our catalog and Grand Opening Sale Price List.

VISA and MASTERCHARGE






TERMINAL Scrolling, full cursor, bell, 8x8 metrix, 110-19,200 baud, Dual Font Applications. Arabic & Hebrew, Multilingual Data Entry, Forms Drawing, Music Instruction, Specialized Graphics (e.g. Games, Chemical Plants, Switchyards) \$349.00 We carry keyboards, cases, power supplies, etc., enough to make

an entire system.

n nen eine ein an genegelie ein eine erset ein geschingelien teinen Balleten 1 aufen feine nich eineren eine steelle beergeben beiten Balleten 1 aufen bische mer beenten erze. Dies terschel eine nier nichten



RCA Cosmac Super Elf Computer \$106.95

Compare features before you decide to buy any other computer. There is no other computer on the market today that has all the desirable benefits of the Super Elf for so little money. The Super It is a small single board computer that does many big things. It is an excellent computer for training and for learning programming with its machine language and yet it is easily expanded with additional memory, Tiny Basic, ASCII Keyboards, video character generation, etc.

The Super Elf includes a ROM monitor for program loading, editing and execution with SINGLE STEP for program debugging which is not included in others at the same price. With SINGLE STEP you can see the microprocessor chip operating with the unique Quest address and data bus displays before, during and after executing instructions. Also, CPU mode and instruction cycle are decoded and displayed on 8 LED indicators.

An RCA 1861 video graphics chip allows you to connect to your own TV with an inexpensive video modulator to do graphics and games. There is a speaker system included for writing your own music or using many music programs already written. The speaker amplifier may also be used totdrive relays for control purposes.

24 key HEX keyboard includes 16 HEX keys plus load, reset, run, wait, input, memory pro-tect, monitor select and single step. Large, on

Super Expansion Board with

This is truly an astounding valuef This board has This is truly an astounding valuer rins bear has been designed to allow you to decide how you want it optioned. The Super Expansion Board comes with 4K of low power RAM fully address-able anywhere in 64K with built-in memory protect and a cassette interface. Provisions have been made for all other options on the same board and it fits neatly into the hardwood cabinet alongside the Super Elf. The board includes slots for up to 6K of EPROM (2708, 2758, 2716 or TI 2716) and is fully socketed. EPROM can be used for the monitor and Tiny Basic or other purposes.

A IK Super ROM Monitor \$19.95 is available as an on board option in 2708 EPROM which has been preprogrammed with a program loader/ editor and error checking multi file cassette read/write software, (relocatible cassette file) another exclusive from Quest. It includes register save and readout, block move capability and video graphics driver with blinking cursor. Break points can be used with the register save feature to Isolate program bugs quickly, then follow with single step. The Super Monitor is written with subroutines allowing users to take advantage of monitor functions simply by calling them up

board displays provide output and optional high and low address. There is a 44 pin standard connector for PC cards and a 50 pin connector for the Quest Super Expansion Board. Power supply and sockets for all IC's are included in the price plus a detailed 127 pg. Instruction manual which now includes over 40 pgs. of software info. in-cluding a series of lessons to help get you started and a music program and graphics target game. Remember, other computers only offer Super Elf features at additional cost or not at all. Compare before you buy. Super Elf Kit \$106.95, High address option \$8.95, Low address option \$9.95, Custom Cabinet with drilled and labelled plexiglass front panel \$24.95. Expansion Cabinet with room for 4 S-100 boards \$41.00. NICad Battery Memory Saver Kit \$6.95. All kits and options also come completely assembled and tested.

Questdata, a 12 page monthly software publication for 1802 computer users is available by subscription for \$12.00 per year.

Attention Elf Owners New products in hardware and software

Tiny Basic cassette \$10.00, on ROM \$38.00, original Elf kit board \$14.95.

Cassette Interface \$89.95

coming soon.

Improvements and revisions are easily done with the monitor. If you have the Super Expansion Board and Super Monitor the monitor is up and running at the push of a button.

Other on board options include Parallel input and Output Ports with full handshake. They allow easy connection of an ASCII keyboard to the input port. RS 232 and 20 ma Current Loop for teletype or other device are on board and if you need more memory there are two S-100 slots static RAM or video boards. A Godbout 8K RAM board is available for \$135.00. Also a 1K Super Monitor version 2 with video driver for full capa-bility display with Tiny Basic and a video Interface board. Parallel I/O Ports \$9.85, RS 232 \$4.50, TTY 20 ma I/F \$1.95, S-100 \$4.50. A 50 pin connector set with ribbon cable is available at \$12.50 for easy connection between the Super Elf and the Super Expansion Board.

The Power Supply Kit for the Super Expansion Board is a 5 amp supply with multiple positive and negative voltages \$29.95. Add \$4.00 for shipping. Prepunched frame \$7.50. Case \$10.00. Add \$1.50 for shipping.

NiCad Battery Fixer/Charger Kit

Opens shorted cells that won't hold a charge

and then charges them up, all in one kit w/ful

PROM Eraser Will erase 25 PROMs in

15 minutes, Ultraviolet, assembled \$34,50

6502 based single board with tull ASCII keyboard

and 20 column thermal printer. 20 char. al-phanumeric display, ROM monitor, fully expand-able. \$375.00. 4K version \$450.00. 4K Assem-

bler \$85.00, 8K Basic Interpreter \$100.00. Power supply assem. In case \$60.00. AIM 65 In

thin briefcase with power supply \$485.00.

Bockwell AIM 65 Computer

oarts and instructions.

\$11.75

\$7.25

\$19.50

Digital Temp. Meter Kit \$39.95 **Auto Clock Kit** \$17.95 DC clock with 4-.50" displays. Uses National MA-1012 module with alarm option. Includes Indoor and outdoor. Switches back and forth. Beautiful. 50" LED readouts. Nothing like it light dimmer, crystal timebase PC boards. Fully available. Needs no additional parts for comregulated, comp. instructs. Add \$3.95 for beauplete, full operation. Will measure - 100° to tiful dark gray case. Best value anywhere. +200°F, tenths of a degree, air or liquid. Beautiful woodgrain case w/bezel \$11.75


RCA Cosmac VIP Kit \$229.00 nd graphics. Video computer with games and Fully assem, and test, \$249.00 All VIP options avail. week deliv

Not a Cheap Clock Kit \$14.95 includes everything except case. 2-PC boards. 6-.50" LED Displays. 5314 clock chip, trans-former, all components and full instructions. Orange displays also avail. Same kit w/.80 displays. Red only. \$21,95 Case \$11.75

60 Hz Crystal Time Base Kit \$4.40 Converts digital clocks from AC line frequency to crystal time base. Outstanding accuracy. Kit includes: PC board, IC, crystal, resistors, capacitors and trimmer

TERMS: \$5.00 min. order U.S. Funds. Califresidents add 6% tax. BankAmericard and Master Charge accepted. Shipping charges will be added on charge cards.

Same day shipment. First line parts only Factory tested, Guaranteed money back: Quality IC's and other components at factory prices



P.O. Box 4430X Santa Clara, CA 95054 For will call only: (408) 988-1640

2322 Walsh Ave.

۲

FREE: Send for your copy of our NEW 1979 QUEST CATALOG. Include 28e stamp.

Video Interface Kit

Motherboard \$39.

Extender Board \$8.99

\$139.00

PERCOM SAMPLER



For your SS-50 bus computer — the CIS-30+

- · Interface to data terminal and two cassette recorders with a unit only 1/10 the size of SWTP's AC-30.
- Select 30, 60, or 120 bytes per second cassette interfacing, 300, 600 or 1200 baud data terminal interfacing
- Optional mod kits make CIS-30+ work with any microcomputer. (For MITS 680b, ask for Tech Memo TM-CIS-30+-09.)
- · KC-Standard/Bi-Phase-M (double frequency) cassette data encoding. Dependable self-clocking operation.
- Ordinary functions may be accom-plished with 6800 Mikbug™ monitor. Prices: Kit, \$79.95; Assembled,
- \$99.95.
- Prices include a comprehensive instruction manual. Also available: Test Cassette, Re-mote Control Kit (for program control of recorders), IC Socket Kit, MITS 680b mod documentation, Universal Adaptor Kit (converts CIS-30+ for use with any computer) MIKBUG[®] Motorola, Inc.

In the Product Development Queue . .

Coming PDQ. Watch for announcements.

6809 Processor Card - With this SS-50 bus PC board, you'll be able to upgrade with the microprocessor that Motorola designers describe as the "best 8-bit machine so far made by humans.

The Electric CrayonTM - This color graphics system includes its own μP and interfaces to virtually any microcomputer with a parallel I/O port.

Printer Interface — For your TRS-80TM. Interface any serial RS232 printer to your TRS-80TM with this system.

**ELECTRIC WINDOW, ELECTRIC CRAYON, Pilon 30 and Pilon-10 are trademarks of Percom Data Company, Inc. TRS-80 is a trademark of Tandy Corporation and Radio Shack which has no relationship to Percom Data Company.


Orders may be paid by check or money order, or charged to Visa or Master Charge credit account. Texas residents must add 5% sales tax.





For your data storage — Pilon-30™ and Pilon-10TM data cassettes

- Orders-of-magnitude improvement in data integrity over ordinary audio cassettes.
- Pilon-coated pressure pad eliminates lint-producing felt pad of standard audio cassettes.
- Smooth plion coating minimizes erratic tape motion.
- Foam pad spring is energy absorbing. Superior to leaf spring mounted pad which tends to oscillate and cause flutter.
- · Five-screw case design virtually precludes deformation during assembly. · Price: \$2.49.



For your S-100 computer — the CI-812

- · Both cassette and data terminal interfacing on one S-100 bus PC board.
- Interfaces two recorders. Record and playback circuits are independent.
- Select 30, 60, 120, or 240 bytes per second cassette interfacing, 110 to 9600 baud data terminal interfacing.
- KC-Standard/Bi-Phase-M (double frequency) encoded cassette data. De-pendable self-clocking operation.
- Optional firmware (2708 EPROM) Operating System available.
- kit, \$99.95; assembled, Prices: \$129.95.

Prices include a comprehensive instruction manual. In addition to the EPROM Operating System, a Test Cassette, Remote Control Kit (for program control of recorders), and an IC Socket Kit are also available.

CASSETTE SOFTWARE For 8080/Z-80 µCs . .

BASIC ETC - Developed by the coauthors of the original Tiny BASIC, BASIC ETC is easy to use yet includes commands and functions required for powerful business and scientific programs as well as for hobby applications. 9.5K bytes of RAM. 1200-baud cassette and 42-page user's manual \$35.00

Cassette Operating System — EPROM (2708) COS for the Percom CI-812 dual peripheral interfacing PC card ... \$39.95

If you're programming on a 6800 $\mu\text{C},$ you'll want these development and debugging programs written by Ed Smith of the Software Works:

Disassembler/Source Generator - Disassembles SWTP Resident Assembler, TSC Mnemonic Assembler/Text Editor or Smoke Signal Mnemonic Assembler/Text Editor and produces compacted source code suitable for re-editing. Prints or displays full assembly-type output listing. 4K bytes of RAM.

(Order M68SG)\$25.00 Disassembler/Trace --- Use to examine (or examine and execute) any area of RAM or ROM. "Software-single-step" through any program, change the con-tents of CPU or memory location at any time, trace subroutines to any depth. 2.3K bytes of RAM. (Order M68DT) ... \$20.00

EPROM Support/Relocator Program -This program relocates a program in any contiguous area of RAM or ROM to anywhere in RAM. Use to assemble and test programs in RAM, adjust programs for EPROM operating addresses and then block move to your EPROM burner address. 952 bytes of RAM. Loads at hex 1000

(Order M68EP) \$20.00 **Relocating Assembler & Linking Loader** (M68AS) \$50.00

Relocating Disassembler & Segmented Source Text Generator (M68RS) \$35.00

Americana Plus — 14 tunes for the Newtech Model 68 Music Board in machine language ready to load and run. Cassette compatible with Percom CIS-30+ and SWTP AC-30. Order MC-1SW . . \$15.95

HARDWARE

Newtech Model 68 Music Board - Produces melodies, rhythms, sound effects, morse code, etc. from your programs. Includes manual with BASIC for writing music scores and assembly language routine to play them. Installs in SWTP I/O slot. Assembled & tested \$59.95

The Percom ELECTRIC WINDOWTM -Memory-resident and programmable, this video display character generator board for your SS-50 bus displays up to 24 80-character lines. Features dual character generators, dual-intensity high-lighting. One programmable regis-ter controls scrolling. Compatible with standard video monitors \$249.95 SS-50 Prototype Cards:

Large card (up to 70 40-pin ICs) \$24.95 I/O size card \$14.95

PERCOM™ 'peripherals for personal computing'

To order products or request additional literature, call Percom's toll-free number: 1-800-527-1592. For detail technical information call (214) 272-3421.

The DATA-TRANS 1000

A completely refurbished **IBM** Selectric Terminal with built-in **ASCII** Interface.

\$1395

Features:

- 300 Baud
- 14.9 characters per second printout
- Reliable heavy duty Selectric mechanism
- RS-232C Interface
- Documentation included
- 60 day warranty parts and labor
- High quality Selectric printing Off-line use as typewriter
- Optional tractor feed available
- 15 inch carriage width

HOW TO ORDER DATA-TRANS 1000

1. We accept Visa, Master Charge. Make cashiers checks or personal check payable to:

DATA-TRANS

All orders are shipped
 F.O.B. San Jose, CA
 Deliveries are immediate

For orders and information **DATA-TRANS** 2154 O'Toole St. Unit E San Jose, CA 95131 Phone: (408) 263-9246

MICRO- PROCESSORS: FROMCHIPSTO SYSTEMS This book cover all as- pects of microp- rocessors, from the basic concepts to ad- vanced interfacing techniques, in a pro- gressive presenta- tion. It is independent from any manufac-	MICRO- PROCESSOR INTERFACING TECHNIQUES Microprocessor in- terfacing is no longer an art. It is a set of techniques, and in some cases just a set of components. This comprehensive book	PROGRAMMING THE 6502 PROGRAMMING THE 280 PROGRAMMING THE 8080 ⁻ It covers all essential aspects of program- ming, as well as the advantages of the 6502 and should	44 BUS MOTHER BOARD Has provisions for ten 44 pin (.156) connec- tors, spaced 3/4 of an inch apart. Pin 20 is connected to X, and 22 is connected to Z for power and ground. All the other pins are connected in parallel. This board also has	AN INTRODUCTION TO PERSONAL AND BUSINESS COMPUTING No computer back- ground is required. The book is designed to educate the reader in all the aspects of a system, from the se- lection of the mic- rocomputer to the required peripherals.	COMPUTER PROGRAMMING HANDBOOK A complete guide to computer programm- ing & data process- ing. Includes many worked-out examples. By Peter Staak, TAB \$9.95
turer, and presents uniform standard principles and design techniques, including	introduces the basic interfacing concepts and techniques, then presents in detail the	bring the reader to the point where he can start writing complete applications programs. For the	provisions for bypass capacitors. Board cost \$15.00 Part No. 102. Connectors	By Rodnay Zaks. Ref. C200, SYBEX \$6.95	DIGITAL CASSETTE
standard system, as well as specific com- ponents. It intro- duces the MPU, how it works internally, the system components (ROM, RAM, UART, PIO, others), the sys- tem interconnect,	implementation de- tails, from hardware to software. It covers all the essential per- ipherals, from key- board to floppy disk, as well as the stan- dard buses (S100 to IEEE 488) and intro- duces the basic trou- bleshooting tech- niques. (2nd Ex- panded Edition). By Austin Lesea and R. Zaks. Ref. C207 SYBEX. \$11.95	reader who wishes more, a companion volume is available: The 6502 Applica- tions Book. By R. Zaks. 6502: Ref. C202; ZB0: Ref. C208, SYBEX. Each \$10.95	\$3.00 each Part No. 44WP	TVT COOKBOOK Bk 1064 — by Don Lancaster. Describes the use of a standard television receiver as a microprocessor CRT terminal. Ex- plains and describes character genera- tion, cursor control and interface infor- mation in typical. easy -to- understand Lan- cascaster style. \$9,95	5 min. each side. Box of 10 \$9.95. Part No. C-5.

To Order: Mention part no. description, and price. In USA shipping paid by us for orders accompanied by check or money order. We accept C.O.D. orders in the U.S. only, or a VISA or Master Charge no., expiration date, signature, phone no., shipping charges will be added. CA residents add 6.5% for tax. Outside USA add 10% for air mail postage and handling. Payment must be in U.S. dollars. Dealer inquiries invited. 24 hour order line (408) 226-4064.

Send for FREE Catalog ... a big self-addressed envelope with 41^e postage gets it fastest!

IC SYSTEMS Dept. B, P. O. Box 21638, San Jose, CA USA 95151

COMPUCRUISE

OPTO-ISOLATED

PARALLEL INPUT

BOARD FOR

APPLE II

puts that can be dri-

ven from TTL logic or

any 5 volt source. The

circuit board can be

plugged into any of the 8 sockets of your Apple II. It has a 16 pin

socket for standard

dip ribbon cable con-

Board only \$15.00. Part No. 120, with parts \$69.95. Part

TIDMA

Tape Interface Direct

Memory Access . Re-

cord and play programs

without bootstrap load-

er (no prom) has FSK

encoder/decoder for

direct connections to low cost recorder at

1200 baud rate, and direct connections for

inputs and outputs to

digital recorder

any baud rate • S-100 bus compatible • Board

with

nection.


No. 120A

There are 8 in-

Put a computer in your car, which gives you the most effective and functional cruise control ever designed, plus com-plete trip computing, fuel management sys-tems, and a remarkable accurate quartz crystal time system. So simple a child can

operate, the new CompuCruise combines latest computer technology with state-of-the-art reliability in a package which will not likely be available on new cars for years to come Cruise Control • Time, E.T., Lap Timer, Alarm • Time, Distance, Fuel to Arrival . Time, Distance, Fuel to Empty • Time, Distance and Fuel on Trip • Current or Average MPG, GPH • Fuel Used, Distance since Fillup • Current and Aver-age-Vehicle Speed • Inside, Outside or Coolant Temperature Battery Voltage
 English or Metric Display. \$199.95






а

Professional, **Business**, and Home Applications

useful reading for the small businessman, contemplating a computer, or for the personal computer advocate contemplating a business appli-cation." Kilobuad. By T. G. Lewis. HAYDEN 78-2780. \$8.95



TTL & DTL compatible • Full 67 key array Full 128 character ASCII output . Positive logic with outputs resting low • Data Strobe Five user-definable spare keys . Standard 22 pin dual card edge connector • Requires +5VDC, 325 mA. Assembled & Tested. Cherry Pro Part No. P70-05AB. \$135.00.



ASCII KEYBOARD

53 Keys popular ASR-33 format • Rugged G-10 P.C. Board • Tri-mode MOS encoding • Two-Key Rollover • MOS/DTL/TTL Compatible • Upper Case lockout • Data and Strobe inversion option • Three User Definable Keys • Low contact bounce • Selectable Parity • Custom Keycaps • George Risk Model 753. Requires +5, -12 volts. \$59.95 Kit.

ASCII TO CORRESPONDENCE CODE CONVERTER

This bidirectional board is a direct replacement for the board inside the Trendata 1000 terminal. The on board connector provides RS-232 serial in and out. Sold only as an assembled and tested unit for \$229.95. Part No. TA 1000C

DISK JACKET **TTL COOKBOOK** Bk 1063 - by Don Made from heavy duty Lancaster. Explains .0095 matte plastic reinforced what TTL is, how it works, and how to use grommets. The mini-It. Discusses practidiskette version holds two 5-1/4 inch diskcal applications, such as a digital counter and display system, ettes and will fit any standard three ring events counter, elec binder. The pockets to the left of the disktronic stopwatch, di-gital voltmeter and a digital tachometer. ette can be used for listing the contents of the disk. Please order \$8 95 only in multitudes of ten. \$9.95/10 Pack. MICRO

PROCESSOR LEXI - ACRONYMS CON-AND DEFINITIONS 8k 1040 - compiled the staff of SYBEX, is a convenient reference in pocket-size format. Sections include acronyms and defini-tions, part numbers and their definitions, S-100 signals, RS232 signals, IEEE 499 signals, microcomputers and microprocessors. JETDS summary (military) and a code con-version table. \$2.95*

RS-232/20mA INTERFACE

This board has two passive, opto-isola-ted circuits. Dne con-verts RS-232 to 20mA, the other con-20mA, the other con-verts 20mA to RS-232. All connections go to a 10 pin edge connector. Requires +12 and -12 volts. Board only \$9.95, part no. 7901, with parts \$14.95 Part No. 7901A.



COMPUCOLOR II Model 3, 8K \$13.95, Model 4, 16K \$15.95, Model 5, 32K \$18.95. Prices include color monitor. computer, and one disk drive.



PET COMPUTER With 32K & monitor \$1195. Dual Disk Drive - \$1195.





Disk & cont. \$589



PARALLEL TRIAC OUTPUT BOARD FOR APPLE II

This board has 8 triacs capable of switching 110 volt 6 amp loads (660 watts per channel) or a total of 5280 watts. Board only \$15.00 Part Nic. \$119.95 Part No. 210A. 210, with perts

To Order: Mention part no. description, and price. In USA shipping paid by us for orders accompanied by check or money order. We accept C.O.D. orders in the U.S. only, or a VISA or Master Charge no., expiration date, signature, phone no., shipping charges will be added. CA residents add 6.5% for tax. Dutside USA add 10% for air mail postage and handling. Payment must be in U. S. dollars. Dealer inquiries invited. 24 hour order line (408) 226-4064.

Send for FREE Catalog . . . a big self-addressed envelope with 41° postage gets it fastest!



INTERNATIONAL

MICROPROCESSOR

DICTIONARY

English, French, Dan-ish, German, Italian, Hungarian, Norwe-

ish, German, Norwe-Jan, Polish, Spanish, Swedish. 10 lan-nes, 28 pp. MD.

guages, 28 pp. SYBEX. Ref. IMD.

\$4.95

VEA

800



This book will teach

you how to connect a

board to the outside


world and implement

practical applications for the 6502, (or Z80). Applications range from home control (a complete alarm system, including heat sensor), to in-dustrial applications. You will learn techniques ranging from simulated traffic control to analog-digital conversion. All experiments can be realized with a minimum of external (low-cost) components. They are directly applicable to any 6502-based board such as SYM, KIM, AIM 65. This book also studies in detail input-output techniques and components, and is the logical continuation of C202 (or C280). By Rodney Zaks. SYBEX. 6502: Ref. D302: Z80: Ref D380. Each \$12.95

T.V. INTERFACE

 Converts video to AM modulated RF, Channels 2 or 3. So powerful almost no tuning is required. On board regulated power supply makes this extremely stable. Rated very highly in Doctor Dobbs' Journal. Recom-Power required is 12 volts AC C.T., or +5 volts DC • Board only \$7,60 part No. 107. \$7.60 part No. 107, with parts \$13.50 Part No 1074





EIA/RS-232 co DB25P \$800, with 8'. 8 conductor cable \$10.95 Part

3' ribbon cable with attached Con-nectors to fit TRS-BO and our serial board \$19.95 Part No. 3CAB40

INTERFACE

plated edge connector

Board only \$4.50
 Part No. 232, with parts \$7.00 Part No.

232A 10 Pin edge connector \$3.00 Part

No. 10P

MODEM

Type 103 • Full or half duplex . Works up to 300 baud

Originate or Answer . No coils, only low cost components . TTL inout and output-serial Connect 8 Ω speaker and crystal mic. directly to board
Uses XR FSK demodulator • Requires +5 volts • Board only \$7.60 Part No. 109, with parts \$27.50 Part



+12 and -12 volts. Board only \$4.50 Part 600, with parts No. \$7.00 Part No. 600A.




S-100 BUS **ACTIVE TERMINATOR**





Board only \$14.95 Part No. 900, with parts \$24.95 Part No. 900A







T.V.

TYPEWRITER

Stand alone TVT 32 char/line, 16

lines, modifications for

64 char/line included

Parallel ASCII (TTL)

input
Video output
IK on board memory

Output for computer

controlled curser •

Auto scroll
Non-

destructive curser •

Curser inputs: up, down,

16

TAPE

INTERFACE

Play and record Kan-

sas City Standard tapes

Converts a low cost

tape recorder to a

digital recorder . Works

up to 1200 baud . Dig-

ital in and out are TTL-

board connects to mic.

in of recorder • Ear-phone of recorder con-

nects to input on board

serial

Output of


Baud rate is continuously adjustable from O to 30,000 • Plugs into any peripheral connector • Low current drain. RS-232 Input and output • On board switch selectable 5 to 8 data bits, 1 or 2 stop bits, and parity or no parity either odd or even • Jumper selectable address . SOFTWARE . Input and Output routine from monitor or BASIC to teletype or other serial printer • Program for using an Apple II for a video or an intelligent terminal. Also can output in correspondence code to interface with some selectrics. • Also watches DTR • Board only \$15.00 Part No. with parts \$42.00 Part No. 2A, assembled \$62.00 Part No. 2C

8K EPROM PIICEON

Saves programs on PROM permanently (until erased via UV light) up to BK bytes. Programs may be directly run from the program saver such as fixed routines or assemblers. • S 100 bus compatible

Room for BK bytes of EPROM non-volatile memory (2708's).

Onboard PROM programming . Address relocation of each 4K of memory to any 4K boundary within 64K \bullet Power on jump and reset jump option for "turnkey" systems and computers without a front panel . Program saver software available . Solder mask both sides • Full silkscreen for easy assembly. Program saver software in 1 2708 EPROM \$25, Bare board \$35 including custom coil, board with parts but no EPRDMS \$139, with 4 EPROMS \$179, with 8 EPROMS \$219.



WAMECO PRODUCTS WITH **ELECTRONIC SYSTEMS PARTS**

FDC-1 FLOPPY CONTROLLER BDARD will drive shugart, pertek, remex 5" & 8" drives up to 8 drives, on board PRDM with power boat up, will operate with CPM (not included). PCBD \$42.95 FPB-1 Front Panel. (Finally) IMSAI size hex displays. Byte or instruction single step. PCBD \$42.95

PCBD S24.95, \$168 Kit **QMB-12** MOTHER BOARD, 13 slot, termi-nated, S-100 board only \$34.95 **CPU-1** 8080A Processor board S-100 with 8 level vector interrupt PCBD \$\$25.95 **S26**.95

 CPD-1 SUBDA Processor board S-100 with B level vector interrupt PCBD.
 \$25.95 \$89.95 Kit

 RTC-1 Realtime clock board. Two independ-ent interrupts.
 Software programmable.


 PCBD.
 \$25.95 \$49.95 with parts less EPROMS

 EPM-1 1702A 4K EPROM
 \$25.95 \$49.95 with parts less EPROMS

 EPM-2 2708/2716 16K/32K
 \$24.95 \$49.95 with parts less EPROMS

 OMB-3 MOTHER BOARD. Short Version of GMB-12. 9 Slots PCBD
 \$30.95 \$67.95 Kit

 MEM-2 16Kx8 Fully Buffered 2114 Board PCBD
 \$25.95, \$269.95 Kit



DC POWER SUPPLY

• Board supplies a regulated +5 volts at 3 amps., +12, -12, and -5 volts at 1 amp. • Power required is 8 volts AC at 3 amps., and 24 volts AC C.T. at 1.5 amps. • Board only \$12.50 Part No. 6085, with parts excluding transformers \$42.50 Part No. 6085A



Mention part no. description, and price. In USA shipping paid by us for orders accompanied by check or money order. To Order: We accept C.O.D. orders in the U.S. only, or a VISA or Master Charge no., expiration date, signature, phone no., shipping charges will be added. CA residents add 6.5% for tax. Dutside USA add 10% for air mail postage and handling. Payment must be in U.S. dollars. Dealer inquiries invited. 24 hour order line (408) 226-4064.

Send for FREE Catalog ... a big self-addressed envelope with 41^e postage gets it fastest!

LECTRONIC SYSTEMS Dept. B, P. O. Box 21638, San Jose, CA USA 95151

VISA



NEW MS-230 Dual Trace Miniscope with 30 MHz Bandwidth!

ANOTHER MINISCOPEI PORTABLE BATTERY OPERATED . MADE IN THE U.S.A.I With Rechargeable Batteries & Charger Unit FEATURES

- Dual Trace—2-channel; separate, chopped or alternate modes.
- 30-megahertz bandwidth. External and internal trigger.
 Time Base-0.05 microseconds to 0.2 Sec./div-21 settings. Battery of line operation.
- Line synchronization mode.
 Power consumption less than 50W.
 Vertical Gain—0.01 to 50 volts/div—12 settings. Size: 2.9" H x 8.4" W x 8.5" D.
- · Weighs only 3.5 lbs with batteries
- TEST MOST DIGITAL LOGIC CIRCUITS INCLUDING MICROPROCESSORS

From the originators of the Digital Voltmeter, the people who have broken sales and performance records for Osciloscopes, Non-Linear Systems, comes the MS-230 miniscope

Non Linear Systems took their engineering and modular construction skills and made a dream a reality, a Dual-Trace 30 MHz miniscope, small enough to fit in most briefcases with room to spare at an affordable price.

VERTICAL

reto!

D/V/

5

ew ret

- Mode: CH1, CH2, CH1 & CH2 (Chopped) & CH2 (Alt.) (The following specifications apply to each
- channel.) Bandwidth: DC to 30 MHz, \pm 3 db @ 3 division deflection. Typical 4 division deflec-tion is obtainable up to 20 MHz.
- Coupling: AC, DC or ground, switch selectable. Low frequency 3 db point on AC is 3 Hz. Rise Time: Approximately 10 nSec @ 3 division
- deflection. Vertical input: 10 mV/div to 50V/div in 12 calibrated ranges. Accuracy is 3% of full scale with vernier in full clockwise posi-tion. Vernier provides continuously variable deflection factors between
- fixed ranges, uncalibrated. Input Impedance: 1 megohm in parallel with 50 pF. Maximum input Voltage: 250V (DC and Peak AC).

HORIZONTAL

- Mode: Internal Time Base or External Horizontal, switch selectable. In the XY mode, vertical input is through CH1 and horizontal input through CH2.
- Time Base: 0.5u Sec/div to 0.2 Sec/div in 21 calibrated ranges. Accuracy is 3% of full scale with vernier in full clockwise position. Vernier provides continuously variable settings bet-ween fixed ranges, uncalibrated.

Amplifier Bandwidth: DC to 1 MHz (±3 db)

- Coupling: AC, DC or ground, switch selectable. Low frequency point on AC is 3 Hz. Deflection Factor: 10 mV/div to 50V/div in 12 cali-
- brated ranges. The ranges can be calibrated with the CH2 gain control.
- Input impedance: 1 megohm in parallel with 50 pF. Maximum input Voltage: 250V (DC and Peak AC).

TRIGGER Modes:

- Automatic: trigger is disabled, time base free runs.
- Internal: in the dual trace modes, the internal trigger source is CH1. External and Line (line not functional when MS-230 operates on batteries.) input impedance is 1 megohm on External Trigger.
- External: Controls function as for internal triggering (1 Megohm input impedence)
- Trigger is derived from line frequency when using the battery charger. Line:

Slope: + or -, switch selectable. Coupling: AC

Sensitivity: Less than 1 div for internal trigger and less than 1 volt for external trigger. Level: Trigger level control permits continuous adjustment of trigger point in all modes except Auto.

CALIBRATOR: A square-wave signal of 1 volt p-p is provided. Voltage accuracy is ±5%, frequency is approximately 1 KHz.

DISPLAY

Graticule: 4 x 5 div, each division is 0.25 inch, Viewing area 1.1" H x 1.35" W.

PRIORITY

CRT: Bluish-white phosphor, medium persistence. CRT uses low power filament for low battery drain.

POWER SOURCES

- Internal: Three sealed, rechargeable lead-acid cells. Operating time using fully charged cells is approximately 45 minutes. Charging cir-cuitry is integral and functions when the MS-230 is connected to power line through plug-in transformer (supplied with each in-
- strument). Battery charge time with instru-ment non-operating is 16 hours. External; Operates continuously from 115 vac source 50 400 Hz when connected via plug-in transformer. (230 vac is available) Power consumption from AC line is less than 50 watts.

ENVIRONMENT

Operating Temperature: 0° to 40°C Shock and Vibration: Will withstand normal shock and vibration encountered in commercial shipping and handling

PHYSICAL MEASUREMENTS

Size: 2.9" H x 6.4" W x 8.5" D. (73.7 mm x 162.6mm x215.9 mm)

Weight: 3.5 lbs. (1.59 kg) with batteries. FURNISHED ACCESSORIES: nd, battery charger, 2 ure benane plugs,

WARRANTY: One year parts and labor.

Made in the USAI MS-230 with Rechargeable Batteries and Charger

\$55900

PROBES

Deluxe 10 to 1 probe with 10 megohm input. 100 MHz probe with 4 interchangeable tips: Spring-loaded retractable cover tip, insulating tip, BNC tip, IC tip, also included cap adjustment tool and zippered vinyl Case.

41-141 \$27.00

DELUXE COMBINATION PROBE Same as above except the probe has a switch to select; 10 to 1, 1 to 1 or a ground reference position. 41-37R Red probe body 41-37G Grey probe body \$38.50

LEATHER CARRYING CASE

The leather case has 2 separate compariments. One to hold the scope, the other to hold the charger, probe, shoulder strep, etc. The case can be worn on the belt, or over the neck.

75.00 OFF

on any accessories purchased with MS-230 Miniscope. Just send or mention this COUPON and Byte Magazine.

ELECTRONICS ©







OEM and Institutional

ORDER TOLL FREE 1-800-423-5633

ONE

Prices subject to change without notice.

We will do our best to maintain prices thru August 1979. phone orders welcome (213) 894-8171, (800) 423-5633 inquiries invited.

minimum \$2.50. Excess refunded. Just in case . . . please include your phone no.





Circle 312 on inquiry card.

Progress Since 1952

\$559°°

HICKOK LX303 \$74.95



\$74.95 LX303 HICKOK

NEW UNCLASSIFIED POLICY

Readers who have equipment, software or other items to buy, sell or swap should send in a clearly typed notice to that effect. To be considered for publication, an advertisement must be clearly noncommercial, typed double spaced on plain while paper, contain 75 words or less, and include complete name and address information.

Include complete name and address information. These notices are free of charge and will be printed one time only on a space available basis. Notices can be accepted from individuals or bona fide computer users clubs only. We can engage in no correspondence on these and your confirmation of placement is appearance in an issue of BYTE.

Please note that it may take three or four months for an ad to appear in the magazine.

FOR SALE: SwTPC MP-A2 processor board (latest), with SWTBUG monitor, \$105. Four 4 K programmable memory boards with premium 350 ns low power chips, \$65 each. AC-30 cassette interface. \$50. All assembled, burned in and running. Prices are 1/3 less than kit. Robert Levine, 32 King St. New York NY 10014, (212) 691-2897 evenings.

FOR SALE: Digital Group 8 K static programmable memory board. In original package, unassembled, complete with all new chips, etc. Best offer over \$80 takes. Will guarantee. Bob Waber, 6564 E Michigan Av, Apt 52, Saline MI 48176, (313) 429-7174.

FOR SALE: AMS memory system, 32 K by 16 bits plus parity. Includes rack mount cabinet, power supply, two fans, battery backup, 25 slot dual back plane, no documentation. Originally used with Advanced Memory Systems 2100 processor. Has 66 K bytes of Intersil/AMS 6002 dynamic memory (1024 by 1). \$500 plus shipping. Dan S Parker, 1007 3rd St, Davis CA 95616, (916) 758-2341.

FOR SALE: IMSAI 8080 mainframe with 11 edge connectors. Dual serial input/output ports. 8 K static programmable memory with hardware memory protect. 8080 processor board. Documentation and software. ASR33 Teletype with paper tape reader and punch. \$1600 or best offer. Rich Levinson, 124 Nashoba Rd, Concord MA 01742. (617) 369-8471.

FOR SALE: Digital Group Z-80 system. Includes dress cabinet, 10 K static memory, TVC-64, I/O-F, 12 A power supply, complete documentation and software including Assembler, MaxiBASIC and diagnostic/demonstration tape. Add a keyboard and monitor and you're ready to run. \$850 or will consider reasonable offer. W Colsher, 4328 Nutmeg Ln Apt 111, Lisle IL 60532, (312) 964-1168 anytime.

FOR SALE: An IBM type 1004 used Selectric terminal. It can be converted into a microcomputer Selectric printer with high quality printout. All documents and the reprints of the articles from various journals will be included for free. The first cashier check for \$245 will get all. Please send check along with your telephone number to H T Chen, Physics Dept UGA. Athens GA 30602.

FOR SALE: 6502 microcomputer system built on OSI number 400 series boards. Includes 16 K static programmable memory (four number 420c memory boards). TIM monitor (1 K read only memory), 20 mA or RS-232 serial input/output, 8 slot mother board, MOS Technology manuals, wire wrap kludge board, cabinet, oversized power supply and software on paper tape. Software includes BASIC, Editor/Assembler and games. Asking \$350 for all thls, you ship. Kenneth A Scharf, 34 Royal Crest Dr, Marlboro MA 01752, (617) 481-5534.

FOR SALE: PET Printer adapter with built-in power supply and connectors, \$90 complete. GE computer grade caps. 2900 mF, 350 V, \$6.50, 850 mF, 450 V, \$3.50. All new but surplus. J Gatliff, POB 627, Eau Gatlie FL 32935.

FOR SALE: MMD-1 with 256 bytes programmable memory, all documentation plus BUGBOOKS three and five. Excellent tutorial system. \$250 plus UPS. Frank DeBolt, 114 Eastpines Rd, Savannah GA 31410, (912) 897-1384.

Unclassified Ads

MUST SELL: New, unused equipment for 8080 or Z-80 based systems with S-100 bus. Purchased before deciding to buy a PET. North Star Micro-Disk System: controller, drive in cabinet with power supply, DOS and BASIC on diskette, documentation, cost \$800. North Star Hardware Floating Point Board; greatly speeds up math calculations in BASIC cost \$400. Will sacrifice. Karta S Khalsa, 32 The Hollow, Amherst MA 01002, (413) 256-0391.

FOR SALE: Texas Instruments 30 cps Silent 700 printer/keyboard terminal in good condition \$380. Teletype BRPE 110 cps PT punch \$160. Caelus 2.5 M bytes top loading disk drive \$700. Also NOVA extender board. NOVA wire wrap board, mounting slides, AMP and TRW connectors, etc. Nemeth, 560 Upr Mountain Av, Montclair NJ 07043.

FOR SALE: Heathkit H9 video terminal with full documentation, RS-232 input/output scrolling, 110 to 9600 bps, \$400 postpaid. Excellent condition. Charles E Zalenski, 9 River Ter, Johnson City NY 13790, (607) 797-5777 days.

FOR SALE: September 1975 thru December 1978 BYTE. Good condition except some response cards used. No missing covers or pages. Sell one or all for best total price (over \$99) by end of month this ad printed. High bidders notified, send SASE If response desired otherwise. Jim Matthews, 2028 Merrily Dr, Montgomery AL 36111.

FOR SALE: 64 K plus memory – Interfaced for S100 buss. General Electric 16 K by 40 core memory complete with all cables, power supplies and total documentation. Only \$350 plus shipping from Kansas City MO. Jon Smirl, 1927 Orrington Av Apt 8209, Evanston IL 60201, (312) 492-0794. After June 15th the address will be: 5817 Hutson Rd, Kansas City MO 64151, (816) 741-5688.

FOR SALE: Diablo Hytype II (1345WP) word processing printer (with metal wheel), with cover and friction feed platen. Never used. Interfaceable to SOL, 6800 or 8080s. \$1599 without power supply. Roger Gersonde, 3011 N Sherman Bivd, Milwaukee WI 53210, (414) 332-9202 day, (414) 445-7880 nights.

FOR SALE: Two 16 K 250 ns TDL static programmable memory boards, one 16 K 250 ns Seattle static programmable memory board, TDL Z-B0 processor, SMB board and software (cassette and paper tape), separately or together. All working perfectly; just changing to different system configuration. Berry Gordon, 31 E 31s St, Baltimore MD 21218.

WANTED: Radio Shack TRS-80. Any quantity, any condition. Immediate cash available. Some used units available. Write with description, condition and phone number for immediate quote. DEC PDP-8/E and M modules, RK05, ASR33, RK8E, etc. buy, sell, trade, repair, custom interface. Jim Simpson, POB 632, W Caldwell NJ 07006, evenings (201) 226-9185 or 342-3110.

WANTED: Information on the TC-71 sold by NCE from anybody who has one or has worked on one. Also, have one Radio Shack keyboard for sale, reasonable. Burl E Anderson, 71 Edwards Av, Gelesburg IL 61401, (309) 342-5660.

FOR SALE: Altair S-100 bus single drive, single density 8 inch PERTEC floppy disk system with Altair Extended BASIC Version 4.1, read only memory card with Bootstrap read only memory, floppy disk controller boards, cables and complete documentation. Excellent working condition. Reliable. Selling to reconfigure system for hard disk drive. \$2800 new. Make offer. Mike Harris, 3750 S Maple Grove Rd, Bolse ID 83705, (208) 362-5154. FOR SALE: Two 4 K by 16 Heath memory boards, \$125 each. One H10 paper tape punch with five rolls and three boxes of fanfold tape, \$125. Two parallel interface boards, one assembled \$130, one unassembled at \$85. Oigital cassette recorder, \$175. James E Tarvid, 2735 N Frederick, Milwaukee WI 53211, (414) 964-8633.

FOR SALE: 16 bit minicomputer, Interdata 5/16 complete on one 10 by 10 inches board with 24 K bytes programmable memory, Microprogrammable with monitor in read only memory, Micro-I/O (input-/output) buss interfaces with microcomputer style peripherals, ASCII terminal port and Interdata multiplexor buss. Large Interdata software library including BOSS. BASIC, FORTRAN, FFT's, processor and memory tests, etc. Brand new with full documentation, asking \$2750. Also, Interdata universal logic interface for I/O, status and control ports with wire wrap area, \$300. David Rosenboom, POB 543 Sta Z, Toronto, Ontario CANADA M5N 226, (416) 593-4179.

FOR SALE: Beehive SuperBee II video display terminal. 8008 microprocessor controlled. Scroll mode, page transmit or line transmit. 24 line by 80 character screen, but can hold 200 plus lines in own memory to scroll/page backward and forward. Editing features: line insert/delete, character insert/ delete, Function keys. Tabs settable anywhere, may be set by computer. Formatted screen (fill in blanks) can be specified. Truly the Rolls Royce of terminals. \$900 or best offer. Michael J Eager. 481 Century Dr. Campbell CA 95008. You must send SASE.

FOR SALE: Heath H8 with 48 K, two each SiO/ cassette, interface: \$1975. Heath WH17 dual floppy disk system; \$925. Heath H9 video terminal; \$550. Heath cassette plus recorder; \$45. All factory tested and running, some under factory warranty. Reason selling: I have two computer systems. Buy package for \$3300 or separately. All offers considered. Ray King, 915 El Rancho, Pocatello ID 83201, (208) 237-0979.

FOR SALE: 32 K static programmable memory factory assembled and tested. Four Industrial Micro 8 K S-100 boards, cost \$884 new, asking \$650 (ran out of slots). Teletype, ASR33 teletypewriter with paper tape reader/punch, stand, \$595 plus shipping. Mark Lyon, 6320 Red Prairie Rd, Sheridan OR 97378.

WILL TRADE: Have written programs for Belly HLC with audio cassette interface such as: Checkbook Belancer, Number Sort, Math Quiz, Tic-Tac-Toe, Slot Machine, Hourglass Graphics. I am interested in acquiring other Bally BASIC programs on audio cassette. Chuck Zellers, 2921 Roselawn Dr, Grand Island NE 68801.

FOR SALE: Data Products portable terminal, 10 cps, hard copy, built-in modem and coupler, ASCII/-Teletype, RS-232 interface. The first check for \$550 will receive this device which is excellent for timesharing or as a microcomputer terminal. Carl Echols, 112 Creekside Ln, Noblesville IN 46060, (317) 849-5247.

FOR SALE OR TRADE: REMEX high speed paper tape reader with stop. on character, \$150; Burroughs digital cassette drive, \$50; 5 V at 70 A power supply, \$50. All work fine. Trade any or all for X,Y plotter/recorder. Jim McCord, 330 Vereda Leyenda, Goleta CA 93017, (805) 968-6681.

FOR SALE: DEC MPS microcomputer. Includes 16 K programmable memory plus 4 K bytes eraseable read only memory. Also has vectored interrupt board with parallel input/output. Price \$395 plus shipping. Curtis P Hoffman, 169 Millham St, Marlboro MA 01762, (617) 481-7827.

Reader Service

To get further information on the products advertised in BYTE, fill out the reader service card with your name and address. Then circle the appropriate numbers for the advertisers you select from the list. Add a 15-cent stamp to the card, then drop it in the mail. Not only do you gain information, but our advertisers are encouraged to use the marketplace provided by BYTE. This helps us bring you a bigger BYTE.

Abbot 221 AB Computers 246 Administrative Systems 166 Advanced Computer Products 235 Aladdin Automation 131 Altos 41 S American Square Computers 219 12 Anderson Jacobson 203 Apple Computer 17	94 96 93 126 98	Data Discount Center 181 Datamation 100 Data/Print Publishing Co 150 Datasearch 196	216 217 212	Measureme	ent Sys & Controls 219 ent Sys & Controls 234	317 81	PRS 47 Q Kit (Div J R Conwell Corp) 57
 8 Administrative Systems 166 4 Advanced Computer Products 235 3 Aladdin Automation 131 6 Altos 41 5 American Square Computers 219 12 Anderson Jacobson 203 	96 93 126 98	Data/Print Publishing Co 150		Measureme	ent Sys & Controls 234	81	O Kit (Div.) 8 Conwell Corp) 57
4 Advanced Computer Products 235 3 Aladdin Automation 131 6 Altos 41 5 American Square Computers 219 12 Anderson Jacobson 203	93 126 98		212				a the province of province
3 Aladdin Automation 131 6 Altos 41 5 American Square Computers 219 12 Anderson Jacobson 203	126 98	Datasearch 196	212	Micro Age Micro Ap 1	179	311	Quest Electronics 255
6 Altos 41 5 American Square Computers 219 12 Anderson Jacobson 203	98		213	Micro Ap 1	33	310	RACET Computes 184
5 American Square Computers 219 12 Anderson Jacobson 203	98	Data-Trans 257	211	Micro Appl	ications Group 130	314	Radio Shack Auth Sales Center 219
12 Anderson Jacobson 203		Delta Products 73	214	Micro Arch		322	RCA 69
	99	Diablo (Div of Xerox) 74	220	MIcroDaSy		201	The Recreational Programmer 230
9 Apple Computer 1/	102	Digital Engineering 197	221	MicroDaSy		324	RNB 129
10 AD Deside OF	86	Digital Pathways 137	219	Micro Diver		325 326	RNB 154
10 AP Products 95	88	Digitan 195	223	Micromail			Rochester Data 14
11 ASAP Computer Products 233 19 ATV Research 230	95	DRC (CA) 188	204	MICTO Mana	agement Systems 234	316	S-100 Inc 211 St Jude 232
		DRC (TX) 245	204	Micro Mike		320	Sara Tech 185
	115 120	Electrolabs 254 Electronic Control Technology 99	208	Micropolis Micro Prod		331	S C Digitai 181
	121	Electronic Packing Co 127	198			319	Michael Shrayer Software 165
21 Avionic Enterprise 219 29 base 2 inc. 109	125	Electronic Facking CO 127	209	Microtek 1	are (CAI) 188	315	Shugart Associates 6, 7
	130	Electronic Systems 257, 258, 259 Electronics Warehouse 237	209	Microware		329	68 Micro Journal 215
30 Beckian Enterprises 242 34 Beta Business Systems 219		Emerge Systems 213	231	The Micro		330	SMA 80
31 Biotech Electronics 35		Escon 202	233	Microworld		328	Smoke Signal Broadcasting 29
Bits Inc. 117, 160, 161		Falcon Publishing 158	234			520	Software Dev and Training 167
33 Body Peripherals 120		FMG Corp 208	230		204	327	Software Dynamics 190
32 Buss/Charles Floto 232	1.54	Forethought Products 103	236		uter Suppliers 195	333	Software ingenuity 230
BYTE Back Issues 210	143	GFN Industries 115	237	Mission Co	ntrol 113	335	SSM 16
36 BYTE Books 49, 53, 85-88, 130, 155		Gimix 83	238	Mission Co		340	Solid State Sales 250
BYTE Subscriber 203		GLA Enterprises 232			inker Toys 11	341	Soroc Technology Inc 43
 BYTE WATS Line 201, 234 		Gledhill Electronics 232	255 256	Morrow/Th	inker Toys 37	350	Southwest Technical Products Corp (
41 California Data Corp 234		Godbout Electronics 175	257		lardware 58	352	Structured Analysis Systems 142
39 California Digital 239		Godbout Electronics 246			lardware 153	353	SubLOGIC 119
45 Central Data 97		Graham Dorian Enterprises CIII		M.T.I. 157		356	Sunflex 230
43 Chatsworth Data 62	153	G W Computers Ltd 20	281	NEECO 10	1	354	Sunny International 238
47 Chrislin Industries 78	159	H & E Computronics 163	282			357	SuperSoft 151
44 CODEX 54	161	Hayden Book Co 106	280	Netronics 2		358	Sybex 25
53 COMPCO 102	162	Heath Company 33	283	Newman C	omputer Exchange 247	355	Synchro Sound 79
54 COMPCO 114	170	Hobbyworld 231	284	Newman C	omputer Exchange 251	360	Tarbell Electronics 71
56 COMPCO 116		Hollywood Systems 242	285		Computer 21	363	Technical Systems Consultants 75
48 COMPRINT (Computer Printers Int'l Inc) 3		Houston Instruments 23	286			364	Technology Transfer 122
46 CompuServe (MIcroNET) 64, 65		HUH 187	290	Ohio Scien	tific Instrument CIV	365	Lechnology Transfer 148
49 Computer Bookkeeping Services Inc 142		HUH 187	291		e and Tool 203	366	3 G Co Inc 180
50 Computer Dealer Co-op 105	173	Industrial Micro Systems 149	287	Omikron 19		368	3/M Company 27
Computer Factory NY 226, 227		Infinite Inc 234	4	onComputi	ng 81	369	Robert Tinney Graphics 55
Computer Headware 194		Information Unlimited Software 20	1 288	On Line 21	9	0.00	Tora Systems Inc 230
55 Computer Lab of NJ 197		Intecolor (Div Intelligent Systems)		Optimal Te	chnology 185	370	Total Information Services 190
75 Computerland 8, 9		Integrand 48	293			374	TRS-80 Software Exchange 198 Ucatan 230
66 Computer Mart of NJ & PA 12 • The Computer Repair Co 232		Interactive Microware 186 Intertec Data Systems 141	292		Associates 169 ociates Inc 126	376	Upper Case Books 201
68 Computer Service Center 219		Ithaca Audio 110	299	P.K.C. Inc		379	US Robotics 204
69 Computer Service Systems Network 253		Ithaca Audio 229	294		changes 219	378	Vista Computer 189
65 Computers Plus Inc 201		Jade Co 248, 249	296	Pacific Off	Ice Systems 253	384	V R Data 250
70 Computer Store of San Leandro 232		Jameco 240	298	Page Digita	al 242	387	Wameco 244
73 Computer Store of Sall Leandro 232		Jameco 241	297			307	Whales 99
71 Computhink 124, 125		Jim-Pak 252	305	PerCom Da	ata 60	389	Wintek Corp 230
40 CTC 111	377	Kalbro Computer Brokers (former)	/ 306			390	Wintek Corp 232
78 CT Micro Computer 128, 217, 224		US Brokers Co Div Kalbro Corol 2	32 301				Worldwide Electronics 219
83 Corvus Systems 45		US Brokers Co Div Kalbro Corp) 2 Lifeboat Associates 92, 93, 123	304	Personal C	omputing 79 173	393	XComp 151
Creative Software 182	207	Loweco Computer 234	302	Personal S	oftware Inc 138, 139	394	XComp 164
80 Cromemco 1, 2	202	Mad Hatter Software 193	303	Practical A	oplications 196	392	Xitex 212
85 Cybernetics Inc 156	199	The Mail Mart 232	312	Priority I	260, 261, 262	401	Z _S Systems 211
87 Data Communications Int'l 218	205	Marketline Systems 210	313	Prog 80 1	99		3
89 Data Decisions 180		Measurement Sys & Controls 183	315		ar's Software Exchange	230	
					*Corr	ocno	and directly with company.
	1000			1 1 1 201	Con	copo	and anectry with company.

BOMB-BYTE's Ongoing Monitor Box

Ar	ticle	No.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

ARTICLE

Allen: An Overview of LISP 10 Laubsch, Fischer, and Bocker: LISP Based Systems for Education 18 Prini and Rudalics: Lambdino Storage Management System 26 34 Kornfeld: Pattern-Directed Invocation Languages 50 Ciarcia: Anyone Know the Real Time? Albus: A Model of the Brain for Robot Control, Part 3 66 82 Yeager: Exploring TRS-80 Graphics Powers: The Nature of Robots, Part 3 94 Taft: The Design of an M6800 LISP Interpreter 132 162 Pratt: A Mathematician's View of LISP 170 Halsema: A Preview of the Motorola 68000 176 Stoutemyer: LISP Based Symbolic Math Systems Weyhrauch and Graves: LISP Applications in Boolean Logic 206 Gass: An Overview of Long Division 220

May BOMB Maps a Winner

Page

The May 1979 first place BOMB award of \$100 went to William D Johnston for taking a direct route to the top with "Computer Generated Maps," page 10. The second place prize of \$50 went to Steve Ciarcia for "Communicate on a Light Beam," page 32. Placing third was "Representing Three Dimensional Objects In Your Computer," page 14 by Richard Blum, with Bob Haas' "Single Chip Video Controller," page 52 taking fourth place.

Graham-Dorian's Integrated, On-Line Programs Are Fast, Efficient, And Easy To Use.

Rely on Graham-Dorian, a full-line computer software manufacturer, for sophisticated programs — the most detailed on the market today. They're ready to go to work immediately or to be tailored for even more specific needs.

On-line capabilities enable you to make a single entry and update all affected files. An inquiry into a file at any time provides up-to-date information — no batching or sorting of input data.

The programs are easy to use. Messages on the video display guide you each step of the way. Programs make use of indexed sequential and chained files for fast and convenient retrieval of data with efficient use of disk space.

Order in standard eight-inch disk either double or single density, or various mini-floppy formats. Each program contains a free CBASIC-2, plus user's manual and hard copy source listing.

• Accounts Receivable — Records invoices, prepares statements and trial balance reports, etc. Automatically reports aging of accounts in periods of 30, 60, and 90 days, with each item listed separately.

 Accounts Payable — Vendor lookup and change, entering vendor invoices, writing checks (many options), cash flow analysis, accounts payable check register, and vendor list. Ideal for analyzing expenditures by vendor and by due date. • General Ledger — Includes lookup and change, making journal entries, trial balance, transaction register, chart of accounts, financial statements, and monthly closing.

• Job Costing — Provides work order lookup, enters labor transactions, material set-up, progress report of hours, labor distribution report, weekly labor reset, actual versus estimated cost per job.

• Inventory — Can be connected with cash register for point of sale inventory control. Number of on-line items limited only by disk space available.

 Cash Register — Creates daily sales reports containing information on gift certificates, paidouts, overrings, refunds, and how much in each category a salesperson sold.

• Payroll — Handles 100% of all necessary payroll functions including state income tax tables for your state. Ideally suited for both large and small companies.

• Apartment — Said one user, "Obviously, this was developed by apartment owners." The package fills virtually all the needs of apartment owners and managers. Ideal for projects with 75 units or more.

• CBASIC-2 — The most comprehensive and powerful commercially oriented BASIC available today. Enhancements over CBASIC-1: integer variables, multiple line functions, CHAINing with COMMON variables, additional predefined functions, etc. Comes free with any package, or purchase separately.

Compatible with many computers: Northstar, IMSAI, Altos, Cromenco, Industrial Micro Systems, Radio Shack TRS-80, SD Systems, Digital Microsystems, Dynabyte DB8/2, Micropolis MOD II, Vector MZ, and other 8080, 8085, and Z-80-based systems.

See your GDSS dealer or send for information packet and sample runs.



Graham-Dorian Software Systems A Division of Graham-Dorian Enterprises 211 N. Broadway / Wichita, KS 67202 / (316) 265-8633

Circle 152 on inquiry card.

OHIO SCIENTIFIC DOES IT AGAIN

Ohio Scientific has taken its standard Challenger III computer and married it to the new Shugart 29 Megabyte Winchester Drive. The result is the C3-C. This new microcomputer now fills the vacuum that existed for computer users who need more mass storage capability than floppies can offer – yet until now, could not justify the additional cost of a larger capacity hard disk computer such as our C3-B 74 Megabyte disk system.

Winchester Technology

Winchester hard disk drives offer small business and professional computer users the logical solution to mass storage problems that are beyond the capability of floppy disks. In addition, Winchester

disksfeature a track seektime that is much better than floppies and because they spin at eight times the rate of floppies, Winchesters have a shorter latency. Both of these points reflect one remarkable speed advantage Winchester disks have over floppies.

Coupled to the Challenger III Computer

Ohio Scientific's award winning Challenger III computer is a classic. It is the only computer series that utilizes the three most popular microprocessors – 6502A, 68B00 and Z-80. This tremendous processor versatility enables one to utilize a seemingly endless selection of quality programs available from Ohio Scientific's software library as well as from many independent suppliers.

And Advanced Software

For instance, there are single user, multi-user and network operating systems. A complete turnkey small business package, OS-AMCAP provides accounts receivable, accounts payable, disbursements, cash receipts, general ledger, etc. OS-CP/M offers a complete FORTRAN and COBOL package. And there is WP-2, a complete word processing system. For information management, OS-DMS. features an advanced file handling system and program library that simplifies information storage and recall and routinely performs tasks which usually require special programming on other systems.



Yields the Microcomputer of the Future

With an eye toward the future, the C3-C, like all other Challenger III's was designed with provisions for future generation 16 bit microprocessors via plug-in options.

There are ten open slots for lots of I/O and multiuser operation. Truly, the Ohio Scientific C3-C is a computer with a future.

The new C3-C computer with 29 Megabyte Winchester Hard Disk.

RAM and OS-65U operating system!

\$9340 with 48K static

600K byte Dual 8" floppys

Easy to configure and service. Rack slide mounting on all subassemblies.. 10 open slots for expansion.

Shugart SA-4008 29 Megabyte Winchester Disk (23 Megabytes of formatted user space under OS-65U).

OEM pricing available