


RADIO


ESTABLISHED 1917



RADIO-ELECTRONIC

Design • Production • Operation

JANUARY, 1944



Building TOMORROW ... Today!

Electronic engineering laboratories are busy keeping pace with the tremendous number of new wartime tube developments. RAYTHEON engineers are doing this and more — giving RAYTHEON tubes that “Plus-Extra” that set manufacturers and dealer servicemen have always known throughout the years; that “Plus-Extra” put into every design and each step of the manufacturing processes. It is just that extra performance quality, built into RAYTHEONS, that assures their leadership in the new post-war era of electronics.

When we can again return to the peacetime American system of free enterprise, the RAYTHEON jobber, dealer and serviceman will have the additional advantage of RAYTHEON’s wartime engineering development and production of electronic tubes for the great number of new applications.

Raytheon Production Corporation
 Newton, Massachusetts; Los Angeles,
 New York, Chicago, Atlanta



RAYTHEON
High Fidelity
 RADIO AND ELECTRONIC TUBES

All Four Raytheon Plants Have Been
 Awarded Army-Navy “E”-Plus Stars

DEVOTED TO RESEARCH AND THE MANUFACTURE OF TUBES FOR THE NEW ERA OF ELECTRONICS



CASH PRIZE CONTEST!

FOR RADIO MEN IN THE SERVICE! "WRITE A LETTER"

As you know, the Hallicrafters make a wide range of Radio Communications equipment, including the SCR-299 Mobile Communications unit. We are proud of our handiwork, proud of the job you men have been doing

with them on every battlefield

RULES FOR THE CONTEST

We want letters telling of actual experiences with this equipment. We will give \$100.00 for the best such letter received during each of the five months of No-

vember, December, January, February and March! (Deadline: Midnight, the last day of each month.)

We will send \$1.00 for every serious letter received so even if you should not win a big prize your time will not be in vain.

Your letter will be our property, of course, and we have the right to reproduce it in a Hallicrafters advertisement.

Good luck and write as many letters as you wish. V-Mail letters will do.

W. J. Halligan



BUY MORE BONDS!


the hallicrafters co.
CHICAGO, U.S.A.

2611 INDIANA AVENUE • CHICAGO, U.S.A.
MAKERS OF THE FAMOUS SCR-299 COMMUNICATIONS TRUCK

RADIO

* JANUARY, 1944

1



THE GIANT OF MILITARY RADIO

The Army's SCR-299 Communications Unit!

As beachheads and command posts are established, the SCR-299 built by Hallicrafters speeds ashore and immediately starts operation in voice and code, while stationary or speeding through woods and along rough roads under enemy fire.

Today these Giants of Military Radio are repeating this tough job, with the Allied Nations, on all the battlefronts of the world. Whether directing the fire of battle wagons lying offshore or the concentration of Allied land forces' fire on a strategic hill, the SCR-299 "gets the information through!"



HALLICRAFTERS HAS THE HONOR OF BEING THE 1ST EXCLUSIVE RADIO MANUFACTURER TO RECEIVE THE ARMY-NAVY PRODUCTION AWARD FOR THE 3RD TIME! THE WORLD'S LARGEST EXCLUSIVE MANUFACTURER OF SHORT WAVE RADIO COMMUNICATIONS EQUIPMENT

BUY MORE BONDS!

hallicrafters

JANUARY, 1944 *

RADIO

RADIO

Published by RADIO MAGAZINES, INC.

M. L. MUHLEMAN

Editor and Publisher

JOHN H. POTTS

Managing Editor

Business Staff

M. L. Muhleman, Publisher
and President

S. R. Cowan, Business Manager
and Treasurer

R. Rosen, Advertising Production

R. Alan, Circulation Manager

Pacific Coast Representative:

Loyd B. Chappell,

427 West 5th St., Los Angeles, Calif.



Executive & Editorial Offices

342 Madison Ave., N. Y. 17, N. Y.

Telephone MUrray Hill 2-1346



CORRESPONDENCE and ORDERS should be sent only to our New York office. MANUSCRIPTS, if unsolicited and unusable, will not be returned unless accompanied by a stamped, self-addressed envelope.



SUBSCRIPTION RATES (in U. S. funds): Two years, \$5.00, or \$3.00 yearly in U.S.A. To Canada and all foreign countries, \$4.00 yearly. Twelve issues yearly; back issues are not included in subscriptions. British Agency: Radio Society of Great Britain, New Ruskin House, Little Russell St., London, W. C. 1.



NOTE: Because of wartime censorship restrictions, we must reserve the right to withhold from foreign subscribers any issue the regular domestic edition of which is not approved by the authorities for export without changes. In such cases subscriptions will be extended so that each subscriber will eventually receive the number of issues to which he is entitled.



IF YOU MOVE, notify us in advance; we cannot replace copies sent to your old address. Notice must be received by the 20th of the month preceding the cover date of first issue to go to the new address.

JANUARY 1944

Vol. 28, No. 1

Table of Contents

COVER

Compact and versatile, the Western Electric command set, shown here in detail for the first time, is the vital airborne radio link between planes in flight and between planes and ground forces. Used in both Army and Navy planes, the command set is notable for its small size, light-weight and ease of operation.

ARTICLES

Production Speed-Ups	16
A Wide Range Logarithmic D-C Amplifier— <i>Paul Selgin</i>	19
Hermetic Sealing of Capacitors and Transformers— <i>Roger W. Stamm</i>	22
Slide Rule Short Cuts— <i>John M. Borst</i>	24
Using Determinants to Solve Kirchhoff's Equations— <i>M. Holzman</i>	28
Radio Design Worksheet: No. 21—Inductance Bridge; Polyphase Communication Circuits	31
Class C Amplifiers, Part 2— <i>Cortlandt Van Rensselaer</i>	33
Theory and Application of Nomographs, Part 3— <i>R. G. Middleton</i>	36
Radio Bibliography: 14—Interference and Static— <i>F. X. Rettenmeyer</i> ..	38

MISCELLANEOUS

Transients	4
Technicana	6
This Month	44
New Products	46
Advertising Index	64

RADIO (title registered U. S. Pat. Off.) is published monthly at 34 N. Crystal Street, East Stroudsburg, Pa., by Radio Magazines, Inc., Executive and Editorial Offices at 342 Madison Avenue, New York 17, N. Y. Subscription rates—United States and Possessions, \$3.00 for 1 year, \$5.00 for 2 years; elsewhere \$4.00 per year. Single copies 35c. Printed in U.S.A. All rights reserved, entire contents Copyright 1944 by Radio Magazines, Inc. Entered as Second Class Matter October 31, 1942, at the Post Office at East Stroudsburg, Pa., under the Act of March 3, 1879.

RADIO

★ JANUARY, 1944

3

TRANSIENTS

WALKING ZOMBIES

★ If the small number of people we recently questioned on the subject of their post-war desires represents a good cross-section of national thought, then the broadcast-receiver manufacturers may be in for a rude jolt. These people are definitely thinking of dream models, and if the dream fails to materialize the industry may face a buyer's strike.

An interesting, though disheartening, aspect of the situation is that the people with whom we discussed the matter, have no such expectations from the automotive industry. Good publicity has promoted the conviction that it will be some time before post-war cars assume the delightful characteristics of a mechanical dream, with the result that people are resigned to the fact that post-war cars for some time to come will be approximations of pre-war models. But there is no such conviction with regard to radios, for the simple reason that there has been too much talk about the wonders that will be incorporated in future sets and very little talk outside the industry as to *when* these wonders may be expected.

The National Association of Manufacturers has estimated that there will be a potential post-war market for 20 million radio receivers. This is a reasonable estimate, provided the public shows a willingness to accept pre-war designs. If our little survey is any criterion, the public won't. At least, not if they deduce that dream models will be forthcoming in a year or two. In that event the old radio, patched up, will do very nicely until such time as the radio industry makes good on its promises.

We believe the industry should do one of two things; either parallel the course taken by the automotive people and make it clear to the consumer that the dream held out is a distant one, or prepare to offer a reasonable facsimile of a dream model from the word go. Otherwise the industry may see a dream walking—in the wrong direction.

MILITARY SURPLUS

★ Our editorial titled "Competition", in the November issue, brought forth a number of letters, both pro and con. Of particular interest is a letter from *McMurdo Silver*, Vice-President of The Grenby Manufacturing Co. Mr. Silver is of the opinion that the dumping of surplus radio-electronic equipment, no matter how accomplished, will damage the future prospects of the entire industry. It is his conclusion that it might be far better in the long run to scrap the equipment. His expression is well summed up in the following paragraph taken from his letter:

"Awful as is the thought of total destruction, it may be the best answer. The cost in material and man-hours of this potential military surplus is already on our tax bill—and on the tax bill of our children's children. If we could significantly reduce this burden

by dumping, that would be wise. But past experience is that dumping will yield only the tiniest fraction of the original cost—maybe not enough to leave any net cash salvage after handling and selling costs to the government. But the tax bill *must* be paid if we are to escape ruin as a nation. If the price of dumping is to even partially reduce new production, to reduce continuing employment, to diminish individual purchasing power and hence to reduce taxable income, is it not better to destroy the past to preserve the future?"


We have since learned that the Government is giving the problem serious consideration, and that a bill will be introduced in the Senate proposing that the disposal of military surplus be administered by industry. In that case, each industry would be in a position to protect its own interests.

POST-WAR JOBS

★ Outstanding experts in manufacturing, marketing, sales, finance, management and engineering have organized to make available to American business during 1944 the latest practical knowledge needed to help them effect an expansion of post-war production and employment to unprecedented peacetime levels, it was recently announced by Marion B. Folsom, Chairman of the Field Development Division of the Committee for Economic Development. Eleven Action and Advisory Committees will make this knowledge freely available to all American businessmen in publications and by direct consultation through the 1100 community committees of CED now at work in all 48 states.

"The most pressing job of the CED in 1943," said C. Scott Fletcher, Director of the Field Development Division, "was to organize businessmen at the community level to study conditions in their own businesses and to take responsibility for devising bold plans for reducing post-war unemployment to the bedrock minimum. On New Year's Day, 1943, we had exactly three pins in our organizational map. Today we have more than 1300 representing regional, state, district and community committees, and more are being inserted every week.

"In 1944 the CED's most urgent task will be to make available to the nation's 2,000,000 business employers the best American managerial science, imagination and know-how, in such practical form that it can be applied effectively to their own post-war planning problems. Our Research Division advises us that 55,000,000 post-war civilian jobs in business, agriculture and government, producing 142 billion dollars of goods and services is a reasonable and achievable goal to aim at. Compare that with 46,000,000 and 97 billion in 1940—our banner peacetime year hitherto—and one can appreciate the size of the job which confronts America in the post-war period. Business is determined to make its contribution to meeting this challenge."



TOOL & DIE DIV.

PUNCH PRESS DIV.

SCREW MACHINE DIV.

ELECTRO PLATING & FINISHING DIV.

CONDENSER DIV.

CAN FABRICATION DIV.

WIRE DIV.

Another Leader in Radionics

GUTHMAN *Super-Improved* COILS

For many years before the war, Edwin I. Guthman & Co. was especially known for manufacturing better coils. With war came greater demands upon our facilities... U. S. Army and Navy orders for many diversified radio parts... expansion of our plant... the addition of many new manufacturing departments. All manufacturing and assembling of these many units was done in our own completely equipped plant. Thus, our engineers and skilled personnel gained a broader experience in modern radionics. Now, we are concentrating all this technical experience in the engineering and production of Guthman Super-Improved

Coils... promised leaders in peacetime radionics.



EDWIN I. GUTHMAN & CO. INC.

15 SOUTH THROOP STREET · CHICAGO
 PRECISION MANUFACTURERS AND ENGINEERS OF RADIO AND ELECTRICAL EQUIPMENT

when you must **SOS**

for Electronic & Radio Supplies

call **ALLIED First!**



Get all
your needs faster from
this one central source

Time and again, Allied has saved the day with "rush delivery" . . . right from stock. That's because we carry the world's largest stock under one roof. Over 10,000 electronic and radio items . . . ready for the Armed Forces, Government, Industry. Furthermore, our close contact with all leading manufacturers enables us to simplify and expedite all your purchases. Our veteran staff does the entire procurement job for you. You deal with one central source . . . instead of many. You send one order . . . for everything . . . whether it's an emergency or not . . . save time and worry . . . call Allied first! Write, Wire or Phone Haymarket 6800.

ALLIED RADIO CORP.

833 W. Jackson, Dept. 14-A-4, Chicago 7, U.S.A.



FREE!
Send for today's most
complete, up-to-date
BUYING GUIDE

All these well known makes—and MORE!

RCA	General Electric	Belden
Raytheon	Cornell-Dubilier	Meissner
Hickok	Sprogue	Amphenol
Triplet	Aerovox	Shure
Supreme	Hallcrafters	Astatic
Mallory	Hammarlund	Amperite
Ohmite	E. F. Johnson	Jensen
IRC	Cutler-Hammer	Utah
Centralab	Hart & Hegeman	Janette
Burgess	Littlefuse	Sangamo
Knight	Stancor	Dumont
Billiey	Thordarson	Bussman

**ALLIED
RADIO**

Delivers The Goods

TECHNICANA

ELECTRON MICRO-ANALYZER

★ An instrument which will enable the identification of the chemical elements in ultra-microscopic particles no larger than 1/100,000th of an inch in diameter has been developed experimentally by Dr. James Hillier of RCA Laboratories and is described in a letter published in the November 15th, 1943, issue of the *Physical Review*.

In operation, the micro-analyzer uses an "electron needle" to knock loose other electrons in their parent atoms in the specimen, measures the amount



Dr. Hillier (left) and Dr. V. K. Zworykin, Associate Research Director, RCA Laboratories, with an experimental model of the electron micro-analyzer

of energy lost by the incident electrons in the process, and thereby reveals the specimen's chemical content.

According to Dr. Hillier, the electrons of the "needle" that strike the selected area of the specimen are all moving with the same velocity, say 50,000 volts. After they have passed through the specimen area, those electrons which have struck atoms are traveling with less velocity. Because the energy loss suffered by the speeding electron is different for each chemical element, it is possible, by measuring the energy loss, to determine the kind of atom which has been struck. An energy loss of 298 volts, for example, indicates that a carbon atom has been struck; a 400-volt loss identifies the element as nitrogen, etc.

An electron microscope is incorporated as a part of the micro-analyzer. After a selection has been made of the exact portion to be analyzed, a photographic exposure is made, showing the electron velocity distribution. This re-

(Continued on page 8)

CRYSTALS

At Once!

Today's urgencies make a reliable and speedy source of special crystals highly important. Such a source is John Meck Industries whose Special Crystal Division is operated to supply — *quickly* — crystals to any temperature co-efficient and absolute frequency specifications under the direct supervision of thoroughly skilled, experienced engineers. For your contribution to time-saving production, just

PHONE: PLYMOUTH (Indiana) THREE-THREE

JOHN MECK INDUSTRIES
PLYMOUTH, INDIANA



[Continued from page 6]

sults in a series of small marks on the photographic plate, each of which indicates the presence of a chemical element in the specimen. Thus, with one exposure, information is obtained which would have taken weeks or months to secure by present indirect methods, Dr. Hillier points out.

An incidental development made by Dr. Hillier in designing the micro-analyzer was an improvement in the resolving power of the electron velocity analyzer. In the experimental model of this instrument it is now possible to measure electron velocities to 1 part in 4300, whereas formerly 1 part in 200 was considered good.

NEW THERMOCOUPLE STANDARD

★ The American Standards Association has just announced approval of the new American war standard, Dimensions for External Radio-Frequency Thermocouple Converters (120 ma. to 10 amps., inclusive), designated as C39.4-1943. This standard has been adopted for procurement purposes by the Signal Corps Standards Agency and the Radio Division, Navy Dept., Bureau of Ships.

It has been estimated that this standard covers 90 per cent of the thermocouple converters used in radio and electronic equipment. Designers of equipment should utilize this standard as extensively as possible to aid in securing maximum production and to simplify repairs of equipment in the field.

Copies of this and other war standards may be obtained from the American Standards Association, 29 W. 39th St., New York 18, N. Y.

VOICE-POWERED TELEPHONE

★ A sound-powered telephone operated without batteries proved one of the most useful pieces of equipment on Guadalcanal, the War Department has been advised by Lieutenant-Colonel R. B. H. Rockwell, Signal Corps, who served as division signal officer on the South Pacific island.

Power in the telephone is generated by the human voice. It is capable of carrying its message as far as ten miles under favorable conditions and has a normal range of five miles under almost any circumstances. Commercially developed, the sound-powered telephone has been adapted to war communications by the Signal Corps.

This equipment was found particu-

[Continued on page 10]



Pincor's number one job right now is to supply fighting men with fighting tools. Our plant is on an all out war production schedule but our service department is pledged to make your present Pincor equipment last for the duration. Bring your service problems to us—but please bring only Pincor problems; there just aren't enough hours in the day to take care of any others.

DYNAMOTORS . . . CONVERTERS . . . GENERATORS . . . D C MOTORS . . . POWER PLANTS . . . GEN-E-MOTORS

PIONEER GEN-E-MOTOR

5841 WEST DICKENS AVENUE, CHICAGO 39, ILL.
Export Address: 25 WARREN STREET, NEW YORK 7,
U.S.A. • Cable Address: SIMONTRICE, NEW YORK

BUY MORE BONDS!



THE "WORKS" OF YOUR CAR HEATER



One of the things you seldom think about, because it is so dependable on the job, is the motor that drives your car heater fan.

You flip 'er on, and get prompt warmth. You flip 'er off, and that's that.

But that little motor is a husky for work. It starts cold, but instantly. It

takes whatever neglect comes its way. It's just one of those out-of-sight reliables that help make the modern car the comfortable, satisfactory transportation it is. And very likely that little motor is a "Smooth Power" model.


But there are other jobs, equally exacting, these "Smooth Power" motors can do. We want to know about them now so we can, if necessary, design special models to serve them.

Please let us know if you have work for these husky little "Smooth Power" motors to do.

THE GENERAL INDUSTRIES COMPANY
Elyria Ohio



[Continued from page 8]



How tiny Piezo Crystals

do their part to make this

a brighter, better world?

When those big, long range raiders strike deep behind enemy lines, crystals ride along—doing their small, but mighty important job, of keeping alive the line of communications from plane to plane, and from raider force to home base.

To fulfill this responsibility, crystals must be perfect. Here at Scientific Radio Products Company we're proud to be engaged in the important work of making perfect crystals for the allied nations. That's where the big share of our output goes—but our facilities are such that we may be able to serve you, too, in your efforts to bring destruction to the enemy — and make this world a better place to live. Write us.

Scientific Radio Products Company
738 W. BROADWAY, COUNCIL BLUFFS, IA

LEO MEYERSON W9GFO
E. M. SHIDELER W9IFI

MANUFACTURERS OF PIEZO ELECTRIC CRYSTALS AND ASSOCIATED EQUIPMENT

larly advantageous on Guadalcanal because of the lack of batteries, which have been found susceptible to deterioration from the humidity and dampness of the South Pacific. In addition, it is considerably smaller, more compact and durable than battery-powered telephones. In size and appearance it similar to the handset in use in American homes. Signaling is accomplished by whistling into the transmitter.

VIBRATION INDICATOR

★ The design and application of a simple instrument for checking vibration displacement is described in an article by H. M. Dimond in the December, 1943, issue of the *General Electric Review*.

The construction of the instrument is indicated schematically in Fig. 1. The small mirror is rotated by movement of the stylus, and this movement is magnified by the reflected light beam,




Fig. 1. Vibration-indicator diagram

which is projected on the calibrated glass screen. Rapid motion of the light spot thus formed causes it to appear as a hand. The length of the hand indicates the magnitude of the vibration. Loose bearings and couplings, and resonant vibrations of attached equipment give distinctive indications which can be readily identified by an operator familiar with the instrument.

This device was developed by the Mechanical Investigation Section of the General Electric Research Laboratory.

IMPROVED AC-DC SET DESIGN

★ An improved method of eliminating undesired interstage coupling in ac-dc receiver design is described in a patent abstract published in the December, 1943, issue of *Wireless World*. Be-

[Continued on page 12]

The most **COMPLETE LINE OF TUBE SOCKETS**

There is a Johnson socket for nearly every transmitter requirement. For more than twenty years, Johnson Engineers have been designing and manufacturing transmitter parts, transmitters, and equipment. They are thoroughly familiar with all the problems of sockets themselves plus an intimate knowledge of the requirements and relationship with other transmitter components.

You cannot buy a better socket than Johnson. Finest materials, superior workmanship, exclusive design, precision manufacturing, skilled engineering, and quantity production all mean the best sockets, and usually the lowest priced on the market.

Most Johnson sockets are Government approved as standard. Perhaps you have noticed how frequently the phrase "Johnson or equivalent" appears as part of Army or Navy specifications. If you are not already doing so, you will find your socket troubles over, if YOU specify "JOHNSON." May we send you information or samples?



Ask for
CATALOG 967K

JOHNSON

a famous name in Radio




E. F. JOHNSON COMPANY • WASECA • MINNESOTA

RADIO * JANUARY, 1944

11

Magic!

DONE WITH WIRE



Electronics, Radionics, Radio — weapons that help speed us to Victory. Making wire "harnesses" for these magic swords is another big Wallace job. The production picture in itself is pure magic, too; because it involves improved techniques, discoveries and multiple engineering problems. Here, then, is a well of priceless experience ready to help you produce your own brand of magic — once Victory is achieved.



Wm. T. WALLACE MFG. Co.

General Offices: PERU, INDIANA
Cable Assembly Division: ROCHESTER, INDIANA

TECHNICANA

[Continued from page 10]

cause the chassis must be isolated from the line, objectionable feedback may develop unless the chassis is adequately by-passed. But when this is done the line voltage is coupled to the chassis through the by-pass capacitor, often forming a charge sufficient to give the set user a shock.

A method frequently used in American receivers to reduce this effect is to shunt the by-pass capacitor with a high resistance, which serves to dis-




Fig. 2. AC-DC set circuit

charge the capacitor but provides conductive coupling between the line and chassis. In the improved method, illustrated in Fig. 2, no shunt resistor is required. Instead, the objectionable coupling is neutralized so the by-pass capacitor may be small in value and the charge is consequently reduced.

The inventors state that the largest leakage currents occur through stray capacities from the high-potential points of the last i-f transformer *T*. One path is shown in dotted lines as *LC1*, which forms a circuit from the primary winding to the chassis through *C* and *C1*. The second path is from *LC2*, through *C* and *C2*.

By making these two leakage currents equal and opposite in phase, the leakage current through *C* becomes zero and objectionable interstage coupling is eliminated. This is accomplished by shunting a fixed capacitor *C3* of proper value in parallel with the leakage path *LC1*, and by suitable adjusting of the coupling and tuning of the two transformer windings. This patent, No. 553028, dated Nov. 16th, 1940, is

[Continued on page 14]

wherever a tube is used...




THERE'S A JOB FOR

Relays BY GUARDIAN

★ Wherever the rectifier type of tube is used, generally there's a job for a relay . . . a RELAY by GUARDIAN . . . in secondary and/or primary circuits where double pole, double throw "on and off" switching is desirable.

Typical of such a relay is the Guardian Type B-100. This double pole, double throw relay is equipped with silver contact points having a capacity up to 1500 watts, 60 cycle non-inductive A.C.; and in A.C. primary circuits of any inductive power supply delivering up to and including 1 Kw. Standard coils operate on 50-60 cycle A.C., 110 volts, consuming approximately 8½ VA. Coils available for other voltages. Write for Bulletin OF-112 showing standard relay types.



TYPE
B-100
RELAY

Electronic rectification, long used to convert A.C. to D.C. power, is now coming into use to operate variable speed D.C. motors . . . battery chargers, etc. In such applications, the type E-100 relay shown above is often used.

GUARDIAN  **ELECTRIC**

1605-P W. WALNUT STREET

CHICAGO 12, ILLINOIS

A COMPLETE LINE OF RELAYS SERVING AMERICAN WAR INDUSTRY

RADIO

★ JANUARY, 1944

13

[Continued from page 12]

assigned to the Philco Radio and Television Corporation.

TELEVISION PROJECTION

★ New RCA developments in the application of aspherical optics to television projection make possible the economical production of projection-type television receivers that reproduce images up to full theater-screen dimensions.

According to an article by I. G. Maloff of RCA, appearing in the January, 1944, issue of *Radio Age*, a large gain in light with ample resolution and contrast is obtained in the projected image through the use of aspherical



Fig. 3. The projection system

lenses. These are produced by a special RCA process at low cost by molding plastic, methyl methacrylate, in the form desired. After molding, the lens is extracted and the hole for the protruding cathode-ray tube is bored out. The lens is then ready for use, no polishing or finishing of any sort being required.

A sketch of the system, which was demonstrated in New York, is shown in Fig. 3. A 30-inch spherical mirror is used in conjunction with the lens. This mirror gathers the light emanating from the tube and reflects it through a 22 1/2-inch lens onto the theater screen. All the light (except for slight losses in the reflection and transmission) which the large mirror gathers, finds its way to the screen, and this accounts for the superiority of the new optical system over conventional projection lenses.

In working with large spherical mirrors, a very interesting effect is often observed. It is well known to op-

[Continued on page 59]



NEW!

DRY AIR PUMP

for Economical Dehydration of Air for filling Coaxial Cables

This easily operated hand pump quickly and efficiently dehydrates air wherever dry air is required. One simple stroke of this pump gives an output of about 23 cubic inches. It dries about 170 cubic feet of free air (intermittent operation), reducing an average humidity of 60% to an average humidity of 10%. The transparent main barrel comes fully equipped with one pound of air drying chemical. Inexpensive refills are available.

The Andrew Dry Air Pump is ideal for maintaining moisture-free coaxial cables in addition to having a multitude of other applications.

Catalog describing coaxial cables and accessories free on request. Write for information on ANTENNAS and TUNING and PHASING EQUIPMENT.




363 EAST 75th ST., CHICAGO 19, ILL.

★ Standard of Excellence ★

In War


In Peace



Accuracy and dependability are built into every Bliley Crystal Unit. Specify BLILEY for assured performance.

BLILEY ELECTRIC COMPANY
ERIE, PENNSYLVANIA

Bliley Crystals



They help put electrons
on Industry's payroll

WITH the aid of Automatic Electric relays and other control devices, electronic science is helping industry do a thousand new jobs—speeding new electronic ideas through the laboratory and putting them to practical use on the production line.

Automatic Electric field engineers, armed with the technique which comes from long experience in electrical control applications, are working daily with the

makers of electronic devices of every kind—offering time-saving suggestions for the selection of the right controls for each job.

Let us pool our knowledge with yours. First step is to get a copy of the Automatic Electric catalog of control devices. Then, if you would like competent help in selecting the right combination for your needs, call in our field engineer. His recommendations will save you time and money.

Relays
AND OTHER CONTROL DEVICES
by **AUTOMATIC
ELECTRIC**



Distributed by

AUTOMATIC ELECTRIC SALES CORPORATION

1033 WEST VAN BUREN STREET CHICAGO 7, ILLINOIS

In Canada: Automatic Electric (Canada) Limited, Toronto

MUSCLES FOR THE MIRACLES OF ELECTRONICS

RADIO ★ JANUARY, 1944

15

Production Speed-Ups

ELECTRICAL TAPE SUBSTITUTE

By ALZEOR I. BEAUNE

General Electric Company, Cleveland Plant

★ In case it becomes impossible to get friction tape or rubber tape, a satisfactory substitute is $\frac{3}{4}$ -inch cotton tape, painted with Ajax Black Air Drying Varnish made by the Sherwin-Williams Company.

After submersion in oil for 48 hours, connections made with ordinary friction tape became loose, gummy and saturated, while those made with the substitute as described above remained firm and hard.


It has also been found that cotton tape, painted with G. E. Glyptal varnish, makes very satisfactory connections. However, this varnish takes longer to dry than the Ajax type so connections cannot be pulled through conduit or be otherwise handled as quickly as when the Ajax varnish is employed. The latter has successfully withstood tests up to 440 volts.

THERMAL SHOCK ABSORBER

By R. C. MIDDLETON

Templetone Radio Co.

★ Heat conduction from the soldering iron often ruins delicate radio components when the soldering operations are performed by unskilled personnel, as is



so often the case these days. This is especially the case when precision resistors, copper-oxide rectifiers and small capacitors are being soldered.

The thermal shock absorber practically eliminates rejects due to this cause. When this device is clamped on the lead, the heat from the iron is dissipated by the thermal shock absorber rather than by the item being soldered.

TRANSFORMER LID JIG

By D. SMITH

RCA Manufacturing Co., Inc., Camden Plant

★ This suggestion refers to a jig to hold hermetically sealed transformer can lids. The fixture is designed to construct two cover assemblies at one time.

Corprene washers are assembled over the studs, which are placed in their respective holes and the metal covers are mounted over the blocks on each side of the fixture. This operation is performed while the locating plate is pushed back to allow the operator more room. The operator assembles a large washer, bushing, and a small washer, respectively, on each of the eight extending studs. The locating plate is then moved down into position and terminals and lockwashers are assembled on top of the small washers. The operator inserts a nut into the end of an air-gun, which is suspended directly over the fixture, and tightens the assembly. When the locating plate is swung back, it automatically ejects the two complete assemblies.

The ejector feature is necessary because the air-gun tightens the assembly enough to cause the washers below the cover to expand and press against the side walls of the holes. When the locating plate is pushed back it automatically moves the ejectors upward, catching each end of the cover, thus ejecting them. A steel clamp has been added to the fixture to hold the locating plate in place, as the air-gun vibrates enough to force the plate upward, leaving the terminals in position.


A drawing (Suggestion Serial No. 409) showing the design of this jig may be obtained from the War Production Board, War Production Drive Headquarters.

SPECIAL RADIO PLIERS

By JAMES DOUGHERTY

RCA-Victor Div., RCA, Camden Plant

★ It is suggested that standard pliers be modified as shown so that loose con-



tacts on switch wafers may be tightened without damage to the wafers. Normally about 15 per cent of these wafers are not usable because of loose contacts, often caused by rough handling in transit. When this tool is properly adjusted contacts may be tightened without injuring the wafer.

Results: Practically eliminates rejects.

PRODUCTION TEST JIG

By R. C. MIDDLETON

Templetone Radio Co.

In designing test equipment for a certain job, the problem arose of speeding up testing on a nine-cord unit; that is, nine telephone jacks spaced on one-inch centers. The first thought was to gang the nine plugs in one jig, which would enable the nine tests to be performed in a single operation. This failed because the force required to re-

[Continued on page 59]



PAINTED FOR ELECTRONIC LABORATORIES, INC., BY BENTON CLARK

Can a Vibrator Power Supply Rescue a Boat-Load of Men?

No . . . it can't! But it can help—and the rescue might be prevented and the boat lost forever, if just one vibrator power supply failed to do its job.

● The compact radio transmitter that is standard equipment in many lifeboats depends on a vibrator power supply . . . The patrol plane that picks up the SOS . . . spots the drifting boat, and summons surface ships with its own powerful transmitter, has a complex electrical system that includes many vibrator power supplies. And

in the rescue ship itself are still other vibrator power supplies performing vital functions.

The dependability of *E·L* Vibrator Power Supplies under all climatic conditions — their amazing adaptability in meeting specific current requirements — have brought them into wide use for radio, lighting, communications and motor operation — on land, sea and air.

Electronic's engineers have specialized for years in the technique of vibrator power supplies. They have conducted the most extensive research ever known on power supply circuits. They have extended the practical application of vibrator-type power supplies far beyond previous conceptions.

In the electronic era of peace to come, the efficiency and economy of *E·L* Vibrator Power Supplies will find new applications wherever electric current must be changed, in voltage, frequency or type.






Electronic
LABORATORIES, INC.
INDIANAPOLIS

E·L ELECTRICAL PRODUCTS — Vibrator Power Supplies for Communications . . . Lighting . . . Electric Motor Operation . . . Electric, Electronic and other Equipment . . . on Land, Sea or in the Air.



For Operating Radio Transmitters in Lifeboats — *E·L* Model S-1229-B Power Supply. Input Voltage, 12 Volts DC; Output Voltage, 500 Volts DC; Output Current, 175 MA; Dimensions, 7½" x 5½" x 6¼".



**Low Power Factor!
High Mechanical Strength
Good Machinability!**



THE FORMICA INSULATION COMPANY

4670 SPRING GROVE AVE., CINCINNATI 32, OHIO

Formica MF—Glass Mat Base—Is a High Frequency Insulating Material That Can Replace Ceramics for Many Uses!

One of the recent developments of accelerated research in the Formica laboratories—Grade MF—has qualities of the greatest usefulness to the electronic designer.


As an insulating material it permits only minimum losses at high frequencies.

It has mechanical strength to stand extreme conditions of vibration and stress in antenna insulators, coil forms, tube bases.

Its efficiency is little affected by moisture absorption. Cold flow is less than for the best previous grades of laminated plastics. It is readily machined, and therefore handled at low costs in production.

"The Formica Story" is a sound-moving picture showing the qualities of Formica, how it is made, how it is used. It is available for meetings.

MAJOR FELTEN




OFFICIAL government figures disclose that our war cost had reached 289 million dollars a day by mid-year, 1943, and the cost has been over 7 billion dollars a month ever since.

As manufacturers of communications and aircraft material on which human lives often depend, we know of one heartening reason for this tremendous cost: Uncle Sam will not compromise with quality at the expense of our fighting men. They are getting the finest, most dependable equipment any army ever had. And that saves lives.

Is it any wonder we are being asked to dig down and buy War Bonds until it hurts? And isn't it well worth it, knowing that our sacrifice is maintaining quality as well as quantity of weapons? Our people here at Connecticut Telephone and Electric Division think so . . . they are 100% pledged to regular payroll deductions for War Bonds, on an average of 15% of their incomes.

OUR CONTRIBUTION TO THE WAR EFFORT



SWITCHBOARDS

FIELD TELEPHONES

AIRCRAFT IGNITION PARTS

HEADSETS



**CONNECTICUT
TELEPHONE & ELECTRIC DIVISION
MERIDEN, CONNECTICUT**




*Engineering, Development,
Precision Electrical Manufacturing*

© 1941 Great American Industries, Inc., Meriden, Conn.

RADIO

★ JANUARY, 1944



This Year Americans Are Celebrating
George Washington's Birthday by Buying One
of His Portraits . . . on a War Bond.

Jensen

JENSEN RADIO MANUFACTURING COMPANY
6601 S. LARAMIE AVE., CHICAGO 38, U. S. A.

Manufacturers and Designers of Fine Acoustic Equipment

A WIDE-RANGE LOGARITHMIC

D-C Amplifier

PAUL SELGIN

Polytechnic Institute of Brooklyn

Design Data Covering an Experimental D-C Amplifier, Suitable for Measurement Purposes, Which Has a Logarithmic Response Characteristic

★ It is often desirable to be able to read a wide range of d-c or a-c voltages or currents, without having to switch to an appropriate scale. This article describes a type of d-c amplifier, suitable for measurement purposes, which eliminates the need for range selection over a voltage ratio of 1000 to 1.

Ordinary meters do not function with greatest accuracy over a range much in excess of 10 db (or about 3 to 1); that is, if the full-scale reading is, say, 1 ampere, they will not indicate with utmost accuracy currents less than 0.3 ampere on the same scale. Meters with "square-law" scales are still poorer in this respect. Yet the audio current in a speaker, for instance, may vary in a ratio of 1000 to 1 during its normal operation or, in other words, the speaker may respond audibly, and without overload, to currents within a 60-db range, or more. The same is

true of the ear with respect to sound pressures, or of an amplifier with respect to signal voltages. Thus these ranges are far beyond the practical limits of a single-range meter.

Range Selection

This shortcoming of meters is usually overcome by range selection. This is essentially a switching operation which reduces the sensitivity of the meter by steps; in this way the useful db range of the meter is multiplied by the number of steps (unless there is




Fig. 1. Fundamental circuit of d-c amplifier stage




Fig. 2. Grid voltage-plate current characteristic

some overlapping, as is usually the case). The sensitivity of the meter is reduced by adding shunts or multipliers, or combinations thereof, depending on the type of meter.

Range selection has the following disadvantages, which may be serious in some applications:




Fig. 3. A differential amplifier stage

1. It requires multiple switches which, sooner or later, cause trouble when subjected to constant use.

2. It changes the impedance of the meter circuit, with the result that, no matter how accurate the calibration, different readings are obtained on different scales. This is annoying even if the error involved is not important.

3. It exposes the meter to overload if the correct range is not selected.

4. It makes necessary a number of scales on the same dial or worse, it forces the operator to perform mental




Fig. 4. Differential plate-current curves resulting from the circuit of Fig. 3


calculations which take his mind off more important matters.

5. It does not respond instantaneously, hence is useless when the readings are rapidly variable, and particularly for recording purposes.

The Logarithmic Scale

The disadvantages of range selection have led to considerable research in the hope of finding a suitable substitute. Evidently some device is needed which will automatically adjust the sensitivity of the meter according to the value of the voltage or current to be measured. An ideal device would perform this operation continuously, causing the sensitivity to be inversely proportional to the input current or voltage value. Mathematically, if D is the scale reading (number of divisions, assuming a uniform scale) and I is the input, the sensitivity is

$$S = \frac{dD}{dI}$$



We have to express S as a derivative because D and I do not vary proportionally, just as the velocity is expressed as a derivative when time and distance covered are not proportional. Now if S is to be inversely proportional to I , we have

$$SI = I \frac{dD}{dI} = K$$

where K is a constant. We have written the differential equation

$$dD = K \frac{dI}{I}$$

which can be integrated by inspection, giving

$$D = K \log I + K^1$$

K^1 is the reading for zero input. Making this coincide with the zero of the scale, letting D_f stand for the full scale




Fig. 5. The differential current plotted against a linear scale

reading (total number of scale divisions) and I_f for the full scale input, the above becomes:

$$\frac{D}{D_f} = \frac{\log I}{\log I_f}$$

It appears that this ideal meter would have a *logarithmic scale*, similar in every way to a slide-rule scale. On this scale, db readings would be uniformly spaced. It is a matter of common knowledge that the percent error in reading a logarithmic scale is constant, whereas on a linear scale it is higher near the low end.

Several logarithmic scale meters have been made: some of them have been extremely successful; however, the more successful ones minimize, but do not exclude the need for range se-

lection; a very popular model has a 10 to 1 range, which may be extended by range selection.

Design Difficulties

The difficulty has been two-fold: First, attempts to obtain a response which is *exactly* logarithmic over a wide range (over some 30 db) have failed. Secondly, it has been considered undesirable to "crowd" more than 40 db into a meter scale. The second difficulty makes it imperative occasionally to resort to range selection for this reason, approximately logarithmic





Fig. 6. Resulting differential current curve when plotted against a logarithmic scale

response will not do, because two separate scales would have to be provided. There have been other difficulties, of course, chiefly because experimenters (including the writer, in an early attempt) tried to obtain the desired feature by amplifying the a-c input to be measured through a special type of "variable gain" a-c amplifier. This is indeed a difficult assignment, because the amplifier gain, although variable

Fig. 7. In (A), below, a multi-stage version of Fig. 3 is shown. The current curves are plotted in (B), at left



with the input amplitude, must be constant with frequency.

Design Requirements

In the opinion of the writer, a very satisfactory all-purpose measuring instrument may be obtained by combining the following:

1. A rectifier of the "probe" type, designed for operation up to several hundred megacycles and converting the a-c voltage to be measured (whether a.f., r.f. or u.h.f.) into a d-c voltage in the probe rectifier, the lead from the probe to the meter carrying d-c only. This is a common feature of many vacuum tube voltmeters.

2. A "wide-range" d-c amplifier. The gain of such an amplifier varies in the number of steps, so that the output is approximately proportional to the log of the input. How such a unit may be designed will be shown presently.

3. A rugged d-c meter with a scale 6 inches long, or preferably longer, or a recording instrument. Meters wound on a differential principle would seem to be particularly suitable, although the writer has not been able to obtain one for experimental purposes.

A type of "wide-range" amplifier, which has been found satisfactory, will now be described. Other equivalent or better types might undoubtedly be, or perhaps already have been developed. While this instrument has not been used with the recommended probe for a-c measurements, it is adapted to this




Fig. 10. The meter scale for the experimental d-c amplifier




Fig. 9. Deflection vs. input voltage curve for the circuit of Fig. 8




Fig. 8. Complete circuit of experimental d-c amplifier

use, though the calibration will be different from that required when d-c voltages are being checked.

The principle of the suggested wide-band d-c amplifier will be made clear by the circuit of Fig. 1 and the diagram (Fig. 2).

The circuit includes a triode (type 6F8-G has been found satisfactory for the purpose) with plate load and cathode bias resistors. Also, the grid voltage is received through a series resistor of 1 meg. or higher.

Suppose the applied voltage varies between a large negative and a large positive value. At first, no plate current will flow; when the grid bias equals cut-off current will start to flow, and from that point on an increase of plate current will follow each increase of grid voltage until the grid becomes positive with respect to the cathode. At this point grid current will begin to flow, and this will promptly nullify any further increase of the applied voltage because of the large drop in the grid leak. Hence the overall plate current-applied voltage characteristic will be roughly that of Fig. 2. We may assume the rising part of this characteristic to be straight, although this is not exactly true.

In principle, the key to the problem is found in the shape of this characteristic. We have a stage which responds only over a range of the input. By placing many such stages in parallel, letting each receive a suitable fraction of the input (1/10, 1/100, etc.) and surmounting a number of difficulties the problem could be solved. However, a much more elegant solution results if we resort to the differential stage of Fig. 3.

The Differential Unit

Fig. 3 represents two stages like that of Fig. 1, coupled in cascade.

The tap on the plate resistor of stage 1 (this resistor is, in practice, a wire-wound potentiometer) can be adjusted until the currents at points A and B are equal when the applied voltage is zero. The difference between the two currents may be read by the bridge ar-

[Continued on page 52]

HERMETIC SEALING OF

Capacitors and Transformers

ROGER W. STAMM

Hazeltine Electronics Corporation

★ The advent of war has brought about a great change in the construction of both capacitor and transformer casings. The primary cause for this change is the fact that the Armed Forces find themselves in all parts of the world. Their radio and electronic equipment must maintain satisfactory operation in a wide range of temperatures and unusual climatic conditions. It is not at all uncommon for a given type of equipment to be found on shipboard, in desert country, in subtropical regions, or in the arctic.

Unless special care is exercised in the design of capacitors and transformers the life of these components is short when subjected to the ravages of temperature and humidity. When salt spray is present, as encountered in marine installations, the deterioration is even greater and more rapid. In subtropical regions where high temperature as well as high humidity prevail, fungus growths add to the possibility of failure.

Why Failures Occur

Failure of these components fre-




Fig. 1. Close fitting plastic assembly

quently comes, first, from a breakdown of the insulating material between the leads or terminals of windings, or of the electrodes of the capacitor, or between the leads and the case (normally at ground potential). The case and insulating materials have different rates of expansion with temperature; the insulating material may be hygroscopic. These two conditions are sufficient to permit inclusion of humidity and/or salt-laden air into the interior of the device as "breathing" takes place with variation of temperature. Paper and cardboard containers offer no resistance to the destructive attack of the elements, and metal housings of conventional commercial design practice filled with potting compound do not offer sufficient protection.

Partial duplication of the actual climatic conditions to which these devices are subjected is possible in test chambers especially equipped to provide various combinations of temperature and relative humidity. This could prove to be a time-consuming procedure; hence, to accelerate the investigation of components proposed for marine service a standard test procedure has been evolved. This consists of a series of salt water immersion cycles.

A test transformer is immersed for 2 hours in a saturated solution of sodium chloride at 75° C; this is followed immediately by immersion for 2 hours in a similar solution at 0° C; after this the specimen is washed thoroughly, dried, and is operated at rated

Methods of Designing Satisfactory Hermetic Seals For Use Under Rigorous Climatic Conditions




Fig. 2. Plastic bushing with insert

load for 2 hours. This cycle is carried out five times, after which the leakage resistance between windings or from windings to the case shall not be less than 75 megohms.

In the case of capacitors, five immersion cycles are employed consisting of 2 hours at 75° C, and 2 hours at 0° C; following this the capacitor is immersed in a saturated sodium-chloride solution at room temperature for 24 hours. After having been washed thoroughly and dried, the leakage resistance between terminals shall be greater than 600 megohm-microfarads, but need not exceed 2000 megohms.

These routines may appear unduly severe, but one can feel certain that any component packaged so that it will meet these requirements will have




Fig. 3. Porcelain bushing with gaskets and sealing compound

more than a fair chance of rendering satisfactory service in actual use.

Precautions in Sealing

The direct solution to this problem is to seal hermetically the transformer or capacitor into a metal container. This solution is a satisfactory one except for the difficulty of creating an effective seal for the insulating bushings necessary for bringing out the terminal leads from the enclosed component. The metal housing is of drawn or welded sheet metal construction. Care must be taken to have all seams in the metal thoroughly filled with solder. All mounting studs must be mechanically secure, and must be sealed with solder. In no case should the solder be relied upon for mechanical strength; it is to be used as a sealing agent. Either the metal housing must be capable of resisting corrosion or it must be protected by an electrolytically deposited coating of any one of the corrosion-resisting metals. Cadmium-plated steel is frequently used, for it meets the requirements of withstanding 200 hours of salt spray without corrosion.

Creation of a tight seal at the point where a terminal lead is to be brought out is a much more difficult task. Several attacks have been made in this direction.

Close fitting bakelite bushings (Fig. 1) have been riveted or held together tightly with nuts and screws. Before assembly all joining faces were coated with a resinous sealing compound. Excess resin was removed and the whole assembly allowed to cure, either by natural "drying" or by heating. Accelerated life tests on this type of bushing disclosed a tendency of the bakelite to delaminate or to pull away from the sealing compound. In either case small cracks develop which per-

mit entry of moisture. These small cracks would provide excellent places for fungus growths to start if the equipment is used in tropical regions. The growths expand and in time form a shunt path from one terminal to the next or to the case.

Molded plastic bushings with brass mounting inserts (Fig. 2) have been tried with partial success. Such bushings when mounted have the brass insert rolled over onto the metal housing and a solder seal is made at that point. Failure of this arrangement occurs most frequently when the brass insert is loosened in the plastic as a result of the rolling or riveting operation.

Successful Seals

Bushings of glazed ceramic, porcelain, and glass (Fig. 3) have been used in conjunction with sealing compounds and gaskets of various materials. Gaskets are used to fill up the major irregularities on the mounting surfaces of the bushings as well as to provide some resilience in the assembly when the screw stud is tightened. Here again sealing compounds are used on the interfaces of the mounting to complete the seal. By careful design of the various parts of the assembly, by proper choice of gasket material and sealing agent, and by care in execution of the assembly good seals can be achieved. To date this has been the most successful means of making a moisture-proof terminal.

While the porcelain (glass or ceramic) bushing together with gaskets and sealing compound has been successful, it leaves something to be desired in compactness, simplicity, and

certainty of assembly. The ideal arrangement would be an insulating material which could be attached to a metal by soldering. A recent development of the glass industry is a bushing which appears to conform to these requirements. It consists of a thick-walled, heat-resistant glass tubing with bands of metal fused into the glass itself. The metallized surface is tinned to prevent corrosion and to aid in soldering (Fig. 4).

Metallized Glass Bushings

This type of bushing is easy to install for terminal studs and mounting rings may be attached by ordinary soldering techniques (both by iron and by gas flame). By the elimination of gaskets and sealing compound the uncertainties of these processes are obviated. It is claimed to have good mechanical strength, as well as high resistance to thermal shock and pressure variation.

This construction has been applied in the past to large porcelain high-voltage insulators and has proved very satisfactory. If the fusion of the metal is well done, this would seem to be the most satisfactory hermetic seal terminal yet devised. With it mounted on the solder sealed metal housing, true sealing against moisture penetration can be realized. A further advantage lies in the fact that no porous organic materials are used in the construction so that there is an absence of material from which fungus growths might find nourishment. This development holds much promise; a complete statement of its merit can be made only after it has been in use long enough to observe its performance.




Fig. 4. Glass tubing bushings with fused metal bands

Slide Rule Short Cuts

JOHN M. BORST

★ Radio calculations can readily be performed on standard slide rules. While the slide rule is in common use among engineers and technicians, few take full advantage of all the facilities it provides. Especially the possibilities presented by the folded and inverted scales appear to be neglected. This article is a brief review of the properties and use of these scales with examples taken from the radio field.

Definition of Terms

In order to make this article useful to beginners who might otherwise not be able to follow it, it shall be necessary to define some very elementary terms. It is hoped that others will bear with us. The slide rule consists of a fixed part, called the *stock*, which bears graduated scales, and a sliding part, the *slide*, also provided with graduated scales. Over this runs a piece of translucent material with a hairline, the *indicator*, which

C, etc., and these letters are the same on all slide rules; that is, the same letter always refers to the same kind of scale regardless of the type or make of the rule.

On some slide rules, the stock carries scales on one side only, while on others, the *duplex rules*, both the stock and the slide carry scales on both sides. On these rules the indicator carries a reference hairline on both sides of the rule and these two hairlines are so adjusted that when one is placed over an index of the stock on one side of the scale, the other hairline will cover the same

Methods of Speedily Solving Many Equations Encountered in Radio and Electronic Design

index on the back side of the rule. Thus the two sides of the slide rule are really one and readings from one side can be referred to the other side.

According to the complexity of the rule, it bears different names, such as the Mannheim slide rule, the polyphase, the polyphase duplex, log-log duplex, log-log vector, etc. We shall consider here all of the scales on these rules, starting with the simplest ones, so that an owner of a Mannheim slide rule can understand the beginning.

Directions for the use of a slide rule soon become a system of abbreviated sentences, technical jargon such as: To 2 on *D* set 3 on *C*, opposite 6 on *C*, read 4 on *D*. *Translation*: Set the hairline of your indicator to the division marked 2 on scale *D*. Move the slide so that the division marked 3 on scale *C* also comes exactly under the hairline of the indicator. Then move the indicator to the division 6 on scale *C* and read the answer on scale *D*. In this case it will be in line with the division marked 4. We have here performed the operation

$$\frac{2}{3} \times 6 = 4$$




Fig. 1. Solving a simple example of Ohm's law

serves to facilitate the reading of the scales.

The scales on both the slide and the stock consist of one or more cycles of a logarithmic scale beginning at 1 and ending at 1. These ends of the scale where the division 1 is located are called the *index*. Most scales have a left-hand and right-hand index. Some have an index in the center only.

The different scales on the slide rule carry identifying letters, such as *A*, *B*,




Fig. 2. How to keep the result "on scale". See text.




Fig. 3. Combining multiplication and division in a single setting

Use of "C" and "D" Scales

Simple multiplication of two factors, or ordinary division, is done by means of the C and D scales. Let us take a simple example of Ohm's law:

$$E = I R$$

To solve this equation one can use the following procedure: *Opposite I on scale D, set the index of scale C. Opposite R on C, read E on D.*

For example: Let the current in a circuit be .3 ampere and the resistance 187 ohms. To find the voltage drop across this resistance, set the left index of scale C opposite 3 on D (Fig. 1). Opposite 187 on C, read 561 on D. The decimal point is placed by inspection; obviously, the answer is 56.1 volts. Note in the illustration that the distances on the scales are proportional to the log-




Fig. 4. Solving a common UHF transmission problem. See text.

finitely long logarithmic scale. Similarly, the scale C represents the section from 1 to 10 on an infinitely long C scale. Placing them in the proper position with respect to each other, as in Fig. 2, the point 4.36 on the C scale will fall beyond the 100-1000 section of the

site the dividend on D, set the divisor on C. Opposite either index on C, find the quotient on D. *Example:* What is the resistance of a circuit when a potential difference of 45 volts produces a current of .15 amp.? Set 15 on scale C to 45 on scale D. Opposite the left index of C, find 3 on D. The answer is 300 ohms.

Rules for Decimal Point

The fact that one does not find the decimal point is a difficulty at times.




Fig. 5. A short-cut in calculating impedance. See text.

arithms of the numbers marked on it and that we have added these logarithms in order to perform a multiplication.

When the result falls "off the scale," set the *right-hand* index of C to the value of I on D and proceed as before. Why this may be done is best illustrated by referring to Fig. 2. Scale D is shown here infinitely long; the slide rule represents any one section of this scale—any section or cycle desired by simply imagining the decimal point changed. Now let it be required to multiply 321 by 4.36. Setting the left index of C to 321 on D, the scale D now represents the section from 100 to 1000 on an in-

D scale. Instead, it falls within the next, the 1000-10,000 section. We can now imagine the scale D of the slide rule to become this next section and to represent 1000-10,000. It is then necessary to place the C scale in the same relation to the D scale as it is in Fig. 2. This is done by setting the other index of C, the right-hand index, to the division 3210 on the D scale. Then it is possible to find our answer on D opposite 4.36 on C; the answer is 1400; (exact answer is 1399.56). Note that this procedure causes the decimal point to be moved one place to the right.

In the case of division, the same procedure is followed backwards. Oppo-

One way to simplify the problem is to write it in the following form

$$321 \times 4.36 = 3 \times 4.36 \times 10^2 = 14 \times 10^2 = 1400$$

Since we have seen that when the right index of the scale C has to be used in multiplication, the decimal point moves one more point to the right, this system shows the placing of the decimal point automatically.

In the case of division the same rules can be followed; here the decimal point moves one extra space to the left if the right index of C has to be used.

$$\frac{42}{1050} = \frac{4.2 \times 10^1}{1.05 \times 10^3} = 4 \times 10^{-2} = .04 \quad (\text{left index})$$

$$\frac{42}{6000} = \frac{4.2 \times 10^1}{6 \times 10^3} = 7 \times 10^{-3} = .007 \quad (\text{right index})$$

Two Simultaneous Operations

It is possible to do one multiplication operation and one of division at the same setting of the slide using nothing but the C and D scales. Such a problem may come up when solving for the unknown arm of a bridge network:

$$\frac{a}{b} = \frac{c}{d} \quad \text{or} \quad d = \frac{bc}{a}$$

In this case the division is done first: Opposite b on D, set a on C; opposite c on C, find d on D. This is illustrated in Fig. 3.

It should also be clear that this can be done when one considers that when beginning a multiplication one sets an index of C to a factor on D. When finishing with a division, one ends up with this same situation, that is, an index of




Fig. 6. Showing the use of folded scales. See text.

C is opposite the result on D and the slide is already in the correct position for multiplication of the result with any other factor.

This solution of proportions is very useful for conversion of units. To convert inches to centimeters or vice versa, set 254 on C to the index of D. Opposite inches on D, find centimeters on C, pointing off two places.

To convert statute miles to nautical miles or vice versa, set 5280 on C to 6080 on D; opposite nautical miles on D find statute miles on C.

Use of A and B Scales

The A and B scales carry two logarithmic cycles within the length of the slide rule and they are so positioned that any division on A is the square of any division on D directly below it, and the same applies to B and C.

To square a number, set the indicator to that number on D and read answer on A. To find the square root of a number, set the indicator to that number on A and find the square root on D. Here it is necessary to use the proper section of A, otherwise an incorrect answer will be obtained. The first half of the scale A can represent 1-10 and the second half 10-100. For numbers between 100-1000 the first section must be used again, and so on.

Employing the A and B scales to perform a multiplication together with extracting a square root is exemplified in the equation

$$D = 1.23 \sqrt{H}$$

which gives the distance D in miles to the horizon for an observer H feet above the ground—an important equation for uhf transmission.

Question: How far away is the horizon for a man on top of a 1000 foot tower? Set index of C to 123 on D; opposite H on B find distance on D. In this case H is 1000 and we must use the 1 in the center of the scale. The answer is 38.9 miles. This is illustrated in Fig. 4.

The A and B scales are useful to find the power in equations such as

$$P = I^2 R \quad P = \frac{E^2}{R}$$

To R on D set index of C, opposite R on B find P on A. To E on D set R on B, opposite index of B find P on A.

Finding Z when R and X are given has always been a tedious job.

$$Z = \sqrt{R^2 + X^2}$$

This equation could be solved by finding the squares, adding them by long-hand and then finding the square root, but it can be done more easily. The equation should be re-written:

$$Z = R \sqrt{1 + (X/R)^2} \quad Z = X \sqrt{(R/X)^2 + 1}$$

It will be easiest to choose that form of the equation which makes the fraction greater than unity.

Example: What is the impedance of a circuit when the resistance is 8 ohms and the reactance 15 ohms? Re-write the equation:

$$Z = 8 \sqrt{1 + (15/8)^2}$$

Referring to Fig. 5, to 15 on D set 8 on C. At index of C read 3.5 on A.

Mentally add 1 and set index to this amount on A. Opposite 8 on C, find Z on D; the answer is 17 ohms.

In this connection it is well to remember that if either of the two quantities R and X is more than 10 times the other, the value of Z equals the larger one to within 1/2 per cent.

Another way of solving this particular problem is given later under "trigonometric scales."

Folded Scales, "CF" and "DF"

The two scales CF and DF are displaced with respect to the C and D scale by the amount of π; by this means one may multiply or divide by π without additional movements of the slide. For instance, to find the reactance of an inductor

$$X = 2\pi fL$$

set the index of C to 2f on D; opposite L on C, find X on DF. Or, to f on D, set 5 on C; opposite L on C, find X on DF. The why and wherefore is pictured in Fig. 6.

Conversely, any point on scale D is 1/π of the point on DF directly above it. To find the reactance of a capacitor, consider that the indicator set on 1 on DF shows 1/π on D and, when it is set at .5 on DF, shows 1/2π on D (this is .159). To find the reactance one has to divide successively by C and by f. This work can be shortened by using the inverted scales, discussed later.

Another benefit of the folded scales is that it eliminates the "off the scale" problem and obviates the necessity of drawing the slide more than half way out of the stock.

To multiply 3 by 4. Set 1 on CF to 3 on D. Opposite 4 on CF, read 12 on D. Had this been done in the ordinary




Fig. 7. In (A) and (B) alternative methods of finding LC products are shown

way, the answer would be off the scale and another move of the slide would be needed.

Let it be required to multiply 92 by 105. It would normally necessitate drawing the slide almost all the way out of the stock, if the *C* and *D* scales were used. However, set 1 on *CF* to 92 on *DF*; opposite 105 on *CF* find 966 on *DF*. The answer is 9660.

Inverted Scales, *CI* and *CIF*

The addition of the inverted scales makes it possible to multiply three factors with one setting of the slide (four factors if one of them is π), besides their use for inversion. Now there are two ways to multiply or to divide.

Heretofore, in order to multiply we have set the index of *C* to one factor on *D*. By means of the inverted scale we can set the second factor on *CI* to the first factor on *D* and read the answer at the index of *CI* on *D*. *Example*: To multiply 25 by 35, set 35 on *CI* to 25 on *D*; opposite the index of *CI* find the answer, 875, on *D*. If this product has to be multiplied again by a third factor, 2.3 for example, the index of *C* would have to be set to 875 on *D*; but it is there already. Therefore, by setting the indicator to 2.3 on *C*, read the answer, 2050, on *D*. If instead, the third factor should be a divisor, as in:

$$\frac{25 \times 35}{2.3} = \frac{875}{2.3} = 380$$

the indicator should be set to 2.3 on *CI* and the answer read on *D*. This last




Fig. 8. Equivalent trigonometric formulas for impedance components

operation might be called a second form of division. In other words, to divide when using the *CI* scale, set the index of *CI* to the dividend on *D*. Opposite the divisor on *CI*, find the quotient on *D*.

Note that for this type of division the setting of the slide is the same regardless of the value of the divisor. Therefore, if one has to divide one fixed number by many different divisors, all divisions can be performed with but one setting of the slide. A typical ap-

plication of this is to find the frequency when the wavelength is given, or vice versa. Set 3 on *CI* to the index of *D*; opposite *f* on *CI* read wavelength on *D*, or vice versa.

It is more convenient to use the *CIF* scale for this purpose. To 3 on *D* set 1 on *CIF*, opposite *f* on *CIF* find wavelength on *D*.

To find the wavelength in inches, set 254 on *C* to 3 on *D*; opposite megacycles on *CI*, find inches on *D*.

Solving Reactance Equations

By the use of the folded and inverted scales one can find the reactance in one setting. To find inductive reactance, set *f* on *CI* to *L* on *D*, opposite 2 on *C* find *X* on *DF*. *Example*: What is the reactance of a 2-henry coil at 60 cycles? Set 2 on *CI* to 6 on *D*; opposite 2 on *C*, find 756 ohms on *DF*.

To find the reactance of a capacitor: To 5 on *DF*, set *f* on *C*; opposite the value of capacitance on *CI* find *X* on *D*. *Example*: What is the reactance of an 8 μ f capacitor at 120 cycles? Opposite 5 on *DF* set 120 on *C*; opposite 8 on *CI*, find 166 ohms reactance on *D*.

If, in the above example, the frequency were 60 cycles, the answer would again be off the scale. This can be remedied by using the folded scales *CF* and *CIF* instead of the *C* and *CI* scales. So, to find the reactance of an 8 μ f capacitor at 60 cycles, set 60 on *CF* to 5 on *DF*; opposite 8 on *CIF*, find 322 ohms on *D*.

To find the *LC* product for any frequency, set 2 on *C* to the left index of *D*; opposite *f* on *CIF* read *LC* product on *A*. Or, line up indices of slide in stock at both ends, the slide being entirely within the rule. Mentally multiply *f* by 2, opposite 2*f* on *CIF* find *LC* product on *A*. The explanation of this can best be derived from Figs. 7(A) and 7(B). As an example, let it be required to find the *LC* product to tune to 45 mc. Set 2 on *C* to left index of *D*; opposite 45 on *CIF*, find 125 on *A*. The answer is 12.5 in micromicrofarads and microhenries.

If the individual values of *L* and *C* are wanted one might divide, using the *A* and *B* scales, but it is more convenient to employ the *CI* and *D* scales, so that all the combinations of *L* and *C* which will tune to the required frequency can be had at once. To do this one must perform the previous operation twice. With both indices lined up, set indicator to 2*f* on *CIF*, move index of slide to indicator (use the right or left index, whichever is nearest to the indicator). Then set the indicator again to 2*f* on *CIF*; read *LC* on *D*. Set 1 on *CI* (or *CIF*) to indicator, whichever is more convenient, and read corresponding values of *L* and *C* on *D* and *CI* (or *CIF*).

The *L* Scale

A linear scale, the *L* scale, is most useful for solving problems involving decibels. The linear scale, if it is on the stock, shows the common logarithm of values on the *D* scale. On some rules it is on the slide and is then referred to the *C* scale.

Opposite power gain on *D*, find decibel gain on *L*. When the gain is between 1 and 10, the decibel scale runs




Fig. 9. Finding great circle distances. See text.

from 1 to 10. If the gain is between 10 and 100, the decibel scale runs from 10 to 20, etc.

Opposite power loss on *CI* (*C* and *D* in alignment), find db loss on *L* scale. Or, rather, when the gain is less than unity, use the *CI* scale. When the gain is between .1 and 1, the decibel scale runs from 0 to -10. When the power gain is between .01 and .1, the decibel scale runs from -10 to -20.

Use of Log-log Scales

Since the log-log scales enable one to find the logarithm of any number to any base, they are well suited to problems with decibels. When the left index of *C* is set to 10 on *LL3*, the power gain in decibels is found on the *C* scale opposite the power ratio on the *LL3* scale. The *C* scale here runs from 10 up. If the right index of the *C* scale were set to 10 on *LL3*, it would run from 10 down.

The conversion of voltage or current ratios to decibels is done by setting 2 on *C* to 10 on *LL3*.

With the slide entirely inside the stock, both indices aligned, the gain in nepers is found on *C* opposite the voltage or current ratio on *LL3*.

To convert nepers to decibels or vice versa, set 2 on *C* to 10 on *LL3*, opposite nepers on *D*, find decibels on *C*. If the neper scale runs from 1 to 10, the decibel scale runs from 10 to 100.

[Continued on page 42]

USING DETERMINANTS TO SOLVE

Kirchhoff's Equations

MARK HOLZMAN

Formerly Instructor in Mathematics and Engineering
Dodge Radio Institute

How Determinants Can Save Time in Solving Problems Involving Simultaneous Equations

★ The subject of determinants, like so many other fields in mathematics, may easily be applied to practical problems with little or no knowledge of the principles involved. To a practicing engineer mathematics is just a working tool; but even the most practical minded one will admit that some understanding of his tools is essential for economical and intelligent handling.

These considerations have led the author to the task of including some of the theory of determinants, before their practical value is shown.

There is no shorter way of solving Kirchhoff's or any other simultaneous equations than by means of determinants and so this paper should prove of interest to all those engaged in the study of complex networks.

INTRODUCTION TO DETERMINANTS

Assume any hypothetical arrangement of impedances, such that the resulting simultaneous equations set up by means of Kirchhoff's rules are of some such form as

$$(1) \quad Z^1_1 I_1 + Z^1_2 I_2 = E^1$$

$$(1a) \quad Z^2_1 I_1 + Z^2_2 I_2 = E^2$$

where the Z^i_j and the E^i are known constants. The problem is to solve for the I_j —and that is not an impossible task provided the number of equations, i , equals the number of unknowns, j .

Multiplying (1) by Z^2_2 and (1a) by Z^1_2 and subtracting, we get a solution

for I_1 . By an analogous procedure we may solve for I_2 , obtaining for the two unknowns.

$$(2) \quad I_1 = (E^1 Z^2_2 - E^2 Z^1_2) \div (Z^1_1 Z^2_2 - Z^1_2 Z^2_1)$$

$$(2a) \quad I_2 = (E^2 Z^1_1 - E^1 Z^2_1) \div (Z^1_1 Z^2_2 - Z^1_2 Z^2_1)$$

Substitution of I_1 and I_2 from (2) and (2a) into (1) or (1a) will show that the solutions given are correct.

Since (2) and (2a) contain only general numbers, they may be considered as a general formula for solving

any equation in two unknowns. These formulas may be remembered more readily and the whole process may be generalized for any number of unknowns by introducing a new symbol called a *determinant*, namely

$$\Delta = \begin{vmatrix} Z^1_1 & Z^1_2 \\ Z^2_1 & Z^2_2 \end{vmatrix}$$

This symbol is just another form of $(Z^1_1 Z^2_2 - Z^1_2 Z^2_1)$ from (2) or (2a). Thus, by definition, we have

$$(3) \quad \Delta = \begin{vmatrix} Z^1_1 & Z^1_2 \\ Z^2_1 & Z^2_2 \end{vmatrix} = (Z^1_1 Z^2_2 - Z^1_2 Z^2_1)$$

Since the left side of (3) is a square array formed by two rows and two columns, it is called a determinant of the second order. The individual numbers,




Fig. 1. A simple mechanical method of solving third-order determinants. See text.




Fig. 2. Typical circuit of a resistance network

i.e. $Z^1_1, Z^1_2, Z^2_1, Z^2_2$, are called the *elements* of the determinant. The right side of (3) is called the *expansion* of the determinant. The numbers Z^1_1 and Z^2_2 form the *principal diagonal* and Z^1_2 and Z^2_1 form the *secondary diagonal*. Thus the product of the principal diagonal minus the product of the secondary diagonal gives an expansion of a second-order determinant.

Using the determinant notation, the dividends of (2) and (2a) give respectively,

$$E^1 Z^2_2 - E^2 Z^1_2 = \begin{vmatrix} E^1 & Z^1_2 \\ E^2 & Z^2_2 \end{vmatrix}$$

and $E^2 Z^1_1 - E^1 Z^2_1 = \begin{vmatrix} Z^1_1 & E^1 \\ Z^2_1 & E^2 \end{vmatrix}$

We may now write the complete solution of the linear equations (1) and (1a) as follows

$$(4) \quad I_1 = \frac{\begin{vmatrix} E^1 & Z^1_2 \\ E^2 & Z^2_2 \end{vmatrix}}{\begin{vmatrix} Z^1_1 & Z^1_2 \\ Z^2_1 & Z^2_2 \end{vmatrix}} = \frac{\Delta_1}{\Delta}$$

$$(4a) \quad I_2 = \frac{\begin{vmatrix} Z^1_1 & E^1 \\ Z^2_1 & E^2 \end{vmatrix}}{\begin{vmatrix} Z^1_1 & Z^1_2 \\ Z^2_1 & Z^2_2 \end{vmatrix}} = \frac{\Delta_2}{\Delta}$$

It should be noticed in (4) and (4a) that the denominators are identical and that they represent the square array of coefficients of I_1 and I_2 from (1) and (1a). Furthermore, it should be observed that the numerator of I_1 is obtained from the common denominator by substituting the coefficients of I_1 (i.e., the first column) with the corresponding constants from the other side of the equation, namely E^1 for Z^1_1 and E^2 for Z^2_1 . Solution for I_2 is obtained by an analogous procedure, except that this time the second or the I_2 column is substituted by the E^i .

A determinant of the third order, which would be obtained from an equa-

tion with three unknowns, is obtained from the second-order determinant by the addition of the third row and the third column, thus

$$(5) \quad \Delta = \begin{vmatrix} Z^1_1 & Z^1_2 & Z^1_3 \\ Z^2_1 & Z^2_2 & Z^2_3 \\ Z^3_1 & Z^3_2 & Z^3_3 \end{vmatrix} = \begin{vmatrix} Z^1_1 Z^2_2 Z^3_3 - Z^1_1 Z^2_3 Z^3_2 \\ + Z^1_2 Z^2_3 Z^3_1 - Z^1_2 Z^2_1 Z^3_3 \\ + Z^1_3 Z^2_1 Z^3_2 - Z^1_3 Z^2_2 Z^3_1 \end{vmatrix}$$

The left side of (5) is the expanded form, which may be obtained by several methods discussed in a later section.

We saw the determinants of the second and third order; finally we are introducing the most general determinant, namely that of the n th order.

$$(6) \quad \Delta = \begin{vmatrix} Z^1_1 & Z^1_2 & Z^1_3 & \dots & Z^1_n \\ Z^2_1 & Z^2_2 & Z^2_3 & \dots & Z^2_n \\ \dots & \dots & \dots & \dots & \dots \\ Z^n_1 & Z^n_2 & Z^n_3 & \dots & Z^n_n \end{vmatrix}$$

Here again, as before, the superscripts denote the rows and subscripts the corresponding columns. This determinant consists of $(n \cdot n)$ terms and its expanded form has $n!$ terms.

EXPANSION OF DETERMINANTS

Looking at the right side of (5) it is obvious that this expression cannot be obtained by the simple rule which we applied to second-order determinants. Since, for the purposes of actual numerical calculation it is necessary to have the expanded form, several methods of obtaining it are discussed here.

I. Expansion by Inversions or Permutations

Careful scrutiny of the right side of (5) reveals that the superscripts in each of the 3! or six terms remain in their natural order, i.e., 123. On the other hand, the subscripts had undergone a series of inversions or permutations. When the inversion is even the term is positive and when it is odd the term is negative. A permutation is *even* or *odd* depending on whether the num-

ber of interchanges necessary to bring an inversion back to its original form is even or odd.

In (5) the positive inversions are 123, 231, and 312. The negative inversions are 132, 213 and 321. To convert, say, 231 to 123 it is necessary to interchange, first, 3 and 1 and then 2 and 1. Since there are two interchanges, 231 is an even permutation and so on.

We mentioned before that a determinant of n th order has $n!$ terms in its expanded form. This is self-evident now since there are $n!$ permutations of the first n numbers (subscripts).

II. Expansion by Minors (Laplace)

The minor of any element Z^i_j in any determinant of the n th order is defined as that determinant (of order $n - 1$) resulting from suppressing the i th row and the j th column. Thus, for example, in (5) the minor of Z^2_2 is

$$\begin{vmatrix} Z^1_1 & Z^1_3 \\ Z^3_1 & Z^3_3 \end{vmatrix}$$

It may be shown that any determinant of any order may be expressed as the sum of products formed by multiplying the elements of any row or any column by their respective minors. Moreover, each product is assigned the plus or minus sign depending on whether, in the element Z^i_j , the sum of i and j is even or odd. Thus (5) may be written as follows

$$(5a) \quad +Z^1_1 \begin{vmatrix} Z^2_2 Z^3_3 \\ Z^2_3 Z^3_2 \end{vmatrix} - Z^1_2 \begin{vmatrix} Z^2_1 Z^3_3 \\ Z^2_3 Z^3_1 \end{vmatrix} + Z^1_3 \begin{vmatrix} Z^2_1 Z^2_2 \\ Z^2_2 Z^3_1 \end{vmatrix}$$

$$(5b) \quad -Z^2_1 \begin{vmatrix} Z^1_2 Z^3_3 \\ Z^1_3 Z^3_2 \end{vmatrix} + Z^2_2 \begin{vmatrix} Z^1_1 Z^3_3 \\ Z^1_3 Z^3_1 \end{vmatrix} - Z^2_3 \begin{vmatrix} Z^1_1 Z^1_2 \\ Z^1_2 Z^3_1 \end{vmatrix}$$

After the second-order determinants in (5a) and (5b) are evaluated we find that (5), (5a) and (5b) give the same result. We gave only two examples, but a third-order determinant may be expanded by minors in $2n$ different ways (2×3 ways in this case), each of which will give the same result.

For determinants of higher orders the same method is applied—but several times in succession. With each application of this rule the order of determinants is reduced by one—and so this process is continued till there are no more determinants.

III. Mechanical expansion

The very simple device shown in this section applies only to third-order determinants and will not work on any other determinants.

(a) Copy the first two columns immediately to the right of the original determinant.

(b) The product of the elements in the diagonals parallel to the principal are given the positive sign and the products of elements in the diagonals parallel to the secondary are given a negative sign. The algebraic sum of

these six products is the desired polynomial.

This may be illustrated with equation (5), using the form shown in Fig. 1. The arrows indicate what products are to be formed; the proper signs are shown below each arrow; the mechanical details are left to the reader.

THE EPSILON SYSTEM

In discussing some of the practical and important properties of determinants—in the next section—we save much space by using a shorter notation for determinants, which will be explained presently: it is the epsilon system.

In its main features the ϵ -system provides a set of symbols for the numbers 0, -1 and $+1$. The symbols

$$\epsilon^{\alpha\beta\gamma\dots\nu} \text{ OR } \epsilon_{\alpha\beta\gamma\dots\nu}$$

are defined as follows: the value is 1 if $\alpha\beta\gamma\dots\nu$ is an even or no permutation of $123\dots n$; it is -1 if the permutation is odd; and it is zero if any two of the indices repeat, i.e., if it is no special arrangement of $123\dots n$. The last statement shows that the epsilon system is skew symmetric in each pair of its indices.

With this notation in mind, determinants assume the following form

$$\text{2nd order } \Delta = \sum_{\alpha,\beta} \epsilon^{\alpha\beta} Z_{\alpha}^1 Z_{\beta}^2$$

$$\text{3rd order } \Delta = \sum_{\alpha,\beta,\gamma} \epsilon^{\alpha\beta\gamma} Z_{\alpha}^1 Z_{\beta}^2 Z_{\gamma}^3$$

$$\text{4th order } \Delta = \sum_{\alpha,\beta,\gamma,\delta} \epsilon^{\alpha\beta\gamma\delta} Z_{\alpha}^1 Z_{\beta}^2 Z_{\gamma}^3 Z_{\delta}^4$$

It is convenient to omit the summation sign and we can do so provided it is agreed that summation is indicated for all repeated indices. This is known as the *summation convention*. With its aid we can write the third-order determinant, for example, as follows:

$$\Delta = \epsilon^{\alpha\beta\gamma} Z_{\alpha}^1 Z_{\beta}^2 Z_{\gamma}^3$$

Since in (7) α , β and γ are repeated, summation is indicated over all of the n permissible values—in this case $n = 3$. Expanding (7), and remembering that the epsilons are skew symmetric, we obtain

$$\begin{aligned} \epsilon^{\alpha\beta\gamma} Z_{\alpha}^1 Z_{\beta}^2 Z_{\gamma}^3 &= \epsilon^{123} Z_1^1 Z_2^2 Z_3^3 \\ &+ \epsilon^{132} Z_1^1 Z_3^2 Z_2^3 + \epsilon^{231} Z_2^1 Z_3^2 Z_1^3 \\ &+ \epsilon^{213} Z_2^1 Z_1^2 Z_3^3 + \epsilon^{312} Z_3^1 Z_1^2 Z_2^3 \\ &+ \epsilon^{321} Z_3^1 Z_2^2 Z_1^3 \end{aligned}$$

This expression reduces to (5) since

$$\begin{aligned} \epsilon^{123} &= \epsilon^{231} = \epsilon^{312} = 1 \\ \text{and } \epsilon^{132} &= \epsilon^{213} = \epsilon^{321} = -1 \end{aligned}$$

Arrangements such as $\epsilon^{112} = \epsilon^{122} = 0$ etc., were omitted for obvious reasons.

PROPERTIES OF DETERMINANTS

(1) *The expansion of a determinant of order n yields $n!$ terms.* This was shown in the section on expansion by permutations.

(2) *Each product of the expanded form has as a product one, and only one, element from each row and each column.*

(3) *Corresponding rows and columns of a determinant may be interchanged without altering the value of the determinant.* This follows from property (2) and the fact that the elements obey the commutative law of multiplication. Same law restated in terms of permutations would permit the application of inversions to either the subscripts or the superscripts. In symbolic form

$$\epsilon^{\alpha\beta\gamma} Z_{\alpha}^1 Z_{\beta}^2 Z_{\gamma}^3 = \epsilon_{\alpha\beta\gamma} Z_1^{\alpha} Z_2^{\beta} Z_3^{\gamma}$$

(4) *Interchanging two rows or two columns and multiplying the determinant by -1 leaves it unchanged.* Interchanging, say, two columns, is equivalent to permuting the subscripts in the epsilon system. Interchanging any two columns in a third-order determinant may be done in three ways: interchanging α and β , α and γ , or β and γ (only in the subscripts of the Z 's). But all of these are odd inversions and hence the new determinant will be of the same value but of opposite sign. For example, interchanging the 1st and 3rd columns gives

$$\epsilon^{\alpha\beta\gamma} Z_{\beta}^1 Z_{\alpha}^2 Z_{\gamma}^3$$

(5) *Multiplying every element in a certain row or column by the same quantity and the determinant by that quantity's reciprocal leaves the determinant unchanged.* This is obvious from the commutative law of multiplication

$$\Delta = \frac{1}{\lambda} \epsilon^{\alpha\beta\gamma} Z_{\alpha}^1 (\lambda Z_{\beta}^2) Z_{\gamma}^3$$

where λ is any non-zero constant.

(6) *If any two rows or two columns are identical the value of the determinant is zero; for if we interchange the two identical rows or columns the value of such a determinant will remain unchanged, or by property (4) $\Delta = -\Delta$ and hence $\Delta = 0$.* The same could be inferred from our epsilon notation, for

two of the indices would be identical and by definitions from previous section that is the condition for zero value.

(7) *Replacing every element in a fixed row (or column) by the sum of itself and a fixed multiple of the element on a different fixed row (or column) and the same column (or row) leaves the determinant unchanged.* This can be shown as follows: Let

$$L_{\beta}^2 = m Z_{\gamma}^3$$

where m is any non-zero constant, then we have

$$\begin{aligned} \epsilon^{\alpha\beta\gamma} Z_{\alpha}^1 (Z_{\beta}^2 + L_{\beta}^2) Z_{\gamma}^3 \\ &= \epsilon^{\alpha\beta\gamma} Z_{\alpha}^1 Z_{\beta}^2 Z_{\gamma}^3 + \epsilon^{\alpha\beta\gamma} Z_{\alpha}^1 L_{\beta}^2 Z_{\gamma}^3 \\ &= \epsilon^{\alpha\beta\gamma} Z_{\alpha}^1 Z_{\beta}^2 Z_{\gamma}^3 + m \epsilon^{\alpha\gamma\tau} Z_{\alpha}^1 Z_{\tau}^3 Z_{\gamma}^3 \\ &= \epsilon^{\alpha\beta\gamma} Z_{\alpha}^1 Z_{\beta}^2 Z_{\gamma}^3 \end{aligned}$$

(8) *If each element of a certain row or column is zero, the determinant is zero.* This property follows directly from property (2).

CRAMER'S RULE

As will be seen presently, Cramer's rule is very important and useful since it enables us to set up the solutions for the different unknowns directly from the simultaneous equations.

Let it be required to solve for I_1 , I_2 and I_3 in the following Kirchhoff relationships

$$(8) \begin{cases} Z_1 I_1 + Z_2 I_2 + Z_3 I_3 = E^1 \\ Z_2 I_1 + Z_3 I_2 + Z_1 I_3 = E^2 \\ Z_3 I_1 + Z_1 I_2 + Z_2 I_3 = E^3 \end{cases}$$

Step I: Set up the common denominator in a determinant form. This denominator is essentially a square array of the coefficients of the unknowns, thus

$$(9) \Delta = \begin{vmatrix} Z_1 & Z_2 & Z_3 \\ Z_2 & Z_3 & Z_1 \\ Z_3 & Z_1 & Z_2 \end{vmatrix}$$

Step II: In solving for a certain unknown, say I_2 , replace all the coefficients of I_2 in Δ by the corresponding constants from the other side of the equation and divide that new determinant by Δ . Thus

$$(10) I_1 = \frac{\begin{vmatrix} E^1 & Z_2 & Z_3 \\ E^2 & Z_3 & Z_1 \\ E^3 & Z_1 & Z_2 \end{vmatrix}}{\Delta} \div \Delta$$

$$(11) I_2 = \frac{\begin{vmatrix} Z_1 & E^1 & Z_3 \\ Z_2 & E^2 & Z_1 \\ Z_3 & E^3 & Z_2 \end{vmatrix}}{\Delta} \div \Delta$$

$$(12) I_3 = \frac{\begin{vmatrix} Z_1 & Z_2 & E^1 \\ Z_2 & Z_3 & E^2 \\ Z_3 & Z_1 & E^3 \end{vmatrix}}{\Delta} \div \Delta$$

[Continued on page 54]

RADIO DESIGN WORKSHEET

NO. 21—INDUCTANCE MEASURING BRIDGE; POLYPHASE

COMMUNICATION CIRCUITS

INDUCTANCE-MEASURING BRIDGE

Probably the most common form of Wheatstone bridge circuit for the measurement of inductance is one in which self-inductance is balanced directly against a self-inductance in the adjacent conjugate arm. A somewhat less common bridge circuit also widely used for inductance measurement is that shown in Fig. 1. Fig. 2 shows an obviously equivalent network.

When the bridge is balanced we have:

$$R_1(1/R'_2 + j\omega C) = \frac{R_x + j\omega L_x}{R'_3}$$

Also:

$$R_1/R'_2 = R_x/R'_3$$

$$R_1 R'_3 = L_x / C$$

Whence:

$$R_x = R_1 R'_3 / R'_2$$




Fig. 1. Bridge for inductance measurement

and:

$$L_x = R_1 R'_3 C$$

$$R'_2 = R_2 + R_4 + \frac{R_2 R_4}{R_3} = \frac{R_2 R_3 + R_4 R_3 + R_2 R_4}{R_3}$$

$$R'_3 = R_4 + R_3 + \frac{R_4 R_3}{R_2} = \frac{R_2 R_4 + R_2 R_3 + R_4 R_3}{R_2}$$

from which we have:

$$R_x = R_1 \frac{R'_3}{R'_2} = R_1 \frac{R_3}{R_2}$$

$$L_x = R_1 C (R_4 + R_3 + \frac{R_4 R_3}{R_2}) = R_1 C [R_4 (1 + R_3/R_2) + R_3]$$




Fig. 2. A bridge circuit equivalent to Fig. 1

This balance is obviously independent of frequency. Capacitance C may be fixed and the bridge balanced by varying R_1 and R_4 , or if R_1 is fixed by varying C and R_4 .

POLYPHASE COMMUNICATION CIRCUITS

Some few years ago there was considerable mention in the technical press of polyphase broadcasting, in which modulation was accomplished by variation of the phase of one component of a polyphase wave. One advantage of this system was higher efficiency. Still earlier, considerable development of polyphase communication circuits took place for wired radio, to be distributed over three-phase power lines. There seems little doubt that, had the distribution of wired radio over power lines come into general commercial use, polyphase circuits would have found wide use for this purpose. One of the important criteria would again have been higher efficiency of distribution. It seems probable in the post-war era we shall hear even more of polyphase communication circuits. Hence it seems worthwhile to explore some of the possibilities in this field.

If a voltage $e = E \sin \omega t$ is impressed across an impedance consisting of a pure resistance and a pure capacitance in series, as in Fig. 3, the voltage across each separate section will differ in phase. If $R = 1/\omega C$ the two voltages will be equal.

If two quadrature voltages are impressed on a Scott transformer, three voltages differing in phase by $2\pi/3$ radians will result. The transforma-

[Continued on page 32]




Fig. 3. The voltages across each section of the above network differ in phase as shown




Fig. 5. The filter circuits, B, C, and D, may be used with the three-phase output circuit shown in A

tion ratios (if the quadrature voltages are equal in magnitude) of a and b in Fig. 4 should be in the ratio $1:\sqrt{3}/2$ respectively.




Fig. 4. A Scott transformer circuit

These three-phase voltages may be impressed on a three-phase band-pass filter (or other type of properly proportioned three-phase filter), as shown in Fig. 5, to feed a three-phase distribution system, which might be a wire line or an antenna system. It will be observed that the circuits so far shown are balanced or symmetrical.

Fig. 6 indicates a push-pull three-phase amplifier and a two-phase amplifier with a Scott-connected output circuit.

Fig. 7 illustrates by vector representation some of the foregoing circuit arrangements. Particular attention is directed to those diagrams showing a Scott connection for converting a two-phase quadrature system of voltage to

a three-phase system with voltages of equal magnitude but having a phase difference of $2\pi/3$ radians. Obviously the Scott connection is a special case of a more general arrangement.

In a future data sheet it will be shown that any two voltages having a phase difference other than 0 or π may

be converted to a three-phase system of voltages of equal magnitude and phase differences of $2\pi/3$ by proper transformer ratios and proper choice of the tap on one secondary.




Fig. 6. In A, a push-pull three-phase amplifier, and in B, a two-phase amplifier, with Scott-connected output circuits.




Fig. 7. Vector diagrams of circuits described in the text. Scott connections are shown in E and H; phase quadrature in I

Class C Amplifiers

CORTLANDT VAN RENSSELAER

PART 2

Amplifier Design

★ The problem will now be considered of designing an amplifier, assuming a reasonable value of d.c. supply voltage. This value is generally given for each tube by the manufacturer. To clarify the procedure, the portion of Fig. 6 including the constant current curves is shown in Fig. 7.

The factors available for governing operation are (1) angle of plate current flow, θ_p , (2) crest space current, I_m , (3) maximum positive grid voltage, E_{max} , and minimum plate voltage, E_{min} .

The factor of greatest importance to the operation of the amplifier is the period of time during which the plate current flows, θ_p . Angles of flow of less than 90 electrical degrees result in a high conversion efficiency but reduce the amplifier output below the optimum value. A large amount of grid driving power is also required for short pulses. Larger angles of flow, between 90 and 180 electrical degrees, cause the amplifier to operate at a lower efficiency, but to deliver a reasonable power output with normal driving power. Experience has shown that for a compromise between high efficiency and low output, the range between 120 and 150 electrical degrees is best for general operation.

The angle of plate current flow is governed by the position of the quiescent point, which in turn is determined by the grid bias. The bias required to produce a given angle of flow may be determined from the formula,

$$\text{Grid bias} = E_o = \frac{E_b}{\mu} + \left(E_{max} + \frac{E_{min}}{\mu} \right) \left(\frac{\cos \frac{\theta_p}{2}}{1 - \cos \frac{\theta_p}{2}} \right)$$

where μ is the amplification factor of the tube.

The Principles of Class C Operation and their Application to the Design of Practical Amplifiers of this Type

This formula is obtained from considering the voltage and current relations in the circuit at the instant plate current stops flowing. The derivation is given in reference 7 of the bibliography.

Where optimum operation is not of great importance, it is generally permissible to select a bias of from two

The peak space current is obtained at the instant during the cycle when the potential of the grid is at its maximum value, E_{max} , and the potential of the plate is at its minimum value, E_{min} . The values of E_{max} and E_{min} therefore determine the peak space current of the tube. The ratio between E_{max} and E_{min} must be carefully observed. The grid voltage must never be allowed to become more positive than the plate voltage, for under this condition the grid would actually draw power from the plate, with resulting damage to the tube. In order to realize the full power capabilities of the tube, the plate voltage must be allowed to approach the cathode potential but the grid must also be driven to an appreciable positive potential to obtain good efficiency. Therefore a ratio E_{max}/E_{min} of nearly unity is desirable. A value of 0.8 is generally acceptable for tubes operating at plate voltages of less than one or two thousand volts. Where larger voltages are used, this ratio is usually made smaller as a further protection to the tube.

A line may now be drawn on the constant current curves representing the locus of points at which the plate and grid voltages are equal to the ratio E_{max}/E_{min} . This line is labeled *O-C* in Fig. 7. The point on this line is then found at which the sum of the grid and plate currents, as indicated by the current curves, is equal to the peak space current desired.

The load line may now be plotted on the constant-current diagram. The upper extremity, labeled *A* in Fig. 7, will be located at the point where the peak space current is drawn. The central, or quiescent point, *B*, will be located at the intersection of the plate-supply voltage and the grid bias on the constant-current diagram. Only this




Fig. 3. Impedance of a parallel resonant circuit as a function of frequency

to three times cutoff. Cutoff bias for given supply voltages is indicated on the constant current curves.

Peak Space Current

The maximum allowable peak space current is governed by the emission capabilities of the cathode. This value is generally supplied by the manufacturer. Where information is not available, a value may be obtained by multiplying the sum of the maximum permissible d.c. plate and grid currents, as specified by the manufacturer, by four. This constant is arrived at by determining the relation which exists between the peak and average values of the plate and grid current pulses. Further information is contained in reference 10 of the bibliography.




Fig. 6. Voltage and current relations on constant-current curves for a transmitting triode

half of the load line need be considered since no current will be drawn by the plate during the other portion of the cycle.

Pulse Shapes

The manner in which the tube potentials vary over the cycle has been shown. The next step is to determine the shape of the pulses from the load line. These may be plotted on a time scale by joining points of instantaneous current obtained by projecting equal intervals of the driving voltage cycle to the load line. It is necessary to plot only half of each pulse since both sides are symmetrical. Because the driving voltage increases sinusoidally rather than linearly, it is necessary that the load line be divided sinusoidally. This may be done by measuring the half-length of the load line with a metric or decimal rule and proportioning the intervals according to sine functions from 0 to 90 degrees. Generally, 10-degree intervals yield good results. This procedure is illustrated by the projections of driving voltage to the load line in Fig. 6. The divisions are shown on a larger scale in Fig. 7, and the half-pulses which result are plotted in Fig. 8.

The d.c. plate and grid currents are determined by averaging the areas of the pulses over a complete 360-degree cycle. If they have been drawn on cross-section paper this may be accomplished by adding up the squares under the half-pulse, multiplying by two,

to include the entire pulse, and dividing by the number of squares which would be included in 360 degrees on the time axis.

The power output is determined by multiplying equal intervals of instantaneous plate current by corresponding intervals of instantaneous sinusoidal plate voltage over a cycle and dividing by the number of intervals in a com-

plete cycle. The power delivered will, of course, be zero during the time that no plate current flows. The same time scale intervals as were used in plotting the pulses may be employed in this case. The number of intervals taken, or the number of times that the instantaneous voltages and currents are multiplied together, determines the accuracy of the result.

The power required by the grid circuit is determined in the same manner. Values of instantaneous sinusoidal grid driving voltage and instantaneous grid current are used.

Tank Circuit

The operation of the Class C amplifier is largely affected by the design of the tank circuit. The tank circuit must offer a fairly high impedance to the resonant frequency, but at the same time, must offer a very low impedance to harmonic frequencies which would otherwise be present in the amplifier output. The character of the resonant impedance curve of the tank circuit, shown in Fig. 3, is defined by the ratio of inductive reactance to resistance, $2\pi fL/R$, which is designated by the letter Q . The Q of the tank circuit will in general be very high while no power is being drawn from the amplifier, but as load is applied, the Q will decrease to a fairly low effective value due to an apparent change in the resistance of the circuit. The effective Q obtained when full power is being taken from the amplifier is the operating Q .

A high operating Q will offer almost complete freedom from harmonic output, but will result in an appreciable fraction of the available power output




Fig. 7. Constant-current curves of Eimac 35T.

being expended in the tank circuit. A low Q reduces the amount of power which must be stored in the circuit during the cycle and consequently makes possible the use of smaller inductances and capacities, but introduces harmonic energy into the output. An operating Q of between 8 and 12 is generally used in power amplifiers. Q 's of lower than 8 are occasionally used in large low-frequency apparatus,




Fig. 8. Plate and grid current half-pulses

particularly in modulated amplifiers. Values greater than 12 are sometimes used where a very high rejection of harmonic energy is required.

The efficiency of the tank circuit, i. e., the ratio of the amount of power delivered to the tank circuit to the amount of power delivered to the load, is given by the formula:

$$\text{Efficiency} = \frac{Q' - Q}{Q'} 100\%$$

in which Q' is the effective Q when no power is being taken from the circuit. In the general case, Q' will be at least several hundred and the tank circuit efficiency will be about 95%. This loss of power through the tank circuit must obviously be considered in the design of the amplifier.

For optimum operation the impedance offered to the plate of the amplifier tube must be such that a maximum transfer of power will occur. The magnitude of this load impedance is given by the relation

$$\text{Load impedance} = Z_1 = \frac{(E_b - E_{min})^2}{2P_o} \text{ ohms}$$

in which P_o is the power output. This formula is derived from the ratio of the resonant frequency voltage to the resonant frequency current which appear in the tank circuit.

The inductance required to produce

this load impedance for a given value of Q is

$$\text{Inductance} = L = \frac{Z_1}{2\pi f Q} \text{ henrys}$$

in which Q is the operating Q .

The capacity to resonate this circuit to the frequency of operation is

$$\text{Capacity} = C = \frac{1}{4\pi^2 f^2 L} \text{ farads}$$

where L is in henrys.

Design Example

To illustrate more clearly the general procedure outlined for design of a Class C amplifier, an example of such a design for a 35T tube is presented below.

The given factors in the design are:

- Supply voltage, $E_b = 1500$ volts
- Ratio $E_{max}/E_{min} = 0.8$
- Peak space current, $I_m = 450$ ma.
- Plate current pulse interval, $\theta_p = 140^\circ$
- μ for 35T = 30
- Operating tank circuit $Q = 12$
- Frequency of operation = 2 mc.

Procedure

1) A line representing the locus of points at which $E_{max}/E_{min} = 0.8$, OC , is drawn on the constant-current curves.

2) The point, A , on the line OC is determined at which $I_p + I_g = I_m = 450$ ma. At point A , $E_{max} = 110$ volts and $E_{min} = 140$ volts.

3) For $\theta_p = 140^\circ$, the grid bias is,

$$E_g = \frac{E_b}{\mu} + \left(E_{max} + \frac{E_{min}}{\mu} \right) \left(\frac{\cos \frac{\theta_p}{2}}{1 - \cos \frac{\theta_p}{2}} \right)$$

$$E_g = \frac{1500}{30} + \left(110 + \frac{140}{30} \right)$$

$$\left(\frac{\cos 70^\circ}{1 - \cos 70^\circ} \right)$$

$$E_g = -110 \text{ volts}$$

This value corresponds to a bias of approximately two times cutoff.

4) The load line, AB , is drawn on the constant-current curves. The lower extremity, B , is the intersection of E_c and E_b . Fig. 7 illustrates this procedure for the 35T.

5) The load line is divided into intervals corresponding to sinusoidal functions from 0 to 90 degrees. The plate and grid currents and voltages at each interval are tabulated. The currents are determined directly from the intersection of the load line with the constant current curves. The plate voltage is equal to the supply voltage less the voltage at the point on the load line, and the grid voltage is equal to the sum of the bias voltage and the voltage at the point on the load line.

6) Plate and grid current half pulses are plotted from tabulated values in Fig. 8. The areas under these curves are determined by counting squares, and the average or d.c. values of the currents are computed by multiplying this area by two to include the entire pulse, and dividing by the time scale length included in 360 degrees.

$$\text{D.c. plate current} = \frac{\text{area} \times 2}{36} = \frac{1462 \times 2}{36} = 81 \text{ ma.}$$

$$\text{D.c. grid current} = \frac{350 \times 2}{36} = 19.5 \text{ ma.}$$

7) The power output and driving power are determined by totaling the powers obtained at each of the intervals of step 5, and averaging the result. $I_p \times E_p$ and $I_g \times E_g$ are tabulated. The sums are multiplied by two to include the entire pulse, and divided

[Continued on page 58]

INTERVAL (Deg.)	I_p (Amps)	I_g (Amps)	E_p (Volts)	E_g (Volts)	$I_p \times E_p$ (Watts)	$I_g \times E_g$ (Watts)
5	-	-	-	-	-	-
15	-	-	570	-	17	-
25	.035	-	780	123	78	1.0
35	.100	.008	960	151	168	3.0
45	.175	.020	1110	176	272	7.9
55	.245	.045	1240	196	354	14.7
65	.285	.075	1310	208	406	21.2
75	.310	.102	1350	214	432	25.4
85	.320	.119				
TOTAL					1727	73.2

Tabulated data for design of 35T amplifier

THEORY AND APPLICATION OF Nomographs

R. G. MIDDLETON
Project Engineer, Templeton Radio Company

PART 3

★ The theory of the nomograph was considered in the last article,¹ with the exception of the scale factor. Scale factors make nomographs "fit on the sheet."

As an illustration of a scale factor, let us construct a two-scale nomograph for frequency vs. wavelength, or

$$f \lambda = c$$

where f = frequency in megacycles
 λ = wavelength in meters
 c = light velocity or
 300,000,000 m/s

¹Theory and Application of Nomographs
 —RADIO, Dec., 1943.

If we choose a scale 10 inches long, and wish to include λ from 1 to 200 meters, we may determine the necessary scale factor by equating

$$200/10 = 20 \text{ meters per inch}$$

or, 1 meter = 1/20 inch

Therefore we shall mark 200 on the nomograph at the top end (Fig. 8), and mark 180 meters 1 inch from the top, etc., with as many subdivisions as ap-

How to Determine Nomograph Scale Factors to Fit Any Size Sheet

pears desirable for ease of reading. 1/20 is the scale factor in this case, and we may write

$$N = \lambda/20$$

where N is the number of inches corresponding to a given wavelength from the start of the scale.

The frequency scale is conveniently graduated from substitution of given values in the original formula.

It is seen therefore that an equation in two variables requires one scale for each variable, and these two scales may be adjoining. However, adjoining scales are not possible for equations in three variables.

By utilizing the derivation developed in the second part of this series of articles, the reader may show that an equation in three variables:

$$\alpha(U) + \beta(V) + \gamma(W) = 0$$

has a corresponding working determinant:

$$\begin{vmatrix} -S_1 & S'_1 \alpha(U) & 1 \\ 0 & \frac{S'_1 S'_3}{S'_1 + S'_3} \beta(V) & 1 \\ S_3 & S'_3 \gamma(W) & 1 \end{vmatrix} = 0$$

where S_1 , S_3 , and S'_1 and S'_3 are scale factors having the mutual relation:

$$S_1 S'_3 = S_3 S'_1$$

A general consideration of the working determinant tells a great deal about the nomograph before actual calculations are made; the scale factors are constants, and therefore the scale of U is parallel to the scale of V and to the left by an interval equal to S_1 ; likewise the scale of W is parallel to the scale of V and to the right by an interval equal to S_3 . Therefore as soon as we choose the first two scale factors to "fit the sheet" left and right, we may draw the scale lines of the nomograph paral-




Fig. 10. Nomograph for two capacitors in series. The point of intersection of the straight line L on C_2 is the resulting capacity

rel to one another. In general, unless special considerations govern, we should choose S_1 approximately equal to S_3 .

Scale factors S'_1 and S'_3 may then be conveniently determined, remembering that $S'_1 S'_3$ must be equal to $S_3 S'_1$, or otherwise the nomograph "won't work."

Nomograph of Capacitor Energy

As an illustration of this equation, let us construct the nomograph for the energy present in a capacitor at any given voltage

$$W = CE^2/2$$

where W is the stored energy in watt-seconds or joules;
 C is the capacity in farads;
 E is the potential difference in volts.

The equation may be brought into the form just discussed by writing

$$2W = E^2 C$$

and then taking logs:

$$\log 2 + \log W = \log E + \log C$$

or:




Fig. 8. Wavelength-Frequency Nomograph




Fig. 9. Nomograph showing energy stored in a capacitor at any given voltage

$$2 \log E + \log C - \log W - \log 2 = 0$$

or:

$$2 \log E + \log C - \log W - 0.30103 = 0$$

This is now equivalent to our basic equation except that the constant 0.30103 is present. Such a constant may be grouped with any variable we choose, and the working determinant then formed. We may group the constant with W , and by the method previously discussed proceed to set up the working determinant:

$$\begin{vmatrix} -S_1 & 2S'_1 \log E & 1 \\ 0 & \frac{S'_1 S'_3}{S'_1 + S'_3} (\log W + .30103) & 1 \\ S_3 & S'_3 \log C & 1 \end{vmatrix} = 0$$

We must choose certain limits for the variables, so:

E varies from 1 to 1000 volts
 C varies from .001 to 10 μ f.

We must choose a size for the nomograph, say, 7 x 10 inches.

Then calculating the scale factors,

$$10'' = 2S'_1 (\log 1000 - \log 1)$$

or,

$$S'_1 = 5/3$$

and,

$$10'' = S'_3 (\log 10^{-8} - \log 10^{-9})$$

or,

$$S'_3 = 5/2$$

Likewise

$$S_1 + S_3 = 7'' \text{ and } S_1 S'_3 = S_3 S'_1$$

whence,

$$S_1 = 14/5 \text{ and } S_3 = 21/5$$

Fig. 9 illustrates how these values determine the position of the scales upon the sheet, as well as the scale graduations which are derived from substitution of various values of E , W and C in the working determinant:

$$\begin{vmatrix} -\frac{14}{5} & \frac{10}{3} \log E & 1 \\ 0 & 1 \log W + .30103 & 1 \\ \frac{21}{5} & \frac{5}{2} \log C & 1 \end{vmatrix} = 0$$

[Continued on page 62]

RADIO BIBLIOGRAPHY

F. X. RETTENMEYER

RCA Victor Division
Radio Corporation of America

14—INTERFERENCE AND STATIC

- Bum Superhets, *QST*, Vol. XXV, October 1941, page 7.
- Interference from AC-DC Receivers, *QST*, Vol. XXV, October 1941, page 59.
- Local Boy Makes Noise—Westman—*QST*, Vol. XXV, March 1941, page 43.
- Simple Filter for Elimination of B.C.I., *QST*, Vol. XXV, August 1941, page 47.
- Simple Treatment for B.C.I., *QST*, Vol. XXV, September 1941, page 59.
- The Wave Form of Atmospherics at Night, *Proc. Royal Society*, Vol. 176, No. 965, Series A, October 1940, page 180.
- General Meteorological Aspects of Thunderstorm Electricity—H. Y. Byers—*Terr. Mag. & Atmos. Elec.*, Vol. 45, No. 3, September 1940, page 345.
- Methods for Controlling Radio Interference—C. V. Aggers—*Electrical Engineer*, Vol. 59, No. 4, April 1940, page 193.
- Eliminating Phone Interference with Line Telephones, *QST*, Vol. XXIV, July 1940, page 50.
- Hints for Eliminating B.C.I.—Turney—*QST*, Vol. XXIV, April 1940, page 43.
- Notes on Ignition Interference, 40 to 60 Mc., *QST*, Vol. XXIV, May 1940, page 39.
- Instruments and Methods of Measuring Radio Noise—C. V. Aggers, D. E. Foster, and D. S. Young—*Proceedings IRE*, Vol. 27, June 1939, page 409.
- Methods of Controlling Radio Interference—C. V. Aggers—*Proceedings IRE*, Vol. 27, June 1939, page 408.
- Progress in Development of Instruments for Measuring Radio Noise—C. M. Burrill—*Electronics*, Vol. 12, December 1939, page 24.
- A Noise Meter for Television Frequencies—J. Minter—*Electronics*, Vol. 12, December 1939, page 21.
- Using Condensers for Eliminating Interference from Electrical Tramways—S. Lemoine—*Wireless Engineer*, Vol. 16, January 1939, page 3.
- Summary of Informal Discussion on Interference to Radio Reception Caused by Electro-Medical Equipment, New York, January 9, 1939. Federal Communications Commission, No. 32683 (1939).
- Ionospheric Effects Associated with Magnetic Disturbances—L. V. Berkner, H. W. Wills and S. L. Seaton—*Terr. Mag.*, Vol. 44, September 1939, page 283.
- Atmospheric Disturbances—O. Morgenroth—*Funktech. Monatsheft*, No. 3, March 1939, page 70.
- Wave Form, Energy, and Reflection by the Ionosphere of Atmospherics—T. H. Faby, J. M. McNeill, F. G. Nichols and A. B. B. Nicholson—*Proceedings Royal Society*, Vol. 171, July 1939, page 72.
- Radio Interference—Investigation, Suppression and Control—H. O. Merriman and F. G. Nixon—*Proceedings IRE*, Vol. 27, January 1939, page 16.
- General Viewpoints of Interference Suppression—K. Kegel—*A. E. G. Mitteilungen*, August 1939, page 380.
- Low-Cost Cure for Radio Interference, *Sci. American*, Vol. 160, June 1939, page 350.
- A Cause of Scattering in the Measurement of Radiophonic Interfering Voltages—G. Goffin—*L'Onde Elec.*, Vol. 18, February 1939, page 57.
- The Question of Industrial Parasitics in Broadcast Reception—E. Paolini—*Alla Frequenza*, Vol. 8, June 1939, page 377.
- An Experimental Investigation of the Characteristics of Certain Types of Noise—K. G. Jansky—*Proceedings IRE*, Vol. 27, December 1939, page 763.
- Atmospherics in Radio Broadcast Reception at Calcutta—S. P. Chakravarti, P. B. Ghosh, and H. Ghosh—*Proceedings IRE*, Vol. 27, December 1939, page 780.
- Peak Field Strengths of Atmospherics Due to Local Thunderstorms at 150 Megacycles—J. P. Schafer and W. M. Goodall—*Proceedings IRE*, Vol. 27, March 1939, page 202.
- Research on Atmospherics in Italy—P. Ilardi—*Radio E Televisione*, Vol. 3, March 1939, page 317.
- The Nature of Atmospherics—F. E. Lutkin—*Proceedings Royal Society (London)*, Vol. 171, June 1939, page 285.
- On the Wave Form of Atmospherics at Calcutta—S. P. Chakravarti—*L'Onde Elec.*, Vol. 18, April 1939, page 181.
- Interference from Electric Razors—J. E. M. Coombs—*Wireless World*, September 14, 1939, page 259.
- Continuous Wave Interference with Television Reception—C. N. Smythe—*Electrical Communication*, Vol. 19, No. 4, 1941, page 110.
- Radio Interference—Investigation, Suppression and Control—H. O. Merriman and F. G. Nixon—*Proceedings IRE*, Vol. 27, No. 1, January 1939, page 16.
- Static Emanating from Six Tropical Storms and Its Use in Locating the Position of the Disturbance—S. P. Sashoff and J. Weil—*Proceedings IRE*, Vol. 27, No. 10, October 1939, page 696.
- Radio-Atmospheric Researches—B. Paoloni—*Bolletino del Centro Volpi di Elettrologia*, December 1938, page 83.
- Broadcast Interference Caused by High-Tension Installations—E. T. Glas—*Elek. Tech. Zeit.*, Vol. 59, December 1938, page 1305.
- Service Instructions for the Detection and Elimination of Interference with Radio Reception, *Istituto Sperimentale delle Com-*
- municazioni-Bolletino del Centro Volpi di Elettrologia*, Year I, December 1938, page 73.
- Australian Radio Research Board, 10th Annual Report: 3. Work on Atmospherics, *Jour. Council Sci. and Indust. Res.*, (Australia), Vol. 2, November 1938, page 330.
- Symposium on Weather Prediction. *Sci. and Culture (Calcutta)*, Vol. 4, September 1938, page 160.
- Noise Control—J. E. Dickert—*Communication & Broadcast Engineering*, Vol. 4, No. 4, April 1937, page 7.
- Radio Interference from Street Railway Systems—L. M. Howe—*Proceedings IRE*, Vol. 25, No. 6, June 1937, page 708.
- Some Notes on Rain Static in Japan—Tomozo Nakai—*Proceedings IRE*, Vol. 25, No. 11, November 1937, page 1375.
- Radio Telephone Noise Reduction by Voice Control at Receiver—C. C. Taylor—*B.S.T.J.*, Vol. XVI, October 1937, page 475.
- A New Form of Interference, External Cross Modulation—D. E. Foster—*RCA Review*, Vol. 1, April 1937, page 18.
- A Noise-Silencing I.F. Circuit for Superheterodyne Receivers—Lamb—*QST*, February 1936.
- Operating Noise-Silencing Units—G. Grammer—*QST*, March 1936, page 11.
- Ignition Disturbances—L. F. Curtis—*Proceedings Radio Club of America*, October 1936.
- Broadcast Interference Investigation—A. C. Warren—*PDEE Journal*, Vol. 28, Part 1, April 1935, page 23.
- Limits to Amplification—J. B. Johnson and F. B. Llewellyn—*B.S.T.J.*, Vol. XIV, January 1935, page 85.
- Auto Ignition Interference—R. D. Rettenmeyer—*Radio Engineering*, Vol. 14, March 1934, page 20.
- Telegraph Interference—L. M. Jones and C. N. Brown—*Communication & Broadcast Engineering*, Vol. 1, No. 1, October 1934, page 12.
- Diathermy Interference—R. L. Heskins—*Radio Engineering*, Vol. XV, No. 2, February 1935, page 16.
- The Spontaneous Background Noise in Amplifiers due to Thermal Agitation and Shot Effects—E. B. Moullin and H. D. M. Ellis—*Journal IEE*, Vol. 74, 1934, page 323.
- Suppression of Radio Interference Using Tuned Choke Coils—C. V. Aggers and R. N. Stoddard—*The Elec. Journal*, Vol. 31, No. 9, September 1934, page 367.
- Fluctuation Noise in Vacuum Tubes—G. L. Pearson—*Physics*, Vol. 5, 1934, page 233.
- Noise Elimination in Auto Radio Installations

[Continued on page 40]

"THEN I'LL PUT IT THIS WAY—THE
JEEP AND YOUR **ECHOPHONE EC-1**
ARE BOTH REMARKABLE!"



Echophone Model EC-1

(Illustrated) a compact communications receiver with every necessary feature for good reception. Covers from 550 kc. to 30 mc. on three bands. Electrical band-spread on all bands. Beat frequency oscillator. Six tubes. Self-contained speaker. Operates on 115-125 volts AC or DC.



Echophone Radio Co., 540 N. Michigan Ave., Chicago 11, Illinois

RADIO BIBLIOGRAPHY

- tion—C. G. Seright — *Radio Retailing*, January 1933, page 32.
- Radio and Static—J. C. Williams—*Radio News*, Vol. XV, No. 2, August 1933, page 69.
- Frequency Distribution of Atmospheric Noise—R. K. Potter—*Proceedings IRE*, Vol. 20, September 1932, page 1514.
- Joint Coordination Committee on Radio Reception of the N.E.L.A., N.E.M.A., and R.M.A., *N.E.L.A. Bulletin*, Vol. 19, August 1932, page 497.
- Interference Problems Treated Individually, *El. West.*, Vol. 69, August 1, 1932, page 72.
- Shot Effect in Space Charge Limited Currents—E. W. Thatcher and N. H. Williams—*Phys. Review*, Vol. 39, 1932, page 474.
- Reducing Man-Made Static—G. H. Browning — *Electronics*, December 1932, page 366.
- The Spreading of Electromagnetic Waves From a Hertzian Dipole—J. A. Ratcliffe, L. G. Vedy and A. F. Wilkins —*IEE Journal* (London), Vol. 70, No. 425, May 1932, page 522.
- Interference Responsibility Shared by Radio User, *Electrical World*, April 23, 1932, page 738.
- Thermal Agitation of Electrons in a Metallic Conductor — N. H. Williams and D. A. Wilbur—*Science*, Vol. 76, 1932, page 519.
- Street-Railway Interference — Deutschmann—*Radio News*, May 1932, page 921.
- Radio Inductive Interference—H. O. Merriam—*Dom. of Canada, Bull. #2*, 1932.
- Eliminating Interference Caused by Electrical Equipment — A. Larsen — *QST*, March 1932, page 616.
- Eliminating Radio Interference from Pin Type Insulation — Barrow — *Electrical World*, December 10, 1932, page 787.
- Suppression of Transmitter Harmonics—C. G. Dietschman—*Electronics*, June 1932, page 167.
- Tracking Storms by Radio—W. C. Dorf —*Radio News*, Vol. 8, November 1931, page 365.
- Simultaneous Atmospheric and Cable Disturbances — M. Baumler — *Proceedings IRE*, Vol. 19, No. 1, January 1931, page 138.
- Receiver Design for Minimum Fluctuation Noise—N. P. Case—*Proceedings IRE*, Vol. 19, No. 6, June 1931, page 963.
- High Frequency Atmospheric Noise — R. K. Potter—*Proceedings IRE*, Vol. 19, No. 10, October 1931, page 1731.
- Methods for Measuring Interfering Noises*—L. Espenschied—*Proceedings IRE*, Vol. 19, No. 11, November 1931, page 1951.
- Shot Effect in Space Charge Limited Currents—E. W. Thatcher and N. H. Williams—*Phys. Review*, Vol. 40, 1932, page 474.
- On the Reduction of Shot Effect Fluctuations — E. W. Thatcher — *Phys. Review*, Vol. 40, 1932, page 114.
- Fluctuation Noise Due to Collision Ionization in Electronic Amplifier Tubes — S. Ballantine—*Physics*, Vol. 4, 1933, page 294.
- A New Low Noise Vacuum Tube — G. F. Metcalf and T. M. Dickinson —*Physics*, Vol. 3, 1932, page 11.
- Shot Effect in Photoelectric Currents—B. A. Kingsbury—*Phys. Review*, Vol. 38, 1931, page 1458.
- Receiver Design for Minimum Fluctuation Noise—N. P. Case—*Proceedings IRE*, Vol. 19, 1931, page 963.
- Abnormal Shot Effect of Ions of Tunstons and Tunstic Oxide—J. S. Donal—*Phys. Review*, Vol. 36, 1930, page 1172.
- Shot Effect of the Emission from Oxide Cathodes—H. N. Kozanowski and N. H. Williams—*Phys. Review*, Vol. 36, 1930, page 1314.
- Effect of Positive Ion Shot Effect on Space Charge Limited Currents — L. P. Smith—*Phys. Review*, Vol. 35, 1930, page 1430.
- Sun Spots and Radio, *Science*, Vol. 70, December 13, 1929, page 10.
- New Instrument; Single Point Recorder, *Science News Letter*, Vol. 17, February 1, 1930, page 73.
- Cause and Cure of Radio Interference—Bristow—*Radio Craft*, January 1930.
- Elimination of Interference from Power Lines—Mabry—*Electrical Journal*, April 1930, page 211.
- Interference from H.V. Power Lines—Farrar — *Radio Engineering*, February 1930, page 40.
- R.F. Choke Coils Eliminate Radio Interference—Warner—*Elec. World*, October 25, 1930, page 780.
- Radio Interference from Line Insulators —E. van Alta and E. L. White—*Trans. A.I.E.E.*, Vol. 49, January 1930, page 1.
- A Study of Noise in Vacuum Tubes and Attached Circuits—F. B. Llewellyn—*Proceedings IRE*, Vol. 18, 1930, page 243.
- Shot Effect of the Emission from Oxide Cathodes—N. H. Kozanowski and N. H. Williams—*Phys. Review*, Vol. 36, 1930, page 1314.
- Effect of Positive Ion Shot Effect on Space Charge Limited Currents — L. P. Smith—*Phys. Review*, Vol. 35, 1930, page 1430.
- The E.M.F. of Thermal Agitation—E. K. Sandemann & L. H. Bedford—*Philosophical Magazine*, Vol. 7, 1929, page 774.
- Notes on the Effect of Solar Disturbances on Transatlantic Radio Transmission—C. N. Anderson—*Proceedings IRE*, Vol. 17, September 1929, page 1528.
- Radio Frequency Phenomena Associated with the Aurora Borealis—F. Dearlove—*Experimental Wireless*, Vol. 6, April 1929, page 193.
- Arctic Auroral Radio Interference—P. C. Oscanyan—*QST*, Vol. 13, December 1929, page 18.
- On the Relation Between Long-Wave Reception and Certain Terrestrial and Solar Phenomena—K. Screenivasan—*Proceedings IRE*, Vol. 17, October 1929, page 1793.
- Sun Spots and Radio, *Science*, Vol. 70, December 13, 1929, page x.
- Short Wave Echoes and the Aurora Borealis—L. H. Thomas—*Nature*, Vol. 123, February 2, 1929, page 166.
- The Relation of Radio Propagation to Disturbances in Terrestrial Magnetism—I. J. Wymore—*Proceedings IRE*, Vol. 17, July 1929, page 1206.
- Radio Interference from Line Insulators —Van Atta White—*Journal AIEE*, September 1929.
- Radio Interference from Power Lines—Donnell—*Radio*, June 1928, page 31.
- Suppressing Radio Interference—A. T. Lawton—*Radio Broadcast*, January 1928, page 299.
- Sur un Echo des Ondes Électromagnétiques Courtes Arrivant Plusieurs Secondes Après le Signal Emis et Son Explication Après la Théorie des Aurores Boréales — C. Stormer—(On an Echo of Short Electromagnetic Waves Arriving Many Seconds After the Signal Transmission and its Explanation According to the Theory of the Aurora Borealis). *L'Onde Électrique*, Vol. 7, December 1928, page 531.
- Short Wave Echoes and the Aurora Borealis — C. Stormer — *Nature*, Vol. 122, November 3, 1928, page 681.
- Test Effects of Sunspots on Radio, *Sci. American*, Vol. 139, August 1928, page 168.
- Radio Communication and Magnetic Disturbances—C. S. Wright—*Nature*, Vol. 122, December 22, 1928, page 961.
- Les Echoes des Ondes Courtes et les Aurores Boréales—B. van der Pol—(Short Wave Echoes and the Aurora Borealis) *L'Onde Électrique*, Vol. 7, December 1928, page 534.
- Short Wave Echoes and the Aurora Borealis—B. van der Pol—*Nature*, Vol. 122, December 8, 1928, page 878.
- Radio Reception and Northern Lights, *Science*, Vol. 68, July 20, 1928, page X.
- Radio Research Started, *Radio Dealer*, Vol. 12, January 1928, page 67.
- Radio Echoes and Magnetic Storms—S. Chapman—*Nature*, Vol. 122, November 1928, page 768.
- Radio Echoes and Magnetic Storms—T. L. Eckersley—*Nature*, Vol. 122, November 17, 1928, page 768.
- The Effects of Sunspots on Radio — *Science*, Vol. 67, March 16, 1928, page X.
- Maximum Sun Spots Aid Long Waves by Day, *Radio World*, Vol. 12, January 28, 1928, page 22.
- Correlation of Long Wave Transatlantic Radio Transmission with Other Factors Affected by Solar Activity—C. N. Anderson—*Proceedings IRE*, Vol. 16, March 1928, page 297.
- Short Wave Echoes and the Aurora Borealis—E. V. Appleton—*Nature*, Vol. 122, December 8, 1928, page 879.
- On the Influence of Solar Activity on Radio Transmission—L. W. Austin and I. J. Wymore—*Proceedings IRE*, Vol. 16, February 1928, page 166.
- Thermal Agitation of Electrical Charge in Conductors—H. Nyquist—*Phys. Review*, Vol. 32, 1928, page 110.
- Method of Reducing Effect of Atmospheric Distortion—C. R. Englund—*Proceedings IRE*, January 1928, page 27.
- Reduction of Atmospheric Distortion—J. R. Carson—*Proceedings IRE*, Vol. 16, July 1928, page 966.
- Thermal Agitation of Electricity in Conductors—J. B. Johnson—*Phys. Review*, Vol. 32, 1928, page 97.
- The Aurora and Fading—A. G. Cooley—*Radio Broadcast*, Vol. 11, July 1927, page 135.
- Behavior of Radio Receiving Systems to Signals and to Interference—Peters — *Journal AIEE*, August 1926.

[Continued on page 42]




A PLANET *Not a Meteor*

Ever notice how a meteor streaks across the heavens in a blaze of fiery splendor? It's a beautiful sight . . . while it lasts. But most meteors burn themselves out long before striking the earth. Not so a planet . . . though much less brilliant, it's there to stay. That's how we like to think of I. C. E. Here to stay . . . Born of the war . . . yes, but acquitting itself well, and all the better to serve you in the post-war future.

Electronics

... the promise of great things to come



INDUSTRIAL & COMMERCIAL ELECTRONICS

BELMONT, CALIFORNIA

- Elimination of Radio Disturbances Caused by Cottrell Precipitators—R. E. Boehler—*Elec. Journal*, September 1924, page 422.
- How to Locate Interference of Power Lines—W. Van Ostrand, Jr.—*Pop. Radio*, November 1924, page 458.
- Inductive Interference with Communication Circuits—A. Russell—*Journal AIEE*, November 1924, page 941.
- How to Stop Local Interference from Machinery, *Popular Radio*, November 1924, page 517.
- Signal-to-Static Interference Ratio in Radio Telephony—M. Latour—*Proceedings IRE*, June 1924, page 295.
- Discovery of a Place Where No Static Could be Heard in August—R. H. Marriott—*Proceedings IRE*, October 1924, page 533.
- Radiation from Transmission Lines—C. Manneback—*Trans. A.I.E.E.*, Vol. 42, February 1923, page 289.
- Interference—R. H. Marriott—*Proceedings IRE*, August 1923, page 375.
- Radiation from Transmission Lines—Manneback—*Journal AIEE*, February 1923, page 95.
- Eliminating Interference from Commercial Power Lines—J. L. Bernard—*Wireless Age*, Vol. 10, March 1923, page 58.
- The Relation Between Atmospheric Disturbances and Wave Length in Radio Reception—L. W. Austin—*Proceedings IRE*, February 1921, page 28.
- The Reduction of Atmospheric Disturbances in Radio Reception—L. W. Austin—*Proceedings IRE*, February 1921, page 41.
- A System for Measuring the Amount of Static—A. M. Curtis—*Proceedings IRE*, June 1921, page 225.
- Static Elimination by Directional Reception—G. W. Pickard—*Proceedings IRE*, October 1920, page 358.
- Reception Through Static and Interference—R. A. Weagant—*Proceedings IRE*, June 1919, page 207.
- On the Nature and Elimination of Strays—E. J. DeGroot—*Proceedings IRE*, April 1917, page 75.
- The Present Status of Radio Atmospheric Disturbances—L. W. Austin—*Proceedings IRE*, 1926, February, page 133.
- New Method Pertaining to the Reduction of Interference in the Reception of Wireless Telegraphy and Telephony—H. de Bellesize—*Proceedings IRE*, April 1926, page 249.
- Direction Determinations of Atmospheric Disturbances on the Isthmus of Panama—L. W. Austin—*Proceedings IRE*, June 1926, page 373.
- Present Status of Atmospheric Distortion—L. W. Austin—*Proceedings IRE*, February 1926, Vol. 14, page 133.
- Small Shot Effect and Flicker Effect—W. Shottky—*Phys. Review*, Vol. 28, 1926, page 75.
- The Schottky Effect in Low Frequency Circuits—J. B. Johnson—*Phys. Review*, Vol. 26, 1925, page 71.
- Atmospherics—R. A. Wattson Watt—*Proc. Phys. Soc. London*, December 1925, page 23.
- Discussion on Atmospherics—C. E. P. Brooks—*Proc. Phys. Soc. London*, Vol. 37, 1925, page 470.
- The Theory of the Schroteffekt—T. C. Fry—*Franklin Institute Journal*, Vol. 199, 1925, page 203.
- Determination of Elementary Charge from Measurements of Shot Effect—A. W. Hull and N. H. Williams—*Physical Review*, Vol. 25, 1925, page 147.
- A Kit for the Radio Detective—Marriott—*Radio Broadcast*, January 1925, page 463.
- Locating Power Leaks by Radio, *QST*, September 1925, page 13.
- Interference—N. W. McLachlan—*Wireless World & Review*, February 25, 1925, page 79.
- Shelter Interference Elimination—Redfern—*Radio Journal*, August 1925, page 25.
- How to Eliminate Local Interference—*Radio Broadcast*, December 1925, page 212.
- Cures for Power Leaks—R. S. Kruse—*QST*, March 1927, page 9.
- Location of Radio Interference—Elsworth—*Electrical World*, April 16, 1927, page 810.
- Helps for Cutting Down Man-Made Interference—L. M. Cockaday—*Popular Radio*, April 1927, page 343.
- Cornering That Buzzing Interference—P. Briggs—*QST*, Vol. 7, March 1924, page 34.
- Power Company Cuts out Static—McCain—*Radio Broadcast*, April 1924, page 466.
- Local Interference—L. S. Graham—*Popular Radio*, July 1924, page 12.
- Ringing Machine Radio Interference—Fritz—*Telephony*, July 26, 1924, page 18.
- Radio Interference from Electric Precipitators, *Radio Service Bulletin*, No. 88, August 1, 1924, page 9.

Using Slide Rule

[Continued from page 27]

Wire Gauges

Since the diameter of wires and their cross-section runs in a geometric progression for consecutive gauge numbers, the log-log scales will serve to find these values.

To find diameter in mils, set 2 on *C* to 10 on *LL3*. Calling the gauge number *N*, opposite (50-*N*) on *C*, find diameter on *LL3*.

To find cross-sectional area in circular mils, set 1 on *C* to 10 on *LL3*, opposite (50-*N*) on *C* find cross-sectional area on *LL3*.

Impedance of Coaxial Lines

The relation between *Z* and the two diameters is

$$Z = 138 \log_{10} \frac{D}{d}$$

where *D* and *d* are the diameters of the outer and inner conductors, respectively.

Find the ratio *D/d* from the *C* and *D* scales, set 138 on *C* to 10 on *LL3*. Op-

posite *D/d* on *LL* scale, find *Z* on *C* scale.

Use of Trigonometric Scales

The arrangement of the trigonometric scales differs very markedly on the various types of rules. Therefore, some operations which can easily be performed on some rules are well-nigh impossible on others. The applications shown here can be done with a poly-phase duplex or a log-log duplex. The log-log vector slide rule offers the greatest convenience as far as trigonometric scales are concerned.

On most rules the sine scale at the back is referred to the *A* and *B* scales while the tangent scale is referred to the *C* and *D* scales. This has to be remembered when multiplying a sine or a tangent by any factor. It is even more of a headache when multiplying one trigonometric function with another one, as in the solution of spherical triangles.

Finding *Z* from *R* and *X*

The impedance can be found from *R* and *X* by trigonometric formulas as shown in *Fig. 8*. For the sake of convenience it is desirable to avoid tan-

gents of angles over 45 degrees and therefore, the angle opposite the shortest side should be found.

Applying this to our previous problem: To find *Z* when *R* is 8 ohms and *X* is 15 ohms. To 15 on *DF* set 8 on *C*; opposite index of *DF* read $\theta = 28^\circ$. Set 28° on sine scale opposite 8 on *A*; opposite index of sine scale, read 17 on *A*. It may be convenient to use the *D* and the *C* scales instead of *DF* and *C*, depending on the values involved.

Finding Great Circle Distances

If only the great circle distance is needed, and not the bearing, the law of cosines for spherical triangles can be used. (*Fig. 9*).


This equation is directly adapted for use with latitudes

$$\cos d = \sin \text{Lat. } A \sin \text{Lat. } B + \cos \text{Lat. } A \cos \text{Lat. } B \cos \text{Long. diff.}$$

Where *d* is the great circle distance in degrees. If one considers the latitude positive when it is North and negative when it is South, this one equation will do for all cases.


It will then be necessary to adjust the equation in each case so that all the

[Continued on page 61]



BY COMPARISON

This is a B & W Junior Air Inductor in size comparison with the 7.5 ampere-rated specials of the same general construction and design.




7.5 AMP. CONTINUOUS RATING

But the only thing "Special" is the size

Actually, these 20" giant B & W Air Inductors, wound with #8 solid wire, are simply grown-up war versions of the famous B & W Junior "Air Wound" Coils of amateur radio fame. The only special feature is the size plus, of course, the attendant bracing of triple x bakelite strips and plates for absolute mechanical rigidity. They're attractive in appearance, sturdy as you'd ever expect coils to be, and serve as interesting examples of B & W's unexcelled facilities for the production of special units—often with only a

minimum of change from standard designs of unquestioned dependability.

Coils of this type are available through the entire broadcast frequency range. Adaptations are available for specific applications on any frequency. Other B & W coils in both "Air Wound" and form-construction types can be supplied for practically any inductance requirement. Details on any type, or quotations to your specifications, gladly sent.



HOW TO TAP SMALL COILS—EASILY

Ever try to tap a tiny coil where the turns were so close together you felt as though you were trying to fasten a rope to a middle tooth of a fine-tooth comb? Then you'll appreciate this special B & W small coil indent feature. The windings on either side of the turn you want to tap are indented out of the way, thus making tapping quick and easy, anywhere on the Inductor.



AIR INDUCTORS

BARKER & WILLIAMSON, 235 FAIRFIELD AVE., UPPER DARBY, PA.

THIS MONTH

RADIO EMPLOYMENT

Employment and compensation data for standard broadcast stations and networks during 1943 were released by the Federal Communications Commission.

Responses from 815 standard broadcast stations and 10 networks, covering the week of October 17, 1943, revealed that 24,515 persons were employed full-time and 4,862 part-time. Approximately 52 stations had not filed their returns at the date of this compilation.

The total weekly compensation paid to all full-time employees amounted to \$1,366,687 or an average of \$55.75 per employee. This represents an increase of 6.6% over the October 1942 average of \$52.32.

Average weekly compensation for full-time employees, excluding executives, was \$49.50 or an increase of 7.3% over last year's average of \$46.12.

The two releases containing these data show for each broadcast district and region, the number of employees and average compensation per employee in each of the various radio occupations. Data are shown separately for full- and part-time employees.

Prompt response on the part of the great majority of stations and networks has enabled the Commission to make this information available at a much earlier date this year.

HALLICRAFTERS AWARDS

1st Lt. Robert Phillips, Jr., of the Signal Corps, and T/Sgt. Ervin A. Hurley, with an Air Base Squadron, tied for first prize in the Hallicrafters Company cash prize



Lt. Robert Phillips, Jr., receiving the Hallicrafters' award from Kenneth McClelland, personnel director of the company



Three war workers, each representing a different Asiatic race, proudly show how they co-operate in producing communications equipment for the Army Air Forces. Shown at a bench in the Jefferson-Travis Radio Manufacturing Corporation are (left to right) Capt. Alvin Grauer, U. S. Army; Moy Guay Chuck, a native of China; Col. Charles W. Kerwood, U. S. Army Air Forces; Toshio Niniomiya, American-born Japanese; Rama Chattopadhyha, an American Hindu

contest for radio men in the service. Each of the soldiers received a check for \$100. The prizes were awarded for letters telling of their personal experiences with Hallicrafters military and naval and communications equipment.

Lt. Phillips, who was invited to come to Chicago and attend Hallicrafters annual Christmas dance, was presented personally with his \$100 check on that occasion. At the battle of Kasserine Pass, he was driving an SCR-299 mobile radio station when hit by dive bombers. He wears an empty sleeve as a result, also the Order of the Purple Heart. With his arm nearly blown off, he drove six wounded men to a first-aid station and sent back an ambulance for more. In his prize-winning letter he told how the Hallicrafters SCR-299 was used to establish communication between an African base and London, England—a distance of 2,300 miles.

T/Sgt. Ervin A. Hurley told in his letter how the SCR-299 overcomes severe radio disturbances caused by adverse weather conditions.

NEW CENTRALAB BULLETINS

To supplement bulletin No. 630 on Ceramic Capacitors, Centralab has released a new 4-page folder No. 721. It contains condensed information on special types of capacitors now in production.

Bulletin No. 720-A provides complete specifications and advantages of "Centra-

dite," a new development in ceramic material, and Steatite.

Either or both bulletins may be obtained on request to Centralab, Division of Globe Union, Inc., 900 East Keefe Ave., Milwaukee, Wis.

CANNON WIRE DATA

Cannon Electric Development Company, 3209 Humboldt Street, Los Angeles 31, California, has just published a 24-page loose-leaf booklet on Signal System, Cable and Wire Data for engineers, estimators, wiremen and the electrical industry in general.

Among the data will be found the following: standard telephone cable color code, interphone telephone cable, switchboard telephone cable, wire types used in telephone and signal installations, resistance of copper wire, carrying capacities of wires, etc.

The pages 4 x 6½ are 3-hole punched to fit into standard data books. Copies will be sent free upon request.

ASA STANDARDS LIST

The American Standards Association announces the publication of its new list of standards. There are more than 600 standards listed, of which 64 have been approved or revised since the last price list was printed (April, 1943). The standards cover specifications for mate-

[Continued on page 50]



to lift another mist from the mind of man

War's necessity mothers tomorrow's blessing. War-born electronic devices which now strengthen and sharpen a war pilot's radio signal may, some happier tomorrow, guard the glory of a symphony.

Who knows the future of these discoveries which keep our pilots in clear communication, even through the deafening crackle of a tropical storm? Who knows what undreamed comforts, undreamed

glories flicker in the electronic tubes? Or in any of the modern miracles so familiar to us at Sylvania?

New sound for the ears of the world. New knowledge for the eyes of the world. More mists of ignorance swept away! Those are the potentials which inspire us, in everything we do, to work to one standard and that the highest known.

SYLVANIA ELECTRIC PRODUCTS INC.

EXECUTIVE OFFICES: 307 FIFTH AVENUE, NEW YORK 10, N. Y.

RADIO TUBES, CATHODE RAY TUBES, ELECTRONIC DEVICES, INCANDESCENT LAMPS, FLUORESCENT LAMPS, FIXTURES AND ACCESSORIES


IN ACTION ON THE HOME FRONT . . . Sylvania Fluorescent Lamps and Equipment are helping our war factories speed production. Sylvania Radio Tubes are helping bring information and entertainment to homes throughout the land. Sylvania Incandescent Lamps are serving long and economically in these same homes. As always, the Sylvania trade-mark means extra performance, extra worth.



NEW PRODUCTS

NEW QUARTER MILLION VOLT CAPACITOR

The .02-mfd. 250,000-volt capacitor shown is the latest type Industrial Specialty unit. It consists of liquid impregnated capacitors housed in a wet process porcelain tube and filled with a liquid di-



electric. The end caps are the Westinghouse solder seal type which act both as a mounting arrangement and terminals.


This unit is built for total submersion for salt water and operation under the severest conditions. Voltage ratings range from 7500 volts to a quarter of a million volts in single units and can be connected in series for operation up to several million volts.

Manufactured by Industrial Specialty Company, 1725 West North Avenue, Chicago, 22, Illinois.

CML PRODUCTION PLUGS

Developed for use with the Rotobridge in testing electronic equipment, CML production plugs are now available generally for use by electrical manufacturers.

CML production plugs are 5 inches long and 1/4 inches in diameter, so that the handle will project above the average i-f transformer, condenser, making it readily




accessible. CML Production Plugs are made with a heavy steel barrel and are filled with a wooden handle to permit ready removal from socket. All pins are case hardened steel to assure long life, yet may be replaced when worn or broken. In both the octal and loktal plugs, center key extends through in form of a threaded rod to permit cable to be fastened firmly in position without strain on pin connections. A flat head machine screw serves same purpose in the other plugs.

In addition to the octal and loktal types, these plugs are available in 4, 5, 6 and 7 pin models, small and medium. Descriptive bulletin is available from Communication Measurements Laboratory, 116 Greenwich Street, New York.

G-E SAFETY DOOR INTERLOCK SWITCH

A new door interlock switch, designed as an emergency device to interrupt control circuits where access doors are opened when the power is on, has been announced by the Specialty Division of the General Electric Electronics Department at Schenectady, N. Y.

It has a carrying capacity of 10 amp., 110 or 220 volts a.c. or d.c., and an emergency opening capacity of a.c. 7 1/2 amp., 110 or 220 volts; on d.c. low inductive cir-



cuits, 5 amp., 125 volts; 2 1/2 amp., 250 volts.

Application covers a wide range where doors, windows or covers must be interlocked for the protection of the equipment and safety of the personnel. For example, doors on radio transmitters, x-ray and therapeutic machines, burglar alarms, and signal controls for fire doors.

SHEFFIELD PRECISIONAIRE

An instrument for checking the dimensional tolerances of quartz crystals without marring their surfaces has been developed by the Sheffield Corporation of Dayton, Ohio. This device, called the Precisionaire, is used for accurately gaging a part as to size, out-of-round, taper, and bell mouth at any section of its length

or at any point on the diameter within its length. The principle of air flow, instead



of air pressure, permits relatively low pressures during the gaging operation.

Crystals to be checked are placed in a snap-type gaging fixture which has a column of air flowing against the top and bottom of the crystal from the gaging fingers. Interchangeable spacer blocks are inserted in the fixture to permit the checking of several basic sizes. Crystals of known sizes are used as masters to set the limits.


This device may be used for checking other items, such as delicate parts of glass or other materials which are fragile and easily marred. Parts having tolerances ranging from .0001 to .005 inch may be accurately checked.


SQUARE-WAVE GENERATOR

The newly organized Reiner Electronics Company of New York City announces a new low-priced Square-Wave Generator Model 530, designed for production testing. It is claimed to incorporate a feature not found in other square-wave generators, the facility of synchronization with any external frequency source.

Model 530 Square-Wave Generator has a hand-calibrated frequency scale reading from below 10 cycles to more than 100 kilocycles. The accuracy of the frequency

[Continued on page 48]





V-NEWS

RADIO INDUSTRY NOW PRODUCES FOR WAR—BUT PLANS FOR PEACE

UTAH EMPLOYEES BREAK PRODUCTION RECORDS FOR UNCLE SAM

Month by month, production records have been broken as Utah has gone "all out" for Uncle Sam, according to Fred R. Tuerk, President.

He points out that experience gained during the war period will be ably utilized in efficient peacetime production.

With emphasis on quality, the dependability of Utah parts, long a by-word in the radio and sound equipment industries, will be maintained.



FRED R. TUERK

YOU ARE PART OF UTAH'S POSTWAR PLANS

"We're working for Victory and planning for peace now," stated Oden F. Jester, Vice-President in Charge of Sales of the Utah Radio Products Company, when queried recently on Utah's postwar plans. "Our experts are hard at work, developing plans for the future—plans that take utmost consideration of the needs of industrial concerns. Better products are on the way. In the Utah laboratory rapid strides have been made in adapting new electronic and radio developments for war uses—and making them available for the requirements of tomorrow."



ODEN F. JESTER

CARTER DIVISION IN FULL SWING FOR WAR PRODUCTION—AND POSTWAR PLANNING



FRANK E. ELLITHORPE

Frank E. Ellithorpe, Sales Manager of the Carter Division of the Utah Radio Products Company, declared in a recent interview that Utah Jacks, Switches, Vitreous Enameled Resistors, Plugs, Wirewound Controls and other Utah-Carter parts are seeing service on wide fronts—in the air, on the sea and on the ground. They are playing an important part in adapting the new electronic and radio developments—in making them

militarily and commercially usable.

Mr. Ellithorpe went on to state that Utah-Carter parts are proving that the engineering which created them and the manufacturing methods which are turning them out in ever-increasing quantities are worthy of the fighting men who depend on those parts. This same engineering staff and these same manufacturing facilities, Mr. Ellithorpe went on to say, will be converted to the development and production of the Utah products to meet the demands of industry for "tomorrow."

WAR DEVELOPMENTS AND THEIR PEACETIME MARKETS

The war has speeded discoveries and improvements in many fields,

said W. A. Ellmore, Vice-President in Charge of Engineering of the Utah Radio Products Co. "Nowhere," he went on, "has this been more true than in the radio and communications fields. Today, electrical and electronic miracles are enlisted in the armed forces—but tomorrow they will be at the service of peacetime America." Mr. Ellmore further pointed out that because of the wartime research and improvements now going on at Utah, there will be greater enjoyment and convenience in the American home—greater efficiency in the American factory.



W. A. ELLMORE

UTAH RADIO PRODUCTS CO., 846 Orleans St., Chicago, Ill.

New Products

[Continued from page 46]

calibration is 5 percent over extended periods. In cases where great accuracy of frequency is desired, the instrument can be made to synchronize with any standard frequency generator, provided that a synchronizing voltage of at least 0.1 volt is available. The synchronization can also be made with any other external frequency source.

The output impedances available are 100-200-500-600-1,000-2,000 ohms. Output voltage may be varied either in fixed steps or may be continuously varied by means of the variable voltage potentiometer. When

the latter is used, the output impedance is from 0-2,000 ohms. The maximum voltage-output is approximately 200 volts.

The power supply of Reiner Electronics Model 530 Square Wave Generator is designed to operate on 110-120 volts, 60 cycles a.c. It is also available for other voltages or line frequency. The power consumption is 30 watts. Prompt delivery can be made on properly certified orders.


The Reiner Electronics Company, located at 152-6 West 25th Street, N. Y. C., will also manufacture oscilloscopes, signal generators, vacuum tube voltmeters and general electronic equipment. A new bulletin describing their products will soon be available from the manufacturer.

R-F LACQUER

A new and improved radio frequency lacquer with a remarkably low loss factor over a wide frequency range has recently been offered for various electronic applications by Communication Products Company, 744 Broad Street, Newark, N. J. In a 24-page booklet, now ready for distribution, the uses of Q-Max A-27 Radio Frequency Lacquer are illustrated and described. The electrical and physical properties of Q-Max, as determined by careful laboratory tests, are recorded in a series of useful graphs and charts. Illustrated graphically, for a wide frequency range, are the dielectric constant, power factor and loss factor while data are included for dielectric strength, density, drying time, adhesion and other characteristics.

GLASS VEE JEWELS

Previously offered as run-of-mill quality, General Electric glass vee jewels are now ready to set. Before jewels are shipped, they are examined under a binocular microscope, which has a magnification of 40 diameters, for incipient flaws in the glass, the depth of the vee and its concentricity. Simultaneously the bearing is explored for pits or roughness



Lend-Lease did not inaugurate foreign shipments of Ken-Rad tubes Long before the war sixty countries on every continent including all United Nations and major islands in every ocean utilized for peacetime activities Ken-Rad tubes in hundreds of thousands


Today millions of Ken-Rad tubes serve every battle front and we are proud that in war or peace the entire military world and civilians alike recognize Ken-Rad dependability



TRANSMITTING
TUBES
CATHODE RAY
TUBES
SPECIAL
PURPOSE TUBES

KEN-RAD
EXECUTIVE OFFICES
OWENSBORO · KENTUCKY
EXPORTS 116 BROAD STREET NEW YORK

METAL AND VHF
TUBES
INCANDESCENT
LAMPS
FLUORESCENT
LAMPS



with a fine steel needle. All jewels now furnished have passed this rigid inspection and are ready to be set in jewel screws. This inspection saves the purchaser inspection time.

Glass vee jewels have been manufactured in tremendous quantities since the beginning of the war to replace imported sapphire jewels which have become practically unobtainable. G.E. has supplied the majority of these jewels to the war effort. They are used in small panel instruments with a moving system which weighs one gram or less. The jewels have the same coefficient of friction as the sapphire and in combination with instrument steel pivots, under vibration, they often produce less friction increase than does the sapphire.

Vast improvement has been made in the glass as compared with that previously used. These jewels will resist shocks in

[Continued on page 50]



the amateur is still in radio...

All through the development of radio communications you'll find the mark of the radio amateur. His desire to accomplish the seemingly impossible and the rough treatment he gave his "ham rig" helped create and develop better radio technique. Thus the radio amateur is directly responsible for much of the superior radio and electronic equipment being used by the military services today. Eimac tubes, created and developed in the great amateur testing grounds are a good example. They had to possess superior performance capabilities in order to become first choice of the leading radio amateurs.

Their ability to withstand momentary overloads of as much as 600% and their unconditional guarantee against premature failures due to gas released internally are two potent reasons why they are today first choice of the leading electronic engineers throughout the world.

Today the radio amateur is off the air as an amateur but he's still in radio as a professional. And wherever he is... in the army, navy and marine corps... in the great electronic laboratories and factories... he's still using Eimac tubes.


Follow the leaders to

Eimac
REG. U. S. PAT. OFF.
TUBES

EITEL-McCULLOUGH, Inc., SAN BRUNO, CALIF.

Plants at: Salt Lake City, Utah and San Bruno California

Export Agents: **FRAZAR & HANSEN, 301 Clay Street,**
San Francisco, California U. S. A.



Eimac 250T



New Products

[Continued from page 48]

excess of those required to damage instrument steel pivots. This is because the glass jewels are specially designed for this application.

Following inspection and before shipment, all jewels are cleaned in three positions in a special watch-cleaning machine and spun dry for five minutes between each position.

Two sizes of glass vee jewels are now available; diameters of 0.051 and 0.076 inch. General Electric is an approved source of supply—Navy Department, Bu-

reau of Aeronautics.


Publication GEA-4134, available from General Electric at Schenectady, gives specifications and ordering information together with suggestions for press setting the jewels.

G.E. "LECTROFILM"

Lectrofilm, a new synthetic dielectric material for capacitors, developed after several years of General Electric laboratory research, and made of materials available in the United States, has been announced by the Company.

Lectrofilm, the development of which was hastened by the growing shortage of high-grade mica, can be best applied to

the manufacture of most radio-frequency, blocking and by-pass, fixed capacitors used in communications and other electronic equipment. The new product has a greater combination of desirable properties than was previously available in any one dielectric material. It is available in both rolls and sheets and can be used in present capacitor production lines with



very little change in equipment or method of manufacture.

In addition, lectrofilm's strength and flexibility make it well-suited to automatic methods of manufacture. The careful control used in its production, together with its chemical stability, assure uniform properties and freedom from defects. Furthermore, it requires little grading or sorting before being placed into a capacitor production line.

Ingenious New Technical Methods

Presented in the hope that they will prove interesting and useful to you.




Beryllium Copper Bites Into Steel


It is an old saying that when a dog bites a man it is not news, but when a man bites a dog it is news. That being the case, it is certainly news when copper bites into steel. Copper is, of course, one of the softer metals but when 2 percent beryllium is added to copper, its characteristics are changed. The alloy is heat treatable which explains the remarkable strength and hardness. Hit a chisel made of Beryllium Copper with a hammer and it will bite into steel without dulling the edge. Tools made of Beryllium Copper are non-sparking and therefore are used in ordnance plants, oil refineries and other places where explosions may occur from sparks off steel tools. Tensile strength as high as 200,000 lbs. psi can be obtained with Beryllium Copper; hence, it is used for many applications where resistance to high loading and impact fatigue are important, such as airplane motor bushings. Most of the critical springs and diaphragms used in aviation, Navy and Signal Corps instruments are made of Beryllium Copper because of its reliability as a spring material.

We hope this has proved interesting and useful to you just as Wrigley's Spearmint Gum is proving useful to millions of people working everywhere for victory.

You can get complete information about these tools from the Beryllium Corporation, Reading, Pennsylvania.



Man has tried for ages to rediscover the art of hardening copper. Today this can be done by adding to copper a small percentage of beryllium.



Not only does it produce an alloy harder than tempered steel, but one that does not produce sparks, an essential when working near highly combustible materials.

X-64

This Month

[Continued from page 44]

rials, methods of tests, dimensions, definitions of technical terms, procedures, etc.

One important phase of the work built up during the 25 years that the ASA has been in existence, is in the field of safety engineering. The new list includes 95 safety standards.

BOOK ON "SMALL RADIO"

Small Radio, Yesterday and In The World of Tomorrow, titles an impressive book on that subject and on the vast strides of electronic development during the past two years which is now being issued by the Emerson Radio and Phonograph Corporation.

In the several chapters of the attractively bound volume, *Benjamin Abrams*, president of Emerson, traces the evolution of small radio from the early midget designs of 1928 up to the last compact models which were produced in 1941. He reviews not only the types and styles of receivers which captured public fancy during the thirteen-year stretch, his observations on merchandising and trade and consumer trends are perhaps even more interesting and constructive.


REPS MAKE PLANS

At the November meeting of the Mid-Lantic Chapter of "The Representatives" [Continued on page 63]



History of Communications Number One of a Series

A FORERUNNER OF MODERN COMMUNICATIONS



One of the first known channels of message carrying was by runner, and annals of Grecian and Phoenician history describe the nimble lads who firmly grasped rolls of parchment and sped hither and yon. Clad in typical running gear of the period, they covered amazing distances with almost incredible speed. That was the forerunner of today's modern communications where scientific electronic devices are "getting the message through" on every war front. Universal Microphone Co. is proud of the part it plays in manufacturing microphones and voice communication components for all arms of the United States Armed Forces, and for the United Nations as well. Other drawings in the series will portray the development of communications down through civilization and the ages to the modern era of applied electronics.

< Model 1700-UB, illustrated at left, is but one of several military type microphones now available to priority users through local radio jobbers.

UNIVERSAL MICROPHONE CO., LTD.
INGLEWOOD, CALIFORNIA



FOREIGN DIVISION: 301 CLAY STREET, SAN FRANCISCO 11, CALIFORNIA .. CANADIAN DIVISION: 560 KING STREET WEST, TORONTO 1, ONTARIO, CANADA

Want Complete Blackout and Fully Illuminated Jewel?

NEW efficiency has been designed and built into the new No. 85 DRAKE Shutter Type Assembly! Now, for the first time, a 90 degree clockwise turn made easy by a sure-grip knurl, brings COMPLETE blackout . . . a 90 degree counter clockwise turn FULLY illuminates jewel. (Same rotation as aircorps part #42B3593). This new No. 85 is, we believe, the ONLY Shutter Type Assembly without a central pilot hole that permits light leakage. A firmly locking, slip-fit bezel is instantly removable without tools, for easy lamp replacement. It has the same general specifications and is interchangeable with our No. 80 Polaroid Type Assembly.

Do you have the newest Drake Catalog describing the No. 85 and other new Drake patented products?



NO. 85 SHUTTER TYPE

PILOT LIGHT ASSEMBLIES

DRAKE MANUFACTURING CO.

1713 WEST HUBBARD ST., CHICAGO 22, U. S. A.

WANTED

Small Stampings—
Special Terminals—
Soldering Lugs—
Precision Washers

up to 5/8" O. D.

Manufactured to Your Specifications

Large Tool Room Facilities
plus 20 Years Experience Insure
HIGH GRADE STAMPINGS
QUICK DELIVERIES
on Medium and Large Quantities

DIEBEL DIE & MFG. CO.
3656 N. Lincoln Ave.

Phone: WELlington 4202
CHICAGO 13, ILLINOIS

D-C Amplifier

[Continued from page 21]

rangment of Fig. 2, or, better still, by a differential ammeter as in Fig. 7.

Now imagine a voltage to be applied. The plate current of tube 1 will increase, that of tube 2 will decrease (see Fig. 4). Presently tube 2 will reach cut-off, while the current in tube 1 goes on increasing. Eventually, this will level off to a final value.

If the difference in currents is plotted, we have the curve of Fig. 5. If we draw this curve using a logarithmic scale for the volt scale, it may take the form of Fig. 6, provided the resistors have been correctly chosen. The plate resistor of tube 2 has been eliminated.

Fig. 7 (A) shows a multiple arrangement similar to Fig. 3, and (B) the current plots. The range of this multiple circuit is no wider than that of the circuit of Fig. 3, but the response approaches the logarithmic law more closely. In order to obtain a wide range, either arrangement must appear twice (or as many times as desired) in the complete circuit.

The Complete Amplifier

The complete circuit in the form used experimentally is shown in Fig. 8. It includes two "differential units" like that of Fig. 3, one of which receives the full applied voltage, while the other receives only 3% of it. The second unit has no appreciable effect on the reading until the applied voltage reaches sizeable values. The operation of the entire device may be summarized by stating that those tubes which contribute more to the overall gain (or have more stages following them) "drop out" first.

The switching arrangement *S* of Fig. 8 is designed for calibration purposes. If it becomes necessary to change tubes, the switch *S* is opened and the input is short-circuited. Under these conditions the reading should be zero. If it is not, potentiometer P_2 is adjusted for zero reading. Then the switch *S* is closed; this may cause the meter to read a slight current. Potentiometer P_1 is now adjusted until the reading is again zero.


If the zero is adjusted in this way, the instrument is surprisingly unaffected by tube changes. No error in the calibration was detected even with very poor tubes. If the tubes are not changed no apparent "drift" occurs over long periods. So far as stability is concerned, the instrument is highly satisfactory.

The deflection vs. input-voltage curve of the amplifier, as shown in


[Continued on page 54]



Like RACONS—I'm Rugged and Efficient!



Here is the RACON MARINE HORN Speaker used on many bombers and navy vessels. Approved by the U. S. Coast Guard, formerly the Bur. of Marine Inspection, Dept. of Commerce. Several sizes available, Stormproofed, of the reentrant type, suitable for indoor or outdoor use—may be used as both speaker and microphone.



RE-ENTRANT TRUMPET; available in 3½', 4½' and 6' sizes. Compact. Delivers highly concentrated sound with great efficiency over long distances.

There are many types of dog—and loud speakers. There's as much difference between a champion and mongrel. RACONS and I, we're Champs! We're both outstanding, rugged, dependable, efficient—pure-bred from date of conception.

It's not the external appearance of a dog or loud speaker that counts. For example, several other makes of loud speaker outwardly look something like RACONS. But there the similarity ends because in engineering design, workmanship and use of quality materials, RACONS are the "tops".

Only RACON makes a complete line—a speaker for every conceivable sound distribution application. Only RACON Speakers can supply patented Stormproof, Weatherproof Acoustic Material which is impervious to any weather condition and prevents resonant effects. And RACONS deliver greater output per watt of energy input, assuring greatest efficiency and economy.

Army, Navy and other Military Services, also leading shipyards and war plants use many types of RACON Speakers and Driving Units. Specify RACONS for your next sound installation.

RACON ELECTRIC CO. 52 E. 19th St., N. Y.

RACON

D-C Amplifier

[Continued from page 52]

Fig. 8, is that of Fig. 9. The meter scale is reproduced in Fig. 10. The accuracy would be improved by the use of a longer scale. This presents no mechanical difficulty if a differential meter is employed in place of the bridge device of Fig. 8, as such a meter would be relatively insensitive (a large wall-type milliammeter would do).

Conclusion

A type of d-c amplifier, particularly suitable for measurement purposes, eliminating the need for "range selection" over a 1000-to-1 range, has been described. The amplifier includes two twin-triode tubes: which go "out of action" in a certain order, with the result that the overall gain is, approximately, in inverse ratio to the input voltage. This causes the output circuit meter deflection to be approximately proportional to the db level of the input voltage over a wide range.

The logarithmic law may be approached to any desired degree by using a greater number of tubes in each "unit" of the instrument. The number of "units" used is the factor influencing the "range" of the instrument.

The amplifier was found to have good stability. A simple "zero adjust-

ment" operation resets the instrument whenever a tube is replaced.

Using Determinants

[Continued from page 30]

PRACTICAL EXAMPLE

Consider the hypothetical circuit shown in Fig. 2, and let it be required to find the values of the currents I_1, I_2, I_3, I_4, I_5 and I_t .

We may reduce the number of unknowns because of the following relationships, namely

$$\begin{aligned} I_2 &= I_t - I_3 \\ I_5 &= I_3 - I_4 \\ I_3 &= I_4 - I_t \end{aligned}$$

Setting up the Kirchhoff equations in the usual manner, we obtain our simultaneous equations

$$(13) \quad \begin{aligned} 7I_1 - 3I_3 - 4I_4 &= 10 \\ 0 + 2I_3 + 5I_4 &= 10 \\ 3I_1 - 11I_3 + 6I_4 &= 0 \end{aligned}$$

To solve these equations not only systematically but also quickly, we use determinants—and in this case we follow Cramer's Rule. We set up our common denominator by simply copying all the coefficients from the left side of the equation exactly the way they ap-

pear. Notice that for ease in copying the coefficients we place a zero in the equations for all unknowns that do not appear, as shown in the second equation. We have thus

$$(14) \quad \Delta = \begin{vmatrix} 7 & -3 & -4 \\ 0 & 2 & 5 \\ 3 & -11 & 6 \end{vmatrix}$$

Next, in solving for I_1 we replace the coefficients of I_1 in (14) (i.e., the first column) by the corresponding constants from the other side of the equations, and divide the new determinant by (14). Thus,

$$(15) \quad I_1 = \begin{vmatrix} 10 & -3 & -4 \\ 10 & 2 & 5 \\ 0 & -11 & 6 \end{vmatrix} \div \Delta$$

Similarly, we have for I_3 and I_4

$$(16) \quad I_3 = \begin{vmatrix} 7 & 10 & -4 \\ 0 & 10 & 5 \\ 3 & 0 & 6 \end{vmatrix} \div \Delta$$

$$(17) \quad I_4 = \begin{vmatrix} 7 & -3 & 10 \\ 0 & 2 & 10 \\ 3 & -11 & 0 \end{vmatrix} \div \Delta$$

In evaluating, we start from (14) since it appears in every subsequent equation. Two methods are applicable here: either expansion by minors or the mechanical expansion (discussed

[Continued on page 58]

RADIO

Moves To New Quarters

The Editorial, Circulation, Advertising and Business Departments of RADIO Magazine will be located at **342 MADISON AVE., NEW YORK 17, N. Y.** on and after Jan. 28, 1944. The new telephone number will be Murray Hill 2-1346.

All advertising orders, engravings—all subscription orders or general correspondence should be sent to:

**RADIO
RADIO MAGAZINES, INC.
342 MADISON AVE.
NEW YORK 17, N. Y.**

Centradite



A new
Centralab Ceramic Material

Centradite is particularly recommended for coil forms where thermal expansion must be low to prevent undue change in inductance. At 20-600°C thermal coefficient of expansion is 3.1×10^{-6} as compared to 8.3×10^{-6} at 20-800 °C for Steatite.

Centradite can be supplied in various shapes by extrusion or pressing.

Centradite due to its resistance to heat shock, lends itself to a new process of soldering metal to ceramic, whereby the ceramic surface is metallized to permit soldering.

We invite inquiries regarding the future uses which may fit your applications.

- ★
LOW THERMAL EXPANSION
- ★
HIGH RESISTANCE TO HEAT SHOCK
- ★
LOW POROSITY
- ★
LOW LOSS FACTOR


BODY NO. 400	DESCRIPTION OF MATERIAL
20-100 °C 1.9×10^{-6}	Thermal coefficient of expansion per degree Centigrade
20-600 °C 3.1×10^{-6}	
13,000 lbs.	Modulus of rupture in lbs. per sq. in.
5.4	Dielectric constant
3.00 or less.	Dielectric loss factor
Class "L3" or better	Grade per American Stand. C 75.1-1943
Zero to .007 %	Porosity or moisture absorption
White	Color of material

Centralab



Division of GLOBE-UNION INC., Milwaukee

PRODUCERS OF VARIABLE RESISTORS... SELECTOR SWITCHES— CERAMIC CAPACITORS, FIXED AND VARIABLE... STEATITE INSULATORS



*Radio's outstanding practical text...
...for war-training and regular purposes*

RADIO *Handbook*

NINTH EDITION

NINTH EDITION

Revisions in this edition adapt it even better than ever before for war-training and general use; contains added and simplified theory in the simplest possible language; added test equipment which can be home- or field-constructed; and a review of mathematics for solving simple radio problems.

More than 600 pages; durably clothbound; goldstamped. Get it from your favorite dealer, or direct from us, postpaid; please add any applicable taxes.

\$2.00 in continental U. S. A.

Elsewhere, \$2.25

Published by

Editors and Engineers, 1422 North Highland Avenue, Los Angeles 28, Calif.


RADIO

**GROUP SUBSCRIBERS
SAVE UP TO 50%***


and Here's Why:




LOOK WHAT I SAVE--
A \$3 SUBSCRIPTION
FOR *ONLY HALF!!!*



MEBBE THEY'LL LEAVE
MY RADIO MAG FOR
ME FROM NOW ON




I NEVER GOT AROUND
TO SUBSCRIBING--THIS
IS QUICK AND EASY



ME--I'M BUILDING A
REFERENCE LIBRARY
OUT OF EACH ISSUE



I'LL BE ABLE TO FOLLOW
PRESENT AND POST-WAR
DEVELOPMENTS



IF THEY'RE ALL GETTING
IT--I WANT TO KNOW
WHAT THEY'LL KNOW

FORM YOUR GROUP TODAY--

Every month, vital departments acquaint you with newest developments — editorial "ear-to-the-ground" releases keep you abreast of trends, in fact, ahead of most coming events.

For a limited time only—save up to half the regular cost of a RADIO subscription by using the Group Plan. The more in a Group the more each saves, up to 50%.*

*** THE GROUP PLAN**

Here's what Group Subscriptions cost:

One 1 yr. subscription \$3.00
Two 1 yr. subscriptions 2.50 each
Three 1 yr. subscriptions 2.00 "
Four 1 yr. subscriptions 1.75 "
Five 1 yr. subscriptions 1.60 "
Six or more 1 yr. subscriptions	1.50 "


Make a list giving each subscriber's name, address, employer's name and their respective positions.

RADIO MAGAZINES, INC.

342 MADISON AVENUE

NEW YORK 17, N. Y.

**AIR
ON THE MOVE
WITH
PILOT BLOWERS**



To Keep Tube Temperature **DOWN** and Efficiency **UP**

Radio and Electronic equipment operates most efficiently when excess tube heat is dispelled. And this is where **PILOT BLOWERS** enter the picture. Compact, efficient, quiet—these Blowers are available in five Standard sizes with output ranging from 49 to 162 C.F.M. Special Blowers with custom-built Pilot Fractional H.P. Motors from 12 to 200 C.F.M.

Write Today for detailed information.

F. A. SMITH MFG. CO., 701 DAVIS ST., ROCHESTER, N. Y.



MODEL 625-0-30 D.C. VOLT METER

This is one of today's most popular portables. The new design has a hinged dial cover for added protection; insulated molded case and hand calibrated mirror scale 4.58" in length. Furnished to an accuracy within one-half of 1%. **THE TRIPLETT ELECTRICAL INSTRUMENT COMPANY, BLUFFTON, O.**

TRIPLETT

Using Determinants

[Continued from page 54]

above). We shall use the former since it is a more general method and since the latter needs no illustration. Thus in expanding by minors we are to choose any column or any row and subsequently multiply each element of that choice by its minor. It is always best to choose that row or column, which has most zeros in it. Very often new zeros may be introduced by using property (7) but that is not the case here. A good choice here would be either the first column or the second row. Using the first column, we have

$$(14) \Delta = \begin{vmatrix} 7 & -3 & -4 \\ 0 & 2 & 5 \\ 3 & -11 & 6 \end{vmatrix} = 7 \begin{vmatrix} 2 & 5 \\ -11 & 6 \end{vmatrix} - 0 + 3 \begin{vmatrix} -3 & -4 \\ 2 & 5 \end{vmatrix}$$

Now expanding the second-order determinants, we obtain

$$\Delta = 7[2 \times 6 - (-11) \times 5] + 3[(-3) \times 5 - 2 \times (-4)] = 7 \times 67 + 3 \times (-7) = 469 - 21 = 448$$

Proceeding in exactly the same way but omitting the intermediate steps, we have for I_t, I_1 and I_4

$$\text{by (15) } I_t = 1290 \div 448 = 2.88 \text{ amp.}$$

$$\text{by (16) } I_1 = 690 \div 448 = 1.54 \text{ amp.}$$

$$\text{by (17) } I_4 = 620 \div 448 = 1.38 \text{ amp.}$$

We obtain the values of the other currents from the relationships between them, as was shown before

$$I_2 = I_t - I_1 = 2.88 - 1.54 = 1.34 \text{ amp.}$$

$$I_5 = I_t - I_4 = 2.88 - 1.38 = 1.50 \text{ amp.}$$

$$I_3 = I_t - I_4 = 2.88 - 1.38 = 1.50 \text{ amp.}$$

With minimal practice many of these steps can be carried out mentally and so this process becomes really speedy. With many equations in only two unknowns it is possible to obtain the solution entirely mentally.

Class C Amplifiers

[Continued from page 35]

by the number of intervals in a complete cycle.

$$\text{Power output, } P_o = \frac{1727 \times 2}{36} = 96 \text{ watts}$$

$$\text{Driving power} = \frac{73.2 \times 2}{36} = 4.1 \text{ watts}$$

8) The impedance of the tank circuit is,

$$Z_1 = \frac{(E_b - E_{min})^2}{2P_o} = \frac{(1500 - 140)^2}{2 \times 96} = 9650 \text{ ohms}$$

The inductance and capacity re-

[Continued on page 60]

Technicana

[Continued from page 14]

ticians but startles laymen. It has to do with the formation of real images by large mirrors of short focal length. This is illustrated in Fig. 4. A label




Fig. 4. Image formation

emblem suspended near the center of curvature of the mirror appears hanging in the air about two feet in front of the mirror and so real that one feels like touching it. One can put his finger through it and find nothing but thin air.

GERMAN TECHNICAL BOOKS

★ Many foreign technical books are now being published in this country under the auspices of the Alien Property Custodian.

Of particular interest to radio and electronic engineers are the works of Hollman and Groos on ultra-short waves, Strutt on vacuum tubes, Born on optics, and Vilbig on high-frequency technique.

These books, and others listed, are written in the original German. A complete list and prices may be obtained by writing the publishers, Edwards Brothers, Inc., Ann Arbor, Mich.

Production

[Continued from page 16]

move the plugs in a single operation became excessive, due to the multiplied jack-spring tension. By turning down the knob portion of the plug to a pin outline, this difficulty was overcome.

The result was highly successful, the test operation being handled with ease by a girl operator.


Products of "MERIT" means Fine Radio Parts

... PARTS manufactured exactly to the most precise specifications.

Long manufacturers of component radio parts, MERIT entered the war program as a complete, co-ordinated manufacturing unit of skilled radio engineers, experienced precision workmen and skilled operators with the most modern equipment.

MERIT quickly established its ability to understand difficult requirements, quote intelligently and produce in quantity to the most exacting specifications.

Transformers—Coils—Reactors—Electrical Windings of All Types for the Radio and Radar Trade and other Electronic Applications.



MERIT COIL & TRANSFORMER CORP.
311 North Desplaines St. CHICAGO 6, ILL.

Automatic Production of Perfect XTALS*

* NO FOOLIN', THIS IS'NT OUR METHOD BUT OURS IS COMPLETELY AUTOMATIC, ELECTRONICALLY CONTROLLED AND TESTED AT EVERY STEP.

DX CRYSTAL CO.
GENERAL OFFICES: 1841 W. CARROLL AVE., CHICAGO, ILL., U.S.A.

DX XTALS
"the heart of a good transmitter"

Class C Amplifiers

[Continued from page 58]

quired to obtain this impedance at the frequency of operation are,

$$L = \frac{Z_1}{2\pi f Q} = \frac{9650}{6.28 \times 2 \times 10^6 \times 12} = 64 \times 10^{-6} \text{ henrys} = 64 \text{ microhenrys}$$

$$C = \frac{1}{4\pi^2 f^2 L} = \frac{1}{39.5 \times 4 \times 10^{12} \times 64 \times 10^{-6}} = 99 \times 10^{-12} \text{ farads} = 99 \text{ micromicrofarads}$$

A number of other factors besides those determined here, such as neutralization, coupling systems, driving stages, etc., must be considered in the practical design of an amplifier. For discussions which take these into account, the reader is referred to the bibliography.


Conclusion

It should be pointed out that the method of analysis presented here is one of several which are available for design of Class C stages. This method has the worthwhile advantage that it is exact. Its accuracy is limited only by the degree to which the tube

characteristics will follow the constant current graph, and by the μ of the tube used in the grid bias formula. The great disadvantage is that the required calculations are laborious. This is particularly true if the first calculation does not yield the desired results and a re-calculation is required with different parameters. Other available methods are generally simplified. Since these are sufficiently accurate for most practical purposes, and are, in general, less time consuming, the reader will probably wish to study them before attempting a design problem. References are included in the bibliography.

BIBLIOGRAPHY

1. Everitt, F. Alton, "Making Life More Simple," *Radio*, No. 221, (July, 1937), page 27.
2. Everitt, William L., *Communication Engineering*, (2nd Ed.), McGraw-Hill Book Co., New York, 1937. Chapter XVII, pp. 526-597.
3. Everitt, William L., "Optimum Operating Conditions for Class C Amplifiers," *Proc. I. R. E.* (1934), page 152.
4. Mouroumisseff, I. E., and Kozanowski, H. N., "Vacuum Tubes as Class C Amplifiers," *Proc. I. R. E.* (July, 1935), page 654.
5. Sarbacher, R. I., "A Mechanical Device for Calculation of Class B and Class C Amplifier Performance," *Electronics*, (Dec., 1942), page 52.
6. Sarbacher, R. I., "Performance of



Serving

UNCLE SAM

WITH THE NEW

DUMONT

VICTORY MODEL TE

SUPERCAPS

Dumont Electrolytic tubulars for the duration have the following special features..and are guaranteed to give the same high quality performance for which all Dumont Electrolytic Tubulars have a reputation.

BUY BONDS

SELF HEALING
LONG LIFE
ECONOMICAL
VARNISHED TUBES
DOUBLE SEALED
SMALL SIZE
FULLY GUARANTEED
Patent Pending

DUMONT ELECTRIC CO.

MFR'S OF CAPACITORS FOR EVERY REQUIREMENT

34 HUBERT STREET
NEW YORK, N. Y.

IF YOU CANNOT REPLACE RADIO PARTS
REPAIR THEM WITH

Walsco PRODUCTS



Walsco RADIO CHEMICALS

- Speaker Cements
- Cements For Plastics
- Special Adhesives
- Contact Cleaning Fluids
- Noise Eliminating Compounds
- Radio Lubricants

Walsco RADIO HARDWARE

- Dial and Knob Springs
- Trimounts, Set Screws

Walsco CABLES, BELTS

WALTER L. SCHOTT CO.
Manufacturers of

WALSCO PRODUCTS

For Communication Equipment Manufacturers,
Laboratories, Schools and Radio Repair Men
9306 Santa Monica Blvd., Beverly Hills, Calif.

Dept. S

Of course—we are concentrating our efforts on war production—but not for a second are we neglecting the RADIO SERVICEMEN who require so many WALSCO RADIO PRODUCTS to keep the radios of their customers in perfect working order. Write today for WALSCO Catalogue No. 112, giving complete information about WALSCO PRODUCTS.

Self Biased Modulated Amplifiers," *Electronics*, (April, 1943), page 99.

7. Terman, Frederick Emmons, *Radio Engineers' Handbook*, (1st ed.), McGraw-Hill Book Co., New York, 1943, pp. 444-462.
8. Terman, Frederick Emmons, and Ferns, J. H., "The Calculation of Class C Amplifier and Harmonic Generator Performance of Screen Grid and Similar Tubes," *Proc. I. R. E.*, (1934), page 359.
9. Terman, Frederick Emmons, "Analysis and Design of Harmonic Generators," *Trans. A. I. E. E.*, (1938), page 640.
10. Terman, Frederick Emmons, and Roake, Wilber C., "Calculation and Design of Class C Amplifiers," *Proc. I. R. E.*, (April, 1936), page 620.

Using Slide Rule

[Continued from page 42]

factors become functions of angles in the first quadrant. This should not be hard for a man who knows his sine waves.

In the case of most slide rules, the equation will have to be expressed in sines only.

Example: To find the great circle distance from New York (41.5 N 74 W) to London (51.5 N. 00 L).

The equation becomes

$$\cos d = \sin 41.5^\circ \sin 51.5^\circ + \cos 41.5^\circ \cos 51.5^\circ \cos 74^\circ$$

For purposes of the slide rule, the cosines have to be expressed into the sines of their complements

$$\cos d = \sin 41.5^\circ \sin 51.5^\circ + \sin 48.5^\circ \sin 38.5^\circ \sin 16^\circ$$

Align the right and left indices of the slide with that of the stock, set indicator at 41.5° on the *S* scale, move right index to indicator. Set the indicator to 51.5° on *S* scale, read .519 on *A* scale.

Align the indices again, set indicator to 48.5° on the *S* scale, move index to indicator, set indicator to 38.5° on *S*, move index to indicator, set indicator to 16° on *S*, read .129 on *A* scale.

$$\text{Adding: } .519 + .129 = .648 = \cos d$$

Opposite .648 on *B* read 40.5 on *S* scale. Therefore, $d = 90^\circ - 40.5^\circ = 49.5^\circ$. To find statute miles one multiplies this by 69.05; the result is 3420 miles, approximately.

In cases where the direction is desired as well, as in determining the orientation of directional antennae, it is necessary to make a complete solution of the spherical triangle. This is done by Napier's Analogies and Gauss's equations.

CONNECTORS FOR COMMUNICATIONS



• Astatic Co-axial Cable Connectors for radio communications equipment are precision manufactured to meet rigid army and navy specifications and the high standards of operating efficiency demanded by leading manufacturers. Inquiries given prompt attention.



Approved Grip-to-Talk GDN Dynamic Microphone for airplane dispatching and factory paging systems.

ASTATIC


IN CANADA:
CANADIAN ASTATIC, LTD.
TORONTO, ONTARIO

THE ASTATIC CORPORATION
YOUNGSTOWN, OHIO


RADIO

★ JANUARY, 1944


DESIGNED FOR PEAK PERFORMANCE



**SEALED, ALUMINUM CASE
AIR-BORNE TRANSFORMERS**




**OIL-COOLED, PLATE SUPPLY
TRANSFORMERS**



**AIR-COOLED TRANSFORMERS
WITH 10 VOLT SEC. TAPS**

THE ACME ELECTRIC & MFG. CO.
CUBA, NEW YORK • CLYDE, NEW YORK

Acme Electric
TRANSFORMERS



Backed by the most complete CONTINUOUS SERVICE RATING DATA

• Aerovox mica transmitting capacitors are backed by exceptionally complete data on maximum current-carrying ratings at five different frequencies in addition to capacitance and test-voltage ratings. Such data is the accumulation of years of research and experience and exhaustive tests. Thus the unit best suited for given voltage and frequency is selected quickly and precisely. Good capacitors, PLUS good application data, accounts for the tremendous popularity which Aerovox transmitting capacitors enjoy today.

• Be sure you have a copy of the latest Aerovox catalog in your work library. If not, write for your copy today.



AEROVOX CORP., NEW BEDFORD, MASS., U. S. A.
In Canada: AEROVOX CANADA LTD., HAMILTON, ONT.
Export: 100 VARICK ST., N. Y. C. • Cable: 'ARLAB'

Nomographs

[Continued from page 37]

Any line across the nomograph, such as *L*, then connects corresponding values of *E*, *W* and *C*. Since these are logarithmic scales, the graduation may be rapidly carried out by determination of a pair of values by calculation, then by striking in as many intermediate values as desired by means of projection from a standard log scale, as illustrated in the previous article.

Sum of the Reciprocals Equation

Another useful type of equation is of the form:

$$A = \frac{BC}{B+C}$$

which is recognized as the "sum of the reciprocals" equation. The formula for the equivalent capacity C_3 of two capacitances C_1 and C_2 may be written:

$$1/C_3 = 1/C_1 + 1/C_2$$

or,

$$C_3 = \frac{C_1 C_2}{C_1 + C_2}$$

and proper manipulation will yield the working determinant:

$$\begin{vmatrix} S_1 B & 0 & 1 \\ S_1 A & S_2 A & 1 \\ 0 & S_2 C & 1 \end{vmatrix} = 0$$

Consideration of this determinant indicates that the *B* and *C* scales must be at right angles, while the *A* scale is inclined to them at an angle determined by the magnitudes of the scale factors. Moreover, all terms become zero at the same time and so the scales must all pass through a point.

If we apply the determinant to the capacity formula mentioned above, letting

C_1 vary from 0 to .0014
 C_2 vary from 0 to .0014,
and setting $S_1 = S_2 = 5000$

we see that the C_3 scale is equidistant between the C_1 and C_2 scales, as illustrated in Fig. 10.

We now write the working determinant:

$$\begin{vmatrix} 5000 C_1 & 0 & 1 \\ 5000 C_2 & 5000 C_3 & 1 \\ 0 & 5000 C_2 & 1 \end{vmatrix} = 0$$

The nomograph is rapidly graduated for intermediate values since all three scales are linear. To use the nomograph, a straight line, such as *L*, is drawn intersecting the three scales, and the points of intersection determine

"DIE-LESS" DUPLICATING

SAVES MAN HOURS AND DELAYS

DIE ACCURACY WITHOUT DIES

Send for CATALOG

BENDER

SHEAR

BRAKE

"DIE-LESS" DUPLICATING

The DI-ACRO System of METAL DUPLICATING Without Dies

DI-ACRO PRECISION MACHINES

O'NEIL-IRWIN MFG. CO.

346 EIGHTH AVENUE SO. • MINNEAPOLIS 15, MINN.

values of capacity which satisfy the original equation.

Since two resistors in parallel may be calculated by the same form of equation, it is evident that the same general form of nomograph may be used to solve resistor circuits. Likewise, equations may be encountered which, although not of the specified form, may be reduced to this form by means of some expedient such as we observed earlier where logarithms served to reduce an equation to a specified form.

This Month

[Continued from page 50]

held at the Engineer's Club, a Planning Committee under the chairmanship of S. K. Macdonald was formed. This committee working with the Chapter's president, L. D. Lowery, will consider not only "post-war" possibilities of the Mid-Lantic Chapter, but will make immediate recommendations regarding publicity for the local organization and a new buyer's guide which will be a revised edition of the "Classified Index" published last year.

A membership committee was appointed by Norman M. Sewell, Vice President, presiding in the absence of President, L. D. "Doc" Lowery, consisting of Chair-

man Roy Bengé, John McKinley, and Robert Williams. The membership goal is set for 50 and new members are being added at each meeting. Bob Williams and Don Gawthrop were accepted as new members at this November meeting.

W.E. LEASES MORE SPACE

The Western Electric Company has leased 200,000 square feet of floor space in two industrial buildings in Lincoln, Nebraska, which will be devoted to war production.

The buildings leased are the Buick Service Plant at 245 Thirteenth Street and the Hardy Furniture Company building at 745 R. Street. The expansion of Western Electric Company's war production responsibilities has grown beyond present facilities, which include three main manufacturing plants at Chicago, Ill., Kearney, N. J., and Baltimore, Md., in addition to numerous distributing houses throughout the country.

BELMONT EXPANDS

Construction was started recently on an addition to the plant of the Belmont Radio Corporation, 5921 W. Dickens Avenue. The estimated cost is \$70,000. The addition will provide space for the firm's augmented laboratory staff which is developing electronic devices for the armed forces.

The construction work will extend the
[Continued on page 64]

THE LATEST UP-TO-THE-MINUTE RADIO AND ELECTRONIC CATALOG IN THE COUNTRY TODAY!



Just Published!

Newest listings of amplifiers, communications equipment, radio tubes, testers, etc. • The latest developments in intercommunications equipment. • Greatly expanded listing of needed tools, especially for assembly and factory use. • Advance listings of 1944 radio and electronic books; repair and replacement parts; bargain section of values. • A brand new, up-to-the-minute catalog that should be in the hands of industrial plants, laboratories, government and military services, schools, radio servicemen and dealers (on L265), everybody engaged in vital war and civilian work.

FREE! The Lafayette Radio Catalog No. 94 will be rushed to you upon request. Fill out this coupon NOW!


LAFAYETTE RADIO CORP.	
901 W. Jackson Blvd., Chicago 7, Ill.	
Dept. F-1.	
Please rush my FREE copy of the Lafayette Radio Catalog No. 94.	
NAME
ADDRESS
CITY	STATE

*Back the Attack -
Buy More War Bonds*

LAFAYETTE RADIO CORPORATION

901 W. Jackson Blvd.
CHICAGO 7, ILLINOIS
265 Peachtree Street
ATLANTA 3, GEORGIA

BUD RELAY RACK CABINETS



- 1 ULTRA MODERN
- 2 HEAVY GAUGE STEEL
- 3 BLACK OR GREY
CRACKLE FINISH


Ideal for housing transmitters and other electronic equipment. These handsome BUD cabinets, like many other BUD precision-made products, are now becoming available for much faster delivery.

An ultra-modern touch is added to these Relay Rack Cabinets by the streamlining provided by the rounded vertical front corners. Panels are recessed—no edges project. Two catches hold the full-length door—both sides and door are louvred for ventilation.




BUD RADIO, INC.
CLEVELAND, OHIO

WAR



WAR
 ITS OBJECTIVE: VICTORY
 ITS BY-PRODUCT:
 A Better World to live in
 New Knowledge—New Products


FILAMENT TRANSFORMER
 Designed for Continuous Service
 incurred in communications work.



THORDARSON
 TRANSFORMER DIVISION
 THORDARSON ELECTRIC MFG. CO.
 300 WEST HEBBON STREET, CHICAGO, ILL.

Transformer Specialists Since 1895
 ORIGINATORS OF TRU-FIDELITY AMPLIFIERS

"SPOTLIGHT PERFORMANCE" on Every Count!



CETRON

PHOTOTUBES

Used by leading manufacturers.

RECTIFIERS

Praised for sturdy construction . . . long life.

ELECTRONIC TUBES

Preferred throughout the industry.

Prompt deliveries on most types. Write for catalog.

CONTINENTAL ELECTRIC COMPANY

CHICAGO OFFICE 307 MERCER STREET
 GENEVA, ILL.
 NEW YORK OFFICE 263 W. 11th St.

This Month

[Continued from page 63]

second-story portion of the plant and will give an additional floor area of 200 x 45 feet. The new facilities are expected to be ready for use by March 1.

CREATIVE OPENS N. Y. OFFICE

Creative Plastics Corp., 963 Kent Ave., Brooklyn, N. Y., manufacturers of insulating grommets and other fabricated plastic parts for industrial uses, has opened New York city sales and executive offices at 393 Seventh Ave.

These offices, established for the convenience of Creative's out of town customers, expeditors and salesmen, both for now and postwar, will be open Mondays through Fridays.

BRYANT JOINS G. E.

J. W. Bryant, formerly with the radio division of the Missouri State Highway Patrol, has joined the General Electric Company's Electronics Department, and will be located at the company's Chicago office. He will assist users of emergency communication equipment in the selection and installation of equipment for their needs in the central region of the United States.

"UNIVERSAL" APPOINTMENTS

Jerry Kane, formerly in the research laboratories of The Turner Co., Cedar Rapids, Iowa, has joined the staff of the Universal Microphone Co., Inglewood, Cal., as electro-acoustics engineer. He will be assigned to design in current war microphone production, as well as the postwar planning division.

The announcement was made by James L. Fouch, president, who also announced that factory production would be upped in January, and by June, six new styles of microphones would be available.

Dean Cell, formerly with the Robert Hadley Co., Los Angeles transformer manufacturers as assistant engineer in charge of production testing and production methods, has joined the staff of the Universal as an assistant supervisor. He was recently awarded the B.S. degree in radio engineering by the Radio Institute of California, Los Angeles.

RADIO AND ELECTRONIC DEVICES



BURSTEIN-APPLEBEE CO.
 1012-14 McGee St. Kansas City, Mo.

ADVERTISING INDEX


Acme Electric & Mfg. Co.	61
Aerovox Corporation	62
Allied Radio Corp.	6
Andrew Co., Victor J.	14
Astatic Corporation, The	61
Automatic Electric Sales Corp.	15
Barker & Williamson	43
Bliley Electric Co.	14
Bud Radio, Inc.	63
Burstein-Applebee Co.	64
Centralab	55
Connecticut Tel. & Elec. Div. ...	17
Continental Electric Co.	64
Diebel Die & Mfg. Co.	52
Drake Manufacturing Co.	52
Dumont Electric Co.	60
DX Crystal Co.	59
Echophone Radio Co.	39
Editors & Engineers, Ltd.	56
Eitel-McCullough, Inc.	49
Electronic Laboratories	16-A
Formica Insulation Co., The ..	16-B
General Industries Co., The ...	9
Guardian Electric Mfg. Co. ...	13
Guthman & Co., Inc., Edwin I	5
Hallicrafters Co., The	1, 2
Hytron Corporation	Cover 4
Industrial & Commercial Elec- tronics	41
Jensen Radio Mfg. Co.	18
Johnson Co., E. F.	11
Ken-Rad Tube & Lamp Corp. ...	48
Lafayette Radio Corp.	63
Meck Industries Co., John	7
Merit Coil & Trans. Corp.	59
O'Neil-Irwin Mfg. Co.	62
Pioneer Gen-E-Motor Corp. ...	8
Racon Electric Co.	53
Raytheon Production Corp.	Cover 2
Schott Co., Walter L.	60
Scientific Radio Prods. Co. ...	10
Smith Mfg. Co., F. A.	58
Sylvania Electric Prods., Inc. ...	45
Thordarson Electric Mfg. Co. ...	64
Triplett Elec. Inst. Co.	58
Universal Microphone Co.	51
Utah Radio Products Co.	47
Wallace Mfg. Co., William T. ...	12
Wilcox Electric Co., Inc.	Cover 3
Wrigley Jr. Co., Wm.	50

IT'S WILCOX *in Radio Communications*

For reliable aircraft operations, dependable radio communications are essential. Wilcox Aircraft Radio, Communication Receivers, Transmitting and Airline Radio Equipment have served the major commercial airlines for many years, and now are in use in military communications in all parts of the world.

WILCOX ELECTRIC COMPANY

Manufacturers of Radio Equipment • Fourteenth & Chestnut, Kansas City, Mo.





"In recognition of Service beyond the call of duty . . ."

In this grim business of war, the men in uniform take the risks; they deserve the decorations.

We tube manufacturers don't expect medals. When, however, credit does come our way . . . and when it comes from such a man as Paul V. Galvin, President of RMA . . . it makes us mighty proud and happy.

"Let me take a moment for special mention of the tube engineers. Too often they are not fully recognized. We see fine accomplishments in apparatus, but we fail to appreciate the important work that has been done be-

hind the scenes by the tube engineer. Hats off to you—your accomplishment has been most extraordinary. But you, also, you cannot as yet rest upon your oars. The job is not finished, and new and additional accomplishments are required before we are finished with this war." *

Hytron engineers realize fully that "the job is not finished", and they continue to strive for "new and additional accomplishments" needed to win the war. Their aim is to develop better tubes to make possible better fighting equipment—let the decorations fall where they may.

* Excerpt from address of Paul V. Galvin, president of the Radio Manufacturers Association at the Institute of Radio Engineers' Rochester Fall Meeting, November 9, 1943.



OLDEST EXCLUSIVE MANUFACTURER OF RADIO RECEIVING TUBES

HYTRON
CORPORATION **ELECTRONIC AND RADIO TUBES**

SALEM AND NEWBURYPORT, MASS.



**BUY
ANOTHER
WAR BOND**