PRACTICAL

ELEGIRONGS

SCIENCE & TECHNOLOGY



Build and investigate force-field phenomena

HOME AUTOMATION

From smart cards to teleshopping

DIGITAL MULTIMETERS

Know the essential facts

NEW QUICK-CHIP SERIES

Simple circuits and practical projects

TELL US WHAT!

Help us plan the 1990s 8 EXTRA
PAGES
IN OUR
NEW LOOK
ISSUE!



TELEPOINT PERSONAL TELEPHONES

MULTIMETERS ONLY FROM TANDY®

Benchtop Digital LCD Multimeter - £79.95

- Manual Or Autoranging Facility
- Measures AC/DC Volts. Current And Resistance





Pocket Autoranging Multimeter - £19.95

- Measures To 400 Volts AC/DC. Resistance To 2 Megohms
- Includes Miniprobes And Folding Case

Pocket Multitester -£8.95

- 2K Ohms/Volt DC Sensitivity
- Measures To 1000V AC/DC, DC Current To 150mA And Resistance To 100,000 Ohms



Probe-Style Autoranging Multimeter - £29.95

- Fully Automatic Range And PolarityIdeal For Testing In Confined Spaces
- Data Hold Freeze Display



For The Best In High Quality Electronics


Over 450 Tandy Stores And Dealerships Nationwide. See Yellow Pages For Address Of Store Nearest You.

InterTAN U.K. Ltd., Tandy Centre, Leamore Lane, Walsall, West Midlands. WS2 7PS Tel: 0922 710000



Page 4 ▲

▼Page 12



Page 19 ▼



NEXT MONTH

Musicians need never be barred for lateness again - there's a high precision metronome to build. May the sun shine into your wallet when you build the solar heating controller. And discover that Britains can rule the waves even better now that microchips tune into Neptune - we've an in-depth report on leisure marine electronics. All this, and more in the June 1989 issue. Order it from your newsagent, take out a subscription, queue on our doorstep, what ever you do:

★ DON'T MISS OUR
JUNE 1989 ISSUE
★ ON SALE FROM
FRIDAY MAY 5TH

★ AND STILL AT ONLY £1.25

★ YOU CAN'T BEAT OUR VALUE

★ OR OUR NEW GOOD LOOKS!

PRACTICAL ELECTRONICS

VOL 25 NO 5

MAY 1989

CONTENTS

COMPETITION

WIN A FORUM TELEPOINT PHONE!64

Answer seven simple questions and you could win one of the latest hi-tech portable telephones - worth around £170 each!

READER SURVEY

CONSTRUCTIONAL PROJECTS

KIRLIAN CAMERA by Don Phillips12	
Build an experimental supercharged aura detector and you could reap mor	·e
than fringe benefits.	
DIGITAL ELECTRONICS by Owen Bishop41	
More computer logic and practical ways to apply it systematically.	
EASI-BUILD CIRCUIT by John Becker51	
Starting a new series of useful simple circuits you can build in your idle moments. This month it's a single chip phone monitor.	

SPECIAL FEATURES

REGULAR FEATURES

EDITORIAL by John Becker - Future indicative9
LEADING EDGE by Barry Fox - Behavioural morality8
SPACEWATCH by Dr Patrick Moore - Exploring Phobos46
INDUSTRY NOTEBOOK by Tom Ivall - Musical chairs65

PRODUCT FEATURES

READERS' LETTERS - and a few answers54
MARKETPLACE - what's new, where and when4
ARMCHAIR BOOKSHOP - lots more titles in our book list66
PCB SERVICE - professional PCBs for PE Projects
BAZAAR - Readers' FREE advertising service69
ADVERTISERS' INDEX - locating favourite stockists70

PE TAKES TECHNOLOGY FURTHER - BE PART OF IT!

NE-W-S

VIGLEN'S VIGOROUS PCS

Viglen have sent us details of the five IBM compatible PCs in their VIG range, all of which have been designed to provide fast, flexible and reliable desk top processing.

The range commences with the VIG I, which is the fastest IBM XT compatible currently on the market. Two versions are available with 12 MHz and 15 MHz switchable speeds, each in various configurations. Both versions offer 640 KB of ram as standard and can house up to 1 MB on the motherboard.

The VIG II Elite is an IBM AT compatible, and is based upon the very latest NEAT (new enhanced AT) technology chip. It is available at 12 MHz and 16MHz switchable speeds and has the flexibility for further expansion. The memory can be set up as extended or expanded using the very latest EMS LIM Version 4. The motherboard allows up to 8MB of ram, thus making it an ideal computer for OS/2.

At the top of the range is the VIG III Cache, which is one of the highest performance 386 machines on the market. It offers 2 MB of memory as standard, and this may be expanded to 16 MB by the addition of a memory expansion card. This 386 features 64K of fast access static ram giving it 0 wait state. This makes the 20 MHz speed equivalent



to 30 MHz Landmark speed.

A recent addition to the range is the VIG II portable. It may be switched from 8 MHz to 12 MHz and is supplied with 1MB of ram as standard, and, like the VIG II Elite, the motherboard can be expanded to 8MB, and benefits from the same advanced features. A VIG Laptop will soon be available.

The range of Viglen computers can be supplied with both 5.25" and 3.5" disk drives as an optional extra.

The PCs are able to run all the best known software packages and are fully compatible with the equilavent IBM PC/XT/AT models. As standard, each computer comes complete with MS.DOS 3.30 and GW Basic. Viglen, however, are one of the few UK companies now supplying MS.DOS version 4.

For Further information, please contact Diran Kazandjian at Viglen, Unit 7, Trumpers Way, Hanwell, London W7 2QI. Tel: 01-574 5126.

INDICATING HARRIS PANEL METERS

TO THE MAN WAS VALUED ON THE WAS THE PROPERTY OF STREET, WAS


H arris have a wide range of analogue and digital panel meters available to suit all applications. Analogue models feature wide angle, easy viewing and shadow free dials. Digital models have 33/4 digits with 3999 count, bright orange leds and conform to DIN sizes.

Moving coil panel meters come in four basic formats. All have a full scale accuracy of 2.5% and operate as microammeters, milliammeters, ammeters or voltmeters for both ac and dc. Bench stand meters are available, and specials to suit individual requirements can be supplied on request and are just part of the comprehensive service offered.

Sixteen basic digital models are available for alternating and direct current and voltage. Options to the basic range enable these high quality digital meters to directly replace analogue models in existing equipment. Basic dc voltage accuracy is 0.2% with a best resolution of 0.1mV. Maximum voltages are 1000V ac and 400V dc while maximum current is 1000A direct and 100A for alternating.

Literature showing the wide range of sizes, scale lengths and mounting details is freely available from Harris Electronics (London) Ltd, Building 3, GEC Estate, East Lane, Wembley, Middx, HA9 7PT. Tel: 01-908 3355.

CATALOGUE



DATABASE

We have recently received the following literature:

Livingstone Hire's 1989 rental catalogue is an ideal source of information for those looking to use an item of test equipment with out actually owning it. Their 124-page colour catalogue shows an enormous range of products, covering general purpose test equipment, logic analysers, microprocessor development systems, prom programmers and computers. They have several offices in the UK, and phoning on the FREE helpline 0800 886000 will locate your nearest branch.

Antex have sent another leaflet on precision soldering and some of their related products. It's a useful short guide to what to look out for when choosing soldering equipment. Antex Electronics, Mayflower House, Armada Way, Plymouth, Devon. Tel: 0752 667377.

Ceka Works tell us they have their new price list available and that it covers their entire product range. It's a pity they didn't tell us what's in the range! Why not ask for the list any way, it could be interesting. Ceka Works Ltd., Pwllheli, Gwynedd. Tel: 0758 701070.

Unitel's complete resistive products range is covered in their new 60 page illustrated catalogue. It also covers precision and panel controls and trimmers, plus rf inductors and filters. It's free of charge and full technical support is provided on the ranges. They've got a new 56 page capacitor catalogue as well. Unitel Ltd, Fishers Green Road, Stevenage, Herts, SG1 2PT. Tel: 0438 312393.

The IR Group catalogue offers a complete guide to instrument sales. Its 110 pages feature oscilloscopes, signal sources, multimeters, counter timers, psus, logic analysers, etc. Many of the products are also available for renting or leasing. IR Group, Dorcan House, Meadfield Road, Langley, Berks, SL3 8AL. Tel: 0753 580000.

TK Electronics, one of our many respected advertisers, have sent a leaflet describing three of their latest kits, a door chime, a whistle switch, and a sound generator. The kits are only £3.90 each and are ideal beginner's material. Ask for details on these and other products from TK Electronics, 13 Boston Road, London W7 3SJ. Tel: 01 579 9794.



3½-DIGIT, HANDHELD MULTIMETER

A handheld, digital multimeter which costs only £39.95, is now available from Global Specialities.

The meter features a 31/2-digit liquid crystal display, and has six functions.

The ranges are 200mV to 1000V dc, 200mV to 750V ac, 200µA, to 20A de and ac, 20 ohm to 20 Mohm and, finally, pnp/npn transistor testing, easuring hFE from 0 to 1000

at an Ib of 10µA, plus diode test. The Model 6022A is powered by

The Model 6022A is powered by a 9V alkaline battery providing in excess of 150 hours continuous use. The meter is supplied with test leads, and a carrying case is available as an option.

Contact: Global Specialities, 2nd Floor, 2-10 St. Johns Street, Bedford, MK42 0DH, Tel: 0234 217856

KITTING-UP SATELLITES

Y ou may recall that a Connexions' satellite tv receiver was one of our competition prizes last year. The company have now introduced a satellite tv installation kit, principally aimed at professional installers.

The installation kit comprises: antenna setting meter, inclinometer, compass, crimp tool, multimeter, inline amplifier, insertion tool, 2 way splitter. F type connectors. F type coupler, weather boots. F to N adaptor, N to F adaptor.

Of special interest is the insertion tool, exclusive to Connexions - for quick and easy application of F type connextors to RG6 coaxial cable. All components are available separately and can be purchased from all Connexions distributors. The kit



comes in an attractive durable polypropylene case and is available at a trade price of £129.95 plus vat.

For further information: Connextions (UK) Plc, Unit 3, South Mimms Distribution Centre, Huggins Lane, Welham Green, Herts, AL9 7LE. Tel: 07072 72091.

If you are organising any event to do with electronics, big or small, drop us a line – we shall be glad to include it here.

Please note: Some events listed here may be trade or restricted category only. Also, we cannot guarantee information accuracy, so check details with the organisers before setting out.

Apr. 11-13 Portable Computing and Data Capture 89. Conference and exhibition. Rivermead, Reading. RMDP. 0273 722687

Apr. 25-27. British Electronics Week. Olympia. 0799 26699.

May 8-10. Eurobus 89 – German Conference. Munich Sheraton Hotel, Munich. 01-940 4625.

May 9-12. Automan. Robotics and automation exhibition. NEC, Birmingham. 01-891 5051.

May 31-Jun 2. Computer Training Show. Olympia 2, London. 01-486 1951

Jun. 5-9. Lasers. Optoelectronics, Microwaves. 9th International Trade Fair and Congress. Munich Fair Centre. 01-948 5166.

Jun. 6-8. Computer North. G-Mex, Manchester. 061 832 4242.

Jun. 13-15. Software Tools 89. Wembley Conference Centre. 01-868 4466.

Jun. 14-15. Instrumentation Scotland. The Forum, Livingstone. 0822 614671.

Jul. 10-13. EWEC '89. European wind energy conference and exhibition. Scottish Conference and Exhibition Centre, Glasgow. No reference tel. known.

Jul. 24-26. Vacuum Microelectronics – 2nd International Conference. Bath. Contact Dr R.A. Lee, GEC Hirst Research Centre, Wembley. Middx, HA9 7PP. 01-908 9000.

Aug. 25-Sep 3. International Audio and Video Fair. Berlin. 01-408 0111.

Sep. 4-6. Eurobus 89 – UK Conference. Novotel Hotel, London. 01-940 4625.

Sep. 12-15. EPOS 89. The World's largest exhibition of retail information systems. Alexandra Palace, London, RMDP, 0273 722687.

Oct. 16-20. Systems, Computers and Communications. 11th International Trade Fair and Congress. Munich Trade Fair Centre. 01-948 5166.

Oct. 24-26. Sensors and Systems – International Transducer Exhibition and Conference. Wembley Conference Centre. 0822 614671

Nov. 7-11. Productionica. 8th International Trade Fair for Electronics Production. Munich Trade Fair Centre. 01-948 5166.

BTEC CONTINUING EDUCATION CERTIFICATE COURSES. Starting dates Jan11 and Apr 26 – each course 2 days per week Wed/Fri for 13 weeks. London Electronics College, 20 Penywern Road, London SW5 9SU, 01-373 8721.

NE-W-S SKYPHONE TAKES OFF!

B ritish Telecom's Skyphone, the world's first satellite telephone communications system for airline passengers, started trial operations in mid-February on an intercontinental British Airways Boeing 747. Skyphone will allow passengers to make in-flight calls to anywhere in the world.

Anthony Booth, Managing Director of BT International said, 'Skyphone is another excellent addition to BT's wide range of international services, and its successful development illustrates our intention to provide customers, wherever they may be, with rapid and reliable communications'.

Calls are transmitted via the Inmarsat satellite system and then routed into BT's worldwide network. In conjunction with partners in Norway and Singapore, BT is due to complete the worldwide Skyphone network by the end of 1989. The system has been developed and tested under a collaborative agreement between British Telecom, Racal and British Airways.


The pioneering technique developed by scientists at British Telecom's Research Laboratories for converting telephone speech to digital form has been adopted as the world standard by the Airlines Electrical Engineering Committee. It will be used by pilots when they talk to air traffic controllers as well as by passengers.

BT's speech coder was adjudged the best in an international competition, in which more than 20 different designs from all over the world were considered. The four best - from the USA and Japan as well as the UK - were comprehensively tested under simulated operating conditions.

Tests were carried out by telecommunications network operators in the three countries. In addition, the Civil Aviation Authority conducted extensive tests with pilots from international airlines. The BT design emerged as the clear winner in both types of tests.

The coder converts the analogue waves of telephone speech into a series of digital impulses. These are generated at a rate of 9,600 per second, the lowest rate so far used in public civil telecommunications. It compares to the 64 kbit/s used as standard for speech encoding in modern digital networks.

Operation at these low rates reduces the size and weight of the airborne encoding equipment, while at the same time maintaining high speech quality.



NATIONAL COMPONENT CLUB

SPECIAL OFFERS * SPECIAL OFFERS

SCANNER KIT(T)

A complete, six channel LED chaser kit for less than a fiver! The kit comes complete with all components, including PCB and instructions simple enough for even a complete novice. Works from 6-15vdc.

MAINS POWER SUPPLY FOR ABOVE &

,	SPECIAL OFFER PACKS	*
100	ASSORTED CAPACITORS	EI
30	ASSORTED TRANSISTORS	EI
25	ELECTROLYTIC CAPACITORS	EI
12	LED's (5mm red or green)	EI
5	555 TIMER IC's	EI
5	741 OP-AMPS	FI

FREE MYSTERY PACK WITH ALL ORDERS OVER £6

Please add £1 P&P, but do not add VAT.
P.O. or cheque to: NATIONAL COMPONENT CLUB, DEPT PE,
BAILEY HILL, CASTLE CARY,
SOMERSET BA7 7AD

♣ FREE CLUB MEMBERSHIP ♣

Just phone above number or write for details

Interak 1—BUILD YOUR OWN COMPUTER



INTERAK can be commenced with the minimum of outlay. Bare boards from £10.95, beg borrow or steal the components, or buy from us – all parts available separately. No special or custom chips (ie PALs, ULAs, ASICs etc.) used – no secrets.

Go as fast or as slowly as your funds and enthusiasm permit

Made for those who must know what goes inside Full circuit diagrams and descriptions are provided. And honestly, can you really use a computer effectively if you don't know what's inside and nobody will tell you?

Solid engineering construction – something to be proud of 19" 3U rack mounting, plug in circuit boards and modular construction keeps obsolescence at bay.

Flourishing Independent Users Group, and newsletter Hundreds of programs on disk at little or no cost from the Users Group

Program in machine code (Assembler), Basic, "C", Forth, etc Database, Word Processing, Scientific applications

Cassette tape operation or disk (up to 4 drives, 1 Megabyte 3.5" available from us, but you can add 3", 5 25", 8" if you want). Disk operating system CP/M Plus.

64K RAM, Z80 based at present with potential for expansion to a 16 Megabytes address space and Zilog's latest Z80280 in the future.

Needs no specialised knowledge to construct, and we will happily get you out of a jam if you get into one

Availability of personal and individual after sales service, impossible to obtain from large companies, who are only after your money.

Security of supply – from Greenbank Electronics, established

Greenbank

For more details write or phone us: Greenbank Electronics, Dept (EO5P), 460 New Chester Road, Rock Ferry, Birkenhead, Merseyside. L42 2AE. Tel: 051-645

POWER CONDITIONER

FEATURED IN ETI

The ultimate main The ultimate mains purifier Intended mainly for lowering the noise floor and improving the analytical qualities of top flight audio equipment.



top ingin adult equipment. The massive liter section contains thirden capacitors and two current balanced inductors, together with a bank of six VDRs, to remove every last trace of impulsive and RP interference. A ten LED logarithmic display gives a second by second indication of the amount of interference removed. Our approved parts set consists of case. PCB all components including high permeability toroidal cores. ICs transistors class X and Y suppression capacitors. VDRs etc.) and full instructions.

PARTS SET £29.80 + VAT

MAINS CONDITIONER PARTS SET £5 40 + VAT RUGGED PLASTIC CASE £1 80 + VAT



KNIGHT RAIDER FEATURED IN ETI JULY 1987

The ullimate in lighting effects for your Lamborghini. Maseratil BMW (or any other car for that matter). Picture this eight powerful lights in line along the front and eight along the rear! You flick a swint on the dashboard control box and a point of light moves fazily from left to right leaving a come is tall behand. Figure the winth again and the point of light becomes a bair bouncing backwards and owners daily along the row. Press again and try one of the other six patterns.

An LED display on the control box let's you see what the main lights are doing.

are doing.

The Knight Raider can be fitted to any car (it makes an excellent log light) or with low powered bulbs it can lurn any child's pedal car or bicycle into a spectacular TV-age toy!

The parts set consists of low. PGB and components for control. PCB and components for sequence board, and full instructions.

PARTS SET £24.80 + VAT

RAINY DAY PROJECTS

All can be built in an afternoon!

JUMPIN' JACK FLASH (ET) March 1988) Speciacular rock stage and discollighting effect!	£6.90	, ±
CREDIT CARD CASINO (ETI March 1987) The wicked pocket gambling machine MAINS CONTROLLER (ETI January 1987)	£5.90	. ,4
Isotated logic to mains interface	€6.20	- /A'
MATCHBOX AMPLIFIERS (ETI April 1986): Listen 50W of Hi-Fi power from an amp small enough to fit in a matchbox!		
Matchbox Amplifier (20W)	€6.50	/A1
Matchbox Bridge Amplifier (50w)	£8.90	v.A.
L165V Power Amplifier IC with data and circuits	£3.90	JA.
TACHO/DWELL METER (ETI January 1987) Turn your Metro into a Porsche!	£16.40	. A'
HI-FI POWER METER (ETI May 1987) Measures Hi-Fi output power up to 100W - includes PCB components meters		

Mono power meter

Stereo power meter



mere's nothing quies or encouraging as having a quantitative result to show for your haining entities. The sharp entities it was entor pain claid. Y incur resting hear rate will be accound at pears per multiple As our oping enough of short short sharp enough of the sharp endities. The sharp end of the sharp end

Breathing is important tool mow efficiently do you take up of How quickly, do you recover from loxygen debt latter strend The S101 will let you know

The approved parts set consists of case 3 crimed in boards all components including 11 ICs quarticists. To transistors resistors diodes and capacitors. LCD switches upgs sockets electrodes and full instruction for construction and use.

PARTS SET £33.80 - VAT

Some paids in available separate in Perse se un SAE in standard SAE (2) in a control separate and like the see A




THE DREAM MACHINE FEATURED IN ETI

Adjust the controls to suit your mood and let the gentle relaxing sound drift over you. At first you might hear soft rain sea suit or the wind through distant frees. Almost hypnotic the sound draws you irresistably into a peaceful refreshing sleep.

For many, the thought of waking refreshed and alert f For many the thought of waking refreshed and alert from perhaps the list truly restful sleepin years is exciting enough in itself. For more adventurous souls there are strange and mystenous dream expenences waiting. Take fund of dreams for instance. Imagine being in control of your dreams and able to change them at will to act our your wishes and fantasies. With the Dream Machine it is easy!

with the Dream Machine its easy: The approved parts set consists of PCB, all components controls (oudspeaker knobs lamp fuseholders fuse in power supply prestige case and full instructions. PARTS SET £19.80 + VAT

Ben Sweetland's best seller GROW RICH WHILE YOU'SLEEP is now in stock. £2.95 (NOVAT)



Resert on the OM335 hybrid amplifier, the booster has specifications to rival based on the UNIXSO hybrid arginner, the policy is ready sharped to the best wideband operation from 10MHztot 1.4 GHz, multi-band gain of lipid 256B and a wide supply range of 9V to 26V (it will run from car batteres for caravaments, by batteries for caravaments, or by batteries for caravaments, or by batteries for carapers, or a mains "battery elimination in the home). No special UHF constitutions is valid are needed — the project could be made by a careful beginner.

There are two parts sets for the project. AA1 contains the printed circuit board, OMC35 hybrid amplifier, components and instructions. AA2 is the optional case set nugged screened box, front and rear panels, waterproofing gaskets,

AA1 PARTS SET £12.80 + VAT

AA2 PARTS SET £4.80 + VAT

AA3 OPTIONAL MAINS POWER SUPPLY PARTS SET £6.80 - VAT



has variable ion drive, built-in ion counter and enough power to drive five multi-point emitters. For the technically minded, it has nine main drive stages, five secondary drives, and a four section booster to give an output capability of almost fifteen billion (1.47×10^{13}) ions every minute, or 2.45×10^{11} ions per second. With extra emitters this can be increased still further!

PARTS SET £28.40 - VAT

23.90 /=:

£7.20

The parts set includes case, printed circuit boards, 126 top grade components, all controls, lamps, hardware, a multi-point phospher-bronze emitter and full instructions.

Some parts are available separately please send SAE for lists, or SAE + £1 for lists, circuit and construction details and further information (free with parts set).

IPA BOARD CLEANER

£0.98 + VAT

Essential for removing grease and flux residues from the Mistral PCB to achieve peak performance. Applicator brush supplied.

IONFAN

1AV + 08.03

An almost silent piezo-electric fan, mains operated, to pump ions away from the emitter and into the room. Increases the effectiveness of any ioniser by five times!

ION DISPERSION METER

FEATURED IN ETI FEBRUARY 1989

The O-ion is a hand-held meter which shall soul toos in the air it can hell the good ones from the duds if you're thinking of buying a commercial loniser, check the efficiency and output of one you've made yourself,



help you set up tans and position the ioniser for best effect, do an ion-survey of your house or office— in short, it will rell you anything you want to know about ions in the air

In direct mode the bar-graph readout will detect the presence of negative or positive one and measure neg-ion strengths from 5×10^7 to 10^{10} ons per second, which covers the levels you can expect when an air oncer is in use Forther smaller condentations of natural air one, integrate mode will increas the sensitivity as far as you like.

Our approved parts set comprises case, ion collector, printed circuit b all components (including six I/Cs, schottky diode, cermets, VDR zene 37 resistors and capacitors, LEDs, plug, socket, earth lead, etc.) and full instructions

PARTS SET £18.40 + VAT

Some parts are available separately — please send SAE for lists, or SAE + £1 for lists, circuit, construction details and further information (free

BI0-**FEEDBACK**

FEATURED IN ETI DECEMBER 1986

Bio-feedback comes of age with this highly responsive self-balancing skin

response monitor! The powerful circuit has found application in clinical situations as well as on the bio-feedback scene. It will open your eyes to what GSR techniques are reality all about The complete parts set includes case PCB, all components, leads, electrodes, conductive gel, and full instructions.

PARTS SET £16.80 + VAT BIO-FEEDBACK BOOK £4.50 (no VAT)

Please note the book by Stern and Ray is an authorised guide to the potential of bio feedback techniques. It is not a hobby book and will only be of interest to intelligent adults.

POWERFUL AIR IONISER FEATURED IN ETI





and pure and seems much more invigorating than dead air The DIRECT I/ON ionise causard a great dead of scribment when it appeared as a constructional project in ETI. At last an oniser that was comparable with better than? commercial products was reliable good to build—and fun! Apart from the serious applications some of the suggested experiments were outrageous! We can supply a manched set of parts. Butly approved by the designer to build this unique project. The set includes a roller intended printed crucit board 66 components case mans lead and even the parts for the tester. According to one customer the excosts about a third of the prince of the individual components. Instructions

PARTS SET WITH BLACK CASE £12.60 + VAT included PARTS SET WITH WHITE CASE £12.80 + VAT

BURGLAR BUSTER

READY-BUILT MISTRAL

and ready to go. For details, please

contact Peter Leah at P.L. Electronics

The Mistral Ioniser (and most of our other

projects) can now be supplied built, tested

8 Woburn Road, Eastville, Bristol BS5 6TT. Tel: 0272 522703. Evenings Only

INTERNAL EMITTER £2.80 - VAT

Can be used in place of the P-B external

emitter, or both can be used together

includes PCB, ion emitters, components

for the highest ion output. Parts set

and instructions.

The parts set includes all four PCBs and all components to go on them. Other parts (case, writches, etc.) are available expaniable, if you haven 1 got anything suitable in your spares box. Set contains 4 PCBs. ICs, transators, resigns, capacitors, resistors, diodes, regulator, pezo sounder and full instructions.

BB1 PARTS SET £12.80 + VAT





DIGITAL AND AUDIO EQUIPMENT LEDS Assorted 3mm LEDs red, green, ye 25 of each (100 LEDs) for £6.80 , yellow and orange

U.K. orders: please add 80p post and packing and 15% VAT to total.
Eire and overseas:
no VAT Carriage and insurance £4 50.
Please allow up to 14 days for delivery.

Specialist

Tel: (0600) 3715

SALES DEPT., ROOM 108, FOUNDERS HOUSE, REDBROOK, MONMOUTH, GWENT.



The most anionshing project ever to have appeared in an electronics magazine. Similar in principle to a medical EEG machine this project allows you to hear the characteristic rhythms of your own mind! The alpha beta and theta forms can be selected for study and the three articles give masses of information on their interpretationand powers. In conjunction with Dr. Lewis s Alpha Plan the monitor can be used to overcome shyness to help you feel confident in stressful situations, and to train yourself to excel at things you re no pond at

no good at

Our approved parts set contains case, two PCBs, screening can for bio-amplifier all components (including three PMI precision amplifiers) leads brass electrodes and full instructions PARTS SET £39.80 + VAT ALPHA PLAN BOOK £2.50

SILVER SOLUTION for planing electrodes £3.80 + VAT Parts set available separately. We also have a range of accessories professional electrodes, books, etc. Please send SAE for lists, or SAE + £2 for kists, construction details, and further information if ree with

apanese electronics companies are now ready to launch a compact disc that records music and computer data, for replay on a conventional cd player. A twin deck machine, which pairs a recorder with a player, so that commercially pressed cds can be copied onto blank discs, will cost only £80 or £100 more than a conventional cd player. The blank discs will cost under £5. A modified system will be in future be able to record video.

Although the new generation technology will change the face of the consumer electronics industry, by ousting tape as the most convenient recording medium, Philips of the Netherlands has taken a surprising policy decision not to get involved in the new market until the copyright issues which it raises have been resolved. The chances of resolution are slim, because any cd which records cds inevitably infringes copyright. So although Philips' stance wins the company high moral ground, it may well number Philips' days as a manufacturer of consumer electronics.



describes as "an even greater potential threat than dat". Because the record companies already release their music on cd, a recordable cd offers no new advantages to the record industry.

The IFPI says it learned about the new threat from an internal memo provided by Philips. The memo was written by Angelique Hoogakker, a lawyer who worked for the IFPI before joining Philips in Eindhoven. The Hoogakker memo tells how cheaply cd recorders and blank discs can be made. The Philips memo was triggered by an announcement from Japanese chemical company Taiyo Yuden that it is now ready to manufacture a recordable cd system.

The Taiyo disc is a blank pressed from polycarbonate, superficially similar to a cd, but with a coating of softer plastics and a spiral groove moulded in the surface. This groove guides the laser during recording. A laser of around 7-9mW is used to record music or data pits by modifying a layer of dye, with a 2mW used for play back. Once made, the recording cannot be erased.

BEHAVIOURAL MORALITY

All the major electronics companies, including Philips, have developed optical discs which can either record once, (cd-r) or erase and record several times (cd-e). But the technology has been seen as too expensive to compete with dat, a digital audio tape cassette the size of a credit card which records several hours of hifi stereo in digital code. Although dat is the ideal medium for releasing 'long form' prerecorded musical works, such as operas and concerts, the record companies worried about home taping and killed dat by refusing to make programme material available for release.

This cleared the way for cd-r and cd-e which the record companies' trade body the IFPI, (International Federation of Phonogram and Videogram Producers) now BY BARRY FOX
Winner of the
UK Technology Press Award

Tapes and cds –
capable of digital
recording in your own
home – cause the
recording industry so
much anxiety that one
major manufacturer
may choose to miss
the boat rather than be
embroiled.

Taiyo claims that shelf life of a blank disc, before recording, is at least ten years, and archival life after recording is at least another ten years. The only proviso is that the discs should not be left in direct sunlight for long periods.

Philips gamely confirms that it will not launch cd-r or cd-e technology until the hardware and software industries have agreed on a copyright strategy. This could take many years because the software industry is in a weak position to bargain and fight the new technology. As most music is already available on cd, there is no permission to refuse.

If Far Eastern firms make cd-e and cd-r the dominant recording media of the future, Philips could be squeezed out of the consumer electronics business altogether.

ED-LINES

SWEET SATAFAX

e have previously commented in PE's pages of the probability of news texts being distributed by electronic methods rather than in newspaper form. I had expected that this subject would have been one of those discussed at the Home Automation conference on which we reported in PE Apr-May 89. Although this turned out not to be the case, it appears that another of PE's entrepreneurial heroes, Alan Sugar of Amstrad fame, appears to be regarding the electro-news scene with an eagle eye.

Normally reliable sources inform us that Alan Sugar may well enter into the Satafax market, combining the technologies of satellite transmission, computers and fax into a news text distribution facility. And of course the options for such a service don't end with news texts; books and magazines represent some of the other possible candidates for satafax disemination, and on a worldwide basis. As long as there is power available to run a computer terminal and receiver, the service can be received virtually anywhere around the surface of the globe.

Of course worldwide fax transmission is nothing new, Inmarsat, to whom we refer in the forthcoming Leisure Marine Electronics series of

Jun-Jul 89, is one of those companies who already offer the facility for trans-satellite faxing. The implementation of satellite newspaper transmission, though, is one that could reap fortunes for the operating companies. That is, of course, on the assumption that readers will accept the limited convenience of having to read from a vdu screen, however portable it may be.

I know that commuting business men use portable computers while travelling by train, and so have the hardware for news browsing already under their arm, so to speak. But will they really carry a satafax in place of a paper, even though perhaps the computer might hold all of the day's papers in its memory? I suspect not. Or am I overlooking the undoubted possibility that advances in technology will eventually make satafax terminals as small and convenient as a newspaper? Could be.

Indeed, on this score, I may have an answer to one reader who recently asked what feature and constructional articles PE might be publishing in another 25 years, at the time of our Golden Anniversary. Perhaps we may be publishing a single-chip satafax project that can receive the news, not only from around the globe, but from one or two of the colonised planets as well. If that's the case, then PE itself will possibly be available, not only as a paper-printed magazine, but as a multimegabyte burst of electronic signals from our own satellite channel.

"The time has come," your Ed has said,

"To talk of many things;

Of whose - and which - and crucial facts -

Of theories - and computerings -And why PE cares every jot On what you think our future brings."

ewis Carroll would probably set an automated Jabberwock on me for reprogramming his immortal lines, ("Off with this Ed!" do I hear another voice cry?), but the time has indeed come when we should ask you to talk with us on many things.

Regular readers of PE will have seen that we have been making various changes to both content and appearance. We think that they are improvements, but I'm not going to get pious about it. We could blow our own trumpets until the blue in we are how brilliant each announcing change is and how irresistible you should find it. Codswallop! You know it, and we know it, that at the end of the day, however good we may think our publication is, if you don't like it, you won't buy it.

Well, this issue we've taken further steps along the path of what we believe is the right direction. The cover change is the first thing that should strike you. Ever since Issue One, the relative sizes and styles of the two words "Practical Electronics" have

EDITORIAL

remained constant. We've now upped the size of "Practical", enhanced the lettering, and increased the descriptive captions. Inside, we have reappraised the layout style and many of the type faces have been changed. This, we feel, gives the contents more visual appeal.

So how right are we? You are the final arbiters on that. We recognise that the changes in this issue are largely cosmetic. The structure remains similar to that found in other recent issues. The balance of constructional projects, technology features, informative theory and product news is largely unaltered, though the new Quick Chip series is one of which we hope you will approve.

What we want to know is, do you think that the structural content of PE should be changed? And we want to know now! We ran a survey in 1981 and another in 1986, but the world continues to change, and possibly, you the readers have changed too. During the 80s there has been an upheaval in society; employment patterns have altered drastically; new leisure activities are being catered for; many consumer goods are available which, in some areas, make diy less of an appealing activity; and the trend for condensed access to instant information seems to increasing, placing question marks over detailed examinations specific aspects of technology.

My belief is that there will always be a significant core of people who want the pleasure of building things themselves and who enjoy learning by doing. That core, I further believe, includes those who want to be more deeply informed about technology but without having to wade through scores of academic text books, which in any case can seldom be as topical as a monthly magazine.

But, I can only assess the truth of my beliefs by checking my source material. In other words, by asking you, the ones who matter, what you want. Hence the survey questionnaire on pages 35 and 36. Don't ignore it, tell me some answers!

THE EDITOR

Editor:

John Becker Sub-Editor:

Helen Armstrong Technical Illustrator:

Derek Gooding

Advertisement Sales:
Sarah Holtham

Business Manager: Mary-Ann Hubers

Circulation:
David Hewett

Publisher:

Angelo Zgorelec
Editorial and Advertising Address:

Practical Electronics, Intra House, 193 Uxbridge Road, London W12 9RA Tel: 01-743 8888 Telecom Gold: 87: SQQ567 Fax: 01-743 3062

Advértisements

All correspondence relating to advertise-



ments, including classified ads, should be addressed to: The advertisement department, Practical Electronics, at the above address and telephone number.

Readers' Enquiries

All editorial correspondence should be addressed to the editor and any letters requiring a reply should be accompanied by a stamped addressed envelope, or equivalent payment.

We regret that lengthy technical enquiries cannot be answered over the phone.

Subscription Address:
Practical Electronics, Subscription Dept.,

Annual Subscription Rates: U.K. £15.00 Overseas £18.00

P.O. Box 500, Leicester LE99 0AA.

Cover Illustration Mark Taylor

© Intra Press 1989. Copyright in all drawings, photographs and articles published in PRACTICAL ELECTRONICS is fully protected, and reproduction or initations in whole or in part are expressly forbidden. All reasonable precautions are taken by PRACTICAL ELECTRONICS to ensure that the advice and data given to readers is reliable. We cannot, however, guarantee it, and we cannot accept legal responsibility for it. Prices quoted are those current as we go to press. All material is accepted for publication on the express understanding that the contributor has the authority to permit us to do so.

Published on 1st Friday of each month by Intrapress, 193 Uxbridge Road, London W12 9RA. Typesetting, artwork and film by Gilfillan Ltd. Mitcham, Surrey and printed in England by McCorquodale Magazines Ltd. Andover, Hants. Distributed by Seymour Press 01-773 4444. PRACTICAL ELECTRONICS is sold subject to the following conditions, namely that it shall not, without the written consent of the Publishers first having been given, be lent, resold, hired out or otherwise disposed of by way of Trade at more than the recommended selling price shown on the cover, and that it shall not be lent, resold, hired out or otherwise disposed of in a mutilated condition or in any unauthorised cover by way of Trade or affixed to or as part of any publication or advertising, literary or pictorial matter whatsoever.

ECHNOMATIC LTD

BBC Computer & Econet Referral Centre

	BBC MASTER £346 (a) Furbo (65C – 02) Expansion N	Module		AMB12 BBC MASTER	Econel £315 (a) £99 (b)
ADC08 ADF14 ADJ22	512 Probessor Rom Cartridge Ref Manual Parl 1	£195 (b) £13 (b) £14 (c)	ADJ24 ADF10 ADJ23	Advanced Ref Manual Econet Module Ref Manual Part II ster Dust Cover	£19.50 (c) £41 (c) £14 (c)
BBC MA	STER COMPACT		DDC WIE	sier busi cover	£4.75 (d)

A free packet of ten 3.5 DS discs with each Compact
SYSTEM 1 128K Single 640K Drive and bundled software £385 (a)
SYSTEM 2 System 1 with a 1.2 Hi-Res RGB Monitor £465 (a)
SYSTEM 3 System 1 with a 1.3 Med Res RGB Monitor £599 (a)
Second Drive Kir £99 (c) Extension Cable for ext.5.25 drive £12.50 (d)

View 3 0 User Gu de £10 (d)

BBC Dust Cover £4 50 (d)
ADES ROM (for 6 with 1770 DES & B Plus) £26 (d) ACORN 280 2nd Pricessors 229 (a)

MULTIFORM 280 2nd Pricessor 229 (b)

ACORN 280 2nd Pricessor 2289 (b)

ACORD 280 2nd Pricessor 2289 (b)

ACORD 280 2nd Pricessor 2289 (b)

TORCH 280 2nd Pricessor 2289 (b)

TZDP 240 ZEP 100 with Technomalic PD800P dual drive with built-in monitor stand

Viewsheet User Guide £10 (d)
1770 DFS Upgrade for Model B £43.50 (d)
12 OS ROM£15 (d)
ACORN 6502 2nd Processor £173 (b)
ACORN 6502 1nterface £269 (a)
1229 (a)
12304 £439 (a)

META Version III – The only package available in the micro market that will assemble 27 different processors at the price offered. Supplied on two 16K roms and two discs and fully compatible with all BBC models. Please phone for comprehensive leaflet £145 (b).

We stock the full range of ACORN hardware and firmware and a very wide range of other peripherals for the BBC. For detailed specifications and pricing please send for our leaflet.

PRINTERS & PLOTTERS

EPSON EPSON LX86 Optional Tractor Feed LX80 86 Sheet Feeder LX80/86 FX800 FX1000 EX800	£20 (c) £49 (c) £319 (a) £449 (a)	STAR NL10 (Parallel Interface) STAR NL10 (Serial Interface) STAR Power Type BROTHER HR20 COLOUR PRINTERS	£279 (a)
LQ800 (80 col) LQ1000	£439 (a) £589 (a)	Dotprint Plus NLQ Rom for Epson versions for FX, RX, M3 and GLP (BBC only)	X £28 (d)
JUKI 6100 (Daisy Wheel) NATIONAL PANASONIC KX P1080 (80 col)	£259 (a)	PLOTTERS Hitachi 672 Graphics Workstation (A3 Plotter) Plotmate A4SM	£599 (a)

PRINTER ACCESSORIES

We hold a wide range of printer attachments (sheet feeders, tractor feeds etc) in stock. Serial, parallel, IEEE and other interfaces also available. Ribbons available for all above plotters. Pens with a variety of tips and colours also available. Please phone for details and prices.

Plain Fanfold Paper with extra fine perforation (Clean Edge): 2000 sheets 9.5" × 11" £13(b) 2000 sheets 14.5" × 11" £18.50(b) Labels per 1000s Single Row 3;" × 1.7/16" £5.25(d) Triple Row 2-7/16" × 1.7/16" £5.00(d)

MODEMS

All modems carry a full BT approval

MIRACLE TECHNOLOGY WS Range

WS4000 V21/23 (Haves Compatible, Intelligent, Auto Dial/Auto Answer). £149 (b)

WS3000 V21/23 Professional As WS4000 and with BELL standards and battery back u for memory £245 (b)

WS3000 V22 Professional As WS300 V21/23 but with 1200 baud full duplex £450 (a)

WS3000 V22 bis Professional As V22 and 2400 baud full duplex. £595 (a)

WS3022 V22 Professional As WS3000 but with only 1200/1200 £350 (a)

WS3024 V22 Professional As WS3000 but with only 2400/2400 £450 (b)

WS2000 V21/V23 Manual Modem £95 (b) DATA Cable for WS series/PC or XT £10 (d)

DATATALK Comms Package If purchased with any of the above

PACE Nightingale Modem V21/V23 £75 (b)

(Offer limited to current stocks)

SOFTY II

SOFTY II

This low cost intelligent eprom programmer can program 2716, 2516
2532, 2732, and with an adaptor, 2564 and 2764. Displays 512 byte page on TV— has a serial and parallel I/O routines. Can be used as an emulator, cassette interface. Softy!

£195,00(b) for 2564

> PLEASE TELEPHONE FOR **CURRENT PRICES**

a input/1 output or 1 input/3 output manual channel selection. Input/ output baud rates, independently selectable 7 bits bit, odd even/inone parity. Hardware or cofficient selectable 7 bit/8 bit, oud comparity. Hardware or software handshake. 256K buffer, mains. £375 (b)

PB BUFFER

Internal buffer for most Epson printers Easy to install Inst

DISC DRIVES

	(/
PD853 Combo Dual 5.25 /3 5" drive with p s u	£229 (a)
PD352 Dual 800K 1280K with integral mains power supply	£187 (b)
TD352 Dual 800K 1280K	£170 (b)
PS351 Single 400K 640K with integral mains power supply.	(d) P112
TS351 Single 400K 640K	(d) 992
3.5" 80T DS Drives:	(-/
PD800P 800K 1280K with integral mains power supply and monitor stand	£249 (a)
PD800 800K 1280K with integral mains power supply	£229 (a)
TD800 800KJ 1280K	£199 (a)
5.25" Dual Drives 40 80 switchable:	, ,
PS400 400K 640K with integral mains power supply	
TS400 400K/640K	£114 (b)
3.23 Single Drives 40/30 Switchable.	

3M FLOPPY DISCS

Industry Standard floppy discs with a lifetime guarantee. Discs in packs of 10

51/4" Discs \$12.00 (d) 80 T SS DD \$20.00 (d) \$15.50 (d) 80 T DS DD \$25.00 (d) £10.00 (d) 40 T DS DD £14.50 (d) 80 T DS DD 40 T SS DD 80 T SS DD

FLOPPICLENE DRIVEHEAD CLEANING KIT

FLOPPICLENE Disc Head Cleaning Kit with 28 disposable cleaning discs ensures continued optimum performance of the drives $\begin{array}{l} 5\% \text{ cleaning discs} \\ 5\% \text{ cleaning discs} \\ 3\% \text{ cleaning discs} \\ \end{array}$

DRIVE ACCESSORIES

Single Disc Cable £6 (d) 10 Disc Library Case £1.80 (d) 50 × 512 Disc Lockable Box £9.00 (c) Dual Disc Cable £8.50 (d) 30 × 5¹ 2° Disc Storage Box £6 (c) 100 × 5¹ 2° Disc Lockable Box £13 (c)

MONITORS

RGB 14" 1431 Std Res £179 (a) 1451 Med Res £225 (a) 1441 Hi Res £365 (a)	MONOCHROME TAXAN 12 HI-RES KX1201G green screen £90 (a) KX1203A amber screen £95 (a)
MICROVITEC 14" RGB/PAL/Audio 1431AP Std Res	PHILIPS 12" HI RES BM7502 green screen £75 (a) BM7522 amber screen £79 (a) 8501 RGB Std Res £139 (a)
TAXAN SUPERVISION II 12" Hi Res with amber/green options IBM compatible £279 (a) Taxan Supervision III £319 (a)	ACCESSORIES £20 (c) Microvitec Swivel Base £20 (c) Taxan Mono Swivel Base with clock £22 (c) Philips Swivel Base £14 (c)
MITSUBISHI XC1404 14 Med Res RGB, IBM & BBC compatible	BBC RGB Cable

UVERASERS

UV1T Eraser with built-in timer and mains indicator Built-in safety interlock to avoid accidental exposure to the harmful UV rays it can handle up to 5 eproms at a time with an average

erasing time of about 20 mins £59 + £2 p&p. UV1 as above but without the timer £47 + £2 p&p. UV1 as above but without the timer £47 + £2 p&p. For Industrial Users we offer UV140 & UV141 erasers with handling capacity of 14 eproms UV141 has a built in timer Both offer full built in safety features UV140 £69, UV141 £85, p&p £2.50.

EXT SERIAL/PARALLEL CONVERTERS

OOMILITERIO	
Mains powered converters	
Serial to Parallel	£48(c)
Parallel to Serial	£48 (c)
Bidirectional Converter	

Serial Test Cable

Serial Cable switchable at both ends allowing pin options to be re-routed or linked at either end — making it possible. to produce almost any cable

Available as M'M or M/F £24.75 (d)

Serial Mini Patch Box

Allows an easy method to reconfigure pin functions without rewiring the cable assay Jumpers can be and reused

Serial Mini Test Monitors RS232C and CCITT V24 Transmissions. indicating status with dual colour LEDs on 7 most significant lines. Cor £22.50 (d)

CONNECTOR SYSTEMS

I.D. CONNECTORS

	(Speedble	ock Type)
No of	Header	Recep	Edge
ways	Plug	acle	Conn
10	90p	85p	120p
20	145p	125p	195p
26	175p	150p	240p
34	200p	160p	320p
40	220p	190p	340p
50	235p	200p	390p
		_	

D CONNECTORS

	NO OI	way:	5		
	9	15 ´	25	37	
MALE:					
Ang Pins	120	180	230	350	
Solder	60	85	125	170	
IDC	175	275	325		
FEMALE:					
St Pin	100	140	210	380	
Ang Pins	160	210	275	410	
			195		
DC .	195	325	375		
St Hood	90	95	100	120	
Screw .	130	150	175		
Lock					

TEXTOOL ZIF

CONNECTORS

2 · 6 way (commodere)		300p
2 × 10 way	150p	
2 x 12 way (vic 20)		350p
2 x 18 way		140p
2 x 23 way (ZX81)	175p	220p
2 x 25 way	225p	2.20p
2 x 28 way (Spectrum)	200p	
2 x 36 way	250p	_
1 x 43 way	260p	_
2 × 22 way	190p	_
2 x 43 way	395p	_
1 > 77 way	400p	500p
2 - 60	600-	

EURO CONN	FCIO	HS
DIN 41612	Plug	Skt
2 × 32 way St Pin	230p	275p
2 x 32 way Ang Pin	275p	320p
3 × 32 way St Pin	260p	300p
3 x 32 way Ang Pin	375p	400p
IDC Skt A + B	400p	
IDC Skt A + C	400p	
F0 00		

For 2 × 32 way please specify spacing (A + B, A + C).

MISC CONNS or 200n

CONNECTORS 36 way plug Centronic

-solder 500p (IDC) 475p
36 way skt Centronics
(solder) 550p (IDC) 500p
24 way plug IEEE (solder)
475p (IDC) 475p
24 way ski IEEE (solder)
500p (IDC) 500p
PCB Mtg Skt Ang Pin
2.1 way 700p 36 way 750p

GENDER CHANGERS 25 way D type

fale to Female	£10
emale to Female	£10
fale to Male	210

N 9 2 9 2 J U IVI F	EHS
(25 way Di 24 Single end Male 24 Single end Female 24 Female Female 24 Male Male 24 Male Female	£5.00 £5.25 £10.00 £9.50 £9.50

DIL SWITCHES way 90p 6-way way 120p 10-way

RIBBON CABLE 40p 34-way 180p 200p 280p 60p 26-way 120p 64-way

DIL HEADERS

	Solder	IDC
1 4 pin	40p	100p
16 pin	50p	110p
18 pin	60p	
20 pin	75p	_
24 pin	100p	150p
28 pin	160p	200p
40 pin	200p	225p

ATTENTION

All prices in this double page advertisement are subject to change without notice.
ALL PRICES EXCLUDE VAT Please add carriage 50p unless indicated as follows: (a) £8 (b) £2.50 (c) £1.50 (d) £1.00

TECHNOLINE VIEWDATA SYSTEM. TEL: 01-450 9764

*£70 (c)

Using 'Prestel' type protocols. For information and orders — 24 hour service, 7 days a week

74273 74276 74278	74199 74221 74251 74259 74265	74174 74175 74176 74178 74179 74180 74181 74182 74184 74195 74194 74193 74194 74195 74195 74196 74197 74198	74161 74162 74163 74164 74165 74166 74167 74170 74172 74173	74147 74148 74150 74151A 74153 74154 74155 74156 74159 74160	74136 74141 74142 74143 74144 74145	7484A 7486 7489 7490A 7491 7492A 7493A 7493A 7495A 7497 74100 74110 74116 74116 74118 74120 74120 74120 74123 74125 74125 74125 74125	7446A 7447A 7448 7450 7451 7453 7454 7460 7470 7472 7473 7474 7475 7476 7480 7481 7483A	7417 7420 7421 7422 7423 7425 7426 7426 7427 7428 7430 7437 7438 7439 7440 7441 7442 7443A	74 SE 7400 7401 7402 7403 7404 7405 7406 7407 7408 7409 7410 7411 7412 7413 7414 7416
2.00 1.40 1.70	2.20 1.10 1.00 1.50 0.80	1 10 1.05 1.00 1 50 1.00 3.40 1 80 1 80 1 30 1.10 1.15 1.10 0.80 1.10 2.20	0.80 1.10 1.10 1.20 1.10 1.40 4.00 2.00 4.20 1.40	1.70 1.40 1.75 0.70 0.80 1.40 0.80 0.90 2.25 1.10	0 70 0.90 2 50 1.30 2.70	1.25 1.00 0.42 2.10 0.55 0.70 0.70 0.55 1.10 0.80 0.80 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.7	100 1.00 1.00 0.36 0.35 0.38 0.38 0.55 0.50 0.45 0.45 0.60 0.45	0.40 0.30 0.50 0.36 0.36 0.40 0.40 0.32 0.30 0.30 0.30 0.40 0.40 0.40 0.40 0.40	0.30 0.30 0.30 0.36 0.36 0.40 0.40 0.30 0.30 0.30 0.30 0.30 0.30
74LS259 74LS260 74LS266	74LS251 74LS253 74LS256 74LS2457A 74LS258A	74LS181 74LS181 74LS190 74LS191 74LS191 74LS195 74LS195 74LS195 74LS196 74LS196 74LS196 74LS21 74LS240 74LS240 74LS242 74LS242 74LS244 74LS245 74LS244 74LS245 74LS244 74LS245 74LS248 74LS248 74LS248 74LS248 74LS248 74LS248	74LS163A 74LS164 74LS165A 74LS166A 74LS166A 74LS169 74LS170 74LS173A 74LS174 74LS174	74LS152 74LS163 74LS154 74LS155 74LS155 74LS156 74LS157 74LS160A 74LS161A 74LS162A	74LS138 74LS139 74LS145 74LS147 74LS148 74LS151	741,534 741,555 741,573 741,573 741,573 741,573 741,583 741,586 741,586 741,586 741,586 741,586 741,586 741,586 741,586 741,586 741,586 741,512 741,5112 741,5112 741,5112 741,5112 741,5112 741,5112 741,5112 741,5112 741,5112 741,5112 741,5112	74LS20 74LS21 74LS22 74LS24 74LS26 74LS27 74LS28 74LS30 74LS32 74LS33 74LS33 74LS37 74LS43 74LS44 74LS49 74LS49 74LS49	74LS S 74LS00 74LS01 74LS02 74LS03 74LS05 74LS09 74LS09 74LS11 74LS13 74LS13 74LS13	74279 74283 74742 74290 74293 74293 74298 74351 74365A 74366A 74366A 74376 74390 74393 74490
1 20 0 75 0.60	0.75 0.75 0.90 0.70 0.70	2 00 1 90 0 75 0 80 0 75 0 80 0 75 0 80 0 90 0 80 0 90 0 80 0 90 0 90 0 90	0.75 0.75 1.10 1.50 1.30 1.00 1.40 1.00 0.75	2 00 0.65 1 80 0 65 0.65 0 50 0 85 0 65 0.75	0.55 0.55 0.95 1.75 1.40 0.65	0.24 0.24 0.24 0.30 0.30 0.35 0.42 0.75 0.35 0.48 0.35 0.49 0.75 0.90 0.40 0.45 0.45 0.45 0.45 0.45 0.45 0.4	0.24 0.24 0.25 0.50 0.26 0.24 0.24 0.24 0.24 0.24 0.24 0.25 0.50 0.50 0.50 0.50 0.50 0.24 0.24 0.24	0.24 0.24 0.24 0.24 0.24 0.24 0.24 0.24	0.90 1.05 3.20 0.90 0.90 1.80 2.00 0.80 0.80 1.60 1.10 1.20 1.40
745373 745374 745387	745287 745288 745289 745299	74S169 74S174 74S175 74S188 74S184 74S194 74S195 74S200 74S201 74S221 74S244 74S244 74S25 74S260 74S260 74S260 74S260 74S260	74S132 74S133 74S138 74S139 74S140 74S151 74S153 74S157 74S158 74S163	74S40 74S51 74S64 74S74 74S85 74S86 74S112 74S113 74S114 74S124	74\$20 74\$22 74\$30 74\$32 74\$37 74\$38	741, 5643 741, 5643 741, 5643 741, 5643 741, 5645 741, 5645 741, 5645 741, 5669 741, 5697 741, 5607 741, 5607 741, 5607 741, 5607 741, 5607 741, 5607 741, 5607 741, 5607 741, 5	74LS465 74LS467 74LS490 74LS541 74LS608 74LS610 74LS610 74LS612 74LS624 74LS626 74LS628 74LS629 74LS640 74LS640 74LS642 74LS642 74LS642	741, 5365 741, 5365 741, 5365 741, 5365 741, 5366 741, 5366 741, 5367 741, 5368 741, 5373 741, 5373 741, 5375 741, 5	74LS273 74LS279 74LS280 74LS283 74LS283 74LS293 74LS295 74LS295 74LS298 74LS298 74LS297 74LS321 74LS322 74LS324 74LS324 74LS324 74LS353
4.00 4.00 2.25	2.70 2.25 2.00 2.25 4.50	5 50 3.00 3 20 1 80 1.80 3.00 3 50 4.50 4.50 4.00 4.00 2 50 2.50 1.00 3.00 3.20 5.20 4.00 2.50 2.50 1.00 3.00 3.20 5.20 4.00 2.50 3.20 5.20 5.20 5.20 5.20 5.20 5.20 5.20 5	1.00 0.60 1.80 1.80 1.00 1.50 1.50 2.00 2.00	0 50 0 60 0 45 0 70 5 50 1 00 0 90 1 20 1 20 3 00	0.50 0.50 0.50 0.50 0.60 0.60	2 50 3.00 3 50 2 00 0 90 1.70 2 50 3.00 3 50 3 50 3 50 16.00 16.00	1,20 1,20 1,50 1,00 1,00 25,00 25,00 3,50 2,25 2,25 1,25 2,00 3,00 1,50 2,50 3,00	1.80 1.80 0.50 0.50 0.52 0.50 0.70 0.75 1.30 4.50 3.25 0.60 1.00 1.40	1 25 0.70 1 90 0.80 0.80 14.00 0.80 14.00 1.00 2.20 3.70 3.90 3.20 2.00 1.20
4072 4073 4075	4068 4069 4070 4071	4041 4042 4043 4044 4045 4046 4047 4048 4049 4050 4051 4052 4053 4054 4056 4060 4063 4066 4066 4067	4031 4032 4033 4034 4034 4035 4036 4037 4038 4040	4021 4022 4023 4024 4025 4026 4027 4028 4029 4030	4015 4016 4017 4018 4019 4020	7AAL S04 7AAL S08 7AAL S10 7AAL S20 7AAL S20 7AAL S20 7AAL S20 7AAL S18 7AAL S18 7AAL S18 7AAL S18 7AAL S17 7AAL S57 7AAL S58 7AAL S57 7AAL S58 7AA	all TTL and CM(C	Spec office to PE read only 10% on	
0.24 0.24 0.24 0.24	0.25 0.24 0.24 0.24	0 55 0 50 0 50 0 50 0 50 0 50 0 50 0 5	1.25 1.00 1.25 2.50 2.50 0.70 2.50 1.10 1.00	0 60 0.70 0.30 0.48 0 24 0 90 0.40 0.60 0.75 0 35	0.70 0.36 0.55 0.60 0.60 0.80	0.50 0.50 0.45 0.45 0.70 1.50 1.50 4.00 4.75 2.60 4.50 2.60	.S d DS	er ers / – off	
TL49 78S4 RC41	ICL7/ SG3/ TL49	LM: LM: L78 VAR LM3 LM3 LM3 LM3 LM3	40257 40373 40374 80C95 80C97 80C98	40107 40163 40173 40174 40175 40197 40193 40194 40244 40245	40106 40107 40108 40109 40110 40114	4568 4592 4583 4595 4592 4583 4595 4724 14411 14416 14416 14450 14599 22102 22102 40014 40095 40095 40100 40101 40102 40101 40103 40104 40105	4578 4529 4531 4532 4534 4536 4538 4539 4541 4543 4551 4553 4555 4556 4566	4503 4504 4505 4506 4507 4508 4510 4511 4512 4513 4514 4516 4517 4518 4519 4521 4521 4522 4526 4527	4076 4077 4078 4081 4082 4085 4085 4093 4093 4094 4095 4096 4097 4099 4099 4099 4501 4501
17 10	524 14	817K 137T 850T 123N	1.80 1.80 1.80 0.75 0.75 0.75	2.80 1.00 1.20 1.00 1.00 1.00 1.00 1.50 1.50	0.48 0.55 3.20 0.80 2.25 2.25	2.40 1.70 0.45 0.90 0.48 0.60 1.50 7.50 7.50 2.60 4.20 0.3,00 2.60 4.20 0.3,50 7.00 0.3,60 0.40 0.3,60 0.40 0.3,60	0 65 1 00 0.75 0 65 3 80 2.50 0 75 0 90 0.70 1.00 2.40 0 36 0 50 1 40	0.36 0.95 3.60 0.90 0.35 1.20 0.55 0.55 1.50 1.10 0.55 2.20 0.48 0.32 0.80 0.70	0.65 0.25 0.25 0.25 0.80 0.75 1.20 0.35 0.90 0.90 0.90 0.90 0.90 0.90 0.90 0.9
	GULATORS	1A 3A 5A SULATORS TO	5V 78L05 6V 78L06 8V 78L08 12V 78L12 15V 78L15	5V 7805 6V 7806 6V 7808 12V 7812 15V 7815 18V 7818 24V 7824		LM307 LM3087 LM310 LM311 LM318 LM319 LM324 LM3392 LM3362 LM336 LM339 LM348 LM358P LM377 LM380N-8 LM377 LM390N-8 LM377 LM391 LM3931	ICL7611 ICL8038 ICM7555 ICM7556 ICM7556 IC7120 IC7130 IC7131 IC7137 IF347 IF351 IF353 IF355 IF356N IF357 IF398 IM10CLH IM301A	CA3086 CA30895 CA3090AC CA3130C CA3130C CA3140T CA3140T CA3146T CA3146T CA3146T CA3168E CA3168E CA3240E CA3240E CA3240E DAC4408 8 DAC0800 DAC0808 DAC0800 DAC0808 DG308 HA1366 ICL7106	ADCOBO8 AM7910DC AN103 AN-1-5050 AY-3-1350 AY-3-8910 AY-3-8912 CA3019A CA3020 CA3028A CA3046 CA3059 CA3060 CA3080E CA3080E
		4 5V 4 5V 5 V 			1A FIX	0.45 0.75 2.25 0.60 1.80 0.45 1.15 1.30 1.60 0.50 0.60 0.50 1.50 1.50 1.50 1.50 1.80 0.60 0.50 1.50 1.50 1.80 0.60 0.50 1.50 1.50 1.50 1.50 1.50 1.50 1.5	0 95 4.00 0.90 1.40 3.00 3.50 3.50 1.20 0.60 0.90 0.90 1.10 1.00 4.00 4.50 0.30	0.60 2.50 90 1.30 0.45 1.00 2.25 1.50 6.00 2.70 1.50 6.00 3.00 3.00 3.00 3.00 3.00 3.00 6.75	11.90 2.00 1.00 5.00 4.90 5.00 1.00 3.50 1.10 0.70 3.25 3.50 0.70 1.50
			0.30 0.30 0.30 0.30 0.30 0.30	0.45 0.50 0.50 0.45 0.50 0.50 0.50	GE RE	NE5532P NE5534P NE5534P NE5534AP NE5534	MF10CN MK50240 ML902 ML902 ML922 MM6221A NE529 NE531 NE544 NE556 NE566 NE566 NE566 NE567 NE570 NE571 NE571	LM1889 LM2917 LM3302 LM3900 LM3900 LM3911 LM3915 LM3915 LM3916 LM13600 M51513L M51516L M83712 MC1310P 1113 MC1458 MC1495 MC1495 MC1495 MC1495 MC1495 MC1495 MC1495 MC1496 MC3400 MC3400 MC3400 MC3400 MC3400 MC3400 MC3400	LM710 LM711 LM723 LM725CN LM733 LM741 LM7747 LM748 LM1011 LM1014 LM1801 LM1830 LM1871 LM1872 LM1886
			5V 12V 15V	790 790 790 791 791 792 793		1 50 1 60 1 .20 1 .20 1 .50 3 .50 5 .00 0 .55 9 .00 5 .00 5 .00 2 .7 .00 7 .50 0 .90 1 .50 0 .90 1 .50	4.10 9.00 5.00 4.00 3.00 2.20 1.20 0.22 0.60 4.00 1.20 1.25 4.00 3.00 0.90	4,50 3,00 0,90 1,40 1,80 3,50 3,40 3,40 1,50 2,30 4,50 2,30 4,50 2,00 0,75 0,45 3,00 0,70 2,00 0,70 2,00 0,70 0,70 0,70 0	0.48 1.00 0.60 3.00 0.65 0.22 0.70 0.30 4.80 1.50 3.00 2.50 3.00 6.00
2.25 2.50 1.50	2.50 3.00 3.00	1.40 3.50 7.50 1.20 2.40 2.25 4.00 0.50	79L05 /79L12 /79L15	06 08 12 15 18	P220	XR2206 XR2207 XR2211 XR2216 XR2240 ZN404 ZN404 ZN414 ZN473E	TL430C UA759 UA2240 UCN5801A ULN2001A ULN2003A ULN2003A ULN2004A ULN2803 ULN2803 ULN2804 UPC575 UPC592H UPC1156H UPC1156H XR210	TDA2004 TDA2004 TDA2006 TDA2030 TDA2033 TDA2653 TDA3650 TDA3650 TDA3650 TDA3650 TDA3600 TEA1002 TL061CP TL062 TL064 TL071 TL074 TL081 TL082 TL083 TL084 TL084	TBA231 TBA800 TBA810 TBA20 TBA920M TBA920M TBA950 TCA270 TCA940 TDA1010 TDA1024 TDA11701 TDA11701 TDA11701
			0.45 0.50 0.50	0.50 0.50 0.50 0.50 0.50 0.50 0.50	u a	4 50 3 75 5.75 6 75 1 20 0.80 1.75 1 30 1.30 3.50 3.50 2.25 9.00 7.50 3.00 7.50 3.00 2.25 9.00 2.25 9.00 2.25 9.00 2.25 9.00 2.25 9.00 2.25 9.00 2.25 9.00 2.25 9.00 2.25 9.00 2.25 9.00 2.25 9.00 2.25 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.0	1.20 3.20 1.20 6.00 0.75 0.75 0.75 2.90 1.90 1.80 1.90 2.75 2.00 3.00 5.00 4.00	1.90 2.40 3.20 2.50 5.00 7.50 7.50 3.50 0.40 0.60 0.70 1.10 0.35 0.75 1.00	3.00 3.25
TURNED LOW PRO	8pin 9 14pin 10 16pin 11	DISPL FND357 FND507TI FND507.TI MAN71/DL MAN3640 MAN4640	BPX25 BPW21 ORP12 ORP60 ORP61 SFH205 TIL31B TIL81	8282 8284 8287 82880 8755A	8257C-5 8259C-5 8275 8279C-5	6821 68040 68040 681840 681840 681850 681850 681854 81195 81	280B 280H 280H SUPP DEVI: 2651 3242 3245 6520 6522 6522 6522 6532 6551A	80000 LB 9035 8003 80025 80039 80023 80080 A 8058A 80085 8087-8 8087-8 8741 8748 TMS 1601 TMS 9980 TMS 9985 V20-8 V30-8	1802CE 2650 A 6502 65022-2A 6502B 6800 6802 6809 6809E 6809E 6809E 6809O LB
	p 16	1.00 1.370 1.00 1.729 1.00 707 1.00 1.75 2.00		4 00 4 60 3 80 6.50 16 00	54.00 4.00 29.00 4.80	1 60 2.50 3.75 6.00 1 80 2.50 6.50 8.50 8.50 3.80 3.80 3.80 1.60 POA 4.25 5.50 6.50 12 00 3.25 5.50 6.50		35 00 3 50 6 00 4.20 7 00 9 50 3.00 7.50 22 00 £120 £150 15 00 10.00 14 50 18.00 12.00 12.00 12.00 2.50 12.00 2.50 2.	6.50 10.50 4.50
KTS	Bpin 16p Opin 18p Opin 20p	10 LED Bar Graph Red Green MAN6510 NSB5881 TIL;310 TIL;728 TIL;720 MAN8910 MAN8940 DISPL DRIVE 9358 9370 9374	RED TIL200 GRN TIL211 YEL TIL212 Rect LEDs (R-G/Y) CXQ (B) cc	8087-5 8087-8 8087-10 80287-5 80287-8 8087-10	UPGRA	PRO 28L22 745188 745287 745288 745288 825123 825123 825129	2114-3 4116-2 4164-15 41256-15 41464-15 4416-15 5101-3 6116LP-15 62256 6810	Z80AMA Z80ADMA Z80ADMA Z80ADMA Z80ADMO Z80BPIO Z80BPIO Z80BCTC Z80BDAR1	TMS4500 TMS9901 TMS9902 TMS9914 Z80PIQ Z80APIQ Z80ACTC Z80ACTC Z80ACTC Z80ADART Z80ADART
	24pin 28pin 40pin	2 25 2 25 2 25 2 00 5 70 6 50 1 .00 1 .50 2 .50 2 .50 4 .50 4 .50 3 .50	90 0.12 1 0.16 2 0.20	£75 £120 £175 £160 £190 £225		4.00 1.80 2.25 1.80 2.25 1.50 1.50 1.75	1.00 1.50 2.50 7.00 9.50 3.00 5.00 6.50 12.00 2.50	7:00 5:00 5:00 5:00 7:00 7:00	14.00 5.00 5.00 14.00 2.50 2.75 2.50 2.75 6.50
Bpln 25p 4pin 30p	24p 26p	74C925 74C926 74928 ZN1040 LM3914 LM3915 LM3916 UDN6118 UDN6184 ULN2004 ULN2004 ULN2003 ULN2003 ULN2003 ULN2003 ULN2004	TIL220 TIL222 TIL226	75109 75110 75112 75113 75174 75115 75121 75122 75150P	MC6883 MC14411 MC14412 75107 75108	AM75510 AM25LS25 AM26LS25 AM26LS31 AM26LS32 AM79100C DM8131 DP304 DS8831 DS8831 DS8836 DS8836 DS8836 DS8838 MC1489 MC1489 MC3459 MC3457 MC3457 MC3457 MC3467 MC3467 MC3467 MC3467 MC3467 MC3467 MC3467 MC3467 MC3467 MC3467	CRT6545 EF9365 EF9366 EF9367 FF9369 MC6845 MC6845 MC6847 SFF96364	RS2 MAX232 CR ONTRO	2716-45 2732-45 2732-45 2764 25 27C64 27128-25 27C256 27512 27513 27C128 27256
16pin 18pin	8pin 14pin	6 50 9.50 6 50 6 50 6 70 3.50 3.50 3.20 3.20 0.90 1.90 1.90 1.90 1.90 0.70 0.70	_	1 20 0 90 1 60 1.20 1.40 1.40 1 40 1 40 1 20	16 00 7.50 7 50 0 90 0 90	3.50 21 3.50 38 3.50 1.20 1.20	6.50 8 00	7.50 T DLLER	
35p 20pin 45	25p 18pm 50p 35p 20pm 60p 40p 22pm 65p	MAN89 10 0 g* NSB5881 NSB5881 ORP12 SF4305 TIL31A TIL32 TIL78 TIL81 TIL100 TIL311 OPT0 IS* UD74 1.30 MC726 1.00 MC52400 1.50 MC62400	BPX25 BPX34 BPW21 CQY21 FN0357 MAN74 DL704 MAN71 DL707 MAN4640 MAN6610	range of: Diodes, Ti Bridge Thyristors Please pho	All prices a change wi Only curren	FD197 22 00 0 WD1797 24 00 WD1797 24 00 WD1991 15 00 WD2143 12 00 WD2793 27 00 WD2797 27 00 CHARACTER GENERATORS R032513UC 7.00 TELETEXT DER 5AA5020 6 00 SAA5030 7 00 SAA5041 16 00 SAA5050 9 00	P639 2.50 DISC CONTROLLER ICS 765A 10.00 .6843 8.00 .8272 10.00 .F01773 20.00 .F017791 20.00 .F01793 20.00	794999 0.70 79489 0.85 79489 0.85 87728 10 87728 12 8798 120 8797 120 8798 120 8797 120 8798 120 8798 140 811596 140 811596 140 811596 140 811596 140 811597 140	75154 1.20 75159 2.20 75160 5.00 75160 5.00 75161 8.50 75172 4.00 75188 0.60 75188 0.60 75189 0.60 75365 1.50 75450 0.80 75451 0.50 75453 0.70
Ор 28pln 85 p	24pin 70p 28pin 80p 40pin 100p	1.20 5.70 1.20	3.00 3.00 3.00 3.00 1.00 1.00 1.00 2.00 2.00	tock a wide Transistors, riacs Plastic, Rectifiers, and Zenors. he for details.	ire subject to thout notice. t prime grade nts stocked.	5.068Msz 175 6.00Mhr 140 6.14Mhr 140 6.14Mhr 140 6.14Mhr 150 7.16Mhr 150 8.875Mhr 150 8.875Mhr 175 10.5Mhr 250 10.00Mhr 150 10.00Mhr 15	2768KHz 100 16432MHz 2.25 2 00MHz 2.25 2 05760MHz/L) 2 45760MHz/S) 2 50MHz 2.50 3 776MHz 100 4 00MHz 1.50 4 19MHz 1.00 4 19MHz 1.00 4 19MHz 1.00 4 19MHz 1.00 5 150MHz 1.00 5 150MHz 1.00	47028 7.56 UARTS AY3.1015 300 AY3.1013 300 COM8017 300 IM6402 4 56 MODULATOR 6MHy 3.7 8MHy 4.5 SOUND 8. VISION 12MHy 12 00	KEYBOARD DECODERS 74C922 50 74C923 60 BAUD RATT GENERATOR: MC14411 75 COM8116 654
								35	0 0 0 5

MAIL ORDERS TO: 17 BURNLEY ROAD, LONDON NW10 1ED SHOPS AT: 17 BURNLEY ROAD, LONDON NW10 (Tel: 01-208-1177) Telex: 922800 Tel: 01-723-0233-305 EDGWARE ROAD, LONDON W2

PLEASE ADD 50p p&p & 15% VAT (Export: no VAT, p&p at Cost)
Orders from Government Depts. & Colleges etc. welcome.



Detailed Price List on request.
Stock items are normally by return of post.






Photo 1. Pattern produced around a 2p coin

KIRLIAN CAMERA

MAY THE FORCE BE WITH YOU

laims that all living things have an aura or resonating bio-energy field are frequently made by psychic-sensitive people. In general, until about 25 years ago most other people considered the concept as mere speculation or the crazy delusion of credulous table-rapping mediums.

Then an accidental discovery was made in the USSR by Semyon and Valentina Kirlian. They found that when certain biological specimens were placed in an ac ionising field of around 200kHz strange patterns were to be seen around them. The Kirlians claimed that these patterns proved the existence of bio-energy fields and represented scientific evidence of auras.

Following this discovery, researchers in the West, particularly in America, have built their own photographic equipment to verify these claims. They have found that the same sort of patterns can be produced in ionising fields at frequencies as low as 20Hz.

Many American researchers, such as Johnson and Moss, have used low frequency cameras on a wide variety of animate and inanimate objects, and even on human volunteers. They have satisfied themselves that the images produced cannot

BY DON PHILLIPS

Life force or dark horse? A mysterious 'energy corona' - is detected around objects in an ionising field. Is this the psychic aura of old? If so, why do nuts and bolts too? Try it for yourself.

be explained in terms of the normal effects produced by high voltages, chemicals from the photographic process, perspiration or other moisture, and that other conventional explanations are unsatisfactory.

BIOPLASMIC FIELD

Although some researchers in the West believe that the explanation will ultimately be due to a purely physical effect, those in the USSR have put forward the suggestion that it may be due to a "bioplasmic" field. For example, there have been reports that a Kirlian photograph of a leaf section will show the full outline of the original leaf before being cut. There have been suggestions that there is an invisible matrix underlying all matter and that maybe this what many mediums have called the 'etheric' effect.

Following on from this is the suggestion that the Kirlian effect might validate the existence of the 'Chi' and 'Ki' energy as used in acupuncture. If this is the case, perhaps the imaging might be due to a heterodyning effect between the applied frequency and the inherent frequency of the imaged field. In this event it should be possible to image different parts of the surrounding field by altering the frequency of the applied ionisation.



POLYGRAPHY

In support of this, Johnson and Moss have found that different frequencies can reveal different aspects of the field surrounding objects. In particular they have found that the 'phantom leaf' effect only occurs at specific frequencies, evidence which tends to support the heterodyning effect. Many researchers are now investigating the effects produced by very high frequencies, even into the radio frequency ranges.

I have been researching into this fascinating field since 1981 but though I originally experimented with existing circuits for Kirlian cameras, I found they had limited parameters and were unreliable. Consequently, I designed and built my own cameras, and have had some startling results.

Experimentation showed that Kirlian photography could be achieved not only in the presence of ac fields, but also with a pulsed dc field. The latter produced some very strange and at present inexplicable patterns. How this effect ties in with the heterodyning principle is as yet unclear.

However, certain facts became obvious when using both ac and dc cameras. One of the differences is the way in which the cameras and specimens mutually interact. For example, the dc pulse cameras tend to throw the corona away from the specimen and leave the internal structure less defined.

This effect may not be entirely due to the separate applications of either dc or ac in the pure sense, but rather may be due to the initial loading surge through iron cored eht transformers. Further data on this should become available once we have developed an efficient air cored eht transformer for experiments in the rf range. So far, though, certain tests that have been carried out support this idea, including the fact that short ac exposures also divert the energy away from the specimen. It is pertinent to

remember that a dc pulse is simply a special case of an ac waveform and that additionally it may cause 'ringing' at certain harmonics due to the inductive nature of the transformer.

PRACTICAL CAMERA

During my research I have had to build many types of camera. In addition to the pulsed dc version, I built an ac one that was powered from a 12V car battery, then a more ambitious one combining the ac and dc into one unit, and am currently working on an rf camera.




Photo 2. Bronze sprocket.

The circuit I shall describe here, though, is a somewhat simpler one of the ac type. It is powered from the normal 240Vac supply, and is capable of operating at 20Hz to 700Hz. It has the same circuit as one camera I have been using throughout much of my research and has proved to be very reliable. It is of a similar type to those seen and used at various Mind and Body festivals, but I believe it to be more reliable, and it certainly has wider parameters. The main circuit is shown in Fig.1 and its power supply is in Fig.2.

You may wonder why I have used transistors instead of integrated circuits. The reason is due to the transients generated by the high voltage generator and which are difficult to suppress simply and cheaply. Many ics died in my early days of

experimenting! The robustness of the transistors I have used has saved them from the same fate.


Photos I to 4 were taken on a dc camera, but photos 5 to 8 were all taken on this ac camera and give an idea of the type of results than can be expected. What the photos *actually* show still needs to be interpreted. However, I am satisfied that the normal explanations offered by critics do not hold water - you must judge for yourself once you have built the camera!

The unit basically comprises a mains operated power supply producing a smoothed but unregulated 37Vdc power rail, a high voltage generator operating at variable frequencies, and a timing circuit.

TIMED EHT GENERATOF

The eht voltage generator consists of a variable rate multivibrator formed around TR3, TR4, T1, and the associated capacitors C16 to C25 selectable by S3. The frequency range is selectable in ten steps between 20Hz and 700Hz, with an additional position for 'off'. Since T1 actively affects the frequency, a high performance coil of the type recommended in the parts list should be used. During frequency generation, the voltage across the primary of T1 swings between +37V and about -37V. The secondary winding then steps up the ac voltage to between about -40kV to -50kV with irregular damped oscillations occuring at 3kHz to 10kHz.

The duration of eht generation is controlled by the gated timing circuit around TR1 and TR2, and is dependent on the charging rate of C4 to C15 as selected by S2. With S1 open, the timing circuit is in its standby state, the relay coil is inactive, and the relay contacts are open, so inhibiting the eht oscillator. On closing S1, the pulse generated across C1 causes TR2 to switch on, so drawing current through the relay coil. The relay contacts close, so allowing



the eht generator to function. The coil remains active until the capacitor selected by S2 has recharged, so turning off TR2.

The timing range is selectable between about 0.003 sec to 8 secs in twelve steps. VR1 is used to preset the maximum charge rate. Note that C1 and C2 should be high quality tantalum capacitors otherwise the circuit triggering may be inconsistent. C3 is used to damp stray transients that may be radiated by the eht generator so disrupting the timing period. Additional transient suppression is performed by TS1, TS2, C27 and the neon across the primary of T1. The neon has the additional function of providing visual indication that the frequency generator is functioning.

CONSTRUCTION

IT IS IMPORTANT TO NOTE THAT THE UNIT GENERATES VERY HIGH VOLTAGES. EXTREME CARE MUST BE TAKEN DURING TESTING AND USE. KEEP HANDS AWAY FROM THE EHT COIL AND THE ELECTRODE PLATE.


There are three pcbs, as shown in Fig.3. PCB I should be mounted as shown in Photo 9; the other two boards are mounted behind the control panel. The mounting platforms should be made from a non-conductive material - I used plywood and chipboard, though srbp board would be equally suitable. When wiring the pcbs together and to the control panel, care should be taken to keep the leads clear of the assembly and box edges to prevent possible chafing. The connections to be made are obvious from the circuit and pcb diagrams - just follow them logically.


Although not used on the prototype, D3 should be soldered across the relay coil, with its positive end on the positive supply tag. Ed.

The unit housing is shown in Photo 10, and it too should be made from a non-metallic material. The prototype box size was 21 x 11 x 5.5 inches, plus a 2.5 inch high lid. Take care when planning the box layout. On my unit, after allowing enough room for an 8 x 10 inch electrode plate, I had just 7 x 10 x 4 inches in which to mount the electronics assembly - a bit of a tight fit. The ignition coil T1 is mounted under the electrode plate, as shown in Photos 10 and 11.

To prevent tracking between the primary and secondary windings, a tight fitting rubber tube some 12 inches long should be pushed over the eht coil nozzle after connecting the eht lead. Then connect the lead to the electrode plate and fill the space between the coil and the plate with layers of rubber foam.

Fig.4 shows the construction of the electrode plate and its mountings. As seen in Photo 11, it is essential to leave a space of at least one inch all around the edges of the plate to prevent field breakdown when large





specimens are photographed.

Plate glass of at least 2mm thick is placed over the electrode to insulate it; this too should extend around the plate by at least one inch. It should be secured in place by quarter inch hardwood battens screwed to the sides of the box. Acrylic sheeting could be used as an alternative, but plate glass is preferable since acrylic tends to become etched with markings caused by the ionising field.

Photo 12 shows the completed unit and a guide to the control legends, though note that this is a photo of the prototype and the final legends will differ slightly.

TESTING

Timer setting is best done with the frequency control in the off position. VR1 is used to adjust the timing range, using the one second position as the reference. While observing the neon and preferably using a digital stop watch, repeatedly trigger the circuit and adjust VR1 until a delay of precisely one second is obtained. Within the normal tolerances of the other capacitors, the other ranges should follow proportionately. Though a nominal value of $2\mu F$ is quoted for C3, it is best to select its

EXPERIMENTAL PROJECT



ideal value on test. With the timing switch set for one second, switch the frequency control from setting to setting, each time triggering the circuit and timing its delay on a stop watch. If the timing terminates before one second has lapsed, C3 may be increased in value up to a maximum of 10uF. Increasing it beyond 10uF could affect the triggering.

PHOTOGRAPHY

Photographs are taken by first laying a sheet of photographic bromide film on the electrode plate cover, emulsion side up, (Fig.5). The specimen is placed on the film, the ionising frequency selected and the unit




Photo 3. Panadol tablet

triggered for the desired time. The exposure is then developed in a normal bromide developer. Naturally, the exposing and developing must be done under suitable safelight conditions. Panchromatic sheet film may be used instead if more detailed imaging is desired, but exposing and developing must done under total darkroom




Photo 5. Geranium leaf

conditions. Though film is more expensive than photographic paper it has the advantage of allowing enlargement prints to be made of selected areas.

When photographing inanimate objects,

such as leaves, metallic specimens, chemical compounds, etc, the ground lead (marked as the negative electrode on the panel) may be connected to the upper surface of the specimen to enhance the discharge path.

ON NO ACCOUNT MUST THE GROUND CONNECTION BE USED IF PHOTOGRAPHING ANY PART OF THE HUMAN BODY.

(I feel obliged to warn against using the unit to photograph any living creature.

Ed

Providing you do not earth yourself in any way, finger tips may be photographed by lightly touching them to the paper or film (Fig. 6) - the body's natural capacitance allows for completion of the ionising path.



Photo 4. Rennie tablet

Photographing the complete hand is not recommended since the hand will dissipate the energy too much to produce satisfactory results. Be warned against attempting to increase the unit's energy output since this could be dangerous.

I am sure that Don Phillips will be pleased to hear about interesting results produced by readers using this Kirlian camera. He can be contacted at Aldon Paraphysical Research, 147 Butchers Road, Canning Town, London E16 INE. Ed.

SUGGESTED EXPERIMENTS

Your Ed suggests that some of the questions you might care to seek answers to when using your camera are:

Photo 6. House key

1. How different are the images produced by the same object at different frequencies and timing periods?


2. Are the images different when


different photographic materials are used.

eg, bromide or pan film?

- 3. Does humidity or temperature have an effect on the images? Don says this may be difficult to arrange but is essential, if only to rule out that moisture makes no valid difference.
- 4. Do the images change if the object is placed in different positions on the electrode plate? "A waste of time", says Don, "it will make no difference". Do you agree?
- 5. In the finger experiment, does the state of mind or physical well-being of the subject have any effect on the images? Don comments that this is the best test of all but is difficult to assess unless carried out












Photo 8. More finger tips








Photo 9. Mounting of power supply

under medical supervision and performed on numerous occasions to establish a statistically significant data base.

FURTHER READING

The Dark Side of the Brain (major discoveries in the use of Kirlian Photography and electrocrystal therapy). Harry Oldfield and Roger Coghill. Element Books. (Harry Oldfield is reputedly the leading researcher in Britain on Kirlian photography.)

Galaxies of Life. Krippner and Rubin. Anchor Books.

Photographing the Non-material World. Kendal Johnson. Aquarian Press.

COMPONENTS

RESISTORS

R1 47k R2,R11 10k (2 off) R3 6k8 R4,R6 4k7 (2 off) **R5** 200k R7,R8 56R (2 off) R9,R10 100k (2 off) R12 16k R13 30k All resistors 0.5W 5% carbon.

POTENTIOMETER

VR1 47k horiz preset

CAPACI	TORS
C1,C2,C13	220n 35V tantalum
	(3 off)
C3	2μF to 10μF 35V
	tant
	(see text)
C4	220µF 63V
C5	100μF 63V
C6	47μF 63V
C7	22μF 63V
C8	10μF 63V
C9	4.7μF 63V
C10	2.2μF 63V
C11	1μF 63V
C12	470n 63V
C14,C19	100n polyester (2off)
C15	47n polyester
C16	2.2μF polyester

EXPERIMENTAL PROJECT






Photo 10. Interior box showing coil mounting





Photo 11. Showing plate and power supply mounting

Photo 12. Author's complete Kirlian dc camera



C17	470n polyester
C18	220n polyester
C20	82n polyester (or 47n
	+ 33n in parallel)
C21	68n polyester
C22	47n polyester
C23	33n polyester
C24	22n polyester
C25	10n polyester
C26	lμF 63V metal film
C27	22n 1500V
	polypropylene
C28	10,000μF 40V elect
All 63V ca	aps are single ended
electrolytics	unless marked.
Polyester ca	pacitors shown have a
250V rating	

SEMICONDUCTORS D1,D3 1N4148 (2 off)

D2	1N4005
TS1,TS2	BZX61C47 transient
	suppressors (2 off)
TR1,TR2	2N3904 (2 off)
TR3	TIP32A
TR4	BU208
REC1	50V 6A bridge
	rectifier

SWITCHES

sp push make, or
microswitch
lp12w rotary (2 off)
dpst rotary mains
24V 650R dpdt relay

TRANSFORMERS

T1	12V ignition coil
	(Lucas super energy)
T2	25V + 25V 80VA toroidal,
	1.6A per winding (ILP
	Electronics 3X016)

SOCKETS

SKI	IEC mains connnectors
SK2	BNC 50 ohm socket (and plug)
SK3	4mm banana socket and plug
	(NEG electrode)

ELECTRODE ASSEMBLY

Electrode plate 204 x 254 x 1.2mm aluminium sheet (see text)
Electrode insulation 300 x 252 x 2mm plate glass (see text)

MISCE	LLANEOUS
FS1	2.5A antisurge fuse and holder
	(20mm)
FS2	1A antisurge fuse and holder
	(20mm)
LP1	mains neon (red)
LP2	mains neon (orange)
Capacitor	clip for C28. Heatsink TO3 7.2
°C vaine	d for TR4 (eg. Maplin FL59P).
Heat sink	17 °C vained for TR3 (eg. Maplin
FL58N)	Knobs (3 off) EHT lead 30kV

300mm length. Case materials to suit.



THE 'ALADDINS' CAVE OF ELECTRONIC & COMPUTER EQUIPMENT

COLOUR MONITORS

16" Decca, 80 series budget range, colour monitors, features include: PIL tube, attractive teak style case, guaranteed 80 column resolution, only seen on monitors costing 3 times our price, ready not be a best of computer or video outputs. Manufactures clude. PIL tube, attractive teak style case, guaranteed 80 column resolution, only seen on monitors costing 3 times our price, ready to connect to a host of computer or video outputs. Manufacturers fully tested surplus, sold in little or hardly used condition with 90 day full RTB guarantee. 1000's Sold to date.

DECCA 80 RGB - TTL + SYNC input for BBC type interface etc
DECCA 80 COMP 75 \(\) composite video input with integral audio amp & speaker ideal for use with video recorder or TELLEBOX ST or any other author visual use.

any other audio visual use Only £99.00 (E)

HIGH DEFINITION COLOUR

BRAND NEW CENTRONIC 14" monitors in attractive style moulded case featuring hi res Mitsuhushi 0.42 dot pitch tube with 669 x 507 pixels. 28Mhz bandwidth. Full 90 day guarantee Order as 1004-N2 for TTL + sync RGB for BBC etc £159.00 (E) 1003-N1 for IBM PC etc fully CGA equiv £189.00 (E) 1005-N2 RGB interface for QL 85 columns. £169.00 (E)

Superbly made, UK manufacture. PIL tube. all solid state colour monitors, complete with composite video and sound inputs, attractive teak style case, ideal for a host of applications including Schools, Shops. Disco's, Clubs etc. Supplied in EXCELLENT little used condition with 90 day guarantee

20" Monitor £165.00 (F)

22" Monitor £185.00 (F)

MONOCHROME

MONOCHROME

MOTOROLA M1000-100 5° CRT black & white compact chassis monitor measuring only cm 11 6h, 12w, 22d, ideal for CCTV or computer applications. Accepts standard Composite video or individual H & V syncs. Operates from 12v DC at apprx 0 8a Some units may have minor screen marks. but still in very usable condition. Fully tested with 30 day quarantee & full data. Only £29.00 (C) Yelly cased as above, with attractive moulded, desk standing swivel and till case Dim. cm 12h, 14 5w,26d. £39.00 (C) JVC type 751-75° ultra compact black & white chassis monitor for 12v 0.7a DC operation Dim cm 11h, 14w, 18d. Simple DIY circuit data included to convert data and separate sync input to composite video Input. Ideal portable equipment etc. Supplied with full data. Brand New £65.00 (B) KGM 324 9° Green Screen, Little used fully cased, mains powered high res monitors with standard composite video input. Fully tested and in excellent condition.

20° Black & White monitors by AZTEK, COTRON & NATIONAL All solid state, fully cased monitors, ideal for all types of 4V or CCTV applications. Units have standard composite video inputs with integral audio amp and speaker. Sold in good, used condition-fully tested with 90 day guarantee.

FLOPPY DRIVE SCOOP Drives from Only £39.95

A MASSIVE purchase of standard 5 25" disk drives enables us to offer you prime product at all time super low prices. All units unless stated are removed from often BRAND NEW equipment, fully tested and shipped to you with a full 120 day guarantee. All units offered operate from +5 and +12 volts DC, are of standard size and accept the common standard 34 way interface connector TANDON TM100-2A IBM compatible 40 track FH double sided Only 239.95 (B)

TANDON TM101-4 FH 80 track double sided
JAPANESE Half Height double sided drives by Canon, Tec,
Toshiba etc. Specify 40 or 80 track
TEAC FD55-F 40-80 track double sided Half Height

DISK DRIVE ACCESSOR SE

DISK DRIVE ACCESSORIES

34 Way interface cable and connector single $\mathfrak{L}5.50$, Dual $\mathfrak{L}8.50$ (A) 5.25" DC power cable $\mathfrak{L}1.75$. Fully cased PSU for 2×5.25 " Drives $\mathfrak{L}19.50$ (A) Chassis PSU for 2×8 " drives $\mathfrak{L}39.95$ (B)

8" DISK DRIVES

SUGART 800/801 single sided refurbished
SUGART 851 double sided switchable Hard or Soft sector
SPECIAL OFFER
S

COMPUTER SYSTEMS

TATUNG PC2000. Big brother of the famous EINSTEIN, the TPC2000 professional 3 piece system comprises. Quality high res GREEN 12 monitor, Sculptured 92 key keyboard and plinth unit containing the Z80A CPU and all control electronics PLUS 2 integral TEAC 5.25° 80 track double sided disk drives. Many other features include Dual 8° IBM format disk drive support. Serial and parallel outputs, full expansion port, 64k ram and ready to run software. Supplied competer with CPM, WORDSTAR, BASIC and accounts package.

BRAND NEW

age. BRAND NEW
Full 90 day guarantee.
Original price OVER £1400

Only £299(E)

Original price OVEH £1400

EQUINOX (IMS) \$100 system capable of running either TURBO or standard CPM. Unit features heavy duty box containing a powerful PSU, 12 slot \$100 backplane, & dual 8" double sided disk drives. Two individual Z80 cpu boards with 192k of RAM allow the use of multi user software with upto 4 R5232 serial interfaces. Many other features include battery backed real time clock, all IC's socketed etc. Units in good condition and tested prior despatch, no documentation at present, hence price of only £245.00 (F)
\$100 PCB's IMS A465-64K dynamic RAM, £55.00 (B) IMS A930 FDC controller £85.00 (B). IMS A862 CPU & i/o £65.00 (B)

SAE for full list of other \$100 boards and accessories

PRINTERS

HAZELTINE ESPRINT Small desktop 100 cps print speed with both RS232 and CENTRONICS interfaces. Full pin addressable graphics and 6 user selecable type fonts Up to 9.5° single sheet and tractor paper handling Brand New Only 1199.00 (E) CENTRONICS 150 series. A real workhorse for continuous use with tractor feed paper, either in the office, home or factory, desk standing, 150 cps 4 type fonts and choice of interfaces. Supplied BRAND NEW Order as.

Joder as.

150-SN up to 95" paper handling
150-SN up to 14.5" paper handling
150-SW up to 14.5" paper plandling
150-GR up to 14.5" paper plus full graphics
245.00 (E)
When ordering please specify RS232 or CENTRONICS interface

Ultra Fast 240 cps NEWBURY DATA NDR 8840 High Speed Printers Only £449 !!

A special purchase from a now defunct Goverment Dept enables us to offer you this amazing British Made, quality printer at dearance prices, SAVING YOU OVER £1500 II The NDR8840 features high speed 240 cps print speed with integral, fully adjustable paper tractor, giving exceptional fast paper handling for multi part forms etc. The unit features 10 selectable type fonts giving up to 226 printable characters on a single line. Many other features include Internal electronic vertical and horizontal tabs, Self test, 9 needle head, Up to 15.5° paper, 15 million character ribbon cartridge life and standard RS232 serial interface. Sold in SUPERB tested condition with 90 day quarantee.

EPSON model 512 40 column 3.5° wide paper roll feed, high speed matrix (3 lines per second) printer mechanism for incorporation in point of sale terminals, ticket printers, data loggers etc. Unit features bit directional printhead and integral roll paper feed mech with tear bar. Requires DC voits and simple parallel external drive logic. Complete with data. RFE and tested

Only £49.50 (C) EPSON model 542 Same spec as above model, but designed to be used as a slip or flatbed printer. Ideal as label, card or ticket printer. Supplied fully cased in attractive, small, desk top metal housing. Complete with data. RFE and tested

Only £55.00 (D) PHILIPS P2000 Heavy duty 25 cps bit directional daisy wheel printer roll defull width plattern up to 15° paper, host of available daisy wheels, single sheet paper handling, superb quality print. Supplied complete with user manual & 90 day guarantee plus FREE duts cover & daisy wheel.

Most of the items in this Advert, plus a whole range of other electronic components and goodles can be seen or purchased at our

** South London Shop **

Located at 215 Whitehorse Lane, London SE25. The shop is on the main 68 bus route and only a few miles from the main A23 and South Circular roads. Open Monday to Saturday from 9 to 5.30 parking is unlimited and browsers are most welcome. Shop callers also save the cost of carriage.

POWER SUPPLIES

All power supplies operate from 220-240 v AC Many other types from 3v to 10Kv in stock Contact sales office for more details. PLESSEY PL12/2 Fully enclosed 12v DC 2 amp PSU. Regulated and protected. Dim cnn 13.5 x 11 x 11 x 11 AC-DC Linear PSU outputs of +5v 5.5a, -5v 0.6a, +24v 5a Fully regulated and short proof. Dim cm 28 x 12.5 x 7 New 249,50 (C) POWER ONE PHC 24v DC 2 amps Linear PSU fully regulated New C19.95 (B) BOSHERT 13088 switch mode supply ideal disk drives or complete system. +5v 6a, +12 2.5a,-12 0.5a,-5v 0.5a. Dim cm 56 x 21 x 10.8 New 229.95 (B) BOSHERT 13090 same as above spec but outputs of +5v 6a, +24v New 239,95 (B) 15a, +12 v 0.5a, -12 v 0.5a.

1.5a, +12v 0.5a, -12v 0.5a

New £39.95 (B)

GREENDALE 19AB0E 60 Watt switch mode outputs +5v 6 a, +12v
1a, -12v 1a, +15v 1a.D. 11 x 20 x 5.5

CONVER AC 130-3001 High grade VDE spec compact 130 watt
switch mode PSU. Outputs give +5v 15a, -5v 1a, +8-12v 6a Dim 6.5
x 27 x 12 5 Current list price £190

Our price New £59.95.00 (C)

FARNELL G6/40A Compact 5v 40 amp switch mode fully enclosed

FARNELL Watter State Sta FARNELL G24 5S Compact 24v 5 amp switch mode fully enclosed New £95.00 (C)

Special Offer EXPERIMENTORS PSU

ONLY £16.95 (c)

Made to the highest spec for BT this unit gives several fully protected DC outputs most suited to the Electronics Hobbyist. +5v 2a, +8-12v 1a, +24v 1a and +5v fully floating at 50ma ideal for school labs etc. Quantity discount available. Fully tested with data RFE = Removed From Equipment

The AMAZING TELEBOX Converts your monitor into a QUALITY COLOUR TELEVISION

Brand new high quality, fully cased, 7 channel UHF PAL TV tuner system. Unit simply connects to your TV aerial socket and video monitor turning same into a fabulous colour TV. Dont worry if your monitor doesn't have sound, the TELEBOX even has an integral audio amp for driving a speaker plus an auxillary output for Headphones or Hi Fi system etc. Many other features. LED Status indicator, Smart moulded case, Mains powered. Built to BS safety specs. Many other uses for TV sound or video etc. Supplied BRAND NEW with full 1 year guarantee. Carriage code (B)



TV SOUND & VIDEO TUNER ONLY £29.95

TELEBOX ST for monitors with composite video input \$29.95
TELEBOX STLas ST- but fitted with integral speaker \$234.95
TELEBOX RGB for use with analogue RGB monitors \$259.95

olour when used with colour CRL RGB version NOT suitable for IBM-CLONE pe colour monitors. DATA sheet on request PAL overseas versions CALL.

MODEMS

SPECIAL PURCHASE V22 1200 baud MODEMS ONLY £149 !!

MASTER SYSTEMS type 2/12 microprocessor controlled V22 full duplex 1200 baud. This fully BT approved modern employs all the latest features for error free data comms at the stagfeatures for error free data comms at the staggering speed of 120 characters per second,
saving you 75% of your BT phone bills and
data connect time !! Add these facts to our
give away price and you have a superb buy !!
Ultra slim unit measures only 45 mm high with
many integral features such as Auto answer,
Full LED status indication, RS232 interface,
Remote error diagnostics, SYNC or ASYNC
use, SPEECH or DATA switching, integral
mains PSU, 2 wire connection to BT line etc.
Supplied fully tested, EXCELLENT slightly used
condition with data and full 120 day guarantee.

CUANTITY Only £149 (D)

CONCORD V22 1200 baud as new £330.00(E) CONCORD V22 1200-2400 BIS £399.00 (E) RIXON Ex BT Modem 27 V22 1200 £225.00 (E) DATEL 4800 / RACAL MPS 4800 EX BT

modem for 4800 baud sync use £295.00 (E)

modem for 4800 baud sync use. £295.00 (E)
DATEL 2412 2780/3780 4 wire modem unit
EX BT fully tested. £199.00 (E)
MODEM 20-1 75-1200 BAUD for use with
PRESTEL etc EX BT fully tested. £49.00 (E)
TRANSDATA 3070 baud acoustic coupler
with RS232 I/O Brand New £49.00 (E)
RS232 DATA CABLES 16 ft long 25w D plug to
25way D socket. Brand New Only £9.95 (A)
As above but 2 metres long £4.99 (A)
BT plug & cable for new type socket £2.95 (A)

RECHARGEABLE **BATTERIES**

Maintenance free, sealed longife LEAD ACID A300 12v 3 Ah £13.95 (A) £9.95 (A) RFE £5.99 (A) A300 6v 3 Ah A300 6-0-6 v 1 8 Ah NICKEL CADMIUM

Quality 12 v 4 Ah cell pack Originally made for the TECHNICOLOUR video company, this unit contains 10 high quality GE nicad, D type cells, configured in a smart robust moulded case with DC output connector. Dim cm 19 5 x 4 5 x 12 5, 1 deal portable equipment etc.

BRAND NEW £24.95 (B)

cm 19.5 x 4 5 x 12.5 Ideal portable equipment etc BRAND NEW £24.95 (B) 12v 17 Ah Ultra rugged, all weather, virtually indestructable refillable NICAD stack by ALCAD. Unit features 10 x individual type XL.1.5 cells in wooden crate. Supplied to the MOD and made to deliver exceptionally high output currents & withstand long periods of storage in discharged state Dim cm 61 x 14 x 22 Cost over £256 Supplied unused & tested complete with instructions £95.00 (E) EX EQUIPMENT NICAD cells by GE Removed from equipment and believed in good, but used condition. 'F' size 7Ah 6 for £8 (B) Also D'size 4Ah 4 for £5 (B)

BRAND NEW 85 Mb Disk Drives ONLY £399

End of line purchase enables this brand new unit to be offered at an all time super low price.

The NEC D2246 8" 80 Mb disk drive features full CPU control and industry standard SMD interface. Ultra high speed data transfer and access times leave the good old ST506 interface standing. Supplied BRAND NEW with full manual.

Only £399.00 (E)

race standing. Supplied BHAND NEW Wiln full manual Only £399.00 (E) Dual drive, plug in 135 Mb sub system for IBM AT unit In case with PSU etc. £1499.00 (F) Interface cards for upto 4 dives on IBM AT etc available Brand new at £395.00

COOLING FANS

Keep your hot parts COOL and RI range of BRAND NEW co

DC FANS
Papst Miniature DC fans 62x62x25 mm
Order 812 6-12v or 814 24v £15.95 (A)
4" 12v DC 12w 120 x 120 x 23 £12.50 (B)
4" 24v DC 8w 120 x 120 x 25 £14.50 (B)
BUHLER 12v DC 62 mm
£12.95 (A)

1000's of other fans and blowers in stock CALI or SAL for more details

SPECIAL INTEREST

Please call for availability or further info
RACAL-REDAC real time, colour drafting
PCB layout system
DEC VAX11/750 inc 2 Mb Ram DZ, and full
doc etc.
Brand New £8500
H7580A 8 pen digital A1 drum plotter with
IEEE interface
CHEETAH Telex machine
1.5950
1.5 kw 115v 60 Hz power source
5.950
0 watt INVERTER 24v DC to 240v AC sine
wave 50 Hz output

8.275

wave 50 Hz output £275
SOLDER SYSTEMS tin lead roller tinning machine for PCB manufacture 2350
CALLAN DATA SYSTEMS multi user INTEL based UNIX system complete with software and 40 Mb winchester disk drive. 22750
WAYNE KERR RA200 Audio, real time fre-

quency response analyzer £3000 TEKTRONIX 1411/R PAL TV test signal standard. TEKTRONIX R140 NTSC TV test £6900

standard. £875 HP 3271A Correlator system £350 PLESSEY portable Microwave speech / data link ,12v DC, 70 mile range The pair £275.00 19' Rack cabinets 100's in stock from £15.00

Mainland, UK Customers must ADD 15% VAT to total order value. Minimum order, cash £5, Credit Card £10. Off Government Depts, Universities, Schools & Local Authorities welcome – minimum account order value £25. Cerdit Card £10. Official account orders fror Government Depts, Universities, Schools & Local Authorities welcome – minimum account order value £25. Carriage charges (A) £1.50, (B) £3.50, (C) £6.50, (D) £8.50, (E) £10.00, (F) £15. (G) Call. All goods are supplied subject to our standard conditions of sale. All guarantees given on a return to base basis We reserve the right to change prices & specifications without prior notice. Bulk trade & export enquiries most welcome.

MAIL ORDER & OFFICES

Open Mon-Fri 9.30-5 30 32 Biggin Way, Upper Norwood, London SE19 3XF

1000's of Bargains for callers Open Mon-Sat 9-5.30 215 Whitehorse Lane,

DISTEL © The ORIGINAL FREE of charge dial up data base 1000's of items + info ON LINE NOW!! 300 baud 01 679 1888, 1200/75 01 679 6183 1200 FDX 01 679 8769

ALL ENQUIRIES 01 679 4414





SMART HOME CARDS

Roy Bright of Smart Card International coined the name "Smart Card" for its first international showing in 1980 and has been heavily involved in its world-wide commercialisation since then. He began his conference presentation with a brief look at the

Moreno pioneered the technology and filed his first patents in the mid 1970s. Following the successful conclusion to trials by licensed suppliers in France, banks adopted the technology and, using Honeywell Bull's technology, implemented the new point of sale service using a "mixed card" comprising a magnetic stripe, microprocessor and an 8K memory. 16.4 million cards, plus associated reader etc,



Ulticard - The ultimate in really smart cards. The same size and thickness as an ordinary credit card, but has microprocessor built into it providing high protection of security codes.

the term "smart". The microprocessor is used to control the various card functions as well as provide a variety of services, such as calculations, which can be programmed according to the particular needs of the

Applications to which the card can be put in the automated home are likely to be initiated by the building industry. The smart card industry itself is unlikely to take the initiative in this area, though many possible applications are foreseen. For example, it is likely that "smart homes" will be designed in which the various functions may be controlled via an active smart card. This would provide a set of easily comprehended prompts to guide the householder through a routine of keyboard entries to produce a master control program for the house, protected by the householder's PIN. Smart cards could be used for gaining access to the house and garage, for operating the

HOME AUTOMATIO

were ordered for delivery over a three year period commencing 1986.

Meanwhile, Flonic Schlumberger was developing a pre-programmed card which, though less sophisticated, had the advantages of low cost, rapid development, and met ISO thickness requirements. Adopted by French Telecom for their Card-Phone service, 25 million cards have been supplied.

Prior to 1985, manufacturers had little choice but to use non-reprogrammable memory in their cards. With the greater reliability of eeproms, cards are now available with up to 64K reprogrammable memory.

Conventional smart cards are passive, that is they can only be activated by insertion into a terminal having keyboard and display facilities, and capable of supplying power to the card. The high cost of terminals restricts the number of locations in which they can be placed, so restricting their convenience. To meet this problem, active cards are being developed, containing their own terminals and power source. They can be regarded as the "missing link" between passive cards and personal computers.

Effectively, an active smart card is a pocket-sized pc, but with the added benefit of being highly secure, while retaining compatibility with the interface standards for conventional smart cards. Like a pc, active cards have read-in, read-out facilities; use data-file structures with indexing; provide powerful processing features including scratch pad memory, and can communicate externally. Active smart cards are now currently marketed under the trade marked name of Ulticard, and have such diverse applications as welfare services, libraries, employment BY JOHN BECKER PART TWO

THE LINE, THE SWITCH AND THE AUTOMATED WARDROBE.

Continuing our report on how leading experts regard the future for home automation.

seeking, cinema attendance, car parking and medical treatment. They are also highly suited to applications in an automated

Before considering suitable applications in the home, it is important to understand some of the unique features which could be exploited in this environment.

A major attribute of any smart cart is its inherent security. First, the authentication of the card holder requires the correct Personal Identity Number (PIN) to be entered. Then the card is equipped to authenticate itself to the system before it is accepted as legitimate. It is important to note that the latter secret identity code never leaves the highly protected memory zone in the card. When challenged by the system, the card's microprocessor conducts the interrogation internally and transmits an encrypted response, so avoiding disclosure of the actual code outside the card.

These outstanding security features, and many others, are achieved by the card's embedded microprocessor. It is this which sets the smart card apart from other plastic card technologies and justifies the use of

alarm system, and for activating high value consumer items such as tv, video, hifi, etc. With the cooperation of equipment manufacturers this would be a major deterrent to burglars. Using a suitable home-based terminal, the enhanced security also allows for fund transfers in both telebanking and teleshopping, as the French are already discovering.

These innovations are unlikely to occur overnight, though an increasingly rapid proliferation of smart card technology is expected.

DISPLAYS IN TOMORROW'S HOME

Peter Forster has worked for Philips Electronics for the past 24 years, occupying his present position as Strategic Planning Manager since 1984. During this time he has been an active member of NEDO Interactive Home Systems Task Force . . .

Displays are now an integral part of the home and 97 per cent of the 20 million homes in the UK have a tv, and many have more than one. This has implications for the family unit for the tendency is for the family to split into separate cells for discrete viewing.

In the simplest situation, ie, with entertainment, transmission is basically one way. Teletext represented an important step forward in that users can interactively search for external data when required. The integrated home systems concept takes us another stage further as the tv can now monitor sensors around the home and display their status or images on the screen.




Fig.9. Bang and Olufsen's concept of a distributed sound and vision system

We can go on from that stage and build in other options allowing the user to remotely take action in respect of the displayed status.

LCDs could be dotted around the house at easily accessibly points, such as at each light switch. Each room has at least one light switch and represents a convenient access point to a home data bus via existing or additional wires. It is technically possible to install sensors which determine the whereabouts of any person and activate an audio or video message according to locality.

HDTV is important in the context of automating the home. Pilot transmissions should start this year, and services start in 1992. The number of lines will double from 625 to 1250, the pixels will increase from 180,000 to more than 700,000 and further improvements will give strikingly detailed, clearer, crisper pictures. These improvements will make it possible to view much bigger screens. Today's screens still use the same format as in 1936, an aspect ratio of 4 by 3, but with hdtv the format will be 16 by 9. The extra width will make the format compatible with film so the screen will not cut off detail to either side as currently occurs in many instances. HDTV will also bring superb digital sound of cd quality, and surround sound to give cinema style effects in the home.

In the longer term we can expect further developments. As the use of optical fibres is

extended in cable tv, the extra bandwidth will allow an increase in the picture data transmitted. For example, picture in picture facilities with the home viewer able to zoom or shift images across the screen according to whim. The increased use of projectors for tv displays is another possibility foreseen, resulting in much larger images, projected perhaps onto the livingroom wall.

These improvements will only be beneficial if the consumer accepts their desirability. It is likely that consumers will be encouraged in this by the falling real costs of electrical goods, accompanied by an increase in functionality – a form of efficiency, since the equipment can do more. It has been calculated that had the same results been achieved in the automobile industry, the price of a Rolls Royce would be £3.75 and it would travel three million miles to the gallon!

DISTRIBUTED SOUND AND VISION

Keld Harder has worked for Bang and Olufsen for thirty years and is currently project manager of the Home Information Network project in which several large Danish companies participate. Though his comments relate specifically to Bang and Olufsen, other companies in the field have similar viewpoints.

"Give freedom to consumers to compose individual system solutions" is Bang and Olufsen's view. The Beolink system represents this philosophy, being a totally integrated audio/video system with distributed sound, picture and operation. (Photos).

It comprises a central audio/video system with which consistent high quality picture and sound equipment can be available in, and controlled from, every room in the house. The concept is an integration of data, control, sound and picture. Video signals are distributed through a coax cable, and data and sound are distributed via a shared 7-conductor cable. In order to ensure the consumer's simple use of the system. however complex, the number of buttons has been reduced to a minimum and made readily accessible. The user can also communicate with the system via infrared remote controls. The system is not restricted to entertainment purposes and it additionally allows control and monitoring of security and other home automation functions, plus a connection to the telecommunications network.


To ensure the widest possible perspective for Beolink, B&O entered into cooperation with several Danish companies, including one of the telephone companies. The collaboration has two objectives - to ensure that the products of individual firms are adapted to the home automation market, and to coordinate product developments so that they collectively form a total system comprising entertainment, information, telecommunications, teleoperation, energy control and security. With the additional cooperation of the Danish Ministry of Industry considerable finance has been invested in the "Handbook Project". This will contain guidelines on the design and implementation of home information networks so encouraging Danish industry to meet the requirements for complete automated homes.

INTERACTIVE VIDEO

Bryan Quilter is Chairman of National Interactive Video Centre Ltd, a government/industry supported organisation for the encouragement and development of interactive video in the UK. He presented a video in which several key points were made . . .

Interactive video brings together the power of the computer combined with the highest quality motion pictures. This unique combination has to date been expensive and more suitable for industry, education and institutions rather than the home consumer market.

Technical innovations can find early markets in one section and migrate to another. Computers reached the consumer in micro form after decades of development in industrial, scientific and similar



Products in Bang and Olufsen's interacting distributed sound and vision range

applications. Video travelled from consumer to industry. Technology is being transferred more widely and more quickly than previously. USA, Japan and Europe follow in quick succession. Standards battles may well be resolved at pre-competitive stages.

The key to the use of interactive video will be software. This could be entertainment, information or knowledge led and could reach the home from school or work. CDI is about to be launched and could be the first interactive visual medium for the home, if the performance and price expectations are realised. In any event the demand for IV software is very large and growing, and there is an immense opportunity for the UK.

At the training level, managers and government can solve many problems and potential problems by a bold and vigorous use of IV now. The benefits in the home will follow logically as the various elements fit into the market place.

HOME BANKING

Jonathan Reynolds is currently Research Fellow in Retailing at Templeton College, Oxford. He believes that the future of home banking in the long term can be said to be tied in with the future of interactive services consumer generally.

According to a recent pronouncements by all the leading UK clearing bank retail banking directors, the future is not technology-led: "The nature of branches many well change. In the long term, there will be greater emphasis on self-service of all kinds and we will certainly see unmanned branches. But you cannot ignore the fact that the branch network is a very important sales force '

The future of home banking services using new technologies such as videotex, voice

synthesis and voice recognition has demonstrated two key advantages to those involved: greater accessibility and speed of control for consumers over their financial affairs; for the financial institutions a potentially drastic fall in the cost of paperbased processing. But the cost to the institutions and customers is still questionable - home banking using any of the newer technologies is an extraordinarily expensive capital investment.

Banks have been progressively moving towards automation since the 1960s, and "like old age, home banking is inevitable, but nobody wants to get there first". Using the home for banking affairs appears intuitively more attractive in the US than perhaps anywhere else in the world. In reality, the experience has been rather different. The estimate is that there are fewer than 80,000 subscribers to bespoke home banking services at present. The results are as yet inconclusive, and it might be said that the jury is still out.

In France it appears that the jury has been

rigged! As a result of considerable state subsidisation of videotex distribution, one of the major cost barriers to the banks, the provision of terminal equipment in the home, has been largely overcome. At the end of 1987 there were some 850,000 customers of home banking services in France - one customer in 25 households.

Home banking in the UK has been characterised by early pioneering developments, followed by a disparate range of schemes and technologies advanced by banks and building societies. The lack of a large terminal population working to a common standard has prevented the kinds of scale economies and exponential growth of home banking services experienced in France – as it has prevented growth in other home-based teleservices.

Currently, home banking services in the UK are offered by the Bank of Scotland, Barclays Bank (pilot scheme for staff only), Clydesdale Bank, Lloyds Bank, Midland Bank (pilot scheme for selected customers Nationwide Building Society, Nottingham Building Society, Royal Bank of Scotland, and TSB/Speedlink.

When asked by Gallup in 1987 "which are you most likely to use computer shopping for?", 28 percent of UK respondents quoted banking affairs, second only to groceries. Popular support exists in principle for home banking, but a series of paradoxes dominate consumer issues in this area: consumers require the assurance of a secure system, but without the attendant complexity; they demand speed of access and interrogation of account information, but without the loss of the "float"; they demand a service at a low (or at no) cost, but one which is of high These conflicts quality. are irreconcilable, but may be costly and complex for suppliers to introduce.

Despite some negative aspects, there are genuine opportunities for growth in home banking services, but as part of a broader strategy. It was never envisaged that home banking would ever replace conventional retail banking activities, but that it might enhance and complement it.



Examples of NEC's domestic controller units

HOME SHOPPING

Richard Poynder is Managing Director of Keyline Shopping Ltd. He described a unique concept in home service, which is being launched in the UK by Keyline in Autumn 1989. The company's product is an electronic communication system linking domestic consumers to wide variety of retail and financial services. The system comprises home terminals, an electronic delivery network accessed by a local telephone line, and a main computer system installed within the service provider's premises. Keyline was founded in November 1978 by Christopher Curry, co-founder of Acorn Computers and inventor of the BBC microcomputer.

Keyline consider that a home service should be seen as complementary to more traditional forms of shopping, and that three types of service are needed: shopping for and purchase of retailed products – home shopping; acquisition of financial services – home banking; obtainment of useful information – home information. These services are needed 24 hours a day, seven days a week, and in the case of tangible goods, there needs to be an efficient delivery or collection service.

The objective is to distribute 2.5 million terminals to consumers and, through the participation of major retailers and financial institutions, to enable the consumers to shop for, compare prices of, order and pay for a large variety of products and services. The terminals are inexpensive to manufacture, portable, intelligent and able to be used by inexperienced operators —



A keyline terminal – the hi-tech answer to shopping and information services every day of the year.

ordinary people in their own homes. The range of uses for the terminal when connected through the normal modern BT wall socket is almost unlimited – bounded only by the range offered by the service providers. The process of obtaining goods and services is intended to be simple, fast, convenient and cheap.

The terminal is battery-powered and


enables requests to be entered in simple English. At the right moment, the terminal will automatically connect the consumer, through the telephone line at local call rates, to one or more appropriate participating service providers. The customer is then prompted through the acquisition process for the required product, following information displayed on the terminal and entering simple English responses. Then, under password control, products can be ordered through the terminal, and paid for by any method agreed between the consumer and the supplier, eg, credit card, store account or current account. The method of goods delivery will also be by any mutually agreeable method.

Other facilities are offered by the terminal, both for local off-line use as a calculator, alarm clock, list storage, telephone number look-up, and for use connected to other domestic systems such as intruder or smoke detection devices.

Consumers may acquire the terminals at no capital cost, simply on application and payment of a small returnable deposit (around £35). They will then only need to pay for batteries (say 4 x AA batteries twice a year), and local telephone call charges for the time during which the terminal is online. Optional printers will also be offered to consumers, at a price of about £50.

The system has been designed specifically to protect consumers, retailers and financial institutions from fraudulent misuse. Features include both hardware and software tamper-resistance, as well as three levels of encryption depending upon the type of transaction being undertaken. User authentication will be by passwords issued secretly to users.

Fig.10. Comparison of building regulation standards in ten European countries using the Milton Keynes Energy Cost Indicator (MKECI)



DOMESTIC ENERGY CONTROL

Brenda Boardman is an independent energy consultant who has researched into energy use in the home for the last six years and is a member of many related organisations.

The best known method of auditing energy is the Milton Keynes Energy Cost Indicator (MKECI), which is an index based on cost. Fig.4 shows the MKECIs for identical three bedroom, five person, end of terrace houses, if built in Britain to the standards of the present building regulations of ten European countries. The lower the MKECI the less energy is used – so Britain is the worst of the countries illustrated, and Finland the best.

In a typical house about 12 per cent of the energy comes from electricity, but this represents 40 per cent of the costs. Fig.5 shows the way in which electricity is used by appliances in an average house in northwest England, excluding heating and cooking. Fig.6 shows the electricity demand over a 24-hour period in England and Wales




Fig.11. Electrical appliance consumption in an average house (excluding space/water heating and cooking)






Fig.12. Electricity demand over a 24-hour period, England and Wales

displays showing the price of the present band to enable more precise energy management and establish which appliances could be switched off to save consumption during peak periods.

It is known that consumers value immediate control in central heating systems and gas central heating, the most responsive of systems, has continued to increase in popularity in all income groups (Fig.7).

Another force for change may come from increasing concern for the environment. both globally and within buildings. Such factors as depletion of the ozone layer and the greenhouse effect will have an impact on the techniques used to insulate homes and reduce energy consumption.

However, there are two other social factors that influence successful home automation. There can be considerable difficulties and expense involved in getting appliances repaired, consequently products must be reliable. Secondly, for products to be acceptable they must be as much designed for use by people with disabilities as for the able-bodied. Careful thought must be given to products intended for achieving energy efficiency.

AUTOMATION FOR THE DISABLED

Elizabeth Fanshawe OBE DipCOT has been Director of the Disabled Living Foundation since 1983, and is a member of many organisations to do with improving the quality of life for disabled people. The Foundation is a national information resource on the non-medical resolution of the daily living problems facing the disabled.

The bulk of her remarks were addressed to the problems of disability as whole rather than to how automation might help the disabled. They were a chastening reminder that society has still not made adequate provision for the disabled in many areas. She made the point that due to the aging process alone nearly all of us may become disabled in some way. A DoH survey shows that six Britain adults in disabilities. This is a large market to explore, even though the disabilities do not conform to a designer's ideal requirement for standardisation.

Initially, she pointed out, the mass market appliance manufacturers can help the disabled by ensuring that control knobs are of a size suitable to those with impaired grasp; that control legends and instruction documents have letters large enough for those with restricted vision to read and that they contrast well with their background.

She declined to give "a list of wizzy automated items that disabled people need because if such items are designed with the needs of ALL in mind they will be of just as much use to (the majority of) disabled people as they are to everyone else." Though she went on to say that the DLF can discuss various needs with interested companies, I was disappointed that at a conference of this calibre, to which the press were invited, she did not itemise and gain greater publicity for some of the less obvious applications for technology in aid of the disabled.


AUTOMATION FOR THE

Nigel Appleton is the Projects Director for the Anchor Housing Trust. His comments were largely related to defining old age and examining the economic situation for older people. He acknowledged that there is an undoubted role for automation and information systems in the field of specialised housing for the elderly . . .

To date the greatest penetration has been in communication and security systems. A major area of concern is the need to cope with increasing levels of frailty and confusion. Applications include supervision residents. monitoring of selfadministered medication, and control of mobility equipment. Many older people live alone or with one other elderly person, and are often at a distance from supportive family or friends. For the future their capacity to cope may depend upon a mix of human and technological support systems.

The problems are relatively basic. The need to control their environment, ie, heating and ventilation control and monitoring. The need for security and safety - alarm systems, smoke detectors and low temperature monitors. The need for communication - telephone and intercom systems, emergency call systems, computer banking and shopping. The need for low level support in personal care - activity monitoring, "vital signs" self-monitoring, and medication prompting. In all four areas the technology is already available and much of it is unsophisticated. The immediate future in this market lies not with new frontier technology but in the answers to two crucial problems : acceptability and affordability.

The resistance of older people to the acceptance of the new is probably no greater than for other age groups. But it may be that the way forward is to build on two pieces of equipment with which most older people are already familiar - the tv



and the telephone. On affordability, there is the question of whether the market will be exploited solely for profit or whether there would be some intention of meeting need. The telephone is vital to the independence of elderly people, but many cannot afford it. Other systems and equipment which the majority of those who need them cannot afford will be seen as no more than rich geriatrics toys. Products and services must be affordable by a substantial number of those who actually need them.

There is a defined market for information and automation technology in specialised housing for older people. The greater challenge is in meeting the needs of the 95 per cent of elderly people who remain in their own homes. The need is for systems which will supplement or replace human support systems. Some needs and products are already identified but further product development is required and the future depends upon industry's ability to respond to the challenge of acceptance and affordability.

CONSUMER VIEWS

Dr Liz Mandeville joined RMDP's research department in 1985 and has been closely involved with the field of home automation. She has just completed a second programme of research on the same subject among consumers to establish their interests, attitudes, expectations, fears and concerns.

IMAGES OF THE AUTOMATED HOM								
ĺ	Image	Attractive	c/ _c	Unattractive				
	Home-accessed facilities	58.5	λ.	14				

TABLE 1

Table 1 shows the percentages of all participants who found the listed images attractive or unattractive. From the table it is apparent that the more "science fiction" images of robots and automated furniture are generally disliked, though opinion is divided on the merits of appliances capable of conversing with the householder.

This suggests that people like the idea of exerting greater control over their home, but don't like "gadgets". Fear was also expressed of a Sorcerer's Apprentice situation with unstoppable machines forever turning the tv on and off, puntping water, opening and shutting windows, and even answering back when told to desist. As it emerged in discussions, programmability is a double-edged concept: control is good in human hands, but extremely threatening when handed over to a machine.

TABLE 2 APPLICATION AREAS: LEVEL OF INTEREST

ı	ľ	
	Area	Average Number of
		Mentions for Services
	Household security	74.5
	Energy management	67.5
ŀ	Working from home	60
ı	Financial services	54.5
ı	Household management	53.5
ı	Entertainment, education	
ı	and culture	44.5
Į	Health monitoring	41

Interestingly, the concept of home automation evoked certain initial responses, but attitudes changed when people began to consider some of the areas where home automation can be expected to have an influence. This is probably partly because it takes the subject out of science fiction or hobbyist atmosphere which tends to surround it – people began to think in detail how it might really affect their lives. Table 2 shows the levels of interest in particular areas as revealed by the number of mentions made during the discussions. The limited nature of this information is recognised.

TABLE 3 MOST AND LEAST POPULAR APPLICATION AREAS

Area	% of 'High'	% of Low
	Responses	Responses
Entertainment, educati	on	-
& culture	37	3
Household security	23	-
Energy management	23	3
Financial services	7	9
Household manageme	nt 7	13
Health monitoring	2	38
Working from home	l	34

Participants were asked to say which application areas they thought would prove most popular, and which the least. Table 3 shows the ranking order of the areas. The results indicate that there are clear winners and losers in the popularity stakes. Significantly, working from home, which has received a relatively large amount of publicity in discussions of home automation, fares very badly. (Strangely, considering the current media coverage relating to healthy living, so does health monitoring. Ed)

Discussions about who will benefit most from specific areas of home automation revealed the information in Table 4.

To assess participant's fears, the members of the groups were offered eight statements about home automation, each embodying a distinct attitude towards the subject, and asked which, if any, they agreed with. All except the last began "I think home automation ..."

- 1... represents progress in life styles. I look forward to its introduction.
- 2... is the latest fad, and will go the same way as other fads. I do not think it is something to take seriously.

TABLE 4 WHO WILL BENEFIT MOST FROM HOME AUTOMATION?

Area Education, entertainment	Main Beneficiaries & Everyone - 50%
culture	The young - 40%
Household security	Everyone - 48%
	The old - 26%
	The rich - 26%
Energy management	Everyone - 38%
Financial services	Everyone - 30%
	The rich - 40%
Health monitoring	Hypochondriaes/
	health freaks - 33%
	The old - 29%
Household management	No particular pattern
Working from home	No particular pattern

- 3... has a lot to offer, but I am concerned about its implications for privacy and security of the home.
- 4... is likely to appeal only to technology enthusiasts.
- 5... is of great benefit to housebound and disabled people, but am not convinced that it has much to offer the population in general.
- 6... will change people's lives in ways we cannot yet foresee. I am concerned that many of the changes will be for the worse.
- 7... will make the task of running a home efficiently much easier and more cost effective. I welcome this development.
- 8... I regard the home as a private and relaxed place. I do not welcome the intrusion of high technology into the home.

Table 5 shows how participants responded to these statements.

TABLE 5 ATTITUDINAL STATEMENTS ON HOME AUTOMATION

Statement	% of Respondents
	agreeing
Look forward to progress	41
Unserious fad	8
Concerned about privacy	
& security	48
Only for enthusiasts	27
For housebound and disable	d 52
Concerned about changes	47
Welcome household help	39
Intrusion on privacy	29

Fewer than a third of participants think home automation is only for high tech enthusiasts or worry about its intrusion into the home, and fewer than one in twelve consider that it is a fad which will go away. The highest support is for those statements which reflect uncertainty and reservation. The task of companies entering this market will be to identify and address major areas of concern, so that their products may be received as helpful rather than threatening. This research is designed to help with that task.

Both as PE's Editor and as an interested individual. I would have additionally liked to know the social and age groupings of the participants in relation to their answers.



TOTAL CONTROL

Colin Blake describes himself as an automated home owner! Like many PE readers, he loves inventing, making and installing almost anything electronic or mechanical that takes his fancy. What he has designed for his home holds many possibilities for the advancement of future living.

Home automation has the ability to allow people to lead a more organised, secure and stressless lifestyle. It also has a novelty factor - capability to control appliances that most of us regard as only suitable for human intervention.

the home has a Automation of personality extension - to some people their image must be reflected in the home and they draw inspiration from the James Bond examples so much admired on the screen. The entertainment world has been prone to showing home automation in a negative light - gaining humour from situations where automation goes wrong. The real world is not usually like that - if automation constantly went wrong no-one would buy washing machines, toasters and other electro-mechanical devices.

I started automating my home by infrared light controllers, installing adjustable lampshades, video cabinet with opening doors and sliding table, and provided the windows with electric curtains! It was soon apparent that each

function needed separate controllers and that finding the appropriate one took longer than manually performing the same function. The implementation of a single master controller was the next objective.

Demobbing the home computer from the space-wars front, I built an interface, wrote software and converted the system to generate patterns of control sequences for lights and curtains. But it was limited freedom of control was needed, a method of communicating with the computer that didn't restrict access.

The humble telephone - that was the answer, a means of communication from almost anywhere to the home. A second interface was built linking the phone to the (dual dtmf tone computer via multifrequency) across a conventional voice link. A dtmf tone pad placed over the handset would send coded data to the computer, which would reply with menus and prompts generated by digitally assemble human voice. In 1987 the next module was built, and control of a table lamp in the living room became telephone active!

Currently I have control of central heating, hot water, house lighting, curtains and what must be a first - an underground plumbed sprinkler system to water the lawn. And all controllable at any time of day from anywhere in the world by the push of a button over the telephone.

May that be inspiration to all PE readers! \mathbf{PE}

REFERENCES

Anchor Housing Trust, 0865 311511. Nigel Appleton.

Bang and Olufsen, 0452 307377. Bob Stockwell.

BBC Engineering, 01-927 5432. David Lees

Brenda Boardman, 0273 472029.

British Telecom Research Laboratories, 0473 643210. Keith Clarke.

Disabled Living Foundation, 01-289 6111. Elizabeth Fanshawe.

IBA, 04893 2130. Walter Anderson. Institute of Economic Affairs, 02406 3128. Keith Miles.

Keyline Shopping Ltd, 0480 87464. Richard Poynder.

National Economic Development Office, 01-211 3100, Barbara Stephens.

National Interactive Video Centre Ltd, 01-387 2233. Bryan Quilter.

NEC, 01-993 8111. Keith Yassui.

Oxford Institute of Retail Management, 0865 735422. Jonathan Reynolds.

Philips, 01-580 6633.

Phone Control Services, 0527 46545. Colin Blake.

RMDP, 0273 722687. Liz Mandeville. Science Policy Research Unit, 0273 686758. David Gann.

Smart Card International, 0689 78345. Roy Bright.

Thorn-EMI, 01-848 9779. John Ryan.


We are grateful to RMDP for their kind permission to publish summaries of the information presented at the conference



★ LEARN BY BUILDING ★ ENJOY BY USING ★

ROJECT KITS

* BE CREATIVE * RAISE YOUR SKILLS * GET KITTED! *



DUAL BEAM OSCILLOSCOPE

2Y-amps, 6 ranges, variable level, DC to over 1MHz. 4 modes - Y1, Y2, Y1 & Y2, Y1 & Y2 to X. Time base variable from 0.05Hz to 20KHz. Variable sync level, polarity and source. Separate bright-line, brilliance and focus controls. Independent trace deflection controls. Details in catalogue.

BURGLAR ALARM CONTROLLERS

MULTIZONE CONTROL

SET280

£23.90

Two entry-zones, anti-tamper loop, personal attack, entryexit timing, timed duration, automatic resetting, latching LED monitors.

SINGLE ZONE CONTROL

SET279

£10.50

With timed duration control and latching LED monitor. Both units can be used with any standard detection devices, such as contact or magnetic switches, pressure pads, tremblers, ultrasonics, infrared etc., and will activate standard bells, strobes or sirens.

COMPUTER KITS

The software listings published with the computer kit projects are for use with C64, PET and BBC computers. £41.50 **CHIP TESTER SET258F**

Computer controlled logic and chip analyses **EPROM PROGRAMMER SET277 £26.20**

Computer controlled unit for 4K Eproms £69.50

MICRO-CHAT SET276

£49.50 **MICRO-SCOPE SET247** Turns a computer into an oscilloscope. £57.40

MICRO-TUNER SET257 Computer controlled, tuning aid and freq counter MORSE DECODER SET269 £26.70

Computer controlled morse code-decoder

MORE KITS IN CATALOGUE SEND MEDIUM S.A.E. FOR CATALOGUE AND WITH ALL ENQUIRIES (OVERSEAS SEND £1.00 TO COVER POSTAGE)

VOICE SCRAMBLER SET287 £49.50 32 switchable channels to keep your communications confidential.

£35.50 each unit STORMS!

£69.50 **DISCO-LIGHTS SET245F**

4-digit display counting for any logic source


VARIOUS

Raw nature under panel control! Wind & Rain SET250W. Thunder & Lightning SET250T.

3 chan sound to light, chasers, auto le EVENT COUNTER SET278 £36.60

PHONOSONICS, DEPT PE95, 8 FINUCANE DRIVE, ORPINGTON, KENT, BR5 4ED.

ASTRONOMY



SIDEREAL CLOCK £49.50 SFT295 Dual purpose star-time and

solar-time digital clock with alarm.

ENVIRONMENT

WEATHER CENTRE

Keep the Met Office in check and monitor the wind speed and direction, rain, temperature, soil moisture and sunny

Six detector circuits – KIT 275.1

Automatic metered control monitor circuit - KIT 275.2

£15.50

Optional computer control circuit - KIT 275.3

ELECTRONIC BAROMETER SET285

Computer controlled unit for monitoring atmospheric

GEIGER COUNTER SET264

A nuclear radiation detector for environmental and geological monitoring. With built in speaker, meter and digital output. This project was demonstrated on BBC TV.

ORDERING

Add 15% VAT. Add P&P – Sets over £50 add £3.00. Others add £2.00. Overseas P&P in catalogue. Text photocopies – Oscilloscope £3.00, Geiger £3.00, Weather £2.00, others £1.00, plus 50p post or large SAE. Insurance 50p per £50. MAIL ORDER, CWO, CHQ, PO, ACCESS VISA. Telephone orders: Mon-Fri, 9am – 6pm. 0689 37821. (Usually answering machine).

MAIL ORDER

£41.20

HIGH GRADE COMPONENT PARCELS

EVERYTHING MUST

UNIVERSAL EVERYTHING PARCEL

This one contains some of just about any component you care to name There are passives (resistors, capacitors, tants, presets), opto devices (couplers, LEDs of all shapes and sizes, infra-red components, 7-segment displays), semiconductors (transistors, diodes, ICs, rectifiers), and all kinds of other odds and ends (relays, VDRs, neons, battery connectors, mixed components packs). A stunning range of components – enough to get a workshop or lab started – at a

ridiculously low price
The components are of excellent quality, in packs originally intended to
sell at £1 each. To make sure you get a good variety, the 20-pack
parcel will have no more than two of any one pack, the 100 pack parcel
will have at most five of any one pack. Packs supplied as they come —

our choice.

PARCEL 1A: 20 PACKS for £10 + VAT
PARCEL 1B: 100 PACKS for £39! + VAT

components. If some of the offers look too good to be true, all I can say is that the optimists will get some stunning bargains, the cynics will never know what they ve missed, so everybody will be happy! All offers apply only while current stocks last — watch out for next month's parcels or, better still, be the first to hear about any new offers by putting your name on our mailing list. (Please or devices of the control of the control

MASSIVE CLEARANCE SALE

Once again, a general purpose parcel containing a huge variety of components: resistors, capacitors, ICs, transistors, electrolytics, tants, triacs, LEDs, diodes, thermistors, trimmers, VDRs, all sorts. All new, top quality components. This is mostly remainders from our own stock – stuff we forgot to advertise, or have in too small a quantity to sell individually. Guaranteed to be worth at least eight times the price if valued from any standard component catalogue! What more can I say?

PARCEL 2A: 1000+ top grade components for £12! + VAT (Value £100+)

PARCEL 2B: 5000+ top grade components for £49! + VAT (Value £500+)



INTEGRATED CIRCUITS

This parcel contains nothing but ICs. The mixture offers TTL and CMOS logic, interface ICs, linear, data converters, op-amps, special functions, and so on. Some of the ICs are pre-packed with data sheets, some (TTL, CMOS, op-amps) we expect you to identify for yourself, others will be covered by the free *data pack* provided, and the rest you'll have to identify under your own steam. If you know your ICs you'll be in for a few nice surprises.

PARCEL 3A: 100 ICs for £12! + VAT


PARCEL 3B: 500 ICs for £49!



ELECTROLYTICS

A first class selection of good, modern electrolytics. The mixture ranges from small coupling caps up to huge power supply electrolytics – you'll be hard pressed to find any value between 1µF and 2200µF that isn't represented. A wide range of very useful components. Go for it!


PARCEL 5A: 1000 ELECTROLYTICS for £8 + VAT PARCEL 5B: 2500 ELECTROLYTICS for £16 + VAT



TANTALUM CAPACITORS

A nice range of tants in values up to 47µF. Lots of useful caps, and we're not mean with the most expensive ones. A fine selection.

PARCEL 4A: 100 TANTS for £6.80 + VAT PARCEL 4B: 500 TANTS for £29! + VAT



TRANSISTORS

A mix of general purpose silicon transistors, mostly bipolar NPN and PNP, with a few FETs and unijunctions thrown in (when available) to spice the mixture. The contents vary from month to month – at the moment there are BC212s, BC213s, BC548s, BC238Bs, MTJ210s, and so on. Next month – who knows? All top quality components.

PARCEL 6A: 200 TRANSISTORS for £7.80! + VAT

HIGHGRADE COMPONENTS LTD

Unit 108, 8 Woburn Road, Eastville, Bristol BS5 6TT

LEDs

6.30 pm)

All shapes, sizes and colours of LEDs. Round ones in various sizes, rectangular ones, red, green, amber and yellow ones, clear and tinted lenses, all sorts.

PARCEL 7A: 100 LEDs for £5.90 + VAT PARCEL 7B: 500 LEDs for £24.90 + VAT



An exciting selection of capacitors. There are ceramics for decoupling and general use, Polystyrenes for high performance circuits, dipped and moulded polyesters in values from a few nF up to 2.2µF (very expensive!), tants and aluminium electrolytics – just about any capacitor you'll ever need. Don't miss this one!

PARCEL 8A: 1000 CAPACITORS for £6.50 + VAT



UK Orders:

Please add £2 50 Towards postage and packing and 15% VAT to the total

Europe and Eire:
Please add £6.00 carriage and insurance. No VAT?
Outside Europe:


Please add £12.00 carriage and insurance. No VAT



est gear is an important part of any engineer's toolkit and, like any other tool, having the right pieces of test gear can save a lot of time. The quality of gear is important, too. Ever tried using a soft-metal screwdriver?

One of the most fundamental items in the toolkit is the meter. A few years ago, the meter would almost certainly have been an analogue one. Now the most common type seems to be the digital multimeter. Originally, these were expensive and were only seen in professional use. However, they have dropped in price and are now easily afforded by the keen amateur.

Choosing which meter you want to buy might seem like a simple task – but as you delve into the jargon you might discover that meters, analogue and digital, have a lot more to them than meets the eye. Some modern digital meters can appear to be very complex – but is the complexity worth it?



DIGITAL MULTIMETERS

BY SAMUEL DICK

There are three quick reasons why, in most instances, a digital meter is better than an analogue meter. The first of these is accuracy. Accuracy is usually expressed as a percentage of the value read plus or minus one or two digits. For measuring dc voltages, a manufacturer might specify $\pm 0.3\% + 1$ digit. This means that if we were measuring, say, 2Vdc the error would be (2*(0.3/100))=0.006V from the first part of the specification and to this 0.006V we would have to add 0.001V if we were using a " $3^1/2$ " digit meter on, say, a 4 volt scale.

WHY DIGITAL

By a 3½ digit meter, the manufacturer means that the meter will display three digits with 0 and 9 capability but there will be another digit which will only be able to display 0, 1, or 2 (typically). Hence, the meter will read from 0000 to 2999 but the exact range covered will depend on which range is selected by the user. So it might be 0.000 to 2.999 Volts or 00.00 to 29.99 mA or 000.0 to 299.9 Ohms. The decimal point can move around to accommodate different ranges.

This level of accuracy is far above what analogue meters can manage – typically a few percent accuracy. But be careful. If you use a 000.0 to 2999.9 mA range to measure a current of only 3 mA then the digital meter's accuracy will fall. Using the same specified accuracy as above, 0.3% of 3mA is 0.009mA. Remember that we have to add the "1 digit" (which is always the least significant). The accuracy is now 0.009mA plus 0.1mA which represents 3.6% of the reading. So with a digital meter you have always to remember to use the most

Digital meters don't do magic, but they can do some tricks that analogue meters find hard to match, and are increasingly applicable to today's developments.

sensitive range which will cope with the quantity being measured.

The next advantage of a digital meter is the resolution If you have to measure small fluctuations in a constant signal then the higher resolution will enable you to see the changes where small movements of a panel meter's needle would never be spotted.

The digital meter converts the analogue signal from the test-prods using an analogue-to-digital converter (adc). The output of the adc is then fed to the meter's display. With higher quality meters, better adc are used and so a higher accuracy and a 31/2 digit resolution might be offered; a £300 meter might well have an accuracy of 0.05% and 41/2 digits.

Increasing cost will bring other advantages – more later!

The third 'quick' reason for buying a digital meter is that the adc will have a very high input impedance. Good digital meters have an input impedance of at least 10

megohms – some up to 10 gigohms! This high impedance means that the meter will not, under most circumstances, load the circuit which it is measuring. For accurate measures of voltages this can be very important; placing a low-impedance meter across a component can have the effect of shorting it out! Good analogue meters typically have an impedance of 20k ohms per volt – so on a 3V range a 60k resistor is placed across the circuit under test.

There are circumstances where this value of resistance in parallel with the circuit under test will seriously affect the reading being taken. Take, for example, a simple voltage divider consisting of two 100k resistors in series. The voltage at the midpoint will be half the supply voltage – except when you place the meter in the circuit. Then the voltage read will be just over a quarter of the supply voltage! With a good digital meter the error will only be 0.5%.

TRUE OR AVERAGE?

One major difference between analogue and digital meters is their ability to offer "true rms" or "average" readings – meters seem to come in the two types so it is an important point to get right. But what does it all mean?

The term "average" means that the meter measures the average value of the ac voltage or current. A "true root-mean-square" meter measures the effective heating value of the signal being measured.

In many cases there is little difference. Since wave signals give the correct reading regardless of the type of meter used; slightly distorted sinewaves will give

readings which may be only a few percent in error. However, ac waveforms which are spikey – like current from a rectifier or a voltage controlled by an scr or triac (eg, a light dimmer circuit) – can be wrong by some tens of percent if measured with an averaging meter.

If you need a true-rms meter then there is another choice waiting for you. Because the meter has to respond to rapid spikes in signals, the meter's adc unit has to be designed to cope – and it will only do so up to a certain frequency. Averaging meters and lower priced true-rms meters will give readings accurate to a few percent with signals having frequency components up to 1 or 2kHz. Medium-priced true-rms meters will respond accurately to, say, 30kHz; the better quality meters can be used up to a few hundred kilohertz with only a small percentage error.

This may seem exotic but if you are trying to measure noise in audio equipment or low frequency digital signals then a response up to 200kHz will ensure that you measure a significant number of the harmonics which the signal is likely to contain.



A manufacturer will also state the crest factor with which the meter can cope. This factor is simply the ratio of the peak voltage to the root-mean-square voltage of the signal; typically a crest factor of three can be accommodated.

MORE AND HIGHER

All meters have their limitations. Perhaps the maximum ac current that can be measured is only 2 amps. This is not enough to test many domestic appliances and certainly not utility or commercial circuits where current up to a few thousand amps can be found.

Current limitations can be overcome by

using a shunt for low-current work. The shunt is just an accurate low-value resistance which is placed in parallel with the meter and takes most of the current. These can be used up to around 20 amps. If higher currents are to be measured, a clamp probe should be used. With these probes, you do not have to break the circuit whose current you want to determine; normally a meter has to be placed in series with the circuit under test and requires a break to be made somewhere – with the current off, of course!

circuits – special probes prevent the high voltage leaking up into the unwitting user. Normal meter probes would not be safe at these voltages.

BITS AND PIECES

Voltage and current measurements are the main uses to which meters are put. But there is also the need to measure resistance – and digital meters cope well here, too.



With a clamp probe, the probe just snaps round a conductor – which might be a few centimeters in diameter – and uses the magnetic field generated by the current to couple into either a pick-up coil (for ac only use) or a Hall-effect device; Hall effect devices can be used on ac or dc circuits.

Measuring high-frequency circuits is a problem familiar to the amateur. While many amateur radio books have details of build-your-own hf probes, you can also obtain them ready-built with responses up to near IGHz!

TV service engineers and valve enthusiasts will be aware of the dangers of taking measurements on high voltage




They also offer a simple diode test facility and a continuity beeper. The extra accuracy can be useful when building audio filters. Often, filter designs call for 1% components – which tend to be expensive. By checking components in stock, items within the tolerance range required can sometimes be found.

If you find yourself testing cables or circuit continuity often then look in the manufacturer's specification to see if a fast continuity check is offered – some digital meters can take well over a second to signal that continuity is okay.

One completely new field for meters is that of measuring frequency. This was a feature which was never incorporated into analogue meters – but since a lot of digital logic is inside a digital meter it was a little step to make frequency measurements possible. Typical handheld meters can measure up to around 200kHz – very useful if you are testing tone-generating circuits like modems or afsk communications equipment.

Linked with frequency measurement as a new feature is capacitance measurement. This is a rare feature so remember that a resistor and capacitor voltage divider fed with an ac signal of known frequency can help you find the value of a capacitor.

Finally one of the greatest time savers must be the ability to leave the meter watching for the minimum and maximum values that it measures in a circuit – saves waiting for that intermittent fault to happen! So if this is a frequent task, get a meter with a min/max hold facility. Similarly, a touchhold feature which allows you to set-up the





meter to the right range, briefly place the probes on the circuit, take them off and only then look at the meter to see what the reading was. This is a real boon. How often have you dared a glance a the meter and prayed that the test probes do not slip?

METER PHOTOS

We had asked our regular advertisers if they would care to send photos of any meters they stocked. All agreed, but at the time of going to press only Cricklewood Electronics, 40 Cricklewood Broadway, London NW2 3ET, had obliged, to whom our thanks for the photo at top right (model 6010).

The other photos show newly released

meters and were received as part of publicity material detailing new products. In order of photo appearance further information can be obtained from:

Philips Test and Measurement, York Street, Cambridge, CB1 2PX (reference Fluke Models 83, 85, 87). Alpha Electronics, Unit 5, Linstock Trading Estate, Wigan Road, Atherton, Estate, Wigan Manchester M29 0QA (reference Gold

Star Model DM 6335).

Electronic Temperature Instruments, PO Box 81, Worthing, Sussex BN13 3PW (reference Model DM 4351). Instrument Rentals, Dorcan House, Meadfield Road, Langley, Berks, SL3 8AL (reference Model PM 2525). Philips Test and Measurement, York Street, Cambridge, CB1 2PX (reference Fluke TL 20 Test lead set and meter model 27).

PCB DESIGN

FOR THE 48K ZX SPECTRUM

Now you can produce high quality printed circuit boards/circuit diagrams/component layouts on your 48K ZX Spectrum. If you don't own one it's worth getting one just for this suite of programs! Comprehensive manual included with getting started tutorial.

FULL SUITE FOR ONLY £30.00 INC.

PCB LAYOUT:

Produce quality printed circuits directly from your EPSON RX/FX or compatible dot matrix printer using a dense 1:1 printout on positive photoresist coated board. Or super quality using x2 printout and photoreduction. Many features such as 15 track widths; 15 pad sizes; 16 transistor/ic/corners; 20 connectors; large multiscreen WYSIWYG display gives a clear uncluttered view of pads, tracks/and drill holes; 0.1in. grid on/off: Block move; copy; mirror; rotate; erase; area fill (ideal for earth plane); preview; undo: dimensionally accurate printer routine with quick print; 1:1 or 2:1 dumps Custom pad design and library. Available separately for £20.00 inc.

COMPONENT LAYOUT
Draw component layouts directly or from existing peb layouts using a unique track reducing facility. The following components are provided: resistors, capacitors, ies, diodes, transistors, line drawing, printout and block commands as above. Not available separately.

CIRCUIT DIAGRAMS

ns with a lib-Features similar to the above programs with a lib-rary of electronic symbols including resistors, capacitors, diodes, transistors, fets, op amp, switches, inductors, logic gates. Not available sepa-

Nersion now available for EE Centronics Interface—see Jan issue State version required from: Disciple/+D; Discovery; +3; Microdrive & Tape. Important! Tape and Microdrive users please state Centronics interface in use or send £1 for details.

KEMSOFT THE WOODLANDS, KEMPSEY, WORCESTER WR5 3NB. Tel. 0905 821088 after 6 p.m., or see us on A.I.X-386 BULLETIN BOARD 0905 52536/754127 on any computer with modem.

OSCILLOSCOPES
TELEOUIPMENT D83 Dual Trace 50MHz Detay
Sweep, Large Tube. With Manual 235M
COSSOR OSCILLOSCOPE CDU150. Dual Trace
35MHz. Detay Sweep, Soid State Portable 6 x Display With Manual. NOW ONLY \$180 each
Optional Front Protection Cover containing 2 Probes &

Optional Front Treason Cover Chambring - Tree SCOPEX 4010 Dual Trace 10MHz With Manual E150 S.E. LABS SM111 Dual Trace 18MHz Soid State Portable AC or External DC operation 8 × 10cm display with Manual E150 TELEQUIPMENT D43. Dual Trace 15MHz. With

Manual.... 1223 ADVANCE OS250TV. Dual Trace 10MHz. With

MULTIMETERS

AVO 8 Complete with Battenes & Leads From £45 AVO 8 MKV Complete with Battenes & Leads From £45 AVO 8 MKV Complete with Battenes & Leads From £45 AVO TEST SET No 1 (Military version of AVO 8) Complete with battenes & Leads £55 EST LEADS suitable for AVOMETERS. Red & Black with 2 Croc-Clips & 2 Prods. (p&p C3). £5-Black Ever-Ready case for AVOS. Unused £92 E41 £20 E20

Marconi AF Power Meter TF893A 20Hz-35KHz 20MW-10W wth Manual. (P&P £7). Marconi RF Power Meter TF1152A/1 DC-500MHz 55 to 25 Watts 50 ohm with Manual. (P&P £7). 0NLY £45

ISOLATING TRANSFORMERS

	120D41IMG HIMMSI CHIMEHO
	240V In - 240V Out 500VA £15 each P&P £5
İ	240V In - 240V Out 100VA
	240V In - 24V 200VA £5 P&P £4
	240V In - 24V Out 500VA £6 P&P £5
	240V In - 24V Out 100VA £4 P&P £4

SPECIAL OFFER AT ONLY \$300 EACH TO FOI IPMENT D755 (NATO approved version of D75) TELEQUIPMENT D755 (NATO approved version DUAL TRACE, Delay Sweep, 50 MHz.

TRIO RF SIGNAL GENERATOR Type SG402 100KHz30MHz. Unused (PAP E?)
COLOUR BAR GENERATOR Type PAL MC-101. 8
patterns Pocket Size. Rechargeable batteries. Complete with Battery Charger/Mains Adaptor Unused
(PAP E4)
COLOUR BAR GENERATOR Type PAL
Differs Video/Sound Output.
Unused
(PAP E7)

LABGEAR FIELD STRENGTH METERS £80 (P&P £7)
DECCA Colour Bar Generator type 82514. 5125
PHILIPS COLOURBAR GENERATOR type 5508. Video
out, Many functions. 5150
Labgear Colour Bar Generator KG1 8 Test Patterns.
(P&P £4). 0NLY £40 each
ADVANCE 5662B. AM. 150KH2-220MHz. £45
(P&P £7).

AVD TRANSISTOR ANALYSER MK 2 (CT446) Suit-case style Complete with batteries & operating instructions. ONLY E25 each (P&P £7) AVO VALVE TESTER CT160. Suitcase style, 22 Bases (P&P £7) ONLY £25 each

NEW EQUIPMENT
HAMEG OSCILLOSCOPE 604. Dual Trace 60MHz.
Delay Sweep. Component Tester & 2 Probes 5575
HAMEG OSCILLOSCOPE 203.6. Dual Trace 20MHz.
Component Tester & 2 Probes 214
All Other Models Available.

HUNG CHANG DMM 7030, 3½ digit. Hand held 28 ranges including 10 Amp AC/DC 0.1%. Complete with batteries & leads, P&PE4 239.00 AS ABOVE DMM 6010, 0.25% 233.50 CARRYING CASE FOR ABOVE 23 each

OSCILLOSCOPES PROBES Switched ×1; ×10.
P&P £3 £11

USED EQUIPMENT - WITH 30 DAYS GUARANTEE, MANUALS SUPPLIED IF POSSIBLE. This is a VERY SMALL SAMPLE OF STOCK, SAE or Telephone for Lists. Please check availabefore ordering, CARRIAGE all units £16, VAT to be added to Total of Goods & Carriage.

STEWART OF READING 110 WYKEHAM ROAD, READING, BERKS RG6 1PL Telephone: 0734 68041 Fax. 0734 351696

Callers welcome 9 am-5.30 pm Mon.-Fri. (until 8 pm Thurs.)



MAGENTA ELECTRONICS Ltd

PROJECT KITS

Magenta supply Full Kits: Including PCB's (or Stripboard), Hardware, Components, and Cases (unless stated). Please state Kit Reference Number, Kit Title, and Price, when ordering. REPRINTS: If you do not have the issue of E.E. which includes the project, you will need to order the instruction reprint as an extra: 80p each. Reprints are also available separately—Send £1 in stamps.

REI		PRICE	REF NO.		PRICE
780	AMSTRAD PIO Sept 88	(phone)	542	DEBERMAN BARNO 1	
788	TIME SWITCH Aug 88	£17.61	543	PERSONAL RADIO June 86 WATCHDOG June 86	£11.53 £8.24
787	SPIKEATER July 88	£3.99	529	MINI STROBE May 86	£13.86
785	UNIVERSAL NICAD CHARGER July 88 ISOLINK July 88	£6.99 £24.51	528 523	PA AMPLIFIER May 86 STEREO REVERB Apr 86	£26.95
784	VIOEO WIPER July 88	£33.59	524	VERSATILE PSU Apr 86	£26,44 £24,69
713	HEADLIGHT REMINDER June 88 DOOR SENTINEL May 88	£7.99 £12.81	526 513	FREELOADER Apr 86	£0.48
781	SUPER SOUND EFFECTS	L12.01	514	BBC MIOI INTERFACE Mar 86 INTERVAL TIMER Mar 86	£27.94 £18.87
790	GENERATOR May 88	£12.99	515	STEREO HI-FI PRE-AMP	£49.19
779	CABLE & PIPE LOCATOR April 88 STEREO NOISE GATE April 88	£15.35 £26.90	512	MAINS TESTER & FUSE FINDER Mar 86 FUNCTION GENERATOR Feb 86	£0.82
778	INDUCTIVE PROXIMITY DET. April 88	EB. 63	504	POWER SUPPLY FOR ABOVE	£24.84 £7.62
m	LOW FUEL ALERT April 88 SEMICONOUCTOR TESTER Mar 88	£6.43 £23.51	497 493	MUSICAL ODOR BELL Jan 86	£18.72
776	LIE DETECTOR Mar 88	£11.80	481	OIGITAL CAPACITANCE METER Dec 85 SOLDERING IRON CONTROLLER Oct 85	£41.56 £5.47
775 774	ENVELOPE SHAPER Mar 88	£14.99	473	R.I.A.A. PRE-AMP Sept 85	£16.74
780 780 779 778 777 772 776 775 774 768	SOS ALERT Mar 88 VARIABLE 25V-2A BENCH	£9.36	464	STEPPER MOTOR INTERFACE FOR THE BBC COMPUTER less case Aug 85	****
	POWER SUPPLY Feb 88	£49.73		1D35 STEPPER MOTOR EXTRA	£11.68 £14.50
770	CAR LAMP CHECKING SYST Feb 88 GAME TIMER Feb 88	£7.10 £14.32	40.	OPTIONAL POWER SUPPLY PARTS	£5.14
765	QUIZMASTER Jan 88	£18.96	461 459	CONTINUITY TESTER July 85 AMSTRAO USER PORT July 85	£6.20 £17.67
767 763	TRANSISTOR CURVE TRACER (BBC)	£14,98	455	ELECTRONIC DOORBELL June 85	£7.56
764	AUDIO SIGNAL GENERATOR Dec 87 DUAL MAINS LIGHTS FLASHER Dec 87	£13.64 £20.98	453 444	GRAPHIC EQUALISER June 85 INSULATION TESTER Apr 85	£26.94
739	ACCENTED BEAT METRONOME Nov 87	£20.95	432	GAMES TIMER Jan 85	£19.58 £9.11
740	ACOUSTIC PROBE Nov 87 fless bolt & probel	£16.26	430	SPECTRUM AMPLIFIER Jan 85	£6.91
741	BBC SIDEWAYS RAM/ROM Nov 87	£27.53	392	DOOR CHIME Dec 84 BBC MICRO AUDIO STORAGE SCOPE	£18.78
744 745	VIOEO CONTROLLER Oct 87	£29.14		INTERFACE Nov 84	£36.25
734	TRANSTEST Oct 87 AUTOMATIC PORCH LIGHT Oct 87	£9.70 £17.17	394 387	PROXIMITY ALARM Nov 84 MAINS CABLE DETECTOR Oct 84	£22.66
735	CARAVAN FRIDGE ALERT Oct 87	£5.44	386	DRILL SPEED CONTROLLER Oct 84	£5.53 £0.68
736 723	STATIC MONITOR Oct 87 ELECTRONIC MULTIMETER Sept 87	£8.66 £46.96	381 362	GUITAR HEAD PHONE AMPLIFIER Sept 84	£7.99
729	NOISE GATE Sept 87	£23.25	363	VARICAP AM RADIO May 84 EXPERIMENTAL POWER SUPPLY May 84	£13.15 £23.58
728 730	PERSONAL STEREO AMP Sept 87	£14.31	364	SIMPLE LOOP BURGLAR ALARM May 84	£17.16
724	BURST-FIRE MAINS CONTROLLER Sept 87 SUPER SOUND ADAPTOR Aug 87	£13.57 £38.39	358 356	PUSE/DIODE CHECKER Apr 84 QUASI STEREO ADAPTOR Apr 84	£4.35 £13.73
718	3 BAND 1 6-30MHz RADIO Aug 87	£26.53	344	SIGNAL TRACER Feb 84	£18.77
719	BUCCANEER I.B. METAL DETECTOR inc. coils and case, less handle and hardware July 87	£26.45	337	BIOLOGICAL AMPLIFIER Jan 84 CONTINUITY TESTER Dec 83	£24.14
720	OIGITAL COUNTER/FREQ METER (10MHz)		332	CHILDREN'S DISCO LIGHTS Dec 83	£12.59 £10.48
721	inc.case July 87 MONOMIX July 87	£67.07 £21.00	333 301	NOVEL EGG TIMER Dec 83 inc. case	£12.90
722	FERMOSTAT July87	£12.14	301	STORAGE 'SCOPE INTERFACE FOR BBC MICROAug 83 less software	£19.34
711 715	VISUAL GUITAR TUNER Jun 87 MINI DISCO LIGHT Jun 87	£22.99 £12.59	299	HIGH POWER INTERFACE BOARO	
709	WINDSCREEN WASHER WARNING May 87	£5.12	252	Aug 83 no case USER PORT I/O BOARO	£12.99
708	FRIDGE ALARM May 87	£9.88		iess cable +plug	£13.22
705	EQUALIZER (IONISER) May 87 BULB LIFE EXTENDER April 87 (less case)	£15.53 £5.24	293	USER PORT CONTROL BOARD July 83 less cable + plug + case	£31.67
783	EXP. SPEECH RECOGNITION April 87	£20.98	277	MW PERSONAL RADIO less case, May 83	£31.67 £9.60
700 581	ACTIVE I/R BURGLAR ALARM Mar 87 VIDEO GUARO Feb 87	£35.65 £8g39	278 270	MOISTURE OFFECTOR May 83	£6.88
583	CAR VOLTAGE MONITOR Feb 87	£12.58	263	NOVELTY EGG TIMER April 83less case BUZZ OFF March 83	£6.91 £5.68
584 578	SPECTRUM SPEECH SYNTH. (no called 87 SPECTRUM I/O PORT less case, Feb 87	£20.92 £9.44	262	PUSH BIKE ALARM Feb 83	£14.77
579	STEPPING MOTOR BOOSTER (for above)Feb 87	£5.46	255 242	ZX TAPE CONTROL Nov 82 2- WAY INTERCOM July 82 no case	£3.96 £5.69
575	STEPPING MOTOR MOZOD Feb 87	£16.80	243	REFLEX TESTER July 82	£9.79
3/3	HANDS-OFF INTERCOM (per station) inc. caseJan 87	£10.49	240 237	EGG TIMER June 82 CAR LEO VOLTMETER less case. May 82	£6.85
569	CAR ALARM Dec 86	£12.47	225	CAMERA OR FLASH GUN TRIGGER	£4.00
571 568	RANDOM NUMBER GENERATOR Dec 86 BBC 16K SIDEWAYS RAM Dec 86	£15.72 £12.97	205	Mar 82 less tripod bushes SUSTAIN UNIT Oct 81	£17.20
564	CAR FLASHER WARNING Nov 86	£9.37	206	TAPE NOISE LIMITER Oct 81	£17.63 £5.976.27
563 562	2900Hz DIG. FREQUENCY METER Nov 86 10 WATT AUDIO AMPLIFIER Oct 86	£67.98 £36.70	207	HEADS AND TAILS GAME Oct 81	£3.47
561	LIGHT RIDER LAPEL BADGE Dct 86	£10.20	209 211	PHOTO FLASH SLAVE Dct 81 FUZZ BOX Oct 81	£4.79 £10.05
560 558	UGHT RIDER DISCO VERSION UGHT RIDER 16 LED VERSION	£19.62	197	0-12V POWER SUPPLY Sept 81	£24.55
558	SCRATCH BLANKER Sept 86	£13.64 £55.83	181 149	SOIL MOISTURE INDICATOR E.E. May 81 GUITAR PRACTICE AMPLIFIER Nov 80	£5.66 £22.95
556 555	INFRA-REO BEAM ALARM Sept 86 FREEZER FAILURE ALARM Sept 86	£28.35		SOUND TO LIGHT Nov 80 3 channel	£29.38
554	CAR TIMER Sept 86	£15.50 £8.72	124 122	SPRING LINE REVERB UNIT Jan 80 UNIBOARD BURGLAR ALARM Dec 79	£34.27
553	BATTERY TESTER Aug 86	£7.19	118	OARKROOM TIMER July 79	£9.38 £4.03
544 546	THE ALARM July 86 CARAVAN BATTERY MONITOR July 86	£7.82 £17.17	113 111	MICROCHIME OOORBELL Fab 79	£21.99
547	SOUEEKIE CONTINUITY TESTER July 86	£3.52	108	SOUND TO LIGHT Sept 78 IN SITU TRANSISTOR TESTOR Jun 78	£10.90 £9.42
548 540	ELECTRONIC SCARECROW July 86 PERCUSSION SYNTH June 86	£91.87 £30.43	106 101	WEIRD SOUND EFFECTS GEN Mar 78	£7.82
			101	ELECTRONIC DICE Mar 77	£6.26

TOP KITS

MOSFET VARIABLE BENCH 25V 2.5A POWER SUPPLY



A superb design giving 0-25V and 0-2.5A. Twin panel meters indicate Voltage and Current. Voltage is variable from zero to 25V.

Current-Limit control allows Constant Current charging of NICAD batteries, and protects circuits from overload. A Toroidal transformer MOSFET power output device, and Quad op-amp IC design give excellent performance.

OUR KIT REF. 769 £49.73

COMPONENTS, KITS, BOOKS, TOOLS, MOTORS, GEARS, PULLEYS, OPTICAL FIBRES, ROBOTICS, AND MUCH MUCH MORE-IN OUR

NEW CATALOGUE £1.00

MOTOR— GEARBOX ASSEMBLIES

Miniature gearboxes complete with quality electric motor. Variable ratios by fitting 1 to 6 gears. 1.5–4.5v, 3–2200 rpm. Long 3mm shaft. Ideal for robots and buggies.



SMALL (MGS) £3.49 LARGE (MGL) £3.98

ADVENTURES WITH ELECTRONICS

An easy to follow book suitable for all ages. No soldering, uses an S DEC breadboard. Lots of clear diagrams and instructions to build 16 projects. Component pack includes S DEC and all components for the projects.

LEGO Technic Sets

TEACHERS WE ARE STOCKISTS OF THE WHOLE RANGE. CONTACT US FOR BROCHURES. VERY COMPET-ITIVE PRICES AND QUICK DELIVERIES

STEPPING MOTORS 12 VOLT





PACK OF 10 METRES. Nine assorted types & data.

OPTICAL

FIBRES TRIAL

£1.99

MAGENTA ELECTRONICS LTD. SHOP NOW OPEN – CALLERS WELCOME PE12 135 HUNTER STREET,



OPEN — CALLERS WELC
PE12 135 HUNTER STREET,
BURTON-ON-TRENT,
STAFFS. DE14 2ST.
0283 65435, Mon-Fri 9-5
Access/Barclaycard (Visa) by
phone or post.
24 hr Answerphone for credit
card orders.
Our prices include VAT

ADD £1 P&P TO ALL ORDERS. PRICES INCLUDE VAT. SAE ALL ENQUIRIES. OFFICIAL ORDERS WELCOME OVERSEAS: Payment must be sterling. IRISH REPUBLIC and BFPO. UK PRICES. EUROPE: UK PRICES plus 10%. ELSEWHERE: write for quote SHOP HOURS: 9-5 MON-FRI.

FROM MAGENTA

A SELECTION OF OUR BEST PROJECT KITS

As usual these kits come complete with printed circuit boards, cases, all components, nuts, screws, wire etc. All have been tested by our engineers (many of them are our own designs) to ensure that you get excellent results.

INSULATION TESTER


An electronic High Voltage tester for mains appliances and wiring. An inverter circuit produces 500 volts from a PP3 battery and applies it to the circuit under test. Reads insulation up to 100 Megohms. Completely

OUR KIT REF 444 £19.58

DIGITAL CAPACITANCE METER

Simple and accurate (1%) measurements of capacitors from a few pF up to 1,000 uF. Clear 5 digit LED display indicates exact value. Three ranges and uF. Just connect the capacitor, press the button and read the value

£41.55 **OUR KIT REF 493**



KAYCOMP 68000 *LOWCOST* **MICROPROCESSOR** TRAINER **USED** AND SINGLE BY SCHOOLS BOARD **COLLEGES &** UNIVERSITIES

> *PERFECT FOR ROBOTICS APPLICATIONS REQUIRING **POWER AND SPEED***

- Full 8MHz 68000 Processor with 16 bit data bus.
- Top-class monitor program included on two Eproms.
- Communicates via RS232 interface to terminal, BBC computer, P.C. computer etc.
- Use as a Trainer, or as a stand-alone computer system.
- Fast, powerful processing ideal for real time control systems.

COMPUTER

OTHER OPTIONS, DATA PACKS, AND LITERATURE AVAILABLE - SEND FOR DETAILS.

- Dual U.A.R.T. allows simultaneous connection of printer and terminal.
- Add-on options include: G64 Bus, 68230 P.I.T. 8k and 32K Ram upgrades, and line by line assesmbler.
- Available from stock now with support literature and full technical back up.

€ 11.97 68230 P.I.T. ADD ON OPTION STANDARD SYSTEM IN KIT FORM £110.00 € 5.49 £190.00 G64 BUS ADD-ON STANDARD SYSTEM BUILT & TESTED £ 19.25 8K x 16 RAM UPGRADE LINE BY LINE ASSEMBLER PROGRAM (IN EPROM) € 27.00 32K 16 RAM UPGRADE € 28.00 £ 13.99 **POWER SUPPLY**

£110_{INC VA}

U.K & WORLDWIDE

RUBIDIUM VAPOUR CELL RESONATOR

Like the hydrogen maser, the rubidium vapour cell resonator depends on hyperfine energy changes for its operation. However, the levels of interest are the $[F=1,\,m_F=0]$ and $[F=2,\,m_F=0]$ states which can be abbreviated to F=1 and F=2. The component parts of the rubidium resonator are shown in Fig.8; it employs two isotopes of rubidium, namely Rb85 and Rb87.

Excited atoms in the Rb87 lamp relax down to the F=2 and F=1 hyperfine levels, emitting light energy as they do




Fig.9. Light detector response

levels, the light energy responsible for this excitation is no longer absorbed and passes through with constant intensity. frequencies, and a plot of detector current vs frequency (Fig.9) shows a dip at this frequency.

The detector output current is used as a control signal for the vco which acts as a slave oscillator feeding the 6.834GHz microwave energy to the cavity. The actual stability and accuracy of the vco on its own is unimportant, since its output is locked to the F=2 to F=1 transition frequency by means of the closed loop provided by the light detector.

Consequently, the precision of the vco output is essentially that of the atomic transition frequency; an accuracy of 1 in 10¹¹, and a stability of 1 in 10¹¹ per month are typical values.

HI-TECH TIMING

so. This light is directed through a filter cell containing Rb85 vapour whose quantum energy levels are very similar to those of Rb87. However, there is just sufficient difference for the Rb85 vapour to act as a selective filter to the Rb87 light.

Consequently, the light energy emitted by transitions down to the F=2 level in Rb87 is strongly absorbed by the Rb85 gas, whereas that corresponding to transitions down to the F=1 level passes through unaffected.

Therefore, the light leaving the filter cell and entering the Rb87 absorption cell has the correct range of frequencies to pump atoms from the F=1 level up into excited states, but *not* atoms in the F=2 level (remember, energy is absorbed or emitted according to the formula E=hf.) Naturally, this process results in the F=2 level having far more atoms than F=1, ie, we have a population inversion in the F=2 level.

Now, because all the atoms in the F=1 state have been pumped up to higher

PART 2 BY ANTHONY H. SMITH B.Sc.

Following on from last month's look at quantum physics, masers and lasers, we examine the accuracy of caesium resonators and rubidium standards

If we now supply microwave energy to the cavity with the right frequency to stimulate transitions from the excess population created in the F=2 level, we effectively re-populate the F=1 state with atoms which immediately begin absorbing light energy again.

The result is that the solar cell detects less light at the F=2 to F=1 transition frequency (about 6.834GHz) than at other

For most practical purposes, an output frequency much lower than the transition frequency is required, and this can be obtained from a secondary oscillator phase-locked to the vco.

To ensure the rubidium resonator has a high Q-factor, special 'buffer' gases must be added to the filter and absorption cells. However, these gases produce substantial frequency shifts, as does mistuning of the microwave cavity; consequently, the device cannot be used as a primary frequency standard, and must be carefully calibrated at manufacture. Once the cell is adjusted and sealed, however, the frequency remains highly stable and the drift rate is around a hundred times less than the highest quality quartz oscillators.

Another attractive feature of the rubidium oscillator is that, unlike the hydrogen maser and caesium resonator, it re-uses rather than depletes source atoms and so frequent renewal of exhausted parts is unnecessary.

Certain rubidium oscillators do not feature the light detector and vco, but instead take their output directly from the maser energy in the microwave cavity. However, the light source must have higher power, and the cavity tuning and Q-factor become much more critical parameters; thus, systems employing the closed-loop servo mechanism are often preferred, and are known as 'passive' atomic standards.

MICROWAVE CAVITY RUBIDIUM 87 FILTER CELL LIGHT DETECTOR RUBIDIUM 85 r Rubidium 87 VAPOUR VAPOUR AMPLIFIER ABSORPTION CELL LOUT ENERGY 6-834GHz VCO ROLLED OSCILLATOR I AMPLIFIER Fig.8. PHASE -LOCKED 10MHz Rubidium 10 MHz DJG1196 OUTPUT cell resonator OSCILLATOR

THE CAESIUM BEAM RESONATOR

The caesium oscillator shown in Fig.10 is also a passive standard, but in many ways is superior to other atomic references, and advantages such as its excellent long-term stability and relative

TIME AND MEASUREMENT

insensitivity to magnetic fields make it an ideal choice for the international standard.

oscillator - such that the vco is locked to the atomic transition frequency. It is then a relatively simple matter to synthesise




Fig.10. Schematic representation of the caesium beam resonator

Like the hydrogen maser and the rubidium oscillator, the caesium resonator exploits quantum energy transitions to establish the required reference frequency; the transition used occurs between the $[F=4, m_F=0]$ and $[F=3, m_F=0]$ levels.

Caesium atoms of various energy levels are evaporated from the oven and directed as a beam towards magnet A which deflects each atom through an angle determined by its energy level. Consequently, those atoms in the F=4 states are deflected through the microwave cavity towards magnet B, while those in the F=3 states are deflected away.

Now, the field gradient of magnet B has the same direction as that of magnet A. Thus, if the atoms arriving at magnet B have *not* made a transition in the cavity, they are still in the F=4 state and are deflected *away* from the detector; however, if they *have* made a transition from F=4 to F=3, they will be deflected so as to strike the detector.

The transitions are stimulated by supplying the cavity with microwave power: if the microwave frequency is close to the transition frequency (9,192,631,770 Hz) many atoms will be induced to make the transition. However, if the frequency is not quite right, the transition probability will decrease; thus the detector output current will peak at the exact transition frequency (Fig.11).

By feeding the detector current to the vco, whose output is multiplied to provide the microwave signal, we have again established a closed-loop servo system - similar to that of the rubidium

other output frequencies, also locked to the atomic transition, and having the same accuracy and stability.

From Fig.11, we see that the resonance curve is about 50Hz wide at half intensity, and so the caesium Q-factor is: $Q = f_0/50 = 9,192,631,770/50 = 183$ million!

The $[F = 4, m_F = 0]$ to $[F = 3, m_F = 0]$ transition is chosen because it is the one least affected by external magnetic fields. Nevertheless, some field dependence does exist, and the exact frequency is given by:

 $f = (f_0 + 427 \times 10^8 \times B^2) = (9.192,631,770 + 427 \times 10^8 \times B^2) Hz.$

Although screening can reduce these effects, it is almost impossible to remove all magnetic influences, and so a small magnetic field - the 'C' field is deliberately induced in the cavity. This




Fig.11. Caesium beam resonance curve

field separates the Zeeman levels, and allows the correct transition to be 'picked out' from those which would otherwise produce unwanted resonant frequencies.


Various other factors can degrade performance. For example, any asymmetry in the microwave cavity will introduce unwanted phase shifts to the microwave field, and the accumulation of caesium deposits on the cavity ends can result in frequency errors as large as 1 part in 10¹¹.

A secure vacuum seal is also important; during development of one of the prototypes at the National Physical Laboratory, Essen and Parry found that the most convenient remedy for small leaks was to bung them with plasticine!

Fig.12 depicts the present caesium resonator at NPL: this formidable mechanism is a third generation machine which boasts an accuracy of 1 part in 10¹³.

ACCURACY AND AVAILABILITY

When we talk about the accuracy of, say, a tapemeasure, we are concerned with how closely its graduations correspond to those of an accepted standard of length.



TIME AND MEASUREMENT




Fig.13. Coded time information on the 60kHz MSF signal

However, when dealing with the caesium standard - which is itself the accepted frequency reference - it is difficult to conceive of its accuracy since we have no superior standard with which to compare it.

Nevertheless, one approach is to measure or estimate the uncertainties of allknown parameters which affect the transition frequency, and to combine these figures in a statistical manner to determine theoretically how far the frequency deviates from the value laid down in the definition.

Alternatively, a more practical method regularly conducted by a collection of international laboratories, involves the comparison of scores of caesium resonators in order to determine the average transition frequency: this is then taken as the principal reference value, and each individual resonator can then be 'tweaked' to bring its frequency into line.

Many of these resonators are commercially available, and, indeed, the fundamental purpose in developing any standard is that it can be made available as a reference for accurate measurements.

Hewlett Packard, for example, market the HP5061B caesium beam standard, and the HP5065A rubidium oscillator, both of which can be supplied accurate to a few parts in 10¹². However, the price of such accuracy is considerable: the rubidium oscillator costs around £22,500, and the caesium model will set you back a cool £24,000!

Radiocode Clocks of Penryn, Cornwall. supply two rubidium oscillators: one is a compact module measuring just 4 x 4 x 4 inches and accurate to 5 parts in 10", whereas the RbS 10000 is a microprocessorcontrolled instrument for high precision application. Although cheaper than the Hewlett Packard models, these oscillators are still only intended for specialised use, and prices start at around £6000.

Fortunately, for those of us with modest budgets, there is another way to make use of atomic accuracy. For many years now, various authorities throughout the world have broadcast special signals carrying time and frequency information which is locked to an atomic standard.

For example, in Britain, Radio 4 programmes are transmitted from Droitwich, Burghead and Westerglen on a 198kHz carrier wave which is locked to the BBC's rubidium standards which are periodically checked by the NPL. A similar service is transmitted on 162kHz from Allouis, France.

Another popular British service is the MSF 60kHz signal transmitted from Rugby. MSF began experimentally in 1950 with a one-hour broadcast every day, and was extended in 1966 to provide 24-hour coverage.

The signal comprises a 60kHz carrier synchronised with the NPL caesium resonator, and modulated with a comprehensive code providing year, month, day of month, hour and minute information. For example, in Fig.13, the code represents 12:24 on September 28th.

At the transmitter, the accuracy of a broadcast standard like MSF is essentially equal to that of the controlling standard: thus, MSF has a transmitted accuracy of around ± 2 parts in 10^{12} .

However, the receiver accuracy will be

effects are less troublesome to lowfrequency transmissions like MSF, although the ionospheric component cannot be ignored, especially during the winter months when it causes maximum disturbance.

A typical arrangement for detecting and decoding the time and frequency information is shown in Fig.14.

The phase-locked-loop is used to lock the high stability crystal vco to the broadcast carrier; thus, the vco output is an exact multiple of the carrier frequency having the same accuracy and stability, and can be used to synthesise other frequencies if desired. In this way, the crystal vco behaves as a 'flywheel' oscillator whose output is constantly corrected by the incoming precision signal; in many cases, the loss of the broadcast signal (for example, due to a break in transmission), need not be catastrophic, since the crystal vco continues to run, albeit with reduced accuracy.

For broadcast signals like MSF which contain time information, suitable decoding logic is also required to generate a 24-hour time display.

Radiocode Clocks market the RFS 1000 which is a portable off-air frequency standard tuned to the 60kHz MSF broadcast, and has decade frequency outputs ranging from 1Hz to 1MHz. The basic model costs around £450 and provides long-term accuracy approaching 1 part in 10¹¹.

The IFS8000, on the other hand, is an 'intelligent' off-air standard which uses a microcomputer-based control system to




Fig.14. Off-air frequency and time standard

compromised by the effects of noise and propagation errors. High frequency signals propagate in a complex manner as they reflect from the ionosphere back down to earth. Variations in the ionosphere's profile and height introduce a Doppler frequency shift to the signal, and errors as large as several parts in 10° can occur.

Low frequency signals, however, follow the earth's curvature, using the ionosphere more as a boundary than a reflector. Consequently, the Doppler

improve performance and increase long-term precision to 1 part in 10¹².

Such off-air standards can be used as the reference oscillator of a universal counter timer (uct), allowing measurements to be made with accuracies far superior to those obtained with a quartz crystal timebase.

Nevertheless, we shall see in a future article that a variety of operational and systematic errors must be considered before the uct measurement accuracy can approach that of the external standard.

OUT NOW!

100 PAGE COMPONENT

SEND OFF FOR YOUR COPY TODAY...

- WE STOCK AN UNRIVALLED RANGE
- ALL OUR COMPONENTS ARE FIRST CLASS BRANDED ITEMS
- WE OFFER A SAME DAY SERVICE ON ALL STOCK ITEMS
- NO MINIMUM ORDER—IF YOU NEED ONE COMPONENT WE CAN SUPPLY ONE COMPONENT
- WE HAVE ADOPTED A NEW LOWER PRICING POLICY + QUANTITY DISCOUNTS
- FREE VOUCHERS WITH YOUR CATALOGUE—ORDER ONE NOW!...

JUST FILL IN THE COUPON OPPOSITE AND POST IT WITH YOUR \$1 PAYMENT TO THE ADDRESS BELOW. YOU WILL RECEIVE NOT ONLY OUR SUPERB 100 PAGE CATALOGUE, BUT ALSO FREE VOUCHERS WHICH YOU CAN USE ON YOUR NEXT COMPONENTS ORDER.

CRICKLEWOOD ELECTRONICS LTD 40 CRICKLEWOOD BROADWAY LONDON TEL: 01-450 0995/452 0161 FAX: 01-208 1441 TELEX: 914977

FREE VOUCHERS!

SEND OFF FOR YOUR CATALOGUE AND VOUCHERS TODAY.

I WOULD LIKE TO RECEIVE..... COPY(COPIES) OF THE 1989 CRICKLEWOOD ELECTRONICS COMPONENT CATALOGUE. 1 ENCLOSE & PLEASE ENCLOSE MY FREE

CRYSTALS

Tape your £1 coin here, or send a cheque or postal order for \$1.00 for every catalogue you require.

VOUCHERS. NAME. ADDRESS.

Component Solutions Ltd.

3.20 2764

6551

0782 641884

APRIL

L CFO		0001	0.20	2107	2.00			0			
Z80A	1.20	6845	2.85	27C64	2.75	741.000	0.14			SPECIAL OFFERS	
8085	1.50	6809	1.60	27128	3.50	74LS00	0.14	1.8432MH	Z0.90	Z80A CPU 1.20	
80C85	3.20	6802	1.90	27C128	3.50	74LS02	0.14	4 Meg	0.50	2764 2.00	
8086-2	2.50	6821	1.40	27256	3.50	74LS04	0.14	6 Meg	0.50		
6502	3.00	6850	1.40	27C256	3.50	74LS08	0.14	8 Meg	0.50	5% DISCOUNT TTL	
8031	2.20	INTERES	~-	27C512	7.00	74LS10	0.14	10 Meg	0.50		
80C31	3.20	INTERFAC				74LS14	0.15	12 Meg	0.50	★ SUPPLY FROM STOCK	
63A03	5.00	1488	0.40	SRAMS		74LS20	0.16			<i>'</i>	
8748	5.00	1489	0.40	C44 CL D 4	I E O OO	74LS30 74LS32	0.16 0.16			★ FULL PRICE LIST	
8749	5.00	ULN2001	0.60	6116LP-1		74LS32 74LS74	0.16	TURN	PIN	AVAILABLE	
64180-8	12.00	ULN2002	0.60	6264LP-1 62256LP		74LS74 74LS86	0.16	SOCKE	ETS		
68000-8	8.10	ULN2003		02230LP	12.50	74LS00 74LS138	0.18	8W	0.12	★ TRADE ACCOUNTS	
PERIPHE	RAIS	ULN2004	0.60		12.50	74LS136	0.18		0.12	WELCOMED	
Z80ACTC		OPTO	o			74LS139	0.18	14W	0.10	***EEGG****EB	
Z80API0	1.20	LEDS				74LS151	0.18	1	0.24	★ DISCOUNTS ON 74LS	
Z80AS10			0.10	DRAMS		74LS155	0.50		0.30	AVAILABLE	
8155	1.80	3mm	0.10	4164-15	2.40	74LS240	0.18		0.45	AVAILABLE	
8156	1.80	5mm ILQ74	1.80	41256-15		74LS244	0.10	40W	0.55	COMPONENT SOLUTIONS LTD	
8243	1.40	ILQ74 ILQ2	1.50	511000-1		74LS245			0.00	112 BURRINGTON DRIVE	
8251	1.20	ILUZ	1.50		26.00			TANT BE	ADS	NEW PARK, TRENTHAM,	
8253-5	1.20	MEMORIE	-0			74HC/7	'4F			STAFFORDSHIRE, ST4 8SP.	
81C55	1.20	EPROMS		REGULA	ATORS	+	_	.01/35V	0.10	PLEASE ADD 0.75P P&P THEN 15%	
8212	1.45	EFHONS				74HC		1/35V	0.10	VAT TO TOTAL	
82C55	1.80	2716	3.20	7805	0.20	ALSO		4.7/16V	0.15	ALL TRANSACTIONS CHEQUE	
6522	2.40	2732A	3.50	7905	0.20	AVAILAI	BLE	10/16V	0.18	WITH ORDER	

LOGIC

2.85

es 4/50p 4/50p	
60p	I
Suitable for RF	
100/£4.50 100/£6 100/£3	
Arress	

ELMASET INSTRUMENT CASE	size of a 1 watt film resistor 5/1	MEU21 PROG. UNIJUNCTION 3/£1
300 x 133 x 217mm deep£10 ea (£2.20	10-220 HEAT SINK sim RS 403-162 10/£2.5	TRIACS DIACE 4/C4
REGULATORS	SMALL MICROWAVE DIODES AEI DC1028A	BT137-600 8A TO-220 2/£1
LM317T PLASTIC T0220 variable£	1 180 volt 1 watt ZENERS also 12v & 75v	BT138-600 12A TO-220 70p
7812 METAL 12V 1A	PEAD BANELS CONTAINING BOD WITH EDDOM 0704	NEC TRIAC AC08F 8A 600V TO220
/805/12/15/24V plastic	- AND ICC 74171 COOL COOL COOL MOST PROSE DEC. O. M.	TRAL2230D 30A 400V ISOLATED STUD£4 each
■ /905/12/15/24 Diastic 35n 100±20n 1000±15	D DI LIG DI SU DI TTON SWITCH DIN SOCKET	· AANNEATABA
LM338 5A VARIABLE	5 MIN GLASS NEONS 4/£1 100/£2	D25 IDC SOCKET FUJITSU
COMPUTER ICS	RELAY 5v 2 pole changeover looks like RS 355-741 marked ST	1 34 way card edge IDC CONNECTOR (disk drive type) £1.25 C CENTRONICS 36 WAY IDC PLUG £2.50 C CENTRONICS 36 WAY IDC SKT £4.00 D BBC TO CENTRONICS PRINTER LEAD 1.5M £3.50 C CENTRONICS 36 WAY PLUG SOLDER TYPE £4 C SED CENTRONICS 36 WAY PLUG SOLDER TYPE £4 C SED CENTRONICS 36 WAY PLUG SOLDER TYPE £4
IM6402 UART £:	47WB05T	a CENTRONICS 36 WAY IDC SKT £4.00
8086 processor equipment	MINIATURE CO-AX FREE SKT. RS 456-273	BBC TO CENTRONICS PRINTER LEAD 1.5M
4164-15 ex equipment	DIL REED RELAY 2 POLE n/o CONTACTS PCB WITH 2N2646 UNIJUNCTION with 12v 4 POLE RELAY 400m 0.5w thick film resistors (yes four hundred megohms) 4/6/MINIATIBE CO. AY EDEE BLI CO. 8/456/37.	1 USED CENTRONICS 36W PLUG+SKT
2864 EEPROM	MINIATURE CO-AX FREE PLUG RS 456-071	O WIRE WOUND RESISTORS Wat or sim 2.5W 10 of one value 1 pto Opts Opportunity of the control o
2864 EEPROM £6 27128A 250nS EPROM NEW £3.20 1771. 1772 FLOPPY DISC CONTROLLER CHIP £10 ee 68008 PROCESSOR EX-EQPT £2	alloy£1.50 ea 10+ £	W21 or sim 2.5W 10 of one value
68008 PROCESSOR EX-EQPT	ELECTRET MICROPHONE INSERT £0.9	O 20R 22R 27R 33R 47R 56R 62R 91R 120R 180R 390R 430R
■ ALL USED EPROMS ERASED AND BLANK CHECKED CAN BE	Circui Hall effect to Mileto Switch tho 013 334 Silit No 304-207	470B 680B 820B 910B 1K15 1K2 1K5 1K8 2K4 2K7 3K3 3K0 5K0
0704 20 HOED	HALL EFFECT IC UGS3040 + MAGNET	1 NOS (SO MIIII-ONIN) 1% 3W
2716-45 USED £2 100/£1 2716-45 USED £2 100/£1 2732-45 USED £2 100/£1	OSCILLOSCOPE PROBE SWITCHED X1 X10	R47 R62 1R0 1R5 1R8 3R3 6R8 9R1 12R 20R 24R 27R 33R 51R
2732-45 USED £2 100/ £1 2764-30 USED £2 100/ £1.60	i pole 12 way rotary switch	1 180 183 185 188 383 383 383 383 487 383 431 458 438 338
27128-25/30 USED £2.50	AUDIO ICS LM380 LM386£1 e	W23 or sim 9W 6 of one value
27C256-30 USED £3	ZN414 AM RADIO CHIP	R22 R47 1R0 1R1 15R 56R 62R 100R 120R 180R 220R 300R
270256-30 USED £3 1702 EPROM EX EQPT £5 2114 EX EQPT 60p 4116 EX EQPT 70p 6264-15 8k static ram £6	COAX PLUGS nice ones 4/£	1 R22 R47 1R0 1R1 15R 56R 62R 100R 120R 180R 220R 300R 390R 680R 1KO 1K5 5K1 10K W24 or sim 12W 4 OF ONE VALUE B50 290 891 19R 237 56R 68R 75R 82R 100R 100R 100R
2114 EX EQPT 70p 6264-15 8k static ram £6 4416 RAM £3.50 USED 4416-15 RAM £2.50	COAX BACK TO BACK JOINERS 3/£	R50 2R0 9R1 18R 22R 27R 56R 68R 75R 82R 100R 150R 180R
4416 RAM £3.50	15.000uF 40V £2.50 (£1.25	200R 220R 270R 400R 620R 1K0 6K8 8K2 10K 15K
7814070 0	INDUCTOR ZUUTT, SA	1 FIIO I O DE VICES
ZN428E-8 £3 50	NEW BT PLUG + LEAD£1.5	O SLOTTED OPTO-SWITCH OPCOA OPB815£1.30
CRYSTAL OSCILLATOR	CHROMED STEEL HINGES 14.5 x 1" OPEN £1 eac	1 2N5777
1.8342 MHz 2/£1 each	12v 1.2w small wire ended lamps fit AUDI VW TR7 SAAB VOLVO) TIL38 INFRA RED LED
CRYSTALS	12V MES I AMPS 10/£	1 4N25, OP12252 OPTO ISOLATOR 50p 1 PHOTO DIODE 50p 6/£2 2 MEL12 (PHOTO DARLINGTON BASE n/c) 50p p RPYSSA LDR 50p ORP12 LDR 70p
2.77 MHz/4.9152 MHz/49.504MHz	STEREO CASSETTE HEAD £	2 MEL12 (PHOTO DARLINGTON BASE n/c) 50p
TRANSISTORS	MONO CASS HEAD £1 ERASE HEAD 50	2 MELT2 (PRIOTO DARLING TON BASE IT/C) 9 RPYS8A LDR 50p ORP12 LDR 100/£6 1 LEDS GREEN OR YELLOW 10/£1 100/£6.50
full spec	THERMAL FUSE 121°C 240V 15A	1 LEDS GREEN OR YELLOW 10/£1 100/£6.50
BC557. BC548B 30/F1 F2 50100	THANSISTON MOUNTING PADS TO-5/TO-18 £3/100	∩ LEDS ASSORTED RD/GN/YW + INFRΔ/RFD 200/₽5 I
SIL RESISTOR NETWORKS	TO-3 THANSISTOR COVERS 10/£ STICK ON CABINET FEFT 30/£	FLASHING RED OR GREEN LED 5mm 50p 100/£35 STC NTC BEAD THERMISTORS G22 22OR, G13 1K, G23 2K, G24 20K, G54 50K, G25 200K, G16 1M, RES 0 20°C DIRECTLY HEATED TYPE 1 ea
8 PIN 10k 22k	PCB PINS FIT 0.1" VERO 200/€	SICNIC BEAD THERMISTORS
10 PIN 68R 180R 22k 5/ £1	TO-220 micas + bushes 10/50p 100/£:	G16 1M, RES @ 20°C DIRECTLY HEATED TYPE £1 ea FS22BW NTC BEAD INSIDE END OF 1" GLASS PROBE RES @ 20°C 200R £1 ea CERMET MULTITURN PRESETS 3/4" C 10R 20R 100R 200R 250R 500R 2K 2K2 2K5 5K 10K 47K
POWER TRANSISTORS	PTFE min screened cable 10m/£	FS22BW NTC BEAD INSIDE END OF 1" GLASS PROBE
OC35 (Marked CV7084) £1	Large heat shrink sleeving pack	HES (# 20°C 200R£1 ea
POWER FET IRF9531 8A 60V 2/£1	MAINS LEAD WITH MOULDED 13A PLUG AND LEG	10R 20R 100R 200R 250R 500R 2K 2K 2K 5K 10K 47K
TIP141/2 £1 ea TIP112/125/42B 3/£1 100/£22	SOCKET £1.5	50K 100K 200K 500K 2M2 50p each
TIP35B TIP35C £1.50	Potentiamentars short spindles values 2k5 10k 25k 1m	2 10R 20R 100R 200R 250R 500R 2K 2K2 2K5 5K 10K 47K 50 50K 100K 200K 500K 2M2 1 C SOCKETS 1 6 pin 15/£1 8 pin 12/£1 14/16 pin 10/£1 18/20 pin 7/£1, 22/24/28 pin 4/£1 40 pin 30p
2/£1 2N3055 EX EQPT TESTED 4/£1	2M5 lin	6 pin 15/£1 8 pin 12/£1 14/16 pin 10/£1 18/20 pin 7/£1,
PLASTIC 3055 OR 2955 equiv 50p 100/£35	300k IIII 300k I0g	
2N3773 NPN 25A 160V £1.80 10/ £16 BD132 5/ £1	40Khz ULTRASONIC TRANSDUCERS EX-EQPT NO DATA	(404 050V 40 00V ID 07475 DEL 4V0
	PLESSEY INVERTER TRANSFORMER 50 CYCLES 11 5-0-11.5V to 240v 200VA £6 (£3	40A 250V AC SOLID STATE HELAYS£18
QUARTZ HALOGEN LAMPS A1/216 24V 150 WATTS £2.25	11 5-0-11.5V to 240v 200VA	100n 63v 5mm
H1 12V 50W (CAR SPOT) £1.50		1n/3n3/5n6/8n2/10n 1% 63v 10mm
ZIE SOCKETS 2/04 50	5.6V 1W3 SEMIKRON 50K AVAILABLE (# £25/1000 SUPRESSOR OF606 120V BI DIRECTIONAL ZENER	10n/15n/22n/33n/47n/68n 10mm rad 100/£3.50
TEXTOOL single in line 32 way. Can be ganged (coupling	IN 3 AMP W/E PACKAGE	100n 250v radial 10mm
supplied) for disc with any additiffine devices.	DIODES AND RECTIFIERS	2u2 160v rad 22mm 100/£10
LARGE ELECTROLYTIC	1N4004/CD4 14 200V	10n/33n/47n 250v ac x rated 15mm 10/£1 3 470n 250v ac x rated rad 4/£1
CAPACITORS COMPUTER GRADE	1N5401 3A 100V	1U 600V MIXED DIELECTRIC 50p ea.
300uF 350V SIC SAFCO FELSIC 037 £6(£1.50) 2200uF 160V SIC SAFCO FELSIC CO38 £4(£1.20)	BA158 1A 400V fast recovery 100/£:	REBITS
TURNS COUNTING DIALS FOR	BA159 1A 1000V fast recovery 100/£4 120V 35A STUD 65j	1 12 volt CO-AXIAL relays sim. RS 349-686
MULTI TURN POTENTIOMETERS	BY127 1200V 1.2A 10/£	TRIMMER CAPS ALL 4/50n
15 turn dial 21mm dia. fits 0.25" spindle		SMALL 5pf 2 pin mounting 5mm centres SMALL MULLARD 2 to 22pF 4/50p
10 turn dial 21 mm dia. fits 3mm spindle	6A 100V SIMILAR MR751 4/F1	SMALL MILLIARD 5 to 500E
10 turn digital dial (3 digits) for 3mm or 6mm shaft	1A 800V BRIDGE RECTIFIER 4/£1	grey larger type 2 to 25pF
6mm bushes can be drilled to fit 0.25" spindles	4A 100V BRIDGE 3/F1	TRANSISTORS 2NA427
MISCELLANEOUS	8A 200V BRIDGE 2/£1.35	FEED THRU CERAMIC CAPS 1000pF 10/£1 MINIATURE RELAYS Suitable for RF 5 volt roll 1 role changeover
		5 volt coil 2 pole changeover
12 CORE CABLE 7/0 2mm OVERALL SCREEN .£1/3 metres	CCDC	12 voit coil 1 pole changeover
POWERFUL SMALL CYLINDRICAL MAGNETS 3/£1	DILL OF TRANSFORMERS 4 4 4 4	MONOLITHIC CERAMIC
BNC 50 OHM SCREENED CHASSIS SOCKET 3/£1	2P4M EQUIV Cl06D	CAPICITORS
	33A 600V 51 UD 5CR	100n 50v 2 5mm or 5mm
MOULDED INDUCTOR 470μH	TICV106D 800mA 400V SCR 3/£1 100/£15	5 100n ax short leads 100/£3
KEVTDANIA	MAIL ORDER (ONLY
KEYTRONIC	MIN CASH ORDER £3.00 OFFICIA	ORDERS WELCOME
TEL. 0279-505543	UNIVERSITIES COLLEGES SCHOOLS	GOVT DEPARTMENTS

TEL. 0279-505543 FAX. 0279-757656 **POBOX634 BISHOPS STORTFORD HERTFORDSHIRE CM23 2RX** UNIVERSITIES COLLEGES SCHOOLS GOVT DEPARTMENTS
MIN. ACCOUNT ORDER \$10.00

P&P AS SHOWN IN BRACKETS (HEAVY ITEMS)
65p OTHERWISE (LIGHT ITEMS)

ADD 15% VAT TO TOTAL ELECTRONIC COMPONENTS BOUGHT FOR CASH



READERS' SURVEY!

HELP US PLAN THE FUTURE!

£100, £50 AND £25 TO BE WON PLUS REDUCED PRICE SUBSCRIPTIONS OFFER

WE'RE NEARLY 25 YEARS OLD AND ARE PLANNING FOR THE NEXT 25!
WE ASK FOR YOUR HELP.

PLEASE TICK THE APPROPRIATE BOX!

1. How long have you been interested in electronics? Less than a year Between 1 and 5 years Between 6 and 10 years More than 10 years	0000
2. What is your present involvement in electronics? (you may tick more than one box) As a hobby As a profession/trade Research and development Servicing and installation As a student As a teacher	00000

3. Below is a list of topics which have been covered in various issues of PE. We should like to know how interested you are in reading constructional articles on each subject.

•	Very	Quite	Not very	Not at all
Astronomy projects				
Audio/hif 1				
Boating/sailing electronics	s 🖸			
Car electronics				
Computers				
Computer add-ons				
Environmental projects				
Household projects				
Ingenuity Unlimited				0
Logic				
Metal detectors				<u> </u>
Microprocessors				
Musical projects				0
Photographic accessories				
Radio				
Radio control (of models)				
Robots				
Security systems				
Sound effects				
Test equipment				
Toys and games				
Train-set control				
TV/video				

The future Editorial policy of PE is in your hands - it will be determined by your replies to this questionnaire. The opinions of every single one of you are of great importance to us. Whether you read PE regularly, or this issue is the first one you've seen, we want to hear from you. Not only will you play a vital part, but each of you who replies will be sent A VOUCHER WORTH £2 off your next subscription.

Not only that, there are THREE CASH PRIZES to be won. The person who most closely estimates the number of questionnaires received back will be sent £100. The next nearest will be sent £50 and the third nearest will be sent £25. £5 each will go to the next five. The questionnaires must be received back by 31st May 1989.

PE TAKES YOU FURTHER ON THE HI-TECH ROAD - WITH YOUR HELP WE'LL TAKE YOU FURTHER STILL. BE PART OF US!

YOUR ANSWERS TO THE QUESTIONS WILL REMAIN TOTALLY CONFIDENTIAL

YOU MAY SEND A PHOTOCOPY OF THIS FORM


4. We'd also like to know how interested you are in each of the following articles in PE:

	Very	Quite	Not very	Not at	all
Advertisements Commercial equipment Consumer equipment Environment technology Future developments Historical information Home automation Medical electronics Military electronics New products News from industry Readers' letters Space and astronomy Sports (electronics in) Theory of electronics Transport technology		0000000000000000	0000000000000000	0000000000000000	
5. How would you descrit Beginner Average Advanced Very advanced	be you	r expert	rise in elec	tronics?	
6. On the whole, do you in PE are:	find th	at the c	construction	nal pro	jects
Much too simple A little too simple Just about right A little too difficult Much too difficult				0000	
	the ir	nformat Adeq		to you Poor	ı for
8.On the whole, how constructional projects in		ensive	do you	i find	the
Much too expensive to co A little too expensive to co Not too expensive to com	omple	e te		000	

please turn over

do you:	a constructi	onal proje	ect publish	ned in PE,	20. How often, if at all, do you read each of the following magazines?					
Always complete it Nearly always comp	olete it			٥	Most/all copies Sometimes Never					
Sometime complete Never complete it				٥٥	Practical Electronics					
10. Are the constinteresting because	ructional you want to:	projects	publishe	ed in PE	Electronics (Mapini) Electronics and Wireless World Electronics Today International Elektor					
	Alway	s Usually	Sometim	es Never	Everyday Electronics					
Build the exact projes	ect 🚨		۵	ū	Television Other magazines (say which)					
Modify the project to		۵								
Use parts of the circular for other pur	uit 🖵	0		ū	21. How do you usually see the copies of PE that you read?					
Just read how the circuit works			ū	•	Buy my own copies Read someone else's copy Read copies taken by my school					
11. Which other topi	cs, projects on PE?	or articles	, if any, w	ould you	Read copies taken by my school Read copies taken by my firm/organisation					
					22. What do you usually do with the copies of PE that you see?					
12. How many electronyou constructed in the	ne last year?			rce) have	Throw them away after I have read them Keep them for future reference Pass them on to someone else					
None 1-2	3-5 •		-10 □	over 10	23. Which daily newspaper, if any, do you read?					
13. Please list the constructed in the them).	projects (fr last year (e	om any ven if yo	source) y u didn't	ou have complete	24. Please tick which age group you are in:					
aremy.					Under 16, 16-24, 25-34, 35-44, 45-54, 55-64, 65+					
14. How much mon in the last 12 months	ey do you e on compon	stimate tl ents, kits,	nat you ha materials	ave spent , etc.	25. Please say whether you are:					
					Studying employed Self-employed Between jobs Retired					
15. Do you have diff projects you construc	ficulty obtain ct?	ning the c	componen	ts for the	26. If you are a student or teacher, how important is electronics on the school/college timetable:					
Very Qui	te Ran	-	Never		Very Quite a lot Not very Not at all					
16. When obtaining do you prefer to:	components	s for the p	projects y	ou build,	27. Please say in which hobbies or other leisure activities you are most active or interested:					
Shop around for the Buy from a regular s	best prices	have com	e to know							
Buy as a kit from a si	ngle source	1.u v C Com	o to Miow	ō	NAME AND ADDRESS (IN BLOCK LETTERS):					
17. How often do yo obtaining the compo	ou use each nents you ne	of the foll eed?	lowing so	urces for						
Mail order through c	\ atalogues	Very Quit	e Rarely	Never						
Mail order through n Personally through a	nagazines		0	0						
Some other source (s	ate which)				MY ESTIMATE OF THE TOTAL NUMBER OF					
18. Do you make you	r own printe	ed circuit	boards?		QUESTIONNAIRES RETURNED TO PE IS:					
Always So	metimes		ever		ALL YOUR ANSWERS WILL REMAIN TOTALLY CONFIDENTIAL!					
19. How long have yo	ou been read	ling PE?			SEND THIS FORM (OR A PHOTOCOPY) TO: Practical Electronics, Survey Dept,					
under 1 year, 1-2 year	rs, 3-5 years,	6-10 year	s, over 10	years.	193 Uxbridge Road, London W12 9RA					

Write to us if you have further opinions to express!



NEW THIS MONTH

32 page SPRING SUPPLEMENT featuring Calculators. Disco Gear, Speaker Cabs, Metex Meters. + lots of surplus! FREE with Cat, or send large

WIN a top of the range Metex Meter! Enter our Competition - full details in the Spring Supplement!

FREE Headphones + Speakers - Full details in the Spring Supplement.

VIDEOTAPES — Top quality VHS E180 tapes by Videolab at unbelievable pricest £2.50ea; 10/£20: 40/£64.

13A TEST PLUG - 2 neons illuminate to show any faults on line Only 99p

HALOGEN SPOTLIGHT

HALOGEN SPOTLICHT
ML328 Incredible 50,000 candle power
given out by this high power spotlight.
Operates from 12V DC – plugs into car
cigarette lighter socket. Rated 55 watts.
Coiled cord extends to 3.6m. On/off
switch and plastic hanger are two further
features. Robustly made in high impact
black plastic with glass iens.
£6.95

SOLDER BARGAIN

Shipping error to our supplier means you benefit! 500gm reel of 16SWG resin cored solder at a low, low price. ONLY £3.95; 10 reels £33.00; 50 reels £150.00

POWER SUPPLY

Z4170 Plug in power supply. Built in 13A plug. Output 6V DC 300mA on 2m long lead terminated in a 3mm power plug British Made to BS415 $\mathfrak{L}1.50$

60,000 Miniature toggle & other switches. Ring or write for full listing. Prices from 5p!!

EPSON SERIAL INTERFACES

Model 8143 with 2k buffer Just arrived - full details on next list

HALF PRICE KITS!!
Range of 'OK' Kits at half price! 5 diff. top quality kits containing all parts, inc. PCB, plastic case and comprehensive instruc-

EK1	Quick Reaction	£2.90
EK2	Electronic Organ	£3.34
EK3	Digital Roulette	£4.29
EK4	Electronic Dice	£3.98
EK5	Morse Code Oscillator	£1.99

CURRAH MICROSPEECH

We've bought up remaining stocks of this popular add-on to re-sell at a fraction of the original cost!

Z4136 New complete and boxed set for the ZX Spectrum £8.95

Z4140 As above but unboxed - these were bulk packed £7.95

Z4142 Speech 64 for the C64. No software needed! New and working, but no case. With full instructions. £6.00

Z4138 Microslot 'T' connector allowing peripherals to be connected to the Spectrum. New & boxed £2.00

Also a quantity of 'returns' available – see Bargain List 43 for details



Z811 Cumana touch pad for the BBC B computer. Enables you to draw on the screen using the stylus with the touch sensitive pad. Supplied with 2 stylii, power/connecting leads and demo tape with 4 progs. Originally sold at £79,95.

Our price: £19,95

SOLDER SPECIAL!!

* 15W 240V ac soldering iron * High power desolder pump * Large tube solder

> ALL FOR £7.95

1989 CATALOGUE

★ 100 BIG pages of components and equipment ★ Low, low prices

★ Fast "by return" service

★ 28 pages of Surplus Bargains

★ Only £1 - send for yours now!

LCD display:

Z4115 8 digit 12.7mm high LCD by Data Image. 14 segment, so letters as well as digits can be formed. List £15+

Our price £4.50

Z4148 6 Digit LCD, 50 pins DIL 12.7mm digit height, with 22???? £3.00

SPEECH SYNTHESIZER KIT

Z315 All parts inc. PCB to make a speech synth for the BBC micro £4.99

Z316 De-luxe version - also includes V215 case. 1m 20W cable plus connec

MICRO PANELS

PCB 190 x 45 Z620 68000 Panel. ZebzU 68000 Panel. PCB 190 x 45 believed to be from ICL's 'One per Desk' computer containing MC68008P8 (8MHz 16/8 bit microprocessor. + 4 ROM's all in skts; TMP5220CNL 74HC7245. 138, ISOB 38 err

Z625 32k Memory Boad, PCB 170 x 170 with 16 2k x 8 6116 static RAM's. Also 3.6V 100mA memopack nicad, 13 other HC/LS devices, 96w edge plug, 8 way DII switch. R's, C's etc.



Z817 Exciting electronic football game — Waddingtons' 'JIMMY'. Brand new models in full working order, but without plastic peripherals, stickers etc. £5.00

DIL SOCKETS

Must clear excess stocks - 1/4 million low profile top quality IC sockets to

Pins	10	100	1000
8 14 16 18 20 22 24 28 40	40p 68p 72p 76p 80p 84p 88p 92p 96p	£3.00 £5.10 £5.40 £5.70 £6.00 £6.30 £6.60 £6.90 £7.20	£20 £34 £36 £38 £40 £42 £44 £46 £48

'D' CONNECTORS

	1011	2011	3/ **					
R/A plugs R/A skts W/W plugs	40p 50p 40p	50p 60p 50p	60p 70p 60p					
W W skts	50p	60p	70p					
S/P plugs	40p	50p	60p					
S/P skts	50p	60p	70p					
All top quality gold plated								

E\A/

25\M

2714/

Z345 OPTICAL SHAFT ENCODER Similar to RS631-632, but 80% cheaper!

SEMICONDUCTORS

Hundreds in Cat - look at these sample

prices LM317K £1.00; 68008L8 £3; 27C256-25 £5; 68A00 £1.20; LM223K £3; DL1416 £7; RBG1000 £1.20; DL3416 £8; 555 20p; 741 20p; 74LS240 25p

COMPONENT PACKS

K560 Semiconductors - Over the years we have purchased many transistors, diodes, ICs etc. which for one reason or another have accumulated in one of our table. stock rooms. Rather than spend weeks sorting and listing them, we have decided to make them into packs. All components are full spec marked devices. Some may be coded. We believe this to be one of the best value packs ever offered, as many high value components are included. high value components are included. Packs are made up by weight; this means contents are very approximate — if there are several bulky power devices, there will be considerably fewer parts than those packs containing all small signal items.

Pack of approx 100 £5.50

Pack of approx 250 £12.00

Pack of approx 1000 £40.00

K539 Led Pack - not only round but many shaped leds in this pack in red, yellow, green, orange and clear. Fantastic mix.

100 £5.95 250 £13.50

K547 Zener Diodes — Glass and plastic, 250mW to 5W ranging from 3V to 180V. All readily identifiable. 100 for £4.50

K546 Polystyrene/mica/ceramic caps. – Lots of useful small value caps up to about .01μF in voltages up to 8kV. Good variety. 100 £2.75

K528 Electrolytic Pack - All ready cropped for PCB mounting, this pack offers excellent value for money. Good range of values and voltages from $0.47\mu F$ to 1000uF. 6V to 100V

100 £3.95 250 £8.95 1000 £32

K518 200 Disc Ceramic Caps - Big variety of values and voltages from a f pF to 2.2µF; 3V to 3kV £1. 21.00

K530 100 Assorted Polyester Caps - All new modern components, radial and axial leads. All values from 0.01 to luf at voltages from 63 to 1000!!

GREENWELD

Super value at £3.95

K520 Switch Pack - 20 different assorted switches - rocker, slide, push, rotary, toggle, micro etc.

Amazing value at only £2.00

K569 Reed Switch Pack. A selection of about 15 types of reed switch from submin 12mm long to 5A rated 50mm long, mostly form A (make), few form C (Change-over).

Pack of 30 £2.75

K540 Resistor Pack — mostly 1/8, 1/4 and 1/2W, also some 1 and 2W in carbon, film, oxide etc. All have full length leads. Tolerances from 5 to 20%. Excellent range of values. 500 £2.50 2500 £11.00

K503 100 Wirewound Resistors - From 1W to 12W, with a good range of value £2.00

JOYSTICKS

Z004 Skeleton Joystick, switch type. Good quality, made by AB. Brass spindle has 44mm long black plastic handle attached. Body has 4 mounting holes. These really are a fantastic bargain! Only £1.00

Z8831 Dragon Joystick. Made by Dragon Data. Hand-held with fire button. 2m lead

with 5 pin DIN plug. Uses 2 x 100k pots **Z615** BBC Joystick Internal resistors give the required voltage levels. 2 fire buttons. Rubber suction feet. 120 x 110 x 155

POWER SUPPLIES

7975 Cased PSU 92x57x45mm with huilt 75 Cased PSU 92x57x45mm mm 55m 13A mains plug. Output 14V ac @ 0mA £3.00

Siliconix mains PSU 62x46x35mm with built-in cont. 2 pin plug. Output 4.5V DC 100mA to 3.5mm plug ONLY £1.00

Z4113 BBC Computer PSU (early models). Steel case 158 x 72 x 55mm, 2m long mains lead, rocker switch, fused. Outputs: +5V at 2.5A; -5V at 100mA £3.95

All prices include VAT; just add £1.00 P&P; Min. credit card £5. No CWO min. Official orders from schools welcome — min. invoice charge £10.00. Our shop has enormous stocks of components and is open 9-5.30 Mon-Sat. Come and see us!

By post using the address below: by phone (0703) 772501 or 783740 (ansaphone out of business hours); by FAX (0703) 787555; by EMail Telecom Gold 72:MAG36026; by Telex 265871 MONREF G quoting 72:MAG36026

443C MILLBROOK ROAD, SOUTHAMPTON, SO1 0HX.

KEYBOARDS



Z8852 Keyboard: Superb brand new keyboard 392x181 with LCD displaying 1 line of 10 characters & a further line with various symbols. 100 keys, inc separate Chips on board are £15.00 numeric keypad. 2x74HC05, 80C48.



Z8848 Alphanumeric plus separate 104 keys plus 11 £12.00 numeric keyboard. chips. 442x175mm.

Z4116 24 way (8 x 3) membrane keypad. Large (200 x 90mm) area — they were used in a teaching aid. Overlay template and pinout supplied. \$23.00

Z810 KEYBOARD Really smart alpha numeric standard qwerty keyboard with separate numeric keypad, from ICL's 'One Per Desk' Nicely laid out keys with good tactile feel. Not encoded — matrix output from PCB taken to 20 way ribbon cable. Made by Alps. Size 333x106mm. 73 keys

COMPUTER KEYROARD

Yes, only £4 for this Cherry keyboard – 67 full travel keys inc. function keys. Size 340x130mm. Pale/dark brown £4.00

£4.00

Z8863 KEYBOARD — High quality by Microswitch. 69 keys, 6 LED's, 15 various LS chips + socketed D8048 by Intel. Output via 7 way plug. Size 317x170mm



GREEN SCREEN HI-RES 12in MONITOR CHASSIS

CHASSIS
Brand new and complete except for case, the super high definition (1000 lines at centre) makes this monitor ideal for computer applications. Operates from 12V d.c. at 1.1Å. Supplied complete with circuit diagram and 2 pois for brilliance/contrast, plus connecting instructions. Standard input from IBM machines, slight mod (details included) for other computers

Only £24.95+£3 carr.

MONITOR INTERFACE KIT

Enables our hi-res monitor (above) and most others to be used with virtually any computer, PCB £3.00 Complete set of on-board components Complete set of ori-buard state plus regulator and heatsink £9.95
Suitable transformer for interface and £5.31

Z8837 DUAL SHEET FEEDER.

Z8837 DUAL SHEET FEEDER.

Brand new breakdown unit. Contains 3 x 12V stepper motors (48 step) plus driver pannel with 4 x TIP115, 4 x TIP110, LM3302, 2 x 7407; 2 solenoids, buzzer, microswitches, control panel, 2 optocouplers plus lots of gears and mechanical bits.

Z8862 10 game video unit - 2 hand held controllers with joysticks, beautifully made.

Requires 7.5V DC input (suitable PSU £2.95). Composite video and sound outputs (modulator + wiring details for direct connection to TV.56). direct connection to TV £6)

Z8858 Hitachi Video Battery Charger BC60U for DP60 batts used in GP7 camera. Extremely high quality unit. £17.00

TO RETAILERS

Greenweld Electronics Ltd. have been appointed Official Wholesalers of Verobloc, Veroboard, Easiwire and Accessories by Vero. We will be only too happy to supply all your Veroboard requirements at Trade Price. Ring, write or fax us for full information and prices.

Investigation 4

The DIY memory

Breadboarding the memory circuit is a challenge for those who like finishing up with a bird's nest of connecting wires. This investigation is strictly for the enthusiastic. If you are feeling faint-hearted at the prospect, the next investigation is much less demanding!

The circuit requires more room than usual (Fig. 17). It is best to begin by wiring up the buffers and their control gates – the three ics on the right of Fig. 17. Check that these operate properly before completing the circuit with the NOR gates and latch ic. This version of the circuit has two leds to indicate the state of data input or output.

To read and store data, follow the steps listed in the previous section. When you are reading data, do not have the D_0 and D_1 leads plugged in, as this over-rides the true data output.

Investigation 5

The 2114 memory chip

This ic (Fig. 18) contains all the circuit elements of Fig. 17 and a lot more beside. Instead of storing four bits, the 2114 stores 4096 bits. Its addressing system provides for 1024 words, of four bits each. It is a good example of the power of large scale integration.




Fig.17. Breadboard version of the DIY memory

DIGITAL ELECTRONICS

BY OWEN BISHOP
PART 8 - MORE COMPUTER LOGIC




Fig.18. The 2114 memory chip

In order to write or read to 1024 different addresses we need ten address bits. Addresses range from 00 0000 0000 to 11 1111 1111 (0 to 1027 in decimal or 0 to 3FF in hexadecimal). There are four data input/output terminals. The WE input has the same function as in our diy memory. There is an extra control input, CS. This is

the *chip select* input. A computer needs more than just one 2114, so this input is used to bring this particular ic into action when required. When CS is high, the chip

Owen shows more practical ways in which you can learn the basics of computer hardware, concluding with simple circuits for a 2-bit adder, awd, frost alarm and weighted dice.

is, in effect, disconnected from system. When it is low, data may be written or read.

Wire up Fig. 19 to see how the memory works. CS is connected permanently to 0V so that the chip is enabled. To write data:

- plug WE into the +5V line (read)
- set up an address by plugging A₀ (lsb)

to A_9 into the +5V or 0V lines. You have 1024 addresses to choose from. To prevent yourself from becoming too tangled in a maze of wires, it is best to connect A_3 to A_9 permanently to 0V. Just work with A_0 to A_2 . These give you eight addresses, which is ample.

- lacktriangle set up the data by plugging D_0 to D_3 into the +5V or 0V lines. You can set up any value from 0000 to 1111. The data you are writing is displayed on the leds.
- Make WR low. Then make it high again. The data is now written into the latches in the chip.
- You are now in read mode. Remove the data leads from the supply lines. The leds now show what data is being read.

Store several different values at different addresses. You can then read the data from these addresses. Try not to disturb the wiring more than necessary. You may generate 'spikes' on the supply line, which could cause stored data to be lost or altered. Normally, the data remains at each address until it is altered by you, or the power is deliberately switched off.

Keep this ic wired up, as we shall use it again later.

OTHER MEMORIES

The memory chip that we have just been working with is known as random access memory, or ram. There are two types of ram. The 2114 is one of the type known as static memory. Static memory, once written to, holds its contents until they are altered or the power is switched off. The other type of ram is known as dynamic memory. This does not hold the data indefinitely. This is because the data is not stored in flip-flops but in tiny capacitors. The capacitors are either charged or not charged, depending on whether they have been written with 1 to 0. But the charge leaks away from the capacitors in two or three milliseconds unless it is refreshed. This operation has to be done repeatedly by circuits in the computer. When the chip is refreshed, every capacitor is tested before the charge has had time to leak away completely. Uncharged capacitors are left uncharged. Capacitors that have some charge remaining on them are recharged. All this has to be done in between the times allocated to the microprocessor for writing and reading.

Obviously dynamic ram is a lot more trouble to use. Its chief advantage is that, since capacitors are less complicated than flip-flops, it is possible to fit many more of them on to a chip. They cost less too. For about the same price as the 2114, storing 4096 bits, you can buy the 41256 dynamic ram which stores 262144 bits.

RAM is intended for temporary data storage such as programs loaded into the computer and later replaced by other programs, and data such as the results or calculations made while the program is running.

The other main type of memory is *read* only memory. This is intended for permanent data storage. It may store the programs of a computer's operating system, for example, or its built-in language. Or it may store frequently used programs such as a word-processors. The data in a rom is put into it when the computer is being manufactured. Or perhaps the owner buys a rom chip or a cartridge containing such a chip, and plugs it into a socket in the computer. There are several types of rom, differing in the way the data is stored:




Fig.19. Breadboarding the 2114 memory chip

Mask-programmed:

This type is manufactured with the data already part of the chip design. The data can not be changed once the chip is made. It has to be specially made and is therefore expensive, except in large quantities.


Fusible link:

The chip is manufactured with all the bits set 'I'. To set a bit to '0' it is addressed and then a high current is passed through the chip. This 'fuses' the addressed circuit units, converting the bit to '0'. Once this has been done the only change you can make is to turn more 'I's into '0's, but not '0's into '1's. This type of rom is cheap to make. The only extra cost is the original programming.

Eprom:


The Erasable Programmable ROM is the most frequently used type of rom. The data is held in small capacitors, charged by applying a high-voltage pulse. Unlike static ram, the charge does *not* leak away rapidly as the capacitors are not electrically connected to the outside world. They retain their charge (and therefore the data) for hundreds of years. The charge is detected by the effect of its electric field, but this does not remove any of the charge itself. These chips are cheap to make and easy to

program. Their other advantage is that they can be altered. If you make a mistake when programming them, you can erase the program and start again. Erasing is easily done by shining strong ultra-violet radiation on the chip for about half an hour. This is why eproms have a quartz window (Fig. 20). The uv produces ions which discharge the capacitors.



E²rom or Eerom:

The Electrically Erasable rom, or Electrically Alterable rom (earom), like the eprom, can be erased and reprogrammed as required. E²roms are much quicker than eproms to erase but are much more expensive.



Cd-rom:

Digital recording techniques need not be restricted to audio. A cd disc can also store large quantities of data and programs in binary form. It takes longer to read the data, since it is not possible to pick out any particular byte instantly, simply by calling up its address. But a cd player does not take more than a few seconds to find the required track and, once it is in position, can read a continuous block of data quickly.

MORE ELECTRONIC MATHS

We have seen how multiplication can be done. Now let's look at addition. In binary arithmetic there are only four possible addition sums:

Numi	pers to	Res	sult
be a	dded	Carry	Sum
Α	В	C .	S
()	0	()	()
()	1	()	1
1	()	0	1
1	1	1	()

Two single-bit numbers, A and B are added to give a single-bit sum S. When A=1 and B=1, the sum is 10 or '0, carry 1'. The table above looks like a truth table. What truth-table is it? It is really two truth tables in one. One is the truth table for A, B and S. S-0 when A and B are equal; S=1 when A and B are different. Those readers who were with us for Part 2 (PE Oct. 88) will recall that this operation is known as exclusive-OR. The other truth table is the table for A, B and C. This is the AND operation. The logic of binary addition can be done with just two gates, an EXOR and an AND. However, since we need the AND gate to get C, we can get the EXOR function from two NOR gates and the AND as in Fig. 21. (Work out the truth tables for yourself, to prove it!) This circuit adds two 1-bit numbers and produces the sum bit and the carry bit.

When we are adding numbers of 2 or more bits we need to allow for the carry-over from one stage to the next, as this example shows:

Step 1:


Add the two least significant bits: 1 + 1 = 0, carry 1

Step 2:

Add the next two bits:

0 + 1 + 1 (carried over) = 0, carry 1

Fig. 21 can do step 1, but not step 2. It has no input for a bit carried over from a previous step. Fig. 22 shows a circuit that accepts a *carry-in* bit. Fig. 22 is called a *full-adder*, while Fig. 21 is only a *half-adder*. The full adder consists of two half adders: the first adds A and B, producing a sum and a carry; the second adds C_{IN} to the two half-adders are ORed to give C_{OUT}.



If we connect the C_{OUT} of Fig. 21 to the C_{IN} of Fig. 22, we have a circuit that adds two 2-bit numbers.

of this circuit becomes the C_{IN} of the extra adder. Now you can add two 3-bit numbers.

INVESTIGATION 6

A 2-bit adder

Fig. 23 shows a breadboarded version of Figs. 21 and 22. Instead of the single OR gate we make use of two NOR gates, since these are to spare in IC3. This circuit (with some of the gates swapped to simplify the wiring) is also featured as Module 11 this month. If you prefer, build the module and use it in this investigation.


The adder accepts two numbers A and B. A_0 and A_1 are the lsb and msb of a respectively, and similarly for B. The outputs appears as two sum digits, S_0 (lsr) and S_1 (msr), and a carry-out digit. Build the adder and try adding various pairs of numbers. What is the largest answer that it can produce? (Answer at end.)

You can extend the adder by connecting another full adder to it. The $C_{\mbox{\scriptsize OUT}}$ output

MICROPROCESSORS

Last, but no means least, we come to the logic device that is at the centre of all microcomputers, the microprocessor. Microprocessors are also to be found in many other pieces of equipment that perform complicated operations, such as washing machines, computer printers, robots, video players etc.

The key section of the microprocessor (Fig. 24) is the arithmetic and logical unit, the ALU. Here is the logic that performs arithmetic operations such as adding and subtracting, and logical operations such as ANDing, and ORing. The alu operates on data stored in a special register called the accumulator. This is equivalent to a small pad of paper that you might use to jot down the various stages of a calculation that you are doing in your head. The alu corresponds to your head! You can think of the



accumulator as a register rather like the shift register of Fig. 7 last month but with parallel loading and unloading. Its shifting facility is used for operations such as multiplication - though this is not the only way multiplication can be done. The accumulator is often an 8-bit register, though many microprocessors may have 16 bits or more in the accumulator and in other registers. Data from the accumulator may be taken to the alu, operated on and then returned to the accumulator. Data from the accumulator may also be taken along the internal data bus to the other registers. There are usually several general-purpose registers used for holding numbers that will be needed later. Data is stored in these until it is needed again. The other registers are:

Flag register:

This is used not for storing an 8-bit byte, but for single bits, each of which has a special meaning. For example, one flag bit is used to hold the carry bit from an addition. Another is set to 1 if the result of a calculation step is negative.

Program counter:

This tells the microprocessor at which address in memory the next instruction of the program is stored.

Instruction register:

The current instruction is stored here (more about instructions next month), and goes to a decoder to find out what has to be done.

The instruction decoder passes on the decoder instruction to the *control logic*. It is this section that sends data around inside the microprocessor from one register to another, tells the alu what to do with it, and calls up the next instruction when it is ready to proceed. It has connections to other parts of the microcomputer through a set of lines known as the *control bus*. Data is sent from one part of the microprocessor to another along an *internal data bus*.

At bottom left in Fig. 24 is the *clock*, an astable which produces pulses at a high rate (several megahertz). This times the operations of the microprocessor and ensures that its action is synchronised both internally and externally (for example, so that the microprocessor does not try to read or write to dynamic memory while it is being refreshed). The clock is usually a separate ic, not part of the microprocessor.

Data is sent to other parts of the computer along the data bus (more about




Fig.25. Module 11. 2-bit adder

this next month). There are tri-state buffers between the external data bus and the internal data bus. There is also a buffer for the address bus, another topic for next month's discussion.

SELF-TESTING

- 1. Name three logical circuits that can be built up from D-type flip-flops.
- 2. What input is needed to make a D-type flip-flop change state?
- 3. What is the difference between a siso shift register and a sipo shift register?
- 4. What types of shift register would you use for sending data along a transmission line?
- 5. How many shifts are needed to multiply 7 by 16? What do the bits look like before and after shifting.
- 6. What is the difference between a register and a latch?
- 7. What are the three output states of a tri-state buffer?
 - 8. What does WE mean?
- 9. What factors can alter the data stored at a memory address?
- 10. What is the difference between ram and rom?
 - 11. How is data held in an eprom?
 - 12. How is data erased from an eprom?
- 13. What logic gate is used to calculate the 1-bit sum (S) of two 1-bit binary


numbers? What logic gate calculates the carry bit?

- 14. Why is a half-adder so-called?
- 15. Which part of a microprocessor does the arithmetic?
- 16. Which is the main register used for calculations?
- 17. What is the purpose of the internal data bus of a microprocessor?
- 18. Which register keeps a note of how far the microprocessor has got in its program?
- 19. Where in a microprocessor would you look to find the bit carried over from an addition.
- 20. What does the instruction register do? The answers are on the next page.

MODULES OF THE MONTH


A 2-bit adder

This is based on Fig. 23, though the pin connections are different, so as to adapt the wiring for stripboard (Fig. 25). The two 2-bit numbers added are A_1A_0 and B_1B_0 . Their sum (S_1S_0) and carry (C) are indicated by three leds. There are three terminal pins on the right, for connecting to other circuits (see the second System of the Month). The module requires a maximum current of 30mA.



_																							
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0		0	0	0
0	0	0	0	đ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	Ö	0	0	0	0	0	0	0	0	•	0	•	O	•	0	•	C	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	•	0	0	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0
0	0	0	Ó	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Fig.26. Module 12. Audible warning device



Parts required:

gate (2-off)

R1 lk carbon 5% R2-R4 180 ohm carbon 5% (3 off) IC1 74LS08 quadruple 2-input AND gates IC2,IC3 74LS02 quadruple 2-input NOR

D1-D3 TIL209 or similar leds, 2 red (sum), 1 yellow (carry)

Imm terminal pins (3 off) SK2,SK2 pc terminal 3-way (2 off) 14-pin dil socket (3 off) Stripboard 10 strips by 39 holes

Audible Warning Device

A useful output interface (Fig. 26) for alarm systems, warning of circuit malfunction etc. The awd is any of the solid-state devices or buzzers that produce a tone when a current is passed through them (Note: NOT the piezo transducers, which require an astable to generate the tone). Operating voltage should be in the range 3-12V. Although many of these devices can be driven directly from a logic gate we use a transistor switch here. This reduces the drain on the logic to only a few microamps. High input activates the awd. The module requires 2mA when activated.

Parts required

R1 47k carbon 5% TR1 ZTX300 npn transistor AWD1 audible warning device (see above) ST1 pc terminal 3-way Stripboard Vero 14345

SYSTEMS OF THE MONTH

Frost Alarm

This sounds an audible alarm when the temperature falls below a given level (Fig.

MOOULE 4 OEBOUNCED B,AO MODULE 11 MODULE 6 PUSH SWITCH B1 4-BIT COUNTER 2-BIT ADDER ΝΔΝΩ ΝΔΝΩ PUSH-BUTTON (ACTIVE LOW) MODULE S TIVIBRATO MODULE 12 IN ASTABLE MODE NAND OUTPUT INPUT **PROCESSING** OPTIONAL EXTENSION

Fig.29. Weighted dice system

27). The sensor consists of the thermistor and variable resistor connected as a potential divider (Fig. 28). The input to the Schmitt trigger gate falls as temperature falls. Eventually the gate output changes from low to high. When the gate output is high, the pulses from the astables pass through the NAND gate, and invert and activate the awd. An intermittent warning tone is produced.

Weighted Dice

This is an electronic dice system for use in games (Fig. 29). It is weighted, but that does not mean it is unfair. If you shake a pair of ordinary 6-sided dice, you will rarely score 2 (double 1) or 12 (double 6). Score 7 is the easiest to obtain because you can get it from 1+6, 2+5, 3+4, 4+3, 5+2 and 6+1. In this system the counter output is used as if it is two 4-sided dice. It is hardest to score 0 (double 0) or 6 (double 3), and easiest to score 3 (0+3, 1+2, 2+1 and 3+0). This is what we mean by saying it is weighted. The astable runs fast, running the counter through from 0 to 15 too quickly for anyone to see the score. When you press the button, the stream of pulses from the astable is interrupted. The counter halts. Its upper two bits are taken to represent a score of 0 to 3 on one die. The lower two bits represent 0 to 3 on the other die. The adder totals these two scores and presents you with the answer - 0 to 6. An optional extension to the system sounds an awd if you score double-3.

DID YOU KNOW?

Owen Bishop is the author of numerous books on electronics and allied subjects and has been a frequent contributor to the monthly magazines in the field for many years.

ANSWERS TO QUESTIONS

Investigation 6:

The largest answer produced is 110, the sum of 11 and 11.

Self-testing


- 1. Counter, storage register, shift register.
- 2. A positive-going (rising) edge triggers the 7474 D-type flip-flop.
- 3. SISO has only serial input and output. SIPO has parallel output as well.
- 4. PISO at the transmitting end SIPO at the receiving end.
- 5. Four shifts, starts as 00000111 (=7), finishes as 01110000 (=112).
- 6. The output of a register is fixed until the clock goes from low to high. Then the output changes to the new data. The output of a latch follows the input data (the latch is *transparent*) as long as the clock input is high. When the clock goes low, data present at the output is held latched until the clock goes high again.
- 7. High (1), low (0) and high-impedance (in effect, disconnected).
- 8. Write enable. Writing is enabled when this line is low.
- 9. New data being stored there; 'spikes' on the supply line; power being switched off.
- 10. RAM is temporary data storage that can be freely written to, and read. ROM has data stored in it before it is installed in the computer.
- 11. In capacitors that are charged or not charged.
- 12. By exposing the chip to strong ultraviolet radiation.
 - 13. Exclusive-OR; AND.
 - 14. It does not allow for a carry-in bit.
 - 15. The alu, arithmetic and logical unit.
 - 16. The accumulator.
- 17. Carrying data from one register to another, or to the alu, or to the buffers.
 - 18. Program counter.
 - 19. In the carry bit of the flag register.
- 20. It holds the instruction that the microprocessor is currently performing.

NEXT MONTH:

Owen looks at computer systems, their architecture, input-output functions, and drives a bus!

stronomy has been revolutionised by electronic devices, notably the ccd or charge-couple device, developed largely by a British team at Herstmonceux led by Professor Alec Boksenberg. (We ran a report on them in PE Sep 88. Ed.) Using a ccd together with the 2.2-metre telescope at La Silla, the Chilean observatory run by the Europeans, three astronomers - H.E. Schwarz, C. Aspin and J.H. Lutz - have made important studies of a faint object which may be unique. It is too far south to be seen from Britain (it lies in the constellation of Centaurus) and has the unexciting designation of He 2-104. It may well be the first object to be observed in a state of transition from one state to another.

There are some pairs of stars, physically associated, which are known as symbiotic stars in which the two components are interacting. Some of these are surrounded by envelopes of gas, others by envelopes of dust. He 2-104 seems to be of the 'dusty'



broken up – though the demise of Phobos is by no means imminent! (Deimos, the smaller and outer satellite, seems to be safe.)

Last July the Russians sent two probes to explore Phobos. One of these was lost when it was given a faulty command from the ground station – a case of human error; efforts to locate the probe from the La Sulla Observatory failed, and the chances of finding it again now seems to be virtually nil. This leaves Phobos 2, which will – we hope – hover at a height of no more than 50 metres above the surface of the satellite, making analyses of the soil elements, rock structure and so on.

MAPPING MISSION

By the end of January, Phobos 2 had reached the neighbourhood or Mars, and a braking manoeuvre put it into an orbit round the planet. One of its first tasks has

PROBING SOLAR SYSTEMS

variety, but it has sent out what look like arms and blobs; the blobs are moving away from the small, hot, central star at around 100 kilometres per second. Probably it is

BY DR PATRICK MOORE CBE

In Chile, astronomers are observing an event which is probably unique in our

event which is probably unique in our time – a star hatching into a solar system. And the Russians are looking for life on Mars.


The William Herschel Telescope at Las Palma. Photo by courtesy of R.G.O.

from the small, hot, central star at around 100 kilometres per second. Probably it is about to shed its outer layers, in which case it will turn into an object of the kind known, midleadingly, as a planetary nebula. If this transition stage lasts for only a thousand years or so, we are lucky to have caught He 2-104 "in the act". Russia's leading One of rocket technicians, Valentin Petrovich Glushko, has died at the age of 80. He was the man behind the creation of the rocket engines which were, in the 1950s, the most

technicians, Valentin Petrovich Glushko, has died at the age of 80. He was the man behind the creation of the rocket engines which were, in the 1950s, the most powerful in the world, and enabled the Soviets to launch their initial massive payloads. He was associated with Sergei Korolev, probably the most brilliant of all the Russian pioneers of space-flight, and was able to rescue Korolev when he had run foul of the Stalin régime and had been imprisoned. In 1974, Glushko took over Korolev's design team, as General Designer of Manned Space-ships and Space Stations, so that he was deeply involved in the planning and construction of the Mir station now orbiting the Earth.

THE PHOBOS PROBE

Phobos, the inner satellite of Mars, has come in for a great deal of attention lately. It is a curious little body, irregular in shape and with a longest diameter of less than 30 kilometres, so that it is quite unlike our massive Moon. It also seems to be in an unstable orbit, gradually spiralling down toward Mars, so that it will eventually crash on to the surface even if it is not previously



been to begin making a temperature map of the Martian surface, and study the materials present there: it seems that the Russians have not finally given up all hope of finding some sort of organic material ("life"), though it is clear that even if Mars is not completely sterile, any living organisms there must be very lowly indeed.

However, Phobos is the main target for this particular probe, and one is bound to ask just why the concentration is upon the tiny satellite rather than on Mars itself. The reason is that so far as we can tell, Phobos is typical of the very small members of the Solar System. It may well be a captured asteroid; after all. Mars is much closer to the main asteroid zone than we are. But for the *Challenger* disaster, the Americans should have obtained the first close-range asteroid pictures by now (en route to Jupiter, the Galileo probe was to have imaged the asteroid Amphitrite), but as things are the Russians seem ready to be first in the field.

Small through Phobos is, it could well be of tremendous importance in the future. Manned missions to Mars are being planned, and Phobos seems to be a perfect natural space-station; it is close to Mars – only about as far above the Martian surface as we in Britain are from Aden – and its gravitational pull is so slight that a "landing" there will be more in the nature of a docking. So Phobos, and Deimos too, may have a major rôle to play in our exploration of the Red Planet.

THE SKY THIS MONTH

or planetary enthusiasts, the main target this month will be Mercury, which is in the evening sky and should be easily visible with the naked eye. For the second part of April it will set well after the Sun, so that this is the most favourable opportunity for some time to come. At maximum brightness, on the 14th, the magnitude is -1.4, just about the same as that of Sirius, though of course Mercury is never visible against a dark background. Telescopes will not show much—almost all our knowledge about Mercury has been derived from one space-probe, Mariner 10 — but it is always a source of satisfaction to locate this quick-moving, elusive little planet.

Venus is out of view (it passes through superior conjunction on April 4, so that it is on the far side of the Sun). Mars passes from Taurus into Gemini, and is in the evening sky, but has now faded to well below the first magnitude; Jupiter remains brilliant in the west for some time after dark, and Saturn, still in Sagittarius (the Archer) is coming into view well before dawn. The rings are wide open, so that even though the planet is low in the sky even a modest telescope will show the ring-system easily.

The Moon is new on April 6, and full on the 21st. There are no solar or lunar eclipses this month. There is, however one meteor shower; the Eta Aquarids are active from about April 24 to May 20. They are associated with Halley's Comet, and may have a ZHR of as high as 35 (that is to say, a naked-eye observer with the radiant at the zenith could expect to see 35 Eta Aquarids per hour).

We have now lost the brilliant winter constellations, such as Orion; instead, the southern aspect of the sky is dominated by Leo (the Lion) and Virgo (the Virgin). The Great Bear is high; the "tail" points to the brilliant orange Arcturus, and the curved line joining the Bear with Arcturus will, if continued, lead on to Spica in Virgo. Lower in the south there is a rather blank area; this is filled by Hydra (the Watersnake) which has only one fairly bright star. The W of Cassiopeia is at its lowest, in the north, though over Britain it never sets; Capella is descending in the west, Vega gaining altitude in the east. Deneb, in Cygnus, has also risen, but we have yet to see Altair in Aquila (the Eagle), the third member of the unofficial "Summer Triangle".

Do not miss a single issue of

Astronomy Now



Britain's leading astronomical magazine

Edited by well known astronomer and regular contributor to *Practical Electronics*Dr. Patrick Moore CBE

Place a regular order with your newsagent or for £15-00 (overseas £18-00) take out an annual subscription from Intra Press, Intra House, 193 Uxbridge Road, London W12 9RA

LOW ORBIT

recent survey indicates that the public are likely to be slow in installing satellite to receiving equipment for Sky and BSB transmissions. Whereas Sky forecast sales of 1 million aerials during 1989, and BSB expect 3 million by 1991, a report by Logica, a software and consultancy company, predicts that the total homes receiving satellite to by the end of 1991 will only be between 1.6 and 2.2 million.

Looking on the brighter side, the survey suggests that by 1996 more than 7 million homes will be suitably satellite-equipped. Personally, I am waiting for tv manufacturers to produce sets and aerials capable of tuning to all satellite channels before I enter the viewing arena.

Hobbyline

Now available free to hobbyists, – Latest stock listing INCLUDING

Receiving Valves, Rectifyers and Diodes, Thyristors and I.C's Plus a selection of discreet semi conductors for your listing Either phone (0375) 360062

OR to Comp

Send a large S.A.E. to: Compstock (Hobby) Electronics, Compstock House, London Road, Stanford Le Hope, Essex, SS17 0JU


COMPSTOCK

he January Winter Consumer Electronic Show (CES) in Las Vegas was a frost – not so much in temperature, but in content. The swarms of electronic press reporters were all asking each other if they had seen anything new. Four long days of blah.

To give you an idea of how dead the event was, the biggest news was the Nakamichi, announcement that they were going to start selling a consumer \$10,000 dat recorder in the US. Other than some smirks at the concept of the Record Industry Association of America (RIAA) carrying out their threat to haul any firm trying to sell a dat recorder into court, the ripple effect was small.

CANNED LAUGHTER

One wonders how much record company money the RIAA would be willing to spend on such a frivilous suit. Going into court and asserting that a \$10,000 dat recorder is going to destroy the record industry might tend to make them even more of a laughing stock than they already are.



did their best to convince the attendees that their particular speaker was the best. They did prove that if you put good speakers into small boxes, they'll sound pretty good – as long as you don't have something right there in a larger speaker for comparison. As is obvious from boombox sales, the human ear can get used to almost anything.

TWEEKS RUMBLED

The LP tweeks were there. Yes, there are still a few people who believe that lps sound better than cds. Any cds. Sigh, I twit them, saying, yes, they're probably right, but of course my lp player has a 100-pound turntable with adjustable balance weights around the rim to assure a steady speed – each lp is individually centered to eliminate wow – the table is independently sprung to avoid feedback – driven by belts to avoid rumble – has a vacuum suction to hold the lp tight – a special cushion to reduce the needle bounce – the whole works is in a special class 10 clean cabinet to avoid dust – and so on.

VAGUE GAMBLING AT VEGAS

Several members of congress were assembled, where they repeated the message we've had from two previous CES congressional panels; the record industry needn't look to congress for any action until they can prove actual losses. No more yelling wolf.

The Nakamichi entry, in addition to its amusing price, had one other interesting aspect: it will record at the previously verboten 44.1kHz sampling rate, thereby enabling it to make direct digital copies from cds – the ultimate horror for RIAA. Heh, heh.

DAT hasn't made much headway in Europe or Japan, I suspect because the systems have been blocked from the 44.1kHz cd standard.

The early dat systems were priced for people who have to have the latest technology – and can afford to pay for it. But one hears rumours of \$300 dats being readied for manufacture, once things get moving.

AUTO-DESTRUCT?

There's a chicken/egg problem with prerecorded digital tapes. Without players, record stores won't stock the tapes. And, many industry insiders believe, without prerecorded dats, it's going to be very difficult to sell dat players – particularly for cars, where they are needed the most. Car cd players are okay, but they do skip on the bumps, and it's difficult to change discs while driving. Yes, I know about the cd car jukeboxes. I also know what they cost.

As I wandered around the enormous halls at CES. I was reduced to numbness by the endless recitations of "exciting" features which the new models of everything sported. The Pitchmen spluttered when I asked them what the benefits of these exciting new features were. Did all these new features mean that

BY WAYNE GREEN
THE WCES 89 RETORT!

Consumer
electronic shows
can be a bore. Or
they can be a
laugh. Or they can
be so boring, you
have to laugh. But
no cheap cd?
That's not funny.

serious faults in their earlier products had been discovered and had now finally been surmounted? This confused them.

HI-D BOOMBOXING

There were a few high definition tv demos. Yep, sure looks great! But with so much money at stake, the infighting over standards is going to be fierce and could possibly lead to the industry's self destruction. Would quad sound have lived if there had been one standard format? Would vcrs have been accepted several years sooner if we hadn't had the Beta/VHS war? Something akin to quad sound is sneaking back via surround-sound encoded movies on video tapes.

The high end audio exhibitions were in the Riviera Hotel. There a hundred or so makers of almost identical, expensive, small speakers I was disappointed that the outfit which promised the laser arm for playing lps showed only a hand-made sample, and announced that they were not going to actually market the players. Darn. My life is so full of disappointments.

The biggest disappointment of the show was the lack of record companies exhibiting. Dozens of people stopped by my CD Review booth to lament records not being there, in years gone by Telarc had done a land office business selling thousands of their cds for \$10. CES clamped down on selling at the show, so the record companies dropped out. Might CES go the route of NCC, National Computer Conference, once the biggest of all American computer shows and now defunct? Could be.

TOP POPS

VCRs and compact discs are still top selling consumer electronic products, so that's where most of the CES action was, even if the new products were comparatively boring.

Of course, in Vegas there's always the gambling. Casinos and slot machines are everywhere, The dream of something for nothing dies hard in man and is the secret of Vegas' success. It takes stern moral fibre not to succumb to the beckoning slots. You never win on the first play, which means that from then on you're working just in the hopes of breaking even. The machines are computer controlled to egg you on, always giving back less than you've spent. They will inexorably drain you, as they have millions before you.

You'll notice that no one working the slot machines is smiling. They have nothing to smile about. They are grimly trying to recoup the ever growing deficit their fading hopes have triggered.

The next CES is in June at Chicago. After the excitement at Las Vegas, I can hardly wait.



CAN YOU ANSWER YES TO ANY OF THESE QUESTIONS:-

- 1) DO YOU PROGRAM YOUR HOME COMPUTER?
- 2) HAVE YOU INTERFACED YOUR HOME COMPUTER WITH A PERIPHERAL?
- 3) ARE YOU INTERESTED IN AMATEUR RADIO?
- 4) ARE YOU FAMILIAR WITH DIGITAL **ELECTRONICS?**
- 5) ARE YOU DOING A COURSE INVOLVING ELECTRONICS?

If you can answer YES to one or more of these questions, you should consider entering the Computer Servicing Industry.

Micro System Maintenance Ltd is an established national computer service company and prides itself on successfully training individuals to become service engineers. The company has an established Training School in Weston-Super-Mare for the provision of training in both technology and the repair of personal computers and peripherals.

The selected candidates will be provided with a company car linked to an attractive benefits package.

If you wish to know more please feel free to contact MSM at the following address.

MICRO SYSTEM MAINTENANCE LIMITED 15 WESTMEAD INDUSTRIAL ESTATE **WESTLEA SWINDON SN5 7YS** TEL: (0793) 616888

TRANSFORMERS

12/24V	or 12-0-	12V		30/	15V	or 15-0)-15V	
2 x	12V Sec	s					d Secs	
24V	12V	£	P&P				:3,4,5,6,8	
0.15	0.05	3.44	1.87	15,	18,2	20,27,30	V or 15-0	
0.25	0.5	3.64	1.87	30	V	15V	£	P&F
0.5	1	4.36	1.87	0.5		1	4.55	1.81
1	2	6.08	2.09	1		2	6.19	1.98
2 A	4	7.01	2.20	2	Α	4	10.01	2.20
3 M	6	12.08	2.36	3	M	6	11.60	2.42
4 P	8	12.87	2.42	4	P	8	13.84	2.53
6 S	12	15.62	2.64	5	S	10	17.72	2.64
8	16	18.59	3.08	6		12	19.41	2.91
10	20	25.02	3.52	8		16	25.74	3.02
15	30	31.10	3.63	10		20	29.94	3.24
20	40	44.40	4.12	12		24	33.42	3.35
30	60	63.75	4.89	15		30	37.43	4.01
41	83	73.41	6.32	20		40	51.10	6.54
						_		

MAINS ISOLATORS Pri 120V x 2 or 220/ 240V or 415/440V.Sec 440V or 240V

413/44	04.360 44	0 4 01 240 4 01
110V (Centre Tap	ped
20 VA	£ 8.33	2.50
60	13.60	p 2,69
100	15.87	& 2.91
200	22.49	p 3.52
250	27.20	3.63
50 0	41.91	4.23
1000	76.01	5.33
1500	98.04	6.54
2000	117.96	6.54
3000	165.41	O.A
6000	353.43	O.A

50/25V or 25-0-25V 2 x 25V Tapped Secs to give 5,7,8,10,13,17, 20,25,33,40,50, t/c or 20-0-20V or 25-0-25V

I/C	or	20-0-201	or 20-0-7	23 V
501	V	25V	£	P&F
0.5		1	5.91	2.09
1	Α	2	7.91	2.20
2	М	4	12.81	2.75
3	P	6	14.82	2.75
4	S	8	20.30	3.24
6		12	25.81	3.24
8		16	36.52	3.57
10		20	43.34	4.07
12		24	51.87	4.29

UNIT 211 STRATFORD WORKSHIPS, BURFORD ROAD, LONDON E15 2SP

AUTOS 105 115 220 230 240V

	For ste	p-up or down	
or	AV08	1.92	£6.91
- ^	150	10.03	p 2.09
50	250	12.25	& 2.31
39	350	14.05	p 2.75
91	500	19.05	3.08
52	1000	34.03	3.68
63	1500	40.40	4.18
23	2000	60.41	5.11
33	3000	102.72	6.32
54	4000	133.35	O/A
54	5000	155.28	O/A
4	7500	239.70	O/A
4	10kVA	283.23	O/A

CASED AUTOS 240-115V

240 V C	able input,	.3-pin 113y
USA S	ocket Outle	
20VA	£9.85	(2.03
80	13.38	Q 2.14
150	17.34	8 8 58
250	21.13	p 3.57
500	34.66	3.57
1000	48.65	5.00
2000	86.70	6.13
3000	124.46	O/A

110V to 240V Cased Autos

EX STOCK

60/30V or 30-0-30V 2 x 30V Tapped Secs Volts available: 16, 18, 36, 40,

60	V or	24-0-24	4V or 30-0	-30V
60	V	30V	£	P&P
0.5	,	1	6.72	2.09
1	Α	2	10.25	2.20
2	M	4	13.17	2.53
3	P	6	19.05	2.64
4	S	8	21.72	2.75
5		10	27.46	3.19
6		12	31.32	3.41
8		16	44.04	4.12
10		20	51.28	4.40
12		24	59.09	4.89

60/30V or 30-0-30V 96/48V or 36-0-36V 2 x 0-36-48V SECS to give 60,72,84,96V or 36-0-36V, 48-

0-48 V			
96V36	5/48VV	£	P&P
0.5	1	7.16	1.76
1	2	12.80	2.31
2	4	21.05	2.91
3	6	25.49	3.02
4	8	32.54	3.32
5	10	46.21	4.18
6	12	57.87	4.40
8	16	63.12	5.28
	INVÉ	RTERS	

12/24V DC to 240V AC Sine-wave or Square Wave TOOL TRANSFORMERS 240-110V CT cable input 16A BS socket output CONSTANT VOLTAGE

Transformers for Spike-free Stable Mains

Also Valve Mains Output & Matching Transformers

TRANSFORMER WINDING SERVICE 3VA to 18KVA TOROIDALS

AVO's & MEGGERS

Please add 15% to all items after P&P

BARRIE ELECTRONICS LTD TELEPHONE: 01-555 0228 (3 lines)

VARIABLE VOLTAGE TRANSFORMERS

1NPUT 220/240V AC 50/60 OUTPUT 0-260V
200W 0.1 amp max £24.00 p.8p £3.00 (£31.05 inc VAT)
0.5KVA 2.5 amp max £265.00
1KVA 10 amp max £49.00
1KVA 10 amp max £49.00
1KVA 25 amp max £15.00
10KVA 25 amp max £15.00
10KVA 50 amp max £190.00
15KVA 75 amp max £190.00
15KVA 75 amp max £285.00
Carriage on request

3-PHASE VV TRANSFORMERS
Dual input 200-240V or 380-415V Star Connected 3KVA
6KVA 10KVA available. Phone for details
COMPREHENSIVE RANGE OF TRANSFORMERS-LTISOLATION & AUTO (110-240V Auto transfer either
cased with American socket and mains lead or open
frame type Available for immediate delivery.

frame type. Available for immediate delivery.

UNTRA WIOLETBLACK LIGHT-LUORESCENTTUBES

4tt 40 watt £10.44 (£12.00 inc VAT).

£16.29 watt £7.44 + £12.5 p.&p.

13.n1 0 watt £5.50 + 75p.p.&p.

£7.19 inc VAT].

12.n1 8 watt £4.50 + 75p.p.&p.

£6.04 inc VAT].

6in 4 watt £3.60 + 50p.p.&p.

£6.47 zinc VAT].

6in 4 watt £3.60 + 50p.p.&p.

£6.47 zinc VAT].

230V AC BALLAST KIT for either 6in, 9in or 12in tubes 65.50 + 55p p&p (66 96 inc VAT) For 13in tubes £6.00 + 75p p&p (£7.75 inc VAT)

(£7,5 inc VAT)
400 WATT UV LAMP & BALLAST
Complete £56.80 + £3.50 p&p
(£69.35 inc VAT)
400 WATT UV LAMP
Only £28.00 + £2.50 p&p (£35.08 inc VAT)

175 WATT SELF BALLASTED BLACK LIGHT MERCURY BULBS Available with BC or EST fitting £18.65 inc.

12 VOLT BILGE PUMPS

Buy direct from the impor 500 GPH 15ft head 3 amp

C18.00 inc.
1750 GPH 15th head 9 amp
C19.25 + 12.00 p&p (£25.00 inc VAT)
EPROM ERASURE KIT
Build your own EPROM ERASURE for a fraction of
the price of a made-up unit kit of parts less case
includes 12in 8 watt £537 Angst Tube Ballast unit
pair of bi-pin leads neon indicator on-off switch
safety microswitch and circuit £13.60 + 75p p&p
(£18.40 inc VAT)

SUPER HY-LIGHT STROBE KIT
Designed for Disco, Theatrical users etc.
Approx 16 joules. Adjustable speed £48 00 + £2.00 p&p
(£57.50 inc VAT)

(£57.50 inc VAT)

Case and reflector £20.00 + £2.00 p&p (£25.30 inc VAT)

SAE for further details including Hy-Light and industrial Strobe Kits.

WIDE RANGE OF XENON FLASHTUBES

SOLID STATE RELAY

Single make will switch up to 250 V AC 10 amp operating voltage 3-32 V DC silent contactless optosolated. Fraction of maker's price £3.00 + 50 p p+p Total inc VAT £4.03

Total inc VAT L4 03

SPECIAL OFFER AC CAPACITORS

1.5 MFD 440V £2.00 5 MFD 440V £4 00

2 MFD 440V £2.50 5.4 MFD 280V £2.00

4.1 MFD 440V £3.50 6 MFD 660V £4 00

p 50p per unit plus VAT to be added to total TORIN CENTRIFUGAL BLOWER 230V ac 2,800 RPM 0.9amp 130mm diameter impellor outlet 63 x 37mm overall size 195 x 160 x 150mm long Price £1750 + £2.50 p&p £23 inc VAT)

SHADED POLE GEAR MOTORS

SHADED POLE GEAR MOTORS In the following sizes 9 RPM 12 RPM 80 RMP 160 RMP 110V AC or 240V AC with capacitors (supplied) Price inc. VAT + p&p £12.65 GEARED MOTORS Manufacturer's surplus new 38.3 RPM torque 35ib in reversible 115V AC incl start capacitor and transformer for 230 240 AC. Ideal garage doors etc. Only £16 inc p&p + VAT

+ VAT.

12 V DC COOLER EXTRACTOR FAN

New brushless motor 92mm sq. Total inc p&p + VAT

Suitable transformer for 240V AC operation £5.20 + £1.00 p+p. Total inc VAT £7.13

TSZPM Z400 p+p. Total mic. VAT 12.73 S7RPM Z400 Continuously rated reversible 601b in Manufactured by GEC. New ideal for garage doors, curtains etc. Incl. capacitor. Only £18.00 + £2.00 p&p (£23.00 inc.VAT)

SOLID STATE FAT UNIT Input 230 240V AC, Output approx 15KV, Producing 10mm spark. Built-in 10 sec timer Easily modified for 20 sec, 30 sec to continuous. Designed for boiler ignition. Oozens of uses in the field of physics and electronics. og supplying neon or argon tubes etc. Price less case £8 50 + £1.00 p&p £10.93 inc VATI NMS

COOLING FANS-BRAND NEW!
200400V AC American Boxer 'Pewee' 7-bladed high
efficiency cooling unit 80mm sq x 40mm deep 40cm
approx £10 35 mc.
EX-EQUIPMENT FANS 120mm sq x 38mm deep in
either 115V or 230V AC Tested and guaranteed Price
£7756 mc.

Large selection of various speed greased motors from stock. Phone or write for details.

From stock at prices that defy competition C/F Blowers Program Timer
Microswitches Synch Motors
write/phone your enquiries

Ample Parking Space

SERVICE TRADING CO 57 BRIDGMAN ROAD, CHISWICK, LONDON W4 5BB

01-995 1560 ACCOUNT CUSTOMERS MIN. ORDER £10



PROFESSIONAL

SURVEILLANCE

EQUIPMENT KITS

A RANGE OF HIGH QUALITY KITS AS SUPPLIED TO LEADING UK SECURITY COMPANIES ALL KITS COME FULLY DOCUMENTED WITH CONCISE ASSEMBLY AND SETTING-UP DETAILS, FIBRE GLASS POB AND ALL COMPONENTS PLEASE ADD £1.50 TO COVER P&P. ALL UNITS AVAILABLE READY BUILT, DETAILS IN CATALOGUE.

High power version of the MTX with on-board PA stage providing 250mW of RF. Measures just 20mm 40mm, power requirements 9-15V. Excellent sensitivity and stability. Fully tuneable over FM band. Ranges over 3000m can be expected.



Micro-miniature VHF transmitter. The smallest kit on the market measuring an incredible 17mm × 17mm including on-board mic. Super sensitive. Fully tuneable over FM band. 9V operation with range up to 1000m £10.95



Voice-activated transmitter. Variable Voice-activated transmitter. Variable sensitivity frigger level switches transmitter on when sounds are detected. Stays on for time delay variable between 1-20 sec. Fully tuneable output covers all FM band. Very sensitive and low standby current through CMOS circuitry. 9V operation. Range up to 1000m. Measures 30mm×40mm. F15.98 30mm × 40mm



be expected

Sub-carrier scrambled transmitter. Audio is double modulated providing very secure transmissions. Any unauthorised listener will not be able to demodulate signal without DSX300 Decoder unit. Fully tuneable output covering FM band. 9V operation. Range up to 1000m. Measures 30mm x 40mm



 $Decoder unit for CTX900. Connects to earphone output of receiver to descramble signal from CTX900 output to headphones. 9-12V operation. Measures 35mm <math display="inline">\times 50mm$ £17.95



Micro size telephone transmitter. Connects onto line at any point and requires no batteries. Clearly transmits both sides of conversations on both incoming and outgoing calls. Undetectable by phone users. Fully tuneable output covering FM band. Range up



Micro size telephone recording unit. Connects onto line at any point and connects into ANY normal cassette recorder having MiC and REM sockets. Requires no batteries Switches recorder on silently when phone is used for incoming or outgoing calls, switches off when phone replaced. Clearly records both sides of conversations. Undetectable by phone user. Measures 10mm×35mm £10.95



RF Bug Detector/Locator Wide band input circuitry detects presence of RF field and triggers flashing LED and piezo bleeper. Variable sensitivity enables source of transmission to be pinpointed to within 6 inches. Max sensitivity will detect MTX or similar transmitter at around 15-20 feet. 9V operation. Measures 55mm x 55mm

Send 28p stamp for new 1989 Catalogue including crystal transmitte nains transmitters surveillance receivers etc.

Phone orders on ACCESS, VISA, or AMEX accepted. TEL: 0827 714476

SUMA DESIGNS (Dept. PE), THE WORKSHOPS 95 MAIN ROAD, BAXTERLEY, Nr ATHERSTONE. WARKS CV9 2LE. TEL 0827 71446

SIGNAL GENERATORS

Two new AF and RF Signal Generators.



Audio Signal Generator

Low distortion AF signal generator and frequency counter. Frequency Range:

Output imp:

10Hz to 1MHz (in 5 ranges)

 600Ω unbalanced

Output atten:

0. -20dB, -40dB and fine adjust

Output distortion:

< 0.05% 500Hz to 50kHz < 0.5% 50Hz to 500kHz

Square wave range: 10Hz to 20kHz (0.5µS rise time)

RF Signal Generator

56-02603 **£183.65** Signal generator and frequency counter covering 100kHz to 150MHz.

Frequency range:

100kHz-150MHz (upto 450MHz 3rd harmonic)

RF output:

100mV RMS (up to 35MHz)

Output atten:

Int. modulation:

OdB, = 20dB and fine adjust

1kHz

Frequency counter: 10Hz to 150MHz (in 2 ranges)

PRICES INCLUDE VAT AND CARRIAGE.

56-04162 **£183.65** AVAILABLE EX-STOCK.





Cirkit Distribution Ltd. Park Lane, Broxbourne, Herts EN10 7NQ. Telephone (0992) 444111.



THREE SIMPLE CONSTRUCTION KITS

specially aimed for the beginner. Have fun with you especially aimed for the beginner. Have fun with your orgoject even after you have built if and also learn a little from building it. These kits include high quality looker resist printed circuit boards, all electronic oromponents (including speaker where used) and full construction instructions with circuit descripton.

SK1 DOOR CHIME - plays a tune when activate

SK2 WHISTLE SWITCH - switches a relay on

SPECIAL OFFERS FOR SCHOOL AND TRAINING - Contact Sales Office for

ELECTRONIC GUARD DOG KIT



One of the best deterrents to a burglar is a guard dog and this new kit provides the barking without the blet The kit when assembled can be connected to a doorbell, pressure mat or any other infruder detector and will produce a random series of threatening barks making the would-be intruder think you have a guard dog and try his luck elsewhere. The kit is supplied complete with high quality PCB, mains transformer, all components and instructions. The kit even includes a horn speaker which is essential to produce the loud sound required. The difference had editiested to randuce harks ranging from bite! The kit when assembled can be connected to "dog" can be adjusted to produce barks ranging from a Terrier to an Alsatian and contains circuitry to produce a random series of barks giving a more realistic effect. Don't delay, fit one before you go on holiday and let our dog help you guard your home XK125 Complete kit of parts £24.00

POWER STROBE KIT

Designed to produce a high intensity light pulse at a variable frequency of 1 to 15Hz this kit also includes circuitry to trigger the light from external voltage (eg oudspeaker) via an



loudspeaker) via an oppor solation or are also supplied on modifying the unit for manual triggering, as a slave flash in photographic applications or as a warning beacon in security applications. The kit includes a high quality pob, components connectors, 5Ws strobe tube and full assembly instructions. Supply 240V ac. Size 75x50x45.

XK124 Strohoscope Kil

VERSATILE REMOTE CONTROL KIT

This kit includes components transformer)



(+ transformer)
to make a sensitive IR receiver
with 16 logic outputs (0-15V) which with suitable interface circuitry (relays, triacs, etc – details supplied)
can be used to switch up to 16 items of
equipment on or off remotely. The outputs
may be latched (to the last received code). equipment on or off remotely. The outputs may be latched (to the last received code) or momentary (on during transmission) by specifying the decoder IC and a 15V stabilised supply is available to power external circuits.

Supply: 240V AC or 15–24V DC at 10mA.

Size (excluding transformer) 9 x 4 x 2 cms. The companion transmitter is the MX18 which operates from a 9V PP3 battery and over a rappe of un to 6ftf. Two keybards.

gives a range of up to 60ft. Two keyboards are available MK9 (4-way) and MK10 are available MN3 (4-way) and mixed (16-way), depending on the number of outputs to be used.

MK12 IR Receiver (incl. transformer)

£16.30

MK18 Transmitter
MK9 4-Way Keyboard
MK10 16-Way Keyboard
601 133 Box for Transmitter £7.50 £2.20

£2.60 **ELECTRONICS**

13 BOSTON RD. **LONDON W7 3SJ** Tel: 01 567 8910

ORDERING INFORMATION:



ALL PRICES EXCLUDE VAT FREE P&P on orders over £50 (UK only), otherwise add £1 + VAT

Overseas P&P: Europe £3.50. Elsewhere £10. Send cheque/PO/ Barclaycard/Access No. with order. Giro No. 529314002. LOCAL AUTHORITY AND EXPORT ORDERS WELCOME GOODS BY RETURN SUBJECT TO AVAILABILITY



SOLID STATE RELAY BARGAIN

+2.5 KV INPUT to OUTPUT ISO- LATION - No risk of

•4 KV TERMINALS TO HEAT-SINK ISOLATION: Simply bolt onto a heatsink •3V to 32V INPUT VOLTAGE -

interfaced to

CMOS LOGIC 24V to 240V rms LOAD VOI

BUILT IN SNUBBER NETWORK: Enabling switch

CD240/10 £2.25

SUPER-SENSITIVE FM MICROBUG



Highly sensitive FM transmitter measuring only 45 x 25 x 15mm, including the built-in microphone. Frequency 88-100MHz microphone enabling reception on a standard domestic FM radio. Range approximately 300m depending on terrain. Powered by 9V PP3 (7mA). Its small size and highly sensitive electret microphone makes it ideal for surveillance, baby alarm, etc.

INTRODUCTORY PRICE

£5.50 MICROPROCESSOR TIMER KIT

Designed to control 4 outputs independently switching on and off at present times over a 7-day cycle. LED display of time and



day. easily parogrammed via 20 keyboard. Ideal for cnetral heating control including different switching time for weekends Battery back-up circuit. Includes box 18 time settings.

XK114 Relay kit for CT6000 includes PCB connectors and one relay. Will accept up to ££4.30

DISCO LIGHTING KITS

DL 1000K This value-for-money 4-way haser features by-directional sequence and imming. 1kW per channel £19.25 DLZ1000K — A lower cost uni-directional version of the above. Zero switching to reduce interference £10.80 DLA/1 Optional opto input allowing audio beat/light response 77p
DL3000K — 3-channel sound to light kit features zero voltage switching, automatic level control and built-in microphone per channel

The DL8000K is an 3-way sequencer kit with built in opto-isolated sound to light input which comes complete with a pre-programmed EPROM containing EIGHTY — YES 80 different sequences including ing standard flashing and chase routines. The KIT includes full instructions and all components (even the PCB connectors) and requires only a box and a control knob to complete. Other features include manual sequence speed adjustment, zero voltage switching. LED mimic lamps and sound to light LED and a 300W output per channel. And the best thing about it is the price: ONLY £31.50.

GIANT SOLAR CELLS

NOW IN STOCK these giant size solar panels 12 x12in will deliver 12 volts 200mA in bright sunlight and 11.5 volts 60mA on a typical British summer day (dull and overcast). HUNDREDS OF USES in the car or caravan. e.g. Oharging NiCads, powering low voltage circuits where mains or battery supplies are inconvenient or coupled to a lead acid hattery and a simple inverter vivil could acid battery and a simple inverter you could build yourself a self contained mains supply for low power appliances. Stock No. 303 145 £14.50 (plus £1.75 for p&p on total order)

SEND 9" × 6" SAE & 50p FOR

CATALOGUE OR CALL AT

SHOP Mon-Fri 9-5 pm

Saturday 10-4 pm

he problem with telephones is that you're not allowed to connect anything to the lines unless you've obtained official approval. A real shame, this, since there are all sorts of things one can invent that could make direct use of Buzby's wireful-world communications nestwork. It's not allowed though!

Even though British Telecom now have special sockets into which other gear can be plugged, that equipment has to have the approval of Those in Charge. BT have Fancy a quick dabble with the soldering iron? Your Ed's got a new series of quick-chippy circuits that you can put together in little more than the batting of an eyelid. They'll give you pleasure to build, and become useful little gadgets that you know you've always wanted, even if you didn't realise it! Here's this month's offering: a legal telephone monitor. We're sure it's for yoo-hoo!

Values of between 1 milli-Henry and 100 milli-Henries all produce results. The signal level obtained, though, is extremely small. We need to amplify it. One end of L1 is taken to a mid-voltage reference level, as set by R8 and R9, and the other taken via C1 and R1 to the inverting high-gain amplifier IC1A. C1 is made fairly small so that mains hum from nearby electrical wiring is not unduly picked up and amplified. The gain at IC1A is set by the ratio of R1 to R2, about 1000 times. The

REMOTE-A-BELL

BY JOHN BECKER

relinquished their authority on this, and it's Oftel who are now responsible. But, try as I might, it seems an impossibility to find out precisely what the situation is about getting approval for home telephone accessories that plug into the lines. However, adding together various statements made by different sources, it appears that even if a particular circuit is in theory suitable for approval, unless it's made by an approved manufacturer it may not qualify. "Too many possibilities for home constructors to get their assembly wrong", is the opinion generally offered. "We don't want poor unsuspecting telecom engineers knocked off their poles by a 250Vac overload if someone mistakes a mains socket for a 9V battery!" Point well taken.

INDICATING INDUCTORS

Still, all is not lost. There are other ways of doing things without direct connection. It's possible to detect the voltage changes in a telephone without plugging anything in. All it needs is an inductor close to the phone line and an amplifier. Surely there's no way that anyone's going to regard this as unofficial connection?

So what can we invent that's useful? Speech detection is really out of the question for a simple circuit since the

amount of amplification and consequent noise levels would be too high to accept. We can, though, remotely detect whether the phone bell is ringing, or if someone is dialling out. So let's take that as this month's quicky theme.

CIRCUITOUSLY EXTENDED

We'll build a circuit that will allow you to have an extension buzzer well away from the phone, out in the garden perhaps. It will also let you hear if someone is using the phone while you're off in another room somewhere. With all the recent fuss about Chat-lines, I can see that this might perhaps help cut down on phone bills! "I hear you dialling your friends again - make sure you put the money in the box ..."

Incredible as it may sound, you can detect whether the phone line is being pulsed simply by taking a single turn of its cable around a simple small inductor. The phone line swings up and down by about 50 volts when you dial out, or someone is ringing you. This change in voltage can induce a small current into the inductor. Looking at Fig. 1, L1 represents the inductor and the single turn of cable around it.

The value of L1 has been found experimentally not to be at all critical.

output here is a very short pulse of a few millivolts, accompanied by diminishing harmonic peaks caused by the action of the inductor.

C2 isolates the dc output of IC1A so that only the pulse affects the next amplifier, IC1B. The amplification factor here too is around 1000 as set by R4 and R6. This is sufficient to raise the pulse to a respectable level, approaching the maximum allowed by the opamp characteristics. C4 just adds a little bit of damping to lower level noise signals. If on test the gain is found to be a bit high, and random noise still gets through, increase the value of R4, or decrease R6.


We now raise the pulse to full line level by using a comparator, IC1C. The comparator triggers from a low to high output state when incoming signals pass above the threshold level set by VR1, typically around 0.5V above half the battery level. Between them C4, D1, D2, C5 and R7 form a diode pump network. Pulses pass through C4 and D2 to charge up C5. When the charge on C5 exceeds the threshold level set by VR1, the comparator is triggered into a high output state. Once the pulses have ceased, R7 discharges C5, and IC1C reverts to its low output state.

DETECTIVITY

The output of ICIC is sufficiently powerful to allow a high impedance audible warning device to be connected directly to it. Alternatively, the output can be taken via the transistor TR1 to provide sufficient power for driving a small bell. The type of transistor used for TR1 is unimportant so long as it's an npn type capable of carrying the current through the speaker.

You can use any dc power supply of between about 5V and 15V. A 9V battery will do just fine. If you use a 5V supply, you could use the output of IC1C to send pulses to a computer so that you can do a bit of programmed detection work on the signal. I'm not going to give information about this here since I have a more complex computer-controlled dialling and cost

Fig.1. The Remote-A-Bell circuit diagram. Note that the pulse length can be extended by increasing C5 or R7






Fig.2. Suggested Veroboard layout

monitoring circuit in mind for some time in the future. But I'll give the hint that both serial and parallel computer ports can be used to detect changes in logic levels, and that Basic is fast enough for monitoring the phone pulses. This should give you something to think about!

There's hardly anything to the assembly of this circuit, and a small piece of Veroboard or similar is quite acceptable. A suggested layout is shown in Fig.2.

Just make sure that you check all your joins for satisfactory connections without shorts across the tracks. Remember to cut

all the track points where shown. Naturally, IC1, TR1, D1, D2 and the electrolytic capacitors must be inserted in the correct way round. There's no real setting up to be done - twiddle VR1 until the buzzer or bell remains silent until you dial out, or someone rings you.

One final point. The circuit, in its simplicity, can be subject to interference from spikes occurring on nearby mains wiring. Such things as fluorescent tubes, fridges and microwave ovens can create these spikes when they are turned on or off. Suppression techniques for such happenings


are beyond the scope of this simple project. The occasional "ping" on the extension bell, though, is unlikely to be mistaken for a true phone call or dial-out.


I hope to have another simple quicky for you next month.

ED-LINES

SPEECH THERAPY

asa has introduced a computer controlled method whereby technicians can more accurately monitor the condition of each of the 31,000 heat resistant tiles on the Shuttle. Previously, one technician up a ladder would measure each of the tiles and shout down the results to a colleague on the floor - a system open to errors. Now a single technician speaks the number of each tile into a speech recognition unit and takes measurements with a laser tool, following instructions from a computer. The technique has cut down the total checking time from several months to just eleven days.






STEVE CIARCIA'S FAMOUS BYTE PROJECTS NOW AVAILABLE AS TRIED AND TESTED KITS


ULTRASONIC RADAR

An easy to construct Ultrasonic Ranging system complete with transceiver module and Polaroid ultrasonic transducer.



System easily connects to any computer to measure distances from 18" to 35 ft with a resolution of 1.2".


SUPER IC TESTER



chips and bad IC pins. User definable test sequence and user expand-able ROM library. Operates stand-alone with LCD display, or with PC or terminal.

SERIAL EPROM PROGRAMMER

Use stand-alone or with computer/
Term. Programs standard or fast algorithm mode. menu selectable, no



jumpers. Programs all 5V 27xxx Eproms from 2716 to 27512. Intel Hex file Upload/Download.

ImageWise Digitize Transmitte ImageWise Decrease Display

VIDEO DIGITISER

True "Frame Grabber", gets picture in 1 frame time. Bus independent digitiser. Serial output, transmits 300 bps to 57.6 kbps. Resolution is 256x244 64 grey


level. Accepts any B&W or colour composite video signal. Optional Rec/Display makes up a video telephone. Images can be stored and displayed on IBM PC. Comprehensive IBM image-processing software available.

MORE...

Other kits, and a wide range of fully-built computer boards, interfaces and other products also available.

FOR FULL PRODUCT CATALOGUE CALL J.B. DESIGNS 0285 658122 15 Market Place, Cirencester, Glos, GL7 2PB







MAJOR AND MINOR

Dear Ed,

After reading part one of the Dual Beam Oscilloscope, I decided that, like you lots of years ago, I would make it my first major project. But when looking through the components list it said 'a suitable transformer is available from Barrie Electronics, type YI' but they don't have a YI transformer in their advert. Also, what is a Phonosonics PCB, and what do you mean when something says 'R55 3M3'?

Thank you very much, but before I go, I think PE is great for all ages, and even my brother (8 yrs) has a read sometimes (even though he doesn't understand it).

D.L. Breeze. Bournemouth.

You are obviously someone destined to make electronics your career if you keep up your enthusiasm (and perhaps your brother will too).

Barrie Electronics DO have stocks of the Y1 transformer. Remember that many advertisers have far more items to sell than they have space to publicise in an advert.

A Phonosonics pcb is a printed circuit board sold by Phonosonics, who are one of our advertisers. Where a company name is mentioned in a constructional parts list the company will usually carry an advert in the same issue, so look at their advert for their address, then write for more details of their products, enclosing a stamped addressed envelope for their reply.

A number like R55 is the number given to a component in a circuit or pcb diagram. Each component will have a different number prefixed by, for example, R for resistor, C for capacitor, D for diode etc. The 3M3 means that the value of R55 is 3M3, or in other words has a resistance of 3.3 Megohms, which is the same as saying 3.300,000 ohms.

Best wishes to you and your brother

Ed.

STAR DRIVE

Dear John

I am a retired electronics engineer and subscribe to PE because I want to stay in touch, mainly through Marketplace, Industry Notebook, Leading Edge, Editorial and Spacewatch.

I write in response to Mr Trice's letter (PE Sept 88) about Astro Electronics and your reply and appeal to readers. I have misgivings about Mr Trice's idea of using a stepper motor to drive a telescope. They are inherently very low torque devices and in view of telescope mass and power losses in the

If you have any comments, criticisms or suggestions, write and let us know. We are interested in what you think and say, especially regarding our new style and your views on our role for the 1990s.

reduction gear wonder if their torque would be sufficient. Also, the fact that the speed must be variable might lead to a complicated and expensive clock control.

A small universal motor, such as a washing machine spinner, might be more appropriate. They have a high torque and are easily controlled by a dedicated chip, like one of the TLE310x series from Seimens, with a tachogenerator in the control loop. This would be less complicated and cheaper. However, before starting on a project like this I need a few questions answered –

What should be the mean tracking speed taking into account Earth's movement round the Sun? Is it true that dedicated amateur astronomers have instruments up to six inches? What speed variation is admissible when taking photographs? How does one calculate the exposure values?

D.Balet, Co Kerry, Eire

I share your misgivings about stepper motors and believe that

synchronous motors will achieve more satisfactory results under adequate control.

The Siderial Clock article in PE Feb 89 gives figures for calculating sidereal time which, compared to solar time, gains approximately 3 minutes 56 secs per solar day. Patrick Moore's opinion is that it is pointless to spend money on any refracting telescope with an aperture of less than three inches or a reflector with a main mirror less than six inches diameter The subject of light intensity and camera exposure values is too complex for a published reply so I refer you to the Astrophotography article in Astronomy Now Apr-Jun 1987, and to the book Astro Physical Quantities by Clayborn Allan (available through a library). As a rough guide, with an f1.8 28mm lens, 30 seconds exposure on 1000 ISO film will probably produce acceptable results without apparent star trailing.

Ed

MICROWAVES


Dear Ed,

To answer Christopher Law's letter in PE Oct 88, microwave ovens do not emit particles that could be detected by a Geiger counter, rather, they emit electromagnetic waves in the frequency range of around 2.5 GHz. They can readily be detected by a passive receiver similar in essence to a humble crystal set.

I recall that some years ago I saw an article describing such a unit. It consisted of a di-pole aerial some 42mm long and formed as part of a pcb track with an ultra-high frequency diode across a gap in the middle of the aerial. Two inductors were formed as part of the pcb track, coming from each side of the diode, with a small value capacitor across the two inductor ends. A 250µA meter, in series with a limiting resistor, was then connected across the capacitor. It needed no power supply since any microwave leakage would generate sufficient current to drive the meter directly.

C.P. Finn, Beverley

Thanks, I assume you mean something like this



ELECTRONIC SMOG

Dear Ed

Barry Fox's article dealing with 'electronic smog' (PE Sept 88) is timely although the problem is not new. One might also include high voltage ac railway electrification as another offender.

I did not, however, understand the comment that a motor or welder has zero resistance at the moment of switch-on. Surely resistance is a physical property of the conductors and is always present? The in-rush current depends upon the source impedance of the supply and the resistance and reactance of the motor. The latter is complex but is low at standstill, hence the high current, and increases as the motor speed rises. In the case of welders I think the real problem arises from the electromagnetic energy associated with the welding arc.

Finally, let us not forget the effect of mains spikes on components leading to breakdown.

M.W.Burnby, Wirksworth, Derby

Mr Burnby is right of course. I was using shorthand. At the moment of switch-on there is an almost complete short circuit across the supply because resistance is almost zilch - then reactance and inductance take over.

I appreciate helpful comments like this - it keeps journalists like me on our toes.

Barry Fox

SANTA COPS IT

Dear Ed,

I must thank you for the relief you have given to the thousands of electronics enthusiasts who might become professionals. I believe that the most wonderful Christmas present for the people I speak for is your diy oscilloscope - it's a dream come true. We were like trained policemen who were only given pen and paper to take complaints from the public but who were never allowed to go out and investigate.

With your scope we will now be able to build circuits and investigate them, finding out what really goes on inside. You have broken down a barrier on the road towards professionalism. Bless you.

S.Oleghe, Wandsworth.

This is the sort of reaction that I had hoped to provoke - creating greater enthusiasm among less experienced readers by showing them how to gain visual knowledge of circuit responses, but without too much expense.

Ed

Power Supplies

DUAL 0-30V 0-2A PRICE: £299 + VAT

TS1541S 0-15V 0-4A PRICE: £165 + VAT 0-30V 0-2A PRICE: £159 + VAT

FEATURES:-

- Dual 3.5 digit LCD display of V and I (TS3022S four).
 Constant V or constant

- Remote sensing.
- · Line and load regulation
- Co.01%.
 Ripple and noise < 1mV
 Low radiated and conducted interference



For further details of these and other products in the Thandar range, please send for a catalogue.

Thandar Electronics Limited, 2 Glebe Road, Huntingdon, Cambridgeshire. PE18 7DX. Telephone (0480) 412451 Fax (0480) 411463 Telex 32250 Test G.

HART ELECTRONICS are specialist producers of kits for designs by JOHN LINSLEY-HOOD. All kits are APPROVED

LINSLEY-HOOD CASSETTE RECORDER CIRCUITS



Complete record and replay circuits for very high quality low noise stereo cassette recorder. Circuits are optimised for our HS16 Super Quality Sendust Alloy Head. Switched bias and equalisation to cater for chrome and ferric tapes. Very easy to assemble on plug-in PCBs. Complete with full instructions.

Complete Stereo Record/Play Kit £3	3.70
VU Meters to suit £2.30	
Reprints of original Articles	
860X Stereo Mic Amplifier	8.70

LINSLEY HOOD 300 SERIES AMPLIFIER KITS
Superb integrated amplifier kits derived from John Linsley-Hoods articles in 'HiFi News'
Ultra easy assembly and set-up with sound quality to please the most discerning listener Ideal basis for any domestic sound system if quality matters to you Buy the kit complete and save pounds off the individual component price

LINSLEY-HOOD SUPER HIGH QUALITY AM/FM TUNER SYSTEM.



Our very latest kit for the discerning enthusiast of quality sound and an exotic feast for lovers of designs by John Linsley-Hood. A combination of his ultra high quality FMS tuner and stero decoder described in "ELECTRONICS TODAY INTERNATIONAL" and the Synchrodyne AM receiver described in "Wireless World". The complete unit is cased to match our 300 Series amplifers. Novel circuit features in the FM section to include ready built pre-aligned front-end phase locked loop demodulator with a response down to OC and advanced sample and hold stereo decoder together make a tuner which sounds better than the best of the high-priced exotica but. thanks to HART engineering remains easy to build. The Synchrodyne section with it's selectable bandwidth provides the best possible results from Long and Medium wave channets so necessary in these days of split programming. If you want the very best in real Hightenia re selected by the designer to give the very best sound this timer is not cheap, but in terms of it's sound it is incredible value for money. To cater for all needs four versions are available with variations up to the top of the range full AM/FM model, with any unit being upgradeable at any time. Send for our fully illustrated details.

Our fully illustrated details

STUART TAPE RECORDER CIRCUITS

Complete stereo record, replay and bias system for reel-toreel recorders. These circuits will give studio quality with a
good tape deck. Separate sections for record and replay give
optimum performance and allow a third head monitoring
system to be used where the deck has this fitted. Standard
250mV input and output levels. These circuits are ideal for
bringing that old valve tape recorder back to life
K900W Stereo Kit with Wound Coils and Twin Meter

Drive. £65.67

RJS1 Reprints of Original Articles £1.30 no VAT

HIGH QUALITY REPLACEMENT CASSETTE HEADS





Do your tapes lack treble? A worn head could be the problem Do your tapes lack freble? A worn head could be the problem fitting one of our replacement heads could restore performance to better than new! Standard mountings make fitting easy and our TC1 Test Cassette helps you set the azimuth spot-on. We are the actual importers which means you get the benefit of lower prices for prime parts. Compare us with other suppliers and see! The following is a list of our most popular heads, all are suitable for use on Dolby machines and are ex-

Stock

HC20 Permalloy Slereo Head. This is the standard head litted as original equipment on most decks £7.66

HS16 Sendust Alloy Super Head. The best head we can find longer life than Permalloy, higher output than Ferrite, fantastic frequency response £14.86

HQ551 4-Track Head for auto-reverse or quadrophonic use Full specification record and playback head. £14.60

HX100 Stereo Permalloy R/P head Special Offer £2.49

MA481 2/2 Language Lab R/P head. £13.35

SM166 2/2 Erase Head. Standard mounting

CC type. £8.85

HART TRIPLE-PURPOSE TEST CASSETTE TC1

One inexpensive test cassette enables you to set up VU level head azimuth and tape speed Invaluable when fitting new heads. Only £4.66 plus VAT and 50p postage

Send for your free copy of our LISTS. Overseas please send 2 IRCs to cover surfae Post or 5 IRCs for Airmail.

Please add part cost of post, packing and insurance as follo

OVERSEAS

INLAND
Orders up to £10 - 50p
Orders £10 to £49 - £1
Orders over £50 - £1 50

Personal callers are always very welcome but please note that we are closed all day Saturday

24hr SALES LINE (0691) 652894 ALL PRICES EXCLUDE VAT **UNLESS STATED**



arry Fox, in Leading Edge of PE Jan 89, reported on the imminent arrival of the second generation of cordless telephones, the so-called CT2 generation. Keith Clarke of British Telecom Research Laboratories obliquely referred to CT2 in part one of Home Automation last month. "The expectation is", he said, "that in the future the customer will have a stylised personal communicator which will operate to any of a large number of receivers and transmitters". The concept of which he spoke, in fact encompasses personalised transceivers not only of the CT2 genus, but also those of CT3 and beyond. CT2, though, has now been officially announced and, by the time this report is published, should be at the mass production stage. It will shortly be available

in the BBC tv series "Bread", and the cellular phone variety. As a quick recap, "Bread" phones have a low-power two-way radio in the handset and, using analogue techniques, communicate with a mains powered base station plugged into the user's own telephone line. The range varies from around 50 metres indoors, to at best 1km outside. Cellular phones also use a radio link, but communicate with commercial base stations at which computers handle the call routing to mobile targets throughout most of Britain.

This first generation technology, CT1, is subject to interference and suffers from low speech quality which gradually falls off even further as the user starts to move away from the base station. CT1 also has an inherent lack of security, through operating on a fixed frequency with only eight channels available, and being open to eavesdropping by unauthorised listeners.

CT2 is being implemented under the general name of telepoint and offers an inherently more secure mode of operation, using digitally coded techniques. The telepoint concept consists of a network of public base stations linked into the public switched telephone network. Subscribers will be able to access the network using personal pocket sized cordless phone handsets. The intention is to liberally scatter the base stations at strategic places around the country. Locations may be as diverse as railway stations, shopping centres, restaurants and service stations. It is also possible to purchase one's own station for domestic or office installation.

TELEPOINTING THE FORUM WAY

By Michael Strassen


to domestic consumers, and to all potential operators of the telepoint networks which will be installed in the UK during 1989. A powerful advantage of CT2 technology is that base stations can be installed quickly and cheaply in virtually any location, in public places, at the office or at home.

BACKGROUND

Personal communicators of the cordless telephone variety have been around for some time, falling into two basic categories: those of the conventional type immortalised The British are scoring points with CT2, a lighter, simpler accessonly version of the poserphone. There are five to win in the PE competition, too.

ROVING ACCESS

Although the system is intended for roving use, it is not a mobile phone as such. The user must remain within the locality of a base station, the public versions of which do not allow handsets to receive incoming calls. Besides which, unlike the cellular phone network, there is no central computing system which can search out the locality of a given receiver. However, because it is basically only an outgoing system, the circuit design is much simpler, and the handsets can be far lighter.





laboratory set up by Sir Clive Sinclair (whose entrepreneurial endeavours are much admired by PE).

FORUM HANDSETS

Known as the Forum, Shaye's handset weighs just 130 grams, around the same as popular calculators, and contains an integral aerial. It communicates via the telepoint network and complies with the common air interface (CAI) standard for CT2 systems. This standard defines the radio interface between equipment produced by different manufacturers and allows interworking of products.


Operating in the 864 to 868 MHz spectrum, the Forum phone offers excellent speech quality with no degradation as the caller moves toward the speech range extremity. Interference is further limited and security improved by the fact that the phone is frequency-agile and selects the best available channel out of a range of 40 each time a call is made.

The handset fits easily into the pocket and offers up to 50 hours of continuous speech from a replaceable long-life lithium cell. Alternatively, the user may opt for a rechargeable nickel-cadmium battery used in conjunction with the Shaye nicad battery recharger.

To make a call once you are within range of a telepoint station, switch on the handset by opening the flap which conceals the keypad when the phone is not in operation. Select an appropriate telepoint network (customers can subscribe to more than one network) which will ask for your PIN. Enter the number, then key in the telephone numbers, make the call, and on completion, close the flap.

dial into the national international telephone network the user simply stands within range of a telepoint, typically around 200 yards, switches on the handset, enters a personal identification number (PIN) and keys in the appropriate telephone number. The telepoint will check that each handset's unique code number corresponds to the user's PIN, so ensuring that no unauthorised use can be made of the system and that calls are correctly allocated for subsequent billing. As an additional safeguard, subscribers will receive fully itemised bills - similar to the use of credit cards in this respect. Calls will be charged at the normal telephone rates. Although there will be additional subscription charges, the tariffs will be considerably lower than those for cellular services.

The technology is totally British, and the UK is the first entrant to this communications field. There are four licence holders in the scheme, consisting of BT/STC, Mercury/Shaye, Ferranti, and a group including Philips, Barclays and Shell. Shaye Communications is the company who have designed and developed the first of the CT2 handsets and base stations for the telepoint network. Shaye grew out of a







If you have a Forum personal base unit plugged permanently into a standard telecom wall socket at home or the office, calls can be made or received in exactly the same way as existing cordless phones operate. In the office the personal base unit can be connected to either a direct line or pabx exchange line. For outgoing calls the

FORUM HANDSET FACTS

Dimensions

Weight incl lithium battery

Construction

Controls

Commons

Transducers

Range

Power source

n 1 1

Supply voltage Battery life 143.5 x 61 x 2mm maximum

130gms

Injection moulded abs

15-key silicone rubber keypad

Flap operated on/off switch

Flap release button

Moving coil earpiece

Electret microphone

Up to 200 metres

Replaceable lithium cell or rechargeable

battery pack

3.6V nominal

Dependent on use pattern, typically 6 months in domestic use using lithium cell, and 6 weeks in

business environment

handset is operated in the same way as if you were using a public telepoint station. With the Forum you can also receive incoming calls via the personal base station. If the handset rings, indicating an incoming call, pick up the handset, open the flap and respond as normal.

STANDARD FORUM FEATURES

Pushbutton digit dialling.

Memory storage of 12 x 22 digit numbers. Last number redial.

User selection of loop disconnect of dtmf signalling.

User selection of telephone service provider (BT or Mercury).

User selection of telepoint service provider. Call transfer.

Intercom through suitably equipped base unit.

Mute.

Memory retention during battery change. Inbuilt protection against recharging a non-rechargeable battery.

Reverse battery polarity protection. Low battery indicator.

INFORUMATION

The Forum Personal Phone and the Forum domestic base unit will retail at £150 each, plus vat. Both will be available through multiple retailers and other outlets. For further information please contact Shaye Communications, Capital House, 48-52 Andover Road, Winchester, Hampshire SO23 7BH. Tel: 0962 55925, or Jonathan Simnett/Isabel Robertson, A Plus Public Relations on 0753 686655.

FORUM FOR ALL

Shaye's chief executive, Bill Jeffrey, comments, "For the first time the consumer will be able to have a single telephone that is personal to them, one which they will be able to take with them at all times and use in the home, in the office and when they are out and about."

"The Forum personal phone is". Bill Jeffrey continues. "the smallest, lightest, and most truly portable cordless telephone developed to date, one that will change the face of personal communication in the next decade."

WIN YOUR OWN FORUM


Now you've read about the Forum, enter the PE competition and stand the chance to win one of five handsets. You could be one of the first owners of this hi-tech personal communicator. See page 61.

MAKING ELECTRONICS C.A.D. AFFORDABLE

PCB CAB, FOR THE PC/XT/AT **EASY-PC AND TINY-PC**

- Are you still using tapes and a light box?
- Have you been putting off buying PCB CAB software?
- Have you access to an IBM PC/XT/AT or clone inc Amstrad 1640 & 1512
- Would you like to be able to produce PCB layouts up to 17" square?
- With up to 8 track layers and 2 silk screen layers?
- Plus drill template and solder resist?
- With up to eight different track widths anywhere in the range .002 to .531"
- With up to 16 different pad sizes from the same range?
- With pad shapes including round, oval, square, with or without hole and edge connector fingers?
- With up to 1500 IC's per board, from up to 100 different outlines?
- With auto repeat on tracks or other features ideal for memory planes?
- That can be used for surface mount components?
- With the ability to locate components and pads on grid or to .002" resolution?
- With an optional auto via facility for multilayer boards?
- With the ability to create and save your own symbols?
- That can be used with either cursor keys or mouse?
- That is as good at circuit diagrams as it is a PCB's?
- That outputs to Dot Matrix Printer, or, with extra drivers can drive a pen plotter or photoplotter.
- Where you can learn how to use it in around an hour?


TINY-PC £95.00 + VAT EASY-PC £275.00 + VAT



SMITH CHART PROGRAM – Z-MATCH

CIRCUIT ANALYSIS BY COMPUTER - ANALYSER II

For IBM, PC/XT/AT and clones inc. Amstrad 1512 and 1640 and BBC B. B+ and Master.




Z-MATCH – Takes the drudgery out of R.F. matching problems. Includes many more features than the standard Smith Chart.

Provides solutions to problems such as TRANSMISSION LINE MATCHING for AERIALS and RF AMPLIFIERS with TRANSMISSION LINE TRANSFORMER and STUB MATCHING methods using COAXIAL LINES MICROSTRIP, STRIPLINE and WAVEGUIDES, the program takes account of TRANSMISSION LINE LOSS. DIELECTRIC CONSTANT, VELOCITY FACTOR and FREQUENCY. Z-MATCH is supplied with a COMPREHENSIVE USER MANUAL which contains a range of WORKED **EXAMPLES**

£130 for PC/XT/AT etc £65.00 for BBC B,B+ and Master

For IBM, PC/XT/AT and clones inc. Amstrad 1512, 1640, R.M. NIMBUS, and BBC B, B+, and Master.



"ANALYSER II" - Analyses complex circuits for GAIN, PHASE, INPUT IMPEDANCE, OUTPUT IMPEDANCE and GROUP DELAY over a very wide frequency range.

Ideal for the analysis of ACTIVE and PASSIVE FILTER CIRCUITS, AUDIO AMPLIFIERS. LOUDSPEAKER CROSS-OVER NETWORKS. WIDE-BAND AMPLIFIERS, TUNED R.F. AMPLIFIERS, AERIAL MATCHING NETWORKS, TV I.F. and CHROMA FILTER CIRCUITS, LINEAR INTEGRATED CIRCUITS etc.

STABILITY CRITERIA AND OSCILLATOR CIRCUITS can be evaluated by "breaking the loop".

Can save days breadboarding and thousands of pounds worth of equipment.

£195 for PC/XT/AT etc. £130 for BBC B, B+ and Master

All prices Ex-VAT WRITE OR PHONE FOR FULL DETAILS:- REF PE



Harding Way, St Ives, Huntingdon Cambs, PE17 4WR Tel: St Ives (0480) 61778

We provide full after-sales support with free telephone 'hotline help' service.

Software updates are free within 6 months of purchase date.

PRACTICAL ELECTRONICS CLASSIFIED

Reach thousands of serious electronic and computer enthusiasts. Advertise in PE Classified pages: Rates 20p per word or £8.50 per single column cm (plus VAT). All classified advertisements must be pre-paid. Send your copy with the remittance (payable to Intra Press or payment by Visa or Access accepted) to: Practical Electronics, Intra House, 193 Uxbridge Road, London W12 9RA. Tel: 01-743 8888. Fax: 01-743-3062

LET PE WORK FOR YOU!

EDUCATION

FULL-TIME TRAINING COURSES

2 YEAR BTEC NATIONAL DIPLOMA

Electronics and Communications

Engineering (TV, Computers, Programming, IT)

1 YEAR

BTEC NATIONAL CERTIFICATE

1. Electronic Equipment Servicing

(TV, Video, CCTV)
2.Computing Technology

(Microprocessors, DataComms, Interfacing)

3. Information Technology (Telecomms, SatelliteTV, CD, Networks)

4. Software Engineering
(Assembler, BASIC, PASCAL, CADCAM)

COURSES COMMENCE Monday 24 thApril./ 18th Sept. 1989

LONDON ELECTRONICS COLLEGE

Dep: AA, 20 Penywern Road, London SW5 9SU. Tel: 01-373 8721

Start training now for the following courses.

- ☐ Telecomms Tech C&G 271
- Radio Amateur Licence C&G
- Microprocessor
- Introduction to Television

Send for our brochure - without obligation or telephone us on 06267 79398 (Ref: PE1/89) Name....

..........

.....

Radio & Telecommunications Correspondence School, 12 Moor View Drive, Teignmouth, Devon TQ14 9UN

RETAILERS

BATH

L.F. HANNEY

77 Lower Bristol Road, Bath, Avon. Tel: 0225-24811

Your electronics component specialist for AVON, WILTS. & SOMERSET

Open every day, except on Thursday

BURTON - ON-TRENT

MAGENTA ELECTRONICS Ltd

Shop now open - callers welcome! 135 Hunter Street, Burton-on Trent, Staffs.DE14 2ST

EDINBURGH

OMNI ELECTRONICS

stock a wide range of electronic components at 174 Dalkeith Road Edinburgh EH16 5DX Tel: 031 667 2611

Open Mon-Fri 9am-6pm Sat. 9am-5am Send 2x19 stamps for NEW CATALOGUE!

Help PE Readers!

Put projects into practice. Project your component image here!

Phone PE on 01-743-8888

LONDON

TECHNOMATIC Ltd.

See our display advertisement in this magazine!

SOUTHSEA

ELECTRONIC COMPONENTS

EVERYTHING FOR YOUR NEXT PROJECT THE BIGGEST DISPLAY IN THE SOUTH IS AT

FRASER ELECTRONICS

42 ELM GROVE ★ SOUTHSEA ★ HANTS Telephone: 0705-815584

Barclaycard

Access

MANCHESTER

DEANSGATE ELECTRONICS

We stock a large range of electronic components, test equipment, telephone accessories, computer accessories, microphones, speakers, discolighting, mixers, meters, stylus, so call in and have a look around.

263 Deansgate, Manchester Telephone: 061-834 1185

STOKE-ON-TRENT

ANDOR ELECTRONICS

11Victoria House, Paxton Street, Hanley, Stoke -on Trent, ST1 3SD Tel:0782 283642

SURREY

PLS

16 Central Road Worcester Park Surrey KT4 8HZ Tel: 01-330 6540

Programmable device specialists. (PAL's PROM's, PLD's etc). Many other components in stock Resistors 1/4 W 5% carbon (E12) 1p metal film 1% (E24)3p
Resistor Pack 85 different E12 values + zero ohm link total contents
1000 resistors £8.95
LEDs red/green 3/5mm 6p each. Yellow 1 lp
Cable ties 75mm 1p each £5.95/1,000 £49.50 per 10,000
Stepping motor 4 phase 12v 7.5 step 50 ohms £8.95
SAA1073 texpping motor driver chip £3.95
Miniature FM transmitter Kit 100-108 Mhz high quality sound Ideal for cordless microphones of guitars etc £7.48
Special offers

Special offers
Computer Grade Capacitors with screw term
58000uf 60v £4.00 4700uf 63v £1.50
38000uf 20v £1.95 87000uf 10v £1.50 \$8000uf 60v £4.00 '4700uf 63v £1.50
\$8000uf 20v £1.95 87000uf 10v £1.50
7 segment Commom anode led display 12mm £0.45
LM2931ATS.0 Low drop out 5V regulator T0220 package £0.65
BS250 Pc hannel MOSFET £0.44
BC559 transistor T092 PNP £3.95 per 100
74LS05 bex inverter £0.00 per 100
AMZ7802DC memory £1.50
Stereo LW/MW/FM Tuner pre-airag assembly complete with volume/none controls and tuning scale
Brand new in makers carton £5.35, faulty £1.95
Circuit diagram description and setting up procedure for tuner assembly described above £0.50
Motor start capacitors £5.95 faulty £1.95
40 uf 370vac £5.95 4uf 250vac ±100uf £0.55
LNE mains suppressor 2x5nf ±100uf £0.55
5 digit 6V electromagnetic counter £1.95
oval 8 ohm speakers 136x/0mm £0.60
Hour counter (used) 7 digit mains £50V 50Hz £0.95
LCD display 16 digit 7x5 dots dot matrix £2.50
Quenty keyboard \$8 key uncased good quality switches £5.00
CMOS TT. 74HC 74F Linear transistors kits capacitors resistor tools tecl always in 800x
Please add 75p P&P per order VAT included
JPG Electronics 276 Chatsworth Road Chesterfield \$40 2BH
Access orders (0246) 211202. Callers welcome

Carbon Film Resistors 1/4W E24 series 0-51R to10M0 Carbon Film Resistors $\mbox{$^{\prime}$W}$ E24 series 0.51R to10M0 - 1p 100 off per value - 75p 1000 off in even hundreds per value - £7 Metai Film $\mbox{$^{\prime}$W}$ 10R0 to 1M0 5% E12 series - 2p 1% E24 series - 3p 1 Wat metal/carbon film E24 series 1R0 to 10M0 – 11/29 1 Wat metal/carbon film E24 series 4R7 to 10M0 – 5p BC107/89 – 12p BC47/89 – 8p BC108/21 184L – 10p BFY50/51/52 – 20p 2N3055 – 50p TIP31A,32A – 25p TIP,41,42, – 40p

Miniature Polyester Capacitors 250V Wkg. Vertical Mounting 01, 015, 022, 033, 047, 068 – 4p 0.1 – 5p 0.15, 22 – 6p 0.47 – 8p

 Subminiature Ceramic Plate 100V Wkg, E12 Series Vertical Mounting 2% 1P8 to 47P - 3p
 56P to 330P - 4p
 10% 390P to 4700P - 4p

 Ceramic plate/disc E6 Series 50V 22P to .047 - 2p

Ceramic plate/disc to Series 300 42. Series Axial Mounting
Polystyrene Capacitors 63V Wkg. E12 Series Axial Mounting
1000P to 10,000 - 4p 12,000P - 5p

VAT inclusive. Return postage 25p (free over £5), Lists free

THE C.R. SUPPLY CO., 127 Chesterfield Road, Sheffield S8 ORN. Tel. 557771.



Cooke International

GOOD USED TEST EQUIPMENT ALWAYS AVAILABLE & WANTED SCOPES ANALYSERS SIG GENS BRIDGES POWER METERS DC - MICROWAVE EQUIPMENT

DC: MICROWAVE EQUIPMENT

Airmec 304 HF Oscillator 60kHz:100MHz 104v output (1) £200

Dana Model 4500 5 1/2 digit Auto CMM/ (2) £65

Dana Model 4500 5 1/2 digit Auto CMM/ (2) £65

Dana Model 8110, Auto Time & Frequency 8 digit counter, 0-20MHz £250

Fluke £7 IA Differential voltmeter (1) £170

HP 214A Pulse Generator High power 100volt/50 Chms (1) £185

HP 431B RF Power meter with lead and mount (6) £250

HP 6060 HF Signal generator 50kHz - 66 MHz 3v output (1) £265

HP 6080 VHF Signal generator 10 - 420 MHz with Med. (1) £150

HP1740A 100MHz General purpose oscilloscope with delay (1) £750

HP3400A Function generator 0.01-100Hz all modes (1) £150

HP 3406A Broad band RF sampling voltmeter (1) £265

Mancront TF 1313A Universal LOR Eriging (1) £250

Phillips PK03370 OC-60MHz dual trace scope with delay (1) £175

Philips PM3370 OC-60MHz dual trace scope with delay (1) £270
Philips PM3370 OC-60MHz dual trace scope with delay (1) £175
Tektronix 611 storage display (1) £200
Tektronix 455 DC - 100 MHz dual trace with delay (3) £750
WIDE RANGE OF TIEMS AVAILABLE - SEND FOR LISTS - COMPETITIVE
PRICES & BARGAINS TO CALLERSI, BULK & TRADE TERMS HOURS OF BUSINESS: MON-FRI 9:30 - 5:00 UNIT 4 FORDINGBRIDGE SITE, MAIN ROAD, BARNHAM, BOGNOR REGIS, WEST SUSSEX PO22 0EB

Tel: 0243 68 5111/2, Fax: 0243 68 2457

Phone Sarah Holtham

with your classified ad!

01-743 8888

We now accept payment by Access and Visa

You can also use PE Fax Line: 01-743-3062

Eproms ex equip all blank and tested: 2764, £1 ea., £9 for 10, 2756, £2 ea., £19 for 10; 200 step, stepper motors, 24/12 volts, £3 ea. Add £1 p&p

EXTECH, THE COMPUTER CENTRE 53 Queen Street, Morley LS27 8DB Tel: (0532) 537219

UNUSED AND SURPLUS TO REQUIREMENTS

10 Relevs Misc. voltages and types £10,00 inc. VAT 30 Potentiometers & Trimmers misc. £6.00 inc. VAT 10 3/4 Rectangular cermet trimmers PC mount - mixed std value £3.00 inc. VAT

10 Mixed miniature pushbutton switches £2.50 inc.VAT 20 Mixed 1/2 watt W/W Resistors with variable TAP £4.00 inc. VAT 10 Miniature Panel Neons £2.00 inc. Vat Postage and packing £1.30 per pack. BLORE-BARTON LTD Raedham House, Burnham Bucks SL1 8AG

CAMBRIDGE COMPUTER SCIENCE LTD

51/4 inch Disk Drives, 80 Track DSDD £34 00 each 3" Disk Drives, 40Tk, SSDD £28,00 each 5.25" Disks, DSDD, 48tpi boxed in 10s £3.00/box £27.00(ten) Dual Disk Drive Power Supply £20.00 each Lead to connect one drive to psu £ 2.00 each Single Data lead (BBC Micro to Disk Drives) £ 2.00 each Dual Data lead (BBC Micro to 2 Disk Drives) £ 4.00 each Dual leads (BBC Micro to 2 Disk Drives) £ 2 00 each 20 pin dil low profile IC sockets £0.50 (ten) - £ 5.00 (100) QWERTY keyboard with Cursor keys, function keys & numeric pad £ 6.00 each Hitachi 640 * 200 dot matrix LCD display £ 40.00 each

Toroidal transformer, mains in, 12V @4A. 12V @0.4A, 12-0-12 @0.1A, 12-012 @0.2A 89-09 @0 2A £4.00 each - £6.00 for 2. - £8.00 for 3

All items new and boxed. Add 15% VAT to all prices. Prices include postage. Add 50p to orders below £5.00.

Dept PE, 374 Milton Road, Cambridge, CB4 1SU Tel: 0223 327602

TURN YOUR SURPLUS

ICS transistors etc into cash, immediate settlement. WE welcome the opportunity to quote for complete factory clearance. Contact:

COLES-HARDING & CO.,

103 South Brink, Wisbech, Cambs. **ESTABLISHED 15 YEARS** Tel:0945 584188 - Fax: 0945 588844

☆☆☆ RESISTOR PACKS ☆☆☆

1/4W 5% CARBON FILM 10 of each E12 value 10R to 10M Total 730 resistors

£8.00 UK only

RMOS P.O. Box 3 USK GWENT NP5 2YF

SURPLUS/REDUNDANT ELECTRONICS COMPONENTS WANTED

ICs - Tuners - Transistors' Valves - Diodes etc - any quantity considered -immediate payment. ADM ELECTRONICS SUPPLIES Fax: 0827 874835 Tel 0827 873311

*** KITS ***

- Miniature VHF/FM transmitter ☎.75
- Telephone transmitter (no batteries needed £6.99 ●
- Automatic telephone monitor to start/stop your casette when telephone is used, recording all conversations \$8.99
 - Voice operated switch £9.99
 - AF/RF signal injector tracer £5.99 ●
 - Bieeper VHF/FM transmitter 59.99 ●
 - High power telephone transmitter £7.99 ●
- Tricolour car battery monitor £4.25 Rogerbleep £4.99
 - Receiver preamp, 15db gain £7.99 ●
 - Drill speed controller, complete with cable, socket, box etc. £9.99 ●

SAE LIST, P&P Free , Eire and overseas £2 Access orders accepted by telephone. Cheque / P.O. to:

A.C. Electronics, 99 Greenheath. Hednesford, Staffs.

- * Series X Mixer Kits
- up to 1.000 inputs
 ★ 60+100 mm faders, pots,
 panels and audio switches
- ★ 6 auxiliaries ★ versions for recording PA, radio, disco
- ★ circuit diagrams
- From £9.92

Send 19p for catalogue to: K. Tek, P.O. Box 172a, Surbiton, Surrey KT6 6HN. Tel:01-399-3990

80186 STARTER KITS.

Limited number. Ex-Development stock. Choice of processors, 80186-10 or 8086-2 + 8089-3 plus the following: 8087 (5MHz) 8207-8 8251A 8253PC 8254 8259AB 8284A-8 8288 8289

Complete kits £90. Please state which processor. A number of 5MHz and 8MHz 8087 coprocessors available separately at £70 and £90 respectively. Contact Nikki on 0242 574528 and ask about 8086 kits.

HYBRID POWER CONTROLS

- 12 Amp 240 Volt complete Zero Voltage Proportional Heater Control (no radio interface).
- PC1R \$3 1 Amp 240 Volt Phase Angle Controller Light Dimmer (requires 220k pot.)
- 12 Amp 240 Volt Phase Angle Controller Light Dimmer, Drill Speed, Heater Control. (Requires 220k pot.)

Hices Include VAT + p8.p 42 PARK ROAD, SWANAGE, DORSET, BH19 2AE SAE for details on above products. Full range of Thyristors, Triacs, Fuses. Heatsinks & Firing Circuits etc. rode enquiries welcome



TELEPHONE: 0929 426400

SERVICES

Sample our quality with

A FREE P.C.B

PAYNE ELECTROPRINT LIMITED

15 years **PRINTED CIRCUIT** manufacture ☆Single/double sided

☆Plated Through Hole ☆Small or large quantities

Write to : Dept A. Marcus Road. Dunkeswell, Nr. Honiton, Devon, EX148TT

PCB Design Program for Amstrad PCW8256/8512

Latest version featuring 1:1 scale printout. Now you can make double or single sided PCB's using only a UV light source. Powerful screen editing facilities. All this and more for just £29.99 incl.

Details from: CADsoft Systems, 18 Ley Crescent, Astley Manchester M29 7BD * Also available for Amstrad CPC664/6128 *

PCB Design Program for Amstrad CPC664/6128 and Amstrad PCW 8256/8512

Design and manufacture your own PCB's using this powerful yet easy to use utility.

Double or single sided boards - 8 pads

styles - 5 track widths - plus many other
features for only £29,99 incl.

Details from: CADsoft Systems, 18 Ley Crescent, Astley Manchester M29 7BD

MAKE YOUR OWN PCB's

Just about everything from polishing blocks to plated through hole equipment. Very keen prices - discount on quantity. S.A.E. for complete price list or telephone:
Ward Electronics, 27 North Street, Redruth, Cornwall TR15 1HJ Tel: 0209 211050

Printed Circuit Board Design, Using Computer Aided Design,

Photoplotting, Phototype PCB's Special reductions for new clients

Call Neville Sanderson on: 0532-870253 N.C.A. DESIGNS

Use Practical Electronics magazine as a showcase for your products!

For Electronic Design and PCB Manufacture

PROTO DESIGN

Unit 8, Ilford Trading Estate Paycocke Road Basildon Essex SS14 4DR

Tel: 0268 289923

IS YOUR

CLASSIFIED AD

A TIGHT SQUEEZE?

STRETCH

OUT

in display pages of PE! Phone Sarah Holtham on 01-743-8888 for details!

DESIGN PROBLEMS?

Solve them now! Low cost electronic design service. For full details send S.A.E. to: Spiretroniks, 2 Woodclose, Chesterfield, Derbyshire \$42 6SD Tel: 0246 278280

WORKSHOP SERVICE MANUALS

Video Recorders - £12.50 Most Colour TV, Audio, Test, Vintage, Amateur etc. £6.00 Please state Make/Model/Type with order. FREE Catalogue Unique Repair and Data Guides with all orders or LSAE for your copy. MAURITON ELECTRONICS LTD (PE), 8 Cherry Tree Road, Chinor, Oxoforshire OX9 4QY Tel: (0844) 51694

TECHNICAL INFO SERVICES (PE) 76 Church St., Larkhall, Lanarkahire ML9 1HE
Phone 0698 884595 Mon-Fri, 9-5
any other time 0698 884305 Mon-Fri, 9-5
WORLD'S LARGEST COLLECTION SERVICE MANUALS Most

WORLD'S LARGEST COLLECTION SERVICE MANUALS Most unobtainable elsewhere. Prices range from only 24, 50 - large s.a.e. any quotation, no obligation to buy.
WORLD'S SOLE Suppliers of TV & Video Repair manuals, etc. from TV TECHNIC, Thorn etc. Every published service sheet in stock, supplied full size, not bits & pieces, CTV's or any combination £3,50 plus Lsae, any other single item £2.50 plus Lsae. Complete Circuit Sets for most Videorecorders only #7 set (no service this made). LSAE for QUOTATIONS plus GlaNT CATALOGUE NEWSLETTERS BARGAINS FREE S/SN tae available. Comprehensive TV Repair Manual £9,50. Complete Radio Service and Repair Course £9,50. Complete Repair & Service Manual's Mono TV £12.50; CVT £17.00; Video £19,50. Complete Repair Data with circuit-Mono TV £9,50; CTV £12.50; Video £10,50.
\$3.00 plus LSAE BRINGS THE ONLY COMPREHENSIVE SERVICE SHEETS & MANUALS, CATALOGUES plus FREE CHASSIS GUIDE and £4.00 OF VOUCHERS

Printed Circuit Board Design, Using Computer Aided Design Photoplotting, Phototype PCB's Special reduction for new clients!

Call Neville Sanderson on:0532-870253 N.C.A. DESIGNS

Program Now

The Advanced Programmers' Journaal The one tool every programmer should have!

From all good newsagents-£1.50

SURVEILLANCE

Ideal eavesdropper or baby monitor

- ☐ Less than ½ matchbox size
 ☐ Absolutely shockproof housing
 ☐ Built-in sensitive microphone
 ☐ Battery life 72 hrs (Alkaline)

☐ Full 12 months warranty

Simply clip Omicron 2 to battery and hide - no adjustment no fiddling, no fuss. Hear every sound perfectly on an ordinary FM radio up to 1/4 mile away. This must be the easiest to use, best value surveillance device available.

0

No auibble 14 day money back guarantee.

TRADE ENQUIRIES MILLEA ELECTRONICS (0484)
WELCOME 470-472 LEYMOOR ROAD, HUDGERSFIELD, HOT 40F 26010

NEW VHF MICROTRANSMITTER KIT, tuneable 80-115 Mhz, 500 metre range, sensitive electret microphone, high quality PCB. SPECIAL OFFER complete kit ONLY £5 POST FREE. Access orders telephone

021 411 1821. Cheques/ P.O.'s to: Quantek Electronics Ltd, (Dept P.E.), Station Road, Northfield, 45a Birmingham, B31 3TE

Surveillance devices, lasers, Tesla coils, scramblers, ultrasonic and many more, over 150 designs. Send SAE to: Plancentre, Old Wharf, Dynock Road, Ledbury HR8 2HS

MISCELLANEOUS

Geiger tubes £29.00. Counters - fit your tubes £25. Silicon wafers £1.50. Universal labaratory camera £40.00. Tel: Mr. Matthews on 040-376 236 FOR SALE. Cheetah 87 Telex and BT Statesmen Telephone System. Tel: 031 2202257

Aluminium Electrolytic Capacitors (Axial) 2200/25V - **50p**, 4700/25V - **85p**, Metallised Polyester Capacitors MKS4 1.0/250V - 40p, Resistor Networks SIL 8 Pin 4 * 2K2 - 10 for £2.10, Heatsinks TO-220 14 deg.C/W Type TV1500 - 20p, Heatsinks TO3 7.1 deg.C/W Type TV3 -25p, Microprocessor IC's 8748D NEC 1K bytes EPROM - £9.50, 8748HD NEC 1K bytes EPROM - £10.50, Please add 75p p&p. VAT inc. Cheque/P.O. to: Chilworth Electronics, Sycamore, Blacksmith Lane, Chilworth, Guildford, Surrey GU4 8NQ Tel: 0483 62772

PROFESSIONAL 19" ENCLOSURES FOR YOUR PROJECTS AT AMAZING PRICES. These beautifully made 1U high 19" rack style cases are complete with +5v, +/- 12v power supplies and mains IEC inlet. Would cost well over £100 new, a limited number only production overrun offered as new but untested for only £25 plus £4.50 P&P. Cheques to: B. Thurlow, SHDS/2 Stephenson House, 75 Hampstead Road, London.



BD2

BD7

BD9

BD13

BD22 BD29

No. 1 LIST BAKERS DOZEN PACKS

All packs are £1 each, if you order 12 then you are entitled to another free. Please state which one you want. Note the figure on the extreme left of the pack ref number and the next figure is the quantity of items in the pack, finally a short description.

5 13A spurs provide a fused outlet to a ring main 13A spurs provide a fused outlet to a ring main where devices such as a clock must not be switched off.

In flex switches with neon on/off lights, saves leaving things switched on.

6V 1A mains transformers upright mounting with two stores.

fixing clamps.

BD11 61/21n speaker cabinet ideal for extensions, takes our speaker. Ref BD137

our speaker. Het BD137.

30 watt reed switches, it's surprising what you can make with these – burglar alarms, secret switches, relay, etc., etc.

25 watt loud speaker two unit cross-overs.

B.O.A.C. stereo unit is wonderful breakdown

vatue Nicad constant current chargers adapt to charge

BD30 BD32

Nicad constant current chargers adapt to charge almost any nicad battery.

Humidity switches, as the air becomes damper the membrane stretches and operates a microswitch.

13A rocker switch three tags so on/off, or others severe with septing of the control of the charge of the control of th BD42

change over with centre off BD45

change over with centre on.

24hr time switch, ex-Electricity Board, automatically adjust for lengthening and shortening day original cost £40 each.

Neon valves, with series resistor, these make BD49

good night lights.

Mini uniselector, one use is for an electric jigsaw puzzle, we give circuit diagram for this. One pulse into motor, moves switch through one BD56

BD59 BD67

pulse into motor, moves switch through one pole. Flat solenords — you could make your multi-tester read AC amps with this. Suck or blow operated pressure switch, or it can be operated by any low pressure variation such as water level in water tanks. Mains operated motors with gearbox. Final speed 16 rpm, 2 watt rated. 6V 750MA power supply, nicely cased with mains input and 6V output leads. Stripper boards, each contains a 400V 2A

BD91

BD103A

mains input and by output leads.

Stripper boards, each contains a 400V 2A
bridge rectifier and 14 other diodes and rectifiers
as well as dozens of condensers, etc.
Twins screened flex with white pvc cover
Very fine drills for pcb boards etc. Normal cost
about 80 peach BD120

RD122 about 80p each.

BD132 Plastic boxes approx 3in cube with square hole through top so ideal for interrupted beam switch 10

BD134 Motors for model aeroplanes, spin to start so needs no switch BD139

Microphone inserts – magnetic 400 ohm also ac as speakers. Reed relay kits, you get 16 reed switches and BD148

coil sets with notes on making c/o relays and other gadgets. Safety cover for 13A sockets - prevent those BD149

inquisitive little fingers getting nasty shocks. Neon indicators in panel mounting holders with BD180

BD193

iens.

5 amp 3 pin flush mounting sockets make a low cost disco panel. Need cable clips in flex simmerstat – keeps your soldering iron

etc. always at the ready.

BD199 Mains solenoid, very powerful, has 1in pull or could push if modified.

Keyboard switches – made for computers but BD201

Keyboard switches – made for computers but have many other applications.

Transistors type 2N3055, probably the most useful power transistor.

Electric clock, mains operated, put this in a box and you need never be late.

12V alarms, make a noise about as loud as a car horse. Stephic could but OV. BD210

BD211

BD221

12V alarms, make a note horn. Slightly solled but OK. BD242

BD252

50

6in ×4in speakers. 4 ohm made from Radiomobile so very good quality. Panostat, controls output of boiling ring from simmer to boil. Leads with push-onb ¼in tags – a must for hook-ups – mains connections etc. Oblong push switches for bell or chimes, these can mains up to 5 amps so could be foot switch if titted into patterss.

if fitted into pattress. BD268 Mini 1 watt amp for record player. Will also

Min 1 watt amp for record player. Will also change speed of record player motor. Guitar mic – clip-on type suits most amps. Mild steel boxes approx 3in × 3in × 1in deep—standard electrical. Mixed silicon diodes. Car plugs fit into lighter socket. Tubular dynamic mic with optional table rest Books. useful for beginners, describes amplifiers, equipment and kit sets. BD275 BD283

BD293 BD296 BD305 BD400

BD259

BD653

2 Miniature driver transformers, Ref. LT44.

20k to 1k centre tapped.
2 3.5V relays each with 2 pairs changeover BD553a

Most other packs still available and you can choose any as your

free one. VERY POWERFUL 12 VOLT MOTORS — 1/3 HORSEPOWER Made to drive the Sinclair C5 electric car but equally adaptable to power a go-cart, a mower, a rail car, model railway, etc. B rand new. Price £15.00 plus £2.00 postage. Our ref 15P8. MAINS TRANSFORMER Upright mounting normal mains input, gives 28v at 3.5A so should be ideal for big amplifier, etc. Price only £4. Our ref 4P24, please add £1 postage

POWERFUL IONISER

Generates approx 10 times more IONS than the ETI and similar circuits. Will refresh your home, office, workroom, etc. Makes you feel better and work harder - a complete mains operated kit, case included. £12.50 plus £2 postage. Our ref 12P5/1.



ECHO BOX Intended to make dolls and robots talk. These units record speech and other sounds then play back the sounds a few sounds after hearing it. Basically the unit consists of a FET microphone, a micro-processor and lots of ICs, transistors, etc., on a pcb, coupled to a 2in speaker. All put together in a case size approx. 4½in x 2¾in x 1¾in deep. In addition to talking back undoubtedly these models could, with a few alterations, be amder the performance. Proc. 55. to perform functions in response to sound frequencies. Price £5 each. Our ref 5P130.

ATARI 65XE COMPUTER

At 64k this is most powerful and suitable for home and business. Brand new, complete with PSU TV lead, owner's manual and six games. Can be yours for only £45 plus £3 insured delivery

CAMERAS. We have made a big purchase and can ofter you three cameras all by famous makers. Kodak etc. one disk and two different instant cameras. All in first class condition, believed in perfect working order, sold as unlested. 3 for £01 nor. VA.T. which must be a bargain if only for the lenses, flash guns etc. Our ref 10P58

BD400 for books, useful for beginners, describes amplifiers, test equip

TIME AND TEMPERATURE LCD MODULE This is a 12 hour clock, a Celcius thermometer, a Fanrenheit thermometer, a too hot alarm and finally a too cold alarm. Nice size approx 50mm x 20mm, with 12.7mm digits which clearly display the time or temperature. Requires only a 1.5v battery and a tew switches. Comes complete with circuit diagram and explanation. Price £6. Our

4C WATT THREE-WAY CAR SPEAKER SYSTEM Woofer mid-range and tweeter, all assembled in a shelf mounted case, size 180mm long x 100mm deep. Really beautifully made, 400mm impedence. New and tested, £10 each. Our ref 10P64

9in MONITOR made for ICL, uses Philips black and white tube, Brand new and complete but uncased. £16 plus £5 post.

DATA RECORDERS ACORN for Acorn Electron, etc., reference number ALF03, with TV lead, manual and PSU Brand new Price £10 plus £150 post.
Order ref 10P44 ATARI XC12 for all their home computers. With leads and handbook Brand new Price £15 plus £2 post. Order ref 15P20

JOYSTICK FOR ATARI OR COMMODORE for all Atari and Com and Vic20. New. Price £5. Order ref 5P126

EXTRA SPECIAL OFFER We will supply the Atan 65XE, data recorder XC12, joystick and six games for £62.50 plus £4 insured delivery

SUB-MIN TOGGLE SWITCH Body size 8mm x 4mm x 7mm SBDT with chrome dolly fixing nuts 4 for £1 Order Ref BD649

Re-CHARGEABLE NICADS 'D' SIZE

These are tagged for easy joining together but tags, being spot we'ded, are easy to remove Virtually unused, tested and guaranteed £2 00 ref 2P141 or 6 wired together for £10 00 ref 10P47

LASER TUBE

Made by Phillips Electrical. New and unused. This is helium-neon and has a typical power rating of 1.6mW. It emits random polarised light and is completely safe provided you do not look directly into the beam when eye damage could result. Do not use in the presence of children unless a diverging lens if fitted. DON'T MISS THIS SPECIAL BARGAIN Price £29.95 plus £3 insured delivery.

POWER SUPPLY FOR PHILIPS LASER is now available in kit form. Price £15 plus £2 postage or made-up ready-to-use at £20 plus £2.50 postage. Our ref 15P16 for the kit and 20P8 for the made-up version. Battery operated p.s.u. now available £15

PAPST AXIAL FAN-MANUFACTURERS REF NO. TYP4560N

This is mains operated. 15 will rating and in a metal frame with metal blades so OK in high temperatures Body size approx. 4¾ 'square × 1¾" thick £6.00 each, plus £1 00 postage Our ref 6P6

ORGAN MASTER

is a three octave musical keyboard. It is beautifully made, has gold plated contacts and is complete with ribbon cable and edge connector Brand new, only £15 plus postage. Our ref 15P15

MUSIC FROM YOUR SPECTRUM 128 We offer the Organ Maste keyboard, complete with leads and the interface which plugs into your 128. You can then compose, play, record, store, etc., your own music. Price £19 plus £3 special packing and postage. Order ref 28P2

20A DOUBLE POLE RELAY WITH 12V COIL complete with mounting brackets made by the Japanese Omron Company, Proce £2 each Dur Ref 2P173A TORROIDAL MAINS TRANSFORMER with twin outputs 6 3V 2A and 12V 600mA, so ideal for FDD power supply Proce 5S Our Ref 5P122

AND HELD VIDEO LAMP Mains operated and will enable you to take professional standard videos. Made by the famous Ferguson Company, this uses a 1000w lamp in a fan cooled, hand-held and hand-switched metal housing. Comes complete with

a fan Cobed, nand-ned and nand-switched metal motising. Comes complete with optional barn-door assembly and camera bar Obvously intended to retail at over £60, we offer these at £30 each plus £3 insured delivery. Our ret 30P3

OUR ALADDIN'S CAVE You may be a new reader and not know that we have a shop at 12 Boundary Road, Hove, where you can go and have a browse around at our assortment of 'goodies. Unfortunately, because of staff shortages, we cannot open on Saturdays yet, so the hours are 9 30am to 5 00pm, Monday to Finday. We of course will sense called the staff Sch. but request this way, how a completed great forms as Caste. still serve callers at 250 but request thit you bring a completed order form as 250really the mail order depot

J & N BULL ELECTRICAL Dept PE, 250 PORTLAND ROAD, HOVE **BRIGHTON, SUSSEX BN3 5QT**

MAIL ORDER TERMS: Cash, PO or cheque with order. Orders under £20 add £1.50 service charge. Monthly account orders accepted from schools and public companies. Access and B/card orders accepted minimum £5. Phone (0273) 734648 or 23500.

POPULAR ITEMS

Some of the many items described in our current list which will you receive if you request it



NOISE FILTERS — MAINS INPUT PLUG TYPE Japanese made this is a chassis mounting block with a built in noise filter to cut out surges and voltage peaks which could interfere with and possibly even damage your equipment These are easy to mount and have a flange with two fixing holes standard 3 flat pin plug, 2amp model Price £3 each Our ref 3P50

LEAD LAMP Motorists' Special Normal hand-grip type holder, with glass cover to protect the lamp and further protection in the form of a wire quare a hook for hanging. Ideal as a loft light or for car repairs, etc. Takes 60w lamp Has good length flex. Price £4. Our ref 4P31,

PHONE LEADS 3 metres long, correctly colour coded, one end has flat plug which fits standard BT socket, other end has tag connectors, $2 \text{ for } \mathfrak{L}1$. Our ref BD639

SOFTWARE FOR REMAKING Just arrived. Large quantity of mainly games All re on normal tape spools in cassettle holders and should be suitable for wiping out and re-making into games or programmes of your own design. We offer 5 different for £2 or 100 assorted for £20. Important note: We cannot say which titles you will get nor accept orders for specified titles or 'so many, all different', etc., so only order if you can take them as they come. Order ref 5 for £2 is 2P224, 100 assorted is 20P10.

VERY USEFUL MAGNETS Flat, about 1in long, 1/2in wide and These are polarised on their faces which makes them local to operate reed switches in doors and windows or to hold papers or labels, etc., to metal cabinets, or even to keep cupboard doors firmly closed. Very powerful 6 for £1 Our ref BD274(a)

FREE POWER! Can be yours if you use our solar cells - sturdily made FINEE POWER: Can be yours in you use our solar ceils – sturinly made modules with new system bubble magnifilers to concentrate the light and so eliminate the need for actual sunshine – they work just as well in bright light Voltage input is 45-you join in senes to get desired voltage – and in parallel for more amps. Module C gives 400mA, Price £2, Our ref. 2P199 Module D gives 700mA, Price £3, Our ref. 3P42

SOLAR POWERED NI-CAD CHARGER 4 Ni-Cad batteries AA (HP7) charged in eight hours or two in only 4 hours. It is a complete, boxed ready to use unit. Price £6. Our ref. 6P3

3 VOLT MOTOR Very low current so should be very suitable for working with solar cells. £1 each. Our ref BD681.

MINI SPEAKERS to use instead of headphones with your personal stereo – simply plug in to earphone socket Excellent sound quality, only £4 per pair. Our ref 4P34

SEALED LEAD ACID BATTERIES Japanese made re-chargeable and maintenance-free Leak-proof construction, so could be used in any position Long life expectancy - usually four to five years 12v 2.6Ah, £10 each Our ref 10P59 6v 1Ah, £5 each Our ref 5P135

INNER EAR STEREO HEADPHONES Ideal for lady listeners as they will not mess up your hair do! Come complete in a neat carrying case. Price £3 Our ref 3P56

SWITCH AC LOADS WITH YOUR COMPUTER This is easy and reliable if you use our solid stale relay. This has no moving parts, has high junt resistance and acts as a noise barrier and provides 4kW isolation between logic terminals. The furn-on voltage is not critical, anything between 3 and 30V, internal resistance is about 1K ohm. AC loads up to 10A can be switched. Price is £2 each. Ref. 2P183.

METAL PROJECT BOX Ideal size for battery charger, power supply etc.: sprayed grey, size 8in x 4 ¼in x 4in high, ends are louvred for ventilation other sides are flat and undrilled. Order Ref. 2P191. Price £1.

4-CORE FLEX CABLE. Cores separately insulated and grey PVC covered overall. Each copper core size 7/0.2mm Ideal for long telephone runs or similar applications even at mains voltage. 20 metres £2 Our ref. 2P196 or 100 metres coll £8. Order ref. 8P19

6-CORE FLEX CABLE. Description same as the 4-core above. Price 15 metres for £2. Our ref. 2P197 or 100 metres £9. Order ref. 9P1.

13A PLUGS Good British make complete with fuse, parcel of 5 for £2. Order

13A ADAPTERS Takes 2 13A plus packet of 3 for £2. Order ref. 2P187

 $\bf 28V$ -0- $\bf 20V$ Mains transformers $\bf 2^{1/2}$ amp (100 watt) loading, tapped primary. 200-245 upright mountings $\bf 94$. Order ref. 4P24

BURGLAR ALARM BELL - 8 gong OK for outside use if protected from rain 12V battery operated. Price £8. Ref. 8P2

24 HOUR TIME SWITCH – 16A changeover contacts, up to 6 on offs per day Nicely cased, intended for wall mounting. Price $\mathfrak L8$. Ref. 8P6.

<code>CAPACITOR BARGAIN</code> – axial ended, $4700\mu F$ at 25V. Jap made, normally 50p each, you get 4 for £1. Our ref. 613

SPRING LOADED TEST PRODS – Heavy duty, made by the famous Bulgin company, very good quality. Price 4 for £1. Ref. BD597

3-CORE FLEX BARGAIN No. 1 - Core size 1 25mm so suitable for long extension leads carrying up to 13 amps, or short leads up to 10 amps 15mm for £2 Ref. 2P190.

3-CORE FLEX BARGAIN No. 2 – Core size 1 25mm so suitable for long extension leads carrying up to 13 amps, or short leads up to 25A 10m for Σ 2 Ref. 2P190

ALPHA-NUMERIC KEYBOARD - This keyboard has 73 keys giving trouble tree life and no contact bounce. The keys are arranged in two number pad, board size is approx. 13" x 4" – brand new but offered at only a fraction of its cost, namely £3 plus £1 post. Ref. 3P27.

WIRE BARGAIN - 500 metres 0.7mm solid copper tinned and p.v.c. covered Only £3 plus £1 post. Ref. 3P31 – that's well under 1p per metre, and this is ideal for push on connections

**TH HORSEPOWER 12 VOLT MOTOR Made by Smiths, the body length of this is approximately 3in, the diameter 3in and the spindle 5/sth of an inch diameter. It has a centre flange for fixing or can be fixed from the end by means of 2 nuts. A very powerful little motor which revs at 3,000 rom. We have a large quantity of them so if you have any projects in mind then you could rely on supplies for at least two years. Price £6. Our rel 6P1, discount for quantities of 10 or more. 10 or more

STEREO HEADPHONE AMPLIFIER Very sensitive. A magnetic cartridge or tape head will drive it. Has volume control and socket for stereo headphones. 3v battery operated £1 each. Our rel BD580.

FET CAPACITOR MICROPHONE EAGLE CI.200 Output equivalent to a high class dynamic microphone while retaining the characteristics of a capacitor microphone. Price $\Sigma 1$. Our ref BD646.

SUM-MIN TOGGLE SWITCH Body size 8mm X 4mm x 7mm SBDT with chrome dolly fixing nuts 4 for £1. Our ref 8D649

SUB-MIN PUSH SWITCH DPDT. Single hole fixing by nexagonal nut 3 for

DISPLAY 16 CHARĂCTER 2 LINE As used in telephone answering and similar machines. Screen size 65mm x 36mm x 9.3mm Alpha-numenc, dot matrix module with integral CMOS micro processor. LCD display Made by the EPSON Company, reference 16027AR. Price £10. Our ref 10P50



PE COMPETITION

ED'S NEW DIALEMMA

HOW PHONEY CAN YOU GET?

MUCH MORE IF YOU WIN ONE OF THESE FIVE TELEPOINT PERSONAL TELEPHONES!



Kindly made available by Shaye Communications

YOU'VE READ THE REVIEW
NOW ENTER THE CHATTER BOX.
ANSWER FOUR SIMPLE QUESTIONS,
COMPLETE THE SURVEY QUERIES, AND
YOUR NAME WILL BE PUT IN THE DRAWER
FOR THE DRAW ON MAY 31ST 1989

The first five names pulled out by our switchboard dazzler will each win a Forum Telepoint handset Become the envy of your friends - be one of the first to own the very latest in Hi-tech Telephonology! Shaye promise we shall be among the first to receive Forum handsets once production starts in mid-1989.

HOW TO ENTER:

Answer all questions on the entry form and send to: Practical Electronics, Telepoint Competition, 193 Uxbridge Road, London W12 9RA.
THE EDITOR'S DECISION IS FINAL!

TELEPOINT ENTRY FORM

Study these seven questions and put a circle around the answers you think are most appropriate (one circle for each question!).

1. When was the first communications satellite launched?

1955	1962	1975
2. Was it call	ed -	
Astra	Buzbysat	Telstar
3. Who is use telephone?	ually credited with	inventing the
Hans Fernsp	recher Gu	iglielmo Marconi
	Alexander Bell	
4. When did	he do so?	
1812	1861	1914
5. How much	do you like the new c	over style?
Very Quite	Don't care No	ot very Not at all
6. How much	do you like the new i	nterior style?
Very Quite	Don't care No	t very Not at all
7. How much	would you like more	Easi-build circuits?
Very Quite	Don't care No	ot very Not at all
NAME AND	ADDRESS (IN BI	OCK LETTERS):


Post Code:

The winners of the Astra satellite TV aerials will be announced next month!

y the time you read this the Monopolies and Mergers Commission may have made a decision on whether to allow a proposed takeover of Plessey to go ahead. The 'predators', as the newspapers call them, are GEC and Siemens of West Germany, who would set up a joint company for the purpose.

All this started to happen last November, and you may have been wondering why I haven't mentioned it before, considering that such a massive re-grouping would be highly significant to the whole UK electron-ics industry. Well, I was repeatedly frustrated by a whole series of new devel-opments affecting GEC. Several times, as I was poised with fingers over the keyboard ready to write a report, something else would happen to change the whole picture.

Most important was a 'phantom bid' for GEC itself. This came from a company called Metsun, specially formed for the



Other businesses in the two groups could well be involved if the takeover succeeded, for example medical equipment (already part of the GE-GEC deal) and semiconduc-tors. And this brings me to another significant change of ownership in the UK electronics industry. In the April 1988 issue I concentrated on the semiconductor field with particular emphasis on the uncertain future of Inmos, the firm responsible for the Transputer. I remarked "It's no secret that Thorn-EMI wants to sell Inmos" and "... this once bright hope of state enterprise will probably fall into foreign hands."

Well, sadly, this has in fact happened – or seems imminent at the present time of writing. Ironically, though, Inmos is probably going back to being a state-controlled business again – not British but French! The present UK government sold off its majority shareholding in Inmos to Thom-EMI because it is against nationali-sation

MUSICAL CHAIRS

purpose by an international group of electronics/communications companies and

electronics/communications companies and bankers. Relying on certain rumblings of discontent from GEC shareholders, Metsun planned to acquire the group and dismember it into what it saw as a more efficient commercial deployment of operations.

As things turned out, GEC threw a defensive spanner into Metsun's works by announcing a tie-up with the American giant General Electric on several joint ventures to improve the two companies' competitiveness in European markets. Thus GEC became much less vulnerable, wedged supportively as it was between GE and Siemens, respectively the second and fourth biggest electrical/electronic companies in the world. Soon after this, a powerful member of the Metsun consortium, AT&T of America, withdrew from the takeover plan and the whole project collapsed.

You may remember that GEC once tried to take over Plessey on its own (see my report in the March 1986 issue). The main idea of GEC was to make itself bigger in the telecommunications equipment business and thereby achieve a better share of the world market. But this plan was vetoed by the Monopolies and Mergers Commission.

Subsequently, as I reported in February 1988, Plessey and GEC agreed to co-operate just on the manufacture and marketing of telecoms switching equipment, which is now largely electronic. This led to the formation of a joint-venture company called GEC-Plessey Telecommu-nications (GPT), which now has annual sales of over £1 billion and a foot in the US market through its subsidiary Stromberg-Carlson over there.

Well, GPT is now a major factor in the latest proposed takeover of Plessey. Siemens is already a big player in public telecommunications networks (third largest in the world), switching systems and components,

The frenetic takeover and merger activity among the electronics giants at the moment is not as counterproductive as may at first appear. New pathways to development may open - if it all works out.

but not, apparently, big enough to go it alone. "The opening up of the telecommunications markets" it said recently "will lead to a world-wide struggle between competitors to force one another out of the market."

Like GEC, Siemens doesn't want to rely on maintaining its world market share in telecoms by internal expansion alone. The R&D costs necessary for keeping abreast of competitors are a very great financial burden for a single company. So collabora-tion with another large concern seems to be the immediate answer. If the Plessey takeover did succeed, Siemens would have a 40% interest in GPT, while still keeping its own telecoms product line. GEC would acquire a 50% interest in Siemens' military electronics business. Thus each partner would get some access into the other's existing markets.

and believes that the British taxpayer should not be expected to support loss-making concerns. Thom-EMI did some cost-cutting but was unable to get Inmos into a satisfactory state or profitability. It has now sold the visi company to the Thomson group, which is controlled by the French state.

To be more precise, the majority share-holding in Inmos will go to the holding company of SGS-Thomson Microelectronics BV, based in the Netherlands. This was formed last year when the Italian chip firm SGS was merged with the semiconductor business of Thomson. It seems that Thorn-EMI will continue to have a shareholding in Inmos but probably a small one.

Obviously there's something of an entente cordiale going on between Thorn-EMI and Thomson. You'll recall that it was Thomson to whom the UK company solid its Ferguson radio and television set making business not long ago.

So what is the reason for all these bids, mergers, takeovers, joint ventures and so on in the electronics industry? Why can't all these firms just settle down and get on with the job of making and selling electronics products without so much fuss about ownership?

The mere facts as outlined above don't explain very much. From a financial viewpoint it's obviously something to do with firms needing to maintain or improve market share and profits, and thereby satisfy their shareholders, in a very competitive environment. But saying this makes it sound like some autonomic process working on its own, a mere collection of blind reflexes. Nor does the financial explanation, which revolves around market value rather than use value, take account of the technology and its development. In a later report I hope to explore these questions more deeply, because conventional explanations only seem to deal with the "how" and not the "why". PE

PRACTICAL ELECTRONICS BOOK SERVICE

Here is your Editor's choice of books he thinks will be of interest to electronics and computer enthusiasts

BEGINNERS AND EARLY STARTERS

MEW Mini-Matrix Board Projects. R.A.Penfold. 112 pages. £2.50. Order Code BP99

Shows a selection of 20 useful and interesting circuits that can be built on a mini-matrix board of 24 holes by 10 copper strips in size - an ideal book for early experimenters.

NEW From Atoms to Amperes. F.A.Wilson. 160 pages. £2.95. Order Code BP254.

For the absolute beginner, clearly explaining the fundamentals behind the whole subject of electricity and electronics.

MEW Electronic Projects for Beginners. F.G.Rayer. 128 pages. £1.95. Order Code BP48

Specially for the newcomer to electronics who is looking for a book containing a wide range of easily made projects. Some circuits need no soldering and many others show actual component and wiring layouts.

Electronics Build and Learn R.A.Penfold. 128 Pages. £5,95. Order Code PC 101

Combining theory and practice, the book describes a circuit demonstrator unit that is used in subsequent chapters to introduce common electronic components and circuit concepts, complete with practical experiments.

Practical Electronic Building Blocks R.A.Penfold. There are two books -Book 1: 128 pages. £1.95.

Order Code BP117

Book 2: 112 pages. £1.95. Order Code BP118

Book 1 is about oscillators and gives circuits for a wide range, including sine, triangle, square, sawtooth and pulse waveforms and numerous others from voltage controlled to customised ic types.

Book 2 looks at amplifiers, ranging from low level discrete and opamp types to ic power amps. A selection of mixers, filters and regulators is included.


30 Solderless Breadboard Projects R.A.Penfold. Two books each of 160 pages. Book 1: £2.25. Order Code BP107. Book 2: £2.25. Order Code BP113

Each project is designed for building on a Verobloc breadboard and is accompanied by a description, circuit and layout diagrams and relevant constructional notes. Many of the components are common to several projects. Book 1 covers linear devices, and Book 2 covers emoslogic chips.

Beginners Guide to Building Electronic Projects R.A.Penfold. 112 pages. £1.95. Order Code BP 227

Shows the complete beginner how to tackle the practical side of electronics and includes simple constructional projects.





TEST AND MEASUREMENT

How to Get Your Electronic Projects Working.

R.A.Penfold. 96 pages. £2.50. Order Code BP110.

Essential reading for anyone who wants first-time success in project assembly. Covers tracing mechanical faults as well as testing for failures of active and passive components of most types.

Modern Electronic Test Equipment K.Brindley. £6.95. Order Code NT4

Detailed information and discussions on analog and digital meters, oscilloscopes, signal sources, frequency, time and event counters, spectrum and logic analysers, displays and other test equipment.

Getting the Most from Your Multimeter R.A.Penfold. 112 pages. £2.95. Order Code BP239

There's more to what you can do with a meter than meets the casual eye. The book covers the basics of what you can do with analogue and digital meters and discusses component and circuit testing.

Oscilloscopes I.Hickman. £6.95. Order Code NT3

Subtitled 'How to Use Them, How They Work' the book is illustrated with diagrams and photographs and is essential reading for any one who wants to know about scopes, from first principles to practical applications.

SATELLITE TV

NEW Satellite TV Installation Guide - 2nd edition John Breeds. £11.95, Order Code STV1

Full of vital information for any competent diyer who wishes to install a satellite tv antenna and obtain optimum reception quality.

An Introduction to Satellite Television

F.A.Wilson. 112 pages. £5.95. Order Code BP195

Informative answers to many of the questions about this communications revolution. The information is presented on two levels, one aimed at the complete beginner, the other at professional engineers and serious amateur enthusiasts.

AUDIO AND MUSIC

Introducing Digital Audio I.Sinclair. 112 pages. £5.95. Order Code PC102

A non-mathematical introduction to the new digital technology, discussing the principles and methods involved in devices such as cd, dat and sampling.

Electronic Music Projects R.A.Penfold. 112 pages. £2.50. Order Code BP74

24 practical constructional projects covering fuzz, wah, sustain, reverb, phasing, tremolo etc. The text is split into four sections covering guitar, general, sound generation and accessory projects.

More Advanced Electronic Music Projects R.A.Penfold. 96 pages. £2.95. Order Code BP174

Complementing BP74 by covering more advanced and complex projects including flanging, chorus, ring modulation, plus a selection of drum, cymbal and gong crouts.

MEW Computer Music Projects R.A.Penfold. 112 pages. £2.95. Order Code BP173

Shows how home computers can produce electronic music and covers sequencing, analogue and Midi interfacing, digital delay lines and sound generators.

Practical Midi Handbook R.A.Penfold. 160 pages. £5.95. Order Code PC103

A practical how-to-do-it book for musicians and enthusiasts who want to exploit the capabilities of Midi. Covers keyboards, drums, sequencers, effects, mixers, guitars, and computer music software.

Midi Projects R.A.Penfold. 112 pages. £2.95. Order Code BP182

Practical details of interfacing many popular home computers with Midi systems, and also covering Midi interfacing to analogue and percussion synths.

MEW Electronic Synthesiser Construction. R.A.Penfold. 112 pages. £2.95. Order Code BP185.

Even relative beginners should find the monophonic synthesiser described here within their capabilities if the book is thoroughly read. Individual aspects of the synth are dealt with separately and pcb designs are shown for the main modules.

DIGITAL AND COMPUTING

MEW A Concise Introduction to MS-DOS.

N. Kantaris. 64 pages. £2.95. Order Code BP232

A ready-reference guide for those who need a quick insight into the essential command functions of this operating system, but who don't have the time to learn it fully.

An Introduction to Computer Peripherals

R.A. and J.W. Penfold. 80 pages. £2.50. Order Code BP170

Covers such items as monitors, printers, disc drives, cassettes, modems, etc, explaining what they are and how to use them with your computer and with each other.

Microprocessing Systems and Circuits

F.A.Wilson. 256 pages. £2.95. Order Code BP77

A comprehensive guide to the elements of microprocessing systems, covering the fundamental principles behind this important subject.

Introduction to 6800/6802 Microprocessor Systems R.J.Simpson and T.J.Terrell. 238 pages. £10.95. Order Code NT9

The book covers systems hardware, programming concepts and practical experimental work that will assist in understanding the 6800/6802 microprocessor, with additional information on the 6802D5E evaluation system.

MISW An Introduction to 68000 Assembly Language. R.A. and J.W.Penfold. 112 pages. £2.95. Order Code BP184

Covers the fundamentals of writing programs that will vastly increase the speed of 68000 based machines such as the Commodore Amiga, Atari ST range, Apple Mackintosh, etc.

Getting the Most from Your Printer J.W.Penfold. 96 pages. £2.95. Order Code BP181

How to use the features found on most dot-matrix printers from programs and popular wordprocessors, showing examples of what must be typed to achieve a given effect.

Micro Interfacing Circuits R.A.Penfold. Two books, each of 112 pages.

Book 1 : £2.25.Order Code BP130. Book 2 : £2.25. Order Code BP131

Both books include practical circuits and useful background information though pcb layouts are not included. Book 1 mainly covers computer input-output techniques. Book 2 deals primarily with practical application circuits.

MEW An Introduction to 6502 Machine Code.

R.A. and R.W. Penfold. 112 pages. £2.50. Order Code BP147

Covers the main principles of machine code programming on 6502-based machines such as the Vic-20, Oric-1/Atmos, Electron, BBC and Commodore 64. It assumes no previous knowledge of microprocessors or machine code and gives illustrative programming examples.

MEW A Z-80 Workshop Manual. E.A.Parr. 192 pages. £3.50. Order Code BP112

A book for those who already know Basic but wish to explore machine code and assembly language programming on Z80 based computers.

Practical Digital Electronics Handbook M.Tooley. 208 pages. £6.95. Order Code PC 104

Nine constructional projects introduce digital circuits, logic gates, timers, microprocessors, memory and interface circuits - an essential book for anyone interested in digital devices.



NEW Electronic Science Projects. Owen Bishop. 144 pages. £2.95. Order Code BP104

A bumper bundle of experimental projects ranging in complexity and including a colour temperature meter, electronic clock, a solid state (led display) scope, an infrared laser, a fascinating circuit for measuring the earth's electrical field strength, and many more.

Electronic Security Devices R.A.Penfold. 112 pages. £2.50. BP56

Full of ideas for keeping your valuables safe. The circuits include designs for light, infra-red, ultrasonic, gas, smoke, flood, door and baby sensors.

MBW More Advanced Electronic Security Projects. R.A.Penfold. 112 pages. £2.95. Order Code BP190

Follows on from where BP56 leaves off and describes a number of more up-to-date and sophisticated projects, such as pyro-sensors, infra-red and doppler-shift detection, fibre-optic loops, and many others.

<u>MEW</u> Electronic Projects for Cars and Boats.

R.A.Penfold. 96 pages. £1.95. Order Code BP94 15 fairly simple projects that can be used with a car and/or boat. Stripboard constructional details are included, as are explanations of the circuit theory.

Power Supply Projects R.A.Penfold. 96 pages. £2.50. Order Code BP76

A selection of power supply designs, including simple unstabilised, fixed voltage regulated and variable voltage stabilised, ni-cad charger, voltage step-up, and inverter.

More Advanced Power Supply Projects R.A.Penfold. 96 pages. £2.95. Order Code BP192

Covers more advanced topics than BP76 and includes precision supplies, switch mode and computer controlled supplies, plus a selection of miscellaneous circuits.

MEW Popular Electronic Circuits. R.A.Penfold. 160 pages. £2.95. Order Code BP80

Containing a wide range of circuit designs for experienced constructors who are capable of producing working projects direct from a circuit diagram without specific constructional details.

DATA AND INFORMATION BOOKS

Digital IC Equivalents and Pin Connections

A.Michaels. 320 pages. £5.95. Order Code BP140

Linear IC Equivalents and Pin Connections

A.Michaels. 256 pages. £5.95. Order Code BP141

Between them these two books show equivalents and pin connections of a popular user-orientated selection of European, American and Japanese ics. They also include details of functions, manufacturer and country of origin. The Digital ICs book also quotes details of packaging and families.

Opamps B.Dance. £6.50. Order CodeNT2

Subtitled 'Their Principles and Applications' this interesting book is written in a simple non-mathematical style and provides a source of practical circuits that use both commonplace and more sophisticated opamps.

Electronic Hobbyists Handbook R.A.Penfold. 96 pages. £4.95. Order Code BP233

Provides a source of useful information that the amateur enthusiast is likely to need for day-to-day pursuance of hobby electronics.

Practical Electronics Handbook I. Sinclair. £7.95. Order Code NT1

A useful and carefully selected collection of standard circuits, rules-of-thumb and design data for enthusiasts, students and engineers involved in radio, computing and general electronics

Newnes Electronics Pocket Book I.E.Parr. £6.95. Order Code NT10

Presents all aspects of modern electronics in a readable and largely non-mathematical style, and is a good source of valuable information for enthusiasts and professional engineers alike.

MEW Key Techniques for Circuit Design G.C. Loveday. £6.95.

Tackies the problems of designing circuits from scratch, introducing the concept of target specifications, the design sequence, device selection, rules of thumb, and useful equivalent circuits.

Order Code BM 101

HOW TO ORDER

State your order code and your name and address clearly. Enclose a cheque, PO or international money order (add 50p postage per book - £1.00 for overseas surface mail), and send to:

PE Book Service Intra House 193 Uxbridge Road Londen W12 9RA

Books are normally delivered within 10 days but please allow 28 days for delivery.

READY-MADE P.C. BOARDS

Simplify your project assembly – use a ready-made printed circuit board. All are fully drilled and roller tinned. Just slot in the components as shown in the project texts, and solder them. PCBs are the professional route to project perfection.

MAIL ORDERING

Select the boards you want, and send your order to PE PCB SERVICE, PRACTICAL ELECTRONICS, 193 UXBRIDGE ROAD, LONDON W12 9RA.

Prices include VAT and postage and packing. Add £2 per board for overseas airmail. Cheques should be crossed and made payable to Intra Press.

Quote the project name and PCB Code Number, and print your name and address in Block Capitals. Do not send any other correspondence with your order.

TELEPHONE ORDERS (OPEN 24 HOURS)

Use your Access card and phone your order to

0268 289923

clearly stating your name and address, card number, and order details.


All orders receive priority attention, but allow 28 days for delivery in case a PCB is temporarily out of stock.

WE CAN ONLY SUPPLY THE PCBS LISTED HERE CHECK LATEST ISSUE FOR PRICES BEFORE ORDERING

PHOTOCOPIES OFTHE TEXTS MAY BE BOUGHT FROM THE EDITORIAL OFFICE AT £1.00 EACH PART (£1.50 OVERSEAS), P&P INCLUSIVE.

COMPONENTS ARE AVAILABLE FROM ADVERTISERS.

OCT 86		
DRUM SYNTHESISER	121	£7.67
MAINS DELAY TIMER – selectable 15 to		
120 mins. Set of 2 PCBs.	122	£7.92
MAINS DIMMER – touch control up to 400W.	123	£3.90
NOV 86		
REMOTE JOYSTICK – infrared computer		
controller. Set of 2 PCBs.	124	£10.86
BABY ALARM – through-the-mains transceiver.	125	£10.71
DEC 86		
VIDEO ENHANCER – manually adjustable		
video improvement.	126	£8.76
JAN 87		
VIDEO FADER – simple inexpensive video mixer	127	£4.50
VOICE SCRAMBLER – confidential trans.	128	£8.06
MAR 87	. 120	20.00
4CHANNEL ENHANCER	135	£4.60
LIGHT PEN – uses fibre optics for accuracy	136	£4.10
ULTRASONIC TAPE MEASURE	138	£9.50
APR 87		~>
1	139	£5.90
VIGILANTE CAR ALARM – keeps cars alert INDUCTIVE LOOP TRANSCEIVER – remote	139	25.90
control for models:	143/144	£7.80
MAY 87	145/144	\$7.00
BRIGHT FUZZ – Foot operated overdrive	145	£3.90
JUN 87	140	\$2170
AUDIO SIGNAL GENERATOR	146	610.30
	146	£10.20
JUL 87		
WORD GENERATOR – 16-bit binary words	147	£13.42
SCOPE STORE oscilloscope add-on data storage	148	£11.94
SEP 87		
SPEECH PROCESSOR clarifies speech	150	£5.86
GCSE TIMER UNIT – versatile variable delay	151	£5.18
FUNGEN – triple waveform signal generator	152/153	£9.69
LIGHT CONTROLLER – delayed switching	154	£4.64



OCT 87		
TEACHER LOCKER – digital lock control	155	£7.50
POWER SUPPLY – stabilised ±15V	156	£7.50
GUITAR TO SYNTH – music interface	157A/B	£9.95
NOV 87		
DUAL POWER SUPPLY – GCSE	158	£6.20
MIDI EXPANDER – Music Interface	159	£5.04
DEC 87		
RS 232C TO MIDI	160	£6.43
TEACHER RADIO-GCSE	161	£5.58
JAN 88		20.00
I *	1/3	0 < 42
LEGO BUGGY DRIVER	163	£6.42
FEB 88		
TEACHER TALKBACK – GCSE	164	£6.36
DC MOTOR SERVO	165	£7.53
MAR 88		
APPLIANCE TIMER	166A/B	£9.38
TEACHER LIGHTSHOW - GCSE	167A/B	£9.09
LOGIC ANALYSER – Double-sided	168	£20.65
APR 88		
LIGHT METAL EFFECTS	169	£7.10
TEACHER COUNTER	170	£4.95
	171	£4.92
MAY 88		
RF SPEECH PROCESSOR	172	£6.26
JUN 88		
AMSTRAD ROM EXPANSION	173	£10.80
MAINS MODEM	174	£4.27
JULY 88	1/4	*****
	175	64.71
VOCALS ELIMINATOR	175	£4.31
AUGUST 88		
SPEAKING CLOCK	176	£16.75
SEPT 88		
BBC MULTIPLEXER	177	£4.50
OCT 88		1
METAL DETECTOR	178	£6.50
DEC 88		
PLD PROGRAMMER	179	£9.90
	180	£4.90
PANNING MIXER	181	£7.80
JAN 89		
RUDOLPH'S NOSE	182	€6.25
ANGEL'S HALO	183A/B	£9.40
CANDLE FLICKER	184	£6.25
PULSATING STAR	185A/B	£13.00
RANDOM PUDDING	186	£6.25
MAR89		
CAMERA SHUTTER TIMER	187	€9.95
APR 89		
PC MULTIPORT	188A/B	£20-55
	100A/D	240-33
MAY 89	100 - 121	
KIRLIAN CAMERA	189A/C_	£10-50

Free Reader Adverts

Searching for that elusive component?
Surplus equipment to sell?
Read the rules and fill in the form below to have your free ad published in PE BAZAAR.

Chain letters: It has come to our attention that chain letters of a speculative financial nature have been sent to individuals who have advertised in PE Bazaar. We recommend that any unsolicited material of this nature should be consigned to the waste bin.

Wanted: IR sensors of any type. Micro FM transmitters and infra red transmitters. For cash or swaps. F. McAllan M, P.O. Box A633 Avondale, Harare, Zimbabwe. Fax: (263) 4731901/2.

Wanted: circuit diagram for Sinclair (Thandar) DM450 multimeter – please! G. O'Brien, 105 Roxborough Road, Harrow HA1 1NT.

PP3 battery clips, five for £1 inc. p & p. Lots available. Send money to Mr. N. Brightmore, 40 Grayling Road, Stourbridge, West Midlands, DY9 7AZ. Electronic components: small speakers, switches, capacitors, LEDs, large quantities. Very cheap. Private seller. Call Simon on 0843 63495.

Commodore 64C with 1200/75, 300/300 Bell/CCITT multimodem, tape drive, mouse, £250+ software utility cartridge/MC-monitor £350 ono. Owen Bullock, Avoca Lodge, The Chase, Ashingdon, Essex SS4 3JD. Tel: 0702 206308.

Wanted: Atari 1040 STFM. Pref. with software RSP music. Tel: 0909 566695. Tektronix 545A oscilloscope, type L plug-in unit, type CA plug-in unit. £50 ono. Tel: Mr A. Boyson (0782) 619900.

Organ builders. Hammond console two manuals and pedals, no internal parts £100 ono. Tel: 0344 779741.

Heathkit solid state VOM multimeter model IM-25 £25. Good condition. Phone: Telford (0952) 460618.

Commodore MPS 803 Dot matrix printer plus 500 sheets of paper. Great condition £90. Steven Aspris, 156 Brookscroft Road, Walthamstow, London E17 4JR.

Interested in electronics and penfriendship? Write now if you don't want to miss similar minded friend, Aftab Ahmed Parwaz, 106 Bowyer Road, Alum Rock, Birmingham B8 1FS

Jupiter ACE wanted, cassettes, hardware, documentation. Contacts with FORTH users. J. Charter, 17 Springwood Close, Chesterfield S41 8BS. Tel: 237555.

Tektronix type 535A oscilloscope for sale. Needs new valves. Tel: 01-393 8511 anvtime.

Wanted: service manual for telequipment DM64 oscilloscope. Photocopy accepted, will pay good price. Mr. P. Bridge, 13 Gaer Vale, Newport, Gwent, S. Wales NP9 3HR.

Leak stereo twenty, Variscope preamp (both working). Leak troughline tuner £150 Radford SCA30 Armstrong 526. Tel: 0702 76019.

Relays 40+ 3PCO coil 24v DC 48v AC contacts 5A 250v solder tags and/or socket supplied £2.50 each inc. p&p. R. Stephenson, 7 Cripplegate Lane, Hoghton, Nr. Preston, Lancs PR5 ORR. Wanted: one Amstrad 40009-A chip for

CPC 464. Phone Entil on 0501 23527. **Scopex oscilloscope** 14D10 10MHz dual trace as new in original packing with manual £150. Tel: 0707 874245

after 6pm.

PE 'Joanna' electric piano. 5 octave with 3 voices and vibrato. Teak veneer case, in-built pedals. £69. Robin Asher tel: 0602 253916.

Wanted: circuit for 6 valve A.C. mains receiver with 40 coilpack. Circa 1950 P.W. or advertisers project. F. Jackson, 54 Gagewell Drive, Wakefield WF4 6BS. 75m/m scope 10MHz 5mV/div leads and instructions £75 digital multimeter 3.5 digit .5inch display with leads, instructions £25. P.R. Vasey, 117 Hockfield, Harlow, Essex CM18 6QL. Tel: Harlow 36730 anytime.

Akai 4000DS stereo four track tape deck c/w operators/service manuals for sale £120 ono. E.G. Priestley FBIS, 6 Lynden Avenue, Windhill, Shipley, West Yorks BD18 1HF. Tel: 593382.

Digital multimeter, UV exposure unit, multivoltage power supply plus various components. Send sae for list to:-Darren Roberts, 58 Pleasant Street, Hill Top, West Bromwich, W. Midlands B70 ORE.

TDS easycolour 4200 colour terminal plus division MC20 RGB video monitor £50 inc manuals. Tel; Bracknell 427159.

TNG 3114 IC made by Transistoron of USA, (no other info. available). 35 for £3.50. Mr. A. Khan, 73 Park Road, Bolton, BL1 4RQ.

PE synthesiser original superb design. Stand-alone, with partly completed modular expansion unit. Great sound! £69. Tel: Robin Asher 0602 253916.

Hi-fi amplifier, Cambridge P50. Classic design, superb quality 25 watt per channel. Teak veneer case. Bargain £69. Tel: Robin Asher 0602 253916.

UK101 computer, cased with extra 48K memory, sound generator, user ports etc. lotsa software. Bargain £49. Tel: Robin Asher 0602 253916.

Wanted: Ferguson portable VCR model 3V46 and camera model 3C02. Details to: A. Strickland, 21 Mottershead Avenue, Little Lever, Bolton BL3 1QN.

Wanted: Phillips tape recorder rewind motor model N4416 Ref. No. 4322-010-04831W10 anti clockwise 233. K.L. Jones, 10 Hill Grove, Moreton, Merseyside, L46 OSA. Tel: 051-606 9849.

Bruel and Kjaer 2301 level recorder for sale. Offers? 76 Glencoe Road, Bushey, Herts WD2 3DS.

PE BAZAAR

		_	
Name & A	ddress		

RULES Maximum of 16 words plus address and/or phone no. Private advertisers only (trade or business ads. can be placed in our classified columns). Items related to electronics only. No computer software. PE cannot accept responsibility for the accuracy of ads. or for any transaction arising between readers as a result of a free ad. We reserve the right to refuse advertisements. Each ad. must be posted within one month of cover date. (One month later for overseas readers).

Send this form (or a photocopy of it) to: PE Bazaar, Practical Electronics, 193 Uxbridge Road,

London W12 9RA.



1	INDEX TO A	DVERTISERS
	A.C. Electronic 61	Keytronics 36
	A.D.M. Electronics Supplies 61	K-Tek61
	Andor Electronics53,60	London Electronics College 60
	Astronomy Now 47	Magenta Electronics 30,31,60
9	Barrie Electronics 49	Maplin Electronics OBC
	B.K. ElectronicsIBC	Mauriton Electronics 62
	Blore-Barton Ltd61	Micro Systems49
	Bull J 63	National Component Club 34
	Cadsoft Systems62	N.C.A. Designs 62
	Cambridge Computer	Number One Systems59
	Science Ltd61	Omni 60
	Cirkit Distribution50	Payne Electroprint
		Phonosonics
	Coles Harding 61	PLS60
	Component Solutions35	Program Now
	Cooke International61	Proto Design
	Cricklewood Electronics 35	
	C.H. Supply Co 61	Correspondence School 60
	Deansgate 60	Riscomp
	Uispiay Electronics	RMOS
	Evenes 24	Service Trading
	Erger Floatropies 60	Specialist Semiconductors 17 Spiretroniks
		Stewart of Reading29
		Suma Designs50
	Hanney I F	Sutronics61
	Hart Electronics 55	TandyIFC
	High Grade Components 26	Technical Info Services
	ICS Electronics 70	Technomatic
	J.B. Designs 53	Thandar Electronics55
	J.P.G. Electronics	T.K. Electronics45
		Ward Electronics
	PLEASE MENTION PRA	ACTICAL ELECTRONICS

WHEN REPLYING TO ADVERTS



POWER AMPLIFIER MODULES Now enjoy a world-wide reputation for quality, rehability and performance at a realistic price. Four models available to suit the needs of the professional and hobby market, i.e., Industry Instrumental and Hi-Fi etc. When comparing prices. NOTE all models include Toroidal power supply, Integral heat sink,

THOUSANDS OF MODULES PURCHASED BY PROFESSIONAL USERS



OMP100 Mk 11 Bi-Polar Output power 110 watts R.M.S. into 4 ohms. Frequency Response 15Hz – 30KHz – 3dB. T.H.D. 0.01%, S.N.R. – 118dB, Sens. for Max. output 500mV at 10K, Size 355 × 115×65mm. PRICE £33.99 + £3.00 P&P.

NEW SERIES II MOS-FET MODULES



OMP/MF 100 Mos-Fet Output power 110 watts R.M.S. into 4 ohms, Frequency Response 1Hz – 100KHz –3dB, Damping Factor, >300, Slew Rate 45V uS. T H.D Typical 0.002%, Input Sensitivity 500mV S.N.R. –125dB, Size 300 × 123 × 60mm. PRICE £39.99 + £3.00 P&P.



OMP/MF200 Mos-Fet Output power 200 watts R.M.S. into 4 ohms, Frequency Response 1Hz – 100KHz – 3dB. Damping Factor >300. Slew Rate 50V us. T.H.D. Typical 0.001%. Input Sensitivity 500mV. S.N.R. – 130dB. Size 300 × 155 × 100mm. PRICE £62.99 + £3.50 P&P.

OMP/MF300 Mos-Fet Output power 300 watts R.M.S. into 4 ohms, Frequency Response 1Hz — 100KHz — 3dB. Damping Factor >300, Slew Rate 60V uS. T.H.D. Typical 0.0008%. Input Sensitivity 500mV, S.N.R. — 130dB. Size 330 × 175 × 100mm PRICE £79.99 + £4.50 P&P.

NOTE:— MOS-FET MODULES ARE AVAILABLE IN TWO VERSIONS, STANDARD — INPUT SENS 500mV BAND WIDTH 100KHZ PEC (PROFESSIONAL EQUIPMENT COMPATABLE) — INPUT SENS 775mV BAND WIDTH 50KHZ ORDER STANDARD OR PEC



Vu METER Compatible with our four amplifiers detailed above. A very accurate visual display employing 11 L.E.D. diodes (7 green, 4 red) plus an additional on off indicator Sophisticated logic control circuits for very fast rise and decay times. Tough moulded plastic case, with intired acrylic front. Size 84 × 27 × 45mm.

PRICE £8.50 + 50p P&P.

LOUDSPEAKERS |



LARGE SELECTION OF SPECIALIST LOUDSPEAKERS AVAILABLE, INCLUDING CABINET FITTINGS, SPEAKER GRILLES, CROSS-OVERS AND HIGH POWER, HIGH FREQUENCY BULLETS AND HORNS, LARGE S.A.E. (30p STAMPED) FOR COMPLETE LIST.

CUENCY BULLETS AND HOHNS, LANGE S.A.E. (3UP STAMPED) FOR COMPLETE LIST.

CKENZIE:— INSTRUMENTS, P.A., DISCO, ETC.

ALL McKENZIE UNITS 8 OHMS IMPEDENCE
8° 100 WATT C10100GP GEN PURPOSE LEAD GUITAR, EXCELLENT MID. DISCO
RES FREQ 80Hz FREO RESP. TO 14KHz SENS. 99d8
10° 100 WATT C10100GP GUITAR, VOICE ORGAN KEYBOARD. DISCO. EXCELLENT MID.
RES. FREO 70Hz FREO RESP. TO 76KHz SENS. 100d8
PRICE 237.470 + C2.50 P&P.
10° 200 WATT C10200GP GUITAR, KEYBOARD. DISCO. EXCELLENT HIGH POWER MID.
RES. FREO 45Hz FREO, RESP. TO 7KHz SENS. 103d8
PRICE 247.48 + C2.50 P&P.
12° 100 WATT C12100GP HIGH POWER GEN. PURPOSE. LEAD GUITAR. DISCO
RES. FREO. 45Hz FREO, RESP. TO 7KHz SENS. 103dB
PRICE 236.66 + C3.50 P&P.
12° 100 WATT C12100GP TWIN CONE) HIGH POWER WIDE RESPONSE. P. A. VOICE. DISCO
RES. FREO. 45Hz FREO, RESP. TO 7KHz SENS. 100dB
PRICE 237.63 + C3.50 P&P.
12° 200 WATT C12100GP HIGH POWER BASS. KEYBOARDS. DISCO P.
RES. FREO. 40Hz FREO, RESP. TO 7KHz SENS. 100dB
PRICE 237.63 + C3.50 P&P.
12° 300 WATT C12100GP HIGH POWER BASS. LEAD GUITAR. KEYBOARDS. DISCO. ETC
RES. FREO. 45Hz FREO, RESP. TO 7KHz SENS. 100dB
PRICE 264.17 + C3.50 P&P.
12° 300 WATT C12100GP HIGH POWER BASS LEAD GUITAR. KEYBOARDS. DISCO. ETC
RES. FREO. 40Hz FREO, RESP. TO 5KHz SENS. 100dB
PRICE 265.79 + C3.50 P&P.
15° 100 WATT C15100BS BASS GUITAR. LOW FREOUENCY. P. A. DISCO
RES. FREO. 40Hz FREO, RESP. TO 5KHz SENS. 99dB
PRICE 253.70 + £4.00 P&P.
15° 200 WATT C15200BS VERY HIGH POWER BASS
RES. FREO. 40Hz FREO, RESP. TO 5KHz SENS. 99dB
PRICE 264.12 + £4.50 P&P.
15° 400 WATT C15400BS VERY HIGH POWER BASS
RES. FREO. 40Hz FREO, RESP. TO 4KHz SENS. 99dB
PRICE 264.12 + £4.50 P&P.
18° 400 WATT C15400BS VERY HIGH POWER BASS
RES. FREO. 40Hz FREO, RESP. TO 4KHz SENS. 99dB
PRICE 264.12 + £4.50 P&P.
18° 400 WATT C15400BS VERY HIGH POWER BASS
RES. FREO. 40Hz FREO, RESP. TO 4KHz SENS. 99dB
PRICE 267.26 + £4.00 P&P.
18° 400 WATT C15400BS VERY HIGH POWER BASS
RES. FREO. 40Hz FREO, RESP. TO 4KHz SENS. 99dB
PRICE 267.26 + £4.00 P&P.
18° 400 WATT C15400BS VERY HIGH POWER BASS
RES. FREO.

EARBENDERS:— HI-FI, STUDIO, IN-CAR, ETC.

ALL EARBENDER UNITS 8 OHMS EXCEPT EBB-50 AND EB10-50 DUAL 4 AND 8 OHM.

BASS, SINGLE CONE, HIGH COMPLIANCE, ROLLED FOAM SURROUND

8" 50 WATT EB8-50 DUAL IMPEDENCE. TAPPED 4.8 OHM BASS, HI-FI, IN-CAR
RES FREQ, 40Hz FREQ, RESP, TO 7KHz SENS, 97dB

10" 50 WATT EB10-50 DUAL IMPEDENCE. TAPPED 4.8 OHM BASS, HI-FI, IN-CAR
PRICEE8.90 + \$2.00 P&P.

10" 50 WATT EB10-50 DUAL IMPEDENCE. TAPPED 4.8 OHM BASS, HI-FI, IN-CAR
RES, FREQ, 40Hz FREQ RESP, TO 5KHz SENS, 99dB

10" 100 WATT EB10-100 BASS, HI-FI, STUDIO

RES, FREQ, 35Hz FREQ, RESP, TO 3KHz, SENS, 96dB

12" 100 WATT EB12-100 BASS, HI-FI STUDIO

RES, FREQ 28Hz FREQ, RESP, TO 3KHz, SENS, 92dB

12" 100 WATT EB12-100 BASS, STUDIO HI-FI EXCELLENT DISCO

RES, FREQ, 26Hz FREQ, RESP, TO 3KHz, SENS, 93dB

PRICE 221.00 + \$3.50 P&P.

PRICE 232.00 + \$3.50 P&P.

PRICE 242.00 + \$3.50 P&P.

PRICE 242.00 + \$3.50 P&P.

PRICE 242.00 + \$3.50 P&P.

PRICE 252.00
FOLL HANGE TWIN CONE, HIGH COMPLIANCE, ROLLED SURRI 57" 60 WATT EBS-60TC (TWIN CONE) HI-FI MULTI-ARRAY DISCO ETC RES FREO, 63Hz FREO, RESP, TO 20KHz SENS, 92dB 67" 60 WATT EB6-60TC (TWIN CONE) HI-FI, MULTI-ARRAY DISCO ETC RES, FREO, 38Hz FREO, RESP, TO 20KHz SENS, 94dB 8" 60 WATT EB8-60TC (TWIN CONE) HI-FI MULTI-ARRAY DISCO ETC RES FREO, 40Hz FREO, RESP, TO 18KHz, SENS, 89dB 10" 60 WATT EB10-60TC (TWIN CONE) HI-FI, MULTI-ARRAY DISCO ETC RES, FREO, 35Hz FREO, RESP, TO 12KHz, SENS, 86dB PRICE £9.99 + £1.50 P&P. PRICE £10.99 + £1.50 P&P.

PRICE £12.99 + £1.50 P&P. PRICE £16.49 + £2.00 P&P.

TRANSMITTER HOBBY KITS

PROVEN TRANSMITTER DESIGNS INCLUDING GLASS FIBRE PRINTED CIRCUIT BOARD AND HIGH QUALITY COMPONENTS COMPLETE WITH CIRCUIT AND INSTRUCTIONS

3W FM TRANSMITTER 80-108MHz VARICAP CONTROLLED PROFESSIONAL PER-FORMANCE RANGE UP TO 3 MILES. SIZE 38 × 123mm SUPPLY 12V × 0.5 AMP PRICE £11.49 + £1.00 P&P FM MICRO TRANSMITTER (BUG) 100-108MHz VARICAP TUNED COMPLETE WITH VERY SENS FET MIC RANGE 100-300m, SIZE 56 × 46mm SUPPLY 9V BATT PRICE £8.62 + £1.00 P&P



Transmitter



POSTAL CHARGES PER ORDER (S. 00 MINIMUM OFFICIAL ORDERS WELCOME FROM SCHOOLS COLLEGES GOVT BODIES ETC PRICES INCLUSIVE OF VA T SALES COUNTER VISA ACCESS ACCEPTED BY POST PHONE OR FAX



PRICES INCLUDE V.A.T. * PROMPT DELIVERIES * FRIENDLY SERVICE * LARGE S.A.E., 30p STAMPED FOR CURRENT LIST.

OMP VARISPEED TURNTABLE CHASSIS.



★ MANUAL ARM ★ STEEL CHASSIS ★ ELECTRONIC SPEED CONTROL 33 & 45 ★ VARI PITCH CONTROL ★ HIGH TORQUE SERVO DRIVENDO MOTOR ★ TRANSIT SCREWS ★ 12 DIE CAST PLATTER ★ NEON STROBE ★ CALIBRATED BAL WEIGHT ★ REMOVABLE HEAD SHELL ★ 'CARTRIDGE FIXINGS ★ CUE LEVER ★ POWER 220 240V 50 60HZ ★ 390 - 305mm ★ SUPPLIED WITH MOUNTING CUT-OUT TEMPLATE

PRICE £59.99 + £3.50 P&P.

OPTIONAL MAGNETIC CARTRIDGES

STANTON AL500 PRICE £16.99 + 50p P&P

GOLDRING G850 PRICE 56 99 + 50p P&P

OMP MOS-FET POWER AMPLIFIERS,
HIGH POWER, TWO CHANNEL 19 INCH RACK
BY PROFESSIONAL USERS



NEW MXF SERIES OF POWER AMPLIFIERS THREE MODELS:-- MXF200 (100w + 100w) MXF400 (200w + 200w) MXF600 (300w + 300w)

All power ratings R.M.S. into 4 ohms.

FEATURES: * Independent power supplies with two Toroidal Transformers * Twin L.E.D. Vulmeters * Rotary indended level controls * Illuminated on off switch * XLR connectors * Standard 775mV inputs * Open and short circuit proof * Latest Mos-Fets for stress free power delivery into virtually any load * High siew rate * Very low distortion * Aluminium cases * MXF600 Fan Cooled with D.C. Loudspeaker and Thermal Protection

USED THE WORLD OVER IN CLUBS, PUBS, CINEMAS, DISCOS ETC.

SIZES:— MXF 200 W19"×H3½" (2U)×D11" MXF 400 W19"×H5½" (3U)×D12 MXF 600 W19"×H5½" (3U)×D13"

MXF200 £171.35 PRICES: MXF400 £228.85

MXF600 £322.00 SECURICOR DELIVERY £12.00 EACH

OMP LINNET LOUDSPEAKERS



MADE ESPECIALLY TO SUIT TODAY'S NEED FOR COM PACTNESS WITH HIGH OUTPUT SOUND LEVELS FINISHED IN HABDWEARING BLACK VYNIDE WITH PROTECTIVE CORNERS GRILLE AND CARRYING HANDLE INCORPORATES 12 DRIVER PLUSHIGH FREQ HORN FOR FULL FRED RANGE 45Hz-90kHz BOTH GHILLE AND CAHAYING HANDL INCORPORATES 12 DRIVER PLI HIGH FREQ HORN FOR FU FREQ RANGE 45Hz-20KHz BO' MODELS 8 OHM SIZE H18' W' - D12'

CHOICE OF TWO MODELS

POWER RATINGS QUOTED IN WATTS RMS FOR EACH CABINET

OMP 12-100 (100W 100dB) PRICE £159.99 PER PAIR OMP 12-200 (200W 102dB) PRICE £209.99 PER PAIR

SECURICOR DEL .: - £12.00 PER PAIR

OMP SLIDE DIMMER 1K WATT & 2.5K WATT

OUTS ADVANCED FATURES INCLUDE



* Full 65mm SLIDE

1 300

0.0

- ◆ NEON MONITOR INDICATOR
- * FLASH OVERBID
- * FLASH OVERRIDE BUTTON * HIGH & LOW | FVF| PRESETS * FULLY SUPPRESSED TO BS 800

SIZES.— 1KW H128 · W40 · D55mm 2 5kW H128 · W76 · D79mm

PRICES:- 1K WATT £15 99 2.5K WATT £24 99 + 600 P&P

PIEZO ELECTRIC TWEETERS-MOTOROLA

DEZO ELECTRIC TWEETERS — MOTOROLA

Join the Piezo revolution. The low dynamic mass (no voice coil) of a Piezo tweeter produces an improved transient esponse with a lower distortion level than ordinary dynamic tweeters. As a crossover is not required these units can be added to existing speaker systems of up to 100 watts (more if 2 put in series). FREE EXPLANATORY LEAFLETS. SUPPLIED WITH EACH TWEFTER



100 watts (more if 2 put in senes) FREE EXPLANATORY LEAFLET TYPE 'A' (KSN2036A) 3" round with protective wire mesh ideal for bookshelf and medium sized Hi-fi speakers. Price £4.90 each + 50p P&P TYPE 'B' (KSN1005a) 3'% super horn. For general purpose speakers, disco and P.A. systems etc. Price £5.00 each + 50p P&P TYPE 'C' (KSN6016A) 2"×5" wide dispersion horn. For quality Hi-fi systems and quality discos etc. Price £6.99 each + 50p P&P TYPE 'D' (KSN1025A) 2" <6 wide dispersion horn. Upper frequency response retained extending down to

TYPE 'D' (KSN1025A) 2' ×6' wide dispersion horn. Upper frequency response retained extending down to mid range (2KHz). Suitable for high quality Hi-fl systems and quality discos Price £9.99 each + 50p P&P TYPE E' (KSN1038A) 3%2' horn tweeter with attractive silver finish trim. Suitable for Hi-fi monitor systems etc Price £5.99 each + 50p P&P LEVEL CONTROL Combines on a recessed mounting plate, level control and cabinet input jack socket 85×85mm. Price £3.99 + 50p P&P.

STEREO DISCO MIXER

STEREO DISCO MIXER with 2 × 5 band L & R graphic equalisers and twin 10 segment L.E.D. Vu Meters Many outstanding features 5 Inputs with individual laders providing a useful com-

ination of the following —

1 Turntables (Mag) 3 Mics. 4 Line including CD

lius Mic with talk over switch Headphone Monior Pan Pot L. & R. Master Output controls.

20th July 175mV Size 360 - 280 × 90mm Supply



UNIT 5, COMET WAY, SOUTHEND-ON-SEA, ESSEX. SS2 6TR TEL: 0702-527572 FAX: 0702-420243

Superb Triple-Trace 20MHz Oscilloscope



Precision laboratory oscilloscope. 3 Channels – 3 Trace.


Sensitive vertical amplifier lmV/div allows very low level signals to be easily observed. 150mm rectangular CRT has internal graticule to eliminate parallax error X-Y mode allows Lissajous patterns to be produced and phase shift measured. TV sync separator allows measurement of video signals.

20ns/div sweep rate makes fast signals observable.

Algebraic operation allows sum or difference of Channel 1 and 2 to be displayed. Stable triggering of both channels even with different frequencies is easy to achieve 50mV/div output from Ch 1 available to drive external instrument e.g. frequency counter. A hold-off function permits triggering of complex signals and aperiodic pulse waveforms.

£28749

40MHz Triple-Trace Oscilloscope



As above, but with 40MHz bandwidth and super bright 12kV tube even at the highest frequencies. This instrument also has a delayed sweep time base to provide magnified waveforms and accurate time interval measurement. Truly superb precision instrument.

Includes
VAT &
Carriage
As Well

£499 95 x1600

Order Coup	oon Send to P.0	D. Box 3, Rayleigh	n, SS6 8 L
Qty.	Description	Code	Price
		Add carriage	50p
		Post Code	
authorise you despatched.	to debit my Credit Card	account for the cost	of goods
		1 1 1	
Card No.			

0/

ELECTRONICS

P.O. Box 3, RAYLEIGH, ESSEX SS6 8LR.









PHONE BEFORE 5PM FOR SAME DAY DESPATCH

0702 554161

ALL PRICES INCLUDE VAT.

All items subject to availability. Subject to availability both items will be on sale in our shops in Birmingham, Bristol, Leeds, London, Manchester, Nottingham, Southampton and Southend-on-Sea.