

ATWATER KENT RADIO

PARTS PRICE LIST

OCTOBER 3, 1933

PRICES QUOTED IN THIS CATALOGUE ARE LIST
UNLESS OTHERWISE SPECIFIED,
AND SUPERSEDE ALL PREVIOUS LISTS.
PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

ATWATER KENT MANUFACTURING COMPANY
4700 WISSAHICKON AVENUE, PHILADELPHIA, PA.

Printed in U. S. A., Copyright 1933, by Atwater Kent Mfg. Co.

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
113	Name plate pin	\$.25/C	4254	Diaphragm adj. spring	.13	4666	Solder clip	\$.63/C
179	Screw (D)		4259	Phone cord (9 feet)	.63	4680	Cabinet (D)	
208	Oscillator cabinet (D)		4261	Base assembly	6.88	4685	Ant. name plate	.10
993	Screw	.25/C	4266	Gooseneck	6.56	4686	Spkr. name plate (D)	
1205	Staple	.13/C	4277	Nut (superseded by 8188)		4688	Panel bracket (D)	
1211	Lockwasher	.25/C	4301	Diaphragm washer	.13	4690	Rheostat resistor (10 ohms)	.10
1547	Screw (superseded by 9337)		4315	Shipping container, M (D)		4691	Knob spring	.05
1640	Lockwasher (D)		4334	Ant. name plate (D)		4693	Antenna post	.09
1869	Screw	.63/C	4335	Ground name plate (D)		4694	Thumb screw	.05
1870	Nut	.63/C	4338	Reproducer housing (5-V)	1.00	4702	Panel and angle	2.00
3419	Fibre washer	.19/C	4339	Reproducer housing (6-C)	1.00	4704	Lid hinge (D)	
3469	Thumb nut (superseded by 15402)		4366	Nut (superseded by 8957)		4708	Log card clip (D)	
3470	Washer (superseded by 8217)		4410	Nut	1.25/C	4709	Lead pencil clip (D)	
3482	Nut (D)		4426	Spring	.03	4710	Wood screw (nickel)	.63/C
3486	Screw	.31/C	4435	Washer	.25/C	4711	Panel stud (nickel and gold)	.06
3487	Screw	.44/C	4437	Phono. attachment, Type 5-V (D)		4713	Dial indicator	.06
3604	Screw (brass or brown)	.38/C	4438	Phono. attachment, Type 6-C (D)		4714	No. 1 R. F. T.	1.38
3508	Screw (D)		4439	Reproducer housing (Model M)	1.00	4715	Var. cond. and trans. (D)	
3545	Screw	.04	4450	Nut (D)		4717	Socket	.88
3597	Screw (black, brown, tan, nickel)	.38/C	4452	Set screw (D)		4719	Tap switch	1.00
3598	Screw	.25/C	4459	Stator plate (D)		4725	Var. cond. and trans. (D)	
3614	Nut	.06	4460	Speaker (Model M) (D)		4732	Socket (superseded by 7630)	
3615	Acorn nut (brass)	.04	4465	Condenser (250 MMF-500 V)	.31	4733	No. 2 or No. 3 R. F. T.	1.38
3616	Screw	.31/C	4477	Cover (D)		4738	Var. cond. and trans. (D)	
3620	Screw	.38/C	4499	Potentiometer	1.75	4743	Double rheostat	2.50
3623	Dial set screw	.63/C	4500	Tube unit	2.81	4748	A. F. Trans. (superseded by 4779)	
3627	Rheostat pointer (D)		4516	Thumb screw	.05	4767	Phone cord	.50
3635	Screw (superseded by 13052)		4520	Detector—2 stage unit	10.63	4768	Hinge screw (D)	
3638	Screw (superseded by 3616)		4527	Cable terminal (superseded by 8352)		4769	Detector-1st-A. F. assembly (D)	
3639	2nd-3rd A. F. assembly (D)		4529	Cable eyelet (D)		4772	2nd-3rd-A. F. assembly (D)	
3646	Pri. winding (superseded by 9756)		4557	Rotor locknut (D)		4779	A. F. Transformer	2.63
3703	Switch blade (D)		4561	Nut	1.56/C	4780	Det.-2 stage amp. (D)	
3718	Screw	.75/C	4562	Rotor plate (D)		4781	Grid leak clip (D)	
3733	Detector-1st A. F. assembly (D)		4565	Variable condenser	9.38	4782	Resistor (superseded by 15892)	
3785	Knob	.25	4566	Nut (D)		4785	Solder clip	.63/C
3841	Nut (superseded by 8188)		4572	Variable condenser case (D)		4794	Spacer (D)	
3849	Rheostat resistor (4 ohms)	.31	4577	Rotor assembly (D)		4795	Screw	.31/C
3853	Detector—2 stage case and transformers (brown, black, gray)	8.63	4588	Balance weight (D)		4796	Screw (D)	
3899	Rheostat pointer (D)		4591	Rotor spring (D)		4800	Speaker (Model R) (D)	
3907	Wood screw	.63/C	4594	Envelope (D)		4801	Mounting board (D)	
3911	Screw	.63/C	4596	Log card net	.94/C	4802	Tube socket	.81
3933	Rubber foot	1.25/C	4606	Screw (superseded by 7697)		4803	Hinge screw (D)	
3978	Potentiometer	1.75	4623	Vernier knob screw	.31/C	4805	Condenser plate	.50
3987	Knob spring (D)		4628	Sound unit (7-L)	4.06	4806	Reproducer housing (D)	
4010	Screw (superseded by 14788)		4631	Trans. end cover (D)		4814	Resistor (superseded by 15892)	
4011	Potentiometer resistor (200 ohms)	.56	4632	Reproducer housing (Model L)	.75	4815	Rivet (superseded by 8015)	
4095	Binding post screw	.03	4633	R. F. Trans.	2.50	4818	Spacer sleeve (D)	
4098	Vernier knob (brass)	.15	4636	R. F. Trans.	2.50	4819	Spacer screw (D)	
4147	Rotor tension spring	.10	4642	Gooseneck	2.19	4820	Spacer screw (D)	
4150	Nut	1.25/C	4645	Speaker (Model L) (D)		4822	Lockwasher	.31/C
4151	Shaft adjusting screw (D)		4646	Magnet housing assembly	3.13	4827	Shipping container (D)	
4164	Screw	1.25/C	4648	Bell	1.88	4832	Panel and angle	1.88
4168	Nut (superseded by 8957)		4649	Screw	.38/C	4833	Pencil	.05
4177	Screw (superseded by 3616)		4651	Mounting board (D)		4834	Screw (D)	
4179	Nut (D)		4654	Condenser plate (D)		4835	Shipping container (D)	
4183	Battery switch	.44	4655	Condenser with dial	4.31	4836	Screw (superseded by 14916)	
4210	Speaker bell	2.81	4661	Tube unit	2.88	4837	Dial	.56
4211	Pad (D)		4662	Rheostat resistor (20 ohms)	.31	4838	Diaphragm	.15
4214	Screw	.38/C	4663	No. 2 R. F. T.	2.25	4849	Diaphragm washer	.09
4215	Nut	1.25/C	4664	Battery cable (12 feet)	2.25	4850	Diaphragm spring	.10
4221	Screw	.81/C	4665	Rotor connector	.05	4851	Name plate	.31
4230	Cable clip	.04				4860	Cabinet (D)	
4251	Diaphragm	.15				4864	Gooseneck	1.38
4252	Diaphragm gasket	.04				4866	Diaphragm gasket	.04
						4872	Knob and cont. spring	.44
						4873	Knob assembly	.44
						4874	Base and taps	.63
						4877	Wood screw	.63/C

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price
4879	Resistor (600 ohms)	\$.31
4887	Screw	.38/C
4888	Shipping container, L net	.31
4889	Phone cord (6 feet)	.44
4892	Shipping container, R (D)	
4896	Magnet housing	2.50
4897	Base assembly complete (D)	
4900	Var. cond. and dial	6.75
4903	Battery cable (6 feet)	1.38
4905	Battery cable (10 feet)	2.00
4907	Screw (superseded by 13052)	
4909	Screw (gold)	.10
4914	Tap switch	1.44
4917	Mounting board (D)	
4921	Switch knob (D)	
4924	Lid hinge (D)	
4925	Two-stage amplifier	9.38
4927	Phone post (D)	
4933	Base pad (D)	
4934	Base pad	.13
4936	Washer (superseded by 8217)	
4940	Detector-1 stage amp. (D)	
4944	Shipping container (12) (D)	
4946	No. 2 R. F. T.	2.50
4949	Resistor (600 ohms)	.31
4953	Rheostat resistor (10 ohms)	.31
4960	Fixed resistor (2.5 and 2.5 ohms) (D)	
4977	Grid resistor (600 ohms)	.25
4986	Cabinet (19) (D)	
4988	Shipping container (D)	
5522	Washer	1.25/C
5523	Bushing	1.25/C
5558	Screw (D)	
7566	Literature (D)	
7573	Diaphragm washer	.08
7580	Base assembly	4.69
7590	Cable clamp	.05
7600	Cabinet (D)	
7616	Name plate	.31
7617	Panel and angle	1.38
7618	Trans. and var. cond. (D)	
7619	Socket	.94
7620	Var. cond. and trans. (D)	
7621	Var. cond. and trans. (D)	
7622	Detector-2 stage amp. (D)	
7623	Shipping container, Model 20-7570 (superseded by 8291)	
7626	Speaker name plate (D)	
7630	Socket	.69
7631	Hinge screw (D)	
7632	Hinge (D)	
7637	Terminal card eyelet	.25/C
7638	Phone post spring	.05
7639	Grid lead (superseded by 15892)	
7640	Double rheostat	2.50
7644	Tube contact spring	.05
7647	Binding post (superseded by 8215)	
7650	Tap switch assembly	1.44
7653	Battery cable	1.94
7660	A. F. Trans. (superseded by 7661)	
7661	A. F. trans.	2.50
7682	Screw	.38/C
7683	Rubber foot	1.25/C

Part No.	Name of Part	Price
7684	White gummed tape, per hundred ft.	\$.44
7686	Black sleeving, per ft.	.05
7689	Cable clamp strap	.04
7693	Reproducer housing	.75
7696	Panel corner stud	.08
7697	Mounting screw	.19/C
7700	Speaker (Model H) (D)	
7701	Gooseneck	3.44
7710	No. 1 tapped R. F. T.	1.38
7712	No. 3 R. F. T.	1.38
7717	Magnet housing assembly	2.63
7718	Base assembly	4.69
7719	Bell	1.75
7720	Shipping container (H) net	.50
7727	Base nut (D)	
7741	Diaphragm pin	.04
7745	Reed	.04
7750	Speaker (Model K) (D)	
7754	Base pad (D)	
7755	Base washer	.06
7758	Phone cord (6 feet)	.44
7759	Base screw (superseded by 14916)	
7779	Shipping container K (D)	
7781	Frame with name plate	4.06
7782	Sound unit complete (D)	
7790	Battery container (D)	
7805	Lead (D)	
7807	Cabinet (D)	
7808	Socket (D)	
7809	No. 3 R. F. T.	1.38
7810	R. F. trans. and var. cond. (D)	
7811	Socket (D)	
7812	Var. cond. and trans. (D)	
7813	Detector-2 stage amp. (D)	
7815	Battery cable (superseded by 7653)	
7816	Shipping container (21) (superseded by 8291)	
7830	Condenser (superseded by 4465)	
7838	No. 2 R. F. T.	1.38
7839	No. 2 R. F. T. (D)	
7840	Double rheostat	2.50
7844	Switch knob	.56
7845	Switch base and taps (D)	
7852	Instruc. book (Vol. 3) net	.31
7853	Detector-2 stage base	2.50
7854	Detector-2 stage base	2.69
7855	Detector-2 stage base (D)	
7873	Diaphragm	.94
7874	Base only	2.69
7876	Base only	.75
7877	Base only (D)	
7878	Speaker bell (D)	
7879	Base only	.56
7881	Sound unit (D)	
7882	Sound unit (D)	
7883	Sound unit (D)	
7893	Condenser (superseded by 14902)	
7898	Screw	.25/C
7958	Stud (D)	
7961	Vernier knob screw	.06
7965	Belt	.13
7973	Stud (11/16 in. long)	.04
7975	Log card (superseded by 9091)	

Part No.	Name of Part	Price
7977	Set screw	\$.31/C
8002	Lead (D)	
8014	Name plate (D)	
8015	Name plate rivet	.13/C
8020	Socket	.56
8021	Socket	.31
8022	Detector-2 stage amp. (D)	
8023	Panel and angle	1.38
8030	Detector-2 stage amp. (D)	
8035	Cabinet (D)	
8042	Shipping container (30 and 48) (superseded by 8291)	
8050	Wiring assembly (D)	
8060	No. 1 A. F. T. (round, oval, dented)	3.69
8062	Choke coil (superseded by 8232)	
8073	Tension spring	.03
8085	Washer (superseded by 8217)	
8086	Var. cond. stop spring	.04
8090	Rheostat	1.75
8092	Grid resistor (500 ohms)	.25
8094	Tension spring	.03
8106	Screw	.81/C
8108	R. F. amplifier	5.31
8110	Cabinet complete	5.00
8112	Condenser (250 MMF-500 V)	.31
8119	Wiring assembly (D)	
8120	Shipping container (35) (superseded by 8291)	
8123	Spring and lead (D)	
8126	Flexible resistor (1 ohm)	.19
8131	Screw (superseded by 9337)	
8136	Belt (superseded by 13483)	
8145	Oscillator trans.	1.25
8146	Belt (superseded by 13484)	
8167	Vernier knob	.35
8169	Speaker name plate (D)	
8185	Sub-panel assembly	22.50
8187	Screw	.19/C
8188	Nut	.44/C
8190	Resistor (180 and 270 ohms)	.31
8194	Grid leak clip	.04
8195	Resistor (superseded by 15892)	
8208	Ant. name plate	.06
8209	Screw	1.56/C
8215	Binding post	.09
8217	Washer	.25/C
8218	Nut	.69/C
8220	Lock washer	.25/C
8221	Screw	.38/C
8225	Resistance (500 ohms)	.21
8232	Choke coil	.44
8233	Lid corner stud	.08
8235	Base retaining nut	.04
8236	Name plate (ship)	.56
8237	Grid leak clip (superseded by 8194)	
8238	Detector-2 stage base	1.38
8241	Condenser (.002 MF-500 V)	.31
8245	Log card (D)	
8246	Base pad	.94/C
8247	Bottom base pad (D)	
8249	Rivet	.31/C
8250	Cabinet (D)	
8251	Tube socket	.56
8252	No. 1 R. F. T.	1.38
8253	No. 2 R. F. T.	1.38
8254	No. 3 R. F. T.	1.38

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
8255	Double rheostat	\$ 2.50	8587	Magnet housing assembly	\$ 4.06	8927	Bushing (D)	
8256	Flexible resistor (1.5 ohms)	.19	8590	Condenser (.002 MF-500 V)	.38	8929	Panel (D)	
8257	Double rheostat	2.50	8591	No. 2 tuning coil fixed condenser	.31	8931	Terminal nut	\$.03
8262	Var. cond. and trans. (D)		8593	Condenser (250 MMF-500 V)	.31	8932	Thumb nut	.04
8263	Var. cond. and trans. (D)		8595	Phono. attachment (Type VE-O) (D)		8940	No. 2 A. F. T.	3.00
8264	Var. cond. and trans. (D)		8599	Rheostat resistor (5 ohms)	.13	8945	Shield (D)	
8269	Shipping container (20-7960) (superseded by 8291)		8601	No. 3 tuning coil fixed condenser	.31	8946	Shipping cont. net	.31
8272	Name plate rivet	.31/C	8602	Shipping container (50) (D)		8950	Double rheostat	2.50
8275	Detector-2 stage amp. (D)		8627	Flexible resistor (1.5 ohms)	.19	8956	110-volt plug	.13
8281	Panel and angle	1.88	8640	A. F. base and springs	2.00	8957	Nut	.38/C
8282	Belt	.13	8650	No. 1 A. F. T.	3.25	8958	Terminal clip (superseded by 9741)	.69
8284	Resistor (865 ohms)	.25	8660	Choke coil	.50	8961	Relay and base assembly	3.44
8287	Base and pads	.88	8670	Speaker (E) (D)		8963	Belt (superseded by 13675)	
8290	Speaker (Model G) (D)		8685	Condenser (superseded by 14902)		8964	Belt (superseded by 13676)	
8291	Shipping container (32) net	.50	8690	Condenser (superseded by 14902)		8966	Frame (console)	3.25
8296	Sub-panel assembly	33.75	8700	Phono. attach. (Type VE-E) (D)		8969	Phone cord (5 feet) (superseded by 4889)	
8302	Double rheostat	2.50	8714	Wood screw	.03	8971	Ground spring (D)	
8303	Flexible resistor (1 ohm)	.19	8729	Screw (superseded by 14916)		8975	Cabinet foot (555)	.06
8308	Rheostat resistor (5 ohms)	.13	8730	Gold phone cord (9 feet)	1.06	8976	Base screw (superseded by 14916)	
8310	Rheostat resistor (20 ohms)	.13	8731	Base washer	.94/C	8988	Front panel	1.75
8316	Shipping container (Model G) (D)		8732	Frame assembly	2.69	8993	Cabinet	4.69
8327	Tag for 7653 cable	1.25/C	8749	Rubber damper	.04	8996	Resistor (800 ohms)	.20
8330	Detector-2 stage amp. (D)		8750	Rectifying tube (D)		8997	Shipping container (33 and 49) (superseded by 8291)	
8340	Detector-2 stage amp. (D)		8752	Sound unit nut	.09	9000	"B" power unit (Type S-25 cycles) (D)	
8352	Cable terminal clip	.03	8753	Solder clip	.94/C	9008	Socket	.81
8362	Base only (Model G)	.69	8754	Screw	.03	9009	Wiring assembly (D)	
8363	Reproducer housing	.75	8759	Sound unit	4.38	9010	Battery cable	1.94
8364	Base assembly	4.69	8766	Cloth screen	.13	9020	R. F. amplifier	5.31
8365	Gooseneck	3.44	8767	Screen retaining ring	.03	9021	Screw	.31/C
8366	Bell	1.75	8768	Washer	.03	9022	Antenna adj. knob	.25
8401	Solder clip	.19/C	8769	Base washer (D)		9030	R. F. amplifier	5.31
8409	Rotar washer	.88/C	8776	Diaphragm spring nut	.94/C	9043	Battery cable (5 feet)	1.06
8411	Stator washer	.63/C	8778	Shipping container (E)	.56	9056	Front panel (Model 30-C)	1.38
8415	Double rheostat	2.50	8779	Diaphragm	1.25	9059	Front panel (Model 33-C)	1.75
8417	Variable cond. for osc.	3.31	8796	Resistor (12,500 ohms)	.31	9065	Cabinet lid (D)	
8420	Cabinet	4.06	8800	"B" power unit (Type R-60 cycles) (D)		9074	Panel only (5 taps)	.88
8422	Front panel	1.38	8852	Nut (superseded by 8957)		9075	Battery lead	.13
8439	Resistor (350 ohms)	.25	8861	Case lid	.69	9088	Base pad and screw	.08
8440	R. F. amplifier	5.31	8862	Base	.69	9091	Log card net	.94/C
8449	R. F. amplifier	5.31	8870	2 stage amplifier (D)		9100	Variable cond. group	7.19
8464	Spring and lead (D)		8872	Transformer assembly	5.00	9117	Fixed contact and holder (D)	
8466	Spring and lead (D)		8875	Condenser assembly ("B" power)	10.31	9120	Instruction book (Vol. 4) net	.31
8477	Reproducer housing (V-E)	1.75	8887	Relay spring (D)		9123	Tube cap	.21
8499	Lead (D)		8888	Relay assembly	2.75	9128	Name plate rivet (black and nickel)	.25/C
8503	Antenna adj. condenser plate	.04	8890	Choke assembly	4.00	9150	Case lid	.69
8507	Washer	1.25/C	8900	Speaker (E Console) (D)		9156	Transformer assembly	6.88
8509	Shaft	.08	8908	Screw	.31/C	9158	Mounting bushing	.04
8513	Antenna adj. condenser, complete	.19	8909	Bushing	.04	9162	Short bolt bushing (D)	
8519	R. F. trans. cap	.19	8910	Screw (superseded by 9688)		9163	Short bolt (D)	
8523	Screw	.04	8911	Short strap	.15	9168	Pulley	.38
8525	A. F. mtg. bracket (D)		8912	Fibre sheet	.06	9169	Pulley	.50
8530	Cabinet (D)		8915	Resistor (5 and 7 taps) (10,000 ohms)	1.06	9171	Pulley	.45
8535	No. 1 R. F. amplifier	6.25	8919	Resistor (interchangeable with 15287 and 16282)	.19	9174	Base only	1.44
8540	No. 2 R. F. amplifier	14.38	8920	Panel assembly (old style 3 taps)	.88	9179	No. 1 R. F. T.	3.44
8553	Metal container (D)		8921	Trickle charger receptacle	.50	9181	No. 2 R. F. T.	3.75
8555	Double rheostat	2.50	8925	Long bolt	.04	9182	No. 3 R. F. T.	3.75
8559	Front panel (D)		8926	Short bolt	.04	9183	No. 4 R. F. T.	3.75
8571	Screw	.31/C				9184	R. F. trans. assembly	12.81
8574	Name plate (E and E-2)	.31				9190	Variable cond. group	9.69
8582	Cabinet lid (D)					9201	Variable cond. group	7.81
8585	Stabilizing condenser	.31				9205	Screw	.31/C
8586	Magnet housing assembly	3.75				9206	Name plate eyelet	.13/C

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
9226	Case and name plate (D)		9693	Panel assembly, less strap	\$ 3.44	13063	Shipping container (37 P. S.) (D)	
9245	No. 2 R. F. base (D)		9694	Panel and strap assembly (D)		13076	Locking clip	\$.69/C
9246	No. 1 R. F. base (D)		9696	Case lid, with tube name plate	.69	13079	Screw	.25/C
9255	Diaphragm wrench	\$.06	9697	Screw	.94/C	13081	"On" button (black or gold)	.05
9262	Lock washer	.31/C	9701	Transformer assembly	9.06	13082	Shipping container (37-C) (superseded by 15326)	
9273	Base gasket	.94/C	9704	Condenser assembly (Late 36)	10.94	13083	Fibre bushing	.19/C
9274	Mounting screw	.19/C	9705	Choke assembly	5.31	13085	Front panel (37-C set)	.94
9337	Screw (cadmium)	.25/C	9710	Cabinet and lid (Model 37)	7.19	13090	Cabinet and lid (37-25-cycle set)	7.19
9366	Nut	.63/C	9741	Soldering clip	1.25/C	13093	Solder clip	.44/C
9397	Rubber bushing	.03	9746	Volume control housing	.69	13094	Panel and strap assembly (D)	
9424	Resistor (superseded by 15941 or 16472)		9747	Cable connection panel	.56	13105	Condenser (superseded by 15158)	
9431	Panel assembly	2.81	9748	Power supply cable and panel	4.06	13112	Set screw	.03
9432	Panel screw	.81/C	9756	Primary winding	.75	13113	Antenna and ground cable assembly complete	.81
9434	Resistor (10 and 10 ohms)	.19	9760	Model E (Modernistic) speaker (D)		13117	Panel and strap assembly (D)	
9447	Screw (nickel, cadmium)	.19/C	9764	Strap only (superseded by 13196)		13118	Cable Clip	.94/C
9469	Case only	1.81	9771	Volume control knob	.25	13119	Ant. and ground cable only (D)	
9480	Cabinet (36)	8.44	9774	Control housing	.94	13121	Panel and strap assembly (D)	
9486	Potentiometer assembly	1.31	9775	Control contact arm	.31	13125	Extension washer (D)	
9488	Long strap assembly	.75	9781	Resistor (425 ohms)	.75	13127	Power supply panel assembly	3.44
9490	Volume control (425 and 425 ohms)	3.75	9782	Resistor (425 ohms)	.75	13128	Resistor (625 ohms)	.25
9495	Front panel (D)		9785	Contact arm (superseded by 14857)		13129	Lead (red) (D)	
9497	Condenser (superseded by 15158)		9786	Knob holding spring	.04	13133	Transformer	9.94
9499	Case lid	.69	9788	Resistor (400 ohms) (superseded by 13604)		13134	Literature (D)	
9503	Transformer assembly	7.81	9790	E-2 speaker (D)		13136	Cabinet body (37)	4.69
9505	Condenser assembly (Early 36)	13.19	9797	Volume control knob	.25	13138	Resistor (550 ohms)	.31
9510	Volume control (400 ohms)	2.00	9798	Lead (red) (D)		13139	Lead (red) (D)	
9511	Choke and condenser	6.25	9801	Lead (red) (D)		13141	Shipping container (38) (superseded by 15326)	
9515	Resistor (7800 ohms)	1.56	9802	Lead (green) (D)		13145	Fibre washer	.25/C
9521	110-V cord and plug (superseded by 8960)		9804	Cable connection panel	.50	13155	Literature (D)	
9554	Receptacle	.56	9807	Screw	.25/C	13156	Wiring assembly (D)	
9560	Cabinet and lid (38)	8.00	9810	E-3 speaker (D)		13158	Tube chart	.05
9561	Volume control (condenser type) (D)		9818	Power unit base	.94	13160	R. F. amplifier	5.31
9563	Condenser unit (D)		9825	Choke and condenser assembly	8.44	13161	Power unit base	.94
9575	Condenser (superseded by 14902)		9826	Bolt	.03	13163	"25-cycle" name plate (D)	
9584	Cable (less panel) (D)		9829	110-V cord and plug	.94	13165	Cabinet lid (38)	2.69
9585	Socket plug	.94	9831	Panel and strap assembly (D)		13170	Variable cond. group	7.19
9586	Cable clamp	.13	9890	Model F speaker (D)		13173	Transformer	7.81
9587	Cable clamp strap	.05	9898	Lock washer	.31/C	13180	Power supply cable and panel	1.19
9588	Cable and panel	3.94	9905	Dial	.88	13181	Ant. and ground base and bracket	.10
9590	R. F. trans. group	10.00	9906	Dial indicator	.10	13190	R. F. amplifier	5.31
9591	Cable connection panel	.56	9909	Power unit base	1.06	13196	Strap and wire holders	.44
9597	Resistor (25 and 25 ohms)	.38	9911	Shipping container (37) (superseded by 15326)		13200	Variable cond. group	9.38
9598	Condenser (.002 MF-500 V)	.31	9919	Power unit cover	1.50	13210	Variable cond. group	9.38
9601	Detector-2 stage amp. base	1.00	9920	Cabinet body (37)	4.69	13214	Power supply cable and panel	1.56
9602	Detector-2 stage amp. (D)		9925	Cabinet body (38)	5.31	13218	Wood screw (blue)	.63/C
9612	Wiring assembly (D)		9928	Condenser (superseded by 15158)		13219	Wood screw (blue)	.63/C
9614	Binding spring (D)		9929	Front panel	1.75	13220	R. F. trans. group	10.00
9619	Toggle switch (D)		9944	Wiring assembly (D)		13222	Cable bracket	.94/C
9620	Cabinet and lid (37)	7.19	9952	Cabinet lid (Model 37)	2.50	13226	Cabinet body (37-25-cycle)	4.69
9633	Cond. unit spring (D)		9973	Power supply cable and panel	1.19	13231	Tube chart	.04
9650	Panel and holders	.38	9975	Tube chart	.04	13232	Literature (D)	
9653	Shipping container (36) (superseded by 8291)		9991	Toggle switch	.63	13234	25-cycle transformer	10.94
9655	Literature assembly (D)		11013	Base nut	.63/C	13235	25-cycle choke and condenser	11.38
9660	R. F. amplifier	5.31	13004	Power supply panel ass.	4.00	13247	Knob holding spring	.04
9675	Solder clip	.19/C	13005	Power supply panel ass.	3.38	13249	Screw	.25/C
9678	Solder clip	.19/C	13018	Volume control (400 ohms)	3.06	13263	Pulley	.50
9681	Case only	1.56	13020	Volume control (13018 and 13020 are interchangeable)	3.06	13264	Extra long belt (superseded by 13677)	
9684	Long strap only	.44	13029	Tube chart	.04	13276	No. 1 A. F. T. (superseded by 8060)	
9685	Bushing	.03	13030	R. F. amp. assembly	5.31			
9687	Mounting screw	.31/C	13047	Resistor (superseded by 15592)				
9688	Ground screw	.31/C	13052	Screw	.25/C			
9689	Screw	.31/C						
9691	Resistor (1100 ohms)	.28						
9692	Resistor (1750 ohms)	.31						

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
13277	110-V cord and plug (superseded by 9829)		13482	Ant. coupling trans. (superseded by 13668)		13660	Cabinet and lid (42-F)	\$ 7.13
13282	Detector-2 stage amplifier (D)		13483	Belt	.06	13661	Service manual and binder	
13289	Resistor (2200 ohms)	\$.28	13484	Belt	.06	13664	Toggle switch	.38
13296	Resistor (superseded by 16253) (1500 ohms)		13487	Tube chart	.04	13668	Ant. coupling trans.	.50
13297	Lead (red) (D)		13489	Shipping container (40) (superseded by 15326)		13670	Cabinet and lid (44-F)	8.31
13298	Lead (green) (D)		13492	Literature (40-42-44) (D)		13675	Belt	.06
13301	Sound unit bag	.25	13496	Wiring assembly (D)		13676	Belt	.06
13302	Toggle switch	1.00	13498	Black dial	.75	13677	Belt	.06
13303	Resistor (550 ohms)	.23	13499	Cable bracket	1.25/C	13678	Switch	.94
13304	Power supply panel assembly	3.13	13500	E-3 flange speaker (D)		13680	R. F. Amplifier	5.31
13305	Panel and strap assembly (D)		13501	Volume control housing	.50	13682	Literature (D)	
13306	Sheet fibre insulator (1 1/2 x 3)	.25/C	13502	Volume control knob (brown and black)	.25	13688	Wiring assembly (D)	
13310	Power unit cover and chart	1.69	13503	Antenna and ground base	.13	13691	Lead (D)	
13314	Power unit cover and chart (25 cycles)	2.00	13504	Antenna and ground cable and post assembly	.81	13692	Lead (D)	
13315	Condenser and choke (37, 38)	9.69	13506	Cable connection panel	.31	13693	Lead (D)	
13320	Volume control (400 ohms) (13320, 13390 and 14060 are interchangeable)	2.81	13507	Power supply cable and panel	1.25	13698	Cabinet body (44)	5.63
13323	Flexible resistor ("Y" P. S.) (.3 ohm)	.23	13509	Cable sleeve	.15	13701	Cabinet lid	2.69
13324	Flexible resistor ("Y" P. S.) (.05 ohm)	.13	13515	Cabinet body (40)	4.38	13702	Tube chart	.04
13330	Cabinet and lid (40)	6.25	13516	Dial indicator	.10	13728	Mounting strap	.10
13341	Panel and strap assembly (D)	.50	13517	Cabinet feet	.05	13730	Cabinet body (43)	8.25
13342	Cable connection panel	.50	13519	Lid name plate (D)		13735	Nut	.06
13344	Panel and strap assembly (D)		13521	Cabinet lid (40)	1.88	13742	Cable sleeve (D)	
13345	Power supply cable and panel	1.25	13521	Cabinet lid (40)	1.88	13743	Power supply cable and panel	1.25
13346	Power supply panel assembly	3.13	13530	Volume control (400 ohms)	3.63	13748	Vernier stud	.05
13349	Transformer	7.81	13534	Panel and resistor holders	.31	13754	Transformer, cond. and choke	19.06
13353	Tan bronze lacquer (pint can) net	.75	13535	Power supply panel assembly	2.69	13755	Voltage regulator (21 ohms)	.63
13354	Gold lacquer (pint can) net	.75	13538	Resistor (625 and 2200 ohms)	.44	13756	Resistor (500 and 2200 ohms)	.31
13355	Brown lacquer (pint can) net	.75	13550	Volume control (41) (400 ohms)	2.81	13758	Panel assembly (superseded by 14954)	
13356	Black lacquer (pint can) net	.75	13555	Trans. condenser and choke (40, 56, 57)	16.88	13761	E-2 frame	2.44
13357	Aluminum white (pint can) net	.75	13556	Power supply cover	.44	13763	E-2 base	1.13
13358	Bakelite brown (pint can) net	.75	13568	Vernier knob, less screw	.38	13764	Cloth screen	.13
13360	Geromino gray (pint can) net	.75	13569	Ant. and ground post screw	.25/C	13769	Diaphragm	1.25
13363	Detector-2 stage amplifier (D)		13580	Cabinet and lid (41)	6.25	13772	Front grill, with name plate	1.69
13369	Resistor (3000 ohms)	.31	13587	Shipping cont. (E-2 speaker) net	.44	13779	Base gasket	.88/C
13370	Cabinet and lid (Model 42)	7.13	13590	Cabinet and lid (40-F)	6.25	13780	Volume control (400 ohms)	3.13
13383	Resistor (superseded by 16253) (1500 ohms)		13600	Model 52 speaker (D)		13782	Sound unit (superseded by 8759)	
13384	Panel assembly for power supply	3.63	13603	Screen retaining ring	.03	13784	Frame	2.38
13385	Shipping container (37-25-cycle P. S.) (D)		13604	Resistor (400 ohms)	.38	13786	Base	1.06
13390	Volume control (13320, 13390 and 14060 are interchangeable)	2.81	13605	Lead (D)		13788	Sound unit (superseded by 8759)	
13395	Soldering clip	.04	13606	Lead (D)		13789	Cloth screen	.10
13407	Lead (D)		13607	Lead (D)		13791	Screen retaining ring	.03
13410	Cabinet and lid (Model 44)	8.31	13608	Shipping container (42) (superseded by 15326)		13796	Diaphragm	1.50
13436	Lead (green) (D)		13609	Shipping container (44) (superseded by 15326)		13798	Front grill, complete	3.63
13437	Lead (red) (D)		13610	Contact spring washer	.69/C	13803	Shipping cont. (E-3 speaker) net	.38
13438	Lead (red) (D)		13621	Literature (42) (D)		13807	Base gasket	.88/C
13440	Wiring assembly (D)		13623	Vernier knob, less screw	.13	13809	Screw	.69/C
13442	Resistor shield (D)		13624	Dial	.75	13810	Cabinet and lid (45)	8.31
13468	Brown gummed tape (D)		13627	Cabinet body	4.63	13811	Mounting screw	.69/C
			13628	Screw	.05	13813	Power supply cover (superseded by 14753)	
			13631	Ball foot	.11	13822	Name plate (D)	
			13632	Felt foot and screw	.05	13826	Grill screen (D)	
			13634	Name plate	.56	13833	Top pole piece	1.06
			13635	Cabinet lid	2.50	13836	Back plate	.44
			13643	Trans., condenser and choke (42 and 52)	17.81	13839	Screw	.06
			13645	Voltage regulator (28 ohms)	.63	13843	Speaker housing	2.19
			13650	E-3 speaker, with lugs (D)		13848	Speaker housing (E-3 flange)	1.63
						13852	Steel ring	.50
						13880	Cabinet and lid (46)	7.38
						13882	Antenna name plate (D)	
						13885	Frame	1.69
						13886	Frame (E-3 lugs)	2.75
						13897	Ground clamp screw (2 in. long)	1.25/C
						13898	Shipping container (52) (D)	
						13899	Ground clamp only (D)	
						13901	Resistor (5000 ohms)	.38

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
13905	D. C. name plate	\$.06	14131	Clamp support	\$.05	14386	Front ring	\$.13
13908	R. F. trans. group	10.00	14132	Clamp	.05	14388	Front screen and ring	.75
13913	Cabinet lid	2.69	14138	Panel and resistor holders	.25	14389	Wire grill	1.06
13914	Cabinet body	12.19	14141	Antenna and ground assembly	1.69	14391	Front cover	1.06
13915	Straight leg	.50	14165	Clamp	.05	14392	Stud spacer nut	.13
13916	Straight leg gasket	1.25/C	14166	Clamp support	.05	14393	Nut (superseded by 8188)	
13917	Curved leg	.50	14169	Speaker cord	.44	14394	Screw	31/C
13918	Ornament	.50	14173	Eyelet	.63/C	14396	Washer (fibre)	.31/C
13919	Curved leg gasket	.94/C	14187	Literature (40-F, 42-F, 44-F) (D)		14397	Bushing (fibre)	.38/C
13926	Literature (D)		14188	Shipping container (42-F) (superseded by 15326)		14407	Output transformer (test-stand)	2.56
13928	Washer	.69/C	14193	Shipping container (44-F) (superseded by 15326)		14412	Speaker plug socket	.50
13929	Large washer (cork)	.94/C	14194	Shipping container (40-F) (superseded by 15326)		14414	Trans., cond. and choke (43)	19.06
13931	Small washer (cork)	.38/C	14200	F-2 speaker (D)		14421	Panel assembly (superseded by 14587)	
13932	Mounting washer	1.25/C	14203	Model 52 case (D)		14422	Resistor (1625 ohms)	.44
13934	Rear grill ring	.13	14211	Cable only (D)		14432	Lead (D)	
13935	Front grill ring	.20	14225	Dust proof bag (D)		14460	Cabinet assembly	6.06
13936	Cardboard washer	.94/C	14229	Sound unit	4.69	14470	Power transformer	9.38
13937	Wire clamp	.04	14247	Choke and condenser assembly	5.63	14471	R. F. choke	.56
13938	Front or rear grill	1.25	14249	Trans., cond. and choke (44 and 45)	18.44	14474	Shipping container (E-3 flange and lug) net	.38
13943	Antenna cable (D)		14250	Volume control (6000 ohms)	1.19	14475	Tube chart (43)	.04
13944	Ground cable (D)		14256	Choke and cond. assembly (40-F, 42-F, 44-F)	7.06	14476	Speaker plug card	.03
13946	Terminal (D)		14258	Trans., cond. and choke (42-F)	21.56	14477	Wooden top brace (D)	
13955	Condenser (superseded by 15157)		14262	Mounting strap assembly	.21	14478	Wooden bottom brace (D)	
13956	Condenser	1.06	14292	Trans., cond. and choke (44-F)	21.56	14492	Shipping cont. (F Speaker) net	.69
13959	Resistor base	.13	14295	Trans., cond. and choke (40-F)	21.25	14494	Lead (D)	
13961	Flexible resistor (4 ohms)	.25	14299	Shipping container (43) (superseded by 15326)		14495	Lead (D)	
13964	Detector and 2 stage base	1.13	14300	F-2-C power speaker (D)		14497	Screw	.94/C
13966	Panel assembly	2.25	14302	Instruction book (43) net	.06	14507	Lead (D)	
13967	Panel assembly	2.19	14304	Shipping container (45) (superseded by 15326)		14508	Diaphragm, E-3 flange	1.88
13968	Sound unit (superseded by 14229)		14308	Detector-2 stage base	.88	14512	Bracket (D)	
13970	Cabinet body	4.38	14314	Detector-2 stage amp. (D)		14516	Condenser (superseded by 15158)	
13971	Diaphragm	1.88	14315	Power cable and panel	1.25	14521	Cabinet body	17.44
13982	Nut	.09	14320	Filter choke	4.00	14527	Bracket (D)	
13985	Sound unit	4.69	14330	A. F. Transformer unit	6.06	14528	Speaker strap	.31
13988	Shipping container (E-3) net	.38	14340	Condenser unit (A-3) (55, 60)	7.19	14532	Nut	.69/C
13989	Ground clamp assembly	.13	14350	Cabinet and lid (55 full vision)	7.44	14534	Speaker housing	2.13
13991	Cabinet body (40-F)	4.38	14358	Back screen	.05	14537	Cable and plug	1.63
13996	Cabinet body (42-F)	4.63	14359	Back screen ring	.03	14549	Name plate (D)	
13997	Cabinet body (44-F)	4.31	14360	Power transformer (superseded by 14470)		14560	Power transformer	9.50
14003	40, 42, 44 instruction book net	.06	14361	Case and coil	10.50	14562	Washer	1.25/C
14004	52 instruction book, net	.06	14365	Stud spacer	.06	14565	Resistor (superseded by 15592)	
14005	41 instruction book, net	.06	14367	Nut	.75/C	14569	Insulating sleeve (black) (D)	
14006	40, 42, 44 (25-cycle) instruction book, net	.06	14368	Cone housing	1.38	14571	Cone housing (D)	
14007	Shipping container (41) (superseded by 15326)		14369	Sound unit (D)		14575	Resistor (superseded by 15941 or 16472)	
14008	Literature (D)		14371	Speaker base	1.56	14586	Panel only	.19
14013	No. 2 A. F. T. (43)	3.69	14374	Diaphragm	3.25	14587	Panel assembly, complete	2.81
14015	No. 2 A. F. T. (41)	3.50	14378	Speaker plug card (D)		14615	Screw	.25/C
14016	No. 1 A. F. T. (43)	3.56	14379	Spider screw (nickel and brown)	.69/C	14620	Cabinet and lid (60)	6.06
14020	Cabinet and lid (47)	8.31	14381	Spider washer	.69/C	14622	Gauge (superseded by 20171)	
14022	Tube chart (41)	.04	14382	Steel ring (3 segments)	.38	14630	Volume control (.1 meg.)	1.56
14024	Lead (D)		14383	Fibre ring	.13	14636	Binding post base	.04
14025	Lead (D)		14384	Fibre ring	.06	14639	Cabinet body	18.69
14026	Antenna and ground assembly	1.13				14640	Audio unit	6.56
14039	Resistor (535 ohms)	.81				14641	Console body and lid	21.38
14041	Voltage regulator (242 ohms)	.63				14642	Antenna cable (D)	
14042	R. F. choke	.44				14644	Lead (D)	
14053	Wiring assembly (D)					14646	Ant. and ground assembly (D)	
14060	Volume control (interchangeable with 13320 and 13390)	2.81				14647	Ant. and ground assembly	1.19
14071	Detector-2 stage amp. (D)					14650	Output transformer	2.69
14072	Condenser (.002 MF-500 V)	.31				14652	Shipping container (57) (D)	
14074	Variable cond. group (superseded by 13200)					14653	Instruction book net	.06
14084	Cable connection panel	.25				14654	Instruction book (56) net	.06
14085	Power cable and panel	.94				14655	Literature (D)	
14114	Trans., cond. and choke (41 set)	11.88				14658	Literature (D)	

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price
14659	Shipping container (56) (D)	
14660	Cabinet and lid (67)	\$ 6.06
14665	Body assembly (56)	15.75
14666	Leg	.31
14667	Console and lid (56)	18.44
14674	Cabinet body (45)	5.63
14675	Taupe lacquer (per pint) net	.75
14679	Transformer, condenser and choke (45)	17.50
14687	Set screw	.94/C
14691	Model 46 name plate (D)	
14694	Socket (superseded by 8021)	
14709	Literature (D)	
14710	Condenser unit (C-1) (61)	5.44
14712	Tube chart (46)	.03
14715	Cabinet body (46)	4.88
14720	Condenser unit (D-2) (55-F)	8.50
14721	No. 1 A. F. T.	3.56
14722	No. 2 A. F. T.	3.69
14723	Detector-2 stage amp. (D)	
14730	Cabinet and lid (55-F)	6.06
14736	Paper tube	.13/C
14738	Speaker plug chart	.04
14740	Power transformer	9.38
14743	Condenser assembly (46, 47, 53)	6.06
14746	Transformer, condenser choke assembly (superseded by 15155)	
14750	Power transformer	9.38
14753	Power supply cover (40-F, 42-F, 44-F)	.44
14766	Shipping container (46) (superseded by 15326)	
14767	Instruction book (46) net	.06
14768	Shipping container (superseded by 15578)	
14769	Shipping container (F-2-C speaker) (superseded by 15578)	
14788	Screw	.19/C
14842	Screw	.88/C
14853	Gasket (D)	
14857	Contact arm	.19
14861	Grid condenser (250 MMF-500 V)	.31
14880	Condenser unit (E-1) (66)	11.75
14883	Instruction book (45) net	.06
14889	Mounting bracket	.44
14890	Volume control (replaced by 14250)	
14893	Instruction book (53) net	.06
14895	Lock washer (D)	
14902	Condenser (.3 MF-450 V)	.75
14904	Lavender lacquer (per pint) net	.75
14905	Tube chart	.04
14906	Tube chart	.03
14910	A. F. transformer unit (superseded by 14330)	
14911	Literature (D)	
14912	Shipping container (53) (D)	
14915	Console and lid (53)	20.13
14916	Screw	.31/C
14920	Power choke	8.31
14921	Cable only (D)	
14922	Cable and plug	1.19

Part No.	Name of Part	Price
14926	Condenser assembly (superseded by 14743)	
14928	Transformer, condenser choke assembly (superseded by 15155)	
14930	Resistor assembly	\$ 2.19
14938	Name plate (D)	
14940	Audio unit	6.75
14942	Nut (superseded by 8188)	
14943	Trans. and choke (44)	16.19
14944	Trans. and choke (45)	13.63
14945	Trans. and choke (46, 53)	14.69
14946	Trans. and choke (40-F)	16.19
14947	Trans. and choke (42-F)	16.44
14948	Trans. and choke (44-F)	16.44
14949	Trans. and choke (superseded by 14945)	
14950	Cabinet and lid (61)	6.06
14951	Trans. and choke (47)	15.19
14952	Washer	.25/C
14954	Panel assembly	2.75
14975	Cabinet body	5.63
14977	Tube chart	.04
14980	Power transformer	9.06
14984	Trans., condenser, choke assembly (superseded by 15162)	
14990	Filter choke	4.44
14992	Antenna and ground assembly, complete (superseded by 13504)	
14995	No. 1 A. F. T. (superseded by 14721)	
14996	No. 2 A. F. T. (superseded by 14722)	
14997	Detector-2 stage amplifier (D)	
14999	Condenser (superseded by 15158)	
15006	Nut	.03
15008	Literature (D)	
15009	Instruction book (46, 47) net	.06
15010	A. F. transformer unit (superseded by 14330)	
15011	Shipping container (47) (superseded by 15326)	
15039	Screw (superseded by 9807)	
15041	Screw	.31/C
15042	Terminal card (D)	
15043	Connection card (D)	
15044	Green lacquer (per pint) net	.75
15045	Red lacquer (per pint) net	.75
15063	Resistor (550 and 1000 ohms)	.44
15064	Panel assembly	2.81
15079	Speaker plug	.38
15080	Volume control (superseded by 15160)	
15081	Screw (superseded by 9274)	
15085	Solder clip	.38/C
15092	Large washer	.08
15102	Name plate (F-4)	.10
15113	Cable connection card	.08
15114	Top pole piece	2.00
15115	Contact arm gauge	.13
15118	Back plate	.35
15128	Screw	1.25/C

Part No.	Name of Part	Price
15129	Lock washer	\$.31/C
15131	Bolt	.04
15133	Washer	1.25/C
15134	Washer (leather)	.69/C
15135	Cone housing	1.63
15137	Field coil spacer	.10
15138	Case and coil	6.56
15139	Top pole piece	1.13
15142	Diaphragm	2.06
15152	Front screen and ring	.94
15155	Trans. cond. and choke	20.88
15157	Condenser	2.06
15158	Condenser	1.44
15160	Volume control (6000 and 10000 ohms)	2.44
15162	Trans., cond. and choke	21.19
15170	Volume control (superseded by 15160)	
15193	Bolt	1.25/C
15203	Terminal card	.19
15209	Volume control shaft	.06
15210	Filament transformer	7.75
15211	Volume control housing	.44
15213	Tube shield	.13
15214	Tube shield base	.03
15226	Cable and plug	1.19
15227	Cable and plug	.88
15228	Main panel only	.56
15232	Grid cap and lead	.13
15237	Angle shield	.28
15241	Belt	.06
15242	Belt	.06
15244	Base plate only (D)	
15245	Nut	.06
15246	Base plate only (D)	
15252	Double socket	.69
15254	Socket	.25
15256	Socket	.50
15258	Socket	.44
15261	Resistor base (superseded by 17093)	
15262	By-pass condenser (H-1, H-9, H-20)	.88
15263	By-pass condenser (H-2)	1.13
15265	R. F. coil shield	.44
15271	R. F. choke	.25
15272	Resistor (superseded by 15660)	
15274	Resistor (superseded by one-16988 and one-17077)	
15278	Leads (D)	
15279	Spacer screw	.88/C
15281	Solder clip	.03
15283	Screw	.25/C
15284	R. F. T. primary (D)	
15285	Resistor (gray) (30000 ohms, 1 watt)	.19
15286A	Resistor (purple) (superseded by 16330)	
15286B	Resistor (purple) (superseded by 16295)	
15287	Resistor (blue) (interchangeable with 8919 and 16282) (10000 ohms, 1 watt)	.19
15297	Resistor (6000 ohms)	.44
15302	Knob (black and brown)	.44
15325	Cabinet body (55 full vision)	4.25
15326	Shipping container, net	.81
15327	Condenser unit cover	.38
15328	Condenser unit spring	.06
15329	Transformer unit lid	.21
15331	Choke unit lid	.19
15332	Condenser unit lid	.19
15333	A. F. T. unit lid	.19
15337	Spacer bushing	.03
15369	Top shield	.44
15373	Switch bracket	.04

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
15374	Blade (superseded by 18112)		15629	Field coil (F)	\$ 6.69	15829	Base plate only (D)	
15380	Front panel only	\$ 1.25	15631	Field coil	6.44	15830	Flexible resistor (425 ohms)	\$.25
15381	Distance switch shaft	.06	15635	Field coil	4.75	15832	Socket	.69
15383	Distance switch base	.13	15638	R. F. coil group	4.25	15833	Condenser unit spring	.06
15386	Distance switch assembly	.38	15638A	Coil group (superseded by 16990)		15834	Condenser unit spacer	.19/C
15390	Detector cap and ground clamp assembly	.50	15639	Sub-base assembly (D)		15835	Tube socket	.50
15393	R. F. amplifier shipping cont. net	.13	15640	Condenser (H-16)	.94	15837	By-pass (B-3) superseded by 16233	
15401	Lamp socket bracket	.88/C	15642	Lead (D)		15842	R. F. coil shield	.50
15402	Thumb nut	.05	15643	Lock washer	.31/C	15845	Belt	.06
15404	Dial-light (2.5 V)	.19	15648	Screw	.25/C	15846	Belt	.06
15405	Dial-light socket	.31	15650	Power trans.	6.19	15847	Belt	.06
15407	Bezel (D)		15656	Bottom cover	.75	15850	Filter-condenser (C-7)	2.63
15408	Tube name plate	.05	15660	Resistor (1050 ohms.)	.31	15852	Shipping container (60) (superseded by 15326)	
15409	Tube name plate	.05	15668	Dial gear	.13	15854	Field coil	5.31
15410	Literature (D)		15670	Resistor (superseded by 15660)		15855	Case and coil	7.81
15411	Tube name plate	.05	15671	Dial vision plate	.13	15863	Field coil	4.31
15412	Tube name plate	.06	15672	Escutcheon (55)	.31	15864	Case and coil	6.75
15413	Base assembly screw	.31/C	15673	Rosette	.04	15869	Case and coil	7.81
15414	Felt foot	.04	15675	Front panel only	.63	15870	Condenser (B-7)	.75
15415	Bottom plate	.81	15676	Front panel assembly	1.13	15872	Case and coil	6.56
15443	Toggle switch (superseded by 16996)		15678	Dial knob only	.25	15874	Cone housing	1.88
15446	Blue lead (D)		15679	Dial knob assembly (black or brown)	.28	15875	Cone housing	1.88
15447	Red lead (D)		15681	Dial rubber	.05	15876	Top shield support	.19
15450	Filter choke (3rd-60C)	4.69	15682	Dial knob screw (black-brown)	.06	15877	Tube name plate	.05
15479	Leads (D)		15686	Pulley	.56	15878	Tube name plate	.05
15480	Filter condenser (A-5) (3rd-60C)	4.56	15688	Shipping container (55-C) net	.81	15879	Tube name plate	.04
15491	Leads (D)		15689	Shipping container (superseded by 15326)		15880	Power transformer	8.44
15499	110-V cord only (D)		15692	Cabinet body (55, 60, 61, 67)	3.38	15881	Tube name plate	.05
15501	110-V cord and plug (superseded by 9829)		15705	Power trans. brace	.13	15882	Tube name plate	.05
15506	Condenser unit spacer (wood)	.06	15708	Back plate	.31	15887	Name plate	.10
15520	Input A. F. trans.	3.06	15720	Resistor (superseded by 15830)		15889	Name plate	.10
15530	Output A. F. trans.	2.75	15734	Rivet	.19/C	15891	Resistor (red and black) (20000 ohms, 1 watt)	.19
15540	Condenser (8 MMF-500 V)	.13	15739	Wire clamp	1.25/C	15892	Resistor (green) (2 meg, 1 watt)	.19
15541	Jewel only (D)		15742	Yellow lead (D)		15904	Resistor (superseded by 16988)	
15542	Bezel nut (D)		15747	Flexible resistor (2 ohms)	.13	15910	Literature (Type D) net	.13
15543	Jewel assembly (D)		15765	Washer	.25/C	15911	Insulation sleeving (per foot)	.13
15544	Resistor (yellow) (7500 ohms, 1 watt)	.19	15766	Screw	.25/C	15916	Tube socket	.31
15545	Resistor (maroon) (10000 ohms, 1 watt)	.19	15770	Condenser (H-15)	.88	15919	Condenser (double .001 MF-500 V)	.69
15547	Resistor (superseded by 17077)		15776	Dial adj. support	.06	15930	Special A. F. T.	7.63
15550	On-off switch	.63	15780	Condenser (H-17)	1.00	15941	Resistor (purple and yellow) (interchangeable with 16472) (12500 ohms, 1 watt)	.19
15559	Field coil spacer	.06	15787	Vol. cont. or dist. switch knob	.25	15944	Model name plate	.05
15561	Washer	.13/C	15790	Condenser (H-18, H-21)	.94	15945	Model name plate	.05
15562	Knob set screw	.69/C	15792	Condenser (double .001 MF-500 V)	.69	15946	Shipping container (60-C) (superseded by 15688)	
15564	White lead (D)		15794	Model name plate	.05	15960	No. 1 A. F. T.	3.06
15565	Lead (D)		15802	Resistor (red) (superseded by 16472 or 15941) (12500 ohms, 1 watt)		15970	No. 2 A. F. T. (superseded by 18020)	
15566	Lead (D)		15803	Tube name plate	.05	15972	Bracket	.13
15572	Back stud	.14	15804	Tube name plate	.05	15977	Variable cond. group	5.88
15574	Speaker hanger	.13	15805	Shipping container (F-6) net	.63	15978	Battery container	1.00
15578	Shipping container, net	.44	15806	Shipping container (F-6-C) (superseded by 15578)		15984	Tube name plate	.05
15579	Shipping container (F-4) net	.63	15807	Shipping container (F-7) net	.63	15990	Literature (Type Q) net	.13
15586	Two resistance base (less resistors)	.25	15808	Shipping container (F-7-C) (superseded by 15578)		15997	Tube name plate	.06
15587	Ant. name plate	.06	15810	Flexible resistor (superseded by 16320)		15998	Model name plate	.06
15588	Instruction book (55 and 60) net	.06	15814	Main panel only	.69	16002	Socket	.50
15591	Literature (55 and 60) (D)		15815	Base plate only	1.50	16003	Socket	.19
15592	Resistor (black) (65000 ohms, 1 watt)	.19	15816	R. H. end shield	.19	16004	Socket	.19
15595	Case and coil	7.06	15817	L. H. end shield	.19	16006	Socket	.31
15604	Instruction sheet (F-4-C) net	1.25/C	15820	Flexible resistor (superseded by 16320)		16010	Volume control (2500 ohms and .1 meg.)	2.81
15611	Cone housing	1.88	15823	Top shield	.81	16012	Main panel only	.75
15612	Case and coil	7.06	15826	Angle shield	.19	16013	Lamp socket	.25
15620	Local-distance switch	.75				16018	Model name plate	.05
15622	Rubber bushing	1.13/C				16032	Shipping container (67) (superseded by 15326)	
15627	Washer	.19/C						

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
16033	Shipping container (67-C) (superseded by 15688)		16237	Escutcheon (67)	\$.31	16433	Resistor (680 ohms)	\$.50
16034	Rubber sleeving (superseded by 16497)		16238	Escutcheon (61)	.31	16434	Resistor (300 and 300 ohms)	.63
16035	Insulation (per foot)	\$.03	16239	Escutcheon (66)	.31	16435	Sub-panel assembly (D)	
16036	Insulation (per foot)	1.25/C	16241	Front panel assembly	1.19	16436	R. F. coil group	6.00
16037	Insulation (per foot)	1.25/C	16242	Front panel assembly	1.19	16448	Screw	.94/C
16038	Insulation (per foot) (superseded by 16039)		16243	Front panel assembly	1.19	16456	Shipping container (66) (superseded by 18123)	
16039	Insulation (per foot)	1.25/C	16246	Instruction book (61)	.06	16461	Condenser (H-6, H-12)	.69
16045	Toggle switch assembly	.94	16253	Resistor (1500 ohms)	.38	16462	Condenser (H-5, H-11)	1.13
16055	Resistor (superseded by 15660)		16260	Filter choke (F)	4.69	16465	Condenser unit shield	.23
16056	Resistor (superseded by 17077)		16270	Volume control (2500 and 5600 ohms)	2.44	16468	Sub. base assembly (D)	
16058	Instruction book (67)	.06	16277	Resistor base (D)		16469	R. F. coil group	6.00
16060	Condenser (H-24) (superseded by 18350)		16279	Dial light socket	.25	16472	Resistor (purple and red) (interchangeable with 15941) (1 watt)	.19
16065	Transformer lid	.31	16280	Flexible Resistor (8 and 8 ohms)	.25	16490	Condenser (B-6)	.81
16066	Instruction book (55-F)	.06	16282	Resistor (1 watt) (blue and red) (interchangeable with 15287 and 8919) (100,000 ohms)	.19	16492	Felt foot	.03
16067	Literature (55-F) (D)		16283	Toggle switch only	.50	16494	Main panel only	.69
16068	Shipping container (55-F) (superseded by 15326)		16286	R. F. choke (superseded by 17254)		16495	Screw	.05
16069	Shipping container (55-F-C) (superseded by 15688)		16288	Tube name plate	.09	16497	Insulation... per foot	1.25/C
16071	Shipping container (61) (superseded by 15326)		16289	Tube name plate	.06	16499	Tapped bushing	.05
16072	Shipping container (61-C) (superseded by 15688)		16290	Flexible resistor (11 and 11 ohms)	.25	16508	Fibre wire clamp	.31/C
16073	Name plate	.10	16291	Tube name plate	.05	16512	Clamp	.06
16077	Resistor (19 ohms)	.15	16295	Resistor (4000 ohms)	.31	16514	Volume control shaft (D)	
16081	Flexible resistor (.6 ohm)	.19	16299	Resistor (11.5 ohms)	.25	16520	Filter condenser (A-6) or (D-3)	4.94
16082	Condenser (double .001 MF-500 V)	.63	16302	Resistor (8.5 and 11.5 ohms)	.19	16522	Resistor (22.5 ohms)	.19
16088	Condenser (250 MMF-500 V)	.20	16305	Literature (D)		16523	Instruction book (66)	.06
16098	Leads (D)		16315	Lead (D)		16543	Leads (D)	
16099	Dial light (6-volt)	.19	16316	Lead (D)		16576	Volume control cover	.03
16101	Literature (67) (D)		16317	Lead (D)		16590	Literature (Type F)	.25
16103	"C" battery container lid	.56	16318	Condenser (.4 MF-450 V)	.94	16606	Leads (D)	
16104	Connection card	.03	16320	Flexible Resistor (1050 ohms)	.19	16607	Leads (D)	
16122	Volume cont. (.1 meg.)	1.06	16322	Flexible Resistor (4 ohms)	.23	16608	Leads (D)	
16131	Shipping container (F-4-A) (superseded by 16215)		16323	Condenser (double .001 MF-500 V)	.69	16610	Flexible resistor (19 ohms)	.19
16147	Insulator (3" x 1-3/16")	.63/C	16330	Resistor (6000 ohms)	.36	16630	Volume-control (2500 and 6000 ohms)	2.38
16158	Screw	.25/C	16339	Resistor base (D)		16631	Bottom cover	.88
16159	Front cover	1.88	16340	Flexible resistor (850 ohms)	.20	16632	Front panel only	.75
16161	Back cover	2.50	16341	Two resistor base (D)		16634	Toggle switch	.63
16163	Base	1.81	16347	Cone housing	1.63	16638	Resistor (superseded by 15660)	
16165	Battery cable (superseded by 9010)		16348	Cone housing	1.56	16639	Resistor (8500 ohms)	.44
16166	Tag, used on 9010 cable	.03	16349	Cone housing	1.63	16640	Input transformer	3.13
16167	Tube socket	.63	16350	Flexible resistor (200 ohms)	.19	16641	Resistor (3000 and 4000 ohms)	.63
16168	Rubber washer	.94/C	16351	Cone housing	1.63	16642	Washer (D)	
16175	Resistor (superseded by 16988)		16357	Solder clip	1.13/C	16643	Resistor (2000 ohms)	.25
16176	Resistor (superseded by 16302)		16358	Toggle switch	.63	16644	Resistor (superseded by 16295)	
16215	Shipping container (F-2-A)	.63	16360	Condenser (10-12 MMF-500 V)	.09	16658	Front panel assembly	1.13
16216	Shipping container (F-6-A) (superseded by 16215)		16362	Sub-base assembly (D)		16659	R. F. choke	.31
16217	Shipping container (F-7-A) (superseded by 16215)		16363	R. F. coil group	5.75	16660	Power transformer	4.69
16220	Literature (Type L)	.13	16364	Variable condenser group	7.38	16680	Filter choke (L and P)	4.88
16232	Condenser unit spacer	.08	16365	Base plate only (D)		16687	Literature (66) (D)	
16233	Condenser (H-4, H-10)	1.25	16370	On-off switch	.56	16695	Shipping container (J B)	.38
16236	Escutcheon (60)	.31	16380	Local distance switch	.56	16703	Volume control housing and res. No. 1 (D)	
			16390	Output transformer	2.38	16706	Volume control contact and pressure arm (D)	
			16390-A	Output transformer (large container)	2.38	16709	Volume control resistor No. 2 (D)	
			16396	Condenser unit cover	.44	16724	Resistor (white) (interchangeable with 16725) (40,000 ohms) (1 watt)	.19
			16410	Field coil	2.38	16725	Resistor (black and yellow) (interchangeable with 16724) (40,000 ohms) (1 watt)	.19
			16420	Socket and reflector, one-hole mounting (less leads)	.31			
			16420-A	Socket and reflector, two-hole mounting (less leads)	.31			
			16430	Tone control switch complete	.50			
			16432	Resistor (35 and 250 ohms)	.63			

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
16726	Two resistor base (D)		17070	A. F. transformer	\$ 2.81	17410	Choke	\$.44
16734	Front frame	\$ 3.44	17077	Resistor (5 and 5 ohms)	.15	17420	Choke (superseded by 18220)	
16735	Front screen	1.19	17090	Flexible resistor (1200 ohms)	.23	17429	Filter cond. cover	.38
16740	On-off switch	.56	17093	Four resistor base (less resistors)	.31	17430	Oscillator trans.	1.00
16741	Bushing for 110-volt cable	.03	17094	R. F. coil group (16990 may be used in place of 17094)	4.13	17432	Lockwasher	.31/C
16742	Bushing spring	1.25/C	17095	R. F. coil group	6.00	17433	Lockwasher	.31/C
16745	Condenser (H-7, H-8, H-13)	1.00	17096	R. F. coil group	6.00	17440	Condenser (440-600 MMF-450 V)	.19
16750	Local-distance switch	.75	17107	Rotor connection (long)	.13	17461	Phono-switch	.44
16759	Resistor (superseded by 15660)		17109	Screw	.19/C	17470	Condenser (200 MMF-450 V)	.25
16760	Local-distance switch	.94	17117	Fibre pad	.38/C	17480	Filter condenser (E-3) used in L-1 chassis to replace 15480	4.56
16768	Resistor (superseded by 16987)		17118	Mounting bracket	.03	17488	Bolt	.05
16770	On-off switch	.75	17119	Metal clamping strip	1.25/C	17490	R. F. coil group	5.00
16771	Rivet	.31/C	17144	Log card net	.94/C	17507	Nut	.03
16785	Distance switch	.63	17155	Flexible resistor (superseded by 17077)		17508	Socket	.13
16788	Condenser (28 MMF)	.19	17159	Condenser assembly (C-6)	4.00	17509	Socket	.13
16805	Resistor base (D)		17160	No. 1 R. F. T. (D) (H)		17510	R. F. trans. group	5.00
16822	Leads (D)		17170	No. 2 R. F. T. (D) (H)		17511	Socket	.13
16828	Condenser (B-5)	.75	17173	Speaker choke	3.06	17512	Socket	.13
16839	Leads (D)		17178	Transformer choke and condenser (later type, Model 40)	16.88	17515	Field coil insulator	.03
16840	Flexible resistor (22 ohms)	.19	17180	No. 3 R. F. T. (D) (H)		17516	Screw	.25/C
16849	Insulator	.25/C	17190	No. 4 R. F. T. (D) (H)		17518	Socket	.15
16850	Flexible resistor (11 ohms)	.19	17204	Lockwasher	.31/C	17519	Socket	.15
16851	Insulator	.31/C	17205	Dial knob bracket	.31	17521	Antenna binding post and base	.31
16852	Insulator	.69/C	17206	Dial light socket	.38	17522	Screw	.31/C
16853	Insulator	.69/C	17209	Dial assembly	.44	17524	110-volt cable and plug	.88
16854	Insulator	.31/C	17210	Literature (Type H-1)	.13	17527	Shipping container (3rd type 60-C) (superseded by 18123)	
16858	Resistor (superseded by 16988)		17219	Volume control bracket	.19	17534	Filter cond. spacing pad	.13/C
16860	Flexible resistor (35 ohms)	.19	17223	Cross piece (10 in. x 7/8 in.)	.16	17536	Bottom plate	.88
16862	Insulator	.69/C	17224	Front panel brace	.05	17546	Terminal-card assembly	.20
16863	Insulator	.31/C	17230	Trimmer condenser (10-85 MMF)	.19	17547	Cone housing assembly	1.75
16868	Resistor (superseded by one 16988 and one 16989)		17232	Sheet fibre insulator (3 in. x 3/4 in.)	.25/C	17551	Field coil	3.94
16871	Distance switch (superseded by 16785)		17240	Trimmer condenser (70-225 MMF)	.63	17552	Field coil spacer	.06
16872	Resistor (superseded by one 16253 and one 15660)		17242	Sensitivity switch	.38	17553	Top pole piece	.94
16876	Insulation per foot	1.25/C	17244	Knob	.28	17556	Cable and plug	.94
16880	Condenser (H-23)	1.00	17254	R. F. choke	.31	17557	Diaphragm	1.88
16881	Rivet	.31/C	17260	I. F. trans. and bracket	1.69	17558	Resistor (black and green) (superseded by 15592) (1 watt)	
16890	Filter choke (D chassis)	4.94	17268	Power trans. cover	.25	17563	Power trans. insulating sheet	.03
16905	Resistor (superseded by 17041)		17270	Volume control (.1 and .25 meg.)	2.81	17602	Lead	.04
16940	Condenser (H-22)	.81	17280	Input transformer	3.06	17603	Tr. lead	.04
16955	Balance weight	.20	17290	Filter choke (H)	4.06	17610	Resistor (4000 ohms)	.31
16984	R. F. coil group	5.50	17291	Rotor connection (short)	.13	17632	Det. cap lead (brown)	.05
16985	R. F. coil group	5.50	17295	R. F. coil shield	.44	17679	Rivet for panel braces	.69/C
16986	Sub. base assembly (D)		17299	Resistor (blue) (2 ohms)	.15	17736	Volume control (2500 and 6000 ohms)	2.50
16987	Resistor (115 ohms)	.23	17302	Filter-choke lid	.25	17737	R. F. trans. group	5.00
16988	Resistor (160 ohms)	.23	17310	On-off switch	.56	17738	Variable cond. rotor and frame	9.06
16989	Resistor (superseded by 16340)	.21	17323	Antenna and ground post base only	.04	17739	Variable cond. assembly (use No. 17738)	
16990	R. F. coil group	4.13	17326	Detector cap	.25	17762	Tube shield packing tube	1.25/C
16992	Tube socket	.50	17332	Instruction book (3rd Type 60) net	.06	17775	Spacer	.69/C
16996	Toggle switch	.69	17341	Bracket	1.25/C	17790	Multiple-speaker output transformer	11.25
16998	Socket	.56	17342	Fibre resistor pad	.19/C	17796	Terminal card insulator	1.25/C
17015	Choke	.31	17343	Metal clamping strip	.69/C	17803	Terminal card cover	.15
17016	Resistor (superseded by 15660)		17344	Fibre resistor pad	.19/C	17814	Dial knob	.31
17018	Distance switch (superseded by 16785)		17345	Metal clamping strip	.69/C	17816	Speaker hanger (2 used)	.08
17020	Field coil	4.50	17360	Condenser (H-27)	.94	17820	Choke (superseded by 18220)	
17040	Phono post assembly	.56	17370	Condenser (H-25, H-26)	.94	17824	Power transformer cover	.25
17041	Resistor (3000 and 3000 ohms)	.50	17377	Socket insulator (fibre sheet)	.13/C	17825	Power transformer spring	.10
17060	Literature (Type P) net	.13	17380	Resistor (425 ohms)	.19	17827	Cable clamp	1.25/C
17062	Mica for variable condenser trimmer	.94/C	17390	Plate choke	.44	17847	Cone housing	.94
17064	Fibre washer	.19/C	17392	Nameplate	.19	17856	Diaphragm	1.00
17068	Clamp rivet	.25/C	17400	Booster amplifier	48.50			

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
17858	Cone housing	\$ 1.06	18220	Choke	\$.28	18661	Shipping container (Type H)	net \$.75
17862	Terminal card	.08	18222	Screw	.94/C	18774	Tube socket	.15
17864	Sound unit (Type J)	10.31	18223	Condenser clamp	.04	18809	Dial-knob shaft	.04
17864B	Sound unit (Type JB)	10.31	18232	Filter-choke base plate	.15	18813	Socket	.13
17866	Cable and plug	.69	18236	Resistor (yellow lead) (1 ohm)	.19	18816	Escutcheon	.50
17868	Nut	.69/C	18256	Instruction book (Type F)	net .06	18818	Changed to 18813	
17871	Shipping container (J) (superseded by 19336)		18257	Shipping container (Type F)	net .69	18823	Shim	.44/C
17872	Instruction sheet (J)	net 1.25/C	18259	Volume-control bracket	.13	18844	Rotor connection (long)	.04
17876	Volume control bracket	.08	18261	R. F. and I. F. transformer shield	.44	18866	Stopping spring	.16
17885	Instruction Book (Type Q)	net .06	18271	Transformer bracket	.08	18870	Field coil	1.56
17889	Terminal card	.15	18273	Spacer	1.25/C	18882	Dial plate	.13
17890	Centralized control multiple speaker installation	81.25	18283	Mounting bracket	.04	18897	110-V plug (male)	.08
17895	Cable and plug	.88	18286	Shield between I. F. transformers	.13	18910	Dummy field (1100 ohms)	1.19
17931	Transformer and filter choke (late 40)	16.19	18295	Eyelet	.13/C	18911	Special transformer for test equipment	4.50
17934	Dial Gear (superseded by 18615)		18303	Screw	.19/C	18915	Terminal panel	.15
17935	Dial-knob bracket support (threaded)	.03	18315	Screw	.69/C	18917	Spacer	.03
17936	Dial-knob bracket (1-hole mount)	.50	18325	Screw	.03	18935	Additional four-wire cable per foot	.09
17941	Dial-knob shaft	.13	18327	R. F. trans. group	5.00	18945	Additional twenty-wire cable per foot	.50
17959	Dial pointer	.05	18339	Panel stud	.04	18950	Superseded by 20340	
17961	Dial rubber and bushing	.19	18350	Cond. (H-28)	1.06	18959	Cloth screen	.69
17962	Pointer control arm	.23	18354	Resistor (35 and 250 ohms)	.63	18980	Superseded by 19750	
17974	Condenser (190-350 MMF-450 V)	.23	18355	Resistor (645 ohms)	.50	19014	Fibre washer	.63/C
17985	Escutcheon	.50	18356	Resistor (300 and 300 ohms)	.56	19033	I. F. trans.	1.56
17989	T. R. F. nameplate (L-F-P)	.08	18363	Binding post base	.03	19034	Variable condenser, rotor, stator and frame, with balance weight and leads	8.44
18007	Socket	.19	18388	Hexagon nut	.13	19035	Front panel, complete	2.31
18016	Socket insulator	.19/C	18389	Unit strap	.04	19036	Front panel, with dial plate	1.69
18017	Dial plate	.13	18391	Unit strap screw	.04	19038	R. F. trans. group	5.00
18020	Input transformer	4.94	18398	Socket	.15	19040	Volume cont. (.5 meg.) (early 84-85)	1.06
18049	Resistor (green and blue) (4000 ohms, 1 watt)	.19	18399	Socket	.15	19043	Metal glider (for cabinet feet)	.04
18051	Instruction Book (Type D)	net .06	18405	Filter choke lid (superseded by 18638)		19050	On-off switch	.56
18055	Top pole piece	.75	18417	Socket	.15	19056	Pickup unit, complete, less arm	12.50
18068	Instruction sheet (N)	net 1.25/C	18418	Socket	.15	19057	Pickup coil	.50
18073	Cone-housing, with terminal card	1.25	18419	Grid-condenser and socket	.44	19058	Pickup armature	.30
18075	Field-coil spacer	.10	18449	Fuse socket	.10	19059	Pickup pole piece (left-hand)	.40
18081	Diaphragm	2.00	18485	Shipping container (Type Q)	net .69	19060	Superseded by 22538	
18085	Front panel, with dial plate	1.31	18489	Shipping container (Type D)	net .69	19061	Pickup magnet	2.60
18092	Screw	.04	18493	Bottom plate	.88	19063	Pickup cover	.50
18093	Field-coil insulator	.03	18520	Resistor (70 ohms)	.23	19065	Pickup pole piece (right-hand)	.40
18095	Lockwasher	.31/C	18534	Line fuse (2 amp)	.04	19066	Pickup needle screw	.08
18112	Switch blade	.03	18542	Instruction sheet (N-3)	net 1.25/C	19067	Pickup connector block and wire	1.10
18113	T. R. F. nameplate (Type D)	.09	18544	Phono-radio switch	.63	19068	Pickup arm and base, less unit	5.50
18114	T. R. F. nameplate (Type Q)	.09	18546	Binding post (marked G)	.09	19069	Pickup arm trip rod and nut	.04
18117	Balance weight	.23	18547	Shipping container (Type P)	net .69	19070	Power transformer	4.69
18118	Guide card (F 680)	net .94/C	18548	Instruction book (Type P)	net .06	19071	60-cycle induction-disc motor	36.50
18119	Log card (F 681)	net .94/C	18551	Escutcheon	.63	19072	Rotor disc	4.00
18120	Transformer (D) (H-2)		18556	Nameplate (Type H)	.09	19073	60-cycle inductor	10.00
18122	Instruction book (Type L)	net .06	18573	Instruction sheet (JB)	net 1.25/C	19074	Governor, complete	2.50
18123	Shipping container (Type L)	net .69	18577	Frame	3.44	19075	Governor ball and spring	.10
18127	Washer	.31/C	18578	Insulator	1.25/C	19076	Governor bearing	.03
18144	Dial-knob bracket	.25	18579	Variable condenser, stator, rotor and frame (with balance weight and leads)	8.13	19077	Volume control, less knob (500 ohms)	1.40
18146	Switch shaft	.06	18581	Front panel, complete	2.00	19078	Volume-control cord	.25
18148	Switch base	.25	18582	Speaker plug	.19	19079	Volume-control knob	.30
18150	I. F. trimmer (double type) (45-115 MMF)	.38	18589	110-volt cable	.38	19081	Brake switch	1.50
18160	Choke	1.56	18615	Dial gear	.50	19082	Turntable - spindle ball-bearing	.01
18174	Metal washer	.44/C	18638	Filter choke lid with nameplate	.31	19083	Needle box	.30
18180	Literature (H-2)	net .13	18645	Power trans. lid and nameplate	.31	19084	Needle cup	.15
18188	Filter-condenser cover	.50	18649	Volume-control nut (Type H)	.03	19085	Top-plate washer	.01
			18652	Instruction book (Type H-1)	net .06	19086	Turntable - spindle ball-bearing screw doz.	.36

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D). Phonograph parts are listed in italics.

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
19087	Pickup input transformer	\$ 5.50	19147	Brake and friction lever spring	\$.05	19362	Stroboscope disc (60 cycles)	\$.05
19092	Pickup-arm trip-rod nut	.01	19148	Brake-latch trip spring	.06	19364	Damper rubber	.06
19093	Pickup-cover screw	.03	19149	Brake-latch trip	.20	19365	Damper plate	.10
19094	Pickup-magnet spring (flat)	doz. .10	19150	Condenser (H-29)	.81	19387	Damper plate screw doz.	.14
19095	Pickup pole piece nut doz.	.12	19151	Brake-latch trip rivet	.02	19420	Power trans.	4.94
19096	Pickup mounting screw	.02	19152	Brake hand lever spring	.05	19431	Complete motor board	65.00
19097	Pickup mounting nut	.04	19153	Regulating-screw escutcheon and screw	.23	19443	R. F. T. cap	.06
19098	Pickup mounting lock washer	doz. .06	19154	Regulating-screw escutcheon wood screw	doz. .12	19447	Pickup pole piece screw	doz. .12
19099	Pickup-arm wood screw	doz. .20	19155	Brake-switch screw	.02	19454	Top pole piece	.31
19101	Pickup-coil insulator doz.	.05	19156	Brake-switch washer	.04	19455	Washer	.13
19102	Pickup-unit back	.50	19157	Brake-switch bushing nail	doz. .08	19457	Center pole	.38
19103	Inductor screw	doz. .25	19158	Brake-switch cord bushing	.12	19458	Insulator	.25/C
19104	Inductor terminal block	.20	19159	Brake-latch spring	.06	19459	Washer (hex metal)	.63/C
19105	Inductor connector-wire clip	doz. .08	19160	Condenser (H-30)	.81	19463	Strap	.10
19106	Inductor connector wire	.20	19161	Brake wood screw doz.	.10	19465	Diaphragm	1.31
19107	Nut	.01	19162	Brake-latch plate	.06	19469	Diaphragm holding segment	.06
19108	Turntable - spindle ball-bearing lock washer	.02	19163	Brake-latch-plate screw	doz. .08	19471	Washer (fibre)	.63/C
19109	Set-screw	doz. .15	19164	Turntable spindle	.75	19475	Cardboard ring	.19
19111	Governor spindle	.75	19165	Motor-board ferrule	.10	19477	Superseded by 20147	
19112	Governor-spindle collar	.20	19166	Turntable-spindle pin	.02	18478	Fibre insulator	.06
19113	Governor-spindle-col. set-screw	doz. .12	19167	Motor-bd. ferrule wood screw	doz. .08	19479	Washer (back)	.63/C
19114	Governor - ball-and-spring screw	doz. .12	19168	Turntable (with covering)	4.00	19480	On-off switch	.50
19115	Governor - ball - and-spring washer	doz. .03	19169	Turntable covering	1.50	19484	Cone housing	.75
19116	Governor bearing (grooved)	.03	19176	Washer	.25/C	19485	Field coil case assembly	1.06
19117	Governor-bearing ball	.01	19177	Resistor (1100 ohms)	.50	19487	Cable and plug	.69
19118	Governor-bearing set-screw	doz. .12	19180X	Superseded by 16434		19490	Antenna trimmer	.44
19119	Top plate	5.00	19185	Aluminum shield disc	.03	19497	R. F. trans. group	5.00
19121	Governor friction	.75	19186	Mica disc (1")	1.25/C	19501	Bushing	.94/C
19122	Regulating - shaft spring	.02	19187	Screw	.03	19502	Bracket	.04
19123	Regulating lever	.15	19190	Superseded by 19346		19505	Bracket	.31
19124	Regulating-lever set-screw	.02	19192	Instruction book (Type H-2)	net .06	19508	Clamp	.23
19125	Regulating - lever leather	.01	19201	Ant. adj. plate (D)	.19	19511	Escutcheon	.50
19126	Top-plate bolt	.10	19210	Choke	.19	19526	Screw	.63/C
19127	Top-plate spacing cushion (large)	.06	19220	Superseded by 15545		19527	Feet	.04
19128	Top-plate lock washer	doz. .10	19225	I. F. transformer	1.44	19529	Dial gear and weight	.44
19131	Top-plate bolt "C" washer	.03	19226	I. F. transformer	1.44	19533	Socket	.15
19133	Turntable - spindle-governor drive gear	.30	19230	Multiple speaker installation, less transformer	70.00	19534	Superseded by 19955	
19134	Regulating shaft	.12	19236	Mica disc (11/16")	1.25/C	19536	Antenna post	.09
19135	Motor-cord clip	.04	19237	Washer	.03	19538	Screw	.04
19136	Motor - cord - clip wood screw	doz. .04	19250	Antenna choke	.23	19541	Shipping container net	.50
19137	Motor-cord eyelet	doz. .16	19260	Oscillator trans.	.88	19542	Instruction card net	1.25/C
19138	Volume - control washer	doz. .12	19290	Power trans.	5.94	19543	Screw	.25/C
19139	Volume-control nut	.08	19324	Variable condenser, stator, rotor and frame (with balance weight and leads)	9.06	19546	Nut	.03
19141	Volume-control connection screw	doz. .06	19325	No. 1 R. F. T. (D) (H)		19547	Screw	.88/C
19143	Top-plate rubber cushion (small)	.06	19326	Antenna trimmer	.69	19551	Case	.19
19144	Motor-cord connector (outlet to set)	.60	19330	Single I. F. trimmer (25-150 MMF)	.31	19552	Rivet	.13/C
19145	Brake, complete	3.40	19332	Nut	.94/C	19554	Rotor connection	.08
19146	Volume-control-knob set-screw	doz. .06	19336	Shipping container (J)	net .38	19556	Nut	.05
			19345	Terminal card	.13	19557	Lock washer	.03
			19346	Resistor (red and green) (3300 ohms, 1 watt)	.19	19558	Insulator	.13
			19353	Transformer leads	.30	19559	Solder clip	.63/C
			19354	Speed tag	.01	19560	Condenser (H-31)	.75
			19355	60-cycle tag	.01	19566	110-volt cable and plug	.56
			19358	Armature spacing cushion	doz. .12	19571	Choke	.44
			19359	Light grease (can)	.25	19573	I. F. trans.	.94
			19361	Heavy grease (tube)	.25	19581	Resistor (red and yellow) (1/4 meg., 1 watt)	.19
						19590	Dial plate and bracket	.56
						19610	Resistor (452 ohm)	.13
						19616	Fibre shield	.88/C
						19623	Grid lead and cap	.09
						19644	Dial lamp (3.2 V)	.16
						19648	Socket	.15
						19649	Resistor (purple and black) (.5 meg., 1 watt)	.19
						19654	Bottom plate	.56
						19660	Oscillator trans.	.94
						19663	Superseded by 19985	
						19670	Output trans., with strap	2.31
						19690	Condenser (H-32)	.81
						19691	Cloth screen	.56
						19697	Output trans., with strap	1.88

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D). Phonograph parts are listed in italics.

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
19699	Packing tube	\$.04	20073	Cable tag	net \$1.25/C	20608	Instruction card	net \$1.25/C
19704	Bushing	.03	20075	Protective lamp	net .35	20621	2nd det. I. F. trans.	.69
19710	Condenser (H-33)	.94	20093	Nut	.03	20646	Mounting bracket	.15
19714	Shipping container	net .44	20096	Shaft key	.25/C	20647	On-off switch	.44
19716	Clamp	.06	20116	Bracket	.25	20648	Superseded by 20030	
19717	Screw	.03	20119	Trimmer mica	.56/C	20649	Superseded by 20180	
19728	Superseded by 23146		20120	Resistor (800 ohms)	.19	20657	Cable and plug	.94
19729	Solder clip	1.13/C	20127	Shield	.19	20659	Battery cable tag	net 1.25/C
19750	Dial plate and bracket	.69	20135	Insulation	.03	20664	Socket	.19
19751	Dial knob shaft	.05	20136	Screw	.31/C	20665	Socket	.13
19755	Mtg. plate	.56	20140	Resistor (6400 ohms)	.31	20713	I. F. trans.	.94
19770	Power choke (D. C. sets)	3.19	20147	Washer	.04	20716	I. F. trans.	.94
19777	Bracket	.13	20149	Dial gear weight	.44	20724	Shipping container	net .63
19784	Nut	.25/C	20150	Resistor (8000 ohms)	.31	20729	Instruction card	net 1.25/C
19789	Cable and plug	.81	20151	Resistor (purple) (6000 ohms, 1 watt)	.19	20730	Tone control switch	.38
19796	Superseded by 19955		20160	Superseded by 1-20140 and 1-20150		20737	Diaphragm	1.56
19797	R. F. trans. group (84)	3.75	20165	R. F. trans. group (84-D)	3.75	20739	Shipping container	net .13
19820	Resistor (48 ohms)	.19	20171	Gauges (set of 3)	.13	20753	Instruction tag (F-859)	net 1.25/C
19830	Resistor (8 ohms)	.18	20180	Volume control (3500 ohms) (late 84)	1.38	20786	Screw	.69/C
19837	Shipping container	net .13	20184	Socket	.15	20794	Var. cond. rotor, stator and frame	6.19
19840	Resistor (35 ohms)	.23	20190	Single I. F. trimmer (25-190 MMF)	.31	20795	Rotor connection (long)	.06
19850	Superseded by 1-25980 and 1-25990		20210	Oscillator trans.	1.38	20796	Rotor connection (short)	.08
19851	Instruction card	net 1.25/C	20210A	Oscillator trans.	1.38	20806	Shipping container	net .19
19858	Instruction card	net 1.25/C	20223	Resistor (red-gray) (.8 meg., 1 watt)	.19	20830	Condenser (J-1, J-2)	1.56
19860	Field coil	1.63	20231	Diaphragm housing	1.25	20832	Superseded by 21664	
19861	Var. cond. stator, rotor and frame	6.56	20235	Rotor connection	.04	20833	Superseded by 21665	
19862	Cabinet, complete	9.50	20236	Socket	.15	20840	Volume control (6000 ohms) (80, 90, 567)	1.63
19863	Shipping container	net .56	20237	Socket	.15	20873	Nameplate	.06
19868	Instruction sheet	net 1.25/C	20240	Superseded by 22530		20875	Instruction card	net 1.25/C
19869	Bottom plate	.69	20270	Oscillator trans.	1.00	20876	Instruction card	net 1.25/C
19870	A. F. transformer	2.44	20274	Switch base	.31	20877	Instruction card	net 1.25/C
19875	Instruction card	net 1.25/C	20306	Socket	.15	20881	Adapter case	.38
19876	Shipping container	net .56	20307	Choke	.44	20889	Cable and plug	.56
19882	Screw	.31/C	20313	Shield	.44	20890	Power trans.	4.44
19884A	Plug only	.13	20320	Resistor (200 ohms)	.19	20894	Cone housing	.94
19886	Bushing	.03	20329	Socket	.15	20903	Instruction card	net 1.25/C
19902	Switch	.88	20331	Choke	.50	20904	Instruction card	net 1.25/C
19909	Diaphragm housing	.63	20337	Shipping container	net .50	20905	Instruction card	net 1.25/C
19910	Double I. F. trimmer	.44	20339	Instruction card	net 1.25/C	20906	Shield	.44
19911	Insulator	.04	20340	Antenna trimmer (30-250 MMF)	.38	20910	Oscillator trans.	1.25
19916	Cable and plug	.50	20348	Shield	.15	20920	Resistor (red-yellow) (1/4 meg., 1/2 watt)	.13
19918	Magnet assembly	10.44	20349	Instruction tag	net 1.25/C	20923	Instruction card	net 1.25/C
19920	Oscillator trans.	.94	20349	Instruction tag	net 1.25/C	20928	Spring centering ring	.03
19932	Dial plate	.13	20350	Condenser (H-36)	.81	20930	Resistor (black-purple) (.5 meg., 1/2 watt)	.13
19934	Instruction card	net 1.25/C	20361	R. F. trans. group (85, 83)	3.75	20940	Resistor (green) (2 meg., 1/2 watt)	.13
19935	Shipping container	net .50	20370	Filter condenser (F-1, 83, late 85, 86, 94)	2.44	20948	Instruction card	net 1.25/C
19936	Clamp	.06	20373	Shipping container	net .50	20949	Instruction card	net 1.25/C
19939	Battery cable	1.88	20374	Instruction card	net 1.25/C	20950	Resistor (maroon) (10000 ohms, 1/2 watt)	.13
19941	Battery cable tag (F-772)	net 1.25/C	20380	Resistor (1500 ohms)	.23	20951	Instruction card	net 1.25/C
19955	Socket	.15	20389	Superseded by 23228		20956	Switch	.81
19958	Socket	.15	20394	Shipping container	net .50	20960	Resistor (gray-yellow) (15000 ohms, 1/2 watt)	.13
19959	Socket	.15	20395	Instruction card	net 1.25/C	20963	I. F. trans.	1.19
19961	Socket	.15	20398	Cover and spring	.56	20966	Shipping container	net .56
19962	Socket	.15	20405	Instruction card	net 1.25/C	20970	Resistor (gray) (30000 ohms, 1/2 watt)	.13
19963	Socket	.13	20406	R. F. trans. group (late 84-Q)	3.75	20976	Switch key	.06
19964	Socket	.15	20407	R. F. trans. group (early 84-Q)	3.75	20980	Resistor (red-blue) (.1 meg., 1/2 watt)	.13
19968	Stopping spring	.15	20420	Switch	1.06	20983	Sensitivity switch	.44
19970	Oscillator trans.	1.19	20422	Shipping container	net .50	20990	Volume control (550 ohms) (82)	1.69
19980	Condenser (H-34)	.88	20443	Escutcheon	.50	20991	Instruction card	net 1.25/C
19985	Shield plate	.38	20447	Speaker packing tube	.04	21007	Self-tapping screw	.03
19990	Condenser (H-35)	.88	20457	Shipping container	net .50	21025	Instruction card	net 1.25/C
19995	Instruction card	net 1.25/C	20469	Power trans. cover	.31	21030	Resistor (2000 ohms)	.20
20003	Shipping container	net .50	20480	Volume control	1.44	21031	I. F. trans.	.75
20008	Diaphragm housing	1.06	20493	Shipping container	net .31	21032	Power trans. cover	.13
20010	Condenser (B-8)	.88	20520	Resistor (670 ohms)	.19	21040	Resistor (black) (65000 ohms, 1/2 watt)	.13
20012	Cable and plug	.81	20559	Shipping container	net .50	21041	Socket	.23
20014	Lamp socket	.56	20565	Instruction card	net 1.25/C	21045	Shield	.15
20025	Socket	.15	20590	Superseded by 20180		21046	Shipping container	net .56
20026	Socket	.15	20594A	Superseded by 21234				
20027	Replaced by 19964		20596	Cloth screen	.56			
20030	Vol. cont. (550 ohms) (late 85)	2.06	20597A	Superseded by 21235				
20040	Resistor (100 ohms)	.21	20601	Cloth screen	.56			
20049	Filter cond. (24 MF-120 V)	1.81						
20050	Resistor (355 ohms)	.20						
20065	Stopping spring	.23						
20068	Grid lead and clip	.15						

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
21048	Chassis and battery container	\$ 4.38	21333	Instructions net	\$.04	21580	Oscillator trans.	\$ 1.06
21049	Container lid	1.25	21336	Socket	.23	21582	Washer	.50/C
21050	Resistor (blue-gray) (1 meg., 1/2 watt)	.13	21337	Socket	.25	21583	Set screw	.03
21051	Speaker housing (636)	1.56	21352	Instruction tag net	1.25/C	21584	Nut	.04
21053	Grill	.56	21353	Shipping container net	.50	21585	Lock washer	1.25/C
21055	Cable tag net	1.25/C	21358	Var. cond. stator, rotor and frame	5.94	21586	Washer	.03
21059	Bushing	.06	21365	Shipping container net	.50	21603	Instruction card net	1.25/C
21061	Bolt (13" long)	.13	21368	Shipping container net	.56	21618	Fibre gear	.94
21062	Bolt	.06	21369	Washer	.06	21620	Superseded by 20389	
21064	Wing nut	.04	21370	Output trans.	2.19	21623	Lock washer	.63/C
21065	Lid gasket	.19	21370C	Output trans.	2.19	21624	Condenser (K-4) (.5, .5 MF-200 V)	2.19
21068	Rubber bushing	.04	21374	Shipping container net	.63	21625	Cable tag (F-855) net	1.25/C
21069	Superseded by 21838		21390	Resistor (1000 ohms)	.23	21626	Instruction card net	1.25/C
21072	Grid lead and cap	.06	21396	Bracket	.31	21627	Instruction card net	1.25/C
21096	Var. cond. rotor, stator and frame	5.63	21397	R. F. trans. group (81)	4.69	21629	Tip jack base	.25
21097	Var. cond. rotor, stator and frame	6.56	21398	Antenna transformer	.63	21631	Tip jack	.63/C
21108	Grid lead and cap	.10	21399	Var. cond. stator, rotor and frame	6.44	21632	Tip jack top insulator	.13
21122	Shipping container net	.50	21406	Fuse (10 amp.)	.06	21633	Name plate	.06
21126	Control pulley	.31	21407	Dial lamp (6-8 V, .25 amp.)	.27	21634	Bushing	1.25/C
21127	Pulley spring	.31	21418	Case	.31	21636	Adapter base	.06
21128	Speaker to chassis cable, with plugs	2.50	21420	Resistor (250 ohms)	.20	21637	Insulator	.19
21132	Insulating sleeve	.04	21424	Insulator	1.25/C	21641	Cable and plug	.88
21140	Power trans.	4.94	21430	Condenser (H-39)	.81	21642	Adapter trans.	4.38
21141	Lock washer	.38/C	21436	R. F. trans. group (86, late 87, 89)	3.75	21645	Cable and plug	.81
21142	Washer	.75/C	21437	Escutcheon	.50	21651	Shipping container net	.56
21143	Plug suppressor (short)	.38	21438	Escutcheon	.50	21652	Station selector cable ft.	.04
21144	Distributor suppressor (long)	.38	21439	Escutcheon	.50	21653	Station selector cable sheathing	.10
21147	Staple	.63/C	21440	Condenser (H-40)	.88	21654	Speaker to chassis cable	.15
21148	Cardboard net	.13	21441	Escutcheon	.50	21655	Control unit to speaker cable	.16
21149	Shipping container net	.50	21442	Instruction sheet net	1.25/C	21656	Speaker to chassis cable, with plugs (15' long)	4.38
21151	Terminal	1.25/C	21448	Socket	.19	21660	Power transformer	6.19
21153	Lead (36" long)	.19	21450	Condenser (B-10)	.56	21664	Battery cable	.94
21160	Fixed condenser (140-220 MMF-450 V)	.16	21451	Socket	.13	21665	Battery cable	1.44
21161	Diaphragm	1.31	21478	Dial-knob shaft and gear	.25	21667	Superseded by 21436	
21162	Clamp	1.25/C	21479	Screw	.75/C	21668	Superseded by 23410	
21164	Armored lead (5' long)	.44	21481	Washer	.75/C	21669	Front panel and escut.	2.19
21165	Speaker housing	1.88	21482	Dial gear	.44	21670	A. F. trans.	2.44
21170	Condenser (H-37)	.81	21483	Washer	.75/C	21672	Output trans.	1.56
21180	Condenser (H-38)	.88	21484	Station selector cable (9' 11")	.38	21674	Instruction card net	1.25/C
21187	Shipping container net	.50	21485	Clamping plate	1.25/C	21680	Filter choke (87, 89, 99)	3.94
21202	Wooden wedge	.03	21486	Screw	.38/C	21693	Output trans.	1.88
21234	Cabinet, complete	9.50	21487	Cable chuck, complete	.31	21742	Var. cond. rotor, stator and frame	7.00
21235	Cabinet, complete	9.50	21488	Control to speaker cable (5' 2"), with plug	2.50	21749	Label net	1.25/C
21236	Bracket	.15	21489	Clamp	1.25/C	21779	Shipping container net	.63
21237	Front panel and escut.	1.88	21491	Switch	.50	21784	Superseded by 22211	
21238	Front panel and escut.	1.88	21492	Control unit, complete	12.81	21789	Instruction card net	1.25/C
21239	Front panel and escut.	2.13	21493	Fuse socket	.15	21791	Instruction card net	1.25/C
21241	R. F. trans. group (80)	3.75	21494	Dial lamp socket	.19	21793	Switch base	.04
21242	R. F. trans. group (82)	3.75	21495	Screw	.25/C	21795	Instruction card net	1.25/C
21243	R. F. trans. group (82-D)	3.75	21496	Volume control	.69	21796	Instruction card net	1.25/C
21244	R. F. trans. group (85-Q)	3.75	21497	Nut	.03	21797	Instruction card net	1.25/C
21245	R. F. trans. group (87)	3.75	21498	Washer	.03	21802	Var. cond. rotor, stator and frame	5.31
21246	R. F. trans. group (89)	3.75	21499	Control unit base	.69	21814	R. F. trans. group (87-D)	3.75
21247	Superseded by 22650		21501	Control case	.63	21815	Front panel and escut.	2.19
21248	Superseded by 22330		21502	Control case insulation	.04	21816	Volume control	2.00
21249	Superseded by 20990		21503	Clamp	.19	21823	Thumb screw	.05
21250	Condenser (B-9)	.88	21504	Leather spacer	.08	21824	Mounting nut	.88/C
21251	Superseded by 20840		21505	Screw	.75/C	21831	Instruction card net	1.25/C
21252	Var. cond. stator, rotor and frame	5.19	21507	Set screw	.03	21837	Rubber bushing	1.25/C
21260	Field coil	1.56	21508	Insulator	.03	21838	Antenna cable	.69
21263	Bushing	.06	21520	Condenser unit (A-7, 87, 89, 99)	2.81	21843	Speaker housing	1.56
21273	Shipping container net	.63	21530	Condenser (B-11)	.81	21844	Speaker cable	2.19
21274	R. F. trans. group (82-Q)	3.75	21532	Escutcheon	.50	21847	Shielded "B" battery cable (3 wires)	1.56
21315	Clamp	1.25/C	21549	Instruction card net	1.25/C	21851	Station selector cable sheathing (9')	.90
21316	Front panel and escut.	1.56	21555	Grid lead and cap	.06	21868	R. F. trans. group (late 86, 87, 89)	3.75
21317	Front panel and escut.	1.88	21557	Antenna plate	3.25	21871	Shield	.31
21318	Front panel and escut.	2.13	21558	Insulator	.06	21877	Shield	.28
21323	Dial knob	.25	21559	Mounting bolt	.09			
21324	Cable strap	.04	21561	Spacing block	.04			
21325	Knob	.15	21562	Washer	.88/C			
21331	Battery top pad net	.03	21563	Nut	.03			
			21565	Shipping container net	.25			
			21579	Dial strip	.21			

October 3, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
21898	Tonebeam socket insulation	\$.03	22122	Shipping container, net	\$.63	22407	Resistor (black-yellow-red) (50000 ohms, 1 watt)	\$.19
21899	Clamp	1.25/C	22136	Instruction card..net	1.25/C	22412	Speaker socket	.19
21906	"B" battery container, less lid and acces.	3.13	22137	Instruction card..net	1.25/C	22416	Speaker plug	.13
21909	"B" battery container lid	1.50	22138	Tonebeam adj. tag (F-896)	1.25/C	22422	Volume control bracket	.08
21915	Chassis container, less cover and acces.	3.75	22139	Label	1.25/C	22427	Shield	.15
21918	Chassis container cover	1.25	22150	Oscillator trans.	1.25	22432	Mounting clamp	.06
21924	"B" battery container lid	1.56	22152	Tonebeam potentiometer (40000 ohms) (96, 96-F, 99, 1st and 2nd type)	1.25	22433	Clamp	.03
21928	"B" battery container, less lid and acces.	3.13	22188	R. F. trans. group (90, 92)	2.50	22436	R. F. trans. group (82-Q)	3.75
21929	Chassis container (dash mtg.)	5.94	22189	R. F. trans. group (94)	3.75	22437	Transformer shield	.15
21931	Chassis container (floor mtg.)	5.00	22191	Front panel and escut.	2.00	22438	Var. cond. rotor, stator and frame (82-Q)	5.19
21932	Battery container (long)	6.00	22201	Trimmer mica	.04	22440	Field coil	1.56
21933	Battery container (square)	5.87	22202	Oscillator trim. mtg. insul.	.44	22441	Antenna trans., sec. (93)	1.50
21938	Chassis container, less lid and acces.	3.63	22209	Var. cond. rotor, stator and frame	7.19	22442	Antenna trans., pri. (93)	.81
21939	Chassis container lid	1.25	22211	Resistor (yellow-gray) (15000 ohms, 1 watt)	.19	22443	Panel inst. card..net	.06
21943	Mounting strap	.13	22220	Condenser (75-150 MMF-450 V)	.13	22444	Phonograph inst. sheet	1.25/C
21945	Antenna trimmer base	.15	22222	Instruction card..net	1.25/C	22446	Shipping container net	.63
21949	I. F. transformer	.88	22240	Oscillator trans.	1.38	22447	Name plate	.44
21951	R. F. trans. group (late 85-Q)	3.75	22247	Shielded "B" battery cable (3 wires) .ft.	.06	22454	Phonograph post assem.	.31
21958	Sensitivity switch	.69	22259	Instruction card..net	1.25/C	22455	Volume control	1.38
21959	Tonebeam socket	.19	22260	Superseded by 16122..		22458	Knob (superseded by 21963)	
21961	Escutcheon	.50	22261	Instruction card..net	1.25/C	22470	Power trans., 25 cycle (83-F)	5.75
21963	Knob	.20	22262	Instruction card..net	1.25/C	22472	Dry electro cond. (8 MF-200 V)	.75
21965	Bracket	.13	22263	Cabinet and escut. (93)	7.50	22476	Fibre insulating sheet.	1.25/C
21966	Label	1.25/C	22265	Shipping container.net	.50	22480	Superseded by 23440..	
21980	Adapter (4-prong)	9.00	22266	Shipping container.net	.56	22492	Front panel and escut.	2.69
21981	Escutcheon	.50	22268	Shipping container.net	.63	22494	Choke	.38
21985	Instruction card (F-880)	1.25/C	22269	Shipping container.net	.50	22530	Fibre disc (1" diam.) (with 2 lugs)	.05
21986	Instruction card (F-881)	1.25/C	22272	On-off switch	.94	22538	Electro. cond. (8 MF-475 V) (yellow paint)	1.25
21987	Instruction card (F-882)	1.25/C	22274	Front panel and escut.	2.63	22541	Container (less lid and accessories)	3.44
21988	Instruction card (F-883)	1.25/C	22275	R. F. trans. group (96)	3.75	22542	Instructions (F-979)	.05
21989	Instruction card (F-884)	1.25/C	22287	Cabinet and escut.	9.50	22569	I. F. transformer (91)	.81
21990	Adapter (5-prong)	9.00	22288	Cabinet and escut.	9.50	22570	Condenser (J-3)	1.56
21995	Escutcheon	.50	22297	Switch shaft and blade	.06	22571	I. F. trans. (91)	.88
22010	Toggle switch	.94	22304	I. F. trans.	.94	22578	Dial-knob shaft bracket	.38
22011	Tonebeam	2.06	22310	Superseded by 20389		22590	Sensitivity switch	.94
22014	Shipping container.net	.63	22330	Volume control (6000 ohms) (83)	1.88	22593	Shipping container.net	.50
22018	Bushing clamp	.05	22332	Shielded antenna lead.	.63	22597	Fibre washer	.03
22019	Bushing clamp	.05	22333	Dial plate	.56	22605	Chassis and battery container (less lid)	4.69
22027	Bushing clamp	.05	22342	Instruction card..net	1.25/C	22610	Power trans. (25 cycle) (89-F)	6.06
22028	Escutcheon	.50	22343	Cardboard tube	.05	22611	Instruction sheet..net	.03
22029	Escutcheon	.50	22344	Tonebeam potentiometer (14000 ohms) (99-F and 3rd type 99)	1.19	22614	Shielded ant. lead	.25
22037	Cardboard cover	.15	22345	Potentiometer (8000 ohms) (3rd type 96)	1.19	22615	Instruction folder.net	.03
22039	Clamping spring	.04	22346	Dry electro. clamp	.06	22616	Insul. case for electro.	.06
22046	Panel inst. card..net	.03	22349	Inst. tag (F-967)..net	1.25/C	22618	Tube shield	.08
22047	Panel inst. card..net	.03	22351	Inst. folder (F-968).net	.03	22643	Volume control bracket	.09
22048	Panel inst. card..net	.03	22352	Inst. folder (F-969).net	.03	22645	Dial pointer	.06
22049	Panel inst. card..net	.03	22353	Dial pointer	.19	22646	Dry electro. cond. (8 MF-50 V)	.63
22050	Condenser (H-41)	.75	22355	Oscillator trim., unmted.	.50	22650	Vol. control (3500 ohms, 94, 87)	1.69
22051	Panel inst. card..net	.03	22359	B filter choke (636, 756)	1.06	22653	I. F. shield cap	.10
22052	Knob	.25	22365	Tracking cond. No. 2 (.0025 MF-450 V)	.25	22654	I. F. shield cap	.11
22057	Condenser clamp	1.25/C	22366	Tracking cond. No. 3 (.0035 MF-450 V)	.28	22655	Potent. mtg. insul.	1.25/C
22058	Shipping container.net	.56	22370	Superseded by 16122..		22657	Dial rubber and bushing	.19
22059	I. F. trans.	.94	22371	I. F. trans. shield	.28	22658	Tonebeam clamping spring	.04
22060	Power trans.	6.19	22384	Escutcheon	.50	22660	Resistor (6000 ohms)	.31
22061	I. F. trans.	.94	22388	Clamp	.06	22662	Var. cond. rotor, stator and frame (93)	3.31
22063	I. F. trans.	.88	22393	Shipping container net	.31	22663	Cabinet and escut.	8.13
22072	R. F. trans. group (99)	3.75	22396	Panel inst. card (F-920)	.03	22664	R. H. front panel brace	.10
22095	Rubber pad (11/16" x 3/4")	1.25/C	22397	Dry electrolytic cond. (8 MF-400 V)	1.00	22669	Socket insulator	.03
22095A	Rubber pad (1" x 1")	1.25/C	22403	Dry electrolytic cond.	.63	22670	Oscillator trans. (83)	1.31
22097	Front panel and escut.	2.44						
22110	Oscillator trans.	1.25						
22119	Shipping container.net	.50						
22121	Shipping container net	.50						

October 3, 1983. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

THIS PAGE SUPERSEDES PAGE 17, DATED OCTOBER 3, 1933.

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
22671	Socket insulator	\$.03	23010	Superseded by 23510		23260	Generator cond. (K-1) (1 MF-200 V)	\$ 1.31
22675	Power trans. cover	.31	23023	Superseded by 22614		23267	Shaft bracket	.25
22676	Power trans. cover spring	.10	23028	R. F. trans. group (188)	\$ 2.50	23271	I. F. trans. (480)	.81
22677	R. F. trans. shield base	.13	23029	Front panel and escut. (188)	2.13	23272	I. F. trans. (480)	.94
22678	R. F. trans. shield	.19	23031	Var. cond. rotor, stator and frame	5.63	23278	Knob	.28
22679	L. H. front panel brace	.10	23033	Tonebeam shield	1.25/C	23279	Instruction folder, net	1.25/C
22680	Power trans. (83)	4.69	23040	Power trans. (220 V) (80-X)	4.50	23280	Front panel and escut.	2.31
22681	Tube shield base	.03	23052	Shielded "B" battery cable (91B, 91C)	1.69	23282	Condenser (50 MMF- 450 V)	.19
22683	Tube shield	.13	23056	Var. cond. rotor, stator and frame	6.88	23284	R. F. trans. shield	.46
22684	Clamp	.08	23057	Front panel and escut. (260)	2.69	23286	Cloth screen	.69
22688	Container lid gasket (cork)	.08	23058	R. F. trans. group (260)	2.50	23287	Cloth screen	.69
22689	Socket	.19	23059	R. F. trans. group (469)	3.75	23288	Dial plate (387, 427-Q)	.20
22692	Dial-knob shaft	.13	23060	Power trans. (220 V) (82-X)	5.25	23289	Cable clamp	.03
22693	Dial plate	.19	23064	Superseded by 22614		23290	Adapter (82-D, 84-D)	9.00
22697	Dial-gear weight	.63	23073	Power trans. cover	.38	23292	Shipping container net	.63
22699	Container (less cover and accessories)	3.44	23090	Superseded by 23228		23298	Nut	.03
22704	Escutcheon	.56	23096	Volume control bracket	.19	23310	Condenser (H-42) (su- perseded by 21180)	.20/C
22707	Var. cond. cover	.63	23097	Escutcheon	.56	23318	Washer	.81
22708	Var. cond. cover	.56	23099	Dial plate	.19	23326	Escutcheon	.56
22712	Gasket (rubber) per foot	.05	23105	Shaft	.06	23327	Escutcheon	.56
22717	Pointer control arm	.25	23107	Frequency band switch (480)	3.13	23330	Condenser (H-43)	.94
22723	Fuse socket insulator	.31/C	23110	Power trans. (25 cycles) (82-F)	6.19	23339	Panel card net	.03
22733	Tube socket	.13	23114	Pulley belt	.06	23347	Instruction card net	1.25/C
22734	Tube socket	.13	23119	Dial pointer	.19	23351	Shielded grid lead and cap	.15
22735	Tube socket	.25	23120	Resistor (red-black) (20000 ohms, 1/2 watt)	.13	23353	I. F. trans. (480)	.81
22738	Panel inst. tag net	.06	23130	Resistor (red-gray) (800000 ohms, 1/2 watt)	.13	23356	I. F. trans.	.94
22741	Switch shaft and blade	.10	23132	Cloth screen	.50	23357	Panel card (F-1019) net	.03
22742	Control case and name plate	1.81	23133	Cloth screen	.50	23361	Cloth screen	.50
22743	R. F. trans. group (91)	2.50	23134	Shielded "B" battery cable per foot	.13	23376	Volume control (.5 meg.) (480)	1.00
22745	Chassis container, com- plete	5.00	23136	Cabinet (complete)	9.50	23389	Grid lead and cap	.06
22746	Chassis container, com- plete	4.69	23137	Cabinet (complete)	9.50	23393	Instruction card net	1.25/C
22748	Power trans. cover	.31	23138	Shielded ant. lead	.31	23394	Superseded by 22538	
22758	Escutcheon	.56	23139	Front panel and escut. (469)	2.63	23397	Shipping container net	.50
22766	Superseded by 23136 (567)		23140	Multiple by-pass cond. (J-4)	1.56	23398	Silencing - adjustment mounting (fibre)	.03
22767	Panel inst. card net	.03	23145	Shielded antenna cable (large dia.) per foot	.08	23407	Cover	.06
22768	Panel inst. card net	.03	23145A	Shielded antenna cable (small dia.) per foot	.04	23408	R. F. trans. group (480)	5.75
22769	Panel inst. card net	.03	23146	Filter condenser and case (8 MF-475 V) (yellow paint)	1.25	23409	Front panel and escut.	2.50
22771	I. F. transformer (188)	.94	23147	Fuse socket	.31	23410	Volume control (550 ohms) (86) (less leads)	2.06
22772	I. F. transformer (188)	.94	23154	R. F. trans. group (260-2)	3.75	23411	Tracking condenser (480)	1.75
22774	Insul. washer for elec- trolytic	.03	23170	Resistor (green-yellow) (.9 meg., 1/2 watt)	.13	23419	Cloth screen	.69
22775	Insulating bushing	.03	23172	I. F. trans. shield in- sulator	.03	23423	Var. cond. cover	.25
22789	Shipping container net	.63	23180	Superseded by 21492		23429	Cardboard tube	.04
22791	Connector lug	.04	23184	Wave guide net	1.25/C	23430	Power trans. (86)	4.94
22804	Dial knob	.25	23190	Power trans. (25 cycles) (80-F)	5.56	23433	Cabinet and escut.	9.50
22810	Audio trans. (81)	3.13	23193	Insulator	.63/C	23434	R. F. trans. group (627)	2.50
22820	Instruction card net	1.25/C	23199	Var. cond. cover	.56	23439	Escutcheon	.50
22828	Instruction card net	1.25/C	23212	Range switch (93)	2.00	23440	Audio trans. (85-Q)	2.81
22830	Output trans. (81 speaker)	2.19	23213	Dial plate	.15	23442	Mounting strap	.15
22831	Instruction card net	1.25/C	23216	Panel card net	1.25/C	23443	Mounting strap	.13
22832	Instruction card net	1.25/C	23228	Volume control (super- seded by 24293)		23444	Power-trans. cover	.31
22833	Instruction card net	1.25/C	23229	Switch lead insulator	.63/C	23445	Resistor mtg. tube	.10
22836	Electrolytic mtg. nut	.03	23231	Fastening pin	.50/C	23447	Pulley	.44
22836	Electrolytic mtg. lock- washer	.03	23250	Condenser (.01 MF- 450 V)	.39	23448	Escutcheon (137)	.50
22865	Bottom plate	.69				23450	Plate antenna (com- plete)	5.00
22867	Grid lead and cap	.06				23452	R. F. T. shield (137)	.19
22875	Panel instruction card net	.06				23453	Dial plate	.19
22879	Superseded by 22614					23468	Cloth screen	.50
22882	Tube (cardboard)	1.25/C				23474	Cardboard tube	.04
22905	Shipping container net	.63				23476	Nut	.04
22906	Shipping container net	.63				23477	Washer	.63/C
22913	I. F. transformer (260)	.94				23479	Dry electrolytic (20 MF-50 V)	.81
22915	I. F. transformer (260)	.94				23481	Electrolytic cond. (12 MF-475 V) (red paint)	1.25
22917	I. F. transformer (469)	1.00				23482	Volume control (.5 meg.) (469-Q, 558-Q)	.69
22926	Tonebeam adjustment label net	1.25/C				23483	Instr. card net	1.25/C
22988	Escutcheon	.56						
22989	Escutcheon	.56						
22991	Escutcheon	.56						

December 1, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

THIS PAGE SUPERSEDES PAGE 18, DATED OCTOBER 3, 1933.

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
23484	Panel card (F-1025)	net \$.03	23793	Panel card	net \$.05	24087	Escutcheon (246)	\$.19
23485	Shipping container	net .81	23806	Battery cable (558-Q)	1.44	24088	Name plate (246)	.19
23486	Shipping container, net	.63		(10')		24092	I. F. T. shield	.29
23487	Battery cable tag	net 1.25/C	23807	Battery cable (469-Q)	.75	24093	Spkr. socket mtg. bracket (756)	.13
23492	Washer	.38/C	23810	Osc. trans. (87-D)	1.19	24094	Dial plate assem. (246)	.31
23494	Side adapter	.38	23814	Shipping container	net .75	24095	Dial assem. (636)	.38
23495	Bottom plate	.75	23818	Cone housing	.88	24096	Dynamotor only (636, 756)	16.00
23496	Instr. card	net 1.25/C	23820	Sensitivity limiter	net .38	24097	Name plate (756)	.50
23497	Instruction folder	net .03	23822	Cable and plug	.81	24098	Volume control (.5 meg.) (636)	.69
23498	Electrolytic cond. (4 MF-475 V) (green paint)	1.25	23823	R. F. trans. group (812)	3.75	24099	Electrolytic cond. (8 and 4 MF-450 V)	1.56
23501	Escutcheon	.56	23832	Dial lamp (469-Q, 558-Q)	net .69	24101	Cabinet complete (137)	9.50
23510	Audio trans. (82-Q-2)	2.44	23840	Superseded by 26360		24102	I. F. T. shield (246)	.19
23520	Ignition filter	2.50	23863	Cable and plug	.75	24104	Solder lug	.56/C
23527	Panel card (F-1029)	net .03	23868	End insulator for flex. res.	.94/C	24105	Volume control (late 812)	1.13
23530	Choke	.50	23879	Front panel and escut.	2.31	24109	Dash bushing (636)	.10
23535	I. F. trans. (812)	.94	23891	Front panel and escut. (612)	2.56	24110	Multiple terminal block	.10
23546	Escutcheon	.56	23895	Cloth screen	.69	24111	Chassis-to-spkr. cable (5 wires, 3'-6" long)	2.06
23555	Panel card (F-1030)	net .03	23896	Superseded by 23287		24112	Spkr.-to-dynamotor cable (2 wires, 9 1/2' long) (636)	1.88
23556	Instruction card (558-D)	net 1.25/C	23897	Cloth screen	.69	24113	R. F. trans. group (246)	2.50
23560	Power trans. (86-F)	6.19	23911	Front panel and escut. (188-2)	2.50	24122	Dial gear and weight (246)	.38
23561	Mounting board	.13	23912	R. F. trans. group (188-2)	2.50	24123	Dial light socket (246)	.19
23589	Diaphragm (324, 326, 336)	1.44	23913	Var. cond. rotor, stator and frame (188-2)	5.63	24135	Instruction card (246)	net 1.25/C
23590	Condenser (H-44)	.88	23915	R. F. trans. group (469-Q, 558-Q)	2.50	24137	Mounting rod (636)	.38
23591	Diaphragm (338)	1.56	23925	Front panel and escut. (260-2)	2.56	24141	Tube shielding fins (636)	.38
23601	Shielded ant. lead	.31	23929	No. 1 long wave transformer (137)	1.25	24142	Dial gear and weight (636)	.38
23610	Condenser (H-45)	.81	23931	Oscillator transformer (long wave) (137)	1.38	24145	Dial knob shaft (636)	.05
23612	Washer	1.25/C	23949	R. F. trans. group (469-2)	3.75	24146	Dynamotor mtg. stud	.13
23615	Volume control bracket	.06	23951	Front panel and escut. (469-2)	2.56	24148	Dynamotor case (less lid)	2.31
23642	Cabinet and escutcheon	9.25	23957	Front panel and escut. (469-Q)	2.50	24149	Dynamotor case lid	.50
23643	R. F. trans. group (558)	2.50	23958	Var. cond. rotor, stator and frame (469-Q, 558-Q)	6.13	24151	Set container (less lid) (756)	6.44
23648	Cloth screen	.94	23959	Cabinet and escut. (558-Q)	9.19	24154	Terminal card insulator	.56/C
23657	Bucking coil (324)	.31	23975	I. F. trans. less trimmers	.94	24155	Spkr. terminal card	.10
23659	Bottom plate	.94	23981	Dry electrolytic (8 MF-125 V)	1.13	24161	Diaphragm holding segment	.06
23661	Mounting board	.19	23982	Dial lamp (469-D, 558-D)	net .44	24163	Nut	.25/C
23663	Panel card	net .06	23997	Phono. switch (137P)	.50	24164	Nut	.38/C
23664	Cone housing	.88	24008	R. F. trans. group (137)	2.50	24169	Knob (636)	.25
23668	Speaker cable and plug	.77	24009	Range switch (137)	2.06	24175	A. F. input trans. (636)	3.00
23674	Cone housing	.94	24011	Var. cond. rotor, stator and frame (137)	5.94	24194	Cloth screen (246)	.63
23681	Dial strip (91)	.21	24013	Fuse socket (137)	.19	24206	Diaphragm housing (246)	.44
23682	Case and name plate (91)	1.19	24040	Output trans. (87-D)	1.81	24207	Tone control switch shaft and blade	.06
23683	Base (91, 756) (control unit)	.69	24043	R. F. trans. group (469-D, 558-D)	2.50	24211	Instruction card (448)	net 1.25/C
23684	Dial light socket (756)	.19	24044	Var. cond. rotor, stator and frame (469-D)	5.63	24227	Shipping container (246)	net .31
23685	Dial knob shaft and gear (756)	.25	24047	Front panel and escut. (469-D)	2.69	24237	Condenser cover (246)	.03
23686	Dial knob shaft spring (756)	.06	24052	Control mtg. bracket (246)	.04	24246	Mtg. strip (636)	.28
23687	Shaft spring screw	.75/C	24055	Dial knob shaft (246)	.06	24249	Base (627-CK)	.75
23688	Sheathing	.88	24062	Back stud	.50	24250	Condenser (J-5)	1.56
23689	Control unit-to-spkr. cable (91)	2.50	24064	Spkr. mtg. bracket (246)	.06	24256	Dial light socket (636)	.15
23691	Cable bushing (91)	.06	24072	Tone control shaft bearing	.04	24259	Screw	.25/C
23692	Terminal insulator (91)	1.25/C	24075	Control mtg. bracket (636)	.13	24262	Terminal cover	.09
23693	Instr. card	net 1.25/C	24079	Volume control (246)	.94	24267	Clamp for 24111 cable	.04
23701	Output trans. (558-Q, 469-Q)	1.81	24083	Escutcheon (636)	.88	24268	Shipping container (636)	net .38
23708	Clamp	.19	24085	Spacer	.81/C	24269	Shipping container (756)	net .38
23709	Fuse socket insulator (137)	.08				24273	Shielded grid lead and cap	.13
23743	Aux. tube shield (2-E)	.19						
23744	Instruction sheet	net 1.25/C						
23745	Packing box (2-E)	net .06						
23748	Antenna unit (2-E)	2.00						
23749	Receiver unit (2-E)	2.00						
23760	Audio input trans. (87-D)	3.13						
23761	Cable and plug	.88						
23764	Cable and plug	.63						
23774	Fuse (3 amps.)	.05						
23780	Resistor (550 ohms)	.21						
23783	Mounting board	.13						
23789	Instruction card (137)	net 1.25/C						

December 1, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

THIS PAGE SUPERSEDES PAGE 19, DATED OCTOBER 3, 1933.

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
24274	I. F. T. shield insulator	\$.03	24488	Var. cond. rotor, stator and frame (246)	\$ 4.56	24725	Shipping container (266)	net \$.31
24278	Dial knob (246)	.13	24491	Spkr. socket (7-prongs)	.13	24727	Antenna lead and card	.40
24279	Knob (246)	.13	24492	Socket	.13	24728	Ant. lead card (155)	.06
24293	Volume control (.5 meg.) (555)	.94	24493	Socket	.13	24732	110-V plug (155)	.08
24294	Shielded grid lead and cap	.10	24494	Socket	.13	24733	110-V cable and plug (155)	.75
24296	I. F. trans. (636)	.88	24495	Trimmer cond.	.31	24734	110-V cable card (155)	.06
24297	I. F. choke (636)	.50	24497	Template (756)	net 1.25/C	24737	Front screen (155)	.44
24298	Dry electrolytic (7 MF-250 V)	.81	24498	Clamp for 24522 cable	.04	24739	Nut	.03
24301	Top and side shield (155)	.25	24499	Screw	1.25/C	24742	Front panel (155)	.44
24316	I. F. trimmer mounting bracket	1.25/C	24501	Cover	.10	24745	Dial light socket (155)	.19
24322	Dial assembly (555)	.38	24509	Fixed cond. (superseded by 31190)		24760	Double I. F. trimmer (30-125 MMF)	.50
24323	Pwr. trans. cover (555)	.19	24512	Screw	.31/C	24790	Osc. trans. (90-92)	1.06
24324	Adapter strip (756)	.19	24516	Spkr.-to-chassis cable and plug (7-wire, 10' long) (756)	4.69	24809	Decalcomania (A t-water Kent) (155)	net 1.25/C
24327	I. F. T. shield	.13	24522	Control unit-to-spkr. cable and plug (5-wires, 5' long) (756)	3.13	24832	Dial strip (756)	.21
24334	Bushing	.75/C	24530	Resistor (2500 ohms)	.23	24833	Speaker plug (7-prong) (756)	.13
24335	Set container lid (636)	.50	24540	Tone control switch	.44	24834	Decalcomania (A t-water Kent) (555)	net .03
24336	R. F. T. shield	.38	24544	Spkr. cable cover and gasket (756)	.44	24835	Top panel (555)	1.13
24337	Superseded by 24946		24545	Mounting parts (756)	.94	24842	Var. cond. rotor, stator and frame (636)	4.69
24338	Lid gasket (cork) (756)	.08	24546	Suppressor parts kit (756)	7.19	24847	Var. cond. rotor, stator and frame (756)	5.00
24339	Cable cover gasket (cork) (756)	.03	24549	Dial assem. (155)	.31	24860	Power trans. (92)	4.94
24340	Resistor (8000 ohms)	.26	24550	Superseded by 21959		24870	Power trans. (94)	4.69
24353	Lead to ungrounded side of bat.	.25	24551	Back plate (155)	.50	24885	Spkr.-to-chassis cable and plug (7-wire, 4' long) (756B)	3.19
24357	A. F. output trans. (636)	2.19	24552	Support hinge (555)	.15	24887	Tubular resis. base	.13
24368	Spkr. cable rubber packing	1.25/C	24553	Dial lamp socket	.19	24889	Range switch	1.69
24369	Cabinet complete (246)	7.50	24554	I. F. T. shield and trimmer	.69	24892	Switch (late 155), D.P. D.T.	.75
24374	Superseded by 24835		24558	Cabinet complete (555)	8.25	24895	Cone assembly (155)	2.06
24379	Superseded by 25379		24559	Var. cond. rotor, stator and frame (555)	2.50	24896	Field coil (800 ohms) (early 155)	1.06
24391	Bracket	.03	24561	Var. cond. rotor, stator and frame (155)	2.50	24897	A. F. output trans. (155)	1.06
24397	Shaft and blade (636)	.06	24564	Screw	.50/C	24898	Cone assembly (555)	2.94
24398	Lid and gasket (756)	.88	24565	Screw	.44/C	24899	Field coil (2000 ohms) (555)	1.25
24403	Electrolytic cond. (4 and 8 MF-450 V) (interchangeable with 24099)	1.56	24566	Screw	.31/C	24901	A. F. output trans. (555)	1.25
24408	Speaker (555)	5.31	24568	Speaker (155 early)	4.06	24908	Instructions card (late 155)	net 1.25/C
24409	Aluminum disc	.09	24581	Washer	.38/C	24928	Phono switch	.56
24413	Screw	.44/C	24597	Instruction tag (155)	net 1.25/C	24930	Filter choke unit (96)	2.25
24414	Screw	.03	24602	Dry electrolytic (8, 8 and 8 MF-150 V) (155)	1.88	24934	Range switch	1.81
24415	Lock washer	.31/C	24616	Screw	.38/C	24937	Phono post base	.04
24416	Nut	.69/C	24619	Shipping container (555)	net .31	24938	Range switch dial assem.	.44
24418	Lead and terminal (636)	.25	24640	Superseded by 22650		24939	Dry electrolytic (8 MF-150 V)	.69
24438	Pwr. trans. (555)	3.69	24643	R. F. T. mtg. plate (155)	.19	24940	Osc. trans. (94)	1.06
24447	Name plate (636)	.10	24649	110-V cable (555)	.75	24942	Speaker (late 155)	4.06
24448	Name plate (756)	.10	24651	Ground lead (8') (555)	.19	24946	Installation instructions (636, 756), net	.06
24450	Resistor (6400 ohms)	.25	24656	Ant. lead (20') (555)	.75	24955	Dry electrolytic (8, 8, 8 MF-150 V)	1.88
24452	Ant. lead shielding 33" (756)	.19	24658	Front screen (555)	.31	24972	Pwr. trans. (late 266)	4.81
24453	Ant. lead rubber tubing 2'	.06	24659	Rear screen (555)	.31	24975	Bucking coil (155)	.31
24454	Ant. lead shielding 33" (636)	.38	24660	Superseded by 19180		24976	Brush (low-voltage side)	.19
24456	Operating instructions (756) (D)		24665	Instruction card (155)	net 1.25/C	24977	Brush (hi-voltage side)	.19
24457	Instruction card (555)	net 1.25/C	24666	Washer	1.25/C	24978	Dynamotor cover	1.94
24458	I. F. shield	.25	24677	Bottom plate	.50	24979	Field coils (set of two) per set	2.00
24459	I. F. T. shield	.31	24678	I. F. T. shield and trimmer	.69	24980	Resistor (300 ohms)	.23
24461	Shield	.08	24680	Superseded by 23228		24981	Armature complete	14.38
24464	Strap for 29550 cond.	.04	24685	Clamp for 24602 cond.	.03	24982	Brush holder plate, complete with brushes (low-voltage side)	1.75
24470	Resistor (4000 ohms)	.25	24694	Name plate (266)	.19	24983	Brush holder plate, complete with brushes (hi-voltage side)	1.75
24472	Set container (less lid) (636)	4.50	24695	Instruction card (266)	net 1.25/C	24984	Nut	.05
24473	Dial housing (636)	1.50	24696	Installation instructions (266)	net 1.25/C			
24474	Mounting parts (636)	.44	24707	Speaker terminal card	.05			
24475	Suppressor parts (636)	7.19	24708	Shipping container (155)	net .31			
24477	Clamp for 31190 cond.	.04	24711	Silencing adjustment (6000 ohms) (448)	1.06			
24485	Lockwasher	.44/C	24712	Panel card (448)	.03			
24486	Nut	1.25/C	24722	Cabinet complete (155)	4.50			
			24723	Cabinet foot (155)	.63/C			

December 1, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

THIS PAGE SUPERSEDES PAGE 20, DATED OCTOBER 3, 1933.

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
24985	Lock washer	\$.03	25165	Ground lead (555) per 100 feet	\$.63	25418	Silencing adjustment and phono switch	\$ 1.69
24986	Brush holder spring insulating eyelet	.03	25167	Dry electrolytic cond. (4 MF-20 V)	.50	25427	Shipping container, net	.50
24987	Brush holder spring	.13	25168	8 MF, 475 V electrolytic	.44	25428	Shipping container, net	.56
24988	Field stud	.13	25179	Cable and plug	.50	25436	Switch insulator	.81/C
24989	Insulating bushing (rubber)	.06	25184	Electrolytic condenser (4 MF-475 V)	.88	25437	Insulating paper (vibrator)	.10/C
24991	Field stud sleeve No. 1	.08	25186	Switch instruction tag net	1.25/C	25441	Shielded grid lead and cap (5 1/2")	.13
24992	Field stub sleeve No. 2	.08	25189	Shipping container, net	.31	25449	Battery lead	.05
24993	Field coil wedge (fibre)	.04	25190	Filter condenser unit (96-F, F-4)	2.81	25456	Var. cond. rotor, stator and frame	2.50
24994	Brush holder sleeve	.08	25191	Power trans. (late 165, with 2A6 tube)	3.94	25463	Screw-iron (3/4-20 x 5/8" long)	.38/C
24995	Fibre washer (246 x 27/32 x 1/32)	.03	25194	Cloth screen	.50	25464	Screw-iron (3/4-20 RH 3/4" long)	.38/C
24996	Fibre washer (17/64 x 1/2 x 1/32)	.03	25196	Speaker socket (3-prong)	.13	25466	Field coil insulator	.18/C
24997	Fibre washer (17/64 x 1/2 x .007)	.03	25201	R. F. trans. mounting bracket	.13	25473	Shield	.19
25004	Volume control mounting bracket	.09	25207	Lock washer for 25168 electrolytic	.03	25475	Speaker grille	.25
25005	Volume control mounting bracket	.06	25208	Nut for 25168 electrolytic	.03	25482	Set mounting bolt	.06
25006	Variable condenser mtg. bracket	.23	25213	Cabinet foot	.03	25483	Remote control unit-to-set cable (4 wires)	1.38
25007	Speaker mtg. bracket (rear)	.10	25217	Name plate (808)	.10	25492	Shielded lead to ungrounded side of battery	.69
25008	Speaker mtg. bracket (front)	.44	25221	Power transformer (708 and 808)	4.31	25495	Electrolytic cond. cover (fibre)	.01
25013	R. F. trans. group (636, 756)	3.75	25226	Shaft and blade	.06	25499	Battery lead (5 ft. long)	.56
25022	Var. condenser assem.	2.81	25232	Instruction and log card (F-1065) net	1.25/C	25502	I. F. trans. shield	.21
25023	Var. cond. rotor, stator and frame	3.13	25266	Escutcheon	.50	25503	No. 1, No. 2 or No. 3 I. F. trans., less trimmers (708)	.81
25029	Terminal block (4-contacts)	.06	25269	Escutcheon	.88	25505	No. 1 I. F. trans., less trimmers (424)	.69
25036	Chassis-to-sprk. cable per ft.	.20	25273	Dial assembly	.31	25516	Volume control bracket	.15
25037	Spkr.-to-dyn a motor cable per ft.	.13	25274	Dial light socket	.38	25519	Antenna lead and clamp (2 ft. long)	.50
25038	Spkr.-to-chassis cable per ft.	.28	25279	Lock switch	.50	25521	Knob	.25
25039	Control-to-sprk. cable per ft.	.25	25285	Shield (between set and pwr. sup.)	.15	25522	Ground connection spring	1.25/C
25042	Instruction and log card (F-1058) net	1.25/C	25287	Var. cond. rotor, stator	1.56	25530	Osc. trans. (82-Q)	1.38
25046	Chassis container lid	.56	25291	Dial plate	.15	25534	Speaker (534)	5.31
25047	Container and gasket, less lid	5.00	25295	Instruction card net	1.25/C	25536	Suppressor parts (424)	6.56
25048	Lid gasket (rubber)	.13	25307	Power trans. (early 165 with 75 tube)	4.38	25537	Shipping container, net	.31
25049	Instruction card (F-1059) net	1.25/C	25308	Speaker plug (3-prong)	.10	25540	Audio input trans. (82-Q)	2.44
25050	Osc. trans. (96)	1.06	25309	Cabinet complete	5.75	25545	Dial gear and balance weight	.25
25053	Field coil (late 155)	1.56	25311	Switch base, complete	.31	25546	Rubber gasket	.44/C
25056	I. F. trans. shield	.29	25312	Police switch complete	.50	25558	Volume control cover (fibre)	.08
25057	Coil shield	.20	25315	Dial knob shaft	.04	25563	Terminal card (female)	.06
25058	I. F. trans. shield cover (without hole)	.13	25316	Dial plate and gear assem.	.56	25564	Terminal card (male) and bracket	.13
25059	I. F. trans. shield cover (with hole)	.13	25323	Front mtg. clamp	.31	25595	Vibrator assembly (424 and 534)	5.95
25076	Escutcheon	.56	25329	Front screen	.56	25601	Rubber grommet	.03
25079	Osc. tuning coil (168)	1.25	25332	Side mtg. strap	.19	25602	Inst. and log card (F-1072) net	.01
25084	Shielded grid lead and cap	.15	25334	Terminal card insulator	.25/C	25603	Cone assembly (534)	2.94
25090	Superseded by 20890		25361	Shielded grid lead and cap, 3/4"	.13	25604	Cone assembly (424)	2.06
25091	Dial knob shaft bracket	.31	25371	Power transformer (424 and 534)	3.25	25605	Field coil (8 ohms approx.)	1.25
25129	Phono instruction tag (F-1060) net	1.25/C	25372	Shipping container net	.38	25606	Output transformer	1.25
25130	Filter condenser unit (99-F, F-3)	3.69	25373	Dial light socket	.15	25607	Field coil (8 ohms approx.)	1.06
25136	Fuse (1 amp.)	.05	25375	Electrolytic mtg. clamp	.04	25608	Output transformer	1.06
25145	Police switch knob	.19	25376	Speaker grille	.15	25609	R. F. transformer shield	.21
25146	Knob	.19	25377	Grommet bushing	.63/C	25638	Fixed condenser (730 MMF)	.44
25152	Instruction and log card (F-1062) net	1.25/C	25378	Instruction sheet (F-1071) net	.03	25640	Power trans. (99)	5.94
25153	Police switch mounting bracket	.08	25379	Dry electrolytic cond. (10 MF, 25 V)	.50	25641	Suppressor parts	6.88
25163	Ant. lead (555) per 100 feet	.81	25384	Dry electrolytic cond. (8 MF-300 V)	.94	25647	Tube shield	.17
25164	Ant. lead (155) per 100 feet	.63	25385	Dry electrolytic cond. (8 MF-250 V)	.81	25650	Condenser (280-360 MMF-450 V)	.25
			25386	Speaker	4.06	25651	No. 1 I. F. transformer (534)	.81
			25403	Speaker plug (3-prong)	.25	25657	Shield	.14
			25404	Speaker cable and plug	.50	25658	Shipping container, net	.31
			25405	Speaker cable and plug	.63	25665	Rubber grommet	.13
			25406	Station selector cable clamp	.09			
			25407	Lead bracket	.06			
			25409	Battery lead and clamp	.05			
			25417	Front panel and escutcheon	2.69			

December 1, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

THIS PAGE SUPERSEDES PAGE 21, DATED OCTOBER 3, 1933.

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
25670	Osc. trimmer No. 1, 2 and 3 (with base)	\$ 1.56	25867	Knob	\$.14	26283	Dial plate (275)	\$.26
25672	Range switch	.70	25869	Decalomania (At-water Kent)	.04	26284	Dial light socket	.17
25679	Shipping container (217)	.95	25870	Osc. trans. (99)	1.06	26319	Range switch shaft and blade	.06
25680	110-V receptacle	.63	25871	Shadow tuning plate	.10	26321	Tone control switch blade and shaft	.07
25683	Screw (8-32 x 1 3/8")	.40/C	25875	Power trans. (310, 510)	4.85	26323	Shield	.30
25685	Dial plate and bracket assem. (387, 427-Q)	.55	25885	Dial plate (217)	.30	26324	Base cover	.30
25686	Escutcheon (387)	.45	25889	Bracket	.10	26326	No. 1 I. F. transformer	.87
25687	Name plate (217)	.18	25894	Audio filter choke	2.15	26332	Shipping container (275)	.45
25688	Name plate (427)	.15	25906	Filter choke cover	.16	26337	Cabinet complete with escutcheon (387)	9.50
25689	Shadow tuning indicator	1.80	25908	Center pole	.95	26338	Silencing adjustment potentiometer (14000 ohms)	.85
25690	Condenser (J-6)	1.69	25923	Escutcheon (711)	.45	26339	Tone control switch shaft and blade	.05
25691	Escutcheon (217)	.15	25924	Dial plate (711)	.16	26341	Front panel with braces and escutcheon (310)	1.65
25692	Volume control (.5 meg.)	.85	25925	Wing nut	.01	26342	Front panel with braces and escutcheon (510)	1.55
25703	Instruction and log card (F-1080)	.01	25929	Instruction and log card (F-1086)	.01	26349	Grid lead and cap	.10
25706	Battery cable (387)	1.55	25936	Name plate (275)	.22	26360	Resistor (24 ohms)	.31
25707	Antenna and ground label (F-1081)	.50/C	25950	Resistor (200 ohms)	.24	26410	Resistor (red-green) (3300 ohms, 1/2 watt)	.13
25710	Power and ant. switch (93)	1.75	25972	Instruction tag (F-1090)	.01	26440	Condenser (140-220 MMF-450 V)	.19
25720	Resistor (35 ohms)	.19	25973	Instruction tag (F-1091)	.01	26441	Front panel complete with escutcheon (711)	1.55
25728	Power trans. (217, 427, 667)	3.95	25975	Instruction tag (F-1093)	.01	26443	Cabinet complete (275)	6.00
25730	Osc. trans. (93)	1.56	25980	Resistor (110 ohms)	.44	26451	Tube shield	.17
25732	Escutcheon (427-Q)	.40	25990	Resistor (110 ohms)	.44	26460	Control unit, complete (91)	12.81
25735	Battery cable tag (F-1082) (387, 427-Q), net	.01	26007	Instruction folder (F-1096)	.02	26490	Condenser (.07 MF-200 V)	.31
25736	Knob	.13	26014	Top shield	.23	26510	Choke	.38
25737	Knob	.13	26017	Back plate	.50	26540	Tonebeam adjustment (15000 ohms) (1st and 2nd type 260)	.81
25738	Knob	.13	26031	Knob	.13	26550	Condenser (.5 MF-200 V)	.44
25739	Shielded antenna lead per ft.	.08	26040	Condenser (.02, .02, .02 MF-200 V)	.56	26570	Volume control	.75
25742	Clamp	.09	26049	Bracket	.17	26620	Condenser (K-5) (.7 MF-450 V)	.94
25746	Bolt	.01	26050	Condenser (800 MMF-100 V)	.44	26660	Condenser (.1 MF-200 V)	.31
25750	Dial plate and bracket (93)	1.06	26053	Cloth screen	.45	26670	Condenser (125 MMF-500 V)	.31
25758	Power transformer cover	.30	26059	Instruction and log card (F-1097)	.01	26690	Condenser (1450 MMF-100 V)	.44
25780	Power trans. (93)	4.56	26068	No. 1 or No. 2 I. F. trans. (less trimmers)	.75	26720	Power trans. (188)	4.69
25789	Battery cable (427-Q)	1.05	26111	Tube socket (7 prong)	.10	26820	Condenser (.05 MF-200 V)	.25
25790	Superseded by 23212		26135	No. 1 I. F. transformer (less trimmers)	1.00	26860	Socket and reflector	.50
25791	Range switch	.75	26154	Power transformer (early 310, 510)	4.85	26920	Power trans. (260)	5.75
25798	Volume control (.5 meg.)	.75	26158	Triple dry elec. cond. (14, 8 and 8 MF)	2.10	26930	Power trans. (469)	6.19
25801	Dial knob shaft	.03	26159	Speaker complete (275)	5.00	26940	Input trans. (260)	2.44
25804	Shipping container (387)	.55	26160	Resistor (white) (4000 ohms, 1/2 watt)	.13	26950	Input trans. (469)	4.50
25805	Cabinet complete (708)	8.50	26173	Dial strip (534)	.21	26960	Filter choke (260)	3.69
25806	Instruction and log card (F-1085)	.01	26177	Var. condenser rotor, stator and frame	4.35	26970	Filter choke (469, 480)	2.06
25807	Screw	1.45/C	26178	Cabinet complete (217)	8.16	26980	I. F. trans. (260)	2.00
25808	Dial plate (310, 510)	.10	26179	Station selector cable (4' 11")	.15	27010	I. F. trans. (260)	1.69
25810	Filter choke unit (93)	1.44	26181	Station selector cable sheathing (4')	.40	27040	Osc. trans. (469)	.88
25811	Knob	.11	26184	Dial gear and balance weight	.52	27080	Osc. trans. (260)	1.25
25812	Knob	.11	26185	Ant. and Gr. label (F-1099)	.20/C	27120	Condenser (H-46)	.88
25813	Knob	.15	26207	Output transformer	2.85	27130	Condenser (500 MMF-500 V)	.44
25814	Knob	.13	26216	Shield	.20	27140	Condenser (H-47)	.88
25829	Bracket	.03	26217	Shield	.21	27190	Tonebeam adjustment (8000 ohms) (1st type 469, 480)	.81
25830	Trimmer condenser	.31	26218	Shield	.29	27210	Resistor (maroon) (10000 ohms, 1 1/2 watt)	.25
25839	Range switch	2.35	26237	Shipping container (711)	.87	27220	Resistor (gray-yellow) (15000 ohms, 1 1/2 watt)	.25
25840	Resistor (300 ohms)	.25	26243	Diaphragm	1.65	27390	Condenser (B-14)	.63
25841	No. 1 I. F. transformer (less trimmers)	.75	26244	Shell and center pole	1.95	27430	Power trans. (188-F)	7.81
25842	No. 2 I. F. transformer (less trimmers)	.75	26251	No. 1 I. F. transformer (less trimmers)	.90	27440	Power trans. (260-F)	8.44
25846	Var. condenser rotor, stator and frame	2.95	26254	Power trans. insulator	.01			
25849	Var. condenser shield	.70	26255	I. F. shield insulator	.02			
25850	Resistor (2500 ohms)	.23	26257	Power trans. (711)	5.90			
25853	Escutcheon (310)	.45	26259	Screw (10-32 x 2")	1.15/C			
25854	Escutcheon (510)	.45	26270	Var. cond. stator, rotor and frame (91)	6.19			
25856	Nut	1.65/C	26280	Audio trans. (91)	2.50			
25857	Knob bracket	.35						
25864	Name plate (667)	.18						
25865	Escutcheon (667, 275)	.18						
25866	Dial pointer	.20						

December 1, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

THIS PAGE SUPERSEDES PAGE 22, DATED OCTOBER 3, 1933.

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
27450	Power trans. (469-F)	\$ 8.44	29690	Condenser (B-15)	\$.81	30880	Dynamotor, complete with set container (less lid) (756) (D)	
27580	Condenser (H-48)	.94	29710	Resistor (gray) (30000 ohms, 1½ watts)	.25	30910	Filter choke (448)	\$ 1.94
27630	Condenser (.01 MF-200 V)	.25	29740	Socket and reflector	.38	30920	A. F. input trans. (448)	2.31
27640	Condenser (250 MMF-500 V)	.38	29890	Condenser (.005 MF-450 V)	.28	31040	Tone control switch (636)	.31
27650	Condenser (8 MMF-500 V)	.13	29910	Condenser (.015 MF, 450 V)	.31	31080	Remote control unit complete (756)	12.81
27670	Antenna trans. (480)	.69	29960	Audio trans. (812)	6.19	31090	R. F. trans. (555)	1.25
27720	Power trans. (480)	6.06	30020	A. F. output trans. (469-D)	1.88	31110	Oscillator trans. (555)	1.25
27760	Input trans. (480)	4.38	30030	Resistor (.352 ohms)	.13	31120	Superseded by 24438	
27830	Dial assembly	.50	30090	Dial plate and bracket (137)	1.06	31140	Fixed cond. (superseded by 33630)	
27860	Double I. F. trimmer (30-140 MMF)	.50	30110	Double I. F. trimmer (20-130 MMF)	1.19	31150	Fixed cond. (.3 MF-100 V)	.31
27930	Resistor (500 ohms)	.38	30240	Superseded by 33620		31160	Fixed cond. (.05 MF-100 V)	.31
28030	Resistor (red-black) (20000 ohms, 1½ watts)	.25	30250	Condenser (.025 MF-450 V)	.31	31180	Tracking cond. (680 MMF-100 V)	.44
28040	Condenser (.005 MF-200 V)	.25	30260	Fixed cond. (50 MMF-450 V)	.19	31190	Fixed cond. (double) (.01 MF-200 V)	.29
28050	Resistor (blue-yellow) (5000 ohms, ½ watt)	.13	30270	Tone control cond. (B-16)	.75	31290	I. F. trimmer	.19
28060	Dial plate and bracket	1.13	30290	(H-50) (superseded by 30310)		31330	Fixed cond. (superseded by 33630)	
28130	Condenser (500 MMF-450 V)	.21	30310	Condenser (H-51)	.81	31340	Multiple by-pass (J-11)	1.56
28140	Condenser (J-7)	1.56	30320	Resistor (maroon) (10000 ohms, 1/3 watt)	.13	31380	I. F. trans.	.56
28150	Power trans. (110 V) (627)	9.38	30330	Resistor (black-red-yellow) (50000 ohms, 1/3 watt)	.13	31390	I. F. trans.	.94
28220	Silencing adjustment (20000 ohms) (612, 812, etc.)	1.06	30340	Resistor (red-blue) (100000 ohms, 1/3 watt)	.13	31410	Superseded by 24438	
28290	Audio trans. (558)	4.69	30350	Resistor (black-purple) (.5 meg., 1/3 watt)	.13	31440	Superseded by 31850	
28430	Power trans. (220 V) (627-X)	14.38	30360	Resistor (blue-gray) (1 meg., 1/3 watt)	.13	31450	Oscillator trans. (155)	.88
28470	Resistor (3000 ohms)	.24	30370	Resistor (green) (2 meg., 1/3 watt)	.13	31460	No. 1 R. F. trans. (155)	1.25
28480	No. 1 R. F. T. (448)	1.25	30380	Resistor (red-green) (3300 ohms, 1/3 watt)	.13	31470	No. 2 R. F. trans. (155)	1.25
28490	Audio trans. (188-2)	2.31	30390	Resistor (red-black) (20000 ohms, 1/3 w.)	.13	31480	Resistor (red-blue-black) (1100 ohms, 1/3 watt)	.13
28540	Superseded by 28220		30410	I. F. trans. (less trimmers)	.94	31490	Resistor (blue-maroon) (300 ohms, 1½ watts)	.25
28550	Field coil (326, 338)	2.19	30420	I. F. trans. (less trimmers)	.94	31510	Fixed condenser (.5 MF-100 V)	.40
28570	Superseded by 28220		30430	Multiple by-pass (J-9)	1.56	31520	Fixed condenser (.2 MF-100 V)	.31
28630	Output trans. (812)	2.19	30440	Oscillator trans.	.88	31530	Fixed condenser (.1 MF-100 V)	.28
28640	Filter choke (812)	3.56	30470	Multiple by-pass (J-8)	1.56	31540	Fixed condenser (superseded by 33640)	
28650	Power trans. No. 2 (812)	5.63	30480	No. 1 R. F. trans. (246)	1.25	31670	Filter condenser (K-8) (double 1 MF-100 V)	1.13
28660	Power trans. No. 1 (812)	6.88	30490	No. 2 R. F. trans. (246)	1.25	31680	"A" filter choke	1.25
28670	Audio trans. (612)	4.56	30530	Superseded by 25013		31690	Resistor (145 ohms) (155)	.38
28680	Power trans. (260-2)	6.19	30540	Superseded by 25013		31740	Pwr. trans. (266)	4.81
28750	Resistor (white) (40000 ohms, 1½ watts)	.25	30550	Superseded by 25013		31780	No. 2 I. F. trans. (155)	.44
28760	Resistor (red-blue) (.1 meg., 1½ watts)	.25	30560	Tone control switch (246)	.31	31790	No. 1 I. F. trans. (155)	.81
28770	Resistor (purple) (6000 ohms, 1½ watts)	.25	30580	Tracking cond. (775 MMF-100 V)	.44	31820	No. 1 R. F. trans. (late 246)	1.25
28930	Superseded by 28220		30630	Double I. F. trimmer	.38	31830	Flexible resistor (250 ohms)	.21
28950	Resistor (160 ohms)	.21	30650	Pwr. trans. (246)	4.69	31840	Resistor (gray) (30000 ohms, 1/3 watt)	.13
29020	Tonebeam adjustment (20000 ohms) (612, 812, etc.)	.94	30660	A. F. output trans. (246)	1.75	31850	Pwr. trans. (220 V) (246X)	5.00
29030	Condenser (.02 MF-450 V)	.25	30670	Superseded by 33620		31860	Flexible resistor (1.0 ohm)	.21
29130	Adapter (612 and 812)	9.00	30680	Pwr. trans. (480 F)	6.56	31870	I. F. trimmer	.25
29170	Power trans. (612)	8.50	30690	I. F. choke	.38	31890	Fixed cond. (.05, .05, .5 MF, 100 V)	.56
29220	Resistor (300 ohms)	.44	30710	Field coil (636)	1.56	31910	Fixed cond. (.05, .1, .2 MF, 100 V)	.50
29360	Condenser (670 MMF-100 V)	.50	30720	Multiple by-pass (J-10)	1.56	31970	Resistor (red-yellow) (.25 meg., 1/3 watt)	.13
29370	Filter choke (469-D, 558-D)	3.13	30750	I. F. trimmer	.44	31980	Tubular resistor (black) (65000 ohms, 1/3 watt)	.13
29380	Audio trans. (469-D, 558-D)	2.44	30760	I. F. trimmer	.31			
29390	Audio trans. (469-Q, 558-Q)	2.81	30770	Cable connection card (male) (636)	.38			
29410	Filter choke (612)	3.69	30810	R. F. trans. (448)	1.25			
29470	Power trans. (137)	6.75	30860	Dynamotor and filter (less case)	17.25			
29530	Fixed cond. (.03 MF-200 V)	.25	30870	Dynamotor and case complete	19.50			
29550	Condenser (K-6) (2.2 MF-100 V)	.94						
29560	Condenser (H-49)	.88						
29630	Dial plate and bracket assem.	.75						

December 1, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

THIS PAGE SUPERSEDES PAGE 23, DATED OCTOBER 3, 1933.

Part No.	Name of Part	Price	Part No.	Name of Part	Price	Part No.	Name of Part	Price
32010	Blue, red and green (500 ohms, 1 watt)	\$.19	33150	No. 2 R. F. trans. and osc. trans. (424)	\$.75	34460	Fixed condenser (10 MMF, 500 V, black)	\$.09
32120	Osc. transformer (168)	1.25	33210	Flexible resistor (670 ohms)	.20	34470	Fixed condenser (14 MMF, 500 V, red)	.08
32130	R. F. transformer (168)	1.25	33220	Flexible resistor (100 ohms)	.20	34520	Tone control switch complete	.35
32140	Multiple by-pass condenser (J-12)	1.69	33230	Flexible resistor (2000 ohms)	.21	34540	No. 1 R. F. transformer	.90
32160	1450 MMF condenser	.44	33240	Resistor (12 ohms)	.19	34550	No. 2 R. F. transformer	.75
32180	Oscillator trans. (155)	.88	33250	Tubular resistor (blue) (2000 ohms, 1/3 watt)	.13	34560	No. 3 R. F. transformer	.65
32190	Oscillator trans. (155)	.88	33280	Fixed condenser (600 MMF-100 V)	.38	34570	Oscillator transformer	1.25
32210	No. 1 R. F. T. (155)	1.25	33340	Superseded by 25595		34630	Field coil	1.45
32220	No. 2 R. F. T. (155)	1.25	33360	No. 2 I. F. transformer (424)	.44	34670	Fixed condenser (1450 MMF, 100 V)	.53
32240	Power transformer (168)	6.56	33430	Remote control unit comp. (534)	12.81	34680	Fixed condenser (2200 MMF, 100 V)	.60
32310	Double trimmer cond.	.44	33450	A. F. filter choke (424 and 534)	1.50	34830	No. 1 R. F. transformer	.55
32350	Condenser (.05, .05, .2 MF, 200 V)	.63	33470	R. F. transformer (late 555)	1.25	34840	No. 2 R. F. transformer	.65
32360	Condenser (.05, .05, .05 MF, 100 V)	.50	33480	Oscillator transformer (late 555)	1.25	34850	No. 3 R. F. transformer	.75
32370	Fixed condenser (superseded by 33660)		33510	Fixed condenser (730 MMF-100 V)	.31	34860	Oscillator transformer	.50
32420	.0022 MF-200 V fixed condenser (superseded by 33660)		33620	Fixed condenser (250 MMF-450 V)	.19	34870	No. 1 H. F. coil (1st range)	.50
32430	No. 1 R. F. T. (165)	1.25	33630	Fixed condenser (double) (250 MMF-450 V)	.31	34880	No. 2 H. F. coil (1st range)	.80
32440	No. 2 R. F. T. (165)	1.25	33640	Fixed condenser (.001 MF-450 V)	.28	34890	No. 1 H. F. coil (2nd range)	.75
32450	No. 3 R. F. T. (165)	1.25	33650	Fixed condenser (25 MMF)	.19	34910	No. 2 H. F. coil (2nd range)	1.25
32480	Tracking condenser assem.	1.13	33660	Fixed condenser (.0022 MF-450 V)	.28	34920	No. 1 H. F. coil (3rd range)	.85
32620	No. 1 I. F. T. (165)	.94	33670	Fixed condenser (250 MMF, 500 V)	.17	34930	No. 2 H. F. coil (3rd range)	1.40
32630	No. 2 I. F. T. (165)	.44	33680	Fixed condenser (290 MMF)	.31	34970	Tone control switch comp.	.35
32650	No. 1 broadcast coil T-1 (808 and 708)	.94	33710	No. 1 R. F. transformer (534)	.75	34980	Audio input trans.	2.75
32660	No. 2 broadcast coil T-5 (708 and 808)	1.00	33720	No. 2 R. F. transformer and osc. (534)	.81	35030	Input audio trans.	2.35
32670	No. 1 H. F. coil 1st range T-2 (708 and 808)	.56	33750	R. F. transformer (late 424)	.63	35080	Field coil	2.30
32680	No. 2 H. F. coil 1st range T-6 (708 and 808)	.94	33790	No. 2 I. F. transformer (534)	.44	35290	Fixed condenser (125 MMF, 500 V)	.16
32690	No. 1 H. F. coil 2nd range T-3 (708 and 808)	.81	33820	No. 1 R. F. transformer (165-B)	1.25	35350	Audio transformer unit	7.35
32710	No. 2 H. F. coil 2nd range T-7 (708 and 808)	1.31	33920	Fixed condenser (790 MMF, 100 V)	.45	35380	Dial light socket and reflector	.55
32720	No. 1 H. F. coil 3rd range T-4 (708 and 808)	.81	33930	Fixed condenser (25 MMF, 500 V)	.18	35420	Fixed condenser (.08 MF, 200 V, N. I.)	.26
32730	No. 2 H. F. coil 3rd range T-8 (708 and 808)	1.69	33960	No. 1 R. F. transformer	.80	35450	No. 1 R. F. transformer	.70
32740	Fixed condenser (.003 MF-500 V)	.50	33970	No. 2 R. F. transformer	.75	35460	No. 2 R. F. transformer	.75
32760	Condenser (.2, .1 MF, 100 V)	.38	33980	No. 3 R. F. transformer	.55	35470	Oscillator transformer	.65
32810	Fixed condenser (.01 MF-450 V) (708 and 808)	.28	34010	Multiple by-pass cond. (J-15)	1.60	35560	Range switch complete	.35
32880	Double I. F. trimmer cond.	.38	34020	Fixed condenser (.05 and 250 MMF, 200 V N. I.)	.22	35590	Fixed condenser (500 MMF, 450 V)	.19
33060	Multiple by-pass cond. (J-14)	1.56	34140	No. 1 R. F. transformer	1.55	35610	Single I. F. trimmer cond.	.42
33070	Fixed condenser (.05 MF-400 V)	.44	34150	No. 2 R. F. transformer	.75	35630	Tone control switch complete	.33
33140	No. 1 R. F. transformer (424)	.63	34160	Oscillator transformer	1.25	35650	Double I. F. trimmer cond.	.27
						35770	Fixed condenser (.003 MF, 450 V, Ind.)	.18
						35820	Flexible resistor (15 ohms)	.19
						35840	Fixed condenser (50 MMF, 500 V)	.15
						35910	No. 2 I. F. transformer	.45
						35930	Fixed condenser (.25 MF, 200 V, N. I.)	.37
						35990	Fixed condenser (830 MMF, 100 V)	.50

December 1, 1933. This list supersedes all previous lists. Prices are subject to change without notice. Parts not carried in stock are indicated by capital D in parentheses; thus (D).

**THIS CATALOGUE SUPERSEDES ALL PREVIOUS
PRICE LISTS, ALSO PRICES IN ALL SERVICE
MANUAL SUPPLEMENTS.**

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

ATWATER KENT MANUFACTURING COMPANY

4700 WISSAHICKON AVENUE, PHILADELPHIA, PA.