FAYET ECTRONICS



CUT TO 10.44



Index:

upp. r ge 32 Easy Pay Plan: Page 13 Store Addresses: Opp. Page 81



CUT TO 6.95







CUT 10.00



CUT 20.00 Model S lose (Opposite # 31 **CUT 40.00** Model 1725-8L III See Page 35





CUT 20.00

BATTERY AC STER-0 JASSETIE RECORPER See Pg. 27







MAIL ORDER AND SALES CENTER 111 Jericho Tumpike Syosset, L.i. New York 11791

CASSETTES make IDEA THE Simple to Operate-No Tape Threading

NEW Lafayette RK-210 Car Cassette Stereo Tape Player/Recorder



Push-In Front Loading of Cassette Tapes

- 20 Watts Peak Music Power
- Automatic Stop/Automatic Eject
- Automatic Level Control on Record

Full Feature instant-on solid state cassette car stereo tape player with built-in monaural recording system. Operates with any 12 volt negative ground system. Designed for convenience—front loading tape insertion with automatic stop and ejection when tape is finished playing or recording. Pushbutton fast forward and rewind. Manual stop and eject button. Separate tone, volume, and balance controls. Record safety button and indicator light, Built-in ALC for record. Professional AC record bias system. Plays-back 4 Track 2 channel stereo; Records 2 Track monaural. Channel Separation 30

AFAYETTE PK-70

1088399

RECORDER

ALC

11 12 CHICHE W

- Pushbutton Fast Forward and Rewind
- Professional AC Bias Recording and AC Erase System

db. Power Output: 20 watts peak per channel. 14 transistors and 4 diodes. Includes mounting bracket, hardware, connecting cables, remote control mike with coiled cord and suction cup stand. Handsome black enclosure with brushed aluminum front panel. Size: 83% x 83% x 37. Shgg. wt., 7 lbs. Imported. 99 G 15802WX No Money Down*

Deluxe Set of 2 Lafayette Rear Deck Matched Speakers. 99 G 62986 Imported, Shog, wt., 4 lbs.

Lafayette RK-70 Solid-State Portable Cassette Recorder

Our Sensational Low Price of

Net 9.95

Gift Packed to Include Remote Control Mike, Carrying Strap, and Earphone



No Tape Threading

5-Pushbutton Controls Including Cassette Pop-Up

Automatic Record Level Control

Ideal for Use in the Office for Dictation

Ideal for Classroom Work for the Student

Handsome, low-cost quality portable cassette recorder. Use for dictation or classroom work; take along to a party, the beach, or a picnic. Simple to use—no tape threading. Advanced solid-state circuitry features 5-transistors, 1-thermistor, and 2-diodes. Constant 17% ips speed capstan drive. Pushbutton controls include Ston/Cassette Pop-Up, Fast-Forward, Tape Rewlnd, Play, Safety Record button, Automatic Level Control (ALC) to keep loud tones from distorting. Records up to 120 minutes (both tracks) on a cassette. Large 23% speaker for excellent sound reproduction. Operates on 4 "0" batteries or 110V., 60 Hz AC with optional adapter (see below). Remote control mike and earphone. Size: 9340 x 514W x 21/2"H. Imported. Shpg. wt., 4 lbs.

Net 24.95 Net 24.95 27 G D1738L

ACCESSORIES FOR RK-70 27 G 01142L AC Adapter. Shpg. wt., 1/2 lb. 28 G 01223 Lafayette 60-Minute Tape Cassette 99 G 62572 "C" Batteries (4-req.) Net ea. .14

See Pages 24 thru 36 For Lafayette's Complete Listing of Tape Recorders and Accessories

See Page 13 for Full Credit Details on Easy Pay Plan

AINTED IN U.S.A. . ENTIRE CONTENTS COPYRIGHTED 1969 BY LAFAYETTE RADIO ELECTRONICS CORPORATION . SYDSSET, L.I., N.Y. 11791



Lafayette LSC-50 Solid State Modular Hi-Fi Phono System featuring TWO 360° Omni-directional 8" Speaker Systems

95 No Money Down* With Plastic Dust-Cover



HEART OF THE SYSTEM OMNIDIRECTIONAL SOUND

Spreads sound throughout the entire room. You sit anywhere you want and hear stereo.



- 2 IC's and 4 Transistors
- Stereo Headphone Jack for Private Listening

Presenting a new, imaginative and modernistic design in stereo phonos. Thrill to breathtaking hi-fi sound from our handsome 3-piece modular hi-fi phono system. Featuring 2 revolutionary, omnidirectional speaker systems with 360° sound dispersion. Sound waves from a wide range 8" speaker are beamed off a uniquely designed come deflector diswide range 8" speaker are beamed off a uniquely designed cone deflector dis-persing sounds in all directions. Solid state stereo amplifier has two integrated circuits (IC's) and 4 transistors. Delivers a big 10-watts of power. Has 3 controls: Volume Left, Volume Right, Continuous Tone (Bass/Treble), plus a stereo head-phone jack for private listening. BSR 4-speed stereo automatic "Mini-Changer" features automatic shut-off after last

LAFAYETTE 4-SPEED SOLID-STATE

- BSR 4-Speed Automatic Stereo Record Changer
- 10 Watt Stereo Amplifier

record has been played. Plays all size records: 7", 10" and 12"; and all speeds; 1634, 3314, 45, and 78 RPM. Intermixes 12" and 10" records of the same speed. Tone arm is equipped with a stereo turnover cartridge with diamond LP needle. Attractive wood cabinetry is turnover cartridge with diamond needle. Attractive wood cabinetry covered with simulated walnut vinyl. covered with simulated wantut (vil). In-cludes plastic dust cover, and speaker hook-up cable. Size: Amplifier/Changer Control Section—17½Lx10½Dx7"H (with tinted plastic dust cover); Speaker Sys-tems (each): 9Wx9Dx12½"H. For 117 VAC, 60 Hz. Shpg. wt., 25 lbs.

24 G 03160WX Net 69.95 24 G 02568 45 RPM Spindle Replacement needle for LSC-50

24 G 02386

Beautiful Color Lights Are Activated When Record Is

3 x 5" Front Mount Speaker

MADE IN THE U.S.A.

MADE IN THE U.S.A.

Become the center of attraction, the hit of the party with your psychedelic atomograph, Beautiful array of color lights are activated when a record is playing. Large, 3x5" front mounted speaker provices fine tonal quality. Plays all size monaural and stereo records at 16%, 331% 45 and 78 RPM. A single lever selects any speed. 2 controls: On-Off/Volume (light intensity) and tone. Built-in 45 RPM adapter disc. Dual turnover cartridge with 2 synthetic sarphire needles Case colors: bottom section—psychede is blue, white, and orange—top section—blue; white portable parrying strap, Size: 12½/2Wx77/8Hx11*D. Shpg. wt., 10 lbs.

See Pages 20-23 For Comp ete Lafayette Listing of Stereo Compacts and Phonographs

See Page 13 for Full Credit Details on Easy Pay Plan



BONUS SPECIAL!



Regularly \$59.90 Per Pair

With Purchase of Any Hi-Fi Stereo System on Pages 7, 8, 9, and 11.

OFFER EXPIRES JANUARY 1, 1970

Latayette's Special Remote Speaker Bonus Offer makes it easy for you to purchase two excellent hi-fi stereo speaker systems for your den, recreation room, bedroom, etc., at the same time you purchase your hi-fi stereo system. You can get a pair of our famous best-selling Lafayette "Criterion 50" speaker systems at the special price of \$39.90, a saving of \$20.00 over the regular catalog price, when you buy any of the Lafayette systems shown on pages 7, 8, 9, and 11. See page 14 for a full description of the "Criterion 50" speakers.

Lafayette A WARD-WINNING LR-1500T 220 Watt Deluxe Solid State AM/FM Stereo Receiver



LR-1500T

COMPUTOR-MATICT.M. PAT. PENDING

No Money Down*

Protective Circuitry For Audio Oriver And Power Stages ONLY 4 IC's + 2 FET's

40 Transistors

35 Diodes

2 Thermistors

- 220 Watts ±1 db.† Output Power
- IHF FM Sensitivity 1.5μν
- Automatic Stereo FM Switching
- Adjustable Automatic Interstation Muting

Lafavette's finest deluxe solid state AM/FM stereo receiver! The LR-1500T 220-watt stereo receiver is expressly engineered to blend the ultimate in high fidelity sound with superb performance, long life, and space-age reliability. In addition to its complement of fine quality transistors the LR-1500T includes 4 revolutionary new Integrated Circuits (IC's) and 2 high-performance Field Effect Transistors to provide truly sterling FM stereo reception. You'll hear more stations -- the weak as well as the strong, with amazing. noise-free clarity! Features new patent pending computer designed protective circuitry for virtually foolproof protection against burnout or failure of audio driver and power output transistors. Utilizes a complete set of automatic and manual controls such as: Automatic FM stereo/mono switching; sharp, adjustable Muting circuit to silence the receiver when tuning between stations; dual system speaker switch permits enjoyment of stereo in one or two rooms separately or simultaneously; direct tape monitor switch for tape monitoring without changing cable connections; a front panel

AAA 2-YEAR GUARANTEE

See Page 12 For Terms

- Center Channel Monaural Output
- Built-in AM and FM Antennas
- Illuminated Selector Function Indicator Jewels
- Exclusive Front and Rear Panel Tape Output Jacks

stereo headphone jack for enjoyable private stereo listening; and a center channel low level output for monaural amplifier and speaker. Separate input jacks provide for two magnetic phono and for ceramic/crystal cartridges. AM rf section has a separate 3-gang tuning condenser and rf stage to accommodate the full sound potential of standard AM broadcasting. Incorporates built-in FM and AM antennas plus connections for external local and distant FM and AM antennas. Distinctively styled to enhance any decor. Features a handsome gold anodized extruded aluminum front panel with matching knobs and includes an attractive vinyl-clad metal enclosure finished with the simulated look of rich walnut wood-grain. For 117V., 50/60 Hz AC. Imported. Size: 16¾x4½ x14¼"D, Shpg. wt., 37 lbs. †=175 Watts IHF Output Power.

Attractive Oiled Walnut Wood Cabinet for LR-1500T. 21 G 01582WX Shpg. wt., 6 lbs. See Pg. 5 Cat. 700 For Complete LR-1500T Specifications.

See Page 13 for Full Credit Details on Easy Pay Plan





(A) DELUXE 150-WATT SOLID-STATE AM/FM STEREO RECEIVER



Protective Circuitry For Audio Power Stages

COMPUTOR-MATIC™



4—IC's + 36—Transistors + 2-FETs + 31-Diodes

AAA 2-YEAR GUARANTEE See Page 12 For Terms

(B) 75-WATT SOLID-STATE AM/FM STEREO RECEIVER



See Page 12 For Terms



(A) DELUXE 150-WATT SDLID-STATE AM/FM STEREO RECEIVER LR-1000TA

- 150 Watts ±1 db. Output Power†
- IHF Sensitivity 1.65µV Interstation Muting Control
- Automatic FM Stereo Switching Center Channel Output
- Built-in FM Antenna Plus Flexible Swivel-Mount AM Antenna
- High/Low Phono Sensitivity Switch
- Exclusive Front and Rear Tape Output Jacks

Every performance feature that you'd expect to find along with many extras to obtain the superb character of brilliant sound. The many extras to obtain the superb character of brilliant sound. The LR-10007A features the new space age miracle, Integrated Circuits (IC's) plus FET's in the tuner front end to assure outstanding selectivity, stability, and superior capture ratio. Ingenious COMPUTOR MATICtm circuitry (patent pending) provides protection of audio driver and power output transistors. Advanced circuitry is complemented by all the controls you need to adjust the sound to your particular taste. Fine features include special high and low frequency switchable noise filters, front panel headphone output jack, tage equiput lack for direct tage recording, tage monitor plus tage. tape output jack for direct tape recording, tape monitor plus tape monitor illuminated jewel indicator, loudness switch, signal strength tuning meter for normal or center scale tuning, colored function lights, and automatic FM stereo indicator light. Complete input and output facilities designed for easy installation and connection to any program source or external component, With 1 switched and 1 unswitched AC receptacle. The LR-1000TA's professional styling is enhanced by a brushed gold anodized extruded aluminum front panel and a simulated walnut grain metal case. For 105-120 VAC, 50/60 Hz, Size: 15%x5x13"D (incl. rear projections), Imported.

†New rating standard used by major audio mfrs.

99 G 02081 WX No Money Down* Shpg. wt., 27 lbs. Net 239.95 Attractive Oiled Walnut Wood Cabinet for LR-1000TA 21 G 01574WX Shag. wt., 6 lbs. Net 19.95

(B) 75-WATT SDLID-STATE AM/FM STEREO RECEIVER LR-500TA

- 75-Watts† Of Flawless Stereo Output Power
- Automatic FM Stereo Switching and Indicator Light
- Illuminated Tuning Meter for Accurate FM/AM Tuning
- Fused Output Transistors
- Exclusive Front and Rear Panel Tape Output Jacks
- · Main and/or Remote Speaker Mode Switch
- · Front Panel Stereo Phone Jack

The LR-500TA incorporates 4 revolutionary Integrated Circuits and 2 high-performance Field-Effect Transistors to provide magnificent FM Stereo reception. Advanced solid-state engineering of its AM broadstereo reception. Advanced solid-state engineering of its AM broadcast stages lets you hear your favorite AM stations with maximum possible fidelity. There are built-in AM and FM antennas for local stations, plus provision for an external antenna for those distant, hard-to-get stations. AM antenna has flexible swivel mounting for optimum reception. 4 rugged, silicon output transistors delivering 75 watts of stereo music power with full-fidelity assure you of stunning audio realism. Unit incorporates every needed control for complete flexibility of operation, plus a full range of stereo inputs including ceramic and magnetic phono to accomodate virtually any external program source. You get outputs for stereo tape recording (both front and rear of unit for convenience), provision for 4, 8, and 16 ohm main and remote speakers, plus a stereo headphone recept acle. There's a handsome, brushed gold anodized extruded aluminum front panel with matching knobs and, at no extra cost, you get front panel with matching knobs and, at no extra cost, you get a vinyl clad, heavy gauge metal enclosure with the simulated look of rich walnut wood-grain. Imported. 15W x 12D x 5"H. For 117 VAC.

50/60 Hz. Shpg. wt., 27 lbs.
†Rating standard used by major audio hi-fidelity manufacturers
99 G 01943WX No Money Down* Net 1 Net 179.95

Optional Attractive Oiled Walnut Cabinet for LR-500TA 21 G 01566WX Shpg. wt., 6 lbs.

Net 19.95

Space-Age Performance plus Styling of Distinction





LAFAYETTE 100-WATT SOLID-STATE AM / FM STEREO RECEIVER

LR-775

 100-Watts ± 1 db† of Exemplary Stereo Power
 4-Gang FM Tuning Condenser **Fused Output Transistors**

1.7 µv IHF Sensitivity

Automatic FM Stereo Switching and Stereo Indicator Light Front and Rear Panel Tape Output Jacks Speaker Mode Switch Selects Main, Main and Remote, or Remote Speakers

Pushbutton Switches Select Loudness, Stereo/Mono, Tape Monitor and High Filter

AAA 2-YEAR GUARANTEE See Page 12 For Terms

This new 100-watt stereo receiver is one of Lafayette's finest with Its distinctive styling and advanced solid state circuitry, truly a thing of beauty with top-notch stereo performance. The large tuning panel is black when the power is off, thus blending harmoniously even with the most luxurious decors. When the power is turned on, the tuning meter, FM Stereo indicator and AM and FM dials light up and are revealed with the utmost clarity, thus enhancing the attractive appearance of the LR-775 and that of the room in which it performs. Another styling innovation is the aluminum and black knobs which contrast nicely with the gold anodized brushed aluminum panel trim. The LR-775's sensitive FM Stereo circuitry will receive even the weakest signals while maintaining excellent fidelity and freedom from distortion. The AM tuner section offers very good selectivity plus a

built-in, flexible-mount ferrite loopstick antenna for optimum sensitivity. A meticulously designed amplifier section gives faithful reproduction with more than adequate volume from any program source Output transistors are fused for full overload protection. The LR-775 also has a selector switch for Aux Phono, FM, MPX Filter, and AM; Front and Rear panel jacks for tape outputs; Rear panel stereo inputs for magnetic and ceramic phono, Aux. Tape Record, and Tape Play; and one switched plus one unswitched AC convenience outlets. Complete with built-in FM antenna and provisions for external AM and FM antennas. Power requirements: 105-120 VAC, 50/60 Hz. Size: 141-2WX4Hx1014a**[D. Imported. Shpg. wt., 161/2 lbs. †New rating used by major audio mfrs. by major audio mfrs.

99 G 02156WX No Money Down*

LAFAYETTE SOLID-STATE AM/FM STEREO TUNER



LT-725 ONLY

No Money Down*

AAA 2-YEAR GUARANTEE

See Page 12 For Terms

1.7μν IHF Sensitivity • Front Panel Tape Output Jack • 40db Stereo Separation

Muminated Signal-Strength Tuning Meter For Normal and Center Scale Tuning Automatic Stereo Switching and Stereo Indicator Light

Internal FM Antenna plus Flexible Mount AM Loopstick Antenna Beautifully Styled Dial That Illuminates with "Power-On"

4 IC's - 2 FET's 18 Transistors — 21 Diodes

The new Lafayette LT-725 establishes pace-setting standards for excellence in perform-ance, flexibility of controls, ease of opera-tion, and convenience. Its distinctive styling will compliment any home decor. In addition tion, and convenience. Its distinctive styling will compilment any home decor. In addition to high performance and unique circuit design, the LT-725 boasts an ultra-modern exterior with space-age styling. The most striking of these is the elegant ebony face-plate with gold embossed lettering; equally impressive when the unit is "On", the logging scale, tuning meter and stereo indicator are illuminated into a soft, rich blend from behind the face-plate. The front panel also features a row of push-buttons for the functions of Stereo/Mono mode, MPX Filter, FM/AM reception, and tuning meter for center channel tuning and signal strength indication. There are tape output jacks at the rear and front panels: and rear inputs for external FM and AM antennas. Complete with built-in FM and AM antennas. AC fuse holder and grounding post. Output suitable for any quality stereo amplifier. Size: 12Wx 334 Hx94/6"D. Imported. Shpg. Wt., 10 lbs.

99 G 02164WX

See Pages 7 and 9 of Catalog 700 For Complete Specifications On Above Units.

NEW LAFAYETTE 50-Watt AM/FM Stereo Receiver LR-100



33 Transistors 25 Diodes 2 Thermistors

ONLY

No Money Down

AAA 2 YEAR GUARANTEE

See Page 12 for Terms

50 Watts ±1db, 40 Watts IHF Stereo Output

- 4-gang FM Tuning Condenser for Sensitivity of 2.5 μν
 Illuminated Signal Strength Tuning Meter
- Built-in FM plus Flexible-Mount AM Antenna

An outstanding hi-fi value, the Lafayette LR-100 features deluxe decorator-designed styling plus full-range, full-fidelity sound from thrilling stereo or mono FM broadcasts, AM broadcasts, as well as phono or tape. A full complement of front panel tone controls (Bass, Treble, Volume/Balance) and push-button switches (Loudness, Stereo/Mono, High Filter) enable the LR-100 to be tailored to the acoustical characteristics of any room, and to match the sound characteristics of virtually any phono cartridge, tape player or speaker system—performance features normally included only on much more expensive hi-fi components. Excellent sensitivity, selectivity, and capture ratio are inherent in the technologically advanced and long-life circuitry of the LR-100. You will be delighted with the

- Front and Rear Panel Tape Output Jacks
- Front Panel Stereo Headphone Jack
- High Frequency Filter
- Automatic FM Stereo Switching and Stereo Indicator Light

clear reception of the weak as well as the stronger stations! The amplifier section has power to spare . . . 50 watts will drive main and remote stereo speakers, and will easily fill any room with clean, wall-to-wall sound. Some additional fine features of the LR-100 are automatic stereo switching; signal-strength tuning meter for more accurate tuning; MPX filter; FM stereo indicator light; front and rear panel tape outputs for easier tape recording; stereo headphone output for enjoyable private listening; fused speaker outputs; distinctively styled front panel and attractive simulated walnut grain vinyl-clad metal case. Size: 14½Wx4½Hx10½"D, For 117 VAC 50/60 Hz. Imported. Shpg. wt., 21 lbs.

99 G 02214WX

Net 129.95

50-WATT AM/FM STEREO SYSTEMS with LR-100

• Lafayette LR-100 50-Watt † Solid-State AM/FM Stereo Receiver 129.95 Garrard Model 4CB 4-Speed Automatic Turntable Pickering PAT/E-1 Elliptical Stereo 44.50 Cartridge with Diamond Stylus 24.95 Garrard Base for Automatic Turntable 5.50 Two Lafayette Criterion 25A Efficient Wide-Range 2-Way Bookshelf Speaker Systems (Oiled Walnut) 38.50

 30 ft. Speaker Cable 70 244.10 Total

Complete 50-watt stereo system above. † ±Idb rating used by major audio hi-fi mfrs. Shpg. wt., 53 lbs. 21 G 94769WXM

Same system as 21 G 94769WXM except with 2 famous Criterion 50 30-watt 2-way book shelf speaker systems attractively finished in oiled walnut. Shpg. wt., 91 lbs. 1G 94793WXM Net 219.95 YOU SAVE 45.55 From Individual Catalog Prices.

STEREO BONUS SPECIAL **SAVE \$20.00 MORE!**

(See Page 4 for Details)

Above stereo system 21 - 94769WXM PLUS 2 famous Lafayette Criterion 50 2-way speaker systems for excellent remote stereo in your den, recreation room, bed-room, etc. Shpg. wt., 109 lbs.

21 G 92763WXM

Net 239.85

YOU SAVE 64.15 From Individual Catalog Prices.

94793WXM stereo system above PLUS 2-Lafayette Criterion 50 speakers systems for remote stereo. 21 G 92771WXM Shpg. wt., 147 lbs. Net 259.85 YOU SAVE 65.55 From Individual Catalog Prices.

21 G 40267W Dust Cover for 40B Turntable. Net



SEE PAGES 14 thru 19 for full description of above components.







CARTRIDGE PICKERING PAT F-1

ELLIPTICAL



CRITERION 100A



Selected 150 Watt STEREO SYSTEMS with LR-1000TA AM/FM Stereo Receiver

From Individual Catalog Prices

SYSTEM PRICE

No Money Down*

This fine 150-watt stereo system features the Lafavette IR-1000TA 150-Watti Solid State AM/FM Steren Receiver cited by audio critics for its outstanding performance characteristics and fine circuitry innovations; the Garrard Model 40B 4-Speed Automatic Turntable; matching base for turntable; Pickering PAT/E-1 Elliptical Stereo Cartridge with high compliance diamond stylus: and 2 Lafayette Criterion 100A 2-way ducted port systems with 10" woofer, 4" tweeter and brilliance control in an attractively styled oiled walnut finished enclosure. Includes speaker cable. Shpg. wt., 109 lbs.

21 6 92029WXM Net 347.95 Same system as above except with 2 Lafavette Criterion VI new deluxe 4-way, 6-speaker systems with 12" woofer 5" midrange, two 3" tweeters two 11/2" super tweeters, brilliance and presense controls in an oiled walnut finished encl instead of Criterion 100A's. 21 G 92748WXM No Money Down* Shpg. wt., 139 lbs. Net 401.95

YOU SAVE 63.55 From Individual Catalog Prices

LAFAYETTE BONUS SPECIAL . . . SAVE \$20.00 MORE! See Page 4 For Details

21 G 92029WXM stereo system plus 2 famous Lafayette Criterion 50 2-way oiled walnut bookshelf speaker systems for superb remote stereo in your den, recreation room, bedroom, etc. Shpg. wt., 165 lbs. 21 G 92599WXM No Money Down*

YOU SAVE 77.55 From Individual Catalog Prices

21 G 92748WXM stereo system PLUS 2 Lafayette Criterion 50 speaker systems for remote stereo. Shpg. wt., 195 lbs. 21 E 92755WXM No Money Down*

YOU SAVE 83.55 From Individual Catalog Prices

+=±1db rating standard used by major audio hi-fidelity mfrs.



LR-1500T





CRITERION 100A



ALTERNATE SPEAKERS CRITERION 3X

Deluxe 220 Watt AM/FM STEREO SYSTEMS Featuring AWARD WINNING LR-1500T

From Individual **Catalog Prices**

SYSTEM PRICE

No Money Down*

This expertly matched stereo system includes our finest receiver. the award-winning Lafayette LR-1500T 220-Watt+ Solid State AM/FM Stereo Receiver which features advanced solid state circuitry with 4 Integrated Circuits, 2 F.E.T.'s, 40 discrete transistors and Computor-Matic® protective circuitry for extraordinary performance; Garrard Synchro-Lab Model \$L55B 4-Speed Automatic Turntable with attractive matching base, Pickering V-15/ACE-3 Elliptical Stereo Cartridge with high compliance diamond stylus; and 2 Lafayette Criterion 100A 2-way speaker systems with 10" woofer, 4" tweeter, tuned ducted port and high frequency brilliance control in attractive oiled-walnut finished enclosures. Complete with speaker cable, t=±1db rating standard used by major audio hi-fidelity mfrs. Shpg. wt., 117 lbs.

21 G 92110 WXM No Money Down*

Net 416.95 Same system as above except with 2 Lafayette Criterion 3X 3-way acoustic suspension speaker systems with 12" woofer, 61/2" mid-

range and 3" tweeter in an oiled walnut finished enclosure instead of Criterion 100A's. Shpg. wt., 111 lbs. 21 & 92615WXM No Money Down*

YOU SAVE 77.55 From Individual Catalog Prices

LAFAYETTE BONUS SPECIAL . . . SAVE \$20.00 MORE! See Page 4 For Details

21 G 92110WXM system above plus 2 Lafayette best selling Criterion 50 2-way speaker systems for remote stereo. Wt., 173 lbs. 21 G 92623WXM No Money Down* Net 456.85

YOU SAVE 88.55 From Individual Catalog Prices

21 G 92615WXM stereo system above plus 2 Lafayette Criterion 50 2-way speaker systems for remote stereo reproduction. 21 G 92631WXM Shpg. wt., 167 lbs. Net 537.85

YOU SAVE 97.55 From Individual Catalog Prices

See Page 13 for Full Credit Details on Easy Pay Plan

For Complete Description of Above Components See Pages 4, 5, 14-19.

SPECIAL SYSTEM HI-FI QUOTATION

Select Your Own System and

SAVE

MAIL THE CARD

TODAY

Or Bring Into Your Local Store

No Charge

No Obligation

Name		please pr	int	
Address				
City .		State		Zip
Selec	et Your Ow	n Hi-Fi S	ystem	and Get
	Lafayette's			
at lea	nponent hi-fi r st, all of the fo eiver or Amplifier le, tuner or tape of	llowing: plus Music So	urce (cha	nger, turn-
HOW	COMPONENT	MFR's N	IAME AND	MDDEL
	RECEIVER or AMPLIFIER			
	Case for Above	□ Walnut	☐ Metal	☐ No Case
	TUNER			
	Case for Above	□ Walnut	☐ Metal	☐ No Case
	CHANGER or TURNTABLE			
	Cartridge			
	Base for Above	□ No Base		
	Dust Cover for Above	☐ Yes ☐	No	
	4S-rpm Spindle for Above	☐ Yes ☐	No	
	SPEAKER			
	Wood finish, if in	enclosures		

701

OTHER

SPECIAL

MAIL THE CARD Or Bring Into Your Local Store

TODAY

No Charge

No Obligation

PLACE STAMP HERE

LAFAYETTE RADIO ELECTRONICS **DEPT. 701** BOX 600, SYOSSET, L.I., N.Y. 11791



RUSH -Special Hi-Fi System Price Requested









75 Watt STEREO SYSTEMS with Acclaimed LR-500TA AM/FM Stereo Receiver

Catalog Prices

angle 75 Ward Same Man AM TW Sames Respons, scalars by the critics by the professional and expetitible Sarrard Model and 4 geog Saturatio Taxable with editories have Philading 841/2-5 Highest Street Carrying all Age corrections distance alpha-single lating the Certainty SS 2 ways deploy have opened actions with S. Survey See A. Jamele of marry alpha and always landed surveys for A. Jamele and action of the Con-line of the Con-

Came system of educat except off 2 Anteerts Commiss this Dame to the contract of the contract areas to when warmed the state of the state

27 S SANCTORDS IN Money Comes Street, 44, 100 let ... Not that an THE DAVE NAME OF THE PERSON NAMED IN THE

LATAYETTE BUNCH SPECTAL ... SAVE \$20.00 WORD DEE PHONE OF PER VICTARIA

to me 21 % attheward efforts thereon fills I former tartered facilitates 40 I may more extend because I because agreems for the facilitate above the content of the facilitate above the facilitate ab

Shore 24-0 042004039 sterms contain PSSE 2 Saftgetts Collettes 50 gander ejatum im romite itres esprediction Floy, at, 152 de. THE RESIDENCE OF PERSONS OF PERSONS COLUMN TO SEE THE WANTED STORING FROM











Choice 100 Watt STEREO SYSTEMS with LR-775 AM/FM Stereo Receiver



tio Marrie Count

\$2.774 the want from them they below the of the bar and the same that the same the same that the sam

the county is above smooth and 2 between Enteres (INO) (1)

I spread the two greater begins with V widow the law May terms for all the called an earliest emission instead of the Official 32's. Star Staff From Indicates Control From

LAFAYETTE HONES EFECURE SAVE \$10.00 MORES MAY PARK & PURE AND PARK

British British Ti - RESIDENCE TO BE PARTY & BARRASHING LARGERTA Distance by Long speaks, writing het outstanding sometic stone. the Salary Parks From Industrial Country Deliver.

Charge Martin Cl. E. accommend from J. Lampette Criterian St. 2 and paradian sanderna kai demokra (basabi).

THE PARTY AND SHARE COMING THESE

For Complete Department of Marke Communication See Pages 4.5-14-17

Lafayette STEREO AMPLIFIERS make valued gifts



- 50 Watts ±1 db, 40 Watts IHF Output Power
- Frequency Response: 20-20,000 Hz ±1.5 DB
- 18 Transistors, 4 Diodes, 2 Thermistors
- Main-Remote Speaker Switch
- Front Panel Stereo Headphone Jack
- Attractive Front Panel Plus Simulated Walnut Case



- 80 Watts IHF Stereo Power Fused Output Transistors
- 2 FET's, 16 Transistors, 6 Diodes, 2 Thermistors
- Main-Remote Separate/Simultaneous Speaker Switch
- Front Panel Stereo Headphone Jack
- Decorator Styling of Distinction

50 WATT SOLID STATE STEREO AMPLIFIER

LA-324

95 No Money Down* with case

99 G 02206WX

AAA 2 Year Guarantee, See Page 12 for Terms.



80 WATT COLID STATE STEREO AMPLIFIER

LA-750

No Money Down*

99 G 02149WX

AAA 2 Year Guarantee. See Page 12 for Terms.



- 110 Watts ±1 db, 85 Watts IHF Stereo Power
- 20 Transistors, 4 Diodes Fused Output Transistors
- Front and Rear Tape Output Jacks
- Main and Remote Speaker Switches
- Front Panel Stereo Headphone Jack



110 WATT SOLID STATE STEREO AMPLIFIER

LA-85TA

No Money Down*

99 G 02065WX

AAA 2 Year Guarantee, See Page 12 for Terms.



160 WATT SOLID STATE STEREO AMPLIFIER

LA-125TA

95 No Money Down*

99 G 02073WX

AAA 2 Year Guarantee. See Page 12 for Terms.

- 160 Watts ±1 db, 125 Watts IHF Output Power
- 20 Transistors, 4 Diodes
- Front Panel Microphone/Musical Instrument Jack
- Main-Remote Speaker Mode Switch
- High Gain plus Low Gain Magnetic Phono Inputs
- · High Gain plus Low Gain Tuner Inputs

See Pages 10, 15-17 Cat. 700 for Full Description of Amplifiers

Give LAFAYETTE Stereo Hi-Fi For Lasting Pleasure

SAVE up to \$46.55

From Individual Catalog Prices



LA-324

50 WATT STEREO SYSTEMS **SAVE 34.15**

From Individual Catalog Prices

No Money Down*

- Lafayette LA-324 50-Watt† Solid-State Stereo Amplifier
- Garrard Model 40B 4-Speed Auto-matic Turntable Pickering PAT/E-1 Elliptical Stereo
- Cartridge with Diamond Stylus Garrard Matching Base for Turntable 2 Lafayette Criterion 25A 2-Way Shelf Speaker Systems (Oiled Walnut)

Above stereo systems (Ulled Walnut)
Above stereo system complete with cable.
21 G 92219WXM Wt., 41 lbs. ... Net 139.95
Same system as above except with 2 Lafayette Criterion "OMNI-1" 5 speaker decorator-styled speaker systems with 360°
acoustic deflector. Wt., 83 lbs.

21 G 92284WXM Net 177.95 YOU SAVE 37.55 From Individual Catalog Prices.

CHITERION 50

BONUS SPECIALSI

21-92219WXM stereo system above PLUS 21—92219WAM stereo system above reus 2 famous Lafayette Criterion 50 2-way speak-er systems as remote speakers for your den, recreation room, bedroom, etc. 21 G 92680WAM. Wt., 97 lbs. Net 179.85 YOU SAVE 54.15 From Individual Catalog

Prices.
Stereo System 21—92284WXM above PLUS
2 Lafayette Criterion 50 2-way speaker systems. Shop, wt., 139 lbs.
21 G 92698WXM

Net 217.85

92698WXM Net 217.85 SAVE 57.55 From Individual Catalog



110 WATT STEREO SYSTEMS System Price **SAVE 40.55**

From Individual

19495 Catalog Prices No Money Oown

- Lafayette LA-85TA 110-watt† Solid State Stereo Amplifier Garrard Model 40B 4-Speed Auto-

- matic Turntable
 Garrard Matching Turntable Base
 Pickering PAT/E-1 Elliptical Stereo
 Cartridge with Oiamond Stylus.
 2 Lafayette Best-Selling Critegion 50
 2-Way Speaker Systems with 8" woofer, 4" tweeter and ducted port in handsome oiled walnut finished enclosure.

Complete stereo system above plus cable. 21 G 92482WXM Wt., 87 lbs. Net 194.95

CRITERION IN

BONUS MECHALI

Complete 110-Watt, stereo system as above PLUS 2 more famous Lafayette Criterion 50 2-way speaker systems for remote stereo. 21 G 92722WXM Wt., 143 lbs. Net 234.85 YOU SAVE 60.55 From Individual Catalog

1 db Standard used by major hi-fi audio mfrs



SAVE \$20.00 More On BONUS SPECIAL

750

Good Only to



Model 40B

Cartridge Pickering PAT/E-1



ALTERNATE SPEAKER SYSTEMS



Criterion "Omni-1"





Criterian 50



80 WATT STEREO SYSTEMS

SAVE 36.15

Only 15795

From Individual Catalog Prices

No Money Down*

System Price

- Lafayette LA-750 80-Watt (IHF) Solid State Stereo Amplifier Garrard Model 40B 4-Speed
- Automatic Turntable
- Garrard Matching Base for Turntable Pickering PAT/E-1 Elliptical Stereo Cartridge with Diamond Stylus 2 Lafayette Criterion 25A 2-Way Shelf Speaker Systems (Oiled Walnut)

Complete stereo system above with cable. 21 G 92318WXM Wt, 44 lbs. Net 157.95 Above system except with 2 Lafayette Criterion "OMMI-1" 5-speaker thin-line speaker systems with 360° acoustic deflector. 21 G 92359WXM Wt, 86 lbs. Net 195.95 YOU SAVE 39.55 From Individual Catalog Prices.

CRITERION 50

ECNUS SPECIALS

Stereo system 21-92318WXM above PLUS Stereu system 21—92318WAM above rubs 2 Lafayette Criterion 50 2-way speaker sys-tems for remote stereo in den, recreation room, bedroom, etc. 21 G 92706WXM. Wt., 100 lbs. Net 197.85 YOU SAVE 56.15 From Individual Catalog

21—92359WXM stereo system above PLUS 2 Lafayette Criterion 50 speaker systems. 21 G 92714WXM Wt., 142 lbs. Net 235,85 YOU SAVE 59.55 From Individual Catalog



160 WATT STEREO SYSTEMS System Price **SAVE 46.55**

From Individual Catalog Prices

No Money Down*


- Lafayette LA-125TA 160-Watt† Solid State Stereo Amplifier with Com-putor-Matic Protective Circuitry.

- putor-Matic Protective Circuitry.
 Garrard Model 40B 4-Speed Automatic Turntable.
 Garrard Matching Base for Turntable
 Pickering PAT/E-1 Elliptical Stereo
 Cartridge with Diamond Stylus.
 2 Lafayette Criterion 100A 2-Way
 Speaker Systems with 10" Woofer,
 4" Tweeter, Ducted Port and Brilliance Control (Oiled Walnut).

Above stereo system complete with cable. 21 G 92417WXM ... Wt., 93 lbs.... Net 248.95

160-Watt† stereo system above PLUS 2 best-selling Lafayette Criterion 50 2-way speaker systems for outstanding remote stereo. 21 G 92730WXM Wt., 149 lbs. Net 288.85 YOU SAVE 66.55 From Individual Catalog

See Pages 10, 15-17, 42-50 and 70-73 Catalog 700 for full description of components on





"Stereo 25" 20-Watt Solid-State Stereo Amplifier



No Money Down*



Model 30 case THE COMPLETE No Money Down* SYSTEM

- 20 Watts ± 1 db1 of Stereo Power at 4 or 8 Ohms
- 20-20,000 Hz ± 1 db Frequency Response
- Main/Remote Speaker Switch
- Front Panel Stereo Headphone Jack

The new Stereo 25 faithfully reproduces the full spectrum of audio sound with adequate volume and very low distortion. Solid state design assures top-notch performance. Convenient operating features include front panel rocker switches for activation of source (tuner, phono or auxiliary), selection of stereo or mono output, selection of remote or main speakers, and power on/off. A full complement of controls is supplied for best stereo effects and permits you to "tailor" the sound to suit your taste! Front panel controls include separate bass, treble, concentric volume/balance and stereo headphone jack for private listening. Stereo outputs are available for 4-16 ohm main speakers and for remote speakers in the den, dining room or patio area. Attractive, modern styling with a matte black and satin gold front panel is complemented by a handsome walnut grained vinyl clad metal enclosure. Fused AC line and separately fused speaker outputs prevent damage to output transistors. Operates on 105-120 VAC, 50/60 Hz. Size: 10¼Wx3½Hx6½"D. Imported. fRating standard used by major audio Hi-Fi mfrs.

Net 39.95

99 G 02271WX Shpg. wt., 10 lbs.

20 WATT STEREO PHONO SYSTEM with "STEREO 25"

This value-packed stereo system includes the new Lafayette "Stereo 25" 20-Watt Solid State Stereo Amplifier; Garrard Model 30 4-Speed Automatic Turntable with oversized turntable, ceramic stereo cartridge and long-life diamond stylus; Matching turntable base; and 2 Lafayette Minuette Mark II oiled-walnut 2-way bookshelf speaker systems with 5x7" wooder, 2½" tweeter and brilliance control. With speaker cable. Shpg. wt., 38 lbs. Net 99.95 21 G 92573WXM

LAFAYETTE AAA GUARANTY

LAFAYETTE HIGH FIDELITY SPEAKERS = 5 YEARS LAFAYETTE HIGH FIDELITY RECEIVERS = 2 YEARS LAFAYETTE HIGH FIDELITY TUNERS = 2 YEARS LAFAYETTE HIGH FIDELITY AMPLIFIERS = 2 YEARS

All Lafayette high fidelity components identified as covered All Lafayette high fidelity components identified as covered by Lafayette's AAA guaranty are guaranteed to be free of defects in material or workmanship from the date of sale for the time period shown above. During that period we will repair (or at our option replace) them without charge for either material or labor. Material must be returned prepaid to us for our inspection. This guaranty does not apply to items which have been subjected to misuse, abuse, alteration, repair without our authorization or used in violation of operating instructions, nor to normal wear and tear. The speaker guaranty does not cover external parts such as cabinets, grille cloth etc. Serial number must not be defaced. Guaranty is not transferrable.

OTHER GUARANTEES

All merchandise not covered either by the special guarantees on this page or by other specific guarantees in the catalog are covered by a 90 day repair or replacement guarantee (at our option) against defects in material or workmanship.

LAFAYETTE AAM GUARANTY

This guaranty covers Lafayette items so indicated in our catalog which contain several integrated sections in a single unit such as compacts and integrated entertainment centers. The time period for each section is as follows:

SPEAKERS	5	YRS.
RECEIVER OR TUNER SECTION	2	YRS.
AMPLIFIER SECTION	2	YRS.
RECORDER SECTION	3	MOS.
CHANGER SECTION	3	MOS.

The terms and conditions of this guaranty are otherwise identical to the AAA Guaranty.

SATISFACTION GUARANTEED

If for any reason you are not satisfied with your purchase, return it to us within 30 days after we ship it, in the original factory carton and we will exchange it or return your money (less transportation charges). Merchandise returned must be in good condition and not soldered or abused—no holes drilled or changes made in any other way. This policy does not apply to kits, nor to pre-recorded tape, records, books or merchandise not regularly stocked that has been ordered especially for you. especially for you.

OPEN AN EASY-PAY CREDIT ACCOUNT TODAY

EXTENDED PLAN

TAKE UP TO 2 Years To Pay

2 CREDIT PLANS

TO SUIT YOUR INDIVIDUAL NEEDS

STANDARD PLAN

> TAKE UP TO 16 Months To Pay

Pay balance in 30 days and save the entire FINANCE CHARGE.

NO MONEY DOWN

- It's easy to open a credit account. Simply fill in application on back of order blank when you send your order.
- Add-on any time you like. No money down and usually at no increase in monthly payment.

EASY PAY PAYMENT SCHEDULE

If Unpaid Balance (Amount Financed) Is Finance Is F						
Change Payment Finance Payment Payment Finance Payment Payme	\$250.01 to	\$500.00	\$500.00 STANDAL	D PLAN	EXTENDED	PLAN
From To CHARGE 1s CHARGE 1s \$490.01 \$500.00 \$64.75 \$35.00 \$98.00 \$25. 480.01 490.00 63.50 34.50 96.00 24. 470.01 480.00 62.25 33.50 94.00 23. 450.01 460.00 59.50 32.50 90.00 23. 450.01 450.00 58.25 31.50 88.00 22. 430.01 440.00 57.00 31.00 86.00 22. 420.01 430.00 55.75 30.00 84.00 21. 400.01 410.00 53.00 29.50 82.00 21. 400.01 410.00 53.00 29.00 80.00 20. 390.01 400.00 51.75 28.00 78.00 20. 380.01 390.00 50.50 27.50 76.00 19. 370.01 380.00 49.00 26.50 74.00 19. <						Monthly
\$490.01 \$500.00 \$64.75 \$35.00 \$98.00 \$25. 480.01 490.00 63.50 34.50 96.00 24. 470.01 480.00 62.25 33.50 94.00 24. 460.01 470.00 61.00 33.00 92.00 23. 450.01 460.00 59.50 32.50 90.00 23. 440.01 450.00 58.25 31.50 88.00 22. 430.01 440.00 57.00 31.00 86.00 22. 420.01 430.00 55.75 30.00 84.00 21. 410.01 420.00 54.25 29.50 82.00 21. 400.01 410.00 53.00 29.00 80.00 20. 390.01 400.00 51.75 28.00 78.00 20. 380.01 390.00 50.50 27.50 76.00 19. 370.01 380.00 49.00 26.50 74.00 19. 360.01 370.00 47.75 26.00 72.00 18. 340.01 350.00 46.50 25.00 70.00 18. 340.01 350.00 45.25 24.50 68.00 17.5 330.01 340.00 43.75 24.00 66.00 17.6						Payment
480.01 490.00 63.50 34.50 96.00 24. 470.01 480.00 62.25 33.50 94.00 24. 460.01 470.00 61.00 33.00 92.00 23. 450.01 460.00 59.50 32.50 90.00 23. 440.01 450.00 58.25 31.50 88.00 22. 430.01 440.00 57.00 31.00 86.00 22. 420.01 430.00 55.75 30.00 84.00 21. 410.01 420.00 54.25 29.50 82.00 22. 400.01 410.00 53.00 29.00 80.00 20. 380.01 390.00 51.75 28.00 78.00 20. 380.01 390.00 50.50 27.50 76.00 19. 370.01 380.00 49.00 26.50 74.00 19. 360.01 370.00 47.75 26.00 72.00 18.					_	\$25.00
470.01 480.00 62.25 33.50 94.00 24. 460.01 470.00 61.00 33.00 92.00 23. 450.01 460.00 59.50 32.50 99.00 23. 440.01 450.00 58.25 31.50 88.00 22. 430.01 440.00 57.00 31.00 86.00 22. 420.01 430.00 55.75 30.00 84.00 21. 410.01 420.00 54.25 29.50 82.00 21. 400.01 410.00 53.00 29.00 80.00 20. 380.01 390.00 50.50 27.50 76.00 19. 370.01 380.00 49.00 26.50 74.00 19. 360.01 370.00 47.75 26.00 72.00 18. 350.01 360.00 46.50 25.00 70.00 18. 340.01 350.00 45.25 24.50 68.00 17.						24.50
460.01 470.00 61.00 33.00 92.00 23. 450.01 460.00 59.50 32.50 90.00 23. 440.01 450.00 58.25 31.50 88.00 22. 430.01 440.00 57.00 31.00 86.00 22. 420.01 430.00 55.75 30.00 84.00 21. 410.01 420.00 54.25 29.50 82.00 21. 400.01 410.00 53.00 29.00 80.00 20. 390.01 400.00 51.75 28.00 78.00 20. 380.01 390.00 50.50 27.50 76.00 19. 370.01 380.00 49.00 26.50 74.00 19. 360.01 370.00 47.75 26.00 72.00 18. 350.01 360.00 46.50 25.00 70.00 18. 340.01 350.00 45.25 24.50 68.00 17.						24.00
450.01 460.00 59.50 32.50 90.00 23. 440.01 450.00 58.25 31.50 88.00 22. 430.01 440.00 57.00 31.00 86.00 22. 420.01 430.00 55.75 30.00 84.00 21. 400.01 420.00 54.25 29.50 82.00 21. 400.01 410.00 53.00 29.00 80.00 20. 390.01 400.00 51.75 28.00 78.00 20. 380.01 390.00 50.50 27.50 76.00 19. 370.01 380.00 49.00 26.50 74.00 19. 360.01 370.00 47.75 26.00 72.00 18. 350.01 360.00 46.50 25.00 70.00 18. 340.01 350.00 45.25 24.50 68.00 17. 330.01 340.00 43.75 24.00 66.00 17. <td></td> <td></td> <th></th> <td></td> <td>-</td> <td>23.50</td>					-	23.50
440.01 450.00 58.25 31.50 88.00 22. 430.01 440.00 57.00 31.00 86.00 22. 420.01 430.00 55.75 30.00 84.00 21. 410.01 420.00 54.25 29.50 82.00 21. 400.01 410.00 53.00 29.00 80.00 20. 390.01 400.00 51.75 28.00 78.00 20. 380.01 390.00 50.50 27.50 76.00 19. 370.01 380.00 49.00 26.50 74.00 19. 360.01 370.00 47.75 26.00 72.00 18. 350.01 360.00 46.50 25.00 70.00 18. 340.01 350.00 45.25 24.50 68.00 17. 330.01 340.00 43.75 24.00 66.00 17.						23.00
430.01 440.00 57.00 31.00 86.00 22.0 420.01 430.00 55.75 30.00 84.00 21.0 410.01 420.00 54.25 29.50 82.00 21.0 400.01 410.00 53.00 29.00 80.00 20.0 390.01 400.00 51.75 28.00 78.00 20.0 380.01 390.00 50.50 27.50 76.00 19.0 370.01 380.00 49.00 26.50 74.00 19.0 360.01 370.00 47.75 26.00 72.00 18.0 350.01 360.00 46.50 25.00 70.00 18.0 340.01 350.00 45.25 24.50 68.00 17.0 330.01 340.00 43.75 24.00 66.00 17.0			the wall was been a few body			22.50
420.01 430.00 55.75 30.00 84.00 21.3 410.01 420.00 54.25 29.50 82.00 21.4 400.01 410.00 53.00 29.00 88.00 20.3 390.01 400.00 51.75 28.00 78.00 20.3 380.01 390.00 50.50 27.50 76.00 19.3 370.01 380.00 49.00 26.50 74.00 19.3 360.01 370.00 47.75 26.00 72.00 18.3 350.01 360.00 46.50 25.00 70.00 18.3 340.01 350.00 45.25 24.50 68.00 17.4 330.01 340.00 43.75 24.00 66.00 17.4		-				22.00
400.01 410.00 53.00 29.00 80.00 20.0 390.01 400.00 51.75 28.00 78.00 20.0 380.01 390.00 50.50 27.50 76.00 19.0 370.01 380.00 49.00 26.50 74.00 19.0 360.01 370.00 47.75 26.00 72.00 18.0 350.01 360.00 46.50 25.00 70.00 18.0 340.01 350.00 45.25 24.50 68.00 17.0 330.01 340.00 43.75 24.00 66.00 17.0					-	21.50
390.01 400.00 51.75 28.00 78.00 20.0 380.01 390.00 50.50 27.50 76.00 19. 370.01 380.00 49.00 26.50 74.00 19. 360.01 370.00 47.75 26.00 72.00 18. 350.01 360.00 46.50 25.00 70.00 18. 340.01 350.00 45.25 24.50 68.00 17. 330.01 340.00 43.75 24.00 66.00 17.	-				-	21.00
380.01 390.00 50.50 27.50 76.00 19. 370.01 380.00 49.00 26.50 74.00 19. 360.01 370.00 47.75 26.00 72.00 18. 350.01 360.00 46.50 25.00 70.00 18. 340.01 350.00 45.25 24.50 68.00 17. 330.01 340.00 43.75 24.00 66.00 17.	400.01	410.00	410.00 53.00	29.00	80.00	20.50
370.01 380.00 49.00 26.50 74.00 19.0 360.01 370.00 47.75 26.00 72.00 18.0 350.01 360.00 46.50 25.00 70.00 18.0 340.01 350.00 45.25 24.50 68.00 17.0 330.01 340.00 43.75 24.00 66.00 17.0	390.01	400.00	400.00 51.75	28.00	78.00	20.00
360.01 370.00 47.75 26.00 72.00 18. 350.01 360.00 46.50 25.00 70.00 18. 340.01 350.00 45.25 24.50 68.00 17. 330.01 340.00 43.75 24.00 66.00 17.	380.01	390.00	390.00 50.50	27.50	76.00	19.50
350.01 360.00 46.50 25.00 70.00 18.0 340.01 350.00 45.25 24.50 68.00 17.0 330.01 340.00 43.75 24.00 66.00 17.0	370.01	380.00	380.00 49.00	26.50	74.00	19.00
340.01 350.00 45.25 24.50 68.00 17.5 330.01 340.00 43.75 24.00 66.00 17.6	360.01	370.00	370.00 47.75	26.00	72.00	18.50
330.01 340.00 43.75 24.00 66.00 17.0	350.01	360.00	360.00 46.50	25.00	70.00	18.00
The state of the s	340.01	350.00	350.00 45.25	24.50	68.00	17.50
	330.01	340.00	340.00 43.75	24.00	66.00	17.00
320.01 330.00 42.50 23.00 64.00 16.5	320.01	330.00	330.00 42.50	23.00	64.00	16.50
310.01 320.00 41.25 22.50 62.00 16.0	310.01	320.00	320.00 41.25	22.50	62.00	16.00
	-		the second of the second or the second		. —	15.50
The second secon		-	The second second	-		14.50
					-	14.00
						13.50
				_	_	13.00
250.01 260.00 33.25 18.00 50.00 12.5	250.01	260.00	260.00 33.25	18.00	50.00	12.50

\$100.01 to	\$250.00	STANDARD	PLAN	EXTENDED	PLAN
If Unpaid (Amount Fi From		Add for FINANCE CHARGE	Monthly Payment Is	Add for FINANCE CHARGE	Monthly Payment Is
\$240.01	\$250.00	\$32.00	\$17.50	\$48.00	\$12.00
230.01	240.00	30.50	17.00	46.00	11.50
220.01	230.00	29.25	16.00	44.00	11.00
210.01	220.00	28.00	15.50	42.00	10.50
200.01	210.00	26.50	15.00	40.00	10.00
195.01	200.00	25.75	14.50	39.00	9.75
190.01	195.00	25.25	14.00	38.00	9.50
185.01	190.00	24.50	13.75	37.00	9.25
180.01	185.00	23.75	13.50	36.00	9.00
175.01	180.00	23.25	13 00	35.00	8.75
170.01	175.00	22.50	12.50	34.00	8.50
165.01	170,00	22.00	12.00	33.00	8.25
160.01	165.00	21.25	11.50	32.00	8.00
155.01	160.00	20.50	11.00	31.00	7.75
150.01	155.00	20.00	10.75	30.00	7.50
145.01	150.00	19.25	10.50	29.00	7.25
140.01	145.00	18.50	10.50	28.00	7.00
135.01	140.00	16.75	10.50	27.00	6.75
130.01	135.00	16.25	10.25	26.00	6.50
125.01	130.00	14.50	10.25	24.00	6.50
120.01	125.00	14.00	10.00	23.00	6.25
115.01	120.00	12.50	10.00	21.00	6.25
110.01	115.00	12.00	10.00	20.00	6.00
105.01	110.00	10.50	10.00	18.35	6.00
100.01	105.00	9.25	10.00	17.50	5.75

The ANNUAL PERCENTAGE RATE of each FINANCE CHARGE set forth in the above tables is 17.75%. The number of payments will be the Total of Payments (Amount Financed plus the FINANCE CHARGE) divided by the amount of one monthly payment.

\$50.01 to	\$100.00	ST	ANDARD F	PLAN	(E)	TENDED	PLAN
If Unpaid (Amount Fi From	Balance nanced) Is To	Add for FINANCE CHARGE	Monthly Payment Is	ANNUAL PERCENTAGE RATE	Add for FINANCE CHARGE	Monthly Payment Is	ANNUAL PERCENTAGE RATE
\$95.01	\$100.00	\$9.25	\$10.00	18.50%	\$15.65	\$5.50	17.50%
90.01	95.00	9.25	9.75	19.50	14.85	5.50	17.50
85.01	90.00	9.25	9.50	22.50	13.45	5.25	17.75
80.01	85.00	9.25	9.25	23.75	12.00	5.25	17.75
75.01	80.00	9.00	9.00	24.50	10.70	5.00	17.75
70.01	75.00	8.40	8.00	24.50	10.00	5.00	18.75
65.01	70.00	7.80	7.50	24.50	10.00	5.00	21.25
60.01	65.00	7.20	7.00	24.50	10.00	5.00	24.50
55.01	60.00	6.65	6.50	24.50	8.55	5.00	24.50
50.01	55.00	6.10	6.00	24.50	7.25	5.00	24.50

I	Up to \$	50.0D	STANDAR	D PLAN
I	If Unpaid (Amount Fi From		Add for FINANCE CHARGE	Monthly Payment Is
I	\$40.01	\$50.00	\$5.00	\$5.00
ľ	30.01	40.00	4.00	5.00
Į	20.01	30.00	3.00	5.00
I	10.00	20.00	2.00	5.00

OVER \$500.00. Please write for terms for amounts to be financed over \$500.00.

Number of payments will be Total of Payments (Amount Financed plus the FINANCE CHARGE) divided by the amount of one monthly payment.

LAFAYETTE Criterion Bookshelf Speaker Systems

NEW! Criterion "VI" 50 Watt 6-Speaker 4-Way System



- Enclosure Uses "Sonic Tube" for Deep, Reinforced Bass 12" Woofer with 41/2 lb. Magnet Structure and Large 2"
- Here's a bookshelf system with the big, multi-dimensional sound that only multiple speakers can produce . . and at an unbeatable price too! Every musical instrument is reproduced with brilliant realism because there are 6 speakers covering four portions of the entire audio spectrum. There's a big 12" speaker for the lows, a 5" unit for the midrange, two 3" tweeters for the highs and two 1½" super-tweeters for the ultra high frequencies. The enclosure is also equipped with a tuned "sonic tube" that makes use of the acoustic output from the rear of the woofer to produce deep, reinforced bass for which this type of system is famous. And best of all, this system is efficient enough for use even with low powered stereo components actually make them sound better too! Yet, because it can handle up to 50 watts of power, you can also use this system safely with high powered components, either now or in the future. Includes continuously variable midrange and high frequency level controls and polarized terminals. Enclosure is

11/2" Aluminum Rigid, Fiberglass-Filled Enclosure of 34" Wood 3" Cone Cone Super Tweeter Construction Tweeter 5" Midrange Speaker in a Sealed Sub-Enclosure Individual Midrange and High Frequency Level Controls Tuned "Sonic Tube" for Reinforced Bass 12" Woofer with 2" Voice Coil and 41/2 lb. Magnet Structure 3" Cone Tweeter

- 5" Midrange Speaker Housed in a Sealed Fiberglass-Filled Sub-Enclosure
- Frequency Response: 20-20,000 Hz
- Fine Furniture in Rich, Hand-Rubbed Oiled Walnut on 4

Sides
of 34" construction and is fiberglass filled. Tastefully styled with a fine furniture finish of oiled walnut on four sides for vertical or horizontal placement either on a shelf or floor standing. Snapout front panel with subdued dark brown tweed grille cloth that blends unobtrusively with any decor. SPECIFICATIONS: Overall Response: 20-20,000 Hz. Power Handling Capacity: Up to 50 Watts. Impediance; 8 ohms. Crossover Frequencies: 800 and 5,000 Hz (6 db/octave LC network), 12,000 Hz (mechanical). Controls: Continuously Variable Midrange and High frequency. Enclosure: Ducted-Port System using Tuned "Sonic Tube". Speaker Components: 12" Bass Speaker (20-800 Hz), 5" midrange (800-5,000 Hz), two 3" High Frequency Units (12,000-20,000 Hz). Wo 142" Super High Frequency Units (12,000-20,000 Hz). Dimensions: 24x144/2x12"D. Imported. Shpg. wt., 45 lbs.

99 G 02263WX No Money Down*

Criterion "25A" 2-Speaker 2-Way Air Suspension 8" System



1 Y. AAA Guarantee



- 25 Watts Power Handling Capacity
- 8" Woofer, 21/2 Tweeter
- Frequency Response: 55-19,500 Hz.
- Rich, Hand Rubbed Oiled Walnut Finish

FULL SIZE PERFORMANCE . . . achieves a purity of sound and music quality that is astounding for a speaker system measuring only 123kx10½x7"D. Perfect for use anywhere in your home or office. System consists of a powerful 8" woofer which provides smooth bass sound reproduction down to 55 Hz, and a 2½" cone tweeter that gives you sparkling clean high frequency response. Built-in 8,000 Hz. electrical crossover network. Power handling capacity of 25 watts makes it compatible for use with most amplifiers and receivers. Interior of cabinet is designed to damp out standing waves and other spurious vibrations. Voice Coil Impedance: 8 ohms. Woofer: 8" high compliance with 32.6 oz. magnet structure; rolled edge suspension. Tweeter: 2½" cone type with 2.4 oz. magnet structure. Imported. Spg. wt., 9 ibs.

Set of 2 for Stereo SAVE 1.40 No Money Down*

Net 19.95 Net 38.50

Criterion "50" - Our Best-Selling **Bookshelf Speaker System**




5 Yr. AAA Guarantee See page 12

- 30-Watts Power Handling Capacity 8" Woofer Plus 4" Tweeter
- Frequency Response: 35-18,000 Hz
 - Highly Efficient-Perfect for Low Power Amplifiers

A true 2-way bookshelf-type speaker system that offers impressive hi-fi sound, yet measures only 19Wx856Dx1034"H. Contains two separate speakers—you get an 8-inch woofer with a 32.6 oz. magnet structure and a 4-inch tweeter with a 3.7 oz. magnet structure structure and inchesial structure to provide realistic wide-range reproduction. An acoustically "tuned" enclosure, fully lined, assures smooth, resonant-free sound output with extended bass response. The enclosure is finished on all four sides in a rich, hand-rubbed oiled wahnut veneer and tastefully framed in an ebony and gold picture frame molding with white and gold acoustic grill material. Truly, an outstanding buy at this low price. Designed for vertical or horizontal placement. Overall response: 35-18,000 Hz. 3000 Hz electrical crossover. Nominal impedance: 8 ohms. Imported. Shpg. wt., 28 lbs.

LAFAYETTE Criterion® Acoustic Suspension Speaker Systems

Deluxe Criterion "5XA" 75 Watt 12 Inch 3-Way System



5 Yr. AAA Guarantee, See Page 12.

- Lafayette's Finest Bookshelf Speaker System
- 12" Woofer Features Special Ribbon Type Copper Voice Coil Edgewound on Aluminum Form
- 12" Woofer has 6 lb. 2 oz. Magnet Structure

• 12" Woofer has 6 lb. 2 oz. Magnet Structure

Now, Lafayette brings you our all deluxe Criterion SXA . . . a 3-way bookshelf speaker system that provides a higher level of musical performance than any bookshelf system we have produced before. It provides astonishing range and clarity, with a deep, soild bass reponse that makes a stunning impact on the listener. Employing the acoustic suspension principle, the 5XA uses three outstanding speakers to cover the full spectrum of sound. Each was carefully designed for optimum response. The 12-inch acoustic suspension woofer with 6 lb. 2 oz. magnet structure has an exceptionally compliant, long-throw suspension. Its uniquely constructed voice coil consists of heavy ribbon-shaped copper wire edge-wound on an aluminum form. Remarkably low bass response—undistorted even at high power levels. An acoustically isolated 6½-inch midrange

12" Heavy-Duty Acoustic Suspension Woofer With Fully Air Tight 3/4" Enclosure, Internally Braced and 6 lb. 2 oz. Magnet Structure. 4" Super Acous-Tweeter tically With

Individual Level Controls for Precise Midrange Tweeter Adjustments

Isolated

Speaker

Midrange

Aluminum

Decorator Styled for Vertical or Horizontal Placement: Oiled Walnut Finish on All 4 Sides

officed Walliut Fillish on All 4 Sides


speaker with 12 oz. magnet structure provides flawless reproduction
—free of annoying peaks, yet adding true "presence" to the system.

Extending response to beyond audibility is a 4-inch super tweeter
with a specially designed aluminum cone for brilliant reproduction
of the high frequencies to 25,000 Hz and without any shrillness to
mar listening enjoyment. Low loss 12 db/octave LC network. Crossover frequencies: midrange at 800 Hz, treble at 4500 Hz. Separate,
continuously variable mid and treble range controls provide full
adjustment of the system to suit the acoustics of your listening
area. The 34" enclosure has a fine furniture finish in oiled walnut
on all four sides. Impedance: 8 ohms. Size: 23% x 143% x 1136"D.
Shgg. wt., 47 lbs.
99 G 02180WX No Money Down*

Criterion "150" 2 Speaker 2-Way System



Guarantee See Page 12



- Power Handling Capacity: 40 Watts
 Overall Response: 20-20,000 Hz
- 10" Woofer Has Ribbon Type Copper Wire Edge-Wound Voice Coil on an Aluminum Form
 High Frequency Brilliance Control

High rrequency Brilliance Control

High quality, excellent performance, and handsome decorator styling kynote the exciting Lafayette "Criterion 150" Speaker System. It utilizes the famous acoustic suspension design principle to develop extended bass with velvet smooth high frequency response in a cabinet of compact proportions. The system's main working element is a special 10" high compliance woofer with a 2 lb. 2 oz. magnet structure for powerful deep bass response down to 20 Hz. 3½ inch tweeter extends high frequency response to beyond audibility for thrilling clarity and wide angle dispersion. Built-in (LC) Electrical Crossover Network is adjusted for 2000 Hz. Features High Frequency brilliance control on rear of cabinet. Impedance: 8-ohms. Luxurious oiled walnut veneer enclosure with gold frame molding and beigg grille. Shelf size: 19W x 11H x 9"D. Imported.

99 G01810WX Shpg. wt. 37 lbs. No Money Down* Net 49.95

Criterion "3X" 12 Inch 3-Way System



Guarantee See Page 12



- Power Handling Capacity: 60 Watts
- 12" Woofer with 6 lb. 2 oz. Magnet Structure and Heavy Ribbon Shaped Copper Wire Edge-Wound Voice Coil on an Aluminum Form
- Overall Response: 20-25,000 Hz
- Separate Midrange and High Frequency Controls

• Separate Midrange and High Frequency Controls

This brilliant performing 3-way speaker system gives you the deep, powerful bass that is so necessary to proper musical enjoyment. Heart of the system is a special 12" high compliance woofer with a 6 lb. 2 oz. magnet structure. Midrange frequencies are flawlessly reproduced by a 6½" cone driver with a 12 oz. magnet structure. A 3" metallic, dome-type tweeter with a 10.6 oz. magnet structure extends high frequency response to beyond audibility to provide brilliant, peak-free reproduction of the highs. Electrical LC network ensures smooth crossovers at 1200 and 6000 Hz between speaker units. Fully air-tight enclosure is solld ¾" construction and finished on all four sides in rich, hand-rubbed oiled walnut veneer. Impedance: 8 ohms. Size: 23x13½x11¾"D. Imported Shpg. vt., 32 lbs. 99 G 01760WX No Money Down Net 89.95

New! LAFAYETTE CRITERION° "80" 100 Watt 6-Speaker 4-way Acoustic Suspension Consolette Speaker System

The Finest Reproducer of Sound Offered by LAFAYETTE for the Home


No Money Down*

5 YR. AAA GUARANTEE SEE PAGE 12

- Overall Response 18-25,000 Hz.
- 12" Acoustic Suspension Woofer with over 6-lb. Magnet Structure and Edge-Wound Ribbon-Type Copper Voice Coil on an Aluminum Form
- 61/2" Acoustically Isolated Midrange Speaker with 12-oz. Magnet Structure.
- Four Tweeters Two 3" Tweeters and Two 11/2" Super Tweeters
- Separate Midrange and High Frequency Level Controls.
 Enclosure in Rich, Hand-rubbed Oiled Walnut Finish.

Enclosure in Rich, Hand-rubbed Oiled Walnut Finish.

A no-compromise 6-speaker system created for just one purpose—the authentic reproduction of a massive symphony orchestra. Brings the spectacular realism of a living peformance right into your home. This major accomplishment was achieved by careful selection and design of speaker units and enclosure. A 12" acoustic suspension woofer in a large air-tight enclosure over 3½ cubic feet in overall size results in remarkably powerful, solid bass. Added to this is an acoustically isolated 6½" midrange speaker that offers natural "presence" without exaggerated midrange peaks. Four tweeters spread across the front in a calculated configuration ensure a wide dispersion of the highs and reduce high frequency "beaming." Two of these are 3" units covering the 4,500 to 12,000 Hz range, and two are ultra-high frequency 1½" aluminum cone units that extend response to well beyond audibility. Crossover frequencies: electrical at 800 and 4500 Hz, mechanical at 12,000 Hz. Handsome enclosure is finished in a rich, hand-rubbed oiled walnut with dark brown tweed grille cloth. Impedance 8 ohms. Dimensions: 30"H x 18"W x 12"D. Imported, Shpg. wt., 66 lbs.



Revolutionary LAFAYETTE "Poly-Planar" Speakers

12" SPEAKER

5" SPEAKER

SIDE VIEW



Replaces Cone Speakers in Any Application

Lafayette "Poly-Planar" wafer-type component loudspeakers employ a lightweight acoustic panel supported by a frame of polystyrene plastic material to reproduce a range of frequencies from 40 Hz to 20,000 Hz. This material also permits the speakers to be made impervious to extremes of temperature, humidity, shock and vibration.

and vibration.

12" LAFAYETTE POLY-PLANAR WIDE RANGE SPEAKER—Unique physical and audio characteristics permit a wide range of uses: Hi-Fidelity speaker systems, phono, public address, architectural application (Build Poly-Planars into walls, closet doors, ceilings) Use it as it is or cover it, baffle it, enclose it Specifications: Power Capacity 20 watts Peak; Frequency Range, 40-20,000 Hz; Voice Coil diameter, 1"; Magnet weight, 4.8 oz: Imp. 8 ohms; Size: 178 Datis Hx113 Mr. 21 G 56016 Shpg. wt., 2 lbs.

Net 10.95

Source Transport of the Control of t

The Amazing LAFAYETTE Sound Reproducer

Compact Enough To Be Used Acywhere

On y

Turns Walls. Doors, Ceilings, Windows, Furniture, etc. Into a Speake

For Stereo or As Extra Speaker Throughout Your Home or Office

New, startling development for providing sound almost anywhere. Cone ass reproducer attaches to wall, doors, ceilings, or most any object. Transforms the whole surface into a sounding board for beau Iful "sound reproduction". Easily connects to speaker leads of any radio, phono, tame player, amplifier, receiver or other sound equipment. Perfect for use in background music or PA systems. For 4, 8, or 16 dam solid-state or tube equipment. Can be used in a car. Suilt-in magnet for attaching to metal objects and screw for attaching to wood, plastic, etc. Size 2" dia. x 1½"H. Shpg. wt., 1 lb. Net 7.95

Quality Stereo Headphones for Private Listening

LAFAYETTE Model SP55 Stereophonic Headphones

- Frequency Response 30-15,000 Hz
- Air-Cushioned Headband
- Soft Foam Rubber Ear Cushions for Maximum Comfort and Bass

Two 2½ " Wide Range Transducers

• IWO 2½. Wide Range Transducers Improved version of our widely acclaimed F-767 series stereo headphone. Provides outstanding full-fidelity private stereo listening. Extremely comfortable headband is covered with an air-filled vinyl bag which serves as a gentle cushion. Soft foam rubber ear pads keep out external noise and provide maximum bass response. Sensitivity is very high—a signal power of 1 to 2mw will produce adequate listening volume. Two sepecially designed full range 2½ transducers are precisely matched to each ear cup. Compelete with attached stereo phone plug, overload cylindrical junction box for connection of the headphones to equipment which does not have stereo phone jacks, 5 ft. cord, and instructions. Frequency Response: 30-15,000 Hz. Impedance: 8 ohms per phone. Imported. Shpg. wt., 2½ lbs. 2½ lbs. 99 G 01935

LAFAYETTE Model 8X Stereo Headphones

- Soft Rubber Cushion Earcups
- . With 5 ft. Coiled Cord

Frequency Response: 35-15,000 Hz

The moment you put this headset on you will be enveloped in breathtaking full-dimensional stereo sound with the best "seat" in the house. Wonderfully comfortable too. Soft rubber cushion earcups block out most external noise. Lightweight vinyl covered headband adjusts to fit easily...lets you listen comfortably to your favorite programs hour after hour without fatigue. The big 2" transducers in each earcup bring to your ears smooth, full fidelity sound and complete stereo separation. The headset weighs only 11 oz. Frequency response: 35 to 15,000 Hz. Output: 100 mw. Matches 8 or 16-ohm impedance. Supplied complete with 5-ft, coiled cord and standard 1/4" phone plug, imported. Shpg. wt., 11/4 lbs.

BEST

Accessories for LAFAYETTE Stereo Headphones

Astereo Headphone Remote Control Box For connecting 1 or 2



disconnecting speakers. Separate volume controls are provided for each headset. Speaker muting switch permits using stereo head-phones and speakers together, or stereo phonos only. Impedance: 4-16 ohms. 434W x 136H x 134"D. Imported. Shpg. wt., 134 lbs. 99 G 00366


18 25 Ft. Universal Stereo Headphone Extension Cord Listen to stereo through your favorite stereo headphone anywhere in the room, ideal for use with Lafayette, and many other headsets. 3-conductor cable. With a 1/4" 3-circuit plug on one end, a 3-circuit jack on the other end. Imported. Shpg. wt., 1 lb. 99 G 01166

LAFAYETTE Criterion® "Omni-1" 5-Speaker Thin-Line System With Acoustic Deflector for 360° Radiation

- Power Handling Capacity 30 Watts
- 8" High-Compliance Woofer
- Four 3½" Tweeters

e FOUR 3½2" I Weeters
Deluxe omni-directional 5-speaker system
in a convenient thin-line configuration. A
new concept features a horizontal line
source of four 3½2" diameter tweeters
mounted with a textured acoustic deflector
to give 360° radiation and a listening illusion that is free, open and expansive. As
sound is radiated from both, front and back,
the Omni-1 is perfect for use as part of a
room divider—or it may be situated close to the OmnI-1 is perfect for use as part of a room divider—or it may be situated close to a wall. The ultra-slim enclosure is only 5½" deep, and is finished in a rich, hand rubbed oiled walnut veneer. A luxurious brown/black decorator grille cloth covers the front, back and top surfaces. The extended bass is produced by a high compliance 8" diameter woofer with a four layer voice coil and ultra low free air resonance, Dimensions: 22" high x 17¾" wide x 5½" deep, Frequency Response: 40 Hz to 18,000 Hz. Power Handling Capacity: 30 watts program material. Nominal Impedance: 8 ohms, Shpg. wt., 30 lbs,

21 G 01624WX No Money Down*





See Page 12

17

Quality LAFAYETTE and Garrard Automatic Turntables LAFAYETTE Model 200 4-Speed Deluxe LAFAYETTE Model 400

Automatic Stereo Turntables



4-Speed Automatic Stereo Turntable



Made in U.S.A. Heavy 10" Turntable Platter Plays 16%, 33%, 45, 78 RPM

Quality 4-speed automatic changer providing outstanding performance at a low, low price. Heavy duty 10" turntable platter delivers no noticeable hum, rumble, or wow. Plays 16½, 33½, 45, 78 RPM records automatically or manually. An extra added feature is a 7", 10" or 12" record selector knob. Manual intermix of up to seven 7", 10", or 12" records of the same speed. Automatic shut-off after last record has been played. Balanced featherweight tone arm is equipped with a turnover stereo cartridge with dual synthetic sapphire stylus. Dimensions: 13½ x 12", 45% above, 2½% below mounting surface. For 117 VAC 60 Hz. Brown with gold trim. Shpg. wt., 10 lbs.

ACCESSORIES FOR MODEL 200

21 G 02010W Oiled Walnut Recessed Base. Shpg. wt., 2 lbs. Net 4.50 24 G 09043W Tinted Plastic Dust Cover. Shpg. wt., 1 lb. Net 3.95 21 G 02028 45 RPM Spindle. Shpg. wt., 6 oz. Net .99

Heavy 11" Turntable

95 WAS 29.95

1969 Cat. 694

Balanced 4 Pole Motor

Features a professional type tubular arm with adjustable counterweight. Elegantly styled with gold plated overarm. Plays 1643, 3343, 45, and 78 RPM records, both stereo and monaural, either automatically or manually. Spindle prevents double record drops. Changer automatically turns off after last record has been played. Automatically intermixes up to seven 10" and 12" records of the same speed. Arm comes equipped with turnover stereo cartridge with .7 mil diamond stylus for LP records, and 3 mil synthetic sapphire for 78 RPM records. Dim.: 1396"x12". 2½" below and 5½" above mounting surface. For 117 VAC 60 Hz. Beautiful brown and gold trim. Shpg. wt., 12 lbs. 12 lbs. 21 G 01558W

ACCESSORIES FOR MODEL 400

21 G 02036W Oiled Walnut Recessed Base. Shpg. wt., 2 lbs. Net 4.50 24 G 09043W Tinted Plastic Dust Cover. Shpg. wt., 1 lb. Net 3.95 21 G 01053 45 RPM Spindle. Wt., 6 oz. Net 1.65

Garrard Model 40B 4-Speed Automatic Stereo Turntable Only 1¢ More

> 24.95 Pickering PAT/E-1

\$5 More

Pickering V15/ACE-3

Cartridge and Base

With **Elliptical Cartridge**

Elliptical Cartridge

Plays 16%, 331/3, 45 and 78 RPM records. Full viscous damped, single lever cueing. Low mass tubular aluminum tone arm with fixed, isolated counterweight. Easy to adjust stylus pressure control with visible scale. Two interchangeable spindles. Oversize turntable with handsome safety mat. Size: 14% W x 12½"1. Requires 4% "above and 3" below motor board. With all connecting cables. Less base. For 110-130 VAC, 60 Hz. Imported. Shpg. wt., 10 lbs

21 G 40499W Model 40B only

Model 40B and Pickering PAT/E-1 Ellip, Cartridge 21 G 40556WM

21 G 40556WM Model 40B and Pickering V15/ACE-3 Ellip, Cartridge Net 49.50 21 G 40580WM

Garrard Model 30 4-Speed Automatic Stereo Turntable

With Diamond Needle Ceramic Cartridge. Less Base Automatic Intermix Operation

Ideal for Low Priced Hi-Fi Systems

Designed especially for use in low priced hi-fi systems and replacement in consoles and phonographs. Features oversized, weighted turntable, one piece cast aluminum tone arm, ultra compact size. Plays 1624, 331/5, 45 and 78 RPM records. Intermix automatic operation when desired. Two spindles—short for manual, center drop for automatic play. With ceramic cartridge, diamond stylus. All connecting cables. Dim.: 141/4, x 1234", above motor board 434", below 214". For 110-130 VAC, 60 Hz. Less base. Imported. Shpg. wt., 10 lbs.

21 G 37925W No Money Down

Garrard Synchro-Lab Automatic Turntables



Your Choice of Elliptical Stereo Cartridge

For As Low As



with the Purchase of a Garrard Automatic Turntable

From Individual Catalog Prices



MODEL SESSE ASPERD STERED AUTOMATIC TURNS.

Plays 1623, 331/3, 45, and 78 RPM Records. Light weight, tubular aluminum tonearm with fixed-position damped counterweight and slide-in cartridge clip. Built in stylus force adjustment and optical scale. Viscous damped, single-lever cueing. Fully adjustable antiskating. Oversized turntable with all connecting cables. For 110-130V 60 Hz. AC. Size: 1438/WX121/2/1; above motor board 456%, below 27/a". Imported. Wt., 12 lbs. less base.

21 G 40481WX No Money Down* BEG ENTOMATIC TURBIAL

Plays 4 Speeds: 162/3, 334/3, 45, and 78 RPM. Features: Synchro-Lab Motor, and low-mass tubular aluminum tonearm dynamically balanced with adjustable counterweight, adjustable anti-skating control, viscous damped single lever cueing. Precision stylus pressure gauge with optical scale. Automatic and manual spindles. Connecting cables. For 110-13V, 60 Hz. AC. Size: 15"Wx134/6"L; above motor board 43/4", below 3". Imported. Wt., 12 lbs. less base.

21 G 40473WX No Money Down*

Plays 33½, 45 and 78 RPM Records. Viscous damped setdown of tone arm in automatic play. Adjustable anti-skating controls. Calibrated stylus pressure gauge with visible scale. Fingertip tab-controls. All connecting cables. Size: 15%,x14%, "L; above motor board 43%", below 21%,". Imported 21 G 40465WX Shpg. wt., 13 lbs.

SATIS TRANSCRIPTION Plays 3343, 45, and 78 RPM Records. Features dynamically balanced, low mass aluminum tonearm; fully adjustable counterweight; patented, anti-skating control. Record safety platform. Viscous damped single control cueing/pausing. Automatic and rotating manual spindle. All connecting cables. For 110-130V 60 Hz AC. Size: 15% W x 14%", above motor board 4%", below 21%.". Imported. Wt. 13 lbs. less base.

less base. 21 G 40457WX No Money Down*

Garrard's finest 3-speed automatic stereo turntable. Plays 33½, 45, and 78 RPM records. Advanced, ultra-low mass, one-plece tonearm of lightweight aluminum with Afrormosia wood insert is gyroscopically gimballed mounted. Features viscous damped setdown in automatic play. With all connecting cables. For 110-130 VAC, 60 Hz. Oim: 15½, Wx1456Lx436" above motor board and 3" below. Imported. Shgz. wt., 13 lbs. (less base).
21 G 40440WX No Money Oown* Net 129.50

Net 59.51 Net 59.51 Net 64.50 21 G 40606WXM SL55B and Pick, V15/ACE-3 Ellip, Cart. 21 G 40614WXM SL55B and Shure M55E Ellip, Cart. 21 G 40622WXM SL55B and Pick, V15/ATE-3 Ellip, Cart. Net 64.50 21 G 40630WXM SL55B and Empire 888E Ellip. Cart. 21 G 40648WXM SL65B plus Pick. V15/ACE-3 Ellip. Cart. 21 G 40655WXM SL65B plus Shure M55E Ellip. Cart. 21 G 40663WXM SL65B plus Pick. V15/ATE-3 Ellip. Cart. 21 G 40671WXM SL65B plus Empire 888E Ellip. Cart. Net 79.51 Net 79.51 Net 84.50 Net 89.51 21 G 40689WXM SL72B plus Pick, V15/ATE-3 Ellip, Cart, 21 G 40697WXM SL72B plus Empire Ellip, Cart, 21 G 40705WXM SL72B plus Pick, XV15/400E Ellip, Cart, Net 89.51 Net 94.50 Net 94.50 21 G 40713WXM SL72B plus Empire 888TE Ellip. Cart. 21 G 40721WXM SL75B plus Pick. V15/ATE-3 Ellip. Cart. 21 G 40739WXM SL75B plus Empire 888E Ellip. Cart. 21 G 4074WXM SL75B plus Pick. XV15/400E Ellip. Cart. 21 G 40754WXM SL75B plus Pick. XV15/400E Ellip. Cart. 21 G 40754 Net 109.51 Net 109.51 Net 114.50 Net 114.50 21 G 40762WXM SL95B plus Pick. V15/ATE-3 Ellip. Cart. Net 129.51 21 G 40770WXM SL95B plus Empire 888E Ellip. Cart. Net 129.51 21 G 40788WXM SL95B plus Pick. XV15/400E Ellip. Cart. Net 134.50 21 G 40796WXM SL95B plus Empire 888TE Ellip. Cart. Net 134.50

Accessories for Garrard Turntables

Stock No.	Description	For	Shpg. wt.	Net ea.
21 G 40226W	Base	SL65B, 55B, 40B, 30	2 lbs.	5.50
21 G 40234W	Base	SL95B, 75B, 72B	2 lbs.	6.50
21 G 40267W	Oust Cover	SL65B, 55B, 40B, 30	3 lbs.	5.50
21 G 40275W	Oust Cover	SL95B, 75B, 72B	3 lbs.	6.50
21 G 40531	45 Spindle	SL65B, 55B, 40B, 30	6 Oz.	1.95
21 G 37974	45 Spindle	SL95B, 75B, 72B	6 Oz.	3.80

See Page 73 of our Annual Catalog for Complete Listing of All Garrard Turntables and Accessories

NEW LOW PRICES on Quality Pickering Stereo Cartridges

Pickering V-15/AC-2 Diamond Needle Stereo Cartridge

Only 7 95

Micro-magnetic cartridge with exclusive Pickering "Floating Stylus". Response: 21 G 53617L Shpg. wt., 3 oz.



Pickering V-15/ATE-2 ELLIPTICAL Diamond Needle Stereo Cartridge

Deluxe cartridge with bi-radial .009 x .004 elliptical stylus. Response: 20-21 G 53625L Shpg. wt., 3 oz. Net 11.95



LAFAYETTE'S FINEST PORTABLE PHONOGRAPHS

DELUXE MODEL T33C SOLID STATE 4-SPEED AUTOMATIC STEREO PHONOGRAPH



Made in U.S.A.

Only **QQ**95



Diamond Needle

No Money Down⁴

- Garrard 4-Speed Automatic Intermix Changer with Diamond LP Needle 10 Watt Solid State Stereo Amplifier with 8 Transistors, 2 Diodes, and 2 Silicon Rectifiers
- A Speakers: Two 8" Heavy Duty Woofers Two 31/2" Tweeters Provide Dazzling Tone
 Detachable Speaker Enclosure for True Stereo Separation
 Stereo Headphone Jack plus 4 Controls: Loudness, Balance, Bass, Treble

Deluxe, solid state self-contained 4-speed automatic stereo phonograph in stylish "Swing-Down" design. Equipped with detachable speaker enclosures with built-in, 6' extension Down" design. Equipped with detachable speaker enclosures with built-in, 6' extension cords for wall-to-wall full dimensional sound realism. Each enclosure contains a heavy-duty 8" woofer and a 3½" tweeter for magnificent hi-fi sound reproduction. Powerful 10 watt solid state stereo amplifier has 12 semiconductor devices; features a stereo head-phone jack for private listening plus 4 controls: Loudness, Balance, Bass, Treble, Quality Garrard 1000 4-speed automatic record changer plays all record sizes and speeds—7", 10" and 12" records at 16¾, 33¼, 45 and 78 RPM. Intermixes all size records of the same speed. Changer automatically shuts off after last record has been played and is equipped with a stereo turnover cartridge with diamond LP needle. Decorator designed wood cabinet is covered with simulated walnut and black washable vinyl material. Size: 21¼x1 ½¼, For 11-120 VAC 60 Hz. Shpg. wt., 32 lbs.

Net 99.95

Net 1.99 Net 3.80 24 G 02543 Replacement Needle for T33C 24 G 02170 45 RPM Spindle for T33C

DECORATOR STYLED MODEL TOO SOLID STATE 4-SPEED AUTOMATIC STEREO PHONOGRAPH



Made in U.S.A. Only 6495

No Money Down* Diamond Needle

BSR 4-Speed Automatic "Mini" Stereo Record Changer Each Detachable Enclosure Contains a Wide Range High Compliance 4" Air Suspension Speaker

Built-in Stereo Headphone Jack with Private Listening

Switch on Front Panel Solid State Stereo Amplifier with 6 Silicon Transistors and 3 Diodes

Ultra Modern Cabinet Designed with Curved Top and Bottom

Take this handsome stereo phonograph with you as often as you like, anywhere you like. Take this handsome stereo phonograph with you as often as you like, anywhere you like. Superbly engineered, it will give you years of dependable stereo listening. Two detachable lid-type speaker enclosures each contain a 4" high-compliance, acoustically matched, wide-range hi-fidelity speaker, and a 6 ft. extension cord enabling you to separate the speakers up to 12 ft, for magnificent full dimensional sound. Quality BSR record changer plays all size records at 1643, 3343, 45, and 78 RPM. Intermixes 12" and 10" records of the same speed. Instant-on solid state stereo amplifier employs 6 silicon transistors plus 3 silicon diodes. 3 Controls: separate volume for each channel plus tone. Built-in stereo headphone jack with private listening switch on front panel. Equipped with stereo turnover cartridge with diamond LP needle. Bold modern styling—curved top and bottom cabinet is covered with simulated walnut and black vinyl material. Size: 19½wx12Dx 8¼"H. For 110-120 VAC, 60 Hz. Shpg. wt. 18 lbs.

Net 64.95 Net 1.49 Net 1.99 24 G 02923WX 24 G 02568 45 RPM Spindle for T60 24 G 02386 Replacement Dual Needle for T60

C NEW MODEL MS24C 4-SPEED AUTOMATIC STEREO PHONOGRAPH


Deluxe BSR 4-Speed Automatic "Mini" Stereo Record Changer 4 Transistors and 2 IC's • Two 4" Wide Range Speakers Stereo Headphone Jack plus 3 Controls

A truly outstanding performing stereo phono in a sleek cabinet of compact proportions. Beautifully styled with drop-down compartment which folds away for maximum space saving efficiency. Features BSR 4-speed stereo automatic "Mini changer," with automatic shut-off. Plays all size records at 1623, 3343, 45 and 78 RPM. Intermixes 12" and 10" records of the same speed. Two separate 4" wide range speakers are acoustically balanced and spaced for true stereophonic full-dimensional sound. Powerful solid-state stereo amplifier with 4 transistors and 2 IC's provides instant-on operation—no warm up. 3 controls: volume left, volume right, and tone. Includes stereo headphone jack for private listening. Equipped with stereo turnover cartridge with diamond LP needle. Attractive, washable bright textured yellow sandalwood covering. For 110-120 VAC, 60 Hz. Measures 27½(xx10¾ Hx6½"). Shpg. wt., 18 lbs. Measures 2742Lx1034Hx642"D. Shpg. wt., 18 lbs.

24 G 03194WX

24 G 02568 45 RPM Spindle for MS24C 24 G 02386 Replacement Dual Needle for MS24C

Net 49.95 Net 1.49 Net 1.99



MODEL MSB 4-SPEED MANUAL PHONO

Only

Made in U.S.A.

Made in U.S.A.

Instant-On Solid State Circuitry

4995

No Money

Down*

4-Speeds: 162/3, 331/3, 45, 78 RPM

Built-In 45 RPM Record Adapter

DELUKE MODEL 10C 4-SPEED E MANUAL PHONOGRAPH

Made In U.S.A.

- Speaker Front-Mounted for Full-Tone Sound Dispersion
- Front Mounted Controls for Convenience Built-in 45 RPM Adapter Disc
- Instantaneous ON

2 Transistors and IC

Ideal phono for the youngster in your family. Plays up to 12" monaural and stereo records at 16¾, 33¼, 45 or 78 RPM. A single lever selects any speed. "Feather-light" retractable tone arm is equipped with a single crystal cartridge. Volume control with on-off switch. Built-in 45 RPM record adapter. Fine quality 4" speaker. Attractive blue and white leatherette covered case. For 110-120 Volts, 60 Hz, Size: 12Wx9¾DX5"H. Shpg. wt., 8 lbs. 24 G 02725W

Plays stereo and monaural records of all speeds ... 16¾, 33¼, 45, and 78 RPM ... all sizes 12″, 10″, 7″. 4″ wide range speaker is set in front grill for full-tone sound dispersion. 2 front mounted controls—on/off volume and tone. Tone arm has dual turnover cartridge. Attractive blue washable pyroxin coated fabric with silver metal grill cloth. Size: 13½/2Wx6½/2Hx10¾°D. For 110-120 VAC, 60 Hz. Built-in 45 RPM record adapter.
24 G 02899W Shpg. wt., 8 lbs. Net 19.95

Deluxe Model T33C 4-Speed

Steres Phonograph

Money Down



B

Model T60 4-Speed **Decorator Styled** Stereo Phono

No Money Down*



Model MS24C 4-Speed Stereo Mini Phono

No Money Down







D Model M5B Manual Phono

Made in U.S.A.

1 IC and



E Model 10C Our Best Manual 4-Speed Phono

Made in J.S.A.



LAFAYETTE RK-570 FM Stereo Cassette Hi-Fi Music System



Play monaural and stereo records on the Mini-Changer. Listen to stereo and monaural FM radio broadcasts on the Receiver, Play stereo and mono cassette tapes on the cassette Recorder. Record live. Record your records while they play on the Mini changer. Tape FM stereo and monaural broadcasts directly off the air—THERE IS NOTHING ELSE TO BUY (but optional microphones) because you also get two superb sounding 2-way speaker systems each containing a high compliance 5" woofer and a wide dispersion 3" tweeter, 17-Watt solid state FM stereo receiver features powerful 28-transistor, 1-FET, and 20-diode solid state circuitry; FFT front-end FM stereo tuner; FM stereo indicator light; stereo headphone jack; aux., input jacks and two external speaker output Jacks. Cassette stereo recorder has six pushbutton controls (Record, Rewind, Stop, Play, Fast Forward, and Pause for editing), 2 microphone input jacks, stereo/mono input selector switch, and record/

playback VU meter. 4 speed automatic minichanger plays all size records and intermixes 12" and 10" records of the same speed. Tone arm is equipped with a turnover stereo cartridge with diamond LP needle. Size control center, 20¾W x 14¼D x 3¾"H (overall height to top of spindle, 7"). Each speaker, 12 x 7 x 8". Includes two 6-ft, connecting speaker cables and 60-minute blank cassette. For 117VAC. 60 Hz. Imported. fIHF ±1db.

		00	200	11867		DVC	70 0	sels.	Ch	0.0	SAZÉ	48	Ibe		Net	249.95
99	li.	99	394	W	N IVI	KV2	10 0	mιy.	211	hR.	W L.,	40	102.		 1466	243.33
RK	-5	70	PI	US	CA	SSET	TE	STO	RAG	E R	ACK.					
****		, 0	1 6.		U.										61 - A	040.00
00	C	0.0	AA	ישו	M Y	Shn	7 W	rt .	53	lhs					. net	249.96
00	-				604		D.	a le	only		lhe				Net	10.95
28	G	18	SUDI) W	21	orag	e me	ICK	UIIII	7. 3	INS				1100	
24		0.0	000	we	Tie	hote	D12	nie	Dus	+ C	over	W	1	lb.	 . Net	7.95
														,	 	
00	C	A	200) г	hum.	mic	Mil	0	hng	· W	t., 6	0.7			. Net	5.95
77	u	40	, JU		7711	211116	14.84		PALL							

Deluxe LAFAYETTE LSC-100 AM/FM Stereo Modular Hi-Fi System

- Garrard 4-Speed Automatic Record Changer with Cueing
- 40-Watt Solid-State Stereo Amplifier Electromatic FM Stereo Indicator Light
- Tape Input and Tape Output Facilities
- Guitar Microphone Input Jack Stereo Headphone Jack

Handsome, 3 piece modular stereo phonograph with built-in stereo FM/AM radio. Control center's solid-state stereo amplifier provides 40-watts peak music output-and has provisions for tape input, guitar mike input, and stereo headphone. Radio tunes regular FM, AM, and stereo FM broadcasts. AFC for drift-free FM reception. Garrard 4-speed automatic stereo record changer with cueing lever plays 7". 10" and 12" records at 16%, 33%, 45, and 78 rpm. Operates automatically or manually shuts off both changer and amplifier automatically after last record. Features tubular tone arm with Vaco TN-4 stereo turnover cartridge with diamond LP needle. Each 2-way 8" speaker system provides brilliant concert hall realism from its acoustically balanced 8" woofer and 4" tweeter. Also includes tinted plastic dust cover and a 45 rpm spindle. Beautiful walnut vinyl covered wood cabinets. Built in AM/FM antennas. Size: Control unit 325/6W x 140 x 103/6"H (with dust cover) Speaker Encl.: 16½H x 11W x 47/6"D. For 110-120 VAC, 60 Hz. Shpg. wt., 45 lbs.

24 G 02907WX No Money Down* Net 149.95



Deluxe LAFAYETTE LRC-60T 75-Watt Solid-State AM | FM Stereo Receiver | Turntable Control Center



8955

Powerful 75 Watt AM/FM Stereo Receiver

Famous BSR McDonald 500 Stereo Automatic Turntable

Pickering V15/AC-3 Dustamatic™ Stereo Cartridge with Diamond

Superbly Crafted Oiled Walnut Wood Cabinetry

The LRC-60T is a compact, glaceful hi-fi control center engineered to reproduce a maximum of sound from a minimum of visible equipment. The LRC-60T consists of a 75 watt AM/FM stereo receiver with FET front-end and 4 60T plus the famous BSR McDonald 500 4-speed automatic stereo turntable with a Pickering V15/AC-3 dustamatic stereo cartridge, all mounted in a superbly crafted and styled oiled walnut wood cabinet. You get a stunning blend of beauty and performance from a truly space saving compact control unit. With any of the superb Lafayette Speaker Systems listed you have a magnificent component Hi-Fi system.

cent component Hi-FI system.
The receiver section uses an FET (Field effect transistor) FM tuner, and 4 Integrated Circuits (IC's): An IC is a complete circuit in miniature, in which all components: transistors, dlodes, resistors, etc. are etched into a silicon water. The IC provides significantly better front-end performance and greater sensitivity enabling you to hear more stations with less noise and interference.
Deluxe McDonald 500 turntable features a low mass tubular tone

arm, micrometer stylus pressure adjustment, dynamic anti-skate control, and a cueing and pause control. Plays 7, 10, or 12" records at 16½3, 33½3, 45, and 78 rpm. Amplifier delivers wide-range response of 20-20,000 Mz ±1 db, plus full 75 Watts ±1 db, 60 watts HF power. Impedance: 8-16 ohms. FM Sensitivity: 1.8µv IHF. 11-audio controls, plus precision D'Arsonval tuning meter, automatic FM stereo/mono switching, stereo FM indicater light, stereo headphone jack, tape recorder jacks, and precision vernier dial drive for accurate, effortless tuning. The rich oiled walnut cabinetry with slanted, brushed aluminum front panel and controls will harmonize with any home decor. Control Center: 16½Wx 7H x 15½°D. Imported.

99 G 01893WX Shop, wt., 42 lbs. Net 229.95
Lafayette RK-760 Stereo Cassette Tape Deck. See Page 26 for complete description. Imported. Shop, wt., 8 lbs.
99 G 15752WX No Money Down*
Net 89.95

Beautiful Tinted Plexiglas Dust Cover. Size: 151/6x131/6x41/6". 24 G 09050W Shpg. wt., 1 lb. Net

High Performance 75-WATT Stereo Music System featuring The LRC-60T



Deluxe Hi-Fi System featuring LRC-60T and 2 Lafayette Criterion 50 Speater Systems. See page 14 for complete description of the Criterion 50 Speaker Systems. 99 G 99376WXM Stpg. Vt., 96 lbs. Net 269.85

Stereo LP Record Album SAVE up to 20%

Introduction To The World's **Great Composers And Their Music**

Superb 10 record 331/3 Stereo Album Superb 10 record 33½ Sterea Album relates to the lives and music of 10 of the world's major composers: Brahms, Tchaikovsky, Chopin, Bach, Mendelssohn, Beethoven, Shubert, Haydn, Schumann and Mozart. Performed by leading soloists and orchestras. Each of the 10 composers gets a full disc devoted to his works. Beautifully gift boxed. Shpg. wt., 7 lbs. 28 G 28531 Net 8.95

Complete Beethoven 9 Symphonies Josef Krips Conductor London Symphony Orchestra

7 Record 331/3 Stereo LP Album. A true



8.95 Was 9.95 1970 Catalog 700



Was 9.95 1970 Catalog 700

See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701

LAFAYETTE Cassette Spectaculars

LAFAYETTE Professional RK-85 Solid-State Battery/AC Portable Cassette Transcorder®



Utilizes Professional AC Bias and Erase System

- Simple To Operate
- No Tape Threading
- Pushbutton Controls

Mike and Stand, AC Adapter, Earphone. Batteries, Accessory Case, Hand Strap, Blank Cassette Tane

- Battery Record Level Indicator
- Record Safety Interlock Button
- · Remote Control Start/Stop Mike

The RK-85 portable Cassette recorder is one of the easiest tape recorders in the world to operate—there are no reels, and therefore no tape threading. Just Insert the tape cartridge, press a button and you are ready to playback or record. Tape stops automatically at the end. To record or playback on the other side, just turn the cartridge over. Beautifully styled and engineered. Capstan drive for constant 17% ips speed. Operates on 5 "C" batteries or 117VAC with AC adapter included. Perfect for "on-the-go" recordings. Records up to 120 minutes (both tracks). Separate pushbutton controls for: Fast Forward, Rewind, Stop, Play, plus safety record button. Permits perfect recordings with level meter that also checks batteries. 8-transistors, 1-diode. Includes: earphone jack, auxillary Input jack for recording from external sources such as phonograph, TV set, or Tuner, and remote control mike jack. Large 23/4" dynamic speaker. Size: 83/4 x 5 x 21/4"H. Imported. Shpg. wt., 4 lbs.

99 G 15794L. No Money Down*

Net 39.95

ACCESSORIES FOR DAGE


	MUCESSORIES FOR MESS		
Stock No.	Description	Shpg. wt.	Net ea.
99 G 15620 99 G 62572 28 G 01223	Carrying Case with Strap Extra "C" Batteries5 req. 60 minute Lafayette Tape Cassette	1 lb. 2 oz. 6 oz.	2.95 .14 1.19

Deluxe LAFAYETTE RK-99 Battery/AC Cassette Recorder



Featuring Built-In **AC Line Cord**

Including: Remote Control Mike, Leather Carrying Case, Earphone, Batteries, Patch Cord, Blank 60 Minute Cassette



- Professional AC Bias Recording System with ALC
- Reliable Instant Start Solid-State Circuitry
- Cassette "Semi-Slot" Loading For Ease of Operation

One of the finest portable cassette recorders offered by Lafayette-Operates on 4 "C" batteries, or, 117VAC with built-in AC line cord. Plays and records up to 2-hours using standard type cassettes. Cassette semi-slot loading and pop-up removal for complete ease of operation. Six piano-type keyboard pushbuttons: Play, Record, Fast-Forward, Rewind, Stop, and Cassette Eject. Automatic Level Control (ALC) to keep loud tones from distorting. Also features: dual purpose battery level and recording meter, record safety interlock, individual Tone and Volume controls, Auxillary input for radio, phono, or tape recorder for tape duplicating, external speaker/headphone jack. Speed 17% jos. Handsomely styled cabinet enhanced by simulated walnut wood grain panels. Sizes: 10½1 x 5½4W x 25%"H. Imported. Shog. wt., 5 lbs.
27 G 01746L [No Money Down" Net 49.95 99 G 62572 Extra "C" Batteries (4-required) Net ea. 14 28 G 01223 | 60 Minute Blank Cassette Tape Net 1.19


Our Finest Solid-State Radio Cassette Recorders

Deluxe Hitachi KCT-1200H AC/Battery AM/FM Radio Cassette Recorder

SPECIAL PURCHASE

ONLY

Ramote Control Mike, AC Line Cord, Earphone, Batte ies, and 60 Minute Causette Tape



- . Direct Recording from AM or FM Radio
- 6 Pushbutton Tape Function Controls Battery Condition/Recording Level Meter

• Battery Condition/Recording Level Meter
Deluxe hi-Fidelity AM/FM Two Band Portable Radio with built-in easy
to use Cassette Recorder. A magnificent concept in home entertainment, Record forever on a cassette tape memorable radio broadcasts on FM or AM, or record live with a microphone (included)
family moments of joy. Weighs only 6.2 lbs.—goes everywhere. Uses
4 standard "D" type batteries or operates on 117 VAC house current.
Features LEVELNATIC Meter to adjust sound to the best recording
level. This device will prevent loud sounds from distorting. Separate
Tone Control balances bass and treble to your personal taste. Automatic Frequency Control (AFC) prevents drift when listening to or



- Levelmatic Meter Automatically Adjust Sounds
- · Professional AC Bias Recording
- Earphone Monitoring—Private Listening while you Record

recording from the FM Radio. Remote control microphone starts and stops recorder when recording live. Six Pushbutton Tape Functions: Fast forward, Rewind, Stop, Play, Record, Cassette-up (eject). Record button has a safety interlock to prevent accidental erasures. Built-in AM ferrite core and telescopic FM antennas. Auxillary input jack for recording from phono or TV. Monitor switch for private earphone listening when recording. Size 1134 x 734 x 336". Handsome Black plastic case with chrome trim. Imported. Shpg. wt., 7 lbs. 27 G 23047l. No Money Down*

Net 69.95
99 G 62564 Extra "D" batteries, 4 req.

Net ea. .15

LAFAYETTE Portable Desk Top Radio Cassette Recorders

Cassette Recorder

· Complete with Remote Control Microphone with Stand, Black 60 Minute Cassette, Earphone, Vinyl Accessory Pouch, Shoulder Strap and Batteries

Model RK-95 AM-FM RADIO-CASSETTE RECORDER. Sensational combination of a quality AM-FM RADIO and Cassette recorder lets you record broadcasts directly, or live with a microphone. You can permanently build your own tape library of fine music, world-wide news events as they happen, historic speeches by renowned statesmen, thrilling sports events like the World Series and the Super Bowl. Easy to use—no tape threading, pushbutton controls, record safety interlock button, AC bias and erase system, dynamic speaker for outstanding tonal quality, recording level and battery indicator. Can record up to 120 minutes (both tracks) on one Phillips type Cassette. External speaker output. Operates on 4 "C" batteries or 17VAC 60 Hz with optional adapter (see below). Includes Aux. input and remote control mike input. Tape speed 17% jps. Radio tunes: FM 88-108 MHz. AM 550-1600 kHz. Beautiful black case with chrome and walnut wood trim. Size: 7W x 9½D x 2½" "H. Imported. 27 G 01126L Shps. Wt. 5 lbs. Net 54.95 Model RK-95 AM-FM RADIO-CASSETTE RECORDER.

Model RK-90 AM RA010 CASETTE RECORDER—Same deluxe features and size as the RK-95 except with AM radio instead of AM/FM radio. Imported. Shop. wt., 5 lbs. 27 G 01100L no Money Down*

ACCESSORIES FOR RK-90 AND RK-95

27 G 01118LIAC Adapter, Shpg. wt., 1/2 lb. Net 3.95 28 G 01223 Lafayette 60 Minute Tape Cassette Net 1.19 99 G 62572 Extra "C" Batteries (4-required) Net ea. .14



Professionally Record Your Own Cassette Stereo Tape Library

Lafavette RK-760 Solid-State Stereo Pushbutton Cassette Deck



- 4-POLE HYSTERESIS SYNCHRONOUS AC MOTOR
- PLAYBACK OUTPUT UP TO 2.5 VOLTS VARIABLE AT 0 VU RECORDING
- SOUND-WITH-SOUND

8995

- 3-Digit Tape Counter with Reset Button
- Large Dual Channel VU Level Record Meter
- 7-Pushbutton Tape Functions
 Including Pause For Cueing and Editing
- Visual Record Indicator Light
- 2-Mike Inputs On Front Panel
- Cassette Ejector Button
 Semi-Slot Tape Loading
- Records 4-Track Stereo and 2-Track Monaural
- Playsback 4 and 2-Track Stereo and Monaural

Superb solid-state cassette tape deck designed for use with an existing stereo system. Connects into any standard tape input and output. Features semi-slot tape loading for complete ease of operation plus a full set of pushbutton controls for all tape functions: Record, Play, Stop, Rewind, Fast-Forward, Pause, and Cassette Eject. The Record button incorporates a safety-interlock to prevent accidental erasures. Includes left and right channel dual concentric record level controls—enables you to make sound with sound recordings. Simultaneously record live with mikes and thru an external source such as record changer, Tuner, or another tape recorder. Tape speed is a constant 17% ips. Specifications: 4-pole hysteresis synchronous AC motor, AC biasing and erase frequency: 95kHz. Frequency Response: 45 to 12,000 Hz. S./N Ratio. Better than 35 db. Dverall Distortion: less than 3% at 0 VU recording. Channel Separation: 30 db. Input: 2-mike, 2-high level tape. Mike Input Sensitivity: 1.0 mV for 0 VU at 10K ohms. Tape Input Sensitivity: 80 mV for 0 VU at 100K ohms. Wow and Flutter: Less than 0.3%. Dutputs: 2-tape. Handsome walnut side panels, brushed aluminum gold anodized extruded front panel. For 117VAC. 60Hz. Imported. Size: 1246Dx5Hx8%"W. Shpg. wt., 8 lbs. 99 G 46161 Dynamic Mike. Imported. Shpg. wt., 8 oz. Net ea. 5.95 28 G 01223 60 Mln. Cassette Recording Tape. Net ea. 1.19

Deluxe Lafayette RK-510 Solid State Stereo Cassette Recorder




14995 with miless LESS SPEAKERS

- Narrow-Gap Record/Playback Heads with 4-Laminations Per Stack For Virtually Distortion-Free Performance
- 10 Watt Solid-State Stereo Amplifier
- 2-Mic. and 4-Aux. Input Jacks

Superb hi-fidelity stereo cassette tape recorder (less speakers) featuring the convenience of no tape threading, includes the latest type narrow-gap record/playback heads with feur laminations per stack to deliver wide-band frequency response and virtually distortion-free performance. Records 4-track stereo and 2-track monaural, playsback 4 and 2-track stereo and monaural, 2-mike lapur jacks are located on the front panel for live recording. Jacks for external recording from record changer or phono, and an 3-M stereo tuner are provided on the rear of the recorder. Has 6-pushbut-

ton controls for all tape modes including Pause for instant editing and cueing. 3-digit tape counter with reset button. Large dual illuminated VU record level meters. Handsome brushed aluminum gold anodized extruded front panel. Attractive metal enclosure with the simulated look of rich walnut grain. Frequency Response ± 2 db 30-12,500 Hz; Wow and Flutter, less than 0.2% rms, Signal-to-Noise—better than 4d bb@ 0 VU. Channel Separation—36 db. Bias Frequency—106 kHz. For 110-125 VAC., 50/60 Hz. Imported. Size: 144%Wx4½Hx8½°D. Shog. wt., 12 lbs. 99 G 15779WX No Money Down* Net 149.95

RK-510 CASSETTE TAPE RECORDER SYSTEM



Only 17995 SAVE 8.50

From Individual Catalog Prices When You Purchase RK-510 With Criterion Speakers

Lafayette Model RK-510 Stereo Cassette Recorder Plus 2 Lafayette Criterion 25A Speaker Systems. See Page 14 for complete description of Criterion 25A, Shpg. wt., 30 lbs. 99 G 99459WX No Money Down* Net 179,95

Quality Cassette Tape Players and Recorders

Exciting LAFAYETTE Solid State
"CASSETTE-MATE" Portable Tape Player



A great new way to listen to the vast selection of pre-recorded cassette tapes on the market today. The Lafayette "Cassette-Mate" gives you remarkably Full Range sound and unlimited convenience. Battery operated or can be played on 110 VAC house current with optional adapter. Integrated carrying handle for ease of portability. Earphone for private listening. Instant-on solid-state circuitry. Easy to use "Stop, Play Switch." Earphone external speaker jack, Volume Control. With batterles and earphone. Size: 9½H x 5%W x 2½"D. Show wt 4 lbs. Imported. Shpg. wt., 4 lbs. Imported. 99 6 15786

99 G 35685 AC Adapter For Cassette-Mate

Net 3.95 Net ea. .14

LAFAYETTE Cassette Player with Built-in AM Radio

With Batteries and Earphone

Same as above but pushbutton operated and with built-in AV radio. You get excellent sound quality from a special dynamic speaker. Radio has built-in ferrite core antenna. Size: 11H x 6-34W x '234"D. Imported. Shpg. wt., 5 lbs.

27 G 01134 Net 29.95

27 G 01142L AC Adapter. 6 Oz. __ Net 99 G 62572 Extra "C" Batt. Net ea. Net 3.95





- Only 1144H x 618W x 4"D.
- Uses Standard Size Cassettes
- . Battery or AC Operated
- **Automatic Record Level Control**
- · Cassette Eject Button, Battery/VU Lavel Meter

• Cassette Eject Button, Battery/VU Lavel Meter

Deluxe ultra-miniature cassette tape recorder with advanced soldstate integrated circuitry. It has feather-light portab lity — weighs
only 1% lbs. and measures only 11%,4H x 67%W x 4.D. For utmost
convenience—uses standard type cassette tapes. There is no tepe
threading. Operates on 3-manganese alkaline rechergeable "AA"
batteries (included) or 117VAC by use of AC adapte-recharger included). Pencil-type mike (included) has remote control switch.
Simple lever control for record and play. Pushbutten controls for
fast-forward, rewind and cassette eject. Built-in voice and battery
tevel indicator. Automatic level control (ALC) prevents overlad
when recording. Safety record button prevents accidental erasures.
Capstan drive for 1% ips constant speed. Earphone and jack for
personal listening pleasure. Also comes with soft leitherette carrying case with hand strap. Ut listed. Imported.
27 6 220071. Shpg. wt., 3 lbs. No Money Down*

Net 69.95

28 6 01123 Lafayette 60-minute Tape Cassette. 2 oz.

Net 1.19

28 G 01123 Lafayette 60-minute Tape Cassette, 2 oz. 28 G 01207 Lafayette 90-minute Tape Cassette, 2 oz. Net 1.19 Net 1.99

Deluxe Portable Battery/Electric 4-Track Stereo Cassette Recorder

· With 2-Mikes, 2-Earphones and **Batteries**

Batteries
Compact, lightweight traveling companion, for the music lover. Easy-to-carry cassette stereo tape racorder. Plays anywhere, anyplace. Operates on 117V., 60 Hz. AC. house current, or on standard "D" type flashlight batteries. Two swing-out extension cablinets each contain a 5" speaker. Provides excellent stereo sound reproduction and full dimensional stereo separation. Features "Levelmatic" (automatic record level control). Also has pushbutton control; level and tone controls for each channel; two record level VI meters and remote control jack. Frequency Fesponse: 100 to 10,000 Hz. Speed: 1% lps. Circultry: 16 transistors, 10 diodes, 4 thermistors. Size: 11 x 61/4 x 83/4". Imported. Stog. wt., 7 lbs. 27 6 23013WX No Money Down Net 99.95 Extra "D" Eatteries for above (6 req.)

Extra "D" Eatteries for above (6 req.) 99 G 62564 Net ea.

99 6 62564











LAFAYETTE Pre-Recorded Long-Play Stereo Cassette Tapes



VALLE CHOICE each

Playable On Stereo or Monaural Equipment *Includes Side A and B



STOCK NO.

DESCRIPTION

STOCK NO.

DESCRIPTION

CLASSICAL MUSIC

28 G 41013L 1812 Overture/Russian Eastern Overture/Polovetsian Dances/A Night On Bald Mountain—Vienna Symphony Orchestra, Playing Time* 55:36.

28 G 41021L Bolero/Espana Rapsodie/The Sorcerer's Apprentice/ Afternoon of a Faun-Vienna Symphony Orchestra. Playing Time* 44:28.

28 G 41369L Mendelssohn: Symphony No. 4 "Italian"—Tchaikovsky: Capriccio Italien—Orch, Der Wiener Musikgesellschaft, Playing Time* 41:29.

28 G 41468L Rossini "William Tell" and other Famous Overtures, Bamberg Symphony Orchestra, Perlea, Cond. Playing Time* 50:22.

28 G 41476L Berlioz: Symphonie Fantastique, Bamberg Symphony Orchestra, Perlea Cond. Playing Time* 54:28.

- 28 G 41393L Vocal Highlights from Aida, Soloists and Orchestra from the Milan Opera. Playing Time* 47:07.
 28 G 41401L Vocal Highlights from Madam Butterfly, Soloists and Orchestra from the Milan Opera. Playing Time* 41:24.

ORCHESTRATION-BACKGROUND MUSIC

- 28 G 41252L Under Paris Skies—Roger Lecussand and His Club Lido Orchestra, Playing Time* 25:47.
- 28 G 41278L The Brave Bulls-La Orchestra de la Plaza De Toros. Playing Time* 25:01.
- 28 G 41302L Tribute to Mantovani by the Hollywood String—Lovers of Paris, Lover's Waltz, The Golden Touch, Plus other selections. Playing Time* 24:50.
- 28 G 41419L Great Million Sellers: Never on Sunday—Los Espanoles, Vanity—Don Cherry, Peter Gunn—Embers & Candido, You Made Me Love You Karin Chandler, Greensleeves —Joe Zawinul, plus 5 more hits. Playing Time* 24:03.
- 28 G 41427L Elegant Violins—The Philharmonic Strings, C'est Cl Bon, C'est Magnifique, Isle of Capri, If I Love Again, Lovers Theme, Brahms Waltz plus 5 more selections. C'est Ci Lovers Theme, Brah Playing Time* 27:24. * Includes Side A and B.

MOVIE and BROADWAY SHOW MUSIC

- 28 G 41088L Gershwin's Rhapsody in Blue—American In Paris—London Pops Orchestra. Playing Time* 30:79.
 28 G 41096L Hits from: My Fair Lady—Camelot—GiGi—Sound of Music—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:35.
- 28 G 41104L Hits from Oklahoma—South Pacific—King & I—Flower Drum Song—Hollywood Radio City Orchestra and
- Drum Song—Hollywood Radio City Orchestra and Chorus, Playing Time* 26:06.

 28 G 41112L Hits from Music Man—Can Can—Porgy & Bess—Showboat—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:36.
- 28 G 41120L Around the World in 80 Days—Robert Fielding Orchestra.
 Playing Time* 27:22.
- 28 G 41138L Hollywood Strings Play Rogers & Hammerstein, Playing Time* 28:46.
- 28 G 41146L Hollywood Strings Play Irving Berlin, Playing Time* 28:19.
- 28:19.
 28 G 41229 Great Movie Themes—London Pops Orchestra—Exodus, Around the World in 80 Days, Picnic, Moulin Rouge, Merry Widow. Playing Time* 28:51.
 28 G 41260L Hits from Fiddler On The Roof, West Side Story, Pal Joey—Hollywood Radio City Orchestra and Chorus and London Pops Orchestra. Playing Time* 27:53.

POPULAR, FOLK, JAZZ, ROCK

- 28 G 41153L Mardi Gras Time with the Dukes of Dixieland, Playing Time* 36:51.
- Percussion Espanol—Charlie Fox and Orchestra—Hoot Blues; Guajira, Holiday, Hollywood Cha-Cha, Minor Mambo, plus other selections. Playing Time* 28:18. 28 G 41161L Percussion Espanol-
- 28 G 41179L Big Band Percussion—Francis Bay and Orchestra—When Your Lover Has Gone. The Song is You, As Time Goes By, Bye-Bye Blackbird plus other selections. Playing Time* 27:14.

- 27:14.

 28 G 41187L Andre Previn Plays: I've Got A Feeling I'm Falling, Black and Blue, Gypsy Dance, Honey Suckle Rose plus other selections. Playing Time* 25:54.

 28 G 41195L Herbie Mann—Hi Flutin'—Herbie's Buddie; Perdido, Baubles, Bangles & Beads, Give A Little Whistle, plus other selections. Playing Time* 32:17.

 28 G 41203L John Gary—New Singing Sensation—How Many Teardrops Must I Shed, One Last Night Together, How Can My Heart Forzet You, Little People, plus other selections. Playing Time* 26:08.

 28 G 41211L Go Go Discotheque—The Kites—Stomp (Frug), No More (Jerk), Watusi Ball (Watusi), Monkey Mash (Monkey), Baby Love Me More (Hully Gully), plus other selections. Playing Time* 24:38.

 28 G 41231L Rock & Roll Guitar—Rhythm Rockers—Guitar Boogle, Moon Rock, 120 MPH, String Blues, Chick's Song, Picking and Rooking, plus other selections. Playing Time* 26:50.
- 28 E 41245L Dancetime—Tribute To Glen Miller—Sleepy Town Train, In the Mood, American Patrol, Tuxedo Junction, Green-sleeves, plus other selections. Playing Time* 26:40.
- Francis Bay Orchestra Pradomania 28 G 41286L Pradomania — Francis Bay Orchestra — Pradomania Mambo No. 5, April in Portugal, Guaglione, Mangas plus other selections. Playing Time 27:00.
- other selections, Playing Time 27:00.

 28 G 41294L Salute to Benny Goodman by the members of the Benny Goodman Band—Jersey Bounce, and the Angels Sing, Let's Dance, Benny Rides Again plus other selections. Playing Time* 25:50.

 28 G 41310L Guadalajara Brass—Zorba the Greek, Whipped Cream, A Taste of Honey, plus other selections. Playing Time 27:16.

- 22:16.
 28 G 41328I Psychedelic Rhythm—The Cross Fires, Anna, Highland Guitar, Third Man Cha, Cha, Cha, Taboo plus other selections. Playing Time 28:20.
 28 G 41336L Folk Festival on Campus—The Minute Man, Song of Hope, California, Green Grow the Laurels, Scotch and Soda, I'm Comin Home. Playing Time* 34:10.

Accessories For Cassette Players and Recorders

LAFAYETTE CASSETTE RECORDING TAPE

As Low As 6C



ligh quality tape assures full fidelity recording. Pecords and plays 2-tracks at 1% ips. Super strong polyester base. Proper lubrication for longer tape life. Protects heads. Imported. Shpg. wt., 4 oz.

Stock No.	Model No.	Playing Time	1-2	NET EACH 3-9	10 Up
28 G 01280	C-30	30 Minutes	.99	.79	.69
28 G 01223	C-60	60 Minutes	1,19	.99	.89
28 G 01207	C-90	90 Minutes	1.99	1.79	1.59
28 G 01215	C-120	120 Minutes	2.49	2.19	1.99

TDK C-60SD HI FI

- Low Noise Level. CASSETTE
- Frequency Response 30-20,000 Hz.




This 60 minute hi-fi tape uses a new gamma ferric oxide developed for high-density recording. The wide dynamic recording range 32-20,000 Hz. Makes available low noise, distortion-free output for the highest performance that can be expected of a cassette tape. Imported. Shpg. wt., 4 oz.

28 G 01249

Net 2.99

SOLID STATE CASSETTE **AM & FM RADIO TUNERS**



AM RADIO TUNER

FM RADIO TUNER

Converts Most Cassette Tape Recorders and Players into a Sensitive

Miniaturized, solid-state radio tuner circuit with self-contained battery (included). Same size as any standard blank or prerecorded cassette Take it anywhere, play it anywhere. Plays directly through the amplifier and speaker system of your cassette player or recorder. High-impact break resistant case. Size: 4x2½x3ex "Imported. Wt. ½ lb. 28 G 43019L AM Radio Tuner Net 6.95 28 G 43027L FM Radio Tuner Net 12.95

CASSETTE TAPE HEAD **CLEANER**



Removes coating deposits from tape heads and restores both volume and high frequency response. For use in any player accepting cassettes. Simply run tape, impregnated with special formula, tike regular tape cassette. Cleans in a couple of minutes. Can be reused many times. Shpg. wt., 6 oz. 28 G 16015 Nat 1.29

CASSETTE TAPE HEAD DEMAGNETIZER



Recommended by equipment manufacturers to remove magnetic build-up on heads after every 15-20 hours of use. With built-in pilot light. For 110 VAC, 50/60 Hz. Net 4.98 28 G 72299 Shpg. wt., 8 oz.

CASSETTE TEST STROBE



Checks your cassette recorder/player for proper speed. Too fast causes flutter; too slow creates tape drag or wow. Strobe tape and light built into standard cassette. For 110 VAC 50/60 Hz. Shpg. wt., 5 oz.

CASSETTE TAPE SPLICER



Sturdy precision instrument for use in all splicing and editing of cassette tapes. Shpg. wt., 8 oz. 28 G 78080

CASSETTE TAPE CARTRIDGE STORAGE RACK



 Lazy Susan Type Base Attractively styled wood and masonite cassette cartridge storage rack with simulated walnut vinyl finlsh, Has "Lazy Susan" type base for easy access to your cassettes. Size: 77kx77kx10"H. Shpg. wt. 5 lbs. 28 G 78056W

CASSETTE CARRYING CASE



Black vinyl with chrome trim, shoulder strap, and spring snap lock. Dim.: 6½L x 5½H x 3"D. Shpg. wt., 1 lb. 28 G 27012 Net 1.95

UNIVERSAL CARRYING CASE for PORTABLE CASSETTE RECORDERS



 Measures 9½ "Dx5¾"Wx2½"Ht Durable black texon carrying case for most portable cassette recorders. Do justable strap. Shpg. wt., 1 lb. t Inside Dimensions of Case. Double ad-

28 G 27020

DELUXE CASSETTE TAPE CARRYING CASE



Holds up to 30 Cassettes

Solid wood construction. Durable black alligator vinyl covering with attractive red plush interior. Horizontal storing of cassettes permits immediate visibility of all titles. Equipped with lock and key and handle. Shpg. wt., 3½ lbs.

28 G 78072

Net 7.95

Get Professional Results with Exclusive LAFAYETTE Reel-to-Reel Stereo Tape Recorders

Model RK-825 — OUR LOWEST PRICED QUALITY 4-TRACK STEREO RECORDER

Complete With 2-Dynamic Mikes 4-Connecting Cables 2-Rubber Reel Caps 7" Empty Take-up Reel

- 4-Track Stereo and Monaural Record/Playback
- 3-Tape Speeds—17/8, 33/4 and 71/2 IPS
- Sound-with-Sound
 Stereo Headphone Monitoring
- 3-Digit Tape Counter with Reset Button

Feature Packed-"low-priced" stereo hi-fidelity tape recorder built for ease of operation. Solid-state circuitry permits instant play, or record. Features: three speeds-1%, 3%, and 7½ ips; aluminum die-cast tape transport chassis; 4-pole induction motor; single lever control for all tape transport modes plus "Pause" for editing and cueing; illuminated VU meters for left and right channels; safety interlock button to prevent accidental tape erasures, plus Microphone and Auxiliary input selector switch. Has 2-Microphone/ Auxiliary inputs; 2-extension speaker outputs plus stereo head. phone jack. Takes 7" reels. Housed in a handsome sturdy wood cabinet with attractive black leatherette cover, Frequency Response: ±3 dB, 40-15,000 Hz at 7½ ips; ±3 dB, 40-10,000 Hz at 3¾ ips.

Wow and Flutter: under 0.23% rms at 7½ ips; under 0.35% at 3¾ ips.

Signal-to-Noise: Better than 55 dB. Power Output: 5-watts maximum. Input Sensitivity: Mike, 0.5 mv., for O VU, 600 ohms; Aux., 100 mv. Solid-state Circuitry: 10-transistors, 4-diodes. Has built-in accessory compartment and carrying handle. For 110-120V., 60 Hz AC. Size: 12W x 12H x 71/4"D. Imported, Shpg. wt 22 lbs.

99 G 15687WX No Money Down*

Net 129.95

7" Reel of Lafayette Mylar Base Recording Tape. 28 G 01066 Shpg. wt., 11/4 lbs.

Net 2.14





Model RK-835 4-TRACK SOLID STATE STEREO PUSHBUTTON TAPE RECORDER



Complete With 2-Dynamic Mikes, 4-Connecting Cables 2-Rubber Reel Caps 7" Empty Take-up

No Money Down o

- ¼-Track Lamination Type Record/Playback Stereo Head
- 1/4-Track Double Gapped High Efficiency Erase Head
- Sound-with-Sound Sound-on-Sound
- 3-Tape Speeds-17/8, 33/4 and 71/2 IPS
- Stereo Headphone Monitoring Facilities
- Record Direct From Record Player with Magnetic Cartridge

Designed to satisfy even the most critical music listeners, Can be operated either vertically or horizontally. Records and playsback 4-track stereo and monophonic tapes. Features spill-proof single tape function Selector knob for 5-modes of tape transport—Record, Stop, Run, Fast-Forward, and "Pause" for instant editing and cueing; two large studiotype VU meters with pilot lights and Record mode indicator lights; individual Record safety buttons for left and right channels to prevent accidental tape erasures; automatic shut-off at end of tape; automatic equalization for three tape speeds. Has input selector button for mic., and Aux/Magnetic cartridge. Separate volume controls for both channels. 2-Built-in 5" speakers provide true hl-fi sound reproduction. Takes up to 7" reels. In black leatherette covered wood case with silver metal trim. Response: ±3 dB 30-18,000 Hz at 7½ lps. Wow and Flutter: Less than 0.18% rms at 7½ lps. Signal-to-Noise: Better than 50 db. Bias & Erase Frequency: 105 kHz. Power Output: 8-watts maximum, Input Sensitivity: Mike, 0.15 mV., for 0 VU, 600-ohms; Magnetic Phono: 0.7 mV; Aux (low) 100 mV., Aux (high) 500 mV. Outputs: External Amp: 1V., to 2.5V variable. Headphone and Speaker Imp.: 8-ohms. For 105-125V., 60 Hz AC. Size: 15¾ x 14 x 7½, "D. Imported. Shpg. wt., 27 lbs. 99 G 15695WX No Money Down*

7" Reel of 1800' Lafayette Mylar Base Recording Tape. Designed to satisfy even the most critical music listeners, Can be

7" Reel of 1800' Lafayette Mylar Base Recording Tape. 28 G 01066 Shpg. wt., 11/4 lbs.

2.14

LAFAYETTE RK-920 "Computor-Matic" Stereo Tape Deck featuring "Automatic Reversing" in both Record and Playback Modes



Ontional Dynamic Mikes 14.95 ea.

"COMPUTOR-MATIC"™ Reversing System Operates on 4-Modes In Either Record or Playback

- 1) Manual 2) Automatic
- 3) Single Reverse 4) Continuous Reverse

1995
With 7" take-up reel,

- Two Sensory Switches for Automatic Tape
- Reversing System

 4 Track Stereophonic or Monophonic Recording/Playback in connection with External Amplifier
- Built-in Solid State Stereo Record/Playback Preamplifier
- Sound-on-Sound, Sound-with-Sound
- 3-Digit Tape Counter with Push Button Reset
 Two Large Illuminated VU Meters

Deluxe 4-track, 3-speed "Automatic Reversing" tape deck with every facility for making professional quality recordings from AM-FM-FM stereo broadcasts, phonographs, or "live" using microphones. "Computor-Matic" control can be preset for manual or automatic reversing. putor-Matic" control can be preset for manual or automatic reversing. Pushbutton controls allow you to change operational modes Instantly. Tape transport is powered by two separate 4-pole induction capstan drive motors to provide smooth tape runs and low wow and flutter (less than 0.2% rms at 3¾ ips). Instant pause control for smooth professional editing; two professional VI, meters for visual monitoring of signal levels from either tape or auxiliary audio source. 3-speeds—7½, 3¾ and 1½ ips. Heads: two ¼ track lamination type stereor cord /playback; two ¼ track double-gapped high efficiency erase heads. Equalization: 7½ ips, NAB; 3¾ ips, RIAA. Frequency Response: 30-23,000 Hz ± 3 db @ 7½ ips, 40-18,000 Hz ± 3 db @ 3¾ ips. Input Impedance: Microphone, 10K ohms; Auxiliary, 500K ohms. For 110-120V., 60 Hz AC. Housed in a brown leatherette covered wood case. 17x15½x8¼½°D. Imported.
99 G 15547WX Shope, wt., 38 lbs. 99 G 15547WX Shpg. wt., 38 lbs.

99 G 45882 Optional Dynamic Mike. Shpg. wt., 2 lbs. Net 14.95

7" Reel of 1800 Ft. Mylar Base Recording Tape with reversing sensing foils. Shpg. wt., 11/4 lbs.

Net 2.89

LAFAYETTE Self-Contained RK-960 "AUTOMATIC REVERSING SOLID-STATE STEREO TAPE RECORDER. Same as RK-920 but with built-in 12-watt stereo amplifier, two 5x7" wide-range hi-fi speakers, stereo headphone jack, and 2 external speaker jacks. Size: 22x15½x8½". Imported. Shpg. wt., 44 lbs. 99 G 15489WX No Money Down* Net 299.95

LAFAYETTE 3 HOUR PRE-RECORDED STEREO REEL-TO-REEL TAPES IDEAL FOR ALL TYPES OF BACKGROUND MUSIC APPLICATIONS



3 Hours of Magnificent Music on 4-Track Stereo Tapes at 334 IPS

28 G 51012 BROADWAY CAVALCADE—The Hollywood Strings—A romantic program of America's greatest theater music from the pens of Richard Rogers, Irving Berlin, George Gershwin, Jerome Kern, Victor Herbert, and Franz Lehar.
28 G 51020 THREE HOURS of EASY LISTENING—The Hollywood Strings—Bubbling background music for cocktalls, dinner, and romantic evenings. Some of the great hits on this tape are Greensleeves, Smoke Gets in Your Eyes, Stardust, Autumn Leaves, Theme from Exodus, Theme from Moulin Rouge, Around The World in 80 Days, and La Vie en Rose.
28 G 51038 THREE HOURS of POPULAR CLASSICS—London Pops Symphony Orchestra—Gershwin: American in Paris, Rhapsody in Blue; Beethoven: Fifth Symphony; Tchaikovsky: Favorite Themes; Grofe: Grand Canyon Suite; Rimsky-Korsakov: Scheherazade; Strauss:

Waitzes.
28 G 51046 EVENING At The BALLET—London Pops Symphony Orchestra—Excerpts from Sleeping Beauty, Swan Lake, Gaite Parisienne, Night On Bald Mountain, Carmen, Petrouchka, Nutcracker, Afternoon of A Faun, plus many more.
28 G 51004 THREE HOURS of TCHAIKOVSKY—1812 Overture, Sleeping Beauty Ballet Suite, Piano Concerto #1—Blumenthal soloist, Capriccio Italien, Symp. #6 (Pathetique), Swan Lake Ballet Suite, Nutcracker Suite excerpts—Vienna Symphony and other great European Carbettas.

pean Orchestras.

SIVE up 33 1/2% on Solid-State to 33 1/2% Reel-to-Reel Recorders



- Separate Solid-State Record and Playback Stereo Preamps
- Tape and Input Source Selector Switch Permits Tape and Input Source Monitoring
- 2-Studio-Type Record/Playback VU Meters
- 3-Speeds: 71/2, 33/4 and 17/8 IPS
- Digital Tape Counter with Reset Button
- Sound-on-Sound-Sound-with-Sound

LAFAYETTE RK-33 Reel-to-Reel Recorder



Control Dynamic Microphone, 3" Reel Of Recording Tape, Take-up Reel, Earphone, Batteries, And Carrying Strap

Automatic Level Control

- · Battery Or AC Operation
- 2-Speeds: 3¾ and 178 IPS

Capstan Drive For Constant Speed

Takes reels up to 31/4". Dynamic mike has remote control start/stop switch. Deluxe features include: record safety interlock switch, large 3" dynamic speaker, built-in (ARL) automatic record level to keep loud tones from distorting, separate Aux. input and Mike input, earphone jack for private listening. Operates on 4 "C" batteries or 117V., 60 Hz AC with toptional adapter (see below). Attractive two tone black and grey case. Size: 234H x 61/2L x 101/2"W. Imported. Shop wt 4 Libs.

Imported. Shpg. wt., 4 lbs. 99 G 15612 99 G 35412 AC Adapter

Net 19.95 Net 4.95

LAFAYETTE RK-830 4-Track Stereo Record/Playback Tape Deck

Now Only WAS 129.95

> 1969 CATALOG 694 Quantities Limited

Truly outstanding solid-state 3-head, 4-track stereo tape deck. Provides brilliant "concert hall" tape reproduction and playback. Thrilling sound-on-sound and sound-with-sound plus complete 4-track stereo and monophonic record/playback facilities. Operates vertically or horizontally. Single lever control selects Fast-Forward, Rewind, Stop, Run plus "Pause" for precise editing and cueing. Automatic shut-off at end of play, Rugged 4-pole motor. Low level inputs for microphones; high level for radio, TV, phono, Outputs for external amplifier. Takes 7" reels. Specifications—Frequency Response: ±3 db. 40-18,000 Hz at 7½ ips; ±3 db, 40-12,000 Hz at 3¼ lps. Wow and Flutter: Less than 0.15% rms at 7½ ips; less than 0.25% rms at 33½ ips. Signal-to-Noise:—50 db or better. Bias & Erase Frequency: 96 kHz. Crosstalk: Over 60 db. Inputs: (Each Channel Microphone, 9 mv. @ 10k ohms; Auxiliary, 300 mv. @ 500k ohms. Outputs: (Each Channel) External Amplifier, 0.9 v., 3k ohms, Size: 113/4W x 91½/H x51½/°/) in base: 12 wW x 103/4H x 6°D. 12-Transistors, 6-Diodes. In sturdy utility base ready to play. For 110-120v., 60 Hz AC. Imported. Shgg. wt., 18 lbs. 99 G 15349WX No Money Down*

Accessories for RK-830

Accessories for RK-830 reel of 1800' Lafayette Mylar Base Recording Tape. Net 2.14 28 G 01066 Deluxe Oiled Walnut Wood Base, Shpg. wt., 4 lbs. 9.95 5.95 Net 24 G 12146W 99 G 46302 Dynamic Mike, Imported, Wt., 11/2 lbs.



9 Reels of 3" Mylar Tape for With Purchase of TRUTEST 150

Dual track recorder operates from batteries or 117 VAC with optional adapter. Piano style pushbuttons simplify operation. Convenient earphone for monitoring recordings, or for private listening. Uses two 1½ V and one 9 V. battery (included). Reel size: 314", Size: 834 x 334 x 642"). With dynamic remote control start/stop sixe, 3" reel of tape, take-up reel, and earphone. Imported. Shpg.

wt., 21/4 lbs. Net 14.5 99 G 15562 99 G 99426LM Recorder Plus Tape Bonus Net 14.5 Net 3.5	ь.
99 G 15562 99 G 99426LM Recorder Plus Tape Bonus Net 14.5	95
99 G 99426LM Recorder Plus Tape Bollus	
99 G 35370 117 VAC adapter 6 02.	
99 G 60212 Fxtra 9 V. Bat. (1 req.) 2 0Z.	14
on a corre future (ICI) coll /2 ren) 2 07.	14
nations of Three Deals of 225 ft Mylar Recording lape.	~~
28 G 17021 Shpg. wt., 6 oz.	99
28 G 17021 Slips. 111, 0 0-1	

LAFAYETTE RECORDING TAPES

LAFAYETTE'S GUARANTEE - YOU BE THE JUDGE!

'afayette's tape is made by outstanding na-tionally known manufacturers. It is first quality, splice free, red oxide coated, with full frequency response, uniform output and no "drop-outs." Resistant to moisture, heat,

Feet

600

900

1200

1800

Stock No.

28 G 01025

28 G 01033

28 G 01017

Dool

cold and abrasion. If for any reason you are dissatisfied return the tape within 30 days and we will refund your money less only transportation charges. You are the sole judge

25 Up

.85

Net Per Reel

5-24

1.10

1.88

90



TENSILIZED MYLAR** TAPES LAFAYETTE

1.4 Feet Reel Mils Wt lhe Stock No. .69 63 59 28 6 01090 300 28 G 01108 600 314 15 .99 90 81 2 03 1 83 28 G 01116 2 25 1200 11/4 3 14 3 49 28 G 01082 2400 28 G 01231 130 4.98 4.49 3600

LAFAYETTE MYLAR**RECORDING TAPE

LAFAYETTE ACETATE RECORDING TAPE

Wt. Ibs.

34

1-4

90

.59

1 98

1.20

Mils

115

112

					N	et Per R	eel
Stock No.	Feet	Reel	Mils	Wt. Ibs.	1.4	5-24	25 Up
28 G 01058	1200	5′′	1/2	34	1.75	1.58	1.42
28 G 01066	1800	7"	1	11/4	2.14	1.93	1.75 2.51
28 G 01074	2400	1	12	11/4	3.10	2,73	2,31

*Mylar is the registered DuPont trademark for its polyester film

LAFAYETTE TAPE FOR AUTOMATIC REVERSING TAPE RECORDERS

				Net Per Reel		
Stock No.	Feet	Reel	Description	1.4	5-24	25 Up
28 G 01165	1200	5"	1/2 mil mylar	1.99	1.84	1.67
28 G 01173	1200	7"	1½ mil acetate	1.84	1.73	1.62
28 G 01181	1800	7''	1 mil mylar	2.89	2.69	2,43
28 6 01199	2400	7"	La mil tens mylar	3 99	3.74	3.52

LAFAYETTE BULK TAPE ERASERS

1195
PROFESSIONAL MODEL For complete erasing of 3", 5", 7" or 101/2" reels of tape. Erases 1/4" tapes in one operation without requiring reversing of reel, will erase up to 1" wide tapes. An extra-powerful unit draws over 9 amperes. Can be used to demagnetize tape, magnetically stripped film, as well as tools and watches. Has built-in fuse. 61/4x7%x
Professional 31/2". 105-125V. 60 Hz. Imported.
99 G 15166 Shpg. wt. 14 lbs. Net 26.95

DELUXE MODEL

Similar to professional model for all size reets but handles only standard size $1/4^{\prime\prime}$ tapes or smaller and reel must be turned over once. Has separate spindle positions for $1042^{\prime\prime}$ and 3, 5, and 7 $^{\prime\prime}$ reels; non-magnetic bakelite plate for reel rest. One powerful coil consumes 5 amps. Metal case 744 x 444 x $342^{\prime\prime}$. Imported. Shpg. wt., 9 lbs. 99 6 15182

Greatly extends the playing time of all re-corders, particularly 31/4" reel machines. An ultra-thin 1/4 mil tensilized mylar recording tape with high-density magnetic coating. Offers excellent frequency response for sharper, brighter recordings. Outstanding performance with capstan-drive recorders.

LAFAYETTE QUADRUPLE-PLAY 1/4 MIL. RECORDING TAPE

> Four Times More Recording Time Than Standard Tapes Up To 32 Hours Recording

1100 Ft. on 31/4" Reel, Records 7 hours 20 minutes (all four tracks) at 1% ips; 3 hours 40 minutes at 3% ips. Shpg .wt., 12 oz. Net 2 10 28 6 01256

2400 Ft. on 5" Reel, Records 16 hours (all four tracks) at 1% ips; 8-hours at 3% ips, Stereo 2-track records 8-hours at 1% ips, 4-hours at 3% ips, Shog, wt., 1½ lbs.

Net 4 50 28 6 01264

4800 Ft. on 7" Reel, Records 32 hours (all four tracks) at 1½ ips; 16-hours at 3¾ ips; 8-hours at 7½ ips. Stereo 2-track records 16 hours at 1½ ips, 8-hours at 3¾ ips, 4-hours at 7½ ips, Shpg. wt., 2 lbs.

Net 8.95 28 G n1272

LAFAYETTE DELUXE TAPE HEAD DEMAGNETIZER

 With Switch Pencil shaped head demagnetizer with one extending probe. Styling allows you to reach all heads in all positions. Features switch control . . . no need to leave unit on constantly. Turn on when needed and off to conserve unit's life, Operates on standard 110-120v 60 Hz AC. Imported. Shpg. wt., 1 lb. 99 G 15331



TELEPHONE PICKUP FOR CRADLE OR UPRIGHT PHONES



Induction telephone pick-up for cradle or upright phones. Simply place phone base on pickup and connect leads to high impedance input of an audio amplifier or directly to a tape recorder. Imported. Shpg. wt. 8 nz. 99 G 10340 Net 1.49



STANDARD CASE: Sturdy all steel carrying case. Holds 12 7" reels and cans. Twin snap locks, Platinum gray hammerloid finish. Metal separators. Index cards. 28 G 15017 Wt., 5 lbs. Net 3.29

DELUXE CASE: Holds 12 7", 5" or 3" intermixed reels and cans. Finger touch roll-out action, drop-front with spring lock. Exterior

and interior index 28 G 15025 Shpg. wt., 9 lbs. Net 5.95



39

LAFAYETTE

- Two Operations—Cuts & Trims
- Clean Splices in Seconds
- For Monaural or 2 and 4-Track Stereo
- Splicing Tape Supplied

A sturdy precision instrument for profession-A sturpy precision instrument for profession-al use in all splicing and editing applica-tions. Gives clean, quick cuts on all tapes without losing a significant portion of the sound track. Splicing tape fed from below will not foul and waste tape. Sharp long last-ing blades provide trouble-free operation. A must for professionals and demanding audio hobbyists. Imported. Shpg. wt., 3/4 lb. 28 G 09051

Replacement splicing tape for above 28 G 09069 Shpg. wt., 2 oz. Net .30

7 INCH POLYESTER TAPES

Leading USA Manufacturer
 Factory Boxed

1200 FT., 11/2 MIL., Shpg. Wt. 1 lb 28 G 01132 1-2 ea 95 3 1-2 ea. .95 10-24 ea. .74 3-9 ea. 25 up 1800 FT., 1 MIL., Shpg, Wt., 1¼ lbs. 28 G 01140 1.2 ea. 1.29 3.9 ea. 1.19 10-24 ea. 1.14 25 up 1.09 28 G 01140

69° Lots 1800 FT. 1 MIL 109 Lots

1200 FT. 11/2 MIL

Low

Solid State 8-Track Stereo Tape Players for the Car

AUTOMATIC 8-TRACK SOLID-STATE STEREO CAR TAPE PLAYER



Set of Two 3x5" Speaker Systems Only with Purchase of Automatic Player

Player Only

Player With **Bonus Speaker**



Compact car stereo tape player with attached mounting bracket for quick and easy installation under the dash. Plays 8-track stereo tape cartridges. Solid-state circuitry for instant on operation. Operates reliably on any 12-volt negative ground electrical source. Thumbdial Volume, Tone, and Balance controls. Manual or automatic channel selection. Complete with all mounting hardware. Size: 10x10x7". Imported. Shpg. wt., 10 lbs. Less Speakers.

17 G 26355W 8-Track Player Only Net 49.95

8-Track Player plus Set of 2 Speakers 17 G 26371WM Shpg. wt., 13 lbs.

Net 49.96

Set of 2-Lafayette Matching Car Speaker Systems. Shpg. wt., 3 lbs. 99 G 62994 Net 6.95

DELUXE AUTOMATIC 8-TRACK CAR STEREO PLAYER with BUILT-IN FM STEREO RADIO



FM Stereo Car Radio

Instant on Solid State Circuitry

For all 12 Volt Neg. Ground Car Systems

Car Player

Wherever you travel in your car, enjoy the full dimension and "Ilve" reality of either 8-track STEREO TAPE or FM STEREO MULTIPLEX RADIO as well as FM monaural broadcasts. Plays all 8-track stereo tape cartridge and any 4-track tape cartridge with an adapter. You can also listen to standard AM broadcasts with an optional AM tuner pack. For instant music—just slip in a cartridge...automatically your car is filled with any kind of tape entertainment you select... jazz, pop, classical. Modern, solid-state circultry insures reliable, outstanding performance. Features a tape channel indicator, channel selector button, plus an FM stereo indicator and separate balance and tone controls. Tape speed: 3¾ IPS. Operates on 12 VDC neg. ground. Power output: 8-watts, Frequency range: 60-12,000 Hz. FM section features 4 tuned IF stages. Size: 2½ x 7½ x 7.70. Complete with adjustable mounting bracket and all mounting hardware. Imported. Shpg. wt., 13 lbs.

17 G 26231WX Net 119.95

Set of 2 Matched Lafayette Car Speaker Systems. Shpg. wt., 21 lbs. 99 G 62994 Net 6.95

AM RADIO TUNER CARTRIDGE 5 Semiconductors. Slide-rule Illumi.

17 G 26090L

lavers for the

AUTOMATIC CRS-9440 CAR STEREO CASSETTE PLAYER



- For 12V., Neg. Ground Systems
- Fast-Forward and Reverse
- Thumbwheel Type Safety Controls

Compact stereo cassette tape car player, Produces 8 watts stereo Compact stereo cassette tape car player, Flounces o watts stereo music power. Plays standard monaural or stereo pre-recorded cassette cartridges at 1% ips. Features ultra-modern, solid-state circuitry, plus thumbwheel type Volume, Balance, and Tone controls which conform to latest auto safety standards. Fast-Forward — Reverse controls permit rapid, manual choice of different selections. Operates on any 12-volt, negative ground electrical source. Beautiful chrome face panel with jet-black trim. Comes complete with mounting bracket. Size: 6%Lx7Dx2%"H. Imported. Shpg. wt., 10 lbs. 17 G 26363WX No Money Down*

Net 79.95 Set of 2-Lafayette 3 x 5" Matching Rear Deck Speakers. Imported. 99 G 62994 Shpg. wt., 3 lbs. Net 6.95

SONY/SUPERSCOPE TC-20 CAR STEREO CASSETTE PLAYER



Tone Control

With Mounting Hardware. & Head Cleaning Pencil Pushbutton Operation

Deluxe stereo playback car cassette system. Features single action "Letter-Box loading." Provides instant playback at a power output of 6-watts per channel. Cassettes can be ejected either automatically or manually. Has push-button 'Fast-Forward' and "Rewind"; Volume, Stereo Balance and Tone controls. SPECIFICATIONS: Frequency Response 50-10,000 Hz; Wow/Flutter 0.28%; Signal-to-Noise Ratio 45 db; Tape Speed 17% ips. Switchable for negative or positive ground 12VDC electrical systems. Complete with mounting bracket, hardware and head cleaning pencil. Size: 7%x27%x84%". Imported. Shpg. wt., 8 lbs. wt., 8 lbs

17 G 50017WX No Money Down*

Net 9.95

8 Track Stereo Cartridge Players, Recorder and Accessories

PANASONIC RS-802US 8-TRACK STEREO TAPE CARTRIDGE PLAYBACK DECK

 Plays 8-Track Pre-Recorded Tape Cartridges Thru the Stereo Amplifier of Your Hi-Fi System

Solld state 8-track home cartridge deck with advanced IC circuitry. Built-in dual preamplifier permits use with any stereo amplifier or receiver having an "Auxiliary" input jack. Simple push-button channel program selector. 4 easy-to-read Illuminated channel Indicators that Individually light-up to quickly show you the exact channel you are listening to. Decorator styled in tasteful walnut grain finish metal cabinet with silver control panel. For 117 VAC, 60 Hz. Size: 844W x 44/4H x 934"D. Imported. W. 7 lbs. 76 31504W. 17 G 31504W



ROBERTS 1725-8L III INTEGRATED CARTRIDGE and REEL STEREO RECORDER



SALE 29995

WAS 339.95 1970 Cat. 700

- 4-track Stereo Reel-to-Reel Plus "Stereo 8" Track Combination Record and Play
- Records "Stereo 8" Cartridges From Reels

Record and play your favorite music from LP records and stereo FM radio broadcasts on either reels or cartridges. Records and plays back reels at 3½ and 7½ ips; cartridges at 3¼ ips. Two built-in 4" wide-range speakers provide superb full frequency sound reproduction. Has twin type VU meters. Reel-to-reel section features automatic shut-off; instant stop; 3-digit Index counter with reset button; built-in tape cleaner. Response: 50 to 15,000 Hz at 7½ ips; 50 to 10,000 Hz at 3½ ips. For 110-125VAC., 60 Hz. Size: 15Hx13½Wx 9½"D. Imported. Shpg. wt., 34 lbs.
27 G 55163WX No Money Down*

DELUXE 4 and 8 TRACK TAPE CARTRIDGE STORAGE RACK

- Holds Up To 48 Tapes
- Lazy Susan Type Base

Easy access to your 4 and 8-track tape cartridges. No more misplaced tapes. Attractively styled wood and masonite storage rack with simulated walnut vinyl finish. Has "Lazy Susan" type base. Holds up to 48 tapes. Size: 9½Wx 9½Dx12½"H. Shpg. wt., 8 lbs. 28 G 78049W



CRAIG 3302 SOLID STATE 8 TRACK RECORDER/PLAYER DECK



Make Your Own Tapes for the Car and the Home

Quality 8-Track Stereo Tape cartridge record/playback deck plays thru the stereo amplifier or receiver of your present home system. Advanced, automatic record level control for superb music recordings. Special selector provides automatic stop after one channe or all four channels. Also has provisions for automatic continuous play. Features E-Z-Ject cartridge release button, Record level meter, individual track indicator lights, and a pushbutton selector. Inputs for microphone and auxiliary high (1 Meg. ohms) and auxiliary low 20% ohms). Frequency response: 50-10,000 Hz. Wow and flutter: less than 0.25%. Signal-to-noise ratio: better than 40 db. Stereo separation: better than 30 db. AC Bias repord system, AC Erase. Handsome walnut finish wood cabinet. With all connecting cables. Operates on 120 VAC 60 Hz. Size: 9½W x 11½D x 4"H. Imported. Wt., 14 lbs. 27 G 27162WX No Money Down* Net 1-9.95 27 G 27162WX No Money Down* 28 G 17047 60 Min. 8-Track Cart. Recording Tape, 6 oz.

8-TRACK TEST and HEAD CLEANING CARTRIDGE

3-IN-1 Professional Calibrated Test Cartridge—Tests for proper head alignment, Test for proper stereo balance. Cleans tape head. Shpg. Net 1.49

Only



B-TRACK CARTRIDGE MYLAR RECORDING TAPE

As Low As

Continuous loop 8-track cartridges well lubri-

cated to preserve tape life. Fits all standard 8-track recorders and players. With UNI-tension pressure pads, precision molded tape guide.

Stock No.	Recording Time	Wt.	Net
28 G 10315	30 Minute	6 oz.	1.75
28 G 17047	60 Minute	6 oz.	1.95
28 G 17039	80 Minute	6 oz.	2.25



8-Track Tape Players, Pre-Recorded Cartridges & Accessories

LAFAYETTE Pre-Recorded 8-Track Stereo Tape Cartridges



As Low As



TWIN PACE

Beethoven Sym. No. 5 Cento Soli Orch. of Paris. Shog. wt., 8 oz. Net 2.95 Beethoven Sym. No. 6 "Pastoral" Vienna Symphony, Orch. Klemperer Cond. Shpg. wt., 8 oz. 28 G 40510L Net 2.95

Beethoven Sym. No. 7 London Sym., Orch. Van ReMoortel Cond 28 G 40528L Shpg. wt., 8 oz. Net Berlioz Sym. "Fantastique" Bamberg Symphony, Orch. Perlea Cond. 28 G 40551L Shpg. wt., 1 lb.

†1812 Overture, Russian Easter Overture, Polovetsian Dances, A Night on Bald Mountain. Vienna Symphony Orchestra. Shpg. wt., 1 lb. 28 G 40569L Net 3.29

Rachmaninoff Piano Concerto No. 2; Tchaikovsky Piano Concerto No. 1. Felicja Blumental soloist. Orchestra Der Wiener Musikgesellschaft 28 G 40577L Shpg. wt., 1 lb. Net 3.29

†Offenbach—Gaite Parisienne; Bizet—Carmen Suite; Ravel—Bolero, Cento Soli Orchestra of Paris. Shpg. wt., 8 oz. 28 G 40536L Net 3.29

Brahms—Dvorak, Hungarian and Slavonic Dances. Perlea conductor. Bamberg Symphony Orchestra. Shpg. wt., 8 oz.

Great Movie Themes—Exodus, Around the World In 80 Days, Picnic, Moulin Rouge, Merry Widow. London Pops Orchestra. Shpg. wt., 8 oz.

Hits from Broadway Shows—My Fair Lady, Camelot, Gigi, Music, Hollywood Radio City Orchestra. Shpg. wt., 8 oz. Sound of

28 G 405931 Net 2.95



"Automatic" Portable 8 Track Tape Player

"D" Batteries Cigarette

Expose to a Track Topic

An exciting way to listen to 8-track stereo tape cartridg s. Portable instant-on solid state tape player operates on 6 "D" batteries or may be plugged into the cigarette lighter of any car or boat with a 12V neg, ground electrical source. Continuous tone control and dynamic speaker for quality sound reproduction. Earphone jack for private listening. Channel indicator. Integrated carrying handle. Includes 6 transistors and 1 thermistor. 8Hx7Wx344"D. Imported. Shpg. wt.,

7 lbs 17 G 26330 No Money Down 99 G 62564 Extra "D" batt. 6 req.

Net ea. .15

FM Tuner Cartridge for 8-Track Car Tape Players

Converts any car, boat or home 8-track tape player to an FM radio with full, rich sound. Solid state circuitry with 8 transistors. Built-in AFC locks in stations. Precision slide rule tuning dial. Tuning range: 88-108 MHz. Im-ported. Shpg. wt., 1 lb.

17 G 61006L 99 G 60212 Extra 9V battery

AFAYETTE 8-Track Tape Head Demagnetizer



y b tape cartridges for your car neat, orderly, dust free. Compact, 9x6x6" case stores 10 tapes of any stand-Net 2.65



must for all owners of 8 track tape cartridge recorders and players. Removes ex-cessive magnetic build-up on heads. Use

after every 15 hours of player use. Shpg. wt., 1 lb. Imported. For 117VAC Home Players 99 6 15091 Net 3.95 For 12 VDC Car Players 99 G 15422

Net 5.95

LAFAYETTE Speakers for 8-Track and Cassette Car Stereo Tape Players

"VARY-MOUNT" SPEAKER



Deluxe flush-mounting speaker with beautiful chrome grill. Ideal for use as an auto speaker or anywhere shallow depth is required. Full range speaker has heavy magnet and offers outstanding sound quality. Can also be used as a ceiling or wall mount speaker in your home. Imp., 8 ohms. Overall dia.: 6½". Imported. Wt., 3 lbs.
99 G 01794

Net 3.95

CUSTOM IN-DOOR SET OF 4 SPEAKERS AND MATCHING GRILLES

O 95

Ready for quick installation. Ready for quick installation. Improves the sound and performance of any car tape player. Kit includes: Four 434" extended range 8-ohm PM speakers; four round custom mount plastic speaker grills; all necessary hook-up wire with solderless connectors; mounting hardware and easy-to-follow instructions. Imported. Shpg. wt., 3 lbs.

99 G 62861

Net 8.95

3x5" SET OF TWO UNDER-DASH MATCHING SPEAKER SYSTEMS





DELUXE SET OF TWO REAR DECK MATCHING SPEAKER SYSTEMS

 5 Watts Peak Handling Power

Set of two powerful 4" speakers mounted in handsome ebony plastic cabinets with silver trim. Specially designed to mount on car's rear deck. Can also be surface mounted anywhere. Provides outstanding sound reproduction. Includes all necessary cables and mounting hardware. 99 G 62986 Shpg. wt., 4 lbs.



Deluxe Personal Black and White Television Sets

6995 Personal Portable



UL Listed

9 Inch Viewable Picture-Measured Diagonally

- 82 Channel UHF/VHF Reception
- With Earphone For Private Listening

Perfect for portability. Styled in a modern mood—rich walnut grain with champagne gold trim. Transistorized (both tube and solid-state) circultry. 44 square inch, 90° deflection, aluminized picture tube. Precision-engineering for top reception anywhere ... even in fringe areas! Front-mounted 3° speaker for fine sound. Front-mounted controls for greater convenience. Separate UHF and VHF tuning knobs. With "Split-Second Start" for instant picture... Instant sound. Telescopic VHF and loop UHF antenna. Earhone and jack for personal listening. Size: 94′ x 134′s x 94′°D. For 117 VAC, 60 Hz. Imported. Wt. 18 lbs. Perfect for portability. Styled in a modern

17 G 53128WX No Money Down* Net 69.95

Q 95 Personal Portable **UHF/VHF TV Set**



12 Inch Viewable Picture— Measured Diagonally

- 82 Channel UHF/VHF Reception
- With Earphone For Private Listening

Handsome, lightweight, transistorized "personal" television for true portability! Big 75 sq. in. viewing area (12" diag. measurement). 82-channel reception lets you enjoy all stations, present and future. Split-second start—instant picture, instant sound. 110° aluminized picture tube produces rich blacks and white, and brilliant high-lights. Separate UHF and VHF tuning, plus VHF fine tuning control allows accurate station selection on all channels. Complete with built-in 3½" dynamic oval speaker, VHF telescopic unipole antenna, and a rear mounted UHF loop antenna. Earphone for private listening. For 17YAC., 60 Hz. Imported. UL listed. 13¾ x 13¾ x 10¾."D. Shgs. wt., 19½ lbs. 17 G 53136WX No Money Down* Net 79.95

10995 Personal Portable UHF/VHF TV Set



UL Listed

18 Inch Viewable Picture-Measured Diagonally

- 82 Channel UHF/VHF Reception
- With Earphone For Private Listening

Quality portable TV with big 184 sq. in. viewing area. Attractive, slimline cabinet in off-white with black and chrome trim. Non-glare, 114° aluminized picture tube produces sharp, crisp black and white pictures. 82 channels for full UHF/VHF coverage. Powerful front mounted 64 x 2" dynamic speaker. Convenient, fold-away carrying handle for easy portability. AFC and keyed Agcircuits for maximum stability in reception. Includes: VHF dipole and UHF loop antennas and earphone for personal listening. Size: 17H x 21½W x 13½°D. For 117VAC. 60 Hz. U.L. Listed. Imported. Shpg. wt., 34 lbs.

17 G 53078WX No Money Down* Net 109.95

Panasonic AN-409T Portable TV with Digital Clock



9 Inch Viewable Picture—Measured Diagonally 95 • 3½ Hour Sleep Timer with Automatic Shut-Off

- Large Easy-to-read Digital Clock
 Channel Coverage: VHF 2-13, UHF 14-83
 Detachable Black Front Glass

Tomorrow's look featuring built-in digital clock. Up to 3½ hour sleep timer with automatic shut-off. 38 square inch viewing area. 90° deflection aluminized picture tube plus 10-tube 8-solid-state component circuitry delivers sharp "black and white" pictures. Instant On with "one fouch" On/Off power switch. Sliding vertical controls for contrast, brightness and pre-set volume. VHF-UHF antennas. 3" up-front speaker. With earphone and retractable handle. Charcoal grey, ivory trim. For 117 VAC., 60 Hz. 9¾ x 15 x 11"D. Shpg. wt., 14 lbs. Imported.

17 G 31561WX No Money Down

with Earphone. Sun Visor, Front Cover, and Built-In Battery Charger

- Operates On Battery or AC
- · Channel Coverage: VHF 2-13, UHF 14-83

Sony TV-920U Solid State Portable TV



Weighs only 10 lbs.! Features 8" sunglass picture tube (measured diagonally) for perfect outdoor and indoor viewing. 25 transistors plus 13 diodes assures sensitive reception even in fringe areas. Operates on all power sources: optional rechargeable 12 volt battery; 12VDC car/boat battery, or 117V., 60 Hz AC. Built-in WHF telescoping antenna, front mounted controls, push-pull on/off switch and front mounted speaker. With earphone, VHF telescoping antenna, built-in battery charger. Size: 10H x 9W x 8¾"D. Imported. Shpg. wt., 12 lbs.

17 G 32809WX No Money Down*

Net 129.95

ACCESSORIES for SONY PORTABLE TV'S

Model BP/7 564. Shoulder rechargeable battery pack.
17 G 32296 Shpg. wt., 3 lbs.
Model OCC-2AW. Car battery cord. For 12V/neg. ground systems.
Net 17 G 32304 Shpg. wt., 1/2 lb.
Model VCA 14. Car window antenna. Shpg. wt., 1 lb.
Net 2: Net 22.95 Net 14.95 17 G 32601


Superb Selection of Solid-State Table and Clock Radios

Deluxe LAFAYETTE AM/FM Walnut Wood Hi-Fidelity Table Radio



Our Finest AM/FM Table Radie! Featuring 5" Acoustic Suspension Speaker For Magnificent Full-Fidelity Sound Reproduction

Handsomely Styled LAFAYETTE Solid-State AM/FM Clock Radio



Full Feature Telechron Clock with Lighted Dial And Snooze Button Large 4" Speaker AFC Lock Prevents Drift on FM 3495

Rich Walnut Veneer Wood Cabinet

Our finest AM/FM clock radio. Extra powerful solid-state circultry, automatic frequency control (AFC) plus an FM signal boosting stage provides brilliant FM as well as AM reception. The full-feature Telechron clock with lighted dial lulls you to sleep, wakes you to music, lets you nap. Up to 60-minute automatic shut-off for late night listening. Also features precision slide rule dial, wake-up alarm, and a large 4" wide range speaker for superb tone. This clock radio is housed in a rich walnut veneer wood cabinet that will enhance the decor of your home. Size: 11% "x 61/6" x 3%". Imported. For 117 VAC 60 Hz. Shpg. wt., 6 lbs.

3795

Tuned RF FM and 4 IF Stages Tape Recorder Output Jack 12-Transistors and 14-Diodes External Speaker Output Jack

External Speaker Output Jack

A deluxe high-fidelity AM/FM radio employing an advanced solid-state circuit with 12 transistors and 12-diodes. However, it is more than just an AM-FM radio, it combines a super-sensitive AM and FM receiving section with a tuned RF FM stage and 4 iF's, a high-fidelity amplifier, and a full-range acoustic suspension loudspeaker in one compact and handsomely designed 3/8" walnut wood enclosure. Equipped with a built-in AM and FM antenna system, this outstanding radio need only be connected to a standard 117 VAC outlet to place it in operation. Separate Band Selector, Continuous Tone control, and Volume control. AFC for drift-free FM. Jack at the rear of the radio marked REC may be used to plug in a tape recorder to record any programs heard on radio. Also includes provisions for hooking up an external 8-ohm speaker as well as external FM or AM antenna. Beautiful olled walnut wood cabinet with woven tan grill. For 105-120V., 50/60 Hz AC. Size: 131 x 5/80 x 8/4 M. Imported. Shpg. wt. 8/2 lbs. 99 G 35644W

Deluxe Panasonic Model RC-7469 AM/FM Digital Clock Radio



3 25

Tells Time by Numbers Instead of Hands

Automatically Turns Radio On At Preset Time **59**⁹⁵

Drift off to sleep and awaken either to music, morning weather, traffic and news reports, or awaken by alarm. Preset the time once and the RC-7469 turns on automatically everyday at the same time; turns off automatically after one hour of play. For ordinary use there's an Off/On button. Highly stylized clock and radio dials are illuminated for convenient night use. Has built-in FM and AM antennas, and earphone jack. For 110-120V., 50/60 Hz AC. Size: 5% Hx x 13½ x 7% "D. Imported. Shpg. wt., 4 lbs. Net 59.95

Deluxe LAFAYETTE LR-20 Solid State AM/FM Stereo System With Two Separate Matching Oiled Walnut Speakers



Get A Deluxe Stereo Headphone For 1 with Purchase of LR-20

Save 7.94

From Individual Catalog Prices BONUS OFFER EXPIRES 1/1/70

LR-20 Only

LAFAYETTE MC22 4-Speed "Mini" Automatic Stereo Record Changer



Ideal For LR-20 System

Comes pre-mounted on simulated leather base with walnut vinyl trim, tinted plastic dust cover and diamond LP needle. Dimensions: 14% x 5 x 10". Shpg. wt., 7 lbs. 21 6 01632W



26 Transistors, 18 Diodes, and 4 Thermistors For 12 Watts of Music Power To Drive The Two Full Range 61/2" Speaker Systems

Automatic FM Stereo Switching Stereo Headphone Input Jack Tape Input and Output Jacks

Provides brilliant and rewarding AM/FM/FM stereo radio performance. Includes many of the characteristics of a fine hi-fi stereo component music system. Two separate 6½" rich sounding wide range matching oiled walnut wood speaker systems permit you to enjoy true stereo separation. Deluxe Features: Stereo Indicaor Light; Automatic FM Stereo Switching; Full complement of controls; Function selector for AM, FM, FM, AFC, Phono-Aux; Volume, Balance; continuous Tone (Bass/Treble); Mode switch (stereo-mono); Loudness compensator switch, stereo headphones jack; tape recorder input and output jacks; phono input jack. Ferrite AM antenna and FM line cord antenna, as well as connection for external FM antenna. Overall FM sensitivity: 7µx; Output: 12-watts. Control unit is housed in a handsome simulated walnut metal enclosure. For 117V., 50/60 Hz. AC. Size: Control Unit—15W x 4¼H x 10¼m"D.; Speakers—7½W x 9¾H x 5¼m"D. Imported. Shpg. wt., 24 lbs.

Net 99.95

Net 99.95

Model LR 20 AM/FM/FM Stereo Radio Plus Bonus Lafayette Model 8X Stereo Headphone.

Shog. wt., 2514 lbs. 99 G 99400WXM No Money Down* Net 99.96

LAFAYETTE BX STEREO HEAOPHONE ONLY Net 7.95

LAFAYETTE Solid-State Stereo FM/AM Table Radio



No Money Down °

Twin 4" Wide-Range Speaker

Precision Slide-Rule Dial

Stereo Indicator Light

Record Changer Input Jack


NOW YOU CAN OWN A FULL 20 inch Long Stereo FM/AM Table Radio with two self-contained 4" wide-range speakers. And it features instant-on sound solid-state circuitry plus an FM stereo indicator light. Speakers are placed at each end of the cabinet for true stereo separation. 4-way selector knob enables you to listen to AM, FM or FM stereo broadcasts, or stereo records (when you plug in a record

changer with ceramic cartridge). AFC for drlft-free FM reception. Separate Volume, Tone Balance, and Tuning controls. Ferrite core AM antenna, FM line cord antenna. Beautiful walnut plastic grain cabinet with black louvered speaker grill. For 117VAC 60 Hz. Size: 20W x 5H x 8"D. Imported.

17 G 01820WX Shpg. wt., 9 lbs. Net 49.95

Tremendous Savings on Close-Outs of Solid-State Radios

LAFAYETTE Stereo FM/AM Clock Radio





WAS 79.95 1969 Catalog 694 A magnificent performing 2-plece modular stereophonic FM-AM clock radio styled in elegant walnut wood cablenetry. Includes many features normally found in more expensive stereo Hi-Fi receivers such as: inputs for stereo for monaural phonograph, output jack for stereo headphone, separate tone and balance controls, automatic FM stereo indicator light and switchable AFC. Full feature Telechron clock has front setting controls with 60 minute wake-up alarm, and soft glow electro-luminescent night light. Stereo radio and modular cabinet each contain a wide range of 4 x 6" Hi-Fi speaker with 10 ft. hook-up cable. Size: Radio, 13%, W x 8H x 6"D. For 117 VAC 60 Hz. Imported. Shpg. wt., 11 lbs.

17 G 01721WX No Money Down*

Net 59.95

3-Piece Modular AM/FM Stereo Table Radio





Features 2 matching air-suspension type speaker systems for superb high fidelity sound reproduction. Beautiful walnut finished wood cabinetry. Modern upright styling. AFC for drift-free FM reception. 5 Controls: Power, Volume, Tone, Tuning. Function Selector (AM, FM, FM Stereo, Aux.) Balance, AFC

(on-off). Front panel stereo headphone jack. (On-Oil), Front panel stereo neadphone jack.
FM Stereo indicator light, Auxiliary Input for record changer or tape recorder. Instant on solid state circuitry. Size 20½-2" x 11"H x 6½"D. Imported. For 117VAC 60 Hz. Shpg. wt. 18 lbs. Imported.
17 G 78455WX No Money Down* 69.95

LAFAYETTE Battery/AC Portable Radio



Tremenous performer—carry It with you, or, use it at nome. Large 4" speaker provides magnificent performance. Handsomely styled black leatherette case with handle. Operates up to 500 hours on 4 "C" batteries (included) or just plug into any 117VAC with built-in



self-storing cord. Ferrite rod antenna. With earphone for private listening, and batteries. Imported. Size: 9x6x2%e". Shpg. wt., 7 lbs. 99 G 35289L Net 9.95 cells for above (4-required)
Net ea. .14 99 G 62572

LAFAYETTE AM Clock Radio



30% SAVINGS

WAS 14.95 1969 Catalog 691

- Instant-On Solid-State Circuitry
- Telechron Clock Movement

Our lowest price ever for a quality AM solid-Our lowest price ever for a quality AM solid-state clock radio. Attractively styled—perfect for the kitchen, den, or bedroom. Features all solid-state circuitry for static-free, clear AM reception. Reliable Telechron clock move-ment. Wakes you gently to music or news at a preset time. Large 234" speaker provides fine tonal quality. Beautiful white plastic finish. Size 7½HX6½WX27%"D. For 117 VAC, 60 Hz. Imported. Shpg. wt., 3 lbs.

"Mini" Twin Speaker AM/FM Table Radio



Walnut Wood Cabinet

 Matched 3" and 2¾" Twin Speakers

The Ideal size AM/FM table radio for persons who do not have the space to accommodate a large radio. Superheterodyne circuit features 10 transistors and 7-diodes, AFC for drift-free reception. Lighted slide-rule tuning dlal. Bass-Treble tone control. Ferrite AM antenna, line cord FM antenna. Walnut wood cabinet with metailic sliver speaker grills. For 117V., 50/60 Hz AC. UL Listed. Size: 11½W x 4¼ x 4½°. Imported. 17 G 78430 Shpg. wt., 4 lbs. Net 19.95

Deluxe Performing Personal Solid State Portable Radios



Deluxe LAFAYETTE "Mini" AM/FM Pocket Portable Radio

With Carrying Strap, Earphone and Battery • Precision Slide Rule **Tuning Dia!**

Beautifully styled instant play AM pocket radio. Engineered and constructed with the jewel-like precision of a fine watch. Powerful 21/4" speaker provides clean, crisp tone. Features professional vernier slide rule tuning dial, and 3 IF transformers for superb sensitivity and selectivity—gives you real pulling power for stations both near and far. Superhetrodyne circult utilizes the latest spaceage soild state devices. Built-in ferrite antenna. Operates on only one inexpensive 9-volt battery. Includes vinyl carrying case, batteries and earphone for private listening. Color: Black. Size: 41/2H x 23/4W x 11/4"D. Imported. Shpg. wt., 2 lbs.

Net 6.95

17 G 01762L 99 G 60212 Extra 9-Volt Battery

Supersensitive, power-packed beauty provides sparkling performance on both FM and AM and measures only 276 W x 436 H x 142 D. ance on both FM and AM and measures only 2/5"W x 4-46"H x 1/2"H x Advanced solid state superheterodyne circuit gives you real pulling power of stations both near and far, Bullt-in AFC circuitry to prevent drift on FM. Features stilde rule dial and logging scale for precise tuning. Large 2/4" dynamic speaker reproduces voice and muslowith fine tonal balance. Ferrite rod antenna for AM, telescoping antenna for FM. Superbly styled and constructed die cast front. Powered by single 9-volt battery. Includes earphone for private listening, battery, and handy carrying strap. Imported. Wt., 3 lbs. Net 14.95 99 G 35248L

99 G 60212 Extra 9-Volt Battery

Lafavette 2-Band Solid-State Battery/Electric FM/AM Portable

Plugs Into Any AC Outlet or Plays Anywhere on 6 "A A" Batteries

Smartly styled, full-sized personal AM/FM portable. Handsome, olive leatherette cabinet with beige and chrome trim. Provides excellent FM as well as AM reception. Comes gift packed with earphone and batteries included. Features precision silde rule dial with logging scale, and wide range dynamic speaker for clear, crisp tonal quality. 9 transistors and 4 diodes. Telescopic FM antenna and ferrite core AM antenna. Size: 4¾ x 7¾ x 2½"D. Imported. Shog. wt., 3 lbs.

Net 17.95

17 G 01770L

99 G 62580 Extra "AA" bat. (6 req.) Net ea.





- AFC for Drift-Free FM Reception
- Precision Slide Rule Tuning
- Superb Tone with Wide Range 31/2" Speaker

Supersensitive AM/FM portable radio in a deluxe cabinet with a big 3½" wide range speaker for magnificient tone. Features one RF and three IF stages for extremely high sensitivity and selectivity enabling the listener to hear more stations, Operates on 4 "C" batteries or 117 VAC with built-in line cord. Precision slide rule dial with logging scale. AFC on FM to prevent drift. Pushbutton control for FM or AM. Telescoping FM and ferrite core AM antennas.10 transistors and 5 diodes. AC/DC switch. Attractive metal front panel with chrome Am antennes 10 transistors and 5 diodes. AC/DC switch. Attractive metal front panel with chrome trim. Rugged, black leatherette case. With earphone and 4 "C" batteries. Size: 5% x 9 x 2½". Imported. Shgs. wt., 4 lbs.

17 G 01788L Shpg. wt., 4 lbs.

99 G 62572 Extra "C" bat. (4 req.) Net ea.







Put the World at Your Fingertips: London, Paris, Moscow, Rome

LAFAYETTE Battery/AC 3-Band Solid-State AM/FM/SW Portable Radio



Self Storing AC Line Cord

TUNES I BANDS

SW: 4-12 MHz FM: 88-108 MHz AM: 540-1600 kHz

Slide Rule Dial for Precision Tuning

Carrying Strap, and Earphone

Tunes the standard AM broadcast band (540-1600kHz), FM Band (88-108MHz) and the 4-12 MHz International Shortwave Band for exciting world-wide listening pleasure. Provides magnificent tone from large 34½" speaker powered by 15 transistors and 5 diodes. Built-in AFC circuitry to prevent drift on FM. Slide rule dial for precision tuning. Built-in ferrite antenna for AM reception, telescopic antenna for FM and SW. Texon leatherette finished case in black, with chrome trim. With batteries and earphone for private listening. Operates on 117V AC 60 Hz with self storing AC line cord, or on 4 "C" batteries. Size: 11W x 7H x 3¼"D. Imported. Wt., 8 lbs. Tunes the standard AM broadcast band (540-1600kHz), 99 6 35271L

99 G 62572 Extra "C" batteries (4 required)

Net ea.

AFAYETTE Battery/AC 4-Band Solid State AM/FM/SW Portable Radio



TUNES 4 BANDS

AM: 540-1600 kHz MB: 2.5-6.5 MHz FM: 88-108 MHz SW: 9-18 MHz

- AFC For Drift Free FM Reception
- Self Storing AC Line Cord

Superb performing 4-band portable radio for all around use. Listen to exciting foreign shortwave stations, marine reports, standard AM and FM broadcasts. Power loaded chassis has 6 diodes plus built-in automatic frequency control for drift-free FM performance. Easy-to-read slide rule dial with logging scale for precise tuning. Separate AC/DC switch permits you to play this fine portable on 117 VAC, 60 Hz or with 4 economical "C" batteries. AC line is self-storing. Large 3½" full range dynamic speaker for outstanding tonal quality. Built-in ferrite core antenna for AM and telescopic antenna for FM, Marine and SW bands. Handsome black padded, simulated leatherette cabinet with die-cast frame and chrome grill. Size: 9½x6x3½" Imported. Shpg. wt., 7 lbs.
17 G 01796L No Money Down*

Net 39.95

Extra "C" batteries for above. 4 required. Superb performing 4-band portable radio for all around

Extra "C" batteries for above. 4 required. 99 G 62572

AFAYETTE Battery/AC 6-Band Selid-State AM/FM/SW Portable Radio



Self Storing AC Line Cord

Precision Slide Rule Dial with Logging Scale

AFC for Drift-Free FM Reception . Large 31/2" Speaker

International Shortwave Bandarread On 4 Bands for Pinpoint Tuning Accuracy

SW-1: 5.95-6.25 MHz SW-2: 9.45-9.7 MHZ SW-3: 11.65—12.0 MHz SW-4: 15.05—15.5 MHz

Also Tunes Standard AM and FM

With Batteries and Earphone

Pinpoint tuning accuracy for the widest pick of inter-national shortwave broadcasts and the Voice of America. national shortwave broadcasts and the Voice of America. Listen to these exciting and informative programs at the flick of a switch. For best all around reception, this radio has two antennas: a telescoping swivel antenna for the clearest possible shortwave and FM reception and a built-in ferrite bar antenna for greater AM range. Wide range 3½" speaker delivers extra clear and rich AM and FM broadcasts. Automatic frequency control (AFC) locks-FM to strongest signal, thus preventing drift. Continuous tone control. Rotary band selector. 12 transistors and 5 diodes. Handsome, high impact styrol leather grain cabinet with integrated carrying handle land chrome plated sides with leather insert. External antenna and earphone jacks. Complete with batteries and earphone. Operates on 4 "C" batteries or 117 VAC, 60 Hz with self storing AC line cord. Size: 634x10½x33½"D. Imported. Shpg. wt., 6½ lbs. 17 G 01804L

Extra "C" batteries for above. 4 required. 99 G 62572

Lafayette Cat. No. 701

See Page 13 for Full Credit Details on Easy Pay Plan

SPECIAL VALUE Featuring Deluxe LAFAYETTE Star-Fire ™VI 18 TRANSISTOR AM/FM/SW/VHF POLICE RADIO

Six Thrilling Bands!

ELECTRIC WORLD CLOCK

Only 1c With The Star-Fire VI

Clock Alone 9.95

Radio Less Clock

Radio With Clock

With Batteries and Earphone Bonus Special Expires 1/1/70

- Instant-on Solid State Circuitry
- **Electronic Bandspread Fine Tuning Control**
- Tuning/Battery Strength Meter

Deluxe Star-Fire VI speaks all the languages of the world. Powerful 18-transistor and 7-diode solid-state circuitry provides extremely high sensitivity. Cover has worldwide shortwave time zone chart. Monitor exciting police radio calls on the 147-176MHz VHF band. Also features: AFC to eliminate drift on FM, push-button controls, tone control, dial light, tuning/battery strength meter, built-in compass-point indicator, black leather cabinet with die-cast front, telescoping antenna for FM. SW and VHF reception. Supplied with earphone, 4 "D" type batteries and booklet of worldwide shortwave stations. 12x9½x4½"D. Imported. Shpg. wt., 18 lbs.

99 G 35263WX Star-Fire VI only Star-Fire VI Plus World Clock. 99 G 35628WXM Wt. 22 lbs. Net 79.95 Net 79.96 World Clock Only. 13 G 26024 Shpg. Wt., 4 lbs. Net 9.95 Extra "D" Batteries, 4 Required. Net ea. 99 G 62564

AC Adapter for Star-Fire VI. 99 G 35412 Shpg. wt., 1/2 lb.

TUNES

535-1605kHz AM 88-108MHz 147-176MHz (Police) 1.6-4.5MHz (Marine) 4-10MHz (International) FM FM-VHF SW-1 10-23MHz (International)


From Individual Catalog Prices

AND AM/FM STEREO BATTERY/AC PORTABLE RADIO

Stereo Indicator Light

Instant-on Solid State Circuitry

• AFC For Drift-Free FM Reception
With this handsome component type portable
radio, you do not have to stay home to enjoy
glorious FM stereo broadcasts as well as standard FM and AM broadcasts. Two detachable fullrange 3½" high-compliance speakers separate
for true stereo effect—and fold behind the cablinet for carrying. Five controls plus stereo Indicator light: Volume, Tone, Balance, Selector,
Tuning. AFC on FM to prevent drift. Precision
side-rule tuning dial with logging scale. Simulated black plastic leather with padded side
panels, and chrome trim. Operates on 4 "D"
batteries, or 117VAC with built-in line cord. 17transistors, 12-diodes. Telescopic swivel antenna
for FM; Ferrite core AM antenna. Size. Main
cabinet—6¾" x 10¾" x 2½"; Speakers—6¾"
x 5¾" x 2½". Imported. Shop. wt. 7 lbs.
17 6 018121. No Money Down*
Net 54.95
Extra "D" Batteries (4-required).
99 G 62564
Net ea. .15 AFC For Drift-Free FM Reception



Each Detachable Swing-Out Speaker Extends to 18" For Magnificent True Stereo Separation

43

BECOME AN INFORMED CITIZEN IN YOUR COMMUNITY WITH LAFAYETTE FM/VHF PUBLIC SERVICE POLICE RADIOS



- Listen To Police and Fire Calls
- Monitor Civil Defense and Public Services
- Receive Regional U.S. Weather Forecastst

Lalayette HAND HELD FM/VHF POLICE & FIRE RECEIVERS

Only an alert and informed citlzen can keep up with the electrifying happenings of our everyday life. Two superb Lafayette FM/VHF receivers bring you live coverage of your city or town's daily drama on either 146-175 MHz or 27-50 MHz police and fire bands, 146-175 MHz receiver tunes to 162.55 and 163.275 MHz U.S. Weather Bureau weather reports and disaster alarms in many parts of the country. Has a built-in 2½" speaker plus an external earphone Jack for convenient private listening. Rugged construction and sleek styling combine to give a clean professional type appearance. Operates on 4 penlight batterles (included with set). This ultra-compact unit also features a built-in swivel telescoping antenna and provision for an external antenna. With batteries and carrying strap. Size: 6x2x15%". Imported. Shgs. wt., 2 lbs.

	17.95
99 G 35339L 27-50 MHz FM VHF Receiver Net	17.95
ACCESSORIES FOR HAND HELD FM VHF RECEIVERS	

		outpg. Trt.	HOLE EU.
99 G 35362	117 VAC Adapter	10 oz.	3.95
99 G 62580	Extra "AA" Batteries (4 required		.10
40 G 79018	Earphone for Private Listening	5 oz.	.59
99 G 30264	Replacement Antenna	6 oz.	.99
EEDW / EL EA			

HIGH BAND

146-175 MHz

with hatteries and carrying strap

LOW BAND

27-50 MHz

with hatteries and carrying strap

GUARDIAN 300 3 BAND BATTERY/ELECTRIC SOLIC STATE FM-VHF/FM/AM POLICE RADIOS

GUARIDAN II 2-BAND SOLID STATE FM-VHF AND AM POLICE RADIOS





HIGH BAND

LOW BAND

FM-VHF- 147-174 MHz 540-1600 kHz FM

- 88-108 MHz

with earphones and batteries

FM-VHF - 30-50 MHz

- 540-1600 kHz - 88-108 MHz

with earphones and batteries

HIGH BAND

FM-VHF- 147-174 MHz AM - 540-1600 kHz

with earphones and batteries

LOW BAND

FM-VHF - 30-50 MHz AM - 540-1600 kHz

with earphones and batteries

HIGH BAND FM-VHF PDLICE AND AM/FM RADIO. Listen to Police and fire calls ... ANYWHERE—ANYPLACE. Deluxe 3-band radio operates on 4 "0" batteries or 117 VAC 60 Hz by means of a self-storing AC line cord. Powerful space age solid-state circuitry with 12 transistors, 6 diodes, and 2 thermistors. Variable 6-gang capacitor tuning for extremely high sensitivity and selectivity enables you to pull in even the weakest stations. Complete coverage includes high-band FM-VHF 147-1174 MHz and standard AM and FM broadcast bands. Slide rule dial for precise tuning, ferrite rod antenna for AM, telescoping antenna for FM-VHF and FM bands, and an external antenna input jack. Padded black leatherette case with silver trim. Includes batteries, earphone, and self-storing AC line cord. Size: 836"W x 436"H x 236"D. Imported. Shpg. wt., 6 lbs. HIGH BAND FM-VHF POLICE AND AM/FM RADIO. Listen to Police and

AM

FM

99 G 35461L No Money Down*

LOW BAND FM-VHF POLICE AND AM/FM RADIO, Same deluxe features and specifications as above but tunes low Band FM-VHF 30-50 MHz instead of High Band, Imported, Wt. 6 lbs.

99 G 35479L No Money Down*

Net 34.95

99 G 62572 Extra "C" bat, for above radios-4 req. = Net ea. .14

HIGH BAND FM-VHF POLICE AND AM RADIOS. Listen to the drama of HIGH BAND FM-VHF POLICE AND AM RADIOS. Listen to the drama of everyday life with this exciting radio. Monitor local and state police, as well as fire departments, 162.55 MHz and 163.275 MHz, U.S. Weather Bureau stationst, civil defense, and emergency public services. Includes standard AM band. Loaded with these outstanding features: 2 RF stages, 4 IF stages, slide rule logging scale for precise tuning, ferrite rod AM antenna, telescoping VHF antenna, large 3" speaker for superb fidelity. Handsome black case with silvertrim. Earphone jack for private listening. Operates on 4 "AA" type batteries (included) or 117 VAC with optional AC adapter. 11 transistors, 4 diades. 1 thermistor. 7Wx44.Wt2V."0. Imported.

4 diodes, 1 thermistor. 7Wx44/s/Hx21/s/*0. Imported.

99 G 35222L Shpg. wt., 4 lbs.
LOW BAND FM VHF POLICE AND AM RADIO. Same deluxe features and specifications as above Police radio but tunes low band 30-50 MHz instead of High Band. Imported. Shpg. wt., 4 lbs.

99 G 35347L

Net 21.95

ACCESSORIES FOR GUARDIAN II POLICE RADIOS Description Stock No. Shpg. Wt. Net Ea. 99 G 35362 99 G 62580 AC Adapter 10 oz. Extra "AA" Batteries (4 , equired) 1 oz. 3.95

†162.55 MHz or consult your local weather bureau concerning reception in your area.

Super Deluxe LAFAYETTE "Guardian 5000" 5-Band Solid-State

AC and Battery-Operated AM/FM/SW/FM-VHF Public Service Radio

Tunes 5 Exciting Bands!

BAND	FREQUENCY	FOR
Low Band FM-VHF	30-50 MHz	Police and Fire
High Band FM-VHF	147-174 MHz	Police, Fire, Weather
International Shortwave	4-12 MHz	London Vatican Moscow Voice of America
Standard AM Broadcasts	540-1600 kHz	Sports and News
Standard FM Broadcasts	88-108 MHz	World Famous Symphonic Orchestras

 Two Separate Front-End RF Tuning Sections For Both High and Low Police FM-VHF Bands

Variable Squeich Control While Tuning FM-VHF Bands
 . . . Also Serves As Interstation Muting on Standard FM Band

Monitor the airwaves of the world! Listen to Police, Fire, Civil Defense, 2-way Business and U. S. Weather forecasts on BOTH THE HIGH (147-174MHz) and LOW (30-50 MHz) FM-VHF band. Tune the 4-12 MHz International Shortwave Bands. Enjoy outstanding music on the standard FM band (88-108 MHz), as well as news, weather and sports on the standard AM band (540-1600kHz). Advanced space age solid-state circultry permits instant operation no loss of precious time due to warmup—permits immediate response to emergency situations. Two separate 4 gang tuning capacitor front ends for both high and low FM-VHF Police bands for greater sensitivity and more dependable selectivity weak stations can be heard clearly—while outside noise and interference are drastically reduced. Operates on 4 "C" batteries or 117 VAC household current with AC adapter (in-



cluded). Excellent quality of tone from large 3½" splaker makes this a true hi-fidelity portable radio. Telescoping antenna for FN, FM-VHF, and SW bands. Built-in ferrite core antenna for AM banc. Accessory jack for use of sepafate external antenna. Side rule logging scale for precise tuning. AFC circuitry prevents drift on FN. Beautiful walnut wood grain molded case with metal grall, gold trim, and handle. Includes 4 "C" batteries, earphone, and AC adapte: Dim.: 8¾Hx6Wx2¾"D. (Metal handle 3½".) Importec. Shpg. wt. 6 lbs.

99 G 35438L No Money Down*
99 G 62572 Extra "C" batteries—4 required tet ea. .14
† 162.55 MHz, or, consult your local weather bureau concerning reception in your area.

LAFAYETTE Solid-State Battery/Electric Twin Speaker AM /FM/Police/Aircraft Radio

4495

With Earphones and Batteries

Powerful 23 so id-state, 4-band, battery/electric portable radio. Listen to dramatic police-fire calls, U. S. Weather Bureau reports, on the FM-VHF high band (147-174 MHz). Tune in on pilots in flight awaiting instructions from the control tower, on the 'ascinating AM-VHF aircraft band (108-136MHz). Enjoy beautiful music on the standard FM band (88-108 MHz). Kep informed of the latest news and sports results on the standard AM band (54-1600 kHz). Two large 3" dynamic speakers. Self-storing AC line cord enables you to play on 117 VAC. Also operates on 4 "C" cell batteries. Rotary, telescoping antenna for FM, Police, and Aircraft. Built-in ferrite bar antenna for AM. 18-transistors, 6-diodes, 1-thermistor, Vinyl padded black case with earphone and batteries. Size: 11½x7½x3½x². Imported. 99 G 35503W Shpg. wt., 6 lbs. Net 44.95



Police and Fire 147-174MHz FM/VHF



Aircraft Band 108-136 MHz AM/VHF



Car/Portable Radios, Recorders and FM Converters

Sharp FX28 Solid State FM-AM Car/Portable Radio



Complete with Car Bracket, Lock and Key, Batteries, AC Line Cord, Earphone

- . Install In Any 6 or 12 Volt Car or Boat System
- Use As A Portable, or On 117VAC 60 Hz. With Built-In AC Line Cord

bu Hz. WITH BUILT-IN AU LINE GORD

Versatile "multi-purpose" AM/FM 12 Transistor Radio designed to provide outstanding reception anywhere. Used as an AM/FM car radio, it locks into its specially designed under-the-dash bracket and operates thru the car's electrical system (6 or 12 volts pos./ neg. ground). Slips easlly out of bracket for use outdoors—and plays on 4 "C" Batteries (Included). For indoor use, it operates on regular 117VAC household current with the AC line cord provided. Push-button switches for tone, AFC, and Car antenna, 3-Controls: Tuning, On/Off-Volume, and Band Switching. AFC for drift free FM reception. Ferrite bar AM antenna, telescoping FM antenna. Wide range 4 x 2¾" oval speaker. Wood grain finish front panel. 2H x 7½W x 5½6"D. Imported. Shog. wt., 5 lbs.

17 G 53110 No Money Down*

99 G 62572 Extra "C" cells (4 required).

Net ea. .14

Sharp FYP-30 3-Band Solid State AM/FM/FM VHF Car/Portable Police Radio



Complete with Car Bracket, Lock and Key, Batteries, AC Line Cord, Earphone

PANASONIC 7270 PORTABLE CAR AM-FM RADIO/CASSETTE RECORDER



With Remote Control Mike and Batteries

Records And Plays Up To 120 Minutes on Cassette Tapes

Ideal For Use As-

1) A Superb FM-AM

Radio
2) A Fine Performing Tape Player/ Recorder

A complete portable entertainment center for portable or car use. Listen to superb standard FM and AM broadcasts—or enjoy hour after hour of fine music by simply inserting a pre-recorded cassette tape. You can also record your own music from the radio itself, or from an optional remote control mike. Recorder is easy to use—No tape threading. Features capstan drive—17% ips. constant speed. Operates from any 6 or 12 volt car battery with accessory mounting bracket, or as a portable with 5 "0" batteries (included). Features 6" dynamic speaker for rich hi-fi sound, Ferrite core and built-in telescopic whip antenna, continuous tone control, AFC on FM, 2 watt toutput, dial light and vernier tuning. 17 transistors and 10 diodes. Dim. 11"Wx31/2"Hx11"D. Shpg. wt. 10 lbs. Imported. With batteries. 17 G 30688WX No Money Down" Net 99.95

ACCESSORIES FOR 7270

Stock No.	Description	Shog. Wt.	Net Ea.
17 G 31850 113	ar Mounting Bracket with Lock 7 VAC Adap er.	4 lbs. 6 oz.	19.95 9.95
99 G 62564 EX	tra "D" Batteries-5 req.	2 oz.	.15

FM.VHF: 150-176 MHz. High Band Police and 162.55 MHz. U.S. Weather Forecasts AM: 550-1600 kHz. FM:88-108 MHz.


FM:88-108 MHz.

Deluxe, multi-purpose 3-way solid state radio specially designed for use in car, as a portable, or in the home. Features dramatic FM-VHF High Band (150-176 MHz) reception of police, fire, civil defense, and U.S. Weather Bureau forecasts. Also tunes the standard AM and FM broadcast bands. As a car radio, it locks into its specially designed, under-the-dash bracket (supplied) and operates thru the car's 6 or 12-volt electrical system. Outdoors it plays on 4 "C" size flashlight cells. Indoors it plays on 117 VAC with an AC line cord (supplied). Features: dynamic oval speaker and 2-watt output for excellent sound quality; precision vernier slide-rule tuning dial; dial light (when operated on car battery); pushbutton tone control; earphone lack and earphone for personal listenling; telescoping FM and FM-VHF antenna; ferrite core AM antenna, Dimensions: 74/2 x 54/6 x 2°D. U.L. listed. Imported. Shpg. wt., 6 lbs.

Net 49.95

17 G 53060 No Money Down* 99 G 62572 Extra "C" cells, 3 Required

SOLID STATE FM CONVERTER for AM CAR RADIOS



- . Listen to Beautiful FM Music in Your Car.
- Simple to Install, Only 1³/₄H x 4¹/₄D x 5¹/₂"W

Includes: Mounting Bracket for Under-Dash Installation, or Fastener for Top of Dash or Console Installation. Anantenna and Patch Cords.

Operates with no alterations to your present AM car radio by tuning to 1580 Khz and then turning on the FM converter. Tunes standard FM Broadcasts from 88-108 MHz. Volume and tone are controlled from the AM radio. Features 8 transistors, 7 dodes and a built-in noise filter for fine FM reception. Also includes vernier slide rule tuning dial with luminous scale and dial pointer, AFC for drift free reception and local/distance switch for optimum reception. Slimline design allows converter to be placed on or beneath dashboard with equal convenience. With all mounting hardware. Size: 13/4H x 41/4D x 51/2*W. Imported. Shpg. wt., 3 lbs.

Net 29.95

46

Improve the Sound In Your Car with these Quality Radios

DELUXE STEREOPHONIC FM CAR RADIO with INSTANT-MOUNT SPEAKERS







With 2 Instant-Mount Speakers

SALE PRICE IN EFFECT THRU 1/1/70 EFFECT THRU 1/1/70

Enjoy rich, vibrant FM stereophonic programming in your car with this magnificent performing FM stereo radio. Simple to install under the dash with adjustable brackets—only 2 screws are required to mount the radio. Features powerful Hi-Fi audio circuit for true stereo sound reproduction on both channels. Stereo Indicator Lamp illuminates when station is receiving stereophonic sound. Dual channel tone and volume controls. Balance control permits adjust-

• 12-Volt Negative Ground System

ment of channel separation for perfect sound balance, Illuminated slide rule dial. Specifications: 23 Transistor, 11 Diodes, Output 7 watts per channel. Sensitivity: 5 μ v. For 12V negative ground systems. Includes 2 instant-mount speakers in plastic housings. Size: 9"W x 1½"H x 6¼"D. Shpg. wt., 6 lbs. Imported.

17 G 74371 No Money Down*

Net 89.95

SOLID STATE AM CAR RADIO



For 12 Volt Negative Ground Systems

Built-in Speaker

Removable Face Plate

Tone Control Switch

Universal Solid State AM radio that is easy to install under the dash. Offers fine sound reproduction. Features built-in speaker and tone control slide switch, 7 transistors, 2 diodes, RF stage, AVC. Removable face plate. For 12 volt negative ground system. Size: 2 x 4 3/4 x 6 1/2". Imported. Shpg. wt., 3 lbs. 17 G 74256

SOLID STATE PUSHBUTTON AM/FM CAR RADIO



Includes Free Antenna

Large 5x7" External Speaker

No Money Down*

For 12 Volt Neg./Positive Ground Systems

All solid state circuitry. 11 transistors, 8 diodes, 2 thermistors. Push-pull Hi-Fi output. AFC for FM drift-free performance. High sensitivity for long distance reception on both AM and FM. Four I.F. stages on F.M. for maximum noise limiting. Large 5 x 7" external speaker. Radio mounts neatly under dash. Overall size: 61/2WX23/6HX65/6"D. Imported. Shpg. wt., 6 lbs.

Custom Deluxe Solid State Radios For Volkswagen Cars DELUXE PUSHBUTTON SOLID STATE PUSHBUTTON SOLID STATE AM RADIO



Designed To Fit All Standard Models From

Complete with 5" Diameter External Speaker and All Mounting Hardware

No Money Down*

No Money Down*

Just a snap to install. Custom designed to snap into Instrument panel on the dash board from the front, Mounts in a matter of minutes. Features all-transistor circuit of advanced design which gives a full 3-watts of superb audio power. Automatic volume control provides constant, even comfort-level listening. Continuously variable tone control. Five quick-set pushbuttons permit finger-tip station tuning. Seven tuned circuits, including RF stage, give maximum sensitivity. Radios for 1958-67 VW cars are for 6-volt systems. Radios for 1967 & 1968 VW cars are for 12-volt systems. Imported. Shpg. wt., 6 lbs.

For 1958-67 1200-1300 series Volkswagen cars.

For 1968-69 1300 series Volkswagen cars.

957-1969

Net 34 95



For 1967 Thru 1969 1300 Series Models

6-Inch External Speaker

 11-Transistors, 2-Diodes No Money Down* . Snap-in Front Mount for Easy Installation

Deluxe solid-state custom AM-FM radio for all standard Volkswagen 1967-1969 models. Matches decor of car's interior. All solid-state circuitry with hi-fi features. 11-transistors, 2-diodes. AFC on FM for drift-free performance. Push-pull output. High sensitivity for long distance reception on both AM and FM. 4-IF stages on FM. Continuous variable tone control. Snap-in front mount for easy installation. Large 6" external speaker. Imported. Shpg. wt., 6 lbs. Net 34.95 17 6 74405 For 1967-1969 Volkswagens

Reverb Systems For Brilliant 3-Dimensional Sound In Your Car

FAMOUS BRAND SOLID-STATE CAR REVERBERATION SOUND SYSTEM



 With 6 x 9" Rear Seat Speaker, Grill, Fader Control, and All Interconnecting Cables

Simple Easy Installation

Deluxe trunk-mounted automobile reverberation sound system con-sisting of a solid-state reverberation amplifier with 2 electro-Deluxe trunk-mounted automobile reverberation sound system consisting of a solid-state reverberation amplifier with 2 electromechanical delay lines, 6x9" speaker with chrome grill, underdash pushbutton fader control, and all interconnecting cables. Includes simple instructions for connecting the reverb unit to your regular car system. Produces exciting 3-dimensional sound. Mounts conveniently in the trunk of your car, For all 12-volt negative ground AM or FM auto radios, Dim: 6Lx2½Hx2D. Shpg. wt., 3 lbs.

17 G 74538

LAFAYETTE SOLID-STATE TUNEABLE CAR REVERBERATION SOUND SYSTEM



WITH 6x9" SPEAKER, CHROME GRILL, AND ALL CONNECTING CABLES.


- For 12 Volt Negative Ground AM and FM Auto Radios—Convenient Under Dash Mounting
- . Electronic Tuning Control. Tuneable . "Custom Fits" the Sound to your Car, to your Ear

Deluxe solid state tuneable reverberation unit converts your present car radio into a magnificent sound system offering concert hall realism. Beautifully styled to enhance the decor of your car. Consists of the tuneable amplifier control unit which easily mounts under the dash panel of your car by means of adjustable brackets. 6 x 9" dynamic speaker and chrome grill for rear seat mounting, and all connecting cables. Includes simple instructions for connecting the reverb unit to your regular car radio system and for separate rear seat speaker. Reverberation is an entirely different approach to sound reproduction. Normal sound reproduction from a single source has a flat, one dimensional effect, with proper sound delay thru "REVERBERATION," tones are created with a truly third dimension for concert hall originality. The LRE unit features complete sound control—simplified controls permit balance of sound between front and rear seat speaker. Verb.A-Tone control adjusts the amount of reverberation to your taste. Specifications for 12 volt negative ground cars, peak audio output—4 watts, 2 translstors. Size: 1% x 4 x 9". Shpg. wt., 5 lbs.

Net 19.95

VERBALITE SOLID-STATE CAR REVERBERATION SOUND SYSTEM with COLOR - LIGHTS

17 G 01093



Only

With 6 x 9" Speaker, Chrome Grill, and All Connecting Cables.

No Money Down

- For Car AM, FM, FM Stereo Radios and Stereo Tape Players
- Tuneable . . . Custom Fits Sound To Your Car Can Be Used With Any 12-Volt Negative Ground System
- Control Panel Provides A Myriad of Colorful Patterns

Verbalite is a unique, tuneable reverberation system that blends and matches sight with sound. Features a deluxe, solid-state tuneable reverberation amplifier that converts your present car radio or tape player (stereo or mono) into a brilliant sound system providing truly 3-dimensional concert hall realism. The Verbalite's panel is illuminated to the content of the conten nated with a myriad of colors. Everchanging, colorful patterns are activated by the beat and frequency range of the music you are

listening to. Features controls for adjusting the intensity of the light and the amount of reverberation. Easily mounts under dash of your car by means of adjustable bracket. Includes 6x9" dynamic speaker and chrome grill for rear deck mounting. Specifications: 9-transistors and 2-watts peak audio output. For 12-volt neg. ground systems. Size: 144Hx8Wx54"D. Imported. Shpg. wt., 3 lbs. 17 G 74488 Net 34.95

Lafayette Cat. No. 701



Large 13" Knobby Tires
Rugged 110 lbs. Runs Up To 32 MPH Overall Length 56"

e Overall Length 56" • Rugged 110 lbs.

Rugged trail bike with long lasting 5 HP Techumseh engine for riding thru the toughest woods and trails. Large 13" knobby tires, coil spring front and heavy duty coil spring rear suspension, overslze polyfoam seat, and a tough, welded twin-beam frame even-out the roughest terrain. 2 quart gas tank. Aircraft type disc brake for fast, consistent stopping. Heavy duty automatic, all steel clutch and 5.1 gear ratio for top performance. 6½" ground clearance avoids hangups. Sealed ball bearings for maximum life. Convenient motorcycle type throttle and hand brake lever. With kickstand; chromed steel clutch guard, chain guard and fenders; forestry approved muffler; key lock ignition switch; bonded enamel finish. Shpg. wt., 120 lbs. 13 G 68547WXZ See note below.§ No Money Down* Net 199.95

DELUXE 5 HP SUPER TRAIL BIKE

"CABALLERO" DELUXE 31/2 HP MINI-BIKE

"CABALLERO" DELUXE 3½ HP MINI-BIKE

• Runs up to 28 MPH

4-cycle Tecumseh engine for high torque and speed. Comfortable ride with full front and rear suspension, oversize polyfoam seat, large 12½" knobby pneumatic tires with steel rims, tough aircraft-type disc brakes and convenient motorcycle throttle and brake lever. All-steel automatic clutch and cfirome clutch guard. 5½" road clearance. Attractive chrome chain guard, full length chrome steel fenders and bonded enamel finish. With kickstand, 2 qt. gas tank and key lock ignition switch. 48½" overall. Weighs only 79 lbs. Shog, wt., 89 lbs.

13 G 68513WXZ See note below. \$No Money Down* Net 156.95

"CORSAIR" 31/2 HP MINI-BIKE

Similar to "CABALLERO." With coil spring front suspension only. Weighs 75 lbs. Shog. wt., 85 lbs.

13 G 68521 WXZ See note below. No Money Down* Net 134.95

§ ALL MINI BIKES SHIPPED F.O.B. DUMONT, N.J. NO C.O.D. SHIPPING CHARGES COLLECTED ON DELIVERY SEND FULL REMITTANCE OR USE LAFAYETTE'S EASY PAY PLAN★



FRIDGETTE 4995

COMPACT PORTABLE REFRIGERATOR

Works On Both 110 Volts AC

Works On Both 110 Volts AC and 12 Volts DC
Lightweight, 4 cubic foot portable refrigerator perfect for use in autos, trailers, boats, or on picnics. Interior measures 12Lx 6Wx10" deep and features a high impact PVC plastic liner. Plugs into cigarette lighter or AC outlet. Stores all types of food with the convenience of a home refrigerator. Ice tray and cover keeps premade icecubes cold. Quiet operating absorbtion system, no disturbing compressors or motors. Fits almost anywhere. Quistde dimensions are 1496wx 12½/bx13"M. All metal construction. With all power cords. Shore. wt. 25 lbs. 13 G 32758WX No Money Down Net 49.95



RIDGETTE

2.2 CU. FT. COMPACT REFRIGERATOR

Compact refrigerator holds 2.2 cu. ft. (Including freezer), Ideal for small apartments, campers, or boats. Freezer accommodates 2 ice cube trays. Features in-door storage rack and egg holder; 2 removeable adjustable shelves; hermetically sealed compresor unit; and 7-position thermostat and magnetic door catch. White finish. Operates on 110 VAC, 60 Hz. Imported. Size: 18Hx 191-2WX18"D. Shps. wt., 65 lbs. 13 6 32766WX2 Net 74.95

Net 79.95

14" walnut legs for both of above (4). 13 G 32782Z Shpg. wt., 2 lbs. Net 3.99

2.2 and 5.5 Cu. Ft. Models Shipped FOB Newark.N. J. No C.O.O. Send Full Remittance Or Use LAFAYETTE'S EASY PAY PLAN*. Shipping Charges Collected On Oelivery. See Page 13 for Full Credit Details on Easy Pay Plan




5.5 CU. FT. COMPACT REFRIGERATOR

The perfect small refrigerator for apartment, The perfect small refrigerator for apartment, home or office. Walnut grain laminate plastic top and front, coppertone sides and chrome trim, 5.5 cu, ft. (including full size across-top freezer). Deluxe features: 2 removeable, adjustable chrome shelves; 1 heavy duty glass shelf; full size, across-the top freezer; large see-thru vegetable crisper 3 in-door storage racks plus egg holder; 8-pos. thermostat; magnetic door catch, hermetically sealed compressor unit, 2-tone interior and interior light, Imported. 34Hx

20Wx23D. Operates on 110 VAC. 60Hz, 13 G 32790WXZ Wt. 115 lbs. Net

Similar to above, laminated top only, standard interior, white finish. Shpg. wt., 115 lbs. 13 & 32808WXZ No Money Down* Net 99.95



COPYMATE

DRY COPIER

Completely Dry * Easy To Use

- Does Not Use Messy Chemicals—Inks-Powders-Sprays
- · Makes Crisp Black-On-White Copies

Easy to use dry copier for home and office. Anyone can make permanent, black-on-white copies of documents, recipes etc. in less than one minute, regardless of color or thickness up to size 8x10. No messy chemicals, inks, powders or sprays; uses two ordinary 150 watt frosted bulbs and "Copymate" paper. Features a built-in automatic timer that determines proper exposure, and also indi-

Copy Letters-Photographs—Even Pages Bound in Books

cates when copies are ready. Handsome brown and gold case with built-in carrying handle. For 110-120 VAC, 60 Hz. UL listed. Size: 224 x 17.½ x 614.". Shpg. wt., 9 lbs.

15 G 46019W Net 29.95

"Copymate" Paper. 33 sheets per pkg., shpg. wt., 1½ lbs.
15 G 46027 Net 2.99

AUTOMATIC ELECTRIC PENCIL SHARPENER



Net 12.50

Net 16.95

31/4" VECTORLOG" SLIDE RULE



Laminated Bamboo Construction
 P, P', and Q Scales
 For Direct Vector Addition
 Hyperbolic Sine and Tangent Scales. Two Sine Scales—One Marked in Degrees, One Marked in Radians
 5 Log Scales Plus a Voltage DB Scale
 Complete with Belt Carrying Loop and Leather Case
 With 10" Scale

Log and Leather Case • With 10" Scale

The Lafayette VECTORLOG Slide Rule provides a new concept in scientific calculation, incorporating scales and arrangement designed for quick-easy-manipulation. Twenty-seven (27) scales incorporate the many problems encountered in Electrical Engineering and Physics. The unique P, P', and Q scales allow direct right angle vector addition. No longer are several settings required to obtain right angle vector sums—these scales work in the same manner as the C and D for multiplication. The two Hyperbolic Sine and one Hyperbolic Tangent Scale, the voltage db scale, and the five Log Log scales, provide maximum coverage of these dynamic fields. VECTORLOG is the result of extensive tests for ease of manipulation. Several of these features are: C and D scales on both the front and back of the rule; Sine scales in both degrees and radians, removing the necessity of bothersome conversion of units: a problem-tested location of scales; and adjusted screws to allow variable tension on the slide. Scales include: (FRONT) Tr-1, TR-2, P', P, Q, ST, S-1, S-0, C, D, LL01, LL02, LL03, LL1; (REAR) Sh-1, Sh-2, DF, A, B, Cl, CF, Th, C, D, LL3, LL2, db. With instruction book, leather carrying case, and belt carrying loop. Imported. Shpg. wt., 1½ lbs.

draftette"PORTABLE DRAFTING MACHINE



Precision Instrument Precision Instrument
Model 9-B sketch draft, design, draw diagrams and schematics like a professional. A
new DRAFTETTE which gives you all the advantages of a T-square, triangle and protractor in a compact, easy to operate portable drafting machine. Constructed of anodized aluminum, features tubular arms,
360° protractor, one-piece 6"x9" scale calibrated in 16ths-1/8-1/4. Mounted on a 16"x
21" drawing board, completely assembled
ready to use. Shpg. wt., 5 lbs.
15 G 74011 Net 16.95

PACHED TACROGRAPH SET

Drawing pen for all lettering and drawing work. Uses both India and drawing inks. Precision point for constant flow lines. Slim, easy to hold pen comes with 3 color coded nibs. Fine (Size 0, Grey nib), Light Medium (Size 1, Yellow nib), Very Broad (Size 3, Blue nib). Shpg. wt., 8 oz.

15 G 80026 Net 4.95 Deluxe Tachrograph Set—Similar to above with 7-precision crafted points. Pigskin Case. Nibs: White-00-very fine; grey-0-fine; yellow-1-light med.; beige-2-heavy med.; green-2½-broad; blue-3-very broad; red-4-extra broad. Shpg. wt., 1 lb.

15 G 80034 Net 9.75

TECHNICAL DRAFTING SET



Contains 61%" self-centering compass, one leg knuckle joint with divider, pencil, pen parts and lengthening bar; 61%" self-centering divider; spring bow divided 41%", center wheel adjustment with interchangeable needle points; spring bow pencil and spring bow pen, both 41%" with center wheel adjustment and interchangeable needle point; two 51%" ruling pens; extra handle for pen and pencil parts; adjustment too!; lead case and leads; and spare parts kit, all in velvet lined saas and spare parts kit, all in velvet lined snap closing case. 99 G 70039 Shpg. wt., 1½ lbs.

50 Lafayette Cat. No. 701 **SMITH-CORONA** "Figurematic"

Portable Electric Adding Machine

to Money Down*

Totals 8 columns to \$999,999.99

SPECIAL OFFER EXPIRES JAN. 1, 1969

fast-figuring electric portable that adds, subtracts and multiplies A fast-figuring electric portable that adds, subtracts and multiplies. Full-featured construction with 10 keys. Add-Subtotal, Subtract-Total, and Repeat, "Clear" and digital indicator are combined. Lists 7 columns of figures. New, easy-load ribbon cartridge gives thousands of extra prints. Easy to carry—the cord tucks in, stylish dust cover snaps on, built-in retractable carrying handle comes out, and away it goes. Ideal for everyone who figures—at work. ho.ne. in-between.

Overall 7 x 9 x 13". For 110-115 volts, 60 Hz, AC. Shpg. wt., 10½ lbs. 15.6.40079W.

Net 67.95 Net 67.95 15 G 40079W

Adding tape for above 21/2" wide.

FLECTRIC TM

CORONET ELECTRIC TM 12 TM

CORONET AUTOMATIC TM ELECTRIC

Type Easler Electrically with this Coronet Electric typewriter. Makes up to 10 carbons...repeats dots, dashes, spacing, the letter X and underlines. Full-sized 88 character keyboard features impresssion control dial and touch selector. Amazing accelerator action gives faster type-bar actions for a snappler touch. Includes effort saving page gage, quick set margins, exclusive forward-gilde top deck, push-variable line spacing. Plca characters. Strong steel frame. Trimline luggage type carrying case. U.L. listed. 110-120 Volts AC. Shpx. wt., 26 lbs.

15 G 40038WX Tan, No Money Down*

Net 134.95

Net 134.95

CORONET FLECTRIC 12

Similar to above with versatile 12" carriage, Shpg. wt., 29 lbs.
15 G 40111WX Mist Blue, No Money Down*
Net 1
15 G 40129WX Tan, No Money Down*
Net 1 Net 149.95 Net 149.95

CORONET AUTOMATIC ELECTRIC Similar to above with 10" push-button power return carriage. Shpg. wt., 26 lbs. 15 G 40137WX Mist Blue, No Money Down* Net 164.95 15 G 40145WX Tan, No Money Down* Net 164.95

SUPER STERUNG SMITH-CORONA TYPEWRITER



Top quality portable with office-size 88-character pica type keyboard. Features: full length tabulator key sets and clears; personal ouch pressure selector; quick-set visible margins, sets margins at the flick of a finger; page gauge shows space remaining on page; push variable line spacing; ribbon color selector with stencil posi.ion; easily cleaned platen; forward glide top deck for easy access to type bars and ribbon. With attractive, luggage-type vinyliciad steel carrying case. Star-mist blue finish. Shpg. wt., 23 lbs.



Coronet Electric™ Typewriters




SPRITE Portable



Deluxe portable has features that make quick work of every typing job. Features pre-set tabulator, touch-set margins, wide carriage, calibrated paper ball, automatic and manual ribbon reverse, ribbon color selector and stencil cutter, dual shift keys for minimum pressure, full-size 88-character pica type keyboard and a touch pressure regulator. With handsome high-impact console carrying case. Blue and gray finish, imported. Shpg. wt., 12 lbs.

15 G 31029W Net 43.95

Desk Lamps for Home & Office





Beautifully designed, transformer powered telescoping Hi-Intensity lamp featuring HIGH and LOW switch. Telescopes from 3½" to 11½". May be used as a desk and wall light, spot and TV lamp. Use as a night light when closed. Shade swivels 360° with an arc of 180°. Shade and base are richly finished in black. Uses #93 bulb, supplied. Overall height 13". 117V, 60 Hz. Imported.
99 6 91985 Shpg. wt., 2½ lbs. ... Net 5.95

INTENDITY LAMP Dials Any Degree of Light Now you can vary your light continuously from a soft glow that is dimmer than a night light to a brilliant, glare-free, white light equivalent to 150 watts of Illumination. Slide switch turns light on or off without disturbing dial setting. Telescoping arm extends to 15"; shade swivels 360°. The lamp can be hung on a wall by using keyhole slot on base. Unit folds down to only 314x914". Sand finish. For 120v, 60 Hz, AC. Uses GE No. 1129 bulb (included). 117v. 60 Hz. Shpg. wt., 1½ lbs. 13 G 81318 Net 13.95



Ideal for desk or wall mounting. Lamp shade turns in any direction, giving an ample uniform non-glare beam of light. Sturdy hinged arm extends to 14 inches, folds flat against a hi-impact base. Hi-Lo-Off switch plus 6 ft. cord. Gold finish lamp shade and arms; Ivory base. Uses #93 bulb, supplied. 117 volts, 60 Hz. 60 Hz. 12 G 25507

Net 3.95 Replacement Bulb (pkg. of 2) 12 G 75502 Net .55



A deluxe lamp from Lafayette for perfect, illumination wherever you require it. Ideal for benches, tables, and drafting boards. Clamps securely to any surface up to 3" thick. Spring controlled swivel joints and double arm action moves light in any direction. Arm extends to 30". Neutral color. For 110-125V, 60 cycles AC, less bulb. Imported. Shog. wt., 9 lbs.

99 G 90771 Net 7.95



An attractive all metal fluorescent lamp with An attractive all metal fluorescent lamp with combination solid/gooseneck support finished in chrome. Brown metal base with push button light control . . . perfect for study, office or den. Translucent white plastic diffuser for maximum light dispersal. Includes 14-watt, 15", cool fluorescent bulb. Streamline design complements any room decor, 14 inches high by 5 inches wide. Provides illumination anywhere on your work or reading surface. 117V, 60 Hz. Imported. Shgg. wt., 4½ lbs.

12 6 16027 Net 6.50

ALL PURPOSE FLUORESCENT LAMP Universal Joints Light at Any Angle Extends to 36"

Ideal for factory benches, tables and drafting boards. Two bolts clamp base securely to any surface up to 3" thick. Spring-controlled swivel joints and double arm action give you light in any desired position. Arm extends 36". Uses two 18, 15-W lamps, For 110-125V., 60 Hz. UL listed. AC. Bronze finish. Shpg. wt., 10 lbs.

12 G 10012W Less lamps 12 G 10020 T8, 15-watt, cool white lamp

Net 19.95 Net ea. 1.15



Designed for precision work. Features a 5" diameter magnifying glass with a powerful 13" focus, surrounded by a 22 watt shadow-free fluorescent tube. A custom-engineered arm permits complete directional mobility—special adjustment knobs insure the proper tension and steadiness for any desired position. 45" arm reach. Ideal for assembly, laboratory, quality control and other detail work. In kit or assembled form. Shpg. wt., 8 lbs.

12 G 69521W Kit, less lamp
Net 21.95
12 G 69533W Assembled less lamp
Net 25.95
12 G 75015 T9, 22-watt, cool white lamp
Net ea. 3.34

LAFAYETTE Wireless Remote Control

For Lamps, T.V., Hi-Fi, Household Appliances Only

 Turns Lights and Appliances On and Off From Anywhere In Your Home-By Remote Control!

Simply Plug In and Operate!

A Lafayette Exclusive!

Now you may turn on or off any electrical device from anywhere in your home or shop. The Lafayette wireless remote control requires no additional wires. Simply plug in your transmitter wherever you choose in the house, and the appliance, TV, hi-fi system or lights that are plugged in to the receiver will be turned off or on by pressing the button on the transmitter, Perfect for viewing TV or listening to hi-fi in bed. When you get sleepy press the switch and turn everything off. Safe! Simple remote switch of lights, lamps, radios, TV and appliances. Transmitter and Receiver operate on ordinary house current, receiver accepts any 105 to 120 volt device up to 300 watts. Imported. Shgg. wt., ½ lb.
99 G 91183 Complete Transmitter & Receiving Unit Net 14.95 96 91787 Extra Transmitter

Net 5.95

99 G 91787 Extra Transmitter





LAFAYETTE 1000 WATT

PHOTO-ELECTRIC

LIGHT CONTROL

Sunset Off At Sunrise

Automatic Light Switch

Automatically switches on house, office, or store lights at sunset and off at sunrise. Great for vacation time, or daily use. No need to come home to a dark house at night.

helps keep burglars away. No special wiring necessary—just plug into wall socket and plug lamp into jack. 1000 watt capability permits use of several standard lights—will brilliantly light an entire house. Brass finish illuminator, measures only 3" in diameter.

illuminator measures only 3" in diameter. Supplied with a 6 ft. cord. Wt. 1 lb.

A

12 G 01029

. Turns Lights On At





 Full Range—Total Darkness To Maximum Brightness

600 Watts Capacity

e 600 Watts Capacity
Enjoy modern lighting in any room in your home or office. Soft light for TV viewing, bright light for reading or working. Easy to use, dimming is continuous from off to full illumination. Push on or off at any light level. Fits into standard single gang wall box without rewiring. Ivory plastic knob has brass finish insert. For 120 volts. 60 cycles AC. Operates incandescent lamps to 600 watt capacity. Whighest quality. cies at. Uperates incandescent lamps to 600 watt capacity. Hilghest quality — we will repair any defect due to material or workmanship within 2 years without charge. Simply ship to Lafayette prepaid. Sheg. wt., 1 lb. 12 G 01011 Net 5.95



WHISTLE SWITCH

• The Amazing Electro- Sonic Switch That Turns Anything Electrical On or Off With a Whistle

Let Sound Command do the work. Turns radios, televisions, Hi-Fi, Lamps, outdoor light, On or Off while you relax in your chair or bed. No need to walk in darkness...turn on lights in a different room before you get there. Just blow the whistle and appliance immediately goes On or Off. WHISTLE SWITCH is plugged into any standard house. hold outlet then electrical appliance is plugged into WHISTLE SWITCH. Nothing further is required, 350-watt capacity. For 110 v 60 Hz AC. Net 11.95

12 G 78506 Shpg. wt., 1 lb. Extra Whistle for above

Net 1.49



Net 6.95

Weather Instruments

A HOME WEATHER STATION

Three accurate dial-type instruments report barometric pressure, temperature, and humidity. Finely etched precision calibrated aluminum dials for easy reading, Heavy metalized finish has the warm glow of polished brass. Mounted on wood-grained panel 15½x54¾". For horizontal or vertical mounting.

13 G 40017 Shpg. wt., 2 lbs. Net 9.95

B DELUXE WEATHER STATION

Strikingly handsome collection of three fine instruments skillfully crafted into a central weather reporting station. Utilizes a precise and shapely call-brated thermometer, barometer, and humidity meter. Each instrument reflects the warm glow of polished prass. Richly grained lustrous panel. 20" tall case may be vertically or horizontally mounted.

13 G 40025 Shpg. wt., 5 lbs.

C INDOOR OUTDOOR THERMOMETER AND HUMIDITY METER

Richly appointed precise instrmuent reports indoor as well as outdoor temperature plus indoor humidity. Richly grained 14" tall case enhanced by deep luster finish, Metal scale and dials. Supplied with 48" out door cable and humidity guide.

13 G 40033 Shpg. wt., 2 lbs. Net 9.95





· For All Sportsmen, Yacht Clubs, Gun Clubs, Fishing and Hunting Camps • Great For Pilots

Wind velocity registered by liquid filled tube. Calibrated in both MPH and Beaufort Scale. No calculations, reads just like a thermometer. Vane-type external fittings must be mounted on outside elevated point. Attractive gray indicator features jet black calibrations. Supplied with 50 ft. tubing to connect outer unit to gauge. Gauge Size: Net 24.95 13 G 62508 Shpg. wt., 3 lbs.

CORDLESS ELECTRIC DECORATOR CLOCKS

AMERICAN TRADITIONAL PENDULUM CLOCK

Charming replica of an old Charming replica of an old favorite expertly reproduc-ed in Timewood and care-fully accented in walnut tones. Mottled parchment dial is in striking contrast to the large Roman Numer-als. The graceful motion of its swinging pendulum completes the authenticity of this ageless favorite.
Runs up to one year on a single "D" cell. Size: 14Hx9Wx2"D, Shpg. wt., 3 lbs

13 G 30547W Net 16.95 Battery for above 99 G 62564 Net

"GRANDFATHER" COROLESS ELECTRIC PENDULUM CLOCK

Warm walnut American styling for a charming blend of accuracy and handsome traditional design. Beautifully accented handsome spun gold and ivory dial with smoked antique Federal mirror complements the graceful antique Federal mirror
complements the graceful
motion of the golden
swinging pendulum. Carved walnut raised trim is
crowned with an eagle to
complete this elegant
timepiece. Runs up to one
year on a single "D" cell.
Size: 25"H x 11"W. Shpg.
wt., 5 lbs.
13 G 30521W. Net 29.95
Battery for above. Battery for above Net



DIGITAL CALENDAR WRIST WATCH

Gives You The Hour, Minute And Date At A Glance

Sweep Second Hand

- Hour Winutes Date




Digital read-out watch shows hour and minute and date in large, easy-to-read red and blue numerals. Great for any-one who must account for time at a glance . . pilots, rally drivers, etc. Ideal for the visually handicapped. Striking dial features sweep second hand and incorporates an automatic calendar which digitally indicates the day of the month. Precision anti-magnetic Swiss movement has unbreakable mainspring. Beautiful gold tone color florentine finish with genulne lizard strap. Imported. Shgs. etc., 8 oz.



DAY AND DATE CALENDAR WATCH

Tell the time, day, or date at a glance with this elegantly styled Swiss made calendar watch. Precision movement is antimagnetic. Watch features an unpreakable mainspring, water resistant high polish gold tone case, handsome white dial face with raised gift numerials, easy to read red day—black date, and a sweep second hand. Wt., 8 oz. 13 G 31305L

Lady's Day/Date Calendar Similar to above but Lady's model. Ideal as a matching set with the men's watch. 13 G 31313L Net 10.95



TV LAMP CLOCK 1 095

Ideal for use on a TV cabinet, in the kitchen or baby's room. Provides soft illumination and precise time. Attractive sturdy plastic case with gold trim. Size: 4x7x376" Deep. UL Listed, 110 V. 60 Hz. Shgs. wt., 3½ lbs.

14 G 60013 Walnut 14 G 60021 White

Net 10.95 Net 10.95



CLASSIC COAT OF ARMS

.15

- Die Cast Aluminum
- Brass Finish

Only 2195

Decorator designed to en-rich your home with new beauty! Made of cast alu-minum; brass finished, baked and lacquered for lasting beauty. Rampant Bri-tanic lion with authentic battle axes and sword fitted into rear of shield. Comes complete with hooks for-hanging. Ideal for both Indoors and out. 30Hx24"W. Shog. wt., 7½ lbs. 13 G 67523W Net 21.95



LAFAYETTE TECHNI-TIMER

Handles Up To 1875 Watts

For radios, refrigerators, electric blankets, fans . . . turns your lights On and Off

lights On and Off while you're away. Repeats cycle every 24 On time 23 hours; minimum Off time 1 hour; maximum Off time 23 hours; minimum Off time 1 hour; maximum Off time 23 hours 45 minutes. Can be set to "skip-a-day" operation, or manually controlled. No special wiring—just plug into 117V., 60 Hz AC line. Includes 6 ft. cord with plug and receptacle for equipment to be controlled. Capacity 1875 watts. UL/CSA listed. 1-year guarantee. Size: Sx4x2½"D. Shpg. wt., 2 lbs.

DELUXE SPORTSMAN'S WATCH WITH WORLD TIMER

An Automatic Underwater Watch That Indicates Flansed Diving Time.

As Low As

- Also Available In Lady's Model
- Pressurized Water-Resistant Case
- Automatic Daily Calendar
- Parking Meter Time
- Luminous Marker and Hands

Handsome wristwatch especially designed for the sportsman who is apt to get his watch wet—fishermen, hunters, or skin divers. Hermetically sealed pressurized case provides maximum protection to 5 atmospheres. Movable outer bezel permits easy timing of events, parking meter time, or elapsed submerged time. Swiss crafted antimagnetic movement features automatic daily calendar, unbreakable mainspring, and sweep second hand. Luminous hour markers and hands for high visibility. Polished chrome case, stainless back, and comfortable waterproof strap. Imported. Shpg. wt., 8 oz.

Net 11.95 13 G 31180L Men's

Ladies Model-Similar to above Net 12 95 13 G 31263L

Same as above men's watch but with 17 jewel movement. Net 21.95 13 G 31198L



17 JEWEL OOUBLE-BUTTON CHRONOGRAPH WATCH

Allinia'

Precision made 17 jewel chronograph is Ideally suited for accurate elapsed timing of sporting events, scientific experiments, etc. Features a tachometer for measuring speed, a telemeter for measuring speed, a telemeter for measuring the distance of sound and a stop watch with a 30 minute register and a sweep second hand. Accurate, dependable movement features an unbreakable mainspring. Water resistant, dustproof and antimagnetic. Bright chrome case with a stainless steel back, raised numerals, and a genuine leather strap. No Money Down* 13 G 31131L Wt., 8 oz. Net 34,95 Precision made 17 jewel chrono-

PRECISION-SWISS STOP WATCHES



- **Accurate Jeweled Movements**
- Anti-Magnetic Hair Spring

Unbreakable Main Spring

A 1/10 SECOND TIMER

Designed for close timing. Large hand registers 1/10 of a second, up to 30 seconds; small hand reads minutes, up to 15. Start, stop, and continue from crown; instant zero. 7 jewel movement. Chromium plated case. Shpg. wt., 8 oz. imported. Net 11.95 13 6 31032L

Same as 13 G 31032 (above) except 1 jewel.

Net 10.50

SPORTSMAN'S CALENDAR WATCH SWISS CRAFTED

Swiss Precision Crafted

Automatic Day-N-Date Calendar

Stainless Steel Band

Tells Time in 26 World Cities

An Automatic **Underwater Watch** That Indicates **Elapsed Diving Time**

Designed for the active sportsman! Tell the time, day and the date at a glance. Revolving bezel lets you know the time in 26 cities around the world, and also operates as a 60 min. elapsed timer. Features a telemeter scale, a sweep second hand and luminous hands and dial markers. Rugged, precision timepiece is water-resistant, anti-magnetic and has an unbreakable mainspring. Hermetically sealed pressurized case provides protection to 5 atmospheres. Case is finlshed in bright chrome with a stainless steel back and a matching stainless steel band. Shpg. wt., 8 oz.

13 G 31271L

Net 14.95





Just set it and forget it! Deluxe Swiss watch is self winding, and automatically changes the day and the date. Precision made 17 and the date. Precision made 17 jewel movement is water resistant, antimagnetic, and features an unbreakable mainspring. Case is a handsomely styled gold tone with a stainless steel back and a matching expansion band. a matching expansion band. Easy-to-read dial features the date in red and the day of the week in black, raised gilt nu-merals on an attractive white dial face and a sweep second hand, Shpg. wt., 8 oz.

Net 34.95 13 G 31289L



WRIST ALARM WATCH

Elegantly styled, Swiss made wrist alarm serves as an automatic reminder anytime—anyplace. Dependable 17 jewel movement is water resistant, antimagnetic and features an unbreakable mainspring and radium dial. Case is gold tone with stainless back or all stainless steel. Both with genuine lizard band, Dial has raised gift surprais on a white face with a lizard band, Dial has raised gilt numerals on a white face with a sweep second hand. Shpg. wt., 8 oz. No Money Down' Stainless Steel Case

Net 34.95 13 G 31149L

Gold Tone Case

Net 34.95

B 1/5 SECOND TIMER


Second hand registers 1/5 of a second and completes turn in 60 seconds. Small hand indicates up to 30 minutes. Side slide starts and stops hands. Fast resetting dependable 7-jewel movement. Shpg. wt., 8 oz. Imported. 13 G 31040L Net 11.95

Same as 13 G 31040 (above) except 1 jewel. 13 G 31057L

Net 10.50



- 56 ounce Graduated Mixing Container
- In-Base Cord Storage Compartment Keeps Excess Cord Neatly Out-of-Sight





Removable Grid

Automatic Thermostat Control

Automatic thermostatic control for controlled broiling or toasting. Great for table, patio, summer cottage...anywhere a 110 VAC outlet is available. Bright chrome plated construction inside and out. Has 2-position tray with wire rack, removable grid and tray handle. Cool black bakelite handles and feet. 650 watts, 110 volts, 50/60 Hz AC. Size: 90 x 11W x 4½"H. Shpg. wt., 6 lbs. 15 G 89050



AUTOMATIC 12-CUP COFFEE MAKER

- Stainless Steel Body
- Sight Tube In Handle

AUTOMATIC 4-SLICE TOASTER

> Separate Controls— Toasts 2-Light And 2-Dark At Same Time

Automatically pops up from 1 to 4 slices of toast. Lets you toast 2 light and 2 dark at the same time. Polished tripte chrome plated body: stay cool plastic handles; hinged crumb tray for easy cleaning. Size: 11½ x 8½...H. Wt., 8 lbs. 15 G 89035 Net 17.75

Automatic 12 cup coffee maker with every convenience feature for making coffee as you like it. Accurate flavor strength selector lets you set it and forget it; assures exact flavor desired everytime. Signt tube in handle is most useful when filling, Signal light glows when coffee is ready to serve, and keep warm element holds proper drinking temperature. Stainless steel body resists coffee acids, oils...won't stain. Has black plastic handle, base and cover knob. 575 watts. 12" high. For 115V., 50/60 Hz AC. Shpg. wt., 5 lbs.

15 G 89043

ROTO-BROILS "Le Chef" ELECTRIC CARVING KNIFE · Earl Grig Stain Reputart Hampe . Thinkless Stool Blodes · Allformatic Safety Valence · Automatic Mana English

Perfect balance and easy grip handle make carving jobs easy. Specially hardened 111/4" stainless steel blades with serrated edges cut around bones and even hard-to-reach areas. Flat area on bottom of case permits setting knife on table without blade touching. For your pretection automatic safety release stops blade action when

finger pressure is removed from button; special lock prevents accidental blade action even when knife is plugged in. Automatic blade ejector for easy cleaning. Heat and stain resistant handle. For 120 volt AC current. Shpg. wt., 3 lbs.

Net 10.95

Prices and Specifications are Subject to Change Without Notice

-- 701 INDEX --

Adding Machine	51
Amateur Gear	71
Amplifiers, Hi-Fi	12
Amplifiers, Musical And Access	61
Appliances, Electrical	56
Appliances, Electrical 100, 1 Auto Accessories 86- Auto Accessories 88- Auto Accessories 88-	91
Auto Radios, Reverbs and Tape Players	11
Battery Chargers	91
Cameras And Accessories 94-	96
Cartridges, Hi-Fi Phono	10
Cartridges, Hi-Fi Phono Cassette Players and Recorders 2, 26, 34, 46, 1 Cassette Tapes, Prerecorded 2, 26, 34, 46, 1 CITIZENS BAND EQUIPMENT 57- Citizens Band Accessories Computer Kits	13
Cassette Tapes, Prerecorded	20
CITIZENS BAND EQUIPMENT	20
Citizens Band Accessories	50
Computer Kits	76
Copier	50
Drafting Supplies	50
Copier Drafting Supplies Drums Easy-Pay Credit Plan	OE.
Easy-Pay Credit Plan	12
Electrical Accessories 75- Experimenter's Specialties 75- Garage Door Proper	22
Experimenter's Specialties	70
Garage Door Dpener	79
Guarantees Guitars 106-11 Headphones 106-11	12
Guitars	16
Headphones 106-11 Hi-Fidelity Receivers 4, 5, 7, 111, 11 Hi-Fidelity Stereo Compacts 22, Hi-Fidelity Systems 7-12, 22, 23, 27, 32A, Intercoms 72, Kits 76-	17
Hi-Fidelity Receivers	iź
Hi-Fidelity Stereo Compacts	23
Hi-Fidelity Systems7-12, 22, 23, 27, 32A	38
intercoms	30
76-6	32
Labelmaker	33
Microscopes	9
millipike	-
Movie Company and and a	19
Movie Cameras And Projectors 92, 9	3
Movie Cameras And Projectors 92, 9 MUSICAL INSTRUMENTS AND ACCESSORIES 102-10	3
MUSICAL INSTRUMENTS AND ACCESSORIES 92, 8 Ordering Information See Center Inse	13 19 11
MUSICAL INSTRUMENTS AND ACCESSORIES 92, 8 Ordering Information See Center Inse	13 19 11
MUSICAL INSTRUMENTS AND ACCESSORIES 92, 8 Ordering Information See Center Inse	13 19 11
MUSICAL INSTRUMENTS AND ACCESSORIES 92, 8 Ordering Information See Center Inse	13 19 11
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse. Organs 10 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tane	39 rt 416
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse. Organs 10 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tane	39 rt 416
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse. Organs 10 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tane	39 rt 416
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse. Organs 10 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tane	39 rt 416
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse. Organs 10 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tane	39 rt 416
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse. Organs 10 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tane	39 rt 416
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse. Organs 10 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tane	39 rt 416
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse. Organs 10 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tane	39 rt 416
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse. Organs 10 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tane	39 rt 416
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 2 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 28, 31, 3 RADIOS 28, 31, 3 Auto 46, 4 Clock And Table 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 44, 45, 68, 6 Radio Control Equipment 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 4, 5, 7, 111, 11	139rt4166 70964928
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 2 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 28, 31, 3 RADIOS 28, 31, 3 Auto 46, 4 Clock And Table 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 44, 45, 68, 6 Radio Control Equipment 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 4, 5, 7, 111, 11	139rt4166 70964928
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10	139rt4166 70964928356
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10	139rt4166 70964928356
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10	139rt4166 70964928356
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10	139rt4166 70964928356
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10	139rt4166 70964928356
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs See Center Inse Organs 20, 2 Phonographs and Accessories 20, 2 Pre-Recorded Tape 28, 31, 3 RADIOS 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Radio Control Equipment 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 4, 5, 7, 111, 11 Record Changers 29, 31, 32 Speakers and Systems 4, 14-17, 3 Store Addresses 0pposite 8 Tape Cartridge Players 10 Recorders 24-27, 34, 44 Tape CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape Recorders and Decks, Reel To Reel 31, 32A, 32, 36 Telephones and Accessories 72, 72	139rt4166 70964928356111663
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs See Center Inse Organs 20, 2 Phonographs and Accessories 20, 2 Pre-Recorded Tape 28, 31, 3 RADIOS 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Radio Control Equipment 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 4, 5, 7, 111, 11 Record Changers 29, 31, 32 Speakers and Systems 4, 14-17, 3 Store Addresses 0pposite 8 Tape Cartridge Players 10 Recorders 24-27, 34, 44 Tape CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape Recorders and Decks, Reel To Reel 31, 32A, 32, 36 Telephones and Accessories 72, 72	139rt4166 70964928356111663
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs See Center Inse Organs 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tape 28, 31, 3 RADIOS 46, 4 Clock And Table 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Radio Control Equipment 7, Refrigerators 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 29, 31, 32 Speakers and Systems 29, 31, 32 Speakers and Systems 4, 14-17, 3 Speakers and Systems 34-36, 11 TAPE CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape Recorders and Accessories 31, 32A, 32, 36 Telephones and Accessories 31, 32A, 32, 37 Telephones and Accessories 31, 32A, 32, 37 Telephones and Accessories 37 Telescopes 37 Tel	139t4166 709649283561166377
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs See Center Inse Organs 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tape 28, 31, 3 RADIOS 46, 4 Clock And Table 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Radio Control Equipment 7, Refrigerators 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 29, 31, 32 Speakers and Systems 29, 31, 32 Speakers and Systems 4, 14-17, 3 Speakers and Systems 34-36, 11 TAPE CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape Recorders and Accessories 31, 32A, 32, 36 Telephones and Accessories 31, 32A, 32, 37 Telephones and Accessories 31, 32A, 32, 37 Telephones and Accessories 37 Telescopes 37 Tel	139t4166 709649283561166377
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 20 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 28, 31, 3 Auto 46, 4 Clock And Table 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Refrigerators 7, Refrigerators 7, Refrigerators 7, Refrigerators 7, Refrigerators 8, 20, 20, 20, 20, 20, 20, 20, 20, 20, 20	139rt4166 70964928356116637771
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 29 Polaroid Cameras and Accessories 20, 2 Polaroid Cameras and Accessories 20, 2 Pre-Recorded Tape 26, 31, 3 RADIOS 26, 31, 3 Auto 36-40, 11 Police, Fire, Aircraft And Marine 36-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Radio Control Equipment 7, 45, 7, 111, 11 Record Changers 4, 5, 7, 111, 11 Record Changers 29, 31, 35 Speakers and Systems 29, 31, 35 Speakers and Systems 31, 324, 36, 11 TAPE CASSETTE PLAYERS AND RECORDERS 24-27, 34, 41 Tape Recorders and Decks, Reel To Reel 31, 32A, 32, 31 Telephones and Accessories 31, 32A, 32, 37 Telescopes 572, 77 Tel	139rt4166 7096492835611166377717
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 20 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 28, 31, 3 RADIOS 46, 4 Clock And Table 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Refrigerators 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 4, 5, 7, 111, 11 Records 29, 31, 3 Speakers and Systems 4, 14-17, 30 Speakers and Systems 4, 14-17, 30 Store Addresses 0pposite 8 Tape Cartridge Players 34-36, 11 TAPE CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape Recorders and Decks, Reel To Reel 31, 32A, 32, 31 Telephones and Accessories 31, 32A, 32, 37 Telescopes 72, 77 Telescopes 72 Test Equipment 57 Tools And Accessories 94, 85, 87 Tuners 70 Tools And Accessories 84, 85, 87 Tuners 70 Tuners 70 Tuners 70 Tuners 70 Tuners 71 Tuners 71 Tuners 71 Tuners 71 Tuners 72 Tuners 72 Tuners 72 Tuners 74 Tuners 74 Tuners 74 Tuners 75 Tuners 7	139rt4166 70964928356111663777176
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 20 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 28, 31, 3 RADIOS 46, 4 Clock And Table 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Refrigerators 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 4, 5, 7, 111, 11 Records 29, 31, 3 Speakers and Systems 4, 14-17, 30 Speakers and Systems 4, 14-17, 30 Store Addresses 0pposite 8 Tape Cartridge Players 34-36, 11 TAPE CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape Recorders and Decks, Reel To Reel 31, 32A, 32, 31 Telephones and Accessories 31, 32A, 32, 37 Telescopes 72, 77 Telescopes 72 Test Equipment 57 Tools And Accessories 94, 85, 87 Tuners 70 Tools And Accessories 84, 85, 87 Tuners 70 Tuners 70 Tuners 70 Tuners 70 Tuners 71 Tuners 71 Tuners 71 Tuners 71 Tuners 72 Tuners 72 Tuners 72 Tuners 74 Tuners 74 Tuners 74 Tuners 75 Tuners 7	139rt4166 70964928356111663777176
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 20 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 28, 31, 3 RADIOS 46, 4 Clock And Table 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Refrigerators 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 4, 5, 7, 111, 11 Records 29, 31, 3 Speakers and Systems 4, 14-17, 30 Speakers and Systems 4, 14-17, 30 Store Addresses 0pposite 8 Tape Cartridge Players 34-36, 11 TAPE CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape Recorders and Decks, Reel To Reel 31, 32A, 32, 31 Telephones and Accessories 31, 32A, 32, 37 Telescopes 72, 77 Telescopes 72 Test Equipment 57 Tools And Accessories 94, 85, 87 Tuners 70 Tools And Accessories 84, 85, 87 Tuners 70 Tuners 70 Tuners 70 Tuners 70 Tuners 71 Tuners 71 Tuners 71 Tuners 71 Tuners 72 Tuners 72 Tuners 72 Tuners 74 Tuners 74 Tuners 74 Tuners 75 Tuners 7	139rt4166 70964928356111663777176
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 20 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 28, 31, 3 RADIOS 46, 4 Clock And Table 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Refrigerators 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 4, 5, 7, 111, 11 Records 29, 31, 3 Speakers and Systems 4, 14-17, 30 Speakers and Systems 4, 14-17, 30 Store Addresses 0pposite 8 Tape Cartridge Players 34-36, 11 TAPE CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape Recorders and Decks, Reel To Reel 31, 32A, 32, 31 Telephones and Accessories 31, 32A, 32, 37 Telescopes 72, 77 Telescopes 72 Test Equipment 57 Tools And Accessories 94, 85, 87 Tuners 70 Tools And Accessories 84, 85, 87 Tuners 70 Tuners 70 Tuners 70 Tuners 70 Tuners 71 Tuners 71 Tuners 71 Tuners 71 Tuners 72 Tuners 72 Tuners 72 Tuners 74 Tuners 74 Tuners 74 Tuners 75 Tuners 7	139rt4166 70964928356111663777176
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 2 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 26, 31, 3 RADIOS 26, 31, 3 Auto 34-0, 11 Police, Fire, Aircraft And Marine 34-4, 45, 68, 6 Portable And Shortwave 25, 41-4 Radio Control Equipment 25, 41-4 Receivers, Hi-Fidelity 4, 5, 7, 111, 11 Record Changers 29, 31, 3 Speakers and Systems 4, 14-17, 3 Speakers and Systems 4, 14-17, 3 Speakers and Systems 34-36, 11 TAPE CASSETTE PLAYERS AND RECORDERS 24-27, 34, 41 Tape Recorders and Decks, Reel To Reel 31, 32A, 32, 31 Telescopes 32 Telescopes 33 Telescopes 34-85 Telescopes 35 Telescopes 35 Telescopes 36 Telescopes 36 Telescopes 37 Telescopes 37 Telescopes 37 Telescopes 38 Telescopes 37 Tel	139rt4166 7096492835611166377717691116
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 2 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 26, 31, 3 RADIOS 26, 31, 3 Auto 34-0, 11 Police, Fire, Aircraft And Marine 34-4, 45, 68, 6 Portable And Shortwave 25, 41-4 Radio Control Equipment 25, 41-4 Receivers, Hi-Fidelity 4, 5, 7, 111, 11 Record Changers 29, 31, 3 Speakers and Systems 4, 14-17, 3 Speakers and Systems 4, 14-17, 3 Speakers and Systems 34-36, 11 TAPE CASSETTE PLAYERS AND RECORDERS 24-27, 34, 41 Tape Recorders and Decks, Reel To Reel 31, 32A, 32, 31 Telescopes 32 Telescopes 33 Telescopes 34-85 Telescopes 35 Telescopes 35 Telescopes 36 Telescopes 36 Telescopes 37 Telescopes 37 Telescopes 37 Telescopes 38 Telescopes 37 Tel	139rt4166 7096492835611166377717691116
MUSICAL INSTRUMENTS AND ACCESSORIES 102-10 Ordering Information See Center Inse Organs 20, 20 Phonographs and Accessories 20, 2 Polaroid Cameras and Accessories 28, 31, 3 RADIOS 46, 4 Clock And Table 38-40, 11 Police, Fire, Aircraft And Marine 44, 45, 68, 6 Portable And Shortwave 44, 45, 68, 6 Portable And Shortwave 25, 41-4 Refrigerators 7, Refrigerators 4, 5, 7, 111, 11 Record Changers 4, 5, 7, 111, 11 Records 29, 31, 3 Speakers and Systems 4, 14-17, 30 Speakers and Systems 4, 14-17, 30 Store Addresses 0pposite 8 Tape Cartridge Players 34-36, 11 TAPE CASSETTE PLAYERS AND RECORDERS 24-27, 34, 44 Tape Recorders and Decks, Reel To Reel 31, 32A, 32, 31 Telephones and Accessories 31, 32A, 32, 37 Telescopes 72, 77 Telescopes 72 Test Equipment 57 Tools And Accessories 94, 85, 87 Tuners 70 Tools And Accessories 84, 85, 87 Tuners 70 Tuners 70 Tuners 70 Tuners 70 Tuners 71 Tuners 71 Tuners 71 Tuners 71 Tuners 72 Tuners 72 Tuners 72 Tuners 74 Tuners 74 Tuners 74 Tuners 75 Tuners 7	139rt4166 7096492835611166377717691116

ARE YOU INTERESTED IN OWNING A LAFAYETTE ASSOCIATE STORE

ALL YOU NEED IS

- Basic knowledge of Retailing, Television or Electronics
- 2. Financial Investment of \$15,000 to \$40,000

WE WILL PROVIDE YOU WITH

- 1. Initial Inventory Selection and Stimulating Sales Displays
- 2. Store Layout Designs
- 3. Advertising and Publicity Aids Including Catalogs and Flyers
- 4. Price and Merchandise Return Protection
 And The Famous LAFAYETTE Name

To learn how easy it is to join hands with Lafayette Radio Electronics and have your own electronics department store, fill in and mail the coupon below for full information FREE. There is no obligation.

Lafayette Radio Electronics Corporation
Attn. Associate Store Dept. RL
111 Jericho Turnpike, Syosset, L.I., N.Y. 11791
I am interested in owning a Lafayette Associate store. Without obligation on my part, please send me full information, FREE and postpaid.

Name

Address

City

State

Zip
Indicate below phone number giving area code.

Phone: Home

Business

Most convenient time to phone you_

SALE Lowest Prices Ever



- 4-Track Stereo Playback*
- 4-Track Mono Record/Playback

A super value—SAVE \$20.00 on this instant-on solid-state recorder. *Playback stereo tapes thru an external stereo amplifier containing a tape head input. Simple-to-use 5-position Selector Control for Rewind, Stop, Run, Fast-Forward and "Pause" for editing, cuing and tape indexing. Safety Record button to insure against accidental tape erasure. 3-digit tape counter with reset button. Built-in 5 x 3" speaker for full-range sound reproduction. Includes

With Mike, Reel Caps, 7" Take-Up Reel

Use As Stereo Playback Deck Monaural Recorder

- 3-Speeds: 1%, 3¾, 7½ IPS
- Record/Playback VU Level Meter

external speaker jack, stereo tape head output jack, inputs for mike and auxiliary. Frequency Response: 40-15,000 Hz at 7½ jps. Blas and Erase: 60 kHz; Sensitivity: Mike, 0.6 my; Aux., 200 my; External Speaker, 16 ohms. Front panel stereo headphone output jacks. Textured solid vinyl case with built-in accessory compartment. For 110-120V., 60 Hz AC. 11%W x 12¼H x 6½°D. Imported.

99 G 15653WX Shpg. wt., 18 lbs. Net 59.95

Lafayette LSC-40 Solid-State 20 Watt Stereo Modular System **VE 20.00**

- Lafayette 4-Speed Record Changer with 10" Turntable
- Two Full-Range 2-Way Speaker **Systems**

Magnificent sounding walnut wood 3 piece modular stereo phono system with many deluxe features normally found in expensive hi-fi component systems: powerful 20-watt stereo amplifier with front panel stereo headphone jack, stereo tape outputs, stereo tuner inputs, and main and remote speaker outputs. 4-speed automatic record changer has automatic shut-off and is equipped with has automatic shut-off and is equipped with diamond LP stereo turnover cartridge. Each speaker system contains a 5 x 7" woofer, 2½" tweeter, and has a brilliance level control. Dim, Control Unit: 19½W x 14½D x 3¾"H (7½" to top of spindle); each Speaker System: 6W x 15½H x 9½"D- 110V., 60 Hz AC. Imported. Wt., 48 lbs. 24 6 02519WXM No Money Down* Net 79.95 Plastic Dust Cover. Shpg. wt., 1½ lbs. 24 6 23010W Net 7.95



*See Page 13 for Full Credit Details on Easy Pay Plan

PLEASE READ BEFORE ORDERING

Place a \$18 erder for additional merimandine from this catalog yer our big catalog 700 and you've and led to purchase one of these downton items. A \$15 order entities you to buy 2 detts or two of 1 from A \$20 order entities you to buy 3. Because riems are not said separately and are available only with orders received by 1/2/70.



The Famous SODA KING

- Turns Tap Water Into Sparkling Seltzer
- Makes Soda Fountain Ice Cream Sodas
- Make Your Own Highballs
- Turn Still Wines Into Sparkling Wines
- Adds Nothing But Carbonation, No Other
- Wide-Mouth Design—Easy To Add Ice Cubes
- Heavy Gauge Aluminum—Gold Tone Finish
- 1 Quart Capacity—11¹/₄" High
- Epoxy Finish Inside Prevents Corrosion

SODA KING with 3 Chargers

Stock No. 15 G 56513 Pkg. of 10 Chargers . . . 1.09

SET OF 5 POPULAR 331/3 RPM 12" STEREO LP's



Shpg Wt., 5 lbs Stock No. 28 G 28549W

An Outstanding Set of Today's Great Music and Performers Consisting of:

- 1. Glen Campbell 'A SATISFIED MIND"
- 2. "HAIR" Songs From The Hit Tribal Rock Musical
- 3. Frank Sinatra "IUST ONE OF THOSE THINGS'
- 4. Sergio Mendes Trio "SO NICE"
- 5. Young Lovers "HAPPY HEART", "AQUARIUS" "MICHITALINEMAN", "LOVE
- ME TONICHT plus More Creat Hits

MAN'S WATCH

- Genuine Swiss Movement and Case Unbreakable Main Spring Luminous Hands & Dial Metal Expansion Band Raised Gilt Numerals
 - Sweep Second Hand
 - Gold Tone Case Anti-Magnetic

NOT SOLD SEPARATELY See Above Stock No. 13 G 31354L



it's easy to shop at LAFAYETTE

BY MAIL

Fill in any Lafayette order blank, enclose check and mail. Your order will be shipped direct to your home. See parcel post and express charts below to figure shipping charges.

BY PHONE

Dial 516 921-7500 and a trained personal service shopper will help you. Your order will soon be on its way to your home.

IN PERSON

Visit any of our conveniently located stores. Specially trained sales personnel will assist you. See opposite page for store nearest you.

Take Advantage of Lafayette's EASY-PAY PLAN NO MONEY DOWN — UP TO 2 YEARS TO PAY

See Page 13 for Full Credit Details on Easy Pay Plan

SHIPPING AND DELIVERY INFORMATION &

HOW TO ESTIMATE PARCEL POST CHARGES



Up to 16 oz., all zones allow 6¢ for first 2 oz., 2¢ for each additional oz. Find the weight of your merchandise in the extreme left-hand column of the chart at left. Pay the amount listed for Parcel Post shipment to your zone. A fraction of a pound is charged as a full lb. For example, if the weight is 6 lbs. and 1 oz. to Zone 3, postage would be for 7 lbs. (90c). Over 30 lbs. shpd. truck or exp. See below.

PARCEL POST RATES FOR ALL ZONES

Hawaii and Alaska are in the 8th zone. Puerto Rico and the Virgin Islands in the 7th zone. All other U.S. possessions and territories in the 8th zone.

WEIGHT I Lb. & Not Exceeding	Locol	1st & 2nd Zone up to 150 mi.	3rd Zone 150 to 300 mi.	4th Zone 300 to 600 mi.	5th Zone 600 to 1000 mi.	6th Zone 1000 to 1400 mi.	1400 to	Over
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	\$0.50 .55 .55 .55 .60 .65 .65 .70 .70 .75 .75	\$0.60 .65 .70 .75 .80 .90 .95 1.00 1.05 1.15 1.20 1.25 1.30	\$0.60 .70 .75 .80 .90 .95 1.05 1.15 1.20 1.25 1.35 1.40 1.45	\$0.65 .75 .85 .90 1.00 1.10 1.15 1.25 1.35 1.40 1.50 1.55 1.65 1.75	\$0.70 .85 .95 1.05 1.15 1.30 1.40 1.50 1.75 1.85 1.95 2.05 2.15	\$0.80 .95 1.10 1.25 1.40 1.50 1.65 1.80 2.00 2.15 2.25 2.40 2.50 2.60 2.75	\$0.85 1.05 1.20 1.40 1.55 1.75 1.90 2.05 2.25 2.40 2.55 2.70 2.85 3.00 3.15 3.30	\$0.90 1.15 1.35 1.60 1.75 2.15 2.35 2.55 2.75 2.90 3.10 3.25 3.45 3.60
18 19 20 For Each Extra Lb.	.85 .85 .85 Add 5c	1.45 1.50 1.55 Add 5c	1.65 1.75 1.80 Add 5c	1.95 2.05 2.10 Add 5c	2.45 2.55 2.65 Add 10c	2.85 2.95 3.10 Add 10c	3.45 3.60 3.75 Add	4.00 4.15 4.35 Add 15r

REA EXPRESS INFORMATION

Large, bulky or delicate articles are shipped by Railway Express, the fastest and most economical way to ship merchandise which is unmailable, (If you desire other shipping methods, please specify). The letter "X" after our stock number (i.e., 21 T 44-17WX) identifies the item exceeding parcel post limits

00 NOT SENO MONEY for express charges with your order. Express charges are collected upon delivery at no extra cost to you, insurance is included in your express rates. Be sure to specify your nearest Express Office if there is no agent in your town.

AIR PARCEL POST SHIPMENTS

We will ship your order via Air Parcel Post upon your request. Rates are given in the table below. Size and weight limits: 70 lbs. and 100 in. (length plus girth).

7¢ per bance, up to a bances							
	ZONES 1, 2 & 3	4	5	6	7	8	
1st LB.	80	.80	.80	.80	.80	.80	
For Each	Add	Add		Add	Add	Add	
Extra Lb.	48c	50c	56c	64c	72c	80c	
U.S Territoria	s, Possessions	and	APO & FPO	Addre	sses, 80c	per lb	

ABOUT C.O.D. ORDERS

If you order C O.D., the post office collects a handling charge, plus a money order fee, in addition to the regular parcel post charge. (We cannot accept COD's for APO's, FPO's or for special order merchandise) Here are the extra C.O.D fees:

	Money	
Amount of Order	Order Fee	COD Fee
Minimum order \$5.00	25c	70c
\$5.01 to 10.00	25c	80c
10.01 to 25.00	35c	90c
25.01 to 50.00	35d	1.00
50.01 to 100.00	40c	1.10

UNITED PARCEL DELIVERY

If your area is serviced by UPS and the service or rates are to your benefit, we will route your order via United Parcet Service. This fast, economical service is available from New York to most of the eastern states for parcels up to 50 lbs, and 108 inches in length and girth.

APPROXIMATE REA EXPRESS CHARGES

Weight	100 Miles	150 Miles	300 Miles	500 Miles	1000 Miles	2000 Miles	2400 Miles
20 lbs.	5.50	5.65	5.75	6.10	6.80	8.15	8.80
30 lbs.	5.85	6.05	6.25	6.80	7.80	10.00	10 95
40 lbs.	6.20	6.50	6.70	7.45	8.80	11.85	13.15
50 lbs.	6.60	6.90	7.20	8.15	9.85	13.70	15.30
60 lbs.	6.95	7.35	7.70	8 80	10.85	15.55	17.45
70 lbs.	7.35	7.75	8 20	9 50	11.90	17.40	19.60
80 lbs	7.70	8 15	8.65	10.15	12.90	19.25	21.80
90 lbs.	8.05	8.60	9 15	10.80	13.90	21.10	23.95
100 lbs.	8.40	9.00	9.60	11.40	14.85	22.75	25.90

MAIL ORDER

and Sales Center

111 Jericho Turnpike (west of So. Oyster Bay Rd.)

Syosset, L. I., N. Y. 11791

All Deportments 516 921-7700 C.O.D. Orders Only 516 921-7500 Open Mon., Thurs., Fri. 'til 9:30 P.M.

Our modern Moil Order Heodquorters, located on over 8 acres of land, includes expanded warehouse facilities plus the most modern handling equipment to give you quicker service. Within 24 hours after receipt, most orders are processed, picked, wrapped and shipped.

30 Convenient Locations

Visit the Lofayette Store neorest you for fast personalized service. See the catalog "come to life" and many other exciting displays of the latest products just released. Associate Stores From Coost To Coast. Wotch for New Grand Openings.

NEW YORK

BROOKLYN

11226

2265 Bedford Ave. (cor. Snyder Ave.) Phone: 212 469-8900

Phone: 212 469-8900 Open Mon., Thurs., Fri. 'fil 9:30 PM

BUFFALO (Amherst) 14226

Sheridan Shopping Center
(3600 Sheridan Dr.)

Open Mon., Thurs., Fri. 'til 9:00 PM

JAMAICA

11433

165-08 Liberty Ave.
(Off Merrick Rd.)
Phone: 212 291-7000
Open Mon., Thurs., Fri. 'til 8:45 PM

LAKE GROVE

11755

2848 Middle Country Rd. {Rt. 25—1/4 mile E. of Smithhaven Mall} Phone: 516 585-3600 Open Mon.-Fri. 'til 9:30 PM

LYNBROOK, L.I., N.Y. 1156: 381 Sunrise Highway (2 miles East of Green Acres) Phone: 516 887-9800 Open Mon., Thurs., Fri. (til 9:30 PM

NEW ROCHELLE 10801
218 North Ave.
(opp. Macy's Mall)
Phone: 914 235-5101
Open Mon., Thurs., Fri. 'ril 9:00 PM

MASSACHUSETTS

BOSTON 02215

S84 Commonwealth Ave. {/z block above Kenmore Sq.} Phone: 617 267-8900 Open Daily 9:30 AM _ 9:00 PM Sat. 9 AM to 6 PM

NATICK

01760

1400 Worcester St. (Rt. 9 opp. Shopper's World) Phone: 617 875-6146 Open Mon., Wed., Thurs., Fri. 'til 9:30 PM

SAUGUS 01906

Sougus Plaza Shopping Center (Rt. 1 & Walnut St.) Phone: 617 233-6710 Open Daily 9:30 AM - 9:00 PM Sat. 9 AM to 6 PM N.Y.C. - 45th STREET

71 West 45 St. (between 5th-6th Aves.) Phone: 212 757-3121 Open Thurs. 'til 9:00 PM

10036

N.Y.C. - UNION SQUARE 10003 17 Union Square West (corper 15th St.) Phone: 212 924-4433 Open Thurs., Fri. 'til 7:00 PM

N.Y.C. - WARREN ST. 10007 45 Warren Street (between (hurch and W. Broadway) Phone: 212 964-0334 Open Daily 9 AM - 6 PM Sat. 9 AM to 5 PM

ROCHESTER-IRONDEQUOIT 14621 999 Ridge Road East

(Adjoining Arlon's)
Phone: (716) 467-1310
Open Mon.-Fri. 10 AM to 9 PM
Sat. 9:30 AM to 6 PM

ROCHESTER — PITTSFORD 14618 3330 Monroe Ave. (Adjoining Arlan's)

Phone: (716) 586-6331 Open Mon.-Fri. 10 AM to 9 PM Sot. 9:30 AM to 6 PM

10582

SCARDSDALE

691 Central Ave. (1/2 mile north of Ardsley Rd.) Phone: 914 472-2700 Open Daily 9:30 AM - 9:30 PM Sot, 9 AM to 5:30 PM

CONNECTICUT

HAMDEN 06514 Hamden Plaza

(2100 Dixwell Ave., adjoining Pegnataro's)
Phone: 203 248-2182
Open Daily 10 AM - 9 PM
Sat. 9 AM to 6 PM

WEST HARTFORD 06117 Bishop's Corner Shopping Center

(357 North Main St. cor. Albany Ave.)
Phone: 203 236-0693

Open Mon., Thurs., Fri. 'til 9:30 PM

MAI

TOWSON

815 Taylor Avenue (Lach Raven Plaza)

Phone: 301 825-7750
Open Mon., Thurs., Fri. 'til 9:00 PM

PENNSYLVANIA

KING OF PRUSSIA

King of Prussia Shopping Center (Routes 202 and 23)

19406

15146

Phone: 215 265-3300 Open Mon. through Sot. 10 A M - 10 PM

LANCASTER 17603

2152 Lincoln Plaza
Phone: 717 397-3681
(Adjoining Two Guys)

Open Daily 10 AM - 9 PM Sot. 10 AM - 6 PM

MONROEVILLE

Monroe Plaza Shopping Center 4045 William Penn Highway Phone: 412 373-0060

Open Mon, through Sot, 10 AM - 9 PM

PHILADELPHIA 19095
Wyncote (Cheltenham Township)

8156 Ogontz Ave.
Phone: 215 885-2140
Open Daily 10 AM - 9:30 PM

Sot. 9 AM to 6 PM

PITTSBURGH 15237 North Hills Village Shopping Ctr. 4801 McKnight Road

Phone: 412 366-0810

Open Daily 10 AM - 9 PM

Sat. 9 AM to 9 PM

NEW JERSEY

NEWARK

07102

24 Central Ave. (west of Broad St.) Phone: 201 622-1661 Open Wed. 'til 8:45 PM

PARAMUS

07652

22044

182 Route 17 (1 mile north of Garden State Plaza) Phone: 201 261-8800 Open Daily 9:30 AM - 9:30 PM Sot, 9 AM to 5:30 PM

PLAINFIELD 07060

139 W. 2nd St. (1 block east of Front St.) Phone: 201 756-5100 Open Mon., Thurs. 'til 8:45 PM

TOTOWA

Opening Fall 1969

VIRGINIA

FALLS CHURCH

Plaza 7 Shopping Center (cor. Wilson & Roosevelt Blvd.)

(cor. Wilson & Roosevelt Blvd.)
(across from 7 corners)

Phone: 703 534-5772

Open Mon., Thurs., Fri. 'til 9:30 PM

MARYLAND

MT. RAINIER/HYATTSVILLE 20822

3191 Queens Chapel Rd. (Rt. 500) (Queenstown Shopping Center)

Phone: 301 779-7020 Open Mon., Thurs., Fri. 'til 9:30 PM



SOLID STATE CB TRANSCEIVER / AM RADIO BASE STATION

with mike, headphone, and batteries (No FCC License Required)



- Tuneable On All 23 Citizen Band Channels
- Crystal Control Transmit Up To 1 Mile on Channel 9
- Built-in Quality AM Radio
 Built-in Practice Code Key

Excitement for every member of the family. Actually a 100 milliwatt CB base station transceiver, quality AM radio and practice code oscillator in a compact, attractive, professional styled cabinet. CB transceiver section has tuneable superheterodyne receive for all 23 channels, and is crystal-controlled to transmit on channel 9. Built-in telescoping artenna. Specifications: Max. Audio Output: 200MW; RF Power Input: 100 MW; AM Radio tunes 54 to 1600 kHz. Operates on 6 "D" type batteries, includes microphone, headphone, and batteries, imported, Size: 12½x5¼4x6"0. Shpg. wt., 5 lbs.

99 G 62564 Extra "D" Batteries

Walkie Talkies by Lafayette PIONEER & LEADER IN 2-WAY CB RADIOS

(A) "ASTRO COMMANDER" CB WALKIE TALKIE HA-70C

- Not a Kit—Completely Wired
- Interstage Transformer for More Sound

Compact 3-transistor walkie-talkie features a sensitive su-Compact 3-transistor walkie-talkie features a sensitive superregenerative receiver for minimum noise pick-up when voice signal is being received. Crystal controlled transmitter provides range up to 1/4 mile. Has push-to-talk button, off-on volume control, and efficient speaker/mike. Supplied with telescooing antenna, crystal, battery, and plastic carrying case. Size: 5½/2 x 2½/2 x 1¾". Imported. Shpg. wt, 1 lb. 99 G 30801L HA-70C Net ea. 5.99

99 G 60212 Replacement Battery

Optional 9-Volt Lead-Acid Rechargeable Battery Plus Charger. Imported, Shpg. wt., 6 oz, 99 G 90169

(B) 2 CHANNEL 7-TRANSISTOR SUPERHET CB WALKIE TALKIE HA-73A

- Powerful Push-Pull Audio
 Built-in Call Alert
- Battery Eliminator Jack

New power boost reflex circuit utilizes 7 transistors to achieve higher sensitivity for extended range, 2-channel operation permits greater frexibility. Call alert system sends or receives a pleasant alerting tone for convenient calling, Also features Battery Eliminator Jack for 117 Volts AC operation with optional battery el minator. Case features beautiful die-cast chrome high-lighted front panel. Supplied with carrying stran telesconing antenna hattery, and plue. with carrying strap, telescoping antenna, battery, and plug-in crystals for channel 9. Size: 57ex114x23a.". Imported. 99 G 31452L HA-73A. Shpg. wt., 3 lbs. Net ea. 15.95 46 G 15 Extra Transmit Crystal (Specify Channel') Net 2.25 46 G 12 Extra Receive Crystal (Specify Channel*) Net 2.25 *See Page 59 on "How To Order Crystals".

99 G 60212 Replacement Battery Net .21
99 G 30124 AC Battery Eliminator Net 2.95
Optional 9-Volt Lead-Acid Rechargeable Battery Plus Charger, 99 G 90169 Imported, Shpg. wt., 6 oz. Net 2.69

NEW 3 Channels LAFAYETTE NA FOM A FATETTE Z DYNA COM See Page 23 For Dana-Daw Accessories

Watts of Power — You Can Hold in Your Hand!

Lafayette
DYNA-COM 5a

Only 95 No Money Down *

- 5 Watt FCC Maximum Input . . . With Power Equal to the Most Powerful CB Transceivers!
- * 13 Translators, 6 Diodes, 1 Thermistor
- * 7-Stage Transmitter for Extra Transmit Sock!
- Operate Mobile in Your Car with Optional Cigarette Luchter Plug-in Adapter
- Superhele edgine Receiver with Less Than 1 Microvolt Sensit rity for 10 db S+N/N Ratio
- * Muchanical Filter for Superior Selectivity
- Autumatic Range Boost for High Talk Power
- Variable Squelch and Automatic Noise Limiting
- Battery Condition and RF Power Output Indicator
- External Mobile and Base Antenna Jack
- Provision for External Battery Pack, Mobile Battery, Charger and Eliminator
- TVI Trap Mnimizes TV Interference
- Push-Pull Audio Modulator Circuit

The Dyna-Com 5a is small in size—BIG In performance and versatlity. A Lafayette exclusive, this amazing 2-way radio has every feature you have ever wanted in a compact walkie-talkie. The unique, removable battery pack facilitates charging ni-cad batteries on or off the walkie-talkie. You always have a fresh supply of batteries on hand. In addition, an optional portable dry cell power pack keeps reserve power on tap when you need it. The unit may be connected to your auto, boat or tractor battery and external antenna for the ultimate in portable convenience. Attractive die-cast brushed aluminum case with shoulder carrying strap. Measures only 3½4Wx10½x 2½7D. Supplied with transmit and receive crystals for channel 10, telescoping whip antenna and FCC license application Form per regulation 95. Imported. Shog. wt., 5 lbs.

99 G 32096L (Less Batteries)	Net 79.95
46 G 15 Extra Transmit Crystal†	Net 2.25
46 G 10 Extra Receive Crystal†	Net 2.25
99 G 32245YL Dyna-Com 5a modified for 26,620 MHz	Net 89.95
99 G 32252YL Dyna-Com 5a modified for 27.575 MHz	Net 89.95

Lafayette SUPER POWER LONG RANGE Walkie Talkies

3-WATTS 3-CHANNELS Dyna-Com®

3a

- 12 Transistors, 6 Diodes
 455 kHz Ceramic Filter
 Trap
 Trap
- Variable Squelch and Automatic Noise Limiting
 Range Boost For Higher Talk Power
- Battery Condition and RF Power Output Indicator

Lafayette's Dyna-Com 3a walkie talkie is a hand-held powerhouse featuring 3 full watts of power with added flexibility of 3 crystal-controlled switchable transmit and receive channels, 12-transistor, 6-diode circuitry incoroorates a sensitive sucerhet receiver which utilizes an RF amplification stage with lightning surge protection, and a highly selective ceramic filter for super reception. Automatic gain control, automatic noise limiter, and variable squelch combine to achieve truly quiet operation. 6-stage transmitter uses Range Boost modulation to increase the sideband modulation and thus provide far greater talk power. Includes TVI trap for minimum TV interference. Meter indicates battery level on receive and RF power output on transmit. Jacks are provided for earphone, external antenna, and external power. Operates on batteries or any other 12 volt DC supply. Complete with telescoping antenna, battery holder with batteries, one set of crystals for channel 10, shoulder strap, and FCC Form 505. Imported. Size. 856H x 336W x 11%."D. Shgg. Wt., 234 lbs.

1.5 WATTS 3 CHANNELS

99 G 31940L No Money Down* 46 G 11 Extra Transmit Crystal† 46 G 10 Extra Receive Crystal† Net 57.95 Net 2.25 Net 2.25 DYNA COM 2a DYNA COM 2a DYNA COM 2a DYNA COM 2a 395 Each

No. Makky Marri

Dyna-Com 2a

With the characteristically superb "DYNA-COM" design, the DYNA-COM 2a is essentially the same as the DYNA-COM 3a except for its power rating of 1.5 watts. Imported. 21/4 lbs.

99 G 31932L No Money Down*
46 G 14 Extra Transmit Crystal†
46 G 10 Extra Receive Crystal†

Net 39.95 Net 2.25 Net 2.25



See Page 13 for Full Credit Details on Easy Pay Plan



FIVE plus TWELVE!

SWITCHABLE

Hand-Held Power

CRYSTAL CONTROLLED

Lafayette DYNA-COM 12 ONLY

- ★ 12 Sw:tchable Crystal Controlled Transmit and Receive Channel Positions
- 5-Watts FCC Maximum Permitted Input Power In The Palm of your hand!
- *14 Transistors, 6 Diodes, 1 Thermistor
- Superheterodyne Receiver plus RF Stage with 0.7μV.
- Automatic Compressor Range Boost for Consistently High Talk Power and Greater Range
- Use It In Your Car with Optional Cigarette Lighter Plug-in Adapter
- Public Address External Speaker Jack with PA Switch
- Mechanical Filter for Superior Selectivity
- Varieble Squalch plus Automatic Noise Limiter for Minimum Noise
- Battery Condition and Automatic Belattee HF Power Output
- External Antenna Jack Permits Use with Hose Station and
- Provision for External Battery Post, Mobile Sattery and Sattery Charger/Eliminator
- Pueh-pull Audio (Modulator Circuit for Misra Powerful Spench Transmission and High Quality Reception
- TVI Trap To Minimize Television Interference

Another 5 watt 2-way radio first by Lafayette, the Dyna-Com 12 pioneers the walkie talkie feature of 12 switchable crystal controlled transmit and receive channel positions for extra utility and flexibility. In addition to its superb engineering resulting in excellent sensitivity, selectivity, adjacent channel rejection, and RF protection, the Dyna-Com 12 incorporates all the features you would ever expect to find in a high power hand-held walkie talkie. The removable battery pack makes it simple to charge the nl-cad batteries on or off the walkie-talkie, The Dyna-Com 12 may be connected to your auto, boat, or tractor 12 volt battery and to external antenna for efficient mobile communications. It can also be used on 110 volt 60 Hz AC with the optional battery ellminator/charger and

with a base station antenna for reliable base station communications. Features a professionally designed attractive die-cast case with shoulder carrying strap and crystals for channel 10. Size: 31/4 x 101/2 x 21/4/20. Imported, Shpg. wt., 5 lbs.

46 G 15 Extra Transmit Crystalt Net 2.	.25
	AE
46 G 10 Extra Receive Crystalt Net 2	
	.29
99 G 32104YL Dyna-Com 12 Modified for 26.620 MHz Net 109.	
99 G 32112YL Dyna-Com 12 Modified for 27.575 MHz Net 109	.95

SEE BELOW FOR ACCESSORIES

DYNA-COM OPTIONAL

Eliminator/Charger, Plugs 117 VAC outlet to permit base station opera-tion. Charges up to 12 nickel cadmium bat-teries internally and externally in Dyna-Com 5, 5a, 6, and 12; charges batteries of Dyna-Com 2, 2a, 3 and 3a in holder externally with adapter (supplied). Negative ground only. Has fused AC line. Size: 756H x 556*D (at bottom) x 31½*W. Imported. Shpg. wt., 5 lbs. 99 G 31478

Extra Battery Pack for Dyna-Com 5, 5a, 6 and 12. Extra removable back of walkie-talkie plus battery holder. Enables charging of complete battery pack outside of walkie talkie while another pack is in use. Im-ported, Shpg. wt., 2 lbs.

99 G 32203 Nicad Rechargeable Batteries for Pack 32 G 47400 12 required Net ea. 1.40 Mobile Cigarette Lighter Cable Assembly. Permits operation of Dyna-Com from car 12 volt DC cigarette lighter. Shop, wt. 6 oz. cigarette lighter. Shpg. wt., 6 oz.

Cases: Genuine Top Grain Leather Shpg. wt., 12 oz. 42 G 28011 For Dyna-Com 2a, 3a 42 G 28029 For Dyna-Com 5, 5a

Net 5.95 Net 5.95 42 G 28045 For Dyna-Com 6, 12

Dyna-Pack External Battery Pack with 10 "D" batteries. Plags into Dynacoms to assure reserve power when required in the field. Imported. 3 x 3½ x 7½". Shpg.

wt., 4 lbs. 99 G 31015 Net 5.95 Extra 10-Cell Battery Holder for Dyna-Pack

Antenna Adapter Cable. Connects PL-259 plug of external antennas to Dyna-Com's antenna jack. Shog. wt., 6 oz. 44 G 09201 Net 2.95

Nicad Rechargeable Batteries. 12 required for Dyna-Com 5, 5a, 6 and 12, 10 for Dyna-Com 2, 2a, 3 and 3a. Shpg. wt., 1 oz. 32 G 47400 Net ea. 1.40

Alternate Heavy-Duty Alkaline Batteries. 12 required for Dyna-Com 5, 5a, 6 and 12; 10 for Dyna-Com 2, 2a, 3 and 3a. Shpg. wt., 2 oz

Pkg. of 2 .79 32 G 47525

Miniature Top Loaded Antenna. Highly efficient coil loaded 18" antenna which mounts on top of collapsed telescopic antenna, Imported, Shpg. wt., 1 lb. 99 G 31437

99 G 31437

Net 4.30

Dyna-Charge. Charges from 8 to 15 nicad
"2" size cells. Plugs directly into Dyna-Com
5, 5a, 6 and 12 charge jacks and into jack
of Extra Back Battery Pack. Charge batteries
of Dyna-Com 2, 2a, 3 and 3a externally in
holder with use of adapter (supplied). Size:
3% x 24 x 2". Imported. Shpg. wt., 2 lbs.
99 G 31007

Net 9.95

thow to order crystals, Add 2 digits representing the Channel No. to the listed stock no. Sample: 46 G 10 for channel 9 is 46 G 1009; for Channel 23 is 46 G 1023.

99 G 31312



- 9 Crystal Controlled Transmit and Receive Channels
- Convenient Front Panel Crystal Socket
- Modulation Monitor
- Phone Jack for Private Listening

Advanced electronic circuitry utilizes 7 tubes and 3 diodes to achieve 13 stages of dynamic performance. Sensitive superheterodyne receiver permits reception of weak distant stations even in problem areas. Effective series gate limiter minimizes ignition and other noise pick-up. Receiver can be manually tuned or crystal controlled. Variable squelch control permits quiet automatic stand-by operation. Powerful audio stage delivers up to 100% AM plate modulation for real talk power. Monitor allows visual indication of modulation. Built-in 117VAC power supply. Front panel receive and transmit crystal sockets plus 8 sets of internal crystal sockets. Front panel phone jack for private listening or external speaker. Receiver sensitivity: 1µv @ 10 db signal to noise ratio. Output impedance, 50

- Push-To-Talk Ceramic Mike with Coiled Cord and Positive Lock Plug
- Pi Network Antenna Matching
- Convenient Variable Squelch Control
- Sensitive 23 Channel Tuneable Receiver

ohms. Supplied complete with push-to-talk ceramic microphone with coiled cord and positive lock plug, bracket for mobile or shelf mounting, 117 VAC power cord, and a pair of crystals for channel 11. Size: 1214 WX814 DX5"H. Shpg. wt., 15 lbs.

99 G 30678WX

Net 59.95
46 G 61 Extra Transmit Crystal (Specify Channel)†
Net 2.25
46 G 62 Extra Receiver Crystal (Specify Channel)†
Net 2.25
HA-19 POWER SUPPLY Adapts Comstat 19 for 12 volt mobile operation negative or positive battery. Size 6Wx4Hx44½"D.
42 G 47045W Shpg. wt., 4 lbs.
† See Page 59 for "How To Order Crystals."

LAFAYETTE Comstat 19 ECONOMY 2-WAY RADIO SYSTEMS



Consists of: Lafayette Comstat 19, 23 channel tuneable-9 channel crystal controlled CB transceiver, heavy duty ground plane antenna, and 50 ft. RG-8/U low loss cable assembly.

42 G 91795WXM Wt., 22½ lbs. Net 75.95

Same system as above but with Lafayette "Range Boost II" ½-wavelength high gain base station antenna instead of ground plane antenna. Shpg. wt., 28½ lbs. 42 G 91803WXM No Money Down* Net 83.95 YOU SAVE 4.45 From Individual Catalog Prices Consists of: Lafayette Comstat 19 CB transceiver, 12 volt 0C mobile power supply, stainless steel body mount antenna, and 20 ft. RG-58/U coaxial cable assembly. Shpg. wt., 21 lbs.

Net 79.95

Same system as above but with bumper mount antenna instead of body mount antenna. Shgs. wt., 20 lbs. 42 G 91829WXM No Money Down* Net 82.50 YOU SAVE 4.30 From Individual Catalog Prices



Range

Lafayette 23 CHANNEL CRYSTAL CONTROLLED TWO-WAY RADIO





No Money Down* FCC TYPE ACCEPTED

- Dual Conversion Receiver Features 8/10 μν Sensitivity
- Pi-Network and Low Pass Filter for Maximum **Power Output**
- Internal Range Boost Circuitry for Greater Average Talk Power
- Built-in 117 VAC Power Supply, Operates Mobile with Optional 12 VDC Power Supply

With Optional 12 VDC Power Supply

Lafayette offers a truly great CB value, the Comstat 23 Mark VI deluxe 5-watt CB transceiver with 23 crystal-controlled channels at an amazingly low price. Crystal synthesizer circuit includes all crystals necessary for active coverage of all 23 CB channels. Features a sensitive and selective dual conversion superheterodyne receiver, Sensitivity is 0.8 µ/ Variable squelch control for quieting receiver during "no signal" conditions; full-time automatic noise limiter; and a tape recorder output jack on the rear panel. Audio output is 4-watts not a builtien 3½ in. speaker. RF output is coupled through a highly effective pi-network and low-pass filter for maximum energy transfer to the antenna with low harmonic radiation. Matches antennas from 50-75 ohms. Range Boost circuitry is incorporated for greater average talk power. Includes standby switch for low current drain

- 14 Tube Performance with 9 Tubes, and 9 Diodes
- Variable Squelch Control with Standby Switch for Low Drain Instant Operation
- Illuminated "S"/"PRF" Meter
- Tape Record Output Jack (Rear)
- CB/Public Address Switch
- Headphone/External Speaker Jack

and instant operation. With facilities for PA and external speaker or phones of 4-8 ohm impedance. For operation on 105-120 volts AC, 50/60 Hz or operates mobile with the use of the optional 12 volt power supply. Size: 12Wx8½Dx5"H. Imported. Shpg. wt., 20 lbs. 99 G 32237WX 99 G 32237WX

OPTIONAL ACCESSORIES

HA-19 DC POWER SUPPLY. Permits 12-volt mobile operation with Negative or Positive Battery Ground. 6W x 4H x 4½ "D 42 G 47045W Shpg. wt., 4 lbs. Net 13.95 MOBILE MOUNTING BRACKET. under-dash mounting. Imported. Shpg. wt., 2 lbs. 99 G 31874 Net 2.95

LAFAYETTE COMSTAT 23 MK VI ECONOMY 2-WAY RADIO SYSTEMS



SAVE \$6.45 From Individual Catalog Prices No Money Oown

Cable



SAVE \$6.80 From Individual

Catalog Prices

No Money Oown*



Body



Consists of: Lafayette Comstat 23 Mark VI 23 channel crystal-controlled CB trans-ceiver; a heavy duty Ground Plane Antenna, and 50° of RG-8/U low-loss cable assembly. 42 G 91563WXM Wt., 27 lbs. Net 112.95

Same system as above except with "Range Boost II" deluxe ½ wave end-fed antenna instead of ground plane antenna. 42 G 91571WXM Wt., 29 lbs. ... Net 121.95

Mobile Systems

Same system as above except with Bumper Mount Antenna. Shpg. wt., 26 lbs. 42 G 91597WXM Net 122.95



NEVER BEFORE ... Such Economical CB Versatility!

LAFAYETTE **HB-23** 23-CHANNEL **CRYSTAL** CONTROLLED MOBILE 2-WAY RADIO



Additional Plug-In Crystal!

★ With New RF Overload • Accepts Priva-Com Private Tone Caller

Solid-state ultra compact crystal synthesis CB transceiver incorporates 15 transistors and one Integrated Circuit stage to achieve superior sensitivity, greatly increased dependability, and lower current drain. Synthesis type frequency control section utilizes a maximum of sixteen crystals for full 23 change, operation. lizes a maximum of sixteen crystals for full 23 channel operation. Permits economical addition of 2 channels with each plug-in crystal listed below. Carefully tuned 455 kHz mechanical filter assures razor sharp selectivity with excellent adjacent channel rejection. Dual conversion receiver features 0.7 µv sensitivity, ANL, variable squelch, and push-pull audio amplifier. Transmitter provides full 5 watt legal limit input. Illuminated front panel meter monitors "\$" units on receiver and PBF outbut during transmit on receiver and PRF output during transmit.
PA Speaker/Earphone Jack for silent listening or public address operation. Wired to accept Privacom plug-in private tone caller

LAFAYETTE HB 23 VOLUM FOR OPERATION ON CHANNELS 9, 13 AND 19 Only 95

15 Transistors, 8 Diodes, Plus IC

- Full 5-Watt FCC Maximum Input Power
- Variable Squelch Plus Automatic Noise Limiting
- Protection (Pat. Pending) Large 5 x 3 Inch Speaker For Superior Audio

For 12 VDC negative or positive ground. 117 VAC and portable operation achieved with accessories listed below. Complete with dynamic push-to-talk microphone, cable, mounting bracket, fixed crystal for channels 9, 13, and 19, and FCC application Form 505. Size 5% WX77aDx216"H. Imported. 99 G 31494WX Shpg. wt., 614 lbs. Net 99.95 Package of 10 Plug-In Crystals. Converts HB-23 to full 23 channel operation.

Only

99 G 31742 Shpg. wt., 1 lb. Net 25.00 HB-502B Solid State 117VAC Power Supply/ Charger, Enables operation of HB-23 as a table top 117 VAC base station, also charges nickel cadmium batteries used in the HB-507. 99 G 32088W Net 16.95

Base Station Dynamic Microphone. Net 11.95

Model HB 507 Portable Battery Pack. Adapts HB-23 for convenient portable operation convenient portable operation

* 455 kHz Mechanical Filter In IF Stage

No Money Down*

- Dual Conversion Superheterodyne Receiver
- 12 Volts DC Negative or Positive Ground
- 117 Volts AC With Optional AC Power Supply
- Portable Operation With Optional Battery Pack

with shoulder strap. Less "C" batteries. 99 G 31551 Shpg. wt., 2 lbs. Net 1 "C" Alkaline Battery for HB-507 (8 req.) 32 G 48879 Net ea.

Alternate Nickel Cadmium Battery (10 req.) 32 G 48887 Net ea. 4.06 OPTIONAL INDIVIDUAL PLUG-IN CRYSTALS: Each Crystal Adds 2 Operating Channels. Inserts Into Specified Crystal Sockets.

99 G 31635 Channels 1 and 5; For Socket A 99 G 31643 Channels 2 and 6; For Socket B 99 G 31650 Channels 3 and 7; For Socket C 99 G 31668 Channels 4 and 8; For Socket D 99 G 31684 Channels 10 and 14; For Socket 99 G 31692 Channels 11 and 15; For Socket 6 99 G 31700 Channels 12 and 16; For Socket H 99 G 31718 Channels 17 and 21; For Socket H 99 G 31726 Channels 18 and 22; For Socket J 99 G 31734 Channels 20 and 23; For Socket L Any One of Above Crystals Net each 3.45

MODEL HB-23 ECONOMY 2-WAY RADIO SYSTEMS

Body Mount SAVE \$4.90 From Individual

Catalog Prices

No Money Down



SAVE \$6.40

From Individual Catalog Prices

095 No Money Down



Full 23 Channel-

Operation

HB-502B



Mobile Systems

Consists of Lafayette Model HB-23 Solid-State CB Transceiver with 23 channel crystal control capability; stainless seel Body Mount Antenna; and 20' Rc-58/U Cable Assembly. Shpg. wt , 12 lbs. 42 G 91670WXM Net 104.95

Same as above except with Bumper Mount instead of Body Mount Antenna Wt. 11 lbs. 42 G 91688WXM Net 107.95

Base Systems

Consi to G. Lafayette Model HB-23 Solid-State CB Transceiver with 23 channel. Crystal control c pability: HB-502B AC Power Supply; heavy duty Ground Plane Antenna; 50° RG-8/U Cable Assembly, Wt., 25 Ibs. 42 G 91696WXM Net 129.95

Similar ib ove except with "Range Boost II" d luxe 1 - wave end-fed antenna. Wt., 27 lbs. 42 G 91704WXM Net 138.95 42 G 91704WXM



Famous 23 Channel CB Best Seller...

Lafayette COMSTAT 25B



CRYSTALS SUPPLIED FOR ALL 23 CHANNELS!

Only

No Money Down*

With Standby Switch for Low Current Instantaneous Operation

- 17 Tube Performance with 11 Tubes, 2 Transistors and 11 Diodes
- Built-in 117 VAC, 12 VDC Solid-State Power Supply
- Dual Conversion Receiver Features 8/10 μν Sensitivity

Lafayette's outstanding 23 channel crystal-controlled tube-type CB transceiver now sports a brand new professional look! The pace-setting Lafayette Comstat 25B, with its high performance circuitry for excellent mobile and base station operation, features a handsome indinight-black and contrasting brushed aluminum front panel with comp ementary multi-colored illuminated "S-PRF" meter and attractive control knobs. A 2.5 kHz total spread fine funing vernier facilitates accurate reception. Highly selective circuits greatly suppress adjacent channel interference (—45db). Variable squelch quiets receive between calls. Crystal frequency synthesizer enables operation on all 23 CB channels with crystals supplied. No extra crystals are nece sary! Built-in dual purpose power supply allows 12-VDC mobile

- Range Boost Circuitry for Added Talk Power
- PiNetwork and Low Pass Filter for Maximum Power Output
- Vari-tilt Mounting Bracket
- Modulation Indicator
- TVI Trap

and 115-VAC base station operation. Front panel switch converts transceiver to a handy 4.5 watt public address amplifier, A convenient front panel jack for headphones or external extension speakers for CB/PA is provided. Comstat 25B also features push-to-talk relay switching and plug-in ceramlc microphone with coiled cord. Rear socket is prewired to accept Lafayette Priva-Com selective call unit. Complete with varitilt mounting bracket which facilitates both easy mounting and optimum positioning of set as well as serving as an adjustable table top base. With FCC License Application From 505. Size: 12Wx81/2Dx5"H. Imported. Shpg. wt., 16 lbs.

99 G 32146WX

Net 139.95

Body Mount

63

LAFAYETTE COMSTAT 25B ECONOMY 2-WAY RADIO SYSTEMS **SAVE \$7.90**



From Individual

No Money Oown*



From Individual

No Money Down*

Cable



Range Boost II

Base Systems

Consists of: Lafayette Comstat 258 23 channel crystal-controlled CB transceiver; heavy duty Ground Plane Antenna; and 50' RG-8/U cable assembly. Shpg. wt., 27 lbs. 42 G 91605WXM Net 151.95

Same system as above except with "Range Boost II" high gain 1/2 wave length base station antenna. Shpg. wt., 26 lbs. 42 G 91035WXM

Mobile Systems

Consists of: Lafayette Comstat 258 23 channel crystal-controlled CB transceiver; stainless steel Body Mount Antenna; 20' R6-58/U coaxial cable assembly. Shpg. wt., 21 lbs. 42 G 91613WXM Net 141.95

Same system as above except with bumper mount instead of body mount antenna.
42 G 91621WXM Wt., 21 lbs. Net 144.95



23 Channel Solid-State CB Best Seller!



TE HB-525C Solid-State Mobile 2-Way Radio

WITH RF OVERLOAD PROTECTION (Pat. Pend,)

1-IC, 18-Transistors, 9-Diodes, 1-Thermistor

- Dual Conversion Mechanical 455 kHz Filter
- Variable Squelch Plus Series Gate ANL
- Automatic S/Prf Illuminated Meter
- 3-Position Crystal Delta Tune
- Transmit Mode Indicator Light
- Range BoostTM Circuitry for Added Talk Power
- P.A. Amplifier with External Speaker
- **Auxiliary Audio Input Jack**
- 12 Volt DC Operation (Neg. or Pos. Ground)

Lafayette's most advanced model of the famous HB-525 series of CB transceivers. Crystal controlled synthesizer provides 23 channel transmit and receive operation . . . all crystals supplied. Dual conversion receiver incorporates 455 kHz mechanical filter and integrated Circuit for high selectivity, superior adjacent channel rejection, and extra long life. Variable squeich quiets receiver when no signal is being received. 3-position crystal delta tune permits easy copy of off-frequency stations. Illuminated S/Prf meter indicates signal strength on receive and RF output in transmit. Full public address provisions include audio input jack for tape recorder, tuner, etc. Supplied with PTT dynamic mike, mobile mounting bracket. DC cable, and FCC license Form 505. Size: 24%x64x8"D. Imported. Shpg. wt., 7 lbs. Net 149.95 99 G 31569WX

Accepts Priva-Com® Plug-In Private Tone Caller Portable



MODEL HB-506 PORTABLE DC POWER PACK Attaches to HB-525C for con-venient portable operation. Wt., 2 lbs. Less Batteries. 99 G 31544W Net 19


"C" Dry Cell (8 req.) for HB-506 99 G 62572

ea. .14 10 for 1.20 "C" Alkaline, Alternate HB-506 Battery (8 req.) 32 G 48879 Net ea. 49 "C" Nicad, Alternate HB-506 Battery (10 req.) 32 G 48887 Net ea. 4.06

MODEL HB-502B AC POWER SUPPLY/CHARGER For base station operation of HB-525C; also charges HB-506 batteries. Wt., 5 lbs. 99 G 32088W Net 16.95

99 G 46088 CB Dynamic Desk Mike Net 11.95 †D.O.T. Permits Legal Opera-tion on 19 Channels Only in 27.00 MHz Thru 27.30 MHz







SAVE

From Individual **Catalog Prices**

95 Only

No Money Down*

Mobile Systems

Consists of: Lafayette Model HB-525C 23 Channel Solid-State CB Transceiver; stain-less steel Body Mount Antenna; 20' RG-58/U Coaxial Cable Assembly. Shpg. wt., 12 ibs. 42 G 91712WXM Net 151.95

Same system as above except with Bumper Mount instead of Body Mount Antenna. 42 G 91720WXM Wt., 11 jbs. Net 154.95



Only

No Money Down*

Base Systems

Consists of: Lafayette Model HB-525C 23 Channel Solid-State CB Transceiver; HB-502B AC Power Supply; heavy-duty Ground Plane Antenna; 50' RG-8/U Low Loss Cable Assembly Shpg. wt., 26 lbs. 42 G 91738WXM

Same as above except with "Range Boost II" deluxe ½ wave end-fed antenna, Wt., 28 lbs. 42 G 91746WXM



NEVER A Citizens Band 2-Way Radio plus A Police & Fire Monitor Receiver

MONITOR 150-174 MHz Or 30-50 MHz And COMMUNICATE ON 23 CB CHANNELS



Only No Money Down*

- For Car and Home
- 12 VDC Neg. Ground
- 117 VAC With HB-502B

CB TWO-WAY BADIO

- 5-Watt FCC Max. Rating
- Dual Conversion 0.7 µV Sensitivity
- 23 Crystal Controlled Channels . . . Al Crystals Supplied!
- Socket For Priva-Com—Quiet Standby

VHF FM MONITOR RECEIVER

Tuneable Receive Plus 2 Crystal Positions

- Monitors 150 thru 174 MHz or 30 thru 50 MHz
- Manual Tuning Plus Two Switchable Crystal Positions for Optional Crystals
- Less Than 1μV Sensitivity Body

VHF High

Band

Cable

1-Integrated Circuit + 1-FET + 25 Transistors + 9 Diodes Receives U.S. Weather Reports†

This exciting Lafayette innovation in the field of communications permits you to become an alert and informed citizen in your community! Now you can monitor the police and/ or fire frequencies and immediately com-municate with your family and with members of your volunteer fire or auxiliary police squad. The Lafayette Telsat 150 and Telsat 50 are unique compact combinations of a 5watt 23 channel solid state CB transceiver (all crystals supplied) and a VHF police/fire or industrial monitor receiver. These units or industrial monitor receiver. These units are expertly engineered for outstanding CB and VHF performance in a car, truck, and boat, as well as in an office or home (with mobile mounting bracket and FCC license application form 505. Less crystals. Size: 244 x 642W x 874. Imported. Shpg. wt., 8 lbs. Talest 157. USB-174 MM). x 6½W x 8"L. Imported Telsat 150 (150-174 MHz) 99 G 32153WX

Net 199.95 † Consult local weather bureau about reception on 162.55 and 163.275 MHz.

Telsat 50 (30-50 MHz) 99 G 32179WX

Net 199.95

Model HB-502B Matching AC Power Supply for operation in the home or in the office 99 G 32088W Shpg. wt., 5 lbs. Net 16.95

Monitoring Crystals. Specify exact monitoring frequency. Direct Drop Shipment. No. C.0.0. Note: If more than 1 optional crystal is used, they must be within 1 MHz of each other.

40 G 82087Z For 150-174 MHz 40 G 82079Z For 30-50 MHz Net 5.95

VHF Antennas For Telsat 150 (150-174 MHz) Roof or Trunk Mount Mobile Antenna 40 G 01137W Shpg. Wt., 1 lb.

Base Station Antenna 40 G 01160W Shog. wt., 2 lbs. Net 7.50 42 G 09102 50' Base Antenna Cable Net 8.50 Telsat 50 uses CB Antenna for VHF & CB.

TELSAT 150 And TELSAT 50 2-WAY RADIO And MONITOR SYSTEMS

Mount From Individual

Catalog Prices

CB Mobile Systems

Consists of: Lafayette Telsat 150 23 Channel CB Transceiver/150-174 MHz Monitor Re-ceiver; Stainless Steel Body Mount Antenna; 20° RG-58/U Cable Assembly: Wt., 13 lbs. t., 13 lbs. Net 201.95 42 G 91837WXM

Same System as above except with TELSAT 50 CB Transceiver/30-50 MHz Monitor Receiver instead of Telsat 150. Wt., 13 lbs. 42 G 91845WXM Net 201.95

band VHF mobile antenna with 12' cable assembly. Shog. wt., 14 lbs.

You SAVE 9.85 From Individual Catalog

Note: For TELSAT 50 Use S 42—91845WXM for both CB and System Monitor Communications.



From Individual Catalog Prices



Prices.

Consists of: Lafayette Telsat 150 CB trans-celver/150-174 MHz Monitor Receiver; HB-502B matching AC Power Supply; "Range-Boost/II" end fed ½2 wave CB Antenna; 50 ft. RG-8/U low loss cable assembly. Shog. wt., 26 lbs. 42 G 91860WXM Net 232.95


Same System as above except with TELSAT 50 CB transceiver/30-50 MHz Monitor Re-ceiver instead of Telsat 150, 42 G 91878 WXM Shpg. wt. 26 lbs. Net 232.95

CB plus VHF Monitor Base Systems

42—91860WXM system above plus LR-145 high band VHF ground plane antenna, plus 50 ft. RG-8/U low-loss cable assembly. 42 G 91886WXM Shpg. wt., 35 lbs.Net 247.95 You SAVE 13.40 From Individual Catalog

Note: For TELSAT 50 use system 42—91878WXM for both CB and VHF





65

Deluxe LAFAYETTE CB Antennas And Accessories

LAFAYETTE RANGEBOOST II DELUXE BASE STATION CB ANTENNA



Made in U.S.A.

- Heavy Duty Mounting Bracket
- Static Clover Leaf Ball Design Reduces Receiver
- 3.75 db True Omni-**Directional Gain**
- VSWR-1.17-1
- Signal to Noise Improvement of 6-20 db

Best selling 1/2 wave Base Station Antenna. Specially designed anti-static cloverleaf ball drastically reduces receiver noise by continuous dissipation of static discharge. Weatherproof phasing transformer, three 54" radials provide proper transmission line decoupling. Heavy duty mounting bracket. Direct ground lightning protection. 50 ohm match. 17'6" over-all length. Accepts up to 1½" masts, and PL-259 cable connector. (Less PL-259 cable connector. (Less mast and coax), Wt., 6 lbs. Net 19.95 42 G 01448WX

CABLE ASSEMBLIES

• P	L-259	Conne	ectors	on I	Both	Ends
Stock	No.	Len	igth	W	t.	Net
42 G 09		50	ft.	7 1	bs.	8.50
42 G 09	110	100	ft.	11	bs.	14.95
20 FT.	RG5	8/U MC	BIL	CABLE	ASS	EMBLY
		in PL25	9 and	d uni	versa	l lugs.
Shpg.	wt., 1	lb.				

Net 2.95 42 G 70021 LAFAYETTE LIGHTNING PROTECTOR



Designed to eliminate static build up on Designed to eliminate static build up on coaxial cables. Provides a constant drain off, reducing chances of a direct lightning strike and in many cases eliminating noise problems. Employs one PL-259 plug and one DKCB connector.

42 G 20018 Wt., 1 lb. Net 3.95

MINI CB PHONE PATCH



Talk anywhere in the world from your car or truck. Simple installation allows your telephone to be connected to your CB communications system. For use with 3-16 ohm speakers and high Impedance microphone inputs. Transmit gain control to compensate for varying line levels. On-off switch disconnects patch when not in use. Dimensions: 37/6L x 24/6H x 21/4"D. Shpg. wt., 2 lbs. 42 6 12007

LAFAYETTE "SUPER DUAD" CR BASE STATION ANTENNA



. 30 db Front-to-Back Ratio Made in • 7.5 db True Forward Gain HSA

"Maximum focus" design featuring large reflector element produces 7.5db true forward gain — reduces interferance forward gain — reduces interrerance drastically with 30db front-to-back ratio. Split-wire matching eliminates loading stubs. Precision matching provides optimum VSWR at center, 1.3:1 or better at band edges. Sturdy, seamless aluminum tubing throughout. Dipoles are num tubing throughout. Dipoles are steel-core copper-clad cable. Fool-proof assembly — prealigned. Accepts masts up to 11/4" pipe or 2" tubing. Less co-axial cable. Shpg. wt., 15 lbs.

42 G 01588W No Money Down* Net 44.95

DELUXE LAFAYETTE 4 ELEMENT BASE STATION GROUND PLANE ANTENNA



Solid aluminum 4 heavy duty 108" heat-Solid aluminum 4 heavy duty 108" heat-treated radials and radiator. Elements supplied in two 54" lengths joined by threaded coupling nuts. Radial droop for 50 ohm match. Accepts 114" tubing, RG-58/U cable and PL-259 connector. Less mast and coax. Wt. 4 lbs. 42 G 01562W Net 10.95 REST-SELLING LAFAYETTE MORILE CR ANTENNA

Made in U.S.A.

- 102" Stainless Steel Whip. For Optimum 11-Meter Performance
- Heavy-Duty Cadmium Plated Steel Spring
- Aluminum Swivel Ball Jointed Mount Base

Aluminum swivel mount base de Aluminum swivel mount base designed to be mounted on any surface. Plated steel spring holds rod in properly adjusted position and prevents rod damage from shocks and blows. Stainless steel whip for resiliency and strength. Less cable. 4 lbs.

Shpg. wt., 4 I 42 G 01554WX

LAFAYETTE CB BUMPER MOUNT ANTENNA WITH STAINLESS STEEL STRAP

- Cadmium Plated Bumper Mount with Plated Steel Strap
- 102" Stainless Steel Whip
- · Heavy-Duty Cadmium Spring

An outstanding Lafayette CB antenna. Features a full-size 102" stainless steel whip, and a fully adjustable steel plated mount with a steel plated strap designed to fit most cars. Heavy duty plated steel spring is built for extremely rugged mobile use lass cables. rugged mobile use. Less cable. Made in Shog, wt. 3 lbs.

42 G 01596WX

Net 9.95

LAFAYETTE CB Transceiver Tester

Measures

- RF Power Output
- % Modulation
- Relative Field Strength
- Crystal Activity
- SWR


Generates

- Crystal Controlled RF Signal
- 1 kHz Audio Signal
- Modulated Audio Signal

• In-Circuit Instant Connection to Antenna Without Removing Cables From Transmitter

Aural Monitoring of Local Transmitters

Visual Transmitter Monitoring





Made in

Our Best Selling Test Equipment

OELUXE LAFAYETTE 30,000 OHMS PER VOLT MULTITESTER WITH MIRROR SCALE

- 30,000 Ohms Per Volt DC 15,000 Ohms per Volt AC
- Low Woltage Scale For **Transistors**
- 1% Frecision Resistors
- Unique "Buzzer" for Fast **Short Tests**

A deluxe portable VOM with a Mirror Scale. Provides wide voltage, current, resistance and db ranges clearly visible on a large 4" meter with 2-color calibrations. Sensitive 33 microamp meter provides full scale readings down to 1/4 volt on DC and 0.05 milliamps. Ranges: DC volts C-.25, 1, 2.5, 10, 250, 500, 1000; AC volts 0-2.5, 10, 25, 100, 250, 500, 1000; AC volts 0-2.5, 10, 25, 100, 250, 500, 1000; BC volts 0-2.5, 10, 25, 100, 250, 500, 500 ma; 0.12 amps. Ohmmeter: 0.60K, 6 Meg., 60 Meg. Db's: —20 to +56 db. Controls: Range Switch, Ohms Adjust. Audio output jack with DC voltage 2apacitor. Built-in overload protective circuitry. With leads, batteries 43/6Wx61/4Hx2"D. Imported. Shpg. wt., 2 lbs. Net 17.95 A deluxe portable VOM with a Mirror Scale. Provides wide voltage,

38 G 010B1 Figskin Carrying Case for above

LAFAYETTE 20,000 OHMS PER VOLT MULTITESTER WITH MIRROR SCALE

- 20,000 Ohms/Volt DC 10,000 Ohms/Volt AC
- 1% Precision Resistors
- · Low Voltage Scale For **Transistors**
- · Built-in Overload

40 μA, D'Arsonval meter movement permits a high input resistance on all ranges. Features a Mirror Scale. Rugged high impact plastic case. Ranges (DC Volts): 0-3, 30, 60, 300, 600, 3,000V; AC Volts: 0-6 60, 120, 1200V. DC Current: 0-50, μA, 0-12, 0-300 ma. Resistance: 0-60K, 0-6 megohms. Decibels: —20 to +63 db. Audio output tance: 0-60K, 0-6 megohms. Decibels: —20 to +63 db. Audio output jack. Easy-To-Read 3" Meter with test leads and 1½V battery. Size: 3½x4½x1". imported. Shpg. wt., 1 lb.

Not 9.95

095

38 3 01073 Pigskin Carrying Case for above

TRANSISTOR and DIODE TESTER

 Checks Transistors. For Opens, Shorts, High Leakage

 Checks Diodes and Rectifiers For

Opens, Shorts, Relative Forward/Reverse Resistance

Upens, Snorts, Relative Forward/Reverse Resistance Provides all necessary servicing checks: checks transistors and diodes for shorts, leakage, open elements, forward and high power transistors. Also serves as a continuity checker. Simple slide switch operation handles PNP or NP type which do not fit in the tester socket. Operates on standard 9 wolf battery. Size: 234 H x 4W x 1 16. D. Shpg. Wt., 8 02. Net 19.95

99 G 60212 Battery for above

Net 19.95 Net ea

AMPROBE VT-100 VOLTPROBE

950 Only

- Voltage Tester For Levels Up To 550 V AC, 750 V DC
- Indicates Grounded Side of Line
- Shows Grounded Side of Motors

and Appliances

For easy voltage readings anywhere—
nytime. Fits Into shirt pocket. "Thernytime Style" illuminated window
ill

probes retracted. 38 G 13136 Shpg. wt., 11/2 lb.



Net 9.50

LAFAYETTE SOLID-STATE FET VOLT-OHMMETER

Net 1.95

Meter and Transistors Protected against Burnout

- 4 DC Voltage Ranges
- 4 Resistance Ranges
- 4 RMS AC Voltage Ranges Large 4½" 200µa Meter
- 4 Peak-to-Peak AC Ranges
 11 Megohm Input on DC

FET volt-ohmmeter kit with the high impedance of a vacuum tube voltmeter plus complete portability and instant operation. 1 FET, 4 transistors and 2 diodes plus self-contained batteries allow this precision test instrument to be used both in the home and in the service shop. Minimum loading allows accurate measurement of grid voltages and other low power circuits. Simple, easy-to-follow in-structions save time and eliminate confusion when assembling as a kit. Housed in a high impact bakelite case with handle. Complete with batteries, leads, and complete instructions. Size: 514"x7"x2"y4".

Net 39.95

38 3 01164 Factory wired and tested SPECIFICATIONS

DC Voltage: 0-1.2-12-120-1200. 11 megohm input impedance. AC Voltage: 0-1.2-12-120-1200. 1 megohm input impedance. Peak-to-Peak AC Voltage: 0-3.33-33-330-1200. Resistance: 0-1K, 0-100K, 0-10 mez, 0-1000 meg, DB Ranges (4): -24 to -56.

Factory Wired and Tested

No Money Down*



Kit or Factory Wired



State, County and Municipal Police Fire Department Civil Defense Trucking Highway Maintenance

Forestry Aviation Conservation Petroleum and Industrial Activities

POLICE AND FIRE DUAL BAND SOLID STATE FM RECEIVER

NTEGRATED IRCUIT

17 TRANSISTORS - 10 DIODES


For Suner Sensitivity and Selectivity

RECEIVERS IN

2 Bands: 30-50 MHz

Only

No Money Down*



- Sensitivity 0.7µV for 20 db Quieting
- · 4 IF Stages with IC's
- Tape Recorder Output Jack



Model PF-175

CRYSTAL CONTROL PLUS TUNEABLE RECEPTIO

Listen to U.S. Weather Forecasts and Disaster Warnings!

An advanced FM receiver that is outstanding in performance and features. Covers two VHF communications bands with super-sensitivity—fully tuneable or can be crystal controlled for reception on a single frequency in either band. Also tunes to 162.55 MHz and 163.275 MHz U.S. Weather Bureau reports and disaster alarms in many parts of the country. Superheterodyne circuit includes tuned RF and mixer stages. Four IF stages, each using an advanced spaceage Integrated Circuit (IC). 100% solid state design offers top reliability too! "Instant-on" transistor circuit permits immediate response to emergencies! Built-in universal power supply assures continuous monitoring under any conditions—the unit also operates from a 12VDC battery supply for field use or as an emergency portable if AC power fails. Front panel controls include a 4-position selector for choice of Xtal or Tuneable reception on either of the two VHF bands. Variable squelch control lets you silence the re-

ceiver during no-signal conditions to reduce monitoring fatigue. Also equipped with illuminated slide-rule dial, plus handy on-off volume control. Has a handsomely styled vinyl-clad steel cabinet in a simulated walnut wood-grain-finish, and equipped with built-in 4" front-mounted speaker and external phone jack. Size: 131/4W x

4" front-mounted speaker and external phone jack. Size: 13
7½0 x 6"M. Imported, Shpg, wt., 17 lbs.
99 6 25892WX Model PF-175 (less Crystals)

CRYSTALS—Specify Exact Operating Frequency. Subject to 4 weeks delivery. Direct factory drop shipments, no C.0.0.'s.
40 6 820792 30-50 MHz
40 6 820872 152-174 MHz

Ground Plane Antennas for Base Stations. Shpg. wt., 2 lbs. Net 99.95 Subject to up to Net 5.95 Net 5.95 Net 8.95

40 G 01178W 30-50 MHz 40 G 01160W 130-174 MHz 40 G 13017W Window antenna for 30-50 MHz, Wt. 3 lbs. Net Net

POLICE AND FIRE SINGLE BAND SOLID STATE FM RECEIVERS



13 TRANSISTORS

9 DIODES

THERMISTORS



lodel PF-30 30 50 MHz

del PF-50 52-174 MHz

Only No Money Down*

7.50

- 4 IC's Plus 12 Transistors for PF 30
- 117 VAC and 12 VDC Operation
- Tape Recorder Output Jack

CRYSTAL CONTROL PLUS TUNEABLE RECEPTION

Same super-sensitive solid-state FM receivers as Model PF-175 except that these are single band models covering the high or low bands. Advanced IC's included in the IF stages, plus tuned RF and Mixer stages. Also feature same rugged design for trouble-free operation and have universal power supply for either normal 117 VAC operation or 12 VDC battery operation for field use or during emergencies, Model PF-60 can tune to 162.55 MHz and 163.275 MHz U.S. Weather Bureau reports and disaster alarms in many parts of the country. Controls: Variable Squelch, On-Off Volume, Tuning and Selector (Tune-Xtal), Less Crystal, Size: 1314W x 7½D x 6"H.

Imported. Shpg. wt., 16½ lbs. 99 G 25900WX Model PF-60 152-174 MHz. 99 G 25918WX Model PF-30 30-50 MHz. Net 79.95 Net 79.95 CRYSTALS—Specify Exact Operating Frequency 4 weeks delivery. Direct factory drop shipments, no C.O.D.'s. 40 G 82087Z 152-174 MHz. 40 G 82079Z 30-50 MHz. 40 G 01160W Ground Plane Antenna for 130-174 MHz. 2 lbs. Net 7.50 40 G 01178W Ground Plane Antenna for 30-50 MHz. 2 lbs. Net 8.95

MONITOR

Business Service Taxicabs Railroads **Auto Emergencies**

Police Department Fire Department Special Emergency Local Government



POLICE AND FIRE SOLID STATE MOBILE MONITOR RECEIVERS



Model PB-50 30-50 MHz Model PB-150 152-174 MH

Listen To U.S. Weather Forecusts and Disaster Wornings!

Thrill to urgent police broadcasts, hear the excitement of fire squads in action! PB-150 tunes to 162.55 MHz and 163.275 MHz. U.S. Weather Bureau weather reports and disaster alarms in many parts of the country, You have a choice of two wide range models, tuneable from either 30 to 50 MHz or 152 to 174 MHz. Each has provision for one crystal controlled frequency. The highly sensitive front end features $7 \mu v$ for the PB-50 and less than $1 \mu v$ for the PB-150. The selective "I.F." features four integrated circuits in the IF section. Weak distant status can be heard clearly, while outside noise and interfer-"I.F." features four integrated circuits in the IF section. Weak distant stations can be heard clearly, while outside noise and interference are drastically reduced. The efficient 2.8 watt audio section terminates in a big 3 x 5° PM speaker, providing for clean, clear sound reproduction. Only 23° high, the units are ideal for car, truck or boat and are easily mounted under virtually any dash board or control panel (Mounting brackets are included). Power may be supplied by any standard 12 volt negative ground battery or by the HB-502B 117 VAC base station power supply listed. Its 13 transistor + 4 IC's (PB-150) f and 12 Transistor + 4 IC's (PB-50) solid state circuitry features extremely low current drain. Three controls complement the stylish front panel: Volume/Squelch, X'tal/Tune, and Tuning. Antenna Impedance: 50-75 ohms. Size 23\text{Hx64/4Wx8"D. Imported. Shog, wt. 7 lbs. ± Consult your local weather bureau conported. Shpg. wt., 7 lbs. ‡Consult your local weather bureau concerning reception in your area.

Tunable Plus One Crystal Position

99 G 25926WX Model PB-150 (152-174 MHz)	Net 69.95
Crystal for PB-150, Specify exact operating frequency, 40 G 82087Z*3-4 weeks delivery	Net 5.95
99 G 25934WX Model PB-50 (30-50 MHz) Crystal for PB-50. Specify exact operating frequency.	Net 69.95
40 G 82079Z*3-4 weeks delivery	Net 5.95
* Direct factory drop shipments, no C.O.O.'s.	

Model HB-502B AC Power Supply and Nicad Battery Charger.
99 G 32088W Shog. wt., 5 lbs. Net 16.95

Model HB-506 Portable OC Power Pack with shoulder strap. Net 19.95 99 G 31544 Less Batteries. Shpg. wt., 2 lbs. 32 G 48879 "C" Alkaline HB-506 Battery (8 reg.) Net ea. 32 G 48887"C" Nicad Chargeable Alternate Batt. (10 req.) Net ea. 4.06

Mobile Anteni	nas For P	B Monitors			
40 G 01137W	130-174	MHz. Shpg.	wt., 1 lb.	Net	5.95
40 G 01145W	30-36	MHz. Shpg.	wt., 2 lbs.	Net	11.95
40 G 01152W	36-42	MHz. Shpg.	wt., 2 lbs.	Net .	11.95
40 G 01129W	42-50	MHz. Shpg.	wt., 2 lbs.	Net	11.95

SOLID-STATE MINI POCKET AM-VHF AIRCRAFT RECEIVER



"Mini" Solid State aircraft radio receiver. Pocket size, covers standard aircraft band 108-136 MHz. Listen to aircraft in flight, or airport towers from up to 10 miles away. Features variable tuning, 41/2" whip antenna, and earphone. Includes 2 Mallory MS76 bat-

teries. Imported. 40 G 21002Ł Shpg. wt., 1/2 lb. Net 9.95

Package of 6 extra batteries 32 G 46949 Shpg. wt., 1/2 lb. Net 1.80

100-WATT MOBILE LINEAR AMPLIFIER Model HA-250

SMALL . . . COMPACT ONLY 2 INCHES HIGH!

Convert Flea Power

To Real Power!

No Money Down



- Covers 20-54 MHz...6, 10, 11 and 15 Meters (not Permitted on 11 Meters Class D (CB) in U.S.A.)

 • No External Switching Required
- Will Work On Any Signal of 1 to 10 Watts AM, FM, SSB or DSB and CW

Provides up to 100 watts PEP (50 Watts DC) input into a 50 ohm load (with 8 watts RF drive). Unique RF sensing circuit automatically switches in linear when transmitter is activated, Absolutely no external switching is necessary. Built-in relay directly connects antenna to input SO-239 coaxial socket when receiving. No internal connections are required to your existing equipment. Illuminated front panel meter indicates relative RF strength of linear's output

signal when linear is on, or exciter's relative RF signal strength when linear is off. Self-contained power supply utilizes a high efficiency toroid power transformer. Ruggedly designed chassis with oversized heat sinks assures sturdy and cool operation. Supplied with comprehensive manual, fused DC power cables, and mounting bracket. Size: 70x9wx 2"M. 12 Volt DC Neg. Ground Only. Shgg. wt., 3½ lbs.

40 G D1061WX Net 79.95

See Page 13 for Full Credit Details on Easy Pay Plan



Lafayette EXPLOR-AIR MARK VI Professional FM-AM-SW & Weather Receiver

- Thrill To Live Broadcasts of World-Shaking Events!
- Relax With The Magnificent Sound of FM Hi-Fi Music!
- Hear Latest Weather & Marine Reports!
- Enjoy Popular AM Local News, Sports and Weather

Hear exciting International news from: Prague, Berne, Berlin, BBC London, Havana, Moscow, Japan, Bucharest, Mexico, France, Athens, etc.

The Lafayette Explor-Air Mark VI features individually tuned circuits for each band, automatic volume control, 455kHz ceramic filter for superior selectivity, tuned RF stage for outstanding sensitivity, and a "Shock-free" transformer-operated power supply. Seven full dial bands offer extra-wide station separation; illuminated wide-view slide rule dial is labeled with clearly visible names of primary cities and countries. The back panel has terminals for external AM and FM antennas; tape recorder output jack; 8-ohm extension speaker jack; speaker fuse and 24 volt DC input connection. Attractive styling includes brushed aluminum trim and control panel, and oiled walnut cludes brushed aluminum trim and control panel, and oiled walnut wood sides. Two bullt-in 4" PM speakers. FM Sensitivity: 2μν or less. Size: 1434x646x976"D. Imported. Shpg. wt., 17 lbs.

Explor-Air Mark VI plus 24 Hour World Clock, Wt. 18 ½ lbs. 40 G 90452WXM Combination


Net 79.96

Hi-Fi FM-AM Broadcast-Shortwave-Weather-Marine

150-400kHz Weather/Marine **AM Broadcast** 550-1600kHz Band **FM Broadcast** 88-108MHz Band 5.9-6.25MHz Band 4 Shortwave 9.45-9.85MHz Shortwave Band 5 11.85-12.05MHz Band Shortwave Band 7 Shortwave 15.05-15.55MHz

- 17 Transistors, 6 Diodes, 2 Thermistors
- Attractive Front Panel with Large Illuminated Slide-Rule Dial
- **Illuminated Jewel Band Indicators**
- Private Listening Headphone Jack Built-in FM and AM Antennas

- Tape Record Output Jack 105-125VAC/50-60 Hz; 24VDC



Lafayette EXPLOR-AIR MARK V SHORTWAVE + AM **BROADCAST RECEIVER**

No Money Down*

RANDS

Broadcast + 4 Exciting International Shortwave Bands • 550 to 1600 kHz • 9.45 to 9.8 MHz • 11.45 to 12 MHz • 5.9 to 6.25 MHz • 15.05 to 15.5 MHz

Hear the actual broadcasts from the major news centers around the world in English and foreign languages; BBC London, Radio Moscow and many others.

The Explor-Air Mark V receiver brings in stations loud and clear and features simplicity of operation. In addition to the standard AM broadcast frequencies, the receiver is designed to tune the popular international shortwave broadcast bands on 49, 31, 25 and 19 meters (each band occupies a select portion of the full shortwave spectrum) through the use of individual tuned circuits for each of the five bands. For greater ease of tuning on con-

BRING HISTORY-MAKING NEWS INTO YOUR HOME!

SUPERHETERODYNE -- Not Super-Regenerative!

NOT A KIT- COMPLETELY WIRED

gested bands each shortwave band has been extended to cover the entire width of the 0 to 100 logging scale. Operating features on the receiver include a self-contained 4" dynamic speaker, built-in loopstick antenna, large illuminated slide-rule dial call-brated in frequency and indicating place names, a front panel headphone jack for optional sllent listening, controls for Volume 0ff/0n, Tone and Band Selection, plus rear panel connection for external shortwave antenna. Receiver is AC transformer powered with efficient superheterodyne circultry. Complete with beautiful walnut grained metal cabinet. For 105-125V., 50/60 Hz AC. Size: 14W x 8D x 6"H. Imported. Shpg. wt., 11 lbs. 99 G 25850WX Net 49.95

Net 49.95 99 G 25850 WX

5 Band AM/CW/SSB Solid-State **Amateur And SW Receiver**



PRODUCT DETECTOR FOR SSB/CW

Only


No Money Down*

BANDS

BAND	A	150	kHz	to	400	kHz
BAND					1600	
BAND					4.8	
BAND	D				14.6	
BAND	E				30	

- 10 Transistors, 2 FET's, 7 Diodes, and 1 Zener Diode
- Mechanical Filter for Exceptional Selectivity
- Huge Edge-Illuminated Slide Rule Dial with "S" Meter

The advanced solid-state circuitry of the HA-600T utilizes two field Effect Transistors in the front end RF stages to assure a sensitivity of 1 μ v at 10 db S/N. 10 high performance transistors and 8 diodes compliment the FET's to provide sharp response with exceptional stability. Series-Gate noise limiter and automatic volume control circuitry provide efficient noise and audio blasting suppression on AM. Built-in variable BFO permits clear reception of code and single sideband signals. 455 kHz mechanical filter assures superior selectivity. Rear panel accessory socket provides convenient connection for audio output. 12 NDC ground and AVC line along with receiver for audio output, 12 VDC, ground and AVC line, along with receiver



SHORTWAVE - AMATEUR AM BROADCAST WEATHER & MARINE BANDS

- Full 2412 Inches of Bandspread On 10-80 Meter Bands
- 117-Volts AC and 12-Volts DC Negative Ground Operation
- Front Panel Headphone Jack For Private Listening

muting connections. Huge flywheel operated slide rule dial has easy-to-read illuminated main tuning, logging, and bandspread scales. Electrical bandspread features wide calibration for easier tuning of crowded ham bands. Operates from 117 VAC 60 Hz or 12 VDC (negative ground only) . . . perfect for emergency use! Imported. Size: 15Wx934Dx844"H. Shpg. wt., 18 lbs. Net 99.95

99 G 25959WX

Matching 3x5-inch speaker in handsome cabinet. 40 G 09056

Net 8.95

6-80 Meter SSB/AM/CW Solid-State Amateur Receiver

NEW! SIX AMATEUR BANDS INCLUDING 6 METERS


HA-800

14-TRANSISTORS -3 FET's + 7-DIODES For Instantaneous Cool Performance

No Money Down*

- Product Detector for SSB/CW
- Built-in 100 kHz Crystal Calibrator
- Operates on 117 VAC or 12 VDC
- **Dual Conversion On All Bands**
- Two 455 kHz Mechanical Filters For Sharp Selectivity
- FET's For Automatic RF Overload Protection
- Zener Voltage Regulated Power Supply

The Lafayette Model HA-800 receiver covers the 80 through 6 meter amateur bands with outstanding reception of CW, AM, and SSB signals. Tuned RF and 1st mixer stages combine with an FET to provide high front end selectivity and sensitivity of .5 μv on 15 and 10 meters, less than 1 μv on 80, 40 and 20 meters, and 2.5 μv on 6 meters. Product detector and BFO assure crisp CW and clear SSB. Built-in 100 kHz. calibrator provides accurate freuency pre-selection (supplied less crystal). Rear panel accessory socket provides convenient con-



- Series Gate Automatic Noise Limiting
- Illuminated Calibrated "S" Meter
- Huge Edge-Illuminated Slide Rule Dial

rection for audio output, 12 volts DC, ground, and receiver muting. Front panel earphone and rear panel tape output jacks. Operates from 117 VAC 50/60 Hz. or 12 volts DC. Imported. Size: 15WX934DX814"H. 99 G 25942WX Shpg. wt., 18 lbs.

Model HE-48B 35" Matching 8 ohm Speaker

10 C 0.0055 Shpg. wt. 4 lbs. 40 G 09056 Shpg. wt., 4 lbs. 8.95

100 KHz. Calibrator Crystal for HA-800 Receiver 3.95 40 G 09015L

Telephones and Accessories for Private Systems

Authentic Lafayette Reproduction of a French Cradle Phone



An exquisite reproduction of the classic turn-of-the century French Cradle Phone. Adds a touch of continental charm to your home—your phone will become a conversation piece. Simple hook-up. Ideal for private phone systems, extension, or intercoms. Ready to use...equipped with bell ringer, induction coil, dial, horn, mouthpiece handset, 5-ft. cord and plug. Finished In beautiful ivory with gold trim. Imported. Shpg. wt., 9 lbs.

99 G 46328 No Money Down* Net 39.95

DIAL PHONE

Have your own Private Intercom

· For Intercoms, Private Systems



Popular modern dial phone. Can be used to make complete private ropular modern drai prione. Can be used to make complete private systems. Equipment taken from service, reconditioned and ready to work. Simple 3-wire hook-up. Complete with handset, dial bell, induction coil and connecting cable. General appearance may vary slightly from catalog illustration. Shpg. wt., 8 lbs.

44 C 19019

30 FT. TELEPHONE EXTENSION CORD

. Ideal Extension Cord for Use With Phones Listed on this Page



Add flexibility to your telephone intercom. Now be able to move your telephone intercom from room to room. 30 feet of telephone extension cord with standard 4-pin plug and jack. Color coded cord to match screw terminals on plug and socket. Imported. Wt., 1½ lbs. Net 2.49

TELEPHONE PLUGS AND JACKS

44 G 60036 Phone Plug (Imported) 2 oz. 44 G 60028 Phone Jack (Imported) 2 oz.

Lafayette INTERCOMS For Home Or Business



2-STATION SOLID STATE INTERCOM SYSTEM

- 95 Battery-operated
 - Inter-Unit Tone Calling

Net .21

With Battery

• Simple Plug-in Connecting Cord

Battery operated solld-state 2-station intercom system. Especially useful where AC outlets are not readily available. Complete system includes 1-Master unit, 1-Remote unit, and 70' of interconnecting cable with moided plugs for easy installation. Master unit features On/Off/Volume control plus a Listen/Talk switch. "Beep" tone signaling from either Master or remote operates even when Master is "Off". Has simple provision for stationary wall mounting, or, can be conveniently placed on desk top. 9-volt battery included. Size: 2H x 3½/w x 5"D. Shpg. wt., 1½ lbs. Imported.

99 G 46245 2-Station System Net 8.95
99 G 66212 Extra 9-volt Battery Net .21

 Battery Powered Remote Tone Call 4-Way Selector Switch

4-STATION SOLID STATE INTERCOM SYSTEM

1 Master Control Unit, 3—60 Ft. lengths of hook-up wire, 3 Remote units, 1—9 volt battery 3 Remote units, 1—9 volt battery
4-station intercom system with 1 Master and
3 Remotes. All interstation calling is accomplished with one 4-way selector switch.
Push-button listen-call on all units. Call signal operates even when master switch is
"off". Simple coded interruption of buzzer
signal lets master operator know which remote is calling. Master unit has its own volume control with "on-off" switch Easy hookup is facilitated by inclusion of three 60 foot
lengths of 2-conductor wire with lacks at
each end. Additional wire Is available at
extra cost. See below. Size: Master: 4½W x
3½"D; Remotes: 2W x 4"D. Imported. Shpg.
wt, 2½ lbs.
Complete 4-station System
99 G 45551

Net 17-95
Replacement 9-volt Battery (1 Reg.)

Replacement 9-volt Battery (1 Req.) 99 G 60212 Additional wire. 100 Ft. Coil 32 G 30521



2-STATION SOLID STATE WIRELESS INTERCOM SYSTEM 795

 Instant-On Operation— No Warm-Up

Solid-State 2-station intercom system at an amazingly low, low price, Ideal for use in the home, office, factory, etc.—will connect any two places that are serviced by the same electric company 117V power line transformer. No wiring required, simply plug transformer. No wiring required, simply plug each unit into the AC outlet and start talking —4-transistor circuit. Each unit is a "Master" can use as many as you need. Features a Volume/On-Off control, Push-to-Talk Bar with a "lock-bar" for continuous talking, and a pilot light. 2-tone gray-colored plastic case has rubber-tipped base that will not scratch furniture. Overall 642"X5"X24z"H. For 110-120V, 60 Hz AC. Imported. Wt., 2 lbs. 99 G 45734M Net 27.95

Additional Intercom Stations. Wt., 2 lbs. 99 G 45726 Net ea. 14.95

Telephone Answering, Recording and Automatic Dialing Equipment

CROWN 4400 Solid-State Telephone Answering and Recording Machine featuring Built-in Cassette Tape Recorder



Ontional RC-4 Direct In Line Adapter - 19.95 No Money Down*

With Dynamic Mike. Phone Cradle. 60 Min. Tape Cassette



Requires No External Recorder

Records Up To 45 Second Individual Incoming

Messages

Can Take Up To 50 Messages On A 90 Minute

Tape Cassette

Can Also Be Used As Outgoing Message Repeater

Deluxe, complete self-contained telephone answering and recording machine with built-in cassette recorder and phone cradle. Answers your phone with a 20 sec, prerecorded message and automatically receives a message from the caller. Model 4400 can take up to 50 messages on a 90 minute tape. Features simple pushbutton controls. When a message is finished communication is cut off... and another message can be received. With an optional RC-4 line adapter (see below), the 4400 can be plugged directly into the phone line, bypassing the phone itself. The 4100 can also

be used as a message repeater or as a separate Tape Recorder. Comes housed in a fine-grained walnut wood cabinet. Size: 12¾, % 10½, x3¾, °. Uses Standard Cassette cartridges. Comes with 60 min. cassette, microphone, and phone cradle, imported. For 117VAC 60 Hz. 27 G 72135WX Shpg. wt., 11 lbs.

27 G 72150 Model RC-4 In-Line Adapter, Shpg. wt., 1 lb. Ne
Accessory Cassette Recording Tapes for Model 4400
28 G 01223 Lafayette 60 Min. Cassette. Imported. Net 1.19 Net 1.99

CROWN 4100 Automatic Telephone Answering and Message Taking Machine

No Money Down*

Records Incoming Messages Up To 1 Minute In Duration With Any Tape Recorder t



Reliable low cost automatic telephone answering and message taking device for home as well as business. Simply put your phone on the cradle and then connect the 4100 to a tape recorder that operates with a remote control mike input.† No connections have to be made into the telephone line, Answers phone callers with up to 60 second pre-recorded message. Incoming phone calls are recorded for up to 1-minute in duration. Can be played back at a later time at your leisure. Can also be used as a message repeater. With AC/DC remote control terminal, recording switch, and built-in mike. For 110VAC 60 Hz. Imported, Shpg. wt., 6 lbs.

27 G 72143WX Model RC-4 In-Line Adapter, Permits 4100 to be plugged directly into phone line, bypassing the phone itself. Shpg. wt., 1 ib 27 G 72150 Net 19.95

Extra 1-Minute Message Tape Cartridge For 4100.

CROWN 4400 PLUS LAFAYETTE RK-85 CASSETTE RECORDER

SAVF From Individual Catalog Prices



Save \$10,00 from individual catalog prices on this complete telephone answering and recording system. See page 24 for description of RK-85 cassette recorder, Shpg. wt., 10 lbs.

27 G 72168WXM No Money Down* Net 149.90

*See Page 13 for Full Credit Details on Easy Pay Plan

PRESTODIAL Automatic **Telephone Dialer**



95 Includes Programmer, Memory Bank, 42 Memory Discs

No More Looking Up Phone Numbers

- Computerized Number Memory and Automatic Dialing
- Dials Local, Long Distance, Inter-Office Calls
- Fits All Telephones

At a press of a button talk to Police, Fire House, Doctor, Emergency Services, friends, relatives, business associates, or up to 36 pre-determined phone numbers. The PRESTODIAL uses no magnetic tapes, no cards. Numbers are stored in a "memory bank" consisting of 36 unbreakable cycolac® disks. The phone caller slides a pointer on the visual index of the memory bank to the name he wishes to call, picks up the receiver, and presses a single button. The PRESTODIAL then dials the call automatically—and correctly. Each PRESTODIAL disk will handle 14 digits—or more. This permits the automatic dialing of even the most complex long distance phone calls—also equally useful for frequently called inter-office numbers. Works with all phones. One simple connection. Comes complete with programmer, memory bank, and 22 memory disks, Programmer contains dial and cutter for cutting 42 memory disks. Programmer contains dial and cutter for cutting a permanent disk which will contain the required telephone number. Dim. of memory bank: 8½" x 4" x 3¼4". For 110V., 60 Hz AC. Shgs. wt., 6 lbs.

44 G 54013 No Money Down*

Net 99.95

Package of 12 extra disks. Shpg. wt., 1 lb.

FLY THE BIG SKYHAWK BY REMOTE CONTROL



TESTOR'S R/C SKYHAWK



COMPLETE OUTFIT: Plane, Receiver, Transmitter **Batteries and Charger**

- Easy To Fly-Ideal For Beginners
- One Mile Range of Control
- Rechargeable Batteries with Charger
- Big 44" Wingspan-Length 27"
- Internal Combustion .049 Engine

Only No Money Down*

Completely assembled ready to fly radio controlled plane which incorporates true (pulse) proportional control for smoother, more realistic flight control. This plane is so easy to fly that it is recommended for beginners—no electronic or mechanical skill is required. Aircraft fuselage constructed of virtually indestructable super-impact styrene. Wings and horizontal stabilizer are of super light styrofoam. Tricycle landing gear assures simple landings. High torque .049 cubic inch internal combustion engine has gas tank attached for 4 minutes of powered flight. Super sensitive 9 transistor superhet receiver combines with a powerful dual coil, twin magnet actuator

for superior reliability. 8 transistor 250 milliwatt transmitter provides up to one mile range control. Simple guidance controls include finger tip trim for basic in-flight stabilization. Heavy duty rechargeable batteries are easily charged with convenient charger (included). Complete with R/C plane, transmitter, battery charger, and Illustrated flying instruction book. Shpg. wt., 9 lbs.

Net 79.95

42 G 73058WX for 26.995 MHz Net 79.95 42 G 73090 WX for 27,195 MHz Net 79.95

SKYHAWK SPECIFICATIONS

Length: Fuselage 27", Wing 44". Flying Weight: 23 ounces (approximately). Speed: 30 MPH True. Fuel Capacity: 4 Minutes powered

flight. Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.

REMOTE CONTROL MUSTANG GT OUTFIT



- Completely Assembled—Ready To Use Twin High Torque Drive Motors
- Rechargeable Batteries with Charger Electronic "Relay-less" Drive Control

MUSTANG, Receiver, Transmitter, Batteries and Charger

COMPLETE OUTFIT:

No Money Down*

1,57

Authentic 1/11th scale model R/C Mustang GT. Fully-assembled. Car Authentic 1.11th scale model R/C Mustang GT. Fully-assembled. Car body of glossy polystyrene. Durable chassis is tempered aluminum. Twin high torque drive motors are coupled to rear wheels through an electronically controlled 4 transistor rear end... achieves true differential action! True (pulse) proportional circuitry permits feather-touch control. Guldance controls include steering (left-center-right), drive motor (start-stop) and speed (high-low). Super sensitive 9 transistor receiver combines with powerful dual coil.

twin magnet actuator for superior reliability, 8 transistor 100 millitwin magnet actuator for superior reliability. 8 transistor 100 milli-watt transmitter provides convenient control board. Heavy duty rechargeable batteries are easily charged with convenient charger (included). Complete with R/C model, transmitter, and battery charger. Shpg. wt., 7 lbs. 42 G 731038WX for 27.095 MHz Net 79.95 42 G 731048WX for 26.995 MHz Net 79.95 42 G 73124WX for 27.195 MHz Net 79.95

MUSTANG GT SPECIFICATIONS

Length: 16 inches. Width: 6 inches. Height: 4 inches. Weight: 2 lbs., 8 ounces. Speed: 100 MPH Scale. Turning Radius: 3 feet. Trans-

mitter: Single Tone AM Modulated Relayless Pulse. Receiver: Super-heterodyne With Pulse Width Rate Decoders.

CITIZENSHIP 3 CHANNEL R/C DIGITAL PROPORTIONAL SYSTEM MODEL DP 3



No Money Cown*

Includes Proportional Motor Control

Completely Wired... Ready For Use

Consists of.

DPT-3 Transmitter: With built-in charger for airborne battery supply.

DPR-3 Receiver: Superheterodyne, Size: 2½"x 1½"x 1½", 3¾ oz.

wt. Includes batteries. 3-DMS SERVOS: Powerful 4 pounds thrust plus. High quality nylon gear train

Wiring Board: Just plug individual units into wiring board, Complete with connectors

Battery: 4 cell Nicad Pack for Receivers and Servos.

75.640 MHz.
42 G 19234Z† Specify frequency (3-4 wks delivery) 254.95

Batteries Required 32 G 47053 9 volt battery for transmitter

†NOTE: Stock numbers terminating in "2" are shipped F.O.B. Indianapolis, Indiana. No C.O.O. Send full remittance or use Lafayette's Easy Pay Plan. Shipping charges collected on delivery.

NEW! WART STRINGTON ...

LAFAYETTE

ELECTRONIC PROJECT KIT

- All Solid-State Circuitry
- No Soldering Required

Only



EDUCATIONAL—CREATIVE— NO TECHNICAL KNOWLEDGE NECESSARY I FARN WHILE YOU BUILD

The ideal introduction to the world of electronics for young or old experimenters. Build over 80 safe, battery operated, useful solid-state projects with this one kit. No soldering or tools required. Detailed, simplified instruction manual provides easy-to-follow instructions for each project. Point-to-point wiring between numbered parts using spring type connectors completely eliminates soldering. Each project can be assembled and disassembled in just minutes. This "breadboard" type kit is ideally suited to the design of as many additional circuit projects as your ingenuity and creativity can produce. Nothing else needed—kit includes all parts for these projects—galvanometer, solar cell, transistors, relay, baffled speaker, earphone, microphone, relay transformer, funing capacitor, volume control, telegraph key, antenna, diode, resistors, capacitors, batteries and connecting wires—all packed in a fitted hardwood case. Size: 15x834x4". Imported. Shog wt., 4½ lbs.

99 G 35016 Complete 80-in-1 Kit

Net 16.95
99 G 60212 9V Replacement Battery (2-required)
Net a. .10
Net 2.1

SOME OF THE PROJECTS YOU CAN BUILD

The 80 fascinating projects which can be assembled with this Lafayette kit cover a wide-range of subjects such as home entertainment, wireless communications, telephony and telegraphy, music, public address, alarms and warning systems, electrical measurement, digital circuitry, physiology, weather, etc. You can build a dozen different radio receivers, including a solar powered transistor radio. Also included are projects concerning computer type "AND" and "OR" circuits, many varieties of light and sound code signal communications using Morse Code, several transistorized amplifiers and a public address system, continuity checkers and signal tracer, wireless microphone, metronomes, electric harmonica, photoelectric relay and burglar alarms. Some unusual projects include an electro-stethoscope, sensitive photometer, light wave transmitter, rain alarm, direction finder, auto headlight dimmer, cat sound simulator, muscle simulator, water level warning system and many others guaranteed to provide fun for the entire family.

GENIAC® COMPUTER KITS



For Schools. For Science Fairs. For Advanced Experimenters

- Over 800 Parts
- · Computes, Reasons, Plays Games
- Composes Music, Forecasts Weather
- · Design Your Own Computers

DOUBLE GENIAC

The newest kit in famous Geniac series! The ''Double'' Geniac contains over 800 parts. Two of everything in the Standard parts. Two of everything in the Standard model. Offers the advanced experimenter a far wider range of activities. Perfect for school demonstration. Multiple setup is Ideal for Science Fair projects—submit one or more designs. Build "electric brains" that test intelligence—code and decode—add, subtract, multiply and divide—solve puzzles

-play games-forecast weather-reason in syllogisms-information and logic circults. No soldering required. Easily assembled and operated. 64 page guide and reference book, beginners manual, wiring diagrams and many extra pamphlets outlining projects and methods. Complete with mounting rack and batteries. Shpg. wt., 12 lbs.

19 G 38034

Net 18.95

STANDARD GENIAC

You build up to 125 exciting "electric brain" machines. Has special circuits for forecasting weather. No soldering required. Comes complete with extra pamphlets including 64-page "Simple Electronic Brains and How To Make Them," "Symbolic Analysis of Relay

and Switching Circuits," "Beginner's Manual," "Machine to Compose Music," wiring diagrams, etc. Complete with battery, 161/2x 1134". Shpg. wt., 6 lbs. Net 11.95

19 G 38042



ANALOG COMPUTER KIT

- Ideal Introduction to Basic Elements of Analog Computers
- Work Over 50 Experiments
- Easy-to-Assemble with Screwdriver and Pliers
- Learn the Way to Sound Scientific Knowledge

Analog Computer Kit offering a basic intro-duction to computer theory—gives accurate answers to practical problems. Perform over 50 experiments—multiplication, division, powers, square roots, rocketry, interest, radio-active decay, light, kinetic energy, etc. Level of accuracy better than 5%. The com-puter consists of a masonite, solid instru-ment panel, kits notestimmeter, moters, moters. ment panel, kits, potentiometers, meter spe-cially calibrated scales, guide and operating booklet. Easy-to-assemble.


19 G 38059 Shpg. wt., 6 lbs.

Net 14.95

Depend on Lafayette For Everything in Electronics

Lafayette Cat. No. 701 75

Exciting Kits for the Experimenter LAFAYETTE "EXPLOR-AIR" 4-BAND RECEIVER KIT



Made in U.S.A.

Lafayette's sensational shortwave receiver kit is a complete short-Lafayette's sensational shortwave receiver kit is a complete shortwave and standard broadcast set which covers the entire region from 550 kHz to 30 MHz. Four whole bands of fascinating programming. Perfect for language students and shortwave listeners. Only a regenerative circuit can offer such amazing performance and yet be so simple to build. Building this fine kit is an absolute pleasure—it's so well designed you can't go wrong. Kit includes all the parts you need and the detailed step-by-step instruction book with its giant pictorial drawings shows you just how to put them together. One front panel knob does all the bandswitching, immediately taking you from band to band. All coils are prewound for greater accuracy. Complete 4 band coverage of broadcast statlons, international broadcast bands, amateur maritime, and WwV time international broadcast bands, amateur, maritime, and WWV time

 Covers 10, 15, 20, 40, 80, 160 Meter Amateur Bands

Tunes International Broadcast, Citizens Band, Maritime, Aeronautical and WWV Time Signals

Covers Standard AM Broadcast Band

Complete Band Switching from Front Panel

Bandspread Tuning

Built-in 4" Speaker

TUNE IN THE WORLD!

signals. Big 4" speaker and sensitive circuit with 50C5 output stage and 12AT7 regenerative detector and amplifier stages give you all the volume you want. Phone jack for privacy automatically disconnects speaker. All controls are on the front panel: On-Off Volume, Main Tuning, Band Spread, Bandswitch, Antenna Tuning, and Regeneration. 110 volt 50-60 Hz AC-DC power supply. Size: 10X75".

19 G 09050 (Less Cabinet) wt., 5 lbs. Net 22.95

Shortwave antenna kit for above, Shog, wt., 2 lbs.

Net 1.59

Leatherette covered Wooden Cabinet for above, 1 lb. 19 G 09068

Net 3.49

WATT STEREO SOLID STATE AMPLIFIER MODULE



This especially fine transistor stereo amplifier delivers 10 watts per channel continuous power (RMS) into any 8 ohm speaker. Has 2-IC's and 8-transistors. The separate bass and treble controls allows 20 db adjustment at 100 Hz and 10 kHz. The dual volume control allows simultaneous increase in volume of both channels, while the balance control allows compensation for program variations. The low noise preamp stage provides a sensitivity of 0.5 volts for use with a ceramic phono cartridge or a AM/FM tuner. The direct coupled complementary symmetry circuit gives a Hi-Fi frequency repsonse of 30 Hz to 40 kHz @-3 db. Includes the power supply components except a power transformer. Size: 756" x 156" x 434". Net 21 95

19 G 09159 Shpg. wt., 2 lbs. Same model as above but on two separate printed circuit boards for compact mounting. Control strip size: 75%"x1½"x1½". Power amplifier size: 75%"Lx15%"Hx2%"D. Shpg. wt., 2 lbs.

Net 21.95 19 G 09167

Power transformer for above amplifier modules. Shpg. wt., 1 lb. Net 2.95 19 G 09175

8-WATT STEREO SOLID STATE AMPLIFIER MODULE



Now With Integrated Circuits

A complete 4-control stereo amplifier with 2-IC's and 6-translstors which provides 4 watts RMS per channel; 8 watts continuous power total output! The four controls allow separate volume, balance, bass and treble adjustments. The direct couple complementary symmetry circuit gives a true Hi-Fi response of 45 Hz to 20 kHz (@-3 db. 1 Meg input impedance allows this amp to be used with a wide range stereo crystal cartridge, FM tuner of other 1.5 volt source. Use with 8 ohm speakers to give top performance. The amplifier includes power supply components (2 diodes, 1 filter capacitor) except the power transformer. Dimensions: 7½"L x 1½"W x 3½"O, Shoge, wt., 2 lbs. x 31/2"D. Shpg. wt., 2 lbs. 19 G 09142 Net 14.95

Power transformer for above amplifier module. Shpg. wt., 1 lb.

Net 2.95 19 G 09183



Here in kit form is an AC-DC hi-fi amplifier that presents deluxe features despite its amazingly low price. The separate bass and treble controls permit adjustment of both low and high frequency response and balance. Works equally well with both crystal or ceramic cartridges. Tube line-up consists of a 12AX7 amplifier and phase inverter, a pair of 35C5's in push-pull, having a power-packet low-distortic, output plus a 35W4 rectifier. The circuit utilizes an inverse feedback loop to reduce the level of hum and distortion. Kit is complete containing all essential parts, tubes and detailed instruction manual showing pictorial and schematic diagrams. Shpg. wt., 4 lbs. 19 G 01016

Made in U.S.A.

Push-Pull Audio Output Stage-Inverse Feedback Circuit

Easy To Build Educational Kits



LAFAYETTE WIRELESS BROADCAST/AMPLIFIER KIT

Use it either as a AM Wireless Broadcaster or Audio Amplifier!

ONLY 595

- Clean, Modern Styling . Powerful Signal
- Works With All Crystal and Magnetic Mikes and Phono Cartridges
- Plays Through All AM Radios

Treat yourself and your family to hours of fun with this Lafayette Kit. Make your own radio programs, announcements, etc., through AM radios anywhere in the house, without wires or extra gadgets. Designed for easy construction by youngsters, it combines in one compact unit a powerful 3-tube wireless broadcaster and an audio amplipowerful 3-tube wireless broadcaster and an audio amplifier. Clearly written instruction manual makes it a cinch to build. Operates on any frequency between 900 and 1600 kHz on your radio dial. It will accept any crystal or magnetic microphone. In addition, it may be used directly as a phono or microphone amplifier. No external preamp is required. Simple slide switch permits either form of operation. Just connect it to a PM speaker (4-16 ohms). Conforms to FCC regulations and is designed to provide voice or record broadcasts. No license or permit is necessary. Complete with crystal clear instruction manual. Less Mike. For 105-125V AC or DC. Attractively styled metal cabinet. Size 4Hx8Wx43₆/70. Shog. wt., 3 lbs.

19 G 09035 Net 15.95 Crystal microphone for above, Desk or hand held, 5 ft. cable.

Shpg. wt., 1 lb. Imported 99 G 45437

TRANSISTOR

RABIO KIT

BROADCAS

LAFAYETTE SUPER-SENSITIVE PHOTOCELL ELECTRONIC RELAY KIT

 Adjustable Super Sensitivity—Works with Just A Flashlight At 250 Feet!

Ideal for sustained operation required for burglar alarms, door buzzers and for instantaneous on-off operation required for counters, packaging, door opening, motor activation plus countless industrial applications. Switch converts unit from instantaneous "on-off" to sustained "on" operation. "RESET" switch opens the external circuit and turns off the alarm. The unit operates on 110 volts AC and incorporates the efficient 5823 cold cathode tube. A simple change in wiring (in instructions), as well as convenient input terminals, enables you to supply the external circuit with any desired voltage. Relay contacts rated at 3 amps permitting up to 300 watts external load on 110 Volts AC. Complete with all parts, photocell, tube chassis, silkscreened metal cabinet and easy-to-follow illustrated instructions. Size: 3x4x5". Shpg. wt., 3 lbs.

19 G 09043 Complete Kit

Net 16.95 19 G 09043 Complete Kit

Net 16.95

ACCESSORIES FOR ABOVE

Electric Bell, 110V AC Imported, Shpg. wt., 2 oz. 99 G 90235 Net 1.99 Electric Buzzer, 110V AC Imported, Shpg. wt., 10 oz. 99 G 90243 Net 1.79 6 Digit Electric Counter Imported, Snpg. wt., 11/2 lbs.

Net 12.95

B LAFAYETTE LIGHT SOURCE KIT

Used to actuate electronic relay, Unlike units using sealed beam, Osed to actuate electronic relay. Online units using scales used this light source is carefully designed to throw a narrow beam of light so relatively small objects and people will "break" the beam. Unit includes adjustable focus and infra-red filter to make beam practically invisible. Range: white light—70°, infra-red 45°, with instructions, Size: 6Lx5Hx4°W, Shpg, wt., 5 lbs.

19 G 09118 Net 9.95

Replacement bulb for above GE No. 1700. 32 G 66889

AFAYETTE CONVERTER MODULES



LISTEN TO POLICE, FIRE, AIRCRAFT, AND SHORTWAVE ON YOUR PRESENT RADIO

Listen to the exciting police broadcasts, the fire department calls, communications between planes and ground stations. Simple to connect to your present broadcast radio. Size: 134x34x1". Shpg. wt., 1 lb.

VHF POLICE AND FIRE CONVERTER MODULE Permits reception of police and fire calls in the 30-50 MHz band on your standard broadthe 30-50 MHz band on your status and C. cast band AM radio. Requires A, B, and C. Net 5.00

FM VHF POLICE AND WEATHER CONVERTER HIGH BAND MDDULE

Permits reception of 150-164 MHz FM-VHF police, fire, emergency, marine and weather transmissions on a standard FM radio. Requires. A, B, C, D and E.

ACCESSORIES FOR MODULES

A-99 G 60212	9 V Battery	.21
B-99 G 62879	Battery clips for above	.29
C-32 G 31982	Wire	.40
D-32 G 22510	5K Potentiometer	.67
E-32 C 24052	Knob miniature	.12

SHORTWAVE AND SUPERHET BROADCAST RADIO KIT



2 bands cover both standard broadcast 540-1620 kHz and shortwave 5.8-18 MHz which includes international broadcast, 40 and 20meter ham bands and some of the aeronaumeter ham bands and some of the aeronautical and marine bands. Superheterodyne circuit has high gain IF's, built-in broadcast band loop antenna. Comes complete with ivory cabinet 4" PM speaker, tubes (12BE6. 12BA6. 12AV6. 50C5, plus 35W4 Rectifier) and all parts. Easy to follow step-by-step instructions. Shortwave band requires external antenna (not supplied). Size: 8%WX 55%HX514"D. For 110V AC or DC. 19 G 40071 Shpg. wt., 5 lbs. Net 17.95

Shortwave antenna kit for above 32 G 30984 Shpg. wt., 2 lbs. Net 1.59

This solid state kit covers the regular broad-

cast band from 540-1600 kHz, Contains all

parts necessary for construction including 1 transistor for amplifier, 1 diode detector, single headphone and 50 ft. of wire for required outdoor antenna. The attractive plastic case is 8"W x 434"H x 31/8"D. This kit is designed with easy to follow instructions so

Science Kits

Norelco 23-In-1 Electronics Kit NORELCO MECHANICAL ENGINEER KIT



No Soldering — No Tools

Quick Easy Peg Board Assembly

Safe — Educational

Build any of 23 useful operating projects including 3 transistorized radio receivers, 5-amplifiers, 2 code trainers, burglar alarms, intercom, rain indicator, electronic organ, light meter and other interesting projects. No soldering, no tools required. Template for each model placed on peg board for quick easy guide. All parts mounted with pressure springs. Step-by-step details with pictorial charts in large 72-page instruction manual with section on general theory. All powered by a single 9 volt battery. Absolutely safe. Size: 14¼x 10¼x2½°. Imported. Shpg. wt., 4½ lbs.

19 G 63016 Less Batteries 32 G 47178 Battery for above (2 required)

Save \$4

- Over 600 Parts
- Over 30 Projects
- For Age 9 up



Consisting of over 600 components, this kit promotes understanding of fundamentals of sources of energy such as mechanical, water pressure, air pressure, gravity, and electro-mechanical. Builds any-one of 32 educational operating models including electrical windmill, water turbine with dynamo, compressed air motor with pump, crane, electric pile driver, water pump clocks, etc. Includes special electronic section for combined projects with electronic kit at left to build 13 more projects including electronic car which reduces speed in dark and turns on headlamps—all automatically. Size: 214x 107ex144". Imported. Shpg. wt., 6 lbs.

Net 25.95

Net 17.95 19 G 63024 Less Batteries Net ea. 1.36 99 G 62580 Battery for above (6 required)

ELECTROCRAFT MASTER ECTRIC BUILD-IT SET



An advanced but completely safe educational kit in the field of electricity that enables the student to make any one of over 30 projects including motor driven hot rod, motor driven dune buggy, lamp, flashlight, electro-magnet, telegraph set, traffic signal, electric crane and many others. All projects are battery operated. Easy-to-read, illustrated 76-page instruction manual, Size: 21½x13½x2½². Shg. wt. 5 lbs.

19 G 64030 Less batteries

Net 8.95

Batteries For Above 99 G 62564 "D" 2 required Net ea. .15 99 G 62580 "AA" 2 required Net ea. .10

RAYTHEON-LECTRON EDUCATIONAL SETS

- Space-Age Magnetic Blocks Make Electronics Child's Play
- No wiring
 No tools No Electronics Knowhow Needed
- Match magnetic blocks with a schematic
- diagram in guidebook Series 2 Set Builds
 43 Projects
- Series 3 Set Builds 56 Fascinating Projects



Set consists of domino-like see-thru magnetic connecting plastic blocks each self-contained with a transistor, capacitor, or other electronic component, etc., inside and the electronic symbol therefor engraved on the top; an 8" x 11" metal ground plate and an 80 page instruction manual. When a project is complete, circuit symbols on the blocks form a schematic diagram, Manual covers basic theory principles of the components and project diagrams and explanation. Easy! And Fun!

SERIES 2 LECTRON SET—make 43 working projects including transistor radio, elec-tronic organ, rain moisture indicator, audio amplifiers, light modulated detector, morse code transmitter, metronome, burglar alarm and more, plus your own ingenuity. Shpg. wt., 4 lbs.

SERIES 3 LECTRON SET-make a state radio with speaker in 2 minutes and 55 more projects—all of Series 2 plus Inter-com, voice transmitter, public address and telephone amplifier, automatic night light, etc. Shpg. wt., 5 lbs.

19 G 18044

Net 24.95

MAGIC-GLO BLACK LIGHT



- Learn Invisible Detection
- Write Secret Messages
- Educational—Scientific
- Enjoyable—Interesting

The Black Light Kit enables you to see the invisible. Guaranteed completely safe and harmless. This kit allows children to study the phenomena of fluorescence and phosphorescence. Set contains black light, socket and cord. laboratory lamp stand, 4 jars of fluorescent paint, invisible ink, invisible crayon, tracer powder, 3 fluorescent mineral specimens. phosphoragram, optical bleach. brushes and pen, and a pkg. of fluorescent materials. Enables the student to perform endless numbers of fascinating experiments. The amply illustrated 48 page booklet "The Story of Black Light — The Unseen World Around Us," explains the use of black Light in fields such as mineralogy, electronics crime detection, medicine, stamp collecting, and many others. Shpg. wt., 4 lbs.

19 G 13011

19 G 13029 Replacement U.V. Bulb for above

Net 3.95

IC TRANSISTOR 12-in-1 EXPERIMENTAL **ELECTRONIC KIT**



 12 Exciting Experiments, Using Integrated Circuits

This kit is the last word for young experimenters wanting to learn about electronics. Employs integrated circuits, the electronic miracle of the space age, built and housed in a transistor case no larger than a pea. Contains enough parts and detailed instructions to build: BURGLAR ALARM-ELECTRONIC TIMER-RADIO RECEIVER-AUDIO AMPLIFIER-VOICE TRANSMITTER-AUDIO OSCILLATOR-CODE PRACTICE OSCILLATOR-LIGHT BLINKER-METRONOME-VOICE ACTIVATED SWITCH-RAIN ALARM. Safe to use, no soldering or high voltage, Spring clips simplify assembly of parts which are used over and over. Uses one inexpensive 9-volt transistor battery, not supplied. Detailed instruction booklet. Shpg. wt., 2½ lbs.

19 G 31039 Kit, less battery

99 G 60212 9V battery for above

Net .21

Educational Science Specialties

PORTER DELUXE MINERALOGY SENIOR LAB OUTFIT

095

- Alcohol Lamp With Blowtorch
- 24 Mineral Specimens
- Geologist's Hammer



The ideal mineralogy lab kit for the junior geologist to determine the various mineral types. In addition to 24 selected mineral specimens, the set includes the necessary scientific instruments. Contains a geologist's hammer for dislodging specimens, an alcohol lamp with blow torch attachment, magnifier for examining surface and crystalline structure of minerals, tweezers, chemicals and test papers, test tube rack, charcoal block, streak plate and detailed instruction manual. Wall size identification chart lists nearly 200 minerals. Three-panel metal cabinet, Shpg. wt., 6 lbs.

PORTER WEATHERCRAFT FORECASTING LAB



- Build and Use Barometer, Wind Vane, Psychrometer and Rain Gauge
- Forecast Weather Accurately

Be your own meteorologist and simply forecast the weather. This deluxe weather laboratory kit contains every instrument necessary for extremely accurate weather prediction. Includes: a wind vane to show wind direction and an anemometer to give its speed; a compensated aneroid barometer provides barometric pressure; a psychrometer determines relative humidity; a set of graphs for charting air pressure and temperature; a detailed weather map and cloud chart. A gauge measures rainfall to 1/100th inch, and a detailed manual shows how to make accurate forecasts. Three-panel metal cabinet. Requires 2 "C" batteries, not supplied. Shpg. wt. 6 lbs.

wt., 6 lbs.
19 G 34009 Less batteries. 99 G 62572 1.5v C battery (2 required)

Net 11.88 Net ea

WEATHER STATION KIT

Fun to erect and fascinating to use, this weather station kit operates with flashing neon lights to show wind speed and direction on indoor indicator board. Includes a sensitive air tank barometer with 4-ft. indicator column, a sling psychrometer to measure relative humidity, rain gauge with scale calibrated to measure 1/100th of an inch rainfall. cloud chart, weather map and inch rainfall, cloud chart, weather map and forecasting manual. 150 ft. wire supplied, enough for a 2-story house. Safety power cord. All connections safe to touch. Shpg. wt. 3 lbs.



Easy to assemble, brings in loud, clear re-ception. Precision wound tuning coil, super-sensitive crystal, bakelite cabinet. No batserial or electricity required. Complete with earphone with plastic ear-holder, antenna lead-in wire, and hardware. Requires external antenna (not supplied). Shpg. wt., 3 lbs.

19 G 58024 32 G 30984 Antenna kit

NOVATRON

A SCIENTIFIC INSTRUMENT FOR THE EXPERIMENTER

- Miniature Atom Smasher
- **Produces** 75,000 Volts
- Absolutely Safe

Completely Wired (Not A Kit)

A scientific instrument capable of producing 75,000 volts makes sparks up to 2" long—yet it is absolutely safe because the current is infinitesimal. The science-teacher—science lover or hobbyist can perform experiments to astound students—friends—family. Makes smoke disappear—defy gravity—turns propellers at a distance—transforms atomic energy into light—makes artificial lightning—smashes atoms—demonstrates ionic space ship drive—and many other experiments. Includes an experimental kit and illustrated. Includes an experimental kit and illustrated experiment manual. A fine research tool that will give years of beneficial service. 110 VAC. Imported. Assembled.

99 G 90086 Shpg. wt., 4 lbs



- Chemistry
- Electric Motor
- Jet Propulsion
- Magnetism
- Electro-chemistry
 Physics

A set of 6 kits for the young budding scientist, each of which contains material for conducting experiments that teach basic principles in a scientific field. Six subjects covered are electric motor, chemistry, electro-chemistry, jet propulsion, electro-magne-tism and mechanical physics. 19 G 31013 Shpg. wt., 3 lbs. Net 4.98

ATOMIC ENERGY LAB



Atomic cloud chamber with projector illuminator

Ingenious kit for studying some basic nuclear physics by experimentation. See the vapor trails of alpha and beta particles, and of cosmic rays. Shows exploding atoms. In-struction book covers such experiments as detecting radioactivity with a cloud cham-ber, with a spinthariscope, and with radio-autographs; checking radioactivity with an electroscope, detecting ionization and others. Kit includes radioactive materials. Shpg. wt. 3 lbs.

19 G 30015

Net 3.95

MINERAL TEKNIKIT SET 1

250

99 G 71573M



Contains 48 specimens of ore, organics, fossils, elements, plutonics, oxides, vol-canics, hypabyssals, effusive crystals, common and uncommon minerals. Each specimen is tagged with name and classification. An excellent introduction to rock and mineral identification. Imported, 1 lb.

SET II Includes additional specimens of some of above plus carbonates, tantaline, phosphates, and gemstones. 48 specimens. Imported. Shpg. wt., 1 lb.

99 G 71565 Special Combination, Buy both sets and save. You get all 96 specimens. Shpg. wt., 2 lbs.

79



Here is your opportunity to enjoy the fascinating craft of gem polishing. Kit includes Mini-Tumbler, 2½ lb. load capacity drum and liner, 3 grades of abrasive grits plus polishing medium, assorted jewelry mountings (tie clasp, earrings, etc.), jewelry glue, and assortment of rough, exotic and aztec stones. Motor operates on 115 VAC, with built-in circuit protection. JL listed. Everything you need to go from "rocks" to "jewelry"

15 G 58006 Shpg, wt . 12 lbs.

Net 23.95

ACCESSORIES FOR TUMBLERS Stones, 1 lb pkg, of Dregon Beach Agate and Jasper

Net 1.89
Deluxe Rough Stone Assortment, Approximately 200 agate and rose quartz, tiger eye, jasper, etc. Exotic colored rock is from all over the world; will polish to a jewelry like finish.

15 G 58014 Shpg. wt., 1 lb.

Brit and Polish Assortment Kit. Provides everything needed to polish rocks, Packed in resealable plastic container. Each kit contains graded silicon carbide grit and fine polish compound for fast grinding and fine finishes. Each set will process 14 lbs. of rock.

15 G 58022 For Smooth Rocks, 3 step. Shpg. wt., 3 lbs.

Net 2.50
Rock Folishers Jewelry Making Kit. Selected blanks for mounting those semi-precious stones that have been polished. Earrings, cuff links, chain bracelet, etc. Consists of: 2 sets of earring mounts, 1 set of cuff links, key ring, finger ring (adjustable), tie bar clip, chain pendant, wrist bracelet (takes 5 stones), one tube of on-off cement.

Net 2.50

Net 2.50

Grinds and Polishes Rocks. and Gem stones

A fascinating hobby-craft. You can polish all rocks to a sleek, gleaming gem-like finish. Use them for decoration, put in settings, etc. Tumbling machine has two side by side barrels with a total capacity of approx. 6 lbs. of reis with a total capacity of approx, 6 lbs. of stones. This is not a knock-down kit, but a completely assembled unit ready to run with powerful continuous duty motor that operates on standard 110 VAC current, Size: 7"x9"x11". Complete with cans, but less grit and can liner. See listing on left for additional accessories. Shpg. wt., 7 lbs, 15 G 44014

Net 16.95

Accessory pack. Asst. of coarse and fine grits, pre-polish and polish, and liners for above drums. Shpg. wt., 2 lbs. Net 2.95

15 G 44022 Extra Cans For Above Tumbler.

15 G 44048 Shpg. wt., 4 oz. Net ea. Extra Rubber Liners For Above. (Pkg. of 2). 15 G 44055 Shpg. wt., 4 oz. Net

LOUDSPEAKER TELEPHONE INTERCOMS



Push A Button, It's A Telephone . Another Button, An

This taccinating set consists of two standard telephone handsets and intercom "squawk boxes." Push a button and they operate as regular telephones; push another button and the voice at the other end of the wire comes through the intercom speaker so that anyone in the room can hear. Fun for everyone! Grownups use it too. Complete with connecting wires, the Loudspeaker Telephone Intercom may be operated from room to room, upstairs and down, house to house or patio to house. Uses 4 "D" batteries (not included). cluded). Each phone unit measures: 111/4x81/4x31/4", Shpg. wt., 51 2 lbs.

19 G 31062 Less Batteries

Net 13.95

99 G 62564 11/2V "D" battery (4 required)

Net ea. .15

SLIMLINE PUSHBUTTON TELEPHONE

Authentic Replica Of Newest Western Electric Telephone



Two complete battery operated phones that really work. Elegantly designed, the Slimline is the newest model pushbutton handset — the same size and style as its real-life counterpart. When one of the buttons is pushed, the bell rings at the other end of the line...
Children are able to talk from room to room, upstairs and down or even from house to house. 25 feet of wire to complete the hookup is included. Requires 4 "C" size batteries (not included). When not in use, phones rest on beautifully matched cradle. Phone size: 7½x 3x242". Shpg. wt., 4 lbs.

19 G 31070Less batteries

Net 7.95

99 G 62572142V "C" battery (4 required) TELEPHONE AMPLIFIED NIT Net ea. .14



ALL TRANSFER OR BULL HORN

Net ea. .15

A fully transistorized directional megaphone at Lafayette's low price. Lightweight it carries your voice over 100 yards or above noise. Just press the trigger and talk, Features variable volume control and carrying strap. Uses 4-standard "D" cells (not supplied with unit). 11" long shpg. wt., 3 lbs. 44 G 15097

11/2-rolt D batteries, 4 required, Imported 99 G 62564

80 Lafayette Cat. No. 701



Amptifies incoming voice and projects it through built-in speaker so many people can listen in on conversation and participate simultaneously. Speaker has loudness control, Fits any standard phone—just place receiver on the amplifier, Easy-to-assemble, requires no cementing or soldering. Modern high-impact plastic cabinet, Shpg. wt., 2 lbs

19 G 31021 (less battery) 99 G 60212 Battery for above

Net 4.98 Net .21

To Speed Your Mail Order-Please Give Your Zip Code Number

Hobby Kits & Specialties

ELECTRIC WORLD TIME CLOCK KIT



24 Hour Clock Tells Time Anywhere In The World

This decorator-styled global timepiece tells time locally and anywhere in the world. The time locally and anywhere in the world. The precision electric clock movement is pre-assembled and pre-wired. Simply mount it in the crystal-clear plastic case and add the 3-dimensional plated trim. Cover side panels with wall paper or fabric of your choice. Clock hangs on wall or stands on desk. UL listed. Clock stands 13-1/6H x 11-1/6W x 2-1/6"D. Shop wt 4 lbs. Shpg. wt., 4 lbs. 19 G 31054 Net 11.95

VALKYRIE-2 ROCKET KIT

Looks And Performs Like The Real Thing

Safe, Non-Flammable Non-Toxic Propellant

Altitude Capability Over 1000 Feet

Reusable With Parachute Recovery Launched Mechanically Or Electrically

Here is an authentic, educational and yet entirely safe rocket kit for modelers and hobbyists which demonstrates the principles of rocket propulsion. The propellant releases no heat, is non-flammable, non-toxic and non-explosive. The 16 inch long Valkyrie-2 which blasts off to 1000 feet, can be safely held in hand. Uses durable polished aluminum rocket, engine and parts, with real working valves, separator and parachute. At liftoff, the rocket starts slowly at 4 "G's", with acceleration at burnout about 10 "G's". A timer assures deployment of the parachute which returns the rocket for another launch. May be either mechanically or electrically launched with a battery (not supplied). Complete kit includes rocket, engine, timer, separator, parachute, balsa nose cone, fins, loading valve and hose, electric firing assembly, launch stand, one can of propellant, accessories and instructions. Size: 16" long x 1" dia.

19 G 75010 Complete rocket kit. Shpg. wt., 3 lbs. Net 13.75 Can of propellant sufficient for 4 launchings. Net 2.00 19 G 75028 Shpg. wt., 2 lbs.

6-Volt battery for electrical launching. 32 G 48184 Shpg. wt., 11/4 lbs. Net .99

Replacement ignitor wire for electrical launching. 19 G 75036 Shpg. wt., 3 oz.

RENWAL VISIBLE V-8 ENGINE KIT



Looks And Performs Like The Real Thing

The Visible V-8 is a superb guide to the study of the Internal combustion engine. Precise 14 scale "see-thru" model engine that simulates the power plant of V-8 autos. Parts molded in 4 colors, including "clear", so that functioning pistons, connecting rods, rocker arms and properly timed spark plugs can be observed. Powerful permag motor activates over 100 moving parts. Powered by two "C" batteries (not supplied). Complete with polystyrene cement, hardware, screwdriver, and illustrated instruction manual which details how an auto engine works. Shop wt. 5 lbs.

how an auto engine works, Shpg. wt., 5 lbs. 19 G 69005 Complete Kit Less Batteries 99 G 62572 1.5V "C" battery, (2 required)

Net ea. .14

GILBERT DELUXE GRADUATE CHEMISTRY MODULAB KIT



- Full Range of Chemicals and Supplies
- File Cards for Over 700 Experiments

Six Modular Laboratory Storage Racks

Ideal deluxe chemistry lab kit for experimenters, hobby sts, students Ideal deluxe chemistry lab kit for experimenters, hobby sts, students. Conduct over 700 experiments in chemical gardening, analytical testing, thermal chemistry, chromatography, chemical magic and many more. Six modular storage racks hold complete set of chemicals and supplies. Advanced equipment includes precision lab scale, mortar and pestle. hydroponics tray, alcohol lamp, test tubes, etc. Project file cards provide detailed instructions and operating procedures. Shpg. wt., 15 lbs.

Not 14 95

Net 14.95 19 G 34058

GILBERT LIFE SCIENCE MICRO-BIOLOGY LAB KIT



With Microscope

Features die-cast metal 75X microscope for proper magnification of specimens in home or field study. Materials supplied to grow and observe live protozoa and brine shrimp. and observe live protozoa and brine shrimp. Includes preserved specimens of frog, cray-fish, earthworm, grasshopper and fish. 5 prepared specimen slides provided. Kit also includes dissecting instruments (scissors, scapel, etc.), materials for slide preparation and study manual. Shpg. wt., 5 lbs. 19 G 34041

PHOTOGRAPHY DARKROOM LAB WITH



- Complete Darkroom Outfit
- Photo Enlarger, Contact Printer, 35mm Projector - All In One Kit

Photography lab kit enables you to print and develop your own photos, enlarge 35mm shots up to 8 x 10", and project your 35mm negatives. Kit includes developing chemicals, printing and enlarging paper, 3 trays, thermometer, neon safelight, print frame taking negatives up to 3½ x 4¼", twin condensing lenses and G.E. projection lamp. A complete photo lab in one kit. Shpg. wt., 4 lbs. 19 G 30031 Net

PORTER COMMUNICRAFT LAB KIT



 Build 12 Projects In Sound Communications

All the necessary components to explore the wonders of sound, includes control panel, electronic parts, transistor, speaker to build electronic parts, transistor, speaker to bulin such projects as radio receivers, code os-cillators, voice transmitter and more. Manual explains electronics in simple terms, includes easy to follow diaprams. Powered by 2 "D" cells (not supplied). Shog. wt., 4 lbs. 19 6 3406b Kit less batteries. Net 11.95 1.5 v "D" battery (2 Req.)

99 G 62564

Creative Crafts Make Excellent Gifts



SCULPTURE

Featuring the unique "Sure + Sculpthead" in a Complete Creative Sculpture Outfit.

AVAILABLE AT SYOSSET ONLY



QUANTITIES

Anyone can sculpt with this new unique method. The "Sure + Sculpt Head" is a preformed armature that locates the main features of the head so even beginners can model the clay and fill in the details. This is a complete creative outfit which includes 4 lbs. each of modeling clay, clay stone, wood stone and bronze stone, 9 tools, revolving model stand, tube of Patina coloring, a sculptors armature and the unique "Sure + Sculpt Head." Instruction booklet with detailed instructions, Shpg. wt., 28 lbs.

13 G 35587WX SURE SCULPT KIT

Basic kit for the beginner. Contains the "Sure + Sculpt Head" pre-formed armature which locates the main features of the head; enough clay for an average head, sculptools, patina and instruc-tions. Shpg. wt. 5 lbs.

13 G 35595 Available Syosset Only



Introduction to painting by Norman Rockwell. Four famous artists show how they would paint the same scene. Step by step instructions in full color lead beginner from first line to finished painting. Woodgrained, hinged cardboard case with metal latch and handle contains 8 tubes oil colors, permalba white, palette, brushes, canvas canel and canvas sheets, easel etc. Shpg. wt., 7 lbs.

15 G 39020

JON GNAGY'S TV MASTER ART STUDIO reaturing the MATCHSTICK MANNIKIN



This 14" x 20" box is jammed full of art materials and instructions. Includes 5 separate Instruction books: The 64-page "Learn to Draw" book with over 200 illustrations to make it easy for beginning artists of all ages; 48-page full color "Learn to Draw Landscapes"; 48-page in color "Learn to Draw Human Figures" and two 16-page full color books on "How to Paint in Watercolors and Pastels." Includes the flexible 3-dimensional "Matchstick Mannikin" to be used as a model for drawing figures in action, two 8 color watercolor pallettes in trays, 24-colored pastels, brushes, paints, sketching paper and other materials.

15 G 59012 Shpg. wt., 4 lbs

MOD-U-KIT PSYCHEDELIC

SOUND TO LIGHT CONVERTER KIT

 Supplies 100 Watts Of Psychedelic Lighting!

Accepts sound from any radio, hi-11, pnono, or any amplifier and changes these direct audio signals to light keying signals. In addition to 4 colored pilot light indicators plugged into the unit, an AC socket supplies 100 watts of external psychedelic lighting which varies with the sound. Shpg. wt., 1 lb. 19 G 7015! Accepts sound from any radio, hi-fi, phono,

3-CHANNEL PSYCHEDELIC CONTROL CENTER KIT



Provides 500 Watts Per Channel

Converts audio signals to 1500 watts of available external psychedelic lighting. Output of the direct audio signals is applied to 3 separate SCR's providing 500 watts per color channel. Has a sensitivity control for low, middle, and high frequencies, and panel indicator light for each 500 watt color channel. Complete with outlets.

19 G 70169 Shpg. wt., 2 lbs. Net 12.95

PROJECT-A-SCOPE

Projects Giant Pictures in Color or Black and White

Films or Negatives Not Needed



Handsome projector molded of

heat and abuse resistant, hi-impact plastic for long life. Casts sharp, glant-size enlargements on any white wall or screen in brilliant color any white wai or screen in Drilliant color or black and white. Simple to operate. Can be used by students, artists, lecturers and demonstrators. Children can project comic or story books to amuse themselves and their friends. Uses ordinary household bulbs. U/L listed. 110 volts, AC-DC. Shpg. wt., 2 lbs. 15 G 50011



MARK VI LABEL MAKER KIT

 You Get - Tool - 2 Wheels For Large and Small Characters, Case and 5-12' Rolls of Tape

Convenient Tape Cut-off Lever

Convenient Tabe Cut-on Lever
Low-Cost tapewriter kit for home, office, store or workshop. Makes
raised-letter labels that are self-adhesive, permanent and waterproof.
Set dial to letter, number, or symbol and squeeze the handle. When
label is completed, squeeze trigger to snip off tape. Kit includes:
High-impact plastic embossing tool, two wheels, three 3a" and two
1/4" rolls of tape plus carrying case. Shpg. wt., 11/2 lbs.

14 G 41484

Perma-Power_Liftmaster **



Opens-Closes-Securely Locks Garage Door

Automatically Controls Garage Door and Lights from Inside Your Car Fully Transistorized Transmitter and Receiver with Private Pulse-Tone Coding

1/3 HP Motor-For Door Up to 22 Ft.



Transmitter

Receiver

Deluxe, Perma-Power garage door operating system. Easily handles any residential, track guided garage door; metal, fiberglass or wood doors up to 22 ft. wide and 8 ft. high. Only your pulse-tone signal sender can open the door. Gear-head chain drive motor exerts 200 lbs. of push-pull force. Needs only 1½" of headroom space between high arc of door and celling. Fully automatic. Built-in light goes on as soon as door starts

to open and stays on for approximately two minutes after door closes. If door hits obstruction, it stops automatically. Safety clutch prevents damage. When started again, it will reverse itself. Sender can be carried in pocket, kept in glove compartment, clipped to sun visor or mounted under dash. Motor operates on 117 VAC, 60 Hz. UL listed. Shpg. wt., 65 lbs.

13 G 82118WXZ No Money Down* Net 139.95

See Listing of Accessories Below

ABOVE GARAGE DOOR OPENER SHIPPED F.O.B. CHICAGO, ILLINOIS. NO C.O.D. SHIPPING CHARGES ARE COLLECTED ON DELIVERY. SEND FULL REMITTANCE OR USE LAFAYETTE'S EASY PAY PLAN.

Extra transmitter for second car. 13 G 82076 Shpg. wt., 1 lb. Switch with 2 keys for outdoor location. 13 G 82043 Shpg. wt., 1/4 lb.

Ouside quick release lock. Used to open door from outside when electricity fails. Shpg. wt., 1/4 lb.

Net 4.20 13 G 82134

Net 19.50

Net 4.95





- Heavy Steel Drum— Excellent for the Home. Garage, Patio, School or Workshop
- Powerful I HP Motor, 6 ft. 21/2" Dia. Hose

Deluxe Shop-vac 10 Gallon Vacuum Cleaner outfit. Can be used for Deluxe Shop-vac 10 Gallon Vacuum Cleaner outhit. Can be used for rough cleaning nearly anywhere. Excellent for picking up pebbles, wood chips, sawdust and other debris. Also attaches to woodworking machines for chip and sawdust removal. Reversible air flow—use it as a blower too. Perfect for winter oil burner cleaning. Complete with two-way 4-wheel dollle, 6 ft. 2½" dia. hose, 6" nozzle, 2½" to 1¼" adapter, 2-pc. 45" extension wand, right angle elbow, cloth filter bag and pkg. of 5 paper filters. UL listed. Shpg. wt., 29 lbs. Net 34.95 13 G 35652WX No Money Down* 5 Gallon Shop-Vac Vacuum Cleaner: Includes 6 ft. 2½" dla. hose, 6" nozzle, 2½" to 1¼" adapter, cloth and paper filter. UL listed. Shpg. wt., 17 lbs. Net 24.95

For Additional Accessories See Page 351, Catalog 700.

Lafayette Cat. No. 701

fury 50 Piece Power Workshop

WITH 3/8" VARIABLE TRIGGER SPEED CONTROL DRILL



Fowerful! Efficient! Flexible! Rugged %" variable speed power drill ith % HP 3 Amp universal motor is capable of performing most any job around workshop and home. Squeeze the trigger for any speed you desire from 0 to 1,000 RPM. Complete assortment of a tachments includes: Jacobs geared chuck and key, tilting top saw a tachment, crosscut and ripsaw blade, horizontal bench stand, lampswool polishing bonnet, 13 pc. drill kit, rubber backing pad, steel paint mixer, grinding wheel, 6 pc. adapter set, steel saw table with protractor and mounting post, drill press with mounting post and stand, and 15 pc. sanding disc set (5 fine, 5 med., 5 coarse). Drill features multiple thrust bearings and locking button on handle for constant speed without holding trigger. Bright mirror finish with pit toll grip handle for easy handling. With instruction book. Drill UL 13 6 71293W 13 G 71293W

13 G 71244 Drill Only. Shpg. wt., 31/2 lbs.

VARIABLE SPEED DOUBLE INSULATED COMPACT DRUL



A power drill that is so light, rugged and powerful . . so comfortable! Revolutionary fast-back design features balanced power and lightweight materials. Weighs only 1% lbs.! Ingenious use of polycarbonate housing makes this drill virtually indestructible and is double insulated for safety. Unique magnetic motor offers variable speeds from 0-1200 r.p.m. 4-diode circuitry is solid-state, full wave rectifier with highly efficient energy transfer. Additional quality features include life-time lubricated spherical bearings, and industrial quality commutator, 18-blade wind tunnel fan, double reduction gears, plus induction-hardened armature pinion. For 117VAC. 60 Hz. 13 G 53242 Shpg. wt., 3 lbs. Net 29,95



A rugged, powerful 1/8" drill for tough drilling jobs around the house and shop. Features double reduction gears for maximum torque. No load speed 1000 rpm. Capacity 1/8" in steel, 1" in wood. Ball thrust bearing takes the full drilling load. Welded commutator leads prevent motor burnout. Geared key chuck, 3-conductor power cord. Bright finish. For 120 VAC, 50-60 Hz. 13 G 36551 Shpg. wt., 4 lbs.

14 Pr. HIGH SPEED DRILL SET with CENTER PUNC



Top quality, high speed drill set contains sizes $\%_6$ $\%_4$, $\%_2$, $\%_6$, $\%_6$, $\%_6$, $\%_6$, $\%_6$, $\%_6$, $\%_6$, $\%_6$, $\%_6$ and $\%_7$ with $\%_4$ shanks. Also contains center punch for accurate placement of drill, Convenient, high impact plastic case stands on workbench or mounts easily on wall or pegboard. Has built-in shelf for holding pencils or additional drill bits, chuck keys, etc. Shpg. wt., 1 lb. 13 G 18: 12

DELUXE VARIABLE MOTOR SPEED CONTRO

Only 1 1 95

- Varies Speed on AC-DC Motors from 0 to Full RPM
- Up to 8-Amps
- 3-Position Switch: Variable—OFF— Full Speed



Perfect for all workshop power tools and home appliances. Use with drills to start holes, saws to extend blade life, polishing at low speeds etc. 3-position switch. Variable, OFF and Full permits maximum speed control, with Universal (AC-DC) or DC motors rated to 8 amps. Has automatic breaker surge protection. Input 120V AC only, 3 wire line cord. Black aluminum case, 45/6x21/2Wx11/6"D.

13 6 27014 Shpg. wt., 1 lb.

Net 11.95

Holiday Gifts for the Handyman

SKIL REVERSING DRIVE-R- DRILLS

Adjustable Trigger Speed Contro

* Pre-Set Like Speed You Dealing in Forward or Reverse Lack Dill in any lipsed • Burn Our Protected Motor

Now! a variable speed control drill that can be locked at any speed—in either forward or reverse! Just squeeze the trigger for any speed from 0 to maximum rpm. Unique all purpose drill can tackle most any job with precision and accuracy. Using a driver bit or socket, you can drive or remove screws or nuts. Tap holes in metal! Features: a powerful, burn-out protected motor; high torque helical gears; geared key chuck; lock button for sustained operation, and a sturdy, lightweight aluminum housing. Comes with: 6 ft. 3-wire cord and plug for 115 v, 60 Hz AC operation. UL listed.

1/4" ADJUSTABLE DRIVE-R-DRILL
Model 596 rated at 2.5 amps. 0-2000 rpm Forward/Reverse. Capacity 1/4" in steel, 1/2" In wood. Shpg. wt., 5 lbs.

13 6 69313 No Money Down*

Net 31.88

13 G 69313 No Money Down*


3/8" ADJUSTABLE DRIVE-R-DRILL Model 597 drill has extra capacity chuck; 0-1000 rpm, forward/reverse 3-amp motor. Double reduction gears. Capacity: 3/8" in steel, 3/4" in wood. Removable handle. Shpg. wt., 5 lbs. 13 G 69321 No Money Down*

1/2" ADJUSTABLE DRIVE-R-DRILL

Model 598 Heavy-duty-deluxe 3 amp 0-750 rpm forward/reverse, no load speed. Heavy-duty double-reduction gears multithrust bearings. Capacity: 1/2" in steel. 1¼" in wood. Removable handle. Shpg. wt.,

13 G 69339 No Money Down'

Net 39.88



• With Rip Guide • 1/4 HP Motor

MODEL F-8: A rugged, multi-purpose sabre saw. Can be used as a rlp, crosscut, jig saw, hack saw, band, coping, keyhole and scroll saw. Easily cuts 2 x 4s, plywood, plastic, composition board, aluminum and a host of other materials. Powerful 3 amp. 1/4 H.P. motor with a built-in cooling system, produces 3500 11/16" long strokes per minute. Adjustable base, rip guide and mitre gauge. Bevel cuts from 0° to 45°. "On/Offt" slide-switch. With 3-assorted blades. For 115V., 60 Hz AC/DC. UL listed. Has mirror finish. Shpg. wt., 4 lbs. 13 G 71160

B HEAVY-DUTY VARIABLE SPEED SABRE-JIG SAW

"Dial Control" Any Speed From 0-4800 S.P.M.

Electronic dial variable speed control lets you use this one tool for any cutting job. Cuts through 6" logs, 6 x 6" lumber, metal pipe, masonite—practically any material. Makes its own starting hole. Low speed for steel and plastics, medium for non-ferrous metals, high for rip or cross-cut. Bevel cuts to 45°. Features a 5 amp. 1/3 HP General Electric motor. With 6" 3-cond. cord, 5 assorted blades and rip gauge. For 115 VAC, 25-60 Hz UL listed. Shpg. wt., 4½ lbs. rip gauge. I

Heavy-Duty Sabre Jig-Saw. Similar to above less variable dial speed control. 3.5 amp. motor. Shpg. wt., 41/4 lbs.

Net 20.95

Reversing Lever Adjustable Locking Control -Trigger Speed Control As Low As 3 188



SAW ONLY RIP FENCE

8.98 \$40.65

when you buy combination saw-case-rip fence

No Money Combination Outfit 34.88

• 11/2 HP Burnout Protected Motor

5200 RPM No Load Speed 10 Amp Motor

Tackle the "big" jobs, with this 714" builders' saw. Reinforced diecast housing that really stands up. Cuts 2 x 4's with ease, at 45° angle. Easy set bevel and depth adjustments. Safe non-binding blade guard with vari-torque safety clutch. Sawdust ejector keeps your work clean. 714" combination blade and blade wrench. Powerful 142 HP motor. Cutting depth: 90° 236", 45° 176", 10 amps. UL listed. 115 volts AC, 3 wire cord. Saw kit includes handy case, blade and rin fence. Shop. wt. 15 lbs.

rip	tence. S	Snpg. Wt., 15 IDS.	
13 (69362	Combination Outfit	
13 (69263	Saw Only. Shpg. wt., 121/2 lbs.	
13 (69123	Rip Fence Shpg. wt., 1 lb	
13 (69370	Carrying Case. Shpg. wt., 4 lbs.	

Net 29.88 Net 1.79

UNIMAT Miniature Machine Shop



- Precision Metal-Working Lathe
- 11-Speed Ball-Bearing Spindle. Accurate to 1/2 Thousandths
- Converts to Vertical Mill or Drill in Seconds
- Turn, Mill, Bore, Saw, Buff, Sand, Polish, Grind-Steel, Aluminum, Brass, Plastic
- Ideal for R&D Labs, Model Shops, Electronic and Home Workshops

Complete 5-in-1 machine shop small enough to use on a radio serviceman's bench. Designed as a multi-functional power tool. Converts from horizontal lathe to vertical drill press. The changeover causes no wear or loss of accuracy in precision fit parts. The motor-headstock detaches for use as a portable hand drill, power grinder or buffer. Extra attachments available include a very accurate circular saw, saber and Jig saw, flexible shaft, lathe bed power feed, threading attachment, precision collets and cutting tools. Belt drive provides 11 speeds ranging from 900 to 7,200 RPM. Motor can also be controlled by rheostat foot switch or SCR power supply. 1/10 HP

The ALL-PURPOSE 5-in-1 METAL-MACHINING WORKSHOP



brush-type fan cooled motor, drill press arm, column and hand lever, face plate, lathe dog, grindstone arbor, tool post, 2 dead centers, 1/4" Jacobs chuck and key, Allen wrench roughing tool bit, and a spindle return spring. 17½ x 10½ x 5¾" wood chest. 40-page manual. For 115V AC/DC operation. Imported.

SPECIAL BONUS OFFER: Unimat Lathe and Micro-Miniature Workshop.

SEE LISTING BELOW FOR DETAILS

Sheg. wt., 35 lbs.
14 G 90051WXM No Money Down*
Unimat Lathe Only. Shog. wt., 30 lbs.
14 G 10141WX No Money Down*

Net 139,50



workshop is a must for hobbyists, handy men and industrial plants that require fine finishing work. Incorporates outstanding features for cooler operation, instant-action wrenchiess Chuck, powerful 115 volt universal motor, convenient hanger hook. Kit comes complete with: 1—motor tool, 1—½" collet, 1—½" collet, 1—½" collet, 1—½" collet, 1—½" and ½" stones, 2—mounted drill. Fugged heavy-duty case. Shpg. wt., 4 lbs.

RAM TWO-WAY ELECTRIC SANDER

Orbital or Straight Line

Model R-120: A heavy-duty electric sander with 3/16" stroke in arbital or straight line. Features 3.5 amp. universal series wound motor. Heavy-duty ball bearing and self-lubricating sleeve bearings. Pad size: 3% x 7 1/8"; sandpaper size: 32/3x9". Industrial mirror finish. 6-ft. UL Listed cord. 115 V. 60 Hz, AC-DC. Shpg. wt., 5 lbs. 13 G 71020



Handy, useful...mark, identify and engrave names, design decorator effects on luggage tags, toys, sportling goods, tools and kitchenware. Automatic with built-in mercury switch. You pick it up—it turns on. Put It down and it turns off. Easy as a pencil. Marks won't erase, smear or rub off. Tough hardened steel point vibrates 7200 strokes a minute. Lightweight. 7 x 3 x 2". 110 VAC, 50 60 Hz 13 G 80542 Shpg. wt., 5 lbs................... Net 6.95



Unique design permits forming chassis, boxes, covers, trays, etc. by means of 1" deep slots in break-bar which allow corners to fold in. Provides flange edges up to 1" high. Easy to adjust for thickness, accuracy, angle of bend. Rugged construction offers a life time of service. Imported. Wt., 17 lbs. 99 G 80640WX Net 9.95

TIMY TIGER "HUSH TONE" PORTABLE GENERATOR

- Economical Gas Driven Motor
- 115 A.C. 350 Watts Electric Power 12V D.C. 12 Amps.
- Only 12 lbs.
- Automatic Overload Relief-for Tools. Appliances, Boats

12V D.C. for Battery Charging

MOTOR

Model 67—Lightweight, rugged metal construction! Features a 1 hp, 2 cycle Ohlsson & Rice air cooled engine with a high capacity magneto ignition. 6 pint, premixed (24 parts gas—1 part oil) fuel capacity allows operation at full power (6,300 rpm) for 2½ hours. Also features built-in quietness with a larger "Hush Tone" spark arrester muffler. Dual voltage, direct drive Tiny Tiger generator produces up to 350 watts of 115V., AC, and 12 amps of 12V. DC simultaneously for charging auto batteries or starting cars, boats and trucks. Constant voltage within 110-120 volts with an automatic overload relief system. Light enough to carry anywhere (14 lbs.) . . . small enough to carry in one hand (8½"H x 8½"W x 10¼"L.) Shog. wt., 15 lbs.

Net 99.95 to carry in o Net 99.95

HANDY CARRYING CASE 12 G 35514 Shpg. wt., 5 lbs.

Net 9.95

MODEL 8200-PK. Ideal for the novice or professional. Compact design and built-in light eliminate maneuvering difficulties. Weller Soldering Kit features the 8200 gun with exclusive tip Grip which assures constant heat. Dual heat feature gives choice of 100 or 140 watts with the pull of the trigger. Accessories include 3 durable soldering tips, tip changing wench nylon flux brush, soldering aid for difficult connections and all purpose solder. Packed in a high impact plastic case. Ill litted Shop we 324 liber 326 liber 1860. impact plastic case. UL listed. Shpg. wt., 344 lbs. Net ea. 6.70

"EXPERT" SOLDERING KIT

Model 8200 Gun Only. Shpg. wt., 21/2 lbs. 13 G 39142

100/140 WATT

Net 5.70

600-8 TY HANDYMAN SPRAYER

Only No Money Down*

- Integral Compressor-Motor
- . Sprays Oils, Paints, Stains, Insecticides, Liquid Wax

All-purpose spray unit that gives professional results from the start. Provides uniform adjustable pattern from "dime" size to a fan 10" wide. Precision made with sealed ball bearings, never needs oiling. Easy-to-use 2-finger trigger gun. Air delivery: 1.5-2 CFM at 15-20 lbs. Complete with 6 ft. cord and plug, 8-ft. air hose, spray gun. Comes with internal-mix fan spray nozzle—1 pint capacity aluminum cup. For 115 to 6 M2 AC Shorg wt. 11 lbs. For 115 v. 60 Hz AC. Shpg. wt., 11 lbs. 14 G 84146 Net 35.95

Ready To Use

Complete

MARKE

Net .49

Weld-Braze-Solder-Cut
 Produces 11,000° Heat Operation on 110 Volt Line

Dependable unit that produces professional welding—Save time, money by making your own repairs. Cuts and welds up 1/4" metals with 1/8" welding rods and 1/4" carbon. Completely portable. Simple instructions explain how to make spot repairs. Weld-braze-solder-cut on most metals, Ideal for use around home-shop-farm—even repair auto bodles. Includes welding and carbon rods. Protective mask, holders, 10 ft. H.D. cables, ground clamp, brazing rods, flux, solder and instruction manual. For 115V AC or DC. Fused for 30 Amps

13 G 20548 Shpg. wt., 6 lbs.

21 PIECE 3/8" DRIVE SOCKET SET



- Chrome Plated
- Drop-Forged Steel

13 G 55650

Net 13.95

ELECTRIC GLUE GUN

30 DRAWER PARTS CABINET



Features exclusive automatic feed trigger and finger tip thermostat control, handy "on-off" switch plus contoured handle. You get 60 second bonding for wood, tile, leather, fabrics, metals, masonry; or caulking. Thermostat control has three heat ranges for "idiling," "normal operation" and "extra flow." "open/Close" nozzle control valve wrench included. Rated 70 watts at 120V. AC/OC. UL listed. Size: 63½ x 4½°. Made of black, heat-resistant phenolics. 13 G 58217 Shpg. wt., 1½ lbs. Net 6.95 Pkg. of 8 Hot Melt Glue Sticks 13 G 58225 Net Melt Caulk

Pgk. of 8 Hot Melt Caulk

49

· FOR: Home-Office-Shop

13 G 54505W



Clear plastic drawers 2% x 1¼ x 5¾"D., each with removable dividers; safety stops to prevent accidental spilling. Cabinet tilts when carried; back punched for hanging. Bottom and top mate for solid stacking. Metal sides and back with contrasting high impact plastic top and bottom. Comes with labels, dividers and handle. 17H x 9¾W x 6¼"D. Shpg. wt., 8½ lbs.

See Page 13 for Full Credit Details on Easy Pay Plan

Net 5.49

Complete Solid-State Engine Analyzer

For All Electrical Systems 6, 12, 24 or 32 Volt—Regular, Transistorized or Magneto Ignition, 8, 6 or 4 Cylinder 4 or 2 Cycle Engines.



Large 6' D'Arsonval Double Jeweled Meter

Ferforms "FIFTEEN" authoritative tests under actual operating conditions! Tests output voltages in three separate ranges: 0-3.2, 0-16, 0-32 VDC. Determines the condition of batteries, battery cables, spark plug wires, coil wire, solenoids and starter motors. Permits precise setting of distributor points (cam-dwell angle) and test centrifugal advance mechanism on three scales: 0-45° for 8-cylinder, 0 60° for 6-cylinder, and 0-90° for 4 cylinder. RPM scales allow precise setting of carburetor air/fuel mixture and engine RPM in four separate scales: 8 or 6-cylinder (low) 0-1,200, (high) 0-6000; 4-cylinder (low) 0-2400, (high) 0-12 000. Measures amps from —5 to

Made in U.S.A.

Tunes up Electronically, Any Car Ever Made

Three Dwell Scales

Giant 61/2" Easy-to-Read Scale

Use to Adjust Carburetors

Use to Adjust **Points**

Points

A complete ready-to-use Dwell Meter and lachometer which will operate on any car ever made. Tests cam Dwell angle and engine RPM on 4, 6 or 8 cylinder cars, 6 or 12 volt right on the engine. Giant 6½ easy-to-read meter makes it simple for anyone to adjust points and carburetors to insure maximum gas economy and quiet engine running. RPM readings are also essential to properly service automatic transmissions. Three dwell angle scales are provided: 0 to 45 degrees, 0-60 degrees, and 0 to 90 degrees. This instrument is suitable for dwell angle adjustment on all foreign and domestic cars. Dual range tachometer 0 to 1000 rpm for precise carburetor adjustments. 0 to 5000 rpm, suitable for making all other tests at high engine speeds. Complete with Instruction manual, Shpg. wt., 4 lbs. manual, Shpg. wt., 4 lbs.

11 6 01013W ING LIGHT WITH REMOTE STARTER



Deluxe neon prefocusing light. Cranks engine from the outside—checks points, bearings and tappets. The remote starter is also useful in testing the fuel pump, generator, compression and electrical system. For 6, 12 or 24 volt systems. Shgs. wt, 1½ lbs.

11 6 42082 Net 5.95

No Money Down

Solid-State Engine Analyzer Will Tes

Dwell or Cam Angle Measure Engine Speed **Adjust Carburetors Adjust Points** Check Condensers **Check Coil Resistance** Measure Carbon Suppressor Spark Plug Cables **Check Batteries** Test Alternators, Generators & Regulators Check Shorts & Opens In Wiring Checks All Lamps, Fuses, Relays & Switches **Check Diodes**

Do-It Yourself Instruction Bo

+90. Resistance scale from 0-100,000 ohms. High voltage coil and spark test scale from 0-30,000 volts. Operates on single "D" cell battery. Complete simple operating instructions allows anyone to use this instrument to its full capabilities. Detailed information supplied by make and model. Rugged steel case finished in baked enamel. Rear storage compartment holds 5½' leads, clamps, plug jacks and connectors. Size 12x6½x6". Shpg. wt., 10 lbs.

Net 49.95

Net 15

99 G 62564 Battery For Above



TUNE UP KIT

Tunes Engine For Maximum Efficiency

For Accurate Ignition Timing of Any Engine

A complete kit to tune up the important systems of your car, truck or marine engine. Permits maximum efficiency for more economical operation. Kit includes compression tester, vacuum fuel pump tester and deluxe timing light with remote starter switch. Compression tester locates valve, ring, piston and cylinder troubles. Big 2½" dial is calibrated 0-300 lbs. pressure. Vacuum and fuel pump tester checks pressure and suction of fuel pump and vacuum system. 2½" dial calibrated in 0-30 inches and 0-3 lbs. Comes with rubber tubing for easy connections. Brilliant prefocused timing light features remote starting switch. For 6, 12 or 24 volt systems.

11 G 42090 Shpg. wt., 5 lbs.

Net 10,95

ELECTRONIC CRUISE CONTROL





EASY TO INSTALL

Maintains Any Selected Highway Speed Does Not Affect Braking or Instant

Only

Helps Adhere To Posted Speed Limits

Sets Fast Idle for Quick Cold-Weather

An Electronic Cruise Control which enables you to drive at a constant speed by automatically holding the throttle steady. Eliminates the need to keep a foot glued on accelerator on long trips. Once you reach desired speed, simply pull out knob and the Cruise Control will automatically hold that speed. Allows instant acceleration for passing but takes over again when the foot is taken off the gas pedal. Ceases to function the moment the brake is depressed and completely disengages in the event of any malfunction. Oesigned to fit all cars and trucks. Shpg. wt., 1½ lbs.

Net 19.95 11 G 59011

Acceleration

Capacitive Discharge Ignition System With Silicon Controlled Rectifier

> TIMING LIGHT WITH REMOTE STARTER With Purchase of MARK TEN IGNITION SYSTEM Bonus Special Expires 1/1/70

Combines all the advantages of capacitive discharge with those of solid state Combines all the advantages of capacitive discharge with those of solid state circuitry. Patented circuitry, Patented circuitry eliminates point bounce problems and positively fires plugs regardless of point condition. Fast rise time spark prevents fouling from three to ten times. Point contacts last indefinitely. Eliminates mis-firing, reduces oil contaminants, prolongs engine life. Provides smoother and more efficient operation at all speeds; constant spark up to 10,000 RPM; with dramatically improved acceleration and economy. Provides faster, easiest starting in all weather. Reliability and performance proven on thousands of starting in all weather. Reliability and performance proven on thousands of military, commercial and private vehicles from Alaska to Cape Town. Unit operates with all commercial and original equipment tachometers. Installs immediately with two simple connections to the existing coil, leaving the standard system intact. No temperature limitations—mounts anywhere Requires only a very small amount of input power—reduces load on engine and electrical load. For 12 volt negative ground system only. Wt., 3½ bs. 11 G 90008WXM lignition System plus Timing Light Net 39.96

11 G 84506 Ignition System Only No Money Down*

Net 39.95





DELUXE JV GAUGE AMMETER

- Heavy Chrome Die Cast Case
- · All Electric-No Tubing

End guess work and space problems with this beautiful three-in-one guage. Illuminated dial face gives accurate individual readings dial face gives accurate individual readings of oil pressure, amperage, and water temperature. Amp. gauge reads —60 to +60, oil pressure registers 0 to 80 lbs., and water temperature is indicated from 100° to 220°. Fits all 12 volt negative or positive ground alternator or generator electrical systems. Handy 360° universal mount and durable chrome zinc die cast case. Supplied with vites edivistable mounting ring, and senders. wire, adjustable mounting ring, and senders. 11 G 42033 Shpg. wt., 21/2 lbs. Net 19.95 Net 19.95 DIL AND AMMETER GAUGE—Similar to above,

less water temp. gauge. 11 G 42041 Shpg. wt., 2 lbs. Net 15.95



31/4" TRANSISTORIZEO **TACHOMETER**

- For 4, 6, or 8 Cyl. 0-8,000 RPM
 Deluxe Chrome Die Cast Case
- Convenient Shift Set Needle

Rugged, precision engineered Tach features low power drain transistor circuitry, black and white illuminated dial face, and handsomely styled 3" long vlbration-proof chrome die-cast housing. Tach also boasts a built-in shift set needle, adjustable steering column ring, and 360° universal mount. Will operate with transistor or regular ignition systems, 6 or 12 volt positive or negative ground. Easily mounted on or under dash, on console, or on steering column. Reliable indication permits better use of engine power—a must for the demanding driver. Shpg. W1., 2½ lbs. Net 21.95 11 G 42413



314 270 WIDE-SWEEP TRANSISTORIZED TACH

Precision 0-10,000 RPM Scale for 6 or 8 Cylinder

Our tinest tachometer features a wide sweep 31/4" illuminated black and white scale, precision D'Arsonval movement calibrated to 2% accuracy, and a shift set needle with 270° swing, Equal divisions between graduated markings for pin-point accuracy over the entire range. This hand-somely styled instrument is virtually unaffected by vibration. Has deluxe 3" long chromed zinc die cast housing and 360° universal mounting for dash, console, or steering column mounting. For transistor or regular ignition systems at 6 or 12 volt positive or negative ground. Shpg. wt., 2½ lbs. 21/2 lbs

11 G 42363

Net 28.95

AUTO/MARINE BATTERY CLOCK

Attractively styled chrome bezel, with bright easy-to-read white face, has black markings and features a second pacing sweep hand. Fiber mesh fastening arrangements on base. Can be positioned on any metal, wood, plastic surface, including padded dashboards and yet is readily removable. 31/4" x 31/2" x 21/2" gray plastic case. Wt. 1 lb.

Net 10.95 11 G 1750 99 G 6257 Battery for above .14



OPERATES UP TO 1 YR. ON SINGLE "C" CELL.

DELUXE REVOLVING BEACON

Rotates Like a Lighthouse Beacon

A red warning light that rotates 360 degrees and flashes in all direction. Suction mount holds the beacon firmly in place, Signals for help for miles around: creates a safety zone during a traffic emergency: For use on autos, boats, trucks, docks, etc. For 12 volt use; complete with cigarette lighter adapter plug. Wt., 2 lbs. Net 6.49 11 G 13D42



See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701

Automotive Accessories & Specialties

VER ALERT Warns of Traffic Zones!



- Gives Advance Warning
- Miniature and Completely Transistorized
- Complete w/Long Life Mercury Batteries
- Clips Easily on Sunvisor
- Rugged Printed Circuit

Miniature electronic detector gives an audible warning whenever it intercepts a radar beam. Dual-Band circuit detects all commonly used police radar speed meters and traffic control devices, both vertically and horizontally polarized, to promote safer driving. Miniaturized and completely transistorized. Top quality components; printed wiring; 8 transistors; two 1,000 hour mercury cell, self-testing batteries (equivalent to 35,000 miles of driving at 35 M.P.H.) Magnesium case eliminates radio, TV and other interference. Weighs only 13 ozs., measures 356W x 2½ x 3½ "D; clips to sunvisor. Complete with batteries, sunvisor clip. Instructions included. Shpg. wt., 1½ lbs.

11 G 42017

Net 29.95

This item not intended for resale in States where its use is forbidden in motor vehicles by public regulation.

NTHEVER TOOL BOY



Professional quality tool box...stores, protects precision tools. Ideal for machinists, electronics and automotive repairmen. Double cover swings out fully exposing four easy-glide cantilever trays for easy access to each compartment. Bottom compartment is completely exposed and large enbugh to store most bulky tools. Entire box is made of prime quality, extra-heavy gauge steel. Also has two heavy-duty round handles running along the entire length of the box and padlock eyes for locking. Handsome baked blue enamel finish. Over-all size: 17"L x 8"W x 81/4"H. Shpg. wt., 13 lbs.

Net 9.95

"FIAMM" ELECTRO COMPRESSOR AIR HORNS



ing, continental tone. Range up to ½ mile. Ideal for use on trucks, sports cars, emergency vehicles, buses, boats, etc. Compressor pumps air to trumpets instantly when horn is pressed—there's no waiting for pressure to build up. Supplied with Town and Country Selector Switch which enables use of original horns for city driving. Complete with: 2 horns (7" & 9"), compressor. fittings, horn relay, and all necessary hardware, For 12 volts only. From Italy.

And an increasing form of the second of the



A real joy for the sports car enthusiast. An authentic motor driven horn approved as an exact reproduction in sound and appearance by members of antique car, hot rod, and horseless carriage clubs the with horn button, wire, bracket and instructions. Shpg. wt., 1 lb.

11 G 30012 6-volt Net 10.95 11 G 30020 12-volt Net 10.95 For Compacts and Sports Cars 11 G 30079 12-volt 11 G 30087 6-volt Net 10.95 Net 10.95




ON-GUARD PROFESSIONAL SIREN-OPERATED BURGLAR ALARM

Loud, Police-type Siren Gives 3-Way Protection-All Doors, Trunk and Hood

Pick-Proof On-Off Key Lock Mounts on Outside of

Complete-Easy To Install



Get 24-hour protection on your car, station wagon or truck with this complete burglar alarm system. The sharp penetration sound of the police-type siren will scare thieves away. The siren blasts off when anyone opens a door, the hood or trunk. The alarm can be shut off only with the alarm key. Complete system includes siren with trumpet, 4 door switches, hood switch, trunk switch, 2 brackets, electrical lock with 2 keys, wire, mounting hardware, instructions and 2 warning decals. For 12-volt cars only. Shpg wt., 3 lbs. Net 27.88

Tire SUPER POWER **AUTO VACUUM CLEANER**



895 Super Power Suction Plugs into Cigarette Lighter Socket

A smart portable accessory for every car owner. Super power suction cleans in sec-onds. Specially designed nozzle gives easy access to hard to get at places such as under seats, ash trays, and in crevices, its lightweight, and durable rust and dent proof construction make this fine unit ideal for heats places trailers and texts also for construction make this fine unit ideal for boats, planes, trailers, and tents also. Easy to handle and well balanced. For 12V DC. Plugs right into the cigarette lighter socket. Size 17" long x 4" wide. Shpg. wt., 2½ lbs. 11 G 22506 Net 8.95

Auto Aids and Specialties

SURE-FIRE 3-AMP BATTERY CHARGER

- For Both 6 & 12 Volts
- Built-in Meter
- Automatic Reset Breaker

Full 3-amp battery charger for quick starts in all weather. Edge view colored meter shows actual rate of charge and indicates battery condition. Reset circuit breaker gives automatic overload protection. Has 6 and 12 volt selector switch. Delivers tapering charge. Vented steel case; may be wall mounted. 6 ft. battery leads with 50 amp clips. Size: 6 x 4½ x 5¾". For operation from 105-125 Volt. 60 Hz AC. UL Listed. Shpg. wt., 5 lbs. 11 G 76049



TRIPP LITE 150-WATT TRANSISTORIZED INVERTER

Monus Down

- Delivers 150 Watts Continuously
- Provides Household Current Anywhere
- Fused to Protect Battery

A low-cost transistorized inverter which changes 12-volt DC to 115-volt 60 Hz AC. Delivers 150-watts continuously; 175-watts intermittently for shavers, recorders, radios, TV and many other appliances. Has on-off switch and replaceable fuse. Rugged construction. Size: 5 x 5 x 3½". Shpg. wt., 5½ lbs.

PATHFINDER DELUXE PLUG-IN SPOTLIGHT

- 12 Voit GF Sealed Beam
- 10 Foot Cord with Piug
- All Chrome, Zinc Cast Housing

Plug-in portable spotlight is a real "Ilfe-saver" in emergencies—provides dependable, instant, powerful light for safety in every night-driving need. Finger-grip handle permits easy direction of light beam. Flexible 10-foot cord; GE sealed beam; convenient hang, up hook; rich chrome plate on die-cast metal. Fits most cigarette lighter sockets. Stows away in glove compartment. 11 G 16250 Shpg. wt., 2 lbs. Net 4.95



QUARTZ-IODINE FOG

- 260,000 Candle Power
- Die-cast, Slim-Line Body

Die-cast, Slim-Line Body
High power, long life lamp gives life saving
Illumination in poor weather, makes night
driving safer and less tiring. Wide angle,
sharp cut-off fog lamp beam penetrates
heavy fog. Driving lamp has concentrated,
narrow beam for reaching far ahead of
normal high beams. Chrome plated body.
Sealed lens and reflector keeps out dirt and
moisture. Fully adjustable mounting bracket.
54½" dameter, 2½" deep. Shpg. wt., 2 lbs.
11 G 26515 Fog Lamp, yellow Net 11.95
11 G 26531 Replacement Bulb Net 4.75
Accessory Switch with 10 Ft. Cable.
11 G 26549 Shpg. wt., 4 oz. Net .89



LAFAYETTE BOOSTER CHARGER



50 Amp. Battery Boost Power

• 10 Amp. Battery Charger

Starts cars fast in the coldest weather with automatic 50 amp. boost. Perfect for 6, 8 or 12 volt batteries. Operates as a booster and as a 10 amp. charger. Color coded meter indicates battery condition, charging and booster rate, and correct polarity. Full wave charging circuit, triple density selenium rectifiers, and auto-reset circuit breaker, heavy duty 8' input cord, and heavy duty 6' cables with clamps. Chrome plated front panel and baked enamel back and sides. UL listed. Size 8H5 34Wx6"D. Shpg. wt., 13 lbs.

11 G 01062 Net 24.95

DEFROSTER/DEFOGGER FOR REAR WINDOW

- . Enjoy The Convenience and Safety of Clear Rear Vision
- Adjustable Louvers Direct Air Where Needed

Rear window defrosting kit with giant defrosting capacity—50 cu. feet of warm air per minute quickly defrosts and defogs rear window regardless of weather. Unit is easily installed in trunk; does not interfere with spare tire or luggage space. Adjustable louvers to direct flow of air are recessed; will not interfere with vision or rear deck space. Dash switch controls defroster operation. Improves heating and air conditioning operation of car by increasing air circulation. Kit includes heavy duty motor, defrost hoses, adjustable louvers, switch, wiring, templates, and installation instructions. Fits all cars, (except station wagon, convertibles, and rear engine cars) for 12 volt electrical system. Shpg. wt., 5 lbs.



Heavy duty, fast acting de-icer with high capacity blower. Clears up iced windows long before your car's own heating system has a chance to take effect. No more frozen windshields to block or distort vision. Heavy gauge, 16 ft. cord is long enough to reach all windows. Plugs into cigarette lighter. Break-resistant, cycolac housing. With mounting bracket and in-line fuse. Shpg. wt., 3½ lbs. Net 9.95



DELUXE SUPER 8 REFLEX AUTO POWER ZOOM MOVIE CAMERA

Thru-The-Lens CdS Electric Eve 3.5 To 1 Power Zoom Two-Speed Operation Fast f/1.8 Lens

Take sharper, better exposed movies with this deluxe super 8 power zoom reflex camera. Features a thru-the-lens CdS electric eye that automatically controls the lens opening according to light conditions and drop-in, instant cartridge loading. Shoots 50 ft. with a single cartridge. Meter system automatically adjusts for film speeds from 10-400 ASA. Electric film drive motor does away with bothersome hand winding. Offers a choice of two filming speeds: 18 and 24 fps. Super fast f/1.8 Cinetor 3.5 to 1 zoom lens may be manually or automatically operated. Warning signal shows in viewfinder under insufficient light conditions. Execptional features include automatic resetting footage counter, built-in type "Ar" filter, battery tester, focusing eyepiece, full range film speed, safety lock, light bar receptacle, cable release socket, pistol grip, and die-cast aluminum body with hinged doors. Focuses from 6 ft. to Inf. Imported. Shpg. wt., 4 lbs. ported. Shpg. wt., 4 lbs.

15 G 78079L 15 G 16103 Camera Case for Above ... 99 G 62580 Batteries for Above (4 req.)

No Money Down'

> Net 3.95 Net ea.

COMPLETE POWER ZOOM MOVIE CAMERA OUTFIT

Everything you need for movie making and showing fun. Matched components consists of Power Zoom Super 8 f:1.8 camera—fully automatic 500W brilliance projector with F/1.5 Zoom Lens, automatic Reel-to-Reel threading thru gate, single knob control for Forward, Reverse, Still and Automatic Rapid Rewind. 400 ft. capacity. Projector includes self contained case—outfit also includes: 1-camera case; 1-roll Kodachrome film with free processing; extra 400 ft. reel and can; Mr. "Magoo" cartoon; 1-30x40 inch folding tripod screen; 4-batteries for camera; 1 Light Bar, 2 Bulbs. Shpg. wt., 23 lbs.

Net 154.95 Net 154.95

Auto Zoom Projector Only Full feature, forward, still and reverse, Shpg. wt., 16 lbs. 15 G 78087WX Net 74.95

SUPER 8 ZOOM

- Super 8 Loads Instantly
- Drop-In Cartridge-Shoot 50 Ft.
- No Winding-Electric Film Drive
- Automatic Reel-to-Reel Threading Projector
- Includes Camera, Projector, Case, Screen, Movie Light and Film

Complete home movie making outfit, Includes super 8 zoom movie camera with sharp f/1.8 color-corrected 2 to 1 zoom ratio. Advanced, extremely accurate CdS electric eye exposure system sets the lens automatically for continuous, perfect exposures. No need to fumble with extra controls and miss the once-in-a-lifetime shot. Movie camera also features a built-in pistol grip, battery powered electric film drive, viewfinder with over/under exposure warning signal, footage indicator, tripod socket, built-in A filter, cartridge loading with auto door lock and a sturdy die-cast aluminum body. With 4 long-life alkaline batteries. Super 8 movie projector features convenient automatic reel-to-reel threading and automatic rapid rewind. Fast, coated f/1.4 lens and 500 watt bulb provide a bright, sharp screen image. Capacity is a full 400 ft. Projector has an adjustable framing control, built-in elevation adjustment, focus control, trimmer, automatic tension, clearing brush, and a high pressure fan cooling system. 110-120 VAC, 60 Hz. UL listed. With spare 400 ft. cap. reel. Self-contained case with carrying handle. Outfit also includes double light bar and 2 bulbs, Kodak super 8 film cartridge, carry-all camera case and 22 ** 22* table top projection screen. Shgs. wt., 23 lbs.

Net 99-95

15 G 90199WXM Net 99.95 Net 49.95 Net 49.95 15 G 78152WX Camera only. Shpg. wt., 2½ lbs. 15 G 78061WX Projector only. Shpg. wt., 15 lbs.

Complete Zoom Movie Outfit Only **Q**95 No Money Down*



Deluxe electric drive Super 60 Electronic reflex camera with fast electric f/1.8 lens zooms from 8 to 48 mm. Automatic CdS throughthe-lens exposure system and micro-split focusing. Super 8 drop-in cartridge loading, no threading. Shoot 50 ft. without rewinding. Other features include film type indicator window, parallax free reflex viewing, shutter trigger with continuous run button, spotlight and backlight lighting control, automatic film ASA speed selector, insufficient light indicator, remote control, single frame, adjustable eyepiece, and cable release sockets, 85A filter, battery checker, footage counter, and movie light slot. ASA Speeds: 25-400. Film Speeds: 12, 18, 24 fps. Imported. Shpg. wt., 3 lbs.

Net 169.95

YASHICA SUPER 8-40E

Similar to above but with Yashinon f/1.8, 4:1 power zoom from 9 to 36 mm. Imported. Shpg. wt., 3 lbs. Net 139.95 15 G 36424L

99 G 62580 Batteries for above (4 required)

Net ea.

Lafayette SUPER B No Money Down* Sharp f/1.8 Zoom Lens Thru The Lens Viewing Automatic Thru-The-Lens CdS Electric Eye

An easy loading super 8 reflex camera with an automatic thru-the-An easy loading super 8 reflex camera with an automatic thru-the-lens CdS electric eye that automatically adjusts lens for correct exposure. F stop visible in viewfinder with a warning system for extreme lighting conditions. Fast f/1.8 zoom lens from 12 to 30 mm, for wide angle, normal, and telephoto shots. Focuses from 5 ft. to inf. Other features include: battery-powered motor drive-pistol grip; built-in type A filter that automatically disengages and provides the proper ASA setting for indoors; footage counter; film transport signal, and adjustable eye piece. Imported. Shpg. wt., 214 lbs.

24/2 lbs. 99 G 72167L 15 G 16103 Camera Case for above 99 G 62580 Extra Batteries for above (4 req.) Net 3.95 Net ea.

DUAL PROJECTOR FOR BOTH SUPER AND STANDARD 8



Projector That Thinks It's A Slide Projector

Eldorado 86 movie projector with the advanced features of variable speed control, vanced features of variable speed control, true slow motion and forward or reverse projection. 100% Illumination for extended "still" projection, ultra-bright, long-life quartz Halogen lamp and cool, quiet operation. With sturdy diecast aluminum case, 400 ft. reel capacity, built-in automatic room light receptacle, automatic reel-to-reel threading, fast rewind, built-in film trimmer. Ilfetime ubrication and a self enclosed carrying case. Sharp f/1.5 zoom lens for excellent sharpness. For 117 VAC, 60 Hz. Shog. wt., 14 lbs.
15 G 52140WA No Money Down* Net 109.95

Eldoraro 84-Z. Similar to above but less slow motion, variable speed control, re-verse projection and automatic room light

15 G 52132WX Shpg. wt., 14 lbs. Net 69.95

DUAL PROJECTOR FOR BOTH SOPER AND STANDARD 8



400 Feet Reel Capacity

 Instant Switch From Standard To Super 8MM Film

Model 588 Super or regular 8 mm movies Model 588 Super or regular 8 mm movies take your choice, the Anscov sion 588 projector shows them both with brilliant, crisp projection. Ideal for the amateur photographer with a new super 8mm camera and a library of family history on regular 8 mm film, Sharp f/1.5 zoom lens permits flexibility in separation of screen and projector. Finger this controls select rapid mits flexibility in separation of screen and projector. Finger tip controls select rapid rewind, reverse, still, or rapid forward operation. Has convenient elevation control and room light coordinator outlet. Accepts reels up to 400 feet. Other quality features include 500 wat brilliance, aucomatic film threading and self-contained carrying case. For 110 volts 50/60 Hz. AC. Shog. wt., 13 lbs.

15 G 78129W No Money Down* Net 84.95



Variable Speed

Reverse Operation Model 466Z

Rugged Die-Cast Case

• Rugged Die-Cast Case

Projects super or regular 8 MM film with fully automatic reel to reel threading and variable film speed control. Brilliant f/1.2/19-32 MM Filmovara zoom lens assures crisp full screen viewing without the bother of setting up that "special" projector to screen spacing. Incorporates spindle adapters for super 8 reels, dial focusing, framing dial, tilt control, reverse and rapid rewind, film cutter for both super and standard 8 film, auto-load 400 ft. reel, and cord storage compartment. Motor fan cooling switch permits after show cooling for fast safe storage. Rugged die-cast construction. Self contained carrying case. For 117 volts 60 Hz. AC. 15 G 65084WX Shpg. wt., 20 lbs. Net 169.95



Variable Delay Self-Timer

• Variable Delay Self-Timer

CdS meter (ASA range 25-1600 and EV 3-18) and ultrasharp Auto
Miranda lens. Illumination is measured with the lens wide open and
exposure is set by adjusting f-stop and/or shutter speeds. Multisplitgrid resolves into perfect clarity when pin point focus is
achieved. Features interchangeable lens mount, built-in self timer,
instant return mirror, interchangeable viewfinder, and rapid advance
gaared 150° cocking lever. Complete with built-in variable delay
self-timer. Includes case and strap. Specifications: 50mm f/1.8
lens. Speeds: 8, 1-1/1000th sec. FP & X Synch. Imported.
15 G 37117L Shpg. wt., 3 lbs.

Net 199.95

"SENSOPEX" 35 MM f/1.4. As above with super fast lens.

"SENSOREX" 35 MM f/1.4. As above with super fast lens. 15 G 37240L No Money Down* Net 249.95



A quality SLR featuring Minolta's "contrast light compensator" thruthe-lens CdS metering system. Exposure "match-needles" in view-finder respond to change in aperture and/or shutter speeds. Exposure readings not affected by light entering viewfinder. Shutter speed scale visible in viewfinder. Readings are taken with lens wide open. ASA range is 6.6400. Features an instant return mirror; a focal plane shutter with speeds from 1-1/1000th plus B; FR&X synch.; auto-reset frame counter; self-timer, mirror lock, depth of field preview, and built-in accessory shoe. Includes a 55 mm f/1.7 lens, case and strap. Imported. Shpg. wt., 4 lbs.

Net 209.95

YASHICA LYNX-5000E

with case

89⁹⁵

AsnoM on Down*

 Unique Electronic Integrated Circuit CdS Exposure System

Combination Range and Viewfinder—Exposure Signal In Viewfinder

Modern easy to use camera with cds exposure system that uses "space-age" electronic circuitry for accurate exposure every time. "Over" or "under" signal appears in the viewfinder indicating which way to adjust the speed or aperture. Lamp turns off when correct exposure is set. Other features include shutter speeds from 1-1/1000th plus B, convenient speed aperture coupling, M & X synch, automatic parallax correction, rangefinder focusing, self-timer, single stroke film advance with double exposure prevention, auto-reset film counter, rapid rewind and an accessory shoe. ASA range is 10 to 800. Includes 45mm f/1.8 color corrected lens, case and strap. Imported. Shop, wt, 3 lbs. mported. Shpg. wt., 3 lbs. 15 G 38 465L

Minolta SUBMINIATURE "16 II" CAMERA

An extremely easy-to-operate, palm-size camera. Sliding camera in and out of built-in case advances film, cocks, shutter, counts exposure and prevents double exposure—all automatically. 6 shutter speeds from 1/30 to 1/500 sec. plus "B". Takes B & w pictures, color prints or color slides that fit any 35mm projector. Direct view-finder shows picture exactly as it will appear on film. Lens opening from f/2.8 to f/16. With Case. Imported. Shpg. wt., 1 lb. 15G 341631.

15 G 34163L MINOLTA 16 II Accessories. AV. Shpg. wt., 6 oz. 15 G 34213 Duo Fit Flash Gun 15 G 34221 Bracket for Flash and Tripod Mtg. 15 G 34239 Aux. Lens Set—2 closeup. 1 distance, 1 Y filter 15 G 34247 Color Filter Set—1 ea. 1A, 80A, 81B Net 1.95 Net 4.49

Net 4.49 FILM FOR "16 II"—All are 20-exposure magazines Shpg. wt., 3 oz.
Net .99
15 G 34171L Kodak Plus-X
15 G 34197L Kodachrome II
Net .99

15 G 34189L Kodak Double-X 15 G 34502L Ektacolor Negative (color prints)

MIRANDA "SENSOMAT" 35MM SLR with case

No Money Down*

Shutter Speeds to 1/1000th

Thru-The-Lens CdS Meter

Sharp 50 MM F/1.8 Lens

"Sensomat" is a truly versatile 35 mm SLR featuring a thru-the-lens CdS metering system with a narrow angle of acceptance for easier, more perfect picture taking. Match needle in the viewfinder can be centered for proper exposure by rotating the diaphragm and or the shutter speed dial. ASA range: 25-1600. Other features include fully interchangeable finder and lens systems, shutter speeds of 1-1/1000th plus B, FP & X synch., automatic reset film counter with a magnifying lens, and a front and top shutter release for greater convenience. Focus from 17". Camera includes 50 mm f/1.8 auto lens. case and strap. Imported. Shpg. wt., 3 lbs. 15 G 37224L

"SENSOMAT" 35 MM f/1.4. As above but with fast lens. 15 G 37232L No Money Down*

KODAK INSTAMATIC CAMERA COLOR OUTFIT

 Accepts Flashcube -Rotates it Automatically



Net 26,95

Net 1.49

MIRANDA

Model A124R Outfit. Simple-to-operate Kodak Instamatic 124R camera with Lumenized f/11 factory focused lens for good quality plctures. Quick, lever film advance and shutter which automatically adjusts for outdoor or flash shooting eliminates confusion and gets perfect pictures every time. Outfit contains camera with wrist strap, Kodacolor-X film cartridge, flashcube, alkaline batteries and instruction book. Shpg. wt., 4 lbs.

Net 18.50

Model A174R Outfit. Features Kodak 174R camera with spring operated film advance for up to 12 pictures in 12 sec. Automatically advances film after each exposure. f/11 Lumenized Luis is prefocused from 4 ft. to infinity. Inserting flashcube automatically adjusts shutter speed for flash operation. Outfit includes camera with wrist strap, Kodacolor-X film cartridge, flashcube, aikaline batteries and instruction book. Shpg. wt., 6 lbs. 15 G 26367L

LAFAYETTE CdS EXPOSURE METER

. Professional Quality Ultra Sensitive-- Measures Modellight, Candishant, Houncelight

NOT A KIT Completely Wired

Now you can achieve correctly exposed photographs from the light of a single candle with this versatile, low cost Lafayette meter. Ultra-sensitive CdS photocell meter utilizes dual light ranges to accurately measure light intensity including extremely low light levels for night or available light photography. Operates comfortably with one hand. A single slide switch controls light range and automatically moves the proper scale into position for easier readings. Measures reflected and incident light with built-in hemispheric diffuser. The meter can be adjusted with a click stop switch to three angles of light acceptance; 15° telephoto, 45° standard and 75° wide angle matching your readings to the camera lens and scene being photographed. Reflex viewfinder with frame markers provide precise area readings for 15° and 45°. Has battery test and "off" position to prolong battery life. External zero adjustment and two mercury batteries (included) assure accuracy over long continuous use. Cushioned jewel mechanism and high Impact case, 43% x 2½ x 136°0. Imported. Shpg. wt., 13 oz.

99 G 71979L

Net 19.95

15 G 16095 Hard leather everyday case strap. Wt., 6 oz. _ SPECIFICATIONS

Net 3.95

Sensitivity: Low Range, 0.44 to 110 footcandles: High Range, 110 to 28,000 footcandles. ASA Film Speed Range: 6 to 12,000 (1° to 12°). Diaphragm Stops: f/0.5 to f/64. Shutter Speeds: 1/4000 second to 30 minutes. Movie Scale: 4 to 128 frames per second. EL-LVS Scale: -12 to +22. Acceptance Angle: 15° Tele, 45° Std., 75° Wide Angle. Color Response: 5,600 Angstroms (peak). Photoceli Type: Cadmium Sulphide. Batteries: 2 Mercury.



HI-BEAM ELECTRONIC STROBE FLASH

With Built-in Rechargeable Nickel Cadmium Batteries and Charger

Only

Compact, powerful flash no larger than a cigarette pack and weighing only 8½ oz. gives you light where and when you need it. Guide No. 40 for ASA 25 films. 1/3000-sec. flash duration. It operates from either 110v or 220v AC with built-in cord or its self-contained rechargeable nickel cadmium batteries. Shoot every 10 seconds with up to 60 flashes per charge. Reflector coverage is 55°; color temperature is balanced for all daylight and B & W color films, Size 3½x2½x1¾c°. Imported. Shpg. wt., 1 lb.

13 G 36395



LAFAYETTE TRANSISTOFIZED ELECTRONIC STROBE FLASH

- Lightweight & compact
- Fully Transistorized
- Operates On 4 Economical "AA" **Batteries**



Now you can have a high-powered transistorized electronic flash Now you can have a high-powered transistorized electronic flash that operates from standard AC house current or 4 economical "AA" cell batteries. Compact and feather-weight—no power pack is required. Flash duration is 1/2000th of a second for "stop-action" pictures. Recycling time: 6 to 8 seconds; co or bemperature: balanced for all daylight B&W and color films. Guide number dial for F stop on back. Mounts either vertically or horizontally. Fits any camera shoe. Complete with AC cord, camera cord and batteries. Imported. Shpg. wt., 2 lbs.
99 G 71847
Net 14.95

Net 26.95 32 G 48861 Alkaline batteries for above (4 req.) Net ea.

WIDE ANGLE AND TELEPHOTO LENSES for KODAK INSTAMATIC





AIREQUIPT REMOTE CONTROL SLIDE PROJECTOR

- Includes Remote Control for Forward/Reverse and Micro Focus
- 500 Watt Lamp
- 4" 3-Element Color Correct Lens
- Complete With Circular Magazine For 100 Slides



Model 135. Fully remote controlled projector with a sharp 4" lens and a 500 watt lamp for brilliant screen viewing. Features a highly efficient blower for cool, quiet operation, slide preheat to insure immediate focus, thermo-cu off to prevent overheating, panel focus control, elevation control, 3-way cn/off switch, and a smartly designed self-contained unbreakable case. Shpg. wt., 10 lbs.

Net 59.95

MODEL 125 SLIDE PROJECTOR

Similar to above except no remote control. Control panel focusing. With 100 slide circular magazine. Shpg. wt., 10 lbs. Net 44.95 Net 2.79 15 G 36481 100 Slide Circular Magazine Shpg. wt., 1 l 15 G 36499 36 Slide Metal Magazine Shpg. wt., 1/2 lb. 1,99 Polaroid[®]

MODEL 360 with Electronic Flash

- Built-In Electronic Flash with
- Automatic Recharger Built-In Electronic Timer

Advanced Colorpack camera with clip-on electronic flash which eliminates the bother of carrying extra flashbuibs. Have finished color pictures in a minute, black and white in seconds. Features built-in timer, two exposure ranges for color and two for black and white, lighten-darken control, and transistorized electronic shutter. Accurate Zeiss Ikon range and viewfinder. Triplet lens and electric eye exposure control for superior actures. Shutter lock prevents accidental control for superior pictures. Shutter lock prevents accidental exposure. Automatic recharger for electronic flash operates on house current. Deluxe, brushed chrome construction. 15 G 30203L Shpg. wt., 3 lbs. No Money Down* Net 177.50

See Film and Accessory Listing Below.





turca in a Mic White he Desmits

Easy loading, no threading or winding. Sensitive electric-eye measures the light of the subject and combines with the transistorized electronic shutter to set exposures automatically. Three element tens produces sharp pictures. Flash is built-in, simply snap on a flashcube for indoor pictures. no special exposure setting necessary. Distance settings are visible in the viewfinder. T-bar insures accurate tab pulling. Lighten-Darken control. Shutter lock prevents accidental exposures. Shpg. wt., 3 lbs. 15 G 301791

Net 29.95



Transistorized electronic shutter and electric eye automatically set the exposure for perfect pictures the first time you use it. Deluxe range and viewfinder for accurate focusing and framing. Optional automatic flash takes the guesswork out of indoor picture taking. Just aim and shoot. Easy to load, no film threading. With lightendarken control to adjust for unusual lighting conditions and shutter lock to prevent accidental exposures. Produces color pictures in a minute, black and white in seconds. Shpg. wt., 3 lbs.

15 G 30187WX No Money Down* Net 56.95

See Film and Accessories Listing Below.


See Film and Accessories Listed Below.

FILM AND ACCESSORIES FOR POLAROID CAMERAS

Carryall Case for 320 and 360 Cameras.
15 G 16137 Shpg. wt., 2 lbs. Net 4.95
Carryall Case for Colorpack II.
15 G 16145 Shpg. wt., 2 lbs. Net 2.95
Type 107 B & W Film Pack. 8 exp.
15 G 302111 Shpg. wt., 8 oz. Net 2.50
Type 108 Color Film Pack. 8 exp.
15 G 301611 Shpg. wt., 8 oz. Net 4.50
Flash Attachment for 320. Uses M-3 Bulbs.
15 G 301951 Shpg. wt., 1 lb. Net 7.50 15 G 30195L Shpg. wt., 1 lb. 1 M-3 Flashbulbs, Pkg. of 12. 15 G 47280 Shpg. wt., 6 oz. Flashcubes. Pkg. of 3 takes 12 shots. Net 1.59 15 G 26326L Shpg. wt., 6 oz. Net 1.49

DEVELOPMENT TIMER FOR POLAROID

10 to 120 Seconds



LENS SET FOR POLAROID CAMERAS



- Wide Angle & Telephoto Lens
- View Finder

An ideal companion to the Polaroid Camera. Telephoto lens increases the focal length of the lens and results in a 3 times magnification. Wide Angle lens provides a 75% increase of subject area. Each lens has a "conversion band scale." Supplied with slip-on ring adapter, ring, view finder and case with shoulder strap. Imported. Wt. 2 lbs. For Polaroid Models 100, 101, 103, 230, 240, 250, 340, 350, 360.

15 G 49237 Net 29.95

For Models 104, 210 and 220. 15 G 49302 Net 25.50 For New Color Pack II 15 G 49567 Net 27.50

For "Big Swinger" 15 G 49344 For Model 20 "Swinger" Net 18.95 Net 17.50

PHOTO COPIER FOR POLAROID **CAMERAS**



Want copies of your Polaroid snapshots? Make them yourself on the spot in as little as 15 seconds using your present Polaroid. It's easy! Imported, Shgg. wt., 2 lbs.

FOR MOST POLAROID COLOR PACK CAMERAS 15 G 49500 Net 7.49 FOR POLAROID COLOR PACK II CAMERA Net 7.49 FOR POLAROID SWINGER 20 15 G 49518 Net 4.95 FOR BIG SWINGER 15 G 49526



Eyepieces and Barlow Lens For 450X, 300X, 225X, 150X, 90X and 45X ● 900mm Focal Length ● Micromotion Controls For Horizontal, Polar, Declination ● 4½" (114mm) F/8 Spherical Aluminized Quartz Mirror ● Barlow Lens Included

4½" spherical, aluminized quartz mirror gives wide, tlat field of view and outstanding color definition. Three coated eyepieces provide magnifications of 45X, 150X, 225X; (with Barlow lens 90X, 300X and 450X). Fast resolving power of 1.5 seconds and 900mm focal length permits detailed viewing up to twelfth magnitude. 5X24mm right-angle, prismatic finder scope with cross hairs easily locates objects to be viewed. Micro-motion controls and equatorial mount with hour and declination circles provides complete control for tracking. Heavy-duty hardwood tripod with accessory tray adjusts from 33 to 60". Complete with lenses, Sun glass, Moon glass, Barlow lens. Scope size: 4½" Dia., 36" long. Imported. Shpg. Wt., 32 lbs. 99 G 72183WX

. Eyepieces for 132 and 64 X

• 4" (100 mm) f/11

Aluminized First Surface Secondary Mirror

A fine, compact professionally designed 4" reflecting telescope with carefully aluminized optics for exceptionally low light loss. Primary mirror is aluminized and quartz overlaid. Highly achromatic optical system features very low chromatic aberration. Adjustable wooden 48" tripod with tray brace and convenient optical sight permit easy field use on uneven surfaces. Rack and pinion drive assures smooth focusing. Lightweight aluminum body has white baked enameloid finish: Specs.: Mirror Oia: 4"(100mm). Focal Length: 800 mm. Eyepieces: 25 and 12.5 mm Huygenian. Resolving Power: 1.4 seconds. Supplied with stand, sun filter, and two eyepieces. Imported. 99 6.72156WX Shop wt 10. lbs. Net 29.95

Quantities

Limited

99 G 72126WX Shpg. wt., 10 lbs. 99 G 70542 Barlow lens for double power. Wt., 8 oz. Net 29.95 Net 3.95



20.00 PRICE

NOW

LAFAYETTE 2.4" EQUATORIAL REFRACTOR

WAS \$79.50 1969 Cat. 690

Eyepieces for 160x, 88x, 40x, Barlow Lens gives 320x, 176x, 80x
 800-mm. focal length ● 62-mm objective ● Micromotion adjustments on both axes ● Coated optics throughout ● Equatorial mount

ments on both axes • Coated optics throughout • Equatorial mount Objective: Fraunhofer-type achromat, hard coated, 62.5-mm., 800-mm. focal length. Collects about 75 times as much light as the naked eye, resolving power 2 seconds, faintest discernible star 10.7 magnitude. Eyepieces are hard-coated Huygenians. 160x (5-mm), 88x (9-mm), 40x (20-mm), Barlow Lens included give ranges of 320x, 176x and 80x. Finder scope is 6x, 30-mm. Tripod head with latitude adjustment. Clamp lever for declination and inclination. Accessories include sunglass, star diagonal, erecting prism, sun projection screen, field tripod, wooden case. Rack-and-pinion focusing. Heavy plating to prevent rusting. Imported. Shpg. wt., 30 lbs.

99 G 70328WX (400x with Barlow Lens) 4-mm, orthoscopic eyepiece for 200x

Net 59.50

LAFAYETTE 8-25X 30-mm ZOOM SPOTTING SCOPE

Zoom Any Power From 8X to 25X
 Quick Focusing With Table Top Tripod


An outstanding varipower spotting scope that is ideal for any "spot-An outstanding varipower spotting scope that is ideal for any "spot-ing," need in rield or general use... shooters, bird watchers, etc. Features 30mm coated lens for brilliant viewing. Fingertip controls for quick 200ming and focusing. Has a built-in camera tripod socket, includes a table-top tripod with rubber-tipped legs that prevent scratching of furniture. Compact, lightweight and portable ... ideal for taking it everywhere you go. Complete with black, zippered carry-ing case with convenient belt loop. Overall length of scc. e is 12". Imported. Shpg. wt., 3 ibs. 99 G 71920

See Page 13 for Full Credit Details on Easy Pay Plan



Microscopes

For BEGINNERS and INTERMEDIATE STUDENTS



A complete microscope laboratory for the student and enthusiast. Provides all necessary material to explore the interesting field of microscopic research. The 900X microscope offers various combinations of magnification from 100X to 900X with four objective lenses (10X, 20X, 40X, 60X). Combined with the fine ocular which "zooms" from 10X to 15X, the scope provides clear, sharp images. Tube movement governed by adjustable downstop with a locking screw... prevents costly slide breakage. The 900X features an optical condensor, plano mirror and built-in 3-volt light using the



900X "ZOOM" STUDENT LABORATORY

Complete Outfit For Only

- . Zoom from 100 to 900 Power
- All Metal Construction
- All Dissecting and Mounting Materials
- Prepared and Blank Slides
- Includes AC/OC Substage Illuminator

AC adapter included, or 2 penlight batteries. Laboratory includes a dissecting kit with hand lens, blunt-end scissor, scalpel and probe; glassware (test tubes, specimen bottles, alcohol burner). There are several prepared slides, blank slides, cover glasses, mounting balsam, Methylene Blue and Rhodamine stains. Imported. Shgs. wt., 7 lbs.
99 G 71953 Complete Microscope Outfit Net 19.95 99 G 71050 Replacement bulb Net .15 99 G 62580 Battery (2 required) Net .10

1200 X "RESEARCHER" MICROSCOPE SET



25X to 1200X in 12 Ranges

- Full Range Fine Focus Adjustment
- Integral Mechanical Stage
- Rotating Diaphragm
- All Metal Construction

• All Metal Construction

Closely parallels the "Society" grade microscope. Four Huygenlan eyepieces: 5X, 10X, 15X P20X combine with four achromatic objectives: 5X, 10X, 40X, 60X to yield 12 combinations: 25X, 50X, 75X, 100X, 150X, 200X, 300X, 400X, 600X, 800X, 900X, 1200X. Dual knob rack and plnion coarse focusing with tension adjustment for slow motion. Micro-motion fine focusing adjustment. Spring loaded to prevent objective from driving through slide. 85mm x 85mm stage can be moved in any direction, with slide, by 2 knurled screws while looking through the eyepiece. Sub-stage has rotating, 5-position diaphragm and 35mm piano/concave reflecting mirror. Stable horseshoe base. Complete with set of 5 basic dissecting Instruments, 10 slides, pack of cover slips, tube of mounting fluid. All in a dovetailed wooden carrying case with handle and four rubber feet. Imported. Shpg. Wt., 10 lbs. 10 lbs.

99 G 70419 Net 44.95

80X TO 1200X ZOOM MICROSCOPE SET



- 80X-1200X Magnification
- 3-Way Substage Mirror
- 4 Anchromatic Objectives
- All Metal Construction

Constantly variable magnification of 80, 100, 160, 200, 400, 600, 800 and 1200 times. Zoom eyeplece for less specimen adjustment and controlled detail magnification. Excellent dual knob coarse and fine focus control. Stage includes optical condenser and aperture diaphragm. Spring loaded rack prevents damaging objective. Substage illuminator-mirror combination for direct, incandescent, or reflected illumination. Includes 2 prepared sildes, 4 blank slides, spatula, scalpel, probe, scissors, tweezers, and magnifying glass. Wooden case with carrying handle. Illuminator operates on penlight cells or house current, by means of a transformer. Less batteries. Imported. Shpg. wt., 6 lbs.

99 G 71409 Zoom Microscope 99 G 71060 Battery (2 required) 99 G 71060 Battery (2 required) Net ea. 15
TRANSFORMER—Permits use of house current for illumination 99 6 71102 Shpg. wt., 8 oz.

600X MICROSCOPE SET

- With Sub-Stage Light
- 75X-300X-600X
- Triple Revolving Turret

For the student—hobbyists—or budding scientist! Features built-in substage light and three achromatic objective lenses giving magnification of 75X, 300X and 600X. Complete with 3-glass slides, 5-piece dissecting set and hardwood cabinet. All metal. Shpg. wt., 4½ jbs.

15 G 64020 Net 6.95 Battery (2 required) 59 G 62580 Net ea. .10

900X "ZOOM" MICROSCOPE SET

195 • 100X to 900X with Zoom Action

Built-in Substage Illuminator

• Built-in Substage Illuminator
• All Metal Construction
Features advanced zoom type micro-optics. Four hard coated objectives set in a revolving "click stop" turret give magnifications of 100X, 150X, 200X, 300X, 450X, 600X, and 900X. Zoom action permits choosing multiple magnifications without changing eyepiece or objective. The eyeplece zooms smoothly from 10X to 15X. Illuminator, operates with batteries or house current, by means of transformer listed below. Round hole disc diaphragm controls illumination. Includes instructions, sample slides, 6 piece dissecting kit and wooden carrying case. Less batteries. Imported. 99 G 71391 900X Microscope wt., 5 lbs. Net 14.95 99 G 62580 Battery (2 required) — Net ea. 10 TRANSFORMER—Permits use of house current for illumination. Imported. Shpg. wt., 8 oz. Net 1.80

See Page 13 for Full Credit Details on Easy Pay Plan

The Micro-Standard Mark II

DELUXE 1500X SOCIETY STANDARD MICROSCOPE

 25X to 1500X in 12 Ranges
 4 Achromatic objectives in rotating turret . Variable substage condenser with iris diaphragm . Standard society optics, both objectives and evenieces . Par focal within 0.1mm

An unusually fine optical instrument designed especially for precision viewing requiring high magnification with an oil immersion lens. The outstanding features of great range and engineered versatility, optimum clarity and great magnification are usually found in microscopes costing much more.

tion are usually found in microscopes costing much linds.

OPTICAL SPECIFICATIONS: Three Huygenian eyepieces—5x, 10x, 15x, Four achromatic objectives—5x, 10x, 40x, 100x (oil immersion), FOCAL LENGTH: 170 mm. Monocular. FOCUSING: Coarse focus with adjustable tension. Fine focus vernier adjustment, Par-Focal within ½ rotation of fine focus control (0.1 mm.). Spring loaded safety device prevents objective going through slide. STAGE: Square stage: 95 mm x 95mm. Integral mechanical stage, adjustable in any direction. Stage chps. SUBSTAGE: Focusing condenser with variable iris, diapnragm, 41 mm plano concave mirror. Tilting Base. Overall 12" high, 6½" deep, 4½" wide. plano concave mirror. Tilting imported. Shpg. wt., 111/2 lbs. Net 99.95 99 G 71342WX



LAFAYETTE EXTRA WIDE ANGLE BINOCULARS



SALE ENDS JAN. 1, 1970


No Money Down*

- Doubles The Field Of Ordinary Binoculars
- 580 Ft. Field Of View at 1000 Yards
- Oversize Oculars . Exceptional Quality

A multi-purpose, precise 7x35mm binocular that is particularly adept for field studies. Wide-angle hard coated prisms permit brilliant and close-up details of sporting events, without sacrificing the image, as is the case with regular narrow angle binoculars. Field of view at 1000 yards is 580 feet! Center focus and right eye adjustment insure perfect focus. All optics are sealed against moisture and are properly collimated and aligned. Hard lined case for protective storage when not in use. Complete with neck strap. Imported. Shpg. wt., 4 lbs. Net 24.95 99 G 70195

LAFAYETTE VERSATILE BINOCULARS

As Low As



7x35 POPULAR, VERSATILE, ALL PURPOSE BINOCULARS. For the sportsmen—hunter—bird watcher—vacationer. High luminosity. Compact design. Imported. Shpg. wt., 3 lbs.

99 G 70187 7x50 NAVY STYLE NIGHT GLASSES. Favored for marine use. The choice of professionals because of exceptionally high light gathering power. Superior image brightness. Imported. Shpg. wt., 3½ bs.

20x50 KING OF THE LONG RANGE. Hunters, mountain climbers, plane spotters, forest rangers—any long distance viewing and observation requirement, Imported. Shpg. wt., 4½ lbs.



LAFAYETTE TRU-ZOOMTM WIDE-ANGLE BINOCULARS

Not a "Vari-Power"

- One Control Zooms Both Barrels
- 7X to 12X-or any Power in Between

No Money Down* Center Focus—Right Eye Adjust— Plus Single Synchronous' Zoom

Control! Sensational Zoom action holds even fast-moving subjects in perfect view. Sight in any subject at 7-power—then Zoom up to 12-power (or any power in between) for closeup viewing. Full 40mm, objective lenses, hard coated achromats. Field of view is 323 feet at 1000 yds., at 7 power. Prisms clamped in shock-resistant mounts. Lightweight alloy frame and body. Sealed against dust and moisture. Includes plush-lined, hard case and straps. Imported

Not 3108 Shore with 5 lbs. 99 G 71086 Shpg. wt., 5 lbs.



Deluxe Powerful Musical

100 Watt Solid State "Piggy Back" Amplifier with Reverb-Tremolo, 3-Speakers, 2-Channels

- For Guitar, Organ and Vocal Use
- Hammond Reverberation Unit
- " Variable Tremolo
- 2-12" Special Design Heavy Duty Jensen Speakers plus High-Frequency Horn
- Extruded Aluminum Panel

Piggy back amplifier with 14 silicon translstors plus silicon rectifier and heavy-duty power and driver transformers. Closed back speaker designed to project low end response. Two 12" Jensen speakers plus a high frequency horn results in tremendous reproduction of brilliant highs, deep lows and solid midrange. Excellent for lead or rhythm guitars. Two channels with high and low level inputs. Separate volume and tone controls for each channel. Depth control for reverb. Intensity control for tremolo circuit. Footswitch Jacks for reverb and tremolo activation. Pilot light, fuse, and on-off switch. Sturdy wood cabinets covered in black textured scuff-resistant viny with metal corner protectors and heavy duty handles. Amplifier size: 7H x 221/2 x 1034"D. Speaker cabinet size: 27H x 231/2 x 111/2"D. For 117 VAC 50/60 Hz. Shpg. wt., 60 lbs. Net 199.95

Oual Foot Switch for Remote Control of Tremolo and Reverb. 13 G 01506 Shpg. wt., 11/2 lbs. Net 13 G 01498W Dolly for above Amplifier. Wt., 5 lbs. Net Net 4.95 Net 11.95



80-Watt "Piggy Back ' Bass Amplifier

- Powerful 15" Jensen Speaker with 27 oz. Magnet
- Excellent For Use With Electric Bass, Regular Guitar, Accordian and Combo-Organ
- "Easy Reach" Extruded Brushed Aluminum Control Panel

Fabulous, full bass sound with a minimum of distortion. Spacially designed durable 15" Jensen speaker has a wide range response. Has 3 Inputs: bass, high and low. Two stide switches for "deep" or "sharp" reproduction. Treble, bass, and walume controls: Neon pilot lamps. Fuse and 3-position switch for power off standby/on. Super 80-watt peak power chassis uses 5 tubes, 2 dual purpose tubes for 7 tube performance, and all solld state rectifier circuit. Heavy duty transformers provide greater output. Two units; 3/4" wood amplifier /speaker cabinet, and "piggy back" amplifier which sits neatly on top of speaker cabinet. Cabinets have attractive gray and silver acoustical cloth. Ribbed vinyl carrying handle. Speaker cabinet slze: 23½H x 22L x 11½"D. Amplifier: 7¼H x 18½L x 10½"D For 117V AC 50/60 Hz. Shog. wt., 58 lbs.

13 G 01480WX

13 G 01498W Dolly for above amplifier Net 11.95



50-Watt Solid State "Piggy Back" Bass Amplifier

Gives full bass and vibrant sound with a minimum of distortion. Powerful 50 watt peak amplifier is ideal for use with electric bass or standard guitars, and combo organs. All solid state circuitry (5-transistors and 4-silicon rectifiers) provides excellent sound. Features a specially designed 15" speaker with a wide range response. High and low gain inputs plus separate volume and tone controls allow complete operating flexibility. Has On-Off switch plus pllot light and fuse. Two units; speaker and amplifier in matching black, vinyl covered wood enclosures with handles. Size: Amp., 434H x 14W x 8"D, Speaker, 2276H x 18W x 11"D. For 117V 50/60 Hz AC. 13 G 01548WX Shpg. wt.. 35 lbs.

Instrument Amplifiers



70-Watt Solid State "Reverb"—"Tremolo" Three-Speaker 2 Channel Amplifier

- Hammond "Reverb" Unit For Echo-Like Effect
- Pulsating "Tremolo" For "Go-Go" Effect
- 2-12" Heavy Duty Special Design Jensen Speakers plus High-Frequency Horn
- Extruded Aluminum "Slanted Front Panel"

Remarkable reproduction, finest craftsmanship, make up this 2-channel 70 watt peak amplifier. Produce "Tremolo" "Reverb" effects separately or simultaneously. Exceptionally good for guitar, organ and vocal use. Features 13 silicon transistors plus silicon rectifiers and heavy-duty output transformers. Has 4-instrument inputs (2-per channel), plus separate volume and tone controls for each channel. Two superb 12" Jensen musical instrument speakers plus a high frequency horn. Includes tremolo with speed and Intensity controls and Hammond reverb unit with depth control plus foot switch jacks for reverb and tremolo activation; pilot light; fuse; and "T" nut provisions for dolls. Sturdy wood cabinet, covered in black textured, scuff-resistant vinyl. For 117V., 50/60 Hz AC. Size: 32H x 23W x 10"0. Shgg. wt., 50 lbs, 13 G 01571WX No Money Down". Net 159.95 Dual Foot Switch for remote control of tremolo/reverb.

Dual Foot Switch for remote control of tremolo/reverb. Net 4 95 13 G 01506 Shpg. wt., 1 lb. 13 G 01498W Dolly for above amplifier Net 11.95

50 Watt "Reverb" "Tremolo" Twin-Speaker 2 Channel Amplifier

- 2-12" Heavy Duty Special Design Jensen Speakers
- Pulsating "Tremolo" For "Go-Go" Effect
- Hammond "Reverb" Unit For Echo-Like Effect

Get faithful reproduction of every note. Excellent for guitar, organ and vocal use. Has special heavy duty Jensen speakers. AC chassis utilizes 6 tubes. 4 dual purpose tubes provide 10 tube performance. 4 Instrument inputs provide outstanding versatility. Two channel 50 watt peak amplifier. Has 2 volume and 2 tone controls. Features remote control foot switch jacks for colorful tremolo and reverb operation, plus 2 tremolo controls — speed and intensity; reverb "depth" control; on/off/standby switch; pilot light and carrying handle. Sturdy wood case covered in shimmering black vinyl. "T" nut provision for dolly. Size: 32H x 23L x 10"D. For 117V., 50/60 Hz AC. Shog. wt., 45 lbs.
13 G 01563WX No Money Down" Net 139.95 Dual Foot Switch for remote control of tremolo and reverb.

Dual Foot Switch for remote control of tremolo and reverb.

13 G 01506 Shpg. wt., 1½ lbs. 13 G 01498W Dolly for above amplifier

See Page 13 for Full Credit Details on Easy Pay Plan



"Reverb" "Tremolo" Twin-Speaker Amplifier

- · "Reverb" For Echo-Like Effect
- Tremolo For Pulsating Sound
- 2-10" Special Design Jensen Speakers
- 3.Instrument Inputs *
- Extruded Aluminum "Slanted" Front Pane

Features two built-in heavy duty 10" Jensen speakers for clean reproduction of every musical note. Excellent for guitar, microphone and accordion use. Three instrument inputs, Five controls: two for volume and tone; two for speed and intensity of tremole and one for "reverb" depth control. Footswitch jacks for remote control of tremole and reverb, 30 watt peak AC amplifier chassis utilizes 5 dual tubes equivalent to an 8 tube circuit, plus suild-state rectifiers for reliable operation. Also has pilott light, cm/off switch and fuse. Sturdy wood cabinet covered in Luxrious black vinyl, Has "T" nut provision for dolly. Size: 3145H x 20W x 10"D. For 117V., 50/60 Hz AC. Shogs, wt., 37 bs.

43 G 01555WX No Money Down* Net 99.95

Dual Foot Switch for remote control of tremole and reverb.

13 G 01506 Shpg. wt., 1½ lbs. Net 4.95

13 G 01498W Dolly for above amplifier. Wt., 5 lbs. Net 11.95



Impressive, 10-watt solid state reverb and tremolo ampaffier with self-contained 10" heavy-duty speaker. Stanted, front-mounted control panel features "easy-to-reach" controls for Volume, Tone, Reverb, Tremolo speed, Tremolo depth; two imstrument inputs reverb and tremolo foot switch input jack; bright-glow pilot light. Housed in an attractive sturdy vinyl covered wood cabinet with carry nundle and grill cloth. Size: 19"Hx 15"Wx642"D. For 117V., BOHZ FC Imported. 99 G 92074WX No Money Down* Shpg. wt., 16 15s.

Dual Foot Switch For Remote Control of Tremote and Reverb. 13 G 01506 Shpg. wt., 11/2 lbs.

Net 4.95 101

MUSICAL INSTRUME AUTOMATIC RHYTHMER No Money Down*

Solid-state portable rhythmer. Ideal for teachers to produce a wide variety of rhythms and a steady beat for the students to follow. For students—a complete rhythm section to play along with. For single performers—bring along your own rhythm section! Works with any amplifier to produce 12 distinctive rhythm selections plus an infinite variety of accompaniments by mixing two or more rhythms. Variable tempo control can be set for accompaniment to a Waltz. Fox Trot. Rhumba, Samba, Mambo, Slow Rock, Fast Rock, Swing, Bossa Nova, Cha-Cha, Tango, or a March. Each rhythm is

made up of a variety of percussion sounds: Bass Drum, Snare Drum, High Hat, Cow Bell, Bass Conga, Tenor Conga, and Cymbal. Additional features include: Master Volume and On/Off control, Tone control, On/Off rocker switch for instant control or rhythmer plus On/Off Remote Control Foot switch, pilot light and 12 pushbutton rhythm selectors. Circuitry: 32 transistors, 95 dlodes. For 100-117 VAC, 50/60 Hz. Handsomely styled walnut finish case with brushed aluminum panel. Size: 1876W x 31/4H x 1196D. Shpg. wt., 10 lbs. 13 G 24557W Net 124.95



LAFAYETTE PORTABLE "ROCKBEAT" RHYTHMER

- Completely Automatic Percussion
- Six Exciting Beats: Swing Trot, Down Beat, Jazz Rock, Rockbeat, 4 Beat. Slow Ballad

 A Versatile Electronic Instrument Producing a Wide Variety of Rhythms For Accompaniment

Instant rhythm at your fingertips. Select any one of six rhythms: swing trot, down beat, Jazz rock, rock beat, 4 beat, and slow ballad. Rhythm can be changed even while the "Rockbeat" is in operation. Use Solo or in a group. Instant pushbutton start/stop switch. Tempo control varies beat for any rhythm. Separate pushbutton permits add-lib solo drum beat to sult the mood; variations can be made by changing the time between each push of the solo button and by varying the time it is held down. Simple connection, just plug the Rockbeat Into your musical instrument amplifier or hi-fi amplifier. Separate jacks for foot-pedal operation of start/stop and solo drum beat. Compact enough to be placed anywhere. 7½ x 7½ x 15%". Operates on a 9V transistor battery or with the optional AC adapter listed below. Imported. Shpg. wt., 3 lbs.

99 G 90102 No Money Down*

Net 59.95

AC Adapter for above. Shpg. wt., 1/2 lb. 99 G 35057

AFAYETTE SOLID-STATE "ECHO-VERB" **ERBERATION UNIT**



· "Add-on" Reverb Unit for any Musical Instrument Amplifier or P.A. System

Unit for any Musical Instrument Amplines of F.A. System. Simulates the full sound top artists get! Compact, lightweight, transistorized reverberation unit creates a new dimension in audibility to overcome dull, flat ordinary sound. Can be used with any instrument amplifier, or P.A. system. Minutes to connect, the "Echoverb" may be used for sound effects. Has inputs for mike and/or instrument—plus a foot switch input to cut reverberation in or out from a remote location, pilot light and a reverb mix control that lets you select whatever intensity of reverberation you desire. With reverb mix control in the "Off" position, standard sound will be heard from the amplifier. With on/off switch. For 117v., 50/60 Hz. AC. Size: 3¼H x 11½W x 6½"D. Imported. Shpg. wt., 5 lbs. Net 19.95

Foot Switch for Remote Control of "Echo-Verb". Shpg. wt., 1½ lbs. Net 2.99



Fantastic Color Frequency of Light with Sound

The Louder the Sound, the Brighter the Light!

without complicated and costly stage production equipment. Now, without complicated and costly stage production equipment, lighting can be as wild as voice or music! Connected to any amplifier, tape recorder, or record player, Its brilliance changes from note-to-note, projecting fantastically fast and precise variations of lighting to match the intensity of sound. Use multiple units in a group with varied light colors in each unit to get sensational color blending with sound. Control unit can be placed virtually anywhere for remote operation of light sensitivity, or, to turn lights on and off. System can also be used as a constant light source. Uses 2-75W flood lamps. Operates on 110-125V., 60 Hz AC. Includes lamps, 10' AC line cord. Shpg. wt., 4 lbs. 13 G 17759

102

Lafayette Cat. No. 701

See Page 13 for Full Credit Details on Easy Pay Plan



Finally an electronic instrument that can truly simulate the rotating speaker effect through any musical instrument amplifier! Not only produces the Fast or Slow rotating effect but, by the use of the remote speed control pedal, can vary the speed at any rate you desire. Enables the player to produce the various modern effects which are being used on the stage, in the studio, and with theater organs. Can be used with any of the following instruments: organ, bass guitar, rhythm and lead guitar, electric piano, accordion, and other electronic band instruments. Plus: Voice for vocal effects now being used by the top recording groups around the country. Easily connects Finally an electronic instrument that can truly simulate the rotating between instrument and amplifier. Foot pedal has cancel switch to instantly cancel effect being produced. Also features a rocker switch for selecting either the rotating speaker effect or a true vibrato effect. Other controls include Volume, Chorus/Vibrato, Intensity, On/Off power switch, fuse, pilot light, inputs for 2 Instruments, and an output for the amplifier. Unit is AC operated, fully transistorized, and has a rugged metal construction. Compact, only 10°Wx64/2°Dx3°H. Can be placed in any conveniently reached location. Imported. Shgs. wt., 6 lbs.

DELUXE AC SUPER FUZ

 Remote Control Foot Switch for Ease of Operation

 Expanded Fuzz Produces A New Dimension in sound Effects

 Complete Controlled Range of Sustained **Fuzz Effects**



95 No Money Down*

AC operated super fuzz. No more batteries to fuss with as in conventional units. No more bending to adjust controls; control unit is separate from foot switch. Can be placed on amplifier or speaker within easy reach of the performer. Controls include Balance, Expander, and Tone control for a complete, controlled range of sustained fuzz effects. Electronically creates an harmonic producing sustained sound, now being used by top recording artists. Connects easily between your guitar or bass and the amplifier. Includes remote control foot switch. Long-lasting, solid-state circuitry combined with rugged metal construction. Size: 734"Wx5"Dx2"H. For 117 VAC, 60 Hz. Imported. Shpg. wt. 3 lbs. AC operated super fuzz. No more batteries to fuss with as in con-Imported. Shpg. wt., 3 lbs.

Net 39.95 13 G 66418



Add more instruments to your small combo with the "Fuzz" Sound! Create a wide variety of synthesized tones such as those produced by a baritone, or bass saxophone. Battery powered, it easily connects between your guitar, or bass and the amplifier and is operated by an On/Off foot switch. Has two variable control knobs; one for regulating the "fuzz" effect and one for volume and intensity. A supplementary On/Off switch is combined with the volume control to conserve battery life. Fully transistorized, the unit is built for heavy duty use and operates on a single penlight battery. A rugged metal case protects inside circuitry, Overall size: 5½L x 3½w x 2½6" over. H. Imported. Shpg. wt. 1½ lbs.

99 G 91993

Net 11.95


Net 11.95

99 G 62580 Battery for above



 Produce A Wide Variety of Special Sound Effects

 Use With Any Electric **Guitar or Bass**



SUPER FUZZ

Today's "In-Sound

Only

99 G 60212 Battery for above

Expanded Fuzz Can Produce a Sitar-Like Dimension in Sound

Complete Controlled Range of Sustained Fuzz Effects

Solid-state Super Fuzz provides a complete range of controlled new harmonic sustained fuzz effects. Produces the wild new in-Sound widely used by the top recording groups. Balance control enables perfect blend of fuzz and normal tones. Expander control provides unlimited range of sustained fuzz effects. Two position tone compensator permits choice of standard fuzz or new harmonic sustained sitar-like dimensional sound. Master foot control switches instantly to normal guitar operation. Rugged metal construction. Size: 6½ x 3½ x 1½". With cord and battery. Imported. Shpg. wt., 1½ lbs. Net 24.95 Net .21 13 G 66178



ORTABLE TRANSISTORIZED ELECTROMIC ORSAN With Roll to Amplifier

No Money Down*

Fully Transistorized—With Two Speakers Easy to Carry—Packs Like a Suitcase Perfect for Combo or Home Use

Portable organ has a built-in fully transistorized 10-watt amplifier and two oval speakers. Ready to play anywhere . . . Suitable for any entertainer, at home or school. 49-key keyboard spans 4 full octaves and produces a wide range of tonal variations. Three 16' voice tabs — bass bourdon; bourdon; and strings. Four 8' voice tabs — flute; diapason; strings; and trumpet. Trumpet tab simulates 4' effects to give an even wider variety of sounds. On-Off tab vibrato with rotary speed and intensity controls. Volume/On-Off switch with pilot light and separate volume control for bass octave. Photo-cell type expression pedal. Can also be played through an external amplifier. Comes in red and black trim. Size: 31" keyboard; height 32"; 18" deep. Operate on 117 VAC. Imported from Italy. Shpg. wt., 68 lbs.

Net 299.95 Net 299.95



Estay DUAL MANUAL & CHORD URGAN

ONLY 24995 No Money Down*

Lifetime Stainless Steel Reeds

37 Key Upper—32 Key Lower Keyboard with 40 Chord Buttons

Play music in 60 seconds. Features dual manual keyboard with full size waterfall keys in a 37 note upper and 32 note lower keyboard with 40 chord buttons. Includes major, minor, seventh, diminished, and bass. Magnificent console cabinet is finished in mar, burn, and stain resistant walnut tone. Hand tuned stainless steel reeds. Built-in tone chamber gives more mellow sound. Foot pedal volume control. On/Off switch with pilot light. With instructions/song book and chord chart. Operates on 117 VAC. Size: 36½WX19Dx34¼/*/1. 12 G 58573WX No Money Down* Shpg. wt., 110 lbs. Net 249.95

Storage Compartment Bench, Burnproof, mar-resistant walnut finish, Shpg. wt., 16 12 G 58581WX 16 lbs. Net 24.95

Estay 40 CHORD DREAM

37 Keys—Foot Volume Control

• Permanently Tuned Stainless Steel No Money Down*

40 chord electric organ features 37 ivory white keys; 40 chords — 8 bass, 8 major, 8 minor, 8 sevenths, and 8 diminished. Convenient on/off switch, foot pedal volume control for playing with expression. Grained walnut finish is burn, stain and scratch resistant. Matching music rack, With instruction book. Size: 33Lx17Dx31"H. For 117 VAC. Less bench Shpg. wt.. 69 lbs.

12 G 58524WX

Net 149.95 12 G 58524WX

Storage compartment bench. Burnproof, mar-resistant walnut finish. Shpg. wt., 16 lbs. 126 58599WX Net 24.95



Estey 18 CHORD ORGAN

· 37 Keys-Hand Volume Control

· Stainless Steel Reeds

No Money Down*

With Bench and 5 Music Books

white better and 5 musts books white numbered keys. 18 chords include 6 major, 6 minor, and 6 sevenths. Features lifetime hand tuned stainless steel reeds. Modern style console cabinet with music rack has burn proof, mar-resistant walnut finish. Complete with vinyl covered bench and 5 music books. Convenient on/off switch and volume control. With easy-to-play A-B-C and 1-2-3 instruction book. Size: 30½Hx 2016-Wx15*** For 117 VAC. 60 Hz. and 1-2-3 instruction book, Siz 291/2WX15"D, For 117 VAC, 60 Hz. Shpg. wt., 66 lbs. 12 G 58607WX Net 99.95



Magnus 12 CHORD ORGAN

 37 Treble Keys · Music Light

No Money Down*

Handsome contemporary styled 12 chord electric organ with matching music rack. Easily played in 60 seconds without lessons. 37 treble keys and 12 chord buttons. With hand volume control and on/off switch. Has convenient Magna-Lite music light. Cabineth has mar-resistant walnut grained finish, With music book, Size: 32Hx30Wx13"D. For 117 VAC. 60 Hz. Shpg. wt., 50 lbs.

12 G 58052WX

Net 59.95

Non-lift Bench, Burn proot, mar-resistant walnut finish, Shpg. wt., 12 lbs. 12 G 58532W Net 14.95

*See Page 13 for Full Credit Details on Easy Pay Plan

104 Lafayette Cat. No. 701

Mail This Card Today For Your

FREE!

1970 Lafayette Catalog 700

02100

02100



Name			
Address			
City	State	Zip Code	
	Please Give Your Zip C	code Number	

Do A Friend a Favor . . .

If you have a friend who would be interested in getting a copy of the new 1970 Lafayette Catalog No. 700, just give him this card . . . or fill in his name and address and mail this card to us. He will get a catalog absolutely FREE, no charge or obligation.



02103			
Name			
Address			
City	State	Zip Code	

___State __

Please Give Your Zip Code Number

PLACE STAMP HERE

LAFAYETTE RADIO ELECTRONICS

P.O. BOX 10 SYOSSET, L.I., N.Y. 11791

DEPT. 701

PLACE STAMP HERE

LAFAYETTE RADIO ELECTRONICS

P.O. BOX 10 SYOSSET, L.I., N.Y. 11791

DEPT. 701



9-PC. "COMBO" ORUM OUTFIT

- 9-Ply Construction Thru-Out
- Double Lug—Separate Tension
- With 14" Cymbal—Cow Bell— Toneblock—Sticks—Brushes

A quality 9 piece drum outfit for the beginner or advanced musician. Outfit contains an 8"X12" from Tom, a 14"X20" bass drum, both with double lug separate tension rods, and a 5½"X14" separate tension snare drum. Bass drum features a fully adjustable "fast" action pedal, die-cast chrome plated steel rims, streamlined hardware, and chrome plated cow bell. All drums have plastic heads, feature triple flanged rims and chrome plated hardware. Other items include a 14" cymbal with fully adjustable cymbal holder that will adjust to any height or angle, disappearing spurs, sticks, and stick holder, a flat base snare drum stand, and a universal adjustable rail mount consolette for "ride" of Tom Tom. Bright finish. Imported. Shog. wt., 60 lbs.

13 G 24508WX Bright Blue Net 99.95
13 G 24565WX Bright Silver Net 99.95

16" x 16" FLOOR TOM TOM FOR ABOVE

13 G 24573WX Bright Blue Wt. 15 lbs. Net 34.95 13 G 24581WX Bright Silver Wt. 15 lbs. Net 34.95

Audio-Lites:

Panorama of Living Music In Colored Lights 49⁹⁵

No Money Down®

Add a new dimension to your musical enjoyment the modern way! Offers more than listening pleasure from your favorite music, you can actually visualize a brilliantly moving panorama of colored, dancing images with each note, tone, and pitch produced by the music. Will not affect amplifier operation. Easily connects to speaker leads. In attractive simulated walnut grained cabinet with shatter-proof plastic front. Size: 24 x 12 x 11¾ "D. Shpg. wt., 10 lbs. 13 & 75500WX Net 49.95

PROFESSIONAL 15-PC. ORUM OUTFIT

- 9-Ply Construction Thru-Out
- Double Lug—Double Tension

Deluxe, professional quality drum outfit with all the most wanted accessories. Meets the demand for quality and sound in every way. Each drum has completely adjustable tension rods for quick and easy pretery adjustable tension roos for quick and easy tuning. Set consists of 14"x20" Bass Drum with 8-separate beaver-tail tension lugs, spurs, cymbal holder, consolette tom tom mount, internal and inlaid chromed hoops. 5½"x14" Snare Drum—8-tension, speedy throw-off, and internal muffler. 16"x16" Floor Tom Tom—8-tension with internal total consumptions. muffler. One 8"x12" and one 9"x13" Tom Tom — 6-tension with muffler. Drums have coated plastic heads, celluloid covered for bright finish. Includes deluxe, flat-base snare stand, floor cymbal stand, and a super deluxe, direct-action Hi-Hat stand with fast action pedal. Set also contains a 16" Ride Cymbal, a pair of 14" Hi-Hat Cymbals, and deluxe bass drum pedal, drum sticks and brushes, cowbell, woodblock and holder, Imported. Shpg. wt., 85 lbs. 13 G 66251WX Bright Red Net 199.95 Net 199.95 13 G 66269WX Bright Blue

5-Piece Vinyl Drum Cover Case. Shpg. wt., 10 lbs. 13 G 66277W Net 34.9





(C) "ULTRA-SLIM" 2 PICK-UP HOLLOW BODY ELECTRIC GUITAR

- "Hi-Response" True Vibrato Tailpiece
- Steel Reinforced, Adjustable Neck
- Adjustable Bridge-Adjustable Pick-Ups

Handsomely styled double cut-away elecnanusomety styled double cut-away electric guitar with dual pickups for solo or rhythm work. Narrow celluloid bound high speed adjustable neck is steel reinforced for extra strength and features a 21 fret rosewood fingerboard with white inlaid position markers. Also has stredt translations are stredt to the control of t sturdy tremolo tailpiece, laminated archsturdy tremolo tallpiece, laminated arched top and back, volume and tone controls plus 3-position selector switch for choice of pickup, Individual precision machine heads. Hand rubbed shaded red finish. 16Wx41½Akx1¾/70, Imported. Wt., 14 lbs. No Money Down*

13 G 66186WX Net 49.95

Sturdy Case For Above Guitar, Shpg. wt.,

4 lbs. 13 G 66012WX

Net 9.95

DELUXE 2 PICK-UP "SLIMLINE" HOLLOW BODY ELECTRIC GUITAR

- "Laminated" Steel Reinforced Adjustable Neck
- Individual Volume and Tone Controls
- Custom Designed Tremolo Tailpiece

Custom crafted, professional quality instru-ment! Features 21 fret, oval rosewood finger-board with mother-of-pearl inlaid position board with mother-of-pearl inlaid position markers and triple bound edges. Has two ultra-sensitive, hum-free pick-ups with individual pole adjustments, height adjustments, and individual volume and tone controls. 3-position lever switch selects bridge pickup for solo, and forward pickup for rhythm work; or, permits use of both pickups simultaneously. Large handsome celluloid bound body is shaped and contoured for optimum sound response. Beautifully flamed high-gloss polyestic finish. 16Wx44Hx2"D. Imported. Shgs. wt., 16 lbs. 13 G 66020WX

Net 79.95

Sturdy Case With Plush Lining For Above. 13 G 66020WX Net 79. Sturdy Case With Plush Lining For Above. 13 G 66038WX Shpg. wt., 4 lbs. Net 11. Net 11,95

DELUXE 12-STRING 2 PICK-UP HOLLOW BODY ELECTRIC GUITAR

- Fully Adjustable Compensating Bridge Steel Reinforced Adjustable Neck
- 4-Controls plus Switch for Exciting
 Musical Sounds and Effects

Musical Sounds and Effects

Ultra sleek, double cutaway, thin-line Instrument for the professional guitarist. Two ultrasensitive hum-free pick-ups with individual pole and height adjustment. Separate volume and tone controls for individual pickups; 3-position selector switch for Solo/ Rhythm and Super Bass sounds. The body is of selected flame grained woods and contoured both front and back for perfect body comfort. Slim fast-action neck is steel reinforced and features a 21 fret oval rosewood fingerboard with mother-of-pearl inlaid position blocks plus side position markers and triple bound edges. Also has Universally adjustable bridge; custom designed talipiece. Beautifully flamed high-gloss polyestic finish. Imported. With cord. Shgg. wt., 18 lbs.

Net 89.95 13 G 66046WX Net 89.95

Sturdy Case With Plush Lining For Above. 13 G 66053WX Shpg. wt., 4 lbs. Net 13.95

Lafayette Cat. No. 701



VIOLIN SHAPED 2-PICK-UP ELECTRIC BASS

2-PICK-UP ELECTRIC BASS

Classic violin shape with Italian styled headpiece, combines with two magnetic pick-ups
for a pure, rich, bass sound. Three position
switch accentuates the highs, lows and midrange. Delicately arched hollow body bound
in decorative celluloid trim, features: a spiece laminated, fully adjustable, steel reinforced neck; bound rosewood fingerboard
with heavy nickel silver frets and inlaid
position markers; chrome plated trapeze
tailpiece; adjustable bridge; fully enclosed
uning machines; sparkling sunburst finish
with a celluloid pick guard, and mahogany
finger rest. cord. 44½x13x2½4" Imported.
13 6 24532WX Shpg, wt., 12 lbs. Net 49.95 13 G 24532WX Shpg. wt., 12 lbs. . Net 49.95 Sturdy case for above. Shpg. wt., 4 lbs. 13 G 24540WX Net 8.95

B 2 PICK-UP SOLID BODY ELECTRIC BASS

Long neck, slimline electric bass guitar of selected woods for excellent speed and response and easy fingering. Hand rubbed, shaded sunburst body finished in durable acrylic lacquer. 46" steel reinforced adjustable neck has celuloid bound oval rosewood fingerboard, 20 frets, 8 pearl inlaid position markers, and large machines for fast accurate funing. Sensitive pickures have position markers, and large machines for fast accurate tuning. Sensitive pick-ups have adjustable pole pleces for precise balancing of individual strings. Two, feather-touch rocker standby switches for instant control of each pick-up. Includes separate volume and tone controls and compensation adjustable bridge. With cord. Imported. Size: 46Lx13½2WX1"D. Shpg. wt., 15 lbs.
13 G 24615WX Net 39.95

Sturdy Case for above, Shpg. wt., 4 lbs. 13 G 24623WX Net 9.95

C DELUXE 2 PICK-UP HOLLOW BODY ELECTRIC BASS

Produces deep bass tones with brilliant cadence! Features adjustable muting control; 2 perfectly balanced adjustable pickups; individual tone and volume controls for each pick-up; 3 position toggle switch for solo/rhythm; fully adjustable compensating bridge; individual chrome covered precision machines; and custom designed tailpiece. Hard maple, steel reinforced adjustable neck with a 20 fret, oval rosewood fingerboard. 9 mother-of-pearl inlaid position blocks, side position markers and triple bound edges. The beautiful, flame grained thin-line, double cutaway hardwood body is celluloid bound and protected by a pick guard. With cord. Imported. Size: 46Hx16Wx 2"D. Shog. wt., 18 lbs.

Net 89.95

Sturdy case with plush lining for above. 13 G 66095WX Shpg. wt., 4 ibs. .. Net 13.95

Each Electric Bass Guitar Outfit consists of a Electric Bass. Amplifier, Cassists of a Electric Bass. Amplifier, Cassists of a Electric Bass. Amplifier, Cassists of a Electric Bass Guitar Method" book.

See Pages 100 to 101 for Amplifiers

				The tribute batt	HON LIICOS
Outfit No	Elect, Bass	Amplifier	Watts	Shpg. wt.	Not
13 G 91184WXM 13 G 91192WXM	13 G 24615WX	13 G 01480WX	80	75 lbs.	182.50
13 6 91127WXM	13 G 24615WX 13 G 24532WX	13 G 01548WX 13 G 01480WX	50	52 lbs	137.50
13 G 91135WXM	13 G 24532WX	13 G 01548WX	80 50	75 lbs. 52 lbs.	190.95
13 G 90327WXM	13 G 56087WX	13 G 01480WX	80	79 lbs.	145.95 230.95
13 G 90749WXM	13 G G5#87WX	13 G 01548WX	50	56 lbs	185.95



Beautiful detailed concert classical and mahagony sides and back. Feat top. Front and back of the large, and and contoured for ultimate private, 6 side position markers, profirmance. Has rosewood pinless toples and an open headpiece. High top of the large, and an open headpiece. High top of the large, and an open headpiece. High top of the large, and an open headpiece. High top of the large, and an open headpiece. High top of the large, and an open headpiece. High top of the large, and an open headpiece. High top of the large, and the large of t

CONCERT SIZE CLASSICAL GUITAR
Similar to above. Size: 38%L x 141, W x 3% "D. Imported.
13 G 66137WX Shpg. wt., 10 lbs.
Sturdy Case for Above Guitars. Shpg. wt., 4 lbs.
13 G 66145WX Net 19.95 Net 8.95 13 G 66145WX

POPULAR FOLK GUITAR

Grand concert size, attractively crafted in highly polished selected spruce top with mahogany back and sides. Bound edges, decorated sound hole with shell celluloid decorated pickguard. Has rosewood fingerboard with block pearl position markers; rosewood pin style bridge; steel strings, chrome plated tuning gears. Imported. Size: 1514W x 4014L x 31/2"D. Shpg. wt., 10 lbs.

Country & Western Model, Similar to above Western Style; Grand Concert size: 153/6W x 401/4L x 31/2 "D. Shpg. wt., 10 lbs. Net 29.95 313 G 66442WX Sturdy Lined Case for above guitars. Shpg. wt., 4 lbs. Net 29.95 313 G 66459WX 13 G 66459WX

DELUXE CLASSIC GUITAR

 Concert Size—Beautiful Grained Rosewood Sides and Back Made of carefully selected hardwoods. Back and sides of matched rosewood with intaid Marquetry frim, top from close grain spruce in a beautiful burnt orange finish. Custom design fan bracing adds vibrant tone, wider range. Bridge Marquetry of matching Spanish des silver frets and side position rosewood fingerboard with nickel markers. Size; 39/4L x 1414-7W, Ny 13 6 66467WX No Money Down.

13 G 66467WX No Money Down* Sturdy case with Plush Lining for a bove. Shpg. wt., 4 lbs.


See Page 13 for Full Credit Details on Easy Pay Plan



7 PIECE "BEGINNERS OUTFIT"

· Everything You Need Including Beginners Record Course and Book

Nicely finished with open head NICELY finIShed with open head-plece and pinless bridge. Can be used either as nylon string classic or steel string Folk guitar. Steel reinforced neck. Guitar has hardwood body with Blonde top. Highly polished finish with design around sound hole. Comes complete with Nylon and extra set of steel strings. and extra set of steel strings, Vinyl zippered carrying bag, neck cord, pick, instruction book and record course: Size: 36¹4L x 13W x 3¹/₂"D. Imported. Shpg. Net 17.95 13 G 66129WX



RADIOS Make IDEAL GIFTS for Every Member of the Family

Lafayette LOW-PROFILE SOLID-STATE FULL-FEATURE AM/FM CLOCK RADIO



 27^{95}

With Earphone

- 60 Minute Sleep Switch
- Precision Slide Rule Dial
 10 Minute Snooze Button
- Large 3½" Speaker

Combines a fully automatic full feature Telechron clock and a superb FM/AM radio in a handsome low profile styled walnut grained plastic cabinet with black and silver trim. Handy sleep-switch permits you to slowly drift-off to dreamland while the radio automatically shuts itself off (up to 60 minutes). Beautiful FM or AM music awakens you at a preset time pleasantly. Even includes a snooze button so that the set can again be turned off to permit you an extra 10 minutes of sleep. Clock face has luminous hand and dial markers. FM-AM radio features a slide rule dial for precise tuning, and a large 3½" wide range speaker for luxurious tonal quality. All solid state circuitry with 10 transistors, 4 diodes and 1 thermistor provides high sensitivity and selectivity. Size: 9½ x 5½ x 3½"0. For 117V AC, 60 Hz. Imported. Shpg. wt., 4 lbs.

Lafayette 4-BAND TV-FM-FM/VHF PORTABLE RADIO WE

- Listen to TV Privately Without Disturbing Others
- Listen to TV Anywhere Without Viewing

TUNES:

TV Low: Channels 2 thru 6 TV High: Channels 7 thru 13 FM-VHF High Band Police: 146-175MHz Standard FM Broadcasts: 88-108 MHz

Monitor Exciting Police, Fire, and U.S. Weather Bureau Broadcasts.

A unique and truly different concept in the design of a radio allows you to tune TV channels 2 thru 13. Listen to the many outstanding sporting events, variety shows and special normally transmitted only on TV. At night, use TV for picture but control sound from radio—earphone lets you listen without disturbing others. Permits blind people to listen to TV broadcast without having to buy an expensive TV set. You can monitor Police and Fire emergency calls. Listen to U.S. Weather Bureau forecasts on 162.55 or 163.275 MHz. Also receives standard FM broadcasts. Operates on 4 "C" batteries or

No Money Down* With Batteries and Earphone for Private Listening.

Listen To Beautiful FM Music. Instant On Solid State Circuitry

110 VAC with optional adapter. Powerful, super sensitive 14-transistor, solid-state circuitry. Precision, slide-rule tuning dial. Large speaker provides fine tonal quality. With built-in telescoping antenna, external antenna jack, leatherette carrying handle, earphones, and batteries. Handsome, black plastic cabinet with silver trim. Size: 9Lx 53/4Hx25/6"D. imported. Shpg. wt., 2 lbs.

99 G 35636L Net 39.95 99 G 62572 Extra "C" cells. 4 req. Net ea. .14 117 VAC Adapter. Shpg. wt., 10 oz. 99 G 35362 Net 3.95



STEREO 8 for the home

Lafayette LR-808 3-Band Stereo FM/AM/SW Receiver With Built-in 8-Track Stereo Tape Cartridge Player



- Instant on Solid-State Circuitry
- Power Output: 36-Watts
- Illuminated Tuning Dial
- · Front Panel Stereo Headphone Jack
- · Built-in AM, FM, SW Antennas

Magnificent solid state 8 track hi-fidelity home entertainment center. Play prerecorded 8-track stereo tape cartridges through the tape player. Listen to standard AM/FM and FM stereo radio broadcasts. Tune-in on exciting international shortwave broadcasts on the 4-12 MHz SW band. Thrill to "concert hall" sound from the two acoustically ba-lanced 2-way speaker systems. Outstanding features: FM stereo indicator light, separate volume, balance, bass, and treble controls. On/Off loudness switch, 6 position selector knob, tuning meter, lighted tape cartridge

- Channel Indicator Light
- 8-Track Channel Selector Button
- FM Stereo Indicator Light
- Each Speaker Enclosure Contains
 - a 6" Woofer and 31/2" Tweeter

channel indicator; front panel stereo head-phone jack, stereo output jacks for external tape recorder, phono input jacks for record changer with ceramic cartridge, built-in AM and FM/SW antennas with provisions for external SW and FM antennas. Power Output-36 watts. FM sensitivity-4 µv. Stereo separation—26 db. Frequency response—30-20,000 Hz. UL listed. Oiled walnut wood cabinetry. Size: Control Unit—1934 x 10½ x 41/4": each speaker enclosure 131/2 x 10 x 71/2". Imported. Shpg. wt., 20 lbs. 17 G 01846WX

Ranger 4 and 8 Track Car Stereo Tape Cartridge Player Plus Speaker Bonus

0/5/00 - 10 ...



Player Only

Player

With

Bonus Speakers

Net 79.96



- Fully Automatic-Instant-On Solid-State Circuitry
- Fine Tuning For Precision Head Alignment with Tape

Our Best Selling 4 and 8-Track Tape Cartridge Player with built-in Burglar Alarm. Any attempt by unknown persons to remove a properly installed player will result in setting off the built-in alarm system-continuous horn blowing to scare the would be thief away. Player measures only 2% x 7% x 8 and can be easily mounted under the dash of your car with attached universal bracket. Fine tuning control tunes out undersirable cross-talk in worn or defective 8-track cartridges by adjusting playback head to align with the recorded tracks. Channel changes automatically after each program or by instantly operating the selector bar. Peak audio output: 20 watts; 12-transistors, 4-thermistors. Dual tone control. For 12 volt neg/pos. ground. Less Speakers. Imported. Shpg. w., 12 lbs. 17 G 74496WX Shpg. wt., 15 lbs. Net 79.95

Ranger Tape Player Plus Set of 4 Speakers and Grills. 17 G 74546WXM

Custom Indoor Set of 4 Speakers and Grills. Shpg. wt., 3 lbs.

Net 8.95

Lafayette LRK-1600 100-Watt Solid-State AM/FM Stereo Cassette/Receiver



A Deiuxe Lafayette 100 Watt AM/FM Stereo Receiver

A Deluxe Performing Lafayette Stereo Cassette Recorder

- 7 Pushbutton Tape Functions Including Pause for Instant Editing & Cueing
- Semi-Slot Tape Loading for Complete Ease of Operation
- Automatic FM Stereo Switching and Stereo Indicator Light
- Speaker Mode Switch: Main, Remote, Main and Remote
- Simultaneous Sound-with-Sound Recording Facilities

The LRK-1600 adds the complete recording and playback facilities of a professional stereo cassette recorder with a superb 100 watt AM/FM stereo receiver. Add a pair of speakers and you have a complete, versatile, ready-to-play home music system. Build a great stereo cassette library: just connect a turntable and put your favorite records on tape; record AM, FM or FM stereo directly from the tuner section; connect a reel-to-reel taper recorder and convert ordinary tapes into compact cassettes; connect a pair of stereo microphones (2 mike input jacks are located on the front panel) and record your own music live, or most important—make sound-with-sound recordings (record live with a mike simultaneously while recording an external source such as broadcast, records, tape). Exceptional quality and performance are assured by the use of 4-Integrated Circuits (IC's), 4-Field-Effect-Transistors (FET's), 24-transistors, and 25-diodes. You'll hear more stations, as well as brilliant FM stereo reception with amazing noise-free clarity. Outstanding features and specifications: Receiver section—Power Output 100 watts ±1 db; FM Tuner IHF Sensitivity 1.7 µx; front panel stereo headphone jack; Illuminated AM and FM tuning meter. Pushbutton switches for Loudness, Stereo-Mono, Tape Monitor, High Filters. Black-face tuning dial. Cassette Section: 4-pole Hysteresis Synchronous motor; dual channel VU recording meter; record indicator light; Cassette Ejector Button; 3-Digit Counter with Reset Button. Records 4-track stereo and 2-track mono, playsback 4 and 2-track stereo and mono. Low profile enclosure with walnut side panels. Size: 21½L x 5¾H x 14"D. For 105-120VAC. Imported.

99 G 02172WX Shpg. wt., 28 lbs.

Net 279.95

99 G 46161 Dynamic Mike, Imported, Wt., 8 oz... Net ea. 5.95





LAFAYETTE **ELECTRONICS** 111 JERICHO TURNPIKE SYOSSET, L.I., N.Y. 11791

BULK RATE U.S. Postage

LAFAYETTE Radio Electronics

POSTMASTER: If Undeliverable Handle In Accordance To Sec. 158.5 Of Postal Manual. 022505139 H YDUMGE -28967 HAYWARD CT BARSTON CA 92311