



HERE'S 9 .95 singly



Famous Masco Cascode Booster!!

- Three tuned circuits—cascode!
- Golden Grid 6BZ7 Plus &J6 Plus rectifier!
- 35 db gain (56 times!) average on all channels!

A sensational new tunable VHF booster utilizing a special low-noise circuit. Employs the new Golden Grid 48Z7 tube so well known for its use in cascode front ends. Brings superior reception to other type receivers. Single knob forms of the superior of operation. Signal strength is increased at least precision stability. Automatically switched on and off by TV set. Uses cross-proved the superior control for utmost simplicity of operation. Signal strength is increased at least precision stability. Automatically switched on and off by TV set. Uses cross-precision for the superior control for

Masco TVB-53—In lots of 3, Net.

9.45

YNAMIC MICROPHONE WORTH MANY TIMES ITS PRICE



AT LAST! A HI-FI Dynamic Mike for Public Address ofs. at a price you'd expect to pay for a good crystal mike!

Lefayeth went abroad to obtain a high quality DY-NAMIC MICHOPHONE at a price that is 70% less than any comparable dynamic microphone on the market today. Exceptionally fine for public address, recarding and other general purpose use. Substantially flat response, 91-10,000 cps. assures faithful reproduction of apsect and music. Impedance 40,000 obms ±15% at 1000 cps. Output Level -05 db. Dis cast metal case finished in light put Level -05 db. Dis cast metal case finished in light price and fine chromium. Compact and light weight. Net Wi. 1 lb. Head at fixed thir of 15°, equipped with 6 ft. well shielded low-loss special vinyl-jacksted cord. Standard %-27 thread. Dimensions 1-23/32° high, 2° wide, 3% deep. Shpg. Wt. 3 ibs.

DYNAMIC EAR PHONE

A new lightweight plastic ear phone especially Imported by Lafayette to bring you the high quality of a dynamic ear phone with the ease and comfort of an almost weightless unit—at a price less than half that of any comparable unit, Fits right into ear. Excellent sensitivity of 65 db. Ideal for use with miniature sets, hearing aids, transcribing, etc. DC resistance 2000 ohms, impedance 5000 ohms at 1000 cycles. Complete with 3 ft. plastic covered cord. Not 1.95



LOW IMPEDANCE MODEL FOR SILENT LISTENING OR VIEWING Will replace speaker on any radio set or T.V. for silent listening, by direct connection to secondary of output transformer, Impedance 8 ohms.

MS-100

Not 1.95

<u>Safayette</u> Radio

To Speed Shipment on Your Order Please Mention

catalo

Include sufficient money for postage. We refund unused amounts. Page

NEW YORK, N.Y. 130 Sixth Ave. BRONX, N.Y. 542 E. Fordham Rd NEWARK, N.J. 24 Central Ave. PLAINFIELD, N.J. 139 West 2nd St. BOSTON, MASS. 110 Federal St.

An Exquisite Phono For Music Lovers


· HI-FI-PHONOGRAPH · I

- 2 WAY SPEAKER SYSTEM WITH CROSSOVER NETWORK
- FAMOUS COLLARO 3 SPEED AUTOMATIC RECORD CHANGER
- WITH G.E. VARIABLE RELUCTANCE PICKUP RPX-050
- LAFAYETTE PUSH PULL HI-FI AMPLIFIER

A complete high fidelity consolette phonograph which cannot be appreciated until you see it and hear it. A rare opportunity for the Music Lover who has always wanted an exquisitely, compactly designed cabinet (measures 25/2" H, 16" D, 25/2" W) and get tone Reproduction that surpasses instruments considerably large and bulkier and costing many times more. In the Lefayette Model PH-55 you get all these features plus. Uses the Lafayette Model LA-20 push-pull HI-FI amplifier which was especially designed for the Audio Hobbylst and Music Lover; the famous Collaro automatic 3-speed record changer—noted for its High Fidelity performance; the G.E. variable reluctance magnetic pickup (RPX-050). Has a 2-way Speaker System and Crossover Network, consisting of an 8" PM heavy duty G.E. 12 watt speaker with 6.8 oz. Alnico V magnet acting as a "woofer", plus an especially designed 5" PM tweeter and crossover network to increase the high fidelity range up to 15,000 cycles, housed in an acoustically designed enclosure for maximum high quality performance. Clean, smooth reproduction, with an unmistrabale presence of the 2-way speaker reproducer—will recreate a cone balance which is unbelievable. Cabinet is finely constructed of choicest hardwoods, is hand rubbed in the tradition of fine furniture. Available in mehogany, blonde finishes.

An ideal Phono for a small room in a hotel or apartment. The finest phonograph available in design, quality of components, performance and Value. Shgp. Wt. 75 lbs.

PH-55 (specify finish).



3 Speed Phono Combination

A DeLuxe Portable clock-radio and A DeLuxe Portable clock-radio and 3 speed phonograph combination of fine quality, good looks, vertatility and low price. A five tube superhet circuit covers the entire broadcast band. Efficient built in loop antenne brings in signals sharp and clear, A Genuine Sessions Electric clock will start phonograph or radio. Has heavy duty Alnico V PM speaker. Phonograph plays all 3 size records in all 3 speeds with lifelike reproduction and minimum distortion. Has dependable rimedrive, constant speed motor, Lightwelght pick-up arm with dual purpose needle to play all 3 speeds Sturdy all wood portable case covered with Mahogany or Oak wood grain, size 10½" x 12½" x 8. Shpg. Wt. 15 tbs. For operation from 105-125 Volt AC.



AUTOMATIC

3 SPEED PHONOGRAPH

COLLARO—the world's finest Mi-Fi latermix Record Changer
G.E. Variable Refuctance Triple Play Cartridge
Paul Sapphire Styli
It took a whole page elsewhere in this catalog to describe the fine features of the world famous Collaro changer made in England. Powerful 4-pole motor, weighted turntable and featherweight tone arm both mounted on ball bearings, jam-proof mechanism, automatic mutting switch—are a few of its features. It's equipped with the equally famous G.E. high fidelity triple-play RPX-050 cartridge that covers a frequency range of 25-20,000 cycles! Add to this a heavy 8" wide range speaker, full range tone control and volume control, a triple negative feed-back circuit, tone compensating network, and an excellent amplifier—and you have a real high fidelity phonograph. Finished in luggage tan saddle leatherette with white beading. Size 18½ x 15½ x 9". Shpg. Wt, 26 lbs.

Net 69.50

Net 69.50



BEST BUY

With this portable phonograph you can play any record up to 12" size at 33/3, 45 or 78 r.p.m. A simple slide switch selects

LAFAYETTE THE

- With G.E. Variable Reluctance High Fidelity Cartridge!
- **Dual Sapphire Styli!**
- 6" x 9" Alnico V Wide Range Heavy **Duty PM Speaker**

UNBELIEVABLE QUALITY AT AN
UNMEARD OF PRICE
This new deluxe 3-speed phono incorporates the famous G.E. RPX-050 triple-play cartridge with frequency response to 10,000 cycles in a special lightweight arm. The G.E. magnetic cartridge has two sapphire needles to play standard and LP records with remarkable fidelity. Built-in preamplifier for G.E. magnetic cartridge. Large size 6x9" oval PM speaker, amply baffled in a large size chamber to give clean undistorted output. Size: 14" x 9" x 14". Finished in brown leatherette. Shpg. Wt. 16 lbs.

Net 35.45 Net 35.45



Printed in U.S.A. ENTIRE CONTENTS COPYRIGHTED 1955 BY RADIO WIRE TELEVISION, INC.

KNOCK OUT PRICES

fm-am receiver chassis

including POWERFUL 12" PM Speaker

- · Built-in preamplifier for reluctance pickup. · Beam power audio output.
- 3-Position equalizer switch to compensate Automatic volume control. for recording characteristics in LP, AES or European recordings. • 12" PM heavy duty speaker.

....Net 49.50

MCDEL 100-with 12" Heavy Duty PM Speaker..... .NET 54.50



M-AM RECEIVER CHASSIS . DRIFT COMPENSATED



• 13 TUBES PLUS RECTIFIER

. PRE-AMP FOR RELUCTANCE CARTRIDGES

. HI-FIDELITY QUALITY

LAFAYETTE MODEL 201 DELUXE FM-AM RECEIVER CHASSIS

A DeLuxe Superheleredyne AM-FM Radio Receiver chassis designed to operate on 105/12-5 voits AC, 50/60 cycles. Incorporates an improved frequency mediuation circuit that is drift compensated to eliminate the need for troublesome automatic frequency control circuits; 6 gang tuning candenser; high fidelity AM-FM reception; tuned BF amplifiers to make use of low field strength algnais; a pre-amplifier for use with rejuctance type of phenograph pickup cartridge; a Ferrite Loop Stick antenna for AM and a folded dipole for FM reception; AF input; line power outlets; auxiliary position on switch for use when TV Audio is channeled through set; puen-pull beam power audio amplifier; full range bass and treble controls; automatic volume control; provision for external antennas; matching networks for use with

either high or low impedance pickup; a special heater winding with a control for balancing out residual line frequency hum; multitap output transformer to match 4, 8 and 500 chms. Has a dual control which operates a record roll-off equalizer network to compensate for recording characteristics in long playing. AES or European recordings. Tunes from 535 to 1720 Kc on AM, and from 28 to 108 Mc on FM. Has 13 tubes play and from 28 to 108 Mc on FM. Has 13 tubes play and from 28 to 108 Mc on FM. Has 13 tubes play and from 28 to 100 Mc on 100 Mc on 12 ATT, 12 ANT, (2) STS/CT and 57 GCI, 6AV6, 12 ATT, 12 ANT, (2) STS/CT and 57 GCI Rectifier. Supplied ready to operate only of the control of the c

LAFAVETTE MODEL 201 NET 88.50

A COMPLETE HI-FI AM-FM PHONO-RADIO COMBINATION

A new DeLuxe 13 Tube (plus rectifier) FM-AM receiver chassis Model LA-201 combines many important features and quality construction to assure excellent FM-AM performance. Combined with push-pull beam power audio, provides remarkable pure music throughout the entire audio spectrum. With the latest model Colloro RC-54 latermix 3-speed Record Changer equipped with the G.E. RPX-050 Turnover Reluctance Cartridge and the Electro-Voice Model SP-12B 12"

HF · 10 | Complete System Net 144.50



AND DON'T FORGET LAFAYETTE'S MONEY BACK GUARANTEE

AN OUTSTANDING ENGINEERING ACHIEVEMENT High Zidelity Outperform Any Amplifier In Its Price Range Or Your Money Back

employs features found only in most expensive amplifiers!

 Record equalizer has <u>separately</u> adjustable turn-over and roll-off, providing a choice of 16 dif-ferent playback characteristics to match all recordings accurately.

Includes phone preamplifier with inputs for mog-netic, ceramic or crystal pickups.

Special take-off jack for recording on tape.

The amplifier has excellent power output at both very low and very high frequencies.

• FM (capacitance), Input.

A BRILLIANT **NEW CONCEPTION**

PERFECT AMPLIFICATION

DESIGNED FOR TOMORROW

Nothing before has been offered to equal it in the annals of the high fidelity market. The first complete audio amplifier incorporating compensated preamplifier, tone controls, power amplifier, and power supply all built upon a "printed circuit" wiring plate. This is the circuit technique developed and proved successful BY THE ARMED FORCES DURING WORLD WAR II. A major achievement in fine audio amplifiers. Combines technical perfection, startling realism and advanced features. The advantages of extended power range are provided without sacrifice of important low level characteristics. Here are both low distortion and plenty of reserve power. Only years of research and specialization could produce so advanced an instrument. The power output at both low and high frequencies exceeds any requirement but is indicative of the superb response achieved throughout the useful band from 20 to 20,000 cycles. Of major importance is the way this amplifier adapts itself to associated equipment and to particular room acoustics.

LOOK AT THESE SPECIFICATIONSI POWER OUTPUT: 12 watts, 24 watts peak at 1% harmonic distortion; 5 watts at 1% intermedulation distortion; 3 db power rating, 30 cycles to 20,000 cycles. FREQUENCY RESPONSE 20-20,000 cycles ± 1 db. INPUTS: Radio, TV-Sound and Tape inputs: 1 megohm impedance. Phonograph Inputs: 27,000 ohms for magnetic and dynamic cartridges. Built-in equalizer for use of ceramic, FM (capacitance) and crystal pick-ups; adjustable equalization effective on all types of pick-ups. SENSITIVITY (Gala Foctors): 6 millivolts at magnetic-phono input required for 12 watts output, 0.3 volts required at Tuner, Tape, TV inputs for 12 watts output, 42 db gain between magnetic-phono input and tape take-off jack, 10 db gain between magnetic-phono input and tape take-off jack, 10 db gain between magnetic-phono input and tape take-off jack, 10 db gain between magnetic-phono input and tape take-off jack, 10 db gain between magnetic-phono input and tape take-off jack, 10 db gain between magnetic-phono input an

HI-FI SYSTEM

A completely matched and wired FM-AM phono system, consisting of the skillfully engineered Bogen Model R-640 FM-AM Tuner, the Lafayette Model LA-54 Hi-Fi 12 watt Amplifier, employing features found only in the most expensive amplifiers; the world-famous Collaro RC-54 (the latest model) Intermix 3-speed Record Changer with the G.E. RPX-050 Triple-Play Turnover Reluctance Cartridge; and the Electro-Voice Model 12TRXB 12" Triaxial Speaker. With this system all the magic of high fidelity reproduction is now easily yours. Phenomenal bass response, full bodied mid-range and silky-smooth upper octaves to the highest audible frequencies provide an unusual musical balance without making effects or imposed distortions. All units are supplied complete with plugs, jacks, cable and hardware—ready for quick and easy installation. Prepared cables simply plug into each other. REGULAR The handsome design of all components blends beautifully with any PRICE decorating scheme. Shpg. wt..... 65 lbs.

HF-100

...Complete System..

Net 249.50





A PHONO SYSTEM THAT WILL **DELIGHT THE MUSIC LOVER**

Never—in the annals of Hi-Fidelity, has a phono system of this quality
— at this price — been offered. This system consists of the famous
Lafayette LA-54 12-Watt Amplifier, with a frequency response from
20-20,000 cycles; the Electro-Voice Triaxial Model 12TRXB 12"
Hi-Fi Speaker; and the latest Collaro Model RC-54 3-Speed Intermix Record Changer with G.E. RPX-050 Turnover Reluctance Cartridge. Here is a system with low distortion and plenty of reserve power. The power output at both low and high frequencies exceeds any requirement; 16 positions of record compensation, designed without com-

HF-102Complete System

Net 144.50

AT THESE PRICES

8"PM-6.8 oz. Woofer 5" PM Tweeter Crossover Network 20-15,000 cycles



Now, for the first time, an enclosure that will give you real High Fidelity performance in a small package—with the advantage of the 2-way speaker principle. Positively will outperform any speaker arrangement costing twice as runch. Comprises a special G.E. 8" PM 12-watt speaker with 6.8 oz, magnet much. Comprises a special G.E. 8" PM 12-watt speaker with 6.8 oz, magnet acting as a "woofer" plus a 5" specially designed PM Tweeter and Crossover acting as a "woofer" plus a 5" specially designed PM Tweeter and Crossover acting as a "woofer" plus a 5" specially designed PM Tweeter and Crossover section of the 15-way hi-fit section of the 2-way hi-fit section.

UNFINISHED CABINET

Cabinet is unfinished—handsomely styled—made of finest birch, perfect for the Blond or Mahogeny finish you want, or you can point it to match the style and finish that blends in with the rest of your furniture. Reproducer is completely enclosed. Size: 23½" Lx 11½" W x 10½" D. Shpg. Wt, 22 lbs.

No. SY-10—Complete 2-way Speaker System And Crossover Network ____Net 29.45 Not 13.75 installed in unfinished cabinet... No. SY-11-Complete System (Less cabinet) Net 19.50



5" Tweeter AND Crossover Network



A specially designed 5" Tweeter and Crossover Network that will assure high frequency response when used with any speaker you now possess. You can now make your present speaker into a 2-way speaker system increasing the high frequency range up to 15,000 cycles. Diagram included. Shpg. Wt. 5 lbs.

Net 7.9! Net 7.95

Stock No. MS-71 Crossover Network only Net 5.95 Stock No. SK-35 5" Tweeter only.....Net 2.45 At first no one could believe it!

MULTI SPEAKER SYSTEMS

12"PM-9 oz. Woofer 5" PM Tweeter Crossover Network 20-15,000 cycles



CORNER HORN ENCLOSURE (Unfinished)

2-Way Speaker System

2-Way Speaker System

Now you can enjoy the finest and yet pay no more. A full 2-way speaker system
for the audio enthusiasts. Especially designed corner horn enclosure makes possible extended base response and eliminates cabinet resonance. Excellent performance achieved in direct radiation of high frequencias. The 2-way speaker
system consists of the Famous. [2] PM heavy dirty 25 watt speaker with 9 oz.
Network of hicrease the high frequency range to 15,000 cycles; in an unfinished
with the resonance which you can finish to match the style and finish that
libs., Enclosure only 35 lbs.

Model SY-13

Model SY-13

Model SB-35 Unfinished Corner Horn Enclosure

Net 57.95



12" UNFINISHED SPEAKER BAFFLES Unfinished reflax baffes for Hi-Fi speakers. Careful variations of the sign assures excellent performance. Congrille or 12" speakers excellent performance. Congrille or 12" speaker and 5" Tweeter, with about the port. Supplied with block of wood to cover 5 with a tractive plastic grills. Mis anded and ready for finishing. Dimensions 23½" x 33½" x 12½". Shop. Wedle S8-36.

UNFINISHED 12" SPEAKER BAFFLE WITH TWO-WAY SPEAKER SYSTEM

The 2-way speaker system described below (5Y-12) completely installed in this unfinished beffie.

Net 43.90



5" Tweeter

2-WAY SPEAKER SYSTEM • G.E. 12" PM—25 Watt—9 oz. magnet 'Woofer'

• 5" Tweeter and Crossover

Network

Ideal for custom installations, where a 2-way speaker system is desired to obtain a high degree of audio fidelity at a price that will fit your pocketbook. You can now replace your old speaker system that phonograph with a 2-way bass response provided by the Famous G.E. large Alaice V magnet for you clean, distinct heavy duty 12° PM 'woofar with exceptionally high frequency range with the 5" Iweeter and pleta 2-way music system which will recreate a form any speaker will astonish will recreate a form any speaker arrangement costing 2 or 3 cluded. Shpg. Wt. 13 lbs.

STOCK NO. SY-12

Net 15.75

ajayette

FOR TRUE HIGH FIDELITY

THE WORLDS FINEST Fully Automatic 3 Speed Intermix Record Changer





Made In England

LAFAYETTE UNHESITATINGLY RECOMMENDS THE Collaro AS THE FINEST HIGH FIDELITY CHANGER AVAILABLE

Contains Features Found In no Other Changer

The Colloro is designed and engineered to meet the most exacting requirements of the finest audio systems. Superbly constructed and simple to operate, it performs with unerring accuracy and silent smoothness. Designed for service and safety. Children won't damage the Collaro by moving the arm—it's jam-proof. The powerful 4-pole motor and weighted balanced turntable assure freedom from "wow". Painstaking attention has been devoted to the minutest details. Check these features.

FEATURES

POWERFUL 4-POLE MOTOR—with dynamically balanced rotor, and integrally built 3-speed drive mechanism. SIMPLE 2-KNOB CONTROL—consisting of single-knob speed selector and single-knob control for 'on', 'off' and 'reject'. WEIGHTED STEEL TURNTABLE—runs on hardened spindle with cushioned ball-thrust race for smooth, silent operation. LARGE IDLER WHEEL—with molded-on, precisely ground rubber drive for quiet, constant speed performance. AUTOMATIC IDLER DISENGAGEMENT—when changer switches to 'off'—prevents development of flat spots. AUTOMATIC SWITCH-OFF after last record side is played insures that changer can be accidently left running. INSTANT REJECT—eliminates time lag between control and response mechanism. Reject impulse immediately raises tone arm from record. AUTOMATIC MUTING SWITCH shorts out pickup during all but playing cycle. Eliminates 'clicks' and run-in groove noise. UNIVERSAL SPINDLE—gently lowers record stack into feed pesition—accommodates all record types, including 45 rpm records with hole adapters (special 45 rpm slip-on spindle available as accessory—\$3.23 net). RUBBER TURNTABLE MAT—eliminates record slippage. Does not shed or

retain dust and abrasive grit. STYLUS PRESSURE ADJUSTMENT—permits setting of pressure to as little as 3 grams with perfect tracking. PLUG-IN HEADS—2 furnished—accommodate standard crystal, ceramic and magnetic cartridges—quickly interchangeable. SIMPLE INSTALLATION—for easy replacement of existing changers. Finished in cream or two-tone gold and maroon. Cushion springmounts built-in. DIMENSIONS—12 x 13½ inches. Clearance required above mounting board—5½°; below—2½°.

COLLARO MODEL RC-54 INTERMIX CHANGER LESS CART-Net 47.77 RIDGE. List, \$65.00

COLLARO RC-54 Intermix changer with G.E. RPX-050 Triple Play cartridge Net 49.95 with Dual Sapphire installed.

COLLARO RC-54 Intermix changer with G.E. RPX-052 Triple Play GOLDEN TREASURE cartridge with Diamond and Sapphire styli installed. Net 59.95

ACCESSORIES

45 RPM SPINDLE. Slips on in place of regular spindle, eliminating use of spiders on 45 RPM records. Not 3.23

GSA Spindle TURNOVER CARTRIDGE with sapphire needles

MODEL O Cartridge

AUDAK ADAPTER, plug-in adapter for use with Audak L6 cartridge

GPA Audak Adapter

NOTE: Plug-in shells supplied with changer accommodate all other standard cartridges such as G.E., Electro-Voice, etc.



Collago HI-FI RECORD PLAYER

A 3-speed single record player without the automatic elements of the changers, but with all the same quality features such as 4 pole motor, weighted turntable and molded rubber drive couplings. Supplied with 2 plug-in cartridge shells. Shpg. Wt. 12 lbs.

MODEL 3-554

Not 24.70

REK-O-KUT TRANSCRIPTION TURNTABLE



MODEL B-12H: A professional quality 3 speed transcription turntable for 78, 45 and 33½ rpm. Noise level is 50 db below average recording level. Self lubricating hysteresis motor, Internal rim drive—disappearing 45 rpm adapter built into turntable. Lathe turned and balanced cast aluminum turntable. Table mat of Corprene affords maximum record traction. Equals all standards set by NARTB. Mounts in cut out 13½ "x 14½ ". Requires i" clearance above and 6½" below board. 110V. 60 cy. AC only. Shpg. Wt. 17 lbs.

MODEL B-12H.

MODEL 8-12: Same as above—except with 4 pole induction motor Noise level 40 db down.

MODEL B-12 MODEL L-34: 2 speed 331/3 and 45 rpm. 4 pole induction motor. 12" Turntable. Shpg. Wt. 15 lbs. Net 49.95 MODEL L-34

MODEL LP-743: 3 speed—78, 45, 33½ rpm. 12" turntable—4 pole induction motor. Shpg. Wt. 15 lbs.

Net 59.95

ebcor

3 SPEED AUTOMATIC RECORD CHANGER Buy at Lafayette's LOW SALE PRICE

· Brand new fully automatic 3 speed record changer

· Dual turn-ever cartridge with dual styli

Automatic shut-off after last record

You'll find this famous Webcor Diskchanger not only in Webcor Fonografs but in radio phonograph combinations of other famous manufacturers. This is traly supreme excellence in record changing. Not only does it play all a speeds and all sizes of records, but it plays up to four hours automatically then shuts itself off after the last record has played. The Webcor Diskchanger was designed for swift, silent record changing; smooth accurate harntable speeds; and gentle treatment of your precious records. To obtain these qualities, Webcor has included such outstanding features as the: Balanced Tone Arm, Electrostatically Flocked (super-soft) turnable.

Shpg. Wt. 16 lbs. PK-49

Singly, ea. 26.50

WEBCOR WITH G. E. CARTRIDGE STOCK NO. PK-46 Same as above but with G.E. BPX-070 Triple-play cartridge

List Price, \$51.75.

5 WATT MICROPHONE AND PHONOGRAPH AMPLIFIER



compact, 5 watt amplifier with many application, low powered P.A. System, Paging Systemograph amplifier. It is designed to be used or a microphone and/or phonograph. Separa and gain controls are provided for microphon

3 SPEED RECORD CHANGERS



The finest record changer in Garrard's history, with innumerable unique and entirely exclusive features. Plays all record sizes, all speeds. Features an entirely new type of strong, silent 4-pole motor with all three speeds adjustment is not archived by mechanical braking but by an eddy extrent brake control. All speeds are, therefore, magnetically controllable, with sufficient variation at each speed for any purpose. Supplied with a regular spindle A large center spindle for 43 RFM 7" record is available. Automatically stops after last erc ord and tone arm returns to rest. Equipped both with muting switch which operates during cycle, and suppressor rest. Equipped both with muting switch which operates during cycle, and suppressor press. Operates AC switch to eliminate loud 50 years. (80 cycles 15.5% alone motor board by 13%" from to rear 15.5% and 15 years 13% of the 15% of cycles 15% alone motor board by 3%" below motor board. Supplied complete with spring mountings, regular and large center spindles, transificing screws, two plug-in eartridge shells, template and instruction nanual. Slapg. Wt. 23 lbs. Supplied complete such spring mountings, regular and large center spindles, transificing screws, two plug-in eartridge shells, template and instruction nanual. Slapg. Wt. 23 lbs. Supplied center spindles. Net 3.56

GARRARD 45 RPM SPINDLE Net 3.50 GARRARD PLUG-IN SMELL for BCSS, complete with Dual Stylus, Tern-Over Crystal Car tridge. 6X/750 5.88 MODEL RC90 with G.E. RPX-050 Triple Play cartridge with dual sapphire stylus installed.

Net 71.50

MODEL RC90 with G.E. RPX-052 GOLDEN TREASURE Triple Play cartridge with diamond and sapphire styll installed. 82.13

SLIDE-OUT DRAWER RECORD CHANGERS



Designed for custom installa-tions of record changers in bookcases, cabinets, tables, etc. Made of durable ply-wood and equipped with heavy duty steel slides which heavy duty steel slides which operale smoothly and quietly on ball-bearings. Slides extend drawer up to 10½ beyond edge of cabinet. Supplied either blank or cut to your specifications. Unfinished wood permits your painting to suit your own decor. Size 16x16x3½, Shpg. Wt. 8 lbs. PK-47-blank Net 6.95

Same as above, cut to your specifications. Specify make and model of changer or send template.

Net 7.95 PK-48-cut

MICROPHONE-PHONO **OSCILLATOR**



This unit, when used with a microphone, and any broadcant receiver, operates as a "wireless" transmitter for
short distances, depending upon location Atveter to
party you can have lots of fun putting on your own
radio show. Use it, too, as a low coat "baby sitter"; for
one-way intercom work, as in taking inventory, etc.
Permeability tuner is pre-set and adjustable. Use crystal
or other high-impedance microphone; an RCA type
phono inch is provided 110-120V AC/DC. (1), 128A7,
(1), 128J7, (1), 3525. Dimensions: 3½ x 5 x 5
nigh. Weight 1 lb. packed
Shure Model 710A—Crystal Microphone Net 6.34

Stock No. ML-34

HEAVY-DUTY BALL BEARING DRAWER SLIDES

Ball-bearing, double-extension type, for mounting changers, Length, 15". Extends 22". Shpg. wt., 5 lbs. List, \$7.80. NET Per Pair. 1.95

FAMOUS V-M-TRI-O-MATIC RECORD CHANGERS

GARRARD "TRIUMPH" 3-SPEED CHANGER The newest addition to the Garrard line, the Cadiliac of record players. Designed for music lovers who demand the finest in record performance. The new Garrard "Triumph" plays all 3%, 45 and 78 BPM records. Features automatic switch-off after playing last record of any stack of 10 or 12 inch records. A separate spindle is available for use on 45 BPM records to change them automatically. Heavy duty, silent motor, and heavily weighted turn-table for constant speed. Muting switch silences pick-up arm when changer is changing records. Jewel mounted, true tangent pick-up arm. The new Garrard "Triumph" is supplied with two plug-in heads and mounting hardware for most crystal and magnetic cartridges. Accommodates the GE reluctance cartridges. Accommodates the GE reluctance cartridges. Overall size 13½" wide, 15½" deep, 8" high. Extends 2½" below motor board, 5½" above. For operation on 100-130 voits, 60 cycles AC. Cartridges not included.

MODEL RGSB. Shpg. Wt. 20 lbs...... 48.51

PLUG-IN CRYSTAL CARTRIDGE


Garrand plug-in shell for "Triumph" changer, complete with dual stylus, turn-over crystal cartridge.

MODEL RC80 with G.E. RPX-050 Triple Play cartridge with dual sapphire stylus installed.

Net 51.95

MODEL RC86 with G.E. RPX-052 GOLDEN TREASURE Triple Play cartridge with diamond and sapphire styll installed. Net 62.53

Net 62.53



MODEL 951-LESS BASE. With turn-over crystal cartridge and dual MODEL 361GE—LESS BASE. With GE triple-play variable reluctance carridge and dual needles. Requires preamplifier.

1.04, 51.50. NET 33.4733.47

CHANGERS ON BASE

MODEL 958—ON HAMMERTONE-FINISH METAL BASE. With turn-over crystal cartridge and dual needles. 32.66 32.66

V-m: "45" SPINDLE. Permits playing 45 rpm records without using spindle spider. For above changers; also Models 950, 950GE, 955 and 950GE, Sipe, wt., 8 oz.
List, 2,95, MET. 1.88 1.88



BUILT IN PREAMP

LAFAYETTE 8 watt HI-FI **AMPLIFIER**

Push-Pull estput FOR G.E. CARTRIDGES Separate Bass and Trable cantrols!

Lafayette's latest Hi-Fi phono amplifier offers superb reproduction at a budget conscious price. Frequency response of 20 to 30,000 cycles. Push-pull output for minimum distortion at normal level—only 1% at full 8 watts output. Output of 4 ohm, 8 ohms and 16 ohms for perfect matching to any system. Heavy duty components to assure hours of cool operation. Noise level 50 db below rated output. Separate bass and treble control—15 db Bass boost and treble attenuation. Tubes: 1-68Cf, 1-68LfGft, 2-68Gft, 1-68XGT. Dimensions—
9" x 7" x 5½" overall. Shpg. Wt. 10 lbs.

LA-21.....Net 23.50

LAFAYETTE FINEST QUALITY

HIGH FIDE ASTIC BASE RECORDING TAP



Quality guaranteed tape as good or better than any other Tape on market or your money refunded

Truly a startling Buyl Latayette made a terrific deal with one of the leading and largest manufacturers of recording tape in the country to supply us with their regular tape, of the same quality and standards of manufacture as their own tape which sells for almost twice our price. We have placed orders for millions of feet in order to obtain a low price and we are passing the Savings On To You, WE GUARANTEE ABSOLUTE SATISFACTION OR YOUR MONEY BACK. IF YOU DON'T AGREE THAT OUR TAPE MEETS EVERY CLAIM WE MAKE FOR IT SEND IT BACK AND WE WILL CHEERFULLY REFUND YOUR MONEY. The finest, professional-quality recording tape obtainable. Highest performance for thousands of playings. Red Oxide Base in a smooth, uniform coating; greater signal strength; with maximum fidelity; uniform frequency response from 40-15,000 cps at 71/2" per second; and freedom from background noise and distortion. The plasticized cellusecond; and freedom from background noise and distortion. The plasticized cellu-lose acetate bese will not stretch or break at many times the maximum tension encountered in service. Each real is individually-boxed.

1200 ft.-7" REEL

Per 1200 ft. Rell WT. 14 OZ. LOTS OF 10





Fig. A. SCOTCH RECORDING TAPES. Made by the world's targest manufacturer of pressure-sensitive tapes, Scotch Brand offers the advantages of better frequency response at slow recording speeds; low noise level; greater signal strength; even and constant tracking; less cross-falk; greater freedom from breckage; ease of editing and cleaner erasures with low power. Frequency response 40-15,000 c.p.s. at 71½" per second. All on plastic reels except:

— on NARTB 10½" reel; f.— on NARTB 14" Reel.

Type 111A—Magnetic Coating facing-in
Plastic Base

	Plastic	Base		12
		List	1-11	-
Type No.	Size	Price	Each	Each
111A-1.5	1/4"x150"	1.00	.67	.60
111A-3	1/4"x300"	1.75	1.17	1.05
111A-6	1/4"x600"	3.50	2.34	2.10
111A-12	1/4"x1200"	5.50	3.67	3.30
111A-12M‡	1/4"x1200"	5.50	3.67	3.30
111AP-12△	1/4"x1200"	6.00	4.00	3.60
111A-24Ht	1/4"x2400"	10.00	6.67	6.00
111A-24R*	1/4"x2400"	12.85	8.57	7.71
111A-48H1	1/4"x4800"	20.00 1	3.33	12.00
111A-48R#	1/4"×4800'		7.33	15.60
△ professio	nal reel. He	as large	hub to	reduce
timing error	and output	variatio	m.	

MAGNETIC TAPE SPLICER



An excellent accessory that splices tapes accurately and eliminates joint noise. Both ends of tape are out simultaneously. Nickeled brass finish. Wt. 1 lb. P16329



DELUXE AUTOMATIC CASE

A heavy gauge all steel tape carrying and storage chest. Holds 12 7" or 5" tape reels and cans. Ideal for convenient filing and stering of tape reels. Protects against accidental erasure in the presence of magnetic fields. Finger tip pressure on piano-type key selects and rolls out the reel of your choice. Platinum grey hammerloid finish. Folding handle — dimpled for stacking. Complete with index cards for quick Identification. Shpg. Wt. 8 lbs.

ML-59 Net ea. 6.75



STANDARD CASE

Standard Case: Sturdy all steel carrying case. Holds 12 7" or 5" reels and cans. Twin snap locks for positive closure. Perfect portability—ideal for filing and storage. Guards against exposure to moisture and accidental erasure. Finished in platinum grey hammerloid. Handle folds for compactness. Includes index cards for quick identification. Metal separators hold each reel erect. Shpg. Wt. 5 lbs.
Mt-60. Net ea. 3.25

.Net ea. 3.25



ADHESIVE REEL LABELS

Convenient press-on adhesive labels for positive identification of tape reels.

AUDIO SELF-TIMING LEADER TAPE Durable plastic material with spaced

markings for accurate timing at all standard speeds. Individually boxed in

Easy to apply or remove.

100 ft. rolls.

METAL STORAGE CANS

Can holds 7" 1200 ft. tape reel. Gives ultimate in protection to precious recordings. Handsome finish of green hammertone enamel. Cans are ribbed for stacking—give maximum storage in minimum space. Precision fit makes opening and closing easy. Fit perfectly in chests shown above. Shpg. Wt. 8 oz.

ML-61.

Net ea. 46c Lots of 6, ea. 42c

Per Pach

of 30

Net 16c

Net 35c

AUDIOPOINT RECORDING NEEDLES

Dural shank recommended for professional use; brass for semi-professional and home record-ing. Type 145, 205 and 201 have 87° included angle; 14t has 70°. Steel needles average 15 to 30 minute recording time; sapphires average 6 hours and can be resharpened at nominal

cost.			
Type	Descr	iption	EACH
No.	Point	Shank	4.41
145	Sapphire	Short Durol	4.41
14L	Sapphire	Long Dural	4.41
205*	Sapphire	Short Dural	4.41
20L*	Sapphire	Long Durai	3.53
2025	Sapphire	Short Brass	3.53
202L 345	Sapphire	Long Brass	1.18
343 34L	Stellite Stellite	Short Brass	1.18
50	Steel	Long Brass Steel (Pkg. of 3)	1.03
		rogroove All Oth	Are Stenday



RECORDISC RECORDING BLANKS
For Semi-Professional and Home Use. Orange
Label: Processed paper base with a cellulose

Nitrate coatin	g. Double	faced.	
Stock	Die.	Each	6 for
ORANGE LABEL	61/2"	.17	.90

Red Label: Professional grade with cellulose nitrate cooting. .021" aluminum base.

Stock	Dia.	Each	5 for		
RED	61/2"	.27	1.20		
	10"	.33	1.50		
LABEL	12"	.53	3.00		
Purple Label					
Stock	Die.	Each	5 for		
PURPLE	61/2"	.20	.90		

LABEL

Stock	Dia.	Each	5 for	
GM LABEL	8" 10" 12"	,53 ,67 ,82	2.40 3.00 3.75	

NEW 7" AUDIODISC

FOR 4S RPM
Red Label aluminum base recording disc made to exact dimensions of commercial 45 RPM recards. Complete with center hole adopter that permits these discs to be cut on any standard disc recorder having the convention center pin and drive arrangement. Playback on any 45 RPM player or changer.

RED	LABEL	7"	AUDIO	DISC.		ea.	7	5	3
Lots	of 25.				**********		.16	.9	0

PRESIO MATIC

LATEST MODELS

LATEST MODELS

PUSH-BUTTON KEYBOARD

TAPE RECORDERS



W-G COMBINATION TAPE-DISC RECORDIO MODEL 4C 10

MODEL 4C10

Dramatic New Approach to Tape Recording... PENTRON Monomatic Does The Job With Just One Simple Knob



PENTRON MULTI-SPEED TAPE RECORDER MODEL TR-4

PENTRON MONOMATIC TAPE RECORDER MODEL CT-1

PENTRON MONOMATIC TAPE RECORDER MODEL CT-1

OPERATES

SEPARATE

AUXILIARY SPEAKER JACK (

JACK AUXILIARY SPEAKER JACK (

JAC

1, 1 \$17.



TELEPHONE PICKUP

Stock No. MS-16



AMPRO HI-FI TWO-SPEED TAPE RECORDER

MODEL 757 AMPRO HI-FI TAPE RECORDER.....

AUDIO HEAD DEMAGNETIZER



When a recording mechine leaves its factor, the heads are unmagnetized. To ever, musical and speech consist of a series of transients often not symmetrical in peak value. Other asymmetrical transients may cur in line nois, in tertine and steaming the mechine. If the larly buring the steady we the recording head may have picked up enough magnetism to raise the noise level by several all and to a crease second harmonic distortion slightly. The Audio Head Demagnetizer Type No. 300, is an AC magnet assembly provided with stunded pole pieces shaped to fit the comoun of the recording head. Properly me d, this head demagnetizer will remove any permanent manetism which may have accumulated in the recording head—thereby reducing me level which is attributable to this caus.

REAT LAFAYETTE BUYS



DUAL STYLUS-TRIPLE PLAY DIAMOND and SAPPHIRE

(78)

. LIST \$31.00 Replacement for All G.E.

RPX-050 Triple-Play Cartridges!

A sensational Price on Diamond (LP) - Sapphire (78) Needle. Fits all General Electric RFN-050 series triple-play cartridges. Replacement For G.E. RPJ-013 dual Stylus, Music-lovers can now obtain the best possible record reproduction and at the same time, save their favorite records from wear and distortion.

Stock No. PK-29-List \$31.00......NET 11.95



REPLACEMENT FOR G.E. RPJ-004

Lafayette mede a lucky deal on replacement DIAMOND stylus for G.E. single stylus RPX-041 certridge (replaces G.E. RPJL 004 stylus}.

Never Before at this Price. Tests conducted on Diamond styli heve run hundreds of hours with no audible distortion and only highlights on the styli to indicate visible wear. A DIAMOND is kind to your records, maintains optimum performance. Gives long life to both record and stylus. Stock No. PK-31_List \$27.50

No. PK-31— Net 10.95 Replacement for

G.E. RPJ-812
Dual Diamond Stylus with .001" x
.003" Diamond Tips for LP and Stan-

Stock No. PK-32 Net 20.95

LP DIAMOND for G.E. RPX-041



List



Why pay more! Lafayette made e deal end can now supply you with replacement needles for General Electric variable reluctance car-tridges. Equipped with genuine sapphire tips, May be essorted for quantity price.

Stock No.	replaces GE Type		Yip	Single,	Lots of
PK-15	RPJ-001	RPX 040, RPX 041, RPX 046	3 mil	1.29	1.19
PK-16	RPJ-005	RPX 040, RPX 041, RPX 046	1 mil	1.29	1.19
PK-17	RPJ-010	RPX 050	Dusi	1.95	1.85

ASTATIC HI-FI PICKUP

With Turnover Cartridge

50 to 15,000 cyclesi

· Oual Styli

Unbellevable quality et an unbelievable price. Certridge is heat and humidity proof ceramic turnover type with separate needles for LP and standard records. Real high fidelity response. Shpg. Wt. 12 oz.

HI-FI CERAMIC CARTRIDGE

Same high-fidelity cartridge as used in above arm complete with styli. Shpg. Wt. 3 ox.

PK-45.

_Net 3.75



PHONO

Synthetic ruby-tipped. Each needle micro-scopically shadowgraphed. Shank is shaped to provide spring action and high vertical com-pitance. Each needle individually p.cked in a miniature transparent plastic case with lid. Regular resale price \$3.50.

UNIVERSAL 3-SPEED NEEDLE 29c ea. Lots of 10

Over 80% discount on these famous brand needles! Offset shank with osmium tip. Plays all 3 speeds. On individual Cards with manufacturer's name, Regular resale \$1.50.

PK-21.

ASTATIC HIGH FIDELITY CERAMIC CARTRIDGES



Wide range 50-15,000 cps ceramic cartridges unaffected by humidity and temperature. Feature high compliance and low distortion. 7V output. Replace crystal cartridges. Replaceable single sapphire stylus. Needle Pressure 8 grams. ½" mtg. centers. Type 51 also has additional holes for \$8\pi\$ mtg. in 45 RPM changers. Type 51-2J replacement for Sonotone W75'90.

ASTATIC STYLUS FURNISHED NET .001 (331/3-45 RPM) .003 (78 RPM) .002 (ALL SPEEDS) 4.35 4.35 4.35 TURNOVER CARTRIDGE

Has two needle tips, one for 78 RPM and one for 33% and 45 selected by lever. Same specifications as 51 series except 10 gram needle pressure.

ASTATIC 55-TJ

SONOTONE "TITONE" CARTRIDGES

TURNOVER



TURNOVER



A revolutionary new design in turnover cartridges! Only the needle itself rotates. To equalled for all records re-gardless of speed or gruone size. The improved ceranic element has an output of 0.7 volts. Outstanding re-penses to the proposed of the proposed of the proposed of replaced.

5.59 No. 9980-S (2 Sapphires) No. 9980-SD (4 diamond, 4 sapphire) No. 9980-D (2 diamonds) PLAYAL

Most cersatile single carridge ever developed. Plays all speeds without adjusting. Standard ½? mounting centers, Wilde range response. High sensitivity. The certaintedement produces an output of over 1 volt. The needle may be replaced without removing the cartridge. 4.41

No. 7590-1 (1 mit sapphire) FOR LP No. 7590-2 (2 mit osmium) FOR ALL SPEEDS No. 7590-3 (3 mil sapphire) FOR 78 RPM 4.41

SAPPHIRE REPLACEMENT NEEDLES FOR ASTATIC and SHURE CARTRIDGES. (USED IN THOUSANDS OF PHONOGRAPHS.)



Any Type 89c ea.

ASTATIC REPLACEMENTS (A)

Replaces Astatic Type Q Needles in cartridge types CAC, QT3, QT2, 403, LQD, CQ, MLP.

PK35-FOR 78 RPM RECOROS

PK36-FOR MICROGROOVE SHURE REPLACEMENTS (B)

For Cartridge numbers P30, P70, P71, P75, P75A, P80, P81, P85, W21F, W23A, W23B, W26A, W26B, W57AN, W60A, W60B, W60HS, W618, W66B.

PK37-78 RPM-replaces SHURE A61A PK38-Microgroove-replaces

SHURE A65MG PK39-ALL GROOVE-replaces SHURE AGTU

MAGNAVOX CARTRIDGES

Geninue Magnavox exact replacement cartridges. Complete with indicated styll,

MAGNAVOX

No.	FIG.	STYLI	NET
\$600\$2-4 \$60101-4	A	MUIMZO	6.72
560133-4	Č	REPLACED BY	560170-1
560151-5	D	REPLACED BY	560151-6
560151-6 560158-2	D	SAPPHIRE DIA/SAPPHIRE	27.00
560161-	Ē	OSMIUM	7.60
560169-1	F.	DIA/SAPPHIRE	26.80
560170-1	С	SAPPHIRE	7.80

SHIELDED PHONO LEADS

14488 In lots of 10 40" long shielded phono cable. Overall Polytheylene insulation. Ideal for phono connections or for testers. MS-60 Net 27c ea.

In lots of 10......24c ea.

N PHONO PARTS



ADMIRAL CARTRIDGES

Genuine Admiral phono cortridges complete with styli.

ADMIRAL A1745. Improved version of A1372.
3-prong snapin type replaces RC170, RC170A, Admiral changers models RC170, RC170A, RC180, RC181 and RC182. Complete with 78 RPM osmium needle. ADMIRAL No. A1745. Net 2.91

ADMIRAL 409A11. Barrel type turnover cartinge for Admiral changers models RC210, RC211, RC212, RC320, RC221, RC321 and RC322. Complete with two (LP RC321 and standard) osmium needles.

ADMIRAL No. 409A11. Net 7.06

ADMIRAL 409A13-1. All speed single needle cartridge for models RC550, RC550, RC550A, and RC600. Complete with osmium needle.

ADMIRAL No. 409A13-1.

OTS OF 10

50



SONOTONE 9980-S

Turnover Ceramic Cartridge

50

in lots of 5

singly, 3.98

Wised in VM—Celumbia 368—Webster—Crescent
With Dust Sasphire Needes
With Dust Sasphire Needes
With Dust Sasphire Needes
With Sasphire Needes
Will repace a large number of other types, will
repace a large number of other types, will
give over such it after that the same statement of the same statement
give over such it after that the same statement
year over the same shown of all with the same
year of the same same safety from hundity and
year over the same same safety from the same
and 3 mil for standard—both a pophire.

SPECIFY STOCK NO. PK.40

18 lets of 5, each.

REPLACES

AC, ACD, CAC, QC, LQD ELECTRO.VOICE 16TT, 33, 43, 46T, 96T SHURE

WC Series from WC22 to WC36, W22, W26 WEBSTER ELECTRIC

AX, A1, A9-1

ASTATIC TURNOVER ACD-C2 CARTRIDGE



Caramic Element—Safe from Humidity and Heaf

Heat

This popular Astatic Cartridge is complete with 2 stylic turnover bracker and knob. To receive the sensitive LP records, the LP records a 0.01 tips; needle has a 0.01 tips; needle for 78 r.p.m. has .003 tips. 15 to humidity and heat. Stock No. PK-61—In lots of 5, each 3.50

to numidity and heat. Stock No. PK-41—In lots of 5, each 3.50 Singly, each...... 3.98

The LQD crystal cartridge for 33/5, 6 and 78 r.p.m. records quickly be65 and 78 r.p.m. records quickly became the first Excellent frequency relargest users. Excellent frequency relargest users. Excellent frequency relargest users. Excellent frequency relargest users. Excellent frequency relargest process of the process o Stock No. PK-18. Single, ea. \$3.97 Phono Cartridges

TURN-OVER CARTRIDGE





STOCK NO PK-11 \$1.99 Single, each



GUARANTEED TOP MAKE CRYSTAL TURNOVER CARTRIDGE!

Replacement For ELECTRO-VOICE 96T

in lots of 5

BHURE P72 P12AF P72V P76 P16A P76AF P77V P76 P76AF P77V P77V P76 P76AF P77V P76AF P76AF

F18-2. F15M, F10M, F8M.

A popular Turnover cartridge made by a Famous manufacturer, with separate needle for Fast and Slow speed records.

The TWO needles are compleiely isolated from one another.

Output I Volt on each needle, ample for all replacements.

Output I Volt on each needle, ample and osunium 78 needle.

Steek Ne. PK.38.—List \$10.00. In lots of 5, ea. 3.25 Steck No. PK-30-List \$10.00....

Astatic Pickups



LOTS OF 10

Equipped with latest Astatic L-29 equipped with latest Astatic L-79 cartridge. 3 volt output. For use with all-groove 2 mil needle or 78 r.p.m 3 mil needle.

Stock No. PK-12

Singless. \$2.99 Lots of 10, each

3 SPEED TURNOVER



Plays all 3 speeds—331/3, 45, and 878 r.p.m. Has reversible certridge 78 r.p.m. Has reversible certridge 4 requipped with dual needles. A twist of the handle selects proper needle. List price \$12.00.

Stock No. PK-13

Single, ea. \$4.95 Lots of 10, each



Zenith Diamond Cobra Cartridge

The same Zenith Cobra cartridge as sure 2 mil diamond needle for all speed recurds.

W76AGD

Same a have but with 1 inil diamond needle for micrograms (LP) records only.

Med 18.23

ZENITH COBRA CARTRIDGES FOR SETS PRIOR TO JUNE 1953
All speed, green and red certridge.
Net 2.15 Single speed 78 RPM, red certridge.
Net 2.15 FOR SETS AFTER JUNE 1963 All speed, yellow certridge. Net 3.95 Single speed 78 RPM, purple car-tridge. Met 3.95 Single speed 45, 33½, and 16½, RPM bive cartridge. Net 3.95

PHONO PICKUP WITH GE TRIPLE-PLAY CARTRIDGE

WITH DUAL SAPPHIRE NEEDLES

6.25 in lots of 6 6.95 singly You get the whole arm including a genuine G.E. RPX.050 cart-triple-pley variable reluctance RPX.050 cart-superb reproduction of microgroove ridge, for superb reproduction of microgrouve and standard records. Low arm mass reduced to a minimum. Shpg. wt. 12 os. STOCK NO. PK-19, single, ed. \$6.25 in lots of 6, eo.

142-11....

PM SPEAKER In lots of 3. ed

25 Watts of Power

GUARANTEED to be BEST BUY in 12" PM Speakers

9 oz. Alnico V Magnet

Here's an accellent fidelity, powerful 12" PM speaker that is by far the best was a seculent fidelity, powerful 12" PM speaker with the same performance buy available for any comparable speaker with the same performance capabilities. Highly recommended for replacement use or original installation in top quality radio-phono installations, Ideal for PA use, Handles 25 tion in top quality radio-phono installations, Ideal for PA use, Handles 25 tion in top quality radio-phono installations of bass or reble wasts of power without distortion or significant loss of bass or reble wasts of power without distortion or significant loss of bass or reble Alnico V magnet alone weighs 9 ounces. Precision formed aluminum base voice coil. Voices coil impedance, \$\theta\$ ohms. Perfectly aligned coil and molded voice coil. Voices coil impedance, \$\theta\$ ohms. Perfectly aligned coil and molded voice coil. Voices coil impedance, \$\theta\$ ohms. Perfectly aligned coil and molded voice coil. Voices coil impedance, \$\theta\$ ohms. Perfectly aligned coil and molded voice coil. Voices coil impedance, \$\theta\$ ohms. Perfectly aligned coil and molded voice coil. Voices coil impedance, \$\theta\$ ohms. Perfectly aligned coil and molded voice coil. Voices coil impedance, \$\theta\$ ohms. Perfectly aligned coil and molded voice coil. Voices coil impedance, \$\theta\$ ohms. Perfectly aligned coil and molded voice coil. Voices coil impedance, \$\theta\$ ounce. Precision formed aluminum base voice coil. Voices coil impedance, \$\theta\$ ounce. Precision formed aluminum base voice coil. Voices coil impedance, \$\theta\$ ounce. Precision formed aluminum base voice coil. Voices coil impedance, \$\theta\$ ounce. Procision formed aluminum base voice coil. Voices coil impedance, \$\theta\$ ounce. Procision formed aluminum base voice coil. Voices coil impedance, \$\theta\$ ounce. Procision formed aluminum base voice coil. Voices coil impedance voices voices. Procision formed aluminum base voices coil voices coil voices coil voices coil voices coil voices coil voices coi



Lots of 3

MAGNAVOX 12" SPEAKER

- Mognovox Quolity Throughout
- For Hi-Fi Rodio-Phono Installations
- e Perfect Hi-Output PA Speaker
- Improve Present AM/ FM Rodio or TV

MAGNAVOX 12" PM SPEAKER

A genuine Magnavox 12-watt speaker. Big 4.64 ox. megnet for full tone at high volume. This speaker is used in the finest radio consoles. Only Lafayette can sell them at this "better than bargain" price. 3.2 ohm voice coil. Shpg. NET 5.75



High quality, excellent for replacement in small radio sets, intercoms, etc. Yoice coil 3.2 ohms. You couldn't ask for a better speaker or a bet-ter value. Square frome. 4" PM.

SPEAKER Not S Stock No. SK-11

DELUXE PM SPEAKER



50%, targer magnet than regular duty models. Extra weight of magnet assures more efficiency and greater volume ca-pacity. Square trame. 3.2 ohm voice coil.

SK-25. Single each 1.89

Lots of 3 EACH 1.69

SPEAKER



ALNICO Y MAGNET

ALNICO V MAGNET
Men—lhis is it! At this price you
can afford to buy plently for
stock. One of the finest 2½. PM
speakers made today. Used in
most popular portable and small
radios. THe choice of servicemen
everywhere as replacement for
original equipment, Heavy Alnico
V magnet, 3.2 ohm voice coil.
And look at Lafayette's price!
Stock No. SK-9

single, ea,...1.29

ngle, ea....1.29 Lots of 3, eoch 1.15

SPEAKER

single, ea. 1.59



ALNICO V Magnet this price order some for stock. Ideal for general re-placement in AC -DC radios, amplifiers, etc. Standard round type. Voice coil 3.2 ohms, At 5" PM SPEAKER NET

Stock No. SK-12 single, on. 1,69

59

5" DELUXE PM SPEAKER



Extra heavy Alnico V magnet, 50% more magnet than requ-lar duty, models. Handles more vol-ume with less dis-tortion. Round frame. 3.2 ohm volce coil.

SK-26. Single each 1.77

Lets of 3 EACH 1.79

ALNICO V Magnet



The perfect speaker for all-around re-The perfect speaker for all-around replacement — Radios, P.A. System, Phonos and Musical Amplifiers. Alnico V magnet. 3-4 ohm voice coil.

8" PM SPEAKER Nei

Stock No. SE-14 Single, ea. 3.35



ALNICO V Magnet ALNICO V Megnet
An all-around speaker
for radios, small public
oddress systems, extension speakers, etc. Standord round type. Voice
ceil 3.2 ohms.
6" PM
SPEAKER Net

Stock No. SK-13

6" DELUXE PM SPEAKER




Perfect for small P.A. systems. 50% larger Alnico mag-net handles twice the volume of regu-lar 6" speakers. ideal all-around re-placement. Round frame, 3.2 ohm voice coll.

SK-27. Single each 2.39

Lots of 3 EACH 2.29

SP



12" PM Stock No. SK-19 single, ec. 3,95

Here's a real buy in a 12" Alnico ♥ heavy duty PM speaker for PA or ather work where you need a speaker that can take it. Excellent frequency range. 6-8 ohm votce cail.

12" PM

SPEAKES

PEAKER Stock No. SK-20 single, pg. 5 50

Tafayette Radio ALWAYS HAS

The Finest Quality unbeatable point UNIVERSAL REAR SEAT SPEAKER



these oval speakers are extremely popular, and lafayette has made them even more popu-lar by affering them to you at the lawest prices

consistent with high quality. Alnico V mag-net, 3.2 ohm vaice coil. At these prices you can afford to order some for stock.

Stock No. SX-26 single, ea. 2.09

7 39

REAR SEAT AUTO SPEAKER



HEAVY DUTY 6"x9" PM KIT

A complete kit for adding another speaker in the rear of your car. You get a 6" x 9" PM speaker with a 2.15 oz. Alnico V magnet (the same heavy duty type you find in kits selling for twice this price); a CRL PK300 three position switch so you can select either speaker alone or both together, dial plate with mounting bracket, knob and hardware; a plastic grille (illustration A) (your choice of brown, grey, or silver), wire and wiring instructions. Simple to install, Shpg. Wt. 4 lbs. 5K-36..... _Net 4.50

DELUXE 6" x 9" KIT

Same as above, but with chrome plated metal grill (illustration B) instead of plastic. Shpg. Wt. 5 lbs. Net 5.75

Auto Replacement Speaker



An unusual value in 5" field coil speakers, Ideal for auto replacements for Philco. Motorola, Automatic and other auto sets. 4 ohm 6 valt.

5" SPEAKER

Stock No. SK-21 single, ea. 802



Top quality PM speakers with Amico V magnets, Fine for con-soles, large table models, etc. SN-34-Lots of 3, ea.....

3.85 Singly, ea.

T.V. SPEAKER EXTENSION



Has 3 way switch so you can listen to T.V. set speaker alone, the extension speaker alone, or both. Volume control on extension speaker so you can control loudness at your chair. Complete with 20 ft. cable. Simple instructions for attaching. Shpg. Wt. 4 lbs.

SK-32

Designed for use with latest models as well as older cars. Four inch Alnico V PM' speaker completely enclosed in a plastic case. Aluminum voice coil for high wattage capacity and resistance to moisture, control and off positio passenger control. An hardware included.

Built-in volume lition for rear seat Ample wire and

SK-29.....NET 4.26

CHROME Speaker Grille





Deluxe chrome speaker grille in a handsome modern motif. Perfect for rear seat installation — recreation room — intercom or P.A. — test panel end equipment. Complete with flocked screen and mounting hardware.

	ML-1/, 4 X0 INSTRICTION 1.65
Stock No.	ML-695x7 installation 2.06
Stock No.	ML-16, 6"x9" installation2.37
STOCK NO	.ML-38, 8" installation



Type 1483. SP 3-position switch for

CRL

AUTO RADIO SPEAKER SWITCH





WALNUT WALL BAFFLES Beoutifully polished walnut baffle for De Luxe sound systems. Frieze grille cloth. 2.79

SB-11-- 8-inch SB-12-- 10-inch SB-13-- 12-inch



FABRICOID BAFFLES

Sturdily built of selected wood, Brown leother-ette covered, Shpg. wt. 6 lbs.

Stock No.	Speaker	H. W. D.	Each
58-14	8	81/2 x71/2 x4 1/4"	1.89
SB-15 SB-16	10	101/2×9×61/2" 14×12×81/2"	2.45 3.15
\$8-17	12"	15x14x10"	3.65

TUFFLEX INSULATION



Longer Lengths Par Ft.



1" TUFFLEX



HI-FI MULTIPLE SPEAKER BAFFLE

....NET 6.59 SR-25

2"COAXIAL SPEA

Extended ronge dual Speaker System! For FM or AM Radio, Television, Sound and Wide Range Record Phonographs.

Quick, easy, modera-izing replacement of old style single range Speakers.

12-inch Alnico V PM with I inch-voice cost and heavy one piece cone, Specially designed 3-inch Alnico V PM tweeter completes this combination speaker, range 40 to 17,000 cps. Built-in high pass filter. Installs same as regular PM speaker only two wires to connect. Impedance 8 ohm Wt. 8 lbs.



Stock No. SK-22

THE GREATEST BARGAINS

PHONO PRICES SLAS



BUILD YOUR OWN RECORD PLAYER

Mr. Serviceman—Now you can build your own record player with these economical buildyour-own kits. Each kit contains a rim drive motor with velvet finish turntable. A 5" PM
speaker with matching output transformer. A two-tube AC-DC amplifier with tone and
your control complete with tubes. 3 SPEED KIT has turnover cartridge with two
needles; single speed has single cartridge with all purpose needle.

SINGLE SPEED KIT

78 RPM

Complete kit as described above. Shpg.wt. 9 lbs. Stock No. KT-10

3 SPEED KIT

described above.
Shpg. wt. 9 lbs.
Stock No. KT-11

3-SPEED PHONO MOTOR WITH TURNTABLE

Plays 33/3, 45, and 78 RPM records. Quiet dependable operation assured by rubber shockmounted friction type motor. Speed change control permits instantaneous meshing of proper idler for desired speed. Mounting centers 4/3x 3/4. Depth below base mounting plate 2/8. For 110% 60 cycles AC. Shpg. wt. 3/2 lbs. List Price \$10.95.

Stock No. ML-13... NO. PK-50-MOUNTING BOARD for Net 1.46



SINGLE SPEED PHONO MOTOR WITH TURNTABLE

Same as above but for single speed o Stock No. ML-12...

NO. PK-43-MOUNTING BOARD for Het 1.46





Strong, durable %," gumwood, amouthly sanded and out for Garrard RC80, easy cor. V-M. Collaro, C. Thimished for easy staining. Specify for particular model changes desired. NET 1.46 MOUNTING BOARD

-SPEAKER

REPRODUCTION

SOUND-SPHERE

The New Lafayette 3-Speaker Hi-Fidelity Unit includes an 8-Watt Push-Pull Hi-Fidelity Amplifier and 3-Way Speaker System All Mounted in One Cabinet. This unit is especially designed so that it can be used in conjunction with a 45 rpm record player, 3-speed record changer or tape recorder, etc. All you have to do is plug it into your record changer and you will have a Complete Hi-Fi System.

into your record changer and you will have a Complete Hi-Fi System. Incorporates Features found only in expensive HI-Fi phonographs: 8-watt AC push-pull Amplifier. 2 Separate Output Transformers. 3 Speakers (2-6" speakers—side-mounted for Low Frequency and I-4" speaker—center-mounted for High Frequency). Baffled Acoustically for Full HI-Fi Sound. Can Be Used With Any Standard Record Player (RCA, Webster, VM, Columbia, etc., as well as any Tape Recorder, Tuner or Microphone). Its Two Jacks will take either a Crystal or Reluctance Cartridge. Can be used with any type AM-Fill Tuner. Volume Control is compensated for uniform frequency response as the control is varied. It is also tapered to avoid accidental "blasting" of sound. Tone Control knob varies the frequency range of the unit from trable to deep bass. Dual AC Outlet for other electrical appliances, such as radios, lamps, etc. Requires very little space—set It in your bookcase or on any table. It is small in size yet gives quality HI-Fi performance.

THE NEW LAFAYETTE 8-WATT HI-FI AMPLIFIER This New Lafayette Model LA-20 8-Watt AC Amplifier delivers excellent HI-Fi music reproduction at a price just right for limited budget custom installation. Narrow chassis with remote control simplifies installations where space is a limiting factor. Frequency response ± 1 db 30-18,000 cycles. Tubes used: 1-6XSGT, 2-6K6, 1-12AX7, 1-12AT7. Size: 13" W x 5½" H x 3¾" D. Shpg. Wf. 10 lbs. For 110-125 volff AC.

Model LA-20-Complete with tubes

28,95

Complete System Including SY-18 plus Collaro Record Changer SY-19 mounted on base with G.E. reluctance cartridge, Ready to Plug In.

Net 88.45

PHONO OSCILLATOR



For use with all types of phonos.
Compact, well-built unit, tuned within broadcast band.
Comwithin broadcast band.
Completely wired ready for use, pletely wired RCA type phono Supplied with RCA type phono in the second supplied with RCA type phono in the second supplied with RCA type phono in the second supplied with the second supplied in th

Phono Oscillator & Amplifiers


2-TUBE PHONO AMPLIFIER with Tubes



A two tube phono amplifier using a 50L6 and 35Z5 tube as rectifier. Well-built, good tone and volume. Contains volume control with switch. AT A BIG SAVING! PK-24—Two tube

COMPLETE WITH TUBES

AC-DC Phono Amplifier



AND DON'T FORGET LAFAYETTE'S MONEY BACK GUARANTEE

In Lots of 3 \$6.45 "Best

THESE ANTENNA PRICES! **FULL 20 ELEMENT**

TRY TO BEAT

With Matching Q Bars singly, each and High Frequency Stubs

There may be many conicals but there is still only one D-X — champion of its class. The predominating favorite of discriminating service dealers and installers over the years. Made of genuine aircraft aluminum tubing. The best all-around antenna for FRINGE AREAS. Easy to assemble. Works on all channels.

The regular list price of this antenna is \$19.30. Lafayette made a deal with one of the leading antenna manufacturers in the country — and Men, what a deal! Lafavette knocked the price down so low it defies competition. Don't delay! Stock up now. At this price they won't last long. Consists of 2 conical bays and a pair of matching Q bars and high frequency stubs, less mast.

Stock No. AN-10, singly, each......\$6.45

JeTenna . . . the conical with jet-action assembly!

- All-aluminum—remarkable rigidity!
- The best in electronic design and mechanical construction!
- Hazeltine Corporation tested and verified!


The all-aluminum Jetenne is completely pre-assembled to the smallest nut. Remarkable Jet action shoots forward six elements in special channels, locking them instantly in position. Aircraft aluminum elements are reinforced with solid aluminum dowels that will not swell or rot out. Cross arm of I" square seamless aluminum! Aluminum brackets for year after year service without rusting.

SINGLE BAY JETENNA. Delivers up to 8.8 db gain. Shpg. wt. 4 lbs.

NET \$4.81 JET-660. List \$8.19

2-BAY JETENNA. Delivers up to 12.5 db gein, Shpg. wt. 8 lbs.
JET-661. List \$17.08 NET \$10.04

Packaged completely folded and assembled. Springs Into position and locks firmly!



- Clearer pictures up
 to 125 miles or more from the station!
- Outperforms 2-bay Yagis on low band and 4-bay Yagis on high channels!
- Wind tested and weatherized!
- PREASSEMBLED FOR FAST INSTALLATION
- Newly designed electronic dipole separators!

This radar type VHF antenna is excellent for fringe area and DX receiving—high gain on all channels—2 through 13. Provides top gain on high channels where gain is most needed. Excellent impedance match on all channels, minimizes interference. Ghost problems reduced or eliminated due to excellent pattern. The antenna-can be tipped without tilting the mast to take advantage of horizontal wave lengths. Excellent front-to-back ratio—eliminates co-channel interference. Light weight, sturdy construction. Can be used with an antenna rotor. Shpg. wt. II lbs.

3rd DIPOLE KIT


Complete kit with element to add 3rd dipole to increase gain in middle frequencies.

DAVIS 3-D Kit, List 9.75.

STACKING KIT

Lafayette Special!

SNAP OPEN STACKED CONICAL



- · All Aluminum!
- 20 Elements!
- Plus Completely Preassembled!

Here is the famous "SNAP-OPEN" that sold for \$20.50! Not a nut-bolt-wing nut or thumb screw of any kind to tighten! Completely preassembled "Quick-as-a-Wink" snap open elements. Elements lock rigidly in position—ready to use in seconds. All aluminum—including cross arms—defies weather. You can't afford to pass up these "never before" prices! Two complete conical bays—with Q-bars and hi-Freq. stubs, less mast. Shpg. Wt. 8 lbs.

AN-28...

Stock No. AN-11 Singly, ea. \$2.60

....special 2.95

ANTENNA ACCESSORY In lots of



8 ELEMENT Conical



Jobbers pay more for this 8-element conical with high frequency and reflector elements. "Fast-rig" feature and rapid assembly assure quick, easy installation. Made of aircraft aluminum. Ruggedly constructed. Works on all channels. One of the highest value, low cost antennas ever offered - and look at the price! Need we say more!

ONE ANTENNA for ALLY



UHF-VHF antenna

ALL-CHANNEL **Perfect Pictures** 120-150 Miles from Station

Trom station

The patented Finco Co-Lateral Antenna is performance engineered for extreme fringe areas. Laboratory and field results prove Model 400 outperforms a two-bay Yegi on low, band and a four-bay Yegi on high channels. This gain is maintained over both complete bands, giving the advantage of "one antenna — one transmission line", plus no worry over possible channel changes or future new low or high band stations — and it's completely preassembled. Less mast, Shpg. wt. 14 lbs.

MODEL 400-A Finco TV Antenna, List 42,00

NET 24.70

FINCO 400SA

FINCO 14-S



FINCO 200 SERIES

Baby brother to the 400 series, the new 200 series antennas have the same fine quality features of construction but are only 2-bay and are designed for normal close-in and semi-fringe areas. The 200A and 200SA are identical except that the latter incorporates the "FRO-BACK" screen for areas where difficulty is experienced with adjacent and co-channel interference. Shpg. Wt. of 200A is 7 lbs, 200SA 9 lbs.

Net 12.35 FINCO 200A, List 21.00 Net 16.02 FINCO 2005A, List 27.25.

Special All-Chennel 4-Conductor Matched Impedance Transmission Line, Low-loss mice filled POLYMICALENE Insula-tion and COPPERWELD conductors.

WR-18, per foot 10c per 100 ft. 8.90

JET

7135

ONE INSTALLATION FOR WORLD'S MOST POWERFUL TY ANTENNA! MONEY SACK GUARANTEE

ALL CHANNEL'S MODEL AD2-8

- Guaranteed 10 times more powerful than stacked element Yaqis
- Receives channel 2-83 from all directions without a rotor
- Broadband UHF-VHF and FM. motoriess all direction recep-
- All aluminum flip-out assembly

The only TV entenne that instantly beems the elevision set directly to the signal with-out a rotor. This antenna brings strong sig-nals from all directions to weak signal areas instantly... with a flick of the nine posi-tion switch located near the television set. 9 antennas to select at will with the 9-position switch . . . a choice of 2 or more antenna types for EACH direction.

Model AD2-8—Two stacked, eight element antenne array. Nine position switch, Completely wired Stacking Herness, A.I.M. auto metic impedance metching coupler, Indi-vidually boxed with complete instructions. Shipping wt. 14 lbs. ... 15.75 List Price \$36.50.

The SKYLINE

all channel UHF-VHF Antenna

- . ONE LEAD-IN
- . ALL CHANNELS ALL FREQUENCIES . PRE-ASSEMBLED

625

MODEL 700

MODEL 701 CT

MODEL 100CT.

SKYLINE MODEL 700

Net 6.25 SKYLINE 100CT, List 12.50....

SKYLINE MODEL 701 CT

The Skyline Imperial with Co-Trap for the most amazing front-to-back ratiol More than 100%, average increase in relative voltage over a 2-bay model with no screen! Co-channel interference becomes a thing of the past—even in areas where "ighosts," "venetian blind effect" and signal interference from the rear are a major problem. The all aluminum-completely preassemibled imperial is designed for both primary and semi fringe areas. Full 5,000 square inch screen. Bail anced construction distributes weight evenly on your mast. Shpg. Wt. 10 lbs.

Not 16.17 SKYLINE 701CT

ET-HELIX

STACKED MODEL


Double version of the Jet-Helix for in-creased gain and performance in remote areas. Complete with stacking accesso-ries. Shpg. Wt. 13 lbs. JFD JET-9135, List 52.50 Net 30.87

ANT



Peaturing the "Q-Phaser"—
most advanced indoor antenna development. Tunes the
clearest pictures possible
without a roof top antenna.
development peatures
in the peature of the peature
in the peature of the peature
tenns for maximum signal
pickup. Besult: exceptional
biack and white contrast and
detail. Full length ehrome
plated dipoles adjust for best
picture on any VHF or UHF
crant of the peature of the p

ALL CHANNEL **DELTA BEAM**



Combines principles of Helix cell, folded dipole, straight dipole and Delta match transformer. 6-position switch matches line impedance and resonates antenna to match receiver input circuit. Circura all channels 2-83. Half ball wilvel on clear plastic base to beam antenna in best direction. Mounted on rubber. Shpg. Wt. 4 1bs. List 9-95. DELTA BEAM Automan... Net 4.90

VIDONAIR UNF/VHF INDOOR ANTENNA



Unexcelled performance because of Vidonalr's original power concentration principle. The only antenna to use power coupier carridges. These cartridges enable you to concentrate power over the entire low VHF band. Peak reception is maintained in all channels it to 83 at all times. The power coupier carridges can be compared to the tuning strips in a TV set. Superb TV reception in black and white and color over the entire range of TV channels. Functional design—maximum durability—unexcelled performance.

VIDONAIR-List 12.95.....Net 5.75

Directronic

PORTABLE

ANTENNA

3D

Newest Indoor antennal Features the famous Synder Directronic 6-position Beam Selector Switchi Gives the clearest picture on every channel—instantly—no walting! Covers all channels from 2 to 831 New criss-cross phasing element gives high variety of circuit arrangements. Aids in impedence matching, ghost elimination and orientation. Two 3-section gold tone brass shafts, Brass plated phasing bar. Shpg. wt. 2½ lbs.

SNYDER

PUSH BUTTON-DIRECTRONIC

INDOOR T.V. ANTENNA

- VHF/UHF
- AM/FM
 Black and White and Color

Latest development in all channel coverage, this antenna features an this antenna features an 8 position push-button beam selector, tri-section dipoles and dual phasing element. These combine to give a variety of circuit arrangements enabling selection of best reception for the channel being tuned. Attractive gold tone elements and switch housing. Shpg. Wt. 5 lbs.

Snyder SD-List 12.95

Net 6.50 Lots of 3, each 5.95

in lots of 3,



SPICO SUPER 6

FUHF-YHF-FM-COLOR

. CALIBRATED TUNING



SPICO SUPER 8 Net 5.85



Tricraft

INDOOR ANTENNA




Covers all channels 2-83

Tops in appearance and performance. Signal gain never before achieved on indoor antenna. Pre-cise directional characteristics reject noise and ghosts. Two foned mahogany leatherefit cover blends well in any setting. Performance is not a guess—but an established fact—years of highly satisfactory performance verified by enthusiantic consumer reports. We guerantee to rafund your money within-7 deys If this antenne does not greatly outperform any other indoor antenne is your home. Shpg. wt. 5 lbs.

Medail 600, List \$14.95—Your Cost

CONICAL WINDOW ANTENNA



Ideal for locations where roof antenma are prohibited. 4 full-sized conical elementa, plus 2 high frequency dipoles, deliver powerful all-channel performance. Install simply and swiftly by placing ends of base against window frame and tightening wing nuts. Easily adjustable base apans up to 44 inches to the same window from the same window frames. Do by the same window frames. Do by the same property of the same property of the same property of the same less aluminum elements. Do by match to 72, 150 or 300 ohm lead-in. Adjustable in all directions for maximum signal pick-up. Shpg. wt. 3 lbs. List \$12,35.

AN-22 NET 4,50 AN-23—Ext. Bar for 5' wind 1.18 AN 24—Ext. Bar for 6' wind 1,47

SNYDER 3D. List 7.95 ___NET

(MB)(5)

UHF Antennas




ULTRA-BRIDGE

3.29

For 40-mile reception of channels 14 thru 83. Gain (over ½ wavelength folded reference dipole) averages 8-12 db. across the UHF succirum. Delivers the power needed for brilliant reception in reflector-riddled frings areas. Notice its anti-vibration braced reflector design which offers a ".5 db. front-to-back ratio. Neatly and compactly pre-assembled. Filips open like a book for instant installations. Cadmium plated against corroston. Shpg. Wu. 3 hs.

UHF-600 BOW-FLECTOR



Featuring the unique JFD "custom-calibrator" bracket for peaking desired UHF channels.



PARA-BOW

4.82



Channels 14-83

ECONOMY UHF CORNER REFLECTOR



A factory pre-assembled efficient corner reflector at an economy price, Factory preassembled for fast, easy dual U volt installation. All welded heavy duty reflector screens. Diamond embossed aluminum elements. Covers all UHF channels 14-83. Shpg. Wt. 3½ lbs.Net 2.59



JFD DOUBLE DRIVE UHF TWIN CORNER REFLECTOR

Designed for supersensitive deep fringe per-formance. Features twin angled multi-grid re-flectors to trap 100% of the signal and bounce it back into the curred in-line bow-tie dipoles. The bounce is the state of the signal and bounce in the state of the signal and bounce it back into the current of the signal and the signal in the sig

6.85



INCORPORATES THE FINEST FEATURES TO BE FOUND IN ANY UHF CONVERTER AVAILABLE TODAY.

6AF4 or 6T4 and IN82 crystal diode **ASTATIC UHF CONVERTER**

Way below manufacturers cost, 20 to 1 vernier ratio spiral inductance tuner! Will operate into TV receiver channels 2, 3, 4, 5 and 6.

- IN82 silicon diode provides low noise performance.
- Two stage preselector provides:

 a. Excellent image reflection.

 b. Excellent interference rejection. c. Low oscillator radiation.
- Shielded tuner to reduce oscillator

ASTATIC MODEL UHF -in lots of 3 each

Improved low drift oscillator circuit using either 6T4 or 6AF4 tubes.

- Convenient switching to permit normal VHF operation when converter is in "Off" position.
- No mechanical or electrical adjust-ments required when installing.
- Input and output impedances are
- Attractive metal cabinet finished in dark brown hammerlin with gold dark trim,
- Can be used with any low noise VHF booster, for added gain.

13.95 14.45

Singly each

STANDARD TV

MODEL TB-3 PHILCO BOOSTER Complete with Tubes



Lafayette does it again! We couldn't pass up a fabulous deal offered us by one of the big jobbers! They wanted to soil for cash—Lafayette put it on the line and our customers can obtain a brand new PHILCO BOOSTER, Model TB-3, in original factory sealed cartons with a monay back guarantee! Lists at \$39.50—yours for only 12.50 ea. . . in lots of 3, ea. 11.50.

The Philo Television Boster Model TB-3 is a high-quality, push-pull, wide-band radio-frequency amplifier, designed to amplify r-f signals in the television bands. This unit employs two 636 tubes as r-f amplifiers, uses a solenium rectifier in a self-contained power supply, and has provisions for controlling the power to the television receiver automatically. It is designed for use with a 300-ohm line, and can be switched into or our of the antenna circuit by means of a switch on the front of the unit. The booster is switched out of the circuit when the switch is in the ST-BY (stand-by) position or OFF position, and can be tuned to television channels 2 through 6 when the switch is in the LOW position, and to channels 7 through 13 when the switch is in the HI (high) position.

MODEL TB-3-Shpg. wt. 5 lbs......singly, ea. 12.50 In lots of 3, ea....



Lets of 3

BOOSTER

STANDARD TV BOOSTER

STANDARD IV BOOSIER
Handsomely designed top-flight television tuner features continuous one knob tuning, printed circuits, iron core transformer output and single tube operation. Offers high gain on all channels, low noise factor. Four-purpose switch with fine tuning control for sharper picture or sound reception. Fully shielded, for 300 ohm operation. Housed in attractively styled brown plastic cabinet, 8x4½x4½ high. For 117 V., 60 cycle operation. List \$34.95.

STANDARD ROOSTER-

Single, ea. 7.45 Lots of 3, ea. 6.95

32.50 Reg. Price



9.45 ... 9.95 ea in lots of 3.

UHF CONVERTER

SUPER SONIC TV BOOSTER

Again Lafayette is out front with a hot booster deall. The Super Sonic booster has a list price of \$32.50. Lafayette made a deal with the manufacturer for a large quantity at a real price, and as a result we are now able to make a special offer to you of \$9.95. Get yours now, as at this price they won't last long. Higt. 51/2" x 71/2" x 5". Shpg. wt. 3 lbs., 9 cz.

MALLORY 188 CONCEALED UHF CONVERTER

A UHF converter that fits Inside your cabinet—completely hidden except for easy to use selector dial and switch. Installed in a few minutes with no internal changes in set. Gives same top quality performance, trouble-free reception on all UHF channels without sacrifice of any VHF channels as the Mailory 88 cabinet model. Low Radiotion prevents interference. Shop. Wt. 5 lbs.

Mallory 188 22.01

UHF-YHF TV SIGNAL BOOSTER

Increases video and sound output over 20%. Consists of complete IF stage which easily plugs into any receiver inside the cabinet, thus eliminating external switches and connections. Has advantages of broad band boosters but without separate tuning for each channel. Ideal for poor signal areas.

2.95 less tube

CHANNEL MASTER SINGLE CHANNEL T.V. BOOSTER

For areas that have a problem with one particular TV channel, these units are ideal. Cascode type circuit with 68Q7 tube and selenium rectifier gives exceptionally high gain (12x or 22 db on low band, 81/2x or 18.6db on high band). Extremely low noise figure of 4.5 db on low and 6.5 db on high, Uses high Q double tuned transformers specially wound for the specific channel. Undoubtedly the finest single channel boosters made. Simple installation. Booster plugs into wall, set plugs into booster. Completely self powered. Has connections for 300 and 72 ohm line, by-pass switch to cut booster out of circuit and thermal-relay that turns booster on with T.V. set. Attractive gray metal case. Hinges to mount on back of set if desired. Size 4½" W x 5½" H x 2½" D. Shpg. Wt. 5 lbs. Available only for channels 3, 9, 10, 11, 12, or 13.

CHANNEL MASTER BOOSTER—
SPECIFY CHANNEL.

MALLORY "88"

The Mallory "88"

UHF converter expands
the receiving capability of
any conventional V HF
television set to include
reception of all UHF stations located within the
signal range and without
lass of a single VHF
continuous tuning, this UHF converter insures a compatible belance of inductance and
capacitance over the entire tuning spectrum
from 4470 to 890 MO with a single control
The amooth and easy operation of the
"88" converter is the result of many years of
Mallory research in the field of variable inductance tuning devices. Maroon plastic cabmet. "8" "14" "24". "85". Shop, w. 4 lbs. Complete with tubes. For 110-120 volt 50-60
receives.

MALLORY "88" UHF CONVERTER.

NET 22.01

..... NET 22.01



THE RADIO RECEPTOR UHF CAVITUNER -- FRONT END

Complete with 6AF4, 6BZ7 tubes and IN82 Diode

LAFAYETTE EXCLUSIVE Ideal for UHF tuning
 Build your own UHF Converter
 Build a Test oscillator

• Ideal for UHF tuning • Build your own UHF Converter • Build a Test oscillator Here's a UHF front end that covers the entire UHF spectrums 470.890 mc channels 14.82 with the most advanced engineering features. The Cavituner consists of three cavities, two functioning as a band pass pre-selector, the third controlling the local oscillator frequency. The local oscillator, a Colpitts type, tunes below the signal frequency for double superheterodyne or converter applications. Cavity tuning is universally recognized as the finest. Its features includes no moving electrical contacts, frequency stability, uniformly broad bandwidth and high selectivity over entire tuning range, low noise, high gain and completely shielded construction. The double-tuned preselector has an image ratio better than 50 db, an IF (80mc) rejection greater than 85 db, with an insertion loss of approximately 2 db at 890 mc. Cavituner preselector coupling is primarily magnetic and capacitance feed-thru is negligible. Mixing takes place in a low noise diode, with an IF appearing at VHF channels 5-6. It's an ideal unit for anyone experimenting with UHF frequencies, for building a UHF converter (it was the heart of the expensive Radio Recepter converter) for building UHF oscillators, as a tuner or basic front end. Supplied complete with 6AF4, 6827 and IN82. These three parts alone are worth the price. Size overall 3½" H x 4½"W x 4½"D. Drum extends ½" over top. Shpg. Wt. 4½ bs.

Singly, each...... 4.95

WESTINGHOUSE UHF 'MATCHBOX" CONVERTERS

- . WITH 6AF4 TUBE AND IN82 DIODE
- . 5 UNITS COVER ALL CHANNELS

For LESS than the price of the TUBEI Designed to plug into many Westinghouse 41mc TV sets, the matchbox converter consists of 2 lumped-constant preselection circuits, a 6AF4 local oscillator, INS2 crystal mixer, and tuned output, 5 units cover all channels 14-82. Each unit marked for channel at which it is peaked, but may be varied by tuning wheel to cover ranges listed below. Tuning wheel operates tiny variable condenser, Power supplied by set. In metal can 3"x1½" x 11/4" (to base of tube). Complete with 6AF4 tube and tube saleld. Shpg. Wt. 1/2 lb.

TS-196—covers channels 14-29
TS-197—covers channels 28-43
TS-198—covers channels 43-58
TS-198—covers channels 53-73
TS-192—covers channels 53-73
TS-192—covers channels 53-73

WESTINGHOUSE H803 ALL CHANNEL

UHF TV TUNER

Complete with 6J6 and INB2 Diode

and iN82 Diode

The Westinghouse All Channel
UHF TV Tuner covers all UHF
channels 14-82. Contains an
oscillator and mixer circuit,
converts the UHF signal to IF
frequency of TV set (center IF
44mc) to feed into a VHF tuner
where desired to make a combined VHF-UHF set. Bracket
and dial scale supplied to fit thousands of Westinghouse sets for a custom installation,
but tuner litself may be used for general UHF applications, the basis of a UHF converter, etc. Individually boxed with complete installation, service notes and technical data.

TL-27.

In lots of 3. each 4.45

TL-27



The Standard Cascode

tops'em all

IN LOTS OF 3

Lafayette is out front with this red hot STANDARO COIL CASCODE TUNER deal! Lafayette made a buy we paid cash and you get the TUNER deal! Lafayette made a buy we paid cash is 14.95 ea. 14.95 ea. 14.95 ea. 14.95 ea. 14.95 ea. 14.25. Servicemen, now is the time to stack up and a save!

save!

Exed in over 5 million TV sets and chassis, this TV tuner is a marriel of precision engineering and craftenenship. Uses a dual-Triode Care of precision engineering and reaftenenship. Uses a dual-Triode Care of precision engineering and reaftenenship. Uses a dual-Triode Care Coli Cascodo Care and dual-triode mixer-osciliator. This Standard 25:13 pilk frequency Covers all cast calling for 13, and uses easily interchangead meantenance are quick and simple. Standard Cleaning and maintenance are quick and simple. Special control of property of the control of the contr

Stock No. TL-11-Shop. wt. 4 lbs......singly, ea. 14.95

TYPE

XM-752

SOUND

TAKE-OFF

COIL



thousands now in use in many chassis including the Sylvania STU and Szeries. Has 7" long concentric shafts. Excellent gain, noise factor, image and LE systems. Complete with ARCS and Avg. series. Plas / long concentric shalls. Excellent gain, noise factor, image and I.F. rejection. For 40 mc IF systems. Complete with 6BC5 and 6x8 tubes and shields. Shpg. Wt. 4 lbs. Worth 3 times the price!

5.95

MALLORY INDUCTUNERS



LIMITED



VHF INDUCTUNER

3 Gang Mallory inducturer for VHF and FM. Provides noise free, continuous funing in TV and FM receivers and boosters. State of 216 Mc. Eliminates need for semblies. Suitable for constructing VHF. IV Tuner or booster. FM tuner or booster. 4 % in X 2 X 2 ½ over all. Shpg. TL-22 TL-22..... Net 1.95

UHF INDUCTUNER

UHF INDUCTUNEN

A fine Mallory 3 gang UHF Inductuner.
Tunes 470 to 890 Mc. Three section inductuner assures accurate, noise free tuning. Complete shielding between sections.
Basic unit for tuner-converter—booster.
Original list price of \$15.00. All brand new and guaranteed. Shpg. wt. 2 lbs.
TL-20. Net 1.95

AND DON'T FORGET LAFAYETTE'S MONEY BACK GUARANTEE

EVALUES IN TOTOWERS—MOUNTS—MASTS—W ALPRODECO ALUMINUM TOWERS This tower will carry a vertically stotic load of 300 lbs. of 120 ft. in a 100 m.p.h. wind. Spring tempered air. Corrosion—Oroof ANTENNA ACCESSION— ACCESSION

For "life-time", "one-time", worry-free installations—Latay-ette suggests STAINLESS STEEL and ALUMINUM. These accessories will not rust or corrode. Will not deteriorate, weaken and break. Will not rust, streak and stain clapboard and shingles. Quality, permanency and protection at Latay-ette's famous low prices.



AMAZING

RMS-BM-25
VALUE! CAST ALUMINUM
BASE MOUNT
Rugged cast base mount supplied in two
sizes to accommodate all commonly used
masts. Swivel-type mast connection permits swinging up mast after it is assembled
to the base and guying accessories are installed. Base mounts to all surfaces but is
particularly ideal as a flat mounting. Takes
all masts up to 2½". Shpg. Wt. 3 lbs. List
33.63.

TS-92-Lots of 6, ea..... Singly, ea.

NO RUST BARGAIN MOUNT


The Ideal chimney mount for life-long satisfactory service under the most severe conditions. Hot dip galvanized steel "Y" mount, Two 12 ft, steinless steel steps and steinless steel seels. And at Lafayette's bargain prices. Shpg. wt. 4 lbs.

TS-90. Ea. 2,08......Lots of 3, ea. 1.88



79c

89c





ASTATIC UHF


Heavy gauge aluminum. Carriage bolts throughout. Full thread hex head lag screws. Masts just "snap-in" for easy handling. Tripod TS-156

...Per Pair 1 62

ALUMINUM MAST

10-foot durable aluminum mast. 18 gauge—heavy wall—high tensile strength. Rust and corrosion proof, TL-17. Ed. 2.59

ALUMINUM GUY WIRE Rust-proof—specially tem-pered—7/18 gauge stranded wires—high tensile alumi-num alloy. Breaking strength 500 tbs.





STAND-OFF INSULATORS

Aluminum 31/2" Screw Eye Standoff. TI-24. Ea. 4cLots of 10, ea. 31/2C Stainless Steel 31/2" Adjustable Standoff.

SPECIAL



UHF-VHF TUBULAR TWIN LEAD

> 300 OHM AIRSPACED

Tubular lead with copperweld conductors. WR-46, per 100 ft. 2.95



...Lots of 10, ea. 81/26

1-TWISTUBE 300 OHM LINE

A remarkable, new UHF-VHF tubular twin lead. 20 gauge conductors are transposed around a pure polyethylene 5 point star shaped core and coverad with a polyethylene tube. This spiral winding automatically reduces interference pickup. Low loss, stable, all weather construction.

WR-19-Per 100 ft. 5.50 Per ft. 6c 2-FENTUBE-AIRSPACED LEAD-IN

2-FENTUBE-AIRSPACED LEAD-IN
Now, at last, a VHF-UHF oval 300 ohm
twin lead with really nothing between conductors to interfere with their concentrated
field of energy. The 20 gauge conductors
are supported by helical polyethylene
cords firmly fused to the inner wall of the
covering polyethylene tube. Nowhere is
there direct contact between the conductors and shield, thus reducing delectric
losses to the vanishing point.
W8-20.—Per 100 ft. 5.75 Per ft. 166 WR-20-Per 100 ft. 5.75 Per ft. 16c

ALPRODCO ALUMINUM TOWERS
This tower will carry a vertically
static load of 300 lbs. at 120 ft. in a
100 m.p.h. wind. Spring tempered aircraft aluminum for the greatest strength
and least weight. Actually weighs only
1 fb. per foot! Constructed with aluminum aircraft rivets. Built-in steps for
climbing. 6-foot sections for ease of
assembly. Permits installation of antennas to 120 feet. Requires guying
every 30 feet.
NO. T-6W. 6-Foot Standard Tower
Section. Shipped 2/3 assembled. With
special impact rivets to complete
assembly.

assembly.

1-6W. NET 7.74

NO. MK-1W. Most Kit. Consists of 3 top trim angles and 2 sets of most clamps for attaching most to tower. MK-1W. NET 1.55

NO. B-1W. Hinged Base. steel base for use on vertical, horizontal or sloping surface.

B-1W. NET 1.70

B-1 W. NET 1.70 NO. GB-1. Guy Bracket. For attaching guy wires to tower. 3 needed per guy station. GB-1.

....NET 7,10

NEW "SKY-LOK" MAST

- e interleck Sections—won't pull out!

 Hot Dip Zinc Galvanized—inside and out!

 Husty thumb beits lock section automatically at at any weight!

 Bell shaped bettems and surled tep interleck
- gly. npletely pressembled—simply add matched
- y rings.

 Smplete with all suy rings, clamps and hard-tre necessary for installation.

Meavy Duty 18 Gauge .067 Wall
TM 12-20 Base Sec. 10 ft. 1½" O.D.
Top Sec. 10 ft. 1½" O.D. 6.14 Base Sec. 10 ft. 1%" O.D. Cent. Sec. 10 ft. 1%" O.D. Top Sec. 10 ft. 1%" O.D. 9.55

TM 12345-50 (50 (t.)

Top Sec. 10 ft. 1½" 0.D.
Base Sec. 10 ft. 1½" 0.D.
Cent. Sec. 10 ft. 1½" 0.D.
Cent. Sec. 10 ft. 1½" 0.D.
Top Sec. 10 ft. 1½" 0.D
Base Sec. 10 ft. 2½" 0.D.
Cent. Sec. 10 ft. 2½" 0.D.
Cent. Sec. 10 ft. 2½" 0.D.
Cent. Sec. 10 ft. 1½" 0.D.
Top Sec. 10 ft. 1½" 0.D.

ALL ANGLE BASE and ROOF MOUNT

ZUB2'4. All Angle Hase and thost Mount. Most popular swivel base mount in use today. Works on any surface—that, slant, peak or wall. Heavy gause weathernvoofed steel. Takes any mast up to 24" O.D. Complete with hardware. T8-27. List 3.05 ... NET 1.79



5 & 10 FT. MASTS

New corrosion-resistant 5 ft. steel mast made to fit all antennas. One end is tapered with specially designed "Jam Fit" construction with locking key, so 2 masts fit into each other, 11/4" O.D.

TL-14. 16 gauge heavy duty 10 ft. mast. Gal-vanized and chemically treated against all corresion2.59

AMPHENOL

300 300 OHM TWIN LEAD

Amphenol 14-056 represents the latest design in 1F transmission line. Frordes proper match of antenna to all standard 3 0 ohm input FM and talevision receivers. 300 ohm recommended by RMA for use with television receivers in broad band operation. For use indoors or outdoors. Low-loss matching the implation is efficient, tough and withstands server weather conditions. AMPHENOL 14-056 Per 100 ft. 1.88

AMPHENOL LOW-LOSS HF COAXIAL CABLE

Dielectric is a solid, flexible low-loss polyethylene, proven most efficient in high frequency transmission circuita; mechanically stable. All have a copper, woren shield braid over the polyethylene and a heary visual outer copper, which there cables are impervious to acids, alkalis, oils and assolin. Other conductor types available.

Amphenol No.	Туро	Ohms Imped.	Ft.	Wire Size	Per FL	100 Ft.
21-004 21-007 21-038 21-024 21-025	RG/8U RG/11U RG/22U RG/58U RG/58U	52 75 95 53.5 73	29 20 16 28 22	7x21 7x26 No. 20 No. 20 No. 22	131/20 130 161/20 80	12.84 12.00 15.54 6.87

• COPPER CONDUCTORS

. POLYETHYLENE INSULATION High quality, low-loss lead-in for all TV and FM installations. Polyethylene di-electric—standard copper leads. Stock No. WR-25-100 ft..... 500 ft

HEAVY DUTY 300-OHM LINE

1,000 ft.

Mr. 250 1024 83 Extra high quality. Heavier gauge wire and thicker insulation. WR-26 Per Pt. 31/2C

NEW UHF/VHF 300 OHM



Lowest possible line loss — perfect impedance match. May be used interchangeably with tubular or 300 ohm flat without mismatching! Attenuation averages only 1.9 db over entire OIHF band. No. 18 copperved wire — pure polyethylene separators spaced at 4½". Spaced only ½" between conductors — may be used with standard stand-off insulators.

.......... 100 ft. 2.60 PER 250 FT. COIL 4.45

> Amphenol UHF-VHF Twin Line

9.95

Type 14-27t. 300-ohm air-spaced tubular cable. Low loss on long lead-ips. Shpg. wt., 3 lbs.

3.76

DOUBLE BARREL 300 OHM LINE



FEDERAL



"SILVERLINE" TV1182

Heavy duty 300 ohm lead-in. Insulated with "silver" polyethylene. This new Federal de-velopment prorides, unchanging electrical and physical characteristics and remarkable dura-bility. Blends with home color schemes and assures long, trouble-free service. WR-23. 30 per ft.100 ft. 2.50

Boldon



Belden UHF-VHF Twin Line

Type 8235. Low-loss 300-ohm line for UHF or VHF TV antennas. Resists oxidation and sun; made with 100% virgin polyethylene web. 20 zauge (7228) stranded Weldohm wire; copper with steel core for maximum strength. Shps. wt., 100 ft., 2½ lbs.

BELDEN TWIN LEAD



For TV and FM antennas. Low-loss polyethylene insulation. One lead tinned, one bare. Stranded #20 (7x 28). Per Ft. 30

"Weldohm" copper coated steel wire. Poly-ethylene insulation. Almost twice as strong as plain copper. Perfect for long runs. Stranded No. 20 (7 x 28).

Per Ft. 30

2.16

PAGE 20

PRICES IN THIS CATALOG ARE SUBJECT TO CHANGE WITHOUT NOTICE PAGE 20 PRICES IN THIS CATALOG ARE SUBSECT TO STATE ST

HERE YOU ARE, SERVICEMEN! THESE SPECIALS ON TV ACCESSORIES

TV TUBE BRITENER

In lots of 10

singly, . 89c


 For magnetic tubes and
 PARALLEL CIRCUITS • Renews brightness.

Stock No. MS-12

UNIVERSAL

YOKE EXTENSION HARNESS Used in conjunction with

installing this handy inexpensive tube rejuvenator. Yau ntrast simply attach two plugs as





1.80 ea. In Lots of 6 Singly 1.98

the TV field! Absolutely no tools or soldering needed for tubes. Operates on all types—magnetic installing this handy inexpen-or electrostatic—and in all circuits—

arallel or	seri	es.				
5-170-In	lots	of	6	 each	1.8	(
Sir	vlpr	****		 each	1.9	8

CHIMNEY MOUNTS

Can be erected in minutes; without special tools or drilling. "Adjustable, two-section design permits unlimited spacing between brackets for maximum support of masts ½" to 1½" O.D. Complete with two 12-ft. lengths of ½" galvanized steel bands and hardware.

WHEELER SOUND-POWERED PHONE

Ideal for TV Installation



Requires no battery or line voltage. A whisper can operate this self-powered, self-contained telephone. Excellent speech fidelity. Unsurpassed for use in erecting TV antennas. Ideal for bome or office room inter-communication. Effective or of stating with 10, 10 twisted wire. 12 units can be connected in parallel. Usable with single wire and ground return. Attractive black, moided phenoiic handset. Complete, ready-to-operate. With 35 ft. 2-conductor cable, test clips and rubber insulators. Less extension wire. Shop. wt. 1½ lbs. List \$13.75. plete, ready-to-operate, whin of the extension wire, Supe. See extension wire, Supe. See 9.62 List \$13.75.
List \$13.75.
MI.21 — WHEELER SPT-102 HANDSET. Per Phone. NET 9.62



HORIZONTAL REFRAMERS



STOCK No. TS-61, Model 8

00

STAINLESS STEEL STRAP KIT

Replacement kit. Consists of 2 12-ft. stainless steel straps, stainless steel seals, triangular eyebolts, lockwashers, hexnuts. Puts an end to rust and corrosion.

STOCK No. TS-53, lots of 3, ea. 1.34
Singly, ea. 1.49

CHIMNEY and WALL MOUNTS

Stock No. TS-43.

adjustable mounting brackets to fit any chimney. Can be installed without tools in 5 to 10 minutes. Over 30,000 pounds tensile strength. Complete tools in the total state of the state of the

This wall mount holds poles from 1" to 1%" in diameter, and provides a 6-inch clearance between the mast and the wall. Heavily plated steel construction. The wall mount is supplied complete with all necessary instructions and the hardware required to mount it. Shipping weight 8



UNIVERSAL TV & CRT EXTENSION CORD

Permits testing of picture tube outside of chassis. Fits any duodecal based tube. 5 color coded leads. 40" long, Male and female bakelite sections.

remale bakelite sections with full socker and 6 leads for TS-138.....

Used in conjunction with the the harness and the anode harness to facilitate servicine, Frovides extension from yoke and coll Assembly to chausis. For any make or model using octal plug and sockets as extension.

7.-137. Net 1.32

Six-lead yoke extension for Philos sets. Use with interchassis extension listed below. TS-139.... NET 1.32

TS-139..... Ven-lead interchassis coupling NET 1 74

PHILCO TYPE HARNESS





TV SECOND ANODE CONNECTOR



ROOF MOUNT



PEAK

THE PARTY OF THE P

-4111111111<u>-</u>



98c

MOUNTING ACCESSORIES

DEFLECTION AND INTERCHASSIS EXTENSIONS





For quick easy servicing these extension harnesses are custom designed for popular sets.

MAKE	TYPE	& YEAR	NO.	NET
Emerson	Deflection Ext.	120162A.		
	200000000000000000000000000000000000000	120129B-D	TS-137	1.32
Emerson	Def. Single Lead	120162A.		
		• 120129D	TS-162	.35
Emerson	Deflection Ext.	120195D°	TS-165	.88
Dumont	Deflection Ext.	RA104, 105,		
		106, 108,		
		164, 165,		
		166, 171,		
		306, 307	TS-137	1.32
Dumont	Tuner Conn.	109, 130	TS-137	1.32
Dumont	Hi-Volt To Chassis	RA104, 110	TS-167	.94
Dumont	Hi-Volt To Chassis	R;A105, 106,		
_		108	TS-168	1.18
Dumont	Deflection Ext.	RA109, 113,	TS-169	1.32
DE H.	Stranders Date	130, 133 1949-1954	TS-164	.79
Philes Philes	Speaker Ext. AGC Pulse Con	Entire 90	19-104	.19
Pulled	AGC PEISE CON.	series	TS-163	.64
Philes	Deflection Ext.	1949-50-51	TS-137	1.32
Philes	Deflection Ext.	1952-53-54	TS-139	1.32
Phileo	Interchassis Ext.	1951-52	TS-137	1.32
Philico	Interchassis Ext.	1952-53-54	TS-140	1.76
Sylvania		187	TS-163	.64
Sylvania	Deflection Ext.	187	TS-166	.88
*For sing	le lead extensions for	chassis 120198D	use two Ti	5-162


18" WALL MOUNT

Stock No. TS-82.

Singly, Each....

Lots of 3, Each......

Completely constructed of steel, using extra heavy gauge steel tubing which will not bind. Protected against corrosion by the ALCOTE finish. Special "sure grip" U-bolts. Holds mast up to 1½" O.D. Tripod leg for one section. TS-88...Each 2.94 Lots of 3, Each..... 2.69



ROOF MOUNT

*Drop Lock Feature

This improved model carries the new drop-lock feature enabling mount to be "walked up" to the vertical position, where it drops and locks securely. Made of heavy-sauce steel and embossed at all_critical points, this fixure accommodates musts measuring to 1½" O.D. Assembled.



UNIVERSAL EBY TV TESTING KIT



Makes possible testing sets with picture tube electrically connected in circuit, but removed from chassis. Reduces danger of contact with high voltage terminals and tube breakage. Consists of anode-extension harness, yoke extension harness, tube socket extension harness and sturdy plastic carrying case. CRT EXTENSION is for both ELECTROSTATIC and MAGNET tubes. NET 3.53

HARNESS EXTENSION KITS







Similar to above but designed specifically for popular brand sets. Average Shpg, Wt. 1 lb.

PHILCO SERVICE KIT

Complete kit of harnesses to service any Philos TV set from 1949 to 1954. Contains 4 harnesses for deflection, interchassis and anode extensions.

DUMONT SERVICE KIT

Contains 4 harnesses for high voltage to chassis, tuner and deflection extensions.

EMERSON SERVICE KIT

Contains 5 units for deflection and anode extensions. Covers most models, TS-174 Net 3.00

fayette's PARADE of REMOTE VOLUME



AUTO TOP CARRIER

Ideal for cerrying that extra load of equipment. 48" long, all steel construction with 1\footnote{w} D shaped heavy duty cross bar tub-ling, drawn steel supports, self leveling rubber suction cups, and first first steel supports. Full width a first steel supports. Full width adjustment from \$\tilde{w}\$ to \$\tilde{w}\$. Zinc plated supports. Quickly installed. Shpz. Wt. 10 lbs.Per Pair 6.40

Similar to above but 42" long, formed steel supports, and 1"

JFD NEW PAL* INSULATOR STANDOFF

*Pivot - Action - Lock—The Serviceman's Best Friend!

vot - Action - Lock—The Serviceman's Best Friend!

e Clearer reception—keeps sensitive energy field away from metal standoff!

e Pre-assembled—hinge keeps insulator on standoff even when wide open!

e Cam type letch—locks in operating position!

e Universal insert—takes all types leadin!

it's a snapl No more threading line through—no more it's a snapl No more threading standard into place. That's it!

WOOD SCREW STANDOFF
Made of Husby No. 8 Wire
Made of Husby No. 8 Wire
37 3346" .055 sa. 10 for .50
26 7346" .06 sa. 10 for .63
27 7146" .07 sa. 10 for .63
27 1246" .13 ca. 10 for 1.17

CLIP ON STANDOFF

The Fastest, Surest Mast Standoff 29 1%" Mast .09 ea. 10 for .81


HOT NAIL STANDOFF

Bites into Any Masonry Or Wood Material Ti-30 3\%" .15 ea. 10 for 1.35

"NUT" STRAP-TYPE STANDOFF

Any Mast—6 Full Machined T 3½" .45 cs. 10 3½" .16 cs. 10 7½" .16 cs. 10 1½" .30 cs. 10 With Stainless-Steel Strap .185 ea. .19 ea. .22 ea. .33 ea.







Faster — Smoother — Better than ever! Redesigned and restyled provide the most in efficiency, durability, and decorator stylind Rotation speed has been boosted to a fully and decorator stylind from station to show Mosted to a fully meaning the form station to show Mosted for Stations of the Stationary of Stations of the Stationary of Stations of Stations of Stationary of Statio

NEW UNIVERSAL STANDOFF INSULATORS

Latest polyethriene insert will accommodate twin-lead, open line, hollow tubular lines, round lines, oral lines, double barrel lines, etc.



SCREW-EYE STANDOFF

First choice for fast secure anchoring T1:10-312"...3c ea. 10 for 25 T1:11-37"...5c ea. 10 for T1:12-73"...6c ea. 10 for T1:12-73"...6c ea. 10 for the T1:12



ADJUSTABLE STRAP-TYPE STANDOFF

Fits any size must



DRIVE-IN STANDOFF

Made of galvanized steel
T1-20-31/2"...5c ea. 10 for 456





Control the Volume of your T.V. or Radio from your chair.

or Rodio from your choir.

Not an on-off switch, but a rheostat control that enables you to set the level of volume to your own taste. Contevel of volume to your own taste. Context you have the season of the control cancenact your set the speaker is always than your set the speaker is always in the circuit—you just adjust the your level. Complete with 20 ft. cable and instructions. Shpg. Wt. 1 ib. and instructions. Shpg. Wt. 1 ib. met 4.38.

WALL GRIPS

· Hollow Wall Screw Anchors

A quick positive wall anchor. Ribbed wings for positive stop. Reliefs at "Kneed" allow expansion with less screedriver torque. No marring of walls. 2½" long. %" body. %" sleeve. With 10-24 strey.

TS-207-Net..... Lots of 10..... 95c

ADAPTERS STANDOFF



Lower half slips under shingle, fastened with ordinary roofing nails, and upper half bent to any angle. Holds up to 3 standin sulators, Assures leak-proof insulators,

TS-176—Pkg. of 10..... Per 100..... 4.90

AMPHENOL UNIVERSAL ARRESTOR





ARRESTORS



Especially designed for the protection of TV and FM revithout cutting or stripping. Easily mounted on any mast or pipe from 16" to 2" diameter. TYPE 214X1.

Approved by Underwitters Laboratories for outdoor as well as indoor installations. No special tools are needed for direct mounting on wood. Weatherproof and non-corrossive. Will not affect line impedance. Easily installed on cement of the impedance. Easily installed to the corrossive.



RCA UHF LIGHTNING ARRESTER

ATHE SIER

A UHF lightning arrester
that won't kill the signal.
Thoroughly field tested in
salt air, rain, and weak
signal area. Works on
ALL UHF channels. Has
algalis effect on standmeligible effect on standmeligible effect on standclow, low in or strap on,
23441-Serva Yune.

234A1 -Screw Type NET 90¢

235A1 -Strap Type NET 82







GAP-SHUNT TYPE

TWIN LEAD LIGHTNING ARRESTOR

Highly efficient, U/L approved. Requires no lead stripping. Size 17/8" x " x 3/4". Shpg. Wt. 6 oz.

Singly, ea.SO¢



4-WIRE ARRESTER
Model RW204. Chisel point contact eliminates stripping; thehening wing nut completes installation. Low-loss polystyrene case. Also usable with standard TV-bbon. Shpg. wt 1 lb.
T5-59, Singly, ea. 88c, loft of 6, ea.79C

JFD "LITTLE GIANT" TWIN LEAD



HO "LITTLE GIANT" TWIN LEAD
LIGHTNING ARRESTER
For Regular or Oval Jumbo
Trin Lead. Deservations Laboratories Approximate Laboratories approximate laboratories approximate stripping or apreading of line cosmary. Small size permits early counting anywhere—inside or outside. Complete with evound log and screws for wall round log and screws for wall round log and screws for pall call high dielectric window will mounting. Special high dielectric window will mounting. Special high dielectric window will mounting. Special high dielectric window will mount any struction does not vary line impedance. Insures maximum signal transfer.

75-58, Singley, eq. 73c. lots of a mounting of the control of

TS-58, Singly, ea. 73c, lats of 6, ea. 66C



UHF-VHF

JFD AT103 LIGHTNING ARRESTOR

AT103. For tubular and oval Jumbo twin-lead, Underwriters Laboratories Approved. Waterproof porcelain with 4" aluminum ground wire and stainless steel strap. Stock Na. TS-27, List \$2.25NET 1.32



JFD 3-JN-1

LIGHTNING ARRESTOR UHF/YHF

3 ways better! Special compensating coils for maximum signal transmission—exclusive strain-relief lips—mounts on mast, wall or window sill. Discharges antenna and lead-in status. Nickel-plated brass hardware never carrodes. ATI105 has stailless steel strap. T5-16—ATI10 —for wall or

window sill....

TS-17-AT110S-for pipe mounting NET 1.03

DON'T MISS THESE TY ACCESSORIES!

ACME TYPE T8394M ARIABLE VOLTAGE ADJUSTER



JFD TV VOLTAGE REGULATORS



Maintain steadier TV pictures by keeping 110V AO or DO line voltage constant.

Block No.	JFO Type No.	Watte	Each
T8-115 T8-116	94-4 94-5	200 250	1.47
TS-117 T8-118	93-7 93-8	300 .	1.76
19.118	99-9	875	1.75



PERMA POWER TV VOLTAGE REGULATOR

Engineered to Insure maximum performance of any TV set. Retains full helght and width when low line voltage distorts picture. Reduces tube failures—increases set sensitivity. Handles full 300 watts—up 10 volts or down 10 volts. Turns on or off with set or appliance. 10 second installation.



SOLA VOLTAGE REGULATOR

Completely automatic operation: sto switches —no manual adjustments—no danger of voltage surge. Ends flicter, jitters and distortion due to line fluctuations and overload. The "Tele Volt" will stabilize fluctuations of 30% or more, constantly delivering the required voltage to your TV receiver. No installation problem—just plug linto a regular outlet. Output 300 watts 115/120V AC. Ships. wt. 26 lbs.

HI-PO 567

"B" Plus Boester
Replaces 5U46 in TV receiver for
more height, width and gein. Adds
20-30 volts to low voltage power
supply. Gives full size picture where
supply size structure where
there is low line voltage or weak
tubes. Extra power for coverted
sets. Extra gain for fringe areas.
TS-143. NET 1.49





Low Price

Placed on top of TV cabinet the #700 Lite Clock provides proper amount of background light for televiewing. Ac-curate, rotating numeral type clock. Walnut finish plastic case. For 110V 60 cycle AC only. Size, 5x57kx37k.". Shpg. Wt. 21/2 lbs.

Stock No. ML-11, Incl. excise tax 8.14



PICTURE TUBE TEST POINT ADAPTER

Ideal for taking measurements of voltage, resistance and video from the base of the picture tube. Just in-sert between CR tube base and socket. All connections readily accessible. Saves time and increases servicing efficiency.

MS-43.....NET 94c

HYTRON TEST-POINT ADAPTERS

Wish you could fest a chassis topside? Without first pulling and wreatling with the heavy chassis? Without disturbing wiring and parts by digging underneath for buried sockets? How much faster, easier, safer you could work! New CeStlytron Test Adapter does the trick. Just replace a tube with the Test Adapter. Presto, all socket connections ere topside . within lastant reach of your fest prod. Just in lastant reach of your fest prod. Just Adapter. Get yours today!



tock No. MS-23 MS-24 MS-25		5H-28		Description For 7 Pin Min. Tube For 8 Pin Octet Tub For 9 Pin Min. Tube		Tubes Tubes	05 2 25	
	_	RCA	240A	1 TV	SET	COU	PI F	



Operate two or more sets from a single antenna. Easy to Install—self-contained wood screw. There's no need to cut or splice the lead because connections are automatically made when the screw caps are tightened. Installation is a matter of minutes.

.NET 1.15



TWO COUPLER

Operate two sets from one antenna. Two-stage transformer produces highly efficient inductive coupling. Campact construction, can be installed behind set. Only 2" x 2" x 1½". No dummy load needed for single set operation.

MS-18, Model AM-62, eo......

In lots of 3.... 1.89 eo.



VIDAIRE TWO SET COUPLER

Uses one antenna for two sets. Compact electronic set coupler assures per-formance of two TV sets on one installation. Easy to connect. Nothing to MS-33..... NET 1.15

TV LINE VOLTAGE REGULATOR

A protective unit designed to prevent live voltage surges from damaging TV or radio receivers. Will reduce surges as high as 140 volts down to 110 volts. Prevents blown fuses, burned out tubes, etc. Plugs into service outlet and provides outlet for receiver. CLAROSTAT TVA



200-300 Watts...NET 1.47 CLAROSTAT TVB.

300-375 Watts...NET 1.76



MS-85

OCTAL TEST ADAPTER

Test Adapter does the trick, Just replace a tube with the Test Adapter. Plug Tube Into Test Adapter. Presto, all socket connections are topside. — within instant reach of your test prod. Just one joh pass for this Test Adapter. For 8 Pin Octal Tubes.



ADAPT-TEST SET

Brings All Socket Voltages Out Into Open 6.35 No more reaching into inaccessable places. The Adapt-Test is a servicement's dream. Consists of 20° cable with adapter socket at one end and sets of the consists of 20° cable with adapter socket at one end and sets of the other end. Test points clearly numbered. Complete set of 3 for all octal, 7 pin and 9 pin ministure. Shops. Wt. 1¼ lbs. TS-209—Set of 3.....

TUBE TESTER

CRT ADAPTER

CRT ADAPTER
Convert any tube tester into a CRT tester.
No need to remove
tube from cabinet.
Tests eny picture tube
for shorts, emission.
48" lead. Shpg. Wt.
I ib.

TS 158

RETRACE ERASER

Designed To Eliminate
Retrace Lines

Elimination of annoying retrace lines that interfere with TV reception is accompilated by the RETRACE ERABER. This plug-in electronic network permits the set owner to turn up the brightness and contrast controls and enjoy optimum TV reception without the interference of annoying lines. The RETRACE ERABER is easily installed by plugging it into the back of the cashode ray tube and connecting one lead to the yoke. The installation can be done in less than two minutes. Grid Type
For sets where rideo signal is fed into Grid Circuit of CRT.

CRT. TS 119.....

TS 119. Net 2.00

Cothode Type

For acts where video signal is fed into cathode circuit of CBT.

TS 167. Net 2.00



TS 159 TS 160 TS 161 AC10 AC20 AC30

VHF(2-6) and VHF(7-13) 2.06 VHF(2-13) and UHF(14-83) 2.20 VHF(2-6)-VHF(7-13) and UHF(14-83) 2.65

JFD VHF SET COUPLERS



Makes one antenna operate for 2 or more sets. Each unit has a built-in lightning, across the control of the con

T8-114-JFD TC41-72. For 4 set coupling; 72 ohm 7.61

MOSLEY "ORIENTOR"

FOR PASS.—Accurate—One Man Orientation.
Orients any UMF or VHF untenna. Eliminates need for instruction of telepiones.
Isolation network sermitions or telepiones.
Isolation network sermitions or telepiones.
Isolation network sermition or telepiones.
In the need of the telepiones.
In the need of the telepiones.
Isolation needed.
Complete with set of leads, less meter.
Yet.168
NET 7.35

NEW! HI-POGST8 DOUBLE TRIODE REPLACES 6SN7GT

★ BIGGER PICTURE * MORE VIDEO GAIN * MORE STABILITY

Makes picture bigger, more stable and increases gain in TV sets. Replaces 65N7GT. Used as vertical osc., it increases height; as discharge tube to drive horiz, amplifier, it increases width; as video output tube, it increases video gain; as sync-separator or frequency control amplifier, it impresses video gain; as sync-separator or frequency control amplifier, it improves stability and lock in characteristics. Has longer life and retains output efficiency longer than standard 65N7GT. HI-PO6578

CREST TV BAR GENERATOR



AR GENERATOR
Provides actual bar
patterns on TV
screen, On-the-spot
linearity adjustments. Can be used
when no stations are
on the air. Produces
horizontal or vertical bars. Self-powered unit. Plugs Into
the CR tube socket.
"Tan-second" installation. Adjustable
number of vertical
and horizontal bars.
"Yest pocket" size
to stow in your tool
box.

NET 10.95

WINDOW FEED-THRU . NO DRILLING



At last a feed-thru that passes your TV signal without drilling, breaking or digging and without signal loss. Just use achesive supplied to attach units one to each side of window pane and attach your wires. Quick, easy and effective.

Shpg Wt. 6 oz.

TS 155 per set

SERVICEMEN: ** TV REPLACEMENT PARTS

HORIZONTAL BAR GENERATOR



Provides Horizontal Lines On Any
T.V. Set—
Quick—Accurate Alignment

Quick—Accurate Alignment Generates a series of equelly spaced horizontal lines to Indicate picture line-arity. Simplifies precise setting of yoke. Makes possible accurate positioning of focus coil or magnet. Quick adjustment of vertical linearity, height and center-ing. No bulky, expensive equipment neaded. Plugs onto picture tube. Com-pletely self-contained.

TS. 120

GENERAL ELECTRIC TV COMPONENTS HORIZONTAL OUTPUT TRANSFORMERS



RTO-085—Ferrite core, with tertiary winding. Filament winding for 1X2. Tapped secondary for connecting width control. For use with 66-70 degree tubes as 14CP4, 19AP4 and 24AP4. Maximum high voltage 15 KV; nominal 12-13 KV. Shpg. Wt. 1 lb. Net.....

RTO-092 For general replacement use in TV sets employing kick-back high voltage systems. Long leads eliminate aplicing. Electrically exact replacement for many

Shpg. Wt. 1 lb. Net.....

G.E. WIDTH AND LINEARITY CONTROLS



Width/Linear Linearity Width Linearity

Wide-range, variable-inductance coils to provide convenient con-trol of picture width or linearity. Ferrite core with screwdriver ad-justment. For .415" mounting hole diameter.

Ronge (Approx.)	Net Eoch
4-27Mh 1.3-11.5 Mh 6.5-40 Mh	76c
	(Approx.) 4-27Mh



Replaces fliement resistor in over 70 General Electric sets. Kit of 2 resistors and instructions.

...NET EA. 1.44



2 MEG, 2 WATT 1% H.F. RESISTOR Popular replacement in H.F. circuit of almost all TV sets.

NET EA. 35c TS-145....

6000 VOLT TV BY-PASS CONDENSERS



Top Brand Make Quantity Limited!

CP-621, 101-6000V single, eq. 150 CP-622, .005-6000V, single, ea. 15c, in lots of 10, ea. 1.25

GEE-LAR TY KNOBS



A popular series of TV knobs to fit receivers us-ing dual controls and tuners by Standard Coit, Sarkes-Tarzian, RCA and others.

Front Dual Control Knob (Fig. A). Plated gold finish inlay. Used with rear knob 1205 and others. I-5/16" O.D. 1202—Fits 1/4" knurl shaft 1203—Fits 1/4" flatted shaft NET FA. 26c 1204-Fits .202" flatted shaft NET EA. 29c

Combination Dual Knob (Fig. C). Dummy type control knob. For matching on cabinet, 1%" O.D. Fits 1/4" flatted shaft. ...NET EA. 44c


Dual Tuner Bar Knob (Fig. D). Front knob for controls and tuners. 2" length. Use with 1208. Fits 1/4" flatted shaft. NET EA. 53c 1207...


Dual Tuner Reor Knob (Fig. E). Rear knob for controls and tuners. 1-5/32" O.D. Fits 1/8" rear flatted shaft. 1208... NET FA. 16c

Channel Indicator Plate (Fig. F). Gold numbers, walnut finish, Matches knobs listed above. Fits 1/6" diameter rear flatted shaft.

NET EA. 440

SERVICEMAN'S





30 000 VOLTS

500 MMF TV CERAMICS

STOCK NO. 500 MMF C-600 20 K.V

49c ea, in lats of 5 I and singly ea. 56c tapped

STOCK NO. 500 MMF C-605 69c ends threaded ea. in lots of 5 singly ea. 79c

8 and 12 WATT TV OUTPUTS QUANTITIES LIMITED



6K6 OUTPUT watts. Primary 9000 ohms. Secondary 3.2 ms. Mtg. Centers 2½". Shpg. Wt. ½ lb. TR-43.....

watts. Primary 3500 ohms. Secondary 3.2 ohms. Mtg. Centers 21/6" hpg. Wt. 1/2 lb.

12 WATT OUTPUT 12 watts. Primary 6500 ohms. Sacondary 3.2 ohms. Mtg. Centers 212. Shpg. Wt. I ib.



PHILCO 6V6 OUTPUT

Philop part 32-8315-2. Matches 6V6 tube. Mounting centers 2". Shpg. Wt. 1/2 lb. Quantity limited.

Lots of 3, each 45c Singly, each 49c



PHILCO 6.3 Volt 10 Amp. FILAMENT **TRANSFORMER**

A heavy duty shielded filament transformer. Primary 1174, 60 cycle. Secondary 6.3V-10 amp. Philoo part 32-8538-1. Shpg. Wt. 5 lbs. Quantity limited.

Lots of 3, each 1.79 TR-56 1.95 Singly, each...

ISOLATION TRANSFORMER



Isolation transformer 6.3 to 6.3 volts. Use for damper tube and picture tube circuits in T.V. sets, or in ham and experimental work to iso-late a filament from rest of circuitry. Shop. Wt. 1/2 lbs. Quantity limited.

Lots of 3, each 69c TR-57 Singly, each.....

4 WATT wire wound FOCUS CONTROL



Replacement for majority of TV sets 4 watt 1500 ohm with knurled

Lots of 5, ea., 69c 2 watt focus control Rated 2 watt 1500 ohm, S.D. 36"

VC-13 each, 19c Lots of 5, ea., 15c



Front section 75,000 ohios, rear 1 meg tapixed at 250,000. Shaft lengths from hushing 2-1/16 and 1%.

VC-14. Lots of 5, ea. 49e Singly, ea. 59e

Front section 3500 ohms, rear section 1 meg. Shaft fengths from husblug 1% and 145/16.

Front section 1500 ohms, rear 1 meg tapped at 250,000. Shaft lengths from bushing 1% and 1%.



VERTICAL OUTPUT **XFRS**

Exact duplicate transformers usable in thousands of sets in addition to the ones listed. Average shpg, wt. 2 lbs.

Stock No.	Turns Ratio	Original Mfrs Part	Mounting Centers
TR-34	7.3:1	Magnavox 320060	2-13/16
TR-35	8,5:1	Emerson 738066	3-1/8
TR-36	10;1	Capehart 7503548-1	3-1/8
TR-37	10:1	CBS-Col PCIOIIS-6	2-13/16
TR-38	18:1*	Arvin C24990-1	3-1/8
TR-39	44,4:1*	Hallicrafters 55C192C	2-13/16
* auto	Your c	ost-lots of 5 assorted	89c
		singly each	99c



VERTICAL BLOCKING OSCILLATOR XFRS

Exact duplicate Hallicrafters part 558109C. Turns ratio 1:3,33. Mtg. Centers 1¼". Shpg. Wt. ½ lb.



6K6 OUTPUT

Output transformer to match 6K6GT tube, strap type mounting. Shpg. Wt. 8 oz. Quantity limited.

TR-55 Lots of 3, each 39c Singly, each..... 45c

DUO-DECAL TV SOCKET

Laminated Duo-Decal Talevi-sion Socket with plastic cover for complete insulation Pins Nos. 1, 2, 10, 11 and 12 wired for quick Installation For use with standard Cathode Ray

Stock No. MS-19, Each _____25.



NION TRAP MAGNETS FIXED TYPES

Single magnet, 45 gauss. Replaces most single units Lots of 6, each 19c Singly, each.....

Double magnet. Universal replacement for thousands of TS-125

.....Net 59c

NEW! VARIABLE ION TRAP

Singly, ea.

BARKHAUSEN OSCILLATION

Remove those vertical black barr (Barkhausen Oscillation) from your TV secreen with this Perfection B.O. Eliminator. Simply slip the 3-10. Eliminator over the horizontal severy output tube and adjust like an ion tean made

TY FILAMENT CHOKE



FILAMENT CHOKES

Replacement for thousands of strays, hum, and sound bars, isolating filaments, etc.

Pkg. of 5, 39¢ TS144

DETENT SWITCH CONTROLS



Replacement detents complete with locating plate, except where specified. For use in Emerson, De Wald, Fada, Garod, Techmaster, and many other sets originally sup-plied with the RCA 201E1 from end tuner.

LESS Locator Plate	Each	WITH Plate	Each	Replaces
TS-132 TS-130 TS-131	1.18 .89 .89	TS-136 TS-133 TS-134	2.44 1.65 1.85	Admiral 76B14 RCA 71463 RCA 72743
D44000000000		TS-135	2.79	RCA 73440

TALK ABOUT YOKES

COSINE YOKES Stock up on this assortment of popular yokes at give-away prices! Most popular replacements for hundreds of thousands of sets. Quantities limited.

70° DIRECT DRIVE REPLACES RCA 74952

Most popular replacement yoke, New est Cosine type. Used in RCA, Emer son, Motorola, Capehart and other sets with direct drive system. Exact replacement for RCA 74952, Stancor DY-10, Merit MD-30, Chicago JY4, Ram Y10F30/S. With leads and net work, Shpg. Wi. 1 lb.

70°-8/50 MH

Cosine yoke with horizontal inductance of 8.5 MH and vertical inductance of 50 MH. Replaces Stancor DY-BA Merit MDF-72, Ram Y70F08, or Chicago TY-2, Complete with leads and network. Shpg. Wt. 1 lb.

...Lots of 3, ea. 2.25 TS.181 Singly, ea...

70°-30/50 MH

2.45 Singly, ea....

70°-10/50 MH

Cosine yoke with horizontal inductance of 10 MH and vertical inductance of 50 MH. Replaces Stancor DY2A, Merit MDF-70, Ram Y70F10 or Chicago TY5. Complete with leads and network. Shpg Wt. 1 lb.

TS-190-	Lots of	12,	ea	1.69
	Lots of	6,	ed	1.75
	Singly,	ea.		2.15

70° DUMONT YOKE
Dumont Part Y2A3, 70° cosine yoke with horizontal inductance of 10MH and vertical inductance of 50MH. Will replace yokes rated 8/50. Less heads and network. Shpg. Wt. 1 lb. TS-191-Lots of 6, ea. 1.59 1.75

53°-8/50 MH

Singly, ea..

Popular replacement for thousands of 10 and 12 inch sets. Horizontal inductance 8 MH, vertical inductance 50 MH. Replaces Stancor DYIA, Ram Y70108, or Chicago TY-I. Complete with leads and network. Shpg. Wt. 1 lb. TS-184

COPPER SHIELDED TV POWER XFRS QUANTITIES LIMITED HUSKY BRUTES AT HALF PRICE

PHILCO POWER XFR

Plate voltage 632 V.C.T. at 310 mil, rectifier 5 volts at 6 amp, Fil #1-6.7 volts at 10 amp, Fil #2-6.4 volt at 1.6 amp. Exact replacement Philco part 32-8556. Shpg. Wt. 18

TR-47

TELETONE POWER XFR

Plate voltage 600 V.C.T. at 200 mil, rectifier 5 volt at 3 amp. Fil #1—6.3 volt at 8 amp, Fil #2—6.3 volt at 3 amp. Exact replacement Telestone part ITR-193D. Shpg. Wt. 11 lbs.

TR-50



GENERAL ELECTRIC POWER XFR

Plate voltage 534 V.C.T. at 320 mils, rectifier 5 volts at 6 amp, Filament 12.6 V.C.T. at 5 amp. (use for two 6.3 volt 5 amp). Exact replacement G.E part KI29J27 Shpg. Wt. 14 lbs. TR-48...

CAPEHART POWER XFR

Plate voltage 600 V.C.T. at 310 mil. rectifier 5 volt at 6 amp, Fil #1—6.3 volts at 7 amp, Fil #2—6.3 volts at 4.5 amp. Exact Capehart 750395B-3. Shpg. Wt. 13 lbs. TR-49

5.95




PM FOCUS COIL With Nylon Focusing rod and centering device

Here's a real value in a powerful PM focus coil. Has flexible nylon focusing shaft and built in lever operated centering device. Triangular 3 hole mounting plate. Will replace majority of P.M. focus coils. Quantity limited. Shpg. Wt. 4 lbs.

TS-202.

Lots of 3, each 1.75 Singly, each..... 1.98

DUMONT FLYBACKS H/L



These genuine Dumont parts will replace not only the original Dumont flybacks, but can be used in thousand-ot other sets. Shpg. Wt. 2 lbs.

DUMONT NO. 20004061 (Fig. A)
Used in Model RA106, Delivers 12-14KV. Original circuit
used 6BG6G, 5V3G and 2-1BGGT as a roltage doubler.

DUMONT NO. 20004361 (Fig. A)

Used in Model RA108. Delivers 10-12KV. Original voltage doubler circuit used same tubes as above.

TS-186. Lots of 3, ea. 1.75
Singly, ea..., 1.98

DUMONT NO. 20006261 (Fig. B)

Used in Model RA117. Delivers 10-12KV. Original circuit used 6B(4), IX2 and 6W4.

DUMONT NO. 20003751 (Fig. A)

Used in Model RA103C. Delivers 8-10KV. Original circuit used 6BG6G, 5V4G and 1B3GT.

Used distance, 5 very and 1250.

Lots of 3, ea. 1.50 Singly, ea... 1.69

PHILCO FLYBACK



Philico part 32-8509 (also replaces 32-8462). Used in thousands of Philico sets using 6CD6, 68YS, 183GT and IX2A in voltage doubles circuit to deliver 15 K.V. Shpg. Wt. 2 lbs.

TS-200	Net.	ea	2.45
	Lots	of 3. ea.	2.25



BENDIX FLYBACK

 Delivers 16 K.V.

Bendix part NH-26075-I used in sets with 6CD6G and 183GT to deliver 16 K.V. Quantity Ilmited. Shpg. Wt. 2 lbs.

TS-201_Net 1.95

14 KV FLYBACK

EXACT REPLACEMENT
FOR ADMIRAL SETS

Exact duplicate of Admiral part
79C36-1 used in Chassis 20T1 and
20VI. Delivers 14KV in typical
14" circuits employing 680/66T,
183GT and 6W4GT. Shpg. Wt.
2 lbs.

TS-210-Lots of 3, each...... 1.75

OHM **FOCUS**

470

Focus coil 470 ohm, 140 mil replaces RCA 202D2, Stancor FCII etc. 4½" dla. x 1½", 3 mounting brackets. Quantity limited. Shpg. Wt. 4 lbs.

TS-204.....Lots of 3, ea. 89c Singly, ea.....

90° FLYBACK AND YOKE KIT



. CONVERT TO A LARGER SET

Here's a handy package to convert small size sets to use the the new 90° tubes of any size up to 27". For sets employing 68G6 (or 68Q6), 183GT and 6W4 or similar tubes. With complete instructions. Shpg. wt. 5 lbs.

TS-194 Net 8.25

90° Yokes

Yoke only for replacement purposes. Shpg. wt. 2 lbs.

TS-195 Net 5.75



2.25

lots of 3, ea. singly each 2.50

MAGNAVOX FLYBACK

Delivers 19-20 KV

MAGNAVOX Part No. D360552-1A used in model CT-358, and 107 series and similar sets with 90° picture tubes in circuits using the typical 6CD6, 183GT and a pair of 6AX4 tubes, Has built in width control. Replaces RAM X093. Shpg. wt. 2 lbs.

TS-193 lots of 3, ea. net 2.25


singly each 2.50

PAGE 25

TV CHOKES: QUANTITIES LIMITED STOCK UP WHILE THEY LAST



BEAT LAFAY CANT



WITH TWO 5U4 SOCKETS (AI)

Original Sylvania part 141-0021. Has two 5U4G sockets on top. Plate voltage 630 V. c.t. at 220 mils with tap at 290V c.t. at 124 mils. Fil #1-6.3V at 2 1 amps, Fil #2-5V at 3 amps, Fol #2-5V at 3 amps, Fol #3 supp. Fil #3-5V at 3 amps, Fol #1-6.3V at 1.518-1, -5, -6. Also general replacement for thousands of other sets. Shpg. Wt. 15 lbs.

WITH 5U4 SOCKET (A2)

Has one 5U4 socket on top. Plate voltage 650V c.t. at 250 mils, rectifier 5V at 3 amps, Fil. #1—6.3V at 9 amps, Fil. #2—6.3V at 1.2 amps, Fil. #3—6.3V at 9. amps, 5 volt winding and high voltage terminate at socket. This hard to get type replacement was used in thousands of TV sets. Shpg. Wt. 14 lbs.

TR-59—Lots of 3, each.....

ADMIRAL REPLACEMENT (A3)

Exact replacement for Admiral part 80C25-1. Plate voltage #1-730V c.t. at 200 mils, plate voltage #2-215V at 65 mils, rectifier 5V at 3 amps. Fil, #1-6.3V at 10 amps. Fil, #2-6.3V at 2.5 amps. A highly usable transformer for general replacement. Shpg. Wt. 15 lbs.

TR-60-Lots of 3, each..... Singly, each.....

FILAMENT **TRANSFORMERS**

QUANTITIES LIMITED

12.6V C.T.

110 volt primary. Delivers 12.6 V ct at 7 amps. Usable for 6 volt and 12 volt tubes. Upright shielded case with copper-banded laminations. 3½" H x 2½" W x 3½" D. Mounting centers 2½" x 2½". Shpg. Wt. 6 lbs.

Singly, each

DUAL 6.3V

Primary 110V. Has one 6.3V 11 amp winding isolated from primary and one 6.3V 1 amp tapped from primary side. Used in many TV and amplifier circuits. Shielded upright case with copper-banded laminations. 3½ "H x 2½" W x 3¾ "D. Mg. Centers 2" x 2½". Shpg. Wt. 5½ lbs.

1.89 Singly, each.....



90° FLYBACK AND YOKE TERRIFIC **VALUE**

MS-105

FAMOUS ALARM

-TIMER SWITCH

SLEEP SWITCH

BUZZ ALARM

· AUTOMATICALLY TURNS ON RADIOS, ETC.

We've done it again. We bought up the overstock of an equipment manufacturer to bring you this automatic 4-button timer at a giveaway price. Turns on radios, TV sets, toasters, etc. at any preset time within 12 hour period. Built-In SPST switch handles up to 15 amp 115 volts. Has sleep switch so you can go to sleep to music—it will automatically shut off radio at preset time up to 90 minutes. And it also tells time.

Shpq. Wt. 1½ lbs.

...Net 5.70

90° YOKE

Original Sylvania part 51-79079-1. Used in 24" and 27" TV sets. Complete with leads and network. Shpg. Wt. 3 lbs.

2.50 75-212-Lots of 3. each...... Singly, each..

2.95 TV

90º FLYBACK

For use with 24" and 27" picture tubes in sets employing 68G6G or (68Q6), IB3GT and 6W4GT or similar tubes. Shpg. Wt. 3 lbs.

4.25 TS-213-Lots of 3, each..... 4.50 Singly, each



VERTICAL **OUTPUTS** QUANTITY LIMITED

10:1 RATIO

FOR 90° SETS Crosley part C1559-66-1-1 used in 24" and 27" sets in circuits from 6S4 to 90° yoke. Exact replacement for thou-10:1 Ratio vertical output. Exact re-placement for part 79B20 in Admiral models 20A1, 20B1, 21A1 chassis 4J1, 4K1, in circuit from 6K6 to 8/50 yoke. and 27" sets in circuits from 6S4 to 90° yoke. Exact replacement for thousands of Crosley series 411, 412, 414 and 416 chassis. Ratio 15:2:1. Shpg. Wt. 2 lbs. Excellent general replacement. Shpg.

TR-64-Lots of 3, each..... Singly, each..... 98c



CHOKES

240 MIL

Rated 1.2 HY at 240 mil. DC resistance 28 ohms, Shpg. Wt. 11/2 lbs. TR-67-Lots of 3, each..... 49c Singly, each....

180 MIL

Singly, each



Excellent general replacement for 12" sets. Exact replacement for Admiral part 79C28-1 used in 20Yl and 20Zl chassis. Delivers 10KV in circuits using 68G6G, 1X2 and 6W4GT tubes. Shpg. Wt. 3 lbs.

1.50 TS-211-Lots of 3, each.... Singly, each ... 1.69



PP 6V6 OUTPUT

39 C ea. in lots of 3

singly, 45c
Strap mount standard 5 lead PP 6V6
output 3.2 ohm secondary, Good quality general replacement, Ships. Wt. 1 ib.

TR-63-Lots of 3, each...... 85c

Singly, each...



PP 6V6 OUTPUT SPLIT PRIMARY

Dual purpose. Use as standard push-pull 6V6 output by coupling the split windings; or for excellent response with elimination of phase inverter circuit, use all 6 leads, 3.2 ohm secondary. Shpg. Wt. 1 lb.

TR-65-Lots of 3, each...... 39c Singly, each.....



WESTERN **ELECTRIC** GERMANIUM

TYPE 1N22

Reg. 5.00. Great value for experimen-.ea. 19c SP-83 10 for 1.75



6 ft. ivory zip cord with molded standard AC plug at one end, and an on-off push switch bridged across one side of line 4 inches from other end. A million uses. Shpg. Wt. ½ lb.

SP-81-Lots of 6, each..... Singly, each FERRITE LOOPSTICK

Hi Q antenna loopsticks for general replacements. Wound on iron cores. Inductance approx. 358 microhenries. Solder-lug terminals. Shpg. Wt. 5 oz. GIANT SIZE 6%" long x 5/16".

Standard Size 3%" long x 5/16".

SP-80-Lots of 5, each.....

RECORD

CHANGER



OIL FILLED CONDENSERS TOP BRANDS!

4 MFD 600Y DC

Oil filled alum. can. Threaded neck. Height overall &". Diam. 1%. Wt. 1 lb. C-707....

.5 MFD 4000V DC Oil filled metal can. Size 5" H x 2" W x 1" D. Shpg. Wt. 1 lb. C-708..... I MFD 400V DC

Oil filled metal can. Size 2¼" H x 1¼" W x %" D. Shpg. Wt. 2 oz. C-709—Lots of 5, each.........12c

AC COND.

TRIPLE SECTION 2.5 mfd, 2.5 mfd and 5 mfd all at 600 wvdc. Metal can size 5¾" H x 3¾" W x 1½" D. Removable brackets, Shpg. Wt. 2¾ lbs. C-711.....

9 WHIP SECTION ANTENNA

EXTENDS TO 82" CLOSES TO 14"

Mere is a U. 5. government an tenna for mobile use with great versatility. May be used on 2, 6, 10 or 11 meters. Mast is removable so you can base so you can base load the antenna for 20, 40 and 75 meters. Solid meters. Solid brass construction. Used originally for bumper mounting with removable base clamp. So constructed that 6 of the whips can be used to make a a beam antenna. U. S. Government Type AN-75D, Shpg. Wt. 4 lbs. SP-92-lote. SP-82-Lots

of 3, ea... 1.79 Singly,



DIODE

MOTOR Shaded 2-pole fan-cooled motor with rubber rimmed idler wheel. Operates on 110-120V 60 cycles AC. Shpg. Wt. 3½ lbs.

SP-R9



Jafayette Radio NEW YORK 13, 100 Sixth Ave. BOSTON 10, 110 Federal St. NEWARK 2, 24 Central Ave. PLAINFIELD, 139 W. Second St. BRONX 58, 542 E. Fordham Rd.

LOW WHOLESALE PRICE

SYLVANIA SEE-WELL TOOL KIT



7.50 VALUE FOR

This famous Sylvania tool kit is yours now while they last—at a fraction of their value. Contains a high-powered government tested and approved flashlight with a stainless steel case and specially designed head to hold any of the other interchangeable tools. Fits tools snugly, no slipping, no turning. The flat head screw driver and the Phillips screw driver are both made of tempered steel solidly imbedded in Lucite. Both are magnetic so you won't lose the screw and can pick up small parts that drop. The alignment tool has a non-conductive nylon tip for fine alignment adjusting in lucite body. All 3 lucite bodies are designed to transmit the light from the flashlight handle so you can see your work. All 4 pieces are in a styrene plastic case. Each piece approximately 5%" long. Shpg. Wt, 2 lbs.

SP-76

TELECHRON



SQUARE TELECHRON TIMER SWITCH

A genuine Telectron mechanism.
Complete 24 hour movement. Can
be set to turn-on radio or other
similar electrical appliance at
any preset time. Gold finish face
plate with hours and quarter
hours marked. Mechanism only,
no mounting hardware, knobs or
clock bezel. Size 3½" square.
Shpg. Wt. 3 lbs. MS-97

...Net 2.95

ROUND **TELECHRON** TIMER SWITCH

Genuine Telechron mechanism. Complete 24 hour movement. Can be set to turn on radio or other similar electrical appliance at any preset time. Dark face plate with white markings on hour and quarter hour. Mechanism only, no mounting hardware, knobs or clock bezel. Diameter 3½". Shop. Wt. 3 lbs.

MS-101.

Net 2.95

PL-55 PATCH CORD



36" length very heavy flexible live rubber cable with a PL-55 standard phone plug at each end, Shpg. Wt. 1/2 lb.

WESTON METER



O-5 AMP RF

QUANTITY LIMITED

2 Inch square, 0-5 amp RF meter with built-in thermo-couple. Shpg. Wt.

SP-75.



GERMAN ARMY KNIFES

FIRST TIME AT UNDER 8.00

The famous knife of the Cerman Army! Made in Solingen, West Germany, of super fine steel. Holds edge sharp emough to shave with! Finest hunting, fishing, and all 'round sporting AlD made! Includes a 2½" saber type blade, 1½" utility blade, standard screw driver, Phillips screw driver, 3" compound toothed saw blade, reamer-punch-awl blade, can opener, and bottle opener. Withstands the roughest treatment, Fine Solingen Steel essures years of dependable service. Shop. Wt. 1 lb.



Identical to the model F-61 but has added feature of a pair of fine quality scissors. Shpg. Wt. I lb.

F-121

AM TUNING MECHANISM A SLUG TUNED ANTENNA, RF AND OSCILLATOR FOR SET BUILDERS

QUANTITY LIMITED

Made to order for the experimenter and set builder. Perfect base for building a broadcast set. Contains antenna, RF and oscillator coils, each tuned by a vernier controlled stug which slides in and out. All three are coupled to vernier drive shaft which rotates 5 full revolutions to cover the broadcast band. Size 1½" W x 1½" H x 2" D. Shaft has split end, and extends 1½". Shapg. Wt. 1 ib.

Singly, each

79c

Lots of 3 each 69c





Mew Bress Bound Army Type! · Requires No Committeated Calculations!

Indispensable to fame owner-students-engineers-gardiners—plumbers musons. Fits in the pain of your hand and sighted like a tilescope. Enables user to quickly and accurately project a level line of sight. Replaces expensive surveying equipment for laying out gardens—fures—paths of dains—dichee—piers roads—etc. No sluppe and accurate, anyone can use it. Nicely studied in baked on enamel—brass baund. Directions included with each instrument.



Bundle of twenty-four pieces. Made of strong, cambric tub-ing. Supplied in assorted di-ameters and colors.

MS-46-Per Bundle.

T.V. COIL KIT

10 PIECES

Kit of 10 assorted TV colls. Contains both can types I.F.'s width colls, etc. Shpg. Wt. 1 lb. 95c

GIANT KIT

As above but contains 25. Shpg. Wt. 2 lbs



POWER RESISTOR KIT 20 PIECES

Kit of 20 high wattage resistors. Assorted vit-reous enamel and cement coated types from 5 to 25 watts. Shpg. Wt, I lb.

.Net 1.49

PHONO TIP PLUG AND JACK

Single prong shielded plug used extensively for mike or phono pickup, other connections. Phono jack mounts in rear of panel through 1/4" beleand is 14" between centers.

TRIMMER KIT



25 assorted ceramic and low loss trimmers and padders. Shpg. Wt. 1 lb.

KI-46

50 PIECE T.V. KNOB KIT

DUCO CEMENT

Excellent for repairing speaker cones, cementing grille cloths, etc. MS-86 Each..... ... 21c Lots of 12



20 PIECES



Kit of 20 assorted metal clad resistors. Various sizes, wattages and ohmages. Shpg. Wt. I lb.

75c



A GREAT VALUE LESS THAN 4¢ EACH

Just a few of these knobs are worth more than the price of the antire kirl Selection contains 50 assorted TV knobs including such types as channel selector, fine tuning, volume, etc. Useful and attractive Many with gold lettering or gold inserts. Shpg. Wt. 3 lbs.

1.95





CERAMICON Assorted

Here is a real buyl Genuine CRL and Erie assorted tubuler and disc ceramicon condensers. All condensers popular sizes, used in TV and FM sets. At Lefayette's low price every service, shop should have at least one of

STOCK NO. KI-13



SPECIAL!

INSULATED RESISTOR

100 Pieces-RMA Color Coded Regular List Price 15.80 Do not confuse with non-insulated foreign makes, etc., offered by others. Contains a carefully selected assortment of 100 insulated resistors. Standard RMA color code. Included are 70-1/2 watt; 20-1 watt and 10-2 watt resistors.

Handsomely packed.





1600 VOLT

KIT OF 60

Genuine Moided Plastic 1800 Volt Condenser Kit, all brand new, fresh stock. For all auto sets and other uses where high coltage condensers are neces-ary—and at Lafarpitle's Prices—You Savel

YOU GET:

QUANTITY CAPACITY 1600 1600



TRADE STARTLED A

NOW!-A ROTATOR AT A BUDGET PRICE



Here is a rotator that is engineered with outstanding quality features, but without any fancy doo-dad to add to cost. Weather sealed all aluminum housing with maximum mast support—antenne sets 3" Into drive unit. Full 370" rotation in each direction with instant braking for pinpoint accuracy. Direct gear drive for high forque—no worm gears. Lifetime ollite bronze side thrust bearing, rustproof parts. Guy wire supports and flagpole type base for easy installation. Control unit of mahogany polystyrene only 3½"x3½"x3½". Fingertip control. Shpg. Wt. 7 lbs.

RMS R-55 Rotator... Net 11.95

Net 2.91 3-wire cable for above WR-49



COMBINATION PHONO

Here's an attractively finished unit that is not only a beautiful piece of furniture, but that has the functional design to make it resilv useful. A phenograph or tape recorder may be placed on the amply sized tep. The storage space has a vertical divider for 10° or 12° records or albums. The herizental divider for 45 RPM records and albums is removable as space can be utilized for flat or upright stacking. Made of high grade beautiful for flat or upright stacking. Made of high grade beautiful for flat or upright stacking. Made of high grade beautiful for flat or upright stacking. Made of high grade beautiful for the stacking of t

Universal R80 Cabinet Mahegany Universal R80 Cabinet Blend 10.50

JUMBO UHF-VHF LIGHTNING ARRESTOR TAKES TWIN, TUBULAR AND OPEN LINE . LESS THAN JOBBER COST

TS-175-Lots of 25, ea.

TWIN. TUBULAR AND OPEN LINE • LESS THAN JOBBER COST

U.L. APPROVED

A real giant sized arrestor to afford maximum protection. JUMBO UHF-VHF LIGHTNING ARRESTOR.

A real giant sized arrestor to afford maximum protection. JUMBO UHF-VHF LIGHTNING ARRESTOR for twin, tubular and open line transmission wires. Co-balt blue porcelain base. Supplied with strap for mast blue porcelain base. Supplied with strap for mast mounting and with screws for flat mounting. Also has mounting and with screws for flat mounting. Also has ground strap and 4 ft. of aluminum ground wire. UL approved. List 1.65. Shpg. Wt. 134 lbs.


Lots of 10, ea.

TABLE RECORD CABINET

IRC & ALLEN-BRADLEY

Lafayette leads again with a great buy on IRC+ Allen Bradley RMA color coded insulated resistors. These resistors are not surplus; they are BRAND NEW, purchased direct from the factory and for the first time at a price that enables laboratories, industrials and servicemen to use the finest resistor made for ordinary use.

VALUES AVAILABLE AT ±10% TOLERANCE



5206A-1/2 watt 10% tolerance

Net 5c each

lots of 10......45c

5207A-1 watt 10% tolerance

Net 7c each lots of 10...... 60c lots of 100.....5.50 5263A-10% tolerance

Net 12c each lots of 10..... 1.10

lots of 100....10.00



Here is your chance to get absolutely FREE a Transparent Plastic Utility Box with hinged cover size: 81/4"× 41/4"x1-3/16" for storing your resistors FREE with purchase of 100 assorted resistors.

455 KC UNIVERSAL I.F. TRANSFORMER

While they last-Lafayette made a buy on brand new, first quality 455 KC - 1.F. transformers, excellent for replacement in most sets. Aluminum shield 11/4"x11/4"x21/2" high -Top brand make-Trimmer adjustment top of can.

MS-17. ..Net 29c ea.

In lots of 10-2.58

Singly, ea ea. in lots of 25 Most popular sites for radio and TV. Famous brand. All fresh, new stock, Input voltage 130 volts. You can't go wrong at these prices.



All are fully Guaranteed. Need we say more?

QUALITY MAKE



FRESH STOCK!

MS-14

Standard 4 prong-Replaces Mallory 294, 859, 901M Radiart 5300, 5301, etc. Can size 11/2" dia. x 21/6". 1.29 10 Lots. 1.19



455 KC UNIVERSAL 455 KC UNIVERSAL


- 59c

Lots of 10, ea., 49c

TV TUBE CHECKER

a RESIDENCE NAME OF TAXABLE · BREDO - GITTLE THEFT · ADDRESS OF TAXABLE .

Gives immediate positive check of burned out filament en all loctal, octal and miniature tabes, Continuity fest on picture tubes. Also checks continuity on fuses, resisters, line cords, appli-ances, motors, etc. Meon indicator, Bakelite case. Complete with Test Leads.



VC-10, 1 Meg. VC-11, 1/2 Meg. Audio Taper 49c



I.F. TRANSFORMER 10.7 MC Only 14" Square

Lefayette leads again with an outstanding buy on FM Miniature I.F. Transformers 10.7 MC Input or interstage fron core I.F. for FM tests. High gein, high quality unit in aluminum chield only %"%" 2" high. Low loss bete. Complete with mounting clips, and adoptar plate to replace both midger and large size cans. MS-61....

In lots of 10.4.90



SPECIAL BARGAINS

FAMOUS MAKE!



TUBULAR ELECTROLYTICS Brand new, perfect tubular electrolytics made by a leading condenser manu-Brand new, perfect tubular electrolytics made by a leading condenser manufacturer (nationally advertised brand). Prices like these have never been equalled before. Because of our low prices we have agreed with the manufacturer not to publish the name. Order today. We don't get bargains like these every day! these every day! 50 - 50 MFO.

20 MFD. 150 VOLTS NO. C-100

Lots of 10 31c

20 MFD

450 VOLTS

NO. C-130

In Lots of 10 45c

40 MFD.

150 VOLTS

NO. C-101 Lots of 10 34c

30-30 MFD 150 VOLTS NO. C-125

50 - 30 MFD. 150 VOLTS NO. C-102

Lots of 10 45c

40-40 MFD 150 VOLTS NO. C-126

1 In Lots of 10 45c

8 MFD. 450 VOLTS NO. C-113

In Lots of 10 34c

20-20 MFD 150 VOLTS NO. C-127

In Lots of 10 39c

NO. C-106 Lots of 10 52c

150 VOLTS

10 MFD 25 VOLTS NO. C-128

1 In Lots of 10 27c

450 YOLTS NO. C-131

Lots of 10 52c

25 MFD 25 VOLTS NO. C-129

in Lots of 10 29e

BY-PASS TUBULARS

.001 Mfd. 600 V

QC No. C-500 T Single, Lots of .10 5.95

.002 Mfd. 600 V

8c No. C-501 single. Lets of 10

.005 Mfd. 600 V No. C-502

Single. Lots of 10

Famous Make! Big Savings EVERY CONDENSER

00

.01 Mfd. 600 V

No. C-503

Lots of 10

single. eu., 10¢ 9c

SOLD WITH A MONEY BACK GUARANTEE!

Made by the leading conden-Made by the leading condenser manufacturer in the country.
Lefsyette made a deal not to publicate the manufacturer in the name of the manufacturer order to get a low price—and the order to get a low price—and the incoming is passed on to you. All brand is a time to the property of the price new, tresh stock—the tinest molded viatities. The tinest molded viatities are till by the same times and at Letey-ette's price you save from 1/3 to 50%.

.03 Mfd. 600V

No. C-508

Single, ea., 11 c

BUFFERS

No. C-525 single. CONDENSERS

.01 Mfd. 1600 V .008 Mid. 1600 V Single. ea., 14c Lots of 10

No. C-527 single, ea., 15c

.1 Mfd. 600 V .05 Mfd. 600 V No. C-506 single. en., 15c

Lots of 10

No. C-505 Lots of 10 Lots of 10

.005 Mfd. 1600 V

Lots of 10

PAGE 30

World Radio History

.02 Mfd. 600 V

of 100

No. C-507

ea., 10c Lots of 10

Single,

Lots of 10 New Low Prices



FAMOUS BRAND V.D.C. WORKING



LOTS OF 10 1.35 C502

Brand new highest quality general purpose ceramicon disc type con-densers at over 65%, off list. Stock up now! Aveilable in following

	sizes.			MMF	MED	MFG
F	MMF 22	MMF 50	MMF 150	330	.001	.0027
8	25	\$6 68	180	390 470	.0015	.0033
	30	75 82	220	500 580	.002	.0047
	3.3 39	100	270 300	680 750	.0022	.0068
	47	120	300			.01

Specify Stock No. Coll and capacity. 846 Lets of 10. Singly, each

MASTER CERAMICON KIT CERAMICONS

with PLASTIC HINGED BOX! AN OUTSTANDING VALUE!

Here is a Kit that no service shop can afford be without. Contains 100 Genuine CEL, and Eric disc and tubular ceramicon contains and the service of the most popular capacities and voltages, up to 1,000 volts. Also contains dual values. Excellent for Surface of the values. Excellent for Surface of the value of the whole lot. At Lafayetts's Price, you can't loss. And remember Lafayetts's Courantee of more than 100% Value or your Money Back.

Kit-32—Kit of 100 Assorted Ceramicon

Money Back.

K1-32—Kit of 100 Assorted Ceramicon

Condensers......NEINET 3.75

опу

STOCK



Big introductory Sale on Finest Quality Genuine Pisstic Molded Condenser Kit wit a 4 drawer Metal Cabinet, beautifully finished in hammertone blue. Size: 6"26'4"28' 758' The Kit contains one of the finest selection of values and voltages as listed below thermostatic plastic that provides more stable capacity values and excellent seal characteristics.



QUAN-	CAPAG.					
TITY	ÎTŶ	VOLTS	LIST	_		
5 5 60 15 20 20 10 5	.001	600		TOTAL		
10	.002	600	\$.25 .25 .25 .30	\$1.25		
15	.005	600	.25	1.25		
20	.01	600	30	2.50		
20	.02	800	.30	4.50 6.00		
10	.1	600 600	.40	8.00		
5	.005	1,600	.45	4.50		
5	.008	1,600	.60	3.00		
	,.01	1.600	.65 .65	3.25		
O Con	dansare	Marks		3.25		

LOOK WHAT YO

Stock No. KI-31-100 Finest Quality Genuine Plastic Molded as listed above ensers Worth.....\$37.50

MASTER SERVICE KIT

175 PIECE KIT

• 100 RMA Color Coded Insulated nesistors • 25 BY-PASS Condensers

. 25 CERAMICONS

. 25 MICAS



The handless KR for the Service Shop or Experimenter. TW18 175 PIECE KIT contains 100 Insulated R.M.A. color coded resistors, consisting of 4, 1 and 2 W; 25 assorted tubular by-pase condensers, of the most popular capacities and voltages; 25 assorted Erie and CRL Ceramburgh and tubular all popular capacities and voltages; and 25 Aerovay, Sprague, Cornell-Dubiller, etc. assorted mice condensers. With 4 Multi Metal Drawers. ALL AT A PRICE worth many times our Selling Price of 34,95, And don't forget Lafayette's Money Back Guarantee. KI-33-175 Master Kit with 4 Multi Drawers....NET 4.95

VOLTS
360-350
500-200
25-25-25
150-150-10
150-150-10
150-150-50
150-150-50
300-50-50
300-50-50
300-50-50
300-50-50
450-300-300
450-350-50
450-350-50
450-350-50
450-350-50
450-350-50 MFD. 80-40 80-100 20-20-20 50-30-100 100-80-200 200-140-30 80-30-10 10-10-20 40-40-100 10-200-140-30 10-40-10-10 10-40-10-10 10-40-40-25 CT.-40 CT-44 CT-87 CT-88 CT-97 CT-91 CT-92 CT-93 CT-94 CT-95 CT-112 CT-112 CT-112 DON'T MISS THESE! ALUMINUM CAN ELECTROLYTICS Threaded Stud MOLDED PLASTIC BY-PASS CONDENSERS

CAP.

TWIST PRONG CONDENSERS

• Famous Make • Quantity Limited

Each—In lots of 6, 290

VOLTS

Singly, ea., 340

.005 MFD

Lefayette made an unusual purchase of high voltage Molded Plastic By-Pass Chodensers. Brand New, Fresh stock, at a price you can't best-quantity Limited, erder yours now before they are gone.

	60	100 VOLT		
STOCK NO.	CAPACITY	VOLT	LOTS OF	IO EACH
MP-121 MP-122	.005	6000	2.25 2.25	29e 29e
	10,	DOG VOLT		
MP-128	.0005	10,000	2.95	364

OVER75% OFF ON TOP BRAND MAKE MOLDED BY-PASS

CONDENSERS

Lafayette is here Again with an Outstanding Value in Molded Plastic By-Pass Condensers. All Brand New and Top Make. At these prices they won't last long, so get yours and

600 VOLT MOLDED BY-PASS

Stock	2464	Yolts Lot	10	
No.	Mfd.	600	.59	7c 7c
MP-108	.004	600 600	.59	7c 8c 8c
MP-110 MP-111	.04	600	.67	

Stock Mfd. Volts 10 ed. No. 1600 87c 10c MP-115 .003 1600 87c 10c MP-115 .003 1600 87c 10c	D BY-PASS	DLDE	OLT MI	.con V	
MP-117 006 1600 89c 100	89c 10c 89c 10c 89c 10c 89c 10c 89c 10c 89c 10c	1600 1600 1600 1600 1600	Mfd. 001 .003 .0055 .006 .007 .0075	Stock No. MP-114 MP-115 MP-116 MP-117 MP-118 MP-119	

400 VOLT MOLDED BY-PASS CONDENSERS

Stock No. Cop MP-102 .01 MP-104 .03	400	-	 Stock No. C MP-105 MP-106	.047 .02	Volt. 400 400	10 590 830	Singly ed. Bo	
MP-104 .03		_						

MIRACLE VALUES!



Here is a Kit of 100 Paper By-Pass Condensers which we Here is a Kit of 100 Paper By-Pass Condensers which we have sold in the thousands. You simply cannot afford to be without this kit. Consists of the most popular values for Radio and T.V. Sets. Voltages up to 1600 Volts. The handinest Kit for the service shop or experimenter. A LOAD OF VALUE FOR THE MONEY! And remember the Famous VALUE FOR THE MONEY! And remember this kit represents a tremendous saving, you may return it for full cash refund."

KI-30—Special Net 2.99

GREATEST CONDENSER VALUE

Ever Offered! MOLDED PLASTIC BY-PASS CONDENSER KIT FAMOUS MAKE! Quartity Limited

Guaranteed Minimum Regular Value \$29.50

ALL HIGH VOLTAGE CONDENSERS. 400, 600 & 1600 V

HOW DO WE DO IT? The truth is simple. A manufacturer had a rough season—he needed cash. Lafayette laid it on the line and we got the lowest price on genuine Molded, Plastic By-Pass Condensers in the

Here is a Kit of 100 Molded, Plastic By-Pass Condensers, all of the most popular capacities and voltages; 400, 600 and 1600 Volts.

All Top Quality—made by a Famous Manufacturer and sold with Lafayette's famous Guarantee, complete satisfaction as to quality and value OR YOUR MONEY BACK. Need we say more!


on this Terrific Condenser Value * Guaranteed

* Brand New

Kit of 10 aluminum can, twist prang, plug-in and screw nack electrolytics—Centains single, dual and triple section units in esserted values and valtages. Regular value \$15.00. All 10 cest you less then the normal price of just two if bought regularly. Quantities are limited—suggest you seek up new, as at this remarkably low price they will ge rest.

KI-15- \$18.00 Value For Only

rest. KIT OF 10 BLECTROLYTICS



of the most popular sizes used in all service repair work. Every condenser brand new, finest quality, and guaranteed



PILOT LIGHT SOCKET KIT

30 miniature bayonet base pilot light sockets in an assortment of 10 popular types. Many already wired for immediate installation.

STOCK NO. KI-20.....NET 79c



KIT OF 10 ROTARY SWITCHES

A fine assortment of rotary switches—for the set builders, emeteurs and experimenters, ideal for many circuit arrangements. STOCK NO. KI-19.....NET 996



Handy assortment of 48 solder lug ter-minal strips with 8 of each type from 1 through 6 lugs.

STOCK NO. KI-18......NET 1.35



25 MICA CONDENSER KIT

A kit of the most popular mice capaci-tors, All Standard Brands, Contains 25 popular sizes. A handy essortment for any service shop or experimentar.

Stock No. KI-26.....NET 590



KIT OF 25 TUBULAR BY-PASS CONDENSERS

An assortment of 25 tubular An assortment of 25 tubular by-pass condensers made by the leading condenser manufacturers in the country. Top quality, brand new. Consist of the most popular capacities and voltages. With long leads for easy connections. Meet all RMA standards. Lafayette has sold thousands of these kits and orders keep on pouring in Guaranteed to be worth at least twice as much as our prica.

price. STOCK No. Ki-14, Kit of 25 Tubular By-Puss Condeasors





A REAL BARGAIN!

Ciarostat wire wound adjustable Green-ohm, 20 watt, 1000 ohm. STOCK No. MS-21, single ea.....296 In lots of 10 ea.



Longest range miniature loop antenna replaces old style loop. Extra high gain with Q of 300 and inductance range of 100—300 uh. Adjustable over length of 7 inches. Simple mount provided. Shpg. wt, 6 oz. MS-44.....NET f.32

CRADLE TYPE TELEPHONE INTERCOM



BUILT-IN BUZZER SYSTEM

 OPERATES UP TO 1 MILE USE FOR DESK OR WALL

This two station telephone set is completely self powered. Operates on easily replaced economical self-contained #1 flashlight battery. Built-in buzzers for signalling other party. Feather touch talk buttons. Electro-magnetic earphones give clear and loud reproduction. Simply connected by 2 conductor wire. Cradies are designed to set on desk or hang on wall. Made of durable heavy high impact plastic. Complete set consists of 2 phones, 2 oracles, 50 ft. wire and batteries. Shapg. Wt. 3 lbs.

ML-68—Complete set. 5.95

WHOLESALE QUANTITY PRICES

Lots of 6 sets, each.....

RCA and BURGESS PORTABLE BATTERIES



PORTABLE "A" AND "B" COMBINATION PACKS

Burgess Type	RCA Type	Volts.	Size Inches 6xWaH	Snpg Wi	Net
2TXX40	1 LADM	11/2/60	2-13/32x1-11/32x7-5	Lbs.	Each
4GA42	V\$053	11/2/63	9x2x434	5	3.40
17GD60	VS022	11/2/90	1511x47x27x	22	6.71
TA60	V\$054	11/2/90	10x25/ax41	51/4	4.34
STZ60	V\$064	11/2/90	7%x21'ax3%	31/4	3.6
F4ASD		6/75	914x241x3%	5	413
T5 Z5 0	V\$050	6, 71/2/75	814x3-21/32x2-11/32	4	3,85
F6A60	VS019	71/2, 9/90	9% x2% x41/2	6	4.38
G4M40	1,417.	71/2, 9/90	10:4x37xx4.5/16	7	4.7
F6Z60	VS057W	71/2, 9/90	8-11/15x2-3/16x3-3/4	4	
TAZ 60P	V\$053	71/2, 9/90	8-11/t6x2-3/16x3-1/4	4	4.38
-4860	V 5047	9/90	13 29/32+2-27/32+411	81/4	4.6
FAAGOP			7% x2-23/32x4-0	4	4.3
POAGUP	V\$058	9/90	4-247-5373284-C		9.30

] ZF	A2148	1 1/2	2-17/32(1百)(4百)		1 .52	
	4F	V\$004	11/2	2% x2% x415	2	.81	
	28	VS036	11/2	2-25/64x1-21/64 Dia	4 oz.	.10	ı
	6F		11/2	4.5 x236 x476	3	1,17	
	4FL	V\$005	11/2	3-27/32x1 2x5-17/32	3	1.27	ı
	1	V\$035		141=63/64 Dia.	4 01	.08	ı
	2	V\$034	11/2		3 01.	.045	ı
	2D	V5049	11/2	2/1+1-9/32x2 31/32	3/4	.45	ı
	21R	V\$236	11/2	136 #4 th Die	172	.21	ı
	D3	V\$072	41/2	3% at 1 x211	1/2	1 .53	ı
	F3	V\$047	41/2	318 xt 3/2×4/2	19/2	.60	ı
	G3	1	41/2	4x13/ax441	2'*	.67	ė
	F4P1	VS009	6	21/4×21/4×4	2	.81	ı
	2F4L	V5011	- 6	3-29/32=1 (a #1044	4	1.93	ı
	Z4	V5068	1 4	Linkships2/	1/4	.53	ı
	85	V\$129	71/2	3 1/4 #27/32 #211	1/2	.77	ı
	CS	V\$045	71/2	2.6+143+3.6	12	.70	ı
	TS	1	17/2	2-19/32-2-17/32-3-29/32	11/4	.96	ı
		1					ı
			PC	RTABLE "B" B	ATTE	(1F2	ı
	A30	V5014	45	13-121/4×4%	. 3	1 1.75	ı
	830	V3012	45	41/4 x2-19/32x53/4	3	2.46	ı
٦.	M30	VS013	45	314×134×51/2	4	1.93	ı
1			1				ı
1	Z30	V\$015	45	35x25x45	2	2.45	ı
н	XX30	V\$055	45	2-17/32=31/32=3 21/32	1/4	1.42	ı
н	K45	V5082	671/2	2-21/32×1-9/32×2-7/32	1/2	1.93	ı
н	XX45	VS016	671/2	2-21/32×1-9/32×35%	1 1	2.07	ı
н	P45M	V\$216	671/2	111x1x5-17/32	1	2.71	ı
н	P45	FVS218	671/2	161x1x5-17/32	144	1.76	ı
н	NAO	175090	1 90	3-21/32=11/4=3+1	11/4	252	l
н			1			- 42	
ŧ	U200	VS093	300	234x2-9/32x334	11/4	7.70	
ł	1	VSORA	1 45	1-1/16x11/16x3-9/16	1/2	1.85	
н	XX50	VS217	75	1-13/16x1-3/8x6-1/4	1/4	2.44	
и	MASU	43217	13	1-13/1011-3/010-1/4	'	4.70	
П	1			FLASHLIGHT C	ELLS		
I	1	V\$035	11/2	17/az1 diam	1	.08	
1	2	VS036	11%	23/ax1 /2 diam		.10	
ı	Z	V\$034	11/2	23/sx37/64 diam		.065	
-4	7		11/2	1% +13/32 diam	1	.045	

PORTABLE "A" BATTERIES-



NEW! RCA TRANSISTOR BATTERIES Make Your Voltage Supply

You can cut these apart to get from 1.4 to 21 volts. Each battery has 15 separable 1.4 volt crown type cells in a plastic sleeve with each cell indicated by ridges. Ideal for experiments. Use VS087 for current drains up to 2 mils; VS088 for up to 10 mils.

TYPE	VOLTS	SIZE	SHPG. WT.	NET
V5087	21	3-7/8 x 17/32D	3 oz.	1.52
V5088	21	3-7/16 x 15/16D	6 oz.	2.06

HEARING AID BATTERIES

All three types are 31/32 x 9/16 in first 2 dimensions, third dimension Y10 is 1-7/16, Y15 is 1-31/32, Y20 is 2-17/32.

TYPE	VOLT	REPLACES EVEREADY	NET
Y-10	15	504E	.65
Y-15	221/2	505E	.80
Y-20	30	506E	.96

RIFIC WIRE SALE!



TRY TO MATCH THESE PRICES ON HIGH QUALITY **HOOK UP WIRE!**



STOCK UP NOW!

100 Ft. Coils

WR-41.....Net 39c

HOOK-UP WIRE KITS

150 Ft. Kit

Plastic bag of 6 differently colored 25 ft, coils of top grade hook wire.

K1-38.....Net 79c

500 Ft. Kit

Kit of 5-100 ft, coils assorted colors. Rubber, braid, and plastic insulations. Best quality, a \$5 value. KI-39.....Net 1.95

TYPE	VOLT	REPLACES EVEREADY	NET
Y-10	15	504E	.65
Y-15	221/2	505E	.80
Y-20	30	506E	.96

INTERCOM WIRE



2-Conductor Twisted

Excellent intercom or speaker extension wire. Flexible stranded tinned copper with plastic insulation. Stock No. WR-12

250 ft. spool......2.50

3-Conductor Twisted

250 ft. spool3.50

3-Conductor Twisted with Plastic Sheath

Similar to above with overall plastic sheath.

Stock No. WR-16 250 ft. spool4.50

SERVICEMAN'S HARDWARE



KIT

600 PIECES!

Don't confuse this kit with the typical pile of unusable junk found in most hardware kits. Over 600 pieces of selected hardware used every day including large asst. of screws of every type. Packed in a handsome hinged plastic case 43/4 x 31/2 x 1". Shpg. Wt. 11/2 lbs.

KI-40

Net 79c



AC ZIP CORD

• 2 Cond. No. 18 • U.L. Approved

Best quality 2 conductor zip cord. Ideal for lamp cord, speaker extension cables, etc.

TYPE POT - PLASTIC INSULATION WR-35 - 100 ft. coil......Net 1.79 WR-47 - 250 ft. coil.... Net 3.75

TYPE POSJ - RUBBER INSULATION WR-34 - 100 ft, coil Net 2.15 WR-48 - 250 ft, coil. .Net 4.75



5 LB. WIRE KIT

This is value that can't be matched! Over 1,000 feet of whrel Cut lengths up to 3 ft. long! Highest quality hookup whre in standard sizes. Many colors and various insulations. This assortment should handle up to 85% of your hookup wire needs!

2.47 KI-35-21/2 lb. Wire Kit..... .. 1.35

3 and 4 CONDUCTOR TWISTED

Excellent for speaker or intercom ex-WR-42-25 ft. coll

3-conductor...29c In lots of 3 colls...75c WR-43-25 ft. coll

4-conductor...39c In lots of 3 colls...99c

18/2 S.J. CORD



Suitable for Vacuum Cleaners, Mo-tors or where heavy duty rubber cable is required.

WR-44-- 50 ft. coll 1.47 WR-45-100 ft. coll.....2.75



COAXIAL CABLE

72 ohm. No. 22, copper stranded. For use with TV antenns. Polyethylene plastic insulation. Tinned copper braid shield. Brown vinyl plastic jacket. Breakdown voltage, 2000. Quantity limited. WR.40-Per Foot..... In Hundred foot lengths...

WILLARD 6-VOLT MIDGET RECHARGEABLE STORAGE BATTERY



RECHARGEABLE STORAGE BATTERY

Brand new storage batteries rated at & voits 2.4 emp/hour. These midgest sized units in transparent plastic case measure only 2½" H x 1½" D x 1½" D x 1½" Language of the plastic case measure only 2½" H x 1½" D x 1½" D x 1½" Language only 2½" H x 1½" D x 1½" Language only 2½" Language onl



VOLT STORAGE BATTERY

Polystyrene encased 2 volt re-chargeable storage battery rated at 20 Ampere hours. Use 3 in series to get 6 volts. Shipped dry. Uses electrolyte available anywhere. Size 5½" H x 4" W x 3" L. Shpg. Wt. 4 lbs.—List 12 20

WILLARD No. 20-2 Net 2.59

SIZZLING WINDS TV-RADIO TUBE SALE



UP TO 66% DISCOUNT

Current Production! An extremely fortunate purchase - bought from overstocked set manufacturers, enables Lafayette to sell these tubes way below Jobbers cost. ALL BRAND NEW AND FULLY GUAR-ANTEED, individually boxed in cardboard fillers. ORDER BY STOCK NUMBERS.

STOCK NUMBER	TYPE	LIST	SALE	STOCK NUMBER	TYPE	LIST	SALE PRICE
TU-20	IB3GT	2.50	.99	TU-175	6CD6G	4.70	1.95
TU-70	IR5	2.25	.79	TU-200	6J6	2.35	.95
TU-80	IX2A	2.50	.99	TU-206	6K6GT	1.65	.67
TU-104	5U4G	1.60	.69	TU-250	6SN7GT	2.15	.78
TU-117	5Y3GT	1.25	.49	TU-260	6U8	2.85	.99
TU-129	6AG5	2.05	.79	TU-269	6V6GT	1.85	.77
TU-461	6AK5	4.20	1.29	TU-270	6W4GT	1.75	.69
TU-134	6AL5	1.55	.67	TU-459	12AT7	2.60	.99
TU-144	6AU6	1.70	.59	TU-460	12AU7	2.20	.79
TU-147	6AV6	1.50	.59	TU-320	12AX7	2.30	.89
TU-155	6BA6	1.80	.69	TU-336	12BA6	1.80	.69
TU-156	6BC5	2.00	.69	TU-340	12BE6	1.90	.69
TU-157	6BE6	1.90	.69	TU-350	12BH7	2.55	.89
TU-164	6BG6G	5.20	1.59	TU-356	12SA7GT	2.15	.79
TU-457	6BQ6GT	3.50	1.19	TU-366	125K7GT	2.00	.69
TU-158	6807A	3.25	1.29	TU-370	125Q7GT	1.75	.69
TU-159	6C4	1.50	.59	TU-435	35Z5GT	1.30	.59
TU-458	6CB6	2.00	.77	TU-456	50L6GT	1.90	.69

PLUG-IN LINE VOLTAGE TESTER

JUST PLUG IN AND READ! 90° SWIVEL



Accurate Voltage Tester gives instantaneous readings right at the receptacle—no wires, no assembly. Just plugs into AC receptacle, Reads 0-150V AC. 90° swivel at the prongs for easy reading from any position. Accuracy 5%. Steel case. Damped movement, Shpg. wt. 1/2 lb.

EMICO PLY METER 2.94

ELECTRONIC

FLASH KIT

- BUILD YOUR OWN PHOTOGRAPHIC "STROBE"
- ELECTRONIC FLASH TUBE GIVES THOUSANDS OF FLASHES
- Watt-second output is 60
- flash duration 1/1000 second

You can now own a portable electronic flash unit at low cost. No more fussing with replacement of photoflash bulbs—the electronic flashfube can be flashed thousands of times under normal use. The kit is complete with the flash-gun, the electronic Photoflash tube, case, special Photo-flash capacitor and all necessary parts and hardware. I2 page instruction manual with easy to tollow large drawings. Anyone can built it. Case size 7 x 5½ x22carry the batteries. Shpg. wt, 6 lbs. (less batteries which are not supplied). ... Net 37,50

BATTERIES _ 11.12 SET OF BATTERIES FOR ABOVE ...

ROLLER-SMITH METER

0-1 D.C. MIL. 4.50

*HERMETICALLY SEALED

A vibration proof, shock proof, weather proof, hermetically sealed meter made to government specs. Has 2% accurate D'Arsonval movement. In metal case, flange size 2-11/16", body diameter 21/4" With removable flange and mounting hardware. Shpg. Wt. 11/2 lbs. Stock No. DS-10 Net 4.50



TRIPLETT METER DUAL SCALE 0-200 DC **MICROAMPS** 8 to +6 DB

*HERMETICALLY SEALED Triplett panel meter with 0-200 DC microamp and -8 to +6 DB meter scales. Knife edge pointer. Hermetically sealed in metal case. Flange size 2-11/16" O.D. Body 2". With removable flange, rubber gasket and mounting hardware.


.Net 4.50



FAN TYPE 0-15 AMP DC METER 5.95

Less than ½ the regular Price. Made to government specs, this laboratory instrument has a D'Arnsonval movement on Jeweled bearings and Alnico magnet. 3½" Iong mirrored scale. Knife edge pointer. Accuracy 2%. Built in shunt. In Bakelite case 4"x5" complete with insulated leads and clips, plus hinged steel case 5½" W x 6½" L x 2½" H. Shpg. Wt. 6 lbs. Quantity limited.

SP-74. Net 5.95



CAN

ELECTROLYTICS

STOCK NO.	MFD	W YOLT	EA
C-704 C-705	100 8-B	300 250	15¢
C-706	8-8-8	250	294



40 MFD 350 Volt

High quality 100% guaranteed famous make electrolytic condenser. Quantity limited.
Lots of 6, ea., 25 C702.... Singly, ea., 27c



WESTON AND DE-JUR **METERS**

0-100 DC MIL. QUANTITY LIMITED!

Top quality meters made to exacting government JAN. specs, 3½" round flush type bakelite cases. Brand new, individually boxed. Shpg. Wt. 1 lb.

Net 4.50



COMPLETE STAGES

4 SECTION ASSEMBLY Contains .002 MFD, .005 MFD and two 220 MMF conds. All rated at 500 WVDC, 1000 VDC test. Long leads. Size 1" x 1/2". . 5 for 850 STOCK NO. DS-13.... each 19c

3 SECTION ASSEMBLY Contains .005 MFD, .0035 MFD and 220 MMF conds. All rated 500 WYDC, 1000 VDC test. Long Leads. Size 1" x ½". 5 for 650 STOCK NO. DS-14 each 15c

AC BATTERY SWITCH

Ideal for portable 3 way sets or similar applications. Removal of AC plug disconnects battaries. Size 1-9/16" x 1/8". Mtg. ctrs.

DS-30-Lots of 10, sa. 150 Singly, ea. . . . 190





SURFACE MOMENTARY SWITCH

Normally open. Pressure on metal cover closes circuit. Bakelite body. Screw terms, I" diam.

MS-RR Lots of 10 ea. 10c singly ea. 12c

PANEL LIGHT ASSEMBLY WITH DIMMER



Bakelite, fully enclosed. Amber lens. Rotary dimmer controls brightness. For min. bay, base bulbs as 47, 51 etc. Takes % hole in 1/e" or less panel, extend 11/e" behind.

Lots of 10, ea 15c MS-87 singly ea. 19c



TUBE SHIELDS

Open top eluminum shields. Type A for GT type tubes. Type B for 9 Pin minuture tubes.

DS-26 - (Type A) 3¢ EA. DS-27 - (Type B) 10 for 25¢



HOSFOUTS

BIG BEAM

Sealed Beam **Beacon Lamp**

Powerful and versetile portable hand lamp. Operates as a lamp, a flashing red beacon, or both. The flashing beacon may be positioned up or down. Sealed beam bulb keeps mirrored reflector dust free. 4" chrome-plated steel lamphead. Chrome-plated beacon arm fits snugly over handle. Beacon flashes 60 times per minute. Steel weather-proof case with hinged cover and snap catch. Operates on one battery. Shep. Wt. 3 lbs. List 10.50.

ML-66-Less Battery Net 6.98 Burgess Na. F4H battery Wt. 11/2 lbs.



SOUND POWERED PHONES



USE IN PAIRS AS 2-WAY PHONE SYSTEM REQUIRES NO BATTERIES OR POWER SOURCE USE INDIVIDUALLY AS SMALL EXTENSION SPEAKER

Here's an outstanding value, Orginally designed for government equipment and made by G.E. Just connect with Z-conductor wire and they are actuated by the sound of your voice. Each unit is used both as a microphone for talking and a headset for listening, Ideal for any Z-way communication such as from roof to house for TV installation. Effective up to 1,000 ft. or more. Individual units can also be used as small extension speakers for private listening. Shpg. Wt. 1 lb.

5P-71-Single Unit. SP-72-Set of 2


2.75



MINIATURE CRYSTAL **MICROPHONE**

Here's a typical Lafayette special for the experimenter, student or dealer. An extremely sensitive and small crystal microphone used in hearing aids and other small apparatus. Can be used as lapel m ke—miniature transmitter mike—for concealed locations, etc. Its size and performance gives it joint versatility. Brand new. Size only 134" Diam. x 5/16" deep. Imported to save you

MS-108......Net 1.95





Mounted on bakelite base 4½x3". Jumper Mounted on bakelite base 4½x3". Jumper strip, binding posts and circuit closing switch mounted on base. Ta" solid silver keying contacts. Metal part cadmiumplated. Excellent for sounder and buzzer telegraph. Shpg. Wt. 8 oz. 89c SP-64.

HI-FI JUMPER CABLES

Interconnecting cobles for Phono, amps, etc.



MALE PHONO PLUGS BOTH ENDS

MS-89 24" LONG MS-90 36" LONG

TYPE B EXTENSION FOR ABOVE. MALE PHONO PLUG ONE END, FEMALE JACK OTHER END

MS-91 18" LONG 70c 72c MS-92 24" LONG MS-93 36" LONG

TYPE C MICROPHONE EXTENSION STANDARD MALE ONE END FEMALE OTHER END

MS-94 12 FT, LONG MS-95 24 FT, LONG

TYPE D

FEED THRU. ACCEPTS
MALE PHONO PLUG
AT BOTH ENDS



GEIGERSCOPE

Converts the alpha rays given off his urantum and therium ores into visible light. Will detect a smaller single crystal of radicactive inheral than a Gelger counter. Complete with instructions and sample ore. Shop, Wt. by by GEIGERSCOPE

10-WAY



A universal wrench that has ten different openings for sizes up to 5/8". Fits 95%, of all nuts and bolts in use. Small head designed to reach inaccessible places. reach inaccessible places.
Opening permits wrench to
go over shafts of controls,
switches, etc. Made of
strong metal alloy, only 4"
long x 1" wide. Shpg. Wt.

HD-132 Net 29c



MINIATURE PIN STRAIGHTENER

4 TUBE PULLER

Precision die for straightening pins on 7 and 9
pin miniatures. Quickly aligns bent pins. Employs
simple vacuum principle to lift tubes, avoiding
burnt fingers and breakage.

..... 59¢ MS-15.

EBY SUBMINIATURE POCKET TESTER

89c



FOOLPROOF

Measures only 3"x4"x1 ¼", yet this amazing unit is 8 instruments in 1. Measures AC-DC voits from 6-1000 on low range, and 50KV on high. It's a signal tracer, condenser tester, audio oscillator. AG wibstitution voitage supply, visual output meter and continuity tester. Au outstanding value. 8hps. Wt. 3 lbs.


VARIABLE COND. KIT

Kit of 3 vorioble condensers. All are superhet. All are 2 or 3 gang. Ideal for schools,

builders and experimenters.

Quantity limited. Shpg. Wt. 3 lbs.

WORTH 3.00





*Miniature bayonet base; all others miniature screw base.

BIG SAVINGS



BOX OF 50

SCREW-EYE **INSULATORS**

31/2" wood-screw type with genuine polyethylene uni-versal inserts for T.V. line.



PORTABLE 6 VOLT SPOTLIGHT

SIMPLY PLUG INTO AUTO CIGARETTE LIGHTER

* FAMOUS MAKE

Ideal emergency light that plugs into outo cigorette lighter and gives a powerful beam that can be sent in any direction. Has 12 ft. cord and suspension hook so you can use both hoads. Aluminized reflector concentrates light from GE & Y prefocused bulb. Built in cord spool. Fits in glove comportment. 6" high. Shpg. Wt. 2 lbs.

MINIATURE VOLUME CONTROL

3/4" DIAMETER

Only $\frac{3}{4}$ " Diameter. Overall Depth approximately 4" including threaded shaft. Ideal for miniature radio, hearing aids, etc.



VC-18 Range 0 - 500,000 Audio Taper

VC-19 Ronge 0 - 1 Meg Linear Taper VC-20 Range 0 - 3 Meg Audio Taper

In lots of 10

NET 3.25

MINIATURE AUDIO OUTPUT **TRANSFORMER**

Weighs less than 1 oz.

For Experimenters - Hearing Aids
 Only %" H x ¾" W x %" D

Here's a high quality miniature output transformer that is ideal for use in hearing aids, and in a host of electronic applications where miniature electronic circuitry is used. Primary impedance is 30,000 ohms to match such tubes as CK506AX, CK524AX, etc. Low impedance secondary. Shpg. Wt. 2 oz.

TR-46-In lots of 10, each.

39c

Singly, each ..

MODERN AND MAGNIFICENT Motorola

TERRIFIC SAVINGS on **AUTOMOBILE RADIOS**

UNIVERSAL TYPES

These compact models combine the power supply, tuning unit and speaker all in one complete radio, Install easily in-dash or under dash of most cers. Plates available for in-dash installation per chart below. MOTOROLA MODEL 404

TOP CAR RADIO VALUE
Five tube plus rectifier, Big PM speaker, Slide rule dial, manual

FOR UNDERDASH MOUNTING. Shpg. Wt. 12 lbs.

MODEL 404-

... Net 35 05 MODEL 412-For 12 Volt Cars-.....Net 35.95

MOTOROLA MODEL 554

PUSH BUTTON AUTOMATIC TUNING AT BUDGET PRICE

Complete, all in one automatic push button model for easy installa-tion in-desh or under dash of most cars, has Verlable Tone Control and giant 5x7" extended tone speaker. Shpg. Wt. 13 lbs. MODEL 554 -Net 47.95

MODEL 554-12 for 12 Volt cars..... ...47.95

TRIM PLATES FOR IN-DASH MOUNTING

WITH MODELS 404, 412, 554, and 554-12. Specify year and make of car as plates are specially designed for each car.

11110 200 200	140000	Manet			
MAKE - YEAR OF AUTO	MODEL 404, 412	MODEL 554, 554-12	MAKE - YEAR OF AUTO	MODEL 404, 412	MODEL 554, 554-12
Cadillac 1949-52 Chevrolet 1953-54 Chevrolet 1941-48 Chev/GMC Truck 1948-54 Crosley 1948-53 DeSoto 1949-50 Dodge 1949-50 Dodge Truck 1951-52 Ford '54 Ford 1952-53 Ford 1951-50 Ford 1949-50 Ford 1942-48 Ford Truck 1951-52	1.27 4.30 1.27 1.27 1.27 5.56 4.30 4.30 4.30 4.30 1.27	1.27 1.27 1.27 1.27 1.27 5.56 4.30 1.27 1.27	Ford Truck 1948- Henry J 1951-53- Int'l Truck 1950- Mercury 1949- Mercury 1942-48 Plymouth 1953-54 Plymouth 1951-52 Pontiac 1949-52 Studebaker 1950- Studebaker 1947- Willys 1952-54 Willys 1948-51 #Without grille	1.27 1.27 4.30 4.30 4.30 4.30 4.31 1.27 1.27 1.27	1.27 1.27 1.27 1.27 4.30 1.27 1.27 1.27 1.27 1.27

MOTOROLA SPECIAL CUSTOM SERIES FORD - CHEVROLET - MERCURY



Auto Radios

Push button tuning — Monuci tuning
Perfact custom fit — Simplest installation.
Powerful circuit using 5 tubes plus rectifier.
Heavy 4x7 PM speaker, automatic volume
control, ecoustinator tone control, low battery drein, 6 volt operation—everything you
can ask for in a set specifically designed
to fit your cer. Available in either push
button or manuel tuning.

MANUAL MODEL CTM3-4	
Model CTM3- Fer Chevrolet 53-54-	NET 44.50
MODEL CTM3-For Chevrolet 55-12 volt	Net 44 50
Model CTM3- For Ford 49-50-	NET 44 50
	NET 49.50
PUSH BUTTON MODEL CTAZA	
Model CTA3- For Chevrolet 53-54-	NET CO OF
MODEL CTA3-For Chevrolet 55-12 volt	Not 58.95
	NET 58.95
model CIND- Lot metesty \$7:03-24-	NET 63.75

THE UNIVERSAL CUSTOM - MANUAL



Here is a revolutionary design—a car radio so compact and readily installed that it fits virtually any car new or old. Can be slipped into practically any dash dial opening. Has "Volumatic" control which completely eliminates the annoying "signal-drop" when you pass under a viaduct, over a bridge or between tall buildings. Has 5 tubes plus rectifier with iron core coils, and separate powerful 6 x 9 PM speaker. Trim plates are available as listed below to make a custom installation for many cars.

Motorola 5M- 6 Volt less trim plate 38.98 Motorola 5M-12 Volt less trim plate 38.98

TRIM-PLATES FOR 5M-Specify make and year of car

YEAR	MAKE	NET	YEAR	MAKE	NET
54-55 1955 1955 53-54-55 1955 52-53-54	Buick 12 volt Chevrolet 12 volt DeSoto Dodge Ford * Ford 55 a 6" Round speak	4.28 4.28 4.86 4.86 9.35 4.86	52-54-55 53-54-55 53-54-55 51-52 1955 53-54-55	Mercury Oldsmobile 12 volt Plymouth Plymouth (w/o Grille) Pontiac Studebaker	4.86 4.28 4.86 9.35 4.28 4.28

(A) (B) (C) (D) (E)

STANDARD SIDE COWL (A)

3 sections, extends to 61 inches from 25" collapsed. Tenite static ball, 2 black stand-off insulators—36" leed. 'Shpg. wt. 11/4 lbs.

DELUXE

AA-12

.Net 1.59

SIDE COWL (A)

AA-22...

For long distance and greater sensitivity. 4 sections, extends to 104" from 31" collapsed. Chrome static ball and 2 chrome capped bakelite insulators. 34" lead. Shpg. wt. 11/2 lbs.

AA-15... ...Net 3.11 4 section, extends to 108" from 35" collapsed. Has shock absorbing solid rubber mount, red tenite static ball, red ceramic insulators. For reer mount on fender or under trunk door. With 15 foot polyethylene cable. Shgg. wt. 3 [bs.

HOT-ROD AERIAL (D)

UNIVERSAL

MOUNT AERIAL (C)

Same specifications as above but for top cowl, rear deck mounting, or almost anywhere on car. Adjusts to any engle, 48" lead. Shpg. wt. 1/4 lbs.

Net 2.59

AA-23. Net 4.98

TOP COWL MOUNT (B)

3 sections, extends to 55½" from 23" collapsed. Chrome stetic ball, chrome trimmed bakelite insulator. Single hole mount, final tighten on car exterior, 48" lead. Shpg. wt. 1¼ lbs.

DISAPPEARING AUTO ANTENNA (E)

For concealed installation on fender or top cowl. 3 sections, collapses to 7" and extends to 52". Chrome static ball. Self-aligning adjustment. 48" lead. Shpg. wt. 2 lbs.

AA-24 ..Net 3.15



MOTOROLA SET FOR 1954 --- 1955 BUICK

Mounts perfectly with matching plate supplied in all 54-55Buick 12 volt cars. Completely self con-

tained, has 5 tubes plus rectifier and big PM speaker. Shpg. wt. 13 lb.

INTERMATIC JIME-ALL

. THE AUTOMATIC TIMER WITH THE MIRACLE MEMORY



Makes practically everything electrical completely automatic. Will handle load up to 1650 watts. Turns racio on and off-does not have to be reset each night. Defrosts refrigerator—turns lights on and off-controls roaster, electric blanket, air conditioner, washing machine, coffee makers, vaporizers, etc. 30 min, minimum on time—23 hours maximum. As easy to set as an electric clack. Stands on any surface—can be hung on wall. Easy-to-read 24 hour day and night" dial. Operates day after day without attention. Can be controlled manually without automatic reset. Plug in receptacle for equipment to be controlled. For 110 volt 60 acide AC only Complete with 6 ft, cord and plug. Instructions included. 5"x4"x2½". Shpg. Wt. 2 lbs.



INDUSTRIAL TIMER SWITCH

• 4000 WATT CAPACITY

Turns equipment "on" and "off" once in 24 hours, or from one to twelve "on" end "off" operations a day can be obteined by use of extra trippers. Extra trippers can be edded without removing dial. Min. on or off time 1 hr.—men. on or off time 23 hours. Can be turned on or off manuelly with reset SPST switch rated at 35 amps. Has convenient mounting holes and knockouts. Large numbers—easy to read—easy to set. Gray steel case with knockouts—hinged door—can be locked or sealed, UL approved. Operates on 110 volt 60 cycle AC only. Size 7%" L at 5" W x 3" D. Shgp. Wt. 4 tbs..

EXTRA TRIPPERS

EXTRA TRIPPERS
Set of on-off trippers to add more operations.

MS-83-Per set Net 29c

INTERMATIC TIME-MINDER




It's a dependable self-starting electric clock—it's an accurate signal timer. You won't forget to leave for that appointment, start dinner or catch your favorite program—the TIME-MINDER sounds a pleasant buzzer at any preset time from I minute to 4 hours—and keeps buzzing till you turn it off. Attractive Plaskron case 4½ W x 4½ H x 2½ D. 6 ft. cord. For I10V 60 cycle AC. Guaranteed I year. Shpg. Wt. 3 lbs.

Price includes excise tax.

Net 7.25





Net 9.67 MS-104

WROUGHT IRON



BLACK HAIRPIN LEGS 3.95

• Set of 4 as low as 2.25

Do it yourself. With these smartly styled "hair-pin" legs you can build modern benches, book-cases, tables, etc.—or mount them on your present TV set or other furniture. Sturdily constructed of 1/6" rod with welded steel top already drilled tor insertion of screws.

ML-53 6" high Shpg. Wt. 31/2 lbs. Set of 4 2.25 ML-54 12" high Shpg. Wt. 5 1bs. Set of 4 2.49 ML-55 17" high Shpg. Wt. 61/2 lbs. Set of 4 2.89

ML-56 24" high Shpg. Wt. 8 Ibs. Set of 4. 3.59

ML-57 29" high Shpg. Wt. 91/2 lbs. Set of 4 3.89



• Reads 26 to 32 Inches • Precision Movement • Handsome Styling

• Handsome Styling

Produced in Germany by expert craftsmen—unquestionable quality—unbelievable price! Calibrated in 1/100" 1/10" and inches from 26" to 32". Ivory porcelainized metal scale with black and red lettering reading; Stormy—Rain—Change—Fair—Very Dry, Richly polished mahogany stained hardwood case. Black indicator arrow shows atmospheric pressure. Brass arrow sets for reference reading to show degree of change. Polished brass bezel, plano crystal face, open dial reveals intricate mochanism. 5/4" in diameter by 1/2" deep. Tells weather 12 to 24 hours in advance.

F-11. NET 3.95



Top Quality CRYSTAL MIKE

\$575

· -52 db output level . Range 30 - 10,000 cps

• 10 ft. cable and • Hundle and inter-connector locking base

connector locking bose really the misrouling his pointfactor known the world over the former thread acting public deferral acting the world with those recording Carlot will defer all the control of the world with those acting the world with the world w

COMPENSATOR



CORD 'N REEL

YACHT STYLE BAROMETER



· Hardwood Polished Case. · Solid Brass Spokes.

May be used on wait or direk. Open face porcelaritied the reveal introduce porcelaritied to reveal introduce communication. Read 28 to 22 inches Polish three towards 53, 11. Diameter by 13, 2" dip Porcelarities 2 to 21 inches in advance.

F-51..... N t 5.75

TERADO DC to AC CONVERTERS



KRYLON ACRYLIC SPRAYS



The state of the s

KRYLON 6 oz. can

ea. Net 64 ea. Net 1.27

KRYLON Clear 12 oz cen

Here's a new idea in extension cords. Consists of a heave cuty UL of overland resource Lord on bondy rect it has an electron of the Luit into the reel bulk. It want only a state of the lot of the lot indoor applications of the lot of the lot

. WITH BUILT-IN OUTLET .

EL-37 25 ft Rated 7 amp. Shpg. Wt. 2 lbs. . . 3.21 EL-38 -50 ft. Raced 7 mp. Shig. Wt. 3 lbs..... 4.85 EL-39- 10 ft R t d 10 amp. Shps. Wt. 4 lbs

TAP-A-LINE HANDY 8 in 1 OUTLET



- in radio and television she
- . In the home workshop
- . In the krichen
- . On the form

e On the form

Tap-A-Line multi-plug is a handy time and nuisance saver. Avoids shifting of plugs-stringing extension cords. Makes continuously available up to 8 different appliances at one time. Easy to install or use unmounted. Grips plugs securely at all times. A must for use in areas having a limited number of outlets. Rated at 1000 watts. Ivory colored tough plastic—12" long by 1" square. Four ft. heavy cord and plug. Tap-A-Line is safe—convenient—handy, Shgs. Wt. 11/2 lbs.

EL11, same as above—but 2 ft. long Net 2.40 PRECISION GEIGER COUNTER



29.95

. HI-FI ADAPHONE .

- It's a Hi-Fi extension hearing aid. • It's a romote control silent listener.



MS-106. Net 13.40

TERADO TRAV-ELECTRIC SUPER CONVERTER

KAR-SHAVER CONVERTER

For shaving in cor, boat, etc. Plug into cigarette fighter outlet. Converts the 6 V DC from your car battery to 110 V AC. Use with any electric rator.

MODEL 6-11160, 15 watts, NET 7.30

MODEL 12-11160, (12 V), 15 watts 8.63



TRAV-ELECTRIC SENIOR CONVERTER

Madel 6-1160. Small enough to hold in your hand! Delivers 110V AC from your 6 volt DC car battery. Just plug into cigarette lighter. Maximum capacity 40-45 wotts. Bottery drain is only 41/2 amps when used with a table model radiol Use in cabin or trailer-on picnics and autings-in boats and trucks. Will apperate radios, electric shavers, phonographs, small dictoting machines and trouble lights. Ideal for vacationers, solesmen, servicemen, professional men. Fully filtered. Ready to aperate. No installation-just plug in Shpg. wt. 31/4 lbs. Size 21/2x2/2x4"
List \$15.95.

TRAV-ELECTRIC JR. CONVERTER

Model 6-110. Changes & volts DC to 110V AC, 115 cycles. 40 wots maximum capacity. Will operate small radios or tomp in cor, boot, cobin or troiler, or an picnics, outings, etc. Plugs into car cigarette lighter. Fully filtered. Ready to operate. Shpg. wt. 31/4 lbs. Size 2/yz2/yz/x².

PAGE 37

Build'em Yourself! SAVE UP-TO 50%

BUILD YOUR OWN Actual Size

TRANSISTOR OPERATED RADIO

Described in Feb. 1953 Radio & Television News

Kit of 12 basic parts includes: 2 Raytheon CK722 transistors, 2-gang condenser, volume control, resistor electrolytic condenser, 2 coils, switch, resistor electrolytic parts of Radio & Television News article; less chassis of Radio & Transistors can be used to construct many other experimental circuits.

LATEST RAYTHEON TRANSISTORS

Raytheon CK721... Raytheon CK722



PREAMPLIFIER G.E. Reluctance Cartridge FREQUENCY RESPONSE: 20 - 20,000 CYCLES

10 WATT - BUILT-IN

This high fidelity amplifier has been designed for home installations or other applications where high high reproduction is routed. Separate tone controls are utilized for bass and treble attenuations. Surface to the control of the

HIGH FIDELITY AMPLIFIER KI

PHILMORE RADIO KITS

DUAL BAND BROADCAST-SW KIT



MODEL 7001CNET 11.76

TWO-TURE BROADCAST KIT

The perfect kit for the beginner. A really good receiver that is easy to build. Excellent sensitivity

that is easy that it is eas diagrams and schematics require no previous experience to follow. Complete with all nacestery parts and hardware, less wire, solder and tubes. Tubes needed are (1) 125J7 end (1) 35Z5 rect. Operates on 105-125 volts, 60 cycles AC or DC. Size 6½ x 5½ x 4". Shpg. wt. 2 lbs.



EXPERIMENTERS MULTI-PURPOSE KIT

10 Kits in One

Proadcaster Receiver
Phonograph or Microphone Amplifier
Phono Oscillator
Home Broadcast Station
Code Practice Oscillator
Copacity Operated Relay
Signal Tracer
Electronic Timer
Electronic Switch
Photo Cell Relay

Here is an ideal kit designed for both beginners and advanced radio students. You can build 10 different circuits shown above—they all work—and learn important fundamentals and functioning of different circuits. You can do many novel and interesting things; such as, play your phonograph through your radio, broadcast your voice through your radio, etc. Kit is complete with breadboard, microphone, 3 tubes and all necessary parts for construction with 12 page manual of instructions and schematic and pictorial diagrams. Less headphones, photo cell and socket wire and solder. Shpg. Wt. 10 lbs.

NET 13.95 KT-34 NET 2.50 Photo Electric Cell type 868. Amphenol 77M1P4 Socket for above..... NET

mer "Build Your Own" KITS

Model 3BK. Regenerative grid leak detector with resistance coupled pentode audio stage. 3 tubes—6BJ6 and (2) 50B5. Uses any magnetic phones with impedance of 2,000 olms or more. With coil covering breadcast band. 520-1530 KC, tubes, hardware and solder. Additional coils for other bands listed below. For 105-125 V. AC-DC. 73. W. W. x 44. "B x 43." D. Less headphones. Easily assembled from pictorial diagram and schematic.

PLUG-IN COILS FOR ABOVE

Type 18-3504--7.9 to I8 MC....... 87c
Type 18-3505--15 to 34 MC...... 87c

MEISSNER "HOW TO BUILD" MANUAL

Contains a wealth of information on basic theory, design and construction of AM. FM and TV circuits, phono pickups, audio amplifiers, speakers, disc recorders, etc. Fully illustrated with charts, radio formulae, schematic and pictorial wiring diagrams. 1.47

PHILMORE CRYSTAL DETECTORS AND ACCESSORIES



PAGE 38









IG. A. This crystal receiving set will bring broadcasting stations loud and clear up to i miles away. Equipped with super sensitive sstal.

STOCK NO. 7001 NET 1.46

FIG. O. Crystal detector, provides quick and accurate adjustments on any point of crystal. STOCK NO. 7003 NET 260

FIG. F. Highly sensitive galena crystal. STOCK NO. 7004 Each 120 10 for. 1.08

NEW! transistor

TRANSISTOR CIR-KIT

. 12 FUNDAMENTAL TRAN-SISTOR CIRCUITS

. 2 COMPLETE MANUALS

e 2 COMPLETE MANUALS

Here is an easy way by practical methods to ecquire a real basic knowledge of transistors and their application. Contains parts to build 12 circuits covering such Items as using junction transistor as detector amplifier, single stage grounded emitter base and collector transistor audio amplifier, coupling networks, transistor volume control circuits, bias and stabilizing methods etc. 14 additional circuits can be built by adding components. Also includes 105 page Howard Sams manual on Transistors plus a second manual covaring construction of the 12 circuits, Shpg. Wt. 10 lbs.

EAGLE CRYSTAL KIT

KT-18- EC-1- -Single headphone for



DOITYOURSELF- Build Your Own Kits!



Produced by the American Optical Co. in collaboration with the Museum of Industry and the Encyclopedia Brittanica.

Encyclopedia Brittanica.

For the young scientist interested in the amezing world revealed by the power of glass. This kit was designed by top the power of glass that was designed by top the power of glass. This kit was designed by top you can build the same kind of telescope that Galeleo used you can build the same kind of telescope that Galeleo used you can build make a microscope of exactly the type that yas leave the power of the power of

KT-40-OPTICAL KIT-List 22.50

ELECTRONIC AM SIGNAL GENERATOR Non a Kit—Completely Wired For Servicemen—Hobbyists— Technicians

The Perfact Low-cost enswer to servicing problems. Not e toy-but a real electronic signal generator. Output frequencies of 455 KC, 660 KC and 1500 KC. Highly stable. Compact lightweight easily portable. Complete with tubes, leads, clips end instructions. ML-37.



MOTAKIT



HEARING AND FOR RADIO

New headphone type hearing device increases radio enjoyment for persons who find it difficult to hear radio programs properly. Also fur private listening without disturbing others. Quickly and easily attaches to any radio in a matter of minutes. Supplied with switch permitting speaker only phones only or botch, Low-resistance phones match loudspeaker coil.

DC.1—Same but with single phone







"EMPIRE" DOUBLE HEADSET

Low priced, light weight set with large magnet and double coils. Adjustable steel headband. 4% ft. cord. EA. 1.91 EC-2. 2000 ohms. EC-3. 3000 ohms .. "EMPIRE" SINGLE HEADSET Efficient, attractive single phones. Spring steel headband. EA. 1.13 EA. 1.17 EC-1500. 1500 ohms

BRANDES "ADMIRAL" HEABPHONES

coils.	chrome stee	i magnets.	Adjustable	steel	headband.	ms. Double
BA-3.	3000 ohms					EA. 2.65 EA. 3.53

BRANDES "SUPERIOR" HEADPHONES

A "matched-tone" headset of same general construction as the "Admiral" but has terminals on the outside.

88-2, 2000 chans



RCA ELECTRONICS KIT





The product of RCA colloborating with famous Museum of Science and Industry and the Encyclopedia Britonnica.

Here at last is a kit designed by the best brains in the country to develop young cientists, giving them a start on the basics of electronics. With this kit you can build involve radio or a radio transmitter to send messages into the radio in another room you can conduct experiments with a telephone like the original one made by Alexandry you can conduct experiments with a telephone like the original one made by Alexandry you can conduct appears to the result of the start of the st

HI-FI-PUSH-PULL PHONO AMPLIFIER KIT

Here in kit form is a quality phono amplifier that in packed with features. It uses 4 tubes—a 12AN7, a 33W4 rectired and into 33CV5 in a push-pull output circuit that carries pienty of power with fow distortion. It culties inverse feedback and is designed to take advantage of modern hi-fi reordings and obsous cartridges, of the control of the cartridges of the cartridges (see our phono pages) in housing of its cartridge (see our phono pages) in housing of the cartridges. Has separate tone and volume controls. Kit is complete with all former, with complete pictorial and schematic disgrams. Ships, Wt. 4 lbs.




AC-DC BROADCAST RADIO SET KIT

. COMPLETE WITH TUBES AND CABINET 16 Page INSTRUCTION BOOK plus 3D COLOR EYE. O-GRAMS

O-GRAMS

Not just ordinary schematic and pictorial diagrams, but a new simple method that makes building a cinch. 3 differently colored transparent sheets show the wiring for each circuit; each of these transparent sheets show the wiring for each circuit; each of these tit over a master classis photocraph. A master copy shows all steps in individual colors—and when you're through you'll have a fine superhet set covering 550 to 1600 KC. In modern brown plastic cabinet with built-in antenna. Size 95785. Complete Ki with 5 tubes, cabinet, speaker, and all parts. Shpg. Wt. 7 lbs.



SILENT TV VIEWING


TRIMM 632 HEADSET KIT For TV Sound Reception



Especially designed for use with TV sets. Enables sound portion of program to be restricted to headphones but does not affect picture, Ideal for hard-of-hearing or to cut out noisy programs. Consists of outlet box with 15 ft, of cable, one set headphones with cord and plug. Outlet box has 2 phone jacks, remote on-off switch for loudspeaker and headphone volume control. Shpg. Wt. 3 lbs.

Trimm 632 Kit . Extra headset enables two people to listen.

HEADPHONE CUSHIONS FOR ALL PHONES



PHONE AND SPEAKER CORDS 41/2 Feet Long

4½ Feet L

Sturdily made, with cotton braid insulation. 4½ feet long.

MS-35— Double type. I end apade tip, other straight.

MS-37— Single type. Pin tips both ends.

MALLORY MIDGET JACKS Extremely compact. Mount in % hole. Type A-1 "Infant" jack is not illustrated.



Mallory A-1 Open circuit
A-2 Cir. closing, shorting
Two circuit
Cir. reverse

POPULAR PHONE PLUGS



STANDARD PHONE TIPS

MS-39- 10 for ... 12¢



WALSCO MINIATURE PLUG AND JACK

wo-conductor precision army type. Needs no screws; molded astic case cements together. Ideal for hearing aids, speaker stensions, etc. MS-48 Plug only (type PL-291) Each 35¢
MS-41—Jack only (type JK-48) Each 47¢





GUNS

New High Watrage Guns - These latest model guns have everything! Increased watrage-dual spatilities-rugged plastic case-featherweight balance. Come equipped with cord, plug and one tip. 110-120 volts AC 60 cycles.

PROFESSIONAL SOLDER GUNS STANDARD DUTY GUNS

Model \$400. Single-heat type, 13	watts.
Shpg. wt. 3 lbs. List \$12.15, NET.	8.77
Lots of 3, EACH	7.8%
Model D440. Dual-heat type.	100-150
watts. Shpg. wt. 3 lbs. List \$14,90, MET	0.73
Lots of 3, EACH	

HEAVY-DUTT GUNS	
MODEL 5-500. Single-heat type. 250 wa	Its.
Ct 3W the	
List \$13.50. NET9.	/2
Lots of 3, EACH	.77
MODEL D-550. Dual-heat type. 200-	275
watts, Shpg. wt. 31/4 lbs.	
List \$16.25 NET	
Lets of 3. EACH 10	.53



Rated over 100 watts, new compact design with dual spotlights. Trigger switch control. U. L. approved. Convenient pistol grip handle. Shpg. Wt. 2/2 lbs.

WELLER 8100—Singly ______ Net 5.83

Lots of 3—Each __Net 5.19



Here's everything you need for hundreds of homecraft and hobby jobs. Does all the many electrical soldering jobs eround the home and shop—plus planty of heat for sheet metal—pots—pass—cans—etc. Cut plastic files—repair plastic toys. Kit includes 250 wat instant heat—dual spotlife Weller gun—ample supply of Kester solder—soldering tip—smoothing tip—cutting, tip—tip interchange wrench—two instruction booklets—sturdy metal case for convenient storage. Shpg. Wt. 5 ibs. _Not 10.77 WELLER 1250-AE

REPLACEMENT CHISEL-POINT TIPS

No. 7135. For light-du	ty models \$400 and
D440. PKG. OF 2	WS-200 WD-250.
\$-500 and D-550, PKG.	OF 235¢
No. 7300. Chisel tip. F	or use only in older
models S-107 and D-20 able with tips used in	7. Not interchange-
PKG OF 2	254

	tlp. For heat sealing arfficles
\$130 Cutting tip.	Cuts plastic tile quick-

Lots of 6, eo. 1.59 Lots of 12, ea. 1.47

TAP, DRILL AND DIE SET



Useful set for handy men and model shop workers. Three I" die. dies (4-36, 6-32, 8-32) with die stock; three taps (4-36, 6-32, 8-32) and 3 matching tap drills for these taps. Tap holder and mahogany case. Shpg. Wt. 3 ibs. Net 2.70 HD-28

HANDIMAN'S TOOL



A combination tool that is a slip-joint piler, screwdriver, wire-cutter, and adjustable wrench—all in one. Drop-forged with electronically hardened cutting edges. Nickel chromium plated, 6½" long, Pilers take up to 1", wrench to ½". Shpg. Wt, ½ lbs.

Not 2.25



Easy-to-use set winds honey-comb, spiderweb and solenoid coils of various widths and dismeters—equal in appearance to a factory job. Also suitable for winding chokes, transformers and filter inductors. Indicator counts number of turns on coil. Supplied with accessories including wood spools, metal pesholders and extension for making long solenoid coils. Instructions included, but less coil forms and pers. Wt. 6 lbs.

16 PIECE TOOL SET



This is the most complete tool set of this type that we have ever seen for the radio man or mechanic. Consists of 8 deep wall hardened sockets from ½" to 9/16", 5 serewdrivers ½" x 5½", 2 ½", ½" x ½½", 2 Shpg. Wt. 2 HD-131....

PAGE 40

AND DON'T FORGET LAFAYETTE'S MONEY BACK GUARANTEE

ELECTRIC DRILL **ATTACHMENTS**

MAKE YOUR DRILL DO A 1000&1 JOBS



Handlest helior you can have! A complete set for bome or shop use. 3s pieces handle set for bome or shop use. 3s pieces handle set for bome or shop use. 3s pieces handle seanding. Stite contains the seanding distance of t



Converts your drill into a stationary table under to use as a beares of the power for such tasses as the Ares its power for such tasses as the Ares its power for such tasses, etc. Can be acreed or clamped to table. Can be acreed or clamped to table. Wit 1% the.

Wh 1% the. Speed Bits

e For Weed Or Plastic

Here's the set for longer life—faster cutting
—smoother borins in wood or plastics.
—smoother borins in wood or plastics.

Full with blade state tool state make.
Full with blade state make from the state make.
—south, true hole, set boring—to clog sing make in the state of the state with the state of the state with the decipion with a state of the state



AUTOMATIC HACKSAW

• Small, Compact, Powerful!
• Nothing To Weer Out!
• Nothing To Weer Out!
• Nothing To Weer Out!

Fits any 'w' Electric Drill. Cuts any wood, metal or of the property of the NO.56. NET 4.46

ROTO SANDER ATTACHMENT

Attacars to Roto Hacksaw above. 3" I 5" sortice and with stain. Dose every job from rough to fine. Shots. Wt. 1 lb. 2.93 MD-111......Net



Cuts 1", 1½", 2" and 2½" holes in any ½" stock. Works with any ½" drill or drill press. Light, rugged aluminum with any ½" drill or drill press. Light, rugged aluminum arbor sand pilot drill—bolds i saw blades of high quality, arbor sand pilot drill—bolds with arbor and i saws. Shock with 1 ib. 3.12

ARCO ANGLE-BUFFER® Steel Gears.

• Grease Sealed Lubrication.

Not \$13.39



Brill - Saw

Specially wound Hi Torque meter. Builthrust bearing.

· Jecobs keyed check.


4" DRILL GEARED CHUCK

Powerful, lightweight drill, for home app. Capacity: ¼" in steel, ¼ or stop. Capacity: ¼" in steel, ¼ or stop. Capacity: ¼" in steel, ¼ or steel, in herd wood. Speed at full load. I sook prock and instant release. With lock and instant release. With Jacobs geared key chuck. For IIS Jacobs geared key chuck. He-108.

■ Grease Seeled Lubrication.
■ Self Lubricating Life time Seerlags.
Converts any ¼" electric drill into powerful, smooth running right angle buffer and sander. Swivel action permits use at any angle on all types of surfaces. Flat—curved—or irregular shapes are easy to work. Large handle for added safety and ease of handling. Includes 5" molded head—5½" lambs wool polisher—and sanding disc. Shpg. Wt. 2 fbs.

MD-133 Net & R

HD-133. Net 4.88



NB-T4-All-surpose for metal, wood, Net2.45 MB-75-Specifically for wood........ Met 2.4

IMPROVED CIRCLE CUTTER

Regular \$3.50 Dealer Cost!



Will cut holes from 11/2" to 8". Accommodates centering drill or any size pilot pin! Cutting ber holds 4;" high speed cutting bit. All are Brand New and factory packed—easy to adjust. Shpg. Wt. 1 lb.

HD-72..... Net 1.79




HIGH SPEED COUNTER SINK

Fast cettins — five firsts — 22° angle. Made of fine grade hi-speed steel. For was in any machinable material such as metal, weed and plastic. Has five carrilly ground firths for cutting an 82° angle to receive wood and machine serve hand. Has 10° chank for use in any electric drill or drill press. Length overall, 25° c.



ROTO PLANE

A new lew-cest precision planer—Rts any 1/4" electric drill. Specially designed 3 Sute spiral entire planes against, cross or with grain with ease. Cuts hard or seft weed, massnitz, compectition beard, or plantic. Adjustable depth of cut—automatically planes a true 50° angle. Diagonal shearing action—planes at any angle. Heavy ell-lite bearing—leng-life cutter of deep heavy ell-lite bearing—leng-life cutter of deep many ell-lite bearing—leng-life cutter of deep cases of espectations of complete—ready to check late 1/4" drill. Shaps. W. 3 See. 37.2. HD-112 .Net 9.72




TWIST DRILL SET

Set of 13 high quality chrome vane-dium twist drills. Sizes 1/2" to 1/4" by 64ths. Less Index. Shpg. Wt, 6 oz.

As above but complete with metal index. Shpg. Wt. 8 oz.

ARCO SAW





5 TO 1 RATIO GEARED CHUCK

Stock No. HD-27

\$9.37

SAW WITH AMAZING SPEED AND ACCURACY

GOES THROUGH 2 x 4's IN ONE CUT

Saw attachment converts any ½" electric drill into a portable saw that's casy to use. Right angle gear drive provides the same type of portable saw observation found in professional type skill saws. Five-inch tempered steel master quality blade cuts up to a depth of 1½". Unit is well designed for safe operation—quality built for long lasting service. Casing is of a strong aluminum siloy. All gears are inside, sealed and grease packed. Ollite bearings are self lubricating. Wt. ½% D.

"Arco-8aw" complete with Depth-Berel-Rip Gage and 5-inch Arco "SAFECUT" blade (uses 30% less power). With instructions and guarantee (less drill). 5 inch replacement blades.



complete with all purpose blade

· Cats inside boles without beried

Cuts lumber up to 2 x 4'sl · Can be used with one. hand!

Can be used with one. hand:
Conyent your '%' elsertie drill to a
purserful, versatile, light waight aw'
Does work of Jig. Karphole. Coping,
Nip. Crosscott, Band and Hacksow
Perfect for work around the shop, how
and factory. Will handle any project—
from the smallest to the largest. In
minutes it cuts intricate patterns,
circles, etc. in plywood, wall board,
plastics, metals and lumber up to
3 x 4's. Air stream blows sawdust awy
from blade. Shpg. wt. 2½ lbs.

HD-56..... NET 8.21

Replacement Blades: Package of 6 blades; 2 course tooth for lumber, etc., 2 medium tooth for plywood, plantic, etc., 2 fine tooth for steel, plantic, etc., 2 fine tooth for steel, plantic, etc., MD-57...MET 1.46



AND DON'T FORGET LAFAYETTE'S MONEY BACK GUARANTEE

UNBELIEVABLE LOW PRICES

TUBE CADD

Hand Vise



The only practical way to grip and hold small parts and pieces. 1½" die cast jaws open to ½". Mounted on a de comfortable, ferruled wooden handle. Holds work for drilling, marking, filling, sawing, etc. Endless uses in shop and handlwork. Shpg. Wt. 1 lb. Net 79c MD-84

WELDALL-the wonder Welder!

@ Ends maleshift-fame

Works off automobile battery—6 to 12 volts—or house cur-rent with francisemen?

werks off arthmetable battery—to 12 your rest with transfer mer?

A new all purpose welder for a thousand and one workshop or home repairs. Mends and repairs conselless items. Works are the repairs of the rest of the rest



Designed with the servicemen is mind. Center section has 6 sections. Two hings: swing-out sections each with its own button-down cover. One top section undivided for larger items, other top section divided lengthwise. Made of heavy wood, with 4 metal braces at hinge corners. Laver-action snap locks. Plastic carrying handle All hardware nickel plated. Size 16%" L x 13½"H x 8½" W. Covered with fough wear resistant meterial. Shpg. Wt. 10 lbs.

POWER CRAFT JIG & SABER SAW

The perfect standard duty jig saw for hobbyist, shop and handymen. Ruggedly constructed—easy to use—recommended motor 1/4 H.P. Depth of throat 12". Table of heavy gauge steel measures 8½" x 8½". Uses steedard 6" or 6½" blede any width up to 3/46". Stroke is 1/16". Enclosed mechanism—run in light grease. Self-Lube bronze bushings and light grease. Self-Lube bronze bushings and hardened working parts for long wear and durability. Two piece cast frame—16" high, 17½" long overall. Uses 3" pulley, Motor not included. Shpg. Wt. 14 lbs.

ELECTRIC HANDI-SPRAYER

Save time and money! 30 lb, nozzle pressure gives professional results. Sprays all types of paints, enamels and lacquers. Any sprayable liquid! Enclared and lacquers. Any sprayable liquid! Enclared and lacquers, and the permits spraying up, down, or always without hilling jar, lastest spray control—lingertip adjustment from mist to cone or straight stream! High impact plastic housing—all parts of stainless steel and brass. Complete with 24 oz. Mason Jer and 8 ff. cord. Shpg. Wt. 4 lbs.

HD-78-Net ea., 6.25-Lots of 3, 5.97 ea



PET PORTABLE SPRAY OUTFIT

• Powered by any 14" Electric Drill.

Compact—Sturdy—Light weight. • Twin-cylinder compress

This is the newest tool attachment for your 1/4" electric drill! This is the newest tool attachment for your '4" electric drill! Anyone can do a professional job on furniture—autos-cabinets—equipment. Twin cylinder compressor delivers .5 cu. ft.—25 PSI at 1500 RPM. Adjustable brackst permits any '4" drill to serve as power source. Includes adjustable nozzle to bandle various liquids—one quart capacity siphon type spray gun threaded for standard meson jars—10 ft, rubber hose—50 lb. capacity air gauge—three adapters to fit practically any air linlet valve—twin cylinder compressor with 0-80°51 pressure regulator. Only 14" x91/2" x71/2". Shpg. Wt. 8 lbs. HD-134



ROTO SABRE SAW . Designed for securate work.

- All moving parts of hardened and ground alloy steel.
- Oil imprognated bearings throughout. · Nousing of die-cast aluminum.

Built for the heaviest work—priced for the lightest budget! Easy to operate-attaches to any ¼" electric drill or drill press. Comparable to highest priced attachments. Fully enclosed for maximum safety. Complete with 3 blades—I each wood, metal and scroll. Shep. Wt. 1½ ibs.

ND-58....





Has standard 1/4" chuck with 3 hardrisk standard ¼" cauch with 3 hard-ened jaws. Chuck opening from 0" to ¼". Set on "easy-grip" ferruled wood handle 4" long. Holds small drills, reamers, screw bits, files, etc. A "nat-ural" for the hobbytst and craftsman. Shpg. Wt. ½ lb.

Net 8.81 HD-95



SPEED-O-MATIC BATCHET BRACE



SAW

EVERYTHING SAWS COSTING TIMES AS MUCH

Times as much
CAN DO
A mechanical marvel, this
8" TILT - ARBOR SAW
gives fast accurate, vermatile performance. Blade
tills to 45° cutting angle.
You can mitre, bevel or
saw any length at any
angle, yet table and work
stay level. Cuts joists,
siding, ratters, fearms, joints, slets, dadoes and moldings. Takes any bench
saw attachment. Does all types work—crosscut, rip, bevel, mitre. Other features include steel safety guard, self-aligning rip fence, large polished combiastion blade, accurate tilt scale, mitre to any angle, removable dada plate,
arbor mounted in double self-intricating bearings. Cuts up to 2½" thick—
hard or soft wood. Precision built of east iron. Table size 11" x 14". Cast
iron extensions (not supplied) 6" x 14". Shog, Wt. 35 lbs. List 29.50.

ACCESSORIES

Net as 2 95

HD-128—EXTENSIONS—W. 5 lba.
HD-129—V Belt and Pulley.
HD-139—Extra 8" Saw Blades.
HL-47—W W B ML-47-% H.P. 1725 RPM Split Base Motor.

"TIP WRENCH"

Adjustable socket wreach for repair, male-tenance and production work. Designed to work in deep. Not merely a starter feed-starts iestantly and softs positively! Grips, starts, tipithens or lessess mith jets one sof-ting. Nat or both use"t alig or bars. Kessfeed hardened steel jaws bete ests, boths and serveus. Wen't slip or term. Scoves of moss in sheep, plants and homes. Shorts-prod viry-lite laministed shouls. Capacity: No. 6 to No. 12 met or serveu. 50% leag.

WELLER SANDER AND POLISHER



A handy tool et a deady price! Consists of five sockets, sizes ¼, 5/16", 11/32", ¾" and 7/16". All strung on a hexagon shaft which eads in a ¼" screw driver. Has shock proof transparent plastic handle. Shaft and sockets are bright finished. Worth twice our low price. #87-84. #8175c ea.

SPINETTE SOCKET WRENCH

& SCREW DRIVER SET

Positive Straight Line Action Sands with The Grain
 Large Sanding Aron Full 25 sq. inch
 Powerfull High Speed Cool Meter
 14,400 Strakes Per Minute
 Power-packed reciprocating type motor in easy-grip case only 2½" high with push-button on-off fingertip control. No torque, bucking or twisting. Positive straightline action. Tension-lock paper holders. Rubber insulators between motor and housing minimizes noise. 25 sq. in. sanding area. Complete with 8 ft. cord, 6 sheets asst. sandpaper and polishing cloth. Shpg. Wit. 3½ lbs.
WELLER 700

WELLER 700

UNUSUAL

IMPORTED TO SAVE YOU MONEY

ASTRONOMICAL TELESCOPE

WITH TRIPOD AND CARRYING CASE

40X, 64X, and 89X

40X, 64X, and 87X

Professional instrument for students of astronomy and long distance viewing. Has 3 collapsible sections and extendable wooden tripod. Precision made, high optical performance, with magnifications of 40X, 64X and 89X. Has 4X cross-hair finder; 3 eye pieces—20 mm, 12.5 mm and 9 mm; erecting prism for terrestrial viewing; diagonal prism for right angle viewing. Objective lens is 60 mm diameter, fully corrected, achromatic coated. Comes complete in wooden carrying case. Height with tripod extended 5½ ft. White enamel finish. Weight of telescope, tripod and case, each approx. 6 lbs, Total shpg. wt. 25 lbs, Made in Japan.



F-102-Complete Set.

PORTABLE 70X MICROSCOPE

"A real gem-very well made-very valuable for minerologists, etc." V. R. Rawson, Chairman Science Dept., White Plains High School.

- Pocket Size for Field or Lab. Ideal for Minerology-
- Achromatic Lenses.

• Achromatic Lenses.

One of finest precision optical imports Lafayette has ever offered. Unparalleled for "rock-hound", prospectors, Industrial, coin and stamp collectors, students and hobbyists! Indispensable for examination of gross and opaque subjects. Highly polished—finely machined chromium plated brass tubes, mount and tripod legs. Sliding draw tube permits focusing on objects from flat surface to 1½" high. Ideal for Inspecting large specimens—small parts—surfaces of large pieces—that no standard microscope can accommodate. Size collapsed is only 4½"—fully extended 6½" less tripod. Includes soft leather zipper case and tripod legs. Weighs only 8 ozs. and measures 4½" x 1½" overall in case. Perfect portability. You must be 100%, satisfied—or your money back! Shpg. Wt. I lb. F-37

Entomology-Metallurgy.



4X40 FIELD GLASSES



- . SENSATIONAL VALUE!
- Imported from West Germany.
- Built in magnetic compass.

Built in magnetic compass.
 A fine 4 power field glass with 40 mm objective lenses. Smoothly operating central focus for quick adjustment. Variable inter pupilary adjustment permits setting to your eye width. Rugged frames for all round use. Finely ground and polished lenses. Magnifies objects 4 times! 40 mm objective lenses suitable for night viewing. Do not confuse these glasses with "toys" selling for even more! Light weight—maximum light gathering power—large field of view. Complete with neck strap. Shpg. Wt. 2 lbs.

1988.

... Net 3.98 F-39-Tax Included

CHROME RECTANGULAR READER



Imported chrome rectangular reader. Finest optically ground and polished lens. Set in a chrome plated frame—well below rim level to minimize scratching. Split threaded joint—brass ferrule. Ebony styled plastic handle, Lens is 2" x 3½". Focus: 8 inches. An amazing Lafayette value. Overall length 6½". Shpg. Wt. 1 lb.

FLEXIBLE DESK MAGNIFIER



Small, compact stand magnifier for bench or desk use. 3X lens is 2½" in diameter-has 3½" focus. Enclosed in black enamelled brass tim—horse-shoe base in black finish brass eim—horse-shoe base in black finish— tras two chrome plated universal joints for adjustment in any direction. Shpg. Wt. 1 lb.

IMPORTED FOLDING OPERA GLASSES

A \$12.00 VALUE

Ideal for the theatre and opera. Unusual design enables these 3.5 power glasses to fold up into a small case only 41/4" x 21/4" x ½". Case snaps open and closes quickly and easily. Attractively finished in grained leather. Shpg. Wt. 1 lb.

Add 10% Fed. Tax



40 POWER PRISMATIC TELESCOPE

- Prismatic system similar to fine binoculars!
- 40X for astronomical or terrestrial viewing!
- All metal construction!

F-120

Net 32.50



30 POWER TELESCOPE

- Weighs only 8 ounces!
- All metal-chrome trimmed!
- With plush-lined leather case!


Precision machined body. Hand ground, hard coated, achromatic lenses. Sharp, clear, brilliant images in the same manner as fine binoculars, Used in hunting-sports—vacationing. For long distance or close up views. Brings objects 30 times closef! Highly polished plated tubes for smooth, easy sliding focusing. Collapses to 7"—extends to 14½". Not a cheaply made toy telescope. But one of Lafayette's finest optical bargains. As always you must be satisfied—or return for immediate refund. Shpg. Wt. 2 lbs.

Micro-Telescope



Two precision optical instruments in one handy pocket unit. When collapsed it is a 50X microscope with a self contained concave illuminator mirror. Extended it becomes a 10X Telescope! 5" collapsed—extends to 8½". Carried as easily as a fountain pen. All metal construction with a grey enamel and chrome finish. Remarkable versatility in one instrument. Ideal for field work—nature study—sports—etc. Shpg. Wt. ½ 1b.

NSFIELD MOVIE ACT



- Picture screen 21/2" x 31/2"! Glass Prism Shutter!
- 1600 ft. geared rewinds!

Automatic Splicing!

Latest model Mansfield action editor for home or professional use. Newest type film gate makes threading of film easy and scratch-proof. Front access door allows adjustable needle-sharp focusing. Constent and brilliant illumination from single contact 30 watt bulb and condenser makes image easily seen in light room. All die cast constructed viewer. Automatic splicer assures fast, clean splicing. Consists of: two 1600 ft, geared rewinds with brake, glass prism shutter, automatic steel splicer, brilliant viewer. Mounted on metal base with grey enamel finish. A precision instrument designed to allow viewing end editing of movies with simplicity and accuracy. Shpg. Wt. 8 lbs.

E-30 8 mm Editor Not 29.75

16 mm Editor

Net 33.75



TELE SPECS

Famous Binocular—spectacles imported from Western Germany! Regularly sold for 2:79! Wear 'em like ordinary glasses! No fatigue—wear 'em hour after hour! Ideal for sports—IV—movies—nature study. Individual focusing for each eye! Clear—close up viewing at all times. Light weight and compact—only I oz.! F-42—Tax included.



LAFAYETTE'S DIRECT IMPORTATION FROM ABROAD...AND YOU GET THE BENEFITS AT GIVE AWAY PRICES!!!





Made in Germany of hard rolled, nickel plated brass. All instruments 33/4" bow instruments—one a divider, one a pencil and one a pen.
All have reversible needle point. 51/4" compass with pen and pencil
parts—and lengthening bar. 51/4" divider with straightening device.
5" ruling pen. Extra handle for use with pencil are nested in a fitted, velvet lined case. Contains three side wheel ruling pen. Extra handle for use with pen and pencil parts. Capsule with extra leads. This is one of the finest values Lafayette has ever affered. Perfect for schools, labs, industrials or wherever precision drawing sets are used. Your money back if you do not agree that this set is worth twice our low, low pricel

..... NET 2.75

SPECIAL COMBINATION OFFER DRAFTING AND DRAWING SET

Consists of FI3 drafting set and F49 drawing set. Shpg. Wt. 2 lbs. Stock No. F50



F-13...

PROFESSIONAL GIANT BOW DRAFTING SET

- 6" Size with Center Wheel Adjustment
- Finely Balanced— Professional Type

Professional quality utility set in a fitted, velvet lined case. Made in Western Germany of nickel plated, hard-rolled brass. 6" giant bow has preferred center wheel adjustment. Makes circles from ½" to over 10" in diameter. Set includes 6" giant bow, interchangeable pen and pencil parts, extra needle for using bow as divider, handle for use with pen and pencil parts, lead, lead box and repair parts. Quality features make this set worth many times our low price—You must agree—or your money back! Shpg. Wt. 1 lb.

IMPORTED MARCHING COMPASS



Made in Germany by the leading European compass manufacturers. Indispensable for campers, hikers, hunters, tourists, etc. Same type as those extensively used by the armed forces to determine one's position in unknown country. Jeweled needle—luminous cardinal points—rotating fwin scale, 0-64 and 0-360—sighting line and mirror for accurate bearings—locking device—setting edge calibrated in millmetres—rugged, ebony finish case. Can also be used to measure the width of an objective. Complete with instructions.


Net 2-45

F-115



Here's a precision compass by a famous each compass is compass manufacturermade by precision craftsmen and assures dependable accuracy. Heavy brass case is nicket plated and highly polished. Hinged cover, 134" beveled crystal face, swivel carrying ring. Metal scale fully calibrated, has luminous marking at cardinal points. Needle is suspended on a jeweled bearing -has luminous tip. Locking device holds needle in position-highly polished inner band permits reading from any angle. F-12.....NET 99€

COMPLETE DRAWING SET



These drawing kits were especially designed for students of mechanical drawing and engineering. Perfect for professional people needing inexpensive, accurate instruments for home or office use. Consists of: 18" wooden T square, 6" transparent 45-90° triangle, 8" transparent 30-60° triangle, 6" 180° transparent protractor with etched rule and french curve cutouts, 51/4" transparent french curve. Guaranteed to be worth many times our low price. Shpg. Wt. [Ib Net 1.79

ELECTRONIC DRAFTING TEMPLATE



Make those handmade schematics really accurate. All elements of electronic and cathode ray tubes are provided for, plus tube bases of the 4, 7 and 8 prona types, in addition to all symbols in the field of electronics. Edges of all symbol cut-outs are beveled. Size 6½" x4½"-thickness .040. Shpg. Wt. 11b MS-66. NET 2.20



- Telescoping extension bar.
- Draws circles up to 28" in diameter.
- Center wheel adjustment.

Made in Germany of nickel plated, cold rolled bress. Divider is 6" long—has knuckle joint—interchangeable pen and pencil parts—telescoping beam—resersable needle point—center wheel acts as micrometer. Makes circles from 1/2" to 28" with extension bar. A professional instrument with a wide range of utility. F-116

.Net 3.45



SWISS STOP WATCHES

Jeweled Movements

Leave it to Lafayette! Even the new, higher tariffs can't stop us from offering these precision built jeweled stop watches at unbelievable prices! Perfect for sports, industry, radio & TV, research, athletics, etc.

INDUSTRIAL MODEL (A)

Decimal stop watch with 7 jewel movement, nickel chromium finished case. Dial is divided into 100 parts. Long hand completes one turn in 60 seconds. Small hand registers up to 30 min. "Time out" feature gives start-stop-start action. Both dials "fly-back" to zero when desired. Rugged—accurate—easy to use. Shpg. Wt. 12 oz.

SPORTS MODEL (B) Dial divided in 1/10 seconds. Long hand completes one turn in 30 seconds. Small hand registers up to 15 min. Start-Stop-Fly-back to zero by successive action. Nickel chromium finished case. Ideal for track—competitive sports—schools, etc. Jeweled movement—unbreakable crystal. Accurate—reliable—precision construction. Shpg. Wt. 12 oz.



HAND TALLY REGISTER . 4 DIGIT CAPACITY . COUNTS 0-9999

. SINGLE TURN RESET KNOB

.Net 3.39

MAP MEASURER & COMPASS



- Not a gade to but a real in Measures distances on any size map.
- Measures curved or irregular

shapes.

shapes.

Exclusive at Lafayette! A map measurer with built-in compass! For the motorist—camper—hunter—boating enthusiast. An indispensable unit of equipment, Just trace along route on map and multiply miles—per inch factor-by reading on dial. Also reads directly in inches up to 39", Built-in magnetic compass has cardinal and secondary points—full 360° markings in tenths. Accurate and dependable. Complete with leather sheath. Shpg. Wt. 8 oz.

F-47.

Nat 1.59

VEST POCKET



MAGNIFIER

Pocket size magnifier has 45 mm lens—magnifies three times. Brings subject matter into sharp clear focus, Heavy plastic rim protects against chipping. Swings into genuine leather case. Shpg. Wt. 5 oz.





IMPORTS DIRECT IMPORTERS PROFITS



ROSCOPE




3 LENS TURRET MICROSCOPE

100X-200X-300X At a Microscopic Price

We made a deal with a big importer. He needed cash—Fast! So he came straight to big-buying Lafayette—made us a hard-to-believe ofter—and we closed the deal then and there! You get the lowest prices ever on a truly fine instrument—precision built for accuracy and long lasting service. Triple position turset holds 3 achromatic color-corrected objectives for magnification of 100X, 200X and 300X power! Heavy base and stand—inclines through 90°. Dual knob focusing by rack and pinion. Adjustable plano sub-stage mirror. High-grade microoptics used throughout! Complete with fitted wooden carrying case and slides. Shpg. Wt. 4/z lbs.

NET 6.75

Professional 3 LENS TURRET MICROSCOPE



Leave it to Lafayette! Only our terrific purchasing power makes a buy like this possible! This is a precision high grade microscope surtable for use in laboratories—hospitals—schools—industrial plants—etc. Triple revolving nose piece with a objective lenses and 12.5 power ecular lens gives magnification from 120X to 360X! Prismatic inclined eye piece mounted on revolving turret makes for convenience and ease of viewing. Grade A achromatic microoptics are just one feature of this fabulous instrument. Focus accomplished by dual-knob fine rack and pinion gear which raises and lowers stage. Large stage—27, "2212"—is permanently horizontal, insuring no movement of subject. Concave substage micror illuminates slides. Heavy cast base and all metal construction insures stability. Never before has a fine, prismatic microscope been offered at this lowest price. As always—Lafayette will cheerfully refund your money if you are not 100% satisfied! Complete with wood case and sample slides. Shpg. Wt. 6 lbs.

_NET 17.50

PRECISION TRIPLE-TURRET MICROSCOPE

• 100X — 150X — 200X — 300X — 400X — 600X! • Interchangeable Huygenian Eye-places!

· Achromatic Micro-optics!

· Revolving Disc Diaphragm!

· All Metal Construction!

The most popular all around instrument available. A high grade dry system microscope suitable for schools, colleges, biologists and hobbyists. Monocular tube design focused by dual knob, fine rack and pinion gear. Fixed square stage is 31/4" x 21/8". Revolving disc type substage diaphragm for light control. Two sided plano-concave mirror 1-8," in diameter. Achromatic objectives of 10X—20X—40X. Interchangeable Huygenian eyepieces of 10X and 15X. Heavy cast horseshoe base—all solid metal construction. Inclines up to 90°. Height is 91/2" fully retracted. Complete with fitted wood case and sample stides.

NET 19.95

MICROSCOPE SLIDE KIT

Co parts stallined fine wood hinged case with individual slots for slides. Contains 25 glass slides 3" x 1", 25 cover glasses, and bottle with ample supply of balsam fixative. Shpg. Wt. 11/4 lbs.

Not 1.59



900X LABORATORY MIC

The most practical instrument for Botany—Zoology—Phar-macology—Bacteriology— and general Laboratory use.

Highly efficient-exceptional construction

Haygenian Oculors — Achromotic Objectives,

motic Objectives.

Only Latayette's policy of importing direct makes it possible to offer an instrument of this quality at this price. Mechanically and optically one of the finest instruments Latayette has ever offered. A truly fine dry system microscope suitable for a wide range of laboratory—professional—and college use. Dual-knob monocular tube—spiral rack and pin on focusing machanism. Revolving disc substage diaphragm. Triple revolving nosepiece with achromatic objectives of 5X—10X—and 60X. Two Huygenian eyepieces of 10X and 15X give a renge of 50X—100X—150X—400X and 900X. Plano-concave reflex mirror 1½° in diameter. Bending device permits 90° inclination. Approx. II high retracted. Complete with firted hardwood case and slides. Shpg. Wt. 8 lbs.

NET 52.50

600X REVOLVING HEAD MICROSCOPE

Quadruple revalving nosopiece!

4 Achromatic objectives - 5X - 10X - 20X - 40X

Prismatic rotatable head!

A precise optical instrument embodying features found only in microscopes selling ar over twice Lafayette's direct import price. Rotatable prismatic head for viewing from any angle—calibrated ring for notations. Smooth, black professional finish—heavy solid base and stand. Focuses by moving stage—rack and pinion" movement on doverail slide. Large square stage—3½," x 3½"—contains optical double achromatic condenser—six hole disc diaphragm—chromed slide clips. Substage two-sided mirror—plano and concave. Interchangeable ISX eyepiece plus SX - 10X - 20X and 40X objectives give 75X - 150X - 300X and 600X magnification. Height is 10½" overall. Includes fitted hardwood carrying case. Shpg. Wt. 10 lbs. Net 34.50

BINOCULAR DISSECTING MICROSCOPE

• True Stereoscopic Effect!

• Twin 15X Prismatic Head!


All Metal Construction 10%" HIGH.

e All Metel Construction 10%" HIGH.

An especially engineered instrument for anatomy—biology—betany—zoology—etc. Produces true third dimensional images necessary for much work in industrial, educational and medical fields. Fixed 5X objective lenses plus interchangeable 15X oculars give 75X magnification. Exceptionally sturdy all metal construction. Fixed square stage 3½ x 2½ with 2½ diameter ground glass insert. Fine rack and pinion gear focusing. Two sided sub-stage mirror, planomirror for reflected light and white side for anti reflection. Detachable arm rest for precise and fafiguing work. Black enamel and chrome finish—complete with hardwood carrying case.

Net 39.50







FAYETTES SPECTACULAR MILTIT



HIGH SENSITIVITY AC-DC MULTITESTER 20,000 ohms per Volt

The new Lafayette High Sensitivity Multitester is a complete instrument (not a kit). Here is an instrument packed with every desirable feature found only in instruments costing twice as much. One of the most sensitive multitesters ever offered. 20,000 ohms par veit DC; 8,000 ohms AC, having a high sensitivity 45 microsmps meter. Full scale AC-DC voltage ranges are 0-10V, 0-50V, 0-250V, 0-250V, 0-1000V DC current ranges 50 microsmps, 2.5 ma, 25 ma, 250 ma. Resistance: 0-5K ohms, 0-50K ohms, 6-50K and 0-5 megohms. Decibel range: —20 +5 db; +5 +22 db (0 db -0.775V -600 ohms). Extreme versatility and accuracy. 1% precision resistors; 3" meter; beautiful plastic front, with metal bottom for ruggedness. Size: 3%" x 5%" x 2%". Complete with batteries and leads. Shgs. RW-306.

In lots of 3 19.25

NEW POCKET AC-DC **VOM MULTITESTER**

1,000 ohms per Volt

LIUU Ohms per Voit

Lafayette has ever offered in a Wide Range
AC-DC MULTITESTER. An Ideal portable
unit that meets the need for a compact, ver
rugged test instrument. Has ease of operation usually FOUND ONLY IN MORE EXPENSIVE INSTRUMENTS. Has 1000 ohms/
voit sensitivity on both AC or DC. User uit
2" rectangular meter with large easy to read
cale. Uses 1% precision resistors, ieweled
D'Artonval microamp meter movement.
Banges: AC-DC and output voits 0-5, 0-25,
0-250, 0-1000V; DC current 0-1, 0-70, 0-100,
MA: Resistance 0-10K and 0-100K ohms. In
handsome sturdy bakelite case. Size: 4% "x
3%" x 14". Supplied Complete with test
leads and batteries. A Must for every serviceman, shop, Laboratory or experimenter—and
at Lafayette's Price you can afford to own one.

SHOPEL RW-27C—Complete

In Lots of 3 4.55

MODEL RW-27C-Complete In Lots of 3 9.45 Single, ea. 9.95





SENSITIVE AND ACCURATE AC - DC MULTITESTER 2000 OHMS PER VOLT ON BOTH DC AND AC

An unusual buy in a very accurate and sensitive VOM. Features single selector switch for all ranges. Has 3 ", sensitive 140 microamp meter, 2000 ohms per voit on both AC and DC, 24 full scale ranges, consisting of AC-DC Voitage Ranges: 0-6; 0-12; 0-60; 0-300; 0-1200 Voits: DC Current Ranges: 8-300 us; 0-3 MA; 0-300 MA; Resistance Ranges: 0-20 K ohms; 0-2 Megohns; Declibels: 0 db +6 db +20 db; +46 db +0 db +0.714V);
Extreme versatility and accuracy 19.

Extreme versatility and accuracy, 1% precision resistors; beautiful plastic front with metal bottom for ruggedness and shielding. Slace 3%" x 5%" x 1%". Shpg. Wt. 3 lba.

MDDEL RW-360 Complete

In lots of 3 12.45

Singly, ea. 12.95

NEW! SLOPING PANEL MULTITESTER

2.000 Ohm per Volt Sensitivity on both DC and AC

OHIgh Seasitivity 3/4", 160 Microamp Meter Insures Acturacy 9 25 Full Scale Ranges 9 Sleping Panel for Easy Reading 9 4 Resistance Ranges on Two Separate Scales 9 5 Output Ranges to Measure AC with DC present 9 Convenient Pecket SIZE 3/4"x 5/4"x 2-2/5."

Convenient Pecket S1ZE 34/"x 54/"x 2-2/5."

This unusual Multitester is a complete Instrument (not a kit) with high quality and sensitive 160 microamp meter. Features extreme versatility, accuracy and ruggedness. In an attractive bakelite front panel, with metal bottom for ruggedness and shielding. Single switch selects all ranges; 1% precision resistors used throughout. An autstanding instrument for the professional, servicement or Laboratory. Full. SCALE RANGES: DC Voits: 0-10; 0-50; 0-250; 0-500; 0-1000. AC Voits: 0-10; 0-50; 0-250; 0-500; 0-1000. DC Current: 0-500 microamps; 0-2.5 MA; 0-250 MA; Resistance: 0-1K; 0-10K; 0 shpg. wt. 4 lbs.

RW-29Y ... NET 14.95 In lots of 3, ea. 14.25



TUBE TESTER!

Priced to fit the Serviceman's Pocket-



 Most advanced engineering to fit the Serviceman's needs.

A new streamlined tube tester with a realistic approach to the problem of quickly testing the ever increasing number of tube types. It incorporates new and advanced engineering features and all at a price of about half of even the most ordinary tube tester. Read these Specifications.

"FREE POINT" ELEMENT SELECTOR SWITCH-ING: Newly designed, it reduces possibility of obsolescence to a minimum because any pin may be used as a filament pin and voltage applied between it and any other pin, or even the "top cap". Tubes with tapped filaments or with filaments terminating in more than I pin are truly tested.

WILL TRUBBOOSE TUBES. Secial including signals.

MULTIPURPOSE TUBES: Special isolating circuit allow each section of multi-purpose tubes to be tested individually as if it were in a separate envelope.

SHORTS AND LEARAGES: Supersensitive method checks shorts and leakages up to 5 megohm between any and ALL elements; continuity between various sections individually indicated.

SIMPLICITY: Fost simple operation. The 4 position fast action snap switches are all numbered in exact accord with RMA standards. Thus when testing element terminating in pin No. 7 of a tube —you use button No. 7. You can't insert a tube in the wrong socket—there's one for each type of tube base.

TUBE TYPES: Tests all octal, loctal, 7 pin minia-tures, 9 pin miniatures as well as the new noval and Sub-Minar types. Old type sockets used for testing obsolete types—that you rarely see any-more—have been eliminated.

SIZE: A practical size to carry with you as well as for use in the shop—only 8½ x 6½ x 2½" deep. Shpg. Wt. 5 lbs.
MODEL TC-55—complete with

carrying case





A new bigh quality instrument that answers a real need in the service field. Heart of the unit is a Simpson highly sonative 100 microamps meter. Checks all modern picture tubes completely and quickly for all leskages, shorts, beam current and emission right in the set. Provides means of detecting any troubles in the TV receiver circuits associated with the picture tube, including contrast and brightness controls, plate voltage, video output, etc. Distinguishes between troubles in the receiver and picture tube. Also useful for many additional operations such as comparing antennas, checking alignment, etc. Includes an accurate 600 volt. DC range for checking receiver plate and screen voltages. With the accessory probe (not included in price) you can measure up to 60 K.V. Large 45% meter. Size 9" Hx 6"W x 5" D. Shpg. Wt. 8 lbs. Available either in kit form or wired.

KIT FORM

Supplied complete with all parts and 13 pages of detailed assembly instructions plus operating instructions. BB-701—Kit.

WIRED FORM

Completely factory assembled and wired.


ACCESSORIES
UNIVERSAL HIGH VOLTAGE Probe. Extends range of Model 701 (or of any YTYM or VOM with 10,000 ohms per volt sensitivity) to 30KV and 60KV. Essential for color TV work. Shpg. Wt. 1 lb. BB-702-Probe.

POWER SUPPLY

Useful when you want to check the picture tube out of the set—even in the carton. Plugs into the tester. Shpg. Wt. 1½

IMPORTED BINOCULARS

With Coated Achromatic Lenses and Prisms



MAKING PRICES BEFORE AT HISTORY THESE NEVER

Latayette has gone "all-out" to present these fine, imported Zeiss type binoculars at heretofore unheard of prices! Each of these extremely precise optical instruments have coated lenses—clamped in (not just glued!) prisms—light weight allow all metal bodies—weather proof, tear proof outer coverings—maximum light transmission—minimum distortion. Made by leading optical manufacturers to our own rigid specifications. Whether you are a yachtman—hunter—hinker—sports our or a yachtman—hunter—hinker—sports out of the proculars you need in Lafayette's great selection. And Lafayette's famous money-back guarantee applies as always.

INSIDE INFORMATION ON HINOCULARS

FOCUS—mechanism is either central focus (C.F.) by means of a single wheel and one adjustable eye piece, or individual focus (I.F.) wherein both eye pieces are separately adjustable.

POWER—is the number of times an image is magnified through your binoculars. For example 7X (7 power) means the object will appear 7 times larger (or closer)

than with the naked eye. The second number used (i.e. the "50" in 12%, 50) is the diameter in millimeters of the objective lens.

COATED LENSES—tend to reduce reflection and pass up to 50% more light than uncoated lenses.

FULLY GUARANTEED FOR 6 MOS. AGAINST MECHANICAL AND OPTICAL DEFECTS.

F-868X,25 1.F.	Net	17.45
F-105-8X,30 I.F.	Net	18.25
F-15 —7X,35 1.F.	Net	19.95
F-103—7X,50 I.F.	/Net	21.95
F-117-10X,35 C.F.	934. Net	23.95
F-104—12X,50 1.F.	CaNet	32.50
F-118—16X,50 C.F.	Net	34.95

ADD 10% FED. TAX TO ABOVE PRICES

CRT TUBE TESTER

A complete picture tube tester. Has self-contained built in power supply. Tests all magnetically deflected picture tubes from 7 to 30 inches either in the set or out of the set. Tests for quality by emission method. All readings on "Good-Bad" scale. Tests for inter-element shorts and leakings up to 5 megohms—tests for open elements. Operates on 110VAC. Bakelite case. Size 6x24, x31/s. Shpg. Wt. 3 lbs.

Superior TV-40.

NEW YORK 13, N. Y., 100 Sixth Ave.



TIMER SWITCH FAMOUS

BELOW JOBBER COST!

Another Lafayette Scoop! A radio manufacturer, making clock radios, overpurchased on electric clocks—needed the cash—liked our green-backs, and Lafayette got the deal. Automatically turns on radios, televisios sets, toasters, coffeemakers, efc.—at any pre-set time within 12 hour period; also tells time. Built-in single-pole switch handles up to 15 amps, 115 volf. Requires 31/2" diameter round hole. Depth behind dial face 21/4."

Ut ap proved. For 105-125V, 60 cycle AC, Shpg. Wt. 11/2 lbs.

Stock No. MS-62

PLAINFIELD, N. J., 139 West 2nd St. BOSTON 10. MASS., 110 Federal St.

BRONX 58, N. Y., 542 E. Fordham Rd.

FOrdham 7-8813 NEWARK 2, N. J., 24 Central Ave. Our 5 Big Showrooms Open Evenings NEW YORK BRONX PLAINFIELD, N. J.

NEWARK, N. J - open Wednesdays Fut BOSTON - open Mendays 111 9.00 P.M.

FAMOUS IN RADIO FOR 33 YEARS

EXCLUSIVE LAFAYETTE SCOOP Famous Mame HEARING ALL

UNRFLIEVABLE PRICE!

WESTERN ELECTRIC Hearing Aid Reg. Price 1185" our price

NOW ANYONE CAN AFFORD ONE

Unbellevable! But a fortunate purchase by Lafayette makes available the famous Western Electric hearing aid regularly priced at \$185.00. Brand new in original Western Electric jewelers case. Supplied with receiver, receiver cord, battery cord, and plug (less batteries). Money back guarantee. Act now while they last—limited quantity. Uses Burgess XX30EP1 and 8R batteries at \$1.68 per set.

100 SIXTH AVE., NEW YORK 13, N.Y.

Beturn Postage Guaranteed

ELWYN LE WEIBLE FRILEY HALL BOX 1343 AMES TOWA

NC-1-55

Sec. 34.66, P. L. & R.

U. S. POSTAGE PAID

New York, N. Y. Permit No. 8486

FORM 3547 REQUESTED