





Value-Packed Plastic Superhets—Everything Advanced But The Price! Here's That Extra Receiver For The Kitchen, Den, Bedroom, Nursery.

A Jewel of compactance and design! Just a baseful, but with all enperior means and engineering features of legent and more expensive properties. Generally and the expensive properties of the engineering form the being another of the engineering form the being another of the expensive properties. The engineering form the engineering features are expensively for the design for the engineering form the engineering form the engineering features and the engineering features. The engineering features are entirely to the engineering features and the engineering features and the engineering features. The engineering features are entirely to the engineering features and the engineering features. The engineering features are entirely to the engineering features and the engineering features. The engineering features are entirely to the engineering features and the engineering features. The engineering features are entirely to the engineering features and engineering features. The engineering features are entirely to the engineering features are entirely to the engineering features.

MODEL MC-168 Committe with tubes from I'm Hark Florit. Year Cost HODEL MC-16Y Complete with rates

512.95 513.80 A contributing tree wings the from LAYATETTE's galaxy of stimuling superiors. Sometimes the localing to be meaning with the latest styles in home place for place for each of the latest styles in home place to place for each of the frame place to place for each of the place of t

NOBEL J-SE Complete acts subse. SIA.5

Valuat Places. Year East

SOBEL J-SV Complete acts subse. SIE.5



TWO VERSATILE BANDS: 549, 1000 Ke, heard for local and foliage source or the speciard forestand and ... 15 to 18 Me, for enternational forestance police master, storage stands matter than the same transfer and and another than the same transfer than th

BLIDE-RULE DIAL: At purrent casy, your seals for comparison will be distincted to desired attention.

PUBLI-PULL AUGIO SYSTEM:
Been Power Push Pull escent, overweire dische Carlot Co S spenker, füll escent, overweire dische Carlot Co S spenker, füll escent leiner gesche Sent füll escent leiner gesche Sent füll esche Gesche Sent für der Gesche Sent für der Schaffen end Sent für

THE COMPLEMENT HIRETRY TORS COMPLEMENT OF A COMPLEMENT OF THE COMPLEMEN

AUTOMATIC RECORD CHANGER: Continuous playing of ten 17 to tactive 10 remeils. Feather weight among extends lite of calculate records CABINET: Made of the American Walton by one master options (safe) such a present of fluorities to safe freezements to the fluorities to safe freezement to the fluorities on the Control This AL Bridge of the Section 1147 of the MODEL 31-3 With \$74.50 tubes. Your Cost

2-BAND MODERN WALNUT TABLE MODEL

Delighthely men and from dropp, dependant price life, performance and exquire explain make this superformers and exquire explain make this superformer to medical and about wave public model in two time Wallers or you to now and the County own after a lacening, pressure he all the family and amount the world, dress of the family and amount the world, dress on all the family and amount the world dependently before a county and a special process of the truly yigh callier. This has present a bound appeared to a sound inventional and and a county time that the price.

TWO BANDS: Rappy local and long range purposes in the broadcast local, \$40,1200 Ke as only as U. H. and foreign effort-wave, new line, relies, also all early local hard. Lands, at 13 to 18 Me.

1. IDE HALF DIAL; Diaminated deal military campus and har to be turing or the purpose and hard to be turing to the purpose and hard to be turing to the purpose and the purpose and

MODERN SUPERHET CINCUIT - 112KT

Budget-Wise Price \$33.95

R.F. supplier. (2007) or Chair and rost write: 12007 LF seculate: 12007 or frence: A.V.C. and first south supplier 75020 Beam such 122 section

Audio Circuit: The patrick than the property of the patrick that the patrick than the patrick that the patri

PHONO JACK: Plane just in an entitles year to plug in a phone graph or automatic second chapter for factor between planets CABLET: The same Wellow califort of agreement of the califort and attribute of the califort service. Known as party lets. Discourse of the califort service. Known at place to Discourse of the Californ Service. The 120V ID-660 ye AC of Discourse of the Californ Service. The Californ Service of the Californ Service. Ca

ALL LAFAYETTE Radios are R. C. A. and Hoxeltine Licensed





TWO-BAND AC-DC PLASTIC SUPERHET

to this secretary a hand AC DC morehous your it that better tones before professional articles and according to the profession are better to the profession are better to the profession are better to the profession are not to the professional articles are better to the professional are better to the professional articles and the professional articles are better to the professional are better to the professional articles and the professional articles are better to the professional articles and the professional articles are the professional articles and the professional articles are the professional ar

PREQUENCY RANGE: ALB IND Ke conCOME for any AM Demodrate band and 5.5 lks

Me for sorph sub-phot ways or any
actation and has calle B.C.A. AND

RAFELTINE becomes constitutes and concorrect 120KT LF amplitude and concorrect 120KT LF amplitud

Budget-Wise

ON WALHUT

embodying the latest engagement. FULL HANGE TONE CONTROL

FULL HANGE TONE CONTROL

KANGE PM speaker with ALNICO b

LAUYOMATIC VOLUME CONTROL

TROL

LINEAR SERVICE

LINEAR SERV The street of the Post of the

Year Cast Strong or Made in Learn Risks calengt: \$2

Budget-Wise

MODERN DESIGN AC-DC PLASTIC SUPERHET

Cet the PLUE that may Ladyrette engineering and production which may be adopted and production which may be a series of the production of

MODERN SUPERINET CHECUIT

PHEQUENCY HANGE INC. SED IN and He where the enter descrip-

AUTOMATIC VOLUME CONTROL FULLY VARIABLE TONE CON-

ALMICO S'S" PM spraker lies bown ALPICO S PRO species in addition of the Desiration of the Desirati

MOOKS 71-b B CA and Harris.

ALL LAFAYETTE Radios are R. C. A. and Hazeltine Licensed
World Radio History

Jafayette 3 WAY PORTABLES ARE 3 WAYS BETTER

Better Performance Better Portability Better Value

Tafayette 3-WAY PERSONAL PORTABLE

Another outstanding Lafayette buy! This Personal Portable is a marvel of efficiency and styling. Compact, rugged, dependable, you can take it anywhere, play it anywhere, on A.C., D.C. or self-contained batteries. And it starts instantly the space saving selenium rectifier gives trigger-quick start. You don't have a long waiting period for tubes to warm up. Handsome, sturdy Tenite case features a High-Q loop built into the door for maximum signal pick-up. Virtually unbreakable case, rugged leather carrying handle. Only 8½ inches high, 4½ inches wide and 3½ inches dee. Weighs only 4½ lbs. Circuit licensed under R.C.A. and Hazeltine patents contains the latest design features including a planetary drive variable condenser for smooth, easy tuning, four low drain tubes, a selenium rectifier, and automatic volume control. Tubes are a 1R5 oscillator and converter, a 1T4 I.F. amplifier, a 1S5 detector, A.V.C. and first audio amplifier and a 3Q4 final audio amplifier. Speaker has an Alnico 5 magnet for extra power, clear tone on music and voice. Covers entire AM broadcast band. Hinged case makes battery changing easy. For 110 volts A.C. or D.C. and batteries. Requires one 67½ volt hattery and two 1½ volt flashlight cells. Makes an ideal gift, distinctive and personal, to be used and enjoyed the year round.


MODEL J4 Shpg. wt. 6 lbs.
Complete-with tubes, less batteries.
Your Cost
Complete Set of Batteries.

Afayette 3-WAY DE-LUXE PORTABLE

A powerful portable ... you can use it as a permanent set in the home, or take it on outings, vacations, on boats and trains, football games, in fact anywhere ... for delightful, spontaneous entertainment. Has the clear, vibrant tones you would expect of higher-priced non-portable sets. Beautiful simulated alligator case looks like a piece of expensive luggage. Genuine leather carrying handle and heavily plated hardware built to last. Modern supersensitive circuit contains five tubes plus rectifier, three-gang condenser, tuned R.F. stage. Tube complement consists of one 174 R.F. amplifier, one 185 occilator-converter, one 174 I.F. amplifier one 185 occilator-converter, one 185 volta occilator-converter, occilator-con

MODEL JS-1 With tubes, less batterie Shipping weight 11 lbs. Complete set of batteries

ALL LAFAYETTE Radios are R. C. A. and Hazeltine Licensed







LISTENING

la fayette CONCERTO

The FM-AM Radio Phonograph Combination Supreme.

FOW the Lafaverre Concerto, the west attentional for their males in the real of the lives part are in the real in the real of the lives in their malestic slive, the limity real or creation of realism and recorded chair you've slowest the second and recorded chair you've said out as any other FM AM suctions to make the said of the real state of the realism and entirely new and letter nectionent to those who consider making alone of minure; those who cannot making alone of minure; those who cannot making alone of minure; those who cannot making alone of the second and appearance, who believe their sound and appearance, who have the second and appearance, who have the second and appearance, who believe their sound and appearance of account. You will sure that they remitted of account to the work of the count of the second and the second and appearance of account to the second and appearance of account to the second and the second account to the second account the second account to the second account to the second account the second account to the second account to the second account to the second account the second account to the second account to the second account to the second account the second account to the second account the second account to the second account to the second account the second account to the second account to the second account the second account to the second account to the second account the second account to the second account the second account the second account to the second account the second account the second account the second account to the second account to the second account the second account to the second account to the second account the second account to the second acco

round will place to chess d. The FM-AM Tuner to orpout the number of the second to the

The High-Fidelity Amptitler, the "bract" of the Concern, at the new Instrum Lafeyetts

The Miser Record Changer is the world-fame G and C male the aurena ners of the think of the County lattic with the thinkers of the total you record to the time out of dram publishers and and lattice different.

The Tru-Senic Co-Spiral Sceaker, produced by Crubina and the of the Superior o

int -- t lim lim to the or (Squelch in all) he continue here the here has a her executable to the trains by the continue to th

Legislate Martin-Graft Cabinets. The cond- and evedence solution are truly withy linearing for the graft Connects Actional resolutions of magnificant period benefit to the conditional period benefit to the conditional period benefit and all the conditional period benefit as for an above to a further on a file solution, refer to the conditional period benefit as the record opportunity in real resolution. Graft the conditional period benefit as the resolution of the conditional period benefit as the conditional period benefit

LAPAYETTE CONCERTO Console Moles atherized at left, showy), unchidding AM-PM times, emplifies, retard player and pusher discreted shows in Mebogsay Console, 651; a 351; a 1814 overall, complete with all tubes. FM secrees.

Your Cost 5640.00
Your Cost Consult and 111.22
Consult Cathers F 2003 available forth Your Cost

Vour Cost

LAFATRITE CONCERTO Credent
Model diffuserated as left, below, a show,
but as Madesany Credent, 44, 13.x

154 everell surrell sith tube. FM
nottends
Yaser Cost
For 'Iqualch' cream and
Credenta Colonies P 7001 Available separately
Your Cost

2.75.00









"SQUELCH" CINCUIT for non-in orbor even. Completely hills "beforeen station" instan-when Coming AM or FM hands by incomicusty is elating speaker from circuit. Optional at slight orbor cost.



GARRAND BY 48 MIXEN CHANGER WITH SOME G.C. CARRIER WITH SOME G.C. CARREST CO.C. CARRES





rjayette

T-BUILT

Lefayette Greft-Built Cabinetry spells magic in scoolthe kind of magic that you can take immediate adventage of. Shop the magnificent consider on these two pages, and you will find the one that fits you in every respect, your personal taste, your home, and your budget. You will see that "Craft-Halls" by Lafurette means comething.

Model P-2011



Our newest edition to the "Craft-Built" modern group. Fashioned from subtle Primavers venters - with sturdy thick stock to assure perfect acoustic resonance. A most intriguing

console for its simple lines and nameal (blonde) finish. Radio and record changer compertments each measure 12"s1644"s16". Overall cabinet size is 36"x36%"x17%". Ample built-in comportment for your favorite record allows.

5150.00 Model F-2011-Primayers.

Cooling delivery matte. Priors for other woods and Totalies



Madel P-2007

A carefully styled cabinet for those who prefer the modern touch in their home surroundings. Built by mester cruftionen and surfaced with the finest Primavers venuers. A natural

(blonde) finish; hand rubbed to a glossy sheen, fully exploits the inherent beauty of the wood. Radio and record changer compartments each measure 21"x16"; "a12". Overall size is 44"x37"x18". Two built-in sections provide record album space. Model P-2007 -

*197.00 Printavers... Cremed, delivery extra, Pricar for other woods sent on re-



Model P-2009

A sicilifully patterned replica of period design furniture with split top-lift forture for access to either radio or record changes section. Solid 1/4" thick stock - surfaced with mahegany veneers. Radio and record

changer compartment measures 35 x5½ x15½. Over-

Medul F-2007-Mahogany, Your Cost.... \$145.00 Crange Sellyer estra. Other and recent on request.



Model P 2006

Modern and graceful-a typical summple of our superior cabinet set. Pabricated of choicest extra-thick oak wood and veneers -hand rubbed to a brilliant satin gloss. Radio and record changer compartments seed recessive 1645"x12"x16". Overall size is 364, x

Medel 7-2008 - Natural Oak, Your Cost. 135.00 Gracing, delivery extra. Other wood prices on request.



OFFERS YOU

CABINETRY

For these skillfully fashioned embinets do more than make an udditional piece for the home—most often a "Craft-Radic" consols becomes the showpiece, the duzzling matterpiece you will be so penud to own. If bether you perfer traditional or modern styling, in simple as arounested shape, of particular finish or decor, Lafayette has a "Craft-Built" for you.

Model P-2005

Here is an autotanding example of superior wood craftsmanship, which combines space saving features in a highly attractive period type cabinet. Fabricated with the finest 54" thick stock and surfaced with carefully matched sections of natural grain mahogany vensors. Two awing-a-way doors provide

access to the radio section. A well built top lift exposes the record changer The radio compartment measures 23% "x20"x10"; record changer space is 23% "x55" x15". Overall size is 25% "x 18" x39%."

Model F-2005 Mahogany

Your Cost. 122.00 Crating delivery extra Private for other would and fedding sent on respect.

Model IRO-6

A craftimate's bands sork, combining delicate grace of superb period furniture with anart lines of modern styling. Fashioned from 4s' mahogany veneers to highest artistic and accounts standards to house the radio and record changer you may

to house the radio and record changer you may choose to install. The lift top feature eliminates hasards of breakings characteristic of cramped enclosures. Samply adorned from his attractive grills and intique finish bandles. The radio intil record changer space incessives 351/2"a51/2"a15". Overall cabinet size is 331/2"a541/2"a171/4".

Model IRO-6 Maliocatry

Your Cost. 579.50 Crasted and delivery extra. Peters for either woods and faither and or request.







177

Logayette RADIO TUBES RCA

a Original Factory Cartons

Take to	Six Months Go	erostes				200,000					
Tube	Laf.	RCA	Tube	Laf.	RCA	Tube	Laf. Price		Tube Type	Laf. Price	RCA Price
Type DA4G	Price \$1.15	Price \$1.15	Type 6AC5GT	Price \$1.10	\$1.29	Type 6SN7GT	\$1.10	\$1.29	125R7GT	\$.90	\$1.06 1.29
OZ4 DZ4G	1.10	1.29	6AC7/1852 6AD7G	1.33	1.56	6SQ7GT	.68 .75	.88	12Z3 14A4	1.10	1.56
1A3	.90 1.60	1.06	6AF6G 6AG5	1.10	1.29	65R7 6 5S 7	.75 .90		14A5 14A7/12B7	1.95 1.10	2.29 1.29
1A4P 1A5GT	.75	.88	6AG7	1.33	1.56	6 \$ T7	1.10		1486	1.10	1.29
1A6 1A7GT	1.33	1.56 1.06	6AK6 6AL5	1.10	1.29	65Z7	.90 1.33	1.06	14B8 14C7	1.10	1.29
183GT 184P	1.95	2.29 1.88	6AQ5 6AQ6	.90 .90	1.06	(EQEG) EUS/EGS	.90	1.06	14E6 14F7	.90 1.10	1.29
1B5(1B5/25S		1.56	6AT6	.75	.88	6U7G	.75	.88	14H7 14J7	1.33	1.56 1.56
1C5GT 1C6	.90 1.33	1.06	6B4G	1.33	1.06	6V6 6V6GT	1.33		14N7 14Q7	1.33	1.56
107G 105GP	1.33 1.60	1.56 1.88	6B5 6B6G	1.33	1.56 1.06	6W7G 6X4	1.10	.88	14R7	1.10	1.29
1D7G	1.33	1.56	6B7	1.33	1.56 1.06	6X5 6X5GT	1.10	1.29	15 19	1.33	1.56 1.56
1DSGT 1E5GP	1.60 1.95	1.88 2.29	6BA6 6BE6	.90 .75	1.06	6Y6G	1.10	1.29	24A 25A6	.90 1.33	1.06 1.56
1E7G 1F4	·1.60 1.10	1.88	6BF6 6BG6G	2.40	2.82	6Z7G	1,60	1.88	25L6	1.33	1.56
1F5G	1.10	1.29	6BJ6	.90 1,33	1.06	6ZY5G 7A4	.90	1.06 1.06	25L6GT 25Z5	.75 .68	.88 .79
1F6 1F7G	1.60	1.88	6B8G 6C4	1.33	1.56	7A5 7A6	.90 .90	1.06 1.06	25 Z6 25 Z6GT	.90 .68	1.06
1G4GT 1G5G	1.10	1.29	6C5	.75	.88	7A7	.90	1.06	26	.75	.88
1G6GT 1H4G	1.10 .90	1.29	6C5GT 6C6	.75 .90	1.06	7A8 7B4	.90 .90	1.06	30	.68	1.06 1.29
1H5GT	1,33	1.56	6C8G 6D6	1.33	1.56	785 786	.90	1.06	31 32	1.10	1.56
1J5G	1.33	1.56	6D8G	1.33	1.56	787	.90	1.06	32L7GT	1.60	1,56
1J6GT 1L4	1.33	1.56	6E5 6F\$.90 .75	1.06	788 7C5	.90 .90 .90	1.06 1.06 1.06	34 35/51	1.33	1.56 1.06
1LA4 1LA6	1.33	1.56 1.56	6F5GT 6F6	.75 .90	1.06	7C6 7C7	.90	1.06	35A5 35B5	.90	1.06 1.06
1LB4	1.33	1.56	6F6GT	.75	.88	7E6 7E7	.90	1.29	35L6GT	.75	.88
1LC5 1LC6	1.33	1.56	6F7 6F8G	1.33	1.56	7F7 7F8	1.10	1.29	35W4 35Y4	.5 8	.68 1.29
1LD5 1LE3	1.33	1.56	6G6G 6H6	1.10	1.29	7G7/1232	1.33	1.56 1.29	35Z3 35Z4GT	.90 .63	1.06
1LH4 1LN5	1.33	1.56	SHEGT	.75	.88	7.37	1,33	1.56	35 Z 5GT	.58	.68
INSGT IPSGT	.90 1.10	1.06	6J5 6J5GT	.68 .68	.79 .79	7L7 7N7	1.10	1.29	36 37	1.10	1.29
105GT 1R5	1.10	1.29	6J6 6J7	1.33	1.56	7Q7 7R7	.90 1.1 0	1.06 1.29	38 39/44	.90 1.10	1.06 1.29
154	1.10	1.29	6J7G	.90	1.06	757	1.33	1.56	41 42	.75 .75	.88 .88
155 1T4	1.10 .90	1.29	6J8G 6K5GT	1.33	1.56	7V7 7W7	1.33	1.56	43	.75	.88 .88
1T5GT	1.10	1.29	6J7GT 6K6GT	.75	.88	7Y4 7Z4	.90 .90	1.06	45Z3	.75	.88
105	1.10	1.29	6K7 6K7G	.75 .75	.88 .88	10 12A7	1.95	2.29 1.56	45Z5GT 46	1.10	1.29
1V 2A3	.90 1.33	1.56	6K7GT	.75	.88	12ASGT 12AH7GT	.90 1.10	1.06	47	1.10	1.29 1.29
2A4G 2A5	1.60	1.06	6K8G	1.33	1.56	12AL5	.90	1.06	50	1.95	2.29
2A6 2A7	1.10	1.29	6L5G 6L6	1.10	1.29	12AT 6 12AU 6	.75 .90	.88 1.06	50A5 50B5	1.10	1.29
287 2E5	1.10	1.29	6L6G 6L7	1.33	1.56 1.29	12AU7 12AW6	1.10	1.29 1.56	50LGGT 50YGGT	.75 .75	.88 .88 1.29
2V3G	2.75	2.75	6L7G	1.33	1.56	12BA6	.90	1.06	53	1.10	1.06
2X2/879 3A8GT	1.60	1.80 2.29	6N7GT	1.10	1,29	12C8	1.33	1.56		.75 .90	.88 1.06
3LF4 3Q4	1.33	1.56	6Q7	.90 .90	1.06	12H6	.75 .75 .68	.88 .79	58	.90 1.33	1.06 1.56
3Q5GT 3S4	.90	1.29	6Q7GT	.75 .75	.88		.90	1.06	70L7GT	1.95	2.29
3V4 5T4	.90 1.60	1.06 1.88	6R7	1.10	1.29	12K7GT	.75 1.10	.88 1.29	71A 75	.90 .75	1.06
5U4G 5V4G	.68 1.10	.79 1.29	657	1.10	1.29 1.56	12Q7GT	.75 .75	88. 88.	76	.75 .75	.88 .88
5W4	1.10	1.29	658GT	1.10		12SA7GT	.90 .90	1.06 1.06		.75 1.10	.88 1,29
5X4G 5Y3GT	.75 .48	.88 .56	65A7GT	.75 .75	.88	12SF5	.75	.88	80	.53 1,60	.62 1.88
5 Y 4 G 5 Z 3	.63 .75	.73 .88		1.10	1.29 1.06	12SF7 12SG7	.90 .90	1.06 1.06	82	1.10	1.29
5Z4 6A3	1.10	1.29 1.56		.75 .90	.88 1.29		.90 .75		83V	1.10	1.29
GA4/LA GAG	1.33	1.56	6SF7	.90 .90	1.06	125J7GT 125K7	.75 .75		85	.75 .90	1.06
6A7	.90	1.06	6SH7	.90	1.06	125K7GT	.75	.88		90	1.06
6A8 6A8G	.90 .90	1.06	6SJ7GT	.75 .75	.88 .88	12SN7GT	1.10	1.29	117N7GT	1.95	2.29
6ABS/6NS	.90 1.10	1.29	65K7GT	.75 .75	88. 88.	125 Q7 125 Q7 GT	.68 .75	.88	117P7GT 117Z3 117Z6GT	.90 1.10	1.06
6AB7/1853	1.33	1.56	16SL7GT	1.10	1.29	125R7	.90	1.00	· ZATEGOR I		

Gooseneck Desk Lamp



STARLITE Bed Lamp



Easier on the eyes... cooler than any bed lamp you've ever tried. For real reading comfort this fluor

Industrial All-Purpose Fixture



Dual 40-watt units. Works on 110-125 V 60 cycles AC. For factory shop draft-ing room. 24 hours of con-centrated light without glare or annoying flicker. Approved by Under-writers' Laboratories. Heavy gauge steel bodies. Knockouts for surface, chain, or rod suspension mtg. 35 lbs.
K25546 \$14.50
Lamps For Above

K25539 \$1.03. White K25540

Daylight

Channel-Type All-Purpose Fixtures



Thousands of uses for assembly tables, work bench-es, machines, walls, ceiles, machines, walls, ceilings, showcases, windows, booths, etc. Excellent for more and better light in the right places. Gives new high standards in lighting performance where and when needed at a remarkably low cost. Works on 110-125V 60 cycles AC only. Single lemp cheesels \$6.95 Each

Infro-Red Heat Lamp



250w, 110V DC or 60 cyc. AC. For heat therapy or general use where concentrated heat is desired. Ideal for drying clothes, paint, hair, etc. An excellent therapeutic aid for aches, pains, or soreness. For standard home socket. K25503 Each

Desk Lamp



Attractmorocco finish desk 1 a m p . 14½x5½ x18"wide. Uses one T-8 15-

lamp. Scientific reflector, washable white enamel, Shipping wt. 5 lbs. K25551—
Each, Less Lamp
\$5.65 Each, Less Lamp.

Lamps For Above

K25496

White T-8. K25497 Daylight T-8. 67°

> Fluorescent Starters

Extremely sturdy and dependable starters for all of the different sizes and styles of fluorescent lamps. Keep a few on hand at all times for that

FLEXO Adjustable Lamp



At home or at work, FLEXO brings you a cool, diffused light exactly where and when you want it. Successfully employed right now in many factories, laboratories, offices, mills, and homes. By a mere touch of the hand the FLEXO lamp glides into virtually any position without locking. Tubing is ½" dia. quality steel with oven fired statuary bronze finish, baked enamel. Inner surface of reflector is washable Litex white enamel. Horizontal swing to 330 degrees, extension to 36 inches. Six flexible joints permit dozens of lighting positions. Two sturdy bolts clamp the base to any table or desk top up to 3" thick. Uses 2 lamps. Uses 2 imps. K25505—FLEXO 4303, complete

with lamps Your Cost

Kitchen Fixture



With this adapter fluores-cent light-

be installed in any incandescent type of fixture employing a globe with 4 "diameter holder. Just in-sert plug into lamp socket, fasten adapter in shade holder and enjoy modern, hetter, cooler lighting in-stantly. Holds two 20-watt 24" lamps. With 4" adapter, Less Lamps. Shpg. wt. 8 lbs. K25581

\$6.49 K25535 - White Lamp. K25536 - Daylight Lamp

Fluorescent Noise Filter



tatuary bronze
mel. Inner surwashable Litex
methodological properties awing
atension to 36
given be joints permit
positions. Two
the base to any
up to 3" thick.

4303, complete
\$17.95

Under certain conditions it is often
found that radio receivers connected to the same power lines will
noise from a
fluorescent fixture. Leads from filter are connected to power line and
the case is grounded. The filter
itself can be installed inside of the
itself can be installed inside of the
curse the most obstinate cases.
Wt. 1 lb.
K12520 Your Cost.

885

Household Fixture



Fluores.

fixture with adapter which permits installation in any incandescent type fixture employing a globe with a 4" diameter holder. Just insert the adapter plug into the lamp socket, fasten the adapter in the globe holder and enjoy modern, better, cooler lighting instantly. Holds two 20-watt 24" bulbs. Finished in white baked enamel with chrome strips and translucent glass ends. 25" long. K25688—Less Lamps, Each \$6.59 K25536—Daylight Lamp. \$1c K25535—White Lamp. \$1c

Fluorescent Sockets



Combination sockets include socket for the starter. All are molded of durable heat-proof plastic.

K13803	Comb. Black 24c	
K13804	Comb. White 26c	
K13805	Plain Black	
K13806	Plain White 15c	
K13801	T-17 Sockets (100 W)	
Per Pair	Your Cost 79c	



Fluorescent Sidewall Brackets

These attractive fixtures have many applications for decorative and utilitarian purposes.

Alongside mirrors and medicine cabinets they provide a flood of soft full and tastefully colored fluorescent lamps (available in red, pink, gold, blue, etc.) they can be used for many decorative purposes. Often used horizontally on the wall alongside the tables in a restaurant to provide excellent glareless illumination of the table top. Types are available as illustrated. Type A is plain. Type B has an outlet at one side for connecting an electric shaver, etc. 14-watt sizes are 15" long and 334" wide. They have a switch at one end and are finished in highly polished

These attractive fixtures have many applications of the table cabinets and medicine cabinets they provide a flood of soft glareless light for putchrome. All are for use on 110 volts, 60 cycles AC only. They are easily installed and meet Underwriters' specifications. All components ballasts, starters, sockets and switch are of the highest quality. All are sold less lamp.


For 14-Watt 15" Lamp

Stock No. Type Shpg. Wt.

Each

K25676 A 3 lbs. \$4.45

K25677 B 3 lbs. 4.75



GE Mazda Fluorescent Lamps All supply several times the usable light output of ordinary incandescent

iamps.	Rated III	e better t			в.					
White	4500° White	Daylight	GE	Dimen.			Lots		Lota	
Stock No	. Stock No.	Stock No.	No.	LRD	Watte	Each	of	Each	of	Each
K25533	K25513	K25534	T5	9x5/4"	1 6	\$0.81	1 7 1	\$0.66	1 24	\$0.62
K25527	K25514	K25528	T5	12x56"	B	.91	6	.74	24	.70
K25529	K25518	K25530	T12	15x116"		.81	7	.66	24	.62
K25496	K25516	K25497	TB	18x1"	15	.67	9	.55	24	SZ
K25535	K25519	K25536	T12	24x112"		.81	7	.66	24	62
K25537	K25520	K25538	TS	36x1"	30	.81	1 7	.66	24	.62
K25539	K25522	K25540		48x1 2"	40	1.03	5	.88	24	.83
All have	standard 2			shipping						
20 watts	2 lbs.: 30	& 40 watt-	-31 lba	All ol	Out Daid	an incl.	47 E	1 2	1118.;	70, 10,

MOTE: When purchasing lamps with any fluorescent fixture listed use 1st "Lots of" price instead of single price. We can furnish all above lamps in red, gold and pink on special order. Prices on application. All Prices Subject To Change Without Notice

automatic record changers



MIXER CHANGER DE-LUXE

GARRARD RC-60

This de luze "Friter" upon tic more changer is of radically different denin. You can adjust to perfect operating the ed. (8 rpm) or accelerate or retard the tempo. 10° and 12° records may be mixed in any come of the same of the edge of the edge

WEBSTER



CHICAGO



Model 70 Mixer-Changer

Plays full 11. stock of 10 12 inch records in termined or tock of it it aim. And for the first time utomatic release of drive mechanism when it mechanism when it mechanism when it mechanism changes a long awaited solution for thuming caused by leading turns off after the last record has been alwed. Manual control switch permits playing home recording or "inside-out" records. The cushioned spindle protects records. It is casily removable for easy handling of played and it. Concealed mounting hardware. 14" nuere mounting bass. 10 1 deep. 2, list.

Model 56 Record Changer

An excellent record changer in the amous Webster tradition. Plays ten 12" or twelve 10" rords at one loading. Automatic stop after last record. Feather-light crystal pickup. Velvet-soft turntable gentle on your re-da quiet in action. Only one button for all operations. Offset spindle increases record life no racked or chipped edges. Cushion-mounted motor eliminates rumble or "wow." Heavyduty parts for lasting performance, 14" square mounting base. Overall depth above and below mounting base. Overall depth above and below mounting board, 9 inches. Shpc. wt. 21 lbs. K2000. Model 56, less needle \$26.66 and esc. Your Cost.

Metal Mounting Base for Model 56.

K19464—14 x 14 x 4", wt. 6 lbs. \$3.45

Model 50 Record Changer

Model 50 Record Changer

Enjoy the easy of ration of Model 56.
Compact and chainet. Fast change eyele
about 4 monds. Feather-light hurizontal and
writial needle pressure. Automatically plays
all standard records; twelve 10° or ten 12.
Quiet record drop on velvet soft heavy-pile
turntable covering. Durable steinhaus steel
spindle, curnical end for record protection. Heavy
duty plated initial parts. Ideal in small radiuphonograph combinations. 12 ½ square mtg.
base. Depth above and below mounting
board, 9 inities. Shp. wt. 20 lbs.
K2013 Nodel 50, less needle \$21.17
Metal Mountling Base for Medel 50.
K13463 12 % x12 % x4", wt. 4lb. 13.45



Pe-Luxe Portable Record Changer-Amplifier

Record Changer-Amplifier

In a portable record changer phono amplifier. Late a model record changer. Play accorded to the 12 of twelve 10 records at one loading. Just one control for Start, stop, it eject and Manual operation. Noise in content pad mote. It is in important to the property of the content pad mote. It is in the content pad mote in the built-in amplifier. It is latered type to the amplifier. He tone and volume control. Stinch are the light of the content pad are the light of the light

14



DeLuxe Record Changer With Automatic Stop

A smeah value! Dow you can have a deluxe record changer with the versatile features of higher priced models. Plays ten 12-inch or twelve 10-inch records at one loading, and stops automatically after last record is played. Makee a handsome addition to your console. Grey flocked turntable matches silver and deep lavender finish of lightweight metal parts. Astatic crystal pickup and curved tone arm for heat reproduction and least record west. Mounting him ressures 12x10%. Below panel depth 2/2 above 51 tith full record stack. 78 rpm. 110V 61 cry AC. Shpg. t. 15 lbs.

KP 273 DeLuxe Record Changer \$18.95



Portable Phono Player-Amplifier

Special portable record player and amplifier. Housed in a handsome airplane luggage cartying case. Includes a three tube amplifier using 1-12SQ7, 1 50L6, 1-35Z5. Five-inch Alnico 5 permanent manetapenter. Tone and volume controls. Fight quality crystal pick-up. Rugged motor, Turntable is covered with brown flock, cary on your favorite records. Plays teninch of twelve-inch records. Cast ite is 15 = 15 = 7, "high. Well-placed carrying handle. All this adds up to a swell buy, so send your order in now. 15 lbs.

Your Cest 24.50

Perfect Merchandise-Prompt Shipment-Personal Service

pick-ups and accessories





ASTATIC FP-8 Low Pressure Xtal Pickup TIME TESTED AND PROVED

This low pressure (1 oz.) crystal pickup, with permanent, built in, jewel tipped stylus, contributes minness urably to the convenience, economy and enjoyment of electrical phonographs. Since only the light weight stylus itself vibrates at audio frequencies, the weight of the vibrating system in far least than in pickups having a needle chuck and needle chuck and needle crew. 50 4500 cps. Handome curved arm finished in it h maroon. 2 lbs. K239

th instroon. 2 lbs K239 Your Cost \$10.79

WEBSTER AJ-1 Lightweight Crystol Pickup FOR LONGER RECORD LIFE

A new, precisely balanced, simplified pick up that practically does away with record wear and needle changing. The hight weight, streamined bakelite tone arm is accurately balanced to place controlled pressure on the needle. 50 4000 cps. Crystal and chuck are built directly into the tone arm for preter bill. the tone aim for perfect bill ance. Simple servicing, no seldering. Easily mounted. Needle pressure 1.5 oz. Shpz. wt 2 lbs. \$4.26

The PICKERING Cartridge Reproducer FOR HIGHEST QUALITY

REPRODUCTION

Perfect response 20-20,000 cps.

An amazing studio type reproducer.

Fits practically any airn. When mounted in a well-designed arin, the PICKERING tracks with only 15 grams pressure (1, 0z.). An ingenious "Keystone Chp" permit essy mounting in a large variety of arm the per and size. Supplies stylus. Require equalizer amplifier. Satinfinish gold care.

K245 Your Cost \$15.00

G-E Variable Reluctance Magnetic Pickup DESIGNED FOR THE UTMOST IN FIDELITY Over the Entire Audible

FIDELITY Over the Entire Audible Spectrum, G E offers a unique pickup for completely faithful reproduction of lateral records in commercial, studio, and home recordings. Features reduced hum pickup unusually low mechanical impedance, and smooth high frequency. Tracks at about 22 grams pressure. Natural sapphre tip. To reduce needle talk, jewel tip is mounted on soft spring this permits tip to follow record groove intimately and without chatter int. Simple 2 screw mits. For best results, use with preamplifier equalizer \$4.67

GENERAL ELECTRIC Preamplifier For use with high fidelity, low mechanical impedance pickups as PICKERING or GE. \$5.82

Phono and Amplifier A) Case

If andsome airplane luggage type ca built to "take it," yet light in weight. Will hold phonos built to play 10 or 12 inch records, with space for 6 spkr, and amp circuit. 13x14—mtg. panel. 19x13³4x7³2 overall. 8 lb.

K19444 Phono and Amplifier Case \$6.95

B) Portable Record Changer And Amplifier Cose

An excellent buy for those who want both record changer and amplifier in one unit. Takes any record changer. All wood. Alligator leatherette cover with matching hardware. For 5%, 6 or 8 specker. Overall size 21" x 161" x 93%. Motor board 15 x 163%. Brow panel depth 3% above panel 5 %. Ships. wit. 9 lbs.

K22360
Your Cost,
Case Only

C) De-Luxe Changer Case

Attractive, compact, lightweight, De luxe case of solid wood construc-tion with covering of extra fine simution with covering of extra fine simulated a sligator fabrikood. Sewin leather covered edges. Nickeled locking snaps with key. Blank covered motor board. Inside dimen. 17—141s. x 11—Ships. wt. 10 lbs. K22343. Your Cost, Case Only.

D) Build-Your-Own Record Player Kit

Player Kit

It's fun to build your own all electric is early player with this essential parts kit and you'll save mostly found it. Can be mounted in a consolic cabinet with your present rache. Anyone can do it in institute 'You at (1) constant spec 1 (78 ipm) rim driv motor with 9 inch flocked turnstable, for 110 V 60 eye. AC only, left tarting type, (2) Off et haid letter type crystal pickup with extalled the power. Arm is 9 long unit play all 10 or 12 inch records also we 5 lb.

K690 Complete Kit Your Cost, Only



Kiddies MEL-O-TONE

Phana

A Supreme Gift Value For Children Performs Like ANY Well-Built Player

For the child's delightful world of For the child's delightful world of fancy and imagination, there is no finer gift that this understandingly created record player. In pastel pink and blue enamels with colorful decals. Has 78 rpm sir cooled motor. Operates on 110 V. AC only. Lightweight table model easy to move from place to place. ON OFF switch. Complete with pickup and 6 ft. line cord. 111, x11, x4". 8 lbs. K25023 K25023 Your Cost \$9.95

F) ADAPTOL Phono Oscillator

Features: Small, compact, convenient mounting Excellent tone, Strong signal. High percentage of modulation. Good frequency stability. Measures just 48284. Complete with 50B5 35W4 tubes. Ships wit. 4 lbs. KP5697 Your Cost

G) | 3-Tube Phono Amplifier

G) [3-Tube Phono Amplifier
The compact, useful phono amplifier
for you've been waiting for! Ready
for installation. Use: 35Z5 or 35W4,
1-12SQ7 or 12AT6, 1-50L6 or 50B5.
Audio stages are capacitively coupled Heavy chromed chassis, 6 s. 8
16 x 3 3, 13 s." vol. cont shaft.
Octal socket for splar plug in. Tone
control with 5 ft. cord and tubes.
Your Cost

H) ADAPTOL Hi-Fi Amplifier

Features: \Increased undistorted power. Plenty of Treble and Bas \ Inverse feedback. \Permit boostine of high note to three times nor mail flat response. \Uses 12SQ7. 50Lo and 3525 rect. \Uses Convenient size, 5 x3 \uperperse x7. Withtubes 5 lb., KP5696 \upper Your Cost, Only

J) Sensational Pickup Value

You get a curvet arm pickup, plushish healthy crystal certridge and mig. herdware at the rost of any one of the image of the cort of any one of the image of the curvet arm as use low record went and he it to ckims. For use with any at indicat tylus 11, lbs. \$1.95

To Speed Handling of YOUR Order Use Our Order Blank World Radio History

phono accessories, recording equipment

Recording Needles

Sapphire Cutting Needles (A) Lapped edge. For acetate discs. Precision cut jewel assures low aurface noise and high fidelity. Over S hrs. cutting life. K191
Your Cost Each. 3.23
(A) Like above with Long Shank for Presto Professional and Brush cutting heads.

K198 Your Cost Each 53.23 (B) Sapphire cutter ground to W.E. specs. For acetate discs. 10 hours life. Can be reground. K136
Your Cost Each
\$4.25

Steel Cutting Needles
(C) Stellite cuts hundreds of acctate discs. Can be reground.
K337
Your Cost Each.
(D) Polished steel cutters for 15 to 20 ten inch acctate discs.

M348 Package of 4. Your Cost... 59° (D) Alloy cutter for acetate; harder than steel. Polish while they cut. Hand lapped. 88° (K434A Package of 5. Your Cost. 88°)

Latest Jewel-Tip Needles

OUOTONE Ourpoint No needle talk, no surface noise. New offset principle improves opera-tion. Plays up to 4000 records. 596 K443 DUOTONE Durpoint, Each ... 596 WALCO Tru-Trac Sapphire needle. Plays up 5000 records. 195 WALCO Tru-Trac, Each.

Playback Needles

For playing either home recording discs or standard commercial records.

Transcription ateel needle. Shadow tested. Fine response, little wear. Play 5 to 10 records.

K346 Package of 10, Your Cost.

K347 Package of 25, Your Cost.

K349 Package of 75, Your Cost.

K319 Package of 75, Your Cost.

K319 Package of 75, Your Cost.

K209 Package of 10, Your Cost.

K209 Package of 10, Your Cost.

K222 Package of 200, Your Cost.

K226 Package of 200, Your Cost.

K226 Package of 200, Your Cost.

K226 Package of 10, Your Cost.

K359 Package of 12, Your Cost.

K359 Package of 12, Your Cost.

Greythorn Needles: Special thorn. Ideal for crystal pickups. Tested.

K262 Package of 15, Your Cost.

S65

NORRIS Jewel-Tip Needles



(A) NORRIS One-Fifty—Diamond lapped sapphire point.

Reg. price \$1.50.

K178—Your Cost, Each.

Lots of 12, Each.

Sapphire—Patented flame process fuses surface to mirror smoothness for easy gliding over record contours.

Microscopically inspected and shadow-graphed. Reg. \$3.00.

K179—Your Cost, Each.

Lots of 10, Each

S1.50

(C) NORRIS Flame Tip Ruby

Has paraglide action processed under intense heat to form a perfect parabolic point for finest possible record surface action. Reg. price \$4.00.

K182—Your Cost, Each.

Lots of 12, Each.

\$2.35 (A) NORRIS One-Fifty- Diamond

"Protect-O-Flap" Album

Saves you the harrowing experience of having your favorite records slip out of the album accidentally. A protective flap on each pocket prevents just such accidents. Embossed mahogany color envelope.

No. Size Pockets Lbs. Each

No. K20207 K20208 Size \$1.10 \$1.29 12"

Amazing "Uitra-Mike"

It Works Without Wires!

Turn on your radio, tune it and the Ultra-Mike to any clear channel between 1250 and 1700 kilocycles and you can broadcast distinctly from mike to radio all without making a single connection between the two. The Ultra-Mike acts as a broadcast transmitter, and puts out enough power to work perfectly with any radio up to seventy-five feet away. Uses either 1L4 or 174 tube, a 45 volt miniature "B" battery and a flashlight cell. Excellent for use in restaurants, home entertainment, in the sick room or nursery, and a host of other practical applications. Complete with tube, batteries and long ground.

Shpg. wt. 3 lbs.

K13614 - Your Cost.

General Industries Recorders

Cuts records to 10" diam. Plays records to 12" diam. Cut-depth adjustment on retractable driving pin permits playing of standard records without adjustment. Heavy-duty rim drive induction motor. (78 RPM). 110V, 60 cycles AC. Assembly includes motor; 10" turntable; cutting mechanism; low press, crystel pickup; cutter and pickup arm rests; 15" x 10" base plate. 16 lbs. K22835—Model GI-R70L. \$2.4.5.1

Dual Speed Home Recorder And Phono Assembly

change dial which permits operation at 78 or 33 'a RPM. "Reproducer" and "Recorder" engraved on pickup and cutter arms. Dynamically balanced motor. Compensating switch operated by speed change dial. Works on 110V, 60 cycles AC. Plate measures 15" x 111/4". 17 lbs. K22537.— Model GI-R90L. \$28.95

Combination Record Changer-Recorder

Changer-Recorder

Cuts records to 10", plays 10 or 12" records automatically. With lever in extreme position, all sizes of records easily removed. Non-jamming record handling fingers. Handles records with either run-in or oscillating trip grooves. Provision for guiding pickup needle on records without lead-in grooves. Shock mounting permits isolation of entire assembly. Furnished with low pressure crystal pickup; weighted 78 RPM turntable; 14" x 14" base plate. Brown iridescent finish. Streamlined plastic trim on pickup and cutter arms with identification engraved. 25 lbs. K22536 Model GI-RC130L. \$40.14

16

De-Luxe Album

LAFAYETTE Record **Carrying Cases**

Ideal for carrying your records from place to place with the safe feeling that they won't break or chip. The best protection for your records. Strong all wood cases covered with attractive, durable fabrikoid. Sturdy handle and bardware. 4 lbs. K22345 Holds 50 ten-inch records.

ords. Your Cost \$4.29 K22346—Holds 25 twelve-inch rec-\$4.29 ords. Your Cost

Recording Discs



Paper Base RECORDISC

Purple Label. Alum. base. 2 sides. K11966 - 616" Discs.
25 or more, Each
K11967 - 8" Discs.
25 or more, Each
K11988 - 10" Discs.
25 or more, Each 14c 20c 18c 30c

Red Label Alum. Discs Coated both sides. Labeled. Size 1 to 24 25 Up 612" 20c 18c 27c Ea. 24c Ea. 10" 40c 35c 12" 53c 47c K11982 K11983 K11984

PRESTO Recording Discs Orange Sealt Compares favorably with commercial discs. Two sides.

612" 1.00



recording equipment

PRESTO gives you, at lowest cost, such desirable features

Magnetic cutting head and pick-up, the design used in highest grade

quipment.
tube amplifier, using push-pull

triodes in the power stage.

High frequency equalizer for 33 % RPM recording, and a tone control for suppressing needle scratch when commercial records

scratch when commercial records are played.

Safety cam lever for lowering cutting head to prevent accidental damage to sapphire needles.

Detachable, dynamic loud-speaker, which may be operated at any desired distance from the recorder.

Cutter feed mechanism, located beneath turntable where it is protected from dust or accidental damage.

damage.

Prevision for quick change from

Previous for quick change from cutting outside-in to inside-out. Exclusive PRESTO rubber-tired turntable driven directly by a pulley on the motor shaft this eliminates the rubber pulleys and belts which are subject to rapid wear. Turntable speed may be changed in 5 seconds from 78 to 33 lg RPM by removing a brass pulley on the motor shaft.



PRESTO Model "K" Recorder

Recorder

A COMPLETE, PORTABLE
SOUND RECORDER, RECORD
PLAYER AND PUBLIC ADDRESS
SYSTEM—IN A SINGLE CARRYING CASE. Exceptionally light and
compact, the PRESTO Model "K" is
ideally suited to the needs of sales
training, teachers of speech, music and
dramatics, as well as actors and musicians who require an instrument easy
to carry and operate.

Records fifteen minutes continuously
at 33!, RPM on one side of a 13!;
disc. Can be connected to any home
radio to record radio programs. It
also makes 6, 8, 10 and 12 inch records,
and plays all makes of phono records,
As a voice amplifying system it will
serve audiences of about 500 persons.
The features of the Model K, not
found in any other low-priced recorder,
enable the user to make high quality
recordings, consistently. As a result
of its performance, more Model K
recorders are used by schools, industrial concerns and in the home than
any other recorder in a similar price
range.

any other recorder in a similar price

any other feeded in a factor of the factor o

MASCO RK-5 Combination

Duai-Speed Disc Recorder and P.A. System

FEATURES: Instant play-back Recording and play-back at both 78 and 33 ½ rpm Bettonic volume-level indicator Heavy-duty 6" PM Alnico V speaker Separate volume and tone controls Adjustable cutting head Heavy-duty recording motor and table Three input channels U.L., approved.

U. L. approved.
APPLICATIONS: Direct



BRUSH "Soundmirror" Portable Model BK-403

Here Are Just A Few Jobs It Will Do

Remote pickup Delayed broadcast Spot announcement Speech correction Language studies Class plays Assembly entertainment

The BK-403 SOUNDMIRROR is a portable "Magnetic Ribbon" recorder contained in an attractive black leathcraft of the studies rooms, industrial conference recording, and commercial sound attudios. With the SOUNDMIRROR, on-the-spot recording is easy and accurate. This is a magnetic recorder that anyone can operate Ribbon speed is 4.5 in./sec./or 7.5 in./sec. (dual capstan arrangement allows change of speed). Response is 100-5000 cps. 45 second rewind. Type BA-106 crystal, desk stand microphone with removable base provided. Self-contained 6"x9" oval speaker. BK-921 take-up reel, 5 BK-914-3 ribbon and reel, 8 foot cable, 7.5 in./sec. and 4.5 in./sec. capstans. Full instructions included. 110V 60 cyc AC. K22502 BK-403 SOUNDMIRROR portable, complete with successories. Shipping weight 55 lbs. Your Cost

Ultra-Compact Portable Magnetic Wire Recorder

Wire Recorder

Records and Plays Back
A Full Hour
Erase Feature. Use Same
Speel Over and Over
For Entertainment,
Business and Schools
A perfected wire recorder of modern
design. Make recordings and play
them back immediately with life-like
fidelity at full room volume. Recordings can be replayed thousands of
times or erased in favor of new programs. Use it in business to dictate letters. Excellent for professionals, whether for patients' case histories or lawyers' bricfs. An
asset to any political campaign. Recorder includes recording mechanism, microphone, amplifier, speaker, two 15-minute and one 30
minute spools. Has volume and tone controls. Attractive case.
Easy to carry only 27 lbs. 110-120 V. 50/60 cyc AC.
K22516 Model 80 Megnetic Wire
Recorder, complete. Your Cest, Only
K22517 Extra 15 Min. Spool
K22518 Extra 30 Min. Spool
K22519 Extra 60 Min. Spool
S5,00

To Speed Handling of YOUR



Wire Recorder **Foundation Unit** Build Your Own Professional Wire

To Speed Handling of YOUR Order—Use Our Order Blank



The EDWARDS FIDELOTUNER brings you delightful, noise free FM with its revolutionary High Q Tuning Lines (pat. pending). This device simplifies tuning in the very high frequency range of FM reception. For untold hours of FM listening joy many newest features are incorporated:

\[
\frac{1}{2}\text{Misser} \text{Misser} \text



STANWYCK Quality **FM Tronsformers**

FM Discriminator Compression tuned. Coils wound of Litz wire. Electrical centered secondary results in perfect symmetry between positive and negative peaks. High output and excellent discrimination. A put and excellent discrimination. A superior quality transformer for production or replacement. 114 x 114 x 219 aluminum can. \$2.15
KP\$277 SFM-601
FM I.F. Coll Exceptional quality at moderate cost. Low loss ceramic used throughout. High quality iron core. Maximum "Q" and gain at 10.7 Mc. Symmetrical response curve with no irregularities in wave shape. In 3 x 114 aluminum cans. Spadle holt mtg. ctrs. 119". bolt mtg. ctrs. 11 Spade h \$1.91



MAGI-KLIPS

An amazing kit for students and hobbyists. A remarkably simple clip arrangement builds up 18 electronic units. Make a fine builds up 18 electronic units. Make a fine radio receiver, a code practice oscillator, signal tracer, home broadcaster, photoelectric relay, remote control relay or any one of 12 other useful devices. Complete with chassis assembly, condensera, resistors, tubes, plug-in coils and "magic" clips. 501.6, 12SL7. 3525 supplied. 4" PM spkr. K20358 10 lbs. \$29.75 Your Cost, Only



B-Tube 2-Band AC-DC. Superhet Like other "Craftsmenbuilt" kits, this big superhet was engineered for kits, this big services of the superhet was engineered for case of continues of the superhet engled and add a three tubes for exceptional ploying dual highly the superhet engled around a three was ensitive appeared the superhet engled around a three tubes for exceptional ploying dual highly two 5.5-18.0 Mc. one 550 mance. Feetures of the superhet engles of Change old FM (40.50 Mc) to new FM (88.108 Mc) at lowest cost ever crystal deposition of the change. Cost coversion of the change of the chang Crystal FM Converter

TACO **Double Doublet**



Reflector
makes antenna unidirectional, desirable in areas with low signal
strength. Antenna has 4 aluminum
dipole rods, 2 rod supports with
terminals and neoprene grommets;
spacer post & mtg. clamps for mast;
60 ft. coil of 300-ohm high-fred,
transmission line; 2 jumpers &
screws; 5 ft. sectional wood mast;
3 special standoffs; 4 wallboard insulators. Reflector has 4 dipole
rods with connectors; 1 crossarm
(steel heavily enameled); 1 spacer
post; mounting hardware. 1.5 db post; mounting hardware. 1.5 db loss per 100 ft. of line. Wt. 15 lbs. K16488 Each \$14.70

It is as fine a Converter as you can outlify set. Quality set. Quality of signal Trece is no loss in with your converted complete with a converted complete outlines and the converted con TACO

RADIO CRAFTSMEN Kit RK6S

6. Tube 2. Band AC.DC Superhet

RADIO CRAFTSMEN Kit RK85

8. Tube 2-Band AC-DC. Superhet

6.Tube 2.Band AC-DC Superher
A NEW design superhet kit. High sensitivity
one 550-1600 K. Features: (i) Range-Band
(i) R. F. Amplifier St. Band two Range-Band
purpose tubes, to-read Dial. (i) New, dual
tifer incl. 105-12 (3) Loo Nois). (ii) New, dual
Heavy both Easy, to-read Dial. (ii) New, dual
Heavy steel pictorial assets 50-50 (ii) Ample
mium yateel pictorial assets 50-50 (iii) Ample
mium yateel pictorial assets. Nat formed can
no dialeted assis, punched and formed can
instructions with tubes, hookup wire, solder and
K20352 Kit RK6S. (iii) National Superhead

Kit RK6S. (iii) National Superhead

A Superhead

A National Superhead

FM Folded Dipole An efficient antenna directional hoth front and rear. Flat char-1 folded di

1 folded dipole with terminal block; 1 60 ft. coil of high-frequency 300-ohm transmission line; 1 5 ft. wood mast; 2 mtg. straps & screws; 3 special screw eyes for high-freq. transmission line; 4 wallboard insulators. Ideal for areas of low signal strength. Wt, 6½ lbs.

K16494 Each... \$5.59



SFM 602.

AC-DC HOME RADIO KITS

6-Tubes 2-Band AC-DC Kit

Model SWK receiver kit has a freq. range from 550-1600 kc and s.w. band from 7-16 mc. Two band dial. Three controls: band switch, tuning and volume controls. Circuit includes untuned stage of RF amplification. 12SK7 as RF amplifier, a 12SA7 oscillator S0L6GT power output, and a 3525 rectifier. Kit includes including cabinet except tubes, wire and solder.

Model SWK 6-Tube Receiver Kit

\$17.95

K10462 M

5-Tube AC-DC Kit

SK is a top kit in post-war engineering of a modern receiver. A 5 tube superhet. True tone reproduction. Airplane dial 550 kc to 1600 kc. Brown plastic cahinet. Loop an tenna, new Alnico 5 speaker. Antenna tuned by one section of condenser and feeds directly into mixer-oscillator tube 12SA7 while the other section tunes the oscillator coil. IF channel is 456 kc and uses 2 double tuned transformers. 12SK7 as IF Amplifier. 12SQ7 as diode detector and first audio, 50L6 "Beam Power" output and 35Z5 rectifier. Contains all parts less wire, solder, tubes.

Model SK Receiver Kit

18

KP\$615 As above but less Cabinet

All Prices Subject To Change Without Notice



MODERATE POWER SOUND SYSTEMS

8 Watts

A high quality startis emphilies. Grives uncacalled operations for paging and a systems, the paging application of the paging application of the paging and applications. As attended in the column As attended to the latest phone charact. Mining a leafing these training these training to the latest phone control 117 db picks sain, 73 db mining sain, 41 2006 again, 74 db mining sain, 41 2006 again, 75 db mining sain, 75 db mini

MODEL THE \$27.60
Ampellier with tither \$27.60
Ampellier with tither \$27.60
Ampellier with tither \$27.60
Ampellier with tither \$27.60
Ampellier with title and title \$2.70
Ampellier title Amplifier fact titles \$2.70
Ampellier title Amplifier fact titles \$2.70
Ampellier titles ampellier with history \$2.70
Ampellier titles \$2.70
Ampellier titles

18 Watts

An about sound present the small or district plants of the small or th

Amplifer, with tales. \$38.25 MODEL 719 Selle se shore plus Mall in record plays and the Mall in record plays and the Mall in Mall

MODEL TELS Complete Indoor Sys-MODEL TELS Complete Indicate ligations 27 June BEADY TO OPERATE 544.68 OUTDOOR AVELENI OWNSCORE Indicate Indicate Perfect he demonstrations, actificate att. Indicate I Model 708 Amplifies side tubes I University Bounts "speaker." I Combination organise side & stand plate 75 ft. cable and complete Outdoor Wooks. 2018. Complete Outdoor Systems 17 Ibs.

ECONOMY PORTABLES Ideal for a several register, with taken 1 ideal for the several register, with taken 1 id. combination prystal called & stand post 1 id. Combination prystal called & stand post 1 id. Combination prystal called & stand post 1 id. to the called and commercial id. 13 it. cable and commercial id. 13 it. cable.

poss 1 % (L cable and ensection)
13 ft. cable
MOBEL 7929 Complete to stor for
cuttying case, 23 lbs. \$21.02
2 Adjustable mide stand, 35 68*
2 Adjustable mide stand, 35 68*
2 Adjustable mide stand, 35 68*
2 Torner 27% crystal mirrephone.
Shall its siped asg. 23 db output.
2 10 ft. bing 2 wire radged satis.
NEADY TO OPERATE. Includes instructions and plugs.
MODEL 7056 Complete indeed Bysizm. Ins. phone. 35 lbs. \$72.08
MODEL 7056 Complete indeed Bysizm. Ins. phone. 35 lbs. \$72.08
MODEL 7056 Sp. datte as above with built-in shame, 30 lbs. \$25.08
OUTDOOR SYAYEM; Compact, realterpress. Very high projection officerors.

even herpen-efficiency.

1 Model 718 Amplifier, complete with tickes, less phono-J. University IES borne.

1 University IES borne.

1 Towner 212 crystal microplane.

2 Advanate make exact. 25.58

1 St R. cable.

model. 71004 Complete Outside.
Section, less phono- 48 lis. \$87.88 MODEL 732HP flame as above with built-in phone, 33 lies. \$100.75





MEDIUM-HIGH POWER SOUND SYSTEMS

25 Watts

Uningrassed for a warmty of applica-tions in charcites, small halls, centus rants, etc. Especially somatic fla-dance hants. For those who waste per formance and efficiency at less con-Americally. perfections and efficiency at less conAMPLIFIER? 21 watte. 2 mile. 1
(these channels. Missing & feding.
Hass trable control. 122 th mile gain,
no de rione. 30 1000 are respecte.
5 cutjust impodence. 115V Ser. AC.
2-7394. 1-787. Lelico tubes 5UAU
cret. (134), at.; 30 lis.
8600\$2. 728. Amplifer, with tubes
less phone.
1552.88

MODEL 727 Same as about play built on phose 23 ths. 64.15 indoor systems A well-matched to the property of Management of the property of the p

35 Watts

Draigned for incline audiences up to a 200 or outstoor areas to 30,000 equations. The heat for larger school audiences, charries, etc. Deficiency fills gap between medicini and high power systems.

AMPLIFIER: 11 watth 2 molec. 1 places channels. 55 tening in feding departer has a treble. 125 de male gam. 35 de places gam. 35 de places

NO DEL 733 Aingliser, with

INDOOR SYSTEM: This emplote indoor system gives you ranged ever possests perfectly manufact for must

2 G.E. 11 PM dynamic speakers

1 35-60 adjustable mike stand.

1 Tierer 15% crystal microphicae.

1 150 ft. long 2 wire calged sable.

8 00 El T172 Composer landars

return, has phone, 25 the. William MOBEL T187 Some as show with beills in phone, 30 the.

GUYDGOR SYSTEM: All components chosen to march the smallfer for veted power only efficiency. By-

the rested pursue whit substances, the includes at the complete with twisse, less places.

2 University MAI delegate 22 Universit sting power and efficiency. Model 725 Amplider, complete

You get

J. Model 715 Ampider, complete
with rates

2 (2 toch PM dynamic semilars

2 Fabrical Pad dynamic semilars


3 (2 toch PM dynamic semilars


3 (2 toch PM dynamic semilars

3 (2 toch PM dynamic semilars

5 (2 toch PM dynamic semilars

6 (2 toc














HIGH POWER SOUND SYSTEM

50 Watts

Great volume and large coverage are easily and capably handled by the LAFAYETTE unit. Built especially for permanent installations in theatre, checks, auditoriums, camps, etc. Magnificent power at remarkubly

Manificent power at remarking in It can be seen that the second of the s

comparing

75 Watts

Trim adout programmer that LAPAY II 75 where the LAPAY II 75 where the best of the lapay to the lapay of repreduction see and I

AMPLIFIER: 72 with 2 mile. I phono in I. Milin & I ding. State I will tribe control. 124 db mile. I ding. I do hono. 30 10,000 cp. 12 db. Five out put implement I melle with the lightly current de in. 110V 50 cyc AC. 2-7C7, 7-77, 2-6V6C, 50.00

MODEL 775 Amplifier, with INDOOR SYSTEMS All he man

1 Model 750 Amplifier, complete

1 Model 750 Amplifier, complete ith tub.
4 12-inch P d dyn mic u a er.
4 12-inch P d dyn mic u a er.
4 13-568 justabl mil e stand
1 Tunne 27 crystal microphone.
1 200 ft. long 2-wire ridged cable.
MODEL 7243 Complete Indoor System Shp., wt. 150 lbs. 150.00
OUTDOOR SYSTEM: Built to hight tandards of performance and coverage at rated power of 50 watta

Model 750 Amplifier, complete with tube.

2 University files projection.

2 University files projection.

3 35.6 In tube to the second of the

1 to 1 7 Ar police, complete the little of t

SPECIAL SOUND EQUIPMENT

12 Watt Phono Expander Amplifier

recordings.

Exceptionally fine tone quality and volume.

voi set a "cl. in 'power output ill 12 wetta, jilli voluse en main, it il the voi the tradition of the county of t or the of indirect invity

pression of extin load a

where the dynamic round is the for
cost is no male with other

roov. If you no sply become of

through the lafty fit is not a

compared to the compared

• Get the best possible reproduction from your fine the all its dringer and tonal

brillian C.

P. CIFICATIONS: 12 State of mall and market planes in market planes in market planes. The planes in market planes in the market planes. The market planes in the market planes in the market planes in the market planes in the market planes. The market planes in the market planes in the market planes in the market planes. The market planes in the market planes in the market planes in the market planes in the market planes. The market planes in the market planes. The market planes in the market plan

MOOFL Of X Complete 12 of Tour Cost

15 Watt Musical Instrument Portable Amplifier High fidelity reproduction of all musical instruments.

Three inputs For solo work or orchestra.

Un urperd in a quality records then over the fire while for professional control of the second form of the s

l cerps of 1) et ith unimum of distortion. Suestric Il

SPECIFICATIONS: 15 watte por trail SPECIFICATIONS:

The second to 1 be to per band,

a part of key 11 are sett per band,

which is a first and best per band,

which is a first and best per band,

and the there is a first and

the sett per band band band band. MODEL 725 Complete

test equipment

McMurdo Silver "SPARX" 905 Signal Tracer



The Dynamic Signal Tracer provides an audible means of following a signal from the antenna to the speaker. The electron-ray indicator furnishes a visual means of measuring circuit gain or, loss. With this instrument the technician can check a receiver at every circuit point, locating hum, noise, open and short circuits. Even the presence of grid and plate supply voltages is indicated visually. Useful frequency range is from 20 cycles to over 200 megacycles. 65 db gain in AF amplifier. Complete with test leads. Practically no detuning effect of circuit under observation. Size 123 ar 73 ar 53 ar 34 Wt. 13 lbs.

K21456 Your Cost

Model 904 C-R Bridge



The Model 904 Capacitance-Resistance Bridge gives direct readings from 10 ohms to 1000 megohms and from 10 mmfd to 1000 mfd on a five-inch logarithmic scale. Accuracy is better than 3 percent up to 100 megohms/mfd., slightly less on the highest scale. Measurements down to 11 ohm/mfd can be made as to any small value of C or R. 0-500 volts DC potential is applied to all capacitors during test. Unit is furnished complete with tubes: 1-6SN7, 1-6E5 "Eye" tube, 1-5Y3 and test leads. Will operate on 105-125 volts. 50-60 cycle, AC only, Dimensions: 1234 x 73 x 534". Shpg. Wt. 13 lbs. \$49.90

Model 906 FM-AM Signal Generator



This signal generator provides fundamental frequency coverage of all usual AM bands, plus built-in frequency modulation and total range including new FM bands up to 210 MC. The frequency range, 90 KC-170 MC, is covered in eight bands. In an MOPA circuit, 1 triode section of a 6J6 miniature uhf tube serves as oscillator and the other as buffer amplifier. Output voltage is indicated by a uhf radar-type crystal diode and panel meter, calibrated directly in microvolts. Built-in attenuator provides continuously variable, metered output from 0-1 volt. Signal can be AM or FM modulated at any frequency. Offers negligible load on circuit under test. 12 % 27 % 15 7 %. Wt. 20 lbs. K21452 Model 906

Triplett

Model 3212 Counter Tube Tester



Professional counter Tester for servicer and dealer. Handles receiving tubes, gaseous rectifiers, ballast tubes & pilot lamps. Full range of filament voltages 0.75/1.2/1.4/1.5/2/2.5/3.3/5/6.3/7.5/12.6/25/32/50/70/85/95/100/110.51/9" color coded scale reads BAD, 1, GOOD. Sockets take 4, 5, 6 prong, 7 prong large and small, 8 prong octal and loctal. 5 prong bantam, 7 prong ministure and subminiature, and one spare tube base. Neon indicator short test. Fast, flexible 3-position lever switch. 110V 60 cyc AC operation. New metal case with two-tone hammered baked-on enamel finish. 15x11 3/x6". Illuminated speed roll chart for quick easy setting Shpg. wt. 15 llm. \$62.23 K21518 Your Cost

Model 2432 Signal Generator



75 KC to 50 MC in six overlapping bands. Approx. 30% internal modulation at 400 cycles. 400 cycle audio signal available at panel jacks. Air trimmer capacitors, permeability adjusted coils, and electron-coupled oscillator circuit provide increased stability. Directly geared, aluminum dial permits accurate settings. Fine and coarse variable attenuation. Coaxial cable output lead minimizes losses. Separate coaxial fittings for RF and AF output connections. Uses one each 65J7, 6J5, 65GT and VR-150-30. 115 volt 50-60 cycle power supply voltage regulated for increased oscillator stability. Metal case with tan, hammered enamel finish, 10x10x63½. Entire RF and AF assembly enclosed in separate shields. Strong second and third harmonic signals provide for extending coverage to new signals provide for extending coverage to new FM bands. Internally shielded power transformer. Filtered power line, 16 lbs.

Your Cost All Prices Subject To Change Without Notice

Jackson Model 615 Volt-Ohm-Milliammeter



An excellent general purpose instrument, compact in size but unusually complete in ranges. 2 ohms ranges 0-1000/500,000; 5 DC volt ranges: 0-5/50/100/250/1000; four DC maranges: 0-10/15/50/250; five AC volt ranges: 0-10/100/200/500/2000; additional high voltage DC range: 0-2500. Retary switch range selection saves time and reduces errors. 3" square type meter has two jewelled bearings. Each instrument supplied complete with self-contained batteries. Panel is finished in attractive two-tone grey with white lettering. 7x41/x3". Shpg. wt. 4 lb. K21473 Model 615, \$24.45 An excellent general purpose instru-

Model 640 Test Oscillator



Model 645 Vacuum Tube Voltmeter



Both AC and DC volt ranges are electronic, pro-viding maximum sensi-tivity and overload pro-

viding maximum sensitivity and overload protection. Measures resistance up to 1 billion ohms and as low as 2/10 ohm. Meter ranges: AC Voits 0-1/4/10/40/100/400/1000; DC Voits 0-4/10/40/100/400/1000; DC Voits 0-4/10/40/1000/400/1000; DC Voits 0-4/10/40/1000; DC Voits 0-4/10/40/1000/1000; db voits 0-100/40/1000; db voits 0-1000/40/1000; db voits 0-

\$58.31

Model 642 Volt-Ohm-Milliammeter



valuable instrument for all measurements of sensitive circuits such as AVC, grid circuits, etc. Many measurements can

AVC, grid circuits, etc. Many inseasurements can be made with current drain as low as 10 microamperes. Instant selection-coupled reased stability. dial permits across variable attenut lead minifittings for RF Uses one each 30,000,000 ohms. No external batteries or line power required. All DC volt ranges are 20,000 ohms/volt. 30,000,000 ohms. No external batteries or line power required. All DC volt ranges are 20,000 ohms/volt. Current readings may be made as low as 2/1000 of 1 ma. Case is welded steel finished in grey morocco. Fitted with removable steel hinged cover. Protects meter and third harmonic coverage to new depower trans 16 lbs.

\$86.73

Change Without Notice

Supreme Model 565 Vacuum Tube Voltmeter

An electronic voltmeter in corporated into a beautiful case and panel. New type of hand-fitting probe al-



562.23

General Electric Unimeter YMW-1

20,000 ohms per volt multi-range portable instrument. Provides for rapid, accu-rate measurement of volts,



Provides for rapid, accurate measurement of volts, ohms, current and decibels. Extreme simplicity of operation. ALL functions except the 50 microamp and capacitor for output are available without changing to various jacks. AC and DC. Volts: 0-2.5/10/50/250/1000. Sensitivity: DC volts. 20K ohms per volt; AC volts, 1K ohms per volt. Output Meter: Same as AC volts through 5 mf. 600 V capacitor. Decibels: -10 to +3, -2 to +15, +16 to +29, +30 to +43, +42 to +55. 0 level is 6 milli watts in 500 ohms. Resistance: 3 ranges covering 1 to 20 megohms; R x 1, 20 ohm center 2 K ohm max.: R x 10K, 200K ohm center 200K ohm max; R x 10K, 200K ohm center 20 megohm max. 0-.5/5/50/500 DC ma;; 0-50 microamps available at separate jack. 1 set 40" test leads and 2 slip-on alligator clips for test prods. 1-No. 2 flashlight cell, 2-7.5V "C" batteries supplied. Portable carrying case of fabricated steel, removable cover. Gray wrinkle finish. 123/4x94/x51,", 12 lbs. K21633 Model YMW-1 Your Cost

RCA

High Frequency Volt Ohmyst

& Instruments in One:

1. VMF Voltmeter .

2. Audie Veltmeter

3. A-C Voltmeter

4. D-C Voltmeter

5. Ohmmeter

6. F-M Indicator

Applications: VM and

Applications: FM and television measurements . . . all a-c measurements



			Equivalent Shunt				
	T		Re	ж.	Cap.		
			(ohr	ns)	(mmf)		
Input	Using	At 1 mc	625	.000	15.6		
Imped.	probe	10 mc	32	,000	14.5		
	directly	250 mc		100	13		
	Prohe	1 kc	1.650	,000	2		
	& mult.	10 kc	1,650	,000	2		
Power 5	Supply:	105/125 V,	50/60 cyc.	, 15 wa	tts		

Uses 2 RCA-6K6GT/G, 2 RCA-6AL5, and 1 RCA-6X5GT/G tubes. 9% x 6% x 6% "x 6%". Shpg. wt. 17 lbs. k21677 WV 75A \$125.00

Eico

Model 210 De-Luxe Vacuum Voltmeter

Model 210 De-Luxe Vacuum Voltmeter

for FM and Television
specially designed
A precision labor alory instrument, designed
for the rugged requirements of the service
engineer. Does the work of 5 instruments
DC VOLTMETER: Constant input impedance of 26 megohms; voltages 0-5/10/
100/500/1000/5000. AC VOLTMETER:
25 megohms input impedance; ranges 0-5/
10/100/500/1000. uses 6AL5 as linear rectifier. OHMMETER: electronic on all scales
from .2 ohms to 1000 megohms (ranges in
multiples of 10). OUTPUT METER: 5
ranges of AC voltage calibrated from minus
20 to 60 db, flat response, ideal for receiver
alignment. VISUAL SIGNAL TRACER:
Uses radar type UHF 6AL5 in probe; linear
RF or audio readings from 60 to over 100
megacycles; comparative readings obtainable to 700 megacycles.
Easy to read 8½" meter with wide angle scales
Absolutely stable, one zero adjustment for all ranges. Requires 115V 50/60 cyc
AC. Has 6SN7, 6X5 tubes. 6AL5 rectifier. 15x10x7" overall. Shpg. wt. 13½ bs.
K25322 Model 210 VTVM. complete with tubes.

\$69.50



Model 113A Multi-Analyst

Take the guesswork out of radio servicing a complete, economical laboratory.

Here's what the 113A Multi-Analyst does for you—
1. AUDIBLE SIGNAL TRACER ultra-sensitive, includes a high gain 3 tube amplifier. Traces RF, IF, FM, Television and audio circuits without making frequency adjustments, unsoldering wires or removing tubes. Flat response from 60 cycles to 100 mega-cycles. 2: DC VOLTMETER 26 megohms constant input impedance. Ranges 0-5/10/100/500/1000/500000 with external multiplier. 3. AC VOLTMETER VTVM on all scales with 1.5 megohms constant impedance. Voltages 0-5/10/100/500/1000. Diode linear rectifier. 4. OHMMETER Electronic on all scales from .2 ohms to 1000 megohms (5 ranges in multiples of 10). 5. OUTPUT METER 5 AC ranges, calibrated from minus 20 to 60 db, ideal for receiver alignment. Employs a BUILT-IN SPEAKER which permits the servicer to keep his eyes on his work while hearing the operation of the different stagges of the electronic device under test. Operates on 115V 50/60 cyc. AC. 8 byx11x7" overall Uses 68U7, 6U6, 6H6, 6XS, 6SN7 and 6AT6. Shpg. wt. 19 lbs. K21533 Model 113A Multi-Analyst, complete with tubes.

\$89.50



Premier Electronic Labs **Model 570 Signal Generator**

For Testing and Aligning AM, SHORT-WAVE, FM, TELEVISION

AM, SHORT-WAVE, FM, TELEVISION
The only low priced signal generator with MIC-ROMASTER band spread dial. Gested to tuning condenser and main dial to give a total scale length of approximately 60 inches. This is a most important feature for tuning and aligning FM and Television receivers where tuning is sharp and critical. Any frequency setting can be tuned and repeated very accurately. Incorporates air trimmers on all bands, buffer stage between oscillator and output. Bands 75-220, 200-600, 550 1700 kilocycles; 1.6-5, 5-16, 14-50 Megacycles on fundamentals; 50-150 Megacy 20 lbs.

K21535 Model 570 Signal Generator Your Cost, Complete K21535



\$54.75

Premier Crystal Laboratories

Model 117 Mini-Signal Generator

Crystal Controlled... Compact... Versatile Crystal precision and extreme portability. 110-125V AC or DC. 400 eye modulation of r.f. Useful for FM or AM aligning. Frequencies from 100KC to 10 MC. Harmonic operation above 10 megacycles. Continuously variable af attenuator. Ample ventilation. 3x5x7.6 foot connection cord and 53" lead. Complete with 100Kc. crystal. ±.005% precision. Shpg. wt. 5 lbs. KZ1534

PREMIER MODEL NO. 117 \$69.50

PREMIER CRYSTALS + 05', Precision 1500 Kc. K13425 175 Kc. K13434 1500 Kc. K13435 8.3 Mc. K13431 455 Kc. K13436 10 7 Mc. K13432 465 Kc. K13432 A65 Kc. K13432

K13432 465 Kc. Your Cost, Any Crystal Above To Speed Handling of YOUR Order Use Our Order Blank



SHIPP OF

VFO-21



STOPS

a

a

Mar Sho Viol ... \$52.50

CK II JIM 54.00

OHID Frequency Calibrator



SELF-POWERED

The barrier of the party of the second of the party of the second of the

You Need A GIMIX



What's GIMIN' II's a WAVE METER, COVERNING THE SECOND TO SECOND THE SECOND TH Kinds GX-7 \$8.30


MILLEN Parts for G-E "Guillotine" Converter



No. 3	MELLETS - 10055	Until	Descript	tion Rend
N.5234	~ 349E33		Minimum I	16.60
NAMES.	DENGY		Francisco	4
			cost from	(E.85)
35,0334	KE212		Daillette	2.10
N. EH3.3	AURIT		Collection	
			NP cod	
WEST	1 HIE		TOO SHOW Y	
PERSON	modi		sir cond.	
			sent fortune	- 48
MARK?	3,5107	- 20	Ministra	WHEN THE
HARD.	33307		Lean phintish	

hallicrafters SX-4.3

COVERS THE "HAM" RANGE-540 Kc. to 108 Mc.





halliernfeers S-47 EXCEPTIONAL

FM-AM RECEIVER A Brand New Kind Of Receiving Instrument

Of Receiving Instrument

14 tubes for FM and A.d. over a range from 31 Kc. to 10 Mc. in 3 band.

And wenting new push buttons for FM well as AM tuning.

BANDS: 335 to 1720 Kc.; .9 to 18.2 Mc.; 9 to 12 and 15 to 18 Mc. (including hand-spread tuning for foreign reception); and 88 to 108 Mc. (new FM band).

PLUS: slide rule dial; automatic frequency control on FM; treble tone and AM selectivity switch; bass tone control, push-pull 6V6GT for 12 watts audio output; flat AM response from 30 to 1500 c. FM from 30 to 15000 eps; temperature compensated will as a phono and antenna connections at rear; 500 60% ohms parts triming.

TUBES: 1-6BA6, 1-636, 1-68E6, 3-68G7, 1-68E7, 1-6AL5, 2-636, 2-68G7, 2-8V6GT, 5U4G rect. 105-125 V 60 ye AL required. 20 w. x 934 h. x 16 d.

K21010 HALLICRAPTERS S-47. Shps. wt. 45 lb.

710 for information and below, we with the United States of the State

rate for information and prices on suitable High Fidelity Speakers for use with S. C.



halleratures 111117

HIGH QUALITY LOW POWER TRANSMITTER AT LOW COST

Prom 3.5 to 30 Mc.

Put out 10 watts minimum on all hends. Use any antenna, pi-mid on matching network plus coupling link wit in. Early coupled to a high switched to Tritet on 3 higher bands. Terminals for council of eaternal modulator. Plug in provision for M-2 plate milliampere meter. Employs a 6V6GT crystal os illator, an 807 PA and a 5U4G rect. 105-125 V 50/50 cyc. AC. 12½ x 7½ x 8 , over all Complete with (8M-2) meter and 7 mesacycle coils. Shpg. wt. 25 lbs. \$79.50 MALLICRAFTERS HT-17. Your Cost

121.07 ht of 14 MC Cosh for HT-17.

12100 ht of 28 MC Coils for HT-17.

We also bave these papul.

LOWEST priced communications receiver. 540 Kc. to 32 Mc. in four bands, it ad quite overlands. CW pitch control, tomatic nin limite, alf-cutainer PM dynamic speake; "Airodis 4" teel il. 12 A7, 215-7, 32L-3, 7-12.07 tubes. 35250T rect. 12 ½ x7 + x + x - hpp. wt. 13 ½ lbs. \$47.50 HALLICRAFTERS Model S-38

\$-40A Covers from \$40 Mc. to 43 Mc. and is called by hams "ONE OF THE CHATTET ECCIVER VALUES OBTAINABLE." Cross "adjustable industances, automatic noise limiter, temperature compensate RF accillator HFO, inerts by held sain, c. 8 tubes, slus rect. 18½ x 9 x 1 ". Sh. . vt. 33 lb. R2133
HALLICRAFTERS Model 8-40A.

89.50 HALLICRAFTERS Model 8-40A

All Prices Subject To Change Without Notice

NATIONAL HRO-7T ham gear

You'll hear the whole world with
Automatic, adjustable threshold noise limiter for CW or Phone
Improved high-frequency ofciliater. Voltage Regulator.
Frant panel lone witch.
Lever type handles for coll tota.
Side rate calibration on coll
sets. Bandspread on 11-mater
thand. Radio phone switch.
The MEGIT give possibility of a
centability by one of time ordered the
contability by one of time ordered to
contability of the long ordered to the
contability of the first time ordered
the mailtoned to ordered to time ordered
the order of the first time ordered
to the body frequency opellane to the first
to be body required to the place morely
to the body frequency opellane to the first
to provide nevera of possessing organic
Turning is accomplished by a picture of
call and one of ology at call out. The MAIN
TURNING that has on effective unacting in
approximating treate of the first
the approximating treate of the first
the main and the order of the call
the order of the order of the call
the order of the order of the order
call and one of ology at call out. The MAIN
TURNING that has one effective unacting the
call of the order of the first
the first
the first of the order of the first
the first
the first of the order of the firs

TURNING das has so reterive waste imple of approximation valve deet and a former of approximation valve deet and a former of approximation to the second day of the control of the control

MARLU

FOUR 20 Transmitter All Bands - 80 to 10 Minters

The size of the pro-function the HO 124 and the Suger-Pro-naw base, we are said half of summittee Committee to which the design of the Damillor C. While the size of the Damillor C. While the Suger of the Damillor C. While the D

tral flower transported by the state of the

Transmission Line Metching holves in the Your 10 by use I as colour rail having a commission the Metching holves in the Your 10 by use I as colour rail having a commission have been presented by the first of the control on the first 20 west output at ear, two make \$100 ma. meter reads plate different of the first 10 ma. 1 207 and 27 of control 12 0 V 5. 10 cm. AC all at 12 0 M Control Co



FOUR 11 Modulator

A Complete Audie System With Built-in Power Supply

Crystal, Hills.

Crystal, Hills.

For Advanced Operatory, Holid pulse own his power canal. The four 10 cast drive a 1 km tetrois final. The four 11 cast late. The four 11 cast late.

And I M. And I M.

Audio Response / Substantially flat between 100 and 1000 cycles, falling of charges below 200 cycles and above 3000 cycles.

Data v II watts audio, but then 51 descriptor 118 db gain. 885.7GV lat and lind action compactly place invertee, two 7CMAU's push gold audio. Quality components are used throughout, stongs are altra-commission and great care has been taken are arrested to be about the product a cart which will give hims arrive ander all thinks of cardinous. His superduction, 100 110V 50-50 cyc. AC. Alastiticable. 31 No. 11005 - Year Cont.



Frequency Standard FS-135-C

With the Fh-113-C yes can califer to you president, which the Fh-113-C yes can califer to you president, there your president frequency or make any other checks equivalent. The crystal frequency or make any other checks equivalent. The crystal frequency of the control of the Make your receiver an accurate frequency meter.

NATIONAL NC-173

Double Action laise Limiter. Wide Range rystel Filter. Meter



Sugmeered to fulfill a wide variety of a milestiems, for the Amestructure Wave Lantiner, and as Commercial Installations. 340 Ke. to 1 mo. pick 85 to 85 mc. (sociales 6 metre band). Granting states for large and bandaprend. Auriliary scales for large many coverage and bandaprend. Auriliary scales for large many coverage and bandaprend. Auriliary scales for large many coverage and bandaprend. Auriliary scales for higher forms of a doubt fields notes limited. Pick up just on front statistics and a doubt fields notes limited. Pick up just on front statistics and a population. Aurilia from 75 to 6000 cm. Landspreaker and PM mold type. I ohan. Tubes 3 decay. I many 1.23. Latte. Pick and type. I ohan. Tubes 3 decay. I many 1.23. Latte. Latte. Latte. Latte. According to the first coverage for the fir

NATIONAL NC-57

NC-57

New you can get averything in the radio tout a material in the whole family. He that you can all the whole family. He that you can and the whole family. He that you can and the original and the same with its amount reman You get , five beinte element beinchmen and the origin rangua from 1 is to 36 comparate. Enhanced range includes the a sector blant band, being mid-section of the same time or the range of the same time or the range of the same time of the same time. Built in PM speaker reception. Said common power samply. Built in PM speaker. Said the same time of the same time of the same of the same time of the same time. The same time of the same time. The same time of the same time of the same time of the same time. The same time of the same time of the same time of the same time of the same time. The same time of the same time of the same time of the same time of the same time. The same time of the

Headquarters For Hams And Experimenters









ham transmitters

HARVEY-WELLS TBS-50 HAM TRANSMITTER

The Most Versatile Small Transmitter Available

50 WATTS

BR BANDS BR PHONE OR CW.

80, 40, 20, 15, 11, 10, 6 and 2 Meters-No Plug-In Colls

80, 40, 20, 15, 11, 10, 6 and 2 Meters—No Plancia Colls
This model stack the slow abserver it appears. Everything about it was decays
in planae any operative of the 10 Wester. Crystist controlled our all baseds, by
requires on coefficients or modeliable tourise. Each based from 85 to 2 meters, and
bother with plancia mules—Rut switch to the band you want. Conspare, the This
server equality west for acceptance or modelia operation. Will superate from A
power partial up to 500 velts at \$7.7 ms. or dynamics supply for portable most
operation. As an excite mule R.F. output is subshite of divining 1000 went Class
emplies. Empress's unding on anotheration transfer new persons 1000 went Class
emplies. Empress's unding on anotheration for anotherate persons about the form as of the second post of the superior o

MILLEN 90810 HIGH FREQUENCY TRANSMITTER

75-Watt Output # # 10-11, 6 and 2 Meter Bunds

Cipytal sent ciryott development on their systems frequency output crystals makes possible this highly officers transmitte with a minimum of takes. Provisions for quick based table with latest high frequency plug is min.

The FORD commets of a Bitley CCO In crystal oscillator unit, using a OAG7 crystal conflictor, a like trapper and an \$778 power amplifier. For 18-1 invest appearance constraints, a successfulness crystal to make the driven the \$19 direct. For 5 matter operation, an even concerning crystal driven the \$79 directly as a power amplifier. The overtime organia size made or 2 creates but the output is fed through the 1818 triple. Operators of size are possible by greater of the midrapurpose mater commented into the grid and plant acreate are possible by greater of the midrapurpose mater commented into the grid and plant could cold for 16-11 mater operation. Page 3018 is surprised with grid and tank colds for 16-11 mater operation. Page 3018 is surprised with grid and tank colds for 16-11 mater operation. Page 3018 is surprised with grid and tank colds for 16-11 mater operation. Page 3018 is table \$69.75

COILS FOR MILLEN 90810 TRANSMITTER

KELLS Grid Call and Link
KELLS - Gold Call and C

STANCOR RADIO TRANSMITTER KIT ST-202-A

A Watt Per Dollar Transmitter . . . Completely Powered

A Wall Ver Dollar Transmitter. . Completely Fowered hands are the statement of hands herewere 2.5 and 50 Mea., and has substantial govern nitput. Depending on the R.F. suspicion take used plate input power veries from 100 in 115 water and normal veries accordingly. Internal frequency squared is achieved sort its cryetels. Output circuit has that cold with all seather overline. Bands covered sor it 7.1 in 2.9 stands for processing the last cold with all seather overline. Bands covered sor it 7.1 in 2.9 stands 50 matres. Tables present output 6.95 conflicting, escal fills internelized table. SR-QY-RV vereither, SY2-GY-RV vereither, end a triode P.A. inter of your decay pasts so the 237, 3570, 35654, 211, or 1954. Filescent voltages of 5.5, 6.3 and 7.5 provide range for different rubes used. P.A. corruit is balanced and august internal vereith of the control of the c

HEADEL STANCOR MIT ST. JOS & less tubes, amplifer tank colle. 192.80

MICAMOLD XTR-1 45 WATT CW TRANSMITTER KIT

O No Special Antenna O No Colls To Change & Shork Proof No Special Antenna Ao Loife to Change Schools Principal Resy to execution, wire and operate this inexposure, efficient transmitters principal, haked arey faint channel has appropriate telepring, fiel colors, etc. Conjuints from power supply in activate matching network ments only one seek trying 63. AOF and 1614/624 tubes, a reyestate and key. Purished with named a loss inspections for measuring, we say and operation. See these activateding features pursueld:

2. Alteriate Safety as exposed for purished when the annual desires pursueld is improved in a impossible to get a charist during adjustment or operation. 3. Gard Switching we ping in mile, but the twelfth to 2.5. 7 to 14 Mc. many mutable crystal. 2. Surveius Circula and Switching without negligible regard accidence dreshes final empiries position regards accidence dreshes final empire program and switching without negligible regards accidence dreshes final empire for anything power stability without negligible to approximate and switching a fine opygate specially. A West Engineered comment to less and fully possessed accidence to the Radio Manufacturers Assoc, standard surveinty 3.4.00 kp. 25565—MIGAMOLD NTR-1, has tubes. Year Cast.

All Prices Subject To Change Without Notice

kits for hams and hobbyists



Frank "W2AMJ" Lester, well-known designer of "ham" equipment, engineered this efficient 6-10-11 meter VHF Converter not just for those who are willing to pay for the best, but to give the rest of us who must put "cents" in every dollar a worthwhile investment. In kit form, or as completely assembled, wired and calibrated job, you get a compact unit with quality components and superior performance. ... and, truly inexpensive. DESIGN: For most efficient operation at the high frequencies employed, the chassis was designed for component placement at different-levels. This permits use of shortest possible leads essential to high frequency electronic design, while at the same time retaining a nest and symmetrical panel layout. Plug-in coils are used to cope with possible FCC band changes. The converter makes use of a selenium rectifier and three miniature type tubes. One 6BA6 is employed as a tuned RF stage, one 6BE6 as a mixer, and one 6C4 as the high-frequency oscillator. Single dial tuning is featured; however, this only controls the high-frequency oscillator, the RF stage being under separate control. This feature eliminates tracking error and permits band spread tuning besides being able to cope with strong local signals by detuning the RF stage. A separate bias control makes it possible to vary the gain of the mixer thus providing a means of obtaining optimum signal to noise ratio regardless of the type of receiver the converter may be connected with. Besides Frank "W2AMJ" Lester, well-known designer

V.H.F. CONVERTER for 6-10-11 meter operation • • tops in performance, low cost.

K1011CK 10-11 meter coil \$3.50 component kit. K21000 Tubes for converter. \$3.00 K10481 Converter completely assembled, wired and calibrated for 6 meter operation, including tubes. Your Cost, Only. \$49.50 K10466 Same as above plus coils for 10 and 11 meter operation. calibrated. \$54.50

Flash-20 Meter Coils Now Ready!

20 meter coil assembly for converter makes it

CRYSTAL SETS

Table Model Crystal Set



A real set. No tubes, batteries, or current just aerial and ground. Simple, complete instructions sup-plied. Positive contact tuning dial and springaction easy-find locator permit simple tuning. Mahogany finish case. Clear re-ception is possi-

case. Clear reception is possible with specially constructed earphones. All that is required for effective reception is a good serial and ground. Shpg. Wt. 11, 1bs. K13822 Model 250. \$4.59 W13823 Same as above but less phone \$3.09

Philmore Supertone Radio Receiving Set



remarkable radio receiving set built to give everlasting service. Loud and clear recep-tion. Glass enclosed sensitive crystal with adjustable cats whisker. Aerial, ground and

earphone posts. 1 lb K13888 Your Cost

Miniature Plastic Crystal Set



An efficient crystal set housed in a beautiful marble color plastic case. Just like the big sets. Ear-phone is set into the case. When in use, case. When in use,

the phone is reinvolved from the case and from the case and held to the ear for top reception. Looks like a miniature of present-day modern design sets. 4x2 ½x1½%. Wt. 8 ozs. Instructions supplied with each 52.49 K13885 Your Cost Each

Air Champ Crystal Kit



The Air Champ Crystal Kit is an educational and scientific as well as a genuine radio. All components are clearly labelled, so that the beginner can see and learn the rudiments of radio. No betteries or electric source

self-contained. Assembly is simple. Instruc-tion manual explains radio theory. Earphone and headband. 2 lbs.

KPS542 Complete. Your Cost Only....

All Wave Receiver Kits



You can easily assemble this versatile receiver in very little time. A 12SJ7 and a 117N7GT are employed in a high gain circuit for maximum sensitivity and response. Kit supplied with 4 coils, covering 10 to 200 meters. This takes in police, aircraft, amateur, foreign and standard bands. Coils overlap in the tuning range. Electrical bandspread tuning is built in. An output transformer is provided to match the receiver output to any PM speaker voice coil. A jack permits headphone operation. Complete with punched chassis, panel, set of plug-in coils, tubes and full instructions. Shpg. wt. 7 lbs.
K10448 Kit includes punched chassis, plugin coils and tubes.
Your Cost.
K10043 Extra set of Broadcast Coils covering 100 570 meters.
Your Cost.
K13269 5" PM spkr. for above. \$2.59

Battery Kit

An easy-to-build high gain, instant operating broadcast and short-wave receiver. Finest components give you long-lasting dependable performance. This unit, when built, will cover the broad range from 10 to 200 meters, and can cover the standard band from 550 to 1650 Kc, as well as popular short wave bands. Coils overlap in tuning range. The highly sensitive circuit uses a 1C5 detector and a 3Q5 p.a. The battery requirements for this set when completed are a 1½ volt "A" battery, two 45 volt "B" batteries and one 4½ volt "C" battery. Complete kit consists of all parts including punched chassis, panel, set of plug-in coils, tubes and instructions. Shpg. wt. 7 lbs.

K10451 Kit complete.

\$16.95
K1920 Kit of batteries for above. 33.55

K19820 Kit of batteries for above. K19269 5" PM speaker for above...

4-Tube Phono Amplifier



Designed for either AC or DC operation. Excellent response characteristics. A 3525 rectifier is employed. A 12SL7 disl triode acts as an amplifier phase inverter. Two 35L6 Beam Power output tubes operate in push-pull. Inverse feedback is employed to improve frequency response. Universal output transformer permits matching of any PM speaker voice coil impedance. Power output approximately 3 watts. Also has variable tone control. A complete kit with punched chassis, tubes and instructions. \$10.45

variable tone control. A complete an punched chassis, tubes and instructions Shog. wt. 10 lbs.

K10457 Your Cost
K19271 8' PM speaker for above.

\$3.57 Your Cost

NOTE: HOME RADIO BUILDERS

For more kits, exceptional superhets and television, see the territic buys on page 18.

Above all be sure to take advantage of our free catalog offer, os described on page 2.

All Prices Subject To Change Without Notice

WELLER Soldering Gun



A must in the kit of every man who makes soldered electrical connections. Heats in five seconds; see where you work; has built in spotlite; gets into tight corners. Operating on the same principle as the resistance welder. 100 watts, 115 volts, 60 cycles AC

\$12.69 Model \$107 K14841 Tip Fastening Stud .10 K14844 Copper Tip .05

EAGLE 16-Piece **Drill Kit**



An Ideal Gift Item for Servicers, Home Craftsmen, Farmers, Hobbylets With 14 EAGLE Twist Drills A dependable, easy-to-use, streamlined tool. 14" capacity, light-duty, and designed with a line-of-balsance that means almost effortless drilling. In a handy, on the job utility box you get those drill components that are most needed with seven 118 degree point drills for drilling iron and steel and seven 90 degree point drills for drilling wood and plastic. Points vary from 15 to 18, inch diameter. The new twist drill design will be appreciated by servicers and mechanics slightly shorter than the old style length, these clearance ground mirror finish drills are sturdier and better able to withstand the twist grants of nower drilling when style length the second per sturdier and better able to withstand the twistings strain of power drilling. Motor works on 110-120 volts AC or DC. Guaranteed chuck speed of 1100 revolutions per minute. Armature shaft turns smoothly in Offite bearings of impregnated bronze. Drill housing is lacquer sprayed, slow baked, smooth finish, precisions. Dearings of impregnated bronze.
Drill housing is lacquer sprayed, slow baked, smooth finish, prediction cast aluminum alloy. Finish does not peel. Plug-in cord scientifically located in shielded area.
Factory guaranteed for one year.
Shpg. wt. 4 lbs.
K14833
Yeur Cast

\$15.95 \$15.95

RH60 Tackmaster

heavy-duty trigger action staple tacking machine with a multi-tude of uses for all purposes in the home, for



servicers in servicers in tacking wire or wire netting, in fact anyplace where a quick way of securing paper to paper or paper

BURGESS Vibro-Tool

BURGESS Vibro-Tool
MARKS, ENGRAVES, FILES,
CHISELS, HAMMERS (even
on the hardest metals, glass and
thin plastics), CUTS RUBBER,
GLOTH, THIN WOOD AND CARDgess Vibro-Tool puts temporary or permanent markings on tools, jigs,
dies, production parts; instantly engraves names, departments or trademarks on tools or parts. Cuts cloth patterns, stencils, gaskets, washers
from rubber, fibre, cardboard, leather, etc. Special improved ball grip
makes all-day use possible without hand cramp. Does not overheat
Vibro-Tool can be used by anyone. No special experience necessary.
Uses vibration principle, 60 cycle, 110 V. A.C., 120 vertical strokes per
second. Supplied with V5 needle. Approximate weight 1 lb.
K14724
Yeur Cost, Complete

HANDEE Grinder Tool of 1000 Uses

Will drill, grind, polish, cut, carve, saw and engrave on all materials. Fits the hand, yet incorporates a powerful high-speed motor which is practically troubleproof. Ball bearing construction with packed-in lubrication, enclosed motor, built-in switch. Operates on 110-120 volts 25-60 cycles AC or DC. Each unit supplied with spring collet chuck.

K15354 De Luxe HANDEE, complete with 7 accessories as follows: 1 "Collet; 5 Wheels; 1 Rubber Polishing Wheel; 1 Wheel Dressing Stone. Speed 25,000 r.p.m.

Your Cost
Your Cost
Your Cost
You be the Mandrel; 1 Rubber polishing wheel with mandrel; saw with mandrel; slitting saw; two steel cutters; three drills; push-pin mandrel; steel wire cavity brush; bristle brush; wire scratch brush; rubber disc with mandrel; felt polishing wheel; drum sander and three bands; disc cleaning brush; mounted wheels (six); wheel dressing stone; vial of Handee speed oil; dozen assorted sandpaper discs. You can accomplish every conceivable job with this complete outfit. Shpg. wt. 8 lbs.

K15263 Your Cost
K15264 No. 3011. Same as the above, but with 26 assorted Mounted Wheels for industrial application only. \$23.38

McKINLEY Adjustable Soldering Iron




Quickly Adjusted to Easiest, Most Efficient Work Position

Most Efficient Work Position
Operators do better, faster production line soldering because they
can reach the solder point instantly
and approach the work from the
most efficient angle. Head is easily
adjusted to most efficient, comfortable soldering position. Entire
shank enclosed in hermetically
sealed heating eliment for more
heat delivery. Easy access for
changing heating unit. Well balanced comfortable handle. Long
life flexible heater cord. In 100 and
200 watt sizes. 200 watt sizes.

K15057 100 Watts, \$5.95 with % copper tip. K15056 200 Watts, \$7.45

Harmic's Mighty-Mite



JACKSON Electric Soldering Pencils Standard Kit



Element wound on brass core. High grade mica and nichrome wire. 12 steel tubing, gun metal finish. 25 Watta, 115 Volts. 7" long. 1," diam. tip. Wood handle, rich black finish with cork sleeve. Complete with stand, 2 extra tips, solder and 6 ft. rubber cord and plug. Shpg. wt. 5 cz.

K14740 Standard Kit 230K \$1.89 Cast

De Luxe Kit

FOR SKILLED CRAFTSMANSHIP

A soldering pencil kit for all light A soldering pencil kit for all light work auch as Radio, Television, Jewelry, Instruments and Electronics Extra tips for woodcraft, metalcraft, gold lettering, woodburning, soldering and marking. Handle is cork-filled composition. 100°; air cooled: ½" steel tubing, chromium plate, perforated for air cooling. Element wound on brase core for quick heating High grades core for quick heating High grades. of securing paper to paper or paper to wood is needed. An easy grip action permits you to use it flat against any vertical or horizontal abject where tacking is necessary. Ruggedly built to stand the strain of working into harder surfaces such as wood. Loads 140 flat wire "RH" (1 nc [leg) staples.

7.50 RH60 Tackmaster.

7.50 RH60 Tackmaster. cooling. Element wound on brass core for quick heating. High grade mice and nichrome wire. Complete with four extra tips, solder, stand and 6-ft, rubber cord and plug. 25 Watts, 115 Volts, 7" long. Shpg. wt. 142 lbs.

TRUTEST Electric Welding Outfit



The complete outfit for welding, soldering, brazing and cutting. Use it at home, in the shop, or carry it with you to the job. It operates from any 110-120 volt line, either a.c. or d.c. It's easy to use, too anyone can do a good job with a few hours practice. Use it to repair broken garden tools, water tanks and pipes, bicycles, pots and pans and innumerable ether pieces of equipment. The welder is SAFE no fumes, and it's ECONOMICAL—current automatically shuts off when torch is lifted from the work. The outfit comprises: power unit; both metallic and electric flame welding torches; generous supply of metallic rods and carbons; a guard The complete outfit for welding, lic rods and carbons; a guard mask; fluxes for various metals; ground wiring and an asbestos block. Shipping weight 15 lbs.

K14869 Complete \$14.95

BRUNO Hole Cutters



These versatile hole cutters can be used in hand bits, power drills, or drill presses to cut holes in metals, wood or plas-tics. Model 100 cuts holes from

101 cuts holes from 1" to 2 1/2", 16" 101 cuts holes from 1" to 2 b₂" b₃" deep. Model deep. Both models have round shanks. Models 100-B and 101-B have square shanks to fit tapered chucks. Blades easily adjusted, and once set, can be locked in position. A standard drill bit is part of hole cutter. Easy, simple, and safe to use. Shipping weight of each 2 lbs.

No. Bruno Shank K14965 / 100 round K14966 / 100-B square Each \$2.45 No. Bruno Shank Each K14967 #101 round K14968 101-B square \$3.45 Power Cutter Kit Cutters 100 and 101 in plastic case.
K14962 Your Cost, \$5.85

> LENK Workshop Soldering Kit



Famous Lenk long life sol-dering iron with utility tip Lenk automatic self prim-ing nickel plated "BLO-TORCH"

Handy, ready to use accore and rosin core solder

Lenk special formula super aluminum solder
 Complete instructions

You get all this in a soldering kit expressly designed for the skilled mechanic as well as the home hobbyist. A truly remarkable buy!

\$2.49 K14744 LENK kit, complete \$3.75

Reliable Equipment At Reasonable Prices

FUN FAIR Electric Motor Kit & Book

your gadgets!
Olmaginative
OFascinating
OEducational A complete set of precision-made



precision-made
parts for building
an electric motor
that runs beautifully. Plus simple, vividly
illustrated instruction book with 25 pages
crammed full of "Whys and Hows" of electricity, television, radar and atomic energy.
Hours of lasting fun motorize windmills,
merry-go-rounds, etc. Complete everything
provided, including two batteries. 2 lbs.
Your Cost.

\$3.29

RCA Radio Battery Kit


Buy a package of EXTRA listening hours.



Output Transformers Limited Quantities,

Buy Now!
25 Watts PP 6L6 to 4-8-15250-500 ohms.
KP\$739
Your Cost.
50 Watts PP Parallel 6L6 to 4-8-250-500

ohms. KPS 718 Your Cost



Made by a well-known manufacturer. We have a very limited quantity of this highly efficient power transformer. Rated at 700 volts, C.T. at 115 ma., 5 volts at 3 amperes and 6.3 volts at 3.2 amperes. Sturdy and well built, with provision for mounting.

and well built, was for for mounting KPS740 Syour Cost \$3.49

Kit of 100 Resistors

What value! 100 count 'em 100 standard IRC 'g, 1 and 2 watt resistors for \$1.95! All standard usable sizes; insulated, metallized, RMA coded; 5, 10 and 20', tolerances. Hurry! Quantity limited.



Sensational Value Emerson 12" PM Speaker

Alnico 5 Magnet



Kit of 5 Miniature Tubes

Outstanding tube buy for miniature set builders. Five modern compact tubes, selling at a sacrifice. This is what you get:

12BA6 remote cut-off pentode, class A amplifier. 12BE6 pentagrid converter. 12AT6 duplex if didde triode class A amplifier. 950B5 beam power class A amplifier. 35W4 half-wave rectifier. Going fast. Limited quantity. 1½ lbs. KP5188 Kit of 5 tubes

2.75

WESTON Master II Model

735 Universal Exposure Meter

Rugged and well made, like a fine watch. Has every versatile feature necessary for best pic-ture taking, whether color, black and white, or movie photography. Shows film limit posi-tions. With neck tions. ribbon. KP\$702

Your \$29.67 Postpaid anywhere in U. 'S.



SUPREME 543S Multitester

A fine value. Uses 3° sq. meter. 200 microamp. movement. Sensitivity 5000 ohms/V. DC ranges 0/150/300V. Ma. ranges 0/60/120/300/600. AC ranges 0/150/300V. Ohm ranges 0/1000/100,000. Uses 2 Penflite cells. Bakelite case 5½ x 3¹ x 2¹ n². Less batteries and test leads. Shpg. wt. 2¹ bs. KP5529 543S Your Cost Only R20623 Penlite cells, Each.



^{\$}17.95

TRUTEST 671/2 Volt Battery

powerful miniature "B" A powerful miniature "B" battery for portable radios, hearing aids, etc. Light and compact. Can be used in place of similar Burgers, Minimax, RCA, etc., batteries. Will give long hours of useful life. Fully Guaranteed. 211 g/37 x3311 g". 112

KPS737 Sale Price 51.29

BARGAINS, BARGAINS and MORE BARGAINS

IN OUR FAMOUS CAT. No. 88 See Page 2 for Free Offer

GENERAL INSTRUMENT Model 205 Record Changer



ONE SIMPLE CONTROL for On, Off, Reject. Own this latest, complete automatic record changer—good looking, engineered for perfection and economical. Plays a full stack of 10 twelve inch or 12 ten inch records at one loading. Electrostatically flocked turntable. Curved tangent tone arm of remarkably lightweight material. Astatic pickup. Handsome maroon and tan finish. Supersilent motor. 11x11½x7" overall. 110 V. 60 cyc. AC. 12 lbs. \$16.95

LAFAYETTE Line Filter

These excellent quality, highly efficient radionoise suppressors are rated at 110 volts, AC-DC, maximum cutrent 5 amps. Effective with radios or appli-

ances. KP\$619 Sale Price

⁵3.95

Fractional HP Motor

Here's an unusual buy in small motors. Excellent for hobbyists and experimentres. Measures only 3 is x 2 is x 2" overall. Works on 110 volt AC line. 3 is 3 for easy coupling. 3 ibs. KP\$234 Sale Price.....

SAMS Photofact Folders If this

Here's is You ... "HOWto-Do"



No Service Problem Can Stump You When You Use SAMS

Photofact Folders!

Aset of PHOTOFACT FOLDERS Gives You: Disassambly Instructions Photofacts take the sets apart before your eyes. This single feature actually saves the servicer more time than the cost of a single set of folders. Disa Cord Information—"Easy-to-see" diagrams and instructions. Replacement Parts Information—Accurate electrical and mechanical specifications of every part in a set. Record Changer Folders—Illustrated record changer information. You will be amazed at the simple, logical servicing procedures. Highly technical information made crystal clear. Changes, Corrections, Additions—No new data on existing equipment escapes us. We keep you up to date at no extra cost. Parsonal Sarvice—SAMS Institute gives technical information and sends countless schematics to servicemen without charge. SAMS also gives servicemen business aids at no cost. Continuity, Consistency—The only continuing, consistent method of locating information. No more waiting or hunting. Predigested information—No more confusion. It's all simplified Speed up work, make profits bigger, lick every service problem. Full-page schematics, clear-cut photos, original technical dope tell you everything in a jiffy about every radio manufactured since Jan. 1, 1946, 30 to 50 folders in each set, plus membership in the Howard W. Sams Institute with its many free privileges.

K1992. Volume II, Sets 1 to 10

K1992. Volume II, Sets 1 to 10

K1993. Volume II, Sets 21 to 30

Your Cost,
Each Photofact Set.

Your Cost,
Each Photofact Set.

X2010. Individual sets.

X2010. Individual sets.

X2010. Ill complets available Jan. 1948

1947 Automatic Record Changer Manual—Everything new in record changers into the provider of the profit of the profit of the provider of the profit of the

Note: Vol. III complete available Jan. 1948

1947 Automatic Record Changer Manual Everything new in record changers since the war. Over 40 models. You see everything inside and out with SAMS supersimplified way of showing things with pictures. Recorders such as wire, tape and disc types included. Full adjustment data. 400 pages. Hard cover.

\$4.95

Dial Cord Stringing Guide This book makes the most intricate dial stringing job as simple as a slip knot. Models covered way back to 1938 and through 1946. as simple as a slip knot. K19989 Your Cost 75°



Money-Saving New Appliances For Kitchen And Home Comfort

A) GRILL-N-TOASTER

Orbit frankfurgers, however and cube stressing at the table—with controllable heat make the table—with controllable heat make the table with controllable heat make the table of the table as a second to the table of table HTELE GRILL N TOASTER \$4.95

8) The NEW GRILL MASTER

It tunsts It free . and it braile! Angle room to make timet and hast order at the same time. To sate bread multime a bis-uit to bestiffed as the same time. To sate bread multime as bis-uits to bestiffed askins brown. Bray's historia, particularly part to queck for hasme, same are, to be care, but describe discribed as a similar platter. So the table. Braile discribed more best, as to broiling over charces. Outpoings will NOT have besting flament. Single will 2001.

THE NEW GRILL MARTIN - 11.95

C) PERFECTO BREAKPROOF B-CUP COFFEE MAKER

All statistics in more breakage. A truly perfected securing collect makes that never you a corry or nextly replacements. Perfects quality is unusury according to the principal corresponding to the principal corresponding to the principal corresponding to the principal corresponding to the principal collection of the principal collection

LEMARC HOTPLATES

LEMARC stoves give greatest action to the tenter to the transfer of the tenter to the GUALANT BED by ser a like and mark booking specifically share meet to be and mark booking specifically share meet to be a conditions. Muran meet to be a condition of the share to be a conditionally and the share to be a conditionally a conditionally and the share to be a conditionally as a conditional share to be a conditional share to be a conditionally as a conditional share to be a conditional share to be a conditionally as a conditional share to be a conditional share to be a conditionally as a conditional share to be a conditional share to be a conditionally as a conditional share to be a conditionally as a conditional share to be a conditionally as a conditional share to be a

HINGLE BURNER 50 Wests Black crathle from 52.2 52.25

7) DOUBLE BURNER 7 hest, 500 and 1000 Watts. Black crackle lands, 1850all, Blags, sec 7 lin. \$5.65

6) SINGLE BURNER

son Watts Baked white coased and black
attable Earth Webship, Shop, wt. 4 ths.

H) SINGLE BURNER WITH SWITCH eto Watts. Sarer as model IT, reset with ika.

J) DOUBLE BURNER
Loss 556 and 1000 Wester H
ross seigns 1000 Wester H
ross seigns 1000 Wester H
ross seigns 1000 Wester H
K1501 Mobil 272 Heled white \$6.25

K) DOUBLE BURNER, 4 HEAT t hear, 253 120 700 1650 Warts. Baked white \$7.85 MANAGE Mochi JU

LI AMPARO "MAGIC VALVE" 41/2 QUART PRESSURE COOKER

Vous AMPARC controls on a fits birther beautiful, fast and ser, the man and the birther beautiful, fast and ser, the man and the man are series in the series of the series from the process of the series of the se

PRINCESS "GEM" **AUTOMATIC WAFFLE IRON**

A fear, stean, even, dependable baker. No fear of their liperal variances in longer arrow will be fear to be present to be fear. One provide the fear to be present to be a fear of the said continued and continued area of the said to be a fear of the said to be a fe

All Prices Subject To Change Without Notice



Useful Appliances - Long Lasting - Always Appreciated

AT GENERAL FOOD SLICER

Here's a middle, there rooms application every franciscope will well-come as a provinced additional barrier and provinced additional barrier and provinced additional control of the province of the grant of the province of the grant of the province of the grant of t

CEMERAL POSID SLICER \$12.95

G-E AUTOMATIC 3-HEAT HEATING PAD

3-HEAT HEATING PAD

Towering uniform discribition of best. Given pleasant uniform discribition of best. Given pleasant uniform discribition of the Control was them. It went an boso to express at electrical stem up to 5 cents per 50 fee. Linke tower as of tubine and maintain. Permitted in constitute and permitted in.

Linke tower as of ords, permitted in the constitute and permitted in the constitute and permitted in the permitted in the constitute and feel const

"CIRCLINE" FLUORESCENTS

Throwelight massed climboutes bursually dark withing areas, without like or growed down ward illumination. Uttest for a letterle, discrete, forward proposed to the control of the control

DURABILY STYLED IRONS

MATIC FOLDING INON
Stated to speed, lightweight, all perpose
and concept to carry a mand, yet being resight
to the allier week. Positive best motival beet
controlled by schember stone. Heats in lyes
than 50 seconds 115 V. AC 1s in U.L.
sepected. With cond att
\$12000 MOTEL 150

P OURABLET AUTOMATIC FROM
the seek girling theore, Actuals to trapped
the first tendle. Feet beauty. Side
control to 10 degree tolerant. Cool
minetable manile. Feet beauty. Side
covered 1000 and 12 15 V. AC 2 be
U.L. approach. With cool \$10.95

U.L. approach with the set of the perfect milition to 100 to seeler a yealtern and one
pact. Emertly styled with one gire, black
placed benefits and lensyy should finish
113 V. AC or DC. 22 like U.L. approach
With cool with 125 V. AC 95 K25007 MINDEL 161.

HI "DAWN" BOWL HEATER

Handy and convenient for my cases that hereds quick limiting. Pileons inch impresent the present press maximum heat. [And beautiful life 110 22 with AC my DC operation. Copper plants giant that in perfect the convenient life in perfect that in the convenient life in perfect that we will be an additional to the convenient life in the convenien

JI PORTABLE ELECTRIC HEATER-FAN

K) JIFFI ROOM HEATER

HIPPI HEATER

Perfect Merchandise-Prompt Shipment-Personal Service

