# SENCORE

Original Replacement Leads

Price List

### ORIGINAL REPLACEMENT LEADS

UNIT	DESCRIPTION	PART #	PRICE	UNIT	DESCRIPTION	PART #	PRICE
TF46	black cable w/E-Z clips	39G99	25.00	FS74A	75 ohm RF input cable tap adapter	39G189 39G190	20.00 7.00
VA48	matching transformer (300 ohm)	39G72	10.00		matching transformer DC power leads	39G188 39G187	7.00 7.00 7.00
	audio lead ass'y. (grey cable w/banana plug)	39G106	12.00		DVM leads	39G186	20.00
	RF cable (BNC to F) IF input adapter	39B368:B 39G118	35.00 10.00	LC75/76/77	test lead adapter button hold accessory	39G144 39G201	15.00 6.00
	1 red, 1 blue (specify color needed)	39G120	5.00 ea.		test lead assembly	39G219	35.00
1050/0455	1 black	39G267	5.00 ea.	SG80	BNC to F BNC to E-Z hook	39B368:B 39G221	35.00 26.00
LC53/CA55	test lead adapter button hold accessory	39G144 39G201	15.00 6.00		FM detector BNC to BNC Ch A BNC to BNC Ch B	39G222 39G223 39G224	50.00 20.00 20.00
DVM56	1 probe lead 10 KV probe	39G147-R TP222	15.00 40.00		AM test lead antenna to BNC	39G224 39G226 39G227	40.00 20.00
	1 red	39G108-R	10.00		300 ohm balun	39G72	10.00
	1 black	39G174-B	10.00	DA04	d lood	000011	10.00
DDE7	DC Volts Lead	39G186	20.00	PA81	ground lead right dummy load lead	39G211 39G212	10.00 11.00
PR57	1 probe lead safety leakage stickers	39G148 66K633	25.00 5.00/100		left dummy load lead left test lead right test lead	39G213 39G214 39G215	11.00 26.00 26.00
PSL60	power adapter	60G44	27.95		RCA phono/RCA phono - paired BNC to BNC cable	39G216 39G232	20.00 20.00 15.00
SC61	probe		125.00 ea.		DITO to DITO dable		
	probe tip voltage probe	168B42 39G157	10.00 20.00	PM82	banana to banana (2)	39B233-1	30.00 ea.
	DBL gripper lead	68G76	12.00	VG91	test lead BNC to F	39B368:B	35.00
	12" ground lead	39B268:A	3.50		test lead, 4 pin mini din	39B270:B	30.00
	4" ground lead 1" ground lead	39B269:B 126G43	3.00 3.00		test lead, phono to phono, yellow test lead, phono to phono	39B296:A 39B241:B	19.95 15.00
	needlepoint tip	139A310	12.95		test lead, balun cable female phono to female	39A328 39A161:B	35.00 8.00
VA62A	300 ohm balun	39G72	10.00		cable male phono to female	39A162:B	8.00
	video cable (2) 75 ohm/BNC RF-IF cable	39G106 39G159	12.00 ea. 20.00		4" ground lead	39B269:B	3.00
	75 ohm/RCA cable	39B241:B	15.00	TVA92	test lead red	39G174-R	10.00
	adapter "F"/phono female	39A161:B	8.00		test lead black (2)	39G174-B	10.00
	adapter "F"/phono male test lead specify color	39A162:B	8.00		lead, mini grip - banana test lead RCA to micro grabber	39G234 39G305	25.00 25.00
	red (3)	39G174R	10.00		lead, red test probe	39G175-R	12.00
	black (3) lead	39G174B 39G175R	10.00 12.00		test lead, ringing load test lead, horizontal output	39G298 39G299	50.00 50.00
VC63	output cable	39G253	48.00	VC93	servo troubleshooting lead (1)	39G236	45.00
				1030	chroma lock test lead (1)	39G237	34.00
CR70	socket 1 and 2 socket 3 and 4	39G165 39G166	45.00 45.00		head substitution lead (1)	39G253 39G234	48.00 25.00 ea.
	socket 5 and 6	39G167	45.00		bias supply/DVM lead (2) direct test lead (1)	39G265	35.00 ea.
	socket 7	39A168	45.00		servo performance test lead (1)	39G235	35.00
	socket 9 and 10 socket 13	39A169	45.00	CVADA	phone to PNC coble costs (0)	200240	24.00.00
	grey cable	39G225 126G127	45.00 45.00	CVA94	phono to BNC cable ass'y (2) test lead, BNC to BNC	39G348 39G232	34.00 ea. 15.00
	universal adapter	39A170	45.00		test lead, 4 pin mini DIN	39B270:B	30.00
FC71	RF pickup loop	39G138	15.00	LC101/LC10	2 test lead assembly	39G219	35.00
	Input Probe dummy probe load	39G152 39G178	30.00 20.00		ac/adapter charger 220V power adapter	PA251 60B31	48.00 75.00
	4' Cable BNC to BNC	39G137	15.00		2200 power adaptor	00001	75.00
	barrel connector	26G248	6.00	LC103	test lead assembly	39G219	35.00
	power adapter 12V input lead	PA235/60A10: 39G176:A	E 30.00 12.00		variable probe component clip	39G554:A 64G37	79.95 2.95
FS73	75 ohm RF input cable	39G189	20.00		ac/adapter charger	PA251	48.00
1070	tap adapter matching transformer	39G190 39G188	7.00 7.00 7.00	CM125	line cord	27G30	12.00
	DC power leads	39G187	7.00	SG165	grey cable w/alligator clips auto radio adapter	39G106 39G53	12.00 10.00
					RF cable	39B368:B	35.00

UNIT	DESCRIPTION	PART#	PRICE	UNIT	DESCRIPTION	PART #	PRICE
SCR250	test lead	39G196	35.00	QAM960/	linecord	27G39	7.00
PR570	lead, red test probe	39G175-R	12.00	QAM-D961/ QAM-B962/	RF input cable 12V auto lighter adapter	39G189 39G375	20.00 10.00
111070	lead, banana/alligator	39G174-B	10.00	QAM-B962H/		26G322	2.00
	safety leakage stickers	66K633	5.00/100	QAM-B970	holster power adapter	10G689:A 60B38	99.95 60.00
SL750A&M	RF input ass'y	39G188	7.00		battery pack	17B36	168.95
	RF input cable ass'y tap adapter	39G189 39G190	20.00 7.00		holster	10G689:A	99.95
	DC volts lead ass'y	39G186	20.00	CM2000/	direct test lead	39G221	26.00
	12 V auto lighter adapter	39G355	10.00	CM2125	DVM test lead	39G186	20.00
SL750A&M	F connector	26G322	2.00	CM2220	linecord	27G37	12.95
	power adapter battery pack	PA272 17B15:B	68.00 145.00		adapter cable	39B440	99.95
SL7501	• •			CM2250	adapter cable	39B555	99.95
2F1301	12V auto lighter adapter power adapter	39G355 PA273/60B24	10.00 48.00	SC3080	probe (2)	39G294	125.00 ea.
	RF input cable ass'y F connector	39G189 26G322	20.00 2.00		48" black test lead	39G267 39G157	5.00 20.00
	battery pack	17B27:B	45.00		direct probe 12" ground lead	39G321	3.50
CI 7E2/D/C	nover adopter	DA070/C0D04	40:00		5" ground lead	39G320	5.00
SL753/D/S SL753SD	power adapter 12V auto lighter adapter	PA273/60B24 39G355	48.00 10.00		probe tip needle point tip	68G80 139A310	10.00 12.95
SL754/D	RF input cable ass'y F connector	39G189 26G322	20.00 2.00				
SL <b>755/D</b> DSL757	r connector	200322	2.00	HA2500	dynamic tests test lead	39G469	45.00
	Batteries for meters:	17B32:B	64.50		ringing load test lead mini grabber to banana cable	39G470 39G481	45.00 30.00
	SL753 (1) SL753D (1)	17B32:B	64.50		fuse (2)	44G64	1.00 ea.
	SL753S (1)	17B32:B	64.50		fuse (1)	44G12	1.00
	SL753SD (1) SL754 (1)	17B32:B 17B32:B	64.50 64.50	SC3100	probe ass'y, 100 MHz X10 (2)	39G292	125.00 ea.
	SL754D (1)	17B32:B	64.50		ohms current probe ass'y	39G295	20.00
	SL755 (2) SL755D & DSL757	17B32:B	64.50 ea.		needle point tip 12" ground lead	139A310 39G321	12.95 3.50
	(2) (1)	17B32:B	64.50 ea.		5" ground lead	39G320	5.00
	(1)	17B35:A	39.00		probe tip 3.25 DCV Lead	68G80 39G323	10.00 11.00
CA780	power adapter	PA273/60B24	48.00		direct probe	39G157	20.00
	12V auto lighter adapter cable, 4'	39G355 39G137	10.00 15.00		red mini grabber	39G312	15.00
	BNC female to 20 AWG leads ass'y	39G359	35.00	CR7000	sockets 1 & 2	39G454	45.00
	barrel, BNC adapter, BNC male to "F" female	26G248 26G647	6.00 6.50		sockets 3 & 4 sockets 5 & 6	39G455 39G456	45.00 45.00
	adapter, BNC male to "N" female	26G649	16.00		socket 7	39G457	45.00
	battery pack	17B21:A	93.00		socket 8 socket 9 & 10	39G458 39G460	45.00 79.95
VIG791	F connector (2)	26G322	2.00 ea.		socket 11	39G461	79.95
	BNC connector (2) power adapter	26G749 PA273/60B24	5.50 ea. 48.00		socket 12 universal socket	39G517 39G459	59.95 45.00
	synchronous router cable	39G388	99.95		pigtail adapter	39G506	24.95
	carrying case	10C642:B	115.00		picture tube guarantee forms coupon book	form 6632	8.95
VSA794	test lead 4 pin mini DIN	39B270:B	30.00		•		
	test lead BNC to BNC termination BNC	39G232 26B741	15.00 29.95				
	sun shroud	64B197:B	37.00				
	test lead BNC to F phono to BNC cable	39B368:B 39G348	35.00 34.00				
VR940	fluorescent bulb	20G51	23.99	Any qu	estions? Ready to	order?	
V1134U	color bar chart	163G45A	70.00	Call To	II Free 1-800-SENC	ORE (736	5-2673)
	red chart	163G49A	55.00		Parts Dept.	•	•
	neutral density filter temp conversion chart	163G51 163G52	55.00 65.00		5-339-0432		
	blooming test chart	163G259	50.00				
	focus chart registration/resp chart	163G5199 163G5200	70.00 70.00				
	video S/N chart	163G5202	80.00				
	grey scale chart	163G5905	80.00				

## CRT TESTER REPLACEMENT SOCKETS for models CR31, CR31A, CR168, and CR161

All **except** those marked with an \* may be used with the CR143 and CR13 if the unit is modified as outlined in the 1993 Setup Book. Determine the need for new sockets by looking up particular CRTs in the setup section. The following list gives examples of tubes tested with the latest adapters.

Socket 1 - \$30.00 Socket 2 - \$30.00 Socket 3 - \$30.00 Socket 5 - \$30.00 Socket 6 - \$30.00 Socket 7* - \$30.00 Socket 8 - \$30.00 Socket 9 - \$30.00 Socket 10 - \$30.00 Socket 11 - \$30.00	Socket 16 Socket 18 Socket 19 Socket 20 "x" sockets	- \$30.00 - \$30.00 - \$30.00
Socket 12 - \$30.00 Socket 13* - \$30.00		
Socket 14* - \$30.00	* Do not use with	CR143 and CR13

#### **Fuses**

44G4	1 Amp, 3AG Fast Blow
44G6	6 Amp, 3AG 250V Fast Blow
44G10	1.5 Amp, 3AG Fast Blow
44G12	2 Amp, 3AG 250 V Fast Blow
44G13	1/16 Amp, 3AG 250 V Fast Blow
44G18	.5 Amp, 3AG Fast Blow
44G20	1 Amp, 3AG Slow Blow
44G21	1/8 Amp, Micro - \$6.00
44G22	2 Amp, 1000 V Fast Blow - \$8.00 ea.
44G23	4 Amp, 250 V Slow Blow
44G19	3AG, 3A, 250 V Fast Blow
44G28	600 V. 3A
44G32	3AG, 1/8 A, 250V Fast Blow
44G64	1 Amp, 2AG, 250V Fast Blow

All fuses \$1.00 each unless otherwise marked.

#### Setup Books

For TC162, 28 Form 1765 – \$8.00 For MU140/150 Form 1814 – \$10.00 For CR70 CRT Tester For CR7000 CRT Tester

If the original manual is no longer available from stock, a xerox copy will be substituted.

Prices subject to change - Minimum parts order is \$10.00

# 1-800-SENCORE Today!

3200 Sencore Drive Sioux Falls, SD 57107 www.sencore.com