Index: electronic engineering **January to December, 1971**

MAIN THEMES

January

Random signal theory in communication systems Applied principles of operational amplifiers

February

The computer in systems engineering Design and application of TO-5 relays

March

Optoelectronic display systems Selecting semiconductor heatsinks

April

Network theory and analysis Ensuring consistent circuit performance

May

Advances in component technology Interface drive circuits using i.cs

June

Ways and means with minicomputers Parametric amplifiers for receiving systems

July

Linear and nonlinear conversion techniques An improved phase-measuring instrument

August Effective interference suppression

September Transducers and their applications D.C. equations for bipolar transistors

October

Testing and repairing multilayer p.c. wiring Thick-film hybrids for space applications

November

Advances in computer storage systems Simplified conversion between binary and b.c.d.

December

Techniques for pulse analysis and counting Pulse transformer selector chart

FEATURE ARTICLE INDEX

	Issue	Page	Alexandra and and a second and a	Issue	Page
Antenna aesthetics - the engineer's problem by M.F. Radford Arithmetical aid for sequential-logic design,	1	33	computer for industrial control servoloop - feedback eliminates power loss in high- current output stages.	6	61
evolving a. by N. Darwood Applications Miniature multiplier - 4-channel linear mixer - power supply - amplifier analogue - voltage comparator - inverting gain, high	5	60	Dual-voltage comparator with linear i.c peak-to-peak detection using class A i.c. amplifier - t.v. camera preamplifier uses f.e.ts in cascode - scratch-pad		
impedance amplifier - guide to nonlinear circuits.	1	52	memory with data selectors and distributors.	7	63
Continuous a-d. conversion — voltage- controlled quadrature oscillator-log of current ratio circuit — overload clamps — differential			F.E.T. input operational amplifier — i.c. regulator in power-supply designs — an m.o.s. analogue multiplier.	8	44
voltage gain - binary b.c.d. converter. Allow for phase shift in feedback error calculations - digital transversal filter with adaptive capability - synthetic inductor - ultralinear voltage-to-frequency converter - anode driver for Nixie tubes - 1000 unity	2	72	Regulating the speed of d.c. micromoters' - determining loudness level - Johnson counters - voltage-to-frequency converter - switching and multiplexing with f.e.ts - compound transistor connections - video distribution amplifier - decimal-to-binary		(4.18 (4.18)
gain follower. I.Cs for a.m./f.m. communications - image- matching in parametric amplifier circuits - shift register clock drivers and power supplies - stable servo loop - exposure measuring system.	3	75 62	conversion. Schmitt with three stable conditions — fast decimal-to-binary conversion — loss measurements on gapped ferrite cores — converting truth-table entries into Boolean functions — deadtime correction with a logarithmic counting rate output — para-	9	58
High-speed sample and hold - f.e.t. input stages for i.e. op. amp low-cost			metric power transformer — oscillators using an i.c. amplifier array.	10	62
high power regulator — preamplifier for radiation detectors — the f.e.t. as a variable resistor — novel neutralisation circuit for feedback capacitance — f.m. tuner uses dual-gate m.o.s.f.e.t.	5	76	Relaxation oscillator uses an i.c. op. amp. — a.c. op. amp. with f.e.t. input — wide-range pulse generator — low-frequency division with a programmable unijunction — peak detector for a.d.c. input scaling.	11	54
Using standard-length shift registers in custom-length applications - magnetically coupled pulse generator - average-power			Peak detector for any waveform - fixed- gain amplifier as a Wien-bridge oscillator - ultralinear voltage-to-duty-cycle converter-		

Issue Page

S.O.A.M.A. Hossain.

Logic tables up to 4 factors, representation

f.e.ts as simple constant-current sources long-duration timer with a programmable unijunction transistor - an easily tunable notch-pass filter - amplifier with voltage gain of 6500 - temperature-compensating all alloys used for thermal switches. 48 12 Biasing of f.e.ts enusres consistent circuit performances. by J. Sherwin. 52 3 Bipolar transistors, simplifying d.c. equations for the. by P.D. Neville. 0 28 Bipolar transistors useful for modulator comparison, transfer characteristics of. by S.M. Bozic. 3 64 Boolean to AND and back. by. N. Darwood. 43 Cable impedance and attenuation measure ments, simplifying, by T.A. Kasinski. 12 46 Computers combat rising costs in equipment design and manufacture. by K. Hosking 35 and N.A. Hutley 2 D.V.M. with standards-room accuracy. by B.E. Howse and C. Bocket-Pugh. 47 4 Data-acquisition system has real-time capability. by A.S. Chambers. 6 35 Deflection-measuring system uses transducers and an operational amplifier. by A.A. Akhtaruzzaman and P.J.E. Sullivan. 0 55 Die-bonding principles and considerations. by T.F. Bunzl. 10 32 Digital control system, graphical procedure allows exact analysis of a. by Y. Koren 41 and J. Ben Uri. 2 Digital counters, modern approach to the design of. by N.L. Ayres. 52 2 Digital powerfactor meter has high order of accuracy. by F. Bombi and D. Ciscato. 55 2 Digital presentation of sample concentrations using an online computer. by M.B.D. Cooke and R.J. Eadie. 3 59 Electro-optics in data capture. by J. Carroll 3 42 Epoxy-glass laminates for p.cs and multilayer boards. by A. Franze and G. Tappe 10 37 Faster computer stores are now economically viable. by P.A. Walker. 11 32 Foldback current limiting, greater regulator efficiency with. by R.H. Hill. 67 3 Frequency-to-voltage converter has rapid response to frequency changes. by E. Ahad and K.C. Smith 7 42 GaAs varactor diode for operation in the 1-5 GHz 30 range. by S.C. Gratze and P.H. Wisbey. Hybrid i.cs a major factor in microwave 41 component development. by B. Oliver. 5 I.Cs can simplify conversion between binary and b.c.d. by J. Linford. I.Cs simplify voltage-to-frequency and 11 48 voltage-to-time conversions. by. A. Civit and S. Bracho. 12 36 Industrial research at Cranfield - the way to higher precision. by J. Dinsdale. In house microelectronics - fostering a 2 69 delicate fledgling. by D. Boswell. 10 44 Interface circuits drive high-level switches from low-level inputs. by J.O.M. Jenkins. 45 5 Ion-beam thinning of semiconductor materials, preliminary experiences with. by D.P.G. Lidbury, H.R. Pettit and G.R. Booker. 50 It pays to be discrete. by W. Gledhill. 33 5 L-band stripline circulator has increased bandwidth. by R.C. Kumar. 12 43 Logic circuitry and vidicon measure

displayed areas. by S. Myers and

of. by N. Darwood. 1 44 M.O.S.Ts store analogue voltages for long periods. by J. Dunlop. 11 34 Meter for silicon-carbide varistors, nonlinearity-index. by M. Uno. 1 41 Minicomputers are easier to live with. by W. Gledhill. 6 48 Minicomputers in systems engineering, using by J.I. Mutzeneek. 2 45 Multilayer motherboards, locating and repairing faults in. by W.G.L. Brownrigg. 10 27 Multilayer p.c. wiring, modified hamess tester checks. by R. Sansom. 10 30 Network analysis simplified by modified Thevenin's equivalents. by T.C. Penn. 4 34 Nonlinear elements offer analogue solutions. by W. Gledhill. 70 5 Nonlinear functions from d.-a. converters. by W. Grzybowski and F. Wagner. 7 48 Operational amplifiers - applied principles, Pt. 1. by E. David. 48 1 Operational amplifiers - applied principles, Pt. 2. by E. David. 3 70 Optoelectronic displays, developments in. by L.H. Lea. 3 34 Parametric amplifiers designed for receiving systems. by C.S. Aitchison. 56 6 Peripherals limit computer applications. by R.G. Britten. 6 40 Phase measuring with increased accuracy. by C.J. Paull. 7 52 Phase-shift in carriertype analogue multipliers, reducing. by J.B. Naylor and J.M. Townsend. 4 38 Phasor diagrams simplify Fourier transforms. by J.G. Thomas. 10 54 Potentiometer, miniature precision a.c. by R. Brown and E.S. Hill. 7 57 Pulse-amplitude analyser has variable deadtime. by J. Bialkowski. 12 28 Pulse separation and counting system, increased input frequency with novel. by G. Frangakis. 12 32 Pulse transformer, choosing a. by W.S.E. Mitchell. 12 40 R.C. network controlled by two elements, variable null in. by S. Kalyugarvaradan. 29 4 R.F.I. - one of the undesirables. by N. Bond. 32 8 Random and pseudorandom signals, measuring probability distribution on, Pt. 1. by A.J. Birch. Q 47 Random and pseudorandom signals, measuring probability distributions on, Pt. 2. by A.J. Birch. 10 49 Random signal theory in the study of communication systems, Pt. 1. by P.D. Sharma. 26 Random signal theory in the study of communication systems, Pt. 2. by P.D. Shama. 2 49. Research - from the magic lamp. by W. Gledhill. 5 55 Resins improve s.c. performance, junction coating, by O. Dobson. Reverse recovery in power rectifier diodes, 47 50 3 defining and measuring. by A.M. Martin. Self-scanning glow-discharge display gives full alphanumeric capability. Burroughs Corp. 37 3 Semiconductor components, new technologies lead to highly advanced. by W.S.E. Mitchell. 36 5 Semiconductor heatsink selection, taking the guesswork out of. by M.J. Robinson. 3 55

Issue Page

2

65

Issue Page

Sequential bd. converters for simplified		
interfacing. by J.D. Nicoud.	7	36
Serial-mode interfacing cuts hardware costs. by L. Molyneux.	6	45
Small computer, scientific applications of. by D. Buckingham.	6	52
Soldered joints, accelerated aging forecasts		
the service life of. by J.E. Tomlin. Stagger-rejection low-pass filter with a digital	4	58
computer, designing a. by J.N. Saha.	2	32
State space methods for systems analysis. by C.P. Lewis and L. Balmer.	11	42
Stripline Gunn oscillators are compatible with microwave i.cs. by D.J. Ellis and M.W.		
Gunn.	5	50
Suppressing harmonics generated by thyristor- controlled circuitry. by J.R. Taylor,		
J.A. Sunda and H. Schaffner.	8	37
Systems engineering - the circuit designer is not a dying breed. by J.G.L. Rhodes.	2	38

Telecom 71 - is this what an exhibition should be?	9	26
Thick film hybrids meet satellite requirements, Pt. 1. by J.R. Corkhill and H.D. Fisher.	10	40
Thick film hybrids meet satellite requirements,		
Pt. 2. by J.R. Corkhill and H.D. Fisher.	11	37
Thick-film filter designed for television		
signals. by J.R. Corkhill and M.J. Martin.	5	65
TO-5 relays offer considerable space saving		
with high reliability. by A. Sutton.	2	60
Transducers? by W. Gledhill.	9	44
Transistorised core counter has improved		
pulse registration. by H.H. Ho.	9	35
Triple-channel modulation of a single pulse		
train. by O.E. Kruse and W.D. Dobbs.	4	36
Will m.o.s. stimulate a new computer gener-		
ation? by S.G.T. Maine.	11	27
Wireless in the 1920s. by P.E.K. Donaldson.	1	37

AUTHOR INDEX

	Issue 1	Page			
Ahad, E.	7	42	Gledhill, W.	5	70
Aitchison, C.S.	6	56	Gledhill, W.	6	48
Akhtaruzzaman, A.A.	9	55	Gledhill, W.	9	44
Ayres, N.L.	2	52	Gratze, S.C.	1	30
Ayres, N.D.	•		Grzybowski, W.	7	48
Balmer, L.	11	42	Gunn, W.	5	50
	2	41			
Ben Uri, J.	12	28	Hill, E.S.	7	57
Bialkowski, J.	9	47	Hill, R.H.	3	67
Birch, A.J.	10	49	Ho, H.H.	9	35
Birch, A.J.		47	Hosking, K.	2	35
Bocket-Pugh, C.	4	55	Hossain, S.Q.A.M.A.	2	65
Bombi, F.	2	32	Howse, B.E.	4	47
Bond, N.			Hutley, N.A.	2	35
Booker, G.R.	9	50			
Boswell, D.	10	44	Jenkins, J.O.M.	5	45
Bozic, S.M.	3	64	Jenkins, J.O.M.		40
Bracho, S.	12	36	Kaliyugavaradan, S.	4	29
Britten, R.G.	6	40		12	46
Brown, R.	7	57	Kasinski, T.A.	2	40
Brownrigg, W.G.L.	10	27	Koren, Y.	4	36
Buckingham, D.	6	52	Kruse, O.E.	12	43
Bunzl, T.F.	10	32	Kumar, R.C.	12	43
Carroll, J.	3	42	Lea, L.H.	3	34
Chambers, A.S.	6	35	Lewis, C.P.	11	42
Ciscato, D.	2	55	Lidbury, D.P.G.	. 9	50
Civit, A.	12	36	Linford, J.	11	48
Cooke, M.B.D.	3	59			0.92
Corkhill, J.R.	5	65	Maine, S.G.T.	11	27
	10	40	Martin, A.M.	3	50
Corkhill, J.R.	11	37	Martin, M.J.	5	65
Corkhill, J.R.		31	Mitchell, W.S.E.	5	36
Den 1 M	1	44	Mitchell, W.S.E.	12	40
Darwood, N.		43	Molyneux, L.	6	45
Darwood, N.	4		Mutzeneek, J.I.	2	45
David, E.	1	48	Myers, S.	2	65
David, E.	3	70	myers, o.		
Dinsdale, J.	3 2 4	69	Naylor, J.B.	4	38
Dobbs, W.D.		36	Neville, P.D.	9	28
Dobson, O.	3	47		7	36
Donaldson, P.E.K.	1	37	Nicoud, J.D.		
Duniop, J.	11	34	Oliver, B.	5	41
Eadie, R.J.	3	59			
	5	50	Paull, C.J.	. 7	52
Ellis, D.J.	2	50	Penn, T.C.	4	34
Fisher, H.D.	10	40	Pettit, H.R.	9	50
Fisher, H.D.	11	37			1
Frangakis, G.	12	32	Radford, M.F.	1	33
Franz, A.	10	37	Rhodes, J.G.L.	2	38
a successive and a			Robinson, M.J.	3	55
Gledhill, W.	5	33			
Gledhill, W.	5	55			

	Issue	Page		Issue	Page
Saha, J.N. Sansom, R. Schaffner, H. Sharma, P.D. Sharma, P.D. Sherwin, J. Smith, K.C. Sullivan, P.J.E. Sunda, J.A. Sutton, A.	2 10 8 1 2 4 7 9 8 2	32 30 37 26 49 52 42 55 37 60	Tappe, G. Taylor, J.R. Thomas, J.G. Tomlin, J.E. Townsend, J.M. Uno, M. Wagner, F. Walker, P.A. Wisbey, P.H.	10 8 10 4 4 1 7 11 1	37 37 54 54 38 41 48 32 30

and the set of the set